

Published by Authority of the Hon. James A. MacKINNON, M.P.,
Minister of Trade and Commerce.

CANADA
DOMINION BUREAU OF STATISTICS
INSTITUTIONAL STATISTICS BRANCH

TENTH ANNUAL REPORT
OF
MENTAL INSTITUTIONS
1941



OTTAWA
1943

CANADA

DOMINION BUREAU OF STATISTICS

BUREAU FÉDÉRAL DE LA STATISTIQUE

Dominion Statistician:

Statisticien du Dominion:

S. A. Cudmore, M.A.(Oxon.), F.S.S., F.R.S.C.

Institutional Statistics Branch

Branche de la Statistique des Institutions

Chief:

Chef:

J. C. Brady, M.A.

PREFACEPREFACE

The present report, which covers the calendar year 1941, is the tenth of a series in which statistics have been published by the Dominion Bureau of Statistics covering Mental Institutions in Canada.

The report is presented in two sections. Section one consists of twenty-four general tables covering administration, finances, general movement of population with a general review of mental institutions during 1941.

Section two consists of fifty tables which give detailed information concerning first admissions, readmissions, discharges and deaths in public mental hospitals on the card system during 1941. An analysis of the data supplied in the tables is also given.

The Bureau desires to express its acknowledgement to the superintendents of the various institutions, Federal and provincial authorities and the National Committee for Mental Hygiene (Canada) for their wholehearted co-operation in furnishing the data appearing in this report.

This report was prepared under the supervision of James C. Brady, chief of the Institutional Statistics Branch, by Laurent Gagnon who was in direct charge of the compilation of the data.

Le présent rapport statistique, qui porte sur l'année civile 1941, est le dixième d'une série publiée par le Bureau Fédéral de la Statistique sur les institutions pour malades mentales au Canada.

Il se divise en deux parties. La première contient vingt-quatre tableaux généraux sur l'administration, les finances, le mouvement général des internés et une revue générale des institutions pour malades mentales en 1941.

La deuxième partie contient cinquante tableaux donnant des statistiques détaillées sur les premières admissions, les réadmissions, les sorties et les décès dans les établissements publics pour aliénés qui avaient le système de fiches en 1941. Elle donne aussi une analyse des données contenues dans les tableaux.

Le Bureau désire exprimer sa reconnaissance aux directeurs de ces diverses maisons, aux autorités fédérales et provinciales et au Comité National d'Hygiène Mentale (Canada) pour leur sincère collaboration au présent rapport.

Ce rapport a été préparé par Laurent Gagnon chargé directement de la compilation des données, sous la direction de James C. Brady, chef de la Branche des Statistiques des Institutions.

S.A. Cudmore.

Dominion Statistician.

S. A. Cudmore.

Statisticien du Dominion.

TABLE OF CONTENTS

	Page
Preface	1

SECTION IGeneral Statistics

Analysis of General Tables	5
----------------------------------	---

General Tables

Table 1.- List of mental institutions	9
---	---

MOVEMENT OF POPULATION

Table 2.- Classification of mental institutions	10
Table 3.- Patients under care on December 31, 1941, by type of hospitals	10
Table 4.- Classification of resident patients at end of year according to mental status	10
Table 5.- Total resident patients in mental hospitals and their proportion per 10,000 of estimated population	11
Table 6.- Movement of patient population in mental institutions during 1941, by mental status	11
Table 7.- Movement of total patient population in mental institutions during 1941, by provinces	11
Table 8.- Movement of inmate population in mental institutions during 1941, by provinces	12
Table 9.- Movement of mental defective population in mental institutions during 1941, by provinces	12
Table 10.- Movement of epileptic population in mental institutions during 1941, by provinces	14
Table 11.- First admissions and readmissions, 1931-1941	14
Table 12.- Percentage of first admissions and readmissions to direct admissions	16
Table 13.- Discharges and deaths, 1931-1941	17
Table 14.- Condition of patients on discharge, by provinces	17
Table 15.- Discharges with percentages according to condition on discharge	18
Table 16.- Ratio of discharges according to condition on discharge per 100 direct admissions	18
Table 17.- Rates of discharges, of recovered and improved per 100 patients treated	18
Table 18.- Death rates to first admissions and direct admissions, and general mortality rates	19
Table 19.- Death rates of average daily patient population and patients under treatment during year	19
Table 20.- Comparative mortality rates, 1937-1941	19

FINANCE AND PERSONNEL

Table 21.- Financial statement	20
Table 22.- Personnel	20
Table 23.- Per capita daily average expenditures in institutions devoted exclusively to mental diseases, 1940-1941	22
Table 24.- Number of patients to each officer and employee in institutions devoted exclusively to mental diseases	22

SECTION IIDetailed Statistics

Analysis of Detailed Tables	23
-----------------------------------	----

Detailed Tables

Table 25.- Percentage of cards received of total first admissions, readmissions, discharges and deaths of all mental institutions, by provinces	30
Table 26.- Number of first admissions, readmissions, discharges and deaths, by provinces	30
Table 27.- Psychiatric classification of first admissions	30

TABLE DES MATIÈRES

	Page
Préface	1

SECTION IStatistiques générales

Analyses des tableaux généraux	5
--------------------------------------	---

Tableaux généraux

Tableau 1.- Liste des institutions d'aliénés	9
--	---

MOUVEMENT DE LA POPULATION

Tableau 2.- Classification des établissements pour aliénés ...	10
Tableau 3.- Patients sous traitement le 31 décembre 1941, par genre d'hôpital	10
Tableau 4.- Classification des malades internés à la fin de l'année d'après l'état mental	10
Tableau 5.- Total des patients présents dans les asiles dédiés et leur proportion pour 10,000 de la population estimative	11
Tableau 6.- Mouvement de la population internée dans les institutions d'aliénés, en 1941, selon l'état mental	11
Tableau 7.- Mouvement de la population internée dans les institutions d'aliénés, en 1941, par province	12
Tableau 8.- Mouvement de la population aliénée dans les institutions d'aliénés, en 1941, par province	12
Tableau 9.- Nouvement de la population des arrivées mentales dans les institutions d'aliénés en 1941, par province	12
Tableau 10.- Mouvement de la population épileptique dans les institutions d'aliénés en 1941, par province	14
Tableau 11.- Premières admissions et réadmissions, 1931-1941	14
Tableau 12.- Pourcentage des premières admissions et des réadmissions par rapport aux admissions directes	16
Tableau 13.- Sorties et décès, 1931-1941	17
Tableau 14.- Etat des patients à leur sortie, par province	17
Tableau 15.- Sorties avec pourcentages selon l'état des patients à leur sortie	18
Tableau 16.- Proportion des sorties selon l'état à la sortie pour 100 admissions directes	18
Tableau 17.- Proportion des sorties, des guérisons et améliorations pour 100 patients traités	18
Tableau 18.- Mortalité par rapport aux premières admissions et admissions directes, et mortalité générale	19
Tableau 19.- Mortalité par rapport à la moyenne quotidienne de patients et par rapport aux patients traités durant l'année ..	19
Tableau 20.- Taux comparatifs de mortalité, 1937-1941	19

FINANCES ET PERSONNEL

Tableau 21.- Etat financier	20
Tableau 22.- Personnel	20
Tableau 23.- Répartition par capte des dépenses quotidiennes moyennes des institutions traitant exclusivement des malades mentaux, 1940-1941	22
Tableau 24.- Nombre de patients pour chaque officier et employé dans les institutions traitant exclusivement les malades mentaux	22

SECTION IIStatistiques détaillées

Analyse des tableaux détaillés	23
--------------------------------------	----

Tableaux détaillés

Tableau 25.- Pourcentage des fiches reçues par rapport au total des premières admissions, réadmissions, sorties et décès, pour tous les hôpitaux d'aliénés, par province	30
Tableau 26.- Premières admissions, réadmissions, sorties et décès, par province	30
Tableau 27.- Classification psychiatrique des premières admissions	30

TABLE OF CONTENTS - Con.Detailed tables - Con.

Table 28.- Psychoses of first admissions	31
Table 29.- Age of first admissions, by psychoses	32
Table 30.- Average age on admission, by psychoses	34
Table 31.- Psychoses of first admissions by provinces ...	35
Table 32.- Environment of first admissions by psychoses ..	36
Table 33.- Economic condition of first admissions by psychoses	37
Table 34.- Use of alcohol of first admissions by psychoses	38
Table 35.- Conjugal condition of first admissions by psychoses	39
Table 36.- Education of first admissions by psychoses ..	40
Table 37.- Nativity of first admissions by provinces	41
Table 38.- Percentage of Canadian born first admissions by provinces	41
Table 39.- Time in Canada before admission of British born and foreign born patients by provinces	42
Table 40.- Education of first admissions by age groups ..	42
Table 41.- Nativity of first admissions by age groups	43
Table 42.- Percentage of Canadian born first admissions by age groups	43
Table 43.- Time in Canada before admission of British born and foreign born patients by age groups	43
Table 44.- Country of birth of first admissions by provinces	44
Table 45.- Citizenship of first admissions	44
Table 46.- Racial origin of first admissions, by provinces	45
Table 47.- Religion of first admissions, by provinces	45
Table 48.- Previous occupation of first admissions, by provinces	46
Table 49.- Commitment of first admissions, by provinces	46
Table 50.- Environment of first admissions, by provinces	46
Table 51.- Economic condition of first admissions, by provinces	47
Table 52.- Use of alcohol of first admissions, by provinces	47
Table 53.- Conjugal condition of first admissions, by provinces	48
Table 54.- Education of first admissions, by provinces	48
Table 55.- Commitment of readmissions, by provinces	49
Table 56.- Conjugal condition of readmissions, by provinces	49
Table 57.- Psychoses of readmissions, by provinces	50
Table 58.- Age of readmissions by psychoses	52
Table 59.- Average age of readmissions, by psychoses	53
Table 60.- Psychoses of discharged patients, by provinces	53
Table 61.- Condition of patients on discharge, by psychoses	54
Table 62.- Percentage of recovery of discharged patients, by psychoses	54
Table 63.- Duration of last hospital residence of patients discharged as recovered by psychoses	55
Table 64.- Duration of last hospital residence of patients discharged as improved by psychoses	56
Table 65.- Duration of last hospital residence of patients discharged as unimproved by psychoses	57
Table 66.- Duration of last hospital residence of patients discharged without psychoses and unclassified, by psychoses	58
Table 67.- Duration of last hospital residence of discharged patients, by psychoses	59
Table 68.- Age of discharged patients, by psychoses	60
Table 69.- Average age at discharge and average length of last hospital residence, by psychoses	62
Table 70.- Psychoses of deaths, by provinces	64
Table 71.- Causes of death, by psychoses	65
Table 72.- Age of patients at time of death, by psychoses	66
Table 73.- Duration of hospital life of patients who died by psychoses	70
Table 74.- Average age at death and average length of stay in hospital, by psychoses	72

TABLE DES MATIERES - suiteTableaux détaillés - suite

Tableau 23.- Psychoses des premières admissions	31
Tableau 29.- Age des premières admissions, par psychose	32
Tableau 30.- Age moyen à l'admission, par psychose	34
Tableau 31.- Psychoses des premières admissions, par province	35
Tableau 32.- Environnement des premières admissions, par psychose	36
Tableau 33.- Situation économique des premières admissions par psychose	37
Tableau 34.- Usage d'alcool des premières admissions par psychose	38
Tableau 35.- Etat conjugal des premières admissions par psychose	39
Tableau 36.- Instruction des premières admissions par psychose	40
Tableau 37.- Lieu de naissance des premières admissions par province	41
Tableau 38.- Parentage des patients de première admission nés canadiens, par province	41
Tableau 39.- Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers par province	41
Tableau 40.- Instruction des premières admissions par groupe d'âge	42
Tableau 41.- Lieu de naissance des premières admissions par groupe d'âge	42
Tableau 42.- Parentage des patients de première admission nés canadiens, par groupe d'âge	42
Tableau 43.- Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers par groupe d'âge	43
Tableau 44.- Pays de naissance des premières admissions par province	44
Tableau 45.- Nationalité des premières admissions	44
Tableau 46.- Origine raciale des premières admissions, par province	45
Tableau 47.- Religion des premières admissions, par province	45
Tableau 48.- Occupation antérieure des premières admissions, par province	46
Tableau 49.- Mode d'internement des premières admissions, par province	46
Tableau 50.- Environnement des premières admissions, par province	46
Tableau 51.- Situation économique des premières admissions, par province	47
Tableau 52.- Usage d'alcool des premières admissions, par province	47
Tableau 53.- Etat conjugal des premières admissions, par province	47
Tableau 54.- Instruction des premières admissions, par province	48
Tableau 55.- Mode d'internement des réadmissions, par province	48
Tableau 56.- Etat conjugal des réadmissions, par province	48
Tableau 57.- Psychoses des réadmissions, par province	49
Tableau 58.- Age des réadmissions, par psychose	50
Tableau 59.- Age moyen des réadmissions, par psychose	52
Tableau 60.- Psychoses des patients sortis, par province	53
Tableau 61.- Etat des patients à leur sortie, par psychose	54
Tableau 62.- Pourcentage d'amélioration de l'état des patients sortis, par psychose	55
Tableau 63.- Durée du dernier séjour à l'hôpital des patients sortis comme guéris, par psychose	56
Tableau 64.- Durée du dernier séjour à l'hôpital des patients sortis comme améliorés par psychose	57
Tableau 65.- Durée du dernier séjour à l'hôpital des patients sortis comme non améliorés par psychose	58
Tableau 66.- Durée du dernier séjour à l'hôpital des patients sortis comme sans psychose et non classifiés, par psychose	59
Tableau 67.- Durée du dernier séjour à l'hôpital des patients sortis, par psychose	60
Tableau 68.- Age des patients à leur sortie, par psychose	62
Tableau 69.- Age moyen à la sortie, et durée moyenne du dernier séjour à l'hôpital par psychose	64
Tableau 70.- Psychoses des patients décédés, par province	65
Tableau 71.- Causes de décès, par psychose	66
Tableau 72.- Age des patients au décès, par psychose	70
Tableau 73.- Durée de l'hospitalisation des patients décédés, par psychose	72
Tableau 74.- Age moyen au décès et durée moyenne du séjour à l'hôpital, par psychose	74

SECTION IGENERAL STATISTICS

The data appearing in Section I were compiled from the annual returns made by each institution. The following brief analysis of some of the principal tables is given to assist the reader in the further study of the tables submitted.

ANALYSIS OF GENERAL TABLES

TABLE I. Mental Institutions in Canada - The bed capacities as appear in this table are for mental patients only. Where an institution has additional beds to accommodate other classes of patients, the total bed capacity of the institution appears in a footnote to the table.

TABLE 2. - At the close of the calendar year 1941, there were in Canada 60 institutions for the care and treatment of mentally sick persons. Of these institutions, 39 were under the direct control of Provincial Governments, 2 were controlled and administered by the Dominion Government, 15 were under County and Municipal control and 4 under private management.

TABLE 3. - Of the 49,245 mental patients on the books of mental institutions on December 31, 1941, 42,950 or 87.2 per cent were in Provincial institutions, 3,200 or 6.5 per cent in Provincial training schools, 1,719 or 3.5 per cent in County and Municipal institutions, 744 or 1.5 per cent in Dominion hospitals, 535 or 1.1 per cent in Private institutions and 97 or 0.2 per cent in the two Psychiatric hospitals of Ontario and Manitoba.

Of the total registered patients, 45,135 were in hospital at end of the year, 603 were under care in boarding homes and 3,507 on parole.

The total number of patients under the care and supervision of mental institutions on December 31, 1941 represents a 3.1 per cent increase over the number under care on the same date in 1940. The proportion of both sexes under care during the year shows but slight variation from the previous year, males showing an increase of 0.2 per cent and females an increase of 0.1 per cent.

TABLE 4. Classification of resident patients - The number of patients in residence on December 31, 1941 in mental institutions was 45,135 of which number 25,021 were males and 20,114 were females. Of above total, 35,039 or 77.6 per cent were insane (with psychoses), 9,305 or 20.6 per cent were mental defectives, 5.1 or 1.3 per cent were epileptics and 210 or 0.5 per cent with other types of mental sickness. Of the total with psychoses, 56.0 per cent were males and 44.0 per cent were females. Of the mental defectives, 53.3 per cent were males and 46.7 per cent were females.

TABLE 5. - During the twelve-month period the resident population rose from 44,337 on January 1, 1941 to 45,135 on December 31, 1941, an increase of 1.8 per cent at end of year. The increase of resident patients at end of the previous year was 2.8 per cent. All the provinces showed an increase

STATISTIQUES GÉNÉRALES

Les données de la section I sont calculées d'après le rapport annuel de chaque institution. La brève analyse qui suit de certains des principaux tableaux facilitera au lecteur une étude plus approfondie des tableaux du rapport.

ANALYSE DES TABLEAUX GÉNÉRAUX

TABLEAU I. Institutions d'aliénés au Canada - La capacité en lits telle qu'indiquée dans ce tableau a trait aux aliénés seulement. Lorsque une institution dispose de lits supplémentaires pour d'autres catégories de patients, la capacité totale en lits de cette institution paraît en renvoi au bas du tableau.

TABLEAU 2. - A la fin de l'année civile 1941, il y a au Canada 60 établissements pour le soin et le traitement des personnes atteintes de maladies mentales. Trente-neuf de ces maisons relèvent directement des gouvernements provinciaux, deux du Gouvernement fédéral qui les administre, quinze des comtés et des municipalités et quatre sont des établissements privés.

TABLEAU 3. - Sur 49.245 patients inscrits aux registres des hôpitaux d'aliénés le 31 décembre 1941, 42,950 ou 87.2 pour cent sont dans des établissements provinciaux, 3,200 ou 6.5 pour cent dans les écoles provinciales de formation, 1,719 ou 3.5 pour cent dans les établissements de comté et municipaux, 744 ou 1.5 pour cent dans les hôpitaux fédéraux, 535 ou 1.1 pour cent dans les hôpitaux privés et 97 ou 0.2 pour cent dans les deux hôpitaux psychiatriques de l'Ontario et du Manitoba.

Sur le total des patients enregistrés, 45,135 sont dans les hôpitaux à la fin de l'année, 603 en soin dans des pensions et 3,507 en liberté conditionnelle.

Le total des patients en soin ou sous surveillance dans les institutions d'aliénés le 31 décembre 1941 est de 3.1 pour cent plus élevé qu'à la même date en 1940. La proportion de patients de chaque sexe en soin ne diffère que très peu de celle de l'année précédente. Chez les hommes, il y a augmentation de 0.2 pour cent et chez les femmes, de 0.1 pour cent.

TABLEAU 4. Classification des patients internés - Le nombre de patients internés le 31 décembre 1941 dans les institutions d'aliénés est de 45,135 dont 25,021 sont des hommes et 20,114, des femmes. De ce total, 35,039 ou 77.6 pour cent sont des aliénés (avec psychose), 9,305 ou 20.6 pour cent, des arriérés mentaux, 581 ou 1.3 pour cent des épilétiques et 210 ou 0.5 pour cent, des malades souffrant d'autres maladies mentales. Du total des patients avec psychose, 56.0 pour cent sont des hommes et 44.0 pour cent, des femmes. Chez les arriérés mentaux, 53.3 pour cent sont des hommes et 46.7 pour cent, des femmes.

TABLEAU 5. - Au cours des douze mois, la population internée passe de 44,337 le 1er Janvier 1941 à 45,135 le 31 décembre 1941, ce qui constitue une augmentation de 1.8 pour cent à la fin de l'année. L'augmentation des patients hospitalisés à la fin de l'année précédente était de 2.8 pour cent. A la fin de l'année, toutes les

in the number of resident patients at end of the year, the greatest percentage increase being found in New Brunswick. The provinces of Quebec, Ontario, Saskatchewan and British Columbia show a less marked increase percentage from the figures of the previous year, while Prince Edward Island, Nova Scotia, New Brunswick, Manitoba and Alberta show greater increases over the preceding year. The proportion of males per 100 resident females in all mental institutions on December 31, 1941 was 124.4, a percentage increase of 1.9 per cent over the figures for 1940. The proportion of males to females in the three western provinces is much higher than in the other provinces.

The following summary table shows the normal bed capacity and the number of patients in residence on the last day of the year in all mental institutions for the years 1931 - 1941 inclusive:

Year Année	Normal bed capacity Capacité normale en lits	Per cent increase in bed capacity Pourcentage d'augmentation de la capacité en lits	Patients in residence on December 31st Patients internés le 31 décembre	Per cent increase in resident patients Pourcentage d'augmentation des patients internés	Per cent excess of resident population over bed capacity Pourcentage de l'excédent des hospitalisés sur la capacité en lits	Resident patients per 100,000 of general population Patients internés par 100,000 âmes de population moyenne
1931	31,832	-	31,686	-	-	305.4
1932	32,919	3.4	32,878	3.8	-	316.6
1933	33,451	1.6	34,979	6.4	4.5	324.9
1934	34,866	4.3	36,571	4.6	4.9	335.6
1935	35,987	3.2	38,261	4.6	6.3	348.2
1936	37,379	3.9	39,333	4.1	6.3	359.5
1937	37,798	1.1	41,677	4.6	10.3	372.5
1938	38,671	2.3	42,687	2.4	10.4	378.7
1939	39,277	1.4	43,275	1.4	10.3	380.4
1940	39,441	0.4	44,169	1.1	11.9	388.0
1941	40,115	1.7	45,135	2.2	12.5	392.5

The steady increase in the number of resident patients at the end of each year of the eleven-year period is evident from a study of above table and although the normal bed capacity of mental institutions on December 31, 1941 was 26.0 per cent greater than on December 31, 1931, the number of resident patients on December 31, 1941 was 42.4 per cent greater than in 1931.

TABLE 6. Movement of patient population in mental institutions by mental status - On January 1, 1941, there were on the books of all mental institutions 48,038 persons, of which number 44,337 or 92.3 per cent were in residence and 3,701 or 7.7 per cent were boarding out, on parole or otherwise absent.

Total admissions, which include first admissions, readmissions and transfers from other mental institutions, totalled 11,165. First admissions and readmissions are called direct admissions, while transfers are called indirect admissions. To show a correct movement of inmate population, it is necessary to include transfers with direct admissions.

provinces accusent une augmentation; le plus fort pourcentage d'augmentation est celui du Nouveau-Brunswick. Toutefois dans le Québec, l'Ontario, la Saskatchewan et la Colombie Britannique, cette augmentation est sensiblement moins marquée que l'année précédente, tandis que l'Île du Prince-Édouard, la Nouvelle-Ecosse, le Nouveau-Brunswick, le Manitoba et l'Alberta accusent des augmentations plus élevées. La proportion d'hommes par centaine de femmes dans tous les hôpitaux d'aliénés le 31 décembre 1941 est de 124.4, pourcentage d'augmentation de 1.9 pour cent en comparaison de 1940. La proportion d'hommes par rapport aux femmes dans les trois provinces de l'Ouest est beaucoup plus élevée que dans les autres provinces.

Le tableau sommaire suivant indique la capacité normale en lits et le nombre de patients hospitalisés le dernier jour de l'année dans toutes les institutions pour maladies mentales de 1931 à 1941 inclusivement:

D'après le tableau ci-dessus, il est évident qu'il y a augmentation persistante du nombre de patients internés à la fin de chaque année de la période de onze ans et bien que la capacité normale en lits des institutions d'aliénés le 31 décembre 1941 soit de 26.0 pour cent plus élevée que le 31 décembre 1931, le nombre de patients internés le 31 décembre 1941 est de 42.4 pour cent plus élevé qu'en 1931.

TABLEAU 6. Mouvement de la population internée dans les institutions d'aliénés selon l'état mental - Le 1er janvier 1941, 48,038 personnes sont inscrites aux registres de tous les hôpitaux d'aliénés. De ce nombre, 44,337 ou 92.3 pour cent sont internées et 3,701 ou 7.7 pour cent sont dans des pensions de famille, en liberté conditionnelle ou absentes pour d'autres raisons.

Les admissions totales, lesquelles comprennent les premières admissions, les réadmissions et les transferts d'autres institutions d'aliénés, s'établissent à 11,165. Les premières admissions et les réadmissions sont désignées comme admissions directes tandis que les transferts sont désignés comme admissions indirectes. Pour indiquer avec exactitude le mouvement de la population internée, il est nécessaire de compter les transferts avec les admissions directes.

On December 31, 1941 there were 49,245 persons on the books of mental institutions, an increase of 1,207 or 2.5 per cent during the year.

TABLES 7 to 10. - In these tables is shown the movement of total patient population, as also the movement of the insane, mental defectives and epileptics by provinces.

First admissions of the insane show slight increases in the provinces of Nova Scotia, New Brunswick and Quebec, with Prince Edward Island and Saskatchewan showing no change in the number of admissions from the previous year. Ontario, Manitoba, Alberta and British Columbia all show a reduction in the number of first admissions for the insane. First admissions of mental defectives increased in five provinces, the largest number of increases being in Ontario and Alberta. The provinces of Quebec and Saskatchewan had the same number of admissions as in 1940, while British Columbia and New Brunswick show decreases in the number of first admissions of mental defectives.

First admissions of epileptics fell from 124 in 1940 to 95 in 1941, a decrease of 23.4 per cent.

TABLE 11. First admissions and readmissions, 1931-41 - The figures shown in this table cover the eleven-year period 1931-41 inclusive and show for each province the number of first admissions and readmissions in each year. From 1932 to 1936 there was a steady increase in the number of first admissions, in which latter year the peak was reached with 9,002 first admissions. From 1936 to 1940 there has been a corresponding decline in each of the succeeding five years; 7,902 first admissions were recorded for 1941. The number of readmissions vary slightly during the eleven-year period, with the highest number recorded in 1941, in which year there were 2,401.

TABLE 13. Discharges and deaths 1931-41 - From 1931 to 1936, with the exception of the year 1932, the number of discharges from mental institutions show a steady annual increase. Discharges fell in 1937 but took an upward turn in 1938 and 1939, in which latter year the maximum number of discharges is recorded. Discharges in 1940 and 1941 show a marked decrease from the number discharged in 1939.

From 1933 to 1937 the number of deaths in mental institutions showed a slight annual increase. From that year to 1941 inclusive, the number of deaths varies but slightly from year to year.

TABLES 14 to 17. Discharges - The number of patients discharged during 1941 was 6,468. Of the 58,341 patients under care during the year, 11.1 out of every 100 patients were discharged, and for every 100 patients discharged there were 123 first admissions.

Of the 6,468 who were discharged, 1,781 or 27.5 per cent were discharged as having recovered, 3,180 or 49.2 per cent as being improved, 923 or 14.3 per cent as being unimproved with 584 or 9.0 per cent as "without psychosis". Thus, of the 5,384 patients who had a psychosis on admission, 84 per cent were discharged as having recovered or

Le 31 décembre 1941, le nombre de personnes inscrites dans les hôpitaux d'aliénés est de 49,245, augmentation de 1,207 ou 2.5 pour cent au cours de l'année.

TABLEAUX 7 à 10. - Ces tableaux indiquent, par province, le mouvement de la population totale des internés, de même que celui des aliénés, des arriérés mentaux et des épileptiques en particulier.

Les premières admissions d'aliénés accusent une légère augmentation en Nouvelle-Ecosse, au Nouveau-Brunswick et dans Québec; l'Île du Prince-Édouard et la Saskatchewan n'accusent aucun changement en regard de l'année précédente. L'Ontario, le Manitoba, l'Alberta et la Colombie Britannique accusent tous une diminution du nombre de premières admissions d'aliénés. Les premières admissions d'arriérés mentaux augmentent dans cinq provinces, les plus fortes augmentations s'avérant dans l'Ontario et l'Alberta. La province de Québec et la Saskatchewan ont le même nombre d'admissions qu'en 1940, tandis que la Colombie Britannique et le Nouveau-Brunswick accusent des diminutions.

Le nombre de premières admissions chez les épileptiques tombe de 124 en 1940 à 95 en 1941, diminution de 23.4 pour cent.

TABLEAU 11. Premières admissions et réadmissions, 1931-41 - Les chiffres de ce tableau embrassent la période de onze ans de 1931 à 1941 inclusivement et indiquent dans chaque province, le nombre de premières admissions et de réadmissions chaque année. De 1932 à 1936, le nombre de premières admissions s'accroît régulièrement. Il atteint le maximum de 9,002 en 1936. De 1936 à 1940, il y a déclin correspondant chaque année. Les premières admissions s'établissent à 7,902 en 1941. Le nombre de réadmissions varie très peu au cours de la période de onze ans. Il atteint le maximum de 2,401 en 1941.

TABLEAU 13. Sorties et décès 1931-41 - De 1931 à 1936, à l'exception de 1932, le nombre de sorties des institutions d'aliénés augmente chaque année. Il diminue en 1937, mais se remet à la hausse en 1938 et 1939. Il atteint son maximum dans cette dernière année. Les sorties en 1940 et 1941 accusent une diminution marquée sur celles de 1939.

De 1933 à 1937, le nombre de décès dans les hôpitaux d'aliénés accuse annuellement une légère diminution. À compter de 1937 jusqu'à 1941 inclusivement, le nombre de décès nevarie que très peu d'une année à l'autre.

TABLEAUX 14 à 17. Sorties - Le nombre de patients sortis en 1941 est de 6,468. Sur les 58,341 patients en soin durant l'année, 11.1 pour cent sont libérés et pour chaque centaine de patients libérés, il y a 123 premières admissions.

Sur les 6,468 patients sortis, 1,781 ou 27.5 pour cent sont libérés comme guéris, 3,180 ou 49.2 pour cent, dans un état amélioré, 923 ou 14.3 pour cent, dans un état non amélioré et 584 ou 9.0 pour cent "sans psychose". Ainsi, sur les 5,384 patients souffrant de psychose à l'admission, 84 pour cent sont libérés comme étant guéris ou dans un état amélioré. Le pourcentage

improved. Females had a higher percentage of recoveries than males, the percentages being 55.3 for males and 29.6 for females.

The discharge rate per 100 admissions was 62.8, while the rate of discharges per 100 under treatment was 11.1.

TABLES 18 TO 20. Death rates - In Table 13 is shown the number of deaths in mental institutions over an eleven-year period. In Tables 18 to 20 is shown the death rate per first admissions, rates per 1,000 of average daily population and comparative mortality rates per 1,000 patients under treatment for the last five years.

The death rate per 100 first admissions was 33.3 and for first admissions and readmissions 25.5. The mortality rate per 1,000 of the average daily population was 5%, while the mortality rate per 1,000 of total patients under care was 45.0. There has been a steady decline in the mortality rates of patients under care since 1937 when the rate was 64.3 (see Table 20).

FINANCIAL - (Cost of Hospitalization) - The cost of maintenance of patients in public mental hospitals in 1941 was \$16,152,328.81. The per capita maintenance expenditures based on the daily average number of patients was \$356.77, or an average daily per capita cost of 98 cents. These expenditures are net by revenue received from three main sources, viz., (a) appropriations by the Provincial, Federal and Municipal Governments, (b) from paying patients and (c) from all other sources of income. Of the \$19,084,149.73 received by mental institutions, the provinces contributed \$12,008,217.76 or 62.9 per cent, Federal Government \$1,278,889.35 or 6.7 per cent, municipalities, \$1,062,949.49 or 5.5 per cent, paying patients \$2,064,222 or 10.8 per cent and from all other sources \$2,669,371.12 or 14.0 per cent. The total expenditures for maintenance and non-maintenance were \$19,366,996.

PERSONNEL. - The personnel employed in mental hospitals in 1941 was 3,563, of which number 4,560 were males and 4,003 were females. The medical staff, including full time and part time physicians and medical interns, numbered 306. Clinical assistants and dentists totalled 64. Graduate nurses and other nurses totalled 2,457, while attendants totalled 2,774. All others, including occupational therapists, teachers, dietitians, clerical employees and other officers and employees numbered 2,962. There was a decrease of 251 or 2.9 per cent in the total number of personnel over the number recorded in 1940. Based on the average daily population, the number of patients to each of the medical staff was 148. There was one graduate nurse for every 40 patients, and for the total nursing staff including graduate and other nurses and attendants the ratio was one nurse or attendant to every 8.6 patients, while the ratio of patients to total staff was 5.3.

— oGo —

The twenty-four general tables which follow are based on the annual reports received from each mental institution and cover movement of population, personnel and financial statement for the year under review.

de guérisons est plus élevé chez les femmes que chez les hommes; il est de 29.6 en regard de 25.3 chez les hommes.

Le taux des sorties par centaine d'admissions est de 62.8 tandis que par centaine de patients en soin, il est de 11.1.

TABLEAUX 18 à 20. Mortalité - Le tableau 13 donne le nombre de décès dans les hôpitaux d'aliénés au cours d'une période de onze ans. Les tableaux 18 à 20 donnent la mortalité par rapport aux premières admissions, les taux par 1,000 de population quotidienne moyenne et la mortalité comparative par 1,000 patients en soin au cours des cinq dernières années.

La mortalité par centaine de premières admissions est de 33.3 et par centaine de premières admissions et de réadmissions, ce 25.5. La mortalité par 1,000 de population quotidienne moyenne est de 5%, tandis que chez tous les patients en soin elle est de 45.0 par 1,000. Depuis 1937, la mortalité diminue graduellement chez les patients en soin. Elle était alors de 64.3 (voir tableau 20).

FINANCES - (Coût de l'hospitalisation). Le coût de l'entretien des patients dans les hôpitaux publics d'aliénés en 1941 est de \$16,152,328.81. Les frais d'entretien par capitale, basés sur la moyenne quotidienne de patients, est de \$356.77, ou un coût moyen par jour de 98 cents par patient. Ces dépenses sont défrayées à même les revenus provenant des trois sources principales suivantes: (a) contributions provinciales, fédérales et municipales, (b) patients payant et (c) toutes autres sources. Sur une somme globale de \$19,084,149.73 reçue par les institutions d'aliénés, \$12,008,217.76 ou 62.9 pour cent proviennent des provinces, \$1,278,889.35 ou 6.7 pour cent du Gouvernement fédéral, \$1,062,949.49 ou 5.5 pour cent des municipalités, \$2,064,222 ou 10.8 pour cent des patients et \$2,669,371.12 ou 14.0 pour cent de toutes autres sources. Les dépenses totales d'entretien et autres s'établissent à \$19,366,996.

PERSONNEL. - Le personnel global des hôpitaux d'aliénés en 1941 est de 3,563 dont 4,560 hommes et 4,003 femmes. Le personnel médical est de 306. Il comprend les médecins à temps continu, les médecins à temps discontinu et les internes. Les auxiliaires de cliniques et les dentistes sont au nombre de 64. Les infirmiers et infirmières diplômés et non diplômés sont au nombre de 2,457, et les aides, au nombre de 2,774. Toutes les autres personnes, y compris les thérapeutistes, les professeurs, les diététistes, les employés de bureau et autres, sont au nombre de 2,962. En regard de 1940, le personnel global de ces maisons accuse une diminution de 251 ou 2.9 pour cent. Basé sur la population quotidienne moyenne, le nombre de patients pour chaque membre du personnel médical est de 148. Il y a quarante patients pour chaque infirmier ou infirmière diplômé. Pour le personnel infirmier global, qui comprend les infirmiers et infirmières diplômés et non diplômés et les aides, la proportion est de 8.6 patients par infirmier ou infirmière ou aide, tandis que, par rapport au personnel global, cette proportion vas de 5.3.

— oGo —

Les vingt-quatre tableaux généraux qui suivent sont basés sur les rapports annuels des hôpitaux d'aliénés et couvrent le mouvement de la population, le personnel et les finances pour l'année d'observation.

Table 1 - Mental Institutions in Canada, December 31, 1941.
 Tableau 1 - Institutions pour aliénés au Canada, le 31 décembre 1941.

Location Localité	Name of institution Nom de l'institution	Normal capacity ⁽¹⁾ Capacité normale	Location Localité	Name of institution Nom de l'institution	Normal capacity ⁽¹⁾ Capacité normale
PRINCE EDWARD ISLAND					
Provincial hospital - Hôpital provincial			ONTARIO	Provincial hospitals - Hôpitaux provinciaux	
* Charlottetown	Paleonwood Hospital	275	* Brockville	The Ontario Hospital	848
NOVA SCOTIA			* Cobourg	The Ontario Hospital	419
Provincial hospitals - Hôpitaux provinciaux			* Fort William	The Ontario Hospital	75
* Dartmouth	Nova Scotia Hospital	500	* Hamilton	The Ontario Hospital	1,065
* Brookside, Truro	Nova Scotia Training School	150	* Kingston	The Ontario Hospital	1,121
County hospitals - Hôpitaux de comté			* Langstaff	The Ontario Hospital	350
Bridgetown	Annapolis County Hospital	60	* London	The Ontario Hospital	1,230
Mabou	Inverness County Asylum	150	* New Toronto	The Ontario Hospital	1,465
Stellarton	Pictou County Asylum	140	* Orillia	The Ontario Hospital	2,071
Sydney River	Cape Breton County Hospital	350	* Penetanguishene	The Ontario Hospital	600
Waterville	Kings County Asylum	140	* Toronto	The Ontario Hospital	1,220
County and municipal institutions - Institutions de comté et de municipalité			* Whitby	The Ontario Hospital	1,500
Antigonish	Antigonish County Home	35	* Woodstock	The Ontario Hospital	1,200
Cole Harbour	Halifax County Home and Mental Hospital	200	Toronto	Toronto Psychiatric Hospital	80
Dayspring	Lunenburg County Home	116	Dominion hospital - Hôpital du Dominion		
Halifax	Halifax City Home (2)	250	* London (4)	Westminster Psychopathic Hosp.	510
Marshalltown	Digby County Asylum	20	Private institution - Institution privée (5)		
Middlefield	Queens County Asylum	20	Guelph	The Homewood Sanitarium	150
Pugwash	Cumberland County Home	175	MANITOBA		13,904
Shelburne	Shelburne County Home	15	Provincial hospitals - Hôpitaux provinciaux		
South Maitland	East Hants Municipal Home	60	* Brandon	Hospital for Mental Diseases	1,300
Truro	Colchester County Home	105	* Portage la Prairie	The Manitoba School	409
		2,426	* Selkirk	Hospital for Mental Diseases	640
			* Winnipeg	Manitoba Psychopathic Hosp.	32
					2,381
NEW BRUNSWICK					
Provincial hospital - Hôpital provincial			SASKATCHEWAN	Provincial hospitals - Hôpitaux provinciaux	
* Saint John	The Provincial Hospital	1,160	* North Battleford	Provincial Mental Hospital	1,320
QUEBEC			* Weyburn	Saskatchewan Mental Hospital	1,650
			ALBERTA		2,970
Provincial Hospitals - Hôpitaux provinciaux			Provincial hospitals - Hôpitaux provinciaux		
* Baie St-Paul	Hôpital Ste-Anne	820	* Claresholm	Provincial Auxiliary Hosp.	100
* Bordeaux	Hôpital de Bordeaux	300	* Edmonton (Oliver)	Provincial Mental Institute	760
* Gamelin	Hôpital St-Jean de Dieu et annexes	5,500	* Ponoka	Provincial Mental Hospital	1,300
* Mastai	Hôpital St-Michel Archange et annexes	2,285	* Raymond	Provincial Auxiliary Hosp.	115
* Mastai	École La Jeunesse	336	* Red Deer	Provincial Training School	283
* St-Ferdinand	Hôpital St-Julien	870			2,558
* Verdun	Verdun Protestant Hospital	1,190	BRITISH COLUMBIA		
Dominion hospital - Hôpital du Dominion			Provincial hospitals - Hôpitaux provinciaux		
Ste-Anne de Bellevue	Ste. Anne's Hospital (3)	275	* Colquitz	Provincial Mental Home	1
Private institutions - Institutions privées			* Esquimalt	Provincial Mental Hospital	12,425
Gamelin	Résidence Ste-Thérèse	300	* New Westminster	Public Hospital for Insane	1
Montréal	Retraite St-Benoit	50	Private institution - Institution privée		
		11,926	New Westminster	The Hollywood Sanitarium	30
					2,455
					40,115

* Institutions on the card system.

(1) Normal capacity for mental patients only.

(2) Total capacity of Halifax City Home, 500 beds.

(3) " " Ste. Anne's Hospital, 625 beds.

(4) " " Westminster Hospital, London, Ont., 600 beds.

(5) Manor House Corp., Private Hospital at Lancaster, was closed during 1941.

* Institutions ayant adopté le système de fiches.

(1) Capacité normale pour aliénés seulement.

(2) Halifax City Home a une capacité totale de 500 lits.

(3) L'hôpital Ste-Anne a une capacité totale de 625 lits.

(4) L'hôpital Westminster a une capacité totale de 600 lits.

(5) L'hôpital privé Manor House, à Lancaster, a fermé ses portes en 1941.

Table 2 - Classification of Mental Institutions.
Tableau 2 - Classification des institutions pour aliénés.

Province	Institutions	Provincial Institutions Institutions provinciales			County and Municipal Hospitals Institutions de comté ou de municipalité			Other Institutions Autres institutions	
		Hospitals Hôpitaux	Training schools Hôpitaux-écoles	Psychiatric hospitals Hôpitaux psychiatriques	Hospitals Hôpitaux	Asylums Asiles	Homes Hospices	Dominion hospitals Hôpitaux fédéraux	Private institutions Institutions privées
Prince Edward Island	1	1	-	-	-	-	-	-	-
Nova Scotia	17	1	1	-	2	5	7	-	-
New Brunswick	1	1	-	-	-	-	-	-	-
Quebec	10	6	1	-	-	-	-	1	2
Ontario	16	12	1	1	-	-	-	1	1
Manitoba	4	2	1	1	-	-	-	-	-
Saskatchewan	2	2	-	-	-	-	-	-	-
Alberta	5	4	1	-	-	-	-	-	-
British Columbia	4	3	-	-	-	-	-	-	1
C A N A D A	60	32	5	2	3	5	7	2	4

Table 3 - Patients under care on December 31, 1941, by type of hospitals.
Tableau 3 - Patients sous traitement le 31 décembre 1941, par genre d'hôpital.

Type of hospital Genre d'hôpital	In hospital Dans l'hôpital			Boarding out En pension			On parole En congé			Total on books Total inscrits		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Provincial hospitals Hôpitaux provinciaux	21,712	17,551	39,263	186	317	503	1,615	1,569	3,184	23,513	19,437	42,950
Provincial training schools Hôpitaux-écoles provinciaux	1,426	1,259	2,645	3	97	100	159	96	255	1,646	1,552	3,200
Psychiatric hospitals Hôpitaux psychiatriques	43	54	97	-	-	-	-	-	-	43	54	97
County and municipal institutions Institutions de comté et de municipalité	872	845	1,717	-	-	-	2	-	2	874	845	1,719
Dominion hospitals Hôpitaux fédéraux	744	-	744	-	-	-	-	-	-	744	-	744
Private institutions Institutions privées	164	305	469	-	-	-	29	37	66	193	342	535
T O T A L	25,021	20,114	45,135	189	414	603	1,805	1,702	3,507	27,015	22,230	49,245

Table 4 - Classification of resident patients at end of year according to mental status.
Tableau 4 - Classification des malades internés à la fin de l'année d'après l'état mental.

Province	Total patients Tous les patients			Insane Aliénés			Mental defective Arriérés mentaux			Epileptics Épileptiques			All other types Tous les autres types		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	142	134	276	133	133	266	6	-	6	1	-	1	2	1	3
Nova Scotia	1,170	1,038	2,208	994	846	1,840	156	180	336	11	11	22	9	1	10
New Brunswick	657	556	1,213	505	452	957	94	78	172	50	22	72	8	4	12
Quebec	7,218	6,075	13,293	5,177	4,568	9,745	1,948	1,412	3,360	82	77	159	11	18	29
Ontario	7,631	6,964	14,595	5,989	5,355	11,364	1,438	1,430	2,868	152	143	295	52	36	88
Manitoba	1,587	1,345	2,912	1,310	1,028	2,338	239	308	547	4	4	8	14	5	19
Saskatchewan	2,448	1,456	3,904	1,960	1,033	2,993	468	411	879	7	6	13	13	6	19
Alberta	1,799	1,035	2,834	1,523	847	2,270	252	180	432	7	2	9	17	6	23
British Columbia	2,389	1,511	3,900	2,027	1,159	3,186	354	351	705	2	-	2	6	1	7
C A N A D A	25,021	20,114	45,135	19,618	15,421	35,039	4,955	4,350	9,305	316	265	581	132	78	210

Table 5 - Total resident patients in mental hospitals and their proportion per 10,000 of estimated population.
 Tableau 5 - Total des patients résidents dans les asiles d'aliénés et leur proportion pour 10,000 de la population estimative.

Province	Total patients in mental hospitals Total des patients dans les asiles d'aliénés						Increase or decrease	Males per 100 females, Dec. 31, 1941	Proportion per 10,000 of mean population Dec. 31, 1941	
	January 1st, 1941 1er janvier 1941		December 31st, 1941 31 décembre 1941		Augmentation ou diminution					
	M.	F.	T.	M.	F.	T.	No.	p.c.		
Prince Edward Island	140	127	267	142	134	276	9	3.4	106.0	
Nova Scotia	1,153	1,032	2,185	1,170	1,038	2,208	23	1.1	112.7	
New Brunswick	619	527	1,146	657	556	1,213	67	5.8	118.2	
Quebec	7,976	6,329	13,105	7,218	6,075	13,293	188	1.4	118.8	
Ontario	7,558	6,907	14,465	7,631	6,964	14,595	130	.9	109.6	
Manitoba	1,510	1,304	2,814	1,567	1,345	2,912	98	3.5	116.5	
Saskatchewan	2,385	1,382	3,767	2,448	1,456	3,904	137	3.6	168.1	
Alberta	1,740	1,515	2,755	1,799	1,035	2,834	79	2.9	173.8	
British Columbia	2,372	1,461	3,833	2,389	1,511	3,900	67	1.7	158.1	
C A N A D A	24,553	19,784	44,337	25,321	20,114	45,135	798	1.8	124.4	
									39.2	

Table 6 - Movement of patient population in mental institutions during 1941, by mental status.
 Tableau 6 - Mouvement de la population internée dans les institutions d'aliénés, en 1941, selon l'état mental.

Item	Détail	Total			Insane Aliénés			Mental defectives Arriérés mentaux			Epileptics Épileptiques			All other types Tous autres types		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNÉE																
In hospital - Dans l'hôpital		24,553	19,784	44,337	19,340	15,100	34,440	4,791	4,341	9,132	317	269	586	105	74	179
Boarding out - En pension		55	156	211	50	122	172	4	34	38	-	-	-	1	-	1
On parole - En congé		2,785	1,705	3,490	1,330	1,333	2,663	395	321	716	33	29	62	27	22	49
TOTAL		26,393	21,645	48,038	20,720	16,555	37,275	5,190	4,696	9,886	350	298	648	133	96	229
ADMISSIONS																
First admissions - Premières admissions		4,394	3,508	7,902	3,445	2,885	6,320	607	434	1,091	67	28	95	275	111	386
Readmissions - Réadmissions		1,268	1,139	2,401	1,006	1,009	2,015	82	66	148	9	2	17	171	50	221
Transfers received - Transferts reçus		488	374	862	390	295	685	79	75	154	11	2	13	8	2	10
TOTAL		6,150	5,015	11,165	4,841	4,189	9,030	768	625	1,393	87	38	125	454	163	617
SEPARATIONS																
Discharges - Sorties		3,528	2,940	6,468	2,745	2,479	5,224	315	284	599	57	31	88	411	146	557
Transfers - Transferts		428	374	862	396	300	694	79	69	148	12	3	19	3	2	5
Deaths - Décès		1,512	1,116	2,628	1,316	931	2,399	168	115	283	15	7	22	13	11	24
TOTAL		5,528	4,430	9,958	4,455	3,762	8,217	562	468	1,090	84	43	125	427	159	586
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNÉE																
In hospital - Dans l'hôpital		25,021	20,114	45,135	19,613	15,421	35,039	4,955	4,350	9,305	316	265	581	132	78	210
Boarding out - En pension		189	414	603	179	284	463	9	130	139	-	-	-	1	-	1
On parole - En congé		1,805	1,702	3,507	1,309	1,277	2,586	432	373	805	37	30	67	27	22	49
TOTAL		27,015	22,230	49,245	21,106	16,982	38,028	5,396	4,853	10,249	353	295	643	160	100	260
Surplus of admissions over separations during year - Exédent d'admissions sur les séparations durant l'année		622	585	1,207	386	427	813	206	157	363	3	-3	0	27	4	31

Table 7 - Movement of total patient population in mental institutions during 1941, by provinces.

Item	Detail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital		24,553	19,784	44,337	140	127	267	1,153	1,032	2,185	619	527	1,146
Boarding out - En pension		55	156	211	-	-	-	-	-	-	-	-	-
On parole - En congé		1,785	1,705	3,490	-	-	-	28	20	48	228	171	399
TOTAL		26,393	21,645	48,038	140	127	267	1,181	1,052	2,233	847	698	1,545
ADMISSIONS													
First admissions - Premières admissions		4,394	3,908	7,902	41	21	62	288	181	469	191	121	312
Readmissions - Réadmissions		1,268	1,133	2,401	20	11	31	65	40	105	51	29	80
Transfers received - Transferts reçus		488	374	862	-	-	-	73	54	127	-	-	-
TOTAL		6,150	5,015	11,165	61	32	93	426	275	701	242	150	392
SEPARATIONS													
Discharges - Sorties		3,528	2,940	6,468	52	21	73	232	142	374	139	108	247
Transfers - Transferts		468	374	862	-	-	-	73	54	127	-	-	-
Deaths - Décès		1,512	1,116	2,628	7	4	11	92	67	159	64	29	93
TOTAL		5,508	4,430	9,938	59	25	84	397	263	660	203	137	340
ON BOOKS AT END OF YEAR - INSCRITS A LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital		25,021	20,114	45,125	142	134	276	1,170	1,038	2,208	657	556	1,213
Boarding out - En pension		189	414	603	-	-	-	40	26	66	229	155	384
On parole - En congé		1,805	1,702	3,507	-	-	-	-	-	-	-	-	-
TOTAL		27,015	22,230	49,245	142	134	276	1,210	1,064	2,274	886	711	1,597

Table 8 - Movement of insane population in mental institutions during 1941, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital		19,340	15,100	34,440	131	126	257	975	835	1,810	473	428	901
Boarding out - En pension		50	122	172	-	-	-	-	-	-	-	-	-
On parole - En congé		1,330	1,333	2,663	-	-	-	20	17	37	210	158	368
TOTAL		20,720	16,555	37,275	131	126	257	995	852	1,847	683	586	1,269
ADMISSIONS													
First admissions - Premières admissions		3,445	2,885	6,330	19	19	38	245	162	407	174	115	289
Readmissions - Réadmissions		1,006	1,009	2,015	10	11	21	66	37	97	49	28	77
Transfers received - Transferts reçus		390	295	685	-	-	-	70	52	122	-	-	-
TOTAL		4,841	4,189	9,030	29	30	59	375	251	626	223	143	366
SEPARATIONS													
Discharges - Sorties		2,745	2,479	5,224	20	19	39	196	123	319	133	106	239
Transfers sent out - Transferts envoyés		394	300	694	-	-	-	73	54	127	-	-	-
Deaths - Décès		1,316	983	2,299	7	4	11	64	57	141	62	28	90
TOTAL		4,455	3,762	8,217	27	23	50	353	234	587	195	134	329
ON BOOKS AT END OF YEAR - INSCRITS A LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital		19,618	15,421	35,039	133	133	266	994	846	1,840	505	452	957
Boarding out - En pension		179	284	463	-	-	-	-	-	-	-	-	-
On parole - En congé		1,309	1,277	2,586	-	-	-	23	23	46	206	143	349
TOTAL		21,106	16,982	38,088	133	133	266	1,017	869	1,886	711	595	1,306

Tableau 7 - Mouvement de la population internée dans les hôpitaux d'aliénés en 1941, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
7,076	6,029	13,105	7,558	6,907	14,465	1,510	1,304	2,814	2,385	1,382	3,767	1,740	1,015	2,755	2,372	1,461	3,833
-	52	156	208	-	-	3	-	3	-	-	-	29	3	32	108	87	195
715	619	1,334	630	754	1,384	47	51	98	-	-	-	-	-	-	-	-	-
7,791	6,643	14,433	8,240	7,817	16,057	1,560	1,355	2,915	2,385	1,382	3,767	1,769	1,018	2,787	2,420	1,545	4,028
1,153	931	2,084	1,423	1,349	2,772	238	194	432	327	238	565	284	167	451	449	306	755
260	235	495	461	446	907	96	83	179	92	98	190	91	89	180	132	102	234
13	29	42	304	183	487	67	70	137	9	3	12	22	35	57	-	-	-
1,426	1,195	2,621	2,188	1,978	4,166	401	347	748	428	399	767	397	291	688	581	406	989
768	683	1,451	1,306	1,182	2,488	185	163	348	218	200	418	222	191	413	406	250	656
13	29	42	304	183	487	67	70	137	9	3	12	22	35	57	-	-	-
450	365	815	441	398	839	72	67	139	138	62	200	88	42	130	160	82	242
1,231	1,077	2,308	2,051	1,763	3,814	324	300	624	365	266	630	332	268	600	566	392	896
7,218	6,075	13,293	7,631	6,964	14,595	1,567	1,345	2,912	2,448	1,456	3,904	1,799	1,035	2,834	2,289	1,511	3,900
768	691	1,459	564	654	1,218	63	57	120	-	-	-	35	6	41	106	113	219
7,986	6,766	14,752	8,377	8,032	16,409	1,637	1,402	3,039	2,448	1,456	3,904	1,834	1,041	2,875	2,495	1,624	4,119

Tableau 8 - Mouvement de la population aliénés dans les hôpitaux d'aliénés en 1941, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
5,096	4,520	9,616	5,969	5,347	11,216	1,272	983	2,255	1,927	983	2,910	1,489	848	2,337	2,008	1,130	3,138
-	48	122	170	-	-	2	-	2	-	-	-	-	-	-	-	-	-
463	466	929	468	560	1,028	42	45	87	-	-	-	25	3	28	102	84	186
5,559	4,986	10,545	6,485	5,929	12,414	1,316	1,028	2,344	1,927	983	2,910	1,514	851	2,365	2,110	1,214	3,324
878	759	1,637	1,093	1,097	2,190	201	168	369	259	193	452	185	109	294	391	263	654
215	201	416	352	403	755	85	79	164	79	87	166	83	78	161	73	85	158
5	15	20	234	136	370	65	67	132	2	3	5	14	22	36	-	-	-
1,098	975	2,073	1,679	1,636	3,315	351	314	665	340	283	623	282	209	491	464	348	812
605	564	1,169	980	976	1,956	163	142	303	184	174	358	158	152	310	308	223	531
5	9	14	234	145	379	65	67	132	2	3	5	15	22	37	-	-	-
363	312	675	400	366	765	68	56	124	121	56	177	72	35	107	139	70	209
973	885	1,858	1,614	1,486	3,100	294	265	559	307	233	540	245	209	454	447	293	740
5,177	4,568	9,745	5,989	5,355	11,344	1,310	1,028	2,338	1,960	1,033	2,993	1,523	847	2,370	2,027	1,159	3,186
507	508	1,015	388	440	828	57	49	106	-	-	-	28	4	32	100	110	210
5,684	5,076	10,760	6,550	6,079	12,629	1,373	1,077	2,450	1,960	1,033	2,993	1,551	851	2,402	2,127	1,269	3,396

Table 9 - Movement of mental defective population in mental institutions during 1941, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital	4,791	4,341	9,132		3	-	3	162	184	346	89	75	164
Boarding out - En pension	4	34	38		-	-	-	-	-	-	-	-	-
On parole - En congé	395	321	716		-	-	-	8	3	11	12	8	20
TOTAL	5,190	4,696	9,886		3	-	3	170	187	357	101	83	184
ADMISSIONS													
First admissions - Premières admissions	607	424	1,091		5	1	6	27	16	43	12	6	18
Readmissions - Réadmissions	82	66	148		-	-	-	4	2	6	2	1	3
Transfers received - Transferts reçus	79	75	154		-	-	-	1	2	3	-	-	-
TOTAL	768	625	1,393		5	1	6	32	20	52	14	7	21
SEPARATIONS													
Discharges - Sorties	315	284	599		2	1	3	24	15	39	4	2	6
Transfers sent out - Transferts envoyés	77	69	146		-	-	-	-	-	-	-	-	-
Deaths - Décès	163	115	278		-	-	-	5	9	14	2	1	3
TOTAL	562	462	1,030		2	1	3	29	24	53	6	3	9
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital	4,955	4,350	9,305		6	-	6	156	180	336	94	76	172
Boarding out - En pension	9	130	139		-	-	-	-	-	-	-	-	-
On parole - En congé	432	393	805		-	-	-	47	3	20	45	9	24
TOTAL	5,396	4,853	10,249		6	-	6	173	189	356	109	87	196

Table 10 - Movement of epileptic population in mental institutions during 1941, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital	317	269	586		1	-	1	12	11	23	49	20	69
Boarding out - En pension	-	-	-		-	-	-	-	-	-	-	-	-
On parole - En congé	33	29	62		-	-	-	-	-	-	6	5	11
TOTAL	350	298	648		1	-	1	12	11	23	55	25	86
ADMISSIONS													
First admissions - Premières admissions	67	28	95		2	-	2	-	-	-	1	-	1
Readmissions - Réadmissions	9	8	17		-	-	-	-	-	-	-	-	-
Transfers received - Transferts reçus	11	2	13		-	-	-	-	-	-	-	-	-
TOTAL	87	38	125		2	-	2	-	-	-	1	-	1
SEPARATIONS													
Discharges - Sorties	57	31	88		2	-	2	-	-	-	-	-	-
Transfers sent out - Transferts envoyés	12	3	15		-	-	-	-	-	-	-	-	-
Deaths - Décès	15	7	22		-	-	-	1	1	1	-	-	-
TOTAL	84	41	125		2	-	2	1	-	1	-	-	-
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital	316	265	581		1	-	1	11	11	22	50	22	72
Boarding out - En pension	-	-	-		-	-	-	-	-	-	-	-	-
On parole - En congé	37	30	67		-	-	-	-	-	-	6	3	9
TOTAL	353	295	648		1	-	1	11	11	22	56	25	81

Tableau 9 - Mouvement de la population des arriérés mentaux dans les institutions d'aliénés en 1941, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1,870	1,419	3,309	1,393	1,478	2,871	226	305	531	440	389	829	230	161	391	358	330	688
-	-	-	4	34	38	-	-	-	-	-	-	-	-	-	6	3	9
221	132	353	140	174	314	4	1	5	-	-	-	4	-	4	-	6	3
2,111	1,551	3,662	1,537	1,626	3,223	230	306	536	440	389	829	234	161	395	364	333	687
248	146	394	156	188	344	17	25	32	54	30	84	56	41	97	32	41	73
32	24	56	26	16	42	3	-	3	6	10	16	5	7	12	4	6	10
7	14	21	54	49	97	2	3	5	7	-	7	8	13	21	-	-	-
287	184	471	236	247	483	22	18	40	67	40	107	69	61	130	36	47	83
126	88	214	97	126	223	5	3	8	16	14	30	22	21	43	19	14	33
8	20	28	55	33	88	2	3	5	7	-	7	7	13	20	-	-	-
77	50	127	29	25	54	3	8	11	16	4	20	15	6	21	21	12	33
211	158	369	181	184	365	10	14	24	39	18	57	44	40	84	40	26	66
1,948	1,412	3,360	1,438	1,430	2,868	239	302	547	468	411	879	252	180	432	354	351	705
-	-	-	9	130	139	-	-	-	-	-	-	-	-	-	-	-	-
239	165	404	145	189	334	3	2	5	-	-	-	7	2	9	6	3	9
2,127	1,577	3,764	1,592	1,749	3,341	242	310	552	466	411	879	250	182	441	360	354	714

Tableau 10 - Mouvement de la population épileptique dans les institutions d'aliénés en 1941, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
78	75	153	158	148	306	5	6	11	6	7	13	6	2	8	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9	23	13	14	27	-	1	1	-	-	-	-	-	-	-	-	-
92	84	176	171	162	333	5	7	12	6	7	13	6	2	8	2	-	2
13	4	17	45	45	60	-	2	2	3	3	6	3	4	7	-	-	-
4	-	4	2	6	8	1	-	1	1	1	2	1	1	2	-	-	-
1	-	1	10	2	12	-	-	-	-	-	-	-	-	-	-	-	-
28	4	22	57	23	80	1	2	3	4	4	8	4	5	9	-	-	-
13	4	17	36	15	51	-	3	3	3	4	7	3	5	8	-	-	-
-	-	-	12	3	15	-	-	-	-	1	1	-	-	-	-	-	-
6	1	7	3	5	13	-	-	-	-	-	-	-	-	-	-	-	-
19	5	24	56	23	79	-	3	3	3	5	8	3	5	8	-	-	-
82	77	159	152	143	295	4	4	8	7	6	13	7	2	9	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	6	15	20	19	39	2	2	4	-	-	-	-	-	-	-	-	-
91	83	174	172	162	334	6	6	12	7	6	13	7	2	9	2	-	2

Table 11 - First admissions and readmissions, 1931-1941.
 Tableau 11 - Premières admissions et réadmissions, 1931-1941.

Year - Année	CANADA	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
First admissions - Premières admissions										
1931	7,560	109	369	140	1,955	2,501	489	514	356	595
1932	7,285	45	297	135	2,094	3,071	209	460	425	549
1933	7,636	48	355	124	2,186	2,934	607	483	399	500
1934	7,910	59	369	152	2,276	3,049	305	543	560	637
1935	8,703	57	359	205	2,420	3,370	555	533	554	646
1936	9,002	57	348	228	2,559	3,419	452	606	584	749
1937	8,703	61	346	267	2,501	3,165	425	609	539	796
1938	8,581	63	419	252	2,561	3,009	412	568	512	785
1939	8,301	54	366	328	2,123	3,066	414	608	511	829
1940	7,736	49	384	280	2,089	2,752	399	563	448	772
1941	7,902	62	469	312	2,084	2,772	432	565	451	755
Readmissions - Réadmissions										
1931	1,791	3	65	56	571	637	155	100	51	115
1932	1,881	44	115	45	410	664	196	166	95	146
1933	1,676	29	92	41	390	651	114	145	100	111
1934	1,906	41	135	57	532	646	52	155	139	149
1935	2,166	50	229	49	577	719	147	145	139	111
1936	2,121	40	85	45	468	809	147	169	197	161
1937	2,258	30	92	56	576	853	154	146	152	199
1938	2,384	39	117	80	581	896	143	185	136	207
1939	2,250	38	112	103	438	880	179	184	145	171
1940	2,087	36	104	53	414	826	165	161	152	156
1941	2,401	31	105	60	495	907	179	170	180	234

Note - Are not included in this table: Halifax City Home for 1931 and 1932, Manitoba Psychopathic Hospital for 1932 and 1934, Hollywood Sanatorium for 1933 and St. Ann's Hospital, Ste-Anne de Bellevue, for 1940.

- Ne sont pas comprises dans ce tableau, l'Hôtelier City Home pour 1931 et 1932, l'hôpital psychopathique du Manitoba pour 1932 et 1934, le Sanatorium Hollywood pour 1933 et l'hôpital Ste-Anne, Ste-Anne de Bellevue, pour 1940.

Table 12 - Percentage of first admissions and readmissions to direct admissions.
 Tableau 12 - Pourcentages des premières admissions et des réadmissions par rapport aux admissions directes.

Province	Direct admissions Admissions directes			First admissions - Premières admissions						Readmissions - Réadmissions							
				Number Nombre			Males Hommes per 100 females femmes	Percentage to direct admissions Pourcentage par rapport aux ad- missions directes			Number Nombre			Males Hommes per 100 females femmes	Percentage to direct admissions Pourcentage par rapport aux ad- missions directes		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
Prince Edward Island	61	32	93	41	21	62	195.2	67.2	65.6	66.7	20	11	31	181.3	32.8	34.4	33.3
Nova Scotia	353	221	574	268	121	469	159.1	81.6	81.9	81.7	65	40	105	162.5	13.4	12.1	18.3
New Brunswick	242	150	392	191	121	312	159.9	78.9	80.7	79.6	51	29	90	175.9	21.1	19.3	20.4
Quebec	1,413	1,166	2,579	1,153	931	2,084	123.8	81.6	79.3	80.8	260	235	495	110.6	18.4	20.2	19.2
Ontario	1,284	1,795	3,679	1,423	1,349	2,772	105.5	75.5	75.2	75.3	461	446	907	105.4	24.5	24.8	24.7
Manitoba	324	272	611	238	194	432	122.7	71.3	70.0	70.7	96	83	179	115.7	28.7	30.0	29.3
Saskatchewan	419	336	755	327	238	565	137.4	78.0	70.3	74.8	92	98	190	93.9	22.0	29.2	25.2
Alberta	375	256	631	284	167	451	170.1	75.7	65.2	71.5	91	89	180	102.2	24.3	34.8	28.5
British Columbia	581	408	989	449	308	755	146.7	77.3	75.3	76.3	132	102	234	129.4	22.7	25.3	23.7
CANADA	5,662	4,641	10,303	4,394	3,508	7,902	125.3	77.6	75.6	76.7	1,268	1,133	2,401	111.9	22.4	24.4	23.3

Table 13 - Discharges and deaths, 1931-1941.
Tableau 13 - Sorties et décès, 1931-1941.

Year Année	CANADA	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia
Discharges - Sorties										
1931	5,332	61	191	103	1,366	2,209	385	305	241	421
1932	4,748	45	329	61	1,059	2,349	140	278	315	365
1933	5,413	60	213	92	1,383	2,191	545	348	304	277
1934	5,511	63	292	59	1,381	2,370	156	386	392	392
1935	6,273	95	273	75	1,540	2,508	493	346	460	388
1936	6,727	77	288	149	1,605	2,352	369	419	482	486
1937	6,601	68	206	105	1,815	2,699	367	361	413	567
1938	6,956	88	310	221	1,822	2,637	396	446	412	614
1939	6,999	75	304	220	1,611	2,817	411	487	423	651
1940	6,444	80	314	179	1,390	2,672	385	394	442	588
1941	6,468	73	374	247	1,451	2,482	348	418	413	656
Deaths - Décès										
1931	2,216	27	155	69	661	767	123	108	83	204
1932	2,325	29	115	69	728	528	133	152	79	192
1933	2,188	22	135	66	684	726	110	155	78	210
1934	2,253	19	133	82	632	740	99	201	84	201
1935	2,472	11	112	100	771	768	138	149	98	285
1936	2,537	16	122	84	755	831	133	166	141	289
1937	2,670	19	131	104	829	849	128	199	159	242
1938	2,504	12	166	87	769	817	144	187	140	182
1939	2,621	13	157	107	819	859	157	158	120	231
1940	2,587	8	140	86	750	877	131	177	134	264
1941	2,628	11	159	93	815	839	139	200	130	242

Note - Are not included in this table: Halifax City Home, for 1931 and 1932, Manitoba Psychopathic Hospital for 1932 and 1934, Hollywood Sanatorium for 1933, and St. Ann's Hospital, Ste-Anne de Bellevue for 1940.

Ne sont pas compris dans ce tableau, l'Halifax City Home pour 1931 et 1932, l'hôpital psychopathique du Manitoba pour 1932 et 1934, le Sanatorium Hollywood pour 1933, et l'hôpital Ste-Anne de Bellevue pour 1940.

Table 14 - Condition of patients on discharge, by provinces.
Tableau 14 - Etat des patients à leur sortie, par province.

Province	Total discharges			Condition on discharge - Etat à la sortie											
				Recovered Guéris			Improved Améliorés			Unimproved Non améliorés			N.p. and unclassified Sans psychose et non classifiés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	52	21	73	46	14	60	6	7	13	-	-	-	-	-	-
Nova Scotia	232	142	374	92	52	144	82	59	141	35	19	54	23	12	36
New Brunswick	139	103	242	27	12	39	70	60	130	42	36	78	-	-	-
Quebec	768	693	1,461	270	333	603	360	261	621	105	83	188	33	6	39
Ontario	1,306	1,122	2,428	295	307	602	735	620	1,355	132	116	248	144	129	283
Manitoba	169	163	338	45	32	77	99	93	192	30	26	56	11	12	23
Saskatchewan	218	200	418	31	23	54	113	106	219	71	66	137	3	5	8
Alberta	222	191	413	59	51	110	94	83	177	12	22	35	56	36	91
British Columbia	406	250	656	45	47	92	181	151	332	92	35	127	62	17	105
CANADA	3,628	2,940	6,468	910	871	1,781	1,740	1,440	3,180	520	402	923	352	226	584

Table 15 - Discharges with percentages according to condition on discharge.
 Tableau 15 - Sorties avec pourcentages selon l'état des patients à leur sortie.

Province	Total discharges			Recovered Guéris			Improved Améliorés			Unimproved Non améliorés			W.p. and unclassified Sans psychose et non classifiés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	52	21	73	88.5	66.7	82.2	11.5	33.3	17.8	-	-	-	-	-	-
Nova Scotia	232	142	374	39.7	36.6	38.5	35.3	41.5	37.7	15.1	13.4	14.4	9.9	8.5	9.4
New Brunswick	139	108	247	19.4	11.1	19.6	50.4	55.6	52.6	30.2	33.3	31.6	-	-	-
Quebec	768	683	1,451	35.2	48.8	41.6	46.9	38.2	42.8	13.7	12.1	13.0	4.2	0.9	2.6
Ontario	1,306	1,182	2,488	22.6	26.0	24.2	56.3	52.5	54.5	10.1	9.5	10.0	11.0	11.7	11.2
Manitoba	185	163	348	24.3	19.6	22.1	53.5	57.1	55.2	16.2	16.0	16.1	6.0	7.3	6.6
Saskatchewan	218	200	418	14.2	11.5	12.9	51.2	59.0	52.4	32.6	39.0	32.8	1.4	2.5	1.9
Alberta	222	191	413	26.6	26.7	26.6	42.3	43.5	42.9	5.9	11.5	8.5	25.2	18.3	22.0
British Columbia	406	250	656	11.1	18.8	14.0	44.6	60.4	50.6	22.7	14.0	19.4	21.6	6.5	16.0
CANADA	3,528	2,940	6,468	25.0	29.6	27.5	49.3	49.0	49.2	14.7	13.7	14.3	10.2	7.7	9.0

Table 16 - Ratio of discharges according to condition on discharge per 100 direct admissions.
 Tableau 16 - Proportion des sorties selon l'état à la sortie pour 100 admissions directes.

Province	Total discharges			Recovered Guéris			Improved Améliorés			Unimproved Non améliorés			W.p. and unclassified Sans psychose et non classifiés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	85.2	65.6	78.5	75.4	43.8	64.5	9.8	21.3	14.0	-	-	-	-	-	-
Nova Scotia	65.7	64.3	66.2	26.1	23.5	25.1	23.2	26.7	24.6	9.9	8.6	9.4	6.5	5.4	6.1
New Brunswick	57.4	72.0	63.0	11.2	8.0	9.5	28.9	40.0	33.2	17.3	24.3	19.9	-	-	-
Quebec	54.4	58.6	56.3	19.1	28.6	23.4	25.5	22.4	24.1	7.4	7.1	7.3	2.4	0.5	1.5
Ontario	69.3	65.8	67.6	15.7	17.1	16.4	39.0	34.5	36.8	7.0	6.5	6.7	7.6	7.7	7.7
Manitoba	55.4	58.8	57.0	12.5	11.5	12.6	29.6	33.6	31.4	9.0	9.4	9.2	3.3	4.3	3.8
Saskatchewan	52.0	59.5	55.4	7.4	6.9	7.2	27.0	31.5	29.0	16.9	19.6	18.1	0.7	1.5	1.1
Alberta	59.2	74.6	65.4	15.7	19.9	17.4	25.1	32.4	28.1	3.5	8.6	5.5	14.9	13.7	14.4
British Columbia	69.9	61.3	66.3	7.7	11.5	9.3	31.2	37.0	39.6	15.8	8.6	12.8	15.2	4.2	10.6
CANADA	62.3	69.3	62.2	16.1	18.8	17.3	30.7	31.0	30.9	9.2	8.7	9.0	6.2	4.8	5.6

Table 17 - Rates of discharges, of recovered and improved per 100 patients treated.
 Tableau 17 - Proportion des sorties, des guérisons et améliorations pour 100 patients traités.

Province	Total discharges			Males per 100 females	Percentages of discharges per 100 patients treated			Recovery rates per 100 patients treated			Percentages of patients improved per 100 patients treated		
	Total des sorties				Proportion des sorties pour 100 patients traités			Proportion des guérisons pour 100 patients traités			Taux des améliorations pour 100 patients traités		
	M.	F.	T.	Hommes par 100 femmes	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	52	21	73	247.6	25.9	13.2	20.3	22.9	8.8	16.7	3.0	4.4	3.6
Nova Scotia	232	142	374	163.4	15.1	11.2	19.3	6.0	4.1	5.1	5.3	4.6	5.0
New Brunswick	139	108	247	128.7	12.8	12.7	12.8	2.5	1.4	2.0	6.4	7.1	6.7
Quebec	768	683	1,451	112.4	8.3	8.7	8.5	2.9	4.3	3.5	3.9	3.3	3.6
Ontario	1,306	1,182	2,488	110.5	12.9	12.3	12.6	2.9	3.2	3.1	7.3	6.5	6.9
Manitoba	185	163	348	113.5	9.8	10.0	9.9	2.4	1.9	2.2	5.2	5.7	5.4
Saskatchewan	218	200	418	109.0	7.2	11.6	9.2	1.1	1.3	1.2	4.0	6.2	4.8
Alberta	222	191	413	116.2	10.4	15.0	12.1	2.8	4.0	3.2	4.4	6.5	5.2
British Columbia	406	250	656	162.4	13.3	12.8	13.1	1.5	2.4	1.8	5.9	7.7	6.6
CANADA	3,528	2,940	6,468	120.0	11.0	11.2	11.1	2.8	3.3	3.1	5.4	5.5	5.5

Table 18 - Death rates to first admissions and direct admissions, and general mortality rates.
 Tableau 18 - Mortalité par rapport aux premières admissions et admissions directes, et mortalité générale.

Province	Deaths Décès			Males per 100 females Hommes par 100 femmes	Death rates per 100 first admissions Mortalité pour 100 premières admissions			Death rates per 100 direct admissions Mortalité pour 100 admissions directes			General mortality rates per 1000 population Mortalité générale pour 1000 de population
	M.	F.	T.		M.	F.	T.	M.	F.	T.	
	7	4	11	175.0	17.1	19.0	17.7	11.5	12.5	11.8	11.9
Prince Edward Island	7	4	11	175.0	17.1	19.0	17.7	11.5	12.5	11.8	11.9
Nova Scotia	92	67	159	137.3	31.9	37.0	33.9	26.1	30.3	27.7	32.0
New Brunswick	64	29	93	220.7	33.5	24.0	29.8	26.4	19.3	23.7	31.3
Quebec	450	365	815	123.3	39.0	39.2	39.1	31.8	31.3	31.6	30.5
Ontario	441	398	839	112.2	31.0	29.5	30.3	29.4	22.2	22.8	30.4
Manitoba	72	67	139	107.5	30.3	34.5	32.2	21.6	24.2	22.7	8.9
Saskatchewan	138	62	200	222.6	42.2	26.1	35.4	32.9	18.5	26.5	7.2
Alberta	88	42	130	209.5	31.0	25.1	28.2	23.5	16.4	20.6	8.0
British Columbia	160	82	242	195.1	35.6	26.8	32.1	27.5	20.1	24.5	20.4
CANADA	1,512	1,116	2,628	135.5	34.4	31.8	33.3	26.7	24.0	25.5	10.0

Table 19 - Death rates of average daily patient population and patients under treatment during year.
 Tableau 19 - Mortalité par rapport à la moyenne quotidienne de patients et par rapport aux patients traités durant l'année.

Province	Deaths Décès			Average daily patient population Moyenne quotidienne de patients	Death rates per 1000 averagedaily patients Mortalité pour 1000 de la moyenne quoti- dienne de patients			Patients under treatment during year Patients traités durant l'année			Death rates per 1000 patients under treatment Mortalité pour 1000 patients traités	
	M.	F.	T.		M.	F.	T.	M.	F.	T.		
	7	4	11	140	131	271	50.0	30.5	40.6	201	159	160
Prince Edward Island	7	4	11	140	131	271	50.0	30.5	40.6	201	159	160
Nova Scotia	92	67	159	1,154	1,043	2,197	79.7	64.2	72.4	1,534	1,273	2,307
New Brunswick	64	29	93	654	539	1,193	97.9	53.8	78.3	1,009	848	1,927
Quebec	450	365	815	7,292	6,202	13,493	61.7	58.9	60.4	9,204	7,814	17,018
Ontario	441	398	839	7,654	7,069	14,723	57.6	56.3	57.0	10,124	9,612	19,736
Manitoba	72	67	139	1,543	1,319	2,867	46.5	50.8	48.5	1,894	1,632	3,526
Saskatchewan	138	62	200	2,410	1,423	3,833	57.3	43.6	52.2	2,804	1,718	4,522
Alberta	88	42	130	1,787	1,032	2,819	49.2	40.7	46.1	2,144	1,274	3,418
British Columbia	160	82	242	2,376	1,501	3,877	67.3	54.6	62.4	3,061	1,956	5,017
CANADA	1,512	1,116	2,628	29,014	20,259	45,272	60.4	55.1	58.0	32,055	26,286	58,341

Table 20 - Comparative mortality rates, 1937-1941.
 Tableau 20 - Taux comparatifs de mortalité, 1937-1941.

Province	1937			1938			1939			1940			1941		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	79.1	67.2	73.6	58.8	33.6	47.1	33.7	40.0	36.3	29.9	13.0	22.5	34.8	25.2	30.6
Nova Scotia	69.8	56.6	63.4	86.8	66.7	77.2	62.6	47.2	58.6	58.0	45.1	52.2	60.0	52.6	56.6
New Brunswick	108.4	92.1	101.4	94.6	71.0	84.0	64.5	48.1	59.3	49.4	45.2	47.5	58.8	34.2	48.0
Quebec	65.9	75.5	70.4	53.4	62.3	58.4	49.9	40.6	49.7	46.3	45.6	46.0	48.9	46.7	47.9
Ontario	62.7	59.9	61.4	57.9	57.4	57.6	44.8	42.1	43.5	46.2	42.4	44.7	43.6	41.4	42.5
Manitoba	52.6	48.4	50.7	51.7	49.0	50.6	50.1	39.9	45.4	42.4	43.2	43.8	38.0	41.1	39.4
Saskatchewan	62.0	61.3	61.7	60.0	47.2	55.4	41.5	30.0	37.3	44.3	34.9	40.8	49.2	36.1	44.2
Alberta	73.3	52.3	65.7	55.2	50.6	53.6	36.0	36.9	36.3	44.3	32.2	39.8	41.0	33.0	39.0
British Columbia	68.4	77.3	72.0	53.7	46.5	51.1	48.7	46.4	47.8	60.3	44.7	54.1	52.3	41.9	48.2
CANADA	65.8	63.7	64.3	58.6	57.3	58.0	47.8	44.0	46.1	47.8	42.3	45.5	47.2	42.5	45.0

Table 21 - Financial Statement.

Item	Détail	CANADA	Prince Edward Island	Nova Scotia
RECEIPTS	- RECETTES	\$	\$	\$
Payments - Federal Provincial Municipal	- Paiements - Fédéraux Provinciaux Municipaux	1,273,889.35 13,689,786.89 1,062,949.49	127,092.50 -	4,372.31 104,567.22 541,966.44
Received from paying patients Received from other sources	- Reçus des internés ou des parents - Toutes autres recettes	2,064,222.01 988,301.99	9,536.17 692.49	32,399.00 14,917.89
TOTAL RECEIPTS DURING YEAR	- RECETTES TOTALES DE L'ANNÉE	19,084,149.73	137,326.16	698,222.86
EXPENDITURES	- DEFENSES			
Maintenance Salaries and wages Provisions (food) Fuel, power, light and water Other maintenance expenditures	- Entretien - Salaires et gages - Provisions (nourriture) - Combustible, énergie, eau, etc. - autres frais d'entretien	7,912,347.52 3,667,143.42 1,492,368.15 3,118,449.72	37,998.24 33,244.41 25,010.85 23,839.00	245,915.70 208,241.02 78,944.35 139,150.26
TOTAL MAINTENANCE EXPENDITURES	- DEFENSES TOTALES D'ENTRETIEN	16,152,328.81	127,092.50	672,251.33
Non-Maintenance Additions, improvements, etc. Expenditures for other purposes	- Non d'entretien - Améliorations, nouvelles bâtisses, etc. - Dépenses pour autres fins	2,646,173.28 270,493.91	21,896.12 3,109.50	11,012.01 5,806.00
TOTAL NON-MAINTENANCE	- DEFENSES TOTALES NON D'ENTRETIEN	2,916,667.19	25,005.62	16,818.01
TOTAL EXPENDITURES DURING YEAR	- DEFENSES TOTALES DE L'ANNÉE	19,088,956.00	152,098.12	689,069.34

Table 22 - Personnel.

Class of employees	Classe d'employés	CANADA			Prince Edward Island			Nova Scotia		
		M.	F.	T.	M.	F.	T.	M.	F.	T.
ADMINISTRATIVE	- ADMINISTRATION									
Superintendents, medical " others	- Superintendants, médecins " autres	39	-	39	1	-	1	1	-	1
Matrons	- Infirmières en chef	16	2	17	-	-	-	15	1	16
Clerical employees	- Employés de bureau	-	39	39	-	1	1	-	16	16
Total administrative	- Total, administration	109	208	317	2	1	3	6	5	11
PROFESSIONAL	- PROFESSIONNELS									
Physicians, full time " part time	- Médecins, temps entier " temps partiel	118	27	145	1	-	1	-	1	1
Medical interns, full time " part time	- Médecins Internes, temps entier " temps partiel	76	3	79	-	-	-	18	2	20
Dentists, full time " part time	- Dentistes, temps entier " temps partiel	15	3	18	-	-	-	1	-	1
Clinical assistants	- Assistants cliniciens	24	1	25	-	-	-	1	-	1
Total professional	- Total, professionnels	17	-	17	-	-	-	-	-	-
NURSING	- INFIRMIERS(ÈRES)									
Graduate nurses	- Infirmiers(ères) diplômés	39	1,096	1,135	-	7	7	20	16	36
Other nurses	- Autres infirmiers(ères)	45	1,277	1,322	-	-	-	30	46	76
Attendants	- Aidants-infirmiers(ères)	2,364	410	2,794	18	11	29	45	27	72
Total nursing	- Total, infirmiers(ères)	2,448	2,783	5,231	18	18	36	95	89	184
DIETITIANS	- DIETETISTES	1	34	35	-	-	-	-	3	3
OCCUPATIONAL THERAPISTS	- THERAPEUTISTES PROFESSIONNELS	14	63	77	-	-	-	1	-	1
TEACHERS AND SOCIAL WORKERS	- INSTITUTEURS(TRICES) ET ASSISTANTS SOCIAUX	16	69	85	-	-	-	3	5	8
ALL OTHER EMPLOYEES	- TOUTS AUTRES EMPLOYES	1,631	761	2,392	16	6	22	75	61	136
TOTAL PERSONNEL	- TOTAL, PERSONNEL	4,560	4,003	8,563	38	26	64	225	153	408

Tableau 21 - Stat Financier.

New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
\$	\$	\$	\$	\$	\$	\$
165,045.39	611,824.46	550,647.22	25,558.37	-	9,458.34	77,028.65
165,686.75	4,592,049.69	4,115,263.19	816,058.97	1,533,396.53	966,563.23	1,269,750.12
	-	276,239.85	65,289.09	-	7,276.21	6,491.15
45,492.04	480,830.94	978,791.36	90,432.85	116,903.26	109,398.46	200,437.93
1,401.69	401,225.74	357,684.79	37,473.79	137,536.00	35,404.73	1,959.87
377,625.87	6,085,930.83	6,278,626.41	1,034,813.07	1,787,835.79	1,128,101.02	1,555,667.72
143,521.15	1,502,541.37	3,550,309.54	479,765.53	772,225.00	508,644.98	673,426.01
94,906.39	1,076,529.02	1,122,147.89	271,787.13	294,932.05	207,982.82	352,352.69
59,924.89	377,618.74	516,377.31	116,028.02	60,487.00	92,347.46	128,649.53
79,273.44	783,546.44	1,061,238.89	160,698.86	266,009.51	104,900.81	394,792.51
377,625.87	3,740,235.57	6,250,073.63	1,028,279.54	1,493,673.56	913,876.07	1,549,220.74
-	2,105,506.11	-	325.00	294,162.23	213,271.81	
-	251,510.47	-	6,208.53	-	953.14	2,906.27
-	2,357,016.58	-	6,533.53	294,162.23	214,224.95	2,906.27
377,625.87	6,087,252.15	6,250,073.63	1,034,813.07	1,787,835.79	1,128,101.02	1,552,127.01

Tableau 22 - Personnel.

New Brunswick	Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia				
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.			
1	-	1	8	-	8	16	-	16	4	-	4	2	-	2	3	-	3	3	-	3
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	3	3	3	-	7	7	-	2	2	-	2	2	-	4	4	-	3	3
2	6	8	11	26	37	50	104	154	8	16	24	7	16	23	17	17	34	6	17	23
3	7	10	20	29	49	66	111	177	12	18	30	9	18	27	20	21	41	9	20	29
2	-	2	21	1	22	60	22	82	7	1	8	8	1	9	7	1	8	12	-	12
-	-	-	30	-	30	20	1	21	1	-	1	2	-	2	2	-	2	3	-	3
1	-	1	7	-	7	6	3	9	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	8	-	8	11	1	12	4	-	4	-	-	-	-	-	-	-	-	-
-	-	-	4	-	4	11	-	11	-	-	-	-	-	-	1	-	1	1	-	1
1	-	1	5	1	6	5	1	6	3	-	3	2	-	2	4	-	4	2	-	2
-	2	2	-	-	-	4	3	7	-	1	1	-	-	-	1	-	1	-	3	3
4	2	6	75	2	77	117	31	143	15	2	17	12	1	13	15	1	16	18	3	21
-	19	19	11	196	207	6	723	729	2	50	52	-	15	15	-	49	49	-	21	21
-	-	-	6	242	248	9	331	340	-	154	154	-	201	201	-	89	89	-	214	214
42	36	78	379	290	669	974	21	995	187	23	210	299	-	299	154	2	156	266	-	266
42	55	97	396	728	1,124	989	1,075	2,064	189	227	416	299	216	515	154	140	294	266	235	501
-	-	-	1	6	7	-	15	15	-	3	3	-	2	2	-	3	3	-	2	2
-	1	1	-	7	7	-	39	39	5	6	11	4	1	5	3	5	8	2	4	5
-	-	-	6	24	30	6	27	33	1	3	4	-	3	3	-	2	2	-	5	5
38	20	58	508	227	735	484	286	770	85	81	166	142	21	163	125	50	175	158	9	167
87	25	172	1,006	1,023	2,029	1,662	1,584	3,246	307	340	647	466	262	728	317	222	539	452	278	730

Table 23 - Per capita daily average expenditures in institutions devoted exclusively to mental diseases, 1940-1941.

Tableau 23 Répartition par capita des dépenses quotidiennes moyennes des institutions traitant exclusivement les maladies mentales, 1940-1941.

Province	Hospitals Hôpitaux	Average daily patients Moyenne de patients par jour	Average daily expenditures - Dépenses moyennes de chaque jour						Non-maintenance expenditures Dépenses non-d'entretien	
			Maintenance - Entretien				Total maintenance expenditures Dépenses totales d'entretien			
			Salaries and wages Salaires et gages	Provisions	Fuel, light, water and power Combustible, éclairage, eau et énergie	Other maintenance expenditures Autres frais d'entretien				
Prince Edward Island	1	271(1)	.24	.24	.14	.18	.30	.16		
Nova Scotia	7	1,295	.33	.29	.11	.16	.94	.01		
New Brunswick	1	1,193	.33	.22	.14	.12	.87	-		
Quebec	7	12,329	.25	.20	.07	.14	.66	.50		
Ontario	13	14,122	.59	.19	.09	.19	1.06	-		
Manitoba	4	2,867	.46	.26	.11	.15	.98	.03		
Saskatchewan	2	3,833	.55	.21	.04	.26	1.06	.21		
Alberta	5	2,819	.43	.20	.09	.10	.88	.21		
British Columbia	3	3,854	.46	.24	.09	.27	1.06	-		
C A N A D A	43	43,933	.44	.21	.08	.13	.91	.18		

(1) Due to the fact that the Falcondale Hospital revenues and expenditures include those of the Provincial Infirmary, the average daily expenditures figures are based on the total average patient population of both institutions.

(1) Comme les revenus et les dépenses de l'Hôpital Falcondale comprennent ceux de l'Infirmerie Provinciale, les chiffres de dépenses quotidiennes moyennes sont basés sur la moyenne totale des patients des deux institutions.

Table 24 - Number of patients to each officer and employee in institutions devoted exclusively to mental diseases.

Tableau 24 - Nombre de patients par officier et employé dans les institutions traitant exclusivement les maladies mentales.

Province	Hospitals Hôpitaux	Patients in hospital at end of year Patients dans l'hôpital à la fin de l'année	Doctors Médecins		Graduate nurses Infirmières(ères) diplômées		Other nurses and attendants Autres infirmiers(ères) et aides-infirmiers		Total staff Personnel	
			Number Nombre	Patients to each doctor Patients par médecin	Number Nombre	Patients per infirmier (ère) diplômé	Number Nombre	Patients to each other nurses and attendants Patients sur autre infirmier(ère) et aide	Number Nombre	Patients to each officer and employee Patients par membre du personnel
Prince Edward Island	1	276	2	138.0	7	39.4	29	9.5	64	4.3
Nova Scotia	7	1,294	11	117.6	25	51.2	103	12.6	274	4.7
New Brunswick	1	1,213	4	303.3	19	63.8	78	15.6	172	7.1
Quebec	7	12,660	69	183.5	190	66.6	852	14.9	1,930	6.6
Ontario	13	13,975	109	128.2	662	21.1	1,165	12.0	2,770	5.0
Manitoba	4	2,912	17	171.3	52	56.0	364	8.0	647	4.5
Saskatchewan	2	3,904	13	300.3	15	260.3	500	7.2	728	5.4
Alberta	5	2,834	13	218.0	49	57.8	243	11.6	539	5.3
British Columbia	3	3,877	15	258.5	19	204.1	471	8.2	706	5.5
C A N A D A	43	42,945	253	169.7	1,638	41.4	3,807	11.3	7,800	5.5

SECTION IIDETAILED STATISTICS

Tables appearing in this section of the report were compiled from cards received for each patient admitted, discharged and who died in the year under review. Small institutions, such as county and municipal hospitals and four private hospitals, although not on the card system, fill in annual reports covering the movement of patients during the year and are included in the general tables. Only first admissions, readmissions, discharges and deaths occurring in hospitals on the card system are considered in this section.

As the thirty-nine mental institutions on the card system had under care in 1941, 39.4 per cent of all first admissions, 84.7 per cent of readmissions, 83.6 per cent of all discharges and 91.8 per cent of all deaths, the data afford ample material for a study of the various types of mental disease and of their frequency among the different age groups of the general population.

ANALYSIS OF DETAILED TABLES

Table 26 shows the number of first admissions, readmissions, discharges and deaths by provinces. As the number of first admissions to mental institutions in each province show marked differences and for that reason might lead to wrong conclusions, we show below the rate of first admissions per 10,000 of the general population in each province. The rates for the different provinces are as follows: - Prince Edward Island, 6.6; Nova Scotia, 5.7; New Brunswick, 6.9; Quebec, 5.5; Ontario, 6.3; Manitoba, 5.9; Saskatchewan, 6.3; Alberta, 5.6 and British Columbia and Yukon, 8.1.

First admissions

Table 27 presents a psychiatric classification of first admissions. Of the 7,064 first admissions, 80.2 per cent were insane (with psychoses), 15.1 per cent were mental defectives without psychosis and 1.4 per cent were epileptic without psychosis. Alcoholics and drug addicts comprised one per cent of total first admissions, while patients with psychopathic and other types and primary behaviour disorders made up 2.1 per cent.

TABLE 28. - Mental disorders are classified in this table under twenty-four clinical groups according to the revised classification used for the first time in the 1939 report.

Of the total first admissions, six clinical groups contributed 5,310 admissions or 75.5 per cent of total admissions. The groups with the number of admissions are: Dementia Praecox, 1,602; Without Psychosis, 1,360; Manic-Depressive, 868; Senile, 671; Cerebral Arteriosclerosis, 500 and General Paresis, 318. Admissions under the first five of above groups show an increase of 5.1 per cent over those of the previous year, while admissions under General Paresis decreased by 10.9 per cent.

STATISTIQUES DETAILLEES

Les tableaux de cette section du rapport reposent sur la fiche de chaque patient admis, libéré et décédé au cours de l'année d'observation. Les petites institutions telles que les hôpitaux de comté et de municipalité et quatre hôpitaux privés, bien que n'ayant pas encore adopté le système de fiches, font des rapports annuels du mouvement de leurs patients au cours de l'année et figurent par conséquent dans les tableaux généraux. Seuls les premières admissions, les réadmissions, les sorties et les décès survenant dans les hôpitaux qui ont adopté le système de fiches sont étudiés dans cette section.

Du fait que les trente-neuf institutions d'aliénés qui ont le système de fiches remissent en 1941, 39.4 pour cent de toutes les premières admissions, 84.7 pour cent des réadmissions, 83.6 pour cent de toutes les sorties et 91.8 pour cent de tous les décès, les données offrent une matière suffisante pour l'étude des maladies mentales diverses et de leur fréquence parmi les différents groupes d'âge de la population en général.

ANALYSE DES TABLEAUX DETAILLES

Le tableau 26 donne, par province, le nombre de premières admissions, de réadmissions, de sorties et de décès. Comme le nombre de premières admissions dans les institutions d'aliénés varie de façon marquée d'une province à l'autre et partant, pourrait porter à des conclusions erronées, nous donnons ci-dessous le taux des premières admissions par 10,000 âmes de la population générale dans chaque province. Les taux des différentes provinces sont les suivants: - Île du Prince-Édouard, 6.6; Nouvelle-Ecosse, 5.7; Nouveau-Brunswick, 6.9; Québec, 5.5; Ontario, 6.3; Manitoba, 5.9; Saskatchewan, 6.3; Alberta, 5.6 et Colombie Britannique et Yukon, 8.1.

Premières admissions

Le tableau 27 donne une classification psychiatrique des premières admissions. Des 7,064 patients admis pour la première fois, 80.2 pour cent sont classifiés comme des aliénés (avec psychose), 15.1 pour cent, comme des arriérés mentaux sans psychose et 1.4 pour cent comme des épileptiques sans psychose. Les alcooliques et les narcomanes représentent un pour cent de toutes les premières admissions, tandis que les patients psychopathiques et autres et les patients souffrant de troubles essentiels du comportement constituent 2.1 pour cent.

TABLEAU 28. - Dans ce tableau, les désordres mentaux sont classifiés sous vingt-quatre groupes cliniques basés sur la nouvelle classification utilisée pour la première fois dans le rapport 1939.

Six groupes cliniques contribuent 5,310 de toutes les premières admissions ou 75.5 pour cent de toutes les admissions. Ces groupes, avec leur nombre d'admissions, sont les suivants: démentie précoce, 1,602; sans psychose, 1,360; manie dépressive, 868; senilité, 671; artériosclérose cérébrale, 500 et parésie générale, 318. Les admissions dans les cinq premiers de ces groupes accusent une augmentation de 5.1 pour cent en regard de l'année précédente, tandis que dans le groupe de la parésie générale, elles diminuent de 10.9 pour cent.

In table 29 the age of first admissions is shown by sex and psychoses. Male admissions show an increase of 1.1 per cent and female admissions an 0.5 per cent increase over those of the previous year. For males slight increases were shown in all age groups up to and including the 24-year age group and also the age groups 60 years of age and over. Females show increases in the 25 to 39 year age groups and in the age groups 65 years of age and over.

Of male first admissions, 1,071 or 27.2 per cent were under 25 years of age and 738 or 23.6 per cent of the female admissions. Of male first admissions, 26.5 per cent and of female first admissions 23.9 per cent were between 25 and 39 years of age. In the age groups 40 to 59, 25.9 per cent of total male admissions and 26.9 per cent of total female admissions belonged to these age groups. In the age groups 60 years of age and over, males contributed 20.4 per cent and females 20.7 per cent.

Table 30 shows average age of first admissions in each psychosis group. The average age of all admissions was 40.4 years, that of males being 40.0 and of females 40.9 years. The average age of male first admissions for the nine-year period 1932 to 1940 was 39.2 years and for females 38.8 years.

Table 32 shows environment of first admissions by psychoses. Of the 7,064 first admissions, 4,243 or 60.1 per cent had urban residence and 2,812 or 39.8 per cent came from rural areas. The percentage distribution by environment in 1939 was urban 62.5 and rural 37.3. Seventy-two per cent of general paresis (syphilis), 70.2 per cent of alcoholics, 60.5 per cent senile, 59.6 per cent cerebral arteriosclerosis and 55.1 per cent manic depressive first admissions had urban residence.

Table 33 shows economic condition of first admissions by psychoses. Of the 7,064 first admissions, 3,271 or 46.3 per cent were in dependent circumstances, 2,897 or 41.0 per cent had their economic condition reported as marginal while 891 or 12.6 per cent were in comfortable circumstances. In 1940 the percentages were - dependent, 50.7; marginal, 36.8 and comfortable 12.6.

Table 34 shows the use of alcohol among first admissions by psychoses. Of the 7,064 first admissions, 5,097 or 72.2 per cent were classed as abstinent, 1,430 or 20.2 per cent as temperate and 535 or 7.6 per cent as intemperate. In 1940 the percentages of these three groups were - abstinent, 72.5, temperate, 20.0 and intemperate 7.5. Of the total male first admissions, 11.5 per cent were intemperate and of female first admissions 2.6 per cent. The corresponding percentages for 1940 were males 11.2 and female 2.8.

Table 35 shows conjugal condition of first admissions by psychoses. Of the 7,064 first admissions, 3,625 or 51.3 per cent were single, 2,712 or 39.0 per cent were married, 674 or 9.5 per cent were widowed and 47 or 0.7 per cent divorced. Of male first admissions, 58.8 per cent were single, 33.3 per cent married and 7.3 per cent widowed and

Dans le tableau 29, l'âge à la première admission est donné selon le sexe et la psychose. Les admissions chez les hommes augmentent de 1.1 pour cent et chez les femmes de 0.5 pour cent sur l'année précédente. Chez les hommes, il y a légère augmentation dans tous les groupes d'âge jusqu'à celui de 24 ans inclusivement de même que dans ceux de 60 ans et plus. Chez les femmes, il y a augmentation dans les groupes de 25 à 39 ans et dans ceux de 65 ans et plus.

Parmi les premières admissions, 1,071 hommes ou 27.2 pour cent et 738 femmes ou 23.6 pour cent sont âgés de moins de 25 ans; 26.5 pour cent des hommes et 23.9 pour cent des femmes sont âgés de 25 à 39 ans; 25.9 pour cent des hommes et 26.9 pour cent des femmes sont dans les groupes d'âge de 40 à 59 ans. Dans les groupes d'âge de 60 ans et plus, les hommes contribuent 20.4 pour cent et les femmes 20.7 pour cent des premières admissions.

Le tableau 30 fait voir la moyenne d'âge à la première admission dans chaque groupe de psychose. L'âge moyen de toutes les admissions est de 40.4 ans; il est de 40.0 ans chez les hommes et de 40.9 ans chez les femmes. L'âge moyen des hommes admis pour la première fois au cours de la période de neuf ans de 1932 à 1940 est de 39.2 ans et celui des femmes, de 38.8 ans.

Le tableau 32 montre l'environnement des premières admissions selon la psychose. Des 7,064 premières admissions, 4,243 ou 60.1 pour cent viennent de la ville et 2,812 ou 39.8 pour cent, de la campagne. La répartition des premières admissions selon l'environnement en 1939 est, en pourcentage, 62.5 urbaines et 37.3 rurales. Soixante-douze pour cent des cas de paresie générale (syphilis), 70.2 pour cent des alcooliques, 60.5 pour cent des cas de sénilité, 59.6 pour cent des cas de manie dépressive, à la première admission, viennent de la ville.

Le tableau 33 donne la situation économique des premières admissions, par psychose. Des 7,064 premières admissions, 3,271 ou 46.3 pour cent sont à charge, 2,897 ou 41.0 pour cent sont de moyens insuffisants et 891 ou 12.6 pour cent sont à l'aise. En 1940, les pourcentages avaient été: à charge, 50.7; moyens insuffisants, 36.8, et à l'aise 12.6.

Le tableau 34 indique, selon la psychose, le degré d'usage d'alcool chez les patients admis pour la première fois. Des 7,064 premières admissions, 5,097 cas ou 72.2 pour cent sont abstènes, 1,430 ou 20.2 pour cent sont tempérants et 535 ou 7.6 sont intempérants. En 1940 les pourcentages de ces trois groupes étaient: abstènes, 72.5, tempérants, 20.0 et intempérants, 7.5. De toutes les premières admissions chez les hommes, le pourcentage d'intempérants est de 11.5 et chez les femmes, de 2.6. Les pourcentages correspondants pour 1940 étaient de 11.2 chez les hommes et 2.8 pour cent chez les femmes.

Le tableau 35 donne, selon la psychose, l'état conjugal des patients admis pour la première fois. Des 7,064 premières admissions, 3,625 ou 51.3 sont celles de célibataires, 2,712 ou 39.0 pour cent, celles de personnes mariées, 674 ou 9.5 pour cent, celles de veufs et veuves et 47 ou 0.7 pour cent, celles de personnes divorcées. Chez les hommes admis pour la pre-

of female first admissions 41.9 per cent were single, 44.8 per cent married and 12.4 per cent widowed.

Table 36 shows education of first admissions by psychoses. Of the 7,064 first admissions, 1,073 or 15.2 per cent were classed as illiterate, 1,370 or 19.4 per cent as persons who could read and write, 3,528 or 49.9 per cent with common school education, 942 or 13.3 per cent with high school education and 142 or 2.0 per cent as having university training. Those classed as "without psychosis" formed 64.1 per cent of the illiterate. (For education by age groups see Table 40).

Tables 37 to 39 deal with nativity of first admissions, parentage of Canadian born first admissions and time in Canada before admission of British born and foreign born first admissions shown by provinces.

Of the 7,064 first admissions, 5,269 or 74.6 per cent were born in Canada, 823 or 11.7 per cent were British born and 968 or 13.7 per cent were foreign born. Of the Canadian born, 11.7 per cent came from the three maritime provinces of Prince Edward Island, Nova Scotia and New Brunswick, 31.4 per cent from Quebec, 34.0 per cent from Ontario, 16.4 per cent from Manitoba, Saskatchewan and Alberta with 6.3 per cent from British Columbia.

Of the British born first admissions, 61.1 per cent came from the provinces of Ontario and British Columbia and of the foreign born, 28.2 per cent came from Ontario and 30.5 per cent from the provinces of Saskatchewan and Alberta.

Of the 5,269 Canadian born first admissions, 3,844 or 73.0 per cent had both parents born in Canada, 629 or 11.9 per cent had both parents British, 417 or 7.9 per cent had foreign parents, while 372 or 7.1 per cent were of mixed parentage.

Of the 1,791 first admissions born outside Canada, 101 or 5.6 per cent had resided in Canada for a period less than five years, 39 or 2.2 per cent between five and nine years, 265 or 14.8 per cent between ten and fourteen years and 1,341 or 74.9 per cent were in Canada fifteen years and over.

Tables 40 to 43 inclusive show age groups of first admissions by education, nativity, parentage of Canadian born patients and time in Canada of patients born outside Canada. The average age on admission of the Canadian born was 37.5 years, of the British born 54.6 and of the foreign born 47.3.

Tables 44 to 46 show country of birth, citizenship and racial origin of first admissions.

mière fois 58.8 pour cent sont célibataires, 33.3 pour cent, mariés et 7.3 pour cent, veufs, et chez les femmes, 41.9 pour cent sont célibataires, 44.8 pour cent, mariées et 12.4 pour cent, veuves.

Le tableau 36 indique le degré d'instruction des patients admis pour la première fois, par psychose. Des 7,064 premières admissions, 1,073 ou 15.2 sont celles de personnes illettrées, 1,370 ou 19.4, celles de personnes sachant lire et écrire, 3,528 ou 49.9 pour cent, celles de personnes possédant une instruction primaire, 942 ou 13.3 pour cent, celles de personnes possédant une instruction secondaire et 142 ou 2.0 pour cent, celles de personnes possédant une formation universitaire. Les patients "sans psychose" représentent 64.1 pour cent des illettrés dans les hôpitaux. (Pour le degré d'instruction par groupe d'âge, voir tableau 40).

Les tableaux 37 à 39 traitent du lieu de naissance des premières admissions, du parentage des patients admis pour la première fois et nés au Canada, et du séjour au Canada, avant l'admission, des personnes de naissance britannique et étrangère, par province.

Des 7,064 premières admissions 5,269 ou 74.6 pour cent sont des personnes de naissance canadienne, 823 ou 11.7 pour cent, de naissance britannique et 968 ou 13.7 pour cent, de naissance étrangère. Parmi les personnes de naissance canadienne, 11.7 pour cent viennent des trois provinces maritimes: île du Prince-Édouard, Nouvelle-Ecosse et Nouveau-Brunswick, 31.4 pour cent du Québec, 34.0 pour cent de l'Ontario, 16.4 pour cent du Manitoba, de la Saskatchewan et de l'Alberta et 6.3 pour cent de la Colombie Britannique.

Parmi les personnes de naissance britannique admises pour la première fois, 61.1 pour cent viennent de l'Ontario et de la Colombie Britannique, et parmi celles de naissance étrangère, 28.2 pour cent viennent de l'Ontario et 30.5 pour cent de la Saskatchewan et de l'Alberta.

Des 5,269 personnes de naissance canadienne admises pour la première fois, 3,844 ou 73.0 pour cent sont issues de parents nés au Canada, 629 ou 11.9 pour cent, de parents britanniques, 417 ou 7.9 pour cent, de parents de naissance étrangère, tandis que 372 ou 7.1 pour cent sont de parentage mixte.

Des 1,791 premières admissions nées en dehors du Canada, 101 ou 5.6 pour cent habitent le Canada depuis moins de cinq ans, 39 ou 2.2 pour cent, depuis cinq à neuf ans, 265 ou 14.8 pour cent, depuis dix à quatorze ans et 1,341 ou 74.9 pour cent, depuis quinze ans et plus.

Les tableaux 40 à 43 inclusivement font voir les groupes d'âge des premières admissions selon le degré d'instruction, le lieu de naissance, le parentage des patients nés au Canada et le séjour au Canada des patients nés en dehors du pays. L'âge moyen à l'admission des patients nés au Canada est de 37.5 ans; des patients de naissance britannique, de 54.6 ans et des patients de naissance étrangère, de 47.3 ans.

Les tableaux 44 à 46 révèlent le pays de naissance, la nationalité et l'origine raciale des premières admissions.

Table 44 shows the country of birth of first admissions. Excluding the Canadian born, thirty-two countries are represented in the table as contributing to the population of mental institutions in 1941. Canadian first admissions totalled 5,269 or 74.6 per cent of total admissions. Of those born outside Canada, the following countries contributed the largest percentage of admissions, viz., England, 7.2; United States, 3.6; Scotland, 2.3; Poland, 2.0; Ireland, 1.5 and Russia, 1.1.

Table 45 shows citizenship of first admissions by length of time in Canada. Of the British born, 759 or 92.2 per cent had resided in Canada five years or more, 48 or 5.8 per cent had residence less than 5 years and for 16 or 1.9 per cent time in Canada was not given.

Of the alien born, 968 or 57.0 per cent were naturalized Canadians, 334 or 34.5 per cent had resided in Canada five years or more without taking out naturalization papers, 53 or 5.5 per cent had residence less than 5 years and for 29 or 3.0 per cent length of residence in Canada was not given.

Table 46 shows racial origin of first admissions by provinces. As racial population figures are not yet available for 1941, no attempt will be made to estimate the rate of first admissions under each racial group. However, it would seem natural to expect that the dominant racial groups in our population would show a larger number of admissions than racial groups less prominent in the general population of the country.

Table 48 shows previous occupation of first admissions by provinces. As in previous years the three occupation groups of personal service, agriculture and labourers contributed almost half of the number of first admissions in 1941, the percentage of admissions in these three groups being 45.7. In 1940 admissions from these three same groups formed 47.5 per cent of total admissions.

Table 49 shows method of commitment of first admissions. The methods of commitment are on certificate, by warrant and voluntary.

Of the total admissions, 78.6 per cent were admitted by certificate, 15.5 per cent by warrant and 5.9 per cent were voluntary. Similar percentages for 1940 were: certificate, 79.6; warrant 15.5 and voluntary 4.3. The largest number of voluntary admissions came from the provinces of Ontario and Alberta, these two provinces admitted 74.6 per cent of all voluntary admissions, the percentages for the two provinces being 42.3 and 32.3 respectively.

Readmissions

Tables 55 to 59 inclusive deal with readmissions to mental institutions. Of the 2,033 readmissions, 1,491 or 73.3 per cent were readmitted by certificate, 191 or 9.4 per cent were voluntary and 350 or 17.2 per cent were by warrant. Readmissions by certificate showed an increase of 1.7 per cent over that of the previous year and the percentage

Le tableau 44 donne le pays de naissance des premières admissions. En excluant le Canada, trente-deux pays figurent au tableau et contribuent à la population des hôpitaux d'aliénés en 1941. Les premières admissions canadiennes s'établissent à 5,269 ou 74.6 pour cent des admissions totales. Les pays suivants contribuent les plus forts pourcentages de personnes nées en dehors du Canada et admises pour la première fois: Angleterre, 7.2; Etats-Unis, 3.6; Ecosse, 2.3; Pologne, 2.0; Irlande, 1.5 et Russie, 1.1.

Le tableau 45 donne la nationalité des premières admissions selon le séjour au Canada. Parmi les patients de naissance britannique, 759 ou 92.2 pour cent habitent le pays depuis cinq ans ou plus, 48 ou 5.8 pour cent, depuis moins de cinq ans. Le séjour n'est pas indiqué dans 16 cas ou 1.9 pour cent.

Des patients nés à l'étranger, 968 ou 57.0 pour cent sont naturalisés canadiens, 334 ou 34.5 pour cent habitent le Canada depuis cinq ans ou plus sans être naturalisés, 53 ou 5.5 pour cent l'habitent depuis moins de cinq ans et dans le cas de 29 personnes ou 3.0 pour cent, le séjour au Canada n'est pas indiqué.

Le tableau 46 donne, par province, l'origine raciale des premières admissions. Comme les chiffres selon l'origine raciale ne sont pas encore connus pour le recensement de 1941, il ne sera pas tenté d'établir la proportion de premières admissions dans chaque groupe racial. Toutefois, il est naturel de s'attendre à ce que les groupes raciaux prédominants parmi notre population accusent un plus grand nombre d'admissions que les groupes moins importants.

Le tableau 48 donne l'occupation antérieure des premières admissions, par province. Comme par les années passées, les services personnels, l'agriculture et les journaliers contribuent près de la moitié des premières admissions en 1941, le pourcentage d'admissions dans ces trois groupes étant de 45.7. En 1940, les admissions de patients faisant partie de ces trois groupes représentaient 47.5 pour cent de toutes les admissions.

Le tableau 49 donne le mode d'internement des premières admissions. L'internement se fait sur certificat, sur mandat et sur entrée volontaire.

De tous les patients admis, 78.6 pour cent sont admis sur certificat, 15.5 pour cent, sur mandat et 5.9 pour cent comme volontaires. Les pourcentages correspondants en 1940 étaient sur certificat, 79.6; sur mandat 15.5; volontairement, 4.3. Le plus grand nombre d'entrées volontaires viennent de l'Ontario et l'Alberta, ces deux provinces ayant admis 74.6 pour cent des admissions volontaires. Les pourcentages respectifs des deux provinces sont de 42.3 et 32.3.

Réadmissions

Les tableaux 55 à 59 inclusivement traitent des réadmissions dans les institutions d'aliénés. Des 2,033 réadmissions, 1,491 ou 73.3 pour cent sont des patients réadmis sur certificat, 191 ou 9.4 pour cent sont des rentrées volontaires et 350 ou 17.2 pour cent sont des réadmissions sur mandat. Les réadmissions sur certificat accusent une augmentation de 1.7 pour cent

of voluntary readmissions fell from 10.2 per cent in 1940 to 9.4 per cent in 1941. The percentage of readmissions to first admissions for all mental institutions was 23.3, while the percentage of readmissions to first admissions in each of the provinces was as follows: Prince Edward Island, 50.0; Nova Scotia, 22.4; New Brunswick, 25.6; Quebec, 24.1; Ontario, 29.6; Manitoba, 41.4; Saskatchewan, 33.6; Alberta, 39.9 and British Columbia, 21.5.

Table 56 shows conjugal condition of readmissions by provinces. Of the 2,033 readmissions, 993 or 49.1 per cent were single, 884 or 43.5 per cent were married and 132 or 6.5 per cent were widowed.

Table 57 shows psychoses of readmissions by provinces. The two psychoses, dementia praecox and manic depressive, accounted for 62.3 per cent of total readmissions. The third largest clinical group was "without psychosis" with 10.2 per cent readmissions. In 1940 these three groups had 72.9 per cent of all readmissions.

Table 58 gives the age of readmissions by psychoses. For all readmissions, 109 or 5.4 per cent were under 19 years of age, 435 or 21.4 per cent were between 20 and 29 years, 501 or 24.6 per cent between 30 and 39; 383 or 18.3 per cent between 40 and 49; 324 or 15.9 per cent between 50 and 59 and 281 or 13.8 per cent 60 years of age and over. The average age of male readmissions was 40.4 years and that of females 41.6 years.

Discharges

Tables 60 to 69 inclusive deal with discharged patients under psychoses, condition on discharge, duration of last hospital residence and age on discharge.

As in the case of first admissions and readmissions, those belonging to the three clinical groups, dementia praecox, manic depressive and those without psychosis, formed the great majority of those who were discharged. The dementia praecox group with 1,347 formed 24.9 per cent of total discharged patients. In the manic depressive group, the number discharged was 1,140 or 21.1 per cent of total discharges and those without psychosis totalled 926 or 17.1 per cent.

Table 61 shows condition of patients on discharge by psychoses whether recovered, improved or unimproved, while Table 62 gives the percentages under each psychosis classified by condition on discharge.

Of the 5,410 patients discharged, 1,673 or 30.9 per cent were discharged as recovered, 2,672 or 49.5 per cent as improved, 123 or 1.2 per cent as unimproved and 236 or 4.4 per cent as "without psychosis". The highest percentages of recovered were found in the following clinical groups: due to drugs, 59.6; alcoholic, 61.4; manic depressive, 58.4; other infectious diseases, 56.3 and other somatic diseases, 55.8. For the improved group, epidemic encephalitis, 63.6;

en regard de l'année précédente et le pourcentage de rentrées volontaires tombe de 10.3 pour cent en 1940 à 9.4 pour cent en 1941. Le pourcentage de réadmissions par rapport aux premières admissions dans toutes les institutions d'aliénés est de 23.3, tandis que celui des réadmissions par rapport aux premières admissions dans chaque province est le suivant: Île du Prince-Édouard, 50.0; Nouvelle-Ecosse, 22.4; Nouveau-Brunswick, 25.6; Québec, 24.1; Ontario, 29.6; Manitoba, 41.4; Saskatchewan, 33.6; Alberta, 39.9; Colombie Britannique, 21.5.

Le tableau 56 donne l'état conjugal des réadmissions par province. Des 2,033 personnes réadmisses, 993 ou 49.1 pour cent sont célibataires, 884 ou 43.5 cent sont mariées et 132 ou 6.5 sont des veufs ou des veuves.

Le tableau 57 donne, par province, les psychoses des personnes réadmisses. La démentie précoce et la manie dépressive absorbent 62.3 pour cent de toutes les réadmissions. Le troisième groupe clinique le plus important est celui des "sans psychose" qui représente 10.2 pour cent des réadmissions. En 1940, ces trois groupes absorbent 72.9 pour cent de toutes les réadmissions.

Le tableau 58 donne l'âge des réadmissions par psychose. Cent neuf ou 5.4 pour cent de toutes les personnes réadmisses sont âgées de moins de 19 ans, 435 ou 21.4 pour cent, de 20 à 29 ans, 501 ou 24.6 pour cent, de 30 à 39 ans, 383 ou 18.3 pour cent, de 40 à 49 ans, 324 ou 15.9 pour cent, de 50 à 59 ans et 281 ou 13.8 pour cent, de 60 ans et plus. L'âge moyen des hommes, à la readmission est de 40.4 ans; celui des femmes, de 41.8 ans.

Sorties

Les tableaux 60 à 69 inclusivement traitent des patients libérés selon la psychose, l'état à la sortie, la durée du dernier séjour à l'hôpital et l'âge à la sortie.

Comme dans le cas des premières admissions et des réadmissions, les patients des trois groupes cliniques démentie précoce, manie dépressive et sans psychose constituent la grande majorité des personnes libérées. Le groupe de la démentie précoce avec 1,347 cas représente 24.9 pour cent de toutes les sorties. Dans le groupe de la manie dépressive, le nombre de patients libérés est de 1,140 ou 21.1 pour cent de toutes les sorties et dans celui des sans psychose, de 926 ou 17.1 pour cent.

Le tableau 61 indique l'état des patients à leur sortie, selon la psychose, qu'ils soient guéris, améliorés ou non améliorés, tandis que le tableau 62 donne, sous chaque psychose, les pourcentages recoupés selon l'état à la sortie.

Des 5,410 patients libérés, 1,673 ou 30.9 pour cent sont sortis guéris, 2,672 ou 49.5 pour cent, améliorés, 123 ou 1.2 pour cent, non améliorés et 236 ou 4.4 pour cent "sans psychose". Les pourcentages les plus élevés de patients guéris se rencontrent dans les groupes cliniques suivants: psychoses toxiques exogènes, 59.6; alcooliques, 61.4; manie dépressive, 50.0; autres maladies infectieuses, 56.3 et autres maladies somatiques, 55.8. Dans le groupe des patients améliorés, les pourcentages les plus élevés d'amélioration

cerebral arteriosclerosis, 62.3; general paresis, 64.3; dementia praecox, 62.9 and paranoia 66.1 had largest percentage of improvements.

Duration of last hospital residence

Tables 63 to 67 deal with duration of stay of discharged patients by condition on discharge, by psychoses and age on discharge.

Table 68 gives age of discharged patients by psychoses. Of the 5,410 discharges, 524 or 9.7 per cent were under 20 years of age, 1,316 or 24.3 per cent were between 20 and 29 years, 1,183 or 21.9 per cent between 30 and 39 years, 942 or 17.4 per cent between 40 and 49 years, 776 or 14.3 per cent between 50 and 59 years and 669 or 12.4 per cent 60 years of age and over.

The average stay for both males and females was 1.6 years and the average age on discharge 39.0 years, that for males being 39.6 years and that of females 38.8.

Deaths

Of the 2,412 deaths in mental hospitals during the year, 455 or 18.9 per cent belonged to the group dementia praecox, 505 or 20.9 per cent to senile, 350 or 14.5 per cent to cerebral arteriosclerosis, 289 or 12.0 per cent to the group without psychosis, 130 or 5.4 per cent to the manic depressive group and 180 or 7.4 per cent to general paresis. Thus these six groups accounted for 79.1 per cent of total deaths. In 1940 these same groups accounted for 77.7 per cent of all deaths.

The percentage of deaths in the various groups of diseases were as follows: -

Diseases - Maladies	H.	F.	T.	%
1. Epidemic, endemic and infectious Epidémique, endémiques et infectieuses	226	147	373	15.5
2. General diseases not included above Maladies générales non comprises ci-dessus	64	71	135	6.4
3. Diseases of the nervous system Maladies du système nerveux	275	155	430	17.8
4. Diseases of the circulatory system Maladies de l'appareil circulatoire	380	297	677	28.1
5. Diseases of the respiratory system Maladies de l'appareil respiratoire	247	199	446	18.5
6. Diseases of the digestive system Maladies de l'appareil digestif	40	37	77	3.2
7. Non-venereal diseases of genito-urinary system Maladies non vénériennes de l'appareil génito-urinaire	46	34	80	3.3
8. Diseases of skin and of the cellular tissue Maladies de la peau et du tissu cellulaire	20	11	31	1.3
9. Diseases of the bones (Tuberculosis and rheumatism excepted) Maladies des os (excepté la tuberculose et le rhumatisme)	-	1	1	0.04
10. Other diseases not included above Autres maladies non incluses ci-dessus	67	41	108	4.5
11. Violent or accidental deaths Morts violentes ou accidentelles	15	6	21	0.9
12. Causes of death not determined Causes de décès indéterminées	7	6	13	0.5
T O T A L	1,387	1,025	2,412	100.0

sont ceux de l'encéphalite épidémique, 63.6 pour cent; de l'artériosclérose cérébrale, 62.3; de la parésie générale, 64.3; de la dénceence précoce, 62.9 et de la paranoïa, 66.1.

Durée du dernier séjour à l'hôpital

Les tableaux 63 à 69 portent sur la durée du séjour des patients libérés, Selon l'état à la sortie, la psychose et l'âge à la sortie.

Le tableau 60 donne l'âge des patients par psychose. Des 5,410 patients libérés, 524 ou 9.7 pour cent sont âgés de moins de 20 ans; 1,316 ou 24.3 pour cent, de 20 à 29 ans; 1,183 ou 21.9, de 30 à 39 ans; 942 ou 17.4 pour cent, de 40 à 49 ans; 776 ou 14.3 pour cent, de 50 à 59 ans et 669 ou 12.4 pour cent, de 60 ans et plus.

Le séjour moyen chez les hommes et chez les femmes est de 1.6 an et l'âge moyen à la sortie est de 39.0 ans, celui des hommes étant de 39.6 ans et celui des femmes de 38.8 ans.

Décès

Des 2,412 patients décédés dans les hôpitaux d'aliénés au cours de l'année, 455 ou 18.9 pour cent appartiennent au groupe de la dénceence précoce, 505 ou 20.9 pour cent à celui des séniles, 350 ou 14.5 pour cent à celui de l'artériosclérose cérébrale, 289 ou 12.0 pour cent à celui des sans psychose, 130 ou 5.4 pour cent à celui de la manie dépressive et 180 ou 7.4 pour cent à celui de la parésie générale. Ainsi, ces six groupes absorbent 79.1 pour cent de tous les décès. En 1940, ces mêmes groupes en absorbaient 77.7 pour cent.

Le pourcentage de décès dans les divers groupes de maladies est le suivant: -

Table 72 shows age of patients at time of death by psychoses. Of the 2,412 patients who died during the year, 150 or 6.2 per cent were under 20 years of age, 158 or 6.6 per cent were between 20 and 29 years, 201 or 8.3 per cent were between 30 and 39 years, 256 or 10.6 per cent were between 40 and 49 years, 359 or 14.9 per cent were between 50 and 59 years, 515 or 21.4 per cent were between 60 and 69 years and 773 or 32.0 per cent were 70 years of age and over.

The average age of males at death was 55.8 years and that of females 58.6.

Table 73 shows the duration of hospital life of those who died during the year. Of the 2,412 patients who died, 567 or 23.5 per cent were less than 3 months under care, 170 or 7.0 per cent had residence between 3 and 6 months, 195 or 8.1 per cent between 6 and 12 months, 359 or 14.9 per cent between 1 and 3 years, 218 or 9.0 per cent between 3 and 5 years, 337 or 14.0 per cent between 5 and 10 years, 204 or 8.5 per cent between 15 and 20 years and 251 or 10.4 per cent 20 years and over. Of those with residence over 20 years, 136 or 54.2 per cent were dementia praecox patients.

Table 74 shows the average age and average length of stay for each psychosis. The average stay of all patients was 6.7 years, for males 6.5 years and for females 7.0 years.

- 600 -

The fifty detailed tables which follow are compiled from individual cards received for each patient admitted, discharged and who died in the thirty-nine public mental institutions in the card system and cover the year under review.

Le tableau 72 donne l'âge des patients au décès, par psychose. Des 2,412 patients décédés au cours de l'année, 150 ou 6.2 pour cent sont âgés de moins de 20 ans; 158 ou 6.6 pour cent, de 20 à 29 ans; 201 ou 8.3 pour cent, de 30 à 39 ans; 256 ou 10.6 pour cent, de 40 à 49 ans; 359 ou 14.9 pour cent, de 50 à 59 ans; 515 ou 21.4 pour cent, de 60 à 69 ans et 773 ou 32.0 pour cent, de 70 ans et plus.

L'âge moyen des hommes au décès est de 55.2 ans et celui des femmes, de 58.6 ans.

Le tableau 73 indique la durée du séjour à l'hôpital des patients décédés durant l'année. Des 2,412 patients décédés, 567 ou 23.5 pour cent ont été hospitalisés moins de trois mois; 170 ou 7.0 pour cent, de 3 à 6 mois; 195 ou 8.1 pour cent, de 6 à 12 mois; 359 ou 14.9 pour cent de 1 à 3 ans; 218 ou 9.0 pour cent de 3 à 5 ans; 337 ou 14.0 pour cent de 5 à 10 ans; 204 ou 8.5 pour cent de 15 à 20 ans et 251 ou 10.4 pour cent, 20 ans et plus. Parmi ces derniers, 136 ou 54.2 pour cent souffraient de démentie précoce.

Le tableau 74 donne l'âge moyen et la durée moyenne du séjour pour chaque psychose. Le séjour moyen de tous les patients est de 6.7 ans. Il est de 6.5 ans chez les hommes et de 7.0 ans chez les femmes.

- 600 -

Les cinquante tableaux détaillés qui suivent sont compilés d'après les fiches individuelles reçues pour chaque patient admis, sorti ou décédé dans les trente-neuf hôpitaux publics pour aliénés ayant le système de fiches et couvrent l'année sous revue.

Table 25 - Percentage of cards received of total first admissions, readmissions, discharges and deaths for all mental institutions, by provinces.

Tableau 25 - Pourcentage des fiches reçues par rapport au total des premières admissions, réadmissions, sorties et décès, pour tous les hôpitaux d'aliénés, par province.

Province	First admissions Premières admissions			Readmissions Réadmissions			Discharges Sorties			Deaths Décès		
	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.
Prince Edward Island	62	62	100.0	31	31	100.0	73	73	100.0	11	11	100.0
Nova Scotia	469	326	69.5	105	73	69.5	374	231	61.8	159	30	18.9
New Brunswick	312	312	100.0	80	80	100.0	247	247	100.0	93	93	100.0
Quebec	2,054	1,845	68.5	495	444	89.7	1,451	1,248	86.0	815	755	92.6
Ontario	2,792	2,406	86.3	907	713	78.6	2,483	1,958	73.7	839	816	97.3
Manitoba	432	432	100.0	179	179	100.0	348	348	100.0	139	139	100.0
Saskatchewan	565	565	100.0	190	190	100.0	413	418	100.0	200	200	100.0
Alberta	451	451	100.0	130	130	100.0	413	413	100.0	130	130	100.0
British Columbia	755	665	88.1	234	143	61.1	656	474	72.3	242	238	98.3
CANADA	7,902	7,064	89.4	2,401	2,033	84.7	6,468	5,410	83.6	2,628	2,412	91.8

Table 26 - Number of first admissions, readmissions, discharges and deaths, by provinces.
Tableau 26 - Premières admissions, réadmissions, sorties et décès, par province.

Province	First admissions Premières admissions			Readmissions Réadmissions			Discharges Sorties			Deaths Décès		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	41	21	62	20	11	31	52	21	73	7	4	11
Nova Scotia	205	121	326	41	32	73	150	81	231	18	12	30
New Brunswick	191	121	312	51	29	80	139	106	247	64	39	93
Quebec	1,005	640	1,845	227	217	444	649	599	1,248	414	311	755
Ontario	1,251	1,155	2,406	343	370	713	1,025	933	1,958	428	388	816
Manitoba	234	194	432	96	83	179	165	163	348	72	67	139
Saskatchewan	327	238	565	92	98	190	218	200	418	128	62	200
Alberta	284	167	451	91	89	180	222	191	413	88	42	130
British Columbia	400	265	665	70	73	143	295	179	474	158	80	238
CANADA	3,942	3,122	7,064	1,031	1,002	2,033	2,935	2,475	5,410	1,387	1,025	2,412

Table 27 - Psychiatric classification of first admissions.
Tableau 27 - Classification psychiatrique des premières admissions.

Classification	M.	F.	T.	%
Insane - Aliénés	3,111	2,555	5,666	80.2
Mental defectives (without psychosis) Arriérés mentaux (sans psychose)	589	476	1,065	15.1
Epileptics (without psychosis) Epileptiques (sans psychose)	64	33	97	1.4
Alcoholics (without psychosis) Alcooliques (sans psychose)	54	3	57	0.8
Drugs addicts (without psychosis) Narcomanes (sans psychose)	6	10	16	0.2
Psychopathic personality (without psychosis) Psychopathes constitutionnels (sans psychose)	38	12	50	0.7
Other types (without psychosis) Autres types (sans psychose)	54	21	75	1.1
Primary behaviour disorders Troubles essentiels du comportement	26	12	38	0.5
TOTAL	3,942	3,122	7,064	100.0

Table 28 - Psychoses of first admissions.
Tableau 28 - Psychoses des premières admissions.

Psychoses	M.	F.	T.	Psychoses	M.	F.	T.
Syphilis meningo-encephalitis (general paresis) Méningo-encéphalite syphilitique (paralysie générale)	250	66	316	Other somatic diseases (continued) Autres maladies somatiques (suite)			
Other forms of syphilis of central nervous system Autres formes de syphilis du système nerveux central	16	2	18	(d) Pellagra Pellagre			1
Epidemic encephalitis Encéphalite épidémique	8	2	10	(e) Other diseases Autres maladies		55	86
Other infectious diseases Autres maladies infectieuses	14	21	35	Due to new growth Due à un néoplasme		4	9
(a) Tuberculous meningitis Méningite tuberculeuse	1	-	1	Other organic changes of the nervous system Autres affections organiques du système nerveux		40	25
(b) Meningitis (unspecified) Méningite (non déterminée)	1	-	1	(a) Multiple sclerosis Sclérose en plaques		5	1
(c) Acute chorea (Sydenham) Chorée aigüe (Sydenham)	-	2	2	(b) Paroxysms agitans Paroxysme agitant		4	3
(d) Other infectious diseases Autres maladies infectieuses	3	4	7	(c) Huntington's chorea Chorée de Huntington		10	7
(e) Post-infectious psychoses Psychoses à la suite d'infection	9	15	24	(d) Other brain or nervous diseases Autres affections cérébrales ou nerveuses		21	14
Alcoholic Alcooliques	121	20	141	Psychoneuroses Psychonévroses			107
(a) Pathological intoxication Intoxication pathologique	14	2	16	(a) hysteria Hystérie			144
(b) Delirium tremens Delirium tremens	9	2	11	(b) Psychastenia Psychasténie			251
(c) Korsakoff's psychosis Psychose de Korsakow	10	5	15	(c) Neuroasthenia Neurasthénie			
(d) Acute hallucinations Forme hallucinatoire consciente	50	5	55	(d) Other types Autres formes			
(e) Other types Autres formes	38	6	44	Manic depressive Maniques dépressives			
Due to drugs Toxiques exogènes	10	20	30	(a) Manic type Forme manique			
(a) Metals Métaux	-	1	1	(b) Depressive type Forme mélancolique			
(b) Gases Les gaz	2	-	2	(c) Other types Autres formes			
(c) Opium and derivatives Opium et ses dérivés	2	2	4	Dementia praecox Démence précoce			
(d) Other exogenous toxins Autres toxiques exogènes	6	17	23	Paranoia and paranoid conditions Paranoïa et états paranoïadiques			
Traumatic Traumatiques	31	4	35	Psychopathic personality Psychopathes constitutionnels			
Cerebral arteriosclerosis Artérosclérose cérébrale	332	168	500	Mental deficiency Aridières mentales			
Other disturbances of circulation Autres affections circulatoires	16	26	42	Undiagnosed Non diagnostiquées			
(a) Cerebral embolism Embolie cérébrale	3	4	7	Without psychoses Sans psychose			
(b) Cardio-renal disease Affection cardio-rénale	7	11	18	(a) Epilepsy Epilepsie			
(c) Other types Autres affections	6	11	17	(b) Alcoholism Alcoolisme			
Convulsive disorders (epilepsy) Crises convulsives (épilepsie)	101	66	167	(c) Drug addiction Narcomanie			
Senile Séniles	337	334	671	(d) Mental deficiency Aridération mentale			
Involutional Involution	72	170	242	(e) Disorder of personality Troubles de la personnalité			
Other somatic diseases Autres maladies somatiques	64	129	193	(f) Psychopathic personality Etat psychopathique constitutionnel			
(a) Diseases of the endocrine glands Maladies des glandes endocrines	-	9	9	(g) Others Autres formes			
(b) Exhaustion delirium Psychosis d'épuisement	4	31	35	Primary behaviour disorders Troubles essentiels du comportement			
(c) Alzheimer's disease Maladie d'Alzheimer	4	3	7	TOTAL			
					3,942	3,122	7,064

Table 29 - Age of first admissions, by psychoses.

Psychoses	Total			Under 15 years Moins de 15 ans			15 - 19 years - ans			20 - 24 years - ans			25 - 29 years - ans			30 - 34 years - ans		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysie générale	250	68	318	-	1	1	-	-	-	3	2	5	9	6	15	22	10	32
Other forms of syphilis																		
Autres formes de syphilis	16	2	18	-	-	-	-	-	-	2	-	2	2	-	2	2	1	3
Epidemic encephalitis																		
Encephalite épidémique	8	2	10	-	-	-	1	-	1	1	1	2	3	1	4	1	-	1
Other infectious diseases																		
Autres maladies infectieuses	14	21	35	-	-	-	1	3	4	1	3	4	3	5	3	3	3	6
Alcoholic																		
Alcooliques	121	20	141	-	-	-	1	-	1	-	-	-	8	-	8	12	4	16
Due to drugs																		
Toxicques exogènes	10	20	30	1	-	1	-	-	-	-	-	-	-	2	2	2	3	5
Traumatic																		
Traumatiques	31	4	35	1	-	1	2	-	2	1	1	2	2	-	2	4	-	4
Cerebral arteriosclerosis																		
Arteriosclérose cérébrale	322	165	500	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-
Other disturbances of circulation																		
Autres affections circulatoires	16	26	42	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Epileptic																		
Epileptiques	101	66	167	11	5	16	13	7	20	10	10	20	12	6	20	13	10	23
Senile																		
Séniles	337	334	671	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	72	170	242	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other metabolic, etc., dia.																		
Autres mal. métaboliques, etc.	64	129	193	-	1	1	2	5	7	6	10	26	3	18	21	7	15	22
Due to new growth																		
Dues à un néoplasme	4	9	13	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1
Other organic changes of the nervous system																		
Autres affections organiques du système nerveux	40	25	65	1	1	2	2	-	2	5	1	6	1	-	1	4	3	7
Psychoneuroses																		
Psychoneurose	107	144	251	-	3	3	1	6	7	14	10	24	14	19	33	15	24	39
Manic depressive																		
Maniaques dépressives	397	471	868	4	-	4	28	26	54	58	48	106	37	70	107	42	69	111
Descentia præcox																		
Démence précoce	942	660	1,602	1	2	3	83	56	139	209	106	317	192	111	310	135	110	245
Paranoia and paranoid conditions																		
Paranoïa et états paranoïaques	66	60	146	-	-	-	-	1	1	1	1	1	4	3	7	2	17	19
Psychopathic personality																		
Psychopathes constitutionnels	35	15	50	-	-	-	3	2	5	9	1	10	5	5	10	6	4	10
Mental deficiency																		
Intégrés nuptiaux	106	79	185	2	1	3	19	6	25	22	12	34	16	16	32	11	10	21
Undiagnosed																		
Non diagnostiquées	42	42	84	1	1	2	2	4	6	5	-	5	5	10	15	5	6	11
Without psychosis																		
Sans psychose	605	555	1,360	338	193	531	136	126	262	58	67	125	49	44	93	39	30	69
Primary behaviour disorders																		
Troubles essentiels du comportement	26	12	38	2	1	3	4	1	5	2	2	4	-	1	1	2	2	4
TOTAL	3,942	3,122	7,064	362	209	571	298	244	542	411	285	696	374	320	694	327	323	650

Tableau 29 - Age des premières admissions, par psychose.

35 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over						
years - ans			70 ans et plus																								
M.	F.	T.	M.	F.	T.																						
46	7	55	51	14	65	35	11	46	31	6	37	27	6	33	15	3	18	6	2	8	3	4	3	-	-	-	
2	-	2	4	-	4	1	-	1	2	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-		
1	2	3	-	1	1	3	3	6	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-		
22	4	26	16	5	21	19	4	21	17	1	18	14	3	17	6	1	7	3	-	3	3	-	3	-	-		
2	2	4	1	4	5	1	3	4	1	1	2	2	3	5	-	2	2	-	-	-	-	-	-	-	-		
1	-	1	6	1	7	2	1	3	5	-	5	4	-	4	1	-	1	2	1	3	-	-	-	-	-		
-	-	-	-	2	2	2	1	3	14	9	23	39	18	57	64	43	107	76	37	113	135	97	192	-	-	-	
-	1	1	1	1	2	1	3	4	3	3	6	2	7	9	3	4	7	2	2	4	3	4	7	-	-	-	
8	2	10	11	7	18	8	5	13	9	4	13	3	3	6	1	1	2	1	2	3	1	2	3	-	-	-	
-	-	-	-	-	-	-	-	-	2	3	5	2	3	5	15	27	42	48	54	102	270	247	517	-	-	-	
1	4	5	3	20	23	12	39	51	15	54	69	19	32	51	16	11	27	6	7	13	-	2	2	-	-	-	
6	8	14	5	11	16	6	7	13	4	12	16	8	10	27	4	7	11	10	6	16	1	2	3	-	-	-	
1	-	1	1	1	2	-	2	2	-	1	1	-	1	1	1	1	1	-	2	2	-	-	-	-	-	-	
2	6	8	4	2	6	4	2	6	6	3	9	5	4	9	2	-	2	3	2	5	1	1	2	-	-	-	
12	27	39	13	11	24	14	12	26	15	8	23	3	8	11	3	9	12	3	6	9	-	1	1	-	-	-	
41	64	105	48	37	85	35	35	73	32	44	76	39	32	71	21	23	44	8	10	18	4	10	14	-	-	-	
117	77	194	79	67	146	43	48	91	28	38	66	23	22	45	20	11	31	3	8	21	2	2	4	-	-	-	
9	7	16	10	9	19	16	10	26	11	13	24	5	6	11	6	5	11	1	2	3	1	6	7	-	-	-	
7	2	9	2	-	2	1	-	1	1	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
14	11	25	6	13	19	7	4	11	4	1	5	4	5	9	-	-	-	-	-	-	-	-	-	-	1	-	1
3	1	4	7	4	11	2	6	8	6	2	8	4	2	6	-	3	3	1	2	3	1	1	2	-	-	-	
43	30	73	31	20	51	42	14	56	27	10	37	18	6	24	13	5	18	4	6	10	7	4	11	-	-	-	
4	1	5	1	1	2	4	2	6	2	-	2	2	-	2	2	-	2	-	-	-	1	1	2	-	-	-	
344	256	600	300	231	531	258	213	471	235	214	449	227	181	408	195	156	351	177	150	327	433	340	773	1	-	1	

Table 30 - Average age on admission, by psychoses.
 Tableau 30 - Age moyen à l'admission, par psychoses.

Psychoses	Total			Average age - years Âge moyen - ans		
	M.	F.	T.	M.	F.	T.
General paresis						
Paralysie générale	250	68	318	45.2	42.4	44.6
Other forms of syphilis						
Autres formes de syphilis	16	2	18	38.9	44.5	39.6
Epidemic encephalitis						
Encéphalite épidémique	8	2	10	34.8	25.5	32.9
Other infectious diseases						
Autres maladies infectieuses	14	21	35	36.2	32.0	33.7
Alcoholic						
Alcooliques	121	20	141	45.2	42.9	44.9
Due to drugs						
Toxiques exogènes	10	20	30	39.8	44.0	42.6
Traumatic						
Traumatiques	31	4	35	42.3	45.5	42.7
Cerebral arteriosclerosis						
Artériosclérose cérébrale	332	168	500	67.7	66.1	67.2
Other disturbances of circulation						
Autres affections circulatoires	16	26	42	57.9	57.3	57.5
Epileptic						
Epileptiques	101	66	167	32.3	36.4	33.1
Senile						
Sénile	337	394	671	76.7	74.4	75.5
Involutional						
Involution	72	170	242	55.4	51.5	52.6
Other metabolic, etc., diseases						
Autres maladies métaboliques, etc.	64	129	193	45.1	40.6	42.1
Due to new growth						
Doux à un néoplasme	4	9	13	39.5	52.7	28.6
Other organic changes of nervous system						
Autres affections organiques du système nerveux	40	25	65	49.5	46.3	48.8
Psychoneuroses						
Psychonévrose	107	144	251	35.8	33.6	35.7
Manic depressive						
Maniques dépressives	397	471	868	38.6	38.7	38.6
Dementia praecox						
Déférence précoce	942	660	1,602	31.5	32.8	32.5
Paranoia and paranoid conditions						
Paranoïa et états paranoïques	66	80	146	46.5	45.8	46.1
Psychopathic personality						
Psychopathes constitutionnels	35	15	50	33.6	29.4	30.2
Mental deficiency						
Arriérés mentaux	106	79	185	29.6	33.2	31.1
Undiagnosed						
Non diagnostiquées	42	42	84	38.2	39.2	38.2
Without psychoses						
Sans psychoses	805	555	1,360	43.2	41.3	43.3
Primary behaviour disorders						
Troubles essentiels du comportement	26	12	38	37.6	36.3	36.6
TOTAL		3,942	3,122	7,064	43.0	40.9

Table 31 - Psychoses of first admissions, by provinces.
 Tableau 31 - Psychoses des premières admissions, par province.

Psychoses	C A N A C A				P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%									
General paresis													
Paralytic general	250	68	318	4.5	-	21	29	121	86	8	6	16	29
Other forms of syphilis													
Autres formes de syphilis	15	2	18	.3	-	-	-	10	5	-	1	2	-
Epidemic encephalitis													
Encéphalite épidémique	8	2	10	.1	-	-	-	2	4	2	3	-	-
Other infectious diseases													
Autres maladies infectieuses	14	21	35	.5	-	-	-	24	8	2	-	1	-
Alcoholic													
Alcooliques	121	20	141	2.0	2	11	23	34	41	7	10	8	15
Due to drugs													
Toxicous exogenous	12	20	30	.4	-	-	2	4	13	-	4	3	4
Traumatic													
Traumatiques	31	4	35	.5	-	2	-	13	10	-	5	1	4
Cerebral arteriosclerosis													
Artérosclérose cérébrale	332	168	500	7.1	5	2	23	62	229	24	57	23	55
Other disturbances of circulation													
Autres affections circulatoires	16	26	42	.6	-	1	3	12	22	3	1	-	-
Epileptic													
Epileptiques	101	66	167	2.4	6	6	9	66	37	8	21	4	10
Senile													
Séniles	337	334	671	9.5	2	22	28	143	200	54	69	35	113
Involuntional													
Involution	72	170	242	3.4	1	21	13	32	94	15	13	9	39
Other metabolic, etc., dis.													
Autres mal. métaboliques, etc.	64	129	193	2.7	-	1	1	128	41	8	7	2	5
Due to new growth													
Due to un néoplasme	4	9	13	.2	-	1	2	3	3	-	2	3	-
Other organic changes of nervous system													
Autres affections organiques du système nerveux	40	25	65	.9	1	5	3	26	14	2	5	3	3
Psychoneuroses													
Psychonévroses	107	144	251	3.6	-	5	19	53	120	15	22	7	10
Manic depressives													
Maniaques dépressives	397	471	868	12.3	9	95	19	278	288	27	57	55	40
Dementia praecox													
Démence précoce	942	660	1,602	22.7	3	79	111	240	523	164	139	97	246
Paranoia and paranoid conditions													
Paranoïa et états paranoïadiques	66	80	146	2.2	-	1	-	85	26	19	1	12	2
Psychopathic personality													
Psychopathes constitutionnels	35	15	50	.7	1	1	6	18	15	4	-	2	3
Mental deficiency													
Afférences mentales	106	79	185	2.6	5	17	4	59	62	10	15	8	5
Undiagnosed													
Non diagnostiquées	42	42	84	1.2	-	4	-	17	40	3	16	4	-
Without psychoses													
Sans psychose	805	555	1,360	19.2	22	30	23	384	505	53	103	154	81
Primary behaviour disorders													
Troubles essentiels du comportement	26	12	38	.5	5	1	-	7	18	4	-	2	1
T O T A L	3,942	3,122	7,064	100.0	62	326	312	1,845	2,406	432	565	451	665

Table 32 - Environment of first admissions, by psychoses.
 Tableau 32 - Environnement des premières admissions, par psychose.

Psychoses	Total			Rural			Urban			Not given		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralysis générale	250	68	318	72	17	89	178	51	229	-	-	-
Other forms of syphilis												
Autres formes de syphilis	16	2	18	2	1	3	14	1	15	-	-	-
Epidemic encephalitis												
Encéphalite épidémique	8	2	10	4	1	5	4	1	5	-	-	-
Other infectious diseases												
Autres maladies infectieuses	14	24	35	9	10	19	5	11	16	-	-	-
Alcoholic												
Alcooliques	121	29	141	40	1	41	80	19	99	1	-	1
Due to drugs												
Toxiques exogènes	13	20	30	6	6	12	4	14	18	-	-	-
Traumatic												
Traumatiques	31	4	35	11	1	12	20	3	23	-	-	-
Cerebral arteriosclerosis												
Artérosclérose cérébrale	332	168	500	153	49	202	179	119	298	-	-	-
Other disturbances of circulation												
Autres affections circulatoires	16	26	42	5	6	11	11	20	31	-	-	-
Epileptic												
Epileptiques	101	66	167	47	33	80	54	33	87	-	-	-
Senile												
Séniles	337	234	671	158	107	265	179	227	406	-	-	-
Involuntional												
Involution	72	170	242	27	61	88	45	109	154	-	-	-
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	64	123	193	21	47	68	43	82	125	-	-	-
Due to new growth												
Due to a neoplasm	4	9	13	2	4	6	2	5	7	-	-	-
Other organic changes of nervous system												
Autres affections organiques du système nerveux	40	25	65	14	9	23	26	16	42	-	-	-
Psychoneuroses												
Psychoneurose	107	144	251	41	51	92	66	93	159	-	-	-
Manic depressive												
Maniques dépressives	397	471	868	211	178	389	185	293	478	1	-	1
Dementia praecox												
Démence précoce	942	660	1,602	422	262	684	516	397	913	4	1	5
Paranoid and paranoid conditions							*					
Paranoïa et états paranoidiques	66	80	146	24	18	42	42	62	104	-	-	-
Psychopathic personality												
Psychopathes constitutionnels	35	15	50	7	2	9	28	13	41	-	-	-
Mental deficiency												
Arriérés mentaux	106	79	185	66	41	107	39	38	77	1	-	1
Undiagnosed												
Non diagnostiquées	42	42	84	22	17	39	20	25	45	-	-	-
Without psychosis												
Sans psychose	805	555	1,360	321	191	512	483	364	847	1	-	1
Primary behaviour disorders												
Troubles essentiels du comportement	26	12	38	9	5	14	17	7	24	-	-	-
T O T A L	3,942	3,122	7,064	1,694	1,113	2,812	2,240	2,003	4,243	8	1	9

Table 33 - Economic condition of first admissions, by psychoses.
 Tableau 33 - Situation économique des premières admissions, par psychose.

Psychoses	Total			Dependent à charge			Marginal Moyens modestes			Comfortable A l'aaise			Not given Indonnes		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralyse	250	68	318	103	36	139	123	25	148	24	7	31	-	-	-
Other forms of syphilis															
Autres formes de syphilis	16	2	18	7	-	7	9	2	11	-	-	-	-	-	-
Epidemic encephalitis															
Encéphalite épidémique	8	2	10	5	1	6	3	-	3	-	1	1	-	-	-
Other infectious diseases															
Autres maladies infectieuses	14	21	35	5	14	19	7	7	14	2	-	2	-	-	-
Alcoholic															
Alcooliques	121	20	141	44	7	51	51	10	61	26	3	29	-	-	-
Due to drugs															
Toxiques exogènes	10	20	30	2	4	6	6	9	15	2	7	9	-	-	-
Traumatic															
Traumatiques	31	4	35	12	-	12	13	3	16	6	1	7	-	-	-
Cerebral arteriosclerosis															
Artériosclérose cérébrale	332	168	500	164	68	232	120	62	182	48	38	86	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	16	26	42	9	11	20	6	11	17	1	4	5	-	-	-
Epileptic															
Epileptiques	101	66	167	59	36	95	35	24	59	7	6	13	-	-	-
Senile															
Séniles	337	334	671	180	160	340	119	125	244	38	49	87	-	-	-
Involuntional															
Involution	72	170	242	20	45	65	30	87	117	22	38	60	-	-	-
Other metabolic, etc. dis.															
Autres mal. métaboliques, etc.	64	129	193	28	56	86	30	63	93	6	8	14	-	-	-
Due to new growth															
Due to un néoplasme	4	9	13	1	3	4	1	4	5	2	2	4	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	40	25	65	24	19	37	14	10	24	2	3	4	-	-	-
Psychoneuroses															
Psychoneurose	107	144	251	37	43	85	56	61	117	14	35	49	-	-	-
Manic depressive															
Maninques dépressives	397	471	868	142	168	330	172	197	369	82	86	168	1	-	1
Dementia praecox															
Démence précoce	947	660	1,602	391	252	643	456	340	796	93	66	161	2	-	2
Paranoia and paranoid conditions															
Paranoïa et états paranoïadiques	66	89	146	24	44	68	35	29	64	7	7	14	-	-	-
Psychopathic personality															
Psychopathes constitutionnels	35	15	50	11	9	20	21	6	27	3	-	3	-	-	-
Mental deficiency															
Arriérés mentaux	106	79	185	51	43	94	41	29	70	13	7	20	1	-	1
Undiagnosed															
Non diagnostiquées	42	42	84	14	9	23	23	23	46	5	10	15	-	-	-
Without psychoses															
Sans psychoses	805	555	1,360	490	385	875	235	149	384	79	21	100	1	-	1
Primary behaviour disorders															
Troubles essentiels du comportement	26	12	38	10	4	16	9	6	25	7	2	9	-	-	-
TOTAL	3,942	3,122	7,064	1,833	1,438	3,271	1,615	1,282	2,877	489	402	891	5	-	5

Table 34 - Use of alcohol of first admissions, by psychoses.
 Tableau 34 - Usage d'alcool des premières admissions, par psychose.

Psychoses	Total			Abstinent			Temperate			Intemperate			Not given		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Purulysie générale	250	63	313	117	21	168	93	11	109	39	6	41	-	-	-
Other forms of syphilis															
Autres formes de syphilis	16	2	18	7	3	9	7	-	7	2	-	2	-	-	-
Epidemic encephalitis															
Encephalite épidémique	8	2	10	7	2	9	1	-	1	-	-	1	-	-	-
Other infectious diseases															
Autres maladies infectieuses	14	21	35	9	20	29	4	1	5	1	-	1	-	-	-
Alcoholic															
Alcooliques	121	20	141	-	-	-	-	-	-	121	20	141	-	-	-
Due to drugs															
Toxiques exogènes	10	20	30	5	10	15	3	6	9	2	4	6	-	-	-
Traumatic															
Traumatiques	31	4	35	18	4	22	9	-	9	4	-	4	-	-	-
Cerebral arteriosclerosis															
Artériosclérose cérébrale	332	168	500	181	156	337	126	11	137	25	1	26	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	16	26	42	7	24	31	7	1	8	2	1	3	-	-	-
Epileptic															
Epileptiques	101	66	167	70	60	130	24	4	28	7	2	9	-	-	-
Senile															
Séniles	337	334	671	193	313	506	118	17	135	26	4	30	-	-	-
Involuntional															
Involutional	72	170	242	39	153	192	28	35	43	5	2	7	-	-	-
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	64	129	193	36	122	158	24	6	30	4	1	5	-	-	-
Due to new growth															
Due to un néoplasme	4	9	13	4	8	12	-	-	-	-	1	1	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	40	25	65	28	24	52	9	1	10	3	-	3	-	-	-
Psychoneuroses															
Psychonévroses	107	144	251	50	125	175	49	18	67	8	1	9	-	-	-
Manic depressive															
Maniques dépressives	397	471	868	220	418	638	143	42	165	54	11	49	-	-	-
Dementia praecox															
Déférence précoce	942	660	1,602	522	579	1,101	352	72	424	68	9	77	-	-	-
Paranoia and paranoid conditions															
Paranoïa et états paranoïaques	66	80	146	32	73	105	22	6	28	12	4	13	-	-	-
Psychopathic personality															
Psychopathes constitutionnels	35	15	50	14	12	26	17	1	18	4	2	6	-	-	-
Mental deficiency															
Artéries mentaux	106	74	180	78	71	149	20	6	26	6	2	8	2	-	2
Undiagnosed															
Sous diagnostiquées	42	42	84	19	34	53	18	7	25	5	1	6	-	-	-
Without psychoses															
Sans psychose	805	555	1,360	632	525	1,157	96	17	113	77	13	90	-	-	-
Primary behaviour disorders															
Troubles essentiels du comportement	26	12	38	12	11	23	12	1	13	2	-	2	-	-	-
TOTAL	3,942	3,122	7,064	2,300	2,797	5,097	1,187	243	1,430	453	82	535	2	-	2

Table 35 - Conjugal condition of first admissions, by psychoses.
 Tableau 35 - Etat conjugal des premières admissions, par psychoses.

Psychoses	Total			Single Séparées			Married Mariés			Widowed Veuves			Divorced Divorcées			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysie générale	250	68	318	74	7	81	160	56	216	13	4	17	3	1	4	-	-	-
Other forms of syphilis																		
Autres formes de syphilis	16	2	18	5	-	5	11	2	13	-	-	-	-	-	-	-	-	-
Epidemic encephalitis																		
Phacéphalite épidémique	8	2	10	6	2	8	1	-	1	1	-	1	-	-	-	-	-	-
Other infectious diseases																		
Autres maladies infectieuses	14	21	35	7	3	10	7	17	24	-	1	1	-	-	-	-	-	-
Alcoholic																		
Alcooliques	121	20	141	44	2	46	68	15	83	8	3	11	1	-	1	-	-	-
Due to drugs																		
Toxiques exogènes	10	20	30	7	5	12	3	13	16	-	2	2	-	-	-	-	-	-
Traumatic																		
Traumatiques	31	4	35	16	2	18	12	1	13	2	1	2	-	-	-	-	-	-
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	532	168	900	76	26	102	169	81	250	83	60	143	3	1	4	1	1	1
Other disturbances of circulation																		
Autres affections circulatoires	16	26	42	3	8	11	11	12	23	2	6	8	-	-	-	-	-	-
Epileptic																		
Epileptiques	101	66	167	77	43	120	21	19	40	2	4	6	1	-	1	-	-	-
Senile																		
Séniles	337	334	671	73	60	133	153	98	251	107	176	283	3	-	3	1	-	1
Involutorial																		
Involution	72	170	242	19	28	47	46	117	163	5	24	29	2	1	3	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	64	129	193	27	24	55	32	92	124	3	9	12	2	-	2	-	-	-
Due to new growth																		
Dues à un néoplasme	4	9	13	2	1	3	2	6	8	-	2	2	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	40	25	65	19	8	27	19	14	33	2	3	5	-	-	-	-	-	-
Psychoneuroses																		
Psychonévroses	107	144	251	49	42	91	52	89	141	6	13	19	-	-	-	-	-	-
Manic depressive																		
Maniaques dépressives	397	471	868	206	157	363	171	282	453	19	25	44	1	7	8	-	-	-
Dementia praecox																		
Démence précoce	942	660	1,602	741	514	1,055	177	206	283	18	29	47	5	11	16	1	-	1
Paranoia and paranoid conditions																		
Paranoïa et états paranoidiques	66	80	146	24	25	49	38	43	81	2	11	14	1	1	2	-	-	-
Psychopathic personality																		
Psychopathes constitutionnelles	39	19	50	25	8	33	9	7	16	-	-	-	1	-	1	-	-	-
Mental deficiency																		
Intégrité mentale	106	79	185	69	43	132	16	34	49	-	2	2	-	-	2	-	2	-
Undiagnosed																		
Non diagnostiquées	42	42	84	21	9	30	19	26	47	2	4	6	-	1	1	-	-	-
Without psychosis																		
Sans psychose	805	555	1,360	692	482	1,176	103	64	167	6	7	15	-	2	2	-	-	-
Primary behaviour disorders																		
Troubles essentiels du comportement	26	12	38	12	6	18	13	4	17	1	2	3	-	-	-	-	-	-
TOTAL	3,942	3,122	7,064	2,316	1,309	3,625	1,212	1,400	2,712	286	382	672	23	25	48	5	-	5

Table 36 - Education of first admissions, by psychoses.
 Tableau 36 - Instruction des premières admissions, par psychoses.

Psychoses:	Total			Illiterate Illétré			Means and written Écriture; lire et écrire			Common school Ecole primaire			High school Ecole secondaire			University Université			Not given Inconnue				
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
General psychosis																							
Paralysis générale	250	68	318	12	5	17	58	12	70	147	43	190	28	8	36	4	-	4	1	-	1	-	-
Other forms of syphilis																							
Autres formes de Syphilis	16	2	18	2	-	2	3	1	4	8	-	8	2	1	3	1	-	1	-	-	-	-	-
Epidemic encephalitis																							
Encéphalite épidémique	8	2	10	-	1	1	2	-	2	3	1	4	3	-	3	-	-	-	-	-	-	-	-
Other infectious diseases																							
Autres maladies infectieuses	14	21	35	-	-	-	2	3	5	9	14	23	3	4	7	-	-	-	-	-	-	-	-
Alcoholic																							
Alcooliques	121	20	141	5	2	7	21	-	21	68	14	82	22	4	26	5	-	5	-	-	-	-	-
Due to drugs																							
Toxicques exogènes	10	20	30	-	1	1	1	2	3	6	9	15	3	8	11	-	-	-	-	-	-	-	-
Traumatic																							
Traumatiques	31	4	35	1	-	1	4	1	5	22	3	25	4	-	4	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis																							
Artérosclérose cérébrale	132	168	500	35	6	41	82	25	107	185	102	287	22	30	52	7	5	12	1	-	1	-	-
Other disturbances of circulation																							
Autres affections circulatoires	16	26	42	-	2	2	2	2	4	10	15	25	2	7	9	1	-	1	1	-	1	-	-
Epileptic																							
Epileptiques	101	66	167	22	11	33	31	19	44	40	33	72	8	9	17	-	-	-	-	-	-	-	-
Senile																							
Scindes	337	334	671	43	47	90	72	63	135	196	185	381	18	34	52	8	4	12	-	1	-	1	1
Involuntional																							
Involutive	72	170	242	4	6	10	11	15	26	48	110	158	7	35	42	2	4	6	-	-	-	-	-
Other metabolic, etc., dis-																							
Autres mal. métaboliques, etc.	64	129	193	3	1	4	24	32	56	27	70	97	8	24	32	1	2	3	1	-	2	-	-
Due to new growth																							
Dues à un néoplasme	4	9	13	-	-	-	-	1	1	4	4	8	-	4	4	-	-	-	-	-	-	-	-
Other organic changes of nervous system																							
Autres affections organiques du système nerveux	40	25	65	7	2	9	5	3	8	22	16	38	6	4	10	-	-	-	-	-	-	-	-
Psychoneuroses																							
Psychonévrosés	107	144	251	4	1	5	15	11	26	69	85	154	15	42	57	4	5	9	-	-	-	-	-
Manic depressive																							
Maniaques dépressives	397	471	868	15	12	27	87	75	162	228	259	487	56	114	170	11	9	20	-	2	2	-	-
Dementia praecox																							
Démence précoce	942	660	1,602	45	27	72	170	74	244	551	383	924	149	149	298	27	26	53	-	1	1	-	-
Paranoid and paranoid conditions																							
Paranisia et états paranoidiques	66	80	146	5	3	8	22	33	55	35	31	66	4	12	17	-	-	-	-	-	-	-	-
Psychopathic personality																							
Psychopathes constitutionnels	35	15	50	1	1	2	7	8	15	21	4	25	4	1	5	2	1	3	-	-	-	-	-
Mental deficiency																							
Irriérés mentaux	106	79	185	21	20	41	35	21	56	48	35	83	1	3	4	-	-	-	1	-	1	-	-
Undiagnosed																							
Non diagnostiquées	42	42	84	6	2	8	6	4	10	26	22	48	4	13	17	-	2	1	-	-	-	-	-
Without psychoses																							
Sans psychoses	805	555	1,360	417	271	628	154	150	304	162	115	297	43	18	61	9	1	12	-	-	-	-	-
Primary behaviour disorders																							
Troubles essentiels du comportement	26	12	38	2	2	4	5	2	7	14	6	20	3	2	5	2	-	2	-	-	-	-	-
Total	3,742	2,122	7,263	1,30	1,032	3,619	981	1,270	1,403	1,514	1,203	4,135	367	368	344	38	342	3	4	9			

Table 37 - Nativity of first admissions, by provinces.
 Tableau 37 - Lieu de naissance des premières admissions, par province.

Province	Total			Canadian born Nés au Canada			British born Nés britanniques			Foreign born Nés à l'étranger			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	43	21	62	39	20	59	1	1	2	1	-	1	-	-	-
Nova Scotia	205	121	326	166	106	272	26	8	34	13	7	20	-	-	-
New Brunswick	191	121	312	175	113	288	8	3	11	8	5	13	-	-	-
Quebec	1,005	840	1,845	902	751	1,653	34	40	74	68	49	117	1	-	1
Ontario	1,251	1,155	2,406	895	904	1,799	171	162	332	184	89	273	1	1	2
Manitoba	238	194	432	153	130	283	27	34	61	58	30	88	-	-	-
Saskatchewan	327	238	565	178	151	329	45	36	81	103	51	154	1	-	1
Alberta	284	167	451	152	101	253	35	22	57	97	44	141	-	-	-
British Columbia	400	265	665	192	141	333	102	69	171	106	55	161	-	-	-
CANADA	3,942	3,122	7,064	2,852	2,417	5,269	449	374	823	638	330	968	3	1	4

Table 38 - Percentage of Canadian born first admissions, by provinces.
 Tableau 38 - Pourcentage des patients de première admission nés canadiens, par province.

Province	Total			Canadian born Nés au Canada			British born Nés britanniques			Foreign born Nés à l'étranger			Mixed Mixte			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	39	20	59	39	19	58	-	1	1	-	-	-	-	-	-	-	-	-
Nova Scotia	166	106	272	149	99	248	9	2	11	4	1	5	4	4	8	-	-	-
New Brunswick	175	113	288	164	106	270	5	2	7	-	-	-	6	5	11	-	-	-
Quebec	902	751	1,653	878	695	1,573	11	30	41	6	11	17	6	12	18	1	3	4
Ontario	895	904	1,799	619	579	1,198	147	164	311	57	53	110	70	108	178	2	-	2
Manitoba	153	130	283	71	56	127	27	24	51	37	40	77	18	10	28	-	-	-
Saskatchewan	178	151	329	83	60	143	15	29	44	55	40	95	25	21	46	-	1	1
Alberta	152	101	253	55	39	94	30	14	46	43	33	76	24	15	39	-	-	-
British Columbia	192	141	333	80	53	133	62	57	119	24	13	37	26	18	44	-	-	-
CANADA	2,852	2,417	5,269	2,138	1,706	3,844	306	323	629	226	191	417	179	193	372	3	4	7

Table 39 - Time in Canada before admission of British born and foreign born patients, by provinces.
 Tableau 39 - Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers, par province.

Province	Total			Under 5 years Moins de 5 ans			5 - 9 years - ans			10 - 14 years - ans			15 years and over 15 ans et plus			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	2	1	3	1	-	1	1	-	1	-	-	-	-	-	1	1	-	-
Nova Scotia	39	15	54	25	1	26	-	4	4	6	-	6	5	7	12	3	3	6
New Brunswick	16	8	24	8	1	9	-	-	-	1	1	2	5	6	11	2	-	2
Quebec	132	89	191	6	4	10	1	4	5	18	9	27	71	70	141	6	2	8
Ontario	355	250	605	20	9	29	8	9	17	70	37	107	245	189	434	12	6	18
Manitoba	85	64	149	2	1	3	1	2	3	13	2	15	69	59	128	-	-	-
Saskatchewan	148	87	235	5	4	9	1	-	1	20	9	29	119	74	193	3	-	3
Alberta	132	66	198	1	1	2	-	2	2	21	12	33	109	50	159	1	1	2
British Columbia	208	124	332	7	5	12	4	2	6	31	15	46	163	99	262	3	3	6
CANADA	1,087	704	1,791	75	26	101	16	23	39	180	85	265	786	555	1,341	30	15	45

Table 40 - Education of first admissions by age groups.
Tableau 40 - Instruction des premières admissions par groupe d'âge.

Age groups Groupe d'âge	Total			Illiterate Inlettré			Reads and writes Sachant lire et écrire			Common school École primaire			High school École secondaire			University Université			Not given Inconnue				
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
Under 15 years - Moins de 15 ans	362	209	571	280	169	449	63	29	92	19	11	30	-	-	-	-	-	-	-	-	-	-	-
15-19 years-ans	298	244	542	76	34	110	74	78	152	122	107	229	25	25	50	1	-	1	-	-	-	-	-
20-24 "	411	285	696	39	36	75	61	65	126	212	121	333	86	58	144	13	5	18	-	-	-	-	-
25-29 "	374	320	694	23	27	50	84	53	137	200	163	363	60	67	127	7	10	17	-	-	-	-	-
30-34 "	327	323	650	20	20	40	66	52	118	187	162	349	49	76	125	5	13	18	-	-	-	-	-
35-39 "	344	256	600	24	17	41	72	45	117	207	139	346	32	49	81	9	6	15	-	-	-	-	-
40-44 "	300	231	531	22	15	37	70	30	100	170	141	313	29	38	67	8	6	14	1	1	2	-	-
45-49 "	258	213	471	26	13	39	55	38	93	134	111	245	34	46	80	9	5	14	-	-	-	-	-
50-54 "	235	214	449	25	13	38	38	29	67	136	128	264	29	44	73	7	-	7	-	-	-	-	-
55-59 "	227	181	408	22	12	34	52	31	83	130	106	236	17	29	46	5	3	8	1	-	1	-	-
60-64 "	195	156	351	17	5	22	41	14	55	115	102	219	17	30	47	4	4	8	1	1	2	-	-
65-69 "	177	150	327	17	19	36	51	17	68	89	65	174	15	25	40	5	3	8	-	1	1	-	-
70 years and over - 70 ans et plus	433	340	773	59	43	102	92	70	162	248	183	431	22	40	62	11	3	14	1	1	2	-	-
Not given - Inconnue	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
T O T A L	3,942	3,122	7,064	650	423	1,073	819	551	1,370	1,969	1,559	3,528	415	527	942	84	58	142	5	4	9		

Table 41 - Nativity of first admissions by age groups.
Tableau 41 - Lieu de naissance des premières admissions par groupe d'âge.

Age groups Groupe d'âge	Total			Canadian born Nés au Canada			British born Nés britanniques			Foreign born Nés à l'étranger			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	362	209	571	354	206	560	2	-	2	5	3	8	1	-	1
15-19 years-ans	298	244	542	280	233	513	4	2	6	14	9	23	-	-	-
20-24 "	411	285	696	377	275	652	15	6	21	19	4	23	-	-	-
25-29 "	374	320	694	313	287	600	23	10	33	38	23	61	-	-	-
30-34 "	327	323	650	250	266	516	25	18	43	52	39	91	-	-	-
35-39 "	344	256	600	219	181	400	31	33	64	94	42	136	-	-	-
40-44 "	300	231	531	181	148	329	35	36	71	83	47	130	1	-	1
45-49 "	258	213	471	146	140	286	30	34	64	82	39	121	-	-	-
50-54 "	235	214	449	127	127	254	45	48	93	63	39	102	-	-	-
55-59 "	227	181	408	135	122	257	51	41	92	41	18	59	-	-	-
60-64 "	195	156	351	105	107	212	44	37	81	46	12	58	-	-	-
65-69 "	177	150	327	102	89	191	46	42	88	29	18	47	-	1	1
70 years and over - 70 ans et plus	433	340	773	262	236	498	98	67	165	72	37	209	1	-	1
Not given - Inconnue	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
T O T A L	3,942	3,122	7,064	2,852	2,417	5,269	449	374	823	638	330	963	3	1	4

Table 42 - Percentage of Canadian born first admissions by age groups.
 Tableau 42 - Pourcentage des patients de première admission nés canadiens, par groupe d'âge.

Age groups Groupes d'âge	Total			Canadian born Nés au Canada			British born Nés britanniques			Foreign born Nés à l'étranger			Mixed Mixte			Not given Inconnu		
	M.	F.	T.	M.	P.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	354	206	560	270	144	414	31	17	48	21	15	36	32	30	62	-	-	-
15-19 years-ans	289	233	522	197	156	353	27	30	57	38	22	60	18	25	43	-	-	-
20-24 * * *	377	275	652	270	187	457	35	28	63	48	38	86	24	22	46	-	-	-
25-29 * * *	313	287	600	229	198	427	27	29	56	42	47	89	15	13	28	-	-	-
30-34 * * *	250	266	516	194	190	384	17	32	49	31	27	58	8	16	24	-	1	1
35-39 * * *	219	181	400	184	136	320	11	14	25	17	17	28	13	14	27	-	-	-
40-44 * * *	181	148	329	146	112	258	9	20	29	43	6	19	12	10	22	1	-	1
45-49 * * *	146	120	266	129	108	237	9	16	25	1	6	7	6	9	15	1	1	2
50-54 * * *	127	127	254	104	95	199	11	18	29	6	3	9	6	11	17	-	-	-
55-59 * * *	135	122	257	104	90	194	14	17	31	4	1	5	13	14	27	-	-	-
60-64 * * *	105	107	212	84	85	169	12	19	31	1	-	1	8	3	11	-	-	-
65-69 * * *	102	89	191	71	61	132	21	17	38	3	1	4	7	9	16	-	1	1
70 years and over - 70 ans et plus	262	236	498	155	144	299	82	66	148	7	8	15	17	17	34	1	1	2
Not given - Inconnu	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
T O T A L	2,852	2,417	5,269	2,138	1,706	3,844	306	323	629	226	191	417	179	193	372	3	4	7

Table 43 - Time in Canada before admission of British born and foreign born patients by age groups.
 Tableau 43 - Séjour au Canada avant la première admission des patients nés britanniques et nés étrangères par groupe d'âge.

Age group Groupes d'âge	Total			Under 5 years Moins de 5 ans			5 - 9 years - ans			10 - 14 years - ans			15 years and over 15 ans et plus			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	7	3	10	4	-	4	2	2	4	1	1	2	-	-	-	-	-	-
15-19 years-ans	18	11	29	2	1	3	3	-	3	8	5	13	5	4	9	-	1	1
20-24 * * *	34	10	44	17	-	17	1	1	2	6	1	7	9	8	17	1	-	1
25-29 * * *	61	33	94	21	6	27	1	2	3	13	8	21	25	15	40	1	2	3
30-34 * * *	77	57	134	8	5	13	1	2	3	22	18	40	45	32	77	1	-	1
35-39 * * *	125	75	200	7	5	12	1	4	5	53	16	69	62	50	112	2	-	2
40-44 * * *	118	83	201	7	1	8	-	4	4	38	11	49	69	66	135	4	1	5
45-49 * * *	112	73	185	2	3	5	1	5	6	23	7	30	82	58	140	4	-	4
50-54 * * *	108	87	195	5	3	8	2	1	3	10	12	22	88	71	159	3	-	3
55-59 * * *	92	59	151	1	-	1	-	1	1	3	3	6	86	50	136	2	5	7
60-64 * * *	90	49	139	1	-	1	1	-	1	1	1	2	85	48	133	2	-	2
65-69 * * *	75	60	135	-	1	1	-	1	1	1	1	2	68	56	124	6	1	7
70 years and over - 70 ans et plus	170	104	274	-	1	1	-	3	-	1	1	2	162	97	259	4	5	9
Not given Inconnu	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T O T A L	1,087	704	1,791	75	26	101	16	23	39	180	85	265	786	585	1,341	30	15	45

Table 44 - Country of birth of first admissions, by provinces.
 Tableau 44 - Pays de naissance des premières admissions, par province.

Countries - Pays	C & N & D 3				P.E.I.	N.B.	N.S.	Q.C.	ONT.	MAN.	SASK.	ALTA.	B.C.
	M.	F.	T.	%									
Armenia - Arménie	-	1	1	.01	-	-	-	-	1	-	-	-	-
Australia - Australie	1	1	2	.03	-	-	-	1	-	-	-	-	1
Austria - Autriche	42	16	58	.82	-	-	-	3	13	12	16	10	4
Belgium - Belgique	4	8	12	.17	-	1	-	5	1	-	3	-	2
Bulgaria - Bulgarie	-	1	1	.01	-	-	1	-	-	-	-	-	-
CANADA	2,852	2,417	5,269	74.69	59	272	288	1,653	1,799	233	329	253	333
China - Chine	35	1	36	.51	-	-	-	2	2	2	3	8	12
Czechoslovakia - Tchécoslovaquie	10	10	20	.28	-	-	-	3	8	1	1	6	1
Denmark - Danemark	12	3	15	.21	-	-	1	1	3	1	4	3	2
England - Angleterre	266	245	511	7.23	2	16	9	44	215	40	62	25	98
Finland - Finlande	43	7	50	.71	-	-	1	4	30	3	1	-	11
France - France	10	1	13	.18	-	1	-	4	1	-	3	1	3
Germany - Allemagne	29	13	42	.59	-	-	1	1	15	4	10	6	5
Greece - Grèce	12	1	13	.18	-	1	-	3	8	-	1	-	-
Holland - Hollande	2	5	7	.10	-	-	-	1	3	1	-	-	2
Hungary - Hongrie	25	11	26	.51	-	-	-	3	12	2	10	7	-
Iceland - Islande	3	3	6	.09	-	-	-	-	1	5	-	-	-
India - Inde	2	4	7	.10	-	-	1	-	1	-	-	1	4
Ireland - Irlande	61	42	103	1.46	-	5	-	10	53	9	5	9	17
Italy - Italie	25	13	38	.54	-	-	-	8	20	1	1	3	5
Japan - Japon	3	-	3	.04	-	-	-	-	-	-	-	1	2
Jugo-Slavia - Yougoslavie	16	3	19	.27	-	-	-	1	8	-	-	1	9
Lithuania - Lituanie	5	5	10	.14	-	-	-	5	2	1	2	-	-
Norway - Norvège	27	5	32	.45	-	3	-	-	3	-	11	3	12
Poland - Pologne	93	47	140	1.98	-	2	-	15	42	31	17	19	14
Romania - Roumanie	17	2	19	.27	-	-	-	3	6	3	3	3	1
Russia - Russie	42	36	78	1.11	-	1	2	18	17	8	16	4	12
Scotland - Ecosse	24	66	164	2.32	-	5	1	16	59	8	12	18	45
South America - Amérique du Sud	-	-	-	-	-	-	-	-	-	-	-	-	-
Spain - Espagne	1	1	2	.03	-	1	-	-	1	-	-	-	-
Sweden - Suède	30	10	40	.57	-	2	1	1	5	4	6	8	15
Switzerland - Suisse	2	5	7	.10	-	-	-	-	-	1	-	2	4
Syria - Syrie	3	1	4	.06	-	-	-	-	4	-	-	-	-
United States - Etats-Unis	142	114	256	3.63	1	8	6	32	58	8	44	54	45
Other British possessions - Autres possessions britanniques	20	16	36	.51	-	10	-	3	7	4	2	4	6
Other countries - Autres pays	5	5	10	.14	-	-	-	-	4	-	2	2	2
Not given - Inconnu	3	1	4	.06	-	-	-	1	2	-	1	-	-
TOTAL	3,942	3,122	7,064	100.00	62	326	312	1,845	2,476	432	565	451	685

Table 45 - Citizenship of first admissions.
 Tableau 45 - Nationalité des premières admissions.

Citizenship - Nationalité	M.	F.	T.	%
Canadian by birth - Canadiens de naissance	2,852	2,417	5,269	74.6
British born who have resided in Canada 5 years or more - Nés britanniques domiciliés au Canada 5 ans et plus	402	397	799	10.7
British born who have resided in Canada less than 5 years - Nés britanniques domiciliés au Canada moins de 5 ans	39	9	48	.7
British born (residence not given) - Nés britanniques (séjour au Canada inconnu)	8	8	16	.2
Alien born (naturalized) - Nés à l'étranger (naturalisés)	345	207	552	7.8
Alien born who have resided in Canada 5 years or more (not naturalized) - Nés à l'étranger domiciliés au Canada 5 ans et plus (non naturalisés)	235	99	334	4.7
Alien born who have resided in Canada less than 5 years - Nés à l'étranger domiciliés au Canada moins de 5 ans	36	17	53	.8
Alien born (residence not given) - Nés à l'étranger (séjour au Canada inconnu)	22	7	29	.4
Not given - Inconnu	3	1	4	.1
TOTAL	3,942	3,122	7,064	100.0

Table 46 - Racial origin of first admissions, by provinces.
Tableau 46 - Origine raciale des premières admissions, par province.

Origins - Origines	CANADA				P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%									
Austrian - Autrichien n.o.s.	47	26	73	1.03	-	-	1	14	21	21	10	6	
Belgian - Belge	6	10	16	.23	-	1	4	1	-	4	-	6	
Bulgarian - Bulgare	1	1	1	.01	-	-	1	-	-	-	-	-	
Chinese - Chinois	38	4	42	.59	-	2	-	2	11	2	3	15	
Czechoslovakian - Tchèque	15	12	27	.38	-	1	-	3	3	2	3	4	
Danish - Danois	19	4	23	.33	-	1	1	2	4	-	6	7	
Dutch - Hollandaise	43	25	68	.96	-	2	2	1	30	5	11	7	
English - Anglaise	1,130	1,059	2,189	30.99	11	97	149	172	1,081	142	146	118	
Finnish - Finlandaise	43	20	63	.96	-	-	1	4	42	3	1	13	
French - Française	1,079	822	1,901	26.91	8	30	76	1,426	230	27	46	33	
German - Allemande	128	99	227	3.21	-	20	1	5	76	19	58	32	
Greek - Grecque	13	2	15	.21	-	1	-	4	9	-	1	-	
Jewish - Juive	56	56	112	1.59	-	1	5	49	43	8	3	2	
Hungarian - Hongroise	26	12	38	.54	-	-	-	3	16	3	9	6	
Icelandic - Islandaise	12	5	17	.24	-	-	-	-	1	13	2	-	
Indian - Indienne	29	18	47	.67	-	1	1	1	16	8	8	2	
Irish - Irlandaise	381	338	719	10.18	22	41	35	66	366	54	50	43	
Italian - Italienne	45	21	66	.93	-	2	-	16	33	3	2	4	
Japanese - Japonaise	5	1	6	.09	-	-	-	-	-	-	1	4	
Jugoslav - Jugoslavie	16	4	20	.28	-	-	-	2	8	1	-	1	
Negro - Nègre	15	7	22	.31	-	1	1	5	9	1	2	3	
Norwegian - Norvégienne	48	15	63	.89	-	3	-	1	7	2	25	18	
Polish - Polonaise	104	60	164	2.32	-	2	-	13	52	43	17	21	
Romanian - Roumaine	15	3	18	.26	-	-	-	3	6	1	2	3	
Russian - Russe	31	33	64	.91	-	-	-	4	6	16	17	4	
Scotch - Ecossaise	436	365	801	11.34	21	114	98	50	280	64	73	65	
Swedish - Suédoise	51	24	75	1.06	-	3	1	1	12	7	14	19	
Syrian - Syrienne	4	3	7	.10	-	1	-	4	1	-	1	-	
Ukrainian - Ukrainienne	68	45	113	1.60	-	-	-	-	19	22	35	32	
Other races - Autres races	27	24	51	.72	-	3	-	4	18	5	3	11	
Not given - Inconnue	7	4	11	.16	-	-	-	-	7	-	1	3	
TOTAL	3,942	3,122	7,064	100.00	62	326	312	1,845	2,406	432	565	451	665

Table 47 - Religion of first admissions, by provinces.
Tableau 47 - Religion des premières admissions, par province.

Religions	CANADA				P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%									
Adventist - Adventiste	2	4	12	.17	-	1	-	3	-	1	2	5	
Anglican - Anglicane	610	532	1,142	16.17	1	64	73	89	503	81	87	71	
Baptist - Baptiste	113	128	241	.34	2	26	42	9	104	3	15	25	
Christian Science - Scientistes chrétiens	17	17	34	.48	-	-	4	1	9	5	4	7	
Congregationalist - Congréga-tionaliste	1	1	2	.03	-	-	-	1	-	-	-	1	
Doukhobor - Doukhobor	1	5	6	.11	-	-	-	-	-	4	-	4	
Eastern religions - Religions orientales	36	4	40	.57	-	2	-	3	5	2	2	8	
Greek Catholic - Grecque catholique	69	46	115	1.63	-	1	-	1	25	31	25	27	
Greek Orthodox - Grecque orthodoxe	59	25	84	1.19	-	1	-	10	27	3	16	15	
Hellenic - Hellénique	58	56	114	1.61	-	1	5	49	64	8	3	2	
Lutheran - Luthérienne	205	115	320	4.53	-	5	2	7	87	43	63	58	
Mennonite - Mennonite	31	16	47	.66	-	-	-	-	10	17	12	4	
Methodist - Méthodiste	48	36	86	1.22	-	2	8	3	24	-	10	3	
No religion - Sans religion	34	9	43	.61	-	-	-	-	15	5	10	6	
Presbyterian - Presbytérienne	309	230	539	7.63	6	23	15	28	266	26	25	45	
Protestant - Protestante	167	125	292	4.13	5	35	2	15	132	24	59	44	
Roman Catholic - Catholique romaine	1,644	1,216	2,860	40.49	37	126	125	1,570	550	97	140	103	
Salvation Army - Armée du salut	21	12	33	.47	1	-	1	1	19	3	4	1	
United Church of Canada - Église unie du Canada	470	514	984	13.93	10	39	34	54	543	78	72	64	
Various sects - Sectes diverses	21	24	45	.66	-	-	1	2	18	2	7	5	
Not given - Inconnue	18	5	23	.32	-	1	-	2	12	4	1	3	
TOTAL	3,942	3,122	7,064	100.00	62	326	312	1,845	2,406	432	565	451	665

Table 48 - Previous occupation of first admissions, by provinces.
Tableau 48 - Occupation antérieure des premières admissions, par province.

Occupations	CANADA				P.E.I.	N.S.	N.B.	Q.C.	ONT.	MAN.	SASK.	ALTA.	B.C.
	M.	F.	T.	%									
Agriculture	705	2	707	10.01	19	27	20	134	180	62	143	90	31
Commercial - Commerce	186	83	269	3.81	4	18	12	60	102	27	4	12	23
Financial - Finance	9	-	9	.13	-	-	-	1	5	1	-	-	2
Fishing and trapping - Pêche et piégeage	40	1	41	.58	2	6	2	5	6	4	4	1	10
Logging - Exploitation forestière	42	-	42	.59	-	-	1	8	17	1	1	-	15
Manufacturing - Industrie manufacturière	46	32	78	1.10	7	2	1	21	47	2	1	-	2
Mining - Exploitation minière	73	-	73	1.03	-	10	1	4	26	9	1	10	16
Transportation and communication - Transportation et communication	166	7	173	2.45	1	42	6	35	42	8	13	7	19
Civil service and public administration - Service civil et administration publique	160	9	169	2.34	1	25	39	9	51	7	5	4	24
Personal Service - Service personnel	87	1,693	1,780	25.20	12	77	73	385	682	131	150	101	169
Professional - Professions libérales	85	90	175	2.48	-	5	11	43	65	13	12	13	13
Domestic service - Service domestique	48	245	293	4.15	5	6	3	67	112	24	33	19	24
Expert workers - Artisans	397	17	414	5.86	6	13	13	121	171	16	22	17	35
Labourers - Journaliers	742	2	743	10.52	7	31	45	162	252	47	52	61	86
Retired - Rentiers	163	26	189	2.67	2	11	3	21	79	10	25	9	29
No occupation - Sans occupation	992	920	1,912	27.07	3	53	81	769	566	74	99	100	167
Not given - Inconnue	1	-	1	.01	-	-	-	1	-	-	-	-	-
T O T A L	5,942	3,122	7,064	100.00	62	350	312	1,845	3,204	421	505	451	663

Table 49 - Commitment of first admissions, by provinces.
Tableau 49 - Mode d'internement des premières admissions, par province.

Province	Total			Certificate Certificat			Voluntary Volontaire			Migrant Migrant			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	41	21	62	38	20	58	3	1	4	-	-	-	-	-	-
Nova Scotia	205	121	326	188	116	304	13	5	18	4	-	4	-	-	-
New Brunswick	191	121	312	190	121	311	-	-	-	1	-	1	-	-	-
Quebec	1,005	840	1,845	896	76	1,660	8	31	39	101	44	145	-	1	3
Ontario	1,251	1,155	2,406	799	930	1,729	104	73	177	347	151	498	1	1	2
Manitoba	238	194	432	227	193	420	11	1	12	-	-	-	-	-	-
Saskatchewan	327	238	565	177	154	331	13	8	21	137	76	213	-	-	-
Alberta	284	167	451	52	42	94	81	54	135	151	71	202	-	-	-
British Columbia	400	265	665	384	259	643	8	4	12	8	2	10	-	-	-
C A N A D A	3,942	3,122	7,064	2,951	2,599	5,550	241	177	418	749	344	1,093	1	2	3

GSC 0871 M26

Table 50 - Environment of first admissions, by provinces.
Tableau 50 - Environnement des premières admissions, par province.

Province	Total			Rural			Urban			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	41	21	62	27	15	42	14	6	20	-	-	-
Nova Scotia	205	121	326	89	54	143	114	67	181	-	-	2
New Brunswick	191	121	312	112	89	201	79	32	111	-	-	-
Quebec	1,005	840	1,845	348	237	585	657	603	1,260	-	-	-
Ontario	1,251	1,155	2,406	412	328	740	835	826	1,661	1	1	5
Manitoba	238	194	432	133	82	215	103	112	215	2	-	2
Saskatchewan	327	238	565	246	148	394	81	90	171	-	-	-
Alberta	284	167	451	175	95	270	109	72	181	-	-	-
British Columbia	400	265	665	152	70	222	248	195	443	-	-	-
C A N A D A	3,942	3,122	7,064	2,894	1,118	3,212	2,243	2,003	4,243	8	1	9

Table 51 - Economic condition of first admissions, by provinces.
Tableau 51 - Situation économique des premières admissions, par province.

Province	Total			Dependent A charge			Marginal Moyens modestes			Comfortable A l'aise			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	41	21	62	-	-	-	8	6	14	33	15	48	-	-	-
Prince Edward Island	41	21	62	-	-	-	8	6	14	33	15	48	-	-	-
Nova Scotia	205	121	326	72	110	182	25	11	36	106	-	106	2	-	2
New Brunswick	191	121	312	153	85	238	19	-	19	19	36	55	-	-	-
Quebec	1,005	840	1,845	534	534	1,068	426	294	720	35	12	47	-	-	-
Ontario	1,251	1,155	2,406	570	380	950	480	427	907	199	288	487	2	-	2
Manitoba	238	194	432	83	56	139	133	124	257	21	14	35	1	-	1
Saskatchewan	327	238	565	171	119	290	146	117	263	10	2	12	-	-	-
Alberta	284	167	451	63	47	110	157	85	242	64	35	99	-	-	-
British Columbia	400	265	665	187	107	294	211	158	369	2	-	2	-	-	-
CANADA	3,942	3,122	7,064	1,833	1,438	3,271	1,615	1,232	2,897	489	402	891	5	-	5

Table 52 - Use of alcohol of first admissions, by provinces.
Tableau 52 - Usage d'alcool des premières admissions, par province.

Province	Total			Abstinent Aucun			Temperate Tempérant			Intemperate Intempéramt			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	41	21	62	11	21	32	15	-	15	15	-	15	-	-	-
Prince Edward Island	41	21	62	11	21	32	15	-	15	15	-	15	-	-	-
Nova Scotia	205	121	326	104	118	222	64	-	64	37	3	40	-	-	-
New Brunswick	191	121	312	150	114	264	11	5	16	30	2	32	-	-	-
Quebec	1,005	840	1,845	794	805	1,599	131	16	127	79	19	98	1	-	1
Ontario	1,251	1,155	2,406	614	1,009	1,623	469	109	578	167	37	204	1	-	1
Manitoba	238	194	432	124	153	282	60	28	108	34	8	42	-	-	-
Saskatchewan	327	238	565	212	215	427	88	19	107	27	4	31	-	-	-
Alberta	284	167	451	124	147	271	139	16	155	21	4	25	-	-	-
British Columbia	400	265	665	167	210	377	190	50	240	43	5	48	-	-	-
CANADA	3,942	3,122	7,064	2,300	2,797	5,097	1,187	243	1,430	453	82	535	2	-	2

Table 53 - Conjugal condition of first admissions, by provinces.
Tableau 53 - Etat conjugal des premières admissions, par province.

Province	Total			Single Sélibataires			Married Mariés			Widowed Veufs			Divorced Divorcés			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	41	21	62	20	13	33	16	6	22	5	2	7	-	-	-	-	-	-
Prince Edward Island	41	21	62	20	13	33	16	6	22	5	2	7	-	-	-	-	-	-
Nova Scotia	205	121	326	136	48	184	62	60	122	7	13	20	-	-	-	-	-	-
New Brunswick	191	121	312	111	49	160	64	58	122	13	14	27	3	-	3	-	-	-
Quebec	1,005	840	1,845	633	423	1,056	305	324	629	64	92	156	2	1	3	1	-	1
Ontario	1,251	1,155	2,406	697	481	1,178	444	498	942	99	163	262	7	13	20	4	-	4
Manitoba	238	194	432	131	64	195	87	96	183	18	33	51	2	1	3	-	-	-
Saskatchewan	327	238	565	184	87	271	134	128	242	27	21	48	2	2	4	-	-	-
Alberta	284	167	451	173	67	240	92	88	180	18	11	29	1	1	2	-	-	-
British Columbia	400	265	665	231	77	308	128	142	270	35	39	74	6	7	13	-	-	-
CANADA	3,942	3,122	7,064	2,316	1,309	3,625	1,312	1,400	2,712	286	388	674	23	25	48	5	-	5

Table 54 - Education of first admissions, by provinces.
Tableau 54 - Instruction des premières admissions, par province.

Province	Total			Illiterate Inlettré			Reads and writes Sachant lire et écrire			Common school Ecole primaire			High school Ecole secondaire			University Université			Not given Inconnue			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
Prince Edward Island	41	21	62	-	-	-	2	-	2	35	20	55	4	1	5	-	-	-	-	-	-	-
Nova Scotia	205	121	326	8	7	15	44	13	57	134	87	221	13	14	27	6	-	6	-	-	-	-
New Brunswick	191	121	312	21	14	35	54	18	72	83	60	143	26	18	44	7	11	18	-	-	-	-
Quebec	1,005	840	1,845	240	149	389	357	237	574	341	352	693	73	96	169	12	4	16	2	2	4	-
Ontario	3,251	1,155	2,406	378	323	301	108	178	346	674	560	1,234	200	265	465	28	27	55	3	2	5	-
Manitoba	238	194	432	31	21	52	71	36	107	103	90	199	25	41	66	8	6	14	-	-	-	-
Saskatchewan	327	238	565	74	31	105	99	58	157	113	104	217	36	42	78	5	3	8	-	-	-	-
Alberta	284	167	451	49	31	80	20	9	23	184	100	284	22	30	52	9	3	12	-	-	-	-
British Columbia	400	265	665	49	47	96	24	9	32	302	186	488	16	20	36	9	4	13	-	-	-	-
CANADA	3,942	3,122	7,064	650	423	1,073	819	551	1,370	1,769	1,559	3,528	415	527	942	84	58	142	5	4	9	-

Table 55 - Commitment of readmissions, by provinces.
Tableau 55 - Mode d'internement des réadmissions, par province.

Province	Total			Certificate Certificat			Voluntary Volontaire			Warrant Mandat			Otherwise Autres		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	20	11	31	19	10	29	1	1	2	-	-	-	-	-	-
Nova Scotia	41	22	73	36	31	67	4	1	5	1	-	1	-	-	-
New Brunswick	51	29	80	51	28	79	-	1	1	-	-	-	-	-	-
Quebec	227	217	444	203	197	400	4	8	12	19	12	31	1	-	1
Ontario	343	370	713	210	300	510	62	43	105	71	27	98	-	-	-
Manitoba	96	83	179	87	77	164	7	6	13	2	-	2	-	-	-
Saskatchewan	92	98	190	32	46	78	3	3	6	57	49	106	-	-	-
Alberta	91	89	180	17	19	36	8	26	34	66	44	110	-	-	-
British Columbia	70	73	143	61	67	128	7	6	13	2	-	2	-	-	-
CANADA	1,031	1,002	2,033	716	775	1,491	96	95	191	213	132	350	1	-	1

Table 56 - Conjugal condition of readmissions, by provinces.
Tableau 56 - Etat conjugal des réadmissions, par province.

Province	Total			Single Célibataires			Married Mariés			Widowed Veufs			Divorced Divorcés			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	20	11	31	9	5	14	10	6	16	1	-	1	-	-	-	-	-	-
Nova Scotia	41	22	73	24	11	35	15	18	33	2	3	5	-	-	-	-	-	-
New Brunswick	51	29	80	29	9	38	17	19	36	3	1	4	2	-	2	-	-	-
Quebec	227	217	444	141	100	241	71	105	176	13	12	25	2	-	2	-	-	-
Ontario	343	370	713	195	154	349	124	168	292	19	45	64	5	2	7	-	1	1
Manitoba	96	83	179	52	26	78	42	50	92	3	5	7	-	2	2	-	-	-
Saskatchewan	92	98	190	60	32	92	31	60	91	1	6	7	-	-	-	-	-	-
Alberta	91	89	180	60	27	87	29	52	81	1	10	11	1	-	1	-	-	-
British Columbia	70	73	143	43	21	64	23	44	67	2	6	8	2	2	4	-	-	-
CANADA	1,031	1,002	2,033	610	385	996	362	322	884	44	88	132	12	6	18	-	1	1

Table 57 - Psychoses of readmissions, by provinces.
 Tableau 57 - Psychoses des réadmissions, par province.

Psychoses	CANADA				P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%										
General paresis														
Syphilitic general	31	14	51	2.5	-	3	1	17	22	3	-	3	2	
Other forms of syphilis	2	-	2	.1	-	-	-	2	1	-	-	-	-	
Autres formes de syphilis														
Epidemic encephalitis														
Encéphalite épidémique	1	2	3	.1	-	-	-	-	-	-	3	-	-	
Other infectious diseases														
Autres maladies infectieuses	1	1	2	.1	-	-	-	2	-	-	-	-	-	
Alcoholic														
Alcooliques	39	7	46	2.3	-	3	6	7	10	8	1	-	9	
Due to drugs														
Toxicques exogènes	3	2	5	.2	-	-	1	-	3	-	-	-	1	
Traumatic														
Traumatiques	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebral arteriosclerosis														
Artériosclérose cérébrale	30	28	58	2.8	-	-	1	4	27	4	11	10	1	
Other disturbances of circulation														
Autres affections circulatoires	-	1	1	.1	-	-	-	1	-	-	-	-	-	
Epileptic														
Epileptiques	39	28	67	3.3	1	4	1	16	17	6	7	8	7	
Senile														
Séniles	19	28	47	2.3	-	-	4	5	16	5	8	4	5	
Involuntional														
Involution	16	26	42	2.1	-	2	2	5	21	2	2	2	6	
Other metabolic, etc., dis.														
Autres mal. métaboliques, etc.	6	20	26	1.3	-	-	-	15	4	1	-	2	4	
Due to new growth														
Dues à un néoplasme	-	1	1	.1	-	-	-	-	1	-	-	-	-	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	9	1	10	.5	-	-	1	4	2	-	2	1	-	
Psychoneuroses														
Psychonévrosés	18	32	50	2.5	1	2	4	11	22	2	3	2	3	
Manic depressive														
Maniaques dépressives	246	329	575	28.3	11	30	19	167	197	31	37	54	29	
Dementia praecox														
Démence précoce	377	314	691	34.0	4	17	34	81	262	64	61	62	64	
Paranoia and paranoid conditions														
Paranoïa et états paranoidiques	18	37	55	2.7	-	1	-	30	9	11	1	3	-	
Psychopathic personality														
Psychopathes constitutionnels	10	9	19	.9	1	1	-	7	6	4	-	-	-	
Mental deficiency														
Arriérés mentaux	32	30	62	3.0	2	6	-	13	20	4	5	10	2	
Undiagnosed														
Non diagnostiquées	2	6	8	.4	-	-	1	2	-	1	4	-	-	
Without psychoses														
Sans psychose	123	84	207	10.2	11	2	3	55	70	12	25	19	10	
Primary behaviour disorders														
Troubles essentiels du comportement	-	2	4	.2	-	-	-	-	3	1	-	-	-	
TOTAL	1,031	1,002	2,033	100.0	31	73	80	444	713	179	190	180	143	

Table 58 - Age of readmissions, by psychoses.

Psychoses	Total			Under 15 years			15 - 19 years - ans			20 - 24 years - ans			25 - 29 years - ans			30 - 34 years - ans		
				Moins de 15 ans			M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis Paralysie générale	37	14	51	-	-	-	-	2	2	-	-	-	1	3	4	2	1	3
Other forms of syphilis Autres formes de syphilis	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Epidemic encephalitis Encéphalite épidémique	1	2	3	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1
Other infectious diseases Autres maladies infectieuses	1	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Alcoholic Alcooliques	39	7	46	-	-	-	-	-	-	1	1	-	-	-	-	3	-	3
Due to drugs Toxiques exogènes	2	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Traumatic Traumatiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis Artériosclérose cérébrale	30	28	58	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other disturbances of circulation Autres affections circulatoires	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic Epileptiques	39	28	67	3	2	5	2	2	4	4	3	7	3	1	30	5	3	8
Senile Séniles	19	28	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional Involution	16	26	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other metabolic, etc., dis. Autres mal. métaboliques, etc.	6	20	26	-	-	-	-	1	1	-	-	-	-	-	-	2	2	2
Due to new growth Dues à un néoplasme	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system Autres affections organiques du système nerveux	9	1	10	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Psychoneuroses Psychohélices	18	32	50	-	-	-	-	-	-	1	1	7	-	4	4	2	3	5
Manic depressive Maniaques dépressives	246	329	575	-	2	2	6	4	10	23	13	33	13	28	41	26	32	58
Dementia praecox Déférence précoce	377	314	691	-	-	-	14	13	27	56	33	89	100	44	144	69	66	135
Paranoia and paranoid conditions Paranoïa et états paranoïadiques	18	37	55	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2
Psychopathic personality Psychopathes constitutionnels	10	9	19	-	-	-	-	-	-	3	2	5	2	2	4	3	2	5
Mental deficiency Arriérés mentaux	32	30	62	-	-	-	3	1	4	3	2	5	8	6	14	2	6	8
Undiagnosed Non diagnostiquées	2	6	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Without psychosis Sans psychose	129	84	207	19	8	27	12	15	27	21	17	38	12	10	22	15	11	26
Primary behaviour disorders Troubles essentiels du comportement	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
TOTAL	1,031	1,002	2,033	22	12	34	37	38	75	113	74	187	146	102	248	132	127	259

Tableau 58 - Age des réadmissions, par psychose.

35 - 39 years - ans			40 - 44 years - ans			45 - 49 years - ans			50 - 54 years - ans			55 - 59 years - ans			60 - 64 years - ans			65 - 69 years - ans			70 years and over 70 ans et plus		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
-	2	2	8	1	9	9	1	10	6	1	7	7	3	10	-	-	-	3	-	3	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
4	2	6	6	2	8	5	-	5	10	2	12	4	1	5	1	-	1	1	-	1	4	-	4
1	1	2	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	1	1	1	2	3	4	5	9	5	6	11	5	2	7	14	11	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	8	11	6	4	10	1	2	3	2	-	2	2	1	3	-	-	-	2	1	3	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	2	5	7	14	21	35
-	2	2	-	1	1	1	5	6	2	3	10	3	5	8	6	5	11	3	-	3	1	-	1
2	2	4	1	6	7	-	2	2	1	2	3	-	1	1	-	2	2	-	2	2	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
3	3	3	1	-	1	1	-	1	1	-	1	-	1	1	-	-	-	1	-	1	1	-	1
1	3	4	1	4	5	2	3	5	2	3	5	4	5	9	2	2	4	-	2	2	-	-	-
17	49	66	20	27	47	30	43	73	37	38	75	25	41	66	25	26	51	17	17	34	10	9	19
47	52	99	32	34	66	26	29	55	19	21	34	7	8	15	4	5	9	2	5	7	7	4	11
3	7	10	4	3	7	6	10	16	1	4	5	1	4	5	-	4	4	1	2	3	-	1	1
-	2	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	2	-	-	-	-
5	7	12	3	2	5	1	2	3	4	3	7	3	1	4	-	-	-	-	-	-	-	-	-
-	3	3	1	-	1	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
8	8	16	4	8	12	14	3	17	12	1	13	3	2	5	2	-	2	1	-	1	-	1	1
-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
94	148	242	88	93	181	98	104	202	93	87	180	64	80	144	48	51	99	41	37	78	55	49	104

Table 59 - Average age of readmissions, by psychoses.
 Tableau 59 - Age moyen des réadmissions, par psychoses.

Psychoses	Readmissions Réadmissions			Average age - years Age moyen - ans		
	M.	F.	T.	M.	F.	T.
General paresis						
Paralysis générale	37	14	51	49.6	38.7	46.6
Other forms of syphilis						
Autres formes de syphilis	3	-	3	41.7	-	41.7
Epidemic encephalitis						
Encéphalite épidémique	1	2	3	30.0	36.0	34.0
Other infectious diseases						
Autres maladies infectieuses	1	1	2	72.0	20.0	46.0
Alcoholic						
Alcooliques	39	7	46	48.6	45.6	48.1
Due to drugs						
Toxicques exogènes	3	2	5	53.7	39.0	47.8
Traumatic						
Traumatiques	-	-	-	-	-	-
Cerebral arteriosclerosis						
Artériosclérose cérébrale	30	28	58	68.0	64.0	66.0
Other disturbances of circulation						
Autres affections circulatoires	-	2	1	-	77.0	77.0
Epileptic						
Epileptiques	39	28	67	33.8	35.7	34.6
Senile						
Séniles	19	28	47	72.6	72.5	72.5
Involutional						
Involution	16	26	42	60.4	52.4	55.5
Other metabolic, etc., diseases						
Autres maladies métaboliques, etc.	6	20	26	52.8	46.2	47.7
Due to new growth						
Due to a neoplasm	-	1	1	-	53.0	53.0
Other organic changes of nervous system						
Autres affections organiques du système nerveux	9	1	10	45.3	57.0	46.5
Psychoneuroses						
Psychonévroses	18	32	50	43.1	43.3	43.2
Manic depressive						
Maniaques dépressives	246	329	575	46.2	45.2	45.6
Dementia praecox						
Démences précoce	377	314	691	33.6	36.4	34.9
Paranoia and paranoid conditions						
Paranoïa et états paranoïaque	18	37	55	43.9	49.1	46.5
Psychopathic personality						
Psychopathes constitutionnels	10	9	19	35.3	31.4	33.7
Mental deficiency						
Insuffisances mentales	32	30	62	35.5	35.4	35.5
Undiagnosed						
Non diagnostiquées	2	6	8	43.0	40.8	41.4
Without psychosis						
Sans psychose	123	84	207	30.9	27.8	29.6
Primary behaviour disorders						
Troubles essentiels du comportement	2	2	4	38.5	55.5	47.0
TOTAL		1,031	1,002	2,033	40.4	41.8
						41.0

Table 60 - Psychoses of discharged patients, by provinces.
 Tableau 60 - Psychoses des patients sortis, par province.

Psychoses	C A N A D A				P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%										
General paresis														
Paralytic générale	125	49	174	3.2	-	13	16	54	58	6	4	15	8	
Other forms of syphilis	7	3	10	.2	-	-	-	3	3	1	1	2	-	
autres formes de syphilis														
Epidemic encephalitis														
Encephalite épidémique	9	2	11	.2	-	-	-	3	2	2	1	-	-	
Other infectious diseases														
Autres maladies infectieuses	19	13	32	.6	-	2	-	23	3	-	4	-	-	
Alcoholic														
Alcooliques	144	19	163	3.0	1	12	28	37	36	17	8	6	18	
Due to drugs														
Toxiques exogènes	18	34	52	1.0	-	2	2	3	28	-	1	3	13	
Traumatic														
Traumatiques	22	2	24	.4	1	3	1	7	8	-	3	1	-	
Cerebral arteriosclerosis														
Artérosclérose cérébrale	87	67	154	2.8	2	-	9	13	66	4	25	15	20	
Other disturbances of circulation														
Autres affections circulatoires	7	13	20	.4	-	-	1	10	7	-	2	-	-	
Epileptic														
Epileptiques	80	54	134	2.5	2	-	7	39	41	7	18	6	14	
Senile														
Séniles	97	61	160	3.0	3	8	6	16	28	15	17	4	63	
Involutional														
Involution	60	139	199	3.7	-	8	24	41	85	9	10	9	13	
Other metabolic, etc., dis.														
Autres mal. métaboliques, etc.	25	88	113	2.1	-	-	1	71	25	4	1	3	8	
Due to new growth														
Dues à un néoplasme	2	2	4	.1	-	-	-	1	1	-	-	2	-	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	18	16	34	.6	-	1	-	15	6	2	6	4	-	
Psychoneuroses														
Psychonévrose	97	164	261	4.8	3	3	17	55	123	14	25	12	9	
Manic depressive														
Maniques dépressives	527	633	1,160	21.1	13	80	25	303	441	41	80	29	68	
Dementia praecox														
Démence précoce	796	551	1,347	24.9	4	54	90	164	482	152	121	101	179	
Paranoia and paranoid conditions														
Paranoïa et états paranoidiques	68	59	127	1.2	2	2	-	64	28	15	1	15	-	
Psychopathic personality														
Psychopathes constitutionnels	44	23	67	2.4	1	1	8	25	13	11	3	2	4	
Mental deficiency														
Arriérés mentaux	84	80	164	3.0	2	10	4	52	51	7	7	12	16	
Undiagnosed														
Non diagnostiquées	25	26	51	.9	-	1	3	10	23	-	13	1	-	
Without psychoses														
Sans psychoses	545	381	926	17.1	35	30	8	235	375	38	62	104	39	
Primary behaviour disorders														
Troubles essentiels du comportement	27	16	43	.8	4	1	-	4	25	3	2	2	2	
T O T A L	2,935	2,475	5,410	100.0	73	231	247	1,249	1,959	348	418	419	474	

Table 61 Condition of patients on discharge, by psychosis.
Tableau 61 - Etat des patients à leur sortie, par psychose.

Psychoses	Total			Recovered			Improved			Unimproved			Without psychoses and unclassified Sans psychose et non classifiée		
				Guiri		T.	Amélioré		T.	Non amélioré		T.	M.	F.	T.
	M.	F.	T.	M.	F.	T.	N.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis Paralysie générale	125	49	174	29	12	41	80	32	112	16	5	21	-	-	-
Other forms of syphilis Autres formes de syphilis	7	3	10	3	-	3	9	2	5	1	1	2	-	-	-
Epidemic encephalitis Encéphalite épidémique	9	2	11	-	1	1	7	-	7	2	1	3	-	-	-
Other infectious diseases Autres maladies infectieuses	19	19	32	8	10	18	9	3	12	2	-	2	-	-	-
Alcoholic Alcooliques	124	19	143	89	11	100	47	7	54	8	1	9	-	-	-
Due to drugs Toxicques exogènes	13	34	52	12	19	31	6	15	21	-	-	-	-	-	-
Traumatic Traumatiques	22	2	24	5	1	6	12	1	13	5	-	5	-	-	-
Cerebral arteriosclerosis Artériosclérose cérébrale	87	67	154	20	7	27	46	50	96	21	10	31	-	-	-
Other disturbances of circulation Autres affections circulatoires	7	13	20	1	6	7	5	6	11	1	1	2	-	-	-
Epileptic Epileptiques	80	54	134	15	13	28	53	26	79	12	15	27	-	-	-
Senile Séniles	99	61	160	5	1	6	31	30	61	63	30	93	-	-	-
Involutional Involution	60	139	199	16	54	70	37	71	108	7	14	21	-	-	-
Other metabolic, etc., dis. Autres mal. métaboliques, etc.	25	88	113	8	55	63	12	29	41	5	4	9	-	-	-
Due to new growth Dues à un néoplasme	2	2	4	-	-	-	1	1	2	1	1	2	-	-	-
Other organic changes of nervous system Autres affections organiques du système nerveux	18	16	34	2	4	6	9	7	16	7	5	12	-	-	-
Psychoneuroses Psychonévroses	97	164	261	37	57	94	52	81	133	7	25	32	1	1	2
Manic depressive Maniaques dépressives	527	613	1,140	317	353	670	193	243	436	17	16	32	-	1	1
Dementia praecox Démence précoce	796	551	1,347	453	126	279	505	342	847	137	83	230	1	-	1
Paranoia and paranoid conditions Paranoïa et états paranoidiques	66	59	127	5	14	19	53	31	84	10	14	24	-	-	-
Psychopathic personality Psychopathes constitutionnels	44	23	67	15	11	26	18	9	27	11	3	14	-	-	-
Mental deficiency Mentalis mentaux	84	80	164	25	29	54	50	35	25	8	16	24	1	-	1
Undiagnosed Non diagnostiquées	25	26	51	10	4	14	9	13	22	6	8	14	-	1	1
Without psychoses Sans psychose	545	381	926	83	19	102	219	180	399	122	99	221	121	83	204
Primary behaviour disorders Troubles essentiels du comportement	27	16	43	6	2	8	3	4	7	1	1	2	17	9	26
TOTAL	2,935	2,475	5,410	864	809	1,673	1,460	1,218	2,678	470	353	823	141	95	236

Table 62 - Percentage of recovery of discharged patients, by psychoses.
 Tableau 62 - Pourcentage d'amélioration de l'état des patients sortis, par psychose.

Psychoses	Total			Recovered			Improved			Unimproved			Without psychoses and unclassified		
				Guéri			Amélioré			Non amélioré			Sans psychose et non classifiée		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralysis générale	125	49	174	23.2	24.5	23.6	64.0	65.3	64.3	12.8	10.2	12.1	-	-	-
Other forms of syphilis															
Autres formes de syphilis	7	3	10	42.9	-	30.0	42.9	66.7	50.0	14.2	33.3	20.0	-	-	-
Epidemic encephalitis															
Encéphalite épidémique	9	2	11	-	50.0	9.1	77.8	-	63.6	22.2	50.0	27.3	-	-	-
Other infectious diseases															
Autres maladies infectieuses	19	13	32	42.1	76.9	56.3	47.4	23.1	27.5	10.5	-	6.2	-	-	-
Alcoholic															
Alcooliques	144	19	163	61.8	57.9	61.4	32.6	36.8	33.1	5.6	5.3	5.5	-	-	-
Due to drugs															
Toxicques exogènes	18	34	52	66.7	55.9	59.6	33.3	44.1	40.4	-	-	-	-	-	-
Traumatic															
Traumatiques	22	2	24	22.7	50.0	25.0	54.6	50.0	54.2	22.7	-	20.8	-	-	-
Cerebral arteriosclerosis															
Artérosclérose cérébrale	87	67	154	23.0	10.5	17.5	52.9	74.6	62.3	24.1	14.9	20.2	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	7	13	20	14.3	46.2	35.0	71.4	46.2	55.0	14.3	7.6	10.0	-	-	-
Epileptic															
Epileptiques	80	54	134	18.8	24.1	20.9	66.2	48.1	59.0	15.0	27.3	20.1	-	-	-
Senile															
Séniles	99	61	160	5.1	1.6	3.8	31.3	49.2	38.1	63.6	49.2	58.1	-	-	-
Involuntional															
Involution	60	139	199	26.7	38.8	35.2	61.7	51.1	54.3	11.6	10.1	10.5	-	-	-
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	25	88	113	32.0	62.5	55.8	48.0	33.0	36.3	20.0	4.5	7.9	-	-	-
Due to new growth															
Dues à un néoplasme	2	2	4	-	-	-	50.0	50.0	50.0	50.0	50.0	50.0	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	18	16	34	11.1	25.0	17.6	50.0	43.8	47.1	38.9	31.2	35.3	-	-	-
Psychoneuroses															
Psychonévroses	97	164	261	38.1	34.8	36.1	53.6	49.4	51.0	7.2	15.2	12.3	1.1	0.6	0.7
Manic depressive															
Maniaques dépressives	527	613	1,140	60.2	57.6	58.3	36.6	39.6	38.2	3.2	2.6	2.9	-	0.2	0.1
Dementia praecox															
Démence précoce	796	551	1,347	19.2	22.9	20.7	63.5	62.1	62.9	17.2	15.0	16.3	0.1	-	0.1
Paranoia and paranoid conditions															
Paranoïa et états paranoidiques	66	59	127	7.4	23.7	15.0	77.9	52.6	66.1	14.7	23.7	18.9	-	-	-
Psychopathic personality															
Psychopathes constitutionnels	64	23	67	34.1	47.8	38.8	40.9	39.1	40.3	25.0	13.1	20.9	-	-	-
Mental deficiency															
Arriérés mentaux	84	80	164	29.8	36.3	32.9	59.5	43.7	51.9	9.5	20.0	14.6	1.2	-	0.6
Undiagnosed															
Non diagnostiquées	25	26	51	40.0	15.4	27.5	36.0	50.0	43.1	24.0	30.8	27.5	-	3.8	1.9
Without psychoses															
Sans psychose	545	381	926	15.2	5.0	11.0	40.2	47.2	43.1	22.4	26.0	23.9	22.2	21.8	22.0
Primary behaviour disorders															
Troubles essentiels du comportement	27	16	43	22.2	12.5	18.6	11.1	25.0	16.3	3.7	6.2	4.6	63.0	56.3	60.5
T O T A L	2,935	2,475	5,410	29.4	32.7	30.9	49.3	49.2	49.5	16.0	14.3	15.2	4.8	3.8	4.4

Table 62 - Duration of last hospital residence of patients discharged as recovered, by psychoses.
 Tableau 62 - Durée du dernier séjour à l'hôpital des patients sortis comme guéris, par psychose.

Psychoses	Total			Less than 6 months			6 - 12 months			1 - 2 years			2 - 5 years			5 years and over		
				Less than 6 months			months - mois			years - ans			years - ans			5 ans et plus		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralytic gänger	29	12	41	11	6	17	3	2	10	6	4	10	2	-	2	2	-	2
Other forms of syphilis																		
Autres formes de syphilis	3	-	3	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-
Encephalitis epidémique																		
Epidemic encephalitis	-	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Other infectious diseases																		
Autres maladies infectieuses	3	10	13	6	9	15	2	-	2	-	-	-	-	-	-	-	1	1
Alcoholics																		
Alcooliques	37	11	100	75	6	42	8	3	11	2	2	4	3	-	3	1	-	1
Due to drugs																		
Toxicques exogènes	12	19	31	7	16	23	5	5	8	-	-	-	-	-	-	-	-	-
Traumatic																		
Transtorniques	5	1	6	5	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis																		
Arteriosclerose cérébrale	20	7	27	15	7	22	2	-	2	2	-	2	1	-	1	-	-	-
Other disturbances of circulation																		
Autres affections circulatoires	1	6	7	1	4	5	-	1	1	-	1	1	-	-	-	-	-	-
Epileptic																		
Epileptiques	15	13	28	5	6	11	-	-	-	4	2	6	3	-	3	3	5	8
Senile																		
Séniles	5	1	6	5	-	5	-	-	-	-	1	-	-	-	-	-	-	-
Involutional																		
Involution	16	54	70	11	33	44	2	9	11	1	7	8	2	5	7	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	3	55	63	6	35	41	1	15	16	1	4	5	-	1	1	-	-	-
Due to new growth																		
Dues à un néoplasme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	2	4	6	1	4	5	1	-	1	-	-	-	-	-	-	-	-	-
Psychoneuroses																		
Psychonévrose	37	57	94	28	37	65	7	5	12	1	8	9	1	7	8	-	-	-
Manic depressive																		
Maniques dépressives	317	353	670	191	206	397	57	70	127	33	43	76	29	27	56	7	7	14
Dementia praecox																		
Démence précoce	153	126	279	97	72	169	37	26	63	10	13	23	6	9	15	3	6	9
Paranoia and paranoid conditions																		
Paranoïa et états paranoïadiques	5	14	19	2	8	10	2	4	6	-	1	1	1	-	1	-	1	1
Psychopathic personality																		
Psychopathes constitutionnels	15	11	26	9	6	15	3	1	4	1	2	2	1	2	3	1	1	2
Mental deficiency																		
Malétés mentaux	25	29	54	14	12	27	2	6	8	6	5	11	2	3	5	1	2	3
Undiagnosed																		
Non diagnostiquées	10	4	14	6	4	10	2	-	2	1	-	1	-	-	-	1	-	1
Without psychosis																		
Sans psychose	83	19	102	58	9	67	11	1	12	7	4	11	5	3	8	2	2	4
Primary behaviour disorders																		
Problèmes essentiels du comportement	6	3	8	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	864	809	1,673	561	484	1,045	150	145	296	76	97	173	56	57	113	21	25	46

Table 64 - Duration of last hospital residence of patients discharged as improved, by psychoses.
 Tableau 64 - Durée du dernier séjour à l'hôpital des patients sortis comme améliorés, par psychoses.

Psychoses	Total			Less than 6 months			6 - 12 months			1 - 2 years			2 - 5 years			5 years and over		
				Moins de 6 mois			months - mois			years - ans			years - ans			5 ans et plus		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysis générale	80	32	112	38	11	49	22	10	32	11	4	15	7	5	12	2	2	4
Other forms of syphilis																		
Autres formes de syphilis	3	2	5	1	-	1	-	-	-	1	1	2	1	1	2	-	-	-
Epidemic encephalitis																		
Encephalite épidémique	7	-	7	6	-	6	-	-	-	-	-	-	1	-	1	-	-	-
Other infectious diseases																		
Autres maladies infectieuses	9	3	12	5	3	8	1	-	1	1	-	1	2	-	2	-	-	-
Alcoholic																		
Alcooliques	47	7	54	35	4	39	5	3	8	5	-	5	1	-	1	1	-	1
Due to drugs																		
Toxiques exogènes	6	15	21	3	7	10	2	5	7	1	2	3	-	1	1	-	-	-
Traumatic																		
Traumatiques	12	1	13	7	-	7	2	-	2	1	-	1	1	-	1	1	1	2
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	46	50	96	24	25	49	11	12	24	5	7	12	5	4	9	1	1	2
Other disturbances of circulation																		
Autres affections circulatoires	5	6	11	4	4	8	-	2	2	1	-	1	-	-	-	-	-	-
Epileptic																		
Epileptiques	53	26	79	26	13	39	15	4	19	6	2	8	3	6	9	3	1	4
Senile																		
Séniles	31	30	61	15	20	35	7	4	11	7	4	11	2	2	4	-	-	-
Involuntional																		
Involution	37	71	108	14	38	52	7	12	19	9	14	23	7	6	13	-	1	1
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	12	29	41	8	19	27	1	6	9	2	-	2	1	1	2	-	1	1
Due to new growth																		
Causes à un néoplasme	1	1	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	9	7	16	4	3	7	1	-	1	1	1	2	1	3	4	2	-	2
Psychoneuroses																		
Psychonévrose	52	81	133	43	55	98	3	14	17	3	7	10	3	4	7	-	1	1
Manic depressive																		
Maniques dépressives	193	243	436	76	90	166	43	58	101	31	44	75	28	37	65	15	14	29
Dementia praecox																		
Préférence précoce	505	342	847	206	152	358	114	79	193	70	54	124	47	71	78	68	26	94
Paranoid and paranoid conditions																		
Paranoïa et états paranoïadiques	53	31	84	26	15	41	7	5	12	6	4	10	5	4	9	9	3	12
Psychopathic personality																		
Psychopathes constitutionnels	18	9	27	7	6	13	1	1	2	5	1	6	4	1	5	1	-	1
Mental deficiency																		
Insuffisance mentale	50	35	85	16	13	29	9	7	16	13	5	18	5	5	10	7	5	12
Undiagnosed																		
Non diagnostiquées	9	13	22	4	4	8	2	7	9	2	2	4	-	-	-	1	-	1
Without psychosis																		
Sans psychose	219	180	399	55	35	90	31	21	52	43	26	89	40	41	81	50	37	87
Primary behaviour disorders																		
Troubles essentiels du comportement	3	4	7	3	2	5	-	1	1	-	1	1	-	-	-	-	-	-
TOTAL	1,460	1,212	2,678	627	519	1,146	284	254	538	224	200	424	164	152	316	161	93	254

Table 65 - Duration of last hospital residence of patients discharged as unimproved, by psychoses.
 Tableau 65 - Durée du dernier séjour à l'hôpital des patients sortis comme non améliorés, par psychose.

Psychoses	Total			Less than 6 months Moins de 6 mois			6 - 12 months - mois			1 - 2 years - ans			2 - 5 years - ans			5 years and over 5 ans et plus		
				M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	M.	F.	T.															
General paresis																		
Paralysie générale	16	5	21	3	4	12	3	1	4	1	-	1	2	-	2	2	-	2
Other forms of syphilis																		
Autres formes de syphilis	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic encephalitis																		
Encéphalite épidémique	2	1	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-
Other infectious diseases																		
Autres maladies infectieuses	2	-	2	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Alcoholic																		
Alcooliques	8	1	9	7	1	8	1	-	1	-	-	-	-	-	-	-	-	-
Due to drugs																		
Toxicques exogènes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Traumatic																		
Traumatiques	5	-	5	4	-	4	-	-	-	-	-	-	1	-	1	-	-	-
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	21	10	31	10	9	19	6	-	6	1	-	1	1	1	2	3	2	3
Other disturbances of circulation																		
Autres affections circulatoires	1	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Epileptic																		
Epileptiques	12	15	27	5	9	14	2	-	2	2	1	3	-	3	3	3	2	5
Senile																		
Séniles	63	30	93	58	23	81	2	6	5	2	-	1	1	1	2	1	-	1
Involutional																		
Involution	7	14	21	7	6	13	-	5	5	-	3	3	-	-	-	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	5	4	9	2	2	4	1	1	2	2	1	3	-	-	-	-	-	-
Due to new growth																		
Due to un néoplasme	1	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	7	5	12	3	3	6	1	-	1	1	-	1	2	2	4	-	-	-
Psychoneuroses																		
Psychonévroses	7	25	32	2	23	25	4	1	5	1	1	2	-	-	-	-	-	-
Manic depressive																		
Manieques dépressives	17	16	33	12	4	16	-	4	6	2	5	7	3	2	5	-	1	1
Dementia praecox																		
Démence précoce	137	89	220	74	36	110	20	15	35	15	15	30	17	9	26	11	8	19
Paranoia and paranoid conditions																		
Paranoïa et états paranoïadiques	10	14	24	3	7	10	1	1	2	3	2	5	2	2	4	1	2	3
Psychopathic personality																		
Psychopathes constitutionnels	11	3	14	6	2	8	2	-	2	-	-	-	3	1	4	-	-	-
Manic deficiency																		
Irriérés mentaux	8	16	24	4	8	12	2	1	3	2	3	5	-	3	3	-	1	1
Undiagnosed																		
Non diagnostiquées	6	8	14	4	6	10	1	1	2	1	-	1	-	1	1	-	-	-
Without psychoses																		
Sans psychose	122	99	221	48	31	79	20	17	37	15	12	27	29	16	45	10	23	33
Primary behaviour disorders																		
Troubles essentiels du comportement	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	470	353	823	260	178	438	68	59	121	48	43	91	63	42	105	31	37	68

Table 66 - Duration of last hospital residence of patients discharged without psychoses and unclassified, by psychoses.
 Tableau 66 - Durée du dernier séjour à l'hôpital des patients sortis sans psychose et non classifiés, par psychoses.

Psychoses	Total			Less than 6 months			6 - 12 months			1 - 2 years			2 - 5 years			5 years and over		
				Moins de 6 mois			months - mois			years - ans			years - ans			5 ans et plus		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralytic générale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres formes de syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encéphalite épidémique	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres maladies infectieuses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcooliques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Due to drugs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxiques exogènes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Traumatiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Artériosclérose cérébrale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disturbances of circulation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres affections circulatoires	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Séniles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involuntaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other somatic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres maladies somatiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Due to new growth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Due to a neoplasm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres affections organiques du système nerveux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychonévrosé	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Manic depressive	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Maniaques dépressives	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Dementia praecox	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Démence précoce	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paranoïa and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paranoïa et états paranoïadiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychopathic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychopathes constitutionnelles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental deficiency	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Arriérés mentaux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undiagnosed	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Non diagnostiquées	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Without psychoses	121	83	204	96	47	143	11	10	21	4	11	15	2	7	9	8	8	16
Sans psychose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Primary behaviour disorders	17	9	26	14	7	21	1	1	2	1	-	1	-	1	1	-	-	1
Troubles essentiels du comportement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
T O T A L	141	95	236	113	57	170	12	11	23	5	11	16	2	8	10	9	8	17

Table 87 - Duration of last hospital residence of discharged patients, by psychoses.

Psychoses	Total			Less than one month			1 - 4 months - mois			4 - 8 months - mois		
				Moins d'un mois								
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralytic générale	125	49	174	5	1	6	70	9	35	44	20	64
Other forms of syphilis												
Autres formes de syphilis	7	3	10	1	-	2	2	1	3	1	-	1
Epidemic encephalitis												
Encéphalite épidémique	9	2	11	-	-	-	3	-	3	2	-	3
Other infectious diseases												
Autres maladies infectieuses	19	12	32	-	-	-	10	11	21	4	1	5
Alcoholic												
Alcooliques	144	19	163	23	2	25	79	9	88	21	2	23
Due to drugs												
Toxiques exogènes	18	34	52	1	-	1	8	22	30	5	5	10
Traumatic												
Traumatiques	22	2	24	-	-	-	14	1	15	3	-	3
Cerebral arteriosclerosis												
Artéritose cérébrale	97	67	154	5	7	12	30	23	59	23	17	40
Other disturbances of circulation												
Autres affections circulatoires	7	13	20	-	1	1	4	6	10	1	4	5
Epileptic												
Epileptiques	80	54	134	2	4	6	25	19	44	16	6	22
Serile												
Sériles	99	61	160	53	13	66	15	26	41	28	10	28
Involutional												
Involution	60	139	199	2	4	6	22	61	83	14	23	37
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	25	82	113	3	2	5	11	47	58	3	21	24
Due to new growth												
Bes à un néoplasme	2	2	4	-	-	-	1	1	2	1	-	1
Other organic changes of nervous system												
Autres affections organiques du système nerveux	18	16	34	2	-	2	4	8	12	3	2	5
Psychoneuroses												
Psychonévrose	97	164	261	10	18	28	53	83	136	16	28	44
Manic depressive												
Maniacques dépressives	527	613	1,140	14	12	26	206	222	428	106	130	236
Dementia praecox												
Démence précoce	796	551	1,347	20	16	36	257	154	411	170	137	307
Paranoia and paranoid conditions												
Paranoïa et états paranoidiques	68	59	127	7	2	9	20	25	45	10	8	18
Psychopathic personality												
Psychopathes constitutionnels	44	23	67	4	2	6	15	11	26	6	2	8
Mental deficiency												
Affârés mentaux	24	80	164	1	4	5	23	20	43	19	16	35
Undiagnosed												
Non diagnostiquées	25	26	51	6	4	10	5	6	11	5	7	12
Without psychosis												
Sans psychose	545	381	926	45	20	65	169	85	254	70	37	107
Primary behaviour disorders												
Troubles essentiels du comportement	27	16	43	9	5	14	15	5	20	-	3	3
TOTAL	2,935	2,475	5,410	213	117	330	1,017	255	1,272	562	479	1,041

Tableau 67 - Durée du dernier séjour à l'hôpital des patients mortis, par psychose.

8 - 12			1 - 2			2 - 3			3 - 5			5 - 10			10 years and over		
months - mois			years - ans			10 ans et plus											
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
15	4	19	18	8	26	5	2	7	6	3	9	4	-	4	2	2	4
-	-	-	2	1	3	1	-	1	-	1	1	-	-	-	-	-	-
-	-	-	-	1	1	1	1	2	2	-	2	-	-	-	-	-	-
1	-	1	2	-	2	1	-	1	1	-	1	-	-	-	-	1	1
8	4	12	7	2	9	1	-	1	3	-	3	1	-	1	1	-	1
3	4	7	1	2	3	-	1	1	-	-	-	-	-	-	-	-	-
1	-	1	1	-	1	2	-	2	-	-	-	-	1	1	1	-	1
10	7	17	8	7	15	5	3	8	2	2	4	2	1	3	2	-	2
1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
10	3	13	12	5	17	4	4	8	2	5	7	6	5	11	3	3	6
1	4	5	8	5	13	2	-	2	1	3	4	-	-	-	1	-	1
3	15	18	10	24	34	6	4	10	3	7	10	-	1	1	-	-	-
2	10	12	5	5	10	1	1	2	-	1	1	-	1	1	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	2	1	3	2	2	4	1	3	4	1	-	1	1	-	1
9	7	16	5	16	21	2	4	6	2	7	9	-	-	-	-	1	1
53	69	122	66	92	158	26	29	55	34	37	71	18	17	35	4	5	9
102	73	175	95	82	177	39	28	67	31	21	52	42	29	71	40	11	51
4	5	9	9	7	16	3	1	4	5	5	10	7	3	10	3	3	6
3	1	4	6	2	8	3	2	5	5	2	7	1	1	2	1	-	1
5	8	13	21	13	34	3	6	9	5	5	9	6	5	14	2	-	2
3	6	9	4	2	6	-	1	1	-	-	-	2	-	2	-	-	-
46	29	75	69	73	142	30	23	53	45	44	90	48	53	101	22	17	39
1	1	2	1	1	2	-	1	1	-	-	-	-	-	-	1	-	1
223	251	534	353	351	734	137	113	250	143	146	294	138	120	258	84	43	127

Table 63 - Age of discharged patients, by psychoses.

Psychoses	Total			Under 15 years			15 - 19 years			20 - 24 years			25 - 29 years			30 - 34 years		
				Moins de 15 ans			M.	F.	T.									
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralytic générale	125	49	174	-	-	-	-	1	1	2	3	5	10	9	19	8	4	12
Other forms of syphilis																		
Autres formes de syphilis	7	9	10	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Epidemic encephalitis																		
Encephalite épidémique	9	2	11	-	-	-	1	-	1	-	-	-	3	1	4	3	-	3
Other infectious diseases																		
Autres maladies infectieuses	19	13	32	-	-	-	1	3	4	4	4	8	6	2	8	-	1	1
Alcoholic																		
Alcooliques	124	17	163	-	-	-	1	-	1	-	-	-	8	-	8	12	3	15
Due to drugs																		
Toxiques exogènes	19	34	52	-	-	-	-	-	-	-	1	1	-	2	2	-	3	3
Traumatic																		
Traumatiques	22	2	24	1	-	1	1	-	1	1	-	1	4	-	4	-	-	-
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	87	87	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disturbances of circulation																		
Autres affections circulatoires	7	13	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic																		
Epileptiques	80	54	134	5	4	9	7	2	9	7	10	17	13	10	23	13	6	19
Senile																		
Séniles	99	61	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	60	139	199	-	-	-	-	1	1	-	1	1	-	2	2	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	25	88	113	-	-	-	1	4	5	5	13	18	5	14	19	1	10	11
Due to new growth																		
Due à un néoplasme	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	18	16	34	-	1	1	-	2	2	3	1	4	2	2	4	1	1	2
Psychoneuroses																		
Psychonévroses	97	164	261	-	3	3	-	5	5	10	15	25	12	22	34	15	24	39
Manic depressive																		
Maniaques dépressives	527	613	1,140	-	-	-	29	29	59	59	42	95	42	64	106	57	78	135
Dementia praecox																		
Démence précoce	796	551	1,347	-	-	-	54	48	102	177	80	257	173	97	270	115	81	196
Paranoia and paranoid conditions																		
Paranoïa et états paranoïadiques	68	59	127	-	-	-	-	-	-	1	-	1	5	1	6	5	9	14
Psychopathic personality																		
Psychopathes constitutionnels	44	23	67	1	1	2	5	2	7	12	4	16	6	6	12	3	3	6
Mental deficiency																		
Arriérés mentaux	84	80	164	-	-	-	5	5	10	14	18	32	12	6	18	11	12	23
Undiagnosed																		
Non diagnostiquées	25	26	51	-	-	-	-	3	3	3	1	4	2	8	10	5	3	8
Without psychoses																		
Sans psychose	545	381	926	68	42	110	92	89	181	93	85	178	52	43	95	39	31	70
Primary behaviour disorders																		
Troubles essentiels du comportement	27	16	43	-	1	1	5	1	6	2	4	6	1	1	2	3	2	5
TOTAL	2,335	2,479	5,410	75	52	127	202	195	397	388	262	673	356	290	626	291	272	563

Tableau 68 - Age des patients à leur sortie, par psychose.

35 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over						
years - ans			years - ans			70 ans et plus																					
M.	F.	T.	M.	F.	T.	M.	P.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.				
25	8	33	22	8	30	26	4	30	19	6	25	7	5	12	2	-	2	4	1	5	-	-	-				
2	-	2	2	-	2	1	2	3	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-				
1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	1	3	2	1	3	1	1	2	1	-	1	1	-	1	-	-	-	-	-	1	-	1	-	-			
25	8	33	24	2	26	20	3	23	19	1	20	14	1	15	10	-	10	3	-	3	8	1	9	-	-		
6	5	11	2	7	9	2	6	8	4	4	8	2	3	5	-	3	3	2	-	2	-	-	-	-	-		
1	-	1	1	1	2	-	-	-	5	1	6	4	-	4	3	-	3	1	-	1	-	-	-	-	-		
-	-	-	-	1	1	1	2	3	4	6	10	19	6	25	23	18	41	17	15	32	23	19	42	-	-	-	
-	2	2	1	-	1	-	3	3	1	-	1	-	1	1	-	1	1	1	4	5	4	2	6	-	-	-	
9	7	16	11	2	13	6	3	9	5	6	11	-	2	2	3	1	4	-	1	1	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	6	13	10	9	19	81	43	124	-	-	-	
-	6	4	3	18	21	11	27	38	6	39	45	12	27	39	15	16	31	11	4	15	2	-	2	-	-	-	
3	13	16	1	10	11	1	5	6	3	10	13	2	6	8	-	3	3	3	-	3	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	4	6	2	2	4	3	-	3	3	2	5	2	-	2	-	-	-	-	-	-	1	1	-	-	4	-	-
10	21	31	15	21	36	12	11	23	15	12	27	6	12	18	1	10	11	1	8	9	-	-	-	-	-	-	-
59	77	136	51	64	115	41	66	107	59	66	125	57	59	116	37	40	77	25	16	41	17	12	29	-	-	-	-
90	87	177	64	54	118	49	43	92	33	22	55	18	13	31	9	10	19	4	7	11	10	9	19	-	-	-	-
11	6	17	9	9	18	7	8	15	15	10	25	6	3	9	6	4	10	2	4	6	1	5	6	-	-	-	-
6	1	7	3	-	3	4	4	8	1	2	3	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
13	12	25	5	8	13	6	7	15	9	6	15	1	4	5	2	1	3	3	1	4	1	-	1	-	-	-	-
2	4	6	3	2	5	3	1	4	4	1	5	3	1	4	-	2	2	-	-	-	-	-	-	-	-	-	-
50	37	87	36	22	53	36	13	47	36	7	43	19	4	23	12	9	14	6	3	9	6	3	9	-	-	-	-
4	1	5	2	1	3	4	3	7	1	1	2	2	-	2	1	-	1	1	1	2	1	-	1	-	-	-	-
321	299	620	259	233	492	297	213	450	246	202	443	178	150	328	132	118	250	94	74	168	156	95	251	-	-	-	-

Table 69 - Average age at discharge and average length of last hospital residence, by psychoses.
 Tableau 69 - Âge moyen à la sortie, et durée moyenne du dernier séjour à l'hôpital, par psychose.

Psychoses	Discharges			Average age - years			Average stay - years			
	Sorties			Âge moyen - ans			Séjour moyen - ans			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	
General paresis										
Paralysis générale	125	49	174	43.4	39.7	42.4	1.2	1.6	1.3	
Other forms of syphilis										
Autres formes de syphilis	7	3	10	40.9	51.0	43.9	1.0	2.0	1.3	
Epidemic encephalitis										
Encéphalite épidémique	9	2	11	30.9	32.0	31.1	1.3	2.2	1.5	
Other infectious diseases										
Autres maladies infectieuses	19	13	32	34.4	26.5	31.2	0.7	1.5	1.0	
Alcoholic										
Alcooliques	144	19	163	46.6	41.7	46.0	0.5	0.5	0.5	
Due to drugs										
Toxicous exogenous	18	34	52	47.0	44.4	45.3	0.4	0.4	0.4	
Traumatic										
Traumatiques	22	2	24	45.4	47.0	45.5	1.0	3.9	1.2	
Cerebral arteriosclerosis										
Artérosclérose cérébrale	87	67	154	64.5	64.5	64.5	1.3	0.7	1.0	
Other disturbances of circulation										
Autres affections circulatoires	7	13	20	65.3	58.3	60.8	0.5	0.4	0.4	
Epileptic										
Epileptiques	80	54	134	33.5	33.2	33.4	2.0	2.6	2.2	
Senile										
Séniles	99	61	160	75.4	73.5	74.7	0.5	0.5	0.5	
Involutional										
Involution	60	139	199	57.4	51.0	52.9	0.9	0.8	0.8	
Other metabolic, etc., diseases										
Autres maladies métaboliques, etc.	25	88	113	38.0	36.9	37.1	0.6	0.5	0.5	
Due to new growth										
Dues à un néoplasme	2	2	4	50.5	38.5	44.5	0.3	0.8	0.5	
Other organic changes of nervous system										
Autres affections organiques du système nerveux	18	16	34	40.6	35.1	38.0	1.9	1.2	1.6	
Psychoneuroses										
Psychonévrosés	97	164	261	39.3	39.2	39.3	0.4	0.6	0.6	
Manic depressive										
Maniaques dépressives	527	612	1,140	42.6	41.6	42.1	1.1	1.1	1.1	
Dementia praecox										
Démence précoce	796	551	1,347	32.4	34.4	33.3	2.2	1.5	1.9	
Paranoia and paranoid conditions										
Paranoïa et états paranoïadiques	63	59	127	46.3	49.0	47.5	2.0	2.0	2.0	
Psychopathic personality										
Psychopathes constitutionnels	44	23	67	31.4	30.9	31.2	1.4	1.1	1.3	
Mental deficiency										
Aridéens mentaux	84	80	164	36.4	35.3	35.9	1.7	1.5	1.6	
Undiagnosed										
Bon diagnostic	25	26	51	40.2	34.5	37.3	0.9	0.5	0.7	
Without psychosis										
Sans psychose	545	381	926	30.2	26.3	28.6	2.0	2.6	2.3	
Primary behaviour disorders										
Troubles essentiels du comportement	27	16	43	38.3	34.4	36.9	0.6	0.4	0.5	
TOTAL		2,935	2,475	5,410	39.1	38.8	39.0	1.6	1.4	1.5

Table 70' - Psychoses of deaths, by provinces.
Tableau 70 - Psychose des patients décédés, par province.

Psychoses	CANADA				P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%										
General paresis														
Paralysis générale	154	26	180	7.4	-	4	7	76	47	5	11	5	25	
Other forms of syphilis														
Autres formes de syphilis	7	2	9	.4	-	-	-	5	2	-	2	-	-	
Epidemic encephalitis														
Encéphalite épidémique	4	3	7	.3	-	-	-	1	4	-	2	-	-	
Other infectious diseases														
Autres maladies infectieuses	8	9	17	.7	-	-	-	10	5	2	-	-	-	
Alcoholic														
Alcooliques	11	6	17	.7	-	-	-	1	11	3	2	-	-	
Due to drugs														
Toxiques exogènes	1	-	1	.1	-	-	-	-	-	-	-	-	1	
Traumatic														
Traumatiques	-	1	1	.1	-	-	-	-	1	-	-	-	-	
Cerebral arteriosclerosis														
Artérosclérose cérébrale	230	120	350	14.5	3	2	28	52	155	17	36	16	43	
Other disturbances of circulation														
Autres affections circulatoires	9	18	27	1.1	-	1	2	9	11	2	1	1	-	
Epileptic														
Epileptiques	61	40	101	4.2	-	2	3	54	23	2	7	5	5	
Senile														
Séniliennes	260	245	505	20.9	1	3	16	145	175	27	49	28	61	
Involutional														
Involution	20	35	55	2.3	-	4	5	8	22	2	3	2	9	
Other metabolic, etc., dis.														
Autres mal. métaboliques, etc.	26	45	71	2.9	-	1	-	39	18	2	6	-	5	
Due to new growth														
Due to un neoplasme	6	6	12	.5	-	-	-	1	2	3	-	5	1	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	28	18	46	1.9	1	1	1	16	18	1	3	5	-	
Psychoneuroses														
Psychonévroses	9	5	14	.6	-	1	2	2	5	1	1	1	1	
Manic depressive														
Maniques dépressives	57	73	130	5.4	2	4	3	48	49	9	2	10	3	
Dementia praecox														
Démence précoce	263	192	455	18.9	3	7	18	97	181	41	43	15	50	
Paranoia and paranoid conditions														
Paranoïas et états paranoidiques	31	35	66	2.7	1	-	-	41	7	5	-	9	3	
Psychopathic personality														
Psychopathes constitutionnels	1	2	3	.1	-	-	-	2	-	-	1	-	-	
Mental deficiency														
Arriérés mentaux	17	22	39	1.6	-	-	2	10	10	7	1	7	2	
Undiagnosed														
Non diagnostiquées	12	5	17	.7	-	-	1	4	9	-	2	1	-	
Without psychoses														
Sans psychoses	172	117	289	12.0	-	-	3	123	68	14	25	24	32	
Primary behaviour disorders														
Troubles essentiels du comportement	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	1,367	1,025	2,412	100.0	11	30	93	755	816	139	200	130	238	

Table 71 - Causes of death, by psychoses.

Causes of death - Causes de décès	Total			Due to or associated with infection			Disturbances of circulation			Epileptic		
				Diseases or associated with infection			Affections circulatoires			Epileptiques		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
EPIDEMIC, ENDEMIC AND INFECTIOUS DISEASES MÉDAILLES EPIDÉMIQUES, ENDEMIQUES ET INFECTIEUSES	226	147	373	25	12	37	3	4	12	12	6	19
Typhoid and paratyphoid fever Typhoïde et paratyphoïde	-	-	-	-	-	-	-	-	-	-	-	-
Measles - Soucette	1	1	2	-	-	-	-	-	-	-	-	-
Scarlet fever - Scarletine	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria - Diphtérie	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - Grippe	14	8	22	-	-	-	-	1	1	1	-	1
Dysentery - Dysenterie	-	3	3	-	-	-	-	-	-	-	-	-
Erysipelas - Erysipèle	-	1	1	-	-	-	-	-	-	-	-	-
Lethargic encephalitis - Encéphalite léthargique	5	1	6	2	-	2	-	-	-	-	-	-
Tuberculosis of the respiratory system Tuberculose de l'appareil respiratoire	166	102	268	9	10	19	6	2	8	12	5	17
Tuberculosis of other organs Tuberculose des autres organes	19	25	44	2	-	2	-	1	1	-	1	1
Syphilis (non nervous forms) Syphilis (n'affectant pas le système nerveux)	13	2	15	11	1	12	1	-	1	-	-	-
Purulent infection, septicemia Infection purulente, septicémie	7	2	5	1	-	1	1	-	1	-	-	-
Others - Autres	-	1	1	-	1	1	-	-	-	-	-	-
GENERAL DISEASES NOT INCLUDED ABOVE MALADIES GÉNÉRALES NON COMPRISSES CI-DESSUS	64	92	155	-	2	2	7	9	16	4	6	10
Cancer and other malignant tumors Cancer et autres tumeurs malignes	39	52	91	-	1	1	5	3	8	2	-	2
Tumor (non cancerous) - Tumeurs (non cancéreuses)	6	8	14	-	-	-	-	1	1	1	-	1
Rheumatism - Rhumatisme	1	2	3	-	-	-	-	1	1	-	-	-
Pellagra - Pellagre	1	1	2	-	-	-	-	-	-	-	-	-
Diabetes - Diabète	4	8	12	-	-	-	1	4	5	-	-	-
Alcoholism (acute or chronic) Alcoolisme (aigu ou chronique)	4	2	6	-	1	1	-	-	-	-	-	-
Others - Autres	9	18	27	-	-	-	1	-	1	1	6	7
DISEASES OF THE NERVOUS SYSTEM MALADIES DU SYSTÈME NERVEUX	275	155	430	106	17	123	31	31	62	21	15	36
Meningitis (non-epidemic) Méningite (non épидémique)	6	2	8	-	-	-	-	-	-	-	1	1
Tabes dorsalis (locomotor ataxia)	3	4	7	-	-	-	-	2	2	-	-	-
Atactic locomotricity	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of spinal cord Autres maladies de la moelle épinière	4	2	6	-	-	-	2	1	3	-	-	-
Cerebral hemorrhage, apoplexy Hémorragie cérébrale, apoplexie	78	72	150	2	2	4	27	27	54	2	3	5
General paralysis of the insane Paralysie générale des aliénés	112	20	132	103	15	118	-	1	1	1	-	1
Other forms of mental diseases - Autres psychoses	18	22	40	-	-	-	2	-	2	-	-	-
Epilepsy - Epilepsie	32	17	49	1	-	1	-	-	-	18	11	29
Chorea - Chorée	2	6	8	-	-	-	-	-	-	-	-	-
Others - Autres	20	10	30	-	-	-	-	-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM MALADIES DE L'APPAREIL CIRCULATOIRE	380	297	677	14	3	17	115	61	176	8	5	19
Pericarditis - Pericardite	5	3	8	-	-	-	-	-	-	1	-	1
Endocarditis and myocarditis Endocardite et myocardite	232	184	416	11	9	14	60	29	89	3	4	7
Angina pectoris - Angine de poitrine	38	24	62	-	-	-	6	5	11	1	1	2
Other diseases of the heart Autres maladies du cœur	50	34	64	3	-	3	7	5	12	2	-	2
Arteriosclerosis - artérosclérose	62	43	105	-	-	-	39	18	57	-	-	-
Other diseases of the arteries Autres maladies des artères	8	4	12	-	-	-	2	2	4	-	-	-
Others - Autres	5	5	10	-	-	-	1	2	3	1	-	1

Tableau 71 - Causes de décès, par psychose.

Table 71 - Causes of death, by psychoses - Continued

Causes of death - Causes de décès	Total			Due to or associated with infection			Disturbances of circulation			Epileptic		
				Due to or associated with infection			Affectations circulatoires			Epileptiques		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
DISEASES OF THE RESPIRATORY SYSTEM MALADIES DE L'APPAREIL RESPIRATOIRE	247	199	446	18	2	20	59	26	85	9	2	11
Bronchitis - Bronchite	1	-	1	-	-	-	-	-	-	-	-	-
Bronchopneumonia - Broncho-pneumonie	163	127	290	8	-	8	39	16	55	8	2	10
Lobar pneumonia - Pneumonie lobaire	43	25	68	8	1	9	13	3	16	-	-	-
Pleurisy - Plurésie	4	2	6	-	1	1	-	-	-	-	-	-
Asthma - Asthme	2	-	2	-	-	-	-	-	-	-	-	-
Others (tuberculosis excepted)												
Autres (excepté la tuberculose)	34	45	79	2	-	2	7	7	14	1	-	1
DISEASES OF THE DIGESTIVE SYSTEM MALADIES DE L'APPAREIL DIGESTIF	40	37	77	2	1	3	2	-	2	4	4	8
Diseases of the pharynx and tonsils												
Maladies du pharynx et des amygdales	2	1	3	-	-	-	-	-	-	-	-	-
Ulcer of the stomach and duodenum												
Ulcère de l'estomac et duodénium	4	1	5	1	-	1	-	-	-	-	-	-
Other diseases of stomach (cancer excepted)												
Autres maladies de l'estomac (excepté le cancer)	2	2	4	-	-	-	-	-	-	-	-	-
Diarrhea and enteritis - Diarrhée et entérite	15	16	31	1	-	1	1	-	1	3	4	7
Appendicitis and typhlitis												
Appendicite et typhlites	1	-	1	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction -												
Hernie et obstruction intestinale	10	7	17	-	1	1	1	-	1	-	-	-
Other diseases of intestines -												
Autres maladies de l'intestin	1	-	1	-	-	-	-	-	-	1	-	1
Cirrhosis of liver - Cirrhose du foie	1	-	1	-	-	-	-	-	-	-	-	-
Other diseases of liver - Autres maladies du foie	-	9	9	-	-	-	-	-	-	-	-	-
Others (cancer and tuberculosis excepted)												
Autres (excepté le cancer et la tuberculose)	4	1	5	-	-	-	-	-	-	-	-	-
NON-VENereal DISEASES OF GENITO-URINARY SYSTEM MALADIES DE L'APPAREIL GENITO-URINAIRE (NON VÉNÉRALES)	46	34	80	2	3	5	9	4	13	-	-	-
Nephritis - Néphrite	39	27	66	2	2	4	6	4	10	-	-	-
Other diseases of the kidney -												
Autres maladies des reins	1	-	1	-	-	-	-	-	-	-	-	-
Diseases of bladder - Maladies de la vessie	1	-	1	-	-	-	1	-	1	-	-	-
Diseases of prostate - Maladies de la prostate	5	-	5	-	-	-	2	-	2	-	-	-
Benign tumors of uterus	-	1	1	-	-	-	-	-	-	-	-	-
Tumours bénignes de l'utérus	-	1	1	-	-	-	-	-	-	-	-	-
Other diseases of genital organs -												
Autres maladies des organes génitaux	-	3	3	-	-	-	-	-	-	-	-	-
Others - Autres	-	3	3	-	1	1	-	-	-	-	-	-
DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE MALADIES DE LA PEAU ET DU TISSU CELLULAIRE	20	11	31	3	-	3	4	1	5	2	1	3
Carbuncle and cellulitis - Furoncle et phlegmon	18	11	29	2	-	2	4	1	5	2	1	3
Others - Autres	2	-	2	1	-	1	-	-	-	-	-	-
DISEASES OF BONES ("TUBERCULOSIS AND RHEUMATISM EXCLUDED") - MALADIES DES OS (EXCEPTÉ LA TUBERCULOSE ET LE RHUMATISME)	-	1	1	-	-	-	-	-	-	-	-	-
OTHER DISEASES NOT INCLUDED IN ABOVE GROUPS AUTRES MALADIES NON COMPRISÉES CI-DESSUS	67	41	108	-	-	-	3	2	5	-	1	1
VIOLENT OR ACCIDENTAL DEATHS MORTS VIOLENTEES OU ACCIDENTELLES	15	6	21	2	-	2	1	-	1	-	-	-
Suicide - Suicide	14	4	18	2	-	2	1	-	1	-	-	-
Homicide - Homicide	1	-	1	-	-	-	-	-	-	-	-	-
Accidental deaths - Morts accidentelles	-	2	2	-	-	-	-	-	-	-	-	-
Others - Autres	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES OF DEATHS NOT DETERMINED CAUSES DE DECES INDÉTERMINÉS	7	6	13	1	-	1	-	-	-	-	-	-
TOTAL	1,387	1,025	2,412	173	40	213	239	138	377	61	40	101

Tableau 71 - Causes de décès, par psychose - suite

Metabolic and somatic diseases of nervous system Maladies métaboliques et somatiques	Organic changes of nervous system Altéruptions organiques du système nerveux			Manic depressive Maniaques dépressives			Dementia praecox Démente précoce			Paranoia Paranoïa			Mental deficiency Arriérés mentaux			All other psychoses Toutes autres psychoses			W.P. and behavior disorders Sans psychose et trouble du comportement					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.			
71	81	152		7	2	9	8	17	25	34	27	61	4	6	10	4	7	11	5	5	10	28	24	52
1	-	1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52	59	111		4	2	6	3	12	15	22	12	34	3	4	7	3	4	7	3	2	5	18	14	32
6	8	14		1	-	1	2	1	3	8	6	14	-	-	-	1	1	2	-	1	1	4	4	8
1	-	1		-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	1	-	1	
1	-	1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
10	14	24		2	-	2	3	4	7	3	8	11	-	2	2	-	2	2	2	2	4	4	6	10
5	12	17		1	1	2	2	8	10	6	6	12	-	2	2	-	-	-	3	-	3	15	3	18
1	-	1		-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-		-	-	-	-	1	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
-	-	-		-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	2	-	2	
-	7	7		-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	1	-	1	8	2	10
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
2	2	4		1	-	1	1	1	2	1	3	4	-	-	-	-	-	-	2	-	2	2	-	2
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	3	3		-	-	-	-	2	2	-	2	2	-	1	1	-	-	-	-	-	-	1	-	1
1	-	1		-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	1	-	1	
13	14	27		2	-	2	1	2	3	6	5	11	2	1	3	-	-	-	3	1	4	8	4	12
11	11	22		2	-	2	1	2	3	5	4	9	2	1	3	-	-	-	3	1	4	7	2	9
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	2		-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	1	1		-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1
-	2	2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	6	9		-	-	-	1	-	1	4	2	6	1	-	2	-	-	-	-	-	2	1	3	
3	6	9		-	-	-	1	-	1	4	2	6	1	-	2	-	-	-	-	-	1	1	2	
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58	31	89		-	-	-	-	1	1	3	2	5	-	2	2	-	-	-	1	1	3	1	4	
1	2	3		-	-	-	-	2	2	4	1	5	2	-	2	-	-	-	3	-	3	2	1	3
1	1	2		-	-	-	-	1	1	4	1	5	2	-	2	-	-	-	3	-	3	1	1	2
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	1	1		-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	3		-	-	-	1	-	1	1	1	2	1	-	1	1	1	2	-	-	-	1	2	3
306	325	631		34	24	58	57	73	130	263	192	455	31	35	66	17	22	39	34	19	53	172	117	289

Table 71 - age of patients at time of death, by psychoses.

Psychoses	Total			Under 15 years			15 - 19			20 - 24			25 - 29			30 - 34		
				Moins de 15 ans			Années - ans											
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralytic general	154	20	130	-	1	1	2	-	3	-	-	-	2	1	3	6	1	7
Other forms of syphilis																		
Autres formes de syphilis	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3
Epidemic encephalitis																		
Encephalite épidémique	4	3	7	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1
Other infections diseases																		
Autres maladies infectieuses	4	0	17	-	-	-	-	-	-	2	2	-	-	-	-	2	-	4
Alcoholic																		
Alcooliques	11	0	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Due to drugs																		
Toxicites excessives	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Traumatic																		
Traumatiques	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis																		
Arteriosclérose cérébrale	153	120	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disturbances of circulation																		
Autres affections circulatoires	9	15	27	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Epileptic																		
Epileptiques	61	40	101	5	4	9	3	1	4	4	3	7	8	4	12	8	3	11
Senile																		
Déniiles	260	245	505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	20	35	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	26	45	71	-	-	-	-	1	1	3	1	4	2	3	5	1	4	5
Due to new growth																		
Due à un neophylome	6	1	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	23	13	46	-	-	-	1	1	2	1	-	1	2	-	2	2	1	3
Psychoneuroses																		
Psychonevroses	9	5	14	-	-	-	-	1	1	-	-	-	1	-	1	1	1	2
Manic depressive																		
Maniaques dépressives	57	73	130	-	-	-	1	-	1	2	3	5	-	2	2	2	2	4
Dementia praecox																		
Démence précoce	263	192	455	-	-	-	2	1	3	10	10	20	19	14	33	23	9	32
Paranoia and paranoid conditions																		
Paranoïa et états paranoidiques	21	25	66	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Psychopathic personality																		
Psychopathes constitutionnels	1	2	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Mental deficiency																		
Arriérés mentaux	17	22	39	-	2	2	1	1	2	3	-	2	-	2	2	2	2	4
Undiagnosed																		
Non diagnostiquées	12	5	17	-	-	-	-	1	1	3	-	3	1	-	2	1	-	1
Without psychoses																		
Sans psychoses	172	117	289	53	30	63	24	13	37	13	3	26	12	7	21	10	11	21
Primary behaviour disorders																		
Problèmes essentiels du comportement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1,387	1,025	2,412	38	37	95	35	20	55	45	28	73	51	34	85	66	36	102

Tableau 72 - Age des patients au décès, par psychose.

35 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over				
years - ans			years - ans			years - ans			years - ans			years - ans			years - ans			years - ans			70 ans et plus				
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
19	1	20	24	4	28	14	6	20	24	6	30	24	3	27	23	1	24	10	1	11	5	1	6		
-	-	-	1	-	1	1	-	1	-	-	-	-	1	1	2	-	2	-	-	1	-	1	-		
-	1	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	2	-	2	-		
-	1	1	1	2	3	1	2	4	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-		
-	-	-	1	1	2	2	-	2	3	-	3	1	1	2	-	-	-	2	1	3	1	3	4		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	3	9	9	2	12	-	2	2	2	3	5	4	4	8	7	3	10	4	6	10	1	2	3		
-	-	-	-	-	-	-	-	-	4	1	5	-	1	1	9	16	25	32	25	57	215	202	417		
-	1	1	-	-	-	1	9	10	1	2	5	8	4	12	4	8	12	4	6	10	2	5	7		
2	1	3	3	5	8	2	3	5	2	3	5	4	9	13	-	1	1	3	9	12	4	3	7		
4	-	6	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	1	2	3	-	1	1		
4	3	7	1	3	4	1	-	1	7	1	8	2	3	5	2	4	6	4	7	6	1	-	1		
-	-	-	2	-	2	-	-	-	2	-	2	1	1	2	-	1	1	1	1	2	1	-	2		
3	2	5	1	7	8	5	8	13	5	8	13	13	21	24	8	14	22	6	4	10	11	12	23		
26	11	37	19	14	33	30	21	51	24	15	39	25	21	46	25	26	51	27	21	48	33	29	62		
-	-	-	2	2	4	1	1	2	1	3	4	6	6	12	5	5	10	4	1	5	8	16	24		
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-		
2	1	3	2	2	4	1	2	3	1	3	4	2	3	5	2	2	4	1	2	3	-	-	-		
-	-	-	1	-	1	-	1	1	1	1	2	-	-	-	1	1	2	2	3	1	4	-	-		
1	4	5	8	5	13	9	6	15	7	6	13	3	6	9	6	9	11	6	4	10	17	12	25		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
69	30	99	74	48	122	68	66	134	69	60	149	119	91	210	190	110	240	160	115	275	423	350	773	-	-

Table 73 - Duration of hospital life of patients who died, by psychoses.

Psychoses	Total			Less than 3 months			3 - 6 months			6 - 12 months		
				Moins de 3 mois			3 à 6 mois			6 à 12 mois		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralyse générale	154	26	180	39	6	44	13	5	18	20	5	25
Other forms of syphilis												
Autres formes de syphilis	7	2	9	1	-	1	1	-	1	-	-	-
Epidemic encephalitis												
Encephalite épidémique	4	3	7	-	-	-	1	-	1	-	-	-
Other infectious diseases												
Autres maladies infectieuses	8	9	17	0	4	13	-	2	2	-	1	1
Alcoholic												
Alcooliques	11	6	17	2	1	3	1	-	1	-	-	-
Due to drugs												
Toxicques exogènes	1	-	1	-	-	-	-	-	-	-	-	-
Traumatic												
Traumatiques	-	1	1	-	1	1	-	-	-	-	-	-
Cerebral arteriosclerosis												
Artérosclérose cérébrale	230	120	350	99	40	139	25	13	38	29	17	46
Other disturbances of circulation												
Autres affections circulatoires	9	18	27	7	3	15	-	2	2	-	3	3
Epileptic												
Epileptiques	61	40	101	2	3	5	3	-	3	2	2	4
Senile												
Séniles	260	245	505	109	74	183	29	27	56	26	26	52
Involutorial												
Involution	20	35	55	5	5	10	1	2	3	6	2	2
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	26	45	71	16	19	35	1	5	6	-	2	2
Due to new growth												
Dues à un néoplasme	6	6	12	3	4	7	-	-	-	2	-	2
Other organic changes of nervous system												
Autres affections organiques du système nerveux	28	18	46	5	5	10	1	-	1	5	-	5
Psychoneuroses												
Psychonévroses	9	5	14	2	2	4	-	-	-	2	1	3
Manic depressive												
Maniques dépressives	57	73	130	13	16	29	2	4	6	3	4	7
Dementia praecox												
Démence précoce	263	192	455	14	14	28	4	4	2	5	5	10
Paranoid and paranoid conditions												
Paranoïa et états paranoïadiques	21	35	66	-	-	-	-	2	2	1	1	2
Psychopathic personality												
Psychopathes constitutionnels	1	2	3	-	-	-	-	-	-	-	-	-
Mental deficiency												
Arriérés mentaux	17	22	39	1	2	3	-	-	-	-	1	1
Undiagnosed												
Non diagnostiquées	12	5	17	5	2	7	-	1	1	-	1	1
Without psychoses												
Sans psychoses	172	117	289	19	24	39	16	5	21	14	9	42
Primary behaviour disorders												
Troubles essentiels du comportement	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1,387	1,025	2,412	347	220	567	98	72	170	115	80	125

Tableau 73 - Durée de l'hospitalisation des patients décédés, par psychose.

1 - 3 years - ans			3 - 5 years - ans			5 - 10 years - ans			10 - 15 years - ans			15 - 20 years - ans			20 years and over 20 ans et plus		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
32	3	35	23	1	24	17	3	20	7	2	9	3	1	4	1	-	1
1	1	2	3	-	3	1	1	2	-	-	-	-	-	-	-	-	-
2	1	3	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-
2	-	2	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
2	1	3	-	1	1	2	1	3	3	2	5	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	25	53	18	9	27	12	12	24	8	1	9	4	1	5	7	2	9
1	5	6	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
9	8	17	7	3	10	13	8	21	8	10	18	8	1	9	9	5	14
43	56	99	18	19	37	20	27	47	7	7	14	9	3	6	5	6	11
4	12	16	1	5	6	3	2	5	-	2	2	-	1	1	-	4	4
2	4	6	2	4	6	2	9	11	-	-	-	2	1	3	1	1	2
1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	4	9	1	2	3	2	5	13	3	2	5	-	-	-	-	-	-
3	2	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
8	14	22	10	7	17	8	8	16	5	9	14	4	4	8	4	7	11
21	16	37	24	14	38	53	32	85	38	29	67	26	20	46	78	58	136
4	1	5	2	5	7	7	10	17	6	3	11	3	4	7	6	9	15
1	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
4	-	4	1	-	1	4	10	14	5	4	9	1	1	2	1	4	5
1	-	1	1	1	2	2	-	2	2	-	2	1	-	1	-	-	-
15	15	30	23	8	31	29	25	54	24	13	37	12	7	19	20	21	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	170	359	136	82	218	162	155	337	119	85	204	67	44	111	134	117	251

Table 74 - Average age at death and average length of stay in hospital, by psychoses.
 Tableau 74 - Âge moyen au décès et durée moyenne du séjour à l'hôpital, par psychose.

Psychoses	Deaths			Average age - years			Average stay - years			
	Décès			Âge moyen - ans			Séjour moyen - mois			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	
General paresis										
Paralysis générale	154	7	26	180	50.3	48.1	49.9	2.9	3.1	2.9
Other forms of syphilis										
Autres formes de syphilis	7	2	9	50.4	44.5	49.1	2.5	5.0	3.0	
Epidemic encephalitis										
Encéphalite épidémique	4	3	7	69.5	31.3	53.1	3.9	3.0	3.5	
Other infectious diseases										
Autres maladies infectieuses	8	9	17	42.4	41.8	42.1	0.7	2.2	1.5	
Alcoholic										
Alcooliques	11	6	17	52.5	66.7	57.5	7.2	6.9	7.1	
Due to drugs										
Toxiques exogènes	1	-	1	77.0	-	77.0	36.2	-	36.2	
Traumatic										
Traumatiques	-	1	1	-	69.0	69.0	-	0.1	0.1	
Cerebral arteriosclerosis										
Artérosclérose cérébrale	230	120	350	70.3	69.3	69.9	2.6	2.6	2.6	
Other disturbances of circulation										
Autres affections circulatoires	9	18	27	62.1	58.6	59.7	1.0	0.8	0.8	
Epileptic										
Epileptiques	61	40	101	39.0	43.8	40.9	10.0	9.3	9.7	
Senile										
Séniles	260	245	505	76.6	77.9	77.3	2.4	2.7	2.5	
Involutional										
Involution	20	35	55	61.0	59.7	60.1	1.9	5.5	4.2	
Other metabolic, etc., diseases										
Autres maladies métaboliques, etc.	26	45	71	49.3	51.3	50.6	3.6	3.1	3.3	
Due to new growth										
Dues à un néoplasme	6	6	12	39.5	61.5	50.5	0.5	0.7	0.6	
Other organic changes of nervous system										
Autres affections organiques du système nerveux	28	18	46	47.4	49.4	48.2	3.9	3.9	3.9	
Psychoneuroses										
Psychonévroses	9	5	14	43.3	47.4	48.0	1.6	0.9	1.3	
Manic depressive										
Maniques dépressives	57	73	130	56.6	55.7	56.1	6.6	6.8	6.7	
Dementia praecox										
Démence précoce	263	192	455	49.3	52.4	50.9	14.5	14.5	14.5	
Paranoia and paranoid conditions										
Paranoïa et états paranoïaques	31	35	66	60.3	64.4	62.5	12.9	13.1	13.0	
Psychopathic personality										
Psychopathes constitutionnels	1	2	3	20.0	56.5	44.3	1.6	8.5	6.2	
Mental deficiency										
Arriérés mentaux	17	22	39	42.1	44.0	43.2	9.3	11.1	10.4	
Undiagnosed										
Non diagnostiquées	12	5	17	47.8	50.6	48.0	5.2	1.2	4.0	
Without psychoses										
Sans psychoses	172	117	289	29.0	33.8	31.0	8.5	10.5	9.3	
Primary behaviour disorders										
Troubles essentiels du comportement	-	-	-	-	-	-	-	-	-	
TO T A L		1,387	1,025	2,412	55.8	58.6	57.0	6.5	7.0	6.7

Publié par ordre de l'Hon. James A. MacKINNON, M.P.
Ministre du Commerce.

CANADA
BUREAU FEDERAL DE LA STATISTIQUE
BRANCHE DE LA STATISTIQUE DES INSTITUTIONS

DIXIEME RAPPORT ANNUEL
SUR LES
INSTITUTIONS POUR MALADIES MENTALES

1941



Prix, 25 cents