

Published by Authority of the Hon. James A. MacKINNON, M.P.,
Minister of Trade and Commerce

CANADA
DOMINION BUREAU OF STATISTICS
INSTITUTIONAL STATISTICS BRANCH

**TWELFTH ANNUAL REPORT
OF
MENTAL INSTITUTIONS**

1943



OTTAWA
1945

C A N A D A

DOMINION BUREAU OF STATISTICS

Dominion Statistician:

BUREAU FEDERAL DE LA STATISTIQUE

Statisticien du Dominion

S. A. Cudmore, M.A. (Oxon.), F.S.S., F.R.S.C.

Institutional Statistics Branch

Branche de la Statistique des Institutions

Chief:

Chief:

J. C. Brady, M.A.

PREFACE

The present report, which covers the calendar year 1943, is the twelfth of a series in which statistics have been published by the Dominion Bureau of Statistics covering Mental Institutions in Canada.

The report is presented in two sections. Section one consists of twenty-four general tables covering administration, finances, general movement of population with a general review of mental institutions during 1943.

Section two consists of fifty-one tables which give detailed information concerning first admissions, readmissions, discharges and deaths in public mental hospitals on the card system during 1943. An analysis of the data supplied in the tables is also given.

The Bureau desires to express its acknowledgement to the superintendents of the various institutions, Federal and provincial authorities and the National Committee for Mental Hygiene (Canada) for their wholehearted co-operation in furnishing the data appearing in this report.

This report was prepared under the direction of James C. Brady, chief of the Institutional Statistics Branch, by Laurent Gagnon who was in direct charge of the compilation of the data.

S. A. Cudmore.

Dominion Statistician.

PREFACE

Le présent rapport statistique, qui porte sur l'année civile 1943, est le douzième d'une série publiée par le Bureau Fédéral de la Statistique sur les institutions pour maladies mentales au Canada.

Il se divise en deux parties. La première contient vingt-quatre tableaux généraux sur l'administration, les finances, le mouvement général des internés et une revue générale des institutions pour malades mentaux en 1943.

La deuxième partie contient cinquante et un tableaux donnant des statistiques détaillées sur les premières admissions, les réadmissions, les sorties et les décès dans les établissements publics pour aliénés qui avaient le système de fiches en 1943. Elle donne aussi une analyse des données contenues dans les tableaux.

Le Bureau désire exprimer sa reconnaissance aux directeurs de ces diverses maisons, aux autorités fédérales et provinciales et au Comité National d'Hygiène Mentale (Canada) pour leur sincère collaboration au présent rapport.

Ce rapport a été préparé par Laurent Gagnon chargé directement de la compilation des données, sous la direction de James C. Brady, chef de la Branche des Statistiques des Institutions.

S. A. Cudmore.

Statisticien du Dominion.

TABLE OF CONTENTS

	Page
Preface	1
<u>SECTION I</u>	
<u>General Statistics</u>	
Analysis of General Tables.....	5
<u>General Tables</u>	
Table 1. - List of mental institutions.....	9
<u>MOVEMENT OF POPULATION</u>	
Table 2. - Classification of mental institutions.....	10
Table 3. - Patients under care on December 31, 1943, by type of hospitals.....	10
Table 4. - Classification of resident patients at end of year according to mental status.....	10
Table 5. - Total resident patients in mental hospitals and their proportion per 10,000 of estimated population.....	10
Table 6. - Movement of patient population in mental institutions during 1943, by mental status.....	11
Table 7. - Movement of total patient population in mental institutions during 1943, by provinces.....	11
Table 8. - Movement of insane population in mental institutions during 1943, by provinces.....	12
Table 9. - Movement of mental defective population in mental institutions during 1943, by provinces.....	12
Table 10. - Movement of epileptic population in mental institutions during 1943, by provinces.....	14
Table 11. - First admissions and readmissions, 1930-1943.	14
Table 12. - Percentage of first admissions and readmissions to direct admissions.....	15
Table 13. - Discharges and deaths, 1930-1943.....	17
Table 14. - Condition of patients on discharge, by provinces.....	17
Table 15. - Discharges with percentages according to condition on discharge.....	17
Table 16. - Ratio of discharges according to condition on discharge per 100 direct admissions.....	18
Table 17. - Rates of discharges, of recovered and improved per 100 patients treated.....	18
Table 18. - Death rates to first admissions and direct admissions, and general mortality rates.....	19
Table 19. - Death rates of average daily patient population and patients under treatment during year.....	19
Table 20. - Comparative mortality rates, 1939-1943.....	19
<u>FINANCE AND PERSONNEL</u>	
Table 21. - Financial statement.....	20
Table 22. - Personnel.....	20
Table 23. - Per capita daily average expenditures in institutions devoted exclusively to mental diseases, 1942-1943.....	22
Table 24. - Number of patients to each officer and employee in institutions devoted exclusively to mental diseases.....	22

SECTION II

<u>Detailed Statistics</u>	
Analysis of Detailed Tables.....	23
<u>Detailed Tables</u>	
Table 25. - Percentage of cards received of total first admissions, readmissions, discharges and deaths of all mental institutions, by provinces.....	30
Table 26. - Number of first admissions, readmissions, discharges and deaths, by provinces.....	30
Table 27. - Psychiatric classification of first admissions.....	30

TABLE DES MATIÈRES

	Page
Préface	1
<u>SECTION I</u>	
<u>Statistiques générales</u>	
Analyse des tableaux généraux.....	5
<u>tableaux généraux</u>	
Tableau 1. - Liste des institutions d'aliénés.....	9
<u>MOVEMENT DE POPULATION</u>	
Tableau 2. - Classification des établissements pour aliénés.....	10
Tableau 3. - Patients sous traitement le 31 décembre 1943, par genre d'hôpital.....	10
Tableau 4. - Classification des malades internés à la fin de l'année d'après l'état mental.....	10
Tableau 5. - Total des patients présents dans les asiles d'aliénés et leur proportion pour 10,000 de la population estimative.....	11
Tableau 6. - Mouvement de la population internée dans les institutions d'aliénés, en 1943, selon l'état mental.....	11
Tableau 7. - Mouvement de la population internée dans les institutions d'aliénés, en 1943, par province.....	12
Tableau 8. - Mouvement de la population aliénée dans les institutions d'aliénés, en 1943, par province.....	12
Tableau 9. - Mouvement de la population des arrêtés mentaux dans les institutions d'aliénés en 1943, par province.....	14
Tableau 10. - Mouvement de la population épileptique dans les institutions d'aliénés en 1943, par province.....	14
Tableau 11. - Premières admissions et réadmissions, 1930-1943.....	16
Tableau 12. - Pourcentage des premières admissions et des réadmissions par rapport aux admissions directes.....	16
Tableau 13. - Sorties et décès, 1930-1943.....	17
Tableau 14. - Etat des patients à leur sortie, par province.....	17
Tableau 15. - Sorties avec pourcentages selon l'état des patients à leur sortie.....	18
Tableau 16. - Proportion des sorties selon l'état à la sortie pour 100 admissions directes.....	18
Tableau 17. - Proportion des sorties, des guérisons et améliorations pour 100 patients traités.....	18
Tableau 18. - Mortalité par rapport aux premières admissions et admissions directes, et mortalité générale.....	18
Tableau 19. - Mortalité par rapport à la moyenne quotidienne de patients et par rapport aux patients traités durant l'année.....	19
Tableau 20. - Taux comparatif de mortalité, 1939-1943.....	19
<u>FINANCES ET PERSONNEL</u>	
Tableau 21. - Stat financier.....	20
Tableau 22. - Personnel.....	20
Tableau 23. - Répartition par capita des dépenses quotidiennes moyennes des institutions traitant exclusivement des malades mentaux, 1942-1943.....	22
Tableau 24. - Nombre de patients pour chaque officier et employé dans les institutions traitant exclusivement les malades mentaux.....	22
<u>SECTION II</u>	
<u>Statistiques détaillées</u>	
Analyse des tableaux détaillés.....	23
<u>tableaux détaillés</u>	
Tableau 25. - Pourcentage des fiches reçues par rapport au total des premières admissions, réadmissions, sorties et décès, pour tous les hôpitaux d'aliénés, par province.....	30
Tableau 26. - Premières admissions, réadmissions, sorties et décès, par province.....	30
Tableau 27. - Classification psychiatrique des premières admissions.....	30

TABLE OF CONTENTS - Con.

Detailed Tables - Con.

	Page
Table 25.- Psychoses of first admissions.....	31
Table 29.- Age of first admissions, by psychoses.....	33
Table 30.- Average age on admission, by psychoses.....	34
Table 31.- Psychoses of first admissions, by provinces.....	35
Table 32.- Environment of first admissions, by psychoses.....	36
Table 33.- Economic condition of first admissions by psychoses.....	37
Table 34.- Use of alcohol of first admissions by psychoses.....	38
Table 35.- Conjugal condition of first admissions by psychoses.....	39
Table 36.- Education of first admissions by psychoses.....	40
Table 37.- Nativity of first admissions by provinces.....	41
Table 38.- Nativity of parents of Canadian born first admissions by provinces.....	41
Table 39.- Time in Canada before admission of British born and foreign born patients by provinces.....	41
Table 40.- Education of first admissions by age groups.....	42
Table 41.- Nativity of first admissions by age groups.....	42
Table 42.- Nativity of parents of Canadian born first admissions by age groups.....	43
Table 43.- Time in Canada before admissions of British born and foreign born patients by age groups.....	43
Table 44.- Counties and census districts from which first admissions were admitted.....	44
Table 45.- Country of birth of first admissions by provinces.....	45
Table 46.- Citizenship of first admissions.....	46
Table 47.- Racial origin of first admissions, by provinces.....	47
Table 48.- Religion of first admissions, by provinces.....	47
Table 49.- Previous occupation of first admissions, by provinces.....	48
Table 50.- Commitment of first admissions, by provinces.....	48
Table 51.- Environment of first admissions, by provinces.....	49
Table 52.- Economic condition of first admissions, by provinces.....	49
Table 53.- Use of alcohol of first admissions, by provinces.....	50
Table 54.- Conjugal condition of first admissions, by provinces.....	50
Table 55.- Education of first admissions, by provinces.....	51
Table 56.- Commitment of readmissions, by provinces.....	51
Table 57.- Conjugal condition of readmissions, by provinces.....	52
Table 58.- Psychoses of readmissions, by provinces.....	53
Table 59.- Age of readmissions by psychoses.....	54
Table 60.- Average age of readmissions, by psychoses.....	54
Table 61.- Psychoses of discharged patients, by provinces.....	55
Table 62.- Condition of patients on discharge, by psychoses.....	55
Table 63.- Percentage of recovery of discharged patients, by psychoses.....	56
Table 64.- Duration of last hospital residence of patients discharged as recovered by psychoses.....	57
Table 65.- Duration of last hospital residence of patients discharged as improved by psychoses.....	58
Table 66.- Duration of last hospital residence of patients discharged as unimproved by psychoses.....	59
Table 67.- Duration of last hospital residence of patients discharged without psychoses and unclassified, by psychoses.....	60
Table 68.- Duration of last hospital residence of discharged patients, by psychoses.....	61
Table 69.- Age of discharged patients, by psychoses.....	62
Table 70.- Average age at discharge and average length of last hospital residence, by psychoses.....	64
Table 71.- Psychoses of deaths, by provinces.....	65
Table 72.- Causes of death, by psychoses.....	67
Table 73.- Age of patients at time of death, by psychoses.....	68
Table 74.- Duration of hospital life of patients who died by psychoses.....	72
Table 75.- Average age at death and average length of stay in hospital, by psychoses.....	74

TABLE DES MATIÈRES - Suite.

Tableaux détaillés - suite

	Page
Tableau 26.- Psychoses des premières admissions.....	31
Tableau 29.- Âge des premières admissions, par psychose.....	32
Tableau 30.- Âge moyen à l'admission, par psychose.....	34
Tableau 31.- Psychoses des premières admissions, par province.....	35
Tableau 32.- Environnement des premières admissions, par psychose.....	36
Tableau 33.- Situation économique des premières admissions par psychose.....	37
Tableau 34.- Usage d'alcool des premières admissions par psychose.....	38
Tableau 35.- Stat conjugal des premières admissions par psychose.....	39
Tableau 36.- Instruction des premières admissions par psychose.....	40
Tableau 37.- Lieu de naissance des premières admissions par province.....	41
Tableau 38.- Lieu de naissance des parents des premières admissions nées au Canada, par province.....	41
Tableau 39.- Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers par province.....	41
Tableau 40.- Instruction des premières admissions par groupe d'âge.....	42
Tableau 41.- Lieu de naissance des premières admissions par groupe d'âge.....	42
Tableau 42.- Lieu de naissance des parents des premières admissions nées au Canada, par groupe d'âge.....	43
Tableau 43.- Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers par groupe d'âge.....	43
Tableau 44.- Comtés et districts de recensement d'où viennent les patients de première admission.....	44
Tableau 45.- Pays de naissance des premières admissions par province.....	46
Tableau 46.- Nationalité des premières admissions.....	46
Tableau 47.- Origine raciale des premières admissions, par province.....	47
Tableau 48.- Religion des premières admissions, par province.....	47
Tableau 49.- Occupation antérieure des premières admissions, par province.....	48
Tableau 50.- Mode d'internement des premières admissions, par province.....	48
Tableau 51.- Environnement des premières admissions, par province.....	48
Tableau 52.- Situation économique des premières admissions, par province.....	49
Tableau 53.- Usage d'alcool des premières admissions, par province.....	49
Tableau 54.- Stat conjugal des premières admissions, par province.....	49
Tableau 55.- Instruction des premières admissions, par province.....	50
Tableau 56.- Mode d'internement des réadmissions, par province.....	50
Tableau 57.- Stat conjugal des réadmissions, par province.....	50
Tableau 58.- Psychoses des réadmissions, par province.....	51
Tableau 59.- Âge des réadmissions, par psychose.....	52
Tableau 60.- Âge moyen des réadmissions, par psychose.....	54
Tableau 61.- Psychoses des patients sortis, par province.....	55
Tableau 62.- Etat des patients à leur sortie, par psychose.....	56
Tableau 63.- Pourcentage d'amélioration de l'état des patients sortis, par psychose.....	57
Tableau 64.- Durée du dernier séjour à l'hôpital des patients sortis comme guéris, par psychose.....	58
Tableau 65.- Durée du dernier séjour à l'hôpital des patients sortis comme améliorés, par psychose.....	59
Tableau 66.- Durée du dernier séjour à l'hôpital des patients sortis comme non améliorés, par psychose.....	60
Tableau 67.- Durée du dernier séjour à l'hôpital des patients sortis comme sans psychose et non classifiés, par psychose.....	61
Tableau 68.- Durée du dernier séjour à l'hôpital des patients sortis, par psychose.....	61
Tableau 69.- Âge des patients à leur sortie, par psychose.....	62
Tableau 70.- Âge moyen à l'hôpital, par psychose.....	64
Tableau 71.- Psychoses des patients décédés, par province.....	65
Tableau 72.- Causes de décès, par psychose.....	66
Tableau 73.- Âge des patients au décès, par psychose.....	67
Tableau 74.- Durée de l'hospitalisation des patients décédés, par psychose.....	74
Tableau 75.- Âge moyen au décès et durée moyenne du séjour à l'hôpital, par psychose.....	76

S E C T I O N IGENERAL STATISTICS

The information appearing in Section I was compiled from the annual returns received from each mental institution. A brief analysis of the principal tables is given for those readers who may be unable to get time for a detailed study of the tables submitted.

ANALYSIS OF GENERAL TABLES

TABLE I. - This table gives the name, location and bed capacity of all mental hospitals operating in Canada in 1943. Institutions marked with an asterisk are on the card system and supply the information from which the tables in Section II are compiled. Where a mental institution has additional beds to accommodate other than mental patients, these are shown in the foot-notes to the table.

At the close of the calendar year 1943, there were in Canada 59 institutions that had the care and treatment of mentally sick persons. Of the 59 institutions, 32 were provincial mental hospitals, 5 training schools for mental defectives operated by the provinces, 16 county and municipal hospitals and asylums, 2 Dominion hospitals and 3 private institutions.

TABLE 3. - In the 59 institutions there were 46,631 patients under care on December 31, 1943, 541 under care in boarding homes and 3,899 on parole, making a total of 51,071 persons on the books of these institutions on above date, an increase of 893 over the number on the books on December 31, 1942.

TABLES 4 and 5 classify resident patients on December 31, 1943 by mental status. Of the 46,631 patients, 35,515 were classified as insane, 10,135 as mental defectives, 681 as epileptics and 300 comprising all other types.

The ratio of males per 100 females under care on December 31, 1943 was 121, while the number of persons under care per 100,000 of the general population was 394.8, an increase of 0.6 over the rate for the previous year.

During the twelve-month period, the resident population rose from 46,969 to 46,631, an increase of 1.4 per cent during the year. The only province which showed a decrease in the resident population of its mental institutions was New Brunswick, where the decrease was 1.9 per cent.

The following table shows the normal bed capacity, the per cent increase of bed capacity, per cent increase in resident patients and resident patients per 100,000 of the general population from 1931 to 1943 inclusive.

STATISTIQUES GENERALES

Les renseignements de la Section I sont calculés d'après les rapports annuels reçus de toutes les institutions pour maladies mentales. Une brève analyse des principaux tableaux est d'abord donnée pour ceux des lecteurs qui ne pourraient consacrer aux tableaux une étude approfondie.

ANALYSE DES TABLEAUX GENERAUX

TABLEAU I. - Ce tableau donne le nom, la localité et la capacité en lits de tous les hôpitaux pour maladies mentales au Canada en 1943. Les institutions marquées d'un astérisque suivent le système de fiches et fournissent les renseignements d'après lesquels sont compilés les tableaux de la Section II. Les institutions pour maladies mentales ayant des lits additionnels pouvant accueillir d'autres genres de patients sont indiquées par des renvois au bas du tableau.

A la fin de l'année civile 1943, il y a au Canada 59 établissements pour le soin et le traitement des personnes atteintes de maladies mentales, dont 32 établissements provinciaux, 5 écoles provinciales de formation pour les arriérés mentaux, 16 hôpitaux et asiles municipaux et de comté, 2 hôpitaux fédéraux et 3 institutions privées.

TABLEAU 3. - Le 31 décembre 1943, il y a 46,631 patients en soin dans les 59 institutions pour maladies mentales, 541 en soin dans des maisons de pension et 3,899 en liberté conditionnelle, formant un total de 51,071 personnes inscrites aux registres de ces institutions à la date ci-dessus mentionnée, soit une augmentation de 893 sur le nombre de personnes inscrites le 31 décembre 1942.

Les TABLEAUX 4 et 5 classifient d'après leur état mental les patients internés dans les institutions pour maladies mentales le 31 décembre 1943. Des 46,631 patients, 35,515 sont des aliénés, 10,135 des arriérés mentaux, 681 des épileptiques et 300 souffrent d'autres maladies mentales.

Le 31 décembre 1943, la proportion d'hommes par 100 femmes en soin est de 121, tandis que le nombre de personnes en soin par 100,000 de la population générale est de 394.8, soit une augmentation de 0.6 sur l'année dernière.

Le cours des douze mois, la population hospitalisée passe de 46,969 à 46,631, augmentation de 1.4 pour cent. Le Nouveau-Brunswick est la seule province à accuser une diminution sous ce rapport; cette diminution est de 1.9 pour cent.

Le tableau suivant montre la capacité normale en lits, le pourcentage d'augmentation de la capacité en lits, et le pourcentage d'augmentation des patients internés, ainsi que le nombre de ces patients par 100,000 de population générale de 1931 à 1943 inclusivement.

Year	Normal bed capacity	Per cent increase in bed capacity	Patients in residence on December 31st	Per cent increase in resident patients	Per cent excess of resident population over bed capacity	Resident patients per 100,000 of general population
Année	Capacité normale en lits	Pourcentage d'augmentation de la capacité en lits	Patients internés le 31 décembre	Pourcentage d'augmentation des patients internés	Pourcentage de l'excédent des hospitalisés sur la capacité en lits	Patients internés par 100,000 âmes de population générale
1931	31,832	-	31,686	-	-	305.4
1932	32,919	3.4	32,878	3.9	-	318.6
1933	33,451	1.6	34,979	6.4	4.5	324.9
1934	34,866	4.3	36,571	4.6	4.9	335.6
1935	36,987	3.2	38,261	4.6	6.3	348.2
1936	37,379	3.0	39,833	4.1	6.3	353.5
1937	37,798	1.1	41,677	4.6	10.3	373.5
1938	38,671	2.3	42,687	2.4	10.4	378.7
1939	39,277	1.4	43,275	1.4	10.3	380.4
1940	39,441	0.4	44,163	1.1	11.9	386.0
1941	40,115	1.7	45,135	2.2	12.5	392.5
1942	41,762	4.1	45,937	1.8	10.0	394.2
1943	42,454	1.7	46,631	1.6	9.8	394.8

The figures show that while the normal bed capacity rose from 31,832 beds in 1931 to 42,454 in 1943, a percentage increase in bed capacity of 33.4, the resident population at the end of the year rose from 31,686 in 1931 to 46,631 in 1943, a percentage increase of 47.2.

On December 31, 1943, the excess of resident patients over normal bed capacity was 4,177, or 9.8 per cent.

The number of resident patients per 100,000 of the general population rose from 305.4 in 1931 to 394.8 in 1943.

TABLE 6. - Movement of patient population by mental status. On January 1, 1943, there were on the books of mental institutions 50,298 persons, of which number 30,136 were males and 20,162 were females.

Total admissions, while including first admissions, readmissions and transfers were 11,710. Of these admissions, 9,587 or 81.9 per cent were classified as having mental psychoses, 1,323 or 11.3 per cent were mental defectives without psychoses, 153 or 1.3 per cent epileptics without psychoses, and 647 or 5.5 per cent were Other Types without psychoses.

Separations, including direct discharges, deaths and transfers, totalled 10,937, of which total 3,339 were deaths and 764 were transfers to other mental institutions. Of the 6,834 direct discharges, 1,813 or 26.5 per cent were discharged as recovered, 3,371 or 49.3 per cent as improved, 1,090 or 15.9 per cent as unimproved and 560 or 8.2 per cent as unclassified and without psychosis.

Ces chiffres indiquent que la capacité normale en lits passe de 31,832 lits en 1931 à 42,454 lits en 1943, soit un pourcentage d'augmentation de 33.4, tandis que la population hospitalisée à la fin de l'année augmente de 31,686 en 1931 à 46,631 en 1943, soit de 47.2 pour cent.

Le 31 décembre 1943, l'excédent d'hospitalisés sur la capacité normale en lits est de 4,177, ou 9.8 pour cent.

Le nombre de patients internés par 100,000 de la population générale passe de 305.4 en 1931 à 394.8 en 1943.

TABLEAU 6. - Mouvement de la population internée selon l'état mental. Le 1er janvier 1943, 50,298 personnes sont inscrites aux registres des hôpitaux d'aliénés, dont 30,136 hommes et 20,162 femmes.

Les admissions totales, lesquelles comprennent les premières admissions, les réadmissions et les transferts, s'établissent à 11,710. De ce nombre, 9,587, ou 81.9 pour cent, sont classifiées comme souffrant de psychose mentale, 1,323 ou 11.3 pour cent sont des arrêtés mentaux sans psychose, 153 ou 1.3 pour cent, des épileptiques sans psychose, et 647 ou 5.5 pour cent, souffrant d'autres maladies mentales.

Les séparations, y compris les sorties directes, les décès et les transferts, atteignent le total de 10,937, dont 3,339 sont des décès et 764 des transferts à d'autres institutions pour les maladies mentales. Des 6,834 sorties directes, 1,813 patients ou 26.5 pour cent sont libérés comme guéris, 3,371 ou 49.3 pour cent, dans un état amélioré, 1,090 ou 15.9 pour cent dans un état un amélioré, et 560 ou 8.2 pour cent sortent et ne sont pas classifiés ou sous psychose.

TABLES 7 to 10 show similar movement of patients by provinces.

TABLES 11 and 12. - These tables show the number of first admissions and readmissions for each year during the period 1930 to 1943 inclusive.

The highest number of recorded first admissions was in 1936 when 9,002 were admitted to mental institutions. There was a steady decrease in the number of first admissions during the next four years, but since 1940 the number of first admissions have shown an annual increase with 8,556 in 1943.

The number of readmissions in 1943 was 2,390. The average number of readmissions for the ten-year period 1933-1942 was 2,153.

TABLES 13 to 17. - These tables show the number of discharges and deaths, condition of patients on discharge, rates of recovery and improvement of discharged patients by provinces. The number of patients discharged in 1943, exclusive of deaths, was 6,834, a decrease of 1.1 per cent from the previous year. Deaths totalled 3,339, an increase of 17 per cent over the number recorded in the previous year. The ratio of discharges per 100 direct admissions was 62.4, while the rate of discharges per 100 under treatment was 11.2.

The recovery rate per 100 under treatment was 3.0 -- 2.5 for males and 3.5 for females -- while the percentage of patients improved per 100 under treatment was 5.5. See Table 62 for the rates of recovery and improvement by psychosis.

Of the psychosis groups with 100 or more admissions, Manic-depressive (57.1), Alcoholic (43.3); Psychoneurosis (40.5) had the highest percentage of recoveries. The three groups, General Paroxysm, Epilepsy and Dementia Praecox showed percentage rates of recovery of 22.0, 17.2 and 17.9 respectively. Cerebral Arteriosclerosis had 14 per cent and Senile psychosis 3 per cent. The groups with the highest percentage of improved were: Dementia Praecox, 66.3, General Paroxysm, 62.6, Epilepsy, 61.7, Cerebral Arteriosclerosis, 57.3 and Alcoholic, 48.3.

TABLES 18 to 20. - Death rates. Total deaths during the year were 3,339, which corresponded to 54.5 deaths per 1,000 patients under treatment and to 39 per 100 first admissions. The average death rate for the ten-year period per 1,000 patients treated was 51.

For a study of death rates according to psychoses groups see Table 72.

TABLE 21. - Financial. Total receipts amounted to \$19,215,436, an increase of \$678,281 over total receipts of the previous year. Of total receipts, \$12,502,685 was received from the provincial governments, \$1,960,605 from the Dominion government, \$1,013,073 from municipalities, \$2,625,219 from paying patients and \$1,113,956 from all other sources.

Les TABLEAUX 7 à 10 montrent le même mouvement des patients par province.

TABLEAUX 11 et 12. - Ces tableaux montrent le nombre de premières admissions et de réadmissions pour chaque année de 1930 à 1943 inclusivement.

Le plus grand nombre de premières admissions a été en 1936 avec 9,002; il y a diminution régulière dans le nombre de premières admissions pendant les quatre années qui suivent, mais depuis 1940, les premières admissions augmentent chaque année pour s'établir à 8,556 en 1943.

En 1943, le nombre de réadmissions est de 2,390. La moyenne des réadmissions pour la période décennale de 1933-1942 est de 2,153.

TABLEAUX 13 à 17. - Ces tableaux montrent le nombre de sorties et de décès, l'état des patients à la sortie, le taux des guérisons et d'amélioration des patients sortant de l'hôpital, par provinces. En 1943, le nombre de patients libérés, à l'exclusion des décès, est de 6,834, diminution de 1.1 pour cent sur l'année précédente. Le nombre de décès est de 3,339, augmentation de 17 pour cent sur le nombre enregistré l'année précédente. La proportion de sorties par 100 admissions directes est de 62.4, tandis que le taux des sorties par 100 personnes traitées est de 11.2.

Le taux des guérisons par 100 personnes traitées est de 3.0 -- 2.5 chez les hommes et 3.5 chez les femmes -- tandis que le pourcentage de patients améliorés par 100 personnes traitées est de 5.5. Voir le tableau 62 pour les taux de guérisons et d'amélioration, par psychose.

Parmi les groupes de psychoses ayant 100 admissions ou plus, les manies dépressives (57.1); les psychoses alcooliques (43.3), et les psycho-névroses (40.5) accusent le plus fort pourcentage de guérisons. Les trois groupes de paroxysme général, d'épilepsie et de démence précoce ont un pourcentage respectif de guérisons de 22.0, 17.2 et 17.9. L'artériosclérose cérébrale accuse un pourcentage de 14 et la psychose senile un pourcentage de 3. Les groupes dans lesquels le pourcentage d'amélioration est le plus élevé sont les suivants: démence précoce, 66.3, paroxysme général, 62.6, épilepsie, 61.7, artériosclérose cérébrale, 57.3, et psychoses alcooliques, 48.3.

TABLEAUX 18 à 20. - Mortalité. Le total des décès pendant l'année est de 3,339, ce qui équivaut à 54.5 décès pour 1,000 patients traités et à 39 pour 100 premières admissions. La moyenne de la mortalité pour la période décennale pour 1,000 patients traités est de 51.

Le tableau 72 donne une étude des taux de décès par groupes de psychoses.

TABLEAU 21. - Finances. Les recettes totales sont de \$19,215,436, augmentation de \$678,281 sur celles de l'année précédente. De cette somme, \$12,502,685 ont été versés par les gouvernements provinciaux, \$1,960,-605 par le Gouvernement fédéral, \$1,013,073 par les municipalités, \$2,625,219 par les patients payants et \$1,113,956 proviennent d'autres sources.

Total expenditures amounted to \$19,199,206, of which sum \$18,204,643 went to maintenance of patients. Non-maintenance expenditures totalled \$944,563.

Excluding non-maintenance expenditures, and based on the daily average number under care, the annual per capita cost of maintenance was \$407.

TABLE 22. - Personnel. Total personnel numbered 8,866, an increase of 333 or 4.0 per cent over total personnel of previous year. Both the medical and trained nursing staffs showed decreases from the previous year, there being 12 less doctors and 90 less nurses than in 1942. Ward aides rose from 2,820 in 1942 to 3,186 in 1943. The number of dietitians, occupational therapists, teachers and social workers showed a slight decrease from the previous year but all other employees rose from 2,513 in 1942 to 2,534 in 1943.

The ratio of all personnel to patients on December 31, 1943 was 1 to 5.5. The corresponding ratio at the end of the preceding year was 1 to 5.7. The number of patients to each nurse and attendant was 11.1 and to each graduate nurse 49.9.

Les dépenses totales s'élèvent à \$19,199,206, dont \$18,204,643 pour l'entretien des patients. Les dépenses qui ne concernent pas l'entretien des patients s'élèvent au total de \$944,563.

Si l'on ne tient pas compte des dépenses ne concernant pas l'entretien et en se basant sur la moyenne quotidienne de patients en soin, le coût annuel d'entretien par patient est de \$407.

TABLEAU 22. - Personnel. Le personnel global se chiffre à 8,866, augmentation de 333 ou 4.0 pour cent sur l'année précédente. Le personnel médical et le personnel infirmier diminuent au regard de l'année précédente; il y a 12 médecins et 90 infirmières de moins qu'en 1942. Les aides-infirmiers et infirmières passent de 2,820 en 1942 à 3,186 en 1943. Le nombre de diététistes, de thérapeutes professionnels, de professeurs et assistants sociaux diminue légèrement sur l'année précédente, mais le nombre de tous les autres employés augmente de 2,513 en 1942 à 2,534 en 1943.

La proportion de personnel complet par rapport au nombre de patients le 31 décembre 1943 est de 1 à 5.5. A la fin de l'année précédente, cette proportion était de 1 à 5.7. Le nombre de patients pour chaque infirmier et infirmière et leurs aides est de 11.1; le nombre de patients pour chaque infirmier ou infirmière diplômé est de 49.9.

The twenty-four general tables which follow are based on the annual reports received from each mental institution and cover movement of population, personnel and financial statement for the year under review.

Les vingt-quatre tableaux généraux qui suivent sont basés sur les rapports annuels des hôpitaux d'aliénés et couvrent le mouvement de la population, le personnel et les finances pour l'année d'observation.

Table 1 - Mental Institutions in Canada, December 31, 1943.
 Tableau 1 - Institutions pour aliénés au Canada, le 31 décembre 1943.

Location localité	Name of institution Nom de l'institution	Normal capacity ⁽¹⁾ Capacité normale	Location localité	Name of institution Nom de l'institution	Normal capacity ⁽¹⁾ Capacité normale
PRINCE EDWARD ISLAND					
Provincial hospital - Hôpital provincial			ONTARIO	Provincial hospitals - Hôpitaux provinciaux	
* Charlottetown	Fallowfield Hospital	275	* Brockville	The Ontario Hospital	848
NOVA SCOTIA					
Provincial hospitals - Hôpitaux provinciaux			* Cobourg	The Ontario Hospital	419
* Dartmouth	Nova Scotia Hospital	600	* Fort William	The Ontario Hospital	75
* Brookside, Truro	Nova Scotia Training School	150	* Hamilton	The Ontario Hospital	1,065
County hospitals - Hôpitaux de comté			* Kingston	The Ontario Hospital	1,147
Bridgetown	Annapolis County Hospital	80	* Langstaff	The Ontario Hospital	430
Mabou	Inverness County Asylum	150	* London	The Ontario Hospital	1,230
Stellarton	Pictou County Asylum	140	* New Toronto	The Ontario Hospital	1,390
Sydney River	Cape Breton County Hospital	350	* Orillia	The Ontario Hospital	2,177
Waterville	Kings County Asylum	150	* Penetanguishene	The Ontario Hospital	621
County and municipal institutions - Institutions de comté et de municipalité			* Toronto	The Ontario Hospital	1,255
Antigonish	Antigonish County Home	50	* Whitby	The Ontario Hospital	1,500
Colchester	Colchester County Home and Mental Hospital	200	* Woodstock	The Ontario Hospital	1,245
DaySpring	Lunenburg County Home	115	Toronto	Toronto Psychiatric Hospital	80
Halifax	Halifax City Home (2)	250	Dominion hospital - Hôpital du Dominion		
Marshalltown	Digby County Asylum	20	* London (4)	Newminster Psychopathic Hosp.	517
Middlefield	Queens County Asylum	20	Private institution - Institution privée		
Pugwash	Cumberland County Home	175	Quelph	The Homewood Sanitarium	140
Shelburne	Shelburne County Home	50	MANITOBA		14,239
South Maitland	East Hants Municipal Home	70	Provincial hospitals - Hôpitaux provinciaux		
Truro	Colchester County Home	105	* Brandon	Hospital for Mental Diseases	1,300
		2,956	* Portage la Prairie	The Manitoba School	476
			* Selkirk	Hospital for Mental Diseases	590
			* Winnipeg	Manitoba Psychopathic Hosp.	36
					2,504
NEW BRUNSWICK					
Provincial hospital - Hôpital provincial			SASKATCHEWAN	Provincial hospitals - Hôpitaux provinciaux	
* Saint John	The Provincial Hospital	1,250	* North Battleford	Provincial Mental Hospital	1,320
QUEBEC			* Weyburn	Saskatchewan Mental Hospital	1,860
Provincial hospitals - Hôpitaux provinciaux			ALBERTA	Provincial hospitals - Hôpitaux provinciaux	
* Baie St-Paul	Hôpital Ste-Anne	800	* Claresholm	Provincial Auxiliary Hosp.	100
* Bordeaux	Hôpital de Bordeaux	300	* Edmonton (Oliver)	Provincial Mental Institute	1,033
* Gamelin	Hôpital St-Jean de Dieu et annexes	5,800	* Ponoka	Provincial Mental Hospital	1,300
* Mastai	Hôpital St-Michel Archange et annexes	3,300	* Raymond	Provincial Auxiliary Hosp.	118
* Mastai	Ecole La Jérémie	450	* Red Deer	Provincial Training School	282
* St-Ferdinand	Hôpital St-Julien	330			2,830
* Verdun	Verdun Protestant Hospital	1,200	BRITISH COLUMBIA	Provincial hospitals - Hôpitaux provinciaux	
Dominion hospital - Hôpital du Dominion			* Colquitt	Provincial Mental Home	{
Ste-Anne de Bellevue	Ste. Anne's Hospital (3)	372	* Hazelton	Provincial Mental Hospital	(2,425
Private institution - Institution privée			* New Westminster	Public Hospital for Insane	{
Montreal	Retraite St-Benoit	200	Private institution - Institution privée		
		13,372	New Westminster	The Hollywood Sanitarium	35
					2,455
				C A X A D A	42,454

* Institutions on the card system.

(1) Normal capacity for mental patients only.

(2) Total capacity of Halifax City Home, 500 beds.

(3) " " " Ste. Anne's Hospital, 1,111 beds.

(4) " " " Westminster Hospital, London, Ont., 1,159 beds.

* Institutions ayant adopté le système de fiches.

(1) Capacité normale pour aliénés seulement.

(2) Halifax City Home a une capacité totale de 500 lits.

(3) L'hôpital Ste-Anne a une capacité totale de 1,111 lits.

(4) L'hôpital Westminster a une capacité totale de 1,159 lits.

Table 2 - Classification of Mental Institutions.
Tableau 2 - Classification des Institutions pour aliénés.

Province	Institutions	Provincial Institutions Institutions provinciales			County and Municipal Hospitals Institutions de comté ou de municipalité			Other Institutions Autres institutions	
		Hospitals Hôpitaux	Training schools Hôpitaux-écoles	Psychiatric hospitals Hôpitaux psychiatriques	Hospitals Hôpitaux	Asylums Asiles	Homes Hospices	Dominion hospitals Hôpitaux fédéraux	Private institutions Institutions privées
Prince Edward Island	1	1	-	-	-	-	-	-	-
Nova Scotia	17	1	1	-	3	5	7	-	-
New Brunswick	1	1	-	-	-	-	-	-	-
Quebec	9	6	1	-	-	-	-	1	1
Ontario	18	12	1	1	-	-	-	1	1
Manitoba	4	2	1	1	-	-	-	-	-
Saskatchewan	2	2	-	-	-	-	-	-	-
Alberta	5	4	1	-	-	-	-	-	-
British Columbia	4	3	-	-	-	-	-	-	1
C A N A D A	59	32	5	2	3	5	7	2	3

Table 3 - Patients under care on December 31, 1943, by type of hospital.
Tableau 3 - Patients sous traitement le 31 décembre 1943, par genre d'hôpital.

Type of Hospital Genre d'hôpital	In hospital Dans l'hôpital			Boarding out En pension			On parole En congé			Total on books Total inscrits		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Provincial hospitals Hôpitaux provinciaux	21,529	18,331	39,860	166	274	440	1,736	1,968	5,891	23,430	20,561	43,991
Provincial training schools Hôpitaux-écoles provinciaux	2,304	1,754	3,968	25	78	102	117	74	191	2,344	1,806	4,280
Psychiatric Hospitals Hôpitaux psychiatriques	42	41	83	-	-	-	-	-	-	42	41	83
County and municipal institutions Institutions de comté et de municipalité	863	876	1,738	-	-	-	-	-	-	863	876	1,738
Dominion hospitals Hôpitaux fédéraux	794	2	796	-	-	-	-	-	-	794	2	796
Private institutions Institutions privées	101	96	196	-	-	-	8	11	17	107	108	213
T O T A L	25,635	21,098	46,631	189	362	641	1,858	2,041	5,898	27,560	23,491	51,071

Table 4 - Classification of resident patients at end of year according to mental status.
Tableau 4 - Classification des malades internés à la fin de l'année d'après l'état mental.

Province	Total patients Tous les patients			Insane Aliénés			Mental defectives Arrêtés mentaux			Epileptics Épileptiques			All other types Tous les autres types		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	132	133	272	181	131	262	3	-	3	1	1	2	4	1	5
Nova Scotia	1,182	1,080	2,242	986	869	1,854	182	179	361	8	10	18	7	2	9
New Brunswick	664	555	1,219	499	445	944	102	81	183	62	23	76	11	6	17
Quebec	7,366	6,632	13,998	5,067	4,844	9,711	2,133	1,748	3,878	132	100	232	34	43	77
Ontario	7,795	7,102	14,897	6,074	5,416	11,490	1,616	1,483	2,999	148	150	296	57	53	110
Manitoba	1,589	1,406	2,995	1,313	1,078	2,391	254	316	569	7	4	11	15	9	24
Saskatchewan	2,521	1,600	4,121	1,974	1,127	3,101	610	456	966	19	11	30	18	8	24
Alberta	1,877	1,126	3,003	1,577	917	2,494	288	201	489	9	4	13	28	4	27
British Columbia	2,400	1,564	3,964	2,024	1,244	3,268	370	337	707	2	-	2	4	3	7
C A N A D A	25,635	21,098	46,631	19,644	15,871	35,518	5,336	4,797	10,135	378	303	681	173	127	300

Table 5 - Total resident patients in mental institutions and their proportion per 10,000 of estimated population.
 Tableau 5 - Total des patients présents dans les asiles d'aliénés et leur proportion pour 10,000 de la population estimative.

Province	Total resident patients in mental hospitals						Increase or decrease	Males per 100 females, Dec. 31, 1943	Proportion per 10,000 of mean population Dec. 31, 1943			
	January 1st, 1943			December 31st, 1943								
	M.	F.	T.	M.	F.	T.						
Prince Edward Island	142	129	271	139	153	272	1	0.4	104.8			
Nova Scotia	1,184	1,051	2,235	1,182	1,060	2,243	7	0.3	111.6			
New Brunswick	565	578	1,243	564	566	1,219	- 24	- 1.9	119.8			
Quebec	7,261	6,323	13,584	7,366	6,532	13,898	314	2.3	112.8			
Ontario	7,764	7,010	14,774	7,795	7,102	14,897	123	0.8	109.8			
Manitoba	1,583	1,351	3,234	1,589	1,406	3,295	81	2.1	115.0			
Saskatchewan	2,495	1,649	4,042	2,521	1,600	4,121	78	2.0	167.5			
Alberta	1,662	1,066	2,928	1,677	1,126	3,003	75	2.6	182.7			
British Columbia	2,373	1,585	3,958	2,400	1,584	3,984	26	0.7	151.5			
CANADA	25,827	20,842	45,969	25,533	21,093	46,631	662	1.4	121.0			
									39.5			

Table 6 - Movement of patient population in mental institutions during 1943, by mental status.
 Tableau 6 - Mouvement de la population internée dans les institutions d'aliénés, en 1943, selon l'état mental.

Item	Détail	TOTAL			Insane Aliénés			Mental defectives Arrêtés mentaux			Epileptics Épileptiques			All other types Tous autres types		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNÉE																
In hospital - Dans l'hôpital	25,327	20,842	45,969	19,524	15,586	35,110	5,266	4,627	9,892	368	290	658	170	139	309	
Boarding out - En pension	180	586	566	147	249	396	31	136	167	1	-	1	1	1	2	
On parole - En congé	1,918	1,847	3,763	1,405	1,410	2,815	447	394	841	37	25	62	27	18	45	
TOTAL	27,423	22,875	50,296	21,076	17,246	38,321	6,743	5,157	10,900	406	315	721	198	156	356	
ADMISSIONS																
First admissions - Premières admissions	4,826	5,800	8,526	3,864	3,228	6,692	580	506	1,086	66	59	127	314	338	452	
Readmissions - Réadmissions	1,209	1,181	2,390	1,001	1,073	2,074	76	62	137	15	6	19	120	40	160	
Transfers received - Transferts reçus	441	383	784	342	279	621	69	52	101	4	3	7	28	9	35	
TOTAL	6,276	5,434	11,710	5,007	4,580	9,557	726	599	1,323	95	68	153	460	187	647	
SEPARATIONS																
Discharges - Sorties	3,719	3,116	6,834	2,935	2,544	5,579	316	261	576	46	31	77	422	190	602	
Transfers sent out - Transferts envoyés	441	323	764	363	278	621	86	53	118	5	6	9	10	6	16	
Deaths - Décès	1,980	1,379	3,359	1,680	1,208	2,888	216	137	382	27	16	43	38	18	56	
TOTAL	6,119	4,818	10,937	4,958	4,150	9,008	635	431	1,046	76	55	129	470	204	674	
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNÉE																
In hospital - Dans l'hôpital	26,643	21,093	46,631	19,844	16,871	35,515	5,338	4,727	10,135	376	303	681	173	127	300	
Boarding out - En pension	189	352	541	151	241	392	37	111	148	-	-	-	1	-	1	
On parole - En congé	1,858	2,041	3,899	1,330	1,583	2,913	477	417	894	37	27	64	14	14	28	
TOTAL	27,580	25,491	51,071	21,125	17,695	38,820	5,852	5,325	11,177	415	330	745	186	141	329	
Surplus of admissions over separations during year - Excédent d'admissions sur les séparations durant l'année	157	616	773	42	450	499	109	168	277	9	15	24	-10	-17	-27	

Table 7 - Movement of total patient population in mental institutions during 1943, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNÉE													
In hospital - Dans l'hôpital	25,327	20,642	45,969	142	129	271	1,184	1,051	2,236	665	578	1,243	
Boarding out - En pension	180	388	566	-	-	-	-	-	-	-	-	-	
On parole - En congé	1,916	1,847	3,763	-	-	-	40	23	63	241	172	413	
T O T A L	27,423	22,875	50,298	142	129	271	1,224	1,074	2,298	906	750	1,656	
ADMISSIONS													
First admissions - Premières admissions	4,626	3,930	8,556	31	22	53	246	181	427	151	130	281	
Readmissions - Réadmissions	1,203	1,181	2,390	28	23	52	54	47	131	42	30	72	
Transfers received - Transferts reçus	441	323	764	-	-	-	49	43	92	-	-	-	
T O T A L	6,276	5,434	11,710	59	45	104	349	271	620	193	160	353	
SEPARATIONS													
Discharges - Sorties	3,718	3,116	6,834	53	37	90	199	147	346	121	97	218	
Transfers sent out - Transferts envoyés	441	323	764	-	-	-	49	43	92	-	-	-	
Deaths - Décès	1,980	1,379	3,359	9	4	13	102	86	168	68	47	113	
T O T A L	6,119	4,818	10,937	62	41	203	380	256	606	167	144	331	
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNÉE													
In hospital - Dans l'hôpital	26,533	21,028	46,631	139	133	272	1,102	1,060	2,242	884	555	1,219	
Boarding out - En pension	189	352	541	-	-	-	-	-	-	-	-	-	
On parole - En congé	1,858	2,041	3,899	-	-	-	41	28	70	248	211	458	
T O T A L	27,590	23,421	51,071	139	133	272	1,223	1,089	2,312	912	786	1,678	

Table 8 - Movement of insane population in mental institutions during 1943, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNÉE													
In hospital - Dans l'hôpital	19,524	15,586	35,110	134	129	263	993	862	1,855	503	469	972	
Boarding out - En pension	147	249	396	-	-	-	-	-	-	-	-	-	
On parole - En congé	1,405	1,410	2,816	-	-	-	23	15	38	223	159	382	
T O T A L	21,076	17,245	38,321	134	129	266	1,016	677	1,893	726	628	1,364	
ADMISSIONS													
First admissions - Premières admissions	3,664	3,228	6,892	20	16	36	214	165	369	134	118	262	
Readmissions - Réadmissions	1,001	1,073	2,076	18	19	37	49	42	91	39	29	68	
Transfers received - Transferts reçus	342	279	621	-	-	-	42	42	91	-	-	-	
T O T A L	5,007	4,580	9,587	38	35	73	312	239	551	173	147	320	
SEPARATIONS													
Discharges - Sorties	2,935	2,646	5,679	33	29	62	279	128	302	112	94	206	
Transfers sent out - Transferts envoyés	343	278	621	-	-	-	49	43	92	-	-	-	
Deaths - Décès	1,680	1,208	2,888	8	4	12	95	62	157	60	47	107	
T O T A L	4,968	4,130	9,088	41	33	74	323	238	551	172	141	313	
ON BOOKS AT END OF YEAR - INSCRITS À LA FIN DE L'ANNÉE													
In hospital - Dans l'hôpital	19,644	15,871	35,515	131	131	282	985	847	1,854	490	445	944	
Boarding out - En pension	151	241	392	-	-	-	-	-	-	-	-	-	
On parole - En congé	1,330	1,583	2,913	-	-	-	20	18	39	225	209	417	
T O T A L	21,125	17,695	38,820	131	131	282	1,005	888	2,893	727	634	1,381	

Tableau 7 - Mouvement de la population internée dans les hôpitaux d'aliénés en 1943, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
7,261	6,323	13,584	7,764	7,010	14,774	1,583	1,551	2,934	2,493	1,549	4,042	1,862	1,066	2,928	2,373	1,586	3,968
-	-	-	172	382	554	8	6	12	-	-	-	-	-	-	-	-	-
843	772	1,621	856	712	1,269	64	41	116	-	-	-	45	9	54	121	107	228
8,110	7,095	15,205	8,432	8,105	16,597	1,606	1,405	3,061	2,433	1,543	4,042	1,907	1,076	2,962	2,494	1,592	4,186
1,563	1,143	2,706	1,375	1,483	2,806	238	234	452	336	271	607	271	196	465	425	332	757
276	278	550	421	475	896	113	114	227	101	60	161	52	87	119	123	90	213
58	28	84	223	107	330	61	77	138	5	5	10	47	63	110	-	-	-
1,894	1,448	3,342	2,019	2,012	4,031	402	415	817	442	336	778	370	325	895	648	422	970
1,022	657	1,679	1,243	1,277	2,520	236	229	466	247	186	432	212	167	379	385	320	706
56	26	84	223	107	330	61	77	138	5	3	10	47	63	110	-	-	-
618	430	1,048	616	534	1,150	114	66	179	162	96	257	94	31	125	179	107	286
1,896	1,115	2,811	2,082	1,918	4,000	411	371	782	414	285	693	353	261	614	364	227	991
7,386	6,532	13,998	7,795	7,102	14,897	1,583	1,406	2,936	2,621	1,600	4,121	1,877	1,126	3,003	2,400	1,586	3,968
-	-	-	182	349	531	7	3	10	-	-	-	-	-	-	-	-	-
542	890	1,838	452	748	1,200	50	41	91	-	-	-	47	13	60	78	105	181
6,306	7,428	15,736	8,129	8,199	16,528	1,646	1,460	3,096	2,521	1,600	4,121	1,924	1,139	3,063	2,478	1,587	4,166

Tableau 8 - Mouvement de la population aliénée dans les hôpitaux d'aliénés en 1943, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
4,942	4,513	9,451	5,083	5,371	11,464	1,308	1,028	2,336	1,982	1,102	3,084	1,674	869	2,443	1,995	1,237	3,232
-	-	-	139	248	385	8	3	11	-	-	-	-	-	-	-	-	-
569	686	1,254	390	502	892	66	47	102	-	-	-	31	5	26	114	97	211
5,511	5,204	10,715	6,622	6,119	12,741	1,371	1,079	2,449	1,982	1,102	3,084	1,806	874	2,479	2,109	1,534	3,445
1,223	830	2,143	1,058	1,164	2,222	198	200	398	259	216	475	196	145	341	362	294	656
246	245	491	323	431	756	105	111	216	79	54	133	46	62	108	94	80	174
11	20	31	193	88	281	56	76	131	1	1	2	32	53	85	-	-	-
1,480	1,185	2,665	1,676	1,683	3,259	359	386	745	359	271	610	274	260	534	456	374	850
804	533	1,337	234	1,035	1,969	208	221	419	187	163	360	148	130	278	320	276	596
10	17	27	121	57	279	58	76	134	2	2	4	32	53	85	-	-	-
493	512	945	517	482	1,019	101	68	169	148	81	239	93	27	110	155	95	250
1,307	953	2,269	1,663	1,694	3,287	367	346	712	347	246	593	263	210	473	475	371	846
6,067	4,644	9,711	6,074	6,416	11,490	1,313	1,078	2,391	1,974	1,127	3,101	1,637	917	2,494	2,024	1,244	3,268
-	-	-	144	238	382	7	3	10	-	-	-	-	-	-	-	-	-
617	693	1,310	317	544	861	43	38	81	-	-	-	39	7	46	66	55	159
5,684	5,337	11,021	6,535	6,196	12,733	1,363	1,113	2,482	1,974	1,127	3,101	1,618	924	2,540	2,090	1,337	3,427

Table 9 - Movement of mental defective population in mental institutions during 1943, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital	5,266	4,627	9,893		4	-	4	178	176	350	100	81	181
Boarding out - En pension	31	136	167		-	-	-	-	-	-	-	-	-
On parole - En congé	447	394	841		-	-	-	17	9	26	12	11	23
T O T A L	5,743	5,157	10,990		4	-	4	192	183	375	112	92	204
ADMISSIONS													
First admissions - Premières admissions	580	506	1,085		-	-	1	27	22	49	12	10	23
Readmissions - Réadmissions	75	62	137		-	-	-	4	5	9	2	1	3
Transfers received - Transferts reçus	69	32	101		-	-	-	-	1	-	-	-	-
T O T A L	724	599	1,323		1	-	1	31	28	59	14	11	25
SEPARATIONS													
Discharges - Sorties	315	281	576		1	-	1	16	20	36	5	3	8
Transfers sent out - Transferts envoyés	89	38	118		-	-	-	-	-	-	7	-	-
Deaths - Décès	216	137	352		1	-	1	4	2	6	6	-	6
T O T A L	618	431	1,046		2	-	2	20	22	42	11	3	14
ON BOOKS AT END OF YEAR - INSCRITS A LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital	5,388	4,797	10,136		3	-	3	182	179	361	102	81	193
Boarding out - En pension	37	111	148		-	-	-	-	-	-	-	-	-
On parole - En congé	477	417	894		-	-	-	21	10	31	13	19	32
T O T A L	5,822	5,326	11,177		3	-	3	203	189	332	116	100	214

Table 10 - Movement of epileptic population in mental institutions during 1943, by provinces.

Item	Détail	CANADA			Prince Edward Island			Nova Scotia			New Brunswick		
		M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
ON BOOKS AT BEGINNING OF YEAR - INSCRITS AU COMMENCEMENT DE L'ANNEE													
In hospital - Dans l'hôpital	368	290	658		1	-	1	10	11	21	61	43	74
Boarding out - En pension	1	-	1		-	-	-	-	-	-	-	-	-
On parole - En congé	37	25	62		-	-	-	-	-	-	5	2	7
T O T A L	406	316	721		1	-	1	10	11	21	66	45	71
ADMISSIONS													
First admissions - Premières admissions	88	59	127		-	2	2	2	1	3	4	-	7
Readmissions - Réadmissions	11	6	19		-	-	-	-	-	-	-	-	-
Transfers received - Transferts reçus	4	3	7		-	-	-	-	-	-	-	-	-
T O T A L	88	68	163		-	2	2	2	1	3	1	-	1
SEPARATIONS													
Discharges - Sorties	45	31	77		-	1	1	1	1	2	-	-	-
Transfers sent out - Transferts envoyés	3	6	9		-	-	-	-	-	-	-	-	-
Deaths - Décès	27	16	43		-	-	-	3	1	4	-	-	-
T O T A L	76	53	129		-	1	1	4	2	6	-	-	-
ON BOOKS AT END OF YEAR - INSCRITS A LA FIN DE L'ANNEE													
In hospital - Dans l'hôpital	378	303	681		1	1	2	8	10	16	32	23	55
Boarding out - En pension	-	-	-		-	-	-	-	-	-	-	-	-
On parole - En congé	37	27	84		-	-	-	-	-	-	5	2	7
T O T A L	416	330	746		1	1	2	8	10	18	57	28	81

Tableau 9 - Mouvement de la population des arrivées mentaux dans les institutions d'aliénés en 1943, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
2,144	1,646	3,790	1,472	1,447	2,919	263	310	563	481	450	911	264	191	466	372	347	719
-	-	-	31	185	166	-	1	1	-	-	-	-	-	-	-	-	-
261	167	428	187	191	328	5	3	6	-	-	-	9	4	13	6	10	16
2,405	1,813	4,218	1,640	1,773	3,413	258	314	572	491	430	911	273	196	468	378	357	735
223	187	420	166	169	335	18	14	32	63	50	113	20	31	51	40	38	82
28	29	51	17	20	37	4	1	5	12	5	17	4	-	4	9	2	11
22	2	24	25	18	41	3	-	3	4	3	7	16	10	29	-	-	-
278	217	495	208	205	413	26	16	40	79	58	137	59	41	80	49	46	73
119	34	153	94	140	234	10	6	16	34	16	60	14	18	32	22	24	46
37	5	42	27	18	43	3	-	3	3	2	5	16	10	28	-	-	-
86	58	143	68	42	100	12	6	18	13	14	27	9	3	12	24	12	36
244	97	341	173	198	371	25	12	37	60	32	82	38	31	69	46	38	82
2,133	1,745	3,878	1,516	1,483	2,999	264	315	589	510	488	968	268	201	469	370	337	707
-	-	-	37	111	148	-	-	-	-	-	-	-	-	-	-	-	-
306	188	494	116	186	302	4	2	6	-	-	-	6	4	10	11	8	19
2,459	1,933	4,372	1,669	1,780	3,449	268	317	576	510	486	966	274	205	479	381	345	726

Tableau 10 - Mouvement de la population épileptique dans les institutions d'aliénés en 1943, par province.

Québec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
121	94	218	165	147	306	6	4	10	14	8	22	5	3	8	2	-	2
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	6	14	20	16	36	1	1	2	-	-	-	3	-	3	-	-	-
189	100	289	172	163	332	7	5	12	14	8	22	9	5	11	2	-	2
36	17	53	20	30	50	-	-	-	4	5	9	3	3	6	2	1	3
3	1	4	6	b	10	-	-	-	4	-	4	1	-	1	-	-	-
-	-	-	3	2	6	1	-	1	-	1	1	-	-	-	-	-	-
39	18	57	28	37	65	1	-	1	8	5	14	4	3	7	2	1	3
10	1	11	28	22	50	1	1	2	2	2	4	2	2	4	2	1	3
-	2	2	5	3	6	-	-	-	-	1	2	-	-	-	-	-	-
10	6	16	13	9	22	-	-	-	1	-	1	-	-	-	-	-	-
20	9	29	44	34	78	1	1	2	3	3	6	2	2	4	2	1	3
132	100	232	148	150	298	7	4	11	10	11	30	9	4	13	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9	25	15	16	31	-	-	-	-	-	-	1	-	-	-	-	-
148	109	257	161	166	329	-	4	11	19	13	30	10	4	14	2	-	2

Table 11 - First admissions and readmission, 1930-1943.
 Tableau 11 - Premières admissions et réadmission, 1930-1943.

Year - Année	CANADA	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
First admissions - Premières admissions										
1930	7,532	49	410	155	2,072	2,819	416	531	322	628
1931	7,380	109	389	140	1,985	2,803	489	514	316	505
1932	7,285	45	297	135	2,094	3,071	204	460	421	548
1933	7,638	46	340	174	2,186	2,934	607	483	399	500
1934	7,910	52	369	182	2,276	3,043	309	543	526	637
1935	8,703	57	359	205	2,420	3,370	535	533	556	646
1936	8,002	57	248	228	2,529	3,419	452	606	684	748
1937	8,705	51	346	187	2,501	3,169	475	609	533	796
1938	8,581	63	419	252	2,561	3,009	412	568	512	786
1939	8,301	64	368	320	2,123	3,066	414	608	611	829
1940	7,736	49	384	260	2,089	2,752	399	563	446	772
1941	7,902	62	469	312	2,164	2,772	432	565	451	766
1942	8,410	73	470	283	2,495	2,796	400	578	502	802
1943	8,586	55	427	281	2,708	2,805	452	607	468	757
Readmissions - Réadmissions										
1930	1,789	35	76	53	449	709	169	116	77	97
1931	1,791	3	50	54	571	637	156	100	91	115
1932	1,881	44	115	46	410	664	196	166	96	146
1933	1,676	29	92	41	390	661	114	148	100	111
1934	1,904	41	135	57	532	644	62	158	138	148
1935	2,166	50	229	49	577	713	147	145	119	111
1936	2,121	40	86	45	468	809	147	169	187	161
1937	2,258	39	92	56	576	803	154	146	152	199
1938	2,384	38	117	80	581	885	143	185	136	207
1939	2,250	38	112	105	428	880	179	184	145	171
1940	2,087	36	104	53	414	828	185	181	155	156
1941	2,401	31	104	40	495	807	179	180	180	234
1942	2,282	43	83	63	491	803	147	186	129	237
1943	2,390	51	101	72	650	896	227	181	119	213

Note - Are not contained in this table: Halifax City Home for 1931 and 1932, Manitoba Psychopathic Hospital for 1932 and 1934, Hollywood Sanitarium for 1933 and St. Ann's Hospital, Ste-Anne de Bellevue, for 1940.

- Ne sont pas compris dans ce tableau: l'Halifax City Home pour 1931 et 1932, l'hôpital psychopathique du Manitoba pour 1932 et 1934, le Sanitarium Hollywood pour 1933 et l'hôpital Ste-Anne, Ste-Anne de Bellevue, pour 1940.

Table 12 - Percentage of first admissions and readmissions to direct admissions.
 Tableau 12 - Pourcentages des premières admissions et des réadmissions par rapport aux admissions directes.

Province	First admissions - Premières admissions						Readmissions - Réadmissions										
	Direct admissions			Number			Percentage to direct admissions			Number							
	Admissions directes			Males Hommes		per 100 females femmes	Pourcentage par rapport aux ad- missions directes			Males Hommes		per 100 females femmes	Pourcentage par rapport aux ad- missions directes				
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
Prince Edward Island	69	45	104	51	22	53	140.9	62.6	48.9	51.0	28	23	51	121.7	47.5	51.1	48.0
Nova Scotia	300	228	528	246	181	427	135.9	82.0	79.4	80.9	54	47	101	114.9	18.0	20.6	19.1
New Brunswick	193	160	353	151	130	281	116.2	70.2	61.3	79.6	42	30	72	240.0	21.8	18.7	20.4
Quebec	1,638	1,420	3,258	1,583	1,145	2,708	135.5	85.0	80.5	83.1	275	275	550	100.0	15.0	19.4	15.3
Ontario	1,796	1,905	3,701	1,375	1,430	2,805	96.2	78.8	75.1	78.8	421	475	896	88.6	23.4	24.9	24.2
Manitoba	341	338	678	228	224	452	101.8	68.9	66.3	68.6	113	114	227	99.1	33.1	33.7	33.4
Saskatchewan	437	331	768	336	271	507	124.0	78.9	81.9	79.0	101	60	161	188.3	23.1	18.1	21.0
Alberta	323	262	585	271	196	408	139.0	83.9	74.4	79.7	62	67	113	77.6	16.1	26.6	20.3
British Columbia	548	422	970	428	382	757	128.0	77.6	78.7	78.0	123	90	213	138.7	22.4	21.3	22.0
C A N A D A	5,855	5,111	10,966	4,626	3,930	8,586	117.7	79.3	76.9	78.2	1,209	1,181	2,390	102.4	20.7	23.1	21.3

Table 13 - Discharges and deaths, 1930-1943.
 Tableau 13 - Sorties et décès, 1930-1943.

Year	Année	Canada	Prince Edward Islands	Newfoundland	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
Discharges - Sorties											
1930		6,388	61	191	103	1,356	2,209	385	305	241	421
1931		5,193	99	264	91	1,456	1,816	432	389	268	390
1932		4,948	98	333	51	1,059	2,349	140	278	315	345
1933		5,418	80	213	92	1,888	2,191	545	348	304	277
1934		6,511	83	292	68	1,381	2,379	168	386	382	382
1935		6,278	95	373	75	1,540	2,508	493	348	460	386
1936		6,727	77	288	149	1,805	2,452	349	419	482	486
1937		6,501	68	208	105	1,815	2,599	387	381	413	587
1938		6,956	88	310	221	1,832	2,457	596	446	412	614
1939		6,999	75	204	220	1,611	2,817	411	487	423	661
1940		6,444	80	814	179	1,390	2,672	386	394	442	588
1941		6,468	73	374	247	1,461	2,488	348	418	413	656
1942		6,911	97	377	208	1,808	2,619	376	410	417	700
1943		6,834	90	246	218	1,879	2,520	486	432	379	706
Deaths - Décès											
1930		2,816	27	165	65	681	783	120	106	83	204
1931		2,667	28	125	68	625	705	115	136	68	186
1932		2,325	29	115	69	728	833	133	152	79	192
1933		2,308	22	135	58	684	780	110	156	78	210
1934		2,263	19	138	89	682	740	89	201	84	201
1935		2,472	11	112	100	771	768	138	182	98	285
1936		2,537	16	122	84	766	831	133	186	141	289
1937		2,671	19	131	104	829	849	138	139	159	246
1938		2,604	13	168	87	769	917	144	187	140	182
1939		2,621	13	157	107	819	859	187	158	120	231
1940		2,587	6	140	86	750	877	151	177	134	264
1941		2,629	12	169	93	815	839	139	200	150	242
1942		2,654	24	160	85	845	932	160	218	106	272
1943		3,339	13	168	118	1,048	1,180	178	257	126	286

Note - Not included in this table: Halifax City Home, for 1931 and 1932; Manitoba Psychopathic Hospital for 1932 and 1934; Hollywood Sanitarium for 1933, and St. Ann's Hospital, Ste-Anne de Bellevue for 1940.

- Ne sont pas comprises dans ce tableau, l'Halifax City Home, pour 1931 et 1932, l'hôpital psychopathiques du Manitoba pour 1932 et 1934, le Sanitarium Hollywood pour 1933, et l'hôpital Ste-Anne, Ste-Anne de Bellevue pour 1940.

Table 14 - Condition of patients on discharge, by provinces.
 Tableau 14 - Etat des patients à leur sortie, par provinces.

Table 15 - Discharges with percentages according to condition on discharge.
 Tableau 15 - Sorties avec pourcentages selon l'état des patients à leur sortie.

Province	Total discharges			Recovered			Improved			Unimproved			W.p. and unclassified		
	Total des sorties			Guéris			Améliorés			Non améliorés			Sans psychose et non classifiés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	53	37	90	75.5	70.3	73.5	20.8	27.0	23.3	3.8	2.7	3.3	-	-	-
Nova Scotia	199	147	346	36.7	37.4	37.0	33.7	32.0	32.2	8.0	6.8	7.5	21.6	23.8	22.5
New Brunswick	121	97	218	8.3	9.3	8.7	80.0	82.9	82.4	29.7	27.8	28.9	-	-	-
Quebec	1,022	657	1,679	25.0	46.7	32.3	45.4	36.8	44.5	19.1	11.1	18.0	8.5	5.3	7.3
Ontario	1,247	1,277	2,520	24.3	30.1	27.3	54.8	53.1	52.9	11.4	7.8	9.3	9.8	11.5	10.5
Manitoba	236	229	465	24.2	19.2	21.7	53.4	65.1	59.1	18.2	10.8	14.6	4.2	4.8	4.4
Saskatchewan	247	185	432	7.5	18.0	9.7	58.7	57.3	56.9	35.2	29.7	32.9	0.8	-	0.5
Alberta	212	167	379	24.5	28.1	26.1	40.1	44.3	42.0	35.4	27.8	31.9	-	-	-
British Columbia	385	320	705	13.8	23.7	18.3	50.6	45.3	48.2	24.4	21.9	23.3	11.2	9.1	10.2
C A N A D A	3,718	3,116	6,834	22.6	31.2	26.0	60.7	47.7	49.5	18.5	12.8	15.9	8.1	8.2	8.2

Table 16 - Ratio of discharges according to condition on discharge per 100 direct admissions.
 Tableau 16 - Proportion des sorties selon l'état à la sortie pour 100 admissions directes.

Province	Total discharges			Recovered			Improved			Unimproved			W.p. and unclassified		
	Total des sorties			Guéris			Améliorés			Non améliorés			Sans psychose et non classifiés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	89.6	82.2	86.5	67.8	67.8	63.5	18.6	22.2	20.2	3.4	2.2	2.9	-	-	-
Nova Scotia	88.2	84.5	85.8	24.3	24.1	24.2	22.3	20.6	21.6	5.2	4.4	4.9	14.3	18.4	14.2
New Brunswick	62.7	60.8	61.8	5.2	5.8	5.4	38.8	38.1	38.5	18.7	16.9	17.6	-	-	-
Quebec	56.6	46.3	51.6	12.8	21.5	18.6	27.5	17.0	22.9	10.8	5.1	8.2	4.7	2.5	3.7
Ontario	69.2	67.0	68.1	16.8	20.2	18.6	37.9	34.2	36.0	7.8	4.9	6.3	6.8	7.7	7.2
Manitoba	69.2	67.8	68.5	18.7	15.0	14.9	37.0	44.1	40.5	12.6	7.4	10.0	2.9	3.3	3.1
Saskatchewan	56.8	56.9	56.3	4.1	7.3	6.6	32.0	38.0	32.0	18.8	16.8	18.5	0.5	-	0.3
Alberta	65.6	63.7	64.8	16.1	17.9	16.9	26.3	28.2	27.2	23.2	17.9	20.7	-	-	-
British Columbia	70.3	75.8	72.7	9.7	18.0	13.3	35.6	34.4	35.1	17.2	16.6	16.9	7.8	6.9	7.4
C A N A D A	63.7	81.0	62.4	14.4	15.0	16.5	32.3	39.3	30.8	21.8	7.8	10.0	5.2	5.0	5.1

Table 17 - Rates of discharges, of recoveries and improved per 100 patients treated.
 Tableau 17 - Proportion des sorties, des guérisons et améliorations pour 100 patients traités.

Province	Total discharges			Males per 100 females	Percentage of discharges per 100 patients treated			Recovery rates per 100 patients treated			Percentages of patients improved per 100 patients treated			
	Total des sorties				Proportion des sorties pour 100 patients traités			Proportion des guérisons pour 100 patients traités			Taux des améliorations par 100 patients traités			
	M.	F.	T.		M.	F.	T.	M.	F.	T.	M.	F.	T.	
Prince Edward Island	53	37	90	143.2	26.4	21.3	24.0	19.0	14.3	17.6	5.5	5.7	5.3	
Nova Scotia	199	147	346	135.4	13.1	11.3	12.2	4.8	4.2	4.5	4.4	3.8	4.0	
New Brunswick	121	97	218	124.7	11.0	10.7	10.9	0.9	1.0	0.9	6.8	6.7	6.8	
Quebec	1,022	657	1,679	155.6	10.3	7.7	9.1	2.4	3.6	2.9	5.1	2.8	4.0	
Ontario	1,247	1,277	2,520	97.3	12.1	12.8	12.4	2.9	3.8	3.4	6.6	6.5	6.6	
Manitoba	236	229	465	108.1	11.8	13.1	12.4	2.9	2.6	2.7	6.3	8.5	7.4	
Saskatchewan	247	185	432	133.6	8.4	9.8	9.0	0.6	1.3	0.9	4.9	5.8	5.1	
Alberta	212	167	379	126.9	9.6	12.5	10.6	2.3	3.6	2.8	3.8	5.5	4.3	
British Columbia	385	320	705	120.3	14.7	15.1	13.7	1.7	3.6	2.6	6.4	6.9	5.8	
C A N A D A	3,718	3,116	6,834	119.3	11.2	11.1	11.8	2.5	3.5	3.0	5.7	5.3	5.5	

Table 18 - Death rates to first admissions and direct admissions, and general mortality rates.
 Tableau 18 - Mortalité par rapport aux premières admissions et admissions directes, et mortalité générale.

Province	Deaths Décès			Males per 100 females Hommes par 100 Femmes	Death rates per 100 first admissions Mortalité pour 100 premières admissions			Death rates per 100 direct admissions Mortalité pour 100 admissions directes			General mortality rates per 1000 population Mortalité générale pour 1000 de population
	M.	F.	T.		M.	F.	T.	M.	F.	T.	
Prince Edward Island	9	4	13	225.0	29.0	18.2	24.5	16.3	8.9	12.5	10.0
Nova Scotia	102	56	158	184.5	41.5	36.5	39.3	34.0	32.3	31.8	10.7
New Brunswick	56	47	113	140.4	43.7	36.2	40.2	34.2	29.4	32.0	10.6
Quebec	618	430	1,048	143.7	39.6	37.6	38.7	33.6	30.3	32.2	10.1
Ontario	616	534	1,150	115.4	44.8	37.3	41.0	34.5	28.0	31.1	10.5
Manitoba	114	65	179	175.4	50.0	28.0	39.5	33.4	19.2	26.4	9.7
Saskatchewan	182	95	277	170.5	48.2	35.1	42.3	37.1	24.7	33.5	7.9
Alberta	94	31	125	303.2	34.7	25.9	26.8	29.1	11.8	21.4	8.2
British Columbia	179	107	286	167.5	42.1	32.2	37.8	32.7	25.4	33.5	11.1
CANADA	1,960	1,379	3,339	142.1	42.4	35.1	39.0	33.8	27.0	30.5	10.1

Table 19 - Death rates of average daily patient population and patients under treatment during year.
 Tableau 19 - Mortalité par rapport à la moyenne quotidienne de patients et par rapport aux patients traités durant l'année.

Province	Deaths Décès			Average daily patient population Moyenne quotidienne de patients	Death rates per 1000 average daily patients Mortalité pour 1000 de la moyenne quotidienne de patients			Patients under treatment during year Patients traités durant l'année			Death rates per 1000 patients under treatment Mortalité pour 1000 patients traités	
	M.	F.	T.		M.	F.	T.	M.	F.	T.		
Prince Edward Island	9	4	13	141	153	274	63.8	30.1	47.4	201	174	375
Nova Scotia	102	56	158	1,204	1,079	2,283	84.7	61.2	73.5	1,624	1,302	2,826
New Brunswick	56	47	113	667	581	1,248	99.0	80.9	90.5	1,089	910	2,009
Quebec	618	430	1,048	7,503	6,530	15,833	82.4	67.9	76.8	9,948	8,515	18,483
Ontario	616	534	1,150	7,872	7,214	15,066	78.2	74.0	76.2	10,288	10,010	20,298
Manitoba	114	65	179	1,605	1,387	2,892	71.0	46.0	59.8	1,996	1,744	3,740
Saskatchewan	182	95	277	2,608	1,876	4,084	64.0	60.3	62.9	2,930	1,880	4,810
Alberta	94	31	125	1,847	1,098	2,939	50.2	28.4	42.5	2,230	1,537	3,567
British Columbia	179	107	286	2,362	1,589	3,958	75.6	67.5	72.4	3,042	2,114	6,156
CANADA	1,960	1,379	3,339	25,710	20,981	46,697	76.2	65.7	71.5	35,289	27,906	61,244

Table 20 - Comparative mortality rates per 1000 patients treated, 1939-1945.
 Tableau 20 - Taux comparatifs de mortalité pour 1000 patients traités, 1939-1945.

Province	1939			1940			1941			1942			1943		
	M.	F.	T.												
Prince Edward Island	33.7	40.0	36.3	29.8	13.0	22.5	34.8	25.2	30.6	46.5	79.1	61.2	44.8	23.0	34.7
Nova Scotia	68.6	47.2	58.6	58.0	45.1	52.2	50.0	52.6	58.6	67.1	43.6	58.4	68.8	50.7	59.4
New Brunswick	68.5	49.1	69.3	49.4	45.2	47.8	58.8	34.2	46.0	47.1	43.6	45.6	60.1	51.6	58.2
Quebec	43.9	40.6	42.7	45.3	45.6	46.0	48.3	46.7	47.9	49.8	51.0	49.3	52.1	50.6	56.8
Ontario	44.8	42.1	43.8	46.8	42.4	44.7	43.8	41.4	42.6	46.9	51.9	49.3	58.9	53.3	56.7
Manitoba	50.1	39.8	46.4	46.4	46.3	46.8	38.0	41.1	39.4	45.6	57.4	41.8	57.1	37.3	47.8
Saskatchewan	42.5	30.0	37.3	44.3	34.2	40.8	48.2	36.1	44.2	54.2	32.2	40.3	55.3	50.6	53.4
Alberta	36.0	36.2	36.3	44.3	32.2	36.8	41.0	33.0	36.0	35.9	20.7	36.8	42.2	23.2	35.0
British Columbia	48.7	48.4	47.8	60.3	44.7	54.3	52.5	41.3	48.2	58.5	47.1	52.7	58.9	50.6	55.5
CANADA	47.8	44.0	46.1	47.8	42.2	45.1	47.7	42.8	45.0	49.2	48.3	47.6	58.2	40.3	54.6

Table 21 - Financial Statement.

Item	Détail	CANADA	Prince Edward Island(1)	Nova Scotia
RECEIPTS	RECETTES	\$	\$	\$
Payments - Federal	- <i>Paiements - Fédéraux</i>	1,900,504.58	-	5,838.05
Provincial	- <i>Provinciaux</i>	12,502,684.49	159,852.88	335,423.87
Municipal	- <i>Municipaux</i>	1,013,072.74	-	480,789.10
Received from paying patients	- <i>Reçus des internés ou des parents</i>	2,625,218.61	19,370.29	46,106.06
Received from other sources	- <i>Toutes autres recettes</i>	1,113,965.56	1,631.02	18,976.86
TOTAL RECEIPTS DURING YEAR	- RECETTES TOTALES DE L'ANNÉE	19,218,435.88	180,853.99	787,112.94
EXPENDITURES	DEPENSES			
<u>Maintenance</u>	<u>Entretien</u>			
Salaries and wages	- <i>Salaires et gages</i>	8,928,688.06	61,468.78	277,052.14
Provisions (food)	- <i>Provisions (nourriture)</i>	4,190,301.19	48,217.08	211,540.13
Fuel, power, light and water	- <i>Combustible, énergie, eau, etc.</i>	1,547,049.18	16,509.51	89,796.13
Other maintenance expenditures	- <i>Autres frais d'entretien</i>	3,558,104.80	43,660.82	169,697.06
TOTAL MAINTENANCE EXPENDITURES	- DEPENSES TOTALES D'ENTRETIEN	19,204,643.03	180,853.99	748,484.45
<u>Non-Maintenance</u>	<u>Non d'entretien</u>			
Additions, improvements, etc.	- <i>Améliorations, nouvelles bâtisses, etc.</i>	663,777.24	12,000.00	15,838.94
Expenditures for other purposes	- <i>Dépenses pour autres fins</i>	330,785.79	-	918.75
TOTAL NON-MAINTENANCE	- DEPENSES TOTALES NON D'ENTRETIEN	994,563.03	12,000.00	16,887.59
TOTAL EXPENDITURES DURING YEAR	- DEPENSES TOTALES DE L'ANNÉE	19,199,206.06	180,853.99	765,142.14

(1) Figures for Pictouwood Hospital, Charlottetown, P.E.I., are for a fifteen month period - January 1, 1943 to March 31, 1944.

(1) Les chiffres de l'Hôpital Pictouwood, Charlottetown, I.P.-E., sont pour une période de quinze mois, le juin 1943 au 31 mars 1944.

Table 22 - Personnel.

Class of employee	Classes d'employés	CANADA			Prince Edward Island			Nova Scotia		
		M.	F.	T.	M.	F.	T.	M.	F.	T.
ADMINISTRATIVE	- ADMINISTRATION									
Superintendents, medical	- <i>Surintendants, médicaux</i>	41	-	41	1	-	1	1	-	1
* others	- <i>* autres</i>	17	1	18	-	-	-	10	-	16
Matrons	- <i>Infirmières en chef</i>	1	43	44	-	1	1	-	15	15
Stewards or Business Managers	- <i>Intendantes ou gérantes d'affaires</i>	32	4	36	1	-	1	2	-	2
Clerical employees	- <i>Employées de bureau</i>	82	231	313	-	1	1	3	5	8
Total administrative	- <i>Total, administration</i>	173	279	452	2	2	4	22	20	42
PROFESSIONAL	- PROFESSIONNELS									
Physicians, full time	- <i>Médecins, temps entier</i>	81	16	107	1	-	1	1	1	2
* part time	- <i>* temps partiel</i>	70	2	72	-	-	-	18	2	20
Medical interns, full time	- <i>Médecins internes, temps entier</i>	19	1	20	-	-	-	1	-	1
* part time	- <i>* temps partiel</i>	16	1	17	-	-	-	1	-	1
Dentists, full time	- <i>Dentistes, temps entier</i>	12	2	14	-	-	-	-	-	-
* part time	- <i>* temps partiel</i>	27	1	28	1	-	1	6	1	6
Clinical assistants	- <i>Assistants cliniciens</i>	25	38	63	-	-	-	-	-	-
Total professional	- <i>Total, professionnels</i>	260	61	321	2	-	2	29	9	39
NURSING	- INFIRMIERS (FEM.)									
Graduate nurses	- <i>Infirmiers (fem.) diplômés</i>	23	946	969	-	1	1	16	13	31
Other nurses	- <i>Autres infirmiers (fem.)</i>	41	1,103	1,144	-	20	20	27	28	55
Attendants	- <i>Aides-infirmiers (fem.)</i>	2,476	710	3,186	18	-	18	84	28	82
Total nursing	- <i>Total, infirmiers (fem.)</i>	2,540	2,759	5,299	18	21	39	99	69	169
DIETITIANS	- DIETETISTES				1	-	-	-	-	-
OCCUPATIONAL THERAPISTS	- THERAPEUTISTES PROFESSIONNELS				18	77	95	-	1	1
TEACHERS AND SOCIAL WORKERS	- INSTITUTEURS (TRICES) ET ASSISTANTS SOCIAUX				14	64	78	-	4	8
ALL OTHER EMPLOYEES	- TOUS AUTRES EMPLOYES				1,683	941	2,624	17	6	22
TOTAL PERSONNEL	- TOTAL, PERSONNEL				4,657	4,200	8,856	23	28	67
								214	166	360

Tableau 21 - Stat finançier.

New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia
-	-	-	-	-	-	-
168,930.31	1,049,852.17 3,701,338.21	769,137.99 3,958,215.42 234,730.96	26,286.58 682,730.21 77,076.97	- 1,269,302.63	9,135.54 693,402.72 10,663.30	98,254.26 1,262,888.44 4,479.62
226,162.80	-	-	-	-	-	-
54,922.06	511,669.75	1,198,694.54	113,180.33	152,213.28	203,544.12	225,408.26
2,323.57	516,609.85	315,667.84	68,947.02	182,533.05	36,167.12	1,200.23
441,336.76	6,879,389.98	8,488,446.54	1,170,221.11	1,574,648.96	1,153,102.80	1,692,320.80
-	-	-	-	-	-	-
162,412.73	2,137,095.94	3,540,488.59	518,321.07	785,148.59	606,631.44	728,070.68
119,681.94	1,354,616.21	1,200,057.57	313,357.87	306,454.22	246,358.13	391,440.04
72,459.32	616,232.14	406,211.34	124,088.50	84,733.31	97,842.91	138,618.22
66,604.77	1,064,984.31	1,158,026.77	200,455.67	381,060.46	108,748.30	524,876.76
441,336.76	5,072,928.60	8,406,784.37	1,158,221.11	1,565,448.57	1,060,378.78	1,583,205.40
6,485.00	478,034.86	20,557.70	14,000.00	8,202.39	106,505.17	4,053.18
-	329,267.04	-	-	-	-	-
5,485.00	808,001.90	20,557.70	14,000.00	8,202.39	106,505.17	4,053.18
446,823.76	5,880,830.80	8,409,442.07	1,170,221.11	1,574,648.96	1,153,102.80	1,587,269.58

Tableau 22 - Personnel.

New Brunswick	Quebec			Ontario			Manitoba			Saskatchewan			Alberta			British Columbia				
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.			
1	-	1	10	-	10	16	-	16	4	-	4	2	-	2	5	-	3	3	-	3
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	
-	1	1	-	5	5	-	8	8	1	3	4	-	2	2	-	5	-	3	3	
1	-	1	3	2	5	14	1	15	3	-	3	1	1	2	5	-	3	4	-	4
1	4	6	8	40	48	40	100	140	7	23	30	6	19	25	10	16	25	7	23	30
3	6	8	21	48	69	70	109	179	15	26	41	9	22	31	16	21	37	16	26	41
2	-	2	19	-	19	39	15	54	9	-	9	8	-	8	4	-	4	8	-	8
1	-	1	28	-	28	19	-	19	-	-	-	-	-	-	2	-	2	2	-	2
-	-	-	14	-	14	2	1	3	1	-	1	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	12	1	13	3	-	3	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	9	2	11	-	-	-	-	-	-	1	-	1	1	-	1
1	-	1	6	-	6	6	-	6	3	-	3	2	-	2	3	-	3	1	-	1
-	1	1	1	18	19	16	10	25	1	1	2	6	-	5	2	-	2	1	8	9
4	1	6	69	18	67	101	29	130	17	1	18	16	-	18	12	-	12	13	6	21
-	20	20	-	187	187	5	602	606	2	62	64	-	8	8	-	40	40	-	13	13
-	-	-	14	179	193	-	284	264	-	77	77	-	213	213	-	82	82	-	240	240
36	39	75	424	385	810	1,063	192	1,245	195	39	236	259	-	259	146	26	171	292	-	292
36	59	96	436	762	1,190	1,056	1,056	1,114	137	178	376	289	221	480	145	146	293	292	263	545
-	-	-	1	4	5	-	16	16	-	3	3	-	1	1	-	4	4	-	1	1
-	2	2	-	15	15	-	37	37	5	5	10	4	2	6	1	6	7	5	12	17
-	-	-	5	26	31	5	19	24	-	2	2	-	2	2	-	2	2	-	7	7
20	34	54	495	369	864	565	273	858	88	82	170	145	28	173	85	67	152	176	16	192
63	101	164	1,029	1,230	2,259	1,797	1,540	3,837	322	297	819	435	276	709	259	248	607	501	323	824

Table 23 - Per capita daily average expenditures in institutions devoted exclusively to mental disease, 1942-43.

Tableau 23 - Répartition par capitale des dépenses quotidiennes moyennes des institutions traitant exclusivement les maladies mentales, 1942-43.

Province	Hospitals épitaux	Average daily patients Moyenne de patients par jour	Average daily expenditures = Dépenses moyennes de chaque jour							Non-maintenance expenditures Dépenses non-d'entretien	
			Maintenance - Entretien					Total maintenance expenditures Dépenses totales d'entretien			
			Salaries and wages Salaire et gages	Provisions	Fuel, light, water and power Combustible, éclairage, eau et énergie	Other maintenance expenditures Autres frais d'entretien					
Prince Edward Island	1	274	.30	.24	.06	.21	.83	.06			
Nova Scotia	7	1,339	.41	.26	.12	.21	1.00	.01			
New Brunswick	1	1,248	.35	.26	.16	.19	.87	.01			
Quebec	7	13,526	.30	.22	.08	.19	.90	.18			
Ontario	13	14,886	.37	.19	.06	.20	1.02	.004			
Manitoba	4	2,992	.47	.29	.11	.18	1.06	.01			
Saskatchewan	2	4,084	.63	.20	.06	.26	1.08	.01			
Alberta	5	2,933	.67	.23	.09	.10	.99	.10			
British Columbia	3	3,931	.49	.27	.09	.21	1.06				
C A N A D A	43	44,719	.46	.22	.08	.19	.96	.06			

B.E. - Due to the fact that the Malcomwood Hospital revenues and expenditures include those of the Provincial Infirmary, the average daily expenditures figures are based on the total average patient population of both institutions.

- Comme les revenus et les dépenses de l'hôpital Malcomwood comprennent ceux de l'Infirmerie Provinciale, les chiffres de dépenses quotidiennes moyennes sont basés sur la moyenne totale des patients des deux institutions.

Table 24 - Number of patients to each officer and employee in institutions devoted exclusively to mental disease.
Tableau 24 - Nombre de patients par officier et employé dans les institutions traitant exclusivement les maladies mentales.

Province	Hospitals épitaux	Patients in hospital at end of year Patients dans l'hôpital à la fin de l'année	Doctors Médecins		Graduate nurses Infirmières (ères)		Other nurses and attendants autres infirmiers (ères) et aides-infirmiers		Total staff Personnel	
			Number Nombre	Patients to each doctor Patients par médecin	Number Nombre	Patients to each graduate nurse Patients par infirmier (ère) diplômé	Number Nombre	Patients to each other nurse and attendant Patients par autre infirmier (ère) et aide	Number Nombre	Patients to each officer and employee Patients par membre du personnel
Prince Edward Island	1	272	2	138.0	1	272.0	38	7.2	67	4.1
Nova Scotia	7	1,309	11	119.0	28	46.8	89	14.7	255	5.1
New Brunswick	1	1,219	4	304.8	20	61.0	76	16.3	164	7.4
Quebec	7	13,503	63	215.6	181	75.0	926	14.7	2,152	6.6
Ontario	13	14,182	79	179.8	543	26.1	1,321	10.7	2,834	5.0
Manitoba	4	2,996	17	178.2	54	45.8	311	9.6	619	4.8
Saskatchewan	2	4,121	11	374.6	8	515.1	472	8.7	708	5.8
Alberta	5	3,003	9	333.7	40	75.1	264	11.3	507	5.9
British Columbia	3	3,963	11	369.4	9	439.2	526	7.5	799	4.9
C A N A D A	43	44,647	207	216.7	894	49.0	4,011	11.1	8,106	5.5

S E C T I O N I IDETAILED STATISTICS

Tables appearing in this section of the report were compiled from cards received for each patient admitted, discharged or who died in the year under review. Small institutions, such as county and municipal hospitals and three private hospitals, although not on the card system, fill in annual reports covering the movement of patients during the year and are included in the general tables. Only first admissions, readmissions, discharges and deaths occurring in hospitals on the card system are considered in this section.

As the thirty-nine mental institutions on the card system had under care in 1943, 86.0 per cent of all first admissions, 87.1 per cent of all readmissions, 80.9 per cent of all discharges and 94.0 per cent of all deaths occurring in mental institutions, the data appearing in the following tables afford ample material for a study of the various types of mental disease and of their frequency among the different age groups of the general population.

ANALYSIS OF DETAILED TABLES

Table 26 shows the number of first admissions, readmissions, discharges and deaths by provinces. As the number of first admissions vary considerably between province and province, we show below the rate of first admissions per 10,000 of the population of each province, which are as follows: - Prince Edward Island, 5.8; Nova Scotia, 4.7; New Brunswick, 6.1; Quebec, 6.4; Ontario, 6.0; Manitoba, 6.2; Saskatchewan, 7.2; Alberta, 6.8; British Columbia and Yukon, 7.1.

FIRST ADMISSIONS

Table 27 gives a psychiatric classification of first admissions. Of the 7,354 first admissions to mental institutions 81.3 per cent were in the psychoses groups; 14.2 per cent were mental defectives (without psychosis); 1.6 per cent were epileptics (without psychosis); 0.5 per cent were alcoholics and drug addicts (without psychosis) while 2.4 per cent comprised all other types.

TABLE 28. - Psychoses of first admissions. - Mental disorders are classified under twenty-four clinical groups following the revised classification of psychoses. Of the total first admissions, six clinical groups contributed 5,554 first admissions or 75.5 per cent of the total admissions.

The percentage of total admissions in the above six groups were as follows: - Dementia

STATISTIQUES DETAILLEES

Les tableaux de cette section du rapport reposent sur la fiche de chaque patient admis, libéré et décédé au cours de l'année d'observation. Les petites institutions telles que les hôpitaux de comté et de municipalité et trois hôpitaux privés, bien que n'ayant pas encore adopté le système de fiches, font des rapports annuels du mouvement de leurs patients au cours de l'année et figurent par conséquent dans les tableaux généraux. Seuls les premières admissions, les réadmissions, les sorties et les décès survenant dans les hôpitaux qui ont adopté le système de fiches sont étudiés dans cette section.

Du fait que les trente-neuf institutions d'aliénés qui ont le système de fiches réunissent en 1943, 86.0 pour cent de toutes les premières admissions, 87.1 pour cent des réadmissions, 80.9 pour cent de toutes les sorties et 94.0 pour cent de tous les décès qui surviennent dans les institutions d'aliénés, les données qui paraissent aux tableaux suivants fournissent une matière suffisante pour l'étude des maladies mentales diverses et de leur fréquence parmi les différents groupes d'âge de la population en général.

ANALYSE DES TABLEAUX DETAILLES

Le tableau 26 donne, par province, le nombre de premières admissions, de réadmissions, de sorties et de décès. Comme le nombre de premières admissions varie sensiblement d'une province à l'autre, nous donnons ci-dessous le taux des premières admissions par 10,000 âmes de population générale dans chaque province: île-du-Prince-Édouard, 5.8; Nouvelle-Ecosse, 4.7; Nouveau-Brunswick, 6.1; Québec, 6.4; Ontario, 6.0; Manitoba, 6.2; Saskatchewan, 7.2; Alberta, 6.8; Colombie Britannique et Yukon, 7.1.

PREMIERES ADMISSIONS

Le tableau 27 donne une classification psychiatrique des premières admissions. Des 7,354 premières admissions aux institutions pour maladies mentales, 81.3 pour cent sont dans les groupes de psychoses; 14.2 pour cent, des aliénés mentaux (sans psychose); 1.6 pour cent, des épileptiques (sans psychose); 0.5 pour cent, des alcooliques et des narcomanes (sans psychose), tandis que 2.4 pour cent représentent les patients de tous les autres groupes.

TABLEAU 28. - Psychoses des premières admissions. - Les troubles mentaux sont classifiés sous vingt-quatre groupes cliniques basés sur la nouvelle classification des psychoses. Six groupes cliniques contribuent 5,554 des premières admissions ou 75.5 pour cent des admissions totales.

Les pourcentages d'admissions totales dans les six groupes mentionnés sont les suivants: - démentia pré-

Praecox, 22.3; Without Psychosis, 18.0; Manic-Depressive, 12.6; Senile, 11.3; Cerebral Arteriosclerosis, 6.5 and General Paresis, 4.7. First admissions under Dementia Praecox, Manic-Depressive and Arteriosclerosis showed a 5.0 per cent increase over the number of first admissions in these groups in the previous year.

Table 29 gives the age of first admissions by psychoses. Of the 7,354 first admissions, 1,209 or 16.6 per cent were under 20 years of age; 1,443 or 19.6 per cent between the ages of 20 and 29; 2,202 or 30.0 per cent between 30 and 49; 771 or 10.4 per cent between 50 and 59 and 1,729 or 23.4 per cent were 60 years of age and over.

The greatest increase in first admissions was found in the age groups 60 years and over, in which admissions rose from 1,522 in 1942 to 1,729 in 1943, a percentage increase of 13.6. In the middle age groups 35 to 59, each age group showed decreases with an average of 5.2 per cent decrease for all age groups. While the age group 15 to 19 showed an increase of 8.8 per cent in the number of first admissions over the previous year, the next age group, 20 to 24 years, showed a percentage decrease of 4.4.

While male first admissions showed a decrease of 4.9 per cent from those of the previous year, female first admissions showed an increase of 9.0 per cent over corresponding admissions in 1942. In every age group female first admissions showed increases, while male first admissions showed decreases in all groups except 15 to 19 and 65 and over.

Table 30 shows the average age of first admissions by psychoses. The average age of all admissions was 40.9 years compared with 40.3 years in 1942. The average age of male first admissions for the eleven-year period ending in 1942 was 39.4 years and for females 39.2 years.

Table 32 shows environment of first admissions by psychoses. Of the 7,354 first admissions, 4,815 or 62.8 per cent had urban residence and 2,730 or 37.1 per cent came from rural areas. Urban first admissions showed an increase of 1.2 per cent and rural first admissions a decrease of 1.3 per cent from the number reported in 1942.

Seventy-seven per cent of General Paresis first admissions, 76.1 per cent of Alcoholics, 64.0 per cent of the Senile, 59.5 per cent of Dementia Praecox and 59.4 per cent of Manic-Depressive first admissions came from urban centres.

Table 33 shows economic condition of first admissions by psychoses. Of total first admissions, 2,702 or 36.7 per cent were in dependent circumstances, 3,799 or 51.5 per cent were reported as marginal, while 852 or 11.8 per cent were in comfortable circumstances. Corresponding percentages in the previous year were: dependent, 43.1; marginal, 45.0 and comfortable 11.9.

es, 22.3; sans psychose, 18.0; manie dépressive, 12.6; sénilité, 11.3; artériosclérose cérébrale, 6.5 et parésie générale, 4.7. Les premières admissions pour démenage précoce, manie dépressive et artériosclérose accusent une augmentation de 5.0 pour cent sur le nombre de premières admissions dans ces groupes l'année précédente.

Le tableau 29 donne l'âge des patients à la première admission, par psychose. Sur les 7,354 patients admis une première fois, 1,209 ou 16.6 pour cent sont âgés de moins de 20 ans; 1,443 ou 19.6 pour cent, de 20 à 29 ans; 2,202 ou 30.0 pour cent, de 30 à 49 ans; 771 ou 10.4 pour cent, de 50 à 59 ans, et 1,729 ou 23.4 pour cent, de 60 ans et plus.

La plus forte augmentation dans les premières admissions se rencontre dans les groupes d'âge de 60 ans et plus, où les admissions passent de 1,522 en 1942 à 1,729 en 1943, soit une augmentation de 13.6 pour cent. Dans les groupes d'âge moyen, 35 à 59 ans, chaque groupe montre une diminution; la moyenne de diminution est de 5.2 pour cent pour tous les groupes d'âge. Bien que le nombre de premières admissions dans le groupe d'âge de 15 à 19 ans augmente de 8.8 pour cent sur l'année précédente, il diminue de 4.4 pour cent dans le groupe suivant de 20 à 24 ans.

Tandis que chez les hommes, les premières admissions diminuent de 4.9 pour cent au regard de l'année précédente, elles augmentent de 9.0 pour cent chez les femmes comparativement à 1942. Dans chaque groupe d'âge, le nombre de femmes admises pour la première fois augmente, tandis que le nombre d'hommes diminue dans tous les groupes sauf ceux de 15 à 19 et de 65 ans et plus.

Le tableau 30 donne l'âge moyen à la première admission, par psychose. En 1942, l'âge moyen de toutes les admissions est de 40.3 ans. L'âge moyen des hommes admis pour la première fois au cours de la période de onze ans se terminant en 1942 est de 30.4 ans, et celui des femmes, de 39.2 ans.

Le tableau 32 montre l'environnement des premières admissions selon la psychose. Des 7,354 premières admissions, 4,815 ou 62.8 pour cent viennent de la ville et 2,730 ou 37.1 pour cent, de la campagne. Les premières admissions venant de la ville augmentent de 1.2 pour cent, et celles de la campagne, diminuent de 1.3 pour cent comparativement à 1942.

Soixante-dix-sept pour cent des cas de parésie générale, admis pour la première fois, 76.1 pour cent des cas d'alcoolisme, 64.0 pour cent des cas de sénilité, 59.5 pour cent des cas de démenage précoce et 59.4 pour cent des cas de manie dépressive viennent de centres urbains.

Le tableau 33 donne la situation économique des premières admissions par psychose. Sur le total des premières admissions, 2,702 ou 36.7 pour cent sont à charge, 3,799 ou 51.5 pour cent ont des moyens insuffisants, tandis que 852 ou 11.8 pour cent sont à l'aise. En 1942, les pourcentages correspondants étaient comme suit: à charge, 43.1; moyens insuffisants, 45.0, et à l'aise, 11.9.

Table 34 shows the use of alcohol among first admissions by psychoses. Of the total first admissions, 72.0 per cent were reported as abstinent, 21.8 per cent as temperate and 6.3 per cent as intemperate. Of the total male first admissions, 10.3 per cent were intemperate and of female first admissions 2.0 per cent.

Table 35 shows conjugal condition of first admissions by psychoses. Of the total first admissions, 50.3 per cent were single, 38.3 per cent were married, 10.8 per cent were widowed and 0.5 per cent divorced. Of male first admissions, 56.5 per cent were single, 34.3 per cent married and 8.7 per cent widowed. Of female first admissions, 43.5 per cent were single, 42.6 per cent were married and 13.5 per cent were widowed. Under General Paralysis, Alcohol and Dementia Praecox, the number of male single admissions exceeded female single admissions by 37.6 per cent, while female first admissions under Involutional, Psychoneuroses and Manic-Depressive exceeded male first admissions by 20 per cent.

Table 36 shows education of first admissions by psychoses. Of the 7,354 first admissions, 1,010 or 13.7 per cent were reported as illiterate, 728 or 9.9 per cent as persons who could read and write, 4,353 or 59.2 per cent who received a common school education, 1,107 or 15.1 per cent who had attended high schools and 155 or 2.1 per cent who attended a university. The percentage of first admissions with common school and high school education showed increases over the previous year of 6.0 and 1.3 per cent, while those with university education showed no change.

Tables 37 to 39 inclusive deal with nativity, parentage and time in Canada of first admissions by provinces. Of the total first admissions, 5,634 or 76.6 per cent were born in Canada, 763 or 10.4 per cent were British born, 952 or 12.9 per cent were foreign born, while for 5 or 0.1 per cent the nativity was unknown.

Of the British born first admissions, 61.7 per cent came from the two provinces of Ontario and British Columbia, and of the foreign born 26.3 per cent came from Ontario and 45.6 per cent from Saskatchewan, Alberta and British Columbia.

Of the 5,634 Canadian born first admissions, 4,133 or 73.4 per cent had both parents born in Canada, 475 or 8.4 per cent had both parents British born, 462 or 8.2 per cent had parents born in foreign countries, while 553 or 9.8 per cent had parents of mixed origin.

Foreign born first admissions (Table 39). Of the 1,715 foreign born first admissions, 92 or 5.4 per cent had residence in Canada less than 5 years.

Le tableau 34 fait voir l'usage d'alcool parmi les premières admissions selon la psychose. Sur le total des premières admissions, 72.0 pour cent sont des abstènes, 21.8 pour cent sont tempérants, et 6.3 pour cent sont intempéreants. Sur le total des hommes admis pour la première fois, 10.3 pour cent sont intempéreants; chez les femmes, ce pourcentage est 2.0.

Le tableau 35 indique l'état conjugal des patients à la première admission et selon la psychose. Du total des premières admissions, 50.3 pour cent sont des célibataires, 38.3 pour cent sont mariées, 10.8 pour cent sont veufs ou veuves et 0.5 pour cent sont des personnes divorcées. Sur les hommes admis pour la première fois, 56.5 pour cent sont célibataires, 34.3 pour cent, mariées et 8.7 pour cent, veufs. Sur les femmes admises pour la première fois, 43.5 pour cent sont célibataires, 42.6 pour cent mariées et 13.5 pour cent, veuves. Chez les patients souffrant de parésie générale, d'alcoolisme et de démentie précoce, le nombre d'hommes célibataires admis est de 37.6 pour cent plus grand que celui des femmes célibataires, tandis que dans les psychoses d'involution, les psycho-névroses et la manie dépressive, les premières admissions chez les femmes sont de 20 pour cent plus élevées que chez les hommes.

Le tableau 36 indique le degré d'instruction des patients admis pour la première fois, par psychose. Des 7,354 premières admissions, 1,010 ou 13.7 pour cent sont des illétrés, 728 ou 9.9 pour cent, des personnes sachant lire et écrire, 4,353 ou 59.2 pour cent, des personnes ayant fréquenté les écoles élémentaires, 1,107 ou 15.1 pour cent, des personnes ayant fréquenté les écoles secondaires, et 155 ou 2.1 pour cent, des personnes ayant fréquenté une université. Le pourcentage de patients admis pour la première fois possédant une instruction primaire et secondaire augmente respectivement sur l'année précédente de 6.0 et 1.3 pour cent, tandis que celui des patients possédant une instruction universitaire reste stationnaire.

Les tableaux 37 à 39 inclusivement traitent du lieu de naissance, du parentage et du séjour au Canada des premières admissions, par province. Sur le total des premières admissions, 5,634 ou 76.6 pour cent sont de naissance canadienne, 763 ou 10.4 pour cent, de naissance britannique, 952 ou 12.9 pour cent, de naissance étrangère, et 5 ou 0.1 pour cent de naissance inconnue.

Parmi les personnes de naissance britannique admises pour la première fois, 61.7 pour cent viennent des provinces de l'Ontario et de la Colombie Britannique; parmi les personnes nées à l'étranger, 26.3 pour cent viennent de l'Ontario et 45.6 pour cent de la Saskatchewan, de l'Alberta et de la Colombie Britannique.

Des 5,634 personnes de naissance canadienne admises pour la première fois, 4,133 ou 73.4 pour cent sont issues de parents nés au Canada, 475 ou 8.4 pour cent, de parents britanniques, 462 ou 8.2 pour cent, de parents nés à l'étranger, tandis que 553 ou 9.8 pour cent sont de parentage mixte.

Personnes de naissance étrangère admises pour la première fois (tableau 39). Des 1,715 personnes de naissance étrangère admises pour la première fois,

179 or 10.4 per cent had lived in Canada between 5 and 14 years, while 1,431 or 83.4 per cent had lived in Canada 15 years and over.

Tables 40 to 43 inclusive deal with the age groups of first admissions by education, nativity, percentage of Canadian born first admissions and time in Canada of British and foreign born first admissions.

The average age on admission of Canadian born first admissions was 37.4 years, of the British born 55.5 and of the Foreign born 47.3.

Tables 45 to 47 inclusive show country of birth, citizenship and racial origin of first admissions. Excluding the Canadian born, thirty-two countries contributed to the population of the mental institutions in Canada.

Canadian admissions formed 76.6 per cent of total first admissions and of those born outside Canada the following countries contributed the highest percentages: - England, 6.4; United States, 3.4; Scotland, 2.2; Poland, 1.6; Russia, 1.4 and Ireland, 1.2.

The racial origin of first admissions is shown in Table 47. The rates of first admissions per 100,000 of the respective population racial groups (1941 Census) are as follows: - English, Irish, Scotch, Welsh, 63.5; French, 63.9; Scandinavian (Danish, Icelandic, Norwegian, Swedish), 67.1; Other Northern European (Belgian, Dutch, Finnish), 51.7; Central European (Austrian, Czecho-Slovakian, German, Hungarian and Jugo-Slav), 68.2; Eastern European (Polish, Romanian, Russian, Ukrainian), 78.0; Southern European (Bulgarian, Greek and Italian), 72.1; Jewish, 65.2; Asiatic (Chinese, Japanese, Syrian, Turkish), 51.4; Indian and Esquimo, 43.8 and Negro, 136.3.

Table 49 shows the previous occupations of first admissions by provinces. As in previous years, the largest number of first admissions came from the three occupational groups of Personal Service, Labourers and Agriculture. These three groups contributed 42.3 per cent of total first admissions as compared with 43.4 per cent in 1942.

Table 50 shows method of commitment of first admissions by provinces. The methods by which patients are admitted to mental institutions are by certificate, by warrant and on voluntary application. By far the largest number of first admissions are by certificate, no fewer than 81.2 per cent being admitted by this means. The next largest group of admissions were committed by warrant and comprised 13.3 per cent of total admissions, while voluntary admissions comprised 5.5 per cent. Eighty-two per cent of voluntary admissions came from the three provinces of Ontario, Quebec and Alberta.

ou 5.4 pour cent demeurent au Canada depuis moins de 5 ans, 179 ou 10.4 pour cent depuis 5 à 14 ans, et 1,431 ou 83.4 pour cent, depuis 15 ans et plus.

Les tableaux 40 à 43 inclusivement traitent des groupes d'âge des personnes admises pour la première fois, selon le degré d'instruction, le lieu de naissance, le pourcentage des personnes nées au Canada et le séjour au Canada des personnes de naissance britannique et étrangère.

L'âge moyen à l'admission des patients de naissance canadienne admis pour la première fois est de 37.4 ans, celui des patients de naissance britannique, de 55.5 et celui des patients de naissance étrangère, de 47.3.

Les tableaux 46 et 47 inclusivement indiquent le pays de naissance, la citoyenneté et l'origine raciale des patients admis pour la première fois. Outre les patients nés au Canada, trente-deux pays contribuent à la population des institutions d'aliénés au Canada.

Les admissions canadiennes représentent 76.6 pour cent des premières admissions. À celles de patients nés à l'étranger, les pays suivants contribuent le plus fort pourcentage: Angleterre, 6.4; Etats-Unis, 3.4; Ecosse, 2.2; Pologne, 1.6; Russie, 1.4 et Irlande, 1.2.

L'origine raciale des patients admis pour la première fois est indiquée au tableau 47. Le taux des premières admissions par 100,000 de la population de chaque groupe racial (recensement de 1941) est le suivant: - Anglais, Irlandais, Ecossais, Gallois, 63.5; Français, 63.9; Scandinaves (Danois, Islandais, Norvégiens et Suédois), 67.1; autres Européens du nord (Belges, Hollandais et Finlandais), 51.7; Européens du centre (Autrichiens, Tchèco-Slovènes, Allemands, Hongrois et Yougoslaves), 68.2; Européens de l'est, (Polonais, Roumains, Russes, Ukrainiens), 78.0; Européens du sud (Bulgares, Grecs et Italiens), 72.1; Juifs, 65.2; Asiatiques, (Chinois, Japonais, Syriens, Turcs), 51.4; Indiens et Esquimaux, 43.8, et Nègres, 136.3.

Le tableau 49 indique l'occupation antérieure des premières admissions, par province. Comme par les années passées, le plus grand nombre de premières admissions est apporté par les trois groupes d'occupations suivants: services personnels, journaliers et agriculture. Ces trois groupes contribuent 42.3 pour cent du total des premières admissions comparativement à 43.4 pour cent en 1942.

Le tableau 50 indique le mode d'internement des premières admissions, par province. Les internements dans les institutions pour maladies mentales se font par certificat, par mandat et par entrée volontaire. Le très grand nombre de premières admissions sont faites par certificat; pas moins de 81.2 pour cent des patients sont admis de cette façon. Vient ensuite le groupe d'admissions par mandat, soit 13.3 pour cent des admissions totales, tandis que les entrées volontaires sont de 5.5 pour cent. Quatre-vingt-deux pour cent des admissions volontaires viennent de l'Ontario, du Québec et de l'Alberta.

Readmissions

Tables 56 to 60 inclusive deal with readmissions to mental institutions. A total of 2,081 readmissions were received during the year, an increase of 6.7 per cent over the number readmitted in 1942.

Of the 2,081 readmissions, 964 or 46.3 per cent were single, 963 or 46.3 per cent were married, 139 or 6.7 per cent widowed and 15 or 0.7 per cent divorced.

The three clinical groups, Manic-Depressive (686), Dementia Praecox (639) and Without Psychosis (191) contributed 71.9 per cent of total readmissions.

Table 59 gives the age of readmissions by psychoses. Ninety-eight or 4.7 per cent of total readmissions were under 20 years of age, 473 or 22.7 per cent were between 20 and 29 years; 468 or 22.5 per cent were between 30 and 39 years; 360 or 17.3 per cent between 40 and 49 years; 348 or 16.7 per cent between 50 and 59 years; 334 or 16.0 per cent were 60 years of age and over.

The average age of all readmissions was 41.7 years, that of males being 41.4 and of females 41.9.

Discharges

Tables 61 to 70 inclusive deal with discharged patients. A total of 5,529 patients were discharged during the year, of which number 2,862 or 51.7 per cent were males and 2,667 or 48.3 per cent were females.

Of the 5,529 patients discharged, 1,879 or 30.4 per cent were discharged as having recovered, 2,661 or 48.1 per cent as improved, 940 or 17.0 per cent as unimproved and 249 or 4.5 per cent as "without psychosis". The percentage of those discharged as recovered fell from 32.5 per cent in 1942 to 30.4 per cent in 1943 while the percentage of those improved rose from 47.8 per cent in 1942 to 48.1 per cent in 1943.

The highest percentages of the recovered were found in the following clinical groups: - Due to Drugs, 75.0; Metabolic Diseases, 67.5; Other Infectious Diseases, 60.0; Manic-Depressive, 57.1

Réadmissions

Les tableaux 56 à 60 inclusivement traitent des réadmissions dans les institutions d'aliénés, lesquelles s'établissent à 2,081 pour l'année, augmentation de 6.7 pour cent sur 1942.

Des 2,081 personnes réadmisses, 964 ou 46.3 pour cent sont célibataires, 963 ou 46.3 pour cent, mariées 139 ou 6.7 pour cent, veufs et veuves, et 15 ou 0.7 pour cent, divorcées.

Les trois groupes cliniques manie dépressif (686), démence précoce (639), et sans psychose (191), contribuent 71.9 pour cent des réadmissions totales.

Le tableau 59 donne l'âge des réadmissions, par psychose. De toutes les personnes réadmisses, 98 ou 4.7 pour cent sont âgées de moins de 20 ans, 473 ou 22.7 pour cent, de 20 à 29 ans; 468 ou 22.5 pour cent, de 30 à 39 ans; 360 ou 17.3 pour cent, de 40 à 49 ans; 348 ou 16.7 pour cent, de 50 à 59 ans; 334 ou 16.0 pour cent, de 60 ans et plus.

L'âge moyen de toutes les réadmissions est de 41.7 ans; chez les hommes, il est de 41.4 et chez les femmes, de 41.9.

Sorties

Les tableaux 61 à 70 inclusivement traitent des patients libérés. Un total de 5,529 patients ont été libérés au cours de l'année, dont 2,862 ou 51.7 pour cent sont des hommes et 2,667 ou 48.3 pour cent, des femmes.

Des 5,529 patients libérés, 1,879 ou 30.4 pour cent sont sortis guéris, 2,661 ou 48.1 pour cent, améliorés, 940 ou 17.0 pour cent, non améliorés et 249 ou 4.5 pour cent, sans psychosis. Le pourcentage de patients libérés comme guéris tombe de 32.5 pour cent en 1942 à 30.4 pour cent en 1943, tandis que le pourcentage des améliorés passe de 47.8 en 1942 à 48.1 en 1943.

Les pourcentages les plus élevés de patients guéris se rencontrent dans les groupes cliniques suivants: - psychoses toxiques exogènes, 75.0; maladies métaboliques, 67.5; autres maladies infectieuses, 60.0;

and Other Diseases of the Circulation, 50.0.

manie dépressive, 57.1, et autres maladies de la circulation, 50.0.

For those discharged as improved the following groups showed the highest percentages: - Other forms of Syphilis, 81.3; Dementia Praecox, 66.3; General Paralysis, 62.6; Epileptic, 61.7 and Paranoia and Paranoid Conditions, 60.9.

Of the 1,679 discharged as recovered, 1,192 or 71.0 per cent were discharged between one and six months after admission; 238 or 14.2 per cent between 6 and 12 months residence; 113 or 6.6 per cent with one to two years residence, 84 or 5.0 per cent after 2 to 5 years residence and 52 or 3.2 per cent after residence of five years or more.

Of those discharged as improved, 1,436 or 53.9 per cent were discharged between one and six months after admission, 449 or 17.0 per cent after a residence of between 6 and 12 months, 293 or 11.2 per cent between 1 and 2 years, 246 or 9.2 per cent between 2 and 5 years and 231 or 8.7 per cent with residence 5 years and over.

Table 69 gives age of discharged patients by psychoses. Of the 5,529 discharges, 496 or 9.0 per cent were under 20 years of age; 1,413 or 25.6 per cent were between 20 and 29; 1,186 or 21.5 per cent between 30 and 39; 964 or 17.4 per cent between 40 and 49; 763 or 13.8 per cent between 50 and 59 and 707 or 12.8 per cent 60 years of age and over.

The average length of stay of discharged males was 1.4 years and for females 1.6 years, while the average age of males on discharge was 38.4 years and that of females 39.5 years.

Parmi les patients qui sont sortis améliorés, les groupes suivants comptent les plus hauts pourcentages - autres formes de syphilis, 81.3; démence précoce, 66.3; parésie générale, 62.6; épilepsie, 61.7; et paranoïa et affections paranoidiques, 60.9.

Des 1,679 patients sortis guéris, 1,192 ou 71.0 pour cent sont sortis d'un à six mois après l'admission; 238 ou 14.2 pour cent, de 6 à 12 mois; 113 ou 6.6 pour cent, d'un à deux ans, 84 ou 5.0 pour cent, de 2 à 5 ans, et 52 ou 3.2 pour cent, après un internement de cinq ans ou plus.

Parmi les patients sortis améliorés, 1,436 ou 53.9 pour cent ont été internés d'un à six mois, 449 ou 17.0 pour cent de 6 à 12 mois, 293 ou 11.2 pour cent, de 1 à 2 ans, 246 ou 9.2 pour cent, de 2 à 5 ans, et 231 ou 8.7 pour cent, 5 ans et plus.

Le tableau 69 donne l'âge des patients libérés, par psychose. Sur 5,529 sorties, 496 ou 9.0 pour cent des patients ont moins de 20 ans; 1,413 ou 25.6 pour cent, de 20 à 29 ans; 1,186 ou 21.5 pour cent, de 30 à 39 ans; 964 ou 17.4 pour cent, de 40 à 49 ans; 763 ou 13.8 pour cent, de 50 à 59 ans, et 707 ou 12.8 pour cent, 60 ans et plus.

Le séjour moyen des hommes libérés est de 1.4 an, et celui des femmes, de 1.6 an; l'âge moyen des hommes à la sortie est de 38.4 ans, et celui des femmes, de 39.5 ans.

Deaths

Of the 3,139 deaths that occurred in mental hospitals during the year, 548 or 17.5 per cent belonged to the Dementia Praecox group, 700 or 22.3 per cent to the Senile group, 419 or 13.3 per cent to the group Arteriosclerosis, 414 or 13.2 per cent to the group "Without Psychosis", 235 or 7.5 per cent to the Manic-Depressive group and 192 or 6.1 per cent to General Paralysis. Above six groups accounted for 79.9 per cent of total deaths as compared with 80.2 per cent in 1942.

Décès

Des 3,139 patients décédés dans les hôpitaux d'aliénés pendant l'année, 548 ou 17.5 pour cent sont du groupe de la démence précoce, 700 ou 22.3 pour cent, du groupe de la sénilité, 419 ou 13.3 pour cent, du groupe de l'artériosclérose, 414 ou 13.2 pour cent, du groupe "sans psychose", 235 ou 7.5 pour cent, du groupe de la manie dépressive, et 192 ou 6.1 pour cent, du groupe de la parésie générale. Ces six groupes représentent 79.9 pour cent de tous les décès comparativement à 80.2 pour cent en 1942.

The percentage of deaths in the various groups of diseases were as follows: -

Le pourcentage de décès dans les divers groupes de maladies est le suivant: -

Diseases - Maladies	M.	F.	T.	%
1. Epidemic, endemic and infectious Epidémiques, endémiques et infectieuses	276	145	421	13.4
2. General diseases not included above Maladies générales non comprises ci-dessus	72	70	142	4.5
3. Diseases of the nervous system Maladies du système nerveux	356	206	562	17.9
4. Diseases of the circulatory system Maladies de l'appareil circulatoire	576	425	1,001	31.9
5. Diseases of the respiratory system Maladies de l'appareil respiratoire	334	307	641	20.4
6. Diseases of the digestive system Maladies de l'appareil digestif	64	45	109	3.6
7. Non-venereal diseases of genito-urinary system Maladies non vénériennes de l'appareil génito-urinaire	37	45	82	2.6
8. Diseases of skin and of the cellular tissue Maladies de la peau et du tissu cellulaire	8	3	11	0.4
9. Diseases of the bones (Tuberculosis and rheumatism excepted) Maladies des os (excepté la tuberculose et le rhumatisme)	2	2	4	0.1
10. Other diseases not included above Autres maladies non comprises ci-dessus	81	47	128	4.1
11. Violent or accidental deaths Morts violentes ou accidentelles	24	12	36	1.1
12. Causes of death not determined Causes de décès indéterminées	1	1	2	0.1
T O T A L	1,831	1,308	3,139	100.0

Table 73 shows the age of patients at time of death. Of the 3,139 patients who died during the year, 194 or 6.2 per cent were under 20 years of age; 202 or 6.4 per cent were between 20 and 29 years; 264 or 8.4 per cent were between 30 and 39 years; 310 or 9.9 per cent were between 40 and 49 years; 450 or 14.3 per cent were between 50 and 59 years; 637 or 20.3 per cent were 60 to 69 years and 1,082 or 34.5 per cent were 70 years of age and over. The table shows that 12.6 per cent of all deaths in mental hospitals in 1943 were under 30 years of age and 54.8 per cent were 60 years of age and over, and the average of male deaths was 56.2 years and that of females 59.4.

Table 74 shows the duration of hospital life of those who died during the year. Of the patients who died, 22.7 per cent had less than three months care, 7.9 per cent had residence between 3 and 6 months, 8.5 per cent between 6 and 12 months, 15.2 per cent between 1 and 3 years, 8.4 per cent between 3 and 5 years, 13.1 per cent between 5 and 10 years, 8.6 per cent between 10 and 15 years and 15.6 per cent fifteen years and over. Of those with residence 20 years and over, 53.4 per cent were dementia praecox patients.

The average stay of all patients up to death was 6.8 years, that of males being 6.9 years and of females 6.9.

The fifty-one detailed tables were compiled from individual cards received for each patient admitted, discharged and who died in the thirty-nine mental institutions on the card system and cover the year under review.

Le tableau 73 indique l'âge des patients lors du décès. Des 3,139 patients décédés au cours de l'année, 194 ou 6.2 pour cent sont âgés de moins de 20 ans; 202 ou 6.4 pour cent, de 20 à 29 ans; 264 ou 8.4 pour cent, de 30 à 39 ans; 310 ou 9.9 pour cent, de 40 à 49 ans; 450 ou 14.3 pour cent, de 50 à 59 ans; 637 ou 20.3 pour cent, de 60 à 69 ans, et 1,082 ou 34.5 pour cent, de 70 ans ou plus. Ce tableau indique que 12.6 pour cent de tous les décès dans les hôpitaux d'aliénés en 1943 surviennent à des âges inférieurs à 30 ans, et 54.8 pour cent à l'âge de 60 ans ou plus; l'âge moyen au décès chez les hommes est de 56.2 ans, et chez les femmes, de 59.4 ans.

Le tableau 74 donne la durée du séjour à l'hôpital des patients décédés pendant l'année. Parmi les patients décédés, 22.7 pour cent ont été hospitalisés moins de trois mois, 7.9 pour cent, de 3 à 6 mois; 8.5 pour cent, de 6 à 12 mois; 15.2 pour cent, de 1 à 3 ans; 8.4 pour cent, de 3 à 5 ans; 13.1 pour cent, de 5 à 10 ans; 8.6 pour cent, de 10 à 15 ans, et 15.6 pour cent, 15 ans et plus. Sur les patients qui ont été hospitalisés 20 ans et plus, 53.4 pour cent souffraient de démence précoce.

Le séjour moyen de tous les patients jusqu'à la mort est de 6.8 ans; celui des hommes est de 6.9 et celui des femmes, de 6.9.

Les cinquante-et-un tableaux détaillés qui suivent sont compilés d'après les fiches individuelles reçues pour chaque patient admis, sorti ou décédé dans les trente-neuf hôpitaux publics pour aliénés ayant le système de fiches et couvrant l'année sous revue,

Table 25 - Percentage of cards received of total first admissions, readmissions, discharges and deaths for all mental institutions, by provinces.
 Tableau 25 - Pourcentage des fiches reçues par rapport au total des premières admissions, réadmissions, sorties et décès, pour tous les hôpitaux d'aliénés, par province.

Province	First admissions			Readmissions			Discharges			Deaths		
	Premières admissions			Réadmissions			Sorties			Décès		
	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.	Patients	Cards Fiches	p.c.
Prince Edward Island	63	53	100.0	61	51	100.0	90	80	100.0	18	13	100.0
Nova Scotia	427	287	67.2	101	78	77.2	346	209	60.4	168	31	18.5
New Brunswick	261	261	100.0	72	72	100.0	218	218	100.0	113	113	100.0
Quebec	2,708	2,315	81.8	550	516	93.8	1,678	1,279	76.2	1,048	1,015	96.9
Ontario	2,803	2,348	83.7	896	769	79.1	2,520	1,819	76.2	1,130	1,124	87.7
Manitoba	452	452	100.0	227	227	100.0	466	466	100.0	178	178	100.0
Saskatchewan	607	607	100.0	161	161	100.0	432	432	100.0	267	267	100.0
Alberta	466	466	100.0	119	119	100.0	379	379	100.0	125	125	100.0
British Columbia	757	645	85.2	213	148	69.5	705	558	76.5	286	262	96.6
CANADA	8,566	7,354	86.0	2,390	2,001	87.1	6,834	5,529	80.9	3,339	3,183	94.0

Table 26 - Number of first admissions, readmissions, discharges and deaths, by provinces.
 Tableau 26 - Premières admissions, réadmissions, sorties et décès, par province.

Province	First admissions			Readmissions			Discharges			Deaths		
	Premières admissions			Réadmissions			Sorties			Décès		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	28	23	51	53	37	90	9	4	13
Nova Scotia	173	114	287	41	36	78	128	81	209	24	7	31
New Brunswick	161	130	281	42	30	72	121	97	218	66	47	113
Quebec	1,107	1,108	2,215	239	277	616	525	566	1,279	583	432	1,015
Ontario	1,155	1,383	2,348	325	384	709	945	974	1,919	501	523	1,124
Manitoba	228	224	452	113	114	227	236	229	465	114	66	202
Saskatchewan	336	271	607	161	60	161	247	185	432	162	96	257
Alberta	271	195	466	52	67	120	212	167	379	94	31	125
British Columbia	375	270	645	94	64	148	297	241	638	178	104	242
CANADA	8,427	8,427	17,354	1,876	1,055	5,081	2,850	2,667	5,529	1,831	1,308	3,129

Table 27 - Psychiatric classification of first admissions.
 Tableau 27 - Classification psychiatrique des premières admissions.

Classification	M.	F.	T.	%
Insane - Aliénés	3,672	2,909	6,981	81.33
Mental defectives (without psychosis)				
Arrièrement mentaux (sans psychose)	551	492	1,043	14.13
Epileptics (without psychosis)	56	60	116	1.28
Epileptiques (sans psychose)				
Alcoholics (without psychosis)				
Alcooliques (sans psychose)	25	2	27	.37
Drugs addicts (without psychosis)				
Surcommanes (sans psychose)	6	3	8	.11
Psychopathic personality (without psychosis)				
Psychopathiques constitutionnelles (sans psychose)	36	12	47	.54
Other types (without psychosis)				
Autres types (sans psychose)	62	22	84	1.14
Primary behaviour disorders				
Troubles essentiels du comportement	21	27	48	.58
TOTAL	8,427	8,427	17,354	100.00

Table 28 - Psychoses of first admissions
Tableau 28 - Psychoses des premières admissions

Psychoses	M.	F.	T.	Psychoses	M.	F.	T.
Syphilitic meningo-encephalitis (general paroxysm)	264	85	349	Other metabolic, etc., diseases (cont.)			
Méningo-encéphalite syphilitique (paroxysme gén.)				Autres maladies métaboliques, etc. (suite)			
Other forms of syphilis of central nervous system	17	11	28	(d) Pellagra	-	2	2
Autres formes de syphilis du système nerveux central				Pellagre			
Epidemic encephalitis	7	5	12	(e) Other somatic diseases	67	102	169
Encéphalite épidémique				Autres maladies somatiques			
Other infectious diseases	12	33	45	Due to new growth	8	1	9
Autres maladies infectieuses				Due à un néoplasme			
(a) Tuberculous meningitis				Other organic changes of the nervous system	42	34	76
Méningite tuberculeuse	2	-	2	Autres affections organiques du système nerveux			
(b) Meningitis (unspecified)	-	1	1	(a) Multiple sclerosis	2	6	8
Méningite (non déterminée)				Sclérose en plaques			
(c) Acute chorea (Sydenham)	-	-	-	(b) Paralysis agitans	9	3	12
Chorée aiguë (Sydenham)				Paralysie agitante			
(d) Other infectious diseases	7	18	25	(c) Huntington's chorea	8	6	14
Autres maladies infectieuses				Chorée de Huntington			
(e) Post-infectious psychoses	4	14	18	(d) Other brain or nervous diseases	23	19	42
Psychoses à la suite d'infection				Autres affections cérébrales ou nerveuses			
Alcoholic				Psychoneuroses			
Alcooliques	72	21	93	Psychonévroses	116	169	279
(a) Pathological intoxication				(a) Hysteria			
Intoxication pathologique	13	-	13	Hystérie	11	29	40
(b) Delirium tremens	9	3	12	(b) Psychasthenia			
Delirium tremens				Psychasthénie	17	30	47
(c) Korsakow's psychosis	2	3	5	(c) Neuroasthenia			
Psychose de Korsakow				Neuroasthénie	9	16	25
(d) Acute hallucinosis	22	8	30	(d) Other types			
Forme hallucinatoire consciente				Autres formes	73	94	167
(e) Other types	25	7	32	Manic depressive			
Autres formes				Maniques dépressives	348	580	928
Due to drugs				(a) Manic type			
Toxiques exogènes	9	14	23	Forme manique	154	264	418
(a) Metals				(b) Depressive type			
Métaux	-	-	-	Forme mélancolique	168	245	413
(b) Gases				(c) Other types			
Les gaz	-	-	-	Autres formes	36	71	107
(c) Opium and derivatives	1	2	3	Dementia praecox			
Opium et ses dérivés				Démence précoce	934	707	1,641
(d) Other exogenous toxins	8	12	20	Paranoia and paranoid conditions			
Autres toxiques exogènes				Paranoïa et états paranoides	59	107	166
Traumatic				Psychopathic personality			
Traumatiques	17	5	20	Psychopathie constitutionnelle	40	9	49
Cerebral arteriosclerosis				Mental deficiency			
Artériosclérose cérébrale	309	171	480	Arrêtée mentale	103	93	196
Other disturbances of circulation				Undiagnosed			
Autres affections circulatoires	21	35	56	Non diagnostiquées	50	37	87
(a) Cerebral embolism				Without psychoses			
Embolie cérébrale	8	9	17	Sans psychoses	734	591	1,325
(b) Cardio-renal disease				(a) Epilepsy			
Affection cardio-rénale	6	16	22	Epilepsie	56	60	116
(c) Other types	7	16	23	(b) Alcoholism			
Autres affections				Alcoolisme	25	2	27
Convulsive disorders (epilepsy)				(c) Drug addiction			
Crises convulsives (épilepsie)	97	65	162	Narcotomanie	5	3	8
Senile				(d) Mental deficiency			
Séniles	401	430	831	Arrêtération mentale	551	432	1,043
Involuntional				(e) Disorders of personality			
Involution	78	168	246	Troubles de la personnalité	3	-	3
Other metabolic, etc., diseases				(f) Psychopathic personality			
Autres maladies métaboliques, etc.	74	131	205	Stat psychopathique constitutionnel	36	12	47
(a) Diseases of the endocrine glands				(g) Others			
Maladies des glandes endocrines	1	9	10	Autres formes	69	22	91
(b) Exhaustion delirium				Primary behaviour disorders			
Psychosis d'épuisement	4	18	22	Problèmes essentiels du comportement	21	27	48
(c) Alzheimer's disease				TOTAL			
Maladie d'Alzheimer	2	-	2		3,827	3,527	7,354

Table 29 - Age of first admissions, by psychoses.

Psychoses	Total			Under 15 years			15 - 19			20 - 24			25 - 29			30 - 54		
				Moins de 15 ans			M.	F.	T.									
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysis générale	264	85	349	-	3	3	1	2	5	3	1	4	5	2	7	15	13	28
Other forms of syphilis																		
Autres formes de syphilis	17	11	28	-	-	-	-	-	-	-	1	1	-	-	-	1	3	4
Epidemic encephalitis																		
Encephalite épidémique	7	5	12	1	-	1	-	-	-	1	-	1	1	-	1	1	1	2
Other infectious diseases																		
Autres maladies infectieuses	13	33	46	-	1	1	2	3	5	3	6	9	1	6	6	1	-	1
Alcoholic																		
Alcooliques	71	21	92	-	-	-	2	-	2	3	-	3	7	-	7	12	4	16
Due to drugs																		
Toxiques exogènes	9	14	23	-	-	-	-	-	-	-	3	3	2	1	3	2	2	4
Traumatic																		
Traumatiques	17	3	20	-	-	-	2	-	2	1	-	1	5	1	4	-	-	-
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	303	171	480	-	-	-	-	-	-	-	-	-	2	-	1	3	-	1
Other disturbances of circulation																		
Autres affections circulatoires	21	35	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic																		
Epileptiques	97	85	182	14	6	20	11	4	15	15	10	25	10	9	19	13	15	28
Senile																-	-	-
Séniles	401	450	851	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	78	168	246	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	74	131	205	-	2	2	5	4	9	4	18	22	2	18	19	5	16	21
Due to new growths																-	-	-
Due to a neoplasm	6	1	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other organic changes of the nervous system																		
Autres affections organiques du système nerveux	42	34	76	5	-	5	2	1	3	2	1	3	-	6	6	4	1	5
Psychoneuroses																		
Psychanévrèses	110	169	279	1	-	2	6	13	18	18	23	41	15	21	36	18	29	47
Manic depressives																		
Maniaques dépressives	348	580	928	1	1	2	15	36	61	55	71	124	51	89	120	41	68	107
Dementia praecox																		
Démences précoce	934	707	1,641	2	3	5	97	71	168	207	120	327	204	123	327	151	121	272
Paranoia and paranoid conditions																		
Paranoïde et états paranoidiques	59	107	166	-	-	-	-	-	-	1	1	2	2	3	5	5	4	9
Psychopathic personality																		
Psychopathes somatotomales	40	9	49	2	1	3	8	1	9	7	8	10	8	3	11	3	-	3
Mental deficiency																		
Arriérés mentaux	103	93	196	3	1	4	20	9	29	18	15	33	18	17	35	18	17	35
Undiagnosed																		
Bon diagnosticées	80	87	87	2	-	2	1	1	2	7	3	10	6	1	7	3	4	7
Without psychosis																		
Sans psychose	734	591	1,325	328	287	653	113	131	244	73	63	126	30	36	65	42	37	79
Primary behaviour disorders																		
Troubles essentiels du comportement	21	27	48	1	5	6	6	5	10	5	4	7	5	4	9	3	-	3
TOTAL	3,327	3,527	7,354	353	281	634	289	231	570	419	334	753	351	339	690	340	333	673

Tableau 29 - Age des premières admissions, par psychose.

36 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over		
years - ans			70 ans et plus																				
M.	F.	T.	M.	F.	T.																		
40	26	66	50	10	60	38	6	44	44	6	50	54	6	40	17	5	22	13	4	17	4	1	5
-	1	1	4	1	5	1	1	2	2	2	4	4	-	4	2	1	3	-	1	1	3	-	3
1	2	3	1	1	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
2	7	9	1	3	4	1	1	2	1	6	6	-	-	-	-	-	-	1	2	3	-	-	-
12	1	13	8	6	13	9	6	14	5	2	7	3	2	6	6	2	7	8	-	3	2	-	2
-	-	-	2	3	5	-	2	2	1	1	2	1	2	3	1	-	1	-	-	-	-	-	-
-	1	1	1	-	1	2	1	3	2	-	2	3	-	3	1	-	1	1	-	1	1	-	1
-	-	-	-	-	-	3	2	5	9	6	15	21	16	37	61	32	83	64	43	127	189	72	211
-	-	-	2	2	4	-	4	6	4	5	9	7	6	18	5	7	12	-	5	5	3	6	9
8	3	11	9	8	17	6	6	11	4	1	5	2	2	4	3	-	3	-	2	2	2	-	2
-	-	-	-	-	-	-	-	-	1	-	1	4	5	9	15	21	36	38	62	107	343	335	678
1	-	1	2	21	23	5	37	43	18	45	61	26	29	54	24	28	62	4	2	6	1	2	3
4	21	25	11	14	26	4	10	14	9	5	14	7	6	13	7	9	16	8	6	13	9	5	13
-	-	-	-	1	1	3	-	5	3	-	3	-	-	-	-	-	-	1	-	1	-	-	-
6	6	10	1	2	3	4	2	6	5	4	9	6	1	7	4	6	10	3	5	8	1	-	1
16	24	40	17	13	30	4	11	16	4	12	16	3	7	10	4	9	13	2	3	6	3	3	6
26	63	88	37	65	102	32	59	91	31	41	72	27	36	62	30	27	57	18	22	40	7	5	12
96	99	197	70	58	128	38	38	76	26	41	67	16	16	32	14	9	25	10	7	17	1	1	2
7	16	22	10	17	27	7	24	31	6	16	22	12	12	24	6	8	14	5	4	7	-	3	3
1	-	1	5	1	6	2	-	2	3	-	3	-	-	-	1	-	1	-	-	-	-	-	-
7	8	15	3	6	9	5	6	9	4	8	12	4	3	7	1	1	2	3	2	5	1	-	1
7	4	11	8	6	12	4	7	11	2	2	4	4	4	8	3	3	6	1	2	3	4	-	4
37	16	65	36	13	51	21	16	37	17	11	28	12	10	22	8	6	18	18	6	18	4	1	6
1	3	4	1	2	3	1	-	1	-	1	1	-	1	1	-	-	-	-	2	2	1	-	1
272	290	571	279	252	531	190	237	427	196	216	413	196	163	368	202	174	376	208	185	381	628	454	982

Table 30 - Average age on admission, by psychoses.
 Tableau 30 - Âge moyen à l'admission, par psychoses.

Psychoses	Total			Average age - years		
	M.	F.	P.	M.	F.	P.
General paresis						
Paralysie générale	264	85	349	67.5	61.5	65.0
Other forms of syphilis						
Autres formes de syphilis	17	11	28	54.5	48.4	50.1
Epidemic encephalitis						
Encéphalite épidémique	7	5	12	31.1	42.0	35.7
Other infectious diseases						
Autres maladies infectieuses	13	33	46	34.6	38.2	36.0
Alcoholic						
Alcooliques	71	21	98	41.9	45.4	42.7
Due to drugs						
Toxicques exogènes	9	14	23	40.3	39.2	39.7
Traumatic						
Traumatiques	17	5	20	44.7	38.3	42.9
Cerebral arteriosclerosis						
Arteriosclérose cérébrale	309	171	480	68.7	60.2	68.5
Other disturbances of circulation						
Autres affections circulatoires	21	34	56	58.8	60.0	59.5
Epileptic						
Epileptiques	97	64	162	30.7	31.4	31.0
Senile						
Séniles	401	430	831	76.5	75.7	78.1
Involutional						
Involution	78	188	246	56.8	62.0	58.6
Other metabolic, etc., diseases						
Autres maladies métaboliques, etc.	74	133	208	48.7	39.4	42.8
Due to new growth						
Due to un néoplasme	6	1	9	42.9	42.0	43.0
Other organic changes of nervous system						
Autres affections organiques du système nerveux	42	34	76	42.8	46.4	44.4
Psychoneuroses						
Psychonévroses	110	189	279	38.2	36.5	36.4
Manic depressive						
Maniques dépressives	348	580	928	41.1	38.3	38.4
Dementia praecox						
Démence précoce	934	707	1,641	30.8	32.7	31.6
Paranoia and paranoid conditions						
Paranoïa et états paranoidiques	58	107	166	47.7	47.5	47.8
Psychopathic personality						
Psychopathes constitutionnels	40	9	49	29.4	24.8	28.6
Mental deficiency						
Arriérés mentaux	108	93	196	50.8	33.2	31.7
Undiagnosed						
Non diagnostiquées	50	57	87	39.6	43.4	41.2
Without psychoses						
Sans psychoses	734	531	1,326	31.0	18.3	20.2
Primary behaviour disorders						
Troubles essentiels du comportement	71	27	48	28.7	27.6	28.0
TOTAL		3,827	3,827	7,354	40.9	41.0

Table 31 - Psychoses of first admissions, by provinces.
 Tableau 31 - Psychoses des premières admissions, par province.

Psychoses	C A N A D A				P.R.I.	N.B.	S.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%										
General paresis														
Paralysis générale	264	86	349	4.7	-	18	16	137	110	10	8	14	37	
Other forms of syphilis														
Autres formes de syphilis	17	11	28	.4	-	-	1	9	8	-	4	5	-	
Epidemic encephalitis														
Enéphalite épidémique	7	5	12	.2	-	-	-	1	5	1	5	-	-	
Other infectious diseases														
Autres maladies infectieuses	13	35	48	.6	-	-	1	32	8	4	1	-	-	
Alcoholic														
Alcooliques	71	21	92	1.3	-	5	9	50	25	5	2	7	9	
Due to drugs														
Toxicques exogènes	9	14	23	.3	-	-	-	4	8	4	1	3	3	
Traumatic														
Traumatiques	17	3	20	.3	-	-	-	8	2	-	6	2	2	
Cerebral arteriosclerosis														
Artérosclérose cérébrale	309	171	480	6.6	4	3	4	104	223	24	50	28	40	
Other disturbances of circulation														
Autres affections circulatoires	21	38	56	.8	2	1	1	32	19	1	-	1	-	
Epileptic														
Epileptiques	97	65	162	2.2	-	8	6	72	33	12	14	5	8	
Senile														
Séniles	401	480	881	11.2	3	18	39	208	266	38	84	67	118	
Involutional														
Involutional	78	166	246	3.2	3	22	27	50	96	12	17	5	12	
Other metabolic, etc., dis.														
Autres mal. métaboliques, etc.	74	181	256	3.8	-	-	2	159	40	5	5	1	18	
Due to new growth														
Maladie à un néoplasme	8	1	9	.1	-	-	2	1	-	2	4	-	-	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	42	34	76	1.0	-	2	5	39	25	5	6	-	3	
Psychoneuroses														
Psychoneurose	110	169	279	3.8	5	4	11	87	99	24	23	18	13	
Manic depressive														
Maniques dépressives	348	580	928	12.8	13	54	14	311	304	68	66	38	55	
Bementia praecox														
Démence précoce	934	707	1,641	22.3	2	89	106	265	502	151	169	142	235	
Paranoia and paranoid conditions														
Paranoïa et états paranoidiques	59	107	166	2.2	1	1	1	106	31	18	2	4	-	
Psychopathic personality														
Psychopathes constitutionnels	40	9	49	.7	2	5	1	18	15	4	1	1	2	
Mental deficiency														
Mal-étréas mentaux	103	93	196	2.7	4	23	2	81	46	10	8	8	13	
Undiagnosed														
Non diagnostiquées	50	37	87	1.2	-	6	8	37	24	7	5	6	-	
Without psychoses														
Sans psychoses	714	583	1,325	18.0	17	24	27	432	455	45	135	120	67	
Primary behaviour disorders														
Problèmes essentiels du comportement	21	27	48	.7	1	1	2	20	18	1	-	5	5	
7 3 7 4 L	3,937	3,527	7,364	100.0	83	917	981	5,615	3,342	432	907	438	645	

Table 32 - Environment of first admissions, by psychosis.
 Tableau 32 - Environnement des premières admissions, par psychose.

Psychoses	Total			Urban			Rural			Not given Inconnu		
				Urbain								
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralytic générale	264	85	349	208	62	270	66	23	79	-	-	-
Other forms of syphilis												
Autres formes de syphilis	17	11	28	13	8	21	4	3	7	-	-	-
Epidemic encephalitis												
Encéphalite épidémique	7	5	12	4	2	6	3	3	6	-	-	-
Other infectious diseases												
Autres maladies infectieuses	18	33	46	2	13	15	11	20	31	-	-	-
Alcoholic												
Alcooliques	71	21	92	52	18	70	19	5	22	-	-	-
Due to drugs												
Toxicques exogènes	9	14	23	7	12	19	2	2	4	-	-	-
Traumatic												
Traumatiques	17	3	20	11	2	13	6	1	7	-	-	-
Cerebral arteriosclerosis												
Artérosclérose cérébrale	309	171	480	196	116	311	113	56	169	-	-	-
Other disturbances of circulation												
Autres affections circulatoires	21	36	56	12	34	46	9	1	10	-	-	-
Epileptic												
Epileptiques	97	65	162	54	31	86	43	34	77	-	-	-
Senile												
Bénîles	401	430	831	224	308	532	177	122	299	-	-	-
Involutional												
Involution	76	168	246	42	211	185	38	57	93	-	-	-
Other metabolic, etc., disease												
Autres mal. métaboliques, etc.	74	131	205	50	6	136	24	45	69	-	-	-
Due to new growth												
Dues à un néoplasme	8	1	9	3	1	4	5	-	6	-	-	-
Other organic changes of nervous system												
Autres affections organiques du système nerveux	42	34	76	29	26	55	13	8	21	-	-	-
Psychoneuroses												
Psychonévroses	110	169	279	77	114	191	53	54	87	-	1	1
Manic depressive												
Maniaques dépressives	349	580	928	189	362	661	159	218	577	-	-	-
Dementia praecox												
Démence précoce	934	707	1,641	547	430	977	383	277	660	4	-	4
Paranoia and paranoid conditions												
Paranoïa et états paranoïadiques	59	107	166	41	81	122	17	26	48	1	-	1
Psychopathic personality												
Psychopathies constitutionnelles	40	9	49	30	8	38	9	1	10	1	-	1
Mental deficiency												
Arrêtés mentaux	103	95	198	43	56	99	60	37	97	-	-	-
Undiagnosed												
Non diagnostiquées	60	37	87	29	26	54	19	12	31	2	-	2
Without psychosis												
Sans psychose	734	691	1,426	451	368	809	283	233	516	-	-	-
Primary behaviour disorders												
Troubles essentiels du comportement	21	27	46	15	23	38	8	4	10	-	-	-
TOTAL	3,827	3,303	7,130	2,126	2,286	4,615	1,490	1,240	3,730	8	1	9

Table 33 - Economic condition of first admissions, by psychosis.
 Tableau 33 - Situation économique des premières admissions, par psychose.

Psychoses	Total			Dependant			Marginal			Comfortable			Not given Inconnue		
				A charge			Moyennement modestes			A l'aise					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralysis générale	264	85	349	76	36	112	147	43	190	41	8	47	-	-	-
Other forms of syphilis															
Autres formes de syphilis	17	11	28	4	7	11	11	4	16	2	-	2	-	-	-
Epidemic encephalitis															
Encephalite épidémique	7	5	12	1	1	2	6	4	10	-	-	-	-	-	-
Other infectious diseases															
Autres maladies infectieuses	13	33	46	-	11	11	10	20	30	3	2	5	-	-	-
Alcoholic															
Alcooliques	71	21	92	22	4	26	36	13	49	13	4	17	-	-	-
Due to drugs															
Toxicques exogènes	9	14	23	2	1	3	6	3	14	1	6	6	-	-	-
Traumatic															
Traumatiques	17	3	20	3	1	4	12	2	14	2	-	2	-	-	-
Cerebral arteriosclerosis															
Artérosclérose cérébrale	309	171	480	82	63	145	178	78	256	49	30	79	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	21	35	56	8	8	16	8	25	33	5	2	7	-	-	-
Epileptic															
Epileptiques	97	65	162	54	35	89	34	27	61	9	3	12	-	-	-
Senile															
Séniles	401	430	831	196	196	391	164	173	337	41	62	103	-	-	-
Involutional															
Involution	78	168	246	16	41	67	46	91	137	16	36	62	-	-	-
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	74	131	206	23	26	49	40	95	136	11	10	21	-	-	-
Due to new growth															
Due to a neoplasm	8	1	9	1	1	2	6	-	6	1	-	1	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	42	34	76	18	11	30	17	20	37	6	3	9	-	-	-
Psychoneuroses															
Psychonévrosés	110	169	279	25	42	67	65	95	160	20	32	52	-	-	-
Manic depressive															
Maniques dépressives	348	680	928	76	115	191	180	378	565	82	90	172	-	-	-
Dementia praecox															
Démence précoce	954	707	1,661	275	283	628	586	402	988	73	62	125	-	-	-
Paranoia and paranoid conditions															
Paranoïa et états paranoidiques	59	107	166	17	33	60	31	60	91	10	14	24	1	-	1
Psychopathic personality															
Psychopathes constitutionnels	40	9	49	11	4	15	22	6	27	7	-	7	-	-	-
Mental deficiency															
Arriérés mentaux	103	93	196	46	52	97	55	32	87	3	9	12	-	-	-
Undiagnosed															
Non diagnostiquées	60	37	97	17	11	26	27	22	49	6	4	10	-	-	-
Without psychoses															
Sans psychoses	754	531	1,285	401	358	759	286	194	480	47	38	86	-	-	-
Primary behaviour disorders															
Troubles essentiels du comportement	21	27	48	6	13	19	16	13	28	-	1	1	-	-	-
TOTAL	3,827	3,237	7,064	1,780	1,522	2,702	1,336	1,001	3,734	466	404	852	1	-	1

Table 34 - Use of alcohol of first admissions, by psychoses.
 Tableau 34 - Usage d'alcool des premières admissions, par psychoses.

Psychoses	Total			Abstinent Aubun			Temperate Tempérant			Intemperate Intempéreant		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralysis générale	264	85	349	102	65	165	122	28	138	40	8	48
Other forms of syphilis												
Autres formes de syphilis	17	11	28	3	10	13	9	1	10	6	-	5
Epidemic encephalitis												
Méningite épidémique	7	5	12	5	4	9	2	1	3	-	-	-
Other infectious diseases												
Autres maladies infectieuses	13	33	46	10	32	42	3	1	4	-	-	-
Alcoholic												
Alcooliques	71	21	92	-	-	-	-	-	-	71	21	92
Due to drugs												
Toxiques exogènes	9	14	23	3	7	10	3	3	6	3	4	7
Traumatic												
Traumatiques	17	3	20	10	3	13	7	-	7	-	-	-
Cerebral arteriosclerosis												
Artérosclérose cérébrale	309	171	480	175	165	320	104	15	119	32	1	35
Other disturbances of circulation												
Autres affections circulatoires	21	35	56	12	34	46	7	1	8	2	1	3
Epileptic												
Epileptiques	97	66	163	72	57	129	22	8	30	8	-	3
Senile												
Séniles	401	430	831	280	386	656	122	41	164	29	3	32
Involutional												
Involution	78	165	243	46	181	187	27	16	43	6	1	6
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	74	141	205	47	123	165	23	8	31	9	-	9
Due to new growth												
Dues à un néoplasme	8	1	9	6	1	7	1	-	1	1	-	1
Other organic changes of nervous system												
Autres affections organiques du système nerveux	42	34	76	32	31	63	8	2	8	4	1	6
Psychoneuroses												
Psychonévrosés	110	169	279	59	130	189	43	38	78	8	6	12
Manic depressive												
Maniaques dépressives	348	560	908	185	497	682	133	30	213	30	3	33
Dementia praecox												
Démence précoce	534	707	1,241	486	593	1,078	377	103	480	72	11	83
Paranoid and paranoid conditions												
Paranoïde et états paranoidiques	59	107	166	36	96	132	24	12	36	5	-	6
Psychopathic personality												
Psychopathies constitutionnelles	40	9	49	16	4	20	20	4	24	4	1	5
Mental deficiency												
Arriérés mentaux	103	93	196	69	81	150	27	9	56	7	3	10
Undiagnosed												
Non diagnostiquées	60	37	87	23	32	55	21	3	24	8	2	8
Without psychoses												
Sans psychoses	734	691	1,326	560	555	1,135	99	31	130	55	5	60
Primary behaviour disorders												
Problèmes essentiels du comportement	21	27	48	13	24	37	8	3	9	2	-	2
T O T A L	5,827	5,527	7,354	2,226	3,057	6,293	1,208	393	1,601	393	67	450

Table 35 - Conjugal condition of first admissions, by psychoses.
 Tableau 35 - Etat conjugal des premières admissions, par psychoses.

Psychoses	Total			Single			Married			Widowed			Divorced		
				Célibataires			Mariés			Veufs			Divorcés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralysis générale	264	85	349	75	15	90	169	60	229	18	8	27	2	1	3
Other forms of syphilis															
Autres formes de syphilis	17	11	28	5	4	9	10	6	16	2	-	2	-	1	1
Epidemic encephalitis															
Encephalite épidémique	7	5	12	5	1	6	2	4	6	-	-	-	-	-	-
Other infectious diseases															
Autres maladies infectieuses	13	85	46	11	13	24	1	19	20	1	1	2	-	-	-
Alcoholic															
Alcooliques	71	21	92	36	2	38	29	18	45	6	3	9	1	-	1
Due to drugs															
Toxiques exogènes	9	14	23	4	3	7	4	10	14	1	1	2	-	-	-
Traumatic															
Traumatiques	19	3	20	6	2	7	12	1	13	-	-	-	-	-	-
Cerebral arteriosclerosis															
Artérosclérose cérébrale	305	171	476	47	25	72	184	73	227	76	70	146	2	3	6
Other disturbances of circulation															
Autres affections circulatoires	21	36	56	-	4	5	14	21	35	8	10	16	-	-	-
Epileptic															
Epileptiques	97	66	162	76	45	121	18	18	36	5	2	6	-	-	-
Senile															
Séniles	401	430	831	84	59	143	166	130	296	147	241	388	4	-	4
Involutional															
Involution	78	168	246	10	34	44	61	112	173	6	22	28	1	-	1
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	74	131	205	27	34	61	36	87	123	11	10	21	-	-	-
Due to new growth															
Due to a neoplasm	6	-	9	3	-	3	4	1	5	1	-	1	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	42	34	76	21	12	33	21	16	37	-	6	6	-	-	-
Psychoneuroses															
Psychonévrosés	110	189	299	50	70	120	52	87	139	3	12	16	6	-	6
Manic depressive															
Maniques dépressives	348	580	928	133	180	313	171	352	523	22	45	67	2	3	5
Dementia praecox															
Démence précoce	934	707	1,641	726	361	1,096	194	319	515	15	22	35	2	6	7
Paranoid and paranoid conditions															
Paranoïa et états paranoidiques	69	107	166	15	38	63	41	50	101	2	9	11	1	-	1
Psychopathic personality															
Psychopathies constitutionnelles	40	9	49	23	4	33	11	6	16	-	-	-	-	-	-
Mental deficiency															
Arriérés mentaux	103	93	196	87	63	150	16	27	43	-	3	3	-	-	-
Undiagnosed															
Non diagnostiquées	50	37	87	26	10	36	20	22	42	4	5	9	-	-	-
Without psychoses															
Sans psychoses	734	591	1,326	851	540	1,171	71	49	115	10	5	15	2	1	3
Primary behaviour disorders															
Troubles essentiels du comportement	21	27	48	13	15	31	5	10	15	1	-	-	-	-	-
T O T A L	3,827	3,527	7,354	2,151	1,535	3,696	1,312	1,501	2,813	332	477	809	22	14	36

Table 38 - Education of first admissions, by psychoses.
 Tableau 38 - Instruction des premières admissions, par psychoses.

Psychoses	Total			Illiterate			Reads and writes Sachant lire et écrire			Common School			High School Ecole secondaire			University Université			Not given Inconnue					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.			
General paresis																								
Paralysis générale	284	85	349	4	9	13	16	7	23	201	56	257	36	13	49	7	-	7	-	-	-	-	-	
Other forms of syphilis																								
Autres formes de syphilis	17	11	28	-	1	1	2	2	4	11	8	19	3	-	3	1	-	1	-	-	-	-	-	
Epidemic encephalitis																								
Encéphalite épidémique	7	5	12	1	1	2	1	-	1	6	3	9	-	1	1	-	-	-	-	-	-	-	-	
Other infectious diseases																								
Autres maladies infectieuses	13	33	46	-	-	-	1	1	2	11	26	37	1	6	7	-	-	-	-	-	-	-	-	
Alcoholic																								
Alcooliques	71	21	92	2	1	3	5	2	7	60	18	66	13	2	25	1	-	1	-	-	-	-	-	
Due to drugs																								
Toxiques exogènes	9	14	23	-	-	-	-	1	1	8	10	16	1	2	3	2	1	3	-	-	-	-	-	
Traumatic																								
Traumatiques	17	3	20	1	-	1	1	-	1	13	1	14	1	2	3	1	-	1	-	-	-	-	-	
Cerebral arteriosclerosis																								
Artériosclérose cérébrale	309	171	480	21	4	25	29	9	38	216	125	341	26	26	52	17	7	24	-	-	-	-	-	
Other disturbances of circulation																								
Autres affections circulatoires	21	35	56	-	3	3	-	-	-	17	26	43	3	5	8	1	1	2	-	-	-	-	-	
Epileptic																								
Epileptiques	97	68	162	10	12	22	18	11	29	66	40	96	12	2	14	1	-	1	-	-	-	-	-	
Sénile																								
Sénilles	401	430	831	37	27	64	68	37	105	260	299	559	26	64	90	9	3	12	1	-	1	-	-	
Involutional																								
Involution	78	168	246	4	3	7	7	12	19	67	108	186	7	40	47	3	6	8	-	-	-	-	-	
Other metabolic, etc., dis.																								
Autres mal. métaboliques, etc.	74	131	205	3	-	3	4	4	8	68	104	162	8	22	30	1	1	2	-	-	-	-	-	
Due to new growth																								
Dues à un néoplasme	9	1	9	-	-	-	1	1	2	5	-	5	2	-	2	-	-	-	-	-	-	-	-	
Other organic changes of nervous system																								
Autres affections organiques du système nerveux	42	34	76	3	2	5	8	2	8	26	16	42	7	13	20	-	1	1	-	-	-	-	-	
Psychoneuroses																								
Psychonévroses	110	169	279	2	1	3	7	7	14	72	98	170	21	61	82	9	2	10	-	-	-	-	-	
Manic depressive																								
Maniaques dépressives	348	580	928	6	15	19	22	32	64	237	356	593	83	147	230	20	12	32	-	-	-	-	-	
Dementia praecox																								
Déférence précoce	954	707	1,641	24	18	40	93	36	129	624	466	1,090	176	173	549	17	18	33	-	-	-	-	-	
Paranoia and paranoid conditions																								
Paranoïde et états paranoïadiques	59	107	166	2	4	6	3	3	6	45	70	115	7	27	34	2	3	5	-	-	-	-	-	
Psychopathic personality																								
Psychopathies constitutionnelles	40	9	49	-	-	-	2	-	2	32	7	39	5	2	7	1	-	1	-	-	-	-	-	
Mental deficiency																								
Arriérés mentaux	103	93	196	19	26	44	17	13	30	67	53	120	-	2	2	-	-	-	-	-	-	-	-	
Undiagnosed																								
Non diagnostiquées	60	37	97	6	4	10	8	3	6	34	28	59	7	3	10	1	2	3	-	-	-	-	-	
Without psychoses																								
Sans psychoses	734	691	1,426	422	311	733	122	115	237	168	149	307	24	16	49	8	-	8	-	-	-	-	-	
Primary behaviour disorders																								
Troubles essentiels du comportement	21	27	48	1	5	8	2	1	3	15	16	30	3	6	9	-	-	-	-	-	-	-	-	
T O T A L	3,827	3,527	7,354	568	442	1,010	429	299	728	2,276	2,077	4,363	452	655	1,107	101	54	165	1	-	1	-	-	

Table 37 - Nativity of first admissions, by provinces.
Tableau 37 - Lieu de naissance des premières admissions, par province.

Province	Total			Canadian born			British born			Foreign born			Not given Inconnue		
				Nés au Canada			Nés britanniques			Nés à l'étranger					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	28	21	49	2	-	2	1	1	2	-	-	-
Nova Scotia	175	114	289	133	106	239	12	6	18	28	3	31	-	-	-
New Brunswick	151	130	281	137	127	264	1	1	2	15	2	16	-	-	-
Quebec	1,107	1,108	2,215	1,009	996	2,004	39	46	85	57	66	123	2	1	3
Ontario	1,155	1,193	2,348	858	920	1,778	145	173	318	150	100	250	2	-	2
Manitoba	228	224	452	150	156	306	28	21	49	50	47	97	-	-	-
Saskatchewan	536	271	807	213	177	390	42	35	75	81	81	142	-	-	-
Alberta	271	196	466	137	117	264	34	27	61	100	51	151	-	-	-
British Columbia	376	270	646	196	165	351	82	71	153	97	44	141	-	-	-
C A N A D A	5,827	3,527	7,354	2,861	2,773	5,634	385	378	763	577	375	962	4	1	5

Table 38 - Nativity of parents of Canadian born first admissions, by provinces.
Tableau 38 - Lieu de naissance des parents des premières admissions nées au Canada, par province.

Province	Canadian born patients Patients nés au Canada			Nativity of parents			Lieu de naissance des parents			Mixed Mixte			Not given Inconnue		
				Canadian born Nés au Canada			British born Nés britanniques								
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	28	21	49	27	20	47	-	-	-	-	-	-	1	1	2
Nova Scotia	133	106	238	120	96	216	1	4	5	2	1	3	10	5	16
New Brunswick	137	127	264	136	118	253	1	2	3	-	2	2	1	5	6
Quebec	1,009	996	2,004	986	981	1,902	19	17	36	12	18	30	13	23	36
Ontario	858	920	1,778	689	698	1,167	101	133	234	48	61	99	132	135	267
Manitoba	150	156	306	63	84	127	23	26	48	41	37	78	23	30	63
Saskatchewan	213	177	390	86	74	160	20	17	37	66	56	112	51	30	81
Alberta	137	117	264	64	55	119	9	14	23	39	36	74	26	13	38
British Columbia	196	165	351	88	66	143	46	43	89	37	27	64	25	30	66
C A N A D A	2,861	2,773	5,634	2,117	2,016	4,233	220	255	475	236	227	462	281	272	553

Table 39 - Time in Canada before admission of British born and foreign born patients, by provinces.
Tableau 39 - Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers, par province.

Province	Total			Under 5 years			5 - 9 years			10 - 14 years			15 years and over			Not given Inconnue		
				Moins de 5 ans			years + mois			years + mois			15 ans et plus					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	3	1	4	1	-	1	-	-	-	-	1	1	2	-	2	-	-	
Nova Scotia	40	9	49	35	1	36	-	-	-	1	2	3	4	6	10	-	-	-
New Brunswick	14	3	17	7	-	7	-	1	1	2	-	2	4	2	6	1	-	1
Quebec	96	112	208	5	8	13	6	6	12	7	9	16	76	89	164	3	-	3
Ontario	295	273	568	11	2	13	6	7	12	24	34	58	252	226	480	3	2	5
Manitoba	78	68	146	2	-	2	1	-	1	3	5	9	72	82	134	-	1	1
Saskatchewan	123	94	217	1	1	2	-	3	3	6	2	8	116	68	204	-	-	-
Alberta	154	78	232	9	-	9	4	-	4	10	9	19	111	69	180	-	-	-
British Columbia	172	115	284	7	2	9	3	1	4	15	12	27	162	99	261	2	1	3
C A N A D A	962	753	1,715	78	14	92	10	18	37	68	74	142	798	645	1,431	9	4	15

Table 40 - Education of first admissions by age groups.
Tableau 40 - Instruction des premières admissions par groupe d'âge.

Age groups Groupe d'âge	Total			Illiterate			Read and writes			Common School			High School			University			Not given		
				M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	358	281	639	285	216	501	52	48	100	21	17	38	-	-	-	-	-	-	-	-	-
15-19 years -ans	289	281	570	53	41	93	50	45	95	147	160	297	33	46	84	3	-	1	-	-	-
20-24 * * *	419	334	753	33	23	56	39	28	65	265	193	458	76	89	164	7	3	10	-	-	-
25-29 * * *	361	339	690	33	24	47	20	19	39	258	199	432	68	86	154	7	11	18	-	-	-
30-34 * * *	340	333	673	24	19	43	32	24	55	221	197	418	58	67	145	6	6	14	-	-	-
35-39 * * *	272	299	571	17	18	30	37	18	55	179	198	377	31	63	94	8	7	15	-	-	-
40-44 * * *	279	262	531	22	19	41	17	18	36	189	168	347	43	49	92	8	7	15	-	-	-
45-49 * * *	190	237	427	10	16	26	21	14	35	124	150	274	28	52	90	7	5	12	-	-	-
50-54 * * *	198	215	413	12	15	27	26	17	43	133	141	274	17	36	56	10	4	14	-	-	-
55-59 * * *	196	163	358	17	8	25	23	14	37	124	113	287	16	28	46	13	-	13	-	-	-
60-64 * * *	202	174	376	11	15	26	21	8	29	146	122	268	17	26	43	7	3	10	-	-	-
65-69 * * *	206	186	391	15	9	24	27	9	36	152	136	288	23	29	52	8	2	10	1	-	1
70 years and over - 70 ans et plus	528	434	962	47	24	71	64	38	102	362	303	666	35	63	98	20	6	26	-	-	-
Not given - Inconnue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	3,627	3,627	7,354	568	442	1,010	423	293	728	2,276	2,077	4,353	452	655	1,107	101	54	155	3	-	1

Table 41 - Nativity of first admissions by age groups.
Tableau 41 - Lieu de naissance des premières admissions par groupe d'âge.

Age groups Groupe d'âge	Total			Canadian born			British born			Foreign born			Not given								
				M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.						
Under 15 years - Moins de 15 ans	358	281	639	356	281	636	-	-	-	3	-	3	-	-	-	-					
15-19 years -ans	289	281	570	273	270	543	0	-	2	13	11	24	1	-	1	-					
20-24 * * *	419	334	753	376	310	686	12	9	21	31	16	46	-	-	-	-					
25-29 * * *	361	339	690	320	313	633	12	7	19	18	19	36	-	-	-	-					
30-34 * * *	340	333	673	270	281	551	24	12	35	48	40	86	-	-	-	-					
35-39 * * *	272	299	571	178	214	392	27	29	56	67	56	123	-	-	-	-					
40-44 * * *	279	252	531	163	172	325	40	24	64	86	56	142	-	-	-	-					
45-49 * * *	190	237	427	117	166	283	22	31	53	31	40	91	-	-	-	-					
50-54 * * *	198	215	413	122	136	258	27	40	67	43	39	88	-	-	-	-					
55-59 * * *	196	163	358	121	96	216	23	43	66	51	25	76	-	-	-	-					
60-64 * * *	202	174	376	124	117	241	46	36	81	35	21	64	-	-	-	-					
65-69 * * *	206	186	391	117	122	239	39	47	88	49	16	65	1	-	1	-					
70 years and over - 70 ans et plus	528	434	962	335	296	631	112	170	272	73	37	116	2	1	3	-	-	-	-	-	
Not given - Inconnue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	3,627	3,627	7,354	1,066	1,272	5,614	389	378	767	877	878	2,527	9	1	1	-	-	-	-	-	-

Table 42 - Nativity of parents of Canadian born first admissions by age groups.
 Tableau 42 - Lieu de naissance des parents des premières admissions nées au Canada, par groupes d'âge.

Age groups Groupe d'âge	Canadian born patients Patients nés au Canada			Nativity of parents						Lieu de naissance des parents						Not given Inconnu		
				Canadian born Nés au Canada			British born Nés britanniques			Foreign born Nés à l'étranger			Mixed Mixte			Not given Inconnu		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	355	281	636	256	229	485	20	5	25	20	13	33	43	31	74	6	3	9
15-19 years - ans	273	270	543	184	177	361	21	23	44	27	35	62	39	35	74	2	-	2
20-24 " "	376	310	686	274	197	471	15	30	45	49	52	101	36	31	69	-	-	-
25-29 " "	320	313	633	217	208	425	13	33	42	47	47	114	23	25	48	-	-	-
30-34 " "	270	281	551	197	193	390	18	24	42	37	43	80	18	21	39	-	-	-
35-39 " "	178	214	392	150	169	319	8	25	21	12	16	27	11	14	30	-	-	-
40-44 " "	153	172	325	122	147	269	10	10	20	6	5	11	13	12	29	-	-	-
45-49 " "	117	166	283	97	136	233	7	21	14	2	4	6	11	16	26	-	-	-
50-54 " "	122	136	258	104	115	219	5	9	14	4	3	8	13	9	22	-	-	-
55-59 " "	121	96	216	103	74	177	8	7	16	2	6	5	8	8	16	-	-	-
60-64 " "	124	117	241	97	86	183	12	13	25	2	1	3	13	17	30	-	-	-
65-69 " "	117	122	239	96	95	178	13	14	27	5	-	5	13	16	28	-	-	-
70 years and over - 70 ans et plus	335	296	631	220	192	412	72	61	133	5	4	9	38	39	77	-	-	-
Not given - Inconnu	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	2,861	2,773	5,634	2,117	2,016	4,133	226	255	475	235	227	462	261	272	533	8	3	11

Table 43 - Time in Canada before admission of British born and foreign born patients by age groups.
 Tableau 43 - Séjour au Canada avant la première admission des patients nés britanniques et nés étrangers par groupes d'âge.

Age groups Groupe d'âge	Total			Under 5 years Moins de 5 ans			5 - 9 years - ans			10 - 14 years - ans			15 years and over 15 ans et plus			Not given Inconnu		
				M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years - Moins de 15 ans	3	-	3	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years - ans	16	11	26	1	-	1	3	-	3	7	4	11	4	-	11	-	-	-
20-24 " "	43	24	67	15	2	17	2	1	3	7	5	22	19	16	34	1	-	1
25-29 " "	31	26	67	11	2	13	2	2	4	4	9	13	14	14	28	-	1	1
30-34 " "	70	52	122	18	2	20	-	3	3	10	13	23	40	32	72	2	2	4
35-39 " "	94	85	179	16	2	15	1	2	3	15	21	36	54	60	124	-	-	-
40-44 " "	126	80	206	9	1	10	2	3	5	9	8	17	106	68	174	-	-	-
45-49 " "	73	71	144	5	2	7	4	5	9	6	7	13	56	57	113	2	-	2
50-54 " "	76	78	155	-	1	1	2	-	2	3	1	4	71	76	147	-	1	1
55-59 " "	74	68	142	1	-	1	1	-	1	2	1	3	68	67	135	2	-	2
60-64 " "	78	57	135	2	-	2	-	-	-	2	1	3	73	56	123	1	-	1
65-69 " "	86	63	151	-	-	-	1	-	1	1	3	4	82	62	145	2	-	1
70 years and over - 70 ans et plus	191	137	328	-	2	2	-	2	2	2	3	5	139	130	319	-	-	-
Not given - Inconnu	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	962	755	1,716	74	14	82	19	18	57	68	74	131	798	643	1,431	2	4	13

Table 44 - Counties and census districts from which first admissions were admitted.

Counties and districts Comtés et districts	M.	F.	T.	Counties and districts Comtés et districts	M.	F.	T.	Counties and districts Comtés et districts	M.	F.	T.	
PRINCE EDWARD ISLAND												
Kings	9	9	18	QUEBEC			QUEBEC (Con. - suite)					
Prince	4	6	10	Abitibi	24	11	35	Missisquoi	6	10	16	
Queens	18	7	25	Argenteuil	10	2	12	Montcalm	6	2	7	
NOVA SCOTIA												
Annapolis	6	1	7	Arthabaska	9	10	19	Montmagny	4	10	14	
Antigonish-	4	1	5	Bagot	4	4	8	Montmorency	12	8	18	
Cape Breton	17	19	36	Beauce	6	8	14	Montréal	346	426	771	
Colchester	7	6	12	Beauharnois	7	7	14	Napierville	7	3	10	
Cumberland	11	5	16	Bellechasse	5	6	10	Nicolet	18	16	31	
Digby	6	1	9	Berthier	2	7	9	Papineau	16	3	19	
Gegyborough	4	3	7	Bonaventure	10	9	19	Pontiac	1	1	2	
Halifax	17	31	48	Brome	4	5	7	Portneuf	23	22	45	
Hants	2	4	6	Chambly	7	7	14	Québec	143	117	260	
Inverness	7	5	12	Champlain	20	18	38	Richelieu	6	2	8	
Kings	9	9	18	Charlevoix	7	11	18	Richmond	2	6	8	
Lunenburg	7	7	14	Chateauguay	3	1	4	Rimouski	9	10	19	
Pictou	18	7	20	Chicoutimi	19	28	47	Rivière-du-Loup	6	7	13	
Queens	3	3	6	Compton	6	2	8	Roberval	2	3	5	
Richmond	1	2	3	Deux Montagnes	3	1	4	Rouville	2	2	4	
Shelburne	6	5	11	Dorchester	4	7	11	Saguenay	10	6	16	
Victoria	-	1	1	Drummond	12	7	19	Shefford	8	9	17	
Yarmouth	1	3	4	Frontenac	3	3	6	Sherbrooke	10	19	29	
Outside Province	46	2	48	Gaspé	7	4	10	Soulard	1	3	4	
Not given	4	-	4	Gatineau	6	3	9	Stanstead	12	8	20	
NEW BRUNSWICK												
Albert	1	2	3	Hull	11	11	22	St-Basile-le-Grand	10	10	20	
Carleton	9	8	18	Buntingdon	2	10	12	St-Jean	5	1	6	
Charlotte	2	5	7	Iberville	5	5	10	St-Maurice	28	26	50	
Gloucester	9	15	24	Îles de la Madeleine	-	2	2	Témiscamingue	7	7	14	
Kent	4	4	8	Jacques Cartier	49	43	92	Témiscouata	4	4	8	
Kings	6	7	12	Joliette	10	20	20	Terrebonne	12	9	21	
Madawaska	1	3	4	Kimberley	8	8	17	Vaudreuil	-	2	2	
Northumberland	5	9	14	L'Assomption	5	5	9	Verchères	3	2	5	
Queens	6	3	8	Laval	12	1	13	Wolfe	5	6	11	
Restigouche	11	9	20	Lévis	22	6	28	Yamaska	4	2	6	
St. John	60	28	88	L'Île-d'Orléans	4	3	7	Hors de la province	19	28	47	
Sudbury	9	3	12	Lotbinière	6	6	12	Algoma	17	13	30	
Victoria	4	6	10	Mackinac	4	5	9	Brant	15	21	36	
Westmorland	18	21	39	Matane	10	8	18	Carleton	44	71	116	
York	7	5	12	Matapedia	6	5	11	Cochrane	15	12	27	
Outside Province	2	2	4	Mégantic	13	11	24	Dufferin	2	4	6	

Tableau 44 - Comtés et districts de recensement d'où viennent les patients de première admission.

Counties and districts Comtés et districts	M.	F.	T.	Counties and districts Comtés et districts	M.	F.	T.	Counties and districts Comtés et districts	M.	F.	T.
ONTARIO (Con. - suite)				ONTARIO (Con. - suite)				SASKATCHEWAN (Con.-suite)			
Dundas	3	6	9	Thunder Bay	30	15	45	Division 15	16	15	29
Durham	13	13	26	Victoria	9	10	19	" 14	16	22	40
Elgin	19	13	32	Waterloo	25	30	55	" 18	40	35	75
Essex	60	42	102	Welland	19	25	44	" 15	21	19	40
Frontenac	17	17	34	Wellington	17	18	35	" 17	18	6	24
Glengarry	3	5	8	Wentworth	64	65	127	" 18	3	-	3
Grenville	4	8	12	York	323	378	701	Outside Province	1	2	9
Grey	12	16	28	Outside Province	16	7	23	Not given	6	-	6
Haldimand	4	4	8	Not given	7	1	8	ALBERTA			
Haliburton	-	2	2	MANITOBA				Division 1	10	5	13
Halton	6	3	9	Division 1	8	5	13	" 2	14	15	29
Hastings	24	25	49	" 2	4	4	8	" 3	2	-	2
Huron	11	13	24	" 3	5	4	9	" 4	4	5	9
Kawartha	8	3	11	" 4	5	3	7	" 5	8	2	10
Kent	31	28	59	" 5	8	3	11	" 6	52	41	93
Lambton	17	11	28	" 6	101	121	222	" 7	8	6	13
Lennox	9	7	16	" 7	17	22	39	" 8	26	14	40
Leeds	13	12	25	" 8	8	7	15	" 9	8	8	16
Lennox & Addington	7	6	13	" 9	10	9	19	" 10	19	10	29
Lincoln	24	18	42	" 10	8	4	12	" 11	52	49	101
Manitoulin	1	2	3	" 11	13	7	20	" 12	7	4	11
Middlesex	60	48	98	" 12	7	3	10	" 13	5	3	8
Muskoka	6	13	19	" 13	4	9	13	" 14	19	19	38
Ripissing	27	8	35	" 14	2	7	9	" 15	8	5	13
Norfolk	6	5	11	" 15	3	2	5	" 16	11	3	14
Northumberland	9	14	23	" 16	6	3	9	" 17	8	3	11
Ontario	22	22	44	Outside Province	19	10	29	" 18	5	2	7
Oxford	11	12	23	Not given	2	2	4	Outside Province	1	1	2
Perry Sound	2	4	6	SASKATCHEWAN				Not given	4	3	7
Peel	6	12	18	Division 1	7	3	15	BRITISH COLUMBIA			
Perth	10	12	22	" 2	14	15	30	Division 1	7	4	11
Peterborough	11	24	35	" 3	18	8	26	" 2	13	14	27
Prescott	10	8	18	" 4	6	3	11	" 3	22	13	35
Prince Edward	6	6	13	" 5	19	12	31	" 4	230	179	409
Rainy River	5	2	7	" 6	29	28	58	" 6	43	38	81
Renfrew	12	15	26	" 7	16	13	29	" 6	10	4	14
Russell	4	5	9	" 8	10	11	21	" 7	6	1	7
Simcoe	17	29	46	" 9	13	8	21	" 8	13	8	21
Stormont	8	6	12	" 10	11	7	18	" 9	13	3	16
Sudbury	16	9	24	" 11	47	41	86	" 10	7	4	11
Taniskaming	23	1	23	" 12	13	13	33	Outside Province	11	2	13

Table 45 - Country of birth of first admissions, by provinces.
 Tableau 45 - Pays de naissance des premières admissions, par province.

Countries - Pays	C A N A D A				P.Q.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.
	M.	P.	T.	%								
Australia - Australie	4	1	5	.07	-	-	-	-	-	-	-	5
Austria - Autriche	36	27	63	.86	-	-	-	2	12	16	13	4
Belgium - Belgique	7	5	12	.16	-	-	-	2	3	3	1	2
C A N A D A	2,861	2,773	6,634	78.51	49	233	264	2,004	1,778	306	390	264
China - Chine	34	1	35	.48	-	1	-	4	5	2	3	10
Czechoslovakia - Tchécoslovaquie	14	12	26	.35	-	-	-	4	11	-	2	5
Denmark - Danemark	7	3	10	.14	-	-	-	1	4	1	1	2
England - Angleterre	254	214	468	5.58	-	9	1	62	203	32	53	51
Finland - Finlande	28	13	41	.56	-	-	1	1	21	1	3	10
France - France	6	1	7	.10	-	2	-	3	-	-	1	1
Germany - Allemagne	33	8	41	.84	-	1	4	6	7	3	8	15
Greece - Grèce	9	2	11	.15	-	3	1	2	4	-	-	1
Holland - Hollande	5	1	6	.08	-	1	-	1	1	-	2	1
Hungary - Hongrie	21	12	33	.45	-	1	-	5	14	-	4	7
Iceland - Islande	3	4	7	.10	-	-	-	-	-	5	-	1
India - Inde	1	-	1	.01	-	-	-	-	-	-	-	1
Ireland - Irlande	48	41	89	1.21	1	-	-	7	39	4	8	11
Italy - Italie	18	13	31	.42	-	1	1	6	16	-	3	5
Japan - Japon	4	2	6	.08	-	-	-	1	-	-	-	5
Jugo-Slavia - Yougoslavie	14	4	28	.24	-	1	-	3	8	-	-	6
Lithuania - Lituanie	4	7	11	.16	-	-	-	5	3	2	-	-
Norway - Norvège	34	8	42	.57	-	13	2	-	3	3	6	3
Poland - Pologne	83	57	120	1.63	-	-	-	18	28	30	24	18
Roumania - Roumanie	11	8	19	.26	-	-	-	6	9	-	1	3
Russia - Russie	55	46	101	1.37	-	-	-	18	24	13	16	19
Scotland - Ecosse	64	98	162	2.20	-	1	-	17	54	13	12	17
South America - Amérique du Sud	2	-	2	.03	-	-	1	-	-	-	-	-
Spain - Espagne	1	-	1	.01	-	-	-	-	-	-	-	1
Sweden - Suède	16	10	26	.36	-	1	1	-	6	3	6	2
Switzerland - Suisse	3	1	4	.05	-	-	-	-	-	-	2	2
Syria - Syrie	-	1	1	.01	-	-	-	-	1	-	-	-
United States - Etats-Unis	128	119	247	3.36	2	8	3	38	56	15	44	46
Other British possessions - Autres possessions britanniques	14	24	38	.52	-	9	1	9	12	-	2	3
Other countries - Autres pays	26	9	26	.34	-	2	1	3	13	1	1	2
Not given - Inconnu	4	1	5	.07	-	-	-	3	2	-	-	-
T O T A L	3,827	3,527	7,354	100.00	53	287	281	2,216	2,348	462	607	466

Table 46 - Citizenship of first admissions.
 Tableau 46 - Nationalité des premières admissions.

Citizenship - Nationalité	M.	P.	T.	%
Canadian by birth - Canadiens de naissance	2,861	2,773	6,634	76.6
British born who have resided in Canada 5 years or more - Nés britanniques domiciliés au Canada 5 ans et plus	367	370	727	9.9
British born who have resided in Canada less than 5 years - Nés britanniques domiciliés au Canada moins de 5 ans	25	7	32	.4
British born (residence not given) - Nés britanniques (résidence au Canada inconnue)	3	1	4	.1
Alien born (naturalized) - Nés à l'étranger (naturalisés)	332	279	611	8.3
Alien born who have resided in Canada 5 years or more (not naturalized) - Nés à l'étranger domiciliés au Canada 5 ans ou plus (non naturalisés)	186	86	272	3.7
Alien born who have resided in Canada less than 5 years - Nés à l'étranger domiciliés au Canada moins de 5 ans	53	7	60	.8
Alien born (residence not given) - Nés à l'étranger (résidence au Canada inconnue)	6	3	9	.1
Not given - Inconnu	4	1	6	.1
T O T A L	3,827	3,527	7,354	100.0

Table 47 - Racial origin of first admissions, by provinces.
Tableau 47 - Origine raciale des premières admissions, par provinces.

Origins - Origines	C A N A D A			P.E.I.	N.S.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.
	M.	F.	T.								
Austrian - Autrichien											
Autrichienne - Autrichien	37	41	78	1.06	-	-	2	15	24	28	8
Belgian - Belge	7	10	17	.23	-	1	2	2	3	3	2
Bulgarian - Bulgare	1	-	1	.01	-	-	-	-	1	-	-
Chinese - Chinoise	56	2	37	.50	-	1	4	8	1	4	10
Czechoslovakian - Tchèque	18	16	34	.46	-	-	5	12	-	4	8
Danish - Danois	11	8	20	.27	-	-	1	4	2	3	7
Dutch - Hollandaise	44	31	75	1.02	-	1	2	3	30	7	5
English - Anglaise	1,067	1,070	2,137	23.06	17	61	123	186	1,092	114	149
Finnish - Finlandaise	36	19	55	.56	-	1	1	1	30	1	4
French - Française	1,151	1,070	2,221	20.40	4	80	89	1,774	213	27	34
German - Allemande	127	106	233	3.17	-	25	6	9	67	14	66
Greek - Grecque	12	6	18	.24	-	4	1	3	6	-	1
Jewish - Juive	64	57	111	1.51	-	1	1	63	37	4	-
Hungarian - Hongroise	28	13	41	.56	-	1	-	5	17	1	4
Icelandic - Islandaise	9	5	14	.19	-	-	-	-	9	1	1
Indian - Indienne	28	29	55	.76	-	2	-	3	18	7	7
Irish - Irlandaise	329	303	632	8.59	11	31	26	51	303	49	74
Italian - Italienne	40	33	73	.99	-	1	1	12	40	-	1
Japanese - Japonnaise	8	5	13	.18	-	-	-	-	2	-	1
Jugo-Slavian - Yougoslave	16	8	24	.28	-	1	-	3	8	-	1
Negro - Nègre	19	11	30	.41	-	4	3	6	12	2	1
Norwegian - Norvégienne	51	22	73	.99	-	13	2	1	5	5	20
Polish - Polonoise	98	70	168	2.28	-	2	-	12	43	48	31
Romanian - Roumaine	11	12	23	.31	-	-	-	2	12	2	3
Russian - Russe	66	48	114	1.55	-	2	-	2	19	23	20
Scotch - Ecossaise	392	418	810	11.01	21	103	17	56	295	64	80
Swedish - Suédoise	23	24	57	.78	-	1	2	5	13	6	13
Syrian - Syrienne	4	3	7	.10	-	-	-	1	4	1	-
Ukrainian - Ukrainienne	74	75	149	2.03	-	-	-	3	27	35	42
Other races - Autres races	13	15	34	.46	-	1	-	4	16	3	1
Not given - Inconnue	4	1	5	.07	-	1	-	1	1	-	2
T O T A L	3,827	3,827	7,354	100.00	53	287	281	2,215	2,348	452	607
											646

Table 48 - Religion of first admissions, by provinces.
Tableau 48 - Religion des premières admissions, par provinces.

Religions	C A N A D A			P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.
	M.	F.	%									
Adventist - Adventiste	8	8	14	.19	-	-	2	1	5	-	1	3
Anglican - Anglicaine	598	533	1,131	15.38	9	46	79	100	481	64	75	216
Baptist - Baptiste	119	128	242	3.29	2	32	34	14	123	-	13	11
Christian Science - Scientiste chrétien	7	7	14	.19	-	1	-	-	5	4	1	2
Congregationalist - Congréga-tionnaliste	4	1	5	.07	-	-	-	1	4	-	-	-
Doukhobor - Doukhobor	4	4	8	.11	-	-	-	-	-	-	-	8
Eastern religions - Religions orientales	30	2	32	.44	-	1	-	1	6	2	-	14
Greek Catholic - Grecque orthodoxe	74	63	137	1.86	-	-	1	1	27	41	33	25
Greek Orthodox - Grecque orthodoxe	45	30	78	1.05	-	6	-	5	21	3	19	7
Hebrew - Hébreu	65	67	132	.17	-	2	1	63	49	12	-	2
Lutheran - Luthérienne	170	114	284	3.86	-	18	5	6	62	26	69	46
Mennonite - Mennonite	16	15	31	.42	-	-	-	-	9	10	9	1
Methodist - Méthodiste	37	29	66	.90	-	1	9	2	22	5	15	5
Mormon - Mormon	1	1	2	.03	-	-	-	-	-	1	-	1
No religion - Sans religion	23	6	29	.39	-	-	-	-	5	1	8	11
Presbyterian - Presbytérienne	226	230	506	6.88	20	7	6	36	261	34	44	28
Protestant - Protestante	240	154	398	6.41	4	36	1	28	135	53	60	80
Roman Catholic - Catholique romaine	1,672	1,529	3,201	43.63	22	95	122	1,680	573	117	132	123
Salvation Army - Armée du salut	14	17	31	.42	-	4	-	-	20	1	2	2
United Church of Canada - Eglise unie du Canada	416	491	906	12.32	6	36	16	51	604	73	113	36
Various sects - Sectes diverses	52	48	98	1.33	-	-	4	5	35	6	14	17
Not given - Inconnue	7	2	9	.12	-	1	-	1	6	-	-	1
T O T A L	3,827	3,827	7,354	100.00	63	287	281	2,215	2,348	452	607	646

Table 49 - Previous occupation of first admissions, by provinces.
 Tableau 49 - Occupation antérieure des premières admissions, par province.

Occupations	C A N A D A				P.P.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%									
Agriculture	577	7	584	7.94	8	15	22	133	138	40	57	80	51
Commercial - Commerce	184	94	278	3.78	3	6	6	66	108	25	8	17	17
Financial - Finance	21	3	24	.33	-	1	1	5	7	2	1	3	4
Fishing and trapping - Pêche et piégeage	36	-	36	.49	2	6	2	10	3	4	1	3	5
Logging - Exploitation forestière	50	-	50	.68	-	-	-	13	18	2	-	-	17
Manufacturing - Industries manu-facturières	76	80	156	2.12	1	1	-	48	60	6	2	3	18
Mining - Exploitation minière	55	-	55	.75	-	7	4	9	18	1	2	7	10
Transportation and communication - Transportation et communication	154	8	162	2.20	-	33	5	29	35	17	8	14	21
Civil service and public admin-istration - Service civil et administration publique	244	45	292	3.97	3	26	47	44	61	36	12	23	40
Personal service - Service personnel	39	1,726	1,765	24.00	11	65	62	476	617	129	137	118	163
Professional-Professions libérales	86	124	210	2.86	1	6	9	82	55	13	20	10	14
Domestic service-Service domestique	52	305	357	4.85	8	8	16	66	118	33	43	34	33
Expert workers - Artisans	300	43	403	5.43	2	14	11	145	131	19	18	25	38
Labourers - Journaliers	756	3	759	10.32	9	26	27	171	296	43	75	63	60
Retired - Rentiers	207	46	253	3.44	2	4	-	31	98	11	43	14	52
No occupation - Sans occupation	924	1,039	1,963	26.09	5	71	73	662	563	71	140	65	118
Not given - Inconnue	6	1	7	.10	-	1	-	3	3	-	-	-	-
T O T A L	3,827	3,527	7,354	100.00	53	267	261	2,215	2,346	452	607	406	645

Table 50 - Commitment of first admissions, by provinces.
 Tableau 50 - Mode d'internement des premières admissions, par province.

Province	Total			Certificate Certificat			Voluntary Volontaire			Warrant Bénéfice		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	29	21	50	2	1	3	-	-	-
Nova Scotia	173	114	287	164	107	271	9	7	16	-	-	-
New Brunswick	161	130	291	150	130	280	1	-	1	-	-	-
Quebec	1,107	1,108	2,215	984	1,001	1,985	8	73	81	115	34	149
Ontario	1,156	1,193	2,349	821	1,014	1,836	53	62	156	241	117	366
Manitoba	228	224	452	219	216	435	8	8	16	1	-	1
Saskatchewan	336	271	607	205	177	382	17	11	28	114	83	187
Alberta	271	195	466	66	45	103	54	42	96	169	106	267
British Columbia	376	270	646	364	264	628	5	6	10	6	1	7
T O T A L	3,827	3,527	7,354	2,994	2,375	6,969	197	209	406	636	343	979

Table 51 - Environment of first admissions, by provinces.
 Tableau 51 - Environnement des premières admissions, par province.

Province	Total			Urban Urban			Rural			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	11	6	17	20	16	36	-	-	-
Nova Scotia	173	114	287	84	63	147	87	61	138	2	-	2
New Brunswick	161	130	291	70	40	110	81	90	171	-	-	-
Quebec	1,107	1,108	2,215	712	764	1,476	393	343	736	2	1	3
Ontario	1,156	1,193	2,348	651	904	1,735	321	289	810	3	-	3
Manitoba	228	224	452	127	137	264	100	87	187	1	-	1
Saskatchewan	336	271	607	112	82	194	224	189	413	-	-	-
Alberta	271	195	466	120	96	215	151	100	251	-	-	-
British Columbia	376	270	646	262	196	457	113	76	188	-	-	-
C A N A D A	3,827	3,527	7,354	2,329	2,288	4,616	1,490	1,240	2,730	8	1	9

Table 52 - Economic condition of first admissions, by provinces.
 Tableau 52 - Situation économique des premières admissions, par province.

Province	Total			Dependent A charge			Marginal Moyens modestes			Comfortable A l'aise			Not given Inconnue		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	4	6	10	26	15	41	1	1	2	-	-	-
Newfoundland	173	114	287	116	82	198	41	16	57	16	18	32	-	-	-
New Brunswick	151	130	281	122	106	228	15	1	15	14	23	37	-	-	-
Quebec	1,107	1,108	2,215	505	470	975	453	595	1,056	189	45	164	-	-	-
Ontario	1,156	1,193	2,348	316	319	635	602	587	1,189	237	287	524	-	-	-
Manitoba	228	224	452	47	46	92	153	148	301	27	51	58	1	-	1
Saskatchewan	336	271	607	98	71	169	230	200	430	8	-	8	-	-	-
Alberta	271	195	466	68	161	217	139	43	242	6	1	7	-	-	-
British Columbia	375	270	645	106	72	178	269	198	467	-	-	-	-	-	-
C A N A D A	5,827	3,527	7,354	1,380	1,322	2,702	1,998	1,801	5,799	448	404	852	1	-	1

Table 53 - Use of alcohol of first admissions, by provinces.
 Tableau 53 - Usage d'alcool des premières admissions, par province.

Province	Total			Abstinent Aucun			Temperate Tempérant			Intemperate Intempérament		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	16	20	36	2	2	11	6	-	6
Newfoundland	173	114	287	106	113	219	46	1	47	21	-	21
New Brunswick	151	130	281	136	127	262	4	1	5	12	2	14
Quebec	1,107	1,108	2,215	813	1,059	1,872	178	52	210	116	17	133
Ontario	1,156	1,193	2,348	509	1,017	1,626	433	149	562	113	27	140
Manitoba	228	224	452	111	157	268	96	60	156	21	?	28
Saskatchewan	336	271	607	213	248	461	96	22	118	27	1	26
Alberta	271	195	466	58	103	158	180	87	267	18	5	43
British Columbia	375	270	645	170	223	593	166	39	205	19	8	47
C A N A D A	3,827	3,527	7,354	2,226	3,067	6,293	1,208	393	1,601	393	87	480

Table 54 - Conjugal condition of first admissions, by provinces.
 Tableau 54 - Stat conjugal des premières admissions, par province.

Province	Total			Single Célibataires			Married Mariés			Widowed Veufs			Divorced Divorcés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	31	22	53	16	11	27	11	8	19	4	3	7	-	-	-
Newfoundland	173	114	287	111	48	159	56	60	106	5	16	21	1	-	1
New Brunswick	151	130	281	96	60	146	48	87	105	8	23	31	-	-	-
Quebec	1,107	1,108	2,215	643	575	1,224	352	396	748	103	154	257	3	3	6
Ontario	1,156	1,193	2,348	616	483	1,099	420	510	930	112	193	306	7	7	14
Manitoba	228	224	452	124	91	215	96	109	195	17	24	41	1	-	1
Saskatchewan	336	271	607	196	119	315	103	126	228	34	27	61	3	-	3
Alberta	271	195	466	137	74	211	112	109	221	18	11	29	4	1	6
British Columbia	375	270	645	217	84	301	124	137	281	31	46	77	3	3	6
C A N A D A	3,827	3,527	7,354	2,181	1,526	3,896	1,312	1,501	2,813	332	477	809	22	14	56

Table 55 - Education of first admissions, by provinces.
Tableau 55 - Instruction des premières admissions, par provinces.

Province	Total			Illiterate Inlettré			Learned to write Savent lire et écrire			Elementary School Ecole primaire			High School Ecole secondaire			University Université			Not given Inconnue			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
Prince Edward Island	31	32	63	1	2	3	5	4	13	20	13	33	1	3	4	-	-	-	-	-	-	-
Newfoundland	178	144	322	3	7	10	15	9	24	134	90	224	11	8	19	5	-	5	-	-	-	-
New Brunswick	181	180	361	21	30	41	47	30	77	87	53	120	16	23	39	-	4	4	-	-	-	-
Quebec	1,107	1,108	2,216	228	176	402	84	77	141	595	706	1,401	101	145	246	21	4	25	-	-	-	-
Ontario	1,155	1,193	2,348	155	120	275	85	66	154	708	695	1,403	170	288	456	35	22	67	2	-	1	-
Manitoba	228	224	452	19	15	37	10	9	19	151	138	284	42	61	103	4	3	9	-	-	-	-
Saskatchewan	336	271	607	78	46	124	54	71	105	118	98	215	40	49	89	9	7	16	-	-	-	-
Alberta	271	196	466	28	31	59	47	16	63	158	123	281	26	22	48	12	3	15	-	-	-	-
British Columbia	375	270	645	36	22	57	47	18	72	229	166	381	45	56	101	13	11	24	-	-	-	-
C A N A D A	3,887	3,327	7,214	502	443	1,013	429	289	728	2,278	2,077	4,352	452	655	1,107	101	54	156	1	-	1	-

Table 56 - Commitment of readmissions, by provinces.
Tableau 56 - Note l'intervenant des réadmissions, par provinces.

Province	Total			Certificate Certificat			Voluntary Volontaire			Migrant Mandat		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	28	33	61	20	18	38	8	5	13	-	-	-
Newfoundland	42	36	78	41	34	75	-	1	1	1	1	2
New Brunswick	42	30	72	45	30	72	-	-	-	-	-	-
Quebec	232	277	510	209	248	457	12	16	28	18	13	31
Ontario	325	384	709	292	295	497	53	56	109	70	53	103
Manitoba	113	114	227	102	108	210	8	3	11	8	3	6
Saskatchewan	101	63	161	37	21	58	4	1	5	60	38	98
Alberta	52	67	119	7	18	25	11	15	24	34	36	70
British Columbia	84	64	148	71	60	131	11	4	15	2	-	2
C A N A D A	1,026	1,055	2,081	732	832	1,563	107	58	206	188	124	312

Table 57 - Conjugal condition of readmissions, by provinces.
Tableau 57 - Stat conjugal des réadmissions, par provinces.

Province	Total			Single Célibataires			Married Mariés			Widowed Veufs			Divorced Divorcés		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Prince Edward Island	28	33	61	12	7	19	12	14	26	4	2	6	-	-	-
Newfoundland	42	36	78	28	13	42	13	22	39	-	1	1	-	-	-
New Brunswick	42	30	72	20	13	33	15	17	32	8	-	8	1	-	1
Quebec	232	277	510	146	138	284	87	115	196	10	23	33	-	1	1
Ontario	325	384	709	181	186	367	138	219	357	21	38	59	5	1	6
Manitoba	113	114	227	64	36	100	43	65	105	5	12	17	1	1	2
Saskatchewan	101	60	161	58	18	86	32	38	70	1	3	4	-	1	1
Alberta	52	67	119	29	16	47	22	45	67	1	4	5	-	-	-
British Columbia	84	64	148	48	16	82	30	37	70	1	7	8	2	2	4
C A N A D A	1,026	1,055	2,081	577	507	984	381	572	963	49	90	139	9	6	15

Table 58 - Psychoses of readmissions, by provinces.
 Tableau 58 - Psychoses des réadmissions, par provinces.

Psychosis	C A N A D A				P.E.I.	N.B.	N.P.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	F.	T.	%										
General paresis														
Paralyse générale	25	13	38	1.8	1	-	2	7	17	5	1	3	2	
Other forms of syphilis														
Autres formes de syphilis	4	1	5	.2	-	-	-	1	1	1	2	1	-	
Epidemic encephalitis														
Encephalite épidémique	2	1	3	.1	-	-	-	-	3	-	-	-	-	
Other infectious diseases														
Autres maladies infectieuses	2	4	6	.3	-	-	-	4	2	-	-	-	-	
Alcoholic														
Alcooliques	23	3	26	1.2	-	2	6	3	12	-	1	-	2	
Due to drugs														
Toxiques exogènes	-	1	1	.1	-	-	-	-	1	-	-	-	-	
Traumatic														
Traumatiques	6	1	7	.2	-	-	-	1	3	-	1	-	-	
Cerebral arteriosclerosis														
Arteriosclerose cérébrale	29	13	42	2.0	3	-	1	5	12	4	11	4	2	
Other disturbances of circulation														
Autres affections circulatoires	4	3	7	.3	-	-	-	5	2	-	-	-	-	
Epileptic														
Epileptiques	41	27	68	3.3	-	2	3	17	19	11	8	5	3	
Senile														
Séniles	20	21	61	2.5	1	3	6	14	10	8	2	1	0	
Involutional														
Involution	30	61	91	3.9	2	8	4	15	37	5	3	2	5	
Other metabolic, etc., disorders														
Autres mal. métaboliques, etc.	10	18	28	1.3	1	-	1	27	8	1	-	-	1	
Due to new growth														
Dues à un néoplasme	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	8	6	14	.7	-	-	-	9	2	3	-	-	1	
Psychoneurosis														
Psychoneurose	18	36	61	2.6	3	-	2	11	20	5	6	2	2	
Manic depressive														
Maniques dépressives	273	387	660	32.0	17	26	30	260	232	48	43	37	50	
Dementia praecox														
Dépendance précoce	320	319	639	30.7	3	34	24	96	228	102	49	49	66	
Paranoia and paranoid conditions														
Paranoïde et états paranoidiques	19	20	39	1.8	+	-	-	19	9	10	-	2	-	
Psychopathic personality														
Psychopathes constitutionnels	13	3	18	.9	3	-	-	15	5	4	1	-	-	
Mental deficiency														
Arriérés mentaux	40	35	75	3.5	4	9	1	22	17	3	6	3	5	
Undiagnosed														
Non diagnosticables	24	5	17	.8	-	-	-	7	7	2	1	-	-	
Without psychosis														
Sans psychose	123	78	191	9.2	14	-	3	53	66	9	27	11	16	
Primary behaviour disorders														
Troubles essentiels du comportement	7	3	10	.5	-	-	-	8	4	1	-	-	2	
T O T A L	1,146	1,031	2,091	100.0	61	78	72	519	709	223	161	119	146	

Table 59 - Age of readmissions, by psychoses.

Psychoses	Total			Under 15 years			15 - 19 years - ans			20 - 24 years - ans			25 - 29 years - ans			30 - 34 years - ans			
				Moins de 15 ans			M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
General paresis																			
Paralysis générale	26	15	38	-	-	-	-	-	-	-	1	1	1	-	1	2	-	2	
Other forms of syphilis																			
Autres formes de syphilis	4	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Epidemic encephalitis																			
Encephalite épidémique	2	1	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	
Other infectious diseases																			
Autres maladies infectieuses	2	4	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	
Alcoholic																			
Alcooliques	23	3	26	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	
Due to drugs																			
Toxiques exogènes	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Traumatic																			
Traumatiques	4	1	5	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	
Cerebral arteriosclerosis																			
Arteriosclérose cérébrale	23	13	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other disturbances of circulation																			
Autres affections circulatoires	4	3	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Epileptic																			
Epileptiques	41	27	68	-	1	1	1	1	1	2	11	3	14	7	1	8	7	3	10
Senile																			
Séniles	26	26	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Involutional																			
Involution	30	51	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other metabolic, etc., dis.																			
Autres mal. métaboliques, etc.	10	16	26	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	
Due to new growth																			
Dues à un néoplasme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other organic changes of nervous system																			
Autres affections organiques du système nerveux	8	6	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	
Psychoneuroses																			
Psychoneurose	16	38	51	1	-	1	-	-	-	-	2	4	6	-	3	3	3	4	7
Melancholic depressive																			
Mélanqueuse dépressive	279	387	666	-	-	-	3	5	6	12	19	31	22	43	65	19	45	84	
Dementia praecox																			
Démence précoce	320	519	639	-	-	-	10	10	20	63	40	103	74	58	132	63	61	104	
Paranoid and paranoid conditions																			
Paranoïde et états paranoïdaux	19	20	39	-	-	-	-	-	-	-	-	-	-	-	-	6	3	7	
Psychopathic personality																			
Psychopathes constitutionnels	13	6	18	-	-	-	-	-	-	3	-	3	4	1	5	-	4	4	
Mental deficiency																			
Arriérés mentaux	40	35	75	1	-	1	5	4	9	12	6	18	3	8	11	6	3	7	
Undiagnosed																			
Non diagnostiquées	12	5	17	-	-	-	-	-	-	-	1	1	1	1	2	3	1	2	3
Without psychoses																			
Sans psychose	113	78	191	16	8	24	18	12	30	17	13	30	14	16	30	14	7	21	
Primary behaviour disorders																			
Troubles essentiels du comportement	7	3	10	-	-	-	3	-	3	-	-	-	1	1	2	1	-	1	
T O T A L	1,026	1,055	2,081	18	9	27	45	30	71	121	87	208	131	134	265	117	129	246	

Tableau 59 - Age des réadmissions, par psychoses.

36 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over			
years - ans			years - ans			years - ans			years - ans			years - ans			years - ans			years - ans			70 ans et plus			
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
3	3	5	5	2	5	5	-	5	6	2	8	3	3	6	1	1	2	-	1	1	1	-	1	1
-	-	-	-	-	-	1	1	2	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
2	-	2	3	1	4	3	1	4	4	-	4	3	-	3	3	1	4	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	1	-	-	-	4	-	4	4	4	8	9	4	13	12	4	16	
-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-	-	1	1	1	1	-	
4	6	10	6	6	11	3	1	4	2	3	5	-	1	1	-	-	-	-	2	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	2	9	18	23	41	
-	1	1	-	2	2	3	9	12	9	11	20	6	10	16	6	11	17	4	6	10	2	1	3	
-	2	2	-	-	-	2	4	6	1	3	4	1	2	3	1	3	4	2	-	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	2	2	-	-	-	2	2	4	1	-	1	1	1	2	1	-	1	1	-	1	
1	8	9	4	3	7	2	5	7	1	5	6	-	2	2	-	1	1	1	1	1	2	-	-	
23	48	71	28	44	72	28	36	84	34	51	85	34	39	73	31	35	86	26	11	37	19	15	32	
49	36	67	19	49	86	15	20	35	16	19	35	10	15	26	7	12	19	1	3	4	5	4	7	
1	2	3	2	3	5	2	5	7	4	1	5	2	1	3	3	1	4	1	3	4	-	1	1	
1	-	1	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	
6	6	12	1	1	2	2	3	4	1	5	6	2	-	2	2	-	2	-	-	-	1	-	1	
2	-	2	2	-	2	1	-	1	1	-	1	1	-	1	2	-	2	1	-	1	-	-	-	
4	6	10	2	4	6	9	7	16	9	1	10	6	1	7	3	2	5	1	1	2	-	-	-	
1	-	1	-	-	-	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
100	122	222	72	114	186	78	94	172	92	104	196	75	77	162	66	72	137	58	35	93	58	46	104	

Table 60 - Average age of readmissions, by psychoses.
 Tableau 60 - Age moyen des réadmissions, par psychoses.

Psychoses	Readmissions Réadmission			Average age - years Age moyen - ans		
	M.	F.	T.			T.
				M.	F.	
General paresis						
Paralytic gähniale	25	13	38	47.0	46.0	47.3
Other forms of syphilis						
Autres formes de syphilis	4	1	5	51.0	49.0	50.6
Epidemic encephalitis						
Encephalite épidémique	2	1	3	30.0	29.0	29.0
Other infectious diseases						
Autres maladies infectieuses	2	4	6	49.0	57.5	41.3
Alcoholic						
Alcooliques	23	3	26	47.9	60.0	48.2
Due to drugs						
Toxicques exogènes	-	1	1	-	34.0	34.0
Traumatic						
Traumatiques	4	1	5	31.8	53.0	36.0
Cerebral arteriosclerosis						
Artériosclérose cérébrale	29	13	42	68.0	65.7	67.3
Other disturbances of circulation						
Autres affections circulatoires	4	6	7	51.8	61.3	56.6
Epileptic						
Epileptiques	41	27	68	32.1	39.4	35.0
Senile						
Séniles	28	25	51	72.6	77.1	74.9
Involutional						
Involution	30	61	81	57.7	55.6	56.4
Other metabolic, etc., diseases						
Autres maladies métaboliques, etc.	10	10	20	49.5	47.5	49.2
Due to new growth						
Due to un néoplasme	-	-	-	-	-	-
Other organic changes of nervous system						
Autres affections organiques du système nerveux	8	6	14	53.6	46.3	50.5
Psychoneuroses						
Psychonévrose	15	35	51	39.3	41.0	40.6
Manic depressive						
Maniaques dépressives	279	587	866	46.9	44.2	46.1
Dementia praecox						
Démence précoce	320	519	639	38.5	36.7	38.0
Paranoia and paranoid conditions						
Paranoïa et états paranoides	19	20	39	48.6	46.9	48.0
Psychopathic personality						
Psychopathes constitutionnels	13	5	18	36.6	30.8	34.2
Mental deficiency						
Arriérés mentaux	40	35	75	32.1	32.6	32.3
Undiagnosed						
Non diagnostiquées	12	5	17	47.7	29.6	42.4
Without psychosis						
Sans psychose	113	78	191	29.9	29.1	29.6
Primary behaviour disorders						
Troubles essentiels du comportement	7	3	10	26.7	42.7	32.9
TOTAL			1,026	1,066	2,091	41.4
						41.7

Table 61 - Psychoses of discharged patients, by provinces.
 Tableau 61 - Psychoses des patients sortis, par province.

Psychoses	C A N A D A				P.E.I.	N.B.	N.E.	QUE.	ONT.	MAN.	SASK.	ALTA.	P.Q.	
	M.	F.	T.	%										
General paresis														
Paralysis générale	91	82	123	2.2	-	8	7	39	45	6	3	7	8	
Other forms of syphilis														
Autres formes de syphilis	12	4	16	.3	-	3	-	4	7	-	1	1	-	
Epidemic encephalitis														
Encephalite épidémique	5	2	7	.1	-	-	-	2	-	-	6	-	-	
Other infectious diseases														
Autres maladies infectieuses	8	17	25	.5	-	-	-	17	5	2	1	-	-	
Alcoholic														
Alcooliques	93	27	120	2.2	-	11	17	81	14	4	3	6	16	
Due to drugs														
Toxiques exogènes	14	19	32	.6	-	-	-	6	12	4	1	4	6	
Traumatic														
traumatiques	11	4	15	.3	-	-	-	6	5	-	3	1	-	
Cerebral arteriosclerosis														
Artérosclérose cérébrale	90	63	143	2.6	6	-	6	20	52	11	35	9	16	
Other disturbances of circulation														
Autres affections circulatoires	8	10	18	.4	-	1	-	3	7	1	-	-	-	
Epileptic														
Epileptiques	71	57	128	2.3	2	3	9	26	37	13	17	11	10	
Senile														
Senilles	80	85	165	2.0	3	4	6	37	26	11	8	4	65	
Involutional														
Involution	68	168	226	4.1	4	14	16	75	130	11	13	5	14	
Other metabolic, etc., dis.														
Autres mal. métaboliques, etc.	26	37	123	2.2	1	-	-	36	22	2	3	-	3	
Due to new growth														
Due à un néoplasme	3	-	3	.1	-	-	1	-	-	-	2	-	-	
Other organic changes of nervous system														
Autres affections organiques du système nerveux	14	14	28	.5	-	-	1	13	8	5	3	-	2	
Psychoneuroses														
Psychonévrosés	106	173	279	6.0	8	4	14	59	120	27	28	12	12	
Manic depressive														
Maniques dépressives	512	723	1,241	22.4	24	89	35	320	454	94	87	70	88	
Dementia praecox														
Démence précoce	887	606	1,493	26.6	6	60	47	137	606	190	148	127	221	
Paranoia and paranoid conditions														
Paranoïa et états paranoidiques	64	62	133	2.4	1	3	-	66	30	20	-	10	6	
Psychopathic personality														
Psychopathes constitutionnels	48	19	67	1.2	5	5	2	24	12	12	-	-	7	
Mental deficiency														
Arriérés mentaux	74	76	152	2.7	2	6	2	57	43	24	29	20	14	
Undiagnosed														
Non diagnostiquées	28	28	66	1.0	-	1	1	25	20	5	1	3	-	
Without psychosis														
Sans psychose	506	357	857	15.5	28	26	10	188	351	23	74	56	48	
Primary behavior disorders														
Problèmes essentiels du comportement	43	56	99	1.8	2	1	2	68	14	2	2	3	6	
T O T A L	2,862	2,663	5,525	10.0	30	200	248	1,270	1,912	417	422	375	126	

Table 62 - Condition of patients on discharge, by psychoses.
 Tableau 62 - Etat des patients à leur sortie, par psychose.

Psychoses	Total			Recovered			Improved			Unimproved			Without psychoses and unclassified Sans psychose et non classifiés		
				Guéri			Amélioré			Non amélioré					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralytic générale	91	32	123	18	9	27	56	19	77	16	4	19	-	-	-
Other forms of syphilis															
Autres formes de syphilis	12	4	16	1	-	1	9	4	13	2	-	2	-	-	-
Epidemic encephalitis															
Encéphalite épidémique	5	2	7	1	-	1	2	1	3	2	1	3	-	-	-
Other infectious diseases															
Autres maladies infectieuses	8	17	25	5	10	16	3	7	10	-	-	-	-	-	-
Alcoholic															
Alcooliques	93	27	120	38	14	52	46	13	68	10	-	10	-	-	-
Due to drugs															
Toxicques exogènes	14	18	32	9	16	24	4	2	6	1	1	2	-	-	-
Traumatic															
Traumatiques	11	4	15	2	2	4	6	-	8	3	2	5	-	-	-
Cerebral arteriosclerosis															
Artérosclérose cérébrale	90	53	143	12	8	20	49	33	82	29	12	41	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	8	10	18	5	4	9	2	5	8	1	-	1	-	-	-
Epileptic															
Epileptiques	71	57	128	17	5	22	39	40	79	16	12	27	-	-	-
Senile															
Séniles	80	65	145	-	5	5	30	34	64	60	46	96	-	-	-
Involutional															
Involution	68	158	226	19	73	92	37	75	113	12	9	21	-	-	-
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	26	97	123	14	59	63	10	20	30	2	8	10	-	-	-
Due to new growth															
Dues à un néoplasme	3	-	3	-	-	-	-	-	-	3	-	3	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	14	14	28	2	2	4	9	6	15	3	6	9	-	-	-
Psychoneuroses															
Psychoneuroses	106	173	279	44	59	113	49	85	134	12	19	31	1	-	1
Manic depressive															
Maniques dépressives	518	723	1,241	294	414	708	194	275	469	30	34	64	-	-	-
Dementia praecox															
Démence précoce	887	586	1,473	148	116	264	582	394	976	157	76	255	-	-	-
Paranoia and paranoid conditions															
Paranoïa et états paranoidiques	64	69	133	9	18	27	42	39	81	13	12	25	-	-	-
Psychopathic personality															
Psychopathes constitutionnels	46	19	67	18	9	27	26	9	34	5	1	6	-	-	-
Mental deficiency															
Arriérés mentaux	74	78	152	22	28	60	41	35	78	11	12	23	-	-	-
Undiagnosed															
Non diagnostiquées	28	26	56	10	9	19	11	17	28	7	2	9	-	-	-
Without psychoses															
Sans psychose	500	367	857	59	34	93	171	114	285	189	107	296	81	102	183
Primary behaviour disorders															
Troubles essentiels du comportement	43	66	99	6	13	19	9	2	11	3	1	4	26	40	66
T O T A L	2,862	2,667	5,529	753	926	1,579	1,427	1,234	2,661	575	365	940	107	142	249

Table 63 - Percentage of recovery of discharged patients, by psychoses.
 Tableau 63 - Pourcentage d'amélioration de l'état des patients sortis, par psychose.

Psychoses	Total			Recovered			Improved			Unimproved			Without psychoses and unclassified Sans psychose et non classifiés		
				Défri			Amélioré			Bon amélioré					
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis															
Paralytic gènerale	81	32	123	19.0	26.1	22.0	63.7	59.4	62.6	16.5	12.5	16.4	-	-	-
Other forms of syphilis															
Autres formes de syphilis	12	4	16	8.3	-	8.3	75.0	100.0	81.3	16.7	-	12.5	-	-	-
Epidemic encephalitis															
Encephalite épidémique	5	2	7	20.0	-	14.3	40.0	60.0	42.9	40.0	50.0	42.9	-	-	-
Other infectious diseases															
Autres maladies infectieuses	8	17	25	60.5	58.8	60.0	37.5	41.2	40.0	-	-	-	-	-	-
Alcoholic															
Alcooliques	93	27	120	40.9	51.9	43.3	48.4	48.1	48.3	10.8	-	8.3	-	-	-
Due to drugs															
Toxiques exogènes	14	19	32	64.3	63.3	75.0	28.6	11.1	18.8	7.1	5.6	6.2	-	-	-
Traumatic															
Traumatiques	11	4	15	18.3	50.0	26.7	54.5	-	40.0	27.3	50.0	35.3	-	-	-
Cerebral arteriosclerosis															
Artériosclérose cérébrale	90	33	123	13.3	15.1	14.0	54.4	62.3	57.3	32.3	22.5	26.7	-	-	-
Other disturbances of circulation															
Autres affections circulatoires	8	10	18	44.4	40.0	50.0	25.0	50.0	44.4	12.5	-	5.5	-	-	-
Epileptic															
Epileptiques	71	52	123	23.9	8.8	17.2	54.3	70.2	61.7	21.1	21.0	21.1	-	-	-
Senile															
Séniles	80	85	165	-	5.9	3.0	37.5	40.0	38.8	82.5	64.1	58.2	-	-	-
Involutional															
Involution	68	108	226	27.9	46.2	40.7	54.4	48.1	50.0	17.6	5.7	9.3	-	-	-
Other metabolic, etc., dis.															
Autres mal. métaboliques, etc.	26	17	123	53.8	71.1	67.5	38.5	20.0	24.4	7.7	8.3	8.1	-	-	-
Due to new growth															
Dues à un rhopala	3	-	3	-	-	-	-	-	-	100.0	-	100.0	-	-	-
Other organic changes of nervous system															
Autres affections organiques du système nerveux	14	14	28	14.3	14.3	14.3	64.3	42.9	53.6	21.4	42.9	32.1	-	-	-
Psychoneuroses															
Psychonévrosés	106	173	279	41.5	39.9	40.5	46.2	49.1	48.0	11.3	11.1	11.1	0.9	-	0.4
Manic depressive															
Maniques dépressives	538	723	1,261	56.8	67.3	57.1	57.5	58.0	57.8	5.8	4.7	5.2	-	-	-
Dementia praecox															
Démence précoce	687	595	1,473	16.7	19.5	17.9	66.6	57.2	66.3	17.7	13.0	16.8	-	-	-
Paranoia and paranoid conditions															
Paranoïa et états paranoides	64	69	133	14.1	26.1	20.3	66.6	56.6	60.9	20.3	17.4	18.8	-	-	-
Psychohysteria personality															
Psychopathie constitutionnelle	46	12	57	37.5	47.4	40.3	52.1	47.4	50.7	10.4	5.3	9.0	-	-	-
Mental deficiency															
Arrièreée mentale	74	78	152	29.7	36.9	32.9	55.4	48.7	52.0	14.3	15.4	15.1	-	-	-
Undiagnosed															
Non diagnostiquées	28	28	56	35.7	32.1	33.9	39.3	50.7	50.0	26.9	7.1	16.1	-	-	-
Without psychoses															
Sans psychose	510	357	867	11.8	9.5	10.3	54.2	31.9	55.3	37.8	30.0	34.5	16.2	28.6	21.3
Primary behaviour disorders															
Problèmes associés au comportement	43	56	99	14.0	23.2	19.2	23.9	3.3	11.1	7.0	1.8	4.0	58.1	71.4	65.7
% C T A L	2,852	2,267	5,129	26.3	34.7	30.4	43.7	46.3	48.1	20.1	13.7	17.0	3.7	6.3	4.5

Table 64 - Duration of last hospital residence of patients discharged as recovered, by psychoses.
 Tableau 64 - Durée du dernier séjour à l'hôpital des patients sortis guéris, par psychose.

Psychoses	Total			Less than 6 months			6 to 12 months			1 to 2 years			2 to 5 years			5 years and over		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysie générale	13	9	27	8	5	13	6	1	7	3	2	4	~	2	2	1	~	1
Other forms of syphilis																		
Autres formes de syphilis	~	~	1	~	~	~	1	~	1	~	~	~	~	~	~	~	~	~
Epidemic encephalitis																		
Encephalite épidémique	~	~	1	~	~	~	~	~	~	~	~	~	~	~	~	1	~	1
Other infectious diseases																		
Autres maladies infectieuses	5	10	15	3	10	13	1	~	1	~	~	~	1	~	1	~	~	~
Alcoholics																		
Alcooliques	39	44	92	36	40	42	2	3	5	2	1	3	1	1	2	~	~	~
Due to drugs																		
Toxicques exagérées	5	10	24	7	14	21	2	~	3	~	~	~	~	~	~	~	~	~
Traumatic																		
Traumatiques	2	2	4	2	2	4	~	~	~	~	~	~	~	~	~	~	~	~
Cerebral arteriosclerosis																		
Artériosclérose cérébrale	12	8	20	9	4	13	1	4	5	1	~	1	1	~	1	~	~	~
Other disturbances of circulation																		
Autres affections circulatoires	5	4	9	5	3	8	~	1	1	~	~	~	~	~	~	~	~	~
Spi. epilepsies																		
Epileptiques	17	5	22	8	3	11	2	~	2	5	~	5	1	~	1	~	2	3
Senile																		
Séniles	~	5	5	~	4	4	~	1	1	~	~	~	~	~	~	~	~	~
Involutional																		
Involution	19	73	92	19	51	70	~	8	5	~	6	6	~	6	5	~	5	3
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	14	69	83	11	54	66	2	5	7	~	6	6	1	3	4	~	1	1
Due to new growth																		
Dues à un néoplasme	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	2	2	4	~	~	~	~	~	~	1	1	2	1	1	2	~	~	~
Psychoneuroses																		
Psychonévrosés	44	69	113	39	55	93	3	7	10	1	2	3	1	3	4	1	2	3
Manic depressive																		
Maniques dépressives	294	414	708	207	286	603	48	66	113	19	36	55	13	34	37	7	5	10
Dementia praecox																		
Démence précoce	198	116	314	93	84	183	26	23	49	7	4	11	8	2	10	8	3	11
Paranoid and paranoid conditions																		
Paranoïa et états paranoidoïques	9	19	27	4	10	14	1	4	5	~	2	2	3	1	4	1	1	2
Psychopathic personality																		
Psychopathes constitutionnels	19	9	27	12	5	17	1	~	1	1	~	1	2	1	3	1	3	1
Mental deficiency																		
Arriérat mental	22	28	50	13	17	30	4	4	8	2	5	7	1	2	3	1	~	2
Undiagnosed																		
Non diagnosticées	20	9	19	10	7	17	~	2	2	~	~	~	~	~	~	~	~	~
Without psychoses																		
Sans psychoses	69	34	103	39	15	54	1	7	8	4	2	6	7	B	15	0	2	10
Primary behaviour disorders																		
Troubles essentiels du comportement	6	13	19	6	11	17	~	1	1	~	1	1	~	~	~	~	~	~
T O T A L	703	826	1,679	533	659	1,132	101	137	238	46	67	113	41	43	64	32	20	32

Table 65 - Duration of last hospital residence of patients discharged as improved, by psychoses.
 Tableau 65 - Durée du dernier séjour à l'hôpital des patients sortis comme améliorés, par psychoses.

Psychoses	Total			Less than 6 months			6 - 12 years - ans			1 - 2 years - ans			2 - 5 years - ans			5 years and over		
				Moins de 6 mois			years - ans			years - ans			years - ans			5 ans et plus		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralytic générale	58	19	77	28	9	37	17	6	23	7	3	10	3	1	4	3	-	3
Other forms of syphilis																		
Autres formes de syphilis	9	4	13	6	-	6	1	1	2	2	1	4	-	1	1	-	-	-
Epidemic encephalitis																		
Encéphalite épidémique	2	1	3	-	1	1	-	-	-	-	-	-	-	-	-	2	-	2
Other infectious diseases																		
Autres maladies infectieuses	3	7	10	3	5	8	-	1	1	-	-	-	-	-	-	-	1	1
Alcoholic																		
Alcooliques	45	13	58	34	6	42	1	4	5	5	2	7	2	1	3	1	-	1
Due to drugs																		
Toxiques exogènes	4	2	6	3	1	4	1	1	2	-	-	-	-	-	-	-	-	-
Traumatic																		
Traumatiques	6	-	6	3	-	3	-	-	-	-	-	-	-	-	-	1	-	1
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	49	35	82	27	16	43	10	9	19	3	2	5	5	5	10	4	1	5
Other disturbances of circulation																		
Autres affections circulatoires	2	0	2	1	4	5	-	2	2	1	-	1	-	-	-	-	-	-
Epileptic																		
Epileptiques	39	40	79	19	20	39	7	5	10	5	1	6	4	9	13	4	7	11
Senile																		
Séniles	30	34	64	18	19	35	7	5	12	5	3	8	1	5	6	1	2	3
Involutional																		
Involution	37	76	113	20	41	51	6	14	23	3	3	12	5	7	12	1	4	5
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	10	20	30	8	18	21	2	3	3	-	2	2	-	2	2	-	-	-
Due to new growth																		
Dues à un néoplasme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	9	6	15	3	8	4	-	1	1	-	1	1	-	-	-	-	-	-
Psychoneuroses																		
Psychonévrose	49	85	134	41	71	112	7	5	12	1	7	8	-	1	1	-	1	1
Manic depressive																		
Maniques dépressives	194	276	469	123	175	299	53	46	79	18	24	42	14	20	34	6	9	15
Dementia praecox																		
Déférence précoce	582	394	976	309	214	522	306	72	178	65	56	121	42	24	66	81	28	89
Paranoia and paranoid conditions																		
Paranoïa et états paranoidiques	42	35	81	18	20	38	6	5	11	7	5	12	6	4	10	5	6	10
Psychopathic personality																		
Psychopathes constitutionnels	26	9	34	19	5	25	1	1	2	1	1	2	1	-	1	3	1	4
Mental deficiency																		
Arrêtés mentaux	41	50	79	23	16	41	8	7	15	4	5	9	4	4	6	2	4	6
Undiagnosed																		
Non diagnostiquées	11	17	28	7	6	13	4	3	5	1	5	6	2	1	3	-	-	-
Without psychosis																		
Sans psychose	171	114	285	34	29	63	29	18	35	29	14	43	42	28	70	46	23	74
Primary behaviour disorders																		
Troubles essentiels du comportement	9	2	11	0	1	7	-	-	-	-	-	-	-	1	-	-	-	-
T O T A L	1,427	1,234	2,661	764	682	1,438	243	206	449	188	141	299	132	114	246	140	91	231

Table 88 - Duration of last hospital residence of patients discharged as unimproved, by psychoses.
 Tableau 88 - Durée du dernier séjour à l'hôpital des patients sortis comme non améliorés, par psychoses.

Psychoses	Total			Less than 6 months			6 - 12 months			1 - 2 years			2 - 5 years			5 years and over		
				Moins de 6 mois			mois - mois			years - ans			years - ans			5 ans et plus		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysis générale	18	4	19	9	2	11	4	1	5	-	-	-	1	-	1	1	1	2
Other forms of syphilis																		
Autres formes de syphilis	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Epidemic encephalitis																		
Encéphalite épidémique	2	1	3	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-
Other infectious diseases																		
Autres maladies infectieuses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism																		
Alcooliques	10	-	10	10	-	10	-	-	-	-	-	-	-	-	-	-	-	-
Due to drugs																		
Toxiques	1	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Traumatic																		
Traumatiques	3	2	5	2	1	3	-	1	1	-	-	-	-	-	-	1	-	1
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	29	12	41	26	9	35	1	1	2	1	-	1	1	-	1	-	2	2
Other disturbances of circulation																		
Autres affections circulatoires	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic																		
Epileptiques	16	12	27	11	8	19	2	-	2	-	2	2	2	2	3	1	-	1
Senile																		
Séniles	50	46	96	47	36	83	1	5	6	2	9	7	-	-	-	-	-	-
Involutional																		
Involution	12	9	21	6	6	12	1	1	2	2	2	4	3	-	3	-	-	-
Other metabolic, etc., dia.																		
Autres mal. métaboliques, etc.	2	4	10	2	7	9	-	1	1	-	-	-	-	-	-	-	-	-
Due to new growth																		
Due to a neoplasm	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	3	6	9	2	3	5	-	3	3	1	-	1	-	-	-	-	-	-
Psychoneuroses																		
Psychanévrosés	12	19	31	10	17	27	-	1	1	-	1	1	1	-	1	1	-	1
Manic depressive																		
Maniaques dépressives	30	34	64	19	26	47	7	3	10	2	1	3	2	2	3	-	-	1
Dementia praecox																		
Démence précoce	157	78	235	87	49	136	27	9	36	22	8	30	12	6	17	9	5	14
Paranoid and paranoid conditions																		
Paranoïa et états paranoïadiques	13	12	25	8	10	18	3	-	3	1	1	2	1	1	2	-	-	-
Psychopathic personality																		
Psychopathes constitutionnels	5	1	6	3	1	4	-	-	-	2	-	2	-	-	-	-	-	-
Mental deficiency																		
Arriérés mentaux	11	12	23	4	9	13	3	1	4	1	1	2	2	1	3	1	-	1
Undiagnosed																		
Non diagnostiquées	7	2	9	6	2	8	-	-	-	1	-	1	-	-	-	-	-	-
Without psychosis																		
Sans psychose	189	107	296	103	51	164	18	11	29	26	16	41	20	13	33	31	17	39
Primary behaviour disorders																		
Troubles essentiels du comportement	3	1	4	2	-	2	1	1	2	-	-	-	-	-	-	-	-	-
T 0 7 1 :	571	365	936	363	241	604	76	39	109	62	36	96	43	24	67	37	25	62

Table 67 - Duration of last hospital residence of patients discharged without psychoses and unclassified, by psychoses.
 Tableau 67 - Durée du dernier séjour à l'hôpital des patients sortis comme sans psychose et non classifiés, par psychose.

Psychoses	Total			less than 6 months			6 - 12 years - ans			1 - 2 years - ans			2 - 5 years - ans			5 years and over		
				Moins de 6 mois			M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	M.	F.	T.	M.	F.	T.												
General paresis Paralysie générale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of syphilis Autres formes de syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic encephalitis Encéphalite épidémique	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious diseases Autres maladies infectieuses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholics Alcooliques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Due to drugs Toxiques exogènes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia Traumatiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis Artérosclérose cérébrale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disturbances of circulation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres affections circulatoires	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic Epileptiques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Séniles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutorial Involution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other metabolic, etc., dis. Autres mal, métaboliques, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Due to new growth Dues à un néoplasme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Autres affections organiques du système nerveux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychoneuroses Psychonévroses	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manic depressive Maniaques dépressives	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dementia praecox Démence précoce	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paranoia et états paranoïques	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychopathic personality Psychopathies constitutionnelles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental deficiency Arriérés mentaux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undiagnosed Non diagnostiquées	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Without psychoses Sans psychose	81	102	183	61	29	90	10	6	16	6	23	29	3	31	34	1	13	14
Primary behaviour disorders Troubles essentiels du comportement	25	40	65	23	39	62	2	-	2	-	1	1	-	-	-	-	-	-
T O T A L	107	142	243	85	66	153	12	6	16	6	24	30	3	31	34	1	13	14

Table 68 - Duration of last hospital residence of discharged patients, by psychoses.

Psychoses	Total			Less than one month			1 - 4 months - mois			4 - 8 months - mois		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis												
Paralysis générale	31	32	123	1	-	1	30	10	40	32	12	44
Other forms of syphilis												
Autres formes de syphilis	12	4	16	1	-	1	5	-	5	3	-	3
Epidemic encephalitis												
Soréphalite épidémique	5	2	7	-	-	-	1	2	3	-	-	-
Other infectious diseases												
Autres maladies infectieuses	8	17	25	1	3	4	4	11	15	2	1	5
Alcoholic												
Alcooliques	93	27	120	24	6	30	44	7	51	13	7	20
Due to drugs												
Toxicques exogènes	14	18	32	3	6	8	6	11	17	4	2	6
Traumatic												
Trammatiques	11	4	15	1	1	2	8	2	8	2	-	2
Cerebral arteriosclerosis												
Artérosclérose cérébrale	90	53	143	19	5	24	37	22	59	14	7	21
Other disturbances of circulation												
Autres affections circulatoires	8	10	18	1	1	2	4	6	10	2	2	4
Epileptic												
Epileptiques	71	87	128	5	6	10	28	18	46	9	10	19
Senile												
Séniles	60	85	165	43	23	66	22	27	49	5	15	20
Involutional												
Involution	68	158	226	5	13	18	31	63	94	14	32	46
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	26	97	123	2	9	11	17	50	67	5	22	27
Due to new growth												
Due à un néoplasme	5	-	3	2	-	2	1	-	1	-	-	-
Other organic changes of nervous system												
Autres affections organiques du système nerveux	14	14	28	2	1	3	3	5	9	2	4	6
Psychoneuroses												
Psychonévroses	208	173	279	21	22	43	58	101	169	17	23	40
Manic depressive												
Maniques dépressives	518	723	1,241	52	61	103	235	331	666	99	181	260
Dementia praecox												
Démence précoce	887	586	1,473	56	27	83	300	220	620	214	159	353
Paranoia and paranoid conditions												
Paranoïa et états paranoïaque	64	62	133	7	5	12	19	28	45	10	12	22
Psychopathic personality												
Psychopathes constitutionnels	49	19	67	8	-	6	22	6	28	8	8	14
Mental deficiency												
Arriérés mentaux	74	78	152	9	2	12	19	30	49	20	14	34
Undiagnosed												
Non diagnostiquées	29	26	56	9	4	13	11	9	20	3	3	6
Without psychosis												
Sans psychose	600	367	857	70	28	98	128	76	204	55	58	93
Primary behaviour disorders												
Troubles essentiels du comportement	43	56	99	13	17	30	16	30	45	13	6	17
T O T A L	2,062	2,567	5,529	363	229	582	1,047	1,064	2,111	546	514	1,060

Tableau 68 - Durée du dernier séjour à l'hôpital des patients sortis, par psychose.

0 + 12 mois - mois			1 - 2 years - ans			2 - 5 years - ans			3 - 5 years - ans			5 - 10 years - ans			10 years and over 10 ans et plus		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
9	2	11	10	4	14	2	3	5	2	-	2	2	-	2	3	1	4
1	1	2	2	2	4	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	2	-	2	1	-	1
-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1
1	2	3	7	3	10	2	1	3	1	1	2	-	-	-	1	-	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1
4	9	13	5	2	7	4	2	6	3	5	6	4	3	7	-	-	-
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
7	1	8	10	3	13	1	7	8	6	4	9	4	7	11	2	2	*
1	5	5	7	6	16	1	4	6	-	1	1	1	2	3	-	-	-
4	14	18	8	17	22	1	8	9	7	4	11	1	6	7	-	1	1
1	2	3	-	8	9	1	2	3	-	3	3	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	3	3	1	4	1	-	1	1	1	2	-	-	-	-	-	-
4	10	14	2	10	12	-	1	1	2	3	1	1	3	4	1	-	1
61	71	122	39	81	100	16	20	36	12	18	28	11	10	21	3	2	5
63	65	148	94	88	162	23	24	37	39	17	56	39	20	69	39	18	56
4	6	10	8	8	16	4	1	6	6	5	11	3	5	8	3	1	4
-	1	1	4	1	5	2	-	2	1	1	2	2	2	4	3	2	5
7	9	16	7	11	18	3	1	4	4	6	10	3	3	6	2	1	5
1	6	7	2	6	7	1	-	1	1	1	2	-	-	-	-	-	-
33	21	84	66	64	119	27	36	63	46	44	69	48	37	85	29	23	52
1	2	3	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-
215	231	446	272	268	540	89	102	191	130	116	240	122	99	221	86	50	138

Table 63 - Age of discharged patients, by psychoses.

Psychoses	Total			Under 15 years			15 - 19			20 - 24			25 - 29			30 - 34		
				Males < 15 ans			years - ans			Males < 15 ans			Males < 15 ans			Males < 15 ans		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralysis générale	31	32	123	-	1	1	-	-	-	-	1	1	2	2	4	11	8	19
Other forms of syphilis																		
Autres formes de syphilis	12	4	16	-	-	-	-	-	-	-	-	1	1	2	2	-	2	
Epidemic encephalitis																		
Encephalite épidémique	5	2	7	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1
Other infectious diseases																		
Autres maladies infectieuses	8	17	25	-	-	-	-	1	1	2	5	7	-	3	0	-	1	1
Alcoholic																		
Alcooliques	33	27	120	-	-	-	1	-	1	3	-	3	7	1	6	17	4	21
Due to drugs																		
Toxiques exogènes	14	18	32	-	-	-	-	-	-	-	2	2	2	1	3	1	4	5
Traumatic																		
Tranumatiques	11	4	15	-	-	-	1	-	1	-	1	-	-	1	1	3	-	3
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	90	53	143	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other disturbance of circulation																		
Autres affections circulatoires	8	10	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Epileptic																		
Epileptiques	71	57	128	3	2	5	6	-	6	14	11	25	8	5	13	12	10	22
Senile																		
Séniles	60	55	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	68	158	226	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other metabolic, etc., dis.																		
Autres mal-métaboliques, etc.	26	27	123	-	-	-	1	2	3	2	17	19	2	9	11	2	10	11
Due to new growth																		
Due à un néoplasme	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	14	14	28	-	-	-	-	-	-	1	1	2	-	2	2	1	1	1
Psychoneuroses																		
Psychonévroses	106	173	279	1	-	1	3	6	8	18	16	34	13	21	34	12	36	41
Manic depressive																		
Maniacques dépressives	518	723	1,241	1	-	1	14	27	41	68	67	124	57	75	112	58	90	148
Dementia praecox																		
Démence précoce	887	586	1,473	3	1	4	50	37	97	190	94	284	198	103	301	134	97	131
Paranoia and paranoid conditions																		
Paranoïa et états paranoidiques	64	69	133	-	-	-	-	-	-	2	1	3	2	2	4	6	2	5
Psychopathic personality																		
Psychopathes constitutionnels	43	13	67	-	-	-	4	2	8	13	6	17	9	3	12	8	2	7
Mental deficiency																		
Arriérés mentaux	74	78	152	2	1	3	12	1	13	13	17	30	16	12	27	10	18	23
Undiagnosed																		
Non diagnostiquées	26	28	58	-	-	-	1	3	4	5	2	5	4	2	6	1	3	9
Without psychoses																		
Sous psychoses	500	367	857	84	31	95	100	86	186	33	85	178	51	51	102	43	36	77
Primary behaviour disorders																		
Troubles essentiels du comportement	48	55	93	4	2	6	6	7	13	6	4	10	3	8	14	3	5	10
T O T A L	2,952	2,667	6,529	73	38	118	299	171	380	423	318	747	357	309	666	323	349	661

Tableau 69 - Âge des patients à leur sortie, par psychose.

35 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over		
years - ans			70 ans et plus																				
M.	F.	%	M.	F.	%																		
10	9	19	27	2	29	14	5	19	9	1	10	10	3	13	3	-	3	2	-	2	3	4	3
1	-	1	3	-	3	2	1	3	3	-	3	-	2	2	-	-	-	-	-	-	-	-	
-	1	1	1	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	
2	-	2	2	1	3	1	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
11	7	18	16	5	23	6	5	11	12	3	15	12	2	14	2	-	2	3	-	3	1	-	1
1	-	1	3	3	3	1	3	4	1	3	4	2	2	4	1	-	1	1	-	1	1	-	1
1	-	1	-	1	1	1	-	1	1	1	2	1	-	1	2	-	2	-	-	-	1	-	1
-	-	-	1	-	1	-	2	2	3	-	3	10	7	17	18	14	32	30	15	45	27	15	42
-	-	-	1	2	3	-	2	2	1	1	2	1	2	3	3	1	4	1	-	1	1	-	1
7	6	13	3	9	12	8	6	13	2	2	4	4	2	6	2	3	5	2	2	4	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	4	6	10	10	13	23	65	65	130
-	1	1	-	10	20	6	36	42	11	46	57	25	32	57	20	19	39	4	10	14	2	3	8
-	13	13	4	9	13	2	10	13	2	3	5	4	3	7	3	7	10	3	6	8	-	3	3
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	1	1	2	-	2	2	4	1	5	5	3	6	1	1	4	-	-	-	1	-	1
13	27	40	13	19	32	11	16	29	7	15	22	7	10	17	4	8	12	2	5	9	2	1	3
50	89	139	63	94	157	48	70	118	48	66	114	46	87	113	37	45	80	35	30	65	13	16	28
94	80	174	69	80	119	53	39	90	44	40	84	19	27	46	12	10	22	8	8	14	3	2	6
4	10	14	8	9	17	7	14	21	8	9	17	8	9	16	6	6	14	6	2	8	6	1	8
4	-	4	6	-	6	3	2	5	3	1	4	1	3	4	-	1	1	1	1	2	-	-	-
8	9	17	4	8	12	4	5	9	1	7	8	4	2	6	-	-	-	1	1	2	-	-	-
5	3	8	3	3	6	4	2	6	2	1	3	3	1	4	-	2	2	-	-	-	2	1	3
26	18	44	31	20	51	36	12	49	23	6	23	18	3	21	9	4	13	5	6	9	3	1	4
6	8	14	3	9	12	1	2	3	8	3	5	4	3	7	3	-	3	-	-	1	-	1	
243	281	624	263	255	518	210	238	446	187	210	397	164	182	386	133	127	260	118	133	209	130	108	238

Table 70 - Average age at discharge and average length of last hospital residence, by psychoses.
 Tableau 70 - Âge moyen à la sortie, et durée moyenne du dernier séjour à l'hôpital, par psychose.

Psychoses	Discharges			Average age - years			Average stay - years				
	Sorties			Âge moyen - ans			Séjour moyen - ans				
	M.	F.	T.	M.	F.	T.	M.	F.	T.		
General paresis											
Paralysis générale	31	32	32	47.7	37.6	46.1	1.1	1.0	1.1		
Other forms of syphilis											
Autres formes de syphilis	12	4	8	41.8	47.5	43.8	0.5	1.4	0.7		
Epidemic encephalitis											
Encephalite épidémique	0	1	1	42.4	34.0	40.0	5.9	0.2	4.2		
Other infectious diseases											
Autres maladies infectieuses	8	17	25	39.1	26.7	30.7	0.6	0.9	0.8		
Alcoholic											
Alcooliques	33	27	30	42.8	42.1	42.7	0.7	0.6	0.8		
Due to drugs											
Toxiques exogènes	14	18	32	46.9	41.2	43.7	0.4	0.2	0.3		
Traumatic											
Traumatiques	11	4	15	46.1	35.8	43.3	2.0	0.3	1.6		
Cerebral arteriosclerosis											
Artérosclérose cérébrale	90	63	143	66.2	65.1	66.2	0.8	1.0	0.9		
Other disturbances of circulation											
Autres affections circulatoires	8	10	18	60.8	47.2	53.2	0.3	0.3	0.3		
Epileptic											
Epileptiques	71	57	128	38.9	36.8	35.3	1.8	2.1	1.8		
Senile											
Séniles	80	45	125	74.9	75.1	75.0	0.3	0.7	0.5		
Involutive;											
Involution	68	158	226	57.7	53.7	54.9	0.8	1.0	0.9		
Other metabolic, etc., diseases											
Autres maladies métaboliques, etc.	26	37	123	46.9	39.3	40.7	0.3	0.5	0.5		
Due to new growth											
Due to a neoplasm	3	-	3	50.3	-	50.3	0.1	-	0.1		
Other organic changes of nervous system											
Autres affections organiques du système nerveux	14	11	25	47.9	46.4	47.2	1.1	0.6	0.8		
Psychoneuroses											
Psychoanxiété	108	173	279	38.0	38.8	38.5	0.6	0.6	0.5		
Manic depressive											
Maniques dépressives	518	725	1,241	42.5	41.6	42.0	0.7	0.7	0.7		
Dementia praecox											
Démence précoce	887	586	1,473	32.2	34.7	33.2	1.8	1.4	1.6		
Paranoid and paranoid conditions											
Paranoïa et états paranoidiques	64	69	133	50.8	46.4	48.3	1.9	1.4	1.7		
Psychopathic personality											
Psychopathes constitutionnels	48	19	67	31.0	37.8	33.0	1.4	2.8	1.8		
Mental deficiency											
Arriérés mentaux	74	78	152	30.4	34.0	32.3	1.2	1.2	1.2		
Undiagnosed											
Non diagnostiquées	28	28	56	40.7	36.8	38.7	0.6	0.6	0.5		
Without psychoses											
Sans psychoses	516	357	857	28.8	26.1	27.7	2.4	2.8	2.6		
Primary behaviour disorders											
Troubles essentiels du comportement	43	56	99	33.3	34.8	34.2	0.2	0.2	0.2		
T O T A L			2,862	2,667	5,529	38.4	39.5	38.9	1.4	1.2	1.3

Table 71 - Psychose of deaths, by provinces.
Tableau 71 - Psychose des patients décédés, par province.

Psychoses	C A N A D A				P.T.L.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	
	M.	P.	T.	%										
General paresis														
Paralysis générale	155	37	192	5.1	1	4	9	74	57	8	7	7	26	
Other forms of syphilis														
Autres formes de syphilis	8	6	14	.4	-	-	1	4	5	-	2	2	-	-
Epidemic encephalitis														
Encephalite épidémique	5	5	11	.4	-	-	-	-	4	1	6	-	-	-
Other infectious diseases														
Autres maladies infectieuses	6	9	15	.5	1	-	-	-	10	1	3	-	-	-
Alcoholic														
Alcooliques	10	3	13	.4	-	-	1	3	4	2	3	1	1	
Due to drugs														
Toxiques exogènes	1	1	2	.1	-	-	-	-	1	1	-	-	-	-
Traumatic														
Traumatiques	7	-	7	.2	-	-	-	3	2	-	1	-	-	1
Cerebral arteriosclerosis														
Artérosclérose cérébrale	261	155	416	13.3	2	1	10	32	183	23	46	20	37	
Other disturbances of circulation														
Autres affections circulatoires	17	15	32	1.0	1	-	-	18	11	1	-	1	-	-
Epileptic														
Epileptiques	73	45	124	4.0	-	-	8	71	28	3	6	4	4	
Senile														
Seniles	351	343	700	22.3	-	9	33	181	264	32	72	33	28	
Involutional														
Involution	30	40	70	2.2	-	6	6	16	24	3	3	1	10	
Other metabolic, etc., dis.														
Autres mal, métaboliques, etc.	54	48	102	3.2	-	-	-	64	27	2	2	-	-	?
Due to new growth														
Due à un nodule	8	1	9	.3	-	-	-	2	1	4	2	-	-	-
Other organic changes of nervous system														
Autres affections organiques du système nerveux	31	22	83	1.1	-	1	5	25	12	1	7	2	1	
Psychoneuroses														
Psychoneurose	9	14	22	.7	-	-	3	9	9	1	-	-	-	-
Manic depressive														
Maniques dépressives	123	112	235	7.5	1	6	5	66	97	11	19	10	21	
Dementia praecox														
Démence précoce	333	215	548	17.5	5	3	21	110	228	51	49	24	55	
Paranoia and paranoid conditions														
Paranoïa et états paranoïadiques	30	40	70	2.4	-	-	-	45	11	5	-	5	8	
Psychopathic personality														
Psychopathies constitutionnelles	4	1	5	.1	-	-	-	5	-	-	-	-	-	-
Mental deficiency														
Affairés mentaux	33	31	63	1.0	1	1	-	27	24	4	1	-	-	-
Undiagnosed														
Non diagnostiquées	8	6	14	.4	-	-	-	5	6	2	2	1	-	-
Without psychoses														
Sans psychoses	260	184	414	13.2	1	-	5	179	128	20	25	15	36	
Primary behaviour disorders														
Troubles essentiels du comportement	2	1	3	.1	-	-	-	3	-	-	-	-	-	-
Total	1,831	1,308	3,139	100.0	13	31	113	1,016	1,124	179	257	125	282	

Table 7E - Causes of Death, by psychoses.

Causes of death - Causes de décès	Total			Due to or associated with infection Causes ou associées à une infection			Disturbances of circulation Affections circulatoires			Epileptic Épileptiques		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
EPIDEMIC, EPIDEMIC AND INFECTIONS DISEASES												
MALADIES EPIDÉMIQUES, ENDEMIQUES ET INFECTIONNÉES	276	145	421	24	9	33	6	3	10	11	7	18
Typhoid and paratyphoid fever - Typhoïde et paratyphoïde	-	1	1	-	-	-	-	-	-	-	-	-
Measles - Rougeole	1	1	2	1	-	1	-	-	-	-	-	-
Scarlet fever - Scarlatine	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - Géphthérie	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - Grippe	17	18	35	1	1	2	3	-	3	4	-	2
Dysentery - Dysenterie	3	-	3	-	-	-	1	-	1	-	-	-
Erysipelas - Erysipèle	1	1	2	-	-	-	-	-	-	-	-	-
Lethargic encephalitis - Encéphalite létargique	5	2	6	3	1	4	-	-	-	-	-	-
Tuberculosis of the respiratory system - tuberculose de l'appareil respiratoire	195	104	299	12	6	17	3	2	5	9	7	16
Tuberculosis of other organs - Tuberculose des autres organes	41	14	55	2	-	2	1	-	1	-	-	-
Syphilis (non-nervous forms) - Syphilis (n'affectant pas le système nerveux)	6	4	10	3	2	5	-	-	-	-	-	-
Purulent infection, septicemia - Infection purulente, septicémie	5	6	10	2	-	2	-	-	-	-	-	-
Others - Autres	2	1	3	-	-	-	-	-	-	-	-	-
GENERAL DISEASES NOT INCLUDED ABOVE												
MALADIES GÉNÉRALES NON COMPRISSES CI-DESSUS	72	70	142	2	3	5	2	1	3	1	1	2
Cancer and other malignant tumors - Cancer et autres tumeurs malignes	43	38	81	1	1	2	-	-	-	1	-	1
Tumor (non cancerous) - Tumeur (non cancéreuse)	2	7	9	-	2	2	-	1	1	-	-	-
Rheumatism - Rhumatisme	-	1	1	-	-	-	-	-	-	-	-	-
Bellagra - Bellâgra	-	1	1	-	-	-	-	-	-	-	-	-
Diabetes - Diabète	8	9	16	-	-	-	-	-	-	-	-	-
Alcoholism (acute or chronic) - Alcoolisme (aigu ou chronique)	5	1	4	-	-	-	-	-	-	-	-	-
Others - Autres	18	13	31	1	-	1	2	-	2	-	1	1
DISEASES OF THE NERVOUS SYSTEM												
MALADIES DU SYSTÈME NERVEUX	356	206	562	87	26	112	52	26	78	34	19	83
Meningitis (non-epidemic) - Méningite (non-épidémique)	20	4	14	2	1	3	-	-	-	-	-	-
Tabes dorsalis (locomotor ataxia) - Ataxie locomotrice	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of spinal cord - Autres maladies de la moelle épinière	1	1	2	-	-	-	-	-	-	-	-	-
Cerebral hemorrhage, apoplexy - Hémorragie cérébrale, apoplectie	132	93	225	7	3	10	52	26	77	4	3	9
General paralysis of the insane - Paralysie générale des aliénés	80	20	100	76	20	96	-	-	-	-	-	-
Other forms of mental diseases - Autres psychoses	44	27	71	-	-	-	-	-	-	1	-	-
Epilepsy - Epilepsie	52	28	80	2	-	2	-	-	-	29	16	41
Chorea - Chorée	1	1	2	-	-	-	-	-	-	-	-	-
Others - Autres	36	32	68	-	1	1	-	1	1	-	-	-
DISEASES OF THE NERVOUS SYSTEM												
MALADIES DU APPAREIL CIRCULATOIRE	876	428	1,304	28	8	35	131	88	217	10	2	12
Pericarditis - Péricardite	1	-	1	-	-	-	-	-	-	-	-	-
Endocarditis and myocarditis - Endocardite et myocardite	347	284	631	20	3	23	74	52	126	3	1	4
Angina pectoris - Angine de poitrine	62	24	86	3	1	4	5	2	7	2	-	2
Other diseases of the heart - Autres maladies du cœur	78	68	146	4	1	5	11	15	26	3	1	4
Arteriosclerosis - Artérosclérose	77	83	110	-	-	-	37	9	46	1	-	1
Other diseases of the arteries - Autres maladies des artères	10	12	22	1	-	1	3	6	9	1	-	1
Others - Autres	1	4	5	-	-	-	1	2	3	-	-	-

Tableau 72 - Causes de décès, par psychose.

Metabolic and somatic diseases			Organic changes of nervous system			Manic depressive			Dementia praecox			Paranoia			Mental deficiency			All other psychoses			N.p. and behaviour disorders		
Maladies métaboliques et somatiques			Affections organiques du système nerveux			Maniques dépressives			Démence précoce			Paranoïa			Arrière de mental			Toutes autres psychoses			Sans psychose et troubles du comportement		
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
22	18	40	1	1	2	12	9	21	100	45	146	8	10	16	6	1	7	5	9	14	81	33	114
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	6	-	-	-	1	-	1	1	2	3	-	1	1	-	-	-	-	-	-	4	8	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
14	16	30	1	1	2	11	8	19	80	32	112	5	8	15	6	-	4	2	8	10	54	17	71
2	-	2	-	-	-	-	-	-	15	7	22	1	1	2	2	1	3	3	1	4	16	4	19
-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	-	-	-	-	-	-	2	2	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
13	18	31	11	3	14	4	11	15	16	21	39	1	1	2	3	4	7	6	1	7	11	6	17
9	9	18	8	2	10	4	6	10	12	15	26	1	1	2	1	3	4	4	1	5	2	2	4
1	1	2	1	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	5	7	-	-	-	-	2	2	1	1	2	-	-	-	-	-	-	1	-	1	2	1	3
-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	-	1
1	3	4	1	-	1	-	3	3	4	4	8	-	-	-	2	1	3	1	-	1	6	1	7
37	36	73	8	5	13	21	20	41	40	24	64	3	5	8	3	1	4	8	2	8	65	43	106
3	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
26	30	56	2	2	4	10	7	17	21	13	34	2	4	6	1	-	1	3	1	4	5	5	10
2	-	2	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
4	4	6	-	-	-	10	11	21	17	10	27	1	-	1	2	1	3	2	1	3	7	-	7
1	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	1	19	10	29
-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	3	5	1	6	-	1	1	-	-	+	-	1	1	-	-	-	-	-	-	29	26	55
176	179	354	7	2	9	53	30	83	101	70	171	15	12	27	9	12	21	9	5	14	38	22	60
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
116	136	262	3	1	4	30	19	49	58	46	104	9	4	15	6	8	12	4	5	7	24	13	37
6	5	13	-	-	-	12	2	14	24	9	35	1	1	2	1	2	3	2	1	3	4	1	6
24	21	46	1	1	2	4	3	8	12	9	21	5	7	12	1	2	3	3	1	4	10	6	18
24	12	36	2	-	2	7	4	11	6	5	12	-	-	-	-	1	1	-	-	-	1	-	1
3	4	7	1	-	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

Table 72 - Causes of death, by psychoses - Continued.

Causes of death - Causes de décès	Total			Due to or associated with infection			Disturbances of circulation			Epileptic		
				Due to or associated with infection			Affections circulatoires			Epileptiques		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
DISEASES OF THE RESPIRATORY SYSTEM MALADIES DE L'APPAREIL RESPIRATOIRE	334	307	641	23	10	33	71	47	118	18	10	28
Bronchitis - Bronchite	4	3	7	-	-	-	1	-	1	-	-	-
Bronchopneumonia - Broncho-pneumonie	215	220	435	15	9	24	45	35	81	10	4	14
Lobar pneumonia - Pneumonie lobaire	47	53	90	3	-	3	12	6	18	1	3	4
Pleurisy - Pleurésie	6	1	7	-	-	-	-	-	-	2	-	2
Asthma - Asthme	-	-	-	-	-	-	-	-	-	-	-	-
Others (tuberculosis excepted) - Autres (excepté la tuberculose)	62	60	112	5	1	6	15	6	18	5	3	8
DISEASES OF THE DIGESTIVE SYSTEM MALADIES DE L'APPAREIL DIGESTIF	64	45	109	4	-	4	3	6	8	1	2	3
Diseases of the pharynx and tonsils - Maladies du pharynx et des amygdales	2	3	5	-	-	-	-	1	1	-	-	-
Ulcer of the stomach and duodenum - Ulcère de l'estomac et du duodénum	8	1	9	2	-	2	1	-	1	-	-	-
Other diseases of stomach (cancer excepted) - Autres maladies de l'estomac (excepté le cancer)	6	4	9	-	-	-	-	-	-	-	1	1
Diarrhoea and enteritis - Diarrhée et entérite	22	16	38	1	-	1	1	2	3	1	-	1
Appendicitis and typhlitis - Appendicite et typhlite	-	-	-	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction - Hernie et obstruction intestinale	12	6	18	1	-	1	-	1	1	-	-	-
Other diseases of intestines - Autres maladies de l'intestin	4	5	9	-	-	-	1	-	1	-	1	1
Cirrhosis of liver - Cirrhose du foie	2	1	3	-	-	-	-	1	1	-	-	-
Biliary calculi - Calculs biliaires	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of liver - Autres maladies du foie	7	9	16	-	-	-	-	-	-	-	-	-
Others (cancer and tuberculosis accepted) - Autres (excepté le cancer et la tuberculose)	2	-	2	-	-	-	-	-	-	-	-	-
NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM MALADIES DE L'APPAREIL GENITO-URINAIRES (NON VENÉRIENNES)	37	45	82	3	4	7	6	5	9	1	4	5
Nephritis - Néphrite	31	37	68	3	2	5	5	4	7	1	4	5
Other diseases of the kidneys - Autres maladies des reins	4	6	9	-	2	2	1	1	2	-	-	-
Diseases of bladder - Maladies de la vessie	2	1	3	-	-	-	-	-	-	-	-	-
Diseases of prostate - Maladie de la prostate	-	-	-	-	-	-	-	-	-	-	-	-
Benign tumors of uterus - Tumeurs bénignes de l'utérus	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genital organs - Autres maladies des organes génitaux	-	-	-	-	-	-	-	-	-	-	-	-
Others - Autres	-	2	2	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE MALADIES DE LA PEAU ET DU TISSU CELLULAIRE	8	5	11	-	-	-	1	-	1	1	-	1
Carbuncle and cellulitis - Furuncle et phlegmon	7	3	10	-	-	-	-	-	-	1	-	1
Others - Autres	1	-	2	-	-	-	1	-	1	-	-	-
DISEASES OF BONES (TUBERCULOSIS AND RHEUMATISM EXCEPTED) - MALADIES DES OS (EXCEPTÉ LA TUBERCULOSE ET LE RHUMATISME)	2	2	4	-	-	-	-	-	-	-	-	-
OTHER DISEASES NOT INCLUDED IN ABOVE GROUPS AUTRES MALADIES NON COMPRISÉES CI-DESSUS	81	47	128	-	1	1	6	1	7	-	-	-
VIOLENT OR ACCIDENTAL DEATHS MORTS VIOLENTE OU ACCIDENTELLES	24	12	36	4	-	4	-	-	-	2	-	2
Suicide - Suicide	11	3	14	1	-	1	-	-	-	1	-	1
Homicide - Homicide	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths - Morts accidentelles	13	7	20	3	-	3	-	-	-	1	-	1
Others - Autres	-	2	2	-	-	-	-	-	-	-	-	-
CAUSES OF DEATHS NOT DETERMINED CAUSES DE DÉCÈS INDETERMINÉES	1	1	2	-	-	-	-	-	-	-	-	-
T O T A L	1,231	1,203	2,434	170	17	232	273	173	451	79	45	124

Tableau 72 - Causes de décès, par psychose - suite.

Metabolic and somatic diseases Maladies métaboliques et somatiques	Organic changes of nervous system Affections organiques du système nerveux			Mania depressive Mélancolie dépressive			Dementia praecox Démente précoce			Paranoïa Paranoïete			Mental deficiency Arriérés mentaux			All other psychoses Toutes autres psychoses			W.p. and behaviour disorders Sans psychose et troubles du comportement		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
101 118 219	9	9	18	16	24	39	44	35	79	7	7	14	6	4	10	6	5	14	34	36	69
1 1 2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	1	1
69 90 159	8	6	12	6	17	23	25	23	48	6	3	8	5	4	9	2	7	9	27	21	48
11 9 20	1	-	1	2	2	4	11	6	17	1	1	2	1	-	1	2	1	3	2	5	7
1 - 1	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 18 37	2	3	5	5	4	9	7	5	12	1	3	4	-	-	-	-	-	-	6	8	13
9 11 20	1	1	2	8	4	12	14	7	21	1	1	2	3	2	5	2	1	3	16	11	29
1 1 2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 1 2	-	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
1 - 1	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	3	1	4
1 3 4	-	-	-	1	1	2	2	1	3	-	-	-	2	1	3	-	1	1	13	7	20
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 3 5	-	-	-	3	1	4	5	-	5	-	-	-	1	-	1	-	-	-	1	1	1
- 1 1	1	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	1	1	2
- - -	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 2 5	-	-	-	-	-	-	2	4	6	-	1	1	-	1	1	2	-	2	-	1	1
- - -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
10 18 28	1	-	1	5	4	9	3	6	9	1	1	2	2	1	3	3	-	3	4	2	5
9 14 23	1	-	1	4	4	8	2	5	7	1	1	2	2	1	3	3	-	3	2	2	4
1 1 2	-	-	-	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
- 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- 1 1	-	-	-	-	1	1	2	-	2	1	1	2	-	-	-	-	-	-	3	-	3
- 1 1	-	-	-	-	1	1	2	-	2	1	1	2	-	-	-	3	-	3	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
56 38 104	-	-	-	1	1	2	2	2	4	-	1	1	-	-	-	1	-	1	5	3	8
2 - 2	1	-	1	2	8	10	8	3	11	-	1	1	1	-	1	1	-	1	3	-	3
1 - 1	1	-	1	2	3	6	4	-	4	-	-	-	1	-	1	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 - 1	-	-	-	-	-	-	4	4	8	-	1	1	-	-	-	1	-	1	3	-	3
- - -	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
435 437 872	39	23	62	123	112	235	333	215	548	35	40	76	33	25	58	39	26	65	252	166	417

Table 73 - Age of patients at time of death, by psychoses.

Psychoses	Total			Under 15 years			15 - 19 years			20 - 24 years			25 - 29 years			30 - 34 years		
				Moins de 15 ans			M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis																		
Paralytic générale	185	37	192	-	-	-	1	-	1	1	1	2	2	-	2	2	-	2
Other forms of syphilis																		
Autres formes de syphilis	8	6	14	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1
Epidemic encephalitis																		
Encéphalite épidémique	6	5	11	-	-	-	-	-	-	-	1	1	-	1	1	2	-	2
Other infectious diseases																		
Autres maladies infectieuses	6	9	15	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Alcoholic																		
Alcooliques	10	3	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Due to drugs																		
Toxiques exogènes	1	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1
Traumatic																		
Traumatiques	7	-	7	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral arteriosclerosis																		
Artérosclérose cérébrale	281	158	419	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1
Other disturbances of circulation																		
Autres affections circulatoires	17	16	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epileptic																		
Epileptiques	79	45	124	2	1	3	6	3	9	5	3	8	9	8	16	11	5	18
Senile																		
Séniles	351	349	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Involutional																		
Involution	30	40	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other metabolic, etc., dis.																		
Autres mal. métaboliques, etc.	64	48	102	-	-	-	-	1	1	2	4	6	3	1	4	2	2	4
Due to new growth																		
Dues à un néoplasme	8	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other organic changes of nervous system																		
Autres affections organiques du système nerveux	31	22	53	-	-	-	3	-	3	1	-	1	-	-	-	1	1	2
Psychomotoricées																		
Psychomotrices	9	13	22	-	-	-	-	-	-	3	1	4	-	2	2	-	1	1
Manic depressive																		
Maniques dépressives	123	112	235	-	-	-	1	-	1	3	2	5	3	4	7	4	4	8
Dementia praecox																		
Démence précoce	333	215	548	-	1	1	4	2	8	15	7	22	17	12	29	29	12	41
Paranoia and paranoid conditions																		
Paranoïa et états paranoidiques	35	40	75	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Psychopathic personality																		
Psychopathes constitutionnels	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental deficiency																		
Arriérés mentaux	33	25	58	-	-	-	-	-	-	3	-	3	-	-	-	4	2	6
Undiagnosed																		
Non diagnostiquées	8	6	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Without psychosis																		
Sans psychose	260	164	414	68	51	117	37	14	51	32	24	56	17	10	27	28	13	41
Primary behaviour disorders																		
Troubles essentiels du comportement	2	1	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
TOTAL	1,831	1,308	3,139	88	55	121	53	20	73	65	44	109	55	38	93	66	44	130

Tableau 73 - Age des patients au décès, par sexe

35 - 39			40 - 44			45 - 49			50 - 54			55 - 59			60 - 64			65 - 69			70 years and over		
years - ans			years - ans			years - ans			70 ans et plus														
M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.												
20	3	23	22	6	28	23	5	26	25	2	27	28	7	35	14	5	19	11	4	15	6	4	10
-	-	-	-	-	-	-	1	1	1	-	1	4	1	5	1	-	1	-	2	2	2	-	2
1	1	2	1	-	1	-	1	1	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-
3	2	5	1	1	2	-	1	2	-	1	1	-	-	-	1	-	1	-	2	2	-	1	1
-	-	-	-	-	-	1	-	1	-	1	1	2	-	2	2	-	2	-	1	1	4	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	2	1	-	1
-	-	-	-	-	-	2	2	4	4	5	9	19	13	32	31	21	52	61	34	96	143	82	226
-	-	-	1	1	2	-	2	2	2	1	3	7	2	9	2	4	6	2	2	4	3	3	6
9	19	19	6	2	8	9	3	12	8	3	9	3	1	4	6	2	7	5	3	8	4	3	7
-	-	-	-	-	-	-	-	-	-	-	-	5	3	8	15	8	23	28	29	56	305	309	614
-	-	-	-	2	2	1	1	2	3	5	9	6	3	9	9	14	23	6	5	11	6	9	14
1	2	4	7	3	10	3	1	8	6	5	11	6	6	11	7	10	17	7	6	12	10	4	14
-	3	4	-	-	-	2	-	2	3	-	3	2	-	2	-	-	-	1	-	1	-	-	-
3	3	6	1	3	4	3	2	5	7	2	9	4	3	7	4	5	9	3	3	6	1	-	1
1	1	2	-	-	-	-	-	-	1	2	3	-	2	2	1	2	3	1	1	2	2	1	3
4	3	10	7	6	15	4	16	20	16	9	25	23	12	35	23	18	41	17	11	28	18	20	39
23	11	34	23	16	49	35	17	50	36	20	56	37	23	60	25	24	52	47	25	58	36	44	80
-	-	-	8	3	6	1	5	6	5	2	5	4	3	7	4	4	6	8	4	10	11	10	19
3	-	4	1	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-
3	1	4	3	1	4	1	1	3	1	2	6	0	2	9	2	4	6	5	4	9	5	3	8
1	-	1	3	-	3	-	2	3	1	1	2	1	2	4	-	1	1	-	-	-	-	-	-
13	7	20	11	3	14	6	4	10	9	8	22	12	3	15	10	2	12	12	2	15	12	11	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
65	61	134	180	40	151	90	53	159	120	73	198	170	87	287	163	106	299	206	140	348	566	514	1,082

Table 74 - Duration of hospital life of patients who died, by psychosis.

Psychoses	Total			Less than 3 months			3 - 6 months			6 - 12 months		
				Moins de 3 mois			mois			mois		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
General psychosis												
Paralysis générale	156	37	192	43	12	55	20	6	25	14	3	16
Other forms of syphilis												
Autres formes de syphilis	8	6	14	2	-	2	3	1	4	1	-	1
Epidemic encephalitis												
Encephalite épidémique	8	4	11	1	1	2	1	1	1	-	-	-
Other infectious diseases												
Autres maladies infectieuses	6	9	15	3	6	11	-	-	-	1	-	1
Alcoholic												
Alcooliques	10	3	13	3	-	3	1	-	1	-	1	1
Due to drugs												
Toxiques exogènes	1	1	2	1	1	2	-	-	-	-	-	-
Traumatic												
Traumatiques	7	-	7	1	-	1	2	-	2	1	-	1
Cerebral arteriosclerosis												
Artériosclérose cérébrale	261	168	429	92	37	129	36	21	57	29	25	64
Other disturbances of circulation												
Autres affections circulatoires	17	15	32	9	8	17	1	4	6	3	1	4
Epileptic												
Epileptiques	78	46	124	5	2	7	3	-	3	4	4	8
Senile												
Génitales	351	349	700	146	115	261	29	39	66	49	52	83
Involuntional												
Involution	30	40	70	10	9	19	2	8	10	2	4	6
Other metabolic, etc., dis.												
Autres mal. métaboliques, etc.	54	48	102	28	28	51	7	1	9	6	5	11
Due to new growth												
Due à un néoplasme	8	1	9	5	-	5	1	-	1	-	-	1
Other organic changes of nervous system												
Autres affections organiques du système nerveux	31	22	53	12	9	21	2	-	2	1	3	6
Psychoneuroses												
Psychonévrose	9	13	22	1	1	2	1	-	1	-	-	-
Manic depressive												
Maniques dépressives	123	112	235	24	26	49	7	6	12	8	7	16
Dementia praecox												
Démente praecox	333	215	548	11	8	19	8	3	12	11	10	21
Paranoia and paranoid conditions												
Paranoïa et états paranoïadiques	38	40	78	-	2	2	-	1	1	-	-	-
Psychopathic personality												
Psychopathies constitutionnelles	4	1	5	-	-	-	-	-	-	-	-	-
Mental deficiency												
Arriérés mentaux	35	28	58	4	1	5	-	-	-	1	3	4
Undiagnosed												
Non diagnostiquées	8	8	16	3	3	6	2	2	4	-	-	-
Without psychoses												
Sans psychoses	260	184	414	26	18	41	16	15	31	17	13	28
Primary behaviour disorders												
Troubles essentiels du comportement	2	1	3	2	-	2	-	-	-	-	1	1
T O T A L	1,631	1,308	3,139	430	282	712	145	106	246	151	117	268

Tableau 74 - Durée de l'hospitalisation des patients, par psychose.

1 - 3			3 - 5			5 - 10			10 - 16			15 - 20			20 years and over		
years - ans			years - ans			20 ans et plus											
M.	F.	T.	M.	F.	T.	M.	F.	T.									
20	4	24	21	4	25	22	5	27	11	3	14	6	1	6	-	-	-
-	1	1	-	-	-	1	2	3	-	2	2	-	-	-	1	-	1
-	1	1	2	-	2	1	2	3	1	-	1	-	1	1	-	-	-
1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
1	-	1	1	1	2	-	-	-	1	-	1	-	1	1	3	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1
57	33	90	13	18	31	16	17	33	11	6	16	3	-	3	4	2	6
3	1	4	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
9	7	16	12	3	14	19	14	33	9	5	14	7	8	16	11	2	13
57	75	142	19	34	53	26	24	52	5	11	16	3	3	8	5	9	14
4	5	9	7	2	9	4	5	9	-	4	4	-	1	1	1	2	3
3	8	11	3	3	6	5	3	8	1	-	1	2	-	2	1	3	4
-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
4	2	6	6	1	6	4	4	8	1	3	4	-	-	-	-	-	-
3	5	8	-	2	2	3	4	7	-	-	-	-	-	-	1	1	2
14	16	29	12	10	22	23	13	36	18	13	31	6	12	17	12	12	24
31	14	45	27	16	43	66	41	87	46	22	68	36	26	62	106	76	181
4	8	10	2	2	4	5	5	10	4	9	18	7	2	9	12	13	25
-	-	-	1	-	1	1	-	1	-	1	1	1	-	1	1	-	1
4	2	6	4	-	4	7	8	16	7	5	12	1	1	2	5	6	10
1	1	2	1	-	1	-	2	2	1	-	1	-	-	-	-	-	-
48	23	68	24	12	36	42	22	64	37	32	69	17	9	26	36	16	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	204	476	155	108	263	259	173	412	164	116	269	87	65	152	200	139	349

Table 75 - Average age at death and average length of stay in hospital, by psychoses.
 Tableau 75 - Age moyen au décès et durée moyenne du séjour à l'hôpital, par psychose.

Psychoses	Death			Average age - years			Average stay - years		
	Décès			Age moyen - ans			Séjour moyen - ans		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
General paresis									
Paralysis générale	165	37	122	61.1	53.9	51.6	3.4	2.9	3.3
Other forms of syphilis									
Autres formes de syphilis	6	6	14	61.1	48.8	55.9	4.0	6.9	4.6
Epidemic encephalitis									
Encéphalite épidémique	6	6	11	43.0	39.2	41.3	5.1	6.3	5.8
Other infectious diseases									
Autres maladies infectieuses	6	9	15	40.5	49.3	46.8	1.6	0.9	1.2
Alcoholic									
Alcooliques	10	3	13	62.6	62.7	62.6	10.0	7.7	9.5
Due to drugs									
Toxiques exogènes	1	1	2	26.0	32.0	28.5	0.01	0.01	0.01
Traumatic									
Traumatiques	7	-	7	63.3	-	63.3	5.7	-	6.7
Cerebral arteriosclerosis									
Artériosclérose cérébrale	261	168	419	70.6	70.2	70.4	2.3	2.5	2.4
Other disturbances of circulation									
Autres affections circulatoires	17	15	32	59.9	50.9	50.3	0.7	0.7	0.7
Epileptic									
Epileptiques	78	46	124	41.0	40.1	40.7	9.4	8.6	9.1
Senile									
Seniles	361	349	700	77.3	77.7	77.5	1.9	2.8	2.4
Involutional									
Involution	30	40	70	62.6	62.1	62.3	3.1	4.6	3.9
Other metabolic, etc., diseases									
Autres maladies métaboliques, etc.	54	48	102	54.7	51.9	53.4	2.3	3.5	2.8
Due to new growth									
Dues à un néoplasme	8	1	9	64.1	37.0	52.2	1.4	2.2	1.5
Other organic changes of nervous system									
Autres affections organiques du système nerveux	31	22	53	49.1	62.5	50.5	2.2	3.4	2.7
Psychoneuroses									
Psychonévrosés	9	13	22	47.8	48.5	48.2	7.1	7.7	7.5
Manic depressive									
Maniaques dépressives	123	112	235	56.7	55.6	56.1	7.4	7.9	7.7
Dementia praecox									
Démence précoce	338	216	548	50.8	65.3	52.4	14.7	16.2	15.3
Paranoia and paranoid conditions									
Paranoïa et états paranoïaques	35	40	75	62.5	64.4	63.6	16.1	15.3	14.5
Psychopathic personality									
Psychopathes constitutionnels	4	1	5	52.0	63.0	54.2	12.5	14.0	13.0
Mental deficiency									
Arriérés mentaux	33	26	bd	51.8	56.4	53.8	8.4	11.3	10.2
Undiagnosed									
Non diagnostiquées	8	8	16	43.8	52.3	48.0	2.3	2.1	2.2
Without psychosis									
Sans psychose	186	154	314	23.6	27.7	26.8	9.7	9.3	9.2
Primary behaviour disorders									
Troubles essentiels du comportement	2	1	3	44.5	66.0	51.7	0.1	0.8	0.3
TOTAL				56.2	69.4	57.6	6.8	8.3	8.0
				1,431	1,508	3,139			

Publié par ordre de l'Hon. James A. MacKINNON, M.P.
Ministre du Commerce.

CANADA
BUREAU FEDERAL DE LA STATISTIQUE
BRANCHE DE LA STATISTIQUE DES INSTITUTIONS

DOUZIEME RAPPORT ANNUEL
SUR LES
INSTITUTIONS POUR MALADIES MENTALES

1943



OTTAWA
1945