

12-508 E C.2

GOVERNMENT OF CANADA

---

# PHYSICIANS' POCKET REFERENCE

TO THE

*International Statistical Classification of  
Diseases, Injuries and Causes of Death*

AN AID IN  
CERTIFYING CAUSES OF DEATH

---

*(This Pocket Reference should not be used in  
the classification of morbidity)*

---

1950

BTLP 7694305

DEPARTMENT OF TRADE AND COMMERCE  
DOMINION BUREAU OF STATISTICS  
HEALTH AND WELFARE DIVISION

# PHYSICIANS' POCKET REFERENCE

TO THE

*International Statistical Classification of  
Diseases, Injuries and Causes of Death*

AN AID IN  
CERTIFYING CAUSES OF DEATH

with

Abridged Alphabetical Index  
of Causes of Death

and

Lists of Diseases Notifiable in Canada

---

Published by Authority of the Rt. Hon. C. D. Howe  
Minister of Trade and Commerce

"The registration of vital statistics is the firm basis on which the whole structure of sanitary science and practice must rest. In order to learn the laws of disease, to devise remedies, and test them, we must have an approximately accurate knowledge of the movement of population and the **CAUSES OF DEATH.**"

—*Dr. Charles V. Chapin.*

## INTRODUCTION

The Physicians' Pocket Reference has been prepared to assist medical practitioners in completing the Medical Certificate of Death, and particularly in certifying cause of death.

A Conference for the Sixth Revision of the International Lists of Diseases and Causes of Death was convened in Paris by the Government of France in April, 1948. The Conference, composed of delegates from twenty-nine countries, accepted the International Statistical Classification of Diseases, Injuries, and Causes of Death which had been prepared and presented by an Expert Committee appointed for that purpose by the Interim Commission of the World Health Organization. This Classification was subsequently adopted by the World Health Assembly in Geneva, Switzerland, in July, 1948, together with suitable regulations designed to achieve uniformity in the application of the Classification internationally.

Those countries which in the past have followed the International List of Causes of Death, either in its detailed, intermediate or abbreviated form, will now collect and compile mortality statistics according to this new Classification. The Detailed List presented in this Pocket Reference has been adopted for use in Canada.

Included also in this booklet is an abridged index of ACCEPTABLE TERMS which may be used in the certification of causes of death. Certain indefinite terms, shown in italics, are followed by phrases which indicate the need for a more detailed description of these conditions. Such terms are regarded as UNACCEPTABLE for statistical purposes.

The International Statistical Classification provides a single list applicable to both mortality and morbidity statistics. In view of the nature of this Pocket Reference and the purpose for which it has been prepared, few of the conditions relating to morbidity have been included in the Index. It is

anticipated that a handbook for use in morbidity statistics will be published at a later date which will include an index to the morbid conditions.

To attain maximum usefulness, Canadian mortality statistics should be comparable with those of other countries. It is hoped that the use of this Pocket Reference will assist in achieving such comparability.

H. MARSHALL,  
*Dominion Statistician*

March, 1950.

# MEDICAL CERTIFICATE OF CAUSE OF DEATH

As a result of the recommendations made by a special Committee of the Canadian Public Health Association, the Registration of Death forms in all provinces were standardized as to the medical certificate in 1935. That medical certificate corresponds, except for minor variation in wording, with the medical certificate adopted by the International Conference in Paris in 1948, and recommended for international use. The Canadian certificate has now been modified to conform with the International medical certificate, and a facsimile is shown on pp. 60-61.

## Physician's Statement of Cause of Death

The use of such a medical certificate places the responsibility of indicating the sequence of events, particularly the underlying cause initiating that sequence, on the physician or surgeon signing the death certificate. He is best qualified to decide which of the morbid conditions led directly to death, and to state the antecedent conditions, if any, which gave rise to this cause.

The physician should first consider whether stating a single cause will adequately describe the case, e.g., lobar pneumonia. If it is considered necessary to list more than one cause it is important that the physician enter the conditions in such a manner that the 'underlying cause', the cause which is to be tabulated statistically as the cause of death, is clearly indicated.

In Part I enter (on line (a)) the condition leading directly to death, and also (on lines (b) and (c)) the antecedent conditions which gave rise to (a), with the underlying cause being stated last. As previously stated, if the condition in line (a) completely describes the sequence of events, no further entries are needed in lines (b) and (c).

In Part II enter any other significant condition which unfavourably influenced the course of the morbid process, and thus contributed to the fatal outcome, but which was not related to the disease or condition directly causing death.

As indicated in the Introduction **ACCEPTABLE** terms only should be used for describing morbid conditions as causes of death. Mere symptoms or terminal conditions are **UNACCEPTABLE** and should be avoided.

## SPECIAL POINTS OF IMPORTANCE IN CERTIFICATION

(a) **Malignant Neoplasms.** The primary site, when known, should be stated in all cases of malignant neoplasms. Malignant neoplasms of the liver, lungs and lymph glands should be identified, in all instances, as to whether the growth was primary or secondary. Malignant neoplasms of the uterus should be qualified as to the site of the primary growth, i.e., the cervix, or the body of the uterus.

(b) **Maternal Deaths.** Maternal deaths should be clearly identified. State whether the condition arose during pregnancy, at the time of labour, or during the puerperium, e.g., 'eclampsia arising during pregnancy', 'delivery complicated by placenta praevia', 'postpartum or puerperal fever.' Indicate in a case of abortion whether it was spontaneous, criminal, self-induced, or induced for medical reasons, and whether septic or toxic.

(c) **Stillbirths.** Each province in Canada now provides a single form for the registration of a stillbirth. Every stillbirth within the meaning of the appropriate provincial definition must be registered on the stillbirth form. A special classification of the causes of stillbirth will be found in the Detailed List, on pages 45-46.

(d) **Violent Deaths.** Coroners, medical examiners and physicians who certify deaths from violent causes should clearly indicate the fundamental distinction as to whether the death was due to ACCIDENT, SUICIDE or HOMICIDE and then state the circumstances of the violence, and nature of the injury. Identify accidents involving motor vehicles as 'traffic' or 'non-traffic', and state the type of vehicle involved and whether the deceased was an occupant of the vehicle or a pedestrian.

# EXAMPLES OF CERTIFYING CAUSE OF DEATH

	Example 1	Example 2	Example 3	Example 4	Example 5
<b>CAUSE OF DEATH</b>					
<b>I</b> <b>Disease or condition directly leading to death</b> (This does not mean the mode of dying, e.g., heart failure, asthenia, etc. It means the disease, injury, or complications which caused death.)	(a) <b>Lobar pneumonia</b> due to (or as a consequence of)	(a) <b>Pulmonary tuberculosis</b> due to (or as a consequence of)	(a) <b>Acute peritonitis</b> due to (or as a consequence of)	(a) <b>Bronchopneumonia</b> due to (or as a consequence of)	(a) <b>Uræmia</b> due to (or as a consequence of)
<b>Antecedent causes</b> Morbid conditions, if any, giving rise to the above cause, stating the underlying condition last.	(b) — due to (or as a consequence of)	(b) — due to (or as a consequence of)	(b) <b>Acute appendicitis</b> due to (or as a consequence of)	(b) <b>Operation</b> due to (or as a consequence of)	(b) <b>Chronic nephritis</b> due to (or as a consequence of)
<b>II</b> <b>Other significant conditions contributing to the death, but not related to the disease or condition causing it.</b>	(c) —	(c) —	(c) —	(c) <b>Strangulated inguinal hernia</b>	(c) —
<i>The underlying cause in each case would be</i>	<b>Lobar pneumonia</b>	<b>Pulmonary tuberculosis</b>	<b>Acute appendicitis</b>	<b>Strangulated Inguinal hernia</b>	<b>Chronic nephritis</b>

# INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

SIXTH DECENTNIAL REVISION OF THE  
INTERNATIONAL LISTS OF DISEASES AND CAUSES  
OF DEATH ADOPTED BY THE FIRST WORLD  
HEALTH ASSEMBLY IN GENEVA, JULY, 1948

## SECTION HEADINGS

The Classification consists of 17 main sections made up of 999 categories or titles, some of which are in turn further subdivided. The section headings are listed below together with the code numbers included in each section.

Supplementary lists for the classification of certain morbid conditions and medical treatment as set forth in the International Classification are not included in this volume. The supplementary classification for causes of stillbirth is, however, included among the section headings given below and in the list of categories and subcategories that follows.

Section No.	Section Heading	Classification Code Nos.
I.	Infective and Parasitic Diseases.....	001-138
II.	Neoplasms.....	140-239
III.	Allergic, Endocrine System, Metabolic, and Nutritional Diseases.....	240-289
IV.	Diseases of the Blood and Blood-forming Organs.....	290-299
V.	Mental, Psychoneurotic, and Personality Disorders.....	300-326
VI.	Diseases of the Nervous System and Sense Organs.....	330-398
VII.	Diseases of the Circulatory System.....	400-468
VIII.	Diseases of the Respiratory System.....	470-527
IX.	Diseases of the Digestive System.....	530-587
X.	Diseases of the Genito-urinary System.....	590-637
XI.	Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium.....	640-689
XII.	Diseases of the Skin and Cellular Tissue.....	690-716
XIII.	Diseases of the Bones and Organs of Movement.....	720-749
XIV.	Congenital Malformations.....	750-759
XV.	Certain Diseases of Early Infancy.....	760-776
XVI.	Symptoms, Senility and Ill-defined Conditions.....	780-795
XVII.	Accidents, Poisonings, and Violence.....	800-900
	Supplementary Classification for Still-births.....	Y30-Y39

## LIST OF CATEGORIES AND SUBCATEGORIES

### I. Infective and Parasitic Diseases (001-138)

This section excludes influenza, pneumonia, enteritis, and certain localized infections.

#### Tuberculosis of respiratory system (001-008)

- 001 Respiratory tuberculosis with mention of occupational disease of lung
- 002 Pulmonary tuberculosis
- 003 Pleural tuberculosis
  - 003·0 Pleurisy specified as tuberculous
  - 003·1 Pleurisy with effusion without mention of cause
- 004 Primary tuberculosis complex with symptoms
- 005 Tracheobronchial glandular tuberculosis with symptoms
- 006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere
- 007 Other respiratory tuberculosis
- 008 Tuberculosis, unspecified site

#### Tuberculosis, other forms (010-019)

- 010 Tuberculosis of meninges and central nervous system
- 011 Tuberculosis of intestines, peritoneum, and mesenteric glands
- 012 Tuberculosis of bones and joints, active or unspecified
  - 012·0 Active or unspecified tuberculosis of vertebral column
  - 012·1 Active or unspecified tuberculosis of hip
  - 012·2 Active or unspecified tuberculosis of knee
  - 012·3 Active or unspecified tuberculosis of other and unspecified bones and joints
- 013 Late effects of tuberculosis of bones and joints
  - 013·0 Late effects of tuberculosis of vertebral column
  - 013·1 Late effects of tuberculosis of hip
  - 013·2 Late effects of tuberculosis of knee
  - 013·3 Late effects of tuberculosis of other and unspecified bones and joints
- 014 Tuberculosis of skin and subcutaneous cellular tissue
  - 014·0 Primary tuberculosis of skin
  - 014·1 Erythema nodosum specified as tuberculous
  - 014·2 Lupus
  - 014·3 Other tuberculosis of skin and subcutaneous cellular tissue
- 015 Tuberculosis of lymphatic system
- 016 Tuberculosis of genito-urinary system
- 017 Tuberculosis of adrenal glands
- 018 Tuberculosis of other organs
  - 018·0 Tuberculosis of eye
  - 018·1 Tuberculosis of ear
  - 018·2 Other
- 019 Disseminated tuberculosis
  - 019·0 Acute miliary tuberculosis specified as non-pulmonary
  - 019·1 Acute miliary tuberculosis, unspecified
  - 019·2 Other forms of disseminated tuberculosis

## **Syphilis and its sequelæ (020-029)**

- 020 Congenital syphilis
  - 020·0 Interstitial keratitis
  - 020·1 Juvenile neurosyphilis
  - 020·2 Other congenital syphilis
- 021 Early syphilis
  - 021·0 Primary syphilis, except extragenital chancre
  - 021·1 Extranatal chancre
  - 021·2 Secondary syphilis
  - 021·3 Early syphilis, relapse following treatment
  - 021·4 Early syphilis, unspecified stage
- 022 Aneurysm of aorta
- 023 Other cardiovascular syphilis
- 024 Tabes dorsalis
- 025 General paralysis of insane
- 026 Other syphilis of central nervous system
- 027 Other forms of late syphilis
- 028 Latent syphilis
  - 028·0 Early latent
  - 028·1 Late latent
  - 028·2 Unspecified
- 029 Syphilis, unqualified

## **Gonococcal infection and other venereal diseases (030-039)**

- 030 Acute or unspecified gonorrhœa
- 031 Chronic gonococcal infection of genito-urinary system
- 032 Gonococcal infection of joint
- 033 Gonococcal infection of eye
- 034 Gonococcal infection of other sites
- 035 Late effects of gonococcal infection
- 036 Chancroid
- 037 Lymphogranuloma venereum
- 038 Granuloma inguinale, venereal
- 039 Other and unspecified venereal diseases

## **Infectious diseases commonly arising in intestinal tract (040-049)**

- 040 Typhoid fever
- 041 Paratyphoid fever
- 042 Other *Salmonella* infections
  - 042·0 Without mention of food as vehicle of infection
  - 042·1 With food as vehicle of infection
- 043 Cholera
- 044 Brucellosis (undulant fever)
- 045 Bacillary dysentery
  - 045·0 Flexner-Boyd group
  - 045·1 Schmitz
  - 045·2 Shiga
  - 045·3 Sonne
  - 045·4 Bacillary, other, and unspecified
- 046 Amoebiasis
  - 046·0 Without mention of liver abscess
  - 046·1 With liver abscess
- 047 Other protozoal dysentery
- 048 Unspecified forms of dysentery
- 049 Food poisoning (infection and intoxication)
  - 049·0 Staphylococcal
  - 049·1 Botulism
  - 049·2 Unspecified

## **Other bacterial diseases (050-064)**

- 050 Scarlet fever
- 051 Streptococcal sore throat
- 052 Erysipelas
- 053 Septicæmia and pyæmia
  - 053·0 Streptococcus
  - 053·1 Staphylococcus
  - 053·2 Pneumococcus
  - 053·3 Other specified organism
  - 053·4 Organism unspecified
- 054 Bacterial toxæmia
- 055 Diphtheria
- 056 Whooping cough
  - 056·0 Without mention of pneumonia
  - 056·1 With pneumonia
- 057 Meningococcal infections
  - 057·0 Meningococcal meningitis
  - 057·1 Acute and unspecified meningococcæmia
  - 057·2 Chronic meningococcæmia
  - 057·3 Other forms of meningococcal infection
- 058 Plague
  - 058·0 Bubonic
  - 058·1 Pneumonic
  - 058·2 Other
- 059 Tularæmia
- 060 Leprosy
  - 060·0 Lepromatous leprosy
  - 060·1 Neuroleprosy
  - 060·2 Mixed
  - 060·3 Unspecified
- 061 Tetanus
- 062 Anthrax
- 063 Gas gangrene
- 064 Other bacterial diseases
  - 064·0 Epidemic arthritic erythema
  - 064·1 Rat-bite fever due to *Streptobacillus monili-formis*
  - 064·2 Glanders
  - 064·3 Melioidosis
  - 064·4 Other

## **Spirochætal diseases, except syphilis (070-074)**

- 070 Vincent's infection
- 071 Relapsing fever
  - 071·0 Louse-borne
  - 071·1 Tick-borne
  - 071·2 Unspecified
- 072 Leptospirosis icterohaemorrhagica (Weil's disease)
- 073 Yaws
- 074 Other spirochætal and leptospirochætal infections
  - 074·0 Rat-bite fever due to *Spirochæta morsus muris* (Sodoku)
  - 074·1 Other

## **Diseases attributable to viruses (080-096)**

- 080 Acute poliomyelitis
  - 080·0 Specified as bulbar or polio-encephalitis
  - 080·1 With other paralysis
  - 080·2 Specified as nonparalytic
  - 080·3 Unspecified
- 081 Late effects of acute poliomyelitis
- 082 Acute infectious encephalitis

## Diseases attributable to viruses (080-096)—Concluded

- 083 Late effects of acute infections encephalitis
  - 083·0 Postencephalitic Parkinsonism
  - 083·1 Postencephalitic personality and character disorders
  - 083·2 Postencephalitic psychosis
  - 083·3 Other postencephalitic conditions
- 084 Smallpox
- 085 Measles
  - 085·0 Without mention of pneumonia
  - 085·1 With pneumonia
- 086 Rubella (German measles)
- 087 Chickenpox
- 088 Herpes zoster
- 089 Mumps
- 090 Dengue
- 091 Yellow fever
- 092 Infectious hepatitis
- 093 Glandular fever (infectious mononucleosis)
- 094 Rabies
- 095 Trachoma
- 096 Other diseases attributable to viruses
  - 096·0 Herpes febrilis
  - 096·1 Infectious keratoconjunctivitis
  - 096·2 Psittacosis and ornithosis
  - 096·3 Cowpox
  - 096·4 Epidemic hiccup
  - 096·5 Epidemic myalgia (Bornholm disease)
  - 096·6 Foot and mouth disease
  - 096·7 Sandfly fever
  - 096·8 Rift Valley fever
  - 096·9 Other

## Typhus and other rickettsial diseases (100-108)

- 100 Louse-borne epidemic typhus
- 101 Flea-borne endemic typhus (murine)
- 102 Brill's disease, not specified as louse- or flea-borne typhus
- 103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne
- 104 Tick-borne typhus
- 105 Mite-borne typhus
- 106 Wolhynian fever (trench fever)
- 107 Typhus, unspecified
- 108 Other rickettsial diseases

## Malaria (110-117)

- 110 Vivax malaria (benign tertian)
- 111 Malariae malaria (quartan)
- 112 Falciparum malaria (malignant tertian)
- 113 Ovale malaria
- 114 Mixed malarial infections
- 115 Blackwater fever
- 116 Other and unspecified forms of malaria
- 117 Recurrent induced malaria

## Other infective and parasitic diseases (120-138)

- 120 Leishmaniasis
  - 120·0 Visceral (Kala-azar)
  - 120·1 Cutaneous (Oriental sore)
  - 120·2 Mucocutaneous (American)
  - 120·3 Unspecified
- 121 Trypanosomiasis
  - 121·0 African (sleeping sickness)
  - 121·1 South American (Chagas' disease)
  - 121·2 Other

## **Other infective and parasitic diseases (120-138)—Concluded**

- 122 Other protozoal diseases
  - 122·0 Coccidiosis
  - 122·1 Toxoplasmosis
  - 122·2 Other
- 123 Schistosomiasis
  - 123·0 Vesical (*S. haematobium*)
  - 123·1 Intestinal (*S. Mansoni*)
  - 123·2 Pulmonary (*S. japonicum*)
  - 123·3 Other and unspecified schistosomiasis
- 124 Other trematode infestation
  - 124·0 Clonorchiasis
  - 124·1 Paragonimiasis
  - 124·2 Other
- 125 Hydatid disease
- 126 Other cestode infestation
- 127 Filariasis
- 128 Trichiniasis
- 129 Ankylostomiasis
- 130 Infestation with worms of other, mixed, and unspecified type
  - 130·0 Ascariasis
  - 130·1 Oxyuriasis
  - 130·2 Mixed intestinal helminth infestation
  - 130·3 Other
- 131 Dermatophytosis
- 132 Actinomycosis
- 133 Coccidioidomycosis
- 134 Other fungus infections
  - 134·0 Blastomycosis
  - 134·1 Cryptococcosis (torulosis)
  - 134·2 Histoplasmosis
  - 134·3 Moniliasis
  - 134·4 Sporotrichosis
  - 134·5 Other
- 135 Scabies
- 136 Pediculosis
- 137 Other arthropod infestation
- 138 Other infective and parasitic diseases
  - 138·0 Sarcoid of Boeck
  - 138·1 Other

## **II. Neoplasms (140-239)**

- ### **Malignant neoplasm of buccal cavity and pharynx (140-148)**
- 140 Malignant neoplasm of lip
  - 141 Malignant neoplasm of tongue
  - 142 Malignant neoplasm of salivary gland
    - 142·0 Mixed salivary gland tumour
    - 142·1 Other
  - 143 Malignant neoplasm of floor of mouth
  - 144 Malignant neoplasm of other parts of mouth and mouth unspecified
  - 145 Malignant neoplasm of oral mesopharynx
  - 146 Malignant neoplasm of nasopharynx
  - 147 Malignant neoplasm of hypopharynx
  - 148 Malignant neoplasm of pharynx, unspecified

### **Malignant neoplasm of digestive organs and peritoneum (150-159)**

- 150 Malignant neoplasm of œsophagus
- 151 Malignant neoplasm of stomach

**Malignant neoplasm of digestive organs and peritoneum  
(150-159)—Concluded**

- 152 Malignant neoplasm of small intestine, including duodenum
- 153 Malignant neoplasm of large intestine, except rectum
- 154 Malignant neoplasm of rectum
- 155 Malignant neoplasm of biliary passages and of liver (stated to be primary site)
- 156 Malignant neoplasm of liver (secondary and unspecified)
- 157 Malignant neoplasm of pancreas
- 158 Malignant neoplasm of peritoneum
- 159 Malignant neoplasm of unspecified digestive organs

**Malignant neoplasm of respiratory system (160-165)**

- 160 Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses
- 161 Malignant neoplasm of larynx
- 162 Malignant neoplasm of trachea, and of bronchus and lung specified as primary
- 163 Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary
- 164 Malignant neoplasm of mediastinum
- 165 Malignant neoplasm of thoracic organs (secondary)

**Malignant neoplasm of breast and genito-urinary organs (170-181)**

- 170 Malignant neoplasm of breast
- 171 Malignant neoplasm of cervix uteri
- 172 Malignant neoplasm of corpus uteri
- 173 Malignant neoplasm of other parts of uterus, including chorionepithelioma
- 174 Malignant neoplasm of uterus, unspecified
- 175 Malignant neoplasm of ovary, Fallopian tube, and broad ligament
- 176 Malignant neoplasm of other and unspecified female genital organs
- 177 Malignant neoplasm of prostate
- 178 Malignant neoplasm of testis
- 179 Malignant neoplasm of other and unspecified male genital organs
- 180 Malignant neoplasm of kidney
- 181 Malignant neoplasm of bladder and other urinary organs

**Malignant neoplasm of other and unspecified sites (190-199)**

- 190 Malignant melanoma of skin
- 191 Other malignant neoplasm of skin
- 192 Malignant neoplasm of eye
- 193 Malignant neoplasm of brain and other parts of nervous system
- 194 Malignant neoplasm of thyroid gland
- 195 Malignant neoplasm of other endocrine glands
- 196 Malignant neoplasm of bone (including jaw bone)
- 197 Malignant neoplasm of connective tissue
- 198 Secondary and unspecified malignant neoplasm of lymph nodes
- 199 Malignant neoplasm of other and unspecified sites

**Neoplasms of lymphatic and haematopoietic tissues (200-205)**

- 200 Lymphosarcoma and reticulosarcoma
  - 200·0 Reticulum cell sarcoma
  - 200·1 Lymphosarcoma
  - 200·2 Other primary malignant neoplasms of lymphoid tissue

## **Neoplasms of lymphatic and haematopoietic tissues (200-205) - Continued**

- 201 Hodgkin's disease
- 202 Other forms of lymphoma (reticulososis)
  - 202·0 Giant follicular lymphoma (Brill-Symmer's disease)
  - 202·1 Other
- 203 Multiple myeloma (plasmacytoma)
- 204 Leukæmia and aleukæmia
  - 204·0 Lymphatic leukæmia
  - 204·1 Myeloid leukæmia
  - 204·2 Monocytic leukæmia
  - 204·3 Acute leukæmia, unspecified type
  - 204·4 Other and unspecified leukæmia
- 205 Mycosis fungoides

## **Benign neoplasm (210-229)**

- 210 Benign neoplasm of buccal cavity and pharynx
- 211 Benign neoplasm of other parts of digestive system
- 212 Benign neoplasm of respiratory system
- 213 Benign neoplasm of breast
- 214 Uterine fibromyoma
- 215 Other benign neoplasm of uterus
- 216 Benign neoplasm of ovary
- 217 Benign neoplasm of other female genital organs
- 218 Benign neoplasm of male genital organs
- 219 Benign neoplasm of kidney and other urinary organs
- 220 Benign melanoma of skin
- 221 Pilonidal cyst
- 222 Other benign neoplasm of skin
- 223 Benign neoplasm of brain and other parts of nervous system
- 224 Benign neoplasm of endocrine glands
- 225 Benign neoplasm of bone and cartilage
- 226 Lipoma
- 227 Other benign neoplasm of muscular and connective tissue
- 228 Hæmangioma and lymphangioma
- 229 Benign neoplasm of other and unspecified organs and tissues

## **Neoplasm of unspecified nature (230-239)**

- 230 Neoplasm of unspecified nature of digestive organs
- 231 Neoplasm of unspecified nature of respiratory organs
- 232 Neoplasm of unspecified nature of breast
- 233 Neoplasm of unspecified nature of uterus
- 234 Neoplasm of unspecified nature of ovary
- 235 Neoplasm of unspecified nature of other female genital organs
- 236 Neoplasm of unspecified nature of other genito-urinary organs
- 237 Neoplasm of unspecified nature of brain and other parts of nervous system
- 238 Neoplasm of unspecified nature of skin and musculo-skeletal system
- 239 Neoplasm of unspecified nature of other and unspecified organs

### **III. Allergic, Endocrine System, Metabolic, and Nutritional Diseases (240-289)**

#### **Allergic disorders (240-245)**

- 240 Hay fever
- 241 Asthma
- 242 Angioneurotic œdema
- 243 Urticaria
- 244 Allergic eczema
- 245 Other allergic disorders

#### **Diseases of thyroid gland (250-254)**

- 250 Simple goitre
- 251 Nontoxic nodular goitre
- 252 Thyrotoxicosis with or without goitre
  - 252·0 Toxic diffuse goitre
  - 252·1 Toxic nodular goitre
- 253 Myxoœdema and cretinism
- 254 Other diseases of thyroid gland

#### **Diabetes mellitus (260)**

- 260 Diabetes mellitus

#### **Diseases of other endocrine glands (270-277)**

- 270 Disorders of pancreatic internal secretion other than diabetes mellitus
- 271 Diseases of parathyroid gland
  - 271·0 Hyperparathyroidism
  - 271·1 Hypoparathyroidism
  - 271·2 Other and unspecified
- 272 Diseases of pituitary gland
- 273 Diseases of thymus gland
- 274 Diseases of adrenal glands
- 275 Ovarian dysfunction
- 276 Testicular dysfunction
- 277 Polyglandular dysfunction and other diseases of endocrine glands

#### **Avitaminoses, and other metabolic diseases (280-289)**

- 280 Beriberi
- 281 Pellagra
- 282 Scurvy
- 283 Active rickets
- 284 Late effects of rickets
- 285 Osteomalacia
- 286 Other avitaminoses and nutritional deficiency states
  - 286·0 Steatorrhœa and sprue
  - 286·1 Vitamin A deficiency
  - 286·2 Vitamin B deficiency, except beriberi and pellagra
  - 286·3 Vitamin C deficiency, except scurvy
  - 286·4 Vitamin D deficiency, except rickets and osteomalacia
  - 286·5 Malnutrition, unqualified
  - 286·6 Other and multiple deficiency states
- 287 Obesity, not specified as of endocrine origin
- 288 Gout
- 289 Other metabolic diseases
  - 289·0 Lipidosis (disturbance of lipid metabolism)
  - 289·1 Amyloidosis
  - 289·2 Other

## **IV. Diseases of the Blood and Blood-forming Organs (290-299)**

- Diseases of blood and blood-forming organs (290-299)**
- 290 Pernicious and other hyperchromic anaemias
    - 290·0 Pernicious anaemia
    - 290·1 Subacute combined degeneration of spinal cord
    - 290·2 Other hyperchromic anaemias
  - 291 Iron deficiency anaemias (hypochromic anaemias)
  - 292 Other anaemias of specified type
    - 292·0 Familial acholuric jaundice
    - 292·1 Acute haemolytic anaemia
    - 292·2 Other haemolytic anaemias
    - 292·3 Leuko-erythroblastic anaemia
    - 292·4 Aplastic anaemia
    - 292·5 Nonregenerative anaemia
    - 292·6 Sickle cell anaemia
    - 292·7 Other specified anaemias
  - 293 Anaemia of unspecified type
  - 294 Polycythaemia
  - 295 Hemophilia
  - 296 Purpura and other haemorrhagic conditions
  - 297 Agranulocytosis
  - 298 Diseases of spleen
    - 298·0 Hepatosplenial fibrosis
    - 298·1 Other
  - 299 Other diseases of blood and blood-forming organs

## **V. Mental, Psychoneurotic, and Personality Disorders (300-326)**

### **Psychoses (300-309)**

- 300 Schizophrenic disorders (dementia praecox)
  - 300·0 Simple type
  - 300·1 Hebephrenic type
  - 300·2 Catatonic type
  - 300·3 Paranoid type
  - 300·4 Acute schizophrenic reaction
  - 300·5 Latent schizophrenia
  - 300·6 Schizo-affective psychosis
  - 300·7 Other and unspecified
- 301 Manic-depressive reaction
  - 301·0 Manic and circular
  - 301·1 Depressive
  - 301·2 Other
- 302 Involutional melancholia
- 303 Paranoia and paranoid states
- 304 Senile psychosis
- 305 Presenile psychosis
- 306 Psychosis with cerebral arteriosclerosis
- 307 Alcoholic psychosis
- 308 Psychosis of other demonstrable etiology
  - 308·0 Resulting from brain tumour
  - 308·1 Resulting from epilepsy and other convulsive disorders
  - 308·2 Other
- 309 Other and unspecified psychoses

### **Psychoneurotic disorders (310-318)**

- 310 Anxiety reaction without mention of somatic symptoms
- 311 Hysterical reaction without mention of anxiety reaction
- 312 Phobic reaction

## **Psychoneurotic disorders (310-318)—Concluded**

- 313 Obsessive-compulsive reaction
- 314 Neurotic-depressive reaction
- 315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system
  - 315·0 Neurocirculatory asthenia
  - 315·1 Other heart manifestations specified as of psychogenic origin
  - 315·2 Other circulatory manifestations of psychogenic origin
- 316 Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system
  - 316·0 Mecones colitis specified as of psychogenic origin
  - 316·1 Irritability of colon specified as of psychogenic origin
  - 316·2 Gastric neuroses
  - 316·3 Other digestive manifestations specified as of psychogenic origin
- 317 Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems
  - 317·0 Psychogenic reactions affecting respiratory system
  - 317·1 Psychogenic reactions affecting genito-urinary system
  - 317·2 Pruritus of psychogenic origin
  - 317·3 Other cutaneous neuroses
  - 317·4 Psychogenic reactions affecting musculoskeletal system
  - 317·5 Psychogenic reactions affecting other systems
- 318 Psychoneurotic disorders, other, mixed, and unspecified types
  - 318·0 Hypochondriacal reaction
  - 318·1 Depersonalization
  - 318·2 Occupational neurosis
  - 318·3 Asthenic reaction
  - 318·4 Mixed
  - 318·5 Of other and unspecified types

## **Disorders of character, behaviour, and intelligence (320-326)**

- 320 Pathological personality
  - 320·0 Schizoid personality
  - 320·1 Paranoid personality
  - 320·2 Cyclothymic personality
  - 320·3 Inadequate personality
  - 320·4 Antisocial personality
  - 320·5 Asocial personality
  - 320·6 Sexual deviation
  - 320·7 Other and unspecified
- 321 Immature personality
  - 321·0 Emotional instability
  - 321·1 Passive dependency
  - 321·2 Aggressiveness
  - 321·3 Enuresis characterizing immature personality
  - 321·4 Other symptomatic habits except speech impediments
  - 321·5 Other and unspecified
- 322 Alcoholism
  - 322·0 Acute
  - 322·1 Chronic
  - 322·2 Unspecified
- 323 Other drug addiction
- 324 Primary childhood behaviour disorders

## **Disorders of character, behaviour, and intelligence (320-326)—Concluded**

- 325 Mental deficiency
  - 325·0 Idiocy
  - 325·1 Imbecility
  - 325·2 Moron
  - 325·3 Borderline intelligence
  - 325·4 Mongolism
  - 325·5 Other and unspecified types
- 326 Other and unspecified character, behaviour, and intelligence disorders
  - 326·0 Specific learning defects
  - 326·1 Stammering and stuttering of nonorganic origin
  - 326·2 Other speech impediments of nonorganic origin
  - 326·3 Acute situational maladjustment
  - 326·4 Other and unspecified

## **VI. Diseases of the Nervous System and Sense Organs (330-398)**

### **Vascular lesions affecting central nervous system (330-334)**

- 330 Subarachnoid haemorrhage
- 331 Cerebral haemorrhage
- 332 Cerebral embolism and thrombosis
- 333 Spasm of cerebral arteries
- 334 Other and ill-defined vascular lesions affecting central nervous system

### **Inflammatory diseases of central nervous system (340-345)**

- 340 Meningitis, except meningococcal and tuberculous
  - 340·0 H. influenzae
  - 340·1 Pneumococcus
  - 340·2 Due to other specified organism
  - 340·3 Unspecified cause
- 341 Phlebitis and thrombophlebitis of intracranial venous sinuses
- 342 Intracranial and intraspinal abscess
- 343 Encephalitis, myelitis, and encephalomylitis (except acute infectious)
- 344 Late effects of intracranial abscess or pyogenic infection
- 345 Multiple sclerosis

### **Other diseases of central nervous system (350-357)**

- 350 Paralysis agitans
- 351 Cerebral spastic infantile paralysis
- 352 Other cerebral paralysis
- 353 Epilepsy
  - 353·0 Petit mal
  - 353·1 Grand mal
  - 353·2 Status epilepticus
  - 353·3 Other and unspecified
- 354 Migraine
- 355 Other diseases of brain
- 356 Motor neurone disease and muscular atrophy
  - 356·0 Progressive muscular atrophy
  - 356·1 Amyotrophic lateral sclerosis
  - 356·2 Spinal type of muscular atrophy
  - 356·3 Other and unspecified manifestations
- 357 Other diseases of spinal cord

## **Diseases of nerves and peripheral ganglia (360-369)**

- 360 Facial palsy
- 361 Trigeminal neuralgia
- 362 Brachial neuritis
- 363 Sciatica
- 364 Polyneuritis and polyradiculitis
- 365 Erythrocædema polyneuritica
- 366 Other and unspecified forms of neuralgia and neuritis
- 367 Other diseases of cranial nerves
- 368 Other diseases of peripheral nerves except autonomic
- 369 Diseases of peripheral autonomic nervous system

## **Inflammatory diseases of eye (370-379)**

- 370 Conjunctivitis and ophthalmia
- 371 Blepharitis
- 372 Hordeolum (stye)
- 373 Iritis
- 374 Keratitis
- 375 Choroiditis
- 376 Other inflammation of uveal tract
- 377 Inflammation of optic nerve and retina
- 378 Inflammation of lacrimal glands and ducts
- 379 Other inflammatory diseases of eye

## **Other diseases and conditions of eye (380-389)**

- 380 Refractive errors
- 381 Corneal ulcer
- 382 Corneal opacity
- 383 Pterygium
- 384 Strabismus
- 385 Cataract
- 386 Detachment of retina
- 387 Glaucoma
- 388 Other diseases of eye
- 389 Blindness
  - 389·0 Blindness, both eyes, specifically defined
  - 389·1 Blindness, both eyes, not specifically defined
  - 389·2 Blindness, one eye, specifically defined
  - 389·3 Blindness, one eye, not specifically defined

## **Diseases of ear and mastoid process (390-398)**

- 390 Otitis externa
- 391 Otitis media without mention of mastoiditis
  - 391·0 Acute
  - 391·1 Chronic
  - 391·2 Unspecified
- 392 Otitis media with mastoiditis
  - 392·0 Acute
  - 392·1 Chronic
  - 392·2 Unspecified
- 393 Mastoiditis without mention of otitis media
  - 393·0 Acute
  - 393·1 Chronic
  - 393·2 Unspecified
- 394 Other inflammatory diseases of ear
- 395 Ménière's disease
- 396 Other diseases of ear and mastoid process
- 397 Deaf mutism
- 398 Other deafness
  - 398·0 Deafness, both ears
  - 398·1 Deafness, one ear, and partial deafness in other
  - 398·2 Deafness, one ear
  - 398·3 Impairment of hearing, one or both ears

## VII. Diseases of the Circulatory System (400-468)

### Rheumatic fever (400-402)

- 400 Rheumatic fever without mention of heart involvement
- 401 Rheumatic fever with heart involvement
  - 401·0 Active rheumatic pericarditis
  - 401·1 Active rheumatic endocarditis
  - 401·2 Active rheumatic myocarditis
  - 401·3 Active rheumatic fever with other and multiple types of heart involvement
- 402 Chorea
  - 402·0 Without mention of heart involvement
  - 402·1 With heart involvement

### Chronic rheumatic heart disease (410-416)

- 410 Diseases of mitral valve
- 411 Diseases of aortic valve specified as rheumatic
- 412 Diseases of tricuspid valve
- 413 Diseases of pulmonary valve specified as rheumatic
- 414 Other endocarditis specified as rheumatic
- 415 Other myocarditis specified as rheumatic
- 416 Other heart disease specified as rheumatic

### Arteriosclerotic and degenerative heart disease (420-422)

- 420 Arteriosclerotic heart disease, including coronary disease
  - 420·0 Arteriosclerotic heart disease so described
  - 420·1 Heart disease specified as involving coronary arteries
  - 420·2 Angina pectoris without mention of coronary disease
- 421 Chronic endocarditis not specified as rheumatic
  - 421·0 Of mitral valve, specified as nonrheumatic
  - 421·1 Of aortic valve, not specified as rheumatic
  - 421·2 Of tricuspid valve, specified as nonrheumatic
  - 421·3 Of pulmonary valve, not specified as rheumatic
  - 421·4 Other and ill-defined, not specified as rheumatic
- 422 Other myocardial degeneration
  - 422·0 Fatty degeneration
  - 422·1 With arteriosclerosis
  - 422·2 Other

### Other diseases of heart (430-434)

- 430 Acute and subacute endocarditis
  - 430·0 Acute and subacute bacterial endocarditis
  - 430·1 Other acute endocarditis
- 431 Acute myocarditis not specified as rheumatic
- 432 Acute pericarditis specified as nonrheumatic
- 433 Functional disease of heart
  - 433·0 Heart block
  - 433·1 Other disorders of heart rhythm
  - 433·2 Other functional diseases of heart
- 434 Other and unspecified diseases of heart
  - 434·0 Kyphoscoliotic heart disease
  - 434·1 Congestive heart failure
  - 434·2 Left ventricular failure
  - 434·3 Other and unspecified disease of heart

### **Hypertensive disease (440-447)**

- 440 Essential benign hypertension with heart disease
- 441 Essential malignant hypertension with heart disease
- 442 Hypertensive heart disease with arteriolar nephrosclerosis
- 443 Other and unspecified hypertensive heart disease
- 444 Essential benign hypertension without mention of heart
- 445 Essential malignant hypertension without mention of heart
- 446 Hypertension with arteriolar nephrosclerosis without mention of heart
- 447 Other hypertensive disease without mention of heart

### **Diseases of Arteries (450-456)**

- 450 General arteriosclerosis
  - 450·0 Without mention of gangrene
  - 450·1 With gangrene
- 451 Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm
- 452 Other aneurysm, except of heart and aorta
- 453 Peripheral vascular disease
  - 453·0 Raynaud's disease
  - 453·1 Thromboangiitis obliterans
  - 453·2 Chilblains
  - 453·3 Other
- 454 Arterial embolism and thrombosis
- 455 Gangrene of unspecified cause
- 456 Other diseases of arteries

### **Diseases of veins and other diseases of circulatory system (460-468)**

- 460 Varicose veins of lower extremities
- 461 Hemorrhoids
- 462 Varicose veins of other specified sites
  - 462·0 Varicocele
  - 462·1 Varicose veins of oesophagus
  - 462·2 Other
- 463 Phlebitis and thrombophlebitis of lower extremities
- 464 Phlebitis and thrombophlebitis of other sites
- 465 Pulmonary embolism and infarction
- 466 Other venous embolism and thrombosis
- 467 Other diseases of circulatory system
  - 467·0 Hypotension
  - 467·1 Diseases of capillaries
  - 467·2 Other and unspecified circulatory diseases
- 468 Certain diseases of lymph nodes and lymph channels
  - 468·0 Chronic lymphadenitis
  - 468·1 Nonspecific mesenteric lymphadenitis
  - 468·2 Lymphadenitis, unqualified
  - 468·3 Noninfective diseases of lymphatic channels

## **VIII. Diseases of the Respiratory System (470-527)**

### **Acute upper respiratory infections (470-475)**

- 470 Acute nasopharyngitis (common cold)
- 471 Acute sinusitis
- 472 Acute pharyngitis
  - 472·0 Sore throat, unqualified
  - 472·1 Other

**Acute upper respiratory infections (470-475)—Continued**

- 473 Acute tonsillitis
- 474 Acute laryngitis and tracheitis
- 475 Acute upper respiratory infection of multiple or unspecified sites

**Influenza (480-483)**

- 480 Influenza with pneumonia
- 481 Influenza with other respiratory manifestations, and influenza unqualified
- 482 Influenza with digestive manifestations, but without respiratory symptoms
- 483 Influenza with nervous manifestations, but without digestive or respiratory symptoms

**Pneumonia (490-493)**

- 490 Lobar pneumonia
- 491 Bronchopneumonia
- 492 Primary atypical pneumonia
- 493 Pneumonia, other and unspecified

**Bronchitis (500-502)**

- 500 Acute bronchitis
- 501 Bronchitis unqualified
- 502 Chronic bronchitis
  - 502·0 Bronchitis with emphysema
  - 502·1 Other

**Other diseases of respiratory system (510-527)**

- 510 Hypertrophy of tonsils and adenoids
  - 510·0 Without mention of tonsillectomy or adenoidectomy
  - 510·1 With tonsillectomy or adenoidectomy
- 511 Peritonsillar abscess (quinsy)
- 512 Chronic pharyngitis and nasopharyngitis
  - 512·0 Chronic pharyngitis
  - 512·1 Chronic nasopharyngitis
- 513 Chronic sinusitis
- 514 Deflected nasal septum
- 515 Nasal polyp
- 516 Chronic laryngitis
- 517 Other diseases of upper respiratory tract
- 518 Empyema
- 519 Pleurisy
  - 519·0 Without mention of effusion or tuberculosis
  - 519·1 With effusion with mention of a bacterial cause other than tuberculosis
  - 519·2 Other specified forms of effusion, except tuberculous
- 520 Spontaneous pneumothorax
- 521 Abscess of lung
- 522 Pulmonary congestion and hypostasis
- 523 Pneumoconiosis due to silica and silicates (occupational)
  - 523·0 Silicosis
  - 523·1 Anthracosilicosis
  - 523·2 Asbestosis
  - 523·3 Other, including pneumoconiosis unspecified
- 524 Other specified pneumoconiosis and pulmonary fibrosis of occupational origin
- 525 Other chronic interstitial pneumonia
- 526 Bronchiectasis
- 527 Other diseases of lung and pleural cavity
  - 527·0 Pulmonary collapse (1 year and over)
  - 527·1 Emphysema without mention of bronchitis
  - 527·2 Other

## **IX. Diseases of the Digestive System (530-587)**

### **Diseases of buccal cavity and œsophagus (530-539)**

#### **530 Dental caries**

- 530·0 Dental caries, unqualified
- 530·1 With pulp exposure
- 530·2 With periapical abscess
- 530·3 Other

#### **531 Abscesses of supporting structures of teeth**

- 531·0 Pericoronal
- 531·1 Periodontal (parietal)
- 531·2 Other and unspecified

#### **532 Other inflammatory diseases of supporting structures of teeth**

- 532·0 Gingivitis, except ulcerative
- 532·1 Periodontitis (pyorrhœa, inflammatory)
- 532·2 Periodontosis (pyorrhœa, degenerative)
- 532·3 Other

#### **533 Disorders of occlusion, eruption and tooth development**

- 533·0 Malocclusion
- 533·1 Disorders of first dentition
- 533·2 Impacted teeth
- 533·3 Unerupted teeth
- 533·4 Partially erupted teeth
- 533·5 Congenital anomalies of teeth
- 533·6 Chronic dental fluorosis
- 533·7 Other

#### **534 Toothache from unspecified cause**

#### **535 Other diseases of teeth and supporting structures**

#### **536 Stomatitis**

#### **537 Diseases of salivary glands**

#### **538 Other diseases of buccal cavity**

#### **539 Diseases of œsophagus**

- 539·0 Functional disorders of œsophagus
- 539·1 Other

### **Diseases of stomach and duodenum (540-545)**

#### **540 Ulcer of stomach**

- 540·0 Without mention of perforation
- 540·1 With perforation

#### **541 Ulcer of duodenum**

- 541·0 Without mention of perforation
- 541·1 With perforation

#### **542 Gastrojejunal ulcer**

- 542·0 Without mention of perforation
- 542·1 With perforation

#### **543 Gastritis and duodenitis**

#### **544 Disorders of function of stomach**

- 544·0 Disorders of gastric secretion
- 544·1 Disorders of gastric motility
- 544·2 Other

#### **545 Other diseases of stomach and duodenum**

### **Appendicitis (550-553)**

#### **550 Acute appendicitis**

- 550·0 Without mention of peritonitis
- 550·1 With peritonitis

#### **551 Appendicitis, unqualified**

#### **552 Other appendicitis**

#### **553 Other diseases of appendix**

## **Hernia of abdominal cavity (560-561)**

- 560 Hernia of abdominal cavity without mention of obstruction
- 560·0 Inguinal
  - 560·1 Femoral
  - 560·2 Umbilical
  - 560·3 Ventral (incisional)
  - 560·4 Other specified site
  - 560·5 Unspecified site
- 561 Hernia of abdominal cavity with obstruction
- 561·0 Inguinal
  - 561·1 Femoral
  - 561·2 Umbilical
  - 561·3 Ventral (incisional)
  - 561·4 Other specified site
  - 561·5 Unspecified site

## **Other diseases of intestines and peritoneum (570-578)**

- 570 Intestinal obstruction, without mention of hernia
- 570·0 Intussusception
  - 570·1 Paralytic ileus
  - 570·2 Mesenteric infarction
  - 570·3 Volvulus
  - 570·4 Impaction of intestine
  - 570·5 Other
- 571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over
- 571·0 Ages between 4 weeks and 2 years
  - 571·1 Ages 2 years and over
- 572 Chronic enteritis and ulcerative colitis
- 572·0 Regional enteritis
  - 572·1 Diverticulitis
  - 572·2 Ulcerative colitis
  - 572·3 Other
- 573 Functional disorders of intestines
- 573·0 Constipation
  - 573·1 Mucous colitis
  - 573·2 Irritability of colon
  - 573·3 Other
- 574 Anal fissure and fistula
- 575 Abscess of anal and rectal regions
- 576 Peritonitis
- 577 Peritoneal adhesion
- 578 Other diseases of intestines and peritoneum

## **Diseases of liver, gallbladder, and pancreas (580-587)**

- 580 Acute and subacute yellow atrophy of liver
- 581 Cirrhosis of liver
- 581·0 Without mention of alcoholism
  - 581·1 With alcoholism
- 582 Suppurative hepatitis and liver abscess
- 583 Other diseases of liver
- 584 Cholelithiasis
- 585 Cholecystitis without mention of calculi
- 586 Other diseases of gallbladder and biliary ducts
- 587 Diseases of pancreas
- 587·0 Acute pancreatitis
  - 587·1 Chronic pancreatitis
  - 587·2 Other diseases of pancreas

## X. Diseases of the Genito-Urinary System (590-637)

### Nephritis and nephrosis (590-594)

- 590 Acute nephritis
- 591 Nephritis with oedema, including nephrosis
- 592 Chronic nephritis
- 593 Nephritis not specified as acute or chronic
- 594 Other renal sclerosis

### Other diseases of urinary system (600-609)

- 600 Infections of kidney
  - 600·0 Pyelitis, pyelocystitis, and pyelonephritis
  - 600·1 Abscess of kidney and perirenal tissue
  - 600·2 Other
- 601 Hydronephrosis
- 602 Calculi of kidney and ureter
- 603 Other diseases of kidney and ureter
- 604 Calculi of other parts of urinary system
- 605 Cystitis
- 606 Other diseases of bladder
- 607 Urethritis (nonvenereal)
- 608 Stricture of urethra
- 609 Other diseases of urethra

### Diseases of male genital organs (610-617)

- 610 Hyperplasia of prostate
- 611 Prostatitis
- 612 Other diseases of prostate
- 613 Hydrocele
- 614 Orchitis and epididymitis
- 615 Redundant prepuce and phimosis
- 616 Sterility, male
- 617 Other diseases of male genital organs

### Diseases of breast, ovary, Fallopian tube, and parametrium (620-626)

- 620 Chronic cystic disease of breast
- 621 Other diseases of breast
  - 621·0 Acute mastitis not associated with lactation
  - 621·1 Hypertrophy of breast
  - 621·2 Other
- 622 Acute salpingitis and oophoritis
- 623 Chronic salpingitis and oophoritis
- 624 Salpingitis and oophoritis, unqualified
- 625 Other diseases of ovary and Fallopian tube
- 626 Diseases of parametrium and pelvic peritoneum (female)

### Diseases of uterus and other female genital organs (630-637)

- 630 Infective disease of uterus, vagina, and vulva
  - 630·0 Cervicitis
  - 630·1 Other infective diseases of uterus
  - 630·2 Vaginitis and vulvitis
- 631 Uterovaginal prolapse
- 632 Malposition of uterus
- 633 Other diseases of uterus
- 634 Disorders of menstruation
- 635 Menopausal symptoms
- 636 Sterility, female
- 637 Other diseases of female genital organs
  - 637·0 Leukorrhœa
  - 637·1 Other

## XI. Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium (640-689)

### Complications of pregnancy (640-649)

- 640 Pyelitis and pyelonephritis of pregnancy
- 641 Other infections of genito-urinary tract during pregnancy
- 642 Toxaemia of pregnancy
  - 642·0 Hypertensive disease arising during pregnancy
  - 642·1 Renal disease arising during pregnancy
  - 642·2 Pre-eclampsia of pregnancy
  - 642·3 Eclampsia of pregnancy
  - 642·4 Hyperemesis gravidarum
  - 642·5 Other
- 643 Placenta praevia
- 644 Other haemorrhage of pregnancy
- 645 Ectopic pregnancy
  - 645·0 Without mention of sepsis
  - 645·1 With sepsis
- 646 Anaemia of pregnancy
- 647 Pregnancy with malposition of foetus in uterus
- 648 Other complications arising from pregnancy
  - 648·0 Threatened abortion
  - 648·1 Hydatidiform mole
  - 648·2 Placental abnormalities not classified elsewhere
  - 648·3 Other
- 649 Pregnancy associated with other conditions

### Abortion (650-652)

- 650 Abortion without mention of sepsis or toxæmia
  - 650·0 Spontaneous or unspecified
  - 650·1 Induced for medical or legal indications
  - 650·2 Induced for other reasons
  - 650·3 Other
- 651 Abortion with sepsis
  - 651·0 Spontaneous or unspecified
  - 651·1 Induced for medical or legal indications
  - 651·2 Induced for other reasons
  - 651·3 Other
- 652 Abortion with toxæmia, without mention of sepsis
  - 652·0 Spontaneous or unspecified
  - 652·1 Induced for medical or legal indications
  - 652·2 Induced for other reasons
  - 652·3 Other

### Delivery without complication (660)

- 660 Delivery without complication

### Delivery with specified complication (670-678)

- 670 Delivery complicated by placenta praevia or antepartum haemorrhage
- 671 Delivery complicated by retained placenta
- 672 Delivery complicated by other postpartum haemorrhage
- 673 Delivery complicated by abnormality of bony pelvis
- 674 Delivery complicated by disproportion or malposition of foetus
- 675 Delivery complicated by prolonged labour of other origin
- 676 Delivery with laceration of perineum, without mention of other laceration
- 677 Delivery with other trauma
- 678 Delivery with other complications of childbirth

## **Complications of the puerperium (680-689)**

- 680 Puerperal urinary infection without other sepsis
- 681 Sepsis of childbirth and the puerperium
- 682 Puerperal phlebitis and thrombosis
- 683 Pyrexia of unknown origin during the puerperium
- 684 Puerperal pulmonary embolism
- 685 Puerperal eclampsia
- 686 Other forms of puerperal toxæmia
- 687 Cerebral hemorrhage in the puerperium
- 688 Other and unspecified complications of the puerperium
  - 688·0 Anæmia of puerperium
  - 688·1 Puerperal psychosis
  - 688·2 Sudden death from unknown cause in the puerperium
  - 688·3 Other
- 689 Mastitis and other disorders of lactation

## **XII. Diseases of the Skin and Cellular Tissue (690-716)**

### **Infections of skin and subcutaneous tissue (690-698)**

- 690 Boil and carbuncle
  - 690·0 Of face
  - 690·1 Of neck
  - 690·2 Of trunk
  - 690·3 Of upper arm and forearm
  - 690·4 Of hand
  - 690·5 Of buttock
  - 690·6 Of other parts of lower extremity
  - 690·7 Of other and multiple sites
  - 690·8 Of unspecified site
- 691 Cellulitis of finger and toe
- 692 Other cellulitis and abscess without mention of lymphangitis
  - 692·0 Of head and neck
  - 692·1 Of trunk
  - 692·2 Of upper arm and forearm
  - 692·3 Of hand, except fingers
  - 692·4 Of leg
  - 692·5 Of foot, except toes
  - 692·6 Of other, multiple, and unspecified sites
- 693 Other cellulitis and abscess with lymphangitis
  - 693·0 Of head and neck
  - 693·1 Of trunk
  - 693·2 Of upper arm and forearm
  - 693·3 Of hand, except fingers
  - 693·4 Of leg
  - 693·5 Of foot, except toes
  - 693·6 Of other, multiple, and unspecified sites
- 694 Acute lymphadenitis
- 695 Impetigo
- 696 Infectious warts
- 697 Molluscum contagiosum
- 698 Other local infections of skin and subcutaneous tissue

## **Other diseases of skin and subcutaneous tissue (700-716)**

- 700 Seborrhoeic dermatitis
- 701 Eczema
- 702 Occupational dermatitis
  - 702·0 Due to plants
  - 702·1 Due to oils and greases
  - 702·2 Due to solvents
  - 702·3 Due to drugs
  - 702·4 Due to other chemicals
  - 702·5 Due to radiation
  - 702·6 Other
- 703 Other dermatitis
  - 703·0 Due to plants
  - 703·1 Due to oils and greases
  - 703·2 Due to solvents
  - 703·3 Due to drugs
  - 703·4 Due to other chemicals
  - 703·5 Due to radiation
  - 703·6 Due to other specified agents
  - 703·7 Unqualified
- 704 Pemphigus
  - 704·0 Dermatitis herpetiformis
  - 704·1 Other
- 705 Erythematous conditions
  - 705·0 Toxic erythema
  - 705·1 Erythema multiforme (erythema iris)
  - 705·2 Erythema nodosum
  - 705·3 Rosacea
  - 705·4 Lupus erythematosus
  - 705·5 Other and unqualified
- 706 Psoriasis and similar disorders
  - 706·0 Psoriasis
  - 706·1 Parapsoriasis
  - 706·2 Pityriasis rosea
  - 706·3 Other and unspecified pityriasis
  - 706·4 Other
- 707 Lichen planus
- 708 Pruritus and related conditions
  - 708·0 Pruritus ani
  - 708·1 Pruritus of genital organs
  - 708·2 Prurigo
  - 708·3 Lichenification and lichen simplex chronicus
  - 708·4 Dermatitis factitia (artefacta)
  - 708·5 Other pruritic conditions
- 709 Corns and callosities
- 710 Other hypertrophic and atrophic conditions of skin
  - 710·0 Scleroderma and dermatomyositis
  - 710·1 Keratoderma
  - 710·2 Hereditary œdema of legs (Milroy's disease)
  - 710·3 Striae atrophicae
  - 710·4 Keloid scar
  - 710·5 Other hypertrophic and atrophic conditions of skin
- 711 Other dermatoses
- 712 Diseases of nail
- 713 Diseases of hair and hair follicles
- 714 Diseases of sweat and sebaceous glands
  - 714·0 Diseases of sweat glands
  - 714·1 Acne
  - 714·2 Other diseases of sebaceous glands
- 715 Chronic ulcer of skin
- 716 Other diseases of skin

### XIII. Diseases of the Bones and Organs of Movement (720-749)

#### Arthritis and rheumatism, except rheumatic fever (720-727)

- 720 Acute arthritis due to pyogenic organisms
- 721 Acute nonpyogenic arthritis
- 722 Rheumatoid arthritis and allied conditions
  - 722·0 Rheumatoid arthritis
  - 722·1 Spondylitis ankylopoietica
  - 722·2 Chronic rheumatoid nodular fibrosis
- 723 Osteo-arthritis (arthrosis) and allied conditions
  - 723·0 Osteo-arthritis (arthrosis)
  - 723·1 Spondylitis osteo-arthritis (spondylarthrosis)
  - 723·2 Adult osteochondrosis of spine
- 724 Other specified forms of arthritis
- 725 Arthritis, unspecified
- 726 Muscular rheumatism
  - 726·0 Lumbago
  - 726·1 Myofibrosis of humeroseapular region
  - 726·2 Torticollis not specified as congenital, psychogenic, or traumatic
  - 726·3 Other muscular rheumatism, fibrosis, and myalgia
- 727 Rheumatism unspecified

#### Osteomyelitis and other diseases of bone and joint (730-738)

- 730 Osteomyelitis and periostitis
  - 730·0 Acute osteomyelitis
  - 730·1 Chronic osteomyelitis
  - 730·2 Unspecified osteomyelitis
  - 730·3 Periostitis without mention of osteomyelitis
- 731 Osteitis deformans
- 732 Osteochondrosis
- 733 Other diseases of bone
- 734 Internal derangement of knee joint
- 735 Displacement of intervertebral disc
- 736 Affection of sacro-iliac joint
- 737 Ankylosis of joint
  - 737·0 Of spine
  - 737·1 Of shoulder
  - 737·2 Of elbow
  - 737·3 Of wrist
  - 737·4 Of finger
  - 737·5 Of hip
  - 737·6 Of knee
  - 737·7 Of ankle
  - 737·8 Of other and multiple sites
  - 737·9 Of unspecified site
- 738 Other diseases of joint

#### Other diseases of musculoskeletal system (740-749)

- 740 Bunion
- 741 Synovitis, bursitis, and tenosynovitis without mention of occupational origin
- 742 Synovitis, bursitis, and tenosynovitis of occupational origin
- 743 Infective myositis and other inflammatory diseases of tendon and fascia

**Other diseases of musculoskeletal system (740-749)**

—*Continued*:

744 Other diseases of muscle, tendon, and fascia

    744·0 Myasthenia gravis

    744·1 Inborn defect of muscle

    744·2 Other

745 Curvature of spine

746 Flat foot

747 Hallux valgus and varus

748 Clubfoot

749 Other deformities

**XIV. Congenital Malformations (750-759)**

**Congenital malformations (750-759)**

750 Monstrosity

751 Spina bifida and meningocoele

752 Congenital hydrocephalus

753 Other congenital malformations of nervous system and sense organs

    753·0 Congenital cataract

    753·1 Other

754 Congenital malformations of circulatory system

    754·0 Tetralogy of Fallot

    754·1 Patent ductus arteriosus (Botalli)

    754·2 Interventricular septal defect

    754·3 Interauricular septal defect

    754·4 Other and unspecified malformations of heart

    754·5 Coarctation of aorta

    754·6 Other circulatory malformations

755 Cleft palate and harelip

756 Congenital malformations of digestive system

    756·0 Congenital hypertrophic pyloric stenosis

    756·1 Imperforate anus

    756·2 Other

757 Congenital malformations of genito-urinary system

    757·0 Undescended testicle

    757·1 Polycystic disease of kidney

    757·2 Congenital malformations of external genital organs

    757·3 Other

758 Congenital malformations of bone and joint

    758·0 Congenital dislocation of hip

    758·1 Chondrodyostrophy

    758·2 Congenital malformations of skull

    758·3 Brittle bones

    758·4 Cervical rib

    758·5 Congenital abnormalities of lumbosacral region

    758·6 Other congenital malformations of bone and joint

759 Other and unspecified congenital malformations, not elsewhere classified

    759·0 Of respiratory system

    759·1 Of skin

    759·2 Of muscle

    759·3 Other and unspecified

## XV. Certain Diseases of Early Infancy (760-776)

- Birth injuries, asphyxia, and infections of newborn (760-769)**
- 760 Intracranial and spinal injury at birth  
    760·0 Without mention of immaturity  
    760·5 With immaturity
- 761 Other birth injury  
    761·0 Without mention of immaturity  
    761·5 With immaturity
- 762 Postnatal asphyxia and atelectasis  
    762·0 Without mention of immaturity  
    762·5 With immaturity
- 763 Pneumonia of newborn  
    763·0 Without mention of immaturity  
    763·5 With immaturity
- 764 Diarrhoea of newborn  
    764·0 Without mention of immaturity  
    764·5 With immaturity
- 765 Ophthalmia neonatorum  
    765·0 Without mention of immaturity  
    765·5 With immaturity
- 766 Pemphigus neonatorum  
    766·0 Without mention of immaturity  
    766·5 With immaturity
- 767 Umbilical sepsis  
    767·0 Without mention of immaturity  
    767·5 With immaturity
- 768 Other sepsis of newborn  
    768·0 Without mention of immaturity  
    768·5 With immaturity
- 769 Neonatal disorders arising from maternal toxæmia  
    769·0 Attributed to "toxæmia of pregnancy", without mention of immaturity  
    769·1 Attributed to maternal diabetes, without mention of immaturity  
    769·2 Attributed to maternal rubella, without mention of immaturity  
    769·3 Attributed to toxoplasmosis, without mention of immaturity  
    769·4 Attributed to other or unspecified maternal toxæmia, without mention of immaturity  
    769·5 Attributed to "toxæmia of pregnancy", with immaturity  
    769·6 Attributed to maternal diabetes, with immaturity •  
    769·7 Attributed to maternal rubella, with immaturity  
    769·8 Attributed to toxoplasmosis, with immaturity  
    769·9 Attributed to other or unspecified maternal toxæmia, with immaturity

## **Other diseases peculiar to early infancy (770-776)**

770 Haemolytic disease of newborn (erythroblastosis)

    770·0 Erythroblastosis, without mention of nervous affection or immaturity

    770·1 Kernicterus, without mention of immaturity

    770·2 Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity

    770·5 Erythroblastosis, without mention of nervous affection but with immaturity

    770·6 Kernicterus with immaturity

    770·7 Erythroblastosis with disorder of liver other than icterus gravis, with immaturity

771 Haemorrhagic disease of newborn

    771·0 Without mention of immaturity

    771·5 With immaturity

772 Nutritional maladjustment

    772·0 Without mention of immaturity

    772·5 With immaturity

773 Ill-defined diseases peculiar to early infancy

    773·0 Without mention of immaturity

    773·5 With immaturity

774 Immaturity with mention of any other subsidiary condition

775 Immaturity subsidiary to some other cause

776 Immaturity unqualified

## **XVI. Symptoms, Senility and Ill-defined Conditions (780-795)**

### **Symptoms referable to systems or organs (780-789)**

780 Certain symptoms referable to nervous system and special senses

    780·0 Coma and stupor

    780·1 Delirium

    780·2 Convulsions

    780·3 Jacksonian epilepsy

    780·4 Abnormal involuntary movement

    780·5 Disturbance of coordination

    780·6 Vertigo

    780·7 Disturbance of sleep

    780·8 Disturbance of memory

    780·9 Meningismus

781 Other symptoms referable to nervous system and special senses

    781·0 Disturbance of vision except defective sight

    781·1 Oculomotor disturbance

    781·2 Photophobia

    781·3 Disturbance of hearing except deafness

    781·4 Disturbance of cranial nerves except optic, oculomotor, and auditory

    781·5 Stammering and stuttering

    781·6 Other disturbance of speech, including alexia and agraphia

    781·7 Other disturbance of sensation

    781·8 Encephalopathy

    781·9 Hallucinations

**Symptoms referable to systems or organs (780-789)**

—Continued

**782 Symptoms referable to cardiovascular and lymphatic system**

- 782·0 Precordial pain
- 782·1 Palpitation
- 782·2 Tachycardia
- 782·3 Pallor and cyanosis (not of newborn)
- 782·4 Acute heart failure, undefined
- 782·5 Syncope or collapse
- 782·6 Oedema and dropsy (not of newborn)
- 782·7 Enlargement of lymph node
- 782·8 Splenomegaly
- 782·9 Shock without mention of trauma

**783 Symptoms referable to respiratory system**

- 783·0 Epistaxis
- 783·1 Haemoptysis
- 783·2 Dyspnoea
- 783·3 Cough
- 783·4 Excess of sputum
- 783·5 Change in voice
- 783·6 Stridor
- 783·7 Pain in chest

**784 Symptoms referable to upper gastro-intestinal tract**

- 784·0 Anorexia
- 784·1 Nausea and vomiting
- 784·2 Pylorospasm
- 784·3 Heartburn
- 784·4 Dysphagia
- 784·5 Haematemesis
- 784·6 Excessive salivation
- 784·7 Hiccough
- 784·8 Eructation

**785 Symptoms referable to abdomen and lower gastro-intestinal system**

- 785·0 Abdominal swelling (not referable to any particular organ)
- 785·1 Hepatomegaly
- 785·2 Jaundice
- 785·3 Ascites
- 785·4 Flatulence
- 785·5 Abdominal pain
- 785·6 Diarrhoea, age 2 years and over
- 785·7 Incontinence of faeces
- 785·8 Melena (age 1 year and over)
- 785·9 Visible peristalsis

**786 Symptoms referable to genito-urinary system**

- 786·0 Pain referable to urinary system
- 786·1 Retention of urine
- 786·2 Incontinence of urine
- 786·3 Frequency of micturition
- 786·4 Polyuria
- 786·5 Oliguria, anuria (not of newborn)
- 786·6 Priapism
- 786·7 Pain referable to genital organs, including dyspareunia

**Symptoms referable to systems or organs (780-789)**  
—Concluded

**787 Symptoms referable to limbs and back**

- 787·0 Transient paralysis of limb, cause unknown
- 787·1 Pain in limb
- 787·2 Swelling of limb
- 787·3 Pain in joint
- 787·4 Swelling of joint
- 787·5 Pain in back
- 787·6 Difficulty in walking
- 787·7 Abnormality of gait

**788 Other general symptoms**

- 788·0 Dehydration
- 788·1 Excessive sweating
- 788·2 Rash
- 788·3 Subcutaneous nodules
- 788·4 Loss of weight
- 788·5 Tetany
- 788·6 Acidosis
- 788·7 Alkalosis
- 788·8 Pyrexia of unknown origin
- 788·9 Other specified symptoms not classifiable elsewhere

**789 Abnormal urinary constituents of unspecified cause**

- 789·0 Albuminuria, unqualified
- 789·1 Albuminuria, orthostatic
- 789·2 Pyuria and haeteriuria
- 789·3 Chyluria
- 789·4 Haematuria
- 789·5 Haemoglobinuria
- 789·6 Glycosuria
- 789·7 Acetonuria

**Senility and ill-defined diseases (790-795)**

**790 Nervousness and debility**

- 790·0 Nervousness
- 790·1 Debility and undue fatigue
- 790·2 Depression

**791 Headache**

**792 Uræmia unqualified**

**793 Observation, without need for further medical care**

- 793·0 Mental
- 793·1 Other specified
- 793·2 Unspecified

**794 Senility without mention of psychosis**

**795 Ill-defined and unknown causes of morbidity and mortality**

- 795·0 Other ill-defined conditions
- 795·1 Malingering
- 795·2 Sudden death (cause unknown)
- 795·3 Found dead (cause unknown)
- 795·4 Died without sign of disease
- 795·5 Other, unknown and unspecified causes

## **XVII. Accidents, Poisonings, and Violence (800-999)**

### **E XVII. Alternative Classification of Accidents, Poisonings, and Violence (External Cause)**

#### **Railway accidents (E800-E802)**

- E800 Railway accident involving railroad employee
- E801 Railway accident involving passenger
- E802 Railway accident involving other and unspecified person

#### **Motor vehicle traffic accidents (E810-E825)**

- E810 Motor vehicle traffic accident involving collision with railway train
- E811 Motor vehicle traffic accident involving collision with street car
- E812 Motor vehicle traffic accident to pedestrian
- E813 Motor vehicle traffic accident to pedal cyclist
- E814 Motor vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object
- E815 Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle
- E816 Other motor vehicle traffic accident involving two or more motor vehicles
- E817 Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle
- E818 Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle
- E819 Motor vehicle traffic accident involving collision with fixed or unspecified object
- E820 Motor vehicle traffic accident while boarding and alighting
- E821 Motor vehicle traffic accident to rider of motorcycle not involving collision
- E822 Motor vehicle traffic accident involving overturning in roadway
- E823 Motor vehicle traffic accident involving running off roadway
- E824 Other noncollision motor vehicle traffic accident
- E825 Motor vehicle traffic accident of unspecified nature

#### **Motor vehicle nontraffic accidents (E830-E835)**

- E830 Motor vehicle nontraffic accident to pedestrian
- E831 Motor vehicle nontraffic accident to pedal cyclist
- E832 Motor vehicle nontraffic accident to rider or passenger of motorcycle
- E833 Other motor vehicle nontraffic accident involving two or more motor vehicles
- E834 Motor vehicle nontraffic accident while boarding and alighting
- E835 Motor vehicle nontraffic accident of other and unspecified nature

### **Other road vehicle accidents (E840-E845)**

- E840 Street car accident to pedestrian
- E841 Other street car accident, except collision with motor vehicle
- E842 Accident to pedestrian caused by pedal cycle
- E843 Accident to rider of pedal cycle not involving collision with motor vehicle
- E844 Accident to pedestrian caused by other nonmotor road vehicle
- E845 Other nonmotor road vehicle accidents

### **Water transport accidents (E850-E858)**

- E850 Submersion of occupant of small boat
- E851 Other water transport injury by submersion
- E852 Fall on stairs and ladders in water transport
- E853 Other falls from one level to another in water transport
- E854 Falls on same level in water transport
- E855 Unspecified falls in water transport
- E856 Machinery accident in water transport
- E857 Other specified accidents in water transport
- E858 Water transport accident of unspecified cause

### **Aircraft accidents (E860-E866)**

- E860 Accident to personnel in military aircraft
- E861 Injury to occupant by accident to commercial "transport" aircraft
- E862 Other injury in commercial "transport" aircraft
- E863 Injury to occupant by accident to other aircraft
- E864 Aircraft accident at airfield to person not in aircraft
- E865 Aircraft accident elsewhere to person not in aircraft
- E866 Other and unspecified aircraft accidents

### **Accidental poisoning by solid and liquid substances (E870-E888)**

- E870 Accidental poisoning by morphine and other opium derivatives
- E871 Accidental poisoning by barbituric acid and derivatives
- E872 Accidental poisoning by aspirin and salicylates
- E873 Accidental poisoning by bromides
- E874 Accidental poisoning by other analgesic and soporific drugs
- E875 Accidental poisoning by sulphonamides
- E876 Accidental poisoning by strychnine
- E877 Accidental poisoning by belladonna, hyoscine, and atropine
- E878 Accidental poisoning by other and unspecified drugs
- E879 Accidental poisoning by noxious foodstuffs
- E880 Accidental poisoning by alcohol
- E881 Accidental poisoning by petroleum products
- E882 Accidental poisoning by industrial solvents
- E883 Accidental poisoning by corrosive aromatics, acids, and caustic alkalis
- E884 Accidental poisoning by mercury and its compounds
- E885 Accidental poisoning by lead and its compounds
- E886 Accidental poisoning by arsenic and antimony, and their compounds
- E887 Accidental poisoning by fluorides
- E888 Accidental poisoning by other and unspecified solid and liquid substances

## **Accidental poisoning by gases and vapours (E890-E895)**

- E890 Accidental poisoning by utility (illuminating) gas
- E891 Accidental poisoning by motor vehicle exhaust gas
- E892 Accidental poisoning by other carbon monoxide gas
- E893 Accidental poisoning by cyanide gas
- E894 Accidental poisoning by other specified gases and vapours
- E895 Accidental poisoning by unspecified gases and vapours**

## **Accidental falls (E900-E904)**

- E900 Fall on stairs
- E901 Fall from ladders
- E902 Other falls from one level to another
- E903 Fall on same level
- E904 Unspecified falls

## **Other accidents (E910-E936)**

- E910 Blow from falling object
- E911 Accident caused by vehicle
- E912 Accident caused by machinery
- E913 Accident caused by cutting and piercing instruments
- E914 Accident caused by electric current
- E915 Accident caused by explosion of pressure vessel
- E916 Accident caused by fire and explosion of combustible material
- E917 Accident caused by hot substance, corrosive liquid, and steam**
- E918 Accident caused by radiation
- E919 Accident caused by firearm
- E920 Foreign body entering eye and adnexa
- E921 Inhalation and ingestion of food causing obstruction or suffocation**
- E922 Inhalation and ingestion of other object causing obstruction or suffocation
- E923 Foreign body entering other orifice
- E924 Accidental mechanical suffocation in bed and cradle
- E925 Accidental mechanical suffocation in other and unspecified circumstances**
- E926 Lack of care of infants under 1 year of age
- E927 Accidents caused by bites and stings of venomous animals and insects**
- E928 Other accidents caused by animals
- E929 Accidental drowning and submersion
- E930 High and low air pressure
- E931 Excessive heat and insolation
- E932 Excessive cold
- E933 Hunger, thirst, and exposure
- E934 Cataclysm
- E935 Lightning
- E936 Other and unspecified accidents**

## **Complications due to nontherapeutic medical and surgical procedures (E940-E946)**

- E940 Generalized vaccinia following vaccination
- E941 Postvaccinal encephalitis
- E942 Other complications of smallpox vaccination
- E943 Post-immunization jaundice and hepatitis
- E944 Other complications of prophylactic inoculation
- E945 Complications of anaesthesia for nontherapeutic purpose**
- E946 Other complications due to nontherapeutic medical and surgical procedures**

### **Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)**

- E950 Therapeutic misadventure in surgical treatment
- E951 Therapeutic misadventure in infusion or transfusion
- E952 Therapeutic misadventure in local applications
- E953 Therapeutic misadventure in administration of drugs or biologicals
- E954 Therapeutic misadventure in anaesthesia
- E955 Other and unspecified therapeutic misadventure
- E956 Late complication of surgical operation
- E957 Late complication of amputation stump
- E958 Late complication of irradiation
- E959 Late complications of other forms of treatment

### **Late effects of injury and poisoning (E960-E965)**

- E960 Late effect of motor vehicle accident
- E961 Late effect of accidental poisoning
- E962 Late effect of other accidental injury
- E963 Late effect of self-inflicted injury
- E964 Late effect of injury purposely inflicted by another person (not in war)
- E965 Late effects of injuries due to war operations

### **Suicide and self-inflicted injury (E970-E979)**

- E970 Suicide and self-inflicted poisoning by analgesic and soporific substances
- E971 Suicide and self-inflicted poisoning by other solid and liquid substances
- E972 Suicide and self-inflicted poisoning by gases in domestic use
- E973 Suicide and self-inflicted poisoning by other gases
- E974 Suicide and self-inflicted injury by hanging and strangulation
- E975 Suicide and self-inflicted injury by submersion (drowning)
- E976 Suicide and self-inflicted injury by firearms and explosives
- E977 Suicide and self-inflicted injury by cutting and piercing instruments
- E978 Suicide and self-inflicted injury by jumping from high place
- E979 Suicide and self-inflicted injury by other and unspecified means

### **Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)**

- E980 Nonaccidental poisoning by another person
- E981 Assault by firearm and explosive
- E982 Assault by cutting and piercing instruments
- E983 Assault by other means
- E984 Injury by intervention of police
- E985 Execution

- Injury resulting from operations of war (E990-E999)**
- E990 Injury due to war operations by gas and chemicals
  - E991 Injury due to war operations by gunshot
  - E992 Injury due to war operations by grenade and land mine
  - E993 Injury due to war operations by bomb
  - E994 Injury due to war operations by marine mine, depth charge, and torpedo
  - E995 Injury due to war operations by explosion of artillery shell
  - E996 Injury due to war operations by explosion of undetermined origin
  - E997 Injury due to war operations by aircraft destruction
  - E998 Injury due to war operations by other and unspecified means
  - E999 Injury due to war operations but occurring after cessation of hostilities

## **N XVII. Alternative Classification of Accidents, Poisonings, and Violence (Nature of Injury)**

### **Fracture of skull, spine, and trunk (N800-N809)**

- N800 Fracture of vault of skull
- N801 Fracture of base of skull
- N802 Fracture of face bones
- N803 Other and unspecified skull fractures
- N804 Multiple fractures involving skull or face with other bones
- N805 Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion
- N806 Fracture and fracture dislocation of vertebral column with spinal cord lesion
- N807 Fracture of rib(s) and sternum
- N808 Fracture of pelvis
- N809 Multiple, and ill-defined fractures of trunk

### **Fracture of upper limb (N810-N819)**

- N810 Fracture of clavicle
- N811 Fracture of scapula
- N812 Fracture of humerus
- N813 Fracture of radius and ulna
- N814 Fracture of carpal bone(s)
- N815 Fracture of metacarpal bone(s)
- N816 Fracture of one or more phalanges of hand
- N817 Multiple fractures of hand bones
- N818 Other, multiple, and ill-defined fractures of upper limb
- N819 Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum

### **Fracture of lower limb (N820-N829)**

- N820 Fracture of neck of femur
- N821 Fracture of other and unspecified parts of femur
- N822 Fracture of patella
- N823 Fracture of tibia and fibula
- N824 Fracture of ankle
- N825 Fracture of one or more tarsal and metatarsal bones
- N826 Fracture of one or more phalanges of foot
- N827 Other, multiple, and ill-defined fractures of lower limb
- N828 Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
- N829 Fracture of unspecified bones

**Dislocation without fracture (N830-N839)**

- N830 Dislocation of jaw
- N831 Dislocation of shoulder
- N832 Dislocation of elbow
- N833 Dislocation of wrist
- N834 Dislocation of finger
- N835 Dislocation of hip
- N836 Dislocation of knee
- N837 Dislocation of ankle
- N838 Dislocation of foot
- N839 Other, multiple, and ill-defined dislocations

**Sprains and strains of joints and adjacent muscles (N840-N848)**

- N840 Sprains and strains of shoulder and upper arm
- N841 Sprains and strains of elbow and forearm
- N842 Sprains and strains of wrist and hand
- N843 Sprains and strains of hip and thigh
- N844 Sprains and strains of knee and leg
- N845 Sprains and strains of ankle and foot
- N846 Sprains and strains of sacro-iliac region
- N847 Sprains and strains of other and unspecified parts of back
- N848 Other and ill-defined sprains and strains

**Head injury (excluding skull fracture) (N850-N856)**

- N850 Open wound of scalp
- N851 Contusion and haematoma of scalp
- N852 Concussion
- N853 Cerebral laceration and contusion
- N854 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)
- N855 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)
- N856 Head injury of other and unspecified nature

**Internal injury of chest, abdomen, and pelvis (N860-N869)**

- N860 Traumatic pneumothorax and haemothorax
- N861 Injury to heart and lung
- N862 Injury to other and unspecified intrathoracic organs
- N863 Injury to gastro-intestinal tract
- N864 Injury to liver
- N865 Injury to spleen
- N866 Injury to kidney
- N867 Injury to pelvic organs
- N868 Injury to other and unspecified intra-abdominal organs
- N869 Internal injury unspecified or involving intrathoracic with intra-abdominal organs

**Laceration and open wound of face, neck, and trunk (N870-N879)**

- N870 Open wound of eye and orbit
- N871 Enucleation of eye
- N872 Open wound of ear
- N873 Other and unspecified laceration of face
- N874 Open wound of neck
- N875 Open wound of chest
- N876 Open wound of back
- N877 Open wound of buttock
- N878 Open wound of genital organs, including traumatic amputation
- N879 Multiple and unspecified open wounds of face, neck and trunk

## **Laceration and open wound of upper limb (N880-N888)**

- N880 Open wound of shoulder and upper arm
- N881 Open wound of elbow and forearm, and wrist not involving tendons
- N882 Open wound of wrist involving tendon(s)
- N883 Open wound of hand, except finger(s)
- N884 Open wound of finger(s)
- N885 Multiple and unspecified open wounds of one upper limb
- N886 Traumatic amputation of thumb(s)
- N887 Traumatic amputation of other finger(s)
- N888 Traumatic amputation of arm and hand

## **Laceration and open wound of lower limb (N890-N898)**

- N890 Open wound of hip and thigh
- N891 Open wound of knee, leg (except thigh), and ankle not involving tendons
- N892 Open wound of ankle involving tendons
- N893 Open wound of foot, except toe(s)
- N894 Open wound of toe(s)
- N895 Multiple and unspecified open wounds of one lower limb
- N896 Traumatic amputation of toe(s)
- N897 Traumatic amputation of foot
- N898 Traumatic amputation of leg

## **Laceration and open wounds of multiple location (N900-N908)**

- N900 Multiple open wounds of both upper limbs
- N901 Multiple open wounds of both lower limbs
- N902 Multiple open wounds of both upper and lower limb(s)
- N903 Multiple open wounds of both hands
- N904 Multiple open wounds of both head and limb
- N905 Multiple open wounds of both head and trunk
- N906 Multiple open wounds of both trunk and limb
- N907 Multiple open wounds of face with other sites
- N908 Multiple open wounds of unspecified location

## **Superficial injury (N910-N918)**

- N910 Superficial injury of face and neck
- N911 Superficial injury of trunk
- N912 Superficial injury of shoulder and upper arm
- N913 Superficial injury of elbow, forearm, and wrist
- N914 Superficial injury of hand(s), except fingers
- N915 Superficial injury of finger(s)
- N916 Superficial injury of hip, thigh, leg, and ankle
- N917 Superficial injury of foot and toe(s)
- N918 Superficial injury of other, multiple, and unspecified sites

## **Contusion and crushing with intact skin surface (N920-N929)**

- N920 Contusion of face and neck, except eye(s)
- N921 Contusion of eye and orbit
- N922 Contusion of trunk
- N923 Contusion of shoulder and upper arm
- N924 Contusion of elbow, forearm, and wrist
- N925 Contusion of hand(s), except fingers
- N926 Contusion of finger(s)
- N927 Contusion of hip, thigh, leg, and ankle
- N928 Contusion of foot and toe(s)
- N929 Contusion of other, multiple, and unspecified sites

## **Effects of foreign body entering through orifice (N930-N936)**

- N930 Foreign body in eye and adnexa
- N931 Foreign body in ear
- N932 Foreign body in nose
- N933 Foreign body in pharynx and larynx
- N934 Foreign body in bronchus and lung
- N935 Foreign body in digestive tract
- N936 Foreign body in genito-urinary tract

## **Burns (N940-N949)**

- N940 Burn confined to eye
- N941 Burn confined to face, head, and neck
- N942 Burn confined to trunk
- N943 Burn confined to upper limb(s), except wrist and hand
- N944 Burn confined to wrist(s) and hand(s)
- N945 Burn confined to lower limb(s)
- N946 Burn involving face, head, and neck, with limb(s)
- N947 Burn involving trunk with limb(s)
- N948 Burn involving face, head, and neck, with trunk and limb(s)
- N949 Burn involving other and unspecified parts

## **Injury to nerves and spinal cord without bone injury (N950-N959)**

- N950 Injury to optic nerve(s)
- N951 Injury to other cranial nerve(s)
- N952 Injury to nerve(s) in upper arm
- N953 Injury to nerve(s) in forearm
- N954 Injury to nerve(s) in wrist and hand
- N955 Injury to nerve(s) in thigh
- N956 Injury to nerve(s) in lower leg
- N957 Injury to nerve(s) in ankle and foot
- N958 Spinal cord lesion without evidence of spinal bone injury
- N959 Other nerve injury, including nerve injury in several parts

## **Effects of poisons (N960-N979)**

- N960 Poisoning by noxious foodstuffs
- N961 Poisoning by alcohol
- N962 Poisoning by petroleum products
- N963 Poisoning by industrial solvents
- N964 Poisoning by corrosive aromatics, acids, and caustic alkalis
- N965 Poisoning by mercury and its compounds
- N966 Poisoning by lead and its compounds
- N967 Poisoning by arsenic and antimony, and their compounds
- N968 Poisoning by carbon monoxide
- N969 Poisoning by other gases and vapours
- N970 Poisoning by morphine and other opium derivatives
- N971 Poisoning by barbituric acid and derivatives
- N972 Poisoning by aspirin and salicylates
- N973 Poisoning by bromides
- N974 Poisoning by other analgesic and soporific drugs
- N975 Poisoning by sulphonamides
- N976 Poisoning by strychnine
- N977 Poisoning by belladonna, hyoscine, and atropine
- N978 Poisoning by venoms
- N979 Poisoning by other and unspecified substances

## **Effects of weather, exposure, and related conditions (N980-N989)**

- N980 Effects of reduced temperature
  - N980·0 Frostbite
  - N980·1 Immersion foot
  - N980·2 Other effects of reduced temperature
- N981 Effects of heat and insolation
  - N981·0 Heatstroke, except sunstroke
  - N981·1 Sunstroke
  - N981·2 Heat cramps
  - N981·3 Heat exhaustion
  - N981·4 Sunburn
  - N981·5 Other
- N982 Effects of high altitude
  - N982·0 Barotrauma, otitic
  - N982·1 Barotrauma, sinus
  - N982·2 Other and unspecified
- N983 Caisson disease
- N984 Effects of lightning
- N985 Effects of hunger
- N986 Effects of thirst
- N987 Effects of exposure, not elsewhere classified
- N988 Effects of excessive exertion
- N989 Motion (travel) sickness
  - N989·0 Seasickness
  - N989·1 Car and train sickness
  - N989·2 Air sickness
  - N989·3 Other

## **Other and unspecified injuries and reactions (N990-N999)**

- N990 Drowning and nonfatal submersion
- N991 Asphyxia and strangulation
- N992 Electrocution and nonfatal effects of electric currents
- N993 Injury due to radiation, except sunburn
- N994 Other general effects of external causes
- N995 Certain early complications of trauma
  - N995·0 Air embolism
  - N995·1 Fat embolism
  - N995·2 Secondary and recurrent haemorrhage
  - N995·3 Traumatic aneurysm and arterial injury
  - N995·4 Nerve injury complicating bone injury (fracture)
  - N995·5 Local infection of wound
  - N995·6 "Shock"
  - N995·7 Traumatic anuria (crush syndrome)
  - N995·8 Volkmann's ischaemic contracture
  - N995·9 Other early complications of trauma
- N996 Injury of other and unspecified nature
  - N996·0 Face and neck except eye(s)
  - N996·1 Trunk
  - N996·2 Shoulder and upper arm
  - N996·3 Elbow, forearm and wrist
  - N996·4 Hand(s), except finger(s)
  - N996·5 Finger(s)
  - N996·6 Hip and thigh
  - N996·7 Knee, leg except thigh, ankle and foot
  - N996·8 Other specified sites, including multiple
  - N996·9 Unspecified site
- N997 Reactions and complications due to nontherapeutic medical and surgical procedures

**Other and unspecified injuries and reactions (N990-N999)—Continued**

- N998 Adverse reaction to injections, infusions, and transfusions for therapeutic purposes  
N998·0 Infection  
N998·1 Anaphylactic shock  
N998·2 Serum sickness  
N998·3 Incompatible transfusion reaction  
N998·4 Immunization to Rh factor with symptoms  
N998·5 Serum jaundice  
N998·6 Other
- N999 Adverse reaction to other therapeutic procedure  
N999·0 Early complications of surgical procedures  
N999·1 Adverse reaction from insulin treatment  
N999·2 Other early reactions and complications of therapeutic procedures  
N999·3 Late complications of amputation stump  
N999·4 Late complications of other surgical procedures  
N999·5 Other late complications of therapeutic procedures

**CLASSIFICATION OF CAUSES OF STILLBIRTH (Y30-39)**

- Y30 Chronic disease in mother  
Y30·0 Syphilis  
Y30·1 Tuberculosis (any form)  
Y30·2 Diabetes mellitus  
Y30·3 Chronic disease of circulatory system  
Y30·4 Chronic disease of genito-urinary system  
Y30·5 Other chronic disease
- Y31 Acute disease in mother  
Y31·0 Typhoid fever  
Y31·1 Influenza  
Y31·2 Pneumonia (any form)  
Y31·3 Other acute respiratory disease  
Y31·4 Other acute disease or condition
- Y32 Diseases and conditions of pregnancy and childbirth  
Y32·0 Pregnancy interrupted by self or other person for nontherapeutic purposes  
Y32·1 Ectopic gestation  
Y32·2 Haemorrhage without mention of placental condition  
Y32·3 Toxæmia with convulsions during pregnancy or labour (eclampsia)  
Y32·4 Other toxæmias of pregnancy  
Y32·5 Infection (ante- and intra-partum)
- Y33 Absorption of toxic substance from mother  
Y33·0 Narcotic  
Y33·1 Quinine  
Y33·2 Other toxic substance

## **Classification of causes of stillbirth (Y30-39)—Concluded**

### **Y34 Difficulties in labour**

- Y34·0 Difficult labour with abnormality of bones of pelvis
- Y34·1 Difficult labour with disproportion but no mention of abnormality of pelvis
- Y34·2 Difficult labour with malposition of foetus
- Y34·3 Difficult labour with abnormality of forces of labour
- Y34·4 Difficult labour with operative delivery
- Y34·5 Difficult labour with abnormality of organs or tissues of pelvis
- Y34·6 Difficult labour without mention of underlying condition

### **Y35 Other causes in mother**

- Y35·0 Fall
- Y35·1 Other accident or violence
- Y35·2 Overexertion
- Y35·3 Other and ill-defined causes in mother

### **Y36 Placental and cord conditions**

- Y36·0 Cord condition without mention of placental abnormality
- Y36·1 Placenta praevia
- Y36·2 Premature separation of normally implanted placenta
- Y36·3 Placenta praevia with cord abnormality
- Y36·4 Premature separation of normally implanted placenta with cord abnormality
- Y36·5 Placental infarct
- Y36·6 Other abnormality of placenta and cord

### **Y37 Birth injury**

- Y37·0 Birth injury with abnormality of bones of pelvis
- Y37·1 Birth injury with abnormality of organs or tissues of pelvis
- Y37·2 Birth injury with disproportion but no mention of abnormality of pelvis
- Y37·3 Birth injury with malposition of foetus
- Y37·4 Birth injury with abnormality of forces of labour
- Y37·5 Operation causing mutilation of foetus
- Y37·6 Other operation for delivery
- Y37·7 Birth injury with difficult labour but without mention of underlying condition
- Y37·8 Birth injury due to other or unspecified cause

### **Y38 Congenital malformation of foetus**

- Y38·0 Anencephalus
- Y38·1 Hydrocephalus
- Y38·2 Spina bifida
- Y38·3 Other malformation of the central nervous system
- Y38·4 Malformation of the cardiovascular system
- Y38·5 Malformation of other specified system or part
- Y38·6 Monster

Y38·7 Other and unspecified malformations

### **Y39 Diseases of foetus, and ill-defined causes**

- Y39·0 Syphilis
- Y39·1 Infection other than syphilis
- Y39·2 Erythroblastosis
- Y39·3 Other cause originating in the foetus
- Y39·4 Maceration, cause not specified
- Y39·5 Other ill-defined cause
- Y39·6 Cause unspecified

## ALPHABETICAL INDEX, INCLUDING UNACCEPTABLE TERMS

The following Index presents acceptable terms to be used in certifying causes of death, together with those terms which are considered unacceptable but are frequently reported on the Medical Certificate of Death.

Thousands of queries are sent out annually asking for more specific statements regarding causes of death. Accuracy in classifying causes of death can only be obtained with the fullest co-operation of the medical profession.

Please use only those terms which can be classified with accuracy.

**Acceptable Terms** are shown in roman type, followed by the International List Number.

**Unacceptable Terms** (indefinite or incomplete) are shown in italics, together with notes indicating what additional information is required.

Certain headings are in italics to indicate that the heading, when used alone, is unacceptable. The heading is, nevertheless, to be shown in conjunction with the terms listed under it when such terms are *not* in italics.

### PLEASE NOTE

Under no circumstances should this Pocket Reference be used for coding purposes; it is solely for the guidance of the medical profession in general practice in certifying causes of death.

### A

**Abdominal pregnancy**—See Ectopic gestation

**Abnormality, bony pelvis**

complicating delivery 673

noted before delivery 648·3

**Abortion**

*Specify whether spontaneous, criminal, self-induced, or induced for medical reasons, and whether septic or toxic.*

**Abscess**

*Specify cause (especially whether tuberculous), and site, and whether lymphangitis was also present.*

anus 575

appendix 550·1

Bartholin's gland 630·2

bladder 605

brain 342

late effects 344

breast 621·0

specified as "puerperal", or as occurring during lactation 689

broad ligament 626

bursa 741

occupational 742

caecum 550·1

cerebellum 342

late effects 344

ear (middle), acute 391·0

*Fallopian tube*

Specify whether acute or chronic.

- gallbladder 585
- gum 531·2
- intracranial 342
  - late effects 344
- ischiorectal 575
- joint 738
- kidney 600·1
- knee, tuberculous (active) 012·2
  - inactive 013·2
- labium 630·2
- liver 582
  - ammonic 046·1
- lumbar (tuberculous) (active) 012·0
  - inactive 013·0
- lung (miliary) 521
  - tuberculous 002
- mastoid 393·0
- mediastinum 521
- mouth 538
- muscle 743
- nasal 517
- nasopharyngeal 517
- nephritic 600·1
- œsophagus 539·1
- ovary, acute 622
- pancreas 587·0
- pelvic, female 626
  - puerperal 681
- perineal 609
- perinephritic 600·1
- periosteal 730·3
- perirectal 575
- perirenal 600·1
- peritonsillar 511
- peri-uterine 626
  - puerperal 681
- pharyngeal 517
- postpharyngeal 517
- prostate 611
- psoas (active) 012·0
  - inactive 013·0
- puerperal 681
- rectum 575
- renal 600·1
- retropharyngeal 517
  - tuberculous 007
- sinus (accessory) (chronic) 513
  - acute 471
- spine (tuberculous) (active) 012·0
  - inactive 013·0

## Abscess—Concluded

- spleen 298·1
- subdiaphragmatic 576
- subphrenic 576
- tendon 743
- thyroid (gland) 254
- tonsil 511
- tooth 531·2
- umbilicus, newborn 767·0
  - with immaturity 767·5
- vertebra (tuberculous) (active) 012·0
  - inactive 013·0
- vulva 630·2

*Absorption of poisonous gases and vapours*—See Poisoning.

## Accident

The present International Classification contains two separate lists for the tabulations of deaths due to violence comprising 200 categories 800-999, based on the External Cause (E), and the Nature of the Injury (N). For mortality purposes, tabulations in Canada will be based on the External Cause. All categories from 800 to 999 will be preceded by the letter E. When certifying deaths due to violence the following details are necessary in order that the death may be properly assigned

- (a) injury which caused death
- (b) vehicle, machinery, or other object involved
- (c) manner in which injury was incurred
- (d) date of accident
- (e) place of occurrence, i.e., home, farm, industrial premises, street or highway, park, public building, etc.

### aircraft

Specify whether commercial, military or privately owned aeroplane; whether deceased was an occupant of the plane; whether the accident occurred at an airfield; the nature of injury, i.e., boarding or alighting accident, fall in plane, burned in plane crash, etc.

### machinery E912

in water transport E856

### motorcycle

Specify whether a traffic or nontraffic accident; if due to collision with another vehicle, state type of vehicle. Also specify whether deceased was an occupant of the motorcycle, or a pedestrian struck by the motorcycle.

### motor vehicle

Specify whether a traffic or nontraffic accident, and type of motor vehicle, i.e., truck, or passenger automobile. If due to collision with another vehicle, state type of vehicle, i.e., street car, train, motorcycle, etc. Also specify whether deceased was an occupant of the motor vehicle or a pedestrian, and the nature of the injury, i.e., crushed, burned, asphyxiated, etc.

nonmotor road vehicle E845

    injury to pedestrian E844

pedal cycle E843

    injury to pedestrian E842

railway train involving

    employee E800

    motor vehicle E810

    passenger E801

    person other than employee or passenger E802

*Accident—Continued*

- street car E841
- injury to pedestrian E840
- vehicle used only on industrial premises E911
- water transport
  - drowning E851
  - occupant of small boat E850
- fall
  - from one level to another E853
  - on same level E854
  - on stairs and ladders E852
- machinery E856
- other accidents, i.e., burns, crushing, etc., E857
- Achondroplasia 758·1
- Acidosis, diabetic 260
- Acne 714·1
  - rosacea 705·3
- Acrocephaly 758·2
- Aerodynbia 365
- Acromegaly 272
- Actinomycosis (of any site) 132
- Adams-Stokes disease 433·0
- Addiction, drug 323
- Addison's disease 274
  - tuberculous 017
- Adenitis 468·2
  - acute 694
  - chronic 468·0
  - mesenteric 468·1
  - tuberculous 015
- Adenoid vegetations 510·0
  - with adenoidectomy (and tonsillectomy) 510·1
- Adenoma
  - parathyroid gland 271·0
  - sebaceous 222
  - thyroid gland 251
  - toxic 252·1
- Adherent placenta, complicating delivery 671
- Adhesions
  - intestine 577
  - with obstruction 570·5
  - peritoneum 577
- Adiposis dolorosa 289·2
- Adrenalgia, tuberculous 017
- Adrenalitis, haemorrhagic, meningococcal 057·1
- Aerogenes capsulatus infection 063
- Aerosinusitis E930
- Æstivo-autumnal malaria (fever) 112
- Affections, old, sacro-iliac joint 736
- Agranulocytosis 297
- Albuminuria
  - State disease causing this condition.*
  - acute 590
  - arising during pregnancy 642·1
    - pre-eclamptic 642·2
  - chronic 592
  - of infants 773·0
    - with immaturity 773·5
  - puerperal 685
  - subacute 591

*Alcoholic*  
addiction 322·1  
poisoning, accidental E880  
psychosis 307

*Alcoholism*

*Specify whether acute or chronic, also complications, e.g., cirrhosis of the liver, delirium tremens, psychosis, etc.*

*Aleukæmia—See Leukæmia*

*Allergy, allergic* 245  
asthma 241  
bronchitis 241  
conjunctivitis 245  
    with hay fever 240  
eczema 244  
hay fever 240  
purpura 296  
rhinitis (any cause) 240

*Alpine sickness* E930

*Amoebiasis* 046·0  
    with liver abscess 046·1

*Amyloid disease* 289·1

*Amyotonia congenita* 744·1

*Amyotrophy, progressive spinal* 356·1

*Anæmia*

*State disease causing this condition. If primary, state type*

aplastic 292·4  
diphasic 292·5  
due to  
    childbearing (not secondary to haemorrhage) 688·0  
    pregnancy, occurring before delivery 646

haemolytic  
    acquired 292·2  
    acute 292·1

hyperchromic 290·2

hypochromic 291

leuko-erythroblastic 292·3

macrocytic 290·2  
    of pregnancy 646

of newborn 770·0

    with

        immaturity 770·5

        liver disorder 770·2

            with immaturity 770·7

        nervous affection 770·1

            with immaturity 770·6

pernicious 290·0

    with manifestations of myelopathy 290·1

    of pregnancy 646

progressive 293

puerperal, following haemorrhage, complicating delivery 672

secondary 293

    to haemorrhage 291

sickle cell 292·6

    splenic 298·0

*Anæsthesia administered in operation for other than curative purposes, such as circumcision, or sterilization* E945

*Anaphylactic shock following infusion or transfusion* E951

*Anencephalus* 750

### *Atherosclerosis*

*Specify cause and organ involved.*

- aorta 022
  - nonsyphilitic 451
  - arteriovenous 754·6
  - congenital 754·6
  - coronary artery 420·1
  - dissecting 451
    - syphilitic 022
    - heart 420·1

### *Angina*

*Specify disease and organ involved.*

- cardiac 420·2
  - Ludwig's 517
  - pectoris 420·2
  - Vincent's 070

### *Angiocholecystitis* 585

### *Angiocholitis* 585

### *Angioma* 228

- central nervous system 223
- retina 223

### *Angioneurotic oedema* 242

### *Ankylosis*

*Specify particular joint or joints involved.*

- sacro-iliac 736

### *Ankylostomiasis* 129

### *Anomalous bands and folds, heart* 754·4

### *Anophthalmos* 753·1

### *Anthracosilicosis* 523·1

- with tuberculosis 001

### *Anthrax (any form or site)* 062

### *Anuria of new born* 757·3

### *Aortitis*

*Specify whether syphilitic or nonsyphilitic.*

### *Apnoea neonatorum* 762·0

- with immaturity 762·5

### *Apoplexy*

*Specify cause.*

- cerebral 334
- embolic 332
- haemorrhagic 331
- late effects 352
- meninges 330
- pulmonary 465
  - puerperal 684
  - thrombotic 332

### *Appendicitis* 551

- acute 550·0
  - with peritonitis, perforation, or rupture 550·1

- chronic 552

### *Arteriosclerosis, arteriosclerotic* 450·0

- with

- gangrene 450·1
- hypertension 447
- myocarditis 422·1
- cerebral 334
  - late effects 352
- coronary artery 420·1
- heart disease 420·0
- kidney 446
  - with hypertensive heart disease 442

### *Arteritis*

- Specify whether syphilitic or nonsyphilitic*
- aortic 023
  - cerebral 334
    - late effects 352
    - syphilitic 026
  - obliterans 450·0
    - with gangrene 450·1
  - senile 450·0
    - with gangrene 450·1

### *Arthritis*

*Specify nature.*

- acute 720
  - nonpyogenic 721
  - rheumatic 400
- atrophic 722·0
- chronic 722·0
- degenerative 723·0
- gonococcal 032
- hypertrophic 723·0

#### *infective*

*Specify cause.*

- acute 720
  - nonpyogenic 721
- primary progressive 722·0
- proliferative 722·0

#### *purulent*

*Specify cause.*

- rheumatoid 722·0
- septic

*Specify cause.*

- serum, following infusion or transfusion E951
- tuberculous

*Specify site, and whether active or quiescent*

- Asbestosis 523·2
  - with tuberculosis 001

- Ascariasis 130·0

- Ascaris lumbricoides (infestation) 130·0

- Aspergillosis 134·5

### *Asphyxia, asphyxiation*

*Specify cause.*

- bedclothes E924
- cave-in E925
- drowning E929
- due to injury at birth 761·0
  - with immaturity 761·5
- foreign body E922
  - food E921
- mechanical E925
- postnatal (blue) (livida) (pallida) (white) 762·0
  - with immaturity 762·5
- pressure E925
- smoke, conflagration E916
- submersion E929
- vomitus E921

Assassination—See Homicide

Assault—See Homicide

- Asthenoja**  
 - 1 yr. 773·0  
 with  
     immaturity 773·5  
     nutritional difficulty 772·0  
         with immaturity 772·5  
     neurocirculatory 315·0  
**Asthma** 241  
 allergic 241  
 bronchial 241  
 cardiac 434·2  
 hay 241  
**pneumoconiotic**  
     State whether the condition was tuberculous at the time of death. State its originating cause, if known, i.e., form of dust inhaled.  
 psychogenic 317·0  
 spasmotic 241  
**Astrocytoma** 193  
**Ataxia**  
 familial 357  
 locomotor 024  
**Atelectasis**  
 - 1 yr. 762·0  
     with immaturity 762·5  
 1 yr. + 527·0  
**Atheroma**—See Arteriosclerosis  
**Atony of uterus, complicating delivery** 675  
**Atresia**  
 rectum 756·1  
 vagina 637·1  
**Atrophy, atrophic**  
     Specify cause.  
 breast 621·2  
 liver (yellow) (acute) (subacute) 580  
     arising during pregnancy 642·5  
     chronic 583  
     puerperal 686  
 muscle 744·2  
     hereditary 356·2  
     neuropathic 356·2  
     primary 356·3  
     progressive 356·0  
 optic 388  
 spots 710·3  
 thyroid (gland) 254  
**Aviators' disease** E930  
**Avitaminosis**—See Vitamin deficiency

## B

### *Bacteræmia*

Specify cause of this condition, and organism, i.e., pneumococcus, streptococcus, etc.

of newborn 768·0  
 with immaturity 768·5

**Bagassosis** 524  
 with tuberculosis 001

**Banti's disease** 298·0

**Barotrauma (otitic) (sinus)** E930

**Basophilism, pituitary** 277

*Bedsore*

*State condition comprising patient in bed.*

with gangrene 455

Beriberi 280

*Bite*

animal E928

venomous E927

human E983

venomous E927

Blackwater fever 115

Blastocytoma—See Neoplasm, malignant

Blastoma—See Neoplasm, malignant

Blastomycosis 134·0

European 134·1

Blepharitis 371

Blow, accidental E936

by falling object E910

Boeck's sarcoid 138·0

Botulism 049·1

Bradycardia 433·1

Breakbone fever 090

*Bright's disease*

*Specify whether acute, chronic, or subacute, and state cause.*

Bronchiectasis 526

*Bronchitis*

*Specify whether acute or chronic.*

with emphysema 502·0

acute 500

allergic 241

asthmatic 241

capillary

—4 wks. 763·0

with immaturity 763·5

4 wks. + 491

chronic 502·1

Bronchopneumonia—See Pneumonia

Brucellosis 044

Buerger's disease 453·1

Buhl's disease 768·0

with immaturity 768·5

Buphthalmos 753·1

Burn, accidental E917

conflagration E916

electric current E914

heating appliance E917

late effects E962

radiation E918

late effects, except cancer E962

therapeutic misadventure E952

late effects E959

Bursitis (nonoccupational) 741

gonococcal 032

occupational 742

Byssinosis 524

with tuberculosis 001

# C

## *Cachexia*

*State disease causing this condition.*

- 1 yr. 773·0

with

    immaturity 773·5

    nutritional difficulty 772·0

        with immaturity 772·5

senile 794

## *Cæsarean section*

*Specify cause, and complications resulting in death.*

child 761·0

    with immaturity 761·5

## *Caisson disease* E930

## *Calcicosis* 523·0

    with tuberculosis 001

## *Calculus*

    biliary 584

    bladder 604

    kidney (impacted) 602

    pancreas 587·2

    prostate 612

    ureter (impacted) 602

    urethra (impacted) 604

    urinary 604

    vesical 604

## *Cancer* (see also *Neoplasm, malignant*)

chimney-sweeps' 179

cricoid cartilage 161

en cuirasse 170

gastro-intestinal 159

mule-spinners' 179

pitch 191

    serotum 179

tar 191

    serotum 179

## *Cancrum oris* 536

## *Capital punishment* E985

## *Carbuncle*

*Specify site.*

## *Carcinoma, skin* 191

## *Carcinomatosis* 199

## *Cardiac asthma, debility, failure, weakness, dilatation, paralysis*

*State disease causing these conditions.*

## *Cardiorenal disease* 442

## *Cardiospasm* 539·0

## *Cardiovascular disease* 422·1

    hypertensive 443

        benign 440

        malignant 441

## *Cardiovascular renal disease (hypertensive)* 442

## *Carditis* 434·3

    rheumatic (acute) 401·3

        chronic 416

## *Caries (bone)*

*State part affected, and disease causing this condition.*

    mastoid process, chronic 393·1

    vertebra (tuberculous) (active) 012·0

        inactive 013·0

- Cataplexy** E934
- Cataract** 385  
congenital 753·0  
diabetic 260
- Catarrh**  
*Avoid use of this term.*
- Cause unknown** 795·5
- Cave-in** E910  
asphyxia E925
- Cellulitis**—See Abscess
- Cephalhaematoma** 761·0  
with immaturity 761·5
- Cerebral effusion**  
*State disease causing this condition. If not known, state whether haemorrhagic or serous.*
- Cerebrospinal fever (meningococcal)** 057·0
- Cervical rib** 758·4
- Cervicitis** 630·0
- Chalcosis** 523·0  
with tuberculosis 001
- Chancre (hard)** 021·0  
extragenital 021·1  
soft 036
- Chancroid** 036
- Chickenpox** 087
- Childbirth**  
*Specify complications causing death.*
- Chloasma, eyelid** 753·1
- Chloroma** 200·2
- Chlorosarcoma** 200·2
- Cholangitis (infective) (suppurative)** 585
- Cholecystitis (infective) (suppurative)** 585
- Choledochitis (suppurative)** 585
- Cholelithiasis** 584
- Cholera (Asiatic)** 043  
infantum—See Enteritis
- Cholesteatoma, nervous system** 223
- Chondroma** 225
- Chorea** 402·0  
Huntington's 355  
posthemiplegic 352  
rheumatic (acute) 402·0  
with heart involvement 402·1
- Choriomeningitis, lymphocytic (acute)** 082
- Chorionepithelioma** 173
- Choroiditis** 375
- Chylocele (nonfilarial)** 468·3  
tunica vaginalis 617
- Chyluria, filarial** 127
- Circumcision**  
for therapeutic purpose 615  
ritual or preventive, with complications E946

Cirrhosis 581·0  
alcoholic 581·1  
Laennec's 581·1  
liver 581·0  
alcoholic 581·1  
splenomegalic 298·0  
lung (chronic) 525  
*occupational*  
*State whether the condition was tuberculous at the time of death. State the originating cause, if known, i.e., form of dust inhaled.*

Cleft palate 755

Clonorchiasis 124·0

Cloudburst E934

Clubfoot 748

Coarctation of aorta 754·5

Coccidioidomycosis 133

Coccidiosis 122·0

Cœliac disease 286·0

*Colic*

*State disease causing this condition.*

biliary 584  
gallbladder 584  
mucous 573·1  
painters' E885

Colitis

—4 wks. 764·0  
with immaturity 764·5  
4 wks. —2 yrs. 571·0  
    chronic 572·3  
        ulcerative 572·2  
    ulcerative 572·2  
2 yrs. + 571·1  
    chronic 572·3  
        ulcerative 572·2  
    ulcerative 572·2  
amoebic 046·0  
membranous 573·3  
mucous 573·1

*Collapse*

*Specify cause. If due to violence, give complete details.*

Collision—See Accident

*Coma*

*Specify cause. Avoid use of "coma" unqualified.*  
diabetic 260  
uræmic 592

*Compression*

during birth 760·0  
with immaturity 760·5  
late effects 351  
umbilical cord 761·0  
    with immaturity 761·5

Conflagration E916

- Congenital**
- aneurysm 754·5
  - anomaly of dentition 533·5
  - atelectasis of lung 762·0
    - with immaturity 762·5
  - atresia 759·3
    - anus 756·1
    - digestive organs 756·2
    - external genital organs 757·2
  - cataract 753·0
  - cirrhosis of liver 581·0
  - cystic disease 759·3
    - kidney 757·1
    - liver 756·2
  - debility**
    - Specify cause.*
  - deformity**
    - anus 756·2
    - bladder 757·3
    - hip 758·0
    - intestine 756·2
    - lumbosacral joint 758·5
    - oesophagus 756·2
  - dislocation, hip 758·0
  - fistula**
    - oesophagotracheal 756·2
    - trachea 759·0
    - urethra 757·3
  - hernia** (see also **Hernia**)
    - bladder 757·3
    - brain 751
  - hydrocephalus 752
  - imperforate**
    - anus 756·1
    - oesophagus 756·2
    - urethra 757·3
    - vagina 757·2
  - malformation**
    - Specify type of malformation and organ or organs involved.*
  - malnutrition**
    - Specify cause.*
  - obstruction of intestine 756·2
  - occlusion of gall duct 756·2
  - paralysis, cerebral
    - 4 wks. 760·0
      - with immaturity 760·5
    - 4 wks. + 351
  - paraphimosis 615
  - phimosis 615
  - polycystic disease of kidney 757·1
  - sclerema 773·0
    - with immaturity 773·5
  - septicæmia 768·0
    - with immaturity 768·5
  - spina bifida 751
  - stenosis
    - intestine 756·2
    - pulmonary artery 754·6
    - pylorus 756·0
  - syphilis** 020·2
    - interstitial keratitis 020·0

**MEDICAL CERTIFICATE****22. DATE OF DEATH**

*May*  
(Month by name)

**23. I HEREBY CERTIFY that I attended deceased from**

to...

*May 18*19<sup>49</sup> and last**Disease or condition directly leading to death**

(This does not mean the mode of dying, e.g., heart failure, asthenia, etc. It means the disease, injury, or complication which caused death.)

**Antecedent causes**

Morbid conditions, if any, giving rise to the above cause, stating the underlying condition last.

(a) *Myo*  
due to (or as a consequence)

(b) *Chronic*  
due to (or as a consequence)

(c) *Arterios*

**Other significant conditions contributing to the death, but not related to the disease or condition causing it.****24. If a woman, was the death associated with pregnancy?**

Duration —

**25. Was there a surgical operation?***No*

Date of op.

State findings —

**26. If death was due to external causes (violence) fill in also the following**

Accident, suicide or homicide?

Date

(State which)

Manner of injury

(How sustained)

Nature of injury

Specify whether injury occurred in **Industry**, in **home** or in **public****Signed by***J. Armstrong***Address***672 Twiss Ave.***27. Notations****28. I hereby certify that the above return was made to me at**

Dated...

*May 20*19<sup>49</sup>

District Registration No. ....

(SEE REVERSE SIDE FOR

E OF DEATH

18  
(Date)

19 49  
(Year)

January 18 1949  
him alive on May 18 1949

USE OF DEATH

Medical failure

Approximate  
interval between  
onset and death

3 days

Myocarditis

1 year

rosis

4 years

to

6 mos.

Weeks. Was there a delivery?

on — 19

Was there an autopsy? *No*

Injury 19

ace

Designation *M.D.* M.D., Coroner, etc.

Date *May 19* 1949

Charlottesville  
*J. J. Jones*  
(Signature of District Registrar)

INSTRUCTIONS

### *Congestion*

*Specify cause of congestion. Passive congestion, as "congestion", "congestion of bowels", "congestion of lungs", etc., should not be reported as a cause of death.*

Congestive heart failure 434·1

Conjunctivitis 370

allergic 245

with hay fever 240

gonococcal 033

neonatorum 765·0

with immaturity 765·5

gonococcal 033

Contracted kidney 592

### *Convulsions*

*Specify cause. If eclampsia, specify whether associated with pregnancy or childbirth.*

eclamptic

arising during pregnancy 642·3

puerperal 685

epileptic

*Specify type, i.e., grand mal, petit mal, etc.*

ether E954

puerperal 685

uræmic 592

Cor pulmonale 434·3

Coronary artery disease 420·1

Coryza 470

Cowpox 096·3

vaccinia E940

Craniopharyngioma 224

Cretinism (congenital) (endemic) 253

pituitary 272

### *Croup*

*Specify cause, as diphtheria, laryngitis, etc. Avoid use of "croup" unqualified.*

diphtheritic (membranous) 055

### *Crushing*

*Specify circumstances, and vehicle involved, if any.*

accidental, by falling object E910

homicidal E983

suicidal E979

Cryptococcosis 134·1

Curvature, spine (congenital) 745

with cardiac failure or heart disease 434·0

rachitic 284

Cushing's syndrome 277

### *Cutting*

*Specify circumstances.*

accidental E913

homicidal E982

suicidal E977

### *Cyanosis*

*Specify cause.*

enterogenous 299

neonatorum 773·0

with immaturity 773·5

due to malformation of heart 754·4

nonclosure, foramen Botalli 754·1

persistence, foramen ovale 754·3

## *Cyesis*

*Specify nature of injury.*

Cyesis with malposition of foetus in uterus 647

## *Cyst*

- branchial 759·3
- breast, benign 620
- corpus
  - albicans 625
  - luteum 625
- eye 388
- fimbrial 757·3
- follicular 625
- Graafian follicle 625
- hydatid, any site 125
- ovary, benign 216
- pancreatic 587·2
- pilonidal (rectum) 221
- sebaceous 714·2
- thyroglossal 759·3
- urachus 757·3
- uterus, benign 215

## *Cystadenoma*

*State site, and whether benign or malignant.*

## *Cystic disease*

- kidney 757·1
- liver, congenital 756·2
- lung 759·0

## *Cystitis*

*Specify cause.*

## *Cystocele*

- female 631
- male 606

## **D**

Deaf-mutism, endemic 253

## *Death*

*due to operations of war*

*Give full details of all such deaths, if possible.*

sudden, from unknown cause 795·2

during childbirth or the puerperium 688·2

## *Debility*

*State disease causing this condition.*

- congenital 773·0
- with immaturity 773·5
- senile 794

Deciduoma malignum 173

*Decline—See Debility*

*Decompensation, cardiac*

*Specify cause.*

Decubitus (ulcer) 715

## *Defect*

- interauricular septal 754·3
- interventricular septal 754·2
- tetralogy of Fallot 754·0
- ventricular septal 754·2

*Deficiency disease*

*Specify disease and cause.*

Deflected nasal septum 514

*Degeneration*

- cerebral 355
- fatty 289·2
  - heart or myocardium 422·0
  - liver, amyloid or lardaceous 289·1
- senile 794

*Delirium tremens* 307

*Delivery*

- complicated*
  - State nature of complication.*
  - uncomplicated 660

*Dementia*

- State disease causing this condition. If primary, specify.*
- arteriosclerotic 306
- paralytic 025
  - juvenile 020·1
- præcox*
  - Specify type, i.e., catatonic, hebephrenic, paranoid etc.*
  - presenile 305
  - puerperal, after delivery 688·1
  - senile 304

*Dengue* 090

*Dentition*

- State disease causing death.*

*Deprivation of food or water* E933

*Dermatitis*

- State cause, i.e., plants, drugs, oils, etc., and whether of occupational origin.*
- actinic E931
- ambustionis E917
- factitia 708·4
- herpetiformis 704·0
- purulent 698
- seborrhœic 700
- septic 698
- suppurative 698

*Dermatomyositis* 710·0

*Destitution* E933

*Diabetes*

- Specify whether diabetes mellitus really caused death, or was merely present as an incidental factor.*
- bronzed 289·2
- insipidus 272
- mellitus 260
- renal 289·2

*Diarrhoea*

- Avoid certifying under this head in cases where the diarrhoea was merely symptomatic.*
- 4 wks. 764·0
  - with immaturity 764·5
- 4 wks. -2 yrs. 571·0
  - chronic 572·3
    - ulcerative 572·2
    - ulcerative 572·2
  - 2 yrs.+ 785·6
  - dysenteric 048
  - flagellate 047
  - of newborn 764·0
    - with immaturity 764·5

*Dilatation, cardiac (acute)*

- Specify cause.*

- Diphtheria 055  
 Diplegia 352  
     infantile or congenital (cerebral) (spastic) (epileptic) 351  
*Disease (of any organ)*  
     State actual name of disease together with the organs or parts involved.  
     adrenal gland 274  
     Brill's 102  
     capillaries 467·1  
     coronary artery 420·1  
     eye 388  
     hip joint, tuberculous (active) 012·1  
         inactive 013·1  
     nerve  
         cranial 367  
         peripheral 368  
             autonomic 369  
     parathyroid (gland) 271·2  
     upper respiratory (acute) 475  
         streptococcal 051  
     Weil's 072  
     Whitmore's 064·3  
*Disorder, neonatal, arising from maternal toxæmia* 769·4  
     with immaturity 769·9  
     attributed to  
         diabetes, maternal 769·1  
             with immaturity 769·6  
         rubella, maternal 769·2  
             with immaturity 769·7  
         "toxæmia of pregnancy" 769·0  
             with immaturity 769·5  
         toxoplasmosis 769·3  
             with immaturity 769·8  
*Dispituitarism* 272  
*Displacement*  
     intervertebral disc 735  
     old, of sacro-iliac joint 736  
*Diverticulitis* 572·1  
*Dropsey*  
     State disease causing this condition.  
     cardiac 434·1  
     renal 591  
*Drowning*  
     accident E929  
         from small boat E850  
     homicide E983  
     suicide E975  
*Dysentery*  
     Specify type. Avoid use of "dysentery" for diarrhoea  
     amebic 046·0  
     bacillary 015·4  
     balantidic 047  
     endamebic 046·0  
     epidemic 048  
     Flexner-Boyd 045·0  
     Schmitz 045·1  
     Shiga 045·2  
     Sonne 045·3  
*Dysmenorrhœa* 634  
*Dyspepsia (functional)*  
     State disease causing this condition.  
*Dystocia*  
     Specify cause—See Injury, birth  
*Dystrophy, progressive muscular* 744·1

*Ectopic**Specify nature of injury*

Echinococcal cyst 125

Echinococcosis (any site) 125

*Eclampsia**Specify cause; also whether associated with pregnancy or childbirth. Avoid use of "eclampsia" unqualified.*

arising during pregnancy 642·3

maternal, affecting child 769·0

with immaturity 769·5

puerperal 685

## Ectopia

bladder 757·3

cerebral 751

cordis 754·4

testis 757·0

Ectopic gestation 645·0

with sepsis 645·1

Eczema 701

allergic 244

## Effects of

cold (temperature) E932

heat E931

high altitude E930

Electric shock E914

*Electrocution**Specify circumstances.*

accident E914

suicide E979

Elephantiasis 468·3

filarial 127

*Embolism**Specify site and cause of the embolism. Was condition post-abortive or puerperal?*

air

complicating delivery 678

during pregnancy 648·3

puerperal 688·3

traumatic E930

artery 454

cerebral 332

late effects 352

puerperal 687

coronary 420·1

mesenteric 570·2

pulmonary 465

puerperal 684

intracranial venous sinus 341

late effects 344

puerperal 684

vein 466

Embryoma, kidney 180

Emesis, arising during pregnancy 642·4

Emphysema 527·1

with bronchitis 502·0

### *Empyema*

*Specify cause.*

accessory or basal sinus (acute) 612

acute 471

gallbladder 585

### *Encephalitis*

*Specify whether infectious or noninfectious, and state type.*

acute (infectious) 082

late effects

*Specify type of late effect.*

lead or saturnine E885

meningococcal 057·0

postvaccinal E941

traumatic

*Specify injury.*

unknown cause 343

late effects 344

### *Encephalocele* 751

### *Encephalomyelitis (acute disseminated)* 343

late effects 344

postvaccinal E941

### *Encephalopathy*

hypertensive 334

late effects 352

lead E885

### *Enchondroma* 225

### *Endarteritis*

*Specify whether due to syphilis.*

deformans 450·0

with gangrene 450·1

syphilitic 023

cerebral 026

### *Endocarditis*

*Specify whether acute, chronic, or bacterial, and whether of rheumatic origin. Avoid use of "endocarditis" unqualified.*

acute 430·1

infective 430·0

rheumatic 401·1

aortic (chronic) 421·1

rheumatic 411

bacterial (acute) (chronic) (subacute) 430·0

rheumatic 401·1

chronic 421·4

infective 430·0

rheumatic 414

gonococcal 034

malignant (acute) (chronic) (subacute) 430·0

mitral 410

nonrheumatic 421·0

rheumatic (chronic) 414

septic (acute) (chronic) (subacute) 430·0

subacute 430·1

infective 430·0

rheumatic 401·1

ulcerative (acute) (chronic) (subacute) 430·0

### *Endometrioma (uterus)* 215

### *Endometriosis (uterus)* 215

### *Endometritis*

*Specify cause. Avoid use of "endometritis" unqualified.*

hyperplastic 633

puerperal 681

Endopericarditis (chronic) 421·4

rheumatic 414

Endophlebitis 464

intracranial venous sinus 341

late effects 344

lower extremity 463

portal vein 582

puerperal 682

Endothelioma 197

benign 227

Endotheliosis 296

reticular 202·1

### *Enlargement*

*Specify cause and site affected.*

prostate 610

thymus (gland) 273

thyroid 250

Enteric fever 040

### *Enteritis*

-4 wks. 764·0

with immaturity 764·5

4 wks. -2 yrs. 571·0

chronic 572·3

ulcerative 572·2

ulcerative 572·2

2 yrs. + 571·1

chronic 572·3

ulcerative 572·2

ulcerative 572·2

regional 572·0

Enterocolitis—See Enteritis

Enterospasm 573·2

Ependymoma 193

benign 223

Epididymitis 614

Epilepsy (idiopathic) 353·3

with psychosis 308·1

grand mal 353·1

petit mal 353·0

status epilepticus 353·2

Epiloia 753·1

### *Epistaxis*

*Specify a more exact cause.*

Epithelioma 191

neck 191

penis 179

scrotum 179

vulva 176

Epublis 210

### *Erysipelas*

*Specify cause and site affected. Avoid use of "erysipelas" unqualified.*

due to preventive inoculation, immunization or vaccination

052

neonatorum 052

*Erysipelas* 064·4

*Erythema*

*State disease causing this condition.*

epidemic arthritic 064·0

induratum 014·3

    primary 014·0

multiforme 705·1

nodosum 705·2

    tuberculous 014·1

*Erythræmia* 294

    acute 204·4

*Erythroblastosis (fœtalis)* 770·0

    with

        immaturity 770·5

        liver disorder 770·2

            with immaturity 770·7

        nervous affection 770·1

            with immaturity 770·6

*Ethmoiditis (chronic)* 513

    acute 471

*Ethyliam*

*Specify whether acute or chronic.*

    with psychosis 307

*Excessive*

    cold E932

    heat E931

*Exostosis* 225

    multiple 758·1

*Explosion*

    combustible material E916

    dynamite E919

    pressure vessel E015

*Exposure*

*Specify cause.*

    cold E932

    exhaustion, due to E933

*Extroversion of bladder* 757·3

## F

*Fall, accidental*

    from one level to another E902

    in water transport—See Accident, water transport  
    on

        ladder E901

        same level E903

        stairs E900

*Fatigue*, 790·1

    combat or operational 326·3

*Fatty*

    degeneration 289·2

        heart or myocardium 422·0

        liver 581·0

*Favus* 131

*Febris*

    melitensis 044

    rubra 050

Specify the disease associated with the "fever", e.g., *lobar pneumonia, malaria, typhoid, etc.* Avoid use of "fever" unqualified.

- æstivo-autumnal (malarial) 112  
blackwater 115  
breakbone 090  
cerebrospinal (meningococcal) 057·0  
deer fly 059  
enteric 040  
glandular 093  
Haverhill 064·0  
Japanese river (tsutsugamushi) 105  
malarial—See Malaria  
Malta 044  
miliary 138·1  
mud 074·1  
pappataci 096·7  
paratyphoid (A) (B) (C) 041  
parrot 096·2  
phlebotomus 096·7  
Q 108  
rat-bite 074·0  
    due to *Streptobacillus moniliformis* 064·1  
relapsing 071·2  
    louse-borne 071·0  
    tick-borne 071·1  
rheumatic (active) (acute) 400  
Rift Valley 006·8  
Rocky Mountain spotted 104  
sandfly 096·7  
scarlet 050  
seven day 074·1  
swamp 074·1  
trench 106  
typhoid 040  
typhus 107  
    endemic 101  
    epidemic 100  
undulant 044  
uveoparotid 138·0  
Wolhynian 106  
yellow 091  
Fibrillation, auricular 433·1  
Fibro-adenoma (see also Tumour)  
    prostate 610  
Fibrocystic disease  
    jaw 225  
    kidney (congenital) 757·1  
    liver 756·2  
Fibroid 214  
Fibrolipoma 226  
Fibroma, uterus 214  
Fibromyoma (uterus) 214  
Fibrosis of lung 525  
    silicotic 523·0  
        with tuberculosis 001  
Fibrositis 726·3  
    chronic rheumatoid nodular 722·2  
    humeroscapular region 726·1

**P**istula  
anal 574  
bladder (nontraumatic) 606  
gallbladder 586  
pilonidal (rectum) 221  
thoracic 518  
umbilical 756.2  
urinary 609

**F**its      *State disease causing this condition.*

Flat foot 746  
Floating kidney 603

**F**lood      *Specify nature of injury.*

Foot and mouth disease 096.6

**F**oreign body  
causing suffocation E922  
food E921  
entering  
eye E920  
nose E923  
other orifice E923

Found dead (cause unknown) 795.3

**F**racture

*Specify nature of the violence, whether accidental, suicidal, etc., and means of injury. Avoid use of "fracture", "fracture of skull", etc., unqualified.*

Fragilitas ossium 758.3

Framboesia 073

Freezing E932

Frostbite E932

Frozen E932

**F**uruncle

*Specify site.*

## G

Gallstone (impacted) 584

Gangosa 073

**G**angrene

*Specify cause and part of body affected. Avoid use of "gangrene" unqualified.*

appendix 550.0  
arteriosclerotic 450.1  
bladder 605  
diabetic 280  
gallbladder 585  
gas bacillus 063  
intestine 578  
    with intestinal obstruction 570.2  
lung 521  
mouth 536  
omentum 578  
    with intestinal obstruction 570.2  
symmetrical 453.0

Gas bacillus infection 063

### *Gastritis*

*Specify cause. Avoid use of "gastritis", "gastric catarrh", and "acute indigestion."*

### **Gastroduodenitis 543**

#### **Gastro-enteritis**

- 4 wks. 764·0
- with immaturity 764·5
- 4 wks. - 2 yrs. 571·0
- chronic 572·3
- ulcerative 572·2
- ulcerative 572·2
- 2 yrs. + 571·1
- chronic 572·3
- ulcerative 572·2
- ulcerative 572·2

### **Gastrohepatitis (acute) (chronic) 543**

#### **Gastro-intestinal atrophy, irritation**

*Avoid use of these terms.*

#### **General paralysis, paresis**

*Specify disease causing this condition. To indicate "general paralysis of the insane", use the complete statement.*

- insane 025
- juvenile 020·1
- progressive 025
- tabetic 025

### **Gestation ectopic or extra-uterine 645·0**

- with sepsis 645·1

### **Ghon tubercle, primary infection, with symptoms 004**

- with occupational disease of lung 001

### **Giardiasis 047**

### **Gigantism 272**

### **Gingivitis 532·0**

- ulcerative 070

### **Glanders 064·2**

### **Glandular fever 093**

### **Glaucoma 387**

### **Glioma 193**

- benign 223

- eye 192

- optic nerve 192

### **Glomerulonephritis 593**

- acute 590

- chronic 592

- subacute 591

### **Glossitis 538**

### **Glycogen infiltration of liver 289·2**

### **Glycosuria, renal 289·2**

#### **Goitre**

*Specify whether toxic or nontoxic. Avoid use of "goitre" unqualified.*

- adenomatous (nontoxic) 251
- with hyperthyroidism 252·1
- toxic 252·1
- diffuse colloid 250
- exophthalmic 252·0
- malignant 194

Gonorrhœa, gonococcal	030
acute	030
chronic	031
conjunctivitis	033
joint (any)	032
late effects	035
ophthalmia	033
salpingitis	031
septicæmia	034
Gored	E928
Gout	288
saturnine	E885
Grand mal	353·1
Granular kidney	592
Granulocytopenia	297
Granuloma	
coccidioidal	133
fungoides	205
Hodgkin's	201
inguinal	038
Grippe (see also Influenza)	481
Growth, new growth, tumour	
State site and nature of growth, if known. If not known add "nature unknown."	
Gumma	027
central nervous system	026
heart or artery	023
Gunshot	
accident	E919
homicide	E981
suicide	E976
war operations	E991

## H

Hæmangioma	228
central nervous system	223
retina	223
Hæmatemesis	
State disease causing this condition.	
Hæmatocele	617
female	637·1
ectopic gestation	645
Hæmatoma	
brain	
- 4 wks.	760·0
with immaturity	760·5
late effects	351
4 wks. +	
Specify injury.	
placenta	648·2
sternomastoid, originating at birth	761·0
with immaturity	761·5
Hæmatomyelia	357
Hæmatosalpinx	625
Hæmochromatosis	289·2

*Acute appendicitis* 292

Hæmoglobinuric bilious fever 115

Hæmophilia 295

Hæmopneumothorax 519·2

Hæmoptysis, tuberculous 002

    with occupational disease of lung 001

*Hæmorrhage*

Specify cause of hæmorrhage. Was it caused by tuberculosis? Injury? If a female (age 15-45), did it involve some condition of pregnancy, childbirth, or puerperium? If due to violence, give full details. Avoid use of "hæmorrhage", "hæmoptysis", "hæmorrhage of the lungs", etc., unqualified.

- 4 wks. 771·0

    with immaturity 771·5

4 wks. + 467·2

adrenal gland 274

antepartum, complicating delivery 670

brain 331

    injury at birth 760·0

    with immaturity 760·5

childbirth, during or after 672

intestine 578

    newborn 771·0

    with immaturity 771·5

intra-uterine 633

    complicating delivery 672

*lung*

    newborn 771·0

    with immaturity 771·5

    tuberculous 002

newborn 771·0

    with immaturity 771·5

postpartum 672

pregnancy

    complicating delivery 670

    noted before delivery 644

puerperal 672

spinal cord

    -4 wks. 760·0

    with immaturity 760·5

    4 wks. + 357

*stomach*

umbilical 773·0

    with immaturity 773·5

unavoidable

    complicating delivery 670

    noted before delivery 643

Hæmorrhagic disease of newborn 771·0

    with immaturity 771·5

Hæmorrhoids 461

Hæmorthorax 519·2

Hallux valgus or varus 747

Hanging E936

    legal execution E985

    suicide E974

Harelip 755

*Hay fever (any cause)* 240  
with asthma 241

*Headache*  
migraine 354

*Heart attack, block, dropsy, failure and trouble*

*Specify the cause and exact form of cardiac affection, e.g., mitral regurgitation, chronic endocarditis, aortic stenosis, etc. State the particular valve involved. Avoid use of "heart disease", "heart failure", etc., unqualified.*

block 433·0

congenital 754·4

interauricular septal defect 754·3

interventricular septal defect 754·2

patent ductus arteriosus (Botalli) 754·1

tetralogy of Fallot 754·0

*disease*

aortic valvular 421·1

rheumatic 411

acute 401·1

arteriosclerotic 420·0

congestive 434·1

hypertensive 443

benign 440

malignant 441

kypboscoliotic 434·0

mitral valve 410

nonrheumatic 421·0

organic 434·3

tricuspid 412

nonrheumatic 421·2

*Heat apoplexy, cramps, exhaustion, prostration or stroke* E931

Hemicephalus 750

Hemiplegia 352

apoplectic 334

late effects 352

cerebral 334

infantile (spastic) 351

late effects 352

Hepatitis 583

acute 580

alcoholic 581·1

chronic 581·0

infectious 092

malignant 580

arising during pregnancy 642·5

puerperal 686

newborn 773·0

with immaturity 773·5

post-immunization E943

suppurative (diffuse) 582

Hepatization of lung, chronic 525

- carcina (congenital) 580-2
  - diaphragmatic 580-4
  - strangulated 581-4
  - femoral 580-1
    - strangulated 581-1
  - inguinal 580-0
    - strangulated 581-0
  - lung 527-2
  - spinal 751
    - strangulated 581-5
  - testis (nontraumatic) 027
  - umbilical 580-2
    - strangulated 581-2
  - ventral (incisional) 580-3
    - strangulated 581-3
- Herpes** 096-0  
**zoster** 088
- Hiccuph,** epidemic 096-4
- High blood pressure**—See **Hypertension**
- Hirschsprung's disease** 756-2
- Histoplasmosis** 134-2
- Hives** 243
- Hodgkin's disease** 201
- Homicide**  
*Specify means employed, e.g., knife, blunt instrument, gun, poison, etc. Avoid use of "homicide" unqualified.*
- cutting instrument E982
  - firearms E981
  - piercing instrument E982
  - poison E980
  - other means E983
- Hookworm disease** 129
- Hordeolum** 372
- Hunger** E933
- Hurricane**  
*Specify nature of injury.*
- Hydatid**  
 cyst, any site 125  
 disease 125  
 mole 048-1
- Hydramnios, noted before delivery** 648-3
- Hydrocele, spermatic cord or tunica vaginalis** 613
- Hydrocephalus**  
*State if tuberculous in origin. If of nontuberculous origin, state cause of the condition. Congenital hydrocephalus should always be stated as such. Avoid use of "hydrocephalus" unqualified.*
- acquired 344
  - congenital 752
  - tuberculous 010
- Hydro-encephalocele** 752
- Hydromyelia** 751
- Hydronephrosis** 601
- Hydrophobia** 094
- Hydropneumothorax** 519-2

- Hydrops, foetalis** 770·0  
 with  
     immaturity 770·5  
     liver disorder 770·2  
         with immaturity 770·7  
     nervous affection 770·1  
         with immaturity 770·3
- Hydrothorax** 519·2
- Hygroma, cystic** 228
- Hyperemesis arising during pregnancy** 642·4
- Hyperglycaemic coma** 260
- Hyperinsulism** 270
- Hypernephroma** 180
- Hyperparathyroidism** 271·0
- Hyperpiesis—See Hypertension**
- Hyperpituitarism** 272
- Hypertelorism** 758·2
- Hypertension**  
*Specify whether benign or malignant, and whether arterio-sclerosis, myocardial degeneration, or renal degeneration was also present.*  
 arising during pregnancy 642·0  
 benign 444  
 malignant 445
- Hyperthyroidism** 252·0
- Hypertrophy**  
*Specify cause and organ involved. Avoid use of "hypertrophy" unqualified.*  
 breast 621·1  
 cardiac 434·3  
 prostate 610  
 thymus (gland) 273
- Hypo-adrenalinism** 274
- Hypoglycaemia** 270  
 diabetic 260
- Hypoparathyroidism** 271·1
- Hypopituitarism** 272
- Hypotension** 467·0
- Hypothyroidism** 253

## I

- Icterus**  
 gravis 580  
 arising during pregnancy 642·5  
 newborn 770·0  
 with  
     immaturity 770·5  
     liver disorder 770·2  
         with immaturity 770·7  
     nervous affection 770·1  
         with immaturity 770·6
- puerperal 686
- haemolytic 292·2  
 newborn 770·0  
     with immaturity 770·5
- Idiocy** 325·0

*colitis ulcerative* 572·2  
*is (paralytic) (of intestine)* 570·1

*imbecility* 325·1

*Imaturity*

*State whether this was the actual cause of death.*

*Immersion foot* E932

*Impaction, impacted*

*fæcal* 570·4

*teeth* 533·2

*Imperfect development*

*State whether due to premature birth or congenital malformation.*

*Imperforate*

*anus* 756·1

*cervix* 757·3

*pharynx* 756·2

*Impetigo* 695

*neonatorum* 766·0

*with immaturity* 766·5

*Inanition*

*Specify a more precise cause.*

*Inattention after birth*

*Give full details.*

*Incompetency—See Insufficiency*

*Inertia of uterus, complicating delivery* 675

*Infanticide—See Homicide*

*Infantile*

*asthenia, atrophy or debility*

*State disease causing these conditions.*

*paralysis*

*Specify whether acute or chronic. If acute anterior polio-myelitis, state so.*

*late effects* 081

*paralytic* 080·1

*spastic* 351

*specified as bulbar* 080·0

*Infarction*

*heart, myocardium or ventricle* 420·1

*kidney* 603

*mesenteric* 570·2

*pulmonary* 465

*puerperal* 684

*Infection*

*Specify cause, organ involved and nature of infection.*

*accessory or nasal sinus (chronic)* 513

*acute* 471

*brugenes capsulatus* 063

*Bacillus*

*abortus* 044

*anthracis* 062

*gas bacillus* 063

*generalized*

*Specify causative organism, i.e., staphylococcus, streptococcus, etc.*

*Infection—Concluded*

*gonococcal*

- Specify site, i.e., nose, respiratory system, etc.  
kidney, puerperal 680  
with sepsis 681  
of newborn 768·0  
with immaturity 768·5  
puerperal 681  
umbilicus of newborn 767·0  
with immaturity 767·5  
uterus, puerperal 681  
Vincent's (any site) 070

*Infestation by*

- Ascaris lumbricoides 130·0  
Giardia lamblia 047  
round worms 130·0  
Taenia saginata 126  
tapeworms 126

*Infirmity of old age*

*Specify cause.*

*Inflammation*

*Specify cause and site.*

- brain 343  
late effects 344

*cerebrospinal*

Specify causative organism, i.e., *H. influenzae*, pneumo-  
coccus, etc.

- fascia 743  
joint 738  
lung, chronic 525  
muscle 743  
optic nerve and retina 377  
tendon 743

*Influenza* 481

with

- digestive manifestations 482  
nervous manifestations 483  
pneumonia 480  
respiratory manifestations other than pneumonia 481

*Injury (see also Aerident)*

- birth 761·0

    with immaturity 761·5

- brain 760·0

    with immaturity 760·5

    late effects 351

complicating delivery 677

resulting from operations of war

by

    aircraft destruction E997

    bomb E993

    depth charge E994

    explosion of

        artillery shell E995

        unknown nature E996

    gas and chemical E990

    grenade and land mine E992

    gunshot E991

    mine mine E994

    torpedo E994

    other and unspecified E998

late effects E965

occurring after cessation of hostilities E999

*itg*

*State form of insanity and immediate cause of death.*

puerperal, after delivery 688·1

suicide 304

Insolation E931

Inpiration

foreign object E922

food E921

vaginal mucous 761·0

    with immaturity 761·5

Insufficiency

aortic 421·1

    rheumatic 411

cardiac 422·2

mitral 410

    nonrheumatic 421·0

myocardial 422·2

pulmonary valve 421·3

    rheumatic 413

tricuspid 412

    nonrheumatic 421·2

valvular

*Specify valve.*

Insufficient nourishment

*Specify whether because of disease or deprivation of food.*

Internal derangement of knee joint 734

Intussusception 570·0

Inversion, uterus, complicating delivery 677

## J

Japanese river (tsutsugamushi) fever 105

Jaundice

*State disease causing this condition. Was it cancer?*

acholuric 292·0

    acquired 292·2

catarrhal (epidemic) 092

haemolytic 292·2

    newborn 770·0

    with immaturity 770·5

malignant 580

    arising during pregnancy 642·5

    puerperal 686

post-immunization E943

serum E951

spirochaetal (hemorrhagic) 072

## K

Kala-azar 120·0

Keloid scar 710·4

Keratitis 374

    interstitial (congenital) 020·0

Keratoconjunctivitis, infectious 096·1

Keratoderma 710·1

Kicked by animal E928

Killed

*State whether accident or homicide, and nature of injury.*

Knot in umbilical cord 761·0

    with immaturity 761·5

Kyphoscoliotic heart disease 434·0

# L

## *Labor*

- Specify complications actually causing death.  
false 648·3  
missed (after 7 months gestation), noted before delivery 648·3  
obstructed, complicating delivery 675  
precipitate, complicating delivery 678  
prolonged, complicating delivery 675

## *Laceration*

- State whether due to accident, suicide or homicide, and nature of injury.*  
pelvic organ, complicating delivery 677  
perineum, without mention of other laceration, complicating delivery 676

Lack of care of newborn E926  
homicidal intent E983

*I.a grippe—See Influenza*

Landslide (asphyxia) (suffocation) E925  
struck or crushed by E910

Lardaceous disease 289·1

Laryngismus stridulus 517

Laryngitis (acute) 474  
chronic (with tracheitis) 518  
tuberculous 007  
with occupational disease of lung 001

## *Late*

- complications of  
amputation stump E957  
irradiation E958  
surgical operation E956  
other forms of treatment E959  
effects of  
accidents  
motor vehicle E960  
poisoning E961  
other E962  
homicide E964  
operations of war E965  
suicide E963

Lead poisoning E885  
arsenate E886

Legal execution E985

Leishmaniasis 120·3  
cutaneous 120·1  
mucocutaneous 120·2  
visceral 120·0

Leprosy 060·3

## *Leptomeningitis*

- Specify causative organism, i.e. H. influenzae, pneumo-coccus, etc.*  
late effects 344  
syphilitic 026  
tuberculous 010

Leptothrincosis 134·5

- Leukæmia 204·4  
acute 204·3  
lymphatic (acute) 204·0  
megakaryocytic 204·4  
monoblastic (acute) 204·2  
monocytic (acute) 204·2  
myelogenous (acute) 204·1  
Leukocythaemia—See Leukæmia  
Leukodernia 746  
Leukonychia 712  
Leukopenia 297  
Leukoplakin 711  
    buccal 538  
Leukorrhœa 637·0  
Leukosarcoma 200·2  
Lichen (planus) 707  
    simplex chronicus 708·3  
Lightning E935  
Lipoma, any site 226  
Lithiasis  
    biliary 584  
    hepatic 584  
    urinary 604  
Lockjaw 061  
Locomotor ataxia 024  
Loose body or cartilage in knee joint 738  
Low implantation of placenta  
    complicating delivery 670  
    noted before delivery 643  
Ludwig's angina 517  
Lues—See Syphilis  
Lumbago 726·0  
*Lumbar abscess*  
    Specify cause and site of origin.  
Lupus 014·2  
    erythematosus 705·4  
    disseminated 456  
Lymphadenia aleukæmic 204·0  
Lymphadenitis 468·2  
    acute 694  
    chronic 468·0  
    mesenteric 468·1  
    tracheobronchial 468·2  
        tuberculous, with symptoms 005  
        tuberculous 015  
Lymphadenoma 201  
Lymphangioma (congenital) 228  
*Lymphangitis*  
    Specify site.  
    puerperal 681  
Lymphatism 273  
Lymphatocele 228  
Lymphoblastoma, Hodgkin's 201  
Lymphochloroma 200·2  
Lymphogranuloma 201  
    inguinale or venereum 037  
Lymphogranulomatosis 201  
    benign 138·0  
Lymphoma 202·1  
    giant follicular 202·0  
Lymphosarcoma, any site 200·1

# M

Madura disease or foot 134·5

## *Malaria*

*Specify whether benign tertian, quartan, or malignant tertian. Avoid use of "chills and fever" and other indefinite terms for malaria.*

## *Malformation, congenital*

*Specify type of malformation and organ involved.*

## *Malignant disease*

*The word "malignant" should never be used in reference to a disease, when such use may cause confusion with cancer.*

## *Malnutrition*

*Specify whether due to improper or insufficient food. If due to disease, state the disease, e.g., tuberculosis, congenital defects, etc.*

due to nutritional maladjustment -1 yr. 772·0

    with immaturity 772·5

    1 yr. + 286·5

## *Malposition*

### *fœtus*

    complicating delivery 674

    noted during pregnancy 647

### *placenta*

    complicating delivery 670

    noted before delivery 643

- Malpresentation, child (with birth injury) 761·0

    with immaturity 761·5

## *Malta fever* 044

## *Manslaughter*

*State means.*

## *Marasmus*

*State disease causing this condition in an adult.*

-1 yr. 773·0

    with

        immaturity 773·5

        nutritional difficulty 772·0

        with immaturity 772·5

Mastitis (acute) 621·0

    chronic 620

    during lactation 689

    puerperal 689

## *Mastoiditis*

*Specify whether acute or chronic and whether a complication of otitis media.*

Measles 085·0

    with pneumonia 085·1

    German 086

Mechanical suffocation—See Suffocation

Mediastinitis 527·2

Megacolon 578

    Hirschsprung's disease 756·2

Megalcephalus 750

Melena neonatorum 771·0

    with immaturity 771·5

- Mesomochilia 301·1  
  involutional 302  
  puerperal, after delivery 688·1
- Melanoma 190  
  benign 220
- Membranous croup or laryngitis*  
  Specify as diphtheritic or nondiphtheritic.
- Ménière's disease 395
- Meningioma 223
- Meningitis*  
  Specify whether due to *H. influenzae*, meningococcus, pneumococcus, etc. If due to meningococcus report as cerebrospinal fever, meningococcal meningitis, or epidemic meningitis. Terminal or symptomatic meningitis should not be entered as a cause of death. Tuberculous meningitis should be reported as such. Avoid use of "meningitis", "spinal meningitis", etc., unqualified.  
  late effects 344  
  meningococcal 057·0  
  syphilitic 026  
  tuberculous 010
- Meningocele 751
- Meningococcal  
  encephalitis 057·0  
  infection 057·3  
  meningitis 057·0  
  septicæmia (acute) 057·1  
    with meningitis 057·0  
    chronic 057·2
- Meningo-encephalitis  
  acute 082  
    late effects  
      Specify type of late effect.  
  syphilitic 025
- Meningo-encephalocele 751
- Meningomyelocele 751
- Menopausal symptoms 635
- Menstrual disorders 634
- Mental deficiency 325·5
- Metritis*  
  Specify whether the condition was associated with recent delivery.  
  hemorrhagic 633  
  puerperal 681
- Metroperitonitis 626  
  puerperal 681
- Mexican fever 103
- Microcephaly 753·1
- Migraine 354
- Miliary fever 138·1
- Milk-leg, puerperal 682
- Miscarriage—See Abortion
- Missed labour (after 7 mos. gestation) noted before delivery 648·3

*Mitral disease*

*Specify exact nature.*

Mole 220

*carneous*

*Specify if septic or toxic.*

undelivered 648·3

ectopic 645·0

septic 645·1

hydatid 648·1

malignant 190

vesicular 648·1

Mollities ossium 285

Molluscum

*contagiosum* 697

*fibrosum* 223

Mongolism 325·4

Moniliaisis 134·3

Mononucleosis, infectious 093

Monster 750

Morbus cœruleus 754·4

Moron 325·2

Mumps 089

*Murder*

*State means.*

cutting instrument E982

firearms E981

piercing instrument E982

poison E980

Myalgia 726·3

epidemic 096·5

Myasthenia gravis 744·0

Mycosis fungoides 205

*Myelitis*

*Specify cause. If due to violence, state circumstances and means of injury.*

ascending disseminated 343

lute effects 344

transverse 343

Myelocele 751

Myelocytoma 203

Myeloma 225

benign 225

multiple 203

*Myocarditis*

*Specify whether acute or chronic, and whether of rheumatic origin. Avoid use of "myocarditis" unqualified.*

*with hypertension*

*Specify whether benign or malignant.*

with arteriolar nephrosclerosis 442

acute 431

rheumatic 401·2

arteriosclerotic 422·1

chronic 422·2

rheumatic 415

fatty 422·0

toxic 431

Myosclerosis 726·3  
humeroscapular region 726·1

Myoma 214  
not of uterus 227  
prostate 610  
uterus 214

Myopericarditis 434·3  
acute (rheumatic) 401·0  
nonrheumatic 432  
chronic (rheumatic) 416  
nonrheumatic 434·3  
rheumatic 401·0

Myositis 726·3  
fibrosa or ossificans 744·2  
infective 743

Myotonia congenita 744·1

Myxochondroma 225

Myxoedema 253

Myxofibroma 227

Myxoma 227

## N

Nevus 228  
blue or pigmented 220

Nasopharyngitis (acute) 470  
chronic 512·1

### Necrosis

*State disease causing this condition, and part of body affected.*  
bone 730·1  
ethmoid 517  
pancreas 587·2  
acute 587·0

Neglect after birth E926

### Neoplasm

*Qualify all neoplasms as benign or malignant. If the type of neoplasm is not known, state "Neoplasm of unknown nature". Malignant neoplasms should be further specified as to whether primary or secondary site. Where this information is not known, state "Primary site unknown".*  
accessory sinus, malignant 160  
benign 212

biliary passage, malignant 155  
benign 211

bladder, malignant 181  
benign 219

bone, malignant 196  
benign 225

brain, malignant 193  
benign 223

breast, malignant 170  
benign 213

broad ligament, malignant 175  
benign 217

*Neoplasm*—Continued

bronchus

benign 212

malignant

*Specify whether primary or secondary site.*

primary site 162

secondary site 165

cervix uteri, malignant 171

benign 215

connective tissue, malignant 197

benign 227

corpus uteri, malignant 172

benign 215

digestive organs or system

benign 211

malignant

*Specify particular site involved, if known.*

endocrine glands

benign 224

malignant

*Specify particular gland involved.*

eye, malignant 192

benign 223

Fallopian tube, malignant 175

benign 217

genital organs

benign

female 217

male 218

malignant

*Specify organ or organs involved.*

hypopharynx, malignant 147

benign 210

intestine (large), malignant 153

benign 211

small, malignant 152

kidney, malignant 180

benign 219

larynx, malignant 161

benign 212

lip, malignant 140

*If of skin, specify "skin of lip".*

benign 210

liver

benign 211

malignant

*Specify whether primary or secondary site.*

primary site 155

secondary site 156

lung

benign 212

malignant

*Specify whether primary or secondary site.*

primary site 162

secondary site 165

lymph nodes

benign 229

malignant

*Specify whether primary or secondary site*

primary site 200·2

secondary site 198

*Neoplasm*—Continued

mediastinum

benign 212

*malignant*

*Specify whether primary or secondary site.*

primary site 164

secondary site 165

mesopharynx (oral), malignant 145

benign 210

middle ear, malignant 160

benign 212

mouth, malignant 144

benign 210

floor, malignant 143

nasal (cavities), malignant 160

benign 212

nasopharynx, malignant 146

benign 210

nervous system, malignant 193

benign 223

oesophagus, malignant 150

benign 211

ovary, malignant 175

benign 216

pancreas, malignant 157

benign 211

peritoneum, malignant 158

benign 211

pharynx, malignant 148

benign 210

placenta, malignant 173

benign 215

prostate, malignant 177

benign 610

rectum, malignant 154

benign 211

salivary gland, malignant 142·1

benign 210

mixed tumour 142·0

skin, malignant 191

benign 222

melanoma 190

benign 220

stomach, malignant 151

benign 211

testis, malignant 178

benign 218

thyroid gland, malignant 194

benign 251

tongue, malignant 141

benign 210

trachea

benign 212

*malignant*

*Specify whether primary or secondary*

primary site 162

secondary site 165

## *Nephritis—Continued*

- urinary organs
    - benign 219
    - malignant
      - Specify particular organ involved.*
  - uterus
    - benign 215
    - malignant
      - Specify, if possible, exact site of primary growth, i.e., cervix, or body of uterus.*
- Nephritis**
- Specify whether acute or chronic. If acute, and a complication or sequela of some other disease, such as scarlet fever or diphtheria, state the nature of the preceding disease or condition. If a female (age 15-45) state whether the nephritis was a complication of pregnancy or childbirth, and if known, whether the nephritic condition arose during pregnancy. When the cause cannot be determined, specify "cause unknown".*
- acute 590
    - arising during pregnancy 642·1
    - puerperal 685
      - arising during pregnancy 642·1
    - arising during pregnancy 642·1
  - arteriosclerotic 446
    - with hypertensive heart disease 442
  - cardiovascular 442
  - chronic 592
  - gouty 594
  - haemorrhagic 590
  - nephrotic 591
  - parenchymatous 591
  - puerperal 685
  - saturnine E885
  - septic 600·0
    - with calculus 602
    - arising during pregnancy 640
    - puerperal 680
      - with puerperal sepsis 681
      - arising during pregnancy 640
    - arising during pregnancy 642·1
  - subacute 591
    - arising during pregnancy 642·1
    - puerperal 685
      - arising during pregnancy 642·1
- Nephrolithiasis** 602
- Nephrosclerosis** 446
  - with hypertensive heart disease 442
- Nephrosis** 591
- Neuralgia, trigeminal** 361
- Neuritis** 366
  - arising during pregnancy 642·5
  - brachial 362
  - fifth cranial nerve 361
  - optic 377
  - rheumatic (chronic) 726·3
  - sciatic nerve 363
  - seventh cranial nerve 360
- Neurofibroma** 223
- Neutropenia (malignant)** 297
- Noma** 536
  - vulvæ 630·2

## *Conductors*

ductus arteriosus 754·1  
 Eustachian valve 754·4  
 foramen ovale 754·3

Nutritional maladjustment - 1 yr. 772·0  
 with immaturity 772·5

Nystagmus, miners' 318·2

## O

Obliteration of lymphatic vessel 468·3

### *Obstruction*

*Specify cause and part affected.*

intestine 570·5  
 by gallstone 570·4  
 complicating hernia—See Hernia  
 œsophagus 539·1  
 pylorus  
     - 1 yr. 756·0  
     1 yr. + 545

Occlusion coronary (artery) (thrombotic) 420·1

Odontoma 210

### *Edema*

*Specify cause.*

angioneurotic 242  
 brain  
     - 4 wks. 760·0  
       with immaturity 760·5  
     4 wks. + 334  
       late effects 352  
 cardiac 434·1  
 hereditary, of legs 710·2  
 lung 522  
     acute 527·2  
       due to heart disease or failure 434·2  
 renal 591

### *Old age*

*Avoid use of "old age", "senility", etc., for deaths of elderly persons, when a more definite cause is known.*

Omphalitis of newborn 767·0

    with immaturity 767·5

Omphalocele 560·2

    strangulated 561·2

### *Oophoritis*

*Specify whether acute or chronic.*

arising during pregnancy 641

puerperal 681

### *Operation*

*Specify cause, findings, and date. Always state the condition for which the operation was performed and, if possible, the cause of such condition. In the case of appendectomy, state whether appendicitis was present or whether the appendectomy was performed as part of an exploratory or other abdominal operation. Avoid use of "operation", "surgery", "surgical shock", "hysterectomy", "laparotomy", etc., unqualified.*

### *Orchitis*

- Specify whether due to gonococcus*
- gonococeal 033
  - neonatorum 765·0
  - with immaturity 765·5
  - gonococeal 033

Orchitis 614

mumps 089

### *Organic disease of any organ*

*State nature of disease.*

Ornithosis 096·2

Osteitis 730·2

    deformans 731

    fibrosa 733

        cystica generalisata 271·0

Osteo-arthritis 723·0

Osteochondrosis of spine 732

    adults 723·2

    juvenile 732

Osteoclastoma 225

Osteogenesis imperfecta 758·3

Osteoma 225

Osteomalacia 285

### *Osteomyelitis*

*Specify whether acute or chronic.*

tuberculous (active) 012·3

    inactive 013·3

    spine (active) 012·0

    inactive 013·0

Osteopetrosis 758·6

Otitis 391·2

    externa 390

    media

*Specify whether acute or chronic, and whether complicated by mastoiditis.*

    tuberculous 018·1

Overlaid E924

Oxycephaly 758·2

Oxyuriasis 130·1

## P

### *Pachymeningitis*

*Specify causative organism, i.e., H. influenzae, pneumococcus, etc.*

late effects 344

syphilitic 026

tuberculous 010

Paget's disease

    bone 731

    breast 170

    skin 191

Palsy, Bell's

    -4 wks. 761·0

        with immaturity 761·5

    4 wks. + 360

### *Percarditis*

*State exact nature of disease.*

Pancreatitis (acute) 587·0  
chronic 587·1

### *Papilloma*

*Specify whether benign or malignant.*

Pappataci fever 096·7

Paragonimiasis 124·1

### *Paralysis*

*Specify cause, if possible. Avoid use of "paralysis", or "general paralysis" unqualified. Specify the precise form such as "acute ascending paralysis", "paralysis agitans". To indicate "general paralysis of the insane", use the complete statement. Use "acute anterior poliomyelitis" rather than "infantile paralysis" when it is the cause of death.*

acute ascending 357

agitans 350

postencephalitic 083·0

cerebral 334

congenital -4 wks. 760·0

with immaturity 760·5

late effects 351

late effects 352

divers' E930

glottis 517

infantile—See Poliomyelitis

insane, general 025

juvenile 020·1

labioglossal (laryngeal) (pharyngeal) 356·0

larynx 517

lead E885

peripheral nerves 368

autonomic 369

pneumogastric nerve 367

progressive muscular 356·0

spinal

acute ascending 357

progressive 356·0

spastic 351

Parametritis 626

arising during pregnancy 641

puerperal 681

Paramyoclonus multiplex 355

Paranoia 303

### *Paraplegia*

*State whether of spinal origin. Distinguish from hemiplegia.*

cerebral spastic infantile 351

Parapsoriasis 706·1

Paratyphoid (A) (B) (C) 041

### *Paresis*

*Specify if general paralysis of insane.*

general, brain or cerebral 025

Parkinson's syndrome 350

postencephalitic 083·0

Parotitis 537

epidemic or infectious 089

**Patent**

- ductus arteriosus 754·1
- Esophagus, varic 754·4
- foramen ovale 754·3
- urachus 757·3

**Peliosis rheumatica** 296

**Pellagra (alcoholic)** 281

**Pelvic abscess, cellulitis**

*Specify cause of these conditions.*

**Pemphigus** 704·1

- neonitorum 766·0
- with immaturity 766·5

**Pentosuria** 289·2

**Perforation**

*Specify cause, e.g., ulcer, fall, other external injury, etc. If due to violence, state whether accidental, homicidal, or suicidal, and site of injury.*

- gallbladder 586
- with calculus 584
- intestine 578
- stomach 540·1

**Peribronchitis** 502·1

**Pericarditis** 434·3

- acute (rheumatic) 401·0
- nonrheumatic 432
- chronic (rheumatic) 416
- nonrheumatic 434·3
- rheumatic 401·0

**Perihepatitis** 583

**Perimetritis**

*Specify cause.*

- puerperal 681

**Perinephritis** 600·2

- arising during pregnancy 640
- puerperal 680

**Periodontitis** 730·3

- with osteomyelitis*

*Specify whether acute or chronic.*

**Periphlebitis** 464

- intracranial venous sinus 341
- late effects 344
- lower extremity 463
- portal vein 582
- puerperal 682

**Periproctitis** 578

**Peritonitis**

*Specify cause. Was this condition a sequela of appendicitis, hernia, perforating ulcer of stomach or intestines, any puerperal condition, tuberculosis or other underlying disease? When due to traumatism, state means of injury and whether accidental, homicidal, or suicidal. Avoid use of "peritonitis", unqualified.*

- following appendicitis 550·1

- pelvic, female 626

- puerperal 681

- tuberculous 011

**Persistent**

- deca* 756·2
- ductus arteriosus* 754·1
- foramen ovale* 754·3
- Gartner's duct* 757·3
- thymus* 273
- thyroglossal duct* 759·3

**Pertussis** 056·0

- with pneumonia 056·1

**Pharyngitis (acute)** 472·1

- chronic 512·0
- granular (chronic) 517

**Phimosis (congenital)** 615

**Phlebitis**

*Specify cause.*

- intracranial venous sinus* 341
  - late effects 344
- lower extremity* 463
- portal vein* 582
- puerperal* 682

**Phlebotomus fever** 096·7

**Phlegmasia alba dolens, puerperal** 682

**Phlegmon—See Abscess**

**Phtisis** 002

- with occupational disease of lung 001

**Piercing by sharp instrument**

- accident* E913
- homicide* E982
- suicide* E977

**Pinealoma** 195

**Pityriasis** 706·3  
*rosea* 706·2

**Placenta**

**ablatio or abruptio**

- complicating delivery* 670
- noted before delivery* 644

**adherent, complicating delivery** I671

**cyst** 648·2

**detachment**

- complicating delivery* 670
- noted before delivery* 644

**diseased, complicating delivery** 678

**duplex** 648·2

**fenestrata** 648·2

**fibrosis** 648·2

**hematoma** 648·2

**infarction** 648·2

**multipartita** 648·2

**polyp** 688·3

- with abortion* 650·3

**prævia**

- complicating delivery* 670
- noted before delivery* 643

**premature separation**

- complicating delivery* 670
- noted before delivery* 644

**tripartita** 648·2

**varicose vessel** 648·2

Pneumonitis 048·2

Plague 058·2

bubonic 058·0  
pneumonic 058·1  
septicæmic 058·2

Pleurisy

*Specify cause, as pneumonia, tuberculosis, traumatism, etc.*

*If due to violence, state nature of injury, and whether due to accident, homicide or suicide.*

with effusion 003·1

nontuberculous 519·1

tuberculous 003·0

without effusion 519·0

encysted 519·2

exudative 003·1

septic 518

serofibrinous 003·1

serous 003·1

tuberculous 003·0

    with occupational disease of lung 001

Pleuritis sicca 519·0

Pleurodynia, epidemic 096·5

Pleuropneumonia

—4 wks. 763·0

    with immaturity 763·5

4 wks. + 490

chronic 525

Plumbism E885

Pneumococcal

generalized infection, pyæmia, or septicæmia 053·2

meningitis 340·1

    late effects 344

Pneumoconiosis 523·3

    with tuberculosis 001

Pneumonia

*Specify whether bronchopneumonia or lobar pneumonia.*

*When occurring in the course of, or following disease, the disease should be stated, with date of onset. Avoid use of "hypostatic pneumonia" (a terminal condition) as cause of death.*

—4 wks. 763·0

    with immaturity 763·5

4 wks. + 493

aspiration

*Specify cause.*

atypical

— 4 wks. 763·0

    with immaturity 763·5

4 wks. + 492

broncho

—4 wks. 763·0

    with immaturity 763·5

4 wks. + 491

*Pneumonia*—Concluded

- embolic 465
- puerperal 684
- hypostatic 522
- influenzal 480
- interstitial (chronic) 525
- acute
  - 4 wks. 763·0
  - with immaturity 763·5
  - 4 wks. + 492

*Lobar*

*Specify infecting organism.*

- 4 wks. 763·0
- with immaturity 763·5
- 4 wks. + 490

*Lobular*

- 4 wks. 763·0
- with immaturity 763·5
- 4 wks. + 491

*Newborn* 763·0

- with immaturity 763·5

*pneumococcal*

*Specify type.*

*Tuberculous* 002

- with occupational disease of lung 001

*virus*

- 4 wks. 763·0
- with immaturity 763·5
- 4 wks. + 492

*Pneumothorax*

*State disease causing this condition.*

*Spontaneous*

- 1 yr. 762·0
- with immaturity 762·5
- 1 yr. + 520

*Podagra* 288

*Poisoning*

*accidental*

acids E883

alcohol E880

arsenic and antimony, and their compounds E886

caustic alkalies E883

corrosive aromatics E883

drugs

analgesic and soporific

aspirin and salicylates E872

barbituric acid and derivatives E871

bromides E873

morphine and other opium derivatives E870

other E874

belladonna, hyoscine and atropine E877

strychnine E876

sulphonamides E875

other and unspecified E878

## Poisoning—Concluded

accidental  
  fluorides E887  
  food 049·2  
    botulism 049·1  
    noxious E879  
    staphylococcal 049·0  
gases and vapours  
  carbon monoxide E892  
    motor vehicle exhaust E891  
  cyanide E893  
  other specified E894  
  unspecified E895  
    utility (illuminating) E890  
industrial solvents E882  
late effects E961  
lead and its compounds E885  
mercury and its compounds E884  
noxious foodstuffs E879  
petroleum products E881  
other and unspecified solid and liquid substances E888  
homicidal E980

suicidal  
  analgesic and soporific substances E970  
  other solid and liquid substances E971  
  gases in domestic use E972  
  other gases E973

Polio-encephalitis (acute) (bulbar) 080·0  
  late effects 081

Polio-encephalomyelitis (acute) 080·0  
  late effects 081

Poliomyelitis (acute) (anterior) (epidemic) 080·3  
  with paralysis, except bulbar 080·1  
  bulbar 080·0  
  late effects 081  
  nonparalytic 080·2

Polyarthritis—See Arthritis

Polycystic disease of kidney (congenital) 757·1

Polycythaemia 294

Polyneuritis 364

Polyp  
  nasal 515  
  placental 688·3  
    with abortion 650·3

Pott's disease (active) 012·0  
  inactive 013·0

Pre-eclampsia of pregnancy 642·2

Pregnancy

*State the period of gestation, preferably in weeks, also whether death occurred during pregnancy, during childbirth or the puerperium. If the cause of death was independent of pregnancy, make a definite statement to that effect. Toxæmias arising during pregnancy, or conditions first noted during pregnancy should be so stated, in order that the death may be correctly assigned. Avoid use of "pregnancy" or "childbirth" as the cause of death, but give the actual condition which resulted in death, e.g., "albuminuria arising during pregnancy", etc.*

with malposition of foetus in uterus 647

abdominal, ectopic, extra-uterine or tubal—See Ectopic gestation

*Premature*

*birth*

- State whether this was the actual cause of death.*
- separation of placenta
  - complicating delivery 670
  - noted before delivery 644

*Procidentia*

- rectum 578
- uteri 631

*Prolapse*

- intervertebral disc 735
- pregnant uterus, noted before delivery 648·3
- umbilical cord 761·0
  - with immaturity 761·5
- uterus 631

*Prostatitis* 611

*Prostatacystitis* 611

*Protozoal disease* 122·2

*Pruritus*

*Specify site.*

*Psammoma* 223

*Pseudoleukæmia* 292·3

Hodgkin's type 201

*Psittacosis* 096·2

*Psoriasis* 706·0

*Psychosis* 309

- affective 301·2
- alcoholic 307
- epileptic 308·1
- manic depressive 301·2
- presenile 305
- puerperal, after delivery 688·1
- senile 304

*Puerperal fever*

*Specify cause and exact type of infection.*

*Pulmonary abscess*

*State disease causing his condition. Avoid using this term to describe cases of pulmonary tuberculosis.*

*Purpura (haemorrhagic) (rheumatic) (thrombopenic)* 296

*Pustule, malignant* 062

*Pyæmia*

*Specify cause of this condition, whether puerperal, post-abortive, etc., and type of organism, i.e., pneumococcal, streptococcal, etc.*

- of newborn 768·0
  - with immaturity 768·5
- portal 582

*Pyelitis* 600·0

- arising during pregnancy 640
- calculus 602
- puerperal 680

- Pyelocystitis 600·0  
arising during pregnancy 640  
puerperal 680  
Pyelonephritis 600·0  
arising during pregnancy 640  
calculus 602  
puerperal 680  
Pylephlebitis 582  
Pyocystitis 605  
Pyometra 630·1  
Pyonephrosis 600·0  
arising during pregnancy 640  
calculus 602  
puerperal 680  
Pyopneumothorax 518  
subphrenic 576  
Pyorrhœa (alveolaris) (inflammatory) 532·1  
degenerative 532·2  
Pyosalpinx—See Salpingitis  
Pyothorax 518  
Pyrexia puerperal 683

## Q

- Q fever 108  
Quinsy 511

## R

- Rabies 094  
Rachitis acuta 283  
Ranke's primary infiltration, with symptoms 004  
with occupational disease of lung 001  
Rat-bite fever 074·0  
due to *Streptobacillus moniliformis* 064·1  
Raynaud's disease 453·0  
Rectocele  
female 631  
male 578  
Redundant prepuce (congenital) 615  
Regurgitation  
aortic 421·1  
rheumatic 411  
mitral 410  
nonrheumatic 421·0  
tricuspid 412  
nonrheumatic 421·2  
Relapsing fever 071·2  
louse-borne 071·0  
tick-borne 071·1  
*Retained products of conception (with abortion)*  
Specify if septic or toxic.  
secundines (with haemorrhage) complicating delivery 671  
Reticulo-endothelioma 202·1  
Reticulo-endotheliosis 202·1

Patientenrecovery	200-0
Reticulosis	202-1
lymphoid follicular	202-0
malignant	202-1
Retroversion gravid uterus, noted before delivery	648-3
Rh (Rhesus) incompatibility of newborn	770-0
with	
immaturity	770-5
liver disorder	770-2
with immaturity	770-7
nervous affection	770-1
with immaturity	770-6
Rhabdomyoma	227
prostate	610
tongue	210
Rhabdomyosarcoma	197
Rheumatic	
endocarditis (chronic)	414
acute	401-1
fever (active) (acute)	400
myocarditis (chronic)	415
acute	401-2
pancarditis (acute)	401-3
chronic	416
pericarditis	401-0
with effusion or pneumonia	401-0
acute	401-0
chronic	416
valvular disease	
Specify valve.	
Rheumatism	
Avoid use of "rheumatism" unless true rheumatism (acute articular, inflammatory, etc.), is present. If the heart is involved, specify the cardiac condition.	
articular (chronic)	724
acute	400
muscular	726-3
Rhinitis (chronic)	512-1
acute	470
allergic (any cause)	240
Rhinorrhœa spasmodic	240
Rhinoscleroma	138-1
Rickets	
active or current	283
coeliac	280-0
fetal	758-3
late effects	284
renal	594
Rickettsialpox	108
Ringworm	131
Rocky Mountain spotted fever	104
Round worms, infestation by	130-0
Rubella	086
Rubeola	085-0
with pneumonia	085-1
Rupture	
Specify cause of rupture, e.g., ulcer, external injury, etc. If due to violence, state whether accidental, homicidal, or suicidal. Avoid use of "rupture" when signifying hernia.	
appendix	550-1
bile duct	586

*Supraorbital—Continued.*

- bladder 602
- blood vessels 467·2
  - in brain 331
- brain, injury at birth 760·0
  - with immaturity 760·5
- coronary artery 420·1
- Fallopian tube 625
- gallbladder 586
- membrane, premature (with birth injury) 761·0
  - with immaturity 761·5
- urethra (nontraumatic) 609

**S**

Salmonella infection 042·0

- due to food 042·1

**Salpingitis**

*Specify cause and whether acute or chronic. If of gonorrhœal, syphilitic, puerperal, or traumatic origin, state the facts as fully as possible.*

- arising during pregnancy 641
- gonococcal 031
  - puerperal 681

Sandfly fever 096·7

Sapraemia, puerperal 681

Sarcoid of Boeck 138·0

**Sarcoma**

- melanotic 190
  - eye 192
- reticulum cell 200·0

Sarcomatosis, generalized 199

Saturnism E885

Seizid E917

Scaphocephaly 758·2

Scarlatina 050

Scarlet fever 050

- puerperal 681

Schistosomiasis 123·3

- intestinal 123·1
- pulmonary 123·2
- vesical 123·0

Schizophrenia 300·7

- catatonic 300·2
- hebephrenic 300·1
- latent 300·5
- paranoid 300·3
- primary 300·0

Schizophrenic reaction 300·7

- acute 300·4

Schizothymia 300·6

Sciatica 363

- due to displacement of intervertebral disc 735

Sclerema neonatorum 773·0

- with immaturity 773·5

Scleroderma 710·0

**Sclerosis**

*Distinguish between general arteriosclerosis, sclerosis of the brain and sclerosis of the spinal column. For "sclerosis of the brain" specify whether or not cerebral arteriosclerosis is meant.*

- cardiorenal 442

- cerebrovascular 334

*Sclerosis*—Continued

- pulmonary (artery) 420·1
- disseminated 345
- hereditary 357
- lateral (amyotrophic) (spinal) 356·1
- multiple (cerebral) (spinal cord) 345
- renal 594
  - arteriosclerotic 446
  - with hypertensive heart disease 442
- spinal 357
  - ascending 357
  - cord, combined (subacute) 290·1
  - lateral 356·1
  - tuberous 753·1

*Scorbutus* 282

*Serofula* 015

*Scurvy* 282

*Seminoma* 178

*Senility* 794

  with senile dementia 304

*Septicæmia*

*Always state the cause of "septicæmia", "sepsis", "septic fever or infection", and if localized, state the part affected; also the type of organism, i.e., pneumococcus, streptococcus, etc. If a female (age 15-45), state whether or not associated with pregnancy, childbirth, or the puerperium.*

*Bacillus coli* 053·3

meningococcal 057·1

  with meningitis 057·0

  chronic 057·2

of newborn 768·0

  with immaturity 768·5

puerperal 081

umbilicus, of newborn 767·0

  with immaturity 767·5

*Sequelæ of preventive*

immunization or inoculation

  post-immunization jaundice and hepatitis E943

  other complications E944

vaccination

  generalized vaccinia E940

  post-vaccinal encephalitis E941

  other complications of smallpox vaccination E942

*Serum sickness* E951

*Seven-day fever* 074·1

*Shingles* 088

*Shock*

  obstetric, complicating delivery 678

  sudden death after delivery 688·2

*Shooting*

  accidental E919

  homicidal E981

  suicidal E976

*Sigmoiditis*—See *Enteritis*

*Silicosis* (pulmonary) 523·0

  with tuberculosis 001

*Sinus, pilonidal* (rectum) 221

*Sinusitis* (chronic) 513

  acute 471

*Sleeping sickness* (lethargic encephalitis) 082

  African 121·0

*Smallpox* (any form) 084

*Sudoku* 074·0

*Softening of brain*

*Specify cause of this condition, e.g., *traumatic*, etc. This term should not be used to specify *senile dementia* or *general paralysis of the insane*.*

**Sore throat (acute)** 472·0

chronic 512·0

septic 051

streptococcal 051

**Spasm**

cerebral arteries 333

glottis or larynx 517

**Specific**

*Specify the disease. The word "specific" should never be used without further explanation as it may signify syphilis, tuberculosis, gonorrhœa, diphtheria, etc.*

**Spermatoblastoma** 178

**Spermatocele** 617

**Sphenoiditis (chronic)** 513

acute 471

**Spina bifida** 751

**Spinal paralysis**

*Specify cause.*

**Spirochaetosis** 074·1

icterohaemorrhagica 072

**Splenitis** 298·1

**Splenomegaly, splenomegaly**

*Specify cause.*

**Spondylitis** 723·1

ankylosing 722·1

chronic 723·2

deformans 723·1

gonocoecal 032

**Sporotrichosis** 134·4

**Stab (homicidal)** E982

**Staphylococcal generalized infection, pyæmia, or**

*septicæmia* 053·1

**Starvation (not malnutrition)** E933

**Stasis, pulmonary**

*Specify cause.*

**Status**

epilepticus 353·2

lymphaticus 273

thymicus 273

**Stenosis**

*State cause of this condition. Specify whether cancerous, congenital, etc.*

**aortic (valve)** 421·1

rheumatic 411

bronchus 527·2

larynx 517

mitral 410

nourheumatic 421·0

oesophagus 539·1

pulmonary 527·2

valve 421·3

rheumatic 413

**pylorus**

— 1 yr. 756·0

1 yr. + 545

congenital 756·0

trachea 527·2

congenital 759·0

tricuspid 412

nourheumatic 421·2

State of consciousness present 1227

Stroke-Adams disease 433·0

**Stomatitis**

*Specify cause of this condition, e.g., "thrush", etc.*

diphtheritic 055

parasitic 134·3

spirochaetal 070

Stomatomycosis 134·3

**Stone**

bladder 604

common duct 584

kidney 602

Strabismus 384

**Strangulation**

accidental E936

due to birth injury 761·0

    with immaturity 761·5

homicidal E983

intestine 570·3

    with hernia—See Hernia

suicidal E974

umbilical cord 761·0

    with immaturity 761·5

**Streptococcal**

generalized infection, pyæmnia or septicæmia 053·0

sore throat 051

**Stricture**

*State cause of this condition. Specify whether cancerous, congenital, etc.*

anus 578

    congenital 756·1

bile duct 586

    congenital 756·2

gallbladder 586

    congenital 756·2

oesophagus 539·1

    congenital 756·2

pylorus

    — 1 yr. 756·0

    1 yr. + 545

    congenital 756·0

rectum 578

    inflammatory 037

ureter 603

urethra 608

**Stroke** 334

haemorrhagic apoplexy 331

late effects 352

**Struck by**

falling object E910

lightning E935

**Submersion, accidental** E929

Sudden death (cause unknown) 795·2

    during childbirth or the puerperium 688·2

**Suffocation**

*Specify circumstances.*

bedclothes E924

cave-in E925

drowning E929

## *Suffocation—Concluded*

- due to injury at birth 781.0
- with immaturity 761.5
- foreign body E922
- food E921
- mechanical E925
- in bed and cradle E924
- pressure E925
- smoke, conflagration E916
- submersion E929

## *Suicide*

*State means employed.*

- burning E970
- crushing E979
- cutting instrument E977
- drowning E975
- explosive E976
- fire E979
- firearm E976
- hanging E974
- jumping
  - before any moving object or vehicle E979
  - from high place E978
- piercing instrument E977
- poisoning
  - analgesic and soporific substances E970
  - other solid and liquid substances E971
  - gases in domestic use E972
  - other gases E973
- strangulation E974

Sunburn E931

Sunstroke E931

## *Suppression of urinary secretion*

*Specify cause of this condition.*

## *Suppuration*

*Specify cause and site.*

Swamp fever 074.1

Swimmers' cramp E929

Sycosis 713

    parasitic 131

Syncytioma malignum 173

Synovitis (nonoccupational) 741

    gonocoecal 032

    gouty 288

    occupational 742

    tuberculous

*Specify site and whether active or inactive.*

## *Syphilis*

*Be specific in reporting deaths due to syphilis or sequelae thereof. State organ affected. Avoid use of "positive Wassermann or Kahn test", in lieu of "syphilis".*

artery 023

    aortic aneurysm 022

    cerebral 026

central nervous system 026

    cerebral 026

    cerebrospinal 026

    circulatory system 023

    congenital 020.2

        general paresis 020.1

        interstitial keratitis 020.0

*Syphilis*—Concluded

- early 021·4
- primary 021·0
  - extragenital chancre 021·1
  - relapse following treatment 021·3
  - secondary 021·2

*latent*

*Specify whether early latent or late latent.*

- meningo-vascular 026
- neonatorum 020·2
- tertiary 027

**Syringomyelia** 357

**Syringomelocele** 751

## T

**Tabardillo (Mexican typhus)** 103

*Tabes*

*Avoid use of this term, which may refer to "locomotor ataxia" or to the wasting conditions of children.*

- dorsalis 024
- juvenile 020·1
- mesenterica 011

**Taboparesis** 025

- juvenile 020·1

*Tachycardia*

*State cause.*

- paroxysmal 433·1

**Tænia saginata, infestation by** 126

**Tapeworms (infestation)** 126

**Tenosynovitis (nonoccupational)** 741

- gonocoecal 032

- occupational 742

- tuberculous (active) 012·3

- inactive 013·3

**Teratoma (cystic)**

- broad ligament 217

- malignant 175

- ovary 216

- malignant 175

- testis 178

- benign 218

**Tetanus** 061

- puerperal 681

**Tetany, parathyroprival** 271·1

**Tetralogy of Fallot** 754·0

**Therapeutic misadventure**

- anaesthesia E954

- biologicals E953

- drugs E953

- infusion E951

- local applications E952

- surgical treatment E950

- transfusion E951

**Thermic fever** E931

**Thrombocytopenia** 296

**Thrombophlebitis** 464

- intracranial venous sinus 341

- late effects 344

- lower extremity 463

- migrans 466

- portal 582

- puerperal 682

## *Thrombosis*

*Specify whether artery or vein. Avoid use of "thrombosis" unqualified.*

- artery 454
    - cerebral 332
      - late effects 352
    - coronary 420·1
    - mesenteric 570·2
    - pulmonary 465
  - cardiac 420·1
  - cerebral 332
  - coronary 420·1
  - intracranial venous sinus 341
    - late effects 344
    - nonpyrogenic 334
      - late effects 352
  - mesenteric 570·2
  - puerperal 682
  - pulmonary 465
  - vein 466
    - cerebral 332
    - pulmonary 465
- Thrush 134·3
- Thunderbolt E935
- Thyrotoxicosis (with goitre) 252·0
- Tic douloureux 361
- Tonsillitis (acute) 473
  - chronic 510·0
    - with tonsillectomy (and adenoidectomy) 510·1
  - follicular 473
  - parenchymatous 511
  - streptococcal 051
- Tornado E934
- Torticollis 726·2
  - congenital 761·0
    - with immaturity 761·5
- Toxaemia
  - Specify whether the toxæmia originated before or during pregnancy in all cases associated with pregnancy. State whether "albuminuria", "eclampsia", "acute nephritis", etc. Avoid use of the term "toxæmia" unqualified.*
  - antenatal 769·4
    - with immaturity 769·9
  - arising during pregnancy 642·5
  - bacterial 054
  - eclamptic, arising during pregnancy 642·3
  - neonatal disorder, due to maternal 769·0
    - with immaturity 769·5
  - nephritic
    - pre-eclamptic, arising during pregnancy 642·2
    - puerperal 685
  - puerperal 686
  - staphylococcal due to food 049·0
- Toxic goitre 252·0
  - nodular 252·1
- Toxoplasmosis 122·1
- Tracheitis (acute) 474
  - chronic 502·1
- Tracheobronchitis 501
  - acute 500
  - chronic 502·1
    - with emphysema 502·0

Trachoma 095

*Traumatic, transmision*

*Specify nature of injury, how and when incurred—See Accident and Injury.*

Trematode infestation 124·2

Trench

fever 106

foot E932

mouth 070

Trichiniasis 128

Triasmus neonatorum 061

Trypanosomiasis 121·2

African 121·0

South American (Chagas') 121·1

Tubal gestation—See Ectopic gestation

Tubercle, solitary, brain 010

Tuberculid (skin, of any site) 014·3

*Tuberculosis*

*Specify the organ or part of the body affected. If the lungs were involved, state whether due to the occupation of the deceased. State whether disease was "active", "arrested" or "healed". Avoid use of "pulmonary haemorrhage" or "haemoptysis" unqualified.*

adrenal gland 017

*articular*

*Specify site, and whether active or inactive.*

axilla 015

bladder 016

bone (active) 012·3

inactive 013·3

vertebra (active) 012·0

inactive 013·0

central nervous system (any part) 010

disseminated 019·2

lung 002

with occupational disease of lung 001

ear 018·1

bone (active) 012·3

inactive 013·3

skin 014·3

general, generalized 019·2

acute 019·1

lung 002

with occupational disease of lung 001

nonpulmonary 019·0

genito-urinary system (any part) 016

glandular 015

glottis 007

with occupational disease of lung 001

hip (active) 012·1

inactive 013·1

intestinal tract (any part) 011

joint (active) 012·3

hip (active) 012·1

inactive 013·1

inactive 013·3

knee (active) 012·2

inactive 013·2

vertebra (active) 012·0

inactive 013·0

kidney 016

knee (active) 012·2

inactive 013·2

## *Tuberculosis--Concluded*

<b>larynx</b>	<b>007</b>
with occupational disease of lung	001
<b>lung</b>	<b>002</b>
with occupational disease of lung	001
<b>lymph gland or node</b>	<b>015</b>
bronchial, with symptoms	005
mediastinal, with symptoms	005
mesenteric	011
tracheobronchial, with symptoms	005
<b>mastoiditis (active)</b>	<b>012·3</b>
inactive	013·3
<b>mediastinum</b>	<b>007</b>
with occupational disease of lung	001
<b>meninges</b>	<b>010</b>
<b>mesentery</b>	<b>011</b>
<b>miliary</b>	<b>019·2</b>
acute	019·1
lung	002
with occupational disease of lung	001
multiple sites, excluding lung	019·0
<b>brain</b>	<b>010</b>
<b>chronic</b>	<b>019·2</b>
<b>intestine</b>	<b>011</b>
lung	002
<b>nasopharynx</b>	<b>007</b>
with occupational disease of lung	001
<b>nose (septum)</b>	<b>007</b>
with occupational disease of lung	001
<b>peritoneum</b>	<b>011</b>
<b>pharynx</b>	<b>007</b>
with occupational disease of lung	001
<b>pleura</b>	<b>003·0</b>
with occupational disease of lung	001
<b>respiratory</b>	<b>002</b>
with occupational disease of lung	001
<b>sacrum (active)</b>	<b>012·0</b>
inactive	013·0
<b>sinus (any nasal)</b>	<b>007</b>
with occupational disease of lung	001
<b>skin</b>	<b>014·3</b>
primary	014·0
<b>spinal column (active)</b>	<b>012·0</b>
inactive	013·0
<b>suprarenal (capsule) (gland)</b>	<b>017</b>
<b>throat</b>	<b>007</b>
with occupational disease of lung	001
<b>tonsil</b>	<b>007</b>
with occupational disease of lung	001
<b>trachea</b>	<b>007</b>
with occupational disease of lung	001
<b>vertebra (active)</b>	<b>012·0</b>
inactive	013·0

**Tularæmia** 059

## *Tumour*

*Specify the organ or part of the body affected. Avoid use of "tumour", "neoplasm", and "new growth", without the qualifying words "malignant", "nonmalignant", or "benign" (see also Neoplasm).*

<b>fatty</b>	<b>226</b>
<b>giant cell</b>	<b>225</b>
<b>glomus</b>	<b>228</b>
<b>Grawitz's</b>	<b>180</b>

## *Tumour—Concluded*

- Hürthle-cell 194
- islet cell, of pancreas 270
- mixed salivary gland (malignant) 142·0
- Pancoast's 162
  - benign 212
- Twist of bowel, colon, or intestine 570·3
- Typhoid fever 040
- Typhus 107
  - abdominalis 040
  - fever 107
    - endemic 101
    - epidemic 100
    - exanthematic 100
    - flea-borne 101
    - louse-borne 100
    - Mexican 103
      - flea-borne 101
    - mite-borne 105
    - tick-borne 104

## **U**

### *Ulcer*

*Specify cause and site of ulcer.*

- bronchus 527·2
- colon 578
- cornea 381
- duodenum 541·0
  - perforating 541·1
- gastric 540·0
  - perforating 540·1
- gastroduodenal 540·0
  - perforating 540·1
- gastro-intestinal 542·0
  - perforating 542·1
- gastro-oesophageal 540·0
  - perforating 540·1
- oesophagus 539·1
- rodent 191
  - cornea 381
- skin 715
  - with gangrene 455
- stomach 540·0
  - perforating 540·1
- varicose 460

*Ulcus durum* 021·0

*Uncinariasis* 129

*Undulant fever* 044

*Uraemia, uræmic*

*Specify cause. If a female (age 15-45), state whether a complication of pregnancy or childbirth, and in all such cases, where this information is known, state whether the condition arose during pregnancy. When the cause cannot be determined, state "cause unknown".*

- arising during pregnancy 042·1
  - eclamptic 642·3
  - coma or convulsions 592
  - puerperal 685

*Urethritis* 607

*Urticaria* 243

giant 242

*Uterine haemorrhage*

*Specify cause.*

## V

- Vaccinia, generalized following vaccination E940  
Vaginitis 630·2  
Valvular heart disease—See Heart disease  
Varicella 087  
Varicocele 462·0  
Varicose vein 460  
  anus or rectum 461  
  lower extremity 460  
  oesophagus 462·1  
  scrotum 462·0  
  other specified site 462·2  
Variola (major) (minor) 084  
Varix 460  
  aneurysmal 452  
  oesophagus 462·1  
  rectum 461  
Vertigo labyrinthine 395  
Vincent's angina or infection 070  
Violence—See Accident, Homicide, or Suicide  
Vitamin deficiency 286·6  
  A 286·1  
  B 286·2  
    beriberi 280  
    pellagra 281  
  C 286·3  
    scurvy 282  
  D 286·4  
    osteomalacia 285  
    rickets 283  
  E 286·6  
  K 286·6  
    of newborn 771·0  
    with immaturity 771·5  
Volvulus, bowel, colon, or intestine 570·3  
Vomiting pernicious 544·2  
  arising during pregnancy 642·4  
Vulvitis 630·2

## W

- Warts, infectious 696  
Weil's disease 072  
Wen 714·2  
Whitmore's disease 064·3  
Whooping cough 056·0  
  with pneumonia 056·1  
Woolsorters' disease 062  
Worms 130·3  
Wound—See Accident, Homicide, or Suicide

## X

- Xanthomatosis localized to bone or tendons 289·0  
Xerophthalmia, vitamin A deficiency 286·1

## Y

- Yaws 073  
Yellow fever 091

## Z

- Zona 088

## Part II

# DISEASES NOTIFIABLE IN CANADA

---

The main objective of the Physicians' Pocket Reference is to assist the general practitioner in preparing the Medical Certificate of Death. A knowledge of the requirements for reporting notifiable diseases is equally important to the general practitioner.

In Canada the control of communicable infectious diseases is a phase of preventive medicine which is governed by provincial regulations. While some of the major communicable diseases are reportable in all provinces—especially such diseases as diphtheria, scarlet fever, whooping cough, smallpox, etc., most provincial regulations list other diseases dangerous to the public health, which must also be reported. Because of the variations which exist in this respect in the several provinces, the lists of notifiable diseases set forth in the appropriate regulations of each province are reproduced here for convenient reference.

## NOTIFIABLE DISEASES—NEWFOUNDLAND

Anthrax	Puerperal fever
Chickenpox	Rubella
Cholera	Scarlet fever
Diphtheria	Smallpox
Erysipelas	Syphilis
Gonorrhœa	Tuberculosis pulmonary, and nonpulmonary
Leprosy	Tularæmia
Ophthalmia neonatorum	Typhoid and paratyphoid fever
Measles	Typhus fever
Meningitis, meningococcal	Undulant fever
Mumps	Whooping cough
Plague	
Poliomyelitis	

## NOTIFIABLE DISEASES—PRINCE EDWARD ISLAND

Anthrax	Ophthalmia neonatorum, any inflammation of eyes of new born
Chancroid	Paratyphoid fever
Chickenpox	Pneumonia
Diarrhoea and Enteritis under 2 years	Poliomyelitis
Diphtheria	Puerperal septicæmia
Dysentery	Rabies, in man
Gonorrhœa	Scarlet fever
Influenza	Septic sore throat
Lethargic encephalitis	Smallpox
Measles	Syphilis
Measles, German	Tetanus
Meningitis, epidemic	Tuberculosis
Mumps	Typhoid fever
	Whooping cough

## NOTIFIABLE DISEASES—NOVA SCOTIA

Actinomycosis	Measles
Anthrax	Mumps
Botulism	Paratyphoid fever
Cerebrospinal meningitis (epidemic)	Pellagra
Chancroid	Plague
Chickenpox	Pneumonia (a) Acute lobar (b) Bronchial or lobular
Cholera, Asiatic	Poliomyelitis (acute anterior)
Conjunctivitis (acute infectious)	Puerperal septicæmia
Diarrhoea	Rabies
Diphtheria	Rocky Mountain spotted fever
Dysentery (amoebic and bacillary)	Septic sore throat
Encephalitis, lethargic	Scarlet fever
German measles (Rubella or Rotheln)	Smallpox
Glanders	Syphilis
Goitre	Tetanus
Gonorrhœa	Trachoma
Influenza	Trichinosis
Leprosy	Tuberculosis
Malaria	Typhoid fever
Malignant œdema	Typhus fever
Malta fever	Whooping cough
	Yellow fever

## NOTIFIABLE DISEASES—NEW BRUNSWICK

Bubonic plague	Poliomyelitis (acute anterior) (Infantile paralysis)
Cerebro-spinal meningitis (epidemic)	Rabies (whether in man or in a lower animal)
Chickenpox	Scarlet fever
Cholera (Asiatic)	Smallpox
Diphtheria	Tuberculosis
Encephalitis (epidemic or lethargic)	Typhoid fever (any form)
Glanders (in the human)	Typhus fever
Influenza (epidemic)	Venereal diseases
Leprosy	Whooping cough
Measles	Yellow fever
Parotiditis (mumps)	

## NOTIFIABLE DISEASES—QUEBEC

Actinomycosis	132	Paratyphoid fever	041
Amebic dysentery	046	Plague	058
Ankylostomiasis	129	Poliomyelitis and polio- encephalitis, acute	080
Anthrax (Bacillus anthracis) and malignant pustule	062	Psittacosis	096-2
Bacillary dysentery	045	Puerperal septicæmia	681
Cancer	140-199	Rabies	094
Cerebrospinal (mening- ococcal) meningitis	057	Relapsing fever	071
Chickenpox	087	Rocky Mountain spotted fever	104
Cholera	043	Scarlet fever	050
Diphtheria or Croup	055	Septicæmia	053
Encephalitis, infectious (lethargic or epidemic), acute	082	Smallpox or Varioloid	084
Epidemic diarrhoea of the newborn	764	Spirochætosis ictero- haemorrhagica (Weil's disease)	072
Erysipelas	052	Syphilis	020-029
German measles (Rubella)	086	Tetanus	061
Glanders	064-2	Trachoma	095
Gonococcus infection	030-035	Trichinosis	128
Herpes Zoster	088	Tuberculosis (all forms)	001-019
Hydatid disease	125	Tularæmia	059
Influenza	480-483	Typhoid fever	040
Leprosy	060	Typhus fever (all forms)	100-107
Lymphogranulomatosis (Hodgkin's disease)	201	Undulant fever (Brucellosis)	044
Malaria (all forms)	110-117	Venereal diseases (Gonorrhœa and Syphilis excepted)	036-039
Measles	085	Whooping cough	056
Mumps	089	Yellow fever	091
Ophthalmia neonatorum	765		

## NOTIFIABLE DISEASES—ONTARIO

Actinomycosis	Plague
Anthrax	Poliomyelitis
Botulism	Pneumococcosis
Chickenpox	Puerperal septicæmia
Cholera (Asiatic)	Rabies
Diphtheria	Rocky Mountain spotted fever
Dysentery (amœbic and bacillary)	Salmonellosis
Encephalitis, acute	Scarlet fever
Epidemic jaundice	Septic sore throat
Erysipelas	Smallpox
German measles	Syphilis
Glanders	Tetanus
Gonorrhœa	Trachoma
Influenza	Trichinosis
Leprosy	Tuberculosis
Malaria	Tularæmia
Measles	Typhoid fever
Meningitis (Meningococcus)	Typhus fever
Mumps	Undulant fever
Ophthalmia neonatorum	Whooping cough
Paratyphoid fever	Yellow fever

## NOTIFIABLE DISEASES—MANITOBA

Amœbiasis	Ophthalmia neonatorum
Anterior poliomyelitis	Pellagra
Anthrax	Plague
Bacillary dysentery	Pneumonia, pneumonococcal
Botulism	Psittacosis
Cancer	Puerperal septicæmia
Cerebrospinal meningitis (meningococcal)	Rabies
Chickenpox	Rocky Mountain spotted fever
Cholera	Scabies
Diarrhoea and Enteritis under 1 year	Scarlet fever
Diphtheria	Septic sore throat
Encephalitis	Smallpox
Erysipelas	Syphilis
Glanders	Tetanus
Gonorrhœa	Trachoma
Influenza	Tuberculosis
Leprosy	Tularæmia
Malaria	Typhoid fever and Paratyphoid fever
(a) Contracted in Canada	
(b) Contracted outside of Canada	Typhus fever
Measles	Undulant fever
Mumps	Whooping cough

## NOTIFIABLE DISEASES—SASKATCHEWAN

Actinomycosis	Measles (Rubeola or Morbilli)
Anterior poliomyelitis	Meningitis (Meningococcus)
Anthrax	Mumps
Cancer	Ophthalmia neonatorum
Chancroid	Paratyphoid fever
Chickenpox	Pemphigus
Cholera (Asiatic)	Plague (bubonic)
Conjunctivitis (acute infectious)	Puerperal fever
Diarrhoea and enteritis-epidemic (under 1 year)	Rabies
Diphtheria	Rocky Mountain spotted fever (or tick fever)
Diphtheria carrier	Scabies
Dysentery (amœbic)	Scarlet fever
Dysentery (bacillary)	Septic sore throat (epidemic)
Encephalitis infectious	Smallpox
(1) Encephalitis lethargica	Syphilis
(2) Equine encephalo-myelitis (all types)	Tetanus
Erysipelas	Trachoma
Favus	Trench mouth
German measles (Rubella)	Trichinosis
Glanders	Tuberculosis (pulmonary and other forms)
Genorrhœa	Tularæmia
Impetigo contagiosa	Typhoid fever
Influenza	Typhoid carrier
Jaundice (epidemic)	Typhus fever
Leprosy	Vincent's angina
Malaria	Whooping cough
Malta fever (Undulant fever)	Yellow fever

## NOTIFIABLE DISEASES—ALBERTA

Actinomycosis	Pemphigus neonatorum
Anthrax	Plague
Ankylostomiasis	Poliomyelitis (acute)
Cancer	Psittacosis
Carriers of reportable diseases	Puerperal infection
Chickenpox	Rabies
Cholera	Rocky Mountain spotted fever
Conjunctivitis of the newborn	Rubella
Dengue	Scarlet fever (or Scarlatina)
Diphtheria	Septic sore throat
Dysentery (amoebic and bacillary)	Smallpox
Encephalitis	Tetanus
Erysipelas	Trachoma
Favus	Trichinosis
Food infections and intoxications (Salmonellosis, Staphylococcus, Botulism)	Tuberculosis
Glanders	Pulmonary
Impetigo of the new born	Other than pulmonary
Infectious hepatitis	Tularæmia
Infectious mononucleosis	Typhoid fever
Leprosy	Typhus
Malaria	Undulant fever
Malignant œdema	Venereal disease
Measles	Gonorrhœa
Meningococcal meningitis	Syphilis
Mumps	Chancroid
Paratyphoid fever	Weil's disease
	Whooping cough
	Yellow fever

# NOTIFIABLE DISEASES—BRITISH COLUMBIA

Actinomycosis	Plague
Anthrax	Pneumonia:
Botulism	(a) Lobar
Cancer	(b) Bronchial
Cerebrospinal meningitis (epidemic)	Poliomyelitis
Chickpox	Puerperal septicæmia
Cholera, Asiatic	Rabies
Conjunctivitis (acute infectious)	Rocky Mountain spotted fever
Diphtheria	Scarlet fever
Dysentery: (a) Amœbic (b) Bacillary	Septic sore throat
Encephalitis	Smallpox
Erysipelas	Tetanus
German measles	Tick paralysis
Glanders	Trachoma
Influenza (epidemic)	Trichinosis
Leprosy	Tuberculosis
Malaria	Tularæmia
Malignant œdema	Typhoid fever
Measles	Typhus fever
Mumps	Undulant fever
Ophthalmia neonatorum	Venereal disease
Paratyphoid fever	Whooping cough
Pellagra	Yellow fever

Statistics Canada Library  
Bibliothèque Statistique Canada



**1010013104**