

Environment Canada

Environnement Canada

Atmospheric Environment

Environnement atmosphérique

A WEEKLY REVIEW OF CANADIAN CLIMATE

CLIMATIC PERSPECTIVES

OCT 22 1982

THE CANADIAN CLIMATE CENTRE,
ATMOSPHERIC ENVIRONMENT SERVICE,


4905 DUFFERIN ST., DOWNSVIEW, ONTARIO M3H 5T4

Canada

OCTOBER 8, 1982

(Aussi disponible en français)

VOL. 4 NO. 39



WEATHER HIGHLIGHTS FOR THE PERIOD - SEPTEMBER 28 TO OCTOBER 4, 1982

Early snowfall over parts of the Prairies

A major weather system brought earlier than normal snowfall to parts of the Prairies. A few localities in southwestern Saskatchewan set a record snowfall for September of over 30 cm.

Strong winds and heavy rain accompanied a major storm which moved south

of Newfoundland during the weekend. There were reports of local flooding.

Temperatures ranged from 28.2° at Windsor, Ont. to -26.9° at Alert, N.W.T. The weekly rainfall of St. John's, Nfld. was 115.6 mm.

NOTE: The data shown in this publication are based on unverified reports from approximately 225 Canadian and 115 northern United States Synoptic stations.

YUKON AND THE NORTHWEST TERRITORIES

While a stagnant weather system brought above normal temperatures in the southern Yukon, seasonable values persisted in central and northern sections. The precipitation pattern was variable; a few stations in central Yukon received up to 20 mm of rain. Stations north of the Ogilvie mountains recorded 2 to 7 cm of snow. On October 4, there was a rare occurrence of thunder, showers of ice and snow pellets at Whitehorse which covered the ground to a depth of 5 cm; however, this rapidly melted in a few hours.

In the eastern Arctic, new ice was reported to be forming fairly rapidly along the coastlines. Ice conditions continued to be better than normal in the Beaufort sea.

BRITISH COLUMBIA

Relatively dry weather with seasonable temperatures dominated the week in British Columbia. The only exception was the Okanagan-Thompson area where above normal precipitation was record-


2

ed. Fort Nelson reported the first measureable snow of the season on September 28. Agriculture officials reported that combining was about 75 per cent complete in the Peace River area, but was only 15 per cent complete north of this area.

Despite the earlier wet weather in the Okanagan Valley, a good apple crop had emerged in the orchards. An abundant grape crop was also reported; however, the sugar content was low because warm and sunny weather conditions were less than normal.

PRAIRIE PROVINCES

An unsettled weather pattern prevailed across the prairies. Heavy rain accompanied the passage of a major weather system on the 28th and 29th of September. Southern Manitoba recorded rainfall in the 50 mm to 70 mm range. The same weather disturbance brought earlier than normal snowfall to western Saskatchewan, central Manitoba and southern Alberta. A few highways had to be closed to traffic in areas of southwestern Saskatchewan when up to 30 cm



of snow fell. In addition, two Saskatchewan communities received record snowfall amounts for September, North Battleford reported 30.6 cm (previous record: 20.8 cm set in 1901); Nipawin, had 30.8 cm. The inclement weather delayed completion of harvesting about 2 weeks in Saskatchewan.

ONTARIO

Unseasonably mild temperatures with very little precipitation dominated the Ontario weather pattern, except for the northern and northwestern sections where up to 50 mm of rain was recorded. Mainly sunny skies have considerably dried the wet farmlands in southwestern Ontario.

Under fine fall weather, the apple harvest was well underway in southern Ontario. The wet and cool summer resulted in a crop with less than excellent quality.

QUÉBEC

Fine fall weather persisted during the week in Québec. Temperatures were near normal values, and only light precipitation was recorded at some locations. The Provincial Ministry of Agriculture reported that the harvesting was nearly complete. The seasonal total of forest fires amounted to over 1100 fires this year (5-year average: 990).

ATLANTIC PROVINCES

A major storm moving south of Newfoundland during the weekend resulted in strong winds and heavy rainfall in Newfoundland. Winds were clocked at over 120 km/h at Cape Race, Nfld., fishing vessels in the vicinity reported some damage. Ships off the east coast recorded winds in excess of 110 km/h. Local flooding was reported when over 100 mm of rain fell over southeastern Newfoundland.

The poor harvest of potato crop in the Atlantic Provinces has been linked to the unusually prolonged dry and wet spells during the growing season. Vigorous growth of the rutabaga crop has been reported there.

Harvest Ontario 017
TO OCTOBER 1, 1982
Percent Departure from Long-Term Average
Source: AgriStat

JANUARY TO JUNE	JANUARY TO JULY	JANUARY TO AUGUST	JANUARY TO SEPTEMBER	JANUARY TO OCTOBER	JANUARY TO NOVEMBER	JANUARY TO DECEMBER	SEASONAL TOTAL	PERCENT DEPARTURE FROM LONG-TERM AVERAGE	PERCENT OF NORMAL
Redeem	2.86	-0.3	0.018	-0.3	0.4	-0.3	0.0	+0.0	+0.0
Toronto	2.10	-0.6	2.0001	-0.6	2.1	-0.6	2.1	+0.1	+0.3
Whitehorse	0.92	-30.0	0.9001	-30.0	2.0	-30.0	2.0	+0.1	+0.1
Vancouver	2.87	-1.3	2.074	-1.3	2.0	-1.3	2.0	+0.3	+0.3
Edmonton	0.51	-1.1	0.3811	-1.1	0.4	-1.1	0.4	+0.1	+0.1
Calgary	2.53	-1.2	2.2141	-1.2	2.6	-1.2	2.6	+0.1	+0.1
Regina	0.401	-0.1	0.1011	-0.1	0.4	-0.1	0.4	+0.1	+0.1
Winnipeg	2.10	-0.1	2.0001	-0.1	2.1	-0.1	2.1	+0.1	+0.1
Thunder Bay	0.151	-0.1	0.0001	-0.1	0.1	-0.1	0.1	+0.0	+0.0
Windham	2.1	-0.1	2.0001	-0.1	2.1	-0.1	2.1	+0.1	+0.1
Toronto	0.501	-1.1	0.5001	-1.1	0.5	-1.1	0.5	+0.1	+0.1
Ottawa	2.0	-0.1	2.0001	-0.1	2.1	-0.1	2.1	+0.1	+0.1
Montreal	2.00	-1.6	2.0001	-1.6	2.0	-1.6	2.0	+0.1	+0.1
Quebec	0.02	-1.3	0.0001	-1.3	0.1	-1.3	0.1	+0.1	+0.1
Saint John	2.15	-1.3	2.0001	-1.3	2.1	-1.3	2.1	+0.1	+0.1
Victoria	2.701	-0.1	2.0001	-0.1	2.7	-0.1	2.7	+0.1	+0.1
Charlottetown	2.07	-1.2	2.0001	-1.2	2.1	-1.2	2.1	+0.1	+0.1
St. John's	2.801	-1.7	2.0001	-1.7	2.2	-1.7	2.2	+0.1	+0.1

CLIMATIC PERSPECTIVES

Staff


Editor: Yves Durocher
 Assistant Editor: Amir Shabbar
 Technical Staff: Fred Richardson, Andy Radomski
 Graphics and Layout: B. Johnson, J. Rautenberg
 Word Processing: Una Ellis

Correspondents

Terry Mullane, (Ice Forecasting Central)
 H.E. Wahl, (Whitehorse)
 Bill Prusak, (Western Region)
 Fred Luciw, (Central Region)
 Bryan Smith, (Ontario Region)
 Guy Borne (Quebec Region)
 Frank Amirault (Atlantic Region)
 Earl Coatta (Pacific Region)

Telephone Inquiries (416) 667-4711/4906


GROWING DEGREE-DAY SUMMARY TO OCTOBER 2, 1982



STATION	MONTHLY CUMULATIVE TOTAL	MONTHLY DIFF. FROM 1941-70 NORMAL	SEASONAL TOTAL	SEASONAL DIFF. FROM 1941-70 NORMAL	SEASONAL PERCENT OF NORMAL
Whitehorse*	0.0	0.0	820.5	-58.5	93
Penticton	14.5	1.5	1930.5	-41.5	98
Vancouver	13.5	-0.5	1709.0	-39.0	98
Edmonton	8.0	0.0	1470.5	178.5	114
Calgary*	0.0	-8.0	1186.0	-77.0	94
Regina*	0.0	-6.0	1475.5	-73.5	95
Saskatoon*	0.0	-6.0	1421.0	-104.0	93
Winnipeg*	0.0	-8.0	1570.5	-91.5	94
Thunder Bay*	0.0	-6.0	1208.0	-121.0	91
Windsor	25.5	7.5	2283.5	3.5	100
Toronto	13.5	-2.5	1842.0	-137.0	93
Ottawa	11.5	-0.5	1901.5	3.5	100
Montréal	10.0	-5.0	1903.5	-66.5	97
Québec	12.5	2.5	1566.0	-50.0	97
Fredericton	14.0	2.0	1607.5	-21.5	99
Halifax	17.0	3.0	1402.5	-107.5	93
Charlottetown	14.0	2.0	1396.5	-70.5	95
St. John's	9.0	1.0	983.5	-68.5	93


*season ended

HEATING DEGREE-DAY SUMMARY TO OCTOBER 2, 1982




STATION	MONTHLY CUMULATIVE TOTAL	MONTHLY DIFF. FROM 1941-70 NORMAL	SEASONAL TOTAL	SEASONAL DIFF. FROM 1941-70 NORMAL	SEASONAL PERCENT OF NORMAL
Resolute	64.5	8.5	1746.5	104.5	106
Inuvik	45.0	5.0	771.5	-104.5	88
Whitehorse	30.0	2.0	604.0	-32.0	95
Vancouver	12.5	0.5	207.0	6.0	103
Edmonton	18.0	-2.0	340.0	-24.0	93
Calgary	22.5	2.5	411.5	8.5	102
Regina	26.5	6.5	308.5	15.5	105
Winnipeg	26.0	10.0	292.0	42.0	117
Thunder Bay	19.5	-0.5	393.0	51.0	115
Windsor	3.0	-5.0	88.5	5.5	107
Toronto	12.5	2.5	166.0	29.0	121
Ottawa	14.5	0.5	199.0	24.0	114
Montreal	16.0	4.0	195.5	50.5	135
Quebec	13.5	-2.5	276.0	38.0	116
Saint John	15.0	-1.0	296.5	7.5	103
Halifax	9.0	-3.0	185.5	1.5	101
Charlottetown	12.0	-2.0	229.5	21.5	110
St John's	17.0	-1.0	359.0	-32.0	92


TEMPERATURE ANOMALY FORECAST



TEMPERATURE ANOMALY FORECAST FOR OCT 6 1982 TO OCT 21 1982



LOW PRESSURE CENTRE TRAJECTORIES



EXTREMES FOR THE WEEK

	MAXIMUM TEMPERATURE	LOCATION	MINIMUM TEMPERATURE	LOCATION	GREATEST PRECIPITATION	LOCATION
YUKON TERRITORY	16.5	WATSON LAKE	-8.3	BURWASH	18.8	BURWASH
NORTHWEST TERRITORIES	15.9	FORT SMITH	-26.9	ALERT	22.6	NORMAN WELLS
BRITISH COLUMBIA	20.4	NANAIMO	-3.1	DEASE LAKE SMITHERS	73.7	HOPE
ALBERTA	20.6	FORT MCMURRAY	-5.2	EDSON	33.1	VERMILION
SASKATCHEWAN	17.2	ESTEVAN	-6.0	CREE LAKE	74.4	YORKTON
MANITOBA	17.8	FILCT MOUND	-8.2	GILLAM	48.1	NORMAY HOUSE
ONTARIO	28.2	WINDSOR	-3.4	MOOSONEE	46.6	SIOUX LOOKOUT
QUEBEC	22.7	MANIWAKI	-5.4	SCHIEFFERVILLE	50.1	GRINDSTONE ISLAND
NEW BRUNSWICK	20.6	FREDERICTON	-1.3	CHARLO	25.4	FREDERICTON
NOVA SCOTIA	23.8	EDDY POINT	1.2	TRURO	19.4	SYDNEY
PRINCE EDWARD ISLAND	18.5	CHARLOTTETOWN	3.9	CHARLOTTETOWN	47.8	CHARLOTTETOWN
NEWFOUNDLAND	19.8	ST ALBANS	-5.2	CHURCHILL FALLS	115.6	ST JOHNS

TEMPERATURE AND PRECIPITATION DATA FOR THE WEEK ENDING 0600 G.M.T. OCTOBER 5, 1982

Station	Temperature (°C)				Precip. (mm)		
	Average	Departure from Normal	Extreme Maximum	Extreme Minimum	Total	Departure from Normal	
TUKON							
Burwash	1	0	8	-8	18.8	14.9	
Dawson	1	-2	9	-7	5.0	0.4	
Faro	M	X	M	M	M	X	
Komakuk Beach	M	M	-1P	-8P	M	M	
Mayo A	0	-3	10	-7	18.7	14.0	
Shingle Point	M	M	OP	-8P	M	M	
Teslin	M	X	12P	-1P	M	X	
Watson Lake	5	0	17	-2	6.0	-2.0	
Whitehorse	5	0	11	-3	9.2	4.2	
NORTHWEST TERRITORIES							
Cape Parry	M	M	2P	-6P	M	M	
Cape Young	M	M	OP	-13P	M	M	
Clinton Point	M	M	1P	-9P	M	M	
Coppermine	M	M	OP	-13	M	M	
Fort Reliance	3	1	11	-5	1.6	-5.6	
Fort Simpson	3	-1	11	-2	13.6	11.4	
Fort Smith	5	1	16	-2	0.0	-7.7	
Hay River	5	0	13	0	7.6	1.0	
Inuvik	-3	-1	2	-8	2.8	-2.5	
Lady Franklin Point	-6	-2	1	-11	2.4	-0.5	
Nicholson Peninsula	M	M	1P	-6P	M	M	
Norman Wells	0	-2	7	-9	22.6	17.1	
Port Radium	M	X	M	M	M	X	
Robertson Lake	M	X	M	M	M	X	
Tuktoyaktuk	M	M	2P	-4P	M	M	
Yellowknife	3	0	11	-7	2.6	-3.1	
Baker Lake	-3	-1	3	-10	9.0	2.1	
Coral Harbour	-4	-1	1	-11	8.2	2.2	
Ennadai Lake	M	M	M	M	M	M	
Jenny Lind Island	-9	-3	-2	-13	2.4	0.7	
Pelly Bay	M	M	-4P	-11P	M	M	
Rankin Inlet	-1	X	4	-8	2.8	X	
Shepherd Bay	-8	-1	0	-13	7.0	3.6	
Broughton Island	M	M	-5P	-11P	M	M	
Cape Dorset	-3	X	0	-7	12.4	X	
Cape Dyer	M	M	-3P	-10P	M	M	
Cape Hooper	M	M	-4P	-11P	M	M	
Clyde	-7	-3	-1	-13	1.4	-6.2	
Dewar Lakes	M	M	-4P	-15P	M	M	
Frobisher Bay	-4	-3	1	-7	15.3	6.3	
Longstaff Bluff	M	M	-4P	-11P	M	M	
Pond Inlet	-9	X	-3	-15	M	X	
Alert	-23	-6	-11	-27	M	M	
Eureka	-16	1	-8	-22	0.6	-0.5	
Gladman Point	-9	-3	-1	-15	0.0	-4.3	
Hall Beach	M	M	-3P	-11P	M	M	
Mackar Inlet	M	M	-4P	-11P	M	M	
Resolute	-13	-3	-11	-17	0.6	-3.1	
Byron Bay	-10	-5	-5	-19	3.0	-1.0	
Cambridge Bay	-11	-5	-2	-18	M	M	
Mould Bay	-15	-1	-8	-21	2.7	0.9	
Sachs Harbour	-9	-2	-2	-16	8.9	6.0	
BRITISH COLUMBIA							
Abbotsford	11	-2	20	3	22.4	-2.2	
Alert Bay	10	-1	19	4	24.0	-9.1	
Amphitrite Point	11	X	17	7	24.4	X	
Blue River	M	X	M	M	M	X	
Bull Harbour	10	-1	16	4	14.2	-31.8	
Burns Lake	6	X	18	-2	M	X	
Cape Scott	11	-1	14	8	11.4	-29.7	
Cape St James	13	2	19	9	13.5	-12.0	
Clinton	M	X	M	M	M	X	
Comox	11	0	20	4	M	M	
Cranbrook	7	-2	13	-2	8.7	4.9	
Dease Lake	4	-1	12	-3	5.3	-2.9	
Estevan Point	M	M	M	M	M	M	
Ethelda Bay	10	X	17	4	M	X	
Fort Nelson	5	0	15	-3	4.1	-3.7	
Fort St John	7	0	16	-1	0.0	-6.8	
Hope	11	X	20	5	73.7	X	
Kamloops	10	-2	19	1	4.6	0.7	
Langara	M	M	15P	9P	M	M	
Lytton	12	-2	20	3	1.0	-4.3	
Mackenzie	7	X	15	-3	M	X	
McInnes Island	11	0	16	8	16.0	-39.9	
Nanaimo A	12	X	20	3	M	X	
Penticton	11	-1	19	2	0.2	-4.2	
Port Alberni	M	X	M	M	M	X	
Port Hardy	10	-1	16	3	27.8	-11.9	
Prince George	7	-1	15	-2	6.8	-7.3	
Prince Rupert	10	0	15	3	39.7	-23.8	
Puntzi Mountain	M	X	M	M	M	X	
Quesnel	7	-1	16	-1	6.0	-2.5	
Revelstoke	10	0	17	3	8.2	-0.5	
Sandspit	12	1	17	7	8.6	-9.7	

Station	Temperature (°C)				Precip. (mm)	
	Average	Departure from Normal	Extreme Maximum	Extreme Minimum	Total	Departure from Normal
Smithers	6	- 2	16	- 3	2.0	- 9.0
Stewart	9	X	15	3	M	X
Terrace	9	0	17	3	8.2	-20.0
Vancouver	11	- 1	17	4	15.4	- 1.6
Victoria	11	- 1	19	3	2.1	- 8.7
Williams Lake	6	- 3	16	- 2	10.9	4.3
ALBERTA						
Banff	6	- 2	19	- 3	M	M
Calgary	4	- 4	15	- 3	11.2	6.9
Cold Lake	5	- 2	14	- 3	11.8	5.8
Coronation	3	- 4	13	- 5	19.0	14.3
Edmonton Intl	5	- 4	16	- 4	25.9	22.0
Edmonton Namao	6	- 3	16	- 1	5.7	- 0.4
Edson	5	- 2	17	- 5	22.2	13.8
Fort Chipewyan	6	0	17	- 4	M	M
Fort McMurray	7	1	21	- 3	1.0	- 5.7
Grande Prairie	7	0	18	- 2	3.5	- 1.8
High Level	6	- 1	17	- 2	3.9	- 0.3
Jasper	5	- 3	15	- 4	18.6	13.7
Lac La Biche	M	X	M	M	M	X
Lethbridge	6	- 5	17	- 2	20.0	15.0
Medicine Hat	4	- 6	18	- 1	17.5	14.0
Peace River	6	0	17	- 2	6.4	2.0
Red Deer	4	- 4	15	- 4	21.9	16.8
Rocky Mountain House	5	- 3	18	- 5	27.3	22.2
Slave Lake	6	- 1	18	- 2	2.0	- 4.8
Whitecourt	5	- 2	17	- 4	6.7	0.5
SASKATCHEWAN						
Broadview	4	X	16	- 1	40.2	X
Buffalo Narrows	5	- 2	17	- 3	M	M
Collins Bay	2	X	16	- 5	0.0	X
Cree Lake	3	X	15	- 6	0.0	X
Eastend Cypress	M	X	M	M	M	X
Elbow	2	X	15	- 5	M	X
Esteven	5	- 5	17	- 1	26.1	23.5
Hudson Bay	3	- 4	9	- 2	M	M
Kindersley	2	- 7	14	- 4	7.0	1.9
La Ronge	3	- 3	13	- 3	11.3	- 1.9
Meadow Lake	4	X	15	- 4	54.6	X
Moose Jaw	4	- 6	17	- 1	23.0	17.0
Nipawin	2	X	8	- 1	30.8	X
North Battleford	2	- 7	13	- 4	28.4	23.9
Prince Albert	2	- 5	13	- 2	28.9	21.5
Regina	4	- 4	17	0	21.9	17.9
Rockglen	M	X	M	M	M	X
Saskatoon	2	- 6	13	- 4	23.8	18.8
Swift Current	2	- 8	13	- 4	M	M
Uranium City	4	0	15	- 3	0.0	- 5.0
Wynyard	3	X	13	- 2	32.6	X
Yorkton	4	- 4	13	0	74.4	69.0
MANITOBA						
Bissett	7	X	14	- 2	20.3	X
Brandon	6	- 3	16	0	41.9	37.1
Churchill	1	- 1	10	- 7	13.8	5.6
Dnuphin	5	- 4	11	- 3	36.5	30.3
Gillam	2	X	12	- 8	18.6	X
Gimli	6	- 2	13	- 2	34.0	26.6
Grand Rapids	M	X	M	M	M	X
Island Lake	4	X	9	- 1	M	X
Lynn Lake	2	- 2	13	- 6	6.2	- 2.4
Norway House	4	X	9	0	48.1	X
Pilot Mound	6	- 3	18	0	20.6	13.0
Portage	7	- 3	15	- 1	22.1	15.4
The Pas	3	- 4	10	- 4	33.6	24.3
Thompson	2	- 2	12	- 4	27.2	11.5
Winnipeg	7	- 3	15	- 2	22.3	16.3
ONTARIO						
Armstrong	8	2	16	2	M	M
Atikokan	9	2	21	2	41.2	25.8
Barrie	M	X	M	M	M	X
Big Trout Lake	4	- 1	10	- 1	37.0	24.3
Britt	M	X	M	M	M	X
Caribou Island	M	X	M	M	M	X
Earlton	11	3	21	- 1	M	M
Geraldton	8	X	17	0	40.0	X
Gore Bay	13	2	19	6	10.9	- 3.9
Kapuskasing	8	1	21	- 1	46.0	27.4
Kenora	8	- 1	15	3	44.4	36.3
Kingston	14	2	20	5	M	M
Lansdowne	6	0	15	1	39.6	27.4
London	14	2	23	4	0.0	-17.7
Moosonee	8	1	22	- 3	M	M
Mount Forest	14	4	21	2	4.6	-12.0
Muskoka	13	3	23	0	6.4	-12.6
Nagagami	M	X	M	M	M	X
North Bay	12	3	22	3	11.5	- 5.5
Ottawa	12	1	23	2	10.2	- 7.2

Station	Temperature (°C)				Precip. (mm)	
	Average	Departure from Normal	Extreme Maximum	Extreme Minimum	Total	
Petawawa	12	X	25	2	13.6	-
Pickle Lake	7	0	20	1	45.4	3
Red Lake	7	-1	13	2	31.1	2
Simcoe	M	M	25P	8P	M	-
Sioux Lookout	8	0	18	2	46.6	3
Sudbury	12	3	22	3	4.0	-1
Thunder Bay	10	3	20	2	13.2	-
Timmins	10	3	23	-2	12.4	-
Toronto	13	1	23	3	0.2	-1
Trenton	12	0	21	3	0.0	-1
Upsala	M	X	M	M	M	-
Wawa	9	X	17	0	M	-
Wiarton	13	2	24	4	11.0	-
Windsor	17	3	28	9	0.0	-1
QUEBEC						
Bagotville	9	0	19	-4	22.4	-
Baie Comeau	7	-1	14	-4	13.2	-
Blanc Sablon	3	-3	10	-5	3.3	-1
Border	M	M	M	M	M	-
Chevrey	M	X	M	M	M	-
Chibougamau	8	X	17	0	15.8	-
Gaspé	7	X	22	-4	10.4	-
Grindstone Island	10	0	15	5	50.1	2
Inukjuak	1	-2	5	-3	24.8	1
Kuujjuaq	0	-3	8	-4	2.8	-
Lac Eon	M	X	M	M	M	-
Grande Riviere	5	X	15	-3	27.0	-
Maniwaki	10	1	23	1	19.2	-
Matagami	9	X	16	-2	M	-
Mont-Joli	8	-1	18	-3	19.9	-
Montréal	12	0	22	4	13.3	-
Natashquan	4	-3	12	-4	11.2	-
Nitchequon	4	0	12	-3	20.4	-
Parent	M	X	M	M	M	-
Port Menier	M	M	M	M	M	-
Poste-de-la-Baleine	5	0	10	1	31.4	1
Québec	11	1	21	3	10.2	-1
Rivière du Loup	M	M	M	M	M	-
Roberval	9	1	19	-3	13.2	-
Schefferville	0	-3	10	-5	24.3	-
Sept-Îles	6	-1	14	-3	4.8	-1
Sherbrooke	11	2	20	-1	10.0	-
Ste Agathe des Monts	10	1	20	-1	17.0	-
Val D'Or	11	3	22	2	12.4	-
NEW BRUNSWICK						
Charlo	9	0	20	-1	24.8	-
Chatham	11	1	21	2	19.0	-
Fredericton	11	0	21	2	25.4	-
Moncton	10	0	19	2	19.6	-
Saint John	10	0	18	2	6.4	-
St Stephen	M	X	M	M	M	-
NOVA SCOTIA						
Amherst	M	X	M	M	M	-
Eddy Point	13	X	24	6	5.6	-
Greenwood	12	0	20	2	6.4	-
Sable Island	15	1	21	11	18.9	-
Shearwater	13	0	21	4	1.6	-
Shelburne	13	X	21	3	6.7	-
Sydney	12	0	22	3	19.4	-
Truro	12	1	18	1	6.6	-
Yarmouth	12	0	19	4	13.4	-
PRINCE EDWARD ISLAND						
Charlottetown	11	-1	19	4	47.8	-
East Point	M	X	M	M	M	-
Summerside	12	0	18	5	42.8	-
NEWFOUNDLAND						
Argentia	9	X	15	3	35.8	-
Badger	M	X	M	M	M	-
Bonavista	8	-2	14	4	98.6	-
Burgeo	9	0	17	3	53.8	-
Cape Race	M	X	6P	-2P	M	-
Comfort Cove	6	-2	14	-1	58.8	-
Daniel's Harbour	6	-3	12	-1	38.6	-
Deer Lake	6	-1	14	-3	55.2	-
Gander	6	-3	15	0	71.0	-
Port aux Basques	9	0	16	3	102.9	-
St Albans	9	0	19	1	M	-
St Anthony	3	X	13	-2	11.8	-
St John's	8	-2	17	2	115.6	-
St Lawrence	10	0	17	2	47.5	-
Stephenville	8	-2	15	0	59.4	-
Battle Harbour	3	-4	9	-2	1.0	-
Cartwright	3	-3	11	-2	1.6	-
Churchill Falls	1	-1	10	-5	15.2	-
Goose	3	-3	15	-4	10.5	-
Hopedale	2	-3	11	-3	0.0	-
Wabush Lake	3	0	11	-3	20.3	-

P = extreme value based on less than 7 days

X = no normal due to short period

M = not available at press time