


22-002
no. 10
1943
Aug. 3
c. 1

C.E. No. 14
1943

Authority of the Hon. James A. MacKinnon, M.P.,
Minister of Trade and Commerce
DOMINION BUREAU OF STATISTICS - CANADA
AGRICULTURAL BRANCH



Dominion Statistician:
Chief, Agricultural Branch:
Statistician, Agricultural Branch:

S. A. Cudmore, M.A. (Oxon.), F.S.S., F.R.S.C.
C. F. Wilson, Ph.D.
J. McAnsh.

TELEGRAPHIC CROP REPORT

Ottawa, August 3, 1943, 3 p.m.- The eleventh of a series of 18 weekly telegraphic reports covering crop conditions in the Prairie Provinces is issued today by the Dominion Bureau of Statistics. Fifty-eight correspondents, most of them agriculturists of the Dominion and Provincial Departments of Agriculture, but including selected private observers and grain men, supply the information on which these reports are based. The Meteorological Service of Canada, Toronto, supplies official weather data.

SUMMARY

Harvesting operations have commenced in western Canada. Cutting of oats and barley is under way in Manitoba and the harvest is expected to be general in a week or ten days. Only a little early barley has been cut in Saskatchewan while none of the spring sown grains appears to have been cut in Alberta.

Further deterioration of crops took place in Saskatchewan and Alberta as the result of high temperatures, hot winds, and insufficient rainfall. The late crops in Manitoba are also showing the effects of moisture deficiency. Destructive hail storms took a toll in Saskatchewan and in some parts of Manitoba and some of the best wheat crops in Saskatchewan were destroyed or heavily damaged.

Drought-stricken south-eastern Alberta took a further beating, but crop conditions in other sections of Alberta are still fairly promising. The situation in Saskatchewan is more varied than ever and in the south-western sections of the province many fields will not produce a commercial crop. Other important areas of Saskatchewan continue to show promise but a good general rain is badly needed.

Premature ripening of crops is expected to reduce the yields of oats and barley in some sections of the west, while flax prospects in parts of Saskatchewan are now reported to be poor. Rust development on flax was checked by the hot-dry weather.

Corn and sunflower seed crops are reported to be showing improvement in Manitoba while the hay harvest is well advanced. Pastures are still fairly good except in the dry areas of Saskatchewan and Alberta where live stock producers are beginning to worry about feed supplies.

Manitoba

Harvesting of oats and barley has commenced in Manitoba and some wheat will be cut this week but cutting will not be general over the province for a week or ten days. The weather was hot and dry during the past week and crops ripened fast. Rains are now needed to halt deterioration of late sown crops and to assist in the filling process. Premature ripening of coarse grain crops is expected to lower the yield of both oats and barley.

Improvement is noted in the condition of corn and sunflower crops compared with a week ago, while the dry weather held rust development in check. Flax crops had shown a considerable amount of rust infection but recent weather conditions have not favoured its spread.

Haying is well advanced and pastures continue to look healthy. Some further hail damage was reported from a number of points with individual losses as high as 80 per cent in the Dauphin area. Good rains fell in that area over the week end and brought aid to gardens and late grain crops.

Saskatchewan

Continued hot and generally dry weather in Saskatchewan has advanced the harvesting date and some early barley is already in stock. Hot winds accompanied the high temperatures of the past week and hastened the maturity of grains, while destructive hail storms took a heavy toll in some areas and destroyed some of the best wheat crops in the province.

Conditions in the south-western areas showed further rapid deterioration and it is now believed that in the northern parts of this area many fields are now incapable of returning a commercial crop. Stubble and summerfallow alike took heavy punishment.

The outlook continues promising in south-eastern areas, along the Regina-Weyburn line, and over the south-easterly portion of south-central Saskatchewan. More variation is noted in east-central districts although crops there have stood up fairly well except in spots where it is very dry in crop district 5A. Weather conditions during the balance of the season can still have an important bearing on the outcome and if rains are received now prospects will improve.

Prospects are still generally good in the north-eastern areas of the province and some improvement is noted in the north-central districts following recent rains, but in the area immediately north and west of North Battleford, the crops have lost ground and the outlook in that part of the province is now described as poor to fair, with rain needed badly.

Hot winds caused a serious setback to crops in an area west of Moose Jaw and north of Swift Current, while in the west-central districts crops show great variation. The correspondents at Rosetown and Scott indicate yields below average. The condition of flax in the Scott area is poor while oats and barley are little better. Wheat appears to give the most promise in this district.

Alberta

Crops continue to burn up in the dry areas of south-eastern Alberta, but in central and northern areas the outlook is generally good. High temperatures and hot winds were fairly general during the past week and while weather conditions favoured the development of crops and brought the harvesting date closer, the lack of rain brought about further deterioration in areas deficient in moisture.

From Calgary south through Claresholm, Pincher Creek and Cardston, east to Warner and New Dayton and as far as Foremost, grain crops on the whole have not suffered seriously but in Crop Districts 1, 3 and 5 most of the crops have suffered from drought during the greater part of the summer season and are headed out on very short straw.

Late sown crops of oats and barley are suffering from lack of moisture and so far there is no indication of any cutting of coarse grain. Some rye has been cut but in the Edmonton district all crops are still quite green and stands are heavy. Week end rains in the north-west are reported by the correspondent at Beaverlodge. This moisture was very timely as the moisture situation there was deteriorating rapidly.

Precipitation and Temperatures in the Prairie Provinces 1/

Crop District	Station	Precipitation			Mean Temperatures	
		Week ending	Total	Normal	Week ending 8 a.m. August 2	
		8 a.m. August 2	since April 1	since April 1	Mean	Normal
Manitoba						
1	Pierson	trace	8.36	8.11	64	65
	Waskada	nil	10.90	9.09	68	66
2	Boissevain	trace	10.15	8.07	66	66
	Ninette	nil	11.78	8.62	67	66
	Pilot Mound	nil	10.93	9.42	68	66
3	Portage la Prairie	.25	9.34	8.58	68	65
	Graysville	nil	10.24	9.08	67	66
	Morden	nil	10.74	8.85	70	66
	Morris	nil	7.89	8.57	67	66
	Emerson	nil	7.76	8.20	68	66
4	Winnipeg	.40	11.12	9.76	68	66
6	Sprague	.08	9.01	9.40	64	65
	Pinawa	.66	5.93	7.13	66	64
7	Virden	.03	8.78	7.40	67	63
	Rivers	.15	8.32	8.56	66	63
8	Brandon	.10	8.65	8.64	66	64
	Carberry	nil	10.82	8.56	67	64
	Cypress River	.06	10.11	8.56	68	65
9	Minnedosa	.56	10.57	8.48	65	63
10	Russell	.64	8.30	8.12	63	62
	Birtle	1.02	8.48	8.64	63	62
	Dauphin	.59	11.76	7.49	67	63
13	Swan River	.14	7.26	8.60	63	62
	The Pas	.05	11.12	6.67	64	64
Manitoba Average		.20	9.51	8.44	66	64
Saskatchewan						
1A	Estevan	.04	7.39	8.02	68	64
	Carlyle	nil	5.27 2/	8.69	66	63
1B	Broadview	.42	8.79	7.93	64	62
	Moosomin	.06	7.91	7.31	66	65
2A	Yellow Grass	.56	5.84	7.78	N.R.	65
	Weyburn	.40	6.26	8.20	66	65
	Midale	.01	5.63	8.73	67	65
2B	Moose Jaw	.23	5.94	7.96	68	66
	Regina	.36	5.16	8.06	67	64
	Francis	nil	5.31	6.68	63	64
	Qu'Appelle	.24	7.69	9.48	66	64
	Indian Head	.32	5.63	9.13	65	63
3AN	Chaplin	.06	5.34	8.31	67	64
	Gravelbourg	nil	5.49	6.54	68	65
3AS	Assiniboia	.22	7.63	6.70	N.R.	64
	Ceylon	.20	4.90	9.78	72	66
3BN	Pennant	nil	3.78	8.01	70	65
	Swift Current	trace	5.86	8.12	68	66
	Hughton	.78	5.12	7.21	68	63
3BS	Instow	N.R.	5.78 2/	6.99	N.R.	65
	Shaunavon	.08	4.90	6.90	69	63
	Cadillac	nil	6.00	8.83	67	63
	Val Marie	.24	4.69	7.48	66	65
	Aneroid	.14	5.87	7.94	66	63
4A	Maple Creek	trace	3.97	7.72	70	65
	Consul	nil	6.03	6.39	67	61
4B	Roadene	.06	3.49	7.22	71	63
5A	Leross	N.R.	4.33 2/	8.11	N.R.	62
	Hubbard	.78	4.86	7.98	62	62
	Yorkton	.84	6.11	8.14	65	62
5B	Foam Lake	.46	6.30	7.90	65	61
	Lintlaw	.16	4.04	8.14	62	60
	Kamsack	.42	4.71	7.53	63	63
6A	Davidson	.48	7.91	6.55	71	64
	Dilke	.30	3.32 2/	6.93	N.R.	-
	Nokomis	.36	5.30	5.98	64	62
	Semans	.56	4.66	5.25	68	62
	Strasbourg	1.20	6.05	7.39	64	62
6B	Harris	.30	5.58	7.20	64	63
	Outlook	.48	4.88	5.48	N.R.	63
	Saskatoon	.20	5.83	7.36	64	62
	Elbow	.40	6.12	6.57	N.R.	64
	Dundurn	.38	4.15	7.82	68	63
	Tugaske	.22	6.13	6.56	66	64
7A	Kindersley	.98	5.65	6.63	N.R.	62
7B	Macklin	1.18	6.11	7.76	N.R.	60
	Scott	.76	6.91	7.07	64	61
	Ruthilda	.52	5.38 2/	7.73	N.R.	-
	Biggar	.66	7.06	7.83	66	63

Precipitation and Temperatures in the Prairie Provinces (concluded)

Crop District	Station	Precipitation			Mean Temperatures	
		Week ending 8 a.m. August 2	Total since April 1	Normal since April 1	Week ending 8 a.m. August 2 Mean	Normal
Saskatchewan (concluded)						
8A	Nipawin	.01	4.94	7.67	66	62
8B	Humboldt	.16	4.27	6.61	63	62
	Melfort	.02	5.64	7.76	64	63
9A	Rabbit Lake	.10	8.63	7.77	67	61
	Prince Albert	.07	6.00	7.46	62	63
9B	Waseca	.10	5.95	7.32	60	60
	North Battleford	.07	7.36	7.38	N.R.	65
	Loon Lake	trace	7.18	8.68	61	60
Saskatchewan Average		.30	5.74	7.56	66	63
Alberta						
1	Foremost	nil	3.91	8.86	71	66
	Medicine Hat	.06	2.49	6.68	73	67
	Manyberries	nil	4.26 <u>2/</u>	6.72	70	67
2	Cowley	nil	5.36	8.20	67	60
	Macleod	.06	5.37	7.47	72	64
	Cardston	nil	6.00	10.96	68	62
	Lethbridge	.03	4.62	7.56	70	64
3	Vauxhall	N.R.	2.39 <u>2/</u>	6.35	N.R.	64
	Brooks	.34	3.30	6.47	70	62
	Empress	.06	2.69	7.06	71	66
4	High River	.14	5.69	9.03	64	61
	Vulcan	.04	3.79	7.85	N.R.	-
5	Drumheller	.24	3.84	8.07	69	65
	Hanna	.46	4.04	8.96	64	62
6	Olds	.38	7.46	8.42	63	59
	Calgary	.62	6.72	8.99	66	61
	Three Hills	.44	8.16	7.53	64	60
	Strathmore	.14	5.67	7.85	66	62
	Gleichen	.12	5.08	7.35	66	62
7	Viking	.12	9.06 <u>2/</u>	7.00	62	59
	Sedgewick	.12	8.00	7.66	62	60
	Hardisty	.20	6.96	7.96	N.R.	-
	Coronation	.72	6.30	6.59	63	61
	Hughenden	.58	6.69	7.43	64	62
8	Red Deer	.34	4.73	10.37	63	58
	Lacombe	N.R.	6.82 <u>2/</u>	8.90	N.R.	59
	Wetaskiwin	.06	8.39	8.39	62	60
	Alix	1.34	9.25	8.23	66	61
	Camrose	.06	9.48	8.10	62	61
	Stettler	1.37	9.81	9.24	64	60
9	Jasper	.08	4.14	4.35	62	57
	Springdale	N.R.	5.63 <u>2/</u>	10.43	N.R.	58
10	Vegreville	.10	8.38	9.51	63	60
	Lloydminster	.10	7.55	7.02	N.R.	60
11	Calmar	.10	7.82	9.49	62	60
	Edmonton	.07	9.96	9.09	63	60
12	Edson	.04	11.02	8.66	60	57
13	Glendon	.10	7.59	7.60	63	60
14	Campsie	.12	8.71	9.09	61	60
	Athabaska	.82	6.60	8.10	57	60
15	High Prairie	.26	6.77	7.85	62	59
	Kinuso	N.R.	6.61 <u>2/</u>	7.56	N.R.	60
16	Beaverlodge	1.20	9.15	6.42	63	60
	Fairview	11.00	6.23	5.54	63	60
17	Keg River	.46	5.55	7.70	59	61
	Fort Vermilion	.08	4.13	5.68	62	60
	Fort McMurray	.04	5.35	7.22	60	61
	Fort Smith	1.09	6.35	4.71	58	59
Alberta Average		.29	6.33	7.84	66	61

N.R. No Report. 1/ Source: Meteorological Service of Canada. 2/ Incomplete.

Precipitation and Temperatures in the Prairie Provinces 1/

Drop District	Station	Precipitation			Mean Temperatures	
		Week ending	Total	Normal	Week ending 3 a.m. July 26	
		8 a.m. July 26	since April 1	since April 1	Mean	Normal
Manitoba						
1	Pierson	.04	8.36	7.61	66	66
	Waskada	.14	10.90	8.61	68	66
2	Boissevain	.08	10.15	7.60	67	66
	Winette	.10	11.78	8.19	67	67
	Pilot Mound	.18	10.93	8.92	70	67
3	Portage la Prairie	trace	8.76	8.07	70	65
	Graysville	.02	9.37 2/	8.66	68	67
	Morden	.10	10.74	8.39	71	67
	Morris	nil	7.89	8.06	70	67
	Emerson	.18	7.76	7.66	71	67
4	Winnipeg	.18	10.72	9.14	71	67
6	Sprague	.18	8.93	8.89	66	65
	Pinawa	.90	5.27	6.62	68	65
7	Virden	trace	8.75	7.00	70	64
	Rivers	trace	8.26	8.04	69	64
8	Brandon	.04	8.55	8.10	69	65
	Carberry	nil	10.82	8.04	69	65
	Cypress River	.06	10.05	8.00	68	66
9	Minnedosa	.07	10.01	7.97	67	64
10	Russell	.18	7.66	7.64	67	63
	Birtle	.02	7.46	8.06	68	63
11	Dauphin	1.38	10.13	6.94	70	64
13	Swan River	.14	7.12	8.03	66	63
	The Pas	.56	11.07	6.17	66	65
Manitoba Average		.19	9.24	7.93	68	65
Saskatchewan						
1A	Estevan	.17	7.35	7.57	69	65
	Carlyle	N.R.	5.27 2/	8.21	N.R.	63
1B	Broadview	trace	8.37	7.37	68	64
	Moosomin	.12	7.85	6.85	68	66
2A	Yellow Grass	.02	5.28	7.43	69	65
	Weyburn	.03	5.86	7.80	69	65
	Midale	.06	5.62	8.29	70	65
2B	Moose Jaw	nil	5.71	7.56	71	66
	Regina	.16	4.80	7.60	69	65
	Francis	.26	5.33	6.34	69	64
	Qu'Appelle	.02	7.45	8.94	68	65
	Indian Head	nil	5.31	8.67	67	64
3AN	Chaplin	nil	5.28	7.90	69	65
	Gravelbourg	nil	5.49	6.34	70	65
3AS	Assiniboia	.04	7.41	6.42	70	65
	Ceylon	.04	4.70	9.26	74	66
3EN	Pennant	nil	3.78	7.73	71	65
	Swift Current	nil	5.86	7.65	70	66
	Hughton	trace	4.34	6.84	70	64
3ES	Instow	N.R.	5.78 2/	6.62	N.R.	66
	Shaunavon	.30	4.82	6.55	63	63
	Cadillac	.02	6.00	8.52	72	64
	Val Marie	.04	4.36 2/	7.14	70	66
	Aneroid	.04	5.73	7.55	79	64
4A	Maple Creek	trace	3.97	7.35	72	65
	Consul	.08	6.03	6.13	71	62
4B	Roadene	nil	3.43	6.86	72	64
5A	Leross	.82	4.33	7.66	66	63
	Hubbard	.28	4.08	7.42	64	63
	Yorkton	.27	5.27	7.57	68	62
5B	Foam Lake	.80	5.84	7.36	64	62
	Lintlaw	.40	3.88	7.60	62	61
	Kamsack	.28	4.29	6.91	N.R.	64
6A	Davidson	.02	7.43	6.20	N.R.	64
	Dilke	N.R.	3.02 2/	6.65	N.R.	-
	Nokomis	.14	4.94	5.67	67	64
	Semans	.22	4.10	4.98	68	63
	Strasbourg	.06	4.85	7.03	66	63
6B	Harris	nil	5.28	6.82	68	64
	Outlook	nil	4.40	5.04	70	64
	Saskatoon	.33	5.49	6.80	67	63
	Elbow	nil	5.72	6.25	70	64
	Dundurn	.02	3.67 2/	7.48	68	64
	Tugaske	.02	5.91 2/	6.23	68	65
7A	Mandersley	.12	4.67	6.14	69	63

- 6 -

Precipitation and Temperatures in the Prairie Provinces (concluded)

Crop District	Station	Precipitation			Mean Temperatures	
		Week ending	Total	Normal	Week ending 8 a.m. July 2	
		8 a.m. July 26	since April 1	since April 1	Mean	Normal
Saskatchewan (concluded)						
7B	Macklin	.14	4.93	7.25	67	60
	Scott	.54	6.15	6.57	64	62
	Ruthilda	trace	4.80 <u>2/</u>	7.24	N.R.	-
	Biggar	.18	6.40	7.32	68	63
8A	Nipawin	1.18	4.93	7.34	66	63
8B	Humboldt	.58	4.11	6.18	66	63
	Melfort	.88	5.62	7.14	65	63
9A	Rabbit Lake	.68	7.40 <u>2/</u>	7.22	58	62
	Prince Albert	.87	5.93	7.00	62	64
9B	Waseca	.64	5.85	6.91	64	61
	North Battleford	.93	7.29	6.93	66	66
	Loon Lake	1.18	7.18	8.13	64	61
Saskatchewan Average		.24	5.42	7.13	68	64
Alberta						
1	Foremost	.08	3.91	8.41	74	67
	Medicine Hat	nil	2.43	6.35	75	68
	Manyberries	N.R.	4.26 <u>2/</u>	6.40	N.R.	68
2	Cowley	nil	5.36	7.83	67	60
	Macleod	.06	5.31	7.13	72	65
	Cardston	trace	6.00	10.51	68	63
3	Lethbridge	.28	4.59	7.25	71	65
	Vauxhall	nil	2.39 <u>2/</u>	5.96	68	64
	Brooks	nil	2.96	6.09	72	63
4	Empress	nil	2.63	6.76	74	66
	High River	nil	5.55	8.58	74	61
	Vulcan	nil	3.75	7.54	N.R.	-
5	Drumheller	nil	3.60	7.65	69	66
	Hanna	.12	3.58	8.46	66	63
	Olds	nil	7.08	7.87	62	60
6	Calgary	nil	6.02	8.45	67	62
	Three Hills	nil	7.72	7.05	64	61
	Strathmore	nil	5.53	7.37	65	63
7	Gleichen	.02	4.96	6.89	68	63
	Viking	.54	8.94 <u>2/</u>	6.53	66	60
	Sedgewick	.02	7.88	7.13	64	60
8	Hardisty	nil	6.76	7.42	N.R.	-
	Coronation	trace	5.58	6.21	65	62
	Hughenden	.08	6.11	6.96	66	63
9	Red Deer	.17	4.39	9.75	63	59
	Lacombe	.58	6.82	8.38	66	60
	Wetaskiwin	.48	8.33	7.86	65	61
10	Alix	.46	7.91	7.68	64	61
	Camrose	.28	9.42 <u>2/</u>	7.63	64	61
	Stettler	.10	8.44	8.67	66	60
11	Jasper	.63	4.06	4.06	63	58
	Springdale	.02	5.63 <u>2/</u>	9.75	60	59
	Vegreville	.64	8.28	8.85	65	60
12	Lloydminster	.09	7.45	6.54	67	61
	Calmar	.92	7.72	8.80	62	61
	Edmonton	1.37	9.89	8.39	65	61
13	Edson	.86	10.01 <u>2/</u>	7.94	62	58
	Glendon	1.02	7.49	7.10	64	61
	Campsie	1.02	8.59	8.35	62	60
14	Athabaska	.68	5.78	7.45	60	60
	High Prairie	.30	6.51	7.36	58	59
	Kinuso	nil	6.61	7.08	60	61
15	Beaverlodge	nil	7.47	5.98	60	60
	Fairview	.10	5.87	5.15	59	60
	Keg River	.35	5.09	7.08	58	61
16	Fort Vermilion	.02	2.71 <u>2/</u>	5.24	60	61
	Fort McMurray	.08	5.31	6.57	65	63
	Fort Smith	.51	5.26	4.33	62	60
Alberta Average		.25	6.00	7.35	65	62

N.R. No Report.

1/ Source: Meteorological Service of Canada.

2/ Incomplete.

2. - Condition of Field Crops at July 31, 1943, as compared with July 31, 1942, and with June 30, 1943. (100=long-time average yield per acre)

Province and Crop	July 31		June 30, 1943	Province and Crop	July 31		June 30, 1943
	1942	1943			1942	1943	
<u>Canada</u>	p.c.	p.c.	p.c.	<u>Ontario</u>	p.c.	p.c.	p.c.
Spring wheat 1/	149	111	115	Spring wheat	95	68	68
Oats	111	79	88	Oats	96	65	66
Barley	112	83	89	Barley	94	65	66
Spring rye	109	75	91	Peas	94	71	71
Peas	96	81	82	Beans	91	76	74
Beans	91	79	77	Buckwheat	91	88	87
Buckwheat	94	88	90	Mixed grains	97	69	69
Mixed grains	98	75	76	Flaxseed	95	72	70
Flaxseed	110	71	91	Corn, husking	93	76	77
Corn, husking	91	76	76	Potatoes	93	86	85
Potatoes	98	90	89	Turnips, etc.	93	81	82
Turnips, etc.	94	87	87	Hay and clover	102	99	97
Hay and clover	100	101	100	Fodder corn	91	81	82
Fodder corn	92	81	80	Sugar beets	98	72	77
Sugar beets	99	87	86	Pasture	95	106	106
Pasture	99	104	104	<u>Manitoba</u>			
<u>P. E. Island</u>				Spring wheat 2/	145	148	144
Spring wheat	94	94	93	Oats	103	93	90
Oats	86	99	91	Barley	104	91	87
Barley	89	97	94	Spring rye	100	84	87
Buckwheat	95	92	96	Peas	94	89	86
Mixed grains	89	101	91	Buckwheat	96	87	85
Potatoes	97	98	94	Mixed grains	101	92	89
Turnips, etc.	86	102	97	Flaxseed	95	92	91
Hay and clover	89	92	86	Corn, husking	84	76	74
Fodder corn	100	91	88	Potatoes	100	92	83
Pasture	84	102	86	Turnips, etc.	98	94	85
<u>Nova Scotia</u>				Hay and clover	105	101	95
Spring wheat	89	90	82	Fodder corn	91	87	79
Oats	96	88	86	Sugar beets	95	91	83
Barley	94	84	81	Pasture	106	105	102
Buckwheat	96	93	94	<u>Saskatchewan</u>			
Mixed grains	98	85	81	Spring wheat 2/	147	117	123
Potatoes	99	92	84	Oats	123	79	95
Turnips, etc.	94	88	89	Barley	122	82	94
Hay and clover	97	101	93	Spring rye	112	74	94
Fodder corn	99	91	84	Mixed grains	107	78	91
Pasture	92	101	95	Flaxseed	114	68	92
<u>New Brunswick</u>				Potatoes	104	88	88
Spring wheat	100	95	93	Turnips, etc.	98	85	87
Oats	97	92	92	Hay and clover	107	91	96
Barley	99	93	92	Fodder corn	85	79	89
Beans	96	94	92	Pasture	115	85	98
Buckwheat	97	93	92	<u>Alberta</u>			
Mixed grains	99	95	94	Spring wheat 2/	155	88	90
Potatoes	95	95	90	Oats	112	76	87
Turnips, etc.	97	94	91	Barley	112	78	87
Hay and clover	100	88	89	Spring rye	108	70	86
Fodder corn	99	86	90	Peas	103	89	89
Pasture	97	95	96	Beans	92	89	84
<u>Quebec</u>				Mixed grains	106	86	85
Spring wheat	98	87	85	Flaxseed	109	72	87
Oats	100	81	86	Potatoes	103	87	89
Barley	99	80	84	Turnips, etc.	104	87	91
Spring rye	100	88	94	Hay and clover	106	89	93
Peas	99	80	86	Fodder corn	93	66	76
Beans	98	85	86	Sugar beets	101	90	94
Buckwheat	97	86	94	Pasture	114	85	95
Mixed grains	101	82	87	<u>British Columbia</u>			
Potatoes	100	88	91	Spring wheat	101	95	94
Turnips, etc.	97	87	88	Oats	102	96	94
Hay and clover	97	108	109	Barley	101	94	94
Fodder corn	95	78	71	Spring rye	105	100	98
Pasture	100	111	108	Peas	98	96	95
				Beans	100	101	100
				Mixed grains	100	98	95
				Flaxseed	104	101	100
				Potatoes	94	96	93
				Turnips, etc.	97	93	90
				Hay and clover	104	88	86
				Fodder corn	98	92	88
				Pasture	105	90	96

1/ Includes condition figures for Prairie Provinces based on weather factors.


2/ Condition figures based on weather factors.



1010524862

CONDITION OF SPRING WHEAT IN THE PRAIRIE PROVINCES, BY CROP DISTRICTS


JULY 31, 1943



Dominion Bureau of Statistics

CONDITION OF SPRING WHEAT IN THE PRAIRIE PROVINCES, BY CROP DISTRICTS

JULY 31, 1942



Dominion Bureau of Statistics