

22-002
no. 10
1948
Aug. 24
c. 2

Historical File Copy


No. 20

4 8

DOMINION BUREAU OF STATISTICS
AGRICULTURAL DIVISION
OTTAWA, CANADA

Published by Authority of the Rt. Hon. C. D. Howe, M.P.,
Minister of Trade and Commerce

Dominion Statistician: Herbert Marshall
Director, Agricultural Division: C. V. Parker
Chief, Crop Section: W. D. Porter



TELEGRAPHIC CROP REPORT

Ottawa, August 24, 1948, 3 p.m. - The seventh of a series of eight telegraphic reports covering crop conditions throughout Canada is issued today by the Dominion Bureau of Statistics. Included in this report is the twelfth of a series of thirteen telegraphic reports on crop conditions in the Prairie Provinces. A selected list of crop correspondents chosen from the Dominion and Provincial Departments of Agriculture, private crop observers and grain men supply the information on which these reports are based. The weather data included in this release are furnished by the Meteorological Service of Canada.

SUMMARY

Haying in the Maritime provinces is still under way but is nearing completion in some districts. Some early seeded grains have been cut but much of the crop is green and will likely be cut for hay. The main potato crop in New Brunswick is very promising although some blight damage is in evidence.

Haying in Quebec has been completed in all districts except Gaspé, Abitibi, Temiscamingue and Saguenay. Although the hay crop is not as heavy as it was a year ago it compares favourably with an average year. Harvesting is under way and the outlook is much better than was indicated earlier in the season. Commercial crops look very promising especially potatoes, flax and tobacco. Pastures have been substantially improved by rains during the past two weeks. At the present time the over-all picture indicates a better than average production this year.

The harvesting of a near record crop in southern Ontario has continued under generally favourable weather conditions during the past two weeks. Wheat yields have been well above average and the outturn of spring grains in practically all districts has also been quite satisfactory. Harvesting of a large acreage of flaxseed is proceeding rapidly and indications are that yields will be about the same as last year's. Most late crops have shown excellent progress during the past two weeks but rain is needed in central Ontario and in the Niagara Peninsula to promote normal maturity. In northern Ontario, where harvesting is usually later, cutting of oats and barley was started during the second week of August. Yields in this section of the province are not expected to be as favourable as in southern Ontario but, with the exception of Kenora where crops are quite poor, spring grains are about average.

Favourable weather during the past two weeks has further enhanced crop prospects in the Prairie Provinces. This is particularly true for late-sown crops which are filling well. Wet weather in Manitoba, where much of the grain is ready to harvest, has delayed operations somewhat in many parts of that province. In Saskatchewan harvesting is under way in all districts and fair progress is being made. Crops are late in Alberta but are filling satisfactorily.

Harvesting of spring grains will be general next week. Grasshopper damage is continuing in the affected areas of Alberta and Saskatchewan and sawflies are causing some damage in southern districts of these provinces.

Frequent scattered showers in Manitoba have delayed harvesting during the past two weeks with the result that only fair progress has been made in some areas. South of the C.P.R. main line over half of the cereal crops are cut or swathed with ten to twenty per cent threshed in some districts. Harvesting in most northern sections is getting well under way. Rust may adversely affect yields from late stands of flax. Reports indicate the cereal crop sample is generally of high quality with yields turning out from good to excellent. Sunflower, corn and sugar beets also show promise of an excellent crop. Drier weather is now required to promote ripening and to facilitate harvesting and threshing operations.

Harvesting is under way in all districts of Saskatchewan with about 40 per cent of wheat cut in southern and central areas and averaging about 25 per cent for the province as a whole. Favourable weather for filling during recent weeks has resulted in good to excellent quality of all grains. Harvesting of fall rye is nearing completion with outturns somewhat better than anticipated in most areas. Sawfly and grasshopper damage is quite general over southern, western and central districts and many fields are being swathed to reduce losses. Hail loss has been spotty and mostly confined to southern districts.

Crops in Alberta, though late, are maturing satisfactorily with weather conditions favourable for filling and ripening. Harvesting of spring grains has begun at scattered points and should be general next week. Barring the occurrence of frosts, fair to good yields are anticipated except in the eastern districts of the province where earlier drought damage is still evident. The rye harvest is well advanced with satisfactory outturns reported. Grasshoppers continue to damage cereal crops and flax, and sawfly infestation in early-sown wheat is considerable.

The weather throughout British Columbia has been unsettled with the result that harvesting of both hay and grain has been delayed. Digging of the main potato crop on Vancouver Island has commenced and late blight is reported to be more severe than usual in this district. The harvesting of apricots is now completed and peaches are moving to market in volume.

Maritime Provinces - Haying in the Annapolis Valley of Nova Scotia is nearing completion but in the Nappan area 40 per cent of the hay is still to be harvested. In the latter area recent rains have benefited all crops and pastures have remained excellent especially where well fertilized. Some early seeded grains have been cut but over 80 per cent of the crop is just in the early milk stage. Twenty-five per cent of the grain will never ripen and is being cut for hay.

In New Brunswick haying is now about completed in the early sections. The crop was generally stored in good condition but some spoilage, due to frequent rains, is reported. Yields for the most part have been heavy. Harvesting of grain has commenced in early districts and no rust is reported so far. The main potato crop looks very promising and while some blight is in evidence, the damage is not serious.

Quebec - The present outlook indicates that agricultural production in Quebec this year will be generally better than average. Haying has been completed in nearly all districts and harvesting of grain is getting under

way. Commercial crops look very promising and pastures have been revived by recent rains.

Crop conditions at Ste. Anne de la Pocatiere are reported to be very favourable. Rainfall and warm weather are stimulating the growth of hoe crops and improving pastures. The harvesting of spring grains is under way with oat prospects very good and barley good. A good crop of Melba apples is ready to be picked.

Haying is nearly completed throughout the Normandin and Chicoutimi districts. Hot, dry weather in this area is rapidly maturing the grain crops and yield prospects are good. Pastures would benefit from more moisture.

At Lennoxville a fair yield of second crop clover is ready to be cut. The harvesting of grain is fairly general now with early sown crops yielding well. The later sown crops are reported to be badly infested with rust. The corn crop is only fair while root crops are good.

From St. Jean comes the report that the crop situation is about normal in south western Quebec. Haying has been completed with yields considered to be fair. Good yields are in prospect for the early grain crops. Canning tomatoes are being processed and canning corn is progressing favourably. Recent rains have improved pastures. A grasshopper outbreak is causing considerable damage to vegetable crops and control measures are being applied.

Haying has been completed at L'Assomption with the yield and quality good. The harvesting and threshing of grains are nearly completed with the outturn generally good. Silage corn is fair but pastures are poor due to lack of rain. The harvesting of all types of tobacco is under way. The grasshopper outbreak is considered to be serious especially in the case of cigar tobacco.

Ontario - The continuation of generally favourable weather in Ontario has facilitated the harvesting of what appears to be a near-record crop. There has been an unusual concentration of farming activities in the latter part of July and the early part of August this year with haying and harvesting of both fall and spring grains being carried on at the same time on many farms. This was largely the result of the prolongation of the haying season due to intermittent showers and the ripening of spring grains at practically the same time as fall wheat and rye. Yields of fall wheat are expected to average 32 bushels per acre compared with last year's average of 25 bushels per acre, and spring grains are also expected to show substantial gains over last year.

Harvesting of flax has begun and indications are that the yield per acre will be approximately the same as in 1947. The second crop of alfalfa is being cut in southern Ontario. Rains are needed in central Ontario and in the Niagara Peninsula to maintain pasture growth and to ensure the proper maturing of late crops.

A report from the Experimental Station at Harrow states that, although most late crops have shown excellent progress during the past month, maturity has been delayed as the result of heavy rainfall. The harvesting of flue-cured tobacco and canning tomatoes has commenced. In Bruce County farmers are completing one of the best harvests in its history. An exceptionally large acreage of flax is being harvested and a larger than normal acreage is being ploughed for fall wheat.

In the London area fall wheat has averaged between 30 and 40 bushels per acre. Oats are reported to be yielding average or better, and corn is excellent. Soy beans, sugar beets and potatoes are all expected to yield well. Around Galt 75 per cent of the spring grain harvest is completed. Some damage by

hail occurred in the district but the acreage loss was very small. A report from Barrie states that practically all grain is now cut but that less than half is under cover or threshed. Grain yields have been fairly satisfactory although the straw has been short.

The Dominion Entomological Station at Chatham states that insect infestations on tobacco, beans, corn and onions are no more serious than normal and control measures have been undertaken to reduce damage to a minimum. Grasshoppers are causing moderate damage to many crops but crop prospects are still very good. In northern Ontario haying is almost completed and harvesting of spring grains is general. While the outturn is not expected to be as favourable as in the southern part of the province, all districts with the exception of Kenora anticipate average yields.

Manitoba - Only fair progress has been made with harvesting during the past two weeks due to frequent widely scattered showers. South of the Canadian Pacific main line over half of the cereal crops is swathed or cut with 10 to 20 per cent threshed in some districts. Harvesting is getting under way in northern areas. Some fields of flax are ripe with late stands likely to be affected by rust which is quite general. The yields of cereals are good to excellent with the sample running generally above average. Prospects for sunflowers, corn and sugar beets are very promising and pastures are in excellent condition. No serious damage from insects is reported. Dry weather is needed to facilitate progress of harvesting.

In the south-eastern portion of the province harvesting has been delayed by wet weather but cutting is general now with all the rye and approximately one-fifth of other grains cut. Combining is just commencing. Late blight appeared on the potato crop early this week and is spreading rapidly due to humidity. Pastures are good and the second growth of hay is very promising. In the Pilot Mound area, while little grain has been combined or threshed, early fields of wheat have yielded 25 bushels with rye turning out 18, barley 40, oats 35 and flax 10 bushels per acre. Good ripening weather has been experienced during the past week in the south-western section of the province and harvesting is now general. Wheat on fall and spring ploughing is yielding 10 to 15 bushels per acre with summerfallow wheat yielding 20 to 30. Early oat crops are good but heavy stands of Royal flax are badly infested with black rust which may reduce yield as much as 50 per cent.

In the west-central districts around Brandon harvesting is general but has been retarded somewhat by showery weather. Some damage from weathering has already been reported and dry weather will be needed soon to prevent deterioration of grain in swath. Further west at Woodnorth harvesting has also been delayed on account of heavy rains although considerable cutting and swathing has already been completed. No threshing has been done to date. Satisfactory yields are anticipated. In the north-central area around Teulon combining of swathed grain is well under way with yields turning out favourably. Most barley here is yielding from 40 to 60 bushels per acre with wheat turning out from 25 to 40. Weather has been quite favourable although showers have halted operations occasionally.

At Neepawa in the north-western part of the province 55 per cent of cutting and swathing and 5 per cent of combining has been completed. Some threshing has already been reported and, weather permitting, should become general by the end of this week. Our correspondent estimates the average yield for the district as follows: wheat 25 bushels per acre; oats 40; barley 35 and rye 18. There is a large increase in flax acreage in this area. Some flax will be ready

to cut this week although many fields are still green. Stands are excellent and yields of from 10 to 15 bushels per acre are anticipated. Some lodging has occurred especially in barley. The grain sample is excellent with wheat expected to average No. 2 Northern. Some grasshopper damage is indicated. Pasture growth is excellent although intermittent showers have held up haying and harvesting. Potato blight is reported in several areas in the north-west portion of Manitoba. While no extensive damage from insect pests or plant diseases has occurred to any of the principal crops, late blight in potatoes is fairly common throughout the province and grasshoppers have caused slight damage in some areas. A report from the Entomological Laboratory at Brandon states that the grasshopper adult survey shows reduction in grasshopper population varying from 10 to 40 per cent in different parts of the southern Red River Valley apparently due to an outbreak of Empusa Fungus disease. On the whole, however, there is an increase in populations from last year over a considerable area of the province. Average precipitation for the province since April 1 has been 20 per cent above normal as compared with 16 per cent above normal two weeks ago. Mean temperature for the week ending August 23 was 5.9 degrees above normal.

Saskatchewan - Rapid progress has been made in harvesting operations in Saskatchewan which are now general throughout the province. Approximately 25 per cent of the wheat has been cut. Over 40 per cent of the wheat has been harvested in southern districts, also about 25 per cent of the oats and 30 per cent of the barley. Quality of all grains threshed is good to excellent with a high proportion of wheat grading No. 1. Harvesting of fall rye is practically completed and outturns in most areas have exceeded earlier expectations. Sawfly infestation is heavy over parts of southern and central districts and early cutting and swathing are being rushed to reduce losses. Hail losses have been largely restricted to scattered areas in the south.

The Dominion Entomological Laboratory at Saskatoon reports considerable sawfly damage to wheat in central and west-central districts. Caterpillars are prevalent on rape and flax fields from Kamsack to Shellbrook but average damage does not exceed 5 per cent. A heavy and very general aphid infestation over the northern half of the province is causing severe damage to late crops and some reduction in yield of crops now filling.

Late coarse grains have continued to improve in eastern and south-eastern districts. The Fillmore correspondent states that wheat yields will be very variable but prospects are good for at least a 15-bushel average in that area. Wheat swathing is now general and considerable sawfly damage is in evidence. Approximately 60 per cent of the wheat is ready to be cut or combined in the Indian Head district. The sample is of high quality and deliveries are grading No. 1. Yields here are expected to run from 25 to 30 bushels per acre. Farther north in the eastern section coarse grains have shown marked improvement and given a sufficient frost-free period to mature are expected to make an average crop. Some wheat is swathed in the Willowbrook area. Stands are well filled and quality is good.

Yields are extremely variable over central districts running from 2 to 20 bushels of wheat per acre. Sample quality is very good and rapid progress is being made with the harvest.

The Dominion Experimental Station at Swift Current reports that fall rye and winter wheat harvests are completed with the average yield about 10 bushels per acre for both. Spring wheat yields over the south-west show extreme variability by locality. Some fields are expected to go up to 30 bushels

per acre while in some local areas the crop is almost a total failure. Flax fields are suffering appreciable damage from grasshoppers.

Considerable wheat has been swathed in the Melfort area. Our correspondent there estimates average yields as 18 for wheat, 40 for oats and 25 for barley. Excellent grain maturing conditions have been quite general throughout the province and earlier expectations have been fully maintained or improved.

Average precipitation since April 1 has been 13.3 per cent below normal as compared with 18.6 per cent below normal two weeks ago. Mean temperature for the week ending August 23 was 5.6 degrees above normal.

Alberta Warm, dry weather in Alberta during the past two weeks has been favourable for filling and ripening and crops though late, are maturing satisfactorily. Barring the occurrence of frosts, fair to good crop outturns are expected in most districts, although in eastern districts where the effects of earlier drought have not been overcome yields will be considerably lower. Harvesting of spring grains has started at scattered points and should be general next week. The rye harvest is well advanced with satisfactory yields reported. Sawfly damage in early-sown wheat fields ranges from 10 to 75 per cent while late-sown wheat is reported to be uninfested. Grasshoppers continue to damage cereal crops and flax. Severe hail storms were reported from points in central Alberta with spotty local storms occurring elsewhere.

Harvesting is well under way in south-eastern Alberta with favourable weather conditions. In the Manyberries area 40 per cent of the spring wheat crop and most of the winter wheat has been cut. Yields are normal or lower. Further north in the Medicine Hat district wheat is 50 per cent cut while the oat and barley harvest is further advanced. Yield indications are more favourable in this area and grades of wheat are excellent. In the south-west combining of spring wheat has begun. Yields are expected to be above average although along the foothills crops are not too promising owing to very late seeding. The fall rye harvest is well advanced but harvesting of spring grains will not be general for a week to ten days.

In central Alberta harvesting will not get underway for one to two weeks although some cutting of early-seeded fields has been reported. Crops are filling well and warm, dry weather is needed for ripening. Earlier drought in the east-central districts will result in poor yields but elsewhere in central Alberta all grains show good promise. Harvesting of wheat and barley is well under way in the Edmonton district but oats in that area are still green in most fields.

Frost has been reported in north-central Alberta but no damage to crops was indicated. Cutting has started in this district and yields are expected to be below normal. No frost has been reported in the Peace River area. Cutting has begun at some points and should be general by the end of the month. Second growth is expected to hamper straight combining operations. Average precipitation for the province since April 1 has been 12 per cent above normal as compared with 13 per cent above normal two weeks ago. Mean temperature for the week ending August 23 was 1.1 degree above normal.

British Columbia - In British Columbia the weather during the past two weeks has been cool and showery with a few fine days. Harvesting of hay and grain has been delayed by the unsettled weather. Considerable quantities of hay and oats remain to be cut. On Vancouver Island, harvesting of the main potato crop is now under way. Late blight is much worse than usual in this district. In the Okanagan Valley, forage crops and pastures are growing well but the cool, wet weather has delayed maturity of fruit and vegetable crops. Harvesting of apricots is now over and peaches are moving to market in volume.

WEEKLY PRECIPITATION AND TEMPERATURE IN THE PRAIRIE PROVINCES 1948 1/

Crop District and Province	Station	Precipitation			Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m. August 23, 1948	since April 1	since April 1	August 23, 1948 Mean	Normal
<u>MANITOBA</u>						
1	Pierson	Nil	11.24	9.62	68	61
	Melita	.06	12.30 2/	12.37	69	62
	Waskada	N.R.	11.53 2/	10.14	N.R.	62
2	Boissevain	.18	16.15	9.59	67	63
	Ninette	.20	11.77 2/	10.09	N.R.	63
	Pilot Mound	N.R.	16.98 2/	10.80	N.R.	62
3	Portage la Prairie	.30	10.96	9.84	70	61
	Graysville	.46	11.23	10.15	70	62
	Morden	.16	13.70	10.06	69	63
	Morris	.24	8.71	10.00	68	62
	Emerson	.20	13.96	9.57	66	63
4	Winnipeg	.24	10.51	11.33	70	63
6	Sprague	.24	11.95 2/	10.51	67	61
	Pinawa	.12	5.33	8.53	67	59
7	Virden	.96	17.31	8.65	66	60
	Rivers	2.03	14.99	10.07	68	61
8	Brandon	1.04	11.51	10.23	67	61
	Cypress River	.23	9.33	10.09	65	61
9	Minnedosa	.55	11.83	9.95	64	61
	Neepawa	.95	10.56	9.95	67	61
10	Russell	.70	11.75	9.48	64	59
	Birtle	1.26	13.30	10.11	64	59
11	Dauphin	1.90	17.03	8.80	66	60
12	Gimli	.22	9.55	10.52	68	60
13	Swan River	.38	11.22	10.17	64	57
	The Pas	.43	10.64	8.14	65	59
<u>MANITOBA AVERAGE</u>		.54	11.94	9.95	66.9	61
<u>SASKATCHEWAN</u>						
1A	Estevan	N.R.	9.60 2/	9.40	N.R.	61
	Carlyle	.96	9.50	10.05	64	59
1B	Broadview	1.41	8.21	9.09	65	60
	Moosomin	.52	12.36	8.99	66	62
2A	Yellow Grass	.62	8.65	8.77	69	62
	Midale	.02	7.29	9.59	68	62
2B	Moose Jaw	.17	7.17	9.12	70	62
	Regina	.11	7.79	9.22	68	61
	Francis	.26	7.42	7.74	66	62
	Qu'Appelle	.02	7.51	10.84	67	62
	Indian Head	.12	9.44	10.39	67	60
3AS	Assiniboia	.08	7.91	7.40	N.R.	61
	Ceylon	N.R.	6.81 2/	10.95	N.R.	61
3AN	Chaplin	.01	7.03	9.61	66	59
	Gravelbourg	.12	7.66	7.85	68	61
	Coderre	.14	5.11	8.20	N.R.	N.R.
	Bishopric	N.R.	5.74 2/	8.25	N.R.	61
3BS	Instow	N.R.	8.91 2/	8.10	N.R.	61
	Shaunavon	Nil	7.69	7.68	68	59
	Cadillac	.02	8.98 2/	10.02	67	60
	Val Marie	.24	7.98 2/	8.33	66	61
	Aneroid	.04	7.82	9.19	N.R.	60
3BN	Pennant	.12	6.98 2/	8.92	68	62
	Swift Current	.19	8.54	9.41	67	60
	Hughton	N.R.	6.02 2/	8.26	N.R.	60

WEEKLY PRECIPITATION AND TEMPERATURE IN THE PRAIRIE PROVINCES 1948 1/

Crop District and Province	Station	Precipitation			Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m. August 23, 1948	Since April 1	Since April 1	August 23, 1948 Mean	Normal
SASKATCHEWAN						
4A	Maple Creek	N.R.	6.77 2/	8.54	N.R.	62
	Consul	.08	6.81	7.18	66	60
4B	Roadene	.08	6.29	8.26	67	60
5A	Leross	.16	7.24	9.20	65	59
	Lipton	.04	5.51 2/	8.42	64	59
	Yorkton	.35	9.36	9.54	66	59
5B	Dafoe	.31	8.66	8.29	65	56
	Foam Lake	Nil	8.65	9.08	64	58
	Lintlaw	.03	10.32	9.09	61	56
	Kamsack	.01	10.79	8.75	N.R.	58
6A	Davidson	.36	7.63	7.52	66	59
	Dilke	N.R.	3.10 2/	7.85	N.R.	N.R.
	Semans	.10	6.29	5.94	67	59
	Strasbourg	.02	5.76	8.41	66	59
6B	Harris	.82	5.83 2/	8.05	64	60
	Outlook	.86	5.72	6.88	66	59
	Saskatoon	.18	5.75	8.76	65	59
	Elbow	.16	7.06	7.47	65	61
	Dundurn	.62	5.82	8.88	66	60
	Tugaske	.40	4.35	7.48	68	60
7A	Kindersley	.36	4.19	7.91	N.R.	59
	Rosetown	.73	7.11	8.87	N.R.	58
7B	Macklin	Trace	5.59	8.94	62	58
	Scott	.02	6.38	8.35	62	58
	Ruthilda	.24	5.64 2/	9.00	N.R.	N.R.
	Biggar	.15	7.65	9.06	65	60
8A	Nipawin	N.R.	5.18 2/	8.63	N.R.	59
	Hudson Bay Junction	.25	9.21	9.19	64	59
8B	Humboldt	.09	5.96 2/	7.57	N.R.	58
	Melfort	.06	6.14	9.15	61	59
9A	North Battleford	.18	4.94	8.70	64	61
	Rabbit Lake	.08	8.08	9.10	58	58
	Prince Albert	.05	10.37	9.00	63	59
9B	Wesaca	.10	5.85	8.52	60	56
	Island Falls	.67	9.04	9.47	63	59
SASKATCHEWAN AVERAGE		.24	7.51	8.67	65.3	59.7
ALBERTA						
1	Taber	Trace	8.87	8.61	64	N.R.
	Foremost	.06	6.36	10.33	66	64
	Winnifred	Nil	7.19 2/	6.48	N.R.	N.R.
	Medicine Hat	.04	5.11	7.68	68	64
	Manyberries	.04	6.21	7.76	68	64
2	Cowley	Nil	15.79	9.56	58	60
	Macleod	Nil	12.50	8.60	65	62
	Cardston	.20	15.54	12.41	60	60
	Lethbridge	.04	12.05	8.51	64	61
3	Vauxhall	Nil	6.95 2/	7.46	64	61
	Brooks	Nil	10.04	7.40	63	64
	Empress	.08	3.22	7.87	64	62
4	High River	.30	8.96 2/	10.66	57	57
	Vulcan	N.R.	14.31 2/	8.61	N.R.	N.R.
5	Drumheller	.20	7.19	9.41	62	64

WEEKLY PRECIPITATION AND TEMPERATURE IN THE PRAIRIE PROVINCES 1948 ^{1/}


Crop District and Province	Station	Precipitation			Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m. August 23, 1948	since April 1	since April 1	August 23, 1948 Mean	Normal
<u>ALBERTA</u>						
5	Hanna	.44	3.94 2/	10.08	62	60
	Naco	.14	6.15 2/	8.74	64	60
6	Olds	.20	10.99	10.46	58	55
	Calgary	.25	12.86	10.59	60	59
	Three Hills	.06	8.76	8.95	58	57
	Strathmore	.44	6.78 2/	9.31	58	56
	Gleichen	.54	9.74	8.78	60	58
7	Viking	N.R.	3.75 2/	8.65	N.R.	57
	Sedgewick	.08	5.00 2/	9.27	60	57
	Hardisty	.12	7.33 2/	9.11	N.R.	N.R.
	Coronation	.05	7.63	7.59	60	60
	Hughenden	.04	7.40	8.53	60	61
8	Red Deer	.18	12.01	12.37	57	56
	Lacombe	N.R.	9.05 2/	10.46	N.R.	55
	Wetaskiwin	.56	13.61	10.06	61	58
	Camrose	N.R.	9.98 2/	9.44	N.R.	58
	Stettler	.06	6.12	10.55	62	56
9	Jasper	.64	10.51	5.29	54	53
	Rocky Mountain House	1.10	17.67	11.06	56	55
	Springdale	.70	13.93	12.57	53	54
	Vegreville	.17	8.49	11.27	N.R.	56
10	Vermilion	.16	7.14	10.85	58	56
	Lloydminster	.06	9.09	8.11	61	56
11	Edmonton	.27	9.99	10.79	58	59
12	Whitecourt	.08	17.60	11.50	53	56
	Edson	.46	18.71	10.91	53	55
13	Elk Point	.16	6.70 2/	8.91	56	54
14	Campsie	.36	12.81 2/	10.84	54	56
	Athabaska	.26	4.41 2/	9.87	54	56
	Lac La Biche	.80	9.12	9.10	57	56
15	High Prairie	.16	9.29	8.99	56	57
	Wagner	.79	8.85	9.87	56	57
16	Beaverlodge	1.54	11.25	7.45	56	57
	Grand Prairie	.71	12.90	9.03	56	57
	Fairview	.10	10.04	6.78	55	57
17	Fort St. John	.34	8.84	8.65	57	59
ALBERTA AVERAGE		.28	10.43	9.34	59.2	58.1

N.R. No Report

^{1/} Source: Meteorological Service of Canada.

^{2/} Incomplete: not included in average.

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010505455