


82-202



DOES NOT
NE PAS



Statistics of
HOME NURSING SERVICES
(Victorian Order of Nurses for Canada)
1953

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

Statistics of
HOME NURSING SERVICES
(Victorian Order of Nurses for Canada)
1953

Published by Authority of
The Right Honourable C. D. Howe, Minister of Trade and Commerce

9005-517
12-7-54

Price 50 cents

EDMOND CLOUTIER, C.M.G., O.A., D.S.P., Queen's Printer and Controller of Stationery, Ottawa, 1954.

FOREWORD

This report presents a further step in the provision of statistics on health services in Canada. Hospital statistics and statistics on mental and tuberculosis institutions have been published for many years. The Victorian Order of Nurses for Canada has now very kindly agreed to make statistical information from its records available to this Bureau, thus facilitating for the first time a detailed appraisal of the home nursing services provided by the Order. The report does not provide a complete picture of such services in Canada because there are a number of other agencies engaged in home nursing. The Victorian Order of Nurses, however, is the largest and the only national organization of its kind with branches in nine provinces.

This is the second annual report on home nursing services. The steady increase in chronic illness, the increasing attention given to better care for mothers and babies before and after confinement and, last but not least, the growing interest in home care as supplementing hospital services should, it is hoped, make this report a useful contribution to the study of the changing pattern of health services in Canada.

HERBERT MARSHALL

Dominion Statistician

TABLE OF CONTENTS

	Page
Foreword	3
Introduction	7
PART I – SUMMARY	9
PART II – MATERNITY AND NEWBORN	13
Tables:	
1. Number and per cent of cases and visits (maternity) and average visits per case, by age group	15
2. Number and per cent of cases and visits (maternity) and average visits per case, by length of nursing service	16
3. Number and per cent of cases and visits (newborn) and average visits per case	16
PART III – MEDICAL AND SURGICAL	17
Tables:	
4. Number of cases and visits by cause (Special List of 50 Causes)	26
5. Number of cases by cause, sex and age group	28
6. Percentage distribution of cases by cause, sex and age group (All ages for each cause group = 100 per cent)	32
7. Percentage distribution of cases by cause, sex and age group (All causes for each age group = 100 per cent)	34
8. Number of visits by type of visit (nursing care and health instruction) by cause, sex and age group	36
9. Percentage distribution of visits by cause, sex and age group (All ages for each cause group = 100 per cent)	40
10. Percentage distribution of visits by cause, sex and age group (All causes for each age group = 100 per cent)	42
11. Average visits per case by cause, sex and age group during the year 1953	44
12. Ratio of nursing care visits to health instruction visits by cause, sex and age group	46
13. Number of cases by cause, sex and length of nursing service	48
14. Percentage distribution of cases by cause, sex and length of nursing service, (Total for each cause group = 100 per cent)	50
15. Percentage distribution of cases by cause, sex and length of nursing service, (Total for each length of nursing service group = 100 per cent)	52
16. Number of cases by age group, sex and length of nursing service	54
17. Percentage distribution of cases by age group, sex and length of nursing service	54
18. Number and per cent of cases and visits for persons admitted after hospitalization by cause and sex	55
19. Number of cases by cause, sex and occupational status	57
Appendices:	
A – Morbidity Classification for Tables 5 to 19	60
B – Patient's Service Record	61
C – Code Sheet	62

INTRODUCTION

The Victorian Order of Nurses for Canada, referred to in this Report as the Order, is a voluntary non-profit organization established in 1897. It provides a variety of services of which only nursing care and health counseling in the home are dealt with in this Report. Included are services rendered under the home care program carried out in conjunction with the Reddy Memorial Hospital in Montreal.

Services are always rendered under the direction of the patient's physician on a visit basis, and include bedside nursing, prenatal, postnatal and newborn care, and health instruction. The services are designed to meet the needs of patients who cannot or need not go to a hospital, and patients who are awaiting admission to hospital as well as those returning from hospital and still requiring nursing service such as dressings, treatments or other care. Part of the nurse's duties are the demonstration and supervision of nursing care to be carried out by members of the patient's family.

The minimum qualification for the nurses is graduation from a recognized training school. In addition, many have public health training including communicable disease nursing.

On December 31, 1953, the Order had 112 branches in operation with 510 full and part-time nurses. The names of these branches and their location are indicated on the map included in the 1952 report. In addition to the 111 branches operating in 1952, two new branches, Cornerbrook, Nfld., and Hull, Quebec, began operations during 1953, while two others, St. Catharines and Lincoln County branches, amalgamated to form a single branch. Most of them provide service in the urban communities in which they are located, but some give service in rural areas. These communities comprise about 36 per cent of the population of the provinces in which branches are located, that is, all provinces with the exception of Prince Edward Island. In these areas, the services of the Order are available to all residents. An average fee of about \$2.00, varying somewhat in different branches, is charged for nursing care visits to those who are able to pay. No charge is made in the case of medical indigents and for health instruction visits.

The basic source of the material presented in this Report is the Patient's Service Record (Appendix B). This record is completed by the attending nurse and, following discharge of the case, is for-

warded by the branches to the national office of the Order, where the information is coded. The coded data are then supplied to the Dominion Bureau of Statistics for the preparation of reports.

Following is an explanation of certain terms used in this Report:

Cases—are represented by Patient's Service Records. One patient may account for more than one case. At the end of each calendar year all cases are considered as discharged and if further service is to be rendered they are re-opened on the first day of the following year.

If a maternity case develops a medical or surgical condition not related to pregnancy or confinement, and receives nursing services for this condition, or vice versa, these conditions are treated separately and recorded as two cases.

Visits—A single call is always recorded as one visit, even if the individual received general nursing care for a medical or surgical condition and maternity care at the same time. The same applies to a visit where both care and instruction are given.

Classification on Admission—Services are grouped by type of admission as follows:

1. Medical and surgical
2. Well infant
3. Prenatal
4. Postnatal
5. Newborn
6. Health instruction only
7. Health instruction to infants originally admitted as newborn
8. Patient not seen
9. On behalf of patient

Length of Nursing Service—is the period between "date opened" and "date discharged" on the Patient's Service Record, regardless of the number of visits made during that period. "Date opened" may be prior to the beginning of the report year.

- If a mother is admitted as prenatal, the length of nursing service for the newborn is the period from:
- (a) the date of delivery to the date of discharge, when delivered at home with the nurse at delivery, or
 - (b) the date admitted on return from hospital to the date of discharge, when delivered at the hospital.

PART I

SUMMARY

PART I — SUMMARY

Home nursing and health counseling services rendered by the Victorian Order of Nurses for Canada in 1953 are summarized in the table below, which

shows discharged cases with corresponding visits according to the classification on admission (see Introduction, page 7).

Summary of discharged cases and visits, 1953


Type of nursing service (Classification on admission)	Cases	Visits			
		Total	Nursing care	Health instruction	Other
Maternity and Newborn	66,044	207,257	48,838	158,419	—
Medical and Surgical	47,604	609,297	586,762	22,535	—
Other Health Instruction	10,516	71,260 ¹	—	71,260 ¹	—
Other Visits	—	23,600	—	—	23,600
Total	124,164	911,414	635,600	252,214	23,600
Other Services	—	2,542	—	—	2,542

1. Includes 46,590 visits to infants originally admitted for newborn service.

Tables in Parts II and III of this Report are based on diagnosis rather than classification on admission. Thus it was possible to include under the Medical and Surgical group those maternity cases which, due to complications, should be classified

as Medical and Surgical, leaving under the Maternity and Newborn group only cases of normal pregnancy and childbirth. This accounts for the difference between the group totals in the summary above and the tables of the following parts of this Report.


CHART - I



Summary data are shown in percentage form in Chart 1. Although Maternity and Newborn cases predominated, most of the visits were accounted for

by Medical and Surgical cases. This is due to the fact that maternity cases, in general, have fewer visits than medical cases.

CHART - 2



Only visits made during the year 1953 are shown in this Report which, therefore, presents a correct picture of the number of visits, i.e. the volume of services rendered, during that year. On the other hand, the figures of average visits per case (Tables 1, 2, 3 and 11) will not take into account prior visits to those cases which were reopened at the beginning or visits following the cut off at the end of the year.

Of the total 124,164 cases, 66,044, or 53.2 per cent, were "Maternity and Newborn" while 47,604 or 38.3 per cent, were "Medical and Surgical". The remaining 8.5 per cent were "Other Health Instruction". There was a decrease of 5,303 cases, or 4.1 per cent over 1952.

In terms of visits, the percentage distribution is different. Of the 911,414 visits, "Medical and Surgical" visits accounted for the largest portion, 66.9 per cent, while "Maternity and Newborn" visits followed with 22.7 per cent. The remaining groups of visits, "Other Health Instruction" and "Other Visits", accounted for 10.4 per cent. "Medical and Surgical" visits, in spite of a decrease in the number of cases, increased by 12,615 or 1.4 per cent, over 1952.

Of the 911,414 visits 69.7 per cent were for nursing care, while 27.7 per cent were for health instruction, and 2.6 per cent were other visits. The proportion of nursing care visits to health instruction visits for "Medical and Surgical" cases was 26 to 1, whereas for "Maternity and Newborn" cases the ratio was 1 to 3. The corresponding ratio for Maternity cases, excluding newborn, was 1 to 7.

"Other Health Instruction" is divided into four groups according to the age of the patient with the following distribution of cases and visits:

Other Health Instruction	Cases	Visits
Infant (a) originally admitted as newborn	23,676 ¹	46,590
(b) other	6,085	15,822
Preschool	1,327	2,522
School	1,223	2,439
Adult	1,881	3,887
Total	10,516	71,260

1. Since these infant cases were originally admitted as newborn, and are counted as "newborn" in the summary table (page 15), they are not included in the total here.

These groups are defined as follows:

"Infants" are those admitted after the first month of life to one year, including those originally admitted as newborn and requiring further service.

"Preschool" are children between the ages of one year to six years who are not attending elementary school. A child under six years attending nursery school or kindergarten is counted as a preschool child.

"School children" are those between the ages of six and fifteen years regardless of whether they are attending elementary or high school. A child under six years attending elementary school or over fifteen years still attending school is counted as a school child.

Individuals not included in these three classes, are classified as "Adults".

The group "Other Visits" consists of visits which cannot be classified as nursing care or health instruction, and includes "Patient not seen" (19,364) and "On behalf of patient" (4,236).

A "Patient not seen" visit is one on which it was impossible to render a service because of the absence of the patient or, in the case of an infant, someone responsible for his care on the initial visit. Only one "not seen" visit to a patient or a family is recorded on the same day, even though several inquiries may be made. When service is being given to several members of a family and some are visited while others are not home, visits are recorded only to those served; no "not seen" visit is recorded. If the nurse, when visiting at a home, tries to see additional patients nearby who are not home, these "not seen" visits are not recorded.

A visit "On behalf of patient" is one whereby the nurse makes contact with an individual other than the patient but on behalf of the patient. A visit made to physicians, social workers, clinic or hospital personnel, etc., would be considered as "On behalf of patient" visit providing the contact made

contributed to the well being of the patient and was significant enough to record on the Patient's Service Record.

The 2,542 visits in the group "Other Services" are not included in the totals shown in the summary because of their different nature. Many visits in this group would require longer periods of time to perform the nursing service as compared with the other nursing service groups. As a result, certain weights are assigned to these visits by the Order for administrative purposes. This accounts for differences in the figures in this Report and the Annual Report of the Victorian Order of Nurses for Canada, 1953. The number of visits for each type of service in this group is as follows:

	Number of visits
1. Operation attended, - visits at which the nurse assists the doctor with an operation in the home	132
2. Delivery attended, - visits at which the nurse is present for the delivery of the baby or placenta	688
3. Interrupted pregnancy attended, - visits at which the nurse is present for the delivery of a non-viable fetus (up to 28 weeks) or fetus incapable of extra-uterine existence	15
4. Hourly appointment, - visits made at an appointed time	1,554
5. False call, - a visit when a maternity case is admitted for delivery but delivery does not take place until later	153

PART II

MATERNITY AND NEWBORN

PART II — MATERNITY AND NEWBORN

Maternity services cover care and supervision of the mother during pregnancy; nursing care and health instruction to the mother and baby on return from hospital; assistance to the doctor at the time of the delivery, if the baby is born at home, and care of both mother and child immediately following birth, with continuing instruction to the mother.

There were 34,053 maternity cases, excluding complications, which accounted for 91,610 visits (Table 1). This shows a decrease of 1,950 normal maternity cases and a corresponding decrease of 1,506 newborn cases (Table 3) over the previous year. The age group 25 to 29 years accounted for most of the cases and visits. There were 10,796 cases and 28,794 visits or 31.7 and 31.4 per cent of their respective totals for all age groups. On the average there were slightly less than 3 visits per case. For each nursing care visit there were about 15 health instruction visits.

Prenatal cases are those maternity cases admitted before confinement, many of which may also receive postnatal care. Postnatal cases are those which were admitted after confinement.


Prenatal visits are those made during the prenatal stage to cases admitted as prenatal. Postnatal visits are those made during the postnatal stage to cases admitted as prenatal, as well as to cases admitted as postnatal. The average number of visits

for cases admitted at the prenatal stage was 4, which is double the average visits of 2 for cases admitted as postnatal.

Visits for postnatal and newborn care or health instruction are counted as two visits on the initial visit and as two visits on the last visit, i.e. as one visit to the mother and one to the newborn. Other visits are counted and recorded as single visits to the newborn unless special instruction or care was necessary for the mother. A similar procedure is applied to visits for twin or other multiple births.

Table 2 shows the number of cases and visits for maternity care by length of nursing service. For 13,320 cases, or 39.1 per cent of the total, the length of nursing service was 1 month and under 3 months (Chart 3). These cases accounted for 32,911 visits, or 35.9 per cent of the total. However, in the length of nursing service group 3 to 12 months, slightly more visits, 34,178 or 37.3 per cent, were made for considerably fewer cases, 7,527 or 22.1 per cent. The length of nursing service group under 1 month accounted for 55.5 per cent of the postnatal cases, but only 8.8 per cent of the prenatal cases. The corresponding percentages of visits for the same length of nursing service group were 51.7 and 3.8 respectively. Because 72.6 per cent of the prenatal cases also received postnatal care, the length of nursing service for some cases extended to twelve months.

CHART - 3



"Newborn" includes all babies admitted during the first four weeks of life. If service is continued after the fourth week, for health instruction purposes, the case is classified as "infant" and included in the group "Other Health Instruction" (see page 11).

The number of newborn cases (Table 3) for which home nursing services were provided was 30,185, accounting for 103,637 visits, or an average of 3.4

visits per case. An additional 2 visits are usually made to infants after the newborn period, which appears under the heading "Other Health Instruction". In the case of multiple births the actual number of newborn infants was recorded.

Discharged maternity and newborn cases and the corresponding visits by classification on admission were distributed as follows:

Type of nursing service (Classification on admission)	Discharged cases	Visits		
		Total	Nursing care	Health instruction
Maternity	35,859	103,620	12,360	91,260
Prenatal	13,032	33,893	4,655	29,238
Postnatal	22,827 ¹	69,727	7,705	62,022
Newborn	30,185 ²	103,637	36,478	67,159

1. Exclusive of 9,467 postnatal cases who also received prenatal care. However, visits for these 9,467 cases are included in the total of 69,727.

2. To 23,676 of these cases 46,590 health instruction visits were made after the newborn period (see page 11).

TABLE 1. Number and per cent of cases and visits (maternity) and average visits per case, by age group

Item	Age									
	All ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	Not stated
Cases										
Number:										
Total	34,053	4	2,003	10,093	10,796	6,808	3,072	769	1	507
Prenatal	12,205	1	874	3,693	3,774	2,340	1,075	261	1	186
Postnatal	21,848	3	1,129	6,400	7,022	4,468	1,997	508	—	321
Per cent:										
Total	100.0	1	5.9	29.6	31.7	20.0	9.0	2.3	1	1.5
Prenatal	100.0	1	7.2	30.3	30.9	19.2	8.8	2.1	1	1.5
Postnatal	100.0	1	5.2	29.3	32.1	20.5	9.1	2.3	—	1.5
Visits										
Number:										
Total	91,610	8	5,430	26,414	28,794	18,726	8,809	2,274	1	1,154
Prenatal	47,686	2	3,175	13,680	14,714	9,654	4,705	1,176	1	579
Postnatal	43,924	6	2,255	12,734	14,080	9,072	4,104	1,098	—	575
Nursing care	5,903	1	360	1,396	1,686	1,383	785	256	—	36
Health instruction	85,707	7	5,070	25,018	27,108	17,343	8,024	2,018	1	1,118
Per cent:										
Total	100.0	1	5.9	28.8	31.4	20.5	9.6	2.5	1	1.3
Prenatal	100.0	1	6.6	28.7	30.9	20.2	9.9	2.5	1	1.2
Postnatal	100.0	1	5.1	29.0	32.1	20.7	9.3	2.5	—	1.3
Nursing care	100.0	1	6.1	23.7	28.6	23.4	13.3	4.3	—	0.6
Health instruction	100.0	1	5.9	29.2	31.6	20.2	9.4	2.4	1	1.3
Average visits per case:										
Total	2.7	2.0	2.7	2.6	2.7	2.7	2.9	3.0	1.0	2.2
Prenatal	3.9	2.0	3.6	3.7	3.9	4.1	4.4	4.5	1.0	3.1
Postnatal	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.2	—	1.8

1. Less than one-tenth of one per cent.

TABLE 2. Number and per cent of cases and visits (maternity) and average visits per case, by length of nursing service

Item	Length of nursing service					
	All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 ¹ months
Cases						
Number:						
Total	34,053	912	1,124	11,166	13,320	7,531
Prenatal	12,265	205	118	755	3,946	7,181
Postnatal	21,848	707	1,006	10,411	9,374	350
Per cent:						
Total	100.0	2.7	3.3	32.8	39.1	22.1
Prenatal	100.0	1.7	1.0	6.2	32.3	58.8
Postnatal	100.0	3.2	4.6	47.7	42.9	1.6
Visits						
Number:						
Total	91,610	907	1,765	21,832	32,911	34,195
Prenatal	47,686	204	201	1,392	12,348	33,541
Postnatal	43,924	703	1,564	20,440	20,563	654
Nursing care	5,903	42	239	1,057	2,732	1,833
Health instruction	85,707	865	1,526	20,775	30,179	32,362
Per cent:						
Total	100.0	1.0	1.9	23.9	35.9	37.3
Prenatal	100.0	0.4	0.4	3.0	25.9	70.3
Postnatal	100.0	1.6	3.6	46.5	46.8	1.5
Nursing care	100.0	0.7	4.1	17.9	46.3	31.0
Health instruction	100.0	1.0	1.8	24.2	35.2	37.8
Average visits per case:						
Total	2.7	1.0	1.6	2.0	2.5	4.5
Prenatal	3.9	1.0	1.7	1.8	3.1	4.7
Postnatal	2.0	1.0	1.6	2.0	2.2	1.9

1. Includes 4 prenatal cases (with 17 visits) for which the length of nursing service extended over one year.

TABLE 3. Number and per cent of cases and visits (newborn) and average visits per case

Item	Sex			
	Both sexes	Male	Female	Not stated
Cases				
Number	30,185	15,559	14,495	131
Per cent	100.0	51.6	48.0	0.4
Visits				
Total	103,637	53,763	49,435	439
Nursing care	36,478	19,202	17,110	166
Health instruction	67,159	34,561	32,325	273
Per cent:				
Total	100.0	51.9	47.7	0.4
Nursing care	100.0	52.6	46.9	0.5
Health instruction	100.0	51.5	48.1	0.4
Average visits per case	3.4	3.5	3.4	3.4

PART III

MEDICAL AND SURGICAL

PART III — MEDICAL AND SURGICAL

Statistics of home nursing services for medical and surgical cases by diagnostic groups have the objective of showing to what extent certain conditions receive home nursing services. They facilitate an analysis of services, but their usefulness as morbidity statistics is limited, primarily because only some cases of certain diseases or injuries receive nursing services, due to selective factors in the utilization of the services such as the geographical distribution of the branches. Also, the condition for which service is rendered is not necessarily the only one from which the patient suffers and may not even be the principal one.

All medical and surgical cases were classified according to the diagnosis stated by the physician under whose direction the nurse worked. These diagnoses, recorded on the Patient's Service Record,

were coded according to the three digit code of the Detailed List of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948.

The classification of causes of illness, used in this Report with the exception of Table 4, is an extension of a short list of eight cause groups used by the Order for administrative purposes. It is shown in Appendix A.

The Special List of 50 Causes for Tabulation of Morbidity for Social Security Purposes has been used for presentation in Table 4. The residual Cause Group C-49 was divided into ten subdivisions in order to show, in the appropriate place, some of the more significant components of this cause group. These subdivisions are shown below.

Cause group	Detailed list number
C-49a Diseases of other endocrine glands	270-277
C-49b Other metabolic diseases	287-289
C-49c Other diseases of blood and blood-forming organs	294-299
C-49d Disorders of character, behaviour and intelligence	320-326
C-49e Other diseases of nervous system	340-369
C-49f Other diseases of heart	430-434
C-49g Diseases of arteries	450-456
C-49h Other diseases of circulatory system	467, 468
C-49i Other diseases of urinary system	600-609
C-49j Symptoms, senility and ill-defined conditions	780-795

If a maternity case develops an illness not related to pregnancy or confinement, and receives nursing services for this illness, the case and visits made for this purpose are recorded and classified as medical and surgical.


The distribution of cases is shown in Tables 5, 6 and 7; the distribution of visits in Tables 8, 9 and 10.

According to Table 5, females accounted for 35,057, or 71.0 per cent of the total number of medical and surgical cases discharged, i.e. more than twice as many as males. In terms of visits (Table 8) this difference is still more pronounced with females accounting for 462,921, or 74.4 per cent of

all visits. These figures do not include maternity or newborn cases included in Part II of this Report. They do, however, include maternity cases with complications. For both sexes 95.5 per cent of the visits were nursing care; the remainder being health instruction. Tables 5 and 8 show that females received more home nursing services than did males for each cause group. For all cause groups together, the ratio of males to females in the number of cases was 1 to 2, while for the number of visits the corresponding ratio was 1 to 3.

The percentage distribution of cases for all causes by age group (Table 6) gives a picture quite different from the distribution of visits by the same breakdown (Table 9). These data are presented in Chart 4.

CHART - 4



From this chart and accompanying tables it will be noted that the 8,958 cases in the age group under 15 years, which amounted to 18.1 per cent of the total, accounted for 28,837, or 4.6 per cent of the total visits. Cases in the age groups 15 to 44 years, 45 to 64 years and 65 years and over, accounted for 9,223 or 18.7; 9,611 or 19.4 and 21,284 or 43.1 per cent respectively of all cases. In terms of visits, on the other hand, these age groups accounted for 12,750 or 12.5; 33,904 or 23.5 and 96,764 or 59.0 per cent of the total respectively for the above age groups. This difference is further emphasized in Table 11 and Chart 7. The average visits per case for children under 15 years of age was 3, while the average for the age group 65 years and over was 16 visits.

Most of the home nursing services are provided to the older age groups, i.e. 45 to 64 and 65 years and over. In these ages, 62.5 per cent of the cases accounted for 82.5 per cent of the total visits, while the remaining (excluding age not stated) 36.8 per cent of the cases accounted for only 17.2 per cent of the visits in the ages under 45 years. Taking both sexes together, 21,284 or 43.1 per cent of all cases, were 65 years of age and over. However, this same age group accounted for 59.0 per cent or more than half of the total visits. Again it must be remembered that only visits made during the year 1953 are shown in this Report.

For most causes, the largest percentage of cases and visits occurred in the age group 45 years and over. For certain causes, however, a large percentage of the cases and visits are found in the younger age groups, i.e. under 45 years. These causes, as

shown in Tables 6 and 9, include "Infective and parasitic diseases", "Rheumatic fever", "Diseases of the respiratory system", "Congenital malformations", "Certain diseases of early infancy" and "Other admissions". The latter classification, "Other admissions", consists mainly of "Special conditions and examinations without sickness".

Chart 5 gives the percentage distribution, by age, of cases for those cause groups with the greatest number of cases, as compiled from Tables 6 and 7. These seven cause groups accounted for 62.9 per cent of the total cases in the medical and surgical group.

The first two of the seven cause groups, "Diseases of the respiratory system" and "Diseases of the digestive system", (together accounting for 26.2 per cent of the total cases) consist of illnesses of short duration but of great frequency. The main respiratory illnesses were influenza, common cold, pneumonia, acute pharyngitis and tonsillitis; while diseases of the gallbladder and bile ducts, enteritis and appendicitis were the most frequently occurring illnesses among the group "Diseases of the digestive system". "Symptoms, senility and ill-defined conditions" came third, which, with "Diseases of the respiratory system", occurred most frequently in the age group under 15 years. The remaining four cause groups with the greatest number of cases occurred in the following order, "Diseases of the heart", "Anaemias", "Malignant neoplasms", and "Diseases of the central nervous system". Most of the cases in these four cause groups occurred in the age group 65 years and over.

CHART - 5

DISTRIBUTION BY AGE GROUP OF CASES FOR SELECTED CAUSES WITH THE GREATEST NUMBER OF CASES




CHART - 6

DISTRIBUTION BY AGE GROUP OF VISITS FOR SELECTED CAUSES WITH THE GREATEST NUMBER OF VISITS





CHART-7



Data from Tables 9 and 10 are presented in Chart 6 to show the percentage distribution, by age, of visits for the seven cause groups with the greatest number of visits. These seven cause groups accounted for 66.7 per cent of the total visits in the medical and surgical group.

Of these, "Diabetes" accounted for the largest percentage of visits (12.2), closely followed by "Anaemias" (11.8). Visits for each of these causes are concentrated in the age group 65 years and over. "Diseases of the heart" (11.2) rank third, with 95.0 per cent of the visits being made to patients 45 years of age and over. "Diseases of the central nervous system" (11.1) come fourth in the volume of visits, followed by "Malignant neoplasms" (8.9), "Arthritis and rheumatism" (5.9) and "Diseases of the circulatory system" (5.6).

Table 11 shows the average visits per case for the report year, by cause, sex and age group, from which Chart 7 is derived.

Cases of "Diabetes" received on the average more visits than any other cause, i.e. approximately 39 visits per case; "Arthritis and rheumatism, excluding Rheumatic fever", follow with 26 visits; "Diseases of the central nervous system" with 24 visits; "Tuberculosis" with 22 visits and "Anaemias" with 21 visits per case. From Chart 7 it will be noted that females have a higher number of average visits per case in the three oldest age groups, and also in the group for all ages. This is also true for most cause groups as shown in Table 11. These averages were calculated from visits made during the year 1953.

The above five cause groups with the highest number of average visits per case also show, according to Table 12, a high ratio of nursing care visits to health instruction visits although their order of rank varies.


A detailed picture of the data in Table 12 with respect to age groups for all causes is given in the table on the left, which shows the ratio of nursing care visits to health instruction visits. There is an almost continuous upward trend in the proportion of nursing care visits to health instruction visits as the age of the patient increases. These data are shown in the table on the left and in Chart 8.

The relationship between cause and length of nursing service (see Introduction, page 7) is shown in Table 13 with the corresponding percentage distribution in Tables 14 and 15. Chart 9 shows the percentage distribution of cases by length of nursing service groups (Table 14). For some cases a long period of nursing service may be considered necessary for social rather than medical reasons.

In the group 1 to 7 days, as indicated in Table 13, females accounted for twice as many cases as males. In relation to the total cases in their respective sex group, as shown in Chart 9, males accounted for proportionately more cases than females. There were 69.4 per cent of the cases receiving nursing services for periods of one month or less, of which the majority were in the 2 to 7 day group.

Age group	Type of visit		Ratio (a) to (b)
	Nursing care (a)	Health instruction (b)	
All ages.....	593,719	28,088	21.1
Under 1 year	5,986	2,321	2.6
1 to 4 years.....	7,742	1,807	4.3
5 to 14 years.....	9,541	1,440	6.6
15 to 24 years.....	11,104	2,210	5.0
25 to 34 years.....	22,286	4,095	5.4
35 to 44 years.....	35,722	2,466	14.5
45 to 54 years.....	48,175	1,783	27.0
55 to 64 years.....	93,192	2,771	33.6
65 to 74 years.....	164,552	4,278	38.5
75 years and over.....	193,341	4,746	40.7
Not stated	2,078	171	12.2


CHART - 8



Tables 16 and 17 give the number and percentage distribution of cases, by age, sex and length of nursing service. These data are summarized in Chart 10.

For the younger age groups, i.e. under 45 years, there are proportionately more cases in the length of nursing service group 1 to 7 days. In the group


CHART - 9



over 30 days there were 15,066 cases or 30.5 per cent of the total. Of these 15,066 cases, 11,622 or 77.1 per cent, were in the two older age groups, 45 to 64 and 65 years and over. Within these age groups

the distribution of cases by length of nursing service varies less than in the younger. Most of the cases 65 years of age and over were treated for illnesses of long duration.

CHART-10



Of all cases, 10,907, or 22.1 per cent, were admitted following discharge from hospital, which group received 171,253 or 28.8 per cent of all visits (Table 18). A post-hospital case is one admitted immediately after discharge from a hospital for the same condition that was treated in the hospital. The three cause groups which accounted for the largest percentage of post-hospital cases, in relation to the

total cases in any one of these cause groups, are shown in the table below. Because of the large proportion of hospital confinements, it is to be expected that a large percentage of complications of pregnancy, childbirth and the puerperium cases will come to the Order from hospital. Neoplasms come next in order of post-hospital cases.

Cause group	Cases		
	Total cases	Post-hospital	
		Number	Per cent
Complications of pregnancy, childbirth and the puerperium.....	1,806	1,377	76.2
Benign neoplasms	223	139	62.3
Malignant neoplasms	2,924	1,753	60.0

Table 19 shows the distribution of cases by cause and occupational status, i.e. whether gainfully occupied or not gainfully occupied. The latter group is sub-divided into (a) under 14 years, (b) retired or voluntarily idle, (c) homemaker or housewife, (d) student, and (e) other. Only a small proportion of the cases were gainfully occupied, i.e. 11.2 per cent; the remainder being classified as not gainfully occupied. "Homemakers or housewives" predominated, accounting for 18,057 or 36.6 per cent of the total cases. Other large groups were "retired or voluntarily idle" with 29.9 per cent, and "under 14 years" with 17.9 per cent of the total cases.

The cause group with the largest number of cases was "Diseases of the respiratory system", which

accounted for 13.9 per cent of all cases. This cause group also accounted for the largest proportion of cases in several of the occupational status groups, viz. "under 14 years" (30.1 per cent), "student" (38.7 per cent) and "gainfully occupied" (19.7 per cent). "Diseases of the digestive system" accounted for 12.0 per cent of all cases in the "homemaker or housewife" group, with "Diseases of the respiratory system" coming second with 10.1 per cent. "Diseases of the heart, excluding rheumatic fever", accounted for 14.1 per cent of the cases in the "retired or voluntarily idle" group, with "Diseases of the digestive system" coming second with 12.9 per cent.

TABLE 4. Number of cases and visits by cause (Special List of 50 Causes)

No.	Cause and detailed list numbers	Total cases	Visits		
			Total	Nursing care	Health instruction
	All causes	49,410	621,807	593,719	28,088
C 1	Tuberculosis of respiratory system (001-003)	386	8,469	8,294	175
C 2	Tuberculosis, other forms (010-019)	149	3,280	3,206	74
C 3	Syphilis and its sequelae (020-029)	42	852	837	15
C 4	Gonococcal infection (030-035)	2	10	10	—
C 5	Dysentery, all forms (045-048)	15	77	71	6
C 6	Other infective diseases commonly arising in intestinal tract (040-044, 049)	19	109	103	6
C 7a	Scarlet fever (050)	160	419	363	56
C 7b	Diphtheria (055)	—	—	—	—
C 7c	Whooping cough (056)	51	152	129	23
C 7d	Measles (085)	285	677	548	129
C 7e	Mumps (089)	135	373	308	65
C 8	Typhus and other rickettsial diseases (100-108)	—	—	—	—
C 9	Malaria (110-117)	2	4	4	—
C10	Diseases due to helminths (123-130)	146	369	294	75
C11	All other diseases classified as infective and parasitic (036-039, 051-054, 057-084, 086-088, 090-096, 120-122, 131-138)	934	4,146	3,711	435
C12	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	2,924	55,082	53,127	1,955
C13	Benign neoplasms and neoplasms of unspecified nature (210-239)	223	1,939	1,845	94
C14	Allergic disorders (240-245)	510	6,416	6,162	254
C15	Diseases of thyroid gland (250-254)	38	659	643	16
C16	Diabetes mellitus (260)	1,939	75,911	74,642	1,269
C49a	Diseases of other endocrine glands (270-277)	37	1,428	1,406	22
C17	Avitaminosis and other deficiency states (280-286)	121	2,150	2,039	111
C49b	Other metabolic diseases (287-289)	28	601	597	4
C18	Anaemias (290-293)	3,494	73,438	72,470	968
C49c	Other diseases of blood and blood-forming organs (294-299)	10	53	47	6
C19	Psychoneuroses and psychoses (300-318)	255	3,911	3,772	139
C49d	Disorders of character, behaviour and intelligence (320-326)	59	462	446	16
C20	Vascular lesions affecting central nervous system (330-334)	1,641	34,320	33,687	633
C49e	Other diseases of nervous system (340-369)	1,711	42,401	41,696	705
C21	Diseases of eye (370-389)	164	1,483	1,403	80
C22	Diseases of ear and mastoid process (390-398)	610	2,525	2,258	267
C23	Rheumatic fever (400-402)	90	826	761	65
C24	Chronic rheumatic heart disease (410-416)	150	3,231	3,150	81

TABLE 4. Number of cases and visits by cause (Special List of 50 Causes) — Concluded

No.	Cause and detailed list numbers	Total cases	Visits		
			Total	Nursing care	Health instruction
C25	Arteriosclerotic and degenerative heart disease (420-422)	1,042	16,840	16,372	468
C49f	Other diseases of heart (430-434)	2,735	49,538	48,203	1,335
C26	Hypertensive disease (440-447)	601	10,790	10,406	384
C49g	Diseases of arteries (450-456)	697	13,788	13,537	251
C27	Diseases of veins (460-466)	425	9,217	8,953	264
C49h	Other diseases of circulatory system (467, 468)	112	676	624	52
C28	Acute nasopharyngitis (common cold) (470)	720	1,585	1,246	339
C29	Acute pharyngitis and tonsillitis, and hypertrophy of tonsils and adenoids (472, 473, 510)	1,020	2,462	2,047	415
C30	Influenza (480-483)	2,027	6,091	5,271	820
C31	Pneumonia (490-493, 763)	1,072	5,847	5,412	435
C32	Bronchitis (500-502)	986	4,101	3,722	379
C33	Silicosis and occupational pulmonary fibrosis (523, 524)....	8	130	121	9
C34	All other respiratory diseases (471, 474, 475, 511-522, 525-527)	1,020	5,299	4,852	447
C35	Diseases of stomach and duodenum, except cancer (540-545)	282	1,787	1,650	137
C36	Appendicitis (550-553)	248	1,257	1,150	107
C37	Hernia of abdominal cavity (560-561)	182	1,384	1,293	91
C38	Diarrhoea and enteritis (571, 764)	302	1,303	1,132	171
C39	Diseases of gallbladder and bile ducts (584-586)	502	3,613	3,362	251
C40	Other diseases of digestive system (530-539, 570, 572-583, 587)	4,561	17,603	15,944	1,659
C41	Nephritis and nephrosis (590-594)	69	800	782	18
C49i	Other diseases of urinary system (600-609)	537	5,381	5,177	204
C42	Diseases of genital organs (610-637)	1,419	10,361	9,631	730
C43b	Complications of pregnancy, childbirth and the puerperium (640-689 - excluding normal deliveries, 660)	1,806	12,010	6,457	5,553
C44	Boil, abscess, cellulitis and other skin infections (690-698)	623	4,039	3,652	387
C45	Other diseases of skin (700-716)	371	4,992	4,746	246
C46	Arthritis and rheumatism, except rheumatic fever (720-727)	1,404	36,898	36,242	656
C47	Diseases of bones and other organs of movement (730-749)	246	4,613	4,471	142
C48	Congenital malformations and diseases peculiar to early infancy (750-762, 765-776)	141	1,698	1,487	211
C49j	Symptoms, senility and ill-defined conditions (780-795) ...	4,948	33,328	31,202	2,126
C50	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999)	2,173	25,273	24,164	1,109
-	Other admissions (Y00-Y88)	801	3,330	2,382	948

TABLE 5. Number of cases by cause, sex and age group

No.	Cause and detailed list numbers	Age		
		All ages	Under 1 year	1-4
	All Causes..... T	49,410	2,504	3,361
	M	14,349	1,357	1,741
	F	35,057	1,147	1,620
	NS	4		
1	Tuberculosis (001-019)..... T	535	1	7
	M	229	—	1
	F	306	1	6
2	Other infective and parasitic diseases (020-138)..... T	1,791	94	454
	M	659	50	198
	F	1,132	44	256
3	Malignant neoplasms (140-205)..... T	2,924	1	9
	M	911	1	6
	F	2,013	—	3
4	Benign neoplasms (210-239)..... T	223	8	4
	M	49	1	2
	F	174	7	2
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289). T	734	21	44
	M	230	13	31
	F	503	8	13
	NS	1		
6	Diabetes (260)..... T	1,939	—	6
	M	401	—	3
	F	1,538	—	3
7	Anaemias (290-293)..... T	3,494	8	6
	M	485	6	5
	F	3,008	2	1
	NS	1		
8	Other diseases of the blood and blood-forming organs (294-299)..... T	10	—	2
	M	3	—	1
	F	7	—	1
9	Mental, psychoneurotic and personality disorders (300-326)..... T	314	1	3
	M	53	1	1
	F	261	—	2
10	Diseases of the central nervous system and sense organs (330-352).... T	2,834	1	4
	M	889	1	1
	F	1,943	—	3
	NS	2		
11	Other diseases of the central nervous system and sense organs (353-398). T	1,292	93	225
	M	416	52	118
	F	876	41	107
12	Rheumatic fever (400-402)..... T	90	—	3
	M	30	—	1
	F	60	—	2

TABLE 5. Number of cases by cause, sex and age group

Age									No.
5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	Not stated	
3,993 1,508 1,587	2,073 415 1,658	3,605 476 3,129	3,545 627 2,918	3,804 844 2,960	5,807 1,518 4,289	9,649 2,626 7,022 1	11,635 3,174 8,459 2	334 65 268 1	
23 16 7	70 25 45	140 38 102	120 51 69	78 40 38	45 30 15	32 18 14	17 8 9	2 2 —	1
533 234 299	124 39 85	144 34 110	116 22 94	74 20 54	79 22 57	95 20 75	67 18 49	11 2 9	2
5 2 3	11 5 6	68 11 57	216 32 184	449 106 343	689 197 492	827 308 519	634 238 396	15 5 10	3
4 3 1	17 4 13	24 7 17	32 5 27	35 5 30	38 11 27	33 7 26	27 4 23	1 — 1	4
50 30 20	25 5 20	57 7 50	80 13 67	77 12 65	106 26 80	153 56 97	114 34 80	7 3 3 1	5
27 7 20	10 2 8	16 4 12	47 11 36	135 25 110	457 66 391	726 142 584	508 138 370	7 3 4	6
4 1 3	36 — 36	135 6 129	195 12 183	247 19 228	475 66 409	1,100 153 947	1,258 216 1,041 1	30 1 29	7
— — —	— — —	1 — 1	2 1 1	3 1 2	1 — 1	— — —	1 — 1	— — —	8
3 3 —	20 2 18	31 3 28	51 7 44	58 10 48	53 13 40	46 7 39	46 6 40	2 — 2	9
10 2 8	27 4 23	77 18 59	123 27 96	187 45 142	420 136 284	905 310 594 1	1,066 340 725 1	14 5 9	10
192 97 95	40 11 29	74 7 67	127 25 102	94 16 78	112 29 83	163 24 139	168 35 133	4 2 2	11
26 12 14	16 10 6	17 4 13	9 2 7	12 1 11	3 — 3	2 — 2	2 — 2	— — —	12

TABLE 5. Number of cases by cause, sex and age group -- Concluded

No.	Cause and detailed list numbers	Age		
		All ages	Under 1 year	1-4
13	Diseases of the heart (410-434)	T 3,927	2	4
	M 1,495		1	2
	F 2,432		1	2
14	Other diseases of the circulatory system (440-468)	T 1,835	2	30
	M 526		2	22
	F 1,309		—	8
15	Diseases of the respiratory system (470-527)	T 6,853	668	1,097
	M 2,488		361	549
	F 4,365		307	548
16	Diseases of the digestive system (530-587)	T 6,075	282	351
	M 1,824		142	181
	F 4,251		140	170
17	Diseases of the genito-urinary system (590-637)	T 2,025	108	82
	M 476		100	75
	F 1,549		8	7
18	Complications of pregnancy, childbirth and the puerperium (640-689)	T 1,806	—	—
	M —		—	—
	F 1,806		—	—
19	Diseases of the skin and cellular tissue (690-716)	T 994	50	117
	M 341		29	64
	F 653		21	53
20	Arthritis and rheumatism, except rheumatic fever (720-727)	T 1,404	6	4
	M 227		4	2
	F 1,177		2	2
21	Other diseases of the bones and organs of movement (730-749)	T 246	6	7
	M 68		4	6
	F 178		2	1
22	Congenital malformations (750-759)	T 89	18	18
	M 32		8	7
	F 57		10	11
23	Certain diseases of early infancy (760-776)	T 54	54	—
	M 32		32	—
	F 22		22	—
24	Symptoms, senility and ill-defined conditions (780-795)	T 4,948	474	655
	M 1,576		256	343
	F 3,372		218	312
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999).	T 2,173	26	189
	M 553		11	104
	F 1,620		15	85
26	Other admissions (Y00-Y88)	T 801	580	40
	M 356		282	18
	F 445		298	22

TABLE 5. Number of cases by cause, sex and age group - Concluded

Age									No.
5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	Not stated	
6 2 4	18 7 11	40 11 29	112 25 87	327 100 227	700 276 424	1,287 517 770	1,411 545 866	20 9 11	13
18 9 9	15 2 13	51 9 42	71 18 53	154 34 120	249 83 166	518 145 373	723 202 521	4 - 4	14
914 443 471	405 115 290	623 140 483	573 153 420	493 126 367	510 148 362	719 210 509	795 234 561	56 9 47	15
296 135 161	292 56 236	341 58 283	386 82 304	497 123 374	763 193 570	1,182 334 848	1,652 511 1,141	33 9 24	16
47 25 22	138 12 126	283 11 272	308 20 288	231 22 209	198 40 158	296 74 222	312 92 220	22 5 17	17
- - -	474 - 474	963 - 963	343 - 343	1 - 1	- - -	- - -	- - -	25 - 25	18
121 60 61	66 27 39	89 21 68	83 12 71	83 25 58	81 22 59	137 34 103	159 46 113	8 1 7	19
4 3 1	12 6 6	30 5 25	71 10 61	134 21 113	234 34 200	436 64 372	464 78 386	9 - 9	20
24 14 10	18 7 11	29 5 24	36 7 29	21 4 17	40 9 31	23 4 19	41 7 34	1 1 -	21
17 9 8	5 - 5	6 1 5	3 2 1	6 1 5	7 1 6	9 3 6	- - -	- - -	22
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	23
538 261 277	152 44 108	246 40 206	268 47 221	244 48 196	280 70 210	551 125 426	1,505 335 1,170	35 7 28	24
187 114 73	67 26 41	93 31 62	151 34 117	141 37 104	248 44 204	392 69 323	656 82 574	23 1 22	25
44 24 20	15 6 9	27 5 22	22 9 13	23 3 20	19 2 17	17 2 15	9 5 4	5 - 5	26

TABLE 6. Percentage distribution of cases by cause, sex¹ and age group

(All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes	T 100.0	18.1	18.7	19.4	43.1	0.7
		M 100.0	32.1	10.6	16.5	40.4	0.4
		F 100.0	12.4	22.0	20.7	44.2	0.7
1	Tuberculosis (001-019).....	T 100.0	5.8	65.2	21.0	7.7	0.3
		M 100.0	8.7	47.2	32.3	11.2	0.6
		F 100.0	3.9	77.5	13.2	5.4	—
2	Other infective and parasitic diseases (020-138).	T 100.0	41.3	23.3	15.9	19.0	0.5
		M 100.0	59.2	12.8	17.0	10.7	0.3
		F 100.0	32.3	28.6	15.2	23.3	0.6
3	Malignant neoplasms (140-205)	T 100.0	0.2	11.3	39.5	48.7	0.3
		M 100.0	0.3	5.9	36.9	56.5	0.4
		F 100.0	0.1	13.6	40.6	45.5	0.2
4	Benign neoplasms (210-239)	T 100.0	3.7	33.1	30.1	33.1	2 —
		M 100.0	7.4	38.0	22.3	32.3	—
		F 100.0	2.2	31.1	33.2	33.5	2
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 100.0	8.9	19.4	28.4	43.0	0.3
		M 100.0	22.1	12.6	10.8	54.1	0.4
		F 100.0	3.5	22.2	35.6	38.5	0.2
6	Diabetes (260)	T 100.0	0.7	1.6	27.7	69.9	0.1
		M 100.0	0.5	0.6	16.5	82.3	0.1
		F 100.0	0.7	1.9	30.4	66.9	0.1
7	Anaemias (290-293).....	T 100.0	0.3	7.7	20.0	71.5	0.5
		M 100.0	2.0	2.6	17.2	78.1	0.1
		F 100.0	0.7	1.9	30.4	66.9	0.1
8	Other diseases of the blood and blood-forming organs (294-299).	T 100.0	20.7	45.3	30.2	3.8	—
		M 100.0	50.0	16.7	33.3	—	—
		F 100.0	17.0	48.9	29.8	4.3	—
9	Mental, psychoneurotic and personality disorders (300-326).	T 100.0	1.6	23.2	37.7	37.5	2 —
		M 100.0	5.4	9.6	51.7	33.3	—
		F 100.0	0.5	27.0	33.7	38.7	0.1
10	Diseases of the central nervous system (330-352).	T 100.0	0.2	11.2	23.6	64.8	0.2
		M 100.0	0.4	5.5	20.4	73.1	0.6
		F 100.0	0.6	9.2	21.9	67.9	0.4
11	Other diseases of the nervous system and sense organs (353-398).	T 100.0	39.5	18.7	15.9	25.6	0.3
		M 100.0	64.2	10.3	10.8	14.2	0.5
		F 100.0	27.7	22.6	18.4	31.1	0.2
12	Rheumatic fever (400-402).....	T 100.0	32.2	46.7	16.7	4.4	—
		M 100.0	43.3	53.3	3.4	—	—
		F 100.0	26.7	43.3	23.3	6.7	—
13	Diseases of the heart (410-434)	T 100.0	0.3	4.3	26.2	68.7	0.5
		M 100.0	0.3	2.9	25.2	71.0	0.6
		F 100.0	0.3	5.2	26.8	67.3	0.4

TABLE 6. Percentage distribution of cases by cause, sex¹ and age group — Concluded

(All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
14	Other diseases of the circulatory system (440-468). T M F	100.0 100.0 100.0	2.7 6.3 1.3	7.5 5.5 8.3	22.0 22.2 21.8	67.6 66.0 68.3	0.2 — 0.3
15	Diseases of the respiratory system (470-527). T M F	100.0 100.0 100.0	39.1 54.4 30.4	23.4 16.4 27.3	14.6 11.0 16.7	22.1 17.8 24.5	0.8 0.4 1.1
16	Diseases of the digestive system (530-587). T M F	100.0 100.0 100.0	15.3 25.1 11.1	16.8 10.8 19.3	20.7 17.3 22.2	46.7 46.3 46.8	0.5 0.5 0.6
17	Diseases of the genito-urinary system (590-637). T M F	100.0 100.0 100.0	11.7 42.0 2.4	36.0 9.0 44.3	21.2 13.0 23.7	30.0 34.9 28.5	1.1 1.1 1.1
18	Complications of pregnancy, childbirth and the puerperium (640-689). T M F	100.0 — 100.0	— — —	98.6 — 98.6	2 — 2	— — —	1.4 — 1.4
19	Diseases of the skin and cellular tissue (690-716). T M F	100.0 100.0 100.0	29.0 44.9 20.7	23.9 17.6 27.2	16.5 13.8 17.9	29.8 23.4 33.1	0.8 0.3 1.1
20	Arthritis and rheumatism, except rheumatic fever (720-727). T M F	100.0 100.0 100.0	1.0 4.0 0.4	8.1 9.3 7.8	26.2 24.2 26.6	64.1 62.5 64.4	0.6 — 0.8
21	Other diseases of the bones and organs of movement (730-749). T M F	100.0 100.0 100.0	15.1 35.3 7.3	33.7 27.9 35.9	24.8 19.1 27.0	26.0 16.2 29.8	0.4 1.5 —
22	Congenital malformations (750-759) T M F	100.0 100.0 100.0	59.6 75.0 50.9	15.7 9.4 19.3	14.6 6.2 19.3	10.1 9.4 10.5	— — —
23	Certain diseases of early infancy (760-776). T M F	100.0 100.0 100.0	100.0 100.0 100.0	— — —	— — —	— — —	— — —
24	Symptoms, senility and ill-defined conditions (780-795). T M F	100.0 100.0 100.0	33.7 54.6 23.9	13.5 8.3 15.9	10.6 7.5 12.1	41.5 29.2 47.3	0.7 0.4 0.8
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T M F	100.0 100.0 100.0	18.5 41.4 10.7	14.3 16.5 13.6	17.9 14.6 19.0	48.2 27.3 55.4	1.1 0.2 1.3
26	Other admissions (Y00-Y88) T M F	100.0 100.0 100.0	82.9 91.0 76.4	8.0 5.6 9.9	5.3 1.4 8.3	3.2 2.0 4.3	0.6 — 1.1

1. Due to small numbers, percentages and averages were omitted for cases (and visits) for which sex was not stated. They are, however, included in the totals for their respective cause group.

2. Less than one-tenth of one per cent.

TABLE 7. Percentage distribution of cases by cause, sex¹ and age group.
(All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes						
	T	100.0	100.0	100.0	100.0	100.0	100.0
	M	100.0	100.0	100.0	100.0	100.0	100.0
	F	100.0	100.0	100.0	100.0	100.0	100.0
1	Tuberculosis (001-019)						
	T	1.1	0.3	3.6	1.3	0.2	0.6
	M	1.6	0.4	7.5	3.0	0.4	3.1
	F	0.9	0.3	2.8	0.7	0.2	—
2	Other infective and parasitic diseases (020-138).						
	T	3.6	12.1	4.2	1.6	0.8	3.3
	M	4.6	10.5	6.3	1.8	0.7	3.1
	F	3.2	13.8	3.8	1.5	0.8	3.4
3	Malignant neoplasms (140-205)						
	T	5.9	0.2	3.2	11.8	6.9	4.5
	M	6.3	0.2	3.2	12.8	9.4	7.7
	F	5.7	0.1	3.2	11.5	5.9	3.7
4	Benign neoplasms (210-239)						
	T	0.5	0.2	0.8	0.8	0.3	0.3
	M	0.3	0.1	1.0	0.7	0.2	—
	F	0.5	0.2	0.7	0.8	0.3	0.4
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).						
	T	1.5	1.3	1.7	1.9	1.2	2.1
	M	1.6	1.6	1.6	1.6	1.5	4.6
	F	1.4	0.9	1.8	2.0	1.1	1.1
6	Diabetes (280)						
	T	3.9	0.4	0.8	6.2	5.8	2.1
	M	2.8	0.2	1.1	3.9	4.8	4.6
	F	4.4	0.5	0.7	6.9	6.2	1.5
7	Anaemias (290-293)						
	T	7.1	0.2	4.0	7.5	11.1	9.0
	M	3.4	0.3	1.2	3.6	6.4	1.5
	F	8.6	0.1	4.5	8.8	12.8	10.8
8	Other diseases of the blood and blood-forming organs (294-299).						
	T	2	2	2	2	2	—
	M	2	2	0.1	2	—	—
	F	2	2	2	2	2	—
9	Mental, psychoneurotic and personality disorders (300-328).						
	T	0.6	0.1	1.1	1.2	0.4	0.6
	M	0.4	0.1	0.8	1.0	0.2	—
	F	0.7	2	1.2	1.2	0.5	0.7
10	Diseases of the central nervous system (330-352).						
	T	5.7	0.2	2.5	6.3	9.3	4.2
	M	6.2	0.1	3.2	7.7	11.2	7.7
	F	5.5	0.3	2.3	5.9	8.5	3.4
11	Other diseases of the nervous system and sense organs (353-398).						
	T	2.6	5.7	2.6	2.1	1.6	1.2
	M	2.9	5.8	2.8	1.9	1.0	3.1
	F	2.5	5.6	2.6	2.2	1.8	0.8
12	Rheumatic fever (400-402)						
	T	0.2	0.3	0.4	0.2	2	—
	M	0.2	0.3	1.0	2	—	—
	F	0.2	0.4	0.3	0.2	2	—
13	Diseases of the heart (410-434)						
	T	8.0	0.1	1.8	10.7	12.7	6.0
	M	10.4	0.1	2.8	15.9	18.3	13.9
	F	6.9	0.2	1.7	9.0	10.6	4.1

TABLE 7. Percentage distribution of cases by cause, sex¹ and age group — Concluded
(All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
14	Other diseases of the circulatory system (440-488). T M F	3.7 3.7 3.7	0.6 0.7 0.4	1.5 1.9 1.4	4.2 5.0 3.9	5.8 6.0 5.8	1.2 — 1.5
15	Diseases of the respiratory system (470-527). T M F	13.9 17.3 12.5	29.9 29.4 30.5	17.4 28.9 15.5	10.4 11.6 10.1	7.1 7.7 6.9	16.7 13.9 17.5
16	Diseases of the digestive system (530-587).... T M F	12.3 12.7 12.1	10.4 10.0 10.8	11.0 12.9 10.7	13.1 13.4 13.0	13.3 14.6 12.9	9.9 13.8 9.0
17	Diseases of the genito-urinary system (590-637). T M F	4.1 3.3 4.4	2.6 4.3 0.9	7.9 2.8 8.9	4.5 2.6 5.1	2.9 2.9 2.9	6.6 7.7 6.3
18	Complications of pregnancy, childbirth and the puerperium (640-489). T M F	3.7 — 5.2	— — —	19.3 — 23.1	2 — 2	— — —	7.5 — 9.3
19	Diseases of the skin and cellular tissue (690-716). T M F	2.0 2.4 1.9	3.2 3.3 3.1	2.6 4.0 2.3	1.7 2.0 1.6	1.4 1.4 1.4	2.4 1.5 2.6
20	Arthritis and rheumatism, except rheumatic fever (720-727). T M F	2.8 1.6 3.4	0.1 0.2 0.1	1.2 1.4 1.2	3.8 2.3 4.3	4.2 2.4 4.9	2.7 — 3.4
21	Other diseases of the bones and organs of movement (730-749). T M F	0.5 0.5 0.5	0.4 0.5 0.3	0.9 1.3 0.8	0.6 0.5 0.7	0.3 0.2 0.3	0.3 1.5 —
22	Congenital malformations (750-759) T M F	0.2 0.2 0.2	0.6 0.5 0.7	0.2 0.2 0.1	0.1 0.1 0.2	2 0.1 2	— — —
23	Certain diseases of early infancy (760-776).... T M F	0.1 0.2 0.1	0.6 0.7 0.5	— — —	— — —	— — —	— — —
24	Symptoms, senility and ill-defined conditions (780-795). T M F	10.0 11.0 9.6	18.6 18.7 18.5	7.2 8.6 6.9	5.5 5.0 5.6	9.7 7.9 10.3	10.4 10.8 10.4
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T M F	4.4 3.9 4.6	4.5 5.0 4.0	3.4 6.0 2.9	4.1 3.4 4.3	4.9 2.6 5.8	6.9 1.5 8.2
26	Other admissions (Y00-Y88)..... T M F	1.6 2.5 1.3	7.4 7.0 7.8	0.7 1.4 0.6	0.4 0.2 0.5	0.1 0.1 0.1	1.5 — 1.9

1. See footnote 1 to Table 6.

2. See footnote 2 to Table 6.

TABLE 8. Number of visits by type of visit (nursing care and health instruction), by cause, sex and age group

No.	Cause and detailed list numbers	Age									
		All ages		Under 1 yr.		1-4		5-14		15-24	
		Visits									
		N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.
	All causes	T 593,719 M 151,796 F 441,854 N S 69	28,088 7,020 21,067 1	5,986 3,325 2,661 —	2,321 1,201 1,120 —	7,742 4,119 3,623 —	1,807 914 893 —	9,541 4,804 4,737 —	1,440 685 755 —	11,104 2,793 8,311 —	2,210 146 2,064 —
1	Tuberculosis (001-019)	T 11,500 M 4,688 F 6,812	249 78 171	30 — 30	12 — 12	168 58 110	10 4 6	456 345 111	7 7 —	1,585 569 1,016	30 8 22
2	Other infective and parasitic diseases (020-138).	T 6,378 M 2,115 F 4,263	810 291 519	249 136 113	40 22 18	916 410 506	238 87 151	1,245 640 605	283 130 153	392 149 243	55 18 37
3	Malignant neoplasms (140-205)	T 53,127 M 15,801 F 37,326	1,955 570 1,385	1 1 —	— — —	58 43 15	1 — 1	31 5 26	2 2 —	355 35 320	9 1 8
4	Benign neoplasms (210-239)	T 1,845 M 534 F 1,311	94 18 76	22 3 19	11 5 6	10 5 5	4 4 —	23 22 1	2 2 —	175 35 140	3 — 3
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 10,847 M 3,109 F 7,734 N S 4	407 163 243 1	140 129 11 —	23 11 12 —	214 161 53 —	42 29 13 —	557 370 187 —	27 23 4 —	233 24 209 —	6 — 6 —
6	Diabetes (260)	T 74,642 M 14,531 F 60,111	1,269 248 1,021	— — —	— — —	43 28 15	12 11 1	431 26 405	18 5 13	99 14 85	7 4 3
7	Anaemias (290-293)	T 72,470 M 10,245 F 62,213 N S 12	968 155 813 —	138 132 6 —	1 1 — —	33 28 5 —	6 6 — —	52 37 15 —	3 1 2 —	405 — 405 —	19 — 19 —
8	Other diseases of the blood and blood-forming organs (294-299).	T 47 M 5 F 42	6 1 5	— — —	— — —	8 2 6	3 1 2	— — —	— — —	— — —	— — —
9	Mental, psychoneurotic and personality disorders (300-326).	T 4,218 M 934 F 3,284	155 31 124	1 1 —	— — —	19 1 18	1 1 —	47 47 —	2 2 —	199 3 196	13 2 11
10	Diseases of the central nervous system (330-352).	T 68,042 M 20,926 F 47,063 N S 53	1,131 309 822 —	1 1 — —	5 5 — —	5 1 4 —	2 1 1 —	134 8 126 —	5 — 5 —	532 92 440 —	6 2 4 —
11	Other diseases of the nervous system and sense organs (353-398).	T 11,002 M 3,064 F 7,938	554 189 365	258 154 104	75 49 26	602 326 276	101 54 47	500 270 230	78 33 45	317 35 282	13 7 6
12	Rheumatic fever (400-402)	T 761 M 226 F 535	65 22 43	— — —	— — —	44 30 14	3 — 3	221 68 153	25 15 10	117 72 45	15 4 11

HOME NURSING SERVICES

TABLE 8. Number of visits by type of visit (nursing care and health instruction), by cause, sex and age group

Age														No.	
25-34		35-44		45-54		55-64		65-74		75 and over		Not stated			
Visits														No.	
N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.		
22,286 3,443 18,843 —	4,095 155 3,940 —	35,722 5,983 29,739 —	2,466 230 2,236 —	48,175 9,909 38,266 —	1,783 385 1,398 —	93,192 22,919 70,273 —	2,771 691 2,080 —	164,552 40,425 124,118 9	4,278 1,290 2,988 —	193,341 53,746 139,539 56	4,746 1,303 3,443 —	2,078 330 1,744 4	171 20 150 1	1	
3,347 771 2,576	54 9 45	2,602 885 1,717	48 9 39	1,303 751 552	35 12 23	1,106 768 338	19 9 10	579 416 163	26 20 6	294 95 199	8 — 8	30 30 —	— — —		2
566 74 492	47 8 39	566 50 516	49 9 40	386 151 235	16 2 14	721 252 469	16 5 11	692 153 539	39 3 36	614 95 519	24 6 18	31 5 26	3 1 2		
1,081 139 942	49 6 43	4,622 773 3,849	118 18 100	8,830 1,969 6,861	379 115 264	12,175 3,856 8,319	371 102 269	13,713 4,389 9,324	567 169 398	12,112 4,526 7,586	452 157 295	149 65 84	7 — 7	4	
191 94 97	11 1 10	249 80 169	12 — 12	353 62 291	16 — 16	196 56 140	18 5 13	409 88 321	9 — 9	216 89 127	8 1 7	1 — 1	— — —		5
598 12 586 —	21 — 21 —	1,289 375 914 —	37 1 36 —	1,532 212 1,320 —	27 4 23 —	1,574 117 1,457 —	59 20 39 —	2,064 688 1,376 —	82 32 50 —	2,617 1,011 1,606 —	80 41 39 —	29 10 15 4	3 2 — 1		
239 18 221	9 2 7	855 47 808	45 9 36	3,765 370 3,395	98 27 71	16,850 2,004 14,846	293 35 258	28,100 3,967 24,133	464 72 392	24,209 8,041 16,168	321 83 238	51 16 35	2 — 2	7	
1,669 114 1,555 —	29 1 28 —	3,451 153 3,298 —	61 1 60 —	4,877 446 4,431 —	55 5 50 —	9,636 1,328 8,308 —	120 12 108 —	23,716 3,001 20,715 —	280 52 228 —	28,103 4,996 23,095 12	385 76 309 —	390 10 380 —	9 — 9 —		8
2 — 2	2 — 2	19 1 18	1 — 1	5 2 3	— — —	11 — 11	— — —	— — —	— — —	2 — 2	— — —	— — —	— — —		
309 38 271	17 2 15	451 47 404	26 1 25	787 219 568	21 3 18	801 261 540	38 16 22	789 105 684	21 1 20	813 212 601	16 3 13	2 — 2	— — —	10	
2,918 723 2,195 —	51 5 46 —	4,158 738 3,420 —	46 6 40 —	5,456 1,093 4,363 —	87 15 72 —	10,537 3,754 6,783 —	246 64 182 —	21,778 7,049 14,720 9	321 123 198 —	22,386 7,460 14,882 44	355 87 268 —	137 7 130 —	7 1 6 —		11
393 47 346	19 1 18	1,112 154 958	59 2 57	795 332 463	29 8 21	1,948 730 1,218	65 3 62	2,321 288 2,033	52 17 35	2,666 721 1,945	62 14 48	90 7 83	1 1 —		
105 14 91	8 2 6	1119 38 81	3 1 2	76 4 72	7 — 7	62 — 62	— — —	14 — 14	4 — 4	3 — 3	— — —	— — —	— — —	12	

TABLE 8. Number of visits by type of visit (nursing care and health instruction), by cause, sex and age group - Concluded

No.	Cause and detailed list numbers			Age								
				All ages	Under 1 yr.		1-4		5-14		15-24	
Visits												
N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.			
13	Diseases of the heart (410-434).....	T 67,725	1,884	4	1	10	4	143	22	117	6	
	M 24,797	780	1	1	2	4	53	2	57	4		
	F 42,928	1,104	3	—	8	—	90	20	60	2		
14	Other diseases of the circulatory system (440-468).	T 33,520	951	9	1	96	18	57	6	120	6	
	M 10,088	297	9	1	74	16	23	2	3	—		
	F 23,432	654	—	—	22	2	34	4	117	6		
15	Diseases of the respiratory system (470-527).	T 22,671	2,844	1,289	387	2,441	481	2,044	377	1,095	154	
	M 7,475	1,030	706	218	1,214	228	1,038	176	259	39		
	F 15,196	1,814	583	169	1,227	253	1,006	201	836	115		
16	Diseases of the digestive system (530-587).	T 24,529	2,414	428	193	697	223	515	111	852	106	
	M 7,205	715	208	103	374	109	225	50	200	19		
	F 17,324	1,699	220	90	323	114	290	61	652	87		
17	Diseases of the genito-urinary system (590-637).	T 15,590	952	225	117	254	57	183	13	499	54	
	M 4,053	287	215	105	236	56	127	12	49	4		
	F 11,537	665	10	12	18	1	56	1	450	50		
18	Complications of pregnancy, childbirth and the puerperium (640-689).	T 6,457	5,553	—	—	—	—	—	—	1,629	1,575	
	M —	—	—	—	—	—	—	—	—	—	—	
	F 6,457	5,553	—	—	—	—	—	—	—	1,629	1,575	
19	Diseases of the skin and cellular tissue (690-716).	T 8,398	633	251	40	321	81	516	75	346	43	
	M 2,519	192	172	17	133	55	259	31	185	4		
	F 5,879	441	79	23	188	26	257	44	161	39		
20	Arthritis and rheumatism except rheumatic fever (720-727).	T 36,242	656	26	6	51	3	18	2	420	4	
	M 5,354	114	20	4	38	2	17	—	400	1		
	F 30,888	542	6	2	13	1	1	2	20	3		
21	Other diseases of the bones and organs of movement (730-749).	T 4,471	142	19	7	58	2	361	33	604	11	
	M 1,526	39	17	2	53	1	242	10	380	—		
	F 2,945	103	2	5	5	1	119	23	224	11		
22	Congenital malformations (750-759)	T 1,306	141	81	54	79	67	200	10	324	1	
	M 315	22	11	14	50	1	60	3	—	—		
	F 991	119	70	40	29	66	140	7	324	1		
23	Certain diseases of early infancy (760-776).	T 183	72	183	72	—	—	—	—	—	—	
	M 89	32	89	32	—	—	—	—	—	—	—	
	F 94	40	94	40	—	—	—	—	—	—	—	
24	Symptoms, senility and ill-defined conditions (780-795).	T 31,202	2,126	701	333	1,008	342	986	227	357	41	
	M 6,601	696	415	157	512	179	466	110	86	12		
	F 24,601	1,430	286	176	496	163	520	117	271	29		
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999).	T 24,164	1,109	57	20	547	101	767	109	308	28	
	M 4,577	291	39	10	308	63	427	67	135	17		
	F 19,587	818	18	10	239	38	340	42	173	11		
26	Other admissions (Y00-Y88)	T 2,382	948	1,873	923	60	5	54	3	24	5	
	M 1,019	450	866	444	32	2	29	2	11	—		
	F 1,363	498	1,007	479	28	3	25	1	13	5		

TABLE 8. Number of visits by type of visit (nursing care and health instruction), by cause, sex and age group — Concluded

Age														No.
25-34		35-44		45-54		55-64		65-74		75 and over		Not stated		
Visits														
N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	N.C.	H.I.	
479	23	2,311	101	5,172	118	12,062	368	23,037	612	24,188	626	202	3	13
214	6	372	31	1,432	33	4,113	150	9,681	295	8,786	254	86	—	
265	17	1,989	70	3,740	85	7,949	218	13,356	317	15,402	372	116	3	
298	17	512	45	2,345	110	4,596	141	10,481	320	14,931	287	75	—	14
27	6	126	18	330	8	1,930	28	3,441	131	4,125	87	—	—	
271	11	386	27	2,015	102	2,666	113	7,040	189	10,806	200	75	—	
1,579	257	1,840	242	1,975	183	2,426	168	3,442	282	4,422	293	118	20	15
325	63	432	62	508	37	668	40	1,034	80	1,266	82	25	5	
1,254	194	1,408	180	1,467	146	1,758	128	2,408	202	3,156	211	93	15	
1,420	111	1,942	138	2,560	211	3,978	286	5,740	443	6,336	584	61	8	16
417	11	285	22	609	49	1,032	59	1,975	133	1,869	158	11	2	
1,003	100	1,657	116	1,951	162	2,946	227	3,765	310	4,467	426	50	6	
1,276	143	2,311	148	1,589	99	1,565	96	3,579	99	4,025	113	84	13	17
56	5	218	5	139	6	368	26	751	31	1,856	32	38	5	
1,220	138	2,093	143	1,450	93	1,197	70	2,828	68	2,169	81	46	8	
3,450	2,967	1,304	957	4	—	—	—	—	—	—	—	70	54	18
3,450	2,967	1,304	957	4	—	—	—	—	—	—	—	70	54	
480	48	1,083	73	582	64	741	47	2,176	75	1,826	84	76	3	19
126	8	394	3	99	18	215	11	318	20	612	25	6	—	
354	40	689	70	483	46	526	36	1,858	55	1,214	59	70	3	
330	16	1,818	30	3,747	61	7,400	92	11,095	209	11,215	224	122	9	20
30	—	156	5	758	7	473	27	1,204	25	2,258	43	—	—	
300	16	1,662	25	2,989	54	6,927	65	9,891	184	8,957	181	122	9	
233	20	680	7	231	4	872	29	471	10	938	16	4	3	21
17	1	182	1	33	1	344	14	51	4	203	2	4	3	
216	19	498	6	198	3	528	15	420	6	735	14	—	—	
76	1	25	2	129	2	168	3	224	1	—	—	—	—	22
3	—	24	2	4	1	5	1	158	—	—	—	—	—	
73	1	1	—	125	1	163	2	66	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	
681	120	1,355	129	801	99	969	98	4,559	179	19,661	546	124	12	24
73	8	218	13	136	17	182	21	679	44	3,825	135	9	—	
608	112	1,137	116	665	82	787	77	3,880	135	15,836	411	115	12	
434	50	992	88	852	62	2,738	195	5,553	183	11,689	259	227	14	25
97	10	226	11	247	17	460	43	987	38	1,650	15	1	—	
337	40	766	77	605	45	2,278	152	4,566	145	10,039	244	226	14	
132	5	56	1	23	—	60	3	20	—	75	3	5	—	26
14	—	9	—	3	—	3	—	2	—	50	2	—	—	
118	5	47	1	20	—	57	3	18	—	25	1	5	—	

TABLE 9. Percentage distribution of visits by cause, sex¹ and age group

(All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes	T 100.0	4.6	12.5	23.5	59.0	0.4
		M 100.0	9.5	8.0	21.4	60.9	0.2
		F 100.0	3.0	14.1	24.2	58.3	0.4
1	Tuberculosis (001-019)	T 100.0	5.8	65.2	21.0	7.7	0.3
		M 100.0	8.8	47.2	32.3	11.1	0.6
		F 100.0	3.9	77.5	13.2	5.4	—
2	Other infective and parasitic diseases (020-138)	T 100.0	41.4	23.3	15.8	19.0	0.5
		M 100.0	59.2	12.9	17.0	10.7	0.2
		F 100.0	32.3	28.7	15.2	23.2	0.6
3	Malignant neoplasms (140-205)	T 100.0	0.2	11.3	39.5	48.7	0.3
		M 100.0	0.3	5.9	36.9	56.5	0.4
		F 100.0	0.1	13.6	40.6	45.5	0.2
4	Benign neoplasms (210-239)	T 100.0	3.7	33.1	30.1	33.1	2
		M 100.0	7.4	38.1	22.3	32.2	—
		F 100.0	2.2	31.1	33.2	33.4	0.1
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289)	T 100.0	8.9	19.4	28.4	43.0	0.3
		M 100.0	22.1	12.6	10.8	54.1	0.4
		F 100.0	3.5	22.2	35.6	38.5	0.2
6	Diabetes (260)	T 100.0	0.7	1.6	27.7	69.9	0.1
		M 100.0	0.5	0.6	16.5	82.3	0.1
		F 100.0	0.7	1.9	30.4	66.9	0.1
7	Anaemias (290-293)	T 100.0	0.3	7.7	20.0	71.5	0.5
		M 100.0	2.0	2.6	17.2	78.1	0.1
		F 100.0	2	8.5	20.5	70.4	0.6
8	Other diseases of the blood and blood-forming organs (294-299)	T 100.0	20.7	45.3	30.2	3.8	—
		M 100.0	50.0	16.7	33.3	—	—
		F 100.0	17.0	48.9	29.8	4.3	—
9	Mental, psychoneurotic and personality disorders (300-326)	T 100.0	1.6	23.2	37.7	37.5	2
		M 100.0	5.4	9.6	51.7	33.3	—
		F 100.0	0.5	27.0	33.7	38.7	0.1
10	Diseases of the central nervous system (330-352)	T 100.0	0.2	11.2	23.6	64.8	0.2
		M 100.0	0.1	7.4	23.2	69.3	2
		F 100.0	0.3	12.8	23.8	62.8	0.3
11	Other diseases of the nervous system and sense organs (353-398)	T 100.0	14.0	16.6	24.5	44.1	0.8
		M 100.0	27.2	7.6	33.0	32.0	0.2
		F 100.0	8.8	20.1	21.2	48.9	1.0
12	Rheumatic fever (400-402)	T 100.0	35.5	44.4	17.6	2.5	—
		M 100.0	45.6	52.8	1.6	—	—
		F 100.0	31.2	40.8	24.4	3.6	—

TABLE 9. Percentage distribution of visits by cause, sex¹ and age group - Concluded

(All ages for each cause group= 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
13	Diseases of the heart (410-434)..... T	100.0	0.3	4.4	25.4	69.6	0.3
	M	100.0	0.3	2.7	22.4	74.3	0.3
	F	100.0	0.3	5.3	27.2	66.9	0.3
14	Other diseases of the circulatory system (440-468). T	100.0	0.5	2.9	20.9	75.5	0.2
	M	100.0	1.2	1.7	22.1	75.0	—
	F	100.0	0.3	3.4	20.3	75.7	0.3
15	Diseases of the respiratory system (470-527) T	100.0	27.5	20.3	18.6	33.1	0.5
	M	100.0	42.1	13.9	14.7	28.9	0.4
	F	100.0	20.2	23.5	20.6	35.1	0.6
16	Diseases of digestive system (530-587)..... T	100.0	8.0	17.0	26.1	48.6	0.3
	M	100.0	13.5	12.0	22.1	52.2	0.2
	F	100.0	5.8	19.0	27.8	47.1	0.3
17	Diseases of the genito-urinary system (590-637). T	100.0	5.1	26.8	20.2	47.3	0.6
	M	100.0	17.3	7.8	12.4	61.5	1.0
	F	100.0	0.8	33.6	23.0	42.2	0.4
18	Complications of pregnancy, childbirth and the puerperium (640-689). T	100.0	—	99.0	2	—	1.0
	M	—	—	—	—	—	—
	F	100.0	—	99.0	2	—	1.0
19	Diseases of the skin and cellular tissue (690-716). T	100.0	14.2	22.9	15.9	46.1	0.9
	M	100.0	24.6	26.6	12.6	36.0	0.2
	F	100.0	9.8	21.4	17.3	50.4	1.1
20	Arthritis and rheumatism, except rheumatic fever (720-727). T	100.0	0.3	7.1	30.6	61.6	0.4
	M	100.0	1.5	10.8	23.1	64.6	—
	F	100.0	0.1	6.5	31.9	61.1	0.4
21	Other diseases of the bones and organs of movement (730-749). T	100.0	10.4	33.7	24.6	31.1	0.2
	M	100.0	20.8	37.1	25.1	16.6	0.4
	F	100.0	5.1	32.0	24.4	38.5	—
22	Congenital malformations (750-759) T	100.0	33.9	29.6	20.9	15.6	—
	M	100.0	41.2	8.6	3.3	46.9	—
	F	100.0	31.7	36.1	26.2	6.0	—
23	Certain diseases of early infancy (760-776) T	100.0	100.0	—	—	—	—
	M	100.0	100.0	—	—	—	—
	F	100.0	100.0	—	—	—	—
24	Symptoms, senility, and ill-defined conditions (780-795). T	100.0	10.8	8.1	5.9	74.8	0.4
	M	100.0	25.2	5.6	4.9	64.2	0.1
	F	100.0	6.8	8.7	6.2	77.8	0.5
25	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T	100.0	6.3	7.5	15.2	70.0	1.0
	M	100.0	18.8	10.2	15.7	55.3	2
	F	100.0	3.3	6.9	15.1	73.5	1.2
26	Other admissions (Y00-Y88) T	100.0	87.6	6.7	2.6	2.9	0.2
	M	100.0	93.6	2.3	0.4	3.7	—
	F	100.0	82.9	10.1	4.3	2.4	0.3

1. See footnote 1 to Table 6.

2. See footnote 2 to Table 6.

TABLE 10. Percentage distribution of visits by cause, sex¹ and age group
 (All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes T	100.0	100.0	100.0	100.0	100.0	100.0
	M	100.0	100.0	100.0	100.0	100.0	100.0
	F	100.0	100.0	100.0	100.0	100.0	100.0
1	Tuberculosis (001-019)..... T	1.9	2.4	9.8	1.7	0.3	1.3
	M	3.0	2.8	17.7	4.5	0.5	8.6
	F	1.5	2.0	8.3	0.8	0.2	—
2	Other infective and parasitic diseases (020-138). T	1.2	10.3	2.2	0.8	0.4	1.5
	M	1.5	9.5	2.4	1.2	0.3	1.7
	F	1.0	11.2	2.1	0.7	0.4	1.5
3	Malignant neoplasms (140-205)..... T	8.9	0.3	8.0	14.9	7.3	6.9
	M	10.3	0.3	7.6	17.8	9.5	18.5
	F	8.4	0.3	8.1	14.0	6.5	4.8
4	Benign neoplasms (210-239)..... T	0.3	0.3	0.8	0.4	0.2	0.1
	M	0.3	0.3	1.7	0.4	0.2	—
	F	0.3	0.2	0.7	0.4	0.2	2
5	Allergic, endocrine system, metabolic and T	1.8	3.5	2.8	2.2	1.3	1.4
	nutritional diseases, except diabetes (240- M	2.1	4.8	3.2	1.0	1.8	3.4
	254, 270-289). F	1.7	2.0	2.7	2.5	1.1	0.8
6	Diabetes (260)..... T	12.2	1.7	1.6	14.4	14.5	2.4
	M	9.3	0.5	0.7	7.2	12.6	4.6
	F	13.2	3.1	1.8	16.6	15.2	2.0
7	Anaemias (290-293)..... T	11.8	0.8	7.2	10.1	14.3	17.8
	M	6.6	1.4	2.1	5.3	8.4	2.8
	F	13.6	0.2	8.2	11.5	16.4	20.5
8	Other diseases of the blood and blood-forming T	2	2	2	2	2	—
	organs (294-299). M	2	2	2	2	—	—
	F	2	0.1	2	2	2	—
9	Mental, psychoneurotic and personality dis- T	0.7	0.2	1.3	1.1	0.4	0.1
	orders (300-326). M	0.6	0.3	0.7	1.5	0.3	—
	F	0.7	0.1	1.4	1.0	0.5	0.1
10	Diseases of the central nervous system (330- T	11.1	0.5	9.9	11.2	12.2	6.4
	352). M	13.4	0.1	12.3	14.5	15.2	2.3
	F	10.4	1.0	9.4	10.2	11.1	7.2
11	Other diseases of the nervous system and T	1.9	5.6	2.5	1.9	1.4	4.1
	sense organs (353-398). M	2.0	5.9	1.9	3.2	1.1	2.3
	F	1.8	5.3	2.6	1.6	1.5	4.4
12	Rheumatic fever (400-402)..... T	0.1	1.0	0.5	0.1	2	—
	M	0.2	0.8	1.0	2	—	—
	F	0.1	1.3	0.4	0.1	2	—

TABLE 10. Percentage distribution of visits by cause, sex¹ and age group — Concluded
(All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
13	Diseases of the heart (410-434).....	T 11.2	0.6	3.9	12.1	13.2	9.1
	M 16.1	0.4	5.4	16.9	19.7	24.6	
	F 9.5	0.9	3.6	10.7	10.9	6.3	
14	Other diseases of the circulatory system (440-468).	T 5.6	0.7	1.3	4.9	7.1	3.3
	M 6.5	0.8	1.4	6.8	8.0	—	
	F 5.2	0.4	1.3	4.4	6.8	4.0	
15	Diseases of the respiratory system (470-527)	T 4.1	24.3	6.6	3.3	2.3	6.1
	M 5.4	23.8	9.3	3.7	2.5	8.6	
	F 3.7	24.9	6.1	3.1	2.2	5.7	
16	Diseases of digestive system (530-587)	T 4.3	7.5	5.9	4.8	3.6	3.1
	M 5.0	7.1	7.5	5.2	4.3	3.7	
	F 4.1	8.0	5.5	4.7	3.3	3.0	
17	Diseases of the genito-urinary system (590-637).	T 2.7	2.9	5.7	2.3	2.1	4.3
	M 2.7	5.0	2.6	1.6	2.8	12.3	
	F 2.6	0.7	6.3	2.5	1.9	2.8	
18	Complications of pregnancy, childbirth and the puerperium (640-689).	T 1.9	—	15.3	2	—	5.5
	M —	—	—	—	—	—	—
	F 2.6	—	18.2	2	—	6.5	
19	Diseases of the skin and cellular tissue (690-716).	T 1.5	4.5	2.7	1.0	1.1	3.5
	M 1.7	4.4	5.7	1.0	1.0	1.7	
	F 1.4	4.5	2.1	1.0	1.2	3.8	
20	Arthritis and rheumatism, except rheumatic fever (720-727).	T 5.9	0.4	3.4	7.7	6.2	5.8
	M 3.4	0.5	4.6	3.7	3.6	—	
	F 6.8	0.2	3.1	9.0	7.1	6.9	
21	Other diseases of the bones and organs of movement (730-749).	T 0.7	1.7	2.0	0.8	0.4	0.3
	M 1.0	2.2	4.6	1.2	0.3	2.0	
	F 0.7	1.1	1.5	0.7	0.4	—	
22	Congenital malformations (750-759)	T 0.2	1.7	0.5	0.2	0.1	—
	M 0.2	0.9	0.2	2	0.2	—	
	F 0.3	2.6	0.6	0.3	2	—	
23	Certain diseases of early infancy (760-776)	T 2	0.9	—	—	—	—
	M 0.1	0.8	—	—	—	—	—
	F 2	1.0	—	—	—	—	—
24	Symptoms, senility and ill-defined conditions (780-795).	T 5.4	12.5	3.4	1.4	6.8	6.1
	M 4.6	12.2	3.2	1.0	4.8	2.6	
	F 5.6	12.7	3.5	1.4	7.5	6.7	
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999).	T 4.1	5.6	2.4	2.6	4.8	10.7
	M 3.1	6.1	3.9	2.3	2.8	0.3	
	F 4.4	5.0	2.2	2.7	5.6	12.7	
26	Other admissions (Y00-Y88)	T 0.5	10.1	0.3	0.1	2	0.2
	M 0.9	9.1	0.3	2	0.1	—	
	F 0.4	11.2	0.3	0.1	2	0.3	

1. See footnote 1 to table 6.
2. See footnote 2 to table 6.

TABLE 11. Average visits per case by cause, sex¹ and age group during the year 1953

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes	T 12.6	3.2	8.4	15.2	17.2	6.7
		M 11.1	3.3	8.4	14.4	16.7	5.4
		F 13.2	3.2	8.5	15.5	17.4	7.1
1	Tuberculosis (001-019)	T 22.0	22.0	23.2	20.0	18.5	15.0
		M 20.8	24.4	19.7	22.0	20.4	15.0
		F 22.8	19.2	25.1	17.4	16.3	—
2	Other infective and parasitic diseases (020-138).	T 4.0	2.7	4.4	7.4	8.4	3.1
		M 3.6	3.0	3.2	9.8	6.8	3.0
		F 4.2	2.6	4.7	6.5	9.0	3.1
3	Malignant neoplasms (140-205)	T 18.8	6.2	21.1	19.1	18.4	10.4
		M 18.0	5.7	20.2	19.9	16.9	13.0
		F 19.2	7.0	21.3	18.8	19.2	9.1
4	Benign neoplasms (210-239)	T 8.7	4.5	8.8	8.0	10.7	1.0
		M 11.3	6.8	13.1	7.7	16.2	—
		F 8.0	3.1	7.6	8.1	9.5	1.0
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 15.3	8.7	13.5	17.4	18.1	4.6
		M 14.2	9.8	16.5	9.3	19.7	4.0
		F 15.9	6.8	12.9	19.6	17.4	5.0
6	Diabetes (260)	T 39.1	15.3	17.2	35.5	43.0	7.6
		M 36.9	7.0	5.5	26.8	43.4	5.3
		F 39.7	18.9	20.7	37.1	42.9	9.2
7	Anaemias (290-293)	T 21.0	12.9	15.4	20.3	22.3	13.3
		M 21.4	17.1	14.9	21.1	22.0	10.0
		F 21.0	4.7	15.4	20.2	22.3	13.4
8	Other diseases of the blood and blood-forming organs (294-299).	T 5.3	5.5	8.0	4.0	2.0	—
		M 2.0	3.0	1.0	2.0	—	—
		F 6.7	8.0	11.5	4.7	2.0	—
9	Mental, psychoneurotic and personality disorders (300-326).	T 13.9	10.0	10.0	14.8	17.8	1.0
		M 18.2	10.4	7.8	21.7	24.7	—
		F 13.1	9.0	10.2	13.0	16.7	1.0
10	Diseases of the central nervous system (330-352).	T 24.4	10.1	34.0	26.9	22.7	10.3
		M 23.9	4.0	32.0	27.2	22.6	1.6
		F 24.6	12.4	34.5	26.8	22.8	15.1
11	Other diseases of the nervous system and sense organs (353-398).	T 8.9	3.2	7.9	13.8	15.4	22.7
		M 7.8	3.3	5.7	23.8	17.6	4.0
		F 9.5	3.0	8.4	11.0	14.9	41.5
12	Rheumatic fever (400-402)	T 9.2	10.1	8.7	9.7	5.2	—
		M 8.3	8.7	8.2	4.0	—	—
		F 9.6	11.2	9.1	10.1	5.2	—

TABLE 11. Average visits per case by cause, sex¹ and age group during the year 1953 - Concluded

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
13	Diseases of the heart (410-434)..... T M F	17.7 17.1 18.1	15.3 12.6 17.3	17.9 15.9 18.5	17.3 15.2 18.4	18.0 17.9 18.0	10.2 9.8 10.8
14	Other diseases of the circulatory system (440-468). T M F	18.8 19.7 18.4	3.7 3.8 3.6	7.3 6.2 7.6	17.8 19.6 17.1	21.0 22.4 20.4	18.8 — 18.8
15	Diseases of the respiratory system (470-527) T M F	3.7 3.4 3.9	2.6 2.6 2.6	3.2 2.9 3.3	4.7 4.6 4.8	5.6 5.5 5.6	2.5 3.3 2.3
16	Diseases of the digestive system (530-587) T M F	4.4 4.3 4.5	2.3 2.3 2.3	4.5 4.9 4.4	5.6 5.5 5.6	4.6 4.9 4.5	2.1 1.4 2.3
17	Diseases of the genito-urinary system (590-637). T M F	8.2 9.1 7.9	3.6 3.8 2.6	6.1 7.8 6.0	7.8 8.7 7.7	12.9 16.1 11.6	4.4 8.6 3.2
18	Complications of pregnancy, childbirth and the puerperium (640-689). T M F	6.6 — 6.6	— — —	6.7 — 6.7	4.0 — 4.0	— — —	5.0 — 5.0
19	Diseases of the skin and cellular tissue (690-716). T M F	9.1 8.0 9.7	4.5 4.4 4.6	8.7 12.0 7.6	8.7 7.3 9.3	14.1 12.2 14.8	9.9 6.0 10.4
20	Arthritis and rheumatism, except rheumatic fever (720-727). T M F	26.3 24.1 26.7	7.6 9.0 5.0	23.2 28.2 22.0	30.7 23.0 32.1	25.3 24.9 25.3	14.6 — 14.6
21	Other diseases of the bones and organs of movement (730-749). T M F	18.8 23.0 17.1	13.0 13.5 11.9	18.7 30.6 15.2	18.6 30.2 15.5	22.4 23.6 22.2	7.0 7.0 —
22	Congenital malformations (750-759)..... T M F	16.3 10.5 19.5	9.3 5.8 12.1	30.6 9.7 36.4	23.2 5.5 26.5	25.0 52.7 11.2	— — —
23	Certain diseases of early infancy (760-776) T M F	4.7 3.8 6.1	4.7 3.8 6.1	— — —	— — —	— — —	— — —
24	Symptoms, senility and ill-defined conditions (780-795). T M F	6.7 4.6 7.7	2.2 2.1 2.2	4.0 3.1 4.2	3.8 3.0 4.0	12.1 10.2 12.7	3.9 1.3 4.5
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T M F	11.6 8.8 12.6	4.0 4.0 4.0	6.1 5.4 6.4	9.9 9.5 10.0	16.9 17.8 16.7	10.5 1.0 10.9
26	Other admissions (Y00-Y88) T M F	4.2 4.1 4.2	4.4 4.2 4.5	3.5 1.7 4.3	2.0 1.2 2.2	3.8 7.7 2.3	1.0 — 1.0

1. See footnote¹ to Table 6.

TABLE 12. Ratio of nursing care visits to health instruction visits by cause, sex¹ and age group

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
	All causes	T 21.1	4.2	7.9	31.6	39.7	12.2
		M 21.6	4.4	23.6	30.5	36.3	16.5
		F 21.0	4.0	6.9	31.2	41.6	11.6
1	Tuberculosis (001-019).....	T 46.2	9.0	57.5	44.6	25.7	2
		M 60.1	14.5	77.9	72.3	25.6	2
		F 39.8	7.8	51.1	27.0	25.9	—
2	Other infective and parasitic diseases (020-138).....	T 7.9	4.3	10.1	34.6	20.7	10.3
		M 7.3	5.0	7.8	57.6	27.6	5.0
		F 8.2	3.8	10.8	28.2	19.6	13.0
3	Malignant neoplasms (140-205).....	T 27.2	30.0	34.4	28.0	25.3	21.3
		M 27.7	24.5	37.9	26.8	27.3	2
		F 27.0	41.0	33.8	28.5	24.4	12.0
4	Benign neoplasms (210-239)	T 19.6	3.2	23.7	16.1	36.8	2
		M 29.7	2.7	2	23.6	2	—
		F 17.2	4.2	16.2	14.9	28.0	2
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).....	T 26.7	9.9	33.1	36.1	28.9	9.7
		M 19.1	10.5	2	13.7	23.3	5.0
		F 31.8	8.7	27.1	44.8	33.5	2
6	Diabetes (260).....	T 58.8	15.8	19.6	52.7	66.6	25.5
		M 58.6	3.4	5.3	38.3	77.5	2
		F 58.9	30.0	24.2	55.4	64.0	17.5
7	Anaemias (290-293).....	T 74.9	22.3	50.7	82.9	77.9	43.3
		M 66.1	24.6	133.5	104.3	62.5	2
		F 76.5	13.0	49.1	80.6	81.6	42.2
8	Other diseases of the blood and blood-forming organs (294-299).....	T 7.8	2.7	7.0	2	2	—
		M 5.0	2.0	2	2	—	—
		F 8.4	3.0	6.7	2	2	—
9	Mental, psychoneurotic and personality disorders (300-326).....	T 27.2	22.3	17.1	26.9	43.3	2
		M 30.1	16.3	17.6	25.3	79.2	—
		F 26.5	2	17.1	27.7	38.9	2
10	Diseases of the central nervous system (330-352).....	T 60.2	11.7	73.9	48.0	65.3	19.6
		M 67.7	1.7	119.5	61.4	69.1	7.0
		F 57.3	21.7	67.3	43.9	63.5	21.7
11	Other diseases of the nervous system and sense organs (353-398).....	T 19.9	5.4	20.0	29.2	43.7	90.0
		M 16.2	5.5	23.6	96.5	32.5	7.0
		F 21.7	5.2	19.6	20.3	47.9	2
12	Rheumatic fever (400-402).....	T 11.7	9.5	13.1	19.7	4.2	—
		M 10.3	6.5	17.7	2	—	—
		F 12.4	12.8	11.4	19.1	4.2	—

TABLE 12. Ratio of nursing care visits to health instruction visits by cause, sex¹ and age group—Concluded

No.	Cause and detailed list numbers	Age					
		All ages	Under 15	15-44	45-64	65 and over	Not stated
13	Diseases of the heart (410-434)..... T	35.9	5.8	22.4	35.5	38.1	67.3
	M	31.8	8.0	15.7	30.3	33.6	2
	F	38.9	5.1	25.4	38.6	41.7	38.7
14	Other diseases of the circulatory system T	35.2	6.5	13.7	27.7	41.9	2
	(440-468). M	34.0	5.6	6.5	62.8	34.7	—
	F	35.8	9.3	17.6	21.8	45.9	2
15	Diseases of the respiratory system (470-527) T	8.0	4.6	6.9	12.5	13.7	5.9
	M	7.3	4.8	6.2	15.3	14.2	5.0
	F	8.4	4.5	7.2	11.8	13.5	6.2
16	Diseases of the digestive system (530-587).. T	10.2	3.1	11.9	13.2	11.8	7.6
	M	10.1	3.1	17.3	15.2	13.2	5.5
	F	10.2	3.1	10.9	12.6	11.2	8.3
17	Diseases of the genito-urinary system (590-637). T	16.4	3.5	11.8	16.2	35.9	6.5
	M	14.1	3.3	23.1	15.8	41.4	7.6
	F	17.3	6.0	11.4	16.2	33.5	5.8
18	Complications of pregnancy, childbirth and T	1.2	—	1.2	2	—	1.3
	the puerperium (640-689). M	—	—	—	—	—	—
	F	1.2	—	1.2	2	—	1.3
19	Diseases of the skin and cellular tissue T	13.3	5.6	11.6	11.9	25.2	25.3
	(690-716). M	13.1	5.5	47.0	10.8	20.7	2
	F	13.3	5.6	8.1	12.3	26.9	25.3
20	Arthritis and rheumatism, except rheumatic T	55.2	8.6	51.4	72.9	51.5	13.6
	fever (720-727). M	47.0	12.5	97.7	36.2	50.9	—
	F	57.0	4.0	45.0	83.3	51.6	13.6
21	Other diseases of the bones and organs of T	31.5	10.4	39.9	33.4	54.2	1.3
	movement (730-749). M	39.1	24.0	2	25.1	42.3	1.3
	F	28.6	4.3	26.1	40.3	57.8	—
22	Congenital malformations (750-759)..... T	9.3	2.7	106.2	59.4	2	—
	M	14.3	6.7	13.5	4.5	2	—
	F	8.3	2.1	199.0	96.0	2	—
23	Certain diseases of early infancy (760-776).. T	2.5	2.5	—	—	—	—
	M	2.8	2.8	—	—	—	—
	F	2.4	2.4	—	—	—	—
24	Symptoms, senility and ill-defined conditions T	14.7	3.0	8.3	9.0	33.4	10.3
	(780-795). M	9.5	3.1	11.4	8.4	25.2	2
	F	17.2	2.9	7.8	9.1	36.1	9.6
25	Alternative classification of accidents, T	21.8	6.0	10.4	14.0	39.0	16.2
	poisonings and violence (nature of injury) M	15.7	5.5	12.1	11.8	49.8	2
	(N800-N999). F	23.9	6.6	10.0	14.6	37.5	16.1
26	Other admissions (Y00-Y88)..... T	2.5	2.1	19.3	27.7	31.7	2
	M	2.3	2.1	2	2	26.0	—
	F	2.7	2.2	16.2	25.7	43.0	2

1. See footnote 1 to Table 6.

2. Due to the small number of health instruction visits in proportion to nursing care visits, ratios were omitted.

TABLE 13. Number of cases by cause, sex and length of nursing service

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
	All causes	T 49,410	10,274	13,257	10,767	6,279	5,811	1,547	529	900	46
	M 14,349	3,177	4,483	3,151	1,529	1,372	1,339	98	175	25	
	F 35,057	7,097	8,773	7,615	4,750	4,437	1,208	431	725	21	
	NS 4	-	1	1	-	2	-	-	-	-	
1	Tuberculosis (001-019).....	T 535	30	46	132	127	184	13	-	3	-
	M 229	12	20	66	50	79	2	-	-	-	
	F 306	18	26	66	77	105	11	-	-	3	-
2	Other infective and parasitic diseases (020-138).	T 1,791	465	789	400	87	38	7	1	4	-
	M 659	165	323	131	26	11	2	-	-	1	-
	F 1,132	300	466	269	61	27	5	1	1	3	-
3	Malignant neoplasms (140-205) ..	T 2,924	354	586	887	596	409	61	9	22	-
	M 911	137	194	261	185	108	18	3	3	5	-
	F 2,013	217	392	626	411	301	43	6	6	17	-
4	Benign neoplasms (210-239)	T 223	58	53	65	30	14	2	-	1	-
	M 49	11	9	17	4	6	1	-	-	1	-
	F 174	47	44	48	26	8	1	-	-	-	-
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 734	117	172	171	108	118	29	6	13	-
	M 230	32	68	50	29	39	9	1	1	2	-
	F 503	85	103	121	79	79	20	5	5	11	-
	NS 1	-	1	-	-	-	-	-	-	-	-
6	Diabetes (260)	T 1,939	189	607	484	245	249	95	27	43	-
	M 401	27	147	109	39	56	14	1	1	8	-
	F 1,538	162	460	375	206	193	81	26	26	35	-
7	Anaemias (290-293).....	T 3,494	192	157	561	629	976	406	164	409	-
	M 485	22	18	82	87	123	62	24	24	67	-
	F 3,008	170	139	479	542	852	344	140	140	342	-
	NS 1	-	-	-	-	1	-	-	-	-	-
8	Other diseases of the blood and blood-forming organs (294-299).	T 10	1	3	4	1	1	-	-	-	-
	M 3	1	1	1	-	-	-	-	-	-	-
	F 7	-	2	3	1	1	-	-	-	-	-
9	Mental, psychoneurotic and personality disorders (300-326).	T 314	68	74	76	37	38	15	3	3	-
	M 53	11	12	12	6	7	2	2	2	1	-
	F 261	57	62	64	31	31	13	1	1	2	-
10	Diseases of the central nervous system (330-352).	T 2,834	405	521	582	408	539	219	69	90	1
	M 889	136	173	182	135	165	59	18	18	21	-
	F 1,943	269	348	399	273	373	160	51	51	69	1
	NS 2	-	-	1	-	1	-	-	-	-	-
11	Other diseases of the nervous system and sense organs (353-398).	T 1,292	222	510	294	134	102	10	5	15	-
	M 416	76	199	81	31	25	-	-	-	4	-
	F 876	146	311	213	103	77	10	5	5	11	-
12	Rheumatic fever (400-402)	T 90	6	26	28	16	13	-	-	1	-
	M 30	1	8	12	6	3	-	-	-	-	-
	F 60	5	18	16	10	10	-	-	-	1	-

TABLE 13. Number of cases by cause, sex and length of nursing service -- Concluded

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
13	Diseases of the heart (410-434). T	3,927	415	569	922	719	913	244	91	52	2
	M	1,495	155	203	370	283	350	87	22	24	1
	F	2,432	260	366	552	436	563	157	69	28	1
14	Other diseases of the circulatory system (440-468). T	1,835	281	327	448	308	319	85	35	32	—
	M	526	60	101	143	84	103	20	10	5	—
	F	1,309	221	226	305	224	216	65	25	27	—
15	Diseases of the respiratory system (470-527). T	6,853	1,798	3,359	1,248	278	143	16	5	4	2
	M	2,488	618	1,264	475	83	41	4	—	1	2
	F	4,365	1,180	2,095	773	195	102	12	5	3	—
16	Diseases of the digestive system (530-587). T	6,075	2,546	1,690	1,154	450	180	35	5	12	3
	M	1,824	770	517	348	131	45	10	2	1	—
	F	4,251	1,776	1,173	806	319	135	25	3	11	3
17	Diseases of the genito-urinary system (590-637). T	2,025	398	673	578	211	115	29	8	13	—
	M	476	85	168	142	50	23	5	1	2	—
	F	1,549	313	505	436	161	92	24	7	11	—
18	Complications of pregnancy, child-birth and the puerperium (640-689). T	1,806	72	144	439	667	483	1	—	—	—
	M	—	—	—	—	—	—	—	—	—	—
	F	1,806	72	144	439	667	483	1	—	—	—
19	Diseases of the skin and cellular tissue (690-716). T	994	139	361	306	114	60	10	1	3	—
	M	341	46	142	120	23	6	4	—	—	—
	F	653	93	219	186	91	54	6	1	3	—
20	Arthritis and rheumatism, except rheumatic fever (720-727). T	1,404	188	182	262	233	268	118	45	108	—
	M	227	34	38	41	39	38	11	8	18	—
	F	1,177	154	144	221	194	230	107	37	90	—
21	Other diseases of the bones and organs of movement (730-749). T	246	30	52	71	34	33	10	7	9	—
	M	68	10	12	20	8	9	4	1	4	—
	F	178	20	40	51	26	24	6	6	5	—
22	Congenital malformations (750-759). T	89	10	15	29	17	11	3	—	4	—
	M	32	2	8	13	5	3	1	—	—	—
	F	57	8	7	16	12	8	2	—	4	—
23	Certain diseases of early infancy (760-776). T	54	6	24	13	9	2	—	—	—	—
	M	32	4	13	9	6	—	—	—	—	—
	F	22	2	11	4	3	2	—	—	—	—
24	Symptoms, senility and ill-defined conditions (780-795). T	4,948	1,544	1,606	871	421	336	99	29	42	—
	M	1,576	523	603	243	110	65	20	4	8	—
	F	3,372	1,021	1,003	628	311	271	79	25	34	—
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T	2,173	498	538	531	308	222	40	19	17	—
	M	553	145	159	128	68	46	4	1	2	—
	F	1,620	353	379	403	240	176	36	18	15	—
26	Other admissions (Y00-Y88) T	801	242	173	211	92	45	—	—	—	38
	M	356	94	83	95	41	21	—	—	—	22
	F	445	148	90	116	51	24	—	—	—	16

TABLE 14. Percentage distribution of cases by cause, sex¹ and length of nursing service

(Total for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
	All causes	T 100.0	20.8	26.8	21.8	12.7	11.8	3.1	1.1	1.8	0.1
		M 100.0	22.1	31.2	22.0	10.6	9.6	2.4	0.7	1.2	0.2
		F 100.0	20.2	25.0	21.7	13.6	12.7	3.4	1.2	2.1	0.1
1	Tuberculosis (001-019)	T 100.0	5.6	8.6	24.7	23.7	34.4	2.4	—	0.6	—
		M 100.0	5.3	8.7	28.8	21.8	34.5	0.9	—	—	—
		F 100.0	5.9	8.4	21.6	25.2	34.3	3.6	—	1.0	—
2	Other infective and parasitic diseases (020-138).	T 100.0	26.0	44.0	22.3	4.9	2.1	0.4	0.1	0.2	—
		M 100.0	25.0	49.0	19.9	3.9	1.7	0.3	—	0.2	—
		F 100.0	26.5	41.1	23.8	5.4	2.4	0.4	0.1	0.3	—
3	Malignant neoplasms (140-205) ..	T 100.0	12.1	20.0	30.3	20.4	14.0	2.1	0.3	0.8	—
		M 100.0	15.0	21.3	28.7	20.3	11.9	2.0	0.3	0.5	—
		F 100.0	10.8	19.5	31.1	20.4	15.0	2.1	0.3	0.8	—
4	Benign neoplasms (210-239)	T 100.0	26.0	23.9	29.1	13.4	6.3	0.9	—	0.4	—
		M 100.0	22.5	18.4	34.7	8.2	12.2	2.0	—	2.0	—
		F 100.0	27.0	25.3	27.6	14.9	4.6	0.6	—	—	—
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 100.0	15.9	23.4	23.3	14.7	16.1	4.0	0.8	1.8	—
		M 100.0	13.9	29.6	21.7	12.6	17.0	3.9	0.4	0.9	—
		F 100.0	16.9	20.5	24.0	15.7	15.7	4.0	1.0	2.2	—
6	Diabetes (260)	T 100.0	9.8	31.3	25.0	12.6	12.8	4.9	1.4	2.2	—
		M 100.0	6.7	36.7	27.2	9.7	14.0	3.5	0.2	2.0	—
		F 100.0	10.5	29.9	24.4	13.4	12.5	5.3	1.7	2.3	—
7	Anaemias (290-293)	T 100.0	5.5	4.5	16.1	18.0	27.9	11.6	4.7	11.7	—
		M 100.0	4.5	3.7	16.9	17.9	25.4	12.8	5.0	13.8	—
		F 100.0	5.7	4.6	15.9	18.0	28.3	11.4	4.7	11.4	—
8	Other diseases of the blood and blood-forming organs (294-299).	T 100.0	10.0	30.0	40.0	10.0	10.0	—	—	—	—
		M 100.0	33.4	33.3	33.3	—	—	—	—	—	—
		F 100.0	—	28.6	42.8	14.3	14.3	—	—	—	—
9	Mental, psychoneurotic and personality disorders (300-326).	T 100.0	21.7	23.6	24.2	11.8	12.1	4.8	0.9	0.9	—
		M 100.0	20.8	22.6	22.6	11.3	13.2	3.8	3.8	1.9	—
		F 100.0	21.8	23.7	24.5	11.9	11.9	5.0	0.4	0.8	—
10	Diseases of the central nervous system (330-352).	T 100.0	14.3	18.4	20.5	14.4	19.0	7.7	2.4	3.2	0.1
		M 100.0	15.3	19.4	20.5	15.2	18.6	6.6	2.0	2.4	—
		F 100.0	13.8	17.9	20.5	14.1	19.2	8.2	2.6	3.6	0.1
11	Other diseases of the nervous system and sense organs (353-398).	T 100.0	17.2	39.4	22.7	10.4	7.9	0.8	0.4	1.2	—
		M 100.0	18.3	47.8	19.5	7.4	6.0	—	—	1.0	—
		F 100.0	16.7	35.5	24.3	11.7	8.8	1.1	0.6	1.3	—
12	Rheumatic fever (400-402)	T 100.0	6.7	28.9	31.1	17.8	14.4	—	—	1.1	—
		M 100.0	3.3	26.7	40.0	20.0	10.0	—	—	—	—
		F 100.0	8.3	30.0	26.7	16.7	16.7	—	—	1.6	—

TABLE 14. Percentage distribution of cases by cause, sex¹ and length of nursing service - Concluded

(Total for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	2-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
13	Diseases of the heart (410-434) T	100.0	10.5	14.4	23.4	18.3	23.1	6.2	2.3	1.3	0.5
	M	100.0	10.4	13.6	24.7	18.9	23.4	5.8	1.5	1.6	0.1
	F	100.0	10.6	15.0	22.7	17.9	23.1	6.4	2.8	1.1	0.4
14	Other diseases of the circulatory system (440-468). T	100.0	15.3	17.8	24.4	16.8	17.4	4.6	1.9	1.8	—
	M	100.0	11.4	19.2	27.2	16.0	19.6	3.8	1.9	0.9	—
	F	100.0	16.9	17.3	23.3	17.1	16.5	5.0	1.9	2.0	—
15	Diseases of the respiratory system (470-527). T	100.0	26.2	49.0	18.2	4.0	2.1	0.2	0.1	0.1	0.1
	M	100.0	24.8	50.8	19.1	3.3	1.6	0.2	—	0.1	0.1
	F	100.0	27.0	48.0	17.7	4.5	2.3	0.3	0.1	0.1	—
16	Diseases of the digestive system (530-587). T	100.0	41.9	27.8	19.0	7.4	3.0	0.5	0.1	0.2	0.1
	M	100.0	42.2	28.3	19.1	7.2	2.5	0.5	0.1	0.1	—
	F	100.0	41.8	27.6	19.0	7.5	3.1	0.6	0.1	0.2	0.1
17	Diseases of the genito-urinary system (590-637). T	100.0	19.7	33.2	28.6	10.4	5.7	1.4	0.4	0.6	—
	M	100.0	17.9	35.2	29.9	10.5	4.8	1.1	0.2	0.4	—
	F	100.0	20.2	32.6	28.1	10.4	5.9	1.6	0.5	0.7	—
18	Complications of pregnancy, childbirth and the puerperium (640-689). T	100.0	4.0	8.0	24.3	36.9	26.7	0.1	—	—	—
	M	100.0	—	—	—	—	—	—	—	—	—
	F	100.0	4.0	8.0	24.3	36.9	26.7	0.1	—	—	—
19	Diseases of the skin and cellular tissue (690-716). T	100.0	14.0	36.3	30.8	11.5	6.0	1.0	0.1	0.3	—
	M	100.0	13.5	41.6	35.2	6.7	1.8	1.2	—	—	—
	F	100.0	14.2	33.5	28.5	13.9	8.3	0.9	0.2	0.5	—
20	Arthritis and rheumatism, except rheumatic fever (720-727). T	100.0	13.4	13.0	18.6	16.6	19.1	8.4	3.2	7.7	—
	M	100.0	15.0	16.7	18.1	17.2	16.7	4.9	3.5	7.9	—
	F	100.0	13.1	12.2	18.8	16.5	19.5	9.1	3.1	7.7	—
21	Other diseases of the bones and organs of movement (730-749). T	100.0	12.2	21.1	28.9	13.8	13.4	4.1	2.8	3.7	—
	M	100.0	14.7	17.6	29.4	11.8	13.2	5.9	1.5	5.9	—
	F	100.0	11.2	22.5	28.6	14.6	13.5	3.4	3.4	2.8	—
22	Congenital malformations (750-759). T	100.0	11.2	16.9	32.6	19.1	12.3	3.4	—	4.5	—
	M	100.0	6.3	25.0	40.6	15.6	9.4	3.1	—	—	—
	F	100.0	14.0	12.3	28.1	21.1	14.0	3.5	—	7.0	—
23	Certain diseases of early infancy (760-776). T	100.0	11.1	44.4	24.1	16.7	3.7	—	—	—	—
	M	100.0	12.5	40.6	28.1	18.8	—	—	—	—	—
	F	100.0	9.1	50.0	18.2	13.6	9.1	—	—	—	—
24	Symptoms, senility and ill-defined conditions (780-795). T	100.0	31.2	32.5	17.6	8.5	6.8	2.0	0.6	0.8	—
	M	100.0	33.2	38.3	15.4	7.0	4.1	1.3	0.2	0.5	—
	F	100.0	30.3	29.8	18.7	9.2	8.0	2.3	0.7	1.0	—
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T	100.0	22.9	24.8	24.4	14.2	10.2	1.8	0.9	0.8	—
	M	100.0	26.2	28.8	23.1	12.3	8.3	0.7	0.2	0.4	—
	F	100.0	21.8	23.4	24.9	14.8	10.9	2.2	1.1	0.9	—
26	Other admissions (Y00-Y88)..... T	100.0	30.2	21.6	26.3	11.5	5.6	—	—	—	4.8
	M	100.0	26.4	23.3	26.7	11.5	5.9	—	—	—	6.2
	F	100.0	33.2	20.2	26.1	11.5	5.4	—	—	—	3.6

1. See footnote 1 to Table 6.

TABLE 15. Percentage distribution of cases by cause, sex¹ and length of nursing service
(Total for each length of nursing service group=100 per cent)

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not Stated
	All causes T	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	M	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	F	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1	Tuberculosis (001-019)..... T	1.1	0.3	0.3	1.2	2.0	3.2	0.8	—	0.3	—
	M	1.6	0.4	0.4	2.1	3.3	5.8	0.6	—	—	—
	F	0.9	0.2	0.3	0.9	1.6	2.4	0.9	—	0.4	—
2	Other infective and parasitic diseases (020-138).. T	3.6	4.5	6.0	3.7	1.4	0.7	0.5	0.2	0.4	—
	M	4.6	5.2	7.2	4.2	1.7	0.8	0.6	—	0.6	—
	F	3.2	4.2	5.3	3.5	1.3	0.6	0.4	0.2	0.4	—
3	Malignant neoplasms (140-205).. T	5.9	3.4	4.4	8.2	9.5	7.0	3.9	1.7	2.4	—
	M	6.3	4.3	4.3	8.3	12.1	7.9	5.3	3.1	2.8	—
	F	5.7	3.1	4.5	8.2	8.7	6.8	3.6	1.4	2.4	—
4	Benign neoplasms (210-239)..... T	0.5	0.6	0.4	0.6	0.5	0.2	0.1	—	0.1	—
	M	0.3	0.3	0.2	0.5	0.3	0.4	0.3	—	0.6	—
	F	0.5	0.6	0.5	0.6	0.5	0.2	0.1	—	—	—
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289). T	1.5	1.1	1.3	1.6	1.7	2.0	1.9	1.1	1.4	—
	M	1.6	1.0	1.5	1.6	1.9	2.8	2.6	1.0	1.1	—
	F	1.4	1.2	1.2	1.4	1.7	1.8	1.7	1.2	1.5	—
6	Diabetes (260)..... T	3.9	1.8	4.6	4.5	3.9	4.3	6.1	5.1	4.9	—
	M	2.8	0.8	3.3	3.5	2.6	4.1	4.1	1.0	4.6	—
	F	4.4	2.3	5.2	4.9	4.3	4.4	6.7	6.0	4.8	—
7	Anaemias (290-293)..... T	7.1	1.9	1.2	5.2	10.0	16.8	26.3	31.0	45.4	—
	M	3.4	0.7	0.4	2.6	5.6	9.0	18.3	24.3	38.3	—
	F	8.6	2.4	1.6	6.3	11.4	19.2	28.4	32.5	47.2	—
8	Other diseases of the blood and blood-forming organs (294-299) T	2	2	2	2	2	2	—	—	—	—
	M	2	2	2	2	—	—	—	—	—	—
	F	2	—	2	2	2	2	—	—	—	—
9	Mental, psychoneurotic and personality disorders (300-326). T	0.6	0.7	0.6	0.7	0.6	0.7	1.0	0.6	0.3	—
	M	0.4	0.3	0.3	0.4	0.4	0.5	0.6	2.1	0.6	—
	F	0.7	0.8	0.7	0.9	0.7	0.7	1.1	0.2	0.3	—
10	Diseases of the central nervous system (330-352). T	5.7	3.9	3.9	5.4	6.5	9.3	14.2	13.1	10.0	2.2
	M	6.2	4.3	3.9	5.8	8.8	12.0	17.4	18.4	12.0	—
	F	5.5	3.8	4.0	5.2	5.7	8.4	13.2	11.8	9.5	4.8
11	Other diseases of the nervous system (353-398). T	2.6	2.2	3.8	2.7	2.1	1.7	0.6	0.9	1.7	—
	M	2.9	2.4	4.4	2.6	2.0	1.8	—	—	2.3	—
	F	2.5	2.1	3.5	2.8	2.2	1.7	0.8	1.2	1.5	—
12	Rheumatic fever (400-402)..... T	0.2	0.1	0.2	0.3	0.3	0.2	—	—	0.1	—
	M	0.2	—	0.2	0.4	0.4	0.2	—	—	—	—
	F	0.2	0.1	0.2	0.2	0.2	0.2	—	—	0.1	—

TABLE 15. Percentage distribution of cases by cause, sex¹ and length of nursing service — Concluded
(Total for each length of nursing service group = 100 per cent)

No.	Cause and detailed list numbers	Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not Stated
13	Diseases of the heart (410-434) T	8.0	4.0	4.3	8.6	11.5	15.7	15.8	17.3	5.9	4.3
	M	10.4	4.9	4.5	11.7	18.5	25.5	25.6	22.5	13.7	4.0
	F	6.9	3.7	4.2	7.3	9.2	12.7	13.0	16.0	3.9	4.8
14	Other diseases of the circulatory system (440-468). T	3.7	2.7	2.5	4.2	4.9	5.5	5.5	6.6	3.6	—
	M	3.7	1.9	2.2	4.5	5.5	7.5	5.9	10.2	2.8	—
	F	3.7	3.1	2.6	4.0	4.7	4.9	5.4	5.8	3.7	—
15	Diseases of the respiratory system (470-527). T	13.9	17.5	25.3	11.6	4.4	2.5	1.0	0.9	0.4	4.3
	M	17.3	19.5	28.2	15.1	5.4	3.0	1.2	—	0.6	8.0
	F	12.5	16.6	23.9	10.2	4.1	2.3	1.0	1.2	0.4	—
16	Diseases of the digestive system (530-587). T	12.3	24.8	12.7	10.7	7.2	3.1	2.3	0.9	1.3	6.6
	M	12.7	24.2	11.5	11.0	8.6	3.3	3.0	2.1	0.6	—
	F	12.1	25.0	13.4	10.6	6.7	3.0	2.1	0.7	1.5	14.2
17	Diseases of the genito-urinary system (590-637). T	4.1	3.9	5.1	5.4	3.4	2.0	1.9	1.5	1.4	—
	M	3.3	2.7	3.7	4.5	3.3	1.7	1.5	1.0	1.1	—
	F	4.4	4.4	5.8	5.7	3.4	2.1	2.0	1.6	1.5	—
18	Complications of pregnancy, childbirth and the puerperium (640-689). T	3.7	0.7	1.1	4.1	10.6	8.3	0.1	—	—	—
	M	—	—	—	—	—	—	—	—	—	—
	F	5.2	1.0	1.6	5.8	14.0	10.9	0.1	—	—	—
19	Diseases of the skin and cellular tissue (690-716). T	2.0	1.4	2.7	2.8	1.8	1.0	0.6	0.2	0.3	—
	M	2.4	1.4	3.2	3.8	1.5	0.4	1.2	—	—	—
	F	1.9	1.3	2.5	2.5	1.9	1.2	0.5	0.2	0.4	—
20	Arthritis and rheumatism, except rheumatic fever (720-727). T	2.8	1.8	1.4	2.4	3.7	4.6	7.6	8.5	12.0	—
	M	1.6	1.1	0.9	1.3	2.6	2.8	3.2	8.2	10.3	—
	F	3.4	2.2	1.6	2.9	4.1	5.2	8.8	8.6	12.4	—
21	Other diseases of the bones and organs of movement (730-749) T	0.5	0.3	0.4	0.7	0.5	0.6	0.6	1.3	1.0	—
	M	0.5	0.3	0.3	0.6	0.5	0.7	1.2	1.0	2.3	—
	F	0.5	0.3	0.5	0.7	0.5	0.5	0.5	1.4	0.7	—
22	Congenital malformations (750-759). T	0.2	0.1	0.1	0.3	0.3	0.2	0.2	—	0.4	—
	M	0.2	0.1	0.2	0.4	0.3	0.2	0.3	—	—	—
	F	0.2	0.1	0.1	0.2	0.3	0.2	0.2	—	0.6	—
23	Certain diseases of early infancy (760-776). T	0.1	0.1	0.2	0.1	0.1	2	—	—	—	—
	M	0.2	0.1	0.3	0.3	0.4	—	—	—	—	—
	F	0.1	2	0.1	0.1	0.1	2	—	—	—	—
24	Symptoms, senility and ill-defined conditions (780-795). T	10.0	15.0	12.1	8.1	6.7	5.8	6.4	5.5	4.7	—
	M	11.0	16.5	13.5	7.7	7.2	4.7	5.9	4.1	4.6	—
	F	9.6	14.4	11.4	8.3	6.5	6.1	6.5	5.8	4.7	—
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). T	4.4	4.8	4.1	4.9	4.9	3.8	2.6	3.6	2.0	—
	M	3.9	4.6	3.5	4.1	4.4	3.4	1.2	1.0	1.1	—
	F	4.6	5.0	4.3	5.3	5.1	4.0	3.0	4.2	2.1	—
26	Other admissions (Y00-Y88)..... T	1.6	2.4	1.3	2.0	1.5	0.8	—	—	—	82.6
	M	2.5	3.0	1.9	3.0	2.7	1.5	—	—	—	88.0
	F	1.3	2.1	1.0	1.5	1.1	0.5	—	—	—	76.2

1. See footnote 1 to Table 6.

TABLE 16. Number of cases by age group, sex and length of nursing service

Age		Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
All ages	T	49,410	10,274	13,257	10,767	6,279	5,811	1,547	529	900	46
	M	14,349	3,177	4,483	3,151	1,529	1,372	339	98	175	25
	F	35,057	7,097	8,773	7,615	4,750	4,437	1,208	431	725	21
	NS	4	—	1	1	—	2	—	—	—	—
Under 15 years	T	8,958	2,485	4,005	1,723	461	233	9	1	1	40
	M	4,604	1,234	2,089	887	246	120	3	—	1	24
	F	4,354	1,251	1,916	836	215	113	6	1	—	16
15-24 years	T	2,073	537	616	403	290	209	9	1	8	—
	M	415	118	165	78	27	22	2	—	3	—
	F	1,658	419	451	325	263	187	7	1	5	—
25-44 years	T	7,150	1,439	1,920	1,651	1,128	845	93	29	44	1
	M	1,103	286	381	232	112	70	11	5	6	—
	F	6,047	1,153	1,539	1,419	1,016	775	82	24	38	1
45-64 years	T	9,611	1,841	2,339	2,256	1,398	1,111	358	124	183	1
	M	2,362	453	602	599	328	261	57	22	40	—
	F	7,249	1,388	1,737	1,657	1,070	850	301	102	143	1
65 and over	T	21,284	3,899	4,287	4,646	3,002	3,338	1,099	375	634	4
	M	5,800	1,064	1,230	1,338	812	894	265	71	125	1
	F	15,481	2,835	3,057	3,307	2,190	2,442	834	304	509	3
	NS	3	—	—	1	—	2	—	—	—	—
Not stated	T	334	100	89	62	39	36	5	—	3	—
	M	65	22	16	17	4	5	1	—	—	—
	F	268	78	72	45	35	31	4	—	3	—
	NS	1	—	1	—	—	—	—	—	—	—

TABLE 17. Percentage distribution of cases by age group, sex¹ and length of nursing service

Age		Length of nursing service									
		All lengths	1 day	2-7 days	8-30 days	1 month and under 3 months	3-12 months	1 year and under 2 years	2 years and under 3 years	3 years and over	Not stated
All ages	T	100.0	20.8	26.8	21.8	12.7	11.8	3.1	1.1	1.8	0.1
	M	100.0	22.1	31.2	22.0	10.6	9.6	2.4	0.7	1.2	0.2
	F	100.0	20.2	25.0	21.7	13.6	12.7	3.4	1.2	2.1	0.1
Under 15 years	T	100.0	27.7	44.7	19.2	5.2	2.6	0.1	2	2	0.5
	M	100.0	26.8	45.4	19.3	5.3	2.6	0.1	—	2	0.5
	F	100.0	28.7	44.0	19.2	5.0	2.6	0.1	2	—	0.4
15-24 years	T	100.0	25.9	29.7	19.4	14.0	10.1	0.4	0.1	0.4	—
	M	100.0	28.4	39.8	18.8	6.5	5.3	0.5	—	0.7	—
	F	100.0	25.3	27.2	19.6	15.9	11.3	0.4	2	0.3	—
25-44 years	T	100.0	20.1	26.9	23.1	15.8	11.8	1.3	0.4	0.6	2
	M	100.0	25.9	34.5	21.0	10.2	6.4	1.0	0.5	0.5	—
	F	100.0	19.1	25.4	23.5	16.8	12.8	1.4	0.4	0.6	2
45-64 years	T	100.0	19.2	24.3	23.5	14.5	11.6	3.7	1.3	1.9	2
	M	100.0	19.2	25.5	25.4	13.9	11.0	2.4	0.9	1.7	—
	F	100.0	19.1	24.0	22.9	14.8	11.7	4.1	1.4	2.0	2
65 and over	T	100.0	18.3	20.1	21.8	14.1	15.7	5.2	1.8	3.0	2
	M	100.0	18.3	21.2	23.1	14.0	15.4	4.6	1.2	2.2	2
	F	100.0	18.3	19.7	21.4	14.1	15.8	5.4	2.0	3.3	2
Not stated	T	100.0	29.9	26.6	18.6	11.7	10.8	1.5	—	0.9	—
	M	100.0	33.8	24.6	26.2	6.2	7.7	1.5	—	—	—
	F	100.0	29.1	26.9	16.8	13.0	11.6	1.5	—	1.1	—

1. See footnote 1 to Table 6.

2. See footnote 2 to Table 6.

TABLE 18. Number and per cent of cases and visits for persons admitted after hospitalization, by cause and sex

No.	Cause and detailed list numbers	Cases		Visits	
		Number	Per cent of total cases for each cause ¹	Number	Per cent of total visits for each cause ²
	All Causes	10,907	22.1	171,253	27.5
	T	2,990	20.8	50,264	31.6
	M	7,917	22.6	120,989	26.1
	F				
1	Tuberculosis (001-019)	253	47.3	5,908	50.3
	T	105	45.9	2,648	55.6
	M	148	48.4	3,260	46.7
	F				
2	Other infective and parasitic diseases (020-138)	82	4.6	653	9.1
	T	33	5.0	255	10.6
	M	49	4.3	398	8.3
	F				
3	Malignant neoplasms (140-205)	1,753	60.0	35,997	65.4
	T	554	60.8	11,317	69.1
	M	1,199	59.6	24,680	63.8
	F				
4	Benign neoplasms (210-239)	139	62.3	1,159	59.8
	T	31	63.3	271	49.1
	M	108	62.1	888	64.0
	F				
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	129	17.6	1,907	16.9
	T	42	18.3	703	21.5
	M	87	17.3	1,204	15.1
	F				
6	Diabetes (260)	495	28.5	19,296	25.4
	T	106	26.4	4,946	33.5
	M	389	25.3	14,350	23.5
	F				
7	Anaemias (290-293)	324	9.3	6,755	9.2
	T	71	14.6	1,441	13.9
	M	253	8.4	5,314	8.4
	F				
8	Other diseases of the blood and blood-forming organs (294-299).	5	50.0	18	34.0
	T	3	100.0	6	100.0
	M	2	28.6	12	25.5
	F				
9	Mental, psychoneurotic and personality disorders (300-326).	30	9.6	428	9.8
	T	7	13.2	105	10.9
	M	23	8.8	323	9.5
	F				
10	Diseases of the central nervous system (330-352)	417	14.7	12,848	18.6
	T	144	16.2	4,654	21.9
	M	273	14.1	8,194	17.1
	F				
11	Other diseases of the nervous system and sense organs (353-398).	164	12.7	2,510	21.7
	T	40	9.6	861	26.5
	M	124	14.2	1,649	19.9
	F				
12	Rheumatic fever (400-402)	12	13.3	184	22.3
	T	6	20.0	67	27.0
	M	6	10.0	117	20.2
	F				

TABLE 18. Number and per cent of cases and visits for persons admitted after hospitalization, by cause and sex - Concluded

No.	Cause and detailed list numbers	Cases		Visits	
		Number	Per cent of total cases for each cause ¹	Number	Per cent of total visits for each cause ²
13	Diseases of the heart (410-434).....	T 762	19.4	14,905	21.4
		M 303	20.3	5,633	22.0
		F 459	18.9	9,272	21.1
14	Other diseases of the circulatory system (440-468)	T 356	19.4	6,684	19.4
		M 121	23.0	2,338	22.5
		F 235	18.0	4,346	18.0
15	Diseases of the respiratory system (470-527)	T 349	5.1	2,783	10.9
		M 138	5.6	945	11.1
		F 211	4.8	1,838	10.8
16	Diseases of the digestive system (530-587)	T 1,298	21.4	11,345	42.1
		M 407	22.3	3,743	47.3
		F 891	21.0	7,602	40.0
17	Diseases of the genito-urinary system (590-637)	T 955	47.2	9,244	55.9
		M 294	61.8	3,123	72.0
		F 661	42.7	6,121	50.2
18	Complications of pregnancy, childbirth and the puerperium (640-689).	T 1,377	76.2	8,451	70.4
		M -	-	-	-
		F 1,377	76.2	8,451	70.4
19	Diseases of the skin and cellular tissue (690-716)	T 248	24.9	3,473	38.5
		M 77	22.6	860	31.7
		F 171	26.2	2,613	41.3
20	Arthritis and rheumatism, except rheumatic fever (720-727)	T 191	13.6	5,011	13.6
		M 44	19.4	1,159	21.2
		F 147	12.5	3,852	12.3
21	Other diseases of the bones and organs of movement (730-749).	T 91	37.0	1,585	34.4
		M 26	38.2	696	44.5
		F 65	36.5	889	29.2
22	Congenital malformations (750-759).....	T 43	48.3	363	25.1
		M 17	53.1	118	35.0
		F 26	46.4	245	22.1
23	Certain diseases of early infancy (760-776)	T 12	22.2	119	46.7
		M 5	15.6	50	41.3
		F 7	31.8	69	51.5
24	Symptoms, senility and ill-defined conditions (780-795).....	T 257	5.2	2,755	8.3
		M 73	4.6	499	6.9
		F 184	5.5	2,256	8.7
25	Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999).	T 885	40.7	15,227	60.3
		M 218	39.4	3,109	63.9
		F 667	41.2	12,118	59.4
26	Other admissions (Y00-Y88)	T 280	35.0	1,645	49.4
		M 125	35.1	717	48.8
		F 155	34.8	928	49.9

1. See Table 5 for total cases by cause.

2. See Table 8 for total visits by cause.

TABLE 19. Number of cases by cause, sex and occupational status

No.	Cause and detailed list numbers	Total cases	Not gainfully occupied					Gainfully occupied	Not stated
			Under 14 years	Retired or voluntarily idle	Home-maker or housewife	Student	Other		
	All causes	T 49,410	8,849	14,794	18,057	398	1,296	5,530	486
	M 14,349		4,357	5,542	—	174	550	3,210	316
	F 35,057		4,292	9,252	18,057	224	743	2,320	169
	N S 4		—	—	—	—	3	—	1
1	Tuberculosis (001-019)	T 535	30	51	201	16	86	146	5
	M 229		16	35	—	10	62	102	4
	F 306		14	16	201	6	24	44	1
2	Other infective and parasitic diseases (020-138).	T 1,791	1,062	102	350	49	21	187	20
	M 659		472	37	—	23	9	104	14
	F 1,132		590	65	350	26	12	83	6
3	Malignant neoplasms (140-205) ..	T 2,924	14	1,150	1,213	5	112	393	37
	M 911		9	540	—	4	54	278	26
	F 2,013		5	610	1,213	1	58	115	11
4	Benign neoplasms (210-239)	T 223	15	44	109	2	5	47	1
	M 49		7	11	—	2	1	27	1
	F 174		8	33	109	—	4	20	—
5	Allergic, endocrine, system, metabolic and nutritional diseases, except diabetes (240-254, 270-289).	T 734	113	174	318	7	18	92	12
	M 230		73	81	—	5	11	53	7
	F 503		40	93	318	2	7	39	4
	N S 1		—	—	—	—	—	—	1
6	Diabetes (260)	T 1,939	29	708	971	2	55	165	9
	M 401		13	255	—	1	18	112	2
	F 1,538		16	453	971	1	37	53	7
7	Anaemias (290-293)	T 3,494	15	1,246	1,891	3	55	264	20
	M 485		11	350	—	—	16	100	8
	F 3,008		4	896	1,891	3	38	164	12
	N S 1		—	—	—	—	1	—	—
8	Other diseases of the blood and blood-forming organs (294-299)	T 10	2	1	2	—	2	3	—
	M 3		1	—	—	—	—	2	—
	F 7		1	1	2	—	2	1	—
9	Mental, psychoneurotic and personality disorders (300-326).	T 314	6	61	161	—	31	43	12
	M 53		4	13	—	—	10	20	6
	F 261		2	48	161	—	21	23	6
10	Diseases of the central nervous system (330-352).	T 2,834	14	1,604	802	13	166	208	27
	M 889		4	656	—	1	70	138	20
	F 1,943		10	948	802	12	94	70	7
	N S 2		—	—	—	—	2	—	—
11	Other diseases of the nervous system and sense organs (353-398).	T 1,292	498	208	373	16	39	142	16
	M 416		262	63	—	9	11	60	11
	F 876		236	145	373	7	28	82	5
12	Rheumatic fever (400-402)	T 90	27	1	32	8	9	10	3
	M 30		13	—	—	6	3	7	1
	F 60		14	1	32	2	6	3	2

TABLE 19. Number of cases by cause, sex and occupational status -- Concluded

No.	Cause and detailed list numbers	Total cases	Not gainfully occupied					Gainfully occupied	Not stated
			Under 14 years	Retired or voluntarily idle	Home-maker or housewife	Student	Other		
13	Diseases of the heart (410-434) T	3,927	11	2,081	1,257	6	108	416	48
	M	1,495	5	1,063	—	3	58	325	41
	F	2,432	6	1,018	1,257	3	50	91	7
14	Other diseases of the circulatory T	1,835	46	895	653	4	53	173	11
	system (440-468). M	526	31	343	—	2	26	117	7
	F	1,309	15	552	653	2	27	56	4
15	Diseases of the respiratory sys- T	6,853	2,667	970	1,830	95	108	1,089	94
	tem (470-527). M	2,488	1,348	387	—	40	57	599	57
	F	4,365	1,319	583	1,830	55	51	490	37
16	Diseases of the digestive system T	6,075	919	1,914	2,163	56	123	837	63
	(530-587). M	1,824	454	755	—	20	46	505	44
	F	4,251	465	1,159	2,163	36	77	332	19
17	Diseases of the genito-urinary T	2,025	231	372	1,094	17	31	263	17
	system (590-637). M	476	196	148	—	4	7	106	15
	F	1,549	35	224	1,094	13	24	157	2
18	Complications of pregnancy, child- T	1,806	—	—	1,770	—	—	36	—
	birth and the puerperium (640- M	—	—	—	—	—	—	—	—
	689). F	1,806	—	—	1,770	—	—	36	—
19	Diseases of the skin and cellular T	994	282	208	309	17	39	129	10
	tissue (690-716). M	341	150	75	—	9	17	83	7
	F	653	132	133	309	8	22	46	3
20	Arthritis and rheumatism, except T	1,404	13	659	536	—	82	100	14
	rheumatic fever (720-727). M	227	8	148	—	—	22	40	9
	F	1,177	5	511	536	—	60	60	5
21	Other diseases of the bones and T	246	35	45	105	5	19	33	4
	organs of movement (730-749). M	68	23	13	—	2	10	18	2
	F	178	12	32	105	3	9	15	2
22	Congenital malformations (750-759) T	89	52	6	10	2	7	10	2
	M	32	24	2	—	—	1	5	—
	F	57	28	4	10	2	6	5	2
23	Certain diseases of early infancy T	54	54	—	—	—	—	—	—
	(760-776). M	32	32	—	—	—	—	—	—
	F	22	22	—	—	—	—	—	—
24	Symptoms, senility and ill-defined T	4,948	1,657	1,585	1,122	39	77	432	36
	conditions (780-795). M	1,576	854	435	—	17	24	222	24
	F	3,372	803	1,150	1,122	22	53	210	12
25	Alternative classifications of ac- T	2,173	399	690	712	26	48	276	22
	cidents, poisonings and vi- M	553	227	125	—	10	16	167	8
	olence (nature of injury) (N800- F	1,620	172	565	712	16	32	109	14
	N999). F								
26	Other admissions (Y00-Y88) T	801	658	19	73	10	2	36	3
	M	356	320	7	—	6	1	20	2
	F	445	338	12	73	4	1	16	1

APPENDICES

APPENDIX A

Morbidity Classification for Tables 5 to 19

No.	Cause group	Detailed list number	C-List number
1	Tuberculosis	001-019	C-1, C-2
2	Other infective and parasitic diseases	020-138	C-3 - C-11
3	Malignant neoplasms	140-205	C-12
4	Benign neoplasms	210-239	C-13
5	Allergic, endocrine system, metabolic and nutritional diseases, except diabetes	240-254 270-289	C-14 - C-15, C-49a, C-49b
6	Diabetes	260	C-16
7	Anaemias	290-293	C-18
8	Other diseases of the blood and blood-forming organs	294-299	C-49c
9	Mental, psychoneurotic and personality disorders	300-326	C-19 - C-22, C-49d C-49e
10	Diseases of the central nervous system	330-352	
11	Other diseases of the nervous system and sense organs	353-398	
12	Rheumatic fever	400-402	C-23
13	Diseases of the heart	410-434	C-24, C-25, C-49f
14	Other diseases of the circulatory system	440-468	C-26, C-49g, C-49h
15	Diseases of the respiratory system	470-527	C-28 - C-34 ¹
16	Diseases of the digestive system	530-587	C-35 - C-40 ¹
17	Diseases of the genito-urinary system	590-637	C-41 - C-42, C-49i
18	Complications of pregnancy, childbirth and the puerperium	640-689	C-43
19	Diseases of the skin and cellular tissue	690-716	C-44 - C-45
20	Arthritis and rheumatism, except rheumatic fever	720-727	C-46
21	Other diseases of the bones and organs of movement	730-749	C-47
22	Congenital malformations	750-759	C-48 ¹
23	Certain diseases of early infancy	760-776	
24	Symptoms, senility and ill-defined conditions	780-795	C-49j
25	Alternative classification of accidents, poisonings and violence (nature of injury)	N800-N999	C-50
26	Other admissions	Y00-Y88	-

1. Categories 763 (pneumonia of newborn) and 764 (diarrhoea of newborn), part of C-31 and C-38 respectively, are included in "Certain diseases of early infancy".

APPENDIX B

V.O.N. Form 1—1954

PATIENT'S SERVICE RECORD

Branch		District			
Surname		Given Names		Maiden	
Address		Apt. Floor		Telephone Number	
Date Opened		Referred by			
Age	Sex—M. F.	Marital Status—S. M. W. D. Sep.		Religion—Protestant	R.C. Hebrew Other
Can. En. Sp.	Can. Fr. Sp.	Can. Other	All Others	Occupation	
Diagnosis—1.		Post op.—Yes or No.		V.O.N. at Operation—Yes or No (Date)	
2. (Date)		3. (Date)			
4. (Date)		Home from Hospital—Yes or No (Date)			
Symptoms		How long ill			
Complications (Date)					
Dr. 1.	2.	Address 1.		2.	Tel. 1. 2.
Date up and about		Condition on Discharge		Rec.	Imp. Unimp. Dead (Date)
Date Discharged		Discharged to		Length of V.O.N. Service	
Service	Nursing Care		Health Instruction		Other
GNC	Pren. C.	Postn. C.	NBC	Pren. I. Postn. I. NBI HI	PNS OBP Total Visits
Payment—Full Part Free No Charge		Insurance*		Contract	Govt. Total
*Policy Number		Date of Issue		Checked Premium Receipt Book Yes No	
Fee Set	Nursing Care	Special Care	Total Charge		Amount Paid Amount Owning

MATERNITY RECORD

No. of Present Pregnancy	No. at Term	No. of Prematures	No. of Interrupted	No. of Stillborn at Term or Premature	
Date Due	Date Delivery	Delivery—Home	Hospital	Month to Doctor	
Present Pregnancy—Full Term	Premature	I.P. :		Live	Stillborn : Twins
V.O.N. at Delivery — Yes or No	V.O.N. at Int. Preg. — Yes or No	By Whom Delivered — Dr.		Nurse	Self Other
If V.O.N. at Delivery complete the following		Condition on Leaving		Laceration	Mod. Hemorrhage
		Fundus	Lochia	Episiotomy	Severe Hemorrhage
		Soft Firm	Profuse Moderate	Sutures (No. Type)	Placenta Normal Placenta Abnormal

INFANT RECORD

Name	Sex—M. F.	Can. En. Sp.	Can. Fr. Sp.	Birth Weight	
Eye Prophylaxis By V.O.N. — Yes or No	Birth Registration — Yes or No	Fdg.	B.	A.	Date Home from Hosp.
Birth Injury (Specify)	Physical Defects				
Complications	Date Disch.	Cond. on Disch.	Rec.	Imp.	Unimp. Dead (Date)
Doctor's Orders Date	Doctor's Orders Date				
Visit No.	Date	T.P.R.	Service Provided	Observation, Instruction, Remarks	Nurse

Year	Branch	Serial Number	Age	Sex	Marital Status	Religion	Language, etc.	Occupation	Infant, etc.	CASE DATA										VISITS										V.O.N. at Delivery			
										Class. of Adm.	Diagnosis	Post Operative	Length of Illness	Service Carry-over	Home from Hosp.	Cond. on Disch.	Month of Discharge	Length of V.O.N. Service	Nursing Care				Health Instruction				Other		Total Visits				
																			General	Prenatal	Postnatal	Newborn	Total	Prenatal	Postnatal	Newborn	General	Total			Patient not seen	On Behalf of Patient	
1	2-4	5-9	10-11	12	13	14	15	16-17	18	19	20-22	23	24-25	26	27	28	29-30	31-32	33-35	36-37	38-39	40-41	42-44	45-46	47-48	49-50	51-52	53-55	56-57	58-59	60-62	63	64

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010491175