82-202



#### Statistics of

## HOME NURSING SERVICES

(Victorian Order of Nurses for Canada)

1954

DOMINION BUREAU
OF STATISTICS
SEP 19 1955
PROPERTY OF THE
LIBRARY

DOMINION BUREAU OF STATISTICS

Health and Welfare Division
Public Health Section

|   |   | • |   |   |   |   |
|---|---|---|---|---|---|---|
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   | • |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   | · |   |   |
|   |   |   | , |   |   |   |
|   |   |   |   |   |   |   |
|   |   | • |   |   |   |   |
|   |   |   |   |   | • |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   | • |   |   |   |   |   |
|   |   |   |   | · |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   | • |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   | • |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
| , |   |   | • |   |   |   |
|   |   |   | • |   |   |   |
|   |   |   |   |   |   |   |
|   |   | • |   |   |   |   |
|   |   |   |   |   | , |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |

#### DOMINION BUREAU OF STATISTICS

Health and Welfare Division
Public Health Section

#### Statistics of

## HOME NURSING SERVICES

(Victorian Order of Nurses for Canada)

1954

Published by Authority of
The Right Honourable C. D. Howe, Minister of Trade and Commerce

9005-517-124

|   |   | • | • |  |
|---|---|---|---|--|
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   | • |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   | • | ÷ |   |  |
|   | • |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   | • |   |   |  |
|   |   |   |   |  |
| • |   |   |   |  |
|   | • |   |   |  |
|   |   |   |   |  |
|   | · |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   | • |   |   |  |
|   | • |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   | • |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |

#### **FOREWORD**

The Victorian Order of Nurses for Canada has very kindly agreed to make statistical information from its records available to this Bureau, thus facilitating a detailed appraisal of the home nursing services provided by the Order. The report does not provide a complete picture of such services in Canada because there are a number of other agencies engaged in home nursing. The Victorian Order of Nurses, however, is the largest and the only national organization of its kind with branches in nine provinces.

This is the third annual report on home nursing services. The steady increase in chronic illness, the increasing attention given to better care for mothers and babies before and after confinement and, last but not least, the growing interest in home care as supplementing hospital services should, it is hoped, make this report a useful contribution to the study of the changing pattern of health services in Canada.

HERBERT MARSHALL

Dominion Statistician

|   |     |  | • |
|---|-----|--|---|
| • |     |  |   |
|   |     |  |   |
|   | · . |  |   |

### TABLE OF CONTENTS

|   | Page          |
|---|---------------|
| FOREWORD  |               |
| INTRODUCTION  | 7             |
| PART I - SUMMARY  |               |
| Summary of discharged cases and visits, 1954  | 9             |
| Group health activities.  | 14            |
| 1952-1954 review  |               |
|   |               |
| Table 1. Percentage distribution of cases by cause and age group, 1952-1954   | 16<br>18      |
| PART II - MATERNITY and NEWBORN   | 21            |
| Table 3. Number and per cent of cases and visits (maternity) and average visits per ca  | ase, by<br>24 |
| Table 4. Number and per cent of cases and visits (maternity) and average visits per cellength of nursing service  | ise, by       |
| Table 5. Number and per cent of cases and visits (newborn) and average visits per ca  | se, by        |
|   |               |
| PART III - MEDICAL and SURGICAL   | 27            |
| Table 6. Number of cases and visits by cause (special list of 50 causes)  | 38            |
| Table 7. Number of cases by cause, sex and age group  | 40            |
| Table 8. Percentage distribution of cases by cause, sex and age group (All ages for cause group = 100 per cent)   | reach<br>42   |
| Table 9. Percentage distribution of cases by cause, sex and age group (All causes for   | reach         |
| age group = 100 per cent)   | e, sex<br>46  |
| Table 11. Percentage distribution of visits by cause, sex and age group (All ages for cause group = 100 per cent)   | reach         |
| Table 12. Fercentage discribition of visits by cause, sex and age group (All causes for   | reach         |
| age group = 100 per cent)   | 52            |
| Table 13. Average visits per case by cause, sex and age group during the year 1954  | 54            |
| Table 14. Ratio of nursing care visits to health instruction visits by cause, sex and age Table 15. Number of cases by cause, sex and length of nursing service | group 56      |
| Table 16. Percentage distribution of cases by cause, sex and length of nursing service?   | Total         |
| for each cause group = 100 per cent)  | 60            |
| Table 17. Percentage distribution of cases by cause, sex and length of nursing service ( for each length of nursing service group = 100 per cent)               | Total         |
| Table 18. Number of cases by age group, sex and length of nursing service   | 62            |
| Table 19. Percentage distribution of cases by age group, sex, and length of nursing s   | 64            |
| Table 20. Number and per cent of cases and visits for persons admitted after hospitalized by cause and sex  | ation.        |
| Table 21. Number of cases by cause, sex and occupational status.  |               |
| Table 22. Percentage distribution of cases by age group, sex and marital status   | 67            |
| Table 23. Percentage distribution of visits by age group, sex and marital status  | 69            |
| Table 24. Average visits per case by age group, sex and marital status during the year  | 1054 60       |
| Table 25. Number of cases by cause, sex, marital status and age group   | 70            |
| Table 26. Number of visits by cause, sex, marital status and age group  | 74            |

|   |   |   | • |  |
|---|---|---|---|--|
|   |   |   |   |  |
|   |   |   |   |  |
|   | · |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
| · |   |   |   |  |
|   |   |   |   |  |
|   |   | · |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |

#### INTRODUCTION

The Victorian Order of Nurses for Canada, referred to in this Report as the Order, is a voluntary non-profit organization established in 1897. It provides a variety of services of which only nursing care and health counseling in the home are dealt with in this Report. Included are services rendered under the home care program carried out in conjunction with the Reddy Memorial Hospital in Montreal.

Services are always rendered under the direction of the patient's physician on a visit basis, and include bedside nursing, prenatal, postnatal and newborn care, and health instruction. The services are designed to meet the needs of patients who cannot or need not go to a hospital, and patients who are awaiting admission to hospital as well as those returning from hospital and still requiring nursing service such as dressings, treatments or other care. Part of the nurse's duties are the demonstration and supervision of nursing care to be carried out by members of the patient's family.

The minimum qualification for the nurses is graduation from a recognized training school. In addition, many have public health training including communicable disease nursing.

On December 31, 1954, the Order had 115 branches in operation with 540 full and part-time nurses. The names of these branches and their location are indicated on the map included in the 1952 report. In addition to the 112 branches operating in 1953. three new branches. Sault Ste. Marie and Bronté-Oakville-Trafalgar in Ontario, and Nanaimo in British Columbia, began operations during 1954. Most of them provide service in the urban communuties in which they are located, but some give service in rural areas. These communities comprise about 36 per cent of the total population of the provinces in which branches are located. There are as yet no branches in Prince Edward Island. In these areas, the services of the Order are available to all residents. A fee, based on the cost of a visit, of about \$2.25 varying somewhat in different branches, is charged for nursing care visits to those who are able to pay. The fee is adjusted according to the patient's financial circumstances and care is never refused because of inability to pay.

The basic source of the material presented in this Report is the Patient's Service Record. This record is completed by the attending nurse and, following discharge of the case, is forwarded by the branches to the national office of the Order, where the information is coded. The coded data are then supplied to the Dominion Bureau of Statistics for the preparation of reports.

Following is an explanation of certain terms used in this Report:

Cases—are represented by Patient's Service Records. One patient may account for more than one case. At the end of each calendar year all cases are considered as discharged and if further service is to be rendered they are re-opened on the first day of the following year.

If a maternity case develops a medical or surgical condition not related to pregnancy or confinement, and receives nursing services for this condition, or vice versa, these conditions are treated separately and recorded as two cases.

Visits—A single call is always recorded as one visit, even if the individual received general nursing care for a medical or surgical condition and maternity care at the same time. The same applies to a visit where both care and instruction are given.

Classification on Admission—Services are grouped by type of admission as follows:

- 1. Medical and surgical
- 2. Well infant
- 3. Prenatal
- 4. Postnatal
- 5. Newborn
- 6. Health instruction only
- Health instruction to infants originally admitted as newborn
- 8. Patient not seen
- 9. On behalf of patient

Length of Nursing Service—is the period between "date opened" and "date discharged" on the Patient's Service Record, regardless of the number of visits made during that period. "Date opened" may be prior to the beginning of the report year.

If a mother is admitted as prenatal, the length of nursing service for the newborn is the period from:

- (a) the date of delivery to the date of discharge, when delivered at home with the nurse at delivery, or
- (b) the date admitted on return from hospital to the date of discharge, when delivered at the hospital.

| • |   |  |   |   |
|---|---|--|---|---|
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   | • |
|   | - |  |   |   |
|   |   |  |   |   |
|   | • |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
| • |   |  |   |   |
|   |   |  |   |   |
|   |   |  | • |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |
|   |   |  |   |   |

# PART I SUMMARY

|   | ٠ |          |   |   |  |
|---|---|----------|---|---|--|
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
| - |   |          |   | • |  |
| • |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   | ·        |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
| • |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   |          | • |   |  |
|   |   |          |   |   |  |
|   |   |          |   |   |  |
|   |   | <b>.</b> |   |   |  |
|   | • |          |   |   |  |
|   |   |          |   |   |  |

Home nursing and health counseling services rendered by the Victorian Order of Nurses for Canada in 1954 are summarized in the table below, which shows discharged cases with corresponding visits according to the classification on admission (see Introduction, page 7). A case, when discharged from nursing service of the Order, may not in all instances be recovered from the condition treated. A small number are discharged to other institutions

for continuance or care to the patient. Such cases would include those admitted to the Order for care:


- (a) while awaiting admission to hospital because a bed is not immediately available, or
- (b) involving a long term illness where specific treatment is required as indicated by the prognosis of the case.

Summary of discharged cases and visits, 1954

| True of numerical annual and                          |  | · Visits  |  |  |                               |  |
|---|--|---|--|--|-------------------------------|--|
| Type of nursing service (Classification on admission) | Cases                                      | Total   | Nursing<br>care                        | Health<br>instruction                                    | Other                         |  |
| Maternity and Newborn                                 | 64.961<br>44.307<br>11.074<br>-<br>120,342 | 202, 328<br>631, 594<br>74, 0781<br>23, 443<br>931, 443 | 44,300<br>605,838<br>—<br>—<br>650,138 | 158,028<br>25,756<br>74,078 <sup>1</sup><br>—<br>257,862 | 23, 443<br>23, 443<br>23, 134 |  |

<sup>1.</sup> Includes 47,334 visits to infants originally admitted for newborn service.

Tables in Parts II and III of this Report are based on diagnosis rather than classification on admission. Thus it was possible to include under the Medical and Surgical group those maternity cases which, due to complications, should be classified as Medical and Surgical, leaving under the Maternity and Newborn group only cases of normal pregnancy and childbirth. This accounts for the difference between the group totals in the summary above and the tables of the following parts of this Report.



Summary data for 1954 are shown in percentage form in Chart 1. Although Maternity and Newborn cases predominated, most of the visits were ac-

counted for by Medical and Surgical cases. This is due to the fact that maternity cases, in general, have fewer visits than medical cases. CHART-2

#### VISITS BY TYPE OF NURSING SERVICE

(Each symbol = 50,000 visits)

MATERNITY AND NEWBORN



MEDICAL AND SURGICAL



OTHER HEALTH INSTRUCTION







NURSING CARE VISITS



HEALTH INSTRUCTION VISITS

Only visits made during the year 1954 are shown in this Report which, therefore, presents a complete picture of the number of visits, i.e. the volume of services rendered, during that year. On the other hand, due to the present system of reporting, the figures of average visits per case (Tables 3, 4, 5, 13 and 26) will not take into account prior visits to those cases which were reopened

at the beginning or visits following the cut off at the end of the year.

The following table shows by diagnostic group the percentage distribution of cases carried over for further service from the previous year and discharged during the first eleven months of 1954. The higher the percentage, the greater the bias will be in understating the average visits per case.

| Cause and detailed list numbers   | Per cent of total<br>cases carried over<br>from 1953 |
|---|--|
| Anaemias and other diseases of the blood and blood forming organs (290-299) | 24.8   |
| Diseases of the heart (410-434)   | 12.7   |
| Diseases of the central nervous system (330-352)                            | 10.8   |
| Arthritis and rheumatism, except rheumatic fever (720-727)                  | 6.6  |
| Other diseases of the circulatory system (440-468)                          | 6.0  |
| Malignant neoplasms (140-205)   | 5.6  |
| Diabetes (260)  | 4.6  |
| Residual  | 61.9   |

Of the total 120,342 cases, 64,961, or 54.0 per cent, were "Maternity and Newborn" while 44,307 or 36.8 per cent, were "Medical and Surgical". The remaining 9.2 per cent were "Other Health Instruction". There was a decrease of 3,822 cases, or 3.1 per cent from 1953.

In terms of visits, the percentage distribution is different. Of the 931,443 visits, "Medical and Surgical" visits accounted for the largest portion, 67.8 per cent, while "Maternity and Newborn" visits fol-

lowed with 21.7 per cent. The remaining groups of visits, "Other Health Instruction" and "Other Visits", accounted for 10.5 per cent. "Medical and Surgical" visits, in spite of a decrease in the number of cases, increased by 22,797 or 3.7 per cent, over 1953.

Of the 931,443 visits, 69.8 per cent were for nursing care, while 27.7 per cent were for health instruction, and 2.5 per cent were other visits. The proportion of nursing care visits to health instruction visits for "Medical and Surgical" cases was 24 to 1, whereas for "Maternity and Newborn" cases the ratio was 1 to 4. The corresponding ratio for Maternity cases, excluding Newborn, was 1 to 8.

"Other Health Instruction" is divided into four groups according to the age of the patient with the following distribution of cases and visits:

| Other Health Instruction   | Cases   | Visits  |
|--|---|---|
| Infant (a) originally admitted as newborn (b) other Preschool School Adult Total | 23. 580 <sup>1</sup> 6. 384 1. 068 1. 402 2. 220 11, <b>074</b> | 47, 334<br>16, 485<br>2, 533<br>2, 723<br>5, 003<br>74, 078 |

 Since these infant cases were originally admitted as newborn, and are counted as "newborn" in the summary able (page 11), they are not included in the total here.

These groups are defined as follows:

"Infants" are those admitted after the first month of life to one year, including those originally admitted as newborn and requiring further service.

"Preschool" are children between the ages of one year to six years who are not attending elementary school. A child under six years attending nursery school or kindergarten is counted as a preschool child.

"School children" are those between the ages of six and fifteen years regardless of whether they are attending elementary or high school. A child under six years attending elementary school or over fifteen years still attending school is counted as a school child.

Individuals not included in these three classes, are classified as "Adults".

The group 'Other Visits' consists of visits which cannot be classified as nursing care or health instruction, and includes 'Patient not seen' (18,741) and 'On behalf of patient' (4,702).

A "Patient not seen" visit is one on which it was impossible to render a service because of the absence of the patient or, in the case of an infant, someone responsible for his care on the initial visit. Only one "not seen" visit to a patient or a family is recorded on the same day, even though several inquiries may be made. When service is being given to several members of a family and some are visited while others are not home, visits are recorded only to those served; no "not seen" visit is recorded. If the nurse, when visiting at a home, tries to see additional patients nearby who are not home, these "not seen" visits are not recorded.

A visit "On behalf of patient" is one whereby the nurse makes contact with an individual other than the patient but on behalf of the patient. A visit made to physicians, social workers, clinic or hospital personnel, etc., would be considered as "On behalf of patient" visit providing the contact made contributed to the well being of the patient and was significant enough to record on the Patient's Service Record.

The 2,134 visits in the group "Other Services" are not included in the totals shown in the summary because of their different nature. Many visits in this group would require longer periods of time to perform the nursing service as compared with the other nursing service groups. As a result, certain weights are assigned to these visits by the Order for administrative purposes. This accounts for differences in the figures in this Report and the Annual Report of the Victorian Order of Nurses for Canada, 1954. The number of visits for each type of service in this group is as follows:

Number of visits

| <ol> <li>Operation attended,—visits at which<br/>the nurse assists the doctor with an<br/>operation in the home</li> </ol>  | 117 |
|---|-----|
| 2. Delivery attended,—visits at which the nurse is present for the delivery   |     |
| of the baby or placenta   | 537 |
| <ol> <li>Interrupted pregnancy attended,—visits at which the nurse is present<br/>for the delivery of a non-viable fetus<br/>(up to 28 weeks) or fetus incapable</li> </ol> |     |
| of extra-uterine existence  | 14  |
| 4. Hourly appointment,—visits made at   |     |
| an appointed time   | 980 |
| <ol><li>False call,—a visit when a maternity<br/>case is admitted for delivery but de-</li></ol>  |     |
| livery does not take place until later  | 486 |

Group Health Activities—In addition to providing home nursing services, the Order as a result of joint planning with municipalities and other government agencies, arranged to provide certain communities with a variety of group health activities. These activities include prenatal classes, child health conferences or clinics, school health services and part-time health counseling services in industrial plants.

At a child health conference the Victorian Order nurse counsels mothers, while at a clinic a doctor is present. Part-time health service is provided in small industrial plants, i.e. plants employing approximately 200 workers or less. School health service is carried on with the approval of the local Board of health and is on a part-time basis. Prenatal classes are conducted for expectant mothers (and fathers). The residual group includes group teaching and other services to chest X-ray clinics. wards of Children's Aid Society, civil defence and citizen groups sponsored by other organizations and others. Group health acti. Ities represent about 6 per cent of the total service given by the Order. The amount of time spent by the nurses in these activities in 1954 has increased about 48 per cent over 1952 and 37 per cent over 1953.

Group activities are developed on a local level according to the community need in co-operation with the Medical Officer of Health and are part of the total health program. About one third of the branches offer one or more such services. In those branches offering prenatal classes, class groups function on a continuous year-round basis with each

group consisting of approximately 15 registrants and each with about 8 weekly hour-length sessions. One branch also provides evening classes.

The number of branches participating in such group activities and the number of sessions held during the three year period are shown below.


| Group Activity                    | Participating Branches     |                            |                            | Sessions                                |   |   |
|-----------------------------------|----------------------------|----------------------------|----------------------------|---|---|---|
|                                   | 1952                       | 1953                       | 1954                       | 1952                                    | 1953                                    | 1954                                    |
| 1. Prenatal classes or clinics    | 32<br>57<br>17<br>34<br>32 | 36<br>54<br>17<br>38<br>40 | 37<br>51<br>19<br>35<br>39 | 1,632<br>4,993<br>5,818<br>3,009<br>429 | 2,083<br>4,468<br>5,954<br>3,130<br>819 | 2,861<br>4,537<br>6,415<br>4,021<br>941 |
| Total                             | -                          | -                          | -                          | 15, 881                                 | 16,454                                  | 18, 775                                 |
| Per cent increase over 1952 total | - [                        | -                          | -                          | -                                       | 3.6                                     | 18. 2                                   |

The above table shows a general increase over the three year period in the provision of these services. Child health conferences or clinics show a drop in the number of Branches participating and in the number of sessions held. The number of sessions spent in group health activities during the period 1952-1954 increased by 18.2 per cent.

1952-1954 Review—Annual statistics on home nursing and health counseling services based on experiences of the Victorian Order of Nurses have been compiled and published by the Bureau beginning with the year 1952. Since then the number of cases has decreased by 9.124, or 7.0 per cent of the total cases treated. However, during this same period there was an increase of 3.6 per cent in the

number of visits, from 899,299 to 931,443. Since January 1, 1952 six new branches were opened and two branches were amalgamated to form a single branch giving a total of 115 branches on December 31, 1954.

The Medical and Surgical group, with 40.3 per cent of the total cases in 1952, was mainly responsible for this change. In this group there was a drop of 15.0 per cent from 52,153 cases in 1952 to 44,307 cases in 1954, and an increase of 7.8 per cent in the visits, from 585,719 to 631,594. On the other hand, the number of cases receiving "Other health instruction" has increased by 2,660, or 2.7 per cent, and there has been a considerable increase in group health activities (see page 11).



This trend over the three year period is characterized by the increasing proportion of older patients treated in the Medical and Surgical group (see Chart 3). The percentage of cases in the age group under 15 years has decreased from 22.8 in 1952 to 16.5 in 1954, while the age group 65 and over increased from 39.7 to 47.1 per cent during the same three year period (see Tables 1 and 2). This same trend is particularly noticeable for illness groups of a chronic nature. Further evidence of the fact of an increase of the age of patients in the older age groups during the three year period is

shown by the change in median ages of these cases as follows:

| Year  | Median age |      |        |  |  |  |  |
|-------|------------|------|--------|--|--|--|--|
| I car | Both sexes | Male | Female |  |  |  |  |
| 1952  | 54.3       | 45.2 | 57.2   |  |  |  |  |
| 1953  | 59.2       | 55.9 | 60.0   |  |  |  |  |
| 1954  | 62.5       | 59.8 | 63.4   |  |  |  |  |

The classification of causes of illness, used in this Report with the exception of Table 6, is an extension of a short list of eight cause groups used by the Order for administrative purposes. It is shown below.

| No. | Cause group   | Detailed<br>list number | C-List<br>number             |
|-----|---|-------------------------|------------------------------|
| 1   | Tuberculosis  | 001-019                 | C-1, C-2                     |
| 2   | Other infective and parasitic diseases  | 020-138                 | C-3-C-11                     |
| 3   | Malignant neoplasms   | 140-205                 | C-12                         |
| 4   | Benign neoplasms  | 210-239                 | C-13                         |
| 5   | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes     | 240-254<br>270-289      | C-14 — C-15,<br>C-49a, C-49b |
| 6   | Diabetes  | 260                     | C-16                         |
| 7   | Anaemias and other diseases of the blood and blood-forming organs                   | 290-299                 | C-18, C49c                   |
| 8   | Mental, psychoneurotic and personality disorders                                    | 300-326                 | h                            |
| 9   | Diseases of the central nervous system  | 330-352                 | C-19 - C-22,<br>C-49d C-49e  |
| 10  | Other diseases of the central nervous system and sense organs                       | 353-398                 | 0-194 0-196                  |
| 11  | Rheumatic fever   | 400-402                 | C-23                         |
| 12  | Diseases of the heart   | 410-434                 | C-24, C-25, C-49f            |
| 13  | Other diseases of the circulatory system  | 440-468                 | C-26, C-49g, C-49h           |
| 14  | Diseases of the respiratory system  | 470-527                 | C-28 C-34 1                  |
| 15  | Diseases of the digestive system  | 530-587                 | C-35 - C-40 <sup>1</sup>     |
| 16  | Diseases of the genito-urinary system   | 590-637                 | C-41-C-42, C-49i             |
| 17  | Complications of pregnancy, childbirth and the puerperium                           | 640-689                 | C-43                         |
| 18  | Diseases of the skin and cellular tissue  | 690-716                 | C-44 - C-45                  |
| 19  | Arthritis and rheumatism, except rheumatic fever                                    | 7 20-7 27               | C-46                         |
| 20  | Other diseases of the bones and organs of movement                                  | 730-749                 | C-47                         |
| 21  | Congenital malformations  | 750-759                 | ) C-481                      |
| 22  | Certain diseases of early infancy   | 760-776                 | ] C-40.                      |
| 23  | Symptoms, senility and ill-defined conditions                                       | 780-795                 | C-49j                        |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) | N800-N999               | C-50                         |
| 25  | Other admissions  | Y00-Y88                 | _                            |

<sup>1.</sup> Categories 763 (pneumonia of newborn) and 764 (diarrhoea of newborn), part of C-31 and C-38 respectively, are included in "Certain diseases of early infancy".

TABLE 1. Percentage distribution of cases by cause and age group 1, 1952-1954

| $\Box$ |  |        |          | Age    | e     |          |       |
|--------|--|--------|----------|--------|-------|----------|-------|
|        | Cause and detailed list number   |        | All ages |        |       | Under 15 |       |
| No.    |  | 1952   | 1953     | 1954   | 1952  | 1953     | 1954  |
|        |  |        |          |        |       |          |       |
|        | All Causes   | 100. 0 | 100, 0   | 100. 0 | 22. 8 | 18, 1    | 16, 5 |
| 1      | Tuberculosis (001-019)   | 100.0  | 100.0    | 100. 0 | 7.7   | 5.8      | 4,5   |
| 2      | Other infective and parasitic diseases (020-138)   | 100.0  | 100.0    | 100.0  | 69,7  | 41.3     | 58.8  |
| 3      | Malignant neoplasms (140-205)  | 100.0  | 100.0    | 100.0  | 0.6   | 0. 2     | 0.5   |
| 4      | Benign neoplasms (210-239)   | 100.0  | 100.0    | 100.0  | 10, 4 | 3.7      | 9, 5  |
| 5      | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289) | 100.0  | 100.0    | 100.0  | 17.6  | 8.9      | 15.9  |
| 6      | Diabetes (260)   | 100.0  | 100.0    | 100.0  | 1.7   | 0.7      | 2, 2  |
| 7      | Anaemias and other diseases of the blood<br>and blood-forming organs (290-299)                     | 100.0  | 100.0    | 100.0  | 0.5   | 0.3      | 0.4   |
| 8      | Mental, psychoneurotic and personality disorders (300-326)   | 100, 0 | 100.0    | 100.0  | 5.0   | 1.6      | 0.6   |
| 9      | Diseases of the central nervous system and sense organs (330-352)                                  | 100.0  | 100. 0   | 100.0  | 0.8   | 0.2      | 0. 8  |
| 10     | Other diseases of the central nervous system and sense organs (353-398)                            | 100.0  | 100.0    | 100.0  | 48.8  | 39.5     | 34, 6 |
| 11     | Rheumatic fever (400-402)  | 100.0  | 100.0    | 100.0  | 47.9  | 32, 2    | 50, 0 |
| 12     | Diseases of the neart (410-434)  | 100.0  | 100.0    | 100.0  | 0.2   | 0.3      | 0.3   |
| 13     | Other diseases of the circulatory system (440-468)   | 100.0  | 100, 0   | 100.0  | 3. 2  | 2.7      | 1.9   |
| 14     | Diseases of the respiratory system (470-<br>527)   | 100.0  | 100.0    | 100.0  | 45. 2 | 39. 1    | 42.4  |
| 15     | Diseases of the digestive system (530-587)   | 100, 0 | 100.0    | 100.0  | 18.5  | 15.3     | 16.0  |
| 16     | Diseases of the genito-urinary system (590-637)  | 100.0  | 100.0    | 100.0  | 14.3  | 11.7     | 13.9  |
| 17     | Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)                       | 100.0  | 100.0    | 100.0  | 0.1   |          | -     |
| 18     | Diseases of the skin and cellular tissue (690-716)   | 100.0  | 100.0    | 100.0  | 32. 1 | 29, 0    | 25. 6 |
| 19     | Arthritis and rheumatism, except rheumatic fever (720-727)   | 100.0  | 100.0    | 100, 0 | 0.9   | 1.0      | 0.9   |
| 20     | Other diseases of the bones and organs of movement (730-749)                                       | 100.0  | 100.0    | 100.0  | 15.0  | 15. 1    | 9.5   |
| 21     | Congenital malformations (750-759)   | 100.0  | 100.0    | 100.0  | 54. 3 | 59.6     | 68.6  |
| 22     | Certain diseases of early infancy (760-776)  | 100.0  | 100.0    | 100.0  | 100.0 | 100.0    | 100.0 |
| 23     | Symptoms, senility and ill-defined conditions (780-795)  | 100.0  | 100.0    | 100. 0 | 37. 1 | 33. 7    | 32.3  |
| 24     | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999)    | 100.0  | 100.0    | 100, 0 | 21.6  | 18.5     | 16.9  |
| 25     | Other admissions (Y00-Y88)   | 100.0  | 100.0    | 100.0  | 82, 6 | 82.9     | 83,8  |

Excludes age not stated.
 Less than one-tenth of one per cent.

TABLE 1. Percentage distribution of cases by cause and age group 1, 1952-1954 - Concluded

| Age   |       |       |       |       |       |              |             |       |     |  |  |
|-------|-------|-------|-------|-------|-------|--------------|-------------|-------|-----|--|--|
|       | 15-44 |       |       | 45-64 |       |              | 65 and over |       |     |  |  |
| 1952  | 1953  | 1954  | 1952  | 1953  | 1954  | 1952         | 1953        | 1954  | No. |  |  |
|       |       |       |       | ·     |       |              |             |       |     |  |  |
| 18. 0 | 18,7  | 16. 7 | 18.7  | 19. 4 | 19. 1 | 39. 7        | 43, 1       | 47. 1 |     |  |  |
| 54.0  | 65.2  | 64.2  | 21. 3 | 21.0  | 20.2  | 9.6          | 7, 7        | 10.5  | 1   |  |  |
| 15.9  | 23.3  | 16.4  | 5, 6  | 15.9  | 10.0  | 7. 9         | 19, 0       | 14. 1 | 2   |  |  |
| 10.3  | 11.3  | 10.5  | 38.1  | 39.5  | 37.0  | 50.5         | 48.7        | 51.5  | 3   |  |  |
| 36, 5 | 33, 1 | 39.1  | 27. 9 | 30. 1 | 27. 6 | 23. 2        | 33. 1       | 23. 4 | 4   |  |  |
|       |       |       |       |       |       |              |             |       |     |  |  |
| 23.7  | 19.4  | 21.6  | 26.8  | 28. 4 | 24.9  | 30.8         | 43.0        | 37.0  | 5   |  |  |
| 4.3   | 1.6   | 4.5   | 30.3  | 27. 7 | 28.1  | 62. 9        | 69, 9       | 64.8  | 6   |  |  |
| 12. 2 | 7.7   | 9.0   | 21.4  | 20.0  | 20.9  | 65, 1        | 71.5        | 68. 9 | 7   |  |  |
| 33.9  | 23. 2 | 34.7  | 35.9  | 37,7  | 32. 7 | 24.6         | 37. 5       | 31.4  | 8   |  |  |
| 6, 2  | 11.2  | 7.1   | 21.4  | 23. 6 | 20.4  | 70.9         | 64.8        | 71. 2 | 9   |  |  |
| 20.3  | 18. 7 | 15.9  | 13.9  | 15.9  | 17. 2 | 16. 4        | 25.6        | 31.7  | 10  |  |  |
| 40.4  | 46.7  | 22.0  | 8.4   | 16.7  | 20.0  | 2.5          | 4.4         | 6.0   |     |  |  |
| 4.9   | 4.3   | 3. 2  | 26.8  | 26. 2 | 23, 4 | 67.6         | 68.7        | 72. 6 |     |  |  |
| 8.0   | 7, 5  | 6, 7  | 22, 4 | 22.0  | 19. 5 | 65, 7        | 67. 6       | 71. 3 | 13  |  |  |
| 23. 7 | 23.4  | 20.0  | 12.3  | 14.6  | 13.7  | 18. 2        | 22. 1       | 23. 3 | 14  |  |  |
| 17. 6 | 16.8  | 15.8  | 21, 3 | 20.7  | 18.9  | 42. 0        | 46.7        | 48, 8 | 15  |  |  |
| 37.1  | 36.0  | 31, 8 | 22.8  | 21. 2 | 22, 9 | 25. 1        | 30.0        | 31. 1 | 16  |  |  |
| 97. 8 | 98.6  | 98.7  | 0.4   | 2     | 0, 2  | <del>-</del> | -           | -     | 17  |  |  |
| 24.1  | 23.9  | 19. 3 | 17. 2 | 16.5  | 19. 0 | 26.0         | 29. 8       | 35. 2 | 18  |  |  |
| 8. 6  | 8. 1  | 7.8   | 28.8  | 26. 2 | 25. 0 | 61. 1        | 64. 1       | 65.6  | 19  |  |  |
| 29.6  | 33.7  | 26.6  | 26, 8 | 24.8  | 30.3  | 27.9         | 26. 0       | 32, 8 | 20  |  |  |
| 22. 3 | 15, 7 | 11.6  | 11,7  | 14.6  | 14.0  | 11.7         | 10, 1       | 5, 8  | 21  |  |  |
| -     | -     | -     | -     |       | _     | ·            | -           | -     | 22  |  |  |
| 12.0  | 13, 5 | 12. 0 | 9.8   | 10. 6 | 10.1  | 40.5         | 41.5        | 45.0  | 23  |  |  |
| 13.4  | 14.3  | 12.6  | 16.9  | 17. 9 | 18. 2 | 47. 2        | 48, 2       | 51.5  | 24  |  |  |
| 9.1   | 8.0   | 7.3   | 4.5   | 5.3   | 4.6   | 3. 2         | 3. 2        | 4. 2  | 25  |  |  |

Excludes age not stated.
 Less than one-tenth of one per cent.

TABLE 2. Percentage distribution of visits by cause and age group 1, 1952-1954

| $\neg$ | TABLE 2. Percentage distri   |          |          | Ag    |          |          | <del></del> |
|--------|--|----------|----------|-------|----------|----------|-------------|
|        | Cause and detailed list numbers  | <u>.</u> | All ages |       | <u> </u> | Under 15 |             |
| No.    | <u> </u>   | 1952     | 1953     | 1954  | 1952     | 1953     | 1954        |
|        |  | -        |          |       |          |          |             |
|        | All causes   | 100.0    | 100.0    | 100.0 | 6.1      | 4.6      | 4.0         |
| 1      | Tuberculosis (001-019)   | 100.0    | 100.0    | 100.0 | 8.5      | 5.8      | 2. 5        |
| 2      | Other infective and parasitic diseases (020-138)   | 100.0    | 100.0    | 100.0 | 55. 2    | 41.4     | 37.9        |
| 3      | Malignant neoplasms (140-205)  | 100.0    | 100.0    | 100.0 | 0. 2     | 0.2      | 0.1         |
| 4      | Benign neoplasms (210-239)   | 100.0    | 100.0    | 100.0 | 10.9     | 3.7      | 4.0         |
| 5      | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289) | 100.0    | 100.0    | 100.0 | 9.5      | 8.9      | 10.3        |
| 6      | Diabetes (260)   | 100.0    | 100.0    | 100.0 | 0.6      | 0.7      | 0.8         |
| 7      | Anaemias and other diseases of the blood and blood-forming organs (290-299).                       | 100.0    | 100.0    | 100.0 | 0.5      | 0.3      | 0.2         |
| 8      | Mental, psychoneurotic and personality disorders (300-326)   | 100.0    | 100.0    | 100.0 | 2. 3     | 1.6      | 1. 3        |
| 9      | and sense organs (330-352)   | 100.0    | 100.0    | 100.0 | 0.2      | 0.2      | 0.6         |
| 10     | Other diseases of the central nervous system and sense organs (353-398)                            | 100.0    | 100.0    | 100.0 | 22. 4    | 14.0     | 11.7        |
| 11     | Rheumatic fever (400-402)  | 100.0    | 100.0    | 100.0 | 40.5     | 35.5     | 43.4        |
| 12     | Diseases of the heart (410-434)  | 100.0    | 100.0    | 100.0 | 0.2      | 0.3      | 0.1         |
| 13     | Other diseases of the circulatory system (440-468)   | 100.0    | 100.0    | 100.0 | 0.8      | 0.5      | 0.4         |
| 14     | Diseases of the respiratory system (470-<br>527)   | 100.0    | 100.0    | 100.0 | 32.0     | 27. 5    | 28.5        |
| 15     | Diseases of the digestive system (530-<br>587)   | 100.0    | 100.0    | 100.0 | 8.9      | 8.0      | 7. 2        |
| 16     | (590-637)  | 100.0    | 100.0    | 100.0 | 5. 2     | 5.1      | 4.1         |
| 17     | Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)                       | 100.0    | 100.0    | 100.0 | 2        | - [      | _           |
| 18     | Diseases of the skin and cellular tissue (690-716)   | 100.0    | 100.0    | 100.0 | 15.1     | 14.2     | 10.5        |
| 19     | Arthritis and rheumatism, except rheumatic fever (720-727)   | 100.0    | 100.0    | 100.0 | 0.2      | 0.3      | . 0.5       |
| 20     | Other diseases of the bones and organs of movement (730-749)                                       | 100.0    | 100.0    | 100.0 | 11.6     | 10.4     | 6.8         |
| 21     | Congenital maiformations (750-759)   | 100.0    | 100.0    | 100.0 | 27.8     | 33.9     | 41. 2       |
| 22     | Certain diseases of early infancy (760-776)  | 100.0    | 100.0    | 100.0 | 100.0    | 100.0    | 100.0       |
| 23     | Symptoms, senility and ill-defined conditions (780-795)  | 100.0    | 100.0    | 100.0 | 11.4     | 10.8     | 9. 1        |
| 24     | polsonings and violence (nature of   |          |          | 100.0 | 7.9      | 6.3      | 5. 3        |
|        | injury) (N800-N999)  | 100.0    | 100.0    | 100.0 | 87.5     | 87.6     | 90.9        |
| 25     | Other admissions (Y00-Y88)   | 100.0    | 100.0    | 100.0 | 61.0     | 31.0     |             |

Excludes age not stated.
 Less than one-tenth of one per cent.

TABLE 2. Percentage distribution of visits by cause and age group 1. 1952-1954

| 4   |       |             |       |       | Age   |       |       |       |       |
|-----|-------|-------------|-------|-------|-------|-------|-------|-------|-------|
| ┧   |       | 65 and over |       |       | 45-64 |       |       | 15-44 |       |
| N   | 1954  | 1953        | 1952  | 1954  | 1953  | 1952  | 1954  | 1953  | 1952  |
|     |       | Ì           |       |       |       |       |       |       |       |
| 1   | 61.7  | 59.0        | 57.1  | 22.5  | 23.5  | 23.8  | 11.3  | 12.5  | 12.5  |
|     | 9. 1  | 7.7         | 7.3   | 24.0  | 21.0  | 24. 4 | 64.3  | 65. 2 | 59.0  |
|     | 30.0  | 19.0        | 16. 1 | 17. 1 | 15.8  | 9.6   | 14.6  | 23. 3 | 18. 2 |
| 1   | 52.8  | 48.7        | 48.9  | 36. 2 | 39.5  | 38.6  | 10.5  | 11.3  | 11.8  |
|     | 31. 1 | 33. 1       | 24.0  | 27.4  | 30.1  | 28.5  | 37.4  | 33. 1 | 35.5  |
|     | 40.2  | 43.0        | 36.8  | 27.1  | 28.4  | 31.5  | 22.0  | 19. 4 | 21.5  |
|     | 73.0  | 69.9        | 71.1  | 24. 1 | 27. 7 | 26. 9 | 1.5   | 1.6   | 1.2   |
|     | 73. 2 | 71.4        | 68.4  | 18.7  | 20.0  | 21. 1 | 7.3   | 7.8   | 9. 1  |
|     | 46.6  | 37.5        | 31.3  | 33.4  | 37.7  | 38.8  | 18.4  | 23. 2 | 26.5  |
|     | 61.9  | 64.8        | 65.7  | 25.5  | 23.6  | 24.8  | 11.4  | 11. 2 | 9.0   |
|     | 47.3  | 44. 1       | 36.3  | 23. 2 | 24.5  | 21.6  | 17.5  | 16.6  | 19.0  |
|     | 4.8   | 2. 5        | 2. 6  | 38.7  | 17.6  | 5.5   | 12.9  | 44.4  | 50.8  |
|     | 72. 3 | 69.6        | 65.8  | 24.5  | 25.4  | 27.7  | 2.8   | 4.4   | 6.0   |
|     | 78.4  | 75.5        | 74.8  | 16.6  | 20.9  | 19. 3 | 4.3   | 2. 9  | 4.8   |
|     | 38.7  | 33. 1       | 31. 1 | 14.1  | 18.6  | 14. 8 | 18. 3 | 20.3  | 21.5  |
|     | 53. 1 | 48.6        | 45. 2 | 24.0  | 26. 1 | 29.5  | 15. 2 | 17.0  | 16.0  |
|     | 51.6  | 47.3        | 46.3  | 21.0  | 20. 2 | 22. 2 | 23. 2 | 26.8  | 25.9  |
|     | -     | _           |       | 0.1   | 2     | 0.2   | 99. 1 | 99.0  | 98.7  |
| 1   | 61.8  | 46. 1       | 34.7  | 12. 2 | 15.9  | 22. 3 | 14.7  | 22.9  | 27.4  |
|     | 61.8  | 61.6        | 61.5  | 31. 1 | 30.6  | 32. 3 | 6. 2  | 7.1   | 5.9   |
|     | 36.4  | 31. 1       | 37.8  | 33. 1 | 24.6  | 23.0  | 21.4  | 33.7  | 27. 5 |
| ·   | 5.8   | 15.6        | 9.6   | 21.8  | 20.9  | 19.8  | 31. 2 | 29.6  | 42.8  |
|     | -     | _           | -     | -     | _     | -     |       | -     | -     |
|     | 76.8  | 74.8        | 74. 1 | 7.5   | 5.9   | 7.6   | 6. 2  | 8.1   | 6.4   |
|     |       |             |       |       |       |       |       |       |       |
| - 1 | 68.9  | 70.0        | 65.6  | 18.3  | 15. 2 | 16.9  | 7.4   | 7.5   | 9.3   |
| 1   | 1.7   | 2.9         | 1.9   | 2. 3  | 2. 6  | 2. 3  | 5. 1  | 6.7   | 8.1   |

Excludes age not stated.
 Less than one-tenth of one per cent.

. • 

# PART II MATERNITY AND NEWBORN

,

#### PART II - MATERNITY AND NEWBORN

Maternity services cover care and supervision of the mother during pregnancy; nursing care and health instruction to the mother and baby on return from hospital; assistance to the doctor at the time of the delivery, if the baby is born at home, and care of both mother and child immediately following birth, with continuing instruction to the mother.


There were 33,739 maternity cases, excluding complications, which accounted for 91,647 visits (Table 3). This shows a decrease of 314 normal maternity cases and a corresponding decrease of 729 newborn cases (Table 5) from the previous year. The age group 25 to 29 years accounted for most of the cases and visits. There were 10,432 cases and 28,053 visits or 30.9 and 30.6 per cent of their respective totals for all age groups. On the average there were slightly less than 3 visits per case. For each nursing care visit there were about 15 health instruction visits.

Prenatal cases are those maternity cases admitted before confinement, many of which may also receive postnatal care. Postnatal cases are those which were admitted after confinement.

Prenatal visits are those made during the prenatal stage to cases admitted as prenatal. Postnatal visits are those made during the postnatal stage to cases admitted as prenatal, as well as to cases admitted as postnatal. The average number of visits for cases admitted at the prenatal stage was 4, which is double the average visits of 2 for cases admitted as postnatal.

Visits for postnatal and newborn care or health instruction are counted as two visits on the initial visit and as two visits on the last visit, i.e. as one visit to the mother and one to the newborn. Other visits are counted and recorded as single visits to the newborn unless special instruction or care was necessary for the mother. A similar procedure is applied to visits for twin or other multiple births.

Table 4 shows the number of cases and visits for maternity care by length of nursing service. For 13,459 cases, or 39.9 per cent of the total, the length of nursing service was 1 month and under 3 months (Chart 4). These cases accounted for 33,761 visits. or 36.8 per cent of the total. However, in the length of nursing service group 3 months and under 1 year. slightly more visits, 34,049 or 37.2 per cent, were made for considerably fewer cases, 7,378 or 21.9 per cent. The length of nursing service group under 1 month accounted for 55.1 per cent of the postnatal cases, but only 9.4 per cent of the prenatal cases. The corresponding percentages of visits for the same length of nursing service group were 50.7 and 3.8 respectively. Of the 12.438 prenatal cases 72.1 per cent received postnatal care.



"Newborn" includes all babies admitted during the first four weeks of life. If service is continued after the fourth week, for health instruction purposes, the case is classified as "infant" and included in the group "Other Health Instruction" (see page 13).

The number of newborn cases (Table 5) for which home nursing services were provided was 29,456 accounting for 100,030 visits, or an average of 3.4

visits per case. An additional 2 visits are usually made to infants after the newborn period, which appears under the heading "Other Health Instruction". In the case of multiple births the actual number of newborn infants was recorded.

Discharged maternity and newborn cases and the corresponding visits by classification on admission were distributed as follows:

| True of purping popular                               | Discharged           | Visits   |                 |                       |  |  |
|---|----------------------|----------|-----------------|-----------------------|--|--|
| Type of nursing service (Classification on admission) | Discharged           | Total    | Nursing<br>care | Health<br>instruction |  |  |
| Maternity   | 35,505               | 102, 298 | 11, 294         | 91,004                |  |  |
| Prenatal  | 13, 228              | 33, 582  | 4,438           | 29, 144               |  |  |
| Postnatal   | 22, 277 <sup>1</sup> | 68.716   | 6,856           | 61,860                |  |  |
| Newborn   | 29,456 <sup>2</sup>  | 100,030  | 33,006          | 67,024                |  |  |

<sup>1.</sup> Exclusive of 9.533 postnatal cases who also received prenatal care. However, visits for these 9.533 cases are included in the total of 68.716.

TABLE 3. Number and per cent of cases and visits (maternity) and average visits per case, by age group

| <b>7</b> 4  |             |             |        |         | A       | ge      |        |       |       |               |
|---|-------------|-------------|--------|---------|---------|---------|--------|-------|-------|---------------|
| Item  | All<br>ages | Under<br>15 | 15-19  | 20-24   | 25-29   | 30-34   | 35-39  | 40-44 | 45-54 | Not<br>stated |
| Cases   |             |             |        |         |         |         |        |       |       |               |
| Number: Total Prenatal Postnatal                  | 33,739      | 5           | 2, 204 | 10, 137 | 10, 433 | 6,770   | 2,892  | 787   | 43    | 468           |
|   | 12,438      | 4           | 916    | 3, 901  | 3, 718  | 2,361   | 1,029  | 260   | 13    | 236           |
|   | 21,301      | 1           | 1, 288 | 6, 236  | 6, 715  | 4,409   | 1,863  | 527   | 30    | 232           |
| Per cent: Total Prenatal Postnatal                | 100.0       | 1           | 6.5    | 30. 1   | 30. 9   | 20. 1   | 8.6    | 2. 3  | 0. 1  | 1.4           |
|   | 100.0       | 1           | 7.4    | 31. 3   | 29. 9   | 19. 0   | 8.3    | 2. 1  | 0. 1  | 1.9           |
|   | 100.0       | 1           | 6.0    | 29. 3   | 31. 5   | 20. 7   | 8.8    | 2. 5  | 0. 1  | 1.1           |
| Visits  |             |             |        |         |         |         |        |       |       |               |
| Number: Total Prenatal Postnatal                  | 91,647      | 16          | 6,056  | 26, 831 | 28,055  | 18, 658 | 8, 494 | 2,346 | 102   | 1,089         |
|   | 48,241      | 15          | 3,501  | 14, 285 | 14,347  | 9, 578  | 4, 540 | 1,264 | 47    | 664           |
|   | 43,406      | 1           | 2,555  | 12, 546 | 13,708  | 9, 080  | 3, 954 | 1,082 | 55    | 425           |
| Nursing care                                      | 5, 823      | 9           | 298    | 1,334   | 1,699   | 1, 294  | 884    | 265   | 1     | 39            |
| Health instruction                                | 85, 824     | 7           | 5, 758 | 25,497  | 26,356  | 17, 364 | 7,610  | 2,081 | 101   | 1,050         |
| Per cent: Total Prenatal Postnatal                | 100.0       | 1           | 6.6    | 29. 3   | 30.6    | 20.3    | 9.3    | 2. 6  | 0.1   | 1.2           |
|   | 100.0       | 1           | 7.3    | 29. 6   | 29.7    | 19.9    | 9.4    | 2. 6  | 0.1   | 1.4           |
|   | 100.0       | 1           | 5.9    | 28. 9   | 31.6    | 20.9    | 9.1    | 2. 5  | 0.1   | 1.0           |
| Nursing care                                      | 100.0       | 0.2         | 5. 1   | 22. 9   | 29, 2   | 22. 2   | 15. 2  | 4.5   | 1     | 0.7           |
| Health instruction                                | 100.0       | 1           | 6. 7   | 29. 7   | 30, 7   | 20. 3   | 8. 9   | 2.4   | 0.1   | 1.2           |
| Average visits per case: Total Prenatal Postnatal | 2. 7        | 3. 2        | 2.7    | 2. 6    | 2. 7    | 2. 8    | 2. 9   | 3.0   | 2.4   | 2.3           |
|   | 3. 9        | 3. 8        | 3.8    | 3. 7    | 3. 9    | 4. 1    | 4. 4   | 4.9   | 3.6   | 2.8           |
|   | 2. 0        | 1. 0        | 2.0    | 2. 0    | 2. 0    | 2. 1    | 2. 1   | 2.1   | 1.8   | 1.8           |

<sup>1.</sup> Less than one-tenth of one per cent.

<sup>2.</sup> To 23,580 of these cases 47,334 health instruction visits were made after the newborn period (see page 13),

TABLE 4. Number and per cent of cases and visits (maternity) and average visits per case, by length of nursing service

|   |                |       | Length of nu | rsing service | •                                |                                 |
|---|----------------|-------|--------------|---------------|----------------------------------|---------------------------------|
| Item  | All<br>lengths | 1 day | 2-7 days     | 8-30 days     | 1 month<br>and under<br>3 months | 3 months<br>and under<br>1 year |
| Cases   |                |       |              |               |                                  | ,                               |
| Number: Total Prenatal Postnatal                  | 33, 739        | 873   | 981          | 11,048        | 13,459                           | 7,378                           |
|   | 12, 438        | 267   | 99           | 802           | 4,068                            | 7,202                           |
|   | 21, 301        | 606   | 882          | 10,246        | 9,391                            | 176                             |
| Per cent: Total Prenatal Postnatal                | 100.0          | 2.6   | 2.9          | 32. 7         | 39. 9                            | 21.9                            |
|   | 100.0          | 2.1   | 0.8          | 6. 5          | 32. 7                            | 57.9                            |
|   | 100.0          | 2.9   | 4.1          | 48. 1         | 44. 1                            | 0.8                             |
| Visits  |                |       |              |               |                                  | i                               |
| Number: TotalPrenatal                             | 91, 647        | 869   | 1,525        | 21,443        | 33, 761                          | 34,049                          |
|   | 48, 241        | 267   | 171          | 1,395         | 12, 699                          | 33,709                          |
|   | 43, 406        | 602   | 1,354        | 20,048        | 21, 062                          | 340                             |
| Nursing care                                      | 5, 823         | 59    | 184          | 841           | 2, <b>87</b> 1                   | 1,868                           |
|   | 85, 824        | 810   | 1,341        | 20,602        | 30, 890                          | 32,181                          |
| Per cent: Total Prenatal Postnatal                | 100.0          | 0.9   | 1. 7         | 23. 4         | 36.8                             | 37.2                            |
|   | 100.0          | 0.5   | 0. 4         | 2. 9          | 26.3                             | 69.9                            |
|   | 100.0          | 1.4   | 3. 1         | 46. 2         | 48.5                             | 0.8                             |
| Nursing care                                      | 100. 0         | 1.0   | 3. 2         | 14. 4         | 49. 3                            | 32, 1                           |
| Health instruction                                | 100. 0         | 0.9   | 1. 6         | 24. 0         | 36. 0                            | 37, 5                           |
| Average visits per case: Total Prenatal Postnatal | 2.7            | 1.0   | 1.6          | 1.9           | 2. 5                             | 4.6                             |
|   | 3.9            | 1.0   | 1.7          | 1.7           | 3. 1                             | 4.7                             |
|   | 2.0            | 1.0   | 1.5          | 2.0           | 2. 2                             | 1.9                             |

TABLE 5. Number and per cent of cases and visits (newborn) and average visits per case

| Item -  | Sex                            |                               |                               |                   |  |  |  |  |
|---|--------------------------------|-------------------------------|-------------------------------|-------------------|--|--|--|--|
| atem  | Both sexes                     | Male                          | Female                        | Not stated        |  |  |  |  |
| Cases Number                                    | 29,456                         | 15, 106                       | 14, 295                       | 55                |  |  |  |  |
| Per cent  | 100.0                          | 51.3                          | 48.5                          | 0.2               |  |  |  |  |
| Visits  |                                |                               |                               |                   |  |  |  |  |
| Number: Total Nursing care Health instruction   | 100, 030<br>33, 006<br>67, 024 | 51, 725<br>17, 301<br>34, 424 | 48, 114<br>15, 630<br>32, 484 | 191<br>75<br>116  |  |  |  |  |
| Per cent: Total Nursing care Health instruction | 100.0<br>100.0<br>100.0        | 51.7<br>52.4<br>51.3          | 48. 1<br>47. 4<br>48. 5       | 0.2<br>0.2<br>0.2 |  |  |  |  |
| Average visits per case                         | 3.4                            | 3.4                           | 3.4                           | 3, 5              |  |  |  |  |

|  |   |          | • |   |   |   |
|--|---|----------|---|---|---|---|
|  |   |          |   |   |   |   |
|  |   |          | • |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   | , |   |   |
|  |   | •        |   | • |   |   |
|  |   | <u>.</u> |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   | , |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          | • |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   |   |
|  |   |          |   |   |   | • |
|  | • |          |   |   |   |   |
|  |   |          |   |   |   |   |

# PART III MEDICAL AND SURGICAL

|  |    |   | • |   |   |
|--|----|---|---|---|---|
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   | • |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  | ē  |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   | • |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   | • |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   | r |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   | • |   |
|  |    |   |   |   | • |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   | • |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    | · |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    | • |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  | 1. |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  |    |   |   |   |   |
|  | •  |   |   |   |   |

#### PART III - MEDICAL AND SURGICAL

Statistics of home nursing services for medical and surgical cases by diagnostic groups have the objective of showing to what extent certain conditions receive home nursing services. They facilitate an analysis of services, but their usefulness as morbidity statistics is limited, primarily because only some cases of certain diseases or injuries receive nursing services, due to selective factors in the utilization of the services such as the geographical distribution of the branches. Also, the condition for which service is rendered is not necessarily the only one from which the patient suffers and may not even be the principal one.

All medical and surgical cases were classified according to the diagnosis stated by the physician

under whose direction the nurse worked. These diagnoses, recorded on the Patient's Service Record, were coded according to the three digit code of the Detailed List of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948.

The Special List of 50 Causes for Tabulation of Morbidity for Social Security Purposes has been used for presentation in Table 6. The residual Cause Group C-49 was divided into ten subdivisions in order to show, in the appropriate place, some of the more significant components of this cause group. These subdivisions are shown below.

| Cause group   |         |
|---|---------|
| -49a Diseases of other endocrine glands                 | 270-277 |
| 2-49b Other metabolic diseases                          | 287-289 |
| -49c Other diseases of blood and blood-forming organs   | 294-299 |
| -49d Disorders of character, behaviour and intelligence | 320-326 |
| -49e Other diseases of nervous system                   | 340-369 |
| -49f Other diseases of heart                            | 430-434 |
| -49g Diseases of arteries                               | 450-456 |
| 49h Other diseases of circulatory system                | 467,468 |
| -491 Other diseases of urinary system                   | 690-609 |
| -49j Symptoms, senility and ill-defined conditions      | 780-795 |


If a maternity case develops an illness not related to pregnancy or confinement, and receives nursing services for this illness, the case and visits made for this purpose are recorded and classified as medical and surgical.

The distribution of cases is shown in Tables 7, 8 and 9; the distribution of visits in Tables 10, 11 and 12.

According to Table 7, females accounted for 32,946, or 71.5 per cent of the total number of medical and surgical cases discharged, i.e. more than twice as many as males. In terms of visits (Table 10) this difference is still more pronounced with females accounting for 478,049, or 74.4 per cent of

all visits. These figures do not include maternity or newborn cases included in Part II of this Report. They do, however, include maternity cases with complications. For both sexes 95.2 per cent of the visits were nursing care; the remainder being health instruction. Tables 7 and 10 show that females received more home nursing services than did males for each cause group. For all cause groups together, the ratio of males to females in the number of cases was 2 to 5, while for the number of visits the corresponding ratio was 1 to 3.

The percentage distribution of cases for all causes by age group (Table 8) gives a picture quite different from the distribution of visits by the same breakdown (Table 11). These data are presented in Chart 5.



From this chart and accompanying tables it will be noted that the 7,617 cases in the age group under 15 years, which amounted to 16.5 per cent of the total, accounted for 25,392, or 4.0 per cent of the total visits. Cases in the age groups 15 to 44 years, 45 to 64 years and 65 years and over, accounted for 7,698 or 16.7; 8,781 or 19.1 and 21,704 or 47.1 per cent respectively of all cases. In terms of visits, on the other hand, these age groups accounted for 72,539 or 11.3; 144,813 or 22.5 and 396,575 or 61.7 per cent of the total respectively for the above age groups. This difference is further emphasized in Table 13 and Chart 8. The average visits per case for children under 15 years of age was 3, while the average for the age group 65 years and over was 18 visits.

Most of the home nursing services are provided to the older age groups, i.e. 45 to 64 and 65 years and over. In these ages, 66.2 per cent of the cases accounted for 84.2 per cent of the total visits, while the remaining (excluding age not stated) 33.2 per cent of the cases accounted for only 15.3 per cent of the visits in the ages under 45 years. Taking both sexes together, 21,704, or 47.1 per cent of all cases, were 65 years of age and over. However, this same age group accounted for 61.7 per cent or more than half of the total visits. Again it must be remembered that only visits made during the year 1954 are shown in this Report.

For most causes, the largest percentage of cases and visits occurred in the age group 45 years and over. For certain causes, however, a large percentage of the cases and visits are found in the younger age groups, i.e. under 45 years. These causes, as


shown in Tables 8 and 11, include 'Infective and parasitic diseases', 'Rheumatic fever', 'Diseases of the respiratory system', 'Congenital malformations', 'Certain diseases of early infancy' and 'Other admissions'. The latter classification, 'Other admissions', consists mainly of 'Special conditions and examinations without sickness'.


Chart 6 gives the percentage distribution, by age, of cases for those cause groups with the greatest number of cases, as compiled from Tables 8 and 9. These seven cause groups accounted for 62.0 per cent of the total cases in the medical and surgical group.

The first two of the seven cause groups "Diseases of the digestive system" and "Diseases of the respiratory system" together accounted for 23.0 per cent of the total cases. The above groups consist mainly of illnesses of short duration but of great frequency.

Diseases of the gallbladder and bile ducts, diseases of the stomach and duodenum (except cancer), enteritis and appendicitis were the most frequently occurring illnesses in the first cause group. The main respiratory illnesses were pneumonia, influenza, acute pharyngitis and tonsillitis, bronchitis, and common cold, and were mostly accounted for by the younger age groups. "Symptoms, senility and ill-defined conditions" came third. The remaining four cause groups with the greatest number of cases occurred in the following order, "Diseases of the heart", "Anaemias", "Diseases of the central nervous system" and "Malignant neoplasms". Most of the cases in these four cause groups occurred in the age group 65 years and over.

CHART-6






Data from Tables 11 and 12 are presented in Chart 7 to show the percentage distribution, by age, of visits for the seven cause groups with the greatest number of visits. These seven cause groups accounted for 68.0 per cent of the total visits in the medical and surgical group.

Of these, "Diabetes" accounted for the largest percentage of visits (13.2), closely followed by "Diseases of the central nervous system and sense organs" (12.0). Visits for each of these causes are concentrated in the age group 65 years and over. "Diseases of the heart" (11.6) rank third,

with 96.8 per cent of the visits being made to patients 45 years of age and over. "Anaemias" (11.5) come fourth in the volume of visits, followed by "Malignant neoplasms" (8.4), "Arthritis and rheumatism" (5.9) and "Other diseases of the circulatory system" (5.4).

Tables 13 and 26 show the average visits per case for the report year, from which Chart 8 is derived. Although there is a slight difference by sex in the average visits per case, the difference is more noticeable between the marital status groups, as shown in Chart 8.




| Age group         | Type of visit          |                              |                     |
|-------------------|------------------------|------------------------------|---------------------|
|                   | Nursing<br>care<br>(a) | Health<br>instruction<br>(b) | Ratio<br>(a) to (b) |
| All ages          | 611, 309               | 30, 936                      | 19, 8               |
| Under 1 year      | 5, 800                 | 2, 739                       | 2.1.                |
| 1 to 4 years      | 6, 552                 | 1,876                        | 3.5                 |
| 5 to 14 years     | 7,076                  | 1, 349                       | 5, 2                |
| 15 to 24 years    | 9,446                  | 2, 123                       | 4, 4                |
| 25 to 34 years    | 22, 068                | 3, 791                       | 5.8                 |
| 35 to 44 years    | 32,636                 | 2,475                        | 13. 2               |
| 45 to 54 years    | 47,856                 | 2,018                        | 23, 7               |
| 55 to 64 years    | 91,981                 | 2, 958                       | 31, 1               |
| 65 to 74 years    | 175,732                | 5,305                        | 33. 1               |
| 75 years and over | 209, 396               | 6, 142                       | 34. 1               |
| Not stated        | 2,766                  | 160                          | 17. 3               |

Cases of "Diabetes" received on the average more visits than any other cause, i.e. approximately 39 visits per case; "Arthritis and rheumatism, excluding Rheumatic fever" and "Tuberculosis" follow with 28 visits; "Diseases of the central nervous system and sense organs" with 26 visits and "Anaemias" with 21 visits per case. From Table 13 it will be noted that females have a higher number of average visits per case in the two oldest age groups, and also in the group for all ages. These averages were calculated from visits made during the year 1954.


The above five cause groups with the highest number of average visits per case also show, according to Table 14, a high ratio of nursing care visits to health instruction visits although their order of rank varies.

A detailed picture of the data in Table 14 with respect to age groups for all causes is given in the table on the left, which shows the ratio of nursing care visits to health instruction visits. There is an almost continuous upward trend in the proportion of nursing care visits to health instruction visits as the age of the patient increases. These data are shown in the table on the left and in Chart 9.




The relationship between cause and length of nursing service (see Introduction, page 7) is shown in Table 15 with the corresponding percentage distribution in Tables 16 and 17. Chart 10 shows the percentage distribution of cases by length of nursing service groups (Table 16). For some cases a long period of nursing service may be considered necessary for social rather than medical reasons, due to the family's inability to assume complete responsibility for care.

In the group 1 to 7 days, as indicated in Table 15, females accounted for almost twice as many cases as males. In relation to the total cases in their respective sex group, as shown in Chart 10, males accounted for proportionately more cases than females in the length of nursing groups under 8 days. There were 66.3 per cent of the cases receiving nursing services for periods of one month or less, of which the majority were in the 2 to 7 days' group.



Tables 18 and 19 give the number and percentage distribution of cases, by age, sex and length

of nursing service. These data are summarized in Chart 11.



For the younger age groups, i.e. under 45 years, there are proportionately more cases in the length of nursing service group 1 to 7 days. In the group over 30 days there were 15,547 cases or 33.7 per cent of the total. Of these 15,547 cases, 12,224 or 78.6 per cent, were in the two older age groups, 45 to 64 and 65 years and over. Within these age groups the distribution of cases by length of nursing service varies less than in the younger. Most of the cases 65 years of age and over were treated for illnesses of long duration.

Of all cases, 12,660, or 27.5 per cent, were admitted following discharge from hospital, which

group received 217,220 or 33.8 per cent of all visits (Table 20). A post-hospital case is one admitted immediately after discharge from a hospital for the same condition that was treated in the hospital. The three cause groups which accounted for the largest percentage of post-hospital cases, in relation to the total cases in any one of these cause groups, are shown in the table below. Because of the large proportion of hospital confinements, it is to be expected that a large percentage of complications of pregnancy, childbirth and the puerperium cases will come to the Order from hospital. Neoplasms come next in order of post-hospital cases.

|   | Cases |               |          |  |  |  |  |  |
|---|-------|---------------|----------|--|--|--|--|--|
| Cause group   | Total | Post-hospital |          |  |  |  |  |  |
|   | cases | Number        | Per cent |  |  |  |  |  |
| Complications of pregnancy, childbirth and the puerperium | 1,766 | 1,434         | 81.2     |  |  |  |  |  |
| Benign neoplasms  | 243   | 171           | 70.4     |  |  |  |  |  |
| Malignant neoplasms                                       | 2,959 | 1,867         | 63. 1    |  |  |  |  |  |

Table 21 shows the distribution of cases by cause and occupational status, i.e. whether gainfully occupied or not gainfully occupied. The latter group is sub-divided into (a) under 14 years, (b) retired or voluntarily idle, (c) housewife, (d) student, and (e) others. Only a small proportion of the cases were gainfully occupied, i.e. 10.0 per cent; the remainder being classified as not gainfully occupied. "Housewives" predominated, accounting for 16,496 or 35.8 per cent of the total cases. Other large groups were "retired or voluntarily idle" with 34.7 per cent, and "under 14 years" with 16.3 per cent of the total cases.

The cause group with the largest number of cases was "Diseases of the digestive system", which accounted for 12.9 per cent of all cases. This cause group also accounted for the largest proportion of cases in the occupational status groups "housewife" and "gainfully occupied" with 12.2 and 16.7 per cent respectively. "Diseases of the heart" accounted for 14.7 per cent of the cases in the "retired or voluntarily idle" group, while "Diseases of the respiratory system" came first with 25.7 per cent in the group "under 14 years". In

the residual group, 13.9 per cent of the cases were accounted for by "Diseases of the central nervous system and sense organs".

In Chart 12, the percentage distribution of cases by marital status, age and sex is compared with the corresponding percentage of the estimated population of Canada for 1953, the latest year for which estimates by marital status are available. From this chart it will be noted that the older age groups require more than their proportion of the Order's services, for all marital status groups. This is particularly true of single females and it is more pronounced for married males than for married females.

Among the married for all ages, proportionally more of the females seek the services of the Order. The opposite is true of the married males, which might be due to the fact that they are more often cared for by their spouse. No such explanation can be offered for a similar distribution among the group widowed and other. Further study would be necessary to determine differences in the living arrangements between widows and widowers.




TABLE 6. Number of cases and visits by cause (special list of 50 causes)

|                 |  | Tatal          | Visits   |                 |                       |  |  |  |
|-----------------|--|----------------|----------|-----------------|-----------------------|--|--|--|
| No.             | Cause and detailed list numbers  | Total<br>cases | Total    | Nursing<br>care | Health<br>instruction |  |  |  |
|                 | All causes   | 46, 073        | 642, 245 | 611,309         | 30, 936               |  |  |  |
| C 1 7           | Fuberculosis of respiratory system (001-008)   | 378            | 10,908   | 10,745          | 163                   |  |  |  |
| C 2             | Tuberculosis, other forms (010-019)  | 147            | 3,754    | 3,667           | 87                    |  |  |  |
| C 3 8           | Syphilis and its sequelae (020-029)  | 35             | 692      | 671             | 21                    |  |  |  |
| C 4             | Gonococcal infection (030-035)   | 2              | 12       | 12              | <u> </u>              |  |  |  |
| C 5 1           | Dysentery, all forms (045-048)   | 14             | 40       | 22              | 18                    |  |  |  |
| C 6             | Other infective diseases commonly arising in intestinal tract (040-044,049)  | 28             | 120      | 91              | 29                    |  |  |  |
| C 7a 8          | Scarlet fever (050)  | 165            | 389      | 310             | 79                    |  |  |  |
| C 7b 1          | Diphtheria (055)   | 4              | 13       | 13              | _                     |  |  |  |
| C 7c            | Whooping cough (056)   | 80             | 245      | 201             | 44                    |  |  |  |
| C 7d            | Measles (085)  | 260            | 689      | 478             | 211                   |  |  |  |
| C 7e            | Mumps (089)  | 77             | 207      | 170             | 37                    |  |  |  |
| C 8             | Typhus and other rickettsial diseases (100·108)  | -              |          | _               | _                     |  |  |  |
| C 9 1           | Malaria (110-117)  | 1              | 2        | 2               | _                     |  |  |  |
| C10 1           | Diseases due to helminths (123-130)  | 52             | 124      | 100             | 24                    |  |  |  |
| C <sub>11</sub> | All other diseases classified as infective and parasitic (036-039, 051-054, 057-084, 086-088; 090-096, 120-122, 131-138) | 678            | 4,067    | 3,619           | 448                   |  |  |  |
| C12             | Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)                               | 2,959          | 53, 782  | 51,570          | 2, 212                |  |  |  |
| C13             | Benign neoplasms and neoplasms of unspecified nature (210-239)   | 243            | 2, 173   | 1,994           | 179                   |  |  |  |
| C14             | Allergic disorders (240-245)   | 442            | 4,948    | 4,693           | 255                   |  |  |  |
| C <sub>15</sub> | Diseases of thyroid gland (250-254)  | 38             | 610      | 574             | 36                    |  |  |  |
| C16             | Diabetes mellitus (260)  | 2, 152         | 84, 537  | 83,044          | 1,493                 |  |  |  |
| C49a            | Diseases of other endocrine glands (270-277)   | 30             | 1.125    | 1,104           | 21                    |  |  |  |
| C17             | Avitaminosis and other deficiency states (280-286)   | 108            | 1.618    | 1,538           | 80                    |  |  |  |
| C49b            | Other metabolic diseases (287-289)   | 20             | 440      | 438             | 2                     |  |  |  |
| C18             | Anaemias (290-293)   | 3,450          | 73,866   | 72,769          | 1,097                 |  |  |  |
| C49c            | Other diseases of blood and blood-forming organs (294-299)   | 20             | 307      | 292             | 15                    |  |  |  |
| C19             | Psychoneuroses and psychoses (300-318)   | 261            | 3, 397   | 3, 239          | 158                   |  |  |  |
| C49d            | Disorders of character, behaviour and intelligence(320-326)  | 48             | 379      | 358             | 21                    |  |  |  |
| C20             | Vascular lesions affecting central nervous system (330-334)  | 1,796          | 37,745   | 36,766          | 979                   |  |  |  |
| C49e            | Other diseases of nervous system (340-369)   | 1,710          | 46, 405  | 45,331          | 1,074                 |  |  |  |
| C21             | Diseases of eye (370-389)  | 167            | 1,962    | 1,804           | 158                   |  |  |  |
| C22             | Diseases of ear and mastoid process (390-398)  | 444            | 1,592    | 1.373           | 219                   |  |  |  |
| C23             | Rheumatic fever (400-402)  | 50             | 610      | 542             | 68                    |  |  |  |

TABLE 6. Number of cases and visits by cause (special list of 50 causes) - Concluded

|       | _  | Total  |         | Visits          |                       |  |
|-------|--|--------|---------|-----------------|-----------------------|--|
| No.   | Cause and detailed list numbers  | cases  | Total   | Nursing<br>care | Health<br>instruction |  |
| C24   | Chronic rheumatic heart disease (410-416)  | 172    | 4, 157  | 4,041           | 116                   |  |
| C25   | Arteriosclerotic and degenerative heart disease (420-422)  | 899    | 15,784  | 15, 385         | 399                   |  |
| C49 f | Other diseases of heart (430-434)  | 3,015  | 54,731  | 53,056          | 1,675                 |  |
| C26   | Hypertensive disease (440-447)   | 520    | 8,394   | 8,145           | 249                   |  |
| C49g  | Diseases of arteries (450-456)   | 843    | 18, 148 | 17,797          | 351                   |  |
| C27   | Diseases of veins (460-466)  | 410    | 7,512   | 7, 196          | 316                   |  |
| C49h  | Other diseases of circulatory system (467-468)   | 86     | 668     | 629             | 39                    |  |
| C28   | Acute nasopharyngitis(common cold) (470)   | 650    | 1,535   | 1, 190          | 345                   |  |
| C29   | Acute pharyngitis and tonsillitis, and hypertrophy of tonsils and adenoids (472,473,510)             | 762    | 1,875   | 1,514           | 361                   |  |
| C30   | Influenza (480-483)  | 836    | 2,742   | 2, 375          | 367                   |  |
| C31   | Pneumonia (490-493,763)  | 854    | 4,698   | 4, 250          | 448                   |  |
| C32   | Bronchitis (500-502)   | 709    | 3, 238  | 2,864           | 374                   |  |
| C33   | Silicosis and occupational pulmonary fibrosis (523,524)  | 5      | 63      | 63              | _                     |  |
| C34   | All other respiratory diseases (471, 474, 475, 511-522, 525-527)                                     | 795    | 4,521   | 4,099           | 422                   |  |
| C35   | Diseases of stomach and duodenum, except cancer (540-545)  | 259    | 2,054   | 1,919           | 135                   |  |
| C36   | Appendicitis (550-553)   | 213    | 1, 219  | 1, 127          | 92                    |  |
| C37   | Hernia of abdominal cavity (560, 561)  | 177    | 2, 185  | 2,059           | 126                   |  |
| C38   | Diarrhoea and enteritis (571, 764)   | 306    | 1,403   | 1, 234          | 169                   |  |
| C39   | Diseases of gallbladder and bile ducts (584-586)   | 484    | 3, 475  | 3, 192          | 283                   |  |
| C40   | Other diseases of digestive system (530-539, 570, 572-583, 587)                                      | 4,521  | 19,027  | 17,000          | 2,027                 |  |
| C41   | Nephritis and nephrosis (590-594)  | 83     | 1, 151  | 1,096           | 55                    |  |
| C49 i | Other diseases of urinary system (600-609)   | 426    | 4, 252  | 4,038           | 214                   |  |
| C42   | Diseases of genital organs (610-637)   | 1, 297 | 11, 377 | 10,547          | 830                   |  |
| C43b  | Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)                         | 1.766  | 10, 651 | 5, <b>4</b> 71  | 5, 180                |  |
| C44   | Boil, abscess, cellulitis and other skin infections (690-698)  | 607    | 3, 866  | 3,449           | 417                   |  |
| C45   | Other diseases of skin (700-716)   | 396    | 9,053   | 8,761           | 292                   |  |
| C46   | Arthritis and rheumatism, except rheumatic fever (720-727)   | 1,358  | 38, 224 | 37, 490         | 734                   |  |
| C47   | Diseases of bones and other organs of movement (730-749)   | 241    | 4, 325  | 4, 169          | 156                   |  |
| C48   | Congenital malformations and diseases peculiar to early infancy (750-762, 765-776)                   | 136    | 1, 378  | 1, 163          | 215                   |  |
| C49 j | Symptoms, senility and ill-defined conditions (780-795)  | 4,460  | 33,959  | 31, 551         | 2, 408                |  |
| C50   | Alternative classification of accidents, poisonings and vio-<br>lence (nature of injury) (N800-N999) | 2,049  | 26, 210 | 24,671          | 1,539                 |  |
| _     | Other admissions (Y00-Y88)   | 879    | 3, 612  | 2, 238          | 1, 374                |  |
|       |  |        | 5,012   | 2, 400          | 1, 313                |  |

TABLE 7. Number of cases by cause, sex and age group

|     |   |                               |                 |                   | -                 |                | A                | ge              |                   |                  |                   |                          |                  |
|-----|---|-------------------------------|-----------------|-------------------|-------------------|----------------|------------------|-----------------|-------------------|------------------|-------------------|--------------------------|------------------|
| No. | Cause and detailed list numbers   | All<br>ages                   | Under<br>1 year |                   | 5-14              | 15-24          | 25-34            | 35-44           | 45-54             | 55-64            | 65-74             | 75 and<br>over           | Not<br>stated    |
|     | All causes T  M F   | 46, 073<br>13, 127<br>32, 946 | 11.366          | 11.459            | I. LIES           | Z45            | 374              | 312             | 4 4 4 30          | 11.340           | I                 | 11,839<br>3,192<br>8,647 | 273<br>64<br>209 |
| 1   | Tuberculosis (001-019) T<br>M<br>F  | 525<br>186<br>339             | _<br>_<br>_     | 7<br>6<br>1       | 17<br>10<br>7     | 57<br>16<br>41 | 151<br>33<br>118 | 129<br>35<br>94 | 72<br>35<br>37    | . 34<br>17<br>17 | 29<br>20<br>9     | 26<br>13<br>13           |                  |
| 2   | Other infective and parasitic distraction and | 1, 396<br>511<br>885          | 112<br>56<br>56 | 318<br>153<br>165 | 391<br>169<br>222 | 55<br>11<br>44 | 97<br>19<br>78   |                 | 67<br>26<br>41    | 73<br>15<br>58   | 107<br>16<br>91   | 90<br>22<br>68           | 9<br>4<br>5      |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F   | 2,959<br>932<br>2,027         | =               | 7<br>2<br>5       | 8<br>3<br>5       | 11<br>5<br>6   | 65<br>15<br>50   | 44              | 435<br>103<br>332 |                  | 863<br>295<br>568 | 661<br>243<br>418        | 14<br>3<br>11    |
| 4   | Benign neoplasms (210-239) T<br>M<br>F  | 243<br>74<br>169              | 12<br>3<br>9    | 4<br>3<br>. 1     | 7<br>2<br>5       |                | 33<br>8<br>25    | 10              | 8                 | 12               |                   | · 22<br>8<br>14          | *                |
| 5   | Allergic, endocrine system, met- T<br>abolic and nutritional dis- M<br>eases, except diabetes (240- F<br>254, 270-289).   | 638<br>195<br>443             |                 |                   | 43<br>25<br>18    | 19<br>4<br>15  | 43<br>4<br>39    | 11              | 80<br>14<br>66    | 17               | 53                | 93<br>30<br>63           | _                |
| 6   | Diabetes (260) T<br>M<br>F  | 2, 152<br>518<br>1, 634       | -               | 15<br>11<br>4     | 32<br>12<br>20    | 1              | 10               | 10              | 44                | 83               | 200               | 146                      | 1                |
| 7   | Anaemias and other diseases of T the blood and blood-forming M organ (290-299).   | 3, 470<br>513<br>2, 957       | 3               |                   |                   | 1              | 2                | 10              | 26                | 59               |                   | 236                      | 3                |
| 8   | Mental, psychoneurotic and per- T<br>sonality disorders (300-326). M<br>F   |                               | -               | 1<br>1<br>-       |                   |                | 3                | 6               | 9                 | 4                | 14                | 8                        | 1                |
| 9   | Diseases of the central nervous T system and sense organs (330- M 352).   | 2,994<br>912<br>2,082         | 3               |                   | 4                 | 6              | 16               | 19              | 57                | 133              | 306               | 353                      | 7                |
| 10  | Other diseases of the central T nervous system and sense or M gans (353-398).   |                               | 40              | 88                | 68                | 8              | 9                | 13              |                   | 21               | 42                | 43                       | 2                |
| 11  | Rheumatic fever (400-402)T<br>M<br>F  |                               | -               | 1                 | 12                | -              | _                | 1               | . 2               | 1                |                   | _                        | l –              |
| 12  | Diseases of the heart (410-434) T   |                               | 3               | -                 | 8 2 6             | 8<br>2<br>6    | 6                | 32              | 91                | 232              |                   | 587                      | ' 6.             |

TABLE 7. Number of cases by cause, sex and age group - Concluded

| -   |  |                         |                   |   |                   |                  | A                | ge               |                 |   |                   |                       |               |
|-----|--|-------------------------|-------------------|---|-------------------|------------------|------------------|------------------|-----------------|---|-------------------|-----------------------|---------------|
| No. | Cause and detailed list numbers  | All<br>ages             | Under<br>1 year   | 1-4                                     | 5-14              | 15-24            | 25-34            | 35-44            | 45-54           | 55-64                                   | 65-74             | 75 and<br>over        | Not<br>stated |
| 13  | Other diseases of the circulatory T<br>system (440-468). M<br>F  | 1,859<br>512<br>1,347   |                   | 13<br>6<br>7                            | 16<br>9<br>7      | 13<br>4<br>9     | 23<br>4<br>19    | 88<br>22<br>66   | 133<br>35<br>98 | 229<br>61<br>168                        | 545<br>153<br>392 | 781<br>213<br>568     | 11<br>2<br>9  |
| 14  | Diseases of the respiratory T<br>system (470-527). M<br>F  | 4,611<br>1,708<br>2,903 | 548<br>292<br>256 | 817<br>442<br>375                       | 591<br>262<br>329 | 243<br>55<br>188 | 363<br>78<br>285 | 317<br>74<br>243 | 70              | 353<br>111<br>242                       | 142               | 569<br>176<br>393     | 29<br>6<br>23 |
| 15  | Diseases of the digestive sys- T tem (530-587). MF   | 5,960<br>1,721<br>4,239 | 298<br>159<br>139 | 375<br>183<br>192                       | 280<br>129<br>151 | 239<br>40<br>199 | 327<br>68<br>259 | 373<br>65<br>308 | 100             | 680<br>172<br>508                       | 352               | 1,672<br>444<br>1,228 | 30<br>9<br>21 |
| 16  | Diseases of the genito-urinary T system (590-637). M F   | 1,806<br>471<br>1,335   | 133<br>127<br>6   | 68<br>57<br>11                          | 49<br>23<br>26    | 116<br>9<br>107  | 245<br>8<br>237  | 15               | 12              | 174<br>33<br>141                        |                   | 293<br>98<br>195      | 6<br>1<br>5   |
| 17  | Complication of pregnancy, T childbirth and the puerperium M (640-652, 670-689).                         | 1,766<br>1,766          |                   |   | =                 | 498<br>-<br>498  | 935<br>-<br>935  | l –              | _               | _<br>                                   | _<br>_<br>_       | =<br>=<br>-           | 20<br><br>20  |
| 18  | Diseases of the skin and cellu- T lar tissue (690-716). M  | 1,003<br>357<br>646     | 30                | 99<br>53<br>46                          | 95<br>59<br>36    | 51<br>14<br>37   | 58<br>12<br>46   | 26               | 25              | 100<br>33<br>67                         | 48                | 182<br>55<br>127      |               |
| 19  | Arthritis and rheumatism except T rheumatic fever (720-727). MF  | 1,358<br>220<br>1,138   | 2                 | 3<br>-<br>3                             | 7<br>5<br>2       | 4<br>3<br>1      | 4                | 14               | 29              | 23                                      | 51                | 480<br>86<br>394      |               |
| 20  | Other diseases of the bones and T organs of movement (730-749). M  | 241<br>67<br>174        | 1                 | 7<br>6<br>1                             | 14<br>8<br>6      | 8<br>2<br>6      | 22<br>4<br>18    | 11               | 7               | 45<br>10<br>35                          | 9                 | 42<br>9<br>33         |               |
| 21  | Congenital malformations (750- T<br>759). M<br>F   | 86<br>32<br>54          | 12                |   | 11<br>4<br>7      |                  | -                | <b>–</b>         | 1               | 3                                       | 2                 | -                     | _             |
| 22  | Certain diseases of early infancy T (760-776). M   | 50<br>25<br>25          | 25                | ======================================= | -<br>-<br>-       | =                | <br> -<br> -     | =                | =               | ======================================= | =                 | _<br>_<br>_           | = =           |
| 23  | Symptoms, senility and ill-de- T fined conditions (780-795). M F   | 4,460<br>1,307<br>3,153 | 227               | 276                                     |                   |                  | 38               | 41               | 37              | 55                                      | 95                |                       | 8             |
| 24  | Alternative classification of ac-T cidents, poisonings and vio-M lence (nature of injury) (N800-F N999). | 2,049<br>529<br>1,520   | 19                | 102                                     |                   |                  | 24               | 30               | 30              | 47                                      | 69                | 98                    | 5             |
| 25  | Other admissions (Y00-Y88)T<br>M<br>F  | 879<br>431<br>448       | 347               | 26                                      | 20                | 3                | 9                | ı  3             | 1               | 9                                       | 7                 | 6                     | il –          |

TABLE 8. Percentage distribution of cases by cause, sex and age group

(All ages for each cause group = 100 per cent)

|     | ,  |                         |                      | Ag                      | е                    |                      |                      |
|-----|--|-------------------------|----------------------|-------------------------|----------------------|----------------------|----------------------|
| No. | Cause and detailed list numbers  | All<br>ages             | Under 15             | 15-44                   | 45-64                | 65 and<br>over       | Not<br>stated        |
|     | All causes T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 16.5<br>29.9<br>11.2 | 16.7<br>8.6<br>19.9     | 19.1<br>16.4<br>20.2 | 47.1<br>44.6<br>48.1 | 0. 6<br>0. 5<br>0. 6 |
| 1   | Tuberculosis (001-019) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 4.5<br>8.6<br>2.4    | 64. 2<br>45. 2<br>74. 6 | 20.2<br>28.0<br>15.9 | 10.5<br>17.7<br>6.5  | 0.6<br>0.5<br>0.6    |
| 2   | Other infective and parasitic diseases (020- T<br>138). M<br>F   | 100.0<br>100.0<br>100.0 | 58.8<br>74.0<br>50.0 | 16.4<br>9.8<br>20.2     | 10.0<br>8.0<br>11.2  | 14.1<br>7.4<br>18.0  | 0.7<br>0.8<br>0.6    |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F  | 100.0<br>100.0<br>100.0 | 0.5<br>0.5<br>0.5    | 10.5<br>6.9<br>12.1     | 37.0<br>34.6<br>38.2 | 51.5<br>57.7<br>48.7 | 0.5<br>0.3<br>0.5    |
| 4   | Benign neoplasms (210-239) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 9.5<br>10.8<br>8.9   | 39.1<br>41.9<br>37.8    | 27.6<br>27.0<br>27.8 | 23.4<br>20.3<br>24.9 | 0.4                  |
| 5   | Allergic, endocrine system, metabolic and T<br>nutritional diseases, except diabetes (240- M<br>254, 270-289). | 100.0<br>100.0<br>100.0 | 15.9<br>31.8<br>8.8  | 21.6<br>9.7<br>26.9     | 24.9<br>15.9<br>28.9 | 37.0<br>42.6<br>34.5 | 0.6<br>0.9           |
| 6   | Diabetes (260) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 2.2<br>4.4<br>1.5    | 4.5<br>4.1<br>4.7       | 28.1<br>24.5<br>29.3 | 64.8<br>66.8<br>64.0 | 0.4<br>0.2<br>0.5    |
| 7   | Anaemias and other diseases of the blood T and blood-forming organs (290-299). M                               | 100.0<br>100.0<br>100.0 | 0.4<br>1.9<br>0.1    | 9.1<br>2.5<br>10.2      | 20.9<br>16.6<br>21.7 | 68.7<br>78.4<br>67.1 | 0.9<br>0.6<br>0.9    |
| 8   | Mental, psychoneurotic and personality dis-T<br>orders (300-326). M<br>F                                       | 100.0<br>100.0<br>100.0 | 0.6<br>4.1<br>—      | 34.7<br>22.5<br>37.0    | 32.7<br>26.5<br>33.8 | 31.4<br>44.9<br>28.8 | 0.6<br>2.0<br>0.4    |
| 9   | Diseases of the central nervous system and T sense organs (330-352).  M F                                      | 100.0<br>100.0<br>100.0 | 0.8<br>1.6<br>0.5    | 7.1<br>4.5<br>8.2       | 20.4<br>20.8<br>20.2 | 71.2<br>72.3<br>70.7 | 0.5<br>0.8<br>0.4    |
| 10  | Other diséases of the central nervous system T and sense organs (353-398). M                                   | 100.0<br>100.0<br>100.0 | 34.6<br>56.5<br>24.8 | 15.9<br>8.6<br>19.2     | 17.2<br>9.8<br>20.5  | 31.7<br>24.5<br>34.9 | 0.6<br>0.6<br>0.6    |
| 11  | Rheumatic fever (400-402) T<br>M<br>F  | 100.0<br>100.0<br>100.0 | 50.0<br>76.5<br>36.4 | 22.0<br>5.9<br>30.3     | 20.0<br>17.6<br>21.2 | 6.0<br>9.1           | 2.0<br>-<br>3.0      |
| 12  | Diseases of the heart (410-434)  | 100.0<br>100.0<br>100.0 | 0.3<br>0.3<br>0.3    | 3. 2<br>2. 7<br>3. 5    | 23.4<br>21.6<br>24.4 | 72.6<br>75.0<br>71.3 | 0.5<br>0.4<br>0.5    |

## HOME NURSING SERVICES

TABLE 8. Percentage distribution of cases by cause, sex and age group — Concluded (All ages for each cause group = 100 per cent)

|     |  |                         |                         | Ag                   | ge                   |                         |                   |
|-----|--|-------------------------|-------------------------|----------------------|----------------------|-------------------------|-------------------|
| No. | Cause and detailed list numbers  | All<br>ages             | Under 15                | 15-44                | 45-64                | 65 and<br>over          | Not<br>stated     |
| 13  | Other diseases of the circulatory system T (440-468).  | 100.0<br>100.0<br>100.0 | 1.9<br>3.5<br>1.3       | 6.7<br>5.9<br>7.0    | 19.5<br>18.7<br>19.7 | 71.3<br>71.5<br>71.3    | 0.6<br>0.4<br>0.7 |
| 14  | Diseases of the respiratory system (470-527) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 42. 4<br>58. 3<br>33. 1 | 20.0<br>12.1<br>24.7 | 13.7<br>10.6<br>15.4 | 23.3<br>18.6<br>26.0    | 0.6<br>0.4<br>0.8 |
| 15  | Diseases of the digestive system (530-587) T  M F  | 100.0<br>100.0<br>100.0 | 16.0<br>27.4<br>11.4    | 15.8<br>10.1<br>18.1 | 18.9<br>15.8<br>20.1 | 48.8<br>46.2<br>49.9    | 0.5<br>0.5<br>0.5 |
| 16  | Diseases of the genito-urinary system (590- T<br>637).   | 100.0<br>100.0<br>100.0 | 13.9<br>43.9<br>3.2     | 31.8<br>6.8<br>40.7  | 22.9<br>9.6<br>27.6  | 31.1<br>39.5<br>28.1    | 0.3<br>0.2<br>0.4 |
| 17  | Complications of pregnancy, childbirth and T the puerperium (640-652, 670-689).  M F                 | 100.0                   | -                       | 98.7<br>98.7         | 0.2<br>0.2           | <u>-</u>                | 1.1               |
| 18  | Diseases of the skin and cellular tissue T (690-716).  | 100.0<br>100.0<br>100.0 | 25.6<br>39.8<br>17.8    | 19.3<br>14.6<br>22.0 | 19.0<br>16.2<br>20.4 | 35. 2<br>28. 8<br>38. 7 | 0.9<br>0.6<br>1.1 |
| 19  | Arthritis and rheumatism, except rheumatic T fever (720-727).  M F                                   | 100.0<br>100.0<br>100.0 | 0.9<br>3.2<br>0.4       | 7.8<br>9.5<br>7.5    | 25.0<br>23.6<br>25.3 | 65.6<br>62.3<br>66.3    | 0.7<br>1.4<br>0.5 |
| 20  | Other diseases of the bones and organs of T movement (730-749).  M F                                 | 100.0<br>100.0<br>100.0 | 9.5<br>22.4<br>4.6      | 26.6<br>25.4<br>27.0 | 30.3<br>25.4<br>32.2 | 32.8<br>26.8<br>35.1    | 0.8<br><br>1.1    |
| 21  | Congenital malformations (750-759) T  M F  | 100.0<br>100.0<br>100.0 | 68.6<br>75.0<br>64.8    | 11.6<br>6.2<br>14.8  | 14.0<br>12.6<br>14.8 | 5.8<br>6.2<br>5.6       | -<br>-<br>-       |
| 22  | Certain diseases of early infancy (760-776) T  M F   | 100.0<br>100.0<br>100.0 | 100.0<br>100.0<br>100.0 | -<br>-<br>-          | =                    | <del>-</del>            | =                 |
| 23  | Symptoms, semility and ill-defined conditions T (780-795).   | 100.0<br>100.0<br>100.0 | 32.3<br>53.0<br>23.7    | 12.0<br>7.7<br>13.8  | 10.1<br>7.1<br>11.3  | 45.0<br>31.6<br>50.6    | 0.6<br>0.6<br>0.6 |
| 24  | Alternative classification of accidents, T poisonings and violence (nature of injury) M (N800-N999). | 100.0<br>100.0<br>100.0 | 16.9<br>38.6<br>9.4     | 12.6<br>14.4<br>12.0 | 18.2<br>14.5<br>19.5 | 51.5<br>31.6<br>58.4    | 0.8<br>0.9<br>0.7 |
| 25  | Other admissions (Y00-Y88) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 83.8<br>91.2<br>76.8    | 7.3<br>3.5<br>10.9   | 4.6<br>2.3<br>6.7    | 4.2<br>3.0<br>5.4       | 0.1<br>-<br>0.2   |

TABLE 9. Percentage distribution of cases by cause, sex and age group

(All causes for each age group = 100 per cent)

|    |   |             |                         |                         | Age                        |                         |                         |
|----|---|-------------|-------------------------|-------------------------|----------------------------|-------------------------|-------------------------|
| No | Cause and detailed list numbers   |             | All<br>ages             | Under 15                | 15-44                      | 45-64                   | 65 and<br>over          |
|    | All causes  | T<br>M<br>F | 100.0<br>100.0<br>100.0 | 100.0<br>100.0<br>100.0 | 100. 0<br>100. 0<br>100. 0 | 100.0<br>100.0<br>100.0 | 100.0<br>100.0<br>100.0 |
| 1  | Tuberculosis (001-019)  | T<br>M<br>F | 1.2<br>1.4<br>1.0       | 0.3<br>0.4<br>0.2       | 4.4<br>7.4<br>3.8          | 1.2<br>2.4<br>0.8       | 0.3<br>0.6<br>0.1       |
| 2  | Other infective and parasitic diseases (020-138).   | T<br>M<br>F | 3.0<br>3.9<br>2.7       | 10.8<br>9.6<br>12.0     | 3.0<br>4.4<br>2.7          | 1.6<br>1.9<br>1.5       | 0.9<br>0.6<br>1.0       |
| 3  | Malignant neoplasms (140-205)   | T<br>M<br>F | 6. 4<br>7. 1<br>6. 1    | 0.2<br>0.1<br>0.3       | 4.0<br>5.7<br>3.7          | 12.5<br>15.0<br>11.7    | 7.0<br>9.2<br>6.2       |
| 4  | Benign neoplasms (210-239)  | T<br>M<br>F | 0.5<br>0.6<br>0.5       | 0.3<br>0.2<br>0.4       | 1.2<br>2.7<br>1.0          | 0.8<br>0.9<br>0.7       | 0.3<br>0.3<br>0.3       |
| 5  | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289). | T<br>M<br>F | 1.4<br>1.5<br>1.3       | 1.3<br>1.6<br>1.1       | 1.8<br>1.7<br>1.8          | 1.8<br>1.4<br>1.9       | 1.1<br>1.4<br>1.0       |
| 6  | Diabetes (260)  | T<br>M<br>F | 4.7<br>3.9<br>5.0       | 0.6<br>0.6<br>0.7       | 1.3<br>1.9<br>1.2          | 6.9<br>5.9<br>7.2       | 6.4<br>5.9<br>6.6       |
| 7  | Anaemias and other diseases of the blood and blood-forming organs (290-299).                        | T<br>M<br>F | 7.5<br>3.9<br>9.0       | 0. 2<br>0. 3<br>0. 1    | 4.1<br>1.1<br>4.6          | 8.2<br>4.0<br>9.7       | 11.0<br>6.9<br>12.5     |
| 8  | Mental, psychoneurotic and personality disorders (300-326).   | T<br>M<br>F | 0.7<br>0.4<br>0.8       | 1 -                     | 1.4<br>1.0<br>1.5          | 1.1<br>0.6<br>1.3       | 0.4<br>0.4<br>0.5       |
| 9  | Diseases of the central nervous system and sense organs (330-352).                                  | T<br>M<br>F | 6.5<br>7.0<br>6.3       | 0.3<br>0.4<br>0.3       | 2.8<br>3.6<br>2.6          | 7.0<br>8.9<br>6.3       | 9.8<br>11.2<br>9.3      |
| 10 | Other diseases of the central nervous system and sense organs (353-398).                            | T<br>M<br>F | 2.4<br>2.6<br>2.3       | 5.1<br>5.0<br>5.2       | 2.3<br>2.7<br>2.3          | 2. 2<br>1. 6<br>2. 4    | 1.6<br>1.5<br>1.7       |
| 11 | Rheumatic fever (400-402)   | T<br>M<br>F | 0. 1<br>0. 1<br>0. 1    | 0.3<br>0.3<br>0.3       | 0.1<br>0.1<br>0.2          | 0. 1<br>0. 1<br>0. 1    | 1 -                     |
| 12 |   | T<br>M<br>F | 8.9<br>11.4<br>7.9      | 0. 1<br>0. 1<br>0. 2    | 1.7<br>3.5<br>1.4          | 10.9<br>15.1<br>9.5     | 13.7<br>19.1<br>11.7    |

TABLE 9. Percentage distribution of cases by cause, sex and age group — Concluded

(All causes for each age group = 100 per cent)

|     |  |             |                        |                      | Age                  |                      |                       |
|-----|--|-------------|------------------------|----------------------|----------------------|----------------------|-----------------------|
| No. | Cause and detailed list numbers  |             | All<br>ages            | Under 15             | 15-44                | 45-64                | 65 and<br>over        |
| 13  |  | T<br>M<br>F | 4.0<br>3.9<br>4.1      | 0.5<br>0.5<br>0.5    | 1.6<br>2.7<br>1.4    | 4.1<br>4.5<br>4.0    | 6. 1<br>6. 2<br>6. 0  |
| 14  |  | T<br>M<br>F | 10. 0<br>13. 0<br>8. 8 | 25.7<br>25.4<br>26.0 | 12.0<br>18.3<br>10.9 | 7. 2<br>8. 4<br>6. 8 | 4.9<br>5.4<br>4.8     |
| 15  |  | T<br>M<br>F | 12.9<br>13.1<br>12.9   | 12.5<br>12.0<br>13.1 | 12.2<br>15.3<br>11.7 | 12.8<br>12.7<br>12.9 | 13.4<br>13.6<br>13.3  |
| 16  |  | T<br>M<br>F | 3.9<br>3.6<br>4.0      | 3.3<br>5.3<br>1.2    | 7.5<br>2.8<br>8.3    | 4.7<br>2.1<br>5.5    | 2. 6<br>3. 2<br>2. 4  |
| 17  |  | T<br>M<br>F | 3.8<br>5.4             | -<br>-<br>-          | 22. 6<br>26. 5       | 0.1                  | =                     |
| 18  | Diseases of the skin and cellular tissue (690-716).  | T<br>M<br>F | 2. 2<br>2. 7<br>2. 0   | 3.4<br>3.6<br>3.1    | 2.5<br>4.6<br>2.2    | 2.2<br>2.7<br>2.0    | 1.6<br>1.8<br>1.6     |
| 19  | Arthritis and rheumatism, except rheumatic fever (720-727).                                      | T<br>M<br>F | 3.0<br>1.7<br>3.4      | 0.1<br>0.2<br>0.1    | 1.4<br>1.9<br>1.3    | 3.9<br>2.4<br>4.3    | 4.1<br>2.3<br>4.8     |
| 20  | Other diseases of the bones and organs of movement (730-749).                                    | T<br>M<br>F | 0.5<br>0.5<br>0.5      | 0.3<br>0.4<br>0.2    | 0.8<br>1.5<br>0.7    | 0.8<br>0.8<br>0.8    | 0.4<br>0.3<br>0.4     |
| 21  | Congenital malformations (750-759)   | T<br>M<br>F | 0. 2<br>0. 2<br>0. 2   | 0.8<br>0.6<br>0.9    | 0. 1<br>0. 2<br>0. 1 | 0. 1<br>0. 2<br>0. 1 | 1<br>1<br>1           |
| 22  | Certain diseases of early infancy (760-776)  | T<br>M<br>F | 0.1<br>0.2<br>0.1      | 0.7<br>0.6<br>0.7    | 111                  | -<br>-               | =                     |
| 23  | Symptoms, senility, and ill-defined conditions (780-795).  | T<br>M<br>F | 9.7<br>10.0<br>9.6     | 18.9<br>17.6<br>20.2 | 7.0<br>8.9<br>6.6    | 5.1<br>4.3<br>5.4    | 9, 3<br>7, 0<br>10, 1 |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). | T<br>M<br>F | 4.5<br>4.0<br>4.6      | 4.6<br>5.2<br>3.9    | 3.4<br>6.7<br>2.8    | 4.2<br>3.6<br>4.5    | 4.9<br>2.9<br>5.6     |
| 25  | Other admissions (Y00-Y88)   | T<br>M<br>F | 1.9<br>3.3<br>1.4      | 9.7<br>10.0<br>9.3   | 0.8<br>1.3<br>0.7    | 0.5<br>0.5<br>0.5    | 0. 2<br>0. 2<br>0. 1  |

<sup>1.</sup> Less than one-tenth of one per cent.

TABLE 10. Number of visits by type of visit (nursing care and health instruction), cause, sex and age group

|     |   | <u> </u>                      |                              |                         |                         | Age                     | Age                 |                         |                     |                         |                      |  |  |  |
|-----|---|-------------------------------|------------------------------|-------------------------|-------------------------|-------------------------|---------------------|-------------------------|---------------------|-------------------------|----------------------|--|--|--|
|     | Cause and   | All a                         | iges                         | Under                   | 1 year                  | 1                       | -4                  | 5-                      | 14                  | 15                      | -24                  |  |  |  |
|     | detailed list numbers   |                               |                              | •                       |                         | Visi                    | ts                  |                         |                     |                         |                      |  |  |  |
| No. |   | N.C.                          | н.і.                         | N.C.                    | н.і.                    | N.C.                    | н.і.                | N.C.                    | н.і.                | N.C.                    | H.I.                 |  |  |  |
|     | All causes T  | 611,309<br>156,429<br>454,880 | 30, 936<br>7, 767<br>23, 169 | 5,800<br>3,079<br>2,721 | 2,739<br>1,436<br>1,303 | 6,552<br>3,606<br>2,946 | 1,876<br>969<br>907 | 7,076<br>3,336<br>3,740 | 1,349<br>636<br>713 | 9,446<br>2,033<br>7,413 | 2,123<br>88<br>2,035 |  |  |  |
| 1   | Tuberculosis (001-019) T<br>M<br>F  | 14,412<br>5,659<br>8,753      | 250<br>69<br>181             | _<br>_<br>_             | <u>-</u><br>-           | 48<br>43<br>5           | <u>-</u><br>-       | 309<br>175<br>134       | 12<br>5<br>7        | 1,590<br>462<br>1,128   | 27<br>11<br>16       |  |  |  |
| 2   | Other infective and parasitic dis- T<br>eases (020-138). M<br>F   | 5,689<br>1,698<br>3,991       | 911<br>331<br>580            | 218<br>114<br>104       | 109<br>48<br>61         | 713<br>316<br>397       | 233<br>107<br>126   | 970<br>499<br>471       | 261<br>106<br>155   | 219<br>45<br>174        | 33<br>8<br>25        |  |  |  |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F   | 51,570<br>15,329<br>36,241    | 2,212<br>636<br>1,576        | =                       | -<br>-<br>-             | 26<br>3<br>23           | 5<br>-<br>5         | 45<br>17<br>28          | 5<br>4<br>1         | 438<br>108<br>330       | 8<br>2<br>6          |  |  |  |
| 4   | Benign neoplasms (210-239) T<br>M<br>F  | 1,994<br>743<br>1,251         | 179<br>58<br>121             | 41<br>15<br>26          | 6<br> <br>6             | 5<br>4<br>1             | 4<br>4<br>-         | 24<br>6<br>18           | 6<br>2<br>4         | 294<br>165<br>129       | 20<br>5<br>15        |  |  |  |
| 5   | Allergic, endocrine system, met- T<br>abolic and nutritional dis- M<br>eases, except diabetes (240- F<br>254, 270-289). | 8,347<br>2,124<br>6,223       | 394<br>135<br>259            | 76<br>53<br>23          | 43<br>31<br>12          | 317<br>248<br>69        | 33<br>9<br>24       | 411<br>270<br>141       | 21<br>16<br>5       | 148<br>31<br>117        | 14<br>8<br>6         |  |  |  |
| 6   | Diabetes (260) T<br>M<br>F  | 83,044<br>21,242<br>61,802    | 1,493<br>356<br>1,137        | 111                     | -<br>-                  | 112<br>83<br>29         | 21<br>13<br>8       | 512<br>38<br>474        | 19<br>3<br>16       | 91<br>1<br>90           | 5<br>-<br>5          |  |  |  |
| 7   | Anaemias and other diseases of T the blood and blood-forming M organs (290-299).  | 73,061<br>10,174<br>62,887    | 1,112<br>144<br>968          | 18<br>18<br>—           | -<br>-                  | 58<br>58<br>—           | 3<br>3<br>-         | 56<br>42<br>14          | 4<br>1<br>3         | 424<br>40<br>384        | 14<br>-<br>14        |  |  |  |
| 8   | Mental, psychoneurotic and per- T<br>sonality disorders (300-326). M<br>F   | 3,597<br>608<br>2,989         | 179<br>28<br>151             | I I I                   | _<br>_<br>_             | 1<br>1<br>-             | -<br>-              | 48<br>48<br>—           | -<br>-              | 43<br>12<br>31          | 4<br>-<br>4          |  |  |  |
| 9   | Diseases of the central nervous T<br>system and sense organs (330- M<br>352). F   | 75,388<br>22,486<br>52,902    | 1,730<br>533<br>1,197        | 6<br>6<br>–             | <u>-</u>                | 124<br>118<br>6         | 26<br>21<br>5       | 327<br>38<br>289        | 13<br>2<br>11       | 554<br>153<br>401       | 5<br>2<br>3          |  |  |  |
| 0   | Other diseases of the central T<br>nervous system and sense or- M<br>gans (353-398).                                    | 9,886<br>2,097<br>7,789       | 700<br>181<br>519            | 234<br>106<br>128       | 68<br>28<br>40          | 443<br>224<br>219       | 101<br>49<br>52     | 340<br>202<br>138       | 52<br>26<br>26      | 417<br>197<br>220       | 19<br>5<br>14        |  |  |  |
| 11  | Rheumatic fever (400-402)T<br>M<br>F  | 542<br>133<br>409             | 68<br>45<br>23               | 10<br>-<br>10           | <u>-</u><br>-<br>-      | 10<br>2<br>8            | -<br>1              | 188<br>100<br>88        | 56<br>45<br>11      | 25<br>-<br>25           | 5<br>-<br>5          |  |  |  |
| ۱2  | Diseases of the heart (410-434) T   | 72,482<br>25,614<br>46,868    | 2,190<br>747<br>1,443        | 11<br>9<br>2            | 5<br>5                  | <u>-</u>                | <u>-</u>            | 47<br>2<br>45           | 7<br>4<br>3         | 157<br>29<br>128        | 23<br>-<br>23        |  |  |  |

TABLE 10. Number of visits by type of visit (nursing care and health instruction), cause, sex and age group

|                           |                       |                           |                       |                            |                       | Ag                            | е                     |                                 |                         |                              |                         |                       |                   |     |
|---------------------------|-----------------------|---------------------------|-----------------------|----------------------------|-----------------------|-------------------------------|-----------------------|---------------------------------|-------------------------|------------------------------|-------------------------|-----------------------|-------------------|-----|
| 25-                       | 34                    | 35-                       | 44                    | 45-                        | 54                    | 55⊣                           | 64                    | 65-7                            | 4                       | <b>7</b> 5 and               | over                    | Not s                 | ated              |     |
|                           |                       |                           |                       |                            |                       | Vis                           | its                   |                                 |                         |                              |                         |                       |                   |     |
| N.C.                      | н.і.                  | N.C.                      | н.і.                  | N.C.                       | н.і.                  | N.C.                          | н.і.                  | N.C.                            | н.і.                    | N.C.                         | н.і.                    | N.C.                  | H.I.              | No. |
| 22,068<br>4,083<br>17,985 | 3,791<br>186<br>3,605 | 32,636<br>5,920<br>26,716 | 2,475<br>203<br>2,272 | 47, 856<br>9,349<br>38,507 | 2,018<br>392<br>1,626 | 91, 981<br>22, 456<br>69, 525 | 2,958<br>168<br>2,190 | 175, 732<br>43, 831<br>131, 901 | 5,305<br>1,382<br>3,923 | 209,396<br>58,300<br>151,096 | 6,142<br>1,689<br>4,453 | 2,766<br>436<br>2,330 | 160<br>18<br>142  |     |
| 4,494<br>1,177<br>3,317   | 72<br>11<br>61        | 3,175<br>1,102<br>2,073   | 68<br>9<br>59         | 2,093<br>1,244<br>849      | 29<br>11<br>18        | 1,379<br>556<br>823           | 19<br>7<br>12         | 738<br>456<br>282               | 12<br>10<br>2           | 578<br>441<br>137            | 11<br>5<br>6            | 8<br>3<br>5           | <del>-</del><br>- | 1   |
| 370<br>78<br>292          | 37<br>11<br>26        | 282<br>70<br>212          | 25<br>6<br>19         | 400<br>90<br>310           | 38<br>10<br>28        | 641<br>157<br>484             | 48<br>12<br>36        | 1,079<br>153<br>926             | 64<br>13<br>51          | 775<br>164<br>611            | 61<br>9<br>52           | 22<br>12<br>10        | 2<br>1<br>1       | 2   |
| 1,353<br>516<br>837       | 64<br>7<br>57         | 3,604<br>490<br>3,114     | 175<br>23<br>152      | 7,533<br>1,694<br>5,839    | 416<br>76<br>340      | 11,011<br>3,036<br>7,975      | 500<br>202<br>298     | 15,187<br>5,188<br>9,999        | 638<br>189<br>479       | 12,170<br>4,249<br>7,921     | 363<br>133<br>230       | 203<br>28<br>175      | -<br>8            | 3   |
| 175<br>67<br>108          | 23<br>11<br>12        | 281<br>100<br>181         | 20<br>11<br>9         | 318<br>187<br>131          | 26<br>1<br>25         | 228<br>74<br>154              | 23<br>16<br>7         | 413<br>81<br>332                | 44<br>4<br>40           | 213<br>44<br>169             | 7<br>4<br>3             | 2<br>-<br>2           | -<br>-<br>-       | 4   |
| 482<br>15<br>467          | 20<br>1<br>19         | 1,214<br>175<br>1,039     | 44<br>1<br>43         | 1,229<br>195<br>1,034      | 57<br>15<br>42        | 1,045<br>99<br>947            | 37<br>6<br>31         | 1,889<br>668<br>1,221           | 75<br>29<br>. 46        | 1,509<br>370<br>1,139        | 44<br>19<br>25          | 26<br>-<br>26         | 6<br>-<br>6       | 5   |
| 108<br>38<br>70           | 15<br>1<br>14         | 933<br>58<br>875          | 81<br>13<br>68        | 3,681<br>454<br>3,227      | 143<br>33<br>110      | 16,231<br>3,510<br>12,721     | 342<br>50<br>292      | 33,219<br>7,119<br>26,100       | 545<br>163<br>382       | 27,682<br>9,928<br>17,754    | 314<br>80<br>234        | 475<br>13<br>462      | 8<br>-<br>8       | 6   |
| 1,524<br>29<br>1,495      | 29<br>-<br>29         | 3,337<br>201<br>3,136     | 57<br>1<br>56         | 4,096<br>409<br>3,687      | 80<br>3<br>77         | 9,615<br>1,502<br>8,113       | 100<br>12<br>88       | 24,722<br>3,275<br>21,447       | 313<br>41<br>272        | 28,761<br>4,574<br>24,187    | 505<br>83<br>422        | 450<br>26<br>424      | 7<br>-7           | 7   |
| 288<br>6<br>282           | 29<br>1<br>28         | 294<br>15<br>279          | 38<br>-<br>38         | 603<br>74<br>529           | 34<br>6<br>28         | 602<br>162<br>440             | $\frac{21}{21}$       | 730<br>125<br>605               | 27<br>8<br>19           | 977<br>155<br>822            | 25<br>13<br>12          | 11<br>10<br>1         | 1<br>-<br>1       | 8   |
| 3,316<br>842<br>2,474     | 62<br>9<br>53         | 4,731<br>580<br>4,151     | 105<br>6<br>99        | 6,455<br>993<br>5,462      | 142<br>31<br>111      | 12,799<br>4,686<br>8,113      | 278<br>101<br>177     | 22,563<br>7,524<br>15,039       | 545<br>169<br>377       | 24,041<br>7,537<br>16,504    | 549<br>190<br>359       | 472<br>9<br>463       | 4<br>2<br>2       | 9   |
| 300<br>35<br>265          | 40<br>8<br>32         | 1,017<br>106<br>911       | 59<br>10<br>49        | 897<br>124<br>773          | 74<br>9<br>65         | 1,429<br>117<br>1,312         | 57<br>8<br>51         | 2,216<br>371<br>1,845           | 101<br>11<br>90         | 2,561<br>612<br>1,949        | 128<br>29<br>99         | 32<br>3<br>29         | -<br>1            | 10  |
| 23<br>-<br>23             | 2<br>-<br>2           | 22<br>6<br>16             | 2                     | 58<br>19<br>39             | -<br>-<br>-           | 176<br>6<br>170               | 2<br>-<br>2           | 4<br>-<br>4                     | -<br>-<br>-             | 25<br>-<br>25                | <u>-</u><br>-           | 1<br>-<br>1           |                   | 11  |
| 481<br>155<br>326         | 27<br>-<br>27         | 1,367<br>420<br>947       | 83<br>14<br>69        | 5,664<br>1,341<br>4,323    | 140<br>49<br>91       | 12,114<br>3,866<br>8,248      | 371<br>103<br>268     | 23,655<br>8,109<br>15,546       | 705<br>254<br>451       | 28,776<br>11,644<br>17,132   | 818<br>315<br>503       | 210<br>39<br>171      | 11<br>3<br>8      | 12  |

TABLE 10. Number of visits by type of visit (nursing care and health instruction), cause, sex and age group — Concluded

|     | DAY WHE WAS GLOUD.  |                           |                       |                     |                     |                     |                   |                     |                   |                     |                |  |
|-----|---|---------------------------|-----------------------|---------------------|---------------------|---------------------|-------------------|---------------------|-------------------|---------------------|----------------|--|
|     |   |                           |                       |                     |                     | Age                 |                   |                     |                   |                     |                |  |
|     | Cause and   | Alla                      | ges                   | Under               | 1 year              | 1-                  | 4                 | <b>`5</b> -i        | 14                | 15-                 | 24             |  |
|     | detailed list numbers   |                           |                       |                     |                     | Visit               | 3                 |                     |                   |                     |                |  |
| No. |   | N.C.                      | н.і.                  | N.C.                | н.і.                | n.c.                | н.і.              | N.C.                | н.і.              | N.C.                | H.I.           |  |
| 13  | Other diseases of the circulatory T system (440-468).   | 33,767<br>9,285<br>24,482 | 955<br>254<br>701     | 22<br>7<br>15       | 2<br>1<br>1         | 60<br>14<br>46      | 10<br>3<br>7      | 42<br>26<br>16      | 5<br>5<br>1       | 242<br>9<br>233     | 7<br>-7        |  |
| 14  | Diseases of the respiratory sys- T tem.(470-527).   | 16,355<br>5,625<br>10,730 | 2,317<br>837<br>1,480 | 1,185<br>645<br>540 | 344<br>168<br>176   | 1,773<br>938<br>835 | 450<br>244<br>206 | 1,240<br>552<br>688 | 329<br>135<br>194 | 663<br>118<br>545   | 71<br>10<br>61 |  |
| 15  | Diseases of the digestive sys- T tem (530-587).   | 26,531<br>6,505<br>20,026 | 2,832<br>796<br>2,036 | 504<br>223<br>281   | 226<br>122<br>104   | 562<br>312<br>250   | 230<br>127<br>103 | 481<br>219<br>262   | 113<br>55<br>58   | 654<br>95<br>559    | 82<br>15<br>67 |  |
| 16  | Diseases of the genito-urinary T system (590-637). M  | 15,681<br>4,868<br>10,813 | 1,099<br>331<br>768   | 192<br>176<br>16    | 120<br>116<br>4     | 171<br>131<br>40    | 52<br>43<br>9     | 124<br>49<br>75     | 27<br>16<br>11    | 619<br>71<br>548    | 53<br>3<br>50  |  |
| 17  | Complications of pregnancy, T childbirth and the puerperium M (640-652,670-689).                            | 5,471<br>5,471            | 5,180<br>5,180        | <u>-</u><br>-       | <u>-</u>            | - 1                 | - 1               | 1 1 1               | <del>-</del><br>- | 1,212<br>-<br>1,212 | 1,630<br>1,630 |  |
| 18  | Diseases of the skin and cellu- T<br>lar tissue (690-716). M<br>F   | 12,210<br>3,748<br>8,462  | 709<br>242<br>467     | 461<br>339<br>122   | 79<br>26<br>53      | 282<br>137<br>145   | 97<br>49<br>48    | 364<br>260<br>104   | 72<br>40<br>32    | 361<br>129<br>232   | 27<br>6<br>21  |  |
| 19  | Arthritis and rheumatism except T rheumatic fever (720-727). M F  | 37,490<br>4,412<br>33,078 | 734<br>96<br>638      | 12<br>12<br>-       | 2<br>2<br>-         | 114<br>-<br>114     | 2<br>-<br>2       | 55<br>53<br>2       | -<br>-<br>-       | 77<br>60<br>17      | -<br>-<br>-    |  |
| 20  | Other diseases of the bones and T organs of movement (730-749). M   | 4,169<br>1,240<br>2,929   | 156<br>64<br>92       | 5<br>3<br>2         | 1<br>1<br>-         | 71<br>70<br>1       | 26<br>25<br>1     | 184<br>89<br>95     | 6<br>2<br>4       | 75<br>3<br>72       | 1<br>-<br>1    |  |
| 21  | Congenital malformations (750- T<br>759). M<br>F  | 1,043<br>251<br>792       | 135<br>42<br>93       | 111<br>36<br>75     | 52<br>18<br>34      | 91<br>22<br>69      | 51<br>· 14<br>37  | 160<br>31<br>129    | 20<br>4<br>16     | 339<br>96<br>243    | 1<br>-<br>1    |  |
| 22  | Certain diseases of early infancy T<br>(760-776). M<br>F  | 120<br>61<br>59           | 80<br>42<br>38        | 120<br>61<br>59     | 80<br>42<br>38      | -                   | _<br>_<br>_       |                     | -<br>-<br>-       | -<br>-              | -<br>-<br>-    |  |
| 23  | Symptoms, senility and ill-de- T fined conditions (780-795). M  | 31,551<br>6,198<br>25,353 | 2,408<br>708<br>1,700 | 660<br>330<br>330   | 277<br>135<br>142   | 891<br>424<br>467   | 373<br>160<br>213 | 678<br>293<br>385   | 201<br>97<br>104  | 226<br>42<br>184    | 44<br>7<br>37  |  |
| 24  | Alternative classification of ac- T cidents, poisonings and vio- M lence (nature of injury) (N800- F N999). | 24,671<br>5,275<br>19,396 | 1,539<br>392<br>1,147 | 59<br>34<br>25      | 23<br>16<br>7       | 623<br>420<br>203   | 140<br>86<br>54   | 434<br>307<br>127   | 105<br>60<br>45   | 530<br>163<br>367   | 27<br>6<br>21  |  |
| 25  | Other admissions (Y00-Y88) T  | 2,238<br>1,054<br>1,184   | 1,374<br>700<br>674   | 1,855<br>892<br>963 | 1,302<br>677<br>625 | 57<br>38<br>19      | 18<br>12<br>6     | 37<br>20<br>17      | 15<br>8<br>7      | 48<br>4<br>44       | 3 -3           |  |

TABLE 10. Number of visits by type of visit (nursing care and health instruction), cause, sex and age group — Concluded

| _ | Age                   |                  |                       |                   |                       |                  |                         |                          |                           |                   |                           |                   |                  |               | Γ   |
|---|-----------------------|------------------|-----------------------|-------------------|-----------------------|------------------|-------------------------|--------------------------|---------------------------|-------------------|---------------------------|-------------------|------------------|---------------|-----|
| _ | 25-                   | -34              | 35-                   | -44               | 45-                   | 54               | 55-                     | 54                       | 65-7                      | 4                 | 75 and                    | over              | Not st           | ated          | ľ   |
| _ |                       |                  |                       |                   |                       |                  | Visi                    | ts                       |                           |                   |                           |                   |                  |               |     |
| _ | n.c.                  | н.і.             | N.C.                  | н.І.              | N.C.                  | н.і.             | N.C.                    | н.і.                     | N.C.                      | н.І.              | N.C.                      | н.І.              | n.c.             | H.I.          | No. |
|   | 137<br>36<br>101      | 9<br>3<br>6      | 1,023<br>353<br>670   | 58<br>15<br>43    | 1,997<br>294<br>1,703 | 82<br>8<br>74    | 3,561<br>1,238<br>2,323 | 123<br>37<br>86          | 10,106<br>2,810<br>7,296  | 256<br>91<br>165  | 16,468<br>4,495<br>11,973 | 398<br>91<br>307  | 109<br>3<br>106  | 5<br>1<br>5   | 13  |
|   | 965<br>151<br>814     | 152<br>44<br>108 | 1,403<br>328<br>1,075 | 174<br>24<br>150  | 913<br>316<br>597     | 105<br>30<br>75  | 1,451<br>508<br>943     | 157<br>40<br>117         | 2,679<br>661<br>2,018     | 238<br>62<br>176  | 4,011<br>1,385<br>2,626   | 291<br>79<br>212  | 72<br>23<br>49   | 6<br>1<br>5   | 14  |
|   | 1,515<br>373<br>1,142 | 149<br>37<br>112 | 1,858<br>334<br>1,524 | 206<br>17<br>189  | 2,246<br>407<br>1,839 | 191<br>40<br>151 | 4,330<br>904<br>3,426   | 270<br>41<br>229         | 6,699<br>1,773<br>4,926   | 578<br>120<br>458 | 7,545<br>1,762<br>5,783   | 775<br>218<br>557 | 137<br>103<br>34 | 12<br>4<br>8  | 15  |
|   | 1,443<br>171<br>1,272 | 169<br>3<br>166  | 1,477<br>110<br>1,367 | 135<br>2<br>133   | 2,078<br>98<br>1,980  | 129<br>4<br>125  | 1,203<br>235<br>968     | 112<br>13<br>99          | 3,421<br>1,180<br>2,241   | 149<br>65<br>84   | 4,940<br>2,646<br>2,294   | 151<br>65<br>86   | 13<br>1<br>12    | 2<br>1<br>1   | 16  |
|   | 3,156<br>3,156        | 2,648<br>2,648   | 1,066<br>1,066        | 847<br>847        | 3<br>-<br>3           | 7<br>-<br>7      | <u>-</u>                | 1 - 1                    | -<br>-                    | 1                 | - <del>-</del> -          | 111               | 34<br>-<br>34    | 48<br>-<br>48 | 17  |
|   | 269<br>38<br>231      | 32<br>11<br>21   | 1,152<br>603<br>549   | 56<br>14<br>42    | 715<br>181<br>534     | 30<br>10<br>20   | 778<br>287<br>491       | 55<br>12<br>43           | 3,941<br>881<br>3,060     | 116<br>23<br>93   | 3,794<br>889<br>2,905     | 128<br>47<br>81   | 93<br>4<br>89    | 17<br>4<br>13 | 18  |
|   | 444<br>24<br>420      | 35<br>5<br>30    | 1,796<br>210<br>1,586 | 25<br>2<br>23     | 3,733<br>503<br>3,230 | 82<br>19<br>63   | 7,947<br>457<br>7,490   | 131<br>9<br>122          | 11,706<br>1,181<br>10,525 | 196<br>25<br>171  | 11,451<br>1,791<br>9,660  | 260<br>34<br>226  | 155<br>121<br>34 | 1<br>-<br>1   | 19  |
|   | 240<br>71<br>169      | 5<br>1<br>4      | 588<br>212<br>376     | 19<br>9<br>10     | 768<br>196<br>572     | 15<br>9<br>6     | 619<br>104<br>515       | 29<br>6<br>23            | 682<br>334<br>348         | 30<br>2<br>28     | 841<br>158<br>683         | 20<br>9<br>11     | 96<br>96         | 4<br>-<br>4   | 20  |
|   | 4<br>-<br>4           | 3 - 3            | 21<br>-<br>21         | <del>-</del><br>- | 93<br>1<br>92         | <u>-</u>         | 157<br>53<br>104        | 7<br>6<br>1              | 64<br>12<br>52            | 1 1 -             | 3<br>-<br>3               | 1<br>-<br>1       | <u>-</u>         | 1 1 1         | 21  |
|   |                       | 111              | -<br>-                | -<br>-            | 1 1                   | -<br>-<br>-      | -<br>-                  | <del>-</del> -           | <del>-</del><br>-         | -<br>-<br>-       | 1 1 1                     | -<br>-            | -<br>-           | 1 1 1         | 22  |
|   | 546<br>122<br>424     | 98<br>5<br>93    | 1,084<br>147<br>937   | 106<br>9<br>97    | 1,008<br>129<br>879   | 93<br>14<br>79   | 1,351<br>154<br>1,197   | 102<br>26<br>76          | 3,792<br>450<br>3,342     | 299<br>51<br>248  | 21,200<br>4,074<br>17,126 | 807<br>203<br>604 | 115<br>33<br>82  | 8<br>1<br>7   | 23  |
|   | 347<br>81<br>266      | 56<br>16<br>40   | 885<br>297<br>588     | 89<br>17<br>72    | 1,262<br>399<br>863   | 99<br>14<br>85   | 3,255<br>721<br>2,534   | 168<br>61<br>1 <b>07</b> | 6,189<br>1,473<br>4,716   | 337<br>52<br>285  | 11,058<br>1,375<br>9,683  | 486<br>63<br>423  | 29<br>5<br>24    | 9<br>1<br>8   | 24  |
| - | 88<br>58<br>30        | 15<br>1<br>14    | 26<br>3<br>23         | 3<br>-<br>3       | 13<br>1<br>12         | 6<br>-<br>6      | 58<br>24<br>34          | 6<br>2<br>4              | 38<br>7.<br>31            | 6<br>-<br>6       | 17<br>7<br>10             |                   | 1<br>-<br>1      |               | 25  |

TABLE 11. Percentage distribution of visits by cause, sex and age group

(All ages for each cause group = 100 per cent)

|     |   |             |                            |                      | Α <sub>ξ</sub>       | ;e                      |                      |                   |
|-----|---|-------------|----------------------------|----------------------|----------------------|-------------------------|----------------------|-------------------|
| No. | Cause and detailed list numbers   |             | All<br>ages                | Under 15             | 15-44                | 45-64                   | 65 and<br>over       | Not<br>stated     |
|     | All causes  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 4.0<br>7.9<br>2.6    | 11.3<br>7.6<br>12.6  | 22.5<br>20.1<br>23.4    | 61.7<br>64.1<br>60.9 | 0.5<br>0.3<br>0.5 |
| 1   | Tuberculosis (001-019)  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 2.5<br>3.9<br>1.6    | 64.3<br>48.4<br>74.5 | 24.0<br>31.7<br>19.0    | 9.1<br>15.9<br>4.8   | 0.1<br>0.1<br>0.1 |
| 2   | Other infective and parasitic diseases (020-138).   | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 37.9<br>58.7<br>28.7 | 14.6<br>10.7<br>16.4 | 17. 1<br>13. 3<br>18. 8 | 30.0<br>16.7<br>35.9 | 0.4<br>0.6<br>0.2 |
| 3   | Malignant neoplasms (140-205)   | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 0.1<br>0.1<br>0.1    | 10.5<br>7.2<br>11.9  | 36. 2<br>31. 4<br>38. 2 | 52.8<br>61.1<br>49.3 | 0.4<br>0.2<br>0.5 |
| 4   | Benign neoplasms (210-239)  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 4.0<br>3.9<br>4.0    | 37.4<br>44.8<br>33.1 | 27.4<br>34.7<br>23.1    | 31.1<br>16.6<br>39.7 | 0. 1<br>0. 1      |
| 5   | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289). | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 10.3<br>27.8<br>4.2  | 22.0<br>10.2<br>26.1 | 27. 1<br>13. 9<br>31. 7 | 40.2<br>48.1<br>37.5 | 0.4               |
| 6   | Diabetes (260)  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 0.8<br>0.6<br>0.8    | 1.5<br>0.5<br>1.8    | 24.1<br>18.7<br>26.0    | 73.0<br>80.1<br>70.7 | 0.6<br>0.1<br>0.7 |
| 7   | Anaemias and other diseases of the blood and blood-forming organs (290-299).                        | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 0.2<br>1.2           | 7.3<br>2.6<br>8.0    | 18.7<br>18.7<br>18.7    | 73.2<br>77.3<br>72.6 | 0.6<br>0.2<br>0.7 |
| 8   | Mental, psychoneurotic and personality disorders (300-326).   | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 1.3<br>7.7<br>—      | 18,4<br>5.3<br>21.1  | 33.4<br>38.1<br>32.4    | 46.6<br>47.3<br>46.4 | 0.3<br>1.6<br>0.1 |
| 9   | Diseases of the <u>c</u> entral nervous system and sense organs (330-352).                          | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 0.6<br>0.8<br>0.6    | 11.4<br>6.9<br>13.3  | 25.5<br>25.2<br>25.6    | 61.9<br>67.0<br>59.7 | 0.6<br>0.1<br>0.8 |
| 10  | Other diseases of the central nervous system and sense organs (353-398).                            | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 11.7<br>27.9<br>7.3  | 17.5<br>15.9<br>17.9 | 23.2<br>11.2<br>26.5    | 47.3<br>44.9<br>47.9 | 0.3<br>0.1<br>0.4 |
| 11  | Rheumatic fever (400-402)   | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 43.4<br>82.6<br>27.3 | 12.9<br>3.4<br>16.9  | 38.7<br>14.0<br>48.9    | 4.8<br>-<br>6.7      | 0.2               |
| 12  | Diseases of the heart (410-434)   | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 0.1<br>0.1<br>0.1    | 2.8<br>2.3<br>3.1    | 24.5<br>20.3<br>26.8    | 72.3<br>77.1<br>69.6 | 0.3<br>0.2<br>0.4 |

TABLE 11. Percentage distribution of visits by cause, sex and age group — Concluded (All ages for each cause group = 100 per cent)

|     |  |             |                            |                            | Ag                      | ge                      |                         |                   |
|-----|--|-------------|----------------------------|----------------------------|-------------------------|-------------------------|-------------------------|-------------------|
| No. | Cause and detailed list numbers  |             | All<br>ages                | Under 15                   | 15-44                   | 45-64                   | 65 and<br>over          | Not<br>stated     |
| 13  | (440-468).   | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 0.4<br>0.6<br>0.3          | 4.3<br>4.4<br>4.2       | 16. 6<br>16. 5<br>16. 6 | 78.4<br>78.5<br>78.4    | 0.3<br>, 0.5      |
| 14. |  | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 28.5<br>41.5<br>21.6       | 18.3<br>10.5<br>22.6    | 14.1<br>13.8<br>14.2    | 38.7<br>33.8<br>41.2    | 0.4<br>0.4<br>0.4 |
| 15  |  | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 7.2<br>14.5<br>4.8         | 15.2<br>11.9<br>16.3    | 24.0<br>19.1<br>25.6    | 53.1<br>53.0<br>53.1    | 0.5<br>1.5<br>0.2 |
| 16  |  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 4.1<br>10.2<br>1.4         | 23.2<br>6.9<br>30.5     | 21. 0<br>6. 7<br>27. 4  | 51.6<br>76.1<br>40.6    | 0.1<br>0.1<br>0.1 |
| 17  |  | T<br>M<br>F | 100.0<br>100.0             | 111                        | 99.1<br>-<br>99.1       | 0.1<br>-<br>0.1         | 111                     | 0.8<br>0.8        |
| 18  |  | r<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 10.5<br>21.3<br>5.6        | 14.7<br>20.1<br>12.3    | 12. 2<br>12. 3<br>12. 2 | 61. 8<br>46. 1<br>68. 8 | 0.8<br>0.2<br>1.1 |
| 19  |  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 0.5<br>1.5<br>0.4          | 6. 2<br>6. 7<br>6. 2    | 31.1<br>21.9<br>32.3    | 61.8<br>67.2<br>61.0    | 0.4<br>2.7<br>0.1 |
| 20  |  | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 6.8<br>14.6<br>3.4         | 21.4<br>22.7<br>20.9    | 33.1<br>24.1<br>37.0    | 36.4<br>38.6<br>35.4    | 2.3<br>-<br>3.3   |
| 21  |  | T<br>M<br>F | 100, 0<br>100, 0<br>100, 0 | 41.2<br>42.6<br>40.7       | 31. 2<br>32. 8<br>30. 7 | 21.8<br>20.5<br>22.3    | 5.8<br>4.1<br>6.3       | =                 |
| 22  |  | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 100. 0<br>100. 0<br>100. 0 | 1 1                     | =                       | _<br>_<br>_             | = =               |
| 23  | (780-795).   | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 9. 1<br>20. 8<br>6. 1      | 6. 2<br>4. 8<br>6. 6    | 7.5<br>4.7<br>8.2       | 76. 8<br>69. 2<br>78. 8 | 0.4<br>0.5<br>0.3 |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). | Т<br>М<br>Р | 100.0<br>100.0<br>100.0    | 5.3<br>16.3<br>2.2         | 7.4<br>10.2<br>6.6      | 18.3<br>21.1<br>17.5    | 68.9<br>52.3<br>73.5    | 0.1<br>0.1<br>0.2 |
| 25  | ,  | T<br>M<br>F | 100.0<br>100.0<br>100.0    | 90.9<br>93.9<br>88.1       | 5.1<br>3.8<br>6.3       | 2.3<br>1.5<br>3.0       | 1.7<br>0.8<br>2.5       | ı<br>0. 1         |

<sup>1.</sup> Less than one-tenth of one per cent.

TABLE 12. Percentage distribution of visits by cause, sex and age group

(All causes for each age group=100 per cent)

|            |  |                         |                         | Age                     |                         |                         |
|------------|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| <u>No.</u> | Cause and detailed list numbers  | All<br>ages             | Under 15                | 15-44                   | 45-64                   | 65 and over             |
|            | All causes T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 100.0<br>100.0<br>100.0 | 100.0<br>100.0<br>100.0 | 100.0<br>106.0<br>100.0 | 100.0<br>100.0<br>100.6 |
| 1          | Tuberculosis (001-019) T<br>M<br>F   | 2.3<br>3.5<br>1.9       | 1.5<br>1.7<br>1.2       | 13.0<br>22.1<br>11.1    | 2.4<br>5.5<br>1.5       | 0.3<br>0.9<br>0.1       |
| 2          | Other infective and parasitic diseases (020- T 138).   | 1.0<br>1.2<br>1.0       | 9.9<br>9.1<br>10.6      | 1.3<br>1.7<br>1.2       | 0.8<br>0.8<br>0.8       | 0.5<br>0.3<br>0.6       |
| 3          | Malignant neoplasms (140-205) T  M F   | 8.4<br>9.7<br>7.9       | 0.3<br>0.2<br>0.5       | 7.8<br>9.2<br>7.5       | 13.4<br>15.2<br>12.9    | 7.2<br>9.3<br>6.4       |
| 4          | Benign neoplasms (210-239) T<br>M<br>F   | 0.3<br>0.5<br>0.3       | 0.3<br>0.2<br>0.4       | 1.1<br>2.9<br>0.8       | 0.4<br>0.8<br>0.3       | 0.2<br>0.1<br>0.2       |
| 5          | Allergic, endocrine system, metabolic and T<br>nutritional diseases, except diabetes (240- M<br>254, 270-289). | 1.4<br>1.4<br>1.3       | 3.5<br>4.8<br>2.2       | 2.6<br>1.8<br>2.8       | 1.6<br>1.0<br>1.8       | 0.9<br>1.0<br>0.8       |
| 6          | Diabetes (260) T<br>M<br>F   | 13.2<br>13.2<br>13.2    | 2.6<br>1.0<br>4.3       | 1.7<br>0.9<br>1.9       | 14.1<br>12.3<br>14.6    | 15.6<br>16.4<br>15.3    |
| 7          | Anaemias and other diseases of the blood and T blood-forming organs (290-299). MF                              | 11.5<br>6.3<br>13.4     | 0,5<br>0,9<br>0,1       | 7.4<br>2.2<br>8.5       | 9.6<br>5.8<br>10.7      | 13.7<br>7.6<br>15.9     |
| 8          | Mental, psychoneurotic and personality dis- T orders (300-326).  | 0.6<br>0.4<br>0.7       | 0.2<br>0.4<br>-         | 1.0<br>0.3<br>1.1       | 0.9<br>0.7<br>0.9       | 0.4<br>0.3<br>0.5       |
| 9          | Diseases of the central nervous system T and sense organs (330-352). M   | 12.0<br>14.0<br>11.3    | 2.0<br>1.4<br>2.5       | 12.1<br>12.7<br>12.0    | 13.6<br>17.6<br>12.4    | 12.0<br>14.7<br>11.1    |
| 10         | Other diseases of the central nervous system T and sense organs (353-398).  M F                                | 1.6<br>1.4<br>1.7       | 4.9<br>4.9<br>4.9       | 2.6<br>2.9<br>2.5       | 1.7<br>0.8<br>2.0       | 1.3<br>1.0<br>1.4       |
| 11         | Rheumatic fever (400-402) T  M F   | 0.1<br>0.1<br>0.1       | 1.0<br>1.1<br>1.0       | 0.1                     | 0.2<br>0.1<br>0.2       | i<br>-<br>1             |
| 12         | Diseases of the heart (410-434) T  M F   | 11.6<br>16.1<br>10.1    | 0.3<br>0.2<br>0.4       | 2.9<br>4.9<br>2.5       | 12.6<br>16.2<br>11.6    | 13.6<br>19.3<br>11.5    |

TABLE 12. Percentage distribution of visits by cause, sex and age group - Concluded

(All causes for each age group = 100 per cent)

|     | •  |                   |                      | Age               |                   |                   |  |  |  |
|-----|--|-------------------|----------------------|-------------------|-------------------|-------------------|--|--|--|
| No. | Cause and detailed list numbers  | All<br>ages       | Under 15             | 15-44             | 45-64             | 65 and over       |  |  |  |
| 13  | Other diseases of the circulatory system T (440-468). M  | 5.4<br>5.8<br>5.3 | 0.6<br>0.4<br>0.7    | 2.0<br>3.3<br>1.8 | 4.0<br>4.8<br>3.7 | 6.9<br>7.1<br>6.8 |  |  |  |
| 14  | Diseases of the respiratory system (470-527) T<br>M<br>F   | 2.9<br>3.9<br>2.5 | 21.0<br>20.5<br>21.4 | 4.7<br>5.4<br>4.6 | 1.8<br>2.7<br>1.5 | 1.8<br>2.1<br>1.7 |  |  |  |
| 15  | Diseases of the digestive system (530-587) T<br>M<br>F   | 4.6<br>4.4<br>4.6 | 8.3<br>8.1<br>8.6    | 6.2<br>7.0<br>6.0 | 4.9<br>4.2<br>5.0 | 3.9<br>3.7<br>4.0 |  |  |  |
| 16  | Diseases of the genito-urinary system (590- T 637).  | 2.6<br>3.2<br>2.4 | 2.7<br>4.1<br>1.3    | 5.4<br>2.9<br>5.9 | 2.4<br>1.1<br>2.8 | 2.2<br>3.8<br>1.6 |  |  |  |
| 17  | Complications of pregnancy, childbirth and T the puerperium (640-652, 670-689).                      | 1.7               | -<br>-<br>-          | 14.6<br>17.6      | 1 -               | -<br>-<br>-       |  |  |  |
| 18  | Diseases of the skin and cellular tissue T (690-716).  | 2.0<br>2.4<br>1.9 | 5.3<br>6.5<br>4.1    | 2.6<br>6.4<br>1.8 | 1.1<br>1.5<br>1.0 | 2.0<br>1.7<br>2.1 |  |  |  |
| 19  | Arthritis and rheumatism, except rheumatic T fever (720-727).  M F                                   | 5.9<br>2.7<br>7.0 | 0.7<br>0.5<br>1.0    | 3.3<br>2.4<br>3.5 | 8.2<br>3.0<br>9.8 | 5.9<br>2.9<br>7.1 |  |  |  |
| 20  | Other diseases of the bones and organs of T movement (730-749).  M F                                 | 0.7<br>0.8<br>0.6 | 1.2<br>1.5<br>0.8    | 1.3<br>2.4<br>1.0 | 1.0<br>1.0<br>1.0 | 0.4<br>0.5<br>0.4 |  |  |  |
| 21  | Congenital malformations (750-759) T<br>M<br>F   | 0.2<br>0.2<br>0.2 | 1.9<br>1.0<br>2.9    | 0.5<br>0.8<br>0.4 | 0.2<br>0.2<br>0.2 | 1 1 1             |  |  |  |
| 22  | Certain diseases of early infancy (760-776) T<br>M<br>F  | 1<br>0.1          | 0.8<br>0.8<br>0.8    | <u>-</u>          | =                 | = =               |  |  |  |
| 23  | Symptoms, senility and ill-defined conditions T (780-795). MF  | 5.3<br>4.2<br>5.7 | 12.1<br>11.0<br>13.3 | 2.9<br>2.7<br>2.9 | 1.8<br>1.0<br>2.0 | 6.6<br>4.5<br>7.3 |  |  |  |
| 24  | Alternative classification of accidents, T poisonings and violence (nature of injury) M (N800-N999). | 4.1<br>3.4<br>4.3 | 5.5<br>7.1<br>3.7    | 2.7<br>4.6<br>2.3 | 3.3<br>3.6<br>3.2 | 4.6<br>2.8<br>5.2 |  |  |  |
| 25  | Other admissions (Y00-Y88) T   | 0.6<br>1.1<br>0.4 | 12.9<br>12.6<br>13.3 | 0.2<br>0.5<br>0.2 | 0.1<br>0.1        | 1<br>1<br>1       |  |  |  |

<sup>1.</sup> Less than one-tenth of one per cent.

TABLE 13. Average visits per case by cause, sex and age group during the year 1954

|     |  |             | *                       |                        | Age                     |                         |                         |
|-----|--|-------------|-------------------------|------------------------|-------------------------|-------------------------|-------------------------|
| No. | Cause and detailed list numbers  | Ì           | All ages                | Under 15               | 15-44                   | 45-64                   | 65 and<br>over          |
|     | All causes   | T<br>M<br>F | 13. 9<br>12. 5<br>14. 5 | 3, 3<br>3, 3<br>3, 3   | 9. 4<br>11. 1<br>9. 1   | 16. 5<br>15. 4<br>16. 9 | 18, 3<br>18, 0<br>18, 4 |
| 1   | Tuberculosis (001-019)   | T<br>M<br>F | 27. 9<br>30. 8<br>26. 4 | 15.4<br>13.9<br>18.2   | 28.0<br>33.0<br>26.3    | 33. 2<br>35. 0<br>31. 5 | 24.3<br>27.6<br>19.4    |
| 2   | Other infective and parasitic diseases (020-138).  | T<br>M<br>F | 4.7<br>4.0<br>5.2       | 3. 0<br>3. 1<br>3. 0   | 4. 2<br>4. 4<br>4. 2    | 8. 0<br>6. 6<br>8. 7    | 10.0<br>8.9<br>10.3     |
| 3   | Malignant neoplasms (140-205)  | T<br>F      | 18. 2<br>17. 1<br>18. 7 | 5, 4<br>4, 8<br>5, 7   | 18. 2<br>17. 9<br>18. 3 | 17. 8<br>15. 6<br>18. 7 | 18, 6<br>18, 1<br>18, 9 |
| 4   | Benign neoplasms (210-239)   | T<br>M<br>F | 8.9<br>10.8<br>8.1      | 3. 7<br>3. 9<br>3. 7   | 8.6<br>11.6<br>7.1      | 8.9<br>13.9<br>6.7      | 11.9<br>8.9<br>13.0     |
| 5   | Allergic, endocrine system, metabolic, and<br>nutritional diseases, except diabetes<br>(240-254, 270-289). | T<br>M<br>F | 13.7<br>11.6<br>14.6    | 8.9<br>10.1<br>7.0     | 13.9<br>12.2<br>14.2    | 14.9<br>10.2<br>16.0    | 14.9<br>13.1<br>15.9    |
| 6   | Diabetes (260)   | T<br>M<br>F | 39.3<br>41.7<br>38.5    | 14. 1<br>6. 0<br>22. 0 | 12.7<br>5.3<br>14.8     | 33.7<br>31.9<br>34.2    | 44.3<br>50.0<br>42.4    |
| 7   | Anaemias and other diseases of the blood and blood-forming organs (290-299).                               | T<br>M<br>F | 21. 4<br>20. 1<br>21. 6 | 9.9<br>12.2<br>4.3     | 17.0<br>20.8<br>16.9    | 19. 1<br>22. 7<br>18. 7 | 22.8<br>19.8<br>23.4    |
| 8   | Mental, psychoneurotic and personality disorders (300-326).  | T<br>M<br>F | 12.2<br>13.0<br>12.1    | 24. 5<br>24. 5<br>—    | 6.5<br>3.1<br>6.9       | 12.5<br>18.6<br>11.6    | 18. 1<br>13. 7<br>19. 4 |
| 9   | Diseases of the central nervous system and sense organs (330-352).   | T<br>M<br>F | 25. 8<br>25. 2<br>26. 0 | 19.8<br>12.3<br>31.1   | 41. 4<br>38. 8<br>42. 0 | 32. 2<br>30. 6<br>32. 9 | 22.4<br>23.4<br>21.9    |
| 10  | Other diseases of the central nervous system and sense organs (353-398).                                   | T<br>M<br>F | 9.4<br>6.6<br>10.7      | 3. 2<br>3. 2<br>3. 1   | 10.3<br>12.0<br>10.0    | 12. 7<br>7. 5<br>13. 8  | 14. 1<br>12. 0<br>14. 7 |
| 11  | Rheumatic fever (400-402)  | T<br>M<br>F | 12. 2<br>10. 5<br>13. 1 | 10, 6<br>11, 3<br>9, 8 | 7. 2<br>6. 0<br>7. 3    | 23.6<br>8.3<br>30.1     | 9.7<br>9.7              |
| 12  | Diseases of the heart (410-434)  | T<br>M<br>F | 18.3<br>17.7<br>18.6    | 5.8<br>4.0<br>7.1      | 16. 2<br>15. 4<br>16. 5 | 19. 2<br>16. 6<br>20. 5 | 18. 2<br>18. 2<br>18. 2 |

TABLE 13. Average visits per case by cause, sex and age group during the year 1954 - Concluded

|     |  |                         |                        | Age                     |                      |                         |
|-----|--|-------------------------|------------------------|-------------------------|----------------------|-------------------------|
| No. | Cause and detailed list numbers  | All ages                | Under 15               | 15-44                   | 45-64                | 65 and<br>over          |
| 13  | Other diseases of the circulatory system T (440-468). M  | 18. 7<br>18. 6<br>18. 7 | 3.9<br>3.1<br>4.7      | 11.9<br>13.9<br>11.3    | 15.9<br>16.4<br>15.7 | 20.5<br>20.5<br>20.6    |
| 14  | Diseases of the respiratory system (470-527) T<br>M<br>F   | 4.0<br>3.8<br>4.2       | 2.7<br>2.7<br>2.7      | 3. 7<br>3. 3<br>3. 8    | 4.2<br>4.9<br>3.9    | 6.7<br>6.9<br>6.7       |
| 15  | Diseases of the digestive system (530-587) T<br>M<br>F   | 4.9<br>4.2<br>5.2       | 2. 2<br>2. 2<br>2. 2   | 4.8<br>5.0<br>4.7       | 6. 2<br>5. 1<br>6. 6 | 5.4<br>4.9<br>5.5       |
| 16  | Diseases of the genito-urinary system (590- T 637).  | 9.3<br>11.0<br>8.7      | 2. 7<br>2. 6<br>3. 6   | 6. 8<br>11. 2<br>6. 5   | 8. 5<br>7. 8<br>8. 6 | 15.4<br>21.3<br>12.5    |
| 17  | Complications of pregnancy, childbirth and T the puerperium (640-652, 670-689).                      | 6, 0<br>-<br>6, 0       | -<br>-<br>-            | 6. 1<br>6. 1            | 3.3<br>-<br>3.3      | =                       |
| 18  | Diseases of the skin and cellular tissue T<br>(690-716). M<br>F                                      | 12. 9<br>11. 2<br>13. 8 | 5.3<br>6.0<br>4.4      | 9.8<br>15.4<br>7.7      | 8.3<br>8.4<br>8.2    | 22.6<br>17.9<br>24.6    |
| 19  | Arthritis and rheumatism, except rheumatic T fever (720-727).  M F                                   | 28. 1<br>20. 5<br>29. 6 | 15. 4<br>9. 6<br>23. 6 | 22. 4<br>14. 3<br>24. 4 | 35.0<br>19.0<br>37.9 | 26. 5<br>22. 1<br>27. 3 |
| 20  | Other diseases of the bones and organs of T movement (730-749).  M F                                 | 17. 9<br>19. 5<br>17. 4 | 12.7<br>12.7<br>12.9   | 14.5<br>17.4<br>13.4    | 19.6<br>18.5<br>19.9 | 19.9<br>27.9<br>17.5    |
| 21  | Congenital malformations (750-759) T  M F  | 13. 7<br>9. 2<br>16. 4  | 8. 2<br>5. 2<br>10. 3  | 36.8<br>48.0<br>34.0    | 21.4<br>15.0<br>24.6 | 13.6<br>6.0<br>18.7     |
| 22  | Certain diseases of early infancy (760-776) T<br>M<br>F  | 4.0<br>4.1<br>3.9       | 4.0<br>4.1<br>3.9      | =                       | <del>-</del><br>-    | -<br>-                  |
| 23  | Symptoms, senility and ill-defined conditions T (780-795).  M F                                      | 7. 6<br>5. 3<br>8. 6    | 2. 1<br>2. 1<br>2. 2   | 3.9<br>3.3<br>4.1       | 5. 7<br>3. 5<br>6. 2 | 13.0<br>11.6<br>13.4    |
| 24  | Alternative classification of accidents, T poisonings and violence (nature of injury) M (N800-N999). | 12. 8<br>10. 7<br>13. 5 | 4.0<br>4.5<br>3.2      | 7. 5<br>7. 6<br>7. 4    | 12.8<br>15.5<br>12.1 | 17. 1<br>17. 7<br>17. 0 |
| 25  | Other admissions (Y00-Y88) T  M F  | 4. 1<br>4. 1<br>4. 1    | 4.5<br>4.2<br>4.8      | 2.9<br>4.4<br>2.4       | 2. 1<br>2. 7<br>1. 9 | 1.6<br>1.1<br>2.0       |

TABLE 14. Ratio of nursing care visits to health instruction visits by cause, sex and age group

|     | ,  |                         |                      | Age                  |                          | <del></del>             |
|-----|--|-------------------------|----------------------|----------------------|--------------------------|-------------------------|
| No. | Cause and detailed list numbers  | All ages                | Under 15             | 15-44                | 45-64                    | 65 and<br>over          |
|     | All causes T<br>M<br>F   | 19. 8<br>20. 1<br>19. 6 | 3.3<br>3.3<br>3.2    | 7.6<br>25.2<br>6.6   | 28. 1<br>27. 4<br>28. 3  | 33.6<br>33.3<br>33.8    |
| 1   | Tuberculosis (001-019) T<br>M<br>F   | 57. 6<br>82. 0<br>48. 4 | 29.8<br>43.6<br>19.9 | 55.4<br>88.4<br>47.9 | 72. 3<br>100. 0<br>55. 7 | 57. 2<br>59. 8<br>52. 4 |
| 2   | Other infective and parasitic diseases (020- T 138).   | 6. 2<br>5. 1<br>6. 9    | 3. 2<br>3. 6<br>2. 8 | 9.2<br>7.7<br>9.7    | 12. 1<br>11. 2<br>12. 4  | 14.8<br>14.4<br>14.9    |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F  | 23.3<br>24.1<br>30.0    | 7. 1<br>5. 0<br>8. 5 | 21.8<br>34.8<br>19.9 | 20. 2<br>17. 0<br>21. 7  | 26. 5<br>29. 3<br>25. 3 |
| 4   | Benign neoplasms (210-239) T<br>M<br>F   | 11.1<br>12.8<br>10.3    | 4.4<br>4.2<br>4.5    | 11.9<br>12.3<br>11.6 | 11. 1<br>15. 4<br>8. 9   | 12.3<br>15.6<br>11.7    |
| 5   | Allergic, endocrine system metabolic and T nutritional diseases, except diabetes M (240-254, 270-289). | 21. 2<br>15. 7<br>24. 0 | 8.3<br>10.2<br>5.7   | 23.6<br>22.1<br>23.9 | 24. 2<br>14. 0<br>27. 1  | 28.6<br>21.6<br>33.2    |
| 6   | Diabetes (260) T<br>M<br>F   | 55.6<br>59.7<br>54.4    | 15.6<br>7.6<br>21.0  | 11.2<br>6.9<br>11.9  | 41.1<br>47.8<br>39.7     | 70.9<br>70.2<br>71.2    |
| 7   | Anaemias and other diseases of the blood and T<br>blood forming organs (290-299). M<br>F               | 65.7<br>70.7<br>65.0    | 18.9<br>29.5<br>4.7  | 52.9<br>1<br>50.7    | 76. 2<br>127. 4<br>71. 5 | 65.4<br>63.3<br>65.8    |
| 8   | Mental, psychoneurotic and personality dis-Torders (300-326).  | 20.1<br>21.7<br>19.8    | 1<br>1               | 8.8<br>33.0<br>8.5   | 21.9<br>39.3<br>19.8     | 32.8<br>13.3<br>46.0    |
| 9   | Diseases of the central nervous system T and sense organs (330-352), MF                                | 43.6<br>42.2<br>44.2    | 11.7<br>7.0<br>18.4  | 50.0<br>92.6<br>45.3 | 45.8<br>43.0<br>47.1     | 42.5<br>42.0<br>42.9    |
| 10  | Other diseases of the central nervous system T and sense organs (353-398).  M F                        | 14.1<br>11.6<br>15.0    | 4.6<br>5.2<br>4.1    | 14.7<br>14.7<br>14.7 | 17.8<br>16.1<br>18.0     | 20.9<br>24.6<br>20.1    |
| 11  | Rheumatic fever (400-402) T<br>M<br>F  | 8.0<br>3.0<br>17.8      | 3.6<br>2.3<br>8.8    | 7.8<br>1<br>7.1      | 1<br>1<br>1              | 1 -                     |
| 12  | Diseases of the heart (410-434) T  M F   | 33. 1<br>34. 3<br>32. 5 | 4.8<br>1.2<br>15.7   | 15.1<br>43.1<br>11.8 | 34.8<br>34.3<br>35.0     | 34.4<br>34.7<br>34.3    |

TABLE 14. Ratio of nursing care visits to health instruction visits by cause, sex and age group — Concluded

|      |  |                         |                      | Age                     |                         |                      |
|------|--|-------------------------|----------------------|-------------------------|-------------------------|----------------------|
| No.  | Cause and detailed list numbers  | All ages                | Under 15             | 15-44                   | 45-64                   | 65 and<br>over       |
| 13   | Other diseases of the circulatory system T (440-468). M  | 35. 4<br>36. 6<br>34. 9 | 7.3<br>5.2<br>9.6    | 18.9<br>22.1<br>17.9    | 27. 1<br>34. 0<br>25. 2 | 40.6<br>40.1<br>40.8 |
| 14   | Diseases of the respiratory system (470-527) T  M F  | 7. 1<br>6. 7<br>7. 3    | 3.7<br>3.9<br>3.6    | 7.6<br>7.7<br>7.6       | 9.0<br>11.8<br>8.0      | 12.6<br>14.5<br>12.0 |
| 15   | Diseases of the digestive system (530-587) T<br>M<br>F   | 9.4<br>8.2<br>9.8       | 2.7<br>2.5<br>3.0    | 9.2<br>11.6<br>8.8      | 14.3<br>16.2<br>13.9    | 10.5<br>10.5<br>10.6 |
| 16   | Diseases of the genito-urinary system (590-T637).  | 14.3<br>14.7<br>14.1    | 2. 4<br>2. 0<br>5. 5 | 9.9<br>44.0<br>9.1      | 13.6<br>19.6<br>13.2    | 27.9<br>29.4<br>26.7 |
| 17   | Complications of pregnancy, childbirth and T the puerperium (640-652, 670-689).                            | 1.1                     | 111                  | 1.1                     | 0.4<br><br>0.4          | Ξ                    |
| 18   | Diseases of skin and cellular tissue T<br>(690-716). M<br>F  | 17. 2<br>15. 5<br>18. 1 | 4.5<br>6.4<br>2.8    | 15.5<br>24.8<br>12.0    | 17.6<br>21.3<br>16.3    | 31.7<br>25.3<br>34.3 |
| 19   | Arthritis and rheumatism except rheumatic T fever (720-727).   | 51.1<br>46.0<br>51.8    | 45.3<br>32.5<br>58.0 | 38.6<br>42.0<br>38.2    | 54. 8<br>34. 3<br>57. 9 | 50.8<br>50.4<br>50.8 |
| 20   | Other diseases of the bones and organs of T<br>movement (730-749).   | 26.7<br>19.4<br>31.8    | 7.9<br>5.8<br>19.6   | 36. 1<br>28. 6<br>41. 1 | 31.5<br>20.0<br>37.5    | 30.5<br>44.7<br>26.4 |
| 21   | Congenital malformations (750-759) T<br>M<br>F   | 6.0                     | 2.9<br>2.5<br>3.1    | 91.0<br>1<br>67.0       | 35. 7<br>9. 0<br>1      | 67.0<br>1<br>55.0    |
| 22   | Certain diseases of early infancy (760-776) T<br>M<br>F  | 1.5                     | 1.5<br>1.5<br>1.6    | -<br>-<br>-             | -<br>-<br>-             | Ξ                    |
| 23   | Symptoms, senility and ill-defined conditions T (780-795).  M F  | 8.8                     | 2.6<br>2.7<br>2.6    | 7.5<br>14.8<br>6.8      | 12. 1<br>7. 1<br>13. 4  | 22.6<br>17.8<br>24.0 |
| . 24 | Alternative classification of accidents, T<br>poisonings and violence (nature of injury) M<br>(N800-N999). | 13.5                    | 4.2<br>4.7<br>3.3    | 10. 2<br>13. 9<br>9. 2  | 16.9<br>14.9<br>17.7    | 21.0<br>24.8<br>20.3 |
| 25   | Other admissions (Y00-Y88) T<br>M<br>F   | 1.5                     | 1.5<br>1.4<br>1.6    | 7.7<br>1<br>4.9         | 5.9<br>12.5<br>4.6      | 9. 2<br>1<br>6. 8    |

<sup>1.</sup> No health instruction visits reported, or the number was too small to calculate significant ratios.

TABLE 15. Number of cases by cause, sex and length of nursing service

|     |   |                |                            |                          | Lengtl                      | of nursin                           | g service                          |                                   |                                    |                        |
|-----|---|----------------|----------------------------|--------------------------|-----------------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------|
| No. | Cause and detailed list numbers   | All<br>lengths | 1 day                      | 2-7<br>days              | 8-30<br>days                | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
|     | All causesT<br>M<br>F   | 13, 127        | 8, 646<br>2, 606<br>6, 040 | 11,003<br>3,737<br>7,266 | 10, 877<br>3, 102<br>7, 775 | 6,380<br>1,599<br>4,781             | 5,877<br>1,425<br>4,452            | 1,575<br>343<br>1,232             | 715<br>128<br>587                  | 1,000<br>187<br>813    |
| 1   | Tuberculosis (001-019) T<br>M<br>F  | 186            | 22<br>7<br>15              | 47<br>17<br>30           | 91<br>29<br>62              | 114<br>39<br>75                     | 212<br>80<br>132                   | 32<br>12<br>20                    | 3<br>2<br>1                        | -<br>4                 |
| 2   | Other infective and parasitic diseases (020-138).  Mr   | 511            | 316<br>113<br>203          | 557<br>229<br>328        | 375<br>134<br>241           | 91<br>25<br>66                      | 42<br>7<br>35                      | 11<br>2<br>9                      | 3<br>1<br>2                        | 1<br>-<br>1            |
| 3   | Malignant neoplasms (140-205) T   | 932            | 340<br>110<br>230          | 625<br>245<br>380        | 887<br>260<br>627           | 594<br>169<br>425                   | 428<br>124<br>304                  | 50<br>14<br>36                    | 18<br>6<br>12                      | 17<br>4<br>13          |
| 4   | Benign neoplasms (210-239) T<br>M<br>F  | 74             | 52<br>12<br>40             | 54<br>13<br>41           | 75<br>27<br>48              | 43<br>16<br>27                      | 15<br>4<br>11                      | 4<br>2<br>2                       | _<br>_<br>_                        | -<br> -                |
| 5   | Allergic, endocrine system, met- T<br>abolic and nutritional dis- M<br>eases, except diabetes (240- F<br>254, 270-289). | 195            | 105<br>35<br>70            | 112<br>40<br>72          | 155<br>41<br>114            | 108<br>33<br>75                     | 99<br>31<br>68                     | 30<br>10<br>20                    | 18<br>3<br>15                      | 11<br>2<br>9           |
| 6   | Diabetes (260) T<br>M<br>F  | 518            | 199<br>43<br>156           | 655<br>168<br>487        | 588<br>134<br>454           | 276<br>67<br>209                    | 257<br>65<br>192                   | 83<br>26<br>57                    | 39<br>6<br>33                      | 55<br>9<br>46          |
| 7   | Anaemias and other diseases of T<br>the blood and blood-forming M<br>organs (290-299).                                  | 513            | 176<br>25<br>151           | 163<br>29<br>134         | 522<br>81<br>441            | 614<br>85<br>529                    | 927<br>129<br>798                  | 402<br>55<br>347                  | 226<br>29<br>197                   | 440<br>80<br>360       |
| 8   | Mental, psychoneurotic and per- T<br>sonality disorders (300-326). M<br>F   | 49             | 71<br>10<br>61             | 69<br>8<br>61            | 80<br>18<br>62              | 5                                   | 32<br>4<br>28                      | 13<br>2<br>11                     | 5<br>1<br>4                        | 5<br>1<br>4            |
| 9   | Diseases of the central nervous T<br>system and sense organs (330-<br>352).   | 1 912          |                            |                          | 616<br>205<br>411           |                                     | 559<br>171<br>388                  | 201<br>52<br>149                  | 98<br>24<br>74                     | 124<br>26<br>98        |
| 10  | Other diseases of the central I nervous system and sense or Manne (353-398).  | 347            | 51                         | 155                      | 285<br>92<br>193            | 26                                  | 95<br>17<br>78                     | 24<br>3<br>21                     | 8<br>1<br>7                        | 9<br>2<br>7            |
| 11  | Rheumatic fever (400-402) 7<br>N<br>F   | 1 17           |                            | 4                        | 14<br>2<br>12               | 7                                   |                                    | 2                                 | - 1<br>- 1                         | -<br>-                 |
| 12  | Diseases of the heart (410-434). I  | _,             | 154                        | 210                      |                             | 284                                 | 352                                |                                   |                                    | 24                     |

TABLE 15. Number of cases by cause, sex and length of nursing service - Concluded

|     |  |                            |                       |                         | Length              | of nursing                          | service                            |                                   |                                    |   |
|-----|--|----------------------------|-----------------------|-------------------------|---------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|---|
| No. | Cause and detailed list numbers  | All<br>lengths             | 1 day                 | 2-7<br>days             | 8-30<br>days        | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over                  |
| 13  | Other diseases of the circulatory T system (440-468).  | 1,859<br>512<br>1,347      | 251<br>58<br>193      | 326<br>93<br>233        | 441<br>128<br>313   | 328<br>100<br>228                   | 322<br>85<br>237                   | 115<br>31<br>84                   | 41<br>10<br>31                     | 35<br>7<br>28                           |
| 14  | Diseases of the respiratory T system (470-527). M F  | 4, 611<br>1, 708<br>2, 903 | 1, 144<br>407<br>737  | 2, 115<br>840<br>1, 275 | 956<br>344<br>612   | 245<br>69<br>176                    | 131<br>45<br>86                    | 13<br>3<br>10                     | 2<br>-<br>2                        | 5<br>-<br>5                             |
| 15  | Diseases of the digestive sys-<br>tem (530-587). M<br>F  | 5,960<br>1,721<br>4,239    | 2.362<br>707<br>1.655 | 1,609<br>480<br>1,129   | 1,235<br>346<br>889 | 476<br>130<br>346                   | 226<br>48<br>178                   | 29<br>6<br>23                     | 14<br>2<br>12                      | 9<br>2<br>7                             |
| 16  | Diseases of the genito-urinary T<br>system (590-637).  M F   | 1,806<br>471<br>1,335      | 335<br>84<br>251      | 512<br>157<br>355       | 579<br>133<br>446   | 198<br>54<br>144                    | 131<br>35<br>96                    | 21<br>2<br>19                     | 15<br>4<br>11                      | 15<br>2<br>13                           |
| 17  | Complications of pregnancy, T childbirth and the puerperium M (640-652, 670-689).                        | 1.766<br>1.766             | 58<br>-<br>58         | 106<br>-<br>106         | 535<br>-<br>535     | 658<br>-<br>658                     | 409<br>409                         | _<br>_<br>_                       |                                    | -<br>-<br>-                             |
| 18  | Diseases of the skin and cellu- T lar tissue (690-716).  | 1,003<br>357<br>646        | 139<br>49<br>90       | 323<br>126<br>197       | 308<br>112<br>196   | 127<br>48<br>79                     | 84<br>17<br>67                     | 15<br>2<br>13                     | 6<br>3<br>3                        | -<br>1                                  |
| 19  | Arthritis and rheumatism, except T<br>rheumatic fever (720-727). M<br>F                                  | 1, 358<br>220<br>1, 138    | 190<br>37<br>153      | 143<br>23<br>120        | 258<br>50<br>208    | 193<br>29<br>1 <b>64</b>            | 303<br>51<br>252                   | 100<br>11<br>89                   | 58<br>4<br>54                      | 113<br>15<br>98                         |
| 20  | Other diseases of the bones and T organs of movement (730-749). M  | 241<br>67<br>174           | 29<br>8<br>21         | 38<br>4<br>34           | 67<br>19<br>48      | 54<br>22<br>32                      | 32<br>10<br>22                     | 7<br>2<br>5                       | 6<br>1<br>5                        | 8<br>1<br>7                             |
| 21  | Congenital malformations (750-759) T<br>M<br>F   | 86<br>32<br>54             | 12<br>4<br>8          | 14<br>6<br>8            | 29<br>13<br>16      | 8<br>3<br>5                         | 15<br>5<br>10                      | 4<br>-<br>4                       | 1                                  | 3<br>1<br>2                             |
| 22  | Certain diseases of early infancy T (760-776).   | 50<br>25<br>25             | 13<br>8<br>5          | 11<br>4<br>7            | 16<br>10<br>6       | 8<br>2<br>6                         | 2<br>1<br>1                        |                                   | =                                  | -                                       |
| 23  | Symptoms, senility and ill-de- T fined conditions (780-795). MF  | 4,460<br>1,307<br>3,153    | 1, 182<br>360<br>822  | 1,428<br>505<br>923     | 923<br>255<br>668   | 394<br>87<br>307                    | 336<br>69<br>267                   | 110<br>22<br>88                   | 40<br>3<br>37                      | 47<br>6<br>41                           |
| 24  | Alternative classification of ac-T cidents, poisonings and vio-M lence (nature of injury) (N800-F N999). | 2,049<br>529<br>1,520      | 366<br>102<br>264     | 476<br>138<br>338       | 569<br>148<br>421   | 322<br>85<br>237                    | 224<br>47<br>177                   | 48<br>4<br>. 44                   | 20<br>20<br>20                     | 24<br>5<br>19                           |
| 25  | Other admissions (Y00-Y88) T<br>M<br>F   | 879<br>431<br>448          | 241<br>99<br>142      | 158<br>76<br>82         | 306<br>162<br>144   | 125<br>70<br>55                     | 49<br>24<br>25                     | -<br>-<br>-                       | <u>-</u>                           | ======================================= |

TABLE 16. Percentage distribution of cases by cause, sex and length of nursing service (Total for each cause group = 100 per cent)

| -    |  | (Total Tot              | each Ca                 |                         |                         | th of nure                          | ing service                        |                      |                                    | <del></del>            |
|------|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------------------|------------------------------------|----------------------|------------------------------------|------------------------|
| 37.0 | Cause and detailed list numbers  | All<br>lengths          | 1 day                   | 2-7<br>days             | 8-30<br>days            | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year |                      | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
| No   | All causes T   | 100. 0                  | 18.8                    | 23.9                    | 23. 6                   | 13.8                                | 12. 8                              | 3.4                  | 1.5                                | 2.2                    |
|      | M  | 100. 0                  | 19.8                    | 28.5                    | 23. 6                   | 12.2                                | 10. 9                              | 2.6                  | 1.0                                | 1.4                    |
|      | F  | 100. 0                  | 18.3                    | 22.1                    | 23. 6                   | 14.5                                | 13. 5                              | 3.7                  | 1.8                                | 2.5                    |
| 1    | Tuberculosis (001-019) T   | 100.0                   | 4. 2                    | 8.9                     | 17. 3                   | 21.7                                | 40. 4                              | 6. 1                 | 0.6                                | 0.8                    |
|      | M  | 100.0                   | 3. 8                    | 9.1                     | 15. 6                   | 21.0                                | 43. 0                              | 6. 4                 | 1.1                                | -                      |
|      | F  | 100.0                   | 4. 4                    | 8.9                     | 18. 3                   | 22.1                                | 38. 9                              | 5. 9                 | 0.3                                | 1.2                    |
| 2    | Other infective and parasitic dis- T eases (020-138).  | 100.0<br>100.0<br>100.0 | 22.6<br>22.1<br>22.9    | 39.9<br>44.8<br>37.1    | 26. 9<br>26. 2<br>27. 2 | 6.5<br>4.9<br>7.5                   | 3.0<br>1.4<br>4.0                  | 0.8<br>0.4<br>1.0    | 0. 2<br>0. 2<br>0. 2               | 0.1<br>-<br>0.1        |
| 3    | Malignant neoplasms (140-205) T  | 100.0                   | 11.5                    | 21.1                    | 30.0                    | 20. 1                               | 14. 4                              | 1.7                  | 0.6                                | 0.6                    |
|      | M  | 100.0                   | 11.8                    | 26.3                    | 27.9                    | 18. 1                               | 13. 3                              | 1.5                  | 0.7                                | 0.4                    |
|      | F  | 100.0                   | 11.3                    | 18.8                    | 30.9                    | 21. 0                               | 15. 0                              | 1.8                  | 0.6                                | 0.6                    |
| · 4  | Benign neoplasms (210-239) T<br>M<br>F   | 100.0<br>100.0<br>100.0 | 21. 4<br>16. 2<br>23. 7 | 22. 2<br>17. 6<br>24. 2 | 30.9<br>36.5<br>28.4    | 17.7<br>21.6<br>16.0                | 6. 2<br>5. 4<br>6. 5               | 1.6<br>2.7<br>1.2    |                                    | -                      |
| 5    | Allergic, endocrine system, met-Tabolic and nutritional dis-Meases, except diabetes (240-F254, 270-289). | 100.0<br>100.0<br>100.0 | 16.5<br>18.0<br>15.8    | 17.6<br>20.5<br>16.3    | 24.3<br>21.0<br>25.7    | 16.9<br>16.9<br>16.9                | 15. 5<br>15. 9<br>15. 4            | 4.7<br>5.1<br>4.5    | 2.8<br>1.6<br>3.4                  | 1.7<br>1.0<br>2.0      |
| 6    | Diabetes (260) T   | 100.0<br>100.0<br>100.0 | 9.3<br>8.3<br>9.5       | 30. 4<br>32. 4<br>29. 8 | 27.3<br>25.9<br>27.8    | 12.8<br>12.9<br>12.8                | 11.9<br>12.6<br>11.8               | 3. 9<br>5. 0<br>3. 5 | 1.8<br>1.2<br>2.0                  | 2.6<br>1.7<br>2.8      |
| 7    | Anaemias and other diseases of T   | 100.0                   | 5. 1                    | 4.7                     | 15.0                    | 17.7                                | 26. 7                              | 11.6                 | 6.5                                | 12.7                   |
|      | the blood and blood-forming M  | 100.0                   | 4. 9                    | 5.7                     | 15.8                    | 16.6                                | 25. 1                              | 10.7                 | 5.6                                | 15.6                   |
|      | organs (290-299).  | 100.0                   | 5. 1                    | 4.5                     | 14.9                    | 17.9                                | 27. 0                              | 11.7                 | 6.7                                | 12.2                   |
| 8    | Mental, psychoneurotic and per- T  | 100.0                   | 23.0                    | 22. 3                   | 25.9                    | 11.0                                | 10. 4                              | 4. 2                 | 1.6                                | 1.6                    |
|      | sonality disorders (300-326) M   | 100.0                   | 20.4                    | 16. 3                   | 36.8                    | 10.2                                | 8. 2                               | 4. 1                 | 2.0                                | 2.0                    |
|      | F  | 100.0                   | 23.5                    | 23. 5                   | 23.8                    | 11.2                                | 10. 8                              | 4. 2                 | 1.5                                | 1.5                    |
| 9    | Diseases of the central nervous T  | 100.0                   | 13. 6                   | 17.9                    | 20.6                    | 15. 1                               | 18.7                               | 6. 7                 | 3.3                                | 4.1                    |
|      | system and sense organs (330- M  | 100.0                   | 13. 5                   | 18.3                    | 22.5                    | 15. 8                               | 18.7                               | 5. 7                 | 2.6                                | 2.9                    |
|      | 352). F  | 100.0                   | 13. 6                   | 17.8                    | 19.7                    | 14. 8                               | 18.6                               | 7. 2                 | 3.6                                | 4.7                    |
| 10   | Other diseases of the central T  | 100.0                   | 16. 4                   | 34. 2                   | 25. 4                   | 11.9                                | 8.5                                | 2.1                  | 0.7                                | 0.8                    |
|      | nervous system and sense or- M   | 100.0                   | 14. 7                   | 44. 7                   | 26. 5                   | 7.5                                 | 4.9                                | 0.8                  | 0.3                                | 0.6                    |
|      | gans (353-398).  | 100.0                   | 17. 1                   | 29. 5                   | 24. 9                   | 13.9                                | 10.1                               | 2.7                  | 0.9                                | 0.9                    |
| 11   | Rheumatic fever (400-402) T<br>M<br>F  | 100.0<br>100.0<br>100.0 | 6.0<br>-<br>9.1         | 18.0<br>23.5<br>15.1    | 28.0<br>11.8<br>31.4    | 22.0<br>41.2<br>12.1                | 20. 0<br>23. 5<br>18. 2            | 4.0<br>-<br>6.1      | 2.0<br>_<br>3.0                    | =                      |
| 12   | Diseases of the heart (410-434) T  | 100.0                   | 11.0                    | 13.0                    | 23.7                    | 18.9                                | 22. 9                              | 6. 4                 | 2.3                                | 1.8                    |
|      | M  | 100.0                   | 10.3                    | 14.1                    | 24.0                    | 19.0                                | 23. 6                              | 5. 5                 | 1.9                                | 1.6                    |
|      | F  | 100.0                   | 11.4                    | 12.4                    | 23.5                    | 18.8                                | 22. 6                              | 6. 9                 | 2.5                                | 1.9                    |

TABLE 16. Percentage distribution of cases by cause, sex and length of nursing service - Concluded (Total for each cause group = 100 per cent)

| _   |  | (10001101      |                         |                         |                         | th of nurs                          | ing service                        | · · ·                             | <del></del>                        |                        |
|-----|--|----------------|-------------------------|-------------------------|-------------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------|
| No. | Cause and detailed list numbers  | All<br>lengths | 1 day                   | 2-7<br>days             | 8-30<br>days            | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
| 13  | Other diseases of the circulatory T<br>system (440-468). M<br>F  | 100.0          | 13.5<br>11.3<br>14.3    | 17.5<br>18.2<br>17.3    | 23.7<br>25.0<br>23.3    | 17.7<br>19.5<br>16.9                | 17.3<br>16.6<br>17.6               | 6. 2<br>6. 1<br>6. 2              | 2. 2<br>1. 9<br>2. 3               | 1.9<br>1.4<br>2.1      |
| 14  | Diseases of the respiratory T<br>system (470-527). M<br>F  | 100.0          | 24.8<br>23.8<br>25.4    | 45.9<br>49.2<br>43.9    | 20.7<br>20.2<br>21.1    | 5.3<br>4.0<br>6.0                   | 2.8<br>2.6<br>3.0                  | 0.3<br>0.2<br>0.3                 | 0.1<br>-<br>0.1                    | 0.1<br>0.2             |
| 15  | Diseases of the digestive system T<br>(530-587). M<br>F  | 100.0          | 39.6<br>41.1<br>39.0    | 27.0<br>27.9<br>26.6    | 20.7<br>20.1<br>21.0    | 8.0<br>7.6<br>8.2                   | 3.8<br>2.8<br>4.2                  | 0.5<br>0.3<br>0.5                 | 0. 2<br>0. 1<br>0. 3               | 0.2<br>0.1<br>0.2      |
| 16  | Diseases of the genito-urinary T<br>system (590-637). M<br>F   | 100.0          | 18.5<br>17.8<br>18.8    | 28. 3<br>33. 3<br>26. 6 | 32. 1<br>28. 3<br>33. 4 | 11.0<br>11.5<br>10.8                | 7.3<br>7.4<br>7.2                  | 1.2<br>0.4<br>1.4                 | 0.8<br>0.9<br>0.8                  | 0.8<br>0.4<br>1.0      |
| 17  | Complications of pregnancy, T childbirth and the puerperium M (640-652, 670-689).                                  | il             | 3.3<br><br>3.3          | 6. 0<br>6. 0            | 30.3<br>30.3            | 37. 2<br>-<br>37. 2                 | 23. 2<br>-<br>23. 2                | <del>-</del><br>-                 | -                                  | -<br>-                 |
| 18  | Diseases of the skin and cellu- T<br>lar tissue (690-716). M<br>F  | 100.0          | 13.8<br>13.7<br>13.9    | 32.2<br>35.3<br>30.5    | 30.7<br>31.4<br>30.3    | 12.7<br>13.4<br>12.2                | 8.4<br>4.8<br>10.4                 | 1.5<br>0.6<br>2.0                 | 0.6<br>0.8<br>0.5                  | 0.1<br>-<br>0.2        |
| 19  | Arthritis and rheumatism except Trheumatic fever (720-727). M  | 100.0          | 14.0<br>16.8<br>13.4    | 10.5<br>10.5<br>10.5    | 19.0<br>22.7<br>18.3    | 14. 2<br>13. 2<br>14. 4             | 22. 3<br>23. 2<br>22. 2            | 7.4<br>5.0<br>7.8                 | 4.3<br>1.8<br>4.8                  | 8.3<br>6.8<br>8.6      |
| 20  | Other diseases of the bones and Torgans of movement (730-749). M   | 100.0          | 12.0<br>11.9<br>12.1    | 15.8<br>6.0<br>19.5     | 27.8<br>28.4<br>27.6    | 22. 4<br>32. 8<br>18. 4             | 13.3<br>14.9<br>12.6               | 2.9<br>3.0<br>2.9                 | 2.5<br>1.5<br>2.9                  | 3.3<br>1.5<br>4.0      |
| 21  | Congenital malformations (750- T<br>759). M<br>F   | 100.0          | 14.0<br>12.5<br>14.8    | 16.3<br>18.8<br>14.8    | 33.7<br>40.6<br>29.6    | 9.3<br>9.4<br>9.3                   | 17.4<br>15.6<br>18.5               | 4.6<br>-<br>7.4                   | 1.2                                | 3.5<br>3.1<br>3.7      |
| 22  | Certain diseases of early infancy T<br>(760-776). N<br>F   | 100.0          | 26.0<br>32.0<br>20.0    | 22.0<br>16.0<br>28.0    | 32.0<br>40.0<br>24.0    | 16.0<br>8.0<br>24.0                 | 4.0<br>4.0<br>4.0                  | -<br>-                            | 1 1                                | -<br>-<br>-            |
| 23  | Symptoms, senility and ill-de- T<br>fined conditions (780-795). M<br>F   | 100.0          | 26. 5<br>27. 5<br>26. 1 | 32.0<br>38.6<br>29.3    | 20.7<br>19.5<br>21.2    | 8.8<br>6.7<br>9.7                   | 7.5<br>5.3<br>8.4                  | 2.5<br>1.7<br>2.8                 | 0.9<br>0.2<br>1.2                  | 1.1<br>0.5<br>1.3      |
| 24  | Alternative classification of ac-1<br>cidents, poisonings and vio-1<br>lence (nature of injury) (N800- F<br>N999). | 100.0          | 17.9<br>19.3<br>17.4    | 23. 2<br>26. 1<br>22. 2 | 27.8<br>28.0<br>27.7    | 15.7<br>16.1<br>15.6                | 10.9<br>8.9<br>11.6                | 2.3<br>0.7<br>2.9                 | 1.0<br>-<br>1.3                    | 1.2<br>0.9<br>1.3      |
| 25  | Other admissions (Y00-Y88) 7<br>N<br>F   | 100.0          | 27.4<br>23.0<br>31.7    | 18.0<br>17.6<br>18.3    | 34.8<br>37.6<br>32.1    | 14. 2<br>16. 2<br>12. 3             | 5.6<br>5.6<br>5.6                  | <u>-</u><br>-                     | -<br>-<br>-                        | <u>-</u><br>-          |

TABLE 17. Percentage distribution of cases by cause, sex and length of nursing service (Total for each length of nursing service group = 100 per cent)

| _   | (100011)   |             |                            |                            |                            |                            |                            | ng service                 |                            |                            |                            |
|-----|--|-------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|     | Cause and detailed list numbers  | }           | All<br>lengths             | 1 day                      | 2-7<br>days                | 8-30 days                  | 1 month                    | 3 months<br>and<br>under   | 1 year<br>and<br>under     | 2 years<br>and<br>under    | 3 years                    |
| No. |  |             | rengths                    |                            | uays                       | uays                       | 3 months                   | l year                     | 2 years                    | 3 years                    | over                       |
|     |  | T<br>M<br>F | 100. 0<br>100. 0<br>100. 0 | 100, 0<br>100, 0<br>100, 0 | 100. 0<br>100. 0<br>100. 0 |
| 1   |  | T<br>M<br>F | 1.2<br>1.4<br>1.0          | 0.3<br>0.3<br>0.2          | 0. 4<br>0. 5<br>0. 4       | 0.8<br>0.9<br>0.8          | 1.8<br>2.4<br>1.6          | 3.6<br>5.6<br>3.0          | 2.0<br>3.5<br>1.6          | 0.4<br>1.6<br>0.2          | 0.4<br><br>0.5             |
| 2   |  | T<br>M<br>F | 3.0<br>3.9<br>2.7          | 3. 7<br>4. 3<br>3. 4       | 5. 1<br>6. 1<br>4. 5       | 3.5<br>4.3<br>3.1          | 1.4<br>1.6<br>1.4          | 0.7<br>0.5<br>0.8          | 0.7<br>0.6<br>0.7          | 0.4<br>0.8<br>0.3          | 0.1                        |
| 3   |  | T<br>M<br>F | 6. 4<br>7. 1<br>6. 1       | 3.9<br>4.2<br>3.8          | 5.7<br>6.6<br>5.2          | 8. 2<br>8. 4<br>8. 1       | 9.3<br>10.6<br>8.9         | 7.3<br>8.7<br>6.8          | 3. 2<br>4. 1<br>2. 9       | 2. 5<br>4. 7<br>2. 0       | 1.7<br>2.1<br>1.6          |
| 4   |  | T<br>M<br>F | 0, 5<br>0, 6<br>0, 5       | 0.6<br>0.5<br>0.7          | 0.5<br>0.3<br>0.6          | 0.7<br>0.9<br>0.6          | 0.7<br>1.0<br>0.6          | 0.3<br>0.3<br>0.3          | 0.3<br>0.6<br>0.2          | -<br>-<br>-                | <u>-</u><br>-              |
| 5   | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-1254, 270-289). | M           | 1.4<br>1.5<br>1.3          | 1.2<br>1.3<br>1.2          | 1.0<br>1.1<br>1.0          | 1.4<br>1.3<br>1.5          | 1.7<br>2.1<br>1.6          | 1.7<br>2.2<br>1.5          | 1.9<br>2.9<br>1.6          | 2.5<br>2.3<br>2.6          | 1. 1<br>1. 1<br>1. 1       |
| 6   | ]  | T<br>M<br>F | 4.7<br>3.9<br>5.0          | 2.3<br>1.7<br>2.6          | 6.0<br>4.5<br>6.7          | 5. 4<br>4. 3<br>5. 8       | 4.3<br>4.2<br>4.4          | 4.4<br>4.6<br>4.3          | 5.3<br>7.6<br>4.6          | 5.5<br>4.7<br>5.6          | 5. 5<br>4. 8<br>5. 7       |
| 7   | Anaemias and other diseases of<br>the blood and blood-forming<br>organs (290-299).                   |             | 7.5<br>3.9<br>9.0          | 2.0<br>1.0<br>2.5          | 1.5<br>0.8<br>1.8          | 4.8<br>2.6<br>5.7          | 9.6<br>5.3<br>11.1         | 15.8<br>9.0<br>17.9        | 25, 5<br>16, 0<br>28, 2    | 31. 6<br>22. 7<br>33. 6    | 44. 0<br>42. 8<br>44. 3    |
| 8   | sonality disorders (300-326).  | T<br>M<br>F | 0.7<br>0.4<br>0.8          | 0.8<br>0.4<br>1.0          | 0.6<br>0.2<br>0.8          | 0.7<br>0.6<br>0.8          | 0.5<br>0.3<br>0.6          | 0.5<br>0.3<br>0.6          | 0.8<br>0.6<br>0.9          | 0.7<br>0.8<br>0.7          | 0.5<br>0.5<br>0.5          |
| 9   | Diseases of the central nervous system and sense organs (330-352).                                   |             | 6.5<br>7.0<br>6.3          | 4.7<br>4.7<br>4.7          | 4, 9<br>4, 5<br>5, 1       | 5.7<br>6.6<br>5.3          | 7. 1<br>9. 0<br>6. 5       | 9.5<br>12.0<br>8.7         | 12, 8<br>15, 1<br>12, 1    | 13.7<br>18.7<br>12.6       | 12. 4<br>13. 9<br>12. 1    |
| 10  | Other diseases of the central nervous system and sense organs (353-398).                             |             | 2. 4<br>2. 6<br>2. 3       | 2. 1<br>2. 0<br>2. 2       | 3.5<br>4.1<br>3.2          | 2.6<br>3.0<br>2.5          | 2. 1<br>1. 6<br>2. 2       | 1.6<br>1.2<br>1.8          | 1.5<br>0.9<br>1.7          | 1. 1<br>0. 8<br>1. 2       | 0. 9<br>1. 1<br>0. 9       |
| 11  | 100000000000000000000000000000000000000  | T<br>M<br>F | 0.1<br>0.1<br>0.1          | 1<br>1                     | 0.1<br>0.1<br>0.1          | 0.1<br>0.1<br>0.2          | 0. 2<br>0. 4<br>0. 1       | 0.2<br>0.3<br>0.1          | 0.1<br>0.2                 | 0. 1<br>0. 2               | , <del>-</del>             |
| 12  |  | T<br>M<br>F | 8.9<br>11.4<br>7.9         | 5.2<br>5.9<br>4.9          | 4.8<br>5.6<br>4.4          | 8.9<br>11.6<br>7.8         | 12. 1<br>17. 8<br>10. 2    | 15. 9<br>24. 7<br>13. 1    | 16.6<br>23.9<br>14.5       | 13.0<br>21.9<br>11.1       | 7.4<br>12.8<br>6.1         |

TABLE 17. Percentage distribution of cases by cause, sex and length of nursing service — Concluded (Total for each length of nursing service group = 100 per cent)

|     |  |                    |                         |                         | Lengi                | th of nursi                         | ng service                         |                                   |                                    |                        |
|-----|--|--------------------|-------------------------|-------------------------|----------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------|
| No. | Cause and detailed list numbers  | All<br>lengths     | 1 day                   | 2-7<br>days             | 8-30<br>days         | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
| 13  | Other diseases of the circulatory T system (440-468).  | 3.9                | 2.9<br>2.2<br>3.2       | 3. 0<br>2. 5<br>3. 2    | 4.1<br>4.1<br>4.0    | 5, 1<br>6, 3<br>4, 8                | 5. 5<br>6. 0<br>5. 3               | 7.3<br>9.0<br>6.8                 | 5.7<br>7.8<br>5.3                  | 3. 5<br>3. 8<br>3. 4   |
| 14  | Diseases of the respiratory system (470-527).  | 13.0               | 13. 2<br>15. 6<br>12. 2 | 19. 2<br>22. 5<br>17. 5 | 8.8<br>11.1<br>7.9   | 3. 8<br>4. 3<br>3. 7                | 2. 2<br>3. 1<br>1. 9               | 0.8<br>0.9<br>0.8                 | 0. 3<br>0. 3                       | 0.5<br>0.6             |
| 15  | Diseases of the digestive system (530-587).  | 13.1               | 27.3<br>27.1<br>27.4    | 14. 6<br>12. 8<br>15. 5 | 11.4<br>11.2<br>11.4 | 7. 5<br>8. 1<br>7. 2                | 3.9<br>3.4<br>4.0                  | 1.8<br>1.7<br>1.9                 | 2.0<br>1.6<br>2.0                  | 0. 9<br>1. 1<br>0. 9   |
| 16  | Diseases of the genito-urinary. T system (590-637).  | 3.6                | 3.9<br>3.2<br>4.2       | 4.7<br>4.2<br>4.9       | 5.3<br>4.3<br>5.7    | 3. 1<br>3. 4<br>3. 0                |                                    | 1.3<br>0.6<br>1.5                 | 2. 1<br>3. 1<br>1. 9               | 1. 5<br>1. 1<br>1. 6   |
| 17  | Complications of pregnancy, 3 childbirth and the puerperium M (640-652, 670-689).                  | ı  <del>-</del>    | 0.7                     | 1.0<br>1.5              | 4.9<br>-<br>6.9      | 10. 3<br>13. 8                      | _                                  |                                   | -                                  | _<br>_<br>_            |
| 18  | Diseases of the skin and cellu- I<br>lar tissue (690-716).   | 1 2.7              | 1.6<br>1.9<br>1.5       | 2. 9<br>3. 4<br>2. 7    | 2.8<br>3.6<br>2.5    | 2. 0<br>3. 0<br>1. 6                | 1. 2                               | 1. 0<br>0. 6<br>1. 1              | 0.9<br>2.3<br>0.5                  | 0, 1<br>0, 1           |
| 19  | Arthritis and rheumatism, except 7 rheumatic fever (720-727).                                      | 1 1.7              | 1.4                     | 1.3<br>0.6<br>1.7       | 2, 4<br>1, 6<br>2, 7 | 3. 0<br>1. 8<br>3. 4                | 3.6                                | 6. 4<br>3. 2<br>7. 2              | 3. 1                               | 11. 3<br>8. 0<br>12. 1 |
| 20  | Other diseases of the bones and organs of movement (730-749).                                      | 1 0.5              | 0.3                     | 0.3<br>0.1<br>0.5       | 0.6<br>0.6<br>0.6    | 1.4                                 | 0.7                                | 0. 4<br>0. 6<br>0. 4              | 0.8                                | 0.8<br>0.5<br>0.9      |
| 21  | Congenital malformations (750-7759).   | 0. 2               | 0.2                     | 0. 1<br>0. 2<br>0. 1    | 0.3<br>0.4<br>0.2    |                                     | 0.3                                | _                                 | _                                  | 0.3<br>0.5<br>0.2      |
| 22  | Certain diseases of early infancy (760-776).   | 1 0. 2             | 0.3                     | 0. 1<br>0. 1<br>0. 1    | 0.1<br>0.3<br>0.1    | 0.1                                 | 0.1                                | =                                 | =                                  | -<br>-<br>-            |
| 23  |  | 9.7<br>10.0<br>9.6 | 13.8                    |                         | 8. 5<br>8. 2<br>8. 6 | 5.4                                 | 4.8                                | 6.4                               | 2.3                                | 3, 2                   |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-1 N999). | 4,0                | 3.9                     | 3.7                     | 5. 2<br>4. 8<br>5. 4 | 5.3                                 | 3.3                                | 1.2                               | :I —                               | 2.7                    |
| 25  |  | 1.9<br>M 3.3       | 3.8                     | 2, 0                    | 2.8<br>5.2<br>1.8    | 4.4                                 | 1.7                                | '   -                             | =                                  | -                      |

<sup>1.</sup> Less than one-tenth of one per cent.

TABLE 18. Number of cases by age group, sex and length of nursing service

|                   | <u></u>        |        |             | Lengt        | h of nursi                          | ng service                         |                                   |                                    |                        |
|-------------------|----------------|--------|-------------|--------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------|
| Age               | All<br>lengths | 1 day  | 2-7<br>days | 8-30<br>days | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
| All ages T        | 13, 127        | 8, 646 | 11,003      | 10, 877      | 6,380                               | 5, 877                             | 1,575                             | 715                                | 1,000                  |
| M                 |                | 2, 606 | 3,737       | 3, 102       | 1,599                               | 1, 425                             | 343                               | 128                                | 187                    |
| F                 |                | 6, 040 | 7,266       | 7, 775       | 4,781                               | 4, 452                             | 1,232                             | 587                                | 813                    |
| Under 15 years 'I | 7,617          | 1.928  | 3, 225      | 1.728        | 480                                 | 231                                | 21                                | 4                                  | -                      |
| M                 | 3,928          | 942    | 1, 695      | 904          | 250                                 | 127                                | 10                                | -                                  | -                      |
| F                 | 3,689          | 986    | 1, 530      | 824          | 230                                 | 104                                | 11                                | 4                                  | -                      |
| 15-24 years T     | 1.649          | 381    | 369         | 388          | 287                                 | 203                                | 14                                | 4                                  | 3                      |
| M                 | 245            | 65     | 88          | 48           | 25                                  | 13                                 | 3                                 | 1                                  | 2                      |
| F                 | 1.404          | 316    | 281         | 340          | 262                                 | 190                                | 11                                | 3                                  | 1                      |
| 25-44 years T     | 6,049          | 1.136  | 1,356       | 1,568        | 1,067                               | 733                                | 105                               | 41                                 | 43                     |
| M                 | 886            | 239    | 243         | 194          | 98                                  | 85                                 | 16                                | 4                                  | 7                      |
| F                 | 5,163          | 897    | 1,113       | 1,374        | 969                                 | 648                                | 89                                | 37                                 | 36                     |
| 45-64 years T     | 8,781          | 1,559  | 1,926       | 2, 157       | 1, 269                              | 1, 150                             | 316                               | 162                                | 242                    |
| M                 | 2,145          | 378    | 535         | 526          | 314                                 | 274                                | 53                                | 23                                 | 42                     |
| F                 | 6,636          | 1,181  | 1,391       | 1, 631       | 955                                 | 876                                | 263                               | 139                                | 200                    |
| 65-74 years T     | 9,865          | 1,532  | 1,944       | 2, 306       | 1,530                               | 1, 556                             | 462                               | 228                                | 307                    |
| M                 | 2,667          | 431    | 564         | 651          | 421                                 | 404                                | 92                                | 49                                 | 55                     |
| F                 | 7,198          | 1,101  | 1,380       | 1, 655       | 1,109                               | 1, 152                             | 370                               | 179                                | 252                    |
| 75 and over T     | 11,839         | 2,031  | 2, 126      | 2,680        | 1,710                               | 1,964                              | 655                               | 273                                | 400                    |
| M                 | 3,192          | 530    | 594         | 770          | 482                                 | 516                                | 168                               | 51                                 | 81                     |
| F                 | 8,647          | 1,501  | 1, 532      | 1.910        | 1,228                               | 1,448                              | 487                               | 222                                | 319                    |
| Not stated T      | 273            | 79     | 57          | 50           | 37                                  | 40                                 | 2                                 | 3                                  | 5                      |
| M                 | 64             | 21     | 18          | 9            | 9                                   | 6                                  | 1                                 | -                                  | -                      |
| F                 | 209            | 58     | 39          | 41           | 28                                  | 34                                 | 1                                 | 3                                  | 5                      |

TABLE 19. Percentage distribution of cases by age group, sex, and length of nursing service

| •              | L           |                         |                         |                      | Lengt                   | h of nursin                         | g service                          |                                   |                                    |                        |
|----------------|-------------|-------------------------|-------------------------|----------------------|-------------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------|
| Age            | ]           | All<br>lengths          | 1 day                   | 2-7<br>days          | 8-30<br>days            | 1 month<br>and<br>under<br>3 months | 3 months<br>and<br>under<br>1 year | 1 year<br>and<br>under<br>2 years | 2 years<br>and<br>under<br>3 years | 3 years<br>and<br>over |
| All ages       | T           | 100. 0                  | 18. 8                   | 23. 9                | 23. 6                   | 13. 8                               | 12. 8                              | 3.4                               | 1. 5                               | 2. 2                   |
|                | M           | 100. 0                  | 19. 8                   | 28. 5                | 23. 6                   | 12. 2                               | 10. 9                              | 2.6                               | 1. 0                               | 1. 4                   |
|                | F           | 100. 0                  | 18. 3                   | 22. 1                | 23. 6                   | 14. 5                               | 13. 5                              | 3.7                               | 1. 8                               | 2. 5                   |
| Under 15 years | T<br>M<br>F | 100.0<br>100.0<br>100.0 | 25. 3<br>24. 0<br>26. 7 | 42.3<br>43.1<br>41.5 | 22. 7<br>23. 0<br>22. 4 | 6. 3<br>6. 4<br>6. 2                | 3.0<br>3.2<br>2.8                  | 0.3<br>0.3<br>0.3                 | 0. 1<br>-<br>0. 1                  |                        |
| 15-24 years    | T           | 100.0                   | 23. 1                   | 22.4                 | 23.5                    | 17. 4                               | 12. 3                              | 0.9                               | 0.2                                | 0.2                    |
|                | M           | 100.0                   | 26. 6                   | 35.9                 | 19.6                    | 10. 2                               | 5. 3                               | 1.2                               | 0.4                                | 0.8                    |
|                | F           | 100.0                   | 22. 5                   | 20.0                 | 24.2                    | 18. 7                               | 13. 5                              | 0.8                               | 0.2                                | 0.1                    |
|                | T           | 100.0                   | 18.8                    | 22. 4                | 25.9                    | 17.7                                | 12. 1                              | 1.7                               | 0.7                                | 0.7                    |
|                | M           | 100.0                   | 27.0                    | 27. 4                | 21.9                    | 11.1                                | 9. 6                               | 1.8                               | 0.4                                | 0.8                    |
|                | F           | 100.0                   | 17.4                    | 21. 6                | 26.6                    | 18.8                                | 12. 5                              | 1.7                               | 0.7                                | 0.7                    |
|                | T           | 100.0                   | 17.8                    | 21.9                 | 24.6                    | 14.4                                | 13. 1                              | 3.6                               | 1.8                                | 2.8                    |
|                | M           | 100.0                   | 17.6                    | 24.9                 | 24.5                    | 14.6                                | 12. 8                              | 2.5                               | 1.1                                | 2.0                    |
|                | F           | 100.0                   | 17.8                    | 20.9                 | 24.6                    | 14.4                                | 13. 2                              | 4.0                               | 2.1                                | 3.0                    |
| •              | T           | 100.0                   | 15. 5                   | 19.7                 | 23.4                    | 15. 5                               | 15.8                               | 4.7                               | 2.3                                | 3. 1                   |
|                | M           | 100.0                   | 16. 2                   | 21.1                 | 24.4                    | 15. 8                               | 15.1                               | 3.5                               | 1.8                                | 2. 1                   |
|                | F           | 100.0                   | 15. 3                   | 19.2                 | 23.0                    | 15. 4                               | 16.0                               | 5.1                               | 2.5                                | 3. 5                   |
|                | T           | 100.0                   | 17. 2                   | 18.0                 | 22.6                    | 14. 4                               | 16.6                               | 5.5                               | 2.3                                | 3.4                    |
|                | M           | 100.0                   | 16. 6                   | 18.6                 | 24.1                    | 15. 1                               | 16.2                               | 5.3                               | 1.6                                | 2.5                    |
|                | F           | 100.0                   | 17. 4                   | 17.7                 | 22.1                    | 14. 2                               | 16.7                               | 5.6                               | 2.6                                | 3.7                    |

TABLE 20. Number and per cent of cases and visits for persons admitted after hospitalization, by cause and sex

|     |   |             | Cas                      | ses   | Vis                             | sits   |
|-----|---|-------------|--------------------------|---|---------------------------------|--|
| No. | Cause and detailed list numbers   |             | Number                   | Per cent of<br>total cases<br>for each<br>cause | Number                          | Per cent of<br>total visits<br>for each<br>cause 2 |
|     | All causes  | T<br>M<br>F | 12,660<br>3,720<br>8,940 | 27.5<br>28.3<br>27.1                            | 217, 220<br>64, 000<br>153, 220 | 33, 8<br>39, 0<br>32, 1                            |
| 1   | Tuberculosis (001-019)  | T<br>M<br>F | 329<br>122<br>207        | 62.7<br>65.6<br>61.1                            | 9,420<br>3,872<br>5,548         | 64.2<br>67.6<br>62.1                               |
| 2   | Other infective and parasitic diseases (020-138)  | T<br>M<br>F | 99<br>33<br>66           | 7.1<br>6.5<br>7.5                               | 1,279<br>390<br>889             | 19.4<br>19.2<br>19.4                               |
| 3   | Malignant neoplasms (140-205)   | T<br>M<br>F | 1,867<br>606<br>1,261    | 63.1<br>65.0<br>62.2                            | 36,237<br>11,291<br>24,946      | 67.4<br>70.7<br>66.0                               |
| 4   | Benign neoplasms (210-239)  | T<br>M<br>F | 171<br>54<br>117         | 70.4<br>73.0<br>69.2                            | 1,616<br>613<br>1,003           | 74.4<br>76.5<br>73.1                               |
| 5   | Allergic, endocrine system, metabolic and nutritional diseases, except diabetes (240-254, 270-289). | T<br>M<br>F | 114<br>35<br>79          | 17.9<br>17.9<br>17.8                            | 1,773<br>497<br>1,276           | 20.3<br>22.0<br>19.7                               |
| 6   | Diabetes (260)  | T<br>M<br>F | 751<br>211<br>540        | 34.9<br>40.7<br>33.0                            | 29,839<br>8,807<br>21,032       | 35.3<br>40.8<br>33.4                               |
| 7   | Anaemias and other diseases of the blood and blood-<br>forming organs (290-299).                    | T<br>M<br>F | 463<br>95<br>368         | 13.3<br>18.5<br>12.4                            | 11,006<br>1,987<br>9,019        | 14.8<br>19.3<br>14.1                               |
| 8   | Mental, psychoneurotic and personality disorders (300-326).   | T<br>M<br>F | 55<br>8<br>47            | 17.8<br>16.3<br>18.1                            | 636<br>81<br>555                | 16.8<br>12.7<br>17.7                               |
| 9   | Diseases of the central nervous system and sense organs (330-352).                                  | T<br>M<br>F | 562<br>205<br>357        | 18.8<br>22.5<br>17.1                            | 18,962<br>6,174<br>12,788       | 24.6<br>26.8<br>23.6                               |
| 10  | Other diseases of the central nervous system and sense organs (353-398).                            | T<br>M<br>F | 187<br>57<br>130         | 16.7<br>16.4<br>16.8                            | 2,794<br>585<br>2,209           | 26. 4<br>25. 7<br>26. 6                            |
| 11  | Rheumatic fever (400-402)   | T<br>M<br>F | 13  <br>4<br>9           | 26.0<br>23.5<br>27.3                            | 138<br>45<br>93                 | 22.6<br>25.3<br>21.5                               |
| 12  | Diseases of the heart (410-434)   | T<br>M<br>F | 1,129<br>479<br>650      | 27.6<br>32.1<br>25.1                            | 22,716<br>8,675<br>14,041       | 30.4<br>32.9<br>29.1                               |

TABLE 20. Number and per cent of cases and visits for persons admitted after hospitalization, by cause and sex — Concluded

|    |   |             | Cas                 | ses   | Vis                        | sits  |
|----|---|-------------|---------------------|---|----------------------------|---|
| No | Cause and detailed list numbers   |             | Number              | Per cent of<br>total cases<br>for each<br>cause ! | Number                     | Per cent of<br>total visits<br>for each<br>cause <sup>2</sup> |
| 13 | Other diseases of the circulatory system (440-468)  | T<br>M<br>F | 455<br>156<br>299   | 24.5<br>30.5<br>22.2                              | 9,504<br>2,741<br>6,763    | 27. 4<br>28. 7<br>26. 9                                       |
| 14 | Diseases of the respiratory system (470-527)  | T<br>M<br>F | 364<br>155<br>209   | 7.9<br>9.1<br>7.2                                 | 2,566<br>977<br>1,589      | 13.7<br>15.1<br>13.0  |
| 15 | Diseases of the digestive system (530-587)  | T<br>M<br>F | 1,382<br>424<br>958 | 23. 2 <sup>-</sup><br>24. 6<br>22. 6              | 14,532<br>3,919<br>10,613  | 49.5<br>53.7<br>48.1  |
| 16 | Diseases of the genito-wrinary system (590-637)   | T<br>M<br>F | 977<br>328<br>649   | 54.1<br>69.6<br>48.6                              | 10,271<br>4,084<br>6,187   | 61. 2<br>78. 6<br>53. 4                                       |
| 17 | Complications of pregnancy, childbirth and the puer-<br>perium (640-652, 670-639).              | T<br>M<br>F | 1,434<br>-<br>1,434 | 81. 2<br>-<br>81. 2                               | 7,430<br>7,430             | 69.8<br>69.8  |
| 18 | Diseases of the skin and cellular tissue (690-716)  | T<br>M<br>F | 291<br>110<br>181   | 29. 0<br>30. 8<br>28. 0                           | 4.730<br>1.865<br>2.865    | 36.6<br>46.7<br>32.1  |
| 19 | Arthritis and rheumatism, except rheumatic fever (720-727).                                     | T<br>M<br>F | 213<br>47<br>166    | 15.7<br>21.4<br>14.6                              | 7,046<br>1,168<br>5,878    | 18.4<br>25.9<br>17.4  |
| 20 | Other diseases of the bones and organs of movement (730-749).                                   | T<br>M<br>F | 108<br>31<br>77     | 44.8<br>46.3<br>44.3                              | 1,701<br>513<br>1,188      | 39.3<br>39.3<br>39.3  |
| 21 | Congenital malformations (750-759)  | T<br>M<br>F | 45<br>18<br>27      | 52.3<br>56.3<br>50.0                              | 4 97<br>204<br>293         | 42.2<br>69.6<br>33.1  |
| 22 | Certain diseases of early infancy (760-776)   | T<br>M<br>F | 13<br>4<br>9        | 26. 0<br>16. 0<br>36. 0                           | 92<br>37<br>55             | 46.0<br>35.9<br>56.7  |
| 23 | Symptoms, senility and ill-defined conditions (780-795)   | T<br>M<br>F | 345<br>99<br>246    | 7.7<br>7.6<br>7.8                                 | 3,632<br>685<br>2,940      | 10.7<br>9.9<br>10.9   |
| 24 | Alternative classification of accidents poisonings and violence (nature of injury) (N800-N999). | T<br>M<br>F | 929<br>247<br>682   | 45.3<br>46.7<br>44.9                              | 19,618<br>3,695<br>12,923  | 63.4<br>65.2<br>62.9  |
| 25 | Other admissions (Y00-Y88)  | T<br>M<br>F | 364<br>192<br>172   | 41.4<br>44.5<br>38.4                              | 2, 185<br>1, 094<br>1, 091 | 60.5<br>62.4<br>58.7  |

See Table 7 for total cases by cause.
 See Table 10 for total visits by cause.

## HOME NURSING SERVICES

TABLE 21. Number of cases by cause, sex and occupational status

|     |  |                            |                            | Not gai                           | infully occu     | pied             |                     |                         |               |
|-----|--|----------------------------|----------------------------|-----------------------------------|------------------|------------------|---------------------|-------------------------|---------------|
| No. | Cause and detailed list numbers  | Total<br>cases             | Under<br>14 years          | Retired or<br>voluntarily<br>idle | Housewife        | Student          | Other               | Gainfully<br>occupied   | Not<br>stated |
|     | All causes T.<br>M<br>F  | 46,073<br>13,127<br>32,946 | 7, 523<br>3, 886<br>3, 637 | 15, 980<br>5, 975<br>10, 005      | 16,496<br>16,496 | 240<br>89<br>151 | 1,078<br>523<br>555 | 4,582<br>2,654<br>1,928 | 174<br>174    |
| 1   | Tuberculosis (001-019) T M F   | 525<br>186<br>339          | 24<br>16<br>8              | 70<br>47<br>23                    | 235<br>-<br>235  | 7<br>3<br>4      | 62<br>37<br>25      | 124<br>83<br>41         | 3<br>-<br>3   |
| 2   | Other infective and parasitic dis-T eases (020-138). MF  | 1,396<br>511<br>885        | 809<br>373<br>436          | 124<br>43<br>81                   | 274<br>274       | 27<br>7<br>20    | 19<br>7<br>12       | 138<br>81<br>57         | 5<br><br>5    |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F  | 2,959<br>931<br>2,028      | 13<br>4<br>9               | 1,230<br>579<br>651               | 1,188<br>1,188   | 1<br>-<br>1      | 10 2<br>65<br>37    | 417<br>283<br>134       | 8<br>-<br>8   |
| 4   | Benign neoplasms (210-239) T<br>M<br>F   | 243<br>74<br>169           | 22<br>8<br>14              | 46<br>20<br>26                    | 94<br>-<br>94    | 6<br>4<br>2      | 9<br>6<br>3         | 63<br>36<br>27          | 3<br>-<br>3   |
| 5   | Allergic, endocrine system, met-Tabolic and nutritional dis-Meases, except diabetes (240-F254, 270-289). | 638<br>195<br>443          | 101<br>62<br>39            | 177<br>80<br>97                   | 248<br>248       | 6<br>2<br>4      | 21<br>12<br>9       | 84<br>39<br>45          | 1<br>-<br>1   |
| 6   | Diabetes (260) T<br>M<br>F   | 2,153<br>519<br>1,634      | 46<br>23<br>23             | 893<br>345<br>548                 | 973<br>973       | 4<br>-<br>4      | 50<br>21<br>29      | 180<br>130<br>50        | 7<br>-<br>7   |
| 7   | Anaemias and other diseases of T the blood and blood-forming M organs (290-299).                         | 3,470<br>513<br>2,957      | 14<br>10<br>4              | 1,380<br>387<br>993               | 1,772            | 2 -2             | 45<br>17<br>28      | 245<br>99<br>146        | 12<br>-<br>12 |
| 8   | Mental, psychoneurotic and per- T sonality disorders (300-326) M F                                       | 309<br>49<br>260           | 2 2                        | 71<br>22<br>49                    | 170<br>170       | =                | 22<br>6<br>16       | 44<br>19<br>25          | -<br>-<br>-   |
| 9   | Diseases of the central nervous T<br>system and sense organs (330- M<br>352).                            | 2,994<br>912<br>2,082      | 25<br>15<br>10             | 1,772<br>697<br>1,075             | 849<br>-<br>849  | 8<br>1<br>7      | 150<br>77<br>73     | 180<br>122<br>58        | 10<br>-<br>10 |
| 10  | Other diseases of the central T<br>nervous system and sense or M<br>gans (353-398).                      | 1,123<br>347<br>776        | 384<br>195<br>189          | 253<br>87<br>166                  | 342<br>-<br>342  | 10<br>3<br>7     | 23<br>9<br>14       | 105<br>53<br>52         | 6<br>-<br>6   |
| 11  | Rheumatic fever (400-402) T<br>M<br>F  | 50<br>17<br>33             | 23<br>11<br>12             | 6<br>2<br>4                       | 9 -9             | 3<br>2<br>1      | 5<br>1<br>4         | 4<br>1<br>3             | <u>-</u>      |
| 12  | Diseases of the heart (410-434) T<br>M<br>F  | 4,086<br>1,493<br>2,593    | 11<br>4<br>7               | 2,348<br>1,149<br>1,199           | 1,262<br>1,262   | 5<br>2<br>3      | 121<br>73<br>48     | 327<br>265<br>62        | 12            |

TABLE 21. Number of cases by cause, sex and occupational status - Concluded

|           |  |                         |                     | Not ga                |                                |                    |                 |                       |                |
|-----------|--|-------------------------|---------------------|-----------------------|--------------------------------|--------------------|-----------------|-----------------------|----------------|
| <u>No</u> | Cause and detailed list numbers  | Total<br>cases          | Under<br>14 years   | Retired or            | Housewife                      |                    | Other           | Gainfully<br>occupied | Not<br>stated  |
| <b>13</b> | Other diseases of the circulatory T system (440–468). M  | 1.859<br>512<br>1,347   | 36<br>18<br>18      | 1,004<br>382<br>622   | 633<br>-<br>633                | 1 1 -              | 41<br>23<br>18  | 139<br>88<br>51       | <b>5</b><br>15 |
| 14        | Diseases of the respiratory T<br>system (470-527). M<br>F  | 4,611<br>1,708<br>2,903 | 1,933<br>987<br>946 | 780<br>333<br>447     | 1,137<br>1,137                 | 45<br>18<br>27     | 54<br>28<br>26  | 643<br>342<br>301     | 19<br>19       |
| -15       | Diseases of the digestive sys- T tem (530-587).  | 5,960<br>1,721<br>4,239 | 936<br>466<br>470   | 2,077<br>754<br>1,323 | 2,011<br>2,011                 | 40<br>14<br>26     | 100<br>48<br>52 | 766<br>439<br>327     | 30<br>-<br>30  |
| 16        | Diseases of the genito-urinary T system (590-637).   | 1,806<br>471<br>1,335   | 249<br>206<br>43    | 393<br>176<br>217     | 903<br>—<br>903                | 13<br>5<br>8       | 30<br>9<br>21   | 209<br>75<br>134      | 9<br>-<br>9    |
| 17        | Complications of pregnancy, T childbirth and the puerperium M (640-652, 670-689).                        | 1,766<br>1,766          |                     |                       | 1,7 <u>11</u><br>1,7 <u>11</u> | -<br>-             | $\frac{17}{17}$ | 34<br>34              | _2<br>_2       |
| 18        | Diseases of the skin and cellu- T lar tissue (690-716).  | 1,003<br>357<br>646     | 250<br>139<br>111   | 240<br>103<br>137     | 326<br>-<br>326                | 11<br>5<br>6       | 25<br>8<br>17   | 146<br>102<br>44      | 5<br>-<br>5    |
| 19        | Arthritis and rheumatism, except T rheumatic fever (720-727). M F  | 1,358<br>220<br>1,138   | 12<br>7<br>5        | 674<br>147<br>527     | 528<br>-<br>528                | <u>-</u><br>-<br>- | 65<br>28<br>37  | 75<br>38<br>37        | -<br>4         |
| 20        | Other diseases of the bones and T organs of movement (730-749) M F                                       | 241<br>67<br>174        | 23<br>15<br>8       | 62<br>18<br>44        | 103<br>103                     | 3<br>1<br>2        | 15<br>8<br>7    | 34<br>25<br>9         | _1<br>_1       |
| 21        | Congenital malformations (750- T M F   | 86<br>32<br>54          | 58<br>23<br>35      | 6<br>3<br>3           | _6<br>_6                       | =                  | 9<br>1<br>8     | 6<br>5<br>1           | -1<br>1        |
| 22        | Certain diseases of early infancy T (760-776). M F   | 50<br>25<br>25          | 50<br>25<br>25      | =                     | =                              | -                  | <u>-</u><br>-   | =                     | <u>-</u><br>-  |
| 23        | Symptoms, senility and ill-de- T fined conditions (780-795). M   | 4,460<br>1,307<br>3,153 | 1,427<br>685<br>742 | 1,628<br>425<br>1,203 | 964<br>964                     | 27<br>9<br>18      | 52<br>22<br>30  | 340<br>166<br>174     | 22<br>-<br>22  |
| 24        | Alternative classification of ac-T cidents, poisonings and vio-M lence (nature of injury) (N800-F N999). | 2,049<br>529<br>1,520   | 338<br>200<br>138   | 717<br>163<br>554     | 686<br>686                     | 18<br>10<br>8      | 39<br>15<br>24  | 242<br>141<br>101     | 9<br>-<br>9    |
| 25        | Other admissions (Y00-Y88) T<br>M<br>F   | 878<br>431<br>447       | 735<br>392<br>343   | 29<br>13<br>16        | 72<br>72                       | 3<br>2<br>1        | 2<br>2<br>-     | 37<br>22<br>15        | <u>-</u>       |

TABLE 22. Percentage distribution of cases by age group, sex and marital status

| Marital status |          |          | Age   |       |                          |
|----------------|----------|----------|-------|-------|--------------------------|
| maritai status | All ages | Under 25 | 25-44 | 45-64 | 65 and over <sup>1</sup> |
| Total T  M F   | 190. 0   | 20. 1    | 13. 1 | 19.1  | 47.7                     |
|                | 100. 0   | 31. 8    | 6. 8  | 16.3  | 45.1                     |
|                | 100. 0   | 15. 5    | 15. 7 | 20.1  | 48.7                     |
| Single         | 100.0    | 70.7     | 5.9   | 8.1   | 15.3                     |
|                | 100.0    | 82.3     | 3.7   | 5.2   | 8.8                      |
|                | 100.0    | 62.1     | 7.6   | 10.2  | 20.1                     |
| Married T M F  | 100.0    | 4.4      | 23. 4 | 28.3  | 43.9                     |
|                | 100.0    | 0.5      | 11. 3 | 27.7  | 60.5                     |
|                | 100.0    | 6.0      | 28. 1 | 28.5  | 37.4                     |
| Others         | 100.0    | 0.1      | 2. 7  | 13.8  | 83. 4                    |
|                | 100.0    | 0.1      | 1. 2  | 10.1  | 88. 6                    |
|                | 100.0    | 0.1      | 3. 0  | 14.5  | 82. 4                    |

<sup>1.</sup> Includes cases where age was not stated.

TABLE 23. Percentage distribution of visits by age group, sex and marital status

| Marital status |          |          | Age   |       |                          |
|----------------|----------|----------|-------|-------|--------------------------|
| mailegi Seavus | All ages | Under 25 | 25-44 | 45-64 | 65 and over <sup>1</sup> |
| Total T        | 100. 0   | 5.8      | 9.5   | 22.5  | 62.2                     |
| M              | 100. 0   | 9.2      | 6.3   | 20.1  | 64.4                     |
| F              | 100. 0   | 4.5      | 10.6  | 23.4  | 61.5                     |
| Single T       | 100.0    | 34. 3    | 11.7  | 17.9  | 36. 1                    |
| M              | 100.0    | 45. 8    | 9.1   | 14.5  | 30. 6                    |
| F              | 100.0    | 27. 7    | 13.3  | 19.8  | 39. 2                    |
| Married T      | 100.0    | 1.9      | 14.4  | 29.4  | 54.3                     |
|                | 100.0    | 0.2      | 7.4   | 26.8  | 65.6                     |
|                | 100.0    | 2.5      | 17.2  | 30.5  | 49.8                     |
| Others         | 100.0    | 2        | 1.8   | 14.8  | 83.4                     |
|                | 100.0    | 0.1      | 1.2   | 8.3   | 90.4                     |
|                | 100.0    | 2        | 1.9   | 16.0  | 82.1                     |

Includes visits to cases where age was not stated.
 Less than one-tenth of one per cent.

TABLE 24. Average visits per case by age group, sex and marital status during the year 1954

| Marital status |          |          | Age   |       |                          |
|----------------|----------|----------|-------|-------|--------------------------|
| Maria Portoria | All ages | Under 25 | 25-44 | 45-64 | 65 and over <sup>1</sup> |
| Total T        | 13. 9    | 4.0      | 10. 1 | 16.5  | 18.3                     |
| M              | 12. 5    | 3.6      | 11. 7 | 15.4  | 18.0                     |
| F              | 14. 5    | 4.3      | 9. 8  | 16.9  | 18.4                     |
| Single T M F   | 7.7      | 3.7      | 15. 2 | 17. 1 | 18. 4                    |
|                | 6.5      | 3.6      | 16. 1 | 17. 9 | 23. 1                    |
|                | 8.6      | 3.8      | 14. 9 | 16. 7 | 16. 9                    |
| Магтіеd Т      | 15.1     | 6.3      | 9.3   | 15.7  | 18.8                     |
| М              | 15.6     | 6.1      | 10.3  | 15.0  | 16.9                     |
| F              | 14.9     | 6.3      | 9.1   | 15.9  | 19.9                     |
| Others         | 17.8     | 4.7      | 11.5  | 19.0  | 17.8                     |
|                | 18.3     | 9.5      | 19.5  | 14.9  | 18.7                     |
|                | 17.7     | 3.8      | 11.0  | 19.6  | 17.6                     |

<sup>1.</sup> Excludes cases where age was not stated.

TABLE 25. Number of cases by cause, sex, marital status and age group

| No. |   | Total                         | Single                      |                         |                   |                   |                       |   |
|-----|---|-------------------------------|-----------------------------|-------------------------|-------------------|-------------------|-----------------------|---|
|     | Cause and detailed list numbers   | cases                         | Total                       | Under<br>25             | 25-44             | 45-64             | 65 and<br>over        | Not<br>stated                           |
|     | All causes T<br>M<br>F  | 46, 073<br>13, 127<br>32, 946 | 11, 736<br>5, 033<br>6, 703 | 8,302<br>4,141<br>4,161 | 696<br>184<br>512 | 945<br>264<br>681 | 1,749<br>430<br>1,319 | 44<br>14<br>30                          |
| 1   | Tuberculosis(001-019) T<br>M<br>F   | 525<br>186<br>339             | 120<br>61<br>59             | 57<br>32<br>25          | 39<br>14<br>25    | 18<br>10<br>8     | 5<br>4<br>1           | 1<br>1                                  |
| 2   | Other infective and parasitic dis- T eases (020-138). M   | 1,396<br>511<br>885           | 924<br>405<br>519           | 862<br>388<br>474       | 21<br>5<br>16     | 13<br>5<br>8      | 26<br>6<br>20         | 2<br>1<br>1                             |
| 3   | Malignant neoplasms (140-205) T<br>M<br>F   | 2,959<br>932<br>2,027         | 289<br>83<br>206            | 20<br>8<br>12           | 37<br>11<br>26    | 103<br>29<br>74   | 127<br>35<br>92       | $-\frac{2}{2}$                          |
| 4   | Benign neoplasms (210-239) T<br>M<br>F  | 243<br>74<br>169              | 66<br>22<br>44              | 41<br>20<br>21          | 11<br>2<br>9      | _8<br><br>8       | _6<br>_<br>6          | ======================================= |
| 5   | Allergic, endocrine system, met- T<br>abolic and nutritional dis- M<br>eases, except diabetes (240- F<br>254, 270-289). | 638<br>195<br>443             | 176<br>75<br>101            | 114<br>65<br>49         | 20<br>-<br>20     | 22<br>5<br>17     | 20<br>5<br>15         | ======================================= |
| 6   | Diabetes (260) T<br>M<br>F  | 2, 152<br>518<br>1, 634       | 175<br>72<br>103            | 54<br>24<br>30          | 26<br>4<br>22     | 46<br>25<br>21    | 49<br>19<br>30        | ======================================= |
| 7   | Anaemias and other diseases of T the blood and blood-forming M organs (290-299).  | 3,470<br>513<br>2,957         | 290<br>48<br>242            | 22<br>11<br>11          | 26<br>1<br>25     | 82<br>10<br>72    | 155<br>26<br>129      | 5<br>-<br>5                             |
| 8   | Mental, psychoneurotic and personality disorders (300-326).   | 309<br>49<br>260              | 47<br>10<br>37              | 6<br>3<br>3             | 14<br>2<br>12     | 15<br>3<br>12     | 12<br>2<br>10         |   |
| 9   | Diseases of the central nervous T<br>system and sense organs (330- M<br>F   | 2,994<br>912<br>2,082         | 301<br>91<br>210            | 45<br>21<br>24          | 55<br>14<br>41    | 65<br>20<br>45    | 135<br>35<br>100      | 1<br>1<br>-                             |
| 10  | Other diseases of the central T<br>nervous system and sense or M<br>gans (353-398).                                     | 1, 123<br>347<br>776          | 494<br>216<br>278           | 408<br>202<br>206       | 21<br>2<br>19     | 26<br>5<br>21     | 38<br>7<br>31         | _1<br>1                                 |
| 11  | Rheumatic fever (400-402) T<br>M<br>F   | 50<br>17<br>33                | 30<br>13<br>17              | 27<br>13<br>14          | _1<br>_1          | _1<br>_1          | _<br>                 | _1<br>_1                                |
| 12  | Diseases of the heart (410-434) T   | 4,086<br>1,493<br>2,593       | 322<br>123<br>199           | 19<br>7<br>12           | 16<br>10<br>6     | 92<br>36<br>56    | 191<br>68<br>123      | 4<br>2<br>2                             |

TABLE 25. Number of cases by cause, sex, marital status and age group

|                            |                  | Магг                  | ied                        |                            |                  |                              |                   | Oti              | ners                  |                          |                |     |
|----------------------------|------------------|-----------------------|----------------------------|----------------------------|------------------|------------------------------|-------------------|------------------|-----------------------|--------------------------|----------------|-----|
| Total                      | Under<br>25      | 25-44                 | 45-64                      | 65 and<br>over             | Not<br>stated    | Total                        | Under<br>25       | 25-44            | 45-64                 | 65 and<br>over           | Not<br>stated  | No. |
| 21,410<br>6,024<br>15,386  | 951<br>30<br>921 | 5,001<br>678<br>4,323 | 6, 051<br>1, 671<br>4, 380 | 9, 243<br>3, 610<br>5, 633 | 164<br>35<br>129 | 12, 927<br>2, 070<br>10, 857 | 13<br>2<br>11     | 352<br>24<br>328 | 1,785<br>210<br>1,575 | 10,712<br>1,819<br>8,893 | 63<br>15<br>50 |     |
| 358<br>110<br>248          | 24<br>-<br>24    | 223<br>51<br>172      | 81<br>39<br>42             | 28<br>20<br>8              |                  | 47<br>15<br>32               | <del>-</del><br>- | 18<br>3<br>15    | 7<br>3<br>4           | 22<br>9<br>13            | <br> <br>  -   | 1   |
| 341<br>91<br>250           | 14<br>1<br>13    | 147<br>33<br>114      | 97<br>34<br>63             | 7.7<br>20<br>57            | 6<br>3<br>3      | 131<br>15<br>116             |                   | 6<br>1<br>5      | 30<br>2<br>28         | 94<br>12<br>82           | 1<br>-<br>1    | 2   |
| 1,803<br>679<br>1,124      | 6<br>2<br>4      | 245<br>48<br>197      | 788<br>263<br>525          | 755<br>363<br>392          | 9<br>3<br>6      | 867<br>170<br>697            | 1                 | $\frac{17}{17}$  | 205<br>30<br>175      | 642<br>140<br>502        | _3<br>3        | 3   |
| 137<br>47<br>90            | 11<br>1<br>10    | 52<br>16<br>36        | 52<br>20<br>32             | 22<br>10<br>12             | -<br>-<br>-      | 40<br>5<br>35                | -<br>-<br>-       | 3<br>-<br>3      | -7<br>-7              | 29<br>5<br>24            | 1<br>1         | 4   |
| 323<br>98<br>225           | 6<br>1<br>5      | 90<br>15<br>75        | 110<br>24<br>86            | 113<br>58<br>55            | -<br>4           | 139<br>22<br>117             |                   | 9                | 27<br>2<br>25         | 103<br>20<br>83.         | -<br>-<br>-    | 5   |
| 1, 105<br>335<br>770       | 4<br>-<br>4      | 48<br>14<br>34        | 372<br>88<br>284           | 675<br>233<br>442          | 6<br>-<br>6      | 872  <br>111<br>761          | _1<br>1           | 11<br>2<br>9     | 187<br>14<br>173      | 670<br>94<br>576         | 3<br>1<br>2    | 6   |
| 1,660<br>316<br>1,344      | 22<br>-<br>22    | 236<br>9<br>227       | 470<br>64<br>406           | 915<br>240<br>675          | 17<br>3<br>14    | 1,520<br>149<br>1,371        | -<br>-<br>-       | 24<br>2<br>22    | 174<br>11<br>163      | 1,315<br>136<br>1,179    | 7<br>-7        | 7   |
| 192<br>33<br>159           | 7<br>1<br>6      | 70<br>.6<br>64        | 64<br>9<br>55              | 49<br>16<br>33             | 2<br>1<br>1      | 70<br>6<br>64                | <u>-</u><br>-     | 12<br>1<br>11    | 22<br>1<br>21         | 36<br>4<br>32            | _<br>_<br>_    | 8   |
| 1.599<br>635<br>964        | 4 -4             | 121<br>20<br>101      | 446<br>155<br>291          | 1,021<br>457<br>564        | 7<br>3<br>4      | 1,094<br>186<br>908          | -                 | 12<br>1<br>11    | 100<br>15<br>85       | 975<br>167<br>808        | 7<br>3<br>4    | 9   |
| 419<br>103<br>316          | 7<br>2<br>5      | 123<br>18<br>105      | 135<br>25<br>110           | 150<br>57<br>93            | 4<br>1<br>3      | 210<br>28<br>182             | =                 | 8<br>2<br>6      | 32<br>4<br>28         | 168<br>21<br>147         | 2<br>1<br>1    | 10  |
| 15<br>4<br>11              | 1                | 5<br>1<br>4           | 8<br>3<br>5                | 1<br>-<br>1                | <u>-</u><br>-    | 5<br>-<br>5                  | -1<br>1           | 1<br>-<br>1      | _1<br>_1              | _2                       | 111            | 11  |
| 2. 231<br>1. 027<br>1. 204 | -1<br>-1         | 99<br>27<br>72        | 669<br>259<br>410          | 1,453<br>738<br>715        | 9<br>3<br>6      | 1.533<br>343<br>1.190        | _<br>_<br>_       | 9<br>1<br>8      | 194<br>28<br>166      | 1,324<br>313<br>1,011    | 6<br>1<br>5    | 12  |

TABLE 25. Number of cases by cause, sex, marital status and age group - Concluded

|     |  | Total                         |        |                         | Sin             | gle             |                   |                 |
|-----|--|-------------------------------|--------|-------------------------|-----------------|-----------------|-------------------|-----------------|
| No. | Cause and detailed list numbers  | Total<br>cases                | Total  | Under<br>25             | 25-44           | 45-64           | 65 and<br>over    | Not<br>stated   |
| 13  |  | T 1,859<br>M 512<br>F 1,347   | 63     | 43<br>22<br>21          | 12<br>4<br>8    | 38<br>17<br>21  | 100<br>19<br>81   | . 2<br>1<br>. 1 |
| 14  |  | T 4,611<br>M 1,708<br>F 2,903 | 1, 100 | 2,096<br>1,042<br>1,054 | 86<br>23<br>63  | 74<br>14<br>60  | 90<br>20<br>70    | 5<br>1<br>4     |
| 15  |  | T 5,960<br>M 1,721<br>F 4,239 | 656    | 1,089<br>505<br>584     | 113<br>36<br>77 | 121<br>38<br>83 | 272<br>77<br>195  | -<br>4          |
| 16  | system (590-637).  | T 1,806<br>M 471<br>F 1,335   | 238    | 292<br>216<br>76        | 46<br>4<br>42   | 38<br>6<br>32   | 31<br>12<br>19    | _1<br>_1        |
| 17  | childbirth and the puerperium  |                               | -      | $\frac{12}{12}$         | _3<br>          | -<br>-          | <u>-</u><br>-     | -<br>-<br>-     |
| 18  |  | T 1,003<br>M 357<br>F 646     | 191    | 292<br>155<br>137       | 22<br>9<br>13   | 20<br>10<br>10  | 45<br>16<br>29    | 1<br>1          |
| 19  |  | T 1,358<br>M 220<br>F 1,138   | 38     | 15<br>10<br>5           | 21<br>5<br>16   | 48<br>10<br>38  | 111<br>11<br>100  | 5<br>2<br>.3    |
| 20  |  | T 241<br>M 67<br>F 174        | 23     | 29<br>16<br>13          | 8<br>4<br>4     | 8<br>2<br>6     | 9<br>1<br>8       | <u>-</u>        |
| 21  |  | T 86<br>M 32<br>F 54          | 26     | 64<br>26<br>38          | 1<br>-<br>1     | .4<br>-<br>4    | _<br>_<br>_       | <u>-</u><br>-   |
| 22  |  | T 50<br>M 25<br>F 25          | 25     | 50<br>25<br>25          | <u>-</u>        |                 | <del>-</del><br>- | <u>-</u><br>-   |
| 23  | fined conditions (780-795).  | T 4,460<br>M 1,307<br>F 3,153 | 791    | 1,516<br>712<br>804     | 57<br>18<br>39  | 57<br>10<br>47  | 221<br>49<br>172  | 6<br>2<br>4     |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). | M 529                         | 263    | 387<br>224<br>163       | 34<br>13<br>21  | 41<br>8<br>33   | 103<br>16<br>87   | 3<br>2<br>1     |
| 25  |  | T 879<br>M 431<br>F 448       | 400    | 742<br>394<br>348       | 6<br>3<br>3     | 5<br>1<br>4     | 3<br>2<br>1       |                 |

TABLE 25. Number of cases by cause, sex, marital status and age group - Concluded

| <del></del>           |                 | Магт              | ied               |                      |               |                       |                  | Otl           | ners             |                       |   |     |
|-----------------------|-----------------|-------------------|-------------------|----------------------|---------------|-----------------------|------------------|---------------|------------------|-----------------------|---|-----|
| Total                 | Under<br>25     | 25-44             | 45-64             | 65 and<br>over       | Not<br>stated | Total                 | Under<br>25      | 25-44         | 45-64            | 65 and<br>over        | Not<br>stated                           | No. |
| 917<br>326<br>591     | 6<br>-<br>6     | 89<br>21<br>68    | 245<br>70<br>175  | 571<br>235<br>336    | 6<br>-<br>6   | 747<br>123<br>624     | _<br>_<br>_      | 10<br>1<br>9  | 79<br>9<br>70    | 655<br>112<br>543     | 3<br>1<br>2                             | 13  |
| 1,554<br>481<br>1,073 | 102<br>9<br>93  | 535<br>127<br>408 | 430<br>148<br>282 | 464<br>192<br>272    | 23<br>5<br>18 | 706<br>127<br>579     | 1<br>-<br>1      | 59<br>2<br>57 | 125<br>19<br>106 | 520<br>106<br>414     | 1<br>-<br>1                             | 14  |
| 2,638<br>749<br>1,889 | 100<br>6<br>94  | 551<br>95<br>456  | 800<br>203<br>597 | 1, 172<br>441<br>731 | 15<br>4<br>11 | 1,723<br>316<br>1,407 | _3<br>_3         | 36<br>2<br>34 | 206<br>31<br>175 | 1,467<br>278<br>1,189 | 11<br>5<br>6                            | 15  |
| 1,031<br>171<br>860   | 74<br>-<br>74   | 384<br>19<br>365  | 310<br>38<br>272  | 259<br>113<br>146    | 4<br>1<br>3   | 367<br>62<br>305      | _<br>_<br>_      | 29<br>-<br>29 | 65<br>1<br>64    | 272<br>61<br>211      | 1<br>-<br>1                             | 16  |
| 1,737<br>1,737        | 483<br>-<br>483 | 1, 231<br>1, 231  | 3 -3              | -<br>-<br>-          | 20<br><br>20  | 14<br>-<br>14         | 3                | 11<br>-<br>11 | _<br>_<br>_      | _<br>_<br>-           | -<br>-<br>-                             | 17  |
| 422<br>125<br>297     | 16<br>1<br>15   | 115<br>29<br>86   | 135<br>42<br>93   | 149<br>52<br>97      | 7<br>1<br>6   | 201<br>41<br>160      | _<br>_<br>_      | 6<br>6        | 35<br>6<br>29    | 159<br>35<br>124      | 1<br>-<br>1                             | 18  |
| 602<br>120<br>482     | 1<br>-<br>1     | 69<br>13<br>56    | 217<br>37<br>180  | 314<br>70<br>244     | 1<br>-<br>1   | 556<br>62<br>494      | _<br>_<br>_<br>_ | 12<br>-<br>12 | 75<br>5<br>70    | 466<br>56<br>410      | 3<br>1<br>2                             | 19  |
| 128<br>36<br>92       | 2<br>1<br>1     | 45<br>11<br>34    | 46<br>11<br>35    | 33<br>13<br>20       | _2<br>        | 59<br>8<br>51         | =                | 3             | 19<br>4<br>15    | 37<br>4<br>33         | =                                       | 20  |
| 15<br>6<br>9          | 1<br>-<br>1     | 3<br>-<br>3       | 7<br>4<br>3       | 4<br>2<br>2          | =             | 2<br>                 | -<br>  -<br>  -  | -<br>-        | 1 -1             | 1<br>1                | =                                       | 21  |
| -<br>-<br>-           | _<br>_<br>_     | -<br>-<br>-       | -<br>-<br>-       |                      | -<br>-<br>-   | _<br>_<br>_           | = =              | -<br> -       | <br> -<br> -     | -<br>-<br>-           | ======================================= | 22  |
| 1, 274<br>313<br>961  | - 37<br>2<br>35 | 328<br>57<br>271  | 293<br>68<br>225  | 606<br>181<br>425    | 10<br>5<br>5  | 1,329<br>203<br>1,126 | 2<br>1<br>1      | 35<br>4<br>31 | 100<br>14<br>86  | 1, 181<br>183<br>998  | 11<br>1<br>10                           | 23  |
| 816<br>194<br>622     | 16<br>1<br>15   | 146<br>39<br>107  | 246<br>59<br>187  | 398<br>93<br>305     | 10<br>2<br>8  | 665<br>72<br>593      | 2 1 1            | 2             | 86<br>10<br>76   | 554<br>58<br>496      | 3<br>1<br>2                             | 24  |
| 93<br>25<br>68        | 6<br>2<br>4     | 46<br>9<br>37     | 27<br>8<br>19     | 14<br>6<br>8         | =             | 30<br>6<br>24         | <br> -<br> -     | 1<br>-<br>1   | 8 1 7            | 20<br>5<br>15         | 1<br>-<br>1                             | ļ   |

TABLE 26. Number of visits by cause, sex, marital status and age group

|    |  |             |                               |                               |                               | Sin                      | ıgle                         |                              |                  |
|----|--|-------------|-------------------------------|-------------------------------|-------------------------------|--------------------------|------------------------------|------------------------------|------------------|
| No | Cause and detailed list numbers  |             | Total<br>visits               | Total                         | Under<br>25                   | 25-44                    | 45-64                        | 65 and<br>over               | Not<br>stated    |
|    |  | T<br>M<br>F | 642,245<br>164,196<br>478,049 | 90, 084<br>32, 672<br>57, 412 | 30, 894<br>14, 980<br>15, 914 | 10,572<br>2,962<br>7,610 | 16, 117<br>4, 725<br>11, 392 | 32, 195<br>9, 946<br>22, 249 | 306<br>59<br>247 |
| 1  |  | T<br>M<br>F | 14,662<br>5,728<br>8,934      | 3,712<br>2,017<br>1,695       | 1,305<br>696<br>609           | 1,149<br>595<br>554      | 1,074<br>556<br>518          | 181<br>167<br>14             | 3<br>3<br>-      |
| 2  |  | T<br>M<br>F | 6,600<br>2,029<br>4,571       | 3,118<br>1,344<br>1,774       | 2, 681<br>1, 241<br>1, 440    | 141<br>13<br>128         | 117<br>43<br>74              | 175<br>45<br>130             | 4<br>2<br>2      |
| 3  |  | T<br>M<br>F | 53,782<br>15,965<br>37,817    | 5, 194<br>1, 282<br>3, 912    | 414<br>44<br>370              | 937<br>505<br>432        | 1,399<br>297<br>1,102        | 2,418<br>436<br>1,982        | 26<br>26         |
| 4  |  | T<br>M<br>F | 2, 173<br>801<br>1, 372       | 435<br>201<br>234             | 267<br>190<br>77              | 107<br>11<br>96          | 47<br>-<br>47                | 14<br>-<br>14                | Ξ                |
| 5  | Allergic, endocrine system, met-<br>abolic and nutritional diseases,<br>except diabetes (240-254,<br>270-289). | M           | 8,741<br>2,259<br>6,482       | 1,938<br>751<br>1,187         | 1,026<br>648<br>378           | 249<br>-<br>249          | 463<br>47<br>416             | 200<br>56<br>144             | -<br>-<br>-      |
| 6  |  | T<br>M<br>F | 84,537<br>21,598<br>62,939    | 7,991<br>4,479<br>3,512       | 700<br>138<br>562             | 278<br>50<br>228         | 2,469<br>1,638<br>831        | 4, 544<br>2, 653<br>1, 891   | Ξ                |
| 7  | Anaemias and other diseases of<br>the blood and blood-forming or-<br>gans (290-299).                           |             | 74,173<br>10,318<br>63,855    | 5,866<br>1,052<br>4,814       | 221<br>162<br>59              | 482<br>5<br>477          | 1, 336<br>178<br>1, 158      | 3, 784<br>707<br>3, 077      | 43<br>-<br>43    |
| 8  |  | T<br>M<br>F | 3,776<br>636<br>3,140         | 965<br>243<br>722             | 63<br>58<br>5                 | 144<br>2<br>142          | 348<br>162<br>186            | 410<br>21<br>389             | Ξ                |
| 9  | Diseases of the central nervous system and sense organs (330-352).   |             | 77.118<br>23.019<br>54.099    | 9, 226<br>2, 943<br>6, 283    | 1,004<br>340<br>664           | 2,918<br>603<br>2,315    | 1,453<br>279<br>1,174        | 3.850<br>1.720<br>2.130      | 1<br>1           |
| 10 | Other diseases of the central nervous system and sense organs (353-398).                                       |             | 10,586<br>2,278<br>8,308      | 3,067<br>905<br>2,162         | 1.628<br>832<br>796           | 444<br>9<br>435          | 525<br>11<br>514             | 459<br>53<br>406             | 11<br>11         |
| 11 |  | T<br>M<br>F | 610<br>178<br><del>4</del> 32 | 330<br>147<br>183             | 286<br>147<br>139             | 18<br>18                 | 25<br>25                     | -<br>-                       | -<br>1           |
| 12 | , ,  | T<br>M<br>F | 74, 672<br>26, 361<br>48, 311 | 6, 368<br>2, 215<br>4, 153    | 175<br>49<br>126              | 368<br>206<br>162        | 2,083<br>745<br>1,338        | 3.709<br>1,211<br>2,498      | 33<br>4<br>29    |

TABLE 26. Number of visits by cause, sex, marital status and age group

|                                 |                         | Mar                       | Tied                          |                                 |                       |                                 |   | Oth                   | ers                          |                                 |   |    |
|---------------------------------|-------------------------|---------------------------|-------------------------------|---------------------------------|-----------------------|---------------------------------|---|-----------------------|------------------------------|---------------------------------|---|----|
| Total                           | Under<br>25             | 25-44                     | 45-64                         | 65 and<br>over                  | Not<br>stated         | Total                           | Under<br>25                             | 25-44                 | 45-64                        | 65 and<br>over                  | Not<br>stated                           | No |
| 322, 238<br>93, 720<br>228, 518 | 6, 006<br>184<br>5, 822 | 46,336<br>6,963<br>39,373 | 94, 728<br>25, 106<br>69, 622 | 173, 505<br>61, 187<br>112, 318 | 1,663<br>280<br>1,383 | 229, 923<br>37, 804<br>192, 119 | 61<br>19<br>42                          | 4,062<br>467<br>3,595 | 33, 968<br>3, 134<br>30, 834 | 190, 875<br>34, 069<br>156, 806 | 957<br>115<br>842                       |    |
| 9,912<br>3,360<br>6,552         | 681<br>681              | 6,299<br>1,688<br>4,611   | 2,248<br>1,243<br>1,005       | 679<br>429<br>250               | 5<br>-<br>5           | 1,038<br>351<br>687             | -<br>-<br>-                             | 361<br>16<br>345      | 198<br>19<br>179             | 479<br>316<br>163               | <br> -<br> -                            | 1  |
| 2, 278<br>551<br>1, 727         | 75<br>2<br>73           | 549<br>151<br>398         | 782<br>224<br>558             | 853<br>163<br>690               | 19<br>11<br>8         | 1,204<br>134<br>1,070           | -<br>-<br>-                             | 24<br>1<br>23         | 228<br>2<br>226              | 951<br>131<br>820               | 1 -1                                    | 2  |
| 31,479<br>10,722<br>20,757      | 113<br>90<br>23         | 4,039<br>531<br>3,508     | 13,888<br>4,130<br>9,758      | 13, 348<br>5, 943<br>7, 405     | 91<br>28<br>63        | 17, 109<br>3, 961<br>13, 148    | -<br>-<br>-                             | 220<br>               | 4, 173<br>581<br>3, 592      | 12,622<br>3,380<br>9,242        | 94<br><br>94                            | 3  |
| 1, 260<br>578<br>682            | 133<br>11<br>122        | 386<br>178<br>208         | 459<br>278<br>181             | 282<br>111<br>171               | -<br>-<br>-           | 478<br>22<br>456                | =                                       | -6<br>-6              | 89<br>-<br>89                | 381<br>22<br>359                | 2 - 2                                   | 4  |
| 4, 399<br>1, 242<br>3, 157      | 37<br>18<br>19          | 1,404<br>192<br>1,212     | 1,478<br>208<br>1,270         | 1,448<br>824<br>624             | 32<br>-<br>32         | 2, 404<br>266<br>2, 138         | ======================================= | 107<br>—<br>107       | 428<br>60<br>368             | 1,869<br>206<br>1,663           | =                                       | 5  |
| 38, 476<br>10, 310<br>28, 166   | 49<br>-<br>49           | 555<br>54<br>501          | 9,867<br>1,868<br>7,999       | 27,539<br>8,388<br>19,151       | 466<br>-<br>466       | 38,070<br>6,809<br>31,261       | 11<br>-<br>11                           | 304<br>6<br>298       | 8,061<br>541<br>7,520        | 29,677<br>6,249<br>23,428       | 17<br>13<br>4                           | 6  |
| 33,965<br>6,042<br>27,923       | 356<br>356              | 4,131<br>132<br>3,999     | 8,983<br>1,415<br>7,568       | 20, 247<br>4, 469<br>15, 778    | 248<br>26<br>222      | 34, 342<br>3, 224<br>31, 118    | = =                                     | 334<br>94<br>240      | 3,572<br>333<br>3,239        | 30, 270<br>2, 799<br>27, 473    | 166<br>166                              | 7  |
| 1,973<br>378<br>1,595           | 33<br>3<br>30           | 455<br>19<br>436          | 652<br>75<br>577              | 821<br>271<br>550               | 12<br>10<br>2         | 838<br>15<br>823                | _<br>                                   | 50<br>1<br>49         | 260<br>5<br>255              | 528<br>9<br>519                 | _<br>_<br>_                             | 8  |
| 45,080<br>16,164<br>28,916      | 51<br>-<br>51           | 4,893<br>728<br>4,165     | 14,531<br>5,113<br>9,418      | 25, 533<br>10, 317<br>15, 216   | 72<br>6<br>66         | 22,812<br>3,912<br>18,900       | -<br>-<br>-                             | 403<br>106<br>297     | 3, 690<br>419<br>3, 271      | 18,316<br>3,383<br>14,933       | 403<br>4<br>399                         | 9  |
| 4,329<br>1,050<br>3,279         | 46<br>5<br>41           | 895<br>88<br>807          | 1, 542<br>239<br>1, 303       | 1,828<br>717<br>1,111           | 18<br>1<br>17         | 3, 190<br>323<br>2, 867         | -                                       | 77<br>62<br>15        | 390<br>6<br>384              | 2,719<br>253<br>2,466           | 4<br>2<br>2                             | 10 |
| 237<br>31<br>206                | 5<br><br>5              | 27<br>6<br>21             | 201<br>25<br>176              | 4<br>-<br>4                     | -<br>-<br>-           | 43<br>-<br>43                   | 4<br>-<br>4                             | 4 -4                  | 10<br>-<br>10                | 25<br>—<br>25                   | ======================================= | 11 |
| 39,973<br>17,567<br>22,406      | 75<br>-<br>75           | 1,428<br>312<br>1,116     | 12, 301<br>4, 217<br>8, 084   | 26,040<br>13,001<br>13,039      | 129<br>37<br>92       | 28, 331<br>6, 579<br>21, 752    | -<br>-                                  | 162<br>71<br>91       | 3,905<br>397<br>3,508        | 24.205<br>6,110<br>18,095       | 59<br>1<br>58                           | 12 |

TABLE 26. Number of visits by cause, sex, marital status and age group - Concluded

|     | Cause and detailed list numbers  |             |                              |                         | Sin                        | ngle              |                       |                        |                |
|-----|--|-------------|------------------------------|-------------------------|----------------------------|-------------------|-----------------------|------------------------|----------------|
| No. |  |             | Total<br>visits              | Total                   | Under<br>25                | 25-44             | 45-64                 | 65 and<br>over         | Not<br>stated  |
| 13  |  | T<br>M<br>F | 34,722<br>9,539<br>25,183    | 3, 153<br>903<br>2, 250 | 228<br>65<br>163           | 56<br>13<br>43    | 509<br>313<br>196     | 2, 281<br>510<br>1,771 | 79<br>2<br>77  |
| 14  |  | T<br>M<br>F | 18,672<br>6,462<br>12,210    | 6,855<br>3,055<br>3,800 | 5,645<br>2,784<br>2,861    | 331<br>112<br>219 | 240<br>49<br>191      | 627<br>109<br>518      | 12<br>1<br>11  |
| 15  |  | T<br>M<br>F | 29,363<br>7,301<br>22,062    | 4,731<br>1,576<br>3,155 | 2, 634<br>1, 161<br>1, 473 | 331<br>72<br>259  | 618<br>88<br>530      | 1,138<br>255<br>883    | 10<br>10       |
| 16  |  | T<br>M<br>F | 16,780<br>5,199<br>11,581    | 2,477<br>1,178<br>1,299 | 911<br>605<br>306          | 409<br>16<br>393  | 449<br>33<br>416      | 707<br>524<br>183      | 1<br>-<br>1    |
| 17  | Complications of pregnancy, childbirth and the puerperium (640-652, 670-689).                    | T<br>M<br>F | 10,651<br>10,651             | 90<br>-<br>90           | 80<br>—<br>80              | 10<br>10          | -                     | 1 1                    | _<br>_<br>_    |
| 18  |  | T<br>M<br>F | 12,919<br>3,990<br>8,929     | 3,784<br>2,039<br>1,745 | 1,666<br>977<br>689        | 682<br>393<br>289 | 160<br>69<br>91       | 1,272<br>596<br>676    | 4<br>4<br>—    |
| 19  |  | T<br>M<br>F | 38, 224<br>4, 508<br>33, 716 | 4,831<br>561<br>4,270   | 245<br>127<br>118          | 840<br>126<br>714 | 1,572<br>108<br>1,464 | 2,110<br>163<br>1,947  | 64<br>37<br>27 |
| 20  | Other diseases of the bones and organs of movement (730-749).                                    |             | 4,325<br>1,304<br>3,021      | 832<br>338<br>494       | 361<br>192<br>169          | 232<br>127<br>105 | 187<br>5<br>182       | 52<br>14<br>38         | -              |
| 21  |  | T<br>M<br>F | 1, 178<br>293<br>885         | 956<br>221<br>735       | 823<br>221<br>602          | 2<br>             | 131<br>131            | -<br>-<br>-            | = =            |
| 22  |  | T<br>M<br>F | 200<br>103<br>97             | 200<br>103<br>97        | 200<br>103<br>97           |                   | =                     | -<br>-                 | -              |
| 23  | defined conditions (780-795).  | T<br>M<br>F | 33,959<br>6,906<br>27,053    | 6,641<br>2,060<br>4,581 | 3, 234<br>1, 483<br>1, 751 | 249<br>28<br>221  | 373<br>27<br>346      | 2.775<br>519<br>2.256  | 10<br>3<br>7   |
| 24  | Alternative classification of accidents, poisonings and violence (nature of injury) (N800-N999). | M           | 26, 210<br>5, 667<br>20, 543 | 4,019<br>1,405<br>2,614 | 1,808<br>1,069<br>739      | 188<br>73<br>115  | 534<br>76<br>458      | 1,486<br>185<br>1,301  | 3<br>2<br>1    |
| .25 |  | T<br>M<br>F | 3,612<br>1,754<br>1,858      | 3,305<br>1,654<br>1,651 | 3, 289<br>1, 648<br>1, 641 | 7<br>3<br>4       | 5<br>1<br>4           | 3<br>2<br>1            | _1<br>_1       |

TABLE 26. Number of visits by cause, sex, marital status and age group - Concluded

|                              |                     | Mar                     | ried                    |                            |                  |                              |               | Othe             | ers                   | •                          |               |     |
|------------------------------|---------------------|-------------------------|-------------------------|----------------------------|------------------|------------------------------|---------------|------------------|-----------------------|----------------------------|---------------|-----|
| Total                        | Under<br>25         | 25-44                   | 45-64                   | 65 and<br>over             | Not<br>stated    | Total                        | Under<br>25   | 25-44            | 45-64                 | 65 and<br>over             | Not<br>stated | No. |
| 16,827<br>6,179<br>10,648    | 162<br>-<br>162     | 1,018<br>335<br>683     | 3,803<br>1,046<br>2,757 | 11,827<br>4,798<br>7,029   | 17<br>-<br>17    | 14,742<br>2,457<br>12,285    |               | 153<br>59<br>94  | 1,451<br>218<br>1,233 | 13,120<br>2,179<br>10,941  | 18<br>1<br>17 | 13  |
| 7,353<br>2,358<br>4,995      | 406<br>26<br>380    | 2, 111<br>430<br>1, 681 | 1,865<br>758<br>1,107   | 2,906<br>1,121<br>1,785    | 65<br>23<br>42   | 4, 464<br>1, 049<br>3, 415   | 4<br>-<br>4   | 252<br>5<br>247  | 521<br>87<br>434      | 3, 686<br>957<br>2, 729    | 1<br>-<br>1   | 14  |
| 15, 467<br>4, 292<br>11, 175 | 212<br>7<br>205     | 3, 210<br>658<br>2, 552 | 4,957<br>1,192<br>3,765 | 6,970<br>2,335<br>4,635    | 118<br>100<br>18 | 9, 165<br>1, 433<br>7, 732   | 6<br>-<br>6   | 187<br>31<br>156 | 1,462<br>112<br>1,350 | 7,489<br>1,283<br>6,206    | 21<br>7<br>14 | 15  |
| 9, 456<br>2, 607<br>6, 849   | 447<br>-<br>447     | 2, 329<br>270<br>2, 059 | 2, 459<br>303<br>2, 156 | 4, 208<br>2, 032<br>2, 176 | 13<br>2<br>11    | 4,847<br>1,414<br>3,433      | <b>-</b><br>- | 486<br><br>486   | 614<br>14<br>600      | 3,746<br>1,400<br>2,346    | 1<br>-<br>1   | 16  |
| 10,481<br>10,481             | 2,751<br>-<br>2,751 | 7, 638<br>7, 638        | 10<br>-<br>10           | -<br>-<br>-                | 82<br>-<br>82    | 80<br>—<br>80                | 11<br>-<br>11 | 69<br>-<br>69    | 1 1                   | -<br>-<br>-                | = =           | 17  |
| 5,092<br>1,563<br>3,529      | 77<br>9<br>68       | 804<br>273<br>531       | 1, 143<br>375<br>768    | 2,964<br>902<br>2,062      | 104<br>4<br>100  | 4,043<br>388<br>3,655        | _<br>_<br>_   | 23<br>-<br>23    | 275<br>46<br>229      | 3,743<br>342<br>3,401      | 2<br>-<br>2   | 18  |
| 18,574<br>2,246<br>16,328    | 17<br>_<br>17       | 1,030<br>115<br>915     | 7,682<br>867<br>6,815   | 9,844<br>1,264<br>8,580    | 1<br>-<br>1      | 14,819<br>1,701<br>13,118    | -<br>-<br>-   | 430<br>-<br>430  | 2,639<br>13<br>2,626  | 11,659<br>1,604<br>10,055  | 91<br>84<br>7 | 19  |
| 2,033<br>711<br>1,322        | 8<br>1<br>7         | 467<br>166<br>301       | 794<br>180<br>614       | 664<br>364<br>300          | 100<br><br>100   | 1, 460<br>255<br>1, 205      | -             | 153<br><br>153   | 450<br>130<br>320     | 857<br>125<br>732          |               | 20  |
| 167<br>72<br>95              | 2<br>-<br>2         | 26<br><br>26            | 74<br>60<br>14          | 65<br>12<br>53             | -<br>-           | 55<br>-<br>55                | -<br>-        | 1 1 1            | 52<br>-<br>52         | 3<br>-<br>3                | -             | 21  |
| -<br>-<br>-                  | 111                 | -<br>-                  | -<br>-                  | <u>-</u><br>-              | -<br>-<br>-      | 1 1 1                        | . 11          | . 11             | 1 1                   | -<br>-                     | =             | 22  |
| 11,059<br>2,659<br>8,400     | 112<br>3<br>109     | 1, 497<br>251<br>1, 246 | 1,474<br>182<br>1,292   | 7,935<br>2,193<br>5,742    | 41<br>30<br>11   | 16, 259<br>2, 187<br>14, 072 | 4<br>2<br>2   | 88<br>4<br>84    | 707<br>114<br>593     | 15,388<br>2,066<br>13,322  | 72<br>1<br>71 | 23  |
| 12,112<br>2,945<br>9,167     | 112<br>6<br>106     | 1,022<br>327<br>695     | 3,467<br>1,083<br>2,384 | 7,481<br>1,527<br>5,954    | 30<br>2<br>28    | 10, 079<br>1, 317<br>8, 762  | 21<br>17<br>4 | 167<br>11<br>156 | 783<br>36<br>747      | 9, 103<br>1, 251<br>7, 852 | 5<br>2<br>3   | 24  |
| 256<br>93<br>163             | 46<br>3<br>43       | 123<br>59<br>64         | 68<br>25<br>43          | 19<br>6<br>13              | 111              | 51<br>7<br>44                | -<br>-<br>-   | 2<br>-<br>2      | 10<br>1<br>9          | 39<br>6<br>33              | 111           | 25  |

|   | • |   |   |   |
|---|---|---|---|---|
|   |   |   | • |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   | ^ |   |   |
|   |   |   |   |   |
| · |   |   |   |   |
|   |   |   |   |   |
| ÷ |   |   |   |   |
|   |   |   |   |   |
| · |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   | · |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |

|  | · |  |
|--|---|--|
|  |   |  |
|  |   |  |
|  |   |  |
|  |   |  |
|  |   |  |
|  |   |  |
|  |   |  |
|  | • |  |
|  |   |  |
|  |   |  |

| • |   |   |   | • |   |
|---|---|---|---|---|---|
|   |   |   | • |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   | • |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   | ı |   |   |   |   |
|   |   |   |   |   | • |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   | - |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
| , |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   | • |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |
|   |   |   |   |   |   |

|   |   | • |   |   |
|---|---|---|---|---|
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   | • |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   | • |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   | • |   |   |   |
|   |   |   |   |   |
| • |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   | • |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   |   |
|   |   |   |   | • |
|   |   |   |   |   |
|   |   |   |   |   |

STATISTICS CANADA LIBRARY BIBLIOTHÈQUE STATISTIQUE CANADA 1010491176