


CATALOGUE No.
82-202
ANNUAL

DOES NOT CIRCULATE
NE PAS PRÊTER



CANADA

Statistics of
HOME NURSING SERVICES
(Victorian Order of Nurses for Canada)
1958



DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

Statistics of
HOME NURSING SERVICES
(Victorian Order of Nurses for Canada)
1958

Published by Authority of
The Honourable Gordon Churchill, Minister of Trade and Commerce

June, 1960
9005-517

Price \$1.00

FOREWORD

The Victorian Order of Nurses for Canada has very kindly agreed to make available to this Bureau statistical information from its records, thus facilitating a detailed appraisal of the home nursing services provided by the Order. The report does not provide a complete picture of such services in Canada because there are a number of other agencies engaged in home nursing. The Victorian Order of Nurses, however, is the largest and the only national organization of its kind with branches in nine provinces.

This is the seventh annual report on home nursing services. The steady increase in chronic illness, the increasing attention given to better care for mothers and babies before and after confinement and, last but not least, the growing interest in home care as supplementing hospital services should, it is hoped, make this report a useful contribution to the study of the changing pattern of health services in Canada.

These statistics on home nursing care are made possible through the co-operation of the nurses and administrative staff of the Victorian Order of Nurses for Canada. This Report has been prepared in the Public Health Section of the Dominion Bureau of Statistics.

WALTER E. DUFFETT,

Dominion Statistician.

SYMBOLS

The interpretation of the symbols used in the tables throughout this publication is as follows:

- ... figures not appropriate or not applicable.
- nil or zero.
- less than 0.05.

TABLE OF CONTENTS

	Page
INTRODUCTION.....	7
PART I—SUMMARY:	
Table 1. Percentage Distribution of Cases by Cause and Age, 1954-58	14
Table 2. Percentage Distribution of Visits by Cause and Age, 1954-58	16
PART II—MATERNITY AND NEWBORN:	
Table 3. Number and Percentage of Cases and Visits (Maternity) and Average Visits per Case by Age	22
Table 4. Number and Percentage of Cases and Visits (Maternity) and Average Visits per Case by Duration of Nursing Service.....	22
Table 5. Number and Percentage of Cases and Visits (Newborn) and Average Visits per Case	23
Table 6. Complications of Pregnancy by Diagnosis and Age	23
PART III—MEDICAL AND SURGICAL:	
International Classification Detailed List Numbers Associated with Diagnostic Groups Used Herein.....	29
Analysis of C-List Category C-49 as shown in Table 7.....	35
Table 7. Number of Cases and Visits by Cause (Special List of 50 Causes).....	38
Table 8. Number of Cases by Cause, Sex and Age	40
Table 9. Percentage Distribution of Cases by Cause, Sex and Age (All ages for each cause group = 100 per cent)	44
Table 10. Percentage Distribution of Cases by Cause, Sex and Age (All causes for each age group = 100 per cent)	46
Table 11. Number of Visits by Cause, Sex and Age	48
Table 12. Percentage Distribution of Visits by Cause, Sex and Age (All ages for each cause group = 100 per cent)	52
Table 13. Percentage Distribution of Visits by Cause, Sex and Age (All causes for each age group = 100 per cent)	54
Table 14. Average Visits per Case by Cause, Sex and Age	56
Table 15. Ratio of Nursing Care Visits to Health Instruction Visits by Cause, Sex and Age	58
Table 16. Number of Cases by Cause, Sex and Duration of Nursing Service	60
Table 17. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service (Total for each cause group = 100 per cent).....	62
Table 18. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service (Total for each duration of nursing service group = 100 per cent)	64
Table 19. Number of Visits by Cause, Sex and Duration of Nursing Service	66
Table 20. Number of Cases by Age, Sex and Duration of Nursing Service	68
Table 21. Percentage Distribution of Cases by Age, Sex and Duration of Nursing Service ..	68
Table 22. Number of Visits by Age, Sex and Duration of Nursing Service	69
Table 23. Percentage Distribution of Visits by Age, Sex and Duration of Nursing Service ..	69
Table 24. Number and Percentage of Cases and Visits for Persons Admitted after Hospitalization by Cause and Sex	70
Table 25. Number of Cases by Cause, Sex and Occupational Status	72
Table 26. Number of Cases by Cause, Sex, Marital Status and Age.....	74
Table 27. Number of Visits by Cause, Sex, Marital Status and Age.....	78
Table 28. Percentage Distribution of Cases by Marital Status, Sex and Age	82
Table 29. Percentage Distribution of Visits by Marital Status, Sex and Age	82
Table 30. Average Visits per Case by Marital Status, Sex and Age.....	82
Table 31. Number and Percentage of Visits by Age, Sex and Type of Visit.....	83
Table 32. Number and Percentage of Visits by Cause, Sex and Type of Visit.....	84

INTRODUCTION

The Victorian Order of Nurses for Canada, referred to in this report as the V.O.N., is a voluntary non-profit organization established in 1897. It provides a variety of services, of which only nursing care and health counselling in the home are dealt with in this report.

The purpose of this report is to present in tabular and graphical form a statistical record of the home nursing services supplied by this Order for the calendar year 1958. It must be noted, however, that in view of the concepts used to define cases and visits in this report, the total volume of work carried out by the V.O.N. during the current year is not included in the information recorded.

Each attending nurse at the branch level prepares Patients' Service Record Forms for each patient that receives care. Information gathered from these forms is assembled in such a manner that comprehensive statistics are made available for the following categories:

- (1) Number of cases discharged in the course of the year.
- (2) The nature of the illness or condition, as diagnosed by the attending physician, for which either nursing care or health instruction was provided.
- (3) Number of visits made for each discharged case, between the time that nursing service was first rendered until the case was discharged.
- (4) Case and visit information is further analysed between maternity and newborn cases and cases requiring medical and surgical treatment.

The following definitions and explanations are presented as a guide in interpreting specific terms either used in or associated with these categories:

Case.—A case is an individual admitted for a particular condition for which either nursing care or health instruction is provided. The duration of a case is measured from the time nursing service for a particular condition is first given to a patient until the time when this service is no longer required. There are, of course, a variety of reasons not necessarily dependent on the recovery of the patient, which would result in the termination of nursing services.

It is possible for a person to be included as a case more than once in the course of a year if varied medical conditions occur during different periods. If a patient receives nursing care for more than one medical condition at the same time, this case is medically coded for the condition requiring the majority of visits. In addition, if a maternity case

develops complications for which medical or surgical care, not necessarily related to the pregnancy, is given, the case is included in both maternity case statistics and medical and surgical case statistics.

Two important changes occurred in the compiling of statistics for 1958 which materially affect the comparability of case and visit totals with those published in prior years. Previously all cases still receiving nursing service at the end of the calendar year were treated as discharged cases and therefore included in the yearly totals. As this procedure seriously affected the ratio of the number of visits applicable to each case, it was decided to exclude all cases not discharged in the normal pattern of operations during the course of the year. In addition, current visit statistics include all visits made for each case from the time that the case first received nursing care even if the case has been receiving treatment continuously for a number of years. In previous publications only visits made in the current year were included in the data.

Visit.—A single call is always recorded as one visit, even if the individual received general nursing care for a medical or surgical condition and maternity care at the same time. The same applies to a visit where both care and instruction are given, except for maternity cases in the postnatal classification. Visits for postnatal and newborn care are counted as two visits on both the first and last visit made to the patient. All other visits in the postnatal category are treated as single visits unless services are rendered separately to both the mother and the child.

Classification on Admission.—Services are grouped by type of admission as follows:

1. Medical and surgical
2. Well infant
3. Prenatal
4. Postnatal
5. Newborn
6. Health instruction only
7. Health instruction for infants originally admitted as newborn
8. Patient not seen
9. On behalf of patient

Duration of Nursing Service.—This is the period between "date opened" and "date discharged" on the Patients' Service Record, regardless of the number of visits made during that period. "Date opened" may be prior to the beginning of the report year.

If a mother is admitted as prenatal, the duration of nursing service for the newborn is the period from:

- (a) the date of delivery to the date of discharge, when delivered at home with the nurse at delivery, or

- (b) the date admitted on return from hospital to the date of discharge, when delivered at the hospital.

Diagnostic Classification. — The medical coding for each case is based on the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death (1955 Revision). The analysis of morbidity in Table 7 is based on the Special List of 50 Causes for Tabulation of Morbidity as recorded in the aforementioned publication. The classification C49—Other specified and ill-defined diseases, has been further analysed in Table 7 as described in Table H. The morbidity classification of all other tables in which causes of illnesses are shown, is based on Table G.

Terms used in:

Maternity and Newborn Section

Prenatal. — Cases that are recorded and visits that are made during the pre-confinement stage of maternity cases.

Postnatal. — Cases and visits that are applicable to the post-confinement period of maternity cases. Total case statistics include persons admitted in the prenatal stage, as well as new cases admitted after the birth of the newborn had occurred.

Newborn. — Infants during the first four weeks of life.

Table A

Other Health Instruction

General health instruction to cases not included in either the Maternity and Newborn classification or the Medical and Surgical classification. The age categories listed in Table B are defined as follows:

Infants. — Cases admitted under one year of age except for newborn.

Preschool. — Cases admitted between the ages of one and five years that have not reached the Grade I level in elementary schools.

School Children. — All cases attending either elementary or high school above the kindergarten level. All other cases between the ages of six and fifteen years.

Adults. — All cases not included in the above categories.

Other Visits. — Visits made to cases in which the patient was not seen by the nurse or in which visits were made on behalf of the patient to some other person or agency such as a physician or clinic.

Other Services. — As certain types of visits are more demanding on the nurses' time than is normally the case, specified weights are assigned to these visits by the Victorian Order for administrative purposes. Table A records the additional number of visits added because of this weighting practice.

PART I

SUMMARY



PART I - SUMMARY

Historical Trend

As outlined in the introduction, a change in procedure has occurred in compiling 1958 statistics. Therefore, any comparison of this year's data with that published in prior years must be, of necessity, very general in nature.

Monthly totals of cases treated and visits made are available for the years 1952 to 1956. A study of

data for the month of December for these years reveals that, on the average, 19,000 cases and 379,000 visits, included in December figures, should be attributed to the policy of counting as discharged all cases still receiving nursing service at the end of December. Therefore, if 1958 case and visit statistics are adjusted to include a similar number, a comparison would show a substantial increase over similar data for prior years.

TABLE A. Summary of Discharged Cases and Visits, 1958

Type of nursing service (Classification on admission)	Cases	Visits			
		Total	Nursing care	Health instruction	Other
Maternity and newborn	64,894	195,986	30,196	165,790	-
Medical and surgical	37,212	694,661	661,817	32,844	-
Other health instruction	8,816	74,730 ¹	-	74,730 ¹	-
Other visits	-	23,837	-	-	23,837
Total	110,922	989,214	692,013	273,364	23,837
Other services	-	980	-	-	980


¹ Includes 52,359 visits to infants originally admitted for newborn service.

Reconciliation of Table A

Maternity and newborn cases can be reconciled to the information given in Part II of this report by adding together, total maternity cases in Table 3, total newborn cases in Table 5, and total complications of pregnancy in Table 6. Medical and surgical

cases can be similarly reconciled by deducting total complications of pregnancy as shown in Table 6 from total medical and surgical cases shown in Table 7. Cases included in "Other Health Instruction" in Table A are not analysed further in this publication apart from in Table B.


CHART I



SOURCE: Table A

Percentage distribution of cases and visits by type of nursing service, 1958.

CHART - 2



Number of nursing care and health instruction visits by type of nursing service, 1958.

CHART - 3




TABLE B. Analysis of Other Health Instruction Cases, 1958

Other health instruction	Cases	Visits
Infant (a) Originally admitted as newborn	25,756 ¹	52,359
(b) Other	4,468	12,906
Preschool	1,007	1,992
School	1,062	2,044
Adult	2,279	5,429
Total	8,816	74,730

¹ Since these infant cases were originally admitted as newborn, and are counted as "newborn" in the summary table (page 11), they are not included in the total here.

Distribution of Cases and Visits

Charts 1 and 2 are based on information contained in Table A on page 11. Chart 1 illustrates how the needs of a large number of mothers, comprising a majority of all V.O.N. cases, can receive customary V.O.N. services with only a minor portion of the total visits made. In addition the stress that many maternity cases are placing on adequate health instruction for their infants is clearly indicated in Chart 2.

Although the majority of all visits are made to medical and surgical cases, this is accounted for by the large percentage of those cases receiving V.O.N. nursing services, who are suffering from chronic illnesses.

Services to Older Patients Increasing

The age analysis of V.O.N. cases as portrayed in Chart 3, would seem to indicate a reversal in the trend established between 1952 and 1957. As cases

and visits for 1958 have not been determined in the same manner as in prior years, a true comparison is not available. The purpose in showing this chart is to demonstrate how this change in procedure has affected this comparability. An analysis of this variance reveals the following significant points. Chart 12 indicates how those 65 years of age and over require longer nursing care than other age groups, principally because of the greater prevalence of chronic illnesses in this age group. The elimination from current statistics of all cases not discharged at the year-end would tend to decrease proportionally the number of cases, as tabulated herein, of those requiring lengthy nursing care. Therefore, a proportionately larger number of cases of those 65 and over would be eliminated from case statistics. Visit statistics for this age category would not be as seriously affected. In 1958 all visits made to a patient were included from the time of admission to the time when the case was discharged. Previously all visits not made in the current year were excluded.

TABLE C. Historical Trend for Median Age Index

Year	Median age		
	Both sexes	Male	Female
1952.....	54.3	45.2	57.2
1953.....	59.2	55.9	60.0
1954.....	62.5	59.8	63.4
1955.....	64.0	62.8	64.4
1956.....	65.1	65.0	65.2
1957.....	65.4	65.3	65.5
1958.....	65.0	64.6	65.0

TABLE 1. Percentage Distribution of Cases¹ by Cause and Age,² 1954-58

No.	Cause and detailed list numbers	All ages	Age						
			Under 15					15-44	
			1954	1955	1956	1957	1958	1954	1955
	All causes	100.0	16.5	15.8	13.9	13.7	15.1	16.7	16.1
1	Tuberculosis (001-019).....	100.0	4.5	5.1	4.8	5.0	4.8	64.2	63.5
2	Other infective and parasitic diseases (020-138).....	100.0	58.8	61.9	57.7	49.6	59.7	16.4	16.2
3	Malignant neoplasms (140-205)	100.0	0.5	0.5	0.5	0.6	0.6	10.5	9.3
4	Benign neoplasms (210-239)	100.0	9.5	8.2	3.9	4.7	5.7	39.1	37.3
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).....	100.0	15.9	18.3	19.7	16.3	18.2	21.6	17.9
6	Diabetes (260).....	100.0	2.2	2.1	1.8	2.1	2.3	4.5	3.9
7	Anaemias and other diseases of the blood and blood-forming organs (290-299) ..	100.0	0.4	0.7	0.5	0.6	0.7	9.0	9.2
8	Mental, psychoneurotic, and personality disorders (300-326)	100.0	0.6	2.2	2.4	1.5	4.4	34.7	27.4
9	Diseases of the central nervous system and sense organs (330-352)	100.0	0.8	1.1	0.4	0.5	0.6	7.1	8.4
10	Other diseases of the central nervous system and sense organs(353-398)....	100.0	34.6	33.9	29.1	23.5	26.1	15.9	14.9
11	Rheumatic fever (400-402)	100.0	50.0	51.1	32.4	51.9	34.7	22.0	42.2
12	Diseases of the heart (410-434)	100.0	0.3	0.3	0.1	0.1	0.1	3.2	3.0
13	Other diseases of the circulatory system (440-468).....	100.0	1.9	1.3	0.7	1.1	2.0	6.7	5.5
14	Diseases of the respiratory system(470-527).....	100.0	42.4	41.1	42.1	38.9	37.2	20.0	20.0
15	Diseases of the digestive system (530-587).....	100.0	16.0	15.0	14.5	14.4	13.9	15.8	15.3
16	Diseases of the genito-urinary system (590-637).....	100.0	13.9	8.3	9.5	8.9	8.9	31.8	34.0
17	Complications of pregnancy, childbirth, and the puerperium(640-652, 670-689)	100.0	-	-	-	-	-	98.7	98.6
18	Diseases of the skin and cellular tissue (690-716).....	100.0	25.6	25.3	24.2	20.2	23.8	19.3	19.8
19	Arthritis and rheumatism, except rheumatic fever (720-727)	100.0	0.9	0.4	0.6	0.3	0.5	7.8	6.1
20	Other diseases of the bones and organs of movement (730-749)	100.0	9.5	11.9	12.8	11.3	13.6	26.6	24.8
21	Congenital malformations (750-759)	100.0	68.6	78.4	68.4	75.8	84.2	11.6	10.2
22	Certain diseases of early infancy (760-776).....	100.0	100.0	100.0	100.0	100.0	100.0	-	-
23	Symptoms, senility, and ill-defined conditions (780-795)	100.0	32.3	31.1	26.3	26.6	25.4	12.0	12.4
24	Alternative classification of accidents, poisonings, and violence (nature of injury (N800-N999)	100.0	16.9	16.7	16.7	15.2	19.6	12.6	12.4
25	Other admissions (Y00-Y88)	100.0	83.8	88.3	83.1	88.2	92.5	7.3	5.9

¹ Medical and surgical cases only.² Excluding age not stated.

TABLE 1. Percentage Distribution of Cases¹ by Cause and Age,² 1954-58

Age												No.
15-44			45-64				65 and over					
1956	1957	1958	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958
16.0	15.6	16.2	19.1	18.6	18.7	18.6	18.7	47.1	49.0	51.0	51.7	50.0
59.4	58.0	51.5	20.2	19.8	24.4	24.4	26.4	10.5	11.6	10.5	12.1	17.3
15.5	17.2	11.3	10.0	7.7	8.2	11.0	9.0	14.1	14.0	18.3	22.0	20.0
9.3	8.5	9.0	37.0	36.1	36.5	36.1	36.2	51.5	53.6	53.3	54.3	54.2
34.5	39.9	36.0	27.6	25.0	26.3	25.0	28.8	23.4	28.4	34.1	30.1	29.5
20.5	18.6	17.1	24.9	27.2	25.3	24.7	22.2	37.0	35.9	33.6	39.4	42.5
4.0	4.6	6.4	28.1	26.5	26.8	25.8	25.8	64.8	67.2	67.0	66.9	65.5
10.0	9.1	12.8	20.9	19.4	17.8	17.9	17.8	68.9	70.3	71.3	72.2	68.7
34.5	32.2	32.0	32.7	38.8	30.9	29.3	30.9	31.4	30.3	31.7	36.4	32.7
8.5	9.4	7.2	20.4	20.0	19.7	20.4	17.5	71.2	70.2	71.0	69.3	74.7
16.0	14.8	14.4	17.2	18.8	20.7	20.2	20.4	31.7	31.7	33.9	40.7	39.1
54.1	40.7	42.3	20.0	6.7	13.5	7.4	19.2	6.0	—	—	—	3.8
2.8	3.0	2.1	23.4	22.2	20.2	20.1	19.1	72.6	74.2	76.6	76.4	78.7
6.9	6.5	8.4	19.5	17.7	20.0	19.0	17.2	71.3	75.3	71.8	73.0	72.4
18.0	21.7	19.6	13.7	13.9	13.3	14.3	15.2	23.3	24.6	26.3	24.8	28.0
15.3	14.1	14.1	18.9	19.2	19.4	19.3	20.9	48.8	49.9	50.3	51.7	51.1
31.0	29.7	31.8	22.9	22.7	22.1	23.7	23.5	31.1	34.3	37.2	37.6	35.8
99.2	98.7	99.5	0.2	0.2	0.1	0.2	0.5	—	—	—	—	—
18.6	18.1	18.2	19.0	18.3	18.4	21.0	19.2	35.2	36.2	38.3	40.2	38.8
5.7	5.6	5.7	25.0	24.3	24.8	22.5	22.4	65.6	68.8	68.4	71.0	71.4
26.6	21.2	17.6	30.3	27.5	22.5	28.1	35.2	32.8	34.4	37.7	38.7	33.6
17.6	12.1	7.3	14.0	6.8	7.0	5.0	5.3	5.8	4.6	7.0	7.1	3.2
—	—	—	—	—	—	—	—	—	—	—	—	—
11.2	12.5	14.3	10.1	10.2	10.6	9.8	11.5	45.0	45.8	51.4	50.8	48.8
11.0	12.4	13.1	18.2	17.2	17.2	15.9	17.4	51.5	53.1	54.4	55.7	49.9
11.3	6.0	1.4	4.6	2.8	3.0	1.5	1.6	4.2	2.7	2.4	4.3	4.5

TABLE 2. Percentage Distribution of Visits¹ by Cause and Age,² 1954-58

No.	Cause and detailed list numbers	All ages	Age						
			Under 15					15-44	
			1954	1955	1956	1957	1958	1954	1955
	All causes	100.0	4.0	3.8	3.3	3.0	3.3	11.3	10.5
1	Tuberculosis (001-019).....	100.0	2.5	4.4	6.5	2.1	2.4	64.3	61.3
2	Other infective and parasitic diseases (020-138).....	100.0	37.9	36.2	29.0	25.5	35.0	14.6	19.4
3	Malignant neoplasms (140-205)	100.0	0.1	0.5	0.5	0.5	1.1	10.5	8.1
4	Benign neoplasms (210-239).....	100.0	4.0	4.3	2.1	1.5	0.5	37.4	36.2
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).....	100.0	10.3	13.3	11.7	8.6	9.6	22.0	17.5
6	Diabetes (260)	100.0	0.8	0.8	0.6	0.6	0.7	1.5	1.6
7	Anaemias and other diseases of the blood and blood-forming organs (290-299)....	100.0	0.2	0.4	0.2	0.4	0.3	7.3	6.5
8	Mental, psychoneurotic, and personality disorders (300-326)	100.0	1.3	0.8	1.6	2.1	4.0	18.4	17.0
9	Diseases of the central nervous system and sense organs (330-352)	100.0	0.6	0.7	0.1	0.1	0.2	11.4	11.6
10	Others diseases of the central nervous system and sense organs (353-398)....	100.0	11.7	11.4	8.1	5.2	6.9	17.5	17.1
11	Rheumatic fever (400-402)	100.0	43.4	34.5	23.5	55.0	54.4	12.9	41.0
12	Diseases of the heart (410-434).....	100.0	0.1	0.1	0.1	0.1	0.1	2.8	2.5
13	Other diseases of the circulatory system (440-468).....	100.0	0.4	0.2	0.1	0.1	0.2	4.3	2.2
14	Diseases of the respiratory system (470-527)	100.0	28.5	26.7	26.5	25.5	20.1	18.3	18.1
15	Diseases of the digestive system (530-587)	100.0	7.2	7.0	7.7	6.4	6.1	15.2	14.5
16	Diseases of the genito-urinary system (590-637)	100.0	4.1	2.5	2.8	2.3	2.4	23.2	23.3
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	100.0	-	-	-	-	-	99.1	99.3
18	Diseases of the skin and cellular tissue (690-716).....	100.0	10.5	9.3	8.8	7.0	9.7	14.7	17.5
19	Arthritis and rheumatism, except rheumatic fever (720-727).....	100.0	0.5	0.1	0.3	0.7	1.0	6.2	5.7
20	Other diseases of the bones and organs of movement (730-749).....	100.0	6.8	4.1	5.7	5.4	3.4	21.4	25.1
21	Congenital malformations (750-759)	100.0	41.2	51.4	47.7	53.0	79.0	31.2	31.5
22	Certain diseases of early infancy (760-776)	100.0	100.0	100.0	100.0	100.0	100.0	-	-
23	Symptoms, senility, and ill-defined conditions (780-795)	100.0	9.1	9.6	7.6	7.1	7.3	6.2	6.0
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999)	100.0	5.3	5.7	6.0	4.6	6.6	7.4	8.9
25	Other admissions (Y00-Y88).....	100.0	90.9	89.5	58.0	66.0	81.6	5.1	4.4

¹ Visits to medical and surgical cases only.² Excluding age not stated.

TABLE 2. Percentage Distribution of Visits¹ by Cause and Age,² 1954-58

Age														No.
15-44			45-64					65 and over						No.
1956	1957	1958	1954	1955	1956	1957	1958	1954	1955	1956	1957	1958		
10.5	10.0	9.9	22.5	22.9	22.1	21.6	20.9	61.7	62.6	63.8	65.1	65.9		
59.9	60.6	47.2	24.0	23.1	23.8	25.8	32.1	9.1	11.2	9.4	10.4	18.3	1	
18.1	22.3	10.7	17.1	16.4	18.7	15.5	25.3	30.0	27.4	33.0	36.7	29.0	2	
9.1	9.4	9.6	36.2	38.5	36.6	35.7	33.5	52.8	52.7	53.4	54.1	55.8	3	
32.0	42.2	3.5	27.4	28.5	27.0	23.4	2.4	31.1	29.6	38.5	32.8	3.6	4	
19.1	17.6	18.1	27.1	26.6	28.9	29.2	29.2	40.2	42.3	40.1	44.0	43.1	5	
1.9	3.1	3.2	24.1	23.6	23.4	21.4	18.0	73.0	74.0	73.9	74.5	78.1	6	
7.8	7.4	7.9	18.7	18.7	16.9	17.0	15.0	73.2	74.1	74.8	75.1	76.8	7	
25.8	28.9	24.6	33.4	49.9	34.6	30.0	47.3	46.6	31.8	38.0	38.6	24.1	8	
11.4	11.3	11.3	25.5	25.8	25.1	25.2	21.4	61.9	61.8	63.0	63.0	67.1	9	
18.9	14.3	9.8	23.2	27.4	28.2	26.5	28.0	47.3	43.8	44.6	53.5	55.3	10	
65.6	40.8	20.5	38.7	24.5	10.9	4.2	20.1	4.8	—	—	—	5.0	11	
2.5	2.4	1.2	24.5	22.8	21.1	20.4	22.6	72.3	74.3	76.2	76.6	76.1	12	
2.4	2.9	2.5	16.6	17.4	18.2	18.7	9.1	78.4	80.2	79.1	78.0	88.2	13	
15.3	16.7	23.1	14.1	17.3	18.7	18.0	15.9	38.7	37.7	39.1	39.6	40.9	14	
15.1	11.8	12.6	24.0	29.0	26.2	26.2	30.4	53.1	49.0	50.7	55.1	50.9	15	
19.8	18.2	20.6	21.0	21.0	23.7	22.8	33.0	51.6	52.9	53.7	56.6	44.0	16	
99.6	99.2	99.6	0.1	0.1	0.1	0.1	0.4	—	—	—	—	—	17	
15.1	15.7	16.7	12.2	18.9	23.1	27.1	20.6	61.8	54.1	52.8	50.0	53.0	18	
5.5	5.8	10.5	31.1	30.9	29.9	27.0	21.8	61.8	63.1	63.9	66.2	66.7	19	
31.8	19.6	14.0	33.1	26.4	21.5	26.2	38.0	36.4	44.2	41.0	48.4	44.6	20	
34.6	24.0	8.1	21.8	9.3	11.2	11.6	9.4	5.8	7.8	6.6	11.4	3.5	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	22	
4.8	5.6	8.4	7.5	7.2	6.9	6.3	6.0	76.8	76.6	80.6	80.8	78.3	23	
6.8	6.5	6.4	18.3	16.4	12.5	11.5	12.7	68.9	68.9	74.4	77.1	74.3	24	
29.9	20.1	10.9	2.3	3.2	9.9	8.3	3.3	1.7	2.8	3.4	5.6	4.2	25	

PART II

MATERNITY AND NEWBORN

PART II - MATERNITY AND NEWBORN

Form of Assistance Rendered

Maternity services cover care and supervision of the mother during pregnancy; nursing care and health instruction to the mother and baby on return from hospital; assistance to the doctor at the time of the delivery, if the baby is born at home, and care of both mother and child immediately following birth, with continuing instruction to the mother.

Average Duration of Nursing Service


An interesting trend is noted in Chart 4 with respect to the number of maternity cases receiving

nursing services in excess of three months. In addition over 59 per cent of the cases handled received nursing services for at least a month's duration. Table 4 supplies the distribution of cases and visits between prenatal and postnatal cases. Comparison of duration of nursing service trends between 1957 and 1958 for prenatal cases reveals that 69 per cent of cases in 1958 received nursing services for more than three months as compared with 58 per cent in 1957.

TABLE D. Ratio of Complications of Pregnancy to Total Maternity Cases by Age Group, 1958

Age	Normal maternity cases (A)	Complications of pregnancy (B)	Ratio (A) to (B)
All ages	32,230	1,545	20.8
Under 20 years.....	2,628	90	29.2
20-24 years	10,499	386	27.2
25-29 "	9,704	459	21.1
30-34 "	5,717	317	18.0
35-39 "	2,642	216	12.2
40-44 "	644	70	9.2
45-49 "	41	7	5.9
Not stated.....	355	-	-

CHART - 4



SOURCE: Table 4

Percentage distribution of maternity and newborn cases and visits by duration of nursing service, 1958.

TABLE 3. Number and Percentage of Cases and Visits (Maternity) and Average Visits per Case by Age, 1958

Item	All ages	Age								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Cases										
Number:										
Total	32,230	8	2,620	10,499	9,704	5,717	2,642	644	41	355
Prenatal	9,909	5	873	3,399	2,991	1,610	700	168	11	152
Postnatal	22,321	3	1,747	7,100	6,713	4,107	1,942	476	30	203
Per cent:										
Total	100.0	--	8.1	32.6	30.1	17.8	8.2	2.0	0.1	1.1
Prenatal	100.0	--	8.8	34.3	30.2	16.3	7.1	1.7	0.1	1.5
Postnatal	100.0	--	7.8	31.8	30.1	18.4	8.7	2.1	0.2	0.9
Visits										
Number:										
Total	91,212	20	7,302	29,281	27,438	16,669	7,756	1,797	123	826
Prenatal	44,583	14	3,684	14,616	13,399	7,951	3,618	795	57	449
Postnatal	46,629	6	3,618	14,665	14,039	8,718	4,138	1,002	66	377
Nursing care	3,737	1	272	935	1,050	797	546	97	17	22
Health instruction	87,475	19	7,030	28,346	26,388	15,872	7,210	1,700	106	804
Per cent:										
Total	100.0	--	8.0	32.1	30.1	18.3	8.5	2.0	0.1	0.9
Prenatal	100.0	--	8.3	32.8	30.1	17.8	8.1	1.8	0.1	1.0
Postnatal	100.0	--	7.8	31.5	30.1	18.7	8.9	2.1	0.1	0.8
Nursing care	100.0	--	7.3	25.0	28.1	21.3	14.6	2.6	0.5	0.6
Health instruction	100.0	--	8.0	32.4	30.2	18.2	8.2	2.0	0.1	0.9
Average visits per case:										
Total	2.8	2.5	2.8	2.8	2.8	2.9	2.9	2.8	3.0	2.3
Prenatal	4.5	2.8	4.2	4.3	4.5	4.9	5.2	4.7	5.2	3.0
Postnatal	2.1	2.0	2.1	2.1	2.1	2.1	2.1	2.1	2.2	1.9

TABLE 4. Number and Percentage of Cases and Visits (Maternity) and Average Visits per Case by Duration of Nursing Service, 1958

Item	All durations	Duration of nursing service				
		1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year
Cases						
Number:						
Total	32,230	1,239	649	11,174	12,232	6,936
Prenatal	9,909	307	45	227	2,535	6,785
Postnatal	22,321	932	604	10,947	9,697	141
Per cent:						
Total	100.0	3.8	2.0	34.7	38.0	21.5
Prenatal	100.0	3.1	0.4	2.3	25.6	68.6
Postnatal	100.0	4.2	2.7	49.0	43.5	0.6
Visits						
Number:						
Total	91,212	1,242	1,115	22,792	31,319	34,744
Prenatal	44,583	311	91	570	9,173	34,438
Postnatal	46,629	931	1,024	22,222	22,146	306
Nursing care	3,737	46	86	447	1,711	1,447
Health instruction	87,475	1,196	1,029	22,345	29,608	33,297
Per cent:						
Total	100.0	1.4	1.2	25.0	34.3	38.1
Prenatal	100.0	0.7	0.2	1.3	20.6	77.2
Postnatal	100.0	2.0	2.2	47.7	47.5	0.6
Nursing care	100.0	1.2	2.3	12.0	45.8	38.7
Health instruction	100.0	1.4	1.2	25.5	33.8	38.1
Average visits per case:						
Total	2.8	1.0	1.7	2.0	2.6	5.0
Prenatal	4.5	1.0	2.0	2.5	3.6	5.1
Postnatal	2.1	1.0	1.7	2.0	2.3	2.2

TABLE 5. Number and Percentage of Cases and Visits (Newborn) and Average Visits per Case, 1958

Item	Both sexes	Sex		
		Male	Female	Not stated
Cases				
Number	31,119	16,053	15,036	30
Per cent	100.0	51.6	48.3	0.1
Visits				
Number:				
Total	95,931	49,916	45,903	112
Nursing care	22,291	11,813	10,455	23
Health instruction	73,640	38,108	35,448	89
Per cent:				
Total	100.0	52.0	47.9	0.1
Nursing care	100.0	53.0	46.9	0.1
Health instruction	100.0	51.8	48.1	0.1
Average visits per case	3.1	3.1	3.1	3.7

TABLE 6. Complications of Pregnancy by Diagnosis and Age, 1958

Detailed list numbers	Cause	All ages	Age					
			15-19	20-24	25-29	30-34	35-39	40-44
All causes								
	All causes	1,545	90	386	459	317	216	70
	Complications of pregnancy (640-649)	282	13	79	88	55	34	12
640	Pyelitis and pyelonephritis of pregnancy	—	—	—	—	—	—	—
641	Other infections of the genito-urinary tract during pregnancy	1	—	—	—	—	1	—
642	Toxaemias of pregnancy	56	—	16	22	10	5	3
643	Placenta praevia	1	—	1	—	—	—	—
644	Other haemorrhage of pregnancy	15	—	7	2	4	1	1
645	Ectopic pregnancy	4	—	—	2	—	2	—
646	Anaemia of pregnancy	12	1	3	4	1	2	1
647	Pregnancy with malposition of foetus in uterus	—	—	—	—	—	—	—
648	Other complications arising from pregnancy	193	12	52	58	40	23	7
649	Pregnancy associated with other conditions	—	—	—	—	—	—	—
Abortion (650-652)								
	Abortion (650-652)	58	2	10	16	11	12	6
650	Abortion without mention of sepsis or toxæmia	58	2	10	16	11	12	6
651	Abortion with sepsis	—	—	—	—	—	—	—
652	Abortion with toxæmia, without mention of sepsis	—	—	—	—	—	—	—
Delivery with specified complication (670-678)								
	Delivery with specified complication (670-678)	867	34	207	254	196	128	44
670	Delivery complicated by placenta praevia or antepartum haemorrhage	5	—	2	—	3	—	—
671	Delivery complicated by retained placenta	4	—	—	2	2	—	—
672	Delivery complicated by other postpartum haemorrhage	157	10	46	52	22	23	3
673	Delivery complicated by abnormality of bony pelvis ..	639	19	140	182	156	99	41
674	Delivery complicated by disproportion or malposition of foetus	3	—	1	1	1	—	—
675	Delivery complicated by prolonged labour of other origin	1	—	1	—	—	—	—
676	Delivery with laceration of perineum, without mention of other laceration	57	4	17	17	12	6	1
677	Delivery with other trauma	—	—	—	—	—	—	—
678	Delivery with other complications of childbirth	1	1	—	—	—	—	—
Complications of the puerperium (680-689)								
	Complications of the puerperium (680-689)	338	41	90	101	55	42	8
680	Puerperal urinary infection without other sepsis	9	2	5	2	—	—	—
681	Sepsis of childbirth and the puerperium	15	2	4	3	4	1	1
682	Puerperal phlebitis and thrombosis	32	1	7	6	6	10	1
683	Pyrexia of unknown origin during the puerperium	—	—	—	—	—	—	—
684	Puerperal pulmonary embolism	—	—	—	—	—	—	—
685	Puerperal eclampsia	5	1	2	1	—	1	—
686	Other forms of puerperal toxæmia	10	3	2	4	—	1	—
687	Cerebral haemorrhage in the puerperium	—	—	—	—	—	—	—
688	Other and unspecified complications of the puerperium	74	5	13	25	16	12	3
689	Mastitis and other disorders of lactation	193	27	57	60	29	17	3

PART III

MEDICAL AND SURGICAL.

PART III - MEDICAL AND SURGICAL

Value of Medical and Surgical Case Statistics

Statistics of home nursing services for medical and surgical cases by diagnostic groups have the objective of showing to what extent certain conditions receive home nursing services. Although V.O.N. nursing services are available to approximately 43 per cent of the Canadian population, of the provinces in which V.O.N. branches are located, statistics related to these services have a limited value in reflecting morbidity in Canada. However, the relatively unchanging pattern of the analysis of diagnostic groups for which V.O.N. nursing care is utilized, would seem to indicate the pattern of chronic illness, for which home care is of importance, within the older age groups in urban areas of Canada.

Predominant Group Receiving V.O.N. Services

That the major group receiving care consists of women 65 years of age and over is emphasized in Charts 5 and 6. In addition, the general tendency for women to outlive their husbands seem to be reflected in the larger percentage of widows receiving nursing care in the older age groups compared with the same ratio for men. Census data for 1945 reveal that 49 per cent of those 65 and over were women. In 1957 this percentage had increased to 50.3 per cent. It seems apparent that, if other factors remain relatively constant, this trend may have some effect on the future caseload of many V.O.N. branches.

Analysis of the Leading Diagnostic Groups

Fifty-three per cent of V.O.N. cases are included within the five disease classifications shown in Chart 7. This Chart indicates which age groups are affected by each disease classification, and also cites the significance of each of these diseases within each age group.

Over 10 per cent of all V.O.N. cases treated are afflicted with a heart condition; within this group 80 per cent are 65 years of age and over. Variation between sexes is most pronounced for those suffering from malignant neoplasms, males 65 years of age and over accounted for 65 per cent of the cases in this cause group, compared with 49 per cent of the women in the same age group.

The cause group, diseases of the digestive system, in which about 15 per cent of all cases were located, accounted for the largest individual percentage of any cause group.

While Chart 7 reflects the main diagnostic groups based on case statistics, the analysis in Chart 8 is based on the volume of visits rendered for each condition. Again, the older age groups predominantly influence the pattern of visits for the leading cause groups. Chronic conditions such as

diseases of the heart, diabetes, anaemias and cancer, occurring principally among the aged, account for the largest proportion of visits. For each case of diabetes an average of 52 visits were made. On the other hand, cancer cases received an average of 21 visits each. This variance accounts for diabetes appearing as a leading diagnostic group in the visit category but not in the case analysis as portrayed in Chart 7.

Case-visit Analysis by Marital Status

In prior years the ratio of visits to cases, although useful in analysing the relative amount of work involved for different medical or surgical conditions were limited in use for comparing service workloads from year to year, for the same condition. It was felt that changes in medical treatment for a specified condition might result directly in either shorter nursing service or fewer visits for each case. Ratio data of this nature are especially desirable in studying the needs of those chronically ill over continuing periods of time. Tables 14 and 30 as well as Chart 10 show the ratio of visits to cases in varying relationships.

Health Instruction Visits

Although only a small percentage of visits made to medical and surgical cases were for health instruction purposes, Chart 10 illustrates the importance of this type of visit to the younger age groups. It is also quite noticeable that although the number of visits to each age category as shown in Chart 6 rapidly increases from age 45 to 74, the ratio of health instruction visits to nursing visits fluctuates very little in contrast. The role that competent health instruction plays for all age groups, within the framework of general nursing care, is quite evident in Chart 10.

Duration of Nursing Service

The variations in the average duration of nursing service among the age categories shown are accurately reflected in Chart 12. The longer nursing service required by older age groups resulted in 30 per cent of nursing time being devoted to those cases 75 years of age and over, while the 15-24 year age group accounted for 4 per cent. Also in this age category 25 per cent of all cases received nursing care for one day only compared with 19 per cent for those 75 and over.

V.O.N. Case Structure Compared with Equivalent Population Data

In 1957 an analysis of Canada's population by marital status indicated that 51 per cent were single, 44 per cent married and 5 per cent widowed, divorced, or separated. A similar analysis of V.O.N. case statistics shows that 24 per cent of all cases were single, 46 per cent married and 30 per cent in

the other marital group. Considerable variance among age groups for V.O.N. cases as compared with similar population data, existed only for the married group. Although 52 per cent of all married persons were between 25 and 44 years of age, this age group accounted for only 22 per cent of all the V.O.N. cases in the married group. On the other hand, 45 per cent of all married V.O.N. cases were within the 65 and over age group as compared with 9 per cent of the equivalent population category.

Summary

A probable increase in V.O.N. activities occurred during 1958. Older age groups particularly within the other marital classification accounted for an increasing share of V.O.N. nursing services. Health instruction still plays an important part in V.O.N. work. Those suffering from chronic illnesses, particularly within the older age groups, still receive a major portion of the help extended by this Order.

TABLE E. Ratio of Health Instruction Visits to Nursing Care Visits by Age Group, 1958

Age	Type of visit		Ratio (A) to (B)
	Nursing care (A)	Health instruction (B)	
All ages.....	665,985	37,519	17.8
Under 1 year.....	4,381	2,920	1.5
1- 4 years.....	6,764	1,886	3.6
5-14 ".....	5,862	1,403	4.2
15-24 ".....	9,830	2,158	4.6
25-34 ".....	16,498	3,398	4.9
35-44 ".....	35,414	2,638	13.4
45-54 ".....	49,697	2,204	22.5
55-64 ".....	91,543	3,856	23.7
65-69 ".....	75,413	2,787	27.1
70-74 ".....	116,567	4,013	29.0
75-79 ".....	115,497	4,857	23.8
80-84 ".....	69,055	2,767	25.0
85 and over.....	69,464	2,632	26.4

TABLE F. Summary of Five Leading Cause Groups as Determined by the Percentage of Post-hospital Cases to Total Cases

Cause	Cases		
	Total cases	Post-hospital	
		Number	Per cent
Complications of pregnancy, childbirth, and the puerperium	1,545	1,362	88.2
Benign neoplasms	278	195	70.1
Malignant neoplasms	2,976	1,886	63.4
Tuberculosis	231	146	63.2
Congenital malformations	95	57	60.0


TABLE G. International Classification Detailed List Numbers Associated with Diagnostic Groups Used Herein

No.	Cause	Detailed list numbers	C-List numbers
1	Tuberculosis	001 - 019	C-1, C-2
2	Other infective and parasitic diseases	020 - 138	C-3 - C-11
3	Malignant neoplasms	140 - 205	C-12
4	Benign neoplasms	210 - 239	C-13
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes	240 - 254 270 - 289	C-14, C-15, C-49a, C-49b
6	Diabetes	260	C-16
7	Anaemias and other diseases of the blood and blood-forming organs ..	290 - 299	C-18, C-49c
8	Mental, psychoneurotic, and personality disorders	300 - 326	
9	Diseases of the central nervous system and sense organs	330 - 352	C-19 - C-22, C-49d, C-49e
10	Other diseases of the central nervous system and sense organs	353 - 398	
11	Rheumatic fever	400 - 402	C-23
12	Diseases of the heart	410 - 434	C-24, C-25, C-49f
13	Other diseases of the circulatory system	440 - 468	C-26, C-49g, C-49h
14	Diseases of the respiratory system	470 - 527	C-28 - C-34 ¹
15	Diseases of the digestive system	530 - 587	C-35 - C-40 ¹
16	Diseases of the genito-urinary system	590 - 637	C-41, C-42, C-49i
17	Complications of pregnancy, childbirth, and the puerperium	640 - 689	
18	Diseases of the skin and cellular tissue	690 - 716	C-44, C-45
19	Arthritis and rheumatism, except rheumatic fever	720 - 727	C-46
20	Other diseases of the bones and organs of movement	730 - 749	C-47
21	Congenital malformations	750 - 759	C-48 ¹
22	Certain diseases of early infancy	760 - 776	
23	Symptoms, senility, and ill-defined conditions	780 - 795	C-49j
24	Alternative classification of accidents, poisonings, and violence (nature of injury)	N800 - N999	C-50
25	Other admissions	Y00 - Y88	-

¹ Categories 763 (pneumonia of newborn) and 764 (diarrhoea of newborn), part of C-31 and C-38 respectively, are included in "Certain diseases of early infancy".

CHART - 5



MEDICAL AND SURGICAL CASES BY AGE, SEX
AND MARITAL STATUS



SOURCE: Unpublished material

Number of medical and surgical cases by single years of age, sex and marital status, 1958.

CHART - 6


AGE AND SEX DISTRIBUTION
OF CASES AND VISITS

SOURCE: Tables 8 and 11


Number of medical and surgical cases and visits by age and sex, 1958.

CHART - 7

**PERCENTAGE DISTRIBUTION OF FIVE LEADING ILLNESSES
BY AGE AND SEX**
(CASES)



**RELATIVE IMPORTANCE OF THESE FIVE ILLNESSES
TO EACH AGE GROUP**




SOURCE: Tables 9 and 10


Percentage distribution of medical and surgical cases for selected causes with the greatest number of cases by age and sex, 1958.

CHART - 8

**PERCENTAGE DISTRIBUTION OF FIVE LEADING ILLNESSES
BY AGE AND SEX**
(VISITS)




**RELATIVE IMPORTANCE OF THESE FIVE ILLNESSES
TO EACH AGE GROUP**



SOURCE: Tables 12 and 13


Percentage distribution of medical and surgical visits for selected causes with the greatest number of visits by age and sex, 1958.

CHART - 9




Average visits per medical and surgical case by marital status and sex, 1958.

CHART - 10



Ratio of nursing care visits to health instruction visits for medical and surgical cases by age, 1958.

CHART - II



SOURCE: Table I7

DURATION OF NURSING SERVICE


Percentage distribution of medical and surgical cases by sex and duration of nursing service, 1958.

TABLE H. Analysis of C-List Category C-49 as Shown in Table 7

Cause	Detailed list numbers
C-49a Diseases of other endocrine glands	270-277
C-49b Other metabolic diseases	287-289
C-49c Other diseases of blood and blood-forming organs	294-299
C-49d Disorders of character, behaviour, and intelligence	320-326
C-49e Other diseases of nervous system	340-369
C-49f Other diseases of heart	430-434
C-49g Diseases of arteries	450-456
C-49h Other diseases of circulatory system	467-468
C-49i Other diseases of urinary system	600-609
C-49j Symptoms, senility, and ill-defined conditions	780-795

CHART - 12

DURATION OF NURSING SERVICE BY AGE GROUPS




SOURCE: Table 20

Percentage distribution of medical and surgical cases by age and duration of nursing service, 1958.

CHART - 13

**COMPARISON OF CENSUS DATA AND V.O.N. CASE DATA
BY MARITAL STATUS AND AGE**



SOURCE: Table 28 and 1957 population estimates D.B.S.

Percentage distribution of medical and surgical cases 1958 compared with the 1957 population estimates by marital status, and age.

TABLE 7. Number of Cases and Visits by Cause (Special List of 50 Causes), 1958

No.	Cause and detailed list numbers	Total cases	Visits		
			Total	Nursing care	Health instruction
	All causes	38,757	703,504	665,985	37,519
C 1	Tuberculosis of respiratory system (001-008)	143	6,831	6,713	118
C 2	Tuberculosis, other forms (010-019)	88	3,835	3,774	61
C 3	Syphilis and its sequelae (020-029)	19	780	769	11
C 4	Gonococcal infection (030-035)	2	21	21	-
C 5	Dysentery, all forms (045-048)	6	16	15	1
C 6	Other infective diseases commonly arising in intestinal tract (040-044, 049)	5	16	15	1
C 7a	Scarlet fever (050)	41	133	95	38
C 7b	Diphtheria (055)	-	-	-	-
C 7c	Whooping cough (056)	18	78	50	28
C 7d	Measles (085)	215	624	426	198
C 7e	Mumps (089)	58	151	113	38
C 8	Typhus and other rickettsial diseases (100-108)	-	-	-	-
C 9	Malaria (110-117)	7	15	8	7
C10	Diseases due to helminths (123-130)	11	29	15	14
C11	All other diseases classified as infective and parasitic (036-039, 051-054, 057-084, 086-088, 090-096, 120-122, 131-138)	575	3,934	3,488	446
C12	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	2,976	61,657	58,765	2,892
C13	Benign neoplasms and neoplasms of unspecified nature (210-239)	278	2,722	2,533	189
C14	Allergic disorders (240-245)	287	5,673	5,381	292
C15	Diseases of thyroid gland (250-254)	23	1,101	1,054	47
C16	Diabetes (260)	1,805	94,502	92,248	2,254
C49a	Diseases of other endocrine glands (270-277)	18	522	517	5
C17	Avitaminosis and other deficiency states (280-286)	91	2,782	2,715	67
C49b	Other metabolic diseases (287-289)	26	695	657	38
C18	Anaemias (290-293)	1,788	58,169	56,406	1,763
C49c	Other diseases of blood and blood-forming organs (294-299)	16	124	115	9
C19	Psychoneuroses and psychoses (300-318)	217	4,159	3,786	373
C49d	Disorders of character, behaviour, and intelligence (320-326)	52	899	846	53
C20	Vascular lesions affecting central nervous system (330-334)	1,562	42,342	40,948	1,394
C49e	Other diseases of nervous system (340-369)	1,456	55,124	53,422	1,702
C21	Diseases of eye (370-389)	194	3,485	3,323	162
C22	Diseases of ear and mastoid process (390-398)	237	1,165	963	202
C23	Rheumatic fever (400-402)	26	259	231	28

TABLE 7. Number of Cases and Visits by Cause (Special List of 50 Causes), 1958 — Concluded

No.	Cause and detailed list numbers	Total cases	Visits		
			Total	Nursing care	Health instruction
C24	Chronic rheumatic heart disease (410-416)	108	3,870	3,780	90
C25	Arteriosclerotic and degenerative heart disease (420-422)	989	31,348	30,563	785
C49f	Other diseases of heart (430-434)	2,892	83,239	80,436	2,803
C26	Hypertensive disease (440-447)	294	9,215	8,987	228
C49g	Diseases of arteries (450-456)	378	11,743	11,454	289
C27	Diseases of veins (460-466)	328	11,798	11,363	435
C49h	Other diseases of circulatory system (467-468)	62	652	627	25
C28	Acute nasopharyngitis (common cold) (470)	468	1,058	731	327
C29	Acute pharyngitis and tonsillitis, and hypertrophy of tonsils and adenoids (472, 473, 510)	416	1,165	877	288
C30	Influenza (480-483)	1,115	4,176	3,417	759
C31	Pneumonia (490-493, 763)	678	5,072	4,539	533
C32	Bronchitis (500-502)	462	1,953	1,597	356
C33	Silicosis and occupational pulmonary fibrosis (523, 524)	6	37	27	10
C34	All other respiratory diseases (471, 474, 475, 511-522, 525-527)	553	6,419	6,044	375
C35	Diseases of stomach and duodenum, except cancer (540-545)	289	2,359	2,165	194
C36	Appendicitis (550-553)	165	1,365	1,242	123
C37	Hernia of abdominal cavity (560, 561)	167	2,458	2,292	166
C38	Diarrhoea and enteritis (571, 764)	166	967	827	140
C39	Diseases of gallbladder and bile ducts (584-586)	446	3,794	3,405	389
C40	Other diseases of digestive system (530-539, 570, 572-583, 587)	4,422	21,984	19,474	2,510
C41	Nephritis and nephrosis (590-594)	76	1,613	1,516	97
C49i	Other diseases of urinary system (600-609)	377	7,892	7,569	323
C42	Diseases of genital organs (610-637)	1,018	9,878	9,135	743
C43b	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	1,545	8,843	4,168	4,675
C44	Boil, abscess, cellulitis and other skin infections (690-698)	558	4,999	4,466	533
C45	Other diseases of skin (700-716)	413	6,766	6,298	468
C46	Arthritis and rheumatism, except rheumatic fever (720-727)	975	32,225	31,466	759
C47	Diseases of bones and other organs of movement (730-749)	256	6,034	5,789	245
C48	Congenital malformations and diseases peculiar to early infancy (750-762, 765-776)	127	1,027	764	263
C49j	Symptoms, senility, and ill-defined conditions (780-795) ..	4,068	34,944	31,959	2,985
C50	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999)	1,941	28,889	27,266	1,623
-	Other admissions (Y00-Y88)	759	3,879	2,330	1,549

TABLE 8. Number of Cases by Cause, Sex and Age, 1958

No.	Cause and detailed list number	All ages	Age				
			Under 1 year	1-4	5-14	15-24	
	All causes	T. M. F.	38,757 11,767 26,990	1,927 1,074 853	2,126 1,040 1,086	1,781 865 916	1,416 224 1,192
1	Tuberculosis (001-019)	T. M. F.	231 88 143	— — —	3 1 2	8 6 2	15 7 8
2	Other infective and parasitic diseases (020-138)	T. M. F.	957 362 595	71 43 28	230 101 129	270 125 145	30 10 20
3	Malignant neoplasms (140-205)	T. M. F.	2,976 968 2,008	— — —	12 5 7	7 4 3	14 3 11
4	Benign neoplasms (210-239)	T. M. F.	278 79 199	5 2 3	6 1 5	5 3 2	23 13 10
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, M. 270-289).	T. M. F.	445 152 293	19 15 4	34 19 15	28 13 15	20 8 12
6	Diabetes (260)	T. M. F.	1,805 569 1,236	2 2 —	9 5 4	31 18 13	20 10 10
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. M. F.	1,804 255 1,549	3 1 2	5 3 2	5 3 2	27 1 26
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	269 44 225	1 — 1	5 3 2	6 4 2	7 2 5
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	2,579 839 1,740	2 2 —	6 2 4	9 1 8	25 6 19
10	Other diseases of the central nervous system and sense organs (353-398).	T. M. F.	870 246 624	50 29 21	111 55 56	66 27 39	15 2 13
11	Rheumatic fever (400-402)	T. M. F.	26 3 23	— — —	1 — 1	8 2 6	5 — 5
12	Diseases of the heart (410-434)	T. M. F.	3,989 1,565 2,424	3 1 2	— — —	2 — 2	6 — 6

TABLE 8. Number of Cases by Cause, Sex and Age, 1958

Age									No.
25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85 and over	
2,343	2,502	2,883	4,400	3,331	4,617	4,755	3,448	3,248	
285	393	759	1,283	975	1,386	1,460	1,150	873	
2,058	2,109	2,184	3,117	2,356	3,231	3,295	2,298	2,375	
44	60	41	20	11	14	8	6	1	1
9	22	15	11	6	6	2	3	—	
35	38	26	9	5	8	6	3	1	
41	38	43	43	45	48	47	32	19	2
7	10	10	12	6	9	12	8	9	
34	28	33	31	39	39	35	24	10	
42	212	409	668	417	430	360	250	155	3
6	23	96	205	142	173	130	113	68	
36	189	313	463	275	257	230	137	87	
36	41	43	37	17	24	20	14	7	4
8	6	10	11	6	10	6	2	1	
28	35	33	26	11	14	14	12	6	
32	24	41	58	40	52	48	36	13	5
2	4	10	12	11	21	16	15	6	
30	20	31	46	29	31	32	21	7	
30	65	118	347	301	359	306	155	62	6
11	24	35	100	67	103	112	58	24	
19	41	83	247	234	256	194	97	38	
75	129	115	206	195	316	324	248	156	7
4	3	12	26	32	41	48	49	32	
71	126	103	180	163	275	276	199	124	
27	52	42	41	22	26	19	15	6	8
3	2	8	2	3	3	8	4	2	
24	50	34	39	19	23	11	11	4	
50	110	160	291	318	504	493	379	232	9
10	26	45	86	114	167	161	134	85	
40	84	115	205	204	337	332	245	147	
46	64	90	88	79	83	88	59	31	10
6	9	20	24	24	21	14	9	6	
40	55	70	64	55	62	74	50	25	
3	3	3	2	—	1	—	—	—	11
—	—	—	—	—	—	—	—	—	
3	3	2	2	—	1	—	—	—	
16	61	209	554	548	767	824	571	428	12
5	18	84	229	214	317	328	220	149	
11	43	125	325	334	450	496	351	279	

TABLE 8. Number of Cases by Cause, Sex and Age, 1958—Concluded

No.	Cause and detailed list numbers	All ages	Age			
			Under 1 year	1-4	5-14	15-24
13	Other diseases of the circulatory system (440-468).	T. 1,062 M. 289 F. 773	2 1 1	7 2 5	12 2 10	8 1 7
14	Diseases of the respiratory system (470-527)....	T. 3,697 M. 1,268 F. 2,429	408 214 194	582 276 306	384 165 219	194 52 142
15	Diseases of the digestive system (530-587)	T. 5,653 M. 1,791 F. 3,862	217 120 97	319 154 165	247 119 128	203 30 173
16	Diseases of the genito-urinary system (590-637)	T. 1,471 M. 406 F. 1,065	53 53 —	34 28 6	44 24 20	83 2 81
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689).	T. 1,545 M. — F. 1,545	— — —	— — —	— — —	476 — 476
18	Diseases of the skin and cellular tissue (690-716).	T. 971 M. 382 F. 589	59 34 25	91 53 38	81 42 39	30 13 17
19	Arthritis and rheumatism, except rheumatic fever (720-727).	T. 975 M. 150 F. 825	— — —	2 1 1	3 — 3	5 2 3
20	Other diseases of the bones and organs of movement (730-749).	T. 256 M. 98 F. 158	5 1 4	6 2 4	24 18 6	10 7 3
21	Congenital malformations (750-759)	T. 95 M. 48 F. 47	39 20 19	17 6 11	24 16 8	2 1 1
22	Certain diseases of early infancy (760-776)	T. 35 M. 17 F. 18	35 17 18	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795)	T. 4,068 M. 1,221 F. 2,847	255 141 114	437 202 235	341 165 176	148 35 113
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999).	T. 1,941 M. 537 F. 1,404	25 11 14	193 114 79	163 104 59	48 18 30
25	Other admissions (Y00-Y88)	T. 759 M. 390 F. 369	673 367 306	16 7 9	13 4 9	2 1 1

HOME NURSING SERVICES

TABLE 8. Number of Cases by Cause, Sex and Age, 1958—Concluded

Age									No.
25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85 and over	
33 5 28	48 8 40	65 17 48	118 39 79	118 29 89	170 44 126	189 58 131	135 49 86	157 34 123	13
273 67 206	258 41 217	267 68 199	295 95 200	185 48 137	221 60 161	275 78 197	175 62 113	180 42 138	14
260 48 212	338 74 264	468 156 312	711 203 508	470 135 335	650 190 460	687 216 471	509 194 315	574 152 422	15
177 4 173	207 11 196	175 15 160	171 49 122	92 31 61	146 60 86	124 52 72	91 44 47	74 33 41	16
776 — 776	286 — 286	7 — 7	— — —	— — —	— — —	— — —	— — —	— — —	17
67 23 44	80 27 53	96 28 68	90 21 69	59 25 34	97 41 56	97 38 59	61 18 43	63 19 44	18
11 2 9	40 6 34	63 16 47	155 21 134	97 14 83	176 23 153	188 33 155	119 19 100	116 13 103	19
11 4 7	24 7 17	50 22 28	40 19 21	14 4 10	33 2 31	19 4 15	11 5 6	9 3 6	20
4 1 3	1 — 1	3 2 1	2 — 2	1 — 1	2 — —	— — —	— — —	— — —	21
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	22
207 35 172	227 37 190	216 51 165	253 70 183	161 36 125	294 70 224	390 98 292	405 110 295	734 171 563	23
79 24 55	128 32 96	130 37 93	207 46 161	137 27 110	198 23 175	238 44 194	171 33 138	224 24 200	24
3 1 2	6 3 3	9 1 8	3 2 1	4 1 3	6 — 6	11 2 9	6 1 5	7 — 7	25

DOMINION BUREAU OF STATISTICS

TABLE 9. Percentage Distribution of Cases by Cause, Sex and Age, 1958

(All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age				
			Under 15	15-44	45-64	65 and over	
	All causes	T. M. F.	100.0 100.0 100.0	15.1 25.3 10.6	16.2 7.6 19.9	18.7 17.4 19.3	50.0 49.7 50.2
1	Tuberculosis (001-019)	T. M. F.	100.0 100.0 100.0	4.8 8.0 2.8	51.5 43.2 56.6	26.4 29.5 24.5	17.3 19.3 16.1
2	Other infective and parasitic diseases (020-138)	T. M. F.	100.0 100.0 100.0	59.7 74.3 50.8	11.3 7.4 13.8	9.0 6.1 10.7	20.0 12.2 24.7
3	Malignant neoplasms (140-205)	T. M. F.	100.0 100.0 100.0	0.6 0.9 0.5	9.0 3.3 11.8	36.2 31.1 38.6	54.2 64.7 49.1
4	Benign neoplasms (210-239)	T. M. F.	100.0 100.0 100.0	5.7 7.6 5.0	36.0 34.2 36.7	28.8 26.6 29.7	29.5 31.6 28.6
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289). .	T. M. F.	100.0 100.0 100.0	18.2 30.9 11.6	17.1 9.2 21.2	22.2 14.5 26.2	42.5 45.4 41.0
6	Diabetes (260)	T. M. F.	100.0 100.0 100.0	2.3 4.4 1.3	6.4 7.9 5.7	25.8 23.7 26.7	65.5 64.0 66.3
7	Anaemias and other diseases of the blood and blood-forming organs (290-299). .	T. M. F.	100.0 100.0 100.0	0.7 2.7 0.4	12.8 3.2 14.4	17.8 14.9 18.3	68.7 79.2 66.9
8	Mental, psychoneurotic, and personality disorders (300-326) .	T. M. F.	100.0 100.0 100.0	4.4 15.9 2.2	32.0 15.9 35.2	30.9 22.7 32.4	32.7 45.5 30.2
9	Diseases of the central nervous system and sense organs (330-352) .	T. M. F.	100.0 100.0 100.0	0.6 0.6 0.7	7.2 5.0 8.2	17.5 15.6 18.4	74.7 78.8 72.7
10	Other diseases of the central nervous system and sense organs (353-398) .	T. M. F.	100.0 100.0 100.0	26.1 45.1 18.6	14.4 6.9 17.3	20.4 17.9 21.5	39.1 30.1 42.6
11	Rheumatic fever (400-402)	T. M. F.	100.0 100.0 100.0	34.7 66.7 30.4	42.3 — 47.9	19.2 33.3 17.4	3.8 — 4.3
12	Diseases of the heart (410-434)	T. M. F.	100.0 100.0 100.0	0.1 0.1 0.1	2.1 1.4 2.5	19.1 20.0 18.6	78.7 78.5 78.8

TABLE 9. Percentage Distribution of Cases by Cause, Sex and Age, 1958 – Concluded
 (All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers.	All ages	Age			
			Under 15	15-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468) T. M. F.	100.0 100.0 100.0	2.0 1.7 2.1	8.4 4.8 9.7	17.2 19.4 16.4	72.4 74.1 71.8
14	Diseases of the respiratory system (470-527) T. M. F.	100.0 100.0 100.0	37.2 51.7 29.6	19.6 12.6 23.3	15.2 12.8 16.4	28.0 22.9 30.7
15	Diseases of the digestive system (530-587) T. M. F.	100.0 100.0 100.0	13.9 22.0 10.1	14.1 8.5 16.8	20.9 20.0 21.2	51.1 49.5 51.9
16	Diseases of the genito-urinary system (590-637) T. M. F.	100.0 100.0 100.0	8.9 25.9 2.4	31.8 4.1 42.3	23.5 15.8 26.5	35.8 54.2 28.8
17	Complications of pregnancy, childbirth, and the puerperium (640-652,670-689). T. M. F.	100.0 — 100.0	— — —	99.5 — 99.5	0.5 — 0.5	— — —
18	Diseases of the skin and cellular tissue (690-716) T. M. F.	100.0 100.0 100.0	23.8 33.8 17.3	18.2 16.5 19.4	19.2 12.8 23.3	38.8 36.9 40.0
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	100.0 100.0 100.0	0.5 0.6 0.5	5.7 6.7 5.6	22.4 24.7 21.9	71.4 68.0 72.0
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	100.0 100.0 100.0	13.6 21.4 8.9	17.6 18.4 17.1	35.2 41.8 31.0	33.6 18.4 43.0
21	Congenital malformations (750-759) T. M. F.	100.0 100.0 100.0	84.2 87.4 80.9	7.3 4.2 10.6	5.3 4.2 6.4	3.2 4.2 2.1
22	Certain diseases of early infancy (760-776) T. M. F.	100.0 100.0 100.0	100.0 100.0 100.0	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	100.0 100.0 100.0	25.4 41.6 18.4	14.3 8.8 16.7	11.5 9.9 12.2	48.8 39.7 52.7
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	100.0 100.0 100.0	19.6 42.6 10.8	13.1 13.8 12.9	17.4 15.5 18.1	49.9 28.1 58.2
25	Other admissions (Y00-Y88) T. M. F.	100.0 100.0 100.0	92.5 96.9 87.8	1.4 1.3 1.6	1.6 0.8 2.4	4.5 1.0 8.2

TABLE 10. Percentage Distribution of Cases by Cause, Sex and Age, 1958

(All causes for each age group = 100 per cent).

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
	All causes	T. M. F.	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0
1	Tuberculosis (001-019).....	T. M. F.	0.6 0.7 0.5	0.2 0.2 0.1	1.9 4.2 1.5	0.8 1.3 0.7
2	Other infective and parasitic diseases (020-138).....	T. M. F.	2.4 3.1 2.2	9.8 9.1 10.6	1.7 3.0 1.5	1.2 1.1 1.2
3	Malignant neoplasms (140-205)	T. M. F.	7.7 8.2 7.4	0.3 0.3 0.3	4.3 3.5 4.4	14.8 14.7 14.9
4	Benign neoplasms (210-239)	T. M. F.	0.7 0.7 0.8	0.2 0.2 0.4	1.6 3.0 1.4	1.1 1.0 1.1
5	Allergic, endocrine, system, metabolic, and nutritional diseases, except diabetes (240-254, M; 270-289).....	T. M. F.	1.2 1.3 1.1	1.4 1.6 1.2	1.2 1.5 1.1	1.4 1.1 1.5
6	Diabetes (260).....	T. M. F.	4.6 4.8 4.6	0.7 0.8 0.6	1.8 5.0 1.3	6.4 6.6 6.3
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).....	T. M. F.	4.7 2.2 5.8	0.2 0.2 0.2	3.7 0.9 4.2	4.4 1.9 5.4
8	Mental, psychoneurotic, and personality disorders (300-326).....	T. M. F.	0.7 0.4 0.8	0.2 0.2 0.2	1.4 0.8 1.5	1.1 0.5 1.4
9	Diseases of the central nervous system and sense organs (330-352).....	T. M. F.	6.7 7.1 6.4	0.3 0.2 0.4	3.0 4.7 2.7	6.2 6.4 6.1
10	Other diseases of the central nervous system and sense organs (353-398).....	T. M. F.	2.2 2.1 2.3	3.9 3.7 4.1	2.0 1.9 2.0	2.5 2.2 2.6
11	Rheumatic fever (400-402)	T. M. F.	0.1 -- 0.1	0.1 -- 0.2	0.2 -- 0.2	0.1 -- 0.1
12	Diseases of the heart (410-434)	T. M. F.	10.3 13.3 9.0	0.1 -- 0.1	1.3 2.5 1.1	10.5 15.3 8.6
						16.2 21.0 14.1

TABLE 10. Percentage Distribution of Cases by Cause, Sex and Age, 1958 — Concluded
 (All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468) T. M. F.	2.7 2.4 2.8	0.4 0.2 0.6	1.4 1.6 1.4	2.5 2.7 2.4	4.0 3.7 4.1
14	Diseases of the respiratory system (470-527) ... T. M. F.	9.5 10.8 9.0	23.6 22.0 25.2	11.5 17.7 10.5	7.8 8.0 7.7	5.3 5.0 5.5
15	Diseases of the digestive system (530-587) T. M. F.	14.6 15.2 14.3	13.4 13.2 13.7	12.8 16.8 12.1	16.2 17.6 15.7	14.9 15.2 14.8
16	Diseases of the genito-urinary system (590-637) T. M. F.	3.8 3.5 4.0	2.2 3.6 0.9	7.5 1.9 8.4	4.7 3.1 5.4	2.7 3.8 2.3
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	4.0 — 5.7	— — —	24.6 — 28.7	0.1 — 0.1	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	2.5 3.3 2.2	4.0 4.3 3.6	2.8 7.0 2.1	2.6 2.4 2.6	1.9 2.4 1.7
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	2.5 1.3 3.1	0.1 — 0.1	0.9 1.1 0.9	3.0 1.8 3.5	3.6 1.7 4.4
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	0.7 0.8 0.5	0.6 0.7 0.5	0.7 2.0 0.5	1.2 2.0 0.9	0.4 0.3 0.5
21	Congenital malformations (750-759) T. M. F.	0.2 0.4 0.2	1.4 1.4 1.3	0.1 0.2 0.1	0.1 0.1 0.1	— — —
22	Certain diseases of early infancy (760-776) T. M. F.	0.1 0.1 0.1	0.7 0.5 0.6	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	10.5 10.4 10.5	17.7 17.1 18.4	9.3 11.9 8.9	6.5 6.0 6.7	10.2 8.3 11.1
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	5.0 4.6 5.2	6.5 7.7 5.4	4.1 8.2 3.4	4.6 4.1 4.9	5.0 2.6 6.0
25	Other admissions (Y00-Y88)..... T. M. F.	2.0 3.3 1.4	12.0 12.7 11.3	0.2 0.6 0.1	0.2 0.1 0.1	0.2 0.1 0.2

TABLE 11. Number of Visits by Cause, Sex and Age, 1958

No.	Cause and detailed list numbers	All ages	Age				
			Under 1 year	1 - 4	5 - 14	15 - 24	
	All causes.....	T. M. F.	703,504 198,889 504,615	7,301 4,150 3,151	8,650 4,262 4,388	7,265 3,557 3,708	11,988 2,310 9,678
1	Tuberculosis (001 - 019)	T. M. F.	10,666 3,812 6,854	— — —	97 29 68	161 88 73	613 357 256
2	Other infective and parasitic diseases (020 - 138)	T. M. F.	5,797 1,881 3,916	187 127 60	736 321 415	1,108 514 594	139 27 112
3	Malignant neoplasms (140 - 205).....	T. M. F.	61,657 19,031 42,626	— — —	421 132 289	236 112 124	174 105 69
4	Benign neoplasms (210 - 239)	T. M. F.	2,722 827 1,895	23 6 17	98 10 88	19 9 10	199 117 82
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240 - 254, M. 270 - 289)	T. M. F.	10,773 2,353 8,420	127 58 69	576 370 206	332 80 252	269 130 139
6	Diabetes (260)	T. M. F.	94,502 29,994 64,508	27 27 —	446 62 384	232 132 100	1,491 127 1,364
7	Anaemias and other diseases of the blood and blood-forming organs (290 - 299). .	T. M. F.	58,293 8,316 49,977	10 6 4	43 32 11	115 14 101	349 14 335
8	Mental, psychoneurotic, and personality disorders (300 - 326) .	T. M. F.	5,058 1,506 3,552	11 — 11	148 140 8	43 38 5	78 49 29
9	Diseases of the central nervous system and sense organs (330 - 352) .	T. M. F.	89,302 21,491 67,811	3 3 —	108 19 89	52 2 50	2,356 241 2,115
10	Other diseases of the central nervous system and sense organs (353 - 398) .	T. M. F.	12,814 2,644 10,170	217 144 73	433 216 217	233 96 137	216 85 131
11	Rheumatic fever (400 - 402).....	T. M. F.	259 32 227	— — —	29 — 29	112 31 81	32 — 32
12	Diseases of the heart (410 - 434)	T. M. F.	118,457 47,204 71,253	9 1 8	— — —	97 — 97	45 — 45

TABLE 11. Number of Visits by Cause, Sex and Age, 1958

Age									No.
25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 - 74	75 - 79	80 - 84	85 and over	
19,896 2,126 17,770	38,052 5,654 32,398	51,901 11,076 40,825	95,399 29,540 65,859	78,200 20,467 57,733	120,580 37,275 83,305	120,354 35,121 85,233	71,822 23,589 48,233	72,096 19,762 52,334	
1,916 254 1,662	2,501 746 1,755	2,259 984 1,275	1,168 940 228	530 130 400	684 126 558	603 91 512	98 67 31	36 — 36	1
252 24 228	227 34 193	882 62 820	582 356 226	331 38 293	381 113 268	418 82 336	400 120 280	154 63 91	2
1,538 178 1,360	4,187 763 3,424	8,888 1,228 7,660	11,795 3,571 8,224	7,475 2,528 4,947	9,673 2,913 6,760	8,015 2,361 5,654	5,590 3,161 2,429	3,665 1,979 1,686	3
197 36 161	563 183 380	266 60 206	374 104 270	215 62 153	245 95 150	331 125 206	80 14 66	112 6 106	4
351 6 345	1,326 71 1,255	2,232 70 2,162	914 110 804	985 169 816	1,145 309 836	937 246 691	623 122 501	956 612 344	5
507 128 379	996 214 782	1,813 952 861	15,180 3,387 11,793	17,332 2,796 14,536	22,324 9,245 13,079	21,673 8,542 13,131	6,084 1,780 4,304	6,397 2,602 3,795	6
1,339 101 1,238	2,921 70 2,851	2,676 359 2,317	6,073 1,793 4,280	6,400 1,154 5,246	11,111 1,426 9,685	11,717 941 10,776	8,935 1,667 7,268	6,604 739 5,865	7
315 14 301	853 43 810	819 202 617	1,574 907 667	206 15 191	242 9 233	158 38 120	507 8 499	104 43 61	8
1,679 176 1,503	6,044 673 5,371	7,261 1,638 5,623	11,865 2,537 9,328	12,226 3,507 8,719	19,328 4,557 14,771	14,468 3,579 10,889	9,175 2,653 6,522	4,737 1,906 2,831	9
225 22 203	818 124 694	2,261 140 2,121	1,327 461 866	1,046 281 765	1,387 530 857	2,586 411 2,175	1,086 53 1,033	979 81 898	10
10 — 10	11 — 11	31 1 30	21 — 21	— — —	13 — 13	— — —	— — —	— — —	11
65 20 45	1,301 244 1,057	7,266 2,071 5,195	19,478 8,382 11,096	15,551 5,814 9,737	23,550 10,893 12,657	25,317 9,633 15,684	14,496 6,413 8,083	11,282 3,733 7,549	12

TABLE 11. Number of Visits by Cause, Sex and Age, 1958 — Concluded

No.	Cause and detailed list numbers	All ages	Age			
			Under 1 year	1-4	5-14	15-24
13	Other diseases of the circulatory system (440-468) T. M. F.	33,408 9,308 24,100	3 1 2	38 6 32	40 17 23	44 2 42
14	Diseases of the respiratory system (470-527) T. M. F.	19,867 6,297 13,570	1,171 648 523	1,803 887 916	1,017 475 542	760 293 467
15	Diseases of the digestive system (530-587)..... T. M. F.	32,923 11,124 21,799	692 407 285	721 343 378	602 326 276	784 124 660
16	Diseases of the genito-urinary system (590-637) T. M. F.	19,383 5,793 13,590	122 122 —	96 69 27	245 167 78	311 7 304
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	8,843 — 8,843	— — —	— — —	— — —	2,806 — 2,806
18	Diseases of the skin and cellular tissue (690-716) T. M. F.	11,765 4,123 7,642	318 240 78	409 244 165	413 217 196	191 78 113
19	Arthritis and rheumatism, except rheumatic fever (720-727) T. M. F.	32,225 4,782 27,443	— — —	140 139 1	192 — 192	10 6 4
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	6,034 1,697 4,337	45 3 42	28 11 17	133 97 36	250 142 108
21	Congenital malformations (750-759)..... T. M. F.	838 474 364	379 239 140	94 46 48	189 135 54	5 1 4
22	Certain diseases of early infancy (760-776)..... T. M. F.	206 95 111	206 95 111	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795) T. M. F.	34,944 7,827 27,117	661 341 320	1,164 597 567	727 336 391	357 64 293
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800 M. -N999). T. M. F.	28,889 6,172 22,717	62 26 36	961 572 389	890 620 270	441 274 167
25	Other admissions (Y00-Y88)..... T. M. F.	3,879 2,106 1,773	3,028 1,656 1,372	61 17 44	77 51 26	68 67 1

TABLE 11. Number of Visits by Cause, Sex and Age, 1958 - Concluded

Age									No.
25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 - 74	75 - 79	80 - 84	85 and over	
287	496	765	2,258	3,216	6,887	8,102	4,329	6,943	13
89	124	108	897	1,462	990	2,963	1,508	1,141	
198	372	657	1,361	1,754	5,897	5,139	2,821	5,802	
925	2,899	1,236	1,925	1,120	1,202	2,279	1,461	2,069	14
215	187	469	964	280	486	718	343	332	
710	2,712	767	961	840	716	1,561	1,118	1,737	
1,112	2,243	3,658	6,341	2,753	3,927	3,940	3,397	2,753	15
198	525	963	2,418	1,078	1,160	1,314	1,833	435	
914	1,718	2,695	3,923	1,675	2,767	2,626	1,564	2,318	
1,268	2,411	2,728	3,671	874	3,204	1,898	969	1,586	16
12	94	218	815	287	1,521	828	449	1,204	
1,256	2,317	2,510	2,856	587	1,683	1,070	520	382	
4,450	1,548	39	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	
4,450	1,548	39	—	—	—	—	—	—	
540	1,233	1,449	978	823	1,619	1,619	1,433	740	18
176	279	325	303	326	710	586	517	122	
364	954	1,124	675	497	909	1,033	916	618	
356	3,021	1,327	5,685	3,626	5,972	6,423	3,411	2,062	19
224	784	457	350	62	686	989	529	556	
132	2,237	870	5,335	3,564	5,286	5,434	2,882	1,506	
251	341	1,680	612	358	429	488	1,172	247	20
30	85	301	507	25	30	274	132	60	
221	256	1,379	105	333	399	214	1,040	187	
58	5	36	43	10	19	—	—	—	21
2	—	32	—	—	19	—	—	—	
56	5	4	43	10	—	—	—	—	
—	—	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	
1,515	1,072	949	1,128	968	3,215	4,111	5,087	13,990	23
51	54	118	180	159	984	476	896	3,571	
1,464	1,018	831	948	809	2,231	3,635	4,191	10,419	
565	855	1,314	2,346	2,050	4,003	5,251	3,479	6,672	24
169	209	317	499	192	473	922	1,322	577	
396	646	997	1,847	1,858	3,530	4,329	2,157	6,095	
175	180	66	61	105	20	20	10	8	25
1	148	1	59	102	—	2	2	—	
174	32	65	2	3	20	18	8	8	

TABLE 12. Percentage Distribution of Visits by Cause, Sex and Age, 1958
 (All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age				
			Under 15	15-44	45-64	65 and over	
	All causes	T. M. F.	100.0 100.0 100.0	3.3 6.0 2.2	9.9 5.1 11.9	20.9 20.4 21.1	65.9 68.5 64.8
1	Tuberculosis (001-019)	T. M. F.	100.0 100.0 100.0	2.4 3.0 2.1	47.2 35.6 53.6	32.1 50.5 21.9	18.3 10.9 22.4
2	Other infective and parasitic diseases (020-138)	T. M. F.	100.0 100.0 100.0	35.0 51.1 27.3	10.7 4.5 13.6	25.3 22.3 26.7	29.0 22.1 32.4
3	Malignant neoplasms (140-205)	T. M. F.	100.0 100.0 100.0	1.1 1.3 0.9	9.6 5.5 11.4	33.5 25.2 37.3	55.8 68.0 50.4
4	Benign neoplasms (210-239)	T. M. F.	100.0 100.0 100.0	5.2 3.0 6.1	35.2 40.6 32.9	23.5 19.8 25.1	36.1 36.6 35.9
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, M. 270-289).	T. M. F.	100.0 100.0 100.0	9.6 21.6 6.2	18.1 8.8 20.7	29.2 7.6 35.2	43.1 62.0 37.9
6	Diabetes (260)	T. M. F.	100.0 100.0 100.0	0.7 0.7 0.8	3.2 1.6 3.9	18.0 14.5 19.6	78.1 83.2 75.7
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. M. F.	100.0 100.0 100.0	0.3 0.6 0.2	7.9 2.2 8.9	15.0 25.9 13.2	76.8 71.3 77.7
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	100.0 100.0 100.0	4.0 11.8 0.6	24.6 7.0 32.1	47.3 73.7 36.2	24.1 7.5 31.1
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	100.0 100.0 100.0	0.2 0.1 0.2	11.3 5.1 13.2	21.4 19.4 22.1	67.1 75.4 64.5
10	Other diseases of the central nervous system and sense organs (353-398).	T. M. F.	100.0 100.0 100.0	6.9 17.3 4.2	9.8 8.7 10.1	28.0 22.7 29.4	55.3 51.3 56.3
11	Rheumatic fever (400-402)	T. M. F.	100.0 100.0 100.0	54.4 96.9 48.4	20.5 — 23.4	20.1 3.1 22.5	5.0 — 5.7
12	Diseases of the heart (410-434)	T. M. F.	100.0 100.0 100.0	0.1 — 0.1	1.2 0.6 1.6	22.6 22.1 22.9	76.1 77.3 75.4

TABLE 12. Percentage Distribution of Visits by Cause, Sex and Age, 1958 — Concluded
 (All ages for each cause group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468) T. M. F.	100.0 100.0 100.0	0.2 0.3 0.2	2.5 2.3 2.5	9.1 10.8 8.4	88.2 86.6 88.9
14	Diseases of the respiratory system (470-527)..... T. M. F.	100.0 100.0 100.0	20.1 31.9 14.6	23.1 11.0 28.7	15.9 22.8 12.7	40.9 34.3 44.0
15	Diseases of the digestive system (530-587) T. M. F.	100.0 100.0 100.0	6.1 9.7 4.3	12.6 7.6 15.1	30.4 30.4 30.4	50.9 52.3 50.2
16	Diseases of the genito-urinary system (590-637) T. M. F.	100.0 100.0 100.0	2.4 6.2 0.8	20.6 2.0 28.5	33.0 17.8 39.5	44.0 74.0 31.2
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	100.0 100.0 100.0	— — —	99.6 — 99.6	0.4 — 0.4	— — —
18	Diseases of the skin and cellular tissue (690-716) T. M. F.	100.0 100.0 100.0	9.7 17.0 5.7	16.7 12.9 18.7	20.6 15.3 23.6	53.0 54.8 52.0
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	100.0 100.0 100.0	1.0 2.9 0.7	10.5 21.2 8.7	21.8 16.9 22.6	66.7 59.0 68.0
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	100.0 100.0 100.0	3.4 6.5 2.2	14.0 15.1 13.5	38.0 47.7 34.2	44.6 30.7 50.1
21	Congenital malformations (750-759) T. M. F.	100.0 100.0 100.0	79.0 88.6 66.5	8.1 0.6 17.9	9.4 6.8 12.9	3.5 4.0 2.7
22	Certain diseases of early infancy (760-776) T. M. F.	100.0 100.0 100.0	100.0 100.0 100.0	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	100.0 100.0 100.0	7.3 16.3 4.7	8.4 2.1 10.2	6.0 3.8 6.6	78.3 77.8 78.5
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800- M. N999). T. M. F.	100.0 100.0 100.0	6.6 19.7 3.1	6.4 10.6 5.3	12.7 13.2 12.5	74.3 56.5 79.1
25	Other admissions (Y00-Y88) T. M. F.	100.0 100.0 100.0	81.6 81.9 81.3	10.9 10.3 11.7	3.3 2.8 3.8	4.2 5.0 3.2

TABLE 13. Percentage Distribution of Visits by Cause, Sex and Age, 1958

(All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
	All causes	T. M. F.	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0
1	Tuberculosis (001-019)	T. M. F.	1.5 1.9 1.4	1.1 1.0 1.2	7.2 13.5 6.1	2.3 4.7 1.4
2	Other infective and parasitic diseases (020-138)	T. M. F.	0.8 0.9 0.7	8.8 8.0 9.5	0.9 0.8 0.9	1.0 1.0 1.0
3	Malignant neoplasms (140-205)	T. M. F.	8.8 9.6 8.5	2.8 2.0 3.7	8.4 10.4 8.1	14.0 11.8 14.9
4	Benign neoplasms (210-239)	T. M. F.	0.4 0.4 0.3	0.6 0.2 1.0	1.4 3.3 1.0	0.4 0.4 0.4
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, M. 270-289).	T. M. F.	1.5 1.2 1.7	4.5 4.2 4.7	2.8 2.1 2.9	2.1 0.4 2.8
6	Diabetes (260)	T. M. F.	13.4 15.1 12.8	3.0 1.9 4.3	4.3 4.7 4.2	11.5 10.7 11.9
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. M. F.	8.3 4.2 9.9	0.7 0.4 1.0	6.6 1.8 7.4	5.9 5.3 6.2
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	0.7 0.8 0.7	0.9 1.5 0.2	1.8 1.0 1.9	1.6 2.7 1.2
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	12.7 10.8 13.4	0.7 0.2 1.2	14.4 10.8 15.0	13.0 10.3 14.0
10	Other diseases of the central nervous system and sense organs (353-398).	T. M. F.	1.8 1.3 2.0	3.8 3.8 3.8	1.8 2.3 1.7	2.4 1.5 2.8
11	Rheumatic fever (400-402)	T. M. F.	-- -- --	0.6 0.3 1.0	0.1 -- 0.1	-- -- --
12	Diseases of the heart (410-434)	T. M. F.	16.8 23.7 14.1	0.5 -- 1.0	2.0 2.6 1.9	18.2 25.8 15.3
						19.5 26.8 16.4

TABLE 13. Percentage Distribution of Visits by Cause, Sex and Age, 1958 — Concluded
 (All causes for each age group = 100 per cent)

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15 - 44	45 - 64	65 and over
13	Other diseases of the circulatory system (440-468). T. M. F.	4.8 4.7 4.8	0.3 0.2 0.5	1.1 2.1 1.0	2.1 2.5 1.9	6.4 5.9 6.6
14	Diseases of the respiratory system (470-527) T. M. F.	2.8 3.2 2.7	17.2 16.8 17.6	6.6 6.9 6.5	2.2 3.5 1.6	1.8 1.6 1.8
15	Diseases of the digestive system (530-587)..... T. M. F.	4.7 5.6 4.3	8.7 9.0 8.4	5.9 8.4 5.5	6.8 8.3 6.2	3.6 4.3 3.4
16	Diseases of the genito-urinary system (590-637) T. M. F.	2.8 2.9 2.7	2.0 3.0 0.9	5.7 1.1 6.5	4.3 2.5 5.0	1.8 3.1 1.3
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	1.3 — 1.8	— — —	12.6 — 14.8	-- -- --	— — —
18	Diseases of the skin and cellular tissue (690-716) T. M. F.	1.6 2.1 1.5	4.9 5.9 3.9	2.8 5.3 2.4	1.7 1.6 1.7	1.4 1.6 1.2
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	4.6 2.4 5.4	1.4 1.2 1.7	4.8 10.1 4.0	4.8 2.0 5.8	4.6 2.1 5.7
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	0.9 0.9 0.9	0.8 0.9 0.8	1.2 2.6 1.0	1.6 2.0 1.4	0.6 0.4 0.6
21	Congenital malformations (750-759) T. M. F.	0.1 0.2 0.1	2.9 3.5 2.2	0.1 — 0.1	0.1 0.1 —	-- -- --
22	Certain diseases of early infancy (760-776)..... T. M. F.	-- -- --	0.9 0.8 1.0	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	5.0 3.9 5.4	11.0 10.6 11.4	4.2 1.6 4.6	1.4 0.7 1.7	6.0 4.5 6.5
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	4.1 3.1 4.5	8.3 10.2 6.2	2.7 6.5 2.0	2.5 2.0 2.7	4.6 2.6 5.5
25	Other admissions (Y00-Y88) T. M. F.	0.6 1.1 0.4	13.6 14.4 12.8	0.6 2.1 0.4	0.1 0.2 0.1	-- 0.1 —

TABLE 14. Average Visits per Case by Cause, Sex and Age, 1958

No.	Cause and detailed list numbers	All ages	Age				
			Under 15	15 - 44	45 - 64	65 and over	
	All causes	T. M. F.	18.2 16.9 18.7	4.0 4.0 3.9	11.2 11.2 11.2	20.3 19.9 20.4	23.9 23.3 24.1
1	Tuberculosis (001-019).....	T. M. F.	46.2 43.3 47.9	23.5 16.7 ...	42.3 35.7 45.3	56.2 74.0 42.9	48.8 24.4 66.8
2	Other infective and parasitic diseases (020-138).....	T. M. F.	6.1 5.2 6.6	3.6 3.6 3.5	5.7 3.1 6.5	17.0 19.0 16.3	8.8 9.5 8.6
3	Malignant neoplasms (140-205)	T. M. F.	20.7 19.7 21.2	34.6 27.1 41.3	22.0 32.7 20.6	19.2 15.9 20.5	21.4 20.7 21.8
4	Benign neoplasms (210-239)	T. M. F.	9.8 10.5 9.5	8.8 4.2 11.5	9.6 12.4 8.5	8.0 7.8 8.1	12.0 12.1 11.9
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, M. 270-289).	T. M. F.	24.2 15.5 28.7	12.8 10.8 15.5	25.6 14.8 28.0	31.8 8.2 38.5	24.6 21.1 26.6
6	Diabetes (260).....	T. M. F.	52.4 52.7 52.2	16.8 8.8 28.5	26.0 10.4 36.1	36.5 32.1 38.3	62.4 68.6 59.6
7	Anaemias and other diseases of the blood and and blood-forming organs (290-299).	T. M. F.	32.3 32.6 32.3	12.9 7.4 19.3	20.0 23.1 19.8	27.3 56.6 23.3	36.1 29.3 37.5
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	18.8 34.2 15.8	16.8 25.4 4.8	14.5 15.1 14.4	28.8 110.9 17.6	13.8 5.7 16.2
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	34.6 25.6 39.0	9.6 4.8 11.6	54.5 26.0 62.9	42.4 31.9 46.7	31.1 24.5 34.6
10	Other diseases of the central nervous system and sense organs (353-398).	T. M. F.	14.7 10.7 16.3	3.9 4.1 3.7	10.1 13.6 9.5	20.2 13.7 22.3	20.8 18.3 21.5
11	Rheumatic fever (400-402).....	T. M. F.	- 10.0 ...	15.7 ...	4.8 ...	10.4
12	Diseases of the heart (410-434)	T. M. F.	29.7 30.2 29.4	21.2 ...	17.0 11.5 19.1	35.1 33.4 36.2	28.7 29.7 28.1

TABLE 14. Average Visits per Case by Cause, Sex and Age, 1958 — Concluded

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
13	Other diseases of the circulatory system (440- T. 468). M. F.	31.5 32.2 31.2	3.9 4.8 3.6	9.3 15.4 8.2	16.5 17.9 15.9	38.3 37.7 38.6
14	Diseases of the respiratory system (470- 527) T. M. F.	5.4 5.0 5.6	2.9 3.1 2.8	6.3 4.3 6.9	5.6 8.8 4.3	7.8 7.4 8.0
15	Diseases of the digestive system (530- 587) T. M. F.	5.8 6.2 5.6	2.6 2.7 2.4	5.2 5.6 5.1	8.5 9.4 8.1	5.8 6.6 5.5
16	Diseases of the genito-urinary system (590- 637) T. M. F.	13.2 14.3 12.8	3.5 3.4 4.0	8.5 6.6 8.6	18.5 16.1 19.0	16.2 19.5 13.8
17	Complications of pregnancy, childbirth, and the puerperium (640- 652, 670- 689). T. M. F.	5.7 — 5.7	— — —	5.7 — 5.7	5.6 — 5.6	— — —
18	Diseases of the skin and cellular tissue (690- T. 716). M. F.	12.1 10.8 13.0	4.9 5.4 4.3	11.1 8.5 12.6	13.0 12.8 13.1	16.5 16.0 16.8
19	Arthritis and rheumatism, except rheumatic fever (720- 727). T. M. F.	33.1 31.9 33.3	66.4	60.5 101.4 51.6	32.2 21.8 34.3	30.9 27.7 31.4
20	Other diseases of the bones and organs of movement (730- 749). T. M. F.	23.6 17.3 27.4	5.9 5.3 6.8	18.7 14.3 21.7	25.5 19.7 30.3	31.3 28.9 32.0
21	Congenital malformations (750- 759)..... T. M. F.	8.8 9.9 7.7	8.3 10.0 6.4	9.7 ... 13.0	15.8
22	Certain diseases of early infancy (760- 776)..... T. M. F.	5.9 5.6 6.2	5.9 5.6 6.2	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780- 795). T. M. F.	8.6 6.4 9.5	2.5 2.5 2.4	5.1 1.6 5.8	4.4 2.5 5.1	13.8 12.5 14.2
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800- N999). T. M. F.	14.9 11.5 16.2	5.0 5.3 4.6	7.3 8.8 6.7	10.9 9.8 11.2	22.2 23.1 22.0
25	Other admissions (Y00- Y88) T. M. F.	5.1 5.4 4.8	4.5 4.6 4.4	38.5 43.2 34.5	10.6 11.4 11.4	4.8 ... 1.9

**TABLE 15. Ratio of Nursing Care Visits to Health Instruction Visits by Cause,
Sex and Age, 1958**

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
	All causes	T. M. F.	17.8 18.6 17.4	2.7 2.7 2.8	7.5 18.0 6.8	23.3 27.7 22.0
1	Tuberculosis (001-019)	T. M. F.	58.6 63.6 56.1	27.7 18.5 46.0	56.8 51.2 59.2	96.9 95.2 99.2
2	Other infective and parasitic diseases (020-138)	T. M. F.	6.4 4.7 7.6	2.7 2.4 2.9	8.7 4.0 10.3	22.2 51.3 18.0
3	Malignant neoplasms (140-205)	T. M. F.	20.3 19.1 20.9	11.9 4.1 136.7	21.9 40.8 19.8	18.0 17.8 18.1
4	Benign neoplasms (210-239)	T. M. F.	13.4 16.2 12.4	7.2 5.3 7.8	14.7 17.7 13.5	13.5 11.6 14.4
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, M. 270-289).	T. M. F.	23.0 14.1 27.7	10.6 7.2 18.5	24.6 33.5 23.8	32.5 10.3 37.0
6	Diabetes (260)	T. M. F.	40.9 50.5 37.6	6.8 4.3 9.1	19.1 8.6 24.3	22.0 30.7 20.0
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. M. F.	31.9 52.3 29.9	2.1 3.3 1.8	29.5 29.8 29.5	61.0 152.7 50.9
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	10.9 28.5 8.5	11.6 21.3 2.0	6.0 12.3 5.7	16.1 99.8 9.0
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	35.2 28.9 37.8	9.2 23.0 8.3	45.9 29.3 49.2	36.1 35.0 36.5
10	Other diseases of the central nervous system and sense organs (353-398)	T. M. F.	11.9 11.4 12.0	3.1 3.0 3.1	11.8 8.2 13.1	31.3 84.9 27.7
11	Rheumatic fever (400-402)	T. M. F.	8.3 31.0 7.4	19.1 30.0 17.3	5.6 — 5.6	3.0 — 2.9
12	Diseases of the heart (410-434)	T. M. F.	31.2 30.4 31.7	20.2 17.9 20.0	19.4 17.9 19.9	44.8 38.4 50.1
						28.9 28.8 28.9

¹ No health instruction or nursing care visits reported.

**TABLE 15. Ratio of Nursing Care Visits to Health Instruction Visits by Cause,
Sex and Age, 1958 – Concluded**

No.	Cause and detailed list numbers	All ages	Age			
			Under 15	15-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468) T. M. F.	33.2 41.9 30.7	10.6 23.0 8.5	9.5 34.8 7.4	20.7 32.5 17.5	38.2 43.8 36.4
14	Diseases of the respiratory system (470-527) T. M. F.	6.5 5.8 6.9	2.4 2.3 2.4	10.3 10.4 10.3	9.0 21.0 5.9	9.9 9.9 10.0
15	Diseases of the digestive system (530-587) T. M. F.	8.4 9.1 8.0	2.7 3.0 2.3	8.5 13.1 7.7	12.1 14.3 11.2	8.5 9.5 8.0
16	Diseases of the genito-urinary system (590-637).. T. M. F.	15.7 17.6 15.0	3.2 3.0 4.3	9.8 21.6 9.7	21.1 22.5 20.9	20.6 23.9 18.0
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	0.9 — 0.9	— — —	0.9 — 0.9	0.5 — 0.5	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	10.8 9.4 11.6	3.1 3.3 2.8	9.6 5.8 12.3	14.7 23.2 12.9	15.4 16.8 14.8
19	Arthritis and rheumatism, except rheumatic fever (720-727) T. M. F.	41.5 39.9 41.7	165.0 66.6 95.5	65.4 16.9 64.9	41.2 16.9 50.3	38.8 48.5 37.7
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	23.6 25.9 22.8	6.4 6.9 5.8	15.2 15.1 15.3	28.8 35.7 26.0	29.6 46.4 27.2
21	Congenital malformations (750-759) T. M. F.	3.7 5.6 2.4	2.9 5.1 1.4	8.7 2.0 9.8	38.5 31.0 46.0	28.0 18.0 —
22	Certain diseases of early infancy (760-776) T. M. F.	1.4 2.0 1.0	1.4 2.0 1.0	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	10.7 7.7 12.0	2.0 2.1 1.9	7.4 7.0 7.4	8.4 7.3 8.6	16.6 13.2 17.9
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	16.8 13.6 17.9	6.1 6.0 6.2	8.5 16.6 6.6	9.7 11.6 9.3	25.3 22.4 25.9
25	Other admissions (Y00-Y88)..... T. M. F.	1.5 1.5 1.5	1.1 1.0 1.1	— — —	— — —	11.5 — 3.4

¹ No health instruction or nursing care visits reported.

TABLE 16. Number of Cases by Cause, Sex and Duration of Nursing Service, 1958

No.	Cause and detailed list numbers	Total cases	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
	All causes									
	T.	38,757	7,438	8,575	10,061	6,361	4,605	946	344	427
	M.	11,767	2,358	2,924	3,045	1,757	1,227	283	88	85
	F.	26,990	5,080	5,651	7,016	4,604	3,378	663	256	342
1	Tuberculosis (001-019).....	T.	231	12	27	40	41	79	26	3
	M.	88	4	16	14	16	27	10	—	1
	F.	143	8	11	26	25	52	16	3	2
2	Other infective and parasitic diseases (020-138).	T.	957	182	319	305	103	43	3	2
	M.	362	80	122	119	23	16	1	—	1
	F.	595	102	197	186	80	27	2	—	1
3	Malignant neoplasms (140-205)	T.	2,976	352	626	917	637	370	58	7
	M.	968	127	242	267	195	114	17	2	4
	F.	2,008	225	384	650	442	256	41	5	5
4	Benign neoplasms (210-239)....	T.	278	39	64	111	41	17	4	1
	M.	79	7	20	28	18	6	—	—	1
	F.	199	32	44	83	23	11	4	1	—
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).	T.	445	63	71	118	79	82	22	3
	M.	152	23	33	37	30	19	7	1	2
	F.	293	40	38	81	49	63	15	2	5
6	Diabetes (260)	T.	1,805	173	459	526	300	236	52	28
	M.	569	48	161	160	105	65	12	7	11
	F.	1,236	125	298	366	195	171	40	21	20
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T.	1,804	151	109	408	442	418	97	62
	M.	255	17	22	59	54	60	16	11	16
	F.	1,549	134	87	349	388	358	81	51	101
8	Mental, psychoneurotic, and personality disorders (300-326).	T.	269	46	44	66	57	42	8	3
	M.	44	11	9	8	9	5	1	—	3
	F.	225	35	35	58	48	37	7	2	—
9	Diseases of the central nervous system and sense organs (330-352).	T.	2,579	392	433	610	461	452	130	46
	M.	839	138	167	202	147	133	34	11	7
	F.	1,740	254	266	408	314	319	96	35	48
10	Other diseases of the central nervous system and sense organs (353-398).	T.	870	106	225	308	134	73	15	6
	M.	246	23	89	87	28	15	2	2	—
	F.	624	83	136	221	106	58	13	4	3
11	Rheumatic fever (400-402)	T.	26	8	3	5	3	7	—	—
	M.	3	2	—	—	1	—	—	—	—
	F.	23	6	3	5	2	7	—	—	—
12	Diseases of the heart(410-434)	T.	3,989	406	478	951	865	821	282	98
	M.	1,565	161	175	375	348	332	114	35	88
	F.	2,424	245	303	576	517	489	168	63	25

TABLE 16. Number of Cases by Cause, Sex and Duration of Nursing Service, 1958 — Concluded

No.	Cause and detailed list numbers	Total cases	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
13	Other diseases of the circulatory system (440-468). T. M. F.	1,062 289 773	187 56 131	179 36 143	268 70 198	165 52 113	175 55 120	48 14 34	14 3 11	26 3 23
14	Diseases of the respiratory system (470-527). T. M. T.	3,697 1,268 2,429	837 291 546	1,559 537 1,022	874 308 566	273 79 194	134 47 87	11 5 6	4 — 4	5 1 4
15	Diseases of the digestive system (530-587). T. M. F.	5,653 1,791 3,862	2,144 668 1,476	1,466 459 1,007	1,219 402 817	520 171 349	270 84 186	22 5 17	4 1 3	8 1 7
16	Diseases of the genito-urinary system (590-637). T. M. F.	1,471 406 1,065	281 65 216	365 88 277	483 153 330	204 62 142	109 29 80	15 6 9	10 3 7	4 — 4
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	1,545 — 1,545	53 — 53	60 — 60	501 — 501	605 — 605	326 — 326	— — —	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	971 382 589	119 44 75	281 119 162	329 129 200	152 57 95	78 30 48	10 3 7	2 — 2	— — —
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	975 150 825	143 21 122	133 30 103	207 31 176	204 26 178	184 23 161	52 11 41	23 3 20	29 5 24
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	256 98 158	37 14 23	42 13 29	74 36 38	52 19 33	38 13 25	5 2 3	3 — 3	5 1 4
21	Congenital malformations (750-759). T. M. F.	95 48 47	12 5 7	26 15 11	25 9 16	15 10 5	16 9 7	1 — 1	— — —	— — —
22	Certain diseases of early infancy (760-776). T. M. F.	35 17 18	5 3 2	8 4 4	9 4 5	8 5 3	5 1 4	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	4,068 1,221 2,847	1,241 398 843	1,062 377 685	852 255 597	454 99 355	365 69 296	54 12 42	21 6 15	19 5 14
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	1,941 537 1,404	351 106 245	432 139 293	579 152 427	318 77 241	214 48 166	29 11 18	6 2 4	12 2 10
25	Other admissions (Y00-Y88).... T. M. F.	759 390 369	98 46 52	104 51 53	276 140 136	228 126 102	51 27 24	2 — 2	— — —	— — —

TABLE 17. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service, 1958
 (Total for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Total per cent by duration	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
	All causes									
	T.	100.0	19.2	22.1	26.0	16.4	11.9	2.4	0.9	1.1
	M.	100.0	20.0	24.9	25.9	14.9	10.4	2.4	0.8	0.7
	F.	100.0	18.8	20.9	26.0	17.1	12.5	2.5	0.9	1.3
1	Tuberculosis (001-019)									
	T.	100.0	5.2	11.7	17.3	17.7	34.2	11.3	1.3	1.3
	M.	100.0	4.5	18.2	16.0	18.2	30.7	11.3	—	1.1
	F.	100.0	5.6	7.7	18.2	17.5	36.3	11.2	2.1	1.4
2	Other infective and parasitic diseases (020-138).									
	T.	100.0	19.0	33.3	31.9	10.8	4.5	0.3	—	0.2
	M.	100.0	22.1	33.7	32.9	6.3	4.4	0.3	—	0.3
	F.	100.0	17.1	33.1	31.3	13.5	4.5	0.3	—	0.2
3	Malignant neoplasms (140-205)									
	T.	100.0	11.8	21.0	30.8	21.4	12.4	2.0	0.3	0.3
	M.	100.0	13.1	25.0	27.6	20.1	11.8	1.8	0.2	0.4
	F.	100.0	11.2	19.1	32.4	22.0	12.7	2.0	0.3	0.3
4	Benign neoplasms (210-239)....									
	T.	100.0	14.0	23.0	39.9	14.8	6.1	1.4	0.4	0.4
	M.	100.0	8.9	25.3	35.4	22.8	7.6	—	—	—
	F.	100.0	16.1	22.1	41.7	11.6	5.5	2.0	0.5	0.5
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).									
	T.	100.0	14.2	16.0	26.5	17.7	18.4	4.9	0.7	1.6
	M.	100.0	15.1	21.7	24.4	19.7	12.5	4.6	0.7	1.3
	F.	100.0	13.7	13.0	27.6	16.7	21.5	5.1	0.7	1.7
6	Diabetes (260).....									
	T.	100.0	9.6	25.4	29.1	16.6	13.1	2.9	1.6	1.7
	M.	100.0	8.5	28.3	28.1	18.5	11.4	2.1	1.2	1.9
	F.	100.0	10.1	24.1	29.7	15.8	13.8	3.2	1.7	1.6
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).									
	T.	100.0	8.4	6.0	22.6	24.5	23.2	5.4	3.4	6.5
	M.	100.0	6.7	8.6	23.1	21.2	23.5	6.3	4.3	6.3
	F.	100.0	8.7	5.6	22.5	25.1	23.1	5.2	3.3	6.5
8	Mental, psychoneurotic, and personality disorders (300-326).									
	T.	100.0	17.1	16.4	24.5	21.2	15.6	3.0	1.1	1.1
	M.	100.0	25.0	20.4	18.2	20.4	11.4	2.3	2.3	—
	F.	100.0	15.6	15.6	25.8	21.3	16.4	3.1	0.9	1.3
9	Diseases of the central nervous system and sense organs (330-352).									
	T.	100.0	15.2	16.8	23.7	17.9	17.5	5.0	1.8	2.1
	M.	100.0	16.4	19.9	24.1	17.5	15.9	4.1	1.3	0.8
	F.	100.0	14.6	15.3	23.5	18.0	18.3	5.5	2.0	2.8
10	Other diseases of the central nervous system and sense organs (353-398).									
	T.	100.0	12.2	25.9	35.4	15.4	8.4	1.7	0.7	0.3
	M.	100.0	9.3	36.2	35.4	11.4	6.1	0.8	0.8	—
	F.	100.0	13.3	21.8	35.4	17.0	9.3	2.1	0.6	0.5
11	Rheumatic fever (400-402)									
	T.	100.0	30.8	11.6	19.2	11.5	26.9	—	—	—
	M.	100.0	66.7	—	—	33.3	—	—	—	—
	F.	100.0	26.1	13.1	21.7	8.7	30.4	—	—	—
12	Diseases of the heart (410-434) T.	100.0	10.2	12.0	23.8	21.7	20.6	7.1	2.4	2.2
	M.	100.0	10.3	11.2	24.0	22.2	21.2	7.3	2.2	1.6
	F.	100.0	10.1	12.5	23.8	21.3	20.2	6.9	2.6	2.6

TABLE 17. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service, 1958 — Concluded
 (Total for each cause group = 100 per cent)

No.	Cause and detailed list numbers	Total per cent by duration	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
13	Other diseases of the circulatory system (440-468). T. M. F.	100.0 100.0 100.0	17.6 19.4 17.0	16.9 12.5 18.5	25.2 24.2 25.6	15.5 18.0 14.6	16.5 19.0 15.5	4.5 4.9 4.4	1.3 1.0 1.4	2.5 1.0 3.0
14	Diseases of the respiratory system (470-527). T. M. F.	100.0 100.0 100.0	22.6 22.9 22.5	42.2 42.4 42.1	23.7 24.3 23.3	7.4 6.2 8.0	3.6 3.7 3.6	0.3 0.4 0.2	0.1 — 0.1	0.1 0.1 0.2
15	Diseases of the digestive system (530-587). T. M. F.	100.0 100.0 100.0	38.0 37.3 38.2	25.9 25.6 26.1	21.5 22.4 21.2	9.2 9.5 9.0	4.8 4.7 4.8	0.4 0.3 0.4	0.1 0.1 0.1	0.1 0.1 0.2
16	Diseases of the genito-urinary system (590-637). T. M. F.	100.0 100.0 100.0	19.1 16.0 20.3	24.8 21.7 26.0	32.8 37.8 31.0	13.9 15.2 13.3	7.4 7.1 7.5	1.0 1.5 0.8	0.7 0.7 0.7	0.3 — 0.4
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	100.0 — 100.0	3.4 — 3.4	3.9 — 3.9	32.4 — 32.4	39.2 — 39.2	21.1 — 21.1	— — —	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	100.0 100.0 100.0	12.3 11.5 12.7	28.9 31.1 27.5	33.9 33.8 34.0	15.7 14.9 16.1	8.0 7.9 8.2	1.0 0.8 1.2	0.2 — 0.3	— — —
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	100.0 100.0 100.0	14.7 14.0 14.8	13.6 20.0 12.5	21.2 20.7 21.3	20.9 17.4 21.6	18.9 15.3 19.5	5.3 7.3 5.0	2.4 2.0 2.4	3.0 3.3 2.9
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	100.0 100.0 100.0	14.4 14.3 14.6	16.4 13.3 18.4	28.9 36.7 24.0	20.3 19.4 20.9	14.8 13.3 15.8	2.0 2.0 1.9	1.2 — 1.9	2.0 1.0 2.5
21	Congenital malformations (750-759). T. M. F.	100.0 100.0 100.0	12.6 10.4 14.9	27.4 31.3 23.4	26.3 18.8 34.1	15.8 20.8 10.6	16.8 18.7 14.9	1.1 — 2.1	— — —	— — —
22	Certain diseases of early infancy (760-776). T. M. F.	100.0 100.0 100.0	14.3 17.7 11.1	22.8 23.5 22.2	25.7 23.5 27.8	22.9 29.4 16.7	14.3 5.9 22.2	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	100.0 100.0 100.0	30.5 32.6 29.6	26.1 30.9 24.0	20.9 20.9 21.0	11.2 8.1 12.5	9.0 5.6 10.4	1.3 1.0 1.5	0.5 0.5 0.5	0.5 0.4 0.5
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	100.0 100.0 100.0	18.1 19.7 17.4	22.3 25.9 20.9	29.8 28.3 30.4	16.4 14.3 17.2	11.0 8.9 11.8	1.5 2.1 1.3	0.3 0.4 0.3	0.6 0.4 0.7
25	Other admissions (Y00-Y88). T. M. F.	100.0 100.0 100.0	12.9 11.8 14.1	13.7 13.1 14.4	36.4 35.9 36.9	30.0 32.3 27.6	6.7 6.9 6.5	0.3 — 0.5	— — —	— — —

TABLE 18. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service, 1958

(Total for each duration of nursing service group = 100 per cent)

No.	Cause and detailed list numbers	Total per cent by causes	Duration of nursing service								
			1 day.	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over	
	All causes	T. M. F.	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	100.0 100.0 100.0	
1	Tuberculosis (001-019)	T. M. F.	0.6 0.7 0.5	0.2 0.2 0.2	0.3 0.6 0.2	0.3 0.5 0.4	0.7 0.9 0.5	1.7 2.2 1.5	2.8 3.5 2.4	0.9 — 1.2	0.7 1.1 0.6
2	Other infective and parasitic diseases (020-138).	T. M. F.	2.4 3.1 2.2	2.5 3.4 2.0	3.7 4.2 3.5	3.0 3.9 2.7	1.6 1.3 1.7	0.9 1.3 0.8	0.3 0.3 0.3	— — —	0.5 1.2 0.3
3	Malignant neoplasms (140-205)	T. M. F.	7.7 8.2 7.4	4.7 5.4 4.4	7.3 8.3 6.8	9.1 8.8 9.3	10.0 11.1 9.6	8.0 9.3 7.6	6.1 6.0 6.2	2.0 2.3 2.0	2.1 4.7 1.5
4	Benign neoplasms (210-239)	T. M. F.	0.7 0.7 0.8	0.5 0.2 0.6	0.7 0.7 0.8	1.1 0.9 1.2	0.7 1.0 0.5	0.4 0.5 0.3	0.4 — 0.6	0.3 — 0.4	0.2 — 0.3
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).	T. M. F.	1.2 1.3 1.1	0.8 1.0 0.8	0.8 1.1 0.7	1.2 1.2 1.2	1.2 1.7 1.1	1.8 1.6 1.8	2.3 2.5 2.3	0.9 1.1 0.7	1.6 2.4 1.5
6	Diabetes (260)	T. M. F.	4.6 4.8 4.6	2.3 2.0 2.5	5.4 5.5 5.3	5.2 5.3 5.2	4.7 6.0 4.2	5.1 5.3 5.1	5.5 4.2 6.0	8.1 8.0 8.2	7.3 13.0 5.8
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. M. F.	4.7 2.2 5.8	2.0 0.7 2.6	1.3 0.8 1.5	4.1 1.9 5.0	7.0 3.1 8.4	9.1 4.9 10.6	10.3 5.7 12.2	18.0 12.5 19.9	27.4 18.8 29.5
8	Mental, psychoneurotic, and personality disorders (300-326).	T. M. F.	0.7 0.4 0.8	0.6 0.5 0.7	0.5 0.3 0.6	0.6 0.3 0.8	0.9 0.5 1.0	0.9 0.4 1.1	0.8 0.4 1.1	0.9 — 0.8	0.7 — 0.9
9	Diseases of the central nervous system and sense organs (330-352).	T. M. F.	6.7 7.1 6.4	5.3 5.9 5.0	5.0 5.7 4.7	6.1 6.6 5.8	7.3 8.4 6.8	9.8 10.8 9.4	13.7 12.0 14.5	13.4 12.5 13.7	12.9 8.2 14.0
10	Other diseases of the central nervous system and sense organs (353-398).	T. M. F.	2.2 2.1 2.3	1.4 0.9 1.6	2.6 3.0 2.4	3.1 2.9 3.1	2.1 1.6 2.3	1.6 1.2 1.7	1.6 0.7 2.0	1.7 2.3 1.6	0.7 — 0.9
11	Rheumatic fever (400-402)	T. M. F.	0.1 — 0.1	0.1 — 0.1	-- — 0.1	-- — --	-- 0.1 --	0.1 — 0.2	— — —	— — —	— — —
12	Diseases of the heart (410-434)	T. M. F.	10.3 13.3 9.0	5.5 6.8 4.8	5.6 6.0 5.4	9.5 12.3 8.2	13.6 19.8 11.3	17.8 27.1 14.5	29.8 40.3 25.3	28.5 39.8 24.6	20.6 29.4 18.4

TABLE 18. Percentage Distribution of Cases by Cause, Sex and Duration of Nursing Service, 1958 — Concluded

(Total for each duration of nursing service group - 100 per cent)

No.	Cause and detailed list numbers	Total per cent by causes	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
13	Other diseases of the circulatory system (440-468). T. M. F.	2.7 2.4 2.8	2.5 2.4 2.6	2.1 1.2 2.5	2.7 2.3 2.8	2.6 3.0 2.5	3.8 4.5 3.6	5.1 5.0 5.1	4.1 3.4 4.3	6.1 3.5 6.7
14	Diseases of the respiratory system (470-527). T. M. F.	9.5 10.8 9.0	11.3 12.3 10.8	18.2 18.4 18.1	8.7 10.1 8.1	4.3 4.5 4.2	2.9 3.8 2.6	1.2 1.8 0.9	1.2 — 1.6	1.2 1.2 1.2
15	Diseases of the digestive system (530-587). T. M. F.	14.6 15.2 14.3	28.8 28.3 29.1	17.1 15.7 17.8	12.1 13.2 11.6	8.2 9.7 7.6	5.9 6.9 5.5	2.3 1.7 2.6	1.1 1.1 1.2	1.9 1.2 2.0
16	Diseases of the genito-urinary system (590-637). T. M. F.	3.8 3.5 4.0	3.8 2.8 4.3	4.3 3.0 4.9	4.8 5.0 4.7	3.2 3.5 3.1	2.4 2.4 2.4	1.6 2.1 1.4	2.9 3.4 2.7	0.9 — 1.2
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	4.0 — 5.7	0.7 — 1.0	0.7 — 1.0	5.0 — 7.1	9.5 — 13.2	7.1 — 9.7	— — —	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	2.5 3.3 2.2	1.6 1.9 1.5	3.3 4.1 2.9	3.3 4.2 2.9	2.4 3.2 2.1	1.7 2.4 1.4	1.1 1.1 1.1	0.6 — 0.8	— — —
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	2.5 1.3 3.1	1.9 0.9 2.4	1.6 1.0 1.8	2.1 1.0 2.5	3.2 1.5 3.9	4.0 1.9 4.8	5.5 3.9 6.2	6.7 3.4 7.8	6.8 5.9 7.0
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	0.7 0.8 0.5	0.5 0.6 0.5	0.5 0.4 0.5	0.7 1.2 0.5	0.8 1.1 0.7	0.8 1.0 0.7	0.5 0.7 0.4	0.9 — 1.1	1.1 1.1 1.2
21	Congenital malformations (750-759). T. M. F.	0.2 0.4 0.2	0.2 0.2 0.1	0.3 0.5 0.2	0.2 0.3 0.2	0.2 0.6 0.1	0.4 0.7 0.2	0.1 — 0.1	— — —	— — —
22	Certain diseases of early infancy (760-776). T. M. F.	0.1 0.1 0.1	0.1 0.1 —	0.1 0.1 0.1	0.1 0.2 0.1	0.1 0.2 0.1	0.1 0.1 0.1	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	10.5 10.4 10.5	16.7 16.9 16.6	12.4 12.9 12.1	8.5 8.4 8.5	7.1 5.6 7.7	7.9 5.6 8.8	5.7 4.2 6.3	6.1 6.8 5.9	4.5 5.9 4.1
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	5.0 4.6 5.2	4.7 4.5 4.8	5.0 4.8 5.2	5.8 5.0 6.1	5.0 4.4 5.2	4.7 3.9 4.9	3.1 3.9 2.7	1.7 2.3 1.5	2.8 2.4 2.9
25	Other admissions (Y00-Y88). T. M. F.	2.0 3.3 1.4	1.3 2.0 1.0	1.2 1.7 0.9	2.7 4.6 1.9	3.6 7.2 2.2	1.1 2.2 0.7	0.2 — 0.3	— — —	— — —

TABLE 19. Number of Visits by Cause, Sex and Duration of Nursing Service, 1958

No.	Cause and detailed list numbers	Total visits	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
	All causes	T. 703,504 M. 198,889 F. 504,615	7,612 2,419 5,193	24,232 8,388 15,844	66,593 20,638 45,955	107,450 31,984 75,466	169,335 48,006 121,329	111,167 32,137 79,030	67,032 18,937 48,095	150,083 36,380 113,703
1	Tuberculosis (001-009)	T. 10,666 M. 3,812 F. 6,854	12 4 8	86 55 31	344 128 216	1,290 539 751	4,105 1,489 2,616	3,063 1,175 1,888	598 — 598	1,168 422 746
2	Other infective and parasitic diseases (020-138). .	T. 5,797 M. 1,881 F. 3,916	186 81 105	980 344 636	1,780 686 1,094	1,101 164 937	673 206 467	139 71 68	— — —	938 329 609
3	Malignant neoplasms(140-205)	T. 61,657 M. 119,031 F. 42,626	363 131 232	1,982 767 1,215	8,493 2,327 6,166	15,947 4,809 11,138	21,288 5,686 15,602	8,701 3,119 5,582	1,465 189 1,276	3,418 2,003 1,415
4	Benign neoplasms (210-239) ..	T. 2,722 M. 827 F. 1,895	39 7 32	201 80 121	888 231 657	694 355 339	534 154 380	169 — 169	88 — 88	109 — 109
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289).	T. 10,773 M. 2,353 F. 8,420	74 33 41	203 98 105	737 234 503	1,238 487 751	2,370 425 1,945	3,748 428 3,320	272 148 124	2,131 500 1,631
6	Diabetes (260)	T. 94,502 M. 29,994 F. 64,508	179 49 130	1,727 609 1,118	5,341 1,586 3,755	9,980 2,835 7,145	16,507 5,078 11,429	15,199 3,174 12,025	15,060 4,561 10,499	30,509 12,102 18,407
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. 58,293 M. 8,316 F. 49,977	151 17 134	286 68 218	2,611 404 2,207	6,885 823 6,062	11,266 1,554 9,712	6,560 1,309 5,251	6,535 918 5,617	23,999 3,223 20,776
8	Mental, psychoneurotic, and personality disorders (300-326).	T. 5,058 M. 1,506 F. 3,552	46 11 35	132 28 104	629 158 471	874 217 657	1,068 182 886	646 7 639	1,059 903 156	604 — 604
9	Diseases of the central nervous system and sense organs (330-352).	T. 89,302 M. 21,491 F. 67,811	407 142 265	1,294 493 801	4,502 1,481 3,021	10,434 3,176 7,258	23,146 6,676 16,470	18,007 5,191 12,816	10,196 2,221 7,975	21,316 2,111 19,205
10	Other diseases of the central nervous system and sense organs (353-398).	T. 12,814 M. 2,644 F. 10,170	107 24 83	752 303 449	2,495 748 1,747	1,907 468 1,439	4,078 497 3,581	2,144 267 1,877	989 337 652	342 — 342
11	Rheumatic fever (400-402)	T. 259 M. 32 F. 227	8 2 6	7 — 7	44 — 44	47 30 17	153 — 153	— — —	— — —	— — —
12	Diseases of the heart(410-434)	T. 118,457 M. 47,204 F. 71,253	411 163 248	1,280 2,328 823	5,934 6,764 3,606	15,831 11,674 9,067	29,177 11,674 17,503	25,139 9,621 15,518	14,759 6,129 8,630	25,926 10,068 15,858

TABLE 19. Number of Visits by Cause, Sex and Duration of Nursing Service, 1958 — Concluded

No.	Cause and detailed list numbers	Total visits	Duration of nursing service							
			1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
13	Other diseases of the circulatory system (440-468).	T. 33,408 M. 9,308 F. 24,100	189 57 132	543 109 434	2,031 518 1,513	4,393 1,342 3,051	6,614 2,645 3,969	5,589 2,038 3,551	2,973 798 2,175	11,076 1,801 9,275
14	Diseases of the respiratory system (470-527).	T. 19,867 M. 6,297 F. 13,570	848 296 552	4,332 1,530 2,802	4,646 1,696 2,950	2,762 827 1,935	3,158 1,292 1,866	1,496 629 867	982 — 982	1,643 27 1,616
15	Diseases of the digestive system (530-587).	T. 32,923 M. 11,124 F. 21,799	2,215 687 1,528	3,555 1,094 2,461	6,732 2,543 4,189	6,481 2,190 4,291	8,824 3,100 5,724	2,115 551 1,564	632 363 269	2,369 596 1,773
16	Diseases of the genito-urinary system (590-637).	T. 19,383 M. 5,793 F. 13,590	285 62 223	1,098 255 843	3,533 1,099 2,434	3,041 1,210 1,831	3,701 1,452 2,249	2,215 895 1,320	2,052 820 1,232	3,458 — 3,458
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689).	T. 8,843 M. — F. 8,843	54 — 54	149 — 149	1,690 — 1,690	3,317 — 3,317	3,633 — 3,633	— — —	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716).	T. 11,765 M. 4,123 F. 7,642	120 45 75	971 452 519	2,806 1,056 1,750	3,852 1,467 2,385	2,644 876 1,768	1,106 227 879	266 — 266	— — —
19	Arthritis and rheumatism, except rheumatic fever (720-727).	T. 32,225 M. 4,782 F. 27,443	144 21 123	357 95 262	1,270 287 983	3,676 531 3,145	6,786 862 5,924	4,869 1,102 3,767	4,495 251 4,244	10,628 1,633 8,995
20	Other diseases of the bones and organs of movement (730-749).	T. 6,034 M. 1,697 F. 4,337	37 14 23	131 57 74	610 323 287	678 262 416	1,422 395 1,027	721 532 189	456 — 456	1,979 114 1,865
21	Congenital malformations (750-759).	T. 838 M. 474 F. 364	13 6 7	79 46 33	170 54 116	174 107 67	378 261 117	24 — 24	— — —	— — —
22	Certain diseases of early infancy (760-776).	T. 206 M. 95 F. 111	6 3 3	17 8 9	30 13 17	86 59 27	67 12 55	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795).	T. 34,944 M. 7,827 F. 27,117	1,261 407 854	2,572 903 1,669	4,094 1,081 3,013	5,998 1,286 4,712	8,765 1,530 7,235	5,689 822 4,867	2,653 742 1,911	3,912 1,056 2,856
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999).	T. 28,889 M. 6,172 F. 22,717	358 110 248	1,245 406 839	4,090 1,096 2,994	5,154 1,153 4,001	8,180 1,476 6,704	3,802 979 2,823	1,502 557 945	4,558 395 4,163
25	Other admissions (Y00-Y88).	T. 3,879 M. 2,106 F. 1,773	99 47 52	253 131 122	1,093 ¹ 561 532	1,610 883 727	798 484 314	26 — 26	— — —	— — —

TABLE 20. Number of Cases by Age, Sex and Duration of Nursing Service, 1958

Age	Total cases	Duration of nursing service							
		1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
All ages									
T.	38,757	7,438	8,575	10,061	6,361	4,605	946	344	427
M.	11,767	2,358	2,924	3,045	1,757	1,227	283	88	85
F.	26,990	5,080	5,651	7,016	4,604	3,378	663	256	342
Under 15 years									
T.	5,834	1,246	2,143	1,621	586	211	20	3	4
M.	2,979	666	1,046	823	314	117	10	—	3
F.	2,855	580	1,097	798	272	94	10	3	1
15-24 years									
T.	1,416	359	282	335	263	172	3	—	2
M.	224	70	75	45	14	19	1	—	—
F.	1,192	289	207	290	249	153	2	—	2
25-44 "									
T.	4,845	934	948	1,354	937	572	66	14	20
M.	678	197	177	163	91	42	5	1	2
F.	4,167	737	771	1,191	846	530	61	13	18
45-64 "									
T.	7,263	1,407	1,522	1,937	1,225	862	172	61	77
M.	2,042	407	448	559	325	228	41	18	16
F.	5,221	1,000	1,074	1,378	900	634	131	43	61
65-74 "									
T.	7,948	1,351	1,488	2,059	1,387	1,146	291	97	129
M.	2,361	388	465	631	397	344	89	22	25
F.	5,587	963	1,023	1,428	990	802	202	75	104
75 years and over									
T.	11,451	2,141	2,192	2,755	1,963	1,642	394	169	195
M.	3,483	630	713	824	616	477	137	47	39
F.	7,968	1,511	1,479	1,931	1,347	1,165	257	122	156

TABLE 21. Percentage Distribution of Cases by Age, Sex and Duration of Nursing Service, 1958

Age	Total per cent by duration	Duration of nursing service							
		1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
All ages									
T.	100.0	19.2	22.1	26.0	16.4	11.9	2.4	0.9	1.1
M.	100.0	20.0	24.9	25.9	14.9	10.4	2.4	0.8	0.7
F.	100.0	18.8	20.9	26.0	17.1	12.5	2.5	0.9	1.3
Under 15 years									
T.	100.0	21.4	36.7	27.8	10.0	3.6	0.3	0.1	0.1
M.	100.0	22.4	35.1	27.7	10.5	3.9	0.3	—	0.1
F.	100.0	20.3	38.4	28.0	9.5	3.3	0.4	0.1	--
15-24 years									
T.	100.0	25.4	19.9	23.7	18.6	12.1	0.2	—	0.1
M.	100.0	31.2	33.5	20.1	6.3	8.5	0.4	—	—
F.	100.0	24.2	17.4	24.3	20.9	12.8	0.2	—	0.2
25-44 "									
T.	100.0	19.2	19.6	28.0	19.3	11.8	1.4	0.3	0.4
M.	100.0	29.1	26.1	24.0	13.4	6.2	0.7	0.2	0.3
F.	100.0	17.7	18.5	28.6	20.3	12.7	1.5	0.3	0.4
45-64 "									
T.	100.0	19.3	21.0	26.6	16.9	11.9	2.4	0.8	1.1
M.	100.0	19.9	21.9	27.4	15.9	11.2	2.0	0.9	0.8
F.	100.0	19.1	20.6	26.4	17.3	12.1	2.5	0.8	1.2
65-74 "									
T.	100.0	17.0	18.7	25.9	17.5	14.4	3.7	1.2	1.6
M.	100.0	16.4	19.7	26.7	16.8	14.6	3.8	0.9	1.1
F.	100.0	17.2	18.3	25.6	17.7	14.4	3.6	1.3	1.9
75 years and over									
T.	100.0	18.7	19.1	24.1	17.2	14.3	3.4	1.5	1.7
M.	100.0	18.0	20.5	23.7	17.7	13.7	3.9	1.4	1.1
F.	100.0	19.0	18.6	24.2	16.9	14.6	3.2	1.5	2.0

TABLE 22. Number of Visits by Age, Sex and Duration of Nursing Service, 1958

Age	Total visits	Duration of nursing service							
		1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
All ages									
T.	703,504	7,613	24,232	66,593	88,629	188,188	111,167	67,031	150,071
M.	198,889	2,420	8,388	20,638	31,984	48,006	32,137	18,936	36,380
F.	504,615	5,193	15,844	45,955	56,645	140,162	79,030	48,095	113,691
Under 15 years									
T.	23,216	1,289	5,649	7,034	4,566	3,157	780	439	302
M.	11,969	694	2,787	3,827	2,348	1,596	495	—	222
F.	11,247	595	2,862	3,207	2,218	1,561	285	439	80
15-24 years									
T.	11,988	366	814	1,727	2,373	3,727	449	—	2,532
M.	2,310	71	219	304	336	1,284	96	—	—
F.	9,678	295	595	1,423	2,037	2,443	353	—	2,532
25-44 "									
T.	57,948	959	2,685	8,395	12,121	14,444	8,397	2,318	8,629
M.	7,780	201	538	1,334	2,143	1,843	624	80	1,017
F.	50,168	758	2,147	7,061	9,978	12,601	7,773	2,238	7,612
45-64 "									
T.	147,300	1,440	4,576	15,576	25,059	35,550	21,620	13,294	30,185
M.	40,616	415	1,442	4,598	6,663	9,606	5,605	4,718	7,569
F.	106,684	1,025	3,134	10,978	18,396	25,944	16,015	8,576	22,616
65-74 "									
T.	198,780	1,372	4,265	15,091	8,983	67,590	34,046	21,965	45,468
M.	57,742	394	1,350	5,031	8,983	15,624	9,746	4,751	11,883
F.	141,038	978	2,915	10,060	—	51,966	24,300	17,214	33,605
75 years and over									
T.	264,272	2,187	6,243	18,770	35,527	63,700	45,875	29,015	62,955
M.	78,472	645	2,052	5,544	11,511	18,053	15,571	9,387	15,709
F.	185,800	1,542	4,191	13,228	24,016	45,647	30,304	19,628	47,246

TABLE 23. Percentage Distribution of Visits by Age, Sex and Duration of Nursing Service, 1958

Age	Total per cent by age group	Duration of nursing service							
		1 day	2-7 days	8-30 days	1 month and under 3 months	3 months and under 1 year	1 year and under 2 years	2 years and under 3 years	3 years and over
All ages									
T.	100.0	1.1	3.4	9.5	12.6	26.8	15.8	9.5	21.3
M.	100.0	1.2	4.2	10.4	16.1	24.1	16.2	9.5	18.3
F.	100.0	1.0	3.2	9.1	11.2	27.8	15.7	9.5	22.5
Under 15 years									
T.	100.0	5.5	24.3	30.3	19.7	13.6	3.4	1.9	1.3
M.	100.0	5.8	23.3	32.0	19.6	13.3	4.1	—	1.9
F.	100.0	5.3	25.5	28.5	19.7	13.9	2.5	3.9	0.7
15-24 years									
T.	100.0	3.1	6.8	14.4	19.8	31.1	3.7	—	21.1
M.	100.0	3.1	9.5	13.2	14.5	55.6	4.1	—	—
F.	100.0	3.0	6.2	14.7	21.0	25.2	3.7	—	26.2
25-44 "									
T.	100.0	1.7	4.6	14.5	20.9	24.9	14.5	4.0	14.9
M.	100.0	2.6	8.9	17.2	27.5	23.7	8.0	1.0	13.1
F.	100.0	1.5	4.3	14.1	19.9	25.1	15.5	4.4	15.2
45-64 "									
T.	100.0	1.0	3.1	10.6	17.0	24.1	14.7	9.0	20.5
M.	100.0	1.0	3.6	11.3	18.4	23.7	13.8	11.6	18.6
F.	100.0	1.0	2.9	10.3	17.3	24.3	15.0	8.0	21.2
65-74 "									
T.	100.0	0.7	2.1	7.6	4.5	34.0	17.1	11.1	22.9
M.	100.0	0.7	2.3	8.7	15.6	27.1	16.9	8.2	20.5
F.	100.0	0.7	2.1	7.1	—	36.9	17.2	12.2	23.8
75 years and over									
T.	100.0	0.8	2.4	7.1	13.4	24.1	17.4	11.0	23.8
M.	100.0	0.8	2.6	7.1	14.7	23.0	19.8	12.0	20.0
F.	100.0	0.8	2.3	7.1	12.9	24.6	16.3	10.6	25.4

TABLE 24. Number and Percentage of Cases and Visits for Persons Admitted after Hospitalization by Cause and Sex, 1958

No.	Cause and detailed list numbers	Cases		Visits		
		Number	Per cent of total cases for each cause ¹	Number	Per cent of total visits for each cause ²	
	All causes	T. M. F.	12,814 4,067 8,747	33.1 34.6 32.4	278,722 88,194 190,528	39.6 44.3 37.8
1	Tuberculosis (001-019).....	T. M. F.	146 61 85	63.2 69.3 59.4	6,176 2,281 3,895	57.9 59.8 56.8
2	Other infective and parasitic diseases (020-138)	T. M. F.	96 31 65	10.0 8.6 10.9	1,171 339 832	20.2 18.0 21.2
3	Malignant neoplasms (140-205)	T. M. F.	1,886 633 1,253	63.4 65.4 62.4	42,003 14,065 27,938	68.1 73.9 65.5
4	Benign neoplasms (210-239)	T. M. F.	195 60 135	70.1 75.9 67.8	1,852 545 1,307	68.0 65.9 69.0
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289). .	T. M. F.	98 42 56	22.0 27.6 19.1	2,603 592 2,011	24.2 25.2 23.9
6	Diabetes (260).....	T. M. F.	777 250 527	43.0 43.9 42.6	39,946 9,922 30,024	42.3 33.1 46.5
7	Anaemias and other diseases of the blood and blood-forming organs (290-299). .	T. M. F.	353 78 275	19.6 30.6 17.8	10,796 2,499 8,297	18.5 30.1 16.6
8	Mental, psychoneurotic, and personality disorders (300-326). .	T. M. F.	63 12 51	23.4 27.3 22.7	2,180 1,161 1,019	43.1 77.1 28.7
9	Diseases of the central nervous system and sense organs (330-352). .	T. M. F.	668 230 438	25.9 27.4 25.2	29,385 7,053 22,332	32.9 32.8 32.9
10	Other diseases of the central nervous system and sense organs (353-398). .	T. M. F.	218 63 155	25.1 25.6 24.8	5,480 1,049 4,431	42.8 39.7 43.6
11	Rheumatic fever (400-402)	T. M. F.	7 1 6	26.9 33.3 26.1	66 30 36	25.5 93.8 15.9
12	Diseases of the heart (410-434)	T. M. F.	1,383 631 752	34.7 40.3 31.0	43,929 20,671 23,258	37.1 43.8 32.6

¹ See Table 8 for total cases by cause.

² See Table 11 for total visits by cause.

TABLE 24. Number and Percentage of Cases and Visits for Persons Admitted after Hospitalization by Cause and Sex, 1958 — Concluded

No.	Cause and detailed list numbers	Cases		Visits		
		Number	Per cent of total cases for each cause ¹	Number	Per cent of total visits for each cause ²	
13	Other diseases of the circulatory system (440-468).....	T. M. F.	306 98 208	28.8 33.9 26.9	8,314 2,675 5,639	24.9 28.7 23.4
14	Diseases of the respiratory system (470-527).....	T. M. F.	390 153 237	10.5 12.1 9.8	5,735 2,425 3,310	28.9 38.5 24.4
15	Diseases of the digestive system (530-587)	T. M. F.	1,574 582 992	27.8 32.5 25.7	18,099 6,988 11,111	55.0 62.8 51.0
16	Diseases of the genito-urinary system (590-637)	T. M. F.	870 294 576	59.1 72.4 54.1	12,399 4,745 7,654	64.0 81.9 56.3
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). .	T. M. F.	1,362 — 1,362	88.2 — 88.2	7,031 — 7,031	79.5 — 79.5
18	Diseases of the skin and cellular tissue (690-716)	T. M. F.	349 143 206	35.9 37.4 35.9	4,564 1,164 3,400	38.8 28.2 44.5
19	Arthritis and rheumatism, except rheumatic fever (720-727).	T. M. F.	195 43 152	20.0 28.7 18.4	8,621 2,094 6,527	26.8 43.8 23.8
20	Other diseases of the bones and organs of movement (730-749).	T. M. F.	128 51 77	50.0 52.0 48.7	2,515 1,155 1,360	41.7 68.1 31.4
21	Congenital malformations (750-759)	T. M. F.	57 25 32	60.0 52.1 68.1	580 307 273	69.2 64.8 75.0
22	Certain diseases of early infancy (760-776)	T. M. F.	4 2 2	11.4 11.8 11.1	24 7 17	11.7 7.4 15.3
23	Symptoms, senility, and ill-defined conditions (780-795)	T. M. F.	417 122 295	10.3 10.0 10.4	6,820 1,569 5,251	19.5 20.0 19.4
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999).	T. M. F.	849 234 615	43.7 43.6 43.8	16,024 3,558 12,466	55.5 57.6 54.9
25	Other admissions (Y00-Y88)	T. M. F.	423 228 195	55.7 58.5 52.8	2,409 1,300 1,109	62.1 61.7 62.5

¹ See Table 8 for total cases by cause.

² See Table 11 for total visits by cause.

TABLE 25. Number of Cases by Cause, Sex and Occupational Status, 1958

No.	Cause and detailed list numbers	Total cases	Not gainfully occupied					Gainfully occupied	Not stated
			Under 14 years	Retired or voluntarily idle	Housewife	Student	Other		
	All causes	T. 38,757 M. 11,767 F. 26,990	5,787 2,955 2,832	15,327 5,888 9,439	12,463 — 12,463	203 89 114	1,029 569 460	3,875 2,218 1,657	73 48 25
1	Tuberculosis (001 - 019)	T. 231 M. 88 F. 143	10 6 4	34 20 14	92 — 92	2 1 1	30 19 11	59 39 20	4 3 1
2	Other infective and parasitic diseases (020 - 138). .	T. 957 M. 362 F. 595	568 266 302	124 44 80	165 — 165	11 8 3	16 7 9	73 37 36	— — —
3	Malignant neoplasms (140 - 205) ..	T. 2,976 M. 968 F. 2,008	19 9 10	1,296 628 668	1,192 — 1,192	— — —	120 80 40	337 242 95	12 9 3
4	Benign neoplasms (210 - 239)	T. 278 M. 79 F. 199	16 6 10	63 24 39	119 — 119	6 3 3	9 4 5	64 41 23	1 1 —
5	Allergic, endocrine system, metabolic, and nutritional diseases, M. except diabetes (240 - 254, 270 - F. 289).	T. 445 M. 152 F. 293	81 47 34	135 67 68	159 — 159	8 4 4	17 9 8	44 24 20	1 1 —
6	Diabetes (260)	T. 1,805 M. 569 F. 1,236	40 24 16	857 377 480	690 — 690	4 2 2	69 47 22	144 118 26	1 1 —
7	Anaemias and other diseases of the blood and blood-forming organs (290 - 299). .	T. 1,804 M. 255 F. 1,549	13 7 6	876 198 678	779 — 779	3 1 2	23 8 15	106 41 65	4 — 4
8	Mental, psychoneurotic, and personality disorders (300 - 326). .	T. 269 M. 44 F. 225	12 7 5	68 20 48	132 — 132	2 — 2	22 6 16	31 11 20	2 — 2
9	Diseases of the central nervous system and sense organs (330 - M. 352). .	T. 2,579 M. 839 F. 1,740	17 5 12	1,641 674 967	647 — 647	6 5 1	144 69 75	121 83 38	3 3 —
10	Other diseases of the central nervous system and sense organs (353 - 398). .	T. 870 M. 246 F. 624	225 111 114	230 74 156	275 — 275	3 — 3	25 7 18	110 53 57	2 1 1
11	Rheumatic fever (400 - 402)	T. 26 M. 3 F. 23	9 2 7	1 — 1	10 — 10	2 — 2	2 — 2	2 1 1	— — —
12	Diseases of the heart (410 - 434) .	T. 3,989 M. 1,565 F. 2,424	5 1 4	2,569 1,288 1,281	1,065 — 1,065	1 — 1	96 75 21	249 197 52	4 4 —

TABLE 25. Number of Cases by Cause, Sex and Occupational Status, 1958 - Concluded

No.	Cause and detailed list numbers	Total cases	Not gainfully occupied					Gainfully occupied	Not stated
			Under 14 years	Retired or voluntarily idle	Housewife	Student	Other		
13	Other diseases of the circulatory system (440-468)	T. 1,062 M. 289 F. 773	19 5 14	594 217 377	352 — 352	3 — 3	12 8 4	80 57 23	2 2 —
14	Diseases of the respiratory system (470-527).	T. 3,697 M. 1,268 F. 2,429	1,366 651 715	787 289 498	847 — 847	38 21 17	69 44 25	581 259 322	9 4 5
15	Diseases of the digestive system (530-587)	T. 5,653 M. 1,791 F. 3,862	772 389 383	2,258 858 1,400	1,702 — 1,702	43 9 34	116 65 51	753 463 290	9 7 2
16	Diseases of the genito-urinary system (590-637).	T. 1,471 M. 406 F. 1,065	130 105 25	395 212 183	723 — 723	8 — 8	25 11 14	183 74 109	7 4 3
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689).	T. 1,545 M. — F. 1,545	— — —	— — —	1,504 — 1,504	— — —	4 — 4	37 — 37	— — —
18	Diseases of the skin and cellular tissue (690-716).	T. 971 M. 382 F. 589	227 128 99	301 132 169	255 — 255	13 7 6	44 30 14	130 85 45	1 — 1
19	Arthritis and rheumatism, except rheumatic fever (720-727).	T. 975 M. 150 F. 825	5 1 4	566 110 456	319 — 319	2 2 —	44 15 29	38 21 17	1 1 —
20	Other diseases of the bones and organs of movement (730-749).	T. 256 M. 98 F. 158	34 21 13	62 21 41	90 — 90	4 4 —	16 9 7	49 42 7	1 1 —
21	Congenital malformations (750-759).	T. 95 M. 48 F. 47	76 39 37	4 3 1	4 — 4	3 2 1	5 3 2	3 1 2	— — —
22	Certain diseases of early infancy (760-776).	T. 35 M. 17 F. 18	35 17 18	— — —	— — —	— — —	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795).	T. 4,068 M. 1,221 F. 2,847	1,031 505 526	1,711 478 1,233	794 — 794	20 9 11	70 27 43	438 198 240	4 4 —
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999).	T. 1,941 M. 537 F. 1,404	377 226 151	728 149 579	528 — 528	20 11 9	48 24 24	236 125 111	4 2 2
25	Other admissions (Y00-Y88) ...	T. 759 M. 390 F. 369	701 378 323	26 4 22	20 — 20	1 — 1	3 2 1	7 6 1	1 — 1

TABLE 26. Number of Cases by Cause, Sex, Marital Status and Age, 1958

No.	Cause and detailed list numbers	Total cases	Single				
			Total	Under 25	25-44	45-64	65 and over
	All causes	T. 38,757 M. 11,767 F. 26,990	9,221 3,942 5,279	6,386 3,152 3,234	556 165 391	752 249 503	1,527 376 1,151
1	Tuberculosis (001-019)	T. 231 M. 88 F. 143	51 26 25	22 13 9	13 7 6	12 4 8	4 2 2
2	Other infective and parasitic diseases (020-138).	T. 957 M. 362 F. 595	639 287 352	590 277 313	14 5 9	17 2 15	18 3 15
3	Malignant neoplasms (140-205)	T. 2,976 M. 968 F. 2,008	212 61 151	23 11 12	17 6 11	69 20 49	103 24 79
4	Benign neoplasms (210-239)	T. 278 M. 79 F. 199	53 22 31	29 13 16	8 4 4	10 2 8	6 3 3
5	Allergic, endocrine system, metabolic, and nutritional diseases, M. except diabetes (240-254, 270-289).	T. 445 M. 152 F. 293	128 62 66	95 54 41	7 — 7	10 5 5	16 3 13
6	Diabetes (260)	T. 1,805 M. 569 F. 1,236	183 102 81	56 32 24	22 15 7	44 29 15	61 26 35
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. 1,804 M. 255 F. 1,549	164 28 136	21 8 13	11 — 11	36 7 29	96 13 83
8	Mental, psychoneurotic, and personality disorders (300-326).	T. 269 M. 44 F. 225	54 16 38	16 9 7	13 1 12	14 2 12	11 4 7
9	Diseases of the central nervous system and sense organs (330-352).	T. 2,579 M. 839 F. 1,740	215 61 154	33 11 22	36 11 25	37 14 23	109 25 84
10	Other diseases of the central nervous system and sense organs (353-398).	T. 870 M. 246 F. 624	314 124 190	236 113 123	20 2 18	20 3 17	38 6 32
11	Rheumatic fever (400-402)	T. 26 M. 3 F. 23	14 2 12	13 2 11	— — —	1 — 1	— — —
12	Diseases of the heart (410-434)	T. 3,989 M. 1,565 F. 2,424	285 113 172	7 1 6	8 6 2	74 36 38	196 70 126

TABLE 26. Number of Cases by Cause, Sex, Marital Status and Age, 1958

Married					Others					No.
Total	Under 25	25-44	45-64	65 and over	Total	Under 25	25-44	45-64	65 and over	
17,858 5,668 12,190	946 47 799	3,979 488 3,491	5,049 1,596 3,453	7,984 3,537 4,447	11,678 2,157 9,521	18 4 14	310 25 285	1,462 197 1,265	9,888 1,931 7,957	
147 58 89	4 1 3	86 24 62	37 19 18	20 14 6	33 4 29	— — —	5 — 5	12 3 9	16 1 15	1
205 57 148	11 2 9	60 12 48	56 18 38	78 25 53	113 18 95	— — —	5 — 5	13 2 11	95 16 79	2
1,831 696 1,135	10 1 9	216 23 193	801 254 547	804 418 386	933 211 722	— — —	21 — 21	207 27 180	705 184 521	3
169 50 119	10 6 4	62 9 53	58 19 39	39 16 23	56 7 49	— — —	7 1 6	12 — 12	37 6 31	4
201 62 139	4 1 3	42 4 38	68 16 52	87 41 46	116 28 88	2 — 2	7 2 5	21 1 20	86 25 61	5
898 326 572	5 3 2	64 15 49	311 96 215	518 212 306	724 141 583	1 — 1	9 5 4	110 10 100	604 126 478	6
827 153 674	19 — 19	181 7 174	205 27 178	422 119 303	813 74 739	— — —	12 — 12	80 4 76	721 70 651	7
150 20 130	3 — 3	59 4 55	44 5 39	44 11 33	65 8 57	— — —	7 — 7	25 3 22	33 5 28	8
1,387 587 800	9 — 9	105 20 85	314 106 208	959 461 498	977 191 786	— — —	19 5 14	100 11 89	858 175 683	9
357 102 255	6 — 6	83 13 70	126 41 85	142 48 94	199 20 179	— — —	7 — 7	32 — 32	160 20 140	10
9 1 8	1 — 1	3 — 3	4 1 3	1 — 1	3 — 3	— — —	3 — 3	— — —	— — —	11
1,992 1,016 976	4 — 4	62 17 45	537 237 300	1,389 762 627	1,712 436 1,276	— — —	7 — 7	152 ^a 40 ^b 112	1,553 396 1,157	12

TABLE 26. Number of Cases by Cause, Sex, Marital Status and Age, 1958 — Concluded

No.	Cause and detailed list numbers	Total cases	Single				
			Total	Under 25	25-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468). T. M. F.	1,062 289 773	103 31 72	23 6 17	9 4 5	16 8 8	55 13 42
14	Diseases of the respiratory system (470-527). T. M. F.	3,697 1,268 2,429	1,788 778 1,010	1,492 693 799	105 26 79	74 22 52	117 37 80
15	Diseases of the digestive system (530-587). T. M. F.	5,653 1,791 3,862	1,358 528 830	894 418 476	75 25 50	125 34 91	264 51 213
16	Diseases of the genito-urinary system (590-637). T. M. F.	1,471 406 1,065	254 133 121	162 106 56	27 2 25	32 6 26	33 19 14
17	Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689). T. M. F.	1,545 — 1,545	13 — 13	8 — 8	5 — 5	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	971 382 589	359 181 178	255 141 114	27 11 16	27 10 17	50 19 31
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	975 150 825	106 15 91	8 3 5	13 3 10	25 2 23	60 7 53
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	256 98 158	68 37 31	44 28 16	5 2 3	10 7 3	9 — 9
21	Congenital malformations (750-759) T. M. F.	95 48 47	88 45 43	82 43 39	3 1 2	3 1 2	— — —
22	Certain diseases of early infancy (760-776). T. M. F.	35 17 18	35 17 18	35 17 18	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	1,068 1,221 2,847	1,433 606 827	1,127 531 596	80 22 58	47 16 31	179 37 142
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	1,941 537 1,404	594 287 307	412 244 168	37 11 26	46 18 28	99 14 85
25	Other admissions (Y00-Y88)..... T. M. F.	759 390 369	710 380 330	703 378 325	1 1 —	3 1 2	3 — 3

TABLE 26. Number of Cases by Cause, Sex, Marital Status and Age, 1958 - Concluded

Married					Others					No.
Total	Under 25	25-44	45-64	65 and over	Total	Under 25	25-44	45-64	65 and over	
505	4	65	134	302	454	2	7	33	412	13
167	—	9	39	119	91	—	—	9	82	
338	4	56	95	183	363	2	7	24	330	
1,254	74	383	380	417	655	2	43	108	502	14
389	13	80	121	175	101	1	2	20	78	
865	61	303	259	242	554	1	41	88	424	
2,584	92	483	859	1,150	1,711	—	40	195	1,476	15
926	5	95	301	525	337	—	2	24	311	
1,658	87	388	558	625	1,374	—	38	171	1,165	
881	51	333	254	243	336	1	24	60	251	16
201	1	13	52	135	72	—	—	6	66	
680	50	320	202	108	264	1	24	54	185	
1,516	464	1,045	7	—	16	4	12	—	—	17
—	—	—	—	—	—	—	—	—	—	
1,516	464	1,045	7	—	16	4	12	—	—	
369	6	109	118	136	243	—	11	41	191	18
135	1	36	30	68	66	—	3	9	54	
234	5	73	88	68	177	—	8	32	137	
440	1	33	139	267	429	1	5	54	369	19
95	—	5	30	60	40	—	—	5	35	
345	1	28	109	207	389	1	5	49	334	
137	1	30	68	38	51	—	—	12	39	20
54	—	9	32	13	7	—	—	2	5	
83	1	21	36	25	44	—	—	10	34	
4	—	1	2	1	3	—	1	—	2	21
2	—	—	1	1	1	—	—	—	1	
2	—	—	1	—	2	—	1	—	1	
—	—	—	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
1,283	50	317	319	597	1,352	4	37	103	1,208	23
378	9	49	92	228	237	3	1	13	220	
905	41	268	227	369	1,115	1	36	90	988	
690	16	150	201	323	657	1	20	90	546	24
185	3	42	57	83	65	—	3	8	54	
505	13	108	144	240	592	1	17	82	492	
22	1	7	7	7	27	—	1	2	24	25
8	1	2	2	3	2	—	1	—	1	
14	—	5	5	4	25	—	—	2	23	

TABLE 27. Number of Visits by Cause, Sex, Marital Status and Age, 1958

No.	Cause and detailed list numbers	Total visits	Single				
			Total	Under 25	25-44	45-64	65 and over
	All causes	T. 703,504 M. 198,889 F. 504,615	86,300 32,464 53,836	27,983 13,855 14,128	8,020 2,421 5,599	16,393 7,507 8,886	33,904 8,681 25,223
1	Tuberculosis (001-019)	T. 10,666 M. 3,812 F. 6,854	2,016 846 1,170	586 386 200	341 171 170	689 283 406	400 6 394
2	Other infective and parasitic diseases (020-138).	T. 5,797 M. 1,881 F. 3,916	2,838 1,368 1,470	2,110 985 1,125	94 10 84	415 330 85	219 43 176
3	Malignant neoplasms (140-205)	T. 61,657 M. 19,031 F. 42,626	4,301 1,543 2,758	770 347 423	576 132 444	1,546 676 870	1,409 388 1,021
4	Benign neoplasms (210-239)	T. 2,722 M. 827 F. 1,895	546 192 354	282 127 155	30 17 13	196 18 178	38 30 8
5	Allergic, endocrine system, metabolic, and nutritional diseases, M. except diabetes (240-254, 270-289).	T. 10,773 M. 2,353 F. 8,420	2,056 674 1,382	1,280 637 643	49 — 49	68 26 42	659 11 648
6	Diabetes (260)	T. 94,502 M. 29,994 F. 64,508	9,750 4,895 4,855	2,109 339 1,770	296 139 157	2,920 2,136 784	4,425 2,281 2,144
7	Anaemias and other diseases of the blood and blood-forming organs (290-299).	T. 58,293 M. 8,316 F. 49,977	5,696 1,522 4,174	258 66 192	132 — 132	1,365 1,048 317	3,941 408 3,533
8	Mental, psychoneurotic, and personality disorders (300-326).	T. 5,058 M. 1,506 F. 3,552	924 251 673	260 227 33	133 1 132	455 11 444	76 12 64
9	Diseases of the central nervous system and sense organs (330-352).	T. 89,302 M. 21,491 F. 67,811	6,630 1,710 4,920	638 265 373	1,644 351 1,293	1,213 333 880	3,135 761 2,374
10	Other diseases of the central nervous system and sense organs (353-398).	T. 12,814 M. 2,644 F. 10,170	3,208 759 2,449	1,071 541 530	295 69 226	294 96 198	1,548 53 1,495
11	Rheumatic fever (400-402)	T. 259 M. 32 F. 227	201 31 170	172 31 141	— — —	29 — 29	— — —
12	Diseases of the heart (410-434)	T. 118,457 M. 47,204 F. 71,253	6,813 3,190 3,623	109 1 108	183 23 160	1,434 674 760	5,087 2,492 2,595

TABLE 27. Number of Visits by Cause, Sex, Marital Status and Age, 1958

Married					Others					No.
Total	Under 25	25 - 44	45 - 64	65 and over	Total	Under 25	25 - 44	45 - 64	65 and over	
344,136	7,094	44,504	91,686	200,852	273,068	127	5,424	37,222	230,295	
107,878	407	4,981	27,211	75,279	58,547	17	378	3,899	54,253	
236,258	6,687	39,523	64,475	125,573	214,521	110	5,046	33,323	176,042	
6,692	285	3,558	2,250	599	1,958	—	518	488	952	1
2,819	88	829	1,536	366	147	—	—	105	42	
3,873	197	2,729	714	233	1,811	—	518	383	910	
1,442	60	372	361	649	1,517	—	13	688	816	2
377	4	48	86	239	136	—	—	2	134	
1,065	56	324	275	410	1,381	—	13	686	682	
37,029	61	4,888	14,751	17,329	20,327	—	261	4,386	15,680	3
11,679	2	809	3,517	7,351	5,809	—	—	606	5,203	
25,350	59	4,079	11,234	9,978	14,518	—	261	3,780	10,477	
1,817	57	688	386	686	359	—	42	58	259	4
568	15	198	146	209	67	—	4	—	63	
1,249	42	490	240	477	292	—	38	58	196	
5,885	14	1,550	2,600	1,721	2,832	10	78	478	2,266	5
940	1	71	141	727	739	—	6	13	720	
4,945	13	1,479	2,459	994	2,093	10	72	465	1,546	
43,227	23	1,148	7,051	35,005	41,525	64	59	7,022	34,380	6
12,901	9	177	1,920	10,795	12,198	—	26	283	11,889	
30,326	14	971	5,131	24,210	29,327	64	33	6,739	22,491	
25,851	259	3,712	5,519	16,361	26,746	—	416	1,865	24,465	7
4,982	—	171	782	4,029	1,812	—	—	322	1,490	
20,869	259	3,541	4,737	12,332	24,934	—	416	1,543	22,975	
2,901	20	1,001	1,508	372	1,233	—	34	430	769	8
1,132	—	56	987	89	123	—	—	111	12	
1,769	20	945	521	283	1,110	—	34	319	757	
52,466	1,881	4,423	12,998	33,164	30,206	—	1,656	4,915	23,635	9
15,478	—	319	3,762	11,397	4,303	—	179	80	4,044	
36,988	1,881	4,104	9,236	21,767	25,903	—	1,477	4,835	19,591	
5,664	28	717	2,880	2,039	3,942	—	31	414	3,497	10
1,389	—	77	505	807	496	—	—	—	496	
4,275	28	640	2,375	1,232	3,446	—	31	414	3,001	
47	1	10	23	13	11	—	11	—	—	11
1	—	—	1	—	—	—	—	—	—	
46	1	10	22	13	11	—	11	—	—	
58,704	42	1,050	17,184	40,428	52,940	—	133	6,127	46,680	12
27,948	—	241	7,226	20,481	16,066	—	—	554	15,512	
30,756	42	809	9,958	19,947	36,874	—	133	5,573	31,168	

TABLE 27. Number of Visits by Cause, Sex, Marital Status and Age, 1958 — Concluded

No.	Cause and detailed list numbers	Total visits	Single				
			Total	Under 25	25-44	45-64	65 and over
13	Other diseases of the circulatory system (440-468). T. M. F.	33,408 9,308 24,100	4,935 895 4,040	87 26 61	143 41 102	793 626 167	3,912 202 3,710
14	Diseases of the respiratory system (470-527). T. M. F.	19,867 6,297 13,570	5,920 2,475 3,445	4,225 2,107 2,118	402 62 340	357 89 268	936 217 719
15	Diseases of the digestive system (530-587). T. M. F.	32,923 11,124 21,799	4,725 2,144 2,581	2,298 1,188 1,110	262 106 156	607 153 454	1,558 697 861
16	Diseases of the genito-urinary system (590-637). T. M. F.	19,383 5,793 13,590	1,919 638 1,281	532 360 172	148 36 112	931 106 825	308 136 172
17	Complications of pregnancy, child- birth, and the puerperium (640-652, 670-689). T. M. F.	8,843 — 8,843	69 — 69	40 — 40	29 — 29	— — —	— — —
18	Diseases of the skin and cellular tissue (690-716). T. M. F.	11,765 4,123 7,642	2,890 1,542 1,348	1,289 775 514	358 127 231	448 283 165	795 357 438
19	Arthritis and rheumatism, except rheumatic fever (720-727). T. M. F.	32,225 4,782 27,443	4,353 1,507 2,846	339 145 194	1,516 965 551	1,031 224 807	1,467 173 1,294
20	Other diseases of the bones and organs of movement (730-749). T. M. F.	6,034 1,697 4,337	1,632 376 1,256	455 253 202	167 22 145	875 101 774	135 — 135
21	Congenital malformations (750-759). T. M. F.	838 474 364	792 449 343	667 421 246	56 2 54	59 26 43	— — —
22	Certain diseases of early infancy (760-776). T. M. F.	206 95 111	206 95 111	206 95 111	— — —	— — —	— — —
23	Symptoms, senility, and ill-defined conditions (780-795). T. M. F.	34,944 7,827 27,117	6,054 1,698 4,356	2,746 1,323 1,423	915 26 889	175 40 135	2,218 309 1,909
24	Alternative classification of accidents, poisonings, and violence (nature of injury) (N800-N999). T. M. F.	28,889 6,172 22,717	4,621 1,935 2,686	2,287 1,486 801	250 120 130	453 224 229	1,631 105 1,526
25	Other admissions (Y00-Y88) T. M. F.	3,879 2,106 1,773	3,205 1,729 1,476	3,167 1,724 1,443	1 1 —	30 4 26	7 — 7

TABLE 27. Number of Visits by Cause, Sex, Marital Status and Age, 1958 — Concluded

Married					Others					No.
Total	Under 25	25 - 44	45 - 64	65 and over	Total	Under 25	25 - 44	45 - 64	65 and over	
11,590	28	539	1,815	9,208	16,883	10	101	415	16,357	13
4,604	—	172	340	4,092	3,809	—	—	39	3,770	
6,986	28	367	1,475	5,116	13,074	10	101	376	12,587	
9,103	511	3,241	1,723	3,628	4,844	15	181	1,081	3,567	14
2,502	182	314	719	1,287	1,320	14	26	625	655	
6,601	329	2,927	1,004	2,341	3,524	1	155	456	2,912	
17,592	501	2,666	7,182	7,243	10,606	—	427	2,210	7,969	15
6,393	12	594	2,297	3,490	2,587	—	23	931	1,633	
11,199	489	2,072	4,885	3,753	8,019	—	404	1,279	6,336	
10,594	236	2,630	3,555	4,173	6,870	6	901	1,913	4,050	16
3,328	5	70	862	2,391	1,827	—	—	65	1,762	
7,266	231	2,560	2,693	1,782	5,043	6	901	1,848	2,288	
8,704	2,751	5,914	39	—	70	15	55	—	—	17
—	—	—	—	—	—	—	—	—	—	
8,704	2,751	5,914	39	—	70	15	55	—	—	
5,208	42	1,353	1,338	2,475	3,667	—	62	641	2,964	18
1,603	4	293	319	987	978	—	35	26	917	
3,605	38	1,060	1,019	1,488	2,689	—	27	615	2,047	
15,166	2	1,709	3,588	9,867	12,706	1	152	2,393	10,160	19
2,210	—	43	521	1,646	1,065	—	—	62	1,003	
12,956	2	1,666	3,067	8,221	11,641	1	152	2,331	9,157	
3,741	1	425	1,342	1,973	661	—	—	75	586	20
1,241	—	93	696	452	80	—	—	11	69	
2,500	1	332	646	1,521	581	—	—	64	517	
15	—	2	10	3	31	—	5	—	26	21
9	—	—	6	3	16	—	—	—	16	
6	—	2	4	—	15	—	5	—	10	
—	—	—	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
9,414	159	1,540	1,395	6,320	19,476	4	132	507	18,833	23
2,223	12	78	238	1,895	3,906	3	1	20	3,882	
7,191	147	1,462	1,157	4,425	15,570	1	131	487	14,951	
10,721	65	1,084	2,094	7,478	13,547	2	86	1,113	12,346	24
3,246	6	250	548	2,442	991	—	8	44	939	
7,475	59	834	1,546	5,036	12,556	2	78	1,069	11,407	
563	67	284	94	118	111	—	70	3	38	25
305	67	78	56	104	72	—	70	—	2	
258	—	206	38	14	39	—	—	3	36	

TABLE 28. Percentage Distribution of Cases by Marital Status, Sex and Age, 1958

Marital status	All ages	Age			
		Under 25	25-44	45-64	65 and over
Total	T.	100.0	18.7	12.5	18.7
	M.	100.0	27.2	5.8	17.3
	F.	100.0	15.0	15.4	19.4
Single	T.	100.0	69.2	6.0	8.2
	M.	100.0	80.0	4.2	6.3
	F.	100.0	61.3	7.4	9.5
Married	T.	100.0	4.7	22.3	28.3
	M.	100.0	0.8	8.6	28.2
	F.	100.0	6.6	28.6	28.3
Other	T.	100.0	0.2	2.6	12.5
	M.	100.0	0.2	1.2	9.1
	F.	100.0	0.1	3.0	13.3

TABLE 29. Percentage Distribution of Visits by Marital Status, Sex and Age, 1958

Marital status	All ages	Age			
		Under 25	25-44	45-64	65 and over
Total	T.	100.0	5.0	8.2	20.7
	M.	100.0	7.2	3.9	19.4
	F.	100.0	4.1	10.0	21.1
Single	T.	100.0	32.4	9.3	19.0
	M.	100.0	42.7	7.5	23.1
	F.	100.0	26.2	10.4	16.5
Married	T.	100.0	2.1	12.9	26.6
	M.	100.0	0.4	4.6	25.2
	F.	100.0	2.8	16.7	27.3
Others	T.	100.0	0.1	2.0	13.6
	M.	100.0	--	0.6	6.7
	F.	100.0	0.1	2.3	15.5

TABLE 30. Average Visits per Case by Marital Status, Sex and Age, 1958

Marital status	All ages	Age			
		Under 25	25-44	45-64	65 and over
Total	T.	18.2	4.9	12.0	20.0
	M.	16.9	4.5	11.5	18.9
	F.	18.7	5.2	12.0	20.4
Single	T.	9.4	4.4	14.4	21.8
	M.	8.2	4.4	14.7	30.1
	F.	10.2	4.4	14.3	17.7
Married	T.	19.3	8.4	11.2	18.2
	M.	19.0	8.7	10.2	17.0
	F.	19.4	8.4	11.3	18.7
Others	T.	23.4	7.1	17.5	25.5
	M.	27.1	4.2	15.1	19.8
	F.	22.5	7.9	17.7	26.3

TABLE 31. Number and Percentage of Visits by Age, Sex and Type of Visit, 1958

Age	Both sexes			Male			Female		
	Total visits	Nursing care	Health instruction	Total visits	Nursing care	Health instruction	Total visits	Nursing care	Health instruction
Number									
All ages	703,504	665,985	37,519	198,889	188,724	10,165	504,615	477,261	27,354
Under 1 year.....	7,301	4,381	2,920	4,150	2,519	1,631	3,151	1,862	1,289
1- 4 years	8,650	6,764	1,886	4,262	3,317	945	4,388	3,447	941
5- 14 "	7,265	5,862	1,403	3,557	2,886	671	3,708	2,976	732
15- 24 "	11,988	9,830	2,158	2,310	2,171	139	9,678	7,659	2,019
25- 34 "	19,896	16,498	3,398	2,126	2,011	115	17,770	14,487	3,283
35- 44 "	38,052	35,414	2,638	5,654	5,378	276	32,398	30,036	2,362
45- 54 "	51,901	49,697	2,204	11,076	10,570	506	40,825	39,127	1,698
55- 64 "	95,399	91,543	3,856	29,540	28,629	911	65,859	62,914	2,945
65- 69 "	78,200	75,413	2,787	20,467	19,712	755	57,733	55,701	2,032
70- 74 "	120,580	116,567	4,013	37,275	36,087	1,188	83,305	80,480	2,825
75- 79 "	120,354	115,497	4,857	35,121	33,974	1,147	85,233	81,523	3,710
80- 84 "	71,822	69,055	2,767	23,589	22,564	1,025	48,233	46,491	1,742
85 years and over	72,096	69,464	2,632	19,762	18,906	856	52,334	50,558	1,776
Per cent									
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 year.....	1.0	0.7	7.8	2.1	1.3	16.0	0.6	0.4	4.7
1- 4 years	1.2	1.0	5.0	2.1	1.8	9.3	0.9	0.7	3.4
5- 14 "	1.0	0.9	3.7	1.8	1.5	6.6	0.7	0.6	2.7
15- 24 "	1.7	1.5	5.8	1.2	1.2	1.4	1.9	1.6	7.4
25- 34 "	2.8	2.5	9.1	1.1	1.1	1.1	3.5	3.0	12.0
35- 44 "	5.4	5.3	7.0	2.8	2.8	2.7	6.4	6.3	8.6
45- 54 "	7.4	7.5	5.9	5.6	5.6	5.0	8.1	8.2	6.2
55- 64 "	13.6	13.7	10.3	14.8	15.2	9.0	13.1	13.2	10.8
65- 69 "	11.1	11.3	7.4	10.3	10.4	7.4	11.4	11.7	7.4
70- 74 "	17.2	17.5	10.7	18.7	19.1	11.7	16.5	16.9	10.3
75- 79 "	17.1	17.3	12.9	17.7	18.0	11.3	16.9	17.1	13.6
80- 84 "	10.2	10.4	7.4	11.9	12.0	10.1	9.6	9.7	6.4
85 years and over	10.3	10.4	7.0	9.9	10.0	8.4	10.4	10.6	6.5

TABLE 32. Number and Percentage of Visits by Cause, Sex and Type of Visit, 1958

No.	Cause and detailed list numbers	Number			Per cent		
		Total visits	Nursing care	Health instruction	Total visits	Nursing care	Health instruction
	All causes	T. 703,504 M. 198,889 F. 504,615	665,985 188,724 477,261	37,519 10,165 27,354	100.0 100.0 100.0	94.7 94.9 94.6	5.3 5.1 5.4
1	Tuberculosis (001-019)	T. 10,666 M. 3,812 F. 6,854	10,487 3,753 6,734	179 59 120	100.0 100.0 100.0	98.3 98.5 98.2	1.7 1.5 1.8
2	Other infective and parasitic diseases (020-138). .	T. 5,797 M. 1,881 F. 3,916	5,015 1,552 3,463	782 329 453	100.0 100.0 100.0	86.5 82.5 88.4	13.5 17.5 11.6
3	Malignant neoplasms (140-205)	T. 61,657 M. 19,031 F. 42,626	58,765 18,082 40,683	2,892 949 1,943	100.0 100.0 100.0	95.3 95.0 95.4	4.7 5.0 4.6
4	Benign neoplasms (210-239).....	T. 2,722 M. 827 F. 1,895	2,533 779 1,754	189 48 141	100.0 100.0 100.0	93.1 94.2 92.6	6.9 5.8 7.4
5	Allergic, endocrine system, metabolic, and nutritional diseases, except diabetes (240-254, 270-289). .	T. 10,773 M. 2,353 F. 8,420	10,324 2,197 8,127	449 156 293	100.0 100.0 100.0	95.8 93.4 96.5	4.2 6.6 3.5
6	Diabetes (260)	T. 94,502 M. 29,994 F. 64,508	92,248 29,412 62,836	2,254 582 1,672	100.0 100.0 100.0	97.6 98.1 97.4	2.4 1.9 2.6
7	Anaemias and other diseases of the blood and blood-forming organs (290-299). .	T. 58,293 M. 8,316 F. 49,977	56,521 8,160 48,361	1,772 156 1,616	100.0 100.0 100.0	97.0 98.1 96.8	3.0 1.9 3.2
8	Mental, psychoneurotic, and personality disorders (300-326). .	T. 5,058 M. 1,506 F. 3,552	4,632 1,455 3,177	426 51 375	100.0 100.0 100.0	91.6 96.6 89.4	8.4 3.4 10.6
9	Diseases of the central nervous system and sense organs (330-352). .	T. 89,302 M. 21,491 F. 67,811	86,838 20,773 66,065	2,464 718 1,746	100.0 100.0 100.0	97.2 96.7 97.4	2.8 3.3 2.6
10	Other diseases of the central nervous system and sense organs (353-398). .	T. 12,814 M. 2,644 F. 10,170	11,818 2,430 9,388	996 214 782	100.0 100.0 100.0	92.2 91.9 92.3	7.8 8.1 7.7
11	Rheumatic fever (400-402)	T. 259 M. 32 F. 227	231 31 200	28 1 27	100.0 100.0 100.0	89.2 96.9 88.1	10.8 3.1 11.9
12	Diseases of the heart (410-434).....	T. 118,457 M. 47,204 F. 71,253	114,779 45,702 69,077	3,678 1,502 2,176	100.0 100.0 100.0	96.9 96.8 96.9	3.1 3.2 3.1

TABLE 32. Number and Percentage of Visits by Cause, Sex and Type of Visit, 1958 — Concluded

No.	Cause and detailed list numbers	Number			Per cent		
		Total visits	Nursing care	Health instruction	Total visits	Nursing care	Health instruction
13	Other diseases of the circulatory system (440-T. 468). M. F.	33,408 9,308 24,100	32,431 9,091 23,340	977 217 760	100.0 100.0 100.0	97.1 97.7 96.8	2.9 2.3 3.2
14	Diseases of the respiratory system (470-527) T. M. F.	19,867 6,297 13,570	17,221 5,372 11,849	2,646 925 1,721	100.0 100.0 100.0	86.7 85.3 87.3	13.3 14.7 12.7
15	Diseases of the digestive system (530-587).... T. M. F.	32,923 11,124 21,799	29,403 10,020 19,383	3,520 1,104 2,416	100.0 100.0 100.0	89.3 90.1 88.9	10.7 9.9 11.1
16	Diseases of the genito-urinary system (590- T. 637). M. F.	19,383 5,793 13,590	18,220 5,482 12,738	1,163 311 852	100.0 100.0 100.0	94.0 94.6 93.7	6.0 5.4 6.3
17	Complications of pregnancy, childbirth, and T. the puerperium (640-652, 670-689). M. F.	8,843 — 8,843	4,168 — 4,168	4,675 — 4,675	100.0 — 100.0	47.1 — 47.1	52.9 — 52.9
18	Diseases of the skin and cellular tissue (690- T. 716). M. F.	11,765 4,123 7,642	10,764 3,728 7,036	1,001 395 606	100.0 100.0 100.0	91.5 90.4 92.1	8.5 9.6 7.9
19	Arthritis and rheumatism, except rheumatic T. fever (720-727). M. F.	32,225 4,782 27,443	31,466 4,665 26,801	759 117 642	100.0 100.0 100.0	97.6 97.6 97.7	2.4 2.4 2.3
20	Other diseases of the bones and organs of T. movement (730-749). M. F.	6,034 1,697 4,337	5,789 1,634 4,155	245 63 182	100.0 100.0 100.0	95.9 96.3 95.8	4.1 3.7 4.2
21	Congenital malformations (750-759) T. M. F.	838 474 364	658 402 256	180 72 108	100.0 100.0 100.0	78.5 84.8 70.3	21.5 15.2 29.7
22	Certain diseases of early infancy (760-776).... T. M. F.	206 95 111	119 63 56	87 32 55	100.0 100.0 100.0	57.8 66.3 50.5	42.2 33.7 49.5
23	Symptoms, senility, and ill-defined conditions T. (780-795). M. F.	34,944 7,827 27,117	31,959 6,932 25,027	2,985 895 2,090	100.0 100.0 100.0	91.5 88.6 92.3	8.5 11.4 7.7
24	Alternative classification of accidents, poi- T. sonings, and violence (nature of injury) M. (N800-N999). F.	28,889 6,172 22,717	27,266 5,748 21,518	1,623 424 1,199	100.0 100.0 100.0	94.4 93.1 94.7	5.6 6.9 5.3
25	Other admissions (Y00-Y88) T. M. F.	3,879 2,106 1,773	2,330 1,261 1,069	1,549 845 704	100.0 100.0 100.0	60.1 59.9 60.3	39.9 40.1 39.7



1010491180

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Information Services Division
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue number		Price
MORBIDITY		
82-201	— Notifiable Diseases—A. Bil.	.75
82-202	— Home Nursing Services—A.E.	1.00
82-203	— Illness in the Civil Service, Statistical Report—A. Bil.	.75
82-204	— Poliomyelitis Trends—A.E.	.25
	Canadian Sickness Survey (National Estimates), 1950-51—E. & F.	
82-501	— Family Expenditures for Health Services	.25
82-502	— Family Expenditures for Health Services by Income Groups	.25
82-505	— Volume of Sickness	.25
82-506	— Permanent Physical Disabilities	.25
82-507	— Incidence and Prevalence of Illness	.25
82-508	— Volume of Health Care	.25
82-509	— Volume of Health Care for Selected Income Groups	.25
82-510	— Illness Frequency by Diagnostic Classification	.25
82-511	— Illness Frequency by Class of Illness, Age and Sex	.25
82-512	— Summary of Notifiable Diseases, 1924-52 (annual supplements to 1958)—Bil.	.75
82-516	— Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957—E.	.50
HOSPITALS, MENTAL ILLNESS, AND TUBERCULOSIS		
82-205	— Tuberculosis Trends—A. E.	.25
82-514	— Tuberculosis among Indians and Eskimos, 1950-52—E.	.25
83-201	— List of Hospitals—A.E.	.75
83-202	— Hospital Statistics, Vol. I, General Information—A. Bil.	1.50
83-203	— Hospital Statistics, Vol. II, Financial Information—A. Bil.	2.00
83-204	— Mental Health Statistics—A. Bil.	2.00
83-205	— Mental Health Statistics, Financial Supplement—A. Bil.	.25
83-206	— Tuberculosis Statistics—A. Bil.	.20
83-207	— Tuberculosis Statistics, Financial Supplement—A. Bil.	.25
83-208	— Mental Health Statistics, Supplement: Patients in Institutions, 1955-57—A.E.	.75
83-209	— Tuberculosis Statistics, Supplement: Patients in Institutions, 1958—A.E.	.75
83-502	— Hospital in 1957, The Large General—E.	.50
VITAL STATISTICS		
84-001	— Monthly Report—Bil.	per year 1.00
84-201	— Preliminary Annual Report—Bil.	.25
84-202	— Annual Report—Bil.	2.00
	Analytical Reports:	
84-501	— Canadian Vital Statistics Trends, 1921-54—E.	.25
84-502	— Mortality by Detailed Causes of Death, 1950-55—E.	.25
84-503	— Leading Causes of Death by Major Age Groupings, 1921-55—E.	.25
84-504	— Accidental Drowning, 1956—E.	.25
84-505	— Mortality from Accidental Falls, 1956—E.	.25
84-506	— Mortality from Accidental Poisoning, 1956—E.	.25
84-507	— Mortality from Home Accidents, 1956—E.	.25
84-508	— Causes of Stillbirths, 1943-55—E.	.25
84-509	— Canadian Life Table, 1951—Bil.	.25
84-511	— Mortality from Suicide, 1921-58—E.	.50
POPULATION — BIL.		
91-203	— Population Estimates by Marital Status, Age and Sex, 1951-58	.50
91-503.4	— Population Estimates (Age and Sex), 1921-56 (annual supplements to 1960)	.25
92-501	— Electoral Districts—By counties and subdivisions, 1956 and 1951	.75
92-502	— Counties and Subdivisions—By sex, Nfld., P.E.I., N.S., and N.B., 1956 and 1951	.25
92-503	— Counties and Subdivisions—By sex, Quebec, 1956 and 1951	.25
92-504	— Counties and Subdivisions—By sex, Ontario, 1956 and 1951	.25
92-505	— Census Divisions and Subdivisions—By sex, Man., Sask., Alta., B.C., Yukon and N.W.T., 1956 and 1951	.25
92-506	— Incorporated Cities, Towns, and Villages, 1956 and 1951	.25
92-507	— Rural and Urban Distribution—Rural farm, rural non-farm, and urban population, by sex, for provinces and counties, 1956	.25
92-508	— Sex Ratios—Population by sex (Showing proportions of males to females), for provinces, counties, municipalities of 10,000 and over, and metropolitan areas, 1956	.25
92-509	— Age Groups—Five-year age groups and sex, for provinces, counties, municipalities of 10,000 and over, and metropolitan areas (by specified age groups), 1956	.50
92-510	— Single Years of Age—By sex, for provinces, 1956	.25
92-511	— Marital Status—By sex, for provinces, counties, municipalities of 10,000 and over, and metropolitan areas, 1956 ..	.50
92-512	— Marital Status by Age Groups—By sex, for provinces, municipalities of 30,000 and over, and metropolitan areas, 1956 ..	.25

A. — Annual
E. — EnglishF. — French
Bil. — Bilingual

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs. A comprehensive catalogue of all current publications is available free on request from the Information Services Division, Dominion Bureau of Statistics, Ottawa.