


82-203

GOVERNMENT OF CANADA
—
GOUVERNEMENT DU CANADA



ILLNESS IN THE CIVIL SERVICE
STATISTICAL REPORT

LA MALADIE DANS LE SERVICE CIVIL
RAPPORT STATISTIQUE

1949-1950



OTTAWA
EDMOND CLOUTIER, C.M.G., O.A., D.S.P.
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY AND CONTROLLER OF STATIONERY
IMPRIMEUR DE SA TRÈS EXCELLENTE MAJESTÉ LE ROI ET CONTRÔLEUR DE LA PAPETERIE
1951

DOMINION BUREAU OF STATISTICS -- DEPARTMENT OF TRADE AND COMMERCE
BUREAU FÉDÉRAL DE LA STATISTIQUE - MINISTÈRE DU COMMERCE

ILLNESS IN THE CIVIL SERVICE
STATISTICAL REPORT

LA MALADIE DANS LE SERVICE CIVIL
RAPPORT STATISTIQUE

1949-1950

Published by Authority of the Rt. Hon. C.D. HOWE
Minister of Trade and Commerce

Publié par ordre du très hon. C.D. HOWE
Ministre du Commerce

Prepared in the Public Health Section
Health and Welfare Division
Dominion Bureau of Statistics, Ottawa

Rédigé à la Section de la santé publique
Division du bien-être et de la santé publique
Bureau fédéral de la statistique, Ottawa



TABLE OF CONTENTS

	Page
INTRODUCTION	5
INCIDENCE AND DURATION OF ILLNESS	5
DURATION OF ILLNESS	7
ILLNESSES BY MONTH OF ONSET	8
SPECIAL LIST OF 50 CAUSES	9
SUPERANNUATION OF CIVIL SERVANTS DUE TO ILLNESS.....	14

TABLES AND CHARTS


Table 1. Persons ill, illnesses and days of illness, by number of times ill and sex, 1949-1950	16
Table 2. Percentage of persons ill, illnesses and days of illness, by number of times ill and sex, 1949-1950	16
Chart 1. Percentage of persons ill, illnesses and days of illness, by number of times ill, 1949-1950	17
Table 3. Number of illnesses by cause, sex and age group, 1949-1950	18
Table 4. Days of illness by cause, sex and age group, 1949-1950	19
Table 5. Number, days and average days of illnesses, by cause and sex, 1949-1950	20
Chart 2. Average days of illness by cause and sex, 1949-1950	21
Table 6. Percentage distribution of illnesses, by sex and age group, 1949-1950	22
Table 7. Percentage distribution of days of illness, by sex and age group, 1949-1950	23
Chart 3. Percentage distribution of illnesses and days of illness, by cause, 1949-1950	24
Chart 4. Percentage distribution of five leading causes of illness, by sex and age group, 1949-1950	25
Table 8. Number of illnesses and days of illness, by length of illness, 1949-1950	26
Table 9. Number of illnesses by month of onset, cause and sex, 1949-1950	27
Chart 5. Distribution of illnesses by month of onset, by cause, 1949-1950	28
Table 10. Monthly percentage of illnesses by month of onset, cause and sex, 1949-1950	29
Chart 6. Monthly percentage of illnesses, all illnesses and five selected causes, 1949-1950	30
Table 11. Number of illnesses by cause, sex and age group (Special List of 50 Causes), 1949-1950	31
Table 12. Days of illness by cause, sex and age group (Special List of 50 Causes), 1949-1950	35
Table 13. Superannuations due to illness, by cause, sex and age group, 1949-1950	39

TABLE DES MATIÈRES

	Page
INTRODUCTION	5
INCIDENCE ET DURÉE DE LA MALADIE	5
DURÉE DE LA MALADIE	7
MALADIES SELON LE MOIS OÙ ELLES DÉBUTENT	8
LISTE SPÉCIALE DE 50 CAUSES	9
FONCTIONNAIRES MIS À LEUR RETRAITE POUR CAUSE DE MALADIE	14

TABLEAUX ET GRAPHIQUES

Tableau 1. Nombre de personnes malades, de maladies et de jours de maladie, selon la fréquence et le sexe, 1949-1950	16
Tableau 2. Pourcentage de personnes malades, maladies et jours de maladie, selon la fréquence et le sexe, 1949-1950	16
Graphique 1. Pourcentage de personnes malades, de maladies et de jours de maladie, selon le nombre de fois qu'une personne est malade, 1949-1950	17
Tableau 3. Nombre de maladies selon la cause, le sexe et le groupe d'âge, 1949-1950	18
Tableau 4. Jours de maladie selon la cause, le sexe et le groupe d'âge, 1949-1950	19
Tableau 5. Nombre, jours et moyenne des jours de maladie, selon la cause et le sexe, 1949-1950	20
Graphique 2. Moyenne des jours de maladie, selon la cause et le sexe, 1949-1950	21
Tableau 6. Répartition proportionnelle des maladies, selon le sexe et le groupe d'âge, 1949-1950	22
Tableau 7. Répartition proportionnelle des jours de maladie, selon le sexe et le groupe d'âge, 1949-1950	23
Graphique 3. Répartition en pourcentage des maladies et jours de maladie, selon la cause, 1949-1950	24
Graphique 4. Répartition en pourcentage des cinq principales causes de maladie par sexe et le groupe d'âge, 1949-1950	25
Tableau 8. Nombre de maladies et jours de maladie, selon la durée de la maladie, 1949-1950	26
Tableau 9. Nombre de maladies selon le mois du début, la cause et le sexe, 1949-1950	27
Graphique 5. Répartition des maladies, selon le mois de première manifestation et la cause, 1949-1950	28
Tableau 10. Pourcentage mensuel des maladies selon le mois d'inception, la cause, et le sexe, 1949-1950	29
Graphique 6. Pourcentage mensuel des maladies pour toutes les maladies et cinq causes choisies, 1949-1950	30
Tableau 11. Nombre des maladies selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950	31
Tableau 12. Jours de maladie selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950	35
Tableau 13. Mises à la retraite, par suite de maladie, selon la cause le sexe et le groupe d'âge, 1949-1950	39



ILLNESS IN THE CIVIL SERVICE, 1949-1950

LA MALADIE DANS LE SERVICE CIVIL, 1949-1950

INTRODUCTION

This report which is published in co-operation with the Civil Service Health Division of the Department of National Health and Welfare, presents statistical information on certified sick leave taken by federal Civil Servants during the fiscal year ending March 31, 1950. Medical certification in the form of a Physician's Certificate of Disability for Duty is required, generally speaking, for absences of more than three days due to illness. A more detailed outline of sick leave regulations in the Civil Service is contained in the report for the fiscal year 1948-1949.

Illnesses were coded and tabulated according to the International Statistical Classification of Diseases, Injuries, and Causes of Death. In most tables the main sections of the classification are used. Tables 11 and 12 are based on the Special List of 50 Causes for Tabulation of Morbidity for Social Security Purposes.

SUMMARY STATISTICS

The average number of Civil Servants under sick leave regulations in the fiscal year 1949-50 is estimated as approximately 100,000, of which about 70,000 were males and about 30,000 females.

The following table gives a brief summary of the information presented in this report.

Number of persons ill on medical certificate	32,563
Males.....(60.0 per cent of total).....	19,522
Females.....(40.0 per cent of total).....	13,041
Number of illnesses reported by medical certificate	48,297
Males.....(57.6 per cent of total).....	27,825
Females.....(42.4 per cent of total).....	20,472
Number of days of illness reported by medical certificate	740,972.5
Males.....(64.7 per cent of total).....	479,191.0
Females.....(35.3 per cent of total).....	261,781.5
Average days per illness	15.3 days
Average days of illness per person ill	22.8 days

As pointed out in the report for the year 1948-49, the average duration of illness morbidity among Civil Servants is in line with findings for similar population groups elsewhere.

The length of illness has been measured from the day each illness began until the day it ended as stated on the medical certificate. Consequently, the days of illness are calendar days rather than working days.

INCIDENCE AND DURATION OF ILLNESS

Table 1 presents figures showing the frequency of illness for persons ill, by illnesses and days of illness. Table 2 presents the percentages. This information is summarized in Chart No. 1. It will be noted that by far the greatest number of illnesses were experienced by persons who were ill on one occasion only.

INTRODUCTION

Le présent rapport, publié en collaboration avec le Service de santé des fonctionnaires fédéraux (ministère de la Santé nationale et du Bien-être social), renferme la statistique des congés de maladie certifiée pris par les fonctionnaires fédéraux durant l'année financière terminée le 31 mars 1950. L'attestation médicale par voie du certificat réglementaire est requise, règle générale, à l'égard des absences de plus de trois jours pour cause de maladie. Le rapport de l'année financière 1948-1949 donne un aperçu détaillé des règlements du Service civil concernant les congés de maladie.

Pour chiffrer les maladies et dresser les tableaux, on s'est servi du Classement statistique international des maladies, traumatismes et causes de décès. Les principales sections du Classement sont utilisées dans la plupart des tableaux. Les tableaux 11 et 12 se fondent sur la Liste spéciale de 50 rubriques pour la mise en tableaux des causes de morbidité, à l'usage de la Sécurité sociale.

SOMMAIRE STATISTIQUE

Le nombre moyen estimatif de fonctionnaires fédéraux assujétis aux règlements concernant les congés de maladie en l'année financière 1949-1950 est de 100,000 environ, dont environ 70,000 hommes et 30,000 femmes.

Voici un bref sommaire des renseignements que renferme le rapport:

Fonctionnaires ayant remis un certificat médical.....	32,563
Hommes(60.0 p. 100 du total)	19,522
Femmes(40.0 p. 100 du total)	13,041
Maladies figurant aux certificats médicaux	48,297
Hommes(57.6 p. 100 du total)	27,825
Femmes(42.4 p. 100 du total)	20,472
Jours de maladie visés par les certificats médicaux.	740,972.5
Hommes(64.7 p. 100 du total)	479,191.0
Femmes(35.3 p. 100 du total)	261,781.5
Moyenne de jours par maladie.....	15.3 jours
Moyenne de jours de maladie par malade	22.8 jours

Comme le signalait le rapport de l'année 1948-1949, la durée moyenne de la maladie chez les fonctionnaires fédéraux concorde avec la moyenne constatée chez des groupes semblables de population ailleurs.

La durée de la maladie est comptée depuis le jour où chaque maladie commence jusqu'au jour où elle s'achève d'après les indications du certificat médical. Aussi les jours de maladie sont-ils des jours civils et non des jours ouvrables.

INCIDENCE ET DURÉE DE LA MALADIE

Le tableau 1 fait voir la fréquence de la maladie chez les fonctionnaires malades, selon le nombre de maladies et de jours de maladie. Le tableau 2 en donne les pourcentages. Ces renseignements sont résumés au graphique N° 1. A remarquer que les fonctionnaires malades une seule fois comprennent d'emblée le plus grand nombre de maladies.

ILLNESS IN THE CIVIL SERVICE

This Table also indicates that the number of persons ill on medical certificates was 32,563, or approximately one third of the Civil Servants covered by this report. The remaining two thirds did not use any certified sick leave.

Table 3 presents the number of illnesses by sex and age group according to the seventeen main sections of the International Classification.

Chart 3 presents, in order of size, a percentage distribution of illnesses according to the main sections of the International Classification. The five sections accounting for the largest percentage of total illnesses were:

- | | |
|---|---------------|
| 1. Respiratory System | 41.8 per cent |
| 2. Digestive System | 13.9 per cent |
| 3. Accidents, Poisonings and Violence | 6.9 per cent |
| 4. Bones and Organs of Movement | 5.6 per cent |
| 5. Circulatory System | 5.0 per cent |

These five sections accounted for 73.2 per cent of total illnesses, with respiratory diseases amounting to more than two-fifths of the total.

The percentage distribution of illnesses by sex and age group is shown in Chart 4. Diseases of the Respiratory and Digestive System take the largest toll of health for both sexes for all ages, but the incidence for the remaining sections varies according to age and sex.

Accidents take the third highest position for males, but fifth for females. Diseases of the Bones and Organs of Movement, and Diseases of the Circulatory System are fourth and fifth for males, but do not appear among the first five causes of illness for females. Similarly, Diseases of the Genito-urinary System, and Symptoms and Ill-defined Conditions are the third and fourth leading causes for females, but do not appear among the first five leading causes for males.

Accidents are more common among younger males than older, but less frequent among younger females than older.

As would be expected, there is a heavier concentration of diseases of the Circulatory System in the older age groups than in the younger for both sexes.

Diseases of the Genito-urinary System are more prevalent among younger women than older, whereas, among men, the older age groups account for a higher percentage.

Figures for the number of days of illness by cause, sex and age group are presented in Tables 4 to 7, and the percentage distribution of the main causes in order of size is shown in Chart 3. The distribution of days of illness differs from the distribution of illnesses. The sections which accounted for the five largest percentages of days of illness were as follows:

- | | |
|---|---------------|
| 1. Respiratory System | 22.7 per cent |
| 2. Digestive System | 13.7 per cent |
| 3. Circulatory System | 11.2 per cent |
| 4. Infective and Parasitic Diseases | 9.0 per cent |
| 5. Mental, psychoneurotic and personality disorders | 8.0 per cent |

The percentage of total days of illness accounted for by these five sections was 64.6 per cent.

Chart 4 indicates that the importance of these cause groups varies considerably according to sex and age group.

Diseases of the Respiratory and Digestive System accounted for the greatest number of days of illness for both sexes.

Infective and Parasitic Diseases, which do not rank among the first five causes in terms of number of illnesses,

Le tableau 2 indique aussi que le nombre de fonctionnaires qui ont remis un certificat médical pour raison de maladie est de 32,563, soit un tiers environ des fonctionnaires fédéraux visés par le présent rapport. Les deux autres tiers n'ont pris aucun congé de maladie certifiée.

Le tableau 3 donne le nombre de maladies, par sexe et âge, selon les dix-sept grandes sections du Classement international.

Le graphique 3 fait la répartition proportionnelle des maladies, par ordre d'importance, selon les grandes sections du Classement international. Les cinq sections qui accusent les plus forts pourcentages du total des maladies sont:

- | | |
|---|-------------|
| 1. Appareil respiratoire | 41.8 p. 100 |
| 2. Appareil digestif | 13.9 p. 100 |
| 3. Accidents, empoisonnements et traumatismes | 6.9 p. 100 |
| 4. Os et organes du mouvement | 5.6 p. 100 |
| 5. Appareil circulatoire | 5.0 p. 100 |

Ces cinq groupes répondent pour 73.2 p. 100 de toutes les maladies, les maladies de l'appareil respiratoire formant plus des deux cinquièmes du total.

Le graphique 4 fait la répartition proportionnelle des maladies par sexe et groupe d'âge. Ce sont les maladies des appareils respiratoire et digestif qui frappent le plus les hommes et les femmes de tous âges, mais l'incidence des autres sections varie selon l'âge et le sexe.

Les accidents tiennent le troisième rang chez les hommes et le cinquième chez les femmes. Les maladies des os et des organes du mouvement et celles de l'appareil circulatoire occupent les quatrième et cinquième échelons chez les hommes mais ne figurent pas parmi les cinq premières causes chez les femmes. De même, les maladies des organes génito-urinaires et les symptômes et états mal définis sont les troisième et quatrième causes principales chez les femmes mais ne figurent pas parmi les cinq premières causes chez les hommes.

Les accidents, plus communs chez les jeunes hommes que chez les hommes âgés, sont moins fréquents chez les jeunes femmes que chez les femmes âgées.

Fait peu surprenant, les maladies de l'appareil circulatoire frappent davantage hommes et femmes des groupes d'âge supérieurs que ceux des groupes d'âge inférieurs.

Les maladies des organes génito-urinaires sont plus fréquentes chez les jeunes femmes que chez les femmes âgées; chez les hommes, c'est le contraire.

Le nombre de jours de maladie par cause, sexe et groupe d'âge figure aux tableaux 4 à 7 tandis que le graphique 3 fait la répartition proportionnelle des principales causes par ordre d'importance. La répartition des jours de maladie diffère de la répartition des maladies. Voici les cinq sections qui accusent les plus forts pourcentages de jours de maladie:

- | | |
|--|-------------|
| 1. Appareil respiratoire | 22.7 p. 100 |
| 2. Appareil digestif | 13.7 p. 100 |
| 3. Appareil circulatoire | 11.2 p. 100 |
| 4. Maladies infectieuses et parasitaires | 9.0 p. 100 |
| 5. Troubles mentaux, psychonévroses et troubles de la personnalité | 8.0 p. 100 |

Le pourcentage de tous les jours de maladie se rattachant à ces cinq sections est 64.6 p. 100.

On voit au graphique 4 que l'importance de ces cinq causes varie grandement selon le sexe et le groupe d'âge.

Les maladies des appareils respiratoire et digestif sont celles qui immobilisent le plus les fonctionnaires des deux sexes.

Les maladies infectieuses et parasitaires, qui ne comptent pas parmi les cinq premières causes quant au nombre de ma-

for either sex, is the fourth cause of days of illness for males and females.

As was noted with regard to the age distribution of illnesses, the older age groups for both males and females were more heavily affected by diseases of the Circulatory System than were the younger age groups.

Infective and Parasitic Diseases accounted for a greater number of days of illness in the younger age groups than in the older for both males and females.

DURATION OF ILLNESS

The average number of days of illness for each of the main sections of the International Classification are shown in Table 5, and Chart 2.

It will be noticed that neither those illnesses with the highest incidence, nor those with the greatest number of days of illness had the highest average number of days of illness. Thus neoplasms, while accounting for only 1.2 per cent of the number of illnesses, and 3.7 per cent of the total number of days of illness, had the highest average number of days of illness, 46.6 days. On the other hand, Diseases of the Respiratory System, which had the greatest percentage of illnesses, 41.8 per cent, and the greatest number of days of illness, 22.7 per cent, had the lowest average number of days of illness with 8.3.

Chart 2 indicates that the average duration per illness is longer for males than for females for all causes except for the section of Allergic, Endocrine System, Metabolic and Nutritional Diseases.

For all illnesses males had an average of 17.2 days for each illness, and females an average of 12.8 days. As shown in Table 1, males had fewer repeated illnesses than females, but, as indicated in Chart 2, had a longer period of disability for each illness.

Table 8 presents figures for illnesses and days of illness, grouped according to the main section of the International Classification of Diseases according to the duration of the illnesses. In this tabulation, illnesses were grouped according to whether they accounted for a period of disability of from 1 to 3 days, 4 to 9 days, 10 to 29 days, or 30 days and over.

Before considering the figures in Table 8, civil service regulations governing sick leave should be considered. Generally, a medical certificate must be provided for absences of more than three days at one time. Therefore, many illnesses of a brief duration do not require medical certification; these will account for the use of "casual leave" up to 8 days per year for each employee. Consequently, the number of illnesses reported in the duration group 1 to 3 days is under-reported.

Of a total of 48,297 illnesses supported by physician's certificates, 11,894, or 24.6 per cent, lasted from 1 to 3 days; 17,989, or 37.3 percent, from 4 to 9 days; 12,415 or 25.7 percent, from 10 to 29 days; and 5,999, or 12.4 per cent, were of 30 days or over duration.

Males and females, as noted earlier, show a considerable difference in the duration of illness. In the 1 to 3 days group, males accounted for 5,565 illnesses, or 20.0 per cent, of the 27,825 total male illnesses, and females for 6,329 or, 30.9 per cent, of the 20,472 total female illnesses. These figures indicate once again that, on the average, females had shorter periods of illness than males.

The greatest number of illnesses in the 1 to 3 group, the 4 to 9 group, and the 10 to 29 group was accounted for by Respiratory Diseases with 5,584, or 46.9 per cent; 9,549, or 53.1 per cent, and 4,440 or 35.8 per cent, of the total illnesses in each group, respectively. However, in the group 30 days and over, Diseases of the Respiratory System are less significant with a total of 627 cases accounting for 10.5 per cent of the total illnesses of that duration, and only 3.1 per cent of all respiratory illnesses. As shown in Table 5, the average number of days of illness for Diseases of the Respiratory System was approximately 8 days.

dies, chez les deux sexes, sont la quatrième cause quant aux jours maladies chez les hommes et les femmes.

Comme on l'a signalé à l'égard de la répartition des maladies selon l'âge, les groupes d'âge supérieurs tant chez les hommes que les femmes sont plus lourdement frappés par les maladies de l'appareil circulatoire que les groupes d'âge inférieurs.

Les maladies infectieuses et parasitaires répondent pour un plus grand nombre de jours de maladie chez les groupes d'âge inférieurs que chez les groupes supérieurs tant pour les hommes que pour les femmes.

DURÉE DE LA MALADIE

Le nombre moyen de jours de maladie attribuables aux grandes sections du Classement international figure au tableau 5 et au graphique 2.

On constate que ni les maladies dont l'incidence est la plus grande ni celles qui immobilisent le plus longtemps n'accusent le plus fort nombre moyen de jours de maladie. Ainsi, les tumeurs qui répondent pour seulement 1.2 p. 100 du nombre de maladies et 3.7 p. 100 du nombre total de jours de maladie, immobilisent le plus longtemps en moyenne, soit durant 46.6 jours. D'autre part, les maladies de l'appareil respiratoire, qui comptent le plus fort pourcentage de cas (41.8 p. 100) et le plus grand nombre de jours de maladie (22.7 p. 100), immobilisent le moins longtemps en moyenne (8.3 jours).

On voit au graphique 2 que la durée moyenne de la maladie est plus longue chez les hommes que chez les femmes quant à toutes les causes, sauf la section des maladies allergiques, endocrinianes, du métabolisme et de la nutrition.

Pour ce qui est de toutes les maladies, la moyenne est de 17.2 jours par maladie chez les hommes contre 12.8 jours chez les femmes. Les maladies reviennent moins souvent chez les hommes (tableau 1) mais chacune dure plus longtemps (graphique 2).

Le tableau 8 porte sur les maladies et les jours de maladie, groupés selon les grandes sections du Classement international des maladies en fonction de la durée des maladies. Les maladies y sont groupées par durée de 1 à 3 jours, 4 à 9 jours, 10 à 29 jours et 30 jours et plus.

Il importe, avant d'examiner le tableau 8, de se rappeler les règlements du Service civil concernant les congés de maladie. De façon générale, un certificat médical doit être produit pour toutes les absences de plus de trois jours à la fois. Nombre de courtes maladies, par conséquent, ne requièrent pas de certificat médical et répondent pour l'utilisation, par chaque employé, des "congés occasionnels" jusqu'à concurrence de 8 jours par année. C'est pourquoi le nombre de maladies rangées dans le groupe de 1 à 3 jours est inférieur à la réalité.

Sur un total de 48,297 maladies faisant l'objet d'un certificat médical, 11,894, ou 24.6 p. 100, durent 1 à 3 jours; 17,989 ou 37.3 p. 100, 4 à 9 jours; 12,415 ou 25.7 p. 100, 10 à 29 jours; et 5,999 ou 12.4 p. 100, 30 jours ou plus.

La durée de la maladie diffère grandement, comme on l'a déjà signalé, chez les hommes et les femmes. Ainsi, dans le groupe de 1 à 3 jours, s'inscrivent d'une part 5,565 maladies, ou 20.0 p. 100, des 27,825 maladies dont sont atteints les hommes et, d'autre part, 6,329 ou 30.9 p. 100 des 20,472 maladies dont sont atteintes les femmes. On voit donc, une fois encore, que la maladie immobilise moins longtemps les femmes que les hommes.

Le plus grand nombre de maladies relevées dans les groupes de 1 à 3 jours, 4 à 9 jours et 10 à 29 jours sont des maladies de l'appareil respiratoire, soit: 5,584 ou 46.9 p. 100, 9,549 ou 53.1 p. 100 et 4,440 ou 35.8 p. 100 de toutes les maladies de chaque groupe, respectivement. Cependant, dans le groupe de 30 jours et plus, les maladies de l'appareil respiratoire comptent moins: 627 cas ou 10.5 p. 100 des maladies du groupe et seulement 3.1 p. 100 de toutes les maladies de l'appareil respiratoire. Le nombre moyen de jours de maladie quant aux maladies de l'appareil respiratoire est d'environ 8 jours (tableau 5).

ILLNESS IN THE CIVIL SERVICE

The following table gives the percentage distribution of the five causes with the greatest number of illnesses according to duration as computed from the figures in Table 8.

Voici la répartition proportionnelle des cinq causes comptant le plus grand nombre de maladies, selon la durée et d'après le tableau 8.

**Percentage Distribution of Five Causes with the Greatest Number of Illnesses
(by length of illness)**
**Répartition proportionnelle des cinq causes les plus fréquentes
(selon la durée de la maladie)**

Cause	1-3 days — 1-3 jours	4-9 days — 4-9 jours	10-29 days — 10-29 jours	30 days and over 30 jours et plus	All dura- tions Toutes durées	Cause
1. Respiratory System	27.6	47.3	22.0	3.1	100.0	1. Appareil respiratoire
2. Digestive System	30.2	30.2	23.1	16.5	100.0	2. Appareil digestif
3. Accidents, Poisonings and Violence	19.9	37.0	28.5	14.6	100.0	3. Accidents, empoisonnements et traumatismes
4. Bones and Organs of Movement	19.5	35.7	29.9	14.9	100.0	4. Os et organes du mouvement
5. Circulatory System	9.5	13.7	33.7	38.1	100.0	5. Appareil circulatoire

The distribution of the number of days of illness according to the four duration groups presented in Table 8, gives a quite different picture than the distribution of illnesses by the same breakdown. It is interesting to note that the 11,894 illnesses in the 1 to 3 days group, which amounted to 24.6 per cent of the total illnesses, accounted for 23,275 days of illness, or only 3.1 per cent of the total days of illness. Similarly, illnesses which accounted for 37.2 per cent, 25.7 per cent and 12.4 per cent of the 4 to 9 days, 10 to 29 days, and the 30 days and over groups, respectively, accounted for 14.9 per cent, 26.8 per cent and 55.1 per cent of days of illness of the same groups.

The following table shows the percentage distribution by duration for the five causes with the greatest number of days of illness:

La répartition du nombre de jours de maladie entre les quatre groupes de durée (tableau 8) fait voir la situation sous un jour bien différent de celui de la répartition des maladies selon les mêmes groupes. Il convient de signaler ici que les 11,894 maladies qui durent 1 à 3 jours et qui forment 24.6 p. 100 de toutes les maladies répondent pour 23.275 jours de maladie ou seulement 3.1 p. 100 du total. De même, les maladies qui forment 37.2, 25.7 et 12.4 p. 100 des groupes de 4 à 9 jours, 10 à 29 jours et 30 jours et plus, respectivement, répondent pour 14.9, 26.8 et 55.1 p. 100 des jours de maladie des mêmes groupes.

Voici la répartition proportionnelle, par durée, à l'égard des cinq causes immobilisant le plus longtemps:

**Percentage Distribution of Five Causes with the Longest Duration
(by length of illness)**
**Répartition proportionnelle de cinq causes de maladies durant le plus longtemps
(selon la durée de la maladie)**

Cause	1-3 days — 1-3 jours	4-9 days — 4-9 jours	10-29 days — 10-29 jours	30 days and over 30 jours et plus	All dura- tions Toutes durées	Cause
1. Respiratory System	7.0	34.6	39.1	19.3	100.0	1. Appareil respiratoire
2. Digestive System	3.5	12.1	25.9	58.5	100.0	2. Appareil digestif
3. Circulatory System	0.6	3.4	17.7	78.3	100.0	3. Appareil circulatoire
4. Infective & Parasitic Diseases	0.5	1.8	12.7	82.0	100.0	4. Maladies infectieuses et parasitaires
5. Mental, psychoneurotic and personality disorders	0.7	4.8	22.2	72.3	100.0	5. Troubles mentaux, psychoneuroses et troubles de la personnalité

ILLNESSES BY MONTH OF ONSET

Tables 9 and 10 present the number and percentages of illnesses for each month from April, 1949, to March, 1950, for the main sections of the International Classification. Chart 5 illustrates the total monthly incidence, and the monthly incidence of the ten main sections with the greatest number of illnesses.

MALADIES SELON LE MOIS OÙ ELLES DÉBUTENT

Aux tableaux 9 et 10 figurent le nombre et le pourcentage des maladies à l'égard de chaque mois, d'avril 1949 à mars 1950, suivant les grandes sections du Classement international. Le graphique 5 fait voir l'incidence mensuelle totale et l'incidence mensuelle des dix grandes sections qui comptent le plus grand nombre de maladies.

The figures for April include not only the incidence of illness in that month, but also those illnesses which had begun in the previous fiscal year but which had not terminated by April 1, 1949.

An outstanding feature of the figures in Table 9, is the seasonal trend displayed by Diseases of the Respiratory System, with their greatly increased incidence in the winter months. The illnesses from all causes for the year, as shown in Chart 5, follow the same trend as respiratory illnesses. Of the total number of illnesses reported in 1949-50, 13.7 per cent occurred in March and 4.2 per cent in July.

Despite the wide seasonal fluctuation in Diseases of the Respiratory System, ranging from 2.0 per cent in July to 17.2 per cent in March, these diseases are the leading cause in each month.

Chart 6 indicates the seasonal incidence of the five causes with the greatest number of illnesses; it presents a percentage distribution for each of these illnesses throughout the twelve-month period.

Once again the respiratory group shows the seasonal trend mentioned. This same trend is observable in Diseases of the Digestive System with the lowest percentage of cases in July, 5.2 per cent, and the highest in March, 13.1 per cent.

Diseases of the Bones and Organs of Movement follow a pattern comparable to the respiratory group with the heaviest concentration of illnesses in January, 12.3 per cent.

SPECIAL LIST OF 50 CAUSES

Further information concerning causes by number of illness and days of illness among civil servants is presented in Tables 11 and 12, according to sex and age group. The Special List of 50 Causes for Tabulation of Morbidity was used for coding the information contained in these Tables.

The Special List provides a shorter list by grouping together categories of the Detailed List. Cause Group No. C33-Silicosis and occupational pulmonary fibrosis — refers to occupational illnesses and is not reported in this Study. There was no incidence of illness for Cause Group No. C8 — Typhus and other Rickettsial Diseases.

The residual Cause Group C49 was divided into ten subdivisions in order to show, in the appropriate place, some of the more significant components of this cause group. These subdivisions are:

	Category No.
C49a Diseases of other endocrine glands	270-277
C49b Other metabolic diseases	287-289
C49c Other diseases of blood and blood-forming organs.....	294-299
C49d Disorders of character, behavior and intelligence	320-326
C49e Other diseases of nervous system	340-369
C49f Other diseases of heart	430-434
C49g Diseases of arteries	450-456
C49h Other diseases of circulatory system	467-468
C49i Other diseases of urinary system	600-609
C49j Symptoms, senility and ill-defined conditions	780-795

Section I — Infective and Parasitic Diseases

The largest number of illnesses and days of illness in this Section were reported by Cause Groups C1 and C2 — Tuberculosis, all forms, with 321 illnesses, accounting for

Les chiffres d'avril comprennent non seulement l'incidence de la maladie en avril mais aussi des maladies commencées l'année financière précédente et durant encore le 1er avril 1949.

Ce que l'on remarque surtout au tableau 9, c'est la courbe saisonnière des maladies de l'appareil respiratoire dont l'incidence est fort accrue durant les mois d'hiver. Les maladies provenant de toutes causes durant l'année (graphique 4) inscrivent donc la même courbe que les maladies de l'appareil respiratoire. Sur le total des maladies déclarées en 1949-1950, 13.7 p. 100 surviennent en mars et 4.2 p. 100 en juillet.

Malgré la grande fluctuation saisonnière du nombre des maladies de l'appareil respiratoire, soit de 2.0 p. 100 en juillet à 17.2 p. 100 en mars, ces maladies sont la première des causes chaque mois.

Le graphique 6 fait voir l'incidence saisonnière des cinq causes les plus fréquentes et montre le pourcentage de chacune au cours des douze mois.

Ici encore le groupe de l'appareil respiratoire inscrit la courbe saisonnière déjà mentionnée. Cette courbe s'observe également à l'égard des maladies de l'appareil digestif qui touchent leur minimum en juillet (5.2 p. 100) et leur point culminant en mars (13.1 p. 100).

Les maladies des os et des organes du mouvement se traduisent par une courbe comparable à celle du groupe de l'appareil respiratoire et surviennent le plus en janvier (12.3 p. 100).

LISTE SPÉCIALE DE 50 CAUSES

D'autres renseignements sur les causes de maladie suivant le nombre de maladies et les jours de maladie chez les fonctionnaires figurent aux tableaux 11 et 12 selon le sexe et le groupe d'âge. La Liste spéciale de 50 causes en vue de la compilation de la morbidité a servi au chiffrage des renseignements que renferment les tableaux.

La Liste spéciale est plus courte parce qu'elle groupe ensemble des catégories de la Liste détaillée. Le groupe de causes n° C33 — Silicose et fibrose pulmonaire professionnelle — comprend des maladies professionnelles et ne figure pas à la présente Etude. Il n'y a pas eu de cas de maladie se rattachant au groupe de causes n° C8 — Typhus et autres maladies à Rickettsia.

Le groupe de causes C49, qui reste, est décomposé en dix subdivisions afin de montrer, au bon endroit, certains des éléments les plus importants de ce groupe de causes. Voici les dix subdivisions:

	N° de caté-gorie
C49a Maladies des autres glandes endocrines	270-277
C49b Autres maladies du métabolisme	287-289
C49c Autres maladies du sang et des organes héma-topoïétiques	294-299
C49d Troubles du caractère, du comportement et de l'intelligence	320-326
C49e Autres maladies du système nerveux	340-369
C49f Autres maladies du cœur	430-434
C49g Maladies des artères	450-456
C49h Autres maladies de l'appareil circulatoire....	467-468
C49i Autres maladies de l'appareil urinaire	600-609
C49j Symptômes, sénilité et états mal définis	780-795

Section I — Maladies infectieuses et parasitaires

Dans cette section, le plus grand nombre de maladies et de jours de maladie est attribuable aux groupes de causes C1 et C2 — Tuberculose —, soit 321 maladies formant .7 p. 100 de

7 per cent of total illnesses from all causes, and 50,791 days of illness accounting for 6.9 per cent of the total days of illness from all causes. The average length of illness was 158 days, which explains the length of the illnesses in Section 1, noted in Table 5. The majority of illnesses occurred in the age groups under 35 years, with 172 illnesses, or 53.6 per cent of the total for the two groups.

Cause Group C7 — Certain diseases common among children, has been broken down in the tables into the separate categories of the Detailed List. By far the most significant of these is C7e — Mumps, for which 180 cases were reported. The greater number of these cases occurred in the younger age groups, 69.4 per cent in the groups under 35 years of age.

Section II — Neoplasms

There were 584 neoplasms reported, of which 30.6 per cent were classified under Cause Group C12 — Malignant Neoplasms, and 69.4 per cent under cause Group C13 — Benign and Unspecified. Thus, seven of every ten neoplasms reported were benign or of unspecified nature.

Section III — Diseases of the Allergic, Endocrine System, Metabolic and Nutritional Diseases

Of the 972 illnesses reported in this Section, 632, or 65.0 per cent, were classified under Cause Group C14 — Allergic Disorders. This group accounted for 1.3 per cent of illnesses, and 1.2 per cent of the days of illness from all causes. The average length of illness was 14½ days.

Section IV — Diseases of the Blood and Blood-Forming Organs

There was a total of 371 illnesses in this Section, of which 362, or 97.6 per cent, were classified under C18 — Anemias. About half of the illnesses, 186 cases, in this cause group were in the age groups under 30 years. Females accounted for 291 of the illnesses in this group, or 80.4 per cent of the total.

Section V — Mental, Psychoneurotic, and Personality Disorders

There were 2,054 illnesses in this Section, of which 2,039, or 99.3 per cent, appear in Cause Group C19 — Psychoneuroses and Psychoses. The average length of illness for this group was 29 days. Females reported more illnesses than males with 1,115 illnesses, or 54.7 per cent of the total.

Section VI — Diseases of the Nervous System and Sense Organs

There were 2,062 illnesses of the Nervous System and Sense Organs, of which 89, or 4.3 per cent were reported under C20 — Vascular Lesions affecting the Central Nervous System, and 19.2 per cent under C21 — Diseases of the Ear and Mastoid Process.

Although there were only 89 illnesses reported under Vascular Lesions affecting the Central Nervous System, or 4.3 per cent of the total illnesses in Section VI, these accounted for a total of 7,002½ days, or 21.0 per cent of the 33,274 total days of illness. The average duration of each illness was 79 days.

Section VII — Diseases of the Circulatory System

Cause Group C25 — Arteriosclerotic and Degenerative Heart Diseases accounted for 819 illnesses, or 33.9 per cent of the 2,413 illnesses in this section. Days of illness amounted to 38,568 days, or 46.3 per cent of total days of illness, 666 cases, or 81.3 per cent of the total illnesses in this group. occurred in the age groups 50 years and over. There were 757 illnesses reported by males, or 92.4 per cent of the total illnesses of the group.

There were 459 cases of C26 — Hypertensive Disease, amounting to 19.0 per cent of the total illnesses of the circu-

tous les maladies provenant de toutes causes et 50,791 jours de maladie formant 6.9 p. 100 du total de jours de maladie attribuables à toutes les causes. La durée moyenne de la maladie est 158 jours, ce qui explique la longue durée des maladies ressortissant à la section 1 remarquée au tableau 5. La majorité des maladies frappent les groupes d'âge inférieurs à 35 ans, soit 172 maladies ou 53.6 p. 100 du total des deux groupes.

Le groupe de causes C7 — Certaines maladies communes à l'enfance — est divisé aux tableaux selon les catégories distinctes de la Liste détaillée. La catégorie manifestement la plus importante est C7e — Oreillons — qui compte 180 cas qui atteignent, en majorité, les groupes d'âge inférieur, soit 69.4 p. 100 des cas dans les groupes en bas de 35 ans.

Section II — Tumeurs

On a déclaré 584 tumeurs dont 30.6 p. 100 classées sous le groupe de causes C12 — Tumeurs malignes — et 69.4 p. 100 sous le groupe de causes C13 — Tumeurs bénignes et de nature non spécifiée. Sept tumeurs sur dix sont donc bénignes ou de nature non spécifiée.

Section III — Maladies allergiques, endocrinianes, du métabolisme et de la nutrition

Sur les 972 maladies déclarées dans cette section, 632 ou 65.0 p. 100 sont classées sous le groupe de causes C14 — Troubles allergiques. Ce groupe répond pour 1.3 p. 100 des maladies et 1.2 p. 100 des jours de maladie attribuables à toutes causes. La durée moyenne de la maladie est 14½ jours.

Section IV — Maladies du sang et des organes hématopoïétiques

Cette section compte un total de 371 maladies dont 362, ou 97.6 p. 100, sont classées sous C18 — Anémies. La moitié environ des maladies, soit 186 cas, atteignent les groupes d'âge inférieurs à 30 ans. Les femmes déclarent 291 des maladies de ce groupe, soit 80.4 p. 100 du total.

Section V — Troubles mentaux, psychonévroses et troubles de la personnalité

Cette section compte 2,054 maladies dont 2,039, ou 99.3 p. 100, s'inscrivent dans le groupe de causes C19 — Psychonévroses et psychoses. La durée moyenne de la maladie dans ce groupe est 29 jours. Les femmes déclarent plus de maladies que les hommes, soit 1,115 maladies ou 54.7 p. 100 du total.

Section VI — Maladies du système nerveux et des organes des sens

On relève 2,062 maladies du système nerveux et des organes des sens, dont 89 ou 4.3 p. 100 se rangent sous C20 — Lésions vasculaires affectant le système nerveux central — et 19.2 p. 100 sous C21 — Maladies de l'oreille et de l'apophyse mastoïde.

Bien qu'on ne relève que 89 cas de lésions vasculaires affectant le système nerveux, soit 4.3 p. 100 de toutes les maladies de la Section VI, ces cas immobilisent durant 7,002½ jours, soit 21.0 p. 100 des 33,274 jours de maladie. La durée moyenne de chaque maladie est 79 jours.

Section VII — Maladies de l'appareil circulatoire

Le groupe de causes C25 — Maladie artérioscléreuse et dégénérative du cœur — répond pour 819 maladies, soit 33.9 p. 100 des 2,413 maladies de cette section. Les jours de maladie se chiffrent par 38,568 jours, soit 46.3 p. 100 du total; 666 cas, soit 81.3 p. 100 du total, atteignent des fonctionnaires des groupes d'âge de 50 ans et plus. Les hommes déclarent 757 maladies, soit 92.4 p. 100 du total du groupe.

On relève 459 cas appartenant au groupe C26 — Hypertension —, soit 19.0 p. 100 de toutes les maladies de l'appareil

latory system. Once again, most of the illnesses, 302, or 65.8 per cent of all illnesses in this group, occurred in the age group 50 years and over.

Cause Group C27 — Diseases of the Veins, accounted for 687 illnesses, or 28.5 per cent of the total illnesses in Section VII, and 15,072½ days, or 18.1 per cent of the total days of illness. The average length of illness was 22 days. The age groups 50 to 64 years accounted for 280 illnesses, or 40.8 per cent of the total illnesses of the group.

Section VIII — Diseases of the Respiratory System

The following table summarizes the information concerning respiratory illnesses as presented in Tables 11 and 12.

Summary of Diseases of the Respiratory System

Résumé des maladies de l'appareil respiratoire

	Illnesses — Maladies	Per cent of illnesses from all causes — % des mala- dies de toutes causes	Days of illness — Jours de maladie	Per cent of days of illness from all causes — % des jours de maladie tenant à toutes causes	Average days of illness — Moyenne de jours de maladie	
Section VIII						
Diseases of the Respiratory System	20,200	41.8	168,030	22.7	8.3	Maladies de l'appareil respiratoire
C28—Acute nasopharyngitis(common cold)	2,042	4.2	9,826	1.3	4.8	C28—Rhino-pharyngite aiguë(rhume banal)
C29—Acute pharyngitis & tonsilitis, & hypertrophy of tonsils & adenoids.	1,977	4.1	15,391	2.1	7.8	C29—Pharyngite et amygdalite aiguë et hypertrophie des amygdales et des végétations adénoides.
C30—Influenza	10,446	21.6	73,455½	9.9	7.0	C30—Grippe
C31—Pneumonia	705	1.5	17,463½	2.4	24.8	C31—Pneumonie
C32—Bronchitis	2,374	4.9	24,681	3.3	10.4	C32—Bronchite
C34—All other respiratory disease	2,656	5.5	27,213	3.7	10.2	C34—Toutes autres maladies des voies respiratoires.

Of the 2,042 illnesses in Cause Group C28 — Acute Nasopharyngitis (common cold), 1,150 illnesses, or 56.3 per cent of the total for the group, were reported by females.

Of the 1,977 illnesses in Cause Group C29 — Acute Pharyngitis and Tonsilitis and Hypertrophy of the Tonsils and Adenoids, 1,370, or 69.3 per cent, occurred in the age groups under 35 years. Females accounted for 1,068 illnesses, or 54.0 per cent of the total for the group.

Cause Group C30 — Influenza, accounted for a greater number of illnesses and days of illness than any other Cause Group of the Special List. Approximately half of the illnesses, or 5,051 of the total for the group, occurred in the age groups under 35 years; little more than half of the illnesses, 54.5 per cent of the total, were accounted for by males.

Section IX — Diseases of the Digestive System

Cause Group C35 — Diseases of the Stomach and Duodenum except Cancer, reported 1,819 illnesses, or 3.8 per cent of the total illnesses from all causes. The residual group, C40 — All Other Diseases of the Digestive System, accounted for 1,796 cases, or 3.7 per cent of the total illnesses from all causes. The average length of illness for Diseases of the Stomach and Duodenum was 17 days, and for all Other Diseases of the Digestive System was 10 days.

circulatoire. Ici encore, la plupart des cas, soit 302 ou 65.8 p. 100, atteignent des fonctionnaires de 50 ans et plus.

Le groupe de causes C27 — Maladies des veines — répond pour 687 maladies, soit 28.5 p. 100 de toutes les maladies de la section VII, et pour 15,072½ jours, soit 18.1 p. 100 de tous les jours de maladie. La durée moyenne de la maladie est 22 jours. Les groupes d'âge de 50 à 64 ans comptent 280 maladies, soit 40.8 p. 100 de toutes les maladies du groupe de causes C27.

Section VIII — Maladies de l'appareil respiratoire

Voici un tableau sommaire des renseignements concernant les maladies de l'appareil respiratoire donnés aux tableaux 11 et 12.

Sur les 2,042 maladies du groupe de causes C28 — Rhinopharyngite aiguë (rhume banal) —, 1,150 ou 56.3 p. 100 atteignent des femmes.

Sur les 1,977 maladies du groupe de causes C29 — Pharyngite et amygdalite aiguës et hypertrophie des amygdales et des végétations adénoides —, 1,370 ou 69.3 p. 100 atteignent les groupes d'âge inférieurs à 35 ans. Les femmes comptent 1,068 maladies, soit 54.0 p. 100 du total du groupe.

Le groupe de causes C30 — Grippe — répond pour un plus grand nombre de maladies et de jours de maladie que tout autre groupe de causes de la Liste spéciale. Plus de la moitié des cas, soit 5,051, atteignent les groupes d'âge inférieurs à 35 ans, et un peu plus de la moitié, soit 54.5 p. 100 du total, surviennent chez les hommes.

Section IX — Maladies de l'appareil digestif

Le groupe de causes C35 — Maladies de l'estomac et du duodénum, excepté le cancer — compte 1,819 maladies, soit 3.8 p. 100 de toutes les maladies provenant de toutes causes. Le groupe résiduaire C40 — Toutes autres maladies de l'appareil digestif — compte 1,796 maladies, soit 3.7 p. 100 de tous les cas provenant de toutes causes. La durée moyenne de la maladie pour ce qui est des maladies de l'estomac et du duodénum est 17 jours et, pour ce qui est de toutes les autres maladies de l'appareil digestif, 10 jours.

There were 702 illnesses in Cause Group C36 — Appendicitis, which accounted for 1.5 per cent of the total illnesses from all causes. Females reported 370 cases, or 52.7 per cent of the total. Three-quarters, or 526, of the illnesses occurred in the age groups under 35 years.

There were 299 illnesses for Cause Group C37 — Hernia of the Abdominal Cavity, of which 279, or 93.3 per cent of the total were reported by males.

Section X — Diseases of the Genito-Urinary System

Diseases in this section exclude venereal diseases. The largest group in this section was C42b — Diseases of the Female Genital Organs, which accounted for 1,019 illnesses, or 2.1 per cent of the total illnesses from all causes for both sexes. There was a total of 10,529 days of illness, or 1.4 per cent of the total due to all causes. The average length of illness was 10 days.

Section XI — Deliveries and Complications of Pregnancy, Childbirth and the Puerperium

There were no cases reported under C43a — Normal Deliveries. All 78 illnesses in this Cause Group come under C43b — Complications of Pregnancy, Childbirth and the Puerperium. It should be remembered here, that women in the Civil Service, who are expectant mothers, will usually terminate their employment before normal confinement. Before doing so, they may have experienced illnesses of pregnancy, each of which would be reported under Cause Group C43b. In the case of a stillbirth or miscarriage, employment will not necessarily be terminated, and these cases will be reported.

Days of illness for Cause Group C43 totalled, 1,126½ days, and the average length was 14 days.

Section XII — Diseases of the Skin and Cellular Tissue

There was a total of 923 illnesses in Cause Group C44 — Boils, Abscesses, Cellulitis and other Skin Infections, which accounted for 1.9 per cent of the total illnesses due to all causes. The average length of illnesses was 9 days for each illness. Cause Group C45 — Other Diseases of Skin, reported the remaining 849 illnesses in this Section which amounted to 1.8 per cent of the total illnesses from all causes. The average length of illness for this group was 15 days for each illness.

Section XIII — Diseases of Bones and Organs of Movement

Of the 2,701 illnesses in this Section, 2,175, or 4.5 per cent of the total illnesses from all causes were reported by Cause Group C46 — Arthritis and Rheumatism, and 526 illnesses, or 1.1 per cent of the total illnesses from all causes, were reported by C47 — Diseases of Bones and other Organs of Movement. The average length of illness for Arthritis and Rheumatism was fifteen days, and twenty-six for Diseases of Bones and Organs of Movement.

Section XIV — Congenital Malformations

The categories which comprise this section correspond to the categories of Cause Group C48 — Congenital Malformations. Consequently this group provides no further information for Section XIV than has already been presented in the previous tables.

Section XVI — Symptoms, Senility, and Ill-Defined Conditions

The entire Cause Group C49 (including C49a to C49j as shown in the tables) accounted for 3,622 illnesses or 7.5 per cent of the total illnesses from all causes, and 54,197½ days of illness which accounted for 7.3 per cent of the total days of illness from all causes.

On relève 702 maladies au groupe de causes C36 — Appendicite — qui répond pour 1.5 p. 100 du total des maladies de toutes causes. Les femmes déclarent 370 cas, soit 52.7 p. 100 du total. Les trois quarts, soit 526 cas, de toutes les maladies interviennent dans les groupes d'âge inférieurs à 35 ans.

On compte 299 maladies dans le groupe de causes C37 — Hernie de la cavité abdominale — dont 279 ou 93.3 p. 100 du total atteignent des hommes.

Section X — Maladies des organes génito-urinaires

Cette section ne comprend pas les maladies vénériennes. Le groupe le plus nombreux est C42b — Maladies des organes génitaux de la femme — qui compte 1,019 maladies, soit 2.1 p. 100 du total des maladies de toutes causes chez les deux sexes. Le total des jours de maladies est 10,529 soit 1.4 p. 100 des jours de maladies dus à toutes les causes. La durée moyenne de la maladie est 10 jours.

Section XI — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches

Il n'a été signalé aucun cas relevant de la rubrique C43a — Accouchement normal. Toutes les maladies de ce groupe de causes se rangent sous la rubrique C43b — Complications de la grossesse, de l'accouchement et des suites de couches. Il faut songer, cependant, que les employées qui attendent un enfant quittent leur emploi avant le terme normal de leur grossesse. Avant de le faire, cependant, elles peuvent bien être atteintes de maladies de la grossesse, chacune de celles-ci étant rangée sous C43b. Dans le cas d'une naissance morte ou d'une fausse couche, l'employée ne met pas nécessairement fin à son emploi et son cas est donc déclaré.

Les jours de maladie relevant du groupe C43 se chiffrent par 1,126½ et la durée moyenne de la maladie est 14 jours.

Section XII — Maladie de la peau et du tissu cellulaire

Le groupe de causes C44 — Furoncle, abcès, cellulite et autres infections de la peau — compte 923 maladies, soit 1.9 p. 100 des maladies dues à toutes les causes. La durée moyenne de la maladie est 9 jours. Le groupe de causes C45 — Autres maladies de la peau — réunit les autres 849 maladies de la section, soit 1.8 p. 100 des maladies dues à toutes les causes. La durée moyenne de la maladie en ce qui concerne le groupe C45 est 15 jours.

Section XIII — Maladies des os et des organes du mouvement

Sur les 2,701 maladies de cette section, 2,175 ou 4.5 p. 100 de toutes les maladies dues à toutes les causes se rangent dans le groupe C46 — Arthrite et rhumatisme —, et 526 ou 1.1 p. 100 de toutes les maladies dues à toutes les causes appartiennent au groupe C47 — Maladies des os et d'autres organes du mouvement. La durée de la maladie dans le cas de l'arthrite et du rhumatisme est 15 jours et dans celui des maladies des os et des organes du mouvement, 26 jours.

Section XIV — Malformations congénitales

Les catégories de cette section correspondent aux catégories des groupes de causes C48 — Malformations congénitales. Ce groupe ne fournit donc pas plus de renseignements en ce qui concerne la section XIV que ceux qui figurent déjà aux tableaux précédents.

Section XVI — Symptômes, sénilité et états mal définis

L'ensemble du groupe de causes C49 (y compris C49a à C49j indiquées au tableau) compte 3,622 maladies, ou 7.5 p. 100 de toutes les maladies tenant à toutes causes, et 54,197½ jours de maladie, soit 7.3 p. 100 du total des jours de maladie dus à toutes les causes.

Section XVII — Accidents, Poisonings, and Violence

The categories which comprise this Section correspond to the categories of Cause Group C50 — Accidents, Poisonings and Violence. Consequently this group provides no further information for Section XVII than has already been presented in the previous tables.

Ten Leading Causes of Illness According to the Special List

The information appearing in Tables 11 and 12 affords a more detailed basis for the selection of those causes of illness which accounted for the greatest number of illnesses and days of illness among civil servants during the fiscal year 1949-50.

The following are the ten causes which accounted for the greatest number of illnesses, with the number and percentage that each formed of the total illnesses:

Ten Leading Causes of Illnesses According to the Special List**Dix principales causes de maladie d'après la liste spéciale**

Cause	Number — Nombre	Percentage — Pourcentage	Cause
1. C30 — Influenza	10,446	21.6	1. C30 — Grippe
2. C50 — Accidents, Poisonings and Violence	3,340	6.9	2. C50 — Accidents, empoisonnements et traumatismes
3. C34 — All Other Respiratory Diseases	2,656	5.5	3. C34 — Toutes autres maladies des voies respiratoires
4. C32 — Bronchitis	2,374	4.9	4. C32 — Bronchite
5. C46 — Arthritis and Rheumatism	2,175	4.5	5. C46 — Arthrite et rhumatisme
6. C28 — Acute Nasopharyngitis	2,042	4.2	6. C28 — Rhino-pharyngite aiguë
7. C19 — Psychoneuroses and Psychoses	2,039	4.2	7. C19 — Psychonévroses et psychoses
8. C29 — Acute Pharyngitis, Hypertrophy of Tonsils and Adenoids	1,977	4.1	8. C29 — Pharyngite aiguë, hypertrophie des amygdales et des végétations adénoïdes
9. C35 — Diseases of Stomach and Duodenum	1,819	3.8	9. C35 — Maladies de l'estomac et du duodénum
10. C40 — Other Diseases of the Digestive System	1,796	3.7	10. C40 — Autres maladies de l'appareil digestif

The ten causes of illness which accounted for the greatest number of days of illness, and the number and per cent each forms of the total illnesses were as follows:

Voici les dix causes qui répondent pour le plus grand nombre de jours de maladie ainsi que le nombre et le pourcentage de chacune par rapport à toutes les maladies:

Ten Leading Causes of Days of Illness According to the Special List**Dix principales causes de maladie (jours) d'après la liste spéciale**

Cause	Number — Nombre	Percentage — Pourcentage	Cause
1. C30 — Influenza	73,455.5	9.9	1. C30 — Grippe
2. C19 — Psychoneuroses and Psychoses	58,819.5	7.9	2. C19 — Psychonévroses et psychoses
3. C50 — Accidents, Poisonings and Violence	56,688.5	7.7	3. C50 — Accidents, empoisonnements et traumatismes
4. C1 — Tuberculosis of the Respiratory System	48,342.5	6.5	4. C1 — Tuberculose de l'appareil respiratoire
5. C25 — Arteriosclerosis and Degenerative Heart Disease	38,568.0	5.2	5. C25 — Artériosclérose et maladie dégénérative du cœur
6. C46 — Arthritis and Rheumatism	32,025.5	4.3	6. C46 — Arthrite et rhumatisme
7. C35 — Diseases of Stomach and Duodenum	30,337.0	4.1	7. C35 — Maladies de l'estomac et du duodénum
8. C34 — All Other Respiratory Diseases	27,213.0	3.7	8. C34 — Toutes autres maladies des voies respiratoires
9. C32 — Bronchitis	24,681.0	3.3	9. C32 — Bronchite
10. C36 — Appendicitis	19,774.0	2.7	10. C36 — Appendicite

Superannuations of Civil Servants Due to Illness

Table 13 presents figures by cause, sex and age group according to the main sections and sub-sections of the International Classification, for permanent Civil Servants who had applied for retirement previous to retirement age, on account of illness.

Monthly returns submitted by the various government departments to the Public Finance Division of the Dominion Bureau of Statistics indicate that there were 37,909 permanent civil servants employed in March 1949, and 45,259 in March 1950. This means that there were approximately 41,000 permanent civil servants as of October 1, 1949, the mid-point of the fiscal year. When this figure is used as a base, the superannuation rate due to illness is approximately 4.5 for every 1,000 permanent civil servants.

Section VII — Diseases of the Circulatory System, was the chief cause of early retirement, accounting for 60 or 32.8 per cent of the total number of retirements due to ill health. Arteriosclerotic and Degenerative Heart Disease accounted for 32 cases, or 17.5 per cent of the total superannuations.

Section XVIII — Diseases of the Bones and Organs of Movement, accounted for the second largest number of superannuations. There were 27 cases in this Section, or 14.8 per cent of the total number of superannuations, of which 21 were caused by Arthritis and Rheumatism, or 11.5 per cent.

Fonctionnaires mis à leur retraite pour cause de maladie

Le tableau 13 donne le chiffre, par cause, sexe et groupe d'âge et selon les grandes sections et sous-sections du Classement international, des fonctionnaires titulaires qui ont demandé d'être mis en retraite avant l'âge réglementaire pour cause de maladie.

D'après les rapports mensuels remis par les divers ministères à la Division des finances publiques du Bureau fédéral de la statistique, le nombre des fonctionnaires titulaires était de 37,909 en mars 1949 et de 45,259 en mars 1950. Il existait donc environ 41.000 fonctionnaires titulaires au milieu de l'année financière, soit le 1er octobre 1949. Fondé sur ce chiffre, le taux de mises à la retraite pour cause de maladie est d'environ 4.5 par 1.000 fonctionnaires titulaires.

Section VII — Les maladies de l'appareil circulatoire sont la cause principale des retraites prématuées: soit 60 ou 32.8 p. 100 de toutes les mises à la retraite pour raison de santé. La maladie artérioscléreuse et dégénérative du cœur répond pour 32 cas, soit 17.5 p. 100 de toutes les mises à la retraite.

Section XIII — Les maladies des os et des organes du mouvement viennent au deuxième rang pour ce qui est des mises à la retraite. Cette section compte 27 cas, soit 14.8 p. 100 du total des mises à la retraite, dont 21 cas d'arthrite et rhumatisme, soit 11.5 p. 100.

CHARTS AND TABLES

GRAPHIQUES ET TABLEAUX

ILLNESS IN THE CIVIL SERVICE

TABLE 1. Persons ill, illnesses and days of illness, by number of times ill and sex, 1949-1950

TABLEAU 1. Personnes malades, maladies et jours de maladie suivant la fréquence et le sexe, 1949-1950

No. of times ill Fréquence des maladies	Persons ill Personnes malades			Illnesses Maladies			Days of illness Jours de maladie		
	Total	Male — Hommes	Female — Femmes	Total	Male — Hommes.	Female — Femmes	Total	Male — Hommes	Female — Femmes
TOTAL	32,563	19,522	13,041	48,297	27,825	20,472	740,972.5	479,191.0	261,781.5
1	23,219	14,421	8,798	23,219	14,421	8,798	460,586.0	307,054.5	153,531.5
2	5,958	3,405	2,553	11,916	6,810	5,106	172,217.0	109,682.0	62,535.0
3	1,933	980	953	5,799	2,940	2,859	61,846.0	36,543.5	25,302.5
4	723	355	368	2,892	1,420	1,472	22,388.5	12,778.5	9,610.0
5	333	170	163	1,665	850	815	10,875.5	5,878.5	4,997.0
6	189	83	106	1,134	498	636	6,242.5	3,413.5	2,829.0
7	117	59	58	819	413	406	3,779.0	1,912.0	1,867.0
8	37	21	16	296	168	128	1,126.5	698.5	428.0
9	24	11	13	216	99	117	691.0	419.0	272.0
10	17	9	8	170	90	80	826.0	518.5	307.5
11	7	2	.5	77	22	55	139.5	37.5	102.0
12	3	3	—	36	36	—	143.5	143.5	—
13	1	1	—	13	13	—	39.0	39.0	—
19	1	1	—	19	19	—	50.0	50.0	—
26	1	1	—	26	26	—	22.5	22.5	—

TABLE 2. Percentage of persons ill, illnesses and days of illness, by number of times ill and sex, 1949-1950

TABLEAU 2. Pourcentage des personnes malades, maladies et jours de maladie suivant la fréquence et le sexe, 1949-1950


No. of times ill Fréquence des maladies	Persons ill Personnes malades			Illnesses Maladies			Days of illness Jours de maladie		
	Total	Male — Hommes	Female — Femmes	Total	Male — Hommes	Female — Femmes	Total	Male — Hommes	Female — Femmes
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1	71.3	73.9	67.5	48.1	51.8	43.0	62.2	64.1	58.6
2	18.3	17.4	19.6	24.7	24.5	24.9	23.2	22.9	23.9
3	5.9	5.0	7.3	12.0	10.6	14.0	8.3	7.6	9.7
4	2.2	1.8	2.8	6.0	5.1	7.2	3.0	2.7	3.7
5	1.0	0.9	1.3	3.4	3.1	4.0	1.5	1.2	1.9
6	0.6	0.4	0.8	2.3	1.8	3.1	0.8	0.7	1.1
7	0.4	0.3	0.4	1.7	1.5	2.0	0.5	0.4	0.7
8	0.1	0.1	0.1	0.6	0.6	0.6	0.2	0.1	0.2
9	0.1	0.1	0.1	0.4	0.4	0.5	0.1	0.1	0.1
10	1	1	1	0.4	0.3	0.4	0.1	0.1	0.1
11	1	1	1	0.2	0.1	0.3	1	1	1
12	1	1	—	0.1	0.1	—	1	1	—
13	1	1	—	1	1	—	1	1	—
19	1	1	—	1	1	—	1	1	—
26	1	1	—	1	1	—	1	1	—

1. Less than one tenth of one per cent. — Moins d'un dixième p. 100.

Chart
Graphique 1

PERCENTAGE OF PERSONS ILL, ILLNESSES AND DAYS OF ILLNESS
BY NUMBER OF TIMES ILL

POURCENTAGE DE PERSONNES MALADES, DE MALADIES ET DE JOURS DE MALADIE,
SELON LE NOMBRE DE FOIS QU'UNE PERSONNE EST MALADE



ILLNESS IN THE CIVIL SERVICE

TABLEAU 3. Nombre de maladies selon la cause, le sexe, et le groupe d'âge, 1949-1950
 TABLEAU 3. Number of illnesses by cause, sex, and age group, 1949-1950

Sect.	Cause	Cat.	International Classification — Classement international						Age — Âge						
			Total	Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and over. 65 et plus		
	GRAND TOTAL		48,297	7,583	6,480	4,985	4,283	3,749	5,398	4,504	2,912	423			
I	Infective and parasitic diseases — Maladies infectieuses et parasites		27,825	1,567	3,821	3,752	3,054	2,821	2,201	4,126	2,523	365			
F	20,472	6,016	4,112	2,728	1,931	1,662	1,548	1,269	2,745	3,745	2,369	58			
T	1,549	340	289	253	164	116	113	86	127	106	89	53			
M	922	77	171	164	90	54	54	86	104	89	51	6			
F	627	263	128	89	48	23	32	23	32	17	2	2			
II	Neoplasms — Tumeurs		140-239	T	584	50	68	59	63	71	55	89	53		
M	239	10	21	15	14	16	11	16	11	46	52	46	8		
F	345	40	47	44	49	55	44	44	43	43	16	7	-		
III	Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocrinianes, du métabolisme et de la nutrition		240-289	T	972	106	124	108	90	84	73	178	112	74	23
M	667	32	45	69	62	55	48	55	48	64	102	70	20	3	
F	305	74	79	39	28	29	25	25	25	14	10	4			
IV	Blood and blood-forming organs — Sang et organes hématopoïétiques		290-299	T	371	106	83	44	39	24	18	17	25	14	1
M	79	6	10	4	12	6	8	10	8	10	11	11	-		
F	292	100	73	40	27	18	10	7	14	3					
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité		300-326	T	2,054	339	367	332	244	172	157	196	163	76	8
M	935	39	126	141	131	79	74	145	145	129	64	64	7		
F	1,119	300	241	191	113	93	83	51	34	12	1				
VI	Nervous system and sense organs — Système nerveux et organes des sens		330-398	T	2,062	249	234	261	241	225	198	222	214	126	22
M	1,201	62	157	153	123	126	101	101	101	169	177	113	20		
F	861	187	137	108	118	99	97	97	97	63	37	13	2		
VII	Circulatory system — Appareil circulatoire		400-468	T	2,413	84	133	134	178	178	241	509	483	415	58
M	1,922	30	79	93	124	132	183	183	183	434	430	368	49		
F	491	54	54	41	54	46	58	75	53	47	53				
VIII	Respiratory system — Appareil respiratoire		470-527	T	20,200	3,371	3,574	2,790	2,111	1,867	1,546	2,011	1,697	1,096	137
M	11,000	639	1,688	2,557	1,233	1,254	1,039	1,039	1,039	1,476	1,365	937			
F	9,732	1,886	1,233	857	768	685	533	533	533	332	159	159			
IX	Digestive system — Appareil digestif		530-587	T	6,714	1,237	1,185	976	706	581	489	665	511	314	50
M	3,914	260	602	601	456	401	323	323	323	510	434	283	44		
F	2,890	977	593	375	250	180	166	166	166	155	77	31			
X	Genito-urinary system — Organes génito-urinaires		590-637	T	1,883	474	365	246	151	147	122	149	120	94	15
M	1,602	15	68	70	60	45	40	40	40	102	47	18	9		
F	1,281	459	297	176	91	102	82	82	82	47					
XI	Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches		640-689	T	78	32	27	15	3	1	-	-	-	-	
M	-	-	32	27	15	3	1	1	-	-	-				
F	78	-	-	-	-	-	-	-	-	-	-				
XII	Skin and cellular tissue — Peau et tissu cellulaire		690-716	T	1,712	316	331	239	190	148	154	191	126	72	5
M	1,152	106	189	164	136	108	112	112	112	167	110	56	4		
F	620	210	142	75	54	40	42	42	42	24	16	16	1		
XIII	Bones and organs of movement — Os et organes du mouvement		720-749	T	2,701	171	249	279	301	273	272	481	377	257	41
M	2,055	50	154	235	230	230	213	213	213	410	342	229	37		
F	646	121	95	74	71	60	87	87	87	71	35	28			
XIV	Congenital malformations — Malformations congénitales		750-759	T	39	10	9	3	5	2	1	3	4	1	1
M	18	1	3	3	2	3	2	2	2	1	3	1	-		
F	21	9	6	-	3	2	-	-	-	1	3	1			
XV	Symptoms, senility, and ill-defined conditions — Sanalité, symptômes et états mal définis		780-795	T	1,865	241	295	239	165	124	126	147	142	72	14
M	891	46	162	141	103	71	71	71	71	105	116	63	8		
F	674	195	133	98	62	53	50	50	50	42	26	9	6		
XVI	Accidents, poisonings, and violence — Accidents, empoisonnements et traumatismes		800-999	T	3,340	457	580	502	334	273	211	400	356	195	32
M	2,228	194	396	372	231	180	124	124	124	279	283	146	23		
F	1,112	263	184	130	103	93	87	87	87	121	121	93	9		

LA MALADIE DANS LE SERVICE CIVIL

19

TABLEAU 4. Jours de maladies selon la cause, sexe et le groupe d'âge, 1949-1950

Sect.	Cause						Age							
		International classification — Classement international		Total	Under 25	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	
		Cat.	Moins de 25										65 and over 65 et plus	
GRAND TOTAL		T 740,972,5	M 74,453,5	87,584,5	70,279,5	62,821,0	60,222,0	59,553,0	58,891,0	58,339,5	58,138,5	57,526,5	50,236,0	
I Infective and parasitic diseases — Maladies infectieuses et parásitaires	M 479,191,0	16,327,0	19,940,0	42,215,5	40,393,0	42,826,0	36,292,0	33,397,0	32,362,5	31,362,5	30,220,5	28,891,0	8,947,0	
	F 261,781,5	58,215,5	57,627,0	37,644,5	27,954,0	22,528,0	23,397,0	14,248,5	14,248,5	7,506,0	7,506,0	1,289,0	—	
	T 66,966,0	8,682,5	14,955,0	12,346,0	7,988,5	5,267,5	3,032,0	6,570,0	5,301,0	2,542,0	2,542,0	271,5	—	
II Neoplasms — Tumeurs	M 23,054,5	5,819,5	6,062,5	5,845,5	2,777,5	4,830,5	2,040,0	6,188,5	4,709,5	2,515,0	2,515,0	153,0	—	
	F 14,412,0	1,777,5	981,0	1,376,5	1,494,5	1,978,0	2,206,5	2,366,0	2,739,5	801,0	467,5	—	—	
	T 19,894,5	1,144,5	2,327,5	1,975,5	1,315,5	1,561,5	1,642,5	4,876,5	2,754,5	1,818,5	1,818,5	489,5	392,5	
III Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocrinennes, du métabolisme et de la nutrition	M 13,377,0	185,0	559,0	933,5	919,0	1,002,5	776,5	4,324,5	2,555,0	1,719,5	1,719,5	396,0	—	
	F 6,517,5	959,5	1,788,5	1,042,0	396,5	549,0	866,0	551,5	199,5	4,081,5	3,174,0	415,0	415,0	
	T 8,984,5	1,945,5	1,890,5	1,012,0	722,5	709,0	412,0	629,0	555,0	3,280,5	2,706,5	467,5	—	
IV Blood and blood-forming organs — Sang et organes hématoïdiens	M 2,292,5	72,0	152,0	70,5	216,5	130,0	216,0	555,0	342,5	1,114,5	550,0	50,0	—	
	F 6,692,0	1,873,5	1,678,0	941,5	506,0	579,0	196,0	74,0	772,0	772,0	488,0	50,0	—	
	T 59,339,0	7,421,0	9,212,0	10,139,0	6,471,0	4,775,5	4,915,5	6,832,5	6,364,5	2,710,5	2,710,5	356,0	—	
V Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	M 29,242,5	644,0	2,733,5	4,425,5	3,330,5	1,934,5	2,851,5	5,318,5	5,226,0	2,371,5	2,371,5	297,0	—	
	F 30,096,5	6,777,0	6,428,5	5,713,5	3,282,5	2,786,5	2,064,0	1,514,0	1,136,5	1,136,5	1,136,5	339,0	339,0	
	T 33,271,0	1,807,0	3,354,5	2,747,5	3,452,0	3,082,5	3,204,0	4,949,5	5,427,5	4,193,5	4,193,5	1,056,0	—	
VI Nervous system and sense organs — Système nerveux et organes des sens	M 23,027,5	460,0	1,815,5	1,498,0	1,626,5	1,894,0	2,099,5	4,048,0	4,468,0	4,075,0	4,075,0	1,053,0	—	
	F 10,246,5	1,347,0	1,539,0	1,249,5	1,825,5	1,188,5	1,104,5	901,5	959,5	959,5	959,5	3,0	—	
	T 83,264,0	1,881,0	1,424,5	2,966,5	3,444,0	5,130,5	7,783,5	17,961,5	21,038,5	18,381,5	18,381,5	2,262,5	—	
VII Circulatory system — Appareil circulatoire	M 69,448,0	506,0	1,437,5	1,885,5	2,440,0	4,252,0	5,482,5	15,838,5	19,208,0	16,493,5	16,493,5	1,901,5	—	
	F 13,818,0	1,375,0	997,0	1,081,0	1,004,0	3878,5	2,301,0	2,301,0	2,123,0	1,830,5	1,830,5	361,0	—	
	T 168,030,0	22,499,5	23,823,5	20,931,5	16,939,5	15,238,0	13,509,5	20,251,0	19,231,0	13,842,0	13,842,0	1,764,5	—	
VIII Respiratory system — Appareil respiratoire	M 99,065,0	4,482,5	30,615,0	11,871,0	10,050,0	8,860,0	8,889,5	15,482,5	15,977,0	12,176,5	12,176,5	1,468,5	—	
	F 68,965,0	18,017,0	13,208,5	10,060,5	6,889,5	6,378,5	5,422,0	4,768,5	4,250,0	1,865,5	1,865,5	303,5	—	
	T 101,625,0	12,762,5	13,054,0	12,742,5	10,484,5	9,873,0	7,398,5	13,821,5	11,941,0	8,894,0	8,894,0	1,071,5	—	
IX Digestive system — Appareil digestif	M 530-587	T 470-527	M 70,800,0	2,928,5	7,450,0	7,812,5	7,845,5	7,428,5	5,251,5	11,747,0	10,690,5	10,690,5	934,5	—
	F 36,825,0	9,834,0	M 56,600,0	5,604,0	3,930,0	2,839,0	2,384,5	2,147,0	2,066,5	1,150,5	1,150,5	702,5	157,0	
	T 29,681,0	3,197,0	M 14,791,0	239,0	3,499,5	3,467,0	3,529,5	2,447,0	2,282,0	3,497,0	3,192,5	4,172,0	337,5	—
X Genito-urinary system — Organes génito-urinaires	M 14,884,0	2,958,0	F 2,402,0	2,219,0	2,328,5	1,637,5	1,509,5	7,772,5	7,772,5	2,830,5	2,830,5	843,0	397,5	
	F 1,126,5	269,5	T 1,126,5	437,0	354,0	59,0	7,0	—	—	1,138,5	1,138,5	329,0	—	
	T 690-716	M 14,873,5	F 6,625,0	288,5	437,0	354,0	59,0	7,0	—	—	—	—	—	
XI Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	M 45,563,5	1,734,0	F 21,438,5	2,885,5	3,150,0	2,558,5	2,180,5	1,810,0	2,215,5	3,176,0	2,124,0	1,249,5	148,0	
	F 9,980,0	1,277,5	M 35,563,5	970,0	1,701,0	1,655,5	1,698,0	1,221,0	1,724,0	2,739,5	1,884,5	1,043,0	143,0	
	T 750-759	M 1,108,5	F 1,108,5	297,5	194,0	53,0	104,5	15,0	22,0	1,344,0	854,0	854,0	5	
XII Skin and cellular tissue — Peau et tissu cellulaire	M 716,5	194,0	F 392,0	103,5	160,0	—	95,5	15,0	—	46,0	201,5	123,0	34,0	
	F 1,126,5	—	M 1,126,5	269,5	437,0	354,0	59,0	7,0	—	—	16,0	—	—	
	T 16,759,0	1,827,0	M 10,149,5	3,242,5	1,322,0	2,302,0	2,106,5	1,291,5	1,268,0	2,216,5	2,291,0	1,461,5	128,0	
XIII Bones and organs of movement — Os et organes du mouvement	M 1,873,5	1,456,5	F 6,609,5	1,502,5	3,996,0	3,467,0	3,469,5	3,469,5	3,011,5	1,152,5	1,410,5	1,284,0	106,0	
	F 9,980,0	1,277,5	M 539,5	539,5	1,232,0	1,306,0	652,0	1,232,0	962,0	535,5	438,5	438,5	22,0	
	T 17,336,0	3,205,0	M 39,152,5	1,754,0	5,784,5	5,795,0	6,076,5	4,535,0	3,948,0	8,280,0	8,280,0	902,0	902,0	
XVI Symptoms, senility, and ill-defined conditions — Senilité, symptômes et états mal définis	M 780-795	T 780-795	M 10,149,5	1,827,0	2,302,0	2,106,5	1,291,5	1,268,0	1,867,0	2,216,5	2,291,0	1,461,5	128,0	
	F 6,609,5	1,502,5	M 539,5	539,5	1,502,5	1,322,0	1,187,0	1,731,5	1,731,5	1,152,5	1,410,5	1,284,0	106,0	
	T 17,336,0	3,205,0	F 17,336,0	2,210,5	2,107,0	2,107,0	1,713,5	1,579,5	1,639,5	2,216,5	2,291,0	1,461,5	128,0	
XVII Accidents, poisonings, and violence — Accidents, empoisonnements et traumatismes	M 800-999	T 800-999	M 56,688,5	4,959,5	5,784,5	5,688,0	3,363,0	2,955,5	3,948,0	8,280,0	8,280,0	902,0	902,0	
	F 17,336,0	3,205,0	M 39,152,5	1,754,0	5,795,0	5,795,0	1,639,5	1,639,5	2,216,5	2,291,0	1,461,5	128,0		
	T 17,336,0	3,205,0	F 17,336,0	2,210,5	2,107,0	2,107,0	1,713,5	1,579,5	1,639,5	2,216,5	2,291,0	1,461,5	128,0	

ILLNESS IN THE CIVIL SERVICE

TABLE 5. Number, days and average days of illnesses, by cause and sex, 1949-50

TABLEAU 5. Nombre, jours et moyenne des jours de maladie, selon la cause et le sexe, 1949-50

International Classification — Classement international			Illnesses — Maladies	Days of illness — Jours de maladie	Average days of illness — Moyenne des jours de maladie	
Sect.	Cause	Cat.	Number — Nombre	Number — Nombre		
	TOTAL		T M F	48,297 27,825 20,472	740,972.5 479,191.0 261,781.5	15.3 17.2 12.8
I	Infective and parasitic diseases — Maladies infectieuses et parasitaires.....	001-138	T M F	1,549 922 627	66,966.0 43,911.5 23,054.5	43.2 47.6 36.8
II	Neoplasms — Tumeurs	140-239	T M F	584 239 345	27,190.0 12,777.5 14,412.5	46.6 53.5 41.8
III	Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocrinien-nes, du métabolisme et de la nutrition	240-289	T M F	972 667 305	19,894.5 13,377.0 6,517.5	20.5 20.1 21.4
IV	Blood and blood-forming organs — Sang et organes hémato-pétiques	290-299	T M F	371 79 292	8,984.5 2,292.5 6,692.0	24.2 29.0 22.9
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T M F	2,054 935 1,119	59,339.0 29,242.5 30,096.5	28.9 31.3 26.9
VI	Nervous system and sense organs — Système nerveux et organes des sens	330-398	T M F	2,062 1,201 861	33,274.0 23,027.5 10,246.5	16.1 19.2 11.9
VII	Circulatory system — Appareil circulatoire	400-468	T M F	2,413 1,922 491	83,264.0 69,445.0 13,819.0	34.5 36.1 28.1
VIII	Respiratory system — Appareil respiratoire	470-527	T M F	20,200 11,000 9,200	168,030.0 99,065.0 68,965.0	8.3 9.0 7.5
IX	Digestive system — Appareil digestif	530-587	T M F	6,714 3,914 2,800	101,625.0 70,800.0 30,825.0	15.1 18.1 11.0
X	Genito-urinary system — Organes génito-urinaires	590-637	T M F	1,883 602 1,281	29,681.0 14,797.0 14,884.0	15.8 24.6 11.6
XI	Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T M F	78 — 78	1,126.5 — 1,126.5	14.4 — 14.4
XII	Skin and cellular tissue — Peau et tissu cellulaire	690-716	T M F	1,772 1,152 620	21,498.5 14,973.5 6,625.0	12.1 12.9 10.7
XIII	Bones and organs of movement — Os et organes du mouvement	720-749	T M F	2,701 2,055 646	45,543.5 35,563.5 9,930.0	16.9 17.3 15.4
XIV	Congenital malformations — Malformations congénitales	750-759	T M F	39 18 21	1,108.5 716.5 392.0	28.4 39.8 18.7
XVI	Symptoms, senility, and ill-defined conditions — Sénilité, symptômes et états mal définis	780-795	T M F	1,565 891 674	16,759.0 10,149.5 6,609.5	10.7 11.4 9.8
XVII	Accidents, poisonings, and violence — Accidents, empoisonnements et traumas	N800-999	T M F	3,346 2,228 1,112	56,688.5 39,152.5 17,536.0	17.0 17.6 15.8

AVERAGE DAYS OF ILLNESS BY CAUSE AND SEX
MOYENNE DES JOURS DE MALADIE, SELON LA CAUSE ET LE SEXE
1949-1950




TABLE 6. Percentage distribution of illnesses by sex and age group, 1949-1950

TABLEAU 6. Répartition proportionnelle des maladies, par sexe et groupe d'âge, 1949-1950

Sect.	Cause	Cat.	All ages — Tous âges	%	-35	%	35-49	%	50+	%
	GRAND TOTAL		T 48,297 M 27,825 F 20,472	100.0 100.0 100.0	22,046 9,190 12,856	100.0 100.0 100.0	13,017 7,876 5,141	100.0 100.0 100.0	13,234 10,759 2,475	106.0 106.0 106.0
I	Infective and parasitic diseases — Maladies infectieuses et parasitaires	001-138	T 1,549 M 922 F 627	3.2 3.3 3.1	892 412 480	4.1 4.5 3.7	363 260 103	2.8 3.3 2.0	294 250 44	2.2 2.3 1.8
II	Neoplasms — Tumeurs	140-239	T 584 M 239 F 345	1.2 0.9 1.7	177 46 131	0.8 0.5 1.0	189 41 148	1.5 0.5 2.9	218 152 66	1.7 1.4 2.7
III	Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocrinianes, du métabolisme et de la nutrition	240-289	T 972 M 667 F 305	2.0 2.4 1.5	338 146 192	1.5 1.6 1.5	247 165 82	1.9 2.1 1.6	387 356 31	2.9 3.3 1.2
IV	Blood and blood-forming organs — Sang et organes hémato-pédonctiques	290-299	T 371 M 79 F 292	0.8 0.3 1.4	233 20 213	1.1 0.2 1.7	81 26 55	0.6 0.3 1.1	57 33 24	0.4 0.3 1.0
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T 2,054 M 935 F 1,119	4.2 3.3 5.5	1,038 306 732	4.7 3.3 5.7	573 284 289	4.4 3.6 5.6	443 345 98	3.4 3.2 4.0
VI	Nervous system and sense organs — Système nerveux et organes des sens	330-398	T 2,062 M 1,201 F 861	4.3 4.3 4.2	804 372 432	3.6 4.0 3.4	664 350 314	5.1 4.5 6.1	594 479 115	4.5 4.5 4.6
VII	Circulatory system — Appareil circulatoire	400-468	T 2,413 M 1,922 F 491	5.0 6.9 2.4	351 202 149	1.6 2.2 1.2	597 439 158	4.6 5.6 3.1	1,465 1,281 184	11.1 11.9 7.4
VIII	Respiratory system — Appareil respiratoire	470-527	T 20,200 M 11,000 F 9,200	41.8 39.5 44.9	9,735 3,884 5,851	44.2 42.3 45.5	5,524 3,214 2,310	42.4 40.8 44.9	4,941 3,902 1,039	37.3 36.3 42.0
IX	Digestive system — Appareil digestif	530-587	T 6,714 M 3,914 F 2,800	13.9 14.1 13.7	3,398 1,463 1,935	15.4 15.9 15.0	1,776 1,180 596	13.6 15.0 11.6	1,540 1,271 269	11.6 11.8 10.9
X	Genito-urinary system — Organes génito-urinaires	590-637	T 1,883 M 602 F 1,281	3.9 2.2 6.3	1,085 153 932	4.9 1.7 7.2	420 145 275	3.2 1.8 5.4	378 304 74	2.9 2.8 3.0
XI	Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T 78 M — F 78	0.2 — 0.4	74 — 74	0.3 — 0.6	4 — 4	1 — 0.1	— — —	— — —
XII	Skin and cellular tissue — Peau et tissu cellulaire	690-716	T 1,772 M 1,152 F 620	3.7 4.1 3.0	886 459 427	4.0 5.0 3.3	492 356 136	3.8 4.5 2.6	394 337 57	3.0 3.1 2.3
XIII	Bones and organs of movement — Os et organes du mouvement	720-749	T 2,701 M 2,055 F 646	5.6 7.4 3.1	699 409 290	3.2 4.4 2.3	846 628 218	6.5 8.0 4.2	1,156 1,018 138	8.7 9.5 5.6
XIV	Congenital malformations — Malformations congénitales	750-759	T 39 M 18 F 21	0.1 0.1 0.1	22 7 15	0.1 0.1 0.1	8 3 5	0.1 0.1 0.1	9 8 1	0.1 0.1 0.1
XVI	Symptoms, senility, and ill-defined conditions — Sénilité, symptômes et états mal définis	780-795	T 1,565 M 891 F 674	3.2 3.2 3.3	775 349 426	3.5 3.8 3.3	415 250 165	3.2 3.2 3.2	375 292 83	2.8 2.7 3.3
XVII	Accidents, poisonings, and violence — Accidents, empoisonnements et traumatismes	N800-999	T 3,340 M 2,228 F 1,112	6.9 8.0 5.4	1,539 962 577	7.0 10.5 4.5	818 535 283	6.3 6.8 5.5	983 731 252	7.4 6.8 10.2


1. Less than one tenth of one per cent. — Moins d'un dixième p. 100.

TABLE 7. Percentage distribution of days of illness by sex and age group, 1949-1950
TABLEAU 7. Répartition proportionnelle des jours de maladie, par sexe et groupe d'âge, 1949-1950

Sect.	Cause	Cat.	All ages — Tous âges	%	- 35	%	35-49	%	50 +	%	
	GRAND TOTAL	T	740,972.5	100.0	255,992.0	100.0	193,423.5	100.0	291,557.0	100.0	
		M	479,191.0	100.0	112,505.5	100.0	119,534.5	100.0	247,151.0	100.0	
		F	261,781.5	100.0	143,486.5	100.0	73,889.0	100.0	44,406.0	100.0	
I	Infective and parasitic diseases — Maladies infectieuses et parasitaires	001-138	T	66,966.0	9.0	35,983.5	14.1	16,298.0	8.4	14,684.5	5.0
		M	43,911.5	9.2	18,256.0	16.2	12,091.5	10.1	13,564.0	5.5	
		F	23,054.5	8.8	17,727.5	12.4	4,206.5	5.7	1,120.5	2.5	
II	Néoplasms — Tumeurs	140-239	T	27,190.0	3.7	5,434.0	2.1	9,064.5	4.7	12,691.5	4.4
		M	12,777.5	2.7	1,582.0	1.4	2,512.0	2.1	8,683.5	3.5	
		F	14,412.5	5.5	3,852.0	2.7	6,552.5	8.9	4,008.0	9.0	
III	Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocriniennes, du métabolisme et de la nutrition	240-289	T	19,894.5	2.7	5,447.5	2.1	4,509.5	2.3	9,937.5	3.4
		M	13,377.0	2.8	1,657.5	1.5	2,698.0	2.3	9,021.5	3.6	
		F	6,517.5	2.5	3,790.0	2.7	1,811.5	2.4	916.0	2.1	
IV	Blood and blood-forming organs — Sang et organes hématoïdiotiques	290-299	T	8,984.5	1.2	4,787.5	1.9	1,843.5	1.0	2,353.5	0.8
		M	2,292.5	0.5	294.5	0.3	562.5	0.5	1,435.5	0.6	
		F	6,692.0	2.6	4,493.0	3.1	1,281.0	1.7	918.0	2.1	
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T	59,339.0	8.0	26,772.0	10.5	18,303.5	8.4	16,263.5	5.6
		M	29,242.5	6.1	7,853.0	7.0	8,176.5	6.8	13,213.0	5.4	
		F	30,096.5	11.5	18,919.0	13.2	8,127.0	11.0	3,050.5	6.9	
VI	Nervous system and sense organs — Système nerveux et organes des sens	330-398	T	33,274.0	4.5	7,909.0	3.1	9,738.5	5.0	15,626.5	5.4
		M	23,027.5	4.8	3,773.5	3.3	5,610.0	4.7	13,644.0	5.5	
		F	10,246.5	3.9	4,135.5	2.9	4,128.5	5.6	1,982.5	4.5	
VII	Circulatory system — Appareil circulatoire	400-468	T	83,264.0	11.2	7,282.0	2.8	16,358.0	8.5	59,624.0	20.4
		M	69,445.0	14.5	3,829.0	3.4	12,174.5	10.2	53,441.5	21.6	
		F	13,819.0	5.3	3,453.0	2.4	4,183.5	5.7	6,182.5	13.9	
VIII	Respiratory system — Appareil respiratoire	470-527	T	168,030.0	22.7	67,254.5	26.3	45,687.0	23.6	55,088.5	18.9
		M	99,065.0	20.7	26,988.5	24.0	26,999.5	22.6	45,097.0	18.2	
		F	68,965.0	26.4	40,286.0	28.1	18,687.5	25.3	9,991.5	22.5	
IX	Digestive system — Appareil digestif	530-587	T	101,625.0	13.7	38,559.0	15.0	27,706.0	14.3	35,360.0	12.1
		M	70,800.0	14.8	19,191.0	17.0	20,325.5	17.0	31,283.5	12.7	
		F	30,825.0	11.8	19,368.0	13.2	7,380.5	10.0	4,076.5	9.2	
X	Genito-urinary system — Organes génito-urinaires	590-637	T	29,681.0	4.0	10,163.5	4.0	8,258.5	4.3	11,259.0	3.9
		M	14,797.0	3.1	2,584.5	2.3	2,783.0	2.3	9,429.5	3.8	
		F	14,884.0	5.7	7,579.0	5.3	5,475.5	7.4	1,829.5	4.1	
XI	Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T	1,126.5	0.2	1,060.5	0.4	66.0	1	—	—
		M	—	—	—	—	—	—	—	—	—
		F	1,126.5	0.4	1,060.5	0.7	66.0	0.1	—	—	
XII	Skin and cellular tissue — Peau et tissu cellulaire	690-716	T	21,498.5	2.9	8,595.0	3.4	6,206.0	3.2	6,697.5	2.3
		M	14,873.5	3.1	4,225.5	3.8	4,838.0	4.0	5,810.0	2.4	
		F	6,625.0	2.5	4,369.5	3.1	1,368.0	1.9	887.5	2.0	
XIII	Bones and organs of movement — Os et organes du mouvement	720-749	T	45,543.5	6.1	9,215.0	3.6	13,257.0	6.9	23,071.5	7.9
		M	35,563.5	7.4	5,969.5	5.3	9,505.0	8.0	20,089.0	8.1	
		F	9,980.0	3.8	3,245.5	2.3	3,752.0	5.1	2,982.5	6.7	
XIV	Congenital malformations — Malformations congénitales	750-759	T	1,108.5	0.2	544.5	0.2	141.5	0.1	422.5	0.1
		M	716.5	0.1	281.0	0.2	31.0	1	404.5	0.2	
		F	392.0	0.1	263.5	0.2	110.5	0.1	18.0	1	
XVI	Symptoms, senility, and ill-defined conditions — Sénilité, symptômes et états mal définis	780-795	T	16,759.0	2.3	6,235.5	2.4	4,426.5	2.3	6,097.0	2.1
		M	10,149.5	2.1	2,813.5	2.5	2,623.0	2.2	4,713.0	1.9	
		F	6,609.5	2.5	3,422.0	2.4	1,803.5	2.4	1,384.0	3.1	
XVII	Accidents, poisonings, and violence — Accidents, empoisonnements et traumatismes	N800-999	T	56,688.5	7.6	20,749.0	8.1	13,559.5	7.0	22,380.0	7.7
		M	39,152.5	8.1	13,226.5	11.8	8,604.5	7.2	17,321.5	7.0	
		F	17,536.0	6.7	7,522.5	5.3	4,955.0	6.7	5,058.5	11.4	

1. Less than one tenth of one per cent. — Moins d'un dixième p. 100.

**PERCENTAGE DISTRIBUTION OF ILLNESSES
AND DAYS OF ILLNESS BY CAUSE**
**RÉPARTITION EN POURCENTAGE DES MALADIES
ET JOURS DE MALADIE, SELON LA CAUSE**
1949-1950



PERCENTAGE DISTRIBUTION OF FIVE LEADING CAUSES OF ILLNESS BY SEX AND AGE GROUP

RÉPARTITION EN POURCENTAGE DES CINQ PRINCIPALES CAUSES DE MALADIE,

PAR SEXE ET GROUPE D'ÂGE

ILLNESSES — MALADIES

1949—1950

DAYS OF ILLNESSES—JOURS DE MALADIE

LEGEND — LÉGENDE





TABLE 8. Number of illnesses and days of illness by length of illness, 1949-1950
 TABLEAU 8. Nombre de maladies et jours de maladie, selon la durée de la maladie, 1949-1950

Sect.	Cause	Cat.	International classification - Classement international						Illnesses - Maladies						Days of illness - Jours de maladie					
			Total	1-3 days	4-9 days	10-20 days	30 and over	Total	Total	1-3 days	1-3 days	4-9 days	10-20 days	30 and over	Total	1-3 days	1-3 days	4-9 days	10-20 days	30 and over
TOTAL.....			T 48,297	11,899	12,415	5,999	740,972.5	23,275.0	110,505.5	198,876.0	408,316.0	124,097.5	279,000.5							
M 27,825	5,565	10,472	F 6,329	7,517	4,706	4,079	479,910.0	11,175.0	64,918.0	129,315.5	74,778.5	45,587.5								
I Infective and parasitic diseases - Maladies infectieuses et parasitaires	001-138	T 1,549	150	501	545	353	966.0	311.5	220.5	503.0	54,931.0									
M 922	86	F 627	64	281	315	240	911.5	190.0	1,797.5	5,009.0	36,915.0									
II Neoplasms - Tumeurs	140-239	T 584	37	70	171	306	27,190.0	73.5	438.5	3,051.0	18,627.0									
M 239	11	F 345	26	43	105	171	135.0	12,777.5	23.0	163.0	1,156.0									
III Allergic, endocrine system, metabolic and nutritional diseases - Maladies allergiques, endocrinianes, du métabolisme et de la nutrition	240-289	T 972	201	277	284	210	19,884.5	325.0	1,687.5	4,768.5	13,113.5									
M 667	123	F 305	75	202	201	141	13,377.0	205.0	1,238.0	3,302.5	8,621.5									
IV Blood and blood-forming organs - Sang et organes hématoïdiques	290-299	T 371	53	66	144	108	8,984.5	89.5	421.0	2,628.5	5,845.5									
M 79	8	F 292	45	55	112	80	2,282.5	17.0	67.0	635.5	1,573.0									
V Mental, psychoneurotic, and personality disorders - Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T 935	93	205	449	743	650	59,339.0	421.0	2,849.0	13,184.5	42,884.5								
M 1,119	119	F 1,119	244	432	311	326	29,242.5	184.0	1,303.0	5,503.5	22,252.0									
VI Nervous system and sense organs - Système nerveux et organes des sens	330-398	T 2,062	613	675	517	257	1,093.5	237.0	1,546.0	421.0	2,628.5	5,845.5								
M 1,201	261	F 861	352	392	353	195	2,274.0	1,093.5	4,118.5	1,272.5	1,895.0	4,272.5								
VII Circulatory system - Appareil circulatoire	400-468	T 2,413	230	450	814	919	83,264.0	454.0	850.0	14,741.0	65,219.0									
M 1,922	170	F 491	60	116	334	787	69,445.0	327.0	2,133.0	11,392.5	55,592.5									
VIII Respiratory system - Appareil respiratoire	470-527	T 20,200	5,584	9,549	4,440	627	168,030.0	11,806.0	58,168.0	65,613.0	32,443.0									
M 11,000	5,559	F 9,200	3,025	5,343	2,686	412	99,050.0	6,665.5	32,862.5	39,808.0	20,908.0									
IX Digestive system - Appareil digestif	530-587	T 6,714	2,032	2,027	1,549	1,106	101,625.0	3,578.0	12,286.5	26,273.5	59,487.0									
M 3,914	935	F 1,281	581	1,176	988	815	70,800.0	1,685.5	7,188.5	16,869.0	45,059.0									
X Genito-urinary system - Organes génito-urinaires	590-637	T 1,883	639	466	497	281	29,681.0	1,053.5	2,913.0	8,210.0	17,504.5									
M 602	58	F 1,281	581	172	210	162	14,797.0	133.0	1,121.5	3,569.0	9,973.5									
XI Pregnancy, childbirth, and the puerperium - Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T 78	25	14	-	27	1,126.5	38.0	81.0	418.5	589.0									
M -		F 78	25	14	-	12	1,126.5	38.0	81.0	418.5	589.0									
XII Skin and cellular tissue - Peau et tissu cellulaire	690-716	T 1,772	301	779	565	127	21,488.5	634.0	4,848.5	9,011.0	7,005.0									
M 1,152	190	F 620	111	296	384	95	14,813.5	401.0	3,035.5	6,146.0	5,299.0									
XIII Bones and organs of movement - Os et organes du mouvement	720-749	T 2,701	528	963	808	402	45,563.5	1,074.5	6,035.5	13,102.5	25,331.0									
M 2,055	349	F 646	179	218	637	324	35,583.5	729.0	4,696.0	10,372.5	19,766.0									
XIV Congenital malformations - Malformations congénitales	750-759	T 39	7	11	9	12	1,108.5	15.5	75.0	166.5	851.5									
M 18	4	F 21	3	7	6	5	392.0	7.5	49.5	111.5	223.5									
XV Symptoms, senility, and ill-defined conditions - Sénilité, symptômes et états mal définis	780-795	T 1,565	619	455	349	142	16,759.0	989.0	2,773.0	5,699.0	7,298.0									
M 891	300	F 674	171	227	80	10,149.5	505.5	1,748.5	3,792.0	4,103.5										
XVI Accidents, poisonings, and violence - Accidents, empoisonnements et traumatismes	N800-999	T 3,340	663	1,237	953	487	56,688.5	1,318.5	7,740.5	15,275.0	32,354.5									
M 2,228	418	F 1,112	245	665	332	39,132.5	8,923.5	5,511.5	10,759.5	22,452.0										
M 813	424	F 155	155	288	155	17,536.0	495.0	2,623.0	4,515.5	9,902.5										

ILLNESS IN THE CIVIL SERVICE

TABLE 9. Number of illnesses by month of onset, cause and sex, 1949-1950
TABLEAU 9. Nombre de maladies selon le mois du début, la cause, et le sexe, 1949-1950

International Classification — Classement international			Total	April ¹ — Avril ¹	May — Mai	June — Juin	July — Juil.	Aug. — Août	Sept. — Sept.	Oct. — Oct.	Nov. — Nov.	Dec. — Déc.	Jan. — Janv.	Feb. — Fév.	Mar. — Mars	
Sect.	Cause	Cat.														
GRAND TOTAL.....																
I	Infective and parasitic diseases — Maladies infectieuses et parasites	001-138	T M F	48,297 27,825 20,472	5,211 3,184 2,027	2,805 1,620 1,185	2,332 1,363 1,307	2,045 1,290 735	2,468 1,821 1,378	3,687 2,214 1,733	3,947 2,214 1,839	4,154 2,155 1,502	6,051 3,253 2,556	5,809 3,608 3,011	6,619 3,608 3,011	
II	Neoplasms — Tumeurs	140-239	T M F	584 239 345	96 44 52	53 41 34	53 19 18	53 15 17	58 21 19	38 17 15	39 20 15	47 23 20	27 14 13	50 21 17	50 24 31	
III	Allergic, endocrine system, metabolic, and nutritional diseases — Maladies allergiques, endocrinennes, du métabolisme et de la nutrition	240-269	T M F	972 667 305	108 73 35	53 34 19	62 37 25	43 30 13	75 49 26	95 65 30	76 57 19	89 62 30	103 72 27	97 71 31	88 71 26	
IV	Blood and blood-forming organs — Sang et organes hémato-potétiques	290-299	T M F	371 79 292	49 11 38	29 8 21	32 9 23	27 7 20	25 5 20	28 8 16	37 5 20	34 5 16	39 3 32	39 3 31	34 3 27	
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T M F	2,054 935 1,119	242 112 130	197 80 117	150 73 77	161 84 77	148 80 68	125 55 70	166 57 91	174 62 94	156 62 94	180 72 97	165 71 97	
VI	Nervous system and sense organs — Système nerveux et organes des sens	330-398	T M F	2,062 1,201 1,861	196 126 70	125 75 50	129 84 45	89 61 28	118 65 53	136 88 48	100 83 83	105 68 85	102 68 93	122 102 93	267 123 114	
VII	Circulatory system — Appareil circulatoire	400-468	T M F	2,413 1,922 350	423 143 143	181 121 124	154 121 124	162 122 127	165 127 138	166 127 153	174 138 142	156 138 142	180 156 142	199 156 141	190 156 141	
VIII	Respiratory system — Appareil respiratoire	470-527	T M F	20,200 11,000 9,200	2,085 1,179 906	855 452 403	523 293 239	404 294 170	562 294 263	1,313 299 663	1,443 817 663	1,618 873 663	1,938 873 663	3,002 1,036 663	2,987 1,036 662	3,470 1,592 662
IX	Digestive system — Appareil digestif	530-587	T M F	6,714 3,914 2,800	429 254 217	389 226 175	429 226 163	431 216 135	472 216 163	515 215 182	610 215 182	556 217 182	752 217 180	715 217 180	880 404 180	
X	Genito-urinary system — Organes génito-urinaires	590-637	T M F	1,883 602 621	170 69 69	103 37 37	85 43 37	85 44 37	98 55 55	139 57 55	174 57 55	164 57 55	213 57 55	224 57 55	248 57 55	
XI	Pregnancy, childbirth, and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T M F	78 3 78	3 4 3	4 7 7	7 7 7	5 5 5	9 9 9	8 8 8	8 8 8	9 9 9	8 8 8	5 5 5	5 5 5	
XII	Skin and cellular tissue — Peau et tissu cellulaire	690-716	T M F	1,772 1,152 620	153 96 57	135 98 60	135 98 55	126 88 38	189 65 58	148 58 40	151 60 45	121 62 45	114 62 45	120 62 45	187 120 45	
XIII	Bones and organs of movement — Os et organes du mouvement	720-749	T M F	2,701 2,055 646	279 224 55	200 150 50	141 111 30	147 120 27	175 131 44	167 130 37	164 130 58	150 126 43	150 126 55	205 126 55	332 126 55	
XIV	Congenital malformations — Malformations congénitales	750-759	T M F	39 18 620	1 1 57	3 1 60	2 1 60	4 5 55	3 54 54	2 54 54	2 54 54	2 54 54	2 54 54	2 54 54	130 120 54	
XV	Symptoms, senility, and ill-defined conditions — Sénilité, symptômes et états mal définis	780-795	T M F	1,565 891 674	141 82 59	103 55 46	90 53 26	147 53 32	175 62 32	148 62 32	133 62 32	144 62 32	131 62 32	186 131 32		
XVI	Accidents, poisonings, and violence — Accidents, empoisonnements et traumatismes	N800-N899	T M F	3,340 2,228 1,112	360 245 115	212 154 58	232 155 77	249 175 74	270 188 82	207 142 82	247 172 82	250 168 82	272 167 82	336 237 82	330 213 82	
XVII																

1. Figures for April include illnesses continued from the previous fiscal year. — Les chiffres d'avril englobent les maladies encore en cours au commencement de l'année financière.

DISTRIBUTION OF ILLNESSES BY MONTH OF ONSET, BY CAUSE
RÉPARTITION DES MALADIES, SELON LE MOIS DE PREMIÈRE MANIFESTATION ET LA CAUSE




TABLE 10. Monthly percentage of illnesses by month of onset, cause and sex, 1949-1950

TABLEAU 10. Pourcentage mensuel des maladies selon le mois du début, la cause, et le sexe, 1949-1950

International Classification - Classement international			Months - Mois													
Sect.	Cause	Cat.	Total	April ¹ — April ¹	May — Mai	June — Juin	July — Juil.	Aug. — Août	Sept. — Sept.	Oct. — Oct.	Nov. — Nov.	Dec. — Déc.	Jan. — Janv.	Feb. — Févr.	Mar. — Mars	
	ALL CAUSES - TOUTES CAUSES		T 100.0	10.8	5.8	4.8	4.3	5.1	6.6	7.6	8.2	8.6	12.5	12.0	13.7	
I	Infective and parasitic diseases - Maladies infectieuses et parasites	001-138	M 100.0	11.4	5.8	4.9	4.6	5.4	6.5	7.3	8.0	8.3	12.5	11.7	13.0	
II	Neoplasms - Tumeurs	140-239	T 100.0	16.4	9.1	10.1	5.8	6.5	6.7	7.4	8.0	8.5	9.0	12.5	12.5	14.7
III	Allergic, endocrine system, metabolic, and nutritional diseases - Maladies allergiques, endocrinianes, du métabolisme et de la nutrition	240-289	F 100.0	18.4	7.9	7.5	6.3	7.1	6.3	8.4	5.9	5.4	8.8	10.4	9.3	11.9
IV	Blood and blood-forming organs - Sang et organes hématopoïétiques	290-299	T 100.0	15.1	9.8	11.9	5.5	6.1	6.9	6.7	9.5	9.5	4.1	8.4	7.0	9.0
V	Mental, psychoneurotic, and personality disorders - Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	T 100.0	11.8	9.6	7.3	4.4	7.7	9.8	7.8	8.5	8.5	9.0	9.2	10.6	9.6
VI	Nervous system and sense organs - Système nerveux et organes des sens	330-398	T 100.0	13.2	7.8	8.6	7.3	6.7	6.5	7.5	10.0	9.2	10.8	10.2	10.6	9.1
VII	Circulatory system - Appareil circulatoire	400-468	T 100.0	12.0	9.5	7.3	7.8	7.2	6.1	8.1	8.5	8.0	9.3	9.7	10.6	9.6
VIII	Respiratory system - Appareil respiratoire	470-527	T 100.0	10.3	4.2	4.2	2.6	2.0	2.8	6.5	7.1	8.0	8.4	8.7	9.7	10.5
IX	Digestive system - Appareil digestif	530-587	M 100.0	10.7	4.1	2.6	2.1	2.1	2.7	6.0	7.5	7.9	9.2	10.8	11.5	12.9
X	Genito-urinary system - Organes génito-urinaires	590-637	T 100.0	9.0	5.5	6.1	4.5	5.2	7.4	9.2	8.7	8.0	10.3	10.2	13.2	14.4
XI	Pregnancy, childbirth, and the puerperium - Accouchements et complications de la grossesse, de l'accouchement et des suites de couches	640-689	T 100.0	3.8	5.1	9.0	9.0	6.4	5.2	6.4	7.7	9.1	6.3	11.2	10.3	12.4
XII	Skin and cellular tissue - Peau et tissu cellulaire	690-716	T 100.0	8.6	8.9	7.6	7.1	10.7	8.4	8.5	7.4	6.8	10.6	11.3	11.9	13.2
XIII	Bones and organs of movement - Os et organes du mouvement	720-749	T 100.0	10.3	7.4	5.2	5.4	6.5	6.2	8.2	7.7	7.6	12.3	11.5	11.7	12.2
XIV	Congenital malformations - Malformations congénitales	750-759	T 100.0	2.6	7.7	4.6	4.2	6.8	5.7	9.0	6.7	8.5	12.5	11.8	13.9	14.8
XVI	Symptoms, senility and ill-defined conditions - Sénilité, symptômes et états mal définis	780-795	T 100.0	9.0	5.7	6.6	5.0	4.9	5.4	8.5	9.2	8.4	11.8	12.1	13.4	13.2
XVII	Accidents, poisonings, and violence - Accidents, empoisonnements et traumatismes	N800-999	M 100.0	11.0	6.3	6.9	7.5	8.1	6.2	7.4	7.5	8.2	11.1	10.1	9.5	9.6
		F 100.0	10.3	6.2	6.9	7.0	7.9	8.4	6.4	7.7	7.4	9.7	12.1	11.2	10.5	

1. Figures for April include illnesses continued from the previous fiscal year. — Les chiffres d'avril englobent les maladies encore en cours au commencement de l'année financière.

MONTHLY PERCENTAGE OF ILLNESSES, ALL ILLNESSES
AND FIVE SELECTED CAUSES

POURCENTAGE MENSUEL DES MALADIES, TOUTES MALADIES
ET CINQ CAUSES CHOISIES

1949-1950




TABLEAU 11. Nombre de maladies selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950

No.	Cause and detailed list numbers — Cause et numéros de la liste détaillée	Total	Age — Âge						65 and over 65 et plus		
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54		
	GRAND TOTAL	T 46,297 M 27,825 F 20,472	T 7,983 M 1,967 F 6,016	T 3,985 M 3,871 F 4,112	T 3,752 M 2,728 F 1,931	T 4,054 M 3,821 F 1,662	T 4,283 M 2,621 F 1,558	T 2,201 M 1,266 F 1,266	T 3,79 M 3,75 F 2,759	T 4,594 M 3,755 F 3,889	T 2,912 M 2,553 F 3,655
C 1	Tuberculosis of respiratory system — Tuberculose de l'appareil respiratoire (001-008)	T 295 M 207 F 88	T 32 M 13 F 19	T 67 M 40 F 27	T 56 M 32 F 24	T 31 M 22 F 9	T 23 M 21 F 2	T 12 M 8 F 4	T 31 M 30 F 1	T 29 M 27 F 2	T 14 M 14 F 14
C 2	Tuberculosis, other forms — Tuberculose, autres formes (010-019)	T 26 M 16 F 10	T 4 M 1 F 3	T 6 M 4 F 2	T 5 M 2 F 2	T 7 M 5 F 1	T 1 M 1 F 1	T 2 M 1 F 1	T 1 M 1 F 1	T 3 M 2 F 2	T 2 M 2 F 2
C 3	Syphilis and its sequelae — Syphilis et ses séquelles (020-029)	T 3 M 3 F -	T - M - F -	T - M - F -	T - M - F -	T 2 M 2 F -	T - M - F -	T - M - F -	T - M - F -	T 1 M 1 F -	T 1 M 1 F -
C 4	Gonococcal infection — Infection gonococcique (030-035)	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1
C 5	Dysentery, all forms — Dysenterie, toutes formes (045-048)	T 58 M 41 F 17	T 8 M 2 F 6	T 9 M 7 F 2	T 7 M 5 F 3	T 9 M 6 F 3	T 4 M 3 F 1	T 10 M 8 F 2	T 4 M 3 F 1	T 5 M 4 F 1	T 6 M 5 F 1
C 6	Other infective diseases commonly arising in intestinal tract — Autres maladies infectieuses à point de départ généralement intestinal (040-044, 049)	T 45 M 27 F 18	T 5 M 5 F 3	T 8 M 8 F 3	T 3 M 3 F 1	T 4 M 3 F 1	T 5 M 5 F 1	T 6 M 5 F 1	T 5 M 5 F 1	T 8 M 8 F 1	T 2 M 2 F 1
C 7a	Scarlet fever — Scarletine (050)	T 2 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1
C 7b	Diphtheria — Diphtérie (056)	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1
C 7c	Whooping cough — Coqueluche (056)	T 3 M 1 F 2	T 2 M 1 F 2	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 2 M 2 F 1				
C 7d	Measles — Rougeole (085)	T 42 M 22 F 55	T 5 M 8 F 12	T 17 M 12 F 6	T 3 M 2 F 3	T 5 M 2 F 3	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 2 M 2 F 1
C 7e	Mumps — Oreillons (089)	T 180 M 97 F 83	T 59 M 12 F 47	T 34 M 18 F 16	T 23 M 19 F 7	T 13 M 11 F 4	T 8 M 5 F 2	T 6 M 5 F 1	T 6 M 5 F 1	T 3 M 2 F 1	T 1 M 1 F 1
C 9	Malaria — Paludisme (110-117)	T 10 M 10 F -	T - M - F -	T - M - F -	T - M - F -	T 4 M 4 F 1	T 3 M 1 F 1	T 3 M 1 F 1	T 3 M 1 F 1	T 2 M 2 F 1	T 1 M 1 F 1
C 10	Diseases due to helminths — Maladies dues à des helminthes (123-130)	T 5 M 4 F 1	T 2 M 1 F 2	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1	T 1 M 1 F 1				
C 11	All other diseases classified as infective and parasitic — Toutes autres maladies classées comme maladies infectieuses et parasites (036-039, 051-054, 057-084, 086-088, 090-096, 120-122, 131-138)	T 185 M 493 F 350	T 154 M 38 F 147	T 132 M 86 F 62	T 92 M 46 F 15	T 65 M 36 F 19	T 55 M 51 F 19	T 70 M 36 F 19	T 61 M 51 F 19	T 32 M 31 F 13	T 5 M 1 F 2
C 12	Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues — Tumeurs malignes, y compris tumeurs des tissus lymphatiques et hématopoïétiques (140-205)	T 179 M 121 F 58	T 2 M 4 F 2	T 6 M 3 F 4	T 5 M 3 F 2	T 12 M 8 F 4	T 20 M 10 F 10	T 16 M 6 F 11	T 35 M 20 F 15	T 41 M 29 F 6	T 7 M 7 F 6

ILLNESS IN THE CIVIL SERVICE

TABLE 11. Number of illnesses by cause, sex and age group (Special List of 50 Causes), 1949-1950 - continued
 TABLEAU 11. Nombre de maladies selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 - suite

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age - Age						65 and over 65 et plus	
			Under 25 moins de 25	25-29	30-34	35-39	40-44	45-49	50-54	
C 13	Benign neoplasms and neoplasms of unspecified nature — Tumeurs bénignes et tumeurs de nature non spécifiée (210-239)	T 405 M 118 F 287	48 10 38	62 17 45	54 12 42	51 6 45	51 6 45	39 6 33	54 6 33	27 17 28
C 14	Allergic disorders — Maladies allergiques (240-245)	T 632 M 476 F 156	61 28 33	78 32 46	70 55 15	60 41 19	53 39 14	51 13 13	120 88 5	17 10 115
C 15	Diseases of thyroid gland — Maladies du corps thyroïde (250-254)	T 115 M 34 F 81	17 — 17	21 2 19	22 5 4	11 5 9	10 3 12	11 3 11	13 7 10	1 1 1
C 16	Diabetes mellitus — Diabète sucré	T 138 M 114 F 24	5 3 2	10 6 4	9 6 3	12 9 6	11 8 3	10 6 4	35 28 32	6 1 27
C 49a	Diseases of other endocrine glands — Maladies des autres glandes endocrines (270-277)	T 37 M 11 F 26	12 11 11	10 2 8	5 3 2	3 2 1	3 2 1	3 2 1	1 1 1	1 1 1
C 17	Avitaminosis and other deficiency states — Avitaminoses et autres états de carence (280-286)	T 14 M 9 F 5	2 — 2	4 3 1	1 2 1	1 2 1	1 2 1	1 2 1	— — —	— — —
C 49b	Other metabolic diseases — Autres maladies du métabolisme (287-289)	T 36 M 23 F 13	9 — 9	1 — 1	1 1 1	1 1 1	1 1 1	1 1 1	7 5 7	1 1 1
C 18	Anæmias — Anémies (290-293)	T 362 M 71 F 291	105 6 99	81 8 73	44 4 40	36 9 27	23 8 18	18 8 10	24 10 7	13 10 14
C 49c	Other diseases of blood and blood-forming organs — Autres maladies du sang et des organes hématopoïétiques (294-299)	T 338 M 8 F 1,115	— 1 299	1 — 238	2 — 139	— 1 191	3 1 113	1 1 93	157 74 83	162 142 51
C 19	Psychoneuroses and psychoses — Psychoses et psychoneuroses (300-318)	T 2,039 M 924 F 1,115	399 — 299	360 — 238	330 — 122	244 — 131	171 — 113	193 74 83	128 128 51	76 64 12
C 49d	Disorders of character, behaviour and intelligence — Troubles du caractère, du comportement et de l'intelligence (320-326)	T 15 M 11 F 4	1 — 1	7 4 3	2 2 —	— 1 —	1 1 —	— 3 —	3 1 —	— — —
C 20	Vascular lesions affecting central nervous system — Lésions vasculaires affectant le système nerveux central (330-334)	T 89 M 76 F 13	— — —	2 1 1	3 1 2	2 — —	8 3 3	12 3 3	1 1 1	— — —
C 49e	Other diseases of nervous system — Autres maladies du système nerveux (340-349)	T 1,030 M 579 F 451	84 25 59	144 60 84	122 72 57	123 57 54	127 73 72	119 47 54	131 93 72	108 90 38
C 21	Diseases of eye — Maladies de l'œil (370-389)	T 547 M 318 F 229	97 25 72	93 58 35	77 48 29	51 28 23	58 31 27	39 24 15	47 34 13	60 48 12
C 22	Diseases of ear and mastoid process — Maladies de l'oreille et de l'apophyse mastoïde (390-398)	T 396 M 228 F 168	68 12 56	55 38 17	59 32 27	59 36 29	32 36 29	28 21 15	48 24 7	19 24 6
C 23	Rheumatic fever — Rhumatismee articulaire aigu (400-405)	T 24 M 17 F 7	2 — 2	4 — 3	3 4 3	4 4 3	2 2 2	2 2 1	1 1 1	3 3 —

TABLEAU 11. Nombre de maladies selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 — suite
TABLE 11. Number of illnesses by cause, sex and age group (Special List of 50 Causes), 1949-1950 — continued

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age — Âge										
			Under 25 — Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64		
C 24	Chronic rheumatic heart disease — Cardiopathie rhumatisante chronique (410-416)	T M 57 41 16 F 6 2 1 9 11 11 11 18 18 18 18	3 2 1 9 24 45 36 5 6 9 12 12 12	4 1 2 5 16 6 11 5 2 15 4 7	7 5 6 19 16 11 5 4 20 7 3	9 3 6 19 16 11 5 4 20 7 3	4 2 2 19 16 11 5 4 20 7 3	7 2 2 19 16 11 5 4 20 7 3	7 2 2 19 16 11 5 4 20 7 3	7 2 2 19 16 11 5 4 20 7 3	6 1 1 1 1 1 1 1 1 1 1 1		
C 25	Arteriosclerotic and degenerative heart disease — Artériosclérose des coronaires et myocardite dégénérative (420-422)	T M 81 9 75 7 F 62 4 12 1 1 1 1 1 1 1 1 1 1	5 2 1 4 2 1 1 1 1 1 1 1 1 1	3 1 2 5 5 5 5 5 5 5 5 5 5 5	4 1 2 5 5 5 5 5 5 5 5 5 5 5	5 2 1 4 5 5 5 5 5 5 5 5 5 5	5 2 1 4 5 5 5 5 5 5 5 5 5 5	5 2 1 4 5 5 5 5 5 5 5 5 5 5	5 2 1 4 5 5 5 5 5 5 5 5 5 5	5 2 1 4 5 5 5 5 5 5 5 5 5 5	233 215 221 173 12 9 12 9 12 9 12 9 12 9		
C 26f	Other diseases of heart — Autres maladies du cœur (430-434)	T M 157 121 36 F 12 1 1 1 1 1 1 1 1 1 1 1 1	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	— 6 3 3 3 3 3 3 3 3 3 3 3 3	187 233 221 173 12 9 12 9 12 9 12 9 12 9	
C 26	Hypertensive disease — Hypertension (440-447)	T M 413 12 20 F 31 8 11 10 10 10 10 10 10 10 10 10	6 2 2 1 1 1 1 1 1 1 1 1 1	11 10 10 10 10 10 10 10 10 10 10 10	16 16 16 16 16 16 16 16 16 16 16 16	22 22 22 22 22 22 22 22 22 22 22 22	32 32 32 32 32 32 32 32 32 32 32 32	24 24 24 24 24 24 24 24 24 24 24 24	53 53 53 53 53 53 53 53 53 53 53 53	105 105 105 105 105 105 105 105 105 105 105 105	94 94 94 94 94 94 94 94 94 94 94 94	86 86 86 86 86 86 86 86 86 86 86 86	17 17 17 17 17 17 17 17 17 17 17 17
C 27	Diseases of arteries — Maladies des artères (450-456)	T M 141 6 1 1 1 1 1 1 1 1 1 1 1	6 6 6 6 6 6 6 6 6 6 6 6 6	9 9 9 9 9 9 9 9 9 9 9 9 9	14 14 14 14 14 14 14 14 14 14 14 14	17 17 17 17 17 17 17 17 17 17 17 17	18 18 18 18 18 18 18 18 18 18 18 18	10 10 10 10 10 10 10 10 10 10 10 10	17 17 17 17 17 17 17 17 17 17 17 17	28 28 28 28 28 28 28 28 28 28 28 28	25 25 25 25 25 25 25 25 25 25 25 25	23 23 23 23 23 23 23 23 23 23 23 23	
C 28	Other diseases of circulatory system — Autres maladies de l'appareil circulatoire (457-468)	T M 533 17 50 54 54 54 54 54 54 54 54 54	17 17 17 17 17 17 17 17 17 17 17 17	50 50 50 50 50 50 50 50 50 50 50 50	22 22 22 22 22 22 22 22 22 22 22 22	19 19 19 19 19 19 19 19 19 19 19 19	22 22 22 22 22 22 22 22 22 22 22 22	12 12 12 12 12 12 12 12 12 12 12 12	22 22 22 22 22 22 22 22 22 22 22 22	12 12 12 12 12 12 12 12 12 12 12 12	8 8 8 8 8 8 8 8 8 8 8 8	1 1 1 1 1 1 1 1 1 1 1 1	
C 29	Acute pharyngitis and tonsillitis, and hypertrophy of tonsils and adenoids — Pharyngite et amygdalite aigües, et hypertrophie des amygdales et des végétations adénoides (472, 473, 510)	T M 154 1 1 1 1 1 1 1 1 1 1 1 1	17 17 17 17 17 17 17 17 17 17 17 17	24 24 24 24 24 24 24 24 24 24 24 24	18 18 18 18 18 18 18 18 18 18 18 18	12 12 12 12 12 12 12 12 12 12 12 12	15 15 15 15 15 15 15 15 15 15 15 15	17 17 17 17 17 17 17 17 17 17 17 17	15 15 15 15 15 15 15 15 15 15 15 15	10 10 10 10 10 10 10 10 10 10 10 10	14 14 14 14 14 14 14 14 14 14 14 14	3 3 3 3 3 3 3 3 3 3 3 3	
C 30	Influenza — Grippe (480-483)	T M 2 042 399 405 290 290 290 290 290 290 290 290 290	2 2 2 2 2 2 2 2 2 2 2 2 2	75 75 75 75 75 75 75 75 75 75 75 75	134 134 134 134 134 134 134 134 134 134 134 134	148 148 148 148 148 148 148 148 148 148 148 148	91 91 91 91 91 91 91 91 91 91 91 91	101 101 101 101 101 101 101 101 101 101 101 101	101 101 101 101 101 101 101 101 101 101 101 101	116 116 116 116 116 116 116 116 116 116 116 116	93 93 93 93 93 93 93 93 93 93 93 93	83 83 83 83 83 83 83 83 83 83 83 83	16 16 16 16 16 16 16 16 16 16 16 16
C 31	Pneumonia — Pneumonie (490-493)	T M 1 746 1 746 1 868 1 437 1 100 1 002 826 1 006 851 544 66	1 1 1 1 1 1 1 1 1 1 1 1	746 746 746 746 746 746 746 746 746 746 746 746	891 891 891 891 891 891 891 891 891 891 891 891	880 880 880 880 880 880 880 880 880 880 880 880	688 688 688 688 688 688 688 688 688 688 688 688	604 604 604 604 604 604 604 604 604 604 604 604	462 462 462 462 462 462 462 462 462 462 462 462	715 715 715 715 715 715 715 715 715 715 715 715	680 680 680 680 680 680 680 680 680 680 680 680	66 66 66 66 66 66 66 66 66 66 66 66	
C 32	Bronchitis — Bronchite (500-502)	T M 2 374 243 264 273 228 216 355 327 211 22 22	2 2 2 2 2 2 2 2 2 2 2 2	49 49 49 49 49 49 49 49 49 49 49 49	111 111 111 111 111 111 111 111 111 111 111 111	138 138 138 138 138 138 138 138 138 138 138 138	137 137 137 137 137 137 137 137 137 137 137 137	143 143 143 143 143 143 143 143 143 143 143 143	128 128 128 128 128 128 128 128 128 128 128 128	294 294 294 294 294 294 294 294 294 294 294 294	222 222 222 222 222 222 222 222 222 222 222 222	184 184 184 184 184 184 184 184 184 184 184 184	22 22 22 22 22 22 22 22 22 22 22 22
C 33	All other respiratory diseases — Toutes autres maladies de l'appareil respiratoire (471, 474, 511-522, 525-527, 475)	T M 2 656 353 469 389 302 252 200 296 130 25	2 2 2 2 2 2 2 2 2 2 2 2	656 656 656 656 656 656 656 656 656 656 656 656	311 311 311 311 311 311 311 311 311 311 311 311	250 250 250 250 250 250 250 250 250 250 250 250	162 162 162 162 162 162 162 162 162 162 162 162	148 148 148 148 148 148 148 148 148 148 148 148	118 118 118 118 118 118 118 118 118 118 118 118	212 212 212 212 212 212 212 212 212 212 212 212	190 190 190 190 190 190 190 190 190 190 190 190	20 20 20 20 20 20 20 20 20 20 20 20	
C 34	Diseases of stomach and duodenum, except cancer — Maladies de l'estomac et duodénum (sauf cancer) (540-545)	T M 1 819 210 261 234 216 178 161 215 115 22	1 1 1 1 1 1 1 1 1 1 1 1	210 210 210 210 210 210 210 210 210 210 210 210	312 312 312 312 312 312 312 312 312 312 312 312	190 190 190 190 190 190 190 190 190 190 190 190	187 187 187 187 187 187 187 187 187 187 187 187	178 178 178 178 178 178 178 178 178 178 178 178	161 161 161 161 161 161 161 161 161 161 161 161	215 215 215 215 215 215 215 215 215 215 215 215	140 140 140 140 140 140 140 140 140 140 140 140	115 115 115 115 115 115 115 115 115 115 115 115	13 13 13 13 13 13 13 13 13 13 13 13
C 35	Appendicitis — Appendicite (550-553)	T M 332 205 168 84 105 82 60 35 23 15 11 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1	311 311 311 311 311 311 311 311 311 311 311 311 311 311	48 48 48 48 48 48 48 48 48 48 48 48 48 48	84 84 84 84 84 84 84 84 84 84 84 84 84 84	70 70 70 70 70 70 70 70 70 70 70 70 70 70	40 40 40 40 40 40 40 40 40 40 40 40 40 40	30 30 30 30 30 30 30 30 30 30 30 30 30 30	23 23 23 23 23 23 23 23 23 23 23 23 23 23	15 15 15 15 15 15 15 15 15 15 15 15 15 15	11 11 11 11 11 11 11 11 11 11 11 11 11 11	— — — — — — — — — — — — — —
C 36	Hernia of abdominal cavity — Hernie abdominale (560, 561)	T M 299 14 27 5 2 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1	194 194 194 194 194 194 194 194 194 194 194 194 194 194	111 111 111 111 111 111 111 111 111 111 111 111 111 111	29 29 29 29 29 29 29 29 29 29 29 29 29 29	32 32 32 32 32 32 32 32 32 32 32 32 32 32	33 33 33 33 33 33 33 33 33 33 33 33 33 33	25 25 25 25 25 25 25 25 25 25 25 25 25 25	43 43 43 43 43 43 43 43 43 43 43 43 43 43	36 36 36 36 36 36 36 36 36 36 36 36 36 36	4 4 4 4 4 4 4 4 4 4 4 4 4 4	— — — — — — — — — — — — — —
C 37	Hernia of abdominal cavity — Hernie abdominale (560, 561)	T M 279 5 2 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1	194 194 194 194 194 194 194 194 194 194 194 194 194 194	29 29 29 29 29 29 29 29 29 29 29 29 29 29	32 32 32 32 32 32 32 32 32 32 32 32 32 32	30 30 30 30 30 30 30 30 30 30 30 30 30 30	32 32 32 32 32 32 32 32 32 32 32 32 32 32	25 25 25 25 25 25 25 25 25 25 25 25 25 25	49 49 49 49 49 49 49 49 49 49 49 49 49 49	41 41 41 41 41 41 41 41 41 41 41 41 41 41	2 2 2 2 2 2 2 2 2 2 2 2 2 2	— — — — — — — — — — — — — —

ILLNESS IN THE CIVIL SERVICE

TABLE II. Number of illnesses by cause, sex and age group (Special List of 50 Causes), 1949-1950 — concluded
 TABLEAU II. Nombre de maladies selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 — fin

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age — Âge						65 and over 65 et plus	
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54	
C 38	Diarrhoea and enteritis — Diarrhée et entérite (571)	T 1,655 M 896 F 759	276 56 220	324 164 164	277 113	179 81	133 51	100 48	150 41	142 29
C 39	Diseases of gallbladder and bile ducts — Maladies de la vésicule et des voies biliaires (384-585)	T 443 M 264 F 179	43 5 38	44 20 24	51 24 27	50 28 22	51 31 20	36 20 20	72 51 21	58 52 21
C 40	Other diseases of digestive system — Autres maladies de l'appareil digestif (530-539, 570, 572-583, 587)	T 1,796 M 831 F 965	441 85 356	308 121 187	255 131 124	164 93 71	156 86 70	144 85 59	144 88 56	113 83 30
C 41	Nephritis and nephrosis — Néphrite et néphrose (590-594)	T 104 M 80 F 24	10 2 8	13 11 2	19 15 4	15 14 4	8 5 3	5 4 1	13 11 11	8 6 2
C 491	Other diseases of urinary system — Autres maladies de l'appareil urinaire (600-609)	T 563 M 328 F 238	65 6 78	90 38 52	69 39 30	50 39 20	35 30 15	40 15 14	71 57 14	66 58 8
C 423	Diseases of male genital organs — Maladies des organes génitaux de l'homme (610-617)	T 197 M 197 F —	7 7 —	19 19 —	16 16 —	16 16 —	5 5 —	10 10 —	34 34 —	38 38 —
C 42b	Diseases of female genital organs — Maladies des organes génitaux de la femme (620-637)	T 1,019 M 1,019 F 1,019	372 372 372	243 243 243	142 142 142	70 70 70	84 84 84	67 67 67	31 31 31	3 3 3
C 43	Deliveries, complications of pregnancy, childbirth and the puerperium — Accouchements et complications de la grossesse, de l'accouchement et des suites de couches (640-649)	T 78 M 78 F 78	32 32 32	27 27 27	15 15 15	3 — —	1 — —	— — —	— — —	— — —
C 44	Boil, abscess, cellulitis and other skin infections — Furoncle, abcès, phlegmon et autres infections de la peau (590-693)	T 923 M 614 F 309	168 156 112	170 96 74	120 83 37	101 80 21	83 62 24	93 69 24	38 77 11	70 66 4
C 45	Other diseases of skin — Autres maladies de la peau (700-716)	T 849 M 538 F 311	148 50 93	161 93 68	119 81 38	89 56 33	65 46 19	61 43 18	103 90 13	56 44 12
C 46	Arthritis and rheumatism, except rheumatic fever — Arthrite et rhumatisme, sauf rhumatisme articulaire aigu (720-727)	T 2,175 M 1,670 F 505	127 35 92	194 111 83	209 159 50	220 170 44	214 155 68	223 155 68	406 348 58	317 287 30
C 47	Diseases of bones and other organs of movement — Maladies des os et d'autres organes du mouvement (730-749)	T 526 M 385 F 141	44 15 29	55 43 12	70 46 24	81 60 21	59 43 16	75 30 19	60 62 13	60 55 5
C 48	Congenital malformations — Malformations congénitales (750-759)	T 39 M 18 F 21	10 1 9	9 3 6	3 3 —	5 2 3	2 — 2	1 1 —	3 3 1	4 1 —
C 491	Symptoms, senility and ill-defined conditions — Symptômes, sénilité et états mal définis (780-795)	T 1,565 M 891 F 674	241 46 195	295 162 133	239 141 98	166 103 62	124 71 53	126 76 50	147 105 42	142 116 26
C 50	Alternative classification of accidents, poisonings, and violence (nature of injury) — Classification des accidents, empoisonnements et traumatismes d'après leur nature (N800-N999)	T 3,340 M 2,228 F 1,112	457 194 263	502 396 184	372 231 130	334 211 103	273 180 93	356 400 87	195 279 121	195 223 73

LA MALADIE DANS LE SERVICE CIVIL

TABLEAU 12. Jours de maladie selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age – Âge						55 and over 65 et plus	
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54	
GRAND TOTAL.....										
T 740,972.5	74,453.5	93,954.0	87,584.5	70,279.5	62,921.0	60,223.0	106,655.0	101,139.5	73,526.5	10,236.0
M 419,191.6	16,238.5	46,327.0	49,984.5	42,315.5	40,353.0	36,826.0	85,252.5	86,891.0	66,020.5	8,947.0
F 261,781.5	58,215.9	47,627.0	37,644.5	27,984.0	22,528.0	23,397.0	21,362.5	14,248.5	7,506.0	1,289.0
C 1 Tuberculosis of respiratory system – Tuberculose de l'appareil respiratoire (001-008)	T 48,342.5	4,866.5	11,539.0	9,086.0	6,133.0	4,065.5	1,896.5	4,936.0	4,039.5	1,780.5
M 32,655.0	2,021.5	6,794.0	4,573.5	3,851.0	3,897.5	1,330.5	4,783.0	3,923.5	1,178.0	-
F 15,387.5	2,845.0	4,745.0	4,512.5	2,282.0	168.0	566.0	153.0	416.0	-	-
C 2 Tuberculosis, other forms – Tuberculose, autres formes	T 2,448.5	378.5	379.5	1,076.5	39.0	55.0	183.0	200.0	137.0	-
M 1,386.5	60.5	297.5	533.5	39.0	4.0	183.0	171.0	137.0	-	-
F 1,062.0	318.0	82.0	543.0	39.0	51.0	-	29.0	-	-	-
C 3 Syphilis and its sequelae – Syphilis et ses séquelles (020-029)	T 120.5	-	-	-	50.5	-	-	-	70.0	-
M 120.5	-	-	-	50.5	-	-	-	70.0	-	-
F 9.0	9.0	-	-	-	-	-	-	-	-	-
C 4 Gonococcal infection – Infection gonococtique (030-035)	T 9.0	-	-	-	-	-	-	-	-	-
M -	-	-	-	-	-	-	-	-	-	-
F 9.0	9.0	-	-	-	-	-	-	-	-	-
C 5 Dysentery, all forms – Dysenterie, toutes formes (045-048)	T 717.0	33.5	194.5	70.0	72.5	164.5	18.0	119.0	26.0	19.0
M 556.0	6.0	142.5	56.0	60.0	125.5	13.0	103.0	26.0	18.0	-
F 161.0	27.5	52.0	14.0	12.5	39.0	5.0	10.0	-	1.0	-
C 6 Other infective diseases commonly arising in intestinal tract – Autres maladies infectieuses à point de départ généralement intestinal (040-044, 049)	T 586.0	64.5	69.5	38.5	24.5	47.0	153.0	169.0	9.0	11.0
M 301.0	11.5	13.5	34.5	4.0	20.5	36.0	15.0	169.0	6.5	11.0
P 285.0	53.0	56.0	4.0	20.5	11.0	138.0	-	-	2.5	-
C 7a Scarlet fever – Scarlatine (050)	T 47.0	-	31.0	-	16.0	-	-	-	-	-
M 16.0	-	-	31.0	-	16.0	-	-	-	-	-
F 31.0	-	13.0	-	-	-	-	-	-	-	-
C 7b Diphtheria – Diphthérie (055)	T 13.0	-	13.0	-	-	-	-	-	-	-
M -	-	-	13.0	-	-	-	-	-	-	-
F -	-	-	-	-	-	-	-	-	-	-
C 7c Whooping cough – Coqueluche (056)	T 35.0	28.0	7.0	-	-	-	-	-	-	-
M 7.0	-	7.0	-	-	-	-	-	-	-	-
F 28.0	28.0	-	-	-	-	-	-	-	-	-
C 7d Measles – Rougeole (085)	T 746.0	397.0	170.0	82.5	45.0	12.0	3.5	8.0	28.0	-
M 220.0	82.0	41.0	19.0	26.5	12.0	3.5	8.0	28.0	-	-
F 526.0	316.0	129.0	63.5	18.5	-	-	-	-	-	-
C 7e Mumps – Oreillons (089)	T 2,414.5	799.0	455.0	423.5	294.0	170.5	121.0	73.0	56.5	5.0
M 1,309.0	171.0	347.5	232.0	155.5	155.5	45.0	64.5	39.0	5.0	11.0
F 1,105.5	628.0	216.5	82.0	62.0	15.0	76.0	8.5	17.5	-	11.0
C 9 Malaria – Paludisme (110-117)	T 105.0	-	-	55.0	-	14.0	-	22.0	-	14.0
M 105.0	-	-	55.0	-	14.0	-	22.0	-	-	14.0
F -	-	-	-	-	-	-	-	-	-	-
C 10 Diseases due to helminths – Maladies dues à des helminthes (123-130)	T 37.0	12.5	12.0	5.0	-	-	7.5	-	-	-
M 31.5	7.0	12.0	5.0	-	-	-	7.5	-	-	-
F 5.5	5.5	-	-	-	-	-	-	-	-	-
C 11 All other diseases classified as infective and parasitic – Toutes autres maladies classées comme maladies infectieuses et parasitaires (036-039, 051-054, 057-084, 086-088, 090-096, 120-122, 131-138)	T 11,345.0	2,094.0	2,084.5	1,503.0	1,324.0	739.0	657.0	1,035.5	935.0	712.5
M 7,204.0	503.5	1,346.5	876.5	981.0	586.0	450.0	852.5	779.5	686.5	260.5
F 4,141.0	1,590.5	738.0	626.5	343.0	153.0	207.0	183.0	155.5	142.0	118.5
C 12 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues – Tumeurs malignes, y compris tumeurs des tissus lymphatiques et hématopoïétiques (140-205)	T 12,850.0	66.0	299.5	476.5	581.5	1,415.0	1,645.5	2,250.5	3,209.0	2,505.5
M 8,647.5	66.0	290.0	426.0	174.5	951.0	531.0	1,072.0	2,709.0	2,093.0	401.0
F 4,202.5	9.5	50.5	407.0	464.0	1,114.5	400.0	500.0	1,178.5	412.5	-

ILLNESS IN THE CIVIL SERVICE

TABLE 12. Days of illness by cause, sex and age group (Special List of 50 Causes), 1949-1950 - continued
 TABLEAU 12. Jours de maladie selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 - suite

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age - Age						65 and over 65 et plus			
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54			
C 13	Peigné neoplasms and neoplasms of unspecified nature - Tumeurs bénignes et tumeurs de nature non spécifiée (210-239)	T 14,340.0 M 4,130.0 F 10,210.0	1,074.5 1,59.5 315.0	1,784.0 289.5 1,387.0	1,733.5 214.5 1,444.0	1,785.5 214.5 1,751.0	1,873.5 121.0 1,742.5	1,763.5 510.0 1,253.5	2,770.5 1,209.5 1,561.0	872.5 571.5 301.0	688.5 613.5 55.0	14.0 14.0 —
C 14	Allergic disorders - Maladies allergiques (240-245)	T 5,227.0 M 7,304.0 F 1,923.0	336.0 125.0 211.0	1,109.0 357.0 752.0	634.5 520.5 114.0	516.5 382.5 134.0	708.0 546.5 161.5	940.5 687.5 273.0	2,345.5 1,271.5 1,368.5	1,544.0 871.0 175.5	222.0 217.0 23.0	— — 5.0
C 15	Diseases of thyroid gland - Maladies du corps thyroïde (250-254)	T 4,058.5 M 1,355.0 F 2,703.5	333.5 — 333.5	826.0 15.5 811.0	752.0 256.0 516.0	328.0 199.0 129.0	388.5 167.5 221.0	423.5 49.0 374.5	422.5 72.0 223.5	76.0 72.0 4.0	147.0 47.0 —	138.0 47.0 91.0
C 16	Diabetes mellitus - Diabète sucré (260)	T 4,959.5 M 3,890.0 F 1,159.5	141.0 55.0 86.0	137.5 116.0 21.5	426.0 94.0 322.0	282.5 168.0 124.5	296.5 203.5 93.0	277.0 254.0 218.5	1,568.0 1,314.0 254.0	1,042.5 1,022.5 20.0	682.0 672.0 10.0	96.5 96.5 —
C 19a	Diseases of other endocrine glands - Maladies des autres glandes endocrines (270-277)	T 775.5 M 224.0 F 551.5	291.5 224.0 286.5	193.0 23.0 170.0	113.0 23.0 30.0	63.5 58.5 50.0	24.0 — 24.0	— — —	42.5 6.0 42.5	6.0 6.0 6.0	42.0 — —	— — —
C 17	Avitaminosis and other deficiency states - Avitaminoses et autres états de carence (280-286)	T 524.5 M 374.5 F 150.0	35.0 374.5 35.0	57.0 28.0 39.0	37.0 106.0 37.0	49.0 106.0 —	— — 49.0	— — —	171.0 171.0 —	— — —	68.5 69.5 —	— — —
C 19b	Other metabolic diseases - Autres maladies du métabolisme (287-289)	T 349.5 M 319.5 F 30.0	7.5 7.5 7.5	5.0 — 13.0	13.0 5.0 4.0	9.0 5.0 4.0	85.5 85.0 5.5	1.5 1.5 5.5	103.0 103.0 —	86.0 86.0 —	7.0 7.0 —	32.0 32.0 —
C 18	Anæmias - Anémies (290-293)	T 8,617.0 M 2,131.0 F 6,656.0	1,939.5 1,72.0 1,857.5	1,807.0 70.0 1,678.0	1,012.0 72.0 941.5	650.0 144.0 506.0	700.0 121.0 573.0	412.0 216.0 198.0	629.0 555.0 74.0	1,083.5 311.5 772.0	534.0 462.0 72.0	50.0 50.0 —
C 19c	Other diseases of blood and blood-forming organs - Autres maladies du sang et des organes hématopoïétiques (294-299)	T 167.5 M 161.5 F 6.0	6.0 — 6.0	23.0 — 23.0	— — —	72.5 72.5 —	9.0 9.0 —	— — —	— — —	— — —	— — —	— — —
C 19	Psychoneuroses and psychoses - Psychose et psychonéroses (300-318)	T 56,019.5 M 25,367.5 F 25,632.0	7,370.0 6,644.0 6,726.0	8,995.0 2,298.5 6,215.0	10,013.0 4,298.5 5,713.5	6,613.0 3,282.5 3,282.5	4,761.5 2,851.5 2,780.5	4,915.5 2,851.5 2,064.0	6,751.5 5,237.5 1,514.0	6,333.5 5,195.5 1,138.5	2,710.5 2,371.5 339.0	356.0 297.0 53.0
C 19d	Disorders of character, behaviour and intelligence - Troubles du caractère, du comportement et de l'intelligence (320-326)	T 519.5 M 255.0 F 264.5	51.0 — 51.0	217.0 3.5 213.5	126.0 126.0 —	— — —	13.5 13.5 —	— — —	81.0 81.0 —	31.0 31.0 —	— — —	— — —
C 20	Vascular lesions affecting central nervous system - Lésions vasculaires affectant le système nerveux central (330-334)	T 7,002.5 M 5,480.0 F 1,522.5	— — —	248.0 243.0 406.0	417.0 11.0 —	9.5 11.0 —	678.5 454.5 224.0	843.5 687.0 156.5	1,610.0 1,171.0 439.0	1,003.0 949.0 54.0	1,385.0 1,385.0 —	808.0 808.0 —
C 19e	Other diseases of nervous system - Autres maladies du système nerveux (340-369)	T 13,414.0 M 9,267.0 F 4,147.0	605.0 161.0 444.0	1,548.0 159.0 859.0	1,095.0 796.5 286.5	1,841.5 798.5 1,043.0	1,364.0 816.0 546.0	1,105.5 646.5 450.0	1,892.5 1,677.0 215.5	2,269.0 2,079.0 190.0	1,625.5 1,548.5 65.0	68.0 65.0 3.0
C 21	Diseases of eye - Maladies de l'œil (370-389)	T 7,712.5 M 5,100.0 F 2,542.5	1,133.0 186.5 484.0	641.0 401.5 236.0	409.5 478.0 239.5	639.0 509.0 211.0	735.0 615.0 226.0	743.5 573.5 128.5	1,635.5 573.5 655.5	1,635.5 573.5 31.5	180.0 180.0 —	
C 22	Diseases of ear and mastoid process - Maladies de l'oreille et de l'apophyse mastoïde (390-396)	T 5,145.0 M 3,110.5 F 2,034.5	531.5 112.5 419.0	425.5 294.5 131.0	594.5 48.5 305.5	921.0 135.5 512.0	351.0 218.5 218.5	520.0 257.0 263.0	703.5 585.0 118.5	520.0 460.0 60.0	578.0 568.0 10.0	
C 23	Rheumatic fever - Rhumatisme articulaire aigu (400-402)	T 1,225.5 M 637.0 F 568.5	153.5 — 153.5	90.5 48.5 48.5	323.0 3.0 —	106.5 51.0 —	110.0 51.0 —	110.0 41.0 —	520.0 44.0 —	520.0 44.0 —	578.0 568.0 —	

LA MALADIE DANS LE SERVICE CIVIL

TABLE 12. Days of illness by cause, sex and age group (Special List of 50 Causes), 1949-1950 — continued

TABLEAU 12. Jours de maladie selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 — suite

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age — Age						65 and over 65 et plus		
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54		
C 24	Chronic rheumatic heart disease — Cardiopathie rhumatisante	T 2,303.0 M 1,629.5 F 673.5	117.0 106.5 10.5	62.0 42.0 20.0	224.0 152.0 72.0	57.5 52.0 5.5	177.0 154.0 23.0	289.0 35.0 254.0	380.5 72.0 288.5	581.0 581.0 —	
C 25	Arteriosclerotic and degenerative heart disease — Artérosclérose des coronaires et myocardite dégénérative (420-422)	T 35,568.0 M 35,468.0 F 3,100.0	195.0 146.5 188.0	186.5 146.0 40.5	221.0 221.0 —	699.0 549.0 150.0	1,643.0 1,444.0 219.0	2,593.0 2,160.0 833.0	9,896.0 9,605.0 290.5	12,407.5 11,717.5 630.0	9,380.0 8,691.0 689.0
C 49f	Other diseases of heart — Autres maladies du cœur (430-434)	T 5,744.0 M 4,546.5 F 1,197.5	— — —	259.0 16.5 242.5	395.5 106.5 289.5	163.5 106.5 13.5	838.5 637.5 201.0	548.5 452.0 96.5	724.5 585.0 139.5	988.0 988.0 120.0	1,680.0 1,479.0 201.0
C 26	Hypertensive disease — Hypertension (440-447)	T 14,191.0 M 10,389.0 F 3,802.0	234.5 58.0 176.5	259.5 148.5 111.0	436.5 388.5 48.0	542.5 370.0 172.5	567.0 514.0 590.0	1,562.0 1,972.0 671.0	3,409.5 2,423.5 682.0	3,311.5 2,527.0 524.5	774.0 463.0 311.0
C 49g	Diseases of arteries — Maladies des artères (450-456)	T 2,610.0 M 2,357.0 F 2,253.0	3.5 — 3.5	9.0 — —	— 160.5 160.5	— 326.5 320.0	— 279.0 279.0	— 221.0 221.0	— 772.0 772.0	— 772.0 772.0	615.5 577.5 577.5
C 27	Diseases of veins — Maladies des veines (460-466)	T 15,072.5 M 12,253.0 F 2,819.5	524.0 268.5 254.5	1,311.5 991.0 320.5	1,177.5 922.0 255.5	1,402.5 890.5 512.0	1,212.0 873.5 338.5	1,665.0 1,297.5 367.5	3,021.5 2,350.5 370.5	2,590.0 2,350.5 329.5	1,881.5 1,728.5 153.0
C 49h	Other diseases of circulatory system — Autres maladies de l'appareil circulatoire (467-468)	T 3,550.0 M 2,145.0 F 1,405.0	653.5 65.0 588.5	296.5 36.0 260.5	189.0 93.0 96.0	315.5 161.5 150.5	337.0 278.0 37.5	308.5 181.0 156.0	248.0 239.5 69.0	248.0 239.5 7.0	831.0 831.0 —
C 28	Acute nasopharyngitis (common cold) — Rhinopharyngite aigüe (rhume banal) (470)	T 9,826.0 M 4,715.5 F 5,110.5	1,654.0 353.5 1,300.5	1,708.0 619.5 1,088.5	1,318.0 585.0 733.0	1,030.0 463.0 567.0	1,025.0 585.5 439.5	658.0 555.0 403.0	998.0 703.5 291.5	703.5 544.0 159.5	621.0 502.5 101.0
C 29	Acute pharyngitis and tonsillitis, and hypertrophy of tonsils and adenoids — Pharyngite et amygdalette aigües, et hypertrophie des amygdales et des végétations adénoïdes (472, 473, 510)	T 4,391.0 M 7,246.5 F 8,146.0	4,379.0 982.5 3,396.5	3,785.5 1,739.5 2,046.5	4,446.0 1,430.0 1,016.0	1,530.0 911.0 819.0	1,122.5 654.0 468.5	684.5 393.0 291.5	728.0 535.0 193.0	464.5 382.0 82.5	831.0 831.0 32.5
C 30	Influenza — Grippe (480-483)	T 73,455.5 M 41,919.5 F 31,536.0	1,312.5 1,762.0 8,166.5	1,619.5 4,916.5 6,078.5	1,619.5 5,241.5 3,855.0	1,022.0 4,657.0 2,900.0	1,389.5 4,019.0 2,945.5	1,317.5 3,738.5 2,745.0	5,483.0 5,738.5 2,745.0	8,058.0 6,242.0 2,211.0	5,304.5 4,711.5 1,914.0
C 31	Pneumonia — Pneumonie (490-493)	T 17,463.5 M 11,503.5 F 5,960.0	1,332.5 312.5 1,026.0	1,332.5 700.0 919.5	1,022.0 982.0 1,040.0	1,280.0 1,280.0 589.5	1,322.0 779.0 538.5	1,978.0 975.5 583.0	4,048.0 5,764.5 739.5	4,503.5 2,404.5 2,291.0	3,094.5 2,418.0 201.0
C 32	Bronchitis — Bronchite (500-502)	T 24,681.0 M 17,127.5 F 7,553.5	2,138.0 519.5 1,618.5	2,139.0 819.5 1,320.0	2,226.5 2,055.5 1,021.0	1,229.0 1,219.0 710.0	2,122.0 1,341.5 780.5	1,978.0 1,310.0 668.0	3,531.5 4,134.5 516.5	4,503.5 4,134.5 389.0	502.5 403.5 451.0
C 34	All other respiratory diseases — Toutes autres maladies de l'appareil respiratoire (471, 475, 511-522, 525-527)	T 27,213.0 M 16,554.0 F 10,659.0	3,067.5 5,76.5 1,026.0	3,576.5 3,822.5 700.0	3,022.0 3,822.5 919.5	2,886.5 3,567.5 1,040.0	2,886.5 3,567.5 1,040.0	2,147.0 3,241.5 779.0	5,520.0 5,174.5 729.5	8,155.0 6,144.0 817.0	4,308.0 4,711.5 438.0
C 35	Diseases of stomach and duodenum, except cancer — Maladies de l'estomac et du duodénum, sauf cancer (540-545)	T 30,337.0 M 26,282.0 F 4,055.0	1,217.5 459.5 758.0	2,783.0 1,887.0 896.0	3,292.5 2,800.5 492.0	3,241.5 3,567.5 413.5	2,399.5 3,064.5 177.0	5,144.0 4,438.0 313.0	5,574.5 4,438.0 448.0	3,574.5 4,433.5 401.5	205.5 403.5 15.0
C 36	Appendicitis — Appendicite (550-553)	T 19,774.0 M 9,530.0 F 10,244.0	6,385.5 1,123.0 5,262.5	4,561.0 2,178.5 2,381.5	2,995.0 1,971.0 1,024.0	1,749.0 1,481.0 639.0	1,092.5 1,417.5 1,205.5	753.5 729.5 817.0	1,238.5 645.5 288.0	594.5 562.5 438.0	404.5 388.5 46.0
C 37	Hernia of abdominal cavity — Hernie abdominale (560, 561)	T 11,596.0 M 11,044.0 F 11,552.0	519.5 397.0 44.0	1,017.0 973.0 44.0	1,121.0 915.5 205.5	966.0 900.5 65.5	1,208.0 1,197.5 10.5	946.0 946.0 —	1,568.5 1,568.5 —	2,124.0 2,124.0 —	133.0 133.0 —

ILLNESS IN THE CIVIL SERVICE

TABLE 12. Days of illness by cause, sex and age group (Special List of 50 Causes), 1949-1950 — concluded
 TABLEAU 12. Jours de maladie selon la cause, le sexe et le groupe d'âge (Liste spéciale de 50 causes), 1949-1950 — fin

No.	Cause and detailed list numbers Cause et numéros de la liste détaillée	Total	Age — Age						65 and over 65 et plus		
			Under 25 Moins de 25	25-29	30-34	35-39	40-44	45-49	50-54		
C 38	Diarrhoea and enteritis — Diarrhée et entérite (571)	T 11,922.0 M 7,166.0 F 4,756.0	1,383.5 289.0 1,094.5 957.0	2,162.5 1,205.5 1,235.5 721.5	1,963.0 1,727.5 607.5	1,329.0 354.5	984.5 481.5	813.0 331.5	1,153.0 297.0	1,279.0 205.5	
C 39	Diseases of gallbladder and bile ducts — Maladies de la vésicule et des voies biliaires (584-586)	T 10,396.0 M 6,701.5 F 3,694.5	548.5 80.5 468.0	501.5 221.0 280.5	1,158.5 534.5 624.0	918.0 588.0 633.0	1,478.0 845.0 417.0	658.0 241.0 542.5	2,075.5 1,334.0 175.5	824.5 614.0 181.0	
C 40	Other diseases of digestive system — Autres maladies de l'appareil digestif (580-589, 570, 572-583, 587)	T 17,600.0 M 10,076.5 F 7,523.5	2,708.0 579.5 2,128.5	2,029.0 984.0 1,045.0	2,212.5 1,355.5 857.0	1,541.5 758.0 783.5	1,818.5 1,143.0 675.5	1,228.5 1,131.0 797.5	1,376.5 1,345.0 752.0	1,865.5 1,344.5 263.0	
C 41	Nephritis and nephrosis — Néphrite et néphrose (590-594)	T 2,921.0 M 2,369.5 F 551.5	182.5 59.5 123.5	401.0 352.5 48.0	356.0 427.0 99.0	481.0 422.0 60.0	117.5 67.5 50.0	107.0 89.0 18.0	367.0 329.0 275.5	388.0 408.0 59.0	
C 491	Other diseases of urinary system — Autres maladies de l'appareil urinaire (600-609)	T 10,308.5 M 6,505.0 F 3,803.5	805.0 78.0 727.0	1,209.5 500.0 709.5	1,201.5 806.5 395.0	1,540.5 585.5 955.0	855.0 681.5 173.5	877.5 512.5 365.0	1,238.0 1,063.0 175.0	1,035.5 948.5 87.0	
C 42a	Diseases of male genital organs — Maladies des organes génitaux de l'homme (610-617)	T 5,922.5 M 5,922.5 F —	102.0 102.0 —	245.0 245.0 —	184.5 184.5 —	194.5 194.5 —	60.5 60.5 —	171.0 171.0 —	1,004.0 1,004.0 —	1,553.0 1,553.0 —	
C 42b	Diseases of female genital organs — Maladies des organes génitaux de la femme (620-637)	T 10,529.0 M 10,529.0 F 10,529.0	2,107.5 2,107.5 2,107.5	1,644.0 1,644.0 1,644.0	1,725.0 1,725.0 1,725.0	1,313.5 1,313.5 1,313.5	1,414.0 1,414.0 1,414.0	1,126.5 1,126.5 1,126.5	888.0 888.0 888.0	216.0 216.0 216.0	94.5 94.5 94.5
C 43	Deliveries, complications of pregnancy, childbirth and the puerperium — Accouchements et complications de la grossesse, de la naissance et des suites de couches (640-689)	T 1,126.5 M 1,126.5 F 1,126.5	269.5 269.5 269.5	437.0 437.0 437.0	354.0 354.0 354.0	59.0 59.0 59.0	7.0 7.0 7.0	— — —	— — —	— — —	
C 44	Boil, abscess, cellulitis and other skin infections — Furoncle, abcès, phlegmon et autres infections de la peau (690-698)	T 8,612.0 M 6,110.0 F 2,502.0	1,184.5 427.5 737.0	1,284.5 750.0 534.5	1,150.0 678.0 471.0	912.0 753.0 159.0	916.5 733.0 183.5	994.5 744.0 250.5	913.5 828.5 85.0	903.5 876.0 27.5	
C 45	Other diseases of skin — Autres maladies de la peau (700-716)	T 12,886.5 M 8,763.5 F 4,123.0	1,721.0 1,542.5 1,178.5	1,865.5 951.0 914.5	1,409.5 947.5 534.0	1,268.5 943.0 325.5	893.5 688.0 205.5	1,221.0 979.5 249.0	2,262.5 1,911.0 351.5	1,220.5 1,008.5 212.0	
C 46	Arthritis and rheumatism, except rheumatic fever — Arthrite et rhumatisme, sauf rhumatisme articulaire aigu (720-727)	T 32,025.5 M 25,431.0 F 6,594.5	1,028.0 1,288.5 739.5	2,014.0 998.5 1,015.5	2,216.5 1,869.5 347.0	2,650.0 2,003.0 647.0	2,706.0 2,104.0 602.0	3,210.5 2,243.0 607.5	6,154.5 5,212.0 942.5	5,066.0 5,407.0 742.0	
C 47	Diseases of bones and other organs of movement — Maladies des os et d'autres organes du mouvement (730-749)	T 13,518.0 M 10,132.5 F 3,386.5	706.0 168.0 538.0	1,288.0 997.5 290.5	1,962.5 1,647.5 315.0	1,051.5 1,466.5 585.0	1,267.5 1,466.5 360.0	3,711.5 781.0 590.5	2,232.0 1,830.5 401.5	875.5 1,591.5 112.0	
C 48	Congenital malformations — Malformations congénitales (750-759)	T 1,108.5 M 716.5 F 392.0	297.5 194.0 103.5	194.0 34.0 160.0	53.0 53.0 —	104.5 9.0 96.5	15.0 — —	22.0 22.0 —	46.0 46.0 —	219.5 201.5 18.0	
C 491	Symptoms, senility and ill-defined conditions — Symptômes, sénilité et états mal définis (780-795)	T 16,759.5 M 10,149.5 F 6,659.5	1,827.0 324.5 1,502.5	2,302.0 1,322.0 986.0	2,106.5 1,167.0 939.5	1,291.5 739.0 552.5	1,268.0 1,152.5 536.5	2,216.5 1,152.5 714.5	2,291.0 1,470.5 746.0	1,461.5 1,284.0 438.5	
C 50	Alternative classification of accidents, poisonings and violence (nature of injury) — Classification des accidents, empoisonnements et traumatismes d'après leur nature (N800-N999)	T 56,688.5 M 39,152.5 F 17,536.0	4,959.0 1,754.0 3,205.0	7,995.0 5,784.5 2,210.5	5,076.5 5,688.0 2,107.0	4,535.0 3,363.0 1,713.5	3,948.0 2,286.0 1,579.5	8,429.0 5,853.5 1,662.0	8,306.0 6,665.5 1,639.5	902.0 754.0 695.5	

LA MALADIE DANS LE SERVICE CIVIL

39

TABLEAU 13. Mises à la retraite, par suite de maladie, selon la cause, le sexe et le groupe d'âge, 1949-1950

Sect.	Cause	International Classification — Classement international			Total			Under 40 Moins de 40			40-44			45-49			50-54		
		Cat.	M	F	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES — TOUTES CAUSES		149	34	183	8	—	11	3	11	7	45	7	74	17				
I	Infective and parasitic diseases — Maladies infectieuses et parasitaires	001-138	8	1	9	1	—	1	—	—	—	1	1	1	1	5	—		
	Tuberculosis of respiratory system — Tuberculose de l'appareil respiratoire	001-008	6	—	6	1	—	1	—	—	—	1	—	1	—	3	—		
	Syphilis and its sequelae — Syphilis et séquelles	020-029	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—		
	Diseases attributable to viruses — Maladies attribuables à des virus fibrinants	080-096	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—		
	Typhus and other rickettsial diseases — Typhus et autres maladies à Rickettsia	100-108	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—		
II	Neoplasms — Tumeurs	140-239	5	3	6	—	—	1	1	2	1	1	1	1	1	1	1	1	1
	Malignant neoplasms — Tumeurs malignes	140-205	5	3	6	—	—	1	1	2	1	1	1	1	1	1	1	1	1
III	Allergic, endocrine, metabolic, and nutritional diseases — Maladies allergiques, endocriniennes, du métabolisme et de la nutrition	240-289	6	1	7	—	—	2	—	—	—	2	—	—	2	1	—	2	1
	Allergic disorders — Maladies allergiques	240-245	3	—	3	—	—	1	—	—	—	1	—	—	1	—	—	1	—
	Diabetes mellitus — Diabète sucré	260	2	1	3	—	—	—	—	—	—	1	—	—	1	—	—	1	1
	Diseases of other endocrine glands — Maladies des autres glandes endocrines	270-277	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
IV	Blood and blood-forming organs — Sang et organes hématopoïétiques	280-299	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Anæmias — Anémies	293	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
V	Mental, psychoneurotic, and personality disorders — Troubles mentaux, psychonévroses et troubles de la personnalité	300-326	19	7	26	1	—	4	1	1	1	1	1	1	5	2	8	3	
	Psychoses and psychoneurotic disorders — Psychoses et psychonévroses	300-318	19	7	26	1	—	4	1	1	1	1	1	1	5	2	8	3	
VI	Nervous system and sense organs — Systèmes nerveux et organes des sens	330-398	14	1	15	2	—	—	—	—	—	1	3	—	9	—			
	Vascular lesions affecting the central nervous system — Lésions vasculaires affectant le système nerveux central	330-334	4	—	4	—	—	—	—	—	—	1	—	3	—				
	Other diseases of the central nervous system — Autres maladies du système nerveux central	350-357	2	1	3	—	—	—	—	—	—	1	—	1	—				
	Diseases of the nerves and peripheral ganglia — Maladies du système nerveux périphérique	360-369	3	—	3	1	—	—	—	—	—	1	—	1	—				
	Inflammatory diseases of the eye and other diseases and conditions of the eye — Maladies inflammatoires de l'œil et autres maladies et affections de l'œil	370-389	3	—	3	1	—	—	—	—	—	—	—	—	2	—			
	Diseases of the ear and mastoid process — Maladies de l'oreille et de l'apophyse mastoïde	390-398	2	—	2	—	—	—	—	—	—	—	—	—	2	—			
VII	Circulatory system — Appareil circulatoire	400-468	52	8	60	—	—	—	1	—	4	—	—	18	2	29	6		
	Chronic rheumatic heart disease — Cardiopathie rhumatisante chronique	410-416	2	—	2	—	—	—	—	—	1	—	1	—	1	—	—		
	Arteriosclerotic and degenerative heart disease — Artérosclérose des coronaires et myocar- dite dégénérative	420-422	31	1	32	—	—	—	1	—	2	—	11	—	17	1	—		
	Other diseases of the heart — Autres maladies du cœur	430-434	4	—	4	—	—	—	1	—	1	—	1	—	2	—			

ILLNESS IN THE CIVIL SERVICE

TABLEAU 13. Superannuations due to illness, by cause, sex and age group, 1949-1950 — Concluded

International Classification – Classement international										International Classification – Classement international									
Sect.	Cause	Total			Under 40 Moins de 40			40-44			45-49			50-54			55-59		
		Cat.	M	F	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F
VII	Circulatory system – Concluded – Appareil circulatoire – fin	400-468	6	5	11	—	—	—	—	—	—	—	—	—	—	—	2	6	3
	Hypertensive disease – Hypertension	440-447	5	1	6	—	—	—	—	—	—	—	—	—	—	—	2	—	3
	Diseases of arteries – Maladies des artères	450-456	5	1	6	—	—	—	—	—	—	—	—	—	—	—	2	—	3
	Diseases of veins and other diseases of the circulatory system – Maladies des veines et autres maladies de l'appareil circulatoire	460-468	4	1	5	—	—	—	—	—	—	—	—	—	—	—	3	—	1
VIII	Respiratory system – Appareil respiratoire	470-527	12	1	13	—	—	—	—	—	—	—	—	—	—	—	2	—	5
	Bronchitis – Bronchite	500-502	8	1	9	—	—	—	—	—	—	—	—	—	—	—	1	—	5
	Other diseases of the respiratory system – Autres maladies de l'appareil respiratoire	510-527	4	—	4	—	—	—	—	—	—	—	—	—	—	—	4	—	—
IX	Digestive system – Appareil digestif	530-587	7	1	8	1	—	—	1	—	—	—	—	—	—	—	2	—	4
	Diseases of the stomach and duodenum – Maladies de l'estomac et du duodénum	540-545	2	—	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	Other diseases of the intestines and peritoneum – Autres maladies de l'intestin et du péritoine	570-578	4	—	4	—	—	—	—	—	—	—	—	—	—	—	1	—	3
	Diseases of the liver, gallbladder, and pancreas – Maladies du foie, de la vésicule biliaire et du pancréas	580-587	1	1	2	—	—	—	1	—	—	1	—	—	—	—	1	—	—
X	Genito-urinary system – Organes génito-urinaires	590-637	2	2	4	1	—	—	—	—	—	—	—	—	—	—	1	—	2
	Nephritis and nephrosis – Néphrite et néphrose	590-594	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Other diseases of the urinary system – Autres maladies de l'appareil urinaire	600-609	2	—	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	Diseases of the uterus and other female genital organs – Maladies de l'utérus et des autres organes génitaux de la femme	630-637	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
XII	Skin and cellular tissue – Peau et tissu cellulaire	690-716	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other diseases of the skin and subcutaneous tissue – Autres maladies de la peau et du tissu cellulaire sous-cutané	700-716	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII	Bones and organs of movement – Os et organes du mouvement	720-749	20	7	27	1	—	—	2	—	—	1	—	—	—	—	5	1	11
	Arthritis and rheumatism, except rheumatic fever – Arthrite et rhumatisme, sauf rhumatisme articulaire aigu	720-727	15	6	21	—	—	—	2	—	—	1	—	—	—	—	3	1	9
	Osteomyelitis and other diseases of bone and joint – Osteomyélite et autres maladies des os et des articulations	730-738	2	1	3	—	—	—	—	—	—	1	—	—	—	—	1	—	1
	Other diseases of the musculoskeletal system – Autres maladies du système ostéomusculaire	740-749	3	—	3	1	—	—	—	—	—	1	—	—	—	—	1	—	1
XVI	Symptoms, senility and ill-defined conditions – Sénilité, symptômes et états mal définis	750-795	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Symptoms referable to systems or organs – Symptômes relatifs aux différents appareils et organes	750-789	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII	Accidents, poisonings, and violence – Accidents, empoisonnements et traumatismes	N800-999	3	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	2
	Fractures of skull, spine and trunk – Fractures du crâne, de la colonne vertébrale et du tronc	N800-809	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1
XVIII	Other and unspecific injuries and reactions – Réactions pathologiques et traumatismes autres ou mal définis	N820-829	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
XIX	Fracture of lower limb – Fractures du membre inférieur	N880-999	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010491189