


CATALOGUE No.
83-208 C2
ANNUAL



MENTAL HEALTH STATISTICS
Supplement: PATIENTS IN INSTITUTIONS

1955-57



DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Institutions Section

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Institutions Section

MENTAL HEALTH STATISTICS
Supplement: PATIENTS IN INSTITUTIONS
1955-57

Published by Authority of
The Honourable Gordon Churchill, Minister of Trade and Commerce

April, 1960
9002-528

Price 75 cents



PREFACE

This is the first of a series of annual statistics on in-patients of Canadian psychiatric institutions at December 31 for 1955, 1956, and 1957.

We acknowledge with thanks the generous assistance of officials of federal and provincial departments of health and especially the institutional personnel who helped in checking the records.

Tables, graphs, and text were prepared in the Institutions Section of the Dominion Bureau of Statistics, where enquiries and suggestions should be directed.

WALTER E. DUFFETT,

Dominion Statistician.

TABLE OF CONTENTS

	Page
Introduction	7
Scope	7
Descriptive Text and Charts.....	7

Tables

1. Sex and Age, by Province, 1955-57	23
2. Sex and Type of Institution, by Province, 1955-57	34
3. Sex and Detailed Diagnosis, 1955-57.....	36
4. Sex and Diagnostic Class, Ratio Per 100,000 Population for Each Age Group, 1955-57	40
5. Sex and Diagnostic Class, Percentage Distribution by Age, 1955-57.....	43
6. Sex and Age, Percentage Distribution by Diagnostic Class, 1955-57.....	46
7. Sex and Time Since Admission, by Province, 1955-57	49
8. Sex and Time Since Admission, by Age, 1955-57.....	53
9. Sex and Time Since Admission, by Selected Diagnosis, 1955-57	56
Appendix -- Number of Patients on Books as at December 31 in all Reporting Institutions, 1955-57.....	60

SYMBOLS

The interpretation of the symbols used in the tables throughout this publication is as follows:

- .. figures not available.
- ... used to replace ratios when the frequency is less than 10.
- nil or zero.
- amount too small to be expressed.

INTRODUCTION

The Dominion Bureau of Statistics, in response to demands from many agencies and individuals in Canada and abroad, began in 1952 the processing of statistics in order to arrive at a census of patients in mental institutions.

This census was to contain information on the in-patient population in mental institutions, and constitute a supplement to current reports on patients who enter and leave institutions each year. Existing information at that time were the data from a census of patients in mental institutions, June 1, 1931, which contained identification number, name, age, diagnosis, sex, and date of admission, as well as admission and separation cards for individual patients, which hospitals had been submitting since January 1, 1932. All hospitals were requested to submit a list of their patients, giving sex, age, and date of admission. By adding admission cards for the remainder of the year 1952 and for 1953, and by eliminating the cards for patients separated during that period, a census as at December 31, 1953 was to be obtained. It was then decided to include diagnosis, method, and type of admission in the census information.

Accordingly, admission cards for patients who had been admitted since 1932 and were still on books in 1953 were drawn from the files. For patients admitted prior to June 1, 1931 and still on books, cards were made out, based on the lists which the hospitals had supplied in 1931 and 1952

and supplementary information, which most hospitals obligingly supplied. For patients who had been admitted between June 1, 1931 and January 1, 1932 cards were made out based on the 1952 listings. These cards constituted a census of patients in all card-reporting institutions, dated April 1, 1952.

To these cards, admission cards from May 1952 to December 1953 were added, and cards of patients separated during this period withdrawn, so that the resulting deck represented a census as at December 31, 1953. The task of searching for the documents had been very time-consuming, and by 1956, due to staff shortage, it was completed for only eight provinces (excluding Quebec and Ontario). At this time more staff became available, so that the Bureau was enabled to produce a complete census of a fairly recent date. By 1959 the Bureau had a deck of machine-punched cards, representing patients on books of mental institutions at December 31, 1955. In the meantime the coding of documents and mechanical data-processing procedures had been modified, so that it is now possible to produce an annual census by adding cards for patients admitted during the year and eliminating the cards for those who are separated. Most of these operations are now done by machines, so that the censuses for the years 1955, 1956, and 1957 were completed within a few months. The 1958 census is now being processed. Hereafter the Bureau intends to publish a census yearly, approximately 12-16 months after the end of each year.

SCOPE

The following tables and graphs represent a census of in-patients in Canadian mental institutions and psychiatric units of general hospitals, who were on the books on December 31, in each of the three years 1955, 1956, and 1957. Included, therefore, are all patients on probation, in approved homes, on temporary home-visits, on escape, or temporarily absent for other reasons, i.e., all patients, who, though absent, have not been officially discharged.

Excluded from these census data are patients in institutions which do not report the movement of their patients on morbidity cards. Most of these institutions report patient movement summarily on an annual schedule. In addition there are some institutions which do not submit any record for

their psychiatric patients. The totals are given in Appendix 1 and are to be taken into account when complete counts are desired. Also excluded from the census are part-time patients, i.e., those who spend the day in hospital and leave at night, and those who hold an outside job and return to the hospital in the evening (day patients and night patients).

Diagnostic classification is based on the *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948*.

Population ratios were based on estimates as at December 31 of each year computed from data taken from supplements to Dominion Bureau of Statistics Reference Paper No. 40.

DESCRIPTIVE TEXT AND CHARTS

Sex

Male mental patients outnumbered females nine to eight over the period. The 70,300¹ total in 1957

¹ All absolute figures cited in the text are rounded to three significant figures.

comprised 37,600 males and 32,700 females, both groups having increased moderately in absolute numbers from their 1955 counts of 36,000 and 31,500. In 1955 there were 4,490 more males than females; in 1956, 4,710 more; and in 1957, 4,940 more. Males increased by 4.5 per cent in the two-year interval, females by 3.7 per cent.

FIGURE - 1




FIGURE - 2





FIGURE - 3

AGE-SPECIFIC RATIOS, 1955-57
(PER 100,000 GENERAL POPULATION)



Relatively to the population of the entire country, mental patients decreased. When 1955 closed, 447 of each 100,000 males were mental patients. By the end of 1957 the ratio was down to 440. For females, the reduction was from 402 to 393. Figure 1 illustrates this. Put in another way, had the 1955 ratios prevailed two years later there would at the end of 1957 have been 599 more male patients and 749 more females.

Age

Mental patients in their forties were the most numerous age-group, comprising 12,400 of the 1957 total. When frequencies are compared for the various age-decades, the distribution of patients approaches the familiar bell-shaped curve. In this regard, the mental patients contrast markedly with the general population, wherein the youngest age group is most numerous and the numbers fall almost steadily with advancing age. A population tree (Fig. 2) shows this clearly. One-half of the 1957 patients were between ages 33 and 56, a bracket that comprised only 27 per cent of the nation's population. The age distribution has not altered significantly over the period studied.

Canada's oldest residents have the highest ratios among mental patients. Although the over-all patient ratio in 1957 was 417 per 100,000 population, only the lowest three decades of age had ratios

lower than that. They rise rapidly, reaching almost double the all-ages ratio by the fifties and amounting to 1,652 (one person in every 61) among persons of 90 or more years. During the two one-year intervals available for comparison (1955 to 1956 and 1956 to 1957) there was a mixed pattern. Among the teenage group and also from age sixty onward (except in the 80-89 group) increases occurred in both years. Declines took place in the 20-29, 30-39, and 40-49 age groups. Children under 10 and octogenarians had increases in 1956 but decreases in 1957, while the ratio among persons in their fifties was unchanged between 1955 and 1956 and declined the next year. The profile bar chart (Fig. 3) shows these comparisons.


Sex and age

The half-way point in the age distribution of male patients (i.e., their median age) occurred at 45 years in each of 1955, 1956, and 1957; among females it occurred at 47. The corresponding ages in the general population were about 27 for each sex, the female median being very slightly higher than the male. The absolute number of males was greater than that of females in every decade of age up to the sixties. Beyond that age¹ females were

¹ Except in 1956, when the female excess was limited to the 80-and-over groups.

FIGURE - 4

PERCENTAGE DISTRIBUTION BY AGE, 1957
(PERCENTAGE DISTRIBUTION OF EACH SEX BY AGE, PATIENTS)



more numerous than males. If, moreover, percentage distributions of the sexes by age are compared the heavier concentration of male patients will be observed as generally confined to the first four decades of life, with the female percentage exceeding the male from age 40 onward. Figure 4 illustrates the distributions for 1957.

Each sex separately reflects the general truth of higher patient:population ratios with advancing age, and the ratio rose with the age for the most part.¹ As was true in absolute numbers, the ratios in 1957 were higher for males up to age 69 and for females thereafter. The ratios for 1957 are shown in Figure 5. If the female ratio is constructed as a percentage of the male, the difference between the ratios can be observed; this is presented in Figure 6. Females can be seen to have their lowest relative ratio in the teens and twenties, their highest in the eighties.

Type of institution

Of the 70,300 mental patients in 1957, about four-fifths were on the books of public mental hospitals. The percentage was 80.7, down slightly from 1955 (at 81.2) and 1956 (at 80.9). For statistical


purposes, the other mental institutions have been classified into nine categories (all 10 are listed in the left-hand column of Table 2). Increased patient loads were reported in both 1956 and 1957 in three of the categories (public and private, mental hospitals, and public training schools) and decreases in two (public aged and senile homes, and federal psychiatric units). Figure 7 illustrates the proportions of the patient load borne by the principal types of institution. It should be restated here that all patients who are on the rolls of institutions are included; some are on probation, on escape, in boarding homes, or are otherwise absent.

The proportions that can be observed in Figure 7 are quite dissimilar from the proportions one would see in a corresponding graph based upon admissions. Public psychiatric units, for example, constitute only four-tenths of one per cent of the patients and are lost in the residual "all others" sector of the graph. They would account for about one-third of the total on an admission basis.

Sex and type of institution

It has been noted that males outnumber females among patients; the ratio in 1957 was 115 males for every 100 females. In the public mental hospitals the ratio was 111 to 100. So great a share of the total patients is in mental hospitals that the overall ratio is not likely to vary much from the mental-hospital ratio, and clearly 111 is close to 115. In

FIGURE - 5



¹ Except that males aged 70-79 had a slightly lower rate than males 10 years younger.

FIGURE - 6




FIGURE - 7





FIGURE - 8

MALE:FEMALE RATIOS BY TYPE OF INSTITUTION, 1957



specialized types of mental institutions, the interplay of administrative policy, available space, and other factors produce wide variation from the average. Patients of the federal institutions, which serve veterans exclusively, are overwhelmingly men. Public epilepsy hospitals, at the other extreme, had more than three times as many female as male patients. The private institutions and the public psychiatric units also had more female than male patients. Figure 8 shows these ratios. While the observations are based on 1957 data, they were true also for 1955 and 1956.

Diagnosis

Schizophrenia was the principal diagnosis, accounting for almost three-eighths of all patients. Catatonic schizophrenia alone accounted for 8 per cent of the total patient load in 1957. The functional psychoses, of which schizophrenia is the largest component, accounted for 48.6 per cent. Principal diagnoses are illustrated as a percentage distribution in Figure 9.

Of the 25 diagnostic classes used for statistical purposes (entries in italic type in Table 3), 20 were more numerous in 1957 than in 1955 and five were less frequent. Figure 10 compares the percentage changes in the 12 largest and more-or-less homogeneous classes. Of this group neurotic-depressive

reaction (up 21.3 per cent) and alcoholic psychosis (up 20.4 per cent) rose by the highest percentages, while paranoia and paranoid states (down 3.8 per cent) and syphilitic psychosis (down 6.5 per cent) had the only decreases. In interpreting these percentages one must remember that the frequencies vary widely; in schizophrenia, the 2.8 per cent increase represents 692 additional patients but in neurotic-depression the much larger percentage rise is accounted for by 115 more persons.

Sex and diagnosis

When the four principal diagnostic categories are cross-classified by sex, the over-all male predominance can be seen to extend to psychoses, disorders of character, behaviour, and intelligence, and the non-psychiatric and undiagnosed group. Among psychoneurotics there are, however, twice as many women as men. Figure 11 illustrates this point.

Reversing the comparison and examining the sexes classed by diagnostic category, as in Figure 12, one observes similar percentages of psychotics (males, 66; females, 67), but a moderately higher male percentage in the character disorder group (males, 32; females, 29), and more than twice as high a proportion of psychoneurotics among females as among males (males, 1.4 per cent; females, 3.3).

FIGURE - 9




FIGURE-10






FIGURE-II

DIAGNOSTIC CATEGORIES BY SEX, 1957
(PERCENTAGE DISTRIBUTION)


ALL PATIENTS




PSYCHOSES




PSYCHONEUROSES



DISORDERS OF CHARACTER,
BEHAVIOUR, AND INTELLIGENCE



NON-PSYCHIATRIC
AND UNDIAGNOSED^(I)



(I) WITHOUT THE UNDIAGNOSED PATIENTS, PERCENTAGES HERE WOULD BE 58.3 MALE AND 41.7 FEMALE.

The ratio of males to females among patients in the somewhat more detailed diagnostic classes varies widely. Of the 21 diagnostic classes (excluding the four heterogeneous residual groups) males exceed females in nine, and females, males in 12. Non-psychotic alcoholics had a male: female ratio of almost 4½ to one, while patients for observation only, psychotic alcoholics, and syphilitic psychotics all had ratios over 3:1. Schizophrenia and mental deficiency, by far the most numerous classes, had 5:4 ratios of males to females. At the other extreme were three psychoneuroses (neurotic-depressive, hysterical, and obsessive-compulsive reactions), with slightly less than one-half as many males as females, and in none of the five psychoneuroses separately tabulated did males exceed females. The comparisons are shown in Figure 13.

Age and diagnosis

In considering the relationship of diagnosis and age one can adopt either of two approaches. One can seek to determine the make-up of the patient population according to the characteristics, or one can set out the numerical relationship of the patients to the general population. The former approach leads to a percentage distribution; the latter, to a population ratio.

In Figure 14 the percentage distribution is shown. The five most numerous diagnoses are each regarded as 100 per cent and are distributed by age, along with a sixth curve representing all patients. Four of the six follow flat bell-shaped curves; for

all patients and for schizophrenia, the highest point is in the 40-49 age group, while among paranoid and manic depressives it is in the fifties. The line for mentally defectives is highest in the teens and falls off steadily and quite regularly thereafter. Senium psychoses do not appear until after 40 years of age and reach a peak in the seventies, almost one-half their number being concentrated in the one decade.

It should be emphasized that all these figures represent patients at a point in time. They do not reflect admission data; nor are they prevalence indicators, except insofar as victims of the disease are hospital patients.

Ratios per 100,000 population appear in Figure 15. For mental deficiency, the maximum ratio is attained in the 10-19 age group. For schizophrenia, manic depression, and paranoia it is in the sixties. Ratios for psychoses of the senium continually advance with increasing age until in the 90-and-over age group the patients in the group make up 1.3 per cent of the entire population.

Sex, age, and diagnosis

Only in the two largest groups, schizophrenia and mental deficiency, are the frequencies large enough to produce meaningful and clear distinctions when sex and age are considered in conjunction with the diagnosis. Figure 16 depicts the ratios for schizophrenia, Figure 17 those for mental deficiency.

FIGURE-12





FIGURE — 13

MALES PER 100 FEMALES, BY DIAGNOSIS, 1957
 (LOGARITHMIC SCALE)



Schizophrenia in both sexes combined rises steadily to ages 60-69, where its ratio is 372 per 100,000 general population, and declines rapidly thereafter. The male rate, always (except in the 80's) higher than the over-all rate, reaches a peak in the 50-59-year group, but generally follows the over-all curve (the aberrant increase in the 90's is based on 25 patients only and thus involves a large possibility of error). Among females the ratio curve follows even more closely the both-sexes line.

Mental deficiency is most frequent in the teens. From 47 in the first decade of life the curve rises abruptly to 187 in the second, thereafter gradually declining (there is a rise among nonagenarians, also with a strong possibility of being due to chance variation). The male rate also tapers off steadily from its high point, 216. The female rate, on the other hand, is only 156 in the 10-19 group, and it drops only until the thirties and again after the fifties. It shows a plateau—or almost constant ratio—between those ages, and it is actually higher than the male figure in the forties and the fifties.

Time since admission

Of 100 patients in mental institutions when 1957 closed, 42 had been in mental institutions for

ten years or more, 60 for five years or more, and only 17 had entered hospital during 1957. Figure 18 illustrates the distribution. The sexes were quite similar in this regard, males having a slightly larger proportion of long-stay (over ten years) patients and a slightly smaller proportion of patients admitted within 12 months of the date of counting.

Among the 70,311 patients in the institutions at the end of 1957 were 1,972 who had been admitted in December, 1957. Another much larger group, numbering 29,648 (the 42 per 100 already mentioned) had entered hospital in December, 1947 or earlier. A comparison of the diagnostic classification of these two groups (old and new) is notable. Schizophrenia is commonest in both groups, and it constitutes more (45 per cent) of the old than of the new (26 per cent). The psychoneuroses, manic depression, and psychoses of the senium each account for over 10 per cent among the new group. In the old group, however, mental deficiency accounts for over one-quarter, and there the senium and psychoneurotic groups are negligible (Fig. 19). In reading these figures one must remember that the remaining life expectancy of newly-diagnosed senile psychotic patients is commonly less than ten years, and also that psychiatric units established since 1947 in general hospitals care for many psychoneurotics.

FIGURE-14





FIGURE-15

AGE-SPECIFIC RATIOS FOR SELECTED DIAGNOSES, 1957⁽¹⁾
 (PER 100,000 GENERAL POPULATION)



⁽¹⁾EXCEPT IN PSYCHOSES OF THE SENIUM, RATES IN AGE GROUP 90+ ARE BASED ON VERY SMALL FREQUENCIES
 AND SHOULD BE READ WITH DUE CAUTION.

FIGURE-16




FIGURE-17




FIGURE-18




FIGURE-19




TABLE 1. Sex and Age, by Province, 1955-57

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
CANADA:												
1955	67,525	2,066	5,554	7,883	10,967	12,327	11,347	9,278	5,712	2,049	232	110
1956	69,066	2,138	5,915	7,936	11,120	12,384	11,571	9,411	5,953	2,255	258	125
1957	70,311	2,081	6,317	8,058	11,212	12,415	11,819	9,550	6,138	2,322	271	128
Male												
1955	36,006	1,209	3,175	4,575	5,828	6,466	6,080	4,807	2,849	862	91	64
1956	36,890	1,222	3,433	4,627	5,966	6,449	6,215	4,887	2,981	932	104	74
1957	37,624	1,177	3,675	4,673	6,095	6,575	6,317	4,948	3,011	983	98	72
Female												
1955	31,519	857	2,379	3,308	5,139	5,861	5,267	4,471	2,863	1,187	141	46
1956	32,176	916	2,482	3,309	5,154	5,935	5,356	4,524	2,972	1,323	154	51
1957	32,687	904	2,642	3,385	5,117	5,840	5,502	4,602	3,127	1,339	173	56
Percentage distribution ¹												
Both sexes												
1955	100.0	3.1	8.2	11.7	16.3	18.3	16.8	13.8	8.5	3.0	0.3	
1956	100.0	3.1	8.6	11.5	16.1	18.0	16.8	13.7	8.6	3.3	0.4	
1957	100.0	3.0	9.0	11.5	16.0	17.7	16.8	13.6	8.7	3.3	0.4	
Male												
1955	100.0	3.4	8.8	12.7	16.2	18.0	16.9	13.4	7.9	2.4	0.3	
1956	100.0	3.3	9.3	12.6	16.2	17.5	16.9	13.3	8.1	2.5	0.3	
1957	100.0	3.1	9.8	12.4	16.2	17.5	16.8	13.2	8.0	2.6	0.3	
Female												
1955	100.0	2.7	7.6	10.5	16.3	18.6	16.7	14.2	9.1	3.8	0.4	
1956	100.0	2.9	7.7	10.3	16.0	18.5	16.7	14.1	9.3	4.1	0.5	
1957	100.0	2.8	8.1	10.4	15.7	17.9	16.9	14.1	9.6	4.1	0.5	
Ratio per 100,000 population												
Both sexes												
1955	425	55	217	340	476	656	839	943	966	1,259	1,467	
1956	423	56	222	338	472	642	839	950	981	1,345	1,600	
1957	417	52	225	336	464	624	832	953	982	1,337	1,652	
Male												
1955	447	64	245	393	484	670	872	958	957	1,133	1,468	
1956	446	62	253	390	509	652	873	974	980	1,190	1,664	
1957	440	58	257	384	506	647	862	981	968	1,214	1,538	
Female												
1955	402	47	189	287	443	603	805	926	975	1,369	1,457	
1956	400	49	189	285	436	631	803	928	982	1,481	1,559	
1957	393	46	192	287	423	600	800	924	997	1,445	1,723	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Newfoundland:												
1955	921	—	23	120	212	211	148	123	55	22	1	6
1956	951	—	31	122	198	225	167	119	61	23	—	5
1957	967	—	29	124	190	237	163	126	73	20	—	5
Male												
1955	525	—	10	75	127	123	78	76	26	7	1	2
1956	538	—	14	77	121	128	91	70	29	6	—	2
1957	558	—	13	75	121	146	82	74	38	7	—	2
Female												
1955	396	—	13	45	85	88	70	47	29	15	—	4
1956	413	—	17	45	77	97	76	49	32	17	—	3
1957	409	—	16	49	69	91	81	52	35	13	—	3
Percentage distribution ¹												
Both sexes												
1955	100.0	—	2.5	13.1	23.2	23.1	16.2	13.4	6.0	2.4	0.1	—
1956	100.0	—	3.3	12.9	20.9	23.8	17.7	12.6	6.4	2.4	—	—
1957	100.0	—	3.0	12.9	19.8	24.6	16.9	13.1	7.6	2.1	—	—
Male												
1955	100.0	—	1.9	14.3	24.3	23.5	14.9	14.5	5.0	1.3	0.2	—
1956	100.0	—	2.6	14.4	22.6	23.9	17.0	13.1	5.4	1.1	—	—
1957	100.0	—	2.3	13.5	21.8	26.3	14.7	13.3	6.8	1.3	—	—
Female												
1955	100.0	—	3.3	11.5	21.7	22.4	17.9	12.0	7.4	3.8	—	—
1956	100.0	—	4.1	11.0	18.8	23.7	18.5	12.0	7.8	4.1	—	—
1957	100.0	—	3.9	12.1	17.0	22.4	20.0	12.8	8.6	3.2	—	—
Ratio per 100,000 population												
Both sexes												
1955	224	—	29	211	424	522	556	631	458	604	...	—
1956	226	—	37	212	392	540	619	610	512	652	—	—
1957	223	—	33	210	367	551	584	644	604	571	—	—
Male												
1955	248	—	27	251	479	565	564	757	426	—
1956	248	—	33	252	449	570	645	701	476	...	—	—
1957	249	—	30	238	436	626	554	743	616	...	—	—
Female												
1955	199	—	33	167	362	472	547	498	492	789	—	—
1956	203	—	41	166	327	506	590	514	549	924	—	—
1957	195	—	36	178	288	462	616	541	590	722	—	—

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Prince Edward Island:												
1955	573	1	16	50	72	104	126	104	64	27	6	3
1956	572	3	17	57	82	97	114	106	66	25	4	1
1957	582	3	15	53	73	104	108	104	86	28	7	1
Male												
1955	291	1	9	27	39	57	65	52	31	7	1	2
1956	296	3	9	34	45	49	61	49	35	9	1	1
1957	300	3	7	32	39	48	63	52	40	11	4	1
Female												
1955	282	-	7	23	33	47	61	52	33	20	5	1
1956	276	-	8	23	37	48	53	57	31	16	3	-
1957	282	-	8	21	34	56	45	52	46	17	3	-
Percentage distribution ¹												
Both sexes												
1955	100.0	0.2	2.8	8.8	12.6	18.2	22.1	18.2	11.2	4.7	1.1	-
1956	100.0	0.5	3.0	10.0	14.4	17.0	20.0	18.6	11.6	4.4	0.7	-
1957	100.0	0.5	2.6	9.1	12.6	17.9	18.6	17.9	14.8	4.8	1.2	-
Male												
1955	100.0	0.3	3.1	9.3	13.5	19.7	22.5	18.0	10.7	2.4	0.3	-
1956	100.0	1.0	3.1	11.5	15.3	16.6	20.7	16.6	11.9	3.1	0.3	-
1957	100.0	1.0	2.3	10.7	13.0	16.1	21.1	17.4	13.4	3.7	1.3	-
Female												
1955	100.0	-	2.5	8.2	11.7	16.7	21.7	18.5	11.7	7.1	1.8	-
1956	100.0	-	2.9	8.3	13.4	17.4	19.2	20.7	11.2	5.8	1.1	-
1957	100.0	-	2.8	7.4	12.1	19.9	16.0	18.4	16.3	6.0	1.1	-
Ratio per 100,000 population												
Both sexes												
1955	575	...	89	427	620	954	1,500	1,444	1,285	1,467	...	-
1956	578	...	93	507	733	896	1,370	1,474	1,317	1,344	...	-
1957	583	...	80	465	666	961	1,280	1,454	1,683	1,474	...	-
Male												
1955	573	456	668	1,000	1,498	1,421	1,270	-
1956	589	600	809	880	1,402	1,328	1,423	1,222	...	-
1957	594	558	721	871	1,409	1,425	1,600	1,700	...	-
Female												
1955	576	-	...	398	571	904	1,510	1,469	1,299	2,128	...	-
1956	567	-	...	413	657	914	1,335	1,633	1,216	1,667	...	-
1957	573	-	...	370	613	1,055	1,134	1,481	1,769	1,700	...	-

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Nova Scotia:												
1955	744	19	156	118	114	145	92	55	35	6	-	4
1956	817	13	175	136	134	149	102	58	30	11	2	7
1957	842	10	182	120	147	148	106	71	39	11	2	6
Male												
1955	427	14	85	70	66	79	54	36	15	4	-	4
1956	437	8	97	74	69	80	52	30	14	5	2	6
1957	457	4	112	58	85	78	53	32	21	7	2	5
Female												
1955	317	5	71	48	48	66	38	19	20	2	-	-
1956	380	5	78	62	65	69	50	28	16	6	-	1
1957	385	6	70	62	62	70	53	39	18	4	-	1
Percentage distribution ¹												
Both sexes												
1955	100.0	2.6	21.1	15.9	15.4	19.6	12.4	7.4	4.7	0.8	-	
1956	100.0	1.6	21.6	16.8	16.5	18.4	12.6	7.2	3.7	1.4	0.2	
1957	100.0	1.2	21.8	14.4	17.6	17.7	12.7	8.5	4.7	1.3	0.2	
Male												
1955	100.0	3.3	20.1	16.5	15.6	18.7	12.8	8.5	3.5	0.9	-	
1956	100.0	1.9	22.5	17.2	16.0	18.6	12.1	7.0	3.2	1.2	0.5	
1957	100.0	0.9	24.8	12.8	18.8	17.3	11.7	7.1	4.6	1.5	0.4	
Female												
1955	100.0	1.6	22.4	15.1	15.1	20.8	12.0	6.0	6.3	0.6	-	
1956	100.0	1.3	20.6	16.4	17.2	18.2	13.2	7.4	4.2	1.6	-	
1957	100.0	1.6	18.2	16.1	16.1	18.2	13.8	10.2	4.7	1.0	-	
Ratio per 100,000 population												
Both sexes												
1955	108	11	128	126	124	183	188	129	125	...	-	
1956	117	8	139	145	147	184	185	135	106	113	...	
1957	119	6	141	127	162	181	187	164	135	111	...	
Male												
1955	122	16	136	146	145	190	192	167	109	...	-	
1956	123	...	151	154	152	189	183	139	101	
1957	127	...	170	119	189	184	180	148	148	
Female												
1955	94	...	119	104	104	175	143	90	141	...	-	
1956	111	...	127	136	141	179	187	132	111	...	-	
1957	111	...	111	136	136	178	194	181	122	...	-	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
New Brunswick:												
1955	2,200	12	91	310	437	462	351	271	178	73	4	11
1956	2,237	9	98	304	428	463	390	282	179	65	5	16
1957	2,287	7	100	291	423	463	407	277	201	70	7	21
Male												
1955	1,151	10	53	174	223	257	180	128	87	26	3	10
1956	1,189	5	59	176	224	251	211	135	91	20	3	14
1957	1,205	3	62	178	217	249	231	123	101	25	2	14
Female												
1955	1,049	2	38	136	214	205	171	143	91	47	1	1
1956	1,048	4	37	128	204	212	179	147	88	45	2	2
1957	1,062	4	38	113	206	214	176	154	100	45	5	7
Percentage distribution ¹												
Both sexes												
1955	100.0	0.5	4.2	14.2	20.0	21.1	16.0	12.4	8.1	3.3	0.2	
1956	100.0	0.4	4.3	13.7	19.3	20.8	17.6	12.7	8.1	2.9	0.2	
1957	100.0	0.3	4.5	13.0	18.8	20.6	18.1	12.3	8.9	3.1	0.3	
Male												
1955	100.0	0.9	4.6	15.2	19.5	22.5	15.8	11.2	7.6	2.3	0.3	
1956	100.0	0.4	5.0	15.0	19.1	21.4	18.0	11.5	7.7	1.7	0.3	
1957	100.0	0.3	5.2	14.9	18.2	20.9	19.4	10.3	8.5	2.1	0.2	
Female												
1955	100.0	0.2	3.6	13.0	20.4	19.6	16.3	13.6	8.7	4.5	0.1	
1956	100.0	0.4	3.5	12.2	19.5	20.3	17.1	14.1	8.4	4.3	0.2	
1957	100.0	0.4	3.6	10.7	19.5	20.3	16.7	14.6	9.5	4.3	0.5	
Ratio per 100,000 population												
Both sexes												
1955	399	...	88	439	625	786	842	833	873	1,137	...	
1956	400	...	89	430	613	769	926	857	881	992	...	
1957	396	...	89	400	604	752	939	835	940	1,032	...	
Male												
1955	414	...	101	503	643	847	850	769	851	850	...	
1956	421	...	109	506	648	808	982	805	875	647	...	
1957	417	...	109	495	627	785	1,040	733	949	776	...	
Female												
1955	383	...	74	378	606	722	834	898	895	1,399	...	
1956	378	...	69	357	579	730	868	911	848	1,304	...	
1957	374	...	89	306	581	717	833	940	930	1,281	...	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Quebec:												
1955	19,350	627	1,922	2,650	3,375	3,790	3,258	2,260	1,092	322	25	29
1956	20,012	616	1,998	2,668	3,477	3,879	3,391	2,374	1,173	369	37	30
1957	20,666	587	2,081	2,767	3,592	3,987	3,503	2,451	1,242	391	33	32
Male												
1955	10,372	377	1,096	1,574	1,874	2,003	1,653	1,113	517	139	10	16
1956	10,725	365	1,145	1,568	1,941	2,049	1,740	1,163	562	157	17	18
1957	11,051	334	1,199	1,599	1,993	2,136	1,789	1,220	587	164	11	19
Female												
1955	8,978	250	826	1,076	1,501	1,787	1,605	1,147	575	183	15	13
1956	9,287	251	853	1,100	1,536	1,830	1,651	1,211	611	212	20	12
1957	9,615	253	882	1,168	1,599	1,851	1,714	1,231	655	227	22	13
Percentage distribution ¹												
Both sexes												
1955	100.0	3.2	9.9	13.7	17.5	19.6	16.9	11.7	5.7	1.7	0.1	
1956	100.0	3.1	10.0	13.4	17.4	19.4	17.0	11.9	5.9	1.8	0.2	
1957	100.0	2.8	10.1	13.4	17.4	19.3	17.0	11.9	6.0	1.9	0.2	
Male												
1955	100.0	3.6	10.6	15.2	18.1	19.3	16.0	10.7	5.0	1.3	0.1	
1956	100.0	3.4	10.7	14.6	18.1	19.1	16.2	10.9	5.2	1.5	0.2	
1957	100.0	3.0	11.9	14.5	18.1	19.4	16.2	11.1	5.3	1.5	0.1	
Female												
1955	100.0	2.8	9.2	12.0	16.7	19.9	17.9	12.8	6.4	2.0	0.2	
1956	100.0	2.7	9.2	11.9	16.6	19.7	17.8	13.1	6.6	2.3	0.2	
1957	100.0	2.6	9.2	12.1	16.7	19.3	17.9	12.8	6.8	2.4	0.2	
Ratio per 100,000 population												
Both sexes												
1955	422	55	234	374	519	738	920	985	892	963	817	
1956	426	53	233	372	523	737	934	1,019	939	1,076	1,246	
1957	427	49	232	379	525	736	934	1,029	959	1,113	1,093	
Male												
1955	452	68	263	451	586	775	929	.973	869	914	833	
1956	456	61	264	443	592	774	952	1,003	930	1,004	1,491	
1957	455	54	264	442	590	785	947	1,035	943	1,025	948	
Female												
1955	392	45	203	299	454	700	912	996	914	1,005	806	
1956	397	44	201	303	455	700	916	1,034	947	1,138	1,087	
1957	398	43	199	318	461	686	921	1,024	975	1,187	1,183	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Ontario:												
1955	24,035	809	2,001	2,661	3,668	4,063	4,123	3,455	2,300	845	96	14
1956	24,784	911	2,221	2,662	3,736	4,090	4,131	3,537	2,412	961	104	19
1957	25,349	936	2,451	2,730	3,839	4,032	4,215	3,653	2,416	943	121	13
Male												
1955	12,262	463	1,138	1,518	1,898	2,034	2,155	1,649	1,043	320	34	10
1956	12,798	503	1,293	1,541	1,961	2,066	2,183	1,736	1,111	355	36	13
1957	13,122	517	1,432	1,543	2,068	2,075	2,207	1,797	1,082	353	39	9
Female												
1955	11,773	346	863	1,143	1,770	2,029	1,968	1,806	1,257	525	62	4
1956	11,986	408	928	1,121	1,775	2,024	1,948	1,801	1,301	606	68	6
1957	12,227	419	1,019	1,187	1,771	1,957	2,008	1,856	1,334	590	82	4
Percentage distribution ¹												
Both sexes												
1955	100.0	3.4	8.3	11.1	15.3	16.9	17.2	14.4	9.6	3.5	0.4	
1956	100.0	3.7	9.0	10.7	15.1	16.5	16.7	14.3	9.7	3.9	0.4	
1957	100.0	3.7	9.7	10.8	15.2	15.9	16.6	14.4	9.5	3.7	0.5	
Male												
1955	100.0	3.8	9.3	12.4	15.5	16.6	17.6	13.5	8.5	2.6	0.3	
1956	100.0	3.9	10.1	12.1	15.3	16.2	17.1	13.6	8.7	2.8	0.3	
1957	100.0	4.0	10.9	11.8	15.8	15.8	16.8	13.7	8.3	2.7	0.3	
Female												
1955	100.0	2.9	7.3	9.7	15.0	17.2	16.7	15.3	10.7	4.5	0.5	
1956	100.0	3.4	7.7	9.4	14.8	16.9	16.3	15.0	10.9	5.1	0.6	
1957	100.0	3.4	8.3	9.7	14.5	16.0	16.4	15.2	10.9	4.8	0.7	
Ratio per 100,000 population												
Both sexes												
1955	450	69	262	341	448	610	821	960	1,069	1,357	1,541	
1956	449	74	277	334	441	597	806	973	1,095	1,508	1,628	
1957	442	73	286	333	439	569	801	989	1,068	1,447	1,870	
Male												
1955	495	78	293	386	465	594	841	936	1,034	1,190	1,532	
1956	460	81	316	382	465	587	835	979	1,081	1,295	1,565	
1957	454	79	327	370	473	572	823	1,004	1,032	1,266	1,696	
Female												
1955	444	60	231	295	430	628	799	983	1,099	1,483	1,542	
1956	438	68	237	285	418	607	776	966	1,107	1,669	1,663	
1957	430	67	244	294	404	565	779	976	1,099	1,582	1,966	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Manitoba:												
1955	3,919	48	190	426	703	802	641	586	388	109	11	15
1956	3,919	52	187	448	697	768	652	581	401	111	8	14
1957	4,013	52	216	441	686	789	652	596	432	127	9	13
Male												
1955	2,050	37	107	251	350	399	333	312	200	57	2	2
1956	2,046	36	110	277	356	382	326	304	200	50	3	2
1957	2,056	29	117	270	336	394	322	310	215	59	1	3
Female												
1955	1,869	11	83	175	353	403	308	274	188	52	9	13
1956	1,873	16	77	171	341	386	326	277	201	61	5	12
1957	1,957	23	99	171	350	395	330	286	217	68	8	10
Percentage distribution ¹												
Both sexes												
1955	100.0	1.3	4.9	10.9	18.0	20.5	16.4	15.0	9.9	2.8	0.3	
1956	100.0	1.4	4.8	11.5	17.8	19.7	16.7	14.9	10.2	2.8	0.2	
1957	100.0	1.3	5.4	11.0	17.2	19.7	16.3	14.9	10.8	3.2	0.2	
Male												
1955	100.0	1.8	5.2	12.3	17.1	19.5	16.3	15.2	9.8	2.8	0.1	
1956	100.0	1.8	5.4	13.6	17.4	18.7	15.9	14.9	9.8	2.4	0.1	
1957	100.0	1.4	5.7	13.2	16.4	19.2	15.7	15.1	10.5	2.9	--	
Female												
1955	100.0	0.6	4.5	9.4	19.0	21.7	16.6	14.8	10.1	2.8	0.5	
1956	100.0	0.9	4.1	9.2	18.3	20.7	17.4	14.9	10.7	3.3	0.3	
1957	100.0	1.2	5.1	8.8	18.0	20.3	16.9	14.7	11.1	3.5	0.4	
Ratio per 100,000 population												
Both sexes												
1955	464	26	145	361	579	778	858	975	1,061	1,162	1,279	
1956	459	27	138	384	578	735	865	972	1,067	1,150	...	
1957	463	27	153	379	572	745	847	1,008	1,117	1,249	...	
Male												
1955	477	38	160	426	585	760	862	984	1,027	1,197	...	
1956	471	36	159	472	601	722	834	968	1,005	1,018	...	
1957	466	29	162	459	569	738	809	1,007	1,056	1,150	...	
Female												
1955	450	13	129	295	573	796	855	964	1,101	1,126	...	
1956	446	18	116	295	557	748	899	976	1,138	1,284	...	
1957	459	25	143	297	575	753	889	1,010	1,186	1,349	...	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Saskatchewan:												
1955	4,930	129	249	481	761	942	803	773	532	229	27	4
1956	4,950	158	264	477	741	918	814	748	542	244	34	10
1957	4,769	157	272	482	678	851	784	712	543	242	36	12
Male												
1955	2,825	70	132	274	394	529	474	480	337	118	13	4
1956	2,802	90	146	266	384	492	474	463	342	126	15	4
1957	2,721	91	155	288	358	462	456	432	338	124	13	4
Female												
1955	2,105	59	117	207	367	413	329	293	195	111	14	-
1956	2,148	68	118	211	357	426	340	285	200	118	19	6
1957	2,048	66	117	194	320	389	328	280	205	118	23	8
Percentage distribution ¹												
Both sexes												
1955	100.0	2.6	5.1	9.8	15.4	19.1	16.3	15.7	10.8	4.6	0.5	
1956	100.0	3.2	5.3	9.7	15.0	18.6	16.5	15.1	11.0	4.9	0.7	
1957	100.0	3.3	5.7	10.1	14.3	17.9	16.5	15.0	11.4	5.1	0.8	
Male												
1955	100.0	2.5	4.7	9.7	14.0	18.8	16.8	17.0	11.9	4.2	0.5	
1956	100.0	3.2	5.2	9.5	13.7	17.6	16.9	16.5	12.2	4.5	0.5	
1957	100.0	3.3	5.7	10.6	13.2	17.0	16.8	15.9	12.4	4.6	0.5	
Female												
1955	100.0	2.8	5.6	9.8	17.4	19.6	15.6	13.9	9.3	5.3	0.7	
1956	100.0	3.2	5.5	9.9	16.7	19.9	15.9	13.3	9.3	5.5	0.9	
1957	100.0	3.2	5.7	9.5	15.7	19.1	16.1	13.7	10.0	5.8	1.1	
Ratio per 100,000 population												
Both sexes												
1955	560	63	169	400	634	921	1,082	1,258	1,401	2,511	3,250	
1956	564	76	178	412	626	890	1,095	1,244	1,388	2,593	3,953	
1957	538	74	179	424	578	816	1,035	1,203	1,357	2,413	4,000	
Male												
1955	617	67	176	450	652	986	1,182	1,377	1,519	2,379	3,250	
1956	613	64	193	451	643	915	1,183	1,371	1,501	2,466	3,750	
1957	592	84	200	498	606	855	1,119	1,313	1,463	2,279	3,250	
Female												
1955	499	59	162	349	615	848	962	1,101	1,236	2,668	3,250	
1956	510	67	162	372	609	863	992	1,081	1,229	2,738	4,130	
1957	481	64	157	348	550	774	936	1,064	1,212	2,576	4,600	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Continued

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
Alberta:												
1955.....	4,161	120	424	412	654	782	848	653	214	50	3	1
1956.....	4,157	101	427	413	685	791	858	628	196	54	2	2
1957.....	4,179	71	426	415	665	781	882	650	222	62	3	2
Male												
1955.....	2,446	67	249	251	357	437	535	409	119	19	2	1
1956.....	2,445	54	258	254	378	442	528	387	112	28	2	2
1957.....	2,445	38	253	257	383	433	535	397	113	32	2	2
Female												
1955.....	1,715	53	175	161	297	345	313	244	95	31	1	-
1956.....	1,712	47	169	159	307	349	330	241	84	26	-	-
1957.....	1,734	33	173	158	282	348	347	253	109	30	1	-
Percentage distribution ¹												
Both sexes												
1955.....	100.0	2.9	10.2	9.9	15.7	18.8	20.4	15.7	5.1	1.2	0.1	
1956.....	100.0	2.4	10.3	9.9	16.5	19.0	20.6	15.1	4.7	1.3	--	
1957.....	100.0	1.7	10.2	9.9	15.9	18.7	21.1	15.6	5.3	1.5	0.1	
Male												
1955.....	100.0	2.7	10.2	10.3	14.6	17.9	21.9	16.7	4.9	0.8	0.1	
1956.....	100.0	2.2	10.6	10.4	15.5	18.1	21.6	15.8	4.6	1.1	0.1	
1957.....	100.0	1.6	10.4	10.5	15.7	17.7	21.9	16.3	4.6	1.3	0.1	
Female												
1955.....	100.0	3.1	10.2	9.4	17.3	20.1	18.3	14.2	5.5	1.8	0.1	
1956.....	100.0	2.7	9.9	9.3	17.9	20.4	19.3	14.1	4.9	1.5	-	
1957.....	100.0	1.9	10.0	9.1	16.3	20.1	20.0	14.6	6.3	1.7	0.1	
Ratio per 100,000 population												
Both sexes												
1955.....	375	44	241	243	403	616	943	995	554	555	...	
1956.....	364	36	234	240	411	606	930	957	488	568	...	
1957.....	352	24	221	237	387	575	924	981	532	612	...	
Male												
1955.....	422	48	278	287	434	655	1,070	1,101	539	397	...	
1956.....	410	37	277	286	448	646	1,032	1,053	490	559	...	
1957.....	396	25	257	285	439	612	1,017	1,079	480	599	...	
Female												
1955.....	323	40	203	196	370	575	784	856	574	731	...	
1956.....	313	34	189	191	373	561	804	835	484	576	-	
1957.....	305	23	184	187	334	535	810	858	599	628	...	

¹ Excludes not stated.

TABLE 1. Sex and Age, by Province, 1955-57 - Concluded

Province and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Numerical distribution												
Both sexes												
British Columbia:												
1955	6,692	301	482	655	971	1,026	957	998	854	366	59	23
1956	6,667	275	499	649	942	1,004	952	978	893	392	62	21
1957	6,677	258	545	635	919	1,023	999	910	884	428	53	23
Male												
1955	3,657	170	296	361	500	548	553	552	474	165	25	13
1956	3,614	158	302	360	487	510	549	550	485	176	25	12
1957	3,709	158	325	373	495	554	579	511	476	201	24	13
Female												
1955	3,035	131	186	294	471	478	404	446	380	201	34	10
1956	3,053	117	197	289	455	494	403	428	408	216	37	9
1957	2,968	100	220	262	424	469	420	399	408	227	29	10
Percentage distribution ¹												
Both sexes												
1955	100.0	4.5	7.2	9.8	14.6	15.4	14.3	15.0	12.8	5.5	0.9	
1956	100.0	4.1	7.5	9.8	14.2	15.1	14.3	14.7	13.4	5.9	0.9	
1957	100.0	3.9	8.2	9.5	13.8	15.4	15.0	13.7	13.3	6.4	0.8	
Male												
1955	100.0	4.7	8.1	9.9	13.7	15.0	15.2	15.1	13.0	4.5	0.7	
1956	100.0	4.4	8.4	10.0	13.5	14.2	15.2	15.3	13.5	4.9	0.7	
1957	100.0	4.3	8.8	10.1	13.4	15.0	15.7	13.8	12.9	5.4	0.6	
Female												
1955	100.0	4.3	6.1	9.7	15.6	15.8	13.4	14.7	12.6	6.6	1.1	
1956	100.0	3.8	6.5	9.5	14.9	16.2	13.2	14.1	13.4	7.1	1.2	
1957	100.0	3.4	7.4	8.9	14.3	15.9	14.2	13.5	13.8	7.7	1.0	
Ratio per 100,000 population												
Both sexes												
1955	487	104	254	354	469	578	768	942	1,138	2,022	3,933	
1956	461	89	243	331	436	537	737	923	1,134	2,023	3,974	
1957	438	79	246	307	409	524	737	850	1,088	2,047	3,193	
Male												
1955	516	115	305	373	491	597	831	992	1,156	1,772	3,788	
1956	485	101	288	347	456	531	796	1,003	1,135	1,762	3,788	
1957	472	95	286	338	440	554	804	931	1,091	1,873	3,158	
Female												
1955	495	92	200	334	448	558	696	887	1,116	2,287	3,953	
1956	435	77	197	314	417	544	669	837	1,132	2,300	4,111	
1957	402	62	204	271	378	492	661	764	1,084	2,228	3,222	

¹ Excludes not stated.

TABLE 2. Sex and Type of Institution, by Province, 1955-57

No.	Province and type of institution	Numerical distribution								
		Both sexes			Male			Female		
		1955	1956	1957	1955	1956	1957	1955	1956	1957
1	CANADA	67,525	69,066	70,311	36,006	36,890	37,624	31,519	32,176	32,687
2	Mental hospital, public	54,857	55,848	56,739	28,719	29,385	29,894	26,138	26,463	26,845
3	Mental hospital, federal	1,404	1,405	1,352	1,385	1,384	1,331	19	21	21
4	Mental hospital, private	58	62	71	19	22	25	39	40	46
5	Psychiatric hospital, public	784	735	773	371	326	382	413	409	391
6	Psychiatric hospital, private	278	261	273	119	106	109	159	155	164
7	Training school, public	8,572	9,257	9,674	4,609	4,929	5,164	3,963	4,328	4,510
8	Aged and senile home, public	902	827	768	453	424	401	449	403	367
9	Epilepsy hospital, public	206	198	206	57	46	49	149	152	157
10	Psychiatric unit, public	293	315	302	106	110	117	187	205	185
11	Psychiatric unit, federal	171	158	153	168	158	152	3	—	1
	Newfoundland:									
12	Mental hospital, public	921	951	967	525	538	558	396	413	409
13	Prince Edward Island	573	572	582	291	296	300	282	276	282
14	Mental hospital, public	392	400	404	216	225	222	176	175	182
15	Aged and senile home, public	181	172	178	75	71	78	106	101	100
16	Nova Scotia	744	817	842	427	437	457	317	380	385
17	Mental hospital, public	573	641	667	323	330	352	250	311	315
18	Training school, public	150	158	160	84	89	90	66	69	70
19	Psychiatric unit, federal	21	18	15	20	18	15	1	—	—
	New Brunswick:									
20	Mental hospital, public	2,200	2,237	2,267	1,151	1,189	1,205	1,049	1,048	1,062
21	Quebec	19,350	20,012	20,666	10,372	10,725	11,051	8,978	9,287	9,615
22	Mental hospital, public	17,440	17,975	18,592	9,103	9,438	9,746	8,337	8,537	8,846
23	Mental hospital, federal	566	583	581	566	583	581	—	—	—
24	Psychiatric hospital, public	215	213	225	101	91	104	114	122	121
25	Training school, public	923	1,043	1,062	545	567	571	378	476	491
26	Epilepsy hospital, public	206	198	206	57	46	49	149	152	157
27	Ontario	24,035	24,784	25,349	12,262	12,798	13,122	11,773	11,986	12,227
28	Mental hospital, public	18,515	18,906	19,261	9,039	9,382	9,603	9,476	9,524	9,658
29	Mental hospital, federal	838	822	771	819	801	750	19	21	21
30	Mental hospital, private	58	62	71	19	22	25	39	40	46
31	Psychiatric hospital, public	72	72	74	36	34	35	36	38	39
32	Psychiatric hospital, private	212	214	223	88	85	83	124	129	140
33	Training school, public	4,112	4,459	4,717	2,144	2,358	2,512	1,968	2,101	2,205
34	Psychiatric unit, public	176	201	185	66	68	67	110	133	118
35	Psychiatric unit, federal	52	48	47	51	48	47	1	—	—
36	Manitoba	3,919	3,919	4,013	2,050	2,046	2,056	1,869	1,873	1,957
37	Mental hospital, public	3,021	3,015	3,054	1,552	1,536	1,540	1,469	1,479	1,514
38	Psychiatric hospital, public	33	26	32	17	14	15	16	12	17
39	Training school, public	774	792	849	411	424	436	363	368	413
40	Psychiatric unit, public	26	29	21	6	15	8	20	14	13
41	Psychiatric unit, federal	65	57	57	64	57	57	1	—	—
42	Saskatchewan	4,930	4,950	4,769	2,825	2,802	2,721	2,105	2,148	2,048
43	Mental hospital, public	3,900	3,750	3,542	2,285	2,223	2,108	1,615	1,527	1,434
44	Training school, public	976	1,149	1,170	518	564	585	458	585	585
45	Psychiatric unit, public	54	51	57	22	15	28	32	36	29
46	Alberta	4,161	4,157	4,179	2,446	2,445	2,445	1,715	1,712	1,734
47	Mental hospital, public	3,443	3,446	3,456	2,053	2,048	2,045	1,390	1,398	1,411
48	Training school, public	698	698	707	388	392	395	310	306	312
49	Psychiatric unit, public	20	13	16	5	5	5	15	8	11
50	British Columbia	6,692	6,667	6,677	3,657	3,614	3,709	3,035	3,033	2,968
51	Mental hospital, public	4,452	4,527	4,529	2,472	2,476	2,515	1,980	2,051	2,014
52	Psychiatric hospital, public	464	424	442	217	187	228	247	237	214
53	Psychiatric hospital, private	65	47	50	31	21	26	34	26	24
54	Training school, public	939	958	1,009	519	535	575	420	423	434
55	Aged and senile home, public	722	655	590	378	353	323	344	302	267
56	Psychiatric unit, public	17	21	23	7	7	9	10	14	14
57	Psychiatric unit, federal	33	35	34	33	35	33	—	—	1

TABLE 2. Sex and Type of Institution, by Province, 1955-57

Percentage distribution									
Both sexes			Male			Female			No.
1955	1956	1957	1955	1956	1957	1955	1956	1957	
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	1
81.2	80.9	80.7	79.8	79.7	79.5	82.9	82.2	82.1	2
2.1	2.0	1.9	3.8	3.8	3.5	0.1	0.1	0.1	3
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4
1.2	1.1	1.1	1.0	0.9	1.0	1.3	1.3	1.2	5
0.4	0.4	0.4	0.3	0.3	0.3	0.5	0.5	0.5	6
12.7	13.4	13.8	12.8	13.4	13.7	12.6	13.5	13.8	7
1.3	1.2	1.1	1.3	1.1	1.1	1.4	1.3	1.1	8
0.3	0.3	0.3	0.2	0.1	0.1	0.5	0.5	0.5	9
0.4	0.5	0.4	0.3	0.3	0.3	0.6	0.6	0.6	10
0.3	0.2	0.2	0.5	0.4	0.4	--	--	--	11
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	12
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	13
68.4	69.9	69.4	74.2	76.0	74.0	62.4	63.4	64.5	14
31.6	30.1	30.6	25.8	24.0	26.0	37.6	36.6	35.5	15
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	16
77.0	78.5	79.2	75.6	75.5	77.0	78.9	81.8	81.8	17
20.2	19.3	19.0	19.7	20.4	19.7	20.8	18.2	18.2	18
2.8	2.2	1.8	4.7	4.1	3.3	0.3	--	--	19
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	20
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	21
90.1	89.8	90.0	87.8	88.0	88.2	92.9	91.9	92.0	22
2.9	2.9	2.8	5.5	5.4	5.3	--	--	--	23
1.1	1.1	1.1	1.0	0.8	0.9	1.3	1.3	1.3	24
4.8	5.2	5.1	5.3	5.3	5.2	4.2	5.1	5.1	25
1.1	1.0	1.0	0.5	0.4	0.4	1.7	1.6	1.6	26
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	27
77.0	76.3	76.0	73.7	73.3	73.2	80.5	79.5	79.0	28
3.5	3.3	3.0	6.7	6.3	5.7	0.2	0.2	0.2	29
0.2	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.4	30
0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	31
0.9	0.9	0.9	0.7	0.7	0.6	1.1	1.1	1.1	32
17.1	18.0	18.6	17.5	18.4	19.1	16.7	17.5	18.0	33
0.7	0.8	0.7	0.5	0.5	0.5	0.9	1.1	1.0	34
0.2	0.2	0.2	0.4	0.4	0.4	--	--	--	35
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	36
77.1	76.9	76.1	75.7	75.1	74.9	78.6	79.0	77.4	37
0.8	0.7	0.8	0.8	0.7	0.7	0.9	0.6	0.9	38
19.7	20.2	21.2	20.0	20.7	21.2	19.4	19.6	21.1	39
0.7	0.7	0.5	0.3	0.7	0.4	1.1	0.7	0.7	40
1.7	1.5	1.4	3.1	2.8	2.8	0.1	--	--	41
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	42
79.1	75.8	74.3	80.9	79.3	77.5	76.7	71.1	70.0	43
19.8	23.2	24.5	18.3	20.1	21.5	21.8	27.2	28.6	44
1.1	1.0	1.2	0.8	0.5	1.0	1.5	1.7	1.4	45
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	46
82.7	82.9	82.7	83.9	83.8	83.6	81.0	81.7	81.4	47
16.8	16.8	16.9	15.9	16.0	16.2	18.1	17.9	18.0	48
0.5	0.3	0.4	0.2	0.2	0.2	0.9	0.5	0.6	49
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50
66.5	67.9	67.8	67.6	68.5	67.8	65.2	67.2	67.9	51
6.9	6.4	6.6	5.9	5.2	6.1	8.1	7.8	7.2	52
1.0	0.7	0.7	0.8	0.6	0.7	1.1	0.9	0.8	53
14.0	14.4	15.1	14.2	14.8	15.5	13.8	13.9	14.6	54
10.8	9.8	8.8	10.3	9.8	8.7	11.3	9.9	9.0	55
0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.5	0.5	56
0.5	0.5	0.5	0.9	1.0	0.9	--	--	--	57

TABLE 3. Sex and Detailed Diagnosis, 1955-57

I.C.D. No.	Diagnosis	Both sexes			Male			Female		
		1955	1956	1957	1955	1956	1957	1955	1956	1957
Number										
	TOTAL	67,525	69,066	70,311	36,006	36,890	37,624	31,519	32,176	32,687
	Psychoses	45,162	45,847	46,221	23,865	24,341	24,523	21,297	21,506	21,698
	<i>Syphilis of central nervous system with psychosis</i>	<i>1,656</i>	<i>1,640</i>	<i>1,548</i>	<i>1,277</i>	<i>1,260</i>	<i>1,193</i>	<i>379</i>	<i>380</i>	<i>355</i>
024.1	Tabes dorsalis	2	2	3	1	1	2	1	1	1
025.0	General paralysis of insane	1,517	1,494	1,411	1,189	1,151	1,092	348	343	319
020.1, 026.1	Other syphilis of central nervous system	137	144	134	107	108	99	30	36	35
300	Schizophrenia	25,087	25,469	25,779	13,860	14,144	14,356	11,227	11,325	11,423
300.0	Simple	2,758	2,760	2,742	1,682	1,692	1,677	1,076	1,068	1,065
300.1	Hebephrenic	3,634	3,633	3,631	1,958	1,972	1,981	1,676	1,661	1,650
300.2	Catatonic	5,815	5,810	5,752	3,127	3,184	3,146	2,688	2,626	2,606
300.3	Paranoid	8,728	8,895	9,022	4,737	4,847	4,961	3,991	4,048	4,061
300.4	Acute schizophrenic reaction	273	309	354	150	166	178	123	143	176
300.5	Latent	60	61	85	33	30	46	27	31	39
300.6	Schizo-affective	487	533	572	194	215	235	293	318	337
300.7	Other and unspecified schizophrenia	3,332	3,468	3,621	1,979	2,038	2,132	1,353	1,430	1,489
301	Manic-depressive reaction	4,692	4,728	4,784	2,005	2,028	2,052	2,687	2,700	2,732
301.0	Manic and circular	2,414	2,415	2,390	1,032	1,039	1,029	1,382	1,376	1,361
301.1	Depressive	1,708	1,736	1,821	763	769	809	945	967	1,012
301.2	Other and unspecified	570	577	573	210	220	214	360	357	359
302	Involitional melancholia	1,122	1,208	1,236	365	414	417	757	794	819
303	Paranoia and paranoid states	2,231	2,173	2,146	995	988	968	1,236	1,185	1,178
	<i>Senium</i>	<i>4,437</i>	<i>4,611</i>	<i>4,612</i>	<i>2,047</i>	<i>2,123</i>	<i>2,103</i>	<i>2,390</i>	<i>2,488</i>	<i>2,509</i>
304	Senile	2,565	2,624	2,512	1,024	1,034	970	1,541	1,590	1,542
306	With cerebral arteriosclerosis	1,872	1,987	2,100	1,023	1,089	1,133	849	898	967
305	Presenile	196	206	221	102	99	110	94	107	111
307	Alcoholic	643	687	774	516	532	583	127	155	191
	<i>Other psychoses</i>	<i>5,098</i>	<i>5,125</i>	<i>5,121</i>	<i>2,698</i>	<i>2,753</i>	<i>2,741</i>	<i>2,400</i>	<i>2,372</i>	<i>2,380</i>
083.2	Postencephalitic	78	80	79	43	45	46	35	35	33
308	Psychosis of other demonstrable etiology	2,337	2,359	2,361	1,306	1,332	1,329	1,031	1,027	1,032
308.0	Resulting from brain tumour	37	39	41	20	22	25	17	17	16
308.1	Resulting from epilepsy and other convulsive disorders	1,173	1,164	1,123	665	654	620	508	510	503
308.2	Sequela of infective or parasitic diseases	55	65	68	29	36	37	26	29	31
308.3	Sequela of allergic, endocrine, metabolic, and nutritional diseases	102	92	105	29	27	34	73	65	71
308.4	Sequela of diseases of the blood, blood-forming organs and circulatory system	123	123	120	54	62	59	69	61	61
308.5	Sequela of diseases of the nervous system and sense organs	337	351	371	192	203	214	145	148	157
308.6	Sequela of drugs and other exogenous poisons	68	72	90	41	42	54	27	30	36
308.7	Sequela of accidents and violence	186	203	206	171	185	186	15	18	20
308.8	Sequela of other specified diseases or conditions	256	250	237	105	101	100	151	149	137
309.1	With psychopathic personality	176	172	166	107	103	103	69	69	63
648.3	Psychosis arising from pregnancy	14	5	6	—	—	—	14	5	6
688.1	Puerperal psychosis	60	77	70	—	—	—	60	77	70
309.2	Other and unspecified psychosis	2,433	2,432	2,439	1,242	1,273	1,263	1,191	1,159	1,176
	Psychoneuroses	1,466	1,531	1,596	540	495	538	926	1,036	1,058
310	<i>Anxiety reaction without mention of somatic symptoms</i>	237	233	222	103	86	96	134	147	126
311	<i>Hysterical reaction without mention of anxiety reaction</i>	122	116	107	31	28	31	91	88	76
313	<i>Obsessive-compulsive reaction</i>	68	65	72	23	18	21	45	47	51

TABLE 3. Sex and Detailed Diagnosis, 1955-57 - Continued

I.C.D. No.	Diagnosis	Both sexes			Male			Female			
		1955	1956	1957	1955	1956	1957	1955	1956	1957	
Number - Continued											
Psychoneuroses - Concluded:											
314	<i>Neurotic-depressive reaction</i>	541	591	656	193	190	208	348	401	448	
315-317	<i>Somatization reaction</i>	94	93	98	42	42	48	52	51	50	
315	Affecting circulatory system	7	7	6	-	3	2	7	4	4	
315.0	Neurocirculatory asthenia	3	5	3	-	2	-	3	3	3	
315.1	Other heart manifestations	2	-	-	-	-	2	-	-	-	
315.2	Other circulatory manifestations	2	2	3	-	1	2	2	1	1	
316	Affecting digestive system	8	13	15	4	5	8	4	8	7	
316.0	Mucous colitis	1	1	2	-	-	-	1	1	2	
316.1	Irritability of colon	1	-	2	-	-	2	1	-	-	
316.2	Gastric neurosis	2	6	1	-	1	-	2	5	1	
316.3	Other digestive manifestations	4	6	10	4	4	6	-	2	4	
317	Affecting other systems	79	73	77	38	34	38	41	39	39	
317.0	Respiratory	4	1	2	1	-	-	3	1	2	
317.1	Genito-urinary	4	4	4	3	3	2	1	1	2	
317.2	Pruritis	-	-	-	-	-	-	-	-	-	
317.3	Other cutaneous neuroses	1	2	3	-	1	1	1	1	2	
317.4	Musculoskeletal	5	1	6	4	1	5	1	-	1	
317.5	Other systems	65	65	62	30	29	30	35	36	32	
312, 318	<i>Other psychoneuroses</i>	404	433	441	148	131	134	256	302	307	
312	Phobic reaction	7	12	8	6	2	1	1	10	7	
318	Other, mixed, and unspecified types	397	421	433	142	129	133	255	292	300	
318.0	Hypochondriacal reaction	81	66	85	36	23	29	45	43	56	
318.1	Depersonalization	-	-	-	-	-	-	-	-	-	
318.2	Occupational neurosis	-	-	-	-	-	-	-	-	-	
318.3	Asthenic reaction	48	47	40	17	15	12	31	32	28	
318.4	Mixed psychoneuroses	154	185	187	46	47	47	108	138	140	
318.5	Other and unspecified psychoneurosis	114	123	121	43	44	45	71	79	76	
Disorders of character, behaviour, and intelligence											
		20,033	20,834	21,627	11,104	11,569	12,059	8,929	9,265	9,568	
320	<i>Pathological personality</i>	546	584	628	340	354	389	206	230	239	
320.0	Schizoid	82	96	79	56	58	54	26	38	25	
320.1	Paranoid	49	68	62	28	35	38	21	33	24	
320.2	Cyclothymic	11	10	14	8	5	9	3	5	5	
320.3	Inadequate	118	116	115	69	69	66	49	47	49	
320.4	Antisocial	136	153	189	88	97	115	48	56	74	
320.5	Asocial	48	38	39	27	22	23	21	16	16	
320.6	Sexual deviation	30	34	45	24	29	39	6	5	6	
320.7	Other and unspecified	72	69	85	40	39	45	32	30	40	
322	<i>Alcoholism</i>	410	423	458	335	344	373	75	79	85	
322.0	Acute	68	54	48	62	44	41	6	10	7	
322.1	Chronic	308	339	376	247	276	303	61	63	73	
322.2	Unspecified	34	30	34	26	24	29	8	6	5	
323	<i>Other drug addiction</i>	35	43	60	15	19	28	20	24	32	
325	<i>Mental deficiency</i>	17,378	17,958	18,503	9,597	9,927	10,251	7,781	8,031	8,252	
325.0	Idiocy	3,580	3,734	3,810	1,884	1,942	1,983	1,696	1,792	1,827	
325.1	Imbecility	6,606	6,770	6,945	3,664	3,757	3,864	2,942	3,013	3,081	
325.2	Moron	4,299	4,426	4,596	2,435	2,535	2,648	1,864	1,891	1,948	
325.3	Borderline intelligence	345	393	466	203	236	273	142	157	193	
325.4	Mongolism	775	854	915	407	450	490	388	404	425	
325.5	Other and unspecified types	1,773	1,781	1,771	1,004	1,007	993	769	774	778	
353	<i>Epilepsy</i>	1,331	1,445	1,561	669	740	811	662	705	750	
353.0	Petit mal	66	70	76	31	33	35	35	37	41	
353.1	Grand mal	691	698	719	327	328	337	364	370	382	
353.2	Status epilepticus	143	245	326	87	151	210	56	94	116	
353.3	Other and unspecified	431	432	440	224	228	229	207	204	211	
324	<i>Primary childhood behaviour disorders</i>	56	65	74	27	31	33	29	34	41	

TABLE 3. Sex and Detailed Diagnosis, 1955-57 - Continued

I.C.D. No.	Diagnosis	Both sexes			Male			Female		
		1955	1956	1957	1955	1956	1957	1955	1956	1957
Number—Concluded										
083.1	Disorders of character, behaviour, and intelligence—Concluded:									
	<i>Other disorders of character, behaviour, and intelligence</i>	277	316	343	121	154	174	156	162	169
321.0	Postencephalitic personality and character disorders	49	49	50	33	34	32	16	15	18
321.1	Immature personality	102	126	137	38	60	68	64	66	69
321.2	Emotional instability	39	51	54	10	17	20	29	34	34
321.3	Passive dependency	15	20	24	6	9	14	9	11	10
321.4	Aggressiveness	22	29	31	13	20	20	9	9	11
321.5	Enuresis characterizing immature personality	—	1	—	—	1	—	—	—	—
326	Other and unspecified disorders of character, behaviour, and intelligence	126	141	156	50	60	74	76	81	82
326.0	Specific learning defects	3	3	2	2	2	2	1	1	—
326.1	Stammering and stuttering of non-organic origin	—	1	—	—	1	—	—	—	—
326.2	Other speech impediments of non-organic origin	2	2	2	—	—	—	2	2	2
326.3	Acute situational maladjustment	20	28	25	9	12	14	11	16	11
326.4	Other and unspecified	101	107	127	39	45	58	62	62	69
020.0	Other conditions	450	440	470	264	262	274	186	188	198
024.0, 026.0	<i>Syphilis without psychosis</i>	36	36	42	23	23	26	13	13	16
	Congenital syphilis	1	—	1	—	—	1	1	—	—
	Other syphilis of central nervous system ...	35	36	41	23	23	25	12	13	16
793	<i>Mental observation without need for further medical care</i>	51	52	72	42	41	56	9	11	16
	<i>All other conditions</i>	363	352	356	199	188	192	164	164	164
	Diagnoses not reported	414	414	397	233	233	230	181	181	167
Ratio per 100,000 population										
	TOTAL	424.9	423.4	417.1	447.0	446.0	440.2	402.2	400.1	393.4
	Psychoses	284.2	281.0	274.2	296.3	294.3	286.9	271.7	267.4	261.2
024.1	<i>Syphilis of central nervous system with psychosis</i>	10.4	10.1	9.2	15.9	15.2	14.0	4.8	4.7	4.3
025.0	Tabes dorsalis	—	—	—	—	—	—	—	—	—
020.1, 026.1	General paralysis of insane	9.5	9.2	8.4	14.5	13.9	12.8	4.4	4.3	3.8
	Other syphilis of central nervous system ...	0.9	0.9	0.8	1.3	1.3	1.2	0.4	0.4	0.4
300	Schizophrenia	157.9	156.1	152.9	172.1	171.0	168.0	143.3	140.8	137.5
300.0	Simple	17.4	16.9	16.3	20.9	20.5	19.6	13.7	13.3	12.8
300.1	Hebephrenic	22.9	22.3	21.5	24.3	23.8	23.2	21.4	20.7	19.9
300.2	Catatonic	36.6	35.6	34.1	38.8	38.5	36.8	34.3	32.7	31.4
300.3	Paranoid	54.9	54.5	53.5	58.8	58.6	58.0	50.9	50.3	48.9
300.4	Acute schizophrenic reaction	1.7	1.9	2.1	1.9	2.0	2.1	1.6	1.8	2.1
300.5	Latent	0.4	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.5
300.6	Schizo-affective	3.1	3.3	3.4	2.4	2.6	2.7	3.7	4.0	4.1
300.7	Other and unspecified	21.0	21.3	21.5	24.6	24.6	24.9	17.3	17.8	17.9
301	Manic-depressive reaction	29.5	29.0	28.4	24.9	24.5	24.0	34.3	33.6	32.9
301.0	Manic and circular	15.2	14.8	14.2	12.8	12.6	12.0	17.6	17.1	16.4
301.1	Depressive	10.7	10.6	10.8	9.5	9.3	9.5	12.1	12.0	12.2
301.2	Other and unspecified	3.6	3.5	3.4	2.6	2.7	2.5	4.6	4.4	4.3
302	Involuntional melancholia	7.1	7.4	7.3	4.5	5.0	4.9	9.7	9.9	9.9
303	Paranoia and paranoid states	14.0	13.3	12.7	12.4	11.9	11.3	15.8	14.7	14.2
	Senium	27.9	28.3	27.4	25.4	25.7	24.6	30.5	30.9	30.2
304	<i>Senile</i>	18.1	16.1	14.9	12.7	12.5	11.3	19.7	19.8	18.6
306	With cerebral arteriosclerosis	11.8	12.2	12.5	12.7	13.2	13.3	10.8	11.2	11.6
305	<i>Presenile</i>	1.2	1.3	1.3	1.3	1.2	1.3	1.2	1.3	1.3

TABLE 3. Sex and Detailed Diagnosis, 1955-57 - Concluded

I.C.D. No.	Diagnosis	Both sexes			Male			Female		
		1955	1956	1957	1955	1956	1957	1955	1956	1957
Ratio per 100,000 population - Concluded										
307	Psychoses - Concluded:									
	<i>Alcoholic</i>	4.0	4.2	4.6	6.4	6.4	6.8	1.6	1.9	2.3
083.2, 308, 309, 648.3, 688.1	<i>Other psychoses</i>	32.1	31.4	30.4	33.5	33.3	32.1	30.6	29.5	28.6
310	Psychoneuroses	9.2	9.4	9.5	6.7	6.0	6.3	11.8	12.9	12.7
	<i>Anxiety reaction without mention of somatic symptoms</i>	1.5	1.4	1.3	1.3	1.0	1.1	1.7	1.8	1.5
311	<i>Hysterical reaction without mention of anxiety reaction</i>	0.8	0.7	0.6	0.4	0.3	0.4	1.2	1.1	0.9
313	<i>Obsessive-compulsive reaction</i>	0.4	0.4	0.4	0.3	0.2	0.2	0.6	0.6	0.6
314	<i>Neurotic-depressive reaction</i>	3.4	3.6	3.9	2.4	2.3	2.4	4.4	5.0	5.4
315, 316, 317	<i>Somatization reaction</i>	0.6	0.6	0.6	0.5	0.5	0.6	0.7	0.6	0.6
312, 318	<i>Other psychoneuroses</i>	2.5	2.7	2.6	1.8	1.6	1.6	3.3	3.8	3.7
320	Disorders of character, behaviour, and intelligence	126.1	127.7	128.3	137.9	139.9	141.1	113.9	115.2	115.2
	<i>Pathological personality</i>	3.4	3.6	3.7	4.2	4.3	4.6	2.6	2.9	2.9
322	<i>Alcoholism</i>	2.6	2.6	2.7	4.2	4.2	4.4	1.0	1.0	1.0
323	<i>Other drug addiction</i>	0.2	0.3	0.4	0.2	0.2	0.3	0.3	0.3	0.4
325	<i>Mental deficiency</i>	109.4	110.1	109.8	119.2	120.0	119.9	99.3	99.9	99.3
325.0	<i>Idiocy</i>	22.5	22.9	22.6	23.4	23.5	23.2	21.6	22.3	22.0
325.1	<i>Imbecility</i>	41.6	41.5	41.2	45.5	45.4	45.2	37.6	37.5	37.1
325.2	<i>Moron</i>	27.0	27.1	27.3	30.2	30.6	31.0	23.8	23.5	23.4
325.3	<i>Borderline intelligence</i>	2.2	2.4	2.8	2.5	2.9	3.2	1.8	2.0	2.3
325.4	<i>Mongolism</i>	4.9	5.2	5.4	5.1	5.4	5.7	4.7	5.0	5.1
325.5	<i>Other and unspecified</i>	11.2	10.9	10.5	12.5	12.2	11.6	9.8	9.6	9.4
353	Epilepsy	8.4	8.9	9.3	8.3	8.9	9.5	8.4	8.8	9.0
353.0	<i>Petit mal</i>	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.5
353.1	<i>Grand mal</i>	4.4	4.3	4.3	4.1	4.0	3.9	4.6	4.6	4.6
353.2	<i>Status epilepticus</i>	0.9	1.5	1.9	1.1	1.8	2.5	0.7	1.2	1.4
353.3	<i>Other and unspecified</i>	2.7	2.6	2.6	2.8	2.8	2.7	2.6	2.5	2.5
324	Primary childhood behaviour disorders	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.5
083.1	Other disorders of character, behaviour, and intelligence	1.7	1.9	2.0	1.5	1.9	2.0	2.0	2.0	2.0
	<i>Postencephalic personality and character disorders</i>	0.3	0.3	0.3	0.4	0.4	0.4	0.2	0.2	0.2
321	<i>Immature personality</i>	0.6	0.8	0.8	0.5	0.7	0.8	0.8	0.8	0.8
326	Other and unspecified disorders of character, behaviour, and intelligence	0.8	0.9	0.9	0.6	0.7	0.9	1.0	1.0	1.0
	Other conditions	2.8	2.7	2.8	3.3	3.0	3.2	2.4	2.3	2.4
	<i>Syphilis without psychosis</i>	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2
793	<i>Mental observation without need for further medical care</i>	0.3	0.3	0.4	0.5	0.5	0.7	...	0.1	0.2
	<i>All other conditions</i>	2.3	2.2	2.1	2.5	2.3	2.2	2.1	2.0	2.0
	<i>Diagnoses not reported</i>	2.6	2.5	2.4	2.9	2.8	2.7	2.3	2.3	2.0

TABLE 4. Sex and Diagnostic Class, Ratio Per 100,000 Population for Each Age Group, 1955-57

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
BOTH SEXES	1955	425	55	217	340	476	656	839	943	966	1,259	1,467
	1956	423	56	222	338	472	642	839	950	981	1,345	1,600
	1957	417	52	225	336	464	624	832	953	982	1,337	1,652
Psychoses	1955	284	--	16	154	316	495	685	808	876	1,184	1,398
	1956	281	--	17	150	312	479	681	809	886	1,269	1,519
	1957	274	--	18	144	304	465	669	810	886	1,244	1,537
Syphilis of central nervous system with psychosis.	1955	10	--	--	1	3	18	48	44	22	6	...
	1956	10	--	--	1	3	15	47	47	22	7	...
	1957	9	--	--	1	2	12	43	48	21	7	...
Schizophrenia	1955	158	--	10	118	236	323	368	370	270	173	164
	1956	156	--	12	117	235	314	368	368	274	185	161
	1957	153	--	13	113	229	307	365	372	275	194	152
Manic-depressive reaction.....	1955	30	--	1	11	25	49	82	106	101	76	...
	1956	29	--	1	10	25	49	80	106	99	91	...
	1957	28	--	1	10	26	48	78	104	101	87	...
Involutional melancholia	1955	7	--	--	--	--	7	28	42	29	15	...
	1956	7	--	--	--	--	7	27	46	32	20	...
	1957	7	--	--	--	--	6	27	46	34	22	...
Paranoia and paranoid states	1955	14	--	--	1	6	21	48	62	53	53	...
	1956	13	--	--	1	5	19	46	62	52	51	...
	1957	13	--	--	1	5	19	43	58	56	47	...
Senile and cerebral arteriosclerosis	1955	28	--	--	--	--	1	10	76	339	823	1,157
	1956	28	--	--	--	--	1	8	74	341	873	1,252
	1957	27	--	--	--	--	1	8	71	333	844	1,274
Alcoholic	1955	4	--	--	1	2	6	16	18	10
	1956	4	--	--	1	3	6	16	19	13
	1957	5	--	--	--	3	7	18	20	14
Other and unspecified psychoses	1955	33	--	4	21	43	70	85	89	51	34	...
	1956	33	--	4	21	41	66	89	88	55	37	...
	1957	32	--	3	20	38	64	88	90	54	37	...
Psychoneuroses	1955	9	--	1	8	14	17	22	23	12	13	...
	1956	9	--	1	7	14	18	23	25	14	11	...
	1957	9	--	1	8	13	17	23	24	17	14	...
Anxiety reaction	1955	1	--	--	2	2	3	3	3	2
	1956	1	--	--	1	2	3	2	3	2
	1957	1	--	--	2	2	3	3	2	2
Hysterical reaction	1955	1	--	--	1	2	1	2	1	1
	1956	1	--	--	1	1	1	1	1	1
	1957	1	--	--	1	1	1	2	1	1
Neurotic-depressive reaction	1955	3	--	--	3	5	6	7	10	5	6	...
	1956	4	--	--	3	6	6	8	11	7
	1957	4	--	1	3	6	6	9	10	10	7	...
Other and unspecified psychoneuroses	1955	4	--	--	2	5	8	10	9	5
	1956	4	--	--	2	4	8	11	10	3
	1957	4	--	--	3	4	7	10	11	5
Disorders of character, behaviour, and intelligence	1955	126	54	198	175	140	137	122	100	65	37	...
	1956	128	54	201	177	142	138	123	105	65	36	...
	1957	128	51	203	180	143	136	129	107	64	43	61
Pathological personality	1955	3	--	2	7	5	5	5	4	3
	1956	4	--	2	6	6	6	5	4	3
	1957	4	--	3	7	6	6	5	4	3	1	...
Alcoholism	1955	3	--	--	1	4	6	8	6	4
	1956	3	--	--	1	4	6	7	6	5
	1957	3	--	--	1	4	6	8	6	4
Other drug addiction	1955	--	--	--	--	--	1
	1956	--	--	--	--	--	1	1
	1957	--	--	--	--	--	1	1	1
Mental deficiency	1955	109	52	185	151	115	111	96	82	52	31	...
	1956	110	51	187	153	115	111	98	85	51	31	...
	1957	110	47	187	156	115	108	101	85	50	35	...
Epilepsy	1955	8	1	7	14	14	11	12	7	4
	1956	9	3	8	13	13	12	11	9	4
	1957	9	3	9	14	13	12	11	9	4
Primary childhood behaviour disorders	1955	--	--	2	--	--	--	--
	1956	--	--	2	--	--	--	--
	1957	--	--	2	--	--	--	--
Other and unspecified disorders of character, behaviour, and intelligence	1955	2	--	2	3	3	2	2	2
	1956	2	--	2	3	3	3	3	2	2
	1957	2	--	2	3	3	3	3	2	2
Non-psychiatric conditions	1955	3	1	2	2	2	3	4	6	9	20	...
	1956	3	1	2	2	1	3	4	5	10	23	...
	1957	3	1	2	2	2	2	4	5	9	28	...
Diagnoses not reported	1955	3	--	--	2	4	5	7	6	5	6	...
	1956	3	--	--	2	3	5	7	6	5	6	...
	1957	2	--	--	2	3	4	7	6	5	8	...

TABLE 4. Sex and Diagnostic Class, Ratio Per 100,000 Population for Each Age Group, 1955-57 - Continued

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
Male	1955 447	64	245	393	484	670	872	958	957	1,133	1,468
1956 446	62	253	390	509	652	873	974	980	1,190	1,664	
1957 440	58	257	384	506	647	862	981	968	1,214	1,538	
Psychoses	1955 296	...	16	186	328	511	711	823	864	1,065	1,371
1956 294	...	19	182	344	497	713	833	882	1,125	1,568	
1957 287	...	20	173	337	487	699	838	872	1,124	1,366	
Syphilis of central nervous system with psychosis.	1955 16	-	...	1	3	24	74	71	38
1956 15	-	...	1	3	21	71	75	38	
1957 14	-	...	1	2	17	64	77	36	...	-	
Schizophrenia	1955 172	...	12	147	251	343	395	379	278	160	242
1956 171	...	14	146	264	336	398	382	281	174	240	
1957 168	...	16	141	261	332	391	387	284	180	220	
Manic-depressive reaction	1955 25	...	1	11	18	42	68	89	87	75	...
1956 25	-	1	10	21	40	66	90	86	82	...	
1957 24	-	1	8	21	41	69	87	86	77	...	
Involutional melancholia	1955 5	-	-	3	15	29	24
1956 5	-	-	-	3	17	33	27	15	...
1957 5	-	-	-	2	15	34	30	21	...
Paranoia and paranoid states.....	1955 12	-	...	1	6	18	42	54	43	59	...
1956 12	-	...	1	6	17	41	54	44	47	...	
1957 11	-	...	6	16	39	52	43	51	43	...	
Senile and cerebral arteriosclerosis	1955 25	-	-	-	-	2	9	80	321	707	1,016
1956 26	-	-	-	-	-	2	8	80	323	744	1,184
1957 25	-	-	-	-	-	1	8	78	311	732	1,036
Alcoholic	1955 6	-	-	1	3	8	24	31	17
1956 6	-	-	1	4	8	24	29	22	...	-	
1957 7	-	-	...	4	10	25	33	24	
Other and unspecified psychoses	1955 35	...	3	24	46	71	84	90	55	38	...
1956 34	...	4	23	46	70	87	89	60	43	...	
1957 33	...	3	22	43	68	88	91	58	42	-	
Psychoneuroses	1955 7	-	1	5	9	12	18	17	11
1956 6	-	1	4	8	9	16	17	14	...	-	
1957 6	-	1	5	8	12	16	14	13	12	-	
Anxiety reaction.....	1955 1	-	...	1	2	2	3	-
1956 1	-	...	1	2	2	2	
1957 1	-	...	2	2	2	2	
Hysterical reaction	1955 --	-	-	-	-
1956 --	-	-	-	-	-	-
1957 --	-	-	-	-	-
Neurotic-depressive reaction	1955 2	-	...	1	3	4	6	9	5
1956 2	-	...	2	3	3	7	9	8	
1957 2	-	...	2	2	4	6	7	8	
Other and unspecified psychoneuroses..	1955 3	-	...	2	4	5	7	6	3	...	-
1956 2	-	...	1	3	4	7	6	4	...	-	
1957 2	-	...	1	3	5	6	6	4	...	-	
Disorders of character, behaviour, and intelligence.....	1955 138	62	225	197	141	138	131	106	67	39	...
1956 140	61	231	199	152	137	130	113	70	36	...	
1957 141	56	233	201	155	140	134	118	69	46	...	
Pathological personality	1955 4	-	2	7	6	6	5	4	...	-	
1956 4	...	3	7	6	8	6	5	4	...		
1957 5	...	3	8	8	7	6	5	4	...		
Alcoholism	1955 4	-	...	1	5	10	12	10	7	...	-
1956 4	-	...	2	7	9	10	10	8	...	-	
1957 4	-	...	1	7	10	12	10	7	...	-	
Other drug addiction	1955 --	-	-	-	-	...	-
1956 --	-	-	-	-	...	
1957 --	-	-	2	-	...	
Mental deficiency	1955 119	60	213	171	115	107	98	82	50	29	...
1956 120	58	217	171	123	106	99	85	52	28	...	
1957 120	52	216	173	125	108	100	88	52	36	...	
Epilepsy	1955 8	1	7	14	13	11	12	8	5
1956 9	3	8	15	12	10	12	10	5	
1957 9	4	9	15	12	11	12	12	5	
Primary childhood behaviour disorders..	1955 --	-	2	-	-	-	-
1956 --	-	2	-	-	-	
1957 --	-	2	-	-	-	
Other and unspecified disorders of character, behaviour, and intelligence	1955 2	...	1	3	2	3	1	-
1956 2	...	1	4	2	3	3	2	2	
1957 2	...	3	3	3	3	3	2	2	
Non-psychiatric conditions	1955 3	1	2	2	2	3	6	8	11	13	...
1956 3	1	2	2	2	3	6	6	11	15	...	
1957 3	1	2	2	2	3	5	6	10	25	...	
Diagnoses not reported.....	1955 3	-	...	3	4	7	7	4	4	...	-
1956 3	-	...	3	4	6	8	5	5	3	...	
1957 3	-	...	2	4	5	8	5	5	3	...	

TABLE 4. Sex and Diagnostic Class, Ratio Per 100,000 Population for Each Age Group, 1955-57 - Concluded

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
Female	402	47	189	287	443	603	805	926	975	1,369	1,457
1956	400	49	189	285	436	631	803	926	982	1,481	1,559
1957	393	46	192	287	423	600	800	924	997	1,445	1,723
Psychoses	272	...	15	121	288	449	657	792	888	1,288	1,405
1955	267	...	15	117	281	460	648	785	893	1,395	1,488
1957	261	...	15	114	271	441	638	782	903	1,349	1,643
Syphilis of central nervous system with psychosis	5	2	10	21	17	5	...	-	-
1955	5	3	9	22	18	6	...	-	-
1957	4	-	...	2	7	20	17	6	...	-	-
Schizophrenia	143	...	8	90	208	283	339	361	263	184	114
1955	141	...	10	88	207	291	337	354	266	195	111
1957	137	...	10	83	198	282	337	360	266	206	110
Manic-depressive reaction.....	34	...	1	11	32	54	97	124	116	77	...
1955	34	...	1	10	29	59	94	123	112	99	...
1957	33	-	1	11	31	55	88	122	116	96	...
Involutional melancholia	10	-	-	-	...	10	41	55	33	21	-
1956	10	-	-	-	...	12	38	59	36	25	-
1957	10	-	10	40	59	37	23	-	-
Paranoia and paranoid states	16	-	7	23	54	70	64	48	...
1955	15	-	5	22	52	70	61	55	...
1957	14	-	4	22	47	64	70	44	...
Senile and cerebral arteriosclerosis	30	-	-	-	-	...	10	72	357	924	1,249
1955	31	-	-	-	-	...	8	67	359	986	1,296
1957	30	-	-	-	-	...	8	64	354	942	1,424
Alcoholic	2	-	-	-	...	1	3	7	5	...	-
1955	2	-	-	-	...	2	4	8	8	...	-
1957	2	-	-	1	...	2	4	10	8	4	-
Other and unspecified psychoses	32	...	5	19	37	65	87	87	46	30	...
1955	31	...	4	18	36	62	90	87	49	31	...
1957	30	...	4	18	34	60	88	90	49	32	...
Psychoneuroses.....	12	-	2	10	18	22	26	29	13	15	-
1955	13	-	2	11	19	26	29	33	15	15	-
1957	13	-	2	12	18	22	31	35	21	16	-
Anxiety reaction.....	2	-	...	2	3	3	3	4	-
1955	2	-	...	2	3	4	3	4	-
1957	2	-	...	2	3	3	3	3	-
Hysterical reaction	1	-	...	1	2	2	2	2	-
1955	1	-	1	2	2	2	2	2	-
1956	1	-	1	1	1	2	2	2	-
1957	1	-	1	1	1	2	2	2	-
Neurotic-depressive reaction	4	-	...	5	8	8	7	12	5	...	-
1955	5	-	...	4	9	9	10	13	7	...	-
1957	5	-	...	5	9	8	11	14	11	...	-
Other and unspecified psychoneuroses	5	-	...	2	6	10	13	12	6	...	-
1955	5	-	3	6	11	15	14	14	5	...	-
1957	5	-	4	5	9	14	16	16	7	...	-
Disorders of character, behaviour, and intelligence.....	114	45	170	153	133	127	114	94	62	35	...
1955	115	47	170	155	132	140	116	96	59	37	...
1956	115	45	172	159	131	132	123	97	59	41	...
Pathological personality	3	-	2	5	4	3	3	2	...	-	-
1955	3	-	2	5	5	4	3	2	...	-	-
1957	3	-	2	6	5	4	3	3	...	-	-
Alcoholism	1	-	-	...	2	2	2	2	...	-	-
1955	1	-	-	...	2	3	3	2	...	-	-
1956	1	-	-	...	2	3	3	2	...	-	-
1957	1	-	-	...	2	3	3	2	...	-	-
Other drug addiction	--	-	-	-	...	1	-
1955	--	-	-	-	...	1	-
1956	--	-	-	-	...	1	-
1957	--	-	-	-	...	1	-
Mental deficiency	99	44	156	131	109	107	94	82	53	33	...
1955	100	45	155	134	107	115	96	82	50	34	...
1957	99	42	156	138	106	109	102	82	48	33	...
Epilepsy	8	1	8	13	14	12	11	6	...	-	-
1955	9	2	8	12	14	13	11	8	...	-	-
1956	9	2	10	13	14	13	11	7	4	...	-
1957	9	2	10	13	14	13	11	7	4	...	-
Primary childhood behaviour disorders	--	...	2	-	-	-	-
1955	--	...	2	-	-	-	-
1956	--	...	2	-	-	-	-
1957	--	...	2	-	-	-	-
Other and unspecified disorders of character, behaviour, and intelligence	2	-	3	3	3	3	3	3	-
1955	2	-	2	3	3	3	3	3	-
1956	2	-	2	3	3	3	3	3	-
1957	2	-	2	3	3	3	3	3	-
Non-psychiatric conditions	2	1	3	1	1	2	3	4	6	27	...
1955	2	1	3	1	1	2	3	4	8	28	...
1956	2	1	3	1	1	2	3	5	8	31	...
1957	2	1	3	1	1	2	3	6	6	6	...
Diagnoses not reported.....	2	-	...	1	3	3	3	7	8	6	-
1955	2	-	...	1	3	3	3	7	7	6	-
1956	2	-	...	1	3	3	3	6	7	6	-
1957	2	-	...	1	3	3	3	6	6	6	-

TABLE 5. Sex and Diagnostic Class, Percentage Distribution by Age, 1955-57

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
BOTH SEXES											
1955	100.0	3.1	8.2	11.7	16.3	18.3	16.8	13.8	8.5	3.0	0.3
1956	100.0	3.1	8.6	11.5	16.1	18.0	16.8	13.7	8.6	3.3	0.4
1957	100.0	3.0	9.0	11.5	16.0	17.7	16.8	13.6	8.7	3.3	0.4
Psychoses											
1955	100.0	--	0.9	7.9	16.1	20.6	20.5	17.6	11.5	4.3	0.5
1956	100.0	--	1.0	7.7	16.1	20.2	20.5	17.5	11.8	4.6	0.5
1957	100.0	--	1.1	7.5	15.9	20.0	20.6	17.6	12.0	4.7	0.5
Syphilis of central nervous system with psychosis.											
1955	100.0	0.1	0.4	1.1	3.8	20.1	39.6	26.5	7.6	0.6	0.1
1956	100.0	0.1	0.4	1.3	3.9	17.4	39.5	28.3	8.3	0.7	0.1
1957	100.0	--	0.5	1.2	3.3	15.5	39.3	30.8	8.5	0.8	--
Schizophrenia											
1955	100.0	--	1.1	11.0	21.7	24.2	19.9	14.6	6.4	1.1	0.1
1956	100.0	--	1.3	10.8	21.8	23.9	20.0	14.3	6.5	1.2	0.1
1957	100.0	--	1.4	10.5	21.5	23.8	20.1	14.5	6.7	1.3	0.1
Manic-depressive reaction											
1955	100.0	0.1	0.6	5.6	12.5	19.8	23.7	22.3	12.8	2.6	0.1
1956	100.0	--	0.6	4.9	12.6	20.2	23.3	22.3	12.7	3.2	0.1
1957	100.0	--	0.5	4.8	13.0	20.0	23.3	21.9	13.2	3.2	0.2
Involutional melancholia											
1955	100.0	--	--	0.3	0.5	11.6	33.5	36.7	15.1	2.2	0.1
1956	100.0	--	--	0.1	0.7	11.7	30.8	37.6	16.0	2.8	0.2
1957	100.0	--	--	0.2	0.6	9.8	31.4	37.7	17.0	3.1	0.2
Paranoia and paranoid states											
1955	100.0	--	0.1	0.8	6.7	17.7	29.1	27.3	14.2	3.9	0.1
1956	100.0	--	--	0.7	5.5	17.1	29.5	28.3	14.6	4.0	0.2
1957	100.0	--	--	0.6	5.8	17.3	28.4	27.3	16.5	3.8	0.2
Senile and cerebral arteriosclerosis											
1955	100.0	--	--	--	--	0.6	2.9	16.8	45.3	30.3	4.1
1956	100.0	--	--	--	--	0.5	2.4	15.9	45.0	31.8	4.4
1957	100.0	--	--	--	--	0.5	2.5	15.5	45.2	31.9	4.5
Alcoholic											
1955	100.0	--	--	3.0	8.2	17.1	33.0	28.3	9.5	0.8	0.2
1956	100.0	--	--	2.2	8.7	17.5	32.5	27.0	11.1	1.0	--
1957	100.0	--	--	1.4	8.9	18.0	33.2	25.8	11.4	1.2	0.1
Other and unspecified psychoses											
1955	100.0	0.1	1.9	9.4	18.7	24.8	21.8	16.6	5.7	1.0	--
1956	100.0	--	1.9	9.1	18.0	24.0	23.0	16.4	6.3	1.2	--
1957	100.0	0.1	1.8	8.9	17.3	24.0	23.3	17.0	6.3	1.2	--
Psychoneuroses											
1955	100.0	--	2.0	11.9	22.2	22.2	20.1	15.3	4.8	1.4	0.1
1956	100.0	--	2.1	11.2	21.0	22.1	20.5	16.1	5.7	1.2	--
1957	100.0	--	2.5	12.6	19.5	21.2	20.6	15.3	6.7	1.6	--
Anxiety reaction											
1955	100.0	--	3.8	15.2	24.1	20.3	19.0	10.5	5.9	1.3	--
1956	100.0	--	3.4	15.1	25.0	24.1	12.5	12.5	6.5	0.9	--
1957	100.0	--	1.8	18.6	24.4	23.1	16.3	9.5	4.5	1.8	--
Hysterical reaction											
1955	100.0	--	6.6	18.0	29.5	19.7	17.2	8.2	--	0.6	--
1956	100.0	--	6.0	18.1	24.1	23.3	15.5	12.1	--	0.9	--
1957	100.0	--	11.2	15.9	20.6	17.8	22.4	10.3	0.9	0.9	--
Neurotic-depressive reaction											
1955	100.0	--	1.1	12.8	22.6	19.8	17.2	19.0	5.5	1.8	0.2
1956	100.0	--	1.9	10.4	22.6	18.5	19.2	18.4	7.7	1.4	--
1957	100.0	--	2.5	11.9	21.1	18.7	18.5	15.8	9.5	2.0	--
Other and unspecified psychoneuroses											
1955	100.0	--	1.1	8.5	19.6	25.8	23.9	15.2	4.8	1.2	--
1956	100.0	--	1.0	9.2	17.1	24.7	25.9	16.1	4.6	1.4	--
1957	100.0	--	1.3	10.5	15.7	23.9	23.9	17.9	5.6	1.1	--
Disorders of character, behaviour, and intelligence											
1955	100.0	10.0	25.3	20.3	16.2	12.8	8.3	4.9	1.9	0.3	--
1956	100.0	10.0	25.7	20.0	16.0	12.8	8.2	5.0	1.9	0.3	--
1957	100.0	9.4	26.4	20.0	16.0	12.6	8.5	5.0	1.9	0.3	--
Pathological personality											
1955	100.0	--	10.6	28.6	22.6	16.1	11.6	6.4	3.7	0.4	--
1956	100.0	0.2	10.5	25.4	24.1	19.4	11.0	6.0	3.3	0.2	--
1957	100.0	0.2	12.6	25.3	23.9	18.3	10.4	6.2	3.0	0.2	--
Alcoholism											
1955	100.0	--	0.2	4.9	19.8	29.0	24.9	14.4	6.3	0.5	--
1956	100.0	--	0.5	5.4	24.3	27.4	21.5	13.9	6.6	0.2	--
1957	100.0	--	0.4	4.4	22.6	27.6	24.3	13.6	5.7	1.3	--
Other drug addiction											
1955	100.0	--	--	5.7	20.0	37.1	22.9	5.7	5.7	2.9	--
1956	100.0	--	--	2.3	14.0	41.9	18.6	14.0	7.0	2.3	--
1957	100.0	--	1.7	1.7	21.7	25.0	30.0	13.3	5.0	1.7	--
Mental deficiency											
1955	100.0	11.2	27.2	20.1	15.3	12.0	7.5	4.6	1.8	0.3	--
1956	100.0	11.0	27.7	20.0	15.1	11.9	7.5	4.6	1.7	0.3	--
1957	100.0	10.2	26.4	20.2	15.1	11.7	7.8	4.6	1.7	0.3	0.1
Epilepsy											
1955	100.0	3.8	13.9	23.6	23.6	16.2	11.7	5.2	1.7	0.2	0.1
1956	100.0	6.9	15.2	21.9	21.6	15.6	10.7	6.2	1.7	0.1	0.1
1957	100.0	7.9	16.6	21.2	20.7	15.3	10.4	6.0	1.7	0.1	0.1
Primary childhood behaviour disorders											
1955	100.0	1.8	80.4	8.9	3.6	3.6	1.8	--	--	--	--
1956	100.0	3.1	83.1	7.7	3.1	1.5	--	1.5	--	--	--
1957	100.0	9.5	75.7	8.1	4.1	--	1.4	1.4	--	--	--
Other and unspecified disorders of character, behaviour, and intelligence											
1955	100.0	1.1	16.6	23.1	21.3	18.8	10.5	5.4	2.5	0.7	--
1956	100.0	0.6	14.9	25.6	19.0	19.0	12.3	4.7	2.5	1.3	--
1957	100.0	0.3	17.2	21.9	21.9	17.5	10.5	5.5	3.5	1.7	--
Non-psychiatric conditions											
1955	100.0	10.3	13.2	9.6	9.8	11.4	12.5	13.2	11.4	7.4	1.1
1956	100.0	9.8	13.9	9.4	6.6	11.6	13.9	11.6	13.2	8.7	1.1
1957	100.0	9.4	15.0	9.9	8.6	9.6	12.0	11.3	11.8	10.5	1.9

TABLE 5. Sex and Diagnostic Class, Percentage Distribution by Age, 1955-57 - Continued

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
Male	1955	100.0	3.4	8.8	12.7	16.2	18.0	16.9	13.4	7.9	2.4	0.3
	1956	100.0	3.3	9.3	12.6	16.2	17.5	16.9	13.3	8.1	2.5	0.3
	1957	100.0	3.1	9.8	12.4	16.2	17.5	16.8	13.2	8.0	2.6	0.3
Psychoses	1955	100.0	--	0.9	9.1	16.6	20.7	20.8	17.3	10.8	3.4	0.4
	1956	100.0	--	1.1	8.9	16.6	20.2	20.9	17.2	11.0	3.6	0.4
	1957	100.0	--	1.2	8.6	16.6	20.2	20.9	17.3	11.1	3.7	0.4
Syphilis of central nervous system with psychosis.	1955	100.0	--	0.2	0.9	2.7	18.4	40.3	27.9	8.9	0.5	0.1
	1956	100.0	--	0.3	1.0	2.6	16.1	40.0	29.9	9.2	0.6	0.1
	1957	100.0	--	0.3	1.0	2.1	14.5	39.3	32.8	9.3	0.7	--
Schizophrenia	1955	100.0	--	1.1	12.4	21.9	24.0	19.9	13.8	6.0	0.9	0.1
	1956	100.0	--	1.3	12.3	22.0	23.6	20.1	13.6	6.1	1.0	0.1
	1957	100.0	--	1.6	12.0	22.0	23.5	20.0	13.6	6.2	1.0	0.1
Manic-depressive reaction	1955	100.0	--	0.5	6.5	10.9	20.2	23.7	22.3	12.9	2.8	0.1
	1956	100.0	--	0.7	5.6	12.3	19.6	23.3	22.2	12.9	3.2	0.1
	1957	100.0	--	0.6	4.8	12.1	20.3	24.6	21.4	13.1	3.0	0.1
Involutional melancholia	1955	100.0	--	--	0.8	0.3	7.7	29.3	40.0	19.7	1.9	0.3
	1956	100.0	--	--	0.2	0.7	6.0	29.0	40.3	20.0	2.9	0.7
	1957	100.0	--	--	0.2	0.7	5.3	26.4	40.5	22.3	4.1	0.5
Paranoia and paranoid states	1955	100.0	--	0.1	1.5	7.2	17.1	29.4	27.2	12.8	4.5	0.1
	1956	100.0	--	--	1.3	6.7	17.1	29.8	27.6	13.5	3.8	0.2
	1957	100.0	--	--	0.6	7.5	16.5	29.7	27.3	14.0	4.2	0.2
Senile and cerebral arteriosclerosis.....	1955	100.0	--	--	--	--	1.0	3.2	19.5	46.8	26.4	3.1
	1956	100.0	--	--	--	--	0.8	2.8	19.0	46.4	27.5	3.5
	1957	100.0	--	--	--	--	0.7	3.0	18.8	46.1	28.3	3.1
Alcoholic	1955	100.0	--	--	3.1	7.9	15.3	32.2	30.2	10.1	1.0	0.2
	1956	100.0	--	--	2.6	8.7	15.4	31.8	27.5	12.6	1.3	--
	1957	100.0	--	--	1.5	8.1	16.8	31.7	27.4	12.7	1.5	0.2
Other and unspecified psychoses	1955	100.0	0.1	1.5	10.0	20.0	24.4	20.9	16.2	5.9	1.0	--
	1956	100.0	--	1.7	9.6	19.0	24.4	21.9	15.8	6.5	1.2	--
	1957	100.0	0.2	1.6	9.4	18.1	24.4	22.6	16.2	6.4	1.2	--
Psychoneuroses.....	1955	100.0	--	1.9	10.2	20.7	20.7	23.1	15.7	5.9	1.5	0.2
	1956	100.0	--	2.0	9.6	18.7	18.5	23.8	17.5	8.7	1.2	--
	1957	100.0	--	3.0	11.9	18.1	22.4	21.6	13.2	7.8	1.9	--
Anxiety reaction	1955	100.0	--	3.9	12.6	25.2	20.4	21.4	8.7	6.8	1.0	--
	1956	100.0	--	5.9	18.8	23.5	17.6	14.1	10.6	8.2	1.2	--
	1957	100.0	--	2.1	24.2	24.2	22.1	17.9	4.2	3.2	2.1	--
Hysterical reaction	1955	100.0	--	3.2	22.6	29.0	19.4	22.6	3.2	--	--	--
	1956	100.0	--	--	17.9	25.0	21.4	25.0	10.7	--	--	--
	1957	100.0	--	12.9	16.1	29.0	12.9	22.6	6.5	--	--	--
Neurotic-depressive reaction.....	1955	100.0	--	2.1	7.8	16.1	17.6	22.8	23.3	7.8	2.1	0.5
	1956	100.0	--	1.1	4.8	16.4	15.3	24.9	24.3	12.2	1.1	--
	1957	100.0	--	3.4	9.6	14.4	19.2	21.6	16.3	12.5	2.9	--
Other and unspecified psychoneuroses..	1955	100.0	--	0.5	9.4	21.6	23.9	24.4	14.1	4.7	1.4	--
	1956	100.0	--	1.6	8.9	17.9	21.6	26.8	14.7	6.8	1.6	--
	1957	100.0	--	1.5	7.9	17.3	27.2	23.3	15.3	6.4	1.0	--
Disorders of character, behaviour, and intelligence.	1955	100.0	10.6	26.3	20.7	15.3	12.0	8.2	4.8	1.8	0.3	--
	1956	100.0	10.3	27.1	20.4	15.4	11.7	8.0	4.9	1.8	0.2	--
	1957	100.0	9.5	27.7	20.3	15.5	11.8	8.2	4.9	1.8	0.3	--
Pathological personality	1955	100.0	--	9.1	27.4	21.5	17.1	13.6	7.1	3.5	0.6	--
	1956	100.0	0.3	10.2	24.1	21.6	21.3	12.5	6.5	3.4	--	--
	1957	100.0	0.3	11.6	24.2	24.4	19.0	11.1	6.7	2.8	--	--
Alcoholism	1955	100.0	--	0.3	5.1	18.2	28.7	26.0	14.6	6.6	0.6	--
	1956	100.0	--	0.6	5.8	23.5	26.2	21.5	15.1	7.0	0.3	--
	1957	100.0	--	0.5	4.9	21.6	27.8	24.5	14.0	5.7	1.1	--
Other drug addiction	1955	100.0	--	--	--	20.0	40.0	26.7	6.7	--	6.7	--
	1956	100.0	--	--	--	21.1	42.1	31.6	5.3	--	--	--
	1957	100.0	--	3.6	3.6	17.9	17.9	46.4	7.1	3.6	--	--
Mental deficiency	1955	100.0	11.9	28.8	20.8	14.4	10.8	7.1	4.3	1.6	0.2	--
	1956	100.0	11.4	29.7	20.5	14.6	10.6	7.1	4.3	1.6	0.2	--
	1957	100.0	10.4	30.2	20.6	14.7	10.7	7.2	4.4	1.6	0.3	--
Epilepsy	1955	100.0	4.0	13.5	23.8	22.8	15.4	12.1	5.8	2.1	0.3	0.1
	1956	100.0	7.4	15.0	23.4	19.5	13.9	11.2	7.0	2.2	0.3	0.1
	1957	100.0	9.5	15.7	22.5	18.4	14.2	10.4	7.2	2.0	0.1	0.1
Primary childhood behaviour disorders	1955	100.0	--	88.9	3.7	--	7.4	--	--	--	--	--
	1956	100.0	--	90.3	6.5	--	3.2	--	--	--	--	--
	1957	100.0	9.1	75.8	12.1	--	3.0	--	--	--	--	--
Other and unspecified disorders of character, behaviour, and intelligence.	1955	100.0	2.5	9.9	26.4	20.7	22.3	8.3	7.4	1.7	0.8	--
	1956	100.0	1.3	10.4	31.2	16.9	18.8	11.7	6.5	1.3	1.9	--
	1957	100.0	0.6	21.8	21.8	21.3	15.5	9.8	5.7	1.7	1.7	--
Non-psychiatric conditions	1955	100.0	10.3	9.9	9.9	10.7	12.2	14.9	14.9	13.0	3.8	0.4
	1956	100.0	10.0	11.2	10.0	7.2	13.6	16.8	12.4	13.6	4.8	0.4
	1957	100.0	9.2	12.9	10.7	9.6	11.0	14.7	11.0	11.4	7.4	2.2

TABLE 5. Sex and Diagnostic Class, Percentage Distribution by Age, 1955-57 - Concluded

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
Female	1955	100.0	2.7	7.6	10.5	16.3	18.6	16.7	14.2	9.1	3.8	0.4
	1956	100.0	2.9	7.7	10.3	16.0	18.5	16.7	14.1	9.3	4.1	0.5
	1957	100.0	2.8	8.1	10.4	15.7	17.9	16.9	14.1	9.6	4.1	0.5
Psychoses	1955	100.0	--	0.9	6.6	15.7	20.5	20.2	18.0	12.3	5.3	0.6
	1956	100.0	--	0.9	6.3	15.5	20.2	20.1	17.9	12.6	5.8	0.7
	1957	100.0	--	1.0	6.2	15.1	19.8	20.3	18.0	13.1	5.8	0.8
Syphilis of central nervous system with psychosis.	1955	100.0	0.3	1.1	1.6	7.4	25.7	37.0	22.0	4.2	0.8	—
	1956	100.0	0.3	0.8	2.1	8.2	21.6	38.0	23.0	5.0	1.1	—
	1957	100.0	—	1.1	1.7	2.3	18.9	39.5	24.3	5.6	1.4	—
Schizophrenia	1955	100.0	--	0.9	9.2	21.5	24.5	19.8	15.6	6.9	1.4	0.1
	1956	100.0	--	1.2	9.0	21.6	24.3	19.9	15.3	7.1	1.5	0.1
	1957	100.0	--	1.2	8.6	21.0	24.1	20.3	15.6	7.3	1.7	0.1
Manic-depressive reaction	1955	100.0	0.1	0.6	4.9	13.7	19.4	23.7	22.3	12.7	2.5	0.1
	1956	100.0	--	0.6	4.4	12.9	20.6	23.3	22.3	12.6	3.3	0.1
	1957	100.0	—	0.4	4.8	13.7	19.8	22.3	22.2	13.3	3.3	0.2
Involutional melancholia	1955	100.0	—	—	—	0.7	13.5	35.6	35.1	12.8	2.4	—
	1956	100.0	—	—	—	0.8	14.6	31.7	36.2	13.9	2.8	—
	1957	100.0	—	—	0.1	0.6	12.1	34.0	36.2	14.3	2.6	—
Paranoia and paranoid states	1955	100.0	—	0.1	0.2	6.3	18.2	28.8	27.4	15.3	3.4	0.2
	1956	100.0	—	0.1	0.3	4.6	17.1	29.2	28.8	15.5	4.1	0.3
	1957	100.0	—	0.1	0.5	4.5	18.0	27.4	27.2	18.6	3.5	0.3
Senile and cerebral arteriosclerosis ...	1955	100.0	—	—	—	—	0.2	2.7	14.5	44.0	33.6	5.0
	1956	100.0	—	—	—	—	0.2	2.1	13.2	43.8	35.5	5.2
	1957	100.0	—	—	—	—	0.3	2.1	12.7	44.4	34.9	5.7
Alcoholic	1955	100.0	—	—	2.4	9.4	24.4	36.2	20.5	7.4	—	—
	1956	100.0	—	—	0.6	9.0	24.5	34.8	25.2	5.8	—	—
	1957	100.0	—	—	1.0	11.5	21.5	37.7	20.9	7.3	—	—
Other and unspecified psychoses	1955	100.0	--	2.4	8.7	17.3	25.4	22.8	16.9	5.4	1.0	..
	1956	100.0	--	2.1	8.5	17.0	23.7	24.4	17.1	6.0	1.1	..
	1957	100.0	--	2.1	8.4	16.4	23.5	24.2	17.9	6.2	1.2	0.1
Psychoneuroses	1955	100.0	—	2.1	13.0	23.1	23.0	18.3	15.0	4.2	1.4	—
	1956	100.0	—	2.1	12.0	22.1	23.9	19.0	15.5	4.3	1.3	—
	1957	100.0	—	2.3	12.9	20.2	20.7	20.0	16.4	6.2	1.4	—
Anxiety reaction	1955	100.0	—	3.7	17.2	23.1	20.1	17.2	11.9	5.2	1.5	—
	1956	100.0	—	2.0	12.9	25.9	27.9	11.6	13.6	5.4	0.7	—
	1957	100.0	—	1.6	14.3	24.6	23.8	15.1	13.5	5.6	1.6	—
Hysterical reaction	1955	100.0	—	7.7	16.5	29.7	19.8	15.4	9.9	—	1.1	—
	1956	100.0	—	8.0	18.2	23.9	23.9	12.5	12.5	—	1.1	—
	1957	100.0	—	10.5	15.8	17.1	19.7	22.4	11.8	1.3	1.3	—
Neurotic-depressive reaction.....	1955	100.0	—	0.6	15.5	26.1	21.0	14.1	16.7	4.3	1.7	—
	1956	100.0	—	2.3	13.0	25.6	20.1	16.5	15.5	5.5	1.5	—
	1957	100.0	—	2.0	13.0	24.3	18.4	17.1	15.5	8.1	1.6	—
Other and unspecified psychoneuroses	1955	100.0	—	1.4	7.9	18.4	26.9	23.5	15.9	4.8	1.1	—
	1956	100.0	—	0.8	9.3	16.8	26.3	25.5	16.8	3.5	1.3	—
	1957	100.0	—	1.2	11.8	15.0	22.3	24.3	19.1	5.1	1.2	—
Disorders of character, behaviour, and intelligence.	1955	100.0	9.3	24.0	19.8	17.3	13.9	8.3	5.1	2.1	0.3	..
	1956	100.0	9.7	24.0	19.5	16.9	14.2	8.4	5.1	1.9	0.4	..
	1957	100.0	9.2	24.8	19.7	16.5	13.5	8.8	5.0	1.9	0.4	0.1
Pathological personality	1955	100.0	—	13.1	30.6	24.3	14.6	8.3	5.3	3.9	—	—
	1956	100.0	—	10.9	27.4	27.8	16.5	8.7	5.2	3.0	0.4	—
	1957	100.0	—	14.2	27.2	23.0	17.2	9.2	5.4	3.3	0.4	—
Alcoholism	1955	100.0	—	—	4.0	26.7	30.7	20.0	13.3	5.3	—	—
	1956	100.0	—	—	3.8	27.8	32.9	21.5	8.9	5.1	—	—
	1957	100.0	—	—	2.4	27.1	27.1	23.5	11.8	5.9	2.4	—
Other drug addiction	1955	100.0	—	—	10.0	20.0	35.0	20.0	5.0	10.0	—	—
	1956	100.0	—	—	4.2	8.3	41.7	8.3	20.8	12.5	4.2	—
	1957	100.0	—	—	—	25.0	31.3	15.6	18.8	6.3	3.1	—
Mental deficiency	1955	100.0	10.4	25.3	19.3	16.3	13.4	7.9	5.1	2.0	0.4	..
	1956	100.0	10.6	25.3	19.4	15.8	13.5	8.0	5.0	1.9	0.4	..
	1957	100.0	10.1	26.1	19.7	15.5	12.8	8.5	4.9	1.8	0.4	0.1
Epilepsy	1955	100.0	3.5	14.4	23.4	24.5	16.9	11.3	4.5	1.4	—	—
	1956	100.0	6.2	15.3	20.4	23.8	17.4	10.2	5.4	1.1	—	—
	1957	100.0	6.3	17.6	19.7	23.2	16.4	10.5	4.8	1.5	—	—
Primary childhood behaviour disorders	1955	100.0	3.4	72.4	13.8	6.9	—	3.4	—	—	—	—
	1956	100.0	5.9	76.5	8.8	5.9	—	—	2.9	—	—	—
	1957	100.0	9.8	75.6	4.9	7.3	—	—	2.4	—	—	—
Other and unspecified disorders of character, behaviour, and intelligence	1955	100.0	—	21.8	20.5	21.8	16.0	12.2	3.8	3.2	0.6	—
	1956	100.0	—	19.1	20.4	21.0	19.1	13.0	3.1	3.7	0.6	—
	1957	100.0	—	12.4	21.9	22.5	19.5	11.2	5.3	5.3	1.8	—
Non-psychiatric conditions	1955	100.0	10.3	17.8	9.2	8.6	10.3	9.2	10.8	9.2	12.4	2.2
	1956	100.0	9.6	17.6	8.5	5.9	9.0	10.1	10.6	12.8	13.8	2.1
	1957	100.0	9.7	17.9	8.7	7.2	7.7	8.2	11.8	12.3	14.9	1.5

TABLE 6. Sex and Age, Percentage Distribution by Diagnostic Class, 1955-57

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
BOTH SEXES 1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Psychoses 1955	67.3	0.8	7.2	45.4	66.9	76.0	82.2	86.3	91.1	94.4	95.3
1956	66.8	0.5	7.8	44.6	66.6	75.1	81.9	85.7	90.9	94.7	95.0
1957	66.1	0.6	7.9	43.0	65.9	74.9	81.2	85.5	90.8	93.5	93.0
Syphilis of central nervous system with psychosis. 1955	2.5	--	0.1	0.2	0.6	2.7	5.8	4.8	2.3	0.5	0.4
1956	2.4	--	0.1	0.3	0.6	2.3	5.6	5.0	2.3	0.5	0.4
1957	2.2	--	0.1	0.2	0.5	1.9	5.2	5.0	2.1	0.6	--
Schizophrenia 1955	37.4	0.4	4.8	35.0	49.9	49.6	44.2	39.6	28.1	13.8	11.2
1956	37.1	0.3	5.4	34.8	50.2	49.4	44.3	39.0	28.0	13.8	10.1
1957	36.9	0.3	5.8	33.7	49.7	49.6	44.2	39.3	28.1	14.6	9.2
Manic-depressive reaction 1955	7.0	0.1	0.5	3.4	5.4	7.6	9.9	11.3	10.6	6.1	1.7
1956	6.9	--	0.5	2.9	5.4	7.7	9.6	11.3	10.1	6.8	2.3
1957	6.8	--	0.4	2.9	5.6	7.7	9.5	11.0	10.3	6.5	3.0
Involutional melancholia 1955	1.7	--	--	--	0.1	1.1	3.3	4.5	3.0	1.2	0.4
1956	1.8	--	--	--	0.1	1.1	3.2	4.9	3.3	1.5	1.2
1957	1.8	--	--	--	0.1	1.0	3.3	4.9	3.4	1.6	0.7
Paranoia and paranoid states 1955	3.3	--	--	0.2	1.4	3.2	5.8	6.6	5.6	4.3	1.3
1956	3.2	--	--	0.2	1.1	3.0	5.6	6.6	5.4	3.8	1.9
1957	3.1	--	--	0.1	1.1	3.0	5.2	6.2	5.8	3.6	1.8
Senile and cerebral arteriosclerosis ... 1955	6.6	--	--	--	0.2	1.1	8.1	35.3	65.6	78.9	--
1956	6.7	--	--	--	0.2	1.0	7.8	35.0	65.2	78.3	--
1957	6.6	--	--	--	0.2	1.0	7.5	34.0	63.5	77.1	--
Alcoholic 1955	1.0	--	--	0.2	0.5	0.9	1.9	2.0	1.1	0.2	0.4
1956	1.0	--	--	0.2	0.5	1.0	1.9	2.0	1.3	0.3	--
1957	1.1	--	--	0.1	0.6	1.1	2.2	2.1	1.4	0.4	0.4
Other and unspecified psychoses 1955	7.9	0.1	1.8	6.3	9.1	10.7	10.2	9.5	5.3	2.7	0.9
1956	7.8	0.1	1.7	6.1	8.7	10.4	10.7	9.3	5.6	2.8	0.8
1957	7.6	0.3	1.5	5.9	8.3	10.4	10.6	9.5	5.5	2.8	0.7
Psychoneuroses 1955	2.2	--	0.5	2.2	3.0	2.7	2.6	2.4	1.2	1.0	0.4
1956	2.2	--	0.5	2.2	2.9	2.7	2.7	2.6	1.5	0.8	--
1957	2.3	--	0.6	2.5	2.8	2.7	2.8	2.6	1.8	1.1	--
Anxiety reaction 1955	0.4	--	0.2	0.5	0.5	0.4	0.4	0.3	0.2	0.1	--
1956	0.3	--	0.1	0.4	0.5	0.5	0.3	0.3	0.3	0.1	--
1957	0.3	--	0.1	0.5	0.5	0.4	0.3	0.2	0.2	0.2	--
Hysterical reaction 1955	0.2	--	0.1	0.3	0.3	0.2	0.2	0.1	--	--	--
1956	0.2	--	0.1	0.3	0.3	0.2	0.2	0.1	--	--	--
1957	0.2	--	0.2	0.2	0.2	0.2	0.2	0.1	--	--	--
Neurotic-depressive reaction 1955	0.8	--	0.1	0.9	1.1	0.9	0.8	1.1	0.5	0.5	0.4
1956	0.9	--	0.2	0.8	1.2	0.9	1.0	1.1	0.8	0.4	--
1957	0.9	--	0.3	1.0	1.2	1.0	1.0	1.1	1.0	0.6	--
Other and unspecified psychoneuroses. 1955	0.8	--	0.1	0.6	1.0	1.2	1.2	0.9	0.5	0.3	--
1956	0.9	--	0.1	0.7	0.9	1.2	1.3	1.0	0.5	0.4	--
1957	0.9	--	0.1	0.8	0.9	1.2	1.2	1.1	0.6	0.3	--
Disorders of character, behaviour, and intelligence. 1955	29.9	97.0	91.2	51.8	29.7	21.0	14.7	10.7	8.7	2.9	2.2
1956	30.3	97.5	90.7	52.7	30.2	21.7	14.8	11.1	8.6	2.7	3.1
1957	30.9	97.3	90.3	53.9	31.0	22.0	15.6	11.3	6.5	3.2	3.7
Pathological personality 1955	0.8	--	1.0	2.0	1.1	0.7	0.6	0.4	0.4	0.1	--
1956	0.9	--	1.0	1.9	1.3	0.9	0.6	0.4	0.3	--	--
1957	0.9	--	1.3	2.0	1.3	0.9	0.6	0.4	0.3	--	--
Alcoholism 1955	0.6	--	--	0.3	0.7	1.0	0.9	0.6	0.5	0.1	--
1956	0.6	--	--	0.3	0.9	0.9	0.8	0.6	0.5	--	--
1957	0.7	--	--	0.2	0.9	1.0	0.9	0.7	0.4	0.3	--
Other drug addiction 1955	0.1	--	--	--	0.1	0.1	0.1	--	--	--	--
1956	0.1	--	--	--	0.1	0.1	0.1	0.1	--	--	--
1957	0.1	--	--	--	0.1	0.1	0.2	0.1	--	--	--
Mental deficiency 1955	25.9	94.4	85.2	44.6	24.4	17.0	11.5	8.7	5.4	2.5	1.7
1956	26.2	92.7	84.2	45.4	24.6	17.4	11.7	8.9	5.2	2.3	2.7
1957	26.5	90.9	83.1	46.5	25.0	17.5	12.2	9.0	5.1	2.6	3.3
Epilepsy 1955	2.0	2.4	3.3	4.0	2.9	1.8	1.4	0.7	0.4	0.1	0.4
1956	2.1	4.6	3.7	4.0	2.8	1.8	1.4	1.0	0.4	0.1	0.4
1957	2.2	6.0	4.1	4.1	2.9	1.9	1.4	1.0	0.4	--	0.4
Primary childhood behaviour disorders 1955	0.1	--	0.8	0.1	--	--	--	--	--	--	--
1956	0.1	0.1	0.9	0.1	--	--	--	--	--	--	--
1957	0.1	0.3	0.9	0.1	--	--	--	--	--	--	--
Other and unspecified disorders of character, behaviour, and intelligence. 1955	0.4	0.1	0.8	0.8	0.5	0.4	0.3	0.2	0.1	0.1	--
1956	0.5	0.1	0.8	1.0	0.5	0.5	0.3	0.2	0.1	0.2	--
1957	0.5	--	0.9	0.9	0.7	0.5	0.3	0.2	0.2	0.3	--
Non-psychiatric conditions 1955	0.7	2.2	1.1	0.5	0.4	0.4	0.5	0.6	0.9	1.6	2.2
1956	0.6	2.0	1.0	0.5	0.3	0.4	0.5	0.5	1.0	1.7	1.9
1957	0.7	2.1	1.1	0.6	0.4	0.4	0.5	0.6	0.9	2.1	3.3

TABLE 6. Sex and Age, Percentage Distribution by Diagnostic Class, 1955-57 - Continued

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
Male											
1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Psychoses											
1955	66.7	0.7	6.8	47.7	68.2	77.0	82.1	86.3	90.6	94.4	93.4
1956	66.4	0.5	7.5	47.1	68.1	76.9	82.4	86.0	90.3	95.0	94.2
1957	65.6	0.8	7.9	45.4	67.1	75.9	81.8	85.9	90.4	93.1	88.8
Syphilis of central nervous system with psychosis.	3.6	—	0.1	0.3	0.6	3.7	8.5	7.4	4.0	0.8	1.1
1956	3.4	—	0.1	0.3	0.6	3.2	8.2	7.7	3.9	0.9	1.0
1957	3.2	—	0.1	0.3	0.4	2.6	7.5	7.9	3.7	0.8	—
Schizophrenia	38.7	0.5	5.0	37.6	52.3	51.7	45.6	39.8	29.2	14.2	16.5
1956	38.6	0.4	5.5	37.7	52.3	52.1	46.0	39.4	28.8	14.7	14.4
1957	38.4	0.3	6.2	36.9	52.0	51.7	45.8	39.6	29.5	14.9	14.3
Manic-depressive reaction	5.6	0.1	0.3	2.9	3.8	6.3	7.9	9.3	9.1	6.6	2.2
1956	5.5	—	0.4	2.5	4.2	6.2	7.7	9.3	8.8	6.9	1.9
1957	5.5	—	0.4	2.1	4.1	6.4	8.1	8.9	8.9	6.3	2.0
Involutional melancholia	1.0	—	—	0.1	—	0.4	1.8	3.1	2.5	0.8	1.1
1956	1.1	—	—	—	0.1	0.4	1.9	3.4	2.8	1.3	2.9
1957	1.1	—	—	—	—	0.3	1.8	3.4	3.1	1.7	2.0
Paranoia and paranoid states	2.8	—	—	0.3	1.2	2.7	4.8	5.6	4.5	5.2	1.1
1956	2.7	—	—	0.3	1.1	2.6	4.8	5.6	4.5	4.0	1.9
1957	2.6	—	—	0.1	1.2	2.4	4.6	5.4	4.5	4.2	2.0
Senile and cerebral arteriosclerosis	5.7	—	—	—	—	0.3	1.1	8.3	33.7	62.7	69.2
1956	5.8	—	—	—	—	0.3	1.0	8.3	33.1	62.9	71.2
1957	5.6	—	—	—	—	0.2	1.0	8.0	32.2	60.7	67.3
Alcoholic	1.4	—	—	0.4	0.7	1.2	2.8	3.3	1.8	0.6	1.1
1956	1.5	—	—	0.3	0.8	1.3	2.7	3.0	2.3	0.8	—
1957	1.6	—	—	0.2	0.8	1.5	3.0	3.3	2.5	0.9	1.0
Other and unspecified psychoses	7.8	0.2	1.3	6.1	9.6	10.6	9.7	9.5	5.8	3.4	1.1
1956	7.8	0.1	1.4	6.0	9.1	10.8	10.1	9.2	6.2	3.7	1.0
1957	7.6	0.4	1.2	5.7	8.5	10.6	10.3	9.3	6.0	3.5	—
Psychoneuroses	1.5	—	0.3	1.2	1.9	1.7	2.1	1.8	1.1	0.9	1.1
1956	1.4	—	0.3	1.0	1.6	1.4	1.9	1.8	1.4	0.6	—
1957	1.4	—	0.4	1.4	1.6	1.8	1.9	1.4	1.4	1.0	—
Anxiety reaction	0.3	—	0.1	0.3	0.4	0.3	0.4	0.2	0.2	0.1	—
1956	0.2	—	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.1	—
1957	0.3	—	0.1	0.5	0.4	0.3	0.3	0.1	0.1	0.2	—
Hysterical reaction	0.1	—	—	0.2	0.2	0.1	0.1	—	—	—	—
1956	0.1	—	—	0.1	0.1	0.1	0.1	0.1	—	—	—
1957	0.1	—	0.1	0.1	0.1	0.1	0.1	—	—	—	—
Neurotic-depressive reaction	0.5	—	0.1	0.3	0.5	0.5	0.7	0.9	0.5	0.5	1.1
1956	0.5	—	0.1	0.2	0.5	0.5	0.8	0.9	0.8	0.2	—
1957	0.6	—	0.2	0.4	0.5	0.6	0.7	0.7	0.9	0.6	—
Other and unspecified psychoneuroses	0.6	—	—	0.4	0.8	0.8	0.9	0.6	0.4	0.3	—
1956	0.5	—	0.1	0.4	0.6	0.6	0.8	0.6	0.4	0.3	—
1957	0.5	—	0.1	0.3	0.6	0.8	0.8	0.6	0.4	0.2	—
Disorders of character, behaviour, and intelligence	31.0	97.0	92.1	50.6	29.4	20.7	15.1	11.1	7.0	3.5	4.4
1956	31.6	97.5	91.4	51.4	30.0	21.2	15.1	11.6	7.1	3.0	4.8
1957	32.3	97.1	90.7	52.6	30.9	21.8	15.7	12.1	7.1	3.8	5.1
Pathological personality	1.0	—	1.0	2.0	1.3	0.9	0.8	0.5	0.4	0.2	—
1956	1.0	0.1	1.1	1.9	1.3	1.2	0.7	0.5	0.4	—	—
1957	1.0	0.1	1.2	2.0	1.6	1.1	0.7	0.5	0.4	—	—
Alcoholism	0.9	—	—	0.4	1.1	1.5	1.4	1.0	0.8	0.2	—
1956	0.9	—	0.1	0.4	1.4	1.4	1.2	1.1	0.8	0.1	—
1957	1.0	—	0.1	0.4	1.3	1.6	1.5	1.1	0.7	0.4	—
Other drug addiction	--	—	—	—	0.1	0.1	0.1	—	—	0.1	—
1956	0.1	—	—	—	0.1	0.1	0.1	—	—	—	—
1957	0.1	—	—	—	0.1	0.1	0.2	—	—	—	—
Mental deficiency	26.8	94.5	87.1	43.9	23.9	16.2	11.4	8.6	5.3	2.6	3.3
1956	27.1	92.7	85.8	44.3	24.4	16.4	11.4	8.8	5.3	2.4	3.8
1957	27.4	90.1	84.2	45.4	24.9	16.9	11.7	9.1	5.4	3.0	4.1
Epilepsy	1.9	2.2	2.8	3.5	2.6	1.6	1.3	0.8	0.5	0.2	1.1
1956	2.0	4.5	3.2	3.8	2.4	1.6	1.3	1.1	0.5	0.2	1.0
1957	2.2	6.5	3.5	3.9	2.5	1.8	1.3	1.2	0.5	0.1	1.0
Primary childhood behaviour disorders	0.1	—	0.8	--	--	--	--	--	--	--	—
1956	0.1	—	0.8	--	--	--	--	--	--	--	—
1957	0.1	0.3	0.7	0.1	--	--	--	--	--	--	—
Other and unspecified disorders of character, behaviour, and intelligence	0.3	0.2	0.4	0.7	0.4	0.4	0.2	0.2	0.1	0.1	—
1956	0.4	0.2	0.5	1.0	0.4	0.5	0.3	0.2	0.1	0.3	—
1957	0.5	0.1	1.0	0.8	0.6	0.4	0.3	0.2	0.1	0.3	—
Non-psychiatric conditions	0.7	2.2	0.8	0.6	0.5	0.5	0.6	0.8	1.2	1.2	1.1
1956	0.7	2.0	0.8	0.5	0.3	0.5	0.7	0.6	1.1	1.3	1.0
1957	0.7	2.1	1.0	0.6	0.4	0.5	0.6	0.6	1.0	2.0	6.1

TABLE 6. Sex and Age, Percentage Distribution by Diagnostic Class, 1955-57 - Concluded

Sex, diagnostic class, and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
Female	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Psychoses	68.0	0.8	7.8	42.4	65.3	74.8	82.2	86.2	91.6	94.4	96.5
1955	67.2	0.4	8.1	41.1	64.8	73.3	81.4	85.5	91.6	94.5	95.5
1956	66.7	0.4	7.9	39.8	64.5	73.8	80.4	85.2	91.1	93.8	95.4
Syphilis of central nervous system with psychosis.	1.2	0.1	0.2	0.2	0.5	1.7	2.7	1.9	0.6	0.3	-
1955	1.2	0.1	0.1	0.2	0.6	1.4	2.7	1.9	0.6	0.3	-
1956	1.1	-	0.2	0.2	0.5	1.2	2.6	1.9	0.6	0.4	-
Schizophrenia	35.8	0.4	4.4	31.4	47.2	47.1	42.5	39.3	27.1	13.5	7.8
1955	35.4	0.1	5.3	30.8	47.8	46.4	42.3	38.5	27.3	13.2	7.1
1956	35.1	0.3	5.3	29.2	47.0	47.2	42.4	39.0	26.8	14.3	6.4
Manic-depressive reaction	8.6	0.2	0.7	4.0	7.2	8.9	12.2	13.5	12.0	5.7	1.4
1955	8.4	0.1	0.6	3.6	6.8	9.4	11.8	13.4	11.5	6.7	2.6
1956	8.4	-	0.5	3.9	7.3	9.3	11.1	13.2	11.7	6.7	3.5
Involutional melancholia	2.4	-	-	-	0.1	1.7	5.1	6.0	3.4	1.5	-
1955	2.5	-	-	-	0.1	2.0	4.7	6.4	3.7	1.7	-
1956	2.5	-	-	-	0.1	1.7	5.1	6.5	3.8	1.6	-
Paranoia and paranoid states	3.9	-	--	0.1	1.5	3.9	6.8	7.6	6.6	3.6	1.4
1955	3.7	-	--	0.1	1.1	3.4	6.5	7.6	6.2	3.7	1.9
1956	3.6	-	--	0.2	1.0	3.6	5.9	7.0	7.0	3.1	1.7
Senile and cerebral arteriosclerosis	7.6	-	-	-	0.1	1.2	7.8	36.9	67.7	85.1	-
1955	7.8	-	-	-	0.1	1.0	7.3	36.8	66.8	83.1	-
1956	7.7	-	-	-	0.1	1.0	7.0	35.8	65.5	82.7	-
Alcoholic	0.4	-	-	0.1	0.2	0.5	0.9	0.6	0.3	-	-
1955	0.5	-	-	-	0.3	0.6	1.0	0.9	0.3	-	-
1956	0.6	-	-	0.1	0.4	0.7	1.3	0.9	0.5	-	-
Other and unspecified psychoses	8.0	0.1	2.5	6.6	8.5	10.8	10.9	9.5	4.7	2.2	0.7
1955	7.7	0.1	2.1	6.4	8.2	9.9	11.3	9.4	5.1	2.1	0.6
1956	7.7	0.1	2.0	6.2	8.0	10.0	11.0	9.8	5.0	2.3	1.2
Psychoneuroses	3.0	-	0.8	3.6	4.2	3.7	3.2	3.1	1.4	1.1	-
1955	3.2	-	0.9	3.8	4.5	4.2	3.7	3.6	1.5	1.0	-
1956	3.3	-	0.9	4.0	4.2	3.7	3.9	3.8	2.1	1.1	-
Anxiety reaction	0.4	-	0.2	0.7	0.6	0.5	0.4	0.4	0.2	0.2	-
1955	0.5	-	0.1	0.6	0.7	0.7	0.3	0.4	0.3	0.1	-
1956	0.4	-	0.1	0.5	0.6	0.5	0.3	0.4	0.2	0.2	-
Hysterical reaction	0.3	-	0.3	0.5	0.5	0.3	0.3	0.2	-	0.1	-
1955	0.3	-	0.3	0.5	0.4	0.4	0.2	0.2	-	0.1	-
1956	0.2	-	0.3	0.4	0.3	0.3	0.3	0.2	-	0.1	-
Neurotic-depressive reaction	1.1	-	0.1	1.6	1.8	1.3	0.9	1.3	0.5	0.5	-
1955	1.3	-	0.4	1.6	2.0	1.4	1.2	1.4	0.7	0.5	-
1956	1.4	-	0.3	1.7	2.1	1.4	1.4	1.5	1.2	0.5	-
Other and unspecified psychoneuroses	1.1	-	0.2	0.8	1.3	1.6	1.6	1.3	0.6	0.3	-
1955	1.3	-	0.1	1.1	1.3	1.8	1.9	1.5	0.5	0.4	-
1956	1.3	-	0.2	1.4	1.2	1.6	1.8	1.7	0.7	0.4	-
Disorders of character, behaviour, and intelligence.	28.5	97.0	90.0	53.5	30.2	21.2	14.2	10.2	6.4	2.5	0.7
1955	29.0	97.6	89.6	54.6	30.5	22.2	14.6	10.5	6.1	2.5	1.9
1956	29.4	97.5	89.8	55.7	31.1	22.1	15.5	10.5	6.0	2.9	2.9
Pathological personality	0.7	-	1.1	1.9	1.0	0.5	0.3	0.2	0.3	-	-
1955	0.7	-	1.0	1.9	1.3	0.6	0.4	0.3	0.2	0.1	-
1956	0.7	-	1.3	1.9	1.1	0.7	0.4	0.3	0.2	0.1	-
Alcoholism	0.2	-	-	0.1	0.4	0.4	0.3	0.2	0.1	-	-
1955	0.2	-	-	0.1	0.4	0.4	0.3	0.2	0.1	-	-
1956	0.3	-	-	0.1	0.5	0.4	0.4	0.2	0.1	-	-
Other drug addiction	0.1	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-
1955	0.1	-	-	0.1	0.2	0.2	0.1	0.1	0.1	0.1	-
Mental deficiency	24.8	94.2	82.6	45.6	24.8	17.9	11.7	8.9	5.4	2.5	0.7
1955	25.1	92.6	82.0	47.1	24.8	18.4	12.1	9.0	5.2	2.3	1.9
1956	25.4	91.8	81.6	48.2	25.2	18.2	12.8	8.9	4.9	2.3	2.9
Epilepsy	2.1	2.7	4.0	4.7	3.2	1.9	1.4	0.7	0.3	-	-
1955	2.2	4.8	4.4	4.4	3.3	2.1	1.4	0.8	0.3	-	-
1956	2.3	5.2	5.0	4.4	3.4	2.1	1.4	0.8	0.4	-	-
Primary childhood behaviour disorders	0.1	0.1	0.9	0.1	--	--	--	--	--	--	-
1955	0.1	0.2	1.0	0.1	--	--	--	--	--	--	-
1956	0.1	0.4	1.2	0.1	--	--	--	--	--	--	-
Other and unspecified disorders of character, behaviour, and intelligence	0.5	-	1.4	1.0	0.7	0.4	0.4	0.1	0.2	0.1	-
1955	0.5	-	1.3	1.0	0.7	0.5	0.4	0.1	0.2	0.1	-
1956	0.5	-	0.8	1.1	0.7	0.6	0.3	0.2	0.3	0.2	-
Non-psychiatric conditions	0.6	2.2	1.4	0.5	0.3	0.3	0.3	0.5	0.6	1.9	2.8
1955	0.6	2.0	1.3	0.5	0.2	0.3	0.4	0.4	0.8	2.0	2.6
1956	0.6	2.1	1.3	0.5	0.3	0.3	0.3	0.5	0.8	2.2	1.7

TABLE 7. Sex and Time Since Admission, by Province, 1955-57

Province and time since admission	Both sexes			Male			Female		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Numerical distribution									
CANADA:									
Total	67,525	69,066	70,311	36,006	36,890	37,624	31,519	32,176	32,687
Under 1 month	1,954	1,879	1,972	1,056	953	1,027	898	926	945
1- 4 months	3,609	3,648	3,725	1,791	1,756	1,813	1,818	1,892	1,912
4- 8 months	3,629	3,960	3,842	1,721	1,945	1,819	1,908	2,015	2,023
8-12 months	2,420	2,807	2,620	1,242	1,392	1,321	1,178	1,415	1,299
1- 2 years	5,424	5,416	5,367	2,926	2,884	2,769	2,498	2,532	2,598
2- 3 years	4,050	4,221	4,119	2,186	2,335	2,249	1,864	1,886	1,870
3- 5 years	6,891	6,894	6,704	3,703	3,757	3,806	3,188	3,137	2,898
5-10 years	11,415	11,593	12,314	6,110	6,296	6,734	5,305	5,297	5,580
10 or more years	28,133	28,648	29,648	15,271	15,572	16,086	12,862	13,076	13,562
Percentage distribution									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	2.7	2.8	2.9	2.6	2.7	2.8	2.9	2.9
1- 4 months	5.3	5.3	5.3	5.0	4.8	4.8	5.8	5.9	5.8
4- 8 months	5.4	5.7	5.5	4.8	5.3	4.8	6.1	6.3	6.2
8-12 months	3.6	4.1	3.7	3.4	3.8	3.5	3.7	4.4	4.0
1- 2 years	8.0	7.8	7.6	8.1	7.8	7.4	7.9	7.9	7.9
2- 3 years	6.0	6.1	5.9	6.1	6.3	6.0	5.9	5.9	5.7
3- 5 years	10.2	10.0	9.5	10.3	10.2	10.1	10.1	9.7	8.9
5-10 years	16.9	16.8	17.5	17.0	17.1	17.9	16.8	16.5	17.1
10 or more years	41.7	41.5	42.2	42.4	42.2	42.8	40.8	40.6	41.5
Numerical distribution									
Newfoundland:									
Total	921	951	967	525	538	558	396	413	409
Under 1 month	20	20	22	6	9	11	14	11	11
1- 4 months	60	54	51	34	27	25	26	27	26
4- 8 months	59	60	55	36	30	34	23	30	21
8-12 months	20	30	27	14	18	15	6	12	12
1- 2 years	82	74	87	54	46	50	28	28	37
2- 3 years	78	64	58	47	41	37	31	23	21
3- 5 years	105	129	116	57	78	75	48	51	41
5-10 years	116	137	162	66	77	93	50	60	69
10 or more years	381	383	389	211	212	218	170	171	171
Percentage distribution									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.2	2.1	2.3	1.1	1.7	2.0	3.5	2.7	2.7
1- 4 months	6.5	5.7	5.3	6.5	5.0	4.5	6.6	6.5	6.4
4- 8 months	6.4	6.3	5.7	6.9	5.6	6.1	5.8	7.3	5.1
8-12 months	2.2	3.2	2.8	2.7	3.3	2.7	1.5	2.9	2.9
1- 2 years	8.9	7.8	9.0	10.3	8.6	9.0	7.1	6.8	9.0
2- 3 years	8.5	6.7	6.0	9.0	7.6	6.6	7.8	5.6	5.1
3- 5 years	11.4	13.6	12.0	10.9	14.5	13.4	12.1	12.3	10.0
5-10 years	12.6	14.4	16.8	12.6	14.3	16.7	12.6	14.5	16.9
10 or more years	41.4	40.3	40.2	40.2	39.4	39.1	42.9	41.4	41.8
Numerical distribution									
Prince Edward Island:									
Total	573	572	582	291	296	300	282	276	282
Under 1 month	17	11	16	9	7	12	8	4	4
1- 4 months	45	45	38	28	29	22	17	16	16
4- 8 months	46	49	48	29	23	28	17	26	20
8-12 months	16	22	26	10	15	11	6	7	15
1- 2 years	48	50	56	18	32	29	30	18	27
2- 3 years	29	33	28	15	12	21	14	21	7
3- 5 years	51	41	45	22	22	20	29	19	25
5-10 years	86	91	86	45	43	43	41	48	43
10 or more years	235	230	239	115	113	114	120	117	125

TABLE 7. Sex and Time Since Admission, by Province, 1955-57 - Continued

Province and time since admission	Both sexes			Male			Female		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Percentage distribution									
Prince Edward Island—Concluded:									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.0	1.9	2.7	3.1	2.4	4.0	2.8	1.4	1.4
1- 4 months	7.9	7.9	6.5	9.6	9.8	7.3	6.0	5.8	5.7
4- 8 months	8.0	8.6	8.2	10.0	7.8	9.3	6.0	9.4	7.1
8-12 months	2.8	3.8	4.5	3.4	5.1	3.7	2.1	2.5	5.3
1- 2 years	8.4	8.7	9.6	6.2	10.8	9.7	10.6	6.5	9.6
2- 3 years	5.1	5.8	4.8	5.2	4.1	7.0	5.0	7.6	2.5
3- 5 years	8.9	7.2	7.7	7.6	7.4	6.7	10.3	6.9	8.9
5-10 years	15.0	15.9	14.8	15.5	14.5	14.3	14.5	17.4	15.2
10 or more years	41.0	40.2	41.1	39.5	38.2	38.0	42.6	42.4	44.3
Numerical distribution									
Nova Scotia:									
Total	744	817	842	427	437	457	317	380	385
Under 1 month	84	99	90	53	55	55	31	44	35
1- 4 months	197	236	229	106	109	122	91	127	107
4- 8 months	138	147	184	66	68	81	72	79	103
8-12 months	52	50	56	32	27	28	20	23	28
1- 2 years	82	78	84	47	47	45	35	31	39
2- 3 years	41	50	45	28	27	27	13	23	18
3- 5 years	48	51	50	27	34	38	21	17	12
5-10 years	44	48	50	25	26	22	19	22	28
10 or more years	58	58	54	43	44	39	15	14	15
Percentage distribution									
New Brunswick:									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	11.3	12.1	10.7	12.4	12.6	12.0	9.8	11.6	9.1
1- 4 months	26.5	28.9	27.2	24.8	24.9	26.7	28.7	33.4	27.8
4- 8 months	18.5	18.0	21.9	15.5	15.6	17.7	22.7	20.8	26.8
8-12 months	7.0	6.1	6.7	7.5	6.2	6.1	6.3	6.1	7.3
1- 2 years	11.0	9.5	10.0	11.0	10.8	9.8	11.0	8.2	10.1
2- 3 years	5.5	6.1	5.3	6.6	6.2	5.9	4.1	6.1	4.7
3- 5 years	6.5	6.2	5.9	6.3	7.8	8.3	6.6	4.5	3.1
5-10 years	5.9	5.9	5.9	5.9	5.9	4.8	6.0	5.8	7.3
10 or more years	7.8	7.1	6.4	10.1	10.1	8.5	4.7	3.7	3.9
Numerical distribution									
New Brunswick:									
Total	2,200	2,237	2,267	1,151	1,189	1,205	1,049	1,048	1,062
Under 1 month	66	59	.62	41	28	28	25	31	34
1- 4 months	106	101	128	49	53	64	57	48	64
4- 8 months	147	159	142	69	82	75	78	77	67
8-12 months	117	92	112	56	49	61	61	43	51
1- 2 years	329	235	219	182	131	118	147	104	101
2- 3 years	127	236	117	72	133	64	55	103	53
3- 5 years	214	228	231	116	129	139	98	99	92
5-10 years	345	347	414	174	170	211	171	177	203
10 or more years	749	780	842	392	414	445	357	366	397
Percentage distribution									
New Brunswick:									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.0	2.6	2.7	3.6	2.4	2.3	2.4	3.0	3.2
1- 4 months	4.8	4.5	5.6	4.3	4.5	5.3	5.4	4.6	6.0
4- 8 months	6.7	7.1	6.3	6.0	6.9	6.2	7.4	7.3	6.3
8-12 months	5.3	4.1	4.9	4.9	4.1	5.1	5.8	4.1	4.8
1- 2 years	15.0	10.5	9.7	15.8	11.0	9.8	14.0	9.9	9.5
2- 3 years	5.8	10.5	5.2	6.3	11.2	5.3	5.2	9.8	5.0
3- 5 years	9.7	10.2	10.2	10.1	10.8	11.5	9.3	9.4	8.7
5-10 years	15.7	15.5	18.3	15.1	14.3	17.5	16.3	16.9	19.1
10 or more years	34.0	34.9	37.1	34.1	34.8	36.9	34.0	34.9	37.4

TABLE 7. Sex and Time Since Admission, by Province, 1955-57 - Continued

Province and time since admission	Both sexes			Male			Female		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Numerical distribution									
Quebec:									
Total	19,350	20,012	20,666	10,372	10,725	11,051	8,978	9,287	9,615
Under 1 month	460	367	388	283	177	199	177	190	189
1- 4 months	902	867	786	450	426	364	452	441	422
4- 8 months	896	935	938	456	472	449	440	463	489
8-12 months	559	814	777	287	406	399	272	408	378
1- 2 years	1,408	1,637	1,525	795	900	789	613	737	736
2- 3 years	988	1,137	1,382	556	655	761	432	482	621
3- 5 years	2,055	1,951	1,852	1,143	1,079	1,079	912	872	773
5-10 years	3,563	3,528	3,855	1,957	1,978	2,145	1,606	1,550	1,710
10 or more years	8,519	8,776	9,163	4,445	4,632	4,866	4,074	4,144	4,297
Percentage distribution									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.4	1.8	1.9	2.7	1.7	1.8	2.0	2.0	2.0
1- 4 months	4.7	4.3	3.8	4.3	4.0	3.3	5.0	4.7	4.4
4- 8 months	4.6	4.7	4.5	4.4	4.4	4.1	4.9	5.0	5.1
8-12 months	2.9	4.1	3.8	2.8	3.8	3.6	3.0	4.4	3.9
1- 2 years	7.3	8.2	7.4	7.7	8.4	7.1	6.8	7.9	7.7
2- 3 years	5.1	5.7	6.7	5.4	6.1	6.9	4.8	5.2	6.5
3- 5 years	10.6	9.7	9.0	11.0	10.1	9.8	10.2	9.4	8.0
5-10 years	18.4	17.6	18.7	18.9	18.4	19.4	17.9	16.7	17.8
10 or more years	44.0	43.9	44.3	42.9	43.2	44.0	45.4	44.6	44.7
Numerical distribution									
Ontario:									
Total	24,035	24,784	25,349	12,262	12,798	13,122	11,773	11,986	12,227
Under 1 month	643	732	738	326	381	376	317	351	362
1- 4 months	1,331	1,403	1,479	612	656	684	719	747	795
4- 8 months	1,483	1,596	1,603	623	755	703	860	841	900
8-12 months	983	1,096	1,051	480	559	506	503	537	545
1- 2 years	1,927	2,032	2,126	992	1,026	1,083	935	1,006	1,043
2- 3 years	1,602	1,493	1,534	820	798	817	782	695	717
3- 5 years	2,516	2,493	2,482	1,347	1,329	1,355	1,169	1,164	1,127
5-10 years	4,013	4,193	4,300	2,103	2,237	2,351	1,910	1,956	1,949
10 or more years	9,537	9,746	10,036	4,959	5,057	5,247	4,578	4,689	4,789
Percentage distribution									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.7	3.0	2.9	2.7	3.0	2.9	2.7	2.9	3.0
1- 4 months	5.5	5.7	5.8	5.0	5.1	5.2	6.1	6.2	6.5
4- 8 months	6.2	6.4	6.3	5.1	5.9	5.4	7.3	7.0	7.4
8-12 months	4.1	4.4	4.1	3.9	4.4	3.9	4.3	4.5	4.5
1- 2 years	8.0	8.2	8.4	8.1	8.0	8.3	7.9	8.4	8.5
2- 3 years	6.7	6.0	6.1	6.7	6.2	6.2	6.6	5.8	5.9
3- 5 years	10.5	10.1	9.8	11.0	10.4	10.3	9.9	9.7	9.2
5-10 years	16.7	16.9	17.0	17.2	17.5	17.9	16.2	16.3	15.9
10 or more years	39.7	39.3	39.6	40.4	39.5	40.0	38.9	39.1	39.2
Numerical distribution									
Manitoba:									
Total	3,919	3,919	4,013	2,050	2,046	2,056	1,869	1,873	1,957
Under 1 month	122	106	100	64	56	60	58	50	40
1- 4 months	157	158	184	93	86	97	64	72	87
4- 8 months	173	223	198	84	114	90	89	109	108
8-12 months	130	135	139	62	68	61	68	67	78
1- 2 years	325	223	229	174	112	109	151	111	120
2- 3 years	173	253	157	93	137	74	83	116	83
3- 5 years	362	331	378	173	176	206	189	155	172
5-10 years	520	547	625	270	275	316	250	272	309
10 or more years	1,954	1,943	2,003	1,037	1,022	1,043	917	921	960

TABLE 7. Sex and Time Since Admission, by Province, 1955-57—Continued

Province and time since admission	Both sexes			Male			Female		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Percentage distribution									
Manitoba—Concluded:									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.1	2.7	2.5	3.1	2.7	2.9	3.1	2.7	2.0
1- 4 months	4.0	4.0	4.6	4.5	4.2	4.7	3.4	3.8	4.4
4- 8 months	4.4	5.7	4.9	4.1	5.6	4.4	4.8	5.8	5.5
8-12 months	3.3	3.4	3.5	3.0	3.3	3.0	3.6	3.6	4.0
1- 2 years	8.3	5.7	8.5	5.5	5.3	8.1	8.1	5.9	6.1
2- 3 years	4.4	6.5	3.9	4.5	6.7	3.6	4.4	6.2	4.2
3- 5 years	9.2	8.4	9.4	8.4	8.6	10.0	10.1	8.3	8.8
5-10 years	13.3	14.0	15.6	13.2	13.4	15.4	13.4	14.5	15.8
10 or more years	49.9	49.6	49.9	50.6	50.0	50.7	49.1	49.2	49.1
Numerical distribution									
Saskatchewan:									
Total	4,930	4,950	4,769	2,825	2,802	2,721	2,105	2,148	2,048
Under 1 month	158	128	135	81	59	71	77	69	64
1- 4 months	235	221	218	124	101	117	111	120	101
4- 8 months	224	305	199	114	139	103	110	166	96
8-12 months	146	217	127	75	81	65	71	136	62
1- 2 years	289	325	325	158	170	169	131	155	156
2- 3 years	252	217	230	143	123	125	109	94	105
3- 5 years	429	420	328	230	229	191	199	191	137
5-10 years	752	716	725	402	394	384	350	322	341
10 or more years	2,445	2,401	2,482	1,498	1,506	1,496	947	895	986
Percentage distribution									
Alberta:									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.2	2.6	2.8	2.9	2.1	2.6	3.7	3.2	3.1
1- 4 months	4.8	4.5	4.6	4.4	3.6	4.3	5.3	5.6	4.9
4- 8 months	4.5	6.2	4.2	4.0	5.0	3.8	5.2	7.7	4.7
8-12 months	3.0	4.4	2.7	2.7	2.9	2.4	3.4	6.3	3.0
1- 2 years	5.9	6.6	6.8	5.6	6.1	6.2	6.2	7.2	7.6
2- 3 years	5.1	4.4	4.8	5.1	4.4	4.6	5.2	4.4	5.1
3- 5 years	8.7	8.5	6.9	8.1	8.2	7.0	9.5	8.9	6.7
5-10 years	15.3	14.5	15.2	14.2	14.1	14.1	16.6	15.0	16.7
10 or more years	49.6	48.5	52.0	53.0	53.7	55.0	45.0	41.7	48.1
Numerical distribution									
Total									
4,161	4,157	4,179	2,446	2,445	2,445	1,715	1,712	1,734	
Under 1 month	114	116	127	56	65	73	58	51	62
1- 4 months	203	222	200	105	111	107	98	111	89
4- 8 months	191	194	188	116	121	80	75	73	67
8-12 months	182	107	115	112	58	62	70	49	57
1- 2 years	423	320	301	249	193	153	184	127	108
2- 3 years	239	357	308	143	210	152	96	147	98
3- 5 years	362	395	421	188	225	316	174	170	196
5-10 years	658	671	707	378	382	396	280	289	325
10 or more years	1,779	1,775	1,812	1,099	1,080	1,106	680	695	732
Percentage distribution									
Total									
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.7	2.8	3.0	2.3	2.7	3.0	3.4	3.0	3.6
1- 4 months	4.9	5.3	4.8	4.3	4.5	4.4	5.7	6.5	5.1
4- 8 months	4.6	4.7	4.5	4.7	4.9	3.3	4.4	4.3	3.9
8-12 months	4.4	2.6	2.8	4.6	2.4	2.5	4.1	2.9	3.3
1- 2 years	10.4	7.7	7.2	10.2	7.9	6.3	10.7	7.4	6.2
2- 3 years	5.7	8.6	7.4	5.8	8.6	6.2	5.6	8.6	5.7
3- 5 years	8.7	9.5	10.1	7.7	9.2	12.9	10.1	9.9	11.3
5-10 years	15.8	16.1	16.9	15.5	15.6	16.2	16.3	16.9	18.7
10 or more years	42.8	42.7	43.4	44.9	44.2	45.2	39.7	40.6	42.2

TABLE 7. Sex and Time Since Admission, by Province, 1955-57 — Concluded

Province and time since admission	Both sexes			Male			Female		
	1955	1956	1957	1955	1956	1957	1955	1956	1957
Numerical distribution									
British Columbia:									
Total	6,692	6,667	6,677	3,657	3,614	3,709	3,035	3,053	2,968
Under 1 month	270	241	286	137	116	142	133	125	144
1- 4 months	373	341	416	190	158	211	183	183	205
4- 8 months	272	292	328	128	141	176	144	151	152
8-12 months	215	244	186	114	111	113	101	133	73
1- 2 years	501	442	455	257	227	224	244	215	231
2- 3 years	518	381	318	269	199	171	249	182	147
3- 5 years	749	855	699	400	456	387	349	399	312
5-10 years	1,318	1,315	1,387	690	714	773	628	601	614
10 or more years	2,476	2,556	2,602	1,472	1,492	1,512	1,004	1,064	1,090
Percentage distribution									
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	4.0	3.6	4.3	3.7	3.2	3.8	4.4	4.1	4.9
1- 4 months	5.6	5.1	6.2	5.2	4.4	5.7	6.0	6.0	6.9
4- 8 months	4.1	4.4	4.9	3.5	3.9	4.7	4.7	4.9	5.1
8-12 months	3.2	3.7	2.8	3.1	3.1	3.0	3.3	4.4	2.5
1- 2 years	7.5	6.6	6.8	7.0	6.3	6.0	8.0	7.0	7.8
2- 3 years	7.7	5.7	4.8	7.4	5.5	4.6	8.2	6.0	5.0
3- 5 years	11.2	12.8	10.5	10.9	12.6	10.4	11.5	13.1	10.5
5-10 years	19.7	19.7	20.8	18.9	19.8	20.8	20.7	19.7	20.7
10 or more years	37.0	38.3	39.0	40.3	41.3	40.8	33.1	34.9	36.7

TABLE 8. Sex and Time Since Admission, by Age, 1955-57

Time since admission and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes												
CANADA												
1955	67,525	2,066	5,554	7,883	10,967	12,327	11,347	9,278	5,712	2,049	232	110
Under 1 month	1,954	92	139	347	410	365	236	186	117	47	11	4
1- 4 months	3,609	223	323	648	689	560	421	330	276	121	16	2
4- 8 months	3,629	169	324	572	696	560	471	346	308	165	16	2
8-12 months	2,420	184	244	401	455	335	247	234	199	98	16	7
1- 2 years	5,424	498	765	784	892	700	562	464	483	243	26	7
2- 3 years	4,050	380	503	592	689	522	386	381	392	176	20	9
3- 5 years	6,891	376	1,166	994	1,185	968	767	632	490	270	31	12
5-10 years	11,415	144	1,399	1,579	2,321	2,127	1,650	1,150	723	279	34	9
10 or more years	28,133	—	691	1,966	3,630	6,190	6,607	5,555	2,724	650	62	58
Median in months	91	18	46	50	72	109	52	44	
1956	69,066	2,138	5,915	7,936	11,120	12,384	11,571	9,411	5,953	2,255	258	125
Under 1 month	1,879	34	101	332	427	353	240	167	155	61	4	5
1- 4 months	3,648	144	292	583	761	631	454	346	290	134	8	5
4- 8 months	3,960	200	379	646	774	571	485	390	323	166	16	10
8-12 months	2,807	184	289	466	502	385	325	284	237	118	10	7
1- 2 years	5,416	541	704	749	864	708	535	481	499	282	41	12
2- 3 years	4,221	396	717	558	658	547	432	354	339	183	30	7
3- 5 years	6,894	472	1,096	984	1,150	965	726	620	551	276	41	13
5-10 years	11,593	167	1,627	1,581	2,317	2,050	1,603	1,174	717	306	41	10
10 or more years	28,648	—	710	2,037	3,667	6,174	6,771	5,595	2,842	729	67	56
Median in months	90	23	47	52	71	119	109	52	48	
1957	70,311	2,081	6,317	8,058	11,212	12,415	11,819	9,550	6,138	2,322	271	128
Under 1 month	1,972	29	147	323	423	356	278	197	138	76	5	—
1- 4 months	3,725	159	320	616	749	617	448	360	282	149	17	8
4- 8 months	3,842	166	309	590	774	618	489	414	323	141	16	2
8-12 months	2,620	148	259	413	493	397	321	252	214	106	10	7
1- 2 years	5,367	443	676	737	877	667	578	501	554	292	27	15
2- 3 years	4,119	436	669	533	619	504	410	328	371	209	34	6
3- 5 years	6,704	482	1,248	914	1,097	892	689	559	521	251	39	12
5-10 years	12,314	218	1,967	1,739	2,352	2,070	1,625	1,204	753	321	49	16
10 or more years	29,648	—	722	2,193	3,828	6,294	6,981	5,735	2,982	777	74	62
Median in months	93	26	50	58	74	113	54	53	

TABLE 8. Sex and Time Since Admission, by Age, 1955-57 - Continued

Time since admission and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes - Concluded												
Percentage distribution												
1955.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	4.5	2.5	4.4	3.7	3.0	2.1	2.0	2.0	2.3	4.7	3.6
1- 4 months	5.3	10.8	5.8	8.2	6.3	4.5	3.7	3.6	4.8	5.9	6.9	1.8
4- 8 months	5.4	8.2	5.8	7.3	6.3	4.5	4.2	3.7	5.4	8.1	6.9	1.8
8-12 months	3.6	8.9	4.4	5.1	4.1	2.7	2.2	2.5	3.5	4.8	6.9	6.4
1- 2 years	8.0	24.1	13.8	9.9	8.1	5.7	5.0	5.0	8.5	11.9	11.2	6.4
2- 3 years	6.0	18.4	9.1	7.5	6.3	4.2	3.4	4.1	6.9	8.6	8.6	8.2
3- 5 years	10.2	18.2	21.0	12.6	10.8	7.9	6.8	6.8	8.6	13.2	13.4	10.9
5-10 years	16.9	7.0	25.2	20.0	21.2	17.3	14.5	12.4	12.7	13.6	14.7	8.2
10 or more years	41.7	-	12.4	24.9	33.1	50.2	58.2	59.9	47.7	31.7	26.7	52.7
1956.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.7	1.6	1.7	4.2	3.8	2.9	2.1	1.8	2.6	2.7	1.6	4.0
1- 4 months	5.3	6.7	4.9	7.3	6.8	5.1	3.9	3.7	4.9	5.9	3.1	4.0
4- 8 months	5.7	9.4	6.4	8.1	7.0	4.6	4.2	4.1	5.4	7.4	6.2	8.0
8-12 months	4.1	8.6	4.9	5.9	4.5	3.1	2.8	3.0	4.0	5.2	3.9	5.6
1- 2 years	7.8	25.3	11.9	9.4	7.8	5.7	4.6	5.1	8.4	12.5	15.9	9.6
2- 3 years	6.1	18.5	12.1	7.0	5.9	4.4	3.7	3.8	5.7	8.1	11.6	5.6
3- 5 years	10.0	22.1	18.5	12.4	10.9	7.8	6.3	6.6	9.3	12.2	15.9	10.4
5-10 years	16.8	7.8	27.5	19.9	20.8	16.6	13.9	12.5	12.0	13.6	15.9	8.0
10 or more years	41.5	-	12.0	25.7	33.0	49.9	58.5	59.5	47.7	32.3	26.0	44.8
1957.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.8	1.4	2.3	4.0	3.8	2.9	2.4	2.1	2.2	3.3	1.8	-
1- 4 months	5.3	7.6	5.1	7.6	6.7	5.0	3.8	3.8	4.6	6.4	6.3	6.3
4- 8 months	5.5	8.0	4.9	7.3	6.9	5.0	4.1	4.3	5.3	6.1	5.9	1.6
8-12 months	3.7	7.1	4.1	5.1	4.4	3.2	2.7	2.6	3.5	4.6	3.7	5.5
1- 2 years	7.6	21.3	10.7	9.1	7.8	5.4	4.9	5.2	9.0	12.6	10.0	11.7
2- 3 years	5.9	21.0	10.6	6.6	5.5	4.1	3.5	3.4	6.0	9.0	12.5	4.7
3- 5 years	9.5	23.2	19.8	11.3	9.8	7.2	5.8	5.9	8.5	10.8	14.4	9.4
5-10 years	17.5	10.5	31.1	21.6	21.0	16.7	13.8	12.6	12.3	13.8	18.1	12.5
10 or more years	42.2	-	11.4	27.2	34.1	50.7	59.1	60.1	48.6	33.5	27.3	48.4
Male												
Numerical distribution												
1955.....	36,006	1,209	3,175	4,575	5,828	6,466	6,080	4,807	2,849	862	91	64
Under 1 month	1,056	80	93	190	175	192	123	96	65	30	8	4
1- 4 months	1,791	133	174	359	317	250	191	170	140	49	6	2
4- 8 months	1,721	101	168	318	314	256	209	144	136	68	5	2
8-12 months	1,242	101	135	228	218	165	127	111	104	43	5	5
1- 2 years	2,926	284	436	473	467	358	304	243	233	114	9	5
2- 3 years	2,186	226	294	366	374	263	183	191	207	71	6	5
3- 5 years	3,703	215	708	590	622	471	407	340	227	107	8	8
5-10 years	6,110	69	794	931	1,251	1,089	855	625	375	102	15	4
10 or more years	15,271	-	373	1,120	2,090	3,422	3,681	2,887	1,362	278	29	29
Median in months	87	20	46	50	80	110	49	55	
1956.....	36,890	1,222	3,433	4,627	5,966	6,449	6,215	4,887	2,981	932	104	74
Under 1 month	953	22	53	182	199	183	110	85	80	34	1	4
1- 4 months	1,756	76	150	319	340	271	231	159	140	61	4	
4- 8 months	1,945	108	231	346	350	238	241	196	160	65	6	4
8-12 months	1,392	109	171	262	237	162	145	128	125	49	2	
1- 2 years	2,884	330	417	458	411	362	281	234	245	118	18	10
2- 3 years	2,335	223	418	346	371	290	237	187	161	87	10	5
3- 5 years	3,757	263	642	623	642	480	378	322	268	117	14	8
5-10 years	6,296	91	967	920	1,289	1,041	839	650	378	96	17	8
10 or more years	15,572	-	384	1,171	2,127	3,422	3,753	2,926	1,424	305	32	28
Median in months	93	23	46	51	80	109	47	55	
1957.....	37,624	1,177	3,675	4,673	6,095	6,575	6,317	4,948	3,011	983	98	72
Under 1 month	1,027	13	90	179	211	177	150	96	77	33	1	-
1- 4 months	1,813	81	156	327	373	281	214	168	134	67	6	6
4- 8 months	1,819	98	173	320	353	263	212	193	138	62	6	1
8-12 months	1,321	84	134	236	242	180	143	134	109	52	4	3
1- 2 years	2,769	249	395	428	444	318	299	239	260	121	7	9
2- 3 years	2,249	267	412	328	321	264	227	165	170	78	12	5
3- 5 years	3,806	270	736	578	653	506	371	287	261	124	12	8
5-10 years	6,734	115	1,194	1,024	1,309	1,065	833	664	381	119	18	12
10 or more years	16,086	-	385	1,253	2,189	3,521	3,868	3,002	1,481	327	32	28
Median in months	96	28	52	58	81	116	51	63	

TABLE 8. Sex and Time Since Admission, by Age, 1955-57 - Continued

Time since admission and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Male - Concluded												
Percentage distribution												
1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	6.6	2.9	4.2	3.0	3.0	2.0	2.3	3.5	8.8	6.3	
1- 4 months	5.0	11.0	5.5	7.8	5.4	3.9	3.1	3.5	4.9	5.7	6.6	3.1
4- 8 months	4.8	8.4	5.3	7.0	5.4	4.0	3.4	3.0	4.8	7.9	5.5	3.1
8- 12 months	3.4	8.4	4.3	5.0	3.7	2.6	2.1	2.3	3.7	5.0	5.5	7.8
1- 2 years	8.1	23.5	13.7	10.3	8.0	5.5	5.0	5.1	8.2	13.2	9.9	7.8
2- 3 years	6.1	18.7	9.3	8.0	6.4	4.1	3.0	4.0	7.3	8.2	6.6	7.8
3- 5 years	10.3	17.8	22.3	12.9	10.7	7.3	6.7	7.1	8.0	12.4	8.8	12.5
5- 10 years	17.0	5.7	25.0	20.3	21.5	16.8	14.1	13.0	13.2	11.8	16.5	6.3
10 or more years	42.4	-	11.7	24.5	35.9	52.9	60.5	60.1	47.8	32.3	31.9	45.3
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.6	1.8	1.5	3.9	3.3	2.8	1.8	1.7	2.7	3.6	1.0	5.4
1- 4 months	4.8	6.2	4.4	6.9	5.7	4.2	3.7	3.3	4.7	6.5	3.8	6.8
4- 8 months	5.3	8.8	6.7	7.5	5.9	3.7	3.9	4.0	5.4	7.0	5.8	5.4
8- 12 months	3.8	8.9	5.0	5.7	4.0	2.5	2.3	2.6	4.2	5.3	1.9	2.7
1- 2 years	7.8	27.0	12.1	9.9	6.9	5.6	4.5	4.8	8.2	12.7	17.3	13.5
2- 3 years	6.3	18.2	12.2	7.5	6.2	4.5	3.8	3.8	5.4	9.3	9.6	6.8
3- 5 years	10.2	21.5	18.7	13.5	10.8	7.4	6.1	6.6	9.0	12.6	13.5	10.8
5- 10 years	17.1	7.4	28.2	19.9	21.6	16.1	13.5	13.3	12.7	10.3	16.3	10.8
10 or more years	42.2	-	11.2	25.3	35.7	53.1	60.4	59.9	47.8	32.7	30.8	37.8
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.7	1.1	2.4	3.8	3.5	2.7	2.4	1.9	2.6	3.4	1.0	-
1- 4 months	4.8	6.9	4.2	7.0	6.1	4.3	3.4	3.4	4.5	6.8	6.1	8.3
4- 8 months	4.8	8.3	4.7	6.8	5.8	4.0	3.4	3.9	4.6	6.3	6.1	1.4
8- 12 months	3.5	7.1	3.6	5.1	4.0	2.7	2.3	2.7	3.6	5.3	4.1	4.2
1- 2 years	7.4	21.2	10.7	9.2	7.3	4.8	4.7	4.8	8.6	12.3	7.1	12.5
2- 3 years	6.0	22.7	11.2	7.0	5.3	4.0	3.6	3.3	5.6	7.9	12.2	6.9
3- 5 years	10.1	22.9	20.0	12.4	10.7	7.7	5.9	5.8	8.7	12.6	12.2	11.1
5- 10 years	17.9	9.8	32.5	21.9	21.5	16.2	13.2	13.4	12.7	12.1	18.4	16.7
10 or more years	42.8	-	10.5	26.8	35.9	53.6	61.2	60.7	49.2	33.3	32.7	38.9
Female												
Numerical distribution												
1955	31,519	857	2,379	3,308	5,139	5,861	5,267	4,471	2,883	1,187	141	46
Under 1 month	898	12	46	157	235	173	113	90	52	17	3	-
1- 4 months	1,818	90	149	289	372	310	230	160	136	72	10	-
4- 8 months	1,908	68	156	254	382	304	262	202	172	97	11	-
8- 12 months	1,178	83	109	173	237	170	120	123	95	55	11	2
1- 2 years	2,498	214	329	311	425	342	258	221	250	129	17	2
2- 3 years	1,864	154	209	226	315	259	203	190	185	105	14	4
3- 5 years	3,188	161	458	404	563	497	360	292	263	163	23	4
5- 10 years	5,305	75	605	648	1,070	1,038	795	525	348	177	19	5
10 or more years	12,862	-	318	846	1,540	2,768	2,926	2,668	1,362	372	33	29
Median in months	87	22	46	50	62	111	108	53	41	
1956	32,176	916	2,482	3,309	5,154	5,935	5,356	4,524	2,972	1,323	154	51
Under 1 month	926	12	48	150	228	170	130	82	75	27	3	1
1- 4 months	1,892	68	142	264	421	360	223	187	150	73	4	-
4- 8 months	2,015	92	148	300	424	333	244	194	163	101	10	5
8- 12 months	1,415	75	118	204	265	223	180	156	112	69	8	2
1- 2 years	2,532	211	287	291	453	346	254	247	254	164	23	2
2- 3 years	1,886	173	299	212	287	257	195	167	178	96	20	5
3- 5 years	3,137	209	454	361	508	485	348	298	283	159	27	5
5- 10 years	5,297	76	660	661	1,028	1,009	764	524	339	210	24	2
10 or more years	13,076	-	326	868	1,540	2,752	3,018	2,669	1,418	424	35	28
Median in months	86	24	49	52	60	107	108	56	44	
1957	32,687	904	2,642	3,385	5,117	5,840	5,502	4,602	3,127	1,339	173	56
Under 1 month	945	16	57	144	212	179	128	101	61	43	4	-
1- 4 months	1,912	78	164	289	376	336	234	192	148	82	11	2
4- 8 months	2,023	68	136	270	421	355	277	221	185	79	10	1
8- 12 months	1,299	64	125	177	251	217	178	118	105	54	6	4
1- 2 years	2,598	194	281	309	433	349	279	262	294	171	20	6
2- 3 years	1,870	169	257	205	298	240	183	163	201	131	22	1
3- 5 years	2,898	212	512	336	444	386	318	272	260	127	27	4
5- 10 years	5,580	103	773	715	1,043	1,005	792	540	372	202	31	4
10 or more years	13,562	-	337	940	1,639	2,773	3,113	2,733	1,501	450	42	34
Median in months	88	26	50	57	67	111	110	57	48	

MENTAL HEALTH STATISTICS

TABLE 8. Sex and Time Since Admission, by Age, 1955-57 - Concluded

Time since admission and year	All ages	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Female - Concluded												
Percentage distribution												
1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.8	1.4	1.9	4.7	4.6	3.0	2.1	2.0	1.8	1.4	2.1	-
1- 4 months	5.8	10.5	6.3	8.7	7.2	5.3	4.4	3.6	4.8	6.1	7.1	-
4- 8 months	6.1	7.9	6.6	7.7	7.4	5.2	5.0	4.5	6.0	8.2	7.8	-
8-12 months	3.7	9.7	4.6	5.2	4.6	2.9	2.3	2.8	3.3	4.6	7.8	4.3
1- 2 years	7.9	25.0	13.8	9.4	8.3	5.8	4.9	4.9	8.7	10.9	12.1	4.3
2- 3 years	5.9	18.0	8.8	6.8	6.1	4.4	3.9	4.2	6.5	8.8	9.9	8.7
3- 5 years	10.1	18.8	19.3	12.2	11.0	8.5	6.8	6.5	9.2	13.7	16.3	8.7
5-10 years	16.8	8.8	25.4	19.6	20.8	17.7	15.1	11.7	12.2	14.9	13.5	10.9
10 or more years	40.8	-	13.4	25.6	30.0	47.2	55.6	59.7	47.6	31.3	23.4	63.0
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	1.3	1.9	4.5	4.4	2.9	2.4	1.8	2.5	2.0	1.9	2.0
1- 4 months	5.9	7.4	5.7	8.0	8.2	6.1	4.2	4.1	5.0	5.5	2.6	-
4- 8 months	6.3	10.0	6.0	9.1	8.2	5.6	4.6	4.3	5.5	7.6	6.5	11.8
8-12 months	4.4	8.2	4.8	6.2	5.1	3.8	3.4	3.4	3.8	5.2	5.2	9.8
1- 2 years	7.9	23.0	11.6	8.8	8.8	5.8	4.7	5.5	8.5	12.4	14.9	3.9
2- 3 years	5.9	18.9	12.0	6.4	5.6	4.3	3.6	3.7	6.0	7.3	13.0	3.9
3- 5 years	9.7	22.8	18.3	10.9	9.9	8.2	6.5	6.6	9.5	12.0	17.5	9.8
5-10 years	16.5	8.3	26.6	20.0	20.0	17.0	14.3	11.6	11.4	15.9	15.6	3.9
10 or more years	40.6	-	13.1	26.2	29.9	46.4	56.3	59.0	47.7	32.0	22.7	54.9
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	1.8	2.2	4.3	4.1	3.1	2.3	2.2	2.0	3.2	2.3	-
1- 4 months	5.8	8.6	6.2	8.5	7.3	5.8	4.3	4.2	4.7	6.1	6.4	3.6
4- 8 months	6.2	7.5	5.1	8.0	8.2	6.1	5.0	4.8	5.9	5.9	5.8	1.8
8-12 months	4.0	7.1	4.7	5.2	4.9	3.7	3.2	2.6	3.4	4.0	3.5	7.1
1- 2 years	7.9	21.5	10.6	9.1	8.5	6.0	5.1	5.7	9.4	12.8	11.6	10.7
2- 3 years	5.7	18.7	9.7	6.1	5.8	4.1	3.3	3.5	6.4	9.8	12.7	1.8
3- 5 years	8.9	23.5	19.4	9.9	8.7	6.6	5.8	5.9	8.3	9.5	15.6	7.1
5-10 years	17.1	11.4	29.3	21.1	20.4	17.2	14.4	11.7	11.9	15.1	17.9	7.1
10 or more years	41.5	-	12.8	27.8	32.0	47.5	56.6	59.4	48.0	33.6	24.3	60.7

TABLE 9. Sex and Time Since Admission, by Selected Diagnosis, 1955-57

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involitional melanocholia	Paranoia and paranoid states	Senium	Other and unspecified psychoses	Psychoneuroses	Mental deficiency	Epilepsy ¹	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Both sexes												
Numerical distribution												
CANADA												
1955	67,525	25,087	4,692	1,122	2,231	4,437	7,593	1,466	16,506	2,203	1,774	414
Under 1 month	1,954	451	223	95	38	174	157	294	207	46	269	-
1- 4 months	3,609	1,118	403	141	93	404	326	270	469	100	285	-
4- 8 months	3,629	1,220	419	122	99	517	324	174	452	90	212	-
8-12 months	2,420	859	208	72	44	341	204	74	438	68	112	-
1- 2 years	5,424	1,603	314	127	108	757	467	115	1,392	338	203	-
2- 3 years	4,050	1,197	241	79	118	568	370	66	1,066	176	169	-
3- 5 years	6,891	1,986	446	99	239	677	722	109	2,119	281	193	20
5-10 years	11,415	3,875	735	155	450	628	1,664	135	3,163	406	155	49
10 or more years	28,133	12,778	1,703	235	1,042	368	3,359	229	7,200	698	176	345
1956	69,066	25,469	4,728	1,208	2,173	4,611	7,658	1,531	17,022	2,381	1,871	414
Under 1 month	1,879	510	219	97	41	185	160	284	81	44	258	-
1- 4 months	3,648	1,180	418	151	73	419	325	303	347	117	315	-
4- 8 months	3,960	1,361	428	150	77	503	356	180	541	130	234	-
8-12 months	2,807	930	268	101	70	364	256	84	493	134	107	-
1- 2 years	5,416	1,582	326	111	128	833	500	139	1,376	211	210	-
2- 3 years	4,221	1,195	198	78	82	531	373	58	1,299	286	121	-
3- 5 years	6,894	2,022	416	116	235	728	658	105	2,053	297	255	9
5-10 years	11,593	3,765	747	159	446	661	1,584	150	3,422	426	186	47
10 or more years	28,648	12,924	1,708	245	1,021	387	3,446	228	7,410	736	185	358

See footnotes at end of table.

TABLE 9. Sex and Time Since Admission, by Selected Diagnosis, 1955-57 - Continued

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involuntional melancholia	Paranoia and paranoid states	Senium	Other and unspecified psychoses	Psychoneuroses	Mental deficiency	Epilepsy	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Both sexes - Concluded												
Numerical distribution - Concluded												
Percentage distribution												
1957.....	70,311	25,779	4,784	1,236	2,146	4,612	7,664	1,596	17,490	2,574	2,033	397
Under 1 month	1,972	521	251	85	42	198	166	304	88	30	287	-
1- 4 months.....	3,725	1,171	481	139	76	431	330	287	357	111	342	-
4- 8 months.....	3,842	1,406	416	162	92	515	343	196	386	118	208	-
8-12 months.....	2,620	909	222	100	53	339	253	103	378	118	145	-
1- 2 years	5,367	1,632	384	146	109	823	503	150	1,112	268	240	-
2- 3 years	4,119	1,134	206	63	91	577	395	70	1,265	187	131	-
3- 5 years	6,704	1,885	330	119	173	676	618	81	2,179	414	229	-
5-10 years	12,314	3,839	781	167	479	669	1,509	154	3,913	513	243	47
10 or more years	29,648	13,282	1,713	255	1,031	384	3,547	251	7,812	815	208	350
1955.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	1.8	4.8	8.5	1.7	3.9	2.1	20.1	1.3	2.1	15.2	-
1- 4 months.....	5.3	4.5	8.6	12.6	4.2	9.1	4.3	18.4	2.8	4.5	16.1	-
4- 8 months.....	5.4	4.9	8.9	10.9	4.4	11.7	4.3	11.9	2.7	4.1	12.0	-
8-12 months.....	3.6	3.4	4.4	6.4	2.0	7.7	2.7	5.1	2.7	3.1	6.3	-
1- 2 years	8.0	6.4	6.7	11.3	4.8	17.1	6.2	7.8	8.4	15.3	11.4	-
2- 3 years	6.0	4.8	5.1	7.0	5.3	12.8	4.9	4.5	6.5	8.0	9.5	-
3- 5 years	10.2	7.9	9.5	8.8	10.7	15.3	9.5	7.4	12.8	12.8	10.9	4.8
5-10 years	16.9	15.4	15.7	13.8	20.2	14.2	21.9	9.2	19.2	18.4	8.7	11.8
10 or more years	41.7	50.9	36.3	20.9	46.7	8.3	44.2	15.6	43.6	31.7	9.9	83.3
1956.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.7	2.0	4.6	8.0	1.9	4.0	2.1	18.5	0.5	1.8	13.8	-
1- 4 months.....	5.3	4.6	8.8	12.5	3.4	9.1	4.2	19.8	2.0	4.9	16.8	-
4- 8 months.....	5.7	5.3	9.1	12.4	3.5	10.9	4.6	11.8	3.2	5.5	12.5	-
8-12 months.....	4.1	3.7	5.7	8.4	3.2	7.9	3.3	5.5	2.9	5.6	5.7	-
1- 2 years	7.8	6.2	6.9	9.2	5.9	18.1	6.5	9.1	8.1	8.9	11.2	-
2- 3 years	6.1	4.7	4.2	6.5	3.8	11.5	4.9	3.8	7.6	12.0	6.5	-
3- 5 years	10.0	7.9	8.8	9.6	10.8	15.8	8.6	6.9	12.1	12.5	13.6	2.2
5-10 years	16.8	14.8	15.8	13.2	20.5	14.3	20.7	9.8	20.1	17.9	9.9	11.4
10 or more years	41.5	50.7	36.1	20.3	47.0	8.4	45.0	14.9	43.5	30.9	9.9	86.5
1957.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.8	2.0	5.2	6.9	2.0	4.3	2.2	19.0	0.5	1.2	14.1	-
1- 4 months.....	5.3	4.5	10.1	11.2	3.5	9.3	4.3	18.0	2.0	4.3	16.8	-
4- 8 months.....	5.5	5.5	8.7	13.1	4.3	11.2	4.5	12.3	2.2	4.6	10.2	-
8-12 months.....	3.7	3.5	4.6	8.1	2.5	7.4	3.3	6.5	2.2	4.6	7.1	-
1- 2 years	7.6	6.3	8.0	11.8	5.1	17.8	6.6	9.4	6.4	10.4	11.8	-
2- 3 years	5.9	4.4	4.3	5.1	4.2	12.5	5.2	4.4	7.2	7.3	6.4	-
3- 5 years	9.5	7.3	6.9	9.6	8.1	14.7	8.1	5.1	12.5	16.1	11.3	-
5-10 years	17.5	14.9	16.3	13.5	22.3	14.5	19.7	9.6	22.4	19.9	12.0	11.8
10 or more years	42.2	51.5	35.8	20.6	48.0	8.3	46.3	15.7	44.7	31.7	10.2	88.2
Male												
Numerical distribution												
1955.....	36,006	13,860	2,005	365	995	2,047	4,593	540	9,132	1,134	1,102	233
Under 1 month	1,056	236	85	28	15	105	84	125	153	31	194	-
1- 4 months.....	1,791	585	150	51	43	205	173	103	259	49	173	-
4- 8 months.....	1,721	591	155	32	45	219	192	47	255	40	145	-
8-12 months.....	1,242	448	90	23	26	160	117	25	242	42	69	-
1- 2 years	2,926	881	149	46	59	368	282	43	805	175	118	-
2- 3 years	2,186	645	108	21	65	263	230	21	628	100	105	-
3- 5 years	3,703	1,070	214	32	104	299	461	37	1,221	140	113	12
5-10 years	6,110	2,114	351	68	180	281	1,028	52	1,720	207	87	22
10 or more years	15,271	7,290	703	64	458	147	2,025	87	3,849	350	98	199

See footnotes at end of table.

TABLE 9. Sex and Time Since Admission, by Selected Diagnosis, 1955-57 - Continued

Time since admission	Total	Schizo-phrenia	Manic-depressive reaction	Involitional melancholia	Paranoia and paranoid states	Senium	Other and unspecified psychoses	Psycho-neuroses	Mental ¹ deficiency	Epilepsy ²	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Male - Concluded												
Numerical distribution - Concluded												
1956	36,890	14,144	2,028	414	988	2,123	4,644	495	9,438	1,229	1,154	233
Under 1 month.....	953	265	87	30	20	98	97	101	43	26	186	-
1- 4 months.....	1,756	584	139	44	45	208	190	97	194	62	193	-
4- 8 months.....	1,945	670	173	73	34	240	196	41	298	73	147	-
8-12 months.....	1,392	482	115	31	40	180	135	19	264	59	67	-
1- 2 years.....	2,884	881	148	34	65	378	305	41	797	108	127	-
2- 3 years.....	2,335	689	96	32	46	250	229	19	754	150	70	-
3- 5 years.....	3,757	1,120	191	35	112	324	419	36	1,189	168	158	5
5-10 years.....	6,296	2,086	379	64	178	285	991	57	1,911	213	104	28
10 or more years.....	15,572	7,367	700	71	448	160	2,082	84	3,988	370	102	200
1957	37,624	14,356	2,052	417	968	2,103	4,627	538	9,719	1,343	1,271	230
Under 1 month.....	1,027	267	108	33	19	103	109	115	51	15	207	-
1- 4 months.....	1,813	583	171	50	31	200	195	104	180	60	239	-
4- 8 months.....	1,819	695	156	48	45	232	188	53	206	78	118	-
8-12 months.....	1,321	452	105	28	28	173	150	27	204	57	97	-
1- 2 years.....	2,769	873	153	52	67	385	285	42	624	147	141	-
2- 3 years.....	2,249	648	99	23	49	241	239	22	754	97	77	-
3- 5 years.....	3,806	1,121	165	40	94	319	389	29	1,285	224	140	-
5-10 years.....	6,734	2,149	389	65	191	292	931	55	2,230	264	139	29
10 or more years.....	16,086	7,568	706	78	444	158	2,141	91	4,185	401	113	201
Percentage distribution												
1955	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month.....	2.9	1.7	4.2	7.7	1.5	5.1	1.8	23.1	1.7	2.7	17.6	-
1- 4 months.....	5.0	4.2	7.5	14.0	4.3	10.0	3.8	19.1	2.8	4.3	15.7	-
4- 8 months.....	4.8	4.3	7.7	8.8	4.5	10.7	4.2	8.7	2.8	3.5	13.2	-
8-12 months.....	3.4	3.2	4.5	6.3	2.6	7.8	2.5	4.6	2.7	3.7	6.3	-
1- 2 years.....	8.1	6.4	7.4	12.6	5.9	18.0	6.1	8.0	8.8	15.4	10.7	-
2- 3 years.....	6.1	4.7	5.4	5.8	6.5	12.8	5.0	3.9	6.9	8.8	9.5	-
3- 5 years.....	10.3	7.7	10.7	8.8	10.5	14.6	10.0	6.9	13.4	12.3	10.3	5.2
5-10 years.....	17.0	15.3	17.5	18.6	18.1	13.7	22.4	9.6	18.8	18.3	7.9	9.4
10 or more years.....	42.4	52.6	35.1	17.5	46.0	7.2	44.1	16.1	42.1	30.9	8.9	85.4
1956	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month.....	2.6	1.9	4.3	7.2	2.0	4.6	2.1	20.4	0.5	2.1	16.1	-
1- 4 months.....	4.8	4.1	6.9	10.6	4.6	9.8	4.1	19.6	2.1	5.0	16.7	-
4- 8 months.....	5.3	4.7	8.5	17.6	3.4	11.3	4.2	8.3	3.2	5.9	12.7	-
8-12 months.....	3.8	3.4	5.7	7.5	4.0	8.5	2.9	3.8	2.8	4.8	5.8	-
1- 2 years.....	7.8	6.2	7.3	8.2	6.6	17.8	6.6	8.3	8.4	8.8	11.0	-
2- 3 years.....	6.3	4.9	4.7	7.7	4.7	11.8	4.9	3.8	8.0	12.2	6.1	-
3- 5 years.....	10.2	7.9	9.4	8.5	11.3	15.3	9.0	7.3	12.6	13.7	13.7	2.1
5-10 years.....	17.1	14.7	18.7	15.5	18.0	13.4	21.3	11.5	20.2	17.3	9.0	12.0
10 or more years.....	42.2	52.1	34.5	17.1	45.3	7.5	44.8	17.0	42.3	30.1	8.8	85.8
1957	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month.....	2.7	1.9	5.3	7.9	2.0	4.9	2.4	21.4	0.5	1.1	16.3	-
1- 4 months.....	4.8	4.1	8.3	12.0	3.2	9.5	4.2	19.3	1.9	4.5	18.8	-
4- 8 months.....	4.8	4.8	7.6	11.5	4.6	11.0	4.1	9.9	2.1	5.8	9.3	-
8-12 months.....	3.5	3.1	5.1	6.7	2.9	8.2	3.2	5.0	2.1	4.2	7.8	-
1- 2 years.....	7.4	6.1	7.5	12.5	6.9	18.3	6.2	7.8	6.4	10.9	11.1	-
2- 3 years.....	6.0	4.5	4.8	5.5	5.1	11.5	5.2	4.1	7.8	7.2	6.1	-
3- 5 years.....	10.1	7.8	8.0	9.6	9.7	15.2	8.4	5.4	13.2	16.7	11.0	-
5-10 years.....	17.9	15.0	19.0	15.6	19.7	13.9	20.1	10.2	22.9	19.7	10.9	12.6
10 or more years.....	42.8	52.7	34.4	18.7	45.9	7.5	46.3	16.9	43.1	29.9	8.9	87.4
Female												
Numerical distribution												
1955	31,519	11,227	2,687	757	1,236	2,390	3,000	926	7,374	1,069	872	181
Under 1 month.....	898	215	138	67	23	69	73	169	54	15	75	-
1- 4 months.....	1,818	533	253	90	50	199	153	167	210	51	112	-
4- 8 months.....	1,908	629	264	90	54	298	132	127	197	50	67	-
8-12 months.....	1,178	411	118	49	18	181	87	49	198	28	43	-
1- 2 years.....	2,498	722	165	78	49	392	185	72	587	163	87	-
2- 3 years.....	1,864	552	133	58	53	305	140	45	438	76	64	-
3- 5 years.....	3,188	916	232	67	135	378	261	72	898	141	80	8
5-10 years.....	5,305	1,761	384	87	270	347	636	83	1,443	199	68	27
10 or more years.....	12,862	5,488	1,000	171	584	221	1,333	142	3,351	348	78	146

See footnotes at end of table.

TABLE 9. Sex and Time Since Admission, by Selected Diagnosis, 1955-57 - Concluded

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involitional melancholia	Paranoia and paranoid states	Senium	Other and unspecified psychoses	Psycho-neuroses	Mental ¹ deficiency	Epilepsy ²	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Female - Concluded												
Numerical distribution - Concluded												
1956.....	32,176	11,325	2,700	794	1,185	2,488	3,014	1,036	7,584	1,152	717	181
Under 1 month	926	245	132	67	21	87	63	183	38	18	72	-
1- 4 months.....	1,892	596	279	107	28	211	135	206	153	55	122	-
4- 8 months.....	2,015	691	255	77	43	263	160	139	243	57	87	-
8-12 months.....	1,415	448	153	70	30	184	121	65	229	75	40	-
1- 2 years.....	2,532	701	178	77	63	455	195	98	579	103	83	-
2- 3 years.....	1,886	506	102	46	36	281	144	39	545	136	51	-
3- 5 years.....	3,137	902	225	81	123	404	239	69	864	129	97	4
5-10 years.....	5,297	1,679	368	95	268	376	593	93	1,511	213	82	19
10 or more years	13,076	5,557	1,008	174	573	227	1,364	144	3,422	366	83	158
1957.....	32,687	11,423	2,732	619	1,178	2,509	3,037	1,058	7,771	1,231	762	167
Under 1 month	945	254	143	52	23	95	57	189	37	15	80	-
1- 4 months.....	1,912	588	310	89	45	231	135	183	177	51	103	-
4- 8 months.....	2,023	711	260	114	47	283	155	143	180	40	90	-
8-12 months.....	1,299	457	117	72	25	166	103	76	174	61	48	-
1- 2 years.....	2,598	759	231	94	42	438	218	108	488	121	99	-
2- 3 years.....	1,870	486	107	40	42	336	156	48	511	90	54	-
3- 5 years.....	2,898	764	165	79	79	357	229	52	894	190	89	-
5-10 years.....	5,580	1,690	392	102	288	377	578	99	1,683	249	104	18
10 or more years	13,562	5,714	1,007	177	587	226	1,406	160	3,627	414	95	149
Percentage distribution												
1955.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.8	1.9	5.1	6.9	1.9	2.9	2.4	18.3	0.7	1.4	11.2	-
1- 4 months.....	5.8	4.7	9.4	11.9	4.0	8.3	5.1	18.0	2.8	4.8	16.7	-
4- 8 months.....	6.1	5.6	9.8	11.9	4.4	12.5	4.4	13.7	2.7	4.7	10.0	-
8-12 months.....	3.7	3.7	4.4	6.5	1.5	7.6	2.9	5.3	2.7	2.4	6.4	-
1- 2 years.....	7.9	6.4	6.1	10.3	4.0	16.4	6.2	7.8	8.0	15.2	12.9	-
2- 3 years.....	5.9	4.9	4.9	7.7	4.3	12.8	4.7	4.9	5.9	7.1	9.5	-
3- 5 years.....	10.1	8.2	8.6	8.9	10.9	15.8	8.7	7.8	12.2	13.2	11.9	4.4
5-10 years.....	16.8	15.7	14.3	11.5	21.8	14.5	21.2	9.0	19.6	18.6	10.1	14.9
10 or more years	40.8	48.9	37.2	22.6	47.3	9.2	44.4	15.3	45.4	32.6	11.6	80.7
1956.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	2.2	4.9	8.4	1.6	3.5	2.1	17.7	0.5	1.6	10.0	-
1- 4 months.....	5.9	5.3	10.3	13.5	2.4	8.5	4.5	19.9	2.0	4.8	17.0	-
4- 8 months.....	6.3	6.1	9.4	9.7	3.6	10.6	5.3	13.4	3.2	4.9	12.1	-
8-12 months.....	4.4	4.0	5.7	8.8	2.5	7.4	4.0	6.3	3.0	6.5	5.6	-
1- 2 years.....	7.9	6.2	6.6	9.7	5.3	18.3	6.5	9.5	7.6	8.9	11.8	-
2- 3 years.....	5.9	4.5	3.8	5.8	3.0	11.3	4.8	3.8	7.2	11.8	7.1	-
3- 5 years.....	9.7	8.0	8.3	10.2	10.4	16.2	7.9	6.7	11.4	11.2	13.5	2.2
5-10 years.....	16.5	14.8	13.6	12.0	22.6	15.1	19.7	9.0	19.9	18.5	11.4	10.5
10 or more years	40.6	49.1	37.3	21.9	48.4	9.1	45.3	13.9	45.1	31.8	11.6	87.3
1957.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	2.9	2.2	5.2	6.3	2.0	3.8	1.9	17.9	0.5	1.2	10.5	-
1- 4 months.....	5.8	5.1	11.3	10.9	3.8	9.2	4.4	17.3	2.3	4.1	13.5	-
4- 8 months.....	6.2	6.2	9.5	13.9	4.0	11.3	5.1	13.5	2.3	3.2	11.8	-
8-12 months.....	4.0	4.0	4.3	6.8	2.1	6.6	3.4	7.2	2.2	5.0	6.3	-
1- 2 years.....	7.9	6.6	8.5	11.5	3.6	17.5	7.2	10.2	6.3	9.8	13.0	-
2- 3 years.....	5.7	4.3	3.9	4.9	3.6	13.4	5.1	4.5	6.6	7.3	7.1	-
3- 5 years.....	8.9	6.7	6.0	9.6	6.7	14.2	7.5	4.9	11.5	15.4	11.7	-
5-10 years.....	17.1	14.8	14.3	12.5	24.4	15.0	19.0	9.4	21.7	20.2	13.6	10.8
10 or more years	41.5	50.0	36.9	21.6	49.8	9.0	46.3	15.1	46.7	33.6	12.5	89.2

¹ Excludes mental deficiency with epilepsy.² Includes mental deficiency with epilepsy.

APPENDIX

Number of Patients on Books as at December 31 in All Reporting Institutions, 1955-57

Province	1955	1956	1957
CANADA	70,080	71,851	73,041
Newfoundland	922	953	967
Prince Edward Island	388	568	601
Nova Scotia	3,122	3,124	3,150
New Brunswick.....	2,218	2,246	2,273
Quebec	19,288	20,046	20,528
Ontario	23,992	24,712	25,358
Manitoba	3,953	3,958	4,012
Saskatchewan	4,885	4,896	4,774
Alberta	4,607	4,674	4,689
British Columbia	6,705	6,674	6,689

DATE DUE
DATE DE RETOUR

APR 7 1978



1010484637

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Information Services Division,
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue
number

Price

HOSPITALS, MENTAL ILLNESS, AND TUBERCULOSIS

83-202 - Hospital Statistics, Vol. I, General Information - A. Bil.	1.50
83-203 - Hospital Statistics, Vol. II, Financial Information - A. Bil.	2.00
83-201 - List of Hospitals - A.E.	.75
83-204 - Mental Health Statistics - A. Bil.	2.00
83-205 - Mental Health Statistics, Financial Supplement - A. Bil.	.25
83-514 - Tuberculosis among Indians and Eskimos, 1950-1952 - E.	.25
83-206 - Tuberculosis Statistics - A. Bil.	2.00
83-207 - Tuberculosis Statistics, Financial Supplement - A. Bil.	.25
82-517 - Tuberculosis Trends - A.E.	.10

MORBIDITY

Canadian Sickness Survey (National Estimates), 1950-1951 - E. & F.	
82-501 - Family Expenditures for Health Services	.25
82-502 - Family Expenditures for Health Services by Income Groups	.25
82-505 - Volume of Sickness	.25
82-506 - Permanent Physical Disabilities	.25
82-507 - Incidence and Prevalence of Illness	.25
82-508 - Volume of Health Care	.25
82-509 - Volume of Health Care for Selected Income Groups	.25
82-510 - Illness Frequency by Diagnostic Classification	.25
82-511 - Illness Frequency by Class of Illness, Age and Sex	.25
82-202 - Home Nursing Services - A.E.	1.00
82-203 - Illness in the Civil Service, Statistical Report - A. Bil.	.75
82-516 - Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957 - E.	.50
82-201 - Notifiable Diseases - A. Bil.	.75
82-204 - Poliomyelitis Trends - A.E.	.25
82-512 - Summary of Notifiable Diseases, 1924-1952 (annual supplements to 1958) - Bil.	.75

VITAL STATISTICS

84-202 - Annual Report - Bil.	2.00
84-201 - Preliminary Annual Report - Bil.	.25
84-001 - Monthly Report - Bil.	per year
Analytical Reports:	1.00
84-504 - Accidental Drowning, 1956 - E.	.25
84-509 - Canadian Life Table, 1951 - Bil.	.25
84-501 - Canadian Vital Statistics Trends, 1921-1954 - E.	.25
84-508 - Causes of Stillbirths, 1943-1955 - E.	.25
84-503 - Leading Causes of Death by Major Age Groupings, 1921-1955 - E.	.25
84-502 - Mortality by Detailed Causes of Death, 1950-1955 - E.	.25
84-505 - Mortality from Accidental Falls, 1956 - E.	.25
84-506 - Mortality from Accidental Poisoning, 1956 - E.	.25
84-507 - Mortality from Home Accidents, 1956 - E.	.25

POPULATION - Bil.

92-501 - Electoral Districts - By counties and subdivisions, 1956 and 1951	.75
92-502 - Counties and Subdivisions - By sex, Nfld., P.E.I., N.S., and N.B., 1956 and 1951	.25
92-503 - Counties and Subdivisions - By sex, Quebec, 1956 and 1951	.25
92-504 - Counties and Subdivisions - By sex, Ontario, 1956 and 1951	.25
92-505 - Census Divisions and Subdivisions - By sex, Man., Sask., Alta., B.C., Yukon and N.W.T., 1956 and 1951	.25
92-506 - Incorporated Cities, Towns, and Villages, 1956 and 1951	.25
92-507 - Rural and Urban Distribution - Rural farm, rural non-farm, and urban population, by sex, for provinces and counties, 1956	.25
92-508 - Sex Ratios - Population by sex (showing proportions of males to females), for provinces, counties, municipalities of 10,000 and over, and metropolitan areas, 1956	.25
92-509 - Age Groups - Five-year age groups and sex, for provinces, counties, municipalities of 10,000 and over, and metropolitan areas (by specified age groups), 1956	.50
92-510 - Single Years of Age - By sex, for provinces, 1956	.25
92-511 - Marital Status - By sex, for provinces, counties, municipalities of 10,000 and over, and metropolitan areas, 1956	.50
92-512 - Marital Status by Age Groups - By sex, for provinces, municipalities of 30,000 and over, and metropolitan areas, 1956	.25
91-503.4 - Population Estimates (Age and Sex), 1921-1956 (annual supplements to 1959)	.25
91-203 - Population Estimates by Marital Status, Age and Sex, 1951-1958	.50

A. - Annual
E. - English

F. - French
Bil. - Bilingual

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs. A comprehensive catalogue of all current publications is available free on request from the Information Services Division, Dominion Bureau of Statistics, Ottawa.