


CATALOGUE No.
83-208
ANNUAL



MENTAL HEALTH STATISTICS

Supplement: PATIENTS IN INSTITUTIONS

1959



DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Institutions Section

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Institutions Section

MENTAL HEALTH STATISTICS
Supplement: PATIENTS IN INSTITUTIONS
1959

Published by Authority of
The Honourable George Hees, Minister of Trade and Commerce

May, 1961
9002-528

Price 75 cents

PREFACE

This is the third in an annual series of publications dealing with patients in institutions.

We gratefully acknowledge the assistance of officials of federal and provincial departments of health and especially of the hospital personnel who helped in the checking of records.

Comments on the contents or the arrangement of the material will be much appreciated. They should be directed to the Institutions Section of the Dominion Bureau of Statistics, Ottawa 3, where this publication was prepared.

WALTER E. DUFFETT,
Dominion Statistician.

TABLE OF CONTENTS

	Page
Introduction.....	7
Descriptive Text and Graphs	7

Tables

1. All Patients Under Care by Province, Type of Institution, Sex, and Disposition	17
2. Province and Sex, by Age	20
3. Detailed Diagnosis and Sex	23
4. Diagnostic Class and Sex, by Age	25
5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population	27
6. Diagnostic Class and Sex, Percentage Distribution by Age	29
7. Sex and Age, Percentage Distribution by Selected Diagnostic Class.....	31
8. Time Since Admission and Province, by Sex	32
9. Time Since Admission, by Age and Sex.....	34
10. Time Since Admission, by Selected Diagnosis and Sex	35

SYMBOLS

The interpretation of the symbols used in the tables throughout this publication is as follows:

- ... figures not appropriate or not applicable.
- nil or zero.
- too small to be expressed—less than one-half the unit value of the last digit.

INTRODUCTION

The following data constitute a census of in-patients who were on the books of mental institutions and psychiatric units of general hospitals on December 31, 1959. Corresponding data for 1955-58 are contained in two previous publications.

The diagnostic classification is that of the *International Statistical Classification of Diseases*,

Injuries, and Causes of Death, World Health Organization, Geneva 1957. Population ratios were based on the supplements to *Dominion Bureau of Statistics Reference Paper No. 40.*

For easier reading the numbers quoted in the text may be more rigorously rounded than those in the tables.

DESCRIPTIVE TEXT AND GRAPHS

Scope

Hospital space for psychiatric patients, measured in standard bed capacity, constitutes one third of the space for patients of all hospitals in Canada (Graph 1).

The tables refer to in-patients on books, including patients on probation, patients in approved boarding homes, and all those who are temporarily absent without having been officially discharged, but excluding day patients and night patients, i.e. part-time patients.

The general data of Table 1 refer to 76 reporting psychiatric institutions and 34 psychiatric units with a standard capacity of 62,000 beds. Patients in some psychiatric units and private psychiatric institutions with a combined bed capacity of approximately 1,000 were not reported, so that the census is about 98.4 per cent complete.

The remaining tables are based on individual admission cards from 67 mental institutions and 24 psychiatric units. Their totals show 96.6 per cent of all reported patients, or approximately 95.3 per cent of all psychiatric in-patients in Canada. To the extent that some institutions do not report details on individual patients, the frequencies and the population ratios that are derived from these frequencies are understated. The data of four provinces, Newfoundland, Prince Edward Island, Saskatchewan, and British Columbia are not affected; these provinces reported details on patients in all reporting institutions.

Through careful periodical comparing of the count of admission cards with hospital records it has been possible to eliminate all discrepancies but for four provinces, where errors are well below one per cent of the total.

Sex

Males constituted 53.7 per cent of all patients on books and 54.8 per cent of patients in residence on December 31, 1959.

The ratios of patients (on books) to 100,000 of the general population were 454 for males and 402 for females; i.e., one out of every 220 males and one out of every 249 females were patients on the books of a psychiatric institution.

Patients not in Residence

Patients boarding out with the approval of hospital authorities constituted 3.5 per cent of the total in Ontario, 1.4 per cent in Saskatchewan, and 1.9 per cent¹ in Quebec; in all other provinces there were only five patients reported as boarding out.

Patients on probation, including estimates for Quebec¹ were 6,705 or 8.9 percent of the total. This proportion varies considerably among provinces between zero in Newfoundland, Nova Scotia, and New Brunswick, and 24 per cent in Prince Edward Island, depending upon the discharge policies and on the probation.

Of the 1,048 patients that were "otherwise absent", 938 were reported in Alberta and British Columbia, where they constituted 10 and 7 per cent of the total respectively. The large percentage for Alberta is due to many patients having been transferred to other institutions during a building and reconstruction programme.

¹ 1958 figure; data for 1959 not available for Quebec.

Open-door Wards

Nine provinces reported for the first time the number of patients in open-door wards on December 31, 1950.

Of the resident male patients in public mental hospitals 30 per cent, and of the female patients 32 per cent were in open-door wards. Graph 2 shows the percentages for each provinces.

Type of Institution

Of all patients in residence 77 per cent were reported in the forty-six public mental hospitals and 15 per cent in eleven hospitals for mentally defectives including training schools; the remaining 8 per cent of the patients are accounted for by six federal-government institutions, five public psychiatric hospitals, five aged and senile homes, two epilepsy hospitals, five private institutions, and thirty public psychiatric units of general hospitals (Graph 3).

Public mental hospitals, hospitals for mentally defectives, and aged and senile homes had a majority of males, whereas in psychiatric hospitals, epilepsy hospitals, private institutions, and in public psychiatric units females are in the majority. The federal institutions cared almost exclusively for males (Graph 4).

Age

Age was reported for 96.5 per cent of all reported patients. The age distribution of the patient population is shown in Graph 5.

The ratio of patients to the general population rises with advancing age. Up to age 75 there are relatively more males; for age groups past 75, the female population ratio was the higher (Graph 6.)

Diagnosis


Diagnosis was stated for 96.1 per cent of all patients in reporting institutions. Population ratios were calculated without adjustment for incomplete reporting; they are therefore somewhat understated (Graph 7).

Schizophrenia (36 per cent) and mental deficiency (28 per cent) account for almost two-thirds of all patients (Graph 8).


The ratio of all reported patients on books to 100,000 of the general population fell by 2.8 per cent during the four-year period 1955 to 1959. Over the same period notable changes occurred in the number of patients with certain diagnoses. They were as follows (calculated as ratio of patients on books at the end of the year to 100,000 of the general population of the same year): Schizophrenia all, -6 per cent; simple schizophrenia and catatonic schizophrenia, each -13 per cent; mental deficiency, +4 per cent; syphilis of the central nervous system, -23 per cent; paranoia, -18 per cent; manic-depressive psychosis, -10 per cent; pathological personality, +20 per cent; alcoholism and alcoholic psychoses combined, +21 per cent; psychoneuroses, +21 per cent.

GRAPH - I


STANDARD BED CAPACITY BY TYPE
(ALL HOSPITALS 190,248)



GRAPH - 2




GRAPH - 3




GRAPH - 4

SEX DISTRIBUTION OF PATIENTS IN RESIDENCE, DECEMBER 31, 1959
BY TYPE OF INSTITUTION
(TOTAL 66,433)




GRAPH - 5


AGE DISTRIBUTION OF PATIENTS ON BOOKS DECEMBER 31, 1959
PERCENTAGE DISTRIBUTION



GRAPH - 6



GRAPH - 7



In most diagnostic categories there were more males than females; Only in manic-depressive psychosis, involutional melancholia, paranoia, senile and presenile psychoses, psychoneuroses, drug addiction, and grand-mal epilepsy, females outnumbered males.

The age distribution of some diagnostic classes is shown in Table 5.

The ten-year age group with the largest frequency (mode) was 40-49 for schizophrenia, 10-19 for mental deficiency, and 70-79 for psychoses of old age.

Patient-population ratios specific as to age rise continually with increasing age, as Graph 6 shows. Calculated specifically for age and various diagnoses, population ratios for schizophrenia and manic-depressive psychosis decline in the sixties with advancing age; ratios for mental deficiency decline in the twenties, and those for psychoses of senium rise continually with advancing age.

Length of Stay

Of the patients on books at the end of 1959, 19 per cent had been admitted during the year, 22 per cent had been in hospital between one and five years, 17 per cent between five and ten years, 20 per cent between ten and twenty years, and 22 per cent over 20 years (Graph 9), i.e. 59 per cent had been in hospital over five years. In Manitoba 28 per cent and in Saskatchewan 30 per cent of all patients had been admitted more than twenty years previously.

Median length of stay for all patients was 92 months. When patients were classified by age groups, the highest median stay, 189 months or almost 16 years, fell in the 60-69 year age group of 9,631 patients. In all age groups between 15 and 80 years, males had a longer hospital stay than females.


For groups classified by diagnosis on admission, the schizophrenics had the longest median stay, nearly eleven years, i.e. one half of the group, or 13,000 people with schizophrenia had been patients for over eleven years. Thirty per cent or 7,833 of the schizophrenics had been admitted more than 20 years ago.

Patients with mental deficiency, the second largest group, have a median length of stay of almost 9 years; twenty-two per cent of the mentally defectives, 4,066 patients, had been admitted to hospital more than 20 years ago (Graph 10).


Nearly 16,000 patients or one in 654 of the population of Canada over 20 years of age have been patients for more than twenty years. Of these long-term patients 50 per cent were schizophrenics and 26 per cent mentally defectives. Other psychoses accounted for 20 per cent, so that of patients with time since admission of more than twenty years, 70 per cent were psychotics, 26 per cent mentally defectives, and 3 per cent epileptics.

In the younger age groups of patients, mental deficiency is the most frequent diagnosis, in the middle groups schizophrenia, and among the older patients the psychoses of senium, i.e. psychoses with senility and cerebral arteriosclerosis (Graph 11).

GRAPH - 8




GRAPH - 9



GRAPH-10

PATIENTS ON BOOKS DECEMBER 31, 1959, BY TIME SINCE LATEST ADMISSION
AND BY DIAGNOSIS



GRAPH - II

**PERCENTAGE OF TOTAL PATIENTS FOR EACH AGE GROUP
BY FOUR SELECTED DIAGNOSES**




TABLE 1. All Patients Under Care by Province, Type of Institution, Sex, and Disposition

	Total under care December 31, 1959	In institutions	Boarding out	On probation	Otherwise absent
Number					
Canada	T. M. F.	75,617 40,618 34,999	66,433 36,385 30,048	1,431 541 890	6,705 3,284 3,421
Mental hospital, public	T. M. F.	58,606 31,002 27,604	50,990 27,658 23,332	1,307 526 781	5,530 2,549 2,981
Mental hospital, federal	T. M. F.	1,285 1,268 17	1,207 1,190 17	— — —	77 77 —
Mental hospital, private	T. M. F.	88 33 55	81 30 51	— — —	4 1 3
Psychiatric hospital, public	T. M. F.	575 262 313	479 227 252	— — —	— — —
Psychiatric hospital, private	T. M. F.	317 123 194	290 117 173	— — —	27 6 21
Hospital for mentally defectives, public	T. M. F.	11,608 6,386 5,222	10,266 5,621 4,645	124 15 109	1,065 651 414
Aged and senile home, public	T. M. F.	1,774 912 862	1,756 910 846	— — —	2 — 2
Epilepsy hospital, public	T. M. F.	381 175 206	381 175 206	— — —	— — —
Psychiatric unit, public	T. M. F.	832 306 526	832 306 526	— — —	— — —
Psychiatric unit, federal	T. M. F.	151 151 —	151 151 —	— — —	— — —
Percentage					
Canada	M. F.	100.0 100.0	89.6 85.9	1.3 2.5	8.1 9.8
Mental hospital, public	M. F.	100.0 100.0	89.2 84.5	1.7 2.8	8.2 10.8
Mental hospital, federal	M. F.	100.0 100.0	93.8 100.0	— —	6.1 —
Mental hospital, private	M. F.	100.0 100.0	90.9 92.7	— —	3.0 5.5
Psychiatric hospital, public	M. F.	100.0 100.0	86.6 80.5	— —	— —
Psychiatric hospital, private	M. F.	100.0 100.0	95.1 89.2	— —	4.9 10.8
Hospital for mentally defectives, public	M. F.	100.0 100.0	88.0 89.0	0.2 2.1	10.2 7.9
Aged and senile home, public	M. F.	100.0 100.0	99.8 98.1	— —	— 0.2
Epilepsy hospital, public	M. F.	100.0 100.0	100.0 100.0	— —	— —
Psychiatric unit, public	M. F.	100.0 100.0	100.0 100.0	— —	— —
Psychiatric unit, federal	M. F.	100.0 100.0	100.0 100.0	— —	— —

TABLE 1. All Patients Under Care by Province, Type of Institution, Sex, and Disposition — Continued

		Total under care December 31, 1959	In institutions	Boarding out	On probation	Otherwise absent
Number						
Newfoundland	T.	895	895	—	—	—
	M.	536	536	—	—	—
	F.	359	359	—	—	—
Mental hospital, public	T.	895	895	—	—	—
	M.	536	536	—	—	—
	F.	359	359	—	—	—
Prince Edward Island	T.	614	461	3	150	—
	M.	334	241	—	93	—
	F.	280	220	3	57	—
Mental hospital, public	T.	434	283	3	148	—
	M.	256	163	—	93	—
	F.	178	120	3	55	—
Aged and senile home, public	T.	180	178	—	2	—
	M.	78	78	—	—	—
	F.	102	100	—	2	—
Nova Scotia	T.	2,727	2,543	—	182	—
	M.	1,454	1,358	—	96	—
	F.	1,273	1,187	—	86	—
Mental hospital, public	T.	2,547	2,365	—	182	—
	M.	1,349	1,253	—	96	—
	F.	1,198	1,112	—	86	—
Hospital for mentally defectives, public	T.	181	161	—	—	—
	M.	86	86	—	—	—
	F.	75	75	—	—	—
Psychiatric unit, federal	T.	19	19	—	—	—
	M.	19	19	—	—	—
	F.	—	—	—	—	—
New Brunswick	T.	2,276	1,833	—	443	—
	M.	1,216	980	—	236	—
	F.	1,060	853	—	207	—
Mental hospital, public	T.	2,250	1,807	—	443	—
	M.	1,206	970	—	236	—
	F.	1,044	837	—	207	—
Psychiatric unit, public	T.	26	26	—	—	—
	M.	10	10	—	—	—
	F.	16	16	—	—	—
Quebec	T.	21,779	20,068	409	1,263	39
	M.	11,864	10,845	163	843	11
	F.	9,915	9,223	244	420	28
Mental hospital, public	T.	19,235	17,613	409	1,175	38
	M.	10,293	9,356	165	762	10
	F.	8,942	8,257	244	413	28
Mental hospital, federal	T.	573	501	—	71	1
	M.	573	501	—	71	1
	F.	—	—	—	—	—
Psychiatric hospital, public	T.	251	251	—	—	—
	M.	118	118	—	—	—
	F.	133	133	—	—	—
Hospital for mentally defectives, public	T.	1,134	1,117	—	17	—
	M.	612	602	—	10	—
	F.	522	515	—	7	—
Epilepsy hospital, public	T.	381	381	—	—	—
	M.	175	175	—	—	—
	F.	206	206	—	—	—
Psychiatric unit, public	T.	205	205	—	—	—
	M.	93	93	—	—	—
	F.	112	112	—	—	—

TABLE 1. All Patients Under Care by Province, Type of Institution, Sex, and Disposition - Continued

		Patients under care December 31, 1959	In institutions	Boarding out	On probation	Otherwise absent
		Number				
Ontario	T.	26,763	22,081	950	3,712	20
	M.	13,873	11,919	344	1,597	13
	F.	12,890	10,162	606	2,115	7
Mental hospital, public	T.	19,875	16,253	837	2,776	9
	M.	9,793	8,429	331	1,025	8
	F.	10,082	7,824	506	1,751	1
Mental hospital, federal	T.	712	706	-	6	-
	M.	695	689	-	6	-
	F.	17	17	-	-	-
Mental hospital, private	T.	88	81	-	4	3
	M.	33	30	-	1	2
	F.	55	51	-	3	1
Psychiatric hospital, public	T.	76	73	-	-	3
	M.	37	35	-	-	2
	F.	39	38	-	-	1
Psychiatric hospital, private	T.	283	256	-	27	-
	M.	108	102	-	6	-
	F.	175	154	-	21	-
Hospital for mentally defectives, public	T.	5,363	4,346	113	899	5
	M.	3,047	2,474	13	559	4
	F.	2,316	1,872	100	340	
Psychiatric unit, public	T.	317	317	-	-	-
	M.	111	111	-	-	-
	F.	206	206	-	-	-
Psychiatric unit, federal	T.	49	49	-	-	-
	M.	49	49	-	-	-
	F.	-	-	-	-	-
Manitoba	T.	4,234	3,940	2	289	3
	M.	2,178	2,032	2	141	3
	F.	2,056	1,908	-	148	-
Mental hospital, public	T.	3,063	2,846	2	212	3
	M.	1,551	1,444	2	102	3
	F.	1,512	1,402	-	110	-
Psychiatric hospital, public	T.	38	38	-	-	-
	M.	21	21	-	-	-
	F.	17	17	-	-	-
Hospital for mentally defectives, public	T.	1,012	935	-	77	-
	M.	535	496	-	39	-
	F.	477	439	-	38	-
Psychiatric unit, public	T.	76	76	-	-	-
	M.	26	26	-	-	-
	F.	50	50	-	-	-
Psychiatric unit, federal	T.	45	45	-	-	-
	M.	45	45	-	-	-
	F.	-	-	-	-	-
Saskatchewan	T.	4,756	4,403	67	238	48
	M.	2,698	2,537	30	110	21
	F.	2,058	1,866	37	128	27
Mental hospital, public	T.	3,495	3,208	56	187	44
	M.	2,076	1,948	28	81	19
	F.	1,419	1,260	28	106	25
Hospital for mentally defectives, public	T.	1,181	1,115	11	51	4
	M.	590	557	2	29	2
	F.	591	558	9	22	2
Psychiatric unit, public	T.	80	80	-	-	-
	M.	32	32	-	-	-
	F.	48	48	-	-	-

TABLE 1. All Patients Under Care by Province, Type of Institution, Sex, and Disposition - Concluded

		Patients under care December 31, 1959	In institutions	Boarding out	On probation	Otherwise absent
Number						
Alberta	T.	4,969	4,375	-	117	477
	M.	2,838	2,639	-	63	136
	F.	2,131	1,736	-	54	341
Mental hospital, public	T.	3,145	2,586	-	117	442
	M.	1,880	1,698	-	63	119
	F.	1,265	888	-	54	323
Hospital for mentally defectives, public	T.	1,257	1,222	-	-	35
	M.	656	639	-	-	17
	F.	601	583	-	-	18
Aged and senile home, public	T.	503	503	-	-	-
	M.	282	282	-	-	-
	F.	221	221	-	-	-
Psychiatric unit, public	T.	64	64	-	-	-
	M.	20	20	-	-	-
	F.	44	44	-	-	-
British Columbia	T.	6,604	5,832	-	311	461
	M.	3,627	3,298	-	105	224
	F.	2,977	2,534	-	206	237
Mental hospital, public	T.	3,667	3,134	-	290	243
	M.	2,062	1,861	-	91	110
	F.	1,605	1,273	-	199	133
Psychiatric hospital, public	T.	210	117	-	-	93
	M.	86	53	-	-	33
	F.	124	64	-	-	60
Psychiatric hospital, private	T.	34	34	-	-	-
	M.	15	15	-	-	-
	F.	19	19	-	-	-
Hospital for mentally defectives, public	T.	1,500	1,370	-	21	109
	M.	860	767	-	14	79
	F.	640	603	-	7	30
Aged and senile home, public	T.	1,091	1,075	-	-	16
	M.	552	550	-	-	2
	F.	539	525	-	-	14
Psychiatric unit, public	T.	64	64	-	-	-
	M.	14	14	-	-	-
	F.	50	50	-	-	-
Psychiatric unit, federal	T.	38	38	-	-	-
	M.	38	38	-	-	-
	F.	-	-	-	-	-

TABLE 2. Province and Sex, by Age

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Canada:														
Both sexes	73,047	408	2,033	3,103	3,983	8,267	11,440	12,448	12,121	9,631	6,661	2,540	313	99
Male	39,174	215	1,157	1,862	2,288	4,751	6,304	6,626	6,434	5,003	3,270	1,087	123	54
Female	33,873	193	876	1,241	1,695	3,516	5,136	5,822	5,687	4,628	3,391	1,453	190	45
Percentage ¹														
Both sexes	100.0	0.6	2.8	4.3	5.5	11.3	15.7	17.1	16.6	13.2	9.1	3.5	0.4	
Male	100.0	0.5	3.0	4.8	5.8	12.1	16.1	16.9	16.4	12.8	8.4	2.8	0.3	
Female	100.0	0.6	2.6	3.7	5.0	10.4	15.2	17.2	16.8	13.7	10.0	4.3	0.6	
Ratio per 100,000 population														
Both sexes	414	18	102	182	295	341	462	596	803	932	1,018	1,365	1,897	...
Male	438	19	114	214	333	385	508	627	828	973	1,018	1,258	1,864	...
Female	389	18	90	149	256	296	415	565	776	891	1,017	1,457	1,939	...

¹ Excludes not stated.

TABLE 2. Province and Sex, by Age - Continued

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Newfoundland:														
Both sexes	895	-	-	6	31	112	143	195	171	118	83	31	1	4
Male	536	-	-	1	16	75	98	127	93	69	44	11	-	2
Female	359	-	-	5	15	37	45	68	78	49	39	20	1	2
Ratio per 100,000 population														
Both sexes	197	-	-	11	74	183	273	431	576	590	659	816	333	...
Male	227	-	-	4	77	231	345	518	581	683	688	611	-	...
Female	164	-	-	19	71	129	188	330	569	495	629	1,000	500	...
Number														
Prince Edward Island:														
Both sexes	603	-	3	4	7	67	78	102	99	113	84	37	8	1
Male	327	-	2	3	5	38	48	57	55	57	42	15	4	-
Female	276	-	1	1	2	29	30	45	44	56	42	22	4	-
Ratio per 100,000 population														
Both sexes	587	-	24	36	78	536	736	919	1,125	1,548	1,714	1,850	4,000	...
Male	629	-	31	52	111	603	906	1,000	1,196	1,541	1,826	1,667	4,000	...
Female	544	-	16	19	44	468	566	818	1,048	1,556	1,615	2,000	4,000	...
Number														
Nova Scotia:														
Both sexes	769	-	13	108	68	106	146	109	89	73	39	14	1	3
Male	395	-	8	58	32	54	78	60	48	30	20	4	-	3
Female	374	-	5	50	36	52	68	49	41	43	19	10	1	-
Ratio per 100,000 population														
Both sexes	107	-	16	144	111	112	166	130	149	168	131	139	91	...
Male	107	-	19	151	102	109	177	141	154	139	139	87	-	...
Female	106	-	12	137	120	115	154	120	145	196	124	182	143	...
Number														
New Brunswick:														
Both sexes	2,229	1	11	36	106	243	409	420	420	273	213	76	10	11
Male	1,192	-	2	26	55	148	226	222	243	127	99	33	4	7
Female	1,037	1	9	10	51	95	183	198	177	146	114	43	6	4
Ratio per 100,000 population														
Both sexes	374	-	15	54	195	314	583	659	913	817	951	1,086	1,429	...
Male	396	-	5	76	201	387	655	685	1,030	765	900	1,000	1,333	...
Female	351	3	24	31	190	244	515	633	797	869	1,000	1,162	1,500	...
Number														
Quebec:														
Both sexes	21,752	107	575	909	1,292	2,975	3,810	4,018	3,682	2,622	1,332	363	39	28
Male	11,793	63	336	542	777	1,705	2,156	2,190	1,896	1,299	645	154	14	16
Female	9,959	44	239	367	515	1,270	1,654	1,828	1,786	1,323	687	209	25	12
Ratio per 100,000 population														
Both sexes	429	16	96	171	300	401	538	706	918	1,045	969	989	1,300	...
Male	464	19	110	199	357	461	616	771	940	1,057	985	922	1,167	...
Female	394	14	81	141	242	342	462	641	896	1,035	954	1,050	1,389	...

MENTAL HEALTH STATISTICS

TABLE 2. Province and Sex, by Age — Concluded

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Ontario:														
Both sexes	26,772	207	920	1,234	1,538	2,845	3,924	4,183	4,339	3,720	2,677	1,055	122	8
Male	13,872	108	514	758	865	1,590	2,085	2,162	2,237	1,908	1,181	417	41	6
Female	12,900	99	406	476	573	1,255	1,839	2,021	2,102	1,812	1,495	638	81	2
Ratio per 100,000 population														
Both sexes	443	29	143	231	373	346	434	558	780	967	1,130	1,536	1,968	...
Male	456	29	156	277	409	379	461	569	790	1,032	1,089	1,443	1,783	...
Female	430	28	128	183	335	312	407	548	769	908	1,165	1,607	2,077	...
Number														
Manitoba:														
Both sexes	4,206	—	85	123	178	414	675	815	704	567	468	150	14	13
Male	2,168	—	56	68	107	240	357	417	342	282	224	68	4	3
Female	2,038	—	29	55	71	174	318	398	362	285	244	82	10	10
Ratio per 100,000 population														
Both sexes	470	—	86	146	263	355	565	747	869	951	1,158	1,351	1,400	...
Male	477	—	112	157	309	403	604	765	822	919	1,072	1,214	800	...
Female	463	—	60	135	215	304	526	728	921	986	1,251	1,491	2,000	...
Number														
Saskatchewan:														
Both sexes	4,757	31	91	137	163	418	698	855	802	649	569	292	41	11
Male	2,700	16	49	87	87	249	386	444	455	375	371	157	21	3
Female	2,057	15	42	50	76	169	312	411	347	274	198	135	20	8
Ratio per 100,000 population														
Both sexes	524	27	87	154	224	371	605	801	1,008	1,100	1,365	2,517	4,100	...
Male	575	27	92	190	235	434	662	812	1,071	1,176	1,559	2,453	5,250	...
Female	470	27	82	115	213	305	546	789	938	1,019	1,106	2,596	3,333	...
Number														
Alberta:														
Both sexes	4,420	—	96	261	261	457	662	812	842	676	273	70	8	2
Male	2,538	—	56	152	145	287	382	432	489	403	153	34	3	—
Female	1,882	—	40	109	116	170	280	380	353	273	120	36	5	—
Ratio per 100,000 population														
Both sexes	349	—	65	218	280	256	368	559	820	1,980	611	614	800	...
Male	386	—	74	246	304	312	416	578	879	1,072	619	567	600	...
Female	309	—	55	187	254	197	317	541	748	872	603	567	1,000	...
Number														
British Columbia:														
Both sexes	6,644	62	239	285	339	630	895	939	973	820	923	452	69	18
Male	3,653	28	134	167	199	365	488	515	576	453	491	194	32	11
Female	2,991	34	105	118	140	265	407	424	397	367	432	258	37	7
Ratio per 100,000 population														
Both sexes	417	34	146	207	319	304	392	459	670	769	1,103	1,907	3,632	...
Male	446	30	151	238	364	331	421	497	750	839	1,118	1,617	4,000	...
Female	387	38	131	176	270	274	362	420	580	695	1,085	2,205	3,364	...

TABLE 3. Detailed Diagnosis and Sex

I.C.D. No.	Diagnosis	Both sexes	Male	Female	Both sexes	Male	Female
		Number			Ratio per 100,000 population		
	Totals	73,047	39,174	33,873	414.0	438.1	389.2
	Psychoses	46,215	24,502	21,713	261.9	274.0	249.5
	<i>Syphilis of central nervous system with psychosis</i>	<i>1,405</i>	<i>1,072</i>	<i>333</i>	<i>8.0</i>	<i>12.0</i>	<i>3.8</i>
020.1	Juvenile neurosyphilis	43	26	17	0.2	0.3	0.2
024.1	Tabes dorsalis	1	—	1	—	—	—
025.0	General paralysis of insane	1,286	986	300	7.3	11.0	3.4
026.1	Other syphilis of central nervous system	75	60	15	0.4	0.7	0.2
300	Schizophrenia	26,063	14,534	11,529	147.7	162.5	132.5
300.0	Simple	2,658	1,676	982	15.1	18.7	11.3
300.1	Hebephrenic	3,617	1,979	1,638	20.5	22.1	18.8
300.2	Catatonic	5,615	3,104	2,511	31.8	34.7	28.9
300.3	Paranoid	9,097	4,964	4,133	51.6	55.5	47.5
300.4	Acute schizophrenic reaction	390	202	188	2.2	2.3	2.2
300.5	Latent	298	151	147	1.7	1.7	1.7
300.6	Schizo-affective	656	269	387	3.7	3.0	4.4
300.7	Other and unspecified	3,732	2,189	1,543	21.2	24.5	17.7
301	Manic-depressive reaction	4,709	2,021	2,688	26.7	22.6	30.9
301.0	Manic and circular	2,299	988	1,311	13.0	11.0	15.1
301.1	Depressive	1,864	813	1,051	10.6	9.1	12.1
301.2	Other	546	220	326	3.1	2.5	3.7
302	Involutional melancholia	1,270	390	880	7.2	4.4	10.1
303	Paranoia and paranoid states	2,025	914	1,111	11.5	10.2	12.8
304	Senile	2,385	956	1,429	13.5	10.7	16.4
305	Presenile	236	108	128	1.3	1.2	1.5
306	With cerebral arteriosclerosis	2,348	1,229	1,119	13.3	13.7	12.9
307	Alcoholic	786	596	190	4.5	6.7	2.2
	Other psychoses	4,988	2,682	2,306	28.3	30.0	26.5
083.2	Postencephalitic	72	41	31	0.4	0.5	0.4
308.0	Resulting from brain tumour	46	27	19	0.3	0.3	0.2
308.1	Resulting from epilepsy and other convulsive disorders	1,080	588	492	6.1	6.6	5.7
308.2	Sequelae of infective or parasitic diseases	59	36	23	0.3	0.4	0.3
308.3	Sequelae of allergic, endocrine, metabolic, and nutritional diseases	90	31	59	0.5	0.3	0.7
308.4	Sequelae of diseases of the blood-forming organs and circulatory system	129	64	65	0.7	0.7	0.7
308.5	Sequelae of diseases of the nervous system and sense organs	393	230	163	2.2	2.6	1.9
308.6	Sequelae of drugs and other exogenous poisons	75	40	35	0.4	0.4	0.4
308.7	Sequelae of accidents and violence	208	178	30	1.2	2.0	0.3
308.8	Sequelae of other specified diseases or conditions	217	96	121	1.2	1.1	1.4
309.1	With psychopathic personality	142	93	49	0.8	1.0	0.6
309.2	Other and unspecified	2,405	1,258	1,147	13.6	14.1	13.2
648.3	Arising from pregnancy	3	—	3	—	—	—
688.1	Puerperal	69	—	69	0.4	—	0.8
	Psychoneuroses	1,968	680	1,288	11.2	7.6	14.8
310	Anxiety reaction without mention of somatic symptoms	241	111	130	1.4	1.2	1.5
311	Hysterical reaction without mention of anxiety reaction	137	39	98	0.8	0.4	1.1
312	Phobic reaction	8	4	4	--	--	--
313	Obsessive-compulsive reaction	71	23	48	0.4	0.3	0.6
314	Neurotic-depressive reaction	901	299	602	5.1	3.3	6.9
315	Affecting circulatory system	8	2	6	--	--	0.1
315.0	Neurocirculatory asthenia	2	1	1	—	—	—
315.1	Other heart manifestations	2	—	2	—	—	—
315.2	Other circulatory manifestations	4	1	3	—	—	—
316	Affecting digestive system	15	8	7	0.1	0.1	0.1
316.0	Mucous colitis	—	—	—	—	—	—
316.1	Irritability of colon	3	2	1	—	—	—
316.2	Gastric neuroses	4	2	2	—	—	—
316.3	Other digestive manifestations	8	4	4	—	—	—
317	Affecting other systems	75	38	37	0.4	0.4	0.4
317.0	Respiratory	4	1	3	—	—	—
317.1	Genito-urinary	2	1	1	—	—	—
317.2	Pruritis	—	—	—	—	—	—
317.3	Other cutaneous neuroses	2	—	2	—	—	—
317.4	Musculoskeletal	7	5	2	—	0.1	—
317.5	Other systems	60	31	29	0.3	0.3	0.3

TABLE 3. Detailed Diagnosis and Sex — Concluded

I.C.D. No.	Diagnosis	Both sexes	Male	Female	Both sexes	Male	Female
		Number			Ratio per 100,000 population		
Psychoneuroses—Concluded:							
318	<i>Other mixed and unspecified types</i>	512	156	356	2.9	1.7	4.1
318.0	Hypochondriacal reaction	104	41	63	0.6	0.5	0.7
318.1	Depersonalization	1	—	1	—	—	—
318.2	Occupational neurosis	—	—	—	—	—	—
318.3	Asthenic reaction	38	13	25	0.2	0.1	0.3
318.4	Mixed psychoneuroses	239	47	192	1.4	0.5	2.2
318.5	Other and unspecified types	130	55	75	0.7	0.6	0.9
083.1	Disorders of character, behaviour, and intelligence	23,793	13,351	10,442	134.8	149.3	120.0
320	<i>Postencephalitic personality and character disorders</i>	40	20	20	0.2	0.2	0.2
320	<i>Pathological personality</i>	731	458	273	4.1	5.1	3.1
320.0	Schizoid	91	63	28	0.5	0.7	0.3
320.1	Paranoid	75	44	31	0.4	0.5	0.4
320.2	Cyclothymic	21	7	14	0.1	0.1	0.2
320.3	Inadequate	132	77	55	0.7	0.9	0.6
320.4	Antisocial	210	141	69	1.2	1.6	0.8
320.5	Aocial	50	31	19	0.3	0.3	0.2
320.6	Sexual deviation	53	44	9	0.3	0.5	0.1
320.7	Other and unspecified	99	51	48	0.6	0.6	0.6
321	<i>Immature personality</i>	201	102	99	1.1	1.1	1.1
321.0	Emotional instability	69	27	42	0.4	0.3	0.5
321.1	Passive dependency	42	30	12	0.2	0.3	0.1
321.2	Aggressiveness	40	25	15	0.2	0.3	0.2
321.3	Enuresis characterizing immature personality	—	—	—	—	—	—
321.4	Other symptomatic habits except speech impediments	1	—	1	—	—	—
321.5	Other and unspecified	49	20	29	0.3	0.2	0.3
322	<i>Alcoholism</i>	629	521	108	3.6	5.8	1.2
322.0	Acute	38	33	5	0.2	0.4	0.1
322.1	Chronic	557	462	95	3.2	5.2	1.1
322.2	Unspecified	34	26	8	0.2	0.3	0.1
323	<i>Other drug addiction</i>	84	29	55	0.5	0.3	0.6
324	<i>Primary childhood behaviour disorders</i>	108	56	52	0.6	0.6	0.6
325	<i>Mental deficiency</i>	20,071	11,171	8,900	113.8	124.9	102.3
325.0	Idiocy	4,168	2,182	1,986	23.6	24.4	22.8
325.1	Imbecility	7,485	4,202	3,283	42.4	47.0	37.7
325.2	Moron	4,959	2,842	2,117	28.1	31.8	24.3
325.3	Borderline intelligence	542	326	216	3.1	3.6	2.5
325.4	Mongolism	1,144	629	515	6.5	7.0	5.9
325.5	Other and unspecified types	1,773	990	783	10.0	11.1	9.0
326	<i>Other and unspecified disorders of character, behaviour, and intelligence</i>	178	72	106	1.0	0.8	1.2
326.0	Specific learning defects	2	2	—	—	—	—
326.1	Stammering and stuttering of non-organic origin	1	1	—	—	—	—
326.2	Other speech impediments of non-organic origin	3	1	2	—	—	—
326.3	Acute situational maladjustment	28	9	19	0.2	0.1	0.2
326.4	Other and unspecified	144	59	85	0.8	0.7	1.0
353	<i>Epilepsy</i>	1,751	922	829	9.9	10.3	9.5
353.0	Petit mal	72	33	39	0.4	0.4	0.4
353.1	Grand mal	727	348	379	4.1	3.9	4.4
353.2	Status epilepticus	510	303	207	2.9	3.4	2.4
353.3	Other and unspecified	442	238	204	2.5	2.7	2.3
	<i>Other conditions</i>	618	355	263	3.5	4.0	3.0
	<i>Syphilis without psychosis</i>	43	27	16	0.2	0.3	0.2
020.0	Congenital syphilis	1	—	1	—	—	—
024.0	Tubes dorsalis	6	5	1	—	0.1	—
026.0	Other syphilis of central nervous system	36	22	14	0.2	0.2	0.2
334	<i>Cerebral arteriosclerosis without psychosis</i>	108	62	46	0.6	0.7	0.5
351	<i>Cerebral spastic infantile paralysis</i>	7	5	2	—	0.1	—
752	<i>Congenital hydrocephalus</i>	6	1	5	—	—	0.1
753	<i>Other congenital malformations of nervous system and sense organs</i>	1	1	—	—	—	—
758.2	<i>Congenital malformation of skull</i>	—	—	—	—	—	—
760	<i>Mental deficiency due to birth injury</i>	1	1	—	—	—	—
794	<i>Senility without psychosis</i>	110	64	46	0.6	0.7	0.5
	<i>Not classified</i>	342	194	148	1.9	2.2	1.7
793	<i>Mental observation without need for further medical care</i>	94	80	14	0.5	0.9	0.2
	<i>Diagnoses not reported</i>	359	206	153	2.0	2.3	1.8

TABLE 4. Diagnostic Class and Sex, by Age

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
	Totals	T. 73,047	408	2,033	3,103	3,983	8,267	11,440	12,448	12,121	9,631	6,661	2,540	313	99
	M. 39,174	215	1,157	1,862	2,288	4,751	6,304	6,626	6,434	5,003	3,270	1,087	123	54	
	F. 33,873	193	876	1,241	1,695	3,516	5,136	5,822	5,687	4,628	3,391	1,453	190	45	
	Psychoses	T. 46,215	6	26	65	502	3,335	7,103	8,991	9,582	8,059	5,891	2,301	283	71
	M. 24,502	5	15	39	279	2,036	3,982	4,843	5,124	4,186	2,875	975	104	39	
	F. 21,713	1	11	26	223	1,299	3,121	4,148	4,458	3,873	3,016	1,326	179	32	
020.1, 024.1, 025, 026.1	Syphilis of central nervous system with psychosis.	T. 1,405	1	1	3	7	17	35	173	539	451	160	15	1	2
	M. 1,072	—	—	—	3	10	20	121	416	358	132	10	—	2	
	F. 333	1	1	3	4	7	15	52	123	93	28	5	1	—	
300	Schizophrenia	T. 26,063	2	24	41	367	2,657	5,452	6,080	5,362	3,750	1,907	357	20	44
	M. 14,534	2	15	25	206	1,695	3,114	3,396	2,945	1,969	978	156	9	24	
	F. 11,529	—	9	16	161	962	2,338	2,684	2,417	1,781	929	201	11	20	
301	Manic-depressive reaction	T. 4,709	—	—	4	47	210	592	912	1,103	1,023	656	148	8	6
	M. 2,021	—	—	2	24	92	235	396	494	452	270	53	3	—	
	F. 2,688	—	—	2	23	118	357	516	609	571	386	95	5	6	
302	Involutional melancholia	T. 1,270	—	—	—	—	1	10	115	384	478	244	35	2	1
	M. 390	—	—	—	—	—	1	3	21	91	166	91	16	1	—
	F. 880	—	—	—	—	—	—	7	94	293	312	153	19	1	1
303	Paranoia and paranoid states	T. 2,025	—	—	—	3	18	90	314	555	583	366	86	7	3
	M. 914	—	—	—	—	2	10	55	150	257	260	138	35	5	2
	F. 1,111	—	—	—	—	1	8	35	164	298	323	228	51	2	1
304, 306	Senile and cerebral arteriosclerosis.	T. 4,733	—	—	—	—	—	—	14	115	681	2,089	1,592	236	6
	M. 2,185	—	—	—	—	—	—	—	6	73	373	985	660	84	4
	F. 2,548	—	—	—	—	—	—	—	8	42	308	1,104	932	152	2
307	Alcoholic	T. 786	—	—	—	1	12	77	140	244	224	79	7	2	—
	M. 596	—	—	—	—	1	11	60	94	184	174	63	7	2	—
	F. 190	—	—	—	—	—	1	17	46	60	50	16	—	—	—
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified	T. 5,224	3	1	17	77	420	847	1,243	1,280	869	390	61	7	9
	M. 2,790	3	—	12	43	217	495	659	664	434	218	38	—	7	
	F. 2,434	—	1	5	34	203	352	584	616	435	172	23	7	2	
	Psychoneuroses	T. 1,968	—	—	3	48	253	429	406	378	283	138	26	1	3
	M. 680	—	—	1	15	79	140	141	143	96	56	8	—	1	
	F. 1,288	—	—	2	33	174	289	265	235	187	82	18	1	2	
310	Anxiety reaction	T. 241	—	—	—	3	45	66	51	34	24	12	5	—	1
	M. 111	—	—	—	—	—	23	31	22	19	9	4	2	—	1
	F. 130	—	—	—	—	3	22	35	29	15	15	8	3	—	—
311	Hysterical reaction	T. 137	—	—	—	11	26	37	27	21	9	5	1	—	—
	M. 39	—	—	—	—	6	3	12	9	5	2	2	—	—	—
	F. 98	—	—	—	—	5	23	25	18	16	7	3	1	—	—
313	Obsessive-compulsive reaction.	T. 71	—	—	—	3	9	26	16	4	8	4	1	—	—
	M. 23	—	—	—	—	3	3	8	5	—	—	3	1	—	—
	F. 48	—	—	—	—	—	6	18	11	4	8	1	—	—	—
314	Neurotic-depressive reaction	T. 901	—	—	2	22	118	204	183	150	134	73	13	—	2
	M. 299	—	—	1	4	32	62	57	59	47	34	3	—	—	—
	F. 602	—	—	1	18	86	142	126	91	87	39	10	—	2	

TABLE 4. Diagnostic Class and Sex, by Age — Concluded

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated	
Psychoneuroses — Concluded:																
315, 316, 317	Somatization reaction	T.	98	—	—	1	—	4	10	23	35	15	9	1	—	—
		M.	48	—	—	—	—	2	4	15	17	6	3	1	—	—
		F.	50	—	—	1	—	2	6	8	18	9	6	—	—	—
312, 318	Other and unspecified	T.	520	—	—	—	9	51	86	106	134	93	35	5	1	—
		M.	160	—	—	—	2	16	23	33	43	32	10	1	—	—
		F.	360	—	—	—	7	35	63	73	91	61	25	4	1	—
	Disorders of character, behav- iour, and intelligence.	T.	23,793	391	1,977	2,995	3,396	4,607	3,791	2,924	1,992	1,150	456	76	14	24
		M.	13,351	206	1,127	1,796	1,975	2,581	2,110	1,556	1,061	642	240	36	8	13
		F.	10,442	185	850	1,199	1,421	2,026	1,681	1,368	931	508	216	40	6	11
320	Pathological personality	T.	731	—	1	8	97	148	187	124	92	48	25	1	—	—
		M.	458	—	—	5	51	87	120	85	60	34	15	1	—	—
		F.	273	—	1	3	46	61	67	39	32	14	10	—	—	—
322	Alcoholism	T.	629	—	—	—	1	27	150	180	156	77	30	7	1	—
		M.	521	—	—	—	1	23	124	148	127	65	26	6	1	—
		F.	108	—	—	—	—	4	26	32	29	12	4	1	—	—
323	Other drug addiction.....	T.	84	—	—	—	—	11	23	25	13	7	5	—	—	—
		M.	29	—	—	—	—	2	9	10	5	3	—	—	—	—
		F.	55	—	—	—	—	9	14	15	8	4	5	—	—	—
325	Mental deficiency	T.	20,071	356	1,820	2,785	2,998	3,999	2,979	2,284	1,514	895	351	57	10	23
		M.	11,171	191	1,032	1,677	1,776	2,243	1,627	1,167	766	470	180	25	5	12
		F.	8,900	165	788	1,108	1,222	1,756	1,352	1,117	748	425	171	32	5	11
353	Epilepsy	T.	1,751	35	135	160	182	316	359	249	187	99	26	1	1	1
		M.	922	15	83	85	98	177	178	120	89	61	13	1	1	1
		F.	829	20	52	75	84	139	181	129	98	38	13	—	—	—
324	Primary childhood behaviour disorders.	T.	108	—	19	31	47	6	3	—	1	1	—	—	—	—
		M.	56	—	10	20	21	4	—	—	1	—	—	—	—	—
		F.	52	—	9	11	26	2	3	—	—	1	—	—	—	—
083.1, 321, 326	Other and unspecified	T.	419	—	2	11	71	100	90	62	29	23	19	10	2	—
		M.	194	—	2	9	28	45	52	26	13	9	6	3	1	—
		F.	225	—	—	2	43	55	38	36	16	14	13	7	1	—
	Other conditions	T.	618	10	30	39	28	29	28	37	64	75	144	119	15	—
		M.	355	4	15	25	12	18	14	25	39	45	89	58	11	—
		F.	263	6	15	14	16	11	14	12	25	30	55	61	4	—
020.0, 024.0, 026.0	Syphilis without psychosis	T.	43	—	1	—	—	3	5	4	13	9	6	2	—	—
		M.	27	—	—	—	—	2	2	4	8	7	3	1	—	—
		F.	16	—	1	—	—	1	3	—	5	2	3	1	—	—
	Not elsewhere classified	T.	575	10	29	39	28	26	23	33	51	66	138	117	15	—
		M.	328	4	15	25	12	16	12	21	31	38	86	57	11	—
		F.	247	6	14	14	16	10	11	12	20	28	52	60	4	—
793	Mental observation without need for further medical care.	T.	94	1	—	1	8	13	22	17	13	10	4	4	—	1
		M.	80	—	—	1	6	13	20	13	10	9	3	4	—	1
		F.	14	1	—	—	2	—	2	4	3	1	—	—	—	—
	Diagnoses not reported	T.	359	—	—	—	1	30	67	73	92	54	28	14	—	—
		M.	206	—	—	—	1	24	38	48	57	25	7	6	—	—
		F.	153	—	—	—	—	6	29	25	35	29	21	8	—	—

TABLE 5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
	Both sexes	T.	414	18	102	182	295	341	462	596	803	932	1,018	1,365	1,897
		M.	438	19	114	214	333	385	508	627	828	973	1,018	1,258	1,864
		F.	389	18	90	149	256	296	415	565	776	891	1,017	1,457	1,939
	Psychoses	T.	262	--	1	4	37	138	287	431	635	779	900	1,236	1,715
		M.	274	--	1	4	41	165	321	458	660	814	895	1,128	1,576
		F.	249	--	1	3	34	109	252	403	608	745	905	1,330	1,827
020.1, 024.1, 025, 026.1	Syphilis of central nervous sys- tem with psychosis.	T.	8	--	--	--	1	1	1	8	36	44	24	8	6
		M.	12	--	--	--	--	1	2	11	54	70	41	12	--
		F.	4	--	--	--	1	1	1	5	17	18	8	5	10
300	Schizophrenia	T.	148	--	1	2	27	110	220	291	355	363	291	192	121
		M.	163	--	1	3	30	137	251	321	379	383	304	181	136
		F.	132	--	1	2	24	81	189	260	330	343	279	202	112
301	Manic-depressive reaction	T.	27	--	--	--	3	9	24	44	73	99	100	80	48
		M.	23	--	--	--	3	7	19	37	64	88	84	61	45
		F.	31	--	--	--	3	10	29	50	83	110	116	95	51
302	Involutional melancholia	T.	7	--	--	--	--	--	--	6	25	46	37	19	12
		M.	4	--	--	--	--	--	--	2	12	32	28	19	15
		F.	10	--	--	--	--	--	1	9	40	60	46	19	10
303	Paranoia and paranoid states	T.	11	--	--	--	--	1	4	15	37	56	56	46	42
		M.	10	--	--	--	--	1	4	14	33	51	43	41	76
		F.	13	--	--	--	--	1	3	16	41	62	68	51	20
304, 306	Senile and cerebral arterios- clerosis.	T.	27	--	--	--	--	--	--	1	8	66	319	855	1,430
		M.	24	--	--	--	--	--	--	1	9	73	307	764	1,273
		F.	29	--	--	--	--	--	--	1	6	59	331	935	1,551
307	Alcoholic	T.	4	--	--	--	--	--	3	7	16	22	12	4	12
		M.	7	--	--	--	--	1	5	9	24	34	20	8	30
		F.	2	--	--	--	--	--	1	4	8	10	5	--	--
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified	T.	30	--	--	1	6	17	34	60	85	84	60	33	42
		M.	31	--	--	1	6	18	40	62	85	84	68	44	--
		F.	28	--	--	1	5	17	28	57	84	84	52	23	71
	Psychoneuroses	T.	11	--	--	--	4	10	17	19	25	27	21	14	6
		M.	8	--	--	--	2	6	11	13	18	19	17	9	--
		F.	15	--	--	--	5	15	23	26	32	36	25	18	10
310	Anxiety reaction	T.	1	--	--	--	--	2	3	2	2	2	2	3	--
		M.	1	--	--	--	--	2	2	2	2	2	1	2	--
		F.	1	--	--	--	--	2	3	3	2	3	2	3	--
311	Hysterical reaction	T.	1	--	--	--	1	1	1	1	1	1	1	1	--
		M.	--	--	--	--	1	--	1	1	1	--	1	--	--
		F.	1	--	--	--	1	2	2	2	2	1	1	1	--
313	Obsessive-compulsive reaction ..	T.	--	--	--	--	--	--	1	1	--	1	1	1	--
		M.	--	--	--	--	--	--	1	--	--	1	1	1	--
		F.	1	--	--	--	--	1	1	1	1	2	--	--	--
314	Neurotic-depressive reaction ..	T.	5	--	--	--	2	5	8	9	10	13	11	7	--
		M.	3	--	--	--	1	3	5	5	8	9	11	3	--
		F.	7	--	--	--	3	7	11	12	12	17	12	10	--

TABLE 5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population — Concluded

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over			
	Psychoneuroses — concluded:																
315, 316, 317	Somatization reaction	T.	1	—	—	—	—	—	1	2	1	1	1	—			
		M.	1	—	—	—	—	—	1	2	1	1	1	—			
		F.	1	—	—	—	—	—	1	2	2	2	—	—			
312, 318	Other and unspecified	T.	3	—	—	—	—	1	2	3	5	9	5	3	6		
		M.	2	—	—	—	—	—	1	2	3	6	3	1	—		
		F.	4	—	—	—	—	1	3	5	7	12	12	8	10		
	Disorders of character, behaviour, T. and intelligence.		135	18	99	176	251	190	153	140	132	111	70	41	85		
		M.	149	18	111	206	287	209	170	147	137	125	75	42	121		
		F.	120	17	87	144	214	170	136	133	127	98	65	40	61		
320	Pathological personality	T.	4	—	—	—	—	7	6	8	6	6	5	4	—		
		M.	5	—	—	—	—	1	7	7	10	8	7	5	1	—	
		F.	3	—	—	—	—	—	7	5	5	4	4	3	3	—	
322	Alcoholism	T.	4	—	—	—	—	—	1	6	9	10	7	5	4	6	
		M.	6	—	—	—	—	—	—	2	10	14	16	13	8	7	15
		F.	1	—	—	—	—	—	—	—	2	3	4	2	1	—	
323	Other drug addiction	T.	—	—	—	—	—	—	—	—	1	1	1	1	—	—	
		M.	—	—	—	—	—	—	—	—	1	1	1	1	—	—	
		F.	1	—	—	—	—	—	—	—	1	1	1	1	2	—	
325	Mental deficiency	T.	114	16	91	163	222	165	120	109	100	87	54	31	61		
		M.	125	17	102	192	258	182	131	110	99	91	56	29	76		
		F.	102	15	81	133	184	148	109	108	102	82	51	32	51		
353	Epilepsy	T.	10	2	7	9	13	13	14	12	12	10	4	1	6		
		M.	10	1	8	10	14	14	14	11	11	12	4	1	15		
		F.	10	2	5	9	13	12	15	13	13	7	4	—	—		
324	Primary childhood behaviour T. disorders.	T.	1	—	1	2	3	—	—	—	—	—	—	—	—		
		M.	1	—	1	2	3	—	—	—	—	—	—	—	—		
		F.	1	—	1	1	4	—	—	—	—	—	—	—	—		
083.1, 321, 326	Other and unspecified	T.	2	—	—	1	5	4	4	3	2	2	3	5	12		
		M.	2	—	—	1	4	4	4	2	2	2	2	3	15		
		F.	3	—	—	—	6	5	3	3	2	3	4	7	10		
	Other conditions		4	—	2	2	2	1	1	2	4	7	22	64	91		
		M.	4	—	1	3	2	1	1	2	5	9	28	67	167		
		F.	3	1	2	2	2	1	1	1	3	6	17	61	41		
020.0, 024.0, 026.0	Syphilis without psychosis	T.	—	—	—	—	—	—	—	—	1	1	1	1	—		
		M.	—	—	—	—	—	—	—	—	1	1	1	1	—		
		F.	—	—	—	—	—	—	—	—	1	—	1	1	—		
	Not elsewhere classified	T.	3	—	1	2	2	1	1	2	3	6	21	63	91		
		M.	4	—	1	3	2	1	1	2	4	7	27	66	167		
		F.	3	1	1	2	2	1	1	1	3	5	16	60	41		
793	Mental observation without need T. for further medical care.	T.	1	—	—	—	1	1	1	1	1	1	1	2	—		
		M.	1	—	—	—	1	1	2	1	1	2	1	5	—		
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Diagnoses not reported		2	—	—	—	—	—	1	3	3	5	4	8	—		
		M.	2	—	—	—	—	—	2	3	5	5	2	7	—		
		F.	2	—	—	—	—	—	1	2	2	5	6	8	—		

TABLE 6. Diagnostic Class and Sex, Percentage Distribution by Age

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
	Both sexes	T 100	1	3	4	5	11	16	17	17	13	9	3	--
		M 100	1	3	5	6	12	16	17	16	13	8	3	--
		F 100	1	3	4	5	10	15	17	17	14	10	4	1
	Psychoses	T 100	--	--	--	1	7	15	19	21	17	13	5	1
		M 100	--	--	--	1	8	16	20	21	17	12	4	--
		F 100	--	--	--	1	6	14	19	21	18	14	6	1
020.1, 024.1, 025, 026.1	Syphilis of central nervous system with psychosis.	T 100	--	--	--	--	1	2	12	38	32	11	1	--
		M 100	--	--	--	--	1	2	11	39	33	12	1	--
		F 100	--	--	1	1	2	5	16	37	28	8	2	--
300	Schizophrenia.....	T 100	--	--	--	1	10	21	23	21	14	7	1	--
		M 100	--	--	--	1	12	21	23	20	14	7	1	--
		F 100	--	--	--	1	8	20	23	21	15	8	2	--
301	Manic-depressive reaction	T 100	--	--	--	1	4	13	19	23	22	14	3	--
		M 100	--	--	--	1	5	12	20	24	22	13	3	--
		F 100	--	--	--	1	4	13	19	23	21	14	4	--
302	Involutional melancholia	T 100	--	--	--	--	--	1	9	30	38	19	3	--
		M 100	--	--	--	--	--	1	5	23	43	23	4	--
		F 100	--	--	--	--	--	1	11	33	35	17	2	--
303	Paranoia and paranoid states	T 100	--	--	--	--	--	1	4	16	27	29	18	--
		M 100	--	--	--	--	--	1	6	16	28	29	15	4
		F 100	--	--	--	--	--	1	3	15	27	29	21	5
304, 306	Senile and cerebral arterioscle- rosis.	T 100	--	--	--	--	--	--	--	2	14	44	34	5
		M 100	--	--	--	--	--	--	--	3	17	45	30	4
		F 100	--	--	--	--	--	--	--	2	12	43	37	6
307	Alcoholic	T 100	--	--	--	--	--	2	10	18	31	28	10	1
		M 100	--	--	--	--	--	2	10	16	31	29	11	1
		F 100	--	--	--	--	--	1	9	24	32	26	8	--
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified.....	T 100	--	--	--	1	8	16	24	25	17	7	1	--
		M 100	--	--	--	2	8	18	24	24	16	8	1	--
		F 100	--	--	--	1	8	14	24	25	18	7	1	--
	Psychoneuroses.....	T 100	--	--	--	2	13	22	21	19	14	7	1	--
		M 100	--	--	--	2	12	21	21	21	14	8	1	--
		F 100	--	--	--	3	14	22	21	18	15	6	1	--
310	Anxiety reaction	T 100	--	--	--	1	19	28	21	14	10	5	2	--
		M 100	--	--	--	—	21	28	20	17	8	4	2	--
		F 100	--	--	--	2	17	27	22	12	12	6	2	--
311	Hysterical reaction	T 100	--	--	--	8	19	27	20	15	7	4	1	--
		M 100	--	--	--	15	8	31	23	13	5	5	—	--
		F 100	--	--	--	5	23	26	18	16	7	3	1	--
313	Obsessive-compulsive reaction....	T 100	--	--	--	4	13	37	23	6	11	6	1	--
		M 100	--	--	--	13	13	35	22	—	—	13	4	--
		F 100	--	--	--	—	13	38	23	8	17	2	—	--
314	Neurotic-depressive reaction.....	T 100	--	--	--	2	13	23	20	17	15	8	1	--
		M 100	--	--	--	1	11	21	19	20	16	11	1	--
		F 100	--	--	--	3	14	24	21	15	15	7	2	--

TABLE 6. Diagnostic Class and Sex, Percentage Distribution by Age — Concluded

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
Psychoneuroses — concluded:															
315, 316, 317	Somatization reaction	T	100	—	—	1	—	4	10	23	36	15	9	1	—
		M	100	—	—	—	—	4	8	31	35	13	6	2	—
		F	100	—	—	2	—	4	12	16	36	18	12	—	—
312, 318	Other and unspecified	T	100	—	—	—	2	10	17	20	26	18	7	1	—
		M	100	—	—	—	1	10	14	21	27	20	6	1	—
		F	100	—	—	—	2	10	18	20	25	17	7	1	—
	Disorders of character, behaviour, and intelligence	T	100	2	8	13	14	19	16	12	8	5	2	—	—
		M	100	2	8	13	15	19	16	12	8	5	2	—	—
		F	100	2	8	11	14	19	16	13	9	5	2	—	—
320	Pathological personality	T	100	—	--	1	13	20	26	17	13	7	3	—	—
		M	100	—	—	1	11	19	26	19	13	7	3	—	—
		F	100	—	--	1	17	22	25	14	12	5	4	—	—
322	Alcoholism	T	100	—	—	—	--	4	24	29	25	12	5	1	—
		M	100	—	—	—	--	4	24	28	24	12	5	1	—
		F	100	—	—	—	--	4	24	30	27	11	4	1	—
323	Other drug addiction	T	100	—	—	—	—	13	27	30	15	8	6	—	—
		M	100	—	—	—	—	7	31	34	17	10	—	—	—
		F	100	—	—	—	—	16	25	27	15	7	9	—	—
325	Mental deficiency	T	100	2	9	14	15	20	15	11	8	4	2	—	—
		M	100	2	9	15	16	20	15	10	7	4	2	—	—
		F	100	2	9	12	14	20	15	13	8	5	2	—	—
353	Epilepsy	T	100	2	8	9	10	18	21	14	11	6	1	—	—
		M	100	2	9	9	11	19	19	13	10	7	1	—	—
		F	100	2	6	9	10	17	22	16	12	5	2	—	—
324	Primary childhood behaviour disorders	T	100	—	18	29	44	6	3	—	1	1	—	—	—
		M	100	—	18	36	38	7	—	—	2	—	—	—	—
		F	100	—	17	21	50	4	6	—	—	2	—	—	—
083.1, 321, 326	Other and unspecified	T	100	—	--	3	17	24	21	15	7	5	5	2	—
		M	100	—	1	5	14	23	27	13	7	5	3	2	—
		F	100	—	—	1	19	24	17	16	7	6	6	3	—
	Other conditions	T	100	2	5	6	5	5	5	6	10	12	23	19	2
		M	100	1	4	7	3	5	4	7	11	13	25	16	3
		F	100	2	6	5	6	4	5	5	10	11	21	23	2
020.0, 024.0, 026.0	Syphilis without psychosis	T	100	—	2	—	—	7	12	9	30	21	14	5	—
		M	100	—	—	—	—	7	7	15	30	26	11	4	—
		F	100	—	6	—	—	6	19	—	31	13	19	6	—
	Not elsewhere classified	T	100	2	5	7	5	5	4	6	9	11	24	20	3
		M	100	1	5	8	4	5	4	6	9	12	26	17	3
		F	100	2	6	6	6	4	4	5	8	11	21	24	2
793	Mental observation without need for further medical care	T	100	1	—	1	9	14	24	18	14	11	4	4	—
		M	100	—	—	1	8	16	25	16	13	11	4	5	—
		F	100	7	—	—	14	—	14	29	21	7	7	—	—

TABLE 7. Sex and Age, Percentage Distribution by Selected Diagnostic Class

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
	Both sexes	100.0												
300	<i>Psychoses</i>	63.6	1.5	1.3	2.1	12.6	40.5	62.5	72.6	79.7	84.1	88.8	91.1	90.4
301	Schizophrenia	35.9	0.5	1.2	1.3	9.2	32.3	47.9	49.2	44.6	39.2	28.8	14.1	6.4
304, 306	Manic-depressive reaction	6.5	—	—	0.1	1.2	2.5	3.2	7.4	9.2	10.7	9.9	5.9	2.6
	<i>Senile and cerebral arteriosclerosis</i>	6.5	—	—	—	—	—	—	0.1	1.0	7.1	31.5	63.0	75.4
	<i>Psychoneuroses</i>	2.7	—	—	0.1	1.2	3.1	3.8	3.3	3.1	3.0	2.1	1.0	0.3
325	<i>Disorders of character, behaviour, and intelligence</i>	32.7	95.8	97.2	96.5	85.3	55.9	33.3	23.6	16.6	12.0	6.9	3.0	4.5
353	Mental deficiency	27.6	87.3	89.5	89.8	75.3	48.5	26.2	18.5	12.6	9.3	5.3	2.3	3.2
	Epilepsy	2.4	8.6	6.6	5.2	4.6	3.8	3.2	2.0	1.6	1.0	0.4	—	0.3
	<i>Other conditions</i>	1.0	2.7	1.5	1.3	0.9	0.5	0.4	0.4	0.6	0.9	2.2	4.9	4.8
	Male	100.0												
300	<i>Psychoses</i>	62.9	2.3	1.3	2.1	12.2	43.1	63.5	73.6	80.4	84.1	88.1	90.2	84.6
301	Schizophrenia	37.3	0.9	1.3	1.3	9.0	35.9	49.7	51.6	46.2	39.6	30.0	14.4	7.3
304, 306	Manic-depressive reaction	5.2	—	—	0.1	1.0	1.9	3.8	6.0	7.7	9.1	8.3	4.9	2.4
	<i>Senile and cerebral arteriosclerosis</i>	5.6	—	—	—	—	—	—	0.1	1.1	7.5	30.2	61.1	68.3
	<i>Psychoneuroses</i>	1.7	—	—	0.1	0.7	1.7	2.2	2.1	2.2	1.9	1.7	0.7	—
325	<i>Disorders of character, behaviour, and intelligence</i>	34.3	95.8	97.4	96.5	86.4	54.6	33.7	23.7	16.6	12.9	7.4	3.3	6.5
353	Mental deficiency	28.7	88.8	89.2	90.1	77.7	47.5	26.0	17.7	12.0	9.4	5.5	2.3	4.1
	Epilepsy	2.4	7.0	7.2	4.5	4.3	3.7	2.8	1.8	1.4	1.2	0.4	0.1	0.8
	<i>Other conditions</i>	1.1	1.9	1.3	1.4	0.8	0.7	0.5	0.6	0.8	1.1	2.8	5.7	8.9
	Female	100.0												
300	<i>Psychoses</i>	64.4	0.5	1.3	2.1	13.2	37.0	61.1	71.5	78.9	84.2	89.5	91.8	94.2
301	Schizophrenia	34.2	—	1.0	1.3	9.5	27.4	45.7	46.3	42.8	38.7	27.6	13.9	5.8
304, 306	Manic-depressive reaction	8.0	—	—	0.2	1.4	3.4	7.0	8.9	10.8	12.4	11.5	6.6	2.6
	<i>Senile and cerebral arteriosclerosis</i>	7.6	—	—	—	—	—	—	0.1	0.7	6.7	32.8	64.5	80.0
	<i>Psychoneuroses</i>	3.8	—	—	0.2	1.9	5.0	5.7	4.6	4.2	4.1	2.4	1.2	0.5
325	<i>Disorders of character, behaviour, and intelligence</i>	31.0	95.9	97.0	96.6	83.8	57.7	32.9	23.6	16.5	11.0	6.4	2.8	3.2
353	Mental deficiency	26.4	85.5	90.0	89.3	72.1	50.0	26.5	19.3	13.2	9.2	5.1	2.2	2.6
	Epilepsy	2.5	10.4	5.9	6.0	5.0	4.0	3.5	2.2	1.7	0.8	0.4	—	—
	<i>Other conditions</i>	0.8	3.6	1.7	1.1	1.1	0.3	0.3	0.3	0.5	0.7	1.7	4.2	2.1

TABLE 8. Time Since Admission and Province, by Sex

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Canada	73,047	39,174	33,873	100.0	100.0	100.0
Under 1 month	2,479	1,265	1,214	3.4	3.2	3.6
1- 4 months	4,321	2,125	2,196	5.9	5.4	6.5
4- 8 months	4,243	2,009	2,234	5.8	5.1	6.6
8-12 months	2,858	1,510	1,348	3.9	3.9	4.0
1- 2 years	5,613	2,883	2,730	7.7	7.4	8.1
2- 3 years	3,795	1,974	1,821	5.2	5.0	5.4
3- 5 years	6,422	3,555	2,867	8.8	9.1	8.5
5-10 years	12,546	7,117	5,429	17.2	18.2	16.0
10-15 years	8,321	4,512	3,809	11.4	11.5	11.2
15-20 years	6,561	3,508	3,053	9.0	9.0	9.0
20 or more years	15,888	8,716	7,172	21.8	22.2	21.2
Newfoundland	895	536	359	100.0	100.0	100.0
Under 1 month	55	32	23	6.1	6.0	6.4
1- 4 months	77	42	35	8.6	7.8	9.7
4- 8 months	68	40	28	7.6	7.5	7.8
8-12 months	23	15	8	2.6	2.8	2.2
1- 2 years	71	46	25	7.9	8.6	7.0
2- 3 years	29	16	13	3.2	3.0	3.6
3- 5 years	55	40	15	6.1	7.5	4.2
5-10 years	157	95	62	17.5	17.7	17.3
10-15 years	80	49	31	8.9	9.1	8.6
15-20 years	96	62	34	10.7	11.6	9.5
20 or more years	184	99	85	20.6	18.5	23.7
Prince Edward Island	603	327	276	100.0	100.0	100.0
Under 1 month	25	14	11	4.1	4.3	4.0
1- 4 months	41	26	15	6.8	8.0	5.4
4- 8 months	30	18	12	5.0	5.5	4.3
8-12 months	40	27	13	6.6	8.3	4.7
1- 2 years	68	41	27	11.3	12.5	9.8
2- 3 years	28	19	9	4.6	5.8	3.3
3- 5 years	49	27	22	8.1	8.3	8.0
5-10 years	75	36	39	12.4	11.0	14.1
10-15 years	60	36	24	10.0	11.0	8.7
15-20 years	64	33	31	10.6	10.1	11.2
20 or more years	123	50	73	20.4	15.3	26.4
Nova Scotia	769	395	374	100.0	100.0	100.0
Under 1 month	97	49	48	12.6	12.4	12.8
1- 4 months	247	131	116	32.1	33.2	31.0
4- 8 months	128	60	68	16.6	15.2	18.2
8-12 months	56	23	33	7.3	5.8	8.8
1- 2 years	77	35	42	10.0	8.9	11.2
2- 3 years	45	21	24	5.9	5.3	6.4
3- 5 years	49	30	19	6.4	7.6	5.1
5-10 years	32	19	13	4.2	4.8	3.5
10-15 years	10	6	4	1.3	1.5	1.1
15-20 years	7	5	2	0.9	1.3	0.5
20 or more years	21	16	5	2.7	4.1	1.3
New Brunswick	2,229	1,192	1,037	100.0	100.0	100.0
Under 1 month	87	42	45	3.9	3.5	4.3
1- 4 months	110	58	52	4.9	4.9	5.0
4- 8 months	131	67	64	5.9	5.6	6.2
8-12 months	153	78	75	6.9	6.5	7.2
1- 2 years	240	125	115	10.8	10.5	11.1
2- 3 years	116	63	53	5.2	5.3	5.1
3- 5 years	162	86	76	7.3	7.2	7.3
5-10 years	355	204	151	15.9	17.1	14.6
10-15 years	266	146	120	11.9	12.2	11.6
15-20 years	185	97	88	8.3	8.1	8.5
20 or more years	424	226	198	19.0	19.0	19.1
Quebec	21,752	11,793	9,959	100.0	100.0	100.0
Under 1 month	568	297	271	2.6	2.5	2.7
1- 4 months	1,044	490	554	4.8	4.2	5.6
4- 8 months	1,117	582	535	5.1	4.9	5.4
8-12 months	856	497	359	3.9	4.2	3.6
1- 2 years	1,526	817	709	7.0	6.9	7.1
2- 3 years	1,123	590	533	5.2	5.0	5.4

TABLE 8. Time Since Admission and Province, by Sex — Concluded

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Quebec — Concluded						
3 - 5 years	2,105	1,178	927	9.7	10.0	9.3
5 - 10 years	3,808	2,208	1,600	17.5	18.7	16.1
10 - 15 years	2,738	1,513	1,225	12.6	12.8	12.3
15 - 20 years	2,163	1,172	991	9.9	9.9	10.0
20 or more years.....	4,704	2,449	2,255	21.6	20.8	22.6
Ontario						
Under 1 month.....	26,772	13,872	12,900	100.0	100.0	100.0
1 - 4 months	912	461	451	3.4	3.3	3.5
4 - 8 months	1,662	777	885	6.2	5.6	6.9
8 - 12 months	1,805	767	1,038	6.7	5.5	8.0
1 - 2 years	1,084	540	544	4.0	3.9	4.2
2 - 3 years	2,180	1,074	1,106	8.1	7.7	8.6
3 - 5 years	1,560	793	767	5.8	5.7	5.9
5 - 10 years	2,499	1,373	1,126	9.3	9.9	8.7
10 - 15 years	4,558	2,554	2,004	17.0	18.4	15.5
15 - 20 years	2,931	1,548	1,383	10.9	11.2	10.7
20 or more years.....	2,154	1,069	1,085	8.0	7.7	8.4
	5,427	2,916	2,511	20.3	21.0	19.5
Manitoba						
Under 1 month.....	4,206	2,168	2,038	100.0	100.0	100.0
1 - 4 months	107	54	53	2.5	2.5	2.6
4 - 8 months	164	81	83	3.9	3.7	4.1
8 - 12 months	230	112	118	5.5	5.2	5.8
1 - 2 years	165	94	71	3.9	4.3	3.5
2 - 3 years	353	190	163	8.4	8.8	8.0
3 - 5 years	195	87	108	4.6	4.0	5.3
5 - 10 years	260	133	127	6.2	6.1	6.2
10 - 15 years	720	375	345	17.1	17.3	16.9
15 - 20 years	401	201	200	9.5	9.3	9.8
20 or more years.....	421	226	195	10.0	10.4	9.6
	1,190	615	575	28.3	28.4	28.2
Saskatchewan						
Under 1 month.....	4,757	2,700	2,057	100.0	100.0	100.0
1 - 4 months	170	81	89	3.6	3.0	4.3
4 - 8 months	233	123	110	4.9	4.6	5.3
8 - 12 months	185	97	88	3.9	3.6	4.3
1 - 2 years	120	58	62	2.5	2.1	3.0
2 - 3 years	273	156	117	5.7	5.8	5.7
3 - 5 years	207	114	93	4.4	4.2	4.5
5 - 10 years	396	206	190	8.3	7.6	9.2
10 - 15 years	645	367	278	13.6	13.6	13.5
15 - 20 years	532	288	244	11.2	10.7	11.9
20 or more years.....	549	306	243	11.5	11.3	11.8
	1,447	904	543	30.4	33.5	26.4
Alberta						
Under 1 month.....	4,420	2,538	1,882	100.0	100.0	100.0
1 - 4 months	164	98	66	3.7	3.9	3.5
4 - 8 months	284	165	119	6.4	6.5	6.3
8 - 12 months	194	106	88	4.4	4.2	4.7
1 - 2 years	128	75	53	2.9	3.0	2.8
2 - 3 years	356	169	187	8.1	6.7	9.9
3 - 5 years	164	78	86	3.7	3.1	4.6
5 - 10 years	360	219	141	8.1	8.6	7.5
10 - 15 years	862	502	360	19.5	19.8	19.1
15 - 20 years	474	262	212	10.7	10.3	11.3
20 or more years.....	380	225	155	8.6	8.9	8.2
	1,054	639	415	23.8	25.2	22.1
British Columbia						
Under 1 month.....	6,644	3,653	2,991	100.0	100.0	100.0
1 - 4 months	294	137	157	4.4	3.8	5.2
4 - 8 months	459	232	227	6.9	6.4	7.6
8 - 12 months	355	160	195	5.3	4.4	6.5
1 - 2 years	233	103	130	3.5	2.8	4.3
2 - 3 years	469	230	239	7.1	6.3	8.0
3 - 5 years	328	193	135	4.9	5.3	4.5
5 - 10 years	487	263	224	7.3	7.2	7.5
10 - 15 years	1,334	757	577	20.1	20.7	19.3
15 - 20 years	829	463	366	12.5	12.7	12.2
20 or more years.....	542	313	229	8.2	8.6	7.7
	1,314	802	512	19.8	22.0	17.1

TABLE 9. Time Since Admission, by Age and Sex

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes														
Number														
Canada														
Totals	73,047	408	2,033	3,103	3,983	8,267	11,440	12,448	12,121	9,631	6,661	2,540	313	99
Under 1 month	2,479	24	49	56	121	378	562	489	342	207	167	75	9	—
1- 4 months	4,321	71	144	159	262	691	942	652	512	370	329	172	17	—
4- 8 months	4,243	84	185	140	237	638	832	625	494	409	379	198	22	—
8-12 months	2,858	67	181	146	205	423	485	370	321	226	268	157	9	—
1- 2 years	5,613	93	413	323	387	726	893	721	608	528	554	314	47	6
2- 3 years	3,795	44	288	269	303	438	524	496	427	407	362	207	26	4
3- 5 years	6,422	25	466	715	554	853	938	798	663	538	505	310	44	13
5-10 years	12,546	—	307	1,196	1,341	1,836	2,200	1,933	1,481	1,068	776	338	51	19
10-15 years	8,321	—	—	99	475	991	1,776	1,874	1,495	930	521	140	16	4
15-20 years	6,561	—	—	—	98	834	1,107	1,697	1,434	863	412	97	12	7
20 or more years	15,888	—	—	—	—	459	1,181	2,793	4,344	4,085	2,388	532	60	46
Median in months	92	9	26	51	57	60	75	124	169	189	119	47	50	
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.4	5.9	2.4	1.8	3.0	4.6	4.9	3.9	2.8	2.1	2.5	3.0	2.9	—
1- 4 months	5.9	17.4	7.1	5.1	6.6	8.4	8.2	5.2	4.2	3.8	4.9	6.8	5.4	—
4- 8 months	5.8	20.6	9.1	4.5	6.0	7.7	7.3	5.0	4.1	4.2	5.7	7.8	7.0	—
8-12 months	3.9	16.4	8.9	4.7	5.1	5.1	4.2	3.0	2.6	2.3	4.0	6.2	2.9	—
1- 2 years	7.7	22.8	20.3	10.4	9.7	8.8	7.8	5.8	5.0	5.5	8.3	12.4	15.0	6.1
2- 3 years	5.2	10.8	14.2	8.7	7.6	5.3	4.6	4.0	3.5	4.2	5.4	8.1	8.3	4.0
3- 5 years	8.8	6.1	22.9	23.0	13.9	10.3	8.2	6.4	5.5	5.6	7.6	12.2	14.1	13.1
5-10 years	17.2	—	15.1	38.5	33.7	22.2	19.2	15.5	12.2	11.1	11.6	13.3	16.3	19.2
10-15 years	11.4	—	—	3.2	11.9	12.0	15.5	15.1	12.3	9.7	7.8	5.5	5.1	4.0
15-20 years	9.0	—	—	—	2.5	10.1	9.7	13.6	11.8	9.0	6.2	3.8	3.8	7.1
20 or more years	21.8	—	—	—	—	5.6	10.3	22.4	35.8	42.4	35.9	20.9	19.2	46.5
Male														
Number														
Totals	39,174	215	1,157	1,862	2,288	4,751	6,304	6,626	6,434	5,003	3,270	1,087	123	54
Under 1 month	1,265	10	32	39	71	191	282	235	170	106	88	37	4	—
1- 4 months	2,125	43	90	107	146	368	423	287	215	184	166	87	9	—
4- 8 months	2,009	38	100	83	117	359	380	265	195	193	183	84	12	—
8-12 months	1,510	35	128	101	114	263	231	165	150	110	139	69	5	—
1- 2 years	2,883	50	233	178	210	412	475	333	299	258	261	152	19	3
2- 3 years	1,974	29	151	137	156	267	286	258	225	203	168	84	8	2
3- 5 years	3,555	10	257	463	318	515	535	439	380	281	223	110	14	10
5-10 years	7,117	—	166	713	836	1,082	1,345	1,048	806	569	378	142	16	16
10-15 years	4,512	—	—	41	268	568	1,046	995	801	459	271	55	7	1
15-20 years	3,508	—	—	—	52	465	619	970	753	415	188	39	4	3
20 or more years	8,716	—	—	—	—	261	682	1,631	2,440	2,225	1,205	228	25	19
Median in months	96	10	24	51	61	60	84	137	178	200	126	43	44	
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.2	4.7	2.8	2.1	3.1	4.0	4.5	3.5	2.6	2.1	2.7	3.4	3.3	—
1- 4 months	5.4	20.0	7.8	5.7	6.4	7.7	6.7	4.3	3.3	3.7	5.1	8.0	7.3	—
4- 8 months	5.1	17.7	8.6	4.5	5.1	7.6	6.0	4.0	3.0	3.9	5.6	7.7	9.8	—
8-12 months	3.9	16.3	11.1	5.4	5.0	5.5	3.7	2.5	2.3	2.2	4.3	6.3	4.1	—
1- 2 years	7.4	23.3	20.1	9.6	9.2	8.7	7.5	5.0	4.6	5.2	8.0	14.0	15.4	5.6
2- 3 years	5.0	13.5	13.1	7.4	6.8	5.6	4.5	3.9	3.5	4.1	5.1	7.7	6.5	3.7
3- 5 years	9.1	4.7	22.2	24.9	13.9	10.8	8.5	6.6	5.9	5.6	6.8	10.1	11.4	18.5
5-10 years	18.2	—	14.3	38.3	36.5	22.8	21.3	15.8	12.5	11.4	11.6	13.1	13.0	29.6
10-15 years	11.5	—	—	2.2	11.7	12.0	16.6	15.0	12.4	9.2	8.3	5.1	5.7	1.9
15-20 years	9.0	—	—	—	2.3	9.8	9.8	14.6	11.7	8.3	5.7	3.6	3.3	5.6
20 or more years	22.2	—	—	—	—	5.5	10.8	24.6	37.9	44.5	36.9	21.0	20.3	35.2

TABLE 9. Time Since Admission, by Age and Sex - Concluded

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	50-69	70-79	80-89	90 or over	Not stated
Female														
Number														
Totals	33,873	193	876	1,241	1,695	3,516	5,136	5,822	5,687	4,628	3,391	1,453	190	45
Under 1 month	1,214	14	17	17	50	187	280	254	172	101	79	38	5	—
1- 4 months	2,196	28	54	52	116	323	519	395	297	186	163	85	8	—
4- 8 months	2,234	46	85	57	120	279	452	360	299	216	195	114	10	—
8- 12 months	1,348	32	53	45	91	160	254	205	171	116	129	88	4	—
1- 2 years	2,730	43	180	145	177	314	418	388	309	270	293	162	28	3
2- 3 years	1,821	15	137	132	147	171	238	238	202	204	194	123	18	2
3- 5 years	2,867	15	209	252	236	338	403	359	283	257	282	200	30	3
5- 10 years	5,429	—	141	483	505	754	855	885	575	499	398	196	35	3
10- 15 years	3,809	—	—	58	207	423	730	879	594	471	250	85	9	3
15- 20 years	3,053	—	—	—	46	369	488	727	681	448	224	58	8	4
20 or more years	7,172	—	—	—	—	198	499	1,162	1,904	1,860	1,183	304	35	27
Median in months	88	9	28	52	51	59	60	110	158	179	114	50	54	
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.6	7.3	1.9	1.4	2.9	5.3	5.4	4.4	3.0	2.2	2.3	2.6	2.6	—
1- 4 months	5.5	14.5	6.2	4.2	6.8	9.2	10.1	6.3	5.2	4.0	4.8	5.8	4.2	—
4- 8 months	6.6	23.8	9.7	4.6	7.1	7.9	8.8	6.2	5.3	4.7	5.8	7.8	5.3	—
8- 12 months	4.0	16.6	6.1	3.6	5.4	4.5	4.9	3.5	3.0	2.5	3.8	6.1	2.1	—
1- 2 years	8.1	22.3	20.5	11.7	10.4	8.9	8.1	6.7	5.4	5.8	8.6	11.1	14.7	6.7
2- 3 years	5.4	7.8	15.6	10.6	8.7	4.9	4.6	4.1	3.6	4.4	5.7	8.5	9.5	4.4
3- 5 years	8.5	7.8	23.9	20.3	13.9	9.6	7.8	6.2	5.0	5.6	8.3	13.8	15.8	6.7
5- 10 years	16.0	—	16.1	38.9	29.8	21.4	16.6	15.2	11.9	10.8	11.7	13.5	18.4	6.7
10- 15 years	11.2	—	—	4.7	12.2	12.0	14.2	15.1	12.2	10.2	7.4	5.8	4.7	6.7
15- 20 years	9.0	—	—	—	2.7	10.5	9.5	12.5	12.0	9.7	6.6	4.0	4.2	8.9
20 or more years	21.2	—	—	—	—	5.6	9.7	20.0	33.5	40.2	34.9	20.9	18.4	60.0

TABLE 10. Time Since Admission, by Selected Diagnosis and Sex

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involitional melancholia	Paranoia and paranoid states	Psychoses of senium	Other and unspecified psychoses	Psycho-neuroses	Mental deficiency	Epilepsy ¹	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Both sexes												
Number												
Canada												
Totals	73,047	26,063	4,709	1,270	2,025	4,733	7,415	1,968	18,744	3,078	2,683	359
Under 1 month	2,479	639	320	105	36	196	150	449	137	57	390	—
1- 4 months	4,321	1,442	433	144	85	473	283	421	460	131	449	—
4- 8 months	4,243	1,429	459	164	72	563	329	226	485	167	349	—
8- 12 months	2,858	904	240	92	61	365	232	119	505	136	204	—
1- 2 years	5,613	1,654	378	149	112	845	429	165	1,148	367	366	—
2- 3 years	3,795	1,082	194	83	73	543	379	84	967	228	162	—
3- 5 years	6,422	1,749	299	115	129	713	629	103	2,114	361	210	—
5- 10 years	12,546	3,581	660	166	394	667	1,254	144	4,616	702	331	31
10- 15 years	8,321	3,057	486	93	303	201	1,177	78	2,359	316	85	166
15- 20 years	6,561	2,693	397	69	221	62	897	39	1,887	202	52	42
20 or more years	15,888	7,833	843	90	539	105	1,656	140	4,066	411	85	120
Median in months	92	131	63	22	130	23	121	6	106	68	11	
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.4	2.5	6.8	8.3	1.8	4.1	2.0	22.8	0.7	1.9	14.5	—
1- 4 months	5.9	5.5	9.2	11.3	4.2	10.0	3.8	21.4	2.5	4.3	16.7	—
4- 8 months	5.8	5.5	9.7	12.9	3.6	11.9	4.4	11.5	2.6	5.4	13.0	—
8- 12 months	3.9	3.5	5.1	7.2	3.0	7.7	3.1	6.0	2.7	4.4	7.6	—
1- 2 years	7.7	6.3	8.0	11.7	5.5	17.9	5.8	8.4	6.1	11.9	13.6	—
2- 3 years	5.2	4.2	4.1	6.5	3.6	11.5	5.1	4.3	5.2	7.4	6.0	—
3- 5 years	8.8	6.7	6.3	9.1	6.4	15.1	8.5	5.2	11.3	11.7	7.8	—
5- 10 years	17.2	13.7	14.0	13.1	19.5	14.1	16.9	7.3	24.6	22.8	12.3	8.6
10- 15 years	11.4	11.7	10.3	7.3	15.0	4.2	15.9	4.0	12.6	10.3	3.2	46.2
15- 20 years	9.0	10.3	8.4	5.4	10.9	1.3	12.1	2.0	10.1	6.6	1.9	11.7
20 or more years	21.8	30.1	17.9	7.1	26.6	2.2	22.3	7.1	21.7	13.4	3.2	33.4

See footnotes at end of table.

TABLE 10. Time Since Admission, by Selected Diagnosis and Sex — Concluded

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involuntar-melancholia	Paranoia and paranoid states	Psychoses of senium	Other and unspecified psychoses	Psycho-neuroses	Mental deficiency	Epilepsy ¹	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Male												
Number												
Totals	39,174	14,534	2,021	390	914	2,185	4,458	680	10,461	1,632	1,693	206
Under 1 month	1,265	323	118	33	18	116	91	163	83	36	284	—
1- 4 months	2,125	664	183	35	35	234	154	150	296	67	307	—
4- 8 months	2,009	696	175	36	37	262	179	75	255	92	202	—
8-12 months	1,510	460	102	25	27	179	144	29	336	81	127	—
1- 2 years	2,883	874	154	41	60	410	257	48	610	191	238	—
2- 3 years	1,974	586	91	35	35	227	224	29	515	129	103	—
3- 5 years	3,555	1,037	141	46	78	302	378	34	1,228	195	116	—
5-10 years	7,117	2,136	333	58	189	293	787	50	2,679	378	195	19
10-15 years	4,512	1,713	211	42	115	95	730	28	1,271	162	47	98
15-20 years	3,508	1,537	161	12	94	22	558	16	964	98	23	23
20 or more years	8,716	4,508	352	21	226	45	956	58	2,224	203	51	66
Median in months	96	137	68	33	113	21	121	5	103	64	10	—
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.2	2.2	5.8	8.5	2.0	5.3	2.0	24.0	0.8	2.2	16.8	—
1- 4 months	5.4	4.6	9.1	9.0	3.8	10.7	3.5	22.1	2.8	4.1	18.1	—
4- 8 months	5.1	4.8	8.7	9.2	4.0	12.0	4.0	11.0	2.4	5.6	11.9	—
8-12 months	3.9	3.2	5.0	6.4	3.0	8.2	3.2	4.3	3.2	5.0	7.5	—
1- 2 years	7.4	6.0	7.6	10.5	6.6	18.8	5.8	7.1	5.8	11.7	14.1	—
2- 3 years	5.0	4.0	4.5	9.0	3.8	10.4	5.0	4.3	4.9	7.9	6.1	—
3- 5 years	9.1	7.1	7.0	11.8	8.5	13.8	8.5	5.0	11.7	11.9	6.9	—
5-10 years	18.2	14.7	16.5	14.9	20.7	13.4	17.7	7.4	25.6	23.2	11.5	9.2
10-15 years	11.5	11.8	10.4	10.8	12.6	4.3	16.4	4.1	12.1	9.9	2.8	47.6
15-20 years	9.0	10.6	8.0	3.1	10.3	1.0	12.5	2.4	9.2	6.0	1.4	11.2
20 or more years	22.2	31.0	17.4	6.9	24.7	2.1	21.4	8.5	21.3	12.4	3.0	32.0
Female												
Number												
Totals	33,873	11,529	2,688	880	1,111	2,548	2,957	1,288	8,283	1,446	990	153
Under 1 month	1,214	316	202	72	18	80	59	286	54	21	106	—
1- 4 months	2,196	778	250	109	50	239	129	271	164	64	142	—
4- 8 months	2,234	733	284	128	35	301	150	151	230	75	147	—
8-12 months	1,348	444	138	67	34	186	88	90	169	55	77	—
1- 2 years	2,730	780	224	108	52	435	172	117	538	176	128	—
2- 3 years	1,821	496	103	48	38	316	155	55	452	99	59	—
3- 5 years	2,867	712	158	69	51	411	251	69	886	166	94	—
5-10 years	5,429	1,445	327	108	205	374	467	94	1,937	324	136	12
10-15 years	3,809	1,344	275	51	188	106	447	50	1,088	154	38	68
15-20 years	3,053	1,156	236	57	127	40	339	23	923	104	29	19
20 or more years	7,172	3,325	491	63	313	60	700	82	1,842	208	34	54
Median in months	88	123	58	19	143	25	121	6	111	72	14	—
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	3.6	2.7	7.5	8.2	1.6	3.1	2.0	22.2	0.7	1.5	10.7	—
1- 4 months	6.5	6.7	9.3	12.4	4.5	9.4	4.4	21.0	2.0	4.4	14.3	—
4- 8 months	6.6	6.4	10.6	14.5	3.2	11.8	5.1	11.7	2.8	5.2	14.8	—
8-12 months	4.0	3.9	5.1	7.6	3.1	7.3	3.0	7.0	2.0	3.8	7.8	—
1- 2 years	8.1	6.8	8.3	12.3	4.7	17.1	5.8	9.1	6.5	12.2	12.9	—
2- 3 years	5.4	4.3	3.8	5.5	3.4	12.4	5.2	4.3	5.5	6.8	6.0	—
3- 5 years	8.5	6.2	5.9	7.8	4.6	16.1	8.5	5.4	10.7	11.5	9.5	—
5-10 years	16.0	12.5	12.2	12.3	18.5	14.7	15.8	7.3	23.4	22.4	13.7	7.8
10-15 years	11.2	11.7	10.2	5.8	16.9	4.2	15.1	3.9	13.1	10.7	3.8	44.4
15-20 years	9.0	10.0	8.8	6.5	11.4	1.6	11.5	1.8	11.1	7.2	2.9	12.4
20 or more years	21.2	28.8	18.3	7.2	28.2	2.4	23.7	6.4	22.2	14.4	3.4	35.3

¹ Excludes mental deficiency with epilepsy.² Includes mental deficiency with epilepsy.

DATE DUE
DATE DE RETOUR

APR - 7 1978
AVR

LOWE-MARTIN No. 1137



1010484641

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Information Services Division
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue
number

VITAL STATISTICS

Price

84-001 - Monthly Report - Bil.	per year	\$1.00
84-201 - Preliminary Annual Report - Bil.		.25
84-202 - Annual Report - Bil.		2.00

Analytical Reports:

84-503 - Leading Causes of Death by Major Age Groupings, 1921-55 - E.	.25
84-504 - Accidental Drowning, 1956 - E.	.25
84-505 - Mortality from Accidental Falls, 1956 - E.	.25
84-506 - Mortality from Accidental Poisoning, 1956 - E.	.25
84-507 - Mortality from Home Accidents, 1956 - E.	.25
84-511 - Mortality from Suicide, 1921-58 - E.	.50
84-508 - Causes of Stillbirths, 1943-55 - E.	.25
84-509 - Canadian Life Tables, 1951 - Bil.	.25
84-510 - Canadian Life Tables, 1950-52, 1955-57 - Bil.	.50
84-512 - Canadian Life Tables, Provincial and Regional, 1950-52, 1955-57 - Bil.	.75

HOSPITALS, MENTAL ILLNESS, AND TUBERCULOSIS

83-201 - List of Canadian Hospitals and Related Health Facilities - A.E.	.75
83-202 - Hospital Statistics, Vol. I, General Information - A. Bil.	1.50
83-203 - Hospital Statistics, Vol. II, Financial Information - A. Bil.	2.00
83-502 - The Large General Hospital, 1957 - E.	.50
83-503 - The Small General Hospital, 1957 - E.	.50
83-204 - Mental Health Statistics - A. Bil.	2.00
83-205 - Mental Health Statistics, Financial Supplement - A. Bil.	.25
83-208 - Mental Health Statistics, Supplement: Patients in Institutions - A.E.	.75
83-504 - Rates and Probabilities of Separation from Mental Institutions (1956-58) - E.	.25
83-206 - Tuberculosis Statistics - A. Bil.	2.00
83-207 - Tuberculosis Statistics, Financial Supplement - A. Bil.	.25
83-209 - Tuberculosis Statistics Supplement: Patients in Institutions - A.E.	.50
83-001 - Incidence of Tuberculosis - Bil. (monthly)	per year 1.00
82-205 - Tuberculosis Trends, 1959 - A.E.	.25

MORBIDITY

82-201 - Notifiable Diseases - A. Bil.	.75
82-202 - Home Nursing Services - A.E.	1.00
82-203 - Illness in the Civil Service - A. Bil.	.75
82-204 - Poliomyelitis Trends - A.E.	.25
82-512 - Summary of Notifiable Diseases, 1924-52 (annual supplements to 1959) - Bil.	.75
82-516 - Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957 - E.	.50

Canadian Sickness Survey (National Estimates), 1950-51 - E. and F.

82-502 - Family Expenditures for Health Services by Income Groups	.25
82-505 - Volume of Sickness	.25
82-506 - Permanent Physical Disabilities	.25
82-507 - Incidence and Prevalence of Illness	.25
82-508 - Volume of Health Care	.25
82-509 - Volume of Health Care for Selected Income Groups	.25
82-510 - Illness Frequency by Diagnostic Classification	.25
82-511 - Illness Frequency by Class of Illness, Age and Sex	.25
82-518 - Illness and Health Care in Canada 1950-51 - E.	2.00

POPULATION - BIL.

91-201 - Canada, by Provinces, Estimated for Intercensal Years, 1921-60 - A.	.25
91-503 - Estimates (Age and Sex), 1921-52 - R. No. 40	.25
91-504 - Estimates (Age and Sex), 1952-56 (Supp. to 91-503)	.25
91-202 - Estimates, by Age and Sex Groups, Canada and Provinces, 1957-60 (A. Supp.)	.25
91-203 - Estimates, by Marital Status, Age and Sex, Canada and Provinces - A.	.25
91-204 - Estimates of Families in Canada - A.	.50

A. - Annual

E. - English

F. - French

Bil. - Bilingual

R. - Reference

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1956 and 1951 Censuses. A comprehensive catalogue of all current publications is available free on request from the Dominion Bureau of Statistics, Ottawa 3.