

362.2
C16a
P
1960

CATALOGUE No.

83-208 C.2

ANNUAL



CANADA

MENTAL HEALTH STATISTICS

Supplement: PATIENTS IN INSTITUTIONS

1960

DOMINION BUREAU OF STATISTICS

Health and Welfare Division

Public Health Section

362 . 2

616a

D

1960



AUG 1 - 1962

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

MENTAL HEALTH STATISTICS

Supplement: PATIENTS IN INSTITUTIONS

1960

Published by Authority of
The Honourable George Hees, Minister of Trade and Commerce

July, 1962
9005-546

Price 75 cents

PREFACE

This is the fourth annual publication on psychiatric patients in institutions.

We gratefully acknowledge the help we received from the staffs of the reporting hospitals and from officials of government departments who checked the basic data.

Comments and suggestions concerning the material or the arrangements are much appreciated. They should be directed to the Public Health Section, Dominion Bureau of Statistics, Ottawa 3, Canada.

WALTER E. DUFFETT,
Dominion Statistician.

TABLE OF CONTENTS

	Page
Introduction	7
Descriptive Text and Graphs	7
 Table	
1. All Patients on Books by Province, Type of Institution, Sex, and Disposition	15
2. Province and Sex (frequency and ratio per 100,000 population), by Age	18
3. Detailed Diagnosis (frequency and ratio per 100,000 population), by Sex	21
4. Diagnostic Class and Sex, by Age	23
(a) For Public Mental Hospitals only	25
(b) For Hospitals for Mentally Defectives only	27
5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population	28
6. Diagnostic Class and Sex, Percentage Distribution by Age	30
7. Sex and Age, Percentage Distribution by Selected Diagnostic Class	32
8. Time Since Admission (frequency and percentage distribution) and Province, by Sex	33
(a) For Public Mental Hospitals only	35
(b) For Hospitals for Mentally Defectives only	37
9. Time Since Admission(frequency and percentage distribution), by Age and Sex	39
(a) For Public Mental Hospitals only	41
(b) For Hospitals for Mentally Defectives only	42
10. Time Since Admission (frequency and percentage distribution), by Selected Diagnoses and Sex	43
(a) For Public Mental Hospitals only	45
(b) For Hospitals for Mentally Defectives only	46
11. Selected Diagnoses and Age, by Time Since Admission	48
(a) For Public Mental Hospitals only	49
(b) For Hospitals for Mentally Defectives only	50

SYMBOLS

The interpretation of the symbols used in the tables throughout this publication is as follows:

- .. figures not available.
- ... figures not appropriate or not applicable.
- nil or zero.
- too small to be expressed -- less than one-half the unit value of the last digit.
- r revised.

DESCRIPTIVE TEXT AND GRAPHS

The data in this publication constitute a census of in-patients who were on the books of mental institutions and psychiatric units of general hospitals on December 31, 1960. Corresponding data for 1955 to 1959 have previously been published.

Changes in Reporting

The Provincial Infirmary, Prince Edward Island, from aged and senile home to welfare institution; the data are no longer included in reports on mental-health statistics.

The Ontario Hospital, Cobourg, from public mental hospital to hospital for mentally defectives.

Additions: Halifax County Hospital, Nova Scotia; Lancaster Hospital, New Brunswick; Allan Memorial Institute, Quebec; Kingston General Hospital, Ottawa Civic Hospital, Ontario; Winnipeg General Hospital, Manitoba; Colonel Belcher Hospital, Linden House, Alberta.

The number of tables has been increased by special tables on the patients in public mental hospitals and on the patients in hospitals for mentally defectives, as well as by a table on time since admission by diagnosis and age group (Table 11).

Scope

Table 1 is based on the annual returns of 77 mental institutions and 32 psychiatric units. The remaining tables are derived from individual admission cards from 99 institutions. Since not all institutions submitted admission cards, the totals do not agree. Moreover, for some institutions that report on cards as well as on annual schedules, the number of patients reported at the end of the year does not agree with the number of admission cards on file. Such discrepancies arise from errors that have accumulated in the past and have not yet been eliminated. They are mainly confined to three institutions in Quebec for which admission cards on file exceed the number of patients reported by 663 or 4.9 per cent.

Psychiatric patients in some hospitals have not been reported. These institutions are listed in the main volume on pages 152-154 with the corresponding annotation. They have a combined bed capacity for psychiatric patients of approximately 1,500, so that the census is about 98 per cent complete. To the extent that some institutions failed to report, the frequencies and the population ratios are understated.

Data from Newfoundland, Prince Edward Island, Saskatchewan and British Columbia are not affected; these provinces reported details for all patients.

Diagnostic classification is based on the *International classification of diseases, 1955 revision*. Population ratios are based on the supplements to "Dominion Bureau of Statistics reference paper No. 40".

Average number of patients and occupancy are dealt with in the main volume of this report (cat. No. 83-204 Mental health statistics 1960, p. 30.)

The tables in this publication refer to inpatients on books, including patients on probation, patients in approved boarding homes and all those who were temporarily absent without having been officially discharged, but excluding day-patients and night-patients, i.e. part-time patients.

Of all patients in hospital at the end of the year, psychiatric patients constitute 45 per cent. Of these, three-quarters were in public mental hospitals and 17 per cent in hospitals for the mentally defectives (Graph 1).

Males constituted 53 per cent of all patients on books and nearly 55 per cent of the patients in residence (Table 1).

The ratio of patients on books to 100,000 of the general population was 443 for males and 403 for females, or one out of every 226 males and one out of every 248 females in the general population.

The population ratio for males had decreased by 2 per cent over the past two years, that for females remained constant; however, since the end of 1955, age-specific population ratios for children under 10 years had increased by 9 per cent, for people between 70 and 80 years of age by 7 per cent, for those between 80 and 90 by 9 per cent, and for the over 90 by 24 per cent.

Patients not in Residence

Patients on probation constituted 10 per cent of the total. The proportion varies according to province. It depends on the discharge policies and on the length of the period that patients are customarily kept on books after leaving the hospital (Graph 2).

Open-door wards were reported for 29 per cent of the resident male patients in public mental hospitals and for 27 per cent of the female patients. Graph 2 shows the percentages for each province.

Type of Institution

Of the different types of institution, public mental hospitals reported 76 per cent, hospitals for mentally defectives 17 per cent, and aged and senile homes 3 per cent of all patients in residence.

In these types of institutions males were in the majority. Federal institutions care almost exclusively for males. In all other types of institutions females were in the majority (Graph 3).

Age

Age¹ was reported for 98.4 per cent of all reported patients. The majority of patients was over 45 years of age. Female patients are somewhat older than male patients (Graph 4).

The ratio of patients to the general population, calculated specifically for each age group, generally rises with advancing age and is consistently higher for males than for females up to the age of 70 years (Graph 5).

Diagnosis on admission was stated for 98.1 per cent of all patients in reporting institutions. Population ratios were calculated without adjustment for incomplete reporting (Graph 6).

For some diagnoses the number of patients relative to the general population had continually increased since 1955. These were mental deficiency, pathological personality, alcoholism with and without psychosis, and psychoneurosis. On the other hand, for the functional psychoses, the ratio decreased by 8 per cent over the period.

Males were in the majority in most diagnostic categories except for the functional psychoses other than schizophrenia, for psychoneuroses, and drug addiction (Table 4).

Age groups with the largest frequencies (mode) were 45-49 for schizophrenia, 15-19 for mental deficiency, and 75-79 for senile psychoses.

¹ Distribution by five-year age groups available on request.

Population ratios specific for age and some diagnoses are shown in Graph 7.

Time Since Admission

Of the patients on books at the end of 1960, 23 per cent had been admitted during the year, whereas 21 per cent had been enrolled for over 20 years. Comparison of the data for 1955 to 1960 shows little variation: The proportion of patients on books with time since admission of ten years and over was 42 per cent for each of the years 1955-1959 and 40 per cent for 1960. The average time for the remainder, i.e., for the patients admitted within ten years prior to the census was 41 months for each year since 1955.


Manitoba and Saskatchewan showed higher proportion of long-term patients than the Canadian average. The relatively small number of long-term patients in the data for Nova Scotia (Table 8) results from the exclusion of seven mental hospitals that did not report on cards.

Median time since admission for all patients was seven years (84 months). It was highest for the age group between 50 and 70 years. For this group, which constitutes 29 per cent of all patients, the median was about 13 years. For almost all age groups time since admission was higher for males than for females (Table 9).


When patients are classified by diagnosis on admission, 38 per cent fall under schizophrenia and paranoia with a median around 10 years, and a little over 26 per cent under mental deficiency with a median of 8.5 years. Patients with these three diagnoses constitute about two thirds of the total, and of these, 25 per cent had been admitted to hospital more than 20 years ago.

Altogether there were 15,537 patients who had been admitted prior to 1941; of these, 71 per cent were psychotic and 26 per cent mentally deficient (Graph 8).


GRAPH - 1




GRAPH - 2




GRAPH - 3




GRAPH - 4



GRAPH - 5




GRAPH - 6




GRAPH - 7

PATIENTS WITH DIAGNOSIS REPORTED
(PERCENTAGE DISTRIBUTION)



GRAPH - 8

PATIENTS ON BOOKS
RATIOS PER 100,000 POPULATION, SPECIFIC FOR FIVE-YEAR AGE GROUPS



GRAPH - 9

**SELECTED DIAGNOSES, BY TIME SINCE ADMISSION
(FROM TABLE 10)**




TABLE 1. All Patients on Books by Province, Type of Institution, Sex, and Disposition

	No. of reporting institutions	Bed capacity	Total on books, December 31, 1960	In institutions	Boarding out	On probation	Otherwise absent	In open-door wards	
Number									
Canada	T.	109 ^r	64,673 ^r	76,587	66,474	1,373	7,594	1,146	
	M.			40,748	36,411	528	3,332	477	
	F.			35,839	30,063	845	4,262	669	
Mental hospital, public	T.	44	47,313	58,757	50,249	1,170	6,543	795	
	M.			31,037	27,570	488	2,681	298	
	F.			27,720	22,679	682	3,862	497	
Mental hospital, federal	T.	2	1,371	1,181	1,126	—	55	—	
	M.			1,185	1,110	—	55	—	
	F.			16	16	—	—	—	
Mental hospital, private	T.	1	85	88	82	—	6	—	
	M.			32	31	—	1	—	
	F.			56	51	—	5	—	
Psychiatric hospital, public	T.	5	653	549	443	—	—	106	
	M.			244	199	—	—	45	
	F.			305	244	—	—	61	
Psychiatric hospital, private	T.	5	330	319	297	—	22	—	
	M.			140	129	—	11	—	
	F.			179	168	—	11	—	
Hospital for mentally defectives, public	T.	13	11,592	12,745	11,337	203	961	244	
	M.			6,714	5,958	40	582	134	
	F.			6,031	5,379	163	379	110	
Aged and senile home, public	T.	4	1,829	1,750	1,742	—	7	1	
	M.			914	912	—	2	—	
	F.			836	830	—	5	1	
Epilepsy hospital, public	T.	1	275	210	210	—	—	—	
	M.			56	56	—	—	—	
	F.			154	154	—	—	—	
Psychiatric unit, public	T.	28 ^r	998 ^r	815	815	—	—	—	
	M.			275	275	—	—	—	
	F.			540	540	—	—	—	
Psychiatric unit, federal	T.	6	227	173	173	—	—	—	
	M.			171	171	—	—	—	
	F.			2	2	—	—	—	
Total on books, December 31, 1960		In institutions		Boarding out		On probation		Otherwise absent	
Percentage									
Canada	M.	100	90	1	8	—	—	1	
	F.	100	84	2	12	—	—	2	
Mental hospital, public	M.	100	89	2	9	—	—	1	
	F.	100	82	2	14	—	—	2	
Mental hospital, federal	M.	100	95	—	5	—	—	—	
	F.	100	100	—	—	—	—	—	
Mental hospital, private	M.	100	97	—	3	—	—	—	
	F.	100	91	—	9	—	—	—	
Psychiatric hospital, public	M.	100	82	—	—	—	—	18	
	F.	100	80	—	—	—	—	21	
Psychiatric hospital, private	M.	100	92	—	8	—	—	—	
	F.	100	94	—	6	—	—	—	
Hospital for mentally defectives, public	M.	100	89	1	9	—	—	2	
	F.	100	89	3	6	—	—	2	
Aged and senile home, public	M.	100	100	—	—	—	—	—	
	F.	100	99	—	1	—	—	—	
Epilepsy hospital, public	M.	100	100	—	—	—	—	—	
	F.	100	100	—	—	—	—	—	
Psychiatric unit, public	M.	100	100	—	—	—	—	—	
	F.	100	100	—	—	—	—	—	
Psychiatric unit, federal	M.	100	100	—	—	—	—	—	
	F.	100	100	—	—	—	—	—	

TABLE 1. All Patients on Books by Province, Type of Institution, Sex, and Disposition — Continued

	No. of reporting institutions	Bed capacity	Total on books, December 31, 1960	In institutions	Boarding out	On probation	Otherwise absent	In open-door wards
Number								
Newfoundland (Mental Hospital, Public).....	T.	1	835	928	928	—	—	363
	M.			541	541	—	—	193
	F.			387	387	—	—	170
Prince Edward Island (Mental Hospital, Public).....	T.	1	377	473	303	16	154	—
	M.			277	196	2	79	50
	F.			196	107	14	75	55
Nova Scotia	T.	10	2,695	2,600	2,417	—	182	1
	M.			1,342	1,270	—	71	1
	F.			1,258	1,147	—	111	—
Mental hospital, public	T.	8	2,505	2,425	2,242	—	182	1
	M.			1,243	1,171	—	71	1
	F.			1,182	1,071	—	111	—
Hospital for mentally defectives, public	T.	1	168	161	161	—	—	161
	M.			85	85	—	—	85
	F.			76	76	—	—	76
Psychiatric unit, federal	T.	1	22	14	14	—	—	14
	M.			14	14	—	—	14
New Brunswick	T.	5	1,401	2,265	1,873	—	392	—
	M.			1,190	981	—	209	—
	F.			1,075	892	—	183	—
Mental hospital, public	T.	2	1,331	2,231	1,839	—	392	—
	M.			1,174	965	—	209	—
	F.			1,057	874	—	183	—
Psychiatric unit, public	T.	2	38	28	28	—	—	—
	M.			10	10	—	—	—
	F.			18	18	—	—	—
Psychiatric unit, federal	T.	1	32	6	6	—	—	6
	M.			6	6	—	—	6
Quebec	T.	17	19,594 ^f	22,010	19,871	91	2,009	39
	M.			11,636	10,673	8	922	33
	F.			10,374	9,198	83	1,087	6
Mental hospital, public	T.	9	17,212	19,790	17,719	91	1,941	39
	M.			10,330	9,426	8	863	33
	F.			9,460	8,293	83	1,078	6
Mental hospital, federal	T.	1	498	487	437	—	50	—
	M.			487	437	—	50	—
Psychiatric hospital, public	T.	2	305	196	196	—	—	—
	M.			85	85	—	—	—
	F.			111	111	—	—	—
Hospital for mentally defectives, public	T.	1	1,100	1,186	1,168	—	18	—
	M.			627	618	—	9	—
	F.			559	550	—	9	—
Epilepsy hospital, public	T.	1	275	210	210	—	—	—
	M.			56	56	—	—	—
	F.			154	154	—	—	—
Psychiatric unit, public	T.	3	204 ^f	141	141	—	—	—
	M.			51	51	—	—	—
	F.			90	90	—	—	—
Ontario	T.	38	21,295	27,155	22,073	1,165	3,898	19
	M.			14,086	11,936	463	1,677	10
	F.			13,069	10,137	702	2,221	9
Mental hospital, public	T.	13	14,821	19,507	15,507	999	2,988	13
	M.			9,893	8,325	439	1,120	9
	F.			9,614	7,182	560	1,868	4
Mental hospital, federal	T.	1	873	694	689	—	5	—
	M.			678	673	—	5	—
	F.			16	16	—	—	—

TABLE 1. All Patients on Books by Province, Type of Institution, Sex, and Disposition — Continued

	No. of reporting institutions	Bed capacity	Patients on books, December 31, 1960	In institutions	Boarding out	On probation	Otherwise absent	In open-door wards	
Number									
Ontario — Concluded:									
Mental hospital, private	T.	1	85	88	82	—	6	—	18
	M.			32	31	—	1	—	—
	F.			56	51	—	5	—	18
Psychiatric hospital, public	T.	1	64	69	65	—	—	4	70
	M.			35	35	—	—	—	35
	F.			34	30	—	—	4	35
Psychiatric hospital, private.....	T.	4	257	274	252	—	22	—	46
	M.			112	101	—	11	—	13
	F.			162	151	—	11	—	33
Hospital for mentally defectives, public	T.	4	4,388	6,123	5,078	166	877	2	3,585
	M.			3,164	2,599	24	540	1	2,125
	F.			2,959	2,479	142	337	1	1,460
Psychiatric unit, public	T.	13	431	347	347	—	—	—	—
	M.			119	119	—	—	—	—
	F.			228	228	—	—	—	—
Psychiatric unit, federal	T.	1	56	53	53	—	—	—	—
	M.			53	53	—	—	—	—
Manitoba									
	T.	8	3,562	4,231	3,946	1	278	6	836
	M.			2,163	2,033	1	126	3	532
	F.			2,068	1,913	—	152	3	404
Mental hospital, public.....	T.	2	2,355	3,047	2,765	1	278	3	921
	M.			1,544	1,414	1	126	3	524
	F.			1,503	1,351	—	152	—	397
Psychiatric hospital, public	T.	1	56	48	48	—	—	—	15
	M.			24	24	—	—	—	8
	F.			24	24	—	—	—	7
Hospital for mentally defectives, public	T.	1	1,014	1,012	1,009	—	—	3	—
	M.			536	536	—	—	3	—
	F.			476	473	—	—	—	—
Psychiatric unit, public	T.	3	77	75	75	—	—	—	—
	M.			12	12	—	—	—	—
	F.			63	63	—	—	—	—
Psychiatric unit, federal	T.	1	60	49	49	—	—	—	—
	M.			47	47	—	—	—	—
	F.			2	2	—	—	—	—
Saskatchewan									
	T.	6	3,273	4,805	4,427	97	233	48	1,244
	M.			2,764	2,580	51	104	29	723
	F.			2,041	1,847	46	129	19	521
Mental hospital, public.....	T.	2	2,070	3,522	3,221	63	190	48	749
	M.			2,129	1,978	38	84	29	408
	F.			1,393	1,243	25	106	19	341
Hospital for mentally defectives, public	T.	1	1,109	1,204	1,127	34	43	—	495
	M.			603	570	13	20	—	315
	F.			601	557	21	23	—	180
Psychiatric unit, public	T.	3	94	79	79	—	—	—	—
	M.			32	32	—	—	—	—
	F.			47	47	—	—	—	—
Alberta									
	T.	11	5,406	5,230	4,715	—	6	509	1,139
	M.			2,986	2,641	—	—	147	795
	F.			2,242	1,874	6	6	382	344
Mental hospital, public.....	T.	4	2,923	3,147	2,689	—	6	452	793
	M.			1,871	1,756	—	—	115	610
	F.			1,276	933	—	6	337	183
Hospital for mentally defectives, public	T.	3	1,870	1,488	1,432	—	—	56	346
	M.			792	760	—	—	32	185
	F.			696	672	—	—	24	161
Aged and senile home, public	T.	1	510	505	504	—	—	1	—
	M.			286	286	—	—	—	—
	F.			219	218	—	—	1	—
Psychiatric unit, public	T.	2	90	81	81	—	—	—	—
	M.			30	30	—	—	—	—
	F.			51	51	—	—	—	—
Psychiatric unit, federal	T.	1	15	9	9	—	—	—	—
	M.			9	9	—	—	—	—

TABLE 1. All Patients on Books by Province, Type of Institution, Sex, and Disposition — Concluded

	No. of reporting institutions	Bed capacity	Patients on books, December 31, 1960	In institutions	Boarding out	On probation	Otherwise absent	In open-door wards	
Number									
British Columbia	T.	12	6,233	6,890	5,921	3	442	524	2,757
	M.		3,761	3,360	3	144	254	1,568	
	F.		3,129	2,561	—	298	270	1,189	
Mental hospital, public	T.	2	2,884	3,687	3,036	—	412	239	1,968
	M.		2,035	1,798	—	—	129	108	1,044
	F.		1,652	1,238	—	—	283	131	924
Psychiatric hospital, public	T.	1	228	236	134	—	—	102	236
	M.			100	55	—	—	45	100
	F.			136	79	—	—	57	136
Psychiatric hospital, private	T.	1	73	45	45	—	—	—	45
	M.			28	28	—	—	—	28
	F.			17	17	—	—	—	17
Hospital for mentally defectives, public	T.	2	1,623	1,571	1,362	3	23	183	508
	M.			907	790	3	13	101	396
	F.			664	572	—	10	82	112
Aged and senile home, public	T.	3	1,319	1,245	1,238	—	7	—	—
	M.			628	626	—	2	—	—
	F.			617	612	—	5	—	—
Psychiatric unit, public	T.	2	64	64	64	—	—	—	—
	M.			21	21	—	—	—	—
	F.			43	43	—	—	—	—
Psychiatric unit, federal	T.	1	42	42	42	—	—	—	—
	M.			42	42	—	—	—	—

TABLE 2. Province and Sex, by Age¹

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Canada:	99													
Number of institutions	75,443	419	2,169	3,327	4,286	8,539	11,671	12,760	12,301	9,914	6,897	2,722	355	83
Both sexes	40,423	215	1,249	1,970	2,437	4,891	6,449	6,837	6,554	5,149	3,326	1,160	138	48
Male	35,020	204	920	1,357	1,849	3,648	5,222	5,923	5,747	4,765	3,571	1,562	217	35
Percentage ²														
Both sexes	100.0	0.6	2.9	4.4	5.7	11.3	15.5	16.9	16.3	13.1	9.1	3.6	0.5	
Male	100.0	0.5	3.1	4.9	6.0	12.1	16.0	16.9	16.2	12.7	8.2	2.9	0.3	
Female	100.0	0.6	2.6	3.9	5.3	10.4	14.9	16.9	16.4	13.6	10.2	4.5	0.6	
Ratio per 100,000 population														
Both sexes	418	19	105	188	309	345	465	605	793	947	1,033	1,371	1,821	...
Male	442	19	119	218	346	387	511	642	826	984	1,024	1,286	1,917	...
Female	394	19	91	157	270	302	420	566	758	911	1,042	1,442	1,764	...
Number														
Newfoundland:	1													
Number of institutions	928	—	1	5	31	108	151	192	187	124	93	32	—	4
Both sexes	541	—	1	1	20	71	94	125	98	68	51	10	—	2
Male	387	—	—	4	11	37	57	67	89	56	42	22	—	2
Ratio per 100,000 population														
Both sexes	199	—	2	11	72	173	284	416	609	609	715	842	—	...
Male	224	—	3	4	93	215	325	496	601	601	785	526	—	...
Female	173	—	—	15	50	126	236	319	618	646	158	—	—	...

¹ Table 2 and the following tables are based on hospital admission cards.² Excludes not stated.

TABLE 2. Province and Sex, by Age - Continued

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Prince Edward Island:														
<i>Number of institutions</i>	<i>1</i>													
Both sexes.....	472	-	1	2	10	59	73	94	80	83	54	16	-	-
Male	276	-		2	5	31	44	58	52	51	27	6	-	-
Female	196	-	1	-	5	28	29	36	28	32	27	10	-	-
Ratio per 100,000 population														
Both sexes.....	450	-	8	18	108	457	695	839	909	1,107	1,038	800	-	...
Male	519	-	34	470	470	846	1,018	1,130	1,130	1,342	1,125	667	667	...
Female	378	-	16	-	109	444	547	655	667	865	964	909	-	...
Number														
Nova Scotia:														
<i>Number of institutions</i>	<i>4</i>													
Both sexes.....	1,241	2	13	122	112	156	199	177	186	151	79	34	7	3
Male	629	1	6	67	61	74	110	86	94	76	36	13	-	-
Female	612	1	7	55	51	82	89	91	92	75	43	21	5	-
Ratio per 100,000 population														
Both sexes.....	170	2	15	161	179	164	228	210	312	346	265	358	500	...
Male	169	2	14	174	191	147	252	200	300	349	248	295	286	...
Female	172	2	17	148	167	182	204	219	324	344	281	412	714	...
Number														
New Brunswick:														
<i>Number of institutions</i>	<i>3</i>													
Both sexes.....	2,232	1	15	33	107	259	377	416	415	279	229	84	9	8
Male	1,180	1	3	22	54	149	205	229	242	127	102	36	4	6
Female	1,052	-	12	11	53	110	172	187	173	152	127	48	5	2
Ratio per 100,000 population														
Both sexes.....	368	1	20	48	194	329	536	640	891	821	1,022	1,273	1,500	...
Male	386	2	8	63	194	384	592	698	1,000	747	936	1,200	-	...
Female	350	-	32	33	194	275	480	581	772	894	1,104	1,333	833	...
Number														
Quebec:														
<i>Number of institutions</i>	<i>17</i>													
Both sexes.....	22,748	145	628	982	1,410	3,080	3,997	4,119	3,785	2,752	1,394	393	42	21
Male	12,313	76	370	586	821	1,769	2,265	2,246	1,935	1,382	633	197	19	14
Female	10,435	69	258	396	589	1,311	1,732	1,873	1,850	1,370	761	196	23	7
Ratio per 100,000 population														
Both sexes.....	439	23	103	179	320	408	557	710	914	1,063	961	1,083	-	...
Male	474	22	119	210	369	468	634	775	934	1,088	941	1,263	-	...
Female	405	21	86	147	271	347	478	646	893	1,059	979	947	-	...
Number														
Ontario:														
<i>Number of institutions</i>	<i>38</i>													
Both sexes.....	27,169	184	967	1,319	1,627	2,884	3,948	4,301	4,261	3,745	2,724	1,055	146	8
Male	14,083	93	561	789	908	1,621	2,097	2,242	2,225	1,891	1,216	391	43	6
Female	13,086	91	406	530	719	1,263	1,851	2,059	2,036	1,854	1,508	664	103	2
Ratio per 100,000 population														
Both sexes.....	441	25	145	238	382	346	430	558	759	964	1,133	1,556	1,678	...
Male	453	25	165	278	421	381	460	577	784	1,022	1,095	1,583	1,720	...
Female	428	25	124	195	343	310	400	539	734	911	1,164	1,541	1,661	...

TABLE 2. Province and Sex, by Age — Concluded

Province and sex	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Number														
Manitoba:														
<i>Number of institutions</i>	8													
Both sexes	4,241	1	78	137	175	426	680	811	726	552	468	157	18	12
Male	2,165	—	49	80	102	251	357	406	354	272	221	64	6	3
Female	2,076	1	29	57	73	175	323	405	372	280	247	93	12	9
Ratio per 100,000 population														
Both sexes	467	1	78	159	254	361	562	739	888	923	1,120	1,342	1,000	...
Male	469	—	96	180	288	418	595	746	847	883	1,014	1,016	667	...
Female	465	2	59	136	211	301	530	731	930	966	1,235	1,722	1,333	...
Number														
Saskatchewan:														
<i>Number of institutions</i>	6													
Both sexes	4,807	24	105	139	160	409	679	827	807	681	595	324	47	10
Male	2,766	14	53	90	90	238	393	434	475	394	376	178	28	3
Female	2,041	10	52	49	70	171	286	393	332	287	219	146	19	7
Ratio per 100,000 population														
Both sexes	527	21	101	154	217	362	586	775	1,005	1,148	1,420	2,746	3,917	...
Male	587	24	100	194	241	414	673	793	1,107	1,235	1,586	2,781	9,335	...
Female	463	18	102	112	192	308	497	756	888	1,047	1,203	2,704	2,111	...
Number														
Alberta:														
<i>Number of institutions</i>	9													
Both sexes	4,666	2	115	294	307	491	664	807	852	700	323	98	11	2
Male	2,679	—	62	170	175	307	384	452	489	413	176	47	2	2
Female	1,987	2	53	124	132	184	280	355	363	287	147	51	9	—
Ratio per 100,000 population														
Both sexes	356	1	75	234	317	268	360	536	793	1,010	704	838	1,100	...
Male	394	—	79	265	352	326	408	585	849	1,090	672	723	400	...
Female	316	2	71	202	136	207	310	484	729	714	746	981	1,800	...
Number														
British Columbia:														
<i>Number of institutions</i>	12													
Both sexes	6,939	60	246	294	347	667	903	1,016	1,002	847	938	529	75	15
Male	3,791	30	144	163	201	380	500	559	590	475	488	218	34	9
Female	3,148	30	102	131	146	287	403	457	412	372	450	311	41	6
Ratio per 100,000 population														
Both sexes	426	32	147	205	313	315	393	484	661	789	1,088	2,159	2,206	...
Male	453	31	170	222	353	338	427	528	739	885	1,073	1,664	4,250	...
Female	398	32	123	187	272	289	359	439	575	693	1,106	2,728	2,563	...

TABLE 3. Detailed Diagnosis, by Sex

I.C.D. No.	Diagnosis	Both sexes	Male	Female	Both sexes	Male	Female
		Number			Ratio per 100,000 population		
	Totals	75,443	40,423	35,020	418.2	441.9	393.7
	Psychoses	46,934	24,829	22,105	260.1	271.5	248.5
020.1	<i>Syphilis of central nervous system with psychosis</i>	1,334	999	335	7.4	10.9	3.8
024.1	Juvenile neurosyphilis	48	30	18	0.3	0.3	0.2
025.0	Tabes dorsalis	1	—	1	—	—	—
028.1	General paralysis of insane	1,225	921	304	6.8	10.1	3.4
	Other syphilis of central nervous system	60	48	12	0.3	0.5	0.1
300	<i>Schizophrenia</i>	26,718	14,893	11,825	148.1	162.8	133.0
300.0	Simple	2,680	1,697	983	14.9	18.8	11.1
300.1	Hebephrenic	3,842	1,992	1,650	20.2	21.8	18.6
300.2	Catatonic	5,576	3,078	2,498	30.9	33.7	28.1
300.3	Paranoid	9,438	5,164	4,274	52.3	56.5	48.1
300.4	Acute schizophrenic reaction	434	208	226	2.4	2.3	2.5
300.5	Latent	443	181	262	2.5	2.0	2.9
300.6	Schizo-affective	715	322	393	4.0	3.5	4.4
300.7	Other and unspecified	3,790	2,251	1,539	21.0	24.6	17.3
301	<i>Manic-depressive reaction</i>	4,627	1,975	2,652	25.6	21.6	29.8
301.0	Manic and circular	2,227	965	1,262	12.3	10.6	14.2
301.1	Depressive	1,641	802	1,039	10.2	8.8	11.7
301.2	Psychotic depressive reaction	55	23	32	0.3	0.3	0.4
	Other	504	185	319	2.8	2.0	3.6
302	<i>Involitional melancholia</i>	1,257	384	873	7.0	4.2	9.8
303	<i>Paranoia and paranoid states</i>	1,972	928	1,044	10.9	10.1	11.7
304	<i>Senile</i>	2,400	937	1,463	13.3	10.2	16.5
305	<i>Presenile</i>	247	100	147	1.4	1.1	1.7
306	<i>With cerebral arteriosclerosis</i>	2,458	1,256	1,202	13.6	13.7	13.5
307	<i>Alcoholic</i>	863	645	218	4.8	7.1	2.5
	<i>Other psychoses</i>	5,058	2,712	2,346	28.0	29.6	26.4
083.2	Postencephalitic	73	44	29	0.4	0.5	0.3
308.0	Resulting from brain tumour	60	36	22	0.3	0.4	0.2
308.1	Resulting from epilepsy and other convulsive disorders	1,089	585	504	6.0	6.4	5.7
308.2	Sequelae of infective or parasitic diseases	56	28	28	0.3	0.3	0.3
308.3	Sequelae of allergic, endocrine, metabolic, and nutritional diseases	105	34	71	0.6	0.4	0.8
308.4	Sequelae of diseases of the blood-forming organs and circulatory system	138	78	60	0.8	0.9	0.7
306.5	Sequelae of diseases of the nervous system and sense organs	435	255	180	2.4	2.8	2.0
308.6	Sequelae of drugs and other exogenous poisons	69	39	30	0.4	0.4	0.3
308.7	Sequelae of accidents and violence	212	161	31	1.2	2.0	0.3
308.8	Sequelae of other specified diseases or conditions	215	82	133	1.2	0.9	1.5
309.1	With psychopathic personality	148	97	51	0.8	1.1	0.6
309.2	With mental deficiency	1,981	1,018	943	10.9	11.1	10.6
648.3	Arising from pregnancy	4	—	4	—	—	—
668.1	Puerperal	56	—	58	0.3	—	0.7
309.2	Other and unspecified	435	233	202	2.4	2.5	2.3
	Psychoneuroses	2,098	722	1,376	11.6	7.9	15.5
310	<i>Anxiety reaction without mention of somatic symptoms</i>	258	116	142	1.4	1.3	1.6
311	<i>Hysterical reaction without mention of anxiety reaction</i>	141	44	97	0.8	0.5	1.1
312	<i>Phobic reaction</i>	5	2	3	—	—	—
313	<i>Obsessive-compulsive reaction</i>	85	20	65	0.5	0.3	0.7
314	<i>Neurotic-depressive reaction</i>	974	333	641	5.4	3.6	7.2
315	<i>Affecting circulatory system</i>	5	2	3	—	—	—
315.0	Neurocirculatory asthenia	2	1	1	—	—	—
315.1	Other heart manifestations	1	1	—	—	—	—
315.2	Other circulatory manifestations	2	—	2	—	—	—
316	<i>Affecting digestive system</i>	18	4	14	0.1	—	0.2
316.1	Irritability of colon	1	1	—	—	—	—
316.2	Gastric neuroses	1	—	1	—	—	—
316.3	Other digestive manifestations	16	3	13	0.1	—	0.1
317	<i>Affecting other systems</i>	63	33	30	0.3	0.4	0.3
317.0	Respiratory	5	2	3	—	—	—
317.1	Genito-urinary	4	1	3	—	—	—
317.3	Other cutaneous neuroses	1	—	1	—	—	—
317.4	Musculoskeletal	5	4	1	—	—	—
317.5	Other systems	48	26	22	0.3	0.3	0.2

TABLE 3. Detailed Diagnosis, by Sex - Concluded

I.C.D. No.	Diagnosis	Both sexes	Male	Female	Both sexes	Male	Female
		Number			Ratio per 100,000 population		
Psychoneuroses—Concluded:							
318	Other mixed and unspecified types	549	168	381	3.0	1.8	4.3
318.0	Hypochondriacal reaction	99	37	62	0.5	0.4	0.7
318.1	Depersonalization	2	—	2	—	—	—
318.3	Asthenic reaction	34	10	24	0.2	0.1	0.3
318.4	Mixed psychoneuroses	272	66	206	1.5	0.7	2.3
318.5	Other and unspecified types	142	55	87	0.8	0.6	1.0
Disorders of character, behaviour, and intelligence		25,289	14,227	11,062	140.2	155.5	124.4
083.1	Postencephalitic personality and character disorders	41	23	18	0.2	0.3	0.2
320	Pathological personality	841	524	317	4.7	5.7	3.6
320.0	Schizoid	97	72	25	0.5	0.8	0.3
320.1	Paranoid	81	50	31	0.4	0.5	0.3
320.2	Cyclothymic	20	10	10	0.1	0.1	0.1
320.3	Inadequate	132	69	63	0.7	0.8	0.7
320.4	Antisocial	273	180	93	1.5	2.0	1.0
320.5	Asocial	54	29	25	0.3	0.3	0.3
320.6	Sexual deviation	65	53	12	0.4	0.6	0.1
320.7	Other and unspecified	119	61	58	0.7	0.7	0.7
321	Immature personality	260	119	141	1.4	1.3	1.6
321.0	Emotional instability	88	32	56	0.5	0.3	0.6
321.1	Passive dependency	66	42	24	0.4	0.5	0.3
321.2	Aggressiveness	45	23	22	0.2	0.3	0.2
321.4	Other symptomatic habits except speech impediments	1	—	1	—	—	—
321.5	Other and unspecified	60	22	38	0.3	0.2	0.4
322	Alcoholism	782	638	144	4.3	7.0	1.6
322.0	Acute	66	55	11	0.4	0.6	0.1
322.1	Chronic	676	555	121	3.7	6.1	1.4
322.2	Unspecified	40	28	12	0.2	0.3	0.1
323	Other drug addiction	95	37	58	0.5	0.4	0.7
324	Primary childhood behaviour disorders	139	67	72	0.8	0.7	0.8
325	Mental deficiency	21,046	11,755	9,291	116.7	128.5	104.5
325.0	Idiocy	4,415	2,337	2,078	24.5	25.5	23.4
325.1	Imbecility	7,771	4,373	3,398	43.1	47.8	38.2
325.2	Moron	5,189	2,994	2,195	28.8	32.7	24.7
325.3	Borderline intelligence	576	352	224	3.2	3.8	2.5
325.4	Mongolism	1,282	697	585	7.1	7.6	6.6
325.5	Other and unspecified types	1,813	1,002	811	10.0	11.0	9.1
326	Other and unspecified disorders of character, behaviour, and intelligence	196	84	112	1.1	0.9	1.3
326.0	Specific learning defects	5	3	2	—	—	—
326.1	Stammering and stuttering of non-organic origin	1	1	—	—	—	—
326.2	Other speech impediments of non-organic origin	3	1	2	—	—	—
326.3	Acute situational maladjustment	37	14	23	0.2	0.2	0.3
326.4	Other and unspecified	150	65	85	0.8	0.7	1.0
353	Epilepsy	1,889	980	909	10.5	10.7	10.2
353.0	Petit mal	80	36	44	0.4	0.4	0.5
353.1	Grand mal	788	364	424	4.4	4.0	4.8
353.2	Status epilepticus	565	338	227	3.1	3.7	2.6
353.3	Other and unspecified	456	242	214	2.5	2.6	2.4
Other conditions		690	376	314	3.8	4.1	3.5
Syphilis without psychosis		43	26	17	0.2	0.3	0.2
020.0	Congenital syphilis	1	—	1	—	—	—
024.0	Tabes dorsalis	6	5	1	—	0.1	—
026.0	Other syphilis of central nervous system	36	21	15	0.2	0.2	0.2
334	Cerebral arteriosclerosis without psychosis	205	107	98	1.1	1.2	1.1
351	Cerebral spastic infantile paralysis	9	5	4	—	0.1	—
752	Congenital hydrocephalus	7	1	6	—	—	0.1
753	Other congenital malformations of nervous system and sense organs	1	1	—	—	—	—
760	Mental deficiency due to birth injury	1	1	—	—	—	—
794	Senility without psychosis	125	61	64	0.7	0.7	0.7
	Not classified	299	174	125	1.7	1.9	1.4
793	Mental observation without need for further medical care	99	78	21	0.5	0.9	0.2
	Diagnoses not reported	333	191	142	1.8	2.1	1.6

TABLE 4. Diagnostic Class and Sex, by Age
All Institutions

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
	Totals	T. 75,443	419	2,169	3,327	4,286	8,539	11,671	12,760	12,301	9,914	6,897	2,722	355	83
	M. 40,423	215	1,249	1,970	2,437	4,891	6,449	6,837	6,554	5,149	3,326	1,160	138	48	
	F. 35,020	204	920	1,357	1,849	3,648	5,222	5,923	5,747	4,765	3,571	1,562	217	35	
	Psychoses	T. 46,934	7	27	83	531	3,306	7,126	9,074	9,644	8,222	6,098	2,440	317	59
	M. 24,829	4	15	53	285	1,988	4,037	4,914	5,163	4,260	2,929	1,033	114	34	
	F. 22,105	3	12	30	246	1,318	3,089	4,160	4,481	3,962	3,169	1,407	203	25	
020.1, 024.1, 025, 026.1	Syphilis of central nervous system with psychosis.	T. 1,334	1	1	5	7	14	29	163	464	458	169	20	1	2
	M. 999	—	—	2	2	9	16	115	340	366	134	13	—	2	
	F. 335	1	1	3	5	5	13	48	124	92	35	7	1	—	
300	Schizophrenia	T. 26,718	1	22	60	404	2,642	5,489	6,289	5,483	3,869	2,015	382	27	35
	M. 14,893	1	13	37	225	1,666	3,177	3,492	3,025	2,032	1,021	174	10	20	
	F. 11,825	—	9	23	179	976	2,312	2,797	2,458	1,837	994	208	17	15	
301	Manic-depressive reaction	T. 4,627	1	1	3	37	199	572	892	1,064	1,028	658	156	11	5
	M. 1,975	—	I	2	17	74	241	380	490	443	266	58	3	—	
	F. 2,652	1	—	1	20	125	331	512	574	585	392	98	8	5	
302	Involutional melancholia	T. 1,257	—	—	—	—	1	8	108	379	463	258	37	2	1
	M. 384	—	—	—	—	—	1	1	14	89	161	96	21	1	—
	F. 873	—	—	—	—	—	—	7	94	290	302	162	16	1	1
303	Paranoia and paranoid states	T. 1,972	—	—	1	—	16	93	266	523	597	380	85	8	3
	M. 928	—	—	1	—	—	10	61	144	249	276	146	34	5	2
	F. 1,044	—	—	—	—	—	6	32	122	274	321	234	51	3	1
304, 306	Senile and with cerebral arteriosclerosis.	T. 4,858	—	—	—	—	—	6	11	98	665	2,131	1,686	257	4
	M. 2,193	—	—	—	—	—	—	4	5	59	345	996	689	92	3
	F. 2,665	—	—	—	—	—	—	2	6	39	320	1,135	997	165	1
307	Alcoholic	T. 863	—	—	—	1	17	72	156	272	256	82	7	—	—
	M. 645	—	—	—	—	1	11	51	108	204	199	64	7	—	—
	F. 218	—	—	—	—	—	6	21	48	68	57	18	—	—	—
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified	T. 5,305	4	3	14	82	417	857	1,189	1,361	888	405	67	11	9
	M. 2,812	3	1	11	40	217	486	656	707	436	206	37	3	7	
	F. 2,493	1	2	3	42	200	371	533	654	448	199	30	6	2	
	Psychoneuroses	T. 2,098	—	2	5	63	264	429	460	380	332	135	24	2	2
	M. 722	—	—	2	20	73	131	161	147	124	53	9	1	1	
	F. 1,376	—	2	3	43	191	298	299	233	208	82	15	1	1	
310	Anxiety reaction	T. 258	—	—	1	10	40	60	58	37	33	14	4	—	1
	M. 116	—	—	—	4	15	29	26	22	13	5	1	—	1	
	F. 142	—	—	1	6	25	31	32	15	20	9	3	—	—	
311	Hysterical reaction	T. 141	—	—	1	12	26	38	30	20	11	3	—	—	—
	M. 44	—	—	1	6	5	8	9	10	3	2	—	—	—	
	F. 97	—	—	—	6	21	30	21	10	8	1	—	—	—	
313	Obsessive-compulsive reaction.	T. 85	—	—	—	4	9	25	23	8	9	6	1	—	—
	M. 20	—	—	—	2	1	5	6	1	1	3	1	—	—	
	F. 65	—	—	—	2	8	20	17	7	8	3	—	—	—	
314	Neurotic-depressive reaction	T. 974	—	—	1	25	123	202	216	154	162	74	16	—	—
	M. 333	—	—	1	6	33	54	73	63	66	30	7	—	—	
	F. 641	—	—	—	19	90	148	143	91	96	44	9	—	—	1

**TABLE 4. Diagnostic Class and Sex, by Age — Concluded
All Institutions**

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated	
	Psychoneuroses—Concluded:															
315, 316, 317	Somatization reaction	T.	86	—	—	—	2	6	13	18	27	11	7	1	1	—
		M.	39	—	—	—	—	2	7	11	9	5	4	—	1	—
		F.	47	—	—	—	2	4	6	7	18	6	3	1	—	—
312, 318	Other and unspecified	T.	554	—	2	2	10	60	91	115	134	106	31	2	1	—
		M.	170	—	—	—	2	17	28	36	42	36	9	—	—	—
		F.	384	—	2	2	8	43	63	79	92	70	22	2	1	—
	Disorders of character, behaviour, and intelligence.	T.	25,289	404	2,113	3,200	3,636	4,894	4,011	3,105	2,113	1,215	459	83	15	21
		M.	14,227	208	1,223	1,891	2,116	2,773	2,219	1,678	1,141	678	238	40	10	12
		F.	11,062	196	890	1,309	1,540	2,121	1,792	1,427	972	537	221	43	5	9
320	Pathological personality.....	T.	841	—	2	15	108	205	195	137	98	54	21	6	—	—
		M.	524	—	—	6	51	125	132	94	65	34	13	4	—	—
		F.	317	—	2	9	57	80	63	43	33	20	8	2	—	—
322	Alcoholism	T.	782	—	—	—	1	38	177	240	183	94	45	3	1	—
		M.	638	—	—	—	1	32	142	195	147	78	39	3	1	—
		F.	144	—	—	—	—	6	35	45	36	16	6	—	—	—
323	Other drug addiction	T.	95	—	—	—	2	12	27	23	18	10	3	—	—	—
		M.	37	—	—	—	1	5	12	8	8	3	—	—	—	—
		F.	58	—	—	—	1	7	15	15	10	7	3	—	—	—
325	Mental deficiency	T.	21,046	377	1,944	2,931	3,195	4,163	3,129	2,364	1,578	924	348	62	11	20
		M.	11,755	198	1,125	1,741	1,902	2,371	1,691	1,217	805	490	168	29	7	11
		F.	9,291	179	819	1,190	1,293	1,792	1,438	1,147	773	434	180	33	4	9
353	Epilepsy	T.	1,889	27	136	188	217	336	386	275	183	108	29	2	1	1
		M.	980	10	83	101	111	183	190	132	91	61	15	1	1	1
		F.	909	17	53	87	106	153	196	143	92	47	14	1	—	—
324	Primary childhood behaviour disorders.	T.	139	—	28	50	48	8	3	—	1	1	—	—	—	—
		M.	67	—	13	32	17	4	—	—	1	—	—	—	—	—
		F.	72	—	15	18	31	4	3	—	—	1	—	—	—	—
083.1, 321, 326	Other and unspecified	T.	497	—	3	16	85	132	94	66	52	24	13	10	2	—
		M.	226	—	2	11	33	53	52	32	24	12	3	3	1	—
		F.	271	—	1	5	52	79	42	34	28	12	10	7	1	—
	Other conditions	T.	690	7	27	38	31	33	29	34	59	80	171	160	21	—
		M.	376	3	11	24	14	21	14	24	33	53	95	71	13	—
		F.	314	4	18	14	17	12	15	10	26	27	76	89	8	—
020.0, 024.0, 026.0	Syphilis without psychosis ..	T.	43	—	1	—	—	3	4	4	14	13	3	1	—	—
		M.	26	—	—	—	—	2	1	4	9	8	1	1	—	—
		F.	17	—	1	—	—	1	3	—	5	5	2	—	—	—
	Not elsewhere classified	T.	647	7	26	38	31	30	25	30	45	87	168	159	21	—
		M.	350	3	11	24	14	19	13	20	24	45	94	70	13	—
		F.	297	4	15	14	17	11	12	10	21	22	74	89	8	—
793	Mental observation without need for further medical care.	T.	99	1	—	1	4	19	22	13	19	15	3	1	—	1
		M.	76	—	—	—	1	18	19	10	15	10	3	1	—	1
		F.	21	1	—	1	3	1	3	3	4	5	—	—	—	—
	Diagnoses not reported	T.	333	—	—	—	1	23	54	74	86	50	31	14	—	—
		M.	191	—	—	—	1	18	29	50	55	24	8	6	—	—
		F.	142	—	—	—	—	5	25	24	31	26	23	8	—	—

**TABLE 4 A. Diagnostic Class and Sex, by Age
Public Mental Hospitals**

I. C. D. No.	Sex and diagnostic class	All ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89	90 or over	Not stated	
	Totals	T.	58,653	73	368	775	1,919	6,096	9,675	11,037	11,243	8,921	5,898	2,206	279	65
		M.	31,233	36	196	448	1,096	3,623	5,435	5,968	6,081	4,504	2,784	920	104	38
		F.	27,420	37	170	327	823	2,473	4,240	5,069	5,182	4,417	3,214	1,288	175	27
	Psychoses	T.	43,510	4	10	45	470	3,099	6,691	8,517	9,245	7,602	5,460	2,058	258	53
		M.	22,757	2	4	25	251	1,900	3,768	4,572	4,958	3,794	2,516	851	88	28
		F.	20,753	2	6	20	219	1,199	2,923	3,945	4,287	3,808	2,944	1,207	188	25
020.1, 024.1, 025, 026.1	Syphilis of central nervous system with psychosis.	T.	1,258	1	1	4	7	13	28	158	450	424	151	19	1	1
		M.	932	—	—	1	2	8	15	110	332	334	116	13	—	1
		F.	326	I	1	3	5	5	13	48	118	90	35	6	1	—
300	Schizophrenia.....	T.	25,040	1	8	29	356	2,508	5,191	5,935	5,321	3,542	1,776	315	25	31
		M.	13,745	1	4	15	197	1,600	2,967	3,247	2,935	1,772	849	134	8	16
		F.	11,295	—	4	14	159	908	2,224	2,688	2,386	1,770	929	161	17	15
301	Manic-depressive reaction....	T.	4,295	—	—	3	32	170	529	625	1,014	956	613	136	10	5
		M.	1,625	—	—	2	15	65	226	351	470	402	242	50	2	—
		F.	2,470	—	—	1	17	105	303	474	544	554	371	66	8	5
302	Involutional melancholia	T.	1,159	—	—	—	—	1	7	93	349	437	237	32	2	1
		M.	347	—	—	—	—	1	1	12	60	146	66	16	1	—
		F.	612	—	—	—	—	—	6	61	269	291	149	14	1	1
303	Paranoia and paranoid states	T.	1,896	—	—	1	—	15	64	252	505	562	370	80	6	3
		M.	698	—	—	1	—	10	57	139	246	266	141	32	4	2
		F.	1,000	—	—	—	—	5	27	113	259	316	229	46	2	1
304, 306	Senile and with cerebral arteriosclerosis.	T.	4,207	—	—	—	—	—	5	11	69	616	1,876	1,404	202	4
		M.	1,656	—	—	—	—	—	3	5	52	309	650	564	70	3
		F.	2,351	—	—	—	—	—	2	6	37	307	1,026	640	132	1
307	Alcoholic	T.	774	—	—	—	—	16	63	140	248	232	69	6	—	—
		M.	566	—	—	—	—	11	44	96	183	176	52	6	—	—
		F.	206	—	—	—	—	5	19	44	65	56	17	—	—	—
083.2, 305, 308, 309, 646.3, 666.1	Other and unspecified.....	T.	4,679	2	1	6	75	376	784	1,103	1,269	813	366	64	10	8
		M.	2,586	1	—	6	37	205	455	612	660	389	178	34	3	6
		F.	2,293	1	1	2	38	171	329	491	609	424	186	30	7	2
	Psychoneuroses.....	T.	1,507	—	1	2	41	174	276	328	295	261	104	21	2	2
		M.	500	—	—	—	11	50	74	113	108	93	42	7	1	1
		F.	1,007	—	1	2	30	124	202	215	187	168	62	14	1	1
310	Anxiety reaction	T.	126	—	—	—	3	20	25	27	15	23	8	4	—	1
		M.	57	—	—	—	1	10	11	11	9	6	5	1	—	1
		F.	69	—	—	—	2	10	14	16	6	15	3	3	—	—
311	Hysterical reaction	T.	94	—	—	—	9	15	25	21	13	6	3	—	—	—
		M.	27	—	—	—	4	3	5	6	5	2	2	—	—	—
		F.	67	—	—	—	5	12	20	15	6	6	1	—	—	—
313	Obsessive-compulsive reaction.	T.	61	—	—	—	2	5	14	19	7	8	5	1	—	—
		M.	15	—	—	—	1	1	2	6	1	1	2	1	—	—
		F.	46	—	—	—	1	4	12	13	6	7	3	—	—	—
314	Neurotic-depressive reaction	T.	672	—	—	—	15	84	130	144	111	120	54	13	—	1
		M.	224	—	—	—	3	22	32	48	46	47	21	5	—	—
		F.	446	—	—	—	12	62	96	98	65	73	33	8	—	1

**TABLE 4 A. Diagnostic Class and Sex, by Age — Concluded
Public Mental Hospitals**

I. C. D. No.	Sex and diagnostic class	All ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89	90 or over	Not stated	
Psychoneuroses — Concluded:																
315, 316, 317	Somatization reaction.....	T.	73	—	—	—	2	2	8	18	26	10	5	1	1	—
		M.	35	—	—	—	—	—	5	11	9	5	4	—	1	—
		F.	38	—	—	—	2	2	3	7	17	5	1	1	—	—
312, 318	Other and unspecified.....	T.	481	—	1	2	10	48	74	99	123	92	29	2	1	—
		M.	142	—	—	—	2	14	19	31	38	30	8	—	—	—
		F.	339	—	1	2	8	34	55	68	85	62	21	2	1	—
	Disorders of character, behaviour, and intelligence.	T.	12,908	64	345	719	1,396	2,764	2,612	2,078	1,549	938	358	64	12	9
		M.	7,546	31	181	416	827	1,825	1,537	1,206	919	550	192	35	9	8
		F.	5,360	33	154	303	569	1,139	1,075	872	830	388	184	29	3	1
320	Pathological personality	T.	764	—	2	9	103	191	180	123	90	48	13	5	—	—
		M.	469	—	—	3	49	114	123	82	60	28	7	3	—	—
		F.	295	—	2	6	54	77	57	41	30	20	6	2	—	—
322	Alcoholism.....	T.	675	—	—	—	1	34	157	206	162	78	34	2	1	—
		M.	547	—	—	—	1	28	124	164	130	66	31	2	1	—
		F.	128	—	—	—	—	6	33	42	32	12	3	—	—	—
323	Other drug addiction.....	T.	79	—	—	—	1	11	25	20	13	7	2	—	—	—
		M.	27	—	—	—	—	4	11	7	5	—	—	—	—	—
		F.	52	—	—	—	1	7	14	13	8	7	2	—	—	—
325	Mental deficiency	T.	9,620	64	319	634	1,066	2,127	1,845	1,436	1,081	704	277	50	9	8
		M.	5,594	31	180	369	668	1,271	1,063	814	616	401	141	27	6	7
		F.	4,026	33	139	265	398	856	782	622	465	303	136	23	3	1
353	Epilepsy.....	T.	1,236	—	4	33	110	273	318	238	156	82	20	—	1	1
		M.	672	—	2	17	66	156	169	115	87	47	11	—	1	1
		F.	564	—	2	16	44	117	149	123	69	35	9	—	—	—
324	Primary childhood behaviour disorders.	T.	102	—	18	30	42	7	3	—	1	1	—	—	—	—
		M.	44	—	7	19	13	4	—	—	1	—	—	—	—	—
		F.	58	—	11	11	29	3	3	—	—	1	—	—	—	—
083.1, 321, 326	Other and unspecified.....	T.	430	—	2	13	73	121	84	55	46	18	10	7	1	—
		M.	193	—	2	8	30	48	47	24	20	8	2	3	1	—
		F.	237	—	—	5	43	73	37	31	26	10	8	4	—	—
	Other conditions	T.	307	5	10	8	7	19	22	29	50	56	44	48	9	—
		M.	169	3	1	7	5	14	10	19	27	34	23	20	6	—
		F.	138	2	9	1	2	5	12	10	23	22	21	28	3	—
020.0, 024.0, 026.0	Syphilis without psychosis ..	T.	32	—	1	—	—	3	4	1	10	10	2	1	—	—
		M.	19	—	—	—	—	2	1	1	7	7	—	1	—	—
		F.	13	—	1	—	—	1	3	—	3	3	2	—	—	—
	Not elsewhere classified.....	T.	275	5	9	8	7	16	18	28	40	46	42	47	9	—
		M.	150	3	1	7	5	12	9	18	20	27	23	19	6	—
		F.	125	2	8	1	2	4	9	10	20	19	19	28	3	—
793	Mental observation without need for further medical care.	T.	90	—	—	1	4	17	20	11	18	14	3	1	—	1
		M.	70	—	—	—	1	16	17	8	14	9	3	1	—	1
		F.	20	—	—	1	3	1	3	3	4	5	—	—	—	—
	Diagnoses not reported.....	T.	333	—	—	—	1	23	54	74	86	50	31	14	—	—
		M.	191	—	—	—	1	18	29	50	55	24	8	6	—	—
		F.	142	—	—	—	—	5	25	24	31	26	23	8	—	—

**TABLE 4 B. Diagnostic Class and Sex, by Age
Hospitals for Mentally Defectives**

TABLE 5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population
All Institutions

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	
	Totals	T.	418	19	106	188	309	346	465	605	793	947	1,033	1,371	1,821
		M.	442	19	119	218	346	387	511	642	826	984	1,024	1,286	1,917
		F.	394	19	92	157	270	302	420	566	758	911	1,041	1,442	1,764
	Psychoses	T.	260	--	1	5	38	134	284	430	622	786	913	1,229	1,626
		M.	271	--	1	6	41	157	320	462	650	814	902	1,145	1,583
		F.	249	--	1	4	36	109	248	398	591	757	924	1,299	1,650
020.1, 024.1, 025, 026.1	Syphilis of central nervous sys- tem with psychosis.	T.	7	--	--	--	1	1	1	8	30	44	25	10	5
		M.	11	--	--	--	--	1	1	11	43	70	41	14	--
		F.	4	--	--	--	1	--	1	5	16	18	10	7	8
300	Schizophrenia	T.	148	--	1	3	29	107	219	298	353	370	302	192	139
		M.	163	--	1	4	32	132	252	328	381	388	314	193	139
		F.	133	--	1	3	26	81	186	267	324	351	290	192	138
301	Manic-depressive reaction	T.	26	--	--	--	3	8	23	42	69	98	99	79	56
		M.	22	--	--	--	2	6	19	36	62	85	82	64	42
		F.	30	--	--	--	3	10	27	49	76	112	114	91	65
302	Involutional melancholia	T.	7	--	--	--	--	--	--	5	24	44	39	19	10
		M.	4	--	--	--	--	--	--	1	11	31	30	23	14
		F.	10	--	--	--	--	--	1	1	38	58	47	15	8
303	Paranoia and paranoid states	T.	11	--	--	--	--	1	4	13	34	57	57	43	41
		M.	10	--	--	--	--	1	5	14	31	53	45	38	69
		F.	12	--	--	--	--	1	3	12	36	61	68	47	24
304, 306	Senile and with cerebral arterios- clerosis.	T.	27	--	--	--	--	--	--	1	6	64	319	849	1,318
		M.	24	--	--	--	--	--	--	1	7	66	307	764	1,278
		F.	30	--	--	--	--	--	--	1	5	61	331	921	1,342
307	Alcoholic	T.	5	--	--	--	--	1	3	7	18	25	12	4	--
		M.	7	--	--	--	--	1	4	10	26	38	20	8	--
		F.	3	--	--	--	--	1	2	5	9	11	5	--	--
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified	T.	29	--	--	1	6	17	34	56	88	85	81	34	56
		M.	31	--	--	11	6	17	39	62	89	84	63	41	42
		F.	28	--	--	--	6	17	30	51	86	86	58	28	65
	Psychoneuroses	T.	12	--	--	--	5	11	17	22	25	32	20	12	10
		M.	8	--	--	--	3	6	10	15	19	24	16	10	14
		F.	18	--	--	--	6	16	24	29	31	40	24	14	8
310	Anxiety reaction	T.	1	--	--	--	1	2	2	3	2	3	2	2	--
		M.	1	--	--	--	1	2	2	2	3	3	1	1	--
		F.	2	--	--	--	1	2	3	3	2	4	3	3	--
311	Hysterical reaction	T.	1	--	--	--	1	1	2	1	1	1	1	--	--
		M.	1	--	--	--	1	--	1	1	1	1	1	--	--
		F.	1	--	--	--	1	2	2	2	1	2	--	--	--
313	Obsessive-compulsive reaction ..	T.	--	--	--	--	--	--	1	1	1	1	1	1	--
		M.	--	--	--	--	--	--	1	--	--	1	1	1	--
		F.	1	--	--	--	--	1	2	2	7	2	1	--	--
314	Neurotic-depressive reaction ..	T.	5	--	--	--	2	5	8	10	10	16	11	8	--
		M.	4	--	--	--	1	3	4	7	8	13	9	8	--
		F.	7	--	--	--	3	7	12	14	12	18	13	8	--

TABLE 5. Diagnostic Class and Sex, by Age, Ratios per 100,000 Population — Concluded
All Institutions

I.C.D. No.	Sex and diagnostic class	All ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89	90 or over	
	Psychoneuroses — Concluded:														
315, 316, 317	Somatization reaction	T.	--	--	--	--	--	1	1	2	1	1	1	5	
		M.	--	--	--	--	--	1	1	1	1	1	1	14	
		F.	1	--	--	--	--	1	1	2	1	1	1	--	
312, 318	Other and unspecified	T.	3	--	--	--	1	2	4	5	9	10	5	1	5
		M.	2	--	--	--	--	1	2	3	5	7	3	--	--
		F.	4	--	--	--	1	4	5	8	12	13	6	2	8
	Disorders of character, behaviour, and intelligence.	T.	140	18	103	182	263	198	160	147	136	116	69	42	77
		M.	156	18	117	210	301	220	176	158	144	130	73	44	139
		F.	124	18	89	151	225	176	144	136	128	103	65	40	41
320	Pathological personality	T.	5	--	--	1	8	8	8	7	6	5	3	3	--
		M.	6	--	--	1	7	10	11	9	8	7	4	4	--
		F.	4	--	--	1	8	7	5	4	4	4	2	2	--
322	Alcoholism	T.	4	--	--	--	--	2	7	11	12	9	7	2	5
		M.	7	--	--	--	--	/ 3	/ 11	/ 18	/ 19	/ 15	/ 12	/ 3	/ 14
		F.	2	--	--	--	--	1	3	4	5	3	2	--	--
323	Other drug addiction	T.	1	--	--	--	--	1	1	1	1	1	--	--	--
		M.	--	--	--	--	--	--	1	1	1	1	--	--	--
		F.	1	--	--	--	--	1	1	1	1	1	--	--	--
325	Mental deficiency	T.	117	17	95	166	230	168	125	112	102	88	52	31	56
		M.	129	17	108	193	270	188	134	114	101	94	52	32	97
		F.	105	16	81	137	189	148	116	110	102	83	53	31	33
353	Epilepsy	T.	10	1	7	11	16	14	15	13	12	10	4	1	5
		M.	11	1	8	11	16	15	15	12	11	12	5	1	14
		F.	10	2	5	10	16	13	16	14	12	9	4	1	--
324	Primary childhood behaviour disorders.	T.	1	--	1	3	4	--	--	--	--	--	--	--	--
		M.	1	--	1	4	2	--	--	--	--	--	--	--	--
		F.	1	--	2	2	5	--	--	--	--	--	--	--	--
083.1, 321, 326	Other and unspecified	T.	3	--	--	1	6	5	4	3	3	2	2	5	10
		M.	3	--	--	1	5	4	4	3	3	2	1	3	14
		F.	3	--	--	1	8	7	3	3	4	2	3	7	8
	Other conditions	T.	4	--	1	2	2	1	1	2	4	8	26	81	108
		M.	4	--	1	3	2	2	1	2	4	10	29	79	181
		F.	4	--	2	2	3	1	1	1	3	5	22	82	65
020.0, 024.0, 026.0	Syphilis without psychosis	T.	--	--	--	--	--	--	--	--	1	1	--	1	--
		M.	--	--	--	--	--	--	--	--	1	2	--	1	--
		F.	--	--	--	--	--	--	--	--	1	1	1	1	--
	Not elsewhere classified	T.	4	--	1	2	2	1	1	1	3	6	25	80	108
		M.	4	--	1	3	2	2	1	2	3	9	29	78	181
		F.	3	--	2	2	3	1	1	1	3	4	22	82	65
793	Mental observation without need for further medical care.	T.	1	--	--	--	--	1	1	1	1	1	--	1	--
		M.	1	--	--	--	--	1	2	1	2	2	1	1	--
		F.	--	--	--	--	--	--	--	--	1	1	--	--	
	Diagnoses not reported.....	T.	2	--	--	--	--	1	2	4	6	5	5	7	--
		M.	2	--	--	--	--	1	2	5	7	5	3	7	--
		F.	2	--	--	--	--	--	2	2	4	5	7	7	--

TABLE 6. Diagnostic Class and Sex, Percentage Distribution by Age
All Institutions

I.C.D. No.	Sex and diagnostic class	All ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89	90 or over	
	Totals	T.	100	1	3	4	6	11	15	17	16	13	9	4	--
		M.	100	1	3	5	6	12	16	17	16	13	8	3	--
		F.	100	1	3	4	5	10	15	17	16	14	10	4	1
	Psychoses	T.	100	--	--	--	1	7	15	19	21	18	13	5	1
		M.	100	--	--	--	1	8	16	20	21	17	12	4	--
		F.	100	--	--	--	1	6	14	19	20	18	14	6	1
020.1, 024.1, 025, 026.1	Syphilis of central nervous sys- tem with psychosis.	T.	100	--	--	--	1	1	2	12	35	34	13	1	--
		M.	100	--	--	--	--	1	2	12	34	37	13	1	--
		F.	100	--	--	1	1	1	4	14	37	27	10	2	--
300	Schizophrenia	T.	100	--	--	--	2	10	21	24	21	14	8	1	--
		M.	100	--	--	--	2	11	21	23	20	14	7	1	--
		F.	100	--	--	--	2	8	20	24	21	16	8	2	--
301	Manic-depressive reaction	T.	100	--	--	--	2	4	12	19	23	22	14	3	--
		M.	100	--	--	--	1	4	12	19	25	22	13	3	--
		F.	100	--	--	--	1	5	12	19	22	22	15	4	--
302	Involutional melancholia	T.	100	--	--	--	--	--	1	9	30	37	21	3	--
		M.	100	--	--	--	--	--	--	4	23	42	25	5	--
		F.	100	--	--	--	--	--	1	11	33	35	19	2	--
303	Paranoia and paranoid states	T.	100	--	--	--	--	1	5	13	27	30	19	4	--
		M.	100	--	--	--	--	1	7	16	27	30	16	4	1
		F.	100	--	--	--	--	1	3	12	26	31	22	5	--
304, 306	Senile and with cerebral arterio- sclerosis.	T.	100	--	--	--	--	--	--	--	2	14	44	35	5
		M.	100	--	--	--	--	--	--	--	3	16	45	31	4
		F.	100	--	--	--	--	--	--	--	1	12	43	37	6
307	Alcoholic	T.	100	--	--	--	--	2	8	18	32	30	10	1	--
		M.	100	--	--	--	--	2	8	17	32	31	10	1	--
		F.	100	--	--	--	--	3	10	22	31	26	8	--	--
083.2, 305, 308, 309, 648.3, 688.1	Other and unspecified.....	T.	100	--	--	--	2	8	16	22	26	17	8	1	--
		M.	100	--	--	--	1	8	17	23	25	16	7	1	--
		F.	100	--	--	--	2	8	15	21	26	18	8	1	--
	Psychoneuroses	T.	100	--	--	--	3	13	20	22	18	16	6	1	--
		M.	100	--	--	--	3	10	18	22	20	17	7	1	--
		F.	100	--	--	--	3	14	22	22	17	15	6	1	--
310	Anxiety reaction	T.	100	--	--	--	4	16	23	22	14	13	5	2	--
		M.	100	--	--	--	3	13	25	22	19	11	4	1	--
		F.	100	--	--	1	4	18	22	23	11	14	6	2	--
311	Hysterical reaction	T.	100	--	--	1	9	18	27	21	14	8	2	--	--
		M.	100	--	--	2	14	11	18	20	23	7	5	--	--
		F.	100	--	--	--	6	22	31	22	10	8	1	--	--
313	Obsessive-compulsive reaction ..	T.	100	--	--	--	5	11	29	27	9	11	7	1	--
		M.	100	--	--	--	10	5	25	30	5	5	15	5	--
		F.	100	--	--	--	3	12	31	26	11	12	5	--	--
314	Neurotic-depressive reaction ..	T.	100	--	--	--	2	13	21	22	16	17	8	2	--
		M.	100	--	--	--	2	10	16	22	19	20	9	2	--
		F.	100	--	--	--	3	14	23	22	14	15	7	1	--

TABLE 6. Diagnostic Class and Sex, Percentage Distribution by Age — Concluded
All Institutions

I.C.D. No.	Sex and diagnostic class	All ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89	90 or over	
	Psychoneuroses — Concluded:														
315, 316, 317	Somatization reaction	T.	100	—	—	—	2	7	15	21	31	13	6	1	1
		M.	100	—	—	—	—	5	18	28	23	13	10	—	3
		F.	100	—	—	—	4	9	13	15	36	13	6	2	—
312, 318	Other and unspecified	T.	100	—	—	—	2	11	16	21	24	19	6	—	—
		M.	100	—	—	—	1	10	16	21	25	21	5	—	—
		F.	100	—	—	1	1	2	11	16	21	24	18	6	1
	Disorders of character, behaviour, and intelligence.	T.	100	2	8	13	14	19	16	12	8	5	2	—	—
		M.	100	1	9	13	15	19	16	12	8	5	2	—	—
		F.	100	2	8	12	14	19	16	13	9	5	2	—	—
320	Pathological personality	T.	100	—	—	2	13	24	23	16	12	6	2	1	—
		M.	100	—	—	1	10	24	25	18	12	6	2	1	—
		F.	100	—	—	1	3	18	25	20	14	10	6	3	1
322	Alcoholism	T.	100	—	—	—	—	5	23	31	23	12	6	—	—
		M.	100	—	—	—	—	5	22	31	23	12	6	—	—
		F.	100	—	—	—	—	4	24	31	25	11	4	—	—
323	Other drug addiction	T.	100	—	—	—	2	13	28	24	19	11	3	—	—
		M.	100	—	—	—	—	3	14	32	22	22	8	—	—
		F.	100	—	—	—	—	2	12	26	26	17	12	5	—
325	Mental deficiency	T.	100	2	9	14	15	20	15	11	7	4	2	—	—
		M.	100	2	10	15	16	20	14	10	7	4	1	—	—
		F.	100	2	9	13	14	19	15	12	8	5	2	—	—
353	Epilepsy	T.	100	1	7	10	11	18	20	15	10	6	2	—	—
		M.	100	1	8	10	11	19	19	13	9	6	2	—	—
		F.	100	2	6	10	12	17	22	16	10	5	2	—	—
324	Primary childhood behaviour disorders.	T.	100	—	20	36	35	6	2	—	1	1	—	—	—
		M.	100	—	19	48	25	6	—	—	1	—	—	—	—
		F.	100	—	21	25	43	6	4	—	—	1	—	—	—
083.1, 321, 326	Other and unspecified	T.	100	—	1	3	17	27	19	13	10	5	3	2	—
		M.	100	—	1	5	15	23	23	14	11	5	1	1	—
		F.	100	—	—	2	19	29	15	13	10	4	4	3	—
	Other conditions	T.	100	1	4	6	4	5	4	5	9	12	25	23	3
		M.	100	1	3	6	4	6	4	6	9	14	25	19	3
		F.	100	1	5	4	5	4	5	3	8	9	24	28	3
020.0, 024.0, 026.0	Syphilis without psychosis	T.	100	—	2	—	—	7	9	9	33	30	7	2	—
		M.	100	—	—	—	—	8	4	15	35	31	4	4	—
		F.	100	—	6	—	—	6	18	—	29	29	12	—	—
	Not elsewhere classified	T.	100	1	4	6	5	5	4	5	7	10	26	25	3
		M.	100	1	3	7	4	5	4	6	7	13	27	20	4
		F.	100	1	5	5	6	4	4	3	7	7	25	30	3
793	Mental observation without need for further medical care.	T.	100	1	—	1	4	19	22	13	19	15	3	1	—
		M.	100	—	—	—	1	23	24	13	19	13	4	1	—
		F.	100	5	—	5	14	5	14	14	19	24	—	—	—

**TABLE 7. Sex and Age, Percentage Distribution by Selected Diagnostic Class
All Institutions**

I.C.D. No.	Sex and diagnostic class	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over
	Both sexes	100.0												
	<i>Psychoses</i>	62.2	1.7	1.2	2.5	12.4	38.7	61.1	71.1	78.4	82.9	88.4	89.6	89.3
300	Schizophrenia	35.4	0.2	1.0	1.8	9.4	30.9	47.0	49.3	44.6	39.0	29.2	14.0	7.6
301	Manic-depressive reaction ...	6.1	0.2	--	0.1	0.9	2.3	4.9	7.0	8.6	10.4	9.5	5.7	3.1
304, 306	Senile and with cerebral arteriosclerosis	6.4	--	--	--	--	--	0.1	0.8	0.8	6.7	30.9	61.9	72.4
	<i>Psychoneuroses</i>	2.8	--	0.1	0.2	1.5	3.1	3.7	3.6	3.1	3.3	2.0	0.9	0.6
	<i>Disorders of character, behaviour, and intelligence</i>	33.5	96.4	97.4	96.2	85.3	57.3	34.4	24.3	17.2	12.3	6.7	3.0	4.2
325	Mental deficiency	27.9	90.0	89.6	88.1	74.5	48.8	26.8	18.5	12.8	9.3	5.0	2.3	3.1
353	Epilepsy	2.5	6.4	6.3	5.7	5.1	3.9	3.3	2.2	1.5	1.1	0.4	0.1	0.3
	<i>Other conditions</i>	1.5	2.0	1.2	1.2	0.8	0.9	0.9	0.9	1.3	1.5	3.0	6.4	5.9
	Male	100.0												
	<i>Psychoses</i>	61.4	1.7	1.2	2.7	11.7	40.6	62.6	71.9	78.8	82.7	88.1	89.1	82.6
300	Schizophrenia	36.8	0.5	1.0	1.9	9.2	34.1	49.3	51.1	46.2	39.5	30.7	15.0	7.2
301	Manic-depressive reaction ...	4.9	0.5	0.1	0.1	0.7	1.5	3.7	5.6	7.5	8.6	8.0	5.0	2.2
304, 306	Senile and with cerebral arteriosclerosis	5.4	--	--	--	--	--	0.1	0.1	0.9	6.7	30.0	59.4	66.7
	<i>Psychoneuroses</i>	1.8	--	--	0.1	0.8	1.5	2.0	2.4	2.2	2.4	1.6	0.8	0.7
	<i>Disorders of character, behaviour, and intelligence</i>	35.2	96.7	97.9	96.0	86.8	56.7	34.4	24.5	17.4	13.2	7.2	3.4	7.2
325	Mental deficiency	29.1	92.1	90.1	88.4	78.0	48.5	26.2	17.8	12.3	9.5	5.1	2.5	5.1
353	Epilepsy	2.4	4.7	6.6	5.1	4.6	3.7	2.9	1.9	1.4	1.2	0.5	0.1	0.7
	<i>Other conditions</i>	1.6	1.4	0.9	1.2	0.7	1.2	1.0	1.2	1.6	1.7	3.2	6.7	9.4
	Female	100.0												
	<i>Psychoses</i>	63.1	1.5	1.3	2.2	13.4	36.1	59.2	70.2	78.0	83.1	88.7	90.1	93.5
300	Schizophrenia	33.8	--	1.0	1.7	9.7	26.8	44.3	47.2	42.8	38.6	27.8	13.3	7.8
301	Manic-depressive reaction ...	7.6	0.5	--	0.1	1.1	3.4	6.3	8.6	10.0	12.3	11.0	6.3	3.7
304, 306	Senile and with cerebral arteriosclerosis	7.6	--	--	--	--	--	--	0.1	0.7	6.7	31.8	63.8	76.0
	<i>Psychoneuroses</i>	3.9	--	0.2	0.2	2.3	5.2	5.7	5.0	4.1	4.4	2.3	1.0	0.5
	<i>Disorders of character, behaviour, and intelligence</i>	31.6	96.1	96.7	96.5	83.3	58.1	34.3	24.1	17.0	11.3	6.2	2.8	2.3
325	Mental deficiency	26.5	87.7	89.0	87.7	69.9	49.1	27.5	19.4	13.5	9.1	5.0	2.1	1.8
353	Epilepsy	2.6	8.3	5.8	6.6	5.7	4.2	3.8	2.4	1.6	1.0	0.4	0.1	--
	<i>Other conditions</i>	1.4	2.5	1.7	1.1	1.1	0.5	0.8	0.6	1.1	1.2	2.8	6.2	3.7

TABLE 8. Time Since Admission and Province, by Sex
All Institutions

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Canada						
Under 1 month	75,443	40,423	35,020	100.0	100.0	100.0
1- 4 months	2,816	1,441	1,375	3.7	3.6	3.9
4- 8 months	5,200	2,580	2,620	6.9	6.4	7.5
8-12 months	4,976	2,406	2,570	6.6	6.0	7.3
1- 2 years	4,047	2,136	1,911	5.4	5.3	5.5
2- 3 years	5,873	3,049	2,824	7.8	7.5	8.1
3- 5 years	3,963	2,070	1,893	5.3	5.1	5.4
5-10 years	5,908	3,154	2,754	7.8	7.8	7.9
10-15 years	12,354	7,021	5,333	16.4	17.4	15.2
15-20 years	8,352	4,593	3,759	11.1	11.4	10.7
20 or more years	6,265	3,371	2,894	8.3	8.3	8.3
	15,689	8,602	7,087	20.8	21.3	20.2
Newfoundland						
Under 1 month	928	541	387	100.0	100.0	100.0
1- 4 months	57	29	28	6.1	5.4	7.2
4- 8 months	78	44	34	8.4	8.1	8.8
8-12 months	50	27	23	5.4	5.0	5.9
1- 2 years	36	20	16	3.9	3.7	4.1
2- 3 years	89	51	38	9.6	9.4	9.8
3- 5 years	57	36	21	6.1	6.7	5.4
5-10 years	50	33	17	5.4	6.1	4.4
10-15 years	149	91	58	16.1	16.8	15.0
15-20 years	70	40	30	7.5	7.3	7.8
20 or more years	98	66	32	10.6	12.2	8.3
	194	104	90	20.9	19.2	23.3
Prince Edward Island						
Under 1 month	472	276	196	100.0	100.0	100.0
1- 4 months	23	18	5	4.9	6.5	2.6
4- 8 months	67	50	17	14.2	18.1	8.7
8-12 months	66	32	34	14.0	11.6	17.3
1- 2 years	37	18	19	7.8	6.5	9.7
2- 3 years	40	24	16	8.5	8.7	8.2
3- 5 years	14	9	5	3.0	3.3	2.6
5-10 years	21	12	9	4.4	4.3	4.6
10-15 years	39	20	19	8.3	7.2	9.7
15-20 years	37	24	13	7.8	8.7	6.6
20 or more years	33	23	10	7.0	8.3	5.1
	95	46	49	20.1	16.7	25.0
Nova Scotia						
Under 1 month	1,241	629	612	100.0	100.0	100.0
1- 4 months	112	58	54	9.0	9.2	8.8
4- 8 months	263	133	130	21.2	21.1	21.2
8-12 months	178	70	108	14.3	11.1	17.6
1- 2 years	67	35	32	5.4	5.6	5.2
2- 3 years	92	48	44	7.4	7.6	7.2
3- 5 years	74	32	42	6.0	5.1	6.9
5-10 years	98	45	53	7.9	7.2	8.7
10-15 years	200	121	79	16.1	19.2	12.9
15-20 years	54	29	25	4.4	4.6	4.1
20 or more years	42	27	15	3.4	4.3	2.5
	61	31	30	4.9	4.9	4.9
New Brunswick						
Under 1 month	2,232	1,180	1,052	100.0	100.0	100.0
1- 4 months	75	41	34	3.4	3.4	3.2
4- 8 months	140	59	81	6.3	5.0	7.7
8-12 months	157	92	65	7.0	7.8	6.2
1- 2 years	126	62	64	5.6	5.3	6.1
2- 3 years	212	99	113	9.5	8.4	10.7
3- 5 years	136	71	65	6.1	6.0	6.2
5-10 years	164	81	83	7.3	6.9	7.9
10-15 years	343	208	135	15.4	17.6	12.8
15-20 years	270	146	124	12.1	12.4	11.8
20 or more years	168	87	81	7.5	7.4	7.7
	441	234	207	19.8	19.8	19.7
Quebec						
Under 1 month	22,748	12,313	10,435	100.0	100.0	100.0
1- 4 months	650	314	336	2.9	2.6	3.2
4- 8 months	1,620	815	805	7.1	6.6	7.7
8-12 months	1,444	763	681	6.3	6.2	6.5
1- 2 years	1,556	846	710	6.8	6.9	6.8
2- 3 years	1,827	976	851	8.0	7.9	8.2
	1,007	552	455	4.4	4.5	4.4

TABLE 8. Time Since Admission and Province, by Sex — Concluded
All Institutions

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Quebec — Concluded:						
3- 5 years	1,754	948	806	7.7	7.7	7.7
5-10 years	3,847	2,194	1,653	16.9	17.8	15.8
10-15 years	2,604	1,452	1,152	11.4	11.8	11.0
15-20 years	1,977	1,079	898	8.7	8.8	8.6
20 or more years	4,462	2,374	2,088	19.6	19.3	20.0
Ontario						
Under 1 month	27,169	14,083	13,086	100.0	100.0	100.0
1- 4 months	970	513	457	3.6	3.6	3.5
4- 8 months	1,726	801	925	6.4	5.7	7.1
8-12 months	1,879	806	1,073	6.9	5.7	8.2
1- 2 years	1,233	614	619	4.5	4.4	4.7
2- 3 years	2,257	1,130	1,127	8.3	8.0	8.6
3- 5 years	1,549	788	761	5.7	5.6	5.8
5-10 years	2,410	1,282	1,128	8.9	9.1	8.6
10-15 years	4,533	2,537	1,996	16.7	18.0	15.3
15-20 years	3,025	1,636	1,389	11.1	11.6	10.6
20 or more years	2,146	1,077	1,069	7.9	7.6	8.2
	5,441	2,899	2,542	20.0	20.6	19.4
Manitoba						
Under 1 month	4,241	2,163	2,076	100.0	100.0	100.0
1- 4 months	172	73	99	4.1	3.4	4.8
4- 8 months	194	99	95	4.6	4.6	4.6
8-12 months	197	92	105	4.6	4.2	5.1
1- 2 years	163	78	85	3.8	3.6	4.1
2- 3 years	282	142	140	6.8	6.6	6.7
3- 5 years	278	158	120	6.6	7.3	5.8
5-10 years	284	133	151	6.7	6.1	7.3
10-15 years	651	340	311	15.3	15.7	15.0
15-20 years	415	217	198	9.8	10.0	9.5
20 or more years	403	219	184	9.5	10.1	8.9
	1,202	614	568	28.4	28.4	28.4
Saskatchewan						
Under 1 month	4,807	2,766	2,041	100.0	100.0	100.0
1- 4 months	173	84	89	3.6	3.0	4.4
4- 8 months	247	136	111	5.1	4.9	5.4
8-12 months	214	128	88	4.5	4.6	4.3
1- 2 years	150	87	63	3.1	3.1	3.1
2- 3 years	274	150	124	5.7	5.4	6.1
3- 5 years	202	120	82	4.2	4.3	4.0
5-10 years	368	204	164	7.7	7.4	8.0
10-15 years	639	362	277	13.3	13.1	13.6
15-20 years	530	264	246	11.0	10.3	12.1
20 or more years	523	299	224	10.9	10.8	11.0
	1,487	914	573	30.9	33.0	28.1
Alberta						
Under 1 month	4,666	2,679	1,987	100.0	100.0	100.0
1- 4 months	181	107	74	3.9	4.0	3.7
4- 8 months	316	165	151	6.8	6.2	7.6
8-12 months	344	178	166	7.4	6.6	8.4
1- 2 years	311	183	128	6.7	6.8	6.4
2- 3 years	309	198	111	6.6	7.4	5.6
3- 5 years	283	130	153	6.1	4.9	7.7
5-10 years	270	145	125	5.8	5.4	6.3
10-15 years	811	492	319	17.4	18.4	16.1
15-20 years	471	261	210	10.1	9.7	10.6
20 or more years	360	211	149	7.7	7.9	7.5
	1,010	609	401	21.6	22.7	20.2
British Columbia						
Under 1 month	6,939	3,791	3,148	100.0	100.0	100.0
1- 4 months	403	204	199	5.8	5.4	6.3
4- 8 months	549	278	271	7.9	7.3	8.8
8-12 months	447	220	227	6.4	5.8	7.2
1- 2 years	368	193	175	5.3	5.1	5.6
2- 3 years	491	231	260	7.1	8.1	8.3
3- 5 years	363	174	189	5.2	4.6	6.0
5-10 years	489	271	218	7.0	7.1	6.9
10-15 years	1,142	656	486	16.5	17.3	15.4
15-20 years	876	504	372	12.6	13.3	11.8
20 or more years	515	283	232	7.4	7.5	7.4
	1,298	777	519	18.7	20.5	16.5

**TABLE 8 A. Time since Admission and Province, by Sex
Public Mental Hospitals**

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Canada	58,653	31,233	27,420	100.0	100.0	100.0
Under 1 month	1,709	920	789	2.9	2.9	2.9
1- 4 months	4,162	2,029	2,133	7.1	6.5	7.8
4- 8 months	4,291	2,025	2,266	7.3	6.5	8.3
8- 12 months	3,304	1,711	1,593	5.6	5.5	5.8
1- 2 years	4,448	2,221	2,227	7.6	7.1	8.1
2- 3 years	2,859	1,461	1,398	4.9	4.7	5.1
3- 5 years	4,292	2,247	2,045	7.3	7.2	7.5
5- 10 years	8,690	4,896	3,794	14.8	15.7	13.8
10- 15 years	6,456	3,524	2,932	11.0	11.3	10.7
15- 20 years	5,097	2,797	2,300	8.7	9.0	8.4
20 or more years	13,345	7,402	5,943	22.8	23.7	21.7
Newfoundland	928	541	387	100.0	100.0	100.0
Under 1 month	57	29	28	6.1	5.4	7.2
1- 4 months	78	44	34	8.4	8.1	8.8
4- 8 months	50	27	23	5.4	5.0	5.9
8- 12 months	36	20	16	3.9	3.7	4.1
1- 2 years	89	51	38	9.6	9.4	9.8
2- 3 years	57	36	21	6.1	6.7	5.4
3- 5 years	50	33	17	5.4	6.1	4.4
5- 10 years	149	91	58	16.1	16.8	15.0
10- 15 years	70	40	30	7.5	7.4	7.8
15- 20 years	98	66	32	10.6	12.2	8.3
20 or more years	194	104	90	20.9	19.2	23.3
Prince Edward Island	472	276	196	100.0	100.0	100.0
Under 1 month	23	18	5	4.9	6.5	2.6
1- 4 months	67	50	17	14.2	18.1	8.7
4- 8 months	66	32	34	14.0	11.6	17.3
8- 12 months	37	18	19	7.8	6.5	9.7
1- 2 years	40	24	16	8.5	8.7	8.2
2- 3 years	14	9	5	3.0	3.3	2.6
3- 5 years	21	12	9	4.4	4.3	4.6
5- 10 years	39	20	19	8.3	7.2	9.7
10- 15 years	37	24	13	7.8	8.7	6.6
15- 20 years	33	23	10	7.0	8.3	5.1
20 or more years	95	46	49	20.1	16.7	25.0
Nova Scotia	1,066	530	536	100.0	100.0	100.0
Under 1 month	102	48	54	9.6	9.1	10.1
1- 4 months	248	122	126	23.3	23.0	23.5
4- 8 months	177	70	107	16.6	13.2	20.0
8- 12 months	58	30	28	5.4	5.7	5.2
1- 2 years	51	27	24	4.8	5.1	4.5
2- 3 years	40	15	25	3.8	2.8	4.7
3- 5 years	56	26	30	5.3	4.9	5.6
5- 10 years	178	106	72	16.7	20.0	13.4
10- 15 years	54	29	25	5.1	5.5	4.7
15- 20 years	42	27	15	3.9	5.1	2.8
20 or more years	60	30	30	5.6	5.7	5.6
New Brunswick	2,226	1,174	1,052	100.0	100.0	100.0
Under 1 month	73	39	34	3.3	3.3	3.2
1- 4 months	136	55	81	6.1	4.7	7.7
4- 8 months	157	92	65	7.1	7.8	6.2
8- 12 months	126	62	64	5.7	5.3	6.1
1- 2 years	212	99	113	9.5	8.4	10.7
2- 3 years	136	71	65	6.1	6.0	6.2
3- 5 years	164	81	83	7.4	6.9	7.9
5- 10 years	343	208	135	15.4	17.7	12.8
10- 15 years	270	146	124	12.1	12.4	11.8
15- 20 years	168	87	61	7.5	7.4	7.7
20 or more years	441	234	207	19.8	19.9	19.7
Quebec	20,548	11,004	9,544	100.0	100.0	100.0
Under 1 month	442	217	225	2.2	2.0	2.4
1- 4 months	1,352	670	682	6.6	6.1	7.1
4- 8 months	1,344	691	653	6.5	6.3	6.8
8- 12 months	1,441	765	676	7.0	7.0	7.1
1- 2 years	1,583	808	775	7.7	7.3	8.1
2- 3 years	908	486	422	4.4	4.4	4.4

**TABLE 8 A. Time since Admission and Province, by Sex — Concluded
Public Mental Hospitals**

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Quebec — Concluded						
3 - 5 years	1,577	842	735	7.7	7.7	7.7
5 - 10 years	3,338	1,857	1,481	16.2	16.9	15.5
10 - 15 years	2,353	1,319	1,034	11.5	12.0	10.8
15 - 20 years	1,872	1,022	850	9.1	9.3	8.9
20 or more years	4,338	2,327	2,011	21.1	21.1	21.1
Ontario						
Under 1 month	19,519	9,887	9,632	100.0	100.0	100.0
1 - 4 months	576	330	246	3.0	3.3	2.6
4 - 8 months	1,366	619	747	7.0	6.3	7.8
8 - 12 months	1,612	652	960	8.3	6.6	10.0
1 - 2 years	1,038	524	514	5.3	5.3	5.3
2 - 3 years	1,588	750	838	8.1	7.6	8.7
3 - 5 years	1,074	512	562	5.5	5.2	5.8
5 - 10 years	1,493	781	712	7.6	7.9	7.4
10 - 15 years	2,695	1,494	1,201	13.8	15.1	12.5
15 - 20 years	2,194	1,147	1,047	11.2	11.6	10.9
20 or more years	1,577	821	756	8.1	8.3	7.8
	4,306	2,257	2,049	22.1	22.8	21.3
Manitoba						
Under 1 month	3,060	1,548	1,512	100.0	100.0	100.0
1 - 4 months	57	29	28	1.9	1.9	1.9
4 - 8 months	153	85	68	5.0	5.5	4.5
8 - 12 months	174	76	98	5.7	4.9	6.5
1 - 2 years	138	65	73	4.5	4.2	4.8
2 - 3 years	206	92	114	6.7	5.9	7.5
3 - 5 years	144	75	69	4.7	4.8	4.6
5 - 10 years	186	92	94	6.1	5.9	6.2
10 - 15 years	405	209	196	13.2	13.5	13.0
15 - 20 years	307	147	160	10.0	9.5	10.6
20 or more years	319	161	158	10.4	10.4	10.4
	971	517	454	31.7	33.4	30.0
Saskatchewan						
Under 1 month	3,523	2,130	1,393	100.0	100.0	100.0
1 - 4 months	110	63	47	3.1	3.0	3.4
4 - 8 months	216	119	97	6.1	5.6	7.0
8 - 12 months	193	114	79	5.5	5.4	5.7
1 - 2 years	128	75	53	3.6	3.5	3.8
2 - 3 years	242	133	109	6.9	6.2	7.8
3 - 5 years	167	97	70	4.7	4.6	5.0
5 - 10 years	226	117	109	6.4	5.5	7.8
10 - 15 years	402	233	169	11.4	10.9	12.1
15 - 20 years	297	175	122	8.4	8.2	8.8
20 or more years	358	224	134	10.2	10.5	9.6
	1,184	780	404	33.6	36.6	29.0
Alberta						
Under 1 month	3,147	1,870	1,277	100.0	100.0	100.0
1 - 4 months	134	79	55	4.3	4.2	4.3
4 - 8 months	260	130	130	8.3	7.0	10.2
8 - 12 months	234	137	97	7.4	7.3	7.6
1 - 2 years	147	86	61	4.7	4.6	4.8
2 - 3 years	217	132	85	6.9	7.1	6.7
3 - 5 years	132	64	68	4.2	3.4	5.3
5 - 10 years	188	99	89	6.0	5.3	7.0
10 - 15 years	398	260	138	12.6	13.9	10.8
15 - 20 years	314	174	140	10.0	9.3	11.0
20 or more years	281	168	113	8.9	9.0	8.8
	842	541	301	26.8	28.9	23.6
British Columbia						
Under 1 month	4,164	2,273	1,891	100.0	100.0	100.0
1 - 4 months	135	68	67	3.2	3.0	3.5
4 - 8 months	286	135	151	6.9	5.9	8.0
8 - 12 months	284	134	150	6.8	5.9	7.9
1 - 2 years	155	66	89	3.7	2.9	4.7
2 - 3 years	220	105	115	5.3	4.6	6.1
3 - 5 years	187	96	91	4.5	4.2	4.8
5 - 10 years	331	164	167	7.9	7.2	8.8
10 - 15 years	743	418	325	17.8	18.4	17.2
15 - 20 years	560	323	237	13.4	14.2	12.5
20 or more years	349	198	151	8.4	8.7	8.0
	914	566	348	22.0	24.9	18.4

TABLE 8 B. Time Since Admission and Province, by Sex
Hospitals for Mentally Defectives

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Canada	12,530	6,582	5,948	100.0	100.0	100.0
Under 1 month	83	50	33	0.7	0.8	0.6
1- 4 months	383	216	167	3.1	3.3	2.8
4- 8 months	440	234	206	3.5	3.6	3.5
8-12 months	527	306	221	4.2	4.6	3.7
1- 2 years	1,074	631	443	8.6	9.6	7.4
2- 3 years	955	508	447	7.6	7.7	7.5
3- 5 years	1,432	781	651	11.4	11.9	10.9
5-10 years	3,235	1,827	1,408	25.8	27.8	23.7
10-15 years	1,543	785	758	12.3	11.9	12.7
15-20 years	988	430	558	7.9	6.5	9.4
20 or more years	1,870	814	1,056	14.9	12.4	17.8
Nova Scotia	161	85	76	100.0	100.0	100.0
1- 4 months	12	8	4	7.5	9.4	5.3
4- 8 months	1	—	1	0.6	—	1.3
8-12 months	8	4	4	5.0	4.7	5.3
1- 2 years	41	21	20	25.5	24.7	26.3
2- 3 years	34	17	17	21.1	20.0	22.4
3- 5 years	42	19	23	26.1	22.4	30.3
5-10 years	22	15	7	13.7	17.6	9.2
20 or more years	1	1	—	0.6	1.2	—
Quebec	1,205	643	562	100.0	100.0	100.0
Under 1 month	12	8	4	1.0	1.2	0.7
1- 4 months	140	77	63	11.6	12.0	11.2
4- 8 months	38	24	14	3.2	3.7	2.5
8-12 months	73	52	21	6.1	8.1	3.7
1- 2 years	141	96	45	11.7	14.9	8.0
2- 3 years	52	30	22	4.3	4.7	3.9
3- 5 years	126	69	57	10.5	10.7	10.1
5-10 years	413	264	149	34.3	41.1	26.5
10-15 years	109	19	90	9.0	3.0	16.0
15-20 years	39	1	38	3.2	0.2	6.8
20 or more years	62	3	59	5.1	0.5	10.5
Ontario	6,124	3,164	2,960	100.0	100.0	100.0
Under 1 month	29	14	15	0.5	0.4	0.5
1- 4 months	122	70	52	2.0	2.2	1.8
4- 8 months	211	123	88	3.4	3.9	3.0
8-12 months	171	75	96	2.8	2.4	3.2
1- 2 years	574	320	254	9.4	10.1	8.6
2- 3 years	426	239	187	7.0	7.6	6.3
3- 5 years	850	457	393	13.9	14.4	13.3
5-10 years	1,678	917	761	27.4	29.0	25.7
10-15 years	677	350	327	11.1	11.1	11.0
15-20 years	489	185	304	8.0	5.8	10.3
20 or more years	897	414	483	14.6	13.1	16.3

**TABLE 8B. Time since Admission and Province, by Sex - Concluded
Hospitals for Mentally Defectives**

Province and time since admission	Both sexes	Male	Female	Both sexes	Male	Female
	Number			Percentage		
Manitoba	1,011	535	476	100.0	100.0	100.0
Under 1 month	3	2	1	0.3	0.4	0.2
1- 4 months	11	3	8	1.1	0.6	1.7
4- 8 months	19	12	7	1.9	2.2	1.5
8-12 months	19	7	12	1.9	1.3	2.5
1- 2 years	69	43	26	6.8	8.0	5.5
2- 3 years	133	82	51	13.2	15.3	10.7
3- 5 years	92	35	57	9.1	6.5	12.0
5-10 years	242	127	115	23.9	23.7	24.2
10-15 years	107	69	38	10.6	12.9	8.0
15-20 years	84	58	26	8.3	10.8	5.5
20 or more years	232	97	135	22.9	18.1	28.4
Saskatchewan	1,205	604	601	100.0	100.0	100.0
Under 1 month	1	—	1	0.1	—	0.2
1- 4 months	15	6	9	1.2	1.0	1.5
4- 8 months	21	12	9	1.7	2.0	1.5
8-12 months	22	12	10	1.8	2.0	1.7
1- 2 years	32	17	15	2.7	2.8	2.5
2- 3 years	35	23	12	2.9	3.8	2.0
3- 5 years	141	87	54	11.7	14.4	9.0
5-10 years	237	129	108	19.7	21.4	18.0
10-15 years	233	109	124	19.3	18.0	20.6
15-20 years	165	75	90	13.7	12.4	15.0
20 or more years	303	134	169	25.1	22.4	28.1
Alberta	1,488	792	696	100.0	100.0	100.0
Under 1 month	19	14	5	1.3	1.8	0.7
1- 4 months	53	32	21	3.6	4.0	3.0
4- 8 months	110	41	69	7.4	5.2	9.9
8-12 months	164	97	67	11.0	12.2	9.6
1- 2 years	92	66	26	6.2	8.3	3.7
2- 3 years	151	66	85	10.1	8.3	12.2
3- 5 years	82	46	36	5.5	5.8	5.2
5-10 years	413	232	181	27.8	29.3	26.0
10-15 years	157	87	70	10.6	11.0	10.0
15-20 years	79	43	36	5.3	5.4	5.2
20 or more years	168	68	100	11.3	8.6	14.4
British Columbia	1,336	759	577	100.0	100.0	100.0
Under 1 month	19	12	7	1.4	1.6	1.2
1- 4 months	30	20	10	2.2	2.6	1.7
4- 8 months	40	22	18	3.0	2.9	3.1
8-12 months	70	59	11	5.2	7.8	1.9
1- 2 years	125	68	57	9.4	9.0	9.9
2- 3 years	124	51	73	9.3	6.7	12.7
3- 5 years	99	68	31	7.4	9.0	5.4
5-10 years	230	143	87	17.2	18.8	15.1
10-15 years	260	151	109	19.5	19.9	18.9
15-20 years	132	68	64	9.9	9.0	11.1
20 or more years	207	97	110	15.5	12.8	19.1

TABLE 9. Time Since Admission, by Age and Sex
All Institutions

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes														
Number														
Totals	75,443	419	2,169	3,327	4,286	8,539	11,671	12,760	12,301	9,914	6,897	2,722	355	83
Under 1 month	2,816	18	31	38	146	440	626	564	380	271	202	87	13	—
1- 4 months	5,200	87	172	174	306	865	1,038	838	656	481	401	189	11	—
4- 8 months	4,976	69	179	135	321	733	971	819	624	453	431	217	24	—
8-12 months	4,047	64	164	168	275	579	753	619	486	413	340	164	20	—
1- 2 years	5,873	136	519	415	448	673	667	712	623	528	564	351	37	—
2- 3 years	3,963	41	365	332	305	466	563	442	407	365	389	243	39	4
3- 5 years	5,908	24	424	599	492	727	832	774	648	544	502	291	41	10
5-10 years	12,354	—	315	1,342	1,334	1,727	2,097	1,845	1,429	1,061	754	359	72	19
10-15 years	8,352	—	—	124	585	1,091	1,868	1,801	1,437	937	546	141	13	6
15-20 years	6,265	—	—	—	74	614	1,090	1,594	1,376	819	382	101	9	6
20 or more years	15,689	—	—	—	—	422	1,166	2,752	4,231	4,042	2,384	579	75	38
Median in months	84	11	25	52	53	53	65	112	157	174	109	45	55	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.7	4.3	1.4	1.1	3.4	5.2	5.4	4.4	3.1	2.7	2.9	3.2	3.7	—
1- 4 months	6.9	16.0	7.9	5.2	7.1	10.1	6.9	6.6	5.3	4.9	5.8	6.9	3.1	—
4- 8 months	6.6	18.5	8.3	4.1	7.5	8.6	8.3	6.4	5.1	4.6	6.2	8.0	6.7	—
8-12 months	5.4	15.3	7.6	5.0	6.4	6.8	6.5	4.9	4.0	4.2	4.9	6.0	5.6	—
1- 2 years	7.8	32.5	23.9	12.5	10.5	7.9	7.4	5.6	5.1	5.3	8.2	12.9	10.4	—
2- 3 years	5.3	9.8	16.8	10.0	7.1	5.5	4.8	3.5	3.3	3.7	5.6	8.9	11.0	...
3- 5 years	7.6	5.7	19.5	18.0	11.5	6.5	7.1	6.1	5.3	5.5	7.3	10.7	11.5	...
5-10 years	16.4	—	14.5	40.3	31.1	20.2	18.0	14.5	11.6	10.7	10.9	13.2	20.2	...
10-15 years	11.1	—	—	3.7	13.6	12.8	14.3	14.1	11.7	9.5	7.9	5.2	4.2	...
15-20 years	8.3	—	—	—	1.7	9.5	9.3	12.5	11.2	8.3	5.5	3.7	2.5	...
20 or more years	20.8	—	—	—	—	4.9	10.0	21.6	34.4	40.8	34.6	21.3	21.1	...
Male														
Number														
Totals	40,423	215	1,249	1,970	2,437	4,891	6,449	6,837	6,554	5,149	3,326	1,160	138	48
Under 1 month	1,441	8	18	15	81	231	319	281	203	136	100	46	3	—
1- 4 months	2,580	31	103	97	161	451	508	409	298	232	181	87	4	—
4- 8 months	2,406	40	105	82	171	398	463	361	260	214	201	99	12	—
8-12 months	2,136	31	82	109	156	355	414	312	233	207	181	69	7	—
1- 2 years	3,049	69	318	282	252	398	436	315	267	265	272	139	16	—
2- 3 years	2,070	20	213	176	156	270	319	222	205	180	177	114	16	2
3- 5 years	3,154	16	237	326	254	433	467	436	360	272	230	101	15	7
5-10 years	7,021	—	173	822	816	1,011	1,275	1,031	780	582	343	146	26	16
10-15 years	4,593	—	—	61	335	644	986	953	777	472	300	57	4	4
15-20 years	3,371	—	—	—	35	451	611	925	746	388	166	42	4	3
20 or more years	8,802	—	—	—	—	249	653	1,592	2,405	2,201	1,195	280	31	16
Median in months	89	12	24	52	57	55	74	123	170	182	120	42	54	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.6	3.7	1.4	0.8	3.3	4.7	4.9	4.1	3.1	2.6	3.0	4.0	2.2	—
1- 4 months	6.4	14.4	6.2	4.9	7.4	9.2	7.8	6.0	4.5	4.5	5.4	7.5	2.9	—
4- 8 months	6.0	16.6	6.4	4.2	7.0	8.1	7.2	5.3	4.0	4.2	6.0	8.5	8.6	—
8-12 months	5.3	14.4	6.6	5.5	6.4	7.3	6.4	4.6	3.6	4.0	4.6	5.9	5.0	—
1- 2 years	7.5	32.1	25.5	14.3	10.3	8.1	6.6	4.6	4.4	5.1	8.2	12.0	11.5	—
2- 3 years	5.1	9.3	17.1	8.9	6.4	5.5	4.9	3.2	3.1	3.5	5.3	9.8	11.5	...
3- 5 years	7.8	7.4	19.0	16.5	10.4	8.9	7.2	6.4	5.5	5.3	8.9	8.7	10.8	...
5-10 years	17.4	—	13.9	41.7	33.5	20.7	19.8	15.1	11.9	11.3	10.3	12.6	18.7	...
10-15 years	11.4	—	—	3.1	13.7	13.2	15.3	13.9	11.9	9.2	9.0	4.9	3.6	...
15-20 years	8.3	—	—	—	1.4	9.2	9.5	13.5	11.4	7.5	5.0	3.6	2.9	...
20 or more years	21.3	—	—	—	—	5.1	10.1	23.3	36.7	42.7	35.9	22.4	22.3	...

TABLE 9. Time Since Admission, by Age and Sex — Concluded
All Institutions

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Female														
Number														
Totals	35,020	204	920	1,357	1,849	3,648	5,222	5,923	5,747	4,765	3,571	1,562	217	35
Under 1 month	1,375	10	13	23	65	209	307	283	177	135	102	41	10	—
1- 4 months	2,620	38	69	77	125	414	532	429	360	249	220	102	72	—
4- 8 months	2,570	29	74	53	150	335	508	458	364	239	230	118	12	—
8-12 months	1,911	33	82	59	119	224	339	307	255	206	179	95	13	—
1- 2 years	2,824	67	201	133	196	275	431	397	336	263	292	212	21	—
2- 3 years	1,893	21	152	156	149	198	244	220	202	185	212	129	23	2
3- 5 years	2,754	8	187	273	238	294	365	338	288	272	272	190	26	3
5-10 years	5,333	—	142	520	518	716	822	814	649	479	411	213	46	3
10-15 years	3,759	—	—	63	250	447	682	848	660	465	248	84	10	2
15-20 years	2,894	—	—	—	39	363	479	669	630	431	216	59	5	3
20 or more years	7,087	—	—	—	—	173	513	1,160	1,826	1,841	1,189	319	44	22
Median in months	78	11	26	52	48	50	52	99	142	166	101	47	57	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.9	4.9	1.4	1.7	3.5	5.7	5.9	4.8	3.1	2.8	2.9	2.6	4.6	—
1- 4 months	7.5	17.6	7.5	5.7	6.8	11.3	10.2	7.2	6.3	5.2	6.2	6.5	3.2	—
4- 8 months	7.3	14.2	8.0	3.9	8.1	9.2	9.7	7.7	6.3	5.0	6.4	7.6	5.5	—
8-12 months	5.5	16.2	8.9	4.3	6.4	6.1	6.5	5.2	4.4	4.3	5.0	6.1	6.0	—
1- 2 years	8.1	32.8	21.8	9.8	10.6	7.5	8.3	6.7	5.8	5.5	8.2	13.6	9.7	—
2- 3 years	5.4	10.3	16.5	11.5	8.1	5.4	4.7	3.7	3.5	3.9	5.9	8.3	10.6	—
3- 5 years	7.9	3.9	20.3	20.1	12.9	8.1	7.0	5.7	5.0	5.7	7.6	12.2	12.0	—
5-10 years	15.2	—	15.4	38.3	28.0	19.6	15.7	13.7	11.3	10.1	11.5	13.6	21.2	—
10-15 years	10.7	—	—	4.6	13.5	12.3	13.1	14.3	11.5	9.8	6.9	5.4	4.6	—
15-20 years	8.3	—	—	—	2.1	10.0	9.2	11.3	11.0	9.0	6.0	3.8	2.3	—
20 or more years	20.2	—	—	—	—	4.7	9.8	19.6	31.8	38.6	33.3	20.4	20.3	—

TABLE 9A. Time Since Admission, by Age and Sex
Public Mental Hospitals

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes														
Number														
Totals	58,653	73	366	775	1,919	6,096	9,675	11,037	11,243	8,921	5,998	2,206	279	65
Under 1 month	1,709	3	9	14	102	282	382	325	229	155	136	63	9	—
1- 4 months	4,162	13	26	70	226	743	904	716	574	413	320	148	9	—
4- 8 months	4,291	9	32	51	252	701	928	779	589	410	362	160	18	—
8-12 months	3,304	12	17	48	207	525	693	557	448	376	280	126	15	—
1- 2 years	4,448	29	113	114	257	610	812	680	602	486	459	260	26	—
2- 3 years	2,859	2	44	42	115	397	513	416	383	348	353	215	28	3
3- 5 years	4,282	5	72	89	173	586	754	722	615	510	470	256	32	8
5-10 years	8,690	—	53	321	400	1,061	1,842	1,657	1,332	971	679	300	57	17
10-15 years	6,456	—	—	26	155	482	1,414	1,611	1,347	833	461	110	12	5
15-20 years	5,097	—	—	—	32	433	768	1,402	1,279	758	336	79	8	4
20 or more years	13,345	—	—	—	—	276	665	2,172	3,845	3,661	2,142	489	67	28
Median in months	89	12	23	49	20	30	55	108	158	177	115	48	63	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	4.1	2.5	1.8	5.3	4.6	3.9	2.9	2.0	1.7	2.3	2.9	3.2	—
1- 4 months	7.1	17.8	7.1	9.0	11.8	12.2	9.3	6.5	5.1	4.6	5.3	6.7	3.2	—
4- 8 months	7.3	12.3	8.7	6.6	13.1	11.5	9.6	7.1	5.2	4.8	6.0	7.3	6.5	—
8-12 months	5.6	18.4	4.6	6.2	10.8	8.6	7.2	5.0	4.0	4.2	4.7	5.7	5.4	—
1- 2 years	7.6	39.7	30.9	14.7	13.4	10.0	8.4	6.2	5.4	5.4	5.4	7.7	11.8	9.3
2- 3 years	4.9	2.7	12.0	5.4	6.0	6.5	5.3	3.8	3.4	3.9	5.9	9.7	10.0	—
3- 5 years	7.3	6.8	19.7	11.5	9.0	9.6	7.8	6.5	5.5	5.7	7.8	11.6	11.4	—
5-10 years	14.8	—	14.5	41.4	20.8	17.4	19.0	15.0	11.8	10.9	11.3	13.6	20.4	—
10-15 years	11.0	—	—	3.4	8.1	7.9	14.6	14.6	12.0	9.3	7.7	5.0	4.3	—
15-20 years	8.7	—	—	—	1.7	7.1	7.9	12.7	11.4	8.5	5.6	3.6	2.2	—
20 or more years	22.8	—	—	—	—	4.5	6.9	19.7	34.2	41.0	35.7	22.2	24.0	—

TABLE 9A. Time Since Admission, by Age and Sex — Concluded
Public Mental Hospitals

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Male														
Number														
Totals	31,233	36	196	448	1,096	3,623	5,435	5,968	6,081	4,504	2,784	920	104	38
Under 1 month	920	—	3	7	63	165	208	167	128	76	70	32	1	—
1- 4 months	2,029	3	14	40	141	403	439	339	259	182	141	65	3	—
4- 8 months	2,025	6	13	27	141	384	440	342	243	184	163	74	8	—
8-12 months	1,711	3	5	29	122	327	381	269	207	179	133	50	6	—
1- 2 years	2,221	20	75	85	151	361	404	294	271	234	212	104	10	—
2- 3 years	1,461	1	17	19	62	245	299	203	190	165	151	97	11	1
3- 5 years	2,247	3	34	34	81	366	432	402	342	245	206	86	11	5
5-10 years	4,896	—	35	191	233	679	1,137	930	731	514	292	119	21	14
10-15 years	3,524	—	—	16	86	290	858	843	744	399	238	43	4	3
15-20 years	2,797	—	—	—	16	235	451	837	708	362	149	35	2	2
20 or more years	7,402	—	—	—	—	168	386	1,342	2,258	1,964	1,029	215	27	13
<i>Median in months</i>	97	16	22	48	18	32	66	123	174	192	126	47	66	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	—	1.5	1.6	5.7	4.6	3.8	2.8	2.1	1.7	2.5	3.5	1.0	—
1- 4 months	6.5	8.3	7.1	8.9	12.9	11.1	8.1	5.7	4.3	4.0	5.1	7.1	2.9	—
4- 8 months	6.5	16.7	6.6	6.0	12.9	10.6	8.1	5.7	4.0	4.1	5.9	8.0	7.7	—
8-12 months	5.5	8.3	2.6	6.5	11.1	9.0	7.0	4.5	3.4	4.0	4.8	5.4	5.8	—
1- 2 years	7.1	55.6	38.3	19.0	13.8	10.0	7.4	4.9	4.5	5.2	7.6	11.3	9.6	—
2- 3 years	4.7	2.8	8.7	4.2	5.7	6.8	5.5	3.4	3.1	3.7	5.4	10.5	10.6	...
3- 5 years	7.2	8.3	17.3	7.6	7.4	10.1	7.9	6.7	5.6	5.4	7.4	9.3	10.6	...
5-10 years	15.7	—	17.9	42.6	21.3	18.7	20.9	15.6	12.0	11.4	10.5	12.9	20.1	...
10-15 years	11.3	—	—	3.6	7.8	8.0	15.8	14.1	12.2	8.9	8.5	4.7	3.9	...
15-20 years	9.0	—	—	—	1.5	6.5	8.3	14.0	11.6	8.0	5.4	3.8	1.9	...
20 or more years	23.7	—	—	—	—	4.6	7.1	22.5	37.1	43.6	37.0	23.4	26.7	...
Female														
Number														
Totals	27,420	37	170	327	823	2,473	4,240	5,069	5,162	4,417	3,214	1,286	175	27
Under 1 month	789	3	6	7	39	117	174	158	101	79	66	31	8	—
1- 4 months	2,133	10	12	30	85	340	465	377	315	231	179	83	6	—
4- 8 months	2,266	3	19	24	111	317	488	437	346	226	199	86	10	—
8-12 months	1,593	9	12	19	85	198	312	288	241	197	147	76	9	—
1- 2 years	2,227	9	38	29	106	249	408	386	331	252	247	156	16	—
2- 3 years	1,398	1	27	23	53	152	214	213	193	183	202	118	17	2
3- 5 years	2,045	2	38	55	92	220	322	320	273	265	264	170	21	3
5-10 years	3,794	—	18	130	167	382	705	727	601	457	387	181	36	3
10-15 years	2,932	—	—	10	69	192	556	768	603	434	223	67	8	2
15-20 years	2,300	—	—	—	16	198	317	565	571	396	187	44	4	2
20 or more years	5,943	—	—	—	—	108	279	830	1,587	1,697	1,113	274	40	15
<i>Median in months</i>	80	9	23	50	22	25	40	89	138	164	107	49	61	...
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	8.1	3.5	2.1	4.7	4.7	4.1	3.1	2.0	1.8	2.1	2.4	4.6	—
1- 4 months	7.8	27.0	7.1	9.2	10.3	13.7	11.0	7.4	6.1	5.2	5.6	6.5	3.4	—
4- 8 months	8.3	8.1	11.2	7.3	13.5	12.8	11.5	8.6	6.7	5.1	6.2	6.7	5.7	—
8-12 months	5.8	24.3	7.1	5.8	10.3	8.0	7.4	5.7	4.7	4.5	4.6	5.9	5.1	—
1- 2 years	8.1	24.3	22.4	8.9	12.9	10.1	9.6	7.6	6.4	5.7	7.7	12.1	9.1	—
2- 3 years	5.1	2.7	15.9	7.0	6.4	6.1	5.0	4.2	3.7	4.1	6.3	9.2	9.7	...
3- 5 years	7.5	5.4	22.4	16.8	11.2	8.9	7.6	6.3	5.3	6.0	8.2	13.2	12.0	...
5-10 years	13.8	—	10.6	39.8	20.3	15.4	16.6	14.3	11.6	10.3	12.0	14.1	20.6	...
10-15 years	10.7	—	—	3.1	8.4	7.8	13.1	15.2	11.7	9.8	6.9	5.2	4.6	...
15-20 years	8.4	—	—	—	1.9	8.0	7.5	11.1	11.1	9.0	5.8	3.4	2.3	...
20 or more years	21.7	—	—	—	—	4.4	6.6	16.4	30.7	38.4	34.6	21.3	22.9	...

**TABLE 9 B. Time Since Admission, by Age and Sex
Hospitals for Mentally Defectives**

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Both sexes														
Number														
Totals	12,530	340	1,783	2,502	2,258	2,111	1,373	1,054	636	307	120	29	4	13
Under 1 month	83	14	20	18	9	8	6	5	2	1	—	—	—	—
1- 4 months	383	53	143	91	39	26	11	12	5	2	1	—	—	—
4- 8 months	440	60	141	77	65	21	19	17	20	16	3	1	—	—
8-12 months	527	51	146	118	63	44	41	35	17	7	4	1	—	—
1- 2 years	1,074	104	403	292	185	45	28	8	4	4	1	—	—	—
2- 3 years	955	39	317	284	185	63	38	18	9	1	—	—	—	1
3- 5 years	1,432	19	351	507	318	131	54	26	18	5	1	—	—	1
5-10 years	3,235	—	262	1,017	924	645	186	114	59	19	7	1	—	1
10-15 years	1,543	—	—	98	428	604	199	111	59	27	14	3	—	—
15-20 years	988	—	—	—	42	378	292	138	70	38	24	5	—	1
20 or more years	1,870	—	—	—	—	146	499	570	373	187	65	17	4	9
Median in months	85	11	25	54	77	127	201	..						
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	0.7	4.1	1.1	0.7	0.4	0.4	0.4	0.5	0.3	0.3	—	—	—	—
1- 4 months	3.1	15.6	8.0	3.6	1.7	1.2	0.8	1.1	0.8	0.7	0.8	—	—	—
4- 8 months	3.5	17.6	7.9	3.1	2.9	1.0	1.4	1.6	3.3	5.2	2.5	3.4	—	—
8-12 months	4.2	15.0	8.2	4.7	2.8	2.1	3.0	3.3	2.7	2.3	3.3	3.4	—	—
1- 2 years	8.6	30.6	22.6	11.7	8.2	2.1	2.0	0.8	0.6	1.3	0.8	—	—	—
2- 3 years	7.6	11.5	17.8	11.4	8.2	3.0	2.8	1.7	1.4	0.3	—	—	—	7.7
3- 5 years	11.4	5.6	19.7	20.3	14.1	6.2	3.9	2.5	2.8	1.6	0.8	3.4	—	7.7
5-10 years	25.8	—	14.7	40.6	40.9	30.6	13.5	10.8	9.3	6.2	5.8	3.4	—	7.7
10-15 years	12.3	—	—	3.9	19.0	28.6	14.5	10.5	9.3	8.8	11.7	10.3	—	—
15-20 years	7.9	—	—	—	1.9	17.9	21.3	13.1	11.0	12.4	20.0	17.2	—	7.7
20 or more years	14.9	—	—	—	—	6.9	36.3	54.1	58.6	60.9	54.2	58.6	—	69.2
Male														
Number														
Totals	6,582	177	1,048	1,502	1,290	1,134	648	429	218	95	30	4	2	5
Under 1 month	50	8	14	6	2	8	5	5	2	—	—	—	—	—
1- 4 months	216	28	88	51	19	11	8	7	3	1	—	—	—	—
4- 8 months	234	34	90	52	28	7	4	5	6	7	1	—	—	—
8-12 months	306	28	77	79	33	25	23	23	11	5	2	—	—	—
1- 2 years	631	47	243	193	97	28	14	5	2	—	—	—	—	—
2- 3 years	508	19	195	155	92	22	11	12	1	—	—	—	—	1
3- 5 years	781	13	203	291	173	60	19	12	6	3	—	—	—	—
5-10 years	1,827	—	138	630	578	325	80	41	22	9	2	1	—	1
10-15 years	785	—	—	45	249	353	85	35	12	5	1	—	—	—
15-20 years	430	—	—	—	19	214	133	39	14	7	4	—	—	—
20 or more years	814	—	—	—	—	81	266	245	139	56	20	3	2	2
Median in months	79	11	25	54	81	134	214	..						
Percentage														
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 month	0.8	4.5	1.3	0.4	0.2	0.7	0.8	1.2	0.9	—	—	—	—	—
1- 4 months	3.3	15.8	8.4	3.4	1.5	1.0	1.2	1.6	1.4	1.0	—	—	—	—
4- 8 months	3.6	19.2	8.6	3.5	2.2	0.6	0.6	1.2	2.8	7.4	3.3	—	—	—
8-12 months	4.6	15.8	7.3	5.3	2.6	2.2	2.2	3.5	5.4	5.0	5.3	6.7	—	—
1- 2 years	9.6	26.6	23.2	12.8	7.5	2.5	2.2	1.2	0.9	2.1	—	—	—	—
2- 3 years	7.7	10.7	18.6	10.3	7.1	1.9	1.7	2.8	0.5	—	—	—	—	—
3- 5 years	11.9	7.3	19.4	19.4	13.4	5.3	2.9	2.8	2.8	3.2	—	—	—	—
5-10 years	27.8	—	13.2	41.9	44.8	28.7	12.3	9.6	10.1	9.5	6.7	—	—	—
10-15 years	11.9	—	—	3.0	19.3	31.1	13.1	8.2	5.5	5.3	3.3	—	—	—
15-20 years	6.5	—	—	—	1.5	18.9	20.5	9.1	6.4	7.4	13.3	—	—	—
20 or more years	12.4	—	—	—	—	7.1	41.0	57.1	63.8	58.9	66.7	—	—	—

TABLE 9 B. Time Since Admission, by Age and Sex — Concluded
Hospitals for Mentally Defectives

Time since admission	All ages	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 or over	Not stated
Female														
Number														
Totals	5,948	163	735	1,000	968	977	725	625	418	212	90	25	2	8
Under 1 month	33	6	6	12	7	—	1	—	—	1	—	—	—	—
1- 4 months	167	25	55	40	20	15	3	5	2	1	1	—	—	—
4- 8 months	206	28	51	25	37	14	15	12	14	9	2	1	—	—
8-12 months	221	23	69	39	30	19	18	12	6	2	2	1	—	—
1- 2 years	443	57	160	99	88	17	14	3	2	2	1	—	—	—
2- 3 years	447	20	122	129	93	41	27	6	8	1	—	—	—	—
3- 5 years	651	6	148	218	145	71	35	14	12	2	1	1	—	—
5-10 years	1,408	—	124	387	346	320	106	73	37	10	5	—	—	—
10-15 years	758	—	—	53	179	251	114	78	47	22	13	3	—	—
15-20 years	558	—	—	—	23	164	159	99	56	31	20	5	—	1
20 or more years	1,056	—	—	—	—	65	233	325	234	131	45	14	2	7
Median in months	94	12	27	53	71	118	191	..						
Percentage														
Totals	100.0													
Under 1 month	0.6	3.7	0.8	1.2	0.7	—	0.1	—	—	0.5	—	—	—	—
1- 4 months	2.8	15.3	7.5	4.0	2.1	1.5	0.4	0.8	0.5	0.5	1.1	—	—	—
4- 8 months	3.5	16.0	6.9	2.5	3.8	1.4	2.1	1.9	3.3	4.2	2.2	4.0	—	—
8-12 months	3.7	14.1	9.4	3.9	3.1	1.9	2.5	1.9	1.4	0.9	2.2	4.0	—	—
1- 2 years	7.4	35.0	21.8	9.9	9.1	1.7	1.9	0.5	0.5	0.9	1.1	—	—	—
2- 3 years	7.5	12.3	16.6	12.9	9.6	4.2	3.7	1.0	1.9	0.5	—	—	—	—
3- 5 years	10.9	3.7	20.1	21.6	15.0	7.3	4.8	2.2	2.9	0.9	1.1	4.0	—	—
5-10 years	23.7	—	16.9	38.7	35.7	32.8	14.6	11.7	8.9	4.7	5.6	—	—	—
10-15 years	12.7	—	—	5.3	18.5	25.7	15.7	12.2	11.2	10.4	14.4	12.0	—	—
15-20 years	9.4	—	—	—	2.4	16.8	21.9	15.8	13.4	14.6	22.2	20.0	—	...
20 or more years	17.8	—	—	—	—	6.7	32.1	52.0	56.0	61.8	50.0	56.0	—	...

TABLE 10. Time Since Admission, by Selected Diagnoses and Sex
All Institutions

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involuntary melan-cholia	Paranoia and paranoid states	Psy-cho-ses of senium	Other and un-specified psycho-ses	Psycho-neuro-ses	Mental defi-ciency	Epi-lepsy ¹	Other dis-orders of character, behaviour, and intel-ligence and non-psychiatric conditions	Not stated
Both sexes												
Number												
Totals	75,443	26,718	4,627	1,257	1,972	4,838	7,502	2,098	19,590	3,345	3,143	333
Under 1 month	2,816	737	343	106	52	215	213	457	166	60	467	—
1- 4 months	5,200	1,715	487	161	108	486	411	448	699	130	555	—
4- 8 months	4,976	1,768	468	185	102	567	383	275	613	192	423	—
8-12 months	4,047	1,449	285	78	104	408	320	154	777	207	265	—
1- 2 years	5,873	1,638	352	134	86	857	457	184	1,371	363	431	—
2- 3 years	3,963	1,030	207	71	67	574	320	82	1,062	329	221	—
3- 5 years	5,908	1,638	261	121	107	680	588	102	1,789	409	213	—
5-10 years	12,354	3,491	591	143	342	708	1,197	138	4,699	688	340	17
10-15 years	8,352	2,967	461	102	319	193	1,154	90	2,576	344	108	38
15-20 years	6,265	2,539	351	59	175	59	821	38	1,819	204	38	162
20 or more years	15,689	7,746	821	97	510	111	1,638	130	4,019	419	82	116
Median in months	84	118	52	21	123	23	113	6	102	59	10	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.7	2.8	7.4	8.4	2.6	4.4	2.8	21.8	0.8	1.8	14.9	—
1- 4 months	6.9	6.4	10.5	12.8	5.5	10.0	5.5	21.4	3.6	3.9	17.7	—
4- 8 months	6.6	6.6	10.1	14.7	5.2	11.7	5.1	13.1	3.1	5.7	13.5	—
8-12 months	5.4	5.4	6.2	6.2	5.3	8.4	4.3	7.3	4.0	6.2	8.4	—
1- 2 years	7.8	6.1	7.6	10.7	4.4	17.6	6.1	8.8	7.0	10.9	13.7	—
2- 3 years	5.3	3.9	4.5	5.6	3.4	11.8	4.3	3.9	5.4	9.8	7.0	—
3- 5 years	7.8	6.1	5.6	9.6	5.4	14.0	7.8	4.9	9.1	12.2	6.8	—
5-10 years	16.4	13.1	12.8	11.4	17.3	14.6	16.0	6.6	24.0	20.6	10.8	—
10-15 years	11.1	11.1	10.0	8.1	16.2	4.0	15.4	4.3	13.1	10.3	3.4	—
15-20 years	8.3	9.5	7.6	4.7	8.9	1.2	10.9	1.8	9.3	6.1	1.2	—
20 or more years	20.8	29.0	17.7	7.7	25.9	2.3	21.8	6.2	20.5	12.5	2.6	—

See footnotes at end of table.

TABLE 10. Time Since Admission, by Selected Diagnoses and Sex — Concluded
All Institutions

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involuntional melancholia	Paranoia and paranoid states	Psychoses of senium	Other and unspecified psychoses	Psychoneuroses	Mental ¹ deficiency	Epilepsy ²	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	Not stated
Male												
Number												
Totals	40,423	14,893	1,975	384	928	2,193	4,456	722	10,967	1,768	1,846	191
Under 1 month	1,441	375	131	38	33	103	129	171	95	28	338	—
1- 4 months	2,580	835	199	36	66	232	240	141	404	64	363	—
4- 8 months	2,406	860	175	45	60	266	206	82	354	108	250	—
8-12 months	2,136	780	116	25	40	189	189	47	476	126	148	—
1- 2 years	3,049	805	155	33	42	384	262	61	845	200	262	—
2- 3 years	2,070	569	87	20	34	266	194	27	570	165	138	—
3- 5 years	3,154	925	119	51	62	287	350	39	969	231	121	—
5-10 years	7,021	2,108	286	48	169	304	745	47	2,736	368	200	10
10-15 years	4,593	1,677	226	45	129	94	710	39	1,415	177	63	18
15-20 years	3,371	1,452	141	14	68	23	504	12	936	104	17	100
20 or more years	8,602	4,507	340	29	225	45	927	56	2,167	197	46	63
Median in months	89	127	61	33	105	22	113	10	99	56	9	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.6	2.5	6.6	9.9	3.6	4.7	2.9	23.7	0.9	1.6	17.4	—
1- 4 months	6.4	5.6	10.1	9.4	7.1	10.6	5.4	19.5	3.7	3.6	18.7	—
4- 8 months	6.0	5.8	8.9	11.7	6.5	12.1	4.6	11.4	3.2	6.1	12.8	—
8-12 months	5.3	5.2	5.9	6.5	4.3	8.6	4.2	6.5	4.3	7.1	7.6	—
1- 2 years	7.5	5.4	7.8	8.6	4.5	17.5	5.9	8.4	7.7	11.3	13.5	—
2- 3 years	5.1	3.8	4.4	5.2	3.7	12.1	4.4	3.7	5.2	9.3	7.1	—
3- 5 years	7.8	6.2	6.0	13.3	6.7	13.1	7.9	5.4	8.8	13.1	6.2	—
5-10 years	17.4	14.2	14.5	12.5	18.2	13.9	16.7	6.5	24.9	20.8	10.3	...
10-15 years	11.4	11.3	11.4	11.7	13.9	4.3	15.9	5.4	12.9	10.0	3.2	...
15-20 years	8.3	9.7	7.1	3.6	7.3	1.0	11.3	1.7	8.5	5.9	0.9	...
20 or more years	21.3	30.3	17.2	7.6	24.2	2.1	20.8	7.8	19.8	11.1	2.4	...
Female												
Number												
Totals	35,020	11,823	2,652	873	1,044	2,665	3,046	1,376	8,623	1,577	1,197	142
Under 1 month	1,375	362	212	68	19	112	84	286	71	32	129	—
1- 4 months	2,620	880	288	125	42	254	171	307	295	66	192	—
4- 8 months	2,570	908	293	140	42	301	177	193	259	84	173	—
8-12 months	1,911	669	169	53	64	219	131	107	301	81	117	—
1- 2 years	2,824	833	197	101	44	473	195	123	526	163	169	—
2- 3 years	1,893	461	120	51	33	308	126	55	492	164	83	—
3- 5 years	2,754	713	142	70	45	393	238	63	820	178	92	—
5-10 years	5,333	1,383	305	95	173	404	452	91	1,963	320	140	7
10-15 years	3,759	1,290	235	57	190	99	444	51	1,161	167	45	20
15-20 years	2,894	1,087	210	45	107	36	317	26	863	100	21	62
20 or more years	7,087	3,239	481	68	285	66	711	74	1,852	222	36	53
Median in months	78	107	44	18	139	23	113	6	107	64	12	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	3.9	3.1	8.0	7.8	1.8	4.2	2.8	20.8	0.8	2.0	10.8	—
1- 4 months	7.5	7.4	10.9	14.3	4.0	9.5	5.6	22.3	3.4	4.2	16.0	—
4- 8 months	7.3	7.7	11.0	16.0	4.0	11.3	5.8	14.0	3.0	5.3	14.5	—
8-12 months	5.5	5.7	6.4	6.1	6.1	8.2	4.3	7.8	3.5	5.1	9.8	—
1- 2 years	8.1	7.0	7.4	11.6	4.2	17.7	6.4	8.9	6.1	10.3	14.1	—
2- 3 years	5.4	3.9	4.5	5.8	3.2	11.6	4.1	4.0	5.7	10.4	6.9	—
3- 5 years	7.9	6.0	5.4	8.0	4.3	14.7	7.8	4.6	9.5	11.3	7.7	—
5-10 years	15.2	11.7	11.5	10.9	16.6	15.2	14.8	6.6	22.8	20.3	11.7	...
10-15 years	10.7	10.9	8.9	6.5	18.2	3.7	14.6	3.7	13.5	10.6	3.8	...
15-20 years	8.3	9.2	7.9	5.2	10.2	1.4	10.4	1.9	10.2	6.3	1.8	...
20 or more years	20.2	27.4	18.1	7.8	27.3	2.5	23.3	5.4	21.5	14.1	3.0	...

¹ Excludes mental deficiency with epilepsy.

² Includes mental deficiency with epilepsy.

**TABLE 10 A. Time Since Admission, by Selected Diagnoses and Sex
Public Mental Hospitals**

Time since admission	Total	Schizo- phrenia	Manic- depres- sive reaction	Involu- tional melan- cholia	Paranoia and paranoid states	Psy- chooses of senium	Other and un- specified psychoses	Psycho- neuro- ses	Mental defi- ciency	Epi- lepsy ²	Other dis- orders of character, behaviour, and intel- ligence and non- psychiatric conditions	Not stated
Both sexes												
Number												
Totals	38,653	25,040	4,295	1,159	1,898	4,207	6,911	1,507	9,093	1,763	2,447	333
Under 1 month	1,709	552	181	60	36	172	136	141	97	42	292	—
1- 4 months	4,162	1,541	427	137	98	438	369	264	359	76	453	—
4- 8 months	4,291	1,709	456	180	98	508	352	252	278	109	349	—
8-12 months	3,304	1,380	274	77	102	356	291	141	379	102	202	—
1- 2 years	4,448	1,570	348	134	85	726	438	157	517	157	318	—
2- 3 years	2,859	990	201	71	66	516	301	79	337	112	186	—
3- 5 years	4,292	1,583	256	120	107	608	544	97	605	179	193	—
5-10 years	8,690	3,307	571	137	336	596	1,107	127	1,902	334	256	17
10-15 years	6,456	2,730	441	95	310	149	1,062	87	1,227	228	89	38
15-20 years	5,097	2,364	344	54	167	44	770	35	978	147	32	162
20 or more years	13,345	7,314	798	94	493	94	1,541	127	2,414	277	77	116
Median in months	90	118	61	23	124	22	116	11	124	79	11	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	2.2	4.2	5.2	1.9	4.1	2.0	9.4	1.1	2.4	11.9	—
1- 4 months	7.1	6.2	9.9	11.8	5.2	10.4	5.3	17.5	3.9	4.3	18.5	—
4- 8 months	7.3	6.8	10.6	15.5	5.2	12.1	5.1	16.7	3.1	6.2	14.3	—
8-12 months	5.6	5.5	6.4	6.6	5.4	8.5	4.2	9.4	4.2	5.8	8.3	—
1- 2 years	7.6	6.3	8.1	11.6	4.5	17.3	6.3	10.4	5.7	8.9	13.0	—
2- 3 years	4.9	4.0	4.7	6.1	3.5	12.3	4.4	5.2	3.7	6.4	7.6	—
3- 5 years	7.3	6.3	6.0	10.4	5.6	14.4	7.9	6.4	6.7	10.1	7.9	—
5-10 years	14.8	13.2	13.3	11.8	17.7	14.2	16.0	8.4	20.9	18.9	10.5	...
10-15 years	11.0	10.9	10.3	8.2	16.3	3.5	15.4	5.8	13.5	12.9	3.6	...
15-20 years	8.7	9.4	8.0	4.7	8.8	1.0	11.1	2.3	10.8	8.3	1.3	...
20 or more years	22.8	29.2	18.6	8.1	26.0	2.2	22.3	8.4	26.5	15.7	3.1	...
Male												
Number												
Totals	31,233	13,745	1,825	347	898	1,856	4,088	500	5,295	971	1,519	191
Under 1 month	920	298	76	23	29	80	80	55	52	20	207	—
1- 4 months	2,029	735	162	31	59	204	202	76	218	34	308	—
4- 8 months	2,025	821	169	43	58	229	188	71	164	66	216	—
8-12 months	1,711	738	111	24	39	162	171	38	248	67	113	—
1- 2 years	2,221	752	150	33	42	327	246	51	342	88	190	—
2- 3 years	1,461	538	82	20	33	233	177	26	185	55	112	—
3- 5 years	2,247	883	117	50	62	246	318	35	332	100	104	—
5-10 years	4,896	1,966	272	45	165	248	686	43	1,110	196	155	10
10-15 years	3,524	1,500	214	39	125	70	649	38	685	131	55	18
15-20 years	2,797	1,338	141	12	67	17	486	12	535	73	16	100
20 or more years	7,402	4,176	331	27	219	40	883	55	1,424	141	43	63
Median in months	97	126	70	36	106	21	118	14	120	77	9	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	2.2	4.2	6.6	3.2	4.3	2.0	11.0	1.0	2.1	13.6	—
1- 4 months	6.5	5.3	8.9	8.9	6.6	11.0	4.9	15.2	4.1	3.5	20.3	—
4- 8 months	6.5	6.0	9.3	12.4	6.5	12.3	4.6	14.2	3.1	6.8	14.2	—
8-12 months	5.5	5.4	6.1	6.9	4.3	8.7	4.2	7.6	4.7	6.9	7.4	—
1- 2 years	7.1	5.5	8.2	9.5	4.7	17.6	6.0	10.2	6.5	9.1	12.5	—
2- 3 years	4.7	3.9	4.5	5.8	3.7	12.6	4.3	5.2	3.5	5.7	7.4	—
3- 5 years	7.2	6.4	6.4	14.4	6.9	13.3	7.8	7.0	6.3	10.3	6.8	—
5-10 years	15.7	14.3	14.9	13.0	18.4	13.4	16.8	8.6	21.0	20.2	10.2	...
10-15 years	11.3	10.9	11.7	11.2	13.9	3.8	15.9	7.6	12.9	13.5	3.6	...
15-20 years	9.0	9.7	7.7	3.5	7.5	0.9	11.9	2.4	10.1	7.5	1.1	...
20 or more years	23.7	30.4	18.1	7.8	24.4	2.2	21.6	11.0	26.9	14.5	2.8	...

See footnotes at end of table.

TABLE 10 A. Time Since Admission, by Selected Diagnoses and Sex — Concluded
Public Mental Hospitals

Time since admission	Total	Schizo- phrenia	Manic- depres- sive reaction	Involu- tional melan- cholia	Paranoia and paranoid states	Psy- chooses of serium	Other and un- specified psychoses	Psycho- neuro- ses	Mental ¹ defi- ciency	Epi- lepsy ²	Other dis- orders of character, behaviour, and intel- ligence and non- psychiatric conditions	Not stated
Female												
Number												
Totals	27,420	11,295	2,470	812	1,000	2,351	2,825	1,007	3,798	792	928	142
Under 1 month	789	254	105	37	7	92	56	86	45	22	85	—
1- 4 months	2,133	806	265	106	39	234	167	188	141	42	145	—
4- 8 months	2,266	888	287	137	40	279	164	181	114	43	133	—
8- 12 months	1,593	642	163	53	63	194	120	103	131	35	89	—
1- 2 years	2,227	818	196	101	43	399	192	106	175	69	128	—
2- 3 years	1,398	452	119	51	33	283	124	53	152	57	74	—
3- 5 years	2,045	700	139	70	45	362	226	62	273	79	89	—
5- 10 years	3,794	1,341	299	92	171	348	421	84	792	138	101	7
10- 15 years	2,932	1,230	227	56	185	79	413	49	542	97	34	20
15- 20 years	2,300	1,026	203	42	100	27	284	23	443	74	16	62
20 or more years	5,943	3,138	467	67	274	54	658	72	990	136	34	53
Median in months	80	109	53	21	139	23	112	10	128	81	13	...
Percentage												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	...
Under 1 month	2.9	2.2	4.3	4.6	0.7	3.9	2.0	8.5	1.2	2.8	9.2	—
1- 4 months	7.8	7.1	10.7	13.1	3.9	9.9	5.9	18.7	3.7	5.3	15.6	—
4- 8 months	8.3	7.9	11.6	16.9	4.0	11.9	5.8	17.9	3.0	5.4	14.3	—
8- 12 months	5.8	5.7	6.6	6.5	6.3	8.2	4.2	10.2	3.4	4.4	9.6	—
1- 2 years	8.1	7.2	7.9	12.4	4.3	17.0	6.8	10.5	4.6	8.7	13.8	—
2- 3 years	5.1	4.0	4.8	6.3	3.3	12.0	4.4	5.3	4.0	7.2	8.0	—
3- 5 years	7.5	6.2	5.6	8.6	4.5	15.4	8.0	6.2	7.2	10.0	9.6	—
5- 10 years	13.8	11.9	12.1	11.3	17.1	14.8	14.9	8.3	20.9	17.4	10.9	...
10- 15 years	10.7	10.9	9.2	6.9	18.5	3.4	14.6	4.9	14.3	12.2	3.7	...
15- 20 years	8.4	9.1	8.2	5.2	10.0	1.1	10.1	2.3	11.7	9.3	1.7	...
20 or more years	21.7	27.8	18.9	8.3	27.4	2.3	23.3	7.2	26.1	17.2	3.7	...

¹ Excludes mental deficiency with epilepsy.² Includes mental deficiency with epilepsy.

TABLE 10 B. Time Since Admission, by Selected Diagnoses and Sex
Hospitals for Mentally Defectives

Time since admission	Total	Schizo- phrenia	Manic- depres- sive reaction	Involu- tional melan- cholia	Paranoia and paranoid states	Psy- chooses of serium	Other and un- specified psychoses	Psycho- neuro- ses	Mental ¹ defi- ciency	Epi- lepsy ²	Other dis- orders of character, behaviour, and intel- ligence and non- psychiatric conditions
Both sexes											
Number											
Totals	12,530	257	29	5	24	8	259	9	10,438	1,352	149
Under 1 month	83	—	1	—	—	—	2	—	66	9	5
1- 4 months	383	2	—	—	—	1	5	—	337	34	4
4- 8 months	440	11	2	1	2	1	17	3	335	65	3
8- 12 months	527	9	2	—	1	1	26	—	380	.95	13
1- 2 years	1,074	25	—	—	—	—	2	1	850	177	19
2- 3 years	955	12	—	—	—	—	4	—	723	201	15
3- 5 years	1,432	8	1	—	—	1	19	—	1,180	216	7
5- 10 years	3,235	21	4	2	2	2	34	—	2,784	321	65
10- 15 years	1,543	45	4	1	5	—	45	1	1,346	86	10
15- 20 years	988	53	6	1	6	—	40	2	839	36	5
20 or more years	1,870	71	9	—	8	2	65	2	1,598	112	3
Median in months	85	174	185	105	200	60	147	150	89	47	68

See footnotes at end of table.

TABLE 10 B. Time Since Admission, by Selected Diagnoses and Sex – Continued
Hospitals for Mentally Defectives

Time since admission	Total	Schizophrenia	Manic-depressive reaction	Involuntional melancholia	Paranoia and paranoid states	Psychoses of senium	Other and unspecified psychoses	Psycho-neuroses	Mental deficiency	Epilepsy*	Other disorders of character, behaviour, and intelligence and non-psychiatric conditions
Both sexes – Concluded											
Percentage											
Totals	100.0	100.0	100.0	...	100.0	...	100.0	...	100.0	100.0	100.0
Under 1 month	0.7	—	3.4	—	—	—	0.8	—	0.6	0.7	3.4
1- 4 months	3.1	0.8	—	—	—	—	1.9	—	3.2	2.5	2.7
4- 8 months	3.5	4.3	6.9	...	8.3	...	6.6	...	3.2	4.8	2.0
8- 12 months	4.2	3.5	6.9	—	4.2	...	10.0	—	3.6	7.0	8.7
1- 2 years	8.6	9.7	—	—	—	—	0.8	...	8.1	13.1	12.8
2- 3 years	7.6	4.7	—	—	—	—	1.5	—	6.9	14.9	10.1
3- 5 years	11.4	3.1	3.4	—	—	—	7.3	—	11.3	16.0	4.7
5- 10 years	25.8	8.2	13.8	...	8.3	...	13.1	—	26.7	23.8	43.6
10- 15 years	12.3	17.5	13.8	...	20.8	—	17.4	...	12.9	6.4	6.7
15- 20 years	7.9	20.6	20.7	...	25.0	—	15.4	...	8.0	2.7	3.4
20 or more years	14.9	27.6	31.0	—	33.3	...	25.1	...	15.3	8.3	2.0
Male											
Number											
Totals	6,582	55	2	1	—	1	84	—	5,639	724	76
Under 1 month	50	—	—	—	—	—	2	—	42	4	2
1- 4 months	216	1	—	—	—	—	5	—	184	24	2
4- 8 months	234	1	1	—	—	—	5	—	190	35	2
8- 12 months	306	4	—	—	—	—	16	—	221	58	7
1- 2 years	631	16	—	—	—	—	1	—	501	100	13
2- 3 years	508	8	—	—	—	—	2	—	383	106	9
3- 5 years	781	4	—	—	—	—	8	—	634	131	4
5- 10 years	1,827	2	—	—	—	—	9	—	1,621	161	34
10- 15 years	785	1	—	—	—	—	14	—	727	42	1
15- 20 years	430	2	—	1	—	—	8	—	400	19	—
20 or more years	814	16	1	—	—	1	14	—	736	44	2
Median in months	79	32	..	210	—	..	80	—	85	42	54
Percentage											
Totals	100.0	100.0	—	...	100.0	—	100.0	100.0	100.0
Under 1 month	0.8	—	—	—	—	—	2.4	—	0.7	0.6	2.6
1- 4 months	3.3	1.8	—	—	—	—	6.0	—	3.3	3.3	2.6
4- 8 months	3.6	1.8	—	—	—	—	6.0	—	3.4	4.8	2.6
8- 12 months	4.6	7.3	—	—	—	—	19.0	—	3.9	8.0	9.2
1- 2 years	9.6	29.1	—	—	—	—	1.2	—	8.9	13.8	17.1
2- 3 years	7.7	14.5	—	—	—	—	2.4	—	6.8	14.6	11.8
3- 5 years	11.9	7.3	—	—	—	—	9.5	—	11.2	18.1	5.3
5- 10 years	27.8	3.6	—	—	—	—	10.7	—	28.7	22.2	44.7
10- 15 years	11.9	1.8	—	—	—	—	16.7	—	12.9	5.8	1.3
15- 20 years	6.5	3.6	—	...	—	—	9.5	—	7.1	2.6	—
20 or more years	12.4	29.1	...	—	—	—	16.7	—	13.1	6.1	2.6
Female											
Number											
Totals	5,948	202	27	4	24	7	175	9	4,799	628	73
Under 1 month	33	—	1	—	—	—	—	—	24	5	3
1- 4 months	167	1	—	—	—	1	—	—	153	10	2
4- 8 months	206	10	1	1	2	1	12	3	145	30	1
8- 12 months	221	5	2	—	1	1	10	—	159	37	6
1- 2 years	443	9	—	—	—	—	1	1	349	77	6
2- 3 years	447	4	—	—	—	—	2	—	340	95	6
3- 5 years	651	4	1	—	—	1	11	—	546	85	3
5- 10 years	1,408	19	4	2	2	2	25	—	1,163	160	31
10- 15 years	758	44	4	1	5	—	31	1	619	44	9
15- 20 years	558	51	6	—	6	—	32	2	439	17	5
20 or more years	1,056	55	8	—	8	1	51	2	862	68	1
Median in months	94	18.6	185	90	200	48	171	150	95	53	78

See footnotes at end of table.

**TABLE 10 B. Time Since Admission, by Selected Diagnoses and Sex – Concluded
Hospitals for Mentally Defectives**

Time since admission	Total	Schizo-phrenia	Manic-depressive reaction	Involuntary-melancholia	Paranoia and paranoid states	Psy-choses of senium	Other and un-specified psychoses	Psycho-neuroses	Mental ¹ deficiency	Epilepsy ²	Other dis-orders of character, behaviour, and intelligence and non-psychiatric conditions
Female – Concluded											
Percentage											
Totals	100.0	100.0	100.0	...	100.0	...	100.0	...	100.0	100.0	100.0
Under 1 month	0.6	—	3.7	—	—	—	—	—	0.5	0.8	4.1
1-4 months	2.8	0.5	—	—	—	—	—	—	3.2	1.6	2.7
4-8 months	3.5	5.0	3.7	...	8.3	...	6.9	...	3.0	4.8	1.4
8-12 months	3.7	2.5	7.4	—	4.2	...	5.7	—	3.3	5.9	8.2
1-2 years	7.4	4.5	—	—	—	—	0.6	...	7.3	12.3	8.2
2-3 years	7.5	2.0	—	—	—	—	1.1	—	7.1	15.1	8.2
3-5 years	10.9	2.0	3.7	—	—	—	6.3	—	11.4	13.5	4.1
5-10 years	23.7	9.4	14.8	...	8.3	...	14.3	—	24.2	25.5	42.5
10-15 years	12.7	21.8	14.8	...	20.8	—	17.7	...	12.9	7.0	12.3
15-20 years	9.4	25.2	22.2	—	25.0	—	18.3	...	9.1	2.7	6.8
20 or more years	17.8	27.2	29.6	—	33.3	...	29.1	...	18.0	10.8	1.4

¹ Excludes mental deficiency with epilepsy.

² Includes mental deficiency with epilepsy.

**TABLE 11. Selected Diagnoses and Age, by Time Since Admission
All Institutions**

Diagnosis and age	Total	Under 1 month	1-4 months	4-8 months	8-12 months	1-2 years	2-3 years	3-5 years	5-10 years	10-15 years	15-20 years	20 years or more
All diagnoses	75,443	2,816	5,200	4,976	4,047	5,873	3,963	5,908	12,354	8,352	6,265	15,689
0-15	5,915	87	413	383	396	1,070	738	1,047	1,657	124	—	—
15-40	24,496	1,212	2,209	2,025	1,607	1,988	1,336	2,051	5,158	3,344	1,978	1,588
40-65	30,432	1,098	1,741	1,678	1,314	1,606	1,046	1,700	3,888	3,775	3,423	9,163
65 or over	14,517	419	837	890	730	1,209	839	1,100	1,632	1,103	858	4,900
Not stated	83	—	—	—	—	—	4	10	19	6	6	38
Psychoses	46,934	1,666	3,368	3,473	2,644	3,524	2,269	3,395	6,472	5,196	4,004	10,923
0-15	117	4	23	17	7	27	12	9	6	—	—	—
15-40	10,963	670	1,376	1,370	980	1,156	706	1,034	1,938	1,136	490	107
40-65	23,151	659	1,272	1,328	1,033	1,282	812	1,335	3,058	3,058	2,773	6,541
65 or over	12,644	333	697	758	624	1,059	736	1,008	1,452	991	737	4,249
Not stated	59	—	—	—	—	—	3	6	15	5	4	26
Schizophrenia	26,718	737	1,715	1,768	1,449	1,638	1,030	1,638	3,491	2,967	2,539	7,746
0-15	83	3	19	11	5	24	8	5	4	—	—	—
15-40	8,535	493	1,062	1,074	796	925	586	837	1,534	837	333	58
40-65	13,930	221	574	623	560	628	387	711	1,710	1,822	1,887	4,807
65 or over	4,135	20	60	60	88	61	48	83	234	301	316	2,864
Not stated	35	—	—	—	—	—	1	2	9	3	3	17
Manic-depressive reaction	4,627	343	487	468	285	352	207	261	591	461	351	821
0-15	5	1	—	1	1	—	—	2	—	—	—	—
15-40	808	100	143	140	81	74	23	41	94	82	29	1
40-65	2,522	188	252	257	149	198	119	141	318	248	229	423
65 or over	1,287	54	92	70	54	80	63	79	176	131	93	395
Not stated	5	—	—	—	—	—	2	—	1	—	—	2
Senile and cerebral arteriosclerosis	4,858	215	486	567	408	857	574	680	708	193	59	111
15-40	6	1	3	—	1	—	—	1	—	—	—	—
40-65	296	12	39	34	24	58	39	30	39	9	—	12
65 or over	4,552	202	444	533	383	799	535	648	668	184	59	99
Not stated	4	—	—	—	—	—	—	1	3	—	—	—
Psychoneuroses	2,098	457	448	275	154	184	82	102	138	90	38	130
0-15	7	1	2	3	1	—	—	—	—	—	—	—
15-40	756	212	218	122	60	77	17	16	20	8	6	—
40-65	1,018	209	189	121	67	82	43	54	75	60	20	98
65 or over	315	35	39	29	26	25	22	30	43	22	12	32
Not stated	2	—	—	—	—	—	2	—	—	—	—	—

TABLE 11. Selected Diagnoses and Age, by Time Since Admission – Concluded
All Institutions

Diagnosis and age	Total	Under 1 month	1-4 months	4-8 months	8-12 months	1-2 years	2-3 years	3-5 years	5-10 years	10-15 years	15-20 years	20 years or more
Mental deficiency (325)	21,046	183	735	690	888	1,549	1,231	1,948	5,067	2,697	1,887	4,171
0-15	5,252	67	336	312	347	936	634	927	1,581	112	—	—
15-40	10,487	92	303	289	404	514	474	797	2,863	2,009	1,348	1,394
40-65	4,483	22	87	76	120	91	112	203	549	514	466	2,243
65 or over	804	2	9	13	17	8	10	20	71	61	71	522
Not stated	20	—	—	—	—	—	1	3	1	2	12	—
Epilepsy (353)	1,889	43	94	115	96	185	160	250	320	223	136	267
0-15	351	2	24	32	18	70	75	99	30	1	—	—
15-40	939	30	51	65	61	84	68	114	186	136	75	69
40-65	521	10	16	18	16	27	16	33	92	78	51	164
65 or over	77	1	3	—	1	4	1	3	12	8	10	34
Not stated	1	—	—	—	—	—	—	1	—	—	—	—
Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	3,143	467	555	423	265	431	221	213	340	108	38	82
0-15	188	13	28	19	23	37	17	9	37	5	—	—
15-40	1,273	208	261	179	102	157	71	90	145	42	12	6
40-65	1,077	198	177	135	78	124	63	75	110	46	23	48
65 or over	604	48	89	90	62	113	70	39	47	15	3	28
Not stated	1	—	—	—	—	—	—	—	1	—	—	—
Not stated	333	—	—	—	—	—	—	—	17	38	162	116
15-40	78	—	—	—	—	—	—	—	6	13	47	12
40-65	182	—	—	—	—	—	—	—	4	19	90	69
65 or over	73	—	—	—	—	—	—	—	7	6	25	35

TABLE 11 A. Selected Diagnoses and Age, by Time Since Admission
Mental Hospitals Public

Diagnosis and age	Total	Under 1 month	1-4 months	4-8 months	8-12 months	1-2 years	2-3 years	3-5 years	5-10 years	10-15 years	15-20 years	20 years or more
All diagnoses	58,653	1,709	4,162	4,291	3,304	4,448	2,859	4,292	8,690	6,456	5,097	13,345
0-15	1,214	26	109	92	77	256	88	166	374	26	—	—
15-40	17,690	766	1,873	1,881	1,425	1,679	1,025	1,513	3,303	2,051	1,233	941
40-65	27,127	641	1,507	1,580	1,200	1,531	991	1,596	3,547	3,440	3,101	7,993
65 or over	12,557	276	673	738	602	982	752	1,009	1,449	934	759	4,383
Not stated	65	—	—	—	—	—	3	8	17	5	4	28
Psychoses	43,510	1,137	3,010	3,303	2,480	3,299	2,145	3,218	6,054	4,787	3,743	10,334
0-15	59	1	20	11	4	6	3	4	4	6	—	—
15-40	10,260	463	1,236	1,340	961	1,124	685	995	1,841	1,066	447	102
40-65	21,896	433	1,145	1,275	967	1,247	788	1,289	2,902	2,872	2,630	6,348
65 or over	11,242	240	609	677	548	922	666	925	1,293	839	663	3,860
Not stated	53	—	—	—	—	—	3	5	14	4	3	24
Schizophrenia	25,040	552	1,541	1,709	1,380	1,570	990	1,583	3,307	2,730	2,364	7,314
0-15	38	1	16	7	3	4	—	2	1	4	—	—
15-40	8,055	369	949	1,051	785	899	569	814	1,464	790	307	58
40-65	13,262	165	525	600	520	610	378	684	1,616	1,692	1,785	4,687
65 or over	3,654	17	51	51	72	57	42	81	218	242	270	2,553
Not stated	31	—	—	—	—	—	1	2	8	2	2	16
Manic-depressive reaction	4,295	181	427	456	274	346	201	256	571	441	344	798
0-15	3	—	—	—	1	—	—	—	2	—	—	—
15-40	731	45	134	139	80	72	23	40	91	78	28	1
40-65	2,364	112	216	248	141	195	116	140	313	243	225	415
65 or over	1,192	24	77	69	52	79	60	76	164	120	91	380
Not stated	5	—	—	—	—	—	2	1	—	—	—	2
Senile and cerebral arteriosclerosis	4,207	172	438	508	356	726	516	608	596	149	44	94
15-40	5	—	3	—	1	—	—	1	—	—	—	—
40-65	273	9	38	32	23	54	38	26	32	9	—	12
65 or over	3,925	163	397	476	332	672	478	580	561	140	44	82
Not stated	4	—	—	—	—	—	—	1	3	—	—	—
Psychoneuroses	1,507	141	264	252	141	157	79	97	127	87	35	127
0-15	3	—	1	2	—	—	—	—	—	—	—	—
15-40	491	63	130	111	56	66	17	15	19	8	6	—
40-65	758	65	111	113	66	68	42	52	69	59	18	95
65 or over	253	13	22	19	23	20	28	39	20	11	32	—
Not stated	2	—	—	—	—	—	—	2	—	—	—	—

**TABLE 11A. Selected Diagnoses and Age, by Time Since Admission — Concluded
Mental Hospital Public**

Diagnosis and age	Total	Under 1 month	1-4 months	4-8 months	8-12 months	1-2 years	2-3 years	3-5 years	5-10 years	10-15 years	15-20 years	20 years or more
Mental deficiency (325)	9,620	105	375	306	410	571	375	673	2,007	1,287	1,016	2,493
0-15	1,017	19	64	57	56	216	75	154	360	16	—	—
15-40	5,038	67	229	192	262	271	205	346	1,192	832	662	780
40-65	2,914	17	73	47	78	78	87	157	390	383	300	1,304
65 or over	643	2	9	10	14	6	8	18	63	55	53	405
Not stated	8	—	—	—	—	—	—	—	2	1	1	4
Epilepsy (353)	1,236	34	60	81	71	103	74	109	229	168	109	198
0-15	37	2	3	6	4	9	4	3	5	1	—	—
15-40	701	23	39	61	51	67	53	73	135	95	62	42
40-65	444	9	15	14	16	25	16	29	80	67	42	131
65 or over	53	—	3	—	—	2	1	3	9	5	5	25
Not stated	1	—	—	—	—	—	—	1	—	—	—	—
Other disorders of character, behaviour, and intelligence and non-psychiatric conditions	2,447	292	453	349	202	318	186	193	256	89	32	77
0-15	98	4	21	16	13	25	6	5	5	3	—	—
15-40	1,122	150	239	177	95	151	65	84	110	37	9	5
40-65	933	117	163	131	73	113	58	69	102	40	21	46
65 or over	293	21	30	25	21	29	57	35	38	9	2	26
Not stated	1	—	—	—	—	—	—	—	1	—	—	—
Not stated	333	—	—	—	—	—	—	—	17	38	162	116
15-40	78	—	—	—	—	—	—	—	6	13	47	12
40-65	182	—	—	—	—	—	—	—	4	19	90	69
65 or over	73	—	—	—	—	—	—	—	7	6	25	35

**TABLE 11B. Selected Diagnoses and Age, by Time Since Admission
Hospitals for Mentally Defectives**

Diagnosis and age	Total	Under 1 month	1-4 months	4-8 months	8-12 months	1-2 years	2-3 years	3-5 years	5-10 years	10-15 years	15-20 years	20 years or more
All diagnoses	12,530	83	383	440	527	1,074	955	1,432	3,235	1,543	988	1,870
0-15	4,625	52	287	278	315	799	640	877	1,279	98	—	—
15-40	5,742	23	76	105	148	258	286	503	1,755	1,231	712	645
40-65	1,882	7	19	48	55	15	27	47	186	189	228	1,061
65 or over	268	1	1	9	9	2	1	4	14	25	47	155
Not stated	13	—	—	—	—	—	1	1	1	—	1	9
Psychoses	582	3	8	34	39	27	16	29	65	100	106	155
0-15	50	—	1	4	3	21	9	8	4	—	—	—
15-40	119	—	1	7	8	6	6	16	26	26	18	5
40-65	296	2	5	17	20	—	1	3	28	57	59	104
65 or over	116	1	1	6	8	—	—	2	7	17	29	45
Not stated	1	—	—	—	—	—	—	—	—	—	—	1
Mental deficiency (325)	11,363	75	357	384	459	973	852	1,269	3,047	1,407	869	1,671
0-15	4,232	47	272	255	291	720	559	771	1,221	96	—	—
15-40	5,418	23	71	97	132	239	266	451	1,664	1,176	685	614
40-65	1,553	5	14	29	35	13	25	44	154	130	165	939
65 or over	148	—	—	3	1	1	1	2	7	5	18	110
Not stated	12	—	—	—	—	—	1	1	1	—	1	8
Epilepsy (353)	427	—	14	16	16	54	72	127	58	25	6	39
0-15	260	—	11	15	11	46	61	94	22	—	—	—
15-40	151	—	3	1	5	8	11	33	35	24	6	25
40-65	15	—	—	—	—	—	—	—	1	—	—	14
65 or over	1	—	—	—	—	—	—	—	—	1	—	—
Other	158	5	4	6	13	20	15	7	65	11	7	5
0-15	83	5	3	4	10	12	11	4	32	2	—	—
15-40	54	—	1	—	3	5	3	3	30	5	3	1
40-65	18	—	—	2	—	2	1	—	3	2	4	4
65 or over	3	—	—	—	—	1	—	—	—	2	—	—

DATE DUE
DATE DE RETOUR

APR
AVR - 7 1978

LOWE-MARTIN No. 1137



1010484643

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Information Services Division

Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue
number

VITAL STATISTICS

Price

84-001 - Monthly Report - Bil.	per year	\$1.00
84-201 - Preliminary Annual Report - Bil.25
84-202 - Annual Report - Bil.20

Analytical Reports:

84-503 -	Leading Causes of Death by Major Age Groupings, 1921-55 - E.	.25
84-504 -	Accidental Drowning, 1956 - E.	.25
84-505 -	Mortality from Accidental Falls, 1956 - E.	.25
84-506 -	Mortality from Accidental Poisoning, 1956 - E.	.25
84-507 -	Mortality from Home Accidents, 1956 - E.	.25
84-511 -	Mortality from Suicide, 1921-58 - E.	.50
84-508 -	Causes of Stillbirths, 1943-55 - E.	.25
84-509 -	Canadian Life Tables, 1951 - Bil.	.25
84-510 -	Canadian Life Tables, 1950-52, 1955-57 - Bil.	.50
84-512 -	Canadian Life Tables, Provincial and Regional, 1950-52, 1955-57 - Bil.	.75
84-513 -	Fatal Accidents, Mortality Summary, 1959	.75

INSTITUTIONAL STATISTICS

83-201 -	List of Canadian Hospitals and Related Health Facilities - A.E.	.75
83-202 -	Hospital Statistics, Vol. I, General Information, 1958 - A. Bil.	1.50
83-203 -	Hospital Statistics, Vol. II, Financial Information, 1958 - A. Bil.	2.00
83-502 -	The Large General Hospital, 1957 - E.	.50
83-503 -	The Small General Hospital, 1957 - E.	.50
83-205 -	Mental Health Statistics, Financial Supplement - A. Bil.	.25
83-207 -	Tuberculosis Statistics, Financial Supplement - A. Bil.	.25
83-210 -	Hospital Statistics, Vol. I, Hospital Beds, 1959 - A. Bil.	1.50

MORBIDITY STATISTICS

82-201 -	Notifiable Diseases - A. Bil.	.75
82-202 -	Home Nursing Services - A.E.	1.00
82-203 -	Illness in the Civil Service - A. Bil.	.75
82-204 -	Poliomyelitis Trends - A.E.	.25
82-512 -	Summary of Notifiable Diseases, 1924-52 (annual supplements to 1960) - Bil.	.75
82-516 -	Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957 - E.	.50
83-204 -	Mental Health Statistics - A. Bil.	2.00
83-208 -	Mental Health Statistics, Supplement: Patients in Institutions - A.E.	.50
83-504 -	Rates and Probabilities of Separation from Mental Institutions, 1956-58 - E.	.25
83-206 -	Tuberculosis Statistics - A. Bil.	2.00
83-209 -	Tuberculosis Statistics Supplement: Patients in Institutions - A.E.	.50
83-001 -	Incidence of Tuberculosis - Bil. (monthly)	per year
82-205 -	Tuberculosis Trends, 1960 - A.E.	1.00
		.25

Canadian Sickness Survey (National Estimates), 1950-51 - E. and F.

82-502 -	Family Expenditures for Health Services by Income Groups	.25
82-505 -	Volume of Sickness	.25
82-506 -	Permanent Physical Disabilities	.25
82-507 -	Incidence and Prevalence of Illness	.25
82-508 -	Volume of Health Care	.25
82-509 -	Volume of Health Care for Selected Income Groups	.25
82-510 -	Illness Frequency by Diagnostic Classification	.25
82-511 -	Illness Frequency by Class of Illness, Age and Sex	.25
82-518 -	Illness and Health Care in Canada, 1950-51 - E.	2.00
82-519 -	Injuries: Frequency, Severity, Health Care - E.	.75
82-520 -	Volume of Health Care for Insured and Non-Insured Persons - E.	.75
82-521 -	Disability Among the Gainfully Employed - E.	.50

POPULATION STATISTICS - Bil.

91-201 -	Canada, by Provinces, Estimated for Intercensal Years, 1921-60 - A.	.25
91-503 -	Estimates (Age and Sex), 1921-52 - R. No. 40	.25
91-504 -	Estimates (Age and Sex), 1952-56 (Supp. to 91-503)	.25
91-202 -	Estimates, by Age and Sex Groups, Canada and Provinces, 1957-60 (A. Supp.)	.25
91-203 -	Estimates, by Marital Status, Age and Sex, Canada and Provinces - A.	.25
91-204 -	Estimates of Families in Canada - A.	.50

A. - Annual

E. - English

F. - French

Bil. - Bilingual

R. - Reference

Supp. - Supplement

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1956 and 1951 Censuses. A comprehensive catalogue of all current publications is available free on request from the Dominion Bureau of Statistics, Ottawa 3.