

CATALOGUE No.

83-209 C.L


ANNUAL



TUBERCULOSIS STATISTICS

Supplement: PATIENTS IN INSTITUTIONS

1961



DOMINION BUREAU OF STATISTICS

Health and Welfare Division

Public Health Section

DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Public Health Section

TUBERCULOSIS STATISTICS
Supplement: PATIENTS IN INSTITUTIONS
1961

Published by Authority of
The Minister of Trade and Commerce

May 1963
9005-542

Price 50 cents

PREFACE

This is the fourth annual publication dealing with the characteristics of patients in Canadian sanatoria and tuberculosis units of hospitals as at the year-end. It serves as a complement to the annual publication, *Tuberculosis Statistics*.

The Dominion Bureau of Statistics gratefully acknowledges the assistance of the medical superintendents and other personnel of the reporting institutions, and the federal and provincial authorities, for their prompt and accurate reporting. Without their co-operation this report would not be possible.

The report was prepared in the Public Health Section of the Health and Welfare Division.

WALTER E. DUFFETT,
Dominion Statistician.

SYMBOLS

The interpretation of the symbols used in the tables throughout this publication is as follows:

.. figures not available.

... used to replace percentages when the divisor is less than 10.

- nil or zero.

TABLE OF CONTENTS

	Page
Introduction	7
Descriptive Text and Charts	7
Table	
1. All patients at December 31, 1936-61, by Province and Sex...	14
2. Tuberculous Patients, by Age, Province, and Sex, 1961	16
3. Tuberculous Patients, by Age, Diagnosis, and Sex, 1961	18
4. Tuberculous Patients, 15 Years and Over, by Sex, Age, Diagnosis, and Marital Status, 1961	20
5. All Patients, Time Since Admission, by Province, 1961	21
6. All Patients, by Sex, Diagnosis, and Time of Admission, 1936-1961	22
7. Tuberculous Patients, by Sex, Type of Admission, and Time of Admission, 1936-61.....	24
8. Tuberculous Patients, by Age, Origin, and Sex, 1961	26
9. All Indian and Eskimo Patients, by Sex and Diagnosis, 1961..	27
10. Non-Tuberculous Patients, by Sex and Diagnosis, 1961	27
11. All Patients, by Sex, Diagnosis, Province, and Institution, 1961	28
Appendix – Patients Under Treatment for Tuberculosis in Mental Institutions, 1961	32

INTRODUCTION

The data produced in this report constitute a census of patients in tuberculosis institutions at December 31, 1961. Corresponding data for 1958 to 1960 have previously been published.

The diagnoses are those reported on admission documents and are subject to change upon receipt of separation data. Only those patients who had a definite diagnosis of tuberculosis are included in this census. It, therefore, excludes those patients reported as tuberculosis suspects, even though the

tuberculosis was confirmed during their hospital stay and reported only when separation data became available. This census also excludes patients under treatment for tuberculosis in those mental institutions that did not report to the Bureau (See Appendix page 32).

The diagnostic classification is that of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Geneva 1957.


DESCRIPTIVE TEXT AND CHARTS

Historical

There were 6,377 patients in tuberculosis institutions at December 31, 1961. This was a decrease of 1,380 or 17.8 per cent from the end of 1960. Since 1952, when the patient-population ratio was at its peak with 109.3 per 100,000 population, there has been a continual annual decline. The ratio now stands at 34.6 per 100,000 population, a decrease

of 68.3 per cent from the 1952 ratio and of 19.5 per cent from the 1960 ratio. Wide variations are apparent when comparisons of provincial patient-population ratios are studied. Newfoundland had the highest patient-population ratio with 76.6 per 100,000 population. Prince Edward Island and New Brunswick followed with ratios of 59.4 and 59.2 respectively. The lowest ratios were in Ontario with 21.9 and British Columbia with 24.6.

GRAPH - I



Sex and Age


There were 5,833 tuberculous patients in residence at December 31, 1961 and 62.1 per cent were males. The median age of the male patients was 47 years, and that of the female patients 34 years, both slightly up from 1960.

Table 2 and Graph 2 show the distribution of all tuberculous patients by sex and five-year age groups. Between 5 and 30 years, with the exception of age group 20 to 24, ratios for females were higher, whereas for all other ages the male ratios were higher.

Provincial male ratios were lower in Ontario (25.2), British Columbia (31.9) and Saskatchewan (28.9) than the national ratio (39.0). Female ratios were higher than the national ratio (24.2) except in Ontario (13.6) and British Columbia (16.9).

The male/female ratio in 1961 was 1.64 (i.e., there were 164 male to every 100 female tuberculous patients in institutions. Provincial male/female ratios showed considerable variations, ranging from 1.29 in Saskatchewan and Alberta to 1.96 in British Columbia.

GRAPH-2



Diagnosis

Of all diagnoses, with mention of tuberculosis, pulmonary tuberculosis constituted the largest proportion (80.2 per cent) in 1961. This was slightly smaller than the proportion (80.8 per cent in 1960). Tuberculosis of other respiratory sites formed 11.9 per cent of the total in 1961, down from 12.1 per cent in 1960. Other forms of tuberculosis, in spite of a decrease in number, were proportionately higher in 1961 than in 1960 and 1959. They represented 7.6 per cent of all diagnoses with mention of tuberculosis in 1961 compared with 7.1 per cent in 1960 and 6.7 per cent in 1959. Tuberculosis of the bones and joints accounted for 35.4 per cent of the "tubercu-


losis, other forms" group in 1961 as compared with 33.9 in 1960. The proportion of tuberculous males with pulmonary tuberculosis was 82.0 per cent (82.4 per cent in 1960); the proportion of females, 77.7 per cent (78.1 per cent in 1960). The median age for patients with primary infection was 6 years in 1961, unchanged from 1960. For those with minimal pulmonary tuberculosis it was 36 years compared with 32 in 1960; for the moderately advanced cases, 47 years as against 45 in 1960 (43 in 1959); and for the far advanced, 51 compared to 50 in 1960. The male/female ratio for minimal pulmonary tuberculosis was 1.10, moderately advanced 1.66 and far advanced 2.29, for all diagnoses, the ratio was higher than in 1960.

PATIENTS IN INSTITUTIONS

9

GRAPH - 3



TUBERCULOUS IN-PATIENTS, BY AGE, AND BY PROVINCE, 1961
(RATIO PER 100,000 POPULATION)




GRAPH-4

TUBERCULOUS IN-PATIENTS, 15 YEARS OF AGE OR OVER
BY SEX, AGE, AND MARITAL STATUS, 1961

(RATIO PER 100,000 POPULATION)



GRAPH-5



Marital Status

Rates per 100,000 population, specific for marital status and for broad age groups, are shown in Table 4 and Graph 4. In all four age groups, the 1961 rates for married patients (both male and female) were much lower than for single, widowed, or divorced patients. In the group of males between 45 and 64, the proportion of single, widowed and divorced in-patients was more than three times that of the married.

Time since admission

At the end of 1961, one-fourth of the tuberculous patients had been in the hospital for 11.5 months or more, and another fourth had stayed 2.4 months or less. The median was 5.3 months, i.e., half of the tuberculous patients had been in hospital 5.3 months or less (Graph 5).

Non-tuberculous patients comprised 8.5 per cent of all patients in hospital at the end of 1961 compared with 9.2 per cent in 1960 and 8.8 per cent in 1959.

The proportion of non-tuberculars in hospital at December 31, 1961, was much less than the proportion of non-tuberculous admissions which, in 1960, was 23.6 per cent of all admissions and, in 1961, 21.0 per cent. Of the 544 patients in hospital, 252 or 46.3 per cent were in Quebec. Quebec non-tuberculous patients were 11.1 per cent of the total number of patients in tuberculosis hospitals in the Province. Of Ontario's total patient population, 11.6 per cent or 160 patients were non-tuberculous; they constituted 29.4 per cent of all non-tuberculous patients on the books of Canadian tuberculosis institutions.

For half of the non-tuberculous patients the stay in hospital since admission had been 3.8 months or less in 1961 compared with 3.2 months in 1960.

At the end of 1961, 7.4 per cent of the patients with pulmonary tuberculosis had been in hospital for three years or more. Of this group, 72.5 per cent were males and 27.5 per cent females. The male/female ratio for this particular group was

2.64 (i.e. there were 264 males to every 100 females) whereas in total for all periods, the male/female ratio was 1.64.

Type of admission

Tuberculous patients are shown by type of latest admission (Table 7). Of all tuberculous patients at the end of the year, 3,391 or 58.1 per cent were first admissions who had never had previous treatment for tuberculosis in hospital, while the remainder had received some previous treatment. The latter included patients (25.9 per cent) who had previously been discharged from a tuberculosis institution (readmissions), patients who had previously been discharged with the understanding that they would continue treatment at some future date (2.2 per cent); patients who had transferred directly from one tuberculosis institution to another (13.2 per cent); and a very few who had entered hospital late in the year for review and who were subsequently discharged inactive without having required any treatment.

Origin

The origin of patients is shown for Indians and Eskimos only. All other origins are combined. Registered Indians (those who live on Indian reserves), and unregistered Indians (where the Indian origin is traced through the father), are included under the category "Indian". Population ratios could not be calculated, as a distribution of the general population by origin was not available.

Of all tuberculous patients in hospital at the end of 1961, 14.1 per cent were Indians and 4.3 per cent Eskimos. In 1960 these proportions were 15.7 and 3.8 per cent respectively. For Indians, females constituted 50.4 per cent of the patients and for Eskimos 53.2 per cent. In all other origins the female group constituted only 35 per cent of the patients. Median age for female Indians was 22 years, for Eskimos 26 years and for all others 37 years. Median age for male Indians was 24 years, for Eskimos 19 and for all others 49 years.

Patients without tuberculosis

Of the 544 non-tuberculous patients in hospital, 315 or 57.9 per cent had no disease, were undiagnosed, or were tuberculosis suspects only. Of the remainder, a majority suffered from respiratory diseases like pneumonia and bronchitis.

GRAPH-6




TABLE 1. All Patients at December 31, 1936-61, by Province and Sex

No.	Province and sex	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	
1	Canada	T.	7,764	7,994	8,661	9,270	9,772	9,970	9,943	9,988	10,244	10,721
2		M.	..	4,155	4,457	4,692	4,963	5,222	5,292	5,400	5,475	5,883
3		F.	..	3,839	4,204	4,578	4,809	4,748	4,651	4,588	4,769	4,838
4	Newfoundland	T.	
5		M.	
6		F.	
7	Prince Edward Island	T.	61	60	64	67	81	82	87	89	79	88
8		M.	..	30	29	31	33	39	34	38	32	40
9		F.	..	30	35	36	48	43	53	51	47	48
10	Nova Scotia	T.	415	426	458	526	566	633	606	613	600	595
11		M.	..	203	215	249	271	322	324	341	310	286
12		F.	..	223	243	277	295	311	282	272	290	309
13	New Brunswick	T.	410	407	450	513	520	538	543	549	535	515
14		M.	..	192	212	245	247	263	276	269	253	237
15		F.	..	215	238	268	273	275	267	280	282	278
16	Québec	T.	1,807	1,731	2,022	2,326	2,646	2,822	2,881	2,873	3,241	3,343
17		M.	..	849	976	1,115	1,249	1,370	1,435	1,448	1,630	1,706
18		F.	..	882	1,046	1,211	1,397	1,452	1,446	1,425	1,611	1,637
19	Ontario	T.	2,873	2,991	3,170	3,312	3,383	3,373	3,335	3,252	3,238	3,379
20		M.	..	1,638	1,738	1,775	1,831	1,886	1,891	1,880	1,882	2,049
21		F.	..	1,353	1,432	1,537	1,552	1,487	1,444	1,372	1,356	1,330
22	Manitoba	T.	632	650	709	741	785	749	755	706	665	823
23		M.	..	334	364	374	397	402	417	393	353	456
24		F.	..	316	345	367	388	347	338	313	312	367
25	Saskatchewan	T.	708	736	766	768	751	784	720	750	746	775
26		M.	..	371	373	372	365	402	346	381	377	436
27		F.	..	365	393	396	386	382	374	369	369	339
28	Alberta	T.	306	348	385	378	393	401	405	401	388	386
29		M.	..	167	184	171	182	195	199	200	196	198
30		F.	..	181	201	207	211	206	206	201	192	188
31	British Columbia	T.	552	645	637	639	647	588	611	755	752	817
32		M.	..	371	366	360	388	343	370	450	442	475
33		F.	..	274	271	279	259	245	241	305	310	342
34	Northwest Territories	T.	
35		M.	
36		F.	

¹ Excludes tuberculous patients in Mental Institutions; also from tables 2-10.

TABLE 1. All Patients at December 31, 1936-61, by Province and Sex

1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960 ¹	1961 ¹	No.
12,006	12,407	12,950	13,598	14,930	15,090	16,047	16,051	15,220	14,157	13,072	11,670	10,433	8,966	7,757	6,377	1
6,756	6,666	6,764	7,086	7,806	7,992	8,723	8,899	8,706	8,248	7,676	6,998	6,266	5,461	4,836	3,958	2
5,250	5,741	6,186	6,512	7,124	7,098	7,324	7,152	6,514	5,909	5,396	4,672	4,167	3,505	2,921	2,419	3
..	368	409	429	568	772	803	663	564	483	455	392	356	4
..	170	215	213	290	405	425	329	299	250	250	231	209	5
..	198	194	216	278	367	378	334	265	233	205	161	147	6
135	129	135	146	145	146	142	133	149	95	92	85	80	69	67	63	7
58	55	58	65	70	62	72	70	85	50	58	54	49	44	43	40	8
77	74	77	81	75	84	70	63	64	45	34	31	31	25	24	23	9
861	857	658	626	611	650	841	781	751	664	620	499	477	430	359	320	10
523	508	316	307	306	326	454	419	439	421	367	294	288	281	239	207	11
338	349	342	319	305	324	387	362	312	243	253	205	189	149	120	113	12
659	816	815	846	805	839	858	793	699	701	632	582	602	464	458	357	13
304	393	394	424	406	407	438	403	370	382	358	325	320	272	279	224	14
355	423	421	422	399	432	420	390	329	319	274	257	282	192	179	133	15
3,528	3,527	3,654	4,111	4,789	4,951	5,111	4,961	4,556	4,278	4,082	3,645	3,274	3,014	2,758	2,279	16
1,856	1,814	1,866	2,075	2,405	2,495	2,618	2,658	2,528	2,463	2,377	2,175	2,019	1,846	1,724	1,429	17
1,672	1,713	1,788	2,036	2,384	2,456	2,493	2,303	2,028	1,815	1,705	1,470	1,255	1,168	1,034	850	18
3,818	3,559	3,965	3,918	4,123	4,083	4,171	4,242	3,987	3,823	3,568	3,100	2,736	2,151	1,666	1,381	19
2,349	2,024	2,273	2,237	2,388	2,440	2,483	2,571	2,504	2,372	2,253	2,010	1,779	1,424	1,096	892	20
1,469	1,535	1,692	1,681	1,735	1,643	1,688	1,671	1,483	1,451	1,315	1,090	957	727	570	489	21
825	1,007	1,100	1,161	1,159	1,137	1,111	1,116	1,064	1,014	999	940	799	614	457	389	22
430	527	527	577	578	577	581	563	566	550	557	547	448	337	270	232	23
395	480	573	584	581	560	530	553	498	464	442	393	351	277	187	157	24
775	763	739	759	795	735	790	805	833	738	658	589	507	417	409	251	25
424	400	373	378	400	358	389	413	436	410	362	312	291	236	233	141	26
351	363	366	361	395	377	401	392	397	328	296	277	216	181	176	110	27
588	645	693	800	860	893	978	940	887	785	770	724	661	626	603	538	28
320	320	333	393	456	457	495	496	459	427	399	391	342	313	347	303	29
268	325	360	407	404	436	483	444	428	358	371	333	319	313	256	235	30
817	1,104	1,191	1,231	1,275	1,247	1,414	1,364	1,245	1,038	843	777	661	579	494	405	31
492	625	624	630	627	655	877	844	789	658	549	510	411	395	338	269	32
325	479	567	601	648	592	537	520	456	380	294	267	250	184	156	136	33
..	202	348	277	218	145	165	153	147	94	38	34
..	103	172	125	90	67	81	69	63	36	12	35
..	99	176	152	128	78	84	84	84	58	26	36

TABLE 2. Tuberculous Patients, by Age, Province, and Sex, 1961

Note: This table and all succeeding tables refer to patients in institutions at December 31, 1961

Province and sex	All ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Number											
Canada	T.	5,833	325	265	196	312	372	426	395	423	415
	M.	3,623	171	124	89	145	192	207	220	249	264
	F.	2,210	154	141	107	167	180	219	175	174	151
Newfoundland	T.	334	29	23	19	28	30	40	29	35	31
	M.	193	14	12	7	17	14	21	15	23	18
	F.	141	15	11	12	11	16	19	14	12	13
Prince Edward Island	T.	59	6	4	5	6	1	—	1	2	8
	M.	37	3	2	—	4	—	—	1	1	—
	F.	22	3	2	5	2	1	—	—	1	1
Nova Scotia	T.	304	9	5	7	13	26	25	13	27	26
	M.	196	3	3	4	6	15	12	6	15	18
	F.	108	6	2	3	7	11	13	7	12	8
New Brunswick	T.	322	30	28	11	15	22	15	20	15	21
	M.	203	16	12	6	8	6	6	12	7	12
	F.	119	14	16	5	7	16	9	8	8	9
Québec	T.	2,027	38	47	46	93	128	152	158	171	157
	M.	1,273	13	15	18	42	67	69	89	109	102
	F.	754	25	32	28	51	61	83	69	62	55
Ontario	T.	1,221	68	28	27	48	58	72	75	84	90
	M.	794	41	14	12	22	33	40	46	48	58
	F.	427	27	14	15	26	25	32	29	36	32
Manitoba	T.	369	24	31	19	31	34	31	30	26	18
	M.	221	13	18	8	12	19	19	13	14	13
	F.	148	11	13	11	19	15	12	17	12	5
Saskatchewan	T.	247	26	22	16	19	14	12	13	14	12
	M.	139	11	11	8	8	3	7	7	5	7
	F.	108	15	11	8	11	11	5	6	5	7
Alberta	T.	512	56	44	26	29	40	44	26	32	27
	M.	288	37	20	15	11	24	14	13	15	14
	F.	224	19	24	11	18	16	30	13	17	13
British Columbia	T.	403	36	31	20	22	17	32	29	16	24
	M.	267	19	16	11	13	11	18	17	8	17
	F.	136	17	15	9	9	6	14	12	8	7
Northwest Territories	T.	35	3	2	—	8	2	3	1	1	1
	M.	12	1	1	—	2	—	1	—	—	—
	F.	23	2	1	—	6	2	2	—	1	1
	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	Not stated
Number											
Canada	T.	420	422	379	340	303	202	121	59	9	4
	M.	314	311	304	254	214	138	84	42	4	2
	F.	106	111	75	86	89	64	37	17	5	4
Newfoundland	T.	19	7	7	7	3	4	1	1	—	—
	M.	17	7	6	4	3	2	—	1	—	—
	F.	2	—	1	3	—	2	1	—	—	1
Prince Edward Island	T.	5	3	4	3	3	2	2	2	1	—
	M.	4	3	4	3	1	1	1	—	—	1
	F.	1	—	—	—	2	1	1	2	—	—
Nova Scotia	T.	34	17	18	18	19	13	1	4	—	—
	M.	27	13	14	14	12	10	—	3	—	—
	F.	7	4	4	4	7	3	1	1	—	—
New Brunswick	T.	23	13	25	18	19	16	4	4	1	—
	M.	19	10	23	12	15	12	4	3	1	—
	F.	4	3	2	6	4	4	—	1	1	—
Québec	T.	170	187	134	133	120	55	34	12	1	1
	M.	138	140	102	96	79	35	21	10	1	1
	F.	32	47	32	37	41	20	13	2	—	3
Ontario	T.	88	95	110	90	67	57	45	21	5	2
	M.	58	71	93	70	50	34	29	13	2	3
	F.	30	24	17	20	17	23	16	8	3	1
Manitoba	T.	15	20	12	21	16	10	10	4	—	—
	M.	10	17	8	18	9	8	8	3	—	—
	F.	5	3	4	3	7	2	2	1	—	—
Saskatchewan	T.	8	16	14	13	12	8	8	4	—	—
	M.	5	9	13	8	10	7	7	4	—	—
	F.	3	7	1	5	2	1	1	—	—	—
Alberta	T.	30	35	24	15	18	20	7	2	1	—
	M.	21	21	17	12	11	14	5	2	—	1
	F.	9	14	7	3	7	6	2	—	1	—
British Columbia	T.	26	28	28	19	24	16	9	4	—	1
	M.	13	20	22	16	23	15	9	3	—	—
	F.	13	8	6	3	1	1	—	1	—	1
Northwest Territories	T.	2	1	3	3	2	1	—	1	—	—
	M.	2	—	2	1	1	1	—	1	—	—
	F.	—	1	1	2	1	1	—	1	—	—

TABLE 2. Tuberculous Patients, by Age, Province, and Sex, 1961 - Concluded

Province and sex	All ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Ratio per 100,000 population											
Canada	M. F.	39.0 24.2	14.7 13.9	11.6 13.7	9.3 11.6	19.7 23.2	32.5 29.6	33.0 36.0	34.1 27.9	38.6 27.0	46.2 26.4
Newfoundland	M. F.	81.1 62.3	40.1 44.2	36.4 34.3	40.3	76.2 49.3	91.5 104.6	145.8 146.2	111.1 111.1	176.9 99.2	138.5 112.1
Prince Edward Island	M. F.	68.3 42.4	-	-	-
Nova Scotia	M. F.	52.1 29.6	57.9 46.4	54.1 60.5	...	67.6 52.2	81.1 ...
New Brunswick	M. F.	66.4 39.9	39.0 36.3	30.6 42.8	85.6	...	71.0	...	68.6 ...
Québec	M. F.	47.7 28.4	3.8 7.6	4.6 10.4	6.1 9.9	17.5 21.8	37.0 31.8	38.1 44.6	47.8 36.0	60.3 34.3	66.1 34.4
Ontario	M. F.	25.2 13.6	10.7 7.4	4.0 4.2	3.9 5.2	9.7 12.1	16.9 12.4	18.7 14.9	19.7 12.8	20.6 15.0	28.8 15.9
Manitoba	M. F.	46.8 32.4	23.3 20.8	34.5 25.9	24.7	33.1 55.2	63.8 50.3	63.8 43.0	42.3 57.0	45.6 36.8	45.1 ...
Saskatchewan	M. F.	28.9 24.2	18.8 27.0	20.1 21.2	...	31.2	39.6
Alberta	M. F.	41.1 34.3	39.5 21.2	24.2 30.5	22.1 16.9	21.4 35.9	53.7 34.7	27.9 63.2	25.2 27.4	31.6 36.9	33.3 31.9
British Columbia	M. F.	31.9 16.9	19.5 18.4	18.0 17.9	14.2 ...	22.6 ...	23.0 ...	33.1 28.3	28.7 22.1	...	32.3 ...
Northwest Territories	M. F.	55.3 132.9	-	-	...	-
		50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99
Ratio per 100,000 population											
Canada	M. F.	71.0 25.0	84.4 31.7	103.1 25.4	106.0 33.3	105.5 43.9	107.0 43.4	114.0 50.2	228.3 46.1
Newfoundland	M. F.	173.5	-	-
Prince Edward Island	M. F.	-
Nova Scotia	M. F.	145.9 ...	92.2 ...	117.6 ...	134.6 ...	134.8 ...	169.5 ...	-	...	-	-
New Brunswick	M. F.	136.7 ...	91.7 ...	255.6 ...	142.9 ...	227.3 ...	285.7	-	-
Québec	M. F.	112.7 27.3	146.1 49.1	136.9 40.1	164.1 63.2	185.4 85.6	131.6 62.7	131.2 81.2	188.7
Ontario	M. F.	36.8 19.8	53.7 19.0	86.8 15.0	79.4 21.2	72.2 20.8	77.1 40.6	115.1 50.8	206.3
Manitoba	M. F.	41.3 ...	87.2	128.6	-	-
Saskatchewan	M. F.	77.8	71.9	-	-
Alberta	M. F.	67.3 ...	77.5 64.5	78.3 ...	68.2 ...	67.5 ...	129.6	-	-
British Columbia	M. F.	29.2 31.6	55.2 ...	74.3 ...	64.8 ...	93.1 ...	75.8	-	...
Northwest Territories	M. F.	...	-	-	-	-	-

¹ Less than 50 persons.

Note: Canada totals include Yukon.

TABLE 3. Tuberculous Patients, by Age, Diagnosis, and Sex, 1961

No.	Diagnosis and sex	All ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34
Number									
1	Totals.....	T. M. F.	5,833 3,623 2,210	325 171 154	265 124 141	196 89 107	312 145 167	372 192 180	426 207 219
2	Pulmonary (002.1-002.5).....	T. M. F.	4,690 2,972 1,718	47 18 29	50 21 29	67 24 43	241 114 127	315 183 152	379 181 198
3	Minimal pulmonary (002.1).....	T. M. F.	882 462 420	17 8 9	31 9 22	34 11 23	80 34 46	76 32 44	106 43 63
4	Moderately advanced pulmonary (002.2)	T. M. F.	1,894 1,183 711	13 6 7	9 7 2	18 5 13	110 51 59	137 69 68	181 74 87
5	Far advanced pulmonary (002.3).....	T. M. F.	1,849 1,288 561	3 1 2	1 — 1	12 6 6	44 24 20	100 62 38	107 62 45
6	Other and unspecified pulmonary (002.4, 002.5)	T. M. F.	65 39 26	14 3 11	9 5 4	3 2 1	7 5 2	2 — 2	5 2 3
7	Other respiratory (001, 003-008).....	T. M. F.	697 407 290	241 137 104	182 85 97	95 51 44	28 12 16	20 11 9	14 8 6
8	With occupational diseases of lung (001).....	T. M. F.	63 62 1	1 1 —	— — —	— — —	— — —	— — —	— — —
9	Pleurisy (003).....	T. M. F.	118 79 39	3 1 2	4 2 2	15 11 4	14 7 7	16 10 6	14 8 6
10	Primary infection (004).....	T. M. F.	485 256 229	222 131 91	170 80 90	78 40 38	12 4 8	2 — 2	— — —
11	Tracheobronchial (005).....	T. M. F.	19 7 12	10 4 6	5 1 4	1 — 1	1 — 1	1 — 1	— — —
12	Other respiratory organs (007, 008).....	T. M. F.	12 3 9	5 — 5	3 2 1	1 — 1	1 — 1	1 — —	— — —
13	Other forms (010-019).....	T. M. F.	446 244 202	37 18 21	33 18 15	34 14 20	43 19 24	37 18 19	33 18 18
14	Meninges and central nervous system (010).....	T. M. F.	50 23 27	17 6 11	13 8 5	6 3 3	8 5 3	2 — 2	— — 2
15	Intestines, peritoneum, and mesenteric glands (011).....	T. M. F.	5 2 3	— — —	— — —	— — —	1 1 —	1 1 —	— — —
16	Bones and joints (012, 013).....	T. M. F.	158 92 66	9 4 5	5 1 4	17 10 7	17 8 9	15 8 7	11 4 7
17	Skin and subcutaneous cellular tissue (014).....	T. M. F.	1 — 1	— — —	— — —	— — —	— — —	1 — 1	— — —
18	Lymphatic system (015).....	T. M. F.	62 24 38	10 5 5	10 6 4	7 1 6	8 1 7	7 3 4	5 2 3
19	Genito-urinary system (016).....	T. M. F.	156 99 57	1 1 —	1 1 2	2 — 2	8 4 4	11 6 5	15 11 4
20	Other organs (017-019).....	T. M. F.	14 4 10	— — —	4 2 2	2 — 2	1 — 1	— — —	2 1 1
Ratio per 100,000 population									
21	Totals.....	M. F.	39.0 24.2	14.7 13.9	11.6 13.7	9.3 11.6	19.7 23.2	32.5 29.6	33.0 36.0
22	Pulmonary	M. F.	32.0 16.8	1.5 2.6	2.0 2.6	2.5 4.7	15.5 17.7	27.6 25.0	28.9 32.5
23	Other respiratory	M. F.	4.4 3.2	11.8 9.4	7.9 9.4	5.3 4.8	1.6 2.2	1.9	30.1 24.9
24	Other forms	M. F.	2.6 2.2	1.4 1.9	1.7 1.5	1.5 2.2	2.6 3.3	3.1 3.1	2.9 2.5

TABLE 3. Tuberculous Patients, by Age, Diagnosis, and Sex, 1961

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	Not stated	No.
Number														
423	415	431	420	422	379	340	303	202	121	59	9	4	14	1
249	264	285	314	311	304	254	214	138	84	42	4	2	10	2
174	151	146	106	111	75	86	89	64	37	17	5	2	4	3
387	377	391	386	384	337	319	281	187	111	55	9	4	13	4
225	239	259	290	279	271	239	196	128	76	39	4	2	10	5
162	138	132	96	105	68	80	85	59	35	16	5	2	3	6
66	64	59	53	62	39	37	32	26	14	7	—	1	4	7
33	35	33	33	43	28	25	21	15	13	5	—	—	3	8
33	29	26	20	19	11	12	11	11	1	2	—	1	1	9
144	144	169	147	156	140	135	109	72	56	20	3	3	2	10
84	91	110	114	110	97	69	50	37	15	5	—	2	2	11
60	53	59	33	46	30	38	40	22	19	5	3	1	—	12
176	169	160	183	165	151	147	138	87	39	28	6	—	7	13
107	113	113	141	125	126	117	104	62	24	19	4	—	5	14
69	56	47	42	40	25	30	34	25	15	9	2	—	2	15
1	—	3	3	1	7	—	2	2	2	2	—	—	—	16
1	—	3	2	1	7	—	2	1	2	—	—	—	—	17
—	—	—	1	—	—	—	—	1	—	—	—	—	—	18
5	7	10	17	19	15	13	12	6	5	2	—	—	—	19
3	7	8	16	18	13	11	12	6	5	1	—	—	—	20
2	—	2	1	1	2	2	—	—	—	1	—	—	—	21
—	1	4	13	12	10	8	8	4	1	1	—	—	—	22
—	1	4	13	12	10	8	8	4	1	1	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
4	6	6	4	7	3	5	4	2	4	1	—	—	—	25
3	6	4	3	6	1	3	4	2	4	1	—	—	—	26
1	—	2	1	1	2	2	—	—	—	—	—	—	—	27
—	—	—	—	—	1	—	—	—	—	—	—	—	—	28
—	—	—	—	—	1	—	—	—	—	—	—	—	—	29
—	—	—	—	—	1	—	—	—	—	—	—	—	—	30
—	—	—	—	—	1	—	—	—	—	—	—	—	—	31
—	—	—	—	—	1	—	—	—	—	—	—	—	—	32
—	—	—	—	—	1	—	—	—	—	—	—	—	—	33
1	—	—	—	—	—	—	—	—	—	—	—	—	—	34
1	—	—	—	—	—	—	—	—	—	—	—	—	—	35
31	31	30	17	19	27	8	10	9	5	2	—	—	1	37
21	18	18	8	14	20	4	6	4	3	2	—	—	—	38
10	13	12	9	5	7	4	4	5	2	—	—	—	1	39
—	—	1	—	—	1	—	—	—	—	—	—	—	—	40
—	—	1	—	—	1	—	—	—	—	—	—	—	—	41
—	—	1	—	—	1	—	—	—	—	—	—	—	—	42
1	—	—	1	—	—	—	—	—	1	—	—	—	—	43
1	—	—	1	—	—	—	—	1	—	—	—	—	—	44
12	8	7	8	9	14	4	3	3	3	2	—	—	—	45
8	6	4	3	7	11	1	2	1	3	2	—	—	—	46
4	2	3	5	2	3	3	1	1	1	1	—	—	—	47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	48
—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	50
—	—	—	—	—	—	—	—	—	—	—	—	—	—	51
—	—	1	—	—	2	1	1	2	1	2	—	—	—	52
—	—	1	—	—	1	1	1	1	1	1	—	—	—	53
—	—	1	—	—	1	—	—	—	—	—	—	—	—	54
17	21	21	7	7	10	3	6	3	3	2	—	—	1	55
13	12	14	5	5	8	2	4	2	1	2	—	—	—	56
4	9	7	2	2	2	1	2	2	1	2	—	—	1	57
1	1	—	1	1	—	—	—	—	—	—	—	—	—	58
—	1	1	—	1	—	—	—	—	—	—	—	—	—	59
—	1	1	—	1	—	—	—	—	—	—	—	—	—	60
Ratio per 100,000 population														
38.6	46.2	55.2	71.0	84.4	103.1	106.0	105.5	107.0	114.0	228.3	61
27.0	26.4	29.3	25.0	31.7	25.4	33.3	43.9	43.4	50.2	46.1	62
34.9	41.8	50.2	65.6	75.7	91.9	99.7	96.6	99.2	103.1	212.0	63
25.1	24.1	26.5	22.6	30.0	22.4	31.0	41.9	40.0	47.5	43.4	64
...	—	—	—	—	—	65
...	—	—	—	—	—	66
3.3	3.1	3.5	...	3.8	6.8	—	—	—	67
1.5	2.3	2.4	—	—	—	68

TUBERCULOSIS STATISTICS

TABLE 4. Tuberculous Patients, 15 Years and Over, by Sex, Age, Diagnosis, and Marital Status, 1961

Diagnosis and marital status	Male						Female					
	Total	15-24	25-44	45-64	65 or over	Not stated	Total	15-24	25-44	45-64	65 or over	Not stated
Number												
Totals	3,239	337	940	1,214	738	10	1,808	347	719	438	300	4
Single	1,202	303	385	353	155	6	519	256	148	79	35	1
Married	1,717	34	537	756	387	3	1,034	89	547	283	112	3
Widowed	280	—	10	82	188	—	242	2	20	69	151	—
Divorced	36	—	6	23	7	—	11	—	3	6	2	—
Not stated.....	4	—	2	—	1	1	2	—	1	1	—	—
Pulmonary.....	2,909	277	839	1,099	684	10	1,617	279	654	399	282	3
Single	1,066	250	348	314	148	6	445	202	135	74	33	1
Married	1,545	27	473	688	354	3	934	75	497	253	107	2
Widowed	258	—	10	74	174	—	225	2	18	65	140	—
Divorced	36	—	6	23	7	—	11	—	3	6	2	—
Not stated.....	4	—	2	—	1	1	2	—	1	1	—	—
Other respiratory	134	23	21	55	35	—	45	25	11	6	3	—
Single	48	20	7	16	5	—	21	18	3	—	—	—
Married	74	3	14	36	21	—	21	7	8	5	1	—
Widowed	12	—	—	3	9	—	3	—	—	1	2	—
Divorced	—	—	—	—	—	—	—	—	—	—	—	—
Not stated.....	—	—	—	—	—	—	—	—	—	—	—	—
Other forms.....	196	37	80	60	19	—	146	43	54	33	15	1
Single	88	33	30	23	2	—	53	36	10	5	2	—
Married	98	4	50	32	12	—	79	7	42	25	4	1
Widowed	10	—	—	5	5	—	14	—	2	3	9	—
Divorced	—	—	—	—	—	—	—	—	—	—	—	—
Not stated.....	—	—	—	—	—	—	—	—	—	—	—	—
Ratio per 100,000 population												
Totals	54.3	25.7	38.8	77.1	113.7	—	30.9	27.2	30.2	28.9	43.8	—
Single	65.7	27.6	79.8	197.8	217.4	—	38.2	30.7	48.2	51.2	52.6	—
Married	43.8	15.8	27.8	56.4	89.7	—	26.6	20.2	26.8	25.3	39.2	—
Widowed and divorced.....	147.9	—	140.4	190.9	132.9	—	41.4	... 65.2	31.0	45.9	—	—
Pulmonary.....	48.8	21.1	34.6	69.8	105.4	—	27.8	21.9	27.5	28.4	41.1	—
Single	58.3	22.8	72.1	175.9	207.6	—	32.7	24.3	44.0	48.0	49.5	—
Married	39.4	12.5	24.5	51.3	82.1	—	24.1	17.0	24.4	22.7	37.5	—
Widowed and divorced.....	137.6	—	140.4	176.4	123.4	—	38.6	... 59.5	29.3	42.6	—	—

TABLE 5. All Patients, Time Since Admission, by Province, 1961

Time since admission	Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	N.W.T.
Numerical distribution												
Totals	6,377	356	63	320	357	2,279	1,381	389	251	538	405	38
4 years or more	291	2	5	13	24	118	81	16	10	12	10	—
3-4 years	107	1	2	6	6	47	21	8	2	12	2	—
2-3 years	244	6	1	14	9	105	51	19	5	15	16	3
1-2 years	683	14	8	45	31	204	168	46	19	75	69	4
6-12 months	1,443	85	15	90	75	447	297	78	82	149	115	10
4-6 months	948	76	9	33	47	352	215	44	49	75	41	7
3-4 months	537	38	8	24	32	219	108	29	18	31	25	5
2-3 months	672	54	5	30	36	268	144	27	21	47	34	6
1-2 months	775	44	3	41	47	263	140	91	26	65	54	1
Under 1 month	677	36	7	24	50	256	156	31	19	57	39	2
Tuberculous	5,833	334	59	304	322	2,027	1,221	369	247	512	403	35
4 years or more	271	2	5	13	22	106	75	16	10	12	10	—
3-4 years	95	1	2	6	6	39	17	8	2	12	2	—
2-3 years	226	6	1	14	9	92	47	19	5	15	16	2
1-2 years	649	14	8	44	30	187	157	43	18	75	69	4
6-12 months	1,378	80	14	87	71	429	271	72	82	148	115	9
4-6 months	873	76	9	32	42	320	185	43	48	71	41	6
3-4 months	495	37	7	23	32	192	98	28	18	30	25	5
2-3 months	614	47	5	28	31	245	128	25	21	44	34	6
1-2 months	685	40	3	37	37	219	123	89	25	58	53	1
Under 1 month	547	31	5	20	42	198	120	26	18	47	38	2
Non-tuberculous	544	22	4	16	35	252	160	20	4	26	2	3
4 years or more	20	—	—	—	2	12	6	—	—	—	—	—
3-4 years	12	—	—	—	—	6	4	—	—	—	—	—
2-3 years	18	—	—	—	—	13	4	—	—	—	—	1
1-2 years	34	—	—	1	1	17	11	3	1	—	—	—
6-12 months	65	5	1	3	4	18	26	6	—	1	—	1
4-6 months	75	—	—	1	5	32	30	1	1	4	—	1
3-4 months	42	1	1	1	—	27	10	1	—	1	—	—
2-3 months	58	7	—	2	5	23	16	2	—	3	—	—
1-2 months	90	4	—	4	10	44	17	2	1	7	1	—
Under 1 month	130	5	2	4	8	58	36	5	1	10	1	—
Cumulative percentage distribution												
Totals	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 4 years	95.4	99.4	92.1	95.9	93.3	94.8	94.1	95.9	96.0	97.8	97.5	100.0
Under 3 years	93.8	99.2	88.9	94.1	91.6	92.8	92.6	93.8	95.2	95.5	97.0	100.0
Under 2 years	89.9	97.5	87.3	89.7	89.1	88.2	88.8	87.9	93.2	92.8	93.1	92.1
Under 1 year	79.2	93.5	74.6	75.6	80.4	79.2	76.8	77.1	85.7	78.8	76.0	81.6
Under 6 months	56.6	69.7	50.8	47.5	59.4	59.6	55.2	57.1	53.0	51.1	47.7	55.3
Under 4 months	41.7	48.3	36.5	37.2	46.2	44.1	39.7	45.8	33.5	37.2	37.5	36.8
Under 3 months	33.3	37.6	23.8	29.7	37.3	34.5	31.9	38.3	26.3	31.4	31.4	23.7
Under 2 months	22.8	22.5	15.9	20.3	27.2	22.8	21.4	31.4	17.9	22.7	23.0	7.9
Under 1 month	10.6	10.1	11.1	7.5	14.0	11.2	11.3	8.0	7.6	10.6	9.6	5.3
Tuberculous	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 4 years	95.4	99.4	91.5	95.7	93.2	94.8	93.9	95.7	96.0	97.7	97.5	100.0
Under 3 years	93.7	99.1	88.1	93.7	91.3	92.8	92.5	93.5	95.1	95.3	97.0	100.0
Under 2 years	89.9	97.3	86.4	89.1	88.5	88.3	88.6	88.3	93.1	92.4	93.1	94.3
Under 1 year	78.7	93.1	72.9	74.7	79.2	79.1	75.8	76.7	85.8	77.7	75.9	82.9
Under 6 months	55.1	69.2	49.2	46.1	57.1	57.9	53.6	57.2	52.6	48.8	47.4	57.1
Under 4 months	40.1	46.4	33.9	35.5	44.1	42.1	38.4	45.5	33.2	35.0	37.2	40.0
Under 3 months	31.6	35.3	22.0	28.0	34.2	32.7	30.4	37.9	25.9	29.1	31.0	25.7
Under 2 months	21.1	21.3	13.6	18.7	24.5	20.8	19.9	31.2	17.4	20.5	22.6	8.6
Under 1 month	9.4	9.3	8.5	6.6	13.0	9.8	7.0	7.3	9.2	9.4	5.7	—
Non-tuberculous	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 4 years	96.3	100.0	100.0	100.0	94.3	95.2	96.3	100.0	100.0	100.0	100.0	100.0
Under 3 years	94.1	100.0	100.0	100.0	94.3	92.1	93.8	100.0	100.0	100.0	100.0	100.0
Under 2 years	90.8	100.0	100.0	100.0	94.3	86.9	91.3	100.0	100.0	100.0	100.0	66.7
Under 1 year	84.8	100.0	100.0	93.8	91.4	80.2	84.4	85.0	75.0	80.0	100.0	66.7
Under 6 months	72.6	77.3	75.0	75.0	80.0	73.0	68.1	55.0	75.0	96.2	100.0	33.3
Under 4 months	58.8	77.3	75.0	68.8	65.7	60.3	49.4	50.0	50.0	100.0	100.0	—
Under 3 months	51.1	72.7	50.0	62.5	65.7	49.6	43.1	45.0	50.0	76.9	100.0	—
Under 2 months	40.4	40.9	50.0	50.0	51.4	40.5	33.1	35.0	50.0	65.4	100.0	—
Under 1 month	23.9	22.7	50.0	25.0	22.9	23.0	22.5	25.0	25.0	38.5	50.0	—

TABLE 6. All Patients, by Sex, Diagnosis, and Time of Admission, 1936-61

No.	Time of admission	Both sexes				
		All diagnoses	Pulmonary tuberculosis	Other respiratory tuberculosis	Other forms of tuberculosis	Non-tuberculous
1	Totals	6,377	4,690	697	446	544
2	1936	2	2	—	—	—
3	1937	1	1	—	—	—
4	1938	1	1	—	—	—
5	1939	1	1	—	—	—
6	1940	2	2	—	—	—
7	1941	2	2	—	—	—
8	1942	1	1	—	—	—
9	1943	1	1	—	—	—
10	1944	5	5	—	—	—
11	1945	8	8	—	—	—
12	1946	6	5	—	1	—
13	1947	2	1	1	—	—
14	1948	7	4	—	2	1
15	1949	11	11	—	—	—
16	1950	11	11	—	—	—
17	1951	12	12	—	—	—
18	1952	15	13	—	—	2
19	1953	16	14	1	1	—
20	1954	25	23	—	—	2
21	1955	29	24	1	1	3
22	1956	55	43	1	3	8
23	1957	78	72	1	1	4
24	1958	107	89	—	6	12
25	1959-Totals	244	208	12	6	18
26	January-March	47	40	3	2	2
27	April-June	55	49	2	1	3
28	July-September	78	66	6	1	5
29	October-December	64	53	1	2	8
30	1960-Totals	683	525	82	42	34
31	January-March	78	66	4	2	6
32	April-June	141	107	18	11	5
33	July-September	167	126	23	8	10
34	October-December	297	226	37	21	13
35	1961-Totals	5,052	3,611	598	383	460
36	January	162	107	20	25	10
37	February	145	110	17	12	6
38	March	204	137	32	22	13
39	April	253	187	40	16	10
40	May	301	228	38	23	12
41	June	378	285	52	27	14
42	July	446	310	41	44	51
43	August	502	372	68	38	24
44	September	537	404	51	40	42
45	October	672	489	80	45	58
46	November	775	543	95	47	90
47	December	677	439	64	44	130

TABLE 6. All Patients, by Sex, Diagnosis, and Time of Admission, 1936-61

Male					Female					No.
All diagnoses	Pulmonary tuberculosis	Other respiratory tuberculosis	Other forms of tuberculosis	Non-tuberculous	All diagnoses	Pulmonary tuberculosis	Other respiratory tuberculosis	Other forms of tuberculosis	Non-tuberculous	
3,958	2,972	407	244	335	2,419	1,718	290	202	209	1
2	2	—	—	—	—	—	—	—	—	2
1	1	—	—	—	—	—	—	—	—	3
—	—	—	—	—	1	1	—	—	—	4
1	1	—	—	—	—	—	—	—	—	5
2	2	—	—	—	—	—	—	—	—	6
1	1	—	—	—	1	1	—	—	—	7
1	1	—	—	—	—	—	—	—	—	8
—	—	—	—	—	1	1	—	—	—	9
3	3	—	—	—	2	2	—	—	—	10
2	2	—	—	—	6	6	—	—	—	11
5	4	—	1	—	1	1	—	—	—	12
2	1	1	—	—	—	—	—	—	—	13
3	2	—	1	—	4	2	—	1	1	14
7	7	—	—	—	4	4	—	—	—	15
7	7	—	—	—	4	4	—	—	—	16
8	8	—	—	—	4	4	—	—	—	17
11	10	—	—	1	4	3	—	—	—	18
10	10	—	—	—	6	4	1	1	—	19
19	18	—	—	1	6	5	—	—	—	20
20	17	1	1	1	9	7	—	—	—	21
39	32	1	3	3	16	11	—	—	—	22
58	54	—	1	3	20	18	1	—	—	23
80	68	—	5	7	27	21	—	1	5	24
168	144	9	5	10	76	64	3	1	8	25
35	29	3	2	1	12	11	—	—	1	26
34	28	2	1	3	21	21	—	—	—	27
54	47	4	1	2	24	19	2	—	3	28
45	40	—	1	4	19	13	1	1	4	29
420	328	52	23	17	263	197	30	19	17	30
57	49	2	2	4	21	17	2	—	2	31
92	71	10	8	3	49	36	8	3	2	32
95	72	16	3	4	72	54	7	5	6	33
176	136	24	10	6	121	90	13	11	7	34
3,088	2,249	343	204	292	1,964	1,362	255	179	168	35
97	71	12	10	4	65	36	8	15	6	36
91	72	10	4	5	54	38	7	8	1	37
122	91	15	7	9	82	46	17	15	4	38
152	118	21	8	5	101	69	19	8	5	39
176	135	20	12	9	125	93	18	11	3	40
244	188	30	14	12	134	97	22	13	2	41
269	197	23	22	27	177	113	18	22	24	42
289	214	37	20	18	213	158	31	15	6	43
336	249	33	24	30	201	155	18	16	12	44
386	290	38	27	31	286	199	42	18	27	45
483	337	64	28	54	292	206	31	19	36	46
443	287	40	28	88	234	152	24	16	42	47

TUBERCULOSIS STATISTICS

TABLE 7. Tuberculous Patients, by Sex, Type of Admission, and Time of Admission, 1936-61

No.	Time of admission	Both sexes					
		Total	First admissions	Re-admissions	To continue treatment	Reviews	Transfers
1	Totals.....	5,833	3,391	1,509	127	34	772
2	1936	2	1	1	-	-	-
3	1937	1	-	1	-	-	-
4	1938	1	-	1	-	-	-
5	1939	1	1	-	-	-	-
6	1940	2	2	-	-	-	-
7	1941	2	1	1	-	-	-
8	1942	1	1	-	-	-	-
9	1943	1	-	1	-	-	-
10	1944	5	2	3	-	-	-
11	1945	8	5	3	-	-	-
12	1946	6	2	4	-	-	-
13	1947	2	2	-	-	-	-
14	1948	6	3	1	-	-	2
15	1949	11	7	3	-	-	1
16	1950	11	5	5	1	-	-
17	1951	12	4	6	-	-	2
18	1952	13	6	6	-	-	1
19	1953	16	8	6	1	-	1
20	1954	23	4	12	1	-	6
21	1955	26	14	8	-	-	4
22	1956	47	18	15	1	-	13
23	1957	74	30	23	4	-	17
24	1958	95	44	29	2	-	20
25	1959 - Totals	226	82	81	13	-	50
26	January-March	45	9	21	2	-	13
27	April-June	52	24	13	3	-	12
28	July-September	73	32	21	5	-	15
29	October-December	56	17	26	3	-	10
30	1960 - Totals	649	337	156	21	1	134
31	January-March	72	38	23	1	-	10
32	April-June	136	66	30	3	-	37
33	July-September	157	83	38	4	1	31
34	October-December	284	150	65	13	-	56
35	1961 - Totals	4,592	2,812	1,143	83	33	521
36	January	152	82	33	1	-	36
37	February	139	92	32	-	-	15
38	March	191	130	38	3	-	20
39	April	243	149	52	3	1	38
40	May	289	195	56	5	-	33
41	June	364	230	94	4	1	35
42	July	395	259	86	4	-	46
43	August	478	309	121	15	3	30
44	September	495	297	132	10	2	54
45	October	614	370	169	14	2	59
46	November	685	369	172	12	6	126
47	December	547	330	158	12	18	29

TABLE 7. Tuberculous Patients, by Sex, Type of Admission, and Time of Admission, 1936-61

Male						Female						No.
Total	First admissions	Re-admissions	To continue treatment	Reviews	Transfers	Total	First admissions	Re-admissions	To continue treatment	Reviews	Transfers	
3,623	2,023	991	88	22	499	2,210	1,368	518	39	12	273	1
2	1	1	-	-	-	-	-	-	-	-	-	2
1	-	1	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	1	-	1	-	-	-	4
1	1	-	-	-	-	-	-	-	-	-	-	5
2	2	-	-	-	-	-	-	-	-	-	-	6
1	-	1	-	-	-	1	1	-	-	-	-	7
1	1	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	1	-	1	-	-	-	9
3	1	2	-	-	-	2	1	1	-	-	-	10
2	1	1	-	-	-	6	4	2	-	-	-	11
5	2	3	-	-	-	1	-	1	-	-	-	12
2	2	-	-	-	-	-	-	-	-	-	-	13
3	3	-	-	-	-	3	-	1	-	-	2	14
7	5	1	-	-	1	4	2	2	-	-	-	15
7	3	3	1	-	-	4	2	2	-	-	-	16
8	2	4	-	-	2	4	2	2	-	-	-	17
10	6	3	-	-	1	3	-	3	-	-	-	18
10	6	3	-	-	1	6	2	3	1	-	-	19
18	3	11	-	-	4	5	1	1	1	-	2	20
19	8	7	-	-	4	7	6	1	-	-	-	21
36	16	9	1	-	10	11	2	6	-	-	3	22
55	19	18	2	-	16	19	11	5	2	-	1	23
73	31	23	1	-	18	22	13	6	1	-	2	24
158	55	59	9	-	35	68	27	22	4	-	15	25
34	6	17	1	-	10	11	3	4	1	-	3	26
31	16	8	2	-	5	21	8	5	1	-	7	27
52	22	15	4	-	11	21	10	6	1	-	4	28
41	11	19	2	-	9	15	6	7	1	-	1	29
403	195	99	15	-	94	246	142	57	6	1	40	30
53	24	20	1	-	8	19	14	3	-	-	2	31
89	39	21	1	-	28	47	27	9	2	-	9	32
91	47	22	2	-	20	66	36	16	2	1	11	33
170	85	36	11	-	38	114	65	29	2	-	18	34
2,796	1,660	742	59	22	313	1,796	1,152	401	24	11	208	35
93	55	17	-	-	21	59	27	16	1	-	15	36
86	57	21	-	-	8	53	35	11	-	-	7	37
113	81	20	3	-	9	78	49	18	-	-	11	38
147	92	30	1	1	23	96	57	22	2	-	15	39
167	109	36	3	-	19	122	86	20	2	-	14	40
232	139	63	4	-	26	132	91	31	-	1	9	41
242	155	60	2	-	25	153	104	26	2	-	21	42
271	172	76	8	2	13	207	137	45	7	1	17	43
306	173	92	8	1	32	189	124	40	2	1	22	44
355	199	99	11	1	45	259	171	70	3	1	14	45
429	228	116	10	3	72	256	141	56	2	3	54	46
355	200	112	9	14	20	192	130	46	3	4	9	47

TABLE 8. TUBERCULOUS PATIENTS, BY AGE, ORIGIN, AND SEX, 1961

Origin and sex	All ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.
Totals	5,833	325	265	196	312	372	426	395	423	415	431
	3,623	171	124	89	145	192	207	220	249	264	285
	2,210	154	141	107	167	180	219	175	174	151	146
Indian	821	113	98	69	85	73	69	53	39	29	26
	407	59	53	30	39	27	26	31	15	11	10
	414	54	45	39	46	46	43	22	24	18	16
Eskimo	248	41	31	20	21	14	22	19	20	17	8
	116	24	17	12	7	5	10	9	5	6	2
	132	17	14	8	14	9	12	10	15	11	6
Other	4,756	171	135	107	206	285	335	323	364	369	395
	3,094	88	53	47	99	160	171	180	229	247	271
	1,662	83	82	60	107	125	164	143	135	122	124
Not stated	8	—	1	—	—	—	—	—	—	—	2
	6	—	1	—	—	—	—	—	—	—	2
	2	—	—	—	—	—	—	—	—	—	—
	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	Not stated
Totals	420	422	379	340	303	202	121	59	9	4	14
	314	311	304	254	214	138	84	42	4	2	10
	106	111	75	86	89	64	37	17	5	2	4
Indian	29	31	33	28	19	14	5	5	1	1	1
	16	16	23	19	14	10	4	2	1	—	1
	13	15	10	9	5	4	1	3	—	1	—
Eskimo	7	14	6	3	3	1	1	—	—	—	—
	2	9	3	1	2	1	1	—	—	—	—
	5	5	3	2	1	—	—	—	—	—	—
Other	384	376	340	308	281	185	114	54	8	3	13
	296	285	278	234	198	126	78	40	3	2	9
	88	91	62	74	83	59	36	14	5	1	4
Not stated	—	1	—	1	—	2	1	—	—	—	—
	—	1	—	—	—	1	1	—	—	—	—
	—	—	—	1	—	1	—	—	—	—	—

TABLE 9. All Indian and Eskimo Patients, by Sex and Diagnosis, 1961

Diagnosis	Indian			Eskimo		
	Both sexes	Male	Female	Both sexes	Male	Female
Totals.....	884	446	438	281	132	149
Pulmonary tuberculosis	527	258	269	164	69	95
Other respiratory tuberculosis	206	116	90	66	36	30
Other forms of tuberculosis	88	33	55	18	11	7
Non-tuberculous	63	39	24	33	16	17

TABLE 10. Non-tuberculous Patients, by Sex and Diagnosis, 1961

Diagnosis	Both sexes	Male	Female	Diagnosis	Both sexes	Male	Female
Totals	544	335	209	Acute upper respiratory infections	1	1	-
Septicaemia and pyaemia	1	-	1	Lobar pneumonia	1	1	-
Acute poliomyelitis	1	1	-	Bronchopneumonia	6	3	3
All other diseases classified as infective and parasitic	3	2	1	Primary atypical, other, and unspecified pneumonia	7	4	3
Malignant neoplasm of larynx	1	1	-	Acute bronchitis	2	2	-
Malignant neoplasm of trachea, bronchus, and lung, not specified as secondary	8	6	2	Bronchitis, chronic and unqualified	24	12	12
Malignant neoplasm of prostate	1	1	-	Hypertrophy of tonsils and adenoids	2	1	1
Malignant neoplasm of skin	1	1	-	Empyema and abscess of lung	4	4	-
Malignant neoplasm of all other and unspecified sites	3	1	2	Pleurisy	11	8	3
Leukaemia and aleukaemia	1	1	-	All other respiratory diseases	41	25	16
Benign neoplasms and neoplasms of unspecified nature	7	4	3	Spontaneous pneumothorax	2	2	-
Thyrotoxicosis with or without goiter	1	-	1	Pulmonary congestion and hypostasis	8	3	5
Diabetes mellitus	8	6	2	Pneumoconiosis due to silica and silicates	6	6	-
Anaemias	2	2	-	Other chronic interstitial pneumonia	7	5	2
Allergic disorders; all other endocrine, metabolic, and blood diseases	13	7	6	Bronchiectasis	10	5	5
Psychoses	2	1	1	Other diseases of lung and pleural cavity	8	4	4
Psychoneuroses and disorders of personality	3	-	3	Ulcer of stomach	2	2	-
Vascular lesions affecting central nervous system	6	3	3	Intestinal obstruction and hernia	1	1	-
Multiple sclerosis	1	1	-	Cholelithiasis and cholecystitis	1	-	1
All other diseases of the nervous system and sense organs	9	5	4	Other diseases of digestive system	1	1	-
Rheumatic fever	1	1	-	Hyperplasia of prostate	1	1	-
Chronic rheumatic heart disease	4	2	2	Other diseases of genito-urinary system	1	-	1
Arteriosclerotic and degenerative heart disease	9	6	3	Infections of skin and subcutaneous tissue	1	1	-
Other diseases of heart	6	5	1	Arthritis and spondylitis	7	2	5
Hypertension with heart disease	1	1	-	Muscular rheumatism and rheumatism unspecified	1	-	1
Hypertension without mention of heart	1	-	1	Ankylosis and acquired musculoskeletal deformities	1	1	-
Diseases of arteries	8	4	4	All other diseases of skin and musculoskeletal system	5	3	2
Other diseases of circulatory system	2	1	1	All other congenital malformations	2	1	1
				Ill-defined and unknown causes of morbidity	2	-	2
				No disease, no diagnosis, suspected tuberculosis only, and positive reactor	315	198	117

TUBERCULOSIS STATISTICS

TABLE 11. All Patients, by Sex, Diagnosis, Province, and Institution, 1961

Province and institution	Both sexes					Male					Female				
	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous
Number															
Canada	6,898	5,138	717	459	584	4,289	3,265	419	251	354	2,609	1,873	298	208	230
Newfoundland	359	206	56	75	22	210	121	31	42	16	149	85	25	33	6
Corner Brook	129	78	18	21	12	79	47	9	14	9	50	31	9	7	3
North West River	8	4	3	1	—	5	.2	2	1	—	3	2	1	—	—
St. Anthony	35	25	6	3	1	16	11	3	1	1	19	14	3	2	—
St. John's	184	96	29	50	9	109	60	17	26	6	75	36	12	24	3
St. John's (Hosp. for M. and N. Diseases)	3	3	—	—	—	1	1	—	—	—	2	2	—	—	—
Prince Edward Island	63	42	14	3	4	40	29	6	2	3	23	13	8	1	1
Charlottetown	63	42	14	3	4	40	29	6	2	3	23	13	8	1	1
Nova Scotia	347	299	24	8	16	226	196	14	5	11	121	103	10	3	5
Dartmouth	27	26	1	—	—	19	19	—	—	—	8	7	1	—	—
Halifax	8	7	—	—	1	6	5	—	—	1	2	2	—	—	—
Kentville	201	178	11	4	8	131	117	6	4	4	70	61	5	—	4
Sydney (Point Edward Hosp.)	111	88	12	4	7	70	55	8	1	6	41	33	4	3	1
New Brunswick	357	228	68	26	35	224	148	39	16	21	133	80	29	10	14
St. Basile	103	53	31	3	16	65	38	18	1	8	38	15	13	2	8
St. John	114	79	16	15	4	79	58	9	8	4	35	21	7	7	—
The Glades	62	29	15	6	12	40	19	8	5	8	22	10	7	1	4
Vallée-Lourdes	78	67	6	2	3	40	33	4	2	1	38	34	2	—	2
Québec	2,279	1,852	120	55	252	1,429	1,186	58	29	156	850	666	62	26	96
Gaspé	161	59	13	4	85	89	36	4	1	48	72	23	9	3	37
Hull	42	39	1	1	1	28	25	1	1	1	14	14	—	—	—
Lac-Édouard	63	48	—	2	13	45	39	—	2	4	18	9	—	—	9
Lac-Etchemin	40	37	2	1	—	32	30	2	—	—	8	7	—	1	—
Macamic	88	60	12	1	15	41	26	5	—	10	47	34	7	1	5
Mont-Joli	224	163	20	5	36	114	81	11	4	18	110	82	9	1	18
Montreal (Alexandra Hosp.)	19	12	—	6	1	8	5	—	2	1	11	7	—	4	—
Montreal (Grace Dart Hosp.)	65	61	1	2	1	55	51	1	2	1	10	10	—	—	—
Montréal (Hôpital du Sacré-Coeur)	112	105	3	—	4	73	68	3	—	2	39	37	—	—	2
Montréal (Hôpital St-Joseph)	389	352	10	1	26	253	223	8	—	22	136	129	2	1	4
Montreal (Montreal Children's Hospital)	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—
Montreal (Queen Mary Veterans' Hosp.)	4	—	—	—	4	4	—	—	—	4	—	—	—	—	—
Montreal (Royal Edward Laurentian Hosp.)	67	66	1	—	—	50	49	1	—	—	17	17	—	—	—
Roberval	264	192	34	10	28	158	118	13	6	21	106	74	21	4	7
Ste-Agathe-des-Monts (Mount Sinai San.)	106	98	4	1	3	80	74	2	1	3	26	24	2	—	—
Ste-Agathe-des-Monts (Royal Edward Laurentian Hosp.)	125	121	1	—	3	97	93	1	—	3	28	28	—	—	—
Ste-Anne-de-Bellevue	30	25	1	1	3	30	25	1	1	3	—	—	—	—	—
Ste-Foy	301	258	13	15	15	158	142	3	6	7	143	116	10	9	8
Sherbrooke	68	60	3	1	4	37	34	1	1	1	31	26	2	—	3
Trois-Rivières	110	95	1	4	10	77	67	1	2	7	33	28	—	2	3

TABLE 11. All Patients, by Sex, Diagnosis, Province, and Institution, 1961 - Continued

Province and institution	Both sexes					Male					Female				
	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous
Number															
Ontario	1,514	1,087	145	101	181	981	708	102	63	108	533	379	43	38	73
Brantford	65	49	5	1	10	39	28	5	—	6	26	21	—	1	4
Cornwall	45	38	1	1	5	30	27	1	—	2	15	11	—	1	3
Fort William	160	112	27	9	12	97	67	18	5	7	63	45	9	4	5
Hamilton	75	46	13	9	7	48	28	9	6	5	27	18	4	3	2
Kingston	55	35	2	2	16	37	24	2	1	10	18	11	—	1	6
Kitchener	26	18	2	1	5	15	11	1	—	3	11	7	1	1	2
London	146	113	6	10	17	112	85	5	8	14	34	28	1	2	3
Moose Factory	86	43	5	3	35	36	15	1	2	18	50	28	4	1	17
Ottawa	124	90	11	10	13	85	62	7	7	9	39	28	4	3	4
St. Catharines	88	58	14	5	11	58	34	14	2	8	30	24	—	3	3
Sioux Lookout	2	—	1	1	—	1	—	1	—	—	1	—	—	1	—
Sudbury	93	62	17	6	8	62	41	12	6	3	31	21	5	—	5
Weston	369	284	33	38	14	239	188	20	22	9	130	96	13	16	5
Windsor	47	35	3	2	7	33	24	3	2	4	14	11	—	—	3
Woodstock	133	104	5	3	21	89	74	3	2	10	44	30	2	1	11
Manitoba	401	301	41	38	21	235	180	24	20	11	166	121	17	18	10
Brandon (Mental Hospital)	8	7	—	—	1	—	—	—	—	—	6	7	—	—	1
Ninette	226	176	11	28	11	141	115	6	14	6	85	61	5	14	5
Portage la Prairie	4	3	—	1	—	3	2	—	1	—	1	1	—	—	—
St. Vital	25	23	—	2	—	20	18	—	2	—	5	5	—	—	—
Selkirk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
The Pas	122	80	30	5	7	63	39	18	2	4	59	41	12	3	3
Winnipeg	16	12	—	2	2	8	6	—	1	1	8	6	—	1	1
Saskatchewan	333	250	37	40	6	182	143	18	18	3	151	107	19	22	3
Fort Qu'Appelle	35	20	10	4	1	14	9	3	1	1	21	11	7	3	—
Fort San	96	64	16	16	—	57	42	8	7	—	39	22	8	9	—
Saskatoon	120	88	11	16	3	70	52	7	10	1	50	36	4	8	2
Weyburn	82	78	—	2	2	41	40	—	—	1	41	38	—	2	1
Alberta	672	446	115	82	29	391	267	67	41	16	281	179	48	41	13
Calgary	129	85	19	19	6	86	59	12	11	4	43	26	7	8	2
Edmonton (Aberhart San.)	204	128	33	34	9	119	77	20	17	5	85	51	13	17	4
Edmonton (Charles Camsell Hosp.)	205	110	56	28	11	98	48	31	13	6	107	62	25	15	5
Edmonton (Provincial Mental Institute)	134	123	7	1	3	88	83	4	—	1	46	40	3	1	2
British Columbia	535	400	92	28	15	359	278	58	14	9	176	122	34	14	6
Essondale	130	109	2	6	13	90	77	2	4	7	40	32	—	2	6
Sardis (Indian Health Services)	183	88	80	15	—	98	46	46	6	—	85	42	34	9	—
Vancouver (Division of T.B. Control)	222	203	16	7	2	171	155	10	4	2	51	48	—	3	—
Northwest Territories	38	27	5	3	3	12	9	2	1	—	26	18	3	2	3
Fort Rae	7	4	3	—	—	3	1	2	—	—	4	3	1	—	—
Fort Simpson	4	1	1	1	1	—	—	—	—	—	4	1	1	1	1
Fort Smith	5	5	—	—	—	1	1	—	—	—	4	4	—	—	—
Inuvik (Inuvik Hospital)	18	15	1	2	—	6	5	—	1	—	12	10	1	1	—
Pangnirtung	4	2	—	—	2	2	2	—	—	—	2	—	—	—	2

TABLE 11. All Patients, by Sex, Diagnosis, Province, and Institution, 1961 — Continued

Province and institution	Both sexes					Male					Female				
	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous
Percentage distribution															
Canada	100.0	74.5	10.4	6.7	8.5	100.0	76.1	9.8	5.9	8.3	100.0	71.8	11.4	8.0	8.8
Newfoundland	100.0	57.4	15.6	20.9	6.1	100.0	57.6	14.8	20.0	7.6	100.0	57.0	16.8	22.1	4.0
Corner Brook	100.0	60.5	14.0	16.3	9.3	100.0	59.5	11.4	17.7	11.4	100.0	62.0	18.0	14.0	6.0
North West River	100.0	50.0	37.5	12.5	—	100.0	40.0	40.0	20.0	—	100.0	66.7	33.3	—	—
St. Anthony	100.0	71.4	17.1	8.6	2.9	100.0	68.8	18.8	6.2	6.2	100.0	73.7	15.8	10.5	—
St. John's	100.0	52.2	15.8	27.2	4.9	100.0	55.0	15.6	23.9	5.5	100.0	48.0	16.0	32.0	4.0
St. John's (Hosp. for M. and N. Diseases)	100.0	100.0	—	—	—	100.0	100.0	—	—	—	100.0	100.0	—	—	—
Prince Edward Island	100.0	66.7	22.2	4.8	6.3	100.0	72.5	15.0	5.0	7.5	100.0	56.5	34.8	4.3	4.3
Charlottetown	100.0	66.7	22.2	4.8	6.3	100.0	72.5	15.0	5.0	7.5	100.0	56.5	34.8	4.3	4.3
Nova Scotia	100.0	86.2	6.9	2.3	4.6	100.0	86.7	6.2	2.2	4.9	100.0	85.1	8.3	2.5	4.1
Dartmouth	100.0	96.3	3.7	—	—	100.0	100.0	—	—	—	100.0	87.5	12.5	—	—
Halifax	100.0	87.5	—	—	12.5	100.0	83.3	—	—	16.7	100.0	100.0	—	—	—
Kentville	100.0	88.6	5.5	2.0	4.0	100.0	89.3	4.6	3.1	3.1	100.0	87.1	7.1	—	5.7
Sydney (Point Edward Hosp.)	100.0	79.3	10.8	3.6	6.3	100.0	78.6	11.4	1.4	8.6	100.0	80.5	9.8	7.3	2.4
New Brunswick	100.0	63.9	19.0	7.3	9.8	100.0	66.1	17.4	7.1	9.4	100.0	60.2	21.8	7.5	10.5
St. Basile	100.0	51.5	30.1	2.9	15.5	100.0	58.5	27.7	1.5	12.3	100.0	39.5	34.2	5.3	21.1
St. John	100.0	69.3	14.0	13.2	3.5	100.0	73.4	11.4	10.1	5.1	100.0	60.0	20.0	20.0	—
The Glades	100.0	46.8	24.2	9.7	19.4	100.0	47.5	20.0	12.5	20.0	100.0	45.5	31.8	4.5	18.2
Vallée-Lourdes	100.0	85.9	7.7	2.6	3.8	100.0	82.5	10.0	5.0	2.5	100.0	89.5	5.3	—	5.3
Québec	100.0	81.3	5.3	2.4	11.1	100.0	83.0	4.1	2.0	10.9	100.0	78.4	7.3	3.1	11.3
Gaspé	100.0	36.6	8.1	2.5	52.8	100.0	40.4	4.5	1.1	53.9	100.0	31.9	12.5	4.2	51.4
Hull	100.0	92.9	2.4	2.4	2.4	100.0	89.3	3.6	3.6	3.6	100.0	100.0	—	—	—
Lac-Édouard	100.0	76.2	—	3.2	20.6	100.0	86.7	—	4.4	8.9	100.0	50.0	—	—	50.0
Lac-Etchemin	100.0	92.5	5.0	2.5	—	100.0	93.8	6.2	—	—	100.0	87.5	—	12.5	—
Macamic	100.0	68.2	13.6	1.1	17.0	100.0	63.4	12.2	—	24.4	100.0	72.3	14.9	2.1	10.6
Mont-Joli	100.0	72.8	8.9	2.2	16.1	100.0	71.1	9.6	3.5	15.8	100.0	74.5	8.2	0.9	16.4
Montreal (Alexandra Hosp.)	100.0	63.2	—	31.6	5.3	100.0	62.5	—	25.0	12.5	100.0	63.6	—	36.4	—
Montreal (Grace Dart Hosp.)	100.0	93.8	1.5	3.1	1.5	100.0	92.7	1.8	3.6	1.8	100.0	100.0	—	—	—
Montréal (Hôpital du Sacré-Cœur)	100.0	93.7	2.7	—	3.6	100.0	93.2	4.1	—	2.7	100.0	94.9	—	—	5.1
Montréal (Hôpital St-Joseph)	100.0	90.5	2.6	0.3	6.7	100.0	88.1	3.2	—	8.7	100.0	94.9	1.5	0.7	2.9
Montreal (Montreal Children's Hospital)	100.0	100.0	—	—	—	—	—	—	—	—	100.0	100.0	—	—	—
Montreal (Queen Mary Veterans' Hosp.)	100.0	—	—	—	100.0	100.0	—	—	—	100.0	—	—	—	—	—
Montreal (Royal Edward Laurentian Hosp.)	100.0	98.5	1.5	—	—	100.0	98.0	2.0	—	—	100.0	100.0	—	—	—
Roberval	100.0	72.7	12.9	3.8	10.6	100.0	74.7	8.2	3.8	13.3	100.0	69.8	19.8	3.8	6.6
Ste-Agathe-des-Monts (Mount Sinai San.)	100.0	92.5	3.8	0.9	2.8	100.0	92.5	2.5	1.2	3.8	100.0	92.3	7.7	—	—
Ste-Agathe-des-Monts (Royal Edward Laurentian Hosp.)	100.0	96.8	0.8	—	2.4	100.0	95.9	1.0	—	3.1	100.0	100.0	—	—	—
Ste-Anne-de-Bellevue	100.0	83.3	3.3	3.3	10.0	100.0	83.3	3.3	3.3	10.0	—	—	—	—	—
Ste-Foy	100.0	85.7	4.3	5.0	5.0	100.0	89.9	1.9	3.8	4.4	100.0	81.1	7.0	6.3	5.6
Sherbrooke	100.0	88.2	4.4	1.5	5.9	100.0	91.9	2.7	2.7	2.7	100.0	83.9	6.5	—	9.7
Trois-Rivières	100.0	86.4	0.9	3.6	9.1	100.0	87.0	1.3	2.6	9.1	100.0	84.8	—	6.1	9.1

TABLE 11. All Patients, by Sex, Diagnosis, Province, and Institution, 1961 — Concluded

Province and institution	Both sexes					Male					Female				
	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous	All diagnoses	Pulmonary	Other respiratory	Other forms	Non-tuberculous
Percentage distribution — Concluded															
Ontario	100.0	71.8	9.6	6.7	12.0	100.0	72.2	10.4	6.4	11.0	100.0	71.1	8.1	7.1	13.7
Brantford	100.0	75.4	7.7	1.5	15.4	100.0	71.8	12.8	—	15.4	100.0	80.8	—	3.8	15.4
Cornwall	100.0	84.4	2.2	2.2	11.1	100.0	90.0	3.3	—	6.7	100.0	73.3	—	6.7	20.0
Fort William	100.0	70.0	16.9	5.6	7.5	100.0	69.1	18.6	5.2	7.2	100.0	71.4	14.3	6.3	7.9
Hamilton	100.0	61.3	17.3	12.0	9.3	100.0	58.3	18.7	12.5	10.4	100.0	66.7	14.8	11.1	7.4
Kingston	100.0	63.6	3.6	3.6	29.1	100.0	64.9	5.4	2.7	27.0	100.0	61.1	—	5.6	33.3
Kitchener	100.0	69.2	7.7	3.8	19.2	100.0	73.3	6.7	—	20.0	100.0	63.6	9.1	9.1	18.2
London	100.0	77.4	4.1	6.8	11.6	100.0	75.9	4.5	7.1	12.5	100.0	82.4	2.9	5.9	8.8
Moose Factory	100.0	50.0	5.8	3.5	40.7	100.0	41.7	2.8	5.6	50.0	100.0	56.0	8.0	2.0	34.0
Ottawa	100.0	72.6	8.9	8.1	10.5	100.0	72.9	8.2	8.2	10.6	100.0	71.8	10.3	7.7	10.3
St. Catharines	100.0	65.9	15.9	5.7	12.5	100.0	58.6	24.1	3.4	13.8	100.0	80.0	—	10.0	10.0
Sioux Lookout	100.0	—	50.0	50.0	—	100.0	—	100.0	—	—	100.0	—	—	100.0	—
Sudbury	100.0	66.7	18.3	6.5	8.6	100.0	66.1	19.4	9.7	4.8	100.0	67.7	16.1	—	16.1
Weston	100.0	77.0	8.9	10.3	3.8	100.0	78.7	8.4	9.2	3.8	100.0	73.8	10.0	12.3	3.8
Windsor	100.0	74.5	6.4	4.3	14.9	100.0	72.7	9.1	6.1	12.1	100.0	78.6	—	—	21.4
Woodstock	100.0	78.2	3.8	2.3	15.8	100.0	83.1	3.4	2.2	11.2	100.0	68.2	4.5	2.3	25.0
Manitoba	100.0	75.1	10.2	9.5	5.2	100.0	76.6	10.2	8.5	4.7	100.0	72.9	10.2	10.8	6.0
Brandon (Mental Hospital)	100.0	87.5	—	—	12.5	—	—	—	—	—	100.0	87.5	—	—	12.5
Ninette	100.0	77.9	4.9	12.4	4.9	100.0	81.6	4.3	9.9	4.3	100.0	71.8	5.9	16.5	5.9
Portage la Prairie	100.0	75.0	—	25.0	—	100.0	66.7	—	33.3	—	100.0	100.0	—	—	—
St. Vital	100.0	92.0	—	8.0	—	100.0	90.0	—	10.0	—	100.0	100.0	—	—	—
Selkirk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
The Pas	100.0	65.6	24.6	4.1	5.7	100.0	61.9	28.6	3.2	6.3	100.0	69.5	20.3	5.1	5.1
Winnipeg	100.0	75.0	—	12.5	12.5	100.0	75.0	—	12.5	12.5	100.0	75.0	—	12.5	12.5
Saskatchewan	100.0	75.1	11.1	12.0	1.8	100.0	78.6	9.9	9.9	1.6	100.0	70.9	12.6	14.6	2.0
Fort Qu'Appelle	100.0	57.1	28.6	11.4	2.9	100.0	64.3	21.4	7.1	7.1	100.0	52.4	33.3	14.3	—
Fort San	100.0	66.6	16.7	16.7	—	100.0	73.7	14.0	12.3	—	100.0	56.4	20.5	23.1	—
Saskatoon	100.0	73.3	9.2	15.0	2.5	100.0	74.3	10.0	14.3	1.4	100.0	72.0	8.0	16.0	4.0
Weyburn	100.0	95.1	—	2.4	2.4	100.0	97.6	—	—	2.4	100.0	92.7	—	4.9	2.4
Alberta	100.0	66.4	17.1	12.2	4.3	100.0	68.3	17.1	10.5	4.1	100.0	63.7	17.1	14.6	4.6
Calgary	100.0	65.9	14.7	14.7	4.7	100.0	68.6	14.0	12.8	4.7	100.0	60.5	16.3	18.6	4.7
Edmonton (Aberhart San.)	100.0	62.7	16.2	16.7	4.4	100.0	64.7	16.8	14.3	4.2	100.0	60.0	15.3	20.0	4.7
Edmonton (Charles Camstell Hosp.)	100.0	53.7	27.3	13.7	5.4	100.0	49.0	31.6	13.3	6.1	100.0	57.9	23.4	14.0	4.7
Edmonton (Provincial Mental Institute)	100.0	91.8	5.2	0.7	2.2	100.0	94.3	4.5	—	1.1	100.0	87.0	6.5	2.2	4.3
British Columbia	100.0	74.8	17.2	5.2	2.8	100.0	77.4	16.2	3.9	2.5	100.0	69.3	19.3	8.0	3.4
Essondale	100.0	83.8	1.5	4.6	10.0	100.0	85.6	2.2	4.4	7.8	100.0	80.0	—	5.0	15.0
Sardis (Indian Health Services)	100.0	48.1	43.7	8.2	—	100.0	46.9	46.9	6.1	—	100.0	49.4	40.0	10.6	—
Vancouver (Division of T.B. Control)	100.0	91.4	4.5	3.2	0.9	100.0	90.6	5.8	2.3	1.2	100.0	94.1	—	5.9	—
Northwest Territories	100.0	71.1	13.2	7.9	7.9	100.0	75.0	16.7	8.3	—	100.0	69.2	11.5	7.7	11.5
Fort Rae	100.0	57.1	42.9	—	—	100.0	33.3	66.7	—	—	100.0	75.0	25.0	—	—
Fort Simpson	100.0	25.0	25.0	25.0	25.0	—	—	—	—	—	100.0	25.0	25.0	25.0	25.0
Fort Smith	100.0	100.0	—	—	—	100.0	100.0	—	—	—	100.0	100.0	—	—	—
Inuvik (Inuvik Hospital)	100.0	83.3	5.6	11.1	—	100.0	83.3	—	16.7	—	100.0	83.3	8.3	8.3	—
Pangnirtung	100.0	50.0	—	—	50.0	100.0	100.0	—	—	—	100.0	—	—	—	100.0

APPENDIX

Patients Under Treatment for Tuberculosis in Mental Institutions, 1961¹

Province	Total	Active	Inactive
Canada	53	26	27
Newfoundland	—	—	—
Prince Edward Island.....	2	2	—
Nova Scotia	—	—	—
New Brunswick	23	23	—
Québec
Ontario	1	—	1
Manitoba	—	—	—
Saskatchewan	27	1	26
Alberta	—	—	—
British Columbia	—	—	—

¹ Comprises only those patients for whom morbidity cards had not been submitted, and who consequently are excluded from Table 11.

DATE DUE
DATE DE RETOUR

NOV 21 1977 (ncc library)



1010484635

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Publications Distribution Unit, Financial Control Section,
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue
number

VITAL STATISTICS

Price

84-001 - Monthly Report - Bil.	per year	\$1.00
84-201 - Preliminary Annual Report - Bil.25
84-202 - Annual Report - Bil.		2.00

Analytical Reports:

84-503 -	Leading Causes of Death by Major Age Groupings, 1921-55 - E.25
84-504 -	Accidental Drowning, 1956 - E.25
84-505 -	Mortality from Accidental Falls, 1956 - E.25
84-506 -	Mortality from Accidental Poisoning, 1956 - E.25
84-507 -	Mortality from Home Accidents, 1956 - E.25
84-511 -	Mortality from Suicide, 1921-58 - E.50
84-508 -	Causes of Stillbirths, 1943-55 - E.25
84-509 -	Canadian Life Tables, 1951 - Bil.25
84-510 -	Canadian Life Tables, 1950-52, 1955-57 - Bil.50
84-512 -	Canadian Life Tables, Provincial and Regional, 1950-52, 1955-57 - Bil.75
84-513 -	Fatal Accidents, Mortality Summary, 1959.75
84-514 -	Causes of Death (detailed 4th digit list), Canada, 1950-60 - E.50

INSTITUTIONAL STATISTICS

83-201 -	List of Canadian Hospitals and Related Health Facilities - A.F.75
83-210 -	Hospital Statistics, Vol. I, Hospital Beds, A. Bil.	1.50
83-211 -	Hospital Statistics, Vol. II, Hospital Services, A. Bil.	1.00
83-212 -	Hospital Statistics, Vol. III, Hospital Personnel, A. Bil.	1.50
83-213 -	Hospital Statistics, Vol. IV, Balance Sheets, A. Bil.75
83-214 -	Hospital Statistics, Vol. V, Hospital Revenues, A. Bil.75
83-215 -	Hospital Statistics, Vol. VI, Hospital Expenditures, A. Bil.	1.50
83-502 -	The Large General Hospital, 1957 - E.50
83-503 -	The Small General Hospital, 1957 - E.50
83-205 -	Mental Health Statistics, Financial Supplement - A. Bil.25
83-207 -	Tuberculosis Statistics, Financial Supplement - A. Bil.25

MORBIDITY STATISTICS

82-201 -	Notifiable Diseases - A. Bil.75
82-202 -	Home Nursing Services - A.E.	1.00
82-203 -	Illness in the Civil Service - A. Bil.75
82-204 -	Poliomyelitis Trends - A.E.25
82-512 -	Summary of Notifiable Diseases, 1924-52 (annual supplements to 1960) - Bil.75
82-516 -	Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957 - E.50
83-204 -	Mental Health Statistics - A. Bil.	2.00
83-208 -	Mental Health Statistics, Supplement: Patients in Institutions - A.E.75
83-504 -	Pates and Probabilities of Separation from Mental Institutions, 1956-58 - E.25
83-206 -	Tuberculosis Statistics - A. Bil.	1.50
83-209 -	Tuberculosis Statistics Supplement: Patients in Institutions - A.E.50
82-001 -	Incidence of Tuberculosis - Bil. (monthly)	per year 1.00
82-205 -	Tuberculosis Trends, 1960 - A.E.25
82-522 -	Infectious Hepatitis, 1961 - E.50

Canadian Sickness Survey (National Estimates), 1950-51 - E. and F.

82-502 -	Family Expenditures for Health Services by Income Groups25
82-505 -	Volume of Sickness25
82-506 -	Permanent Physical Disabilities25
82-507 -	Incidence and Prevalence of Illness25
82-508 -	Volume of Health Care25
82-509 -	Volume of Health Care for Selected Income Groups25
82-510 -	Illness Frequency by Diagnostic Classification25
82-511 -	Illness Frequency by Class of Illness, Age and Sex25
82-518 -	Illness and Health Care in Canada, 1950-51	2.00
82-519 -	Injuries: Frequency, Severity, Health Care75
82-520 -	Volume of Health Care for Insured and Non-Insured Persons75
82-521 -	Disability Among the Gainfully Employed50

POPULATION STATISTICS - BIL.

91-201 -	Canada, by Provinces, Estimated for Intercensal Years, 1921-60 - A.25
91-503	Estimates (Age and Sex), 1921-52 - R. No. 4025
91-504	Estimates (Age and Sex), 1952-56 (Supp. to 91-503)25
91-202	Estimates, by Age and Sex Groups, Canada and Provinces, 1957-60 (A. Supp.)25
91-203	Estimates, by Marital Status, Age and Sex, Canada and Provinces - A.25
91-204	Estimates of Families in Canada - A.50

A. - Annual

E. - English

F. - French

Bil. - Bilingual

R. - Reference

Supp. - Supplement

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1956 and 1961 Censuses. A comprehensive catalogue of all current publications is available free on request from the Dominion Bureau of Statistics, Ottawa 3.