

CATALOGUE No.

84-203

ANNUAL




CAUSES OF DEATH, CANADA

Provinces by Sex and Canada by Sex and Age

1966

(Detailed Categories of the International Classification of Diseases)

DOMINION BUREAU OF STATISTICS



DOMINION BUREAU OF STATISTICS
Health and Welfare Division
Vital Statistics Section

CAUSES OF DEATH, CANADA

Provinces by Sex and Canada by Sex and Age

1966

(Detailed Categories of the International Classification of Diseases)

Published by Authority of
The Minister of Trade and Commerce

October 1968
9004-533

Price: \$1.50



INTRODUCTION

The official vital statistics of Canada are published by the Dominion Bureau of Statistics in two main annual reports, *Vital Statistics* (Catalogue Nos. 84-201 and 84-202) which commenced in 1921. Two publications, *Causes of Death, Canada, 1950-60*, (Catalogue No. 84-514) and *Causes of Death, Canada, 1958-64*, (Catalogue No. 84-519), copies of which are still available, supplemented the Annual Reports for the period 1950-64 by presenting more detailed information on causes of death each year. Whereas the Annual Reports for these years contain data on deaths according to the International Intermediate List A of 150 causes, the above two compilations provided a finer breakdown of figures according to the three-digit categories and four-digit subcategories of the *International Statistical Classification of Diseases, Injuries and Causes of Death*, Sixth Revision, 1948 and Seventh Revision, 1955, which were put into effect in 1950 and 1958, respectively.

This is the second publication expanding the two previous publications into a regular annual series entitled *Causes of Death*, showing the current year's deaths by the three-digit categories and four-digit subcategories, by sex for the provinces, and by sex and five-year age groups for Canada. The present publication does not list all categories of the International Classification since some categories for which there were no deaths in 1966 have been excluded. Furthermore, the full category titles of the International Classification have been shortened in some cases for convenience of publication.

For the convenience of users desiring to calculate rates, the June 1 Census populations for the provinces by sex and for Canada by sex and age group are given below.

Population for Provinces by Sex and Canada by Sex and Age, 1966
Population (000's)

Province	Male	Female	Age	Male	Female	Age	Male	Female
Nfld.	252.1	241.3	Totals	10,054.4	9,960.5	40-44 yrs.	624.7	632.3
P.E.I.	55.0	53.5	- 1yr.	198.9	188.8	45-49 "	542.7	547.2
N.S.	380.5	375.5	1 - 4 yrs.	929.9	879.8	50-54 "	498.3	490.0
N.B.	310.1	306.7	5 - 9 "	1,172.8	1,128.0	55-59 "	413.4	402.9
Que.	2,885.9	2,894.9	10-14 "	1,071.2	1,022.3	60-64 "	330.0	333.4
Ont.	3,479.2	3,481.7	15-19 "	929.0	908.7	65-69 "	254.9	276.8
Man.	484.3	478.8	20-24 "	727.1	734.2	70-74 "	198.8	228.4
Sask.	489.1	466.3	25-29 "	619.5	622.3	75-79 "	139.0	161.4
Alta.	746.2	717.0	30-34 "	630.5	611.2	80-84 "	80.7	96.6
B.C.	948.6	925.1	35-39 "	649.8	636.4	85 + "	43.2	59.8
Yukon.	7.8	6.6						
N.W.T.	15.6	13.1						

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966

Int'l list No.	Cause of death	Canada	Province or residence											N.W.T.
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	
	ALL CAUSES	T. 149,863 M. 87,913 F. 61,950	3,072 1,819 1,253	1,048 601 447	6,478 3,738 2,740	4,771 2,762 2,009	38,680 22,418 16,262	54,171 31,142 23,029	7,938 4,750 3,188	7,427 4,613 2,814	9,677 6,018 3,659	16,290 9,874 6,416	82 50 32	229 128 101
	I. Infective and parasitic diseases	M. 736 F. 459	25 25	2 3	23 20	25 10	299 149	182 122	35 26	21 25	47 27	69 50	- 1	8 1
	Tuberculosis of respiratory system (001-008).	M. 408 F. 191	13 13	- 2	12 6	12 2	215 90	75 44	17 9	4 5	22 7	34 13	- -	4 -
001	Respiratory tuberculosis with mention of occupational disease of lung.	M. 16 F. -	- -	- -	- -	- -	6 -	7 -	- -	- -	- -	3 -	- -	- -
002	Pulmonary tuberculosis	M. 383 F. 185	12 12	- 2	12 6	12 2	204 87	67 43	17 9	3 5	21 6	31 13	- -	4 -
A	Active	M. 308 F. 136	9 6	- 1	5 4	11 1	188 74	37 27	10 7	3 4	18 5	23 7	- -	4 -
B ¹	Inactive	M. 75 F. 49	3 6	- 1	7 2	1 1	16 13	30 16	7 2	- 1	3 1	8 6	- -	- -
003	Pleural tuberculosis	M. 4 F. 2	1 -	- -	- -	- -	- 2	1 -	- -	1 -	1 -	- -	- -	- -
.0	Pleurisy specified as tuberculous	M. 3 F. 2	1 -	- -	- -	- -	- 2	1 -	- -	- -	1 -	- -	- -	- -
.1	Pleurisy with effusion without mention of cause.	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -
004	Primary tuberculosis complex with symptoms.	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
005	Tracheobronchial glandular tuberculosis with symptoms.	M. - F. 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
007	Other respiratory tuberculosis	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
008	Tuberculosis, unspecified site	M. 4 F. 2	- 1	- -	- -	- -	4 1	- -	- -	- -	- -	- -	- -	- -
A	Active	M. 4 F. 2	- 1	- -	- -	- -	4 1	- -	- -	- -	- -	- -	- -	- -
B	Inactive	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Tuberculosis, other forms (010-019)	M. 36 F. 34	2 2	1 -	1 1	- -	22 13	4 9	2 -	- 1	1 3	3 5	- -	- -
010	Tuberculosis of meninges and central nervous system.	M. 10 F. 10	1 1	1 -	1 -	- -	7 3	- 3	- -	- -	- 2	- 1	- -	- -
011	Tuberculosis of intestines, peritoneum, and mesenteric glands.	M. 2 F. 2	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	1 1	- -	- -
012	Tuberculosis of bones and joints, active or unspecified.	M. 4 F. 2	- -	- -	- -	- -	1 1	2 -	- -	- -	1 -	- 1	- -	- -
.0	Vertebral column	M. 4 F. 2	- -	- -	- -	- -	1 1	2 -	- -	- -	1 -	- 1	- -	- -
.1	Hip	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other unspecified bones and joints	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
013	Late effects of tuberculosis of bones and joints.	M. 3 F. 1	- -	- -	- -	- -	2 -	- -	1 -	- -	- -	- 1	- -	- -
.0	Vertebral column	M. 2 F. 1	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- 1	- -	- -
.1	Late effects of tuberculosis of hip	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
014	Tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Lupus	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
015	Tuberculosis of lymphatic system	M. 1 F. 1	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -
016	Tuberculosis of genito-urinary system	M. 11 F. 11	1 1	- -	- 1	- -	6 5	1 3	1 -	- -	- -	2 1	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966

-1 year	Age																			Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
8,960 5,138 3,822	1,763 988 775	1,149 669 480	938 620 318	1,679 1,212 467	1,727 1,324 403	1,364 980 384	1,618 1,054 564	2,301 1,456 845	3,439 2,146 1,293	4,934 3,111 1,823	7,289 4,855 2,434	9,466 6,351 3,115	11,974 7,910 4,064	14,618 9,225 5,393	17,610 10,548 7,062	19,794 11,100 8,694	19,051 10,004 9,047	20,174 9,212 10,962	15 10 5	T. M. F.	
53 42	40 44	16 16	9 6	8 10	7 4	7 17	11 13	21 28	35 19	42 25	43 36	57 41	83 26	90 33	76 33	58 27	52 27	28 11	- 1	M. F.	
1 -	1 1	- 1	1 -	- 1	2 2	3 5	6 4	13 16	21 13	33 15	29 23	27 23	56 11	69 15	54 18	40 18	33 16	19 8	- 1	M. F.	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -	4 -	5 -	2 -	- -	- -	- -	M. 001 F.
1 -	1 -	- 1	1 -	- 1	2 2	3 5	6 4	12 16	21 13	32 15	25 23	26 23	54 10	63 14	49 17	37 18	31 16	19 7	- -	- -	M. 002 F.
1 -	1 -	- 1	1 -	- 1	2 2	2 5	6 3	11 13	17 10	26 6	18 14	21 19	43 9	52 9	36 12	27 15	27 10	17 7	- -	- -	M. A F.
- -	- -	- -	- -	- -	- -	1 -	- 1	1 3	4 3	6 9	7 9	5 4	11 1	11 5	13 5	10 6	4 6	2 -	- -	- -	M. B F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	M. 003 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	M. .0 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	M. .1 F.
- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 004 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 005 F.
- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 007 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	- -	1 -	- -	- -	- -	- -	M. 008 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	- -	- -	- -	- -	- -	- -	M. A F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. B F.
2 -	2 4	- 1	- 2	- -	4 -	1 3	1 1	1 4	2 -	2 2	3 3	7 2	2 4	2 2	2 2	1 1	3 1	1 2	- -	- -	M. F. F.
1 -	2 4	- 1	- 2	- -	1 -	- 1	- -	1 -	- -	1 -	1 1	2 -	- 1	- -	1 -	- -	- -	- -	- -	- -	M. 010 F.
- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	M. 011 F.
- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	M. 012 F.
- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	M. .0 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. .1 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. .3 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1	- -	- -	- -	1 -	- -	- -	- -	M. 013 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1	- -	- -	- -	- -	- -	- -	- -	M. .0 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	M. .1 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 014 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. .2 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. .3 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 015 F.
- -	- -	- -	- -	- -	2 -	- -	1 -	- -	2 -	- -	- -	3 2	2 4	2 2	2 2	1 1	- -	1 -	- -	- -	M. 016 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Age																			Int'l list No.	
-1 year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	M. 017 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 018 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2 F.
1	-	-	-	-	-	1	-	1	-	-	2	-	-	1	1	-	1	-	-	M. 019 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0 F.
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	M. .1 F.
1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	-	M. .2 F.
-	-	-	-	1	1	1	-	-	2	1	3	9	10	9	14	6	5	3	-	M. F.
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 020 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1 F.
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2 F.
-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	7	4	3	2	-	M. 022 F.
-	-	-	-	-	1	-	-	-	1	-	2	2	5	2	1	-	1	1	-	M. 023 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 024 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	M. 025 F.
-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	-	M. 026 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	M. 027 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	M. 029 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 034 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 035 F.
4	2	-	-	-	-	1	-	-	1	1	-	1	-	1	1	3	3	-	-	M. F.
6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 040 F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. 041 F.
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	M. 042 F.
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .0 F.
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1 F.
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	M. 044 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Other bacterial diseases - Concluded:															
061	Tetanus	M. F.	6 3	- -	- -	- -	- -	- -	5 2	- -	1 1	- -	- -	- -	
063	Gas gangrene	M. F.	1 1	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	- -	- -	
064	Other bacterial diseases	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
.4	Other	M. F.	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
Spirochaetal diseases, except syphilis (070-074).															
070	Vincent's infection	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
072	Leptospirosis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
Diseases attributable to viruses (080-096).															
080	Acute poliomyelitis	M. F.	117 122	4 2	- 1	4 8	5 5	26 22	38 33	5 7	9 14	11 9	13 20	- 1	2 -
.0	Specified as bulbar or polio-encephalitis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	With other paralysis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Unspecified	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
081	Late effects of acute poliomyelitis	M. F.	8 4	- -	- -	- -	1 1	1 1	2 1	- -	- -	2 1	2 -	- -	- -
082	Acute infectious encephalitis	M. F.	24 27	1 1	- -	1 1	1 1	7 8	8 7	1 1	1 1	2 3	2 4	- -	- -
.0	Arthropod-borne encephalitis	M. F.	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
.1	Lymphocytic choriomeningitis	M. F.	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.2	Lethargic encephalitis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other and unspecified infectious encephalitis	M. F.	24 25	1 1	- -	1 1	1 1	7 8	8 6	1 1	1 -	2 3	2 4	- -	- -
083	Late effects of acute infectious encephalitis	M. F.	6 2	- -	- -	- -	- -	- -	2 1	- -	1 -	1 -	2 1	- -	- -
.0	Postencephalitic Parkinsonism	M. F.	3 2	- -	- -	- -	- -	- -	1 1	- -	- -	- -	2 1	- -	- -
.1	Postencephalitic personality and character disorders	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Postencephalitic psychosis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other postencephalitic conditions	M. F.	3 -	- -	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	- -
085	Measles	M. F.	20 30	1 -	- -	1 2	1 -	4 7	3 6	1 2	5 6	2 2	- 4	- 1	2 -
.0	Without mention of pneumonia	M. F.	6 10	- -	- -	1 1	- -	1 3	2 3	- -	- 1	- -	- 2	- -	2 -
.1	With pneumonia	M. F.	14 20	1 -	- -	- 1	1 -	3 4	1 3	1 2	5 5	2 2	- 2	- 1	- -
086	Rubella (German measles)	M. F.	1 1	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
087	Chickenpox	M. F.	7 7	- -	- -	1 -	- -	1 -	5 3	- -	- -	1 -	2 -	- -	- -
088	Herpes zoster	M. F.	3 -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
089	Mumps	M. F.	2 -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -
092	Infectious hepatitis	M. F.	34 40	- -	- 1	1 2	2 2	10 4	12 14	1 3	1 5	3 1	4 8	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	1	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	-	M. 061
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 063
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 064
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
21	20	9	6	7	-	2	1	3	5	3	3	9	9	3	3	5	4	4	-	M. 070
23	26	10	3	5	2	5	5	6	3	5	4	5	6	4	6	2	1	1	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	1	1	-	-	-	1	1	1	1	2	1	1	1	-	-	-	-	M. 081
-	-	-	1	1	-	-	1	1	1	1	1	1	1	2	1	-	1	-	-	F. .0
3	5	2	3	4	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	M. .1
5	3	4	1	4	1	-	1	1	-	1	1	-	1	2	1	-	1	-	-	F. .1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
3	5	2	3	4	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	M. 083
4	3	4	1	4	1	-	1	1	-	1	1	1	1	2	1	-	1	-	-	F. .0
-	-	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	F. .2
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
10	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 085
10	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
8	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 086
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 087
3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	M. 088
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. 089
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	3	1	1	1	-	1	1	2	2	1	1	4	6	1	3	2	2	2	-	M. 092
1	1	-	1	1	1	5	3	3	3	4	3	3	3	2	3	2	-	1	-	F. .0

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Diseases attributable to viruses—Concluded:													
093	Glandular fever (infectious mononucleo- sis).	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
096	Other diseases attributable to viruses	M. F.	12 11	1 1	- 1	- 1	- 1	3 2	4 1	2 1	- 2	1 1	1 1	- -
.0	<i>Herpes febrilis</i>	M. F.	1 1	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -
.5	<i>Epidemic myalgia (Bornholm disease)</i>	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
.9	<i>Other</i>	M. F.	10 10	1 1	- 1	- 1	- 1	2 2	3 1	2 1	- 1	1 1	1 1	- -
	Typhus and other rickettsial diseases (100-108).	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
104	Tick-borne typhus	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Malaria (110-117)	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
116	Other and unspecified forms of malaria	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other infective and parasitic diseases (120-138).	M. F.	27 23	- -	- 1	- 1	- -	11 6	12 9	- 2	1 1	- -	2 3	- 1
122	Other protozoal diseases	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.0	<i>Coccidiosis</i>	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
124	Other trematode infestation	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
.0	<i>Clonorchiasis</i>	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
125	Hydatid disease	M. F.	1 2	- -	- -	- -	- -	- -	1 1	- -	- -	- -	1 -	- -
128	Trichiniasis	M. F.	1 2	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- 1
130	Infestation with worms of other, mixed, and unspecified type.	M. F.	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
.3	<i>Other</i>	M. F.	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
131	Dermatophytosis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
132	Actinomycosis	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
134	Other fungus infections	M. F.	13 7	- -	- -	- -	- -	6 3	6 3	- -	1 -	- -	1 -	- -
.0	<i>Blastomycosis</i>	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.1	<i>Cryptococcosis (torulosis)</i>	M. F.	3 -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	- -	- -
.2	<i>Histoplasmosis</i>	M. F.	- 3	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	- -	- -
.3	<i>Moniliasis</i>	M. F.	7 3	- -	- -	- -	- -	4 1	2 1	- -	1 -	- -	1 -	- -
.5	<i>Other</i>	M. F.	2 1	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	- -	- -
138	Other infective and parasitic diseases	M. F.	9 11	- -	- -	1 1	- -	3 2	4 5	- 2	- -	- -	1 1	- -
.0	<i>Sarcoid of Boeck</i>	M. F.	7 11	- -	- -	1 1	- -	3 2	3 5	- 2	- -	- -	1 -	- -
.1	<i>Other</i>	M. F.	2 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	II. Neoplasms	M. 15, 116 F. 12, 033	289 218	99 83	609 530	411 379	4, 181 3, 421	5, 272 4, 335	840 616	766 490	988 740	1, 645 1, 206	5 3	11 12	
	Malignant neoplasm of buccal cavity and pharynx (140-148).	M. 426 F. 112	5 1	1 1	15 2	11 6	173 32	144 41	11 4	12 6	14 6	37 13	2 -	1 -	
140	Lip	M. 37 F. 2	1 1	1 -	5 -	3 -	16 1	5 -	- -	3 -	2 -	1 -	- -	- -	
.0	Upper lip	M. 3 F. -	- -	- -	- -	- -	1 -	1 -	- -	1 -	- -	- -	- -	- -	
.1	Lower lip	M. 13 F. 1	- -	- -	1 -	- -	9 1	2 -	- -	1 -	- -	- -	- -	- -	
.8	Both lips	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Lip, unspecified (including commissure)	M. 21 F. 1	1 1	1 -	4 -	2 -	6 -	3 -	- -	1 -	2 -	1 -	- -	- -	
141	Tongue	M. 103 F. 25	1 -	- -	1 -	2 2	44 8	37 7	4 -	1 2	3 2	10 4	- -	- -	
.0	Base of tongue	M. 15 F. 4	- -	- -	- -	- -	14 3	- 1	- -	- -	- -	1 -	- -	- -	
.7	Other specified parts of tongue	M. 4 F. 1	- -	- -	- -	- -	1 -	3 -	- -	- 1	- -	- -	- -	- -	
.8	Multiple parts of tongue	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 84 F. 20	1 -	- -	1 -	2 2	29 5	34 6	4 -	1 1	3 2	9 4	- -	- -	
142	Salivary gland	M. 22 F. 13	- -	- -	1 -	- 2	10 4	5 5	1 -	- 1	1 1	4 -	- -	- -	
.0	Parotid gland	M. 13 F. 9	- -	- -	1 -	- 1	8 3	- 3	1 -	- 1	- 1	3 -	- -	- -	
.7	Other salivary gland	M. 4 F. 3	- -	- -	- -	- 1	1 -	1 2	- -	- -	1 -	1 -	- -	- -	
.8	Multiple salivary glands	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
.9	Gland unspecified	M. 5 F. -	- -	- -	- -	- -	1 -	4 -	- -	- -	- -	- -	- -	- -	
143	Floor of mouth	M. 29 F. 5	- -	- -	3 -	- -	12 1	10 -	- 1	1 -	2 -	1 3	- -	- -	
144	Other parts of mouth and mouth unspecified.	M. 75 F. 23	2 -	1 -	2 -	3 -	30 6	25 14	3 1	- -	3 -	5 1	2 -	- -	
145	Oral mesopharynx	M. 41 F. 11	- -	- -	- 1	- 1	22 5	12 2	1 1	1 -	1 1	4 -	- -	- -	
.0	Tonsil (excluding pillars)	M. 35 F. 9	- -	- -	- 1	- 1	21 5	9 1	1 1	- -	1 -	3 -	- -	- -	
.7	Other specified parts of mesopharynx	M. 2 F. -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	
.8	Multiple parts of mesopharynx	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 3 F. 2	- -	- -	- -	- -	1 -	2 1	- -	- -	- 1	- -	- -	- -	
146	Nasopharynx	M. 29 F. 15	1 -	- -	- -	1 1	2 2	16 5	1 1	- 2	1 2	6 2	- -	1 -	
147	Hypopharynx	M. 21 F. 8	- -	- -	- -	1 -	3 2	13 4	1 -	1 1	- -	2 1	- -	- -	
148	Pharynx, unspecified	M. 69 F. 10	- -	- -	3 1	1 -	34 3	21 4	- -	5 -	1 -	4 2	- -	- -	
	Malignant neoplasm of digestive organs and peritoneum (150-159).	M. 5, 710 F. 4, 332	142 92	36 33	250 201	162 143	1, 647 1, 268	1, 915 1, 543	295 227	277 161	383 259	599 403	- 1	4 1	
150	Oesophagus	M. 324 F. 136	10 4	2 6	11 6	4 4	100 24	126 50	12 9	11 4	17 8	31 27	- -	- -	
151	Stomach	M. 1, 718 F. 931	69 35	11 9	71 32	58 27	497 291	528 317	97 51	90 39	116 52	181 78	- -	- -	
152	Small intestine, including duodenum	M. 29 F. 42	- -	- 1	- -	1 2	7 7	12 19	- 5	1 1	3 2	5 5	- -	- -	
.0	Duodenum	M. 14 F. 13	- -	- -	- -	1 1	4 1	4 7	- 1	- 2	2 2	3 1	- -	- -	
.7	Other specified parts of small intestine	M. 5 F. 16	- -	- -	- -	- 1	- 1	3 7	- 3	1 1	- -	1 3	- -	- -	
.8	Multiple parts of small intestine	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Part unspecified	M. 10 F. 13	- -	- 1	- -	- -	3 5	5 5	- 1	- -	1 -	1 1	- -	- -	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																			Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Not stated	
17 15	97 87	92 76	65 57	98 48	83 69	84 61	113 150	179 279	354 555	569 822	1,038 1,065	1,446 1,155	1,886 1,244	2,129 1,446	2,287 1,460	2,066 1,405	1,529 1,180	983 859	1	M. F.
-	-	1	-	-	1	2	2	4 5	5 4	18 4	37 8	50 18	55 10	56 15	70 16	42 10	37 11	50 7	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	3	5	6	13	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	-	1	5	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	4	7	-	M. F.
-	-	-	-	-	-	-	-	-	2	5	7	13	8	14	23	11	8	12	-	M. F.
-	-	-	-	-	-	-	-	3	1	1	4	4	1	3	4	2	4	2	-	M. F.
-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	5	4	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	1	5	4	12	8	10	18	7	7	12	-	M. F.
-	-	-	-	-	-	-	-	3	1	-	4	3	1	2	3	2	3	1	-	M. F.
-	-	1	-	-	-	-	-	2	1	-	4	1	6	4	2	1	1	4	-	M. F.
-	-	1	-	-	-	-	-	1	-	-	1	1	2	2	1	1	-	2	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	3	-	4	2	2	-	1	1	-	M. F.
-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	1	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	M. F.
-	-	-	-	-	-	-	-	-	1	-	2	9	4	4	2	3	2	3	-	M. F.
-	-	-	-	-	-	-	-	-	4	4	11	3	9	4	14	12	7	10	-	M. F.
-	-	-	-	-	-	-	-	-	-	3	5	4	9	7	4	4	2	3	-	M. F.
-	-	-	-	-	-	-	-	-	-	3	5	4	8	5	3	4	2	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	1	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	M. F.
-	-	-	-	-	-	1	-	3	-	1	6	2	4	2	4	4	-	2	-	M. F.
-	-	-	-	-	-	-	1	1	2	-	1	4	1	1	2	2	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	4	2	1	5	4	-	3	1	-	M. F.
-	-	-	-	-	-	1	-	1	3	3	4	6	10	15	14	2	8	2	-	M. F.
-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	-	1	1	-	-	M. F.
1	4 1	2	2 1	4	7 7	7 5	29 28	49 57	122 110	203 146	368 259	557 333	689 432	818 580	937 633	860 703	639 605	415 429	-	M. F.
-	-	1	-	-	1	-	-	2	6	10	25	34	39	54	54	52	23	24	-	M. F.
-	-	-	-	-	-	-	1	1	5	9	16	12	15	18	19	23	14	-	-	M. F.
-	-	-	-	-	1	3	9	14	40	68	96	174	191	268	272	268	199	115	-	M. F.
-	-	-	-	-	1	1	10	14	23	33	45	48	90	109	153	166	138	100	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	6	3	3	6	4	2	2	2	-	M. F.
-	-	-	-	-	-	-	-	2	1	2	3	8	3	5	3	6	7	2	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	3	5	2	2	1	1	1	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	3	2	-	3	-	4	3	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	-	-	1	-	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Malignant neoplasm of digestive organs and peritoneum—Concluded:															
153	Large intestine, except rectum	M.	1,502	24	10	78	46	467	513	76	52	86	148	-	2
		F.	1,586	28	14	97	60	458	573	81	49	92	132	1	1
.0	Caecum, appendix, and ascending colon	M.	230	2	-	10	7	57	88	18	6	15	26	-	1
		F.	268	4	1	14	16	49	117	14	13	19	21	-	-
.1	Transverse colon, including hepatic and splenic flexures,	M.	92	1	-	3	6	22	43	2	3	5	7	-	-
		F.	100	-	1	6	8	21	45	5	2	5	7	-	-
.2	Descending colon	M.	58	-	-	1	3	10	30	1	1	3	9	-	-
		F.	70	2	-	5	2	25	23	3	2	5	3	-	-
.3	Sigmoid colon	M.	409	2	1	14	22	139	129	22	11	25	44	-	-
		F.	364	4	-	18	18	124	119	17	11	18	35	-	-
.7	Multiple parts of large intestine	M.	10	-	-	-	-	4	6	-	-	-	-	-	-
		F.	6	-	-	-	1	1	4	-	-	-	-	-	-
.8	Large intestine (including colon, part unspecified),	M.	509	13	8	39	4	124	184	28	27	27	55	-	-
		F.	532	15	10	43	8	103	209	38	18	37	50	-	1
.9	Intestinal tract, part unspecified	M.	194	6	1	11	4	111	33	5	4	11	7	-	1
		F.	246	3	2	11	7	135	56	4	3	8	16	1	-
154	Rectum	M.	729	10	5	26	21	198	274	33	39	35	87	-	1
		F.	517	6	1	15	20	137	207	28	22	24	57	-	-
155	Biliary passages and of liver	M.	294	7	-	6	5	74	99	19	20	22	42	-	-
		F.	341	5	1	15	4	96	127	15	17	21	40	-	-
.0	Liver	M.	147	1	-	3	2	44	50	12	3	7	25	-	-
		F.	69	1	-	1	2	22	23	3	3	7	7	-	-
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater,	M.	147	6	-	3	3	30	49	7	17	15	17	-	-
		F.	272	4	1	14	2	74	104	12	14	14	33	-	-
.8	Multiple sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
156	Liver (secondary and unspecified)	M.	137	3	-	7	2	61	33	4	7	14	5	-	1
		F.	136	6	1	7	3	74	27	3	3	9	3	-	-
157	Pancreas	M.	865	16	8	43	22	206	292	51	53	80	94	-	-
		F.	560	7	5	27	21	144	196	33	24	46	57	-	-
158	Peritoneum	M.	55	2	-	7	-	15	18	2	4	4	3	-	-
		F.	39	-	-	-	-	15	17	1	2	2	2	-	-
159	Unspecified digestive organs	M.	57	1	-	1	3	22	20	1	-	6	3	-	-
		F.	44	1	1	2	2	22	10	1	-	3	2	-	-
Malignant neoplasm of respiratory system (160-165).															
160	Nose, nasal cavities, middle ear, and accessory sinuses,	M.	41	1	1	4	-	9	17	1	4	3	1	-	-
		F.	25	1	-	2	1	4	11	2	1	-	3	-	-
.0	Nose (internal) and nasal cavities	M.	6	1	-	-	-	1	4	-	-	-	-	-	-
		F.	5	-	-	1	-	1	1	-	1	-	1	-	-
.1	Eustachian tube and middle ear	M.	5	-	-	1	-	-	2	-	2	-	-	-	-
		F.	2	-	-	-	-	1	1	-	-	-	-	-	-
.2	Maxillary sinus	M.	22	-	-	3	-	7	8	1	1	2	-	-	-
		F.	14	1	-	1	1	2	7	1	-	-	1	-	-
.7	Other specified sinus (accessory)	M.	6	-	1	-	-	-	3	-	1	1	-	-	-
		F.	4	-	-	-	-	-	2	1	-	-	1	-	-
.8	Multiple sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	M.	2	-	-	-	-	1	-	-	-	-	1	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
161	Larynx	M.	210	4	-	9	5	75	79	11	4	9	14	-	-
		F.	24	1	-	1	-	12	5	1	1	-	3	-	-
162	Bronchus and trachea and of lung specified as primary,	M.	3,214	41	14	112	85	857	1,212	197	150	166	377	-	3
		F.	528	2	2	28	11	145	183	28	25	38	62	-	4
.0	Trachea	M.	8	1	-	-	-	5	1	-	-	-	1	-	-
		F.	1	-	-	-	-	-	1	-	-	-	-	-	-
.1	Bronchus and lung	M.	3,200	40	14	112	85	850	1,210	197	149	166	374	-	3
		F.	520	2	1	28	11	141	180	28	25	38	62	-	4
.2	Pleura	M.	6	-	-	-	-	2	1	-	1	-	2	-	-
		F.	6	-	1	-	-	3	2	-	-	-	-	-	-
.8	Multiple sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	1	-	-	-	-	-	-	-
163	Lung unspecified as to whether primary or secondary,	M.	82	4	1	10	2	8	37	1	8	8	3	-	-
		F.	20	2	-	-	-	-	11	1	-	2	3	-	1
164	Mediastinum	M.	25	-	-	2	-	12	7	1	-	2	1	-	-
		F.	10	-	-	-	1	1	5	1	-	1	1	-	-
165	Thoracic organs (secondary)	M.	21	-	-	-	-	1	16	1	-	2	1	-	-
		F.	22	-	1	-	-	2	16	-	2	1	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																	Not stated	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85 +	
-	-	-	1	2	2	3	9	17	22	53	86	126	182	197	232	246	190	134	-	M. 153	
-	-	-	-	-	3	3	9	9	25	44	59	100	133	151	196	235	242	224	162	-	F.
-	-	-	1	1	-	-	3	1	3	9	13	21	20	23	31	44	34	26	-	M. F. .0	
-	-	-	-	-	-	-	-	1	4	10	10	24	22	24	55	47	41	30	-	M. F. .1	
-	-	-	-	-	-	-	1	3	-	4	4	5	13	12	12	20	11	7	-	M. F. .1	
-	-	-	-	-	1	-	-	2	2	8	8	11	13	13	18	14	12	9	-	M. F. .2	
-	-	-	-	-	-	-	-	1	2	3	3	4	8	10	9	8	7	4	-	M. F. .2	
-	-	-	-	-	-	-	-	2	3	4	6	7	12	7	9	9	10	3	-	M. F. .3	
-	-	-	-	-	1	-	-	4	10	12	17	28	38	51	47	58	41	31	-	M. F. .3	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-	1	-	M. F. .7	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	M. F. .7	
-	-	-	-	1	1	2	2	4	7	8	15	34	42	66	81	73	61	35	-	M. F. .8	
-	-	-	-	-	2	2	4	5	18	14	30	36	57	75	87	78	49	-	-	M. F. .8	
-	-	-	-	1	1	1	2	4	6	11	16	17	22	23	38	36	16	-	-	M. F. .9	
-	-	-	-	-	-	1	7	5	12	18	19	22	25	30	27	41	39	-	-	M. F. .9	
-	-	-	-	-	-	3	6	21	19	38	81	98	88	136	103	78	58	-	-	M. 154	
-	-	-	1	-	1	-	11	14	18	37	55	52	77	60	78	57	56	-	-	F.	
-	4	-	1	-	-	-	1	2	6	8	21	27	38	40	50	40	38	-	-	M. 155	
1	1	1	-	-	-	-	1	8	9	21	20	38	59	54	57	44	27	-	-	F.	
-	4	-	1	-	-	-	1	5	6	12	15	25	16	25	16	13	7	-	-	M. F. .0	
1	1	1	-	-	-	-	1	3	2	4	8	5	7	9	12	11	4	-	-	F.	
-	-	-	-	-	-	-	-	1	1	2	9	12	13	24	25	24	25	-	-	M. F. .1	
-	-	-	-	-	-	-	-	5	7	17	12	12	33	52	45	45	33	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8	
-	-	-	-	-	-	-	-	4	6	9	19	17	18	25	19	18	2	-	-	M. 156	
-	-	-	-	2	1	2	2	3	3	7	6	13	19	14	24	26	16	-	-	F.	
-	-	-	-	1	1	4	5	20	31	81	85	111	130	146	117	82	51	-	-	M. 157	
-	-	-	-	-	1	1	1	12	15	30	42	66	89	88	103	70	43	-	-	F.	
-	-	-	-	1	2	3	2	2	4	5	5	4	9	5	3	5	5	-	-	M. 158	
-	-	-	-	-	2	2	2	3	1	5	2	6	8	2	4	2	2	-	-	F.	
-	-	-	-	1	-	-	-	1	4	1	3	6	8	13	10	4	6	-	-	M. 159	
-	-	-	-	-	-	2	1	-	1	1	2	3	1	3	6	4	7	-	-	F.	
-	-	-	-	5	1	7	5	32	79	159	327	462	619	688	556	372	200	-	-	M. F.	
-	1	1	1	1	2	8	14	31	59	159	327	462	619	688	556	372	200	-	-	F.	
-	-	-	-	-	2	1	2	1	5	2	4	5	2	3	6	4	4	-	-	M. 160	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F. .0	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. F. .1	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F. .1	
-	-	-	-	-	1	1	-	-	5	1	1	2	1	2	5	1	2	-	-	M. F. .2	
-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	3	2	1	-	-	M. F. .2	
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	M. F. .7	
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	M. F. .7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. F. .9	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .9	
-	-	-	1	-	-	-	-	1	3	10	18	26	42	32	36	21	10	-	-	M. 161	
-	-	-	-	-	-	-	-	1	4	4	1	5	3	-	3	4	11	-	-	F.	
-	-	-	-	4	1	4	3	29	73	140	291	418	555	612	498	330	177	-	-	M. 162	
-	-	-	-	-	1	8	13	27	47	77	57	71	53	76	66	41	44	-	-	F.	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	M. F. .0	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	M. F. .0	
-	-	-	-	4	1	4	3	28	72	139	289	418	554	610	495	328	176	-	-	M. F. .1	
-	-	-	-	-	-	7	12	27	46	77	57	70	53	74	65	41	44	-	-	F.	
-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	1	-	-	M. F. .2	
-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	2	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8	
-	-	-	-	-	-	-	-	-	-	2	11	7	9	15	14	12	8	-	-	M. 163	
-	-	-	-	1	-	-	-	-	4	4	2	2	2	2	2	1	-	-	-	F.	
-	-	-	-	1	-	1	1	-	2	2	4	2	3	3	1	3	-	-	-	M. 164	
-	1	-	-	-	-	-	-	-	3	3	-	1	1	-	1	1	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	1	5	5	4	4	-	-	-	-	M. 165	
-	-	-	-	-	-	-	-	-	2	1	3	2	2	1	5	3	2	-	-	F.	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Malignant neoplasm of breast and genitourinary organs (170-181).	M. 2,551 F. 4,755	39 81	24 30	111 205	73 138	631 1,382	876 1,705	173 244	157 186	174 294	291 487	1 1	1 2
170	Breast	M. 16 F. 2,398	- 42	- 15	- 100	- 73	4 707	7 859	3 113	1 92	1 151	- 244	- -	- 2
171	Cervix uteri	F. 683	15	4	53	25	173	262	28	23	33	66	1	-
172	Corpus uteri	F. 235	1	1	12	4	42	120	8	3	6	38	-	-
173	Other parts of uterus, including chorionepithelioma.	F. 14	1	-	-	-	5	4	3	-	-	1	-	-
174	Uterus, unspecified	F. 200	3	2	1	4	148	8	11	5	15	3	-	-
175	Ovary, Fallopian tube, and broad ligament	F. 722	13	5	19	15	181	261	49	39	53	87	-	-
.0	Ovary	F. 719	13	5	19	15	179	261	49	39	52	87	-	-
.1	Fallopian tube and broad ligament	F. 3	-	-	-	-	2	-	-	-	1	-	-	-
.8	Multiple sites	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	F. -	-	-	-	-	-	-	-	-	-	-	-	-
176	Other and unspecified female genital organs.	F. 71	-	-	1	3	21	32	5	1	5	3	-	-
.0	Vulva	F. 41	-	-	-	1	9	22	3	-	4	2	-	-
.1	Vagina	F. 22	-	-	1	1	8	7	2	1	1	1	-	-
.7	Other specified sites	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.8	Multiple sites	F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.9	Site unspecified	F. 7	-	-	-	1	3	3	-	-	-	-	-	-
177	Prostate	M. 1,443	23	16	69	44	355	469	106	105	103	153	-	-
178	Testis	M. 79	2	1	2	3	20	33	4	2	6	6	-	-
179	Other and unspecified male genital organs	M. 25	1	-	-	-	4	10	8	-	2	-	-	-
.0	Penis	M. 22	1	-	-	-	4	7	8	-	2	-	-	-
.1	Scrotum	M. 2	-	-	-	-	-	2	-	-	-	-	-	-
.7	Other specified sites	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
.8	Multiple sites	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	M. -	-	-	-	-	-	-	-	-	-	-	-	-
180	Kidney	M. 362 F. 216	5 3	2 2	19 7	14 9	98 57	114 57	20 20	23 18	19 17	46 26	1 -	1 -
181	Bladder and other urinary organs	M. 626 F. 216	8 3	5 1	21 12	12 5	150 48	243 102	32 7	26 5	43 14	86 19	- -	- -
.0	Bladder	M. 621 F. 208	8 2	5 1	21 11	12 5	149 46	242 99	32 7	26 5	43 13	83 19	- -	- -
.7	Other urinary organs	M. 5 F. 8	- 1	- -	- 1	- -	1 2	1 3	- -	- -	- 1	3 -	- -	- -
.8	Multiple sites	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Malignant neoplasm of other and unspecified sites (190-199).	M. 1,240 F. 1,041	26 23	14 13	50 50	35 36	335 282	401 352	65 60	67 56	117 69	129 98	- -	1 2
190	Malignant melanoma of skin	M. 77 F. 85	- -	1 -	- 7	3 2	4 15	30 39	8 5	10 5	8 3	13 9	- -	- -
.0	Lips	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Eyelids, including canthi	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Ear and external auricular canal	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -
.3	Other and unspecified parts of face	M. 3 F. 4	- -	- -	- -	- -	1 -	1 2	- -	1 -	- -	- 2	- -	- -
.4	Scalp and neck	M. 9 F. 8	- -	- -	- -	- -	- 1	5 5	- -	1 -	- 2	3 -	- -	- -
.5	Trunk	M. 12 F. 17	- -	- -	- -	2 1	- 2	5 9	2 1	1 -	- 1	2 3	- -	- -
.6	Upper limb	M. 6 F. 6	- -	1 -	- -	- -	- -	2 4	- 1	1 -	- -	2 1	- -	- -
.7	Lower limb	M. 16 F. 17	- -	- -	- 1	- -	1 2	9 12	2 1	1 1	- -	3 -	- -	- -
.8	Multiple sites	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
.9	Site unspecified	M. 30 F. 32	- -	- -	- 6	1 1	2 10	8 7	4 2	5 4	7 -	3 2	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
2	12	6	3	9	9	8	11	17	28	33	86	125	216	276	438	507	464	301	-	M.
-	9	5	3	6	14	15	64	145	303	475	554	548	541	549	493	433	335	263	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	1	4	-	-	M. 170
-	-	-	-	-	2	7	26	86	172	274	315	288	259	253	226	187	166	137	-	F.
-	-	-	-	-	2	4	22	37	64	84	79	88	69	71	61	46	36	20	-	F. 171
-	-	-	-	-	-	-	1	3	4	8	18	30	32	49	38	21	19	12	-	F. 172
-	-	-	-	2	4	3	1	1	2	-	-	-	1	-	-	-	-	-	-	F. 173
-	1	-	-	-	-	-	1	2	11	14	22	21	31	23	17	25	20	12	-	F. 174
-	-	-	1	4	6	1	6	13	36	75	92	88	95	91	91	63	35	25	-	F. 175
-	-	-	1	4	6	1	6	13	36	75	92	87	95	90	91	62	35	25	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .9
-	1	-	-	-	-	-	1	-	2	4	6	-	3	10	7	20	10	7	-	F. 176
-	-	-	-	-	-	-	1	-	1	-	2	-	2	4	3	14	8	6	-	F. .0
-	1	-	-	-	-	-	-	-	1	2	3	-	1	4	3	4	2	1	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	-	F. .9
-	-	1	-	-	-	-	1	-	3	3	19	36	86	154	266	345	318	211	-	M. 177
-	3	1	-	7	8	7	7	9	11	2	4	4	5	-	4	2	3	2	-	M. 178
-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	6	3	4	5	-	M. 179
-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	5	3	4	4	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .9
2	9	4	3	2	1	1	3	6	7	19	33	39	57	42	54	38	30	12	-	M. 180
-	7	5	2	-	-	-	4	2	9	13	15	25	31	32	21	22	15	13	-	F.
-	-	-	-	-	-	-	-	2	6	7	29	42	65	76	105	118	105	71	-	M. 181
-	-	-	-	-	-	-	2	1	3	3	7	8	20	32	49	34	37	37	-	F.
-	-	-	-	-	-	-	2	1	6	7	28	40	65	76	105	117	105	70	-	M. .0
-	-	-	-	-	-	-	-	-	3	3	7	8	19	20	31	46	31	37	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
4	34	34	17	34	24	25	25	32	51	77	107	123	137	142	122	118	76	58	-	M.
6	27	27	27	15	19	14	21	24	50	74	90	89	95	100	103	94	101	65	-	F.
-	-	-	-	-	2	3	4	7	4	6	12	8	5	5	7	9	3	2	-	M. 190
-	-	-	1	2	-	2	5	7	11	8	13	4	8	8	7	4	3	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	M. .3
-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	2	1	1	-	-	M. .4
-	-	-	-	2	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	M. .5
-	-	-	1	-	-	1	2	2	2	3	3	1	1	1	1	1	-	-	-	M. .6
-	-	-	-	-	1	-	-	-	2	-	-	-	1	2	1	-	-	1	-	M. .7
-	-	-	-	-	-	1	1	1	1	1	5	2	-	2	1	1	1	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .9
-	-	-	-	-	1	2	2	3	2	5	6	2	2	1	3	4	1	1	-	M. .9
-	-	-	-	-	-	4	4	4	5	3	5	2	2	1	3	1	-	2	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Malignant neoplasm of other and unspecified sites - Concluded:													
196	Bone	M. 99 F. 56	- -	1 1	7 2	2 4	43 26	30 13	4 -	3 4	3 4	6 2	- -	- -
.0	Bones of the skull and face	M. 13 F. 3	- -	1 -	2 -	- -	6 1	2 1	- -	1 -	- 1	1 -	- -	- -
.1	Lower jaw bone	M. 15 F. 6	- -	- -	1 -	- -	9 3	4 2	- -	- -	1 -	- 1	- -	- -
.2	Vertebral column(excluding sacrum and coccyx)	M. 16 F. 4	- -	- -	- -	1 1	8 2	5 -	- -	1 1	- -	2 -	- -	- -
.3	Ribs, sternum, and clavicle	M. 1 F. 3	- -	- -	- -	- -	- 3	- -	1 -	- -	- -	- -	- -	- -
.4	Long bones of upper limb, and scapula	M. 9 F. 6	- -	- -	1 -	- -	4 3	4 3	- -	- -	- -	- -	- -	- -
.5	Upper limb, short bones	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.6	Pelvic bones, sacrum, coccyx	M. 13 F. 6	- -	- -	1 -	1 1	3 3	7 1	- -	- 1	- -	1 -	- -	- -
.7	Lower limb, long bones	M. 14 F. 18	- -	- 1	1 1	- 1	6 8	5 5	2 -	- 1	- -	- 1	- -	- -
.8	Lower limb, short bones	M. 3 F. -	- -	- -	- -	- -	2 -	- -	1 -	- -	- -	- -	- -	- -
.9	Multiple sites and site unspecified	M. 15 F. 10	- -	- -	1 1	1 1	5 3	3 1	- -	1 1	2 3	2 -	- -	- -
197	Connective tissue	M. 59 F. 65	2 -	- -	1 4	3 2	15 18	20 22	3 5	1 5	5 5	9 4	- -	- -
.0	Head, face, and neck	M. 5 F. 4	- -	- -	- -	- 1	1 1	3 2	1 -	- -	- -	- -	- -	- -
.1	Trunk	M. 12 F. 12	1 -	- -	- -	- -	3 3	3 5	- 1	- -	2 1	3 2	- -	- -
.2	Upper limb (including shoulder)	M. 4 F. 4	- -	- -	1 -	- -	- -	3 -	- 1	- 1	- -	1 1	- -	- -
.3	Lower limb (including hip)	M. 21 F. 26	1 -	- -	- 2	2 -	3 5	8 12	2 1	1 3	1 2	3 1	- -	- -
.8	Multiple sites	M. 2 F. -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- -
.9	Site unspecified	M. 15 F. 19	- -	- -	1 1	1 1	8 9	1 3	- 2	- 1	2 2	2 -	- -	- -
198	Secondary and unspecified malignant neoplasm of lymph nodes.	M. 17 F. 4	- -	- -	- -	- -	6 1	7 2	2 1	1 -	1 -	- -	- -	- -
.0	Head, face, and neck	M. 7 F. 4	- -	- -	- -	- -	3 1	2 2	2 1	- -	- -	- -	- -	- -
.1	Intrathoracic	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Intra-abdominal	M. 2 F. -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -
.3	Axillary and upper limb	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.4	Inguinal and lower limb	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.7	Other specified sites	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.8	Multiple sites	M. 2 F. -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -
.9	Site unspecified	M. 4 F. -	- -	- -	- -	- -	2 -	1 -	- -	- -	1 -	- -	- -	- -
199	Other and unspecified sites	M. 355 F. 325	13 12	5 6	27 18	8 16	84 72	96 112	15 24	31 17	47 26	28 20	- -	1 2
	Neoplasms of lymphatic and haematopoietic tissues (200-205).	M. 1,476 F. 983	24 12	8 2	42 34	36 40	396 236	536 387	78 41	79 42	100 62	175 124	1 1	1 2
200	Lymphosarcoma and reticulosarcoma	M. 365 F. 256	6 2	2 1	15 11	9 6	91 58	141 102	19 13	21 11	25 11	35 40	- -	1 1
.0	Reticulum-cell sarcoma	M. 121 F. 85	- -	- 1	5 6	1 2	29 26	48 25	7 6	9 6	12 3	10 9	- -	- 1
.1	Lymphosarcoma	M. 196 F. 136	5 -	1 -	10 5	4 4	46 25	73 63	11 6	12 4	12 5	21 24	- -	1 -
.2	Other primary malignant neoplasms of lymphoid tissue.	M. 48 F. 35	1 2	1 -	- -	4 -	16 7	20 14	1 1	- 1	1 3	4 7	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																			Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	1	3	3	12	4	1	-	1	3	5	6	9	6	12	4	12	13	4	-	M. 196	
-	2	2	8	5	1	1	1	-	-	2	2	4	3	8	4	5	8	-	-	F. .0	
-	1	-	-	-	1	-	-	-	1	-	-	-	-	3	1	3	2	1	-	M. .1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	F. .2	
-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	2	5	2	-	M. .3	
-	-	1	-	-	-	1	-	1	-	1	2	4	-	2	-	2	2	-	-	F. .4	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .5	
-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F. .6	
-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	2	2	-	-	M. .7	
-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	F. .8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .9	
-	-	-	-	4	-	-	-	-	-	-	1	-	2	1	1	3	-	1	-	M. .0	
-	-	-	2	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	F. .1	
-	-	1	2	3	2	1	-	1	-	1	1	1	-	3	-	2	3	-	-	M. .2	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3	
-	-	-	1	1	3	1	-	-	1	-	2	1	1	2	-	-	2	-	-	M. .4	
-	-	1	1	1	1	1	-	-	-	1	-	-	-	3	1	-	1	-	-	F. .5	
-	2	3	2	2	1	3	-	4	3	4	4	3	5	7	7	9	2	2	-	M. 197	
-	4	3	-	1	2	3	2	-	4	7	4	3	3	3	5	8	7	3	-	F. .0	
-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1	
-	1	-	1	-	1	-	1	-	1	1	1	1	2	1	2	1	2	1	-	F. .2	
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	M. .3	
-	-	-	-	1	1	-	2	1	4	1	1	1	2	2	2	5	-	1	-	F. .4	
-	-	-	1	-	-	-	-	-	-	1	3	3	-	3	1	5	3	2	-	M. .5	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .6	
-	1	-	-	1	-	-	-	-	1	2	2	-	1	3	2	2	-	-	-	M. .7	
1	1	2	-	1	-	-	-	-	2	2	-	3	2	-	2	1	1	1	-	F. .8	
-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	3	4	3	-	-	M. 198	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	-	-	F. .0	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	-	-	M. .1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	F. .2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. .3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .6	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. .8	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. .9	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	F. .0	
-	2	1	3	1	4	3	2	2	7	17	25	26	41	62	57	41	38	23	-	M. 199	
-	-	-	1	1	2	1	2	-	10	12	20	30	31	41	48	47	53	26	-	F. .1	
5	45	47	43	45	39	31	41	39	64	74	101	123	160	158	148	153	109	51	-	M. .2	
4	46	36	21	22	23	21	21	23	43	47	71	72	89	101	121	101	70	51	-	F. .3	
-	-	4	8	7	8	4	7	10	15	20	34	32	51	52	33	41	23	16	-	M. 200	
-	2	4	4	5	1	4	1	11	11	17	21	19	27	33	36	25	22	13	-	F. .4	
-	-	-	1	2	3	2	5	3	8	7	13	9	18	21	10	7	7	5	-	M. .5	
-	-	1	-	1	-	2	-	5	4	2	7	9	9	8	15	9	8	4	-	F. .6	
-	-	4	5	4	5	2	1	6	5	9	18	19	27	26	17	26	13	9	-	M. .7	
-	1	3	3	3	1	2	1	3	5	13	13	7	16	20	15	14	9	7	-	F. .8	
-	-	-	2	1	-	-	1	1	2	4	3	4	6	5	6	8	3	2	-	M. .9	
-	-	-	1	1	-	-	-	3	2	2	1	3	2	5	6	2	5	2	-	F. .0	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
Diseases of other endocrine glands—																
Concluded:																
272	Diseases of pituitary gland	M.	7	—	—	—	—	—	3	3	1	1	2	—	—	—
		F.	8	—	—	—	—	3	3	—	—	1	1	—	—	1
273	Diseases of thymus gland	M.	10	—	—	3	1	2	1	—	—	—	—	3	—	—
		F.	8	—	—	3	1	—	1	2	—	—	—	—	—	1
274	Diseases of adrenal glands	M.	16	1	—	2	—	1	3	1	2	3	3	—	—	—
		F.	14	1	1	—	1	6	3	1	—	—	1	—	—	—
277	Polyglandular dysfunction and other diseases of endocrine glands.	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	1	1	—	—	1	—	—	—	—
	Avitaminoses, and other metabolic diseases (280-289).	M.	155	4	—	8	5	47	58	6	6	7	14	—	—	—
		F.	100	2	1	4	4	35	36	5	1	7	5	—	—	—
280	Beriberi	M.	4	—	—	—	—	3	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
281	Pellagra	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
282	Scurvy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
283	Active rickets	M.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
284	Late effects of rickets	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
285	Osteomalacia	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—	—
286	Other avitaminoses and nutritional deficiency states.	M.	42	1	—	1	2	5	22	5	—	2	4	—	—	—
		F.	23	1	1	—	—	6	10	—	—	—	4	—	—	—
.0	<i>Steatorrhoea and sprue</i>	M.	2	—	—	—	1	—	—	—	—	1	—	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
.5	<i>Malnutrition, unqualified</i>	M.	36	1	—	1	1	3	20	5	—	1	4	—	—	—
		F.	17	1	1	—	—	3	8	—	—	—	3	—	—	—
.6	<i>Kwashiorkor (protein malnutrition)</i>	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—	—
.7	<i>Other and multiple deficiency states</i> ..	M.	4	—	—	—	—	2	2	—	—	—	—	—	—	—
		F.	4	—	—	—	—	2	1	—	—	—	1	—	—	—
287	Obesity, not specified as of endocrine origin.	M.	50	—	—	5	1	26	16	1	1	—	—	—	—	—
		F.	43	—	—	3	1	18	17	3	—	1	—	—	—	—
288	Gout	M.	13	—	—	—	—	2	3	—	—	3	5	—	—	—
		F.	3	—	—	—	—	1	2	—	—	—	—	—	—	—
289	Other metabolic diseases	M.	45	3	—	2	2	10	17	—	4	2	5	—	—	—
		F.	29	1	—	—	2	9	7	2	1	6	1	—	—	—
.0	<i>Lipidosis (disturbance of lipid metabolism).</i>	M.	6	2	—	1	1	—	1	—	—	—	1	—	—	—
		F.	7	—	—	—	1	1	3	1	1	—	—	—	—	—
.1	<i>Amyloidosis</i>	M.	8	1	—	—	1	2	2	—	—	—	2	—	—	—
		F.	4	—	—	—	—	—	2	—	—	1	1	—	—	—
.2	<i>Other</i>	M.	31	—	—	1	—	8	14	—	4	2	2	—	—	—
		F.	18	1	—	—	1	8	2	1	—	5	—	—	—	—
IV. Diseases of the blood and blood-forming organs.			265	6	2	16	7	87	86	7	17	15	21	1	—	—
		F.	288	14	3	9	12	98	88	8	16	24	16	—	—	—
Diseases of blood and blood-forming organs (290-299).			265	6	2	16	7	87	86	7	17	15	21	1	—	—
		F.	288	14	3	9	12	98	88	8	16	24	16	—	—	—
290	Pernicious and other hyperchromic anaemias.	M.	22	—	—	4	—	6	8	—	2	2	—	—	—	—
		F.	32	—	—	2	1	9	11	2	5	2	—	—	—	—
.0	<i>Pernicious anaemia</i>	M.	20	—	—	4	—	5	7	—	2	2	—	—	—	—
		F.	27	—	—	2	1	8	9	2	3	2	—	—	—	—
.1	<i>Subacute combined degeneration of spinal cord.</i>	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	2	—	1	—	—	—	—	—
.2	<i>Other hyperchromic anaemias</i>	M.	2	—	—	—	—	1	1	—	—	—	—	—	—	—
		F.	2	—	—	—	—	1	—	—	1	—	—	—	—	—
291	Iron deficiency anaemias (hypochromic anaemias).	M.	6	—	—	—	—	5	—	—	1	—	—	—	—	—
		F.	12	—	—	—	1	4	5	—	—	1	1	—	—	—

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

- 1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	M. 272	
-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	-	-	F. 273	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 274	
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 277	
1	1	-	-	-	-	1	-	1	-	-	1	1	1	2	1	4	-	2	M. 277	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 280	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 280	
3	8	3	6	2	1	2	2	4	9	8	10	14	14	15	17	18	11	11	M. 281	
9	5	-	-	-	-	1	1	3	6	2	11	8	5	8	15	10	2	12	F. 282	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	M. 283	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 284	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 285	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	F. 286	
1	3	1	1	-	-	-	-	-	1	1	-	4	1	2	7	8	5	7	M. 286	
-	1	-	-	1	-	-	-	-	-	1	2	-	1	3	4	4	-	6	F. 287	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 287	
-	3	1	1	-	-	-	-	-	-	1	-	3	1	2	6	6	5	7	M. 288	
-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	4	3	-	6	F. 289	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 290	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	F. 291	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 292	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 293	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 294	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 295	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 296	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. 297	
2	4	2	5	-	-	1	2	2	1	2	4	2	5	2	6	3	2	-	M. 298	
8	4	-	-	1	1	-	-	1	-	1	3	4	1	-	1	2	1	1	F. 299	
1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 300	
-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F. 301	
-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	3	1	-	-	M. 302	
2	1	-	4	-	-	1	2	1	1	1	3	2	4	2	3	2	2	-	F. 303	
7	1	-	-	-	1	-	-	-	-	-	1	2	1	-	1	2	1	1	M. 304	
11	9	9	6	6	7	1	6	4	6	4	5	15	22	23	28	42	32	29	M. 305	
7	9	7	6	4	2	3	5	2	7	11	14	9	14	30	29	38	41	50	F. 306	
11	9	9	6	6	7	1	6	4	6	4	5	15	22	23	28	42	32	29	M. 307	
7	9	7	6	4	2	3	5	2	7	11	14	9	14	30	29	38	41	50	F. 308	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	4	4	M. 309	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	12	7	7	F. 310	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	4	4	M. 311	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	11	6	7	F. 312	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 313	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	F. 314	
2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	M. 315	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	F. 316	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	VI. Diseases of the nervous system and sense organs.	M. 8,443 F. 8,884	220 184	51 63	407 490	268 288	1,834 2,004	3,047 3,444	478 521	483 408	629 546	1,015 931	- -	11 5
	Vascular lesions affecting central nervous system (330-334).	M. 7,539 F. 8,119	199 169	48 58	364 459	248 267	1,546 1,754	2,767 3,186	431 480	425 372	555 497	950 873	- -	6 4
330	Subarachnoid haemorrhage	M. 316 F. 368	12 7	1 2	18 14	7 7	66 70	108 151	25 25	15 18	18 14	44 60	- -	2 -
331	Cerebral haemorrhage	M. 3,798 F. 4,145	113 92	32 31	218 271	135 139	595 723	1,470 1,720	229 252	213 200	273 247	518 468	- -	2 2
332	Cerebral embolism and thrombosis	M. 2,473 F. 2,524	45 45	12 18	89 117	84 87	705 737	836 892	119 119	137 95	173 172	272 241	- -	1 1
333	Spasm of cerebral arteries	M. 5 F. 1	1 -	- -	1 -	1 -	1 -	- -	- -	- 1	1 -	- -	- -	- -
334	Other and ill-defined vascular lesions affecting central nervous system.	M. 947 F. 1,081	28 25	3 7	38 57	21 34	179 224	353 423	58 84	60 58	90 64	116 104	- -	1 1
	Inflammatory diseases of central nervous system (340-345).	M. 224 F. 215	6 4	- 1	11 12	5 8	70 55	72 72	8 10	14 18	21 14	12 20	- -	5 1
340	Meningitis, except meningococcal and tuberculous.	M. 94 F. 64	3 4	- -	5 2	4 1	24 17	26 23	3 2	10 4	8 3	6 7	- -	5 1
.0	<i>H. influenzae</i>	M. 10 F. 14	- -	- -	- -	- 1	3 2	3 9	1 -	- 1	2 -	1 1	- -	- -
.1	<i>Pneumococcus</i>	M. 19 F. 10	1 -	- -	2 1	- -	1 1	8 6	- -	5 1	2 1	- -	- -	- -
.2	<i>Due to other specified organism</i>	M. 6 F. 5	- -	- -	- -	1 -	- 1	4 2	- -	1 -	- 2	- -	- -	- -
.3	<i>With no organism specified as cause</i>	M. 59 F. 35	2 4	- -	3 1	3 -	20 13	11 6	2 2	4 2	4 2	5 4	- -	5 1
341	Phlebitis and thrombophlebitis of intracranial venous sinuses.	M. 2 F. 2	- -	- -	- -	- 1	1 -	1 1	- -	- -	- -	- -	- -	- -
342	Intracranial and intraspinal abscess	M. 14 F. 5	- -	- -	1 -	- -	4 2	2 -	1 -	2 -	1 1	3 2	- -	- -
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	M. 15 F. 15	- -	- -	- 1	- 1	4 3	7 5	1 1	- 2	2 -	1 2	- -	- -
344	Late effects of intracranial abscess or pyogenic infection.	M. 22 F. 11	2 -	- -	2 2	- 1	11 -	7 7	- 1	- -	- -	- -	- -	- -
A	<i>Hydrocephalus NOS</i>	M. 8 F. 2	2 -	- -	- 1	- -	5 -	1 1	- -	- -	- -	- -	- -	- -
B	<i>Late effects</i>	M. 14 F. 9	- -	- -	2 1	- 1	6 -	6 6	- 1	- -	- -	- -	- -	- -
345	Multiple sclerosis	M. 77 F. 118	1 -	- 1	3 7	1 4	26 33	29 36	3 6	2 12	10 10	2 9	- -	- -
	Other diseases of central nervous system (350-357).	M. 611 F. 499	14 10	3 4	29 18	12 11	185 169	193 173	35 31	43 17	52 32	43 34	- -	- -
350	Paralysis agitans	M. 168 F. 183	3 3	1 2	9 8	2 2	43 48	53 82	9 6	14 3	17 12	17 17	- -	- -
351	Cerebral spastic infantile paralysis	M. 69 F. 56	1 1	- -	4 1	1 2	34 36	17 9	2 1	5 1	2 2	3 3	- -	- -
352	Other cerebral paralysis	M. 63 F. 59	- 2	1 1	2 -	3 2	26 30	24 15	1 3	2 4	2 2	2 -	- -	- -
353	Epilepsy	M. 140 F. 84	5 2	- -	9 2	3 2	47 31	45 24	5 8	8 4	9 7	9 4	- -	- -
.0	<i>Petit mal</i>	M. 2 F. 1	- -	- -	- -	- -	1 -	1 1	- -	- -	- -	- -	- -	- -
.1	<i>Grand mal</i>	M. 11 F. 7	1 -	- -	1 -	- -	3 1	4 4	2 1	- -	- 1	- -	- -	- -
.2	<i>Status epilepticus</i>	M. 23 F. 10	1 -	- -	1 -	1 -	6 3	6 4	- 1	3 1	3 1	2 -	- -	- -
.3	<i>Other and unspecified</i>	M. 104 F. 66	3 2	- -	7 2	2 2	37 27	34 15	3 6	5 3	6 5	7 4	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85+	Not stated
103	61	35	26	30	38	40	46	74	95	161	251	384	560	796	1,186	1,516	1,562	1,479	-	M.
80	56	32	22	25	22	24	44	50	101	144	221	312	487	696	1,084	1,598	1,785	2,101	-	F.
3	1	4	4	5	9	20	27	50	67	118	198	331	501	711	1,114	1,434	1,502	1,440	-	M.
3	4	4	2	10	6	11	28	26	67	115	183	274	437	641	1,013	1,511	1,724	2,060	-	F.
2	-	2	3	1	5	15	12	27	27	35	25	49	37	26	20	17	10	3	-	M. 330
1	1	1	2	6	4	6	10	17	35	40	53	31	47	35	28	24	14	13	-	F.
1	2	1	-	2	4	5	8	16	22	58	115	177	272	378	612	740	701	685	-	M. 331
2	2	1	-	2	1	4	12	9	25	62	104	166	242	347	558	765	881	962	-	F.
-	-	1	-	-	1	1	7	5	14	24	48	92	158	240	370	484	537	494	-	M. 332
-	1	1	-	-	1	1	4	-	4	10	21	61	117	202	303	507	574	717	-	F.
-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	M. 333
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.
-	-	1	-	2	-	-	-	2	4	1	10	13	33	66	112	192	253	258	-	M. 334
-	-	1	-	2	-	-	2	-	3	3	5	16	31	57	124	215	254	368	-	F.
45	28	9	2	5	4	3	6	11	7	21	23	17	10	19	5	7	2	-	-	M.
32	29	8	4	1	5	5	7	9	21	14	20	19	15	8	8	9	1	-	-	F.
36	20	5	1	3	2	-	-	2	2	2	2	5	4	5	1	2	2	-	-	M. 340
29	16	3	2	1	3	-	1	1	1	1	-	-	-	1	1	3	1	-	-	F.
3	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .0
5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
5	2	2	1	1	1	-	-	1	1	-	-	-	-	2	1	1	1	-	-	M. .1
3	-	-	-	-	1	-	-	1	-	1	-	-	-	1	1	2	-	-	-	F.
3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. .2
4	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	F.
25	13	2	-	1	1	-	-	1	1	2	2	2	4	3	-	1	1	-	-	M. .3
17	7	3	2	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 341
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	1	1	-	-	-	1	1	1	1	1	3	-	-	1	1	1	-	-	-	M. 342
1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	3	2	-	1	-	-	1	2	1	1	-	2	1	-	-	-	-	-	-	M. 343
1	3	4	2	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	F.
6	4	1	1	1	1	-	-	1	-	3	1	2	-	-	-	1	-	-	-	M. 344
-	7	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	F.
3	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. A
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
3	2	-	1	-	1	-	-	1	-	2	1	2	-	-	-	1	-	-	-	M. B
-	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	1	2	4	5	3	14	17	8	5	12	3	3	-	-	-	M. 345
-	-	-	-	-	1	4	6	6	18	13	19	19	14	7	7	4	-	-	-	F.
25	28	21	19	18	24	16	11	12	20	20	23	36	47	62	63	72	55	39	-	M.
20	23	18	12	13	11	7	9	13	12	13	17	17	32	45	61	78	58	40	-	F.
-	-	-	-	-	1	-	-	-	-	2	-	7	14	26	28	41	35	14	-	M. 350
-	-	-	-	-	-	-	1	-	-	2	-	3	15	22	38	46	33	23	-	F.
18	18	14	7	5	3	1	1	-	-	1	-	-	1	-	-	-	-	-	-	M. 351
9	17	13	4	6	3	1	-	1	-	-	-	-	1	-	1	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	1	-	3	6	2	6	9	14	11	10	-	M. 352
-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	8	15	16	12	-	F.
4	6	4	10	11	18	15	8	9	10	8	9	10	5	4	2	2	-	5	-	M. 353
2	3	5	7	7	8	6	7	8	8	3	6	1	3	4	1	3	2	-	-	F.
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. .0
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	-	1	1	2	1	-	1	1	1	-	1	1	1	1	-	-	-	-	M. .1
-	-	-	1	1	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	F.
2	2	1	1	1	3	1	2	2	2	3	2	-	-	-	1	-	-	-	-	M. .2
1	-	1	2	-	2	-	-	-	-	1	2	-	-	-	-	-	1	-	-	F.
2	2	3	8	9	13	13	6	6	8	5	6	9	4	4	-	2	-	4	-	M. .3
1	3	4	4	5	5	6	6	7	7	2	4	1	3	3	1	3	1	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
30	4	1	1	1	1	1	2	-	-	1	5	-	2	2	-	1	2	-	-	M.
25	-	2	3	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
28	4	1	1	-	-	-	-	1	-	1	4	-	1	2	-	-	2	-	-	M.
23	-	-	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	F.
1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M.
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	1	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	M.
1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	F.
27	4	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	2	-	-	M.
19	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	F.
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	M.
1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
5	4	7	11	15	34	64	95	345	741	1,356	2,274	3,044	3,834	4,402	5,024	5,241	4,788	4,600	2	M.
6	2	5	5	15	25	35	62	101	184	346	561	926	1,486	2,237	3,267	4,247	4,477	5,767	-	F.
-	-	3	1	-	-	-	-	-	-	1	-	-	-	3	1	1	1	-	-	M.
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	3	1	-	-	-	-	-	-	1	-	-	1	3	1	1	1	-	-	F.
-	-	1	1	1	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	M.
-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	M.
-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	3	8	8	7	28	37	48	67	83	83	73	47	42	27	14	-	M.
-	-	-	-	5	9	13	18	33	33	56	76	91	91	85	72	61	32	29	-	F.
-	-	-	-	-	4	4	4	17	24	25	39	47	36	33	20	22	22	6	-	M.
-	-	-	-	4	6	8	14	27	22	26	45	55	61	43	39	23	17	21	-	F.
-	-	-	-	-	2	1	2	6	4	12	13	11	12	14	4	-	1	-	-	M.
-	-	-	-	-	1	1	2	-	1	5	8	5	5	8	3	9	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	M.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	Chronic rheumatic heart disease—Concluded:															
413	Diseases of pulmonary valve specified as rheumatic.	M. — F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
414	Other endocarditis specified as rheumatic	M. 29 F. 40	—	—	3	2	9	11	1	1	1	1	1	—	—	—
415	Other myocarditis specified as rheumatic	M. 11 F. 4	—	—	1	1	2	4	—	—	—	3	—	—	—	—
416	Other heart disease specified as rheumatic	M. 147 F. 196	2	—	15	7	12	58	9	10	13	21	—	—	—	—
			1	—	15	7	30	96	12	8	10	17	—	—	—	—
	Arteriosclerotic and degenerative heart disease (420-422).	M. 30,183 F. 18,107	444	198	1,238	960	7,310	11,805	1,602	1,437	1,799	3,378	9	3	3	3
			253	134	779	594	4,370	7,465	850	722	857	2,078	3	2	2	2
420	Arteriosclerotic heart disease, including coronary disease.	M. 28,019 F. 15,813	422	182	1,141	846	6,468	11,174	1,519	1,317	1,711	3,227	9	3	3	3
			227	114	679	513	3,379	6,793	761	641	790	1,912	2	2	2	2
.0	Arteriosclerotic heart disease so described.	M. 3,817 F. 3,960	47	23	146	107	492	1,876	145	163	168	646	3	1	1	1
			42	25	149	135	500	2,057	117	139	159	635	1	1	1	1
.1	Heart disease specified as involving coronary arteries.	M. 24,149 F. 11,816	374	159	993	737	5,938	9,293	1,374	1,154	1,541	2,578	6	2	2	2
			185	89	530	377	2,849	4,732	644	501	631	1,276	1	1	1	1
.2	Angina pectoris without mention of coronary disease.	M. 53 F. 37	1	—	2	2	38	5	—	—	2	3	—	—	—	—
			—	—	—	1	30	4	—	1	—	1	—	—	—	—
421	Chronic endocarditis not specified as rheumatic.	M. 271 F. 188	4	1	13	9	66	94	20	19	17	28	—	—	—	—
			2	1	9	3	55	59	14	11	11	23	—	—	—	—
.0	Of mitral valve, specified as nonrheumatic.	M. 13 F. 24	—	—	—	—	9	—	—	2	1	—	—	—	—	—
			—	—	1	—	16	1	1	4	1	—	—	—	—	—
.1	Of aortic valve, not specified as rheumatic.	M. 193 F. 101	4	1	10	3	33	75	19	13	14	21	—	—	—	—
			2	1	2	1	16	42	11	4	8	14	—	—	—	—
.3	Of pulmonary valve, not specified as rheumatic.	M. 5 F. —	—	—	—	—	3	—	—	1	1	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
.4	Other and ill-defined, not specified as rheumatic.	M. 60 F. 63	—	—	3	6	21	19	1	3	1	6	—	—	—	—
			—	—	6	2	23	16	2	3	2	9	—	—	—	—
422	Other myocardial degeneration	M. 1,893 F. 2,106	18	15	84	105	776	537	63	101	71	123	—	—	—	—
			24	19	91	78	936	613	75	70	56	143	1	—	—	—
.0	Fatty degeneration	M. 2 F. 1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
			—	—	—	—	1	—	—	—	—	—	—	—	—	—
.1	With arteriosclerosis	M. 1,092 F. 1,279	12	8	59	70	377	343	40	57	38	88	—	—	—	—
			11	15	74	49	500	414	57	33	29	97	—	—	—	—
.2	Other	M. 799 F. 826	6	7	25	35	399	193	23	44	32	35	—	—	—	—
			13	4	17	29	435	199	18	37	27	46	1	—	—	—
	Other diseases of heart (430-434)	M. 1,188 F. 993	53	8	54	50	249	353	60	125	115	115	1	5	5	3
			44	8	44	25	238	302	66	95	89	78	1	3	3	3
430	Acute and subacute endocarditis	M. 40 F. 21	2	—	2	—	7	15	1	1	4	8	—	—	—	—
			1	—	1	—	3	5	3	—	1	7	—	—	—	—
.0	Acute and subacute bacterial endocarditis.	M. 38 F. 21	1	—	2	—	7	14	1	1	4	8	—	—	—	—
			1	—	1	—	3	5	3	—	1	7	—	—	—	—
.1	Other acute endocarditis	M. 2 F. —	1	—	—	—	—	1	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—
431	Acute myocarditis not specified as rheumatic.	M. 27 F. 10	2	1	—	2	1	8	2	1	2	8	—	—	—	—
			—	—	—	—	1	5	—	1	1	1	—	—	—	—
432	Acute pericarditis specified as nonrheumatic.	M. 6 F. 5	—	—	1	—	—	—	—	—	—	5	—	—	—	—
			—	—	—	—	—	1	1	—	—	3	—	—	—	—
433	Functional disease of heart	M. 286 F. 333	5	2	10	8	110	80	10	14	23	23	—	—	—	1
			7	2	10	9	135	103	15	15	16	21	—	—	—	—
.0	Heart block	M. 112 F. 87	4	—	7	1	35	39	3	7	9	7	—	—	—	—
			3	—	4	2	22	35	5	5	3	8	—	—	—	—
.1	Other disorders of heart rhythm	M. 174 F. 243	1	2	3	7	75	41	7	7	14	16	—	—	—	1
			4	2	6	7	110	68	10	10	13	13	—	—	—	—
.2	Other functional diseases of heart	M. — F. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	3	—	—	—	—	—	—	—	—	—
434	Other and unspecified diseases of heart	M. 829 F. 624	44	5	41	40	131	250	47	109	86	71	1	4	4	4
			36	6	33	16	99	188	47	79	71	46	—	—	—	3
.0	Kyphoscoliotic heart disease	M. 4 F. 10	—	—	—	2	1	1	—	—	—	—	—	—	—	—
			—	—	—	—	2	2	1	1	2	2	—	—	—	—
.1	Congestive heart failure	M. 502 F. 443	25	3	29	17	24	179	34	78	61	51	—	—	—	1
			28	6	27	8	27	150	36	66	54	40	—	—	—	1
.2	Left ventricular failure	M. 78 F. 48	2	—	4	7	41	13	—	5	2	4	—	—	—	—
			1	—	1	4	28	5	2	1	5	—	—	—	—	1
.3	Other disease of heart	M. 27 F. 20	1	—	2	1	5	6	1	5	1	5	—	—	—	—
			—	—	2	2	5	5	1	3	—	2	—	—	—	—
.4	Unspecified disease of heart	M. 218 F. 103	16	2	6	13	60	51	12	21	22	11	1	3	3	1
			7	—	3	2	37	26	7	8	10	2	—	—	—	1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Not stated	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 413
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	2	3	1	7	3	5	4	2	1	-	-	-	-	M. 414
-	-	-	-	1	-	-	-	1	4	5	5	3	4	2	7	5	3	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	1	-	-	-	M. 415
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	F.
-	-	-	-	1	2	2	1	5	7	7	13	18	29	19	18	16	3	6	-	-	-	M. 416
-	-	-	-	-	2	3	2	4	6	19	17	28	20	31	22	24	10	8	-	-	-	F.
2	1	-	4	4	13	34	70	276	655	1,209	2,039	2,705	3,384	3,822	4,319	4,350	3,837	3,459	2	-	-	M. 417
-	-	-	1	2	7	10	19	42	107	219	396	694	1,213	1,829	2,647	3,388	3,392	4,139	-	-	-	F.
-	-	-	2	1	7	31	63	264	634	1,173	1,976	2,611	3,259	3,666	4,052	4,024	3,365	2,890	1	-	-	M. 420
-	-	-	1	-	3	8	16	38	101	204	374	652	1,127	1,702	2,429	2,979	2,910	3,269	-	-	-	F.
-	-	-	-	-	-	-	-	1	4	14	54	69	179	293	499	757	897	1,050	-	-	-	M. 421
-	-	-	-	-	-	-	1	1	3	6	23	50	108	207	421	681	981	1,478	-	-	-	F.
-	-	-	2	1	7	31	63	263	630	1,158	1,919	2,539	3,073	3,362	3,546	3,260	2,458	1,836	1	-	-	M. 422
-	-	-	1	3	8	15	37	98	198	350	600	1,015	1,490	2,000	2,294	2,294	1,788	1,788	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	3	7	11	7	7	10	4	-	-	-	-	M. 423
-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	8	4	10	3	-	-	-	F.
-	1	-	1	-	3	2	1	5	6	19	20	28	43	17	38	26	37	24	-	-	-	M. 424
-	-	-	-	-	-	-	1	1	3	2	7	14	21	13	17	37	34	38	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	3	2	-	-	-	M. 425
-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	2	8	3	-	-	-	F.
-	-	-	1	-	2	-	-	5	4	12	17	25	33	12	30	15	23	12	-	-	-	M. 426
-	-	-	-	-	-	-	-	1	2	1	4	10	14	6	12	18	13	20	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-	M. 427
-	1	-	-	-	1	-	1	-	1	5	3	2	7	5	4	10	10	10	-	-	-	F.
2	-	-	1	3	3	1	6	7	15	17	43	66	82	139	229	300	435	545	1	-	-	M. 428
-	-	-	-	2	4	2	2	3	3	13	15	28	65	114	201	372	448	832	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	M. 429
-	-	-	-	-	1	1	-	-	3	4	14	26	30	65	142	192	258	356	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	3	6	9	27	59	110	226	291	548	-	-	-	M. 430
2	-	-	1	3	2	-	6	7	12	13	29	40	51	74	87	108	177	188	1	-	-	F.
-	-	-	-	2	4	2	2	3	2	10	9	19	38	55	91	146	157	284	-	-	-	M. 431
4	3	2	5	6	10	10	8	15	18	36	44	66	88	113	147	190	200	223	-	-	-	F.
4	2	4	3	3	4	7	3	5	13	16	21	34	38	72	111	176	184	293	-	-	-	M. 432
2	-	-	3	1	3	2	1	1	1	3	4	4	4	5	1	4	1	-	-	-	-	F.
1	-	-	3	1	3	2	1	1	1	2	4	4	4	5	1	4	1	-	-	-	-	M. 433
1	-	-	1	-	2	1	-	1	1	1	2	1	1	1	4	3	2	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. 434
2	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	1	-	-	-	1	1	-	4	2	3	1	1	1	2	1	1	4	-	-	-	M. 435
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 436
1	2	-	1	2	1	2	1	3	4	6	9	15	14	24	37	51	53	61	-	-	-	F.
-	-	2	-	2	1	1	2	1	2	1	2	4	4	7	13	21	20	28	-	-	-	M. 437
-	-	1	-	2	1	-	-	1	1	1	-	2	5	5	11	12	16	29	-	-	-	F.
1	-	-	1	-	1	1	1	2	3	4	5	11	8	17	24	30	33	33	-	-	-	M. 438
-	-	-	-	-	1	1	-	1	1	1	1	4	10	11	23	31	47	63	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 439
-	1	-	1	2	6	4	4	7	11	24	30	44	69	83	106	134	145	158	-	-	-	F.
3	1	1	1	1	3	1	3	10	14	14	19	19	21	43	62	109	118	199	-	-	-	M. 440
-	-	1	-	-	-	2	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	F.
1	-	-	-	1	-	1	1	1	3	8	11	16	31	44	65	88	116	117	-	-	-	M. 441
-	-	-	-	-	1	-	1	1	2	4	7	9	14	30	42	77	97	158	-	-	-	F.
-	-	-	-	-	1	-	-	1	-	1	2	3	7	9	14	11	13	16	-	-	-	M. 442
-	-	-	-	-	-	-	-	-	1	2	-	3	1	3	6	15	6	11	-	-	-	F.
-	1	-	-	-	1	-	-	-	4	1	1	-	6	3	1	5	1	1	-	-	-	M. 443
-	-	-	1	-	1	-	-	-	1	4	2	-	1	-	2	2	3	3	-	-	-	F.
2	-	-	1	1	4	2	3	5	7	14	17	19	27	29	21	29	15	24	-	-	-	M. 444
-	-	-	-	1	-	2	1	1	2	6	7	6	5	9	8	15	12	26	-	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Hypertensive heart disease (440-443)	M. 965	34	30	51	32	300	287	43	53	32	102	1	-
	F. 1,343	34	21	62	51	487	400	45	60	47	136	-	-	
440	Essential benign hypertensive heart disease.	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
441	Essential malignant hypertensive heart disease.	M. 16 F. 10	1 -	- -	- -	1 -	5 5	7 3	- 1	1 -	- 1	1 1	- -	- -
442	Hypertensive heart disease with arteriolar nephrosclerosis.	M. 334 F. 374	11 5	25 13	19 13	13 21	161 236	79 72	4 2	3 2	5 3	13 7	1 -	- -
443	Other and unspecified hypertensive heart disease.	M. 615 F. 958	22 29	5 8	32 49	18 30	134 246	201 325	39 42	49 58	27 43	88 128	- -	- -
	Other hypertensive disease (444-447)	M. 335	8	5	23	12	97	95	20	20	15	40	-	-
	F. 345	8	9	11	13	13	123	118	12	13	17	21	-	-
444	Essential benign hypertension	M. 115 F. 163	5 6	- 2	9 7	7 7	44 64	23 48	9 5	1 2	5 12	12 10	- -	- -
445	Essential malignant hypertension	M. 54 F. 46	3 1	- 1	2 -	1 2	10 18	21 15	1 4	5 3	3 -	8 2	- -	- -
446	Hypertension with arteriolar nephrosclerosis.	M. 164 F. 136	- 1	5 6	12 4	4 4	43 41	51 55	8 3	14 8	7 5	20 9	- -	- -
447	Other hypertensive disease without mention of heart.	M. 2 F. -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
	Diseases of arteries (450-456)	M. 2,215	34	18	98	92	524	762	121	157	172	236	-	1
	F. 1,860	32	18	105	66	471	674	124	96	90	183	1	-	
450	General arteriosclerosis	M. 1,364 F. 1,480	23 25	12 18	62 88	70 52	381 406	418 524	60 93	96 76	106 64	135 133	- 1	1 -
.0	Without mention of gangrene	M. 1,222 F. 1,374	23 24	11 18	54 84	67 46	347 382	361 475	55 90	91 73	91 61	121 120	- 1	1 -
.1	With mention of gangrene as a consequence.	M. 142 F. 106	- 1	1 -	8 4	3 6	34 24	57 49	5 3	5 3	15 3	14 13	- -	- -
451	Aortic aneurysm nonsyphilitic, and dissecting aneurysm.	M. 680 F. 250	8 6	5 -	29 9	16 9	114 43	278 93	49 23	45 12	48 22	88 33	- -	- -
452	Other aneurysm, except of heart and aorta	M. 34 F. 23	1 -	1 -	- 2	- 1	10 7	13 8	4 1	1 -	2 -	2 4	- -	- -
453	Peripheral vascular disease	M. 25 F. 11	- -	- -	2 4	1 1	- 2	15 3	1 -	- -	3 -	3 1	- -	- -
.0	Raynaud's disease	M. 2 F. 2	- -	- -	- -	- -	- 2	2 -	- -	- -	- -	- -	- -	- -
.1	Thrombo-angiitis obliterans	M. 6 F. 2	- -	- -	2 -	- 1	- -	3 -	- -	- -	- -	1 1	- -	- -
.2	Chilblains	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other	M. 17 F. 7	- -	- -	- 4	1 -	- -	10 3	1 -	- -	3 -	2 -	- -	- -
454	Arterial embolism and thrombosis	M. 65 F. 44	- -	- -	2 -	2 1	11 6	23 20	3 4	11 7	7 1	6 5	- -	- -
455	Gangrene of unspecified cause	M. 19 F. 7	1 1	- -	3 1	2 2	2 1	3 1	3 -	1 -	4 1	- -	- -	- -
456	Other diseases of arteries	M. 28 F. 45	1 -	- -	- 1	1 -	6 6	12 25	1 3	3 1	2 2	2 7	- -	- -
	Diseases of veins and other diseases of circulatory system (460-468).	M. 413	8	4	22	12	71	142	47	43	23	40	1	-
	F. 395	10	1	12	6	6	68	163	51	28	20	35	-	1
460	Varicose veins of lower extremities	M. 7 F. 8	- -	- -	- -	- -	2 2	2 3	- -	- 1	2 -	1 2	- -	- -
461	Haemorrhoids	M. 1 F. 2	- -	- -	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	- -
462	Varicose veins of other specified sites	M. 19 F. 12	3 1	- -	1 1	1 -	3 3	4 6	2 -	2 -	- -	3 1	- -	- -
.0	Varicocele	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Varicose veins of oesophagus	M. 19 F. 11	3 1	- -	1 1	1 -	3 3	4 5	2 -	2 -	- -	3 1	- -	- -
.2	Other	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
463	Phlebitis and thrombophlebitis of lower extremities.	M. 47 F. 46	1 -	- -	3 -	1 -	10 13	28 18	1 1	3 2	- 4	- 8	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	1	-	1	3	2	6	8	18	40	56	62	93	142	181	180	172	-	M.
-	-	-	-	-	1	-	3	1	5	8	21	52	69	97	187	238	310	351	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 440
-	-	-	-	-	-	1	-	2	3	2	3	1	-	-	-	2	-	2	-	M. 441
-	-	-	-	-	-	-	-	-	1	1	1	12	22	13	37	67	74	97	-	M. 442
-	-	-	-	-	1	-	2	1	2	2	3	10	10	24	36	55	84	145	-	F.
-	-	-	1	-	-	2	2	3	4	15	29	43	40	80	105	112	106	73	-	M. 443
-	-	-	-	-	1	-	1	-	2	4	18	39	59	71	151	182	224	206	-	F.
-	-	1	-	1	1	1	3	2	9	11	16	21	14	34	35	52	60	74	-	M.
-	-	-	-	-	-	1	1	4	2	14	13	16	14	23	27	55	74	101	-	F.
-	-	-	-	-	-	-	-	-	1	2	5	3	5	14	14	21	24	26	-	M. 444
-	-	-	-	-	-	-	-	-	1	3	2	8	8	12	13	34	35	47	-	F.
-	-	1	-	1	1	1	2	2	7	7	5	9	5	4	4	2	1	2	-	M. 445
-	-	-	-	-	1	1	1	2	1	10	8	4	3	3	3	4	2	4	-	F.
-	-	-	-	-	-	-	1	-	1	2	6	9	4	14	17	29	35	46	-	M. 446
-	-	-	-	-	-	-	-	2	-	1	3	4	3	8	11	17	37	50	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	M. 447
-	-	1	-	1	3	3	3	10	7	18	29	82	163	217	280	373	421	607	-	M.
-	-	-	-	-	3	3	12	6	11	12	15	20	36	82	165	255	431	808	-	F.
-	-	-	-	-	-	-	-	-	1	1	7	21	40	68	132	239	308	547	-	M. 450
-	-	-	-	-	-	-	-	-	2	1	1	9	16	46	105	189	356	755	-	F.
-	-	-	-	-	-	-	-	-	1	1	4	19	36	61	109	220	272	499	-	M. .0
-	-	-	-	-	-	-	-	-	2	1	1	8	14	44	93	172	326	713	-	F.
-	-	-	-	-	-	-	-	-	-	-	3	2	4	7	23	19	36	48	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	12	17	30	42	-	F.
-	-	-	-	-	1	-	2	4	5	8	15	43	107	120	121	116	92	46	-	M. 451
-	-	-	-	1	-	-	2	1	3	2	5	6	11	22	46	59	57	35	-	F.
-	-	1	-	-	-	1	-	2	2	3	3	3	1	7	2	4	2	5	-	M. 452
-	-	-	-	-	-	-	2	1	1	3	3	3	5	2	1	-	3	2	-	F.
-	-	-	-	-	-	-	-	-	-	2	2	1	1	4	7	4	3	1	-	M. 453
-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	3	1	-	F.
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	3	1	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	F.
-	-	-	-	-	-	-	-	-	-	2	1	10	10	12	11	6	11	2	-	M. 454
-	-	-	-	-	-	-	2	1	-	2	3	-	1	4	9	7	6	9	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	3	5	-	M. 455
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	1	-	F.
-	-	-	-	-	3	2	1	4	1	2	1	3	3	3	3	2	2	1	-	M. 456
-	-	-	-	-	3	3	6	3	5	3	6	1	1	2	5	-	1	5	-	F.
1	-	-	-	1	-	5	2	8	7	15	39	31	39	47	53	52	62	51	-	M.
-	-	-	-	3	1	1	6	10	13	20	18	19	25	48	58	74	53	46	-	F.
-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	2	-	1	-	M. 460
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	M. 461
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	2	4	1	3	1	1	2	2	2	-	M. 462
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	3	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	1	-	2	4	1	3	1	1	2	2	2	-	M. .1
-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	1	3	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	1	-	1	2	1	7	5	6	3	8	7	5	1	-	M. 463
-	-	-	-	-	-	-	1	1	3	2	1	1	2	7	14	3	4	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Diseases of veins and other diseases of circulatory system - Concluded:														
464	Phlebitis and thrombophlebitis of other sites.	M. 31 F. 48	-	1	4	1	3	16	1	2	1	2	-	-	
465	Pulmonary embolism and infarction	M. 197 F. 159	2	3	4	7	26	68	31	17	15	23	1	-	
466	Other venous embolism and thrombosis	M. 89 F. 96	2	-	6	1	19	22	11	18	1	9	-	-	
467	Other diseases of circulatory system	M. 19 F. 22	-	-	3	1	7	1	-	1	4	2	-	-	
.0	Hypotension	M. 5 F. 1	-	-	-	1	1	1	-	1	1	-	-	-	
.1	Diseases of capillaries	M. 1 F. 2	-	-	-	-	1	-	-	-	-	-	-	-	
.2	Other and unspecified circulatory diseases.	M. 13 F. 19	-	-	3	-	5	-	-	-	3	2	-	-	
468	Certain diseases of lymph nodes and lymph channels.	M. 3 F. 2	-	-	1	-	1	-	1	-	-	-	-	-	
.0	Chronic lymphadenitis	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Nonspecific mesenteric lymphadenitis	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-	
.2	Lymphadenitis, unqualified	M. - F. 2	-	-	-	-	-	2	-	-	-	-	-	-	
.3	Noninfective diseases of lymphatic channels.	M. 2 F. -	-	-	1	-	-	-	1	-	-	-	-	-	
	VIII. Diseases of the respiratory system	M. 5,821 F. 3,376	118	33	237	146	985	2,136	469	364	447	857	5	24	
	Acute upper respiratory infections (470-475).	M. 42 F. 29	-	1	2	2	8	14	-	3	4	8	-	-	
470	Acute nasopharyngitis (common cold)	M. 1 F. 3	-	-	-	-	1	-	-	-	-	-	-	-	
471	Acute sinusitis	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
472	Acute pharyngitis	M. 4 F. 6	-	-	-	-	3	1	-	-	-	-	-	-	
.0	Sore throat, unqualified	M. - F. -	-	-	-	-	2	3	-	-	1	-	-	-	
.1	Other	M. 4 F. 6	-	-	-	-	3	1	-	-	-	-	-	-	
473	Acute tonsillitis	M. 5 F. 2	-	-	-	1	-	2	-	1	1	-	-	-	
474	Acute laryngitis and tracheitis	M. 20 F. 7	-	-	1	1	4	7	-	1	2	4	-	-	
475	Acute upper respiratory infection of multiple or unspecified sites.	M. 12 F. 11	-	1	1	-	4	-	1	1	1	4	-	-	
	Influenza (480-483)	M. 300 F. 298	8	3	3	7	50	82	17	21	47	57	-	5	
480	Influenza with pneumonia	M. 179 F. 171	4	2	3	4	21	42	9	19	36	36	-	3	
481	Influenza with other respiratory manifestations, and influenza unqualified.	M. 103 F. 118	4	1	-	3	23	33	7	2	8	20	-	2	
482	Influenza with digestive manifestations, but without respiratory symptoms.	M. 9 F. 5	-	-	-	-	1	5	-	-	3	-	-	-	
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms.	M. 9 F. 4	-	-	-	-	5	2	1	-	-	1	-	-	
	Pneumonia (490-493)	M. 3,094 F. 2,273	77	18	127	79	378	1,151	307	200	244	494	3	16	
490	Lobar pneumonia	M. 369 F. 210	12	-	17	6	34	159	32	11	24	74	-	-	
491	Bronchopneumonia	M. 1,884 F. 1,426	31	4	70	52	253	694	210	132	124	308	-	6	
492	Primary atypical pneumonia	M. 194 F. 122	11	-	5	3	15	63	15	11	28	43	-	-	
493	Pneumonia, other and unspecified	M. 647 F. 515	23	14	35	18	76	235	50	46	68	69	3	10	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Not stated	Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	-	-	-	-	-	-	-	2	1	3	1	1	8	4	2	1	4	4	4	-	M. 464
-	-	-	-	2	-	-	2	3	2	3	1	3	1	11	5	5	8	2	-	F.	M. 465
-	-	-	-	1	-	1	1	3	2	6	17	15	15	23	23	29	32	30	-	F.	M. 466
-	-	-	-	-	-	2	1	4	4	9	8	8	9	18	25	28	21	23	-	F.	M. 467
-	-	-	-	1	1	-	2	-	1	3	8	6	5	13	16	10	15	9	-	F.	M. 468
-	-	-	-	-	-	-	1	-	1	-	-	2	2	3	2	1	4	3	-	F.	M. 469
-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	2	1	5	5	-	F.	M. 470
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	1	-	F.	M. 471
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 472
-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	1	2	2	-	F.	M. 473
-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	2	1	4	5	-	F.	M. 474
1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	F.	M. 475
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F.	M. 476
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 477
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 478
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 479
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	F.	M. 480
499	136	32	18	24	23	18	23	42	53	85	172	297	416	619	669	870	896	929	-	F.	M. 481
375	119	46	19	17	15	17	30	50	54	68	68	108	125	171	272	374	524	924	-	F.	M. 482
17	13	-	1	1	-	1	-	1	-	1	-	-	1	2	-	-	2	2	-	F.	M. 483
11	4	2	-	-	-	-	-	-	2	1	-	-	1	-	2	-	2	4	-	F.	M. 484
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 485
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	F.	M. 486
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 487
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	F.	M. 488
-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	-	F.	M. 489
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 490
1	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	1	-	F.	M. 491
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 492
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	M. 493
-	-	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	F.	M. 494
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F.	M. 495
404	88	18	14	15	19	11	15	22	36	34	68	95	127	235	288	434	540	631	-	F.	M. 496
303	73	33	14	13	12	12	20	26	34	31	30	46	62	88	179	238	375	684	-	F.	M. 497
30	11	3	4	3	1	1	3	5	8	8	16	26	32	36	46	40	51	45	-	F.	M. 498
18	5	4	2	2	1	5	4	7	7	7	7	8	13	5	24	22	24	45	-	F.	M. 499
189	43	6	4	5	8	5	11	10	20	21	34	51	69	143	177	292	376	420	-	F.	M. 500
160	40	21	9	7	9	5	11	11	16	17	18	27	33	58	113	167	249	455	-	F.	M. 501
109	15	6	1	3	2	2	1	3	2	-	1	1	7	5	7	8	8	13	-	F.	M. 502
64	12	3	3	2	-	1	1	2	3	1	1	2	2	4	3	4	6	8	-	F.	M. 503
76	19	3	5	4	8	3	-	4	6	5	17	17	19	51	58	94	105	153	-	F.	M. 504
61	16	5	-	2	2	1	4	6	8	6	4	9	14	21	39	45	96	176	-	F.	M. 505

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Bronchitis (500-502)	M. 1,078 F. 276	19 5	6 3	55 8	25 5	257 81	417 97	49 21	61 12	69 18	119 23	- 1	1 2	
500	Acute bronchitis	M. 70 F. 53	2 2	- -	9 1	1 2	12 8	23 23	4 6	4 2	4 1	10 7	- -	1 1	
501	Bronchitis unqualified	M. 84 F. 52	3 2	1 -	3 2	2 2	34 24	18 7	5 1	2 4	7 6	9 3	- 1	- -	
502	Chronic bronchitis	M. 924 F. 171	14 1	5 3	43 5	22 1	211 49	376 67	40 14	55 6	58 11	100 13	- -	- 1	
.0	<i>Bronchitis with emphysema</i>	M. 685 F. 98	10 -	4 3	26 4	16 -	154 26	291 41	27 7	43 2	40 8	74 6	- -	- 1	
.1	<i>Other</i>	M. 239 F. 73	4 1	1 -	17 1	6 1	57 23	85 26	13 7	12 4	18 3	26 7	- -	- -	
	Other diseases of respiratory system (510-527)	M. 1,307 F. 500	14 17	5 4	50 21	33 13	292 146	472 149	96 34	79 29	83 30	179 51	2 -	2 6	
510	Hypertrophy of tonsils and adenoids	M. 4 F. 3	- -	- -	- -	- -	3 2	- -	1 -	- 1	- -	- -	- -	- -	
.0	<i>Without mention of tonsillectomy or adenoidectomy.</i>	M. 1 F. 1	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	
.1	<i>With tonsillectomy or adenoidectomy</i>	M. 4 F. 2	- -	- -	- -	- -	3 1	- -	1 -	- 1	- -	- -	- -	- -	
511	Peritonsillar abscess (quinsy)	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
512	Chronic pharyngitis and nasopharyngitis	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
.1	<i>Chronic nasopharyngitis</i>	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
513	Chronic sinusitis	M. 3 F. 4	- -	- -	- -	- -	- -	- 3	1 -	1 -	- -	1 1	- -	- -	
514	Deflected nasal septum	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
515	Nasal polyp	M. 1 F. 2	- -	- -	- -	- -	- -	- 2	1 -	- -	- -	- -	- -	- -	
516	Chronic laryngitis	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
517	Other diseases of upper respiratory tract	M. 11 F. 18	- -	- -	- -	- 1	3 8	2 6	2 -	2 1	- 1	2 1	- -	- -	
518	Empyema	M. 18 F. 14	- -	- -	1 1	- -	5 6	8 3	1 1	- -	1 2	2 1	- -	- -	
519	Pleurisy	M. 26 F. 13	- -	- 1	2 -	1 -	12 9	7 -	1 1	2 1	1 1	- -	- -	- -	
.0	<i>Without mention of effusion or tuberculosis.</i>	M. 16 F. 6	- -	- 1	2 -	- -	7 4	6 -	- -	1 1	- -	- -	- -	- -	
.1	<i>With effusion with mention of a bacterial cause other than tuberculosis.</i>	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.2	<i>Other specified forms of effusion, except tuberculous.</i>	M. 10 F. 7	- -	- -	- -	1 -	5 5	1 -	1 1	1 -	1 1	- -	- -	- -	
520	Spontaneous pneumothorax	M. 7 F. 3	- -	- -	2 -	- -	1 -	3 2	- -	- 1	- -	1 -	- -	- -	
521	Abscess of lung	M. 29 F. 8	- -	- 1	- 1	1 -	1 -	11 -	3 2	3 -	1 -	9 4	- -	- -	
522	Pulmonary congestion and hypostasis	M. 43 F. 56	2 9	- -	4 6	2 -	6 9	10 16	1 5	7 5	7 2	4 3	- -	- 1	
523	Pneumoconiosis due to silica and silicates (occupational)	M. 57 F. -	- -	- -	7 -	2 -	16 -	17 -	2 -	- -	1 -	12 -	- -	- -	
.0	<i>Silicosis</i>	M. 48 F. -	- -	- -	6 -	2 -	12 -	15 -	2 -	- -	- -	11 -	- -	- -	
.1	<i>Anthracosilicosis</i>	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.2	<i>Asbestosis</i>	M. 2 F. -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	
.3	<i>Other, including pneumoconiosis unspecified.</i>	M. 7 F. -	- -	- -	1 -	- -	2 -	2 -	- -	- -	1 -	1 -	- -	- -	
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin.	M. 4 F. -	- -	- -	1 -	- -	- -	2 -	- -	- -	1 -	- -	- -	- -	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Other diseases of respiratory system—														
	Concluded:														
525	Other chronic interstitial pneumonia	M. 153 F. 93	3 1	1 —	4 6	3 3	17 15	53 33	12 6	6 6	11 7	43 15	— —	— 1	
526	Bronchiectasis	M. 118 F. 85	— 4	2 2	8 4	4 3	22 20	46 25	3 3	5 2	11 8	17 11	— —	— 3	
527	Other diseases of lung and pleural cavity	M. 832 F. 200	9 3	2 —	21 3	20 6	205 76	313 59	68 16	53 12	49 9	88 15	2 —	2 1	
.0	<i>Pulmonary collapse (1 year and over)...</i>	M. 11 F. 13	— —	— —	— —	— 1	6 3	2 6	1 1	2 1	— —	— —	— —	— 1	
.1	<i>Emphysema without mention of bronchi-</i>	M. 707 F. 109	4 1	2 —	14 2	18 5	147 26	278 38	63 9	47 8	46 8	85 12	2 —	1 —	
.2	<i>Other</i>	M. 114 F. 78	5 2	— —	7 1	2 —	52 47	33 15	4 6	4 3	3 1	3 3	— —	1 —	
	IX. Diseases of the digestive system	M. 3,247 F. 2,302	49 33	19 17	121 74	82 57	906 628	1,102 857	174 128	194 103	211 142	381 256	3 2	5 5	
	Diseases of buccal cavity and oesophagus	M. 43 F. 35	— —	2 1	— —	1 1	12 11	14 10	2 2	4 2	1 3	7 5	— —	— —	
530	Dental caries	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.0	<i>Dental caries, unqualified</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
531	Abscesses of supporting structures of	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	
.1	<i>Periodontal (parietal)</i>	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	
.2	<i>Other and unspecified</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
532	Other inflammatory diseases of supporting	M. 2 F. 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
.1	<i>Periodontitis (pyorrhoea, inflammatory)</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.3	<i>Other</i>	M. 2 F. 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
533	Disorders of occlusion, eruption, and tooth	M. — F. 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
.1	<i>Disorders of first dentition</i>	M. — F. 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
.2	<i>Impacted teeth</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
535	Other diseases of teeth and supporting	M. 1 F. 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— —	
536	Stomatitis	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
537	Diseases of salivary glands	M. 1 F. 7	— —	— —	— —	— —	— 2	— 1	— —	— 1	— 2	— 2	— —	— —	
538	Other diseases of buccal cavity	M. 1 F. 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
539	Diseases of oesophagus	M. 37 F. 24	— —	2 1	— —	1 1	10 7	12 9	2 1	4 1	1 1	5 3	— —	— —	
.0	<i>Functional disorders of oesophagus</i>	M. 2 F. 4	— —	— —	— —	— —	— 1	— 2	— —	— —	— 1	— —	— —	— —	
.1	<i>Other</i>	M. 35 F. 20	— —	2 1	— —	1 1	9 6	11 7	2 1	4 1	— —	5 3	— —	— —	
	Diseases of stomach and duodenum (540-	M. 792 F. 302	6 5	2 4	42 9	20 6	194 75	285 108	33 14	54 15	51 21	104 45	1 —	— —	
540	Ulcer of stomach	M. 371 F. 166	4 4	1 1	15 5	9 3	105 46	116 59	17 7	28 6	25 12	51 23	— —	— —	
.0	<i>Without mention of perforation</i>	M. 262 F. 117	1 4	1 1	11 5	7 1	70 29	84 43	15 7	19 6	19 8	35 13	— —	— —	
.1	<i>With perforation</i>	M. 109 F. 49	3 —	— —	4 —	2 2	35 17	32 16	2 —	9 —	6 4	16 10	— —	— —	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated	
2 2	2 1	1 1	-	-	-	-	2	1 1	2 3	3 4	5 4	13 10	23 9	23 8	16 15	26 17	20 10	14 8	-	M. F.	525
-	1 1	-	-	2	1	1 2	1 1	4 9	2 4	2 7	8 2	7 5	15 8	16 10	17 10	11 11	15 6	15 9	-	M. F.	526
9 13	7 7	1 1	-	-	-	-	4 1	3 5	6 1	22 10	38 9	76 22	91 15	140 23	134 7	147 27	100 24	54 35	-	M. F.	527
-	3	-	-	-	-	-	1	1	1	1	2	2	2	2	2	2	2	-	-	M. F.	.0
2	-	1	-	-	-	-	1	3	4	15	31	66	80	120	125	134	85	46	-	M. F.	.1
9 11	7 4	1	-	-	-	-	3 2	1 2	1 1	7 1	6 2	8 7	11 6	19 8	9 2	11 10	13 10	8 14	-	M. F.	.2
167 140	48 44	16 10	12 11	16 13	12 18	14 12	35 33	75 43	126 69	167 101	250 128	281 157	321 196	381 235	395 271	361 264	322 280	247 277	1	M. F.	
1 1	-	1	1	-	1	-	1	1	2	4 3	1	2	2 3	5 3	10 5	3 5	4 4	6 7	-	M. F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	530
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	.0
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	531
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	532
-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	M. F.	.1
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	M. F.	.3
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	533
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	.1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. F.	535
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.	536
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	4	-	M. F.	537
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. F.	538
1	-	-	-	-	-	-	-	-	2	4 3	1	-	2 3	5 2	9 5	3 3	4 3	6 3	-	M. F.	539
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	M. F.	.0
1	-	-	-	-	-	-	-	-	2	4 3	1	-	2 2	5 2	8 4	3 3	3 3	6 1	-	M. F.	.1
3 1	3 2	1	1 2	1	3 2	2 1	6 2	13 3	17 8	31 11	52 18	77 13	82 29	111 33	112 41	115 46	106 42	56 47	1	M. F.	
1 1	1	-	1	-	3 2	1 1	2	5 2	6 4	15 4	21 11	39 6	39 15	52 16	53 25	57 24	44 28	30 27	1	M. F.	540
-	1	-	1	-	2 1	1 1	2	2 2	5 3	13 3	13 9	32 2	27 8	36 11	34 18	34 14	33 23	25 21	-	M. F.	.0
1	-	-	-	-	1	-	-	3	1	2	8	7	12	16	19	23	11	5	-	M. F.	.1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Diseases of stomach and duodenum - Concluded:													
541	Ulcer of duodenum	M. 348	2	1	20	8	64	149	14	21	21	47	1	-
		F. 88	-	2	3	3	13	35	7	7	5	13	-	-
.0	Without mention of perforation	M. 218	2	1	12	5	46	90	8	11	17	26	-	-
		F. 50	-	1	2	1	7	21	2	5	3	8	-	-
.1	With perforation	M. 130	-	-	8	3	18	59	6	10	4	21	1	-
		F. 38	-	1	1	2	6	14	5	2	2	5	-	-
542	Gastrojejunal ulcer	M. 13	-	-	-	1	1	7	1	-	2	1	-	-
		F. 5	-	-	-	-	3	1	-	-	-	1	-	-
.0	Without mention of perforation	M. 10	-	-	-	-	1	5	1	-	2	1	-	-
		F. 4	-	-	-	-	2	1	-	-	1	-	-	-
.1	With perforation	M. 3	-	-	-	1	-	2	-	-	-	-	-	-
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-
543	Gastritis and duodenitis	M. 24	-	-	3	2	9	5	-	1	2	2	-	-
		F. 24	-	-	-	-	7	8	-	1	4	4	-	-
544	Disorders of function of stomach	M. 7	-	-	-	-	5	2	-	-	-	-	-	-
		F. 5	-	-	-	-	2	2	-	-	-	1	-	-
.0	Disorders of gastric secretion	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of gastric motility	M. 2	-	-	-	-	-	2	-	-	-	-	-	-
		F. 3	-	-	-	-	1	1	-	-	-	1	-	-
.2	Other	M. 5	-	-	-	-	5	-	-	-	-	-	-	-
		F. 2	-	-	-	-	1	1	-	-	-	-	-	-
545	Other diseases of stomach and duodenum	M. 29	-	-	4	-	10	6	1	4	1	3	-	-
		F. 14	1	1	1	-	4	3	-	1	-	3	-	-
	Appendicitis (550 - 553)	M. 71	1	-	2	5	23	17	6	3	5	8	-	1
		F. 52	2	-	-	1	19	23	2	1	3	1	-	-
550	Acute appendicitis	M. 69	1	-	2	5	23	17	5	3	4	8	-	1
		F. 50	2	-	-	1	19	21	2	1	3	1	-	-
.0	Without mention of peritonitis	M. 14	-	-	-	-	7	3	-	1	1	2	-	-
		F. 9	-	-	-	-	3	5	-	-	1	-	-	-
.1	With peritonitis	M. 55	1	-	2	5	16	14	5	2	3	6	-	1
		F. 41	2	-	-	1	16	16	2	1	2	1	-	-
551	Appendicitis, unqualified	M. 2	-	-	-	-	-	-	1	-	1	-	-	-
		F. 1	-	-	-	-	-	-	-	-	-	-	-	-
552	Other appendicitis	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	1	-	-	-	-	-	-
553	Other diseases of appendix	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
	Hernia of abdominal cavity (560 - 561)	M. 180	2	2	8	9	37	68	11	7	13	23	-	-
		F. 154	1	1	5	5	43	65	5	7	5	17	-	-
560	Hernia of abdominal cavity without mention of obstruction	M. 94	-	1	5	2	19	39	4	4	5	15	-	-
		F. 82	1	1	4	2	20	36	4	4	2	8	-	-
.0	Inguinal	M. 18	-	-	1	1	5	7	-	1	-	3	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Femoral	M. 1	-	-	-	1	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Umbilical	M. 12	-	-	2	-	-	7	-	1	1	1	-	-
		F. 16	-	-	-	1	5	5	-	2	-	3	-	-
.3	Ventral (incisional)	M. 8	-	-	1	-	3	2	1	-	-	1	-	-
		F. 12	-	-	2	-	2	8	-	-	-	-	-	-
.4	Other specified site	M. 48	-	-	-	-	9	23	3	2	2	9	-	-
		F. 53	1	1	2	1	13	23	3	2	2	5	-	-
.5	Unspecified site	M. 7	-	-	1	-	2	-	-	-	2	1	-	-
		F. 1	-	-	-	-	-	-	1	-	-	-	-	-
561	Hernia of abdominal cavity with obstruction	M. 86	2	1	3	7	18	29	7	3	8	8	-	-
		F. 72	-	-	1	3	23	29	1	3	3	9	-	-
.0	Inguinal	M. 49	1	1	2	4	12	16	5	3	1	4	-	-
		F. 7	-	-	-	-	4	2	-	1	-	-	-	-
.1	Femoral	M. 3	-	-	-	-	-	1	-	-	1	1	-	-
		F. 14	-	-	1	-	6	6	-	-	-	1	-	-
.2	Umbilical	M. 10	1	-	-	1	2	4	-	-	1	1	-	-
		F. 10	-	-	-	-	4	6	-	-	-	-	-	-
.3	Ventral (incisional)	M. 2	-	-	-	-	-	1	-	-	1	-	-	-
		F. 11	-	-	-	1	1	5	1	-	1	2	-	-
.4	Other specified site	M. 11	-	-	-	2	1	4	1	-	2	1	-	-
		F. 23	-	-	-	-	5	9	-	2	1	6	-	-
.5	Unspecified site	M. 11	-	-	1	-	3	3	1	-	2	1	-	-
		F. 7	-	-	-	2	3	1	-	-	1	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
1	1	-	-	-	-	1	3	7	5	11	28	35	37	51	49	47	51	21	-	M. 541
1	-	-	1	-	-	-	1	4	4	5	5	6	7	13	12	14	9	11	-	F.
-	-	-	-	-	-	-	3	4	2	2	3	2	20	34	35	32	28	13	-	M. .0
-	1	-	-	-	-	1	-	3	1	5	10	15	17	17	14	15	23	8	-	M. .1
-	-	-	-	-	-	-	1	-	2	3	2	4	1	6	5	5	3	6	-	F.
-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	1	4	1	-	M. 542
-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	3	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	F.
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	M. .1
1	-	-	-	-	-	-	-	1	3	4	1	-	4	1	1	3	2	3	-	M. 543
-	2	-	-	-	-	-	-	1	-	2	-	-	2	1	3	5	3	5	-	F.
-	1	1	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	M. 544
-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	M. .1
-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	M. .1
-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	1	-	2	-	2	1	-	4	6	7	5	1	-	M. 545
-	-	-	-	1	-	-	-	-	-	-	2	1	2	2	-	3	1	2	-	F.
1	4	4	3	4	1	1	2	1	2	2	5	1	5	6	8	9	11	1	-	M.
1	4	2	2	3	4	-	3	1	2	4	1	3	3	5	6	4	2	2	-	F.
1	3	4	3	4	1	1	2	1	2	4	4	1	5	6	8	9	11	1	-	M. 550
1	4	1	2	3	4	-	3	1	2	1	3	3	3	4	6	4	2	2	-	F.
-	1	1	1	2	-	-	-	-	1	-	-	-	2	1	1	4	1	-	-	M. .0
-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	1	1	-	M. .1
1	2	3	3	2	1	1	2	1	2	1	4	1	3	5	7	5	10	1	-	M. .1
1	4	1	1	3	4	-	2	1	2	4	1	3	2	2	5	3	1	1	-	F.
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 551
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 552
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 553
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
41	-	-	-	1	-	-	-	1	4	5	7	5	13	12	22	17	27	25	-	M.
36	-	-	-	1	-	-	-	1	4	2	6	7	9	14	17	16	27	14	-	F.
33	-	-	-	1	-	-	-	-	2	4	4	3	8	3	9	7	11	8	-	M. 560
31	-	-	-	-	-	-	-	-	2	2	4	4	1	7	5	14	5	-	-	F.
2	-	-	-	1	-	-	-	-	-	1	1	-	2	-	3	2	4	2	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	M. .2
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	F.
-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	1	-	1	1	-	M. .3
-	-	-	-	-	-	-	-	-	2	2	2	1	-	3	2	1	1	-	-	M. .4
22	-	-	-	-	-	-	-	-	1	2	2	2	5	1	3	2	5	3	-	M. .4
17	-	-	-	-	-	-	-	-	2	-	2	3	1	4	5	3	12	4	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	F.
8	-	-	-	-	-	-	-	-	2	1	3	2	5	9	13	10	16	17	-	M. 561
5	-	-	-	1	-	-	-	1	2	-	2	3	8	7	10	11	13	9	-	F.
1	-	-	-	-	-	-	-	-	-	1	2	1	3	1	10	6	11	13	-	M. .0
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	2	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	4	3	-	M. .1
5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	M. .2
2	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	4	-	2	1	-	M. .3
2	-	-	-	1	-	-	-	-	-	-	1	-	-	4	1	1	1	1	-	M. .4
3	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	4	2	4	-	F.
-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	1	1	1	3	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Other diseases of intestines and peritoneum (570-578).	M. 801 F. 743	26 17	4 3	30 30	20 20	189 183	249 263	64 44	65 44	67 51	81 83	2 1	4 4
570	Intestinal obstruction without mention of hernia.	M. 322 F. 291	8 5	1 1	13 11	10 6	84 73	100 109	24 19	24 15	19 20	39 32	- -	- -
.0	Intussusception	M. 5 F. 4	- -	- -	- -	1 -	2 2	1 1	1 -	- -	- -	- 1	- -	- -
.1	Paralytic ileus.....	M. 22 F. 16	- -	- -	- 1	- -	12 9	4 4	1 -	2 -	2 1	1 1	- -	- -
.2	Mesenteric infarction	M. 134 F. 93	3 2	- -	5 2	3 1	31 22	46 34	10 10	8 6	9 7	19 9	- -	- -
.3	Volvulus	M. 60 F. 52	- -	1 1	4 1	2 1	15 13	19 16	5 4	5 4	2 2	7 10	- -	- -
.4	Impaction of intestine	M. 13 F. 20	- -	- -	- -	1 1	6 6	3 9	2 1	1 -	- -	- 3	- -	- -
.5	Other	M. 88 F. 106	5 3	- -	4 7	3 3	18 21	27 45	5 4	8 5	6 10	12 8	- -	- -
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.	M. 213 F. 175	11 7	1 -	6 4	5 4	49 43	62 49	18 10	18 16	21 17	17 20	1 1	4 4
.0	Ages between 4 weeks and 2 years	M. 121 F. 88	8 5	- -	2 1	4 2	27 22	26 19	14 5	15 11	14 10	7 8	1 1	3 4
.1	Ages 2 years and over	M. 92 F. 87	3 2	1 -	4 3	1 2	22 21	36 30	4 5	3 5	7 7	10 12	- -	1 -
572	Chronic enteritis and ulcerative colitis....	M. 121 F. 161	1 2	1 1	4 7	2 5	30 38	41 61	11 9	8 6	10 6	13 26	- -	- -
.0	Regional enteritis	M. 7 F. 8	- 1	- -	1 1	- 1	- 1	4 1	- -	- 1	1 -	1 2	- -	- -
.1	Diverticulitis	M. 75 F. 121	- 1	- -	1 2	2 4	20 29	26 49	6 6	7 4	5 5	8 21	- -	- -
.2	Ulcerative colitis	M. 34 F. 29	1 -	1 1	2 4	- -	8 7	9 11	4 2	1 1	4 1	4 2	- -	- -
.3	Other	M. 5 F. 3	- -	- -	- -	- -	2 1	2 -	1 1	- -	- -	1 -	- -	- -
573	Functional disorders of intestines	M. - F. 2	- -	- -	- -	- -	- 1	- -	- -	- 1	- -	- -	- -	- -
.0	Constipation	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.1	Mucous colitis	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Irritability of colon	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
.3	Other	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
574	Anal fissure and fistula	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
575	Abscess of anal and rectal regions	M. 5 F. 2	- -	- 1	- -	- -	1 -	2 1	- -	- -	1 -	1 -	- -	- -
576	Peritonitis	M. 22 F. 22	3 2	- -	2 2	- 2	5 6	2 7	4 1	1 1	2 1	3 -	- -	- -
577	Peritoneal adhesion	M. 5 F. 5	- -	- -	- 2	- -	2 -	- 1	- 1	2 -	- -	1 1	- -	- -
578	Other diseases of intestines and peritoneum.	M. 112 F. 85	3 1	1 -	5 4	3 3	17 22	42 35	7 4	12 5	14 7	7 4	1 -	- -
	Diseases of liver, gallbladder, and pancreas (580-587).	M. 1,360 F. 1,016	14 8	9 8	39 30	27 24	451 297	469 388	58 61	61 34	74 59	158 105	- 1	- 1
580	Acute and subacute yellow atrophy of liver.	M. 11 F. 30	- -	- -	3 1	- -	3 6	1 11	- 4	2 3	1 3	1 2	- -	- -
581	Cirrhosis of liver	M. 862 F. 485	7 3	2 2	17 13	10 11	295 137	328 213	36 23	23 9	37 20	107 54	- -	- -
.0	Without mention of alcoholism	M. 606 F. 363	7 3	2 2	14 11	8 10	202 107	233 148	28 17	20 9	20 14	72 42	- -	- -
.1	With alcoholism	M. 256 F. 122	- -	- -	3 2	2 1	93 30	95 65	8 6	3 -	17 6	35 12	- -	- -
582	Suppurative hepatitis and liver abscess	M. 3 F. 5	- -	- -	- -	- -	- 1	2 4	- -	1 -	- -	- -	- -	- -
583	Other diseases of liver	M. 40 F. 43	2 1	1 -	2 3	- -	21 16	5 12	1 5	5 1	1 3	2 1	- -	1 -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
108 84	35 31	5 6	4 3	6 1	3 6	7 4	7 5	11 5	19 9	14 14	34 24	37 27	62 49	89 66	91 72	98 87	86 130	85 120	- -	M. F.
8 8	7 3	2 1	2 -	2 -	- 3	3 1	3 1	7 2	7 4	5 7	12 12	12 16	37 20	53 26	42 28	47 43	35 60	38 56	- -	M. F.
1 3	3 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
3 -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	1 -	- -	1 -	2 4	3 1	4 -	3 2	2 2	3 3	- -	M. F.
- 1	1 -	- -	1 -	1 -	1 -	2 1	1 1	4 1	2 1	4 4	5 2	5 4	17 5	27 10	23 11	19 14	17 22	10 16	- -	M. F.
1 3	2 2	1 1	- -	1 -	- -	1 -	- -	2 -	1 1	2 1	3 4	5 4	5 3	8 4	6 7	9 2	5 11	8 9	- -	M. F.
1 -	- -	- -	1 -	- -	1 -	- -	- -	1 -	- -	- -	1 2	- 2	1 1	2 2	1 2	2 5	1 3	2 4	- -	M. F.
2 1	1 -	1 -	- -	- -	- -	1 -	1 -	1 -	4 2	2 2	4 3	1 7	11 7	13 9	8 8	14 20	10 22	15 24	- -	M. F.
98 72	27 26	2 4	1 1	1 1	1 -	1 -	1 1	- 1	1 -	2 1	5 2	6 2	4 6	4 6	11 6	12 9	17 18	19 19	- -	M. F.
98 72	23 16	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
- -	4 10	2 4	1 1	1 1	1 -	1 -	1 1	- 1	1 -	2 1	5 2	6 2	4 6	4 6	11 6	12 9	17 18	19 19	- -	M. F.
2 1	- -	- 1	- -	1 -	2 2	2 2	1 1	3 -	6 -	4 3	10 5	5 6	8 14	13 18	21 23	20 24	17 33	6 28	- -	M. F.
- -	- -	- -	- -	- -	2 -	- -	- -	- -	1 -	1 1	1 -	- -	- -	- -	- 2	- -	- 1	- -	- -	M. F.
- -	- -	- -	- -	- -	- 1	- -	- -	2 -	- -	2 1	5 1	5 4	2 7	11 14	17 22	18 19	11 29	4 24	- -	M. F.
- 1	- -	- -	- -	1 -	2 1	- 1	1 1	1 -	4 -	1 1	7 4	- 1	6 5	2 4	1 1	2 3	5 3	1 2	- -	M. F.
2 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 2	- -	M. F.
- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	M. F.
- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
- 1	- -	- -	- -	1 -	- -	- 1	1 1	- 2	2 1	1 -	1 -	3 2	2 1	4 3	3 4	2 3	2 -	- 3	- -	M. F.
- -	- -	- -	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	2 -	- 1	- -	1 -	- -	- -	M. F.
- 1	1 2	1 -	1 1	1 -	1 1	1 -	1 1	1 -	3 3	2 3	5 5	9 1	9 7	13 13	14 10	15 8	15 17	20 12	- -	M. F.
13 17	6 7	5 2	4 3	5 7	5 5	4 7	19 23	48 33	82 46	111 67	151 79	159 105	157 103	158 114	152 130	119 106	88 75	74 87	- -	M. F.
1 2	- -	- -	- -	- -	- -	- -	- -	5 3	1 2	2 -	- 1	- 4	1 1	2 5	1 5	- 1	1 1	1 -	- -	M. F.
- 7	1 2	- -	1 1	3 3	4 2	2 4	12 12	40 26	67 31	88 53	129 58	129 62	114 63	107 52	76 46	50 36	22 14	17 13	- -	M. F.
- 7	1 2	- -	1 1	3 3	4 -	2 3	9 7	24 12	43 15	50 34	76 40	87 43	82 48	83 43	64 43	43 35	19 14	15 13	- -	M. F.
- -	- -	- -	- -	- -	2 1	1 5	3 7	16 14	24 16	38 19	53 18	42 19	32 15	24 9	12 3	7 1	3 -	2 -	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	2 1	- -	- -	- -	- -	- -	M. F.
3 -	- -	1 -	- -	1 1	- -	- -	- -	1 -	- -	3 2	7 3	3 9	5 3	2 3	5 8	3 5	1 3	1 3	- -	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Diseases of liver, gallbladder, and pancreas - Concluded:														
584	Cholelithiasis	M. F.	174 224	- -	2 3	6 8	4 6	67 75	43 79	6 13	11 9	14 11	21 20	- -	- -
585	Cholecystitis and cholangitis without mention of calculi.	M. F.	79 91	1 1	2 2	5 2	3 4	21 29	26 24	3 2	4 6	9 13	5 8	- -	- -
586	Other diseases of gallbladder and biliary ducts.	M. F.	38 35	2 -	- 1	1 1	2 -	7 6	13 9	2 4	4 3	3 4	4 7	- -	- -
587	Diseases of pancreas	M. F.	153 103	2 3	2 -	5 2	8 3	37 27	51 36	10 10	11 3	9 5	18 13	- 1	- -
.0	Acute pancreatitis	M. F.	116 69	2 1	2 -	4 -	5 2	27 18	39 23	7 9	10 3	6 4	14 9	- -	- -
.1	Chronic pancreatitis	M. F.	9 8	- 1	- -	- -	1 -	2 2	2 4	1 -	1 -	- -	2 1	- -	- -
.2	Other diseases of pancreas	M. F.	28 26	- 1	- -	1 2	2 1	8 7	10 9	2 1	- -	3 1	2 3	- 1	- -
A	Fibrocystic disease	M. F.	22 19	- 1	- -	1 1	2 1	6 4	7 7	2 1	- -	2 1	2 2	- 1	- -
B	Other	M. F.	6 7	- -	- -	- 1	- -	2 3	3 2	- -	- -	1 -	- 1	- -	- -
	X. Diseases of the genito-urinary system	M. F.	1,616 1,048	36 19	11 7	69 52	60 48	496 390	495 311	77 45	81 44	96 51	195 81	- -	- -
	Nephritis and nephrosis (590-594)	M. F.	608 520	12 9	7 6	22 22	27 21	214 233	176 142	30 18	29 17	38 26	53 26	- -	- -
590	Acute nephritis	M. F.	26 14	- -	1 -	- 1	2 1	16 5	4 4	1 1	2 1	- -	- 1	- -	- -
591	Nephritis with oedema, including nephrosis.	M. F.	33 24	- 3	- -	- 2	- 2	12 6	11 4	3 -	2 2	4 2	1 3	- -	- -
592	Chronic nephritis	M. F.	378 330	8 5	5 6	9 14	21 15	103 125	134 103	14 13	19 12	22 17	43 20	- -	- -
593	Nephritis not specified as acute or chronic	M. F.	168 146	4 1	1 -	11 5	4 3	82 95	27 28	12 4	6 2	12 6	9 2	- -	- -
594	Other renal sclerosis	M. F.	3 6	- -	- -	2 -	- -	1 2	- 3	- -	- -	- 1	- -	- -	- -
	Other diseases of urinary system (600-609).	M. F.	580 484	14 10	2 1	26 26	18 22	165 144	183 155	30 26	36 26	24 23	82 51	- -	- -
600	Infections of kidney	M. F.	357 330	9 8	1 1	15 21	7 16	75 66	124 118	19 22	27 18	16 17	64 43	- -	- -
.0	Pyelitis, pyelocystitis, and pyelonephritis.	M. F.	344 319	8 8	1 1	14 19	7 16	72 64	118 116	18 21	27 18	15 16	64 40	- -	- -
.1	Abscess of kidney and perirenal tissue	M. F.	7 5	- -	- -	- -	- -	3 -	4 2	- 1	- -	- 1	- 1	- -	- -
.2	Other	M. F.	6 6	1 -	- -	1 2	- -	- 2	2 -	1 -	- -	1 -	- 2	- -	- -
601	Hydronephrosis	M. F.	14 7	- -	- -	- -	2 -	3 4	5 1	- -	1 -	- 1	3 1	- -	- -
602	Calculi of kidney and ureter	M. F.	44 31	- 2	- -	- -	3 3	16 7	16 13	2 1	1 2	1 2	5 1	- -	- -
603	Other diseases of kidney and ureter	M. F.	66 68	1 -	- -	2 2	- 2	54 53	4 3	1 1	1 3	1 1	2 3	- -	- -
604	Calculi of other parts of urinary system	M. F.	11 9	- -	- -	1 -	1 -	3 8	3 1	1 -	1 -	1 -	- -	- -	- -
605	Cystitis	M. F.	24 16	- -	- -	2 -	1 1	9 3	6 7	- 1	2 2	2 -	2 2	- -	- -
606	Other diseases of bladder	M. F.	16 6	- -	- -	2 -	2 -	- 1	6 4	3 -	- -	1 -	2 1	- -	- -
607	Urethritis (non-venereal).....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
608	Stricture of urethra	M. F.	16 -	- -	- -	1 -	1 -	- -	8 -	3 -	- -	1 -	2 -	- -	- -
609	Other diseases of urethra	M. F.	32 17	4 -	1 -	3 3	1 -	5 2	11 8	1 1	3 1	1 2	2 -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
-	-	-	-	-	-	-	-	1	1	4	6	6	16	24	29	28	32	27	-	M. 584
-	-	-	-	-	2	1	2	2	3	8	7	18	22	31	37	29	29	33	-	F.
-	-	-	-	-	-	-	1	1	1	1	2	4	3	9	15	13	15	14	-	M. 585
-	-	-	-	-	-	-	-	-	2	1	4	4	7	7	18	18	11	19	-	F.
-	-	-	-	-	-	-	1	1	1	-	1	2	5	5	6	9	2	7	-	M. 586
-	-	-	-	-	1	1	1	-	2	-	-	2	1	2	2	6	6	10	-	F.
9	5	4	3	1	1	2	4	5	8	16	6	15	13	7	20	14	13	7	-	M. 587
8	5	2	2	3	-	1	3	2	4	2	6	5	6	13	12	10	10	9	-	F.
-	1	-	-	-	-	2	4	5	5	14	6	14	12	5	18	14	12	4	-	M. .0
-	-	-	-	-	-	1	3	1	4	2	4	4	5	11	10	7	8	9	-	F.
-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	3	-	-	M. .1
-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	2	-	-	F.
9	4	4	3	1	1	-	-	-	1	-	-	-	1	1	1	-	1	-	-	M. .2
8	5	2	2	3	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	F.
9	4	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .A
7	5	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	M. .B
1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	F.
8	6	9	15	9	16	13	18	18	26	51	66	61	105	127	193	282	262	330	1	M. F.
6	10	9	9	17	9	14	23	27	42	42	41	46	83	99	107	134	155	175	-	F.
3	4	8	12	6	15	12	13	11	19	33	41	35	47	43	48	96	76	86	-	M. F.
4	5	6	4	14	6	8	11	14	10	20	20	20	41	41	56	63	84	93	-	F.
-	-	2	2	1	2	-	1	-	1	1	2	-	3	4	3	2	2	-	-	M. 590
-	1	2	1	2	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	F.
1	1	1	3	-	2	-	-	1	4	1	3	1	5	1	2	1	5	1	-	M. 591
1	-	2	1	1	1	-	-	1	1	2	-	1	-	-	4	2	4	3	-	F.
1	1	1	4	5	9	10	10	9	11	26	25	28	25	25	27	55	52	54	-	M. 592
-	3	2	2	7	2	6	9	11	6	14	16	14	27	30	32	35	48	66	-	F.
1	1	4	3	4	2	2	2	1	3	5	11	6	13	13	15	38	17	31	-	M. 593
2	1	-	-	4	3	2	2	2	3	3	3	5	12	11	19	22	29	23	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 594
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	F.
5	2	1	3	3	1	1	5	7	7	16	22	20	38	53	92	89	97	118	-	M. F.
2	5	3	5	2	3	4	10	10	25	16	19	24	42	52	47	68	70	77	-	F.
3	2	-	-	1	1	-	2	6	6	10	14	12	22	33	56	48	58	83	-	M. 600
2	5	2	5	1	2	2	10	7	16	13	15	18	27	29	32	47	45	52	-	F.
3	1	-	-	1	1	-	2	6	6	10	13	12	20	31	54	46	57	81	-	M. .0
2	5	2	5	1	2	2	10	7	16	13	14	18	26	29	31	45	42	49	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	F.
-	-	-	1	1	-	1	-	-	-	-	-	2	2	1	2	2	1	1	-	M. 601
-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	F.
-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	1	1	-	-	M. 602
-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	13	9	5	2	-	F.
1	-	-	1	-	-	-	1	1	-	3	3	3	7	6	8	12	13	7	-	M. 603
-	-	1	-	1	1	1	-	2	7	1	2	4	7	7	5	9	10	10	-	F.
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	4	1	2	-	M. 604
-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	-	1	-	F.
1	-	1	-	1	-	-	-	-	-	-	-	-	2	1	4	3	4	6	-	M. 605
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	6	5	-	F.
-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	3	2	3	4	-	M. 606
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 607
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	2	4	5	-	M. 608
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	2	7	8	6	-	M. 609
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	5	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Diseases of male genital organs (610-617) M.	428	10	2	21	15	117	136	17	16	34	60	-	-
610	Hyperplasia of prostate	M. 389	9	2	19	12	105	125	16	14	30	57	-	-
611	Prostatitis	M. 19	-	-	2	1	7	6	-	1	1	1	-	-
612	Other diseases of prostate	M. 6	1	-	-	-	1	2	1	-	1	-	-	-
613	Hydrocele	M. 4	-	-	-	-	2	-	-	-	1	1	-	-
614	Orchitis and epididymitis	M. 2	-	-	-	-	-	-	-	1	1	-	-	-
615	Redundant prepuce and phimosis	M. -	-	-	-	-	-	-	-	-	-	-	-	-
617	Other diseases of male genital organs	M. 8	-	-	-	2	2	3	-	-	-	1	-	-
	Diseases of breast, ovary, Fallopian tube, and parametrium (620-626). M. F.	- 10	- -	- -	- 1	- 2	- 6	- 1	- -	- -	- -	- -	- -	- -
620	Chronic cystic disease of breast	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
621	Other diseases of breast	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.0	Acute mastitis not associated with lactation. M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Hypertrophy of breast	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
622	Acute salpingitis and oophoritis	F. 2	-	-	-	1	1	-	-	-	-	-	-	-
624	Salpingitis and oophoritis, unqualified	F. 3	-	-	-	-	2	1	-	-	-	-	-	-
625	Other diseases of ovary and Fallopian tube.	F. 1	-	-	1	-	-	-	-	-	-	-	-	-
626	Diseases of parametrium and pelvic peritoneum.	F. 3	-	-	-	1	2	-	-	-	-	-	-	-
	Diseases of uterus and other female genital organs (630-637). F.	34	-	-	3	3	7	13	1	1	2	4	-	-
630	Infective disease of uterus, vagina, and vulva.	F. 3	-	-	1	-	-	2	-	-	-	-	-	-
.0	Cervicitis	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other infective diseases of uterus	F. 1	-	-	1	-	-	-	-	-	-	-	-	-
.2	Vaginitis and vulvitis	F. 2	-	-	-	-	-	2	-	-	-	-	-	-
631	Uterovaginal prolapse	F. 14	-	-	1	1	2	5	-	1	1	3	-	-
632	Malposition of uterus	F. 1	-	-	-	-	1	-	-	-	-	-	-	-
633	Other diseases of uterus	F. 9	-	-	1	2	3	2	-	-	1	-	-	-
634	Disorders of menstruation	F. 6	-	-	-	-	1	4	1	-	-	-	-	-
635	Menopausal symptoms	F. -	-	-	-	-	-	-	-	-	-	-	-	-
637	Other diseases of female genital organs	F. 1	-	-	-	-	-	-	-	-	-	1	-	-
.1	Other	F. 1	-	-	-	-	-	-	-	-	-	1	-	-
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium. F.	135	2	2	2	4	58	36	2	9	6	13	-	1
	Complications of pregnancy (640-649)	F. 48	1	1	1	-	19	11	1	4	2	8	-	-
640	Pyelitis and pyelonephritis of pregnancy	F. -	-	-	-	-	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy.	F. -	-	-	-	-	-	-	-	-	-	-	-	-
642	Toxaemias of pregnancy	F. 32	1	-	1	-	13	7	-	3	1	6	-	-
.0	Hypertensive disease arising during pregnancy.	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Renal disease arising during pregnancy	F. 3	-	-	-	-	2	1	-	-	-	-	-	-
.2	Pre-eclampsia of pregnancy	F. 7	-	-	-	-	1	2	-	1	-	3	-	-
.3	Eclampsia of pregnancy	F. 6	1	-	-	-	2	1	-	1	-	1	-	-
.4	Hyperemesis gravidarum	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other	F. 16	-	-	1	-	8	3	-	1	1	2	-	-
643	Placenta praevia	F. 1	-	-	-	-	-	-	-	1	-	-	-	-
644	Other haemorrhage of pregnancy	F. 1	-	-	-	-	1	-	-	-	-	-	-	-
645	Ectopic pregnancy	F. 6	-	-	-	-	3	1	-	-	-	2	-	-
.0	Without mention of sepsis	F. 4	-	-	-	-	2	1	-	-	-	1	-	-
.1	With sepsis	F. 2	-	-	-	-	1	-	-	-	-	1	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Complications of pregnancy - Concluded:													
646	Anaemia of pregnancy F.	-	-	-	-	-	-	-	-	-	-	-	-	-
648	Other complications arising from pregnancy F.	8	-	1	-	-	-	2	3	1	-	1	-	-
.2	Placental abnormalities not classified F. elsewhere.	1	-	1	-	-	-	-	-	-	-	-	-	-
.3	Other..... F.	7	-	-	-	-	-	2	3	1	-	1	-	-
	Abortion (650-652) F.	13	-	-	-	-	-	3	7	-	-	1	2	-
650	Abortion without mention of sepsis or tox- aemia.	3	-	-	-	-	-	1	1	-	-	-	1	-
.0	Spontaneous or unspecified F.	1	-	-	-	-	-	1	-	-	-	-	-	-
.1	Induced for medical or legal indications F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Induced for other reasons F.	2	-	-	-	-	-	-	1	-	-	-	1	-
.3	Other F.	-	-	-	-	-	-	-	-	-	-	-	-	-
651	Abortion with sepsis F.	9	-	-	-	-	-	2	6	-	-	-	1	-
.0	Spontaneous or unspecified F.	2	-	-	-	-	-	-	1	-	-	-	1	-
.1	Induced for medical or legal indications F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Induced for other reasons F.	6	-	-	-	-	-	2	4	-	-	-	-	-
.3	Other F.	1	-	-	-	-	-	-	1	-	-	-	-	-
652	Abortion with toxæmia, without mention of F. sepsis.	1	-	-	-	-	-	-	-	-	-	1	-	-
.0	Spontaneous or unspecified F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Induced for medical or legal indications F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Induced for other reasons F.	1	-	-	-	-	-	-	-	-	-	1	-	-
.3	Other F.	-	-	-	-	-	-	-	-	-	-	-	-	-
660	Delivery without mention of complication F. (660).	-	-	-	-	-	-	-	-	-	-	-	-	-
	Delivery with specified complication (670- F. 678).	37	1	1	-	1	-	24	5	1	1	-	2	-
670	Delivery complicated by placenta prævia F. or antepartum hæmorrhage.	8	-	-	-	1	-	4	2	-	-	-	-	-
671	Delivery complicated by retained pla- F. centa.	3	-	-	-	-	-	1	-	-	1	-	1	-
672	Delivery complicated by other postpartum F. hæmorrhage.	10	-	-	-	-	-	8	1	1	-	-	-	-
673	Delivery complicated by abnormality of F. bony pelvis.	-	-	-	-	-	-	-	-	-	-	-	-	-
674	Delivery complicated by disproportion or F. malposition of foetus.	-	-	-	-	-	-	-	-	-	-	-	-	-
675	Delivery complicated by prolonged labour F. of other origin.	2	-	-	-	-	-	2	-	-	-	-	-	-
676	Delivery with laceration of perineum, with- out mention of other laceration.	-	-	-	-	-	-	-	-	-	-	-	-	-
677	Delivery with other trauma F.	8	-	-	-	-	-	6	1	-	-	-	1	-
678	Delivery with other complications of child- birth.	6	1	1	-	-	-	3	1	-	-	-	-	-
	Complications of the puerperium (680-689) F.	37	-	-	1	3	-	12	13	-	4	3	1	-
680	Puerperal urinary infection without other F. sepsis.	-	-	-	-	-	-	-	-	-	-	-	-	-
681	Sepsis of childbirth and the puerperium F.	8	-	-	-	1	-	2	3	-	-	1	1	-
682	Puerperal phlebitis and thrombosis F.	11	-	-	1	1	-	3	5	-	1	-	-	-
684	Puerperal pulmonary embolism F.	7	-	-	-	-	-	2	3	-	1	1	-	-
685	Puerperal eclampsia F.	2	-	-	-	-	-	1	1	-	-	-	-	-
686	Other forms of puerperal toxæmia F.	2	-	-	-	-	-	-	1	-	1	-	-	-
687	Cerebral hæmorrhage in the puerperium F.	4	-	-	-	-	-	3	-	-	-	1	-	-
688	Other and unspecified complications of the F. puerperium.	3	-	-	-	1	-	1	-	-	1	-	-	-
.1	Puerperal psychosis F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sudden death from unknown cause in the F. puerperium.	2	-	-	-	1	-	-	-	-	1	-	-	-
.3	Other F.	1	-	-	-	-	-	1	-	-	-	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
Other diseases of skin and subcutaneous tissue - Concluded:														
704	Pemphigus	M. F.	5 3	- -	- -	1 -	- -	1 -	1 1	- -	2 -	- -	- 2	- -
.0	Dermatitis herpetiformis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Other	M. F.	5 3	- -	- -	1 -	- -	1 1	1 1	- -	2 -	- -	2 -	- -
705	Erythematous conditions	M. F.	13 23	- -	- -	1 2	- -	4 9	7 6	- 2	- 1	- 2	1 1	- -
.0	Toxic erythema	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Erythema multiforme (erythema iris)	M. F.	2 -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -
.4	Lupus erythematosus	M. F.	7 22	- -	- -	1 1	- -	2 9	4 6	- 2	- 1	- 2	1 1	- -
.5	Other and unqualified	M. F.	4 1	- -	- -	- 1	- -	1 -	2 -	- -	- -	- -	1 -	- -
706	Psoriasis and similar disorders	M. F.	2 2	- -	- 1	- -	- -	2 -	- 1	- -	- -	- -	- -	- -
.0	Psoriasis	M. F.	2 2	- -	- 1	- -	- -	2 -	- 1	- -	- -	- -	- -	- -
708	Pruritus and related conditions	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Lichenification and lichen simplex chronicus.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
710	Other hypertrophic and atrophic conditions of skin.	M. F.	9 18	- -	- -	- 1	- -	4 6	3 8	- 1	- 1	1 -	1 1	- -
.0	Scleroderma and dermatomyositis	M. F.	8 18	- -	- -	- 1	- -	4 6	3 8	- 1	- 1	1 -	- 1	- -
.1	Keratoderma	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
.5	Other hypertrophic and atrophic conditions of skin.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
711	Other dermatoses	M. F.	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
715	Chronic ulcer of skin	M. F.	14 31	- -	- 1	1 3	1 1	3 9	7 15	1 -	- 1	- 1	- -	- -
716	Other diseases of skin	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -
XIII. Diseases of the bones and organs of movement.		M. F.	187 270	2 7	3 3	12 8	11 13	56 97	60 86	6 8	5 8	12 28	20 12	- -
Arthritis and rheumatism, except rheumatic fever (720-727).		M. F.	96 172	1 4	2 2	6 7	5 6	28 65	32 54	3 5	2 6	7 18	10 5	- -
720	Acute arthritis due to pyogenic organisms	M. F.	4 2	- -	- -	- -	- -	1 1	2 -	- -	1 -	- 1	- -	- -
722	Rheumatoid arthritis and allied conditions	M. F.	54 106	1 2	- -	3 3	2 3	15 29	18 44	3 3	1 6	5 12	6 4	- -
.0	Rheumatoid arthritis	M. F.	50 106	1 2	- -	2 3	2 3	15 29	15 44	3 3	1 6	5 12	6 4	- -
.1	Spondylitis ankylopoietica	M. F.	4 -	- -	- -	1 -	- -	- -	3 -	- -	- -	- -	- -	- -
723	Osteo-arthritis (arthrosis) and allied conditions.	M. F.	22 27	- 1	1 1	- 1	2 1	5 14	9 6	- -	- -	2 2	3 1	- -
.0	Osteo-arthritis (arthrosis)	M. F.	17 27	- 1	1 1	- 1	2 1	5 14	6 6	- -	- -	1 2	2 1	- -
.1	Spondylitis osteo-arthritis (spondylarthrosis).	M. F.	5 -	- -	- -	- -	- -	- -	3 -	- -	- -	1 -	1 -	- -
.2	Adult osteochondrosis of spine	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
724	Other specified forms of arthritis	M. F.	1 3	- -	- -	1 -	- -	- 3	- -	- -	- -	- -	- -	- -
725	Arthritis, unspecified	M. F.	10 31	- 1	1 1	1 3	1 1	4 17	2 4	- 1	- -	- 3	1 -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																			Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Not stated	
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	M. 704
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	F.
1	1	-	3	-	-	3	4	1	2	-	1	2	2	-	2	-	-	1	-	M. 705
-	-	-	1	3	-	-	-	1	4	1	2	2	-	-	1	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	2	-	-	3	4	1	1	-	1	2	2	-	1	-	-	-	-	M. F. .4
-	-	-	1	3	-	-	-	-	4	1	2	2	-	-	1	-	-	-	-	F.
1	1	-	-	-	-	-	-	1	4	1	2	2	-	-	1	-	-	1	-	M. F. .5
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	M. 706
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 708
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	1	-	-	-	-	-	-	-	3	3	-	1	1	-	-	-	-	M. 710
-	-	-	1	-	-	-	1	2	1	1	3	2	3	-	2	1	1	-	-	F.
-	-	-	1	-	-	-	1	2	1	1	2	3	3	1	1	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	1	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 711
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	2	3	3	-	M. 715
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	8	12	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 716
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
2	2	2	4	15	2	1	2	5	5	7	11	13	22	26	15	18	15	20	-	M. F.
7	4	1	3	3	-	-	6	3	8	8	7	19	15	30	31	51	35	39	-	F.
-	-	1	-	1	-	-	-	3	3	3	3	8	13	17	9	11	9	15	-	M. F.
-	-	-	1	1	-	-	-	2	5	4	3	14	14	19	24	34	26	25	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	M. 720
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	F.
-	-	1	-	1	-	-	-	3	3	2	3	3	7	8	5	6	4	8	-	M. 722
-	-	-	-	1	-	-	-	1	4	3	3	9	14	12	15	21	14	9	-	F.
-	-	1	-	1	-	-	-	3	1	2	2	3	6	8	5	6	4	8	-	M. F. .0
-	-	-	-	1	-	-	-	1	4	3	3	9	14	12	15	21	14	9	-	F.
-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	4	6	2	3	4	2	2	-	M. 723
-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	4	6	7	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	3	5	-	3	4	1	1	-	M. F. .0
-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	4	6	7	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 724
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	-	M. 725
-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	6	7	5	7	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	XIV. Congenital malformations	M. 1,212	42	5	61	42	417	373	54	45	81	89	1	2
		F. 1,092	40	6	46	39	407	345	36	33	57	79	-	4
	Congenital malformations (750-759)	M. 1,212	42	5	61	42	417	373	54	45	81	89	1	2
		F. 1,092	40	6	46	39	407	345	36	33	57	79	-	4
750	Monstrosity	M. 64	3	-	6	3	25	18	2	1	4	2	-	-
		F. 120	5	-	5	4	59	34	1	2	3	6	-	1
751	Spina bifida and meningocele	M. 135	7	1	6	8	52	35	7	3	7	9	-	-
		F. 178	5	2	7	9	94	45	5	-	6	4	-	1
A	Without hydrocephalus	M. 62	3	-	2	3	27	14	4	3	4	2	-	-
		F. 68	2	-	4	1	39	16	1	-	4	1	-	-
B	With hydrocephalus.....	M. 73	4	1	4	5	25	21	3	-	3	7	-	-
		F. 110	3	2	3	8	55	29	4	-	2	3	-	1
752	Congenital hydrocephalus	M. 71	1	-	4	3	30	24	2	2	4	1	-	-
		F. 58	1	-	2	2	20	22	2	3	4	1	-	1
753	Other congenital malformations of nervous system and sense organs.	M. 55	3	-	1	2	23	11	4	2	4	5	-	-
		F. 55	2	-	4	1	10	19	5	1	5	8	-	-
.0	Congenital cataract	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	M. 55	3	-	1	2	23	11	4	2	4	5	-	-
		F. 55	2	-	4	1	10	19	5	1	5	8	-	-
754	Congenital malformations of circulatory system.	M. 555	20	3	24	18	189	164	23	26	38	49	1	-
		F. 449	12	2	20	12	145	164	14	19	21	40	-	-
.0	Tetralogy of Fallot	M. 40	-	-	2	1	16	11	2	-	2	6	-	-
		F. 39	2	-	1	1	18	14	-	-	1	2	-	-
.1	Patent ductus arteriosus (Botalli)	M. 35	1	-	1	1	14	11	4	1	-	2	-	-
		F. 33	1	-	1	-	8	20	1	-	-	2	-	-
.2	Interventricular septal defect	M. 64	3	-	2	1	21	18	4	1	6	7	1	-
		F. 50	3	-	2	1	12	16	2	1	2	11	-	-
.3	Interauricular septal defect	M. 29	1	-	1	2	7	11	1	1	1	4	-	-
		F. 29	-	-	-	1	9	12	1	1	1	4	-	-
.4	Fibroelastosis cordis	M. 28	2	-	1	-	12	6	1	1	4	1	-	-
		F. 24	-	-	1	1	10	5	1	-	1	5	-	-
.5	Other and unspecified malformations of heart.	M. 233	8	1	10	8	96	57	5	17	16	15	-	-
		F. 189	5	2	11	8	65	64	3	14	11	6	-	-
.6	Coarctation of aorta	M. 31	1	-	3	3	9	8	-	1	2	4	-	-
		F. 27	1	-	2	-	6	8	2	2	2	4	-	-
.7	Other circulatory malformations	M. 95	4	2	4	2	14	42	6	4	7	10	-	-
		F. 58	-	-	2	-	17	25	4	1	3	6	-	-
755	Cleft palate and harelip	M. 8	-	-	-	-	3	3	-	-	-	2	-	-
		F. 5	1	-	-	-	2	-	1	-	-	1	-	-
756	Congenital malformations of digestive system.	M. 116	3	1	9	4	33	46	2	3	8	7	-	-
		F. 83	5	1	-	3	26	28	3	3	6	7	-	1
.0	Congenital hypertrophic pyloric stenosis	M. 5	-	-	-	-	1	2	1	-	1	-	-	-
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.1	Imperforate anus	M. 13	-	-	-	1	6	2	-	1	1	2	-	-
		F. 1	-	-	-	-	-	1	-	-	-	-	-	-
.2	Other	M. 98	3	1	9	3	26	42	1	2	6	5	-	-
		F. 81	5	1	-	3	25	27	3	3	6	7	-	1
757	Congenital malformations of genito-urinary system.	M. 103	2	-	7	1	23	44	9	3	7	6	-	1
		F. 54	3	1	5	2	19	13	-	1	4	6	-	-
.0	Undescended testicle	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Polycystic disease of kidney	M. 40	-	-	4	1	7	19	4	1	2	2	-	-
		F. 35	2	1	3	1	14	8	-	-	2	4	-	-
.2	Congenital malformations of external genital organs.	M. 2	-	-	-	-	1	1	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	1	-	-	-	-
.3	Other	M. 61	2	-	3	-	15	24	5	2	5	4	-	1
		F. 18	1	-	2	1	5	5	-	-	2	2	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
911 814	111 91	29 31	28 27	18 12	16 10	12 8	10 12	10 14	11 9	10 18	9 9	6 8	9 12	5 5	8 5	3 3	3 1	3 3	- -	M. F.
911 814	111 91	29 31	28 27	18 12	16 10	12 8	10 12	10 14	11 9	10 18	9 9	6 8	9 12	5 5	8 5	3 3	3 1	3 3	- -	M. F.
62 118	1 1	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
110 154	20 17	1 3	3 3	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	M. F.
53 58	5 5	- 2	3 2	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	M. F.
57 96	15 12	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
42 38	20 14	4 3	4 2	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
31 38	9 10	6 1	4 1	1 1	1 -	1 1	1 -	- 1	- 1	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
31 38	9 10	6 1	4 1	1 1	1 -	1 1	1 -	- 1	- 1	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	M. F.
412 299	43 38	16 17	13 18	14 9	13 9	8 6	5 10	7 11	6 3	3 10	4 5	3 5	4 6	2 2	1 1	- -	1 -	- -	- -	M. F.
24 15	1 6	7 4	2 4	1 2	1 3	1 2	- 2	1 1	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
31 24	2 1	- -	- -	1 -	- 1	1 -	- 2	- -	- 1	1 -	- 3	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
43 31	11 8	2 2	1 3	- -	- 1	- -	1 1	1 1	2 -	- -	2 -	1 -	1 -	1 -	- -	- -	- -	- -	- -	M. F.
24 17	2 1	- -	- 1	- 1	- -	- 1	1 1	1 1	1 1	2 2	- -	- -	1 1	1 1	1 1	- -	- -	- -	- -	M. F.
23 13	2 5	- 3	1 -	- 1	- -	- -	- -	- 1	1 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	M. F.
175 137	18 12	6 7	6 7	6 3	8 3	3 1	2 3	- 5	2 1	1 3	2 2	1 2	1 2	1 1	1 -	- -	- -	- -	- -	M. F.
25 24	- -	- -	- 1	2 -	- -	- -	- -	1 1	- 1	1 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	M. F.
67 38	7 5	1 1	3 2	4 2	4 1	2 2	1 1	4 1	- -	- 3	- -	- -	1 2	- -	- -	- -	1 -	- -	- -	M. F.
6 5	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
98 71	9 4	1 2	3 -	- -	- -	- -	1 -	- -	- 1	- 1	- -	- -	- 1	- -	3 1	- 1	- 1	1 -	- -	M. F.
5 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
13 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
80 69	9 4	1 2	3 -	- -	- -	- -	1 -	- -	- 1	- 1	- -	- -	- 1	- -	3 1	- 1	- 1	1 -	- -	M. F.
64 16	1 1	- 2	1 1	3 2	- -	1 1	2 -	1 1	3 3	5 7	4 3	1 3	3 5	3 2	4 3	3 2	2 -	2 2	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
12 6	- -	- -	- 1	1 -	- -	- 1	- -	1 -	2 2	5 7	3 2	1 3	2 5	3 2	4 3	2 2	2 -	2 1	- -	M. F.
2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. F.
50 9	1 1	- 2	1 -	2 2	- -	1 -	1 -	1 1	1 1	- -	1 1	- -	1 -	- -	- -	1 -	- -	1 -	- -	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Birth injuries, asphyxia and infections of newborn—Concluded:														
766	Pemphigus neonatorum	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
.0	Without mention of immaturity	M. F.	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
.5	With immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
767	Umbilical sepsis	M. F.	2 2	— 1	— —	— —	— —	— —	— —	— —	— —	1 1	1 1	— —	— 1
.0	Without mention of immaturity	M. F.	2 1	— —	— —	— —	— —	— —	— —	— —	— —	1 1	1 1	— —	— 1
.5	With immaturity	M. F.	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
768	Other sepsis of newborn	M. F.	25 21	— 1	— —	3 1	— 1	5 3	8 9	3 4	— 1	2 1	3 —	— —	1 —
.0	Without mention of immaturity	M. F.	14 17	— 1	— —	2 1	— 1	4 2	2 7	1 3	— 1	2 1	2 —	— —	1 —
.5	With immaturity	M. F.	11 4	— —	— —	1 —	— —	1 1	6 2	2 1	— —	— —	1 —	— —	— —
769	Neonatal disorders arising from certain M. diseases of the mother during preg- F. nancy.		31 14	— —	2 —	1 2	3 —	10 6	8 3	— —	1 —	3 2	3 1	— —	— —
.0	Attributed to "toxaemia of pregnancy", M. without mention of immaturity.	M. F.	3 1	— —	— —	1 —	— —	2 1	— —	— —	— —	— —	— —	— —	— —
.1	Attributed to maternal diabetes, without M. mention of immaturity.	M. F.	3 —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	— —	— —
.2	Attributed to maternal rubella, without M. mention of immaturity.	M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
.3	Attributed to toxoplasmosis, without M. mention of immaturity.	M. F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
.4	Attributed to other or unspecified dis- M. eases of the mother during pregnancy F. without mention of immaturity.	M. F.	3 1	— —	— —	— —	1 1	1 1	— —	— —	— —	1 —	— —	— —	— —
.5	Attributed to "toxaemia of pregnancy", M. with immaturity.	M. F.	10 9	— —	2 —	— 1	2 —	1 3	3 2	— —	— —	1 2	1 1	— —	— —
.6	Attributed to maternal diabetes, with M. immaturity.	M. F.	3 —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —
.7	Attributed to maternal rubella, with im- M. maturity.	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.8	Attributed to toxoplasmosis, with imma- M. turity.	M. F.	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
.9	Attributed to other or unspecified dis- M. eases of the mother during pregnancy F. with immaturity.	M. F.	6 3	— —	— —	— 1	— —	3 1	1 1	— —	— —	2 —	— —	— —	— —
	Other diseases peculiar to early infancy (770-776).	M. F.	1,663 1,256	83 49	18 13	71 54	56 49	508 400	491 385	68 44	99 64	122 79	137 106	6	4 13
770	Haemolytic disease of newborn (erythro- M. blastosis).	M. F.	100 102	3 2	4 1	8 6	4 1	33 45	23 30	3 2	7 3	7 3	8 9	— —	— —
.0	Erythroblastosis, without mention of M. nervous affection or immaturity.	M. F.	53 44	3 2	3 —	6 4	3 —	14 14	10 15	2 —	3 1	5 3	4 5	— —	— —
.1	Kernicterus, without mention of imma- M. turity.	M. F.	3 2	— —	— —	— —	— —	— 1	— —	1 —	2 —	— —	1 —	— —	— —
.2	Erythroblastosis with disorder of liver M. other than icterus gravis, without F. mention of immaturity.	M. F.	1 1	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —
.5	Erythroblastosis, without mention of ner- M. vous affection but with immaturity.	M. F.	40 55	— —	1 1	2 1	1 1	18 30	11 15	— 2	1 2	2 —	4 3	— —	— —
.6	Kernicterus with immaturity	M. F.	3 —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	— —	— —	— —
.7	Erythroblastosis with disorder of liver M. other than icterus gravis, with imma- F. turity.	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
771	Haemorrhagic disease of newborn	M. F.	44 22	3 —	2 —	2 —	1 1	15 9	12 9	2 1	3 1	3 1	1 —	— —	— —
.0	Without mention of immaturity	M. F.	25 11	2 —	1 —	1 —	— —	8 5	6 4	2 1	2 1	2 —	1 —	— —	— —
.5	With immaturity	M. F.	19 11	1 —	1 —	1 —	1 1	7 4	6 5	— —	1 —	1 1	— —	— —	— —

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Other diseases peculiar to early infancy - Concluded:													
772	Nutritional maladjustment	M. 7	-	-	1	-	3	2	-	-	1	-	-	-
		F. 7	1	-	-	-	2	1	-	-	1	1	-	1
.0	Without mention of immaturity	M. 7	-	-	1	-	3	2	-	-	1	-	-	-
		F. 5	-	-	-	-	2	1	-	-	1	-	-	1
.5	With immaturity	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	1	-	-	-	-	-	-	-	-	1	-	-
773	Ill-defined diseases peculiar to early infancy.	M. 606	41	4	20	12	190	176	30	31	54	45	2	1
		F. 389	29	1	15	10	139	100	22	19	26	22	-	6
.0	Without mention of immaturity	M. 158	7	3	7	4	39	38	13	15	19	12	-	1
		F. 111	5	1	8	7	29	25	6	10	11	5	-	4
.5	With immaturity	M. 448	34	1	13	8	151	138	17	16	35	33	2	-
		F. 278	24	-	7	3	110	75	16	9	15	17	-	2
774	Immaturity with mention of any other subsidiary condition.	M. 27	-	-	1	1	12	10	-	-	2	-	-	1
		F. 25	-	-	4	1	9	8	-	2	1	-	-	-
776	Immaturity unqualified	M. 879	36	8	39	38	255	268	33	58	55	83	4	2
		F. 711	17	11	29	36	196	237	19	39	47	74	-	6
	XVI. Symptoms, senility, and ill-defined conditions.	M. 511	68	9	11	19	83	70	26	37	171	13	-	4
		F. 439	70	5	22	15	91	64	21	41	90	15	1	4
	Symptoms referable to systems or organs (780-789).	M. 94	13	3	1	1	29	16	6	13	8	2	-	2
		F. 61	11	3	1	2	23	4	1	7	6	2	-	1
780	Certain symptoms referable to nervous system and special senses.	M. 8	-	-	-	-	3	2	-	-	-	1	-	2
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.0	Coma and stupor	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions	M. 4	-	-	-	-	-	1	-	-	-	1	-	2
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Jacksonian epilepsy	M. 3	-	-	-	-	3	-	-	-	-	-	-	-
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.4	Abnormal involuntary movement	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses.	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	-	-	-	-	2	-	-	-	-	-	-	-
.8	Encephalopathy	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 2	-	-	-	-	2	-	-	-	-	-	-	-
782	Symptoms referable to cardiovascular and lymphatic system.	M. 71	12	3	1	-	24	6	6	12	6	1	-	-
		F. 45	9	3	-	1	16	3	-	7	4	1	-	1
.4	Acute heart failure, undefined	M. 68	12	3	1	-	22	5	6	12	6	1	-	-
		F. 45	9	3	-	1	16	3	-	7	4	1	-	1
.5	Syncope or collapse	M. 2	-	-	-	-	2	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.6	Oedema and dropsy (not of newborn)	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.7	Enlargement of lymph node	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.8	Splenomegaly	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Shock without mention of trauma	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
783	Symptoms referable to respiratory system	M. 1	-	-	-	-	1	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	-	1	-	-	-
.0	Epistaxis	M. 1	-	-	-	-	1	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Dyspnoea	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	-	1	-	-	-
.3	Cough	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
784	Symptoms referable to upper gastro-intestinal tract.	M. 6	-	-	-	-	-	4	-	1	1	-	-	-
		F. 6	1	-	-	-	2	1	-	-	1	1	-	-
.0	Anorexia	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Nausea and vomiting	M. -	-	-	-	-	-	1	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	-	-	-	-	-
.5	Haematemesis	M. 6	-	-	-	-	-	4	-	1	1	-	-	-
		F. 5	1	-	-	-	2	-	-	-	1	1	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 — Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 772
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 773
389	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 774
278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 774
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
879	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 776
711	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
5	4	2	2	3	2	3	3	4	8	12	17	25	32	36	66	73	71	143	-	M. .5
6	8	1	2	2	1	1	3	5	6	4	5	8	15	26	27	48	77	191	3	F. .5
3	1	2	1	1	1	-	-	1	2	3	7	5	9	4	19	10	5	20	-	M. .5
2	1	-	1	2	-	-	-	1	-	-	1	2	2	8	6	7	9	19	-	F. .5
3	1	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	M. 780
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .2
3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. .4
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .6
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. 781
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	-	1	-	-	-	2	3	4	4	8	3	18	9	3	16	-	M. 782
-	-	-	-	1	-	-	-	1	-	-	1	2	1	7	5	4	7	16	-	F. .4
-	-	-	-	1	1	-	-	1	1	3	4	4	8	2	18	9	2	16	-	M. .4
-	-	-	-	-	-	-	-	1	1	1	1	2	1	7	5	4	7	16	-	F. .5
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 783
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	2	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. .5
-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	M. .5

Deaths from Each Cause for Provinces By Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Symptoms referable to systems or organs—Concluded:													
785	Symptoms referable to abdomen and lower gastro-intestinal tract.	M. 2 F. —	—	—	—	1	—	—	—	—	1	—	—	—
.1	Hepatomegaly	M. 1 F. —	—	—	—	—	—	—	—	—	1	—	—	—
.2	Jaundice (not of newborn)	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
.3	Ascites	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
.4	Flatulence	M. 1 F. —	—	—	—	1	—	—	—	—	—	—	—	—
.6	Diarrhoea, age 2 years and over	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
786	Symptoms referable to genito-urinary system.	M. 1 F. —	—	—	—	—	—	—	1	—	—	—	—	—
.0	Pain referable to urinary system	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
.1	Retention of urine	M. 1 F. —	—	—	—	—	—	—	1	—	—	—	—	—
.5	Oliguria, anuria (not of newborn)	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
788	Other general symptoms	M. 5 F. 6	1	—	—	1	1	2	3	—	—	—	—	—
.0	Dehydration	M. 1 F. 1	—	—	—	—	—	—	1	1	—	—	—	—
.5	Tetany	M. — F. 1	—	1	—	—	—	—	—	—	—	—	—	—
.6	Acidosis	M. 2 F. 2	—	—	—	1	—	1	1	—	—	—	—	—
.8	Pyrexia of unknown origin	M. 2 F. 2	—	1	—	—	1	1	—	—	—	—	—	—
.9	Other specified symptoms not classifiable elsewhere.	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
789	Abnormal urinary constituents of unspecified cause.	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
.4	Haematuria	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
	Senility and ill-defined diseases (790-795).	M. 417 F. 378	55 59	6 2	10 21	18 13	54 68	54 60	20 20	24 34	163 84	11 13	— 1	2 3
790	Nervousness and debility	M. — F. 2	—	—	—	—	—	—	—	—	—	—	—	—
.1	Debility and undue fatigue	M. — F. 2	—	—	—	—	—	—	—	—	—	—	—	—
791	Headache	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
792	Uraemia	M. 37 F. 16	4 1	3 —	1 1	3 —	14 10	8 2	1 —	1 1	1 —	1 1	— —	— —
794	Senility without mention of psychosis	M. 176 F. 229	26 38	— 1	7 18	8 10	18 41	13 30	15 14	20 25	61 40	6 10	— 1	2 1
795	Ill-defined and unknown causes of mortality.	M. 204 F. 131	25 20	3 1	2 2	7 3	22 17	33 26	4 6	3 8	101 44	4 2	— —	— 2
.0	Other ill-defined conditions	M. 8 F. 10	4 2	—	—	—	—	1 4	1 1	1 1	1 —	— 1	— —	— 1
.2	Sudden death (cause unknown)	M. 79 F. 29	—	—	—	6 1	8 2	1 —	— 1	—	62 23	2 1	— —	— 1
.3	Found dead (cause unknown)	M. 4 F. 3	—	—	—	—	1 2	— 1	—	—	1 —	2 —	— —	— —
.4	Died without sign of disease	M. 55 F. 41	4 3	1 —	2 2	1 —	2 2	14 13	1 1	—	30 20	— —	— —	— —
.5	Other, unknown and unspecified causes	M. 58 F. 48	17 15	2 1	—	—	11 7	17 11	2 4	2 7	7 1	— —	— —	— —

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

- 1 year	Age																			Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Not stated	
274 176	449 277	407 241	402 142	966 275	1,077 198	702 155	659 134	636 177	609 172	556 182	598 181	544 187	409 165	360 123	302 150	283 184	265 213	253 357	5 1	M. F.
-	6 2	5 1	8 1	2 2	8 1	6 2	4 -	8 -	5 -	6 1	12 -	11 3	7 2	1 -	4 1	2 -	1 -	1 -	1 -	M. F.
-	-	-	-	-	2	2	1	3	2	1	4	3	3	-	-	-	-	-	-	M. E800 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	M. E801 F.
-	6 2	5 1	8 1	2 2	6 1	4 2	3 -	5 -	3 -	5 1	8 -	8 3	4 2	1 -	4 1	2 -	1 -	1 -	-	M. E802 F.
11 15	145 101	208 137	166 79	613 210	615 137	318 71	275 58	222 69	220 77	185 52	192 79	185 64	136 81	137 49	99 56	94 39	66 25	27 7	-	M. F.
-	2 3	-	1 9	34 9	17 6	13 1	4 2	10 2	9 2	12 1	11 2	15 1	6 -	4 -	5 2	3 -	-	-	-	M. E810 F.
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. E811 F.
1	112 71	167 103	76 35	87 41	30 11	25 6	33 3	28 9	36 13	47 9	40 20	48 11	36 20	54 19	44 24	50 27	46 14	18 4	-	M. E812 F.
-	1	18 3	44 8	15 1	3 1	1	3	2	-	1	4	3	-	2	1	1	-	1	-	M. E813 F.
-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E814 F.
-	-	-	1 1	72 13	25 2	2	1	1	-	2	-	1	2	2	-	-	-	-	-	M. E815 F.
9 10	18 19	18 20	26 19	160 88	231 69	139 46	135 34	104 43	108 45	77 36	90 39	77 42	63 48	47 22	32 21	32 8	16 10	3 3	-	M. E816 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E817 F.
-	-	-	1	2	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	M. E818 F.
-	1	-	-	4	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	M. E819 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. E820 F.
-	-	-	-	17 2	13	2	1	3	1	-	-	1	-	-	-	-	-	-	-	M. E821 F.
-	1 1	-	3 1	26 7	46 5	22 5	19 2	11 3	13 3	8	7 2	3 3	5	5 1	1 1	1 1	-	-	-	M. E822 F.
1 3	8 5	6	11 3	167 43	233 42	104 11	74 10	54 9	49 11	33 4	32 14	30 6	18 13	18 7	12 5	5 2	3 1	3	-	M. E823 F.
-	1 2	2 1	2 2	11 4	6	4	2 3	5 3	2	2	4 2	2	1	1	-	1	-	1	-	M. E824 F.
-	1	3	1	13 2	10 1	4	1 1	4	2 2	2 1	3	3 1	5 -	4	4 3	1 1	1	-	-	M. E825 F.
-	14 11	4 3	2	2	4	9	6	6	4	4 1	3	5	4	1	2 1	1 1	1	1	-	M. F.
-	12 11	4 3	1	1	2	2	2	4	2	1	2	4	4	1	1	1	1	1	-	M. E830 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E831 F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. E832 F.
-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	M. E833 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E834 F.
-	2	-	1	-	2	4	3	2	2	2	1	1	-	-	2	1	-	-	-	M. E835 F.
-	-	-	2 2	1	-	-	1	3	-	-	-	-	1	-	4	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E840 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E841 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	M. E842 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
Other road vehicle accidents - Concluded:														
E843	Accident to rider of pedal cycle not involving collision with motor vehicle.	M. F.	4 1	- -	- -	- -	1 -	1 1	- -	- -	- -	1 -	1 -	- -
E844	Accident to pedestrian caused by other non-motor road vehicle.	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
E845	Other non-motor road vehicle accidents....	M. F.	5 2	- -	- -	- -	- 2	1 1	- -	- 1	- -	- 1	1 1	- -
Water transport accidents (E850-E858)....		M. F.	330 20	20 -	4 -	32 -	12 -	76 6	102 8	21 2	12 -	13 -	38 4	- -
E850	Submersion of occupant of small boat.....	M. F.	281 20	12 -	3 -	24 -	11 -	67 6	95 8	21 2	12 -	13 -	23 4	- -
E851	Other water transport injury by submersion	M. F.	24 -	5 -	- -	3 -	1 -	6 -	2 -	- -	- -	- -	7 -	- -
E852	Fall on stairs and ladders in water transport.	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
E853	Other falls from one level to another in water transport.	M. F.	3 -	- -	- -	1 -	- -	2 -	- -	- -	- -	- -	- -	- -
E854	Falls on same level in water transport....	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E855	Unspecified falls in water transport	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E856	Machinery accident in water transport	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E857	Other specified accidents in water transport.	M. F.	20 -	3 -	1 -	4 -	- -	1 -	5 -	- -	- -	- -	6 -	- -
E858	Water transport accident of unspecified cause.	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
Aircraft accidents (E860-E866)		M. F.	95 14	2 1	- -	3 1	- -	12 3	35 3	6 -	5 -	7 -	21 6	1 -
E860	Accident to personnel in military aircraft	M. F.	9 -	- -	- -	1 -	- -	- -	1 -	2 -	1 -	- -	4 -	- -
E861	Injury to occupant by accident to commercial "transport" aircraft.	M. F.	17 6	1 1	- -	- -	- -	3 -	4 -	3 -	- -	- -	5 5	- 1
E862	Other injury in commercial "transport" aircraft.	M. F.	2 -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
E863	Injury to occupant by accident to other specified aircraft.	M. F.	15 1	- -	- -	1 -	- -	1 -	8 1	1 -	1 -	3 -	- -	- -
E864	Aircraft accident at airfield to person not in aircraft.	M. F.	2 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -
E865	Aircraft accident elsewhere to person not in aircraft.	M. F.	2 -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -
E866	Other and unspecified aircraft accidents	M. F.	48 7	1 -	- -	1 1	- -	8 3	19 2	- -	1 -	4 -	12 1	1 -
Accidental poisoning by solid and liquid substances (E870-E888).		M. F.	187 136	4 -	3 -	3 5	5 3	22 19	59 51	2 7	7 4	8 8	72 39	2 -
E870	- by morphine and other opium derivatives	M. F.	9 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	9 -	- -
E871	- by barbituric acid and derivatives	M. F.	22 45	2 -	- -	- 1	2 -	6 5	6 16	- 3	1 3	1 3	4 14	- -
E872	- by aspirin and salicylates	M. F.	17 12	- -	- -	- 1	2 -	- -	6 6	1 -	2 1	- 1	4 3	2 -
E873	- by bromides	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E874	- by other analgesic and soporific drugs	M. F.	13 7	- -	- -	- -	1 -	2 2	8 4	- -	- -	- -	3 -	- -
E875	- by sulphonamides	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E876	- by strychnine	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
E878	- by other and unspecified drugs	M. F.	9 14	- -	1 -	- -	- 1	2 5	3 6	- -	- -	2 -	1 2	- -
E879	- by noxious foodstuffs	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
E880	- by alcohol	M. F.	54 17	2 -	- -	2 2	- -	4 1	13 3	- 3	3 -	2 1	28 7	- -
E881	- by petroleum products	M. F.	2 1	- -	- -	- 1	- -	1 -	- -	1 -	- -	- -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Accidental poisoning by solid and liquid substances - Concluded:															
E882	-by industrial solvents.....	M. 4 F. -	-	-	1	-	1	1	-	-	-	-	1	-	-
E883	-bycorrosive aromatics, acids, and caustic alkalis.	M. 4 F. 2	-	-	-	1	1	2	1	-	-	-	1	-	-
E884	-by mercury and its compounds	M. 1 F. -	-	-	-	-	-	-	-	-	1	-	-	-	-
E885	-by lead and its compounds	M. 1 F. -	-	-	-	-	-	-	-	-	-	1	-	-	-
E886	-by arsenic and antimony, and their compounds.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
E887	-by fluorides	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
E888	-by other and unspecified solid and liquid substances.	M. 50 F. 37	-	2	-	1	4	20	1	1	2	20	-	-	-
							5	15	1	3	3	13	-	-	-
	Accidental poisoning by gases and vapours (E890 - E895).	M. 119 F. 29	-	-	3	1	25	31	4	10	27	17	-	-	1
E890	-by utility (illuminating) gas.....	M. 25 F. 11	-	-	-	-	8	4	-	3	4	5	-	-	1
E891	-by motor vehicle exhaust gas	M. 78 F. 15	-	-	-	1	15	23	4	6	20	9	-	-	-
E892	-by other carbon monoxide gas	M. 9 F. 2	-	-	2	-	1	2	-	1	1	2	-	-	1
E893	-by cyanide gas.....	M. 1 F. -	-	-	1	-	-	-	-	-	-	-	-	-	-
E894	-by other specified gases and vapours	M. 6 F. 1	-	-	-	-	1	2	-	-	2	1	-	-	-
E895	-by unspecified gases and vapours	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
	Accidental falls (E900 - E904)	M. 885 F. 779	9	3	26	29	193	337	42	41	75	128	-	-	2
E900	Fall on stairs	M. 162 F. 78	-	-	2	6	27	72	9	9	18	19	-	-	-
E901	Fall from ladders	M. 27 F. 2	-	-	-	-	4	18	-	1	1	3	-	-	-
E902	Other falls from one level to another	M. 239 F. 115	3	1	9	8	64	92	4	8	16	32	-	-	2
E903	Fall on same level.....	M. 209 F. 244	1	-	6	6	42	93	14	8	22	17	-	-	-
E904	Unspecified falls	M. 248 F. 340	5	2	9	9	56	62	15	15	18	57	-	-	-
			5	2	13	16	92	104	19	14	13	62	-	-	-
	Other accidents (E910 - E936)	M. 2,551 F. 721	82	12	113	95	756	747	137	124	170	288	6	21	8
E910	Blow from falling or projected object or missile.	M. 240 F. 10	2	-	8	14	65	65	6	13	11	55	-	-	1
E911	Accident caused by vehicle	M. 17 F. -	-	-	2	2	4	4	1	2	1	5	-	-	-
E912	Accident caused by machinery.....	M. 284 F. 19	3	2	9	8	66	73	21	25	38	36	-	-	3
E913	Accident caused by cutting and piercing instruments.	M. 16 F. 1	-	-	-	1	4	5	3	1	-	2	-	-	-
E914	Accident caused by electric current	M. 70 F. 3	2	-	6	4	23	18	2	4	6	5	-	-	-
E915	Accident caused by explosion of pressure vessel.	M. 5 F. -	-	-	-	1	2	-	1	-	-	1	-	-	-
E916	Accident caused by fire and explosion of combustible material.	M. 415 F. 246	9	2	20	19	108	135	26	19	25	45	4	3	3
E917	Accident caused by hot substance, corrosive liquid, and steam.	M. 18 F. 15	2	-	2	-	4	6	-	-	1	3	-	-	1
E918	Accident caused by radiation	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	M. 177 F. 20	5	-	10	8	61	43	12	7	11	19	-	-	1
E920	Foreign body entering eye and adnexa	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation.	M. 247 F. 139	11	1	7	4	57	103	16	8	18	21	-	-	1
E922	Inhalation and ingestion of other object causing obstruction or suffocation.	M. 18 F. 8	-	-	-	-	6	5	2	3	2	-	-	-	-
			-	-	-	-	4	2	1	-	1	1	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	M. E882	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	M. E883	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F.	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. E884	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E885	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E886	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E887	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	2	-	-	-	2	4	4	9	9	6	6	4	3	-	1	-	-	-	M. E888	
-	1	-	-	1	1	4	4	2	7	6	4	4	1	-	-	-	-	-	F.	
1	1	2	-	14	14	13	8	13	6	9	5	4	5	8	1	1	-	-	M.	
1	-	-	-	12	1	2	1	3	3	1	1	1	1	-	1	-	-	-	F.	
-	-	-	-	2	1	4	1	2	3	-	3	3	1	4	-	1	-	-	M. E890	
1	-	-	-	2	1	1	2	3	1	1	1	-	1	-	1	-	-	-	F.	
-	1	1	-	9	11	7	6	10	5	5	2	4	3	3	1	-	-	-	M. E891	
-	-	-	-	10	1	1	1	1	2	-	-	-	-	-	-	-	-	-	F.	
-	-	2	-	1	-	1	-	1	1	-	1	-	1	1	-	-	-	-	M. E892	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M. E893	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	M. E894	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E895	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
12	28	10	12	14	27	20	29	29	27	38	48	39	59	64	78	136	186	-	M.	
7	12	3	2	1	1	3	1	7	6	12	15	15	32	45	117	161	321	-	F.	
-	8	1	1	2	-	-	5	6	9	8	7	15	18	12	16	26	13	-	M. E900	
-	5	-	1	-	-	-	-	-	3	4	7	10	8	5	12	9	9	-	F.	
-	-	1	-	-	1	1	-	1	1	1	3	2	5	4	1	4	1	-	M. E901	
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	F.	
6	13	7	5	8	24	18	21	14	14	9	15	13	12	7	5	12	28	-	M. E902	
7	2	1	-	-	1	3	-	2	1	1	1	2	2	5	14	21	51	-	F.	
1	2	-	2	3	-	-	2	4	3	5	8	11	6	10	19	27	38	-	M. E903	
-	2	1	1	-	-	-	-	4	1	3	4	1	4	10	19	34	58	-	F.	
5	5	1	4	1	2	1	1	4	2	4	7	6	14	22	29	56	76	-	M. E904	
-	3	1	-	1	-	-	1	1	-	3	6	4	12	16	57	73	159	-	F.	
239	225	161	168	209	216	169	139	158	146	131	131	124	93	65	61	55	34	25	2	M.
147	128	87	54	24	11	18	18	23	20	38	12	25	20	19	24	15	19	18	1	F.
-	4	8	3	6	27	24	31	33	20	22	18	21	14	4	3	1	-	1	-	M. E910
-	4	4	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	F.
-	-	-	1	1	1	2	-	2	3	1	1	4	-	-	-	-	-	-	-	M. E911
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	15	4	8	25	36	20	16	28	28	16	26	21	16	8	4	5	4	3	-	M. E912
-	5	4	1	1	-	1	-	1	1	2	1	1	1	-	-	-	-	-	-	F.
-	2	1	-	-	2	2	-	-	2	2	1	2	1	-	1	-	-	-	-	M. E913
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	1	2	3	5	13	13	6	7	7	4	4	3	2	-	-	-	-	-	-	M. E914
-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	M. E915
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
7	60	34	18	9	25	22	25	26	27	19	19	24	17	21	20	16	15	11	-	M. E916
11	50	44	9	6	5	3	10	6	9	16	5	10	11	10	14	10	7	10	-	F.
2	7	-	-	2	1	-	-	-	1	-	-	-	1	-	-	1	-	2	-	M. E917
2	4	2	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E918
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	3	7	22	30	24	17	9	14	10	9	11	9	5	2	4	1	-	-	-	M. E919
-	3	3	4	2	2	3	-	-	-	2	-	-	-	-	1	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E920
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
146	25	2	2	4	1	4	6	5	3	6	6	7	3	6	5	12	3	1	-	M. E921
86	10	-	6	-	2	3	1	3	2	6	2	5	2	3	5	2	1	-	-	F.
7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E922
2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Suicide (E970-E979)	M. 1,282	15	7	61	19	274	474	79	67	113	168	3	2	
	F. 432	-	1	8	6	91	186	23	10	33	72	1	1		
E970	- poisoning by analgesic and soporific substances.	M. 102	-	-	1	-	21	51	6	5	2	15	-	1	
		F. 148	-	-	1	1	34	68	7	3	6	27	1	-	
E971	- poisoning by other solid and liquid substances.	M. 45	-	-	1	-	7	17	4	1	5	10	-	-	
		F. 35	-	1	1	-	6	16	-	2	1	8	-	-	
E972	- poisoning by gases in domestic use	M. 2	-	-	-	-	1	-	-	-	-	1	-	-	
		F. 1	-	-	-	-	-	-	-	-	-	1	-	-	
E973	- poisoning by other gases	M. 124	1	1	1	1	11	52	11	7	16	23	-	-	
		F. 31	-	-	-	-	2	20	3	-	4	2	-	-	
E974	- by hanging and strangulation	M. 298	6	6	13	7	90	94	14	17	19	32	-	-	
		F. 58	-	-	1	-	15	23	5	2	6	6	-	-	
E975	- by submersion (drowning)	M. 79	1	-	2	2	31	25	4	1	6	6	1	-	
		F. 49	-	-	2	2	10	20	3	1	2	9	-	-	
E976	- by firearms and explosives.....	M. 554	7	-	40	8	98	199	33	35	61	70	2	1	
		F. 55	-	-	2	2	11	17	3	1	8	11	-	-	
E977	- by cutting and piercing instruments	M. 26	-	-	2	-	4	11	2	-	2	5	-	-	
		F. 19	-	-	1	-	3	8	-	1	3	3	-	-	
E978	- by jumping from high place.....	M. 26	-	-	1	-	5	10	2	1	2	5	-	-	
		F. 12	-	-	-	-	5	2	1	-	1	2	-	1	
E979	- by other and unspecified means.....	M. 26	-	-	-	1	6	15	3	-	-	1	-	-	
		F. 24	-	-	-	1	5	12	1	-	2	3	-	-	
	Homicide and injury purposely inflicted M. 158	2	2	5	5	38	37	9	9	17	33	-	1		
	by other persons (not in war) (E980- F. 93)	-	-	5	-	21	31	5	6	8	16	-	1		
E980	Nonaccidental poisoning by another person.	M. 3	-	-	2	-	1	-	-	-	-	-	-	-	
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	
E981	Assault by firearm and explosive	M. 64	-	-	3	3	17	13	5	6	10	-	-	1	
		F. 34	-	-	5	-	3	14	1	2	5	-	-	1	
E982	Assault by cutting and piercing instruments.	M. 21	2	-	-	-	4	5	1	1	6	-	-	-	
		F. 10	-	-	-	-	1	3	-	2	4	-	-	-	
E983	Assault by other means	M. 68	-	2	-	2	16	18	3	2	9	16	-	-	
		F. 49	-	-	-	-	17	14	4	2	7	7	-	-	
E984	Injury by intervention of police.....	M. 2	-	-	-	-	-	1	-	-	-	1	-	-	
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	
E985	Execution	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	
	Injury resulting from operations of war M. -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(E990-E999) .	F. -	-	-	-	-	-	-	-	-	-	-	-	-	
	NXVII. Accidents, poisonings, and violence M. 9,756	216	60	426	353	2,749	3,070	459	471	743	1,159	16	34		
	(Classification according to nature of injury).	F. 3,690	56	16	142	121	953	1,346	178	166	247	445	9	11	
	Fracture of skull, spine, and trunk (N800- N809).	M. 2,867	53	19	106	119	999	845	98	116	179	326	1	6	
		F. 915	6	6	35	28	317	278	37	45	52	110	1	-	
N800	Fracture of vault of skull.....	M. 34	-	-	-	-	11	15	2	4	2	-	-	-	
		F. 10	-	-	-	1	4	5	-	-	-	-	-	-	
N801	Fracture of base of skull	M. 176	3	-	9	6	65	51	13	3	10	15	-	1	
		F. 50	-	1	2	1	14	17	6	-	1	8	-	-	
N802	Fracture of face bones	M. 48	2	-	2	1	12	18	4	1	2	6	-	-	
		F. 12	-	-	-	-	3	7	-	-	2	2	-	-	
N803	Other and unqualified skull fractures.....	M. 1,421	33	10	67	63	526	374	40	58	83	164	-	3	
		F. 365	3	1	18	10	147	100	8	21	21	35	1	-	
N804	Multiple fractures involving skull or face with other bones.	M. 735	6	2	11	24	281	253	10	23	41	83	-	1	
		F. 245	-	2	5	7	95	78	10	9	11	28	-	-	
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion.	M. 184	4	3	9	11	49	47	13	12	16	19	-	1	
		F. 84	2	1	7	1	22	17	3	6	9	16	-	-	
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion.	M. 75	2	3	2	2	6	31	4	6	9	10	-	-	
		F. 28	-	-	-	1	3	11	3	3	2	5	-	-	
N807	Fracture of rib (s) sternum and larynx.....	M. 53	-	1	-	3	14	15	2	5	6	7	-	-	
		F. 19	1	1	1	1	4	4	3	-	2	2	-	-	
N808	Fracture of pelvis	M. 40	-	-	2	4	9	10	3	1	3	8	-	-	
		F. 39	-	-	2	2	9	15	2	5	1	3	-	-	
N809	Multiple, and ill-defined fractures of trunk	M. 101	3	-	4	5	26	31	7	3	7	14	1	-	
		F. 63	-	-	-	4	16	24	2	1	5	11	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

- 1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	18	56	111	95	93	122	122	125	145	124	90	64	47	39	20	9	2	M.
-	-	-	1	12	22	39	30	54	42	56	54	56	30	13	14	7	2	-	-	F.
-	-	-	-	2	3	3	14	9	17	8	12	11	11	3	6	1	2	-	-	M. E970
-	-	-	1	3	4	10	4	26	17	17	21	28	10	3	2	2	-	-	-	F.
-	-	-	-	-	3	2	4	8	8	8	5	3	1	2	-	1	-	-	-	M. E971
-	-	-	-	-	5	2	5	1	7	5	4	2	2	1	-	-	1	-	-	F.
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E972
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	2	10	11	8	16	13	13	21	11	5	8	2	2	1	-	1	M. E973
-	-	-	-	-	2	4	3	3	1	7	5	2	2	2	-	-	-	-	-	F.
-	-	-	9	14	25	18	18	25	18	28	31	35	22	21	10	15	6	3	-	M. E974
-	-	-	-	1	3	6	4	5	2	7	3	12	8	2	2	2	1	-	-	F.
-	-	-	-	1	3	6	2	5	14	5	9	13	6	7	5	1	1	-	1	M. E975
-	-	-	-	2	1	4	2	4	3	4	7	4	5	6	5	2	-	-	-	F.
-	-	-	8	34	61	43	41	53	48	55	58	46	41	18	20	18	5	5	-	M. E976
-	-	-	-	4	5	9	5	10	8	6	5	2	1	-	-	-	-	-	-	F.
-	-	-	1	-	1	3	2	3	1	3	5	-	1	-	1	-	4	1	-	M. E977
-	-	-	-	-	1	2	2	2	1	5	3	3	2	-	-	-	-	-	-	F.
-	-	-	-	1	2	2	2	2	1	4	1	3	2	4	1	-	1	-	-	M. E978
-	-	-	-	-	1	-	1	1	-	2	2	1	1	-	2	1	-	-	-	F.
-	-	-	-	2	2	6	2	1	2	1	3	2	1	1	2	1	-	-	-	M. E979
-	-	-	1	1	1	3	4	1	3	3	4	2	-	1	1	-	-	-	-	F.
10	13	3	6	7	17	15	15	12	11	13	9	7	5	4	6	3	1	1	-	M.
4	7	3	2	6	14	5	10	6	8	5	5	4	5	3	1	1	1	3	-	F.
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E980
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	3	-	1	5	11	7	10	4	2	6	5	1	3	-	4	-	1	1	-	M. E981
-	-	2	2	2	4	2	3	5	3	4	2	2	1	2	-	-	-	-	-	F.
1	1	1	1	1	2	4	1	3	2	2	1	-	-	-	1	-	-	-	-	M. E982
-	2	-	-	2	-	-	2	-	1	-	1	1	-	-	1	-	-	-	-	F.
7	9	2	3	1	3	4	4	5	7	4	3	6	2	4	1	3	-	-	-	M. E983
4	5	1	-	4	8	3	5	1	4	1	2	1	4	1	-	1	1	3	-	F.
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. E984
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
274	449	407	402	966	1,077	702	659	636	609	556	598	544	409	360	302	283	265	253	5	M.
176	277	241	142	275	198	155	134	177	172	182	181	187	165	123	150	184	213	357	1	F.
17	148	143	140	372	394	215	195	171	161	144	139	137	120	105	89	81	51	44	1	M.
18	87	88	48	106	81	43	29	54	42	25	50	48	43	29	30	37	24	33	-	F.
-	4	3	-	3	6	1	2	2	4	2	-	2	2	1	1	-	1	-	-	M. N800
-	1	-	1	4	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	F.
1	10	12	11	26	28	13	8	11	7	12	7	8	7	3	2	4	3	3	-	M. N801
-	4	8	3	8	5	1	3	6	1	1	4	3	2	-	-	1	-	-	-	F.
-	1	1	-	4	10	4	3	6	6	2	2	4	2	-	-	2	-	1	-	M. N802
-	1	-	1	2	1	1	-	1	1	1	-	1	-	-	-	-	1	1	-	F.
15	106	76	74	171	205	116	96	90	83	75	70	60	58	40	38	26	8	14	-	M. N803
15	56	34	18	45	36	17	12	27	16	9	17	14	18	13	6	4	3	5	-	F.
1	21	29	37	120	105	53	56	38	37	31	33	43	27	36	26	24	12	6	-	M. N804
2	15	28	15	29	22	14	7	10	13	8	16	17	12	11	12	7	7	-	-	F.
-	5	11	11	26	21	17	20	12	6	9	9	5	7	11	3	4	2	5	-	M. N805
1	6	9	6	8	6	5	4	3	6	4	5	7	3	2	1	2	4	2	-	F.
-	1	5	2	13	7	5	3	4	6	9	5	1	2	1	4	4	2	1	-	M. N806
-	3	4	-	3	3	2	3	1	1	-	-	1	2	-	2	2	1	-	-	F.
-	-	1	1	1	2	1	2	1	2	-	-	4	3	-	1	8	10	6	-	M. N807
-	-	-	-	1	-	-	-	-	1	-	-	2	3	-	1	2	2	7	-	F.
-	-	-	1	-	3	1	2	2	2	2	4	2	3	4	2	3	5	4	-	M. N808
-	-	-	1	-	-	-	-	1	1	1	1	1	-	2	2	12	2	15	-	F.
-	-	5	3	8	7	4	3	5	8	2	8	8	8	8	5	6	8	4	1	M. N809
-	1	5	3	6	8	2	-	4	1	1	6	2	3	1	6	7	4	3	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Head injury (excluding skull fracture) M. (N850-N856).	1,033	19	2	56	44	263	300	62	70	106	108	1	2
	F.	306	6	-	14	10	70	101	16	14	33	40	2	-
N850	Open wound of scalp	M. 16 F. 9	- -	- -	1 -	- -	- -	12 8	- -	- -	2 -	1 1	- -	- -
N851	Contusion and haematoma of scalp	M. 13 F. 7	- -	- -	1 -	- -	2 1	3 1	- -	- -	1 1	6 4	- -	- -
N852	Concussion	M. 42 F. 14	- -	- -	- -	7 1	7 3	9 4	3 -	6 -	3 2	7 4	- -	- -
N853	Cerebral laceration and contusion	M. 386 F. 102	5 2	1 -	12 5	13 1	92 24	91 30	40 7	39 7	36 9	56 16	1 1	- -
N854	Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion).	M. 107 F. 60	2 2	- -	2 1	2 3	12 1	55 28	2 5	7 2	10 6	15 12	- -	- -
N855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion).	M. 94 F. 32	3 -	- -	2 1	7 -	35 13	16 6	6 3	3 2	12 5	9 2	- -	1 -
N856	Head injury of other and unspecified nature	M. 375 F. 82	9 2	1 -	38 7	15 5	115 28	114 24	11 1	15 3	42 10	14 1	- 1	1 -
	Internal injury of chest, abdomen, and pelvis (N860-N869).	1,950	27	10	93	72	458	671	88	105	183	233	5	5
	F.	525	3	2	22	17	133	206	17	29	45	50	-	1
N860	Traumatic pneumothorax and haemothorax	M. 100 F. 35	2 -	- -	- -	5 1	50 16	20 9	1 2	5 4	3 -	14 3	- -	- -
N861	Injury to heart and lung	M. 331 F. 69	2 1	3 -	16 3	8 1	50 14	140 29	9 1	20 5	31 5	52 10	- -	- -
N862	Injury to other and unspecified intrathoracic organs.	M. 485 F. 97	5 1	1 -	23 5	17 4	103 18	145 40	32 2	33 6	69 12	55 9	- -	2 -
N863	Injury to gastro-intestinal tract	M. 45 F. 7	1 -	- -	- -	- -	9 1	13 2	2 -	5 -	2 -	13 4	- -	- -
N864	Injury to liver	M. 57 F. 34	- -	- 1	2 -	3 2	20 8	18 15	2 1	- 5	2 1	10 1	- -	- -
N865	Injury to spleen	M. 28 F. 13	- -	1 -	2 1	1 -	3 3	11 5	- 1	1 -	3 2	6 1	- -	- -
N866	Injury to kidney	M. 4 F. 2	- -	- -	- -	- -	1 -	1 -	- -	- 1	- -	2 1	- -	- -
N867	Injury to pelvic organs	M. 13 F. 7	- -	- -	1 1	- -	5 1	2 2	1 -	1 1	1 2	2 -	- -	- -
N868	Injury to other and unspecified intra-abdominal organs.	M. 150 F. 51	6 -	- -	6 1	6 2	41 16	51 21	7 1	5 -	7 6	21 4	- -	- -
N869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs.	M. 737 F. 210	11 1	5 1	43 11	32 7	176 56	270 83	34 9	35 7	65 17	58 17	5 -	3 1
	Laceration and open wound of face, neck, and trunk (N870-N879).	88	-	-	4	1	12	40	7	3	10	9	-	2
	F.	34	-	-	5	-	2	12	1	3	4	7	-	-
N870	Open wound of eye and orbit	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N871	Enucleation of eye	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N872	Open wound of ear	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
N873	Other and unspecified laceration of face....	M. 11 F. 5	- -	- -	1 1	- -	1 1	5 2	2 -	- -	- -	2 1	- -	- -
N874	Open wound of neck	M. 50 F. 22	- -	- -	2 3	- -	5 1	21 9	4 -	3 3	7 2	7 4	- -	1 -
N875	Open wound of chest	M. 14 F. 2	- -	- -	1 -	1 -	2 -	8 -	- -	- -	2 2	- -	- -	- -
N876	Open wound of back	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -
N877	Open wound of buttock	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N878	Open wound of genital organs, including traumatic amputation.	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N879	Multiple and unspecified open wounds of face, neck, and trunk.	M. 11 F. 4	- -	- -	- 1	- -	4 -	5 1	1 1	- -	1 -	1 1	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Laceration and open wound of upper limb (N880 - N888).	M. 27 F. 6	1	-	2	1	3	13	3	1	1	2	-	-	
N880	Open wound of shoulder and upper arm	M. 7 F. -	1	-	1	-	-	2	1	-	1	1	-	-	
N881	Open wound of elbow and forearm, and wrist not involving tendons.	M. 8 F. 5	-	-	1	-	1	5	-	-	-	1	-	-	
N882	Open wound of wrist involving tendon(s)	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-	
N883	Open wound of hand, except finger(s) alone.	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-	
N884	Open wound of finger(s)	M. 1 F. -	-	-	-	-	-	-	1	-	-	-	-	-	
N885	Multiple and unspecified open wounds of one upper limb.	M. 6 F. 1	-	-	-	1	2	1	1	1	-	-	-	-	
N887	Traumatic amputation of other finger(s)....	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-	
N888	Traumatic amputation of arm and hand	M. 2 F. -	-	-	-	-	-	2	-	-	-	-	-	-	
	Laceration and open wound of lower limb (N890 - N898).	M. 21 F. 1	-	1	-	-	9	5	1	1	2	2	-	-	
N890	Open wound of hip and thigh	M. 5 F. -	-	-	-	-	2	2	1	-	-	-	-	-	
N891	Open wound of knee, leg (except thigh), and ankle not involving tendons.	M. 3 F. -	-	-	-	-	3	-	-	-	-	-	-	-	
N893	Open wound of foot, except toe(s) alone	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-	
N895	Multiple and unspecified open wounds of one lower limb.	M. 4 F. -	-	1	-	-	1	-	-	-	1	1	-	-	
N897	Traumatic amputation of foot	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
N898	Traumatic amputation of leg	M. 8 F. 1	-	-	-	-	3	2	-	1	1	1	-	-	
	Laceration and open wounds of multiple location (N900 - N908).	M. 29 F. 10	2	-	-	-	12	4	-	-	4	6	-	1	
N900	Multiple open wounds of both upper limbs	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
N901	Multiple open wounds of both lower limbs	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
N902	Multiple open wounds of both upper and lower limb(s).	M. 3 F. -	-	-	-	-	-	-	-	-	1	2	-	-	
N903	Multiple open wounds of both hands	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-	
N904	Multiple open wounds of both head and limb(s).	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
N905	Multiple open wounds of both head and trunk.	M. 3 F. 1	-	-	-	-	1	2	-	-	-	-	1	-	
N906	Multiple open wounds of both trunk and limb(s).	M. 3 F. -	-	-	-	-	-	-	-	-	-	3	-	-	
N907	Multiple open wounds of face with other sites.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-	
N908	Multiple open wounds of other and unspecified location.	M. 19 F. 9	2	-	-	-	10	2	-	-	3	1	1	1	
	Superficial injury (N910 - N918)	M. 2 F. 2	-	-	-	-	-	-	-	-	1	1	-	-	
N911	Superficial injury of trunk	M. - F. 1	-	-	-	-	1	-	-	-	-	-	-	-	
N918	Superficial injury of other, multiple, and unspecified sites.	M. 2 F. 1	-	-	-	-	-	-	-	-	1	1	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

- 1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +		Not stated
-	-	-	1	1	4	3	-	3	1	3	3	2	1	-	1	-	4	-	-	M. F.
-	-	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	M. N880 F.
-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	3	-	-	M. N881 F.
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N882 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. N883 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. N884 F.
-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	1	-	-	M. N885 F.
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N887 F.
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. N888 F.
-	-	2	-	1	3	2	3	1	-	1	4	3	1	-	1	-	-	-	-	M. F.
-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	M. N890 F.
-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	M. N891 F.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. N893 F.
-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	M. N895 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N897 F.
-	-	2	-	-	2	-	1	-	-	-	1	2	1	-	-	-	-	-	-	M. N898 F.
-	1	-	1	2	3	1	-	3	4	5	4	-	2	1	1	-	1	-	-	M. F.
-	1	-	2	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	M. N900 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N901 F.
-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	M. N902 F.
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N903 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N904 F.
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	M. N905 F.
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	M. N906 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N907 F.
-	1	-	2	3	1	-	-	1	3	4	1	-	1	1	1	-	-	-	-	M. N908 F.
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	M. F.
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. N911 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	M. N918 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1966 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Contusion and crushing with intact skin surface (N920 - N929).	M. 12 F. 8	-	-	1	-	3	5	-	1	1	1	-	-
N920	Contusion of face and neck, except eye(s)	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-
N921	Contusion of eye and orbit	M. 1 F. -	-	-	-	-	-	1	-	-	-	-	-	-
N922	Contusion of trunk	M. 3 F. 4	-	-	-	-	1	2	-	-	-	-	-	-
N927	Contusion of hip, thigh, leg, and ankle	M. 2 F. 2	-	-	-	-	1	1	-	-	-	-	-	-
N929	Contusion of other, multiple, and unspecified sites.	M. 5 F. 2	-	-	1	-	1	-	-	1	1	1	-	-
	Effects of foreign body entering through orifice (N930 - N936).	M. 278 F. 148	11	1	7	4	65	114	17	11	21	26	-	1
N930	Foreign body in eye and adnexa	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-
N932	Foreign body in nose	M. 1 F. -	-	-	-	-	-	-	-	1	-	-	-	-
N933	Foreign body in pharynx and larynx	M. 265 F. 144	11	1	7	4	64	107	17	9	20	24	-	1
N934	Foreign body in bronchus and lung	M. 8 F. 4	-	-	-	-	1	5	-	1	-	2	-	-
N935	Foreign body in digestive tract	M. 3 F. -	-	-	-	-	-	2	-	-	1	-	-	-
N936	Foreign body in genital-urinary tract	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
	Burns (N940 - N949)	M. 351 F. 210	11	2	16	13	79	130	20	12	21	45	-	2
N941	Burns confined to face, head, and neck	M. 1 F. -	-	-	-	-	-	-	1	-	-	-	-	-
N942	Burn confined to trunk	M. 1 F. 4	-	-	-	-	1	2	1	-	-	-	-	-
N943	Burn confined to upper limb(s), except wrist and hand.	M. 3 F. 1	-	-	1	-	1	-	-	-	-	1	-	-
N944	Burn confined to wrist(s) and hand(s)	M. - F. 1	-	1	-	-	-	-	-	-	-	-	-	-
N945	Burn confined to lower limb(s)	M. 3 F. -	-	-	-	-	-	-	-	2	1	-	-	-
N946	Burn involving face, head, and neck, with limb(s).	M. 3 F. 1	-	-	-	-	-	1	-	-	2	-	-	-
N947	Burn involving trunk with limb(s)	M. 9 F. 2	-	-	-	-	1	7	-	-	-	1	-	-
N948	Burn involving face, head, and neck, with trunk and limb(s).	M. 102 F. 46	7	-	7	5	8	30	3	4	9	29	-	-
N949	Burn involving other and unspecified parts	M. 229 F. 155	4	2	8	8	68	92	16	6	9	14	-	2
	Injury to nerves and spinal cord without bone injury (N950 - N959).	M. 33 F. 9	1	-	2	1	4	16	4	-	2	3	-	-
N956	Injury to nerve(s) in lower leg	M. 1 F. -	-	-	-	-	1	-	-	-	-	-	-	-
N958	Spinal cord lesion without evidence of spinal bone injury.	M. 32 F. 9	1	-	2	1	3	16	4	-	2	3	-	-
N959	Other nerve injury including nerve injury in several parts.	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
	Effects of poisons (N960 - N979)	M. 711 F. 444	8	4	18	15	121	238	36	38	68	156	6	3
N960	Poisoning by noxious foodstuffs	M. - F. 1	-	-	-	-	1	-	-	-	-	-	-	-
N961	Poisoning by alcohol	M. 57 F. 19	2	-	2	-	4	16	-	3	2	28	-	-
N962	Poisoning by petroleum products	M. 1 F. 2	-	-	1	-	-	1	1	-	-	-	-	-





1010439980

SELECTED PUBLICATIONS ON HEALTH STATISTICS AND POPULATION

Obtainable from Publications Distribution Unit, Financial Services Section,
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue
number

Price

VITAL STATISTICS

84-001 - Vital Statistics, M. Bil.	per year \$1.00
84-201 - Vital Statistics-Preliminary, A. Bil.75
84-202 - Vital Statistics-Final, A. Bil.	2.00
84-203 - Causes of Death, Canada, A.E.	1.50

Analytical Reports:

84-503 - Leading Causes of Death by Major Age Groupings, 1921-55, E.25
84-508 - Causes of Stillbirths, 1943-55, E.25
84-510 - Canadian Life Tables, 1950-1952, 1955-1957, Bil.50
84-511 - Mortality from Suicide, 1921-58, E.50
84-512 - Provincial and Regional Life Tables, 1950-1952, 1955-1957, Bil.75
84-514 - Causes of Death, Canada, 1950-60, E.50
84-515 - Life Tables for Canada and Regions, 1941 and 1931, Bil.50
84-516 - Canadian Life Tables, 1960-1962, Bil.25
84-517 - Provincial and Regional Life Tables, 1960-1962, Bil.50
84-518 - Life Expectancy Trends, 1930-1932 to 1960-1962, E.75
84-519 - Causes of Death, Canada, 1958-1964, E.50
84-520 - General Cancer Mortality, 1950-1963, Bil.75
84-521 - Cancer Mortality by Site, 1950-1963, Bil.	1.50
84-522 - Accident Mortality, 1950-1964, Bil.75
84-523 - Nuptiality, 1950-1964, Bil.75
84-524 - Infant Mortality, 1950-1964, Bil.75

INSTITUTIONAL STATISTICS

83-201 - List of Canadian Hospitals and Related Institutions and Facilities, A.E.75
83-210 - Hospital Statistics, Vol. I, Hospital Beds, A. Bil.	1.00
83-211 - Hospital Statistics, Vol. II, Hospital Services, A. Bil.	1.00
83-212 - Hospital Statistics, Vol. III, Hospital Personnel, A. Bil.	1.00
83-213 - Hospital Statistics, Vol. IV, Balance Sheets, A. Bil.75
83-214 - Hospital Statistics, Vol. V, Hospital Revenues, A. Bil.75
83-215 - Hospital Statistics, Vol. VI, Hospital Expenditures, A. Bil.	1.00
83-216 - Hospital Statistics, Vol. VII, Hospital Indicators, A. Bil.	1.50
83-217 - Hospital Statistics, (Preliminary Report), A. Bil.50
83-205 - Mental Health Statistics, Vol. III, Institutional Facilities, Services and Finances, A. Bil.75
83-207 - Tuberculosis Statistics, Vol. II, Institutional Facilities, Services and Finances, A. Bil.75

MENTAL MORBIDITY STATISTICS

83-204 - Mental Health Statistics, Vol. I, Institutional Admissions and Separations, A. Bil.	5.00
83-208 - Mental Health Statistics, Vol. II, Patients in Institutions, A. Bil.	5.00
83-504 - Rates and Probabilities of Separation from Mental Institutions, 1956-58, E.25
83-505 - Trends in Hospital Care and Patient Characteristics, 1955-196375

PUBLIC HEALTH STATISTICS

82-201 - Notifiable Diseases, A. Bil.75
82-202 - Home Nursing Services, 1961, E. (last issue)	1.00
82-203 - Illness in the Civil Service, 1962, Bil. (last issue)75
82-512 - Summary of Notifiable Diseases, 1924-52 (Annual Supplements to 1963), Bil. (last issue)75
82-516 - Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957, E. (last issue)50
83-206 - Tuberculosis Statistics, Vol. I, Tuberculosis Morbidity and Mortality, A. Bil.	1.50
83-209 - Tuberculosis Statistics Supplement: Patients in Institutions, 1961, E. (Now included in 83-206)50
82-001 - Incidence of Tuberculosis, - Mensuel Bil.	per year 1.00
82-205 - Tuberculosis Trends, 1960, A.E. (last issue)25
82-522 - Infectious Hepatitis, 1961, E.50
82-526 - Hospital Morbidity, 1964, Bil.	1.50
82-518 - Illness and Health Care in Canada, 1950-51 (Canadian Sickness Survey), E. and F. (last issue)	2.00
82-519 - Injuries: Frequency, Severity, Health Care (Canadian Sickness Survey 1950-51) E. and F.75
82-520 - Volume of Health Care for Insured and Non-Insured Persons (Canadian Sickness Survey 1950-51) E. and F.75
82-521 - Disability Among the Gainfully Employed (Canadian Sickness Survey 1950-51) E. and F.50

HEALTH AND WELFARE TECHNICAL REPORTS

1. - Canadian Abridged Life Tables, 1961-1963, E.	Free
2. - Provincial Abridged Life Tables, 1961-1963, E.	Free
3. - Canadian Joint Life Tables, 1960-1962, E.	Free

POPULATION STATISTICS-- Bil.

91-201 - Estimated Population of Canada by Province at June 1, A.25
91-202 - Estimated Population by Sex and Age Group, Canada and Provinces, A.25
91-203 - Population Estimates by Marital Status, Age and Sex, Canada and Provinces, A.25
91-204 - Estimates of Families in Canada, A.50
91-508 - Canadian Conference on Children, 1965: Selected Statistics on Children75
91-511 - Population 1921-1966: Revised Annual Estimates of Population by Sex and Age, Canada and the Provinces75

M. - Monthly
A. - Annual
E. - English
F. - French

Bil. - Bilingual
R. - Reference
Supp. - Supplement

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1956 and 1961 Censuses. A comprehensive catalogue of all current publications is available free on request from the Dominion Bureau of Statistics, Ottawa 3.