


CATALOGUE No.

84-203

ANNUAL



CAUSES OF DEATH, CANADA

Provinces by Sex and Canada by Sex and Age

1967

(Detailed Categories of the International Classification of Diseases)

DOMINION BUREAU OF STATISTICS



DOMINION BUREAU OF STATISTICS

Health and Welfare Division

Vital Statistics Section

CAUSES OF DEATH, CANADA

Provinces by Sex and Canada by Sex and Age

1967

(Detailed Categories of the International Classification of Diseases)

Published by Authority of
The Minister of Industry, Trade and Commerce

December 1969
9004-533

Price: \$1.50

The Queen's Printer, Ottawa

INTRODUCTION

The official vital statistics of Canada are published by the Dominion Bureau of Statistics in two main annual reports, *Vital Statistics* (Catalogue Nos. 84-201 and 84-202) which commenced in 1921. Two publications, *Causes of Death, Canada, 1950-60*, (Catalogue No. 84-514) and *Causes of Death, Canada, 1958-64*, (Catalogue No. 84-519), copies of which are still available, supplemented the Annual Reports for the period 1950-64 by presenting more detailed information on causes of death each year. Whereas the Annual Reports for these years contain data on deaths according to the International Intermediate List A of 150 causes, the above two compilations provided a finer breakdown of figures according to the three-digit categories and four-digit subcategories of the *International Statistical Classification of Diseases, Injuries and Causes of Death*, Sixth Revision, 1948 and Seventh Revision, 1955, which were put into effect in 1950 and 1958, respectively.

This is the third publication expanding the two previous publications into a regular annual series entitled *Causes of Death*, showing the current year's deaths by the three-digit categories and four-digit subcategories, by sex for the provinces, and by sex and five-year age groups for Canada. The present publication does not list all categories of the International Classification since some categories for which there were no deaths in 1967 have been excluded. Furthermore, the full category titles of the International Classification have been shortened in some cases for convenience of publication.

For the convenience of users desiring to calculate rates, estimated mid-year populations for the provinces by sex and for Canada by sex and age group are given below.

Population for Provinces by Sex and Canada by Sex and Age, 1967
Population (000's)

Province	Male	Female	Age	Male	Female	Age	Male	Female
Nfld.	255.5	244.5	Totals	10,247.8	10,157.2	40-44 yrs.	637.1	641.5
P.E.I.	55.2	53.8	- 1yr.	189.8	181.1	45-49 "	555.8	563.4
N.S.	380.6	376.4	1 - 4 yrs.....	900.4	851.8	50-54 "	505.7	501.9
N.B.	311.5	308.5	5 - 9 "	1,184.0	1,136.3	55-59 "	426.1	418.2
Que.	2,929.5	2,938.5	10-14 "	1,100.2	1,049.9	60-64 "	339.0	343.3
Ont.	3,573.2	3,575.8	15-19 "	967.4	941.0	65-69 "	260.0	282.7
Man.	483.6	479.4	20-24 "	778.4	781.9	70-74 "	200.0	233.2
Sask.	489.7	468.3	25-29 "	649.4	650.5	75-79 "	140.5	167.0
Alta.	758.8	731.2	30-34 "	635.0	616.0	80-84 "	81.4	99.9
B.C.	986.2	960.8	35-39 "	653.0	635.3	85 + "	44.6	62.3
Yukon.....	8.2	6.8						
N.W.T.	15.8	13.2						

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	ALL CAUSES	T. 150,283 M. 88,300 F. 61,983	3,117 1,830 1,287	1,038 603 435	6,638 3,829 2,809	4,894 2,851 2,043	38,665 22,474 16,191	54,878 31,694 23,184	7,629 4,549 3,080	7,441 4,678 2,763	9,523 5,895 3,628	16,170 9,720 6,450	73 49 24	217 128 89
	I. Infective and parasitic diseases	M. 722 F. 409	24 6	3 2	40 17	17 18	277 133	200 114	32 23	29 21	42 29	57 38	- -	1 8
	Tuberculosis of respiratory system (001-008) ,	M. 430 F. 181	12 3	- -	25 6	12 12	211 86	94 35	17 9	10 8	23 8	26 9	- -	- 5
001	Respiratory tuberculosis with mention of occupational disease of lung.	M. 24 F. -	- -	- -	4 -	- -	6 -	10 -	1 -	- -	1 -	2 -	- -	- -
002	Pulmonary tuberculosis	M. 399 F. 180	11 3	- -	21 6	12 12	203 85	84 35	14 9	10 8	20 8	24 9	- -	- 5
A	Active	M. 315 F. 127	10 1	- -	12 4	11 8	181 76	52 20	9 3	4 -	19 6	17 5	- -	- 4
B	Inactive	M. 84 F. 53	1 2	- -	9 2	1 4	22 9	32 15	5 6	6 8	1 2	7 4	- -	- 1
003	Pleural tuberculosis	M. 2 F. -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
.0	Pleurisy specified as tuberculous	M. 1 F. -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Pleurisy with effusion without mention of cause.	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
004	Primary tuberculosis complex with symptoms.	M. 1 F. -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
005	Tracheobronchial glandular tuberculosis with symptoms.	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
007	Other respiratory tuberculosis	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
008	Tuberculosis, unspecified site	M. 4 F. 1	- -	- -	- -	- -	2 1	- -	2 -	- -	- -	- -	- -	- -
A	Active	M. 4 F. 1	- -	- -	- -	- -	2 1	- -	2 -	- -	- -	- -	- -	- -
B	Inactive	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Tuberculosis, other forms (010-019)	M. 25 F. 22	1 -	- -	2 -	- -	5 7	8 7	5 2	3 -	1 1	2 2	- -	- 1
010	Tuberculosis of meninges and central nervous system.	M. 5 F. 5	- -	- -	1 -	- -	3 1	2 -	1 -	1 -	- -	- -	- -	1 -
011	Tuberculosis of intestines, peritoneum, and mesenteric glands.	M. 1 F. 1	- -	- -	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	- -
012	Tuberculosis of bones and joints, active or unspecified.	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.0	Vertebral column	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.1	Hip	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other unspecified bones and joints	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
013	Late effects of tuberculosis of bones and joints.	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.0	Vertebral column	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.1	Late effects of tuberculosis of hip	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
014	Tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Lupus	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other tuberculosis of skin and subcutaneous cellular tissue.	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
015	Tuberculosis of lymphatic system	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
016	Tuberculosis of genito-urinary system	M. 10 F. 8	- -	- -	1 -	- -	1 2	6 3	- 1	1 -	1 1	1 -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967

-1 year	Age																	Not stated	Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85+
8,151 4,602 3,549	1,694 977 717	1,199 721 478	948 606 342	1,706 1,233 473	1,930 1,500 430	1,384 966 418	1,530 993 537	2,219 1,402 817	3,641 2,311 1,330	5,017 3,231 1,786	7,344 4,834 2,510	9,781 6,527 3,254	12,286 8,165 4,121	14,736 9,383 5,353	17,409 10,364 7,045	19,884 11,279 8,605	19,008 9,835 9,173	20,397 9,356 11,041	19 13 4	T. M. F.
49 27	35 39	14 23	9 6	11 4	7 6	8 6	5 22	30 13	32 24	40 21	35 22	71 18	79 40	71 34	75 33	70 22	52 21	29 28	- -	M. F.
2	- 1	1	1	-	- 1	4 2	3 8	14 7	23 15	27 12	29 13	51 9	59 29	50 17	58 19	44 15	39 15	25 18	- -	M. F.
-	-	-	-	-	-	-	-	-	-	2	-	3	4	6	5	2	1	1	-	M. 001 F.
1	- 1	1	1	-	- 1	4 2	3 8	14 7	23 15	25 12	28 13	46 9	55 29	44 17	52 18	42 15	36 15	24 18	- -	M. 002 F.
1	1	1	1	-	1	2	3	12	20	21	20	37	43	36	38	32	30	18	-	M. A F.
-	-	-	-	-	-	2	-	2	3	4	8	9	12	8	14	10	6	6	-	M. B F.
-	-	-	-	-	-	-	2	-	4	5	1	1	18	4	6	5	3	4	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	M. 003 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. F. F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 004 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 005 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 007 F.
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	M. 008 F.
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
1	4 1	1	-	1	-	1	1	3 2	2 3	1 1	1 2	2 -2	2 2	1 3	- 2	4 1	-	2	-	M. F. F.
-	3 1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	M. 010 F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 011 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 012 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 013 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 014 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 015 F.
-	-	-	-	-	-	-	1	-	2	-	1	1	-	2	-	2	-	-	-	M. 016 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
Other bacterial diseases - Concluded:														
061	Tetanus	M.	4	-	-	-	-	-	2	1	-	-	1	-
		F.	1	-	-	1	-	-	-	-	-	-	-	-
063	Gas gangrene	M.	2	-	-	-	-	1	1	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-	1	-	-
064	Other bacterial diseases	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
	Spirochaetal diseases, except syphilis (070-074).	M.	1	-	-	-	-	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
070	Vincent's infection	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis	M.	1	-	-	-	-	-	1	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other and unspecified	M.	1	-	-	-	-	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
	Diseases attributable to viruses (080-096).	M.	117	2	1	5	3	28	43	6	5	8	15	-
		F.	117	1	-	7	3	20	40	10	7	12	16	-
080	Acute poliomyelitis	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.0	Specified as bulbar or polio-encephalitis.	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.1	With other paralysis	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
081	Late effects of acute poliomyelitis	M.	12	-	-	1	-	4	2	3	2	-	-	-
		F.	7	-	-	2	-	2	2	1	-	-	-	-
082	Acute infectious encephalitis	M.	18	1	-	-	-	3	9	-	-	4	1	-
		F.	18	1	-	-	1	4	9	-	-	2	1	-
.0	Arthropod-borne encephalitis	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.1	Lymphocytic choriomeningitis	M.	3	-	-	-	-	-	2	-	-	1	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lethargic encephalitis	M.	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified infectious encephalitis.	M.	15	1	-	-	3	7	-	-	3	1	-	
		F.	18	1	-	1	4	9	-	-	2	1	-	
083	Late effects of acute infectious encephalitis.	M.	8	-	-	1	1	1	3	-	1	-	1	
		F.	4	-	-	1	1	2	-	-	-	-	-	
.0	Postencephalitic Parkinsonism	M.	4	-	-	1	1	1	1	-	1	-	-	
		F.	4	-	-	1	-	1	2	-	-	-	-	
.1	Postencephalitic personality and character disorders.	M.	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	
.2	Postencephalitic psychosis	M.	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	
.3	Other postencephalitic conditions	M.	4	-	-	-	-	1	2	-	-	-	1	
		F.	-	-	-	-	-	-	-	-	-	-	-	
085	Measles	M.	15	-	-	-	2	3	5	-	2	1	2	
		F.	30	-	-	-	-	7	5	7	4	5	1	
.0	Without mention of pneumonia	M.	4	-	-	-	-	1	2	-	1	-	-	
		F.	12	-	-	-	-	5	2	2	1	2	-	
.1	With pneumonia	M.	11	-	-	-	2	2	3	-	1	1	2	
		F.	18	-	-	-	-	2	3	5	3	3	1	
086	Rubella (German measles)	M.	2	-	-	-	-	-	2	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	
087	Chickenpox	M.	6	-	-	-	-	2	1	2	-	1	-	
		F.	7	-	-	2	-	1	2	-	2	-	-	
088	Herpes zoster	M.	1	-	-	-	-	1	-	-	-	-	-	
		F.	5	-	-	-	-	-	3	1	-	1	-	
089	Mumps	M.	3	-	-	1	-	1	1	-	-	-	-	
		F.	1	-	-	-	-	-	1	-	-	-	-	
092	Infectious hepatitis	M.	42	1	1	1	-	10	18	-	-	2	8	
		F.	34	-	-	2	1	2	12	-	1	2	14	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																	Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85+	Not stated
-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	M. 061 F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	M. 063 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 064 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .4 F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 070 F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. 072 F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
18	19	9	7	9	5	3	1	7	4	7	1	2	7	4	5	5	3	1	-	M. F.
12	25	17	4	3	3	2	11	2	4	4	4	5	5	6	2	2	2	4	-	M. 080 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
-	-	-	1	2	1	-	-	6	-	-	-	-	2	-	-	-	-	-	-	M. 081 F.
-	-	-	1	-	-	-	3	-	1	-	1	-	-	1	-	-	-	-	-	M. 082 F.
6	2	3	1	2	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	M. F. .0
-	5	5	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
5	2	2	1	2	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	M. 083 F.
-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	1	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	M. F. .3
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 085 F.
4	6	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	M. F. .0
6	16	5	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	M. F. .1
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .2
3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
3	5	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	M. 086 F.
3	10	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 087 F.
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 088 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	M. 089 F.
-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 092 F.
-	6	3	1	3	3	1	1	-	4	4	-	1	3	2	4	4	2	-	-	M. 092 F.
1	2	1	-	2	-	-	6	1	2	2	2	3	5	3	2	2	1	1	-	M. 092 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	II. Neoplasms	M. 15,674 F. 12,650	301 228	87 88	642 556	434 394	4,300 3,643	5,535 4,543	850 632	750 542	1,015 742	1,738 1,270	9 2	13 10
	Malignant neoplasm of buccal cavity and pharynx (140-148).	M. 443 F. 133	8 4	3 -	15 4	10 4	171 25	144 57	18 9	11 6	21 7	32 17	- -	- -
140	Lip	M. 41 F. 1	- -	1 -	1 -	4 -	23 -	7 -	2 1	- -	2 -	1 -	- -	- -
.0	Upper lip	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
.1	Lower lip	M. 26 F. -	- -	- -	1 -	4 -	18 -	1 -	1 -	- -	- -	1 -	- -	- -
.8	Both lips	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
.9	Lip, unspecified (including commissure)	M. 13 F. 1	- -	1 -	- -	- -	3 -	6 -	1 1	- -	2 -	- -	- -	- -
141	Tongue	M. 96 F. 35	3 -	- -	1 1	3 1	38 6	34 17	1 1	3 1	6 2	7 6	- -	- -
.0	Base of tongue	M. 14 F. 4	- -	- -	- -	- -	10 2	2 -	- -	- 1	1 1	1 -	- -	- -
.7	Other specified parts of tongue	M. 1 F. 2	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -
.8	Multiple parts of tongue	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.9	Part unspecified	M. 81 F. 29	3 -	- -	1 1	3 1	28 4	32 17	1 -	3 -	5 1	5 5	- -	- -
142	Salivary gland	M. 33 F. 21	- 1	- -	1 1	1 -	14 4	13 9	- -	1 3	2 2	1 1	- -	- -
.0	Parotid gland	M. 29 F. 15	- 1	- -	1 1	1 -	14 1	9 7	- -	1 2	2 2	1 1	- -	- -
.7	Other salivary gland	M. 2 F. 3	- -	- -	- -	- -	- 2	2 -	- -	- 1	- -	- -	- -	- -
.8	Multiple salivary glands	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.9	Gland unspecified	M. 2 F. 3	- -	- -	- -	- -	1 1	2 2	- -	- -	- -	- -	- -	- -
143	Floor of mouth	M. 24 F. 11	- -	- -	1 -	- 1	10 3	12 3	- 2	- -	- 1	1 1	- -	- -
144	Other parts of mouth and mouth unspecified.	M. 62 F. 19	1 -	- -	4 -	1 -	18 4	25 10	6 -	1 -	- 1	6 4	- -	- -
145	Oral mesopharynx	M. 57 F. 12	1 -	- -	1 1	- -	27 3	15 7	3 -	3 -	1 1	6 -	- -	- -
.0	Tonsil (excluding pillars)	M. 49 F. 12	1 -	- -	1 1	- -	25 3	14 7	3 -	- -	1 -	5 -	- -	- -
.7	Other specified parts of mesopharynx	M. 3 F. -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	- -	- -	- -
.8	Multiple parts of mesopharynx	M. 1 F. -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
.9	Part unspecified	M. 4 F. -	- -	- -	- -	- -	1 -	1 -	- -	1 -	- -	1 -	- -	- -
146	Nasopharynx	M. 19 F. 11	- -	1 -	- -	- 1	3 2	3 4	3 -	1 -	4 -	4 4	- -	- -
147	Hypopharynx	M. 22 F. 8	- -	- -	- -	1 -	6 1	9 3	1 3	1 -	1 -	4 -	- -	- -
148	Pharynx, unspecified	M. 79 F. 15	3 3	1 -	6 1	1 -	32 2	26 4	2 2	1 2	5 -	2 1	- -	- -
	Malignant neoplasm of digestive organs and peritoneum (150-159).	M. 5,718 F. 4,506	133 93	36 34	250 207	167 149	1,577 1,340	1,974 1,570	298 225	266 196	378 260	631 430	3 -	5 2
150	Oesophagus	M. 352 F. 128	9 2	- 2	17 6	3 2	89 26	146 52	19 11	10 3	22 8	36 16	- -	1 -
151	Stomach	M. 1,704 F. 889	58 35	15 5	79 30	43 45	505 277	503 260	92 49	100 50	115 55	193 83	- -	1 -
152	Small intestine, including duodenum	M. 44 F. 42	1 -	1 -	1 2	2 3	8 8	10 15	4 2	4 -	7 3	6 9	- -	- -
.0	Duodenum	M. 16 F. 9	- -	1 -	- 1	- -	2 2	4 3	2 -	2 -	3 -	2 3	- -	- -
.7	Other specified parts of small intestine	M. 14 F. 18	- -	- -	1 1	2 1	1 2	2 5	2 2	2 -	3 2	1 5	- -	- -
.8	Multiple parts of small intestine	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.9	Part unspecified	M. 14 F. 15	1 -	- -	- -	- 2	5 4	4 7	- -	- -	1 1	3 1	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
11 17	115 79	99 77	79 50	95 69	116 56	91 81	111 124	184 305	373 581	613 786	1,020 1,030	1,547 1,279	1,929 1,376	2,257 1,474	2,336 1,622	2,148 1,506	1,543 1,200	1,007 888	-	M. F.
-	-	-	2 2	1	2	1	1 3	4 1	3 5	17 8	26 14	54 17	52 10	63 11	57 13	61 19	52 14	37 15	-	M. F.
-	1	-	-	-	-	-	-	1	-	-	1	2	4	3	7	7	5	11 1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	5	4	7	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	-	3 1	-	M. F.
-	-	-	1	-	-	-	-	1	1	5	4 3	14 2	11 1	18 1	13 4	16 8	10 6	3 9	-	M. F.
-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	3	4	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	1	-	-	-	-	1	4	4	12 2	10 1	16 1	9 4	12 5	10 6	2 7	-	-	M. F.
-	-	-	-	-	-	-	1	1	1	1	2 3	1 3	4 2	8 1	2 1	6 1	7 3	1 1	-	M. F.
-	-	-	-	-	-	-	-	1	1	1	2 3	1 3	4 2	8 2	2 1	5 1	1 3	1 1	-	M. F.
-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	2	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	M. F.
-	-	-	-	-	-	-	1	-	1	2	5 3	10 3	2 3	7 3	12 4	3 1	1 2	1 3	-	M. F.
-	-	-	-	-	-	-	-	1	-	2	7 1	10 3	10 3	3 2	12 2	4 1	6 1	2 2	-	M. F.
-	-	-	-	-	-	-	1	-	1	2	5 1	7 3	8 3	3 2	11 4	4 1	6 1	2 2	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	M. F.
-	-	-	1	-	1	-	1	-	1	2	1	2	4	2	2	2	-	1	-	M. F.
-	1	-	-	-	-	-	-	-	1	1	3	3	1	4	3	3	1	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	-	-	-	M. F.
-	-	-	1	1	1	-	1	1	1	3	4	12	9	12	8	7	15	5	-	M. F.
3 1	4 2	2 2	2 2	5 4	12 3	14 12	21 19	48 55	111 97	191 164	346 271	546 382	724 436	834 557	902 687	899 724	636 610	420 478	-	M. F.
-	-	-	-	-	-	-	-	3	3	15	17	39	44	47	54	65	29	36	-	M. F.
-	-	-	-	-	-	-	-	2	2	6	6	18	18	14	25	21	17	11	-	M. F.
-	-	-	-	-	1	4	5	15	26	51	106	153	219	268	269	270	189	128	-	M. F.
-	-	-	-	-	3	8	8	13	18	33	42	67	57	110	137	146	145	110	-	M. F.
-	-	-	-	-	-	-	-	1	3	1	2	7	5	5	7	8	2	2	-	M. F.
-	-	-	-	-	-	-	-	2	1	3	4	4	5	5	6	6	-	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	1	1	1	1	-	M. F.
-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	2	2	-	-	M. F.
-	-	-	-	-	-	-	-	1	1	-	1	3	1	5	1	1	1	-	-	M. F.
-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	2	3	3	-	-	M. F.
-	-	-	-	-	-	-	-	1	2	-	2	2	1	2	3	3	1	1	-	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Malignant neoplasm of digestive organs and peritoneum - Concluded:														
153	Large intestine, except rectum	M. 1,466 F. 1,749	28 28	7 11	74 94	46 59	389 548	547 627	77 80	58 60	87 93	152 148	- -	1 1	
.0	Caecum, appendix, and ascending colon	M. 225 F. 287	3 4	3 2	11 19	18 20	33 56	96 121	10 11	12 12	20 17	19 25	- -	- -	
.1	Transverse colon, including hepatic and splenic flexures.	M. 97 F. 115	2 2	- 1	4 4	5 8	25 30	39 43	4 5	5 4	4 7	8 10	- -	1 1	
.2	Descending colon	M. 55 F. 85	- 2	1 -	2 2	1 6	14 20	25 36	2 2	2 6	4 5	4 6	- -	- -	
.3	Sigmoid colon	M. 340 F. 395	5 3	- 2	11 15	14 18	124 152	115 140	20 21	8 5	15 15	28 24	- -	- -	
.7	Multiple parts of large intestine	M. 11 F. 12	- -	- -	- -	- -	1 5	8 6	- -	- -	1 -	2 -	- -	- -	
.8	Large intestine (including colon, part unspecified).	M. 577 F. 596	14 13	3 6	33 37	6 3	118 125	226 236	37 38	27 28	36 36	77 74	- -	- -	
.9	Intestinal tract, part unspecified	M. 161 F. 259	4 4	- -	13 17	2 4	74 160	38 45	4 3	4 5	8 12	14 9	- -	- -	
154	Rectum	M. 747 F. 488	11 12	4 4	27 16	20 15	199 131	290 189	35 18	32 19	51 31	76 52	2 -	- 1	
155	Biliary passages and of liver	M. 311 F. 380	7 8	1 1	9 15	12 3	77 105	109 138	17 25	14 20	19 23	44 42	1 -	1 -	
.0	Liver	M. 150 F. 87	2 3	1 -	2 5	8 -	42 29	52 29	4 5	6 3	7 6	25 7	- -	1 -	
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater.	M. 161 F. 292	5 5	- 1	7 10	4 3	35 75	57 109	13 20	8 17	12 17	19 35	1 -	- -	
.8	Multiple sites	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
156	Liver (secondary and unspecified)	M. 131 F. 148	1 1	- 4	5 6	8 4	63 65	33 39	8 5	3 8	3 7	7 9	- -	- -	
157	Pancreas	M. 864 F. 571	15 6	7 7	38 30	32 15	208 122	300 223	45 33	38 33	71 34	109 68	- -	1 -	
158	Peritoneum	M. 44 F. 53	- -	1 -	- 7	- -	14 20	17 15	1 2	6 1	2 5	3 3	- -	- -	
159	Unspecified digestive organs	M. 55 F. 58	3 1	- -	- 1	1 3	25 38	19 12	- -	1 2	1 1	5 -	- -	- -	
	Malignant neoplasm of respiratory system (160-165).	M. 3,998 F. 682	67 15	16 3	162 35	88 9	1,028 184	1,539 243	229 40	153 27	227 42	479 79	4 2	6 3	
160	Nose, nasal cavities, middle ear, and accessory sinuses.	M. 35 F. 12	1 -	- -	1 1	- -	11 3	10 5	5 1	2 1	2 -	3 1	- -	- -	
.0	Nose (internal) and nasal cavities	M. 7 F. 1	1 -	- -	- -	- -	3 -	1 -	1 -	- -	1 -	- -	- -	- -	
.1	Eustachian tube and middle ear	M. 2 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	
.2	Maxillary sinus	M. 16 F. 9	- -	- -	1 1	- -	6 2	4 4	1 1	1 1	1 -	2 -	- -	- -	
.7	Other specified sinus (accessory)	M. 7 F. 1	- -	- -	- -	- -	- -	4 1	2 -	1 -	- -	- -	- -	- -	
.8	Multiple sites	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.9	Site unspecified	M. 3 F. 1	- -	- -	- -	- -	2 1	- -	1 -	- -	- -	- -	- -	- -	
161	Larynx	M. 203 F. 24	7 -	2 -	10 1	6 -	67 13	71 7	8 1	6 1	15 -	11 1	- -	- -	
162	Bronchus and trachea and of lung specified as primary.	M. 3,571 F. 581	44 12	11 1	143 28	77 7	916 162	1,381 198	211 37	138 23	186 37	456 72	2 2	6 2	
.0	Trachea	M. 11 F. 5	- 1	- -	1 -	- 1	2 1	6 2	- -	1 -	1 -	- -	- -	- -	
.1	Bronchus and lung	M. 3,550 F. 567	44 11	11 1	142 28	77 6	909 156	1,372 193	211 37	137 23	184 37	455 71	2 2	6 2	
.2	Pleura	M. 7 F. 9	- -	- -	- -	- -	2 5	3 3	- -	- -	1 -	1 1	- -	- -	
.8	Multiple sites	M. 3 F. -	- -	- -	- -	- -	3 -	- -	- -	- -	- -	- -	- -	- -	
163	Lung unspecified as to whether primary or secondary.	M. 129 F. 37	14 3	3 2	5 3	5 1	18 4	49 13	2 -	3 1	23 5	5 4	2 -	- 1	
164	Mediastinum	M. 25 F. 7	- -	- -	2 2	- -	15 1	4 3	2 1	1 -	- -	1 -	- -	- -	
165	Thoracic organs (secondary)	M. 35 F. 21	1 -	- -	1 -	- 1	1 1	24 17	1 -	3 1	1 -	3 1	- -	- -	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Malignant neoplasm of breast and genitourinary organs (170-181).	M. 2,532 F. 5,071	34	20	99	88	654	869	152	151	176	288	1	-
170	Breast	M. 19 F. 2,645	- 31	1 15	- 100	- 85	5 775	9 970	1 122	- 101	1 155	2 288	-	- 3
171	Cervix uteri	F. 652	16	2	40	24	204	247	18	18	31	51	-	1
172	Corpus uteri	F. 227	-	2	9	7	28	138	13	1	9	20	-	-
173	Other parts of uterus, including chorionepithelioma.	F. 5	-	-	-	-	3	2	-	-	-	-	-	-
174	Uterus, unspecified	F. 213	5	3	1	5	143	14	20	12	9	1	-	-
175	Ovary, Fallopian tube, and broad ligament	F. 801	11	4	36	26	186	316	33	33	61	95	-	-
.0	Ovary	F. 789	11	4	35	26	183	312	32	32	60	94	-	-
.1	Fallopian tube and broad ligament	F. 10	-	-	1	-	2	4	1	-	1	1	-	-
.8	Multiple sites	F. 1	-	-	-	-	-	-	-	1	-	-	-	-
.9	Site unspecified	F. 1	-	-	-	-	1	-	-	-	-	-	-	-
176	Other and unspecified female genital organs.	F. 106	1	1	2	5	41	31	4	4	7	10	-	-
.0	Vulva	F. 54	-	1	2	2	16	17	2	3	3	8	-	-
.1	Vagina	F. 33	1	-	-	2	10	11	2	1	4	2	-	-
.7	Other specified sites	F. 1	-	-	-	-	1	-	-	-	-	-	-	-
.8	Multiple sites	F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	F. 18	-	-	-	1	14	3	-	-	-	-	-	-
177	Prostate	M. 1,456	13	8	61	47	390	456	88	99	99	194	1	-
178	Testis	M. 74	2	-	3	-	12	31	4	5	7	10	-	-
179	Other and unspecified male genital organs	M. 21	-	-	1	2	2	11	1	2	1	1	-	-
.0	Penis	M. 20	-	-	1	2	1	11	1	2	1	1	-	-
.1	Scrotum	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other specified sites	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.8	Multiple sites	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	M. 1	-	-	-	-	1	-	-	-	-	-	-	-
180	Kidney	M. 404 F. 196	3 3	5 4	9 15	12 7	113 41	151 66	31 12	20 10	33 15	27 23	-	-
181	Bladder and other urinary organs	M. 558 F. 226	16 4	6	25 9	27	132 58	211 106	27 9	25 3	35 12	54 25	-	-
.0	Bladder	M. 550 F. 221	16 3	6	25 9	26	131 57	208 104	27 8	25 3	33 12	53 25	-	-
.7	Other urinary organs	M. 8 F. 5	- 1	-	-	1	1 1	3 2	- 1	-	2 1	1	-	-
.8	Multiple sites	M. - F. -	- -	-	-	-	-	-	-	-	-	-	-	-
	Malignant neoplasm of other and unspecified sites (190-199).	M. 1,303 F. 1,040	29	7	59	33	375	452	56	84	85	121	1	1
190	Malignant melanoma of skin	M. 112 F. 84	1	-	6 3	6 4	23 19	50 34	4 5	8 7	9 2	5 10	-	-
.0	Lips	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Eyelids, including canthi	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.2	Ear and external auricular canal	M. 4 F. -	-	-	-	-	1	3	-	-	-	-	-	-
.3	Other and unspecified parts of face	M. 5 F. 9	-	-	1	-	-	2	-	1	1	-	-	-
.4	Scalp and neck	M. 4 F. 3	1	-	-	1	-	1	1	-	-	1	-	-
.5	Trunk	M. 30 F. 17	-	-	-	1	5 3	22 8	- 1	1 2	1	- 3	-	-
.6	Upper limb	M. 11 F. 12	-	-	1	1	1 3	7 5	-	-	1	1 3	-	-
.7	Lower limb	M. 17 F. 20	-	-	-	1	3 5	7 9	- 2	1 1	1	4 2	-	-
.8	Multiple sites	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
.9	Site unspecified	M. 41 F. 23	-	-	4 2	2	13 8	8 3	3 2	5 4	6 1	- 1	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	9	3	1	7	13	17	10	16	29	41	78	140	214	318	408	477	428	323	-	M.
-	5	8	3	8	10	23	56	180	345	449	560	623	615	574	573	448	347	244	-	F.
-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	3	2	2	5	-	M. 170
-	-	-	-	-	1	5	29	115	200	271	334	352	322	282	266	197	153	118	-	F.
-	-	-	-	1	-	8	19	39	69	74	84	82	73	56	53	45	34	15	-	F. 171
-	-	-	-	-	-	-	-	2	1	5	13	24	28	52	42	34	19	7	-	F. 172
-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	F. 173
-	1	-	-	-	-	1	1	1	9	12	13	22	26	24	39	36	13	15	-	F. 174
-	1	1	3	4	4	8	3	18	59	70	92	110	110	92	95	63	43	25	-	F. 175
-	1	1	3	4	4	8	3	18	58	68	92	108	106	91	94	62	43	25	-	F. .0
-	-	-	-	-	-	-	-	-	1	2	-	2	3	1	-	1	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .9
-	-	-	-	1	1	-	-	1	-	2	7	8	13	11	16	14	20	12	-	F. 176
-	-	-	-	-	-	-	-	-	-	-	2	4	3	6	10	8	13	8	-	F. .0
-	-	-	-	-	1	-	-	1	-	1	3	3	6	5	4	2	4	3	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	1	-	-	-	-	-	1	2	1	4	-	2	3	3	1	-	F. .9
-	1	-	-	-	-	-	-	1	-	8	11	50	91	164	259	319	324	228	-	M. 177
-	-	-	-	5	13	14	6	10	10	1	3	3	2	-	2	3	1	1	-	M. 178
-	-	-	-	-	-	-	-	1	2	1	2	2	5	-	2	3	2	1	-	M. 179
-	-	-	-	-	-	-	-	1	2	1	2	2	5	-	2	2	2	1	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .9
-	7	3	1	2	-	2	2	4	14	24	40	42	52	63	57	50	25	16	-	M. 180
-	3	6	-	2	4	-	3	4	2	10	12	14	25	32	26	26	17	10	-	F.
-	1	-	-	-	-	1	1	1	3	6	19	43	63	89	85	100	74	72	-	M. 181
-	-	1	-	-	-	-	-	1	4	4	5	11	18	25	35	33	48	42	-	F.
-	1	-	-	-	-	1	1	1	3	6	18	43	62	87	82	100	74	71	-	M. .0
-	-	1	-	-	-	-	-	-	4	4	4	10	18	25	32	33	48	42	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-	1	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
4	39	28	27	33	30	18	24	44	61	85	129	147	129	122	134	113	74	62	-	M.
5	23	25	22	28	15	18	16	22	55	47	75	94	124	114	111	101	78	67	-	F.
-	-	-	-	1	3	3	7	6	9	12	15	13	6	9	14	7	4	3	-	M. 190
-	1	-	-	-	3	3	2	7	4	9	7	9	6	10	7	5	6	5	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .2
-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	M. .3
-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	3	2	-	F. .4
-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	M. .5
-	1	-	-	-	1	1	4	2	5	2	4	4	-	3	3	1	-	-	-	F. .6
-	-	-	-	-	-	-	1	3	-	2	2	1	-	1	2	-	1	1	-	M. .7
-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	-	2	1	1	-	F. .8
-	-	-	-	1	1	-	1	2	-	2	1	1	1	-	3	2	1	1	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	1	1	2	3	6	5	6	4	3	5	1	2	1	-	M. .9
-	-	-	-	-	1	-	-	1	2	4	2	2	2	5	-	3	-	1	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Malignant neoplasm of other and unspecified sites - Concluded:															
196	Bone	M.	114	1	-	7	2	49	35	1	4	6	9	-	-
		F.	73	3	2	4	2	30	13	3	2	6	8	-	-
.0	Bones of the skull and face	M.	14	1	-	-	7	6	-	-	-	-	-	-	
		F.	7	-	-	1	3	-	-	-	1	2	-	-	
.1	Lower jaw bone	M.	20	-	-	2	-	11	6	-	-	1	-	-	
		F.	8	-	1	-	-	2	2	-	-	1	2	-	
.2	Vertebral column(excluding sacrum and coccyx)	M.	11	-	-	2	-	6	-	-	2	-	1	-	
		F.	5	-	-	-	-	3	-	1	-	-	-	-	
.3	Ribs, sternum, and clavicle	M.	6	-	-	-	-	2	2	-	-	2	-	-	
		F.	5	-	-	-	-	3	1	-	-	-	1	-	
.4	Long bones of upper limb, and scapula	M.	5	-	-	1	-	1	3	-	-	-	-	-	
		F.	4	-	-	-	1	1	1	-	-	1	-	-	
.5	Upper limb, short bones	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Pelvic bones, sacrum, coccyx	M.	15	-	-	-	-	2	7	1	1	1	3	-	
		F.	8	1	1	1	-	4	1	-	-	-	-	-	
.7	Lower limb, long bones	M.	25	-	-	-	1	8	10	-	1	1	4	-	
		F.	21	1	-	1	1	8	5	-	1	2	2	-	
.8	Lower limb, short bones	M.	3	-	-	-	-	2	1	-	-	-	-	-	
		F.	3	-	-	-	-	2	1	-	-	-	-	-	
.9	Multiple sites and site unspecified	M.	15	-	-	2	1	10	-	-	1	1	1	-	
		F.	12	1	-	1	-	4	2	2	1	1	-	-	
197	Connective tissue	M.	56	-	-	2	1	10	26	2	3	4	8	-	
		F.	52	2	-	-	5	11	14	3	4	4	9	-	
.0	Head, face, and neck	M.	3	-	-	-	-	1	2	-	-	-	-	-	
		F.	1	-	-	-	1	-	-	-	-	-	-	-	
.1	Trunk	M.	15	-	-	-	-	2	8	1	1	-	3	-	
		F.	14	1	-	-	2	2	1	1	1	-	6	-	
.2	Upper limb (including shoulder)	M.	7	-	-	-	-	2	3	-	-	-	2	-	
		F.	8	-	-	-	-	1	5	-	1	1	-	-	
.3	Lower limb (including hip)	M.	17	-	-	-	-	2	8	-	1	3	3	-	
		F.	13	-	-	-	1	3	4	-	1	2	2	-	
.8	Multiple sites	M.	1	-	-	-	-	-	1	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Site unspecified	M.	13	-	-	2	1	3	4	1	1	1	-	-	
		F.	16	1	-	-	1	5	4	2	1	1	1	-	
198	Secondary and unspecified malignant neoplasm of lymph nodes.	M.	12	-	-	1	1	2	7	-	-	1	-	-	
		F.	7	-	-	-	1	1	5	-	-	-	-	-	
.0	Head, face, and neck	M.	7	-	-	-	1	1	5	-	-	-	-	-	
		F.	5	-	-	-	1	1	3	-	-	-	-	-	
.1	Intrathoracic	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Intra-abdominal	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	1	-	-	-	-	-	
.3	Axillary and upper limb	M.	2	-	-	-	-	1	-	-	-	1	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Inguinal and lower limb	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Other specified sites	M.	2	-	-	-	-	-	2	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Multiple sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Site unspecified	M.	1	-	-	1	-	-	-	-	-	-	-	-	
		F.	1	-	-	-	-	-	1	-	-	-	-	-	
199	Other and unspecified sites	M.	336	15	2	24	10	85	100	16	33	22	28	1	
		F.	325	13	5	23	9	79	91	25	30	26	24	-	
	Neoplasms of lymphatic and haematopoietic tissues (200-205).	M.	1,531	25	4	47	43	443	506	89	77	119	177	-	
		F.	1,060	12	10	39	29	274	410	60	51	61	114	-	
200	Lymphosarcoma and reticulosarcoma	M.	361	4	-	12	9	101	129	25	18	23	39	-	
		F.	262	4	4	11	8	59	104	17	12	14	29	-	
.0	Reticulum-cell sarcoma	M.	123	1	-	2	3	42	41	10	5	10	9	-	
		F.	76	2	3	3	3	16	26	6	4	6	7	-	
.1	Lymphosarcoma	M.	194	2	-	9	5	48	69	15	13	12	21	-	
		F.	145	1	1	7	3	31	61	9	8	7	17	-	
.2	Other primary malignant neoplasms of lymphoid tissue.	M.	44	1	-	1	1	11	19	-	-	1	9	-	
		F.	41	1	-	1	2	12	17	2	-	1	5	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	1	5	11	14	13	1	1	2	3	4	7	14	5	8	11	8	3	3	-	M. 196
-	1	-	5	9	1	3	2	-	1	1	4	6	7	7	8	6	10	2	-	F.
-	1	1	-	-	-	1	-	-	1	-	-	3	1	3	-	1	1	1	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	1	-	F.
-	-	-	1	1	1	-	-	-	-	-	1	2	1	3	4	5	-	1	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	F.
-	-	1	1	1	-	-	-	1	-	1	1	2	-	1	2	1	-	-	-	M. F. .2
-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	-	-	-	-	M. F. .3
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	M. F. .4
-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	1	-	2	3	1	-	-	-	2	1	2	3	-	1	-	-	-	-	-	M. F. .6
-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-	F.
-	-	2	3	8	4	-	-	1	-	2	1	2	1	-	1	-	-	-	-	M. F. .7
-	-	-	4	3	1	2	-	-	-	-	-	-	2	-	3	3	3	-	-	F.
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F. .8
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	1	2	-	4	-	1	-	-	-	-	1	1	-	2	-	2	1	-	M. F. .9
-	-	-	1	3	-	-	-	-	-	-	2	1	2	1	-	-	2	-	-	F.
-	1	-	1	1	1	3	1	1	2	4	5	3	7	7	6	4	6	3	-	M. 197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	M. F. .0
-	1	-	-	-	1	-	-	-	-	2	1	1	3	2	2	2	1	1	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	2	-	F.
-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	1	-	-	M. F. .2
-	-	-	-	1	-	1	-	-	-	-	-	-	4	-	1	-	1	-	-	F.
-	-	-	-	-	1	1	1	-	1	2	1	1	1	-	3	2	1	1	-	M. F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8
-	1	-	-	1	1	-	-	-	-	-	2	-	2	2	1	-	2	1	-	M. F. .9
-	-	1	1	1	1	1	1	1	-	-	1	1	4	2	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	2	1	2	-	-	M. 198
-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	M. F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. F. .9
-	-	-	-	1	2	1	1	4	7	12	25	35	44	39	50	50	40	25	-	M. 199
-	3	-	1	1	2	-	1	1	9	9	18	30	42	35	49	49	41	34	-	F.
-	6	57	63	43	45	53	39	41	47	65	78	78	131	141	168	145	98	69	-	M. F.
-	-	41	39	17	27	25	23	25	29	41	67	72	59	85	108	134	88	44	-	F.
-	5	11	7	8	8	5	6	13	15	22	18	40	44	47	33	41	19	19	-	M. 200
-	2	3	1	7	-	5	3	4	10	13	19	16	31	31	45	39	22	11	-	F.
-	1	1	3	4	6	3	1	5	7	7	5	11	15	15	12	17	5	5	-	M. F. .0
-	1	-	-	4	-	2	2	-	3	5	6	7	7	6	12	16	4	1	-	F.
-	3	10	4	2	2	2	5	6	7	7	13	11	22	24	17	19	9	11	-	M. F. .1
-	1	2	1	2	-	2	1	4	5	7	7	12	8	15	22	25	13	9	-	F.
-	1	-	-	2	-	-	-	2	1	2	2	7	2	8	4	5	5	3	-	M. F. .2
-	-	1	-	1	-	1	-	-	2	1	1	1	9	3	8	7	5	1	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Diseases of other endocrine glands— Concluded:														
272	Diseases of pituitary gland	M. 14 F. 11	—	—	2	1	2	7	1	—	—	1	—	—	
273	Diseases of thymus gland	M. 12 F. 4	—	—	4	—	—	5	1	—	2	—	—	—	
274	Diseases of adrenal glands	M. 14 F. 18	—	2	1	1	4	3	2	1	1	2	2	—	
277	Polyglandular dysfunction and other dis- eases of endocrine glands.	M. 5 F. 10	—	—	—	1	2	—	1	—	1	—	—	—	
	Avitaminoses, and other metabolic dis- eases (280-289).	M. 139 F. 122	5	—	6	3	50	48	4	5	8	8	—	2	
280	Beriberi	M. 1 F. —	—	—	—	—	—	—	—	—	—	1	—	—	
281	Pellagra	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
282	Scurvy	M. 1 F. —	—	—	—	—	—	1	—	—	—	—	—	—	
283	Active rickets	M. 2 F. —	—	—	—	—	2	—	—	—	—	—	—	—	
284	Late effects of rickets	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
285	Osteomalacia	M. — F. 3	—	—	1	—	1	—	1	—	—	—	—	—	
286	Other avitaminoses and nutritional defi- ciency states.	M. 30 F. 31	2	—	1	2	2	10	3	1	3	4	—	2	
.0	<i>Steatorrhoea and sprue</i>	M. 7 F. 4	—	—	1	2	2	—	—	1	—	2	—	—	
.5	<i>Malnutrition, unqualified</i>	M. 21 F. 25	2	—	1	—	—	8	3	—	3	2	—	2	
.6	<i>Kwashiorkor (protein malnutrition)</i>	M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—	
.7	<i>Other and multiple deficiency states</i> ..	M. 2 F. 2	—	—	1	—	—	2	—	—	—	1	—	—	
287	Obesity, not specified as of endocrine origin.	M. 48 F. 47	—	—	1	—	29	14	—	3	1	—	—	—	
288	Gout	M. 12 F. —	—	—	1	—	5	4	1	—	—	1	—	—	
289	Other metabolic diseases	M. 45 F. 41	3	—	3	1	12	19	—	1	4	2	—	—	
.0	<i>Lipidosis (disturbance of lipid metabo- lism).</i>	M. 7 F. 13	1	—	1	—	—	5	—	—	—	—	—	—	
.1	<i>Amyloidosis</i>	M. 9 F. 8	—	—	—	—	1	5	—	1	2	—	—	—	
.2	<i>Other</i>	M. 29 F. 20	2	—	2	1	11	9	—	—	2	2	—	—	
	IV. Diseases of the blood and blood- forming organs.	M. 274 F. 259	6	1	10	10	84	91	18	15	24	15	—	—	
	Diseases of blood and blood-forming or- gans (290-299).	M. 274 F. 259	6	1	10	10	84	91	18	15	24	15	—	—	
290	Pernicious and other hyperchromic anae- mias.	M. 22 F. 39	—	—	1	1	7	6	2	3	1	1	—	—	
.0	<i>Pernicious anaemia</i>	M. 19 F. 34	—	1	1	1	6	4	2	3	1	1	—	—	
.1	<i>Subacute combined degeneration of spi- nal cord.</i>	M. — F. 1	—	—	—	—	—	—	—	—	—	1	—	—	
.2	<i>Other hyperchromic anaemias</i>	M. 3 F. 4	—	—	—	—	1	2	—	—	—	—	—	—	
291	Iron deficiency anaemias (hypochromic anaemias).	M. 5 F. 15	—	—	—	—	1	2	1	1	—	—	—	—	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +		Not stated
-	-	1	-	-	1	-	-	2	1	1	1	-	1	2	-	4	2	-	-	M. 272
-	-	-	1	-	-	-	1	2	1	-	-	-	1	2	2	1	-	-	-	F.
11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 273
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
2	-	-	-	-	1	-	-	1	-	3	-	3	1	1	1	1	-	-	-	M. 274
-	-	1	2	-	-	-	-	-	1	2	1	1	4	1	2	1	1	1	-	F.
-	1	-	-	1	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	M. 277
-	1	-	-	1	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	F.
13	5	4	2	-	1	-	1	5	8	7	8	18	10	20	14	8	10	5	-	M. 277
9	6	3	5	3	-	1	1	4	2	7	7	10	8	11	13	11	11	10	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 280
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 281
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. 282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 283
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 284
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 285
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	F.
3	1	-	-	-	-	-	-	-	2	-	1	3	2	5	3	3	4	3	-	M. 286
2	1	-	1	-	-	-	-	-	-	-	1	4	3	3	2	1	5	8	-	F.
3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	M. 286
2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	F.
-	1	-	1	-	-	-	-	-	2	-	-	3	2	4	1	3	3	3	-	M. 287
-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	1	5	8	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 288
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
10	4	2	2	-	1	-	1	1	1	3	1	5	4	6	1	2	1	-	-	M. 289
7	5	3	4	3	-	1	-	1	-	4	-	3	2	4	1	2	1	-	-	F.
2	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	M. 289
3	2	-	3	1	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	2	-	-	-	M. 290
-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	1	1	-	-	-	F.
8	3	2	-	-	1	-	1	-	1	2	1	2	3	3	1	-	1	-	-	M. 290
4	3	3	1	2	-	1	-	-	-	2	-	2	2	1	-	-	1	-	-	F.
12	11	3	4	3	4	1	3	1	10	5	11	12	20	30	22	47	42	33	-	M. 291
5	5	2	8	1	6	4	2	2	6	5	10	11	11	20	32	39	38	52	-	F.
12	11	3	4	3	4	1	3	1	10	5	11	12	20	30	22	47	42	33	-	M. 291
5	5	2	8	1	6	4	2	2	6	5	10	11	11	20	32	39	38	52	-	F.
-	-	-	-	-	-	2	-	-	1	-	-	1	-	2	5	3	7	7	-	M. 290
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	8	5	13	-	F.
-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	5	3	7	6	-	M. 290
-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	6	5	12	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 291
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	M. 291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	4	-	1	2	1	1	-	-	-	-	4	5	8	11	6	18	13	7	-	M. 292
-	1	-	1	-	3	1	-	-	1	-	4	5	1	7	8	8	5	6	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	F. .2
-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	3	4	1	4	-	F. .4
-	2	-	1	1	1	1	-	-	-	-	2	3	3	6	5	11	10	2	-	M. .5
-	-	-	1	1	2	1	-	-	-	-	2	3	1	5	-	5	4	6	-	F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	F. .8
5	3	1	1	1	1	-	-	1	1	1	3	3	7	3	11	12	17	-	M. 293	
-	1	-	-	-	-	-	-	-	2	1	2	4	3	8	5	4	3	-	M. 294	
-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	4	1	-	-	F. .9	
1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
2	4	1	2	-	-	1	2	1	2	2	-	2	2	1	3	2	1	3	-	M. 296
-	1	1	-	-	1	-	-	-	-	1	2	-	-	-	1	3	1	-	-	F. .1
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	M. 297
1	2	-	1	-	1	-	-	1	3	-	2	1	4	1	2	2	-	-	-	F. .2
-	1	1	1	-	1	-	1	-	-	-	1	1	2	1	-	1	3	-	-	M. 298
-	1	1	1	-	1	-	1	-	3	-	1	1	1	4	-	2	1	-	-	F. .3
-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	-	M. .4
-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	F. .5
3	1	-	1	-	1	-	1	-	1	-	-	1	-	2	-	2	-	1	-	M. 299
3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	2	-	F. .6
13	11	2	6	2	6	7	13	23	23	37	38	30	34	33	16	19	11	19	-	M. .7
22	13	-	3	2	6	-	1	9	9	15	16	18	16	10	7	11	14	28	-	F. .8
-	-	-	-	-	1	-	3	2	3	3	6	6	7	14	6	13	11	18	-	M. .9
-	-	-	-	-	-	-	1	1	1	2	2	6	7	8	5	11	11	27	-	F. .0
-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	1	-	-	-	-	M. 300
-	-	-	-	-	1	-	-	-	1	-	-	1	2	3	1	1	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 301
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .2
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 302
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	F. .5

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	VI. Diseases of the nervous system and sense organs.	M. 8,422 F. 8,631	242	65	429	250	1,917	3,027	477	468	600	932	4	11
			215	67	450	304	1,972	3,215	412	399	525	1,062	1	9
	Vascular lesions affecting central nervous system (330-334).	M. 7,351 F. 7,898	226	59	397	225	1,611	2,784	434	410	549	848	4	4
			192	62	415	283	1,740	2,994	374	369	470	995	1	3
330	Subarachnoid haemorrhage	M. 368 F. 413	5 5	3 2	13 18	5 10	96 91	148 154	23 30	13 17	17 19	45 67	-	-
331	Cerebral haemorrhage	M. 3,846 F. 4,016	136 114	34 41	241 255	138 153	563 708	1,481 1,583	248 195	244 207	301 266	453 491	4 1	3 2
332	Cerebral embolism and thrombosis	M. 2,483 F. 2,450	55 47	14 10	112 96	58 88	744 703	843 866	111 97	110 98	170 130	266 314	-	1
333	Spasm of cerebral arteries	M. - F. -	-	-	-	-	-	-	-	-	-	-	-	-
334	Other and ill-defined vascular lesions affecting central nervous system.	M. 854 F. 1,019	30 26	8 9	31 46	24 32	208 238	312 391	52 52	43 47	61 55	84 123	-	1
	Inflammatory diseases of central nervous system (340-345).	M. 214 F. 217	5	3	12	8	61	60	10	13	9	26	-	7
			7	-	11	7	62	65	13	9	15	23	-	5
340	Meningitis, except meningococcal and tuberculous.	M. 85 F. 65	- 1	1 -	6 5	3 3	22 20	20 16	4 4	6 2	3 3	13 7	-	7 4
.0	<i>H. influenzae</i>	M. 8 F. 5	- -	- -	- -	1 -	1 -	3 3	- -	1 2	- -	2 -	-	-
.1	<i>Pneumococcus</i>	M. 16 F. 13	- -	- -	3 -	- -	- 4	7 8	- 1	2 -	1 -	3 -	-	-
.2	Due to other specified organism	M. 5 F. 8	- -	- -	1 -	- -	1 -	2 3	- -	1 -	- -	1 -	-	2
.3	With no organism specified as cause	M. 56 F. 39	- 1	1 -	3 4	2 3	20 15	8 2	4 3	2 -	2 3	7 6	-	7 2
341	Phlebitis and thrombophlebitis of intracranial venous sinuses.	M. 1 F. 1	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	-	-
342	Intracranial and intraspinal abscess	M. 22 F. 9	1 -	1 -	1 1	1 1	4 2	8 3	2 -	- 1	1 1	3 -	-	-
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	M. 15 F. 9	- -	- -	- -	1 -	5 2	6 5	1 -	1 1	- -	1 1	-	-
344	Late effects of intracranial abscess or pyogenic infection.	M. 22 F. 16	2 3	- -	- 1	1 -	3 5	10 4	- 2	3 -	1 1	2 -	-	-
A	<i>Hydrocephalus NOS</i>	M. 8 F. 7	2 3	- -	- 1	1 -	2 1	2 1	- 1	1 -	- -	- -	-	-
B	Late effects	M. 14 F. 9	- -	- -	- -	- -	1 4	8 3	- 1	2 -	1 1	2 -	-	-
345	Multiple sclerosis	M. 69 F. 117	2 3	1 -	5 4	2 3	26 33	16 36	3 7	3 5	4 10	7 15	-	- 1
	Other diseases of central nervous system (350-357).	M. 594 F. 485	10	3	19	16	210	169	33	43	38	53	-	-
			15	5	24	10	154	149	25	20	39	43	-	1
350	Paralysis agitans	M. 171 F. 160	2 5	- 2	5 7	3 3	65 46	44 51	10 8	11 6	11 12	20 20	-	-
351	Cerebral spastic infantile paralysis	M. 66 F. 48	3 3	- 1	1 1	- -	36 26	14 10	2 1	1 2	- -	9 4	-	-
352	Other cerebral paralysis	M. 62 F. 50	2 1	- -	- 1	4 2	27 22	19 16	2 2	3 -	5 5	- 1	-	-
353	Epilepsy	M. 134 F. 86	2 3	1 -	3 3	6 2	49 32	31 24	5 2	16 6	11 8	10 5	-	- 1
.0	<i>Petit mal</i>	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	-	-
.1	<i>Grand mal</i>	M. 17 F. 6	- -	- -	- 1	- -	7 -	5 4	1 -	2 1	2 -	- -	-	-
.2	<i>Status epilepticus</i>	M. 18 F. 12	1 -	- -	1 -	2 -	7 4	4 6	- -	- -	2 -	1 2	-	-
.3	Other and unspecified	M. 99 F. 67	1 3	1 -	2 2	4 2	35 28	22 14	4 2	14 5	7 7	9 3	-	- 1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +		Not stated
87 72	71 45	36 23	37 30	43 27	44 19	30 29	46 37	75 61	103 105	158 162	268 224	374 267	631 469	845 651	1,109 1,067	1,557 1,540	1,465 1,674	1,443 2,129	- -	M. F.
4 7	4 2	3 5	8 6	8 7	16 8	17 16	29 22	51 45	84 77	123 129	226 184	314 217	564 423	776 593	1,040 1,000	1,472 1,462	1,408 1,613	1,404 2,082	- -	M. F.
2 -	- 2	- 2	4 4	6 4	10 6	13 11	12 15	29 23	42 38	38 54	56 53	47 45	27 51	28 25	22 37	17 28	9 12	6 3	- -	M. 330 F.
1 7	- -	2 1	4 2	2 2	5 1	3 2	16 5	16 16	31 32	64 58	113 103	161 119	303 245	417 361	543 558	764 723	711 801	690 980	- -	M. 331 F.
1 -	- -	1 1	- -	1 1	- 1	- 2	- 1	4 4	8 5	16 14	48 21	88 45	193 100	264 144	356 302	535 520	487 566	482 723	- -	M. 332 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	M. 333 F.
- -	4 -	- 1	- -	- -	1 -	1 1	1 1	2 2	3 2	5 3	9 7	18 8	41 27	67 63	119 103	156 191	201 234	226 376	- -	M. 334 F.
42 27	19 20	12 8	9 4	7 3	4 1	1 5	5 7	9 11	7 15	22 21	12 24	15 22	21 17	8 10	6 9	12 9	3 3	- 1	- -	M. F.
34 23	13 15	5 5	3 2	1 -	2 -	- -	- -	2 1	1 -	4 1	4 4	3 1	4 3	2 3	1 3	5 2	1 1	- 1	- -	M. 340 F.
1 2	5 2	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	M. F.
3 5	- -	2 -	- 2	- -	- -	- -	- -	1 -	- -	1 1	2 -	1 1	4 1	- 1	1 -	1 1	- 1	- -	- -	M. F.
3 2	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- 1	- -	1 2	1 -	- -	- -	- -	M. F.
27 14	8 11	1 5	3 -	1 -	2 -	- -	- -	1 1	1 -	3 -	1 4	2 -	- 1	- -	2 1	- 1	1 -	- 1	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	M. F.
1 -	2 -	1 1	1 -	3 2	1 -	- -	1 2	3 -	2 1	- -	1 1	1 -	2 -	- -	1 -	2 2	- -	- -	- -	M. F.
3 1	2 1	5 1	2 -	1 -	- -	1 -	1 -	3 -	- -	- -	1 -	1 -	- -	- 1	- -	- -	- -	- -	- -	M. F.
4 3	2 4	1 1	3 2	2 1	1 -	- -	1 -	1 -	- -	2 1	- 1	1 -	- -	- 1	- -	3 -	2 1	- -	- -	M. F.
3 2	1 3	1 1	- -	- -	- -	- -	- -	1 -	- -	1 -	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	M. F.
1 1	1 1	- -	3 2	2 1	1 -	- -	1 -	- -	- -	1 1	- -	1 -	- -	- 1	- -	3 -	1 1	- -	- -	M. F.
- -	- -	- -	- -	- -	- 1	- 5	3 4	3 7	4 13	16 19	7 17	10 20	15 14	5 5	4 6	2 5	- 1	- -	- -	M. F.
15 22	39 21	21 8	20 19	28 17	22 10	11 8	11 8	14 5	11 13	12 11	29 15	41 27	44 27	58 47	58 58	72 67	52 57	36 45	- -	M. F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	5 2	11 2	19 8	24 16	27 29	44 37	28 42	13 23	- -	M. 350 F.
5 9	25 17	9 3	11 9	5 3	2 3	1 1	3 -	1 1	- -	- 1	1 1	- -	1 -	- -	- -	1 -	- -	1 -	- -	M. 351 F.
- -	- -	- -	- -	1 -	- -	- -	- -	- -	2 -	- -	1 1	- 2	3 3	8 7	12 8	12 13	14 9	10 6	- -	M. 352 F.
3 3	10 1	8 4	8 9	17 8	16 6	10 6	6 5	9 2	3 8	7 4	9 6	10 4	4 3	2 9	- 2	4 3	4 1	4 2	- -	M. 353 F.
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	M. F.
- -	- -	- -	1 1	4 1	- -	3 -	- -	1 -	1 -	- -	3 1	1 -	1 -	- -	- -	2 -	- -	1 2	- -	M. F.
1 -	- -	3 1	1 -	4 -	3 -	1 -	2 -	1 1	2 2	1 1	2 1	1 -	- -	- 2	- -	- -	- -	- -	- -	M. F.
3 2	9 1	5 3	6 8	9 7	13 6	7 5	6 3	6 1	3 5	6 3	4 4	8 4	3 3	2 7	- 2	2 3	4 -	3 -	- -	M. F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence													
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.		
	Chronic rheumatic heart disease - Concluded:															
413	Diseases of pulmonary valve specified as M. rheumatic.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
414	Other endocarditis specified as rheumatic M.	31	2	1	1	3	5	9	1	3	2	4	-	-	-	-
	F.	37	-	1	-	2	6	12	4	5	3	4	-	-	-	-
415	Other myocarditis specified as rheumatic M.	7	-	-	-	1	2	3	-	-	-	1	-	-	-	-
	F.	4	-	-	-	-	3	1	-	-	-	-	-	-	-	-
416	Other heart disease specified as rheumatic M.	163	1	4	11	8	21	76	7	10	9	16	-	-	-	-
	F.	205	3	1	12	7	35	83	10	10	21	23	-	-	-	-
	Arteriosclerotic and degenerative heart disease (420-422).															
	M.	30,572	471	226	1,307	1,090	7,415	11,863	1,507	1,460	1,792	3,421	9	11		
	F.	17,976	278	118	782	605	4,213	7,592	854	669	871	1,985	7	2		
420	Arteriosclerotic heart disease, including M. coronary disease.	28,511	445	218	1,187	988	6,593	11,288	1,415	1,369	1,718	3,270	9	11		
	F.	15,870	236	104	680	516	3,364	6,945	768	603	791	1,857	5	1		
.0	Arteriosclerotic heart disease so described.	3,829	45	22	137	126	525	1,867	134	170	181	618	2	2		
	F.	4,068	48	22	162	127	614	2,132	131	121	150	559	1	1		
.1	Heart disease specified as involving M. coronary arteries.	24,624	400	196	1,049	859	6,029	9,414	1,280	1,197	1,536	2,648	7	9		
	F.	11,775	187	82	517	389	2,731	4,809	637	482	641	1,296	4	-		
.2	Angina pectoris without mention of M. coronary disease.	58	-	-	1	3	39	7	1	2	1	4	-	-		
	F.	27	1	-	1	-	19	4	-	-	-	2	-	-		
421	Chronic endocarditis not specified as rheumatic.	307	5	1	12	9	83	100	17	20	21	39	-	-		
	F.	206	4	-	6	3	75	68	11	6	15	17	1	-		
.0	Of mitral valve, specified as nonrheumatic.	17	-	-	-	-	10	4	-	3	-	-	-	-		
	F.	36	-	-	-	-	23	5	1	2	4	-	-	-		
.1	Of aortic valve, not specified as rheumatic.	209	2	1	6	5	48	67	15	12	17	36	-	-		
	F.	103	2	-	-	-	27	38	9	3	11	12	1	-		
.2	Of tricuspid valve, specified as nonrheumatic.	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of pulmonary valve, not specified as rheumatic.	6	-	-	-	-	4	-	1	-	1	-	-	-		
	F.	5	-	-	-	-	3	1	1	-	-	-	-	-		
.4	Other and ill-defined, not specified as rheumatic.	74	3	-	6	4	21	29	-	5	3	3	-	-		
	F.	62	2	-	6	3	22	24	-	2	2	1	-	-		
422	Other myocardial degeneration	1,754	21	7	108	93	739	475	75	71	53	112	-	-		
	F.	1,900	38	14	96	86	774	579	75	60	65	111	1	1		
.0	Fatty degeneration	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F.	3	-	-	1	-	-	1	-	-	-	1	-	-		
.1	With arteriosclerosis	996	14	4	77	57	340	309	53	41	33	68	-	-		
	F.	1,182	24	10	65	61	393	418	52	34	39	84	1	1		
.2	Other	758	7	3	31	36	399	166	22	30	20	44	-	-		
	F.	715	14	4	30	25	381	160	23	26	26	26	-	-		
	Other diseases of heart (430-434)															
	M.	1,238	34	2	70	52	280	371	71	167	92	96	1	2		
	F.	1,048	44	8	63	34	256	331	67	82	72	87	1	3		
430	Acute and subacute endocarditis	37	2	-	1	1	9	9	4	1	2	8	-	-		
	F.	33	3	-	1	2	8	6	2	1	3	7	-	-		
.0	Acute and subacute bacterial endocarditis.	33	2	-	1	1	8	8	4	1	1	7	-	-		
	F.	30	3	-	1	2	5	6	2	1	3	7	-	-		
.1	Other acute endocarditis	4	-	-	-	-	1	1	-	-	1	1	-	-		
	F.	3	-	-	-	-	3	-	-	-	-	-	-	-		
431	Acute myocarditis not specified as rheumatic.	23	1	-	2	-	1	11	-	2	2	4	-	-		
	F.	18	-	-	-	-	2	8	2	-	2	4	-	-		
432	Acute pericarditis specified as nonrheumatic.	7	-	-	-	-	-	3	-	2	-	2	-	-		
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-		
433	Functional disease of heart	335	11	-	16	12	126	96	11	18	18	27	-	-		
	F.	321	6	3	7	7	133	106	9	10	15	25	-	-		
.0	Heart block	135	7	-	6	2	50	43	5	9	6	7	-	-		
	F.	97	4	-	3	2	26	42	1	5	6	8	-	-		
.1	Other disorders of heart rhythm	197	4	-	10	10	73	53	6	9	12	20	-	-		
	F.	223	2	3	4	5	106	64	8	5	9	17	-	-		
.2	Other functional diseases of heart	3	-	-	-	-	3	-	-	-	-	-	-	-		
	F.	1	-	-	-	-	1	-	-	-	-	-	-	-		
434	Other and unspecified diseases of heart	836	20	2	51	39	144	252	56	144	70	55	1	2		
	F.	676	35	5	55	25	113	211	54	71	52	51	1	3		
.0	Kyphoscoliotic heart disease	4	-	-	-	1	-	1	-	1	1	1	-	-		
	F.	13	-	-	-	-	2	5	1	1	2	-	-	-		
.1	Congestive heart failure	504	15	1	42	23	19	168	37	104	60	34	-	1		
	F.	463	22	3	42	22	24	169	42	55	43	39	-	2		
.2	Left ventricular failure	89	1	1	1	3	47	19	4	6	2	4	1	-		
	F.	64	4	1	2	2	33	11	1	2	3	5	-	-		
.3	Other disease of heart	20	-	-	-	1	2	6	4	1	1	4	-	1		
	F.	16	1	-	1	-	6	3	1	-	2	2	-	-		
.4	Unspecified disease of heart	219	4	-	8	11	76	58	11	33	6	12	-	-		
	F.	120	8	1	9	1	48	23	9	13	3	3	1	1		

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Hypertensive heart disease (440-443)	M. 923	27	11	36	34	298	294	32	50	33	108	-	-
		F. 1,264	26	18	49	35	491	411	39	67	37	91	-	-
440	Essential benign hypertensive heart disease.	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. 1	-	-	-	-	-	-	1	-	-	-	-	-
441	Essential malignant hypertensive heart disease.	M. 10	-	-	-	-	3	5	-	1	-	1	-	-
		F. 6	-	-	-	-	3	3	-	-	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis.	M. 325	6	7	6	17	175	94	6	2	1	11	-	-
		F. 384	9	7	10	10	254	79	3	1	1	10	-	-
443	Other and unspecified hypertensive heart disease.	M. 588	21	4	30	17	120	195	26	47	32	96	-	-
		F. 873	17	11	39	25	234	329	35	66	36	81	-	-
	Other hypertensive disease (444-447)	M. 319	6	9	14	12	97	90	22	11	26	32	-	-
		F. 335	9	7	14	14	109	110	16	15	20	21	-	-
444	Essential benign hypertension	M. 92	2	2	8	3	25	34	1	2	7	8	-	-
		F. 168	4	3	10	11	54	57	8	7	7	7	-	-
445	Essential malignant hypertension	M. 57	2	-	2	1	24	9	5	4	1	9	-	-
		F. 40	4	-	-	-	17	11	3	-	2	3	-	-
446	Hypertension with arteriolar nephrosclerosis.	M. 166	2	7	4	8	46	47	16	5	16	15	-	-
		F. 122	-	4	4	3	38	42	4	8	8	11	-	-
447	Other hypertensive disease without mention of heart.	M. 4	-	-	-	-	2	-	-	-	2	-	-	-
		F. 5	1	-	-	-	-	-	1	-	3	-	-	-
	Diseases of arteries (450-456)	M. 2,279	43	13	106	74	534	803	132	157	149	267	1	-
		F. 1,909	27	14	132	66	462	726	102	101	112	167	-	-
450	General arteriosclerosis	M. 1,368	30	10	73	50	373	436	82	98	88	127	1	-
		F. 1,505	23	10	106	57	408	544	80	80	80	117	-	-
.0	Without mention of gangrene	M. 1,234	28	9	69	45	334	389	73	95	79	112	1	-
		F. 1,413	23	10	98	56	390	507	74	75	71	109	-	-
.1	With mention of gangrene as a consequence.	M. 134	2	1	4	5	39	47	9	3	9	15	-	-
		F. 92	-	-	8	1	18	37	6	5	9	8	-	-
451	Aortic aneurysm nonsyphilitic, and dissecting aneurysm.	M. 742	11	2	20	19	126	305	42	46	49	122	-	-
		F. 269	2	3	17	7	33	121	16	12	21	37	-	-
452	Other aneurysm, except of heart and aorta	M. 27	-	-	2	-	7	12	-	2	2	2	-	-
		F. 22	-	-	2	-	7	10	1	1	1	-	-	-
453	Peripheral vascular disease	M. 24	2	1	2	2	6	3	2	1	1	4	-	-
		F. 11	-	-	1	-	2	5	1	1	-	1	-	-
.0	Raynaud's disease	M. 1	1	-	-	-	-	-	-	-	-	-	-	-
		F. 2	-	-	-	-	1	1	-	-	-	-	-	-
.1	Thrombo-angiitis obliterans	M. 11	1	-	-	1	5	-	2	-	-	2	-	-
		F. 1	-	-	-	-	-	-	-	-	-	1	-	-
.2	Chilblains	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	M. 12	-	1	2	1	1	3	-	1	1	2	-	-
		F. 8	-	-	1	-	1	4	1	1	-	-	-	-
454	Arterial embolism and thrombosis	M. 61	-	-	3	1	13	26	5	3	5	5	-	-
		F. 42	1	-	1	1	3	27	2	2	2	3	-	-
455	Gangrene of unspecified cause	M. 16	-	-	4	1	3	2	-	5	-	1	-	-
		F. 12	-	1	4	-	3	2	1	1	-	-	-	-
456	Other diseases of arteries	M. 41	-	-	2	1	6	19	1	2	4	6	-	-
		F. 48	1	-	1	1	6	17	1	4	8	9	-	-
	Diseases of veins and other diseases of circulatory system (460-468).	M. 434	10	4	19	13	52	151	51	43	40	51	-	-
		F. 374	8	2	21	9	60	150	40	29	26	29	-	-
460	Varicose veins of lower extremities	M. 10	-	1	1	-	1	3	1	1	1	1	-	-
		F. 15	-	-	1	-	1	9	-	2	2	-	-	-
461	Haemorrhoids	M. 2	-	-	-	-	-	2	-	-	-	-	-	-
		F. 2	-	-	-	-	2	-	-	-	-	-	-	-
462	Varicose veins of other specified sites....	M. 17	1	-	1	1	3	5	1	2	1	2	-	-
		F. 13	-	-	3	2	3	4	-	1	-	-	-	-
.0	Varicocele	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of oesophagus	M. 16	1	-	1	1	3	4	1	2	1	2	-	-
		F. 12	-	-	3	2	2	4	-	1	-	-	-	-
.2	Other	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-
463	Phlebitis and thrombophlebitis of lower extremities.	M. 48	-	-	1	-	13	19	-	1	2	12	-	-
		F. 46	-	-	-	-	9	21	-	3	6	7	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																			Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	-	-	-	-	1	3	-	2	18	17	33	54	75	111	145	131	179	155	-	M.	
-	-	-	-	-	-	-	1	1	4	5	26	38	54	119	143	221	308	344	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 440
-	-	-	-	-	-	-	-	-	2	4	-	-	1	1	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	M. 441
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	1	-	-	5	2	2	5	23	23	49	46	87	82	-	-	M. 442
-	-	-	-	-	-	-	-	-	1	1	3	8	13	20	30	57	112	139	-	-	F.
-	-	-	-	-	-	2	-	2	11	11	31	48	51	87	96	85	91	73	-	-	M. 443
-	-	-	-	-	-	-	-	1	3	4	23	29	40	97	112	164	196	204	-	-	F.
-	-	-	-	-	4	2	2	5	8	15	13	19	17	23	32	58	57	64	-	-	M.
-	-	-	1	-	3	1	1	3	2	9	10	10	14	26	30	65	62	98	-	-	F.
-	-	-	-	-	-	-	-	-	2	5	5	3	10	6	9	21	15	16	-	-	M. 444
-	-	-	-	-	1	-	1	-	1	4	4	5	5	12	17	29	40	49	-	-	F.
-	-	-	-	-	3	2	2	3	6	8	6	10	4	4	4	3	-	2	-	-	M. 445
-	-	-	-	-	2	1	-	3	1	5	6	3	5	5	2	4	2	1	-	-	F.
-	-	-	-	-	1	-	-	2	-	2	1	6	3	12	19	34	41	45	-	-	M. 446
-	-	-	1	-	-	-	-	-	-	-	-	2	4	9	9	31	20	46	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	M. 447
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	-	-	F.
-	-	-	1	3	1	3	3	4	15	20	43	77	152	202	264	401	438	652	-	-	M.
-	-	-	-	2	2	5	8	6	9	7	31	26	47	90	158	284	413	820	1	-	F.
-	-	-	-	-	-	-	-	-	2	5	7	15	38	60	120	233	326	562	-	-	M. 450
-	-	-	-	-	-	-	-	-	1	2	8	6	16	47	103	207	352	763	-	-	F.
-	-	-	-	-	-	-	-	-	1	3	6	12	33	46	107	210	294	522	-	-	M. .0
-	-	-	-	-	-	-	-	-	1	2	8	6	16	45	96	191	332	716	-	-	F.
-	-	-	-	-	-	-	-	-	1	2	1	3	5	14	13	23	32	40	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	16	20	47	-	-	F.
-	-	-	-	1	-	1	2	2	7	7	22	50	87	128	127	150	97	61	-	-	M. 451
-	-	-	-	-	-	-	1	1	4	2	8	9	19	28	41	68	46	41	1	-	F.
-	-	-	1	-	-	-	-	-	3	1	3	5	1	4	2	2	2	3	-	-	M. 452
-	-	-	-	1	-	-	2	1	1	2	7	7	3	1	-	2	1	-	-	-	F.
-	-	-	-	-	-	-	-	1	1	-	1	1	7	2	1	1	3	6	-	-	M. 453
-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	3	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	-	1	-	1	-	-	M. .1
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	3	5	-	-	M. .3
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	3	2	-	-	F.
-	-	-	-	-	-	-	-	-	1	2	3	5	8	3	10	10	6	13	-	-	M. 454
-	-	-	-	-	-	-	1	1	-	-	2	3	3	7	6	5	7	7	-	-	F.
-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	3	1	6	-	-	M. 455
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	6	-	-	F.
-	-	-	-	2	1	2	4	4	1	5	5	5	7	3	2	2	3	1	-	-	M. 456
-	-	-	-	1	2	4	4	2	3	1	6	4	5	6	5	2	2	1	-	-	F.
-	1	-	-	-	1	3	3	3	9	19	23	46	45	47	56	76	63	39	-	-	M.
-	1	-	-	-	6	8	8	8	12	14	19	18	27	41	47	60	66	47	-	-	F.
-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	-	-	1	1	-	-	M. 460
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	4	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	M. 461
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	M. 462
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	3	3	2	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	-	-	3	4	1	1	1	3	2	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 463
-	-	-	-	-	1	-	-	1	-	2	3	6	7	6	10	7	2	4	-	-	F.
-	-	-	-	-	1	-	-	-	2	2	3	4	7	4	7	6	7	2	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Diseases of veins and other diseases of circulatory system - Concluded:															
464	Phlebitis and thrombophlebitis of other sites.	M. F.	32 39	- 1	1 -	2 3	3 -	3 6	12 24	1 3	2 -	4 4	4 2	- -	
465	Pulmonary embolism and infarction	M. F.	222 161	6 5	2 2	11 6	4 5	21 29	81 56	34 26	24 13	20 12	19 7	- -	
466	Other venous embolism and thrombosis	M. F.	76 75	2 2	- -	- 7	3 1	7 3	21 28	14 10	11 9	7 2	11 13	- -	
467	Other diseases of circulatory system	M. F.	26 20	1 -	- -	3 1	2 1	4 5	8 7	- 1	2 1	4 4	2 -	- -	
.0	<i>Hypotension</i>	M. F.	6 4	1 -	- -	1 1	- -	2 2	2 1	- -	- -	- -	- -	- -	
.1	<i>Diseases of capillaries</i>	M. F.	4 3	- -	- -	- -	- -	- 2	3 -	- -	- -	- 1	1 -	- -	
.2	<i>Other and unspecified circulatory diseases.</i>	M. F.	16 13	- -	- -	2 -	2 1	2 1	3 6	- 1	2 1	4 3	1 -	- -	
468	Certain diseases of lymph nodes and lymph channels.	M. F.	1 3	- -	- -	- -	- -	- 2	- 1	- -	- -	1 -	- -	- -	
.0	<i>Chronic lymphadenitis</i>	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
.1	<i>Nonspecific mesenteric lymphadenitis</i>	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	
.2	<i>Lymphadenitis, unqualified</i>	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	
.3	<i>Noninfective diseases of lymphatic channels.</i>	M. F.	- 2	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	
VIII. Diseases of the respiratory system			5,622	126	37	218	148	1,074	2,151	376	363	356	750	3	20
			2,994	75	21	126	116	537	1,185	231	182	192	308	2	19
Acute upper respiratory infections (470-475).			61	2	-	6	5	2	14	5	4	6	17	-	-
			35	-	-	1	1	6	14	2	2	3	6	-	-
470	Acute nasopharyngitis (common cold)	M. F.	1 2	- -	- -	- -	- -	- 1	1 1	- -	- -	- -	- -	- -	
471	Acute sinusitis	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	
472	Acute pharyngitis	M. F.	4 7	- -	- -	- -	1 -	- 2	2 3	- 1	- -	1 -	- 1	- -	
.0	<i>Sore throat, unqualified</i>	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
.1	<i>Other</i>	M. F.	3 7	- -	- -	- -	1 -	- 2	1 3	- 1	- -	1 -	- 1	- -	
473	Acute tonsillitis	M. F.	6 -	- -	- -	- -	1 -	- -	1 -	1 -	1 -	- -	2 -	- -	
474	Acute laryngitis and tracheitis	M. F.	25 13	- -	- -	5 -	- -	2 1	5 4	- 1	1 1	4 2	8 4	- -	
475	Acute upper respiratory infection of multiple or unspecified sites.	M. F.	24 13	2 -	- -	1 1	3 1	- 2	5 6	4 -	2 1	1 1	6 1	- -	
Influenza (480-483)			126	4	3	3	7	40	40	2	4	8	14	-	1
			137	4	2	5	2	54	44	4	8	4	9	-	1
480	Influenza with pneumonia	M. F.	62 72	3 4	1 1	1 4	1 1	11 19	29 25	- 2	2 6	4 4	9 5	- -	1 1
481	Influenza with other respiratory manifestations, and influenza unqualified.	M. F.	55 56	1 -	2 1	2 1	4 1	26 31	9 15	1 2	2 2	4 -	4 3	- -	
482	Influenza with digestive manifestations, but without respiratory symptoms.	M. F.	6 6	- -	- -	- -	1 -	2 2	2 3	- -	- -	- 1	1 -	- -	
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms.	M. F.	3 3	- -	- -	- -	1 -	1 2	1 -	1 -	- -	- -	- -	- -	
Pneumonia (490-493)			2,860	75	19	101	74	401	1,156	227	200	170	421	2	14
			2,092	60	14	82	83	267	899	185	125	129	232	2	14
490	Lobar pneumonia	M. F.	327 188	8 7	1 2	15 11	9 6	30 15	138 80	25 12	17 12	15 12	67 31	1 -	1 -
491	Bronchopneumonia	M. F.	1,716 1,288	35 26	7 5	45 36	46 41	258 175	688 591	156 123	135 80	96 75	244 130	1 -	5 6
492	Primary atypical pneumonia	M. F.	173 128	13 7	1 -	7 3	3 8	7 6	76 36	6 13	17 13	11 19	32 22	- -	- 1
493	Pneumonia, other and unspecified	M. F.	644 488	19 20	10 7	34 32	16 28	106 71	254 192	40 37	31 20	48 23	78 49	- 2	8 7

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	1	1	-	2	1	3	1	5	3	4	6	7	-	-	M. 464
-	-	-	-	-	-	1	1	1	8	10	10	26	14	20	28	39	36	28	-	M. 465
-	-	-	-	-	-	1	2	5	4	7	4	9	13	23	16	23	32	22	-	F.
-	-	-	-	-	-	1	1	-	4	3	6	14	11	6	16	10	4	-	M. 466	
-	-	-	-	-	-	1	3	2	2	4	4	5	5	9	19	16	7	-	F.	
-	1	-	-	-	-	1	-	1	1	1	1	2	2	2	6	5	4	2	-	M. 467
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	1	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	M. .0
-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	F.
-	-	-	-	-	-	1	-	1	1	1	1	1	1	2	4	3	2	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	-	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 468
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	1	-	1	1	1	1	1	1	2	5	1	2	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 468
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
432	131	40	18	20	25	23	15	45	65	90	186	300	441	585	705	832	762	906	1	M. F.
342	92	29	18	16	16	13	17	34	36	41	79	114	130	149	258	350	464	796	-	F.
29	13	2	-	1	-	1	-	1	-	2	-	2	-	1	-	3	1	2	-	M. F.
19	7	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	F.
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 470
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 471
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	M. 472
-	2	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M. F. .1
-	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	F.
-	-	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	M. 473
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
14	5	1	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	M. 474
8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.
15	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	M. 475
7	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	F.
13	6	-	1	-	-	1	2	2	2	2	3	1	2	5	2	20	27	37	-	M. F.
11	9	3	2	1	-	-	4	1	3	-	3	5	2	7	7	13	22	44	-	F.
6	1	-	1	-	-	-	-	1	1	1	2	1	2	1	1	12	17	15	-	M. 480
5	4	1	-	1	-	-	2	1	1	-	3	2	2	6	1	9	11	23	-	F.
5	5	-	-	-	-	-	-	1	1	-	1	-	-	3	-	8	10	21	-	M. 481
5	5	1	2	-	-	-	2	-	1	-	-	-	-	1	6	3	8	19	-	F.
1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	M. 482
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	F.
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	M. 483
1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	F.
349	82	24	14	16	15	17	10	24	24	37	69	110	148	177	281	406	430	627	-	M. F.
279	63	16	14	11	12	6	6	16	16	23	36	44	67	78	157	247	352	649	-	F.
25	6	1	2	2	3	3	3	4	3	6	18	21	23	27	43	52	37	48	-	M. 490
20	4	-	-	1	1	1	1	2	6	4	8	11	10	11	15	21	29	44	-	F.
169	46	15	9	9	7	9	4	13	11	22	31	62	93	99	178	252	280	407	-	M. 491
122	36	11	14	6	10	4	3	6	4	13	22	26	36	52	100	164	218	441	-	F.
91	14	2	-	1	1	2	-	2	1	3	4	1	8	8	6	6	15	8	-	M. 492
69	8	2	-	1	-	1	1	1	2	2	3	1	2	2	5	2	9	17	-	F.
64	16	6	3	4	4	3	3	5	9	6	16	26	24	43	54	96	98	164	-	M. 493
68	15	3	-	3	1	1	1	7	4	4	3	6	19	13	37	60	96	147	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Other diseases of respiratory system— Concluded:														
525	Other chronic interstitial pneumonia	M. 204 F. 93	5 3	2 —	4 5	9 3	29 14	71 41	19 6	5 6	13 5	46 8	— —	1 2	
526	Bronchiectasis	M. 130 F. 68	3 2	— —	4 5	4 2	24 10	51 26	3 4	18 6	7 7	16 5	— —	— 1	
527	Other diseases of lung and pleural cavity	M. 940 F. 193	15 1	7 —	32 6	18 5	236 73	334 59	63 9	67 13	72 10	95 16	— —	1 1	
.0	<i>Pulmonary collapse (1 year and over)...</i>	M. 17 F. 4	— —	— —	— —	— —	3 9	3 1	2 —	1 —	2 —	— —	— —	— —	
.1	<i>Emphysema without mention of bronchi- tis.</i>	M. 796 F. 112	9 —	6 —	26 5	15 2	177 29	301 42	51 7	59 7	63 7	88 13	— —	1 —	
.2	<i>Other</i>	M. 127 F. 77	6 1	1 —	6 1	3 3	50 41	30 16	10 2	7 6	7 3	7 3	— —	— 1	
	IX. Diseases of the digestive system	M. 3,265 F. 2,354	53 38	23 9	111 93	92 58	906 661	1,151 862	156 108	186 99	208 155	372 264	2 —	5 7	
	Diseases of buccal cavity and oesophagus (530-539).	M. 35 F. 29	1 —	1 —	1 1	1 2	8 4	16 13	— 1	2 2	1 2	4 4	— —	— —	
530	Dental caries	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.0	<i>Dental caries, unqualified</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
531	Abscesses of supporting structures of teeth.	M. 1 F. —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
.1	<i>Periodontal (parietal)</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.2	<i>Other and unspecified</i>	M. — F. 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
532	Other inflammatory diseases of supporting structures of teeth.	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
.1	<i>Periodontitis (pyorrhoea, inflammatory)</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.3	<i>Other</i>	M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
533	Disorders of occlusion, eruption, and tooth development.	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.1	<i>Disorders of first dentition</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
.2	<i>Impacted teeth</i>	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
535	Other diseases of teeth and supporting structures.	M. 1 F. 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	
536	Stomatitis	M. — F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
537	Diseases of salivary glands	M. 2 F. 5	— —	— —	— —	— —	1 2	1 2	— —	— —	— 1	— —	— —	— —	
538	Other diseases of buccal cavity	M. 1 F. —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
539	Diseases of oesophagus	M. 30 F. 22	1 —	1 —	1 1	1 2	6 2	14 9	— 1	2 2	1 1	3 4	— —	— —	
.0	<i>Functional disorders of oesophagus</i>	M. 2 F. —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	
.1	<i>Other</i>	M. 28 F. 22	1 —	1 —	1 1	1 2	5 2	14 9	— 1	1 2	1 1	3 4	— —	— —	
	Diseases of stomach and duodenum (540- 545).	M. 761 F. 281	14 2	5 1	36 13	23 7	187 74	272 104	36 14	39 14	39 20	109 32	— —	1 —	
540	Ulcer of stomach	M. 359 F. 141	8 1	2 —	16 7	13 5	114 37	116 52	12 7	16 10	15 9	46 13	— —	1 —	
.0	<i>Without mention of perforation</i>	M. 255 F. 109	6 1	2 —	12 5	8 3	75 25	85 41	8 5	12 9	10 8	37 12	— —	— —	
.1	<i>With perforation</i>	M. 104 F. 32	2 —	— —	4 2	5 2	39 12	31 11	4 2	4 1	5 1	9 1	— —	1 —	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
3	1	1	-	-	1	1	-	2	3	7	13	15	22	29	30	34	18	24	-	M. 525
1	-	-	-	-	-	1	1	-	3	1	10	7	13	14	15	10	8	9	-	F.
-	-	1	-	-	1	-	-	-	1	3	10	9	13	17	25	26	14	10	-	M. 526
-	-	1	-	-	1	-	2	1	2	3	6	11	9	8	7	6	6	5	-	F.
11	7	2	1	1	2	1	1	9	16	14	35	72	111	163	165	160	95	73	1	M. 527
10	-	-	-	1	1	1	2	9	7	3	9	13	17	17	27	27	24	25	-	F.
-	3	-	-	-	-	-	1	-	1	1	2	1	1	3	1	1	1	1	-	M. .0
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	F.
1	-	1	-	-	1	-	-	6	11	11	26	65	99	145	148	142	80	59	1	M. .1
2	-	-	-	-	-	-	1	6	5	2	6	4	13	11	22	13	16	11	-	F.
10	4	1	1	1	1	1	-	3	4	2	7	6	11	15	16	17	14	13	-	M. .2
8	-	-	-	1	1	1	-	3	2	1	3	9	4	6	5	14	6	13	-	F.
163	35	17	16	15	12	26	48	72	134	174	240	306	329	376	366	358	311	267	-	M. 528
124	27	16	8	11	9	21	42	52	83	106	141	162	174	224	272	307	284	290	1	F.
-	-	-	-	-	-	-	1	-	2	1	2	4	3	4	4	7	3	4	-	M. 529
-	-	-	-	-	-	-	-	1	-	2	1	1	3	5	4	4	1	7	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 530
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 531
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 532
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 533
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. 535
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 536
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	M. 537
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 538
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	1	-	1	1	2	2	3	4	4	6	3	3	-	M. 539
-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	2	3	-	6	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. .0
-	-	-	-	-	-	-	1	-	1	1	2	2	3	3	3	6	3	3	-	M. .1
-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	2	3	-	6	-	F.
2	-	1	2	5	2	5	3	11	18	34	44	69	69	104	103	105	111	73	-	M. 540
5	1	-	-	-	2	1	5	5	13	12	8	17	13	39	36	38	47	38	1	F.
-	-	1	1	2	2	2	2	4	10	14	21	32	35	59	57	43	42	32	-	M. 540
3	-	-	-	-	-	-	2	2	5	5	4	8	9	27	18	16	23	19	-	F.
-	-	-	-	1	1	2	-	2	4	9	13	22	26	43	41	31	33	27	-	M. .0
1	-	-	-	-	-	-	1	1	4	2	4	7	5	24	15	13	18	16	-	F.
-	-	1	1	1	1	-	2	2	6	5	8	10	9	16	16	12	9	5	-	M. .1
2	-	-	-	-	-	-	1	1	1	3	2	1	4	3	3	3	5	3	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Diseases of stomach and duodenum - Concluded:															
541	Ulcer of duodenum	M. F.	338 104	5 1	1 1	18 6	9 1	55 19	135 41	19 7	22 3	21 11	53 15	-	-
.0	Without mention of perforation	M. F.	236 58	4 -	1 -	15 4	6 1	37 12	90 21	16 3	17 2	15 8	35 7	-	-
.1	With perforation	M. F.	102 46	1 -	- 1	3 2	3 -	18 7	45 20	3 4	5 1	6 3	18 8	-	-
542	Gastrojejunal ulcer	M. F.	10 3	- -	- -	- -	- -	2 2	1 -	1 -	- -	- -	6 1	-	-
.0	Without mention of perforation	M. F.	5 2	- -	- -	- -	- -	2 1	1 -	- -	- -	- -	2 1	-	-
.1	With perforation	M. F.	5 1	- -	- -	- -	- -	1 1	- -	1 -	- -	- -	4 -	-	-
543	Gastritis and duodenitis	M. F.	23 13	- -	2 -	- -	1 1	5 5	12 5	1 -	- -	1 2	1 2	-	-
544	Disorders of function of stomach	M. F.	5 6	- -	- -	- -	- -	1 4	2 2	1 -	- -	- -	1 -	-	-
.0	Disorders of gastric secretion	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	-	-
.1	Disorders of gastric motility	M. F.	3 3	- -	- -	- -	- -	- 2	2 1	- -	- -	- -	1 -	-	-
.2	Other	M. F.	2 2	- -	- -	- -	- -	1 1	- 1	1 -	- -	- -	- -	-	-
545	Other diseases of stomach and duodenum	M. F.	26 14	1 1	- -	2 -	- -	10 7	6 4	2 -	1 1	2 -	2 1	-	-
Appendicitis (550 - 553)															
		M. F.	82 30	- 1	- -	1 -	1 -	24 4	27 17	4 1	7 3	7 -	11 4	-	-
550	Acute appendicitis	M. F.	79 27	- 1	- -	1 -	1 -	24 3	26 16	3 -	7 3	7 -	10 4	-	-
.0	Without mention of peritonitis	M. F.	10 6	- -	- -	- -	- -	4 1	4 4	1 -	1 1	- -	- -	-	-
.1	With peritonitis	M. F.	69 21	- 1	- -	1 -	1 -	20 2	22 12	2 -	6 2	7 -	10 4	-	-
551	Appendicitis, unqualified	M. F.	1 3	- -	- -	- -	- -	- 1	- 1	1 1	- -	- -	- -	-	-
552	Other appendicitis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-
553	Other diseases of appendix	M. F.	2 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	-	-
Hernia of abdominal cavity (560 - 561)															
		M. F.	197 150	2 5	1 -	9 9	3 4	51 35	84 58	11 5	7 5	12 8	17 21	-	-
560	Hernia of abdominal cavity without mention of obstruction.	M. F.	96 64	1 3	- -	5 2	1 2	22 9	40 27	6 2	3 2	9 4	9 13	-	-
.0	Inguinal	M. F.	17 1	- -	- -	1 -	1 -	8 -	4 1	- -	2 -	- -	1 -	-	-
.1	Femoral	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	-
.2	Umbilical	M. F.	14 4	- -	- -	1 -	- -	3 1	8 3	- -	- -	1 -	1 -	-	-
.3	Ventral (incisional)	M. F.	4 6	- -	- -	- 1	- -	- 1	3 2	- -	- -	- 1	1 1	-	-
.4	Other specified site	M. F.	55 50	1 3	- -	2 1	- 2	10 7	24 20	5 2	1 1	7 2	5 12	-	-
.5	Unspecified site	M. F.	6 3	- -	- -	1 -	- -	1 -	1 1	1 -	1 1	1 -	1 -	-	-
561	Hernia of abdominal cavity with obstruction.	M. F.	101 86	1 2	1 -	4 7	2 2	29 26	44 31	5 3	4 3	3 4	8 8	-	-
.0	Inguinal	M. F.	54 10	1 1	- -	2 -	1 -	16 2	20 3	3 -	2 -	2 1	7 2	-	-
.1	Femoral	M. F.	3 13	- -	- -	- 1	1 1	- 3	- 5	1 -	- 1	- -	1 2	-	-
.2	Umbilical	M. F.	7 15	- -	- -	- 1	- -	2 6	5 6	- 1	- -	- 1	- -	-	-
.3	Ventral (incisional)	M. F.	8 19	- -	- -	- 4	- 1	2 4	5 7	- -	1 1	- -	- 2	-	-
.4	Other specified site	M. F.	17 15	- -	1 -	1 -	- -	4 3	10 8	- -	- 1	1 1	- 2	-	-
.5	Unspecified site	M. F.	12 14	- 1	- -	1 -	- -	5 8	4 2	1 1	1 -	- 1	- -	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Other diseases of intestines and peritoneum (570-578).	M. 758 F. 782	19 15	7 4	36 45	28 19	184 184	261 295	39 41	53 39	65 59	63 77	- -	3 4
570	Intestinal obstruction without mention of hernia.	M. 267 F. 290	8 4	2 1	10 14	6 11	69 70	90 116	13 17	18 12	24 15	27 30	- -	- -
.0	Intussusception	M. 7 F. 4	- -	- -	- -	- -	1 -	3 2	1 -	2 -	- -	- 2	- -	- -
.1	Paralytic ileus	M. 28 F. 20	1 2	- -	- -	2 2	10 8	11 4	1 2	- 2	1 -	2 -	- -	- -
.2	Mesenteric infarction	M. 88 F. 90	4 2	1 -	5 3	2 4	21 22	25 35	6 7	8 1	10 4	6 12	- -	- -
.3	Volvulus	M. 49 F. 44	- -	- -	1 4	- 1	12 6	16 21	4 1	4 3	2 3	10 5	- -	- -
.4	Impaction of intestine	M. 7 F. 18	- -	- -	- -	- -	- 3	4 13	- -	- -	- 1	3 1	- -	- -
.5	Other	M. 88 F. 114	3 -	1 1	4 7	2 4	25 31	31 41	1 7	4 6	11 7	6 10	- -	- -
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.	M. 179 F. 196	4 5	- -	6 10	7 3	45 50	54 57	12 10	17 17	15 21	18 19	- -	1 4
.0	Ages between 4 weeks and 2 years	M. 97 F. 90	4 1	- -	2 4	5 1	21 19	26 25	8 6	13 13	6 13	11 4	- -	1 4
.1	Ages 2 years and over	M. 82 F. 106	- 4	- -	4 6	2 2	24 31	28 32	4 4	4 4	9 8	7 15	- -	- -
572	Chronic enteritis and ulcerative colitis	M. 141 F. 169	3 3	2 3	5 7	9 3	38 42	51 66	5 7	9 6	5 15	13 17	- -	1 -
.0	Regional enteritis	M. 12 F. 8	- -	- -	- -	1 -	3 2	7 3	- -	- -	- 2	1 1	- -	- -
.1	Diverticulitis	M. 104 F. 122	3 1	2 3	5 5	5 3	29 25	35 53	3 3	7 6	4 11	10 12	- -	1 -
.2	Ulcerative colitis	M. 24 F. 37	- 2	- -	- 2	3 -	6 15	9 10	2 3	1 -	1 2	2 3	- -	- -
.3	Other	M. 1 F. 2	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	- 1	- -	- -
573	Functional disorders of intestines	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.0	Constipation	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Mucous colitis	M. - F. 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.2	Irritability of colon	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Other	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
574	Anal fissure and fistula	M. 1 F. 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -
575	Abscess of anal and rectal regions	M. 8 F. 2	- -	- -	- -	1 -	1 1	2 1	- -	1 -	1 -	2 -	- -	- -
576	Peritonitis	M. 21 F. 21	2 1	1 -	- 4	2 -	5 2	7 10	2 2	- -	2 -	- 2	- -	- -
577	Peritoneal adhesion	M. 5 F. 8	- -	- -	1 1	- -	2 1	- 4	- 1	- 1	2 -	- -	- -	- -
578	Other diseases of intestines and peritoneum.	M. 136 F. 94	2 2	2 -	14 9	3 2	24 18	56 39	7 4	8 3	16 8	3 9	- -	1 -
	Diseases of liver, gallbladder, and pancreas (580-587).	M. 1,432 F. 1,082	17 15	9 4	28 25	36 26	452 360	491 375	66 46	78 36	84 66	168 126	2 -	1 3
580	Acute and subacute yellow atrophy of liver.	M. 19 F. 14	- -	- -	1 -	- 1	4 2	8 6	1 1	3 -	1 1	2 2	- -	- -
581	Cirrhosis of liver	M. 928 F. 532	11 9	4 1	18 7	23 12	297 164	341 202	39 23	40 14	48 29	105 69	1 -	1 2
.0	Without mention of alcoholism	M. 624 F. 414	9 8	4 1	15 6	20 10	196 142	221 148	26 14	29 12	34 21	69 51	- -	1 1
.1	With alcoholism	M. 304 F. 118	2 1	- -	3 1	3 2	101 22	120 54	13 9	11 2	14 8	36 18	1 -	- 1
582	Suppurative hepatitis and liver abscess	M. 7 F. 3	1 -	- -	- -	- -	- -	5 1	- 1	- -	- -	1 1	- -	- -
583	Other diseases of liver	M. 38 F. 49	- 1	1 -	3 2	1 -	19 22	7 16	- 2	3 2	3 -	1 4	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 -- Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
96 80	25 21	3 4	3 3	3 6	5 2	5 5	10 8	6 10	18 15	18 22	33 28	47 30	69 40	79 64	79 78	98 108	84 126	77 132	-	M. F.
9 4	2 1	- -	- 1	1 -	2 1	- 3	3 3	4 4	7 8	9 7	13 10	14 16	18 18	37 21	35 27	42 52	30 60	30 54	-	M. 570 F.
4 3	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	-	M. F.
1	1	-	-	-	-	-	-	-	-	-	-	1	2	4	1	4	3	6	-	M. .1 F.
1	-	-	-	-	-	-	-	1	4	3	3	5	8	19	15	14	10	5	-	M. .2 F.
2	1	-	-	1	1	-	2	2	1	1	3	4	6	4	5	7	5	4	-	M. .3 F.
-	-	-	1	-	-	1	2	3	1	2	2	3	2	1	1	8	11	6	-	M. .4 F.
-	-	-	-	-	-	1	-	-	2	-	-	2	1	-	2	-	1	3	-	M. .5 F.
1 1	-	-	-	-	1 1	-	1 1	1 1	1 2	4 4	6 5	3 6	10 6	10 9	12 13	16 14	10 25	12 26	-	M. F.
81 73	23 20	2 3	2 2	1 2	-	1 1	3 -	1 -	5 2	-	3 4	8 3	3 1	7 11	8 14	8 12	11 16	12 27	-	M. 571 F.
81 73	16 17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
-	7 3	2 3	2 2	1 2	-	1 1	3 -	1 -	5 2	-	3 4	8 3	3 1	7 11	8 14	8 12	11 16	12 27	-	M. .1 F.
2 1	-	-	1 1	1 1	1 -	3 1	2 4	1 4	3 4	3 6	6 9	12 7	17 17	15 22	17 24	24 24	23 28	10 25	-	M. 572 F.
-	-	-	1	-	-	1	1	1	2	1	1	-	1	1	2	-	-	-	-	M. F.
-	-	-	-	1	-	-	-	-	1	5	10	11	13	13	20	20	9	-	-	M. .1 F.
2	-	-	-	-	1	2	1	1	-	1	5	4	7	17	21	20	23	22	-	M. .2 F.
-	-	-	-	1	-	1	3	2	3	4	3	2	1	5	2	3	5	2	-	M. .3 F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 573 F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1 F.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	M. .2 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3 F.
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 574 F.
-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	-	1	3	-	M. 575 F.
1	-	-	-	-	1	-	-	-	2	-	1	2	3	4	3	1	1	-	-	M. 576 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	M. 577 F.
3 2	-	1	-	1	1	1	2	-	1	6	10	11	13	14	15	20	16	22	-	M. 578 F.
16 18	7 5	8 9	5 5	4 4	3 5	13 13	32 28	53 33	90 52	114 67	152 98	174 109	170 108	163 99	152 127	115 126	86 89	75 87	-	M. F.
1	-	-	-	-	-	1	2	1	1	2	-	1	4	3	2	1	2	-	-	M. 580 F.
3 4	1	2 1	1 3	2 2	-	4 6	17 21	44 23	71 44	96 46	124 65	136 72	132 69	103 52	81 45	55 46	32 20	24 11	-	M. 581 F.
3 4	1	2 1	1 3	2 1	2	3 4	13 11	17 10	35 26	54 30	78 49	85 54	91 57	81 48	56 39	52 45	26 20	24 10	-	M. .0 F.
-	-	-	-	1	-	1	4	27	36	42	46	51	41	22	25	3	6	-	-	M. .1 F.
-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	M. 582 F.
1 4	1	-	-	1	-	-	2	1	2	4	5	4	1	3	4	2	3	4	-	M. 583 F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Diseases of liver, gallbladder, and pancreas - Concluded:															
584	Cholelithiasis	M.	153	2	-	2	3	43	53	9	11	7	23	-	-
		F.	231	-	-	5	5	92	75	9	5	17	23	-	-
585	Cholecystitis and cholangitis without mention of calculi.	M.	105	1	-	1	1	44	21	4	7	10	16	-	-
		F.	121	2	3	3	4	39	36	5	7	10	12	-	-
586	Other diseases of gallbladder and biliary ducts.	M.	21	1	-	1	-	2	8	1	2	2	3	1	-
		F.	38	2	-	1	1	13	10	2	3	3	2	-	1
587	Diseases of pancreas	M.	161	1	4	3	8	43	48	12	12	13	17	-	-
		F.	94	1	-	6	3	28	29	3	5	6	13	-	-
.0	Acute pancreatitis	M.	106	-	2	3	6	25	32	6	9	11	12	-	-
		F.	60	-	-	4	1	19	19	3	4	2	8	-	-
.1	Chronic pancreatitis	M.	18	-	-	-	1	6	6	2	1	1	1	-	-
		F.	8	-	-	1	-	2	2	-	1	2	-	-	-
.2	Other diseases of pancreas	M.	37	1	2	-	1	12	10	4	2	1	4	-	-
		F.	26	1	-	1	2	7	8	-	-	2	5	-	-
A	Fibrocystic disease	M.	28	1	2	-	1	7	8	2	2	1	4	-	-
		F.	23	1	-	-	2	7	7	-	-	1	5	-	-
B	Other	M.	9	-	-	-	-	5	2	2	-	-	-	-	-
		F.	3	-	-	1	-	-	1	-	-	1	-	-	-
X. Diseases of the genito-urinary system															
		M.	1,562	26	8	74	61	471	484	72	90	89	181	1	5
		F.	1,007	22	6	46	28	394	311	38	30	54	75	-	3
Nephritis and nephrosis (590-594)															
		M.	540	6	3	23	22	187	176	24	22	32	44	1	-
		F.	492	6	4	27	8	238	132	17	13	20	26	-	1
590	Acute nephritis	M.	28	1	-	1	-	8	10	2	2	2	-	-	
		F.	33	1	1	-	3	16	4	2	2	4	-	-	
591	Nephritis with oedema, including nephrosis.	M.	25	1	-	2	1	3	7	3	2	4	2	-	
		F.	20	1	-	2	1	12	2	-	1	1	-	-	
592	Chronic nephritis	M.	320	-	2	11	13	103	117	14	12	12	35	1	
		F.	277	2	3	15	3	116	87	8	7	19	16	-	
593	Nephritis not specified as acute or chronic	M.	154	4	1	9	7	67	36	5	6	14	5	-	
		F.	155	2	-	10	-	92	37	6	3	1	4	-	
594	Other renal sclerosis	M.	13	-	-	-	1	6	6	-	-	-	-	-	
		F.	7	-	-	-	1	2	2	1	-	1	-	-	
Other diseases of urinary system (600-609)															
		M.	587	15	2	34	24	172	160	32	38	29	78	-	3
		F.	478	12	2	18	18	151	162	19	16	32	46	-	2
600	Infections of kidney	M.	337	11	-	18	16	79	84	18	28	22	58	-	3
		F.	304	8	2	15	10	74	108	15	12	19	40	-	1
.0	Pyelitis, pyelocystitis, and pyelonephritis.	M.	329	11	-	18	16	79	79	18	27	21	57	-	3
		F.	295	8	2	14	10	72	104	15	11	19	39	-	1
.1	Abscess of kidney and perirenal tissue	M.	6	-	-	-	-	-	4	-	-	1	1	-	-
		F.	3	-	-	-	-	-	2	-	1	-	-	-	-
.2	Other	M.	2	-	-	-	-	-	1	-	1	-	-	-	-
		F.	6	-	-	1	-	2	2	-	-	-	1	-	-
601	Hydronephrosis	M.	14	-	2	-	-	5	4	-	1	-	2	-	
		F.	8	-	-	-	-	3	2	-	-	2	1	-	
602	Calculi of kidney and ureter	M.	49	-	-	5	-	10	20	3	3	2	6	-	
		F.	45	4	-	1	1	6	23	1	1	4	4	-	
603	Other diseases of kidney and ureter	M.	77	1	-	2	4	54	11	2	-	1	2	-	
		F.	67	-	-	-	1	54	6	1	1	3	-	1	
604	Calculi of other parts of urinary system	M.	13	-	-	-	1	7	4	-	1	-	-	-	
		F.	5	-	-	-	1	3	1	-	-	-	-	-	
605	Cystitis	M.	29	1	-	1	1	7	9	3	-	1	6	-	
		F.	15	-	-	-	1	5	7	1	1	-	-	-	
606	Other diseases of bladder	M.	17	1	-	2	-	3	5	2	1	1	2	-	
		F.	6	-	-	-	1	1	1	1	1	1	1	-	
607	Urethritis (non-venereal).....	M.	-	-	-	-	-	-	-	-	-	-	-	-	
		F.	2	-	-	-	-	-	1	-	-	1	-	-	
608	Stricture of urethra	M.	7	-	-	1	1	-	2	2	-	-	1	-	
		F.	-	-	-	-	-	-	-	-	-	-	-	-	
609	Other diseases of urethra	M.	44	1	-	5	1	7	21	2	4	2	1	-	
		F.	26	-	-	2	3	5	13	-	1	2	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.		
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated	
-	-	-	-	-	2	-	3	1	4	1	2	13	14	13	19	26	25	18	22	-	M. 584
-	-	-	-	-	-	1	-	-	-	2	1	2	3	11	15	17	15	18	20	-	F.
-	-	-	-	-	-	1	-	1	-	2	2	4	3	3	8	20	24	27	26	-	M. 585
-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	5	4	4	4	4	-	M. 586
-	-	-	-	-	-	-	-	1	2	-	-	6	2	2	5	5	4	4	5	-	F.
11	4	6	4	1	2	9	11	7	11	11	6	16	8	17	15	12	9	1	-	M. 587	
9	5	7	2	-	-	1	1	2	1	6	5	5	12	9	10	8	6	5	-	F.	
-	-	1	-	-	2	7	9	7	8	8	5	9	4	15	14	10	6	1	-	M. .0	
-	-	-	-	-	1	1	1	-	1	4	5	5	11	9	10	4	5	4	-	F.	
-	-	-	-	-	-	-	-	-	3	3	-	5	2	1	1	1	2	-	-	M. .1	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	4	1	1	-	F.	
11	4	5	4	1	-	2	2	-	-	-	1	2	2	1	-	1	1	-	-	M. .2	
9	5	7	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	F.	
11	4	5	4	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	M. .A	
9	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	2	-	-	-	1	2	2	1	-	1	-	-	-	M. .B	
-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	F.	
8	7	11	7	7	11	14	19	23	28	33	43	75	94	149	178	260	267	327	1	M. F.	
6	3	15	9	13	18	9	21	24	25	34	40	51	70	91	110	147	162	159	-	F.	
3	4	8	5	6	7	11	13	15	20	26	24	32	45	55	49	63	78	76	-	M. F.	
2	2	12	5	5	14	4	12	12	13	13	17	23	32	35	46	74	81	90	-	F.	
-	-	2	1	-	2	3	-	1	-	3	2	1	4	3	1	1	2	2	-	M. 590	
1	1	5	4	1	1	1	1	-	1	2	1	2	2	-	2	4	2	5	-	F.	
-	-	2	-	-	-	1	-	-	-	2	1	-	3	3	2	4	1	1	-	M. 591	
-	-	2	-	-	1	-	-	-	-	-	2	1	2	1	-	3	3	4	-	F.	
-	1	1	4	3	5	7	12	8	9	17	12	12	34	33	26	43	44	49	-	M. 592	
-	-	3	2	3	11	2	8	11	9	5	10	14	17	24	29	39	42	48	-	F.	
2	1	2	-	3	-	-	1	4	8	5	7	16	5	15	20	14	29	22	-	M. 593	
1	-	2	1	1	1	1	2	1	3	6	4	6	10	7	15	28	34	32	-	F.	
-	-	-	1	-	-	-	-	-	2	1	-	-	-	2	1	-	2	2	-	M. 594	
-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	1	-	F.	
5	3	3	2	1	4	3	6	8	7	7	18	31	34	63	65	97	101	129	-	M. F.	
4	1	3	3	8	4	4	8	7	9	19	17	27	35	55	60	72	79	63	-	F.	
3	1	3	1	1	2	1	3	4	2	7	8	11	21	37	36	63	68	65	-	M. 600	
1	1	1	2	7	2	1	5	4	8	14	12	16	20	35	42	50	45	38	-	F.	
3	1	3	1	1	2	1	3	4	2	7	8	9	21	37	34	62	66	64	-	M. .0	
1	1	1	1	7	2	1	5	4	8	14	11	15	19	34	42	49	44	36	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	M. .1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	F.	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. .2	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	F.	
1	-	-	-	-	-	-	1	1	1	1	-	2	-	1	2	1	1	2	-	M. 601	
-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	F.	
-	-	-	-	-	-	-	1	1	1	1	-	8	6	9	4	7	5	6	-	M. 602	
-	-	-	-	-	-	-	1	2	-	1	1	2	6	9	6	6	7	4	-	F.	
1	1	-	1	-	2	1	-	2	2	-	5	6	3	10	12	5	8	18	-	M. 603	
2	-	2	-	-	1	3	1	1	1	4	2	6	6	6	4	9	13	6	-	F.	
-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	3	-	M. 604	
-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	6	12	-	M. 605	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	6	-	F.	
-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	2	4	7	-	M. 606	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 607	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	-	M. 608	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.	
-	1	-	-	-	-	1	-	-	1	-	-	1	3	4	7	6	8	12	-	M. 609	
1	-	-	1	-	-	-	1	-	-	-	-	-	-	2	4	2	7	8	-	F.	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Sex	Canada	Province of residence											
				Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	XII. Diseases of the skin and cellular tissue.	M.	67	-	-	1	3	16	28	4	1	7	6	1	-
		F.	95	2	-	8	6	21	41	3	1	6	7	-	-
	Infections of skin and subcutaneous tissue (690 - 698).	M.	26	-	-	1	-	3	14	2	-	2	4	-	-
		F.	19	1	-	2	2	2	7	1	-	3	1	-	-
690	Boil and carbuncle	M.	2	-	-	-	-	1	-	-	-	-	1	-	-
		F.	1	-	-	-	-	-	1	-	-	-	-	-	-
.0	Of face	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Of neck	M.	1	-	-	-	-	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of trunk	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Of upper arm and forearm	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of hand	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of buttock	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Of other parts of lower extremity	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Of other and multiple sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of unspecified site	M.	1	-	-	-	-	-	-	-	-	-	1	-	-
		F.	1	-	-	-	-	-	1	-	-	-	-	-	-
691	Cellulitis of finger and toe	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
692	Other cellulitis and abscess without mention of lymphangitis.	M.	20	-	-	1	-	1	11	2	-	2	3	-	-
		F.	16	1	-	2	2	2	5	-	-	3	1	-	-
.0	Of head and neck	M.	4	-	-	-	-	-	3	-	-	1	-	-	-
		F.	3	-	-	-	1	-	-	-	-	2	-	-	-
.1	Of trunk	M.	5	-	-	-	-	-	3	1	-	1	-	-	-
		F.	4	-	-	1	1	-	2	-	-	-	-	-	-
.2	Of upper arm and forearm	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	-	-	1	-	-	-
.3	Of hand, except fingers	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of leg	M.	7	-	-	1	-	1	2	-	-	-	3	-	-
		F.	4	-	-	-	-	2	2	-	-	-	-	-	-
.5	Of foot, except toes	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Of other, multiple, and unspecified sites	M.	4	-	-	-	-	-	3	1	-	-	-	-	-
		F.	4	1	-	1	-	-	1	-	-	-	1	-	-
693	Other cellulitis and abscess with lymphangitis.	M.	1	-	-	-	-	-	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of leg	M.	1	-	-	-	-	-	1	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Of other, multiple, and unspecified sites	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
695	Impetigo	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	1	-	-	-	-	-	-	1	-	-	-	-	-
696	Infectious warts	M.	1	-	-	-	-	1	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue.	M.	2	-	-	-	-	-	2	-	-	-	-	-	-
		F.	1	-	-	-	-	-	1	-	-	-	-	-	-
	Other diseases of skin and subcutaneous tissue (700 - 716).	M.	41	-	-	-	3	13	14	2	1	5	2	1	-
		F.	76	1	-	6	4	19	34	2	1	3	6	-	-
700	Seborrhoeic dermatitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
701	Eczema	M.	1	-	-	-	-	-	-	-	-	-	1	-	-
		F.	1	-	-	-	-	1	-	-	-	-	-	-	-
702	Occupational dermatitis	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
703	Other dermatitis	M.	1	-	-	-	-	1	-	-	-	-	-	-	-
		F.	3	-	-	-	1	-	2	-	-	-	-	-	-
.0	Due to plants	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Due to other specified agents	M.	1	-	-	-	-	1	-	-	-	-	-	-	-
		F.	1	-	-	-	1	-	-	-	-	-	-	-	-
.7	Unqualified	M.	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.	2	-	-	-	-	-	2	-	-	-	-	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
33	-	3	-	23	-	14	-	12	16	41	110	27	86	95	78	717	105	811	-	M. F.
11	-	2	-	22	-	-	-	1	-	1	2	11	21	3	32	44	62	13	-	M. F.
-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. 690 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .7
-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 691 F.
1	-	1	-	11	-	-	-	-	-	1	-	11	21	3	22	34	52	-	3	M. 692 F.
-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	1	M. F. .0
1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	M. F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .3
-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	M. F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .5
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	M. F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 693 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .6
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 695 F.
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 696 F.
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	M. 698 F.
22	-	1	-	1	5	4	1	2	6	31	18	16	65	65	46	313	43	78	-	M. F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 700 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	M. 701 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. 702 F.
11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	M. 703 F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .0
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	M. F. .7

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Other diseases of skin and subcutaneous tissue - Concluded:														
704	Pemphigus	M. F.	4 4	- -	- -	- 1	- -	2 1	2 1	- -	- -	- 1	- -	- -	- -
.0	Dermatitis herpetiformis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Other	M. F.	4 4	- -	- 1	- -	2 1	2 1	- -	- -	- 1	- -	- -	- -	- -
705	Erythematous conditions	M. F.	6 15	- -	- 2	- 1	1 4	1 7	- 1	- -	3 -	- -	- 1	1 -	- -
.0	Toxic erythema	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -
.1	Erythema multiforme (erythema iris)	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
.4	Lupus erythematosus	M. F.	3 14	- -	- 2	- 1	1 4	- 6	- 1	- -	2 -	- -	- -	- -	- -
.5	Other and unqualified	M. F.	1 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	1 -	- -
706	Psoriasis and similar disorders	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.0	Psoriasis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
708	Pruritus and related conditions	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.3	Lichenification and lichen simplex chronicus	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
709	Corns and callosities	M. F.	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
710	Other hypertrophic and atrophic conditions of skin	M. F.	7 26	- -	- 1	1 -	2 4	2 12	1 1	- 1	- 1	1 6	1 6	- -	- -
.0	Scleroderma and dermatomyositis	M. F.	7 23	- -	- 1	1 -	2 3	2 12	1 1	- 1	- 1	1 4	1 4	- -	- -
.1	Keratoderma	M. F.	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -
.5	Other hypertrophic and atrophic conditions of skin	M. F.	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
711	Other dermatoses	M. F.	1 1	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -
715	Chronic ulcer of skin	M. F.	20 24	- 1	- 2	2 2	6 7	8 11	1 -	1 -	2 1	- -	- -	- -	- -
716	Other diseases of skin	M. F.	1 1	- -	- -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	- -
	XIII. Diseases of the bones and organs of movement.	M. F.	218 255	2 -	1 -	12 8	7 9	74 99	79 81	9 20	8 8	13 15	13 15	- -	- -
	Arthritis and rheumatism, except rheumatic fever (720-727).	M. F.	104 168	- -	- -	5 4	3 7	37 65	36 53	3 11	1 4	10 10	9 14	- -	- -
720	Acute arthritis due to pyogenic organisms	M. F.	3 2	- -	- -	- -	- -	2 -	1 2	- -	- -	- -	- -	- -	- -
722	Rheumatoid arthritis and allied conditions	M. F.	55 104	- -	- -	4 2	2 3	12 33	19 36	2 9	1 4	9 7	6 10	- -	- -
.0	Rheumatoid arthritis	M. F.	50 101	- -	- -	3 2	2 3	10 32	19 35	2 9	1 4	7 6	6 10	- -	- -
.1	Spondylitis ankylopoietica	M. F.	5 3	- -	- -	1 -	- -	2 1	- 1	- -	- -	2 1	- -	- -	- -
723	Osteo-arthritis (arthrosis) and allied conditions	M. F.	23 26	- -	- -	- 2	1 -	12 12	8 7	1 1	- -	1 3	1 3	- -	- -
.0	Osteo-arthritis (arthrosis)	M. F.	22 23	- -	- -	- 2	1 -	12 11	7 6	1 1	- -	1 1	1 2	- -	- -
.1	Spondylitis osteo-arthritis (spondylarthrosis)	M. F.	1 3	- -	- -	- -	- -	- 1	1 1	- -	- -	- -	1 -	- -	- -
.2	Adult osteochondrosis of spine	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
724	Other specified forms of arthritis	M. F.	3 4	- -	- -	1 -	- -	1 3	1 -	- 1	- -	- -	- -	- -	- -
725	Arthritis, unspecified	M. F.	19 29	- -	- -	- -	- 4	10 16	7 8	- -	- -	1 1	1 1	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Age																			Int'l list No.	
-1 year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	M. 704
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	F. .1
-	-	1	-	-	5	1	1	1	1	1	1	1	1	1	1	1	-	-	-	M. 705
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .1
-	-	1	-	-	5	1	1	1	1	1	1	-	1	-	1	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .5
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 706
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 708
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	M. 709
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
1	-	-	-	1	-	1	-	2	1	1	5	4	1	3	-	-	-	1	-	M. 710
-	-	-	-	1	-	1	-	2	1	1	5	2	1	3	-	1	-	1	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	F. .5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 711
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	2	1	-	1	3	2	2	1	4	6	-	M. 715
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	11	3	5	-	F. .5
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	M. 716
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
7	6	-	8	11	11	4	3	3	4	4	7	16	27	25	21	18	23	20	-	M. 720
5	1	2	2	2	3	2	3	4	4	3	6	15	22	33	32	41	35	40	-	F. .0
-	-	1	-	-	-	1	-	2	1	2	3	8	18	18	15	12	14	-	-	M. 722
-	-	-	-	-	-	-	-	-	-	1	2	4	12	12	9	4	5	5	-	F. .0
-	-	-	-	-	-	-	-	-	-	2	1	3	11	11	16	19	15	8	-	M. .1
-	-	1	-	-	-	1	-	2	1	1	3	7	12	12	8	4	5	5	-	F. .1
-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	-	M. 723
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	5	3	4	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	7	4	11	-	F. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 724
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	F. .1
-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	2	5	3	4	-	M. 725
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	5	6	-	F. .1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	XIV. Congenital malformations	M. 1,122	34	8	52	31	390	344	49	48	88	76	-	2
		F. 1,006	39	10	33	25	362	329	34	35	61	76	-	2
	Congenital malformations (750-759)	M. 1,122	34	8	52	31	390	344	49	48	88	76	-	2
		F. 1,006	39	10	33	25	362	329	34	35	61	76	-	2
750	Monstrosity	M. 59	3	-	5	2	23	12	2	6	1	4	-	1
		F. 87	1	1	1	3	39	26	3	4	3	6	-	-
751	Spina bifida and meningocele	M. 115	2	-	4	3	53	38	-	2	5	8	-	-
		F. 147	9	2	3	7	69	45	7	-	2	3	-	-
A	Without hydrocephalus	M. 46	1	-	2	1	23	12	-	-	3	4	-	-
		F. 61	5	1	2	2	34	14	3	-	-	2	-	-
B	With hydrocephalus	M. 69	1	-	2	2	30	26	-	2	2	4	-	-
		F. 86	4	1	3	5	35	31	4	-	2	1	-	-
752	Congenital hydrocephalus	M. 72	3	-	3	3	27	22	2	4	3	5	-	-
		F. 58	-	1	3	2	19	24	-	2	4	3	-	-
753	Other congenital malformations of nervous system and sense organs.	M. 41	-	-	1	1	11	17	3	3	1	4	-	-
		F. 54	2	-	2	1	18	23	3	2	1	2	-	-
.0	Congenital cataract	M. -	-	-	-	-	-	-	-	-	-	-	-	-
		F. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	M. 41	-	-	1	1	11	17	3	3	1	4	-	-
		F. 54	2	-	2	1	18	23	3	2	1	2	-	-
754	Congenital malformations of circulatory system.	M. 522	15	5	22	14	192	155	22	22	49	26	-	-
		F. 445	14	4	19	5	142	150	15	21	34	41	-	-
.0	Tetralogy of Fallot	M. 35	3	1	3	-	7	12	2	2	4	1	-	-
		F. 32	1	-	1	1	8	12	-	2	3	4	-	-
.1	Patent ductus arteriosus (Botalli)	M. 22	-	-	1	1	6	2	3	2	6	1	-	-
		F. 29	1	-	-	-	4	14	-	-	2	8	-	-
.2	Interventricular septal defect	M. 57	1	-	1	-	20	20	4	3	4	4	-	-
		F. 56	-	-	3	1	16	24	3	1	3	5	-	-
.3	Interauricular septal defect	M. 32	2	2	1	-	16	6	-	1	2	2	-	-
		F. 44	1	-	-	1	13	16	1	2	4	6	-	-
.4	Fibroelastosis cordis	M. 17	-	1	1	-	8	5	-	-	-	2	-	-
		F. 21	1	1	1	-	6	8	1	1	1	2	-	-
.5	Other and unspecified malformations of heart.	M. 264	7	1	14	9	105	78	11	8	22	9	-	-
		F. 215	6	3	12	2	85	57	6	12	20	12	-	-
.6	Coarctation of aorta	M. 33	-	-	1	2	12	12	-	2	3	1	-	-
		F. 11	-	-	1	-	3	3	-	2	1	1	-	-
.7	Other circulatory malformations	M. 62	2	-	-	2	18	20	2	4	8	6	-	-
		F. 37	4	-	2	-	7	16	4	1	-	3	-	-
755	Cleft palate and harelip	M. 6	-	-	-	2	1	-	-	-	-	3	-	-
		F. 10	-	-	-	-	5	1	1	-	1	2	-	-
756	Congenital malformations of digestive system.	M. 112	3	1	6	5	27	38	6	7	11	8	-	-
		F. 65	4	1	-	2	22	17	1	1	7	9	-	1
.0	Congenital hypertrophic pyloric stenosis	M. 6	-	-	1	-	3	1	1	-	-	-	-	-
		F. 1	-	-	-	-	-	-	-	-	-	1	-	-
.1	Imperforate anus	M. 12	-	-	-	1	2	6	1	-	1	1	-	-
		F. 3	-	-	-	-	2	1	-	-	-	-	-	-
.2	Other	M. 94	3	1	5	4	22	31	4	7	10	7	-	-
		F. 61	4	1	-	2	20	16	1	1	7	8	-	1
757	Congenital malformations of genito-urinary system.	M. 84	3	2	5	1	21	33	5	2	5	7	-	-
		F. 68	2	1	-	3	23	23	3	3	6	4	-	-
.0	Undescended testicle	M. -	-	-	-	-	-	-	-	-	-	-	-	-
.1	Polycystic disease of kidney	M. 44	2	-	4	1	10	15	3	-	4	5	-	-
		F. 40	2	1	-	2	9	17	2	2	3	2	-	-
.2	Congenital malformations of external genital organs.	M. 1	-	-	-	-	-	1	-	-	-	-	-	-
		F. 2	-	-	-	-	1	1	-	-	-	-	-	-
.3	Other	M. 39	1	2	1	-	11	17	2	2	1	2	-	-
		F. 26	-	-	-	1	13	5	1	1	3	2	-	-

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
788	115	34	32	27	13	12	9	9	12	10	5	21	9	8	6	3	5	4	-	M.
708	104	37	25	16	14	7	7	9	14	10	9	17	9	8	5	4	1	2	-	F.
788	115	34	32	27	13	12	9	9	12	10	5	21	9	8	6	3	5	4	-	M.
708	104	37	25	16	14	7	7	9	14	10	9	17	9	8	5	4	1	2	-	F.
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
85	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
98	11	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M.
128	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
39	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
53	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
59	7	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M.
75	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
37	23	4	3	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	M.
37	11	5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
15	14	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M.
23	15	9	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
15	14	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	M.
23	15	9	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	F.
361	43	18	21	22	9	8	4	6	6	4	2	11	-	5	1	-	-	1	-	M.
292	53	15	13	11	9	6	5	6	8	2	5	8	1	7	2	-	-	2	-	F.
16	6	6	1	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	M.
15	9	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
19	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M.
23	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	F.
35	5	5	4	2	1	2	-	-	-	2	-	-	-	1	-	-	-	-	-	M.
31	12	6	2	1	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	F.
25	1	1	-	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	M.
19	1	2	-	-	2	-	1	3	2	1	3	4	-	3	2	-	-	1	-	F.
11	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	M.
12	3	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	F.
191	19	4	10	10	3	3	3	4	3	2	1	8	-	1	1	-	-	1	-	M.
158	21	3	4	3	5	3	4	-	4	1	2	2	1	3	-	-	-	1	-	F.
23	1	-	2	2	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	M.
8	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
41	7	1	3	3	1	2	1	-	2	-	-	-	-	1	-	-	-	-	-	M.
26	4	-	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
88	11	-	2	2	-	1	1	-	1	-	-	1	1	-	2	1	1	-	-	M.
53	4	1	-	1	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	F.
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
70	11	-	2	2	-	1	1	-	1	-	-	1	1	-	2	1	1	-	-	M.
49	4	1	-	1	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	F.
44	3	1	2	-	-	-	1	2	3	3	1	6	6	1	3	2	4	2	-	M.
24	2	1	4	-	1	1	-	2	5	7	3	7	7	1	-	2	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
15	-	-	1	-	-	-	-	1	3	2	1	5	5	1	2	2	4	2	-	M.
9	1	-	-	-	-	-	-	2	4	6	2	6	7	1	-	1	1	-	-	F.
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M.
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
29	2	1	1	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	M.
13	1	1	4	-	1	1	-	-	1	1	1	1	-	-	-	1	-	-	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Birth injuries, asphyxia and infections of newborn—Concluded:													
766	Pemphigus neonatorum	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.0	Without mention of immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.5	With immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
767	Umbilical sepsis	M. F.	4 —	1 —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	— —
.0	Without mention of immaturity	M. F.	4 —	1 —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	— —
.5	With immaturity	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
768	Other sepsis of newborn	M. F.	21 18	3 4	— —	— 1	1 1	1 2	12 5	— 1	— 1	2 —	1 3	— —
.0	Without mention of immaturity	M. F.	12 5	1 2	— —	— —	— 1	1 —	7 1	— —	— 1	2 —	— —	1 —
.5	With immaturity	M. F.	9 13	2 2	— —	— 1	1 —	— 2	5 4	— 1	— —	— —	1 3	— —
769	Neonatal disorders arising from certain diseases of the mother during pregnancy.	M. F.	26 19	— 1	— —	1 —	1 —	6 5	13 8	— 1	3 —	1 2	— 2	— —
.0	Attributed to "toxæmia of pregnancy", without mention of immaturity.	M. F.	4 —	— —	— —	1 —	— —	— —	2 —	— —	1 —	— —	— —	— —
.1	Attributed to maternal diabetes, without mention of immaturity.	M. F.	2 2	— —	— —	— —	— —	— 1	2 1	— —	— —	— —	— —	— —
.2	Attributed to maternal rubella, without mention of immaturity.	M. F.	1 1	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —
.3	Attributed to toxoplasmosis, without mention of immaturity.	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.4	Attributed to other or unspecified diseases of the mother during pregnancy without mention of immaturity.	M. F.	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
.5	Attributed to "toxæmia of pregnancy", with immaturity.	M. F.	10 6	— 1	— —	— —	— —	3 1	5 1	— —	1 —	1 2	— 1	— —
.6	Attributed to maternal diabetes, with immaturity.	M. F.	4 4	— —	— —	— —	1 —	1 1	2 3	— —	— —	— —	— —	— —
.7	Attributed to maternal rubella, with immaturity.	M. F.	1 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1
.8	Attributed to toxoplasmosis, with immaturity.	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
.9	Attributed to other or unspecified diseases of the mother during pregnancy with immaturity.	M. F.	4 4	— —	— —	— —	— —	2 —	1 2	— 1	1 —	— —	1 —	— —
	Other diseases peculiar to early infancy (770-776).	M. F.	1,572 1,142	88 67	10 9	77 50	75 51	402 307	472 328	66 47	108 68	133 109	131 99	1 2
770	Haemolytic disease of newborn (erythroblastosis).	M. F.	86 63	4 3	— —	3 1	3 1	36 25	25 20	2 —	3 6	5 4	5 3	— —
.0	Erythroblastosis, without mention of nervous affection or immaturity.	M. F.	41 34	3 2	— —	— 1	2 —	13 10	17 13	— —	2 3	3 2	1 3	— —
.1	Kernicterus, without mention of immaturity.	M. F.	4 1	— —	— —	1 —	— —	— —	1 1	1 —	— —	— —	1 —	— —
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity.	M. F.	1 5	— —	— —	— —	— —	— —	1 3	— —	— —	— 2	— —	— —
.5	Erythroblastosis, without mention of nervous affection but with immaturity.	M. F.	39 20	1 1	— —	1 —	1 1	23 15	6 2	1 —	1 1	2 —	3 —	— —
.6	Kernicterus with immaturity	M. F.	1 2	— —	— —	1 —	— —	— —	— —	— —	— 2	— —	— —	— —
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity.	M. F.	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —
771	Haemorrhagic disease of newborn	M. F.	37 24	— —	— 1	3 —	1 —	13 12	15 2	2 2	1 2	1 3	1 2	— —
.0	Without mention of immaturity	M. F.	19 15	— —	— 1	2 —	1 —	8 6	5 1	1 1	1 2	— 3	1 1	— —
.5	With immaturity	M. F.	18 9	— —	— —	1 —	— —	5 6	10 1	1 1	— —	1 —	— 1	— —

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	Other diseases peculiar to early infancy - Concluded:													
772	Nutritional maladjustment	M. 9 F. 9	- -	- -	- 1	2 -	3 4	2 2	1 1	1 -	- 1	- -	- -	- -
.0	Without mention of immaturity	M. 8 F. 9	- -	- 1	- -	1 -	3 4	2 2	1 1	1 -	- 1	- -	- -	- -
.5	With immaturity	M. 1 F. -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
773	Ill-defined diseases peculiar to early infancy.	M. 636 F. 398	46 35	2 1	32 22	25 11	165 100	175 103	30 22	43 20	68 54	45 29	1 -	4 1
.0	Without mention of immaturity	M. 162 F. 129	11 18	1 -	5 6	10 7	32 25	37 26	6 5	15 7	30 26	13 8	- -	2 1
.5	With immaturity	M. 474 F. 269	35 17	1 1	27 16	15 4	133 75	138 77	24 17	28 13	38 28	32 21	1 -	2 -
774	Immaturity with mention of any other subsidiary condition.	M. 29 F. 21	3 3	- -	- -	1 -	6 5	14 5	1 1	- 3	2 1	2 3	- -	- -
776	Immaturity unqualified	M. 775 F. 627	35 26	8 7	39 26	43 39	179 161	241 196	30 21	60 37	57 46	78 62	- 2	5 4
	XVI. Symptoms, senility, and ill-defined conditions.	M. 510 F. 467	50 53	4 4	14 17	15 14	91 100	91 108	20 26	25 27	184 93	13 23	- -	3 2
	Symptoms referable to systems or organs (780-789).	M. 91 F. 78	13 5	4 3	3 2	2 3	27 32	10 12	7 4	7 2	15 12	1 2	- -	2 1
780	Certain symptoms referable to nervous system and special senses.	M. 2 F. 2	- -	- -	- -	- -	- -	1 -	- -	1 1	- 1	- -	- -	- -
.0	Coma and stupor	M. 1 F. -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.2	Convulsions	M. 1 F. 1	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -
.3	Jacksonian epilepsy	M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -
.4	Abnormal involuntary movement	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
781	Other symptoms referable to nervous system and special senses.	M. 1 F. 1	- -	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	- -
.8	Encephalopathy	M. 1 F. 1	- -	- -	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	- -
782	Symptoms referable to cardiovascular and lymphatic system.	M. 70 F. 63	13 5	3 2	1 1	2 2	24 30	4 8	4 1	5 1	11 11	1 2	- -	2 -
.4	Acute heart failure, undefined	M. 66 F. 59	13 5	3 2	- 1	2 2	22 29	4 5	4 1	5 1	11 11	- 2	- -	2 -
.5	Syncope or collapse	M. 3 F. 1	- -	- -	- -	- -	2 1	- -	- -	- -	- -	1 -	- -	- -
.6	Oedema and dropsy (not of newborn)	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.7	Enlargement of lymph node	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.8	Splenomegaly	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.9	Shock without mention of trauma	M. 1 F. 3	- -	- -	1 -	- -	- -	- 3	- -	- -	- -	- -	- -	- -
783	Symptoms referable to respiratory system	M. 6 F. 3	- -	- -	- 1	- -	2 1	1 -	1 -	1 -	1 -	- -	- -	- 1
.0	Epistaxis	M. 1 F. 1	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -
.1	Haemoptysis	M. 5 F. 2	- -	- -	- -	- -	2 1	1 -	1 -	- -	1 -	- -	- -	1 -
.3	Cough	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
784	Symptoms referable to upper gastro-intestinal tract.	M. 8 F. 5	- -	1 1	1 -	- 1	- 1	2 1	2 1	- -	2 -	- -	- -	- -
.0	Anorexia	M. - F. 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
.1	Nausea and vomiting	M. - F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.5	Haematemesis	M. 8 F. 4	- -	1 1	1 -	- 1	- -	2 1	2 1	- -	2 -	- -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 772
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 773
636	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 774
474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 775
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 776
775	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .5
627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 777
2	4	-	4	2	6	5	8	8	20	23	20	34	33	52	39	55	65	128	2	M. 778
2	8	1	1	2	3	3	2	5	10	6	9	13	11	22	37	57	70	205	-	F. .0
2	2	-	-	-	-	1	-	2	1	7	3	4	6	10	9	12	13	19	-	M. 779
2	1	-	-	-	-	-	-	-	2	1	5	2	5	6	12	9	12	21	-	F. .0
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	M. 780
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .2
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. 781
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
1	2	-	-	-	-	-	-	2	1	3	2	3	4	6	8	11	12	16	-	M. 782
-	-	-	-	-	-	-	-	-	1	1	5	1	4	5	10	8	11	16	-	F. .4
-	1	-	-	-	-	-	-	1	1	3	2	3	3	6	8	10	12	16	-	M. .4
-	-	-	-	-	-	-	-	-	1	1	5	1	4	4	9	7	10	16	-	F. .5
-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	F. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	F. .9
-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-	M. 783
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	F. .0
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	2	-	M. 784
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	F. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F. .1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	F. .5
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	2	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	F. .5

Deaths from Each Cause for Provinces By Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Symptoms referable to systems' or organs - Concluded:														
785	Symptoms referable to abdomen and lower gastro-intestinal tract.	M. F.	3 3	- -	- -	- -	- -	1 -	1 2	- 1	- -	1 -	- -	- -	- -
.1	Hepatomegaly	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.2	Jaundice (not of newborn)	M. F.	1 1	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	- -	- -
.3	Ascites	M. F.	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.5	Abdominal pain	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
.6	Diarrhoea, age 2 years and over	M. F.	1 1	- -	- -	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	- -
786	Symptoms referable to genito-urinary system.	M. F.	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
.0	Pain referable to urinary system	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.1	Retention of urine	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.5	Oliguria, anuria (not of newborn)	M. F.	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
788	Other general symptoms	M. F.	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.0	Dehydration	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.5	Tetany	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.6	Acidosis	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.8	Pyrexia of unknown origin	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.9	Other specified symptoms not classifiable elsewhere.	M. F.	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
789	Abnormal urinary constituents of unspecified cause.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
.4	Haematuria	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Senility and ill-defined diseases (790-795).	M. F.	419 389	37 48	- 1	11 15	13 11	64 68	81 96	13 22	18 25	169 81	12 21	- -	1 1
790	Nervousness and debility	M. F.	1 4	- -	- -	- -	- -	- -	1 3	- -	- -	1 -	- -	- -	- -
.1	Debility and undue fatigue	M. F.	1 2	- -	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -
.2	Depression	M. F.	- 2	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	- -	- -
792	Uraemia	M. F.	29 31	- 3	- 1	1 4	3 3	11 15	11 3	2 1	- 1	1 -	- -	- -	- -
794	Senility without mention of psychosis	M. F.	120 201	23 27	- -	6 9	3 6	25 34	20 55	8 14	11 19	18 21	5 16	- -	1 -
795	Ill-defined and unknown causes of mortality.	M. F.	269 153	14 18	- -	4 2	7 2	28 19	49 35	3 7	7 5	150 59	7 5	- -	- 1
.0	Other ill-defined conditions	M. F.	8 6	3 1	- -	- -	- -	1 3	1 1	1 -	- 1	2 -	- -	- -	- -
.2	Sudden death (cause unknown)	M. F.	24 10	1 -	- -	6 1	7 2	7 3	2 2	- 1	- -	8 1	- -	- -	- -
.3	Found dead (cause unknown)	M. F.	7 8	- -	- -	- -	- -	1 3	2 3	- -	1 -	- -	3 2	- -	- -
.4	Died without sign of disease	M. F.	110 57	1 1	- -	2 -	- -	3 -	12 12	- 2	2 -	89 42	1 -	- -	- -
.5	Other, unknown and unspecified causes	M. F.	120 72	9 16	- -	2 1	1 -	16 10	32 17	2 4	4 4	51 16	3 3	- -	- 1

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

- 1 year	Age																		Not stated	Int'l list No.
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +		
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	M. 785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	M. .2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	M. .3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. 786
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. 789
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. .4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	2	-	4	2	6	4	8	6	19	16	17	30	27	42	30	43	52	109	2	M. .3
-	7	1	1	2	3	3	2	5	8	5	4	11	6	16	25	48	58	184	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. 790
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	M. .1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	M. .2
-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	5	6	12	-	M. 792
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	9	5	13	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	10	30	75	-	M. 794
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	11	43	141	-	F.
-	2	-	4	2	6	4	8	6	19	15	16	28	26	41	24	28	16	22	2	M. 795
-	7	1	1	2	3	3	2	5	8	4	3	11	5	13	19	28	9	29	-	F.
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	1	-	M. .0
-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	F.
-	1	-	-	-	2	-	-	-	1	2	1	2	4	5	1	2	3	1	-	M. .2
-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	4	2	-	-	-	F.
-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	2	-	1	1	1	M. .3
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	F.
-	-	-	-	1	-	-	2	2	6	4	8	13	12	23	12	10	6	11	-	M. .4
-	-	-	-	1	2	1	-	1	2	1	1	4	1	6	8	11	1	17	-	F.
-	2	-	4	1	3	3	6	3	12	9	6	12	10	13	8	14	5	8	1	M. .5
-	4	1	1	1	-	1	1	3	4	2	2	5	3	6	6	13	7	12	-	F.

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence											
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
Accidental poisoning by solid and liquid substances - Concluded:														
E882	-by industrial solvents.....	M. F.	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -
E883	-by corrosive aromatics, acids, and caustic alkalis.	M. F.	5 2	- -	1 -	- -	- 1	3 1	- -	- -	- -	1 -	- -	- -
E884	-by mercury and its compounds	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E885	-by lead and its compounds	M. F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
E886	-by arsenic and antimony, and their compounds.	M. F.	2 -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -
E887	-by fluorides	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E888	-by other and unspecified solid and liquid substances.	M. F.	67 39	- -	1 -	3 1	5 5	22 16	2 1	2 -	1 1	31 15	- -	- -
Accidental poisoning by gases and vapours (E890 - E895).		M. F.	139 28	- -	2 -	5 -	3 -	32 6	46 11	6 3	6 1	27 3	12 4	- -
E890	-by utility (illuminating) gas.....	M. F.	14 3	- -	- -	1 -	4 1	1 1	1 -	- -	4 -	3 1	- -	- -
E891	-by motor vehicle exhaust gas	M. F.	105 23	- -	2 -	5 -	2 -	21 4	37 10	5 3	6 1	20 3	7 2	- -
E892	-by other carbon monoxide gas	M. F.	13 2	- -	- -	- -	- 1	6 1	6 -	- -	- -	1 1	- -	- -
E893	-by cyanide gas.....	M. F.	2 -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -
E894	-by other specified gases and vapours	M. F.	4 -	- -	- -	- -	- -	- -	- -	- -	3 -	1 -	- -	- -
E895	-by unspecified gases and vapours	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
Accidental falls (E900 - E904)		M. F.	865 839	16 19	4 7	25 41	17 18	214 166	332 355	42 46	48 37	71 61	95 89	- -
E900	Fall on stairs	M. F.	150 85	- -	- 1	5 3	1 2	26 18	74 44	9 5	8 3	12 2	15 7	- -
E901	Fall from ladders	M. F.	16 -	- -	- -	1 -	- -	3 -	8 -	- -	1 -	1 -	2 -	- -
E902	Other falls from one level to another	M. F.	250 121	9 -	1 1	7 4	6 5	68 15	89 60	12 5	15 9	17 13	25 9	- -
E903	Fall on same level.....	M. F.	214 315	5 19	1 1	3 10	4 1	44 47	96 172	6 10	11 11	30 36	14 8	- -
E904	Unspecified falls	M. F.	235 318	2 -	2 4	9 24	6 10	73 86	65 79	15 26	13 14	11 10	39 65	- -
Other accidents (E910 - E936)		M. F.	2,422 795	81 19	22 4	97 37	90 24	662 185	708 278	138 57	131 48	167 50	303 81	8 2
E910	Blow from falling or projected object or missile.	M. F.	212 6	3 -	1 -	7 -	4 -	65 4	40 2	10 -	20 -	12 -	50 -	- -
E911	Accident caused by vehicle	M. F.	6 -	- -	- -	2 -	- -	- -	1 -	- -	1 -	- -	2 -	- -
E912	Accident caused by machinery.....	M. F.	238 16	4 1	3 -	9 -	7 -	54 2	81 8	13 2	16 1	20 1	30 1	- 1
E913	Accident caused by cutting and piercing instruments.	M. F.	10 2	- 1	1 -	- -	2 -	2 -	3 -	- -	- -	1 1	1 -	- -
E914	Accident caused by electric current.....	M. F.	82 5	1 -	1 -	5 -	5 -	23 1	33 3	2 -	5 -	3 1	4 -	- -
E915	Accident caused by explosion of pressure vessel.	M. F.	10 1	- -	- -	- -	- -	8 1	1 -	- -	- -	1 -	- -	- -
E916	Accident caused by fire and explosion of combustible material.	M. F.	441 288	15 6	3 2	22 21	21 10	88 62	128 104	31 20	23 11	36 18	70 34	1 -
E917	Accident caused by hot substance, corrosive liquid, and steam.	M. F.	24 15	- 2	- -	- 2	3 -	7 2	6 4	1 2	1 -	2 1	4 2	- -
E918	Accident caused by radiation	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E919	Accident caused by firearm	M. F.	142 13	4 2	- -	2 -	8 -	38 3	32 1	13 1	12 3	14 -	15 1	3 2
E920	Foreign body entering eye and adnexa	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E921	Inhalation and ingestion of food causing obstruction or suffocation.	M. F.	219 159	11 1	1 1	6 4	7 2	44 34	91 77	20 10	15 12	12 3	11 9	- 1
E922	Inhalation and ingestion of other object causing obstruction or suffocation.	M. F.	20 7	1 -	1 -	1 -	- -	7 3	6 2	- -	- 1	2 1	2 -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
Other accidents - Concluded:															
E923	Foreign body entering other orifice	M. F.	16 3	- -	- -	1 1	1 1	3 -	8 -	- -	1 1	- 1	2 -	- -	- -
E924	Accidental mechanical suffocation in bed and cradle.	M. F.	71 47	2 -	- -	- -	6 1	12 10	30 12	6 3	4 5	2 5	7 9	- -	2 2
E925	Accidental mechanical suffocation in other and unspecified circumstances.	M. F.	29 8	1 -	1 -	1 1	- -	4 2	9 2	1 -	2 1	2 1	6 1	1 -	1 -
E926	Lack of care of infants under 1 year of age.	M. F.	2 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -	1 -	- -	- -
E927	Accidents caused by bites and stings of venomous animals and insects.	M. F.	2 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -
E928	Other accidents caused by animals	M. F.	22 9	1 -	- -	- -	1 1	12 1	5 2	- -	2 -	1 2	3 3	1 -	- -
E929	Accidental drowning	M. F.	731 149	33 5	9 1	35 7	22 5	259 46	188 42	30 10	16 7	48 9	84 16	2 -	5 1
E930	High and low air pressure	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E931	Excessive heat and insolation	M. F.	4 -	- -	- -	1 -	- -	- -	2 -	- -	1 -	- -	- -	- -	- -
E932	Excessive cold	M. F.	50 24	1 -	1 -	4 1	3 1	11 2	14 6	4 5	7 4	1 4	4 -	- 1	- -
E933	Hunger, thirst, and exposure	M. F.	8 4	1 -	- -	- -	- -	- 2	2 1	1 -	2 1	2 -	- -	- -	- -
E934	Cataclysm	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
E935	Lightning	M. F.	5 4	- -	- -	- -	- -	2 1	3 2	- -	- -	- -	- 1	- -	- -
E936	Other and unspecified accidents	M. F.	77 34	3 1	- -	1 1	1 3	23 9	22 9	6 4	3 1	8 3	9 3	- -	1 -
	Complications due to nontherapeutic medical and surgical procedures (E940-E946).	M. F.	2 -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -
E940	Generalized vaccinia following vaccination.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E941	Postvaccinal encephalitis	M. F.	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
E944	Other complications of prophylactic inoculation.	M. F.	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
E945	Complications of anaesthesia for nontherapeutic purpose.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E946	Other complications due to nontherapeutic medical and surgical procedures.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959).	M. F.	1 2	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	- -
E951	Therapeutic misadventure in infusion or transfusion.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E953	Therapeutic misadventure in administration of drugs or biologicals.	M. F.	1 2	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	- -	- -
E954	Therapeutic misadventure in anaesthesia.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E955	Other and unspecified therapeutic misadventure.	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Late effects of injury and poisoning (E960-E965).	M. F.	55 13	- -	- -	4 1	- -	7 1	31 5	2 1	2 2	1 -	8 3	- -	- -
E960	Late effect of motor vehicle accident	M. F.	13 5	- -	- -	- 1	- -	1 1	9 -	1 1	2 1	- -	- 1	- -	- -
E961	Late effect of accidental poisoning	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E962	Late effect of other accidental injury	M. F.	34 8	- -	- -	3 -	- -	6 -	18 5	- -	- 1	1 -	6 2	- -	- -
E963	Late effect of self-inflicted injury	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E964	Late effect of injury purposely inflicted by another person (not in war).	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
E965	Late effects of injuries due to war operations.	M. F.	8 -	- -	- -	1 -	- -	- -	4 -	1 -	- -	- -	2 -	- -	- -

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

Int'l list No.	Cause of death	Canada	Province of residence												
			Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
	Suicide (E970-E979)	M. 1,353	8	5	50	25	294	538	80	62	110	177	2	2	
	F. 488	2	5	7	5	102	217	21	20	27	82	-	-		
E970	- poisoning by analgesic and soporific substances.	M. 101	-	-	1	1	22	49	5	2	6	15	-	-	
		F. 162	-	-	1	-	40	74	9	2	6	30	-	-	
E971	- poisoning by other solid and liquid substances.	M. 58	-	-	-	1	11	23	4	3	4	12	-	-	
		F. 62	-	-	1	-	11	30	-	5	5	10	-	-	
E972	- poisoning by gases in domestic use	M. 2	-	-	-	-	1	1	-	-	-	-	-	-	
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-	
E973	- poisoning by other gases	M. 134	-	-	8	2	24	54	5	8	18	15	-	-	
		F. 35	-	-	1	-	4	18	1	4	6	1	-	-	
E974	- by hanging and strangulation	M. 314	-	2	7	8	89	139	20	17	8	24	-	-	
		F. 70	-	-	-	-	16	34	4	1	6	9	-	-	
E975	- by submersion (drowning)	M. 71	1	2	2	1	26	22	5	1	5	6	-	-	
		F. 53	1	4	3	2	6	21	1	1	1	13	-	-	
E976	- by firearms and explosives.....	M. 563	5	-	27	9	102	200	37	29	63	87	2	2	
		F. 50	1	-	-	3	11	18	3	4	2	8	-	-	
E977	- by cutting and piercing instruments	M. 34	-	-	1	-	7	14	3	2	1	6	-	-	
		F. 13	-	-	-	-	3	3	1	1	1	4	-	-	
E978	- by jumping from high place.....	M. 41	1	1	3	1	8	14	-	-	3	10	-	-	
		F. 18	-	-	1	-	7	6	1	-	-	3	-	-	
E979	- by other and unspecified means.....	M. 35	1	-	1	2	4	22	1	-	2	2	-	-	
		F. 24	-	1	-	-	3	13	1	2	-	4	-	-	
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985).	M. 189	-	-	5	6	43	67	4	12	23	28	1	-	
		F. 127	-	1	3	-	31	46	6	6	14	17	3	-	
E980	Nonaccidental poisoning by another person.	M. 4	-	-	-	-	3	-	-	-	1	-	-	-	
		F. 3	-	-	-	-	1	-	-	-	2	-	-	-	
E981	Assault by firearm and explosive	M. 90	-	-	2	3	20	29	1	7	14	13	1	-	
		F. 44	-	-	1	-	8	17	4	6	4	4	-	-	
E982	Assault by cutting and piercing instruments.	M. 28	-	-	2	1	1	16	1	2	1	4	-	-	
		F. 22	-	-	1	-	7	8	-	-	6	-	-	-	
E983	Assault by other means	M. 61	-	-	1	1	15	22	2	3	7	10	-	-	
		F. 57	-	1	1	-	14	21	2	-	8	7	3	-	
E984	Injury by intervention of police.....	M. 6	-	-	-	1	4	-	-	-	-	1	-	-	
		F. 1	-	-	-	-	1	-	-	-	-	-	-	-	
E985	Execution.....	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	
	Injury resulting from operations of war (E990-E999).	M. -	-	-	-	-	-	-	-	-	-	-	-	-	
		F. -	-	-	-	-	-	-	-	-	-	-	-	-	
	NXVII. Accidents, poisonings, and violence (Classification according to nature of injury).	M. 9,759	203	67	447	326	2,581	3,195	469	504	762	1,157	16	32	
		F. 4,002	73	30	153	118	988	1,442	206	205	267	503	6	11	
	Fracture of skull, spine, and trunk (N800-N809).	M. 2,730	44	10	115	94	916	831	105	122	173	312	3	5	
		F. 966	17	8	37	39	322	307	46	30	46	113	-	1	
N800	Fracture of vault of skull.....	M. 29	-	-	-	-	9	15	2	2	1	-	-	-	
		F. 10	-	-	1	-	1	3	-	2	1	2	-	-	
N801	Fracture of base of skull	M. 199	1	-	8	5	63	73	9	8	17	13	-	2	
		F. 63	1	-	1	1	17	34	3	1	3	2	-	-	
N802	Fracture of face bones	M. 36	-	-	-	-	9	22	-	1	1	3	-	-	
		F. 11	-	-	-	1	3	4	2	-	1	-	-	-	
N803	Other and unqualified skull fractures.....	M. 1,315	21	6	58	56	484	344	43	61	91	147	1	3	
		F. 401	6	3	16	23	169	102	15	11	16	40	-	-	
N804	Multiple fractures involving skull or face with other bones.	M. 691	7	-	24	18	240	240	19	18	28	96	1	-	
		F. 252	3	1	8	8	81	89	6	5	8	43	-	-	
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion.	M. 210	7	2	18	5	61	52	13	18	23	11	-	-	
		F. 79	2	3	6	3	22	21	5	6	7	3	-	1	
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion.	M. 80	6	-	2	2	4	31	6	7	5	16	1	-	
		F. 27	1	-	-	2	1	7	3	-	2	11	-	-	
N807	Fracture of rib (s) sternum and larynx.....	M. 41	-	2	2	-	12	11	6	-	4	4	-	-	
		F. 27	-	-	4	1	7	5	3	3	3	1	-	-	
N808	Fracture of pelvis	M. 37	1	-	-	3	7	10	2	2	2	10	-	-	
		F. 35	2	1	1	-	7	13	4	1	2	4	-	-	
N809	Multiple, and ill-defined fractures of trunk	M. 92	1	-	3	5	27	33	5	5	1	12	-	-	
		F. 61	2	-	-	-	14	29	5	1	3	7	-	-	

Deaths from Each Cause for Provinces by Sex and Canada by Sex and Age, 1967 - Continued

-1 year	Age																		Int'l list No.	
	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		Not stated
-	-	-	10	82	125	111	114	114	135	134	129	133	89	74	39	29	22	12	1	M. F.
-	-	-	2	14	32	39	46	46	77	55	51	46	28	25	12	10	4	1	-	M. E970
-	-	-	-	5	7	11	10	13	11	10	5	11	8	6	2	2	-	-	-	F.
-	-	-	-	4	11	13	15	20	32	13	15	14	7	12	3	2	1	-	-	M. E971
-	-	-	-	2	6	4	8	3	11	5	6	2	5	-	1	-	-	-	-	F.
-	-	-	-	-	1	4	4	6	7	12	11	5	8	2	1	-	1	-	-	M. E972
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E973
-	-	-	-	4	16	9	15	16	15	18	14	12	7	5	1	1	1	-	-	F.
-	-	-	-	1	2	3	6	5	6	4	1	3	2	1	-	-	1	-	-	M. E974
-	-	-	-	8	23	23	19	25	27	28	37	31	20	24	7	13	8	1	-	F.
-	-	-	-	1	7	5	7	3	7	8	9	9	5	4	2	1	-	-	-	M. E975
-	-	-	-	1	5	3	4	5	9	7	6	8	8	6	4	-	1	2	1	F.
-	-	-	-	1	5	1	1	2	8	7	5	7	3	4	4	3	1	1	-	M. E976
-	-	-	-	1	45	56	54	52	39	55	48	57	36	21	20	11	9	6	-	F.
-	-	-	-	1	5	4	9	8	6	8	4	-	-	-	-	-	-	-	-	M. E977
-	-	-	-	-	2	-	1	7	3	4	4	2	4	3	1	-	1	2	-	F.
-	-	-	-	1	-	1	2	2	2	-	1	4	-	-	-	-	-	-	-	M. E978
-	-	-	-	3	5	2	3	3	2	5	3	3	2	4	3	-	2	1	-	F.
-	-	-	-	1	1	1	1	-	3	3	3	3	1	-	1	2	-	-	-	M. E979
-	-	-	-	2	5	4	2	3	2	3	7	3	2	-	1	1	-	-	-	F.
-	-	-	-	-	1	2	2	2	4	4	2	1	1	2	1	2	-	-	-	M. F.
6	9	8	1	9	22	20	16	18	22	17	12	6	5	7	6	3	1	1	-	M. F.
7	10	5	7	11	10	15	12	9	18	6	7	6	-	2	1	-	-	-	-	F.
1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	M. E980
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	4	7	1	4	10	13	8	9	12	7	4	2	2	3	3	1	-	-	-	M. E981
-	1	2	3	6	5	4	4	4	9	2	3	-	-	1	-	-	-	-	-	F.
-	-	-	-	3	5	3	3	3	3	3	2	2	2	-	-	-	-	-	-	M. E982
2	1	-	-	1	-	1	5	2	2	3	2	5	-	-	-	-	-	-	-	F.
5	4	-	-	2	6	2	4	5	8	6	6	2	-	4	3	2	1	1	-	M. E983
5	7	2	3	4	5	9	3	3	6	4	2	1	-	1	1	1	-	-	-	F.
-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	M. E984
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. E985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M. F.
250	421	452	370	974	1,195	672	610	587	671	586	564	510	418	395	297	263	259	258	7	M. F.
205	283	243	162	279	227	171	157	167	214	206	209	208	149	164	144	176	250	386	2	F.
15	107	138	110	351	427	220	149	164	170	147	154	128	113	115	83	58	44	37	-	M. F.
17	77	88	70	125	79	51	29	38	44	44	59	41	47	44	30	24	37	22	-	F.
2	1	1	-	5	2	1	-	1	2	1	-	4	1	-	1	1	2	-	-	M. N800
-	1	1	3	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	F.
3	14	7	9	36	45	17	4	12	8	8	7	8	5	10	2	1	3	-	-	M. N801
1	4	4	5	6	4	5	2	4	5	4	3	7	3	4	1	1	-	-	-	F.
-	1	3	1	5	4	-	5	4	1	3	7	-	-	-	2	-	-	-	-	M. N802
-	1	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	F.
5	65	73	59	167	217	115	80	71	78	77	75	64	42	52	31	22	12	10	-	M. N803
9	52	47	24	51	34	27	9	14	13	22	24	14	16	20	11	3	7	4	-	F.
4	17	35	25	98	106	58	38	48	54	33	34	24	38	21	20	18	14	6	-	M. N804
2	13	23	25	40	22	14	10	12	7	9	14	11	17	9	8	4	10	2	-	F.
1	5	14	8	20	34	18	13	14	9	12	10	6	13	10	9	5	5	4	-	M. N805
3	3	6	5	12	8	-	5	2	6	3	6	4	3	5	1	5	1	1	-	F.
-	1	2	4	6	11	4	4	4	7	6	5	9	4	5	4	3	1	-	-	M. N806
1	2	-	1	6	3	1	1	-	2	1	3	1	1	1	1	1	-	1	-	F.
-	1	-	-	1	4	-	-	1	2	1	6	4	6	2	1	2	2	5	-	M. N807
-	-	-	1	2	-	-	-	2	3	5	-	-	4	4	1	2	2	4	-	F.
-	-	-	-	2	1	2	-	1	1	1	2	3	2	4	4	2	2	8	-	M. N808
-	-	2	-	2	-	1	-	1	1	-	1	-	1	3	3	3	9	8	-	F.
-	2	3	4	11	3	5	3	6	8	5	3	6	2	11	9	4	3	4	-	M. N809
1	1	5	6	4	3	2	1	2	4	3	5	4	2	1	4	5	7	1	-	F.

DATE DUE
DATE DE RETOUR

NOV 25 1985			
AUG 4 1989	<i>Applied</i>		
AUG 20 1989			
SEP 29 1989			

QUELQUES PUBLICATIONS STATISTIQUES SUR LA SANTÉ ET LA POPULATION

En vente à la Distribution des publications, Section des finances
Bureau fédéral de la statistique, ou chez l'Imprimeur de la Reine, Ottawa (Canada)

Numéro de catalogue	STATISTIQUES DE L'ÉTAT CIVIL	Prix
84-001	- La statistique de l'état civil - Mensuel, Bil. par an	\$1.00
84-201	- La statistique de l'état civil - Ann. provisoire, Bil.75
84-202	- La statistique de l'état civil - Ann. Bil.	2.00
84-203	- <i>Causes of Death, Canada</i> - Ann. Angl.	1.50
Rapports analytiques:		
84-503	- <i>Leading Causes of Death by Major Age Groupings, 1921-1955</i> - Angl.25
84-508	- <i>Causes of Stillbirths, 1943-1955</i> - Angl.25
84-510	- Tables canadiennes de mortalité, 1950-1952, 1955-1957 - Bil.50
84-511	- <i>Mortality from Suicide, 1921-1958</i> - Angl.50
84-512	- Tables de mortalité de portée provinciale et régionale, 1950-1952, 1955-1957 - Bil.75
84-514	- <i>Causes of Death, Canada, 1950-60</i> - Angl.50
84-515	- Tables de survie du Canada et de ses régions, 1941 et 1931 - Bil.50
84-516	- Tables canadiennes de mortalité, 1960-1962 - Bil.25
84-517	- Tables provinciales et régionales de mortalité, 1960-1962 - Bil.50
84-518	- <i>Life Expectancy Trends, 1930-1932 to 1960-1962</i> - Angl.75
84-519	- <i>Causes of Death, Canada, 1958-1964</i> - Angl.50
84-520	- Mortalité générale due au cancer, 1950-1963 - Bil.75
84-521	- Mortalité par cancer selon le siège, 1950-1963 - Bil.	1.50
84-522	- Mortalité accidentelle, 1950-1964 - Bil.75
84-523	- Nuptialité, 1950-1964 - Bil.75
84-524	- Mortalité infantile, 1950-1964 - Bil.75
STATISTIQUES DES INSTITUTIONS		
83-201	- Liste des hôpitaux canadiens et des établissements et installations connexes - Ann. Bil.75
83-210	- La statistique des hôpitaux, vol. I, Lits d'hôpital - Ann. Bil.	1.00
83-211	- La statistique des hôpitaux, vol. II, Services hospitaliers - Ann. Bil.	1.00
83-212	- La statistique des hôpitaux, vol. III, Personnel hospitalier - Ann. Bil.	1.00
83-213	- La statistique des hôpitaux, vol. IV, Bilans hospitaliers - Ann. Bil.75
83-214	- La statistique des hôpitaux, vol. V, Revenus hospitaliers - Ann. Bil.75
83-215	- La statistique des hôpitaux, vol. VI, Dépenses hospitalières - Ann. Bil.	1.00
83-216	- La statistique des hôpitaux, vol. VII, Indicateurs hospitaliers - Ann. Bil.	1.50
83-217	- La statistique des hôpitaux (Rapport préliminaire) - Ann. Bil.50
83-205	- La statistique de l'hygiène mentale, vol. III, Installations, services et finances des établissements - Ann. Bil.75
83-207	- La statistique de la tuberculose, vol. II, Installations, services et finances des établissements - Ann. Bil.75
83-218	- Traitements annuels du personnel infirmier des hôpitaux, Bil.75
STATISTIQUES DE L'HYGIÈNE MENTALE		
83-204	- La statistique de l'hygiène mentale, vol. I, Admissions et radiations des institutions - Ann. Bil.	5.00
83-208	- La statistique de l'hygiène mentale, vol. II, Les malades inscrits dans les institutions - Ann. Bil.	5.00
83-504	- <i>Rates and Probabilities of Separation from Mental Institutions, 1956-1958</i> - Angl.25
83-505	- <i>Trends in Hospital Care and Patient Characteristics, 1955-1963</i>75
83-506	- Probabilité d'hospitalisation dans un établissement psychiatrique du Canada (mesure de probabilité composée)50
STATISTIQUES DE LA SANTÉ PUBLIQUE		
82-201	- Les maladies à déclaration obligatoire - Ann. Bil.75
82-202	- <i>Home Nursing Services, 1961</i> - Angl. (dernière édition)	1.00
82-203	- La statistique de la maladie dans le Service civil, 1962 - Bil. (dernière édition)75
82-512	- Sommaire de maladies à déclaration obligatoire, 1924-1952 (Suppléments annuels jusqu'à 1963) - Bil. (dernière édition)75
82-516	- <i>Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957</i> - Angl. (dernière édition)50
83-206	- La statistique de la tuberculose, vol. I, Morbidité et mortalité - Ann. Bil.	1.50
83-209	- <i>Tuberculosis Statistics Supplement: Patients in Institutions, 1961</i> - Angl. (maintenant inclus dans 83-206)50
82-001	- L'incidence de la tuberculose - Mensuel Bil. par an	1.00
82-205	- <i>Tuberculosis Trends, 1960</i> - Ann. Angl. (dernière édition)25
82-522	- <i>Infectious Hepatitis, 1961</i> - Angl.50
82-206	- La morbidité hospitalière, 1966 - Bil.	1.50
82-518F	- La maladie et les soins de santé au Canada, 1950-1951 (Enquête sur la maladie au Canada) - Angl. et franç., (dernière édition)	2.00
82-519F	- Traumatismes: fréquences, gravité et soins de santé (Enquête sur la maladie au Canada 1950-1951) - Angl. et franç.75
82-520F	- Volume des soins de santé pour les assurés et les non-assurés (Enquête sur la maladie au Canada 1950-1951) - Angl. et franç.75
82-521F	- L'incapacité chez les salariés (Enquête sur la maladie au Canada 1950-1951) - Angl. et franç.50
RAPPORTS TECHNIQUES SUR LA SANTÉ ET LE BIEN-ÊTRE		
1.	- <i>Canadian Abridged Life Tables, 1961-1963</i> - Angl.	Gratuit
2.	- <i>Provincial Abridged Life Tables, 1961-1963</i> - Angl.	Gratuit
3.	- <i>Canadian Joint Life Tables 1960-1962</i> - Angl.	Gratuit
STATISTIQUES DE LA POPULATION - Bil.		
91-201	- Population estimative du Canada par province le 1er juin - Ann.25
91-202	- Population estimative suivant le sexe et par groupe d'âge, Canada et provinces - Ann.25
91-203	- Estimations de la population suivant l'état matrimonial, l'âge et le sexe, Canada et provinces - Ann.25
91-204	- Nombre estimatif de familles au Canada - Ann.50
91-508	- Conférence canadienne de l'enfance, 1965: Statistiques choisies chez les enfants75
91-511	- Population 1921-1966: Révision des estimations annuelles de la population par sexe et par groupe d'âge, Canada et provinces75
	Angl. - Anglais Bil. - Bilingue R. - Document de référence	Ann. - Annuel Franç. - Français Supplém. - Supplément

Outre les publications ci-dessus énumérées, le Bureau fédéral de la statistique publie une grande variété de rapports statistiques sur le Canada tant dans le domaine économique que social, y compris des rapports détaillés sur les recensements de 1956 et 1961. On peut se procurer gratuitement un catalogue complet des publications courantes au Bureau fédéral de la statistique, Ottawa 3 (Canada).



SELECTE

1010483151

ISTICS AND POPULATION

Obtainable from Publications Distribution Unit, Financial Services Section,
Dominion Bureau of Statistics or Queen's Printer, Ottawa, Canada

Catalogue number	VITAL STATISTICS	Price
84-001	Vital Statistics, M. Bil. per year	1.00
84-201	Vital Statistics—Preliminary, A. Bil.75
84-202	Vital Statistics—Final, A. Bil.	2.00
84-203	Causes of Death, Canada, A.E.	1.50
Analytical Reports:		
84-503	Leading Causes of Death by Major Age Groupings, 1921-55, E.25
84-508	Causes of Stillbirths, 1943-55, E.25
84-510	Canadian Life Tables, 1950-1952, 1955-1957, Bil.50
84-511	Mortality from Suicide, 1921-58, E.50
84-512	Provincial and Regional Life Tables, 1950-1952, 1955-1957, Bil.75
84-514	Causes of Death, Canada, 1950-60, E.50
84-515	Life Tables for Canada and Regions, 1941 and 1931, Bil.50
84-516	Canadian Life Tables, 1960-1962, Bil.25
84-517	Provincial and Regional Life Tables, 1960-1962, Bil.50
84-518	Life Expectancy Trends, 1930-1932 to 1960-1962, E.75
84-519	Causes of Death, Canada, 1958-1964, E.50
84-520	General Cancer Mortality, 1950-1963, Bil.75
84-521	Cancer Mortality by Site, 1950-1963, Bil.	1.50
84-522	Accident Mortality, 1950-1964, Bil.75
84-523	Nuptiality, 1950-1964, Bil.75
84-524	Infant Mortality, 1950-1964, Bil.75
INSTITUTIONAL STATISTICS		
83-201	List of Canadian Hospitals and Related Institutions and Facilities, A. Bil.75
83-210	Hospital Statistics, Vol. I, Hospital Beds, A. Bil.	1.00
83-211	Hospital Statistics, Vol. II, Hospital Services, A. Bil.	1.00
83-212	Hospital Statistics, Vol. III, Hospital Personnel, A. Bil.	1.00
83-213	Hospital Statistics, Vol. IV, Balance Sheets, A. Bil.75
83-214	Hospital Statistics, Vol. V, Hospital Revenues, A. Bil.75
83-215	Hospital Statistics, Vol. VI, Hospital Expenditures, A. Bil.	1.00
83-216	Hospital Statistics, Vol. VII, Hospital Indicators, A. Bil.	1.50
83-217	Hospital Statistics, (Preliminary Report), A. Bil.50
83-205	Mental Health Statistics, Vol. III, Institutional Facilities, Services and Finances, A. Bil.75
83-207	Tuberculosis Statistics, Vol. II, Institutional Facilities, Services and Finances, A. Bil.75
83-218	Annual Salaries of Hospital Nursing Personnel, Bil.75
MENTAL HEALTH STATISTICS		
83-204	Mental Health Statistics, Vol. I, Institutional Admissions and Separations, A. Bil.	5.00
83-208	Mental Health Statistics, Vol. II, Patients in Institutions, A. Bil.	5.00
83-504	Rates and Probabilities of Separation from Mental Institutions, 1956-58, E.25
83-505	Trends in Hospital Care and Patient Characteristics, 1955-196375
83-506	Expectation of Admission to a Canadian Psychiatric Institution (Joint Expectancy Measure)50
PUBLIC HEALTH STATISTICS		
82-201	Notifiable Diseases, A. Bil.75
82-202	Home Nursing Services, 1961, E. (last issue)	1.00
82-203	Illness in the Civil Service, 1962, Bil. (last issue)75
82-512	Summary of Notifiable Diseases, 1924-52 (Annual Supplements to 1963), Bil. (last issue)75
82-516	Influenza in Canada, Some Statistics on its Characteristics and Trends, 1957, E. (last issue)50
83-206	Tuberculosis Statistics, Vol. I, Tuberculosis Morbidity and Mortality, A. Bil.	1.50
83-209	Tuberculosis Statistics Supplement: Patients in Institutions, 1961, E. (Now included in 83-206)50
82-001	Incidence of Tuberculosis, — Mensuel Bil. per year	1.00
82-205	Tuberculosis Trends, 1960, A.E. (last issue)25
82-522	Infectious Hepatitis, 1961, E.50
82-206	Hospital Morbidity, 1966, Bil.	1.50
82-518	Illness and Health Care in Canada, 1950-51 (Canadian Sickness Survey), E. and F. (last issue)	2.00
82-519	Injuries: Frequency, Severity, Health Care (Canadian Sickness Survey 1950-51) E. and F.75
82-520	Volume of Health Care for Insured and Non-Insured Persons (Canadian Sickness Survey 1950-51) E. and F.75
82-521	Disability Among the Gainfully Employed (Canadian Sickness Survey 1950-51) E. and F.50
HEALTH AND WELFARE TECHNICAL REPORTS		
1.	Canadian Abridged Life Tables, 1961-1963, E.	Free
2.	Provincial Abridged Life Tables, 1961-1963, E.	Free
3.	Canadian Joint Life Tables, 1960-1962, E.	Free
POPULATION STATISTICS—Bil.		
91-201	Estimated Population of Canada by Province at June 1, A.25
91-202	Estimated Population by Sex and Age Group, Canada and Provinces, A.25
91-203	Population Estimates by Marital Status, Age and Sex, Canada and Provinces, A.25
91-204	Estimates of Families in Canada, A.50
91-508	Canadian Conference on Children, 1965: Selected Statistics on Children75
91-511	Population 1921-1966: Revised Annual Estimates of Population by Sex and Age, Canada and the Provinces75

M. — Monthly
A. — Annual
E. — English
F. — French

Bil. — Bilingual
R. — Reference
Supp. — Supplement

In addition to the selected publications listed above, the Dominion Bureau of Statistics publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1956 and 1961 Censuses. A comprehensive catalogue of all current publications is available free on request from the Dominion Bureau of Statistics, Ottawa 3.