

# Vital statistics

VOLUME III  
Deaths

1977

# La statistique de l'état civil

VOLUME III  
Décès

1977

STATISTICS CANADA	STATISTIQUE CANADA
MAR 20 1977	

**Note**

This and other government publications may be purchased from local authorized agents and other community bookstores or by mail order.

Mail orders should be sent to Publications Distribution, Statistics Canada, Ottawa, K1A 0T6, or to Publishing Centre, Supply and Services Canada, Ottawa, K1A 0S9.

Inquiries about this publication should be addressed to:

Vital Statistics and Disease Registries Section,  
Health Division,

Statistics Canada, Ottawa, K1A 0T6 (telephone: 995-9593) or to a local office of the bureau's User Advisory Services Division:

St. John's (Nfld.)	(726-0713)
Halifax	(426-5331)
Montréal	(283-5725)
Ottawa	(992-4734)
Toronto	(966-6586)
Winnipeg	(949-4020)
Regina	(569-5405)
Edmonton	(425-5052)
Vancouver	(666-3695)

Toll-free access to the regional statistical information service is provided in Nova Scotia, New Brunswick, and Prince Edward Island by telephoning 1-800-565-7192. Throughout Saskatchewan, the Regina office can be reached by dialing 1-800-667-3524, and throughout Alberta, the Edmonton office can be reached by dialing 1-800-222-6400.

**Nota**

On peut se procurer cette publication, ainsi que toutes les publications du gouvernement du Canada, auprès des agents autorisés locaux, dans les librairies ordinaires ou par la poste.

Les commandes par la poste devront parvenir à Distribution des publications, Statistique Canada, Ottawa, K1A 0T6, ou à Imprimerie et édition, Approvisionnement et services Canada, Ottawa, K1A 0S9.

Toutes demandes de renseignements sur la présente publication doivent être adressées à:

Section de la statistique de l'état civil et des registres de maladies,  
Division de la santé,

Statistique Canada, Ottawa, K1A 0T6 (téléphone: 995-9593) ou à un bureau local de la Division de l'assistance-utilisateurs situé aux endroits suivants:

St. John's (T.-N.)	(726-0713)
Halifax	(426-5331)
Montréal	(283-5725)
Ottawa	(992-4734)
Toronto	(966-6586)
Winnipeg	(949-4020)
Regina	(569-5405)
Edmonton	(425-5052)
Vancouver	(666-3695)

On peut obtenir une communication gratuite avec le service régional d'information statistique de la Nouvelle-Écosse, du Nouveau-Brunswick et de l'Île-du-Prince-Édouard en composant 1-800-565-7192. En Saskatchewan, on peut communiquer avec le bureau régional de Regina en composant 1-800-667-3524, et en Alberta, avec le bureau d'Edmonton au numéro 1-800-222-6400.

STATISTICS CANADA — STATISTIQUE CANADA  
Health Division — Division de la Santé  
Vital Statistics and Disease — Section de la statistique de l'état civil  
Registries Section et des registres de maladies

## VITAL STATISTICS

Volume III — Deaths

---

## LA STATISTIQUE DE L'ÉTAT CIVIL

Volume III — Décès

1977

Published under the authority of  
the President of the Treasury Board

---

Publication autorisée par  
le président du Conseil du Trésor

March - 1980 - Mars  
4-2302-511

Price—Prix: \$10.00

Statistics Canada should be credited when reproducing or quoting any part of this document  
Reproduction ou citation autorisées sous réserve d'indication de la source: Statistique Canada

Ottawa



## PREFACE

This publication presents the 1977 mortality statistics for Canada and the provinces and is the latest in a continuing series of specialized Vital Statistics publications. A revised version of a brief methodological note describing the procedures of data compilation, computation technique, mode of dissemination and quality of data has been included in this publication. Some aspects of the detailed analysis of historical mortality trends can be found in the analytical reports listed at the end of this publication.

## PRÉFACE

La présente publication, la plus récente d'une série de publications spécialisées sur la statistique de l'état civil, porte sur les décès qui se sont produits en 1977, au Canada et dans les provinces. Nous y avons inclus une version révisée d'une brève note méthodologique sur les méthodes de compilation des données, les techniques de calcul, les modes de diffusion et la qualité des données. L'on pourra trouver, dans les études analytiques énumérées à la fin, certains aspects de l'analyse détaillée des tendances historiques de la mortalité.



## TABLE OF CONTENTS

Chart		Page
1.	Crude Death Rates by Province and Sex, 1921 - 1977	xiii
2.	Standardized Death Rates by Province and Sex, 1921 - 1977	xiv
3.	Age-specific Death Rates by Sex, Canada, 1921 - 1977	xv
4.	Age-specific Death Rates by Marital Status and Sex, Canada, 1951 - 1977	xvi
5.	Infant, Neonatal and Post-neonatal Death Rates by Sex, Canada, 1921 - 1977	xvii
6.(a)	Perinatal Death Rates, Canada, 1921 - 1977	xviii
(b)	Stillbirth Rates, Canada, 1921 - 1977	xviii

### Table

1.	Estimated Population by Sex and Age Group, Canada and Provinces, 1977	1
2.	Expectation of Life 1941, 1951, 1956, 1961, 1966, 1971 and 1976, Canada	2
3.	Expectation of Life at Selected Ages for Each Sex and Province, 1931, 1941, 1951, 1956, 1961, 1966, 1971 and 1976	3
4.	Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977	5
5.	Deaths, Province of Occurrence by Province of Residence, 1977	11
6.	Percentage of Deaths Occurring in Hospital, Canada and Provinces, 1921 - 1977	11
7.	Deaths by Single Year of Age and Sex, Canada and Provinces, 1977	12
8 A.	Average Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977	18
8 B.	Median Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977	20
9.	Death Rates (Per 1,000 Population), by Sex and Age, Canada, 1921 - 1977 and Provinces, 1977	22
10.	Age-specific Death Rates (Per 100,000 Population), by Selected Cause and Sex, Canada, 1977	28
11.	Standardized (Age-adjusted) Death Rates (Per 1,000 Population), by Sex, Canada and Provinces, 1921 - 1977	30
12.	Deaths by Age, Sex and Marital Status, Canada, 1951 - 1977	32
13.	Death Rates (Per 100,000 Population), by Age, Sex and Marital Status, Canada, 1951 - 1977	34
14.	Deaths by Marital Status, Age Group and Sex, Canada and Provinces, 1977	36
15.	Deaths by Cause, Age and Sex, Canada, 1977	44
16.	Deaths and Rates (Per 100,000 Population) by Cause and Sex, Canada and Provinces, 1977	64
17.	Crude and Standardized Death Rates (Per 100,000 Population), by Selected Cause and Sex, Canada and Provinces, 1977	84
18.	Deaths by Cause, Marital Status, Age and Sex, Canada, 1977	88
19.	Standardized Death Rates, 1974, for Selected Countries, by Sex (Per 100,000 Population)	108

## TABLE DES MATIÈRES

Graphique		Page
1.	Taux bruts de mortalité selon la province et le sexe, 1921 - 1977	xiii
2.	Taux comparatifs de mortalité, selon la province et le sexe, 1921 - 1977	xiv
3.	Taux de mortalité selon le groupe d'âges et le sexe, Canada, 1921 - 1977	xv
4.	Taux de mortalité, selon le groupe d'âges, l'état matrimonial et le sexe, Canada, 1951 - 1977	xvi
5.	Taux de mortalité infantile, de mortalité néonatale, et de mortalité post-néonatale, selon le sexe, Canada, 1921 - 1977	xvii
6.a)	Taux de mortalité périnatale, Canada, 1921 - 1977	xviii
b)	Taux de mortinatalité, Canada, 1921 - 1977	xviii

### Tableau

1.	Population estimative par sexe et par groupe d'âges, Canada et provinces, 1977	1
2.	Espérance de vie en 1941, 1951, 1956, 1961, 1966, 1971 et 1976, Canada	2
3.	Expérance de vie à certains âges, selon le sexe et la province, 1931, 1941, 1951, 1956, 1961, 1966, 1971 et 1976	3
4.	Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977	5
5.	Décès, selon la province de décès et la province de domicile, 1977	11
6.	Pourcentage des décès ayant lieu à l'hôpital, Canada et provinces, 1921 - 1977	11
7.	Décès suivant l'année d'âge et le sexe, Canada et provinces, 1977	12
8 A.	Âge moyen des décédés, selon le sexe, Canada et provinces, 1921 - 1977	18
8 B.	Âge médian des décédés, selon le sexe, Canada et provinces, 1921 - 1977	20
9.	Taux de mortalité (pour 1,000 habitants), selon le sexe et le groupe d'âges, Canada, 1921 - 1977 et provinces, 1977	22
10.	Taux de mortalité (pour 100,000 habitants), due à certaines causes, selon le groupe d'âges et le sexe, Canada, 1977	28
11.	Taux comparatifs de mortalité (corrigés de l'âge) (pour 1,000 habitants), selon le sexe, Canada et provinces, 1921 - 1977	30
12.	Décès selon le groupe d'âges, le sexe et l'état matrimonial, Canada, 1951 - 1977	32
13.	Taux de mortalité (pour 100,000 habitants), selon le groupe d'âges, le sexe et l'état matrimonial, Canada, 1951 - 1977	34
14.	Décès selon l'état matrimonial, le groupe d'âges et le sexe, Canada et provinces, 1977	36
15.	Décès suivant la cause, l'âge et le sexe, Canada, 1977	44
16.	Décès et taux (pour 100,000 habitants) suivant la cause et le sexe, Canada et provinces, 1977	64
17.	Taux bruts et comparatifs de mortalité (pour 100,000 habitants), due à certaines causes, selon le sexe, Canada et provinces, 1977	84
18.	Décès selon la cause, l'état matrimonial, l'âge et le sexe, Canada, 1977	88
19.	Taux comparatifs de mortalité, 1974, pour certains pays, selon le sexe (pour 100,000 habitants)	108

TABLE OF CONTENTS — Concluded

Table	Page
<b>Infant Deaths:</b>	
20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 . . . . .	109
21. Infant Mortality Rates by Province, 1975 - 1977 as Compared with 1950 - 1952 . . . . .	115
22. Infant Deaths and Rates by Age and Sex, Canada, 1950 - 1977 . . . . .	116
23. Infant Deaths for Selected Detailed Causes by Age and Sex, Canada, 1977. . . . .	118
24. Infant Deaths and Rates for Selected Detailed Causes, Canada and Provinces, 1977 . . . . .	126
25. Infant Deaths by Major Cause and Sex, Canada, 1956 - 1977. . . . .	134
26. Infant Death Rates (Per 100,000 Births), by Major Cause and Sex, Canada, 1956 - 1977 . . . . .	136
<b>Neonatal Deaths:</b>	
27. Neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 . . . . .	138
28. Neonatal Deaths and Rates for Selected Detailed Causes, Canada and Provinces, 1977 . . . . .	144
<b>Post-neonatal Deaths:</b>	
29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 . . . . .	152
<b>Perinatal Deaths:</b>	
30. Perinatal Deaths and Rates, Canada and Provinces, 1921 - 1977 . . . . .	162
31. Perinatal Deaths and Rates by Cause, Canada and Provinces, 1977 . . . . .	168
<b>Stillbirths:</b>	
32. Stillbirths and Ratios, Canada and Provinces, 1921 - 1977 and by Month, 1977 . . . . .	181
<b>Maternal Deaths:</b>	
33. Maternal Deaths and Rates, Canada and Provinces, 1921 - 1977 and by Month, 1977 . . . . .	183
34. Maternal Deaths by Cause, Canada and Provinces, 1977 . . . . .	186

TABLE DES MATIÈRES — fin

Tableau	Page
<b>Mortalité infantile:</b>	
20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 . . . . .	109
21. Taux de mortalité infantile selon la province, 1975 - 1977 au regard de 1950 - 1952. . . . .	115
22. Mortalité infantile et taux selon l'âge et le sexe, Canada, 1950 - 1977 . . . . .	116
23. Mortalité infantile due à certaines causes détaillées selon l'âge et le sexe, Canada, 1977 . . . . .	118
24. Mortalité infantile due à certaines causes détaillées et taux, Canada et provinces, 1977 . . . . .	126
25. Mortalité infantile, selon la cause principale et le sexe, Canada, 1956 - 1977 . . . . .	134
26. Taux de mortalité infantile (pour 100,000 naissances), selon la cause principale et le sexe, Canada, 1956 - 1977 . . . . .	136
<b>Mortalité néonatale:</b>	
27. Mortalité néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 . . . . .	138
28. Mortalité néonatale due à certaines causes détaillées et taux, Canada et provinces, 1977 . . . . .	144
<b>Mortalité post-néonatale:</b>	
29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 . . . . .	152
<b>Mortalité périnatale:</b>	
30. Mortalité périnatale et taux, Canada et provinces, 1921 - 1977. . . . .	162
31. Mortalité périnatale et taux, selon la cause, Canada et provinces, 1977. . . . .	168
<b>Mortinatalité:</b>	
32. Mortinatalité et rapports, Canada et provinces, 1921 - 1977, par mois, 1977 . . . . .	181
<b>Mortalité maternelle:</b>	
33. Mortalité maternelle et taux, Canada et provinces, 1921 - 1977, par mois, 1977. . . . .	183
34. Mortalité maternelle, selon la cause de décès, Canada et provinces, 1977. . . . .	186

## NOTES

1. Data for the Yukon and Northwest Territories are included in all tables unless otherwise noted.
2. Data for Newfoundland, which entered the Canadian Confederation in 1949, are included in all historical tables unless otherwise specified, available figures prior to 1949 having been extracted from the appropriate provincial reports. Similarly, 1921 - 1925 data for Quebec, which entered the Registration Area in 1926, have been extracted from the reports of the Department of Health.
3. Population figures for 1921, 1931, 1941, 1951, 1956, 1961, 1966, 1971 and 1976, are those of the June 1 Census; for 1926, 1936 and 1946 for the Prairie provinces (Manitoba, Saskatchewan and Alberta) they are those of the June 1 Quinquennial Census of the Prairie provinces; for all other years they are estimates as of June 1.
4. Causes of death are classified according to the appropriate Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, since 1969 they are classified according to the 8th (1965) Revision which was put into effect on January 1, 1969. Cause of death tables are by the International Intermediate "A" List of 150 cause-groups, unless otherwise specified; those for perinatal deaths according to the International "P" List.
5. Prior to 1959 and the early 1960's the following definitions of "livebirth" and "stillbirth" were incorporated in the vital statistics legislation of the several provinces:

"(Live)birth means the birth of a foetus which, after complete separation from the mother, shows any sign of life."

"Stillbirth means the birth of a foetus, after at least 28 weeks' pregnancy, which, after complete separation from the mother, does not show any sign of life."

Subsequently, the above definitions were revised to conform, in substance, to new definitions of "live-birth" and "foetal death" recommended by the World Health Organization. At the same time the compulsory registration of stillbirths was extended to 20 weeks' gestation - from 28 weeks and the new period of gestation incorporated into the definition. Following therefore, for the record, are the new definitions adopted by each province - with only minor modification of the stillbirth definition in one province and the year in which the new definitions were implemented:

## NOTES

1. À moins d'indication contraire, les données du Yukon et des Territoires du Nord-Ouest figurent dans tous les tableaux.
2. Sauf avis contraire, les données de Terre-Neuve, unie au Canada en 1949, figurent à tous les tableaux chronologiques; les chiffres de la période antérieure à l'union proviennent des rapports provinciaux intéressés. Il en va de même pour le Québec qui est entré dans la zone d'enregistrement en 1926 et dont les données pour 1921 - 1925 proviennent des rapports du ministère de la Santé.
3. Les données démographiques de 1921, 1931, 1941, 1951, 1956, 1961, 1966, 1971 et 1976 sont celles des recensements (au 1<sup>er</sup> juin); en ce qui concerne les Prairies (Manitoba, Saskatchewan et Alberta), les données de 1926, 1936 et 1946 sont tirées des recensements quinquennaux (au 1<sup>er</sup> juin), tandis que celles des autres années sont des estimations.
4. Les causes de mortalité sont classées suivant la révision appropriée de la Classification internationale des maladies, traumatismes et causes de décès; à noter que depuis 1969 elles sont classées d'après la 8<sup>e</sup> révision (1965) qui est devenue officielle le 1<sup>er</sup> janvier 1969. À moins d'indication contraire, les tableaux intéressant les causes de décès se fondent sur la Liste intermédiaire "A" de 150 rubriques et ceux de la mortalité périnatale selon la Liste internationale "P".
5. Avant 1959, et durant le début des années soixante, les définitions relatives aux "naissances vivantes" et aux "mortinaissances" de la loi sur l'État Civil de plusieurs provinces ont été les suivantes:

"On entend par naissance vivante l'expulsion complète du corps de la mère d'un foetus qui présente un quelconque signe de vie."

"On entend par mortinaissance l'expulsion, après un minimum de 28 semaines de gestation et après séparation complète du corps de la mère, d'un foetus qui ne présente aucun signe de vie."

Ultérieurement, les définitions ci-dessus ont été révisées suivant les recommandations de l'Organisation Mondiale de la Santé concernant les "naissances vivantes" et les "décès foetaux". En même temps, la durée minimum de gestation selon laquelle l'enregistrement d'une mortinaissance est obligatoire a été ramenée de 28 à 20 semaines. On trouvera, ci-dessous, les nouvelles définitions et leurs dates d'entrée en application, par province (avec une modification mineure de la définition des mortinaissances dans une des provinces):

“(LIVE)BIRTH means the complete expulsion or extraction from its mother, irrespective of the duration of pregnancy, of a product of conception in which, after such expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.”

“STILLBIRTH means the complete expulsion or extraction from its mother, after at least 20 weeks’ pregnancy, of a product of conception in which, after such expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle.”

Nova Scotia . . . . .	March . . . . .	1959
Manitoba . . . . .	August . . . . .	1959
Alberta . . . . .	January 1 . . . . .	1960 <sup>1</sup>
	January 1 . . . . .	1963 <sup>2</sup>
Saskatchewan . . . . .	January 1 . . . . .	1961
Quebec . . . . .	January 1 . . . . .	1961
Ontario . . . . .	December 15 . . . . .	1961
New Brunswick . . . . .	January 1 . . . . .	1962
British Columbia . . . . .	July 1 . . . . .	1962
Prince Edward Island . . . . .	January 1 . . . . .	1964

6. “Hospital” is defined, for purposes of this report as an institution operated for the regular accommodation of inpatients in which medical and/or surgical care for illness or injury and/or obstetrical care is provided, and which is recognized as a hospital by a Dominion agency or by the government of a province in which the hospital is located, or by a municipality duly authorized under the laws of the province. The term “hospital” includes institutions for tuberculosis and mental diseases, but excludes institutions which provide custodial care and/or domiciliary care only.
7. Since 1944, births, stillbirths and deaths have been classified by area of reported residence, births and stillbirths according to the residence of the mother; marriages have been classified by the place in which the marriage was solemnized. Prior to 1944 all events were classified by place of occurrence. Except for marriages, events occurring in the United States to Canadian residents are included, and conversely, events occurring in Canada to United States residents are excluded.
8. It was estimated that there were 228 more infant deaths in Quebec for 1975, and 166 more infant deaths in Quebec for 1976, than tabulated on the basis of documents submitted to Statistics Canada. In all summary tabulations the number of infant deaths and all deaths have been adjusted accordingly, for Quebec and Canada. All such adjustments have been identified by appropriate footnotes. Detailed tabulations show data tabulated with no adjustments.

<sup>1</sup> 24+ weeks’, or 750 grams weight.  
<sup>2</sup> 20+ weeks’, or 500 grams weight.

“On entend par NAISSANCE(VIVANTE) l’expulsion ou l’extraction complète du corps de la mère, indépendamment de la durée de gestation, d’un produit de conception chez qui, après cette expulsion ou extraction, il y a respiration, battement du coeur, pulsation du cordon ombilical ou contraction nettement perceptible d’un muscle volontaire que le cordon ombilical ait été coupé ou non, ou que le placenta soit demeuré attaché ou non.”

“On entend par MORTINAISSANCE l’expulsion ou l’extraction du corps de la mère, après 20 semaines au moins de gestation, d’un produit de conception chez qui, après cette expulsion ou extraction, il n’y a pas respiration, battement du coeur, pulsation du cordon ombilical ou contraction nettement perceptible d’un muscle volontaire.”

Nouvelle-Écosse . . . . .	Mars . . . . .	1959
Manitoba . . . . .	Août . . . . .	1959
Alberta . . . . .	1 <sup>er</sup> janvier . . . . .	1960 <sup>1</sup>
	1 <sup>er</sup> janvier . . . . .	1963 <sup>2</sup>
Saskatchewan . . . . .	1 <sup>er</sup> janvier . . . . .	1961
Québec . . . . .	1 <sup>er</sup> janvier . . . . .	1961
Ontario . . . . .	15 décembre . . . . .	1961
Nouveau-Brunswick . . . . .	1 <sup>er</sup> janvier . . . . .	1962
Colombie-Britannique . . . . .	1 <sup>er</sup> juillet . . . . .	1962
Île-du-Prince-Édouard . . . . .	1 <sup>er</sup> janvier . . . . .	1964

6. Pour les besoins du présent rapport, un “hôpital” est un établissement administré en vue de l’hébergement régulier des hospitalisés, où sont prodigués des soins médicaux ou chirurgicaux aux malades et aux blessés ou des soins obstétricaux, et qui est reconnu comme hôpital par un organisme fédéral ou par le gouvernement de la province où il est situé, ou par une municipalité dûment autorisée à le faire en vertu des lois de la province. Le terme “hôpital” comprend les établissements de tuberculose et de maladies mentales, mais ne comprend pas les établissements qui n’exercent que la surveillance ou qui ne prodiguent que des soins d’entretien.
7. Depuis 1944, les naissances, mortinaissances et décès sont classés suivant le lieu de résidence, celle-ci étant celle de la mère dans le cas des naissances et mortinaissances; quant aux mariages, ont les a classés suivant leur lieu de célébration. Avant 1944, tous ces faits étaient classés suivant le lieu de l’événement. Sauf pour ce qui est de la nuptialité, le calcul comprend les événements survenus aux États-Unis à des ressortissants canadiens, mais ne comprend pas les événements survenus au Canada à des ressortissants des États-Unis.
8. Selon notre évaluation, il y avait 228 décès additionnels de moins d’un an au Québec en 1975, et 166 décès additionnels de moins d’un an au Québec en 1976, qu’on n’avait pas enregistrés dans les documents qu’on a envoyés à Statistique Canada. On a incorporé ces décès additionnels, en ajustant le nombre de décès de moins d’un an, et le nombre de décès, dans nos tableaux sommaires, pour le Québec et pour le Canada. On a identifié tous ces ajustements, en ajoutant des notes convenables. On n’a pu incorporer ces décès additionnels dans nos tableaux détaillés.

<sup>1</sup> 24 semaines ou plus, ou poids de 750 grammes.  
<sup>2</sup> 20 semaines ou plus, ou poids de 500 grammes.

## VITAL STATISTICS TERMS AND DEFINITIONS

A summary of symbols, definitions, populations, and the method of computing rates used in this report are given below.

### SYMBOLS

- .. figures not available.
- ... figures not appropriate or not applicable.
- nil or zero.
- amount too small to be expressed.
- \* or 0.0 a rate less than 0.1.
- † figures revised since previous report.
- P provisional.

### DEFINITIONS

#### Population:

*De jure* (resident) population as enumerated in Census years or estimated for inter-censal years.  
1972 - 1975 — June 1 estimates.  
1921 - 1971, 1976 — Census or revised estimates.

#### Births:

Unless otherwise indicated, infants born alive, i.e., excluding stillbirths.

#### Stillbirths:

Unless otherwise indicated, foetal deaths of 28 or more weeks' gestation.

#### Deaths:

Unless otherwise indicated, exclude stillbirths.

- Infant — Deaths under 1 year of age.
- Neonatal — Deaths under 28 days (4 weeks) of age.
- Post-neonatal — Deaths between 4 weeks and 1 year of age.
- Maternal — Deaths due to delivery and complications of pregnancy, childbirth and the puerperium (Categories 630-678 International List).
- Perinatal — Foetal deaths of 28 or more weeks' gestation plus infant deaths under 7 days (1 week) of age.

#### Natural increase:

Excess of births over deaths.

#### Rates:

Crude — Birth, marriage, death and natural increase rates per 1,000 population.

#### Total births:

Live births and stillbirths.

#### Age:

- Completed ages in years, months, etc.
- Average — Arithmetic mean.
- Median — Age above and below which half of the total events occur.

### RATES OR RATIOS

(Unless otherwise indicated, computed as follows)

<b>Stillbirths:</b>	per	1,000 live births.
<b>Deaths:</b>	"	1,000 population.
Infant:	"	1,000 live births.
Neonatal:	"	1,000 " "
Post-neonatal:	"	1,000 " "
Maternal:	"	10,000 " "
Perinatal:	"	1,000 total births.
<b>Causes of death:</b>		
All causes:	per	100,000 population.
Infant:	"	100,000 live births.
Neonatal:	"	100,000 " "
Maternal:	"	100,000 " "
<b>Marriages:</b>	"	1,000 population.
<b>Natural increase:</b>	"	1,000 "

## TERMES DÉMOGRAPHIQUES ET DÉFINITIONS

Un sommaire des signes conventionnels, définitions et populations et de la méthode utilisée pour calculer les taux du présent rapport paraît ci-dessous.

### SIGNES CONVENTIONNELS

- .. non disponible.
- ... n'ayant pas lieu de figurer.
- néant ou zéro.
- infimes.
- \* ou 0.0 taux inférieur à 0.1.
- † rectifiés depuis le rapport précédent.
- P provisoire.

### DÉFINITIONS

#### Population:

Population résidente dénombrée aux années de recensement ou estimée aux années intercensales.  
1972 - 1975 — Estimations du 1<sup>er</sup> juin.  
1921 - 1971, 1976 — Estimations du recensement ou rectifiées.

#### Natalité:

Sauf indication contraire, il s'agit d'enfants nés vivants (sans la mortinatalité).

#### Mortinatalité:

Sauf indication contraire, décès du fœtus de 28 semaines ou plus.

#### Mortalité générale:

Sauf indication contraire, ce terme exclut la mortinatalité.

- Infantile — Décès des moins de 1 an.
- Néonatale — Décès des moins de 28 jours (4 semaines).
- Post-néonatale — Décès d'enfants de 4 semaines à 1 an.
- Maternelle — Décès dus à l'accouchement et aux complications de la grossesse, de l'accouchement et des suites de couches (rubriques 630-678 de la liste internationale).
- Périnatale — Décès des fœtus de 28 semaines ou plus, plus les décès d'enfants âgés de moins de 7 jours (1 semaine).

#### Accroissement naturel:

Excédent des naissances sur les décès.

#### Taux (de):

Bruts — Taux de natalité, de nuptialité, de mortalité et d'accroissement naturel pour 1,000 habitants.

#### Naissances:

Naissances vivantes et mortinaissances.

#### Âge:

- Âge en années, mois révolus.
- Moyen — Moyenne arithmétique.
- Médian — Âge au-dessous duquel surviennent la moitié des événements.

### TAUX OU RAPPORTS

(Sauf indication contraire, ils sont calculés ainsi)

<b>Mortinatalité:</b>	pour	1,000 naissances vivantes.
<b>Mortalité:</b>	"	1,000 habitants.
Infantile:	"	1,000 naissances vivantes.
Néonatale:	"	1,000 " "
Post-néonatale:	"	1,000 " "
Maternelle:	"	10,000 " "
Périnatale:	"	1,000 naissances totales.
<b>Causes de mortalité:</b>		
Toutes causes:	pour	100,000 habitants.
Infantile:	"	100,000 naissances vivantes.
Néonatale:	"	100,000 " "
Maternelle:	"	100,000 " "
<b>Nuptialité:</b>	"	1,000 habitants.
<b>Accroissement naturel:</b>	"	1,000 "



## METHODOLOGICAL NOTE

The source of vital statistics data in Canada is the universal system of registration of births, marriages, deaths and stillbirths. These are recorded and accumulated by registrars of vital statistics in each province and territory. Under existing Federal-Provincial agreements, microfilm copies of registration documents on births, marriages, deaths and stillbirths are made available to Statistics Canada by the provincial and territorial offices for compilation of aggregate national statistics.

### Mode of Data Availability

The data for Newfoundland, Prince Edward Island, New Brunswick, Nova Scotia and the Territories of Yukon and Northwest, are transformed into machine readable form at Statistics Canada. Data from other provinces are supplied in machine readable form by the provincial offices of vital statistics. Editing and processing of data to generate the necessary tabulations are accomplished by means of specialized routines developed at Statistics Canada.

### Mode of Dissemination

The tabulations which are often requested and are of increasing demand are published in five annual reports viz: (1) *Births*, Catalogue 84-204; (2) *Marriages and Divorces*, Catalogue 84-205; (3) *Deaths*, Catalogue 84-206; (4) *The Principal Vital Statistics by Local Areas*, Catalogue 84-207; (5) *Causes of Death*, Catalogue 84-203. Historical as well as current information is also available through Statistics Canada's computerized data base system CANSIM (Canadian Socio-Economic Information Management System). In addition, some unpublished tabulations are stored on microfilm and are available on demand. Special tabulations may also be generated from the data files and supplied upon request on a cost-recovery basis.

### Quality of Data

As reported in the previous issues of the vital statistics publications, a quality assessment study was initiated on a sample of 1976 stillbirth and death records. A stratified sampling procedure based on the mode of data availability was adopted for selecting the sample. A selected number of core characteristics were included in the study; with respect to stillbirths, the 15 core characteristics included items such as date of birth, order of birth, duration of pregnancy, age of mother at the time of birth; in case of deaths, the 11 core characteristics included items such as age at death, residence of the deceased, data of death and cause of death. The main aspect studied in this round of enquiry was the measurement of processing errors based on the sample records which were independently re-processed and compared with the production of re-

## NOTE MÉTHODOLOGIQUE

Au Canada, le système universel d'enregistrement des naissances, des mariages, des décès et des mortinaissances est la principale source des données sur l'état civil, qui sont enregistrées et conservées par les registraires de la statistique de l'état civil des provinces et des territoires. En vertu des ententes fédérales-provinciales existantes, les microfilms des documents d'enregistrement des naissances, des mariages, des décès et des mortinaissances sont mis à la disposition de Statistique Canada par les bureaux provinciaux et territoriaux et le Bureau se charge de compiler les données nationales sur l'état civil.

### Support d'information

Les données provenant de Terre-Neuve, de l'Île-du-Prince-Édouard, du Nouveau-Brunswick, de la Nouvelle-Écosse et des Territoires du Yukon et du Nord-Ouest sont traduites sous une forme lisible à la machine par Statistique Canada. Dans les autres provinces, ce sont les bureaux provinciaux de l'état civil qui se chargent de ce travail. Le contrôle et le traitement des données permettant de produire les totalisations nécessaires se font à l'aide des programmes spécialisés conçus à Statistique Canada.

### Mode de diffusion

Les totalisations pour lesquelles il y a une demande de plus en plus forte sont publiées dans les cinq bulletins annuels suivants: (1) *Naissances*, n° 84-204 au catalogue; (2) *Mariages et divorces*, n° 84-205 au catalogue; (3) *Décès*, n° 84-206 au catalogue; (4) *Principales statistiques de l'état civil selon la localité*, n° 84-207 au catalogue; et (5) *Causes de décès*, n° 84-203 au catalogue. On peut aussi obtenir des données chronologiques ou courantes grâce à la base de données informatisée de Statistique Canada, CANSIM (Système canadien d'information socio-économique). On peut aussi se procurer sur demande des totalisations non publiées enregistrées sur microfilms et des totalisations spéciales établies à partir des fichiers originaux de données en acquittant les frais.

### Qualité des données

Tel qu'annoncé dans les numéros antérieurs des publications sur la statistique de l'état civil, l'on a procédé à une étude d'évaluation de la qualité sur un échantillon de dossiers de mortinaissance et de décès de 1976. L'échantillon a été établi au moyen de la méthode du sondage stratifié. L'étude englobait un certain nombre de caractéristiques fondamentales; à l'égard des mortinaissances, les 15 caractéristiques fondamentales comprenaient la date de naissance, l'ordre de naissance, la durée de la grossesse et l'âge de la mère au moment de l'accouchement; à l'égard des décès, les 11 caractéristiques fondamentales comprenaient l'âge au moment du décès, le lieu de résidence de la personne décédée, ainsi que la date et la cause de décès. Cette phase de l'étude consistait surtout à mesurer les erreurs de traitement à partir de l'échantillon de dossiers dont les données, après avoir subi un nouveau

cords on the clean data base. The details of the procedures adopted in this study can be obtained upon request.

The study identified that the levels of data quality are generally good, although there was a need for improvement in some areas. The main problems for data on stillbirths were, "cause of death" and "number of children born to this mother". With respect to data on deaths, the main problems were "cause of death" and "residence of deceased".


It is expected that some of these problem fields will be monitored for data year 1979. A more comprehensive study is planned for data year 1980 which will provide error estimates at the provincial as well as the national level.

traitement indépendant, furent comparées à celles de la base épurée de données. On peut obtenir sur demande des renseignements supplémentaires sur la méthode utilisée pour cette étude.

L'étude a permis de constater que, dans l'ensemble, la qualité des données est bonne, même si des améliorations s'imposent sur certains points. Pour les données sur les mortinaissances, les principaux problèmes avaient trait à la "cause de décès" et au "nombre d'enfants mis au monde par cette mère". Quant aux données sur les décès, les principaux problèmes avaient trait à la "cause de décès" et au "lieu de résidence de la personne décédée".

On s'attend à ce que certaines de ces sources de problème soient suivies de près pendant l'année de données 1979. Une étude plus exhaustive, prévue pour l'année de données 1980, permettra d'obtenir des estimations du taux d'erreur au niveau tant provincial que national.

**Crude Death Rates by Province and Sex, 1921-1977<sup>(1)</sup>**  
**Taux brut de mortalité selon la province et le sexe, 1921-1977<sup>(1)</sup>**  
 (Per 1,000 population — Pour 1,000 habitants)




(1) Excludes Newfoundland 1921-1948. — Sans la province de Terre-Neuve 1921-1948.

**Standardized Death Rates<sup>(1)</sup> by Province and Sex, 1921-1977<sup>(2)</sup>**

**Taux comparatifs de mortalité,<sup>(1)</sup> selon la province et le sexe, 1921-1977<sup>(2)</sup>**

(Per 1,000 population — Pour 1,000 habitants)




(1) Standardized to Canadian 1956 population. — D'après la population canadienne du recensement de 1956.

(2) Excludes Newfoundland 1921-1948 and Quebec 1921-1925. — Sans la province de Terre-Neuve 1921-1948 et Québec 1921-1925.

**Age-specific Death Rates by Sex, Canada, 1921-1977<sup>(1)</sup>**

**Taux de mortalité selon le groupe d'âges et le sexe, Canada, 1921-1977<sup>(1)</sup>**

(Per 1,000 population — Pour 1,000 habitants)




(1) Excludes Quebec, 1921-1925. — Sans la province de Québec, 1921-1925.

(2) Estimated. — Évalué.


**Age-specific Death Rates by Marital Status and Sex, Canada, 1951-1977**

**Taux de mortalité, selon le groupe d'âges, l'état matrimonial et le sexe, Canada, 1951-1977**




(1) Figures not available. — Nombre indisponible.


**Infant Death Rates by Sex, Canada, 1921-1977**  
**Taux de mortalité infantile, selon le sexe, Canada, 1921-1977**  
 (Per 1,000 live births — Pour 1,000 naissances vivantes)



**Neonatal Death Rates by Sex, Canada, 1921-1977**  
**Taux de mortalité néonatale, selon le sexe, Canada, 1921-1977**  
 (Per 1,000 live births — Pour 1,000 naissances vivantes)




**Post-neonatal Death Rates by Sex, Canada, 1921-1977**  
**Taux de mortalité post-néonatale, selon le sexe, Canada, 1921-1977**  
 (Per 1,000 live births — Pour 1,000 naissances vivantes)




(1) Newfoundland excluded until 1930. — Sans la province de Terre-Neuve jusqu'à 1930.  
 (2) Newfoundland excluded until 1949. — Sans la province de Terre-Neuve jusqu'à 1949.

**Perinatal Death Rates, Canada, 1921-1977<sup>(1)</sup>**  
**Taux de mortalité périnatale, Canada, 1921-1977<sup>(1)</sup>**  
 (Per 1,000 total births — Pour 1,000 naissances totales)



**Stillbirth Rates, Canada, 1921-1977<sup>(2)</sup>**  
**Taux de mortinatalité, Canada, 1921-1977<sup>(2)</sup>**  
 (Per 1,000 total births — Pour 1,000 naissances totales)



(1) Newfoundland excluded until 1949. — Sans la province de Terre-Neuve jusqu'à 1949.  
 (2) Over 28 weeks gestation. — Au-delà de 28 semaines de grossesse.  
 (3) 1975, 1976 data not available. — Les données pour l'année 1975, 1976 sont inconnues.

TABLE 1. Estimated Population by Sex and Age Group, Canada and Provinces, 1977  
TABLEAU 1. Population estimative par sexe, et par groupe d'âges, Canada et provinces, 1977

Age - Âge	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B. N.-B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Both sexes - Deux sexes													
Total . . . . .	23,291.1	562.5	120.3	835.4	686.4	6,283.1	8,373.5	1,031.3	936.5	1,899.7	2,497.6	21.5	43.3
0- 4 . . . . .	1,745.3	56.3	9.5	64.6	58.4	449.8	607.7	82.2	75.9	158.9	174.5	2.0	5.4
1- 4 . . . . .	1,383.9	45.2	7.5	52.2	46.9	354.1	484.9	65.5	59.4	124.5	137.8	1.6	4.2
5- 9 . . . . .	1,856.5	62.0	10.5	70.8	61.1	468.1	658.4	84.6	77.3	164.0	191.9	2.1	5.7
10-14 . . . . .	2,209.2	66.7	12.7	83.5	71.5	598.5	777.7	94.6	92.3	183.9	220.5	2.2	5.3
15-19 . . . . .	2,369.1	63.9	13.1	87.5	74.3	663.8	821.6	101.3	99.2	196.1	241.6	2.1	4.5
20-24 . . . . .	2,197.8	53.6	10.7	78.6	66.3	613.1	767.0	96.2	87.7	195.4	222.6	2.3	4.5
25-29 . . . . .	2,005.2	47.1	9.5	69.3	57.8	558.1	712.4	85.7	67.7	173.5	217.2	2.5	4.4
30-34 . . . . .	1,744.5	38.2	7.7	57.9	46.8	498.9	631.3	70.9	54.8	142.9	189.4	2.2	3.5
35-39 . . . . .	1,375.3	27.8	6.1	45.3	36.1	389.0	504.9	55.1	46.1	111.0	150.1	1.5	2.4
40-44 . . . . .	1,264.3	24.8	5.8	40.9	31.9	349.6	474.0	50.7	45.3	102.5	135.6	1.2	2.1
45-49 . . . . .	1,258.5	22.9	5.3	39.7	31.4	351.4	472.6	51.5	47.3	98.2	135.6	1.0	1.7
50-54 . . . . .	1,217.5	22.0	5.3	39.4	31.4	328.9	464.5	53.5	48.3	88.4	133.6	0.9	1.3
55-59 . . . . .	1,066.1	21.4	5.3	39.7	30.2	279.7	391.2	50.0	47.1	77.3	122.6	0.6	1.0
60-64 . . . . .	912.7	18.2	5.1	35.5	26.5	235.7	328.0	45.6	43.1	63.5	110.5	0.4	0.6
65-69 . . . . .	748.6	14.5	4.4	29.5	22.5	191.8	271.3	38.1	35.9	50.6	89.3	0.3	0.5
70-74 . . . . .	551.7	9.4	3.3	21.3	16.1	138.4	202.5	28.7	27.0	38.9	65.7	0.1	0.3
75-79 . . . . .	373.9	6.8	2.6	14.8	11.2	88.4	140.8	19.7	18.7	25.9	44.7	0.1	0.2
80-84 . . . . .	225.6	4.2	1.8	9.7	7.3	48.9	85.0	12.6	12.3	15.8	28.0	--	0.1
85-89 . . . . .	114.8	1.9	0.9	5.0	3.8	21.5	42.6	6.9	7.1	8.9	16.1	--	--
90+ . . . . .	54.5	0.9	0.5	2.5	1.8	9.2	20.1	3.3	3.7	4.2	8.3	--	--
Male - Masculin													
Total . . . . .	11,589.0	286.0	60.3	417.5	343.9	3,106.7	4,147.4	512.4	471.6	963.2	1,245.6	11.5	22.8
0- 4 . . . . .	894.7	29.1	5.0	33.3	29.8	231.1	311.5	42.4	38.5	81.3	89.1	1.0	2.7
1- 4 . . . . .	708.8	23.4	4.0	26.9	23.9	181.7	248.4	33.9	30.0	63.6	70.2	0.8	2.1
5- 9 . . . . .	951.9	31.8	5.4	36.3	31.6	239.7	337.8	43.3	39.5	84.4	98.1	1.1	3.0
10-14 . . . . .	1,130.1	34.0	6.5	42.8	36.7	306.2	398.4	48.0	47.1	93.9	112.5	1.1	2.7
15-19 . . . . .	1,210.1	32.7	6.7	44.9	38.1	338.2	420.3	51.7	50.4	100.7	123.1	1.1	2.3
20-24 . . . . .	1,099.3	27.0	5.4	40.2	33.5	306.8	380.5	48.1	44.7	99.2	110.6	1.1	2.3
25-29 . . . . .	1,004.7	23.8	4.8	35.1	29.4	278.8	353.4	43.3	34.9	88.5	109.0	1.3	2.4
30-34 . . . . .	880.6	19.4	3.9	29.4	24.0	250.1	317.5	35.9	28.0	72.8	96.4	1.2	1.9
35-39 . . . . .	695.4	14.4	3.2	22.9	18.3	195.4	254.6	27.9	23.2	56.5	76.8	0.9	1.3
40-44 . . . . .	639.8	12.8	2.9	20.7	16.0	173.4	239.8	25.7	22.9	53.4	70.2	0.7	1.1
45-49 . . . . .	635.6	11.8	2.7	19.7	15.5	173.5	239.9	25.6	23.9	51.2	70.3	0.6	1.0
50-54 . . . . .	595.7	11.3	2.6	19.1	15.3	159.0	227.7	25.8	24.1	44.2	65.3	0.5	0.7
55-59 . . . . .	513.5	11.0	2.6	19.1	14.6	133.2	188.8	24.0	23.2	38.0	58.2	0.4	0.5
60-64 . . . . .	437.1	9.2	2.5	17.2	13.0	110.4	157.4	22.0	21.3	31.0	52.3	0.3	0.4
65-69 . . . . .	351.0	7.3	2.2	14.3	10.9	87.0	125.9	18.0	17.8	24.7	42.4	0.2	0.3
70-74 . . . . .	247.9	4.5	1.6	9.8	7.4	59.4	88.0	13.2	13.2	19.0	31.5	0.1	0.2
75-79 . . . . .	155.9	3.0	1.2	6.2	4.7	35.3	56.4	8.6	8.8	11.9	19.7	0.1	0.1
80-84 . . . . .	85.7	1.7	0.7	3.7	2.9	18.5	29.9	5.1	5.3	6.8	11.0	--	--
85-89 . . . . .	41.2	0.7	0.3	1.9	1.5	7.5	13.5	2.6	3.2	3.8	6.1	--	--
90+ . . . . .	18.7	0.4	0.2	0.8	0.6	3.2	6.0	1.2	1.6	1.7	3.1	--	--
Female - Féminin													
Total . . . . .	11,702.1	276.5	60.0	417.9	342.5	3,176.4	4,226.1	518.9	465.0	936.5	1,252.0	10.0	20.5
0- 4 . . . . .	850.6	27.3	4.6	31.3	28.7	218.7	296.3	39.8	37.4	77.6	85.4	1.0	2.7
1- 4 . . . . .	675.1	21.9	3.6	25.3	23.1	172.4	236.6	31.6	29.3	60.9	67.6	0.8	2.1
5- 9 . . . . .	904.7	30.2	5.1	34.5	29.5	228.5	320.6	41.4	37.7	79.6	93.8	1.0	2.7
10-14 . . . . .	1,079.1	32.7	6.2	40.6	34.8	292.3	379.2	46.6	45.2	90.0	108.0	1.1	2.6
15-19 . . . . .	1,159.0	31.1	6.4	42.6	36.2	325.6	401.4	49.7	48.8	95.4	118.4	1.1	2.2
20-24 . . . . .	1,098.5	26.6	5.3	38.3	32.8	306.3	386.5	48.1	43.0	96.1	112.0	1.2	2.2
25-29 . . . . .	1,000.6	23.3	4.7	34.3	28.4	279.2	359.0	42.3	32.8	85.0	108.2	1.2	2.1
30-34 . . . . .	863.9	18.8	3.8	28.5	22.7	248.9	313.8	34.9	26.8	70.1	93.0	1.0	1.6
35-39 . . . . .	679.9	13.4	3.0	22.3	17.7	193.6	250.3	27.2	22.9	54.4	73.3	0.6	1.1
40-44 . . . . .	624.5	11.9	2.8	20.2	15.9	176.2	234.1	25.0	22.3	49.1	65.4	0.5	1.0
45-49 . . . . .	622.9	11.1	2.6	20.0	15.9	177.9	232.7	25.9	23.4	47.0	65.3	0.4	0.7
50-54 . . . . .	621.9	10.7	2.7	20.3	16.1	169.9	236.8	27.7	24.2	44.3	68.3	0.4	0.5
55-59 . . . . .	552.6	10.4	2.7	20.6	15.6	146.5	202.4	26.0	24.0	39.3	64.4	0.2	0.4
60-64 . . . . .	475.5	8.9	2.6	18.3	13.6	125.3	170.5	23.5	21.8	32.4	58.1	0.2	0.3
65-69 . . . . .	397.6	7.2	2.2	15.2	11.6	104.8	145.4	20.1	18.1	25.8	46.9	0.1	0.2
70-74 . . . . .	303.8	4.9	1.7	11.5	8.6	79.0	114.4	15.5	13.8	19.9	34.2	0.1	0.1
75-79 . . . . .	217.9	3.8	1.4	8.6	6.5	53.1	84.4	11.2	9.8	14.0	25.0	--	0.1
80-84 . . . . .	140.0	2.4	1.1	6.0	4.4	30.5	55.0	7.5	7.0	9.0	17.0	--	--
85-89 . . . . .	73.6	1.2	0.6	3.1	2.3	14.0	29.1	4.2	4.0	5.1	10.0	--	--
90+ . . . . .	35.7	0.5	0.4	1.6	1.2	6.0	14.1	2.1	2.1	2.4	5.2	--	--

TABLE 2. Expectation of Life 1941, 1951, 1956, 1961, 1966, 1971 and 1976, Canada  
 TABLEAU 2. Espérance de vie en 1941, 1951, 1956, 1961, 1966, 1971 et 1976, Canada

Age - Âge	1941		1951		1956			
	Male Masculin	Female Féminin	Male Masculin	Female Féminin	Male Masculin	Female Féminin		
	years - années							
At birth - À la naissance	62.96	66.30	66.33	70.83	67.61	72.92		
1 year - an	66.14	68.73	68.33	72.33	69.04	73.99		
2 years - ans	65.62	68.16	67.56	71.55	68.21	73.15		
3 " "	64.88	67.38	66.68	70.66	67.31	72.24		
4 " "	64.07	66.56	65.79	69.74	66.38	71.31		
5 " "	63.22	65.69	64.86	68.80	65.45	70.35		
10 " "	58.70	61.08	60.15	64.02	60.67	65.51		
15 " "	54.06	56.36	55.39	59.19	55.86	60.64		
20 " "	49.57	51.76	50.76	54.41	51.19	55.80		
25 " "	45.18	47.26	46.20	49.67	46.61	50.97		
30 " "	40.73	42.81	41.60	44.94	41.98	46.17		
35 " "	36.26	38.37	37.00	40.24	37.34	41.40		
40 " "	31.87	33.99	32.45	35.63	32.74	36.69		
45 " "	27.60	29.67	28.05	31.14	28.28	32.09		
50 " "	23.49	25.46	23.88	26.80	24.04	27.65		
55 " "	19.64	21.42	20.02	22.61	20.12	23.38		
60 " "	16.06	17.62	16.49	18.64	16.54	19.34		
65 " "	12.80	14.08	13.31	14.97	13.36	15.60		
70 " "	9.94	10.93	10.41	11.62	10.51	12.17		
75 " "	7.48	8.19	7.89	8.73	7.98	9.15		
80 " "	5.54	6.03	5.84	6.38	5.89	6.75		
85 " "	4.05	4.35	4.27	4.57	4.27	4.97		
90 " "	2.93	3.13	3.10	3.24	3.07	3.67		
95 " "	2.09	2.26	2.24	2.27	2.18	2.74		
100 " "	1.46	1.64	1.60	1.59	1.52	2.05		
	1961		1966		1971		1976	
	Male Masculin	Female Féminin	Male Masculin	Female Féminin	Male Masculin	Female Féminin	Male Masculin	Female Féminin
	years - années							
At birth - À la naissance	68.35	74.17	68.75	75.18	69.34	76.36	70.19	77.48
1 year - an	69.50	74.98	69.53	75.71	69.76	76.56	70.24	77.41
2 years - ans	68.63	74.11	68.64	74.81	68.85	75.64	69.31	76.49
3 " "	67.71	73.18	67.71	73.88	67.91	74.70	68.37	75.53
4 " "	66.78	72.23	66.77	72.93	66.97	73.74	67.42	74.57
5 " "	65.83	71.27	65.82	71.97	66.02	72.79	66.46	73.60
10 " "	61.02	66.41	61.00	67.12	61.17	67.91	61.57	68.71
15 " "	56.20	61.51	56.16	62.22	56.33	63.02	56.70	63.80
20 " "	51.51	56.65	51.50	57.37	51.71	58.18	52.09	58.95
25 " "	46.91	51.80	46.94	52.52	47.16	53.34	47.55	54.10
30 " "	42.24	46.98	42.29	47.68	42.50	48.51	42.90	49.25
35 " "	37.56	42.18	37.62	42.88	37.83	43.71	38.21	44.43
40 " "	32.96	37.45	33.01	38.15	33.22	38.99	33.59	39.67
45 " "	28.49	32.82	28.55	33.51	28.77	34.37	29.11	35.02
50 " "	24.25	28.33	24.31	29.02	24.52	29.86	24.86	30.51
55 " "	20.30	24.01	20.38	24.70	20.57	25.53	20.88	26.14
60 " "	16.73	19.90	16.81	20.58	16.95	21.39	17.23	21.96
65 " "	13.53	16.07	13.63	16.71	13.72	17.47	13.95	18.00
70 " "	10.67	12.58	10.83	13.14	10.90	13.85	11.05	14.33
75 " "	8.21	9.48	8.37	9.94	8.47	10.63	8.55	11.03
80 " "	6.14	6.90	6.36	7.26	6.41	7.88	6.44	8.15
85 " "	4.46	4.89	4.79	5.16	4.74	5.67	4.73	5.81
90 " "	3.16	3.39	3.60	3.60	3.43	3.99	3.39	4.03
95 " "	2.20	2.32	2.71	2.48	2.45	2.76	2.39	2.74
100 " "	1.49	1.56	2.04	1.69	1.71	1.89	1.68	1.84

TABLE 3. Expectation of Life at Selected Ages for Each Sex and Province, 1931, 1941, 1951, 1956, 1961, 1966, 1971 and 1976

TABLEAU 3. Espérance de vie à certains âges, selon le sexe et la province, 1931, 1941, 1951, 1956, 1961, 1966, 1971 et 1976

Year Année	Canada	Atlantic provinces Provinces de l'Atlantique				Qué.	Ont.	Prairie provinces Provinces des Prairies			B.C. C.-B.
		Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.			Man.	Sask.	Alta. Alb.	
		Male - Masculin									
At birth - À la naissance											
1931	60.0	60.2				56.2	61.3	63.5			62.2
1941	63.0	61.7				60.2	64.6	65.4			63.7
1951	66.3	66.6				64.4	66.9	68.4			66.7
1956	67.6	67.9				66.1	67.8	69.3			68.1
1961	68.4	68.6				67.3	68.3	69.8			68.9
1966	68.8	68.9	68.3	68.3	68.5	67.9	68.7	69.8	70.5	70.1	69.2
1971	69.3	69.3	69.3	68.7	69.1	68.3	68.6	70.2	71.1	70.4	69.9
1976	70.2	70.6	69.2	69.5	69.7	69.1	70.6	70.7	71.1	71.1	71.0
1 year - an											
1931	64.7	64.8				62.5	65.1	67.2			64.6
1941	66.1	65.7				64.5	66.7	68.0			65.4
1951	68.3	69.1				62.7	68.3	69.9			68.0
1956	69.0	69.7				68.1	68.8	70.5			69.2
1961	69.5	70.1				68.7	69.1	71.0			69.8
1966	69.5	70.2	69.4	69.2	69.3	68.8	69.3	70.5	71.5	70.8	69.9
1971	69.8	70.0	70.1	69.1	69.5	68.7	69.8	70.6	71.8	70.9	70.3
1976	70.2	70.7	69.5	69.6	69.9	69.1	70.5	70.9	71.3	71.2	71.1
20 years - ans											
1931	49.1	49.2				47.8	48.8	51.0			48.7
1941	49.6	49.4				48.4	49.6	51.3			49.0
1951	50.8	51.6				49.8	50.6	52.2			50.4
1956	51.2	52.0				50.4	50.8	52.6			51.3
1961	51.5	52.2				50.8	51.0	52.9			51.9
1966	51.5	52.3	51.6	51.3	51.6	50.8	51.1	52.5	53.5	52.7	51.9
1971	51.7	51.9	52.0	51.0	51.6	50.7	51.6	52.7	53.8	52.9	52.3
1976	52.1	52.5	51.8	51.4	51.9	51.0	52.2	52.9	53.5	53.1	53.0
40 years - ans											
1931	32.0	32.7				31.0	31.6	33.3			32.2
1941	31.9	32.2				30.9	31.5	33.3			31.7
1951	32.5	33.5				31.5	32.0	33.9			32.5
1956	32.7	33.6				31.9	32.2	34.1			33.1
1961	33.0	33.8				32.3	32.4	34.4			33.6
1966	33.0	33.8	33.5	33.0	33.4	32.3	32.4	34.1	35.2	34.4	33.7
1971	33.2	33.2	33.8	32.8	33.2	32.3	32.9	34.2	35.6	34.6	34.1
1976	33.6	33.6	33.6	32.9	33.7	32.6	33.5	34.5	35.2	34.7	34.8
60 years - ans											
1931	16.3	17.0				15.8	15.9	17.1			16.7
1941	16.1	16.4				15.6	15.8	16.8			16.2
1951	16.5	17.3				15.9	16.2	17.3			16.7
1956	16.5	17.3				16.0	16.1	17.4			16.9
1961	16.7	17.5				16.3	16.2	17.7			17.2
1966	16.8	17.6	17.7	17.0	17.2	16.3	16.2	17.5	18.5	17.8	17.4
1971	17.0	16.8	17.5	16.8	17.1	16.2	16.6	17.7	19.0	18.1	17.8
1976	17.2	17.2	17.6	16.7	17.8	16.5	17.0	18.0	18.5	18.2	18.3

TABLE 3. Expectation of Life at Selected Ages for Each Sex and Province,  
1931, 1941, 1951, 1956, 1961, 1966, 1971 and 1976 - Concluded

TABLEAU 3. Espérance de vie à certains âges, selon le sexe et la province,  
1931, 1941, 1951, 1956, 1961, 1966, 1971, et 1976 - fin

Year - Année	Canada	Atlantic provinces - Provinces de l'Atlantique				Qué.	Ont.	Prairie provinces - Provinces des Prairies			B.C. - C.-B.
		Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.			Man.	Sask.	Alta. - Alb.	
		Female - Féminin									
At birth - À la naissance											
1931	62.1	61.9				57.8	63.9	65.5			65.3
1941	66.3	64.6				63.1	68.4	68.2			69.0
1951	70.8	70.5				68.6	71.9	72.3			72.4
1956	72.9	72.9				71.0	73.6	74.2			73.9
1961	74.2	73.9				72.8	74.4	75.7			75.4
1966	75.2	74.4	75.5	74.8	75.3	73.9	75.5	76.1	76.5	76.2	75.8
1971	76.4	75.7	77.4	76.0	76.4	75.3	76.8	76.9	77.3	77.3	76.7
1976	77.5	77.4	78.2	77.8	77.7	76.5	77.7	77.9	78.6	77.9	78.4
1 year - an											
1931	65.7	65.4				62.6	66.8	68.3			67.2
1941	68.7	67.8				66.3	70.1	70.2			70.2
1951	72.3	72.4				70.7	72.9	73.4			73.3
1956	74.0	74.2				72.6	74.3	75.1			74.7
1961	75.0	75.1				73.8	75.0	76.4			76.0
1966	75.7	75.4	76.2	75.4	76.0	74.6	75.9	76.6	77.1	76.7	76.3
1971	76.6	76.2	77.6	76.1	76.6	75.5	76.8	77.2	78.0	77.5	76.9
1976	77.4	77.4	78.5	77.8	77.7	76.5	77.5	78.0	78.8	77.8	78.3
20 years - ans											
1931	49.8	49.6				47.7	50.1	51.7			51.2
1941	51.8	51.3				49.9	52.4	53.1			53.1
1951	54.4	54.5				52.9	54.8	55.5			55.5
1956	55.8	56.0				54.4	56.0	56.9			56.5
1961	56.7	56.8				55.5	56.5	58.1			57.6
1966	57.4	57.1	57.9	57.2	57.8	56.3	57.5	58.3	58.8	58.3	58.0
1971	58.2	57.9	59.4	57.8	58.4	57.2	58.4	58.9	59.6	59.2	58.5
1976	59.0	58.9	60.3	59.3	59.3	58.0	59.0	59.5	60.5	59.4	59.9
40 years - ans											
1931	33.0	33.7				31.8	32.9	34.4			34.3
1941	34.0	34.2				32.7	34.1	35.0			35.1
1951	35.6	36.0				34.4	35.8	36.6			36.7
1956	36.7	37.0				35.4	36.7	37.7			37.5
1961	37.5	37.7				36.4	37.3	38.8			38.5
1966	38.2	37.8	38.8	38.0	38.5	37.1	38.2	39.1	39.6	39.1	38.9
1971	39.0	38.6	40.0	38.5	39.2	38.0	39.1	39.7	40.5	40.1	39.5
1976	39.7	39.4	41.2	39.9	40.0	38.8	39.6	40.4	41.4	40.3	40.8
60 years - ans											
1931	17.2	18.0				16.4	16.9	18.0			18.0
1941	17.6	18.1				16.8	17.6	18.3			18.5
1951	18.6	19.1				17.7	18.6	19.3			19.7
1956	19.3	19.7				18.3	19.4	20.1			20.0
1961	19.9	20.2				19.0	19.7	21.0			20.8
1966	20.6	20.1	21.5	20.6	21.0	19.6	20.6	21.4	21.7	21.3	21.3
1971	21.4	20.8	22.5	21.0	21.5	20.5	21.5	22.0	22.7	22.3	22.0
1976	22.0	21.5	23.4	22.4	22.3	21.0	21.9	22.6	23.6	22.4	23.2

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977  
TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T.N.-O.
Both sexes - Deux sexes													
1921	104,531	3,376	1,209	6,420	5,410	33,433	34,551	5,388	5,596	4,940	4,208	..	..
1922	106,068	3,581	1,113	6,679	5,158	33,459	34,034	5,754	6,119	5,264	4,907	..	..
1923	108,858	3,528	1,150	6,868	5,013	35,148	35,636	5,330	6,182	5,006	4,997	..	..
1924	102,820	4,182	956	6,583	4,923	32,356	33,078	5,023	5,772	4,858	5,004	38	47
1925	102,528	3,656	997	6,045	4,960	32,300	33,960	5,245	5,628	4,697	4,945	63	32
1926	111,055	3,482	898	6,366	5,002	37,251	35,909	5,335	6,060	5,159	5,474	68	51
1927	109,104	3,646	913	6,378	4,902	36,175	34,775	5,309	6,031	5,059	5,750	33	133
1928	113,176	3,706	952	6,202	4,972	36,632	37,128	5,396	6,166	5,699	5,910	46	367
1929	117,622	3,885	1,122	6,660	5,230	37,221	38,123	5,808	6,715	6,239	6,397	54	168
1930	113,283	3,702	961	6,206	4,991	35,945	37,313	5,685	6,309	5,496	6,400	69	206
1931	108,446	3,757	912	5,968	4,644	34,487	35,705	5,319	6,066	5,302	6,114	66	106
1932	108,161	3,600	1,051	6,159	4,554	33,088	36,469	5,341	6,044	5,521	6,150	62	122
1933	105,603	3,447	1,032	6,045	4,908	31,636	35,301	5,455	6,024	5,346	6,221	60	128
1934	105,277	3,493	1,033	6,028	4,665	31,929	35,119	5,169	5,924	5,337	6,378	48	154
1935	109,724	3,913	975	6,164	4,779	32,839	36,317	5,781	6,126	5,729	6,857	69	175
1936	111,111	3,802	1,024	5,897	4,803	31,853	37,571	6,219	6,314	6,147	7,222	82	177
1937	118,019	3,967	1,146	6,083	5,433	35,456	38,475	6,070	6,927	6,261	7,973	81	147
1938	110,647	3,586	1,030	6,087	4,898	32,609	36,890	5,893	6,079	5,871	7,460	63	181
1939	112,729	3,502	1,133	6,324	5,082	33,388	37,530	6,157	6,031	5,789	7,517	82	194
1940	114,717	3,547	1,067	6,239	4,985	32,799	38,503	6,339	6,477	6,203	8,315	56	187
1941	118,797	3,784	1,134	6,914	5,184	34,338	39,226	6,495	6,458	6,385	8,505	67	307
1942	117,110	3,802	961	6,385	5,154	33,799	39,119	6,410	6,190	6,091	8,869	108	222
1943	122,640	3,581	912	6,477	4,917	35,069	41,063	7,007	6,654	6,524	10,012	120	304
1944	120,393	3,892	926	6,229	5,131	34,813	39,781	6,701	6,454	6,320	9,697	100	349
1945	117,325	3,346	888	5,625	4,865	33,348	39,499	6,550	6,429	6,454	9,756	87	478
1946	118,785	3,427	874	6,046	4,866	33,690	39,758	6,537	6,422	6,601	10,137	80	347
1947	121,503	3,325	1,020	6,009	4,832	33,708	41,619	6,771	6,610	6,543	10,613	77	376
1948	122,974	3,108	887	6,097	4,959	33,603	42,364	6,675	6,496	6,987	11,316	112	370
1949	124,567	2,868	924	5,980	4,876	34,107	43,379	6,919	6,596	7,083	11,315	86	434
1950	124,220	3,168	903	6,078	4,895	33,507	43,948	6,610	6,243	6,856	11,581	99	332
1951	125,823	3,004	904	5,812	4,873	34,900	43,981	6,735	6,440	7,167	11,638	85	284
1952	126,385	2,773	916	5,756	4,647	34,854	44,402	6,552	6,625	7,345	12,080	94	341
1953	127,791	2,733	926	5,808	4,637	34,469	45,242	7,015	6,687	7,646	12,218	116	294
1954	124,855	2,916	966	5,692	4,286	33,169	44,515	6,719	6,323	7,520	12,414	85	250
1955	128,476	3,206	901	5,940	4,435	33,952	45,434	6,853	6,661	7,956	12,816	72	250
1956	131,961	3,058	933	5,738	4,658	35,042	47,231	7,058	6,666	7,786	13,415	85	291
1957	136,579	3,198	916	5,977	4,595	36,234	49,164	7,368	6,743	8,255	13,711	93	325
1958	135,201	3,122	949	6,120	4,528	35,774	48,677	7,145	6,483	8,237	13,741	92	333
1959	139,913	3,179	1,007	6,371	4,747	36,390	50,600	7,421	7,003	8,481	14,336	89	289
1960	139,693	3,015	961	6,102	4,670	35,129	51,484	7,471	6,868	8,888	14,696	97	312
1961	140,985	3,038	978	6,135	4,695	37,044	50,997	7,369	7,107	8,863	14,403	94	262
1962	143,699	3,198	1,056	6,342	4,788	37,142	52,156	7,453	7,004	9,264	14,912	75	309
1963	147,367	3,183	979	6,367	4,815	38,217	53,617	7,928	7,441	9,444	15,029	81	266
1964	145,850	3,063	981	6,384	4,736	37,552	52,204	7,721	7,373	9,482	16,051	87	216
1965	148,939	3,230	1,036	6,334	4,710	38,534	54,346	7,716	7,417	9,534	15,784	100	198
1966	149,863	3,072	1,048	6,478	4,771	38,680	54,171	7,938	7,427	9,677	16,290	82	229
1967	150,283	3,117	1,038	6,638	4,894	38,665	54,878	7,629	7,441	9,523	16,170	73	217
1968	153,196	3,123	990	6,610	4,905	39,537	55,552	7,878	7,498	9,963	16,828	84	228
1969	154,477	3,005	1,007	6,663	4,849	40,103	55,707	8,040	7,492	9,921	17,377	95	218
1970	155,961	3,294	1,015	6,723	4,945	40,392	56,769	7,856	7,472	10,112	17,020	109	254
1971	157,272	3,199	1,007	6,682	4,943	40,738	56,623	8,025	7,413	10,525	17,783	104	230
1972	162,413	3,349	1,052	6,904	4,982	42,311	58,905	8,225	7,590	10,699	18,021	103	272
1973	164,039	3,405	1,020	6,928	5,084	42,666	59,876	8,196	7,646	10,763	18,095	111	249
1974	166,794	3,286	1,088	6,899	5,205	42,767	60,556	8,430	7,814	11,252	19,177	114	206
1975	167,404 <sup>1</sup>	3,219	1,057	6,799	5,150	43,642 <sup>1</sup>	60,604	8,385	7,672	11,397	19,151	112	216
1976	167,009	3,323	1,095	6,955	5,202	43,011	60,645	8,262	7,809	11,584	18,788	123	212
1977	167,498	3,138	1,046	6,963	5,185	43,459	61,425	8,178	7,594	11,609	18,596	105	200
January - Janvier	15,811	298	100	664	496	4,717	5,590	713	701	963	1,547	6	16
February - Février	12,649	225	75	541	410	3,167	4,686	589	593	867	1,472	6	18
March - Mars	13,923	264	92	597	386	3,422	5,117	640	638	1,055	1,692	6	14
April - Avril	13,841	258	84	570	423	3,528	4,937	759	729	971	1,558	12	12
May - Mai	14,805	261	105	573	496	3,900	5,334	723	680	959	1,568	7	19
June - Juin	12,887	238	82	534	415	3,324	4,745	624	611	922	1,361	8	23
July - Juillet	13,838	271	88	516	441	3,570	5,151	653	577	1,006	1,537	9	19
August - Août	13,407	250	79	570	407	3,495	4,852	672	593	925	1,534	12	18
September - Septembre	12,819	258	87	529	408	3,334	4,629	615	525	938	1,474	13	9
October - Octobre	14,313	263	94	568	413	3,602	5,318	732	653	1,011	1,635	8	16
November - Novembre	13,738	254	84	532	429	3,545	4,994	694	616	958	1,610	11	11
December - Décembre	15,467	298	76	589	461	3,855	6,072	764	678	1,034	1,608	7	25

<sup>1</sup> Estimated. - Évalué.

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued  
 TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
	Rate per 1,000 population - Taux pour 1,000 habitants												
1921	11.6	12.8	13.6	12.3	14.2	14.2	11.8	8.8	7.4	8.4	8.0	..	..
1922	11.6	13.7	12.5	12.8	13.3	13.9	11.4	9.3	8.0	8.9	9.1	..	..
1923	11.8	13.7	13.2	13.3	12.9	14.4	11.8	8.6	7.9	8.4	9.0	..	..
1924	10.9	15.9	11.1	12.8	12.6	13.0	10.8	8.0	7.3	8.1	8.8	9.5	5.9
1925	10.7	13.8	11.6	11.7	12.6	12.7	10.9	8.3	7.0	7.8	8.4	15.8	4.0
1926	11.4	13.0	10.3	12.4	12.6	14.3	11.3	8.3	7.4	8.5	9.0	17.0	6.4
1927	11.0	13.7	10.5	12.4	12.3	13.6	10.8	8.2	7.2	8.0	9.2	8.3	14.8
1928	11.2	13.8	10.8	12.0	12.4	13.5	11.3	8.1	7.2	8.7	9.2	11.5	40.8
1929	11.4	14.4	12.8	12.9	12.9	13.4	11.4	8.6	7.6	9.1	9.7	13.5	18.7
1930	10.8	13.4	10.9	12.1	12.3	12.7	11.0	8.3	7.0	7.8	9.5	17.3	22.9
1931	10.2	13.4	10.4	11.6	11.4	12.0	10.4	7.6	6.6	7.2	8.8	16.5	11.8
1932	10.0	12.7	11.8	11.9	11.0	11.3	10.5	7.6	6.5	7.5	8.7	15.5	12.2
1933	9.7	12.0	11.5	11.5	11.7	10.6	10.1	7.7	6.5	7.1	8.7	15.0	12.8
1934	9.5	12.1	11.4	11.4	11.0	10.6	9.9	7.3	6.4	7.0	8.8	12.0	15.4
1935	9.9	13.5	10.6	11.5	11.2	10.7	10.2	8.1	6.6	7.5	9.3	13.8	15.9
1936	9.9	13.0	11.0	10.9	11.1	10.3	10.4	8.7	6.8	8.0	9.7	16.4	16.1
1937	10.4	13.5	12.3	11.1	12.4	11.3	10.6	8.5	7.5	8.1	10.5	16.2	13.4
1938	9.7	12.1	11.0	11.0	11.1	10.2	10.0	8.2	6.7	7.5	9.6	12.6	16.5
1939	9.7	11.7	12.1	11.3	11.4	10.3	10.1	8.5	6.7	7.4	9.5	16.4	16.2
1940	9.8	11.8	11.2	11.0	11.0	10.0	10.3	8.7	7.2	7.9	10.3	11.2	15.6
1941	10.1	12.5	11.9	12.0	11.3	10.3	10.4	8.9	7.2	8.0	10.4	13.4	25.6
1942	9.8	12.3	10.7	10.8	11.1	10.0	10.1	8.9	7.3	7.8	10.2	21.6	18.5
1943	10.1	11.4	10.0	10.7	10.6	10.1	10.5	9.7	7.9	8.3	11.1	24.0	25.3
1944	9.8	12.3	10.2	10.2	11.1	9.9	10.0	9.2	7.7	7.8	10.4	20.0	29.1
1945	9.5	10.4	9.7	9.1	10.4	9.4	9.9	9.0	7.7	8.0	10.3	17.4	39.8
1946	9.4	10.4	9.3	9.9	10.2	9.3	9.7	9.0	7.7	8.2	10.1	10.0	21.7
1947	9.4	9.9	10.9	9.8	9.9	9.1	10.0	9.2	7.9	7.9	10.2	9.6	23.5
1948	9.3	9.0	9.5	9.8	10.0	8.9	9.9	8.9	7.8	8.2	10.5	14.0	23.1
1949	9.3	8.3	9.8	9.5	9.6	8.8	9.9	9.1	7.9	8.0	10.2	10.8	27.1
1950	9.1	9.0	9.4	9.5	9.6	8.4	9.8	8.6	7.5	7.5	10.2	12.4	20.8
1951	9.0	8.3	9.2	9.0	9.4	8.6	9.6	8.7	7.7	7.6	10.0	9.4	17.8
1952	8.7	7.4	9.2	8.8	8.8	8.4	9.3	8.2	7.9	7.5	10.0	10.4	21.3
1953	8.6	7.1	9.2	8.8	8.7	8.1	9.2	8.7	7.8	7.6	9.8	12.9	18.4
1954	8.2	7.4	9.6	8.5	7.9	7.6	8.7	8.2	7.2	7.1	9.6	8.5	14.7
1955	8.2	7.9	9.0	8.7	8.1	7.5	8.6	8.2	7.6	7.3	9.5	6.5	13.9
1956	8.2	7.4	9.4	8.3	8.4	7.6	8.7	8.3	7.6	6.9	9.6	7.1	15.3
1957	8.2	7.5	9.3	8.5	8.2	7.6	8.7	8.5	7.7	7.1	9.3	7.8	17.1
1958	7.9	7.2	9.5	8.6	7.9	7.3	8.4	8.2	7.3	6.8	8.9	7.1	16.7
1959	8.0	7.2	10.0	8.9	8.2	7.2	8.5	8.3	7.7	6.8	9.1	6.8	13.8
1960	7.8	6.7	9.3	8.4	7.9	6.8	8.4	8.2	7.5	6.9	9.2	6.9	14.2
1961	7.7	6.6	9.3	8.3	7.9	7.0	8.2	8.0	7.7	6.7	8.8	6.4	11.4
1962	7.7	6.8	9.9	8.5	7.9	6.9	8.2	8.0	7.5	6.8	9.0	5.0	12.4
1963	7.8	6.7	9.1	8.5	7.9	7.0	8.3	8.4	8.0	6.7	8.8	5.4	10.2
1964	7.6	6.3	9.0	8.5	7.8	6.7	7.9	8.1	7.8	6.6	9.2	5.8	8.0
1965	7.6	6.6	9.5	8.4	7.7	6.8	8.0	8.0	7.8	6.6	8.8	7.1	7.3
1966	7.5	6.2	9.7	8.6	7.7	6.7	7.8	8.2	7.8	6.6	8.7	5.7	8.0
1967	7.4	6.2	9.5	8.7 <sup>T</sup>	7.9	6.6	7.7	7.9	7.8	6.4	8.3	4.9	7.5
1968	7.4	6.2	9.0	8.6 <sup>T</sup>	7.8 <sup>T</sup>	6.7	7.6	8.1	7.8	6.5	8.4	5.6	7.6 <sup>T</sup>
1969	7.4 <sup>T</sup>	5.8	9.1 <sup>T</sup>	8.6 <sup>T</sup>	7.7 <sup>T</sup>	6.7	7.5	8.2	7.8	6.4	8.4	5.9 <sup>T</sup>	7.0 <sup>T</sup>
1970	7.3	6.4	9.2	8.6 <sup>T</sup>	7.9	6.7	7.5 <sup>T</sup>	8.0	7.9	6.3	8.0	6.4 <sup>T</sup>	7.7
1971	7.3	6.1	9.0	8.5	7.8	6.8	7.4	8.1	8.0	6.5	8.1	5.7	6.6
1972	7.4	6.3	9.3	8.7	7.8	7.0	7.5	8.3	8.3	6.5	8.0	5.5	7.6
1973	7.4	6.3	8.9	8.6	7.8	7.0	7.5	8.2	8.4	6.4	7.8	5.6	6.6
1974	7.4	6.1	9.3	8.5	7.9	7.0	7.5	8.3	8.6	6.6	8.0	5.9	5.5
1975	7.3 <sup>1</sup>	5.9	8.9	8.3	7.6	7.1 <sup>1</sup>	7.4	8.2	8.4	6.4	7.8	5.4	5.7
1976	7.3	6.0	9.3	8.4	7.7	6.9	7.3	8.1	8.5	6.3	7.6	5.6	5.0
1977	7.2	5.6	8.7	8.3	7.6	6.9	7.3	7.9	8.1	6.1	7.4	4.9	4.6

<sup>1</sup> Estimated. - Évalué.

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued  
 TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Masculin													
1921	55,416	1,731	619	3,372	2,858	17,274	18,062	2,964	3,078	2,858	2,600	..	..
1922	56,352	1,847	588	3,515	2,689	17,461	17,726	3,079	3,411	2,984	3,052	..	..
1923	57,283	1,793	552	3,587	2,618	17,973	18,452	2,935	3,442	2,861	3,070	..	..
1924	54,381	2,154	490	3,456	2,629	16,812	17,153	2,713	3,176	2,718	3,080	..	..
1925	54,312	1,862	513	3,076	2,620	16,769	17,583	2,911	3,228	2,703	3,047	..	..
1926	58,833	1,854	452	3,374	2,608	19,232	18,721	2,936	3,393	2,931	3,332	..	..
1927	58,165	1,900	451	3,300	2,537	18,827	18,305	2,968	3,395	2,932	3,550	..	..
1928	60,681	1,966	495	3,339	2,654	19,036	19,457	3,029	3,485	3,322	3,663	35	200
1929	63,010	1,973	595	3,516	2,718	19,235	20,281	3,247	3,794	3,504	4,030	43	74
1930	61,284	1,998	511	3,279	2,617	18,824	19,827	3,191	3,670	3,171	4,019	55	122
1931	58,577	1,942	481	3,095	2,449	18,067	19,137	3,016	3,443	3,095	3,746	43	63
1932	58,143	1,870	543	3,232	2,420	17,274	19,196	3,063	3,469	3,248	3,708	43	77
1933	56,598	1,760	555	3,157	2,601	16,455	18,489	3,092	3,367	3,165	3,844	45	68
1934	57,179	1,832	517	3,179	2,517	16,802	18,731	2,920	3,423	3,149	3,986	36	87
1935	59,383	2,035	531	3,267	2,559	17,160	19,281	3,246	3,614	3,407	4,141	49	93
1936	59,881	1,994	534	3,157	2,568	16,456	19,916	3,438	3,616	3,610	4,433	65	94
1937	64,405	2,148	604	3,244	2,885	18,694	20,690	3,441	4,037	3,661	4,853	58	90
1938	60,894	1,922	551	3,264	2,628	17,376	19,814	3,327	3,673	3,481	4,703	41	114
1939	61,911	1,838	578	3,387	2,781	17,545	20,310	3,531	3,593	3,468	4,714	61	105
1940	63,415	1,873	575	3,399	2,644	17,497	20,923	3,578	3,852	3,683	5,248	41	102
1941	66,076	2,015	595	3,739	2,804	18,344	21,549	3,782	3,821	3,866	5,352	55	154
1942	65,233	2,018	503	3,503	2,741	18,233	21,349	3,680	3,665	3,724	5,615	77	125
1943	68,209	1,930	503	3,581	2,677	18,915	22,159	4,009	3,993	3,999	6,177	92	174
1944	66,557	2,004	488	3,362	2,772	18,569	21,629	3,837	3,830	3,823	6,003	71	169
1945	65,452	1,797	455	3,090	2,635	18,002	21,563	3,775	3,867	3,907	6,057	71	233
1946	66,247	1,836	476	3,266	2,611	18,062	21,849	3,735	3,866	4,049	6,245	60	192
1947	68,465	1,763	543	3,287	2,696	18,566	22,891	3,924	3,989	3,916	6,626	55	209
1948	69,378	1,686	455	3,331	2,668	18,358	23,394	3,900	4,012	4,254	7,055	81	184
1949	70,668	1,596	531	3,321	2,672	18,708	24,123	4,008	3,962	4,350	7,100	63	234
1950	70,598	1,774	464	3,396	2,690	18,396	24,502	3,904	3,821	4,189	7,204	73	185
1951	71,564	1,615	501	3,246	2,668	19,199	24,483	3,986	3,915	4,429	7,311	58	153
1952	72,978	1,501	503	3,253	2,661	19,710	25,072	3,917	4,100	4,561	7,442	74	184
1953	73,660	1,544	515	3,214	2,525	19,474	25,347	4,224	4,110	4,786	7,678	87	156
1954	72,346	1,696	531	3,222	2,463	18,668	25,050	4,055	4,001	4,778	7,676	58	148
1955	74,883	1,804	506	3,371	2,565	19,212	25,890	4,080	4,092	5,113	8,068	52	130
1956	76,576	1,677	548	3,251	2,580	19,796	26,868	4,285	4,158	4,916	8,260	63	174
1957	79,900	1,851	547	3,498	2,646	20,745	28,059	4,446	4,192	5,190	8,486	61	179
1958	79,145	1,745	549	3,538	2,631	20,414	27,869	4,241	4,142	5,254	8,495	65	202
1959	81,411	1,829	544	3,614	2,773	20,605	28,695	4,441	4,406	5,382	8,878	71	173
1960	81,796	1,688	568	3,448	2,678	20,191	29,408	4,553	4,332	5,597	9,079	73	181
1961	82,709	1,683	544	3,530	2,670	21,208	29,248	4,472	4,548	5,695	8,884	66	161
1962	83,859	1,807	574	3,595	2,732	21,284	29,708	4,475	4,411	5,858	9,184	50	181
1963	85,901	1,834	572	3,650	2,805	21,733	30,762	4,648	4,657	5,927	9,098	53	162
1964	85,779	1,808	587	3,685	2,736	21,743	30,029	4,585	4,571	6,044	9,805	59	127
1965	87,208	1,896	608	3,587	2,774	22,142	31,275	4,594	4,662	5,971	9,523	69	107
1966	87,913	1,819	601	3,738	2,762	22,418	31,142	4,750	4,613	6,018	9,874	50	128
1967	88,300	1,830	603	3,829	2,851	22,474	31,694	4,549	4,678	5,895	9,720	49	128
1968	89,534	1,834	586	3,790	2,837	23,049	31,795	4,677	4,629	6,101	10,043	61	132
1969	90,236	1,772	581	3,887	2,795	23,173	31,793	4,694	4,678	6,160	10,497	67	139
1970	91,108	1,982	588	3,934	2,850	23,376	32,520	4,649	4,575	6,277	10,131	75	151
1971	91,823	1,888	577	3,924	2,911	23,677	32,374	4,663	4,595	6,489	10,509	75	141
1972	94,472	2,007	619	4,046	2,921	24,562	33,349	4,868	4,716	6,668	10,464	74	178
1973	95,375	2,048	616	4,104	2,964	24,857	33,752	4,728	4,663	6,631	10,759	81	172
1974	96,575	1,970	614	4,043	3,041	24,803	33,985	4,885	4,733	6,903	11,392	78	128
1975	97,055 <sup>1</sup>	1,921	614	3,974	2,950	25,450 <sup>1</sup>	34,107	4,909	4,647	6,929	11,345	77	132
1976	96,725	1,952	634	3,992	3,032	25,118	34,225	4,698	4,798	7,113	10,947	93	123
1977	96,872	1,877	652	4,081	3,038	25,475	34,283	4,845	4,607	7,020	10,796	73	125

<sup>1</sup> Estimated. - Évalué.

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued  
 TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N.-O.
Rate per 1,000 male population - Taux pour 1,000 habitants (sexe masculin)													
1921	11.9	..	13.8	12.7	14.5	14.6	12.2	9.2	7.4	8.8	8.9	..	..
1922	11.9	..	13.0	13.2	13.6	14.6	11.8	9.5	8.1	9.2	10.1	..	..
1923	12.0	..	12.6	13.6	13.2	14.8	12.2	9.0	8.1	8.8	10.0	..	..
1924	11.2	..	11.4	13.1	13.2	13.6	11.2	8.3	7.4	8.3	9.8	..	..
1925	11.1	..	11.9	11.7	13.1	13.3	11.3	8.8	7.4	8.2	9.4	..	..
1926	11.9	..	10.3	12.8	12.9	15.0	11.9	8.8	7.6	8.9	10.0	..	..
1927	11.4	..	10.2	12.5	12.5	14.3	11.4	8.8	7.4	8.5	10.4	..	..
1928	11.6	..	11.0	12.7	13.0	14.1	11.8	8.7	7.4	9.2	10.4	13.0	41.7
1929	11.8	..	13.2	13.3	13.2	13.9	12.0	9.2	7.9	9.4	11.1	15.9	15.4
1930	11.2	..	11.3	12.4	12.6	13.3	11.5	8.8	7.5	8.2	10.7	20.4	25.4
1931	10.5	..	10.6	11.8	11.7	12.5	10.9	8.2	6.9	7.7	9.7	15.4	12.6
1932	10.3	..	11.8	12.1	11.4	11.7	10.9	8.3	6.9	8.0	9.5	15.9	14.3
1933	10.0	..	12.0	11.7	12.1	11.0	10.3	8.3	6.7	7.7	9.7	16.7	12.6
1934	10.0	..	11.0	11.7	11.6	11.1	10.4	7.9	6.8	7.6	10.0	13.3	16.1
1935	10.2	..	11.2	11.9	11.7	11.2	10.6	8.7	7.2	8.2	10.3	15.3	15.5
1936	10.3	..	11.1	11.3	11.6	10.6	10.8	9.3	7.3	8.6	10.9	20.3	15.7
1937	10.9	..	12.6	11.5	12.9	11.9	11.2	9.2	8.1	8.7	11.8	18.1	15.0
1938	10.3	..	11.3	11.5	11.6	10.9	10.6	8.9	7.5	8.3	11.2	12.8	19.0
1939	10.4	..	11.9	11.8	12.2	10.8	10.8	9.4	7.4	8.2	11.1	19.1	15.7
1940	10.5	..	11.7	11.7	11.4	10.6	11.0	9.5	8.0	8.7	12.2	12.8	15.2
1941	10.9	..	12.1	12.6	12.0	11.0	11.2	10.0	8.0	9.1	12.3	17.2	23.0
1942	10.6	..	10.7	11.6	11.5	10.7	10.9	9.8	8.0	8.9	12.2	24.1	18.7
1943	11.0	..	10.6	11.6	11.3	10.9	11.2	10.7	8.9	9.5	13.1	28.8	26.0
1944	10.6	..	10.3	10.8	11.7	10.6	10.8	10.2	8.5	8.9	12.3	22.2	25.2
1945	10.3	..	9.5	9.8	11.0	10.1	10.7	10.1	8.7	9.1	12.3	22.2	34.8
1946	10.3	..	9.8	10.5	10.7	9.9	10.6	10.0	8.7	9.5	12.0	12.2	21.3
1947	10.4	..	11.3	10.5	10.9	10.0	10.9	10.4	9.0	9.0	12.2	11.2	23.2
1948	10.4	..	9.5	10.5	10.5	9.7	10.8	10.3	9.0	9.5	12.5	16.5	20.4
1949	10.3	9.1	10.9	10.4	10.4	9.6	10.9	10.4	9.1	9.4	12.3	12.9	26.0
1950	10.1	9.9	9.4	10.5	10.4	9.3	10.9	10.0	8.7	8.7	12.3	14.9	20.6
1951	10.1	8.7	10.0	10.0	10.3	9.5	10.6	10.1	9.0	9.0	12.2	10.5	17.0
1952	10.0	7.8	9.9	9.8	10.0	9.4	10.4	9.7	9.3	8.9	12.0	13.7	20.4
1953	9.8	7.8	10.0	9.6	9.4	9.1	10.2	10.3	9.2	9.0	12.0	16.1	17.3
1954	9.3	8.3	10.3	9.4	9.1	8.5	9.7	9.7	8.8	8.7	11.5	9.8	15.3
1955	9.4	8.6	9.9	9.7	9.3	8.5	9.8	9.6	9.0	9.0	11.6	8.3	12.5
1956	9.4	7.8	10.9	9.2	9.2	8.5	9.9	9.9	9.1	8.4	11.5	9.1	15.5
1957	9.5	8.5	10.9	9.8	9.3	8.7	9.9	10.1	9.2	8.6	11.2	9.0	16.3
1958	9.1	7.8	10.8	9.8	9.1	8.3	9.5	9.5	8.9	8.4	10.8	8.9	17.6
1959	9.2	8.1	10.6	9.9	9.4	8.2	9.5	9.8	9.4	8.3	11.1	9.7	14.4
1960	9.0	7.3	10.9	9.3	9.0	7.8	9.6	9.9	9.1	8.4	11.1	9.2	14.6
1961	9.0	7.2	10.2	9.4	8.8	8.1	9.3	9.5	9.5	8.3	10.7	8.1	12.6
1962	8.9	7.5	10.6	9.5	8.9	7.9	9.3	9.4	9.2	8.3	10.9	6.0	13.1
1963	9.0	7.5	10.4	9.6	9.1	7.9	9.5	9.7	9.7	8.2	10.5	6.4	11.3
1964	8.8	7.3	10.6	9.6	8.9	7.8	9.1	9.5	9.4	8.3	11.1	7.1	8.6
1965	8.8	7.6	11.0	9.4	9.0	7.8	9.2	9.4	9.6	8.1	10.5	9.0	7.3
1966	8.7	7.2	10.9	9.8	8.9	7.8	9.0	9.8	9.4	8.1	10.4	6.4	8.2
1967	8.6	7.2	10.9	10.1	9.2	7.7	8.9	9.4	9.6	7.8	9.9	6.0	8.1
1968	8.6	7.1	10.5	9.9	9.1	7.8	8.7	9.6	9.4	7.9	9.9	7.5	7.9
1969	8.5	6.8	10.5	10.2	8.9	7.8	8.5	9.6	9.6	7.8	10.0	8.3	8.1
1970	8.5	7.5	10.6	10.3	9.1	7.8	8.5	9.5	9.6	7.7	9.4	8.7	8.5
1971	8.5	7.1	10.3	9.9	9.1	7.9	8.4	9.4	9.8	7.8	9.6	7.6	7.7
1972	8.7	7.4	10.9	10.1	9.0	8.2	8.6	9.8	10.1	7.9	9.2	7.3	9.4
1973	8.6	7.4	10.7	10.2	9.1	8.2	8.5	9.5	10.1	7.8	9.2	7.6	8.7
1974	8.6	7.1	10.5	9.9	9.2	8.2	8.4	9.7	10.3	7.9	9.5	7.5	6.5
1975	8.5 <sup>1</sup>	6.9	10.4	9.7	8.7	8.3 <sup>1</sup>	8.3	9.7	10.0	7.7	9.2	6.9	6.6
1976	8.4	6.9	10.7	9.6	8.9	8.1	8.4	9.2	10.3	7.6	8.9	7.9	5.5
1977	8.4	6.6	10.8	9.8	8.8	8.2	8.3	9.5	9.8	7.3	8.7	6.3	5.5

<sup>1</sup> Estimated. - Évalué.

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued  
 TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Female - Féminin													
1921	49,115	1,645	590	3,048	2,552	16,159	16,489	2,424	2,518	2,082	1,608	..	..
1922	49,716	1,734	525	3,164	2,469	15,998	16,308	2,675	2,708	2,280	1,855	..	..
1923	51,575	1,735	598	3,281	2,395	17,175	17,184	2,395	2,740	2,145	1,927	..	..
1924	48,354	2,028	466	3,127	2,294	15,544	15,925	2,310	2,596	2,140	1,924	..	..
1925	48,121	1,794	484	2,969	2,340	15,531	16,377	2,334	2,400	1,994	1,898	..	..
1926	52,103	1,628	446	2,992	2,394	18,019	17,188	2,399	2,667	2,228	2,142	..	..
1927	50,773	1,746	462	3,078	2,365	17,348	16,470	2,341	2,636	2,127	2,200	..	..
1928	52,495	1,740	457	2,863	2,318	17,596	17,671	2,367	2,681	2,377	2,247	11	167
1929	54,612	1,912	527	3,144	2,512	17,986	17,842	2,561	2,921	2,735	2,367	11	94
1930	51,999	1,704	450	2,927	2,374	17,121	17,486	2,494	2,639	2,325	2,381	14	84
1931	49,869	1,815	431	2,873	2,195	16,420	16,568	2,303	2,623	2,207	2,368	23	43
1932	50,018	1,730	508	2,927	2,134	15,814	17,273	2,278	2,575	2,273	2,442	19	45
1933	49,005	1,687	477	2,888	2,307	15,181	16,812	2,363	2,657	2,181	2,377	15	60
1934	48,098	1,661	516	2,849	2,148	15,127	16,388	2,249	2,501	2,188	2,392	12	67
1935	50,341	1,878	444	2,897	2,220	15,679	17,036	2,535	2,512	2,322	2,716	20	82
1936	51,230	1,808	490	2,740	2,235	15,397	17,655	2,781	2,698	2,537	2,789	17	83
1937	53,614	1,819	542	2,839	2,548	16,762	17,785	2,629	2,890	2,600	3,120	23	57
1938	49,753	1,664	479	2,823	2,270	15,233	17,076	2,566	2,406	2,390	2,757	22	67
1939	50,818	1,664	555	2,937	2,301	15,843	17,220	2,626	2,438	2,321	2,803	21	89
1940	51,302	1,674	492	2,840	2,341	15,302	17,580	2,761	2,625	2,520	3,067	15	85
1941	52,721	1,769	539	3,175	2,380	15,994	17,677	2,713	2,637	2,519	3,153	12	153
1942	51,877	1,784	458	2,882	2,413	15,566	17,770	2,730	2,525	2,367	3,254	31	97
1943	54,431	1,651	409	2,896	2,240	16,154	18,904	2,998	2,661	2,525	3,835	28	130
1944	53,836	1,888	438	2,867	2,359	16,244	18,152	2,864	2,624	2,497	3,694	29	180
1945	51,873	1,549	433	2,535	2,230	15,346	17,936	2,775	2,562	2,547	3,699	16	245
1946	52,538	1,591	398	2,780	2,255	15,628	17,909	2,802	2,556	2,552	3,892	20	155
1947	53,017	1,562	477	2,722	2,136	15,142	18,728	2,826	2,621	2,627	3,987	22	167
1948	53,596	1,422	432	2,766	2,291	15,245	18,970	2,775	2,484	2,733	4,261	31	186
1949	53,899	1,272	393	2,659	2,204	15,399	19,256	2,911	2,634	2,733	4,215	23	200
1950	53,622	1,394	439	2,682	2,205	15,111	19,446	2,706	2,422	2,667	4,377	26	147
1951	54,259	1,389	403	2,566	2,205	15,701	19,498	2,749	2,525	2,738	4,327	27	131
1952	53,407	1,272	413	2,503	1,986	15,144	19,330	2,635	2,525	2,784	4,638	20	157
1953	54,131	1,189	411	2,594	2,112	14,995	19,895	2,791	2,577	2,860	4,540	29	138
1954	52,509	1,220	435	2,470	1,823	14,501	19,465	2,664	2,322	2,742	4,738	27	102
1955	53,593	1,402	395	2,569	1,870	14,740	19,544	2,773	2,569	2,843	4,748	20	120
1956	55,385	1,381	385	2,487	2,078	15,246	20,363	2,773	2,508	2,870	5,155	22	117
1957	56,679	1,347	369	2,479	1,949	15,489	21,105	2,922	2,551	3,065	5,225	32	146
1958	56,056	1,377	400	2,582	1,897	15,360	20,808	2,904	2,341	2,983	5,246	27	131
1959	58,502	1,350	463	2,757	1,974	15,785	21,905	2,980	2,597	3,099	5,458	18	116
1960	57,897	1,327	393	2,654	1,992	14,938	22,076	2,918	2,536	3,291	5,617	24	131
1961	58,276	1,355	434	2,605	2,025	15,836	21,749	2,897	2,559	3,168	5,519	28	101
1962	59,840	1,391	482	2,747	2,056	15,858	22,448	2,978	2,593	3,406	5,728	25	128
1963	61,466	1,349	407	2,717	2,010	16,484	22,855	3,280	2,784	3,517	5,931	28	104
1964	60,071	1,255	394	2,699	2,000	15,809	22,175	3,136	2,802	3,438	6,246	28	89
1965	61,731	1,334	428	2,747	1,936	16,392	23,071	3,122	2,755	3,563	6,261	31	91
1966	61,950	1,253	447	2,740	2,009	16,262	23,029	3,188	2,814	3,659	6,416	32	101
1967	61,983	1,287	435	2,809	2,043	16,191	23,184	3,080	2,763	3,628	6,450	24	89
1968	63,662	1,289	404	2,820	2,068	16,488	23,757	3,201	2,869	3,862	6,785	23	96
1969	64,241	1,233	426	2,776	2,054	16,930	23,914	3,346	2,814	3,761	6,880	28	79
1970	64,853	1,312	427	2,789	2,095	17,016	24,249	3,207	2,897	3,835	6,889	34	103
1971	65,449	1,311	430	2,758	2,032	17,061	24,249	3,362	2,818	4,036	7,274	29	89
1972	67,941	1,342	433	2,858	2,061	17,749	25,556	3,357	2,874	4,031	7,557	29	94
1973	68,664	1,357	404	2,824	2,120	17,809	26,124	3,468	2,983	4,132	7,336	30	77
1974	70,219	1,316	474	2,856	2,164	17,964	26,571	3,545	3,081	4,349	7,785	36	78
1975	70,349 <sup>1</sup>	1,298	443	2,825	2,200	18,192 <sup>1</sup>	26,497	3,476	3,025	4,468	7,806	35	84
1976	70,284	1,371	461	2,963	2,170	17,893	26,420	3,564	3,011	4,471	7,841	30	89
1977	70,626	1,261	394	2,882	2,147	17,984	27,142	3,333	2,987	4,589	7,800	32	75

<sup>1</sup> Estimated. - Évalué.

TABLE 4. Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Concluded  
 TABLEAU 4. Décès et taux de mortalité, selon le sexe, Canada et provinces, 1921 - 1977, par mois, 1977 - fin

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N. - O.
Rate per 1,000 female population - Taux pour 1,000 habitants (sexe féminin)													
1921	11.2	..	13.5	11.8	13.4	13.7	11.4	8.4	7.3	7.9	7.0	..	..
1922	11.1	..	12.0	12.3	12.9	13.2	11.0	9.1	7.8	8.6	7.7	..	..
1923	11.4	..	13.8	12.9	12.5	13.9	11.5	8.1	7.7	8.0	7.8	..	..
1924	10.4	..	10.9	12.4	11.9	12.3	10.4	7.8	7.2	7.9	7.5	..	..
1925	10.2	..	11.3	11.8	12.1	12.0	10.5	7.7	6.5	7.3	7.2	..	..
1926	10.9	..	10.4	11.9	12.3	13.6	10.8	7.8	7.1	8.1	7.8	..	..
1927	10.4	..	10.8	12.2	12.1	12.9	10.2	7.5	6.9	7.4	7.8	..	..
1928	10.6	..	10.7	11.4	11.8	12.9	10.9	7.5	6.8	8.0	7.8	8.5	39.8
1929	10.8	..	12.3	12.5	12.7	12.9	10.8	7.9	7.2	8.8	8.0	8.5	22.4
1930	10.2	..	10.5	11.7	12.0	12.2	10.5	7.6	6.4	7.2	7.9	10.8	20.0
1931	9.6	..	10.1	11.5	11.0	11.5	9.8	6.9	6.2	6.7	7.7	16.4	10.0
1932	9.5	..	11.8	11.6	10.5	10.9	10.1	6.8	6.1	6.8	7.7	14.6	9.8
1933	9.2	..	10.9	11.3	11.3	10.3	9.8	7.0	6.2	6.4	7.4	11.5	13.0
1934	8.9	..	11.7	11.0	10.4	10.1	9.4	6.7	5.9	6.3	7.3	9.2	14.6
1935	9.2	..	10.0	11.1	10.6	10.3	9.7	7.5	5.9	6.6	8.1	11.1	16.4
1936	9.3	..	10.9	10.4	10.6	10.0	10.0	8.1	6.2	7.2	8.3	9.4	16.6
1937	9.7	..	12.0	10.6	11.9	10.7	10.0	7.7	6.8	7.3	9.0	12.8	11.4
1938	8.9	..	10.6	10.5	10.5	9.6	9.5	7.4	5.7	6.6	7.7	12.2	13.4
1939	9.0	..	12.3	10.7	10.5	9.8	9.4	7.5	5.8	6.4	7.6	11.7	16.8
1940	9.0	..	10.7	10.2	10.6	9.4	9.5	7.9	6.3	6.9	8.2	8.3	16.0
1941	9.1	..	11.8	11.3	10.7	9.6	9.5	7.7	6.3	6.8	8.2	6.7	28.9
1942	8.8	..	10.6	10.0	10.6	9.2	9.3	7.8	6.4	6.6	7.9	17.2	18.3
1943	9.2	..	9.4	9.8	9.9	9.4	9.8	8.6	6.9	6.9	9.0	15.6	24.5
1944	8.9	..	10.0	9.6	10.5	9.3	9.3	8.2	6.8	6.6	8.3	16.1	34.0
1945	8.5	..	9.8	8.3	9.8	8.7	9.0	7.9	6.6	6.7	8.1	8.9	46.2
1946	8.4	..	8.7	9.3	9.6	8.6	8.8	7.9	6.5	6.7	8.1	6.5	22.1
1947	8.3	..	10.4	9.0	8.9	8.2	9.0	7.8	6.7	6.7	7.9	7.1	23.9
1948	8.3	..	9.6	9.0	9.4	8.1	9.0	7.6	6.3	6.7	8.2	10.0	26.6
1949	8.1	7.5	8.7	8.6	8.8	7.9	8.9	7.8	6.7	6.5	7.8	7.4	28.6
1950	7.9	8.1	9.4	8.5	8.7	7.6	8.8	7.2	6.1	6.1	7.9	8.4	21.0
1951	7.8	7.9	8.4	8.1	8.6	7.7	8.5	7.2	6.4	6.1	7.6	7.5	18.7
1952	7.5	7.0	8.4	7.8	7.6	7.3	8.1	6.7	6.3	6.0	7.9	5.6	22.4
1953	7.4	6.4	8.3	7.9	8.0	7.0	8.1	7.0	6.2	5.9	7.5	8.1	19.7
1954	7.0	6.4	8.8	7.5	6.8	6.6	7.7	6.6	5.6	5.4	7.6	6.6	14.0
1955	6.9	7.1	8.0	7.7	6.9	6.5	7.5	6.7	6.1	5.4	7.3	4.3	15.8
1956	7.0	6.9	7.9	7.3	7.6	6.6	7.6	6.6	5.9	5.3	7.6	4.2	14.4
1957	6.9	6.6	7.6	7.2	7.0	6.5	7.5	6.9	6.0	5.5	7.2	6.2	18.3
1958	6.7	6.6	8.1	7.4	6.7	6.3	7.2	6.8	5.5	5.2	7.0	4.7	15.4
1959	6.8	6.3	9.3	7.8	6.9	6.3	7.4	6.8	6.0	5.2	7.1	3.2	12.9
1960	6.6	6.1	7.7	7.4	6.8	5.8	7.3	6.6	5.8	5.3	7.2	3.9	13.6
1961	6.5	6.1	8.5	7.2	6.9	6.0	7.0	6.4	5.7	4.9	6.9	4.3	9.9
1962	6.5	6.1	9.2	7.5	6.9	5.9	7.1	6.5	5.8	5.1	7.0	3.7	11.4
1963	6.5	5.8	7.7	7.3	6.7	6.0	7.1	7.0	6.2	5.1	7.1	4.2	8.9
1964	6.3	5.3	7.3	7.2	6.6	5.7	6.7	6.6	6.1	4.9	7.3	4.2	7.2
1965	6.3	5.6	8.0	7.3	6.3	5.8	6.8	6.5	6.0	5.0	7.1	4.9	7.4
1966	6.2	5.2	8.3	7.3	6.6	5.6	6.6	6.7	6.0	5.1	6.9	4.9	7.7
1967	6.1	5.3	8.1	7.5	6.6	5.5	6.5	6.4	5.9	5.0	6.7	3.5	6.7
1968	6.2	5.2	7.4	7.5	6.7	5.6	6.5	6.6	6.1	5.2	6.8	3.3	6.7
1969	6.1	4.9	7.8	7.3	6.6	5.6	6.4	6.9	6.0	4.9	6.7	4.1	5.3
1970	6.1	5.2	7.8	7.3	6.7	5.6	6.3	6.5	6.3	4.9	6.5	4.6	6.7
1971	6.1	5.1	7.8	7.0	6.4	5.6	6.3	6.8	6.2	5.0	6.7	3.4	5.4
1972	6.2	5.1	7.7	7.2	6.4	5.8	6.5	6.8	6.4	5.0	6.8	3.3	5.5
1973	6.2	5.1	7.1	7.0	6.5	5.8	6.6	6.9	6.7	5.0	6.4	3.3	4.3
1974	6.3	4.9	8.1	7.0	6.6	5.8	6.5	7.0	6.9	5.2	6.5	4.0	4.4
1975	6.2 <sup>1</sup>	4.8	7.4	6.9	6.5	5.8 <sup>1</sup>	6.4	6.8	6.7	5.1	6.4	3.6	4.7
1976	6.1	5.0	7.8	7.2	6.4	5.7	6.3	6.9	6.6	4.9	6.4	3.0	4.4
1977	6.0	4.6	6.6	6.9	6.3	5.7	6.4	6.4	6.4	4.9	6.2	3.2	3.7

<sup>1</sup> Estimated. - Évalué.

TABLE 5. Deaths, Province of Occurrence by Province of Residence, 1977  
 TABLEAU 5. Décès, selon la province de décès et la province de domicile, 1977

Place of occurrence - Lieu de décès	Total occurrence - Décès	Residence - Domicile													
		Nfld. - T. - N.	P.E.I. - Î. - P. - É.	N.S. - N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C. - B.	Yukon	N.W.T. - T. N. - O.	U.S.A. - É. - U.	Other - Autres
<b>Residence - Total - Domicile . . .</b>	168,347	3,138	1,046	6,963	5,185	43,459	61,425	8,178	7,594	11,609	18,596	105	200	619	230
Newfoundland - Terre-Neuve . . . .	3,136	3,098	-	2	3	3	4	-	-	-	-	-	-	7	19
Prince Edward Island - Île-du-Prince-Édouard . . . .	1,007	-	999	2	2	-	2	1	-	-	-	-	-	1	-
Nova Scotia - Nouvelle-Écosse . . . .	7,048	11	31	6,898	48	7	17	-	-	-	5	-	-	27	4
New Brunswick - Nouveau-Brunswick . . . .	5,206	-	5	11	5,061	78	17	-	-	-	1	-	-	32	1
Québec . . . . .	42,948	8	1	7	32	42,679	110	2	-	2	4	-	3	71	29
Ontario . . . . .	61,834	14	5	22	15	523	60,733	31	13	17	29	-	-	321	111
Manitoba . . . . .	8,255	-	1	-	-	2	72	8,077	45	6	13	-	7	29	3
Saskatchewan . . . . .	7,565	-	-	1	3	5	14	24	7,416	60	32	-	-	6	4
Alberta . . . . .	11,738	1	3	-	-	11	35	16	77	11,401	102	4	25	36	26
British Columbia - Colombie-Britannique . . . .	18,648	2	-	1	2	7	35	15	28	90	18,343	5	-	87	33
Yukon . . . . .	106	-	-	-	-	-	1	-	-	2	3	96	2	2	-
Northwest Territories - Territoires du Nord-Ouest . . . .	176	-	-	-	-	-	-	-	-	-	-	-	163	-	-
United States - États-Unis . . . . .	680	4	4	15	19	143	383	11	15	22	64	-	-	-	-

<sup>1</sup> Estimated. - Évalué.

TABLE 6. Percentage of Deaths Occurring in Hospital, Canada and Provinces,<sup>1</sup> 1921 - 1977  
 TABLEAU 6. Pourcentage des décès ayant lieu à l'hôpital, Canada et provinces<sup>1</sup>, 1921 - 1977

Year - Année	Canada	P.E.I. - Î. - P. - É.	N.S. - N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C. - B.	Yukon	N.W.T. - T. N. - O.
1921 . . . . .	22.0	12.0	14.6	12.1	..	21.1	31.1	17.8	27.6	43.5	..	..
1922 . . . . .	22.8	11.3	13.4	13.7	..	21.8	30.2	20.9	28.0	42.2	..	..
1923 . . . . .	24.2	11.0	15.1	15.1	..	23.4	32.6	22.1	30.9	41.9	..	..
1924 . . . . .	26.0	12.3	15.4	16.3	..	25.5	33.0	25.4	33.8	40.9	..	..
1925 . . . . .	26.8	15.0	16.1	16.8	..	26.5	35.3	23.8	33.9	41.9	..	..
1926 . . . . .	25.0	13.1	16.8	16.7	18.2	28.3	35.7	27.8	36.6	44.8	..	..
1927 . . . . .	25.6	10.0	18.9	18.2	17.6	29.3	37.2	29.3	38.9	43.4	..	..
1928 . . . . .	27.0	10.0	18.5	18.5	19.0	30.1	38.6	32.9	39.1	47.5	..	..
1929 . . . . .	28.4	14.7	19.0	18.9	19.5	32.3	39.0	33.0	41.7	49.3	..	..
1930 . . . . .	29.4	21.5	21.5	20.7	20.4	33.5	39.2	32.7	43.1	48.7	..	..
1931 . . . . .	29.7	17.0	21.0	20.6	21.2	33.6	39.5	33.3	42.7	48.2	..	..
1932 . . . . .	30.5	17.0	20.7	21.3	23.9	32.8	38.7	34.6	44.2	48.7	..	..
1933 . . . . .	30.7	16.3	20.7	21.5	25.1	32.9	35.7	33.9	42.4	48.0	..	..
1934 . . . . .	32.3	21.1	23.0	21.6	25.9	34.5	39.2	37.6	46.1	49.3	..	..
1935 . . . . .	33.5	16.0	22.6	22.4	28.0	35.2	41.3	37.4	46.6	50.2	..	..
1936 . . . . .	35.1	18.5	23.5	23.7	29.7	36.1	41.9	38.5	49.9	51.6	..	..
1937 . . . . .	35.5	19.5	24.3	24.6	30.2	36.9	41.4	41.2	49.5	50.7	..	..
1938 . . . . .	36.8	19.8	26.3	24.5	30.8	38.1	43.7	41.9	52.8	53.2	..	..
1939 . . . . .	37.2	21.5	26.6	25.1	31.5	38.4	45.5	42.0	51.7	53.8	..	..
1940 . . . . .	38.8	20.8	28.3	26.7	32.9	39.8	46.6	45.7	52.1	53.9	..	..
1941 . . . . .	39.8	21.6	30.2	27.5	33.9	41.3	49.1	45.8	53.7	52.5	..	..
1942 . . . . .	41.2	25.9	32.3	27.7	34.5	42.8	49.1	48.6	53.6	55.5	..	..
1943 . . . . .	42.7	29.3	33.3	30.0	35.4	44.0	51.1	51.1	54.5	57.8	..	..
1944 . . . . .	43.9	31.2	34.2	31.8	36.4	44.7	51.2	54.5	57.2	60.3	..	..
1945 . . . . .	44.6	31.3	31.2	31.2	36.7	45.6	51.3	57.4	57.6	58.8	..	..
1946 . . . . .	46.0	31.0	35.5	33.4	36.7	48.7	53.1	58.9	59.7	58.3	..	..
1947 . . . . .	46.1	36.8	37.8	37.1	37.2	46.2	53.0	61.2	60.8	60.5	..	..
1948 . . . . .	47.4	38.2	37.4	39.9	38.6	47.9	53.8	64.0	60.8	60.0	..	..
1949 . . . . .	48.1	41.1	39.7	42.0	38.3	48.8	54.8	64.9	59.1	61.9	..	..
1950 . . . . .	48.7	38.6	40.0	40.6	40.2	48.7	56.7	67.7	61.2	60.7	66.7	28.0
1951 . . . . .	50.1	41.4	42.6	41.0	41.3	50.1	58.5	67.9	62.4	62.9	50.6	21.8
1952 . . . . .	50.0	36.5	40.9	41.6	39.5	50.6	59.8	68.5	64.2	63.5	52.1	20.5
1953 . . . . .	51.4	39.1	44.7	43.8	40.2	52.2	62.6	71.4	64.4	62.3	54.3	25.5
1954 . . . . .	52.9	43.6	44.2	43.1	41.6	53.9	62.2	70.7	64.8	66.8	57.6	19.2
1955 . . . . .	53.8	45.2	45.8	45.3	43.2	55.5	58.5	69.1	65.8	66.2	52.8	20.4
1956 . . . . .	55.6	46.0	47.5	44.9	46.0	57.1	61.2	70.6	67.4	66.5	48.2	22.0
1957 . . . . .	57.1	50.1	48.3	48.8	47.8	58.3	63.6	71.8	69.4	66.5	57.0	22.8
1958 . . . . .	57.8	49.0	50.1	47.4	48.2	59.2	65.6	73.6	70.4	66.8	56.5	21.9
1959 . . . . .	59.4	48.7	53.3	51.0	49.6	61.4	68.1	73.4	70.8	66.3	56.2	29.8
1960 . . . . .	62.1	55.8	55.6	57.1	52.3	63.8	69.7	74.1	72.5	69.2	52.6	27.2
1961 . . . . .	63.0	55.5	56.1	58.5	55.5	64.1	72.4	75.1	71.1	68.1	43.6	26.0
1962 . . . . .	63.7	56.3	56.5	60.2	57.7	65.0	72.3	75.1	70.9	65.1	56.0	32.4
1963 . . . . .	64.9	54.6	59.7	61.7	59.2	66.3	71.3	75.4	70.9	66.0	40.7	36.8
1964 . . . . .	65.2	58.5	58.7	62.8	58.9	68.0	73.6	75.4	70.6	63.1	50.6	38.4
1965 . . . . .	66.5	57.4	58.0	62.8	59.3	68.8	72.7	74.4	72.7	70.9	52.0	37.9
1966 . . . . .	66.6	61.8	58.7	63.7	58.5	69.2	73.3	73.4	72.8	72.0	59.8	50.7
1967 . . . . .	67.1	60.6	58.6	63.3	60.0	70.1	73.8	70.4	71.8	72.1	54.8	46.1
1968 . . . . .	67.7	59.7	59.0	65.9	60.8	70.7	73.5	70.6	72.4	71.9	52.4	46.9
1969 . . . . .	68.0	61.5	58.9	65.1	61.0	71.5	71.9	70.1	72.9	72.9	45.3	42.7
1970 . . . . .	68.2	58.6	61.0	65.6	61.6	72.0	71.8	69.9	72.0	71.5	44.0	51.6
1971 . . . . .	69.0	59.7	58.7	65.6	64.0	71.8	72.0	69.9	73.8	72.8	35.6	47.0
1972 . . . . .	68.3	57.9	59.1	65.7	64.2	71.2	71.5	67.5	72.7	73.6	45.6	43.0
1973 . . . . .	68.6	57.6	59.8	67.4	66.7	69.2	71.4	67.6	72.4	72.9	43.2	53.0
1974 . . . . .	69.4	57.2	61.1	67.8	68.2	70.0	70.1	67.5	71.6	73.9	62.3	50.0
1975 . . . . .	..	58.0	62.8	67.9	..	71.0	71.7	67.3	71.8	74.8	41.1	45.8
1976 . . . . .	..	59.3	62.5	65.8	..	68.7	71.9	67.5	70.9	75.4	49.6	45.3
1977 . . . . .	..	53.1	60.7	64.7	..	67.4	71.9	68.5	69.3	75.2	54.3	48.0

<sup>1</sup> Data for Newfoundland not available. - Les données de Terre-Neuve sont inconnues.

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977  
 TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

	CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
UNDER 1 YEAR - MOINS DE 1 AN ...	M 2,509	65	22	82	87	676	752	159	136	211	298	4	17
	F 1,966	42	15	61	67	529	632	118	113	172	197	2	18
	T 4,475	107	37	143	154	1,205	1,384	277	249	383	495	6	35
1 YEAR - AN .....	M 149	6	2	8	13	36	37	4	9	13	19	-	2
	F 165	4	3	4	8	43	48	9	11	19	15	-	1
	T 314	10	5	12	21	79	85	13	20	32	34	-	3
2 YEARS - ANS .....	M 118	2	-	4	2	31	37	8	8	12	13	-	1
	F 86	1	-	4	2	17	29	6	11	8	6	1	1
	T 204	3	-	8	4	48	66	14	19	20	19	1	2
3 YEARS - ANS .....	M 123	2	-	3	6	30	43	10	8	10	10	1	-
	F 79	4	1	2	-	23	25	5	3	8	7	-	1
	T 202	6	1	5	6	53	68	15	11	18	17	1	1
4 YEARS - ANS .....	M 83	3	-	4	3	21	24	5	7	7	8	-	1
	F 59	2	-	1	2	25	11	5	3	5	4	-	1
	T 142	5	-	5	5	46	35	10	10	12	12	-	2
TOTAL UNDER 5 YEARS - MOINS DE 5 ANS ..	M 2,982	78	24	101	111	794	893	186	168	253	348	5	21
	F 2,355	53	19	72	79	637	745	143	141	212	229	3	22
	T 5,337	131	43	173	190	1,431	1,638	329	309	465	577	8	43
5 YEARS - ANS .....	M 99	7	-	5	5	31	29	5	3	9	5	-	-
	F 66	2	-	3	3	19	20	3	2	5	8	-	1
	T 165	9	-	8	8	50	49	8	5	14	13	-	1
6 YEARS - ANS .....	M 103	5	2	3	6	25	32	4	7	9	9	-	1
	F 63	1	-	-	4	13	24	3	2	8	8	-	-
	T 166	6	2	3	10	38	56	7	9	17	17	-	1
7 YEARS - ANS .....	M 99	2	-	-	2	38	29	4	3	11	10	-	-
	F 56	3	-	-	3	21	10	3	2	5	7	-	2
	T 155	5	-	-	5	59	39	7	5	16	17	-	2
8 YEARS - ANS .....	M 69	2	-	1	1	28	26	3	-	3	5	-	-
	F 37	2	-	2	1	9	8	1	2	9	3	-	-
	T 106	4	-	3	2	37	34	4	2	12	8	-	-
9 YEARS - ANS .....	M 72	3	2	3	2	15	27	5	2	3	9	-	1
	F 38	3	1	-	-	13	11	3	1	2	4	-	-
	T 110	6	3	3	2	28	38	8	3	5	13	-	1
TOTAL 5-9 YEARS - ANS .....	M 442	19	4	12	16	137	143	21	15	35	38	-	2
	F 260	11	1	5	11	75	73	13	9	29	30	-	3
	T 702	30	5	17	27	212	216	34	24	64	68	-	5
10 YEARS - ANS .....	M 63	2	3	1	3	17	17	3	7	2	5	-	3
	F 39	2	-	2	2	13	8	1	-	5	5	-	1
	T 102	4	3	3	5	30	25	4	7	7	10	-	4
11 YEARS - ANS .....	M 68	1	-	3	5	22	18	3	6	2	7	1	-
	F 51	-	-	2	1	9	20	4	6	5	2	1	1
	T 119	1	-	5	6	31	38	7	12	7	9	2	1
12 YEARS - ANS .....	M 91	4	1	2	1	20	31	3	3	10	13	-	3
	F 70	1	-	2	5	17	29	3	1	6	5	-	1
	T 161	5	1	4	6	37	60	6	4	16	18	-	4
13 YEARS - ANS .....	M 100	2	1	2	1	31	26	9	10	6	11	-	1
	F 52	1	-	2	1	14	17	5	1	7	4	-	-
	T 152	3	1	4	2	45	43	14	11	13	15	-	1
14 YEARS - ANS .....	M 144	5	-	3	5	45	51	8	3	10	13	-	1
	F 71	1	4	3	3	14	24	3	4	7	8	-	-
	T 215	6	4	6	8	59	75	11	7	17	21	-	1
TOTAL 10-14 YEARS - ANS .....	M 466	14	5	11	15	135	143	26	29	30	49	1	8
	F 283	5	4	11	12	67	98	16	12	30	24	1	3
	T 749	19	9	22	27	202	241	42	41	60	73	2	11
15 YEARS - ANS .....	M 171	5	2	7	7	50	39	11	12	20	18	-	-
	F 92	3	-	4	5	27	22	4	7	13	6	-	1
	T 263	8	2	11	12	77	61	15	19	33	24	-	1
16 YEARS - ANS .....	M 287	5	3	9	8	74	79	15	21	35	37	1	-
	F 127	2	2	6	6	26	37	6	8	15	18	1	-
	T 414	7	5	15	14	100	116	21	29	50	55	2	-
17 YEARS - ANS .....	M 379	5	2	5	15	83	118	22	28	50	48	1	2
	F 133	1	-	3	5	43	44	6	7	11	12	-	1
	T 512	6	2	8	20	126	162	28	35	61	60	1	3

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977  
 TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
18 YEARS - ANS	M	442	5	5	18	20	142	116	19	16	46	54	-	1
	F	127	1	2	4	1	43	33	9	9	9	15	-	1
	T	569	6	7	22	21	185	149	28	25	55	69	-	2
19 YEARS - ANS	M	491	13	6	16	19	140	133	20	31	47	60	2	4
	F	125	1	2	3	3	38	36	3	11	9	17	-	2
	T	616	14	8	19	22	178	169	23	42	56	77	2	6
TOTAL 15-19 YEARS - ANS	M	1,770	33	18	55	69	489	485	87	108	198	217	4	7
	F	604	8	6	20	20	177	172	28	42	57	68	1	5
	T	2,374	41	24	75	89	666	657	115	150	255	285	5	12
20 YEARS - ANS	M	513	4	5	19	24	139	151	25	23	58	62	1	2
	F	119	1	-	5	4	29	36	8	4	19	13	-	-
	T	632	5	5	24	28	168	187	33	27	77	75	1	2
21 YEARS - ANS	M	408	8	3	14	15	109	123	16	22	45	52	1	-
	F	119	3	2	3	4	31	41	5	4	8	18	-	-
	T	527	11	5	17	19	140	164	21	26	53	70	1	-
22 YEARS - ANS	M	391	4	1	12	15	120	95	15	26	44	56	-	3
	F	115	2	-	1	2	32	30	9	9	14	15	-	1
	T	506	6	1	13	17	152	125	24	35	58	71	-	4
23 YEARS - ANS	M	392	5	4	14	10	117	115	19	20	46	40	-	2
	F	100	1	-	1	4	30	25	6	4	9	19	-	1
	T	492	6	4	15	14	147	140	25	24	55	59	-	3
24 YEARS - ANS	M	369	8	6	13	11	91	129	17	20	31	41	1	1
	F	119	-	-	1	4	34	34	3	3	19	21	-	-
	T	488	8	6	14	15	125	163	20	23	50	62	1	1
TOTAL 20-24 YEARS - ANS	M	2,073	29	19	72	75	576	613	92	111	224	251	3	8
	F	572	7	2	11	18	156	166	31	24	69	86	-	2
	T	2,645	36	21	83	93	732	779	123	135	293	337	3	10
25 YEARS - ANS	M	312	3	1	8	11	96	94	16	11	29	41	-	2
	F	94	-	-	4	3	34	26	2	4	6	15	-	-
	T	406	3	1	12	14	130	120	18	15	35	56	-	2
26 YEARS - ANS	M	325	4	2	11	13	97	93	26	16	31	29	1	2
	F	112	-	1	5	5	38	31	1	4	7	19	-	1
	T	437	4	3	16	18	135	124	27	20	38	48	1	3
27 YEARS - ANS	M	283	5	3	5	6	95	73	11	11	23	47	1	3
	F	120	1	-	2	1	33	47	4	4	16	12	-	-
	T	403	6	3	7	7	128	120	15	15	39	59	1	3
28 YEARS - ANS	M	315	3	2	11	14	93	100	14	11	29	38	-	-
	F	127	3	1	4	5	36	41	3	7	11	15	-	1
	T	442	6	3	15	19	129	141	17	18	40	53	-	1
29 YEARS - ANS	M	283	4	2	17	10	77	79	9	9	25	50	1	-
	F	103	2	-	1	1	31	44	2	1	4	16	-	1
	T	386	6	2	18	11	108	123	11	10	29	66	1	1
TOTAL 25-29 YEARS - ANS	M	1,518	19	10	52	54	458	439	76	58	137	205	3	7
	F	556	6	2	16	15	172	189	12	20	44	77	-	3
	T	2,074	25	12	68	69	630	628	88	78	181	282	3	10
30 YEARS - ANS	M	301	4	1	11	7	92	86	16	11	37	35	1	-
	F	114	1	-	3	1	30	43	6	6	4	20	-	-
	T	415	5	1	14	8	122	129	22	17	41	55	1	-
31 YEARS - ANS	M	229	4	-	13	9	71	72	7	7	18	26	-	2
	F	112	2	1	4	7	32	30	2	1	10	20	1	2
	T	341	6	1	17	16	103	102	9	8	28	46	1	4
32 YEARS - ANS	M	269	7	-	6	11	90	76	9	11	31	27	-	1
	F	126	1	-	4	4	44	43	2	5	9	14	-	-
	T	395	8	-	10	15	134	119	11	16	40	41	-	1
33 YEARS - ANS	M	259	3	2	9	7	93	74	15	7	20	28	-	1
	F	116	-	1	2	5	40	32	2	4	11	19	-	-
	T	375	3	3	11	12	133	106	17	11	31	47	-	1
34 YEARS - ANS	M	276	5	3	8	10	81	75	22	10	22	39	-	1
	F	152	2	-	3	2	41	51	9	10	16	17	-	1
	T	428	7	3	11	12	122	126	31	20	38	56	-	2
TOTAL 30-34 YEARS - ANS	M	1,334	23	6	47	44	427	383	69	46	128	155	1	5
	F	620	6	2	16	19	187	199	21	26	50	90	1	3
	T	1,954	29	8	63	63	614	582	90	72	178	245	2	8

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977  
 TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
35 YEARS - ANS .....	M	257	4	4	12	6	86	80	11	8	20	26	-	-
	F	145	2	-	5	6	46	38	10	10	12	15	-	1
	T	402	6	4	17	12	132	118	21	18	32	41	-	1
36 YEARS - ANS .....	M	306	6	-	9	14	98	108	9	10	16	35	-	1
	F	129	2	1	6	5	38	49	6	6	11	5	-	-
	T	435	8	1	15	19	136	157	15	16	27	40	-	1
37 YEARS - ANS .....	M	279	6	-	8	9	87	75	14	9	29	41	1	-
	F	156	3	-	3	3	36	53	8	5	14	29	-	2
	T	435	9	-	11	12	123	128	22	14	43	70	1	2
38 YEARS - ANS .....	M	351	6	1	8	8	108	116	18	15	28	42	-	1
	F	168	4	1	4	5	45	58	3	5	14	28	-	1
	T	519	10	2	12	13	153	174	21	20	42	70	-	2
39 YEARS - ANS .....	M	309	11	-	8	10	96	104	15	9	23	32	1	-
	F	172	2	-	8	3	39	67	7	5	19	21	-	1
	T	481	13	-	16	13	135	171	22	14	42	53	1	1
TOTAL 35-39 YEARS - ANS .....	M	1,502	33	5	45	47	475	483	67	51	116	176	2	2
	F	770	13	2	26	22	204	265	34	31	70	98	-	5
	T	2,272	46	7	71	69	679	748	101	82	186	274	2	7
40 YEARS - ANS .....	M	333	6	1	12	11	98	106	10	17	31	39	2	-
	F	176	7	2	6	9	41	71	6	5	15	14	-	-
	T	509	13	3	18	20	139	177	16	22	46	53	2	-
41 YEARS - ANS .....	M	397	19	2	19	11	97	122	15	13	39	58	-	2
	F	204	5	-	8	5	61	63	10	7	19	25	1	-
	T	601	24	2	27	16	158	185	25	20	58	83	1	2
42 YEARS - ANS .....	M	411	8	1	16	6	123	133	19	17	36	51	1	-
	F	230	2	-	8	4	53	99	9	7	28	20	-	-
	T	641	10	1	24	10	176	232	28	24	64	71	1	-
43 YEARS - ANS .....	M	441	5	1	9	25	135	157	19	15	30	45	-	-
	F	241	6	1	9	3	65	90	10	7	20	29	1	-
	T	682	11	2	18	28	200	247	29	22	50	74	1	-
44 YEARS - ANS .....	M	515	11	2	19	23	158	179	21	17	41	40	1	3
	F	288	5	2	6	6	69	122	10	11	16	38	-	3
	T	803	16	4	25	29	227	301	31	28	57	78	1	6
TOTAL 40-44 YEARS - ANS .....	M	2,097	49	7	75	76	611	697	84	79	177	233	4	5
	F	1,139	25	5	37	27	289	445	45	37	98	126	2	3
	T	3,236	74	12	112	103	900	1,142	129	116	275	359	6	8
45 YEARS - ANS .....	M	579	11	4	16	17	182	210	27	15	44	53	-	-
	F	292	5	-	15	6	83	110	10	11	19	32	1	-
	T	871	16	4	31	23	265	320	37	26	63	85	1	-
46 YEARS - ANS .....	M	646	12	2	30	16	176	253	30	22	54	49	-	2
	F	350	7	3	7	11	114	123	15	9	24	35	1	1
	T	996	19	5	37	27	290	376	45	31	78	84	1	3
47 YEARS - ANS .....	M	700	11	3	22	20	192	271	19	23	51	87	-	1
	F	400	7	2	19	12	105	153	17	16	28	41	-	-
	T	1,100	18	5	41	32	297	424	36	39	79	128	-	1
48 YEARS - ANS .....	M	760	15	7	27	19	223	292	21	29	47	77	2	1
	F	377	4	2	17	4	120	136	15	11	22	46	-	-
	T	1,137	19	9	44	23	343	428	36	40	69	123	2	1
49 YEARS - ANS .....	M	808	12	8	29	15	259	293	36	17	67	71	1	-
	F	452	10	1	17	12	134	168	21	8	29	52	-	-
	T	1,260	22	9	46	27	393	461	57	25	96	123	1	-
TOTAL 45-49 YEARS - ANS .....	M	3,493	61	24	124	87	1,032	1,319	133	106	263	337	3	4
	F	1,871	33	8	75	45	556	690	78	55	122	206	2	1
	T	5,364	94	32	199	132	1,588	2,009	211	161	385	543	5	5
50 YEARS - ANS .....	M	894	20	5	34	29	295	287	37	29	61	96	-	1
	F	458	5	5	17	16	145	160	19	16	27	46	1	1
	T	1,352	25	10	51	45	440	447	56	45	88	142	1	2
51 YEARS - ANS .....	M	962	20	3	38	29	286	376	44	22	56	87	1	-
	F	524	9	2	18	12	149	205	20	18	22	69	-	-
	T	1,486	29	5	56	41	435	581	64	40	78	156	1	-
52 YEARS - ANS .....	M	1,074	14	6	47	34	355	369	33	31	71	113	-	1
	F	566	8	-	22	15	164	211	21	14	34	76	1	-
	T	1,640	22	6	69	49	519	580	54	45	105	189	1	1

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977

TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
53 YEARS - ANS .....	M	1,135	19	4	46	26	308	459	56	39	76	99	2	1
	F	595	11	3	25	14	167	233	28	19	34	58	3	-
	T	1,730	30	7	71	40	475	692	84	58	110	157	5	1
54 YEARS - ANS .....	M	1,251	25	11	48	37	360	464	53	43	81	127	-	2
	F	635	11	1	16	20	167	246	27	16	48	82	-	1
	T	1,886	36	12	64	57	527	710	80	59	129	209	-	3
TOTAL 50-54 YEARS - ANS .....	M	5,316	98	29	213	155	1,604	1,955	223	164	345	522	3	5
	F	2,778	44	11	98	77	792	1,055	115	83	165	331	5	2
	T	8,094	142	40	311	232	2,396	3,010	338	247	510	853	8	7
55 YEARS - ANS .....	M	1,304	23	7	48	61	366	508	48	38	92	110	1	2
	F	672	16	3	25	18	180	253	29	16	45	87	-	-
	T	1,976	39	10	73	79	546	761	77	54	137	197	1	2
56 YEARS - ANS .....	M	1,408	36	10	56	38	418	512	67	59	82	124	5	1
	F	751	10	-	43	21	195	286	30	25	46	91	1	3
	T	2,159	46	10	99	59	613	798	97	84	128	215	6	4
57 YEARS - ANS .....	M	1,502	43	7	57	36	425	560	60	51	103	158	-	2
	F	736	12	1	28	25	200	282	27	27	47	86	1	-
	T	2,238	55	8	85	61	625	842	87	78	150	244	1	2
58 YEARS - ANS .....	M	1,444	28	7	65	46	426	535	60	50	90	132	2	3
	F	754	13	4	32	25	207	301	30	24	51	66	1	-
	T	2,198	41	11	97	71	633	836	90	74	141	198	3	3
59 YEARS - ANS .....	M	1,496	32	4	58	57	445	551	47	56	97	146	1	2
	F	820	13	3	26	21	245	314	36	32	37	92	-	1
	T	2,316	45	7	84	78	690	865	83	88	134	238	1	3
TOTAL 55-59 YEARS - ANS .....	M	7,154	162	35	284	238	2,080	2,666	282	254	464	670	9	10
	F	3,733	64	11	154	110	1,027	1,436	152	124	226	422	3	4
	T	10,887	226	46	438	348	3,107	4,102	434	378	690	1,092	12	14
60 YEARS - ANS .....	M	1,713	46	14	72	53	485	611	90	66	107	167	2	-
	F	838	9	2	39	20	242	313	41	24	57	91	-	-
	T	2,551	55	16	111	73	727	924	131	90	164	258	2	-
61 YEARS - ANS .....	M	1,757	33	11	84	48	506	610	95	70	113	186	-	1
	F	832	10	8	40	24	222	331	34	20	54	87	-	2
	T	2,589	43	19	124	72	728	941	129	90	167	273	-	3
62 YEARS - ANS .....	M	1,947	57	16	79	61	555	713	86	68	107	203	-	2
	F	1,022	25	5	41	28	305	360	52	33	55	117	1	-
	T	2,969	82	21	120	89	860	1,073	138	101	162	320	1	2
63 YEARS - ANS .....	M	2,135	39	12	82	57	623	796	100	73	136	214	1	2
	F	1,046	20	9	37	25	312	374	47	33	58	128	3	-
	T	3,181	59	21	119	82	935	1,170	147	106	194	342	4	2
64 YEARS - ANS .....	M	2,082	51	13	114	54	567	777	86	94	88	232	3	3
	F	1,130	22	2	48	35	322	404	45	46	75	130	1	-
	T	3,212	73	15	162	89	889	1,181	131	140	163	362	4	3
TOTAL 60-64 YEARS - ANS .....	M	9,634	226	66	431	273	2,736	3,507	457	371	551	1,002	6	8
	F	4,868	86	26	205	132	1,403	1,782	219	156	299	553	5	2
	T	14,502	312	92	636	405	4,139	5,289	676	527	850	1,555	11	10
65 YEARS - ANS .....	M	2,230	33	13	106	61	579	845	126	80	140	244	-	3
	F	1,161	26	7	43	36	321	410	61	44	67	145	1	-
	T	3,391	59	20	149	97	900	1,255	187	124	207	389	1	3
66 YEARS - ANS .....	M	2,165	54	11	109	70	608	788	101	94	124	203	2	1
	F	1,210	28	4	54	34	355	439	49	40	82	123	-	2
	T	3,375	82	15	163	104	963	1,227	150	134	206	326	2	3
67 YEARS - ANS .....	M	2,369	51	16	107	70	668	867	100	109	134	243	2	2
	F	1,265	27	3	43	47	367	480	61	47	66	122	-	2
	T	3,634	78	19	150	117	1,035	1,347	161	156	200	365	2	4
68 YEARS - ANS .....	M	2,342	38	19	95	74	609	863	115	104	163	258	2	2
	F	1,322	29	1	62	27	375	535	47	53	71	121	-	1
	T	3,664	67	20	157	101	984	1,398	162	157	234	379	2	3
69 YEARS - ANS .....	M	2,457	43	18	100	76	673	917	119	102	154	254	1	-
	F	1,440	25	7	44	43	418	560	52	61	79	149	1	1
	T	3,897	68	25	144	119	1,091	1,477	171	163	233	403	2	1
TOTAL 65-69 YEARS - ANS .....	M	11,563	219	77	517	351	3,137	4,280	561	489	715	1,202	7	8
	F	6,398	135	22	246	187	1,836	2,424	270	245	365	660	2	6
	T	17,961	354	99	763	538	4,973	6,704	831	734	1,080	1,862	9	14

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977  
 TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
70 YEARS - ANS	M	2,498	44	18	102	77	691	917	110	98	162	276	-	3
	F	1,452	31	5	60	41	419	513	80	71	83	148	1	-
	T	3,950	75	23	162	118	1,110	1,430	190	169	245	424	1	3
71 YEARS - ANS	M	2,463	48	11	97	79	658	920	125	108	155	260	1	1
	F	1,528	23	6	71	43	452	571	69	69	88	134	-	2
	T	3,991	71	17	168	122	1,110	1,491	194	177	243	394	1	3
72 YEARS - ANS	M	2,478	50	15	103	59	670	910	130	107	165	268	1	-
	F	1,587	23	17	65	41	485	603	68	47	94	144	-	2
	T	4,065	73	32	168	100	1,155	1,513	198	154	259	412	1	-
73 YEARS - ANS	M	2,544	50	14	114	61	676	928	115	119	169	293	2	3
	F	1,666	29	8	63	42	457	671	70	62	119	145	-	-
	T	4,210	79	22	177	103	1,133	1,599	185	181	288	438	2	3
74 YEARS - ANS	M	2,570	39	16	110	66	675	942	128	115	196	281	1	1
	F	1,709	33	5	57	47	509	665	81	59	110	143	-	-
	T	4,279	72	21	167	113	1,184	1,607	209	174	306	424	1	1
TOTAL 70-74 YEARS - ANS	M	12,553	231	74	526	342	3,370	4,617	608	547	847	1,378	5	8
	F	7,942	139	41	316	214	2,322	3,023	368	308	494	714	1	2
	T	20,495	370	115	842	556	5,692	7,640	976	855	1,341	2,092	6	10
75 YEARS - ANS	M	2,461	41	14	106	62	590	945	128	122	169	283	1	-
	F	1,672	42	10	54	58	448	642	90	71	75	181	-	1
	T	4,133	83	24	160	120	1,038	1,587	218	193	244	464	1	1
76 YEARS - ANS	M	2,475	41	10	112	79	588	946	125	109	206	256	2	1
	F	1,528	38	7	84	63	510	772	85	71	112	185	-	1
	T	4,403	79	17	196	142	1,098	1,718	210	180	318	441	2	2
77 YEARS - ANS	M	2,420	52	19	98	57	613	901	125	117	171	264	2	1
	F	1,877	36	5	79	49	504	721	86	82	122	192	1	-
	T	4,297	88	24	177	106	1,117	1,622	211	199	293	456	3	1
78 YEARS - ANS	M	2,222	37	16	89	79	573	812	120	110	151	233	1	1
	F	1,849	26	17	76	50	503	690	87	77	122	200	-	1
	T	4,071	63	33	165	129	1,076	1,502	207	187	273	433	1	2
79 YEARS - ANS	M	2,189	39	16	90	76	556	791	114	118	149	236	1	3
	F	1,520	33	12	80	70	489	758	91	76	108	203	-	-
	T	4,109	72	28	170	146	1,045	1,549	205	194	257	439	1	3
TOTAL 75-79 YEARS - ANS	M	11,767	210	75	495	353	2,920	4,395	612	576	846	1,272	7	6
	F	9,246	175	51	373	290	2,454	3,583	439	377	539	961	1	3
	T	21,013	385	126	868	643	5,374	7,978	1,051	953	1,385	2,233	8	9
80 YEARS - ANS	M	2,100	34	11	91	63	515	771	121	104	153	234	2	1
	F	1,975	35	15	90	68	460	828	81	87	112	198	-	1
	T	4,075	69	26	181	131	975	1,599	202	191	265	432	2	2
81 YEARS - ANS	M	2,082	40	19	93	75	477	768	125	108	138	227	1	1
	F	2,014	51	17	80	49	504	802	105	75	128	210	1	2
	T	4,096	91	36	173	124	981	1,570	230	183	266	437	2	3
82 YEARS - ANS	M	1,961	37	18	93	62	474	700	104	129	136	207	-	1
	F	2,114	33	15	97	56	518	839	98	102	134	222	-	-
	T	4,075	70	33	190	118	992	1,539	202	231	270	429	-	1
83 YEARS - ANS	M	1,834	34	19	90	55	382	643	116	106	145	241	2	1
	F	2,007	37	7	78	67	457	832	92	95	116	225	1	-
	T	3,841	71	26	168	122	839	1,475	208	201	261	466	3	1
84 YEARS - ANS	M	1,781	32	15	76	68	382	640	95	103	153	215	-	2
	F	2,186	43	14	93	75	481	893	111	102	122	251	1	-
	T	3,967	75	29	169	143	863	1,533	206	205	275	466	1	2
TOTAL 80-84 YEARS - ANS	M	9,758	187	82	443	323	2,230	3,522	561	550	725	1,124	5	6
	F	10,296	189	68	438	315	2,420	4,194	487	461	612	1,106	3	3
	T	20,054	376	150	881	638	4,650	7,716	1,048	1,011	1,337	2,230	8	9
85 YEARS - ANS	M	1,660	28	10	89	62	361	577	86	120	138	187	1	1
	F	2,045	39	9	115	49	447	794	88	109	139	256	-	-
	T	3,705	67	19	204	111	808	1,371	174	229	277	443	1	1
86 YEARS - ANS	M	1,566	27	9	80	62	302	561	87	120	110	206	1	1
	F	1,969	30	14	78	60	414	836	90	92	135	220	-	-
	T	3,535	57	23	158	122	716	1,397	177	212	245	426	1	1
87 YEARS - ANS	M	1,432	27	6	69	62	255	505	78	98	114	217	-	1
	F	1,813	28	10	90	67	379	763	91	88	110	187	-	-
	T	3,245	55	16	159	129	634	1,268	169	186	224	404	-	1

TABLE 7. DEATHS BY SINGLE YEAR OF AGE AND SEX, CANADA AND PROVINCES, 1977  
 TABLEAU 7. DECES SUIVANT L'ANNEE D'AGE ET LE SEXE, CANADA ET PROVINCES, 1977

		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	NWT.
88 YEARS - ANS	M	1,318	23	8	52	52	272	410	97	97	127	179	1	-
	F	1,705	26	14	72	58	358	681	86	87	118	205	-	-
	T	3,023	49	22	124	110	630	1,091	183	184	245	384	1	-
89 YEARS - ANS	M	1,077	15	16	48	42	204	340	74	96	99	142	-	1
	F	1,557	28	13	69	59	297	622	95	84	107	182	-	1
	T	2,634	43	29	117	101	501	962	169	180	206	324	-	2
TOTAL 85-89 YEARS - ANS	M	7,053	120	49	338	280	1,394	2,393	422	531	588	931	3	4
	F	5,089	151	60	424	293	1,895	3,696	450	460	609	1,050	-	1
	T	16,142	271	109	762	573	3,289	6,089	872	991	1,197	1,981	3	5
90 YEARS - ANS	M	915	17	12	51	31	171	277	59	66	84	147	-	-
	F	1,361	26	12	59	45	274	557	65	61	75	186	-	1
	T	2,276	43	24	110	76	445	834	124	127	159	333	-	1
91 YEARS - ANS	M	750	10	7	34	18	141	247	54	53	78	107	1	-
	F	1,249	18	6	61	55	226	485	71	65	100	162	-	-
	T	1,999	28	13	95	73	367	732	125	118	178	269	1	-
92 YEARS - ANS	M	704	7	7	38	21	118	231	44	61	49	128	-	-
	F	1,084	15	8	53	29	199	434	64	56	76	150	-	-
	T	1,788	22	15	91	50	317	665	108	117	125	278	-	-
93 YEARS - ANS	M	552	6	3	27	20	100	168	37	53	54	84	-	-
	F	902	14	8	41	30	153	354	63	57	63	118	-	1
	T	1,454	20	11	68	50	253	522	100	110	117	202	-	1
94 YEARS - ANS	M	390	8	4	21	11	57	123	28	28	38	72	-	-
	F	712	9	8	41	20	111	290	41	44	50	98	-	-
	T	1,102	17	12	62	31	168	413	69	72	88	170	-	-
TOTAL 90-94 YEARS - ANS	M	3,311	48	33	171	101	587	1,046	222	261	303	538	1	2
	F	5,308	82	42	255	179	963	2,120	304	283	364	714	-	2
	T	8,619	130	75	426	280	1,550	3,166	526	544	667	1,252	1	2
95 YEARS - ANS	M	275	1	7	22	7	52	82	18	32	16	38	-	-
	F	485	4	1	28	17	89	186	30	29	31	70	-	-
	T	760	5	8	50	24	141	268	48	61	47	108	-	-
96 YEARS - ANS	M	230	3	-	12	9	38	76	14	19	23	36	-	-
	F	415	7	3	20	16	65	180	29	19	31	45	-	-
	T	645	10	3	32	25	103	256	43	38	54	81	-	-
97 YEARS - ANS	M	168	2	1	9	7	27	51	11	19	14	27	-	-
	F	326	8	2	10	15	43	140	14	11	27	56	-	-
	T	494	10	3	19	22	70	191	25	30	41	83	-	-
98 YEARS - ANS	M	99	1	-	9	1	22	32	2	9	8	15	-	-
	F	200	2	1	9	9	27	95	9	9	17	22	-	-
	T	299	3	1	18	10	49	127	11	18	25	37	-	-
99 YEARS - ANS	M	60	-	-	5	1	10	22	2	4	4	12	-	-
	F	143	1	-	6	10	17	59	7	10	10	23	-	-
	T	203	1	-	11	11	27	81	9	14	14	35	-	-
TOTAL 95-99 YEARS - ANS	M	832	7	8	57	25	149	263	47	83	65	128	-	-
	F	1,569	22	7	73	67	241	660	89	78	116	216	-	-
	T	2,401	29	15	130	92	390	923	136	161	181	344	-	-
100 YEARS AND OVER - ANS ET PLUS	M	115	1	2	10	3	14	35	9	10	9	20	1	1
	F	289	3	4	11	15	38	124	19	15	19	39	2	1
	T	404	4	6	21	18	52	159	28	25	28	59	3	2
NOT STATED - NON PRECISE	M	139	10	-	2	-	120	6	-	-	1	-	-	-
	F	80	4	-	-	-	73	3	-	-	-	-	-	-
	T	219	14	-	2	-	193	9	-	-	1	-	-	-
ALL AGES - TOUS AGES	M	96,872	1,877	652	4,081	3,038	25,475	34,283	4,845	4,607	7,020	10,796	73	125
	F	70,626	1,261	394	2,882	2,147	17,984	27,142	3,333	2,987	4,589	7,800	32	75
	T	167,498	3,138	1,046	6,963	5,185	43,459	61,425	8,178	7,594	11,609	18,596	105	200

TABLE 8 A. Average Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 8 A. Âge moyen des décédés, selon le sexe, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Masculin													
1921	39.0	..	48.2	43.7	37.9	..	42.2	31.3	26.6	29.6	42.9	..	..
1922	40.8	..	50.1	44.8	40.3	..	44.9	32.0	29.0	30.4	42.5	..	..
1923	42.0	..	50.7	46.4	40.8	..	45.9	35.4	28.9	31.3	43.5	..	..
1924	43.1	..	52.1	46.8	41.8	..	46.6	38.0	30.9	33.2	44.3	..	..
1925	43.8	..	52.6	49.1	41.7	..	47.2	37.5	31.2	36.2	45.2	..	..
1926	40.0	..	52.2	48.8	42.8	30.7	48.5	38.7	32.4	36.0	47.3	..	..
1927	40.5	..	52.9	46.2	43.0	31.2	49.0	40.7	34.1	37.3	46.2	..	..
1928	42.2	..	55.3	49.3	43.5	33.6	49.6	42.1	36.9	37.7	48.3	51.4	36.6
1929	42.1	..	50.9	48.6	43.3	34.3	49.0	42.4	35.0	36.8	48.3	50.3	24.9
1930	42.2	..	51.3	47.8	42.2	34.1	48.8	43.8	36.8	38.7	49.1	50.4	22.5
1931	43.1	..	53.2	48.6	43.6	34.4	50.1	44.1	38.1	39.8	49.8	48.6	27.9
1932	46.2	..	54.7	50.6	46.8	38.6	52.3	46.6	41.4	42.9	52.0	55.9	26.1
1933	47.1	..	57.4	51.6	47.9	39.4	53.4	47.3	41.9	42.7	53.0	51.3	26.4
1934	47.6	..	54.2	51.6	45.7	39.4	54.4	47.9	43.8	44.7	53.0	57.2	24.9
1935	48.0	..	52.4	51.0	46.7	40.3	54.5	48.0	43.9	45.2	54.1	46.4	27.7
1936	49.4	..	54.2	51.5	48.4	42.1	55.6	49.7	45.1	44.9	55.6	47.0	25.3
1937	48.2	..	53.8	52.4	44.7	39.8	55.5	50.3	43.8	45.9	53.2	54.2	25.1
1938	50.1	..	56.0	52.9	48.9	42.1	56.1	51.2	48.7	48.1	55.0	59.9	25.4
1939	51.5	..	53.6	55.1	48.6	43.7	57.5	52.3	49.5	49.9	56.3	56.0	21.5
1940	52.3	..	56.7	54.1	48.6	45.1	57.9	53.4	50.2	50.9	57.2	57.2	26.1
1941	51.4	..	54.1	51.1	48.7	43.8	57.4	53.0	50.6	49.7	57.3	51.9	24.0
1942	51.9	..	57.5	51.2	46.9	44.2	57.9	53.1	51.4	52.4	57.6	40.2	20.8
1943	52.7	..	57.1	51.8	49.0	45.4	58.3	53.7	52.0	51.9	57.9	46.4	21.7
1944	52.5	..	57.5	52.9	48.0	44.9	58.1	54.0	53.1	50.6	58.2	53.8	25.7
1945	53.4	..	58.7	53.7	49.4	46.0	58.6	54.4	53.9	52.6	58.2	53.2	20.3
1946	53.1	..	55.8	53.5	48.3	46.6	57.9	53.7	51.7	52.5	58.7	47.4	21.4
1947	53.3	..	56.0	54.2	47.4	46.3	58.1	54.2	53.8	53.6	57.4	56.4	19.5
1948	54.5	..	59.3	55.9	48.8	47.3	58.9	56.1	55.2	54.3	59.4	49.6	25.0
1949	54.8	45.3	57.2	55.7	49.3	48.5	58.9	56.7	56.1	55.8	59.6	51.2	28.3
1950	55.6	45.9	60.8	57.5	51.3	49.0	59.5	58.2	57.7	55.9	60.8	46.2	24.1
1951	56.3	46.8	61.4	58.7	52.7	50.0	59.7	59.5	59.3	55.5	61.2	50.8	22.9
1952	55.7	47.8	61.8	57.5	53.8	49.1	59.3	59.1	57.3	55.2	60.8	47.5	25.9
1953	56.4	47.9	62.7	58.1	54.9	50.2	59.6	58.8	57.7	55.4	61.8	48.5	24.3
1954	57.2	50.8	60.1	58.3	54.7	51.3	60.2	59.5	59.4	56.7	62.4	40.0	26.7
1955	57.9	50.3	63.1	59.8	54.7	52.6	60.5	60.1	59.4	57.7	63.0	40.9	28.7
1956	58.0	50.3	60.6	60.0	55.8	52.2	60.7	60.4	60.8	57.9	62.6	44.1	24.9
1957	58.1	50.9	64.3	61.0	56.6	52.6	60.3	60.6	61.1	58.3	62.1	40.3	23.5
1958	58.4	51.4	62.7	59.8	56.8	53.3	60.9	61.0	61.2	57.8	62.4	45.5	21.0
1959	59.1	51.1	63.9	61.1	58.1	53.8	61.1	62.5	62.1	58.5	63.3	51.7	25.2
1960	59.5	51.1	62.1	59.4	58.4	54.8	61.5	61.5	61.7	58.8	64.2	42.1	19.8
1961	59.7	51.0	61.7	61.0	60.3	55.4	61.3	63.0	63.0	58.7	63.8	44.8	26.0
1962	59.9	52.9	62.5	60.7	59.8	55.3	61.5	62.6	63.3	59.8	64.5	41.2	24.4
1963	60.5	51.0	63.2	61.6	59.9	56.6	61.8	63.8	63.4	60.0	64.7	47.6	20.2
1964	60.7	54.4	61.3	62.3	60.4	56.7	61.8	63.3	63.8	60.0	65.0	48.7	23.5
1965	61.7	55.9	63.4	62.9	61.4	57.9	63.0	64.3	64.5	61.4	65.2	46.9	30.1
1966	62.0	55.1	65.3	62.5	61.8	58.2	63.1	64.8	64.9	62.4	65.1	44.6	28.7
1967	62.2	56.6	64.3	63.1	61.7	59.5	62.9	64.8	64.7	62.4	65.1	49.2	29.4
1968	62.9	58.4	63.2	64.4	63.2	60.4	63.5	65.1	65.1	62.9	65.5	49.9	25.2
1969	62.9	58.4	65.7	63.5	62.7	60.2	63.6	64.5	65.7	62.4	65.7	41.8	34.4
1970	63.0	59.7	66.0	64.6	63.5	60.5	63.6	65.5	66.2	62.4	64.6	50.0	29.5
1971	63.3	59.5	64.0	63.9	63.0	61.1	63.9	65.5	66.7	62.5	64.9	48.1	37.1
1972	63.3	60.4	65.6	65.2	63.5	61.2	63.9	65.3	66.0	62.7	64.8	50.2	32.9
1973	63.6	60.0	65.2	64.3	63.4	61.6	64.3	65.7	67.5	63.4	64.6	49.1	36.9
1974	63.7	61.4	65.6	65.3	63.8	61.7	64.6	65.9	66.7	63.0	64.0	45.0	37.2
1975	63.8	62.1	67.2	65.0	63.6	61.3	64.6	66.5	67.3	63.2	65.1	47.3	39.7
1976	64.3	62.7	66.3	65.6	63.6	62.2	65.1	65.5	67.5	63.2	65.8	52.5	40.7
1977	64.2	62.6	64.7	66.5	63.7	62.3	65.1	65.4	66.8	63.2	65.0	54.2	41.0

TABLE 8 A. Average Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977 - Concluded

TABLEAU 8 A. Âge moyen des décédés, selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year -- Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Female - Féminin													
1921	41.1	..	50.4	45.9	39.9	..	45.6	31.2	26.1	26.9	41.4	..	..
1922	42.6	..	53.6	47.8	42.3	..	47.7	32.4	26.9	28.9	41.4	..	..
1923	44.0	..	51.5	50.3	43.8	..	48.8	33.6	26.7	29.7	41.1	..	..
1924	44.2	..	52.4	49.5	41.7	..	49.0	36.1	29.1	30.6	41.8	..	..
1925	45.5	..	54.8	52.6	44.4	..	49.3	37.3	29.9	32.7	43.3	..	..
1926	41.9	..	52.6	52.3	43.6	34.4	50.8	38.5	31.2	32.7	43.8	..	..
1927	41.9	..	56.4	49.7	43.1	33.8	51.0	40.7	33.8	33.8	42.6	..	..
1928	43.7	..	55.0	51.2	45.5	36.5	51.8	40.6	35.2	35.8	45.3	32.8	42.7
1929	43.5	..	53.3	51.1	44.7	37.1	51.3	41.2	35.1	34.6	45.2	24.8	29.1
1930	43.5	..	51.6	50.4	43.4	36.3	51.4	41.9	34.7	35.8	47.6	19.1	20.8
1931	44.8	..	53.4	51.3	47.1	37.2	52.6	44.0	38.2	37.2	47.4	42.7	18.2
1932	47.9	..	55.6	54.1	48.7	40.9	55.1	46.5	39.5	42.0	49.8	24.4	21.1
1933	48.9	..	57.7	54.6	50.0	42.1	55.9	47.6	41.5	41.5	50.9	27.7	22.5
1934	49.0	..	58.8	53.5	48.4	41.7	56.7	46.6	42.3	41.8	52.9	43.8	25.7
1935	49.6	..	56.0	53.8	47.4	43.2	57.1	47.3	41.6	42.9	53.0	41.9	30.1
1936	50.5	..	58.0	53.8	49.3	44.5	57.8	48.1	44.0	42.9	51.9	35.8	21.9
1937	49.6	..	57.5	55.5	46.5	42.3	58.0	48.0	42.7	42.7	51.7	37.1	28.2
1938	51.5	..	60.3	54.9	49.6	44.5	58.8	50.8	46.5	45.5	53.2	30.4	20.5
1939	53.1	..	57.8	55.8	50.0	46.7	60.6	51.4	47.8	47.4	55.8	39.1	28.5
1940	53.7	..	58.8	55.4	49.6	47.7	60.9	51.6	47.9	48.2	57.0	21.9	25.9
1941	53.3	..	58.6	54.7	49.5	46.7	60.7	52.8	48.6	48.3	57.6	19.1	27.8
1942	53.5	..	56.7	54.7	48.0	46.4	61.1	53.0	50.3	50.5	56.9	18.5	19.9
1943	54.5	..	58.3	55.0	50.8	47.8	61.6	52.1	51.9	50.5	57.1	32.6	25.0
1944	54.1	..	57.3	56.4	51.0	47.2	61.3	52.4	51.6	49.5	57.5	35.5	23.0
1945	54.8	..	59.1	56.2	50.5	47.7	61.6	54.4	53.4	51.3	57.5	41.5	20.1
1946	54.8	..	59.6	56.7	49.2	49.4	61.2	52.5	50.8	50.4	57.3	38.2	20.8
1947	55.4	..	58.5	57.8	51.7	49.5	61.7	54.1	51.6	51.4	57.4	23.5	22.1
1948	56.6	..	61.2	60.7	50.8	50.4	62.4	56.0	53.7	52.8	59.4	28.7	22.8
1949	56.9	46.0	57.9	59.9	54.0	51.4	62.3	57.1	54.2	54.5	59.8	22.7	29.6
1950	58.0	45.0	62.9	60.9	54.4	51.8	63.5	58.9	56.6	55.7	60.7	36.9	25.8
1951	58.7	50.0	66.8	62.7	55.9	53.2	63.7	59.6	57.3	55.2	61.4	29.2	27.8
1952	58.1	50.5	63.0	61.9	56.1	52.0	63.4	58.7	55.2	55.0	61.2	27.1	22.2
1953	59.3	51.3	66.4	63.0	57.3	53.8	63.8	59.4	56.9	55.3	63.0	39.3	24.4
1954	60.0	53.9	65.5	63.1	56.9	54.2	64.2	61.3	58.7	57.0	63.4	24.7	27.0
1955	60.5	52.8	64.9	64.2	59.0	55.6	64.4	60.9	58.9	57.1	64.4	22.1	28.5
1956	60.6	52.1	63.3	64.5	59.0	55.2	64.7	61.1	60.3	57.8	63.2	23.6	24.5
1957	60.8	54.2	66.1	63.8	60.0	55.9	64.7	61.7	61.3	56.8	62.5	39.5	20.3
1958	61.4	54.4	69.3	64.0	62.3	56.9	64.8	62.4	61.2	57.9	63.4	37.0	18.5
1959	62.3	54.4	68.2	63.9	61.7	58.1	65.3	64.4	62.8	59.2	64.5	45.6	22.7
1960	62.7	55.5	67.4	65.1	63.3	58.6	65.6	63.3	62.5	58.6	66.0	36.8	20.2
1961	63.1	56.7	67.9	65.1	63.7	59.3	66.0	64.4	62.9	58.8	65.7	32.4	21.5
1962	63.2	54.9	68.4	63.6	62.0	59.4	66.1	64.4	63.6	59.8	66.5	22.3	18.5
1963	64.1	57.4	70.8	66.7	63.9	60.1	66.5	65.4	64.4	61.7	67.3	36.2	25.1
1964	64.3	56.3	68.4	66.2	64.1	60.6	66.8	64.8	64.3	61.1	67.6	32.1	22.5
1965	65.4	56.4	68.8	66.9	65.8	62.2	67.7	66.1	65.6	62.5	68.2	34.8	27.1
1966	65.9	59.6	70.2	67.6	65.9	62.7	67.7	68.3	66.4	64.4	68.0	29.5	24.5
1967	66.2	60.9	69.3	68.6	65.9	63.6	68.0	67.4	65.8	63.5	68.0	46.7	31.1
1968	67.1	61.8	69.6	68.7	67.8	64.7	68.7	69.0	66.7	64.2	68.7	40.2	31.2
1969	67.3	61.8	70.0	69.8	68.3	65.0	68.7	68.6	67.5	64.6	69.1	38.1	28.9
1970	67.5	63.1	72.4	69.7	68.0	65.3	69.0	68.5	67.9	64.8	69.0	39.3	29.9
1971	68.2	63.0	73.5	70.0	69.7	66.1	69.3	69.8	69.6	65.7	69.3	37.9	34.7
1972	68.6	63.1	71.8	70.1	68.7	66.5	69.9	69.0	69.9	66.1	70.0	50.0	39.4
1973	69.1	64.5	72.7	70.7	69.3	67.2	70.2	70.6	70.5	67.5	69.3	50.0	37.9
1974	69.4	66.8	74.3	70.5	69.5	67.7	70.6	70.7	70.4	67.0	69.9	40.8	39.0
1975	69.4	66.2	71.1	71.4	70.3	67.3	70.9	70.7	70.0	66.8	69.6	51.7	38.4
1976	70.1	67.7	74.5	71.6	70.7	68.0	71.5	71.0	71.2	67.8	71.1	46.9	35.8
1977	70.2	69.3	71.5	72.4	70.7	68.2	71.4	70.7	70.9	68.1	70.5	53.8	33.6

TABLE 8B. Median Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 8B. Âge médian des décédés, selon le sexe, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Masculin													
1921	41.3	..	59.2	50.6	37.1	..	48.7	24.8	12.5	24.3	46.4	..	..
1922	45.4	..	64.2	54.0	44.4	..	54.0	26.1	20.8	26.6	46.5	..	..
1923	48.0	..	64.4	55.4	46.6	..	55.6	34.9	18.7	28.0	47.4	..	..
1924	49.8	..	65.7	56.5	48.2	..	56.4	41.4	23.2	32.0	48.2	..	..
1925	51.2	..	66.2	59.5	49.3	..	57.3	40.2	24.2	38.8	50.2	..	..
1926	45.2	..	62.9	58.6	52.2	17.1	58.7	42.0	26.8	38.1	51.9	..	..
1927	46.0	..	66.4	54.8	52.8	19.4	58.6	46.1	33.2	40.6	51.5	..	..
1928	48.9	..	66.2	59.3	52.8	26.7	59.1	47.9	39.0	40.9	53.2	..	..
1929	48.9	..	64.9	59.0	52.1	28.2	58.5	48.7	34.9	39.8	53.4	..	..
1930	49.1	..	64.7	56.6	49.5	28.2	58.2	51.1	40.0	43.4	53.8	..	..
1931	50.8	..	66.9	58.9	53.5	30.0	59.1	50.7	42.6	45.3	55.1	..	..
1932	55.1	..	67.7	60.9	58.5	42.0	61.7	54.6	48.7	49.8	58.0	..	..
1933	56.4	..	69.4	62.7	59.8	43.3	62.9	56.4	49.4	50.2	58.9	..	..
1934	57.1	..	68.0	62.0	56.1	44.9	63.4	56.7	52.4	53.0	58.6	..	..
1935	57.5	..	64.5	61.3	58.8	45.9	63.4	56.7	52.4	53.2	60.1	..	..
1936	58.9	..	66.4	62.5	60.5	49.6	64.1	58.2	54.2	52.2	61.4	..	..
1937	57.9	..	64.3	62.9	55.7	45.3	63.7	59.7	53.4	54.5	60.1	..	..
1938	59.6	..	68.6	63.5	60.6	49.7	64.4	60.3	57.4	56.5	61.7	..	..
1939	61.0	..	67.3	65.4	60.6	52.1	65.5	61.2	58.6	58.6	62.2	..	..
1940	61.7	..	69.1	64.6	61.2	54.3	65.3	62.0	59.9	60.0	63.1	..	..
1941	61.2	..	68.2	62.1	60.0	52.8	65.0	61.9	60.1	58.9	63.6	..	..
1942	61.7	..	68.6	61.8	59.3	53.4	65.3	62.2	60.7	61.0	64.1	..	..
1943	62.5	..	67.4	63.1	61.3	55.3	65.9	63.4	61.9	61.1	64.5	..	..
1944	62.7	..	69.2	64.3	60.6	55.2	65.7	63.9	63.0	61.0	65.1	..	..
1945	63.1	..	69.9	64.7	61.8	56.1	65.9	64.0	63.6	62.5	65.1	..	..
1946	63.1	..	66.5	64.1	61.1	56.9	65.7	63.4	63.1	62.4	65.8	..	..
1947	63.3	..	68.6	64.9	59.9	56.6	65.8	64.3	64.7	63.2	65.2	..	..
1948	64.1	..	69.6	65.8	61.0	57.7	66.2	64.9	64.8	64.2	66.5	..	..
1949	64.5	57.2	68.1	65.9	62.5	59.0	66.5	65.7	65.7	64.7	66.7	..	..
1950	65.1	57.7	70.4	67.5	63.8	59.8	66.8	66.8	66.6	65.2	67.4	..	..
1951	65.5	58.2	71.8	68.0	65.5	60.4	66.8	67.6	68.0	65.0	68.3	..	..
1952	65.1	60.0	71.9	67.5	65.9	59.6	66.7	67.6	67.3	64.7	67.8	..	..
1953	65.7	61.6	71.7	67.4	66.2	60.4	67.0	67.6	67.9	65.1	69.1	..	..
1954	66.3	63.7	69.9	67.9	66.6	61.7	67.3	68.2	68.7	65.9	69.4	..	..
1955	67.0	63.6	73.1	69.3	66.0	62.5	67.6	68.8	69.0	67.1	70.3	..	..
1956	67.0	62.9	71.2	68.8	67.0	62.5	67.8	68.9	69.7	67.5	70.1	..	..
1957	66.9	63.8	72.3	69.2	66.6	62.2	67.4	69.2	70.1	68.0	69.9	..	..
1958	67.2	63.5	73.0	68.1	66.8	62.9	67.9	69.5	69.9	67.5	70.2	..	..
1959	67.7	62.9	72.8	69.7	68.1	63.2	68.2	70.7	70.7	67.9	71.0	..	..
1960	67.8	63.0	71.3	68.2	68.2	63.4	68.2	70.2	71.1	68.4	71.8	..	..
1961	67.9	63.7	71.8	69.0	69.0	64.0	68.1	71.0	71.6	68.3	71.8	..	..
1962	68.0	64.8	70.5	69.1	68.8	63.6	68.1	70.9	72.4	69.0	71.9	..	..
1963	68.2	62.8	71.6	69.4	69.1	64.3	68.3	71.6	72.3	69.2	72.2	..	..
1964	68.1	64.6	71.1	69.2	69.0	64.2	68.0	71.1	72.8	68.6	72.3	..	..
1965	68.5	65.5	71.2	69.8	69.7	65.1	68.7	71.5	72.5	69.2	72.1	..	..
1966	68.4	64.5	72.9	69.3	69.3	64.8	68.6	71.3	72.6	69.6	72.0	..	..
1967	68.2	64.9	71.5	69.3	68.7	65.4	68.2	71.2	72.8	69.3	71.6	..	..
1968	68.6	67.4	70.3	70.4	69.4	66.1	68.5	71.7	72.7	70.1	71.5	..	..
1969	68.5	66.4	71.7	69.5	69.0	65.8	68.5	70.8	73.0	69.6	71.3	..	..
1970	68.4	66.6	71.2	69.9	70.1	65.8	68.4	71.1	73.1	69.3	69.9	..	..
1971	68.5	67.0	71.3	69.1	69.1	66.0	68.6	71.5	73.4	69.1	70.5	..	..
1972	68.5	67.4	70.9	69.8	69.1	66.4	68.5	70.6	72.2	69.0	70.3	..	..
1973	68.6	66.7	71.5	68.4	68.7	66.3	68.8	71.1	73.1	69.5	69.9	..	..
1974	68.6	67.8	71.2	69.6	69.2	66.4	68.9	71.3	73.1	69.2	69.3	..	..
1975	68.6	67.7	73.3	69.5	69.1	66.2	69.0	71.5	73.0	69.4	69.8	..	..
1976	68.9	67.8	72.1	69.7	68.6	66.8	69.3	70.8	72.8	69.5	70.7	..	..
1977	68.8	67.0	69.8	69.0	68.8	66.9	69.1	70.5	72.5	69.2	70.0	..	..

TABLE 8B. Median Age of Decedents, by Sex, Canada and Provinces, 1921 - 1977 - Concluded

TABLEAU 8B. Âge médian des décédés, selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N.-O.
Female - Féminin													
1921	43.5	..	63.5	52.4	40.3	..	52.8	26.4	16.8	18.9	43.9	..	..
1922	46.3	..	65.3	55.5	45.5	..	55.9	27.9	16.2	23.2	44.4	..	..
1923	49.6	..	63.5	59.1	47.3	..	58.0	29.4	15.4	24.4	44.4	..	..
1924	49.8	..	65.0	59.4	44.5	..	58.0	36.0	22.5	25.5	44.4	..	..
1925	52.3	..	66.5	62.7	50.0	..	59.1	37.4	23.1	30.3	47.9	..	..
1926	45.9	..	64.5	62.9	48.8	28.3	60.4	39.5	25.3	30.5	47.3	..	..
1927	45.8	..	67.8	59.5	47.7	26.9	60.4	43.8	31.3	32.4	46.1	..	..
1928	49.1	..	64.8	61.1	52.6	33.4	60.9	42.6	33.7	35.4	49.5	..	..
1929	49.2	..	66.4	61.5	50.9	34.6	61.3	43.2	32.9	33.1	50.0	..	..
1930	49.4	..	62.4	59.8	49.5	33.1	60.8	44.8	32.9	33.6	52.8	..	..
1931	52.1	..	65.1	62.0	56.3	35.0	62.4	50.0	39.2	38.7	52.8	..	..
1932	56.2	..	66.7	64.8	57.1	42.9	64.5	53.2	42.6	45.5	56.6	..	..
1933	57.7	..	69.1	65.5	60.2	46.4	65.0	54.6	46.8	45.5	57.1	..	..
1934	58.1	..	68.5	64.1	58.8	45.7	65.6	53.6	47.0	47.3	60.6	..	..
1935	58.9	..	69.3	64.7	57.9	48.4	66.0	54.6	46.9	48.9	60.0	..	..
1936	59.8	..	70.6	64.3	59.3	50.5	66.6	55.4	50.5	48.1	58.2	..	..
1937	59.0	..	68.1	66.7	57.0	46.8	67.1	55.2	48.8	48.7	59.0	..	..
1938	61.3	..	70.2	65.0	60.6	51.1	67.7	59.2	55.4	53.3	60.8	..	..
1939	63.1	..	69.2	65.9	62.1	55.1	68.8	59.9	56.1	55.8	63.5	..	..
1940	63.8	..	71.3	67.0	61.8	56.4	68.9	60.7	57.0	56.0	64.4	..	..
1941	63.6	..	69.5	65.6	60.5	55.3	68.9	61.0	58.1	56.9	65.3	..	..
1942	63.6	..	67.3	66.2	59.0	55.2	68.9	62.5	59.3	59.0	64.5	..	..
1943	64.7	..	69.4	65.8	63.2	57.0	69.5	62.3	61.5	60.4	65.2	..	..
1944	64.5	..	68.3	67.5	62.9	56.9	69.3	62.0	61.7	58.8	65.9	..	..
1945	65.0	..	70.2	67.0	63.4	57.3	69.4	63.9	63.2	61.5	65.7	..	..
1946	65.3	..	70.1	67.8	61.3	59.2	69.7	62.5	61.7	60.6	66.1	..	..
1947	66.0	..	69.3	69.1	64.0	59.9	70.0	64.9	62.5	62.4	65.9	..	..
1948	67.0	..	71.7	70.6	64.5	61.0	70.5	65.9	64.8	62.9	67.5	..	..
1949	67.4	56.2	70.3	70.6	67.3	62.4	70.7	67.5	64.7	64.9	68.1	..	..
1950	68.2	55.6	73.7	71.2	66.7	62.9	71.1	68.4	67.1	66.0	69.0	..	..
1951	68.8	63.8	74.1	72.0	68.8	64.2	71.5	69.3	67.9	66.1	69.8	..	..
1952	68.4	63.9	71.8	71.4	68.4	63.3	71.4	68.0	66.8	65.6	69.8	..	..
1953	69.3	65.8	74.8	72.3	69.5	64.9	71.8	68.9	67.9	66.6	71.0	..	..
1954	69.7	66.9	74.9	72.5	69.2	65.2	72.2	69.7	69.0	68.0	71.8	..	..
1955	70.4	67.4	75.3	72.9	70.7	66.2	72.4	70.1	69.9	68.1	72.6	..	..
1956	70.6	66.2	75.4	73.0	71.1	66.4	72.6	70.8	71.0	68.8	72.1	..	..
1957	70.6	67.0	75.2	73.1	71.4	66.6	72.6	71.2	71.0	68.5	71.7	..	..
1958	71.2	68.0	76.8	73.5	73.2	67.6	72.7	71.7	71.4	69.5	72.8	..	..
1959	71.8	68.5	76.8	73.3	71.8	68.5	73.2	72.7	72.5	70.5	73.2	..	..
1960	72.0	69.0	76.1	74.4	73.7	68.4	73.2	72.7	72.4	69.8	74.1	..	..
1961	72.2	69.9	77.1	73.5	73.0	69.0	73.6	72.9	72.6	70.6	74.1	..	..
1962	72.4	68.8	76.8	73.6	72.4	68.9	73.6	73.7	74.2	71.1	74.3	..	..
1963	72.9	69.8	78.3	74.9	73.7	69.4	73.9	73.7	74.1	72.0	75.3	..	..
1964	72.9	69.0	76.3	74.4	73.7	69.6	73.9	73.5	74.0	71.6	75.4	..	..
1965	73.4	70.1	76.8	74.8	74.7	70.4	74.5	74.3	74.6	72.2	75.8	..	..
1966	73.5	70.4	77.4	75.0	73.9	70.5	74.4	75.4	75.1	73.1	75.2	..	..
1967	73.6	71.9	76.5	75.6	74.0	70.8	74.5	74.9	74.8	72.5	75.3	..	..
1968	74.0	72.3	75.1	75.6	75.5	71.7	74.8	75.6	75.4	72.6	75.7	..	..
1969	74.2	72.2	77.0	76.0	75.7	71.7	74.9	75.3	75.5	73.5	75.9	..	..
1970	74.1	72.3	79.0	75.5	75.1	71.6	75.5	75.4	75.5	73.3	75.3	..	..
1971	74.7	73.4	79.9	76.5	76.1	72.3	75.2	76.6	77.0	74.1	76.3	..	..
1972	74.7	72.3	78.0	76.4	75.8	72.3	75.5	75.9	76.8	74.1	76.3	..	..
1973	75.0	73.1	79.5	76.5	75.3	72.7	75.9	77.0	77.2	75.0	75.7	..	..
1974	75.2	74.1	80.1	76.3	75.9	72.9	76.0	76.8	78.0	74.1	76.2	..	..
1975	75.0	74.0	78.2	76.9	76.0	72.7	75.8	76.8	77.5	74.1	75.3	..	..
1976	75.6	75.0	79.9	78.2	76.6	73.1	76.4	76.9	78.0	74.2	76.6	..	..
1977	75.3	74.8	78.8	76.9	76.4	73.0	76.2	76.4	77.5	74.7	76.0	..	..

TABLE 9. Death Rates (Per 1,000 Population), by Sex and Age, Canada, 1921 - 1977  
and Provinces, 1977

No.	Province	Total	Under 1 year <sup>1</sup> — Moins de 1 an <sup>1</sup>	1-4 years — ans	5-9 years — ans	10-14 years — ans	15-19 years — ans	20-24 years — ans	25-29 years — ans
Both sexes - Deux sexes									
Canada									
1	1921	10.6	88.1	7.4	2.9	2.0	2.9	3.7	4.1
2	1922	10.6	86.8	6.9	2.6	2.0	2.7	3.7	4.0
3	1923	10.7	88.1	6.8	2.6	1.9	2.8	3.5	3.9
4	1924	10.0	78.5	6.4	2.2	1.9	2.6	3.4	3.4
5	1925	9.9	78.6	5.9	2.0	1.8	2.5	3.4	3.5
6	1926	11.4	101.8	8.6	2.3	1.9	2.9	3.7	3.8
7	1927	10.9	94.0	8.1	2.6	2.1	2.9	3.8	4.0
8	1928	11.1	89.5	7.5	2.4	2.0	2.9	3.9	4.1
9	1929	11.3	92.1	8.6	2.6	1.9	3.0	3.8	4.1
10	1930	10.7	89.3	7.4	2.3	1.7	2.8	3.6	3.9
11	1931	10.1	84.7	6.5	1.0	1.5	2.4	3.2	3.6
12	1932	9.9	73.3	5.6	1.7	1.5	2.2	3.0	3.3
13	1933	9.6	73.1	5.1	1.5	1.3	2.0	2.8	3.1
14	1934	9.5	71.7	5.5	1.5	1.3	1.9	2.6	3.0
15	1935	9.7	71.0	5.6	1.7	1.4	2.0	2.6	3.1
16	1936	9.8	66.1	5.1	1.8	1.3	2.0	2.7	3.0
17	1937	10.8	75.8	6.8	2.0	1.4	2.0	2.7	3.0
18	1938	9.6	63.3	4.9	1.7	1.3	1.8	2.4	2.7
19	1939	9.7	60.7	4.4	1.6	1.2	1.8	2.3	2.6
20	1940	9.8	56.4	4.3	1.4	1.1	1.7	2.2	2.5
21	1941	10.0	59.7	4.3	1.5	1.2	1.7	2.3	2.6
22	1942	9.7	53.8	4.2	1.3	1.1	1.7	2.4	2.4
23	1943	10.1	53.7	3.7	1.4	1.1	1.8	2.4	2.3
24	1944	9.7	54.7	3.7	1.4	1.0	1.6	2.0	2.1
25	1945	9.4	51.3	2.9	1.2	1.0	1.5	1.9	2.0
26	1946	9.4	46.7	3.0	1.2	0.9	1.5	1.9	2.0
27	1947	9.4	45.5	2.6	1.0	0.8	1.4	1.8	1.9
28	1948	9.3	43.7	2.5	1.0	0.8	1.3	1.7	1.7
29	1949	9.2	43.3	2.3	0.9	0.8	1.3	1.6	1.7
30	1950	9.1	41.5	2.0	0.9	0.7	1.1	1.4	1.4
31	1951	9.0	38.5	1.9	0.8	0.7	1.1	1.4	1.5
32	1952	8.7	38.2	2.0	0.8	0.7	1.0	1.4	1.4
33	1953	8.6	35.6	1.8	0.8	0.6	1.0	1.4	1.3
34	1954	8.2	31.9	1.6	0.7	0.5	0.9	1.2	1.3
35	1955	8.2	31.3	1.5	0.6	0.6	0.9	1.2	1.2
36	1956	8.2	31.9	1.5	0.6	0.5	0.9	1.2	1.2
37	1957	8.2	30.9	1.5	0.6	0.5	0.9	1.2	1.3
38	1958	7.9	30.2	1.3	0.6	0.5	0.8	1.0	1.2
39	1959	8.0	28.4	1.2	0.6	0.5	0.9	1.2	1.2
40	1960	7.8	27.3	1.2	0.6	0.5	0.9	1.1	1.1
41	1961	7.7	27.2	1.1	0.5	0.4	0.8	1.1	1.1
42	1962	7.7	27.6	1.1	0.5	0.4	0.8	1.2	1.1
43	1963	7.8	26.3	1.1	0.6	0.4	0.9	1.2	1.1
44	1964	7.6	24.7	1.0	0.5	0.4	0.8	1.2	1.0
45	1965	7.6	23.6	1.0	0.5	0.4	0.9	1.2	1.1
46	1966	7.5	23.1	1.0	0.5	0.4	0.9	1.2	1.1
47	1967 <sup>1</sup>	7.4	22.0	1.0	0.5	0.4	0.9	1.2	1.1
48	1968 <sup>1</sup>	7.4	20.8	0.9	0.5	0.4	0.9	1.2	1.1
49	1969 <sup>1</sup>	7.4	19.3	0.9	0.5	0.4	0.9	1.2	1.1
50	1970 <sup>1</sup>	7.3	18.8	0.8	0.5	0.4	0.9	1.2	1.0
51	1971	7.3	17.5	0.8	0.5	0.4	1.0	1.2	1.0
52	1972	7.4	17.1	0.9	0.4	0.4	1.1	1.3	1.1
53	1973	7.4	15.6	0.8	0.4	0.4	1.2	1.3	1.1
54	1974	7.4	15.0	0.8	0.4	0.4	1.2	1.3	1.1
55	1975	7.3 <sup>2</sup>	14.3 <sup>2</sup>	0.8	0.4	0.4	1.1	1.2	1.1
56	1976	7.3	13.5 <sup>2</sup>	0.7	0.4	0.3	1.0	1.1	1.0
57	1977	7.2	12.4	0.6	0.4	0.3	1.0	1.2	1.0
58	Newfoundland - Terre-Neuve	5.6	10.3	0.5	0.5	0.3	0.6	0.7	0.5
59	Prince Edward Island - Île-du-Prince-Édouard	8.7	18.5	0.8	0.5	0.7	1.8	2.0	1.3
60	Nova Scotia - Nouvelle-Écosse	8.3	11.5	0.6	0.2	0.3	0.9	1.1	1.0
61	New Brunswick - Nouveau-Brunswick	7.6	13.4	0.8	0.4	0.4	1.2	1.4	1.2
62	Québec	6.9	12.4	0.6	0.5	0.3	1.0	1.2	1.1
63	Ontario	7.3	11.3	0.5	0.3	0.3	0.8	1.0	0.9
64	Manitoba	7.9	16.6	0.8	0.4	0.4	1.1	1.3	1.0
65	Saskatchewan	8.1	15.1	1.0	0.3	0.4	1.5	1.5	1.2
66	Alberta	6.1	11.1	0.7	0.4	0.3	1.3	1.5	1.0
67	British Columbia - Colombie-Britannique	7.4	13.5	0.6	0.4	0.3	1.2	1.5	1.3
68	Yukon	4.9	15.0	1.3	-	0.9	2.4	1.3	1.2
69	Northwest Territories - Territoires du Nord-Ouest	4.6	29.2	1.9	0.9	2.1	2.7	2.2	2.3

See footnote(s) at end of table.

TABLEAU 9. Taux de mortalité (pour 1,000 habitants), selon le sexe et le groupe d'âges, Canada, 1921 - 1977  
et provinces, 1977

30 - 34 years — ans	35 - 39 years — ans	40 - 44 years — ans	45 - 49 years — ans	50 - 54 years — ans	55 - 59 years — ans	60 - 64 years — ans	65 - 69 years — ans	70 - 74 years — ans	75 - 79 years — ans	80 - 84 years — ans	85 + years — ans	No
Both sexes - Deux sexes												
4.1	5.1	5.7	7.2	10.0	14.4	20.9	33.3	54.9	85.2	127.9	226.4	1
4.2	5.0	5.8	7.4	9.7	15.0	21.3	35.0	56.8	89.9	139.6	241.1	2
4.1	5.0	5.8	7.1	9.7	15.4	22.6	36.5	57.7	93.1	149.1	258.3	3
3.8	4.6	5.5	6.9	9.5	13.5	21.4	34.5	54.2	85.2	140.0	243.3	4
3.6	4.3	5.3	6.7	9.1	13.7	21.1	34.8	54.0	87.5	141.0	248.2	5
4.2	5.2	6.0	7.5	9.8	14.6	22.4	36.6	58.4	97.3	148.4	264.2	6
4.1	5.0	5.7	7.4	9.8	14.8	22.2	35.6	54.3	90.3	135.3	249.8	7
4.2	5.1	6.1	7.7	10.3	15.4	23.0	36.5	57.5	95.1	145.3	263.6	8
4.2	5.1	6.2	7.7	10.6	14.9	23.3	37.8	57.8	94.6	148.2	261.7	9
3.9	4.7	5.9	7.4	10.1	14.8	21.8	35.2	54.5	88.0	136.9	237.3	10
3.9	4.5	5.2	6.9	9.9	14.5	21.9	32.9	52.1	85.2	130.5	219.5	11
3.7	4.5	5.3	6.8	9.9	14.6	21.8	34.3	55.3	90.0	146.2	242.3	12
3.5	4.1	5.0	6.9	9.7	14.0	22.0	34.2	53.6	86.8	142.9	230.6	13
3.5	3.9	4.8	6.8	9.5	14.1	22.5	33.0	52.7	83.2	137.2	214.4	14
3.4	4.3	5.0	6.8	9.5	14.1	22.6	33.3	54.0	84.4	141.9	220.5	15
3.5	4.2	5.0	6.7	9.7	14.2	23.0	33.7	54.6	86.0	140.9	222.1	16
3.5	4.3	5.2	7.1	9.9	14.4	23.4	33.6	54.4	86.8	144.0	224.4	17
3.1	3.8	4.8	6.5	9.4	13.8	21.7	32.8	53.2	83.8	131.4	215.0	18
2.9	3.7	4.6	6.3	9.6	14.0	21.9	34.1	53.8	87.0	136.1	236.1	19
2.8	3.7	4.6	6.3	9.6	14.4	21.8	34.4	54.3	87.1	137.1	238.8	20
2.8	3.6	4.7	6.7	9.4	14.3	21.6	34.1	52.9	87.6	139.0	234.9	21
2.6	3.3	4.4	6.3	9.5	14.2	21.4	33.3	51.2	84.9	131.3	226.2	22
2.5	3.4	4.5	6.4	9.2	14.3	21.8	34.2	53.5	88.0	142.3	249.2	23
2.3	3.0	4.2	6.1	9.1	13.8	21.2	33.6	52.2	83.1	132.6	228.7	24
2.3	3.1	4.0	6.1	8.9	13.4	21.0	32.3	50.5	82.0	127.4	226.3	25
2.2	2.8	4.0	5.9	8.7	13.4	20.5	32.5	49.3	79.3	124.6	219.1	26
2.1	2.8	3.8	6.0	8.7	13.3	20.9	32.3	49.5	77.6	123.4	207.4	27
2.0	2.8	3.9	5.8	8.8	13.5	21.0	31.4	49.9	78.5	123.4	213.8	28
1.9	2.6	3.7	5.8	8.6	12.9	21.3	31.6	50.5	77.0	122.9	212.8	29
1.6	2.4	3.6	5.7	8.4	12.9	20.8	31.7	49.0	77.3	123.4	215.1	30
1.8	2.3	3.5	5.5	8.5	13.3	20.5	30.3	48.2	80.5	127.7	222.0	31
1.7	2.3	3.4	5.4	8.6	13.0	20.1	30.0	46.5	74.9	120.6	210.6	32
1.6	2.2	3.4	5.2	8.5	12.7	19.9	30.0	46.8	75.5	119.5	214.7	33
1.5	2.0	3.2	4.8	8.1	12.0	19.4	29.2	44.7	72.5	114.2	208.3	34
1.5	1.8	2.9	4.7	7.8	12.1	19.1	29.5	45.3	75.1	119.1	210.9	35
1.4	1.9	2.9	4.8	7.7	12.3	19.4	29.2	45.3	74.8	121.0	208.5	36
1.4	1.9	3.0	5.0	7.8	12.7	19.9	30.3	44.9	74.1	120.9	209.2	37
1.3	1.9	2.9	4.7	7.7	12.3	19.0	29.2	43.9	71.8	117.8	207.1	38
1.3	1.8	2.8	4.7	7.6	12.2	18.7	29.0	46.0	73.3	119.6	211.3	39
1.2	1.9	2.7	4.8	7.4	12.0	18.7	28.1	44.5	71.8	115.6	207.4	40
1.3	1.8	2.7	4.5	7.5	11.7	18.4	28.4	43.9	70.2	112.4	199.4	41
1.3	1.8	2.8	4.5	7.3	11.9	18.4	27.7	43.8	69.0	110.7	201.1	42
1.3	1.8	2.7	4.5	7.4	11.8	18.6	27.8	43.6	70.4	112.5	201.5	43
1.3	1.7	2.8	4.5	7.4	11.5	18.9	27.4	42.4	68.3	107.2	186.4	44
1.3	1.8	2.8	4.4	7.5	11.5	18.2	27.3	42.5	68.9	108.6	196.4	45
1.3	1.8	2.7	4.5	7.4	11.6	18.1	27.5	41.2	65.9	107.5	196.0	46
1.2	1.7	2.9	4.5	7.3	11.6	17.9	27.1	40.3	64.5	103.6	189.9	47
1.3	1.8	2.7	4.4	7.1	11.4	17.5	27.4	40.7	64.1	105.2	193.1	48
1.2	1.8	2.7	4.5	7.1	11.3	17.2	27.1	40.5	62.5	101.6	185.4	49
1.3	1.8	2.8	4.4	7.1	11.2	17.4	26.9	40.2	61.6	99.2	177.1	50
1.3	1.8	2.9	4.4	7.0	10.9	16.9	25.6	38.9	61.4	97.7	177.3	51
1.3	1.8	2.9	4.4	7.1	10.9	17.0	26.3	40.0	61.3	97.8	178.8	52
1.2	1.8	2.8	4.4	7.0	11.2	17.0	25.3	38.9	61.0	97.3	179.0	53
1.2	1.8	2.7	4.5	6.9	10.8	16.8	25.6	39.5	59.8	97.2	177.5	54
1.2	1.7	2.7	4.4	6.8	10.7	16.4	25.4	38.5	58.7	93.8	173.9	55
1.1	1.6	2.5	4.3	6.6	10.4	16.0	24.3	37.6	58.2	92.8	169.6	56
1.1	1.7	2.6	4.3	6.6	10.2	15.9	24.0	37.1	56.2	88.9	162.8	57
0.8	1.7	3.0	4.1	6.5	10.6	17.1	24.4	39.4	56.6	89.5	155.0	58
1.0	1.1	2.1	6.0	7.5	8.7	18.0	22.5	34.8	48.5	83.3	146.4	59
1.1	1.6	2.7	5.0	7.9	11.0	17.9	25.9	39.5	58.6	90.8	178.5	60
1.3	1.9	3.2	4.2	7.4	11.5	15.3	23.9	34.5	57.4	87.4	172.0	61
1.2	1.7	2.6	4.5	7.3	11.1	17.6	25.9	41.1	60.8	95.1	172.0	62
0.9	1.5	2.4	4.3	6.5	10.5	16.1	24.7	37.7	56.7	90.8	164.9	63
1.3	1.8	2.5	4.1	6.3	8.7	14.8	21.8	34.0	53.4	83.2	153.1	64
1.3	1.8	2.6	3.4	5.1	8.0	12.2	20.4	31.7	51.0	82.2	159.4	65
1.2	1.7	2.7	3.9	5.8	8.9	13.4	21.3	34.5	53.5	84.6	158.2	66
1.3	1.8	2.6	4.0	6.4	8.9	14.1	20.9	31.8	50.0	79.6	149.0	67
0.9	1.3	5.0	5.0	8.9	20.0	27.5	30.0	60.0	80.0	--	--	68
2.3	2.9	3.8	2.9	5.4	14.0	16.7	28.0	33.3	45.0	90.0	--	69

Voir note(s) à la fin du tableau.

TABLE 9. Death Rates (Per 1,000 Population), by Sex and Age, Canada, 1921-1977  
and Provinces, 1977 - Continued

No.	Province	Total	Under 1 year <sup>1</sup> - Moins de 1 an <sup>1</sup>	1-4 years - ans	5-9 years - ans	10-14 years - ans	15-19 years - ans	20-24 years - ans	25-29 years - ans
		Male - Masculin							
	Canada								
1	1921	10.9	98.2	7.9	3.1	2.1	3.1	3.7	4.0
2	1922	11.0	97.3	7.3	2.8	2.1	2.8	3.7	3.8
3	1923	11.0	98.2	7.1	2.5	2.0	3.0	3.4	3.8
4	1924	10.3	86.1	6.9	2.3	2.0	2.7	3.4	3.2
5	1925	10.3	86.7	6.2	2.3	2.0	2.6	3.4	3.3
6	1926	11.9	112.9	9.0	2.5	2.1	2.9	3.5	3.5
7	1927	11.4	104.0	8.6	2.7	2.2	2.8	3.6	3.9
8	1928	11.6	99.0	7.9	2.6	2.1	3.0	3.7	3.9
9	1929	11.8	102.0	9.1	2.7	2.0	3.1	3.7	3.9
10	1930	11.2	98.4	7.9	2.6	1.7	2.8	3.7	3.7
11	1931	10.5	94.4	6.8	2.2	1.5	2.5	3.2	3.4
12	1932	10.3	81.5	6.0	1.9	1.5	2.3	3.0	3.1
13	1933	10.0	81.7	5.5	1.6	1.3	2.2	2.8	2.8
14	1934	10.0	80.5	5.9	1.7	1.4	1.8	2.4	2.8
15	1935	10.2	80.0	5.9	1.8	1.5	2.1	2.5	2.9
16	1936	10.2	73.1	5.5	1.9	1.4	2.1	2.6	2.9
17	1937	10.9	84.0	7.4	2.2	1.5	2.1	2.7	2.8
18	1938	10.3	70.5	5.3	1.8	1.5	2.0	2.5	2.7
19	1939	10.4	68.4	4.7	1.7	1.3	2.0	2.4	2.6
20	1940	10.5	62.4	4.6	1.6	1.2	2.0	2.3	2.4
21	1941	10.8	67.0	4.7	1.7	1.4	2.0	2.6	2.7
33	1942	10.6	59.7	4.5	1.5	1.2	1.9	2.8	2.5
23	1943	10.9	59.5	4.1	1.7	1.3	2.2	2.8	2.4
24	1944	10.5	60.5	4.1	1.6	1.1	2.0	2.2	2.0
25	1945	10.3	56.6	3.1	1.3	1.1	1.8	2.1	2.1
26	1946	10.3	51.9	3.3	1.3	1.1	1.7	2.1	2.0
27	1947	10.4	51.3	2.8	1.2	1.0	1.6	2.0	2.1
28	1948	10.4	48.6	2.7	1.2	0.9	1.5	2.1	1.9
29	1949	10.3	48.2	2.4	1.1	0.9	1.5	1.9	1.9
30	1950	10.1	46.2	2.2	1.0	0.8	1.4	1.7	1.7
31	1951	10.1	42.7	2.1	1.0	0.8	1.4	1.9	1.8
32	1952	10.0	42.5	2.2	1.0	0.8	1.4	1.9	1.8
33	1953	9.8	39.8	1.9	1.0	0.8	1.4	1.9	1.7
34	1954	9.3	35.8	1.7	0.8	0.7	1.2	1.7	1.6
35	1955	9.4	35.0	1.7	0.8	0.7	1.3	1.7	1.6
36	1956	9.4	35.0	1.6	0.8	0.6	1.2	1.7	1.6
37	1957	9.5	34.5	1.6	0.7	0.6	1.3	1.8	1.7
38	1958	9.1	33.7	1.4	0.7	0.6	1.2	1.5	1.6
39	1959	9.2	31.8	1.3	0.7	0.6	1.2	1.7	1.6
40	1960	9.0	30.8	1.3	0.7	0.6	1.3	1.6	1.5
41	1961	9.0	30.5	1.3	0.6	0.6	1.2	1.7	1.5
42	1962	8.9	30.6	1.2	0.6	0.5	1.1	1.7	1.5
43	1963	9.0	29.6	1.2	0.7	0.5	1.1	1.8	1.6
44	1964	8.8	27.8	1.1	0.6	0.5	1.2	1.8	1.5
45	1965	8.8	26.2	1.0	0.7	0.5	1.2	1.8	1.6
46	1966	8.7	25.8	1.1	0.6	0.6	1.3	1.8	1.6
47	1967 <sup>f</sup>	8.6	24.2	1.1	0.6	0.6	1.3	1.9	1.5
48	1968 <sup>f</sup>	8.6	22.9	1.0	0.6	0.5	1.3	1.8	1.5
49	1969 <sup>f</sup>	8.6	21.7	1.0	0.6	0.5	1.3	1.9	1.6
50	1970 <sup>f</sup>	8.5	21.2	0.9	0.6	0.5	1.3	1.7	1.4
51	1971	8.5	19.9	0.9	0.6	0.5	1.4	1.8	1.5
52	1972	8.7	19.0	1.0	0.5	0.5	1.6	2.0	1.5
53	1973	8.6	17.4	0.8	0.5	0.5	1.7	2.1	1.5
54	1974	8.6	16.6	0.9	0.5	0.5	1.7	2.0	1.6
55	1975	8.5 <sup>2</sup>	15.9 <sup>2</sup>	0.9	0.5	0.5	1.6	1.9	1.5
56	1976	8.4	15.0 <sup>2</sup>	0.8	0.4	0.4	1.4	1.8	1.5
57	1977	8.4	13.5	0.7	0.5	0.4	1.5	1.9	1.5
58	Newfoundland - Terre-Neuve	6.6	12.3	0.5	0.6	0.4	1.0	1.1	0.8
59	Prince Edward Island - Île-du-Prince-Édouard	10.8	22.0	0.5	0.7	0.8	2.7	3.5	2.1
60	Nova Scotia - Nouvelle-Écosse	9.8	12.8	0.7	0.3	0.3	1.2	1.8	1.5
61	New Brunswick - Nouveau-Brunswick	8.8	14.6	1.0	0.5	0.4	1.8	2.2	1.8
62	Québec	8.2	13.4	0.7	0.6	0.4	1.4	1.9	1.6
63	Ontario	8.3	11.9	0.6	0.4	0.4	1.2	1.6	1.2
64	Manitoba	9.5	18.8	0.8	0.5	0.5	1.7	1.9	1.8
65	Saskatchewan	9.8	16.0	1.1	0.4	0.6	2.1	2.5	1.7
66	Alberta	7.3	11.9	0.7	0.4	0.3	2.0	2.3	1.5
67	British Columbia - Colombie-Britannique	8.7	15.8	0.7	0.4	0.4	1.8	2.3	1.9
68	Yukon	6.3	20.0	1.3	-	0.9	3.6	2.7	2.3
69	Northwest Territories - Territoires du Nord-Ouest	5.5	28.3	1.9	0.7	3.0	3.0	3.5	2.9

See footnote(s) at end of table.

TABLEAU 9. Taux de mortalité (pour 1,000 habitants), selon le sexe et le groupe d'âges, Canada, 1921 - 1977  
et provinces, 1977 - suite

30 - 34 years — ans	35 - 39 years — ans	40 - 44 years — ans	45 - 49 years — ans	50 - 54 years — ans	55 - 59 years — ans	60 - 64 years — ans	65 - 69 years — ans	70 - 74 years — ans	75 - 79 years — ans	80 - 84 years — ans	85 + years — ans	No
Male - Masculin												
3.8	4.7	5.6	7.3	9.8	15.2	21.9	33.4	56.9	89.4	133.8	228.2	1
3.9	4.6	5.6	7.2	9.8	15.9	22.2	37.0	60.0	91.4	144.4	245.8	2
3.9	4.7	5.8	7.0	9.8	16.2	23.7	38.3	59.9	92.9	154.4	259.9	3
3.5	4.3	5.4	7.0	9.4	14.2	22.5	36.6	57.1	90.0	150.8	238.1	4
3.4	4.1	5.3	6.8	9.4	14.6	22.1	36.8	56.8	92.2	145.9	244.4	5
3.7	4.8	5.9	7.4	10.1	15.7	23.7	38.1	62.6	101.6	152.5	252.6	6
3.8	4.6	5.6	7.4	10.3	16.2	23.6	37.6	59.0	94.8	137.7	246.2	7
3.9	4.8	6.1	8.0	10.7	16.5	24.7	39.7	60.6	101.4	147.4	259.3	8
3.9	4.8	6.1	8.1	11.2	15.9	24.7	40.4	60.0	97.8	153.4	268.6	9
3.7	4.6	5.8	7.7	10.8	15.7	23.2	37.4	58.0	93.2	141.3	242.0	10
3.5	4.2	5.4	7.2	10.7	15.4	22.9	35.2	55.0	87.4	134.1	228.1	11
3.4	4.4	5.2	6.8	10.3	15.4	23.2	36.4	58.6	93.4	151.3	247.9	12
3.1	3.8	5.0	7.0	10.1	14.6	23.3	36.0	56.6	89.9	150.5	234.0	13
3.3	3.8	4.8	7.0	10.1	15.2	24.5	35.5	56.4	87.8	142.8	220.4	14
3.3	4.0	5.1	7.0	10.2	15.0	24.6	35.3	57.8	88.6	146.7	227.5	15
3.2	4.0	5.0	7.1	10.2	15.4	24.9	36.0	58.2	90.6	149.2	227.1	16
3.4	4.2	5.2	7.5	10.5	15.8	26.1	37.0	57.2	92.8	152.0	226.5	17
3.0	3.7	5.0	7.1	10.4	15.1	24.0	35.8	57.7	89.5	140.0	221.5	18
2.8	3.7	4.8	6.7	10.4	15.5	24.0	37.3	58.3	93.6	141.6	242.5	19
2.8	3.6	4.9	6.9	10.6	16.3	24.7	38.2	59.3	91.5	147.5	247.3	20
2.8	3.8	5.0	7.3	10.6	16.0	24.2	37.3	58.5	95.7	147.6	241.9	21
2.7	3.4	4.8	6.9	10.8	15.7	24.1	36.9	56.9	92.7	140.6	232.0	22
2.5	3.4	4.9	7.0	10.3	16.1	24.6	38.1	58.8	94.4	150.7	263.6	23
2.3	3.1	4.3	6.8	10.0	15.7	23.8	37.5	57.5	89.6	139.7	235.1	24
2.2	3.2	4.3	6.8	10.0	15.3	23.8	36.9	55.3	89.6	136.4	236.1	25
2.2	2.9	4.4	6.5	9.9	15.3	23.8	37.1	54.0	86.7	130.4	225.6	26
2.2	3.1	4.3	7.0	10.1	15.6	24.3	37.1	54.7	84.1	129.5	214.2	27
2.1	3.1	4.4	6.8	10.3	15.7	24.7	36.0	55.7	84.8	130.7	215.7	28
2.1	2.8	4.1	6.8	10.1	15.3	25.2	36.5	56.2	82.4	133.4	220.8	29
1.9	2.6	4.0	6.6	10.0	15.6	25.1	36.4	54.9	84.7	132.2	222.9	30
2.1	2.5	3.9	6.4	10.4	16.2	24.5	35.1	54.5	87.6	135.5	235.1	31
2.1	2.6	3.9	6.3	10.6	16.3	24.5	35.6	52.3	83.3	132.5	223.1	32
2.0	2.6	3.9	6.2	10.4	15.7	24.2	35.3	53.6	82.9	129.5	227.3	33
1.8	2.3	3.6	5.7	10.0	15.0	24.1	35.0	51.7	80.6	126.2	218.1	34
1.8	2.2	3.5	5.7	9.8	15.1	23.9	35.9	53.2	84.8	132.4	219.9	35
1.8	2.3	3.4	5.8	9.6	15.5	24.0	35.7	53.4	82.8	132.6	221.9	36
1.8	2.3	3.7	6.1	9.8	16.0	25.3	37.2	53.3	84.0	132.8	224.7	37
1.7	2.3	3.6	5.9	9.9	15.8	24.2	36.2	52.6	81.4	130.7	219.4	38
1.7	2.2	3.5	5.8	9.5	15.6	24.0	36.1	55.4	83.3	131.6	221.4	39
1.6	2.3	3.3	6.0	9.3	15.6	24.0	35.0	54.3	83.2	128.5	217.5	40
1.6	2.3	3.4	5.8	9.6	15.2	24.0	35.7	54.0	81.8	125.1	208.9	41
1.6	2.3	3.4	5.6	9.5	15.4	23.9	35.1	54.1	81.0	123.3	209.6	42
1.6	2.3	3.4	5.7	9.5	15.5	24.1	35.4	53.9	83.2	124.5	214.0	43
1.7	2.2	3.7	5.7	9.5	15.1	25.0	35.3	53.4	81.3	121.0	200.2	44
1.7	2.2	3.5	5.6	9.7	15.2	24.2	35.6	53.7	83.3	123.9	211.4	45
1.7	2.2	3.4	5.7	9.7	15.4	24.0	36.2	53.1	79.9	124.0	213.4	46
1.6	2.2	3.6	5.8	9.6	15.3	24.0	36.1	52.0	80.2	120.1	209.8	47
1.7	2.2	3.5	5.8	9.1	15.1	23.4	36.9	52.6	80.5	125.4	211.0	48
1.6	2.3	3.4	5.7	9.4	15.0	23.0	36.6	53.3	78.2	121.6	205.6	49
1.6	2.2	3.5	5.6	9.3	14.8	23.7	36.3	53.3	78.2	119.7	197.0	50
1.6	2.2	3.6	5.7	9.3	14.6	22.9	34.7	51.9	79.0	118.8	198.6	51
1.7	2.2	3.6	5.6	9.3	14.6	23.0	35.7	53.4	78.9	122.7	213.9	52
1.6	2.3	3.6	5.8	9.2	15.0	23.0	34.7	52.0	79.6	121.9	218.5	53
1.5	2.3	3.5	5.8	9.2	14.6	22.7	34.9	53.1	78.3	121.5	217.0	54
1.6	2.2	3.4	5.5	9.1	14.4	22.4	34.4	51.4	77.2	120.1	221.7	55
1.5	2.0	3.2	5.6	8.9	14.3	22.1	33.3	51.4	77.3	118.2	195.7	56
1.5	2.2	3.3	5.5	8.9	13.9	22.0	32.9	50.6	75.5	113.9	188.8	57
1.2	2.3	3.8	5.2	8.7	14.7	24.6	30.0	51.3	70.0	110.0	160.0	58
1.5	1.6	2.4	8.9	11.2	13.5	26.4	35.0	46.3	62.5	117.1	184.0	59
1.6	2.0	3.6	6.3	11.2	14.9	25.1	36.2	53.7	79.8	119.7	213.3	60
1.8	2.6	4.8	5.6	10.1	16.3	21.0	32.2	46.2	75.1	111.4	194.8	61
1.7	2.4	3.5	5.9	10.1	15.6	24.8	36.1	56.7	82.7	120.5	200.4	62
1.2	1.9	2.9	5.5	8.6	14.1	22.3	34.0	52.5	77.9	117.8	191.6	63
1.9	2.4	3.3	5.2	8.6	11.8	20.8	31.2	46.1	71.2	110.0	184.2	64
1.6	2.2	3.4	4.4	6.8	10.9	17.4	27.5	41.4	65.5	103.8	184.4	65
1.8	2.1	3.3	5.1	7.8	12.2	17.8	28.9	44.6	71.1	106.6	175.5	66
1.6	2.3	3.3	4.8	8.0	11.5	19.2	28.3	43.7	64.6	102.2	175.8	67
0.8	2.2	5.7	5.0	6.0	22.5	20.0	35.0	50.0	70.0	--	--	68
2.6	1.5	4.5	4.0	7.1	20.0	20.0	26.7	40.0	60.0	--	--	69

Voir note(s) à la fin du tableau.

TABLE 9. Death Rates (Per 1 000 Population), by Sex and Age, Canada, 1921 - 1977  
and Provinces, 1977 - Concluded

No.	Province	Total	Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 29
			year <sup>1</sup> — Moins de 1 an <sup>1</sup>	years — ans	years — ans	years — ans	years — ans	years — ans	years — ans
			Female - Féminin						
	Canada								
1	1921	10.2	77.4	6.9	2.7	1.9	2.7	3.7	4.1
2	1922	10.3	75.9	6.5	2.4	1.9	2.6	3.8	4.2
3	1923	10.4	77.4	6.5	2.4	1.7	2.6	3.5	3.9
4	1924	9.6	70.5	5.9	2.2	1.8	2.5	3.5	3.7
5	1925	9.5	70.0	5.6	1.7	1.6	2.4	3.5	3.6
6	1926	10.9	90.0	8.2	2.1	1.8	2.9	4.0	4.1
7	1927	10.4	83.3	7.6	2.4	2.0	3.0	4.0	4.1
8	1928	10.6	79.6	7.0	2.3	1.9	2.7	4.0	4.2
9	1929	10.8	81.5	8.0	2.5	1.9	2.8	4.0	4.3
10	1930	10.2	79.7	6.9	2.0	1.6	2.8	3.6	4.1
11	1931	9.6	74.4	6.1	1.7	1.5	2.2	3.2	3.8
12	1932	9.5	64.5	5.1	1.5	1.4	2.1	3.0	3.6
13	1933	9.2	64.0	4.6	1.3	1.2	1.9	2.8	3.4
14	1934	8.9	62.5	5.0	1.3	1.1	1.9	2.7	3.1
15	1935	9.2	61.6	5.2	1.5	1.3	1.8	2.7	3.3
16	1936	9.3	58.8	4.8	1.7	1.2	1.9	2.8	3.1
17	1937	9.7	67.1	6.2	1.8	1.3	1.9	2.7	3.1
18	1938	8.9	55.6	4.5	1.6	1.2	1.7	2.4	2.7
19	1939	9.0	52.7	4.0	1.4	1.1	1.6	2.1	2.6
20	1940	9.0	49.9	3.9	1.2	1.0	1.5	2.1	2.6
21	1941	9.1	51.9	4.0	1.3	1.0	1.5	2.0	2.5
22	1942	8.8	47.5	3.9	1.2	0.9	1.5	1.9	2.4
23	1943	9.2	47.5	3.4	1.2	1.0	1.4	2.0	2.3
24	1944	8.9	48.5	3.4	1.2	1.0	1.3	1.9	2.2
25	1945	8.5	45.7	2.7	1.0	0.8	1.2	1.6	1.9
26	1946	8.4	41.1	2.8	1.1	0.8	1.3	1.8	1.9
27	1947	8.3	39.4	2.4	0.8	0.7	1.3	1.6	1.7
28	1948	8.3	38.5	2.3	0.7	0.6	1.0	1.4	1.5
29	1949	8.1	38.1	2.2	0.8	0.6	1.0	1.3	1.4
30	1950	7.9	36.5	1.8	0.7	0.6	0.8	1.0	1.2
31	1951	7.8	34.0	1.8	0.7	0.5	0.9	1.0	1.1
32	1952	7.5	33.6	1.8	0.7	0.5	0.7	0.9	1.0
33	1953	7.4	31.0	1.6	0.5	0.5	0.6	0.8	1.0
34	1954	7.0	27.9	1.4	0.5	0.4	0.6	0.7	0.9
35	1955	6.9	27.5	1.3	0.5	0.4	0.6	0.6	0.8
36	1956	7.0	28.7	1.4	0.5	0.4	0.5	0.6	0.8
37	1957	6.9	27.2	1.3	0.5	0.4	0.6	0.7	0.9
38	1958	6.7	26.4	1.2	0.4	0.3	0.5	0.6	0.7
39	1959	6.8	24.7	1.2	0.5	0.4	0.5	0.6	0.8
40	1960	6.6	23.7	1.1	0.4	0.3	0.5	0.6	0.7
41	1961	6.5	23.7	1.0	0.4	0.3	0.5	0.6	0.7
42	1962	6.5	24.3	1.0	0.4	0.3	0.5	0.6	0.7
43	1963	6.5	22.9	0.9	0.4	0.3	0.6	0.6	0.7
44	1964	6.3	21.4	0.9	0.4	0.3	0.5	0.6	0.6
45	1965	6.3	20.8	0.9	0.4	0.3	0.5	0.6	0.6
46	1966	6.2	20.2	0.9	0.4	0.3	0.5	0.5	0.6
47	1967 <sup>r</sup>	6.1	19.6	0.8	0.4	0.3	0.5	0.6	0.6
48	1968 <sup>r</sup>	6.2	18.6	0.8	0.4	0.3	0.5	0.6	0.7
49	1969 <sup>r</sup>	6.1	16.9	0.8	0.4	0.3	0.5	0.6	0.6
50	1970 <sup>r</sup>	6.1	16.3	0.7	0.4	0.3	0.5	0.6	0.6
51	1971	6.1	15.1	0.8	0.4	0.3	0.6	0.6	0.6
52	1972	6.2	15.0	0.8	0.3	0.3	0.6	0.5	0.7
53	1973	6.2	13.6	0.7	0.3	0.3	0.6	0.6	0.6
54	1974	6.3	13.4	0.7	0.3	0.3	0.6	0.6	0.6
55	1975	6.2 <sup>2</sup>	12.6 <sup>2</sup>	0.7	0.3	0.3	0.5	0.6	0.6
56	1976	6.1	11.9 <sup>2</sup>	0.6	0.3	0.2	0.5	0.5	0.5
57	1977	6.0	11.2	0.6	0.3	0.3	0.5	0.5	0.6
58	Newfoundland - Terre-Neuve	4.6	8.2	0.5	0.4	0.2	0.3	0.3	0.3
59	Prince Edward Island - Île-du-Prince-Édouard	6.6	15.0	1.1	0.2	0.6	0.9	0.4	0.4
60	Nova Scotia - Nouvelle-Écosse	6.9	10.2	0.4	0.1	0.3	0.5	0.3	0.5
61	New Brunswick - Nouveau-Brunswick	6.3	12.1	0.5	0.4	0.3	0.5	0.5	0.5
62	Québec	5.7	11.3	0.6	0.3	0.2	0.5	0.5	0.6
63	Ontario	6.4	10.6	0.5	0.2	0.3	0.4	0.4	0.5
64	Manitoba	6.4	14.4	0.8	0.3	0.3	0.6	0.6	0.3
65	Saskatchewan	6.4	14.0	1.0	0.2	0.3	0.9	0.6	0.6
66	Alberta	4.9	10.3	0.7	0.4	0.3	0.6	0.7	0.5
67	British Columbia - Colombie-Britannique	6.2	11.1	0.5	0.3	0.2	0.6	0.8	0.7
68	Yukon	3.2	10.0	1.3	—	0.9	1.0	—	—
69	Northwest Territories - Territoires du Nord-Ouest	3.7	30.0	1.9	1.1	1.2	2.3	0.9	1.4

<sup>1</sup> Per 1,000 live births.

<sup>2</sup> Estimated.

Note: Data for Newfoundland not available prior to 1949 and the Yukon and Northwest Territories prior to 1950.

TABLEAU 9. Taux de mortalité (pour 1,000 habitants), selon le sexe et le groupe d'âges, Canada, 1921 - 1977  
et provinces, 1977 - fin

30-34 years — ans	35-39 years — ans	40-44 years — ans	45-49 years — ans	50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85+ years — ans	No
Female - Féminin												
4.5	5.5	5.9	7.1	10.2	13.5	19.7	33.2	52.8	80.9	122.4	224.9	1
4.6	5.5	6.0	7.6	9.7	13.9	20.2	32.8	53.3	88.3	135.2	237.2	2
4.4	5.5	5.7	7.4	9.7	14.5	21.4	34.6	55.4	93.4	144.2	256.9	3
4.2	5.0	5.5	6.8	9.6	12.7	20.1	32.1	51.1	80.2	129.9	247.8	4
3.8	4.6	5.4	6.5	8.8	12.7	20.1	32.6	51.0	82.6	136.5	251.5	5
4.6	5.6	6.1	7.5	9.5	13.5	21.0	35.0	54.0	92.8	144.5	274.3	6
4.3	5.4	5.8	7.3	9.3	13.3	20.6	33.3	49.3	85.7	133.1	252.8	7
4.6	5.4	6.1	7.4	9.8	14.2	21.2	33.0	54.3	88.8	143.3	267.3	8
4.6	5.4	6.2	7.3	9.8	13.8	21.8	35.1	55.5	91.2	143.2	256.0	9
4.1	4.9	6.0	7.1	9.3	13.7	20.1	32.8	50.7	82.6	132.8	233.5	10
4.2	4.8	5.0	6.6	9.0	13.4	20.7	30.3	49.1	82.9	127.1	212.6	11
4.0	4.7	5.4	6.8	9.3	13.6	20.2	32.0	51.9	86.6	141.2	237.8	12
3.9	4.4	5.1	6.8	9.2	13.3	20.5	32.3	50.5	83.5	135.6	227.9	13
3.7	4.2	4.7	6.5	8.8	12.9	20.2	30.3	48.8	78.4	131.9	209.7	14
3.6	4.5	4.9	6.5	8.7	12.9	20.3	31.1	49.9	80.1	137.3	215.0	15
3.8	4.5	4.9	6.3	9.2	12.9	20.7	31.1	50.8	81.4	133.1	218.1	16
3.7	4.3	5.1	6.5	9.2	12.7	20.4	29.8	51.4	80.8	136.5	222.7	17
3.2	3.9	4.6	5.8	8.2	12.3	19.0	29.4	48.6	78.1	123.4	209.8	18
3.1	3.8	4.3	5.8	8.5	12.2	19.5	30.4	49.0	80.4	131.0	230.9	19
2.8	3.7	4.2	5.7	8.5	12.2	18.4	30.1	49.1	82.7	127.6	231.8	20
2.8	3.4	4.5	6.0	8.1	12.3	18.5	30.4	47.0	79.7	131.2	229.3	21
2.6	3.3	4.1	5.7	8.0	12.4	18.2	29.3	45.2	77.3	122.8	221.6	22
2.5	3.4	4.1	5.7	8.1	12.1	18.6	29.9	47.8	81.8	134.6	237.7	23
2.4	3.0	4.0	5.4	8.1	11.6	18.1	29.2	46.6	76.6	126.2	223.5	24
2.4	3.0	3.6	5.3	7.7	11.2	17.6	27.2	45.4	74.5	119.2	218.6	25
2.1	2.7	3.6	5.3	7.4	11.3	16.7	27.4	44.3	71.9	119.3	213.8	26
2.0	2.5	3.3	4.9	7.2	10.6	17.2	27.0	44.0	71.1	117.8	202.0	27
1.8	2.5	3.4	4.8	7.3	10.9	16.9	26.3	43.7	72.2	116.7	212.2	28
1.7	2.3	3.2	4.7	7.0	10.2	16.9	26.2	44.4	71.5	113.4	206.5	29
1.4	2.2	3.2	4.7	6.6	10.1	16.1	26.4	42.8	69.9	115.3	209.1	30
1.5	2.0	3.0	4.5	6.5	10.2	16.1	24.9	41.6	73.3	120.7	212.0	31
1.4	1.9	2.8	4.4	6.5	9.6	15.4	23.9	40.5	66.6	109.8	201.0	32
1.2	1.8	2.8	4.1	6.4	9.5	15.4	24.3	39.8	68.2	110.5	205.1	33
1.2	1.7	2.7	3.9	6.1	8.8	14.5	23.0	37.4	64.5	103.3	200.8	34
1.1	1.5	2.3	3.7	5.6	9.0	14.2	22.6	37.2	65.4	107.0	203.9	35
1.0	1.5	2.4	3.7	5.7	8.8	14.8	22.3	37.0	68.8	110.5	198.3	36
1.0	1.4	2.3	3.9	5.5	9.3	14.4	23.3	36.5	64.3	110.0	197.5	37
1.0	1.5	2.3	3.4	5.4	8.5	13.7	22.0	35.2	62.4	106.2	197.8	38
1.0	1.5	2.1	3.4	5.6	8.7	13.4	22.0	36.9	63.6	108.9	203.6	39
0.9	1.4	2.1	3.5	5.3	8.2	13.4	21.3	35.1	60.8	104.1	199.6	40
0.9	1.4	2.0	3.2	5.3	8.0	12.8	21.4	34.2	59.2	101.2	192.2	41
0.9	1.4	2.1	3.4	5.1	8.2	12.8	20.7	34.2	57.8	99.5	194.6	42
0.9	1.3	2.1	3.3	5.2	7.9	13.1	20.6	34.2	58.7	101.9	192.1	43
0.9	1.3	2.0	3.2	5.1	7.8	12.8	20.0	32.4	56.7	95.3	176.0	44
0.9	1.3	2.0	3.3	5.3	7.7	12.3	19.5	32.6	56.3	95.5	185.5	45
0.9	1.3	2.0	3.3	5.0	7.7	12.2	19.5	30.9	53.9	93.6	183.4	46
0.9	1.3	2.1	3.2	5.0	7.8	11.9	18.9	30.3	51.3	90.3	175.8	47
0.8	1.3	2.0	3.1	5.1	7.7	11.7	18.7	30.7	50.8	89.3	180.6	48
0.9	1.3	2.1	3.4	4.9	7.6	11.5	18.4	29.8	50.1	86.4	171.6	49
0.9	1.3	2.1	3.2	4.9	7.5	11.2	18.3	29.4	48.7	83.9	163.7	50
0.9	1.3	2.1	3.0	4.6	7.2	11.0	17.3	28.3	48.1	82.4	163.3	51
0.9	1.4	2.1	3.1	4.9	7.4	11.3	17.7	29.1	48.3	80.8	158.6	52
0.8	1.3	2.0	3.1	4.8	7.5	11.2	16.9	28.0	47.8	80.8	157.0	53
0.8	1.2	1.9	3.2	4.7	7.1	11.3	17.3	28.1	46.7	81.3	156.3	54
0.8	1.2	2.0	3.2	4.5	7.1	10.8	17.3	27.7	45.5	77.1	149.1	55
0.8	1.2	1.7	3.0	4.3	6.7	10.4	16.4	26.3	44.7	76.8	154.7	56
0.7	1.1	1.8	3.0	4.5	6.8	10.2	16.1	26.1	42.4	73.5	148.7	57
0.3	1.0	2.1	3.0	4.1	6.2	9.7	18.8	28.4	46.1	78.8	151.8	58
0.5	0.7	1.8	3.1	4.1	4.1	10.0	10.0	24.1	36.4	61.8	113.0	59
0.6	1.2	1.8	3.8	4.8	7.5	11.2	16.3	27.5	43.4	73.0	162.3	60
0.8	1.2	1.7	2.8	4.8	7.1	9.7	16.1	24.9	44.6	71.6	158.3	61
0.8	1.1	1.6	3.1	4.7	7.0	11.2	17.5	29.4	46.2	79.3	156.9	62
0.6	1.1	1.9	3.0	4.5	7.1	10.5	16.7	26.4	42.5	76.3	152.8	63
0.6	1.3	1.8	3.0	4.2	5.8	9.3	13.4	23.7	39.2	64.9	136.8	64
1.0	1.4	1.7	2.4	3.4	5.2	7.2	13.5	22.3	38.5	65.9	137.0	65
0.7	1.3	2.0	2.6	3.7	5.8	9.2	14.1	24.8	38.5	68.0	147.7	66
1.0	1.3	1.9	3.2	4.8	6.6	9.5	14.1	20.9	38.4	65.1	132.8	67
1.0	—	4.0	5.0	12.5	15.0	25.0	20.0	10.0	—	—	—	68
1.9	4.5	3.0	1.4	4.0	10.0	6.7	30.0	20.0	30.0	—	—	69

1 Pour 1,000 naissances vivantes.

2 Évalué.

Nota: Sont inconnues, les données d'avant 1949 de Terre-Neuve et celles d'avant 1950 du Yukon et des Territoires du Nord-Ouest.

TABLE 10. Age-specific Death Rates (Per 100,000 Population), by Selected Cause and Sex, Canada, 1977

No.	Cause	Category (8th Revision) — Catégorie (8 <sup>e</sup> révision)	Total	0-4 years — ans	5-9 years — ans	10-14 years — ans	15-19 years — ans	20-24 years — ans	25-29 years — ans	30-34 years — ans	35-39 years — ans
<b>Both sexes — Deux sexes</b>											
1	All causes . . . . .	001 - E999	719.2	306.1	37.9	33.9	100.4	120.5	103.6	112.2	165.4
2	Tuberculosis . . . . .	010-019	1.1	—	—	—	—	—	—	0.1	0.4
3	All cancer (malignant neoplasms) . . . . .	140-209	154.8	5.9	7.1	4.6	6.1	7.6	9.0	18.5	33.2
4	Stomach and intestinal cancer . . . . .	151-153	26.8	—	—	—	—	0.4	0.6	2.0	3.1
5	Lung cancer . . . . .	162	33.1	—	—	—	—	0.2	0.3	1.0	3.6
6	Breast cancer . . . . .	174	—	—	—	—	—	—	—	—	—
7	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	14.3	2.5	4.5	2.6	3.3	2.6	3.2	5.1	5.4
8	Diabetes mellitus . . . . .	250	12.9	0.2	0.1	0.1	0.1	0.5	0.8	1.4	1.9
9	Cardiovascular-renal diseases . . . . .	390-458, 582-584	351.9	2.3	1.1	1.3	3.0	4.1	8.4	13.2	33.3
10	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	250.4	1.3	0.4	0.5	1.6	1.6	4.7	8.4	24.0
11	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.1	—	—	—	—	—	—	0.1	0.2
12	Cerebrovascular disease . . . . .	430-438	66.6	0.8	0.4	0.5	0.9	1.2	2.1	2.7	6.0
13	Respiratory diseases . . . . .	460-519	46.5	18.6	1.8	1.5	2.1	1.5	2.5	3.1	4.7
14	Influenza and pneumonia . . . . .	470-474, 480-486	22.3	11.6	1.0	0.9	0.9	0.9	1.2	1.4	1.8
15	Bronchitis, emphysema and asthma . . . . .	466, 490-493	12.2	2.2	0.2	0.5	0.7	0.4	0.6	0.6	1.9
16	Peptic ulcer . . . . .	531-533	2.8	—	—	—	—	—	—	0.2	0.7
17	Cirrhosis of liver . . . . .	571	11.9	1.0	—	—	—	0.2	0.5	3.0	7.2
18	Nephritis and nephrosis . . . . .	580-584	2.5	0.2	0.2	—	—	0.3	0.5	0.3	0.7
19	Diseases of the prostate . . . . .	600-602	—	—	—	—	—	—	—	—	—
20	Accidents . . . . .	E800-E949	48.0	30.1	19.1	18.2	63.3	63.5	42.9	34.9	37.6
21	Suicide . . . . .	E950-E959	14.2	—	0.1	1.4	12.6	22.6	18.6	17.5	19.9
<b>Male — Masculin</b>											
22	All causes . . . . .	001 - E999	835.9	333.7	46.5	41.3	146.5	188.8	151.8	151.7	216.3
23	Tuberculosis . . . . .	010-019	1.5	—	—	—	—	—	—	—	0.6
24	All cancer (malignant neoplasms) . . . . .	140-209	174.2	6.3	8.7	5.2	7.8	8.1	10.6	19.6	26.2
25	Stomach and intestinal cancer . . . . .	151-153	28.3	—	—	—	—	0.4	0.8	2.7	2.9
26	Lung cancer . . . . .	162	53.2	—	—	—	—	—	0.3	1.5	3.9
27	Breast cancer . . . . .	174	—	—	—	—	—	—	—	—	—
28	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	17.1	2.7	6.1	2.7	4.2	3.2	4.5	7.3	6.3
29	Diabetes mellitus . . . . .	250	11.1	—	—	—	0.2	0.9	0.7	2.0	2.9
30	Cardiovascular-renal diseases . . . . .	390-458, 582-584	397.2	2.6	1.2	1.5	2.9	5.0	10.7	15.9	48.2
31	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	298.9	1.5	0.5	0.7	1.8	2.0	6.2	11.5	38.1
32	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.2	—	—	—	—	—	—	0.1	0.3
33	Cerebrovascular disease . . . . .	430-438	61.8	0.8	0.3	0.6	0.9	1.5	2.4	2.4	5.9
34	Respiratory diseases . . . . .	460-519	58.9	21.2	2.3	1.4	2.3	2.1	3.1	3.6	5.0
35	Influenza and pneumonia . . . . .	470-474, 480-486	23.9	13.0	1.3	0.8	1.0	1.3	1.2	1.5	2.2
36	Bronchitis, emphysema and asthma . . . . .	466, 490-493	18.1	2.0	0.3	0.5	0.8	0.3	0.8	0.7	2.2
37	Peptic ulcer . . . . .	531-533	3.7	—	—	—	—	0.2	0.2	0.2	0.9
38	Cirrhosis of liver . . . . .	571	16.6	1.2	0.1	0.2	—	0.4	0.8	4.4	10.5
39	Nephritis and nephrosis . . . . .	580-584	2.9	—	0.2	—	—	0.4	0.7	0.5	0.6
40	Diseases of the prostate . . . . .	600-602	1.1	—	—	—	—	—	—	—	—
41	Accidents . . . . .	E800-E949	68.0	33.2	24.4	23.4	97.6	106.0	71.0	55.3	57.5
42	Suicide . . . . .	E950-E959	21.2	—	0.2	2.0	20.2	38.1	27.7	26.0	28.6
<b>Female — Féminin</b>											
43	All causes . . . . .	001 - E999	603.6	277.2	28.7	26.2	52.2	52.2	55.7	71.9	113.4
44	Tuberculosis . . . . .	010-019	0.7	0.1	—	—	—	0.2	—	0.2	0.3
45	All cancer (malignant neoplasms) . . . . .	140-209	135.5	5.5	5.4	4.0	4.3	7.2	7.4	17.2	40.5
46	Stomach and intestinal cancer . . . . .	151-153	25.3	—	—	—	—	0.4	0.4	1.3	3.4
47	Lung cancer . . . . .	162	13.1	—	—	—	—	0.3	0.3	0.5	3.2
48	Breast cancer . . . . .	174	28.4	—	—	—	—	—	0.7	3.6	13.8
49	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	11.5	2.2	2.8	2.6	2.4	2.0	2.0	2.9	4.4
50	Diabetes mellitus . . . . .	250	14.7	0.4	0.2	0.3	—	—	1.0	0.7	0.9
51	Cardiovascular-renal diseases . . . . .	390-458, 582-584	307.0	2.0	1.0	1.0	3.0	3.2	6.1	10.4	18.1
52	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	202.4	1.1	0.3	0.4	1.3	1.3	3.2	5.2	9.6
53	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.1	—	—	—	0.2	—	—	0.1	0.1
54	Cerebrovascular disease . . . . .	430-438	71.5	0.8	0.6	0.5	0.9	0.9	1.9	3.0	6.2
55	Respiratory diseases . . . . .	460-519	34.2	15.9	1.3	1.6	1.9	1.0	1.9	2.5	4.4
56	Influenza and pneumonia . . . . .	470-474, 480-486	20.9	10.1	0.8	1.0	0.9	0.5	1.2	1.4	1.5
57	Bronchitis, emphysema and asthma . . . . .	466, 490-493	6.3	2.5	0.1	0.4	0.6	0.5	0.5	0.5	1.6
58	Peptic ulcer . . . . .	531-533	2.0	0.1	—	—	—	—	—	0.2	0.4
59	Cirrhosis of liver . . . . .	571	7.2	0.7	—	—	—	—	0.2	1.6	3.8
60	Nephritis and nephrosis . . . . .	580-584	2.1	0.4	0.1	—	0.2	0.3	0.3	0.1	0.7
61	Diseases of the prostate . . . . .	600-602	—	—	—	—	—	—	—	—	—
62	Accidents . . . . .	E800-E949	28.2	26.8	13.6	12.8	27.5	21.0	14.8	14.1	17.2
63	Suicide . . . . .	E950-E959	7.3	—	—	0.7	4.7	7.1	9.4	8.9	10.9

TABLEAU 10. Taux de mortalité (pour 100,000 habitants), due à certaines causes, selon le groupe d'âges et le sexe, Canada, 1977

40-44 years — ans	45-49 years — ans	50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85 + years — ans	Cause	No
<b>Both sexes — Deux sexes</b>											
256.3	426.7	665.7	1,022.5	1,591.5	2,402.8	3,720.4	5,627.2	8,904.7	16,321.7	Toutes les causes . . . . .	1
0.6	1.3	1.2	2.3	3.1	4.7	6.3	9.4	11.5	15.4	Tuberculose . . . . .	2
62.3	119.0	209.3	333.5	505.6	693.3	968.3	1,205.4	1,507.3	1,775.9	Tout cancer (tumeurs malignes) . . . . .	3
7.7	15.3	26.6	49.4	80.9	119.4	180.0	256.2	322.0	415.1	Cancer de l'estomac et de l'intestin . . . . .	4
10.5	25.9	53.1	87.2	139.3	183.0	236.6	228.9	222.2	167.9	Cancer du poumon . . . . .	5
7.8	9.9	16.8	23.4	37.4	52.2	76.0	96.8	140.1	158.5	Cancer du sein . . . . .	6
3.4	5.1	8.3	14.6	27.3	51.6	84.7	141.5	218.6	256.1	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	7
73.7	149.0	259.4	436.5	747.3	1,207.3	2,024.1	3,281.9	5,524.6	10,927.9	Diabète sucré . . . . .	8
58.3	120.2	211.0	358.0	601.9	929.3	1,488.0	2,283.2	3,638.6	6,862.8	Maladies cardiovasculaires-rénales . . . . .	9
0.4	0.5	2.3	1.6	2.7	6.8	12.7	19.0	37.7	74.5	Maladies du coeur . . . . .	10
10.8	20.0	31.1	49.2	94.0	181.3	355.9	684.7	1,293.6	2,554.7	Maladies hypertensives sans complication cardiaque . . . . .	11
9.5	14.8	24.8	46.5	79.7	147.9	249.6	430.3	741.9	1,532.2	Maladies vasculaires cérébrales . . . . .	12
4.2	5.6	9.3	13.9	24.3	39.5	85.2	188.8	396.9	1,108.8	Maladies respiratoires . . . . .	13
2.3	4.9	8.3	15.9	28.4	57.0	87.0	127.3	167.2	196.9	Grippe et pneumonie . . . . .	14
0.6	1.7	2.3	4.2	5.7	10.3	14.9	25.4	43.0	78.1	Bronchite, emphysème et asthme . . . . .	15
13.8	24.7	32.5	36.0	47.8	47.6	44.1	43.6	28.8	26.6	Ulcère de l'estomac et du duodénum . . . . .	16
1.2	1.3	2.3	3.7	5.8	7.7	14.7	20.1	34.6	58.5	Cirrhose du foie . . . . .	17
40.0	42.3	44.7	50.5	52.7	58.5	77.8	112.3	185.8	421.6	Néphrite et néphrose . . . . .	18
18.7	22.3	24.8	20.5	17.5	19.6	17.2	13.4	12.9	11.2	Maladies de la prostate . . . . .	19
										Accidents . . . . .	20
										Suicide . . . . .	21
<b>Male — Masculin</b>											
328.3	550.3	893.9	1,394.9	2,207.8	3,299.1	5,071.0	7,553.8	11,415.9	18,909.8	Toutes les causes . . . . .	22
0.8	1.9	1.3	3.3	4.6	6.8	10.5	17.9	21.0	25.0	Tuberculose . . . . .	23
53.8	112.8	218.1	370.7	615.1	887.2	1,315.4	1,730.1	2,105.1	2,535.9	Tout cancer (tumeurs malignes) . . . . .	24
8.1	15.7	30.2	55.9	95.4	148.1	219.4	325.0	407.7	455.8	Cancer de l'estomac et de l'intestin . . . . .	25
14.1	35.6	80.6	139.6	236.4	320.2	442.1	470.5	463.8	375.6	Cancer du poumon . . . . .	26
9.1	13.1	22.0	30.0	48.7	65.5	95.2	142.9	181.1	238.7	Cancer du sein . . . . .	27
4.1	4.7	9.7	16.5	29.1	49.3	82.7	118.6	216.1	263.8	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	28
109.6	222.4	407.3	679.5	1,133.0	1,733.3	2,761.2	4,260.9	6,716.1	11,689.5	Diabète sucré . . . . .	29
94.1	193.3	349.7	581.2	939.6	1,363.8	2,068.6	3,039.1	4,564.3	7,637.7	Maladies cardiovasculaires-rénales . . . . .	30
0.3	0.3	2.9	2.3	4.1	8.0	15.7	21.8	44.4	98.5	Maladies du coeur . . . . .	31
10.8	19.5	34.9	57.4	118.5	230.8	432.4	799.4	1,432.2	2,437.4	Maladies hypertensives sans complication cardiaque . . . . .	32
11.3	17.9	32.7	64.8	117.4	232.8	396.5	692.9	1,225.5	2,160.3	Maladies vasculaires cérébrales . . . . .	33
4.5	6.8	12.1	20.1	30.2	56.1	118.6	251.9	550.2	1,380.6	Maladies respiratoires . . . . .	34
3.0	5.8	11.1	22.0	44.6	94.9	151.7	241.7	334.1	377.3	Grippe et pneumonie . . . . .	35
0.9	2.8	3.7	5.8	8.5	15.1	23.0	39.1	65.4	123.5	Bronchite, emphysème et asthme . . . . .	36
19.2	37.1	49.5	51.2	69.8	68.4	66.2	64.7	42.1	36.7	Ulcère de l'estomac et du duodénum . . . . .	37
1.4	1.3	3.5	4.7	6.2	11.7	19.0	29.5	45.6	85.1	Cirrhose du foie . . . . .	38
—	0.2	—	0.2	0.2	2.6	3.6	15.4	38.6	83.5	Néphrite et néphrose . . . . .	39
58.9	62.1	64.5	75.0	76.7	82.9	108.1	132.1	244.2	497.5	Maladies de la prostate . . . . .	40
27.7	30.2	34.4	28.2	22.9	29.3	28.2	24.4	22.2	26.7	Accidents . . . . .	41
										Suicide . . . . .	42
<b>Female — Féminin</b>											
182.6	300.7	447.2	676.4	1,025.0	1,611.3	2,618.0	4,247.8	7,368.1	14,902.0	Toutes les causes . . . . .	43
0.3	0.6	1.1	1.3	1.7	2.8	3.0	3.2	5.7	10.1	Tuberculose . . . . .	44
71.1	125.4	200.8	298.8	405.0	522.0	684.9	829.7	1,141.5	1,359.0	Tout cancer (tumeurs malignes) . . . . .	45
7.2	14.8	23.2	43.4	67.5	94.1	147.8	207.0	269.5	392.9	Cancer de l'estomac et de l'intestin . . . . .	46
6.9	16.1	26.9	38.6	50.1	61.9	68.8	56.0	74.3	54.0	Cancer du poumon . . . . .	47
24.3	39.5	62.1	87.8	93.8	99.9	112.3	126.2	173.0	200.5	Cancer du sein . . . . .	48
6.4	6.7	11.9	17.4	26.9	40.5	60.3	63.8	115.1	114.5	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	49
2.7	5.5	6.9	12.9	25.7	53.6	86.3	157.9	220.2	251.8	Diabète sucré . . . . .	50
37.0	74.0	117.7	210.7	392.8	742.9	1,422.5	2,581.0	4,795.6	10,510.1	Maladies cardiovasculaires-rénales . . . . .	51
21.6	45.6	78.1	150.6	291.5	545.7	1,014.2	1,742.1	3,072.2	6,437.7	Maladies du coeur . . . . .	52
0.5	0.6	1.8	0.9	1.5	5.8	10.2	17.0	33.6	61.4	Maladies hypertensives sans complication cardiaque . . . . .	53
10.7	20.5	27.5	41.4	71.5	137.6	293.4	602.6	1,208.7	2,619.0	Maladies vasculaires cérébrales . . . . .	54
7.7	11.6	17.2	29.5	45.0	73.0	129.7	242.3	446.0	1,187.7	Maladies respiratoires . . . . .	55
3.8	4.5	6.6	8.1	18.9	24.9	58.0	143.6	303.1	959.7	Grippe et pneumonie . . . . .	56
1.6	4.0	5.6	10.1	13.5	23.6	34.2	45.4	65.0	98.0	Bronchite, emphysème et asthme . . . . .	57
0.2	0.6	1.0	2.7	3.2	6.0	8.2	15.6	29.3	53.1	Ulcère de l'estomac et du duodénum . . . . .	58
8.2	12.0	16.2	21.9	27.5	29.2	26.0	28.5	20.7	21.1	Cirrhose du foie . . . . .	59
1.0	1.3	1.1	2.7	5.5	4.3	11.2	13.3	27.9	44.0	Néphrite et néphrose . . . . .	60
20.5	22.0	25.7	27.7	30.7	37.0	53.0	98.2	150.1	380.0	Maladies de la prostate . . . . .	61
9.4	14.3	15.6	13.4	12.6	11.1	8.2	5.5	7.1	2.7	Accidents . . . . .	62
										Suicide . . . . .	63

TABLE 11. Standardized (Age-adjusted) Death Rates (Per 1,000 Population), by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 11. Taux comparatifs de mortalité (corrégés de l'âge) (pour 1,000 habitants), selon le sexe, Canada et provinces, 1921 - 1977  
 Standardized to Canada 1956 Census population - D'après la population canadienne du recensement de 1956

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
<b>Both sexes - Deux sexes</b>													
1921	12.9	..	12.7	12.5	15.1	..	13.6	12.0	10.4	12.1	10.9	..	..
1922	13.0	..	11.5	12.9	14.5	..	13.3	12.8	11.5	13.2	12.2	..	..
1923	13.2	..	12.2	13.4	14.1	..	13.7	12.2	11.4	12.9	12.0	..	..
1924	12.2	..	10.3	12.8	13.7	..	12.5	11.6	10.9	12.5	11.4	..	..
1925	12.1	..	10.5	11.7	13.9	..	12.6	11.8	10.4	12.1	11.0	..	..
1926	13.9	..	9.4	12.3	13.9	16.8	13.0	11.8	11.0	12.8	11.9	..	..
1927	13.3	..	9.5	12.4	13.4	16.0	12.3	11.7	10.8	11.6	12.0	..	..
1928	13.5	..	9.7	12.0	13.5	16.3	12.8	11.7	11.0	12.8	11.7	..	..
1929	13.8	..	11.5	12.9	14.1	16.3	12.9	12.0	11.4	13.1	12.1	..	..
1930	13.0	..	9.8	12.1	13.4	15.4	12.4	11.6	10.4	11.3	11.7	..	..
1931	12.2	..	9.3	11.6	12.4	14.6	11.7	10.4	10.0	10.6	10.5	..	..
1932	12.1	..	10.4	11.6	12.0	14.3	11.7	10.3	10.0	11.1	10.4	..	..
1933	11.6	..	10.1	11.5	12.8	13.5	11.1	10.4	9.8	10.3	10.0	..	..
1934	11.4	..	10.1	11.4	12.2	13.3	10.8	9.6	9.6	10.1	9.9	..	..
1935	11.6	..	9.6	11.5	12.3	13.2	11.0	10.6	9.6	10.7	10.5	..	..
1936	11.5	..	9.9	10.9	12.2	12.6	11.2	11.1	9.5	10.8	10.8	..	..
1937	12.1	..	11.1	11.1	13.7	13.8	11.3	10.9	10.6	11.1	11.5	..	..
1938	11.1	..	9.7	11.0	12.2	12.6	10.6	10.2	9.4	10.1	10.1	..	..
1939	11.1	..	10.8	11.2	12.4	12.8	10.4	10.4	9.2	9.8	9.6	..	..
1940	11.0	..	9.9	10.9	12.0	12.5	10.4	10.4	9.6	10.4	10.2	..	..
1941	11.2	..	10.7	11.9	12.1	12.9	10.4	10.3	9.2	10.2	10.2	..	..
1942	10.7	..	9.5	10.7	12.0	12.3	10.0	10.0	9.0	9.7	9.9	..	..
1943	11.0	..	8.8	10.6	11.3	12.5	10.3	10.8	9.6	10.2	10.7	..	..
1944	10.5	..	8.9	10.1	11.7	12.1	9.7	10.1	9.3	9.3	9.8	..	..
1945	10.1	..	8.2	8.9	10.8	11.4	9.5	9.7	9.1	9.4	9.7	..	..
1946	9.9	..	7.9	9.5	10.5	11.2	9.3	9.5	8.8	9.5	9.5	..	..
1947	9.7	..	9.2	9.2	10.2	10.8	9.3	9.3	8.8	8.9	9.3	..	..
1948	9.5	..	8.0	9.1	10.1	10.6	9.1	9.0	8.3	9.0	9.2	..	..
1949	9.4	9.1	8.3	8.8	9.6	10.4	9.1	9.0	8.3	8.7	8.7	..	..
1950	9.1	9.8	7.6	8.8	9.4	10.0	9.0	8.3	7.7	8.2	8.6	12.7	22.7
1951	9.0	8.9	7.4	8.3	9.3	10.2	8.7	8.4	7.8	8.4	8.4	10.3	18.6
1952	8.8	8.0	7.4	8.1	8.7	9.2	8.6	7.9	7.9	8.2	8.4	11.8	21.8
1953	8.6	7.6	7.3	8.0	8.6	9.6	8.5	8.2	7.7	8.2	8.1	13.5	18.5
1954	8.2	8.0	7.5	7.7	7.8	9.0	8.1	7.6	7.0	7.7	7.9	9.1	15.6
1955	8.2	8.8	7.8	7.9	7.9	9.0	8.0	7.6	7.2	7.9	7.8	7.0	15.5
1956	8.2	8.3	7.3	7.5	8.1	9.1	8.1	7.6	7.1	7.4	7.9	8.0	18.1
1957	8.3	8.8	7.0	7.7	8.0	9.2	8.2	7.8	7.1	7.6	7.7	7.9	18.4
1958	8.0	8.5	7.1	7.8	7.7	8.8	7.9	7.4	6.6	7.3	7.5	8.6	16.9
1959	8.0	8.4	7.5	8.0	7.9	8.7	8.0	7.5	6.9	7.2	7.5	7.8	14.8
1960	7.8	7.9	7.1	7.5	7.7	8.2	7.9	7.4	6.6	7.3	7.4	7.5	14.9
1961	7.6	7.6	7.1	7.4	7.5	8.4	7.6	7.0	6.7	7.0	7.1	8.5	14.6
1962	7.6	7.9	7.5	7.5	7.6	8.2	7.6	6.9	6.4	7.1	7.1	5.3	13.4
1963	7.6	7.7	6.7	7.4	7.5	8.2	7.6	7.2	6.7	7.0	7.0	6.9	11.1
1964	7.3	7.3	6.9	7.4	7.3	7.9	7.3	6.9	6.5	6.8	7.2	7.0	8.9
1965	7.3	7.6	7.1	7.3	7.0	7.9	7.4	6.8	6.4	6.7	6.9	8.0	8.8
1966	7.2	7.2	7.1	7.3	7.1	7.8	7.2	6.8	6.4	6.7	6.9	7.1	10.0
1967	7.1	7.2	7.1	7.4	7.3	7.6	7.1	6.5	6.3	6.4	6.7	5.7	8.9
1968	7.1	7.2	6.8	7.3	7.1	7.6	7.0	6.6	6.3	6.5	6.8	7.1	8.5
1969	7.0	6.8	6.8	7.3	7.0	7.6	6.9	6.7	6.1	6.3	6.8	7.4	8.5
1970	6.9	7.3	6.7	7.3	7.1	7.5	6.8	6.4	6.1	6.3	6.6	9.0	9.9
1971	6.7	6.9	6.4	7.0	6.8	7.2	6.6	6.4	5.9	6.3	6.5	8.5	11.6
1972	6.8	7.1	6.8	7.1	6.8	7.4	6.7	6.5	6.1	6.3	6.4	6.2	10.1
1973	6.8	7.1	6.4	7.1	6.9	7.4	6.8	6.4	5.9	6.1	6.3	7.4	10.8
1974	6.8	6.7	6.6	7.0	6.9	7.3	6.7	6.5	6.1	6.2	6.5	5.9	7.7
1975	6.5	6.5	6.2	6.7	6.6	7.0	6.4	6.2	5.9	6.1	6.2	7.2	8.1
1976	6.4	6.5	6.5	6.7	6.6	7.0	6.4	6.1	5.9	6.1	6.0	8.7	7.9
1977	6.3	6.1	6.3	6.6	6.5	6.9	6.3	6.1	5.7	5.8	5.8	5.5	6.0
<b>Male - Masculin</b>													
1921	13.3	..	12.9	13.2	15.5	..	14.1	12.4	10.5	12.5	11.8	..	..
1922	13.4	..	12.1	13.6	14.6	..	13.7	12.8	11.7	13.3	13.1	..	..
1923	13.5	..	11.6	13.8	14.2	..	14.1	12.5	11.7	13.0	12.7	..	..
1924	12.6	..	10.4	13.3	14.1	..	12.9	11.6	11.1	12.4	12.3	..	..
1925	12.5	..	10.8	11.7	14.0	..	13.0	12.1	10.9	12.1	12.0	..	..
1926	14.3	..	9.6	12.0	13.8	17.1	13.7	12.1	11.1	12.9	12.7	..	..
1927	13.8	..	9.5	12.7	13.5	16.5	13.0	12.1	10.8	11.8	13.0	..	..
1928	14.0	..	10.0	12.7	14.0	16.7	13.4	12.1	11.1	13.0	12.4	..	..
1929	14.3	..	12.1	13.5	14.3	16.6	13.7	12.3	11.4	12.9	13.1	..	..
1930	13.5	..	10.4	12.7	13.6	15.9	13.1	11.9	10.8	11.4	12.7	..	..
1931	12.7	..	9.7	11.9	12.7	15.1	12.4	10.8	10.0	10.9	11.2	..	..
1932	12.5	..	10.4	12.3	12.4	14.7	12.2	10.9	10.3	11.5	10.8	..	..
1933	12.0	..	10.4	12.0	13.3	13.8	11.5	11.0	9.6	10.8	10.8	..	..
1934	11.9	..	9.8	12.0	12.8	13.9	11.4	10.0	9.9	10.6	10.7	..	..
1935	12.1	..	10.3	12.1	12.8	13.8	11.6	11.0	10.1	11.1	11.0	..	..
1936	12.0	..	10.3	11.5	12.7	13.1	11.8	11.3	9.7	11.2	11.5	..	..
1937	12.7	..	11.6	11.7	14.1	14.6	12.0	11.4	11.0	11.5	12.3	..	..
1938	11.8	..	10.2	11.7	12.6	13.5	11.3	10.6	10.0	10.6	11.3	..	..
1939	11.8	..	10.9	11.9	13.2	13.5	11.2	10.9	9.6	10.3	10.6	..	..
1940	11.8	..	10.5	11.7	12.5	13.3	11.3	10.8	10.1	10.9	11.3	..	..
1941	12.0	..	11.0	12.8	12.9	13.6	11.4	11.2	9.6	10.9	11.3	..	..
1942	11.6	..	9.5	11.7	12.5	13.2	10.9	10.6	9.4	10.3	11.2	..	..
1943	11.8	..	9.6	11.6	11.9	13.3	11.2	11.4	10.1	11.0	11.7	..	..
1944	11.3	..	9.1	10.8	12.4	12.8	10.6	10.7	9.6	9.9	10.8	..	..
1945	10.9	..	8.3	9.7	11.6	12.2	10.4	10.3	9.4	9.9	10.8	..	..

TABLE 11. Standardized (Age-adjusted) Death Rates (Per 1,000 Population), by Sex, Canada and Provinces, 1921 - 1977 - Concluded  
 TABLEAU 11. Taux comparatifs de mortalité (corrégés de l'âge) (pour 1,000 habitants), selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Male - Concluded - Masculin - fin													
1946	10.7	..	8.6	10.3	11.1	11.8	10.3	10.0	9.4	10.2	10.5	..	..
1947	10.6	..	9.8	10.0	11.2	11.8	10.4	10.1	9.3	9.4	10.5	..	..
1948	10.4	..	8.1	9.9	10.7	11.4	10.2	9.8	9.0	9.8	10.2	..	..
1949	10.3	9.9	9.4	9.8	10.3	11.4	10.3	9.7	8.8	9.4	9.9	..	..
1950	10.1	10.7	7.8	9.8	10.2	10.9	10.2	9.1	8.3	8.8	9.7	14.4	23.7
1951	10.0	9.3	8.3	9.3	10.0	11.2	9.9	9.2	8.4	9.2	9.7	11.3	18.4
1952	9.9	8.4	8.0	9.2	9.9	11.1	9.9	8.8	8.6	9.0	9.5	13.4	22.9
1953	9.8	8.4	8.0	8.9	9.2	10.8	9.8	9.3	8.4	9.1	9.4	16.0	18.5
1954	9.3	9.0	8.4	8.8	8.9	10.1	9.3	8.7	7.9	8.7	9.1	10.2	17.2
1955	9.4	9.5	7.7	9.0	9.1	10.2	9.4	8.5	7.9	9.1	9.2	8.7	14.2
1956	9.4	9.0	8.7	8.6	9.0	10.3	9.6	8.8	7.9	8.5	9.1	10.7	19.7
1957	9.6	9.8	8.4	9.1	9.2	10.5	9.7	9.0	7.9	8.6	9.0	8.9	19.0
1958	9.3	9.2	8.4	9.2	9.0	10.1	9.4	8.4	7.7	8.5	8.8	9.8	19.1
1959	9.3	9.4	8.4	9.2	9.3	9.9	9.5	8.6	7.9	8.4	8.9	10.9	16.8
1960	9.1	8.6	8.7	8.7	8.9	9.5	9.5	8.7	7.6	8.4	8.8	9.8	15.4
1961	9.0	8.2	8.2	8.7	8.7	9.7	9.2	8.3	7.8	8.2	8.5	10.0	17.0
1962	8.9	8.6	8.5	8.8	8.8	9.5	9.2	8.2	7.4	8.3	8.6	6.5	14.8
1963	9.0	8.5	8.3	8.8	8.9	9.5	9.4	8.3	7.7	8.2	8.3	7.3	11.8
1964	8.8	8.4	8.6	8.9	8.6	9.3	8.9	8.1	7.5	8.2	8.8	8.0	9.9
1965	8.8	8.7	8.6	8.6	8.6	9.4	9.1	8.1	7.6	8.0	8.4	9.5	8.6
1966	8.8	8.4	8.6	8.8	8.5	9.3	9.0	8.3	7.5	7.9	8.5	7.7	10.4
1967	8.7	8.3	8.7	8.7	8.8	9.2	9.0	8.0	7.5	7.6	8.2	6.5	9.2
1968	8.7	8.4	8.5	8.9	8.7	9.3	8.8	8.0	7.5	7.7	8.3	9.3	9.0
1969	8.6	7.9	8.3	9.1	8.6	9.2	8.7	8.1	7.5	7.6	8.6	9.7	10.6
1970	8.5	8.7	8.4	9.2	8.7	9.2	8.7	7.9	7.3	7.6	8.2	11.3	10.9
1971	8.4	8.2	8.1	8.8	8.6	9.1	8.4	7.9	7.3	7.7	8.1	10.6	13.5
1972	8.6	8.6	8.7	9.0	8.6	9.4	8.7	8.2	7.6	7.8	7.9	7.6	12.1
1973	8.5	8.7	8.6	9.1	8.5	9.3	8.6	7.8	7.3	7.6	7.9	9.6	14.1
1974	8.4	8.3	8.4	8.8	8.6	9.1	8.4	8.0	7.5	7.7	8.2	7.6	8.7
1975	8.3	8.0	8.0	8.7	8.2	9.1	8.3	7.9	7.2	7.6	7.9	8.0	9.1
1976	8.1	8.0	8.4	8.4	8.3	8.8	8.0	7.5	7.5	7.6	7.4	12.1	8.7
1977	7.9	7.6	8.5	8.5	8.2	8.7	7.9	7.7	7.2	7.3	7.2	7.2	7.1
Female - Féminin													
1921	12.4	..	12.5	11.9	14.7	..	13.2	11.6	10.3	11.8	9.8	..	..
1922	12.6	..	10.8	12.3	14.4	..	12.8	12.9	11.3	13.5	11.0	..	..
1923	12.9	..	12.7	13.0	14.1	..	13.3	11.9	11.2	13.2	11.1	..	..
1924	11.9	..	10.1	12.4	13.3	..	12.1	11.5	10.8	13.1	10.3	..	..
1925	11.7	..	10.2	11.7	13.8	..	12.1	11.5	9.9	13.0	9.9	..	..
1926	13.4	..	9.3	11.7	13.9	16.7	12.4	11.5	11.0	12.6	10.9	..	..
1927	12.7	..	9.6	12.1	13.4	15.6	11.5	11.1	10.9	11.5	10.8	..	..
1928	13.0	..	9.4	11.2	13.1	15.8	12.3	11.1	11.0	12.8	10.6	..	..
1929	13.3	..	10.9	12.3	14.0	16.0	12.2	11.7	11.6	13.8	10.8	..	..
1930	12.4	..	9.3	11.4	13.1	14.9	11.8	11.2	10.0	11.6	10.3	..	..
1931	11.7	..	9.0	11.3	12.1	14.1	11.0	10.0	10.0	10.1	9.5	..	..
1932	11.6	..	10.4	11.3	11.6	13.9	11.2	9.5	9.6	10.6	9.7	..	..
1933	11.2	..	9.7	11.1	12.4	13.1	10.6	9.8	10.1	9.6	8.9	..	..
1934	10.8	..	10.6	10.9	11.6	12.7	10.2	9.1	9.2	9.5	8.8	..	..
1935	11.0	..	8.9	10.9	11.7	12.7	10.4	10.2	8.9	10.1	9.8	..	..
1936	11.0	..	9.6	10.2	11.7	12.1	10.7	10.9	9.3	10.3	9.5	..	..
1937	11.4	..	10.6	10.4	13.2	13.0	10.5	10.2	10.0	10.6	10.5	..	..
1938	10.4	..	9.3	10.2	11.7	11.7	9.9	9.7	8.7	9.3	8.7	..	..
1939	10.4	..	10.8	10.5	11.5	12.2	9.6	9.7	8.6	9.1	8.4	..	..
1940	10.2	..	9.4	10.0	11.5	11.7	9.5	10.0	9.0	9.7	8.7	..	..
1941	10.3	..	10.5	10.9	11.3	12.1	9.3	9.3	8.7	9.2	8.7	..	..
1942	9.8	..	9.4	9.8	11.3	11.4	9.0	9.3	8.5	8.8	8.3	..	..
1943	10.1	..	8.1	9.6	10.5	11.6	9.4	10.1	9.0	9.2	9.3	..	..
1944	9.7	..	8.8	9.3	10.9	11.4	8.8	9.3	8.8	8.6	8.6	..	..
1945	9.2	..	8.2	8.0	10.0	10.5	8.6	8.9	8.6	8.6	8.3	..	..
1946	9.0	..	7.2	8.7	9.9	10.4	8.3	8.8	8.1	8.4	8.3	..	..
1947	8.7	..	8.6	8.3	9.2	9.8	8.3	8.4	8.0	8.3	7.9	..	..
1948	8.5	..	8.8	8.2	9.5	9.7	8.1	8.0	7.4	8.1	8.0	..	..
1949	8.3	8.4	7.2	7.8	8.9	9.5	8.0	8.2	7.5	7.7	7.3	..	..
1950	8.1	8.8	7.5	7.7	8.6	9.1	7.8	7.4	6.9	7.4	7.3	7.5	21.4
1951	8.0	8.5	6.5	7.3	8.5	9.3	7.6	7.4	7.1	7.3	6.9	6.1	18.2
1952	7.6	7.6	6.8	7.0	7.5	8.6	7.3	6.8	6.8	7.2	7.1	4.8	20.9
1953	7.5	6.9	6.5	7.1	7.9	8.4	7.3	7.1	6.8	7.0	6.6	5.5	19.9
1954	7.0	7.0	6.7	6.7	6.7	7.9	6.9	6.5	5.9	6.4	6.6	5.2	15.1
1955	6.9	7.9	6.0	6.8	6.7	7.9	6.7	6.6	6.3	6.4	6.3	3.2	17.4
1956	7.0	7.7	6.0	6.4	7.3	8.0	6.8	6.4	6.1	6.1	6.5	3.8	16.1
1957	6.9	7.7	5.5	6.3	6.8	7.9	6.8	6.6	6.0	6.3	6.3	5.5	18.9
1958	6.6	7.8	5.7	6.5	6.4	7.5	6.5	6.3	5.4	5.9	6.0	4.3	14.1
1959	6.7	7.4	6.6	6.7	6.5	7.5	6.6	6.3	5.7	5.9	6.0	3.0	12.6
1960	6.4	7.1	5.6	6.4	6.5	6.9	6.5	6.0	5.5	6.0	5.9	3.4	13.1
1961	6.3	7.2	6.0	6.1	6.5	7.1	6.2	5.7	5.3	5.5	5.6	6.2	11.4
1962	6.2	7.1	6.5	6.3	6.4	6.9	6.2	5.6	5.2	5.7	5.6	3.3	10.6
1963	6.2	6.8	5.1	6.1	6.0	7.0	6.1	6.1	5.4	5.6	5.6	5.1	10.4
1964	5.9	6.2	5.2	6.0	5.9	6.5	5.8	5.6	5.3	5.3	5.6	4.3	7.3
1965	5.9	6.4	5.4	6.0	5.6	6.6	5.8	5.5	5.1	5.3	5.5	5.4	8.4
1966	5.7	6.0	5.8	5.8	5.7	6.3	5.6	5.4	5.1	5.3	5.4	6.1	9.7
1967	5.6	6.1	5.5	5.9	5.8	6.2	5.5	5.1	4.9	5.1	5.3	4.0	8.9
1968	5.6	6.0	5.2	5.9	5.7	6.1	5.5	5.2	5.0	5.2	5.3	3.7	7.9
1969	5.5	5.6	5.3	5.6	5.6	6.2	5.4	5.3	4.7	4.9	5.2	4.4	6.2
1970	5.4	5.9	5.1	5.7	5.6	6.0	5.3	5.0	4.8	4.9	5.1	5.0	7.7
1971	5.2	5.6	4.7	5.3	5.1	5.7	5.0	4.5	4.9	5.0	5.1	5.1	9.6
1972	5.2	5.6	5.0	5.3	5.1	5.7	5.1	5.0	4.5	4.7	5.0	2.4	7.9
1973	5.1	5.5	4.3	5.1	5.2	5.6	5.1	4.9	4.6	4.6	4.7	5.1	7.3
1974	5.0	5.1	4.8	5.1	5.1	5.4	5.0	4.9	4.6	4.7	4.7	4.1	6.6
1975	4.9	5.0	4.7	4.9	5.0	5.3	4.8	4.7	4.5	4.7	4.7	3.1	6.9
1976	4.8	5.1	4.6	5.0	4.8	5.1	4.7	4.7	4.3	4.5	4.4	5.1	7.1
1977	4.7	4.6	4.1	4.8	4.7	5.0	4.7	4.4	4.2	4.4	4.3	3.9	4.8

TABLE 12. Deaths by Age, Sex and Marital Status, Canada, 1951 - 1977

No.	Year - Année	Single - Célibataire							
		Total	Under 15 years - Moins de 15 ans	Total	15-24 years - ans	25-44 years - ans	45-64 years - ans	65 + years - ans	Not stated - Non déclarés
<b>Both sexes - Deux sexes</b>									
1	1951	125,454	18,995	17,075	2,231	2,458	4,094	8,279	13
2	1952	125,950	19,978	16,661	2,155	2,428	4,041	8,026	11
3	1953	127,381	19,142	16,532	2,119	2,206	3,966	8,234	7
4	1954	124,520	17,849	15,972	1,850	2,059	3,923	8,136	4
5	1955	128,154	17,866	16,268	1,934	2,001	3,843	8,485	5
6	1956	131,585	18,361	16,946	1,909	2,123	4,004	8,902	8
7	1957	136,161	18,586	17,434	2,074	2,199	4,067	9,086	8
8	1958	134,776	17,966	17,117	1,873	2,080	4,161	8,996	7
9	1959	139,535	17,545	17,947	2,072	2,055	4,188	9,628	4
10	1960	139,284	16,874	17,694	2,032	1,933	4,259	9,466	4
11	1961	140,629	16,640	17,751	2,042	1,961	4,209	9,538	1
12	1962	143,699	16,883	18,105	2,169	1,967	4,245	9,722	2
13	1963	147,367	16,242	18,863	2,447	1,907	4,447	10,061	1
14	1964	145,850	14,955	18,962	2,549	2,036	4,369	10,008	-
15	1965	148,939	13,671	19,507	2,651	1,976	4,464	10,411	5
16	1966	149,863	12,810	19,840	2,890	2,049	4,442	10,458	1
17	1967	150,283	11,992	20,043	3,111	1,987	4,646	10,296	3
18	1968	153,196	11,055	20,406	3,147	2,040	4,537	10,678	4
19	1969	154,477	10,623	20,838	3,341	2,114	4,752	10,629	2
20	1970	155,961	10,354	21,105	3,502	2,129	4,751	10,721	2
21	1971	157,272	9,605	21,337	3,652	2,138	4,712	10,831	4
22	1972	162,413	9,125	22,484	4,248	2,275	4,745	11,215	1
23	1973	164,039	8,281	22,967	4,478	2,360	4,854	11,269	6
24	1974	166,794	8,041	23,546	4,588	2,378	4,907	11,673	-
25	1975	167,404 <sup>1</sup>	7,933 <sup>1</sup>	22,921	4,418	2,431	4,749	11,291	32
26	1976	167,009	7,186	23,165	4,169	2,364	4,892	11,674	66
27	1977	167,498	6,788	23,526	4,383	2,622	4,812	11,685	24
<b>Male - Masculin</b>									
28	1951	71,353	10,871	10,882	1,538	1,708	2,847	4,781	8
29	1952	72,720	11,492	10,841	1,598	1,715	2,795	4,724	9
30	1953	73,417	11,121	10,706	1,624	1,612	2,762	4,701	7
31	1954	72,140	10,380	10,355	1,401	1,475	2,726	4,750	3
32	1955	74,701	10,322	10,557	1,484	1,443	2,628	4,998	4
33	1956	76,339	10,417	11,089	1,490	1,590	2,771	5,235	3
34	1957	79,660	10,692	11,509	1,623	1,638	2,873	5,368	7
35	1958	78,878	10,382	11,131	1,450	1,535	2,869	5,272	5
36	1959	81,167	10,132	11,702	1,608	1,512	2,896	5,682	4
37	1960	81,542	9,831	11,524	1,571	1,435	2,935	5,580	3
38	1961	82,482	9,695	11,617	1,578	1,464	2,989	5,585	1
39	1962	83,859	9,728	11,883	1,652	1,502	3,000	5,728	1
40	1963	85,901	9,485	12,306	1,811	1,456	3,106	5,933	-
41	1964	85,779	8,722	12,408	1,960	1,557	3,100	5,791	-
42	1965	87,208	7,877	12,651	2,028	1,499	3,124	5,995	5
43	1966	87,913	7,415	13,032	2,241	1,548	3,134	6,108	1
44	1967	88,300	6,906	13,276	2,425	1,543	3,325	5,980	3
45	1968	89,534	6,364	13,390	2,421	1,539	3,246	6,182	2
46	1969	90,236	6,198	13,854	2,615	1,603	3,424	6,211	1
47	1970	91,108	6,061	13,850	2,685	1,600	3,420	6,143	2
48	1971	91,823	5,621	14,010	2,802	1,632	3,391	6,182	3
49	1972	94,472	5,360	14,818	3,342	1,711	3,411	6,353	1
50	1973	95,375	4,834	15,126	3,500	1,802	3,518	6,302	4
51	1974	96,575	4,671	15,605	3,607	1,850	3,606	6,542	-
52	1975	97,055 <sup>1</sup>	4,597 <sup>1</sup>	15,127	3,458	1,867	3,464	6,320	18
53	1976	96,725	4,197	15,326	3,265	1,804	3,662	6,552	43
54	1977	96,872	3,890	15,489	3,438	2,051	3,556	6,434	10
<b>Female - Féminin</b>									
55	1951	54,101	8,124	6,193	693	750	1,247	3,498	5
56	1952	53,230	8,486	5,820	557	713	1,246	3,302	2
57	1953	53,964	8,021	5,826	495	594	1,204	3,533	-
58	1954	52,380	7,469	5,617	449	584	1,197	3,386	1
59	1955	53,453	7,544	5,711	450	558	1,215	3,487	1
60	1956	55,246	7,944	5,857	419	533	1,233	3,667	5
61	1957	56,501	7,894	5,925	451	561	1,194	3,718	1
62	1958	55,898	7,584	5,986	423	545	1,292	3,724	2
63	1959	58,368	7,413	6,245	464	543	1,292	3,946	-
64	1960	57,742	7,043	6,170	461	498	1,324	3,886	1
65	1961	58,147	6,945	6,134	464	497	1,220	3,953	-
66	1962	59,840	7,155	6,222	517	465	1,245	3,994	1
67	1963	61,466	6,757	6,557	636	451	1,341	4,128	1
68	1964	60,071	6,233	6,554	589	479	1,269	4,217	-
69	1965	61,731	5,794	6,856	623	477	1,340	4,416	-
70	1966	61,950	5,395	6,808	649	501	1,308	4,350	-
71	1967	61,983	5,086	6,767	686	444	1,321	4,316	-
72	1968	63,662	4,691	7,016	726	501	1,291	4,496	2
73	1969	64,241	4,425	6,984	726	511	1,328	4,418	1
74	1970	64,853	4,293	7,255	817	529	1,331	4,578	-
75	1971	65,449	3,984	7,327	850	506	1,321	4,649	1
76	1972	67,941	3,765	7,666	906	564	1,334	4,862	-
77	1973	68,664	3,447	7,841	978	558	1,336	4,967	2
78	1974	70,219	3,370	7,941	981	528	1,301	5,131	-
79	1975	70,349 <sup>1</sup>	3,336 <sup>1</sup>	7,794	960	564	1,285	4,971	14
80	1976	70,284	2,989	7,839	904	560	1,230	5,122	23
81	1977	70,626	2,898	8,037	945	571	1,256	5,251	14

<sup>1</sup> Estimated.

TABLEAU 12. Décès selon le groupe d'âges, le sexe et l'état matrimonial, Canada, 1951 - 1977

Total	Married - Marié					Widowed and divorced - En veuvage et divorcé						Not stated - Non déclarés	N <sup>o</sup>
	15-24 years - ans	25-44 years - ans	45-64 years - ans	65+ years - ans	Not stated - Non déclarés	Total	15-24 years - ans	25-44 years - ans	45-64 years - ans	65+ years - ans	Not stated - Non déclarés		
Both sexes - Deux sexes													
54,889	457	6,014	19,944	28,465	9	33,618	10	249	3,264	30,082	13	877	1
55,227	428	6,141	20,177	28,469	2	33,399	15	266	3,354	29,754	10	685	2
56,624	430	6,131	20,299	29,759	5	34,437	6	271	3,273	30,880	7	646	3
56,212	419	5,953	19,799	30,037	4	33,923	6	259	3,120	30,535	3	564	4
57,806	377	5,808	19,962	31,651	8	35,680	9	241	3,145	32,282	3	534	5
59,235	426	5,847	20,437	32,522	3	36,568	3	221	3,176	33,167	1	475	6
61,847	422	6,168	21,714	33,537	6	37,792	5	233	3,244	34,305	5	502	7
61,577	372	6,106	21,386	33,711	2	37,647	3	222	3,037	34,382	3	469	8
64,020	414	6,076	21,796	35,730	4	39,601	6	245	3,215	36,133	2	422	9
64,553	437	6,017	22,114	35,981	4	39,725	5	200	3,335	36,181	4	438	10
65,382	396	5,969	22,417	36,597	3	40,439	9	240	3,274	36,914	2	417	11
66,912	447	6,265	23,116	37,083	6	41,423	6	229	3,283	37,903	2	376	12
68,405	409	6,188	23,568	38,238	2	43,492	7	274	3,490	39,717	4	365	13
69,265	427	6,182	24,362	38,293	1	42,266	11	246	3,421	38,586	2	402	14
70,889	448	6,362	24,820	39,256	3	44,519	8	264	3,505	40,740	2	353	15
71,910	501	6,350	25,465	39,589	5	44,950	10	289	3,681	40,970	-	353	16
72,642	504	6,422	25,982	39,732	2	45,211	16	323	3,688	41,182	2	395	17
74,290	535	6,435	26,231	41,086	3	47,116	20	319	3,829	42,946	2	329	18
75,003	555	6,403	26,609	41,434	2	47,684	25	375	4,070	43,213	1	329	19
75,797	529	6,397	27,099	41,768	4	48,381	19	426	4,244	43,688	4	324	20
76,556	634	6,501	27,047	42,371	3	49,395	30	480	4,344	44,540	1	379	21
79,388	671	6,619	27,845	44,247	6	51,037	27	510	4,630	45,864	6	379	22
79,973	668	6,451	28,460	44,392	2	52,450	34	609	4,860	46,946	1	368	23
81,072	643	6,430	28,441	45,558	-	53,738	44	669	5,094	47,931	-	397	24
80,106	600	6,209	27,844	45,386	67	52,692	30	745	5,085	46,810	22	3,752	25
80,680	511	5,843	27,825	46,357	144	53,987	29	746	5,203	47,927	82	1,991	26
81,959	568	5,968	28,161	47,189	73	53,526	32	811	5,432	47,217	34	1,699	27
Male - Masculin													
35,490	166	3,223	12,764	19,331	6	13,448	4	108	1,329	12,002	5	662	28
36,304	167	3,414	13,132	19,581	10	13,541	6	121	1,388	12,022	4	542	29
37,242	190	3,440	13,131	20,477	4	13,843	3	105	1,338	12,395	2	505	30
37,327	196	3,310	12,958	20,860	3	13,628	2	118	1,268	12,239	1	450	31
38,929	176	3,370	13,151	22,228	4	14,456	2	106	1,351	12,995	2	437	32
39,823	204	3,420	13,444	22,754	1	14,641	2	99	1,330	13,210	-	369	33
41,873	166	3,688	14,478	23,538	3	15,170	1	107	1,291	13,769	2	416	34
42,046	169	3,636	14,497	23,744	-	14,933	1	102	1,240	13,589	1	386	35
43,505	209	3,646	14,584	25,062	4	15,456	3	106	1,359	13,987	1	372	36
44,456	223	3,619	15,036	25,575	3	15,356	5	103	1,345	13,902	1	375	37
45,293	209	3,648	15,341	26,093	2	15,504	2	117	1,267	14,116	2	373	38
46,116	232	3,779	15,701	26,404	-	15,819	3	97	1,310	14,408	1	313	39
47,325	213	3,786	16,059	27,266	1	16,464	5	116	1,417	14,925	1	321	40
48,186	221	3,829	16,691	27,444	1	16,111	5	122	1,397	14,587	-	352	41
49,454	254	3,942	17,030	28,226	2	16,917	2	127	1,397	15,390	1	309	42
50,317	287	3,915	17,534	28,578	3	16,832	5	148	1,491	15,188	-	317	43
50,942	296	3,945	17,836	28,864	1	16,834	8	157	1,501	15,168	-	342	44
52,319	300	4,029	17,968	30,019	3	17,170	7	150	1,507	15,506	-	291	45
52,650	319	3,967	18,068	30,294	2	17,247	8	196	1,672	15,371	-	287	46
53,466	300	3,964	18,568	30,631	3	17,448	8	204	1,764	15,472	-	283	47
54,354	362	4,101	18,731	31,157	3	17,511	14	237	1,792	15,467	1	327	48
56,043	418	4,180	18,957	32,485	3	17,918	15	265	1,994	15,641	3	333	49
56,659	400	4,127	19,324	32,807	1	18,431	21	330	2,173	15,907	-	325	50
57,433	389	4,145	19,344	33,555	-	18,532	19	367	2,252	15,894	-	334	51
56,698	380	3,976	18,920	33,369	53	18,225	16	412	2,264	15,525	8	2,408	52
57,497	293	3,764	19,054	34,292	94	18,345	17	432	2,373	15,496	27	1,360	53
58,349	363	3,826	19,161	34,948	51	17,975	12	461	2,538	14,950	14	1,169	54
Female - Féminin													
19,399	291	2,791	7,180	9,134	3	20,170	6	141	1,935	18,080	8	215	55
18,923	261	2,727	7,045	8,888	2	19,858	9	145	1,966	17,732	6	143	56
19,382	240	2,691	7,168	9,282	1	20,594	3	166	1,935	18,485	5	141	57
18,885	223	2,643	6,841	9,177	1	20,295	4	141	1,852	18,296	2	114	58
18,877	201	2,438	6,811	9,423	4	21,224	7	135	1,794	19,287	1	97	59
19,412	222	2,427	6,993	9,768	2	21,927	1	122	1,846	19,957	1	106	60
19,974	256	2,480	7,236	9,999	3	22,622	4	126	1,953	20,536	3	86	61
19,531	203	2,470	6,889	9,967	2	22,714	2	120	1,797	20,793	2	83	62
20,515	205	2,430	7,212	10,668	-	24,145	3	139	1,856	22,146	1	50	63
20,097	214	2,398	7,078	10,406	1	24,369	-	97	1,990	22,279	3	63	64
20,089	187	2,321	7,076	10,504	1	24,935	7	123	2,007	22,798	-	44	65
20,796	215	2,486	7,415	10,679	1	25,604	3	132	1,973	23,495	1	63	66
21,080	196	2,402	7,509	10,972	2	27,028	2	158	2,073	24,792	3	44	67
21,079	206	2,353	7,671	10,849	-	26,155	6	124	2,024	23,999	2	50	68
21,435	194	2,420	7,790	11,030	1	27,602	6	137	2,108	25,350	1	44	69
21,593	214	2,435	7,931	11,011	2	28,118	5	141	2,190	25,782	-	36	70
21,700	208	2,477	8,146	10,868	1	28,377	8	166	2,187	26,014	2	53	71
21,971	235	2,406	8,263	11,067	-	29,946	13	169	2,322	27,440	2	38	72
22,353	236	2,436	8,541	11,140	-	30,437	17	179	2,398	27,842	1	42	73
22,331	229	2,433	8,531	11,137	1	30,933	11	222	2,480	28,216	4	41	74
22,202	272	2,400	8,316	11,214	-	31,884	16	243	2,552	29,073	-	52	75
23,345	253	2,439	8,888	11,762	3	33,119	12	245	2,636	30,223	3	46	76
23,314	268	2,324	9,136	11,585	1	34,019	13	279	2,687	31,039	1	43	77
23,639	254	2,285	9,097	12,003	-	35,206	25	302	2,842	32,037	-	63	78
23,408	220	2,233	8,924	12,017	14	34,467	14	333	2,821	31,285	14	1,344	79
23,183	218	2,079	8,771	12,065	50	35,642	12	314	2,830	32,431	55	631	80
23,610	205	2,142	9,000	12,241	22	35,551	20	350	2,894	32,267	20	530	81

1 Evalué.

TABLE 13. Death Rates (Per 100,000 Population), by Age, Sex and Marital Status, Canada, 1951 - 1977

No.	Year — Année	Single — Célibataire						
		Total	Under 15 years — Moins de 15 ans	Total	15-24 years — ans	25-44 years — ans	45-64 years — ans	65 + years — ans
<b>Both sexes — Deux sexes</b>								
1	1951	897.1	447.8	606.4	133.2	335.2	1,427.0	6,877.4
2	1952	872.6	449.5	585.0	127.3	328.4	1,383.4	6,514.6
3	1953	859.5	414.4	575.8	124.2	297.2	1,334.9	6,566.2
4	1954	816.0	369.9	550.8	107.2	276.6	1,297.7	6,361.2
5	1955	817.9	355.3	555.9	111.0	268.3	1,250.2	6,506.9
6	1956	819.9	352.1	573.8	108.4	284.5	1,279.4	6,701.7
7	1957	821.3	341.3	577.8	114.1	293.8	1,285.4	6,745.4
8	1958	790.6	316.7	558.4	100.2	281.0	1,300.3	6,576.0
9	1959	799.7	300.2	579.3	108.7	282.1	1,293.0	6,896.8
10	1960	781.0	280.5	563.7	103.9	270.7	1,300.9	6,666.2
11	1961	772.7	269.4	557.6	101.7	279.9	1,272.3	6,568.5
12	1962	773.3	267.6	552.1	103.2	282.2	1,275.9	6,577.8
13	1963	778.4	253.1	556.2	110.5	276.5	1,325.1	6,667.3
14	1964	756.1	230.1	539.5	108.9	299.2	1,289.2	6,494.5
15	1965	758.2	208.5	536.4	107.6	294.5	1,298.8	6,564.3
16	1966	748.8	194.3	527.0	111.5	310.5	1,269.7	6,365.0
17	1967	736.5	181.9	512.3	114.5	294.0	1,315.4	6,161.6
18	1968	738.5	168.4	504.3	111.4	293.4	1,272.3	6,307.1
19	1969	733.5	163.0	500.8	114.5	297.1	1,319.6	6,179.7
20	1970	729.6	160.1	493.3	116.3	291.4	1,310.3	6,112.3
21	1971	729.2	150.5	497.3	119.0	311.2	1,345.6	5,834.6
22	1972 <sup>a</sup>	745.0	145.2	513.4	135.8	318.2	1,362.7	5,971.8
23	1973 <sup>b</sup>	744.2	133.9	513.9	140.1	319.7	1,404.1	5,927.9
24	1974 <sup>c</sup>	745.8	132.1	514.5	140.0	311.5	1,430.6	6,063.9
25	1975 <sup>d</sup>	737.6	132.1	489.8	131.6	308.7	1,395.5	5,775.4
26	1976	726.4	121.9	485.0	121.5	292.1	1,454.6	5,865.7
27	1977	720.2	117.1	482.9	125.4	316.1	1,413.6	5,675.1
<b>Male — Masculin</b>								
28	1951	1,008.6	502.4	691.0	166.3 <sup>e</sup>	399.8	1,799.4	7,396.2
29	1952	994.7	506.5	677.3	170.1	394.6	1,740.3	7,146.7
30	1953	977.6	471.3	660.7	171.0	366.3	1,694.5	6,985.1
31	1954	932.5	421.1	630.1	145.4	330.6	1,650.1	6,934.3
32	1955	940.6	402.2	634.1	152.2	319.2	1,562.4	7,181.0
33	1956	938.5	391.9	657.7	151.0	348.0	1,613.7	7,410.4
34	1957	948.1	384.9	667.0	158.6	357.2	1,667.4	7,560.6
35	1958	913.7	358.6	635.8	137.8	337.4	1,660.3	7,414.9
36	1959	918.6	339.4	662.1	149.8	336.5	1,672.1	7,935.8
37	1960	903.8	319.8	645.0	142.9	325.0	1,690.7	7,760.8
38	1961	896.7	306.9	643.2	140.3	337.0	1,715.3	7,721.1
39	1962	894.1	301.6	640.2	140.7	346.2	1,715.3	7,846.6
40	1963	900.2	289.1	643.5	147.0	337.7	1,766.8	8,028.4
41	1964	883.3	262.5	628.7	151.2	366.1	1,750.4	7,721.3
42	1965	882.7	234.8	621.4	149.1	357.8	1,736.5	7,795.8
43	1966	874.4	219.8	620.3	157.1	376.0	1,708.6	7,684.1
44	1967	861.6	204.7	609.1	162.5	364.6	1,804.1	7,447.1
45	1968	860.1	189.4	594.3	156.1	352.0	1,753.6	7,689.1
46	1969	854.2	185.8	598.1	163.5	356.5	1,840.9	7,667.9
47	1970	850.5	183.2	581.9	163.0	344.6	1,834.8	7,491.5
48	1971	850.6	172.2	589.2	165.4	389.0	1,867.9	7,457.6
49	1972 <sup>a</sup>	866.7	166.6	610.8	193.5	392.9	1,883.5	7,672.7
50	1973 <sup>b</sup>	866.2	152.7	611.0	198.6	400.9	1,950.1	7,601.9
51	1974 <sup>c</sup>	865.4	149.8	615.5	199.5	398.2	2,006.7	7,901.0
52	1975 <sup>d</sup>	857.8	149.5	583.5	186.8	389.9	1,933.0	7,587.0
53	1976	844.8	139.0	579.1	172.5	367.0	2,056.2	7,822.4
54	1977	837.1	131.0	573.4	178.0	407.5	1,973.4	7,455.4
<b>Female — Féminin</b>								
55	1951	782.9	390.9	499.0	92.3	245.0	969.1	6,275.8
56	1952	747.3	390.2	466.6	73.9	233.9	947.5	5,782.8
57	1953	738.2	355.0	465.7	65.4	196.6	897.8	6,080.9
58	1954	696.2	316.5	447.0	59.0	195.7	873.1	5,700.3
59	1955	691.8	306.4	452.6	58.6	189.9	872.8	5,735.2
60	1956	697.9	310.8	462.2	54.1	184.3	872.9	5,896.6
61	1957	691.0	295.9	458.6	56.8	193.5	828.6	5,836.7
62	1958	664.4	273.1	455.3	51.8	191.0	877.7	5,668.2
63	1959	677.6	259.3	469.4	55.7	194.5	857.3	5,802.9
64	1960	655.3	239.4	456.4	53.9	182.8	860.9	5,543.5
65	1961	645.9	230.1	445.3	52.6	186.8	779.2	5,424.4
66	1962	650.2	232.0	437.2	55.7	176.7	789.0	5,339.6
67	1963	654.7	215.4	443.3	64.6	174.3	839.2	5,361.0
68	1964	627.1	196.3	425.4	56.4	187.7	784.3	5,331.2
69	1965	632.2	180.9	428.3	56.5	189.4	818.1	5,405.1
70	1966	622.0	167.6	409.2	55.7	201.9	786.0	5,128.7
71	1967	610.2	158.0	390.6	56.0	175.8	782.1	4,972.4
72	1968	616.0	146.3	391.2	56.9	194.1	752.8	5,057.4
73	1969	612.0	139.1	378.7	55.1	195.1	762.8	4,855.0
74	1970	608.1	136.0	382.2	60.0	198.6	755.4	4,901.5
75	1971	607.5	127.8	383.0	61.9	189.2	783.4	4,525.0
76	1972 <sup>a</sup>	623.2	122.7	392.4	64.6	201.9	798.3	4,630.5
77	1973 <sup>b</sup>	622.3	114.2	393.2	68.3	193.3	808.2	4,633.4
78	1974 <sup>c</sup>	626.7	113.4	389.0	66.8	176.6	796.7	4,677.3
79	1975 <sup>d</sup>	618.0	113.9	373.5	63.8	182.8	797.6	4,430.5
80	1976	608.9	103.9	368.1	58.8	176.2	777.5	4,444.3
81	1977	604.4	102.5	370.2	60.4	175.0	784.0	4,390.5

TABLEAU 13. Taux de mortalité (pour 100,000 habitants), selon le groupe d'âges, le sexe et l'état matrimonial, Canada, 1951 - 1977

Total	Married - Marié				Widowed and divorced - En veuvage et divorcé					No
	15 - 24 years - ans	25 - 44 years - ans	45 - 64 years - ans	65+ years - ans	Total	15 - 24 years - ans	25 - 44 years - ans	45 - 64 years - ans	65+ years - ans	
<b>Both sexes - Deux sexes</b>										
878.0	98.3	185.8	1,014.8	4,872.2	4,985.3	541.4	395.5	1,426.7	7,900.4	1
855.8	89.8	183.0	1,000.2	4,719.7	4,847.5	1,071.4	423.6	1,446.3	7,572.9	2
854.5	88.4	177.4	983.5	4,796.0	4,900.7	428.6	434.3	1,397.5	7,630.3	3
824.6	84.0	167.2	935.2	4,698.4	4,722.7	375.0	412.4	1,317.0	7,322.5	4
828.0	73.8	159.1	922.5	4,829.3	4,869.7	500.0	383.1	1,312.1	7,537.2	5
830.2	81.5	156.6	925.9	4,845.3	4,895.3	145.6	345.9	1,311.7	7,556.5	6
840.8	77.2	160.4	953.5	4,878.1	4,972.6	250.0	366.9	1,312.3	7,669.3	7
817.3	65.9	155.4	913.7	4,808.3	4,861.4	150.0	345.8	1,205.2	7,536.6	8
830.0	71.7	152.2	900.1	4,954.9	4,993.8	272.7	374.0	1,244.7	7,737.3	9
820.3	74.1	148.7	886.5	4,876.1	4,906.1	227.3	299.0	1,264.2	7,588.3	10
816.3	65.9	146.0	874.6	4,834.7	4,874.4	323.3	346.5	1,214.1	7,565.8	11
821.4	71.6	152.2	876.8	4,824.1	4,884.2	240.0	330.9	1,198.6	7,542.9	12
828.7	63.6	149.8	872.9	4,891.6	5,018.7	250.0	391.4	1,253.6	7,706.1	13
825.5	64.3	148.3	880.8	4,822.8	4,768.3	379.3	346.5	1,206.7	7,294.1	14
829.8	65.7	150.8	874.7	4,874.1	4,900.8	266.7	360.7	1,210.7	7,506.9	15
824.4	71.1	148.0	874.6	4,846.6	4,807.1	277.2	377.5	1,241.4	7,337.1	16
812.8	67.3	147.2	866.8	4,804.4	4,698.2	444.4	411.5	1,218.4	7,131.1	17
812.4	67.1	145.5	850.2	4,901.7	4,771.2	526.3	402.8	1,246.0	7,191.2	18
800.6	64.8	142.7	837.9	4,871.1	4,705.8	641.0	471.7	1,298.7	7,009.4	19
791.6	58.5	140.6	832.0	4,835.9	4,578.1	473.3	365.4	1,307.5	6,858.4	20
783.0	68.8	141.4	814.3	4,592.2	4,413.7	201.4	362.4	1,235.3	7,181.9	21
795.9	72.7	140.8	822.0	4,593.8	4,397.8	184.9	353.4	1,271.6	7,195.5	22
785.0	71.1	134.2	824.2	4,484.9	4,361.7	237.8	389.9	1,289.1	7,168.4	23
775.8	66.1	130.1	808.5	4,473.9	4,305.2	309.9	393.8	1,305.5	7,115.6	24
747.4	59.7	122.3	776.7	4,324.9	4,066.7	208.3	404.2	1,259.9	6,750.8	25
735.2	49.5	112.2	763.3	4,265.8	4,010.6	202.9	374.5	1,250.8	6,687.9	26
738.3	54.0	111.7	763.4	4,205.8	3,929.4	219.2	396.8	1,290.0	6,364.3	27
<b>Male - Masculin</b>										
1,131.5	117.0	205.7	1,197.8	5,340.6	6,749.3	1,126.8	689.6	2,247.7	9,670.8	28
1,120.6	113.0	210.0	1,202.3	5,232.8	6,716.8	3,000.0	780.6	2,340.6	9,496.1	29
1,119.5	124.8	205.5	1,176.5	5,320.1	6,809.1	1,500.0	690.8	2,271.6	9,608.5	30
1,090.5	125.0	191.8	1,133.6	5,258.4	6,641.3	666.7	786.7	2,163.8	9,321.4	31
1,111.2	109.9	190.5	1,125.1	5,483.0	6,976.8	666.7	711.4	2,333.3	9,690.5	32
1,112.3	124.8	189.1	1,125.9	5,495.8	6,998.2	496.3	663.3	2,333.1	9,650.9	33
1,135.3	97.6	197.7	1,176.9	5,568.5	7,206.7	250.0	713.3	2,245.2	10,006.5	34
1,113.7	96.2	190.6	1,148.3	5,528.3	7,043.9	250.0	653.8	2,141.6	9,840.0	35
1,124.8	115.9	187.7	1,118.1	5,690.7	7,192.2	750.0	650.3	2,295.6	10,062.6	36
1,127.2	121.3	183.8	1,121.6	5,680.8	7,060.2	1,250.0	598.8	2,223.1	9,972.7	37
1,128.9	111.6	183.3	1,116.7	5,653.9	7,013.9	323.1	635.1	2,031.4	10,109.3	38
1,131.3	117.3	189.0	1,113.7	5,627.5	7,148.2	600.0	530.1	2,123.2	10,233.0	39
1,146.3	103.2	189.0	1,113.7	5,717.3	7,473.4	714.3	633.9	2,346.0	10,592.6	40
1,148.8	102.7	189.3	1,133.3	5,670.2	7,326.5	714.3	670.3	2,340.0	10,323.4	41
1,158.5	114.7	192.2	1,130.2	5,761.6	7,686.1	285.7	690.2	2,351.9	10,868.6	42
1,154.2	125.3	186.9	1,137.6	5,772.6	7,615.4	591.7	802.5	2,495.9	10,695.8	43
1,140.3	117.0	185.2	1,126.9	5,757.8	7,442.1	888.9	754.8	2,518.5	10,467.9	44
1,145.1	107.8	186.8	1,106.3	5,886.1	7,517.5	636.4	660.8	2,567.3	10,627.8	45
1,125.1	103.1	181.6	1,084.2	5,833.6	7,453.3	615.4	809.9	2,824.3	10,477.8	46
1,118.6	89.1	179.4	1,089.4	5,789.3	7,174.3	444.4	658.1	2,822.4	10,461.1	47
1,111.8	114.1	179.7	1,084.4	5,628.4	6,596.0	268.2	523.8	2,308.5	11,257.3	48
1,124.4	130.3	179.4	1,078.2	5,642.7	6,556.1	300.0	543.0	2,461.7	11,293.1	49
1,113.6	122.2	173.4	1,080.0	5,550.2	6,554.4	456.5	629.8	2,568.6	11,402.9	50
1,101.0	114.0	169.3	1,063.2	5,523.5	6,394.8	441.9	647.3	2,256.2	11,296.4	51
1,060.2	107.5	158.0	1,021.9	5,330.5	6,095.3	390.2	672.1	2,468.9	10,917.7	52
1,050.3	80.3	145.8	1,013.1	5,294.7	5,942.7	450.9	657.8	2,490.3	10,763.0	53
1,054.6	97.6	144.8	1,006.9	5,241.9	5,761.2	307.7	685.0	2,632.8	10,094.5	54
<b>Female - Féminin</b>										
622.7	90.1	167.1	798.0	4,109.4	4,245.5	402.1	298.1	1,140.6	7,044.4	55
588.9	79.4	157.6	761.6	3,881.2	4,074.3	750.0	306.6	1,139.0	6,658.7	56
587.4	71.8	151.0	756.3	3,939.7	4,123.7	250.0	351.7	1,103.8	6,704.8	57
556.5	65.2	144.0	702.4	3,782.8	3,955.4	307.7	295.0	1,038.7	6,403.9	58
542.8	57.4	129.5	684.5	3,769.2	4,038.8	466.7	281.3	986.8	6,555.7	59
546.1	61.8	126.1	690.3	3,798.2	4,077.2	60.4	249.1	997.1	6,607.4	60
544.6	68.0	125.3	691.1	3,776.1	4,116.8	250.0	259.8	1,029.5	6,630.9	61
519.5	52.2	122.2	638.9	3,669.7	4,038.8	125.0	246.9	925.8	6,536.6	62
533.4	51.6	118.5	645.5	3,800.5	4,176.6	166.7	282.5	932.2	6,751.8	63
511.9	52.7	115.4	613.3	3,617.0	4,115.0	-	195.2	978.8	6,603.1	64
502.5	45.3	110.5	595.0	3,555.0	4,097.3	323.3	241.9	968.2	6,546.1	65
511.0	50.4	117.4	604.5	3,565.6	4,084.9	150.0	259.3	929.8	6,495.7	66
510.9	44.8	113.0	596.8	3,599.7	4,182.0	95.2	305.6	950.9	6,620.0	67
502.3	45.9	109.7	593.2	3,499.7	3,924.2	272.7	234.8	904.4	6,190.1	68
501.6	42.1	111.7	585.4	3,496.0	4,010.2	260.9	250.0	916.1	6,320.1	69
494.8	45.0	110.9	578.8	3,421.9	3,937.8	181.0	242.7	924.9	6,191.7	70
485.5	41.9	110.9	575.8	3,336.8	3,855.0	296.3	287.7	899.6	6,013.4	71
480.2	45.3	106.1	565.5	3,372.0	3,944.9	481.5	299.1	934.0	6,080.2	72
476.7	43.2	105.8	566.0	3,362.5	3,892.7	653.8	323.7	943.4	5,926.4	73
465.7	40.3	104.0	549.5	3,328.5	3,802.0	323.5	376.3	946.2	5,769.0	74
454.1	45.1	103.7	521.6	3,038.2	3,735.0	165.4	278.7	931.3	6,022.1	75
467.8	42.0	102.8	545.5	3,035.4	3,733.0	125.0	256.5	931.1	6,057.9	76
457.1	43.8	95.8	549.1	2,905.7	3,692.5	134.0	268.8	918.9	6,022.3	77
451.6	40.3	91.6	535.6	2,921.9	3,673.4	252.5	266.8	940.7	6,011.8	78
435.9	33.8	87.2	514.8	2,838.2	3,458.1	135.9	270.7	904.5	5,675.8	79
421.5	32.6	79.1	497.1	2,748.1	3,435.7	113.9	235.2	882.5	5,663.4	80
424.1	30.2	79.4	503.9	2,688.6	3,385.2	186.9	255.3	891.3	5,434.0	81

TABLE 14. Deaths by Marital Status, Age Group and Sex, Canada and Provinces, 1977

No.	Marital status	Total	0-14 years - ans	15-19 years - ans	20-24 years - ans	25-29 years - ans	30-34 years - ans	35-39 years - ans	40-44 years - ans	45-49 years - ans
<b>Canada</b>										
<b>Both sexes:</b>										
1	Total . . . . .	167,498	6,790	2,373	2,644	2,074	1,954	2,272	3,236	5,364
2	Single . . . . .	30,314	6,790	2,326	2,055	1,021	580	448	573	808
3	Married . . . . .	81,959	-	35	533	925	1,186	1,544	2,313	3,892
4	Widowed and divorced . . . . .	53,526	-	4	28	95	159	250	307	599
5	Not stated . . . . .	1,699	-	8	28	33	29	30	43	65
<b>Male:</b>										
6	Total . . . . .	96,872	3,891	1,770	2,072	1,518	1,334	1,502	2,097	3,493
7	Single . . . . .	19,379	3,891	1,748	1,689	816	444	348	443	623
8	Married . . . . .	58,349	-	17	346	616	770	989	1,451	2,498
9	Widowed and divorced . . . . .	17,975	-	-	12	56	96	141	168	325
10	Not stated . . . . .	1,169	-	5	25	30	24	24	35	47
<b>Female:</b>										
11	Total . . . . .	70,626	2,899	603	572	556	620	770	1,139	1,871
12	Single . . . . .	10,935	2,899	578	366	205	136	100	130	185
13	Married . . . . .	23,610	-	18	187	309	416	555	862	1,394
14	Widowed and divorced . . . . .	35,551	-	4	16	39	63	109	139	274
15	Not stated . . . . .	530	-	3	3	3	5	6	8	18
<b>Newfoundland</b>										
<b>Both sexes:</b>										
16	Total . . . . .	3,138	180	41	36	25	29	46	74	94
17	Single . . . . .	533	180	41	26	12	5	6	13	22
18	Married . . . . .	1,641	-	-	10	12	22	38	57	69
19	Widowed and divorced . . . . .	910	-	-	-	-	2	1	4	2
20	Not stated . . . . .	54	-	-	-	1	-	1	-	1
<b>Male:</b>										
21	Total . . . . .	1,877	111	33	29	19	23	33	49	61
22	Single . . . . .	353	111	33	21	9	3	4	11	19
23	Married . . . . .	1,182	-	-	8	9	18	27	35	39
24	Widowed and divorced . . . . .	301	-	-	-	-	2	1	3	2
25	Not stated . . . . .	41	-	-	-	1	-	1	-	1
<b>Female:</b>										
26	Total . . . . .	1,261	69	8	7	6	6	13	25	33
27	Single . . . . .	180	69	8	5	3	2	2	2	3
28	Married . . . . .	459	-	-	2	3	4	11	22	30
29	Widowed and divorced . . . . .	609	-	-	-	-	-	-	1	-
30	Not stated . . . . .	13	-	-	-	-	-	-	-	-
<b>Prince Edward Island</b>										
<b>Both sexes:</b>										
31	Total . . . . .	1,046	57	24	21	12	8	7	12	32
32	Single . . . . .	265	57	24	18	7	3	3	2	6
33	Married . . . . .	455	-	-	3	5	5	4	7	24
34	Widowed and divorced . . . . .	326	-	-	-	-	-	-	3	2
35	Not stated . . . . .	-	-	-	-	-	-	-	-	-
<b>Male:</b>										
36	Total . . . . .	652	33	18	19	10	6	5	7	24
37	Single . . . . .	179	33	18	16	7	3	2	2	6
38	Married . . . . .	348	-	-	3	3	3	3	4	17
39	Widowed and divorced . . . . .	125	-	-	-	-	-	-	1	1
40	Not stated . . . . .	-	-	-	-	-	-	-	-	-
<b>Female:</b>										
41	Total . . . . .	394	24	6	2	2	2	2	5	8
42	Single . . . . .	86	24	6	2	-	-	1	-	-
43	Married . . . . .	107	-	-	-	2	2	1	3	7
44	Widowed and divorced . . . . .	201	-	-	-	-	-	-	2	1
45	Not stated . . . . .	-	-	-	-	-	-	-	-	-
<b>Nova Scotia</b>										
<b>Both sexes:</b>										
46	Total . . . . .	6,963	212	75	83	68	63	71	112	199
47	Single . . . . .	1,245	212	71	70	33	16	15	23	28
48	Married . . . . .	3,366	-	3	13	34	39	50	83	144
49	Widowed and divorced . . . . .	2,338	-	1	-	1	7	6	6	27
50	Not stated . . . . .	14	-	-	-	-	1	-	-	-

TABLEAU 14. Décès selon l'état matrimonial, le groupe d'âges et le sexe, Canada et provinces, 1977

50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85 + years — ans	Not stated  Non donnés	L'état matrimonial	No
<b>Canada</b>										
<b>Deux sexes:</b>										
8,094	10,887	14,502	17,961	20,495	21,013	20,054	27,566	219	Total . . . . .	1
1,082	1,332	1,590	2,086	2,370	2,305	2,118	2,806	24	Célibataire . . . . .	2
5,934	7,950	10,385	12,054	11,955	10,229	7,267	5,684	73	Marié . . . . .	3
975	1,482	2,376	3,628	5,953	8,256	10,491	18,889	34	En veuvage et divorcé . . . . .	4
103	123	151	193	217	223	178	187	88	Non donnés . . . . .	5
<b>Masculin:</b>										
5,316	7,154	9,634	11,563	12,553	11,767	9,758	11,311	139	Total . . . . .	6
804	985	1,144	1,427	1,519	1,340	1,043	1,105	10	Célibataire . . . . .	7
3,919	5,374	7,370	8,690	8,779	7,586	5,465	4,428	51	Marié . . . . .	8
511	698	1,004	1,315	2,111	2,691	3,154	5,679	14	En veuvage et divorcé . . . . .	9
82	97	116	131	144	150	96	99	64	Non donnés . . . . .	10
<b>Féminin:</b>										
2,778	3,733	4,868	6,398	7,942	9,246	10,296	16,255	80	Total . . . . .	11
278	347	446	659	851	965	1,075	1,701	14	Célibataire . . . . .	12
2,015	2,576	3,015	3,364	3,176	2,643	1,802	1,256	22	Mariée . . . . .	13
464	784	1,372	2,313	3,842	5,565	7,337	13,210	20	En veuvage et divorcée . . . . .	14
21	26	35	62	73	73	82	88	24	Non données . . . . .	15
<b>Terre-Neuve</b>										
<b>Deux sexes:</b>										
142	226	312	354	370	385	376	434	14	Total . . . . .	16
17	39	27	37	39	26	21	22	—	Célibataire . . . . .	17
113	162	243	254	222	191	150	93	5	Marié . . . . .	18
9	20	39	58	103	159	200	312	1	En veuvage et divorcé . . . . .	19
3	5	3	5	6	9	5	7	8	Non donnés . . . . .	20
<b>Masculin:</b>										
98	162	226	219	231	210	187	176	10	Total . . . . .	21
14	32	21	21	25	12	11	6	—	Célibataire . . . . .	22
80	119	182	177	161	138	115	71	3	Marié . . . . .	23
2	7	20	17	39	56	59	93	—	En veuvage et divorcé . . . . .	24
2	4	3	4	6	4	2	6	7	Non donnés . . . . .	25
<b>Féminin:</b>										
44	64	86	135	139	175	189	258	4	Total . . . . .	26
3	7	6	16	14	14	10	16	—	Célibataire . . . . .	27
33	43	61	77	61	53	35	22	2	Mariée . . . . .	28
7	13	19	41	64	103	141	219	1	En veuvage et divorcée . . . . .	29
1	1	—	1	—	5	3	1	1	Non données . . . . .	30
<b>Île-du-Prince-Édouard</b>										
<b>Deux sexes:</b>										
40	46	92	99	115	126	150	205	—	Total . . . . .	31
8	14	15	16	19	19	24	30	—	Célibataire . . . . .	32
27	28	63	67	64	66	49	43	—	Marié . . . . .	33
5	4	14	16	32	41	77	132	—	En veuvage et divorcé . . . . .	34
—	—	—	—	—	—	—	—	—	Non donnés . . . . .	35
<b>Masculin:</b>										
29	35	66	77	74	75	82	92	—	Total . . . . .	36
8	12	11	11	17	10	12	11	—	Célibataire . . . . .	37
20	22	47	57	43	49	41	36	—	Marié . . . . .	38
1	1	8	9	14	16	29	45	—	En veuvage et divorcé . . . . .	39
—	—	—	—	—	—	—	—	—	Non donnés . . . . .	40
<b>Féminin:</b>										
11	11	26	22	41	51	68	113	—	Total . . . . .	41
—	2	4	5	2	9	12	19	—	Célibataire . . . . .	42
7	6	16	10	21	17	8	7	—	Mariée . . . . .	43
4	3	6	7	18	25	48	87	—	En veuvage et divorcée . . . . .	44
—	—	—	—	—	—	—	—	—	Non données . . . . .	45
<b>Nouvelle-Écosse</b>										
<b>Deux sexes:</b>										
311	438	636	763	842	868	881	1,339	2	Total . . . . .	46
36	52	74	96	126	99	126	168	—	Célibataire . . . . .	47
238	327	455	519	480	409	298	274	—	Marié . . . . .	48
35	59	105	146	234	359	455	897	—	En veuvage et divorcé . . . . .	49
2	—	2	2	2	1	2	—	2	Non donnés . . . . .	50

TABLE 14. Deaths by Marital Status, Age Group and Sex, Canada and Provinces, 1977 - Continued

No.	Marital status	Total	0-14 years — ans	15-19 years — ans	20-24 years — ans	25-29 years — ans	30-34 years — ans	35-39 years — ans	40-44 years — ans	45-49 years — ans
<b>Nova Scotia - Concluded</b>										
Male:										
1	Total . . . . .	4,081	124	55	72	52	47	45	75	124
2	Single . . . . .	805	124	54	60	32	14	13	16	20
3	Married . . . . .	2,417	—	1	12	19	29	28	56	90
4	Widowed and divorced . . . . .	847	—	—	—	1	4	4	3	14
5	Not stated . . . . .	12	—	—	—	—	—	—	—	—
Female:										
6	Total . . . . .	2,882	88	20	11	16	16	26	37	75
7	Single . . . . .	440	88	17	10	1	2	2	7	8
8	Married . . . . .	949	—	2	1	15	10	22	27	54
9	Widowed and divorced . . . . .	1,491	—	1	—	—	3	2	3	13
10	Not stated . . . . .	2	—	—	—	—	1	—	—	—
<b>New Brunswick</b>										
Both sexes:										
11	Total . . . . .	5,185	245	88	93	69	63	69	103	132
12	Single . . . . .	1,038	245	85	73	30	18	11	16	15
13	Married . . . . .	2,475	—	3	19	36	41	48	77	103
14	Widowed and divorced . . . . .	1,669	—	—	1	3	4	10	10	14
15	Not stated . . . . .	3	—	—	—	—	—	—	—	—
Male:										
16	Total . . . . .	3,038	142	69	75	54	44	47	76	87
17	Single . . . . .	646	142	67	62	26	16	10	10	12
18	Married . . . . .	1,819	—	2	13	25	25	33	59	67
19	Widowed and divorced . . . . .	570	—	—	—	3	3	4	7	8
20	Not stated . . . . .	3	—	—	—	—	—	—	—	—
Female:										
21	Total . . . . .	2,147	103	19	18	15	19	22	27	45
22	Single . . . . .	392	103	18	11	4	2	1	6	3
23	Married . . . . .	656	—	1	6	11	16	15	18	36
24	Widowed and divorced . . . . .	1,099	—	—	1	—	1	6	3	6
25	Not stated . . . . .	—	—	—	—	—	—	—	—	—
<b>Quebec</b>										
Both sexes:										
26	Total . . . . .	43,459	1,845	666	732	630	614	679	900	1,588
27	Single . . . . .	9,281	1,845	651	604	355	209	173	207	284
28	Married . . . . .	21,267	—	8	106	239	349	415	596	1,102
29	Widowed and divorced . . . . .	11,579	—	—	—	14	36	70	65	155
30	Not stated . . . . .	1,332	—	7	22	22	20	21	32	47
Male:										
31	Total . . . . .	25,475	1,066	489	576	458	427	475	611	1,032
32	Single . . . . .	5,556	1,066	479	494	270	163	132	158	205
33	Married . . . . .	14,924	—	5	62	161	224	286	387	713
34	Widowed and divorced . . . . .	4,134	—	—	—	7	22	39	39	80
35	Not stated . . . . .	861	—	5	20	20	18	18	27	34
Female:										
36	Total . . . . .	17,984	779	177	156	172	187	204	289	556
37	Single . . . . .	3,725	779	172	110	85	46	41	49	79
38	Married . . . . .	6,343	—	3	44	78	125	129	209	389
39	Widowed and divorced . . . . .	7,445	—	—	—	7	14	31	26	75
40	Not stated . . . . .	471	—	2	2	2	2	3	5	13
<b>Ontario</b>										
Both sexes:										
41	Total . . . . .	61,425	2,095	657	779	628	582	748	1,142	2,009
42	Single . . . . .	9,460	2,095	647	575	275	161	106	165	233
43	Married . . . . .	30,545	—	8	196	313	375	558	859	1,526
44	Widowed and divorced . . . . .	21,272	—	2	6	36	44	82	115	241
45	Not stated . . . . .	148	—	—	2	4	2	2	3	9

TABLEAU 14. Décès selon l'état matrimonial, le groupe d'âges et le sexe, Canada et provinces, 1977 - suite

50 - 54 years — ans	55 - 59 years — ans	60 - 64 years — ans	65 - 69 years — ans	70 - 74 years — ans	75 - 79 years — ans	80 - 84 years — ans	85 + years — ans	Not stated — Non donnés	L'état matrimonial	No
<b>Nouvelle-Écosse - fin</b>										
<b>Masculin:</b>										
213	284	431	517	526	495	443	576	2	Total . . . . .	1
29	36	59	66	93	57	59	73	—	Célibataire . . . . .	2
165	217	319	392	347	300	231	211	—	Marié . . . . .	3
17	31	51	57	84	137	152	292	—	En veuvage et divorcé . . . . .	4
2	—	2	2	2	1	1	—	2	Non donnés . . . . .	5
<b>Féminin:</b>										
98	154	205	246	316	373	438	763	—	Total . . . . .	6
7	16	15	30	33	42	67	95	—	Célibataire . . . . .	7
73	110	136	127	133	109	67	63	—	Mariée . . . . .	8
18	28	54	89	150	222	303	605	—	En veuvage et divorcée . . . . .	9
—	—	—	—	—	—	1	—	—	Non données . . . . .	10
<b>Nouveau-Brunswick</b>										
<b>Deux sexes:</b>										
232	348	405	538	556	643	638	963	—	Total . . . . .	11
28	51	42	71	80	77	85	111	—	Célibataire . . . . .	12
178	255	287	370	318	310	233	197	—	Marié . . . . .	13
26	41	76	97	158	256	320	653	—	En veuvage et divorcé . . . . .	14
—	1	—	—	—	—	—	2	—	Non donnés . . . . .	15
<b>Masculin:</b>										
155	238	273	351	342	353	323	409	—	Total . . . . .	16
21	38	32	47	54	37	35	37	—	Célibataire . . . . .	17
118	181	208	266	240	231	183	168	—	Marié . . . . .	18
16	18	33	38	48	85	105	202	—	En veuvage et divorcé . . . . .	19
—	1	—	—	—	—	—	2	—	Non donnés . . . . .	20
<b>Féminin:</b>										
77	110	132	187	214	290	315	554	—	Total . . . . .	21
7	13	10	24	26	40	50	74	—	Célibataire . . . . .	22
60	74	79	104	78	79	50	29	—	Mariée . . . . .	23
10	23	43	59	110	171	215	451	—	En veuvage et divorcée . . . . .	24
—	—	—	—	—	—	—	—	—	Non données . . . . .	25
<b>Québec</b>										
<b>Deux sexes:</b>										
2,396	3,107	4,139	4,973	5,692	5,374	4,650	5,281	193	Total . . . . .	26
415	457	564	679	762	716	643	695	22	Célibataire . . . . .	27
1,674	2,185	2,860	3,217	3,187	2,562	1,619	1,081	67	Marié . . . . .	28
224	375	596	919	1,570	1,931	2,243	3,352	29	En veuvage et divorcé . . . . .	29
83	90	119	158	173	165	145	153	75	Non donnés . . . . .	30
<b>Masculin:</b>										
1,604	2,080	2,736	3,137	3,370	2,920	2,230	2,144	120	Total . . . . .	31
289	319	363	411	403	336	253	205	10	Célibataire . . . . .	32
1,143	1,523	2,035	2,305	2,285	1,817	1,162	769	47	Marié . . . . .	33
108	170	249	320	579	665	746	1,099	11	En veuvage et divorcé . . . . .	34
64	68	89	101	103	102	69	71	52	Non donnés . . . . .	35
<b>Féminin:</b>										
792	1,027	1,403	1,836	2,322	2,454	2,420	3,137	73	Total . . . . .	36
126	138	201	268	359	380	390	490	12	Célibataire . . . . .	37
531	662	825	912	902	745	457	312	20	Mariée . . . . .	38
116	205	347	599	991	1,266	1,497	2,253	18	En veuvage et divorcée . . . . .	39
19	22	30	57	70	63	76	82	23	Non données . . . . .	40
<b>Ontario</b>										
<b>Deux sexes:</b>										
3,010	4,102	5,289	6,704	7,640	7,978	7,716	10,337	9	Total . . . . .	41
314	413	483	674	780	779	716	1,042	2	Célibataire . . . . .	42
2,316	3,088	3,852	4,567	4,488	3,823	2,733	1,842	1	Marié . . . . .	43
375	581	939	1,451	2,353	3,349	4,257	7,437	4	En veuvage et divorcé . . . . .	44
5	20	15	12	19	27	10	16	2	Non donnés . . . . .	45

TABLE 14. Deaths by Marital Status, Age Group and Sex, Canada and Provinces, 1977 - Continued

No.	Marital status	Total	0-14 years - ans	15-19 years - ans	20-24 years - ans	25-29 years - ans	30-34 years - ans	35-39 years - ans	40-44 years - ans	45-49 years - ans
<b>Ontario - Concluded</b>										
Male:										
1	Total . . . . .	34,283	1,179	485	613	439	383	483	697	1,319
2	Single . . . . .	5,753	1,179	481	480	219	117	86	132	182
3	Married . . . . .	21,691	-	4	128	199	242	347	502	991
4	Widowed and divorced . . . . .	6,706	-	-	3	18	22	48	61	139
5	Not stated . . . . .	133	-	-	2	3	2	2	2	7
Female:										
6	Total . . . . .	27,142	916	172	166	189	199	265	445	690
7	Single . . . . .	3,707	916	166	95	56	44	20	33	51
8	Married . . . . .	8,854	-	4	68	114	133	211	357	535
9	Widowed and divorced . . . . .	14,566	-	2	3	18	22	34	54	102
10	Not stated . . . . .	15	-	-	-	1	-	-	1	2
<b>Manitoba</b>										
Both sexes:										
11	Total . . . . .	8,178	406	115	122	88	90	101	129	211
12	Single . . . . .	1,546	406	115	96	47	23	19	22	37
13	Married . . . . .	3,899	-	-	23	34	57	72	94	153
14	Widowed and divorced . . . . .	2,710	-	-	3	6	7	10	11	20
15	Not stated . . . . .	23	-	-	-	1	3	-	2	1
Male:										
16	Total . . . . .	4,845	234	87	91	76	69	67	84	133
17	Single . . . . .	1,072	234	87	74	43	20	14	19	30
18	Married . . . . .	2,828	-	-	14	26	44	46	59	93
19	Widowed and divorced . . . . .	931	-	-	3	6	4	7	6	10
20	Not stated . . . . .	14	-	-	-	1	1	-	-	-
Female:										
21	Total . . . . .	3,333	172	28	31	12	21	34	45	78
22	Single . . . . .	474	172	28	22	4	3	5	3	7
23	Married . . . . .	1,071	-	-	9	8	13	26	35	60
24	Widowed and divorced . . . . .	1,779	-	-	-	-	3	3	5	10
25	Not stated . . . . .	9	-	-	-	-	2	-	2	1
<b>Saskatchewan</b>										
Both sexes:										
26	Total . . . . .	7,594	374	150	135	78	72	82	116	161
27	Single . . . . .	1,465	374	145	101	37	25	21	22	33
28	Married . . . . .	3,563	-	4	30	37	41	52	84	112
29	Widowed and divorced . . . . .	2,555	-	-	3	4	6	9	9	16
30	Not stated . . . . .	11	-	1	1	-	-	-	1	-
Male:										
31	Total . . . . .	4,607	212	108	111	58	46	51	79	106
32	Single . . . . .	1,080	212	107	87	32	16	14	18	27
33	Married . . . . .	2,650	-	1	22	23	26	34	53	70
34	Widowed and divorced . . . . .	868	-	-	1	3	4	3	7	9
35	Not stated . . . . .	9	-	-	1	-	-	-	1	-
Female:										
36	Total . . . . .	2,987	162	42	24	20	26	31	37	55
37	Single . . . . .	385	162	38	14	5	9	7	4	6
38	Married . . . . .	913	-	3	8	14	15	18	31	42
39	Widowed and divorced . . . . .	1,687	-	-	2	1	2	6	2	7
40	Not stated . . . . .	2	-	1	-	-	-	-	-	-
<b>Alberta</b>										
Both sexes:										
41	Total . . . . .	11,609	589	255	293	181	178	186	275	385
42	Single . . . . .	2,253	589	251	215	87	49	34	31	55
43	Married . . . . .	5,560	-	4	71	82	106	127	199	285
44	Widowed and divorced . . . . .	3,748	-	-	5	11	22	24	43	43
45	Not stated . . . . .	48	-	-	2	1	1	1	2	2
Male:										
46	Total . . . . .	7,020	318	198	224	137	128	116	177	263
47	Single . . . . .	1,659	318	196	178	70	41	27	26	45
48	Married . . . . .	3,999	-	2	43	60	70	74	128	196
49	Widowed and divorced . . . . .	1,319	-	-	2	6	16	14	21	20
50	Not stated . . . . .	43	-	-	1	1	1	1	2	2

TABLEAU 14. Décès selon l'état matrimonial, le groupe d'âges et le sexe, Canada et provinces, 1977 - suite

50 - 54 years — ans	55 - 59 years — ans	60 - 64 years — ans	65 - 69 years — ans	70 - 74 years — ans	75 - 79 years — ans	80 - 84 years — ans	85+ years — ans	Not stated — Non donnés	L'état matrimonial	No
<b>Ontario - fin</b>										
<b>Masculin:</b>										
1,955	2,666	3,507	4,280	4,617	4,395	3,522	3,737	6	Total . . . . .	1
234	314	349	467	468	440	316	289	—	Célibataire . . . . .	2
1,510	2,068	2,754	3,291	3,310	2,900	2,030	1,414	1	Marié . . . . .	3
206	266	391	512	820	1,030	1,166	2,021	3	En veuvage et divorcé . . . . .	4
5	18	13	10	19	25	10	13	2	Non donnés . . . . .	5
<b>Féminin:</b>										
1,055	1,436	1,782	2,424	3,023	3,583	4,194	6,600	3	Total . . . . .	6
80	99	134	207	312	339	400	753	2	Célibataire . . . . .	7
806	1,020	1,098	1,276	1,178	923	703	428	—	Mariée . . . . .	8
169	315	548	939	1,533	2,319	3,091	5,416	1	En veuvage et divorcée . . . . .	9
—	2	2	2	—	2	—	3	—	Non données . . . . .	10
<b>Manitoba</b>										
<b>Deux sexes:</b>										
338	434	676	831	976	1,051	1,048	1,562	—	Total . . . . .	11
44	60	86	122	116	127	102	124	—	Célibataire . . . . .	12
254	323	491	539	593	532	407	327	—	Marié . . . . .	13
37	51	98	166	266	388	538	1,109	—	En veuvage et divorcé . . . . .	14
3	—	1	4	1	4	1	2	—	Non donnés . . . . .	15
<b>Masculin:</b>										
223	282	457	561	608	612	561	700	—	Total . . . . .	16
34	49	64	92	84	87	67	74	—	Célibataire . . . . .	17
164	210	350	396	433	409	311	273	—	Marié . . . . .	18
22	23	43	69	91	114	182	351	—	En veuvage et divorcé . . . . .	19
3	—	—	4	—	2	1	2	—	Non donnés . . . . .	20
<b>Féminin:</b>										
115	152	219	270	368	439	487	862	—	Total . . . . .	21
10	11	22	30	32	40	35	50	—	Célibataire . . . . .	22
90	113	141	143	160	123	96	54	—	Mariée . . . . .	23
15	28	55	97	175	274	356	758	—	En veuvage et divorcée . . . . .	24
—	—	1	—	1	2	—	—	—	Non données . . . . .	25
<b>Saskatchewan</b>										
<b>Deux sexes:</b>										
247	378	527	734	855	953	1,011	1,721	—	Total . . . . .	26
42	60	62	99	113	108	89	134	—	Célibataire . . . . .	27
171	276	391	505	508	503	413	436	—	Marié . . . . .	28
32	42	72	128	234	342	508	1,150	—	En veuvage et divorcé . . . . .	29
2	—	2	2	—	—	1	1	—	Non donnés . . . . .	30
<b>Masculin:</b>										
164	254	371	489	547	576	550	885	—	Total . . . . .	31
33	43	54	82	89	83	70	113	—	Célibataire . . . . .	32
113	194	292	354	388	381	325	374	—	Marié . . . . .	33
16	17	23	51	70	112	154	398	—	En veuvage et divorcé . . . . .	34
2	—	2	2	—	—	1	—	—	Non donnés . . . . .	35
<b>Féminin:</b>										
83	124	156	245	308	377	461	836	—	Total . . . . .	36
9	17	8	17	24	25	19	21	—	Célibataire . . . . .	37
58	82	99	151	120	122	88	62	—	Mariée . . . . .	38
16	25	49	77	164	230	354	752	—	En veuvage et divorcée . . . . .	39
—	—	—	—	—	—	—	1	—	Non données . . . . .	40
<b>Alberta</b>										
<b>Deux sexes:</b>										
510	690	850	1,080	1,341	1,385	1,337	2,073	1	Total . . . . .	41
70	84	85	119	151	146	121	166	—	Célibataire . . . . .	42
353	497	593	718	788	703	524	510	—	Marié . . . . .	43
86	106	169	238	394	527	686	1,394	—	En veuvage et divorcé . . . . .	44
1	3	3	5	8	9	6	3	1	Non donnés . . . . .	45
<b>Masculin:</b>										
345	464	551	715	847	846	725	965	1	Total . . . . .	46
59	61	66	100	131	124	95	122	—	Célibataire . . . . .	47
235	337	411	522	582	530	415	394	—	Marié . . . . .	48
50	64	71	90	127	183	209	446	—	En veuvage et divorcé . . . . .	49
1	2	3	3	7	9	6	3	1	Non donnés . . . . .	50

TABLE 14. Deaths by Marital Status, Age Group and Sex, Canada and Provinces, 1977 - Concluded

No.	Marital status	Total	0 - 14 years — ans	15 - 19 years — ans	20 - 24 years — ans	25 - 29 years — ans	30 - 34 years — ans	35 - 39 years — ans	40 - 44 years — ans	45 - 49 years — ans
<b>Alberta - Concluded</b>										
Female:										
1	Total . . . . .	4,589	271	57	69	44	50	70	98	122
2	Single . . . . .	594	271	55	37	17	8	7	5	10
3	Married . . . . .	1,561	—	2	28	22	36	53	71	89
4	Widowed and divorced . . . . .	2,429	—	—	3	5	6	10	22	23
5	Not stated . . . . .	5	—	—	1	—	—	—	—	—
<b>British Columbia</b>										
Both sexes:										
6	Total . . . . .	18,596	718	285	337	282	245	274	359	543
7	Single . . . . .	3,097	718	279	269	132	68	59	69	93
8	Married . . . . .	9,081	—	5	58	127	146	174	248	369
9	Widowed and divorced . . . . .	6,364	—	1	10	20	29	38	40	77
10	Not stated . . . . .	54	—	—	—	3	2	3	2	4
Male:										
11	Total . . . . .	10,796	435	217	251	205	155	176	233	337
12	Single . . . . .	2,184	435	215	209	103	48	45	48	75
13	Married . . . . .	6,423	—	2	39	87	87	108	163	219
14	Widowed and divorced . . . . .	2,142	—	—	3	12	18	21	20	40
15	Not stated . . . . .	47	—	—	—	3	2	2	2	3
Female:										
16	Total . . . . .	7,800	283	68	86	77	90	98	126	206
17	Single . . . . .	913	283	64	60	29	20	14	21	18
18	Married . . . . .	2,658	—	3	19	40	59	66	85	150
19	Widowed and divorced . . . . .	4,222	—	1	7	8	11	17	20	37
20	Not stated . . . . .	7	—	—	—	—	—	1	—	1
<b>Yukon</b>										
Both sexes:										
21	Total . . . . .	105	10	5	3	3	2	2	6	5
22	Single . . . . .	37	10	5	3	2	—	—	2	1
23	Married . . . . .	42	—	—	—	1	—	2	2	4
24	Widowed and divorced . . . . .	22	—	—	—	—	2	—	1	—
25	Not stated . . . . .	4	—	—	—	—	—	—	1	—
Male:										
26	Total . . . . .	73	6	4	3	3	1	2	4	3
27	Single . . . . .	32	6	4	3	2	—	—	2	1
28	Married . . . . .	28	—	—	—	1	—	2	1	2
29	Widowed and divorced . . . . .	11	—	—	—	—	1	—	—	—
30	Not stated . . . . .	2	—	—	—	—	—	—	1	—
Female:										
31	Total . . . . .	32	4	1	—	—	1	—	2	2
32	Single . . . . .	5	4	1	—	—	—	—	—	—
33	Married . . . . .	14	—	—	—	—	—	—	1	2
34	Widowed and divorced . . . . .	11	—	—	—	—	1	—	1	—
35	Not stated . . . . .	2	—	—	—	—	—	—	—	—
<b>Northwest Territories</b>										
Both sexes:										
36	Total . . . . .	200	59	12	10	10	8	7	8	5
37	Single . . . . .	94	59	12	5	4	3	1	1	1
38	Married . . . . .	65	—	—	4	5	5	4	7	1
39	Widowed and divorced . . . . .	33	—	—	—	—	—	—	—	2
40	Not stated . . . . .	8	—	—	1	1	—	2	—	1
Male:										
41	Total . . . . .	125	31	7	8	7	5	2	5	4
42	Single . . . . .	60	31	7	5	3	3	1	1	1
43	Married . . . . .	40	—	—	2	3	2	1	4	1
44	Widowed and divorced . . . . .	21	—	—	—	—	—	—	—	2
45	Not stated . . . . .	4	—	—	1	1	—	—	—	—
Female:										
46	Total . . . . .	75	28	5	2	3	3	5	3	1
47	Single . . . . .	34	28	5	—	1	—	—	—	—
48	Married . . . . .	25	—	—	2	2	3	3	3	—
49	Widowed and divorced . . . . .	12	—	—	—	—	—	—	—	—
50	Not stated . . . . .	4	—	—	—	—	—	2	—	1

TABLEAU 14. Décès selon l'état matrimonial, le groupe d'âges et le sexe, Canada et provinces, 1977 - fin

50 - 54 years — ans	55 - 59 years — ans	60 - 64 years — ans	65 - 69 years — ans	70 - 74 years — ans	75 - 79 years — ans	80 - 84 years — ans	85+ years — ans	Not stated — Non donnés	L'état matrimonial	No
<b>Alberta - fin</b>										
<b>Féminin:</b>										
165	226	299	365	494	539	612	1,108	—	Total . . . . .	1
11	23	19	19	20	22	26	44	—	Célibataire . . . . .	2
118	160	182	196	206	173	109	116	—	Mariée . . . . .	3
36	42	98	148	267	344	477	948	—	En veuvage et divorcée . . . . .	4
—	1	—	2	1	—	—	—	—	Non données . . . . .	5
<b>Colombie-Britannique</b>										
<b>Deux sexes:</b>										
853	1,092	1,555	1,862	2,092	2,233	2,230	3,636	—	Total . . . . .	6
106	96	149	171	183	203	189	313	—	Célibataire . . . . .	7
602	793	1,138	1,282	1,300	1,124	837	878	—	Marié . . . . .	8
142	200	264	404	601	898	1,198	2,442	—	En veuvage et divorcé . . . . .	9
3	3	4	5	8	8	6	3	—	Non donnés . . . . .	10
<b>Masculin:</b>										
522	670	1,002	1,202	1,378	1,272	1,124	1,617	—	Total . . . . .	11
81	75	122	128	154	149	123	174	—	Célibataire . . . . .	12
365	493	765	919	984	827	650	715	—	Marié . . . . .	13
73	99	112	150	233	289	346	726	—	En veuvage et divorcé . . . . .	14
3	3	3	5	7	7	5	2	—	Non donnés . . . . .	15
<b>Féminin:</b>										
331	422	553	660	714	961	1,106	2,019	—	Total . . . . .	16
25	21	27	43	29	54	66	139	—	Célibataire . . . . .	17
237	300	373	363	316	297	187	163	—	Mariée . . . . .	18
69	101	152	254	368	609	852	1,716	—	En veuvage et divorcée . . . . .	19
—	—	1	—	1	1	1	1	—	Non données . . . . .	20
<b>Yukon</b>										
<b>Deux sexes:</b>										
8	12	11	9	6	8	8	7	—	Total . . . . .	21
—	3	3	1	1	4	1	1	—	Célibataire . . . . .	22
5	8	5	5	4	3	1	2	—	Marié . . . . .	23
3	—	2	3	1	1	5	4	—	En veuvage et divorcé . . . . .	24
—	1	1	—	—	—	1	—	—	Non donnés . . . . .	25
<b>Masculin:</b>										
3	9	6	7	5	7	5	5	—	Total . . . . .	26
—	3	3	1	1	4	1	1	—	Célibataire . . . . .	27
3	5	2	4	3	3	—	2	—	Marié . . . . .	28
—	—	1	2	1	—	4	2	—	En veuvage et divorcé . . . . .	29
—	1	—	—	—	—	—	—	—	Non donnés . . . . .	30
<b>Féminin:</b>										
5	3	5	2	1	1	3	2	—	Total . . . . .	31
—	—	—	—	—	—	—	—	—	Célibataire . . . . .	32
2	3	3	1	1	—	1	—	—	Mariée . . . . .	33
3	—	1	1	—	1	1	2	—	En veuvage et divorcée . . . . .	34
—	—	1	—	—	—	1	—	—	Non données . . . . .	35
<b>Territoires du Nord-Ouest</b>										
<b>Deux sexes:</b>										
7	14	10	14	10	9	9	8	—	Total . . . . .	36
2	3	—	1	—	1	1	—	—	Célibataire . . . . .	37
3	8	7	11	3	3	3	1	—	Marié . . . . .	38
1	3	2	2	7	5	4	7	—	En veuvage et divorcé . . . . .	39
1	—	1	—	—	—	1	—	—	Non donnés . . . . .	40
<b>Masculin:</b>										
5	10	8	8	8	6	6	5	—	Total . . . . .	41
2	3	—	1	—	1	1	—	—	Célibataire . . . . .	42
3	5	5	7	3	1	2	1	—	Marié . . . . .	43
—	2	2	—	5	4	2	4	—	En veuvage et divorcé . . . . .	44
—	—	1	—	—	—	1	—	—	Non donnés . . . . .	45
<b>Féminin:</b>										
2	4	2	6	2	3	3	3	—	Total . . . . .	46
—	—	—	—	—	—	—	—	—	Célibataire . . . . .	47
—	3	2	4	—	2	1	—	—	Mariée . . . . .	48
1	1	—	2	2	1	2	3	—	En veuvage et divorcée . . . . .	49
1	—	—	—	—	—	—	—	—	Non données . . . . .	50









TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TCTAL	AGE - AGE													
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
A 42		ANCYLOSTOMIASIS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 43		OTHER HELMINTHIASES .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
A 44		ALL OTHER .....	M	26	-	-	2	2	-	-	-	-	2	-	-	-	-
			F	18	-	-	1	1	-	-	-	-	-	1	-	-	-
			T	44	-	-	3	3	-	-	-	-	2	1	-	-	-
		TOTAL (A1-A44) .....	M	551	23	9	35	67	13	3	2	2	12	2	12	8	
			F	470	20	12	36	68	6	4	2	1	5	7	12	8	
			T	1,021	43	21	71	135	19	7	4	3	17	9	24	16	
II. NEOPLASMS.																	
MALIGNANT NEOPLASMS (A45-A6C).																	
A 45		BUCCAL CAVITY AND PHARYNX	M	516	-	-	-	-	-	-	-	-	-	-	1	3	
			F	193	-	-	-	-	-	-	-	-	1	1	-	2	
			T	709	-	-	-	-	-	-	-	-	1	1	1	5	
A 46		ESOPHAGUS .....	M	478	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	182	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	660	-	-	-	-	-	-	-	-	-	-	-	-	-
A 47		STOMACH .....	M	1,428	-	-	-	-	-	-	-	-	-	-	-	-	1
			F	789	-	-	-	-	-	-	-	-	-	-	1	1	
			T	2,217	-	-	-	-	-	-	-	-	-	-	1	2	
A 48		INTESTINE, EXCEPT RECTUM	M	1,856	-	-	-	-	-	-	-	-	-	-	-	-	3
			F	2,176	-	-	-	-	-	-	-	-	-	-	-	-	3
			T	4,032	-	-	-	-	-	-	-	-	-	-	-	-	6
A 49		RECTUM AND RECTOSIGMOID JUNCTION	M	779	-	-	-	-	-	-	-	-	-	-	-	-	1
			F	549	-	-	-	-	-	-	-	-	-	-	-	-	3
			T	1,328	-	-	-	-	-	-	-	-	-	-	-	-	4
A 50		LARYNX .....	M	297	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	46	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	343	-	-	-	-	-	-	-	-	-	-	-	-	-
A 51		TRACHEA, BRONCHUS, AND LUNG	M	6,142	-	-	-	-	-	-	-	-	-	-	-	-	1
			F	1,519	-	-	-	-	-	-	-	-	-	-	-	-	2
			T	7,661	-	-	-	-	-	-	-	-	-	-	-	-	3
A 52		BONE .....	M	97	-	-	-	-	-	-	-	-	1	8	11	8	
			F	60	-	-	-	-	1	-	-	-	-	3	4	6	
			T	157	-	-	-	-	1	-	-	-	1	11	15	14	
A 53		SKIN .....	M	201	-	-	-	-	-	-	-	-	1	1	-	2	
			F	171	-	-	-	-	-	-	-	-	-	-	-	7	
			T	372	-	-	-	-	-	-	-	-	1	1	-	9	
A 54		BREAST .....	M	38	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	3,321	-	-	-	-	-	-	-	-	-	-	-	-	1
			T	3,359	-	-	-	-	-	-	-	-	-	-	-	-	1
A 55		CERVIX UTERI .....	F	514	-	-	-	-	-	-	-	-	-	-	-	-	2
A 56		UTERUS, OTHER .....	F	472	-	-	-	-	-	-	-	-	-	-	-	-	-
A 57		PROSTATE .....	M	1,833	-	-	-	-	-	-	-	-	-	-	1	-	
A 58		OTHER AND UNSPECIFIED SITES.															
A		DIGESTIVE ORGANS AND PERITONEUM (155-159)	M	1,615	-	-	1	1	1	3	1	-	1	-	1	3	
			F	1,405	-	-	1	1	-	1	-	-	-	-	-	3	
			T	3,020	-	-	2	2	1	4	1	-	1	-	1	6	
B		RESPIRATORY ORGANS (160,163)	M	87	-	-	-	-	-	-	-	1	-	-	2	2	
			F	48	-	-	-	-	-	-	-	-	1	-	1		
			T	135	-	-	-	-	-	-	-	1	1	-	2	3	
C		CONNECTIVE AND OTHER SOFT TISSUE (171)	M	57	-	-	-	-	-	-	1	-	2	-	1	3	
			F	49	-	-	-	-	1	1	-	1	2	-	1	4	
			T	106	-	-	-	-	1	1	1	1	4	-	2	7	
D		OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT (183)	F	1,000	-	-	-	-	-	-	-	-	-	2	8	2	
E		OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)	F	98	-	-	-	-	3	-	-	-	1	-	-	-	

66.99

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ANKYLOSTOMIASE .....	A 42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES HELMINTHIASES .....	A 43
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	2	1	2	6	1	-	3	3	-	1	2	1	-	-	TOUTES AUTRES MALADIES .....	A 44
1	-	2	1	-	3	1	2	3	1	1	-	1	-	-	INFECTIEUSES ET	-
1	2	3	3	6	4	1	5	6	1	2	2	2	-	-	PARASITAIRES	-
4	8	9	13	26	23	33	47	51	51	58	45	59	3	-	TOTAL (A1-A44). .....	-
6	6	12	10	10	23	24	34	37	38	37	44	75	1	-	-	-
10	14	21	23	36	46	57	81	88	89	95	89	134	4	-	-	-
II. TUMEURS.																
TUMEURS MALIGNES (A45-A60).																
3	3	5	18	27	50	72	89	69	51	43	38	44	-	-	CAVITE BUCCALE ET PHARYNX	A 45
1	3	3	5	11	20	29	26	23	22	24	14	8	-	-	-	-
4	6	8	23	38	70	101	115	92	73	67	52	52	-	-	-	-
-	1	3	8	16	38	44	73	78	76	58	43	40	-	-	ESOPHAGE .....	A 46
-	2	1	-	4	12	19	20	16	34	29	18	27	-	-	-	-
-	3	4	8	20	50	63	93	94	110	87	61	67	-	-	-	-
2	11	12	22	45	76	140	169	222	239	213	153	122	1	-	ESTOMAC .....	A 47
-	4	8	15	23	31	61	80	91	127	128	113	106	-	-	-	-
2	15	20	37	68	107	201	249	313	366	341	266	228	1	-	-	-
6	13	7	30	55	104	147	248	298	305	294	195	150	1	-	INTESTIN, RECTUM NON COMPRIS	A 48
4	7	15	30	69	113	179	241	283	322	322	263	322	3	-	-	-
10	20	22	60	124	217	326	489	581	627	616	458	472	4	-	-	-
4	5	6	15	40	52	73	80	93	135	110	89	75	1	-	RECTUM ET JONCTION RECTO-	A 49
3	1	4	7	21	28	49	51	70	69	65	81	96	1	-	SIGMOIDIENNE	-
7	6	10	22	61	80	122	131	163	204	175	170	171	2	-	-	-
-	-	-	6	14	30	38	54	36	51	37	21	10	-	-	LARYNX .....	A 50
-	-	-	1	-	4	5	8	7	5	3	8	5	-	-	-	-
-	-	-	7	14	34	43	62	43	56	40	29	15	-	-	-	-
3	13	26	90	222	475	715	1,029	1,123	1,093	730	396	224	2	-	TRACHEE, BRONCHES, ET POUMON	A 51
3	4	21	43	99	164	213	237	243	209	121	104	56	-	-	-	-
6	17	47	133	321	639	928	1,266	1,366	1,302	851	500	280	2	-	-	-
2	2	1	1	6	3	10	12	8	10	5	3	6	-	-	OS .....	A 52
-	3	-	3	-	2	5	5	5	7	8	2	6	-	-	-	-
2	5	1	4	6	5	15	17	13	17	13	5	12	-	-	-	-
6	9	11	12	15	25	21	20	24	15	20	6	13	-	-	PEAU .....	A 53
4	10	6	11	12	12	10	15	16	17	12	13	26	-	-	-	-
10	19	17	23	27	37	31	35	40	32	32	19	39	-	-	-	-
-	1	-	1	2	4	1	5	9	7	6	2	-	-	-	SEIN .....	A 54
7	31	94	152	245	385	484	445	396	340	274	241	218	8	-	-	-
7	32	94	153	247	389	485	450	405	347	280	243	218	8	-	-	-
9	26	31	27	48	59	54	54	71	38	40	30	24	1	-	COL DE L'UTERUS .....	A 55
2	2	2	8	12	30	42	68	77	75	71	45	38	-	-	UTERUS, AUTRE .....	A 56
1	-	-	1	4	11	66	126	212	367	366	333	345	-	-	PROSTATE .....	A 57
SIEGES AUTRES OU SANS PRECISION.																
6	6	14	19	44	103	166	219	261	280	230	150	104	2	-	ORGANES DIGESTIFS ET .....	A
2	3	19	11	38	65	109	176	201	239	215	178	142	2	-	PERITOINE (155-159)	-
8	9	33	30	82	168	275	395	462	519	445	328	246	4	-	-	-
1	4	4	-	13	9	9	9	11	10	6	3	3	-	-	ORGANES RESPIRATOIRES .....	B
-	1	2	-	4	4	5	4	7	2	5	4	8	-	-	(160,163)	-
1	5	6	-	17	13	14	13	18	12	11	7	11	-	-	-	-
1	3	2	2	1	2	5	6	8	5	5	6	4	-	-	TISSU CONJONCTIF ET AUTRES	C
3	2	1	-	1	3	5	6	2	7	3	4	2	-	-	PARTIES MOLLES (171)	-
4	5	3	2	2	5	10	12	10	12	8	10	6	-	-	-	-
5	8	9	31	78	110	129	147	145	125	93	65	42	1	-	OVAIRE, TROMPE, ET LIGAMENT	D
ORGANES GENITAUX AUTRES ...																
-	1	1	2	2	5	3	9	6	17	19	10	19	-	-	OU NON PRECISES DE LA	E
FEMME (184)																

TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST NO	A CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TCTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE								
							1	2	3	4	5-9	10-14	15-19	20-24	
F	OTHER MALE GENITAL ORGANS (186,187) .....	M 108	-	-	-	-	-	-	1	-	-	-	1	8	13
G	BLADDER (188) .....	M 661	-	-	-	-	-	-	-	-	-	-	-	-	-
		F 266	-	-	-	-	-	-	-	-	-	-	-	-	-
		T 927	-	-	-	-	-	-	-	-	-	-	-	-	-
H	OTHER AND UNSPECIFIED ..... URINARY ORGANS (189)	M 467	-	-	1	1	2	1	-	-	2	1	3	-	-
		F 261	-	-	1	1	-	-	1	2	4	1	1	-	-
		T 728	-	-	2	2	2	1	1	2	6	2	4	-	-
I	BRAIN AND NERVOUS SYSTEM (191,192)	M 519	-	-	2	2	4	5	4	4	16	18	14	3	-
		F 417	-	-	1	1	1	6	5	1	13	8	6	14	-
		T 936	-	-	3	3	5	11	9	5	29	26	20	17	-
J	OTHER .....	M 1,033	-	-	-	-	-	-	-	-	2	-	1	11	-
		F 979	-	-	-	-	-	-	-	1	2	-	1	6	-
		T 2,012	-	-	-	-	-	-	-	1	4	-	2	17	-
	TOTAL (A58) .....	M 4,547	-	-	4	4	7	9	7	5	23	20	30	35	-
		F 4,523	-	-	3	3	5	8	6	5	23	11	17	30	-
		T 9,070	-	-	7	7	12	17	13	10	46	31	47	65	-
A	59 LEUKAEMIA .....	M 936	-	1	3	4	4	3	6	4	52	22	34	23	-
		F 580	-	-	2	2	4	3	4	4	24	28	22	12	-
		T 1,516	-	1	5	6	8	6	10	8	76	50	56	35	-
A	60 OTHER LYMPHATIC AND HAEMOTOPOIETIC TISSUE.														
A	HODGKIN'S DISEASE (201)	M 149	-	-	-	-	-	-	-	-	-	-	5	7	-
		F 76	-	-	-	-	-	-	-	-	-	-	4	6	-
		T 225	-	-	-	-	-	-	-	-	-	-	9	13	-
B	OTHER .....	M 892	1	-	-	1	-	-	1	6	8	12	5	-	-
		F 690	-	-	-	-	-	-	2	1	-	2	4	-	-
		T 1,582	1	-	-	1	-	-	3	7	8	14	9	-	-
	TOTAL (A60) .....	M 1,041	1	-	-	1	-	-	1	6	8	17	12	-	-
		F 766	-	-	-	-	-	-	2	1	-	6	10	-	-
		T 1,807	1	-	-	1	-	-	3	7	8	23	22	-	-
	TOTAL (A45-A60) .....	M 20,189	1	1	7	9	11	12	14	10	83	59	94	89	-
		F 15,861	-	-	5	5	10	11	12	9	49	43	50	79	-
		T 36,050	1	1	12	14	21	23	26	19	132	102	144	168	-
A	61 BENIGN AND UNSPECIFIED .....	M 189	2	-	2	4	-	1	2	-	1	5	1	9	-
		F 180	-	-	2	2	-	3	-	3	3	1	5	-	-
		T 369	2	-	4	6	-	4	5	-	4	8	2	14	-
	TOTAL (A45-A61) .....	M 20,378	3	1	9	13	11	13	16	10	84	64	95	98	-
		F 16,041	-	-	7	7	10	11	15	9	52	46	51	84	-
		T 36,419	3	1	16	20	21	24	31	19	136	110	146	182	-
	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.														
A	62 NON-TOXIC GOITRE .....	M 2	-	-	-	-	-	-	-	-	-	-	-	1	-
		F 6	-	-	-	-	-	-	-	-	-	-	-	-	-
		T 8	-	-	-	-	-	-	-	-	-	-	-	1	-
A	63 THYROTOXICOSIS .....	M 2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F 12	-	-	-	-	-	-	-	-	-	-	-	-	-
		T 14	-	-	-	-	-	-	-	-	-	-	-	-	-
A	64 DIABETES MELLITUS .....	M 1,289	-	-	-	-	-	-	-	-	-	-	2	10	-
		F 1,721	-	-	1	1	1	-	-	1	2	3	1	1	-
		T 3,010	-	-	1	1	1	-	-	2	3	3	11	-	-
A	65 NUTRITIONAL DEFICIENCY ..... STATES	M 85	-	-	2	2	1	-	-	-	-	1	-	-	-
		F 98	-	-	1	1	-	-	-	-	1	1	-	1	-
		T 183	-	-	3	3	1	-	-	-	1	2	-	1	-
A	66 OTHER .....	M 238	5	1	11	17	1	2	-	-	5	6	7	7	-
		F 266	7	2	12	21	4	2	1	1	4	7	6	3	-
		T 504	12	3	23	38	5	4	1	1	9	13	13	10	-
	TOTAL (A62-A66) .....	M 1,616	5	1	13	19	2	2	-	-	5	7	9	18	-
		F 2,103	7	2	14	23	5	2	1	2	7	11	7	5	-
		T 3,719	12	3	27	42	7	4	1	2	12	18	16	23	-
	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.														
A	67 ANAEMIAS .....	M 147	-	-	1	1	-	1	2	-	3	1	1	4	-
		F 214	1	-	2	3	-	-	1	1	1	3	2	1	-
		T 361	1	-	3	4	-	1	3	1	4	4	3	5	-

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
10	11	9	4	10	4	1	6	10	7	7	1	5	-	AUTRES ORGANES GENITAUX DE L'HOMME (186,187)	F
-	-	5	4	10	16	40	68	104	117	114	85	98	-	VESSIE (188) .....	G
-	-	-	1	4	9	8	15	34	37	40	66	52	-		
-	-	5	5	14	25	48	83	138	154	154	151	150	-		
2	2	3	6	26	40	54	74	82	66	53	27	22	-	ORGANES URINAIRES AUTRES QU'UN NON PRECISES (189)	H
1	1	1	5	14	15	26	35	35	47	23	29	19	-		
3	3	4	11	40	55	80	109	117	113	76	56	41	-		
11	15	22	28	38	63	58	72	67	39	19	10	7	-	CERVEAU ET AUTRES PARTIES DU SYSTEME NERVEUX (191,192)	I
7	9	15	19	19	42	44	63	60	39	26	14	5	-		
18	24	37	47	57	105	102	135	127	78	45	24	12	-		
3	10	8	19	46	62	89	115	167	150	159	85	103	3	AUTRE .....	J
3	6	12	32	34	61	74	91	124	117	146	133	136	-		
6	16	20	51	80	123	163	206	291	267	305	218	239	3		
34	51	67	82	188	299	422	569	710	674	593	367	346	5	TOTAL (A58) .....	
21	31	60	101	194	314	403	546	614	630	570	503	425	3		
55	82	127	183	382	613	825	1,115	1,324	1,304	1,163	870	771	8		
24	25	21	25	34	49	63	81	90	96	104	81	91	-	LEUCEMIES .....	A 59
9	13	14	22	24	38	39	37	53	58	50	64	55	1		
33	38	35	47	58	87	102	118	143	154	154	145	146	1		
														AUTRES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES.	A 60
13	20	9	9	9	8	16	9	18	8	8	7	3	-	MALADIE DE HODGKIN (201)	A
4	5	4	4	3	4	3	5	9	13	8	1	3	-		
17	25	13	13	12	12	19	14	27	21	16	8	6	-		
8	19	14	24	40	74	75	123	122	132	111	67	48	1	AUTRE .....	B
7	7	12	14	15	32	54	86	99	112	81	95	66	1		
15	26	26	38	55	106	129	209	221	244	192	162	114	2		
21	39	23	33	49	82	91	132	140	140	119	74	51	1	TOTAL (A60) .....	
11	12	16	18	18	36	57	91	108	125	89	96	69	1		
32	51	39	51	67	118	148	223	248	265	208	170	120	2		
106	173	182	344	717	1,258	1,903	2,687	3,112	3,259	2,698	1,801	1,517	11	TOTAL (A45-A60) .....	
74	149	275	443	780	1,248	1,649	1,924	2,073	2,078	1,806	1,595	1,481	18		
180	322	457	787	1,497	2,546	3,552	4,611	5,185	5,337	4,504	3,396	2,998	29		
5	7	8	10	9	13	16	19	26	14	12	10	16	1	BENIGNES ET DE NATURE NON PRECISEE	A 61
6	3	3	4	5	17	12	14	19	22	16	21	21	-		
11	10	11	14	14	30	28	33	45	36	28	31	37	1		
111	180	190	354	726	1,311	1,919	2,706	3,138	3,273	2,710	1,811	1,533	12	TOTAL (A45-A61) .....	
80	152	278	447	785	1,265	1,661	1,938	2,092	2,100	1,822	1,616	1,502	18		
191	332	468	801	1,511	2,576	3,580	4,644	5,230	5,373	4,532	3,427	3,035	30		
														III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME.	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	GOITRE NON TOXIQUE .....	A 62
-	-	-	-	-	-	1	1	1	1	1	1	1	-		
-	-	-	-	-	1	1	1	1	1	1	1	1	-		
-	-	-	-	1	-	-	-	-	-	1	-	-	-	THYREOTOXICOSE .....	A 63
-	-	-	-	-	-	2	2	1	3	1	1	2	-		
-	-	-	-	1	-	2	2	1	3	2	1	2	-		
7	18	20	26	30	58	85	127	173	205	185	185	158	-	DIABETE SUCRE .....	A 64
10	6	6	17	34	43	71	122	213	262	343	307	274	3		
17	24	26	43	64	101	156	249	386	467	528	492	432	3		
-	-	2	-	3	-	7	8	12	5	13	9	22	-	ETATS DE CARENCE .....	A 65
2	1	-	-	4	2	2	3	10	5	11	16	38	-		
2	1	2	-	7	2	9	11	22	10	24	25	60	-		
3	2	9	12	11	18	16	24	31	27	15	8	16	1	AUTRE .....	A 66
3	5	3	5	10	15	11	28	33	28	24	30	21	1		
6	7	12	17	21	33	27	52	64	55	39	38	37	2		
10	20	31	38	45	77	108	159	216	237	214	202	196	1	TOTAL (A62-A66) .....	
15	12	9	22	48	60	87	156	258	299	380	354	336	4		
25	32	40	60	93	137	195	315	474	536	594	556	532	5		
														IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
2	1	2	-	3	1	10	10	13	11	23	24	34	-	ANEMIES .....	A 67
2	-	-	1	-	1	9	11	14	24	29	40	71	-		
4	1	2	1	3	2	19	21	27	35	52	64	105	-		

TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	SEX	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE								
									1	2	3	4	5-9	10-14	15-19	20-24	
A 68		OTHER .....	M	100	1	1	8	10	-	1	-	-	-	1	-	1	3
			F	86	-	-	6	6	2	-	-	-	-	-	2	-	2
			T	186	1	1	14	16	2	1	-	-	-	1	2	1	5
		TOTAL (A67,A68) .....	M	247	1	1	9	11	-	2	2	-	-	4	1	2	7
			F	300	1	-	8	9	2	-	1	1	1	1	5	2	3
			T	547	2	1	17	20	2	2	3	1	1	5	6	4	10
V. MENTAL DISCRDERS.																	
A 69		PSYCHOSES .....	M	154	-	-	-	-	-	-	-	-	-	-	-	1	-
			F	161	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	315	-	-	-	-	-	-	-	-	-	-	-	1	-
A 70		NEUROSES AND OTHER NCN- PSYCHOTIC MENTAL DISCRDERS	M	595	-	-	-	-	-	-	-	-	-	-	1	9	13
			F	210	-	-	-	-	-	-	-	-	-	-	-	4	3
			T	805	-	-	-	-	-	-	-	-	-	-	1	13	16
A 71		MENTAL RETARDATION .....	M	14	-	-	1	1	-	-	-	-	1	2	3	-	-
			F	11	-	-	-	-	-	-	-	-	4	-	1	-	-
			T	25	-	-	1	1	-	-	-	-	5	2	4	-	-
		TOTAL (A69-A71) .....	M	763	-	-	1	1	-	-	-	-	1	3	13	13	13
			F	382	-	-	-	-	-	-	-	-	4	-	5	3	3
			T	1,145	-	-	1	1	-	-	-	-	5	3	18	16	16
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.																	
A 72		MENINGITIS .....	M	71	2	3	12	17	1	2	2	-	4	1	-	-	-
			F	45	1	6	7	14	4	1	2	1	1	-	3	-	-
			T	116	3	9	19	31	5	3	4	1	5	1	3	-	-
A 73		MULTIPLE SCLEROSIS .....	M	90	-	-	-	-	-	-	-	-	-	-	-	-	1
			F	110	-	-	-	-	-	-	-	-	-	-	-	-	2
			T	200	-	-	-	-	-	-	-	-	-	-	-	-	3
A 74		EPILEPSY .....	M	147	-	-	2	2	-	2	-	-	3	1	11	18	18
			F	94	-	-	-	-	-	1	-	3	2	5	11	11	11
			T	241	-	-	2	2	-	2	1	-	6	3	16	29	29
A 75		INFLAMMATORY DISEASES OF EYE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
A 76		CATARACT .....	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	2	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
A 77		GLAUCOMA .....	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
A 78		OTITIS MEDIA AND MASTOIDITIS	M	5	-	-	1	1	-	-	-	-	-	-	-	-	1
			F	5	-	-	1	1	-	-	-	-	1	-	-	-	-
			T	10	-	-	2	2	-	-	-	-	1	-	-	-	1
A 79		OTHER .....	M	707	1	-	30	31	8	5	4	1	19	19	17	21	21
			F	528	-	-	22	22	11	1	-	2	9	6	9	4	4
			T	1,235	1	-	52	53	19	6	4	3	28	25	26	25	25
		TOTAL (A72-A79) .....	M	1,023	3	3	45	51	9	9	6	1	26	21	28	41	41
			F	786	1	6	30	37	15	2	3	3	14	8	17	17	17
			T	1,809	4	9	75	88	24	11	9	4	40	29	45	58	58
VII. DISEASES OF THE CIRCULATORY SYSTEM.																	
A 80		ACTIVE RHEUMATIC FEVER.															
A		WITH HEART INVOLVEMENT (391,392.0)	M	17	-	-	-	-	-	-	-	-	1	-	-	-	1
			F	11	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	28	-	-	-	-	-	-	-	-	1	-	-	-	1
B		OTHER .....	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	5	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A80) .....	M	18	-	-	-	-	-	-	-	-	1	-	-	-	1
			F	16	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	34	-	-	-	-	-	-	-	-	1	-	-	-	1
A 81		CHRONIC RHEUMATIC HEART DISEASE	M	566	-	-	-	-	-	-	-	-	-	2	4	1	1
			F	638	-	-	-	-	-	-	-	-	-	-	-	-	1
			T	1,204	-	-	-	-	-	-	-	-	-	2	4	2	2

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
2	2	3	6	2	2	7	8	8	10	17	7	9	1	AUTRE .....	A 68
1	4	2	3	-	6	2	5	6	11	15	8	11	-		
3	6	5	9	2	8	9	13	14	21	32	15	20	1		
4	3	5	6	5	3	17	18	21	21	40	31	43	1	TOTAL (A67,A68) .....	
3	4	2	4	-	7	11	16	20	35	44	48	82	-		
7	7	7	10	5	10	28	34	41	56	84	79	125	1		
V. TROUBLES MENTAUX.															
-	-	2	1	5	5	6	14	24	18	16	32	30	-	PSYCHOSES .....	A 69
2	1	1	3	1	3	8	14	16	17	15	36	44	-		
2	1	3	4	6	8	14	28	40	35	31	68	74	-		
21	27	35	46	52	87	77	65	60	34	28	18	19	3	NEVROSES ET AUTRES TROUBLES MENTAUX NON PSYCHOTIQUES	A 70
5	7	8	16	22	29	18	16	15	16	13	13	25	-		
26	34	43	62	74	116	95	81	75	50	41	31	44	3		
1	-	2	1	1	-	1	-	-	1	-	-	-	-	ARRIERATION MENTALE .....	A 71
-	-	-	-	-	1	1	-	1	-	2	1	-	-		
1	-	2	1	1	1	2	-	1	1	1	1	-	-		
22	27	39	48	58	92	84	79	84	53	44	50	49	3	TOTAL (A69-A71) .....	
7	8	9	19	23	33	27	30	32	33	30	50	69	-		
29	35	48	67	81	125	111	109	116	86	74	100	118	3		
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.															
-	2	1	3	3	7	7	6	7	3	3	2	-	-	MENINGITE .....	A 72
2	2	1	-	1	3	2	2	1	2	1	1	1	-		
2	4	2	3	4	10	9	8	8	5	4	3	1	-		
3	2	8	11	11	12	12	12	7	5	3	2	1	-	SCLEROSE EN PLAQUES .....	A 73
-	8	6	11	10	14	21	10	15	7	2	3	1	-		
3	10	14	22	21	26	33	22	22	12	5	5	2	-		
20	9	10	8	20	14	6	2	5	3	3	6	4	-	EPILEPSIE .....	A 74
10	7	4	4	7	4	9	2	6	7	4	3	5	-		
30	16	14	12	27	18	15	4	11	10	7	9	9	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES INFLAMMATOIRES DE L'OEIL	A 75
-	-	-	-	-	-	-	-	-	1	-	-	-	-		
-	-	-	-	-	-	-	-	-	1	-	-	-	-		
-	-	-	-	-	-	-	-	1	-	1	1	1	-	CATARACTE .....	A 76
-	-	-	-	-	-	-	-	1	-	1	1	1	-		
-	-	-	-	-	-	-	1	-	-	-	-	-	-	GLAUCOME .....	A 77
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	-	-	-	-	-	-	-	-	-	-	1	-	-	OTITE MOYENNE ET MASTOIDITE	A 78
-	-	-	-	-	1	-	-	-	1	-	-	1	-		
2	-	-	-	-	1	-	-	-	1	-	1	1	-		
15	9	9	14	14	21	48	65	78	98	88	72	50	1	AUTRE .....	A 79
10	6	5	4	19	18	38	41	60	65	64	62	71	1		
25	15	14	18	33	39	86	106	138	163	152	134	121	2		
40	22	28	36	48	54	73	86	97	109	97	84	56	1	TOTAL (A72-A79) .....	
22	23	16	19	37	40	70	55	83	83	72	69	80	1		
62	45	44	55	85	94	143	141	180	192	169	153	136	2		
VII. MALADIES DE L'APPAREIL CIRCULATOIRE.															
RHUMATISME ARTICULAIRE AIGU.															
1	-	2	1	1	-	1	1	3	1	1	3	-	-	AVEC COMPLICATION CARDIAQUE (391,392.0)	A
-	-	1	-	-	-	2	1	1	1	3	-	2	-		
1	-	3	1	1	-	3	2	4	2	4	3	2	-		
-	-	-	-	-	-	-	-	1	-	-	-	-	-	AUTRE .....	B
1	-	-	1	-	-	-	1	1	-	1	-	-	-		
1	-	-	1	-	-	-	1	2	-	1	-	-	-		
1	-	2	1	1	-	1	1	4	1	1	3	-	-	TOTAL (A80) .....	
1	-	1	1	-	-	2	2	2	1	4	-	2	-		
2	-	3	2	1	-	3	3	6	2	5	3	2	-		
6	6	9	13	35	51	51	81	93	85	59	35	34	1	CARDIOPATHIES RHUMATISMALES CHRONIQUES	A 81
4	6	7	14	23	43	65	70	78	109	88	67	62	1		
10	12	16	27	58	94	116	151	171	194	147	102	96	2		

TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE													
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
A	82	HYPERTENSIVE DISEASE.															
	A	WITH HEART INVCLVEMENT ... (400.1,400.9,402,404)	M 404 F 610 T 1,014	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B	OTHER .....	M 253 F 240 T 493	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		TOTAL (A82).	M 657 F 850 T 1,507	-	-	-	-	-	-	-	-	-	-	-	-	2	-
A	83	ISCHAEMIC HEART DISEASE ...	M 31,180 F 20,228 T 51,408	-	-	1	1	-	-	-	-	-	-	3	3	11	
A	84	OTHER FORMS OF HEART ... DISEASE	M 2,491 F 2,207 T 4,698	-	1	7	8	1	1	-	2	5	3	15	10	10	
A	85	CEREBROVASCULAR DISEASE ...	M 7,160 F 8,362 T 15,522	-	-	3	3	1	2	-	1	3	7	11	17	10	
A	86	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M 2,992 F 2,746 T 5,738	-	1	-	1	-	-	-	-	-	2	-	4	3	
A	87	VENOUS THROMBOSIS AND EMBOLISM	M 616 F 611 T 1,227	-	-	-	-	1	-	-	-	-	-	1	3	5	
A	88	OTHER .....	M 80 F 56 T 136	-	-	1	1	-	-	-	-	-	-	1	3	3	
		TOTAL (A80-A88).	M 45,760 F 35,714 T 81,474	-	2	12	14	3	3	-	3	9	17	35	52	32	84
		VIII. DISEASES OF THE RESPIRATORY SYSTEM.															
A	89	ACUTE RESPIRATORY ... INFECTIONS	M 81 F 70 T 151	-	-	21	21	1	-	1	-	-	-	4	-	-	
A	90	INFLUENZA .....	M 150 F 179 T 329	-	-	1	1	3	-	-	1	-	2	2	4	-	
		PNEUMONIA (A91, A92).															
A	91	VIRAL .....	M 30 F 49 T 79	-	-	7	7	-	-	-	-	2	-	-	-	-	
A	92	OTHER .....	M 2,584 F 2,213 T 4,797	22	6	62	90	5	5	2	2	10	7	10	10	10	
		TOTAL (A91, A92).	M 2,614 F 2,262 T 4,876	22	6	69	97	5	5	2	2	12	7	10	10	10	
A	93	BRONCHITIS, EMPHYSEMA, AND ASTHMA	M 2,044 F 700 T 2,744	-	-	4	4	1	1	-	1	3	6	8	3	3	
A	94	HYPERTROPHY OF TONSILS ... AND ADENOIDS	M 4 F - T 4	-	-	-	-	1	-	-	1	1	-	-	-	-	
A	95	EMPHYEMA AND LUNG ABSCESS	M 57 F 21 T 78	-	-	-	-	1	-	-	-	1	-	-	-	-	
A	96	OTHER .....	M 1,878 F 773 T 2,651	3	2	29	34	5	1	1	-	5	1	4	6	6	
		TOTAL (A89-A96).	M 6,828 F 4,005 T 10,833	25	8	124	157	17	7	4	5	22	16	28	23	11	34

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE														CAUSES DE DECES		NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.	LISTE INTERMEDIAIRE A (HUITIEME REVISION)		
MALADIES HYPERTENSIVES.															A 82	
-	-	1	3	6	12	17	40	48	63	59	65	87	3	AVEC COMPLICATION CARDIAQUE (400,1,400,9,402,404)	A	
-	1	1	1	4	7	16	26	51	69	112	125	196	1			
-	1	2	4	10	19	33	66	99	132	171	190	283	4			
1	1	2	2	2	17	12	18	28	39	34	38	59	-	AUTRE .....	B	
1	1	1	3	4	11	5	7	23	31	37	47	67	-			
2	2	3	5	6	28	17	25	51	70	71	85	126	-			
1	1	3	5	8	29	29	58	76	102	93	103	146	3	TOTAL (A82). ....		
1	2	2	4	8	18	21	33	74	100	149	172	263	1			
2	3	5	9	16	47	50	91	150	202	242	275	409	4			
30	73	225	541	1,110	1,510	2,790	3,766	4,358	4,650	4,267	3,470	3,914	58	MALADIES ISCHEMIQUES DU COEUR	A 83	
10	19	40	104	224	385	681	1,178	1,903	2,657	3,318	3,695	5,987	22			
40	92	265	645	1,334	2,295	3,471	4,944	6,261	7,307	7,585	7,165	9,901	80			
26	22	30	44	76	106	121	211	279	321	347	330	531	2	AUTRES FORMES DES CARDIOPATHIES	A 84	
18	19	17	16	33	50	69	110	135	241	274	406	777	3			
44	41	47	60	109	156	190	321	414	562	621	736	1,308	5			
24	21	41	69	124	208	295	517	809	1,071	1,246	1,225	1,458	7	MALADIES CEREBRO-VASCULAIRES	A 85	
19	26	42	67	128	171	229	340	547	890	1,312	1,689	2,857	7			
43	47	83	136	252	379	524	857	1,356	1,961	2,558	2,914	4,315	14			
8	6	14	8	28	62	128	216	330	453	479	472	780	1	MALADIES DES ARTERES, ARTERIOLES, ET CAPILLAIRES	A 86	
1	6	4	11	21	32	44	67	126	199	339	541	1,347	2			
9	12	18	19	49	94	172	283	456	652	818	1,013	2,127	3			
5	6	5	9	22	34	45	60	82	105	102	63	71	-	EMBOLIES ET THROMBOSES VEINEUSES	A 87	
3	11	5	9	13	25	37	41	65	84	102	89	118	-			
8	17	10	18	35	59	82	101	147	189	204	152	189	-			
-	1	1	3	2	5	6	8	8	11	6	6	18	-	AUTRE .....	A 88	
1	-	-	-	3	3	2	2	7	5	13	9	11	-			
1	1	1	3	5	8	8	10	15	16	19	15	29	-			
101	136	330	693	1,406	2,405	3,466	4,918	6,039	6,799	6,600	5,707	6,952	72	TOTAL (A80-A88). ....		
58	89	118	226	453	727	1,150	1,843	2,937	4,286	5,599	6,668	11,424	36			
159	225	448	919	1,859	3,132	4,616	6,761	8,976	11,085	12,199	12,375	18,376	108			
VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.																
-	2	6	1	-	2	3	3	6	9	7	9	6	-	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES	A 89	
-	-	1	1	2	1	2	5	6	3	9	4	20	-			
-	2	7	2	2	3	5	8	12	12	16	13	26	-			
1	-	-	1	1	-	2	2	9	16	23	23	59	-	GRIPPE .....	A 90	
1	2	1	-	1	2	1	3	8	18	14	32	92	-			
2	2	1	1	2	2	3	5	17	34	37	55	151	-			
PNEUMONIE (A91, A92).																
1	1	1	1	2	1	-	1	4	-	4	4	1	-	VIRALE .....	A 91	
3	1	1	4	1	1	2	5	-	2	5	3	8	-			
4	2	2	5	3	2	2	6	4	2	9	7	9	-			
10	12	14	27	40	71	101	129	184	278	366	443	765	3	AUTRE .....	A 92	
8	9	8	20	26	38	42	82	91	156	294	389	946	2			
18	21	22	47	66	109	143	211	275	434	660	832	1,711	5			
11	13	15	28	42	72	101	130	188	278	370	447	766	3	TOTAL (A91, A92). ....		
11	10	9	24	27	39	44	87	91	158	299	392	954	2			
22	23	24	52	69	111	145	217	279	436	669	839	1,720	5			
8	6	9	18	37	65	111	193	327	369	370	280	221	3	BRONCHITE, EMPHYSEME, ET ASTHME	A 93	
5	4	10	9	24	34	55	60	90	101	92	90	96	-			
13	10	19	27	61	99	166	253	417	470	462	370	317	3			
1	-	-	-	-	-	-	-	-	-	-	-	-	-	HYPERTROPHIE DES AMYGDALES ET DES VEGETATIONS ADENOIDES	A 94	
1	-	-	-	-	-	-	-	-	-	-	-	-	-			
1	2	-	4	3	4	5	8	7	7	3	7	4	-	PLEURESIE PURULENTE ET ABCES DU POUMON	A 95	
-	-	-	1	-	2	-	3	1	7	2	3	2	-			
1	2	-	5	3	6	5	11	8	14	5	10	6	-			
9	9	5	20	31	52	111	176	279	303	307	282	235	2	AUTRE .....	A 96	
2	6	9	13	18	29	61	56	94	107	112	103	131	-			
11	15	14	33	49	81	172	232	373	410	419	385	366	2			
31	32	35	72	114	195	333	512	816	982	1,080	1,048	1,291	8	TOTAL (A89-A96). ....		
19	22	30	48	72	107	163	214	290	394	528	624	1,295	2			
50	54	65	120	186	302	496	726	1,106	1,376	1,608	1,672	2,586	10			



TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.			
IX. MALADIES DE L'APPAREIL DIGESTIF.																
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	MALADIES DES DENTS ET DU ...	A 97
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	PARODONTE	
1	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
2	2	6	6	18	22	30	37	53	57	61	56	74	-	ULCERE DE L'ESTOMAC ET DU ...	A 98	
-	2	3	1	4	6	15	15	24	25	34	41	58	-	DUODENUM		
2	4	9	7	22	28	45	52	77	82	95	97	132	-			
-	1	2	-	2	2	2	5	4	2	3	2	4	-	GASTRITE ET DUODENITE .....	A 99	
-	-	-	-	-	-	-	1	-	1	-	7	6	-			
-	1	2	-	2	2	2	6	4	3	3	9	10	-			
1	1	1	-	2	2	3	6	3	5	7	2	1	-	APPENDICITE .....	A 100	
1	-	-	1	1	-	2	-	1	3	1	-	3	-			
2	1	1	1	3	2	5	6	4	8	8	2	4	-			
1	1	2	7	1	7	8	15	27	37	41	35	60	-	OCCLUSION INTESTINALE ET ...	A 101	
1	-	1	4	7	8	9	12	20	27	27	61	95	-	HERNIE		
2	1	3	11	8	15	17	27	47	64	68	96	155	-			
8	39	73	123	236	295	263	305	240	164	101	36	21	1	CIRRHOSE DU FOIE .....	A 102	
2	14	26	51	75	101	121	131	116	79	62	29	22	1			
10	53	99	174	311	396	384	436	356	243	163	65	43	2			
1	1	-	1	3	6	9	9	20	22	30	33	43	-	LITHIASE BILIAIRE ET .....	A 103	
1	1	-	3	1	11	6	7	16	20	33	38	46	1	CHOLECYSTITIS		
2	2	-	4	4	17	15	16	36	42	63	71	89	1			
11	5	23	22	54	43	71	105	101	114	106	75	106	2	AUTRE .....	A 104	
7	12	7	12	37	29	42	49	81	103	121	119	159	-			
18	17	30	34	91	72	113	154	182	217	227	194	265	2			
25	50	107	159	316	277	387	482	448	401	349	239	309	3	TOTAL (A97-A104). .....		
12	29	37	73	125	155	195	215	258	258	278	295	389	2			
37	79	144	232	441	532	582	697	706	659	627	534	698	5			
X. MALADIES DES ORGANES GENITO-URINAIRES.																
-	-	-	-	1	2	3	1	5	8	7	6	11	-	NEPHRITE AIGUE .....	A 105	
-	-	-	1	-	2	-	3	2	2	7	1	7	-			
-	-	-	1	1	4	3	4	7	10	14	7	18	-			
7	4	4	9	7	19	21	26	36	39	39	33	40	-	AUTRES FORMES DE NEPHRITE	A 106	
3	1	5	5	8	5	15	23	15	32	22	38	41	-	ET NEPHROSE		
10	5	9	14	15	24	36	49	51	71	61	71	81	-			
-	1	2	2	2	4	5	7	15	24	23	20	34	-	INFECTIONS RENALES .....	A 107	
4	-	2	-	2	6	2	9	19	23	18	33	35	-			
4	1	4	2	4	10	7	16	34	47	41	53	69	-			
-	1	1	-	-	1	1	2	2	4	8	6	6	-	CALCULS .....	A 108	
-	-	-	-	-	-	-	2	4	2	2	4	3	-			
-	1	1	-	-	1	1	4	6	6	10	10	9	-			
-	-	-	-	-	-	1	1	8	8	20	30	46	-	HYPERTROPHIE DE LA PROSTATE	A 109	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	SEIN .....	A 110	
-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3	3	4	6	10	12	26	30	47	63	92	91	135	-	AUTRE .....	A 111	
3	2	7	9	7	7	9	20	35	53	60	66	116	1			
6	5	11	15	17	19	35	50	86	116	192	157	251	1			
10	9	11	17	20	38	57	67	113	146	189	186	272	-	TOTAL (A105-A111). ....		
10	3	14	15	17	20	26	57	79	112	109	142	202	1			
20	12	25	32	37	58	83	124	192	258	298	328	474	1			
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES.																
-	2	-	-	-	-	-	-	-	-	-	-	-	-	TOXEMIES .....	A 112	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	HEMORRAGIE .....	A 113	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS PROVOQUES ...	A 114	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	POUR RAISONS LEGALES		
-	1	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS AUTRES DU ...	A 115	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	SANS PRECISION		
1	2	-	-	-	-	-	-	-	-	-	-	-	-	INFECTIONS .....	A 116	
3	1	1	1	1	-	-	-	-	-	-	-	-	-	AUTRES COMPLICATIONS .....	A 117	



TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT, SANS MENTION DE COMPLICATION	A 118
4	6	1	1	1	-	-	-	-	-	-	-	-	-	1	TOTAL (A112-A118). ....	
XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.																
-	2	-	-	-	1	1	2	3	2	1	2	5	-	5	INFECTION .....	A 119
-	-	-	-	-	-	1	-	5	1	3	2	12	-	17		
-	2	-	-	-	1	2	2	8	3	4	4	4	-	4		
-	1	1	-	-	1	1	-	2	4	4	4	9	-	9	AUTRE .....	A 120
2	1	2	1	-	1	1	2	3	2	9	6	14	-	14		
2	2	3	1	-	2	2	2	5	6	13	10	23	-	23		
-	3	1	-	-	2	2	2	5	6	5	6	14	-	14	TOTAL (A119,A120). ....	
2	1	2	1	-	1	2	2	8	3	12	8	26	-	26		
2	4	3	1	-	3	4	4	13	9	17	14	40	-	40		
XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.																
-	-	-	-	4	2	3	8	10	15	18	8	9	-	9	ARTHRITE ET SPONDYLITE .....	A 121
-	-	2	-	1	5	9	9	16	20	24	40	45	-	45		
-	-	2	-	5	7	12	17	26	35	42	48	54	-	54		
-	1	-	-	-	1	1	-	-	1	2	-	-	-	-	RHUMATISME .....	A 122
-	-	-	-	1	2	-	4	1	-	-	-	-	-	-		
-	1	-	-	1	3	1	4	1	1	2	-	-	-	-		
-	-	-	-	-	-	-	-	-	3	-	3	1	-	1	OSTEOMYELITIS ET PERIOSTITE	A 123
-	-	-	-	-	-	2	1	-	1	1	1	2	-	2		
-	-	-	-	-	-	2	1	-	4	1	4	3	-	3		
-	-	-	-	1	-	1	2	1	1	-	1	-	-	-	ANKYLOSE ET DEFORMATIONS ...	A 124
1	1	1	2	1	1	2	3	4	-	1	-	3	-	3	OSTEO-MUSCULAIRES ACQUISES	
1	1	1	2	2	1	3	5	5	1	1	1	3	-	3		
-	-	2	2	6	5	6	2	7	9	7	11	18	-	18	AUTRE .....	A 125
4	4	2	7	8	8	10	10	27	14	11	12	27	-	27		
4	4	4	9	14	13	16	12	34	23	18	23	45	-	45		
-	1	2	2	11	8	11	12	18	29	27	23	28	-	28	TOTAL (A121-A125). ....	
5	5	5	9	11	16	23	27	48	35	37	53	77	-	77		
5	6	7	11	22	24	34	39	66	64	64	76	105	-	105		
XIV. ANOMALIES CONGENITALES.																
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	SPINA BIFIDA .....	A 126
-	1	-	-	1	-	1	-	-	1	-	-	-	-	-		
-	2	-	1	1	-	1	-	-	1	-	-	-	-	-		
6	3	6	3	2	4	6	-	2	2	-	-	1	-	1	COEUR .....	A 127
6	3	2	3	-	4	5	3	7	4	4	1	-	-	-		
12	6	8	6	2	8	11	3	9	6	4	1	1	-	1		
4	1	1	1	1	2	-	3	2	1	1	-	-	-	-	AUTRES ANOMALIES DE ...	A 128
-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	L'APPAREIL CIRCULATOIRE	
4	2	1	1	1	4	-	4	2	1	1	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FISSURE DU PALAIS ET ...	A 129
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BEC-DE-LIEVRE	
3	7	1	2	6	4	3	3	4	2	3	1	1	-	1	AUTRE .....	A 130
4	2	1	1	3	3	3	4	2	3	1	1	1	-	1		
7	9	2	3	9	7	6	7	6	5	4	2	2	-	2		
13	12	8	7	9	10	9	6	8	5	4	1	2	-	2	TOTAL (A126-A130). ....	
10	7	3	4	4	9	9	8	9	8	5	2	1	-	1		
23	19	11	11	13	19	18	14	17	13	9	3	3	-	3		
XV. CAUSES DE MORTALITE PERINATALES.																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LESIONS OBSTETRIQUES DU ...	A 131
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE ET ACCOUCHEMENT DYSTOCIQUE	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ANOMALIES DU PLACENTA ET ...	A 132
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DU CORDON	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIE HEMOLYTIQUE DU ...	A 133
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE	

TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST A NO	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE				AGE - AGE								
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 134	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIED	M 533 F 351 T 884	495 324 819	37 24 61	1 3 4	533 351 884	-	-	-	-	-	-	-	-	-
A 135	OTHER	M 349 F 301 T 650	325 284 609	19 17 36	5 - 5	349 301 650	-	-	-	-	-	-	-	-	-
	TOTAL (A131-A135)	M 1,122 F 834 T 1,956	1,043 768 1,811	73 63 136	6 3 9	1,122 834 1,956	-	-	-	-	-	-	-	-	-
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.															
A 136	SENILITY WITHOUT MENTION OF PSYCHOSIS	M 108 F 160 T 268	-	-	-	-	-	-	-	-	-	-	-	-	-
A 137	SYMPTOMS AND OTHER ILL- DEFINED CONDITIONS	M 1,151 F 782 T 1,933	7 3 10	20 15 35	291 209 500	318 227 545	10 5 15	- 2 2	2 -	- 3 3	- 1 1	5 3 8	15 6 21	29 13 42	
	TOTAL (A136,A137)	M 1,259 F 942 T 2,201	7 3 10	20 15 35	291 209 500	318 227 545	10 5 15	- 2 2	2 -	- 3 3	- 1 1	5 3 8	15 6 21	29 13 42	
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE. EXVII. EXTERNAL CAUSE.															
ACCIDENTS (AE138-AE146).															
AE 138 MOTOR VEHICLE ACCIDENTS.															
A	TRAFFIC (E810-E819)	M 3,767 F 1,400 T 5,167	-	1	7	8	11	18	21	23	119	135	813	779	
B	NON-TRAFFIC (E820-E823)	M 64 F 24 T 88	-	-	-	-	3	3	1	-	1	3	12	7	
	TOTAL (AE138)	M 3,831 F 1,424 T 5,255	-	1	7	8	14	21	22	23	120	138	825	786	
AE 139 OTHER TRANSPORT ACCIDENTS.															
A	DROWNINGS INVOLVING SMALL BOATS (E830.0, E832.0)	M 181 F 13 T 194	-	-	-	-	-	-	1	-	4	11	34	34	
B	DROWNINGS INVOLVING OTHER WATERCRAFT (E830.1- E830.9,E832.1-E832.9)	M 23 F 5 T 28	-	-	1	1	-	1	-	-	1	-	2	-	
C	OTHER TRANSPORT	M 245 F 44 T 289	-	-	1	1	-	1	1	-	2	7	27	34	
	TOTAL (AE139)	M 449 F 62 T 511	-	-	2	2	-	2	2	-	7	18	63	68	
AE 140	ACCIDENTAL POISONING	M 371 F 216 T 587	-	-	2	2	1	-	-	1	2	4	23	45	
AE 141	ACCIDENTAL FALLS	M 984 F 829 T 1,813	-	-	5	5	2	3	2	1	11	8	27	34	
AE 142	ACCIDENTS CAUSED BY FIRES	M 438 F 248 T 686	-	-	5	5	7	10	16	6	21	7	32	39	
AE 143	ACCIDENTAL DROWNING	M 503 F 118 T 621	-	-	2	2	8	19	15	11	38	29	73	73	
AE 144	ACCIDENT CAUSED BY FIREARM MISSILES	M 86 F 14 T 100	-	-	-	-	-	-	-	-	7	14	24	7	
AE 145	ACCIDENTS MAINLY OF INDUSTRIAL TYPE	M 559 F 57 T 616	-	-	1	1	3	2	7	2	14	19	63	74	

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS ANOXEMIQUES ET HYPOXEMIQUES, NON CLASSEES AILLEURS	A 134
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRE .....	A 135
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TOTAL (A131-A135). ....	
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.																
-	-	-	-	-	-	-	-	1	4	8	18	77	-	SENILITE, SANS MENTION DE PSYCHOSE	A 136	
-	-	-	-	-	-	-	-	1	2	8	24	125	-			
-	-	-	-	-	-	-	-	2	6	16	42	202	-			
22	20	26	29	49	55	73	67	77	80	81	72	113	8	SYMPTOMES ET AUTRES ETATS . MORBIDES MAL DEFINIS	A 137	
11	12	9	17	18	22	23	39	36	56	52	75	150	2			
33	32	35	46	67	77	96	106	113	136	133	147	263	10			
22	20	26	29	49	55	73	67	78	84	89	90	190	8	TOTAL (A136,A137). ....		
11	12	9	17	18	22	23	39	37	58	60	99	275	2			
33	32	35	46	67	77	96	106	115	142	149	189	465	10			
XVII. ACCIDENTS, EMPOISON- NEMENTS ET TRAUMATISMES. EXVII. CAUSE EXTERIEURE.																
ACCIDENTS (AE138-AE146).																
ACCIDENTS DE VEHICULE A MOTEUR.																
421	240	178	136	142	139	127	123	112	103	45	47	23	4	DE LA CIRCULATION (E810- E819)	A	
96	75	60	66	64	73	77	78	58	57	42	21	15	6			
517	315	238	202	206	212	204	201	170	160	87	68	38	10			
7	4	2	5	2	5	1	2	2	2	1	1	-	-	HORS DE LA VOIE PUBLIQUE (E820-E823)	B	
1	1	-	2	1	-	2	-	-	1	1	1	-	-			
8	5	2	7	3	5	3	2	2	3	2	2	-	-			
428	244	180	141	144	144	128	125	114	105	46	48	23	4	TOTAL (AE138). ....		
97	76	60	68	65	73	79	78	58	58	43	22	15	6			
525	320	240	209	209	217	207	203	172	163	89	70	38	10			
AUTRES ACCIDENTS DE TRANSPORT																
21	18	11	8	12	5	8	3	7	3	1	-	-	-	SUBMERSION D'UN OCCUPANT D'UNE PETITE EMBARCATION (E830.0,E832.0)	A	
1	2	-	-	1	-	-	-	-	-	-	-	-	-			
22	20	11	8	13	5	8	3	7	3	1	-	-	-			
1	1	2	-	6	2	4	1	1	-	-	-	-	-	SUBMERSION DE TOUTE AUTRE EMBARCATION (E830.1- E830.9,E832.1-E832.9)	B	
2	1	-	-	1	-	1	-	-	-	-	-	-	-			
3	2	2	-	7	2	5	1	1	-	-	-	-	-			
32	28	21	16	23	17	11	10	3	4	2	2	2	1	AUTRE .....	C	
2	3	6	3	3	2	-	1	-	2	3	2	-	-			
34	31	27	19	26	19	11	11	3	6	5	4	2	1			
54	47	34	24	41	24	23	14	11	7	3	2	2	1	TOTAL (AE139). ....		
5	6	6	3	5	2	1	1	-	2	3	2	-	-			
59	53	40	27	46	26	24	15	11	9	6	4	2	1			
39	39	40	36	47	22	30	15	7	5	8	4	1	-	EMPOISONNEMENTS ACCIDENTELS	AE 140	
17	14	18	21	23	22	22	15	4	5	2	3	1	-			
56	53	58	57	70	44	52	30	11	10	10	7	2	-			
20	21	27	35	36	52	58	66	65	66	93	115	233	4	CHUTES ACCIDENTELLES .....	AE 141	
5	1	2	7	11	15	17	21	42	53	122	156	351	2			
25	22	29	42	47	67	75	87	107	119	215	271	584	6			
26	27	22	31	23	30	27	24	17	24	14	20	9	1	ACCIDENTS CAUSES PAR .....	AE 142	
10	9	12	8	8	12	15	8	18	13	12	11	11	-	L'INCENDIE OU LE FEU		
36	36	34	39	31	42	42	32	35	37	26	31	20	1			
40	28	20	24	27	27	20	18	11	7	7	-	3	3	NOYADE ACCIDENTELLE .....	AE 143	
6	5	8	2	2	3	2	3	3	1	5	3	1	-			
46	33	28	26	29	30	22	21	14	8	12	3	4	3			
7	7	5	3	2	4	2	3	-	1	-	-	-	-	ACCIDENTS CAUSES PAR .....	AE 144	
-	-	2	-	-	-	-	-	-	-	-	-	-	-	PROJECTILES D'ARMES A FEU		
7	7	7	3	2	4	2	3	-	1	-	-	-	-			
66	49	37	46	34	40	36	21	23	7	7	4	3	1	ACCIDENTS SURVENANT .....	AE 145	
1	2	3	5	4	2	3	3	1	4	1	1	-	-	PRINCIPALEMENT DANS L'INDUSTRIE		
67	51	40	51	38	42	39	24	24	11	8	5	3	1			

TABLE 15. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1977

LIST A NO	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE											
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
AE 146 ALL OTHER ACCIDENTS .....	M	664	1	1	50	52	5	5	4	5	12	26	49	37
	F	329	2	2	36	40	11	5	3	2	7	12	6	11
	T	993	3	3	86	92	16	10	7	7	19	38	55	48
+ TOTAL (AE138-AE146) .....	M	7,885	1	2	74	77	40	62	68	49	232	263	1,179	1,163
	F	3,297	3	3	53	59	53	39	47	29	123	138	318	230
	T	11,182	4	5	127	136	93	101	115	78	355	401	1,497	1,393
AE 147 SUICIDE .....	M	2,459	-	-	-	-	-	-	-	-	2	23	244	418
	F	858	-	-	-	-	-	-	-	-	-	8	54	78
	T	3,317	-	-	-	-	-	-	-	-	2	31	298	496
AE 148 HOMICIDE: LEGAL INTERVENTION .....	M	409	1	-	4	5	4	2	1	4	8	8	32	61
	F	198	-	-	4	4	2	4	1	4	4	2	19	25
	T	607	1	-	8	9	6	6	2	8	12	10	51	86
AE 149 INJURY UNDETERMINED IF ACCIDENTALLY OR PUR- POSELY INFLICTED .....	M	611	-	-	6	6	4	5	2	-	4	6	52	94
	F	282	-	-	5	5	2	2	-	-	2	3	14	27
	T	893	-	-	11	11	6	7	2	-	6	9	66	121
AE 150 WAR INJURIES .....	M	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	2	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (AE138-AE150) .....	M	11,366	2	2	84	88	48	69	71	53	246	300	1,507	1,736
	F	4,635	3	3	62	68	57	45	48	33	129	151	405	360
	T	16,001	5	5	146	156	105	114	119	86	375	451	1,912	2,096
NXVII. NATURE OF INJURY.														
AN 138 FRACTURE OF SKULL .....	M	1,845	-	-	5	5	10	13	11	9	64	61	330	338
	F	609	-	-	8	8	15	8	8	8	34	46	95	62
	T	2,454	-	-	13	13	25	21	19	17	98	107	425	400
AN 139 FRACTURE OF SPINE AND TRUNK .....	M	455	-	-	1	1	-	-	1	-	10	12	77	68
	F	218	-	-	-	-	2	1	2	3	3	6	29	14
	T	673	-	-	1	1	2	1	3	3	13	18	106	82
AN 140 FRACTURE OF LIMBS .....	M	444	-	-	-	-	1	1	-	-	2	2	20	12
	F	590	-	-	-	-	-	-	-	-	-	1	2	3
	T	1,034	-	-	-	-	1	1	-	-	2	3	22	15
AN 141 DISLOCATION WITHOUT FRACTURE .....	M	8	-	-	-	-	-	-	-	-	-	2	1	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-
	T	10	-	-	-	-	-	-	-	-	-	2	1	-
AN 142 SPRAINS AND STRAINS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
AN 143 INTRACRANIAL INJURY EXCLUDING SKULL FRACTURE .....	M	1,790	-	1	8	9	4	5	8	11	42	44	243	292
	F	505	-	-	5	5	2	3	2	3	25	28	72	45
	T	2,295	-	1	13	14	6	8	10	14	67	72	315	337
AN 144 INTERNAL INJURY .....	M	2,561	-	-	3	3	7	8	12	5	36	76	424	467
	F	787	-	-	2	2	3	3	5	6	20	21	96	94
	T	3,348	-	-	5	5	10	11	17	11	56	97	520	561
AN 145 OPEN WOUNDS .....	M	251	-	-	-	-	1	-	-	1	4	7	29	45
	F	53	-	-	-	-	-	-	-	-	4	3	5	6
	T	304	-	-	-	-	1	-	-	1	8	10	34	51
AN 146 SUPERFICIAL INJURY, CON- TUSION, AND CRUSHING WITH INTACT SKIN SURFACE .....	M	8	-	-	-	-	-	-	-	-	-	-	2	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-
	T	17	-	-	-	-	-	-	-	-	-	-	2	-
AN 147 FOREIGN BODY ENTERING THROUGH ORIFICE .....	M	262	1	-	30	31	4	3	2	3	1	3	5	12
	F	165	1	1	29	31	7	3	-	-	3	3	2	4
	T	427	2	1	59	62	11	6	2	3	4	6	7	16
AN 148 BURN .....	M	351	-	-	2	2	4	8	8	1	6	7	31	41
	F	167	-	1	5	6	6	4	6	7	12	6	4	12
	T	518	-	1	7	8	10	12	14	8	18	13	35	53
AN 149 EFFECTS OF CHEMICAL SUBSTANCES .....	M	1,368	-	-	9	9	6	5	10	7	18	10	79	174
	F	956	-	-	2	2	11	7	7	2	8	12	59	76
	T	2,324	-	-	11	11	17	12	17	9	26	22	138	250
AN 150 OTHER .....	M	2,023	1	1	26	28	11	26	19	16	63	76	266	287
	F	574	2	1	11	14	11	16	18	4	20	25	41	44
	T	2,597	3	2	37	42	22	42	37	20	83	101	307	331
TOTAL (AN138-AN150) .....	M	11,366	2	2	84	88	48	69	71	53	246	300	1,507	1,736
	F	4,635	3	3	62	68	57	45	48	33	129	151	405	360
	T	16,001	5	5	146	156	105	114	119	86	375	451	1,912	2,096
ALL CAUSES .....	M	96,872	1,489	197	823	2,509	149	118	123	83	442	466	1,770	2,073
	F	70,626	1,101	197	668	1,966	165	86	79	59	260	283	604	572
	T	167,498	2,590	394	1,491	4,475	314	204	202	142	702	749	2,374	2,645

TABLEAU 15. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1977

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.		
32	24	34	36	40	40	60	48	42	45	28	16	23	1	TOUTES AUTRES CAUSES .....	AE 146
7	9	6	14	19	31	14	17	21	25	24	10	34	1	ACCIDENTELLES	
39	33	40	50	59	71	74	65	63	70	52	26	57	2		
712	486	399	376	354	383	384	334	290	267	206	209	297	15	TOTAL (AE138-AE146). ....	
148	122	117	128	137	160	153	146	147	161	212	208	413	9		
860	608	516	504	531	543	537	480	437	428	418	417	710	24		
277	229	199	177	192	205	145	100	103	70	37	18	15	5	SUICIDE .....	AE 147
94	77	74	59	89	97	74	60	44	25	12	9	2	2		
371	306	273	236	281	302	219	160	147	95	49	27	17	7		
57	43	36	26	35	31	20	12	9	7	3	2	1	2	HOMICIDE; INTERVENTION DE LA	AE 148
31	19	16	13	13	6	9	8	5	4	4	4	1	-	FORCE PUBLIQUE	
88	62	52	39	48	37	29	20	14	11	7	6	2	2		
79	53	46	44	39	46	33	27	29	13	14	6	4	5	LESIONS CAUSEES D'UNE .....	AE 149
19	23	18	24	28	30	26	20	14	10	5	3	6	1	MANIERE INDETERMINEE	
98	76	64	68	67	76	59	47	43	23	19	9	10	6	QUANT A L'INTENTION	
-	-	-	-	-	1	-	-	-	-	1	-	-	-	BLESSURES DE GUERRE .....	AE 150
-	-	-	-	-	1	-	-	-	-	1	-	-	-		
1,125	811	680	623	660	666	582	473	431	357	261	235	317	27	TOTAL (AE138-AE150).	
292	241	225	224	267	293	262	234	210	200	233	224	422	12		
1,417	1,052	905	847	927	559	844	707	641	557	494	459	739	39		
NXVII. NATURE.															
194	127	112	72	93	100	81	62	49	39	31	22	17	5	FRACTURES DU CRANE .....	AN 138
37	30	30	30	32	29	26	21	25	23	15	12	12	3		
231	157	142	102	125	129	107	83	74	62	46	34	29	8		
36	27	10	21	19	21	20	21	23	24	17	24	23	-	FRACTURES DE LA COLONNE ....	AN 139
17	4	4	9	2	10	11	11	10	10	15	20	34	1	VERTEBRALE ET DU TRONC	
53	31	14	30	21	31	31	32	33	34	32	44	57	1		
5	5	5	1	3	4	11	14	19	27	47	77	188	-	FRACTURES DES MEMBRES .....	AN 140
1	1	-	-	3	6	3	6	22	39	89	123	291	-		
6	6	5	1	6	10	14	20	41	66	136	200	479	-		
-	1	-	1	-	-	-	1	2	-	-	-	-	-	LUXATIONS SANS FRACTURE ....	AN 141
1	-	-	-	-	-	-	-	-	1	-	-	-	-		
1	1	-	1	-	-	-	1	2	1	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ENTORSES ET FOULURES .....	AN 142
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
179	128	105	109	100	106	96	87	67	46	43	38	26	2	TRAUMATISMES INTERCRANIENS	AN 143
27	22	23	27	25	22	28	32	20	22	28	18	25	1	SAUF FRACTURES DU CRANE	
206	150	128	136	125	128	124	119	87	68	71	56	51	3		
309	196	158	127	132	118	122	105	93	84	38	21	14	6	TRAUMATISMES INTERNES .....	AN 144
76	48	48	42	50	51	51	48	39	27	30	13	11	3		
385	244	206	169	182	169	173	153	132	111	68	34	25	9		
21	24	18	19	15	22	9	7	8	8	3	3	4	3	DECHIRURES ET PLAIES .....	AN 145
5	4	5	5	2	1	4	3	2	-	2	-	2	-		
26	28	23	24	17	23	13	10	10	8	5	3	6	3		
-	1	-	-	-	-	1	1	-	-	1	-	2	-	TRAUMATISMES SUPERFICIELS,	AN 146
-	-	-	-	-	1	1	1	-	-	3	1	2	-	CONTUSIONS, ET ECRASEMENTS	
-	1	-	-	-	1	2	2	-	-	4	1	4	-	SANS PLAIES	
9	6	13	15	19	15	24	25	21	19	13	8	11	-	CORPS ETRANGER PENETRANT ...	AN 147
2	1	1	8	9	18	9	8	13	10	13	5	15	-	PAR UN ORIFICE NATUREL	
11	7	14	23	28	33	33	33	34	29	26	13	26	-		
26	20	18	19	18	30	21	18	20	12	17	18	6	-	BRULURES .....	AN 148
2	13	5	5	7	6	12	11	6	12	8	9	8	-		
28	33	23	24	25	36	33	29	26	24	25	27	14	-		
144	118	122	133	138	122	92	57	40	43	21	13	5	2	EFFETS DES SUBSTANCES .....	AN 149
88	71	79	75	103	100	81	63	50	28	16	10	7	1	CHIMIQUES	
232	189	201	208	241	222	173	120	90	71	37	23	12	3		
202	158	119	106	123	128	105	75	89	55	30	11	21	9	AUTRE .....	AN 150
36	47	30	23	34	49	36	30	23	28	14	13	15	3		
238	205	149	129	157	177	141	105	112	83	44	24	36	12		
1,125	811	680	623	660	666	582	473	431	357	261	235	317	27	TOTAL (AN138-AN150).	
292	241	225	224	267	293	262	234	210	200	233	224	422	12		
1,417	1,052	905	847	927	559	844	707	641	557	494	459	739	39		
1,518	1,334	1,502	2,097	3,493	5,316	7,154	9,634	11,563	12,553	11,767	9,758	11,311	139	TOUTES LES CAUSES.	
556	620	770	1,139	1,871	2,778	3,733	4,868	6,398	7,942	9,246	10,296	16,255	80		
2,074	1,954	2,272	3,236	5,364	8,094	10,887	14,502	17,961	20,495	21,013	20,054	27,566	219		

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.	
		NUMBER - NOMBRE													
I. INFECTIVE AND PARASITIC DISEASES.															
A 1	CHOLERA .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 2	TYPHOID FEVER .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 3	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	M	3	-	-	-	-	1	-	-	-	2	-	-	
		F	4	1	-	-	2	1	-	-	-	-	-	-	
		T	7	1	-	-	2	2	-	-	-	2	-	-	
A 4	BACILLARY DYSENTERY AND ... AMOEBIASIS	M	1	-	-	-	-	-	-	-	-	1	-	-	
		F	3	-	-	-	-	2	-	-	-	1	-	-	
		T	4	-	-	-	-	2	-	-	-	2	-	-	
A 5	ENTERITIS AND OTHER ... DIARRHOEAL DISEASES	M	98	1	1	6	2	31	15	10	7	8	17	-	-
		F	125	3	1	4	2	56	14	7	8	11	17	1	1
		T	223	4	2	10	4	87	29	17	15	19	34	1	1
TUBERCULOSIS (A6-A10).															
A 6	RESPIRATORY SYSTEM .....	M	126	1	3	3	4	72	17	2	3	7	12	-	2
		F	44	1	-	-	2	24	9	-	2	3	3	-	-
		T	170	2	3	3	6	96	26	2	5	10	15	-	2
A 7	MENINGES AND CENTRAL ... NERVOUS SYSTEM	M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	1	-	1	-	-	1	-	-	-	-
		T	4	-	-	1	-	2	-	-	1	-	-	-	-
A 8	INTESTINES, PERITONEUM, ... AND MESENTERIC GLANDS	M	1	-	-	-	-	1	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	1	-	-	
		T	2	-	-	-	-	1	-	-	-	1	-	-	
A 9	BONES AND JOINTS .....	M	2	-	-	-	-	1	-	-	-	1	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	2	-	-	-	-	1	-	-	-	1	-	-	
A 10	OTHER .....	M	49	1	-	5	-	13	17	4	3	-	6	-	
		F	33	-	-	2	1	8	12	1	3	-	5	-	
		T	82	1	-	7	1	21	29	5	6	-	11	-	
TOTAL (A6-A10) .....	M	179	2	3	8	4	88	34	6	6	7	19	-	2	
	F	81	1	-	3	3	33	21	1	6	3	9	-	1	
	T	260	3	3	11	7	121	55	7	12	10	28	-	3	
A 11	PLAGUE .....	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	
A 12	ANTHRAX .....	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	
A 13	BRUCELLOSIS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	
A 14	LEPROSY .....	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	
A 15	DIPHTHERIA .....	M	1	-	-	-	-	-	-	-	-	1	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	1	-	-	-	-	-	-	-	-	-	1	-	
A 16	WHOOPING COUGH .....	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	
A 17	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	1	-	-	
		T	1	-	-	-	-	-	-	-	-	1	-	-	
A 18	ERYSIPELAS .....	M	2	-	-	-	-	2	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	-	-	-	
		T	3	-	-	-	-	2	-	-	1	-	-	-	
A 19	MENINGOCOCCAL INFECTION ...	M	20	3	-	2	1	9	3	-	2	-	-	-	
		F	9	1	-	1	-	2	4	1	-	-	-	-	
		T	29	4	-	3	1	11	7	1	2	-	-	-	
A 20	TETANUS .....	M	2	-	-	-	1	-	1	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	2	-	-	-	1	-	1	-	-	-	-	-	







TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.	
NUMBER - NOMBRE															
A 42	ANCYLOSTOMIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 43	OTHER HELMINTHIASES	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
A 44	ALL OTHER	M	26	-	-	3	4	11	2	1	3	2	-	-	
		F	18	2	-	-	5	5	2	-	-	2	-	1	
		T	44	2	-	3	9	16	4	1	3	4	-	1	
TOTAL (A1-A44)		M	551	12	6	25	18	197	23	25	36	70	-	4	
		F	470	13	2	20	13	140	27	22	32	60	1	6	
		T	1,021	25	8	45	31	337	50	47	68	130	1	10	
II. NEOPLASMS.															
MALIGNANT NEOPLASMS (A45-A60).															
A 45	BUCCAL CAVITY AND PHARYNX	M	516	5	3	17	17	186	13	17	19	54	-	1	
		F	193	4	2	9	3	49	6	4	12	26	-	-	
		T	709	9	5	26	20	235	19	21	31	80	-	1	
A 46	ESOPHAGUS	M	478	10	4	21	14	117	24	20	31	54	-	-	
		F	182	7	3	8	1	46	7	5	3	25	-	-	
		T	660	17	7	29	15	163	31	25	34	79	-	-	
A 47	STOMACH	M	1,428	52	6	61	56	399	69	55	101	166	2	-	
		F	789	19	3	35	33	229	40	30	47	89	-	-	
		T	2,217	71	9	96	89	628	109	85	148	255	2	-	
A 48	INTESTINE, EXCEPT RECTUM	M	1,856	29	6	88	36	468	111	77	122	197	1	3	
		F	2,176	36	14	102	72	580	102	77	132	209	-	-	
		T	4,032	65	20	190	108	1,048	213	154	254	406	1	3	
A 49	RECTUM AND RECTOSIGMOID JUNCTION	M	779	11	3	27	28	188	50	28	38	92	1	1	
		F	549	4	1	16	7	149	22	19	32	77	-	-	
		T	1,328	15	4	43	35	337	72	47	70	169	1	1	
A 50	LARYNX	M	297	2	-	10	4	119	13	8	12	29	-	-	
		F	46	1	1	4	2	18	-	-	1	3	-	-	
		T	343	3	1	14	6	137	13	8	13	32	-	-	
A 51	TRACHEA, BRONCHUS, AND LUNG	M	6,142	107	31	270	169	1,851	305	219	321	685	6	5	
		F	1,519	19	13	67	39	358	76	65	87	214	-	2	
		T	7,661	126	44	337	208	2,209	381	284	408	899	6	7	
A 52	BONE	M	97	1	-	4	1	32	2	7	7	4	-	1	
		F	60	1	-	4	3	19	1	3	4	2	-	-	
		T	157	2	-	8	4	51	3	10	11	6	-	1	
A 53	SKIN	M	201	3	2	8	5	43	11	7	18	26	2	-	
		F	171	1	-	6	3	43	11	11	10	23	-	-	
		T	372	4	2	14	8	86	22	18	28	49	2	-	
A 54	BREAST	M	38	1	1	1	2	14	-	3	3	4	-	-	
		F	3,321	44	20	137	91	912	150	108	202	386	1	1	
		T	3,359	45	21	138	93	926	150	111	205	390	1	1	
A 55	CERVIX UTERI	F	514	11	5	33	23	103	22	15	34	51	-	-	
A 56	UTERUS, OTHER	F	472	5	3	11	9	149	23	14	25	49	-	-	
A 57	PROSTATE	M	1,833	20	15	89	56	408	117	106	154	225	1	1	
A 58	OTHER AND UNSPECIFIED SITES.														
A	DIGESTIVE ORGANS AND PERITONEUM (155-159)	M	1,615	40	9	65	40	419	66	77	107	196	1	1	
		F	1,405	18	4	40	35	388	74	78	100	177	-	-	
		T	3,020	58	13	105	75	807	140	155	207	373	1	1	
B	RESPIRATORY ORGANS (160,163)	M	87	2	-	3	1	31	4	2	5	10	-	-	
		F	48	1	1	1	-	15	3	3	3	8	-	-	
		T	135	3	1	4	1	46	7	5	8	18	-	-	
C	CONNECTIVE AND OTHER SOFT TISSUE (171)	M	57	-	1	1	5	18	6	3	3	2	-	-	
		F	49	2	-	2	2	11	1	1	4	5	-	-	
		T	106	2	1	3	7	29	7	4	7	7	-	-	
D	OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT (183)	F	1,000	11	5	55	21	243	42	32	71	110	-	-	
E	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)	F	98	2	1	4	-	31	4	6	5	15	-	-	

TABLEAU 16. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	NFLD. P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.		N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.	N.E.							C.B.	T.N.O.				
RATE - TAUX																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ANKYLSTOMIASE .....	A 42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.0	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	AUTRES HELMINTHIASES .....	A 43
0.0	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-
0.2	-	-	-	0.9	0.1	0.3	0.4	0.2	0.3	0.2	-	-	-	TOUTES AUTRES MALADIES .....	A 44	
0.2	0.7	-	0.2	-	0.2	0.1	0.4	-	-	0.2	-	-	-	INFECTIEUSES ET	-	
0.2	0.4	-	0.1	0.4	0.1	0.2	0.4	0.1	0.2	0.2	-	-	-	PARASITAIRES	4.9	
4.8	4.2	10.0	6.0	5.2	6.3	3.3	4.5	5.3	3.7	5.6	-	-	-	TOTAL (A1-A44). .....	17.5	
4.0	4.7	3.3	4.8	3.8	4.4	3.2	5.2	4.7	3.4	4.8	10.0	29.3	-	-	-	29.3
4.4	4.4	6.7	5.4	4.5	5.4	3.2	4.8	5.0	3.6	5.2	4.7	23.1	-	-	-	23.1
II. TUMEURS.																
TUMEURS MALIGNES (A45-A60).																
4.5	1.7	5.0	4.1	4.9	6.0	4.4	2.5	3.6	2.0	4.3	-	-	4.4	CAVITE BUCCALE ET PHARYNX	A 45	
1.6	1.4	3.3	2.2	0.9	1.5	1.8	1.2	0.9	1.3	2.1	-	-	-	-	-	-
3.0	1.6	4.2	3.1	2.9	3.7	3.1	1.8	2.2	1.6	3.2	-	-	-	-	-	2.3
4.1	3.5	6.6	5.0	4.1	3.8	4.4	4.7	4.2	3.2	4.3	-	-	-	OESOPHAGE .....	A 46	
1.6	2.5	5.0	1.9	0.3	1.4	1.8	1.3	1.1	0.3	2.0	-	-	-	-	-	-
2.8	3.0	5.8	3.5	2.2	2.6	3.1	3.0	2.7	1.8	3.2	-	-	-	-	-	-
12.3	18.2	10.0	14.6	16.3	12.8	11.1	13.5	11.7	10.5	13.3	17.4	-	-	ESTOMAC .....	A 47	
6.7	6.9	5.0	8.4	9.6	7.2	6.2	7.7	6.5	5.0	7.1	-	-	-	-	-	-
9.5	12.6	7.5	11.5	13.0	10.0	8.7	10.6	9.1	7.8	10.2	9.3	-	-	-	-	-
16.0	10.1	10.0	21.1	10.5	15.1	17.3	21.7	16.3	12.7	15.8	8.7	13.2	-	INTESTIN, RECTUM NON COMPRIS	A 48	
18.6	13.0	23.3	24.4	21.0	18.3	20.2	19.7	16.6	14.1	16.7	-	-	-	-	-	-
17.3	11.6	16.6	22.7	15.7	16.7	18.7	20.7	16.4	13.4	16.3	4.7	6.9	-	-	-	-
6.7	3.8	5.0	6.5	8.1	6.1	7.5	9.8	5.9	3.9	7.4	8.7	4.4	-	RECTUM ET JONCTION RECTO-	A 49	
4.7	1.4	1.7	3.8	2.0	4.7	5.3	4.2	4.1	3.4	6.2	-	-	-	SIGMOIDIENNE	-	
5.7	2.7	3.3	5.1	5.1	5.4	6.4	7.0	5.0	3.7	6.8	4.7	2.3	-	-	-	-
2.6	0.7	-	2.4	1.2	3.8	2.4	2.5	1.7	1.2	2.3	-	-	-	LARYNX .....	A 50	
0.4	0.4	1.7	1.0	0.6	0.6	0.4	-	-	0.1	0.2	-	-	-	-	-	-
1.5	0.5	0.8	1.7	0.9	2.2	1.4	1.3	0.9	0.7	1.3	-	-	-	-	-	-
53.0	37.4	51.4	64.7	49.1	59.6	52.4	59.5	46.4	33.3	55.0	52.2	21.9	-	TRACHEE, BRONCHES, ET POUMON	A 51	
13.0	6.9	21.7	16.0	11.4	11.3	13.7	14.6	14.0	9.3	17.1	-	-	-	-	-	-
32.9	22.4	36.6	40.3	30.3	35.2	32.9	36.9	30.3	21.5	36.0	27.9	16.2	-	-	-	-
0.8	0.3	-	1.0	0.3	1.0	0.9	0.4	1.5	0.7	0.3	-	-	-	OS .....	A 52	
0.5	0.4	-	1.0	0.9	0.6	0.5	0.2	0.6	0.4	0.2	-	-	-	-	-	-
0.7	0.4	-	1.0	0.6	0.8	0.7	0.3	1.1	0.6	0.2	-	-	-	-	-	2.3
1.7	1.0	3.3	1.9	1.5	1.4	1.8	2.1	1.5	1.9	2.1	17.4	-	-	PEAU .....	A 53	
1.5	0.4	-	1.4	0.9	1.4	1.5	2.1	2.4	1.1	1.8	-	-	-	-	-	-
1.6	0.7	1.7	1.7	1.2	1.4	1.7	2.1	1.9	1.5	2.0	9.3	-	-	-	-	-
0.3	0.3	1.7	0.2	0.6	0.5	0.2	-	0.6	0.3	0.3	-	-	-	SEIN .....	A 54	
28.4	15.9	33.3	32.8	26.6	28.7	30.0	28.9	23.2	21.6	30.8	10.0	4.9	-	-	-	-
14.4	8.0	17.5	16.5	13.5	14.7	15.3	14.5	11.9	10.8	15.6	4.7	2.3	-	-	-	-
4.4	4.0	8.3	7.9	6.7	3.2	5.1	4.2	3.2	3.6	4.1	-	-	-	COL DE L'UTERUS .....	A 55	
4.0	1.8	5.0	2.6	2.6	4.7	4.4	4.4	3.0	2.7	3.9	-	-	-	UTERUS, AUTRE .....	A 56	
15.8	7.0	24.9	21.3	16.3	13.1	15.5	22.8	22.5	16.0	18.1	8.7	4.4	-	PROSTATE .....	A 57	
SIEGES AUTRES OU SANS PRECISION.																
13.9	14.0	14.9	15.6	11.6	13.5	14.3	12.9	16.3	11.1	15.7	8.7	4.4	-	ORGANES DIGESTIFS ET .....	A	
12.0	6.5	6.7	9.6	10.2	12.2	11.6	14.3	16.8	10.7	14.1	-	-	-	PERITONE (155-159)	-	
13.0	10.3	10.8	12.6	10.9	12.8	13.0	13.6	16.6	10.9	14.9	4.7	2.3	-	-	-	-
0.8	0.7	-	0.7	0.3	1.0	0.7	0.8	0.4	0.5	0.8	-	-	-	ORGANES RESPIRATOIRES .....	B	
0.4	0.4	1.7	0.2	-	0.5	0.3	0.6	0.6	0.3	0.6	-	-	-	(160,163)	-	
0.6	0.5	0.8	0.5	0.1	0.7	0.5	0.7	0.5	0.4	0.7	-	-	-	-	-	-
0.5	-	1.7	0.2	1.5	0.6	0.4	1.2	0.6	0.3	0.2	-	-	-	TISSU CONJONCTIF ET AUTRES	C	
0.4	0.7	-	0.5	0.6	0.3	0.5	0.2	0.2	0.4	0.4	-	-	-	PARTIES MOLLES (171)	-	
0.5	0.4	0.8	0.4	1.0	0.5	0.5	0.7	0.4	0.4	0.3	-	-	-	-	-	-
8.5	4.0	8.3	13.2	6.1	7.7	9.7	8.1	6.9	7.6	8.8	-	-	-	OVAIRE, TROMPE, ET LIGAMENT	D	
LARGE (183)																
0.8	0.7	1.7	1.0	-	1.0	0.7	0.8	1.3	0.5	1.2	-	-	-	ORGANES GENITAUX AUTRES ...	E	
OU NON PRECISES DE LA FEMME (184)																

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST NO.	A CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	
															NUMBER - NOMBRE
F	OTHER MALE GENITAL ORGANS (186,187) .....	M	108	3	-	5	2	25	45	5	5	10	8	-	-
G	BLADDER (188) .....	M	661	16	4	27	16	166	264	35	21	36	76	-	-
		F	266	7	-	13	5	63	106	15	8	15	34	-	-
		T	927	23	4	40	21	229	370	50	29	51	110	-	-
H	OTHER AND UNSPECIFIED URINARY ORGANS (189) .....	M	467	11	4	22	16	111	159	30	29	40	44	-	1
		F	261	4	2	10	12	74	78	14	15	22	30	-	-
		T	728	15	6	32	28	185	237	44	44	62	74	-	1
I	BRAIN AND NERVOUS SYSTEM (191,192) .....	M	519	11	2	26	22	114	213	15	18	36	61	1	-
		F	417	7	4	19	19	96	163	21	20	23	44	-	1
		T	936	18	6	45	41	210	376	36	38	59	105	1	1
J	OTHER .....	M	1,033	30	10	56	31	329	300	54	54	81	85	2	1
		F	979	26	10	38	26	305	309	60	38	77	87	-	3
		T	2,012	56	20	94	57	634	609	114	92	158	172	2	4
	TOTAL (A58) .....	M	4,547	113	30	205	133	1,213	1,622	215	209	316	482	4	3
		F	4,523	78	27	182	120	1,226	1,621	234	201	320	510	-	4
		T	5,070	191	57	387	253	2,439	3,243	449	410	638	992	4	7
A	59 LEUKAEMIA .....	M	936	11	3	37	27	218	348	67	58	67	99	-	1
		F	580	18	2	21	14	156	217	22	30	42	55	-	3
		T	1,516	29	5	58	41	374	565	89	88	109	154	-	4
A	60 OTHER LYMPHATIC AND HAEMOTOPOIETIC TISSUE.														
A	HODGKIN'S DISEASE (201) .....	M	149	3	-	8	10	53	39	6	8	14	-	-	
		F	76	1	-	4	1	21	27	5	1	5	-	-	
		T	225	4	-	12	11	74	66	11	9	19	19	-	
B	OTHER .....	M	892	13	7	35	19	210	333	62	44	64	105	-	-
		F	690	5	3	19	14	164	289	34	21	43	98	-	-
		T	1,582	18	10	54	33	374	622	96	65	107	203	-	-
	TOTAL (A60) .....	M	1,041	16	7	43	29	263	372	68	52	72	119	-	-
		F	766	6	3	23	15	185	316	39	22	54	103	-	-
		T	1,807	22	10	66	44	448	688	107	74	126	222	-	-
	TOTAL (A45-A60) .....	M	20,189	381	111	881	577	5,519	7,237	1,065	866	1,283	2,236	17	16
		F	15,861	254	97	658	435	4,222	5,998	755	604	1,005	1,822	1	10
		T	36,050	635	208	1,539	1,012	9,741	13,235	1,820	1,470	2,288	4,058	18	26
A	61 BENIGN AND UNSPECIFIED .....	M	189	5	-	9	-	77	48	11	6	15	18	-	-
		F	180	1	-	10	-	71	59	8	6	16	9	-	-
		T	369	6	-	19	-	148	107	19	12	31	27	-	-
	TOTAL (A45-A61) .....	M	20,378	386	111	890	577	5,596	7,285	1,076	872	1,298	2,254	17	16
		F	16,041	255	97	668	435	4,293	6,057	763	610	1,021	1,831	1	10
		T	36,419	641	208	1,558	1,012	9,889	13,342	1,839	1,482	2,319	4,085	18	26
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.															
A	62 NON-TOXIC GOITRE .....	M	2	-	-	-	-	1	-	-	-	1	-	-	
		F	6	-	-	-	-	4	-	-	-	2	-	-	
		T	8	-	-	-	-	5	-	-	-	3	-	-	
A	63 THYROTOXICOSIS .....	M	2	-	-	-	-	-	-	-	-	1	-	-	
		F	12	-	-	-	-	3	4	-	1	2	-	-	
		T	14	-	-	-	-	3	4	-	1	3	-	-	
A	64 DIABETES MELLITUS .....	M	1,289	24	5	66	43	378	430	44	59	112	127	-	1
		F	1,721	40	1	86	66	532	601	63	79	125	128	-	-
		T	3,010	64	6	152	109	910	1,031	107	138	237	255	-	1
A	65 NUTRITIONAL DEFICIENCY STATES .....	M	85	6	-	1	6	27	25	1	3	11	5	-	-
		F	98	4	-	3	7	26	36	2	1	7	11	1	-
		T	183	10	-	4	13	53	61	3	4	18	16	1	-
A	66 OTHER .....	M	238	9	1	13	6	73	79	7	5	11	33	-	1
		F	266	5	-	15	2	108	80	9	5	22	20	-	-
		T	504	14	1	28	8	181	159	16	10	33	53	-	1
	TOTAL (A62-A66) .....	M	1,616	39	6	80	55	479	534	52	67	135	167	-	2
		F	2,103	49	1	104	75	673	721	74	86	156	163	1	-
		T	3,719	88	7	184	130	1,152	1,255	126	153	291	330	1	2
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.															
A	67 ANAEMIAS .....	M	147	4	-	7	2	44	45	7	9	15	14	-	-
		F	214	4	1	6	5	70	66	9	9	18	26	-	-
		T	361	8	1	13	7	114	111	16	18	33	40	-	-

TABLEAU 16. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	Nfld. - T.-N.	P.E.I. - I.P.E.	N.S. - N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. - C.B.	YUKON	N.W.T. - T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
0.9	1.0	-	1.2	0.6	0.8	1.1	1.0	1.1	1.0	0.6	-	-	AUTRES ORGANES GENITAUX DE L'HOMME (186,187)	F
5.7	5.6	6.6	6.5	4.7	5.3	6.4	6.8	4.5	3.7	6.1	-	-	VESSIE (188)	G
2.3	2.5	-	3.1	1.5	2.0	2.5	2.9	1.7	1.6	2.7	-	-		
4.0	4.1	3.3	4.8	3.1	3.6	4.4	4.8	3.1	2.7	4.4	-	-		
4.0	3.8	6.6	5.3	4.7	3.6	3.8	5.9	6.1	4.2	3.5	-	4.4	ORGANES URINAIRES AUTRES OU NON PRECISES (189)	H
2.2	1.4	3.3	2.4	3.5	2.3	1.8	2.7	3.2	2.3	2.4	-	-		
3.1	2.7	5.0	3.8	4.1	2.9	2.8	4.3	4.7	3.3	3.0	-	2.3		
4.5	3.8	3.3	6.2	6.4	3.7	5.1	2.9	3.8	3.7	4.9	8.7	-	CERVEAU ET AUTRES PARTIES DU SYSTEME NERVEUX (191,192)	I
3.6	2.5	6.7	4.5	5.5	3.0	3.9	4.0	4.3	2.5	3.5	-	4.9		
4.0	3.2	5.0	5.4	6.0	3.3	4.5	3.5	4.1	3.1	4.2	4.7	2.3		
8.9	10.5	16.6	13.4	9.0	10.6	7.2	10.5	11.5	8.4	6.8	17.4	4.4	AUTRE	J
8.4	9.4	16.7	9.1	7.6	9.6	7.3	11.6	8.2	8.2	6.9	-	14.6		
8.6	10.0	16.6	11.3	8.3	10.1	7.3	11.1	9.8	8.3	6.9	9.3	9.2		
39.2	39.5	49.8	49.1	38.7	39.0	39.1	42.0	44.3	33.0	38.7	34.8	13.2	TOTAL (A58)	
38.7	28.2	45.0	43.6	35.0	38.6	38.4	45.1	43.2	34.2	40.7	-	19.5		
38.9	34.0	47.4	46.3	36.9	38.8	38.7	43.5	43.8	33.6	39.7	18.6	16.2		
8.1	3.8	5.0	8.9	7.9	7.0	8.4	13.1	12.3	7.0	7.9	-	4.4	LEUCEMIES	A 59
5.0	6.5	3.3	5.0	4.1	4.9	5.1	4.2	6.5	4.5	4.4	-	14.6		
6.5	5.2	4.2	6.9	6.0	6.0	6.7	8.6	9.4	5.7	6.2	-	9.2		
													AUTRES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES.	A 60
1.3	1.0	-	1.9	2.9	1.7	0.9	1.2	1.7	0.8	1.1	-	-	MALADIE DE HODGKIN (201)	A
0.6	0.4	-	1.0	0.3	0.7	0.6	1.0	0.2	1.2	0.4	-	-		
1.0	0.7	-	1.4	1.6	1.2	0.8	1.1	1.0	1.0	0.8	-	-		
7.7	4.5	11.6	8.4	5.5	6.8	8.0	12.1	9.3	6.6	8.4	-	-	AUTRE	B
5.9	1.8	5.0	4.5	4.1	5.2	6.8	6.6	4.5	4.6	7.8	-	-		
6.8	3.2	8.3	6.5	4.8	6.0	7.4	9.3	6.9	5.6	8.1	-	-		
9.0	5.6	11.6	10.3	8.4	8.5	9.0	13.3	11.0	7.5	9.6	-	-	TOTAL (A60)	
6.5	2.2	5.0	5.5	4.4	5.8	7.5	7.5	4.7	5.8	8.2	-	-		
7.8	3.9	8.3	7.9	6.4	7.1	8.2	10.4	7.9	6.6	8.9	-	-		
174.2	133.2	184.1	211.0	167.8	177.6	174.5	207.8	183.6	133.2	179.5	147.8	70.2	TOTAL (A45-A60)	
135.5	91.9	161.7	157.5	127.0	132.9	141.9	145.5	129.9	107.3	145.5	10.0	48.8		
154.8	112.9	172.9	184.2	147.4	155.0	158.1	176.5	157.0	120.4	162.5	83.7	60.0		
1.6	1.7	-	2.2	-	2.5	1.2	2.1	1.3	1.6	1.4	-	-	BENIGNES ET DE NATURE NON PRECISEE	A 61
1.5	0.4	-	2.4	-	2.2	1.4	1.5	1.3	1.7	0.7	-	-		
1.6	1.1	-	2.3	-	2.4	1.3	1.8	1.3	1.6	1.1	-	-		
175.8	135.0	184.1	213.2	167.8	180.1	175.7	210.0	184.9	134.8	181.0	147.8	70.2	TOTAL (A45-A61)	
137.1	92.2	161.7	159.8	127.0	135.2	143.3	147.0	131.2	109.0	146.2	10.0	48.8		
156.4	114.0	172.9	186.5	147.4	157.4	159.3	178.3	158.2	122.1	163.6	83.7	60.0		
													III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME.	
0.0	-	-	-	-	0.0	-	-	-	-	0.1	-	-	GOITRE NON TOXIQUE	A 62
0.1	-	-	-	-	0.1	-	-	-	-	0.2	-	-		
0.0	-	-	-	-	0.1	-	-	-	-	0.1	-	-		
0.0	-	-	-	-	-	-	-	-	0.1	0.1	-	-	THYREOTOXICOSE	A 63
0.1	-	-	-	-	0.1	0.1	-	0.2	0.2	0.2	-	-		
0.1	-	-	-	-	0.0	0.0	-	0.1	0.2	0.1	-	-		
11.1	8.4	8.3	15.8	12.5	12.2	10.4	8.6	12.5	11.6	10.2	-	4.4	DIABETE SUCRE	A 64
14.7	14.5	1.7	20.6	19.3	16.7	14.2	12.1	17.0	13.3	10.2	-	-		
12.9	11.4	5.0	18.2	15.9	14.5	12.3	10.4	14.7	12.5	10.2	-	2.3		
0.7	2.1	-	0.2	1.7	0.9	0.6	0.2	0.6	1.1	0.4	-	-	ETATS DE CARENCE	A 65
0.8	1.4	-	0.7	2.0	0.8	0.9	0.4	0.2	0.7	0.9	10.0	-		
0.8	1.8	-	0.5	1.9	0.8	0.7	0.3	0.4	0.9	0.6	4.7	-		
2.1	3.1	1.7	3.1	1.7	2.3	1.9	1.4	1.1	1.1	2.6	-	4.4	AUTRE	A 66
2.3	1.8	-	3.6	0.6	3.4	1.9	1.7	1.1	2.3	1.6	-	-		
2.2	2.5	0.8	3.4	1.2	2.9	1.9	1.6	1.1	1.7	2.1	-	2.3		
13.9	13.6	10.0	19.2	16.0	15.4	12.9	10.1	14.2	14.0	13.4	-	8.8	TOTAL (A62-A66)	
18.0	17.7	1.7	24.9	21.9	21.2	17.1	14.3	18.5	16.7	13.0	10.0	-		
16.0	15.6	5.8	22.0	18.9	18.3	15.0	12.2	16.3	15.3	13.2	4.7	4.6		
													IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
1.3	1.4	-	1.7	0.6	1.4	1.1	1.4	1.9	1.6	1.1	-	-	ANEMIES	A 67
1.8	1.4	1.7	1.4	1.5	2.2	1.6	1.7	1.9	1.9	2.1	-	-		
1.5	1.4	0.8	1.6	1.0	1.8	1.3	1.6	1.9	1.7	1.6	-	-		

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	
															NUMBER - NOMBRE
A 68	OTHER .....	M	100	-	-	1	4	35	38	5	2	9	6	-	-
		F	86	2	-	6	3	24	32	3	3	8	5	-	-
		T	186	2	-	7	7	59	70	8	5	17	11	-	-
	TOTAL (A67,A68) .....	M	247	4	-	8	6	79	83	12	11	24	20	-	-
		F	300	6	1	12	8	94	98	12	12	26	31	-	-
		T	547	10	1	20	14	173	181	24	23	50	51	-	-
V. MENTAL DISORDERS.															
A 69	PSYCHOSES .....	M	154	3	-	3	1	21	82	1	6	14	22	-	1
		F	161	8	-	3	5	24	83	1	2	12	23	-	-
		T	315	11	-	6	6	45	165	2	8	26	45	-	1
A 70	NEUROSES AND OTHER NON- PSYCHOTIC MENTAL DISORDERS .....	M	595	7	6	21	26	104	221	33	19	70	85	-	3
		F	210	-	-	6	8	27	79	15	10	23	38	4	-
		T	805	7	6	27	34	131	300	48	29	93	123	4	3
A 71	MENTAL RETARDATION .....	M	14	1	-	-	-	1	6	2	1	1	2	-	-
		F	11	3	-	-	-	6	6	-	1	-	1	-	-
		T	25	4	-	-	-	1	12	2	2	1	3	-	-
	TOTAL (A69-A71) .....	M	763	11	6	24	27	126	309	36	26	85	109	-	4
		F	382	11	-	9	13	51	168	16	13	35	62	4	-
		T	1,145	22	6	33	40	177	477	52	39	120	171	4	4
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.															
A 72	MENINGITIS .....	M	71	-	-	-	2	15	30	4	3	8	8	-	1
		F	45	-	-	3	-	12	12	2	5	6	3	-	2
		T	116	-	-	3	2	27	42	6	8	14	11	-	3
A 73	MULTIPLE SCLEROSIS .....	M	90	1	-	7	6	21	28	2	4	12	9	-	-
		F	110	-	1	3	2	32	40	3	8	5	16	-	-
		T	200	1	1	10	8	53	68	5	12	17	25	-	-
A 74	EPILEPSY .....	M	147	2	2	2	1	38	54	9	9	16	12	-	2
		F	94	-	1	3	5	30	34	2	3	7	9	-	-
		T	241	2	3	5	6	68	88	11	12	23	21	-	2
A 75	INFLAMMATORY DISEASES OF EYE .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
A 76	CATARACT .....	M	2	-	-	-	-	1	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	1	-	-	-	1	-	-
		T	4	-	-	-	-	1	1	-	-	-	2	-	-
A 77	GLAUCOMA .....	M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
		T	2	-	-	-	-	1	1	-	-	-	-	-	-
A 78	OTITIS MEDIA AND MASTOIDITIS .....	M	5	-	-	-	1	1	3	-	-	-	-	-	-
		F	5	-	1	-	-	1	2	-	-	-	1	-	-
		T	10	-	1	-	1	2	5	-	-	-	1	-	-
A 79	OTHER .....	M	707	7	5	21	25	167	271	42	29	61	77	1	1
		F	528	18	5	16	23	138	183	26	23	29	66	1	-
		T	1,235	25	10	37	48	305	454	68	52	90	143	2	1
	TOTAL (A72-A79) .....	M	1,023	10	7	30	35	244	386	57	45	97	107	1	4
		F	786	18	8	25	30	213	274	33	39	47	96	1	2
		T	1,809	28	15	55	65	457	660	90	84	144	203	2	6
VII. DISEASES OF THE CIRCULATORY SYSTEM.															
A 80 ACTIVE RHEUMATIC FEVER.															
A	WITH HEART INVOLVEMENT (391,392.0) .....	M	17	-	-	1	4	7	3	-	-	2	-	-	-
		F	11	-	-	-	-	4	2	2	-	3	-	-	-
		T	28	-	-	1	4	11	5	2	-	5	-	-	-
B	OTHER .....	M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	5	-	-	-	-	3	2	-	-	-	-	-	-
		T	6	-	-	-	-	3	3	-	-	-	-	-	-
	TOTAL (A80) .....	M	18	-	-	1	4	7	4	-	-	2	-	-	-
		F	16	-	-	-	-	7	4	2	-	3	-	-	-
		T	34	-	-	1	4	14	8	2	-	5	-	-	-
A 81	CHRONIC RHEUMATIC HEART DISEASE .....	M	566	14	-	16	12	125	221	19	25	39	94	1	-
		F	638	9	1	18	18	158	242	22	23	54	93	-	-
		T	1,204	23	1	34	30	283	463	41	48	93	187	1	-

TABLEAU 16. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	NFLD.	P.E.I.	N.S.	N.B.	QLE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.							C.B.		T.-N.O.		
RATE - TAUX														
0.9	-	-	0.2	1.2	1.1	0.9	1.0	0.4	0.9	0.5	-	-	AUTRE .....	A 68
0.7	0.7	-	1.4	0.9	0.8	0.8	0.6	0.6	0.9	0.4	-	-		
0.8	0.4	-	0.8	1.0	C.9	0.8	0.8	0.5	0.9	0.4	-	-		
2.1	1.4	-	1.9	1.7	2.5	2.0	2.3	2.3	2.5	1.6	-	-	TOTAL (A67,A68). .....	
2.6	2.2	1.7	2.9	2.3	3.0	2.3	2.3	2.6	2.8	2.5	-	-		
2.3	1.8	0.8	2.4	2.0	2.8	2.2	2.3	2.5	2.6	2.0	-	-		
V. TROUBLES MENTAUX.														
1.3	1.0	-	0.7	0.3	0.7	2.0	0.2	1.3	1.5	1.8	-	4.4	PSYCHOSES .....	A 69
1.4	2.9	-	0.7	1.5	0.8	2.0	0.2	0.4	1.3	1.8	-	-		
1.4	2.0	-	0.7	0.9	0.7	2.0	0.2	0.9	1.4	1.8	-	2.3		
5.1	2.4	10.0	5.0	7.6	3.3	5.3	6.4	4.0	7.3	6.8	-	13.2	NEVROSES ET AUTRES TROUBLES MENTAUX NON PSYCHOTIQUES	A 70
1.8	-	-	1.4	2.3	0.9	1.9	2.9	2.2	2.5	3.0	40.0	-		
3.5	1.2	5.0	3.2	5.0	2.1	3.6	4.7	3.1	4.9	4.9	18.6	6.9		
0.1	0.3	-	-	-	0.0	0.1	0.4	0.2	0.1	0.2	-	-	ARRIERATION MENTALE .....	A 71
0.1	1.1	-	-	-	-	0.1	-	0.2	-	0.1	-	-		
0.1	0.7	-	-	-	0.0	0.1	0.2	0.2	0.1	0.1	-	-		
6.6	3.8	10.0	5.7	7.9	4.1	7.5	7.0	5.5	8.8	8.8	-	17.5	TOTAL (A69-A71). .....	
3.3	4.0	-	2.2	3.8	1.6	4.0	3.1	2.8	3.7	5.0	40.0	-		
4.9	3.9	5.0	4.0	5.8	2.8	5.7	5.0	4.2	6.3	6.8	18.6	9.2		
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.														
0.6	-	-	-	0.6	0.5	0.7	0.8	0.6	0.8	0.6	-	4.4	MENINGITE .....	A 72
0.4	-	-	0.7	-	0.4	0.3	0.4	1.1	0.6	0.2	-	9.8		
0.5	-	-	0.4	0.3	0.4	0.5	0.6	0.9	0.7	0.4	-	6.9		
0.8	0.3	-	1.7	1.7	0.7	0.7	0.4	0.8	1.2	0.7	-	-	SCLEROSE EN PLAQUES .....	A 73
0.9	-	1.7	0.7	0.6	1.0	0.9	0.6	1.7	0.5	1.3	-	-		
0.9	0.2	0.8	1.2	1.2	0.8	0.8	0.5	1.3	0.9	1.0	-	-		
1.3	0.7	3.3	0.5	0.3	1.2	1.3	1.8	1.9	1.7	1.0	-	8.8	EPILEPSIE .....	A 74
0.8	-	1.7	0.7	1.5	0.9	0.8	0.4	0.6	0.7	0.7	-	-		
1.0	0.4	2.5	0.6	0.9	1.1	1.1	1.1	1.3	1.2	0.8	-	4.6		
-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES INFLAMMATOIRES DE L'OEIL	A 75
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	-	-	CATARACTE .....	A 76
0.0	-	-	-	-	-	0.0	-	-	-	0.1	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	-	-		
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-	GLAUCOME .....	A 77
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	-	-	-		
0.0	-	-	-	0.3	0.0	0.1	-	-	-	-	-	-	OTITE MOYENNE ET MASTOIDITE	A 78
0.0	-	1.7	-	0.0	0.0	0.0	-	-	-	0.1	-	-		
0.0	-	0.8	-	0.1	0.0	0.1	-	-	-	0.0	-	-		
6.1	2.4	8.3	5.0	7.3	5.4	6.5	8.2	6.1	6.3	6.2	8.7	4.4	AUTRE .....	A 79
4.5	6.5	8.3	3.8	6.7	4.3	4.3	5.0	4.9	3.1	5.3	10.0	-		
5.3	4.4	8.3	4.4	7.0	4.9	5.4	6.6	5.6	4.7	5.7	9.3	2.3		
8.8	3.5	11.6	7.2	10.2	7.9	9.3	11.1	9.5	10.1	8.6	8.7	17.5	TOTAL (A72-A79). .....	
6.7	6.5	13.3	6.0	8.8	6.7	6.5	6.4	8.4	5.0	7.7	10.0	9.8		
7.8	5.0	12.5	6.6	9.5	7.3	7.9	8.7	9.0	7.6	8.1	9.3	13.9		
VII. MALADIES DE L'APPAREIL CIRCULATOIRE.														
RHUMATISME ARTICULAIRE AIGU.														
0.1	-	-	0.2	1.2	0.2	0.1	-	-	0.2	-	-	-	AVEC COMPLICATION CARDIAQUE (391,392.0)	A 80
0.1	-	-	-	-	0.1	0.0	0.4	-	0.3	-	-	-		
0.1	-	-	0.1	0.6	0.2	0.1	0.2	-	0.3	-	-	-		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	AUTPE .....	B
0.0	-	-	-	-	0.1	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	-	-	-		
0.2	-	-	0.2	1.2	0.2	0.1	-	-	0.2	-	-	-	TOTAL (A80). .....	
0.1	-	-	-	-	0.2	0.1	0.4	-	0.3	-	-	-		
0.1	-	-	0.1	0.6	0.2	0.1	0.2	-	0.3	-	-	-		
4.9	4.9	-	3.8	3.5	4.0	5.3	3.7	5.3	4.0	7.5	8.7	-	CARDIOPATHIES RHUMATISMALES CHRONIQUES	A 81
5.5	3.3	1.7	4.3	5.3	5.0	5.7	4.2	4.9	5.8	7.4	-	-		
5.2	4.1	0.8	4.1	4.4	4.5	5.5	4.0	5.1	4.9	7.5	4.7	-		

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.	
NUMBER - NOMBRE															
<b>A 82 HYPERTENSIVE DISEASE.</b>															
A	WITH HEART INVCLVEMENT ... (400.1,400.9,402,404)	M	404	5	1	16	11	166	110	12	19	28	36	-	-
		F	610	7	1	21	10	291	167	19	20	31	43	-	-
		T	1,014	12	2	37	21	457	277	31	39	59	79	-	-
B	OTHER .....	M	253	-	-	11	8	83	74	16	9	25	27	-	-
		F	240	1	-	12	8	76	71	13	7	22	30	-	-
		T	493	1	-	23	16	159	145	29	16	47	57	-	-
TOTAL (A82).	.....	M	657	5	1	27	19	249	184	28	28	53	63	-	-
		F	850	8	1	33	18	367	238	32	27	53	73	-	-
		T	1,507	13	2	60	37	616	422	60	55	106	136	-	-
A 83 ISCHAEMIC HEART DISEASE ...	M	M	31,180	587	186	1,381	956	7,713	12,198	1,474	1,321	1,981	3,360	14	9
		F	20,228	338	109	786	621	4,805	8,606	920	754	1,086	2,195	5	3
		T	51,408	925	295	2,167	1,577	12,518	20,804	2,394	2,075	3,067	5,555	19	12
A 84 OTHER FORMS OF HEART ... DISEASE	M	M	2,491	52	30	129	125	811	655	136	222	183	142	-	6
		F	2,207	68	21	131	112	731	572	125	162	150	128	1	6
		T	4,698	120	51	260	237	1,542	1,227	261	384	333	270	1	12
A 85 CEREBROVASCULAR DISEASE ...	M	M	7,160	192	53	345	194	1,897	2,454	343	372	477	823	5	5
		F	8,362	155	38	375	248	1,907	3,331	408	350	539	1,008	2	1
		T	15,522	347	91	720	442	3,804	5,785	751	722	1,016	1,831	7	6
A 86 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M	M	2,992	64	27	109	89	712	1,102	111	142	239	395	2	-
		F	2,746	30	22	116	70	658	1,121	117	106	195	310	1	-
		T	5,738	94	49	225	159	1,370	2,223	228	248	434	705	3	-
A 87 VENOUS THROMBOSIS AND EMBOLISM	M	M	616	14	9	27	21	108	225	56	51	55	49	-	1
		F	611	11	5	28	22	118	259	59	37	40	32	-	-
		T	1,227	25	14	55	43	226	484	115	88	95	81	-	1
A 88 OTHER .....	M	M	80	4	1	10	3	32	18	4	1	5	2	-	-
		F	56	2	-	4	6	17	13	2	3	6	3	-	-
		T	136	6	1	14	9	49	31	6	4	11	5	-	-
TOTAL (A80-A88).	M	M	45,760	932	307	2,045	1,423	11,654	17,061	2,171	2,162	3,034	4,928	22	21
		F	35,714	621	197	1,491	1,115	8,768	14,386	1,687	1,462	2,126	3,842	9	10
		T	81,474	1,553	504	3,536	2,538	20,422	31,447	3,858	3,624	5,160	8,770	31	31
<b>VIII. DISEASES OF THE RESPIRATORY SYSTEM.</b>															
A 89 ACUTE RESPIRATORY ... INFECTIONS	M	M	81	2	-	3	2	21	26	4	5	5	12	-	1
		F	70	1	-	6	2	20	23	4	3	6	5	-	-
		T	151	3	-	9	4	41	49	8	8	11	17	-	1
A 90 INFLUENZA .....	M	M	150	2	2	15	8	23	44	6	18	14	18	-	-
		F	179	5	1	16	6	29	54	2	12	31	23	-	-
		T	329	7	3	31	14	52	98	8	30	45	41	-	-
<b>PNEUMONIA (A91, A92).</b>															
A 91 VIRAL .....	M	M	30	-	-	-	1	6	11	1	1	4	6	-	-
		F	49	1	-	5	2	5	18	4	3	3	7	1	-
		T	79	1	-	5	3	11	29	5	4	7	13	1	-
A 92 OTHER .....	M	M	2,584	57	36	125	77	483	985	199	222	186	206	2	6
		F	2,213	59	16	102	69	414	922	139	182	154	151	-	5
		T	4,797	116	52	227	146	897	1,907	338	404	340	357	2	11
TOTAL (A91, A92).	M	M	2,614	57	36	125	78	489	996	200	223	190	212	2	6
		F	2,262	60	16	107	71	419	940	143	185	157	158	1	5
		T	4,876	117	52	232	149	908	1,936	343	408	347	370	3	11
A 93 BRONCHITIS, EMPHYSEMA, AND ASTHMA	M	M	2,044	20	7	54	66	671	553	94	97	156	325	-	1
		F	700	5	2	25	21	242	213	25	24	47	96	-	-
		T	2,744	25	9	79	87	913	766	119	121	203	421	-	1
A 94 HYPERTROPHY OF TONSILS AND ADENOIDS	M	M	4	-	-	-	-	1	1	-	-	2	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		T	4	-	-	-	-	1	1	-	-	2	-	-	
A 95 EMPYEMA AND LUNG ABSCESS	M	M	57	2	-	1	1	20	20	2	3	7	1	-	
		F	21	-	-	-	2	4	10	5	-	-	-	-	
		T	78	2	-	1	3	24	30	7	3	7	1	-	
A 96 OTHER .....	M	M	1,878	36	10	96	67	448	708	128	71	158	145	4	7
		F	773	24	3	45	27	199	260	46	32	52	79	3	3
		T	2,651	60	13	141	94	647	968	174	103	210	224	7	10
TOTAL (A89-A96).	M	M	6,828	119	55	294	222	1,673	2,348	434	417	532	713	6	15
		F	4,005	95	22	199	129	913	1,500	225	256	293	361	4	8
		T	10,833	214	77	493	351	2,586	3,848	659	673	825	1,074	10	23



TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.	
		NUMBER - NOMBRE													
IX. DISEASES OF THE DIGESTIVE SYSTEM.															
A 97 DISEASES OF TEETH AND SUPPORTING STRUCTURES	M	2	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	1	-	-	-
	T	5	-	-	1	-	1	1	-	-	2	-	-	-	-
A 98 PEPTIC ULCER	M	428	8	3	20	23	85	148	28	23	37	53	-	-	
	F	229	2	1	10	3	45	91	13	16	12	36	-	-	
	T	657	10	4	30	26	130	239	41	39	49	89	-	-	
A 99 GASTRITIS AND DUODENITIS	M	31	-	-	1	1	10	12	1	-	2	4	-	-	
	F	15	1	-	-	1	1	10	1	-	-	2	-	-	
	T	46	1	-	1	1	11	22	2	-	2	6	-	-	
A 100 APPENDICITIS	M	38	1	-	-	1	5	15	2	3	3	8	-	-	
	F	15	-	-	1	-	1	7	1	4	-	1	-	-	
	T	53	1	-	1	1	6	22	3	7	3	9	-	-	
A 101 INTESTINAL OBSTRUCTION AND HERNIA	M	279	3	-	9	14	72	105	11	15	21	29	-	-	
	F	296	6	1	13	10	62	119	5	9	30	40	-	1	
	T	575	9	1	22	24	134	224	16	24	51	69	-	1	
A 102 CIRRHOSIS OF LIVER	M	1,924	23	4	42	44	579	713	65	54	131	264	4	1	
	F	838	7	2	19	16	201	338	26	20	66	141	-	2	
	T	2,762	30	6	61	60	780	1,051	91	74	197	405	4	3	
A 103 CHOLELITHIASIS AND CHOLECYSTITIS	M	178	5	1	3	5	57	50	10	5	23	19	-	-	
	F	186	6	1	4	5	62	67	4	11	11	15	-	-	
	T	364	11	2	7	10	119	117	14	16	34	34	-	-	
A 104 OTHER	M	862	9	11	47	25	224	297	57	41	77	72	-	2	
	F	806	18	5	35	21	194	340	37	35	47	71	-	3	
	T	1,668	27	16	82	46	418	637	94	76	124	143	-	5	
TOTAL (A97-A104)		M	3,742	49	19	122	113	1,033	1,340	174	141	295	449	4	3
		F	2,388	40	10	83	55	566	973	87	95	167	306	-	6
		T	6,130	89	29	205	168	1,599	2,313	261	236	462	755	4	9
X. DISEASES OF THE GENITO-URINARY SYSTEM.															
A 105 ACUTE NEPHRITIS	M	45	-	-	7	2	5	19	3	-	3	6	-	-	
	F	27	1	-	2	-	1	15	2	3	1	2	-	-	
	T	72	1	-	9	2	6	34	5	3	4	8	-	-	
A 106 OTHER NEPHRITIS AND NEPHROSIS	M	289	4	3	15	12	47	123	14	23	23	25	-	-	
	F	221	6	1	16	6	47	88	8	8	14	26	1	-	
	T	510	10	4	31	18	94	211	22	31	37	51	1	-	
A 107 INFECTIONS OF KIDNEY	M	141	1	-	4	10	29	52	4	11	10	20	-	-	
	F	156	1	-	4	5	39	55	9	4	10	29	-	-	
	T	297	2	-	8	15	68	107	13	15	20	49	-	-	
A 108 CALCULUS	M	32	-	-	-	-	14	10	-	2	1	5	-	-	
	F	17	-	-	-	-	6	6	2	-	3	-	-		
	T	49	-	-	-	-	20	16	2	2	1	8	-	-	
A 109 HYPERPLASIA OF PROSTATE	M	114	3	1	7	2	20	37	7	10	3	24	-	-	
A 110 BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 111 OTHER	M	527	17	4	28	25	186	160	21	24	29	32	1	-	
	F	407	9	3	21	16	151	113	17	16	32	28	-	1	
	T	934	26	7	49	41	337	273	38	40	61	60	1	1	
TOTAL (A105-A111)		M	1,148	25	8	61	51	301	401	49	70	69	112	1	-
		F	828	17	4	43	27	244	277	38	31	57	88	1	1
		T	1,976	42	12	104	78	545	678	87	101	126	200	2	1
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.															
A 112 TOXAEMIAS	F	3	-	-	1	-	-	1	-	-	1	-	-	-	
A 113 HAEMORRHAGE	F	1	-	-	-	-	1	-	-	-	-	-	-	-	
A 114 ABORTION INDUCED FOR LEGAL INDICATIONS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 115 OTHER AND UNSPECIFIED ABORTION	F	1	-	-	-	-	1	-	-	-	-	-	-	-	
A 116 SEPSIS	F	3	-	-	-	-	1	1	-	-	-	1	-	-	
A 117 OTHER COMPLICATIONS	F	10	-	-	-	-	2	5	-	-	1	2	-	-	

TABLEAU 16. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.							C.B.		T.N.O.		
RATE - TAUX														
<b>IX. MALADIES DE L'APPAREIL DIGESTIF.</b>														
0.0	-	-	-	-	0.0	-	-	-	0.1	-	-	-	MALADIES DES DENTS ET DU ...	A 97
0.0	-	-	0.2	-	-	0.0	-	-	0.1	-	-	-	PARODONTE	
0.0	-	-	0.1	-	0.0	0.0	-	-	0.1	-	-	-		
3.7	2.8	5.0	4.8	6.7	2.7	3.6	5.5	4.9	3.8	4.3	-	-	ULCERE DE L'ESTOMAC ET DU	A 98
2.0	0.7	1.7	2.4	0.9	1.4	2.2	2.5	3.4	1.3	2.9	-	-	DUODENUM	
2.8	1.8	3.3	3.6	3.8	2.1	2.9	4.0	4.2	2.6	3.6	-	-		
0.3	-	-	0.2	0.3	0.3	0.3	0.2	-	0.2	0.3	-	-	GASTRITE ET DUODENITE .....	A 99
0.1	0.4	-	-	-	0.0	0.2	0.2	-	-	0.2	-	-		
0.2	0.2	-	0.1	0.1	0.2	0.3	0.2	-	0.1	0.2	-	-		
0.3	0.3	-	-	0.3	0.2	0.4	0.4	0.6	0.3	0.6	-	-	APPENDICITE .....	A 100
0.1	-	-	0.2	-	0.0	0.2	0.2	0.9	-	0.1	-	-		
0.2	0.2	-	0.1	0.1	0.1	0.3	0.3	0.7	0.2	0.4	-	-		
2.4	1.0	-	2.2	4.1	2.3	2.5	2.1	3.2	2.2	2.3	-	-	OCCCLUSION INTESTINALE ET ...	A 101
2.5	2.2	1.7	3.1	2.9	2.0	2.8	1.0	1.9	3.2	3.2	-	4.9	HEPNIE	
2.5	1.6	0.8	2.6	3.5	2.1	2.7	1.6	2.6	2.7	2.8	-	2.3		
16.6	8.0	6.6	10.1	12.8	18.6	17.2	12.7	11.5	13.6	21.2	34.8	4.4	CIRRHOSE DU FOIE .....	A 102
7.2	2.5	3.3	4.5	4.7	6.3	8.0	5.0	4.3	7.0	11.3	-	9.8		
11.9	5.3	5.0	7.3	8.7	12.4	12.6	8.8	7.9	10.4	16.2	18.6	6.9		
1.5	1.7	1.7	0.7	1.5	1.8	1.2	2.0	1.1	2.4	1.5	-	-	LITHIASE BILIAIRE ET .....	A 103
1.6	2.2	1.7	1.0	1.5	2.0	1.6	0.8	2.4	1.2	1.2	-	-	CHOLECYSTITE	
1.6	2.0	1.7	0.8	1.5	1.9	1.4	1.4	1.7	1.8	1.4	-	-		
7.4	3.1	18.2	11.3	7.3	7.2	7.2	11.1	8.7	8.0	5.8	-	8.8	AUTRE .....	A 104
6.9	6.5	8.3	8.4	6.1	6.1	8.0	7.1	7.5	5.0	5.7	-	14.6		
7.2	4.8	13.3	9.8	6.7	6.7	7.6	9.1	8.1	6.5	5.7	-	11.5		
32.3	17.1	31.5	29.2	32.9	33.3	32.3	34.0	29.9	30.6	36.0	34.8	13.2	TOTAL (A97-A104). ....	
20.4	14.5	16.7	19.9	16.1	17.8	23.0	16.8	20.4	17.8	24.4	-	29.3		
26.3	15.8	24.1	24.5	24.5	25.4	27.6	25.3	25.2	24.3	30.2	18.6	20.8		
<b>X. MALADIES DES ORGANES GENITO-URINAIRES.</b>														
0.4	-	-	1.7	0.6	0.2	0.5	0.6	-	0.3	0.5	-	-	NEPHRITE AIGUE .....	A 105
0.2	0.4	-	0.5	-	0.0	0.4	0.4	0.6	0.1	0.2	-	-		
0.3	0.2	-	1.1	0.3	0.1	0.4	0.5	0.3	0.2	0.3	-	-		
2.5	1.4	5.0	3.6	3.5	1.5	3.0	2.7	4.9	2.4	2.0	-	-	AUTRES FORMES DE NEPHRITE	A 106
1.9	2.2	1.7	3.8	1.8	1.5	2.1	1.5	1.7	1.5	2.1	10.0	-	ET NEPHROSE	
2.2	1.8	3.3	3.7	2.6	1.5	2.5	2.1	3.3	1.9	2.0	4.7	-		
1.2	0.3	-	1.0	2.9	0.9	1.3	0.8	2.3	1.0	1.6	-	-	INFECTIONS RENALES .....	A 107
1.3	0.4	-	1.0	1.5	1.2	1.3	1.7	0.9	1.1	2.3	-	-		
1.3	0.4	-	1.0	2.2	1.1	1.3	1.3	1.6	1.1	2.0	-	-		
0.3	-	-	-	-	0.5	0.2	-	0.4	0.1	0.4	-	-	CALCULS .....	A 108
0.1	-	-	-	-	0.2	0.1	0.4	-	-	0.2	-	-		
0.2	-	-	-	-	0.3	0.2	0.2	0.2	0.1	0.3	-	-		
1.0	1.0	1.7	1.7	0.6	0.6	0.9	1.4	2.1	0.3	1.9	-	-	HYPERTROPHIE DE LA PROSTATE	A 109
-	-	-	-	-	-	-	-	-	-	-	-	-	SEIN .....	A 110
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-		
4.5	5.9	6.6	6.7	7.3	6.0	3.9	4.1	5.1	3.0	2.6	8.7	-	AUTRE .....	A 111
3.5	3.3	5.0	5.0	4.7	4.8	2.7	3.3	3.4	3.4	2.2	-	4.9		
4.0	4.6	5.8	5.9	6.0	5.4	3.3	3.7	4.3	3.2	2.4	4.7	2.3		
9.9	8.7	13.3	14.6	14.8	9.7	9.7	9.6	14.8	7.2	9.0	8.7	-	TOTAL (A105-A111). ....	
7.1	6.1	6.7	10.3	7.9	7.7	6.6	7.3	6.7	6.1	7.0	10.0	4.9		
8.5	7.5	10.0	12.4	11.4	6.7	8.1	8.4	10.8	6.6	8.0	9.3	2.3		
<b>XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES.</b>														
0.8	-	-	8.1	-	-	0.8	-	-	2.9	-	-	-	TOXEMIES .....	A 112
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	HEMORRAGIE .....	A 113
-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS PROVOQUES	A 114
-	-	-	-	-	-	-	-	-	-	-	-	-	POUR RAISONS LEGALES	
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	AVORTEMENTS AUTRES OU	A 115
0.8	-	-	-	-	1.0	0.8	-	-	-	3.0	-	-	SANS PRECISION	
2.8	-	-	-	-	2.1	4.1	-	-	2.9	6.0	-	-	INFECTIONS .....	A 116
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES COMPLICATIONS .....	A 117

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A ( EIGHTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.		
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.		
															NUMBER - NOMBRE	
A 118	DELIVERY WITHOUT MENTION OF COMPLICATION .....	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL (A112-A118) .....	F	18	-	-	1	-	5	7	-	-	2	3	-	-	
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.																
A 119	INFECTIONS .....	M	21	-	-	-	-	2	9	1	1	3	5	-	-	
		F	28	-	-	-	3	6	13	1	2	2	1	-	-	
		T	49	-	-	-	3	8	22	2	3	5	6	-	-	
A 120	OTHER .....	M	27	1	-	2	-	5	9	-	2	1	7	-	-	
		F	47	6	-	3	2	9	23	1	1	-	2	-	-	
		T	74	7	-	5	2	14	32	1	3	1	9	-	-	
	TOTAL (A119-A120) .....	M	48	1	-	2	-	7	18	1	3	4	12	-	-	
		F	75	6	-	3	5	15	36	2	3	2	3	-	-	
		T	123	7	-	5	5	22	54	3	6	6	15	-	-	
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.																
A 121	ARTHRITIS AND SPONDYLITIS	M	77	-	-	4	2	21	25	1	2	10	12	-	-	
		F	173	5	-	5	7	42	58	5	5	12	34	-	-	
		T	250	5	-	9	9	63	83	6	7	22	46	-	-	
A 122	RHEUMATISM .....	M	6	-	-	1	-	2	2	-	-	-	1	-	-	
		F	9	-	-	-	-	1	7	-	-	1	-	-	-	
		T	15	-	-	1	-	3	9	-	-	1	1	-	-	
A 123	OSTEOMYELITIS AND PERIOSTITIS .....	M	7	-	-	-	-	1	2	2	-	-	2	-	-	
		F	8	-	-	-	1	4	3	-	-	-	-	-	-	
		T	15	-	-	-	1	5	5	2	-	-	2	-	-	
A 124	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES .....	M	9	1	-	-	-	4	1	-	-	1	2	-	-	
		F	21	2	-	-	-	10	4	-	1	3	1	-	-	
		T	30	3	-	-	-	14	5	-	1	4	3	-	-	
A 125	OTHER .....	M	79	1	1	-	4	19	25	2	11	7	9	-	-	
		F	152	-	1	5	3	38	57	10	10	10	18	-	-	
		T	231	1	2	5	7	57	82	12	21	17	27	-	-	
	TOTAL (A121-A125) .....	M	178	2	1	5	6	47	55	5	13	18	26	-	-	
		F	363	7	1	10	11	95	129	15	16	26	53	-	-	
		T	541	9	2	15	17	142	184	20	29	44	79	-	-	
XIV. CONGENITAL ANOMALIES.																
A 126	SPINA BIFIDA .....	M	60	2	1	2	5	26	17	2	2	-	3	-	-	
		F	67	2	-	2	4	27	24	1	2	3	2	-	-	
		T	127	4	1	4	9	53	41	3	4	3	5	-	-	
A 127	OF HEART .....	M	280	12	4	18	8	70	87	12	13	16	40	-	-	
		F	271	7	1	9	13	76	91	12	14	18	30	-	-	
		T	551	19	5	27	21	146	178	24	27	34	70	-	-	
A 128	OTHER ANOMALIES OF CIRCULATORY SYSTEM .....	M	67	3	1	2	-	18	18	7	1	4	13	-	-	
		F	40	-	-	1	-	15	13	5	2	1	3	-	-	
		T	107	3	1	3	-	33	31	12	3	5	16	-	-	
A 129	CLEFT PALATE AND CLEFT LIP	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 130	OTHER .....	M	436	18	5	21	17	116	131	19	18	36	53	-	2	
		F	364	8	2	13	16	119	100	16	14	31	43	-	2	
		T	800	26	7	34	33	235	231	35	32	67	96	-	4	
	TOTAL (A126-A130) .....	M	843	35	11	43	30	230	253	40	34	56	109	-	2	
		F	742	17	3	25	33	237	228	34	32	53	78	-	2	
		T	1,585	52	14	68	63	467	481	74	66	109	187	-	4	
XV. CERTAIN CAUSES OF PERINATAL MORTALITY.																
A 131	BIRTH INJURY AND DIFFICULT LABOUR .....	M	136	1	-	4	3	30	35	13	5	30	13	-	2	
		F	107	5	1	2	4	22	25	10	4	25	8	-	1	
		T	243	6	1	6	7	52	60	23	9	55	21	-	3	
A 132	CONDITIONS OF PLACENTA AND CORD .....	M	87	4	1	5	5	21	22	4	5	7	13	-	-	
		F	61	1	1	-	2	11	25	3	5	3	9	-	1	
		T	148	5	2	5	7	32	47	7	10	10	22	-	1	
A 133	HAEMOLYTIC DISEASE OF NEWBORN .....	M	17	-	-	-	1	6	4	-	1	2	3	-	-	
		F	14	-	-	-	1	5	3	-	1	1	3	-	-	
		T	31	-	-	-	2	11	7	-	2	3	6	-	-	

TABLEAU 16. DECES ET TAUX (PGUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	NFLD. T.-N.	P.-E.-I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.-B.	YUKDN	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
-	-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT, SANS MENTION DE COMPLICATION	A 118
5.0	-	-	8.1	-	5.1	5.7	-	-	5.9	9.0	-	-	TOTAL (A112-A118). ....	
XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.														
0.2	-	-	-	-	0.1	0.2	0.2	0.2	0.3	0.4	-	-	INFECTION .....	A 119
0.2	-	-	-	0.9	0.2	0.3	0.2	0.4	0.2	0.1	-	-		
0.2	-	-	-	0.4	0.1	0.3	0.2	0.3	0.3	0.2	-	-		
0.2	0.3	-	0.5	-	0.2	0.2	-	0.4	0.1	0.6	-	-	AUTRE .....	A 120
0.4	2.2	-	0.7	0.6	0.3	0.5	0.2	0.2	-	0.2	-	-		
0.3	1.2	-	0.6	0.3	C.2	0.4	0.1	0.3	0.1	0.4	-	-		
0.4	0.3	-	0.5	-	0.2	0.4	0.2	0.6	0.4	1.0	-	-	TOTAL (A119,A120). ....	
0.6	2.2	-	0.7	1.5	0.5	0.9	0.4	0.6	0.2	0.2	-	-		
0.5	1.2	-	0.6	0.7	0.4	0.6	0.3	0.6	0.3	0.6	-	-		
XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.														
0.7	-	-	1.0	0.6	0.7	0.6	0.2	0.4	1.0	1.0	-	-	ARTHRITE ET SPONDYLITE .....	A 121
1.5	1.8	-	1.2	2.0	1.3	1.4	1.0	1.1	1.3	2.7	-	-		
1.1	0.9	-	1.1	1.3	1.0	1.0	0.6	0.7	1.2	1.8	-	-		
0.1	-	-	0.2	-	0.1	0.0	-	-	-	0.1	-	-	RHUMATISME .....	A 122
0.1	-	-	-	-	0.0	0.2	-	-	0.1	-	-	-		
0.1	-	-	0.1	-	0.0	0.1	-	-	0.1	0.0	-	-		
0.1	-	-	-	-	0.0	0.0	0.4	-	-	0.2	-	-	OSTEOMYELITIS ET PERIOSTITE	A 123
0.1	-	-	-	0.3	C.1	0.1	-	-	-	-	-	-		
0.1	-	-	-	0.1	0.1	0.1	0.2	-	-	0.1	-	-		
0.1	0.3	-	-	-	0.1	0.0	-	-	0.1	0.2	-	-	ANKYLOSE ET DEFORMATIONS ...	A 124
0.2	0.7	-	-	-	0.3	0.1	-	0.2	0.3	0.1	-	-	OSTEO-MUSCULAIRES	
0.1	0.5	-	-	-	0.2	0.1	-	0.1	0.2	0.1	-	-	ACQUISES	
0.7	0.3	1.7	-	1.2	0.6	0.6	0.4	2.3	0.7	0.7	-	-	AUTRE .....	A 125
1.3	-	1.7	1.2	0.9	1.2	1.3	1.9	2.2	1.1	1.4	-	-		
1.0	0.2	1.7	0.6	1.0	C.9	1.0	1.2	2.2	0.9	1.1	-	-		
1.5	0.7	1.7	1.2	1.7	1.5	1.3	1.0	2.8	1.9	2.1	-	-	TOTAL (A121-A125). ....	
3.1	2.5	1.7	2.4	3.2	3.0	3.1	2.9	3.4	2.8	4.2	-	-		
2.3	1.6	1.7	1.8	2.5	2.3	2.2	1.9	3.1	2.3	3.2	-	-		
XIV. ANOMALIES CONGENITALES.														
0.5	0.7	1.7	0.5	1.5	0.8	0.4	0.4	0.4	-	0.2	-	-	SPINA BIFIDA .....	A 126
0.6	0.7	-	0.5	1.2	0.9	0.6	0.2	0.4	0.3	0.2	-	-		
0.5	0.7	0.8	0.5	1.3	0.8	0.5	0.3	0.4	0.2	0.2	-	-		
2.4	4.2	6.6	4.3	2.3	2.3	2.1	2.3	2.8	1.7	3.2	-	-	COEUR .....	A 127
2.3	2.5	1.7	2.2	3.8	2.4	2.2	2.3	3.0	1.9	2.4	-	-		
2.4	3.4	4.2	3.2	3.1	2.3	2.1	2.3	2.9	1.8	2.8	-	-		
0.6	1.0	1.7	0.5	-	0.6	0.4	1.4	0.2	0.4	1.0	-	-	AUTRES ANOMALIES DE ...	A 128
0.3	-	-	0.2	-	0.5	0.3	1.0	0.4	0.1	0.2	-	-	L'APPAREIL CIRCULATOIRE	
0.5	0.5	0.8	0.4	-	0.5	0.4	1.2	0.3	0.3	0.6	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	FISSURE DU PALAIS ET ...	A 129
-	-	-	-	-	-	-	-	-	-	-	-	-	BEC-DE-LIEVRE	
3.8	6.3	8.3	5.0	4.9	3.7	3.2	3.7	3.8	3.7	4.3	-	8.8	AUTRE .....	A 130
3.1	2.9	3.3	3.1	4.7	3.7	2.4	3.1	3.0	3.3	3.4	-	9.8		
3.4	4.6	5.8	4.1	4.8	3.7	2.8	3.4	3.4	3.5	3.8	-	9.2		
7.3	12.2	18.2	10.3	8.7	7.4	6.1	7.8	7.2	5.8	8.8	-	8.8	TOTAL (A126-A130). ....	
6.3	6.1	5.0	6.0	9.6	7.5	5.4	6.6	6.9	5.7	6.2	-	9.8		
6.8	9.2	11.6	8.1	9.2	7.4	5.7	7.2	7.0	5.7	7.5	-	9.2		
XV. CAUSES DE MORTALITE PERINATALES.														
1.2	0.3	-	1.0	0.9	1.0	0.8	2.5	1.1	3.1	1.0	-	8.8	LESIONS OBSTRIQUES DU ...	A 131
0.9	1.8	1.7	0.5	1.2	0.7	0.6	1.9	0.9	2.7	0.6	-	4.9	NOUVEAU-NE ET ACCOUCHEMENT	
1.0	1.1	0.8	0.7	1.0	0.8	0.7	2.2	1.0	2.9	0.8	-	6.9	DYSTOCIQUE	
0.8	1.4	1.7	1.2	1.5	0.7	0.5	0.8	1.1	0.7	1.0	-	-	ANOMALIES DU PLACENTA ET ...	A 132
0.5	0.4	1.7	-	0.6	0.3	0.6	0.6	1.1	0.3	0.7	-	4.9	DU CORDON	
0.6	0.9	1.7	0.6	1.0	C.5	0.6	0.7	1.1	0.5	0.9	-	2.3		
0.1	-	-	-	0.3	0.2	0.1	-	0.2	0.2	0.2	-	-	MALADIE HEMOLYTIQUE DU ...	A 133
0.1	-	-	-	0.3	0.2	0.1	-	0.2	0.1	0.2	-	-	NOUVEAU-NE	
0.1	-	-	-	0.3	0.2	0.1	-	0.2	0.2	0.2	-	-		

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A ( EIGHTH REVISION)		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
				T.-N.	I.P.E.	N.E.							C.B.		T.N.O.
NUMBER - NOMBRE															
A 134	ANOXIC AND HYPOXIC ..... CONDITIONS NOT ELSEWHERE CLASSIFIED	M	533	14	5	14	14	168	156	34	33	38	55	1	1
		F	351	3	3	11	16	115	109	34	14	18	22	1	5
		T	884	17	8	25	30	283	265	68	47	56	77	2	6
A 135	OTHER .....	M	349	5	1	9	10	90	124	25	17	22	43	1	2
		F	301	7	3	7	4	69	126	8	18	22	33	-	4
		T	650	12	4	16	14	159	250	33	35	44	76	1	6
TOTAL (A131-A135) .....		M	1,122	24	7	32	33	315	341	76	61	99	127	2	5
		F	834	16	8	20	27	222	288	55	42	69	75	1	11
		T	1,956	40	15	52	60	537	629	131	103	168	202	3	16
XVI. SYMPTOMS AND ILL- DEFINED CONDITIONS.															
A 136	SENILITY WITHOUT MENTION OF PSYCHOSIS	M	108	11	2	2	3	34	23	12	3	12	6	-	-
		F	160	11	3	5	5	50	37	14	9	13	12	-	1
		T	268	22	5	7	8	84	60	26	12	25	18	-	1
A 137	SYMPTOMS AND OTHER ILL- DEFINED CONDITIONS	M	1,151	26	23	33	46	418	331	53	96	68	52	1	4
		F	782	27	13	37	37	237	264	44	38	45	37	1	2
		T	1,933	53	36	70	83	655	595	97	134	113	89	2	6
TOTAL (A136,A137) .....		M	1,259	37	25	35	49	452	354	65	99	80	58	1	4
		F	942	38	16	42	42	287	301	58	47	58	49	1	3
		T	2,201	75	41	77	91	739	655	123	146	138	107	2	7
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE. EXVII. EXTERNAL CAUSE.															
ACCIDENTS (AE138-AE146).															
AE 138 MOTOR VEHICLE ACCIDENTS.															
A	TRAFFIC (E810-E819) .....	M	3,767	59	37	139	158	1,106	1,013	141	188	440	480	4	2
		F	1,400	18	14	40	62	374	391	49	75	165	209	2	1
		T	5,167	77	51	179	220	1,480	1,404	190	263	605	689	6	3
B	NON-TRAFFIC (E820-E823)	M	64	4	2	4	3	3	20	1	9	6	11	1	-
		F	24	-	1	2	-	2	11	-	1	3	4	-	-
		T	88	4	3	6	3	5	31	1	10	9	15	1	-
TOTAL (AE138) .....		M	3,831	63	39	143	161	1,109	1,033	142	197	446	491	5	2
		F	1,424	18	15	42	62	376	402	49	76	168	213	2	1
		T	5,255	81	54	185	223	1,485	1,435	191	273	614	704	7	3
AE 139 OTHER TRANSPORT ACCIDENTS.															
A	DROWNINGS INVOLVING ..... SMALL BOATS (E830.0, E832.0)	M	181	6	3	14	6	10	57	12	16	15	37	-	5
		F	13	1	-	-	-	1	5	1	1	3	1	-	-
		T	194	7	3	14	6	11	62	13	17	18	38	-	5
B	DROWNINGS INVOLVING OTHER WATERCRAFT (E830.1- E830.9,E832.1-E832.9)	M	23	3	1	2	1	-	1	5	-	-	10	-	-
		F	5	-	-	-	-	-	-	-	-	-	5	-	-
		T	28	3	1	2	1	-	1	5	-	-	15	-	-
C	OTHER TRANSPORT .....	M	245	6	3	-	6	33	82	8	12	31	59	-	5
		F	44	1	-	-	-	5	15	-	1	5	13	-	4
		T	289	7	3	-	6	38	97	8	13	36	72	-	9
TOTAL (AE139) .....		M	449	15	7	16	13	43	140	25	28	46	106	-	10
		F	62	2	-	-	-	6	20	1	2	8	19	-	4
		T	511	17	7	16	13	49	160	26	30	54	125	-	14
AE 140	ACCIDENTAL POISONING .....	M	371	-	-	16	13	30	148	14	12	32	104	-	2
		F	216	1	-	7	3	14	95	12	11	16	54	-	3
		T	587	1	-	23	16	44	243	26	23	48	158	-	5
AE 141	ACCIDENTAL FALLS .....	M	984	23	8	35	28	224	339	47	52	75	153	-	-
		F	829	13	1	31	26	176	315	21	35	63	148	-	-
		T	1,813	36	9	66	54	400	654	68	87	138	301	-	-
AE 142	ACCIDENTS CAUSED BY ..... FIRES	M	438	12	2	20	36	81	122	46	21	47	48	-	3
		F	248	3	2	11	7	57	83	22	12	19	28	1	3
		T	686	15	4	31	43	138	205	68	33	66	76	1	6
AE 143	ACCIDENTAL DROWNING .....	M	503	12	6	14	14	173	141	35	17	22	63	1	5
		F	118	6	2	3	5	30	42	7	2	1	19	-	1
		T	621	18	8	17	19	203	183	42	19	23	82	1	6
AE 144	ACCIDENT CAUSED BY ..... FIREARM MISSILES	M	86	4	1	5	8	15	17	8	8	8	10	-	2
		F	14	-	-	1	2	2	2	3	1	2	1	-	-
		T	100	4	1	6	10	17	19	11	9	10	11	-	2
AE 145	ACCIDENTS MAINLY OF ..... INDUSTRIAL TYPE	M	559	10	1	22	18	128	169	32	34	65	80	-	-
		F	57	1	-	-	1	16	21	5	3	6	4	-	-
		T	616	11	1	22	19	144	190	37	37	71	84	-	-

TABLEAU 16. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	N.F.L.D.			P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.		N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.	P.E.	I.	P.E.	N.E.	N.E.							C.B.	YUKON	T.N.O.			
RATE - TAUX																			
4.6	4.9	8.3	3.4	4.1	5.4	3.8	6.6	7.0	3.9	4.4	8.7	4.4	AFFECTIIONS ANOXEMIQVES ET HYPOXEMIQVES, NON CLASSEES AILLEURS			A 134			
3.0	1.1	5.0	2.6	4.7	3.6	2.6	6.6	3.0	1.9	1.8	10.0	24.4							
3.8	3.0	6.7	3.0	4.4	4.5	3.2	6.6	5.0	2.9	3.1	9.3	13.9							
3.0	1.7	1.7	2.2	2.9	2.9	3.0	4.9	3.6	2.3	3.5	8.7	8.8	AUTRE .....			A 135			
2.6	2.5	5.0	1.7	1.2	2.2	3.0	1.5	3.9	2.3	2.6	-	19.5							
2.8	2.1	3.3	1.9	2.0	2.5	3.0	3.2	3.7	2.3	3.0	4.7	13.9							
9.7	8.4	11.6	7.7	9.6	10.1	8.2	14.8	12.9	10.3	10.2	17.4	21.9	TOTAL (A131-A135). ....						
7.1	5.8	13.3	4.8	7.9	7.0	6.8	10.6	9.0	7.4	6.0	10.0	53.7							
8.4	7.1	12.5	6.2	8.7	8.5	7.5	12.7	11.0	8.8	8.1	14.0	37.0							
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.																			
0.9	3.8	3.3	0.5	0.9	1.1	0.6	2.3	0.6	1.2	0.5	-	-	SENILITE, SANS MENTION DE PSYCHOSE			A 136			
1.4	4.0	5.0	1.2	1.5	1.6	0.9	2.7	1.9	1.4	1.0	-	4.9							
1.2	3.9	4.2	0.8	1.2	1.3	0.7	2.5	1.3	1.3	0.7	-	2.3							
9.9	9.1	38.1	7.9	13.4	13.5	8.0	10.3	20.4	7.1	4.2	8.7	17.5	SYMPTOMES ET AUTRES ETATS MORBIDES MAL DEFINIS			A 137			
6.7	9.8	21.7	8.9	10.8	7.5	6.2	8.5	8.2	4.8	3.0	10.0	9.8							
8.3	9.4	29.9	8.4	12.1	10.4	7.1	9.4	14.3	5.9	3.6	9.3	13.9							
10.9	12.9	41.5	8.4	14.2	14.5	8.5	12.7	21.0	8.3	4.7	8.7	17.5	TOTAL (A136,A137). ....						
8.0	13.7	26.7	10.1	12.3	9.0	7.1	11.2	10.1	6.2	3.9	10.0	14.6							
9.4	13.3	34.1	9.2	13.3	11.8	7.8	11.9	15.6	7.3	4.3	9.3	16.2							
XVII. ACCIDENTS, EMPOISON- NEMENTS ET TRAUMATISMES. EXVII. CAUSE EXTERIEURE.																			
ACCIDENTS (AE138-AE146).																			
ACCIDENTS DE VEHICULE A MOTEUR.																			
32.5	20.6	61.4	33.3	45.9	35.6	24.4	27.5	39.9	45.7	38.5	34.8	8.8	DE LA CIRCULATION (E810- E819)			A			
12.0	6.5	23.3	9.6	18.1	11.8	9.3	9.4	16.1	17.6	16.7	20.0	4.9							
22.2	13.7	42.4	21.4	32.1	23.6	16.8	18.4	28.1	31.8	27.6	27.9	6.9							
0.6	1.4	3.3	1.0	0.9	0.1	0.5	0.2	1.9	0.6	0.9	8.7	-	HORS DE LA VOIE PUBLIQUE (E820-E823)			B			
0.2	-	1.7	0.5	-	0.1	0.3	-	0.2	0.3	0.3	-	-							
0.4	0.7	2.5	0.7	0.4	0.1	0.4	0.1	1.1	0.5	0.6	4.7	-							
33.1	22.0	64.7	34.3	46.8	35.7	24.9	27.7	41.8	46.3	39.4	43.5	8.8	TOTAL (AE138). ....						
12.2	6.5	25.0	10.1	18.1	11.8	9.5	9.4	16.3	17.9	17.0	20.0	4.9							
22.6	14.4	44.9	22.1	32.5	23.6	17.1	18.5	29.2	32.3	28.2	32.6	6.9							
AUTRES ACCIDENTS DE TRANSPORT																			
1.6	2.1	5.0	3.4	1.7	0.3	1.4	2.3	3.4	1.6	3.0	-	21.9	SUBMERSION D'UN OCCUPANT D'UNE PETITE EMBARCATION (E830.0,E832.0)			A			
0.1	0.4	-	-	-	0.0	0.1	0.2	0.2	0.3	0.1	-	-							
0.8	1.2	2.5	1.7	0.9	0.2	0.7	1.3	1.8	0.9	1.5	-	11.5							
0.2	1.0	1.7	0.5	0.3	-	0.0	1.0	-	-	0.8	-	-	SUBMERSION DE TOUTE AUTRE EMBARCATION (E830.1- E830.9,E832.1-E832.9)			B			
0.0	-	-	-	-	-	-	-	-	-	0.4	-	-							
0.1	0.5	0.8	0.2	0.1	-	0.0	0.5	-	-	0.6	-	-							
2.1	2.1	5.0	-	1.7	1.1	2.0	1.6	2.5	3.2	4.7	-	21.9	AUTRE .....			C			
0.4	0.4	-	-	-	0.2	0.4	-	0.2	0.5	1.0	-	19.5							
1.2	1.2	2.5	-	0.9	0.6	1.2	0.8	1.4	1.9	2.9	-	20.8							
3.9	5.2	11.6	3.8	3.8	1.4	3.4	4.9	5.9	4.8	8.5	-	43.9	TOTAL (AE139). ....						
0.5	0.7	-	-	-	0.2	0.5	0.2	0.4	0.9	1.5	-	19.5							
2.2	3.0	5.8	1.9	1.9	0.8	1.9	2.5	3.2	2.8	5.0	-	32.3							
3.2	-	-	3.8	3.8	1.0	3.6	2.7	2.5	3.3	8.3	-	8.8	EMPOISONNEMENTS ACCIDENTELS			AE 140			
1.8	0.4	-	1.7	0.9	0.4	2.2	2.3	2.4	1.7	4.3	-	14.6							
2.5	0.2	-	2.8	2.3	0.7	2.9	2.5	2.5	2.5	6.3	-	11.5							
8.5	8.0	13.3	8.4	8.1	7.2	8.2	9.2	11.0	7.8	12.3	-	-	CHUTES ACCIDENTELLES .....			AE 141			
7.1	4.7	1.7	7.4	7.6	5.5	7.5	4.0	7.5	6.7	11.8	-	-							
7.8	6.4	7.5	7.9	7.9	6.4	7.8	6.6	9.3	7.3	12.1	-	-							
3.8	4.2	3.3	4.8	10.5	2.6	2.9	9.0	4.5	4.9	3.9	-	13.2	ACCIDENTS CAUSES PAR .....			AE 142			
2.1	1.1	3.3	2.6	2.0	1.8	2.0	4.2	2.6	2.0	2.2	10.0	14.6	L'INCENDIE OU LE FEU						
2.9	2.7	3.3	3.7	6.3	2.2	2.4	6.6	3.5	3.5	3.0	4.7	13.9							
4.3	4.2	10.0	3.4	4.1	5.6	3.4	6.8	3.6	2.3	5.1	8.7	21.9	NOYADE ACCIDENTELLE .....			AE 143			
1.0	2.2	3.3	0.7	1.5	0.9	1.0	1.3	0.4	0.1	1.5	-	4.9							
2.7	3.2	6.7	2.0	2.8	3.2	2.2	4.1	2.0	1.2	3.3	4.7	13.9							
0.7	1.4	1.7	1.2	2.3	0.5	0.4	1.6	1.7	0.8	0.8	-	8.8	ACCIDENTS CAUSES PAR .....			AE 144			
0.1	-	-	0.2	0.6	0.1	0.0	0.6	0.2	0.2	0.1	-	-	PROJECTILES D'ARMES A FEU						
0.4	0.7	0.8	0.7	1.5	0.3	0.2	1.1	1.0	0.5	0.4	-	4.6							
4.8	3.5	1.7	5.3	5.2	4.1	4.1	6.2	7.2	6.7	6.4	-	-	ACCIDENTS SURVENANT .....			AE 145			
0.5	0.4	-	-	0.3	0.5	0.5	1.0	0.6	0.6	0.3	-	-	PRINCIPALEMENT DANS L'INDUSTRIE						
2.6	2.0	0.8	2.6	2.8	2.3	2.3	3.6	4.0	3.7	3.4	-	-							

TABLE 16. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.
NUMBER - NOMBRE														
AE 146 ALL OTHER ACCIDENTS .....	M	664	16	6	21	22	194	216	38	35	50	56	4	6
	F	329	3	3	8	5	87	129	22	23	16	28	3	2
	T	993	19	9	29	27	281	345	60	58	66	84	7	8
TOTAL (AE138-AE146). ....	M	7,885	155	70	292	313	1,997	2,325	387	404	791	1,111	10	30
	F	3,297	47	23	103	111	764	1,109	142	165	299	514	6	14
	T	11,182	202	93	395	424	2,761	3,434	529	569	1,090	1,625	16	44
AE 147 SUICIDE .....	M	2,459	19	11	75	58	570	864	144	117	267	318	4	12
	F	858	2	1	19	14	207	352	36	29	77	120	1	-
	T	3,317	21	12	94	72	777	1,216	180	146	344	438	5	12
AE 148 HOMICIDE; LEGAL INTERVENTION .....	M	409	2	1	10	14	108	121	28	22	41	60	2	-
	F	198	-	-	3	2	53	62	13	14	18	30	1	2
	T	607	2	1	13	16	161	183	41	36	59	90	3	2
AE 149 INJURY UNDETERMINED IF ACCIDENTALLY OR PUR- POSELY INFLICTED .....	M	611	14	1	8	8	367	70	15	18	59	45	3	3
	F	282	3	-	2	2	144	42	16	13	25	35	-	-
	T	893	17	1	10	10	511	112	31	31	84	80	3	3
AE 150 WAR INJURIES .....	M	2	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	2	1	-	-	-	-	-	-	-	-	1	-	-
TOTAL (AE138-AE150).	M	11,366	191	83	385	393	3,042	3,380	574	561	1,158	1,535	19	45
	F	4,635	52	24	127	129	1,168	1,565	207	221	419	699	8	16
	T	16,001	243	107	512	522	4,210	4,945	781	782	1,577	2,234	27	61
NXVII. NATURE OF INJURY.														
AN 138 FRACTURE OF SKULL .....	M	1,845	41	11	36	48	665	466	55	61	198	258	3	3
	F	609	10	6	7	23	194	176	15	23	56	91	2	6
	T	2,454	51	17	43	71	859	642	70	84	254	349	5	9
AN 139 FRACTURE OF SPINE AND TRUNK .....	M	455	6	10	28	15	114	100	18	35	73	56	-	-
	F	218	2	2	6	6	50	57	10	18	36	31	-	-
	T	673	8	12	34	21	164	157	28	53	109	87	-	-
AN 140 FRACTURE OF LIMBS .....	M	444	13	4	15	9	141	128	14	26	29	65	-	-
	F	590	13	-	27	19	136	212	13	22	44	104	-	-
	T	1,034	26	4	42	28	277	340	27	48	73	169	-	-
AN 141 DISLOCATION WITHOUT FRACTURE .....	M	8	-	-	-	-	-	3	2	1	1	1	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-
	T	10	-	-	-	-	-	4	3	1	1	1	-	-
AN 142 SPRAINS AND STRAINS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
AN 143 INTRACRANIAL INJURY EXCLUDING SKULL FRACTURE .....	M	1,790	22	12	80	74	363	601	93	101	219	215	2	8
	F	505	3	1	21	11	108	187	20	19	59	75	1	-
	T	2,295	25	13	101	85	471	788	113	120	278	290	3	8
AN 144 INTERNAL INJURY .....	M	2,561	42	13	82	110	708	784	54	138	261	353	8	8
	F	787	6	5	21	30	230	234	14	50	75	121	-	1
	T	3,348	48	18	103	140	938	1,018	68	188	336	474	8	9
AN 145 OPEN WOUNDS .....	M	251	-	2	8	8	80	52	47	12	20	21	-	1
	F	53	-	-	1	1	13	11	9	1	10	7	-	-
	T	304	-	2	9	9	93	63	56	13	30	28	-	1
AN 146 SUPERFICIAL INJURY, CON- TUSION, AND CRUSHING WITH INTACT SKIN SURFACE .....	M	8	-	-	-	1	3	2	-	-	2	-	-	-
	F	9	-	-	-	-	5	-	-	-	1	3	-	-
	T	17	-	-	-	1	8	2	-	-	3	3	-	-
AN 147 FOREIGN BODY ENTERING THROUGH ORIFICE .....	M	262	1	2	12	11	61	98	20	16	22	18	-	1
	F	165	1	2	6	2	45	64	16	13	8	8	-	-
	T	427	2	4	18	13	106	162	36	29	30	26	-	1
AN 148 BURN .....	M	351	5	5	11	12	98	90	45	14	28	42	-	1
	F	167	3	-	4	4	48	51	24	3	16	14	-	-
	T	518	8	5	15	16	146	141	69	17	44	56	-	1
AN 149 EFFECTS OF CHEMICAL SUBSTANCES .....	M	1,368	15	5	47	47	251	473	48	60	174	236	3	9
	F	956	3	3	25	15	179	372	43	49	85	173	3	6
	T	2,324	18	8	72	62	430	845	91	109	259	409	6	15
AN 150 OTHER .....	M	2,023	46	19	66	58	558	583	178	97	131	270	3	14
	F	574	11	5	9	18	160	200	42	23	29	72	2	3
	T	2,597	57	24	75	76	718	783	220	120	160	342	5	17
TOTAL (AN138-AN150).	M	11,366	191	83	385	393	3,042	3,380	574	561	1,158	1,535	19	45
	F	4,635	52	24	127	129	1,168	1,565	207	221	419	699	8	16
	T	16,001	243	107	512	522	4,210	4,945	781	782	1,577	2,234	27	61
ALL CAUSES. ....	M	96,872	1,877	652	4,081	3,038	25,475	34,283	4,845	4,607	7,020	10,796	73	125
	F	70,626	1,261	394	2,882	2,147	17,984	27,142	3,333	2,987	4,589	7,800	32	75
	T	167,498	3,138	1,046	6,963	5,185	43,459	61,425	8,178	7,594	11,609	18,596	105	200

TABLEAU 16. DECES ET TAUX (POUR 100.000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1977

CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
5.7	5.6	10.0	5.0	6.4	6.2	5.2	7.4	7.4	5.2	4.5	34.8	26.3	TOUTES AUTRES CAUSES	AE 146
2.8	1.1	5.0	1.9	1.5	2.7	3.1	4.2	4.9	1.7	2.2	30.0	9.8	ACCIDENTELLES	
4.3	3.4	7.5	3.5	3.9	4.5	4.1	5.8	6.2	3.5	3.4	32.6	18.5		
68.0	54.2	116.1	69.9	91.0	64.3	56.1	75.5	85.7	82.1	89.2	87.0	131.6	TOTAL (AE138-AE146).	.....
28.2	17.0	38.3	24.6	32.4	24.1	26.2	27.4	35.5	31.9	41.1	60.0	68.3		
48.0	35.9	77.3	47.3	61.8	43.9	41.0	51.3	60.8	57.4	65.1	74.4	101.6		
21.2	6.6	18.2	18.0	16.9	18.3	20.8	28.1	24.8	27.7	25.5	34.8	52.6	SUICIDE	AE 147
7.3	0.7	1.7	4.5	4.1	6.5	8.3	6.9	6.2	8.2	9.6	10.0	-		
14.2	3.7	10.0	11.3	10.5	12.4	14.5	17.5	15.6	18.1	17.5	23.3	27.7		
3.5	0.7	1.7	2.4	4.1	3.5	2.9	5.5	4.7	4.3	4.8	17.4	-	HOMICIDE; INTERVENTION DE LA	AE 148
1.7	-	-	0.7	0.6	1.7	1.5	2.5	3.0	1.9	2.4	10.0	9.8	FORCE PUBLIQUE	
2.6	0.4	0.8	1.6	2.3	2.6	2.2	4.0	3.8	3.1	3.6	14.0	4.6		
5.3	4.9	1.7	1.9	2.3	11.8	1.7	2.9	3.8	6.1	3.6	26.1	13.2	LESIONS CAUSEES D'UNE	AE 149
2.4	1.1	-	0.5	0.6	4.5	1.0	3.1	2.8	2.7	2.8	-	-	MANIERE INDETERMINEE	
3.8	3.0	0.8	1.2	1.5	8.1	1.3	3.0	3.3	4.4	3.2	14.0	6.9	QUANT A L'INTENTION	
0.0	0.3	-	-	-	-	-	-	-	-	0.1	-	-	BLESSURES DE GUERRE	AE 150
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	0.2	-	-	-	-	-	-	-	-	0.0	-	-		
98.1	66.8	137.6	92.2	114.3	57.9	81.5	112.0	119.0	120.2	123.2	165.2	197.4	TOTAL (AE138-AE150).	
39.6	18.8	40.0	30.4	37.7	36.8	37.0	39.9	47.5	44.7	55.8	80.0	78.0		
68.7	43.2	88.9	61.3	76.0	67.0	59.1	75.7	83.5	83.0	89.4	125.6	140.9		
NXVII. NATURE.														
15.9	14.3	18.2	8.6	14.0	21.4	11.2	10.7	12.9	20.6	20.7	26.1	13.2	FRACTURES DU CRANE	AN 138
5.2	3.6	10.0	1.7	6.7	6.1	4.2	2.9	4.9	6.0	7.3	20.0	29.3		
10.5	9.1	14.1	5.1	10.3	13.7	7.7	6.8	9.0	13.4	14.0	23.3	20.8		
3.9	2.1	16.6	6.7	4.4	3.7	2.4	3.5	7.4	7.6	4.5	-	-	FRACTURES DE LA COLONNE	AN 139
1.9	0.7	3.3	1.4	1.8	1.6	1.3	1.9	3.9	3.8	2.5	-	-	VERTEBRALE ET DU TRONC	
2.9	1.4	10.0	4.1	3.1	2.6	1.9	2.7	5.7	5.7	3.5	-	-		
3.8	4.5	6.6	3.6	2.6	4.5	3.1	2.7	5.5	3.0	5.2	-	-	FRACTURES DES MEMBRES	AN 140
5.0	4.7	-	6.5	5.5	4.3	5.0	2.5	4.7	4.7	8.3	-	-		
4.4	4.6	3.3	5.0	4.1	4.4	4.1	2.6	5.1	3.8	6.8	-	-		
0.1	-	-	-	-	-	0.1	0.4	0.2	0.1	0.1	-	-	LUXATIONS SANS FRACTURE	AN 141
0.0	-	-	-	-	-	0.0	0.2	-	-	-	-	-		
0.0	-	-	-	-	-	0.0	0.3	0.1	0.1	0.0	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	ENTORSES ET FOULURES	AN 142
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-		
15.4	7.7	19.9	19.2	21.5	11.7	14.5	18.1	21.4	22.7	17.3	17.4	35.1	TRAUMATISMES INTERCRANIENS	AN 143
4.3	1.1	1.7	5.0	3.2	3.4	4.4	3.9	4.1	6.3	6.0	10.0	-	SAUF FRACTURES DU CRANE	
9.9	4.4	10.8	12.1	12.4	7.5	9.4	11.0	12.8	14.6	11.6	14.0	18.5		
22.1	14.7	21.6	19.6	32.0	22.8	18.9	10.5	29.3	27.1	28.3	69.6	35.1	TRAUMATISMES INTERNES	AN 144
6.7	2.2	8.3	5.0	8.8	7.2	5.5	2.7	10.8	8.0	9.7	-	4.9		
14.4	8.5	15.0	12.3	20.4	14.9	12.2	6.6	20.1	17.7	19.0	37.2	20.8		
2.2	-	3.3	1.9	2.3	2.6	1.3	9.2	2.5	2.1	1.7	-	4.4	DECHIRURES ET PLAIES	AN 145
0.5	-	-	0.2	0.3	0.4	0.3	1.7	0.2	1.1	0.6	-	-		
1.3	-	1.7	1.1	1.3	1.5	0.8	5.4	1.4	1.6	1.1	-	2.3		
0.1	-	-	-	0.3	0.1	0.0	-	-	0.2	-	-	-	TRAUMATISMES SUPERFICIELS,	AN 146
0.1	-	-	-	-	0.2	-	-	-	0.1	0.2	-	-	CONTUSIONS, ET ECRASEMENTS	
0.1	-	-	-	0.1	0.1	0.0	-	-	0.2	0.1	-	-	SANS PLAIES	
2.3	0.3	3.3	2.9	3.2	2.0	2.4	3.9	3.4	2.3	1.4	-	4.4	CORPS ETRANGER PENETRANT	AN 147
1.4	0.4	3.3	1.4	0.6	1.4	1.5	3.1	2.8	0.9	0.6	-	-	PAR UN DRIFICE NATUREL	
1.8	0.4	3.3	2.2	1.9	1.7	1.9	3.5	3.1	1.6	1.0	-	2.3		
3.0	1.7	8.3	2.6	3.5	3.2	2.2	8.8	3.0	2.9	3.4	-	4.4	BRULURES	AN 148
1.4	1.1	-	1.0	1.2	1.5	1.2	4.6	0.6	1.7	1.1	-	-		
2.2	1.4	4.2	1.8	2.3	2.3	1.7	6.7	1.8	2.3	2.2	-	2.3		
11.8	5.2	8.3	11.3	13.7	8.1	11.4	9.4	12.7	18.1	18.9	26.1	39.5	EFFETS DES SUBSTANCES	AN 149
8.2	1.1	5.0	6.0	4.4	5.6	8.8	8.3	10.5	9.1	13.8	30.0	29.3	CHIMIQUES	
10.0	3.2	6.7	8.6	9.0	6.8	10.1	8.8	11.6	13.6	16.4	27.9	34.6		
17.5	16.1	31.5	15.8	16.9	18.0	14.1	34.7	20.6	13.6	21.7	26.1	61.4	AUTRE	AN 150
4.9	4.0	8.3	2.2	5.3	5.0	4.7	8.1	4.9	3.1	5.8	20.0	14.6		
11.2	10.1	20.0	9.0	11.1	11.4	9.4	21.3	12.8	8.4	13.7	23.3	39.3		
98.1	66.8	137.6	92.2	114.3	97.9	81.5	112.0	119.0	120.2	123.2	165.2	197.4	TOTAL (AN138-AN150).	
39.6	18.8	40.0	30.4	37.7	36.8	37.0	39.9	47.5	44.7	55.8	80.0	78.0		
68.7	43.2	88.9	61.3	76.0	67.0	59.1	75.7	83.5	83.0	89.4	125.6	140.9		
835.9	656.3	1081.3	977.5	883.4	820.0	826.6	945.6	976.9	728.8	866.7	634.8	548.2	TOUTES LES CAUSES.	
603.5	456.1	656.7	689.6	626.9	566.2	642.2	642.3	642.4	490.0	623.0	320.0	365.9		
719.2	557.9	869.5	833.5	755.4	651.7	733.6	793.0	810.9	611.1	744.6	488.4	461.9		

TABLE 17. Crude and Standardized<sup>1</sup> Death Rates (Per 100,000 Population), by Selected Cause and Sex, Canada and Provinces, 1977

No.	Cause	Category (8th Revision) - Catégorie (8 <sup>e</sup> révision)	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.
Crude rates - Taux bruts								
Both sexes - Deux sexes								
1	All causes . . . . .	001 - E999	719.2	558.1	869.5	833.8	755.5	691.7
2	Tuberculosis . . . . .	010 - 019	1.1	0.5	2.5	1.3	1.0	1.9
3	All cancer (malignant neoplasms) . . . . .	140 - 209	154.8	112.9	172.9	184.3	147.5	155.0
4	Stomach and intestinal cancer . . . . .	151 - 153	26.8	24.2	24.1	34.2	28.7	26.7
5	Lung cancer . . . . .	162	33.1	22.4	36.6	40.7	30.3	35.3
6	Breast cancer . . . . .	174	...	...	...	...	...	...
7	Cancer of the lymphatic and haematopoietic tissues . . . . .	200 - 209	14.3	9.1	12.5	14.8	12.4	13.1
8	Diabetes mellitus . . . . .	250	12.9	11.4	5.0	18.2	15.9	14.5
9	Cardiovascular-renal diseases . . . . .	390 - 458, 582 - 584	351.9	278.0	421.4	427.1	372.3	326.4
10	Diseases of the heart . . . . .	393 - 398, 400.1, 400.9, 402, 404, 410 - 429	250.4	192.1	290.1	299.1	271.7	235.6
11	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.1	0.2	-	2.8	2.3	2.5
12	Cerebrovascular disease . . . . .	430 - 438	66.6	61.7	75.6	86.2	64.4	60.5
13	Respiratory diseases . . . . .	460 - 519	46.5	38.1	64.0	59.0	51.1	41.2
14	Influenza and pneumonia . . . . .	470 - 474, 480 - 486	22.3	22.1	45.7	31.5	23.8	15.3
15	Bronchitis, emphysema and asthma . . . . .	466, 490 - 493	12.2	5.0	7.5	10.2	13.1	15.0
16	Peptic ulcer . . . . .	531 - 533	2.8	1.8	3.3	3.6	3.8	2.1
17	Cirrhosis of liver . . . . .	571	11.9	5.3	5.0	7.3	8.7	12.4
18	Nephritis and nephrosis . . . . .	580 - 584	2.5	2.0	3.3	4.8	2.9	1.6
19	Diseases of the prostate . . . . .	600 - 602	...	...	...	...	...	...
20	Accidents . . . . .	E800 - E949	48.0	35.9	77.3	47.3	61.8	43.9
21	Suicide . . . . .	E950 - E959	14.2	3.7	10.0	11.3	10.5	12.4
Male - Masculin								
22	All causes . . . . .	001 - E999	835.9	656.5	1,079.5	977.7	883.7	820.0
23	Tuberculosis . . . . .	010 - 019	1.5	0.7	5.0	1.9	1.2	2.8
24	All cancer (malignant neoplasms) . . . . .	140 - 209	174.2	133.3	183.8	211.1	167.8	177.6
25	Stomach and intestinal cancer . . . . .	151 - 153	28.3	28.3	19.9	35.7	26.8	27.9
26	Lung cancer . . . . .	162	53.2	37.4	51.3	65.2	49.2	59.9
27	Breast cancer . . . . .	174	...	...	...	...	...	...
28	Cancer of the lymphatic and haematopoietic tissues . . . . .	200 - 209	17.1	9.4	16.6	19.2	16.3	15.5
29	Diabetes mellitus . . . . .	250	11.1	8.4	8.3	15.8	12.5	12.2
30	Cardiovascular-renal diseases . . . . .	390 - 458, 582 - 584	397.2	327.4	511.6	493.5	417.1	376.5
31	Diseases of the heart . . . . .	393 - 398, 400.1, 400.9, 402, 404, 410 - 429	298.9	230.2	359.3	369.4	321.1	283.7
32	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.2	-	-	2.6	2.3	2.7
33	Cerebrovascular disease . . . . .	430 - 438	61.8	67.2	87.7	82.7	56.4	61.1
34	Respiratory diseases . . . . .	460 - 519	58.9	41.6	91.1	70.4	64.6	53.9
35	Influenza and pneumonia . . . . .	470 - 474, 480 - 486	23.9	20.6	62.9	33.5	25.0	16.5
36	Bronchitis, emphysema and asthma . . . . .	466, 490 - 493	18.1	7.7	11.6	13.7	19.5	22.0
37	Peptic ulcer . . . . .	531 - 533	3.7	2.8	5.0	4.8	6.7	2.7
38	Cirrhosis of liver . . . . .	571	16.6	8.0	6.6	10.1	12.8	18.6
39	Nephritis and nephrosis . . . . .	580 - 584	2.9	1.4	5.0	5.3	4.1	1.7
40	Diseases of the prostate . . . . .	600 - 602	1.1	1.0	3.3	1.9	0.9	0.8
41	Accidents . . . . .	E800 - E949	68.0	54.2	115.9	70.0	91.0	64.3
42	Suicide . . . . .	E950 - E959	21.2	6.6	18.2	18.0	16.9	18.3
Female - Féminin								
43	All causes . . . . .	001 - E999	603.6	456.2	657.8	690.0	626.9	566.2
44	Tuberculosis . . . . .	010 - 019	0.7	0.4	-	0.7	0.9	1.0
45	All cancer (malignant neoplasms) . . . . .	140 - 209	135.5	91.9	161.9	157.5	127.0	132.9
46	Stomach and intestinal cancer . . . . .	151 - 153	25.3	19.9	28.4	32.8	30.7	25.5
47	Lung cancer . . . . .	162	13.1	6.9	21.7	16.3	11.4	11.3
48	Breast cancer . . . . .	174	28.4	15.9	33.4	32.8	26.6	28.7
49	Cancer of the lymphatic and haematopoietic tissues . . . . .	200 - 209	11.5	8.7	8.3	10.5	8.5	10.7
50	Diabetes mellitus . . . . .	250	14.7	14.5	1.7	20.6	19.3	16.7
51	Cardiovascular-renal diseases . . . . .	390 - 458, 582 - 584	307.0	226.8	330.6	360.8	327.3	277.3
52	Diseases of the heart . . . . .	393 - 398, 400.1, 400.9, 402, 404, 410 - 429	202.4	152.7	220.4	228.9	222.2	188.4
53	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	2.1	0.4	-	2.9	2.3	2.4
54	Cerebrovascular disease . . . . .	430 - 438	71.5	56.1	63.4	89.8	72.4	60.0
55	Respiratory diseases . . . . .	460 - 519	34.2	34.4	36.7	47.6	37.7	28.7
56	Influenza and pneumonia . . . . .	470 - 474, 480 - 486	20.9	23.5	28.4	29.4	22.5	14.1
57	Bronchitis, emphysema and asthma . . . . .	466, 490 - 493	6.3	2.2	3.3	6.7	6.7	8.0
58	Peptic ulcer . . . . .	531 - 533	2.0	0.7	1.7	2.4	0.9	1.4
59	Cirrhosis of liver . . . . .	571	7.2	2.5	3.3	4.5	4.7	6.3
60	Nephritis and nephrosis . . . . .	580 - 584	2.1	2.5	1.7	4.3	1.8	1.5
61	Diseases of the prostate . . . . .	600 - 602	...	...	...	...	...	...
62	Accidents . . . . .	E800 - E949	28.2	17.0	38.4	24.7	32.4	24.1
63	Suicide . . . . .	E950 - E959	7.3	0.7	1.7	4.5	4.1	6.5

<sup>1</sup> Standardized to Canadian 1956 population.

TABLEAU 17. Taux bruts et comparatifs<sup>1</sup> de mortalité (pour 100,000 habitants), due à certaines causes, selon le sexe, Canada et provinces, 1977

Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.	Cause	No
<b>Crude rates - Taux bruts</b>								
<b>Both sexes - Deux sexes</b>								
733.6	793.1	810.7	611.2	744.6	483.9	460.8	Toutes les causes . . . . .	1
0.7	0.7	1.3	0.5	1.1	-	6.9	Tuberculose . . . . .	2
158.1	176.5	156.9	120.5	162.5	82.9	59.9	Tout cancer (tumeurs malignes) . . . . .	3
27.4	31.2	25.5	21.2	26.5	13.8	6.9	Cancer de l'estomac et de l'intestin . . . . .	4
33.0	37.1	30.4	21.5	36.3	27.6	16.1	Cancer du poumon . . . . .	5
..	..	..	..	..	..	..	Cancer du sein . . . . .	6
15.0	19.0	17.3	12.4	15.1	-	9.2	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	7
12.3	10.4	14.7	12.5	10.2	-	2.3	Diabète sucré . . . . .	8
377.9	376.3	390.0	273.5	353.1	147.5	71.4	Maladies cardiovasculaires-rénales . . . . .	9
271.9	264.5	271.8	187.0	243.9	96.8	55.3	Maladies du coeur . . . . .	10
1.7	2.8	1.7	2.5	2.3	-	-	Maladies hypertensives sans complication cardiaque . . . . .	11
69.1	72.8	77.1	53.5	73.3	32.3	13.8	Maladies vasculaires cérébrales . . . . .	12
46.0	63.9	71.8	43.4	43.0	46.1	53.0	Maladies respiratoires . . . . .	13
24.3	34.0	46.8	20.6	16.5	13.8	25.3	Grippe et pneumonie . . . . .	14
9.5	12.0	13.6	11.0	17.3	-	2.3	Bronchite, emphysème et asthme . . . . .	15
2.9	4.0	4.2	2.6	3.6	-	-	Ulcère de l'estomac et du duodénum . . . . .	16
12.6	8.8	7.9	10.4	16.2	18.4	6.9	Cirrhose du foie . . . . .	17
2.9	2.6	3.6	2.2	2.4	4.6	-	Néphrite et néphrose . . . . .	18
..	..	..	..	..	..	..	Maladies de la prostate . . . . .	19
41.0	51.3	60.7	57.4	65.1	73.7	101.4	Accidents . . . . .	20
14.5	17.5	15.6	18.1	17.5	23.0	27.6	Suicide . . . . .	21
<b>Male - Masculin</b>								
826.6	945.6	976.9	729.0	866.7	623.9	545.9	Toutes les causes . . . . .	22
0.8	1.2	1.3	0.7	1.5	-	8.7	Tuberculose . . . . .	23
174.5	207.8	183.6	133.2	179.5	145.3	69.9	Tout cancer (tumeurs malignes) . . . . .	24
28.4	35.1	28.0	23.2	29.1	25.6	13.1	Cancer de l'estomac et de l'intestin . . . . .	25
52.6	59.7	46.4	33.4	55.3	51.3	21.8	Cancer du poumon . . . . .	26
..	..	..	..	..	..	..	Cancer du sein . . . . .	27
17.4	26.3	23.3	14.4	17.5	-	4.4	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	28
10.4	8.6	12.5	11.6	10.2	-	4.4	Diabète sucré . . . . .	29
414.1	426.4	463.1	317.4	397.4	188.0	91.7	Maladies cardiovasculaires-rénales . . . . .	30
317.9	320.3	336.5	231.7	291.6	128.2	65.5	Maladies du coeur . . . . .	31
1.8	3.1	1.9	2.6	2.2	-	-	Maladies hypertensives sans complication cardiaque . . . . .	32
59.2	66.9	78.9	49.5	66.1	42.7	21.8	Maladies vasculaires cérébrales . . . . .	33
56.6	84.7	88.4	55.2	57.2	51.3	65.5	Maladies respiratoires . . . . .	34
25.1	40.2	51.1	21.2	18.5	17.1	26.2	Grippe et pneumonie . . . . .	35
13.7	18.9	21.4	16.4	26.7	-	4.4	Bronchite, emphysème et asthme . . . . .	36
3.6	5.5	4.9	3.8	4.3	-	-	Ulcère de l'estomac et du duodénum . . . . .	37
17.2	12.7	11.5	13.6	21.2	34.2	4.4	Cirrhose du foie . . . . .	38
3.4	3.3	4.9	2.7	2.5	-	-	Néphrite et néphrose . . . . .	39
1.0	1.4	2.3	0.3	2.0	-	-	Maladies de la prostate . . . . .	40
56.1	75.5	85.7	82.1	89.2	85.5	131.0	Accidents . . . . .	41
20.8	28.1	24.8	27.7	25.5	34.2	52.4	Suicide . . . . .	42
<b>Female - Féminin</b>								
642.3	642.6	642.2	490.0	623.1	320.0	365.9	Toutes les causes . . . . .	43
0.5	0.2	1.3	0.3	0.7	-	4.9	Tuberculose . . . . .	44
141.9	145.6	129.9	107.3	145.5	10.0	48.8	Tout cancer (tumeurs malignes) . . . . .	45
26.4	27.4	23.0	19.1	23.8	-	-	Cancer de l'estomac et de l'intestin . . . . .	46
13.8	14.8	14.2	9.3	17.3	-	9.8	Cancer du poumon . . . . .	47
30.0	28.9	23.2	21.6	30.8	10.0	4.9	Cancer du sein . . . . .	48
12.6	11.8	11.2	10.3	12.6	-	14.6	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	49
14.2	12.1	17.0	13.3	10.2	-	-	Diabète sucré . . . . .	50
342.4	326.8	315.8	228.3	309.0	100.0	48.8	Maladies cardiovasculaires-rénales . . . . .	51
226.9	209.4	206.2	141.1	196.4	60.0	43.9	Maladies du coeur . . . . .	52
1.7	2.5	1.5	2.3	2.4	-	-	Maladies hypertensives sans complication cardiaque . . . . .	53
78.8	78.7	75.3	57.6	80.5	20.0	4.9	Maladies vasculaires cérébrales . . . . .	54
35.5	43.4	55.0	31.3	28.8	40.0	39.0	Maladies respiratoires . . . . .	55
23.5	28.0	42.4	20.1	14.5	10.0	24.4	Grippe et pneumonie . . . . .	56
5.3	5.2	5.6	5.4	7.9	-	-	Bronchite, emphysème et asthme . . . . .	57
2.2	2.5	3.4	1.3	2.9	-	-	Ulcère de l'estomac et du duodénum . . . . .	58
8.0	5.0	4.3	7.0	11.3	-	9.8	Cirrhose du foie . . . . .	59
2.4	1.9	2.4	1.6	2.2	10.0	-	Néphrite et néphrose . . . . .	60
..	..	..	..	..	..	..	Maladies de la prostate . . . . .	61
26.2	27.4	35.5	31.9	41.1	60.0	68.3	Accidents . . . . .	62
8.3	6.9	6.2	8.2	9.6	10.0	-	Suicide . . . . .	63

<sup>1</sup> D'après la population canadienne du recensement de 1956.

TABLE 17. Crude and Standardized<sup>1</sup> Death Rates (Per 100,000 Population), by Selected Cause and Sex, Canada and Provinces, 1977 - Concluded

No.	Cause	Category (8th Revision) - Catégorie (8 <sup>e</sup> révision)	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.
Standardized rates - Taux comparatifs								
Both sexes - Deux sexes								
1	All causes . . . . .	001-E999	631.3	613.3	634.1	664.4	646.9	686.5
2	Tuberculosis . . . . .	010-019	1.0	0.6	1.6	1.1	0.8	2.0
3	All cancer (malignant neoplasms) . . . . .	140-209	138.0	126.7	129.1	153.8	131.3	152.0
4	Stomach and intestinal cancer . . . . .	151-153	23.2	27.5	17.0	27.0	24.2	25.8
5	Lung cancer . . . . .	162	31.1	25.5	27.8	35.9	29.0	36.6
6	Breast cancer . . . . .	174	13.0	10.1	8.0	12.9	11.4	12.9
7	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	10.7	12.6	4.0	13.5	13.2	13.6
8	Diabetes mellitus . . . . .	250	291.5	307.1	271.0	317.0	297.0	316.7
9	Cardiovascular-renal diseases . . . . .	390-458, <sup>*</sup> 582-584	211.0	212.5	193.3	228.8	221.6	229.6
10	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	1.7	0.2	0.0	2.1	1.7	2.4
11	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	52.8	67.2	45.1	58.7	47.7	58.1
12	Cerebrovascular disease . . . . .	430-438	40.3	41.0	45.3	44.8	41.9	42.7
13	Respiratory diseases . . . . .	460-519	18.1	22.8	31.3	22.0	17.7	15.4
14	Influenza and pneumonia . . . . .	470-474, 480-486	11.2	5.5	5.5	8.8	11.7	15.7
15	Bronchitis, emphysema and asthma . . . . .	466, 490-493	2.4	2.1	2.0	2.8	3.5	2.1
16	Peptic ulcer . . . . .	531-533	11.2	6.4	4.4	6.7	9.1	12.4
17	Cirrhosis of liver . . . . .	571	2.2	2.2	2.3	3.5	2.5	1.5
18	Nephritis and nephrosis . . . . .	580-584	600-602	44.1	35.6	67.1	41.7	56.9
19	Diseases of the prostate . . . . .	E800-E949	13.1	4.0	8.8	10.4	10.4	11.3
20	Accidents . . . . .	E950-E959	Male - Masculin					
21	Suicide . . . . .	E950-E959	Female - Féminin					
22	All causes . . . . .	001-E999	792.8	758.0	851.3	847.5	818.6	869.4
23	Tuberculosis . . . . .	010-019	1.5	0.9	3.2	1.7	1.1	3.0
24	All cancer (malignant neoplasms) . . . . .	140-209	165.3	154.8	142.2	184.8	157.7	187.3
25	Stomach and intestinal cancer . . . . .	151-153	26.8	34.0	14.9	30.3	24.5	29.8
26	Lung cancer . . . . .	162	50.8	43.0	40.6	57.9	47.3	62.5
27	Breast cancer . . . . .	174	16.3	11.0	12.2	17.3	16.1	16.0
28	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	10.4	9.7	6.6	13.2	11.5	12.9
29	Diabetes mellitus . . . . .	250	368.0	386.2	379.2	410.9	372.7	400.6
30	Cardiovascular-renal diseases . . . . .	390-458, 582-584	278.3	270.6	274.7	312.0	290.0	300.1
31	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	2.0	0.0	0.0	2.2	1.8	2.9
32	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	56.6	79.2	60.7	65.3	48.5	66.1
33	Cerebrovascular disease . . . . .	430-438	55.1	48.0	66.7	58.5	56.8	59.7
34	Respiratory diseases . . . . .	460-519	21.7	23.4	43.4	26.9	20.8	18.6
35	Influenza and pneumonia . . . . .	470-474, 480-486	17.2	8.5	8.7	11.8	18.0	24.1
36	Bronchitis, emphysema and asthma . . . . .	466, 490-493	3.4	3.3	3.3	3.8	6.1	2.9
37	Peptic ulcer . . . . .	531-533	16.1	10.1	6.6	9.6	13.6	18.9
38	Cirrhosis of liver . . . . .	571	2.7	1.7	3.1	4.3	3.7	1.8
39	Nephritis and nephrosis . . . . .	580-584	0.9	1.3	1.4	1.4	0.9	0.9
40	Diseases of the prostate . . . . .	600-602	62.5	53.7	98.9	63.1	83.9	59.9
41	Accidents . . . . .	E800-E949	19.3	7.3	15.9	16.2	16.2	16.7
42	Suicide . . . . .	E950-E959	Male - Masculin					
43	All causes . . . . .	001-E999	465.2	464.6	410.9	476.1	470.3	498.5
44	Tuberculosis . . . . .	010-019	0.6	0.3	0.0	0.6	0.6	0.9
45	All cancer (malignant neoplasms) . . . . .	140-209	109.9	97.7	115.7	121.9	104.2	115.7
46	Stomach and intestinal cancer . . . . .	151-153	19.5	20.7	19.2	23.7	23.9	21.7
47	Lung cancer . . . . .	162	10.9	7.5	14.6	13.3	10.1	9.9
48	Breast cancer . . . . .	174	23.7	17.6	27.4	26.6	22.2	25.2
49	Cancer of the lymphatic and haematopoietic tissues . . . . .	200-209	9.5	9.2	3.8	8.5	6.6	9.8
50	Diabetes mellitus . . . . .	250	11.1	15.6	1.3	13.9	15.0	14.3
51	Cardiovascular-renal diseases . . . . .	390-458, 582-584	212.8	225.7	159.8	220.5	219.1	230.4
52	Diseases of the heart . . . . .	393-398, 400.1, 400.9, 402, 404, 410-414, 420-429	141.9	152.9	109.6	143.4	151.4	157.1
53	Hypertension without mention of heart . . . . .	400.0, 400.2, 400.3, 401, 403	1.5	0.4	0.0	2.0	1.5	2.0
54	Cerebrovascular disease . . . . .	430-438	48.9	54.8	29.2	52.0	46.9	49.9
55	Respiratory diseases . . . . .	460-519	25.1	33.8	23.3	30.7	26.5	25.3
56	Influenza and pneumonia . . . . .	470-474, 480-486	14.4	22.2	18.8	17.1	14.5	12.2
57	Bronchitis, emphysema and asthma . . . . .	466, 490-493	5.1	2.5	2.3	5.6	5.3	7.1
58	Peptic ulcer . . . . .	531-533	1.4	0.8	0.7	1.7	0.7	1.2
59	Cirrhosis of liver . . . . .	571	6.2	2.7	2.1	3.6	4.6	5.7
60	Nephritis and nephrosis . . . . .	580-584	1.6	2.6	1.4	2.7	1.2	1.3
61	Diseases of the prostate . . . . .	600-602	25.1	17.0	34.4	19.6	29.3	22.8
62	Accidents . . . . .	E800-E949	6.7	0.7	1.4	4.4	4.3	5.8
63	Suicide . . . . .	E950-E959	Female - Féminin					

<sup>1</sup> Standardized to Canadian 1956 population.

TABLEAU 17. Taux bruts et comparatifs<sup>1</sup> (pour 100,000 habitants), due à certaines causes, selon le sexe, Canada et provinces, 1977 - fin

Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.	Cause	No
Standardized rates - Taux comparatifs								
Both sexes - Deux sexes								
628.9	607.0	572.0	584.0	580.0	553.5	598.3	Toutes les causes . . . . .	1
0.6	0.6	1.1	0.5	0.9	0.0	10.8	Tuberculose . . . . .	2
138.5	136.8	114.0	120.0	128.7	97.4	119.7	Tout cancer (tumeurs malignes) . . . . .	3
23.3	23.2	17.5	20.8	20.1	21.9	12.8	Cancer de l'estomac et de l'intestin . . . . .	4
30.8	30.3	22.8	22.4	30.0	36.2	38.0	Cancer du poumon . . . . .	5
13.3	15.8	13.4	12.2	12.3	0.0	6.7	Cancer du sein . . . . .	6
9.9	7.2	9.5	11.5	7.6	0.0	3.4	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	7
305.6	258.7	242.7	251.2	245.8	159.5	88.9	Diabète sucré . . . . .	8
							Maladies cardiovasculaires-rénales . . . . .	9
224.1	186.5	173.5	175.2	174.1	100.9	70.3	Maladies du coeur . . . . .	10
1.4	1.9	0.8	2.3	1.5	0.0	0.0	Maladies hypertensives sans complication cardiaque . . . . .	11
52.9	46.4	45.0	47.1	47.9	39.2	14.5	Maladies vasculaires cérébrales . . . . .	12
39.0	47.0	45.2	39.5	32.8	61.6	83.3	Maladies respiratoires . . . . .	13
19.1	23.8	27.9	17.0	11.4	19.7	35.7	Grippe et pneumonie . . . . .	14
8.7	9.6	9.3	11.0	13.8	0.0	4.9	Bronchite, emphysème et asthme . . . . .	15
2.4	2.8	2.8	2.5	2.5	0.0	0.0	Ulcère de l'estomac et du duodénum . . . . .	16
11.5	7.9	6.8	11.0	14.3	26.0	12.1	Cirrhose du foie . . . . .	17
2.5	1.8	2.7	2.0	1.9	6.3	0.0	Néphrite et néphrose . . . . .	18
							Maladies de la prostate . . . . .	19
37.5	47.8	52.9	53.1	57.4	83.9	96.6	Accidents . . . . .	20
13.2	15.9	13.8	16.5	15.9	22.1	21.7	Suicide . . . . .	21
Male - Masculin								
786.7	772.6	715.6	726.2	723.4	715.1	710.9	Toutes les causes . . . . .	22
0.8	0.9	1.2	0.8	1.2	0.0	13.9	Tuberculose . . . . .	23
165.3	166.8	134.8	138.2	148.4	173.2	134.5	Tout cancer (tumeurs malignes) . . . . .	24
26.9	27.6	20.3	23.9	23.9	43.2	25.2	Cancer de l'estomac et de l'intestin . . . . .	25
49.9	48.9	34.6	35.5	46.4	71.4	44.0	Cancer du poumon . . . . .	26
							Cancer du sein . . . . .	27
16.6	22.3	18.8	14.7	14.8	0.0	0.0	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	28
9.8	6.8	8.4	11.3	8.2	0.0	6.7	Diabète sucré . . . . .	29
386.8	327.6	307.4	312.2	307.9	189.1	121.1	Maladies cardiovasculaires-rénales . . . . .	30
297.3	249.2	228.6	230.2	229.3	136.5	84.4	Maladies du coeur . . . . .	31
1.7	2.2	0.9	2.5	1.5	0.0	0.0	Maladies hypertensives sans complication cardiaque . . . . .	32
55.1	49.0	48.6	47.8	49.5	42.7	28.6	Maladies vasculaires cérébrales . . . . .	33
53.5	64.7	56.7	53.4	46.0	87.2	89.0	Maladies respiratoires . . . . .	34
23.3	29.5	31.0	18.6	14.2	27.0	32.3	Grippe et pneumonie . . . . .	35
13.2	15.2	14.6	16.9	21.7	0.0	9.7	Bronchite, emphysème et asthme . . . . .	36
3.3	4.1	3.5	3.8	3.2	0.0	0.0	Ulcère de l'estomac et du duodénum . . . . .	37
16.1	11.7	10.1	14.6	19.0	51.3	11.5	Cirrhose du foie . . . . .	38
3.2	2.4	3.5	2.6	2.1	0.0	0.0	Néphrite et néphrose . . . . .	39
0.9	0.7	1.4	0.2	1.3	0.0	0.0	Maladies de la prostate . . . . .	40
51.9	69.0	75.3	75.5	79.9	84.6	133.8	Accidents . . . . .	41
18.9	24.9	21.4	25.0	22.9	36.6	42.9	Suicide . . . . .	42
Female - Féminin								
466.7	436.8	424.5	437.8	432.6	387.3	482.6	Toutes les causes . . . . .	43
0.4	0.1	1.0	0.3	0.6	0.0	7.6	Tuberculose . . . . .	44
110.9	106.0	92.6	101.2	108.4	19.4	104.4	Tout cancer (tumeurs malignes) . . . . .	45
19.5	18.7	14.6	17.6	16.3	0.0	0.0	Cancer de l'estomac et de l'intestin . . . . .	46
11.2	11.2	10.6	8.8	13.1	0.0	32.0	Cancer du poumon . . . . .	47
24.2	22.0	18.2	20.6	24.0	19.4	9.7	Cancer du sein . . . . .	48
10.0	9.0	7.9	9.7	9.7	0.0	13.5	Cancer des tissus lymphatiques et hématopoïétiques . . . . .	49
10.0	7.7	10.6	11.7	7.0	0.0	0.0	Diabète sucré . . . . .	50
222.1	187.7	176.2	188.4	181.9	129.0	55.7	Maladies cardiovasculaires-rénales . . . . .	51
148.8	121.9	116.9	118.7	117.3	64.3	55.7	Maladies du coeur . . . . .	52
1.1	1.5	0.6	2.1	1.6	0.0	0.0	Maladies hypertensives sans complication cardiaque . . . . .	53
50.7	43.7	41.3	46.4	46.2	35.7	0.0	Maladies vasculaires cérébrales . . . . .	54
24.0	28.8	33.3	25.2	19.3	35.4	77.4	Maladies respiratoires . . . . .	55
14.9	17.9	24.7	15.3	8.5	12.3	39.2	Grippe et pneumonie . . . . .	56
4.1	3.7	3.9	4.9	5.7	0.0	0.0	Bronchite, emphysème et asthme . . . . .	57
1.5	1.5	2.0	1.1	1.7	0.0	0.0	Ulcère de l'estomac et du duodénum . . . . .	58
6.7	4.0	3.3	7.2	9.5	0.0	12.8	Cirrhose du foie . . . . .	59
1.8	1.2	1.8	1.4	1.7	12.7	0.0	Néphrite et néphrose . . . . .	60
							Maladies de la prostate . . . . .	61
22.7	26.0	29.8	30.1	34.2	83.2	58.3	Accidents . . . . .	62
7.5	6.7	5.8	7.8	8.7	7.3	0.0	Suicide . . . . .	63

<sup>1</sup> D'après la population canadienne du recensement de 1956.

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15		SINGLE CELIBATAIRE					MARRIED MARIE		
			TOTAL	15-24	25-44	45-64	65-74	75+	N.S.	TOTAL	15-24	25-44
I. INFECTIVE AND PARASITIC DISEASES.												
A 1 CHOLERA .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 2 TYPHOID FEVER .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 3 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	M	3	-	-	-	-	-	-	-	-	3	-
	F	4	1	-	-	-	-	-	-	-	1	-
	T	7	1	-	-	-	-	-	-	-	4	-
A 4 BACILLARY DYSENTERY AND AMOEBIASIS	M	1	1	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	1	-	-	-	1	-
	T	4	2	1	-	-	1	-	-	-	1	-
A 5 ENTERITIS AND OTHER DIARRHOEAL DISEASES	M	98	32	15	3	3	2	2	5	-	33	-
	F	125	37	16	1	1	2	1	11	-	20	-
	T	223	69	31	4	4	4	3	16	-	53	-
TUBERCULOSIS (A6-A10).												
A 6 RESPIRATORY SYSTEM .....	M	126	-	27	1	4	13	7	2	-	70	-
	F	44	-	12	-	2	6	2	2	-	14	1
	T	170	-	39	1	6	19	9	4	-	84	1
A 7 MENINGES AND CENTRAL NERVOUS SYSTEM	M	1	-	1	-	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	2	-
	T	4	1	1	-	-	1	-	-	-	2	-
A 8 INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	1	-	1	-	-	-	-	-	-
	T	2	-	1	-	1	-	-	-	-	1	-
A 9 BONES AND JOINTS .....	M	2	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	2	-	-	-	-	-	-	-	-	1	-
A 10 OTHER .....	M	49	-	11	-	3	4	4	-	-	30	-
	F	33	-	4	1	-	-	2	1	-	11	-
	T	82	-	15	1	3	4	6	1	-	41	-
TOTAL (A6-A10).												
M	179	-	39	1	7	18	11	2	-	-	102	-
F	81	1	17	1	3	6	4	3	-	-	27	1
T	260	1	56	2	10	24	15	5	-	-	129	1
A 11 PLAGUE .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 12 ANTHRAX .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 13 BRUCELLSIS .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 14 LEPROSY .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 15 DIPHTHERIA .....	M	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	1	-	-	-	-	-	-	-	-	-	-
A 16 WHOOPING COUGH .....	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-
A 17 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
	T	1	-	-	-	-	-	-	-	-	1	-
A 18 ERYSIPELAS .....	M	2	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
	T	3	1	-	-	-	-	-	-	-	1	-
A 19 MENINGOCOCCAL INFECTION ...	M	20	14	5	3	-	2	-	-	-	1	-
	F	9	5	1	1	-	-	-	-	-	2	-
	T	29	19	6	4	-	2	-	-	-	3	-
A 20 TETANUS .....	M	2	-	1	-	1	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
	T	2	-	1	-	1	-	-	-	-	1	-

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE						NOT STATED NON DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.			
I. MALADIES INFECTIEUSES ET PARASITAIRES.													
-	-	-	-	-	-	-	-	-	-	-	-	CHOLERA .....	A 1
-	-	-	-	-	-	-	-	-	-	-	-	FIEVRE TYPHOIDE .....	A 2
1	1	-	-	-	-	-	-	-	-	-	-	FIEVRE PARATYPHOIDE ET .....	A 3
1	-	-	-	2	-	-	-	-	2	-	-	AUTRES INFECTIONS A	
2	1	-	-	2	-	-	-	-	2	-	-	SALMONELLA	
-	-	-	-	-	-	-	-	-	-	-	-	DYSENTERIE BACILLAIRE ET ...	A 4
1	-	-	-	-	-	-	-	-	-	-	-	AMIBIASE	
1	-	-	-	-	-	-	-	-	-	-	-	ENTERITES ET AUTRES MALADIES	A 5
2	8	20	-	15	-	-	2	3	10	-	3	DIARRHEIQUES	
5	7	6	-	52	-	2	2	4	44	-	-	TUBERCULOSE (A6-A10).	
7	15	26	-	67	-	2	4	7	54	-	3	APPAREIL RESPIRATOIRE .....	A 6
21	22	25	2	28	-	3	6	2	17	-	1	MENINGES ET SYSTEME NERVEUX	A 7
6	2	3	-	18	-	-	3	3	12	-	-	CENTRAL	
27	24	28	2	46	-	3	9	5	29	-	1	INTESTIN, PERITOINE, ET .....	A 8
-	-	-	-	-	-	-	-	-	-	-	-	GANGLIONS MESENTERIQUES	
2	-	-	-	-	-	-	-	-	-	-	-	OS ET ARTICULATIONS .....	A 9
2	-	-	-	-	-	-	-	-	-	-	-	AUTRE .....	A 10
-	-	1	-	-	-	-	-	-	-	-	-		
-	-	1	-	-	-	-	-	-	-	-	-		
-	1	-	-	1	-	-	1	-	-	-	-		
-	1	-	-	1	-	-	1	-	-	-	-		
9	13	8	-	8	-	-	2	1	5	-	-	TOTAL (A6-A10).	
6	4	1	-	17	-	1	2	7	7	-	1		
15	17	9	-	25	-	1	4	8	12	-	1		
30	36	34	2	37	-	3	9	3	22	-	1	PESTE .....	A 11
14	6	4	-	35	-	1	5	10	19	-	1	CHARBON .....	A 12
44	42	38	2	72	-	4	14	13	41	-	2	BRUCELLOSE .....	A 13
-	-	-	-	-	-	-	-	-	-	-	-	LEPRE .....	A 14
-	-	-	-	-	-	-	-	-	-	-	-	DIPHTERIE .....	A 15
-	-	-	-	1	-	-	-	-	1	-	-	COQUELUCHE .....	A 16
-	-	-	-	1	-	-	-	-	1	-	-	ANGINE A STREPTOCOQUES ET	A 17
-	1	-	-	-	-	-	-	-	-	-	-	SCARLATINE	
-	1	-	-	-	-	-	-	-	-	-	-	ERYSIPELE .....	A 18
1	-	-	-	1	-	-	-	-	1	-	-	INFECTIONS A MENINGOCOQUES	A 19
1	-	-	-	1	-	-	1	-	-	-	-	TETANOS .....	A 20
1	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	-	-	-	-	-		





TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15		SINGLE CELIBATAIRE						MARRIED MARIE		
			TOTAL	15-24	25-44	45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	
A 42	ANCYLOSTOMIASIS	M - F - T -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 43	OTHER HELMINTHIASES	M - F 1 T 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 44	ALL OTHER	M 26 F 18 T 44	4 2 6	5 3 8	- - -	2 1 3	2 1 3	- - -	1 1 2	- - -	15 9 24	- - -	3 3 6
TOTAL (A1-A44)		M 551 F 470 T 1,021	101 93 194	105 67 172	18 16 34	16 8 24	33 14 47	19 7 26	19 22 41	- - -	251 123 374	2 4 6	14 23 37
II. NEOPLASMS.													
MALIGNANT NEOPLASMS (A45-A60).													
A 45	BUCCAL CAVITY AND PHARYNX	M 516 F 193 T 709	- 2 2	81 20 101	3 1 4	5 - 5	44 8 52	16 7 23	13 4 17	- - -	326 97 423	- 1 1	22 11 33
A 46	OESOPHAGUS	M 478 F 182 T 660	- - -	58 23 81	- - -	1 - 1	22 6 28	17 6 23	18 11 29	- - -	343 64 407	- - -	11 3 14
A 47	STOMACH	M 1,428 F 789 T 2,217	- - -	153 73 226	1 1 2	7 1 8	49 18 67	49 23 72	46 30 76	1 - 1	1,032 335 1,367	- 1 1	37 22 59
A 48	INTESTINE, EXCEPT RECTUM	M 1,856 F 2,176 T 4,032	- - -	192 230 422	2 1 3	14 5 19	52 50 102	68 65 153	56 109 165	- - -	1,344 976 2,320	1 2 3	41 46 87
A 49	RECTUM AND RECTOSIGMOID JUNCTION	M 779 F 549 T 1,328	- - -	78 68 146	- - -	6 1 7	27 21 48	23 14 37	22 32 54	- - -	569 225 794	1 3 4	21 14 35
A 50	LARYNX	M 297 F 46 T 343	- - -	36 3 39	- - -	1 - 1	17 1 18	11 1 12	7 1 8	- - -	202 21 223	- - -	4 1 5
A 51	TRACHEA, BRONCHUS, AND LUNG	M 6,142 F 1,519 T 7,661	- - -	578 106 684	- 1 1	15 6 21	250 42 292	205 41 246	108 16 124	- - -	4,561 811 5,372	1 1 2	115 55 170
A 52	BONE	M 97 F 60 T 157	9 4 13	28 11 39	17 8 25	3 - 3	7 - 7	- - -	1 3 4	- - -	51 29 80	1 2 3	3 6 9
A 53	SKIN	M 201 F 171 T 372	2 - 2	21 19 40	1 4 5	9 2 11	5 4 9	2 5 7	4 4 8	- - -	155 85 240	1 3 4	27 26 53
A 54	BREAST	M 38 F 3,321 T 3,359	- - -	2 392 394	- 1 1	- 23 23	1 160 161	1 106 107	- 101 101	- 1 1	27 1,854 1,881	- - -	2 238 240
A 55	CERVIX UTERI	F 514	-	37	1	11	12	10	3	-	291	1	75
A 56	UTERUS, OTHER	F 472	-	68	-	4	19	25	20	-	232	-	9
A 57	PROSTATE	M 1,833	-	144	1	-	16	41	86	-	1,217	-	2
A 58 OTHER AND UNSPECIFIED SITES.													
A	DIGESTIVE ORGANS AND PERITONEUM (155-159)	M 1,615 F 1,405 T 3,020	7 2 9	153 119 272	1 2 3	8 4 12	49 27 76	51 45 96	44 41 85	- - -	1,167 632 1,799	3 1 4	33 30 63
B	RESPIRATORY ORGANS (160,163)	M 87 F 48 T 135	1 1 2	13 2 15	4 - 4	2 - 2	4 1 5	1 1 2	2 - 2	- - -	63 21 84	- 1 1	7 3 10
C	CONNECTIVE AND OTHER SOFT TISSUE (171)	M 57 F 49 T 106	3 5 8	11 8 19	4 3 7	3 2 5	2 1 3	1 - 1	1 2 3	- - -	36 23 59	- 2 2	5 3 8
D	OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT (183)	F 1,000	2	143	7	7	54	43	32	-	548	2	39
E	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)	F 98	4	8	-	1	1	2	4	-	35	-	3

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE						NOT STATED NON DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.			
-	-	-	-	-	-	-	-	-	-	-	-	ANKYLOSTOMIASE .....	A 42
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	AUTRES HELMINTHIASES .....	A 43
-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-
7	3	2	-	2	-	-	1	-	1	-	-	TOUTES AUTRES MALADIES .....	A 44
4	2	-	-	4	-	-	1	2	1	-	-	INFECTIEUSES ET	-
11	5	2	-	6	-	-	2	2	2	-	-	PARASITAIRES	-
75	73	85	2	84	-	3	18	10	53	-	10	TOTAL (A1-A44). .....	-
52	25	19	-	184	-	3	23	43	114	1	3	-	-
127	98	104	2	268	-	6	41	53	167	1	13	-	-
II. TUMEURS.													
TUMEURS MALIGNES (A45-A60).													
160	83	61	-	103	1	2	33	19	48	-	6	CAVITE BUCCALE ET PHARYNX	A 45
53	17	15	-	73	-	1	25	20	27	-	1	-	-
213	100	76	-	176	1	3	58	39	75	-	7	-	-
130	121	81	-	76	-	-	18	16	42	-	1	OESOPHAGE .....	A 46
28	23	10	-	94	-	-	21	21	52	-	1	-	-
158	144	91	-	170	-	-	39	37	94	-	2	-	-
343	359	293	-	226	-	3	33	46	144	-	17	ESTOMAC .....	A 47
141	106	65	-	370	-	3	33	87	247	-	11	-	-
484	465	358	-	596	-	6	66	133	391	-	28	-	-
464	463	375	-	301	-	-	34	66	201	-	19	INTESTIN, RECTUM NON COMPRIS	A 48
444	304	179	1	955	-	4	104	232	614	1	15	-	-
908	767	554	1	1,256	-	4	138	298	815	1	34	-	-
208	174	165	-	129	-	3	10	31	84	1	3	RECTUM ET JONCTION RECTO-	A 49
102	64	41	1	254	-	-	25	60	169	-	2	SIGMOIDIENNE	-
310	238	206	1	383	-	3	35	91	253	1	5	-	-
93	63	42	-	55	-	1	23	13	18	-	4	LARYNX .....	A 50
13	5	2	-	22	-	-	3	6	13	-	-	-	-
106	68	44	-	77	-	1	26	19	31	-	4	-	-
1,937	1,665	842	1	945	-	1	227	326	391	-	58	TRACHEE, BRONCHES, ET POUMON	A 51
493	195	67	-	591	-	10	173	210	198	-	11	-	-
2,430	1,860	909	1	1,536	-	11	400	536	589	-	69	-	-
22	16	9	-	8	-	-	2	2	4	-	1	OS .....	A 52
11	7	3	-	15	-	-	1	5	9	-	1	-	-
33	23	12	-	23	-	-	3	7	13	-	2	-	-
72	33	22	-	21	-	1	3	4	13	-	2	PEAU .....	A 53
33	13	10	-	66	-	3	11	15	37	-	1	-	-
105	46	32	-	87	-	4	14	19	50	-	3	-	-
10	10	5	-	9	-	-	1	5	3	-	-	SEIN .....	A 54
1,129	361	122	4	1,047	-	21	254	264	507	1	28	-	-
1,139	371	127	4	1,056	-	21	255	269	510	1	28	-	-
141	56	18	-	182	-	7	61	42	72	-	4	COL DE L'UTERUS .....	A 55
102	76	45	-	163	-	1	28	47	87	-	9	UTERUS, AUTRE .....	A 56
174	461	580	-	452	-	-	17	70	365	-	20	PROSTATE .....	A 57
SIEGES AUTRES QU SANS PRECISION.													
440	420	270	1	266	-	2	41	60	162	1	22	ORGANES DIGESTIFS ET .....	A
275	218	108	-	641	-	1	84	173	382	1	11	PERITOINE (155-159)	-
715	638	378	1	907	-	3	125	233	544	2	33	-	-
35	17	4	-	8	-	-	1	2	5	-	2	ORGANES RESPIRATOIRES .....	B
12	4	1	-	24	-	-	4	4	16	-	-	(160,163)	-
47	21	5	-	32	-	-	5	6	21	-	2	-	-
12	10	9	-	6	-	-	-	2	4	-	1	TISSU CONJONCTIF ET AUTRES	C
10	6	2	-	13	-	1	4	3	5	-	-	PARTIES MOLLES (171)	-
22	16	11	-	19	-	1	4	5	9	-	1	-	-
350	111	46	-	303	-	6	60	115	122	-	4	OVAIRE, TROMPE, ET LIGAMENT LARGE (183)	D
12	10	10	-	51	-	-	6	11	34	-	-	ORGANES GENITAUX AUTRES ... OU NON PRECISES DE LA FEMME (184)	E

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15	SINGLE CELIBATAIRE							N.S.	MARRIED MARIE		
				TOTAL	15-24	25-44	45-64	65-74	75+	TOTAL		15-24	25-44	
F	OTHER MALE GENITAL ORGANS (186,187)	108	2	33	19	10	1	2	1	-	61	2	22	
G	BLADDER (188)	661	-	65	-	1	10	27	27	-	442	-	7	
		266	-	25	-	-	3	5	17	-	88	-	1	
		927	-	90	-	1	13	32	44	-	530	-	8	
H	OTHER AND UNSPECIFIED URINARY ORGANS (189)	467	7	41	3	1	19	11	7	-	364	-	10	
		261	9	24	1	1	5	11	6	-	124	-	6	
		728	16	65	4	2	24	22	13	-	488	-	16	
I	BRAIN AND NERVOUS SYSTEM (191,192)	519	53	63	17	20	17	6	3	-	361	-	55	
		417	35	54	15	6	13	15	5	-	230	5	39	
		936	88	117	32	26	30	21	8	-	591	5	94	
J	OTHER	1,033	2	146	10	6	45	46	37	2	700	2	32	
		979	3	81	4	7	14	25	31	-	418	3	37	
		2,012	5	227	14	13	59	71	68	2	1,118	5	69	
	TOTAL (A58)	4,547	75	525	58	51	147	145	122	2	3,194	7	171	
		4,523	61	464	32	28	119	147	138	-	2,119	14	161	
		9,070	136	989	90	79	266	292	260	2	5,313	21	332	
A	59 LEUKAEMIA	936	95	133	48	19	17	19	30	-	585	9	71	
		580	69	71	29	4	11	12	15	-	243	5	52	
		1,516	164	204	77	23	28	31	45	-	828	14	123	
A	60 OTHER LYMPHATIC AND HAEMOTOPOIETIC TISSUE.													
A	HODGKIN'S DISEASE (201)	149	-	27	10	13	3	1	-	-	109	2	35	
		76	-	10	4	1	1	1	3	-	40	5	15	
		225	-	37	14	14	4	2	3	-	149	7	50	
B	OTHER	892	17	110	16	11	35	30	18	-	635	1	47	
		690	3	60	3	4	12	17	24	-	327	3	33	
		1,582	20	170	19	15	47	47	42	-	962	4	80	
	TOTAL (A60)	1,041	17	137	26	24	38	31	18	-	744	3	82	
		766	3	70	7	5	13	18	27	-	367	8	48	
		1,807	20	207	33	29	51	49	45	-	1,111	11	130	
	TOTAL (A45-A60)	20,189	198	2,166	157	155	692	628	531	3	14,350	24	609	
		15,861	139	1,655	86	90	484	480	514	1	7,749	41	767	
		36,050	337	3,821	243	245	1,176	1,108	1,045	4	22,099	65	1,376	
A	61 BENIGN AND UNSPECIFIED	189	13	30	8	5	10	4	3	-	117	2	23	
		180	11	26	4	5	5	5	7	-	62	2	10	
		369	24	56	12	10	15	9	10	-	179	4	33	
	TOTAL (A45-A61)	20,378	211	2,196	165	160	702	632	534	3	14,467	26	632	
		16,041	150	1,681	90	95	489	485	521	1	7,811	43	777	
		36,419	361	3,877	255	255	1,191	1,117	1,055	4	22,278	69	1,409	
	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.													
A	62 NON-TOXIC GOITRE	2	-	1	1	-	-	-	-	-	1	-	-	
		6	-	2	-	-	2	-	-	-	2	-	-	
		8	-	3	1	-	2	-	-	-	3	-	-	
A	63 THYROTOXICOSIS	2	-	-	-	-	-	-	-	-	2	-	-	
		12	-	1	-	-	-	1	-	-	5	-	-	
		14	-	1	-	-	-	1	-	-	7	-	-	
A	64 DIABETES MELLITUS	1,289	-	178	11	16	55	51	45	-	810	1	47	
		1,721	8	124	2	10	30	36	46	-	597	-	27	
		3,010	8	302	13	26	85	87	91	-	1,407	1	74	
A	65 NUTRITIONAL DEFICIENCY STATES	85	4	17	-	1	4	2	10	-	42	-	1	
		98	3	11	1	2	1	2	5	-	23	-	1	
		183	7	28	1	3	5	4	15	-	65	-	2	
A	66 OTHER	238	31	31	14	6	6	4	1	-	146	-	18	
		266	40	42	9	8	12	5	7	1	90	-	5	
		504	71	73	23	14	18	9	8	1	236	-	23	
	TOTAL (A62-A66)	1,616	35	227	26	23	65	57	56	-	1,001	1	66	
		2,103	51	180	12	20	45	44	58	1	717	-	33	
		3,719	86	407	38	43	110	101	114	1	1,718	1	99	
	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.													
A	67 ANAEMIAS	147	8	19	4	1	5	3	6	-	87	1	3	
		214	9	24	1	1	3	3	16	-	53	2	1	
		361	17	43	5	2	8	6	22	-	140	3	4	

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE					WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE						NOT STATED NON DONNES	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.			
15	14	8	-	12	-	2	5	1	4	-	-	AUTRES ORGANES GENITAUX DE L'HOMME (186,187)	F
114	154	167	-	149	-	-	10	39	100	-	5	VESSIE (188)	G
25	34	28	-	151	-	-	8	32	111	-	2		
139	188	195	-	300	-	-	18	71	211	-	7		
162	126	66	-	52	-	2	11	11	28	-	3	ORGANES URINAIRES AUTRES OU NON PRECISES (189)	H
65	39	14	-	104	-	1	20	32	51	-	-		
227	165	80	-	156	-	3	31	43	79	-	3		
201	83	22	-	40	-	1	11	17	11	-	2	CERVEAU ET AUTRES PARTIES DU SYSTEME NERVEUX (191,192)	I
123	51	12	-	95	-	5	31	32	27	-	3		
324	134	34	-	135	-	6	42	49	38	-	5		
242	220	204	-	170	-	1	25	45	99	-	15	AUTRE	J
186	117	75	-	469	-	8	59	94	308	-	8		
428	337	279	-	639	-	9	84	139	407	-	23		
1,221	1,044	750	1	703	-	8	104	177	413	1	50	TOTAL (A58)	
1,058	590	296	-	1,851	-	22	276	496	1,056	1	28		
2,279	1,634	1,046	1	2,554	-	30	380	673	1,469	2	78		
198	147	160	-	117	-	4	10	18	85	-	6	LEUCEMIES	A 59
103	53	30	-	195	-	2	24	45	124	-	2		
301	200	190	-	312	-	6	34	63	209	-	8		
												AUTRES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES.	A 60
36	23	13	-	12	-	2	3	2	5	-	1	MALADIE DE HODGKIN (201)	A
10	8	2	-	26	1	1	4	13	7	-	-		
46	31	15	-	38	1	3	7	15	12	-	1		
255	193	138	1	122	-	6	21	29	66	-	8	AUTRE	B
131	113	47	-	294	-	3	44	78	168	1	6		
386	306	185	1	416	-	9	65	107	234	1	14		
291	216	151	1	134	-	8	24	31	71	-	9	TOTAL (A60)	
141	121	49	-	320	1	4	48	91	175	1	6		
432	337	200	1	454	1	12	72	122	246	1	15		
5,323	4,855	3,536	3	3,279	1	31	539	824	1,882	2	196	TOTAL (A45-A60)	
3,992	1,991	952	6	6,198	1	78	1,087	1,641	3,387	4	120		
9,315	6,846	4,488	9	9,477	2	109	1,626	2,465	5,269	6	316		
38	34	19	1	25	-	2	6	2	15	-	4	BENIGNES ET DE NATURE NON PRECISEE	A 61
26	15	9	-	78	-	1	16	20	41	-	3		
64	49	28	1	103	-	3	22	22	56	-	7		
5,361	4,889	3,555	4	3,304	1	33	545	826	1,897	2	200	TOTAL (A45-A61)	
4,018	2,006	961	6	6,276	1	79	1,103	1,661	3,428	4	123		
9,379	6,895	4,516	10	9,580	2	112	1,648	2,487	5,325	6	323		
												III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME.	
1	-	-	-	-	-	-	-	-	-	-	-	GOITRE NON TOXIQUE	A 62
-	2	-	-	2	-	-	-	-	2	-	-		
1	2	-	-	2	-	-	-	-	2	-	-		
1	-	1	-	-	-	-	-	-	-	-	-	THYREOTOXICOSE	A 63
3	-	2	-	6	-	-	1	3	2	-	-		
4	-	3	-	6	-	-	1	3	2	-	-		
212	263	287	-	278	-	7	29	59	183	-	23	DIABETE SUCRE	A 64
161	222	185	2	977	-	2	77	215	683	-	15		
373	485	472	2	1,255	-	9	106	274	866	-	38		
12	12	17	-	20	-	-	1	2	17	-	2	ETATS DE CARENCE	A 65
8	6	8	-	60	-	-	2	6	52	-	1		
20	18	25	-	80	-	-	3	8	69	-	3		
59	45	24	-	28	-	2	4	8	14	-	2	AUTRE	A 66
41	32	12	-	91	-	3	10	22	56	-	3		
100	77	36	-	119	-	5	14	30	70	-	5		
285	320	329	-	326	-	9	34	69	214	-	27	TOTAL (A62-A66)	
213	262	207	2	1,136	-	5	90	246	795	-	19		
498	582	536	2	1,462	-	14	124	315	1,009	-	46		
												IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
17	20	46	-	29	-	1	2	-	26	-	4	ANEMIES	A 67
12	18	20	-	127	-	1	6	17	103	-	1		
29	38	66	-	156	-	2	8	17	129	-	5		

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15	SINGLE CELIBATAIRE							N.S.	MARRIED MARIE		
				TOTAL	15-24	25-44	45-64	65-74	75+	TOTAL		15-24	25-44	
A 68	OTHER .....	M 100	12	19	4	2	6	4	3	-	45	-	8	
		F 86	10	10	2	2	2	2	2	-	32	-	8	
		T 186	22	29	6	4	8	6	5	-	77	-	16	
TOTAL (A67,A68) .....		M 247	20	38	8	3	11	7	9	-	132	1	11	
		F 300	19	34	3	3	5	5	18	-	85	2	9	
		T 547	39	72	11	6	16	12	27	-	217	3	20	
V. MENTAL DISORDERS.														
A 69	PSYCHOSES .....	M 154	-	25	1	2	9	6	7	-	94	-	1	
		F 161	-	21	-	2	2	4	13	-	56	-	5	
		T 315	-	46	1	4	11	10	20	-	150	-	6	
A 70	NEUROSES AND OTHER NON- PSYCHOTIC MENTAL DISORDERS	M 595	1	171	22	57	62	20	10	-	287	-	52	
		F 210	-	31	7	11	8	2	3	-	91	-	20	
		T 805	1	202	29	68	70	22	13	-	378	-	72	
A 71	MENTAL RETARDATION .....	M 14	4	10	3	4	2	1	-	-	-	-	-	
		F 11	4	5	1	-	2	1	1	-	-	-	-	
		T 25	8	15	4	4	4	2	1	-	-	-	-	
TOTAL (A69-A71) .....		M 763	5	206	26	63	73	27	17	-	381	-	53	
		F 382	4	57	8	13	12	7	17	-	147	-	25	
		T 1,145	9	263	34	76	85	34	34	-	528	-	78	
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.														
A 72	MENINGITIS .....	M 71	27	9	-	1	6	1	1	-	29	-	5	
		F 45	23	6	3	3	-	-	-	-	8	-	1	
		T 116	50	15	3	4	6	1	1	-	37	-	6	
A 73	MULTIPLE SCLEROSIS .....	M 90	-	25	1	9	12	2	1	-	56	-	12	
		F 110	-	18	-	3	10	3	2	-	62	1	15	
		T 200	-	43	1	12	22	5	3	-	118	1	27	
A 74	EPILEPSY .....	M 147	8	83	27	31	22	2	1	-	34	2	12	
		F 94	6	38	8	14	8	5	3	-	29	7	9	
		T 241	14	121	35	45	30	7	4	-	63	9	21	
A 75	INFLAMMATORY DISEASES OF EYE	M -	-	-	-	-	-	-	-	-	-	-	-	
		F 1	-	-	-	-	-	-	-	-	1	-	-	
		T 1	-	-	-	-	-	-	-	-	1	-	-	
A 76	CATARACT .....	M 2	-	1	-	-	-	-	1	-	-	-	-	
		F 2	-	-	-	-	-	-	-	-	1	-	-	
		T 4	-	1	-	-	-	-	1	-	1	-	-	
A 77	GLAUCOMA .....	M 1	-	-	-	-	-	-	-	-	1	-	-	
		F 1	-	-	-	-	-	-	-	-	-	-	-	
		T 2	-	-	-	-	-	-	-	-	1	-	-	
A 78	OTITIS MEDIA AND MASTOIDITIS	M 5	1	2	1	1	-	-	-	-	2	-	1	
		F 5	2	-	-	-	-	-	-	-	1	-	-	
		T 10	3	2	1	1	-	-	-	-	3	-	1	
A 79	OTHER .....	M 707	87	134	38	26	24	22	24	-	411	-	20	
		F 528	51	90	13	17	14	22	23	1	189	-	5	
		T 1,235	138	224	51	43	38	44	47	1	600	-	25	
TOTAL (A72-A79) .....		M 1,023	123	254	67	68	64	27	28	-	533	2	50	
		F 786	82	152	24	37	32	30	28	1	291	8	30	
		T 1,809	205	406	91	105	96	57	56	1	824	10	80	
VII. DISEASES OF THE CIRCULATORY SYSTEM.														
A 80 ACTIVE RHEUMATIC FEVER.														
A	WITH HEART INVOLVEMENT (391,392.0)	M 17	1	2	1	1	-	-	-	-	10	-	2	
		F 11	-	-	-	-	-	-	-	-	4	-	-	
		T 28	1	2	1	1	-	-	-	-	14	-	2	
B	OTHER .....	M 1	-	-	-	-	-	-	-	-	1	-	-	
		F 5	-	1	-	1	-	-	-	-	-	-	-	
		T 6	-	1	-	1	-	-	-	-	1	-	-	
TOTAL (A80) .....		M 18	1	2	1	1	-	-	-	-	11	-	2	
		F 16	-	1	-	1	-	-	-	-	4	-	-	
		T 34	1	3	1	2	-	-	-	-	15	-	2	
A 81	CHRONIC RHEUMATIC HEART DISEASE	M 566	2	73	5	10	25	21	12	-	407	-	21	
		F 638	-	73	-	4	22	27	20	-	300	1	23	
		T 1,204	2	146	5	14	47	48	32	-	707	1	44	

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDWED AND DIVORCED EN VEUVAGE ET DIVORCE						NOT STATED NON DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A	
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.				
11	10	16	-	23	-	3	2	4	13	1	1	AUTRE .....	A 68	
7	9	8	-	33	-	-	3	6	24	-	1			
18	19	24	-	56	-	3	5	10	37	1	2			
28	30	62	-	52	-	4	4	4	39	1	5	TOTAL (A67,A68) .....		
19	27	28	-	160	-	1	9	23	127	-	2			
47	57	90	-	212	-	5	13	27	166	1	7			
V. TROUBLES MENTAUX.														
18	30	45	-	35	-	-	3	6	26	-	-	PSYCHOSES .....	A 69	
20	15	16	-	84	-	-	4	14	66	-	-			
38	45	61	-	119	-	-	7	20	92	-	-			
142	56	35	2	121	-	19	67	17	18	-	15	NEVROSES ET AUTRES TROUBLES MENTAUX NON PSYCHOTIQUES	A 70	
50	11	10	-	84	-	4	24	18	38	-	4			
192	67	45	2	205	-	23	91	35	56	-	19			
-	-	-	-	-	-	-	-	-	-	-	-	ARRIERATION MENTALE .....	A 71	
-	-	-	-	1	-	-	-	-	1	-	1			
-	-	-	-	1	-	-	-	-	1	-	1			
160	86	80	2	156	-	19	70	23	44	-	15	TOTAL (A69-A71) .....		
70	26	26	-	169	-	4	28	32	105	-	5			
230	112	106	2	325	-	23	98	55	149	-	20			
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.														
13	8	3	-	5	-	-	3	1	1	-	1	MENINGITE .....	A 72	
6	-	1	-	8	-	1	2	3	2	-	-			
19	8	4	-	13	-	1	5	4	3	-	1			
30	9	5	-	9	-	3	5	1	-	-	-	SCLEROSE EN PLAQUES .....	A 73	
34	12	-	-	29	-	7	11	7	4	-	1			
64	21	5	-	38	-	10	16	8	4	-	1			
14	3	3	-	21	-	4	5	3	9	-	1	EPILEPSIE .....	A 74	
11	2	-	-	21	1	2	3	6	9	-	-			
25	5	3	-	42	1	6	8	9	18	-	1			
-	-	-	-	-	-	-	-	-	-	-	-	MALADIES INFLAMMATOIRES .... DE L'OEIL	A 75	
-	1	-	-	-	-	-	-	-	-	-	-			
-	1	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	1	-	-	-	-	1	-	-	CATARACTE .....	A 76	
-	1	-	-	1	-	-	-	-	1	-	-			
-	1	-	-	2	-	-	-	-	2	-	-			
1	-	-	-	-	-	-	-	-	-	-	-	GLAUCOME .....	A 77	
-	-	-	-	1	-	-	-	-	1	-	-			
1	-	-	-	1	-	-	-	-	1	-	-			
-	-	1	-	-	-	-	-	-	-	-	-	OTITE MOYENNE ET MASTOIDITE	A 78	
1	-	-	-	2	-	-	-	-	1	-	-			
1	-	1	-	2	-	-	-	-	1	-	-			
116	132	142	1	70	-	1	6	20	43	-	5	AUTRE .....	A 79	
76	64	44	-	195	-	3	26	37	129	-	3			
192	196	186	1	265	-	4	32	57	172	-	8			
174	152	154	1	106	-	8	19	25	54	-	7	TOTAL (A72-A79) .....		
128	80	45	-	257	1	13	42	54	147	-	4			
302	232	199	1	363	1	21	61	79	201	-	11			
VII. MALADIES DE L'APPAREIL CIRCULATOIRE.														
RHUMATISME ARTICULAIRE AIGU.														A 80
3	4	1	-	4	-	1	-	-	3	-	-	AVEC COMPLICATION CARDIAQUE (391,392.0)	A	
3	-	1	-	7	-	1	-	2	4	-	-			
6	4	2	-	11	-	2	-	2	7	-	-			
-	1	-	-	-	-	-	-	-	-	-	-	AUTRE .....	B	
-	-	-	-	4	-	1	1	1	1	-	-			
-	1	-	-	4	-	1	1	1	1	-	-			
3	5	1	-	4	-	1	-	-	3	-	-	TOTAL (A80) .....		
3	-	1	-	11	-	2	1	3	5	-	-			
6	5	2	-	15	-	3	1	3	8	-	-			
173	140	73	-	79	-	1	19	15	43	1	5	CARDIOPATHIES RHUMATISMALES CHRONIQUES	A 81	
136	91	49	-	256	-	4	41	66	145	-	9			
309	231	122	-	335	-	5	60	81	188	1	14			

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15		SINGLE CELIBATAIRE					N. S.	MARRIED MARIE			
			TOTAL	15-24	25-44	45-64	65-74	75+	TOTAL		15-24	25-44		
A 82	HYPERTENSIVE DISEASE.													
A	WITH HEART INVCLVEMENT ... (400,1,400,9,402,404)	M 404 F 610 T 1,014	- - -	53 72 125	- - -	2 - 2	12 3 15	12 14 26	26 55 81	1 - 1	230 164 394	- - -	2 2 4	
B	OTHER .....	M 253 F 240 T 493	- - -	39 27 66	- 2 2	2 - 2	13 4 17	11 6 17	13 15 28	- - -	152 77 229	- - -	4 5 9	
	TOTAL (A82).	M 657 F 850 T 1,507	- - -	92 99 191	- 2 2	4 - 4	25 7 32	23 20 43	39 70 109	1 - 1	382 241 623	- - -	6 7 13	
A 83	ISCHAEMIC HEART DISEASE ...	M 31,180 F 20,228 T 51,408	4 1 5	3,614 1,950 5,564	12 1 13	170 23 193	1,144 202 1,346	1,060 400 1,460	1,226 1,322 2,548	2 2 4	20,966 5,896 26,862	2 3 5	626 127 753	
A 84	OTHER FORMS OF HEART DISEASE	M 2,491 F 2,207 T 4,698	20 15 35	392 261 653	24 21 45	40 12 52	98 30 128	77 44 121	152 154 306	1 - 1	1,465 584 2,049	1 3 4	75 55 130	
A 85	CEREBROVASCULAR DISEASE ...	M 7,160 F 8,362 T 15,522	17 17 34	828 874 1,702	24 14 38	25 18 43	163 72 235	236 148 384	380 620 1,000	2 - 2	4,465 2,319 6,784	4 6 10	113 121 234	
A 86	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M 2,992 F 2,746 T 5,738	3 1 4	326 320 646	4 4 8	5 4 9	43 15 58	96 29 125	178 267 445	- 1 1	1,813 531 2,344	- 1 1	30 17 47	
A 87	VENOUS THROMBOSIS AND EMBOLISM	M 616 F 611 T 1,227	1 1 2	93 73 166	4 4 8	5 3 8	31 19 50	22 15 37	31 32 63	- - -	380 232 612	2 3 5	16 22 38	
A 88	OTHER .....	M 80 F 56 T 136	1 - 1	12 7 19	3 - 3	1 1 2	1 2 3	3 - 3	4 4 8	- - -	51 14 65	1 - 1	3 - 3	
	TOTAL (A80-A88).	M 45,760 F 35,714 T 81,474	49 35 84	5,432 3,658 9,090	77 46 123	261 66 327	1,530 369 1,899	1,538 683 2,221	2,022 2,489 4,511	4 5 9	29,940 10,121 40,061	10 17 27	892 372 1,264	
VIII. DISEASES OF THE RESPIRATORY SYSTEM.														
A 89	ACUTE RESPIRATORY INFECTIONS	M 81 F 70 T 151	23 14 37	19 11 30	4 2 6	3 - 3	2 2 4	5 - 5	5 7 12	- - -	33 17 50	- - -	6 2 8	
A 90	INFLUENZA	M 150 F 179 T 329	7 3 10	33 24 57	6 1 7	2 3 5	1 3 4	8 7 15	16 10 26	- - -	66 28 94	- - -	- - -	
PNEUMONIA (A91, A92).														
A 91	VIRAL	M 30 F 49 T 79	9 13 22	5 3 8	- - -	1 2 3	1 - 1	1 - 1	2 1 3	- - -	12 17 29	- - -	3 7 10	
A 92	OTHER	M 2,584 F 2,213 T 4,797	121 88 209	437 309 746	20 13 33	35 17 52	95 35 130	77 39 116	210 204 414	- 1 1	1,226 407 1,633	- 1 1	16 21 37	
	TOTAL (A91, A92).	M 2,614 F 2,262 T 4,876	130 101 231	442 312 754	20 13 33	36 19 55	96 35 131	78 39 117	212 205 417	- 1 1	1,236 424 1,662	- 1 1	19 28 47	
A 93	BRONCHITIS, EMPHYSEMA, AND ASTHMA	M 2,044 F 700 T 2,744	16 18 34	281 77 358	11 9 20	11 6 17	76 13 89	86 22 108	97 27 124	- - -	1,228 246 1,474	- 3 3	24 21 45	
A 94	HYPERTROPHY OF TONSILS AND ADENOIDS	M 4 F - T 4	3 - 3	1 - 1	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
A 95	EMPHYEMA AND LUNG ABSCESS	M 57 F 21 T 78	2 - 2	12 2 14	- - -	2 - 2	5 - 5	3 - 5	2 2 2	- - -	33 7 40	- - -	5 1 6	
A 96	OTHER	M 1,878 F 773 T 2,651	47 28 75	276 80 356	9 4 13	20 9 29	76 21 97	76 20 96	95 26 121	- - -	1,106 261 1,367	1 - 1	20 18 38	
	TOTAL (A89-A96).	M 6,828 F 4,005 T 10,833	228 164 392	1,064 506 1,570	50 29 79	75 37 112	256 74 330	256 90 346	427 275 702	- 1 1	3,704 983 4,687	1 4 5	74 70 144	

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE			WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE					NOT STATED NON DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A	
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.	DONNES		
MALADIES HYPERTENSIVES.												A 82	
52	79	97	-	113	-	-	10	18	84	1	8	AVEC COMPLICATION CARDIAQUE	A
41	45	76	-	366	-	1	9	57	298	1	8	(400.1,400.9,402,404)	
93	124	173	-	479	-	1	19	75	382	2	16		
27	50	71	-	59	-	-	9	5	45	-	3	AUTRE .....	B
16	24	32	-	134	-	-	7	24	103	-	2		
43	74	103	-	193	-	-	16	29	148	-	5		
79	129	168	-	172	-	-	19	23	129	1	11	TOTAL (A82).	
57	69	108	-	500	-	1	16	81	401	1	10		
136	198	276	-	672	-	1	35	104	530	2	21		
7,489	6,605	6,216	28	6,227	-	55	817	1,246	4,103	6	369	MALADIES ISCHEMIQUES DU ...	A 83
1,653	2,119	1,988	6	12,227	-	23	594	1,997	9,604	9	154	COEUR	
9,142	8,724	8,204	34	18,454	-	78	1,411	3,243	13,707	15	523		
363	417	609	-	578	-	6	44	93	434	1	36	AUTRES FORMES DES ...	A 84
166	157	203	-	1,325	-	3	63	173	1,085	1	22	CARDIOPATHIES	
529	574	812	-	1,903	-	9	107	266	1,519	2	58		
853	1,356	2,139	-	1,755	-	15	109	260	1,370	1	95	MALADIES CEREBRO-VASCULAIRES	A 85
599	651	941	1	5,088	1	15	192	626	4,251	3	64		
1,452	2,007	3,080	1	6,843	1	30	301	886	5,621	4	159		
345	569	868	1	817	-	1	37	113	666	-	33	MALADIES DES ARTERES, ...	A 86
104	142	267	-	1,884	-	1	44	153	1,686	-	10	ARTERIOLES, ET	
449	711	1,135	1	2,701	-	2	81	266	2,352	-	43	CAPILLAIRES	
112	127	123	-	135	-	3	16	35	81	-	7	EMBOLIES ET THROMBOSES ...	A 87
79	70	58	-	300	1	3	18	63	215	-	5	VEINEUSES	
191	197	181	-	435	1	6	34	98	296	-	12		
18	16	13	-	15	-	-	2	-	13	-	1	AUTRE .....	A 88
7	5	2	-	34	-	-	1	7	26	-	1		
25	21	15	-	49	-	-	3	7	39	-	2		
9,435	9,364	10,210	29	9,782	-	82	1,063	1,785	6,842	10	557	TOTAL (A80-A88).	
2,804	3,304	3,617	7	21,625	2	52	970	3,169	17,418	14	275		
12,239	12,668	13,827	36	31,407	2	134	2,033	4,954	24,260	24	832		
VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.													
6	10	11	-	6	-	-	-	-	6	-	-	AFFECTIONS AIGUES DES VOIES	A 89
5	4	6	-	28	-	-	3	5	20	-	-	RESPIRATOIRES	
11	14	17	-	34	-	-	3	5	26	-	-		
3	13	50	-	44	-	-	1	4	39	-	-	GRIPPE .....	A 90
2	9	17	-	124	-	1	2	10	111	-	-		
5	22	67	-	168	-	1	3	14	150	-	-		
PNEUMONIE (A91, A92).													
2	3	4	-	4	-	-	1	-	3	-	-	VIRALE .....	A 91
8	-	2	-	16	-	-	1	2	13	-	-		
10	3	6	-	20	-	-	2	2	16	-	-		
191	299	718	2	768	-	12	47	80	629	-	32	AUTRE .....	A 92
116	78	190	1	1,393	-	6	35	127	1,225	-	16		
307	377	908	3	2,161	-	18	82	207	1,854	-	48		
193	302	722	2	772	-	12	48	80	632	-	32	TOTAL (A91, A92).	
124	78	192	1	1,409	-	6	36	129	1,238	-	16		
317	380	914	3	2,181	-	18	84	209	1,870	-	48		
276	485	441	2	493	-	5	51	116	321	-	26	BRONCHITE, EMPHYSEME, ET ...	A 93
108	64	50	-	352	-	1	52	101	198	-	7	ASTHME	
384	549	491	2	845	-	6	103	217	519	-	33		
-	-	-	-	-	-	-	-	-	-	-	-	HYPERTROPHIE DES AMYGDALES	A 94
-	-	-	-	-	-	-	-	-	-	-	-	ET DES VEGETATIONS	
-	-	-	-	-	-	-	-	-	-	-	-	ADENOIDES	
11	10	7	-	9	-	-	3	1	5	-	1	PLEURESIE PURULENTE ET ABCES	A 95
3	2	1	-	12	-	-	2	4	6	-	-	DU POUMON	
14	12	8	-	21	-	-	5	5	11	-	1		
238	404	441	2	434	-	1	52	99	282	-	15	AUTRE .....	A 96
106	78	59	-	403	-	3	37	103	260	-	1		
344	482	500	2	837	-	4	89	202	542	-	16		
727	1,224	1,672	6	1,758	-	18	155	300	1,285	-	74	TOTAL (A89-A96).	
348	235	325	1	2,328	-	11	132	352	1,833	-	24		
1,075	1,459	1,997	7	4,086	-	29	287	652	3,118	-	98		

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TCTAL	UNDER 15 MDINS DE 15	SINGLE CELIBATAIRE						N.S.	TOTAL	MARRIED MARIE	
				TOTAL	15-24	25-44	45-64	65-74	75+			TOTAL	15-24
IX. DISEASES OF THE DIGESTIVE SYSTEM.													
A 97	DISEASES OF TEETH AND SUPPORTING STRUCTURES	M 2 F 3 T 5	- 1 1	1 1 2	- 1 1	1 - 1	- - -	- - -	- - -	- - -	1 1 2	- - -	- 1 1
A 98	PEPTIC ULCER	M 428 F 229 T 657	1 1 2	87 16 103	3 - 3	5 - 5	23 3 26	27 8 35	29 5 34	- - -	228 80 308	- - -	10 6 16
A 99	GASTRITIS AND DUODENITIS	M 31 F 15 T 46	2 - 2	5 1 6	- - -	2 - 2	2 - 2	- - -	1 1 2	- - -	15 3 18	- - -	1 - 1
A 100	APPENDICITIS	M 38 F 15 T 53	- 1 1	9 2 11	4 1 5	2 1 3	1 - 1	1 - 1	1 - 1	- - -	23 6 29	- - -	- 1 1
A 101	INTESTINAL OBSTRUCTION AND HERNIA	M 279 F 296 T 575	34 22 56	60 34 94	3 2 5	8 2 10	12 3 15	19 3 22	18 24 42	- - -	120 65 185	- - -	3 4 7
A 102	CIRRHOSIS OF LIVER	M 1,924 F 838 T 2,762	14 6 20	342 72 414	3 1 4	83 14 97	179 32 211	58 17 75	19 8 27	- - -	1,183 467 1,650	2 1 3	126 62 188
A 103	CHOLELITHIASIS AND CHOLECYSTITIS	M 178 F 186 T 364	- 1 1	16 21 37	- - -	2 - 2	4 5 9	1 6 7	9 10 19	- - -	116 63 179	- 1 1	- 5 5
A 104	OTHER	M 862 F 806 T 1,668	16 23 39	157 85 242	8 3 11	17 7 24	49 15 64	35 20 55	48 40 88	- - -	504 293 797	- 2 2	40 26 66
	TOTAL (A97-A104)	M 3,742 F 2,388 T 6,130	67 55 122	677 232 909	21 8 29	120 24 144	270 58 328	141 54 195	125 88 213	- - -	2,190 978 3,168	2 4 6	180 105 285
X. DISEASES OF THE GENITO-URINARY SYSTEM.													
A 105	ACUTE NEPHRITIS	M 45 F 27 T 72	- 2 2	5 1 6	1 - 1	- - -	- - -	2 - 2	2 1 3	- - -	29 9 38	- - -	- 1 1
A 106	OTHER NEPHRITIS AND NEPHROSIS	M 289 F 221 T 510	2 3 5	51 23 74	3 4 7	11 4 15	11 - 11	16 5 21	10 10 20	- - -	186 82 268	- 1 1	13 10 23
A 107	INFECTIONS OF KIDNEY	M 141 F 156 T 297	1 2 3	28 22 50	1 - 1	3 1 4	9 2 11	2 6 8	13 13 26	- - -	72 49 121	- 1 1	2 4 6
A 108	CALCULUS	M 32 F 17 T 49	- - -	8 4 12	- - -	2 - 2	2 1 3	1 1 2	3 - 5	- - -	17 5 22	- - -	- - -
A 109	HYPERPLASIA OF PROSTATE	M 114	-	14	-	-	-	4	10	-	51	-	-
A 110	BREAST	M - F - T -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 111	OTHER	M 527 F 407 T 934	1 2 3	85 39 124	4 6 10	10 4 14	18 2 20	22 10 32	31 17 48	- - -	268 119 387	- - -	5 14 19
	TOTAL (A105-A111)	M 1,148 F 828 T 1,976	4 9 13	191 89 280	9 10 19	26 9 35	40 5 45	47 22 69	69 43 112	- - -	623 264 887	- 2 2	20 29 49
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.													
A 112	TOXAEMIAS	F 3	-	-	-	-	-	-	-	-	2	1	1
A 113	HAEMORRHAGE	F 1	-	1	-	-	-	-	-	1	-	-	-
A 114	ABORTION INDUCED FOR LEGAL INDICATIONS	F -	-	-	-	-	-	-	-	-	-	-	-
A 115	OTHER AND UNSPECIFIED ABORTION	F 1	-	-	-	-	-	-	-	-	1	-	1
A 116	SEPSIS	F 3	-	-	-	-	-	-	-	-	3	-	3
A 117	OTHER COMPLICATIONS	F 10	-	2	2	-	-	-	-	-	8	1	6

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE					NOT STATED NCN		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A	
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.			DONNES
IX. MALADIES DE L'APPAREIL DIGESTIF.													
1	-	-	-	-	-	-	-	-	-	-	-	MALADIES DES DENTS ET DU ... PARODONTE	A 97
68	62	88	-	104	-	1	13	19	71	-	8	ULCERE DE L'ESTOMAC ET DU DUODENUM	A 98
26	24	24	-	131	-	-	11	17	103	-	1		
94	86	112	-	235	-	1	24	36	174	-	9		
8	2	4	-	9	-	-	1	4	4	-	-	GASTRITE ET DUODENITE .....	A 99
1	1	1	-	11	-	-	-	-	11	-	-		
9	3	5	-	20	-	-	1	4	15	-	-		
12	6	5	-	6	-	1	-	1	4	-	-	APPENDICITE .....	A 100
3	1	1	-	6	-	-	-	3	3	-	-		
15	7	6	-	12	-	1	-	4	7	-	-		
17	35	65	-	63	-	-	2	9	52	-	2	OCCLUSION INTESTINALE ET ... HERNIE	A 101
26	13	22	-	172	-	-	7	29	136	-	3		
43	48	87	-	235	-	-	9	38	188	-	5		
699	263	93	-	357	-	30	206	76	45	-	28	CIRRHOSE DU FOIE .....	A 102
281	89	33	1	284	-	17	108	87	72	-	9		
980	352	126	1	641	-	47	314	163	117	-	37		
23	37	56	-	45	-	1	-	4	40	-	1	LITHIASE BILIAIRE ET .....	A 103
16	19	22	-	100	-	-	4	11	85	-	1	CHOLECYSTITIS	
39	56	78	-	145	-	1	4	15	125	-	2		
185	138	140	1	175	-	4	35	40	96	-	10	AUTRE .....	A 104
110	83	72	-	396	-	3	30	80	283	-	9		
295	221	212	1	571	-	7	65	120	379	-	19		
1,013	543	451	1	759	-	37	257	153	312	-	49	TOTAL (A97-A104). ....	
463	230	175	1	1,100	-	20	160	227	693	-	23		
1,476	773	626	2	1,859	-	57	417	380	1,005	-	72		
X. MALADIES DES ORGANES GENITO-URINAIRES.													
7	9	13	-	11	-	-	-	2	9	-	-	NEPHRITE AIGUE .....	A 105
4	3	1	-	15	-	-	1	1	13	-	-		
11	12	14	-	26	-	-	1	3	22	-	-		
57	55	61	-	49	-	-	5	4	40	-	1	AUTRES FORMES DE NEPHRITE ET NEPHROSE	A 106
38	20	13	-	113	-	-	13	22	78	-	-		
95	75	74	-	162	-	-	18	26	118	-	1		
8	28	34	-	40	-	-	1	9	30	-	-	INFECTIONS RENALES .....	A 107
10	16	18	-	82	-	1	7	19	55	-	1		
18	44	52	-	122	-	1	8	28	85	-	1		
2	4	11	-	6	-	-	-	-	6	-	1	CALCULS .....	A 108
-	5	-	-	8	-	-	1	-	7	-	-		
2	9	11	-	14	-	-	1	-	13	-	1		
2	9	40	-	48	-	-	-	3	45	-	1	HYPERTROPHIE DE LA PROSTATE	A 109
-	-	-	-	-	-	-	-	-	-	-	-	SEIN .....	A 110
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
51	66	146	-	164	-	-	7	19	138	-	9	AUTRE .....	A 111
27	41	37	-	241	-	2	13	39	187	-	6		
78	107	183	-	405	-	2	20	58	325	-	15		
127	171	305	-	318	-	-	13	37	268	-	12	TOTAL (A105-A111). ....	
79	85	69	-	459	-	3	35	81	340	-	7		
206	256	374	-	777	-	3	46	118	608	-	19		
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES.													
-	-	-	-	1	-	1	-	-	-	-	-	TOXEMIES .....	A 112
-	-	-	-	-	-	-	-	-	-	-	-	HEMORRAGIE .....	A 113
-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS PROVOQUES POUR RAISONS LEGALES	A 114
-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS AUTRES OU SANS PRECISION	A 115
-	-	-	-	-	-	-	-	-	-	-	-	INFECTIONS .....	A 116
1	-	-	-	-	-	-	-	-	-	-	-	AUTRES COMPLICATIONS .....	A 117





TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15		SINGLE CELIBATAIRE						MARRIED MARIE		
			TOTAL	15-24	25-44	45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	
A 134	ANOXIC AND HYPOXIC .....	M 533	533	-	-	-	-	-	-	-	-	-	-
	CONDITIONS NOT ELSEWHERE	F 351	351	-	-	-	-	-	-	-	-	-	-
	CLASSIFIED	T 884	884	-	-	-	-	-	-	-	-	-	-
A 135	OTHER .....	M 349	349	-	-	-	-	-	-	-	-	-	-
		F 301	301	-	-	-	-	-	-	-	-	-	-
		T 650	650	-	-	-	-	-	-	-	-	-	-
TOTAL (A131-A135) .....		M 1,122	1,122	-	-	-	-	-	-	-	-	-	-
		F 834	834	-	-	-	-	-	-	-	-	-	-
		T 1,956	1,956	-	-	-	-	-	-	-	-	-	-
XVI. SYMPTOMS AND ILL- DEFINED CONDITIONS.													
A 136	SENILITY WITHOUT MENTION OF PSYCHOSIS	M 108	-	16	-	-	-	1	15	-	41	-	-
		F 160	-	20	-	-	-	-	20	-	25	-	-
		T 268	-	36	-	-	-	1	35	-	66	-	-
A 137	SYMPTOMS AND OTHER ILL- DEFINED CONDITIONS	M 1,151	335	219	39	41	62	35	42	-	406	4	47
		F 782	241	89	15	13	17	16	28	-	165	3	31
		T 1,933	576	308	54	54	79	51	70	-	571	7	78
TOTAL (A136,A137) .....		M 1,259	335	235	39	41	62	36	57	-	447	4	47
		F 942	241	109	15	13	17	16	48	-	190	3	31
		T 2,201	576	344	54	54	79	52	105	-	637	7	78
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE. EXVII. EXTERNAL CAUSE.													
ACCIDENTS (AE138-AE146).													
AE 138 MOTOR VEHICLE ACCIDENTS.													
A	TRAFFIC (E810-E819) .....	M 3,767	335	1,884	1,444	325	70	32	13	-	1,292	127	572
		F 1,400	206	434	347	44	21	13	8	1	538	52	207
		T 5,167	541	2,318	1,791	369	91	45	21	1	1,830	179	779
B	NON-TRAFFIC (E820-E823)	M 64	11	19	14	3	2	-	-	-	30	5	14
		F 24	10	5	4	1	-	-	-	-	8	-	3
		T 88	21	24	18	4	2	-	-	-	38	5	17
TOTAL (AE138) .....		M 3,831	346	1,903	1,458	328	72	32	13	-	1,322	132	586
		F 1,424	216	439	351	45	21	13	8	1	546	52	210
		T 5,255	562	2,342	1,809	373	93	45	21	1	1,868	184	796
AE 139 OTHER TRANSPORT ACCIDENTS.													
A	DROWNINGS INVOLVING .....	M 181	16	90	60	24	5	1	-	-	62	6	29
	SMALL BOATS (E830.0, E832.0)	F 13	3	6	5	1	-	-	-	-	4	1	2
		T 194	19	96	65	25	5	1	-	-	66	7	31
B	DROWNINGS INVOLVING OTHER WATERCRAFT (E830.1- E830.9,E832.1-E832.9)	M 23	3	9	2	2	4	1	-	-	11	-	2
		F 5	-	3	-	2	1	-	-	-	1	-	1
		T 28	3	12	2	4	5	1	-	-	12	-	3
C	OTHER TRANSPORT .....	M 245	12	83	56	20	5	2	-	-	130	5	70
		F 44	5	15	10	2	1	-	2	-	16	1	9
		T 289	17	98	66	22	6	2	2	-	146	6	79
TOTAL (AE139) .....		M 449	31	182	118	46	14	4	-	-	203	11	101
		F 62	8	24	15	5	2	-	2	-	21	2	12
		T 511	39	206	133	51	16	4	2	-	224	13	113
AE 140	ACCIDENTAL POISONING .....	M 371	10	165	66	67	28	2	2	-	145	2	70
		F 216	9	61	34	17	8	1	1	-	90	6	35
		T 587	19	226	100	84	36	3	3	-	235	8	105
AE 141	ACCIDENTAL FALLS .....	M 984	32	204	57	30	42	23	52	-	459	4	64
		F 829	17	110	7	6	6	11	78	2	166	-	6
		T 1,813	49	314	64	36	48	34	130	2	625	4	70
AE 142	ACCIDENTS CAUSED BY FIRES	M 438	72	163	61	45	28	19	10	-	148	10	49
		F 248	71	48	19	12	5	6	6	-	71	9	22
		T 686	143	211	80	57	33	25	16	-	219	19	71
AE 143	ACCIDENTAL DROWNING .....	M 503	122	202	130	47	19	5	1	-	147	14	58
		F 118	60	19	12	6	-	-	1	-	21	2	10
		T 621	182	221	142	53	19	5	2	-	168	16	68
AE 144	ACCIDENT CAUSED BY FIREARM MISSILES	M 86	21	35	29	6	-	-	-	-	26	2	15
		F 14	9	3	3	-	-	-	-	-	1	-	1
		T 100	30	38	32	6	-	-	-	-	27	2	16
AE 145	ACCIDENTS MAINLY OF INDUSTRIAL TYPE	M 559	48	170	112	34	19	1	4	-	312	24	149
		F 57	18	7	3	1	2	-	1	-	28	5	10
		T 616	66	177	115	35	21	1	5	-	340	29	159

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE						NOT STATED NCN DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.			
-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS ANOXEMIQUES ET HYPOXEMIQUES, NON CLASSEES AILLEURS	A 134
-	-	-	-	-	-	-	-	-	-	-	-	AUTRE .....	A 135
-	-	-	-	-	-	-	-	-	-	-	-	TOTAL (A131-A135). ....	
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.													
-	3	38	-	50	-	-	-	1	49	-	1	SENILITE, SANS MENTION DE PSYCHOSE	A 136
-	1	24	-	115	-	-	-	2	113	-	-		
-	4	62	-	165	-	-	-	3	162	-	1		
140	92	122	1	148	-	5	26	25	92	-	43	SYMPTOMES ET AUTRES ETATS . MORBIDES MAL DEFINIS	A 137
55	40	36	-	276	1	5	27	33	210	-	11		
195	132	158	1	424	1	10	53	58	302	-	54		
140	95	160	1	198	-	5	26	26	141	-	44	TOTAL (A136,A137). ....	
55	41	60	-	391	1	5	27	35	323	-	11		
195	136	220	1	589	1	10	53	61	464	-	55		
XVII. ACCIDENTS, EMPOISON- NEMENTS ET TRAUMATISMES. EXVII. CAUSE EXTERIEURE.													
ACCIDENTS (AE138-AE146).													
ACCIDENTS DE VEHICULE A MOTEUR. A E 138													
380	143	69	1	201	5	55	71	39	31	-	55	DE LA CIRCULATION (E810- E819)	A
203	51	21	4	212	4	44	68	49	47	-	10		
583	194	90	5	413	9	99	139	88	78	-	65		
7	4	-	-	4	-	1	1	-	2	-	-	HORS DE LA VOIE PUBLIQUE (E820-E823)	B
3	1	1	-	1	-	-	-	-	1	-	-		
10	5	1	-	5	-	1	1	-	3	-	-		
387	147	69	1	205	5	56	72	39	33	-	55	TOTAL (AE138). ....	
206	52	22	4	213	4	44	68	49	48	-	10		
593	199	91	5	418	9	100	140	88	81	-	65		
AUTRES ACCIDENTS DE TRANSPORT A E 139													
21	5	1	-	10	-	4	2	4	-	-	3	SUBMERSION D'UN OCCUPANT D'UNE PETITE EMBARCATION (E830.0,E832.0)	A
1	-	-	-	-	-	-	-	-	-	-	-		
22	5	1	-	10	-	4	2	4	-	-	3		
9	-	-	-	-	-	-	-	-	-	-	-	SUBMERSION DE TOUTE AUTRE EMBARCATION (E830.1- E830.9,E832.1-E832.9)	B
-	-	-	-	1	-	-	1	-	-	-	-		
9	-	-	-	1	-	-	1	-	-	-	-		
49	4	2	-	16	-	6	5	1	4	-	4	AUTRE .....	C
3	1	2	-	8	1	3	2	1	1	-	-		
52	5	4	-	24	1	9	7	2	5	-	4		
79	9	3	-	26	-	10	7	5	4	-	7	TOTAL (AE139). ....	
4	1	2	-	9	1	3	3	1	1	-	-		
83	10	5	-	35	1	13	10	6	5	-	7		
58	6	9	-	44	-	13	25	4	2	-	7	EMPOISONNEMENTS ACCIDENTELS	AE 140
46	3	-	-	55	-	18	27	5	5	-	1		
104	9	9	-	99	-	31	52	9	7	-	8		
122	84	184	1	279	-	8	44	24	203	-	10	CHUTES ACCIDENTELLES .....	AE 141
43	42	75	-	533	-	3	14	42	474	-	3		
165	126	259	1	812	-	11	58	66	677	-	13		
56	12	20	1	51	-	11	19	9	12	-	4	ACCIDENTS CAUSES PAR .....	AE 142
24	10	6	-	57	2	5	13	15	22	-	1	L'INCENDIE OU LE FEU	
80	22	26	1	108	2	16	32	24	34	-	5		
61	9	5	-	19	1	4	8	2	4	-	13	NOYADE ACCIDENTELLE .....	AE 143
6	2	1	-	16	-	4	3	2	7	-	2		
67	11	6	-	35	1	8	11	4	11	-	15		
8	1	-	-	4	-	1	3	-	-	-	-	ACCIDENTS CAUSES PAR .....	AE 144
-	-	-	-	1	-	1	-	-	-	-	-	PROJECTILES D'ARMES A FEU	
8	1	-	-	5	-	2	3	-	-	-	-		
107	27	5	-	26	1	12	5	2	5	1	3	ACCIDENTS SURVENANT .....	AE 145
9	3	1	-	4	1	-	1	2	-	-	-	PRINCIPALEMENT DANS L'INDUSTRIE	
116	30	6	-	30	2	12	6	4	5	1	3		

TABLE 18. DEATHS BY CAUSE, MARITAL STATUS, AGE AND SEX, CANADA, 1977

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	UNDER 15 MOINS DE 15		SINGLE CELIBATAIRE					MARRIED MARIE			
			TOTAL	15-24	25-44	45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	
AE 146 ALL OTHER ACCIDENTS .....	M	664	109	216	78	56	51	21	10	-	254	7	60
	F	329	80	58	15	9	16	12	6	-	101	2	21
	T	993	189	274	93	65	67	33	16	-	355	9	81
TOTAL (AE138-AE146). ....	M	7,885	791	3,240	2,109	659	273	107	92	-	3,016	206	1,152
	F	3,297	488	769	459	101	60	43	103	3	1,045	78	327
	T	11,182	1,279	4,009	2,568	760	333	150	195	3	4,061	284	1,479
AE 147 SUICIDE .....	M	2,459	25	1,056	575	345	91	30	13	2	1,109	77	447
	F	858	8	238	113	79	36	6	3	1	433	16	177
	T	3,317	33	1,294	688	424	127	36	16	3	1,542	93	624
AE 148 HOMICIDE; LEGAL INTERVENTION .....	M	409	32	191	83	67	33	4	3	1	135	10	69
	F	198	21	56	35	16	3	-	2	-	85	5	48
	T	607	53	247	118	83	36	4	5	1	220	15	117
AE 149 INJURY UNDETERMINED IF ACCIDENTALLY OR PURPOSELY INFLICTED .....	M	611	27	266	127	98	28	8	5	-	235	17	98
	F	282	14	78	29	26	17	3	3	-	135	11	46
	T	893	41	344	156	124	45	11	8	-	370	28	144
AE 150 WAR INJURIES .....	M	2	-	1	-	-	1	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
	T	2	-	1	-	-	1	-	-	-	1	-	-
TOTAL (AE138-AE150).	M	11,366	875	4,754	2,894	1,169	426	149	113	3	4,496	310	1,766
	F	4,635	531	1,141	636	222	116	52	111	4	1,698	110	598
	T	16,001	1,406	5,895	3,530	1,391	542	201	224	7	6,194	420	2,364
NXVII. NATURE OF INJURY.													
AN 138 FRACTURE OF SKULL .....	M	1,845	173	854	595	178	53	20	8	-	669	63	287
	F	609	127	194	141	25	10	10	7	1	204	15	79
	T	2,454	300	1,048	736	203	63	30	15	1	873	78	366
AN 139 FRACTURE OF SPINE AND TRUNK .....	M	455	24	192	129	31	16	5	11	-	191	14	56
	F	218	17	54	36	7	2	1	7	1	72	6	23
	T	673	41	246	165	38	18	6	18	1	263	20	79
AN 140 FRACTURE OF LIMBS .....	M	444	6	85	30	6	5	8	36	-	191	2	8
	F	590	1	82	3	1	3	10	65	-	101	2	1
	T	1,034	7	167	33	7	8	18	101	-	292	4	9
AN 141 DISLOCATION WITHOUT FRACTURE .....	M	8	2	2	1	-	-	1	-	-	4	-	2
	F	2	-	1	-	1	-	-	-	-	1	-	-
	T	10	2	3	1	1	-	1	-	-	5	-	2
AN 142 SPRAINS AND STRAINS .....	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-
AN 143 INTRACRANIAL INJURY EXCLUDING SKULL FRACTURE .....	M	1,790	123	746	474	175	67	19	11	-	725	54	299
	F	505	68	139	97	19	13	2	8	-	185	17	67
	T	2,295	191	885	571	194	80	21	19	-	910	71	366
AN 144 INTERNAL INJURY .....	M	2,561	147	1,161	806	252	70	22	11	-	1,037	74	460
	F	787	60	211	147	32	17	9	5	1	354	35	143
	T	3,348	207	1,372	953	284	87	31	16	1	1,391	109	603
AN 145 OPEN WOUNDS .....	M	251	13	114	64	30	12	4	2	2	91	9	40
	F	53	7	17	11	4	1	-	1	-	20	-	12
	T	304	20	131	75	34	13	4	3	2	111	9	52
AN 146 SUPERFICIAL INJURY, CONTUSION, AND CRUSHING WITH INTACT SKIN SURFACE .....	M	8	-	3	2	1	-	-	-	-	2	-	-
	F	9	-	-	-	-	-	-	-	-	4	-	-
	T	17	-	3	2	1	-	-	-	-	6	-	-
AN 147 FOREIGN BODY ENTERING THROUGH ORIFICE .....	M	262	47	79	17	25	23	9	5	-	99	-	16
	F	165	47	35	6	6	10	9	4	-	43	-	5
	T	427	94	114	23	31	33	18	9	-	142	-	21
AN 148 BURN .....	M	351	36	137	62	31	23	9	12	-	140	9	45
	F	167	47	24	7	7	3	2	5	-	63	8	16
	T	518	83	161	69	38	26	11	17	-	203	17	61
AN 149 EFFECTS OF CHEMICAL SUBSTANCES .....	M	1,368	65	530	222	205	73	20	10	-	587	30	251
	F	956	49	249	115	80	42	6	5	1	436	17	176
	T	2,324	114	779	337	285	115	26	15	1	1,023	47	427
AN 150 OTHER .....	M	2,023	239	851	492	235	84	32	7	1	760	55	302
	F	574	108	135	73	40	15	3	4	-	215	10	76
	T	2,597	347	986	565	275	99	35	11	1	975	65	378
TOTAL (AN138-AN150).	M	11,366	875	4,754	2,894	1,169	426	149	113	3	4,496	310	1,766
	F	4,635	531	1,141	636	222	116	52	111	4	1,698	110	598
	T	16,001	1,406	5,895	3,530	1,391	542	201	224	7	6,194	420	2,364
ALL CAUSES. ....	M	96,872	3,890	15,489	3,438	2,051	3,556	2,946	3,488	10	58,349	363	3,826
	F	70,626	2,898	8,037	945	571	1,256	1,510	3,741	14	23,610	205	2,142
	T	167,498	6,788	23,526	4,383	2,622	4,812	4,456	7,229	24	81,959	568	5,968

NOTE: TABLE UNADJUSTED FOR THE DIFFERENCE OF TWO INFANT DEATHS.

TABLEAU 18. DECES SELON LA CAUSE, L'ETAT MATRIMONIAL, L'AGE ET LE SEXE, CANADA, 1977

MARRIED MARIE				WIDOWED AND DIVORCED EN VEUVAGE ET DIVORCE							NOT STATED NON DONNES		CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
45-64	65-74	75+	N.S.	TOTAL	15-24	25-44	45-64	65-74	75+	N.S.				
108	48	31	-	74	-	7	26	15	26	-	11	TOUTES AUTRES CAUSES	AE 146	
49	19	10	-	88	-	4	16	15	52	1	2	ACCIDENTELLES		
157	67	41	-	162	-	11	42	30	78	1	13			
986	343	326	3	728	7	122	209	100	289	1	110	TOTAL (AE138-AE146).	.....	
387	132	117	4	976	8	82	145	131	609	1	19			
1,373	475	443	7	1,704	15	204	354	231	898	2	129			
456	98	29	2	240	4	79	86	44	27	-	29	SUICIDE	AE 147	
210	25	4	1	172	3	44	72	38	15	-	7			
666	123	33	3	412	7	123	158	82	42	-	36			
46	9	1	-	40	-	20	15	3	2	-	11	HOMICIDE; INTERVENTION DE LA	AE 148	
26	3	3	-	34	3	14	7	6	4	-	2	FORCE PUBLIQUE		
72	12	4	-	74	3	34	22	9	6	-	13			
90	21	9	-	66	-	21	24	12	9	-	17	LESIONS CAUSEES D'UNE	AE 149	
63	11	4	-	53	1	12	23	10	7	-	2	MANIERE INDETERMINEE		
153	32	13	-	119	1	33	47	22	16	-	19	QUANT A L'INTENTION		
-	-	1	-	-	-	-	-	-	-	-	-	BLESSURES DE GUERRE	AE 150	
-	-	-	-	-	-	-	-	-	-	-	-			
-	-	1	-	-	-	-	-	-	-	-	-			
1,578	471	366	5	1,074	11	242	334	159	327	1	167	TOTAL (AE138-AE150).		
686	171	128	5	1,235	15	152	247	185	635	1	30			
2,264	642	494	10	2,309	26	394	581	344	962	2	197			
NXVII. NATURE.														
230	46	42	1	115	2	26	45	22	20	-	34	FRACTURES DU CRANE	AN 138	
78	20	10	2	75	-	20	20	17	22	-	5			
308	66	52	3	194	2	46	65	39	42	-	39			
54	36	31	-	45	1	7	9	6	22	-	3	FRACTURES DE LA COLONNE	AN 139	
22	9	12	-	74	-	4	10	10	50	-	1	VERTEBRALE ET DU TRONC		
76	45	43	-	119	1	11	19	16	72	-	4			
24	30	127	-	157	-	-	2	8	147	-	5	FRACTURES DES MEMBRES	AN 140	
12	26	60	-	405	-	-	3	25	377	-	1			
36	56	187	-	562	-	-	5	33	524	-	6			
1	1	-	-	-	-	-	-	-	-	-	-	LUXATIONS SANS FRACTURE	AN 141	
-	1	-	-	-	-	-	-	-	-	-	-			
1	2	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	ENTORSES ET FOULURES	AN 142	
-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-			
252	69	51	-	180	4	44	63	24	45	-	16	TRAUMATISMES INTERCRANIENS	AN 143	
71	17	12	1	109	2	12	22	23	50	-	4	SAUF FRACTURES DU CRANE		
323	86	63	1	289	6	56	85	47	95	-	20			
338	128	35	2	177	3	59	63	25	26	1	39	TRAUMATISMES INTERNES	AN 144	
132	30	13	1	156	7	38	51	26	34	-	6			
470	158	48	3	333	10	97	114	51	60	1	45			
30	9	3	-	25	-	8	9	3	5	-	8	DECHIRURES ET PLAIES	AN 145	
6	1	1	-	9	-	3	3	1	2	-	-			
36	10	4	-	34	-	11	12	4	7	-	8			
1	-	1	-	3	-	-	1	-	2	-	-	TRAUMATISMES SUPERFICIELS,	AN 146	
2	-	2	-	5	-	-	1	-	4	-	-	CONTUSIONS, ET ECRASEMENTS		
3	-	3	-	8	-	-	2	-	6	-	-	SANS PLAIES		
46	24	13	-	36	-	2	14	6	14	-	1	CORPS ETRANGER PENETRANT ...	AN 147	
26	10	2	-	40	-	1	8	4	27	-	-	PAR UN ORIFICE NATUREL		
72	34	15	-	76	-	3	22	10	41	-	1			
53	14	19	-	31	-	5	9	8	9	-	7	BRULURES	AN 148	
24	10	5	-	33	1	2	9	6	15	-	-			
77	24	24	-	64	1	7	18	14	24	-	7			
251	39	14	2	170	-	55	77	24	14	-	16	EFFETS DES SUBSTANCES	AN 149	
209	27	7	-	216	3	54	93	45	21	-	6	CHIMIQUES		
460	66	21	2	386	3	109	170	69	35	-	22			
298	75	30	-	135	1	36	42	33	23	-	38	AUTRE	AN 150	
104	20	4	1	109	2	18	27	28	33	1	7			
402	95	34	1	244	3	54	69	61	56	1	45			
1,578	471	366	5	1,074	11	242	334	159	327	1	167	TOTAL (AN138-AN150).		
686	171	128	5	1,235	15	152	247	185	635	1	30			
2,264	642	494	10	2,309	26	394	581	344	962	2	197			
19,161	17,469	17,479	51	17,975	12	461	2,538	3,426	11,524	14	1,169	TOUTES LES CAUSES.		
9,000	6,540	5,701	22	35,551	20	350	2,894	6,155	26,112	20	530			
28,161	24,009	23,180	73	53,526	32	811	5,432	9,581	37,636	34	1,699			

NOTA: TABLEAU NON AJUSTE POUR LA DIFFERENCE DE DEUX DECES INFANTILES.

TABLE 19. Standardized Death Rates, 1974,<sup>1</sup> for Selected Countries, by Sex (Per 100,000 Population)  
TABLEAU 19. Taux comparatifs de mortalité, 1974<sup>1</sup>, pour certains pays, selon le sexe (pour 100,000 habitants)

Country - Pays	A45 - A60		A83		A85		AE138 - AE146		AE147	
	Malignant neoplasms — Tumeurs malignes	Rank — Rang	Ischaemic heart disease — Maladies ischémiques du coeur	Rank — Rang	Cerebrovascular disease — Maladies cérébrovasculaires	Rank — Rang	Accidents	Rank — Rang	Suicide	Rank — Rang
Male - Masculin										
Australia - Australie . . . . .	171.67	8	314.94	15	107.02	13	68.11	11	15.23	8
Austria <sup>2</sup> - Autriche <sup>2</sup> . . . . .	196.64	12	193.91	8	113.37	14	85.11	15	30.69	16
Canada . . . . .	164.62	5	276.07	12	68.44	5	78.01	14	17.58	11
England and Wales - Angleterre et Pays de Galles . . . . .	196.92	13	262.84	11	91.18	7	33.15	1	8.09	4
France . . . . .	201.51	14	79.86	3	94.09	8	76.41	13	19.46	13
Germany (Federal Republic of) - République fédérale d'Allemagne . . . . .	189.23	11	178.04	6	105.30	12	60.19	8	23.98	15
Israel - Israël . . . . .	138.88	2	249.72	9	94.43	9	52.27	5	6.87	3
Italy - Italie . . . . .	175.40	9	130.30	5	97.48	11	55.51	6	6.21	2
Japan - Japon . . . . .	148.57	3	50.10	2	191.86	16	49.91	4	18.58	12
Mexico - Mexique . . . . .	60.37	1	47.33	1	44.23	2	93.70	16	4.51	1
Netherlands <sup>2</sup> - Pays-Bas <sup>2</sup> . . . . .	204.86	15	191.68	7	68.34	4	42.34	2	9.74	6
New Zealand - Nouvelle-Zélande . . . . .	179.55	10	288.06	13	96.08	10	68.74	12	12.22	7
Poland - Pologne . . . . .	165.07	6	93.16	4	42.74	1	68.10	10	17.44	10
Scotland - Écosse . . . . .	213.57	16	326.58	16	124.43	15	56.66	7	9.37	5
Sweden <sup>2</sup> - Suède <sup>2</sup> . . . . .	154.81	4	255.15	10	61.92	3	47.27	3	22.94	14
United States - États-Unis . . . . .	166.15	7	311.39	14	74.63	6	66.33	9	16.73	9
Female - Féminin										
Australia - Australie . . . . .	106.34	6	161.14	14	108.79	13	27.98	10	6.99	12
Austria <sup>2</sup> - Autriche <sup>2</sup> . . . . .	127.63	12	110.76	8	95.14	11	32.73	14	10.32	14
Canada . . . . .	114.42	8	141.05	11	59.56	4	30.49	12	6.79	10
England and Wales - Angleterre et Pays de Galles . . . . .	125.95	11	121.27	9	88.31	9	18.10	2	4.96	5
France . . . . .	103.93	3	35.08	3	71.59	7	36.04	16	6.79	11
Germany (Federal Republic of) - République fédérale d'Allemagne . . . . .	127.95	14	81.97	6	90.31	10	28.83	11	11.06	15
Israel - Israël . . . . .	128.76	15	188.90	16	116.01	14	31.89	13	3.98	4
Italy - Italie . . . . .	105.50	5	75.33	5	81.17	8	21.72	4	2.77	2
Japan - Japon . . . . .	92.98	2	31.97	1	139.41	16	16.80	1	13.34	16
Mexico - Mexique . . . . .	76.38	1	32.45	2	47.35	2	26.74	9	0.94	1
Netherlands <sup>2</sup> - Pays-Bas <sup>2</sup> . . . . .	120.06	10	84.31	7	61.75	5	23.94	6	6.18	9
New Zealand - Nouvelle-Zélande . . . . .	127.70	13	141.16	12	104.22	12	35.39	15	5.54	7
Poland - Pologne . . . . .	105.43	4	35.27	4	40.24	1	22.01	5	3.63	3
Scotland - Écosse . . . . .	136.60	16	161.10	13	116.93	15	25.19	8	5.32	6
Sweden <sup>2</sup> - Suède <sup>2</sup> . . . . .	118.29	9	139.16	10	59.43	3	21.57	3	9.25	13
United States - États-Unis . . . . .	110.67	7	168.94	15	67.81	6	25.04	7	6.05	8

<sup>1</sup> Based on the Canadian 1956 population. - Fondés sur la population canadienne en 1956.  
<sup>2</sup> Data for 1975. - Ces données ont trait à 1975.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Both sexes - Deux sexes													
1921	27,051	771	180	1,311	1,299	11,387	6,763	1,533	1,814	1,391	602	..	..
1922	26,399	846	153	1,239	1,194	11,297	5,921	1,669	1,913	1,475	692	..	..
1923	25,571	738	176	1,139	1,135	11,011	5,950	1,411	1,925	1,418	668	..	..
1924	23,602	888	133	1,118	1,098	10,334	5,418	1,173	1,634	1,227	574	3	2
1925	23,128	807	116	887	1,096	10,141	5,530	1,184	1,662	1,125	569	2	9
1926	24,377	677	123	882	1,095	11,666	5,302	1,122	1,681	1,233	588	4	4
1927	22,784	774	113	1,028	1,006	10,739	4,812	1,021	1,575	1,110	606	..	..
1928	21,979	749	92	865	960	10,332	4,880	972	1,370	1,200	524	2	33
1929	22,501	794	150	960	1,090	9,810	5,203	1,005	1,571	1,310	575	7	26
1930	22,677	903	132	937	1,048	10,045	5,260	1,035	1,601	1,122	562	5	27
1931	21,269	890	128	914	944	9,443	4,833	924	1,463	1,197	514	3	16
1932	18,098	813	132	849	774	7,744	4,133	836	1,321	997	477	6	16
1933	17,022	710	118	791	821	7,270	3,804	844	1,231	966	439	4	24
1934	16,603	706	130	807	878	7,388	3,523	734	1,093	891	426	2	25
1935	16,549	790	145	838	866	6,939	3,515	837	1,194	936	460	6	23
1936	15,442	826	137	781	806	6,220	3,416	779	1,030	940	465	3	39
1937	17,628	902	152	812	1,072	7,580	3,382	826	1,245	994	630	12	21
1938	15,233	681	114	754	859	6,486	3,245	750	941	812	556	5	30
1939	14,607	637	168	761	893	6,210	2,979	752	930	763	483	5	26
1940	14,542	722	137	802	934	5,856	2,959	756	979	834	526	10	27
1941	16,117	809	163	908	936	6,770	3,294	788	946	879	552	6	66
1942	15,585	853	106	884	978	6,657	3,139	807	788	696	596	22	59
1943	16,117	827	98	898	886	6,642	3,390	909	873	810	711	11	62
1944	16,541	937	102	838	1,035	6,918	3,346	786	858	889	767	6	59
1945	15,779	833	102	823	966	6,464	3,209	781	824	862	792	8	115
1946	16,407	887	97	822	1,066	6,110	3,653	885	1,004	945	852	7	79
1947	17,229	790	135	840	1,041	6,583	3,914	931	1,018	915	959	8	95
1948	15,965	685	97	695	1,047	6,211	3,684	765	867	930	868	28	88
1949	15,935	651	135	750	993	6,031	3,974	794	834	823	858	19	73
1950	15,441	758	105	693	927	6,091	3,751	673	690	831	805	18	99
1951	14,673	637	90	594	835	5,821	3,545	658	676	889	839	19	70
1952	15,408	572	83	615	729	6,332	3,789	647	787	879	870	19	86
1953	14,859	596	77	585	734	5,749	3,696	741	797	930	859	19	76
1954	13,934	561	95	568	664	5,361	3,517	635	708	882	850	25	68
1955	13,884	624	96	566	622	5,046	3,622	696	745	888	862	27	90
1956	14,399	630	105	554	656	5,544	3,610	676	680	860	944	23	117
1957	14,517	604	75	526	589	5,412	3,776	711	609	963	1,096	27	129
1958	14,178	572	84	557	568	5,152	3,801	656	616	932	1,077	20	143
1959	13,595	576	85	591	536	4,735	3,773	615	626	922	994	14	128
1960	13,077	545	88	565	488	4,159	3,745	698	637	1,022	946	26	158
1961	12,940	588	93	538	434	4,319	3,626	588	618	1,044	945	23	124
1962	12,941	597	87	614	498	4,294	3,621	600	605	984	878	27	136
1963	12,270	592	63	513	435	4,012	3,532	561	638	908	879	16	121
1964	11,169	456	72	464	400	3,587	3,255	555	589	865	818	20	88
1965	9,862	459	74	394	326	3,160	2,907	460	503	785	697	21	76
1966	8,960	395	57	384	306	2,776	2,669	383	461	640	779	20	90
1967	8,151	367	48	326	310	2,347	2,515	371	465	615	703	9	75
1968	7,583	309	56	296	235	2,097	2,396	363	468	607	661	11	84
1969	7,149	278	45	267	221	1,942	2,299	388	395	587	641	18	68
1970	7,001	273	43	245	227	1,888	2,271	344	368	612	623	16	91
1971	6,356	293	46	265	204	1,640	1,990	316	325	548	653	13	63
1972	5,938	267	39	228	204	1,500	1,908	329	300	511	580	12	60
1973	5,339	230	30	206	173	1,378	1,740	278	261	416	575	7	45
1974	5,192	181	34	185	173	1,291	1,666	272	313	449	572	12	44
1975	5,130	176	37	213	183	1,330	1,614	258	272	471	524	10	42
1976	4,847	163	28	177	156	1,301	1,515	261	229	471	495	10	41
1977	4,475	107	37	143	154	1,205	1,384	277	249	383	495	6	35

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N.-O.
Rate per 1,000 live births - Taux pour 1,000 naissances vivantes													
1921	102.1	107.8	83.5	100.7	113.3	128.3	91.2	83.0	80.6	84.0	56.5	..	..
1922	101.6	116.6	70.8	97.6	103.3	127.8	82.9	94.4	85.6	91.3	68.1	..	..
1923	103.4	106.5	89.0	97.5	106.0	131.7	84.9	85.7	91.9	94.2	66.8	..	..
1924	93.9	132.5	71.6	94.1	102.5	118.9	75.8	75.9	75.9	84.1	56.7	96.8	21.1
1925	92.7	117.0	69.3	77.8	100.1	115.9	78.9	79.6	80.8	75.4	55.0	90.9	157.9
1926	101.6	94.5	70.2	80.3	105.9	142.0	78.4	76.5	81.1	85.3	58.4	148.1	53.3
1927	94.5	113.7	66.6	92.3	96.0	129.3	71.1	72.2	74.9	74.5	60.1	..	..
1928	90.2	113.4	50.9	79.1	95.6	123.6	71.2	67.0	64.4	76.5	50.5	66.7	148.6
1929	92.9	119.5	89.8	89.8	106.5	120.5	76.0	70.6	73.3	77.4	55.4	200.0	195.5
1930	90.6	137.6	75.5	82.6	99.5	120.1	73.8	71.8	72.6	63.6	51.7	111.1	116.4
1931	86.0	135.9	68.1	78.7	87.4	112.9	69.8	64.3	68.6	69.4	49.4	75.0	113.5
1932	74.6	119.7	65.1	73.0	71.6	94.2	61.8	59.2	63.5	58.7	46.7	136.4	82.1
1933	74.1	106.2	60.6	70.9	81.8	94.5	59.8	63.4	61.1	59.9	45.8	69.0	134.1
1934	72.7	104.7	66.9	70.7	86.4	96.7	56.6	55.1	55.3	54.9	43.4	45.5	123.2
1935	72.5	118.7	72.1	72.1	83.4	92.2	55.7	62.8	61.0	57.8	45.9	103.4	99.6
1936	67.7	112.5	69.3	66.1	76.7	82.6	54.7	60.6	53.9	59.5	44.0	78.9	170.3
1937	77.4	122.9	72.6	70.2	101.3	100.2	54.9	64.1	66.8	62.5	55.9	144.6	99.5
1938	64.2	92.7	57.8	61.6	75.0	83.0	49.5	55.6	51.6	51.1	44.6	65.8	132.7
1939	61.4	77.4	78.9	64.4	79.1	78.0	46.5	55.4	51.5	46.3	39.0	79.4	111.1
1940	57.6	91.0	65.3	62.4	79.8	69.8	43.2	51.2	50.7	48.0	38.0	119.0	112.5
1941	61.1	97.6	79.6	65.3	76.3	75.9	45.6	53.2	51.2	50.8	36.7	83.3	208.9
1942	55.4	97.0	49.6	57.8	77.2	70.1	40.1	51.5	43.3	38.0	35.5	229.2	159.9
1943	55.0	93.3	45.1	58.3	67.7	67.3	41.8	55.4	47.2	42.0	37.8	111.1	153.8
1944	56.3	100.8	44.6	53.7	76.9	67.6	42.8	49.1	47.3	45.9	40.4	44.1	186.7
1945	52.5	74.2	45.2	53.0	70.5	62.0	40.6	48.1	43.5	43.2	42.0	65.0	225.0
1946	47.8	73.7	34.7	45.9	65.5	54.9	37.5	47.1	46.8	42.6	37.7	47.9	133.2
1947	46.2	62.5	45.1	43.6	58.6	57.0	36.0	45.6	43.6	37.1	36.5	35.7	152.0
1948	44.4	58.9	34.1	39.1	60.6	54.1	35.4	40.5	40.2	38.6	33.4	102.2	136.4
1949	43.4	53.0	47.7	42.3	59.6	51.6	37.3	41.2	38.5	33.0	31.4	61.5	113.4
1950	41.5	57.6	36.4	40.1	56.5	51.1	34.5	34.9	32.0	32.4	29.7	57.0	159.2
1951	38.5	54.3	33.9	34.7	51.9	48.1	30.9	33.0	31.1	32.9	29.9	55.6	107.9
1952	38.2	45.5	30.7	34.3	43.7	50.1	30.6	31.1	34.8	30.2	29.2	48.7	134.0
1953	35.6	46.6	28.1	32.0	44.6	44.7	28.5	34.9	33.6	29.6	27.1	49.6	112.4
1954	31.9	41.1	34.9	30.0	39.9	40.3	25.8	28.5	28.3	26.3	25.8	58.8	107.8
1955	31.3	42.3	34.5	29.8	37.4	37.8	26.0	31.1	30.1	25.8	25.3	51.5	123.0
1956	31.9	43.3	39.5	29.0	39.6	40.8	25.2	30.8	28.3	24.6	26.0	47.8	149.0
1957	30.9	39.4	28.0	27.2	34.6	38.2	25.0	31.8	25.5	27.0	28.3	54.7	143.3
1958	30.2	38.6	32.5	29.5	34.6	36.4	24.9	30.2	25.8	25.3	27.2	42.3	151.3
1959	28.4	38.9	31.3	31.0	32.5	33.3	24.0	27.0	25.7	24.2	24.9	26.1	129.3
1960	27.3	35.9	32.2	29.5	29.9	30.2	23.5	30.0	26.4	26.2	23.6	48.3	144.4
1961	27.2	37.7	32.8	27.8	26.2	31.5	23.0	25.2	25.8	26.8	24.5	41.2	111.0
1962	27.6	39.6	31.0	31.6	30.2	31.8	23.2	26.2	25.9	25.4	23.0	49.4	119.9
1963	26.3	38.3	21.4	27.0	27.6	30.0	22.8	24.7	27.1	23.6	23.5	32.1	104.2
1964	24.7	31.1	26.4	25.3	26.1	27.4	21.3	25.5	26.0	23.9	22.8	38.9	69.5
1965	23.6	31.1	29.4	23.8	23.0	26.2	20.5	23.0	24.5	24.0	20.7	49.1	63.8
1966	23.1	28.0	25.9	25.2	24.1	25.3	20.2	21.3	24.2	20.9	24.0	54.2	77.7
1967	22.0	28.6	23.4	22.8	25.1	23.1	19.7	21.6	25.8	20.0	21.4	23.4	62.0
1968	20.8	24.1	26.6	21.5	20.2	21.7	19.0	20.8	25.7	20.1	19.6	29.7	64.7
1969	19.3	21.4	22.4	19.6	18.9	20.3	17.6	21.8	22.5	19.0	18.1	39.0	55.9
1970	18.8	21.8	22.0	17.3	19.7	20.6	16.9	18.9	22.4	19.1	16.9	35.5	68.1
1971	17.5	22.9	21.9	18.6	16.7	18.4	15.3	17.5	20.2	17.9	18.7	25.7	49.0
1972	17.1	20.7	19.4	16.8	17.3	17.9	15.3	18.9	19.4	17.5	16.8	26.6	48.4
1973	15.5	19.3	15.9	15.5	15.1	16.4	14.1	16.4	17.6	14.2	16.7	16.7	37.4
1974	15.0	17.7	17.5	14.3	15.1	15.1	13.4	15.7	20.7	15.1	16.1	24.2	42.2
1975	14.3 <sup>1</sup>	15.7	19.2	16.2	15.5	14.3 <sup>1</sup>	12.8	15.0	17.8	14.9	14.4	24.5	35.9
1976	13.5 <sup>1</sup>	14.6	14.4	13.8	13.2	13.5 <sup>1</sup>	12.3	15.6	14.3	14.2	13.8	22.3	34.7
1977	12.4	10.3	18.8	11.6	13.4	12.4	11.3	16.6	15.0	11.1	13.5	13.9	29.4

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Masculin													
1921	8,558	..	95	738	740	..	3,918	868	1,048	808	343	..	..
1922	8,175	..	96	724	672	..	3,414	937	1,079	838	415	..	..
1923	7,914	..	94	662	682	..	3,415	791	1,072	824	374	..	..
1924	6,960	..	68	642	612	..	3,055	635	946	677	325	..	..
1925	6,912	..	74	499	632	..	3,100	672	972	645	318	..	..
1926	13,537	..	65	523	625	6,676	3,032	636	949	695	336	..	..
1927	12,998	450	70	579	542	6,149	2,733	601	913	616	345	..	..
1928	12,460	408	50	480	556	5,899	2,735	533	779	709	285	2	24
1929	12,787	436	92	543	614	5,606	2,940	576	908	734	323	4	11
1930	12,808	506	76	538	565	5,687	2,962	567	913	650	326	2	16
1931	12,154	477	78	510	565	5,417	2,744	535	851	675	292	2	8
1932	10,325	449	69	494	438	4,432	2,353	475	749	593	264	1	8
1933	9,744	390	68	454	467	4,151	2,177	504	696	573	250	2	12
1934	9,521	382	69	455	506	4,278	1,989	425	635	507	260	1	14
1935	9,506	420	85	486	474	4,029	1,997	478	703	560	257	4	13
1936	8,739	438	79	446	453	3,575	1,915	436	592	530	255	1	19
1937	10,046	519	92	466	601	4,334	1,902	443	749	559	362	6	13
1938	8,703	377	75	414	476	3,761	1,850	418	541	451	325	-	15
1939	8,424	366	102	396	520	3,580	1,748	441	536	430	286	3	16
1940	8,240	377	75	450	511	3,379	1,685	402	557	468	317	4	15
1941	9,291	464	102	545	515	3,916	1,910	447	531	506	316	5	34
1942	8,907	470	52	485	564	3,854	1,790	441	455	402	349	9	36
1943	9,159	447	56	507	490	3,827	1,935	492	499	468	394	8	36
1944	9,431	526	58	480	593	3,936	1,933	425	484	517	445	4	30
1945	8,952	463	54	479	527	3,659	1,813	445	489	511	450	6	56
1946	9,374	497	64	460	581	3,517	2,109	474	581	542	496	5	48
1947	9,946	448	77	476	622	3,839	2,220	529	592	510	565	3	65
1948	9,107	396	50	405	557	3,574	2,106	433	503	526	500	16	41
1949	9,130	363	79	434	603	3,474	2,237	451	456	462	516	9	46
1950	8,845	408	54	396	533	3,456	2,211	394	391	470	460	11	61
1951	8,375	361	60	344	472	3,335	2,010	369	353	531	487	10	43
1952	8,843	318	48	365	433	3,664	2,169	364	431	515	480	9	47
1953	8,542	348	43	350	408	3,347	2,099	424	448	520	508	11	36
1954	8,024	335	55	340	376	3,032	2,019	385	432	510	485	14	41
1955	7,967	357	50	340	368	2,896	2,061	390	426	508	509	17	45
1956	8,108	335	60	325	358	3,130	2,048	365	391	508	509	11	68
1957	8,313	363	41	298	333	3,094	2,177	416	358	531	619	17	66
1958	8,152	322	61	321	340	2,981	2,161	371	349	548	600	12	86
1959	7,827	345	43	332	315	2,740	2,110	363	376	554	568	9	72
1960	7,572	312	55	332	280	2,406	2,152	406	381	601	542	16	89
1961	7,447	335	55	309	248	2,464	2,090	341	373	612	534	13	73
1962	7,379	327	50	320	272	2,491	2,054	350	339	565	520	14	77
1963	7,079	377	46	306	244	2,228	2,043	310	385	535	522	8	75
1964	6,466	259	50	263	223	2,060	1,898	304	332	518	497	10	52
1965	5,626	236	43	210	177	1,820	1,680	256	298	455	403	10	38
1966	5,138	237	34	221	163	1,565	1,540	231	278	376	440	9	44
1967	4,602	214	29	187	172	1,303	1,446	211	267	329	398	4	42
1968	4,293	184	42	159	124	1,180	1,362	215	271	342	364	6	44
1969	4,115	151	21	164	126	1,082	1,326	238	233	355	370	12	37
1970	4,056	152	29	146	134	1,074	1,342	196	204	355	365	7	52
1971	3,712	173	29	160	130	948	1,146	184	189	325	381	8	39
1972	3,405	148	22	122	106	854	1,103	177	184	300	343	7	39
1973	3,069	135	18	113	105	795	979	164	161	242	319	4	34
1974	2,946	108	21	98	93	733	915	152	181	264	349	7	25
1975	2,928 <sup>1</sup>	98	15	131	114	774 <sup>1</sup>	926	141	137	264	295	7	26
1976	2,768 <sup>1</sup>	87	19	100	92	718 <sup>1</sup>	858	156	136	288	292	6	16
1977	2,507 <sup>2</sup>	65	22	82	86	675	752	159	136	211	298	4	17

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T.N.-O.
Rate per 1,000 male live births - Taux pour 1,000 naissances vivantes (masculin)													
1921	98.2	..	88.5	110.2	124.5	..	102.3	91.8	90.2	95.1	61.8	..	..
1922	97.3	..	87.0	109.2	112.8	..	93.5	105.0	94.4	102.0	78.4	..	..
1923	98.2	..	95.8	110.8	125.0	..	94.5	94.2	99.6	107.3	72.3	..	..
1924	86.1	..	73.3	103.7	110.8	..	83.5	81.4	84.8	91.2	62.5	..	..
1925	86.7	..	84.4	84.8	111.6	..	85.9	88.0	91.5	84.6	59.7	..	..
1926	113.0	..	73.3	92.8	118.1	157.2	87.3	83.7	89.1	93.8	65.0	..	..
1927	104.7	127.3	78.7	101.5	101.5	143.6	78.6	80.8	84.1	80.2	67.2	..	..
1928	100.0	121.8	52.8	86.8	107.9	137.0	77.5	73.2	70.9	87.6	55.1	..	..
1929	102.9	127.0	107.5	99.0	117.2	133.8	83.6	78.6	82.5	85.0	61.0	..	..
1930	99.9	149.8	83.3	91.2	104.9	132.3	81.4	77.1	80.0	72.7	58.6	..	..
1931	95.7	140.2	78.2	86.0	101.8	125.8	77.1	73.7	77.8	75.5	54.6	..	..
1932	82.9	131.5	64.1	81.7	79.2	104.6	68.9	65.2	70.1	68.1	50.8	..	..
1933	82.7	114.2	69.2	79.7	89.2	105.5	66.7	73.3	67.2	68.9	50.3	..	..
1934	81.5	110.3	69.8	77.4	98.3	109.3	62.4	62.1	62.4	61.5	51.3	..	..
1935	81.4	122.2	83.9	81.3	90.2	104.8	61.7	70.6	69.9	67.4	50.5	..	..
1936	74.5	117.8	75.7	72.8	84.4	92.7	59.6	65.4	60.2	65.6	46.7	..	..
1937	85.7	136.9	83.0	76.8	110.2	111.2	60.1	67.2	78.6	69.6	63.2	..	..
1938	71.5	101.3	72.7	65.9	81.9	93.2	55.1	60.5	57.7	55.5	50.9	..	..
1939	69.0	86.3	90.5	66.9	89.5	87.8	53.1	63.2	58.0	51.1	45.0	..	..
1940	63.6	92.8	71.2	68.8	84.9	78.3	48.2	53.1	55.7	53.0	44.4	..	..
1941	68.3	108.0	94.6	77.0	83.1	85.3	51.3	58.7	56.1	57.0	41.1	..	..
1942	61.1	105.6	48.4	61.5	85.6	78.5	44.3	55.1	48.3	42.7	40.2	..	..
1943	60.7	98.9	50.5	64.3	72.5	75.3	46.5	58.1	51.7	47.6	41.1	..	..
1944	62.0	107.7	50.1	59.6	85.3	74.7	47.8	51.1	51.9	51.8	45.8	..	..
1945	57.5	79.9	46.3	59.2	75.3	68.3	44.4	52.8	49.9	49.5	46.3	..	..
1946	53.0	82.5	44.3	50.4	70.1	61.4	41.9	49.1	52.9	48.0	43.2	..	..
1947	51.8	68.2	50.3	48.7	68.1	64.6	39.8	51.0	49.5	40.2	42.1	..	..
1948	49.2	66.8	34.4	44.5	62.7	60.6	39.4	45.0	45.7	42.7	37.5	..	..
1949	48.2	58.0	54.2	47.1	70.1	57.8	40.8	45.3	40.8	36.1	37.0	..	..
1950	46.2	59.5	37.4	44.5	62.9	56.3	39.5	39.6	35.5	35.8	33.1	68.3	177.3
1951	42.7	60.3	43.7	38.9	57.6	53.7	33.9	35.6	31.8	38.6	33.8	57.8	135.6
1952	42.5	49.4	34.2	39.4	51.4	56.1	33.9	34.2	37.0	34.4	31.1	47.6	115.5
1953	39.8	53.3	31.4	37.4	48.1	50.6	31.6	39.3	37.0	32.2	30.9	56.7	108.1
1954	35.8	47.7	39.1	35.0	43.7	44.2	28.9	34.0	33.5	29.3	28.7	62.2	124.2
1955	35.0	47.6	34.4	34.9	43.5	42.2	28.7	34.0	33.8	28.7	29.3	63.7	123.0
1956	35.0	45.3	45.7	32.6	41.7	44.7	27.8	32.5	31.5	28.2	27.6	41.8	165.9
1957	34.5	46.8	29.6	30.0	37.4	42.3	28.1	36.3	28.9	28.9	31.5	66.4	151.0
1958	33.7	41.8	46.0	32.8	39.9	41.2	27.5	33.4	28.5	28.8	29.7	48.2	168.6
1959	31.8	45.4	31.0	34.3	36.7	37.5	26.1	30.9	30.2	28.3	27.7	34.4	139.8
1960	30.8	39.9	40.1	34.2	33.1	34.0	26.3	33.7	30.9	30.0	26.3	57.1	157.0
1961	30.5	41.7	37.4	31.0	29.1	34.7	25.9	28.6	30.3	30.8	27.1	45.8	128.1
1962	30.6	42.2	33.2	32.0	31.9	35.9	25.7	29.9	28.5	28.6	26.8	47.1	131.8
1963	29.6	47.3	30.6	31.4	29.9	32.6	25.6	26.8	31.9	27.1	27.3	32.9	124.4
1964	27.8	35.1	35.2	28.1	28.4	30.6	24.1	27.2	28.6	28.0	27.0	37.2	79.3
1965	26.2	31.2	33.2	25.0	24.4	29.3	23.1	24.9	28.4	26.9	23.6	44.2	60.1
1966	25.8	32.8	29.9	28.1	24.9	27.7	22.8	25.1	28.3	24.2	26.5	48.6	73.8
1967	24.2	33.0	27.3	25.5	27.3	25.2	22.1	24.0	28.9	21.0	23.6	20.1	67.3
1968	22.9	28.2	38.8	22.3	21.0	23.6	21.0	23.8	28.9	21.9	21.1	33.3	67.3
1969	21.7	22.5	20.9	23.5	20.6	21.9	19.8	26.3	25.9	22.6	20.4	48.6	58.4
1970	21.2	23.6	29.0	20.1	22.7	22.7	19.4	20.9	24.2	21.6	19.2	29.3	70.8
1971	19.9	26.3	26.1	21.8	20.7	20.6	17.1	20.0	23.2	20.5	21.2	29.0	58.8
1972	19.1	22.4	20.8	17.8	17.2	19.8	17.1	19.8	23.3	19.9	19.4	29.8	60.8
1973	17.4	22.1	17.9	16.6	17.9	18.3	15.4	18.7	21.3	16.1	18.1	19.2	52.8
1974	16.6	20.2	20.5	14.7	16.0	16.7	14.3	16.9	23.5	17.4	19.1	26.9	45.3
1975	15.9 <sup>1</sup>	16.8	15.0	19.1	19.1	16.1 <sup>1</sup>	14.4	16.2	17.7	16.3	16.0	34.5	45.8
1976	15.0 <sup>1</sup>	15.0	18.7	15.1	15.1	14.5 <sup>1</sup>	13.7	17.8	16.7	17.0	15.7	25.2	26.8
1977	13.5	12.3	22.0	12.8	14.6	13.4	11.9	18.6	16.0	11.9	15.8	17.7	28.7

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
1921	6,335	..	85	573	559	..	2,845	665	766	583	259	..	..
1922	6,081	..	57	515	522	..	2,507	732	834	637	277	..	..
1923	5,908	..	82	477	453	..	2,535	620	853	594	294	..	..
1924	5,415	..	65	476	486	..	2,363	538	688	550	249	..	..
1925	5,257	..	42	388	464	..	2,430	512	690	480	251	..	..
1926	10,155	..	58	359	470	4,990	2,270	486	732	538	252	..	..
1927	9,786	324	43	449	464	4,590	2,079	420	662	494	261	..	..
1928	9,519	341	42	385	404	4,433	2,145	439	591	491	239	-	9
1929	9,714	358	58	417	476	4,204	2,263	429	663	576	252	3	15
1930	9,869	397	56	399	483	4,358	2,298	468	688	472	236	3	11
1931	9,115	413	50	404	379	4,026	2,089	389	612	522	222	1	8
1932	7,773	364	63	355	336	3,312	1,780	361	572	404	213	5	8
1933	7,278	320	50	337	354	3,119	1,627	340	535	393	189	2	12
1934	7,082	324	61	352	372	3,110	1,534	309	458	384	166	1	11
1935	7,043	370	60	352	392	2,910	1,518	359	491	376	203	2	10
1936	6,703	388	58	335	353	2,645	1,501	343	438	410	210	2	20
1937	7,582	383	60	346	471	3,246	1,480	383	496	435	268	6	8
1938	6,530	304	39	340	383	2,725	1,395	332	400	361	231	5	15
1939	6,183	271	66	365	373	2,630	1,231	311	394	333	197	2	10
1940	6,302	345	62	352	423	2,477	1,274	354	422	366	209	6	12
1941	6,826	345	61	363	421	2,854	1,384	341	415	373	236	1	32
1942	6,678	383	54	399	414	2,803	1,349	366	333	294	247	13	23
1943	6,958	380	42	391	396	2,815	1,455	417	374	342	317	3	26
1944	7,110	411	44	358	442	2,982	1,413	361	374	372	322	2	29
1945	6,827	370	48	344	439	2,805	1,396	336	335	351	342	2	59
1946	7,033	390	33	362	485	2,593	1,544	411	423	403	356	2	31
1947	7,283	342	58	364	419	2,744	1,694	402	426	405	394	5	30
1948	6,858	289	47	290	490	2,637	1,578	332	364	404	368	12	47
1949	6,805	288	56	316	390	2,557	1,737	343	378	361	342	10	27
1950	6,596	350	51	297	394	2,635	1,540	279	299	361	345	7	38
1951	6,298	276	30	250	363	2,486	1,535	289	323	358	352	9	27
1952	6,565	254	35	250	296	2,668	1,620	283	356	364	390	10	39
1953	6,317	248	34	235	326	2,402	1,597	317	349	410	351	8	40
1954	5,910	226	40	228	288	2,329	1,498	250	276	372	365	11	27
1955	5,917	267	46	226	254	2,150	1,561	306	319	380	353	10	45
1956	6,291	295	45	229	298	2,414	1,562	311	289	352	435	12	49
1957	6,204	241	34	228	256	2,318	1,599	295	251	432	477	10	63
1958	6,026	250	23	236	228	2,171	1,640	285	267	384	477	8	57
1959	5,768	231	42	259	221	1,995	1,663	252	250	368	426	5	56
1960	5,505	233	33	233	208	1,753	1,593	292	256	421	404	10	69
1961	5,493	253	38	229	186	1,855	1,536	247	245	432	411	10	51
1962	5,562	270	37	294	226	1,803	1,567	250	266	419	358	13	59
1963	5,191	215	17	207	191	1,784	1,489	251	253	373	357	8	46
1964	4,703	197	22	201	177	1,527	1,357	251	257	347	321	10	36
1965	4,236	223	31	184	149	1,340	1,227	204	205	330	294	11	38
1966	3,822	158	23	163	143	1,211	1,129	152	183	264	339	11	46
1967	3,549	153	19	139	138	1,044	1,069	160	198	286	305	5	33
1968	3,290	125	14	137	111	917	1,034	148	197	265	297	5	40
1969	3,034	127	24	103	95	860	973	150	162	232	271	6	31
1970	2,945	121	14	99	93	814	929	148	164	257	258	9	39
1971	2,644	120	17	105	74	692	844	132	136	223	272	5	24
1972	2,533	119	17	106	98	646	805	152	116	211	237	5	21
1973	2,270	95	12	93	68	583	761	114	100	174	256	3	11
1974	2,246	73	13	87	80	558	751	120	132	185	223	5	19
1975	2,202 <sup>1</sup>	78	22	82	69	556 <sup>1</sup>	688	117	135	207	229	3	16
1976	2,079 <sup>1</sup>	76	9	77	64	583 <sup>1</sup>	657	105	93	183	203	4	25
1977	1,968 <sup>2</sup>	42	15	61	68	530	632	118	113	172	197	2	18

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 20. Infant Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Concluded  
 TABLEAU 20. Mortalité infantile et taux, selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N. - O.
Rate per 1,000 female live births - Taux pour 1,000 naissances vivantes (féminin)													
1921	77.4	..	78.5	90.6	101.2	..	79.4	73.7	70.5	72.3	50.7	..	..
1922	75.9	..	54.0	84.9	93.1	..	71.8	83.6	76.5	80.2	56.8	..	..
1923	77.4	..	82.3	83.6	86.3	..	74.7	76.8	83.8	80.4	60.9	..	..
1924	70.9	..	69.9	84.8	93.6	..	67.7	70.3	66.3	76.7	50.7	..	..
1925	70.0	..	52.6	70.4	87.8	..	71.4	70.8	69.3	65.8	50.1	..	..
1926	90.0	..	67.1	67.2	93.1	125.7	69.0	68.8	72.7	76.4	51.5	..	..
1927	83.8	99.0	53.3	82.7	91.2	114.0	63.2	62.6	65.1	68.5	52.7	..	..
1928	80.3	104.7	48.9	71.3	82.5	109.3	64.6	60.8	57.5	64.6	45.8	..	..
1929	82.5	111.6	71.3	80.2	95.3	106.5	68.0	62.1	63.5	69.5	49.5	..	..
1930	81.0	124.6	66.9	73.3	93.8	107.3	65.9	66.3	64.6	54.2	44.5	..	..
1931	76.0	131.2	56.8	71.1	72.1	99.3	62.2	54.6	58.9	62.8	43.9	..	..
1932	65.9	107.8	66.3	63.6	63.6	83.1	54.5	52.8	56.5	48.8	42.5	..	..
1933	65.1	97.9	51.9	61.6	73.7	83.0	52.5	52.9	54.6	50.4	41.0	..	..
1934	63.7	98.7	63.9	63.7	74.2	83.4	50.5	47.8	47.8	48.1	35.0	..	..
1935	63.2	115.0	60.2	62.4	76.4	79.0	49.4	54.7	51.7	47.8	41.2	..	..
1936	60.3	107.0	62.2	59.0	68.6	72.1	49.5	55.5	47.2	53.2	41.1	..	..
1937	68.4	107.9	60.9	62.9	91.8	88.6	49.3	60.9	54.4	55.2	48.3	..	..
1938	56.5	84.0	41.4	57.0	67.9	72.1	43.6	50.5	45.2	46.5	37.9	..	..
1939	53.3	68.0	65.9	61.8	68.2	67.7	39.5	47.1	44.7	41.4	32.8	..	..
1940	51.1	89.1	59.4	55.8	74.5	60.9	37.9	49.1	45.3	42.9	31.3	..	..
1941	53.0	86.4	62.8	53.2	69.3	65.9	39.5	47.4	46.2	44.3	32.1	..	..
1942	48.8	88.3	50.8	53.7	68.2	61.0	35.7	47.7	38.0	33.0	30.4	..	..
1943	48.7	87.5	39.5	52.1	62.5	58.8	36.8	52.5	42.2	36.2	34.4	..	..
1944	49.9	93.2	39.0	47.5	67.8	60.1	37.5	47.0	42.5	39.6	34.7	..	..
1945	46.6	68.2	44.0	46.2	65.6	55.3	36.6	42.9	36.7	36.5	37.4	..	..
1946	42.0	64.9	24.5	41.2	60.8	48.0	32.8	44.9	40.4	37.0	32.0	..	..
1947	40.0	56.3	39.7	38.3	48.5	48.9	31.9	40.1	37.5	33.9	30.6	..	..
1948	38.9	50.7	33.8	33.3	58.4	47.3	31.1	35.9	34.5	34.4	29.1	..	..
1949	38.1	47.8	40.8	37.1	48.3	45.1	33.5	36.7	36.1	29.7	25.6	..	..
1950	36.5	55.5	35.3	35.5	49.7	45.6	29.2	30.0	28.4	28.9	26.1	45.2	136.7
1951	34.0	48.0	23.5	30.2	46.0	42.3	27.6	30.2	30.4	27.0	25.8	53.3	81.3
1952	33.6	41.5	27.0	28.8	35.8	43.6	27.0	27.9	32.5	25.7	27.1	49.8	166.0
1953	31.0	39.6	24.8	26.4	40.9	38.4	25.2	30.4	30.1	27.0	22.9	42.3	116.6
1954	27.9	34.1	30.3	24.8	35.8	36.0	22.5	22.9	22.9	23.0	22.8	55.0	89.7
1955	27.5	36.8	34.6	24.5	31.2	33.2	23.0	28.0	26.3	22.9	21.0	38.9	123.0
1956	28.7	41.3	33.5	25.1	37.3	36.6	22.4	29.0	24.8	20.7	24.4	55.0	130.7
1957	27.2	31.9	26.3	24.3	31.5	33.8	21.8	27.1	21.7	24.9	25.0	42.0	136.1
1958	26.4	35.1	18.3	25.9	28.9	31.5	22.2	26.9	23.0	21.5	24.6	35.7	131.0
1959	24.7	32.0	31.5	27.7	27.9	28.8	21.8	22.8	21.0	19.9	21.9	18.2	117.9
1960	23.7	31.7	24.2	24.7	26.4	26.1	20.6	26.1	21.8	22.2	20.7	38.8	130.9
1961	23.7	33.5	27.8	24.3	23.0	28.0	20.0	21.7	21.0	22.7	21.8	36.5	93.2
1962	24.3	36.9	28.4	31.2	28.5	27.5	20.6	22.3	23.3	22.0	19.1	52.0	107.3
1963	22.9	28.7	11.8	22.5	25.1	27.3	19.7	22.5	22.0	19.9	19.5	31.3	82.4
1964	21.4	27.0	16.8	22.4	23.7	24.1	18.3	23.8	23.2	19.7	18.3	40.8	59.0
1965	20.8	31.1	25.4	22.7	21.6	22.9	17.8	21.0	20.5	21.0	17.8	54.5	68.0
1966	20.2	23.0	21.7	22.1	23.2	22.7	17.5	17.3	19.9	17.6	21.4	59.8	81.9
1967	19.6	24.1	19.3	19.9	22.8	21.0	17.3	19.0	22.6	19.1	19.0	26.9	56.3
1968	18.6	19.8	13.7	20.6	19.5	19.6	16.8	17.6	22.4	18.3	18.0	26.3	62.1
1969	16.9	20.2	23.9	15.5	17.0	18.6	15.3	17.1	18.9	15.3	15.7	27.9	53.3
1970	16.3	19.8	14.6	14.4	16.5	18.3	14.2	16.7	20.5	16.6	14.5	42.5	64.7
1971	15.1	19.4	17.1	15.2	12.5	16.0	13.3	15.0	17.2	15.2	16.1	21.7	38.4
1972	15.0	18.9	17.8	15.9	17.4	16.0	13.3	18.0	15.3	14.9	14.0	23.2	35.2
1973	13.6	16.4	13.6	14.3	12.2	14.4	12.7	13.9	13.8	12.2	15.3	14.2	19.6
1974	13.4	15.0	14.2	13.9	14.2	13.4	12.4	14.4	17.8	12.7	12.9	21.3	38.8
1975	12.6 <sup>1</sup>	14.5	23.7	13.1	11.9	12.3 <sup>1</sup>	11.2	13.9	17.9	13.4	12.9	14.6	26.5
1976	11.9 <sup>1</sup>	14.2	9.7	12.4	11.2	12.4 <sup>1</sup>	10.9	13.1	11.9	11.4	11.7	19.0	42.6
1977	11.2	8.2	15.4	10.2	12.1	11.3	10.6	14.4	14.0	10.3	11.1	9.7	30.0

<sup>1</sup> Estimated. - Évalué.

<sup>2</sup> Unadjusted for the difference of two infant deaths. - Non ajusté pour la différence de deux décès infantiles.

TABLE 21. Infant Mortality Rates by Province, 1975 - 1977 as Compared with 1950 - 1952  
 TABLEAU 21. Taux de mortalité infantile selon la province, 1975 - 1977 au regard de 1950 - 1952

Province	Both sexes - Deux sexes			Male - Masculin	
	Average rate Taux moyen		Per cent change Variation procentuelle	Average rate Taux moyen	
	1950-1952	1975-1977		1950-1952	1975-1977
Canada <sup>1</sup> . . . . .	39.2	13.4	- 65.8	43.7	14.8
Newfoundland - Terre-Neuve . . . . .	52.5	13.3	- 74.7	56.4	14.5
Prince Edward Island - Île-du-Prince-Édouard . . . . .	33.7	17.5	- 48.1	38.3	18.6
Nova Scotia - Nouvelle-Écosse . . . . .	36.3	13.9	- 61.7	40.9	15.8
New Brunswick - Nouveau-Brunswick . . . . .	50.6	14.0	- 72.3	57.3	16.2
Québec <sup>1</sup> . . . . .	49.7	13.4	- 73.0	55.4	14.7
Ontario . . . . .	31.8	12.2	- 61.6	35.7	13.3
Manitoba . . . . .	32.9	15.8	- 52.0	36.4	17.6
Saskatchewan . . . . .	32.6	15.7	- 51.8	34.8	16.8
Alberta . . . . .	31.8	13.4	- 57.9	36.2	15.0
British Columbia - Colombie-Britannique . . . . .	29.6	13.9	- 53.0	32.6	15.8
Yukon . . . . .	53.4	20.2	- 62.2	57.3	25.5
Northwest Territories - Territoires du Nord-Ouest . . . . .	133.2	33.2	- 75.1	141.4	33.5
	Male - Masculin		Female - Féminin		
	Per cent change Variation procentuelle	Average rate Taux moyen		Per cent change Variation procentuelle	
		1950-1952	1975-1977		
Canada <sup>1</sup> . . . . .	- 66.1	34.6	11.9	- 65.6	
Newfoundland - Terre-Neuve . . . . .	- 74.3	48.4	12.1	- 75.0	
Prince Edward Island - Île-du-Prince-Édouard . . . . .	- 51.4	28.9	16.3	- 43.6	
Nova Scotia - Nouvelle-Écosse . . . . .	- 61.4	31.5	11.9	- 62.2	
New Brunswick - Nouveau-Brunswick . . . . .	- 71.7	43.8	11.7	- 73.3	
Québec <sup>1</sup> . . . . .	- 73.5	43.8	12.1	- 72.4	
Ontario . . . . .	- 62.7	27.9	10.9	- 60.9	
Manitoba . . . . .	- 51.6	29.3	13.8	- 52.9	
Saskatchewan . . . . .	- 51.7	30.5	14.6	- 52.1	
Alberta . . . . .	- 58.6	27.2	11.6	- 57.4	
British Columbia - Colombie-Britannique . . . . .	- 51.5	26.3	11.9	- 54.8	
Yukon . . . . .	- 55.5	49.5	14.5	- 70.7	
Northwest Territories - Territoires du Nord-Ouest . . . . .	- 76.3	123.1	32.9	- 73.3	

<sup>1</sup> Estimated. - Évalué.

TABLE 22. Infant Deaths and Rates by Age and Sex, Canada, 1950-1977  
TABLEAU 22. Mortalité infantile et taux selon l'âge et le sexe, Canada, 1950-1977

Year - Année	Infants under 1 year	Neonatal	Under 1 day	1-6 days	7-13 days	14-27 days	Post- neonatal	28 days to 3 months	3 months to 6 months	6 months to a year
	Enfants de moins de 1 an	Néonatale	Moins de 1 jour	jours	jours	jours	Post- néonatale	jours à 3 mois	mois à 6 mois	mois à un an
<b>Both sexes - Deux sexes</b>										
1950	15,441	9,079	4,018	3,165	798	1,098	6,362	2,493	2,067	1,802
1951	14,673	8,619	3,646	3,216	781	976	6,054	2,532	1,887	1,635
1952	15,408	9,164	3,866	3,325	866	1,107	6,244	2,562	1,998	1,684
1953	14,859	8,928	3,811	3,252	882	983	5,931	2,386	1,899	1,646
1954	13,934	8,415	3,759	3,175	637	844	5,519	2,240	1,773	1,506
1955	13,884	8,552	3,930	3,099	693	830	5,332	2,165	1,690	1,477
1956	14,399	9,065	4,411	3,120	672	862	5,334	2,284	1,598	1,452
1957	14,517	9,480	4,661	3,247	743	829	5,037	2,177	1,592	1,268
1958	14,178	9,055	4,437	3,221	652	745	5,123	2,109	1,667	1,347
1959	13,595	8,841	4,422	3,082	609	728	4,754	2,013	1,539	1,202
1960	13,077	8,410	4,467	2,840	548	555	4,667	1,910	1,514	1,243
1961	12,940	8,564	4,797	2,726	490	551	4,376	1,872	1,388	1,116
1962	12,941	8,783	4,998	2,718	491	576	4,158	1,737	1,388	1,033
1963	12,270	8,411	4,904	2,569	466	472	3,859	1,605	1,278	976
1964	11,169	7,831	4,724	2,295	388	424	3,338	1,374	1,148	816
1965	9,862	6,835	4,029	2,116	313	377	3,027	1,265	1,053	709
1966	8,960	6,253	3,657	1,918	343	335	2,707	1,154	878	675
1967	8,151	5,628	3,343	1,693	278	314	2,523	1,116	835	572
1968	7,583	5,376	3,132	1,669	270	305	2,207	944	738	525
1969	7,149	5,138	3,086	1,528	264	260	2,011	899	680	432
1970	7,001	5,017	2,921	1,584	244	268	1,984	828	677	479
1971	6,356	4,485	2,644	1,312	247	282	1,871	820	641	410
1972	5,938	4,117	2,459	1,167	221	270	1,821	792	615	414
1973	5,339	3,692	2,146	1,075	231	240	1,647	717	577	353
1974	5,192	3,506	2,033	1,036	209	228	1,686	739	562	385
1975	5,130 <sup>1</sup>	3,480 <sup>1</sup>	..	..	..	..	1,650 <sup>1</sup>	..	..	..
1976	4,847 <sup>1</sup>	3,290 <sup>1</sup>	..	..	..	..	1,557 <sup>1</sup>	..	..	..
1977	4,475	2,984	1,687	905	207	185	1,491	662	494	335
<b>Male - Masculin</b>										
1950	8,845	5,324	2,367	1,902	436	619	3,521	1,395	1,148	978
1951	8,375	5,020	2,085	1,921	444	570	3,355	1,420	1,016	919
1952	8,843	5,392	2,322	1,953	486	631	3,451	1,447	1,091	913
1953	8,542	5,207	2,264	1,904	494	545	3,335	1,369	1,065	901
1954	8,024	4,892	2,182	1,883	353	474	3,132	1,310	993	829
1955	7,967	5,001	2,290	1,846	389	476	2,966	1,239	931	796
1956	8,108	5,204	2,515	1,856	372	461	2,904	1,281	854	769
1957	8,313	5,532	2,719	1,929	412	472	2,781	1,209	896	676
1958	8,152	5,240	2,543	1,885	379	433	2,912	1,243	904	765
1959	7,827	5,097	2,531	1,836	344	386	2,730	1,195	876	659
1960	7,572	4,945	2,620	1,693	321	311	2,627	1,088	866	673
1961	7,447	4,966	2,718	1,645	297	306	2,481	1,092	771	618
1962	7,379	5,076	2,868	1,621	282	305	2,303	984	780	539
1963	7,079	4,918	2,806	1,575	263	274	2,161	905	732	524
1964	6,466	4,581	2,748	1,379	208	246	1,885	784	656	445
1965	5,626	3,936	2,283	1,273	179	201	1,690	730	587	373
1966	5,138	3,614	2,054	1,169	205	186	1,524	661	493	370
1967	4,602	3,245	1,935	992	141	177	1,357	620	442	295
1968	4,293	3,070	1,797	959	147	167	1,223	512	416	295
1969	4,115	2,988	1,791	884	154	159	1,127	529	366	232
1970	4,056	2,912	1,671	947	138	156	1,144	499	400	245
1971	3,712	2,623	1,562	762	138	161	1,089	485	377	227
1972	3,405	2,356	1,397	677	131	151	1,049	476	343	230
1973	3,069	2,128	1,225	637	135	131	941	412	328	201
1974	2,946	1,973	1,101	625	122	125	973	432	341	200
1975	2,928 <sup>1</sup>	1,974 <sup>1</sup>	..	..	..	..	954 <sup>1</sup>	..	..	..
1976	2,768 <sup>1</sup>	1,853 <sup>1</sup>	..	..	..	..	915 <sup>1</sup>	..	..	..
1977	2,509	1,686	958	533	105	90	823	349	293	181
<b>Female - Féminin</b>										
1950	6,596	3,755	1,651	1,263	362	479	2,841	1,098	919	824
1951	6,298	3,599	1,561	1,295	337	406	2,699	1,112	871	716
1952	6,565	3,772	1,544	1,372	380	476	2,793	1,115	907	771
1953	6,317	3,721	1,547	1,348	388	438	2,596	1,017	834	745
1954	5,910	3,523	1,577	1,292	284	370	2,387	930	780	677
1955	5,917	3,551	1,640	1,253	304	354	2,366	926	759	681
1956	6,291	3,861	1,896	1,264	300	401	2,430	1,003	744	683
1957	6,204	3,948	1,942	1,318	331	357	2,256	968	696	592
1958	6,026	3,815	1,894	1,336	273	312	2,211	866	763	582
1959	5,768	3,744	1,891	1,246	265	342	2,024	818	663	543
1960	5,505	3,465	1,847	1,147	227	244	2,040	822	648	570
1961	5,493	3,598	2,079	1,081	193	245	1,895	780	617	498
1962	5,562	3,707	2,130	1,097	209	271	1,855	753	608	494
1963	5,191	3,493	2,098	994	203	198	1,698	700	546	452
1964	4,703	3,250	1,976	916	180	178	1,453	590	492	371
1965	4,236	2,899	1,746	843	134	176	1,337	535	466	336
1966	3,822	2,639	1,603	749	138	149	1,183	493	385	305
1967	3,549	2,383	1,408	701	137	137	1,166	496	393	277
1968	3,290	2,306	1,335	710	123	138	984	432	322	230
1969	3,034	2,150	1,295	644	110	101	884	370	314	200
1970	2,945	2,105	1,250	637	106	112	840	329	277	234
1971	2,644	1,862	1,082	550	109	121	782	335	264	183
1972	2,533	1,761	1,062	490	90	119	772	316	272	184
1973	2,270	1,564	921	438	96	109	706	305	249	152
1974	2,246	1,533	932	411	87	103	713	307	221	185
1975	2,202 <sup>1</sup>	1,506 <sup>1</sup>	..	..	..	..	696 <sup>1</sup>	..	..	..
1976	2,079 <sup>1</sup>	1,437 <sup>1</sup>	..	..	..	..	642 <sup>1</sup>	..	..	..
1977	1,966	1,298	729	372	102	95	668	313	201	154

<sup>1</sup> Estimated. - Évalué.

TABLE 22. Infant Deaths and Rates by Age and Sex, Canada, 1950-1977 - Concluded  
 TABLEAU 22. Mortalité infantile et taux selon l'âge et le sexe, Canada, 1950-1977 - fin

Year - Année	Infants under 1 year - Enfants de moins de 1 an	Neonatal - Néonatale	Under 1 day - Moins de 1 jour	1-6 days - jours	7-13 days - jours	14-27 days - jours	Post-neonatal - Post-néonatale	28 days to 3 months - jours à 3 mois	3 months to 6 months - mois à 6 mois	6 months to a year - mois à un an
Both sexes - Deux sexes										
Rate per 1,000 live births - Taux pour 1,000 naissances vivantes										
1950	41.5	24.4	10.8	8.5	2.1	3.0	17.1	6.7	5.6	4.8
1951	38.5	22.6	9.5	8.4	2.0	2.6	15.9	6.6	5.0	4.3
1952	38.2	22.7	9.6	8.2	2.1	2.7	15.5	6.3	5.0	4.2
1953	35.6	21.4	9.2	7.8	2.1	2.4	14.2	5.7	4.5	3.9
1954	31.9	19.3	8.6	7.3	1.5	1.9	12.7	5.1	4.1	3.5
1955	31.3	19.3	8.9	7.0	1.6	1.9	12.0	4.9	3.8	3.3
1956	31.9	20.1	9.9	6.9	1.5	1.9	11.8	5.1	3.5	3.2
1957	30.9	20.2	9.9	6.9	1.6	1.8	10.7	4.6	3.4	2.7
1958	30.2	19.3	9.4	6.9	1.4	1.6	10.9	4.5	3.5	2.9
1959	28.4	18.4	9.2	6.4	1.3	1.5	10.0	4.2	3.2	2.5
1960	27.3	17.6	9.3	5.9	1.1	1.2	9.7	4.0	3.2	2.6
1961	27.2	18.0	10.1	5.7	1.0	1.2	9.2	3.9	2.9	2.3
1962	27.6	18.7	10.6	5.6	1.0	1.2	8.9	3.7	3.0	2.2
1963	26.3	18.1	10.5	5.5	1.0	1.0	8.2	3.4	2.7	2.1
1964	24.7	17.3	10.4	5.1	0.9	0.9	7.4	3.0	2.5	1.8
1965	23.6	16.3	9.6	5.1	0.7	0.9	7.3	3.0	2.5	1.7
1966	23.1	16.1	9.4	4.9	0.9	0.9	7.0	3.0	2.3	1.7
1967	22.0	15.2	9.0	4.6	0.7	0.8	6.8	3.0	2.3	1.5
1968	20.8	14.8	8.6	4.6	0.7	0.8	6.1	2.6	2.0	1.4
1969	19.3	13.9	8.3	4.1	0.7	0.7	5.4	2.4	1.8	1.2
1970	18.8	13.5	7.9	4.3	0.7	0.7	5.3	2.2	1.8	1.3
1971	17.5	12.4	7.3	3.6	0.7	0.8	5.2	2.3	1.8	1.1
1972	17.1	11.9	7.1	3.4	0.6	0.8	5.2	2.3	1.8	1.2
1973	15.5	10.8	6.2	3.1	0.7	0.7	4.8	2.1	1.7	1.0
1974	15.0	10.1	5.9	3.0	0.6	0.7	4.9	2.1	1.6	1.1
1975	14.3 <sup>1</sup>	9.7 <sup>1</sup>	..	..	..	..	4.6 <sup>1</sup>	..	..	..
1976	13.5 <sup>1</sup>	9.1 <sup>1</sup>	..	..	..	..	4.3 <sup>1</sup>	..	..	..
1977	12.4	8.3	4.7	2.5	0.6	0.5	4.1	1.8	1.4	0.9
Male - Masculin										
Rate per 1,000 male live births - Taux pour 1,000 naissances vivantes (masculin)										
1950	46.2	27.8	12.4	9.9	2.3	3.2	18.4	7.3	6.0	5.1
1951	42.7	25.6	10.6	9.8	2.3	2.9	17.1	7.2	5.2	4.7
1952	42.5	25.9	11.2	9.4	2.3	3.0	16.6	7.0	5.2	4.4
1953	39.8	24.3	10.6	8.9	2.3	2.5	15.5	6.4	5.0	4.2
1954	35.8	21.8	9.7	8.4	1.6	2.1	14.0	5.8	4.4	3.7
1955	35.0	22.0	10.1	8.1	1.7	2.1	13.0	5.4	4.1	3.5
1956	35.0	22.5	10.9	8.0	1.6	2.0	12.5	5.5	3.7	3.3
1957	34.5	22.9	11.3	8.0	1.7	2.0	11.6	5.0	3.7	2.8
1958	33.7	21.7	10.5	7.8	1.6	1.8	12.0	5.1	3.7	3.2
1959	31.8	20.7	10.2	7.5	1.4	1.6	11.1	4.9	3.6	2.7
1960	30.8	20.1	10.6	6.9	1.3	1.3	10.7	4.4	3.5	2.7
1961	30.5	20.3	11.1	6.7	1.2	1.3	10.2	4.5	3.2	2.5
1962	30.6	21.1	11.9	6.7	1.2	1.3	9.5	4.1	3.2	2.2
1963	29.6	20.6	11.7	6.6	1.1	1.1	9.0	3.8	3.1	2.2
1964	27.8	19.7	11.8	5.9	0.9	1.1	8.1	3.4	2.8	1.9
1965	26.2	18.3	10.6	5.9	0.8	0.9	7.9	3.4	2.7	1.7
1966	25.8	18.2	10.3	5.9	1.0	0.9	7.6	3.3	2.5	1.9
1967	24.2	17.1	10.2	5.2	0.7	0.9	7.1	3.3	2.3	1.6
1968	22.9	16.4	9.6	5.1	0.8	0.9	6.5	2.7	2.2	1.6
1969	21.7	15.7	9.4	4.7	0.8	0.8	5.9	2.8	1.9	1.2
1970	21.2	15.2	8.7	4.9	0.7	0.8	6.0	2.6	2.1	1.3
1971	19.9	14.1	8.4	4.1	0.7	0.9	5.8	2.6	2.0	1.2
1972	19.0	13.2	7.8	3.8	0.7	0.8	5.9	2.7	1.9	1.3
1973	17.4	12.0	6.9	3.6	0.8	0.7	5.3	2.3	1.9	1.1
1974	16.6	11.1	6.2	3.5	0.7	0.7	5.5	2.4	1.9	1.1
1975	15.9 <sup>1</sup>	10.7 <sup>1</sup>	..	..	..	..	5.2 <sup>1</sup>	..	..	..
1976	15.0 <sup>1</sup>	10.0 <sup>1</sup>	..	..	..	..	5.0 <sup>1</sup>	..	..	..
1977	13.5	9.1	5.2	2.9	0.6	0.5	4.4	1.9	1.6	1.0
Female - Féminin										
Rate per 1,000 female live births - Taux pour 1,000 naissances vivantes (féminin)										
1950	36.5	20.8	9.1	7.0	2.0	2.7	15.7	6.1	5.1	4.6
1951	34.0	19.4	8.4	7.0	1.8	2.2	14.6	6.0	4.7	3.9
1952	33.6	19.3	7.9	7.0	1.9	2.4	14.3	5.7	4.6	3.9
1953	31.0	18.3	7.6	6.6	1.9	2.2	12.7	5.0	4.1	3.7
1954	27.9	16.6	7.4	6.1	1.3	1.7	11.3	4.4	3.7	3.2
1955	27.5	16.5	7.6	5.8	1.4	1.6	11.0	4.3	3.5	3.2
1956	28.7	17.6	8.7	5.8	1.4	1.8	11.1	4.6	3.4	3.1
1957	27.2	17.3	8.5	5.8	1.5	1.6	9.9	4.2	3.1	2.6
1958	26.4	16.7	8.3	5.8	1.2	1.4	9.7	3.8	3.3	2.5
1959	24.7	16.1	8.1	5.3	1.1	1.5	8.6	3.5	2.8	2.3
1960	23.7	14.9	7.9	4.9	1.0	1.0	8.8	3.5	2.8	2.5
1961	23.7	15.6	9.0	4.7	0.8	1.1	8.1	3.4	2.7	2.2
1962	24.3	16.2	9.3	4.8	0.9	1.2	8.1	3.3	2.7	2.2
1963	22.9	15.4	9.2	4.4	0.9	0.9	7.5	3.1	2.4	2.0
1964	21.4	14.8	9.0	4.2	0.8	0.8	6.6	2.7	2.2	1.7
1965	20.8	14.2	8.6	4.1	0.7	0.9	6.6	2.6	2.3	1.7
1966	20.2	14.0	8.5	4.0	0.7	0.8	6.2	2.6	2.0	1.6
1967	19.6	13.2	7.8	3.9	0.8	0.8	6.4	2.7	2.2	1.5
1968	18.6	13.0	7.6	4.0	0.7	0.8	5.6	2.4	1.8	1.3
1969	16.9	12.0	7.2	3.6	0.6	0.6	4.9	2.1	1.7	1.1
1970	16.3	11.7	6.9	3.5	0.6	0.6	4.7	1.8	1.5	1.3
1971	15.1	10.6	6.2	3.1	0.6	0.7	4.5	1.9	1.5	1.0
1972	15.0	10.4	6.3	2.9	0.5	0.7	4.6	1.9	1.6	1.1
1973	13.6	9.4	5.5	2.6	0.6	0.7	4.2	1.8	1.5	0.9
1974	13.4	9.1	5.5	2.4	0.5	0.6	4.2	1.8	1.3	1.1
1975	12.6 <sup>1</sup>	8.6 <sup>1</sup>	..	..	..	..	4.0 <sup>1</sup>	..	..	..
1976	11.9 <sup>1</sup>	8.2 <sup>1</sup>	..	..	..	..	3.7 <sup>1</sup>	..	..	..
1977	11.2	7.4	4.2	2.1	0.6	0.5	3.8	1.8	1.1	0.9

<sup>1</sup> Estimated. - Évalué.



TABLEAU 23. MORTALITÉ INFANTILE DUE A CERTAINES CAUSES DÉTAILLÉES, SELON L'ÂGE ET LE SEXE, CANADA, 1977

TOTAL 28 DAYS -1 YEAR	28 DAYS			POST-NEONATAL								CAUSES DE DÉCÈS (HUITIÈME RÉVISION)	NO LISTE INT.
	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS			
12	2	1	4	1	-	-	1	2	1	-	-	DYSENTERIE .....	004, 008-009
20	7	3	2	1	3	3	-	-	-	-	1		
32	9	4	6	2	3	3	1	2	1	-	1		
-	-	-	-	-	-	-	-	-	-	-	-	TUBERCULOSE .....	010-019
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	COQUELUCHE .....	033
-	-	-	-	-	-	-	-	-	-	-	-		
4	-	-	1	-	-	-	-	-	-	3	-	INFECTIONS A MENINGOCOQUES	036
2	-	-	-	-	-	1	-	-	1	-	-		
6	-	-	1	-	-	1	-	-	1	3	-		
8	2	2	-	-	-	1	1	-	-	1	1	SEPTICEMIE .....	038
4	3	-	-	-	-	-	-	-	1	-	-		
12	5	2	-	-	-	1	1	-	1	1	1		
1	-	-	-	-	-	-	1	-	-	-	-	VARICELLE .....	052
-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	1	-	-	-	-	ROUGEOLE .....	055
1	-	-	-	-	1	-	-	-	-	-	-		
2	-	-	-	-	1	-	-	1	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	RUBEOLE .....	056
-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	1	-	-	-	-	-	-	-	-	ENCEPHALITES A VIRUS .....	062-066
1	-	-	-	-	-	-	-	-	-	1	-		
2	-	-	1	-	-	-	-	-	-	1	-		
-	-	-	-	-	-	-	-	-	-	-	-	MALADIES ATTRIBUABLES AU ...	074
-	-	-	-	-	-	-	-	-	-	-	-	VIRUS COXSACKIE	
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS .....	090-097
-	-	-	-	-	-	-	-	-	-	-	-		
8	3	2	-	-	-	1	-	1	-	1	-	AUTRES DE 000-136 .....	
8	4	2	1	-	1	-	-	-	-	-	-		
16	7	4	1	-	1	1	-	1	-	1	-		
35	7	5	6	1	-	2	3	4	1	5	1	TOTAL CHAPITRE I .....	
36	14	5	3	1	5	4	-	-	2	1	1		
71	21	10	9	2	5	6	3	4	3	6	2		
												II. TUMEURS.	
												TUMEURS MALIGNES.	140-209
2	1	-	-	-	-	-	1	-	-	-	-	CERVEAU ET SYSTEME NERVEUX	191-192
1	-	-	1	-	-	-	-	-	-	-	-		
3	1	-	1	-	-	-	1	-	-	-	-		
3	-	-	-	-	1	-	-	-	1	1	-	LEUCEMIE .....	204-207
2	-	-	-	-	1	-	-	-	1	-	-		
2	-	-	-	-	-	-	1	-	-	1	-	AUTRES DE 140-209 .....	
4	-	-	-	-	1	-	1	-	-	1	1		
7	1	-	-	-	2	-	1	-	1	1	1	TOTAL (140-209) .....	
5	-	-	1	-	1	-	1	1	-	1	-		
12	1	-	1	-	3	-	2	1	1	2	1		
1	-	-	1	-	-	-	-	-	-	-	-	TUMEURS BÉNIGNES .....	210-228
2	1	-	1	1	-	-	-	-	-	-	-		
3	1	-	1	1	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	-	-	1	-	-	AUTRES TUMEURS .....	230-239
-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	-	-	1	-	-		
9	1	-	1	-	2	-	1	-	2	1	1	TOTAL CHAPITRE II .....	
7	1	-	1	1	1	-	1	1	-	1	-		
16	2	-	2	1	3	-	2	1	2	2	1		
												III. MALADIES ENDOCRINI-	
												ENNES, DE LA NUTRITION	
												ET DU MÉTABOLISME.	
1	-	1	-	-	-	-	-	-	-	-	-	TROUBLES DE LA SÉCRETION ...	251
-	-	-	-	-	-	-	-	-	-	-	-	PANCRÉATIQUE INTERNE,	
1	-	1	-	-	-	-	-	-	-	-	-	AUTRE QUE LE DIABÈTE SUCRE	

TABLE 23. INFANT DEATHS FOR SELECTED DETAILED CAUSES BY AGE AND SEX, CANADA, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	TOTAL	TOTAL -28 DAYS	NEONATAL										
				-1 DAY	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	
254	DISEASES OF THYMUS GLAND ...	M	2	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	1	-	1	-	-	-	-	-	-	-	-
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	3	-	-	-	-	-	-	-	-	-	-	-
270-279	OTHER METABOLIC DISEASES ...	M	10	3	2	-	-	-	-	-	-	1	-	-
		F	17	5	2	-	1	1	-	-	-	-	-	1
		T	27	8	4	-	1	1	-	-	-	1	-	1
	OTHER OF 240-279 .....	M	4	2	1	-	1	-	-	-	-	-	-	-
		F	5	4	3	-	-	-	-	-	-	1	-	-
		T	9	6	4	-	1	-	-	-	-	1	-	-
	SECTION III TOTAL .....	M	19	6	3	1	1	-	-	-	-	1	-	-
		F	23	9	5	-	1	1	-	-	-	1	-	1
		T	42	15	8	1	2	1	-	-	-	2	-	1
IV. BLOOD DISEASES.														
280-285	ANAEMIAS .....	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	1	-	-	-	-	-	-	-	-	-
		T	4	1	1	-	-	-	-	-	-	-	-	-
286	COAGULATIC DEFECTS .....	M	4	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	4	-	-	-	-	-	-	-	-	-	-	-
	OTHER OF 280-289 .....	M	6	2	1	-	-	-	-	-	-	-	-	1
		F	6	-	-	-	-	-	-	-	-	-	-	-
		T	12	2	1	-	-	-	-	-	-	-	-	1
	SECTION IV TOTAL .....	M	11	2	1	-	-	-	-	-	-	-	-	1
		F	9	1	1	-	-	-	-	-	-	-	-	-
		T	20	3	2	-	-	-	-	-	-	-	-	1
V. MENTAL DISORDERS.														
290-315	SECTION V TOTAL .....	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.														
320	MENINGITIS .....	M	17	5	-	-	2	-	-	-	-	-	3	-
		F	14	7	-	1	-	-	-	-	-	2	4	-
		T	31	12	-	1	2	-	-	-	-	2	7	-
343	CEREBRAL SPASTIC INFANTILE PARALYSIS	M	11	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-
		T	14	-	-	-	-	-	-	-	-	-	-	-
381-383	OTITIS MEDIA AND MASTOIDITIS	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	-	-
	OTHER OF 320-389 .....	M	22	1	1	-	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-
		T	41	1	1	-	-	-	-	-	-	-	-	-
	SECTION VI TOTAL .....	M	51	6	1	-	2	-	-	-	-	-	3	-
		F	37	7	-	1	-	-	-	-	-	2	4	-
		T	88	13	1	1	2	-	-	-	-	2	7	-
VII. DISEASES OF THE CIRCULATORY SYSTEM.														
390-458	SECTION VII TOTAL .....	M	14	2	-	-	-	-	-	-	-	2	-	-
		F	12	2	1	-	-	-	-	-	-	1	-	-
		T	26	4	1	-	-	-	-	-	-	3	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.														
460-466	ACUTE RESPIRATORY INFECTIONS	M	21	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-
		T	30	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA .....	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-
		T	3	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA .....	M	97	28	10	4	7	-	1	-	-	2	1	2
		F	66	14	2	3	-	1	2	-	1	3	-	2
		T	163	42	12	7	7	1	3	-	1	5	1	4

TABLEAU 23. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1977

TOTAL 28 DAYS -1 YEAR	POST-NEONATAL											CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	28 DAYS -1 YEAR	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS		
1	-	-	-	-	-	1	-	-	-	-	-	MALADIES DU THYMUS .....	254
1	-	-	-	-	-	1	-	-	-	-	-		
2	-	-	-	-	-	1	-	-	1	-	-	AVITAMINOSES ET AUTRES ETATS DE CARENCE	260-269
1	-	1	-	-	-	-	-	-	-	-	-		
3	-	1	-	-	-	1	-	-	1	-	-		
7	2	-	2	1	1	-	1	-	-	-	-	AUTRES TROUBLES DU ..... METABOLISME	270-279
12	2	2	-	3	2	-	2	-	-	1	-		
19	4	2	2	4	3	-	3	-	-	1	-		
2	1	1	-	-	-	-	-	-	-	-	-	AUTRES DE 240-279 .....	
1	-	-	-	1	-	-	-	-	-	-	-		
3	1	1	-	1	-	-	-	-	-	-	-		
13	3	2	2	1	1	2	1	-	1	-	-	TOTAL CHAPITRE III .....	
14	2	3	-	4	2	-	2	-	-	1	-		
27	5	5	2	5	3	2	3	-	1	1	-		
												IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
1	-	-	-	1	-	-	-	-	-	-	-	ANEMIES .....	280-285
2	-	-	1	-	1	-	-	-	-	-	-		
3	-	-	1	1	1	-	-	-	-	-	-		
4	-	1	1	-	1	-	1	-	-	-	-	ANOMALIES DE LA COAGULATION	286
4	-	1	-	-	-	-	-	-	-	-	-		
4	1	-	3	-	-	-	-	-	-	-	-	AUTRES DE 280-289 .....	
6	1	2	1	-	1	-	1	-	-	-	-		
10	2	2	4	-	1	-	1	-	-	-	-		
9	1	1	4	1	1	-	1	-	-	-	-	TOTAL CHAPITRE IV .....	
8	1	2	2	-	2	-	1	-	-	-	-		
17	2	3	6	1	3	-	2	-	-	-	-		
												V. TROUBLES MENTAUX.	
1	-	-	-	1	-	-	-	-	-	-	-	TOTAL CHAPITRE V .....	290-315
1	-	-	-	1	-	-	-	-	-	-	-		
1	-	-	-	1	-	-	-	-	-	-	-		
												VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.	
12	2	1	1	1	3	1	2	1	-	-	-	MENINGITE .....	320
7	2	1	-	-	1	-	1	1	-	-	-		
19	4	2	1	1	4	1	3	2	-	-	1		
11	-	2	-	3	4	1	-	-	-	-	1	PARALYSIE CEREBRALE ..... SPASMODIQUE INFANTILE	343
3	-	-	1	-	-	1	-	-	-	-	-		
14	-	2	1	3	4	2	1	-	-	-	1		
1	-	-	-	-	-	-	-	1	-	-	-	OTITE MOYENNE ET MASTOIDITE	381-383
1	-	-	-	1	-	-	-	-	-	-	-		
2	-	-	-	1	-	-	-	1	-	-	-		
21	2	3	2	5	2	2	1	-	2	1	1	AUTRES DE 320-389 .....	
19	2	2	-	2	-	3	1	2	3	3	1		
40	4	5	2	7	2	5	2	2	5	4	2		
45	4	6	3	9	9	4	3	2	2	1	2	TOTAL CHAPITRE VI .....	
30	4	3	1	3	1	4	3	3	3	3	2		
75	8	9	4	12	10	8	6	5	5	4	4		
												VII. MALADIES DE L'APPAREIL CIRCULATOIRE.	
12	1	-	3	2	3	-	-	1	-	-	2	TOTAL CHAPITRE VII .....	390-458
10	4	1	-	2	-	1	1	-	1	-	-		
22	5	1	3	4	3	1	1	1	1	-	2		
												VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.	
21	2	3	5	5	4	-	1	1	-	-	-	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES	460-466
9	1	4	-	-	1	2	-	1	-	-	-		
30	3	7	5	5	5	2	1	2	-	-	-		
1	-	-	-	-	-	-	-	-	1	-	-	GRIPPE .....	470-474
2	-	-	-	-	1	-	-	-	-	-	1		
3	-	-	-	-	1	-	-	-	1	-	1		
69	14	11	16	5	6	2	8	2	1	2	3	PNEUMONIE .....	480-486
52	11	13	9	6	4	-	1	4	1	1	2		
121	25	24	25	11	10	2	9	6	2	3	5		

TABLE 23. INFANT DEATHS FOR SELECTED DETAILED CAUSES BY AGE AND SEX, CANADA, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	TOTAL	TOTAL -28 DAYS	NEONATAL									14-20 DAYS	21-27 DAYS	
				-1 DAY	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS				
490-493	BRONCHITIS, EMPHYSEMA AND ASTHMA	M	4	-	-	-	-	-	-	-	-	-	-	-	
		F	11	2	-	1	-	-	-	1	-	-	-	-	
		T	15	2	-	1	-	-	-	1	-	-	-	-	
	OTHER OF 460-519 .....	M	34	5	-	-	1	-	-	2	-	1	-	1	
		F	19	6	2	-	-	1	-	-	-	2	-	1	
		T	53	11	2	-	1	1	-	2	-	3	-	2	
	SECTION VIII TOTAL .....	M	157	33	10	4	8	-	1	2	-	3	1	3	
		F	107	22	4	4	-	2	2	1	1	5	-	3	
		T	264	55	14	8	8	2	3	3	1	8	1	6	
IX. DISEASES OF THE DIGESTIVE SYSTEM.															
550-553	HERNIA .....	M	29	25	18	-	6	-	-	-	-	-	-	-	1
		F	19	19	17	1	1	-	-	-	-	-	-	-	-
		T	48	44	35	1	7	-	-	-	-	-	-	-	1
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	2
		T	4	2	-	-	-	-	-	-	-	-	-	-	2
561	NON-INFECTIOUS GASTRO-ENTERITIS AND COLITIS	M	7	4	-	-	1	1	-	-	-	2	-	-	
		F	9	4	-	-	-	-	1	1	-	1	-	1	
		T	16	8	-	-	1	1	1	1	-	3	-	1	
	OTHER OF 520-577 .....	M	16	3	1	1	-	-	-	-	-	-	1	-	
		F	12	3	-	-	-	-	-	-	-	1	2	-	
		T	28	6	1	1	-	-	-	-	-	1	3	-	
	SECTION IX TOTAL .....	M	54	32	19	1	7	1	-	-	-	2	1	1	
		F	42	28	17	1	1	-	1	1	-	2	2	3	
		T	96	60	36	2	8	1	1	1	-	4	3	4	
X. DISEASES OF THE GENITO-URINARY SYSTEM.															
580-629	SECTION X TOTAL .....	M	2	1	-	-	-	-	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
		T	5	1	-	-	-	-	-	-	-	-	-	-	1
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.															
680-709	SECTION XII TOTAL .....	M	1	1	-	-	-	-	-	-	-	-	1	-	
		F	1	1	-	-	-	-	-	-	-	1	-	-	
		T	2	2	-	-	-	-	-	-	-	1	1	-	
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.															
710-738	SECTION XIII TOTAL .....	M	1	1	-	-	-	-	-	-	-	-	1	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	
		T	2	1	-	-	-	-	-	-	-	-	-	1	
XIV. CONGENITAL ANOMALIES.															
740-743	BRAIN, SPINAL CORD AND NERVOUS SYSTEM	M	138	93	55	9	5	-	1	2	-	8	7	5	
		F	175	127	92	10	1	1	2	-	-	7	10	4	
		T	313	220	147	19	6	1	3	2	-	15	17	9	
746	HEART .....	M	169	111	21	20	19	10	9	5	2	16	6	3	
		F	163	93	20	11	11	8	2	1	-	27	6	7	
		T	332	204	41	31	30	18	11	6	2	43	12	10	
747	OTHER CIRCULATORY SYSTEM	M	39	27	1	5	3	1	3	2	2	6	2	2	
		F	31	19	4	-	5	1	1	1	-	5	2	-	
		T	70	46	5	5	8	2	4	3	2	11	4	2	
748	RESPIRATORY SYSTEM	M	60	42	34	5	2	-	-	-	-	1	-	-	
		F	22	15	9	1	-	1	1	-	1	-	1	1	
		T	82	57	43	6	2	1	1	-	1	1	1	1	
749-751	DIGESTIVE SYSTEM	M	25	11	3	1	1	1	2	-	1	1	-	-	
		F	23	12	4	-	1	1	-	-	2	4	-	-	
		T	48	23	7	1	2	2	2	-	3	5	1	-	
753	URINARY SYSTEM	M	46	45	36	4	2	1	-	-	-	2	-	-	
		F	21	19	16	-	-	1	-	-	-	1	1	-	
		T	67	64	52	4	2	2	-	-	-	3	1	-	
759	MULTIPLE SYSTEMS	M	71	57	39	6	2	1	-	4	1	3	1	-	
		F	62	37	20	5	3	3	1	2	2	1	-	-	
		T	133	94	59	11	5	4	1	6	3	4	1	-	
	OTHER OF 740-759	M	42	33	22	2	1	1	1	1	-	-	4	1	
		F	30	19	16	1	-	-	-	-	-	1	-	1	
		T	72	52	38	3	1	1	1	1	-	1	4	2	

TABLEAU 23. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1977

TOTAL 28 DAYS -1 YEAR	POST-NEONATAL											CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	28 DAYS -1 YEAR	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS		
4	-	1	1	-	1	-	-	-	-	1	-	BRONCHITE, EMPHYSEME ET ....	490-493
9	1	2	1	1	-	1	-	1	-	-	2	ASTHME	
13	1	3	2	1	1	1	-	1	-	1	2		
29	5	6	4	9	-	2	-	2	1	-	-	AUTRES DE 460-519 .....	
13	3	2	1	1	2	1	1	-	-	-	2		
42	8	8	5	10	2	3	1	2	1	-	2		
124	21	21	26	19	11	4	9	5	3	3	3	TOTAL CHAPITRE VIII .....	
85	16	21	11	8	8	4	2	6	1	1	7		
209	37	42	37	27	19	8	11	11	4	4	10		
IX. MALADIES DE L'APPAREIL DIGESTIF.													
4	1	1	-	-	-	-	2	-	-	-	-	HERNIE .....	550-553
4	1	1	-	-	-	-	2	-	-	-	-		
2	-	-	-	2	-	-	-	-	-	-	-	OCCCLUSION INTESTINALE, .....	560
2	-	-	-	2	-	-	-	-	-	-	-	SANS MENTION DE HERNIE	
3	1	-	-	1	1	-	-	-	-	-	-	GASTRO-ENTERITE ET COLITE,	561
5	2	1	1	-	-	1	-	-	-	-	-	D'ORIGINE NON INFECTIEUSE	
8	3	1	1	1	1	1	-	-	-	-	-		
13	3	3	1	3	-	-	1	-	-	1	1	AUTRES DE 520-577 .....	
9	2	2	2	1	-	-	-	-	-	2	-		
22	5	5	3	4	-	-	1	-	-	3	1		
22	5	4	1	6	1	-	3	-	-	1	1	TOTAL CHAPITRE IX .....	
14	4	3	3	1	-	1	-	-	-	2	-		
36	9	7	4	7	1	1	3	-	-	3	1		
X. MALADIES DES ORGANES GENITO-URINAIRES.													
1	-	-	-	-	-	-	-	-	-	-	1	TOTAL CHAPITRE X .....	580-629
3	-	2	1	-	-	-	-	-	-	-	-		
4	-	2	1	-	-	-	-	-	-	-	1		
XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.													
-	-	-	-	-	-	-	-	-	-	-	-	TOTAL CHAPITRE XII .....	680-709
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.													
-	-	-	-	-	-	-	-	-	-	-	-	TOTAL CHAPITRE XIII .....	710-738
1	-	-	-	-	-	-	1	-	-	-	-		
1	-	-	-	-	-	-	1	-	-	-	-		
XIV. ANOMALIES CONGENITALES													
45	17	5	4	4	2	1	3	4	1	4	1	CERVEAU, MOELLE ET SYSTEME	740-743
48	22	10	3	4	1	3	3	2	-	-	-	NERVEUX	
93	39	15	7	8	3	4	6	6	1	4	1		
58	17	5	11	2	4	4	5	-	3	2	5	COEUR .....	746
70	15	9	8	4	5	3	6	5	7	2	2		
128	32	14	19	6	13	7	11	5	10	4	7		
12	4	1	3	1	1	-	-	-	-	1	1	AUTRE APPAREIL CIRCULATOIRE	747
12	6	2	2	-	1	-	1	-	-	-	-		
24	10	3	5	1	2	-	1	-	-	1	1		
18	5	1	1	4	-	3	1	1	1	1	-	APPAREIL RESPIRATOIRE .....	748
7	3	1	1	-	1	-	-	1	-	-	-		
25	8	2	2	4	1	3	1	2	1	1	-		
14	4	1	1	1	2	2	1	-	2	-	-	APPAREIL DIGESTIF .....	749-751
11	2	3	-	1	1	-	1	1	1	-	1		
25	6	4	1	2	3	2	2	1	3	-	1		
1	1	-	-	-	-	-	-	-	-	-	-	APPAREIL URINAIRE .....	753
2	-	2	-	-	-	-	-	-	-	-	-		
3	1	2	-	-	-	-	-	-	-	-	-		
14	4	3	3	-	-	1	1	1	-	1	-	DIFFERENTS APPAREILS .....	759
25	8	7	3	1	2	-	-	-	3	-	1		
39	12	10	6	1	2	1	1	1	3	1	1		
9	1	4	-	-	-	1	2	-	-	-	1	AUTRES DE 740-759 .....	
11	1	1	1	-	2	3	1	-	1	-	1		
20	2	5	1	-	2	4	3	-	1	-	2		

TABLE 23. INFANT DEATHS FOR SELECTED DETAILED CAUSES BY AGE AND SEX, CANADA, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	TOTAL	NEONATAL										
			TOTAL -28 DAYS	-1 DAY	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS
SECTION XIV TOTAL		M 590	419	211	52	35	15	16	14	6	37	21	11
		F 527	341	181	28	21	16	7	4	5	46	20	13
		T 1,117	760	392	80	56	31	23	18	11	83	41	24
XV. CERTAIN CAUSES OF PERINATAL MORTALITY.													
760-761	MATERNAL CONDITIONS UNRELATED TO PREGNANCY	M 4	4	2	2	-	-	-	-	-	-	-	-
		F 5	5	3	-	1	-	-	-	-	-	-	1
		T 9	9	5	2	1	-	-	-	-	-	-	1
762-763	MATERNAL TOXAEMIA AND INFECTION	M 12	12	10	1	-	-	1	-	-	-	-	-
		F 13	13	9	2	-	-	-	1	-	-	1	-
		T 25	25	19	3	-	-	1	1	-	-	1	-
764-768	DIFFICULT LABOUR	M 25	25	17	3	3	1	1	-	-	-	-	-
		F 15	15	11	3	1	-	-	-	-	-	-	-
		T 40	40	28	6	4	1	1	-	-	-	-	-
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	M 91	89	72	7	4	2	-	2	-	1	1	-
		F 102	102	83	4	9	3	-	-	-	2	1	-
		T 193	191	155	11	13	5	-	2	-	3	2	-
770-771	CONDITIONS OF PLACENTA AND UMBILICAL CORD	M 87	87	76	4	3	-	-	1	1	1	1	-
		F 61	61	55	3	1	2	-	-	-	-	-	-
		T 148	148	131	7	4	2	-	1	1	1	1	-
772	BIRTH INJURY	M 111	111	23	15	22	16	7	5	9	8	4	2
		F 92	92	19	14	14	9	7	4	3	16	4	2
		T 203	203	42	29	36	25	14	9	12	24	8	4
774-775	HAEMOLYTIC DISEASE OF NEWBORN	M 17	17	12	2	-	-	1	-	1	-	1	-
		F 14	14	11	1	2	-	-	-	-	-	-	-
		T 31	31	23	3	2	-	1	-	1	-	1	-
776	ANOXIA AND HYPOXIA	M 533	532	294	75	68	19	23	11	5	26	6	5
		F 351	348	183	65	32	16	10	9	9	14	8	2
		T 884	880	477	140	100	35	33	20	14	40	14	7
777	IMMATURITY	M 192	189	169	9	2	2	-	-	-	3	3	1
		F 150	150	126	9	5	4	1	1	1	1	1	1
		T 342	339	295	18	7	6	1	1	1	4	4	2
	OTHER OF 760-779	M 50	50	23	3	6	2	3	1	2	8	1	1
		F 31	31	14	2	3	-	1	2	-	4	5	-
		T 81	81	37	5	9	2	4	3	2	12	6	1
SECTION XV TOTAL		M 1,122	1,116	698	121	108	42	36	20	18	47	17	9
		F 834	831	514	103	68	34	19	17	13	37	20	6
		T 1,956	1,947	1,212	224	176	76	55	37	31	84	37	15
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.													
780-796	SECTION XVI TOTAL	M 318	27	2	1	2	1	-	-	1	6	5	8
		F 227	18	2	1	-	-	-	-	-	1	4	10
		T 545	45	4	2	2	1	-	-	1	7	9	18
XVII. ACCIDENTS, POISONINGS AND VIOLENCE.													
E810-E823	MOTOR VEHICLE ACCIDENTS	M 8	1	-	-	-	-	-	-	-	-	1	-
		F 5	-	-	-	-	-	-	-	-	-	-	-
		T 13	1	-	-	-	-	-	-	-	-	1	-
E880-E887	ACCIDENTAL FALLS	M 5	-	-	-	-	-	-	-	-	-	-	-
		F 3	-	-	-	-	-	-	-	-	-	-	-
		T 8	-	-	-	-	-	-	-	-	-	-	-
E890-E899	FIRE ACCIDENTS	M 5	-	-	-	-	-	-	-	-	-	-	-
		F 7	1	-	-	-	-	-	-	-	1	-	-
		T 12	1	-	-	-	-	-	-	-	1	-	-
E911-E912	INHALATION AND INGESTION	M 30	1	1	-	-	-	-	-	-	-	-	-
		F 30	2	-	-	-	1	-	-	-	-	-	1
		T 60	3	1	-	-	1	-	-	-	-	-	1
E913	MECHANICAL SUFFOCATION	M 21	1	-	-	-	-	-	-	-	-	1	-
		F 7	1	-	-	-	-	-	-	-	1	-	-
		T 28	2	-	-	-	-	-	-	-	1	1	-
	OTHER OF E800-E999	M 19	1	1	-	-	-	-	-	-	-	-	-
		F 16	2	1	1	-	-	-	-	-	-	-	-
		T 35	3	2	1	-	-	-	-	-	-	-	-
SECTION XVII TOTAL		M 88	4	2	-	-	-	-	-	-	-	2	-
		F 68	6	1	1	-	1	-	-	-	2	-	1
		T 156	10	3	1	-	1	-	-	-	2	2	1
ALL CAUSES		M 2,509	1,686	956	183	165	59	58	39	29	104	56	34
		F 1,966	1,298	729	143	95	56	32	26	20	102	55	40
		T 4,475	2,984	1,685	326	260	115	90	65	49	206	111	74

TABLEAU 23. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1977

TOTAL 28 DAYS -1 YEAR	28 DAYS		FCST-NEONATAL									CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS			
171	53	20	23	12	9	12	13	6	7	9	8	TOTAL CHAPITRE XIV .....	
186	57	35	18	10	17	9	12	9	12	2	5		
357	110	55	41	22	26	21	25	15	19	11	13		
												XV. CAUSES DE MORTALITE PERINATALES.	
-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS NON GRAVIDIQUES DE LA MERE	760-761
-	-	-	-	-	-	-	-	-	-	-	-	TOXEMIES ET INFECTIONS ..... MATERNELLES	762-763
-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT DYSTOCIQUE ....	764-768
2	2	-	-	-	-	-	-	-	-	-	-	AUTRES COMPLICATIONS DE LA GROSSESSE ET DE L'ACCOUCHEMENT	769
2	2	-	-	-	-	-	-	-	-	-	-	ANOMALIES DU PLACENTA ET DU CORDON	770-771
-	-	-	-	-	-	-	-	-	-	-	-	LESION D'ORIGINE ..... OBSTETRICALE	772
-	-	-	-	-	-	-	-	-	-	-	-	MALADIE HEMOLYTIQUE DU ..... NOUVEAU-NE	774-775
1	1	-	-	-	-	-	-	-	-	-	-	ANOXIE ET HYPOXIE .....	776
3	3	-	-	-	-	-	-	-	-	-	-		
4	4	-	-	-	-	-	-	-	-	-	-		
3	2	1	-	-	-	-	-	-	-	-	-	PREMATURITE .....	777
3	2	1	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	AUTRE DE 760-779 .....	
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
6	5	1	-	-	-	-	-	-	-	-	-	TOTAL CHAPITRE XV .....	
3	3	-	-	-	-	-	-	-	-	-	-		
9	8	1	-	-	-	-	-	-	-	-	-		
												XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.	
291	84	75	67	30	16	8	2	4	-	1	1	TOTAL CHAPITRE XVI .....	780-796
209	56	60	40	26	6	6	7	3	2	2	1		
500	140	139	107	56	22	14	9	7	2	3	2		
												XVII. ACCIDENTS, EMPOISONNE -MENTS ET TRAUMATISMES.	
7	-	1	-	1	-	2	-	-	2	-	1	ACCIDENTS DE VEHICULE A .... MOTEUR	E810-E823
5	-	1	1	-	1	1	-	1	-	-	-		
12	-	2	1	1	1	3	-	1	2	-	1		
5	-	-	-	2	-	1	-	-	1	1	-	CHUTES ACCIDENTELLES .....	E880-E887
3	-	-	-	1	2	-	-	-	-	-	-		
8	-	-	-	3	2	1	-	-	1	1	-		
5	1	1	-	-	-	1	1	-	-	-	1	ACCIDENTS CAUSES PAR LE FEU	E890-E899
6	-	-	1	2	1	1	-	-	-	-	1		
11	1	1	1	2	1	2	1	-	-	1	1		
29	6	6	8	2	1	-	2	1	2	1	-	ASPIRATION OU INGESTION ....	E911-E912
28	3	7	4	2	4	4	-	1	1	-	2		
57	9	13	12	4	5	4	2	2	3	1	2		
20	5	4	2	1	1	1	3	-	-	2	1	SUFFOCATION MECANIQUE .....	E913
6	1	1	-	1	1	1	-	1	-	-	-		
26	6	5	2	2	2	2	3	1	-	2	1		
18	1	3	-	2	2	-	1	1	3	3	2	AUTRES DE E800-E999 .....	
14	2	1	1	1	-	1	-	2	2	1	3		
32	3	4	1	3	2	1	1	3	5	4	5		
84	13	15	10	8	4	5	7	2	8	7	5	TOTAL CHAPITRE XVII ....	
62	6	10	7	7	9	8	-	5	3	2	5		
146	19	25	17	15	13	13	7	7	11	9	10		
823	198	154	146	90	57	37	43	24	24	28	25	TOUTES LES CAUSES .....	
668	168	145	87	63	51	37	30	27	24	15	21		
1,491	366	299	233	153	108	74	73	51	48	43	46		

TABLE 24. INFANT DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.-N.O.
I. INFECTIVE AND PARASITIC DISEASES.														
004, 008-009	DYSENTERY	M 24 F 33 T 57	-	-	-	-	4 10 14	3 2 5	5 4 9	3 5 8	4 3 7	5 8 13	-	- 1 1
010-019	TUBERCULOSIS	M - F - T -	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	M - F - T -	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTION	M 4 F 2 T 6	2	-	1	1	-	-	1	-	-	-	-	-
038	SEPTICAEMIA	M 23 F 21 T 44	-	-	-	1	9 3 12	8 11 19	-	1	1	3 4 7	-	1 1 2
052	CHICKENPOX	M 1 F - T 1	-	-	-	-	-	1	-	-	-	-	-	-
055	MEASLES	M 1 F 1 T 2	-	-	-	-	-	1	-	-	1	-	-	-
056	RUBELLA	M - F 1 T 1	-	-	-	-	-	1	-	-	-	-	-	-
062-066	VIRAL ENCEPHALITIS	M 2 F 1 T 3	-	-	-	-	1 1 2	1	-	-	-	-	-	-
074	COXSACKIE VIRUS DISEASES	M - F - T -	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS	M - F - T -	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER OF 000-136	M 12 F 9 T 21	1	-	1	-	3 4 3	5 1 9	1	-	1	2	-	-
	SECTION I TOTAL	M 67 F 68 T 135	3	-	1	2	17 14 31	18 20 38	6 6 12	3 6 9	6 5 11	10 14 24	-	1 2 3
II. NEOPLASMS.														
140-209 MALIGNANT NEOPLASMS.														
191-192	BRAIN AND NERVOUS SYSTEM	M 2 F 1 T 3	-	-	-	-	1	-	-	-	1	-	-	-
204-207	LEUKAEMIA	M 4 F 2 T 6	-	-	-	1	3	-	-	-	-	-	-	-
	OTHER OF 140-209	M 3 F 2 T 5	-	-	-	-	-	3	-	-	-	-	-	-
	TOTAL (140-209)	M 9 F 5 T 14	-	-	-	1	4	3	-	-	1	-	-	-
210-228	BENIGN NEOPLASMS	M 2 F 2 T 4	-	-	-	-	1	-	-	-	-	1	-	-
230-239	OTHER NEOPLASMS	M 2 F - T 2	-	-	-	-	-	-	-	-	1	1	-	-
	SECTION II TOTAL	M 13 F 7 T 20	-	-	-	1	5	3	-	-	2	2	-	-
III. ALLERGIC, ENDOCRINE AND METABOLIC DISEASES.														
251	DISORDERS OF PANCREATIC INTERNAL SECRETION, OTHER THAN DIABETES MELLITUS	M 1 F - T 1	-	-	-	-	-	1	-	-	-	-	-	-



TABLE 24. INFANT DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD.	P.-E.-I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	
			T.-N.	I.-P.-E.	N.-E.						ALB.	C.-B.		T.-N.O.	
254	DISEASES OF THYMUS GLAND ...	M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	2	-	-	-	-	-	-
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	2	-	-	-	-	-	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
		T	3	-	-	-	-	-	-	-	1	1	1	-	-
270-279	OTHER METABOLIC DISEASES ...	M	10	1	-	-	1	3	3	-	-	-	2	-	-
		F	17	3	-	-	-	7	5	1	-	1	-	-	-
		T	27	4	-	-	1	10	8	1	-	1	2	-	-
OTHER OF 240-279	.....	M	4	-	-	-	1	1	-	-	1	1	-	-	-
		F	5	-	-	-	-	1	1	-	1	1	-	-	-
		T	9	-	-	-	-	2	2	-	1	2	2	-	-
SECTION III TOTAL	.....	M	19	1	-	-	1	6	5	-	1	2	3	-	-
		F	23	3	-	-	-	8	6	1	1	2	2	-	-
		T	42	4	-	-	1	14	11	1	2	4	5	-	-
IV. BLOOD DISEASES.															
280-285	ANAEMIAS .....	M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	3	-	-	-	-	-	-	-
		T	4	1	-	-	-	-	3	-	-	-	-	-	-
286	COAGULATION DEFECTS .....	M	4	-	-	-	-	4	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	4	-	-	-	-	-	4	-	-	-	-	-	-
OTHER OF 280-289	.....	M	6	-	-	-	-	3	-	-	1	1	1	-	-
		F	6	-	-	-	-	2	1	1	-	1	1	-	-
		T	12	-	-	-	-	5	1	1	1	2	2	-	-
SECTION IV TOTAL	.....	M	11	1	-	-	-	7	-	-	1	1	1	-	-
		F	9	-	-	-	-	5	1	1	-	1	1	-	-
		T	20	1	-	-	-	12	1	1	1	2	2	-	-
V. MENTAL DISORDERS.															
290-315	SECTION V TOTAL .....	M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.															
320	MENINGITIS .....	M	17	-	-	-	-	4	8	1	2	-	1	-	1
		F	14	-	-	-	-	3	6	2	1	1	-	-	1
		T	31	-	-	-	-	7	14	3	3	1	1	-	2
343	CEREBRAL SPASTIC INFANTILE PARALYSIS	M	11	-	-	-	-	-	5	3	-	2	1	-	-
		F	3	-	-	-	-	1	2	-	-	-	-	-	-
		T	14	-	-	-	-	1	7	3	-	2	1	-	-
381-383	OTITIS MEDIA AND MASTOIDITIS	M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	2	-	-	-	-	-	-
OTHER OF 320-389	.....	M	22	-	-	1	-	7	6	3	2	1	2	-	-
		F	19	3	1	1	-	3	4	-	3	3	1	-	-
		T	41	3	1	2	-	10	10	3	5	4	3	-	-
SECTION VI TOTAL	.....	M	51	-	-	1	-	11	20	7	4	3	4	-	1
		F	37	3	1	1	-	7	13	2	4	4	1	-	1
		T	88	3	1	2	-	18	33	9	8	7	5	-	2
VII. DISEASES OF THE CIRCULATORY SYSTEM.															
390-458	SECTION VII TOTAL .....	M	14	1	-	-	-	5	3	2	1	-	2	-	-
		F	12	2	-	-	-	-	4	-	1	2	3	-	-
		T	26	3	-	-	-	-	5	7	2	2	5	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.															
460-466	ACUTE RESPIRATORY INFECTIONS	M	21	-	-	1	-	5	5	1	3	1	4	-	1
		F	9	-	-	1	-	3	3	-	1	-	1	-	-
		T	30	-	-	2	-	8	8	1	4	1	5	-	1
470-474	INFLUENZA .....	M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
		T	3	-	-	-	-	1	1	-	-	-	1	-	-
480-486	PNEUMONIA .....	M	97	3	1	2	5	29	17	11	12	3	9	1	4
		F	66	-	1	1	3	16	17	10	10	2	5	1	-
		T	163	3	2	3	8	45	34	21	22	5	14	2	4

TABLEAU 24. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	Nfld.	P.-E.-I.	N.S.	N.B.	Q.E.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	T.-N.	I.P.E.	N.-E.						ALB.	C.-B.		T.N.O.		
1.1	-	-	-	-	4.0	-	-	-	-	-	-	-	MALADIES DU THYMUS .....	254
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
1.1	-	-	-	-	-	-	-	11.7	5.7	-	-	-	AVITAMINOSES ET AUTRES ETATS DE CARENCE	260-269
0.6	-	-	-	-	-	-	-	6.1	2.9	6.2	-	-		
0.8	-	-	-	-	-	-	-	-	-	3.0	-	-		
5.4	18.6	-	-	16.9	6.0	4.8	-	-	-	11.6	-	-	AUTRES TROUBLES DU .....	270-279
9.7	53.7	-	-	-	14.9	8.4	12.3	-	6.0	-	-	-	METABOLISME	
7.5	36.5	-	-	8.7	10.3	6.5	6.0	-	2.9	6.0	-	-		
2.2	-	-	-	-	2.0	1.6	-	-	5.7	5.8	-	-	AUTRES DE 240-279 .....	
2.9	-	-	-	-	2.1	1.7	-	12.5	6.0	6.2	-	-		
2.5	-	-	-	-	2.1	1.6	-	6.1	5.9	6.0	-	-		
10.3	18.6	-	-	16.9	11.9	7.9	-	11.7	11.4	17.4	-	-	TOTAL CHAPITRE III .....	
13.2	53.7	-	-	-	17.0	10.1	12.3	12.5	12.1	12.3	-	-		
11.7	36.5	-	-	8.7	14.4	9.0	6.0	12.1	11.7	15.0	-	-		
													IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
0.5	18.6	-	-	-	-	-	-	-	-	-	-	-	ANEMIES .....	280-285
1.7	-	-	-	-	6.4	-	-	-	-	-	-	-		
1.1	9.1	-	-	-	3.1	-	-	-	-	-	-	-		
2.2	-	-	-	-	8.0	-	-	-	-	-	-	-	ANOMALIES DE LA COAGULATION	286
-	-	-	-	-	-	-	-	-	-	-	-	-		
1.1	-	-	-	-	4.1	-	-	-	-	-	-	-		
3.3	-	-	-	-	6.0	-	-	11.7	5.7	5.8	-	-	AUTRES DE 280-289 .....	
3.4	-	-	-	-	4.3	1.7	12.3	-	6.0	6.2	-	-		
3.3	-	-	-	-	5.1	0.8	6.0	6.1	5.9	6.0	-	-		
6.0	18.6	-	-	-	13.9	-	-	11.7	5.7	5.8	-	-	TOTAL CHAPITRE IV .....	
5.2	-	-	-	-	10.6	1.7	12.3	-	6.0	6.2	-	-		
5.6	9.1	-	-	-	12.3	0.8	6.0	6.1	5.9	6.0	-	-		
													V. TROUBLES MENTAUX.	
0.5	-	-	-	-	-	-	-	11.7	-	-	-	-	TOTAL CHAPITRE V .....	290-315
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.3	-	-	-	-	-	-	-	6.1	-	-	-	-		
													VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.	
9.2	-	-	-	-	8.0	12.7	11.7	23.5	-	5.8	-	169.8	MENINGITE .....	320
8.0	-	-	-	-	6.4	10.1	24.5	12.5	6.0	-	-	166.7		
8.6	-	-	-	-	7.2	11.4	18.0	18.2	2.9	3.0	-	168.2		
6.0	-	-	-	-	-	7.9	35.2	-	11.4	5.8	-	-	PARALYSIE CEREBRALE .....	343
1.7	-	-	-	-	2.1	3.4	-	-	-	-	-	-	SPASMODIQUE INFANTILE	
3.9	-	-	-	-	1.0	5.7	18.0	-	5.9	3.0	-	-		
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	OTITE MOYENNE ET MASTOIDITE	381-383
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
0.6	-	-	-	-	-	1.6	-	-	-	-	-	-		
11.9	-	-	15.7	-	13.9	9.5	35.2	23.5	5.7	11.6	-	-	AUTRES DE 320-389 .....	
10.9	53.7	102.9	16.7	-	6.4	6.7	-	37.6	18.1	6.2	-	-		
11.4	27.3	50.8	16.2	-	10.3	8.1	18.0	30.3	11.7	9.0	-	-		
27.6	-	-	15.7	-	21.9	31.7	82.2	46.9	17.1	23.3	-	169.8	TOTAL CHAPITRE VI .....	
21.2	53.7	102.9	16.7	-	14.9	21.8	24.5	50.1	24.1	6.2	-	166.7		
24.5	27.3	50.8	16.2	-	18.5	26.9	54.0	48.5	20.5	15.0	-	168.2		
													VII. MALADIES DE L'APPAREIL CIRCULATOIRE.	
7.6	18.6	-	-	-	5.9	4.8	23.5	11.7	-	11.6	-	-	TOTAL CHAPITRE VII .....	390-458
6.9	35.8	-	-	-	-	6.7	-	12.5	12.1	18.5	-	-		
7.2	27.3	-	-	-	5.1	5.7	12.0	12.1	5.9	15.0	-	-		
													VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.	
11.4	-	-	15.7	-	5.9	7.9	11.7	35.2	5.7	23.3	-	169.8	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES	460-466
5.2	-	-	16.7	-	6.4	5.0	-	12.5	-	6.2	-	-		
8.4	-	-	16.2	-	8.2	6.5	6.0	24.2	2.9	15.0	-	84.1		
0.5	-	-	-	-	-	-	-	-	-	5.8	-	-	GRIPPE .....	470-474
1.1	-	-	-	-	2.1	1.7	-	-	-	-	-	-		
0.8	-	-	-	-	1.0	0.8	-	-	-	3.0	-	-		
52.5	55.7	100.3	31.4	84.6	57.7	27.0	129.1	140.8	17.1	52.3	448.4	679.1	PNEUMONIE .....	480-486
37.8	-	102.9	16.7	53.6	34.0	28.5	122.7	125.3	12.1	30.8	492.6	-		
45.4	27.3	101.6	24.3	69.5	46.2	27.7	126.0	133.3	14.6	41.9	469.5	336.4		

TABLEAU 24. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	T.-N.	I.P.E.	N.-E.						ALB.	C.-B.		T.N.O.		
2.2	-	-	-	16.9	4.0	-	-	-	5.7	-	-	-	BRONCHITE, EMPHYSEME ET ....	490-493
6.3	-	-	16.7	17.9	14.9	-	-	-	6.0	6.2	-	-	ASTHME	
4.2	-	-	8.1	17.4	9.2	-	-	-	5.9	3.0	-	-		
18.4	18.6	100.3	31.4	16.9	25.9	6.3	-	23.5	11.4	34.9	448.4	169.8	AUTRES DE 460-519 .....	
10.9	-	-	-	-	14.9	3.4	36.8	25.1	-	30.8	-	-		
14.8	9.1	50.8	16.2	8.7	20.6	4.9	18.0	24.2	5.9	32.9	234.7	84.1		
85.0	74.3	200.6	78.5	118.5	97.5	41.2	140.9	199.5	39.8	116.3	896.9	1018.7	TOTAL CHAPITRE VIII ....	
61.3	-	102.9	50.2	71.4	72.3	38.5	159.5	162.9	18.1	73.9	492.6	-		
73.5	36.5	152.4	64.8	95.6	85.3	39.9	150.0	181.8	29.3	95.7	704.2	504.6		
													IX. MALADIES DE L'APPAREIL DIGESTIF.	
15.7	-	-	15.7	-	27.9	20.6	-	-	-	5.8	-	-	HERNIE .....	550-553
10.9	-	102.9	16.7	-	12.8	15.1	-	12.5	6.0	-	-	-		
13.4	-	50.8	16.2	-	20.6	17.9	-	6.1	2.9	3.0	-	-		
1.1	-	-	-	-	4.0	-	-	-	-	-	-	-	OCCLUSION INTESTINALE, .....	560
1.1	-	-	-	-	-	-	-	-	6.0	6.2	-	-	SANS MENTION DE HERNIE	
1.1	-	-	-	-	2.1	-	-	-	2.9	3.0	-	-		
3.8	-	-	-	-	-	11.1	-	-	-	-	-	-	GASTRO-ENTERITE ET COLITE, D'ORIGINE NON INFECTIEUSE	561
5.2	-	-	-	-	2.1	13.4	-	-	-	-	-	-		
4.5	-	-	-	-	1.0	12.2	-	-	-	-	-	-		
8.7	-	-	-	16.9	17.9	1.6	23.5	-	-	17.4	-	-	AUTRES DE 520-577 .....	
6.9	17.9	-	-	-	10.6	3.4	-	12.5	6.0	12.3	-	-		
7.8	9.1	-	-	8.7	14.4	2.4	12.0	6.1	2.9	15.0	-	-		
29.3	-	-	15.7	16.9	49.7	33.3	23.5	-	-	23.3	-	-	TOTAL CHAPITRE IX .....	
24.0	17.9	102.9	16.7	-	25.5	31.8	-	25.1	18.1	18.5	-	-		
26.7	9.1	50.8	16.2	8.7	36.0	32.6	12.0	12.1	8.8	20.9	-	-		
													X. MALADIES DES ORGANES GENITO-URINAIRES.	
1.1	-	-	-	16.9	2.0	-	-	-	-	-	-	-	TOTAL CHAPITRE X .....	580-629
1.7	17.9	-	-	-	2.1	-	-	12.5	-	-	-	-		
1.4	9.1	-	-	8.7	2.1	-	-	6.1	-	-	-	-		
													XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.	
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	TOTAL CHAPITRE XII .....	680-709
0.6	-	-	-	-	-	-	-	12.5	-	-	-	-		
0.6	-	-	-	-	-	0.8	-	6.1	-	-	-	-		
													XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.	
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	TOTAL CHAPITRE XIII .....	710-738
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
0.6	-	-	-	-	1.0	0.8	-	-	-	-	-	-		
													XIV. ANOMALIES CONGENITALES	
74.8	111.4	100.3	125.6	135.4	115.4	57.1	58.7	23.5	28.4	52.3	-	-	CERVEAU, MOELLE ET SYSTEME NERVEUX	740-743
100.2	53.7	-	167.4	196.4	150.9	87.1	36.8	62.7	60.3	61.6	-	-		
87.1	82.0	50.8	145.8	165.1	122.6	71.7	48.0	42.4	43.9	56.8	-	-		
91.5	129.9	401.2	157.0	84.6	107.4	74.5	93.9	82.1	56.9	98.9	-	-	COEUR .....	746
93.3	89.6	-	83.7	160.7	116.9	75.4	61.4	100.3	78.3	110.9	-	-		
92.4	109.4	203.1	121.5	121.6	112.0	74.9	78.0	90.9	67.3	104.7	-	-		
21.1	37.1	-	15.7	-	25.9	19.0	23.5	11.7	5.7	40.7	-	-	AUTRE APPAREIL CIRCULATOIRE	747
17.8	-	-	16.7	-	19.1	16.8	61.4	25.1	6.0	18.5	-	-		
19.5	18.2	-	16.2	-	22.6	17.9	42.0	18.2	5.9	29.9	-	-		
32.5	18.6	-	47.1	33.9	17.9	47.6	35.2	11.7	17.1	46.5	-	-	APPAREIL RESPIRATOIRE .....	748
12.6	-	-	33.5	17.9	4.3	13.4	24.5	12.5	6.0	18.5	-	333.3		
22.8	9.1	-	40.5	26.1	11.3	31.0	30.0	12.1	11.7	32.9	-	168.2		
13.5	-	-	31.4	16.9	13.9	11.1	11.7	23.5	-	23.3	-	169.8	APPAREIL DIGESTIF .....	749-751
13.2	-	-	-	17.9	14.9	8.4	12.3	25.1	6.0	37.0	-	-		
13.4	-	-	16.2	17.4	14.4	9.8	12.0	24.2	2.9	29.9	-	84.1		
24.9	37.1	200.6	31.4	67.7	31.8	12.7	11.7	23.5	28.4	23.3	-	-	APPAREIL URINAIRE .....	753
12.0	35.8	-	-	-	14.9	10.1	24.5	-	18.1	6.2	-	-		
18.7	36.5	101.6	16.2	34.6	23.6	11.4	18.0	12.1	23.4	15.0	-	-		
38.5	37.1	100.3	15.7	33.9	17.9	25.4	70.4	93.9	91.0	52.3	-	169.8	DIFFERENTS APPAREILS .....	759
35.5	-	102.9	16.7	-	42.5	28.5	36.8	37.6	48.2	55.5	-	-		
37.0	18.2	101.6	16.2	17.4	25.8	26.9	54.0	66.7	70.2	53.9	-	84.1		
22.8	74.3	100.3	15.7	16.9	25.9	14.3	-	-	22.7	52.3	-	-	AUTRES DE 740-759 .....	
17.2	35.8	-	-	-	14.9	15.1	12.3	25.1	30.1	24.6	-	-		
20.0	54.7	50.8	8.1	8.7	20.6	14.7	6.0	12.1	26.3	38.9	-	-		

TABLE 24. INFANT DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.	
490-493	BRONCHITIS, EMPHYSEMA AND ASTHMA	M	4	-	-	1	2	-	-	-	1	-	-	-	
		F	11	-	-	1	7	-	-	-	1	1	-	-	
		T	15	-	-	1	2	9	-	-	-	2	1	-	-
	OTHER OF 460-519 .....	M	34	1	1	2	13	4	-	2	2	6	1	1	
		F	19	-	-	-	7	2	3	2	-	5	-	-	
		T	53	1	1	2	1	20	6	3	4	2	11	1	1
	SECTION VIII TOTAL .....	M	157	4	2	5	7	49	26	12	17	7	20	2	6
		F	107	-	1	3	4	34	23	13	3	12	1	-	
		T	264	4	3	8	11	83	49	25	30	10	32	3	6
IX. DISEASES OF THE DIGESTIVE SYSTEM.															
550-553	HERNIA .....	M	29	-	-	1	-	14	13	-	-	-	1	-	
		F	19	-	1	1	-	6	9	-	1	1	-	-	
		T	48	-	1	2	-	20	22	-	1	1	1	-	
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA .....	M	2	-	-	-	-	2	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	1	1	-	
		T	4	-	-	-	-	2	-	-	-	1	1	-	
561	NON-INFECTIOUS GASTRO-ENTERITIS AND COLITIS .....	M	7	-	-	-	-	7	-	-	-	-	-	-	
		F	9	-	-	-	-	1	8	-	-	-	-	-	
		T	16	-	-	-	-	1	15	-	-	-	-	-	
	OTHER OF 520-577 .....	M	16	-	-	-	1	9	1	2	-	-	3	-	
		F	12	1	-	-	-	5	2	-	1	1	2	-	
		T	28	1	-	-	1	14	3	2	1	1	5	-	
	SECTION IX TOTAL .....	M	54	-	-	1	1	25	21	2	-	-	4	-	
		F	42	1	1	1	-	12	19	-	2	3	3	-	
		T	96	1	1	2	1	37	40	2	2	3	7	-	
X. DISEASES OF THE GENITOURINARY SYSTEM.															
580-629	SECTION X TOTAL .....	M	2	-	-	-	1	1	-	-	-	-	-	-	
		F	3	1	-	-	-	1	-	-	1	-	-	-	
		T	5	1	-	-	-	1	2	-	-	1	-	-	
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.															
680-709	SECTION XII TOTAL .....	M	1	-	-	-	-	1	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	-	-	-	
		T	2	-	-	-	-	-	1	-	1	-	-	-	
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.															
710-738	SECTION XIII TOTAL .....	M	1	-	-	-	-	1	-	-	-	-	-	-	
		F	1	-	-	-	-	1	-	-	-	-	-	-	
		T	2	-	-	-	-	1	1	-	-	-	-	-	
XIV. CONGENITAL ANOMALIES.															
740-743	BRAIN, SPINAL CORD AND NERVOUS SYSTEM .....	M	138	6	1	8	8	58	36	5	2	5	9	-	
		F	175	3	-	10	11	71	52	3	5	10	10	-	
		T	313	9	1	18	19	129	88	8	7	15	19	-	
746	HEART .....	M	169	7	4	10	5	54	47	8	7	10	17	-	
		F	163	5	-	5	9	55	45	5	8	13	18	-	
		T	332	12	4	15	14	109	92	13	15	23	35	-	
747	OTHER CIRCULATORY SYSTEM .....	M	39	2	-	1	-	13	12	2	1	1	7	-	
		F	31	-	-	1	-	9	10	5	2	1	3	-	
		T	70	2	-	2	-	22	22	7	3	2	10	-	
748	RESPIRATORY SYSTEM .....	M	60	1	-	3	2	9	30	3	1	3	8	-	
		F	22	-	-	2	1	2	8	2	1	1	3	-	
		T	82	1	-	5	3	11	38	5	2	4	11	-	
749-751	DIGESTIVE SYSTEM .....	M	25	-	-	2	1	7	7	1	2	-	4	-	
		F	23	-	-	-	1	7	5	1	2	1	6	-	
		T	48	-	-	2	2	14	12	2	4	1	10	-	
753	URINARY SYSTEM .....	M	46	2	2	2	4	16	8	1	2	5	4	-	
		F	21	2	-	-	-	7	6	2	-	3	1	-	
		T	67	4	2	2	4	23	14	3	2	8	5	-	
759	MULTIPLE SYSTEMS .....	M	71	2	1	1	2	9	16	6	8	16	9	-	
		F	62	-	1	1	-	20	17	3	3	8	9	-	
		T	133	2	2	2	2	29	33	9	11	24	18	-	
	OTHER OF 740-759 .....	M	42	4	1	1	1	13	9	-	-	4	9	-	
		F	30	2	-	-	-	7	9	1	2	5	4	-	
		T	72	6	1	1	1	20	18	1	2	9	13	-	

TABLE 24. INFANT DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.
SECTION XIV TOTAL		M 590	24	9	28	23	179	165	26	23	44	67	-	2
		F 527	12	1	19	22	178	152	22	23	42	54	-	2
		T 1,117	36	10	47	45	357	317	48	46	86	121	-	4
XV. CERTAIN CAUSES OF PERINATAL MORTALITY.														
760-761	MATERNAL CONDITIONS UNRELATED TO PREGNANCY	M 4	-	-	-	-	-	2	1	-	1	-	-	-
		F 5	-	-	-	-	-	1	1	-	1	1	-	1
		T 9	-	-	-	-	-	3	2	-	2	1	-	1
762-763	MATERNAL TOXAEMIA AND INFECTION	M 12	-	-	-	-	5	5	-	-	-	2	-	-
		F 13	-	-	-	1	3	5	-	-	-	4	-	-
		T 25	-	-	-	1	8	10	-	-	-	6	-	-
764-768	DIFFICULT LABOUR	M 25	-	-	-	-	6	9	3	-	2	5	-	-
		F 15	-	-	-	-	5	5	1	-	-	4	-	-
		T 40	-	-	-	-	11	14	4	-	2	9	-	-
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	M 91	-	1	-	2	16	47	1	-	3	21	-	-
		F 102	2	-	1	-	21	59	1	1	-	14	-	3
		T 193	2	1	1	2	37	106	2	1	3	35	-	3
770-771	CONDITIONS OF PLACENTA AND UMBILICAL CORD	M 87	4	1	5	5	21	22	4	5	7	13	-	-
		F 61	1	1	-	2	11	25	3	5	3	9	-	1
		T 148	5	2	5	7	32	47	7	10	10	22	-	1
772	BIRTH INJURY	M 111	1	-	4	3	24	26	10	5	28	8	-	2
		F 92	5	1	2	4	17	20	9	4	25	4	-	1
		T 203	6	1	6	7	41	46	19	9	53	12	-	3
774-775	HAEMOLYTIC DISEASE OF NEWBORN	M 17	-	-	-	1	6	4	-	1	2	3	-	-
		F 14	-	-	-	1	5	3	-	1	1	3	-	-
		T 31	-	-	-	2	11	7	-	2	3	6	-	-
776	ANOXIA AND HYPOXIA	M 533	14	5	14	14	168	156	34	33	38	55	1	1
		F 351	3	3	11	16	115	109	34	14	18	22	1	5
		T 884	17	8	25	30	283	265	68	47	56	77	2	6
777	IMMATURITY	M 192	1	-	8	6	56	53	21	16	14	15	-	2
		F 150	2	2	6	3	35	53	5	16	20	8	-	-
		T 342	3	2	14	9	91	106	26	32	34	23	-	2
OTHER OF 760-779		M 50	4	-	1	2	13	17	2	1	4	5	1	-
		F 31	3	1	-	-	10	8	1	1	1	6	-	-
		T 81	7	1	1	2	23	25	3	2	5	11	1	-
SECTION XV TOTAL		M 1,122	24	7	32	33	315	341	76	61	99	127	2	5
		F 834	16	8	20	27	222	288	55	42	69	75	1	11
		T 1,956	40	15	52	60	537	629	131	103	168	202	3	16
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.														
780-796	SECTION XVI TOTAL	M 318	6	4	13	17	30	125	22	22	38	40	-	1
		F 227	4	2	15	10	29	76	14	15	33	27	-	2
		T 545	10	6	28	27	59	201	36	37	71	67	-	3
XVII. ACCIDENTS, POISONINGS AND VIOLENCE.														
E810-E823	MOTOR VEHICLE ACCIDENTS	M 8	-	-	-	-	2	1	1	-	2	2	-	-
		F 5	-	-	-	-	1	3	-	1	-	-	-	-
		T 13	-	-	-	-	3	4	1	1	2	2	-	-
E880-E887	ACCIDENTAL FALLS	M 5	-	-	-	-	1	2	-	-	-	2	-	-
		F 3	-	-	-	-	-	1	-	1	1	-	-	-
		T 8	-	-	-	-	1	3	-	1	1	2	-	-
E890-E899	FIRE ACCIDENTS	M 5	1	-	-	-	-	2	-	1	-	1	-	-
		F 7	-	-	-	1	2	2	1	-	1	-	-	-
		T 12	1	-	-	1	2	4	1	1	1	1	-	-
E911-E912	INHALATION AND INGESTION	M 30	-	-	-	1	12	9	1	1	2	4	-	-
		F 30	-	1	-	1	8	11	3	2	1	3	-	-
		T 60	-	1	-	2	20	20	4	3	3	7	-	-
E913	MECHANICAL SUFFOCATION	M 21	-	-	1	-	7	5	1	-	3	4	-	-
		F 7	-	-	-	-	3	2	-	-	2	-	-	-
		T 28	-	-	1	-	10	7	1	-	5	4	-	-
OTHER OF E800-E999		M 19	-	-	-	-	3	5	3	-	2	5	-	1
		F 16	-	-	1	1	2	7	-	-	3	2	-	-
		T 35	-	-	1	1	5	12	3	-	5	7	-	1
SECTION XVII TOTAL		M 88	1	-	1	1	25	24	6	2	9	18	-	1
		F 68	-	1	1	3	16	26	4	4	8	5	-	-
		T 156	1	1	2	4	41	50	10	6	17	23	-	1
ALL CAUSES		M 2,509	65	22	82	87	676	752	159	136	211	298	4	17
		F 1,966	42	15	61	67	529	632	118	113	172	197	2	18
		T 4,475	107	37	143	154	1,205	1,384	277	249	383	495	6	35

TABLEAU 24. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
319.6	445.5	902.7	439.7	389.4	356.2	261.7	305.2	269.9	250.2	389.6	-	339.6	TCTAL CHAPITRE XIV .....	
301.8	214.9	102.9	318.0	392.7	378.3	254.6	270.0	288.3	253.1	332.8	-	333.3		
310.9	328.1	57.9	380.8	391.0	366.9	258.2	288.0	278.8	251.6	362.0	-	336.4		
													XV. CAUSES DE MORTALITE PERINATALES.	
2.2	-	-	-	-	-	3.2	11.7	-	5.7	-	-	-	AFFECTIONS NON GRAVIDIQUES DE LA MERE	760-761
2.9	-	-	-	-	-	1.7	12.3	-	6.0	6.2	-	166.7		
2.5	-	-	-	-	-	2.4	12.0	-	5.9	3.0	-	84.1		
6.5	-	-	-	-	9.9	7.9	-	-	-	11.6	-	-	TOXEMIES ET INFECTIONS .....	762-763
7.4	-	-	-	17.9	6.4	8.4	-	-	-	24.6	-	-	MATERNELLES	
7.0	-	-	-	8.7	8.2	8.1	-	-	-	18.0	-	-		
13.5	-	-	-	-	11.9	14.3	35.2	-	11.4	29.1	-	-	ACCOUCHEMENT DYSTOCIQUE ....	764-768
8.6	-	-	-	-	10.6	8.4	12.3	-	-	24.6	-	-		
11.1	-	-	-	-	11.3	11.4	24.0	-	5.9	26.9	-	-		
49.3	-	100.3	-	33.9	31.8	74.5	11.7	-	17.1	122.1	-	-	AUTRES COMPLICATIONS DE LA GROSSESSE ET DE L'ACCOUCHEMENT	769
58.4	35.8	-	16.7	-	44.6	98.8	12.3	12.5	-	86.3	-	500.0		
53.7	18.2	50.8	8.1	17.4	38.0	86.4	12.0	6.1	8.8	104.7	-	252.3		
47.1	74.3	100.3	78.5	84.6	41.8	34.9	47.0	58.7	39.8	75.6	-	-	ANOMALIES DU PLACENTA ET DU CORDON	770-771
34.9	17.9	102.9	-	35.7	23.4	41.9	36.8	62.7	18.1	55.5	-	166.7		
41.2	45.6	101.6	40.5	60.8	32.9	38.3	42.0	60.6	29.3	65.8	-	84.1		
60.1	18.6	-	62.8	50.8	47.8	41.2	117.4	58.7	159.2	46.5	-	339.6	LESION D'ORIGINE .....	772
52.7	89.6	102.9	33.5	71.4	36.1	33.5	110.5	50.1	150.7	24.6	-	166.7	OBSTETRICALE	
56.5	54.7	50.8	48.6	60.8	42.1	37.5	114.0	54.5	155.1	35.9	-	252.3		
9.2	-	-	-	16.9	11.9	6.3	-	11.7	11.4	17.4	-	-	MALADIE HEMOLYTIQUE DU .....	774-775
8.0	-	-	-	17.9	10.6	5.0	-	12.5	6.0	18.5	-	-	NOUVEAU-NE	
8.6	-	-	-	17.4	11.3	5.7	-	12.1	8.8	18.0	-	-		
288.7	259.9	501.5	219.8	237.0	334.3	247.4	399.1	387.2	216.1	319.8	448.4	169.8	ANOXIE ET HYPOXIE .....	776
201.0	53.7	308.6	184.1	285.6	244.4	182.6	417.3	175.5	108.5	135.6	492.6	833.3		
246.1	154.9	406.3	202.6	260.7	250.8	215.9	408.0	284.8	163.8	230.4	469.5	504.6		
104.0	18.6	-	125.6	101.6	111.4	84.1	246.5	187.7	79.6	87.2	-	339.6	PREMATURITE .....	777
85.9	35.8	205.8	100.4	53.6	74.4	88.8	61.4	200.5	120.5	49.3	-	-		
95.2	27.3	101.6	113.4	78.2	93.5	86.4	156.0	193.9	99.5	68.8	-	168.2		
27.1	74.3	-	15.7	33.9	25.9	27.0	23.5	11.7	22.7	29.1	448.4	-	AUTRE DE 760-779 .....	
17.8	53.7	102.9	-	-	21.3	13.4	12.3	12.5	6.0	37.0	-	-		
22.5	63.8	50.8	8.1	17.4	23.6	20.4	18.0	12.1	14.6	32.9	234.7	-		
607.8	445.5	702.1	502.5	558.7	626.8	540.8	892.1	715.7	562.9	738.5	896.9	848.9	TOTAL CHAPITRE XV .....	
477.6	286.6	823.0	334.8	482.0	471.8	482.4	675.0	526.4	415.8	462.2	492.6	1833.3		
544.5	364.6	761.8	421.3	521.3	551.8	512.4	786.0	624.2	491.5	604.4	704.2	1345.7		
													XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.	
172.3	111.4	401.2	204.1	287.8	59.7	198.2	258.2	258.1	216.1	232.6	-	169.8	TOTAL CHAPITRE XVI .....	780-796
130.0	71.6	205.8	251.1	178.5	61.6	127.3	171.8	188.0	198.9	166.4	-	333.3		
151.7	91.1	304.7	226.9	234.6	60.6	163.7	216.0	224.2	207.7	200.5	-	252.3		
													XVII. ACCIDENTS, EMPOISONNE -MENTS ET TRAUMATISMES.	
4.3	-	-	-	-	4.0	1.6	11.7	-	11.4	11.6	-	-	ACCIDENTS DE VEHICULE A ....	E810-E823
2.9	-	-	-	-	2.1	5.0	-	12.5	-	-	-	-	MOTEUR	
3.6	-	-	-	-	3.1	3.3	6.0	6.1	5.9	6.0	-	-		
2.7	-	-	-	-	2.0	3.2	-	-	-	11.6	-	-	CHUTES ACCIDENTELLES .....	E880-E887
1.7	-	-	-	-	-	1.7	-	12.5	6.0	-	-	-		
2.2	-	-	-	-	1.0	2.4	-	6.1	2.9	6.0	-	-		
2.7	18.6	-	-	-	-	3.2	-	11.7	-	5.8	-	-	ACCIDENTS CAUSES PAR LE FEU	E890-E899
4.0	-	-	-	17.9	4.3	3.4	12.3	-	6.0	-	-	-		
3.3	9.1	-	-	8.7	2.1	3.3	6.0	6.1	2.9	3.0	-	-		
16.3	-	-	-	16.5	23.9	14.3	11.7	11.7	11.4	23.3	-	-	ASPIRATION OU INGESTION ....	E911-E912
17.2	-	102.9	-	17.9	17.0	18.4	36.8	25.1	6.0	18.5	-	-		
16.7	-	50.8	-	17.4	20.6	16.3	24.0	18.2	8.8	20.9	-	-		
11.4	-	-	15.7	-	13.9	7.9	11.7	-	17.1	23.3	-	-	SUFFOCATION MECANIQUE .....	E913
4.0	-	-	-	-	6.4	3.4	-	-	12.1	-	-	-		
7.8	-	-	8.1	-	10.3	5.7	6.0	-	14.6	12.0	-	-		
10.3	-	-	-	-	6.0	7.9	35.2	-	11.4	29.1	-	169.8	AUTRES DE E800-E999 .....	
9.2	-	-	16.7	17.9	4.3	11.7	-	-	18.1	12.3	-	-		
9.7	-	-	8.1	8.7	5.1	9.8	18.0	-	14.6	20.9	-	84.1		
47.7	18.6	-	15.7	16.9	45.7	38.1	70.4	23.5	51.2	104.7	-	169.8	TOTAL CHAPITRE XVII .....	
38.9	-	102.9	16.7	53.6	34.0	43.6	49.1	50.1	48.2	30.8	-	-		
43.4	9.1	50.8	16.2	34.8	42.1	40.7	60.0	36.4	49.7	68.8	-	84.1		
1359.1	1206.6	2206.6	1287.7	1472.8	1345.1	1192.6	1866.4	1595.7	1199.8	1733.0	1793.7	2886.2	TOUTES LES CAUSES .....	
1125.7	752.3	1543.2	1021.1	1196.0	1124.1	1058.7	1448.2	1416.2	1036.5	1214.0	985.2	3000.0		
1245.7	975.2	1879.1	1158.6	1338.1	1238.3	1127.5	1662.0	1508.9	1120.5	1481.0	1408.5	2943.7		

TABLE 25. Infant Deaths by Major Cause and Sex, Canada, 1956-1977

No.	Cause of death	Category (8th Revision) - Catégorie (8 <sup>e</sup> révision)	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965
Both sexes - Deux sexes												
1	All causes . . . . .		14,399	14,517	14,178	13,595	13,077	12,940	12,941	12,270	11,169	9,862
2	Meningitis . . . . .	320	140	99	112	79	89	109	94	77	86	73
3	Otitis media . . . . .	381, 382	122	132	92	89	86	59	66	49	63	40
4	Upper respiratory infections . . . . .	460-465	67	79	56	59	57	81	45	46	30	36
5	Influenza . . . . .	470-474	168	285	204	175	119	108	97	100	37	35
6	Pneumonia . . . . .	480-486	2,112	2,011	2,076	1,843	1,869	1,683	1,640	1,506	1,255	1,117
7	Bronchitis . . . . .	466, 490-491	152	97	133	105	105	74	84	45	72	55
8	Hernia and intestinal obstruction . . . . .	550-553, 560	135	97	117	103	97	107	97	108	96	104
9	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	640	637	748	619	573	492	452	444	270	205
10	Congenital anomalies <sup>1</sup> . . . . .	740-759	2,310	2,265	2,235	2,149	2,076	2,192	2,230	2,068	1,969	1,821
11	Maternal toxæmia . . . . .	760-763	137	150	141	121	91	120	107	87	91	56
12	Birth injury . . . . .	2	1,548	1,478	1,422	1,400	1,265	1,264	1,338	1,232	1,170	996
13	Asphyxia and atelectasis . . . . .	3	1,642	1,751	1,508	1,535	1,522	1,502	1,475	1,368	1,256	1,083
14	Erythroblastosis . . . . .	774, 775	334	356	373	377	343	325	336	289	251	218
15	Haemorrhagic diseases . . . . .	778.2	109	142	107	107	93	97	84	83	93	73
16	Suffocation . . . . .	E911-E913	393	447	451	462	451	495	460	452	434	400
17	All other causes . . . . .		4,390	4,491	4,403	4,372	4,241	4,232	4,336	4,316	3,996	3,550
Male - Masculin												
18	All causes . . . . .		8,108	8,313	8,152	7,827	7,572	7,447	7,379	7,079	6,366	5,626
19	Meningitis . . . . .	320	67	57	62	47	59	64	47	43	53	42
20	Otitis media . . . . .	381, 382	72	81	62	45	57	40	36	34	42	26
21	Upper respiratory infections . . . . .	460-465	42	41	34	33	35	40	27	29	16	25
22	Influenza . . . . .	470-474	104	150	97	99	65	62	51	51	14	20
23	Pneumonia . . . . .	480-486	1,152	1,167	1,218	1,034	1,059	950	920	860	732	627
24	Bronchitis . . . . .	466, 490-491	87	57	82	62	65	38	53	32	39	39
25	Hernia and intestinal obstruction . . . . .	550-553, 560	82	61	76	67	62	66	53	61	58	56
26	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	359	351	426	361	326	291	269	241	159	112
27	Congenital anomalies <sup>1</sup> . . . . .	740-759	1,204	1,224	1,205	1,133	1,113	1,181	1,143	1,121	1,022	948
28	Maternal toxæmia . . . . .	760-763	83	95	74	62	56	77	59	52	52	39
29	Birth injury . . . . .	2	922	899	884	847	797	729	809	747	698	593
30	Asphyxia and atelectasis . . . . .	3	996	1,061	888	945	950	911	910	829	770	660
31	Erythroblastosis . . . . .	774, 775	208	203	222	218	193	182	193	153	146	119
32	Haemorrhagic diseases . . . . .	778.2	58	91	61	70	52	67	56	50	68	35
33	Suffocation . . . . .	E911-E913	214	252	265	287	267	300	276	273	254	239
34	All other causes . . . . .		2,458	2,523	2,496	2,517	2,416	2,449	2,477	2,503	2,343	2,046
Female - Féminin												
35	All causes . . . . .		6,291	6,204	6,026	5,768	5,505	5,493	5,562	5,191	4,703	4,236
36	Meningitis . . . . .	320	73	42	50	32	30	45	47	34	33	31
37	Otitis media . . . . .	381, 382	50	51	30	44	29	19	30	15	21	14
38	Upper respiratory infections . . . . .	460-465	25	38	22	26	22	41	18	17	14	11
39	Influenza . . . . .	470-474	64	135	107	76	54	46	46	49	23	15
40	Pneumonia . . . . .	480-486	960	844	858	809	810	733	720	646	523	490
41	Bronchitis . . . . .	466, 490-491	65	40	51	43	40	36	31	13	33	16
42	Hernia and intestinal obstruction . . . . .	550-553, 560	53	36	41	36	35	41	44	47	38	48
43	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	281	286	322	258	247	201	183	203	111	93
44	Congenital anomalies <sup>1</sup> . . . . .	740-759	1,106	1,041	1,030	1,016	963	1,011	1,087	947	947	873
45	Maternal toxæmia . . . . .	760-763	54	55	67	59	35	43	48	35	39	17
46	Birth injury . . . . .	2	626	579	538	553	468	535	529	485	472	403
47	Asphyxia and atelectasis . . . . .	3	646	690	620	590	572	591	565	539	486	423
48	Erythroblastosis . . . . .	774, 775	126	153	151	159	150	143	143	136	105	99
49	Haemorrhagic diseases . . . . .	778.2	51	51	46	37	41	30	28	33	25	38
50	Suffocation . . . . .	E911-E913	179	195	186	175	184	195	184	179	180	161
51	All other causes . . . . .		1,932	1,968	1,907	1,855	1,825	1,783	1,859	1,813	1,653	1,504

1 As from 1969 "Congenital anomalies" include Down's disease.  
 2 764.0-764.3, 765.0-765.3, 766.0-766.3, 767.0-767.3, 768.0-768.3, 769.0-769.3, 770.0, 770.1, 771, 772.  
 3 764.4, 765.4, 766.4, 767.4, 768.4, 776.0, 776.4, 776.9.  
 4 Includes 228 deaths, "cause not stated".  
 5 Includes 130 deaths, "cause not stated".  
 6 Includes 98 deaths, "cause not stated".  
 7 Includes 166 deaths, "cause not stated".  
 8 Includes 95 deaths, "cause not stated".  
 9 Includes 71 deaths, "cause not stated".

TABLEAU 25. Mortalité infantile, selon la cause principale et le sexe, Canada, 1956-1977

1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	Causes de décès	No
Both sexes - Deux sexes													
8,960	8,151	7,583	7,149	7,001	6,356	5,938	5,339	5,192	5,130 <sup>4</sup>	4,847 <sup>7</sup>	4,475	Toutes les causes . . . . .	1
65	57	51	49	43	49	39	42	27	38	30	31	Méningite . . . . .	2
53	42	25	26	9	7	13	5	4	3	3	-	Otite moyenne . . . . .	3
28	48	23	37	35	40	33	24	19	20	15	14	Infections des voies respiratoires supérieures	4
45	24	35	21	16	10	16	4	11	5	4	3	Grippe . . . . .	5
950	874	778	584	555	514	427	334	282	229	217	163	Pneumonie . . . . .	6
56	33	46	39	61	54	57	54	48	28	17	29	Bronchite . . . . .	7
93	83	84	56	67	45	49	45	48	46	40	52	Hernie et occlusion intestinale . . . . .	8
199	178	117	108	110	89	99	99	91	78	70	73	Maladies gastro-intestinales . . . . .	9
1,725	1,496	1,437	1,469	1,421	1,334	1,330	1,204	1,204	1,070	1,117	1,115	Anomalies congénitales <sup>1</sup> . . . . .	10
45	45	45	93	115	99	97	90	64	69	51	39	Toxémie maternelle . . . . .	11
893	769	804	854	834	780	695	591	518	490	486	408	Lésion obstétricale . . . . .	12
966	896	852	683	579	536	427	424	378	351	364	339	Asphyxie et atelectasie . . . . .	13
202	149	169	131	98	71	62	41	35	27	20	31	Erythroblastose . . . . .	14
66	61	69	57	51	36	18	38	50	39	49	33	Maladies hémorragiques . . . . .	15
338	359	289	265	253	254	210	183	151	112	95	88	Suffocation . . . . .	16
3,236	3,037	2,759	2,677	2,754	2,438	2,366	2,161	2,262	2,525 <sup>4</sup>	2,269 <sup>7</sup>	2,057	Toutes les autres causes . . . . .	17
Male - Masculin													
5,138	4,602	4,293	5,115	4,056	3,712	3,405	3,069	2,946	2,928 <sup>5</sup>	2,768 <sup>8</sup>	2,509	Toutes les causes . . . . .	18
36	34	22	31	27	33	24	24	18	21	18	17	Méningite . . . . .	19
29	26	10	15	5	5	9	3	3	2	2	-	Otite moyenne . . . . .	20
17	29	14	19	21	24	21	12	12	12	6	10	Infections des voies respiratoires supérieures	21
24	13	17	9	11	7	8	3	9	2	2	1	Grippe . . . . .	22
570	479	434	347	314	292	256	203	170	122	132	97	Pneumonie . . . . .	23
36	19	29	20	35	33	30	38	28	19	7	14	Bronchite . . . . .	24
49	58	52	31	45	29	28	29	28	27	25	31	Hernie et occlusion intestinale . . . . .	25
121	95	72	69	63	48	47	58	50	45	42	31	Maladies gastro-intestinales . . . . .	26
911	788	761	778	735	726	725	646	647	571	607	588	Anomalies congénitales <sup>1</sup> . . . . .	27
31	26	28	52	66	61	65	42	34	38	33	18	Toxémie maternelle . . . . .	28
529	458	481	511	476	456	426	335	280	284	278	225	Lésion obstétricale . . . . .	29
602	520	498	396	370	323	250	259	229	206	203	198	Asphyxie et atelectasie . . . . .	30
100	86	91	71	51	41	23	28	16	13	7	17	Erythroblastose . . . . .	31
44	37	38	25	24	20	12	15	31	24	31	21	Maladies hémorragiques . . . . .	32
213	208	161	152	162	153	126	110	89	64	61	51	Suffocation . . . . .	33
1,826	1,726	1,585	1,589	1,651	1,461	1,355	1,264	1,302	1,478 <sup>5</sup>	1,314 <sup>8</sup>	1,190	Toutes les autres causes . . . . .	34
Female - Féminin													
3,822	3,549	3,290	3,034	2,945	2,644	2,533	2,270	2,246	2,202 <sup>6</sup>	2,079 <sup>9</sup>	1,966	Toutes les causes . . . . .	35
29	23	29	18	16	16	15	18	9	17	12	14	Méningite . . . . .	36
24	16	15	11	4	2	4	2	1	1	1	-	Otite moyenne . . . . .	37
11	19	9	18	14	16	12	12	7	8	9	4	Infections des voies respiratoires supérieures	38
21	11	18	12	5	3	8	1	2	3	2	2	Grippe . . . . .	39
380	395	344	237	241	222	171	131	112	107	85	66	Pneumonie . . . . .	40
20	14	17	19	26	21	27	16	20	9	10	15	Bronchite . . . . .	41
44	25	32	25	22	16	21	16	20	19	15	21	Hernie et occlusion intestinale . . . . .	42
78	83	45	39	47	41	52	41	41	33	28	42	Maladies gastro-intestinales . . . . .	43
814	708	676	641	686	608	605	558	557	499	510	527	Anomalies congénitales <sup>1</sup> . . . . .	44
14	19	17	41	49	38	32	48	30	31	18	21	Toxémie maternelle . . . . .	45
364	311	323	343	358	324	269	256	238	206	208	183	Lésion obstétricale . . . . .	46
364	376	354	287	209	213	177	165	149	145	161	141	Asphyxie et atelectasie . . . . .	47
102	63	78	60	47	30	39	13	19	14	13	14	Erythroblastose . . . . .	48
22	24	31	32	27	16	6	23	19	15	18	12	Maladies hémorragiques . . . . .	49
125	151	128	113	91	101	84	73	62	48	34	37	Suffocation . . . . .	50
1,410	1,311	1,174	1,138	1,103	977	1,011	897	960	1,047 <sup>6</sup>	955 <sup>9</sup>	867	Toutes les autres causes . . . . .	51

1 Depuis 1969, "Anomalies congénitales" comprend Syndrome de Down.  
 2 764.0-764.3, 765.0-765.3, 766.0-766.3, 767.0-767.3, 768.0-768.3, 769.0-769.3, 770.0, 770.1, 771, 772.  
 3 764.4, 765.4, 766.4, 767.4, 768.4, 776.0, 776.4, 776.9.  
 4 Comprend 228 décès, "cause non précisée".  
 5 Comprend 130 décès, "cause non précisée".  
 6 Comprend 98 décès, "cause non précisée".  
 7 Comprend 166 décès, "cause non précisée".  
 8 Comprend 95 décès, "cause non précisée".  
 9 Comprend 71 décès, "cause non précisée".

TABLE 26. Infant Death Rates (Per 100,000 Births), by Major Cause and Sex, Canada, 1956-1977

No.	Cause of death	Category (8th Revision) Catégorie (8 <sup>e</sup> révision)	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965
Both sexes - Deux sexes												
1	All causes . . . . .		3,194.6	3,094.7	3,015.8	2,836.6	2,732.6	2,720.2	2,755.3	2,634.4	2,466.0	2,356.0
2	Meningitis . . . . .	320	31.1	21.1	23.8	16.5	18.6	22.9	20.0	16.5	19.0	17.4
3	Otitis media . . . . .	381, 382	27.1	28.1	19.6	18.6	18.0	12.4	14.1	10.5	13.9	9.6
4	Upper respiratory infections . . . . .	460-465	14.9	16.8	11.9	12.3	11.9	17.0	9.6	9.9	6.6	8.6
5	Influenza . . . . .	470-474	37.3	60.8	43.4	36.5	24.9	22.7	20.7	21.5	8.2	8.4
6	Pneumonia . . . . .	480-486	468.6	428.7	441.6	384.5	390.5	353.8	349.2	323.3	277.1	266.8
7	Bronchitis . . . . .	466, 490-491	33.7	20.7	28.3	21.9	21.9	15.6	17.9	9.7	15.9	13.1
8	Hernia and intestinal obstruction . . . . .	550-553, 560	30.0	20.7	24.9	21.5	20.3	22.5	20.7	23.2	21.2	24.8
9	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	142.0	135.8	159.1	129.2	119.7	103.4	96.2	95.3	59.6	49.0
10	Congenital anomalies <sup>1</sup> . . . . .	740-759	512.5	482.9	475.4	448.4	433.8	460.8	474.8	444.0	434.7	435.0
11	Maternal toxæmia . . . . .	760-763	30.4	32.0	30.0	25.2	19.0	25.2	22.8	18.8	20.1	13.4
12	Birth injury . . . . .	2	343.4	315.1	302.5	292.1	264.3	265.7	284.9	264.5	258.3	237.9
13	Asphyxia and atelectasis . . . . .	3	364.3	373.3	320.8	320.3	318.0	315.7	314.0	293.7	277.3	258.7
14	Erythroblastosis . . . . .	774, 775	74.1	75.9	79.3	78.7	71.6	68.3	71.5	62.0	55.4	52.1
15	Haemorrhagic diseases . . . . .	778.2	24.2	30.3	22.8	22.3	19.4	20.4	17.9	17.8	20.5	17.4
16	Suffocation . . . . .	E911-E913	87.0	95.3	95.9	96.4	94.2	104.1	97.9	97.0	95.8	95.6
17	All other causes . . . . .		974.0	957.4	936.6	912.2	886.2	889.6	923.2	926.6	882.3	848.1
Male - Masculin												
18	All causes . . . . .		3,499.4	3,448.3	3,373.1	3,180.7	3,077.7	3,047.0	3,063.5	2,963.6	2,779.2	2,615.4
19	Meningitis . . . . .	320	28.9	23.6	25.7	19.1	24.0	26.2	19.5	18.0	22.8	19.5
20	Otitis media . . . . .	381, 382	31.1	33.6	25.7	18.3	23.2	16.4	14.9	14.2	18.1	12.1
21	Upper respiratory infections . . . . .	460-465	18.1	17.0	14.1	13.4	14.2	16.4	11.2	12.1	6.9	11.6
22	Influenza . . . . .	470-474	44.9	62.2	40.1	40.2	26.4	25.4	21.2	21.4	6.0	9.3
23	Pneumonia . . . . .	480-486	497.2	484.1	504.0	420.2	430.4	388.7	381.9	360.0	314.6	291.5
24	Bronchitis . . . . .	466, 490-491	37.5	23.6	33.9	25.2	26.4	15.5	22.0	13.4	16.8	18.1
25	Hernia and intestinal obstruction . . . . .	550-553, 560	35.4	25.3	31.4	27.2	25.2	27.0	22.0	25.5	24.9	26.0
26	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	154.9	145.6	176.3	146.7	132.5	119.1	111.7	100.9	68.3	52.1
27	Congenital anomalies <sup>1</sup> . . . . .	740-759	519.6	507.7	498.6	460.4	452.4	483.2	474.5	469.3	439.3	440.7
28	Maternal toxæmia . . . . .	760-763	35.8	39.4	30.6	25.2	22.8	31.5	24.5	21.8	22.4	18.1
29	Birth injury . . . . .	2	397.9	372.9	365.8	344.2	323.9	298.3	335.9	312.7	300.0	275.7
30	Asphyxia and atelectasis . . . . .	3	429.9	440.1	367.4	384.0	386.1	372.7	377.8	347.1	331.0	306.8
31	Erythroblastosis . . . . .	774, 775	89.8	84.2	91.9	88.6	78.4	74.5	80.1	64.1	62.8	55.3
32	Haemorrhagic diseases . . . . .	778.2	25.0	37.7	25.2	28.4	21.1	27.4	23.2	20.9	29.2	16.3
33	Suffocation . . . . .	E911-E913	92.4	104.5	109.7	116.6	108.5	122.7	114.6	114.3	109.2	111.1
34	All other causes . . . . .		1,060.9	1,046.6	1,032.8	1,022.9	982.0	1,002.0	1,028.4	1,047.9	1,007.1	951.1
Female - Féminin												
35	All causes . . . . .		2,872.0	2,720.8	2,637.9	2,473.4	2,367.5	2,374.9	2,430.6	2,287.8	2,135.2	2,081.7
36	Meningitis . . . . .	320	33.3	18.4	21.9	13.7	12.9	19.5	20.5	15.0	15.0	15.2
37	Otitis media . . . . .	381, 382	22.8	22.4	13.1	18.9	12.5	8.2	13.1	6.6	9.5	6.9
38	Upper respiratory infections . . . . .	460-465	11.4	16.7	9.6	11.1	9.5	17.7	7.9	7.5	6.4	5.4
39	Influenza . . . . .	470-474	29.2	59.2	46.8	32.6	23.2	19.9	20.1	22.0	10.4	7.4
40	Pneumonia . . . . .	480-486	438.3	370.1	375.6	346.9	348.4	316.9	314.7	284.7	237.4	240.8
41	Bronchitis . . . . .	466, 490-491	29.7	17.5	22.3	18.4	17.2	15.6	13.5	5.7	15.0	7.9
42	Hernia and intestinal obstruction . . . . .	550-553, 560	24.2	15.8	17.9	15.4	15.1	17.7	19.2	20.7	17.3	23.6
43	Gastro-intestinal diseases . . . . .	008, 009, 535, 561-563	128.3	125.4	141.0	110.6	106.2	86.9	80.0	89.5	50.4	45.7
44	Congenital anomalies <sup>1</sup> . . . . .	740-759	504.9	456.5	450.9	435.7	414.2	437.1	475.0	417.4	430.0	429.0
45	Maternal toxæmia . . . . .	760-763	25.1	23.7	29.3	25.3	15.1	18.6	21.0	15.4	17.7	8.4
46	Birth injury . . . . .	2	285.8	253.9	235.5	237.1	201.3	231.3	231.2	213.7	214.3	198.1
47	Asphyxia and atelectasis . . . . .	3	294.9	302.6	271.4	253.0	246.0	255.2	246.9	237.5	220.7	207.9
48	Erythroblastosis . . . . .	774, 775	57.7	67.1	66.1	68.2	64.5	61.8	62.5	59.9	47.7	48.7
49	Haemorrhagic diseases . . . . .	778.2	23.3	22.4	20.1	15.9	17.6	13.0	12.2	14.5	11.4	18.7
50	Suffocation . . . . .	E911-E913	81.7	85.5	81.4	75.0	79.1	84.3	80.4	78.9	81.7	79.1
51	All other causes . . . . .		882.0	863.1	834.8	795.4	784.9	770.9	812.4	799.0	750.5	739.1

See footnote(s) at end of Table 25.

TABLEAU 26. Taux de mortalité infantile (pour 100,000 naissances), selon la cause principale et le sexe, Canada, 1956 - 1977

1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	Causes de décès	No
<b>Both sexes - Deux sexes</b>													
2,311.0	2,197.7	2,081.5	1,934.0	1,882.0	1,754.9	1,709.7	1,554.9	1,502.1	1,430.5 <sup>4</sup>	1,346.47	1,238.2	Toutes les causes . . . . .	1
16.8	15.4	14.0	13.3	11.6	13.5	11.2	12.2	7.8	10.6	8.3	8.6	Méningite . . . . .	2
13.7	11.3	6.9	7.0	2.4	1.9	3.7	1.5	1.2	0.8	0.8	0.6	Otite moyenne . . . . .	3
7.2	12.9	6.3	10.0	9.4	11.0	9.5	7.0	5.5	5.6	4.2	3.9	Infections des voies respiratoires supérieures	4
11.6	6.5	9.6	5.7	4.3	2.8	4.6	1.2	3.2	1.4	1.1	0.8	Grippe . . . . .	5
245.0	235.6	213.6	158.0	149.2	141.9	122.9	97.3	81.6	63.9	60.3	45.1	Pneumonie . . . . .	6
14.4	8.9	12.6	10.6	16.4	14.9	16.4	15.7	13.9	7.8	4.7	8.0	Bronchite . . . . .	7
24.0	22.4	23.1	15.1	18.0	12.4	14.1	13.1	13.9	12.8	11.1	14.4	Hernie et occlusion intestinale	8
51.3	48.0	32.1	29.2	29.6	24.6	28.5	28.8	26.3	21.7	19.4	20.2	Maladies gastro-intestinales	9
444.9	403.3	394.4	397.4	382.0	368.3	382.9	350.6	348.3	298.4	310.3	308.5	Anomalies congénitales <sup>1</sup>	10
11.6	12.1	12.4	25.2	30.9	27.3	27.9	26.2	18.5	19.2	14.2	10.8	Toxémie maternelle . . . . .	11
230.3	207.3	220.7	231.0	224.2	215.4	200.1	172.1	149.9	136.6	135.0	112.9	Lésion obstétricale . . . . .	12
249.2	241.6	233.9	184.8	155.7	148.0	122.9	123.5	109.4	97.9	101.1	93.8	Asphyxie et atelectasie	13
52.1	40.2	46.4	35.4	26.3	19.6	17.9	11.9	10.1	7.5	5.6	8.6	Erythroblastose . . . . .	14
17.0	16.4	18.9	15.4	13.7	9.9	5.2	11.1	14.5	10.9	13.6	9.1	Maladies hémorragiques	15
87.2	96.8	79.3	71.7	68.0	70.1	60.5	53.3	43.7	31.2	26.4	24.4	Suffocation . . . . .	16
834.6	818.8	757.3	724.2	740.3	673.1	681.2	629.3	654.4	704.1 <sup>4</sup>	630.37	569.2	Toutes les autres causes	17
<b>Male - Masculin</b>													
2,582.8	2,424.1	2,289.7	2,168.1	2,118.7	1,988.8	1,904.6	1,735.8	1,658.0	1,592.4 <sup>5</sup>	1,497.6 <sup>8</sup>	1,349.5	Toutes les causes . . . . .	18
18.1	17.9	11.7	16.3	14.1	17.7	13.4	13.6	10.1	11.4	9.7	9.1	Méningite . . . . .	19
14.6	13.7	5.3	7.9	2.6	2.7	5.0	1.7	1.7	1.1	1.1	0.5	Otite moyenne . . . . .	20
8.5	15.3	7.5	10.0	11.0	12.9	11.7	6.8	6.8	6.5	3.2	5.4	Infections des voies respiratoires supérieures	21
12.1	6.8	9.1	4.7	5.7	3.8	4.5	1.7	5.1	1.1	1.1	0.5	Grippe . . . . .	22
286.5	252.3	231.5	182.8	164.0	156.4	143.2	114.8	95.7	66.4	71.4	52.2	Pneumonie . . . . .	23
18.1	10.0	15.5	10.5	18.3	17.7	16.8	21.5	15.8	10.3	3.8	7.5	Bronchite . . . . .	24
24.6	30.6	27.7	16.3	23.5	15.5	15.7	16.4	15.8	14.7	13.5	16.7	Hernie et occlusion intestinale	25
60.8	50.0	38.4	36.4	32.9	25.7	26.3	32.8	28.1	24.5	22.7	16.7	Maladies gastro-intestinales	26
458.0	415.1	405.9	409.9	383.9	389.0	405.5	365.4	364.1	310.5	328.4	316.3	Anomalies congénitales <sup>1</sup>	27
15.6	13.7	14.9	27.4	34.5	32.7	36.4	23.8	19.1	20.7	17.9	9.7	Toxémie maternelle . . . . .	28
265.9	241.2	256.5	269.2	248.6	244.3	238.3	189.5	157.6	154.5	150.4	121.0	Lésion obstétricale . . . . .	29
302.6	273.9	265.6	208.6	193.3	173.1	139.8	146.5	128.9	112.0	109.8	106.5	Asphyxie et atelectasie	30
50.3	45.3	48.5	37.4	26.6	22.0	12.9	15.8	9.0	7.1	3.8	9.1	Erythroblastose . . . . .	31
22.1	19.5	20.3	13.2	12.5	10.7	6.7	8.5	17.4	13.1	16.8	11.3	Maladies hémorragiques	32
107.1	109.6	85.9	80.1	84.6	82.0	70.5	62.2	50.1	34.8	33.0	27.4	Suffocation . . . . .	33
917.9	909.2	845.4	837.2	862.4	782.8	757.9	714.9	732.8	803.8 <sup>5</sup>	710.9 <sup>8</sup>	640.1	Toutes les autres causes	34
<b>Female - Féminin</b>													
2,204.6	1,960.3	1,860.6	1,687.0	1,631.1	1,506.2	1,502.9	1,362.8	1,337.2	1,260.1 <sup>6</sup>	1,186.9 <sup>9</sup>	1,120.4	Toutes les causes . . . . .	35
15.4	12.7	16.4	10.0	8.9	9.1	8.9	10.8	5.4	9.7	6.9	8.0	Méningite . . . . .	36
12.7	8.8	8.5	6.1	2.2	1.1	2.4	1.2	0.6	0.6	0.6	0.6	Otite moyenne . . . . .	37
5.8	10.5	5.1	10.0	7.8	9.1	7.1	7.2	4.2	4.6	5.1	2.3	Infections des voies respiratoires supérieures	38
11.1	6.1	10.2	6.7	2.8	1.7	4.7	0.6	1.2	1.7	1.1	1.1	Grippe . . . . .	39
201.3	218.2	194.5	131.8	133.5	126.5	101.5	78.6	66.7	61.2	48.5	37.6	Pneumonie . . . . .	40
10.6	7.7	9.6	10.6	14.4	12.0	16.0	9.6	11.9	5.2	5.7	8.5	Bronchite . . . . .	41
23.3	13.8	18.1	13.9	12.2	9.1	12.5	9.6	11.9	10.9	8.6	12.0	Hernie et occlusion intestinale	42
41.3	45.8	25.4	21.7	26.0	23.4	30.9	24.6	24.4	18.9	16.0	23.9	Maladies gastro-intestinales	43
431.2	391.1	382.3	356.4	379.9	346.4	359.0	335.0	331.6	285.6	291.2	300.3	Anomalies congénitales <sup>1</sup>	44
7.4	10.5	9.6	22.8	27.1	21.6	19.0	28.8	17.9	17.7	10.3	12.0	Toxémie maternelle . . . . .	45
192.8	171.8	182.7	190.7	198.3	184.6	159.6	153.7	141.7	117.9	118.8	104.3	Lésion obstétricale . . . . .	46
192.8	207.7	200.2	159.6	115.8	121.3	105.0	99.1	88.7	83.0	91.9	81.4	Asphyxie et atelectasie	47
54.0	34.8	44.1	33.4	26.0	17.1	23.1	7.8	11.3	8.0	7.4	8.0	Erythroblastose . . . . .	48
11.7	13.3	17.5	17.8	15.0	9.1	3.6	13.8	11.3	8.6	10.3	6.8	Maladies hémorragiques	49
66.2	83.4	72.4	62.8	50.4	57.5	49.8	43.8	36.9	27.5	19.4	21.1	Suffocation . . . . .	50
746.9	724.1	663.9	632.8	610.9	556.6	599.9	538.5	571.6	599.1 <sup>6</sup>	545.2 <sup>9</sup>	494.1	Toutes les autres causes	51

Voir note(s) à la fin du tableau 25.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T.N.-O.
Both sexes - Deux sexes													
1921	7,333	..	62	545	508	..	3,376	773	985	723	361	..	..
1922	7,205	..	71	556	539	..	3,184	757	961	750	387	..	..
1923	6,975	..	76	520	498	..	3,155	673	967	696	390	..	..
1924	6,551	..	75	501	457	..	3,052	640	879	663	284	..	..
1925	6,272	..	50	481	513	..	2,916	555	869	579	309	..	..
1926	11,091	..	61	421	476	4,824	2,935	590	838	620	326	..	..
1927	10,532	..	38	445	456	4,512	2,778	528	839	602	334	..	..
1928	10,349	..	42	427	441	4,467	2,705	531	788	646	302	..	..
1929	10,430	..	55	409	495	4,266	2,849	510	885	660	301	..	..
1930	10,655	408	62	412	455	4,263	2,761	524	859	623	288	..	..
1931	10,262	365	53	468	454	4,130	2,585	511	771	647	278	..	..
1932	9,208	363	61	440	392	3,567	2,380	447	753	547	258	..	..
1933	8,600	329	68	409	400	3,334	2,144	421	695	534	266	..	..
1934	8,100	323	71	436	384	3,215	1,953	381	627	489	221	..	..
1935	8,070	323	72	414	379	2,966	2,122	419	613	514	248	..	..
1936	7,734	341	74	369	412	2,988	1,935	381	543	466	225	..	..
1937	7,833	306	72	357	470	2,964	1,931	371	592	492	278	..	..
1938	7,519	251	48	363	430	2,970	1,887	369	484	425	292	..	..
1939	7,348	310	83	348	416	2,885	1,777	391	485	380	273	..	..
1940	7,557	301	71	390	453	2,954	1,805	356	497	434	296	..	..
1941	8,101	284	70	391	446	3,245	1,968	412	491	477	317	..	..
1942	7,919	266	50	389	407	3,309	1,922	434	418	387	337	..	..
1943	8,741	357	48	480	469	3,330	2,179	493	518	428	439	..	..
1944	8,680	398	62	410	444	3,429	2,134	374	460	518	451	..	..
1945	8,660	416	59	422	498	3,334	2,100	410	459	507	455	..	..
1946	9,399	408	46	435	569	3,314	2,524	473	555	575	500	..	..
1947	9,861	354	70	447	552	3,574	2,615	518	581	560	590	..	..
1948	9,210	313	48	384	547	3,383	2,463	420	491	612	549	..	..
1949	8,828	301	54	371	501	3,177	2,497	420	466	500	541	..	..
1950	9,079	354	43	378	467	3,526	2,454	381	432	518	483	8	35
1951	8,619	288	46	352	440	3,175	2,429	378	401	557	513	6	34
1952	9,164	283	39	364	410	3,552	2,562	386	451	537	547	7	26
1953	8,928	305	33	350	401	3,343	2,474	442	443	570	534	5	28
1954	8,415	287	56	301	366	3,084	2,415	361	419	558	537	10	21
1955	8,552	307	51	341	337	3,050	2,500	410	417	539	546	13	41
1956	9,065	334	66	309	353	3,432	2,509	408	410	573	606	12	53
1957	9,480	331	48	308	355	3,490	2,737	421	394	640	697	11	48
1958	9,055	324	47	305	320	3,206	2,698	386	423	610	671	5	60
1959	8,841	321	51	382	315	2,982	2,673	363	427	624	646	4	53
1960	8,410	311	57	366	266	2,575	2,644	434	414	662	619	7	55
1961	8,564	325	54	327	250	2,855	2,627	380	395	707	595	10	39
1962	8,783	329	55	380	302	2,948	2,682	381	413	635	601	15	42
1963	8,411	312	37	316	276	2,813	2,619	347	401	643	587	7	53
1964	7,831	278	43	305	270	2,558	2,402	367	402	616	550	9	31
1965	6,835	253	49	262	209	2,221	2,142	303	335	557	462	11	31
1966	6,253	252	42	256	191	2,013	1,956	249	309	435	506	9	35
1967	5,628	235	40	231	205	1,665	1,789	231	309	412	475	5	31
1968	5,376	177	40	193	154	1,511	1,832	228	314	436	443	8	40
1969	5,138	187	32	188	149	1,434	1,722	268	268	420	429	11	30
1970	5,017	182	38	180	160	1,352	1,711	240	258	433	422	13	28
1971	4,485	207	37	180	145	1,190	1,424	204	222	388	459	6	23
1972	4,117	174	26	129	147	1,057	1,392	210	208	364	381	6	23
1973	3,692	164	19	135	122	995	1,238	169	180	266	380	4	20
1974	3,506	118	30	115	122	924	1,163	176	191	278	364	5	20
1975	3,480 <sup>2</sup>	109	26	124	125	958 <sup>2</sup>	1,148	170	164	291	337	7	21
1976	3,290 <sup>2</sup>	104	19	115	97	935 <sup>2</sup>	1,040	176	139	308	332	6	19
1977	2,984	70	28	95	103	859	930	183	157	245	288	3	23

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Rate per 1,000 live births - Taux pour 1,000 naissances vivantes													
1921	43.4	..	28.8	41.9	44.3	..	45.5	41.8	43.8	43.7	33.9	..	..
1922	43.9	..	32.9	43.8	46.6	..	44.6	42.8	43.0	46.4	38.1	..	..
1923	44.5	..	38.4	44.5	46.5	..	45.0	40.9	46.2	46.2	39.0	..	..
1924	41.6	..	40.4	42.5	42.6	..	42.7	41.4	40.8	45.4	28.1	..	..
1925	40.5	..	29.9	42.2	46.9	..	41.6	37.3	42.2	38.9	29.9	..	..
1926	47.7	..	34.8	38.3	46.0	58.7	43.4	40.2	40.5	42.9	32.4	..	..
1927	45.0	..	22.4	40.0	43.5	54.3	41.1	37.3	39.9	40.4	33.1	..	..
1928	43.7	..	23.3	39.1	43.9	53.4	39.5	36.6	37.1	41.2	29.1	..	..
1929	44.3	..	32.9	38.3	48.4	52.4	41.6	35.8	41.3	39.0	29.0	..	..
1930	42.6	62.2	35.4	36.3	43.2	51.0	38.7	36.4	39.0	35.3	26.5	..	..
1931	41.5	55.7	28.2	40.3	42.0	49.4	37.4	35.5	36.1	37.5	26.7	..	..
1932	38.0	53.4	30.1	37.8	36.3	43.4	35.6	31.6	36.2	32.2	25.3	..	..
1933	37.5	49.2	34.9	36.6	39.9	43.3	33.7	31.6	34.5	33.1	27.8	..	..
1934	35.5	47.9	37.1	38.2	37.8	42.1	31.4	28.6	31.7	30.1	22.5	..	..
1935	35.4	48.5	35.8	35.6	36.5	39.4	33.6	31.4	31.3	31.8	24.8	..	..
1936	34.0	46.4	37.4	31.3	39.2	39.7	31.0	29.6	28.4	29.5	21.3	..	..
1937	34.4	41.7	34.4	30.9	44.4	39.2	31.3	28.8	31.8	30.9	24.6	..	..
1938	31.8	34.2	24.3	29.7	37.6	38.0	28.8	27.4	26.5	26.7	23.4	..	..
1939	30.9	37.7	39.0	29.4	36.9	36.2	27.7	28.8	26.9	23.1	22.1	..	..
1940	30.0	37.9	33.9	30.3	38.7	35.2	26.3	24.1	25.7	25.0	21.4	..	..
1941	30.7	34.3	34.2	28.1	36.3	36.4	27.2	27.8	26.6	27.6	21.1	..	..
1942	28.2	30.3	23.4	25.4	32.1	34.8	24.6	27.7	23.0	21.1	20.0	..	..
1943	29.9	40.3	22.1	31.2	35.8	33.7	26.8	30.0	28.0	22.2	23.3	..	..
1944	29.6	42.8	27.1	26.3	33.0	33.5	27.3	23.4	25.4	26.7	23.7	..	..
1945	28.9	37.1	26.1	27.2	36.4	32.0	26.6	25.2	24.3	25.4	24.1	..	..
1946	27.4	33.9	16.5	24.3	35.0	29.8	25.9	25.2	25.9	25.9	22.1	..	..
1947	26.5	28.0	23.4	23.2	31.1	30.9	24.0	25.4	24.9	22.7	22.4	..	..
1948	25.7	26.9	16.9	21.6	31.7	29.5	23.6	22.3	22.8	25.4	21.1	..	..
1949	24.1	24.5	19.1	20.9	30.0	27.2	23.4	21.8	21.5	20.1	19.8	..	..
1950	24.4	26.9	14.9	21.9	28.5	29.6	22.6	19.8	20.1	20.2	17.8	25.3	56.3
1951	22.6	24.5	17.4	20.6	27.4	26.3	21.2	19.0	18.5	20.6	18.3	17.5	52.4
1952	22.7	22.5	14.4	20.3	24.6	28.1	20.7	18.6	20.0	18.5	18.3	17.9	40.5
1953	21.4	23.8	12.1	19.2	24.4	26.0	19.1	20.8	18.7	18.2	16.8	13.1	41.4
1954	19.3	21.0	20.6	15.9	22.0	23.2	17.7	16.2	16.8	16.6	16.3	23.5	33.3
1955	19.3	20.8	18.3	18.0	20.3	22.9	17.9	18.3	16.9	15.7	16.0	24.8	56.0
1956	20.1	23.0	24.8	16.2	21.3	25.3	17.5	18.6	17.0	16.4	16.7	24.9	67.5
1957	20.2	21.6	17.9	15.9	20.9	24.6	18.1	18.8	16.5	17.9	18.0	22.3	53.3
1958	19.3	21.9	18.2	16.1	19.5	22.7	17.7	17.8	17.7	16.6	17.0	10.6	63.5
1959	18.4	21.7	18.8	20.1	19.1	20.9	17.0	15.9	17.6	16.4	16.2	7.4	53.5
1960	17.6	20.5	20.8	19.1	16.3	18.7	16.6	18.7	17.2	17.0	15.4	13.0	50.3
1961	18.0	20.8	19.0	16.9	15.1	20.8	16.7	16.3	16.5	18.2	15.4	17.9	34.9
1962	18.7	21.8	19.6	19.6	18.3	21.8	17.2	16.6	17.7	16.4	15.8	27.4	37.0
1963	18.1	20.2	12.5	16.7	17.5	21.0	16.9	15.3	17.0	16.7	15.7	14.0	45.7
1964	17.3	18.9	15.8	16.7	17.6	19.5	15.7	16.9	17.7	17.0	15.3	17.5	24.5
1965	16.3	17.2	19.5	15.9	14.7	18.4	15.1	15.2	16.3	17.1	13.7	25.7	26.0
1966	16.1	17.9	19.1	16.8	15.0	18.3	14.8	13.8	16.2	14.2	15.6	24.4	30.2
1967	15.2	18.3	19.5	16.1	16.6	16.4	14.0	13.4	17.2	13.4	14.4	13.0	25.6
1968	14.8	13.8	19.0	14.0	13.3	15.6	14.5	13.1	17.3	14.5	13.2	21.6	30.8
1969	13.9	14.4	15.9	13.8	12.7	15.0	13.2	15.0	15.2	13.6	12.1	23.8	24.7
1970	13.5	14.5	19.4	12.7	13.9	14.7	12.7	13.2	15.7	13.5	11.4	28.8	20.9
1971	12.4	16.2	17.6	12.6	11.9	13.3	10.9	11.3	13.8	12.7	13.2	11.9	17.9
1972	11.9	13.5	12.9	9.5	12.5	12.6	11.1	12.1	13.4	12.4	11.0	13.3	18.6
1973	10.8	13.8	10.1	10.2	10.7	11.8	10.0	10.0	12.2	9.1	11.1	9.5	16.6
1974	10.1	11.5	15.5	8.9	10.7	10.8	9.4	10.2	12.6	9.3	10.3	10.1	19.2
1975	9.7 <sup>2</sup>	9.7	13.5	9.5	10.6	10.3 <sup>2</sup>	9.1	9.9	10.7	9.2	9.3	17.2	17.9
1976	9.1 <sup>2</sup>	9.3	9.8	9.0	8.2	9.7 <sup>2</sup>	8.5	10.5	8.7	9.3	9.3	13.4	16.1
1977	8.3	6.3	14.2	7.7	8.9	9.0	7.6	10.9	9.5	7.1	7.8	6.9	19.3

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Male - Masculin													
1921	4,215	..	34	295	318	..	1,957	434	545	425	207	..	..
1922	4,170	..	46	325	312	..	1,860	437	540	422	228	..	..
1923	4,009	..	49	302	301	..	1,837	368	533	404	215	..	..
1924	3,716	..	40	283	252	..	1,740	349	522	373	157	..	..
1925	3,615	..	35	276	296	..	1,667	315	527	327	172	..	..
1926	6,461	..	37	252	268	2,858	1,689	338	465	358	196	..	..
1927	6,077	..	26	255	241	2,635	1,580	302	501	348	189	..	..
1928	5,931	..	17	241	255	2,607	1,512	301	445	388	165	..	..
1929	6,041	..	32	242	294	2,467	1,652	291	518	380	165	..	..
1930	5,774	..	33	234	241	2,443	1,541	277	496	349	160	..	..
1931	5,765	..	32	273	279	2,406	1,485	313	455	355	167	..	..
1932	5,134	..	30	258	215	2,074	1,379	256	440	333	149	..	..
1933	4,838	..	38	236	227	1,955	1,259	263	397	314	149	..	..
1934	4,510	..	37	235	227	1,885	1,131	222	366	275	132	..	..
1935	4,528	..	42	234	216	1,756	1,190	243	386	313	148	..	..
1936	4,221	..	41	207	242	1,740	1,080	222	309	253	127	..	..
1937	4,354	..	41	202	269	1,733	1,100	206	359	277	167	..	..
1938	4,187	..	31	201	241	1,742	1,072	220	286	228	166	..	..
1939	4,104	..	54	182	246	1,698	1,026	236	265	226	171	..	..
1940	4,207	..	36	227	250	1,730	1,052	206	275	250	181	..	..
1941	4,556	..	46	221	257	1,911	1,147	243	278	267	186	..	..
1942	4,421	..	22	197	228	1,957	1,104	233	238	236	206	..	..
1943	4,855	..	30	273	269	2,000	1,242	266	288	252	235	..	..
1944	4,873	..	37	243	264	2,022	1,245	219	266	305	272	..	..
1945	4,805	..	27	247	291	1,959	1,194	237	269	305	276	..	..
1946	5,183	..	32	234	321	1,927	1,464	248	318	346	293	..	..
1947	5,568	..	38	257	339	2,115	1,516	287	344	320	352	..	..
1948	5,167	..	24	233	304	1,989	1,416	248	289	342	322	..	..
1949	5,063	174	32	220	312	1,828	1,408	248	240	279	322	..	..
1950	5,324	196	27	214	269	2,043	1,480	237	245	307	279	5	22
1951	5,020	176	29	218	241	1,864	1,389	209	226	345	299	4	20
1952	5,392	160	20	215	256	2,100	1,494	228	261	323	315	4	16
1953	5,207	172	19	219	225	1,966	1,427	266	258	319	323	2	11
1954	4,892	180	36	178	216	1,738	1,394	228	262	326	318	3	13
1955	5,001	180	26	200	206	1,788	1,460	245	237	308	321	9	21
1956	5,204	183	37	184	201	1,956	1,437	236	254	354	325	5	32
1957	5,532	216	25	167	209	2,044	1,593	252	237	357	400	9	23
1958	5,240	184	31	180	193	1,880	1,544	216	232	350	386	4	40
1959	5,097	185	25	219	180	1,735	1,497	218	260	380	365	3	30
1960	4,945	187	39	224	158	1,488	1,538	261	248	405	366	5	26
1961	4,966	197	29	187	145	1,666	1,507	211	244	418	331	6	25
1962	5,076	186	30	199	170	1,748	1,538	228	232	362	352	6	25
1963	4,918	203	27	195	159	1,571	1,523	208	252	388	353	3	36
1964	4,581	170	32	163	153	1,494	1,408	198	236	370	335	2	20
1965	3,936	126	30	138	115	1,302	1,237	169	199	333	264	5	18
1966	3,614	147	25	149	114	1,137	1,126	154	195	256	288	6	17
1967	3,245	143	24	137	114	941	1,034	138	181	236	276	2	19
1968	3,070	103	28	108	82	863	1,050	136	184	247	241	5	23
1969	2,988	98	17	118	86	810	1,004	161	164	254	252	6	18
1970	2,912	98	25	107	93	772	1,019	140	138	245	252	7	16
1971	2,623	123	24	108	97	690	821	117	132	226	271	3	11
1972	2,356	97	15	65	76	612	796	113	124	215	224	4	15
1973	2,128	98	16	78	75	570	693	105	112	153	211	2	15
1974	1,973	70	18	59	65	531	621	97	112	157	226	3	14
1975	1,974 <sup>2</sup>	58	12	73	78	562 <sup>2</sup>	645	97	85	159	188	5	12
1976	1,853 <sup>2</sup>	55	11	64	51	504 <sup>2</sup>	589	105	75	188	201	3	7
1977	1,686	45	17	57	55	481	511	106	85	143	176	2	8

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 1,000 male live births - Taux pour 1,000 naissances vivantes (masculin)													
1921	48.4	..	31.7	44.1	53.5	..	51.1	45.9	46.9	50.0	37.3	..	..
1922	49.6	..	41.7	49.0	52.4	..	51.0	49.0	47.2	51.3	43.1	..	..
1923	49.8	..	49.9	50.6	55.2	..	50.8	43.8	49.5	52.6	41.5	..	..
1924	46.0	..	43.1	45.7	45.6	..	47.6	44.7	46.8	50.3	30.2	..	..
1925	45.3	..	39.9	46.9	52.3	..	46.2	41.3	49.6	42.9	32.3	..	..
1926	53.9	..	41.7	44.7	50.6	67.3	48.6	44.5	43.7	48.3	37.9	..	..
1927	50.4	..	29.2	44.7	44.7	61.5	45.5	40.6	46.2	45.3	36.8	..	..
1928	48.8	..	18.0	43.6	49.5	60.6	42.9	41.3	40.5	48.0	31.9	..	..
1929	50.0	..	37.4	44.1	56.1	58.9	47.0	39.7	47.1	44.0	31.2	..	..
1930	46.2	..	36.2	39.6	44.8	56.8	42.3	37.7	43.5	39.0	28.6	..	..
1931	46.6	..	32.1	46.0	50.3	55.9	41.7	43.1	41.6	39.7	31.2	..	..
1932	42.4	..	27.9	42.7	38.9	48.9	40.4	35.1	41.1	38.2	28.7	..	..
1933	42.3	..	38.7	41.4	43.4	49.7	38.6	38.3	38.3	37.7	30.0	..	..
1934	39.8	..	37.4	40.0	44.1	48.2	35.5	32.4	36.0	33.4	26.0	..	..
1935	40.0	..	41.5	39.1	41.1	45.7	36.8	35.9	38.4	37.7	29.1	..	..
1936	37.3	..	39.3	33.8	45.1	45.1	33.6	33.3	31.4	31.3	23.3	..	..
1937	38.5	..	37.0	33.3	49.3	44.5	34.7	31.2	37.7	34.5	29.2	..	..
1938	35.5	..	30.0	32.0	41.5	43.2	31.9	31.8	30.5	28.1	26.0	..	..
1939	34.9	..	47.9	30.7	42.3	41.6	31.2	33.8	28.7	26.8	26.9	..	..
1940	33.6	..	34.2	34.7	41.5	40.1	30.1	27.2	27.5	28.3	25.3	..	..
1941	34.7	..	42.7	31.2	41.5	41.6	30.8	31.9	29.3	30.1	24.2	..	..
1942	31.4	..	20.5	25.0	34.6	39.8	27.3	29.1	25.3	25.1	23.7	..	..
1943	33.3	..	27.1	34.6	39.8	39.3	29.9	31.4	29.9	25.6	24.5	..	..
1944	33.2	..	32.0	30.1	38.0	38.4	30.8	26.3	28.5	30.6	28.0	..	..
1945	32.3	..	23.1	30.5	41.6	36.6	29.3	28.1	27.5	29.6	28.4	..	..
1946	30.5	..	22.2	25.6	38.7	33.6	29.1	25.7	29.0	30.6	25.5	..	..
1947	30.3	..	24.8	26.3	37.1	35.6	27.2	27.7	28.7	25.2	26.3	..	..
1948	29.0	..	16.5	25.6	34.2	33.7	26.5	25.8	26.2	27.7	24.2	..	..
1949	26.9	27.8	22.0	23.9	36.3	30.4	25.7	24.9	21.5	21.8	23.1	..	..
1950	27.8	28.6	18.7	24.1	31.8	33.3	26.5	23.8	22.2	23.4	20.1	31.1	64.0
1951	25.6	29.4	21.1	24.7	29.4	30.0	23.5	20.1	20.3	25.1	20.7	23.1	63.1
1952	25.9	24.8	14.2	23.2	30.4	32.2	23.3	21.4	22.4	21.6	20.4	21.2	39.3
1953	24.3	26.3	13.9	23.4	26.5	29.7	21.5	24.6	21.3	19.7	19.7	10.3	33.0
1954	21.8	25.6	25.6	18.3	25.1	25.4	20.0	20.1	20.3	18.7	18.8	13.3	39.4
1955	22.0	24.0	17.9	20.5	24.3	26.0	20.4	21.4	18.8	17.4	18.5	33.7	57.4
1956	22.5	24.7	28.2	18.5	23.4	27.9	19.5	21.0	20.5	19.7	17.6	19.0	78.0
1957	22.9	27.8	18.1	16.8	23.5	28.0	20.5	22.0	19.2	19.5	20.4	35.2	52.6
1958	21.7	23.9	23.4	18.4	22.6	26.0	19.6	19.5	19.0	18.4	19.1	16.1	78.4
1959	20.7	24.3	18.0	22.6	21.0	23.8	18.5	18.6	20.9	19.4	17.8	11.5	58.3
1960	20.1	23.9	28.4	23.1	18.7	21.0	18.8	21.7	20.1	20.2	17.7	17.9	45.9
1961	20.3	24.5	19.7	18.8	17.0	23.5	18.7	17.7	19.8	21.0	16.8	21.1	43.9
1962	21.1	24.0	19.9	19.9	19.9	25.2	19.2	19.5	19.5	18.3	18.2	20.2	42.8
1963	20.6	25.5	17.9	20.0	19.5	23.0	19.1	18.0	20.9	19.6	18.4	12.3	59.7
1964	19.7	23.0	22.6	17.4	19.5	22.2	17.9	17.7	20.4	20.0	18.2	7.4	30.5
1965	18.3	16.7	23.1	16.4	15.8	20.9	17.0	16.4	19.0	19.7	15.4	22.1	28.5
1966	18.2	20.3	21.9	19.0	17.4	20.1	16.7	16.7	19.8	16.4	17.3	32.4	28.5
1967	17.1	22.0	22.6	18.7	18.1	18.2	15.8	15.7	19.6	15.0	16.4	10.1	30.4
1968	16.4	15.8	25.9	15.1	13.9	17.3	16.2	15.1	19.6	15.8	14.0	27.8	35.2
1969	15.7	14.6	16.9	16.9	14.1	16.4	15.0	17.8	18.2	16.2	13.9	24.3	28.4
1970	15.2	15.2	25.0	14.7	15.7	16.3	14.7	14.9	16.4	14.9	13.3	29.3	21.8
1971	14.1	18.7	21.6	14.7	15.5	15.0	12.2	12.7	16.2	14.3	15.1	10.9	16.6
1972	13.2	14.7	14.2	9.5	12.3	14.2	12.3	12.7	15.7	14.2	12.7	17.0	23.4
1973	12.0	16.0	15.9	11.5	12.8	13.1	10.9	12.0	14.8	10.2	12.0	9.6	23.3
1974	11.1	13.1	17.6	8.8	11.2	12.1	9.7	10.8	14.5	10.3	12.4	11.5	25.4
1975	10.8 <sup>2</sup>	9.9	12.0	10.6	13.0	11.7 <sup>2</sup>	10.0	11.1	11.0	9.8	10.2	24.6	21.1
1976	10.0 <sup>2</sup>	9.5	10.8	9.7	8.4	10.2 <sup>2</sup>	9.4	12.0	9.2	11.1	10.8	12.6	11.7
1977	9.1	7.9	17.0	8.9	9.3	9.7	8.1	12.4	10.0	8.1	9.3	8.8	13.5

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
		T.-N.	Î.-P.-É.	N.-É.						Alb.	C.-B.		T. N.-O.
Female - Féminin													
1921	3,118	..	28	250	190	..	1,419	339	440	298	154	..	..
1922	3,035	..	25	231	227	..	1,324	320	421	328	159	..	..
1923	2,966	..	27	218	197	..	1,318	305	434	292	175	..	..
1924	2,835	..	35	218	205	..	1,312	291	357	290	127	..	..
1925	2,657	..	15	205	217	..	1,249	240	342	252	137	..	..
1926	4,630	..	24	169	208	1,966	1,246	252	373	262	130	..	..
1927	4,455	..	12	190	215	1,877	1,198	226	338	254	145	..	..
1928	4,418	..	25	186	186	1,860	1,193	230	343	258	137	..	..
1929	4,389	..	23	167	201	1,799	1,197	219	367	280	136	..	..
1930	4,473	..	29	178	214	1,820	1,220	247	363	274	128	..	..
1931	4,132	..	21	195	175	1,724	1,100	198	316	292	111	..	..
1932	3,711	..	31	182	177	1,493	1,001	191	313	214	109	..	..
1933	3,433	..	30	173	173	1,379	885	158	298	220	117	..	..
1934	3,267	..	34	201	157	1,330	822	159	261	214	89	..	..
1935	3,219	..	30	180	163	1,210	932	176	227	201	100	..	..
1936	3,172	..	33	162	170	1,248	855	159	234	213	98	..	..
1937	3,173	..	31	155	201	1,231	831	165	233	215	111	..	..
1938	3,081	..	17	162	189	1,228	815	149	198	197	126	..	..
1939	2,934	..	29	166	170	1,187	751	155	220	154	102	..	..
1940	3,049	..	35	163	203	1,224	753	150	222	184	115	..	..
1941	3,261	..	24	170	189	1,334	821	169	213	210	131	..	..
1942	3,232	..	28	192	179	1,352	818	201	180	151	131	..	..
1943	3,529	..	18	207	200	1,330	937	227	230	176	204	..	..
1944	3,409	..	25	167	180	1,407	889	155	194	213	179	..	..
1945	3,439	..	32	175	207	1,375	906	173	190	202	179	..	..
1946	3,808	..	14	201	248	1,387	1,060	225	237	229	207	..	..
1947	3,939	..	32	190	213	1,459	1,099	231	237	240	238	..	..
1948	3,730	..	24	151	243	1,394	1,047	172	202	270	227	..	..
1949	3,765	127	22	151	189	1,349	1,089	172	226	221	219	..	..
1950	3,755	158	16	164	198	1,483	974	144	187	211	204	3	13
1951	3,599	112	17	134	199	1,311	1,040	169	175	212	214	2	14
1952	3,772	123	19	149	154	1,452	1,068	158	190	214	232	3	10
1953	3,721	133	14	131	176	1,377	1,047	176	185	251	211	3	17
1954	3,523	107	20	123	150	1,346	1,021	133	157	232	219	7	8
1955	3,551	127	25	141	131	1,262	1,040	165	180	231	225	4	20
1956	3,861	151	29	125	152	1,476	1,072	172	156	219	281	7	21
1957	3,948	115	23	141	146	1,446	1,144	169	157	283	297	2	25
1958	3,815	140	16	125	127	1,326	1,154	170	191	260	285	1	20
1959	3,744	136	26	163	135	1,247	1,176	145	167	244	281	1	23
1960	3,465	124	18	142	108	1,087	1,106	173	166	257	253	2	29
1961	3,598	128	25	140	105	1,189	1,120	169	151	289	264	4	14
1962	3,707	143	25	181	132	1,200	1,144	153	181	273	249	9	17
1963	3,493	109	10	121	117	1,242	1,096	139	149	255	234	4	17
1964	3,250	108	11	142	117	1,064	994	169	166	246	215	7	11
1965	2,899	127	19	124	94	919	905	134	136	224	198	6	13
1966	2,639	105	17	107	77	876	830	95	114	179	218	3	18
1967	2,383	92	16	94	91	724	755	93	128	176	199	3	12
1968	2,306	74	12	85	72	648	782	92	130	189	202	3	17
1969	2,150	89	15	70	63	624	718	107	104	166	177	5	12
1970	2,105	84	13	73	67	580	692	100	120	188	170	6	12
1971	1,862	84	13	72	48	500	603	87	90	162	188	3	12
1972	1,761	77	11	64	71	445	596	97	84	149	157	2	8
1973	1,564	66	3	57	47	425	545	64	68	113	169	2	5
1974	1,533	48	12	56	57	393	542	79	79	121	138	2	6
1975	1,506 <sup>2</sup>	51	14	51	47	396 <sup>2</sup>	503	73	79	132	149	2	9
1976	1,437 <sup>2</sup>	49	8	51	46	431 <sup>2</sup>	451	71	64	120	131	3	12
1977	1,298	25	11	38	48	378	419	77	72	102	112	1	15

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 27. Neonatal Deaths<sup>1</sup> and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Concluded

TABLEAU 27. Mortalité néonatale<sup>1</sup> et taux, selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Rate per 1,000 female live births - Taux pour 1,000 naissances vivantes (féminin)													
1921	38.1	..	25.9	39.5	34.4	..	39.6	37.6	40.5	36.9	30.2	..	..
1922	37.9	..	23.7	38.1	40.5	..	37.9	36.6	38.6	41.3	32.6	..	..
1923	38.9	..	27.1	38.2	37.5	..	38.9	37.8	42.6	39.5	36.3	..	..
1924	36.9	..	37.6	38.9	39.5	..	37.6	38.0	34.4	40.4	25.8	..	..
1925	35.4	..	18.8	37.2	41.1	..	36.7	33.2	34.3	34.5	27.3	..	..
1926	41.0	..	27.7	31.6	41.2	49.5	37.9	35.7	37.1	37.2	26.6	..	..
1927	39.2	..	14.9	35.0	42.3	46.6	36.4	33.7	33.3	35.2	29.3	..	..
1928	38.3	..	29.1	34.5	38.0	45.8	35.9	31.8	33.4	33.9	26.3	..	..
1929	38.3	..	28.3	32.1	40.2	45.6	35.9	31.7	35.1	33.8	26.7	..	..
1930	37.7	..	34.6	32.7	41.6	44.8	35.0	35.0	34.1	31.5	24.1	..	..
1931	35.4	..	23.8	34.3	33.3	42.5	32.7	27.8	30.4	35.1	22.0	..	..
1932	32.4	..	32.6	32.6	33.5	37.5	30.6	27.9	30.9	25.9	21.7	..	..
1933	31.6	..	31.1	31.6	36.0	36.7	28.5	24.6	30.4	28.2	25.4	..	..
1934	30.3	..	35.6	36.4	31.3	35.6	27.1	24.6	27.2	26.8	18.8	..	..
1935	29.8	..	30.1	31.9	31.8	32.9	30.4	26.8	23.9	25.5	20.3	..	..
1936	29.6	..	35.4	28.5	33.0	34.0	28.2	25.7	25.2	27.6	19.2	..	..
1937	29.6	..	31.5	28.2	39.2	33.6	27.7	26.2	25.6	27.3	20.0	..	..
1938	27.6	..	18.0	27.2	33.5	32.5	25.5	22.7	22.4	25.4	20.7	..	..
1939	26.2	..	29.0	28.1	31.1	30.6	24.1	23.5	25.0	19.1	17.0	..	..
1940	25.6	..	33.5	25.8	35.7	30.1	22.4	20.8	23.8	21.6	17.2	..	..
1941	26.3	..	24.7	24.9	31.1	30.8	23.5	23.5	23.7	24.9	17.8	..	..
1942	24.5	..	26.3	25.9	29.5	29.4	21.7	26.2	20.5	17.0	16.1	..	..
1943	25.6	..	16.9	27.6	31.6	27.8	23.7	28.6	26.0	18.6	22.1	..	..
1944	24.8	..	22.2	22.2	27.6	28.4	23.6	20.2	22.0	22.7	19.3	..	..
1945	24.6	..	29.3	23.5	30.9	27.1	23.7	22.1	20.8	21.0	19.6	..	..
1946	23.7	..	10.4	22.9	31.1	25.7	22.5	24.6	22.7	21.0	18.6	..	..
1947	22.5	..	21.9	20.0	24.7	26.0	20.7	23.0	20.9	20.1	18.5	..	..
1948	22.0	..	17.3	17.4	29.0	25.0	20.6	18.6	19.1	23.0	17.9	..	..
1949	21.2	21.1	16.0	17.7	23.4	23.8	21.0	18.4	21.6	18.2	16.4	..	..
1950	20.8	25.0	11.1	19.6	25.0	25.7	18.4	15.5	17.8	16.9	15.4	19.4	46.8
1951	19.4	19.5	13.3	16.2	25.2	22.3	18.7	17.7	16.5	16.0	15.7	11.8	42.2
1952	19.3	20.1	14.6	17.2	18.6	23.7	17.8	15.6	17.4	15.1	16.1	14.9	42.6
1953	18.3	21.2	10.2	14.7	22.1	22.0	16.6	16.9	16.0	16.5	13.8	15.9	49.6
1954	16.6	16.1	15.2	13.4	18.6	20.8	15.4	12.2	13.0	14.3	13.7	35.0	26.6
1955	16.5	17.5	18.8	15.3	16.1	19.5	15.3	15.1	14.8	13.9	13.4	15.6	54.6
1956	17.6	21.1	21.6	13.7	19.1	22.4	15.4	16.0	13.4	12.9	15.8	32.1	56.0
1957	17.3	15.2	17.8	15.0	18.0	21.1	15.6	15.5	13.6	16.3	15.5	8.4	54.0
1958	16.7	19.7	12.7	13.7	16.1	19.2	15.6	16.0	16.5	14.6	14.7	4.5	46.0
1959	16.1	18.8	19.5	17.4	17.1	18.0	15.4	13.1	14.1	13.2	14.5	3.6	48.4
1960	14.9	16.9	13.2	15.1	13.7	16.2	14.3	15.5	14.1	13.6	13.0	7.8	55.0
1961	15.6	16.9	18.3	14.9	13.0	18.0	14.6	14.9	12.9	15.2	14.0	14.6	25.6
1962	16.2	19.6	19.2	19.2	16.6	18.3	15.1	13.6	15.8	14.3	13.3	36.0	30.9
1963	15.4	14.6	6.9	13.1	15.4	19.0	14.5	12.4	13.0	13.6	12.8	15.6	30.5
1964	14.8	14.8	8.4	15.8	15.6	16.8	13.4	16.0	15.0	13.9	12.3	28.6	18.0
1965	14.2	17.7	15.6	15.3	13.6	15.7	13.1	13.8	13.6	14.2	12.0	29.7	23.3
1966	14.0	15.3	16.0	14.5	12.5	16.4	12.9	10.8	12.4	11.9	13.7	16.3	32.0
1967	13.2	14.5	16.2	13.4	15.0	14.6	12.2	11.1	14.6	11.7	12.4	16.1	20.5
1968	13.0	11.7	11.7	12.8	12.7	13.9	12.7	10.9	14.8	13.0	12.3	15.8	26.4
1969	12.0	14.2	14.9	10.6	11.3	13.5	11.3	12.2	12.1	11.0	10.3	23.3	20.6
1970	11.7	13.7	13.6	10.6	11.9	13.1	10.6	11.3	15.0	12.1	9.5	28.3	19.9
1971	10.6	13.5	13.1	10.4	8.1	11.6	9.5	9.9	11.4	11.0	11.2	13.0	19.2
1972	10.4	12.3	11.5	9.6	12.6	11.0	9.8	11.5	11.1	10.5	9.3	9.3	13.4
1973	9.4	11.4	3.4	8.8	8.4	10.5	9.1	7.8	9.4	7.9	10.1	9.4	8.9
1974	9.1	9.8	13.1	8.9	10.1	9.4	9.0	9.5	10.7	8.3	8.0	8.5	12.2
1975	8.6 <sup>2</sup>	9.5	15.1	8.2	8.1	8.8 <sup>2</sup>	8.2	8.7	10.5	8.5	8.4	9.8	14.9
1976	8.2 <sup>2</sup>	9.2	8.6	8.2	8.0	9.2 <sup>2</sup>	7.5	8.9	8.2	7.4	7.6	14.3	20.4
1977	7.4	4.6	11.3	6.3	8.6	8.2	7.0	9.4	8.9	6.1	6.3	4.8	25.0

<sup>1</sup> Prior to 1951 includes deaths under one calendar month of age; since 1951, deaths under 28 days. - Comprend avant 1951, les décès à l'âge de moins d'un mois du calendrier et, à compter de 1951, à l'âge de moins de 28 jours.

<sup>2</sup> Estimated. - Évalué.





TABLE 28. NEONATAL DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)		CANADA	N.F.L.D. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.
254	DISEASES OF THYMUS GLAND ...	M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
270-279	OTHER METABOLIC DISEASES ...	M	3	-	-	-	-	2	1	-	-	-	-	-	-
		F	5	-	-	-	-	3	2	-	-	-	-	-	-
		T	8	-	-	-	-	5	3	-	-	-	-	-	-
	OTHER OF 240-279 .....	M	2	-	-	-	-	1	-	-	-	-	1	-	-
		F	4	-	-	-	-	1	1	-	1	1	-	-	-
		T	6	-	-	-	-	2	1	-	1	1	1	-	-
	SECTION III TOTAL .....	M	6	-	-	-	-	4	1	-	-	-	1	-	-
		F	9	-	-	-	-	4	3	-	1	1	-	-	-
		T	15	-	-	-	-	8	4	-	1	1	1	-	-
IV. BLOOD DISEASES.															
280-285	ANAEMIAS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-	-
286	COAGULATION DEFECTS .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER OF 280-289 .....	M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	2	-	-	-	-	-	-	-
	SECTION IV TOTAL .....	M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
		T	3	-	-	-	-	3	-	-	-	-	-	-	-
V. MENTAL DISORDERS.															
290-315	SECTION V TOTAL .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.															
320	MENINGITIS .....	M	5	-	-	-	-	1	4	-	-	-	-	-	-
		F	7	-	-	-	-	1	4	1	1	-	-	-	-
		T	12	-	-	-	-	2	8	1	1	-	-	-	-
343	CEREBRAL SPASTIC INFANTILE PARALYSIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
381-383	OTITIS MEDIA AND MASTOIDITIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
	OTHER OF 320-389 .....	M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-	-
	SECTION VI TOTAL .....	M	6	-	-	-	-	2	4	-	-	-	-	-	-
		F	7	-	-	-	-	1	4	1	1	-	-	-	-
		T	13	-	-	-	-	3	8	1	1	-	-	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM.															
390-458	SECTION VII TOTAL .....	M	2	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	2	-	-	-
		T	4	-	-	-	-	-	1	1	-	2	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.															
460-466	ACUTE RESPIRATORY INFECTIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA .....	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA .....	M	28	1	-	-	1	11	5	4	5	1	-	-	-
		F	14	-	1	-	2	3	3	3	2	-	-	-	-
		T	42	1	1	-	3	14	8	7	7	1	-	-	-

TABLEAU 28. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.D.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	MALADIES DU THYMUS .....	254
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	AVITAMINOSES ET AUTRES ETATS DE CARENCE	260-269
-	-	-	-	-	-	-	-	-	-	-	-	-		
1.6	-	-	-	-	4.0	1.6	-	-	-	-	-	-	AUTRES TROUBLES DU .....	270-279
2.9	-	-	-	-	6.4	3.4	-	-	-	-	-	-	METABOLISME	
2.2	-	-	-	-	5.1	2.4	-	-	-	-	-	-		
1.1	-	-	-	-	2.0	-	-	-	-	5.8	-	-	AUTRES DE 240-279 .....	
2.3	-	-	-	-	2.1	1.7	-	12.5	6.0	-	-	-		
1.7	-	-	-	-	2.1	0.8	-	6.1	2.9	3.0	-	-		
3.3	-	-	-	-	8.0	1.6	-	-	-	5.8	-	-	TOTAL CHAPITRE III .....	
5.2	-	-	-	-	8.5	5.0	-	12.5	6.0	-	-	-		
4.2	-	-	-	-	8.2	3.3	-	6.1	2.9	3.0	-	-		
													IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.	
-	-	-	-	-	-	-	-	-	-	-	-	-	ANEMIES .....	280-285
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	ANOMALIES DE LA COAGULATION	286
-	-	-	-	-	-	-	-	-	-	-	-	-		
1.1	-	-	-	-	4.0	-	-	-	-	-	-	-	AUTRES DE 280-289 .....	
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
1.1	-	-	-	-	4.0	-	-	-	-	-	-	-	TOTAL CHAPITRE IV .....	
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
0.8	-	-	-	-	3.1	-	-	-	-	-	-	-		
													V. TROUBLES MENTAUX.	
-	-	-	-	-	-	-	-	-	-	-	-	-	TOTAL CHAPITRE V .....	290-315
-	-	-	-	-	-	-	-	-	-	-	-	-		
													VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.	
2.7	-	-	-	-	2.0	6.3	-	-	-	-	-	-	MENINGITE .....	320
4.0	-	-	-	-	2.1	6.7	12.3	12.5	-	-	-	-		
3.3	-	-	-	-	2.1	6.5	6.0	6.1	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	PARALYSIE CEREBRALE .....	343
-	-	-	-	-	-	-	-	-	-	-	-	-	SPASMODIQUE INFANTILE	
-	-	-	-	-	-	-	-	-	-	-	-	-	OTITE MOYENNE ET MASTOÏDITE	381-383
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	AUTRES DE 320-389 .....	
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-		
3.3	-	-	-	-	4.0	6.3	-	-	-	-	-	-	TOTAL CHAPITRE VI .....	
4.0	-	-	-	-	2.1	6.7	12.3	12.5	-	-	-	-		
3.6	-	-	-	-	3.1	6.5	6.0	6.1	-	-	-	-		
													VII. MALADIES DE L'APPAREIL CIRCULATOIRE.	
1.1	-	-	-	-	-	1.6	11.7	-	-	-	-	-	TOTAL CHAPITRE VII .....	390-458
1.1	-	-	-	-	-	-	-	-	12.1	-	-	-		
1.1	-	-	-	-	-	0.8	6.0	-	5.9	-	-	-		
													VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.	
-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES	460-466
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	GRIPPE .....	470-474
-	-	-	-	-	-	-	-	-	-	-	-	-		
15.2	18.6	-	-	16.9	21.9	7.9	47.0	58.7	5.7	-	-	-	PNEUMONIE .....	480-486
8.0	-	102.9	-	35.7	6.4	5.0	36.8	25.1	-	-	-	-		
11.7	9.1	50.8	-	26.1	14.4	6.5	42.0	42.4	2.9	-	-	-		

TABLE 28. NEONATAL DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.
490-493	BRONCHITIS, EMPHYSEMA AND ASTHMA	M - F 2 T 2	- - -	- - -	- - -	- - -	- 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	OTHER OF 460-519	M 5 F 6 T 11	- - -	- - -	1 - 1	- - -	3 2 5	- - -	- 3 3	- 1 1	1 - 1	- - -	- - -	- - -
	SECTION VIII TOTAL	M 33 F 22 T 55	1 - 1	- 1 1	1 - 1	1 2 3	14 7 21	5 3 8	4 6 10	5 3 8	2 - 2	- - -	- - -	- - -
	IX. DISEASES OF THE DIGESTIVE SYSTEM.													
550-553	HERNIA	M 25 F 19 T 44	- - -	- 1 1	1 1 2	- - -	11 6 17	13 9 22	- - -	- 1 1	- 1 1	- - -	- - -	- - -
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M - F 2 T 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 1	- 1 1	- - -	- - -
561	NON-INFECTIOUS GASTRO-ENTERITIS AND COLITIS	M 4 F 4 T 8	- - -	- - -	- - -	- - -	- - -	4 4 8	- - -	- - -	- - -	- - -	- - -	- - -
	OTHER OF 520-577	M 3 F 3 T 6	- - -	- - -	- - -	- - -	2 - 2	- 1 1	1 - 1	- 1 1	- 1 1	- - -	- - -	- - -
	SECTION IX TOTAL	M 32 F 28 T 60	- - -	- 1 1	1 1 2	- - -	13 6 19	17 14 31	1 - 1	- 2 2	- 3 3	- 1 1	- - -	- - -
	X. DISEASES OF THE GENITOURINARY SYSTEM.													
580-629	SECTION X TOTAL	M 1 F - T 1	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.													
680-709	SECTION XII TOTAL	M 1 F 1 T 2	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	- 1 1	- - -	- - -	- - -	- - -
	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.													
710-738	SECTION XIII TOTAL	M 1 F - T 1	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	XIV. CONGENITAL ANOMALIES.													
740-743	BRAIN, SPINAL CORD AND NERVOUS SYSTEM	M 93 F 127 T 220	4 3 7	1 - 1	6 9 15	2 7 9	34 57 91	31 32 63	4 1 5	2 5 7	4 8 12	5 5 10	- - -	- - -
746	HEART	M 111 F 93 T 204	5 3 8	4 - 4	7 2 9	3 8 11	35 31 66	37 26 63	6 2 8	4 5 9	4 8 12	6 8 14	- - -	- - -
747	OTHER CIRCULATORY SYSTEM	M 27 F 19 T 46	2 - 2	- - -	1 - 1	- - -	10 6 16	9 8 17	1 3 4	- 1 1	1 - 1	3 1 4	- - -	- - -
748	RESPIRATORY SYSTEM	M 42 F 15 T 57	1 - 1	- - -	2 2 4	1 1 2	6 1 7	21 6 27	2 1 3	1 - 1	2 - 2	6 2 8	- - -	- 2 2
749-751	DIGESTIVE SYSTEM	M 11 F 12 T 23	- - -	- - -	1 - 1	1 1 2	4 5 9	1 3 4	1 - 1	- 1 1	- - -	2 2 4	- - -	1 - 1
753	URINARY SYSTEM	M 45 F 19 T 64	2 2 4	2 - 2	2 - 2	4 - 4	15 6 21	8 14 14	1 2 3	2 - 2	5 2 7	4 1 5	- - -	- - -
759	MULTIPLE SYSTEMS	M 57 F 37 T 94	1 - 1	1 1 2	1 1 2	2 - 2	6 13 19	12 7 19	5 3 8	8 3 11	13 3 16	7 6 13	- - -	1 - 1
	OTHER OF 740-759	M 33 F 19 T 52	4 1 5	1 - 1	1 - 1	1 - 1	9 5 14	7 5 12	- - -	- 2 2	2 2 4	8 4 12	- - -	- - -

TABLEAU 28. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	CNT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
	T.-N.	I.P.E.	N.-E.						ALB.	C.-B.		T.N.O.		
-	-	-	-	-	-	-	-	-	-	-	-	-	BRONCHITE, EMPHYSEME ET ....	490-493
1.1	-	-	-	-	4.3	-	-	-	-	-	-	-	ASTHME	
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
2.7	-	-	15.7	-	6.0	-	-	-	5.7	-	-	-	AUTRES DE 460-519 .....	
3.4	-	-	-	-	4.3	-	36.8	12.5	-	-	-	-		
3.1	-	-	8.1	-	5.1	-	18.0	6.1	2.9	-	-	-		
17.9	18.6	-	15.7	16.9	27.9	7.9	47.0	58.7	11.4	-	-	-	TOTAL CHAPITRE VIII .....	
12.6	-	102.9	-	35.7	14.9	5.0	73.6	37.6	-	-	-	-		
15.3	9.1	50.8	8.1	26.1	21.6	6.5	60.0	48.5	5.9	-	-	-		
													IX. MALADIES DE L'APPAREIL DIGESTIF.	
13.5	-	-	15.7	-	21.9	20.6	-	-	-	-	-	-	HERNIE .....	550-553
10.9	-	102.9	16.7	-	12.8	15.1	-	12.5	6.0	-	-	-		
12.2	-	50.8	16.2	-	17.5	17.9	-	6.1	2.9	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	OCCLUSION INTESTINALE, .....	560
1.1	-	-	-	-	-	-	-	-	6.0	6.2	-	-	SANS MENTION DE HERNIE	
0.6	-	-	-	-	-	-	-	-	2.9	3.0	-	-		
2.2	-	-	-	-	-	6.3	-	-	-	-	-	-	GASTRO-ENTERITE ET COLITE, D'ORIGINE NON INFECTIEUSE	561
2.3	-	-	-	-	-	6.7	-	-	-	-	-	-		
2.2	-	-	-	-	-	6.5	-	-	-	-	-	-		
1.6	-	-	-	-	4.0	-	11.7	-	-	-	-	-	AUTRES DE 520-577 .....	
1.7	-	-	-	-	-	1.7	-	12.5	6.0	-	-	-		
1.7	-	-	-	-	2.1	0.8	6.0	6.1	2.9	-	-	-		
17.3	-	-	15.7	-	25.9	27.0	11.7	-	-	-	-	-	TOTAL CHAPITRE IX .....	
16.0	-	102.9	16.7	-	12.8	23.5	-	25.1	18.1	6.2	-	-		
16.7	-	50.8	16.2	-	19.5	25.3	6.0	12.1	8.8	3.0	-	-		
													X. MALADIES DES ORGANES GENITO-URINAIRES.	
0.5	-	-	-	16.9	-	-	-	-	-	-	-	-	TOTAL CHAPITRE X .....	580-629
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.3	-	-	-	8.7	-	-	-	-	-	-	-	-		
													XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.	
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	TOTAL CHAPITRE XII .....	680-709
0.6	-	-	-	-	-	-	-	12.5	-	-	-	-		
0.6	-	-	-	-	-	0.8	-	6.1	-	-	-	-		
													XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.	
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	TOTAL CHAPITRE XIII .....	710-738
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-		
													XIV. ANOMALIES CONGENITALES	
50.4	74.3	100.3	54.2	33.5	67.7	49.2	47.0	23.5	22.7	29.1	-	-	CERVEAU, MOELLE ET SYSTEME NERVEUX	740-743
72.7	53.7	-	150.7	125.0	121.1	53.6	12.3	62.7	48.2	30.8	-	-		
61.2	63.8	50.8	121.5	78.2	92.5	51.3	30.0	42.4	35.1	29.9	-	-		
60.1	92.8	401.2	109.9	50.8	65.6	58.7	70.4	46.9	22.7	34.9	-	-	COEUR .....	746
53.3	53.7	-	33.5	142.8	65.9	43.6	24.5	62.7	48.2	49.3	-	-		
56.8	72.9	203.1	72.9	95.6	67.8	51.3	48.0	54.5	35.1	41.9	-	-		
14.6	37.1	-	15.7	-	15.9	14.3	11.7	-	5.7	17.4	-	-	AUTRE APPAREIL CIRCULATOIRE	747
10.9	-	-	-	-	12.8	13.4	36.8	12.5	-	6.2	-	-		
12.8	18.2	-	8.1	-	16.4	13.8	24.0	6.1	2.9	12.0	-	-		
22.8	18.6	-	31.4	16.9	11.9	33.3	23.5	11.7	11.4	34.9	-	-	APPAREIL RESPIRATOIRE .....	748
8.6	-	-	33.5	17.9	2.1	10.1	12.3	-	-	12.3	-	333.3		
15.9	9.1	-	32.4	17.4	7.2	22.0	18.0	6.1	5.9	23.9	-	168.2		
6.0	-	-	15.7	16.9	8.0	1.6	11.7	-	-	11.6	-	169.8	APPAREIL DIGESTIF .....	749-751
6.9	-	-	-	17.9	10.6	5.0	-	12.5	-	12.3	-	-		
6.4	-	-	8.1	17.4	9.2	3.3	6.0	6.1	-	12.0	-	84.1		
24.4	37.1	200.6	31.4	67.7	25.8	12.7	11.7	23.5	28.4	23.3	-	-	APPAREIL URINAIRE .....	753
10.9	35.8	-	-	-	12.8	10.1	24.5	-	12.1	6.2	-	-		
17.8	36.5	101.6	16.2	34.8	21.6	11.4	18.0	12.1	20.5	15.0	-	-		
30.9	18.6	100.3	15.7	33.9	11.9	19.0	58.7	93.9	73.9	40.7	-	169.8	DIFFERENTS APPAREILS .....	759
21.2	-	102.9	16.7	-	27.6	11.7	36.8	37.6	18.1	37.0	-	-		
26.2	9.1	101.6	16.2	17.4	15.5	15.5	48.0	66.7	46.8	38.9	-	84.1		
17.9	74.3	100.3	15.7	16.9	17.9	11.1	-	-	11.4	46.5	-	-	AUTRES DE 740-759 .....	
10.9	17.9	-	-	-	10.6	8.4	-	25.1	12.1	24.6	-	-		
14.5	45.6	50.8	8.1	8.7	14.4	9.8	-	12.1	11.7	35.9	-	-		

TABLE 28. NEONATAL DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1977

INT'L LIST NO.	CAUSE OF DEATH (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.	
	SECTION XIV TOTAL	M 419	19	9	21	14	119	126	20	17	31	41	-	2	
		F 341	9	1	14	17	124	93	12	17	23	29	-	2	
		T 760	28	10	35	31	243	219	32	34	54	70	-	4	
	XV. CERTAIN CAUSES OF PERINATAL MORTALITY.														
760-761	MATERNAL CONDITIONS UNRELATED TO PREGNANCY	M 4	-	-	-	-	-	2	1	-	1	-	-	-	
		F 5	-	-	-	-	-	1	1	-	1	1	-	1	
		T 9	-	-	-	-	-	3	2	-	2	1	-	1	
762-763	MATERNAL TOXAEMIA AND INFECTION	M 12	-	-	-	-	5	5	-	-	-	2	-	-	
		F 13	-	-	-	1	3	5	-	-	-	4	-	-	
		T 25	-	-	-	1	8	10	-	-	-	6	-	-	
764-768	DIFFICULT LABOUR	M 25	-	-	-	-	6	9	3	-	2	5	-	-	
		F 15	-	-	-	-	5	5	1	-	4	-	-		
		T 40	-	-	-	-	11	14	4	-	2	9	-	-	
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	M 89	-	1	-	2	16	45	1	-	3	21	-	-	
		F 102	2	-	1	-	21	59	1	1	-	14	-	3	
		T 191	2	1	1	2	37	104	2	1	3	35	-	3	
770-771	CONDITIONS OF PLACENTA AND UMBILICAL CORD	M 87	4	1	5	5	21	22	4	5	7	13	-	-	
		F 61	1	1	-	2	11	25	3	5	3	9	-	1	
		T 148	5	2	5	7	32	47	7	10	10	22	-	1	
772	BIRTH INJURY	M 111	1	-	4	3	24	26	10	5	28	8	-	2	
		F 92	5	1	2	4	17	20	9	4	25	4	-	1	
		T 203	6	1	6	7	41	46	19	9	53	12	-	3	
774-775	HAEMOLYTIC DISEASE OF NEWBORN	M 17	-	-	-	1	6	4	-	1	2	3	-	-	
		F 14	-	-	-	1	5	3	-	1	1	3	-	-	
		T 31	-	-	-	2	11	7	-	2	3	6	-	-	
776	ANOXIA AND HYPOXIA	M 532	14	5	14	14	167	156	34	33	38	55	1	1	
		F 348	3	3	11	16	115	107	34	14	17	22	1	5	
		T 880	17	8	25	30	282	263	68	47	55	77	2	6	
777	IMMATURITY	M 189	1	-	7	6	55	53	20	16	14	15	-	2	
		F 150	2	2	6	3	35	53	5	16	20	8	-	-	
		T 339	3	2	13	9	90	106	25	32	34	23	-	2	
	OTHER OF 760-779	M 50	4	-	1	2	13	17	2	1	4	5	1	-	
		F 31	3	1	-	-	10	8	1	1	1	6	-	-	
		T 81	7	1	1	2	23	25	3	2	5	11	1	-	
	SECTION XV TOTAL	M 1,116	24	7	31	33	313	339	75	61	99	127	2	5	
		F 831	16	8	20	27	222	286	55	42	68	75	1	11	
		T 1,947	40	15	51	60	535	625	130	103	167	202	3	16	
	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.														
780-796	SECTION XVI TOTAL	M 27	-	1	2	4	1	8	3	1	6	-	-	1	
		F 18	-	-	3	1	1	4	3	1	3	1	-	1	
		T 45	-	1	5	5	2	12	6	2	9	1	-	2	
	XVII. ACCIDENTS, POISONINGS AND VIOLENCE.														
E810-E823	MOTOR VEHICLE ACCIDENTS	M 1	-	-	-	-	-	-	1	-	-	-	-	-	
		F -	-	-	-	-	-	-	-	-	-	-	-	-	
		T 1	-	-	-	-	-	-	1	-	-	-	-	-	
E880-E887	ACCIDENTAL FALLS	M -	-	-	-	-	-	-	-	-	-	-	-	-	
		F -	-	-	-	-	-	-	-	-	-	-	-	-	
		T -	-	-	-	-	-	-	-	-	-	-	-	-	
E890-E899	FIRE ACCIDENTS	M -	-	-	-	-	-	-	-	-	-	-	-	-	
		F 1	-	-	-	-	-	1	-	-	-	-	-	-	
		T 1	-	-	-	-	-	1	-	-	-	-	-	-	
E911-E912	INHALATION AND INGESTION	M 1	-	-	-	-	1	-	-	-	-	-	-	-	
		F 2	-	-	-	-	1	-	-	1	-	-	-	-	
		T 3	-	-	-	-	2	-	-	1	-	-	-	-	
E913	MECHANICAL SUFFOCATION	M 1	-	-	1	-	-	-	-	-	-	-	-	-	
		F 1	-	-	-	-	1	-	-	-	-	-	-	-	
		T 2	-	-	1	-	1	-	-	-	-	-	-	-	
	OTHER OF E800-E999	M 1	-	-	-	-	-	1	-	-	-	-	-	-	
		F 2	-	-	-	1	-	1	-	-	-	-	-	-	
		T 3	-	-	-	1	-	2	-	-	-	-	-	-	
	SECTION XVII TOTAL	M 4	-	-	1	-	1	1	1	-	-	-	-	-	
		F 6	-	-	-	1	2	2	-	1	-	-	-	-	
		T 10	-	-	1	1	3	3	1	1	-	-	-	-	
	ALL CAUSES	M 1,686	45	17	57	55	481	511	106	85	143	176	2	8	
		F 1,298	25	11	38	48	378	419	77	72	102	112	1	15	
		T 2,984	70	28	95	103	859	930	183	157	245	288	3	23	

TABLEAU 23. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1977

CANADA	NFLD. T.-N.	P.-E.-I. I.-P.-E.	N.-S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.-C. C.-B.	YUKON	N.-W.-T. T.-N.-O.	CAUSES DE DECES (HUITIEME REVISION)	NO LISTE INT.
227.0	352.7	902.7	329.8	237.0	236.8	199.8	234.8	199.5	176.3	238.4	-	339.6	TOTAL CHAPITRE XIV .....	X
195.3	161.2	102.9	234.3	303.5	263.5	155.8	147.3	213.1	138.6	178.7	-	333.3		
211.6	255.2	507.9	283.6	265.4	245.7	178.4	192.0	206.0	158.0	209.4	-	336.4		
XV. CAUSES DE MORTALITE PERINATALES.														
2.2	-	-	-	-	-	3.2	11.7	-	5.7	-	-	-	AFFECTIONS NON GRAVIDIQUES DE LA MERE	760-761
2.9	-	-	-	-	-	1.7	12.3	-	6.0	6.2	-	166.7		
2.5	-	-	-	-	-	2.4	12.0	-	5.9	3.0	-	84.1		
6.5	-	-	-	-	9.9	7.9	-	-	-	11.6	-	-	TOXEMIES ET INFECTIONS .....	762-763
7.4	-	-	-	17.9	6.4	8.4	-	-	-	24.6	-	-	MATERNELLES	
7.0	-	-	-	8.7	8.2	8.1	-	-	-	18.0	-	-		
13.5	-	-	-	-	11.9	14.3	35.2	-	11.4	29.1	-	-	ACCOUCHEMENT DYSTOCIQUE .....	764-768
8.6	-	-	-	-	10.6	8.4	12.3	-	-	24.6	-	-		
11.1	-	-	-	-	11.3	11.4	24.0	-	5.9	26.9	-	-		
48.2	-	100.3	-	33.9	31.8	71.4	11.7	-	17.1	122.1	-	-	AUTRES COMPLICATIONS DE LA GROSSESSE ET DE L'ACCOUCHEMENT	769
58.4	35.8	-	16.7	-	44.6	98.8	12.3	12.5	-	86.3	-	500.0		
53.2	18.2	50.8	8.1	17.4	28.0	84.7	12.0	6.1	8.8	104.7	-	252.3		
47.1	74.3	100.3	78.5	84.6	41.8	34.9	47.0	58.7	39.8	75.6	-	-	ANOMALIES DU PLACENTA ET DU CORDON	770-771
34.9	17.9	102.9	-	35.7	23.4	41.9	36.8	62.7	18.1	55.5	-	166.7		
41.2	45.6	101.6	40.5	60.8	32.9	38.3	42.0	60.6	29.3	65.8	-	84.1		
60.1	18.6	-	62.8	50.8	47.8	41.2	117.4	58.7	159.2	46.5	-	339.6	LESION D'ORIGINE .....	772
52.7	89.6	102.9	33.5	71.4	36.1	33.5	110.5	50.1	150.7	24.6	-	166.7	OBSTETRICALE	
56.5	54.7	50.8	48.6	60.8	42.1	37.5	114.0	54.5	155.1	35.9	-	252.3		
9.2	-	-	-	16.9	11.9	6.3	-	11.7	11.4	17.4	-	-	MALADIE HEMOLYTIQUE DU .....	774-775
8.0	-	-	-	17.5	10.6	5.0	-	12.5	6.0	18.5	-	-	NOUVEAU-NE	
8.6	-	-	-	17.4	11.3	5.7	-	12.1	8.8	18.0	-	-		
288.2	259.9	501.5	219.8	237.0	322.3	247.4	399.1	387.2	216.1	319.8	448.4	169.8	ANOXIE ET HYPOXIE .....	776
199.3	53.7	208.6	184.1	285.6	244.4	179.2	417.3	175.5	102.4	135.6	492.6	833.3		
245.0	154.9	406.3	202.6	260.7	285.8	214.3	408.0	284.8	160.9	230.4	469.5	504.6		
102.4	18.6	-	109.9	101.6	109.4	84.1	234.8	187.7	79.6	87.2	-	339.6	PREMATURITE .....	777
85.9	35.8	205.8	100.4	53.6	74.4	88.8	61.4	200.5	120.5	49.3	-	-		
94.4	27.3	101.6	105.3	78.2	52.5	86.4	150.0	193.9	99.5	68.8	-	168.2		
27.1	74.3	-	15.7	33.9	25.9	27.0	23.5	11.7	22.7	29.1	448.4	-	AUTRE DE 760-779 .....	
17.8	53.7	102.9	-	-	21.3	13.4	12.3	12.5	6.0	37.0	-	-		
22.5	63.8	50.8	8.1	17.4	22.6	20.4	18.0	12.1	14.6	32.9	234.7	-		
604.5	445.5	702.1	486.8	558.7	622.8	537.6	880.4	715.7	562.9	738.5	896.9	848.9	TOTAL CHAPITRE XV .....	X
475.8	286.6	823.0	334.8	482.0	471.8	479.1	675.0	526.4	409.8	462.2	492.6	1833.3		
542.0	364.6	761.8	413.2	521.3	545.8	509.2	780.0	624.2	488.6	604.4	704.2	1345.7		
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.														
14.6	-	100.3	31.4	67.7	2.0	12.7	35.2	11.7	34.1	-	-	169.8	TOTAL CHAPITRE XVI .....	780-796
10.3	-	-	50.2	17.9	2.1	6.7	36.8	12.5	18.1	6.2	-	166.7		
12.5	-	50.8	40.5	43.4	2.1	9.8	36.0	12.1	26.3	3.0	-	168.2		
XVII. ACCIDENTS, EMPOISONNEMENTS ET TRAUMATISMES.														
0.5	-	-	-	-	-	-	11.7	-	-	-	-	-	ACCIDENTS DE VEHICULE A .....	E810-E823
0.3	-	-	-	-	-	-	6.0	-	-	-	-	-	MOTEUR	
-	-	-	-	-	-	-	-	-	-	-	-	-	CHUTES ACCIDENTELLES .....	E880-E887
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	ACCIDENTS CAUSES PAR LE FEU	E890-E899
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-		
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	ASPIRATION OU INGESTION .....	E911-E912
1.1	-	-	-	-	2.1	-	-	12.5	-	-	-	-		
0.8	-	-	-	-	2.1	-	-	6.1	-	-	-	-		
0.5	-	-	15.7	-	-	-	-	-	-	-	-	-	SUFFOCATION MECANIQUE .....	E913
0.6	-	-	-	-	2.1	-	-	-	-	-	-	-		
0.6	-	-	8.1	-	1.0	-	-	-	-	-	-	-		
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	AUTRES DE E800-E999 .....	
1.1	-	-	-	17.9	-	1.7	-	-	-	-	-	-		
0.8	-	-	-	8.7	-	1.6	-	-	-	-	-	-		
2.2	-	-	15.7	-	2.0	1.6	11.7	-	-	-	-	-	TOTAL CHAPITRE XVII .....	
3.4	-	-	-	17.9	4.3	3.4	-	12.5	-	-	-	-		
2.8	-	-	8.1	8.7	3.1	2.4	6.0	6.1	-	-	-	-		
913.3	835.3	1705.1	895.1	931.1	957.1	810.4	1244.3	997.3	813.1	1023.5	896.9	1358.2	TOUTES LES CAUSES .....	
743.2	447.8	1121.7	636.1	856.8	803.3	701.9	945.0	902.4	614.7	690.2	492.6	2500.0		
830.6	638.0	1422.0	769.7	895.0	882.7	757.6	1098.0	951.4	716.8	861.7	704.2	1934.4		

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Both sexes - Deux sexes													
1921	7,560	..	118	766	791	..	3,387	760	829	668	241	..	..
1922	7,051	..	82	683	655	..	2,737	912	952	725	305	..	..
1923	6,847	..	100	619	637	..	2,795	738	958	722	278	..	..
1924	5,824	..	58	617	641	..	2,366	533	755	564	290	..	..
1925	5,897	..	66	406	583	..	2,614	629	793	546	260	..	..
1926	12,601	..	62	461	619	6,842	2,367	532	843	613	262	..	..
1927	11,478	..	75	583	550	6,227	2,034	493	736	508	272	..	..
1928	10,846	..	50	438	519	5,865	2,175	441	582	554	222	..	..
1929	11,244	..	95	551	595	5,544	2,354	495	686	650	274	..	..
1930	11,495	..	70	525	593	5,782	2,499	511	742	499	274	..	..
1931	10,988	525	75	446	490	5,313	2,248	413	692	550	236	..	..
1932	8,868	450	71	409	382	4,177	1,753	389	568	450	219	..	..
1933	8,394	381	50	382	421	3,936	1,660	423	536	432	173	..	..
1934	8,476	383	59	371	494	4,173	1,570	353	466	402	205	..	..
1935	8,450	467	73	424	487	3,973	1,393	418	581	422	212	..	..
1936	7,666	485	63	412	394	3,232	1,481	398	487	474	240	..	..
1937	9,762	596	80	455	602	4,616	1,451	455	653	502	352	..	..
1938	7,679	430	66	391	429	3,516	1,358	381	457	387	264	..	..
1939	7,228	327	85	413	477	3,325	1,202	361	445	383	210	..	..
1940	6,948	421	66	412	481	2,902	1,154	400	482	400	230	..	..
1941	7,944	525	93	517	490	3,525	1,326	376	455	402	235	..	..
1942	7,585	587	56	495	571	3,348	1,217	373	370	309	259	..	..
1943	7,303	470	50	418	417	3,312	1,211	416	355	382	272	..	..
1944	7,796	539	40	428	591	3,489	1,212	412	398	371	316	..	..
1945	6,996	417	43	401	468	3,130	1,109	371	365	355	337	..	..
1946	6,922	479	51	387	497	2,796	1,129	412	449	370	352	..	..
1947	7,265	436	65	393	489	3,009	1,299	413	437	355	369	..	..
1948	6,639	372	49	311	500	2,828	1,221	345	376	318	319	..	..
1949	7,015	350	81	379	492	2,854	1,477	374	368	323	317	..	..
1950	6,362	404	62	315	460	2,565	1,297	292	258	313	322	10	64
1951	6,054	349	44	242	395	2,646	1,116	280	275	332	326	13	36
1952	6,244	289	44	251	319	2,780	1,227	261	336	342	323	12	60
1953	5,931	291	44	235	333	2,406	1,222	299	354	360	325	14	48
1954	5,519	274	39	267	298	2,277	1,102	274	289	324	313	15	47
1955	5,332	317	45	225	285	1,996	1,122	286	328	349	316	14	49
1956	5,334	296	39	245	303	2,112	1,101	268	270	287	338	11	64
1957	5,037	273	27	218	234	1,922	1,039	290	215	323	399	16	81
1958	5,123	248	37	252	248	1,946	1,103	270	193	322	406	15	83
1959	4,754	255	34	209	221	1,753	1,100	252	199	298	348	10	75
1960	4,667	234	31	199	222	1,584	1,101	264	223	360	327	19	103
1961	4,376	263	39	211	184	1,464	999	208	223	337	350	13	85
1962	4,158	268	32	234	196	1,346	939	219	192	349	277	12	94
1963	3,859	280	26	197	159	1,199	913	214	237	265	292	9	68
1964	3,338	178	29	159	130	1,029	853	188	187	249	268	11	57
1965	3,027	206	25	132	117	939	765	157	168	228	235	10	45
1966	2,707	143	15	128	115	763	713	134	152	205	273	11	55
1967	2,523	132	8	95	105	682	726	140	156	203	228	4	44
1968	2,207	132	16	103	81	586	564	135	154	171	218	3	44
1969	2,011	91	13	79	72	508	577	120	127	167	212	7	38
1970	1,984	91	5	65	67	536	560	104	110	179	201	3	63
1971	1,871	86	9	85	59	450	566	112	103	160	194	7	40
1972	1,821	93	13	99	57	443	516	119	92	147	199	6	37
1973	1,647	66	11	71	51	383	502	109	81	150	195	3	25
1974	1,686	63	4	70	51	367	503	96	122	171	208	7	24
1975	1,650 <sup>1</sup>	67	11	89	58	372 <sup>1</sup>	466	88	108	180	187	3	21
1976	1,557 <sup>1</sup>	59	9	62	59	366 <sup>1</sup>	475	85	90	163	163	4	22
1977	1,491	37	9	48	51	346	454	94	92	138	207	3	12

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 1,000 live births - Taux pour 1,000 naissances vivantes													
1921	44.7	..	54.7	58.8	69.0	..	45.7	41.2	36.8	40.3	22.6	..	..
1922	42.9	..	37.9	53.8	56.7	..	38.3	51.6	42.6	44.9	30.0	..	..
1923	43.6	..	50.6	53.0	59.5	..	39.9	44.8	45.7	48.0	27.8	..	..
1924	36.9	..	31.2	52.2	59.9	..	33.1	34.5	35.1	38.7	28.6	..	..
1925	38.1	..	39.4	35.6	53.2	..	37.3	42.3	38.6	36.6	25.1	..	..
1926	54.1	..	35.4	42.0	59.9	83.3	35.0	36.3	40.6	42.4	26.0	..	..
1927	49.0	..	44.2	52.3	52.5	75.0	30.0	34.9	35.0	34.1	27.0	..	..
1928	45.8	..	27.6	40.0	51.7	70.2	31.7	30.4	27.3	35.3	21.4	..	..
1929	47.8	..	56.9	51.5	58.1	68.1	34.4	34.8	32.0	38.4	26.4	..	..
1930	48.0	75.4	40.1	46.3	56.3	69.1	35.1	35.4	33.6	28.3	25.2	..	..
1931	44.5	80.2	39.9	38.4	45.4	63.5	32.4	28.8	32.5	31.9	22.7	..	..
1932	36.6	66.3	35.0	35.2	35.3	50.8	26.2	27.6	27.3	26.5	21.4	..	..
1933	36.5	57.0	25.7	34.3	41.9	51.2	26.1	31.8	26.6	26.8	18.0	..	..
1934	37.2	56.8	30.4	32.5	48.6	54.6	25.2	26.5	23.6	24.8	20.9	..	..
1935	37.0	70.2	36.3	36.5	46.9	52.8	22.1	31.4	29.7	26.0	21.1	..	..
1936	33.6	66.1	31.9	34.8	37.5	42.9	23.7	31.0	25.5	30.0	22.7	..	..
1937	42.9	81.2	38.2	39.3	56.9	61.0	23.6	35.3	35.0	31.6	31.3	..	..
1938	32.4	58.5	33.5	31.9	37.4	45.0	20.7	28.2	25.1	24.4	21.2	..	..
1939	30.4	39.7	39.9	35.0	42.2	41.8	18.8	26.6	24.6	23.2	16.9	..	..
1940	27.5	53.1	31.4	32.1	41.1	34.6	16.9	27.1	25.0	23.0	16.6	..	..
1941	30.2	63.3	45.4	37.2	40.0	39.5	18.4	25.4	24.6	23.2	15.6	..	..
1942	27.0	66.7	26.2	32.4	45.1	35.3	15.5	23.8	20.3	16.9	15.5	..	..
1943	25.0	53.0	23.0	27.1	31.9	33.6	15.0	25.4	19.2	19.8	14.5	..	..
1944	26.5	58.0	17.5	27.4	43.9	34.1	15.5	25.7	21.9	19.2	16.7	..	..
1945	23.3	37.1	19.1	25.8	34.1	30.0	14.0	22.9	19.2	17.8	17.9	..	..
1946	20.2	39.8	18.2	21.6	30.5	25.1	11.6	21.9	20.9	16.7	15.6	..	..
1947	19.6	34.5	21.7	20.4	27.5	26.1	12.0	20.2	18.7	14.4	14.1	..	..
1948	18.5	32.0	17.2	17.5	28.9	24.6	11.8	18.2	17.4	13.2	12.3	..	..
1949	19.2	28.5	28.6	21.4	29.6	24.4	13.9	19.4	17.0	12.9	11.6	..	..
1950	17.1	30.7	21.5	18.2	28.0	21.5	11.9	15.1	11.9	12.2	11.9	31.7	102.9
1951	15.9	29.8	16.5	14.1	24.5	21.8	9.7	14.0	12.6	12.3	11.6	38.1	55.5
1952	15.5	23.0	16.3	14.0	19.1	22.0	9.9	12.5	14.8	11.7	10.9	30.8	93.5
1953	14.2	22.8	16.0	12.8	20.2	18.7	9.4	14.1	14.9	11.4	10.3	36.5	71.0
1954	12.6	20.1	14.3	14.1	17.9	17.1	8.1	12.3	11.5	9.7	9.5	35.3	74.5
1955	12.0	21.5	16.2	11.8	17.1	14.9	8.1	12.8	13.2	10.1	9.3	26.7	67.0
1956	11.8	20.3	14.7	12.8	18.3	15.5	7.7	12.2	11.3	8.2	9.3	22.9	81.5
1957	10.7	17.8	10.1	11.3	13.7	13.6	6.9	13.0	9.0	9.1	10.3	32.4	90.0
1958	10.9	16.7	14.3	13.4	15.1	13.7	7.2	12.4	8.1	8.7	10.2	31.7	87.8
1959	10.0	17.2	12.5	10.9	13.4	12.4	7.0	11.1	8.1	7.8	8.7	18.7	75.8
1960	9.7	15.4	11.4	10.4	13.6	11.5	6.9	11.3	9.2	9.2	8.2	35.3	94.1
1961	9.2	16.9	13.8	10.9	11.1	10.7	6.3	8.9	9.3	8.6	9.1	23.3	76.1
1962	8.9	17.8	11.4	12.0	11.9	10.0	6.0	9.6	8.2	9.0	7.2	22.0	82.9
1963	8.2	18.1	8.9	10.3	10.1	9.0	5.9	9.4	10.1	6.9	7.8	18.1	58.5
1964	7.4	12.2	10.6	8.6	8.5	7.9	5.6	8.6	8.3	6.9	7.5	21.4	45.0
1965	7.3	13.9	9.9	7.9	8.3	7.8	5.4	7.8	8.2	6.9	7.0	23.4	37.8
1966	7.0	10.1	6.8	8.4	9.1	7.0	5.4	7.5	8.0	6.7	8.4	29.8	47.5
1967	6.8	10.3	3.9	6.7	8.5	6.7	5.7	8.2	8.6	6.6	7.0	10.4	36.4
1968	6.0	10.3	7.6	7.5	6.9	6.1	4.5	7.7	8.4	5.6	6.4	8.1	33.9
1969	5.4	7.0	6.5	5.8	6.2	5.3	4.4	6.8	7.8	5.4	6.0	15.2	31.2
1970	5.3	7.3	2.6	4.6	5.8	5.9	4.2	5.7	6.7	5.6	5.5	6.7	47.2
1971	5.2	6.7	4.3	6.0	4.8	5.0	4.3	6.2	6.4	5.2	5.6	13.8	31.1
1972	5.2	7.2	6.5	7.3	4.8	5.3	4.1	6.8	5.9	5.0	5.8	13.8	29.9
1973	4.8	5.5	5.8	5.3	4.5	4.6	4.1	6.4	5.5	5.1	5.7	7.1	20.8
1974	4.9	6.2	2.1	5.4	4.5	4.3	4.0	5.5	8.1	5.7	5.9	14.1	23.0
1975	4.6 <sup>1</sup>	6.0	5.7	6.8	4.9	4.0 <sup>1</sup>	3.7	5.1	7.1	5.7	5.2	7.4	17.9
1976	4.3 <sup>1</sup>	5.3	4.6	4.8	5.0	3.8 <sup>1</sup>	3.9	5.1	5.6	4.9	4.5	8.9	18.6
1977	4.1	3.3	4.6	3.9	4.4	3.6	3.7	5.6	5.6	4.0	5.6	6.9	10.1

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N. - O.
Male - Masculin													
1921	4,343	..	61	443	422	..	1,961	434	503	383	136	..	..
1922	4,005	..	50	399	360	..	1,554	500	539	416	187	..	..
1923	3,905	..	45	360	381	..	1,578	423	539	420	159	..	..
1924	3,244	..	28	359	360	..	1,315	286	424	304	168	..	..
1925	3,297	..	39	223	336	..	1,433	357	445	318	146	..	..
1926	7,076	..	28	271	357	3,818	1,343	298	484	337	140	..	..
1927	6,471	..	44	324	301	3,514	1,153	299	412	268	156	..	..
1928	6,095	..	33	239	301	3,292	1,223	232	334	321	120	..	..
1929	6,295	..	60	301	320	3,139	1,288	285	390	354	158	..	..
1930	6,510	..	43	304	324	3,244	1,421	290	417	301	166	..	..
1931	5,902	..	46	237	286	3,011	1,259	222	396	320	125	..	..
1932	4,733	..	39	236	223	2,358	974	219	309	260	115	..	..
1933	4,502	..	30	218	240	2,196	918	241	299	259	101	..	..
1934	4,614	..	32	220	279	2,393	858	203	269	232	128	..	..
1935	4,541	..	43	252	258	2,273	807	235	317	247	109	..	..
1936	4,060	..	38	239	211	1,835	835	214	283	277	128	..	..
1937	5,154	..	51	264	332	2,601	802	237	390	282	195	..	..
1938	4,124	..	44	213	235	2,019	778	198	255	223	159	..	..
1939	3,935	..	48	214	274	1,882	722	205	271	204	115	..	..
1940	3,637	..	39	223	261	1,649	633	196	282	218	136	..	..
1941	4,232	..	56	324	258	2,005	763	204	253	239	130	..	..
1942	3,971	..	30	288	336	1,897	686	208	217	166	143	..	..
1943	3,813	..	26	234	221	1,827	693	226	211	216	159	..	..
1944	3,998	..	21	237	329	1,914	688	206	218	212	173	..	..
1945	3,622	..	27	232	236	1,700	619	208	220	206	174	..	..
1946	3,641	..	32	226	260	1,590	645	226	263	196	203	..	..
1947	3,862	..	39	219	283	1,724	704	242	248	190	213	..	..
1948	3,487	..	26	172	253	1,585	690	185	214	184	178	..	..
1949	4,012	189	47	214	291	1,646	829	203	216	183	194	..	..
1950	3,521	212	27	182	264	1,413	731	157	146	163	181	6	39
1951	3,355	185	31	126	231	1,471	621	160	127	186	188	6	23
1952	3,451	158	28	150	177	1,564	675	136	170	192	165	5	31
1953	3,335	176	24	131	183	1,381	672	158	190	201	185	9	25
1954	3,132	155	19	162	160	1,294	625	157	170	184	167	11	28
1955	2,966	177	24	140	162	1,108	601	145	189	200	188	8	24
1956	2,904	152	23	141	157	1,174	611	129	137	154	184	6	36
1957	2,781	147	16	131	124	1,050	584	164	121	174	219	8	43
1958	2,912	138	30	141	147	1,101	617	155	117	198	214	8	46
1959	2,730	160	18	113	135	1,005	613	145	116	174	203	6	42
1960	2,627	125	16	108	122	918	614	145	133	196	176	11	63
1961	2,481	138	26	122	103	798	583	130	129	194	203	7	48
1962	2,303	141	20	121	102	743	516	122	107	203	168	8	52
1963	2,161	174	19	111	85	657	520	102	133	147	169	5	39
1964	1,885	89	18	100	70	566	490	106	96	148	162	8	32
1965	1,690	110	13	72	62	518	443	87	99	122	139	5	20
1966	1,524	90	9	72	49	428	414	77	83	120	152	3	27
1967	1,357	71	5	50	58	362	412	73	86	93	122	2	23
1968	1,223	81	14	51	42	317	312	79	87	95	123	1	21
1969	1,127	53	4	46	40	272	322	77	69	101	118	6	19
1970	1,144	54	4	39	41	302	323	56	66	110	113	-	36
1971	1,089	50	5	52	33	258	325	67	57	99	110	5	28
1972	1,049	51	7	57	30	242	307	64	60	85	119	3	24
1973	941	37	2	35	30	225	286	59	49	89	108	2	19
1974	973	38	3	39	28	202	294	55	69	107	123	4	11
1975	954 <sup>1</sup>	40	3	58	36	212 <sup>1</sup>	281	44	52	105	107	2	14
1976	915 <sup>1</sup>	32	8	36	41	214 <sup>1</sup>	269	51	61	100	91	3	9
1977	823	20	5	25	32	195	241	53	51	68	122	2	9

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Rate per 1,000 male live births - Taux pour 1,000 naissances vivantes (masculin)													
1921	49.8	..	56.8	66.1	71.0	..	51.2	45.9	43.3	45.1	24.5	..	..
1922	47.7	..	45.3	60.2	60.4	..	42.5	56.0	47.2	50.7	35.3	..	..
1923	48.4	..	45.9	60.2	69.8	..	43.7	50.4	50.1	54.7	30.8	..	..
1924	40.1	..	30.2	58.0	65.2	..	35.9	36.7	38.0	40.9	32.3	..	..
1925	41.4	..	44.5	37.9	59.3	..	39.7	46.7	41.9	41.7	27.4	..	..
1926	59.0	..	31.6	48.1	67.5	89.9	38.7	39.2	45.4	45.5	27.1	..	..
1927	53.6	..	49.5	56.8	55.8	82.1	33.1	40.2	37.9	34.9	30.4	..	..
1928	50.2	..	34.8	43.2	58.4	76.4	34.7	31.9	30.4	39.6	23.2	..	..
1929	52.0	..	70.1	54.9	61.1	74.9	36.6	38.9	35.4	41.0	29.8	..	..
1930	52.2	..	47.1	51.6	60.1	75.5	39.1	39.4	36.5	33.7	29.8	..	..
1931	47.8	..	46.1	40.0	51.5	69.9	35.4	30.6	36.2	35.8	23.4	..	..
1932	39.1	..	36.2	39.0	40.3	55.7	28.5	30.1	28.9	29.9	22.1	..	..
1933	39.4	..	30.5	38.3	45.8	55.8	28.1	35.0	28.9	31.2	20.3	..	..
1934	40.7	..	32.4	37.4	54.2	61.1	26.9	29.7	26.4	28.2	25.3	..	..
1935	40.0	..	42.4	42.2	49.1	59.1	24.9	34.7	31.5	29.7	21.4	..	..
1936	35.8	..	36.4	39.0	39.3	47.6	26.0	32.1	28.8	34.3	23.4	..	..
1937	45.5	..	46.0	43.5	60.9	66.7	25.4	36.0	40.9	35.1	34.0	..	..
1938	35.0	..	42.7	33.9	40.4	50.0	23.2	28.7	27.2	27.4	24.9	..	..
1939	33.5	..	42.6	36.2	47.2	46.2	21.9	29.4	29.3	24.3	18.1	..	..
1940	29.0	..	37.0	34.1	43.4	38.2	18.1	25.9	28.2	24.7	19.1	..	..
1941	32.3	..	51.9	45.8	41.6	43.7	20.5	26.8	26.8	26.9	16.9	..	..
1942	28.3	..	27.9	36.5	51.0	38.7	17.0	26.0	23.0	17.6	16.5	..	..
1943	26.2	..	23.4	29.7	32.7	36.0	16.6	26.7	21.8	22.0	16.6	..	..
1944	27.3	..	18.1	29.5	47.3	36.3	17.0	24.8	23.4	21.2	17.8	..	..
1945	24.3	..	23.2	28.7	33.7	31.7	15.1	24.7	22.4	19.9	17.9	..	..
1946	21.4	..	22.1	24.8	31.4	27.8	12.8	23.4	23.9	17.4	17.7	..	..
1947	21.0	..	25.5	22.4	31.0	29.0	12.6	23.3	20.8	15.0	15.8	..	..
1948	19.6	..	17.9	18.9	28.5	26.9	12.9	19.2	19.5	15.0	13.3	..	..
1949	21.3	30.2	32.2	23.2	33.8	27.4	15.1	20.4	19.3	14.3	13.9	..	..
1950	18.4	30.9	18.7	20.4	31.1	23.0	13.0	15.8	13.3	12.4	13.0	37.2	113.3
1951	17.1	30.9	22.6	14.2	28.2	23.7	10.4	15.5	11.5	13.5	13.1	34.7	72.5
1952	16.6	24.6	20.0	16.2	21.0	23.9	10.6	12.8	14.6	12.8	10.7	26.4	76.2
1953	15.5	27.0	17.5	14.0	21.6	20.9	10.1	14.7	15.7	12.5	11.2	46.4	75.1
1954	14.0	22.1	13.5	16.7	18.6	18.8	8.9	13.9	13.2	10.6	9.9	48.9	84.8
1955	13.0	23.6	16.5	14.4	19.2	16.2	8.3	12.6	15.0	11.3	10.8	30.0	65.6
1956	12.5	20.6	17.5	14.1	18.3	16.8	8.3	11.5	11.0	8.5	10.0	22.8	87.9
1957	11.6	19.0	11.5	13.2	13.9	14.3	7.6	14.3	9.7	9.4	11.1	31.2	98.4
1958	12.0	17.9	22.6	14.4	17.3	15.2	7.9	13.9	9.5	10.4	10.6	32.1	90.2
1959	11.1	21.1	13.0	11.7	15.7	13.7	7.6	12.3	9.3	8.9	9.9	22.9	81.5
1960	10.7	16.0	11.7	11.1	14.4	13.0	7.5	12.0	10.8	9.8	8.6	39.2	111.1
1961	10.2	17.2	17.7	12.2	12.1	11.2	7.2	10.9	10.5	9.8	10.3	24.7	84.2
1962	9.5	18.2	13.3	12.1	12.0	10.7	6.5	10.4	9.0	10.3	8.6	26.9	89.0
1963	9.0	21.8	12.7	11.4	10.4	9.6	6.5	8.8	11.0	7.5	8.9	20.6	64.7
1964	8.1	12.1	12.6	10.7	8.9	8.4	6.2	9.5	8.2	8.0	8.8	29.8	48.8
1965	7.9	14.5	10.1	8.6	8.6	8.4	6.1	8.5	9.4	7.2	8.2	22.1	31.6
1966	7.6	12.5	8.0	9.1	7.5	7.6	6.1	8.4	8.5	7.8	9.2	16.2	45.3
1967	7.1	11.0	4.7	6.8	9.2	7.0	6.3	8.3	9.3	6.0	7.2	10.0	36.9
1968	6.5	12.4	12.9	7.2	7.1	6.3	4.8	8.7	9.3	6.1	7.1	5.5	32.1
1969	6.0	7.9	4.0	6.6	6.5	5.5	4.8	8.5	7.7	6.4	6.5	24.3	30.0
1970	6.0	8.4	4.0	5.4	7.0	6.4	4.7	6.0	7.8	6.7	5.9	-	49.0
1971	5.8	7.6	4.5	7.1	5.3	5.6	4.8	7.3	7.0	6.2	6.1	18.1	42.2
1972	5.9	7.7	6.6	8.3	4.9	5.6	4.8	7.2	7.6	5.6	6.7	12.8	37.4
1973	5.3	6.1	2.0	5.2	5.1	5.2	4.5	6.7	6.5	5.9	6.1	9.6	29.5
1974	5.5	7.1	2.9	5.8	4.8	4.6	4.6	6.1	9.0	7.0	6.7	15.4	19.9
1975	5.2 <sup>1</sup>	6.9	3.0	8.4	6.0	4.4 <sup>1</sup>	4.4	5.1	6.7	6.5	5.8	9.9	24.6
1976	5.0 <sup>1</sup>	5.5	7.9	5.4	6.7	4.3 <sup>1</sup>	4.3	5.8	7.5	5.9	4.9	12.6	15.1
1977	4.4	3.5	5.0	3.9	5.4	3.9	3.8	6.2	6.0	3.8	6.5	8.8	15.2

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Female - Féminin													
1921	3,217	..	57	323	369	..	1,426	326	326	285	105	..	..
1922	3,046	..	32	284	295	..	1,183	412	413	309	118	..	..
1923	2,942	..	55	259	256	..	1,217	315	419	302	119	..	..
1924	2,580	..	30	258	281	..	1,051	247	331	260	122	..	..
1925	2,600	..	27	183	247	..	1,181	272	348	228	114	..	..
1926	5,525	..	34	190	262	3,024	1,024	234	359	276	122	..	..
1927	5,007	..	31	259	249	2,713	881	194	324	240	116	..	..
1928	4,751	..	17	199	218	2,573	952	209	248	233	102	..	..
1929	4,949	..	35	250	275	2,405	1,066	210	296	296	116	..	..
1930	4,985	..	27	221	269	2,538	1,078	221	325	198	108	..	..
1931	4,561	..	29	209	204	2,302	989	191	296	230	111	..	..
1932	3,685	..	32	173	159	1,819	779	170	259	190	104	..	..
1933	3,511	..	20	164	181	1,740	742	182	237	173	72	..	..
1934	3,479	..	27	151	215	1,780	712	150	197	170	77	..	..
1935	3,442	..	30	172	229	1,700	586	183	264	175	103	..	..
1936	3,121	..	25	173	183	1,397	646	184	204	197	112	..	..
1937	4,012	..	29	191	270	2,015	649	218	263	220	157	..	..
1938	3,125	..	22	178	194	1,497	580	183	202	164	105	..	..
1939	2,966	..	37	199	203	1,443	480	156	174	179	95	..	..
1940	2,890	..	27	189	220	1,253	521	204	200	182	94	..	..
1941	3,187	..	37	193	232	1,520	563	172	202	163	105	..	..
1942	3,027	..	26	207	235	1,451	531	165	153	143	116	..	..
1943	3,020	..	24	184	196	1,485	518	190	144	166	113	..	..
1944	3,259	..	19	191	262	1,575	524	206	180	159	143	..	..
1945	2,957	..	16	169	232	1,430	490	163	145	149	163	..	..
1946	2,802	..	19	161	237	1,206	484	186	186	174	149	..	..
1947	2,967	..	26	174	206	1,285	595	171	189	165	156	..	..
1948	2,780	..	23	139	247	1,243	531	160	162	134	141	..	..
1949	3,003	161	34	165	201	1,208	648	171	152	140	123	..	..
1950	2,841	192	35	133	196	1,152	566	135	112	150	141	4	25
1951	2,699	164	13	116	164	1,175	495	120	148	146	138	7	13
1952	2,793	131	16	101	142	1,216	552	125	166	150	158	7	29
1953	2,596	115	20	104	150	1,025	550	141	164	159	140	5	23
1954	2,387	119	20	105	138	983	477	117	119	140	146	4	19
1955	2,366	140	21	85	123	888	521	141	139	149	128	6	25
1956	2,430	144	16	104	146	938	490	139	133	133	154	5	28
1957	2,256	126	11	87	110	872	455	126	94	149	180	8	38
1958	2,211	110	7	111	101	845	486	115	76	124	192	7	37
1959	2,024	95	16	96	86	748	487	107	83	124	145	4	33
1960	2,040	109	15	91	100	666	487	119	90	164	151	8	40
1961	1,895	125	13	89	81	666	416	78	94	143	147	6	37
1962	1,855	127	12	113	94	603	423	97	85	146	109	4	42
1963	1,698	106	7	86	74	542	393	112	104	118	123	4	29
1964	1,453	89	11	59	60	463	363	82	91	101	106	3	25
1965	1,337	96	12	60	55	421	322	70	69	106	96	5	25
1966	1,183	53	6	56	66	335	299	57	69	85	121	8	28
1967	1,166	61	3	45	47	320	314	67	70	110	106	2	21
1968	984	51	2	52	39	269	252	56	67	76	95	2	23
1969	884	38	9	33	32	236	255	43	58	66	94	1	19
1970	840	37	1	26	26	234	237	48	44	69	88	3	27
1971	782	36	4	33	26	192	241	45	46	61	84	2	12
1972	772	42	6	42	27	201	209	55	32	62	80	3	13
1973	706	29	9	36	21	158	216	50	32	61	87	1	6
1974	713	25	1	31	23	165	209	41	53	64	85	3	13
1975	696	27	8	31	22	160	185	44	56	75	80	1	7
1976	642	27	1	26	18	152	206	34	29	63	72	1	13
1977	668	17	4	23	19	151	213	41	41	70	85	1	3

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 1,000 female live births - Taux pour 1,000 naissances vivantes (féminin)													
1921	39.3	..	52.6	51.1	66.8	..	39.8	36.1	29.9	35.4	20.5	..	..
1922	38.0	..	30.3	46.8	52.6	..	33.9	47.0	37.9	38.9	24.2	..	..
1923	38.5	..	55.2	45.4	48.8	..	35.8	39.0	41.2	40.9	24.6	..	..
1924	33.6	..	32.3	46.0	54.1	..	30.1	32.3	31.9	36.3	24.9	..	..
1925	34.6	..	33.8	33.2	46.7	..	34.7	37.6	35.0	31.3	22.8	..	..
1926	49.0	..	39.4	35.6	51.9	76.2	31.1	33.1	35.6	39.2	24.9	..	..
1927	44.1	..	38.4	47.7	48.9	67.4	26.8	28.9	31.8	33.3	23.4	..	..
1928	41.3	..	19.8	36.8	44.5	63.5	28.7	29.0	24.1	30.7	19.5	..	..
1929	43.2	..	43.0	48.1	55.1	60.9	32.0	30.4	28.4	35.7	22.8	..	..
1930	42.0	..	32.3	40.6	52.2	62.5	30.9	31.3	30.5	22.7	20.4	..	..
1931	39.0	..	33.0	36.8	38.8	56.8	29.5	26.8	28.5	27.7	21.9	..	..
1932	32.1	..	33.7	31.0	30.1	45.6	23.9	24.9	25.6	22.9	20.8	..	..
1933	32.4	..	20.8	30.0	37.7	46.3	24.0	28.3	24.2	22.2	15.6	..	..
1934	32.2	..	28.3	27.3	42.9	47.8	23.4	23.2	20.6	21.3	16.2	..	..
1935	31.8	..	30.1	30.5	44.6	46.1	19.0	27.9	27.8	22.3	20.9	..	..
1936	29.2	..	26.8	30.5	35.6	38.1	21.3	29.8	22.0	25.6	21.9	..	..
1937	37.5	..	29.4	34.7	52.6	55.0	21.6	34.7	28.8	27.9	28.3	..	..
1938	28.0	..	23.4	29.8	34.4	39.6	18.1	27.8	22.8	21.1	17.2	..	..
1939	26.5	..	36.9	33.7	37.1	37.1	15.4	23.6	19.7	22.3	15.8	..	..
1940	24.3	..	25.9	30.0	38.8	30.8	15.5	28.3	21.5	21.3	14.1	..	..
1941	25.6	..	38.1	28.3	38.2	35.1	16.0	23.9	22.5	19.4	14.3	..	..
1942	23.0	..	24.5	27.8	38.7	31.6	14.0	21.5	17.5	16.0	14.3	..	..
1943	21.9	..	22.6	24.5	30.9	31.0	13.1	23.9	16.2	17.6	12.3	..	..
1944	23.7	..	16.8	25.3	40.2	31.7	13.9	26.8	20.5	16.9	15.4	..	..
1945	21.1	..	14.7	22.7	34.7	28.2	12.9	20.8	15.9	15.5	17.8	..	..
1946	17.4	..	14.1	18.3	29.7	22.3	10.3	20.3	17.7	16.0	13.4	..	..
1947	16.9	..	17.8	18.3	23.8	22.9	11.2	17.1	16.6	13.8	12.1	..	..
1948	16.5	..	16.5	15.9	29.4	22.3	10.5	17.3	15.4	11.4	11.2	..	..
1949	16.9	26.7	24.8	19.4	24.9	21.3	12.5	18.3	14.5	11.5	9.2	..	..
1950	15.7	30.5	24.2	15.9	24.7	19.9	10.8	14.5	10.6	12.0	10.7	25.8	89.9
1951	14.6	28.5	10.2	14.0	20.8	20.0	8.9	12.5	13.9	11.0	10.1	41.5	39.1
1952	14.3	21.4	12.4	11.6	17.2	19.9	9.2	12.3	15.1	10.6	11.0	34.9	123.4
1953	12.7	18.4	14.6	11.7	18.8	16.4	8.6	13.5	14.1	10.5	9.1	26.4	67.0
1954	11.3	18.0	15.1	11.4	17.2	15.2	7.1	10.7	9.9	8.7	9.1	20.0	63.1
1955	11.0	19.3	15.8	9.2	15.1	13.7	7.7	12.9	11.5	9.0	7.6	23.3	68.4
1956	11.1	20.2	11.9	11.4	18.2	14.2	7.0	13.0	11.4	7.8	8.6	22.9	74.7
1957	9.9	16.7	8.5	9.3	13.5	12.7	6.2	11.6	8.1	8.6	9.5	33.6	82.1
1958	9.7	15.4	5.6	12.2	12.8	12.3	6.6	10.9	6.5	6.9	9.9	31.2	85.0
1959	8.6	13.2	12.0	10.3	10.8	10.8	6.4	9.7	6.9	6.7	7.4	14.6	69.5
1960	8.8	14.8	11.0	9.6	12.7	9.9	6.3	10.6	7.7	8.6	7.7	31.0	75.9
1961	8.1	16.6	9.5	9.4	10.0	10.0	5.4	6.8	8.1	7.5	7.8	21.9	67.6
1962	8.1	17.3	9.2	12.0	11.9	9.2	5.5	8.7	7.5	7.7	5.8	16.0	76.4
1963	7.5	14.1	4.9	9.4	9.7	8.3	5.2	10.1	9.0	6.3	6.7	15.7	51.9
1964	6.6	12.2	8.4	6.6	8.1	7.3	4.9	7.8	8.2	5.8	6.0	12.2	41.0
1965	6.6	13.4	9.8	7.4	8.0	7.2	4.7	7.2	6.9	6.8	5.8	24.8	44.7
1966	6.2	7.7	5.7	7.6	10.7	6.3	4.6	6.5	7.5	5.7	7.7	43.5	49.9
1967	6.4	9.6	3.1	6.5	7.8	6.4	5.1	7.9	8.0	7.4	6.6	10.8	35.8
1968	5.6	8.1	2.0	7.8	6.8	5.7	4.1	6.7	7.6	5.3	5.7	10.5	35.7
1969	4.9	6.0	9.0	4.9	5.7	5.1	4.0	4.9	6.8	4.3	5.4	4.6	32.7
1970	4.7	6.1	1.0	3.8	4.6	5.2	3.6	5.4	5.5	4.5	5.0	14.2	44.8
1971	4.5	5.9	4.0	4.8	4.4	4.4	3.8	5.1	5.8	4.2	4.9	8.7	19.2
1972	4.6	6.7	6.3	6.3	4.8	5.0	3.5	6.5	4.2	4.4	4.7	13.9	21.8
1973	4.2	5.0	10.2	5.5	3.8	3.9	3.6	6.1	4.4	4.3	5.2	4.7	10.7
1974	4.2	5.1	1.1	5.0	4.1	4.0	3.5	4.9	7.1	4.4	4.9	12.8	26.5
1975	4.0 <sup>1</sup>	5.0	8.6	5.0	3.8	3.6 <sup>1</sup>	3.0	5.2	7.4	4.9	4.5	4.9	11.6
1976	3.7 <sup>1</sup>	5.1	1.1	4.2	3.1	3.2 <sup>1</sup>	3.4	4.3	3.7	3.9	4.2	4.8	22.1
1977	3.8	3.1	4.1	3.8	3.4	3.3	3.6	5.0	5.1	4.2	4.8	4.8	5.0

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Rate per 1,000 neonatal survivors - Taux pour 1,000 survivants néonatales													
Both sexes - Deux sexes													
1921	..	..	..	..	..	..	..	..	..	..	..	..	..
1922	..	..	..	..	..	..	..	..	..	..	..	..	..
1923	..	..	..	..	..	..	..	..	..	..	..	..	..
1924	..	..	..	..	..	..	..	..	..	..	..	..	..
1925	..	..	..	..	..	..	..	..	..	..	..	..	..
1926	..	..	..	..	..	..	..	..	..	..	..	..	..
1927	..	..	..	..	..	..	..	..	..	..	..	..	..
1928	..	..	..	..	..	..	..	..	..	..	..	..	..
1929	..	..	..	..	..	..	..	..	..	..	..	..	..
1930	..	..	..	..	..	..	..	..	..	..	..	..	..
1931	46.4	84.9	41.1	40.0	47.4	66.9	33.7	29.8	33.7	33.1	23.3	..	..
1932	38.0	70.0	36.1	36.6	36.7	53.1	27.2	28.4	28.3	27.4	22.0	..	..
1933	38.0	59.9	26.6	35.5	43.7	53.5	27.0	32.8	27.6	27.7	18.6	..	..
1934	38.5	59.6	31.5	33.8	50.5	57.0	26.0	27.3	24.4	25.5	21.4	..	..
1935	38.4	73.7	37.7	37.8	48.7	55.0	22.9	32.4	30.6	26.9	21.7	..	..
1936	34.8	69.3	33.1	36.0	39.0	44.7	24.5	31.9	26.2	30.9	23.2	..	..
1937	44.4	84.7	39.6	40.6	59.5	63.5	24.3	36.4	36.2	32.6	32.0	..	..
1938	33.5	60.6	34.3	32.9	38.9	46.8	21.3	29.1	25.8	25.0	21.7	..	..
1939	31.4	41.3	41.6	36.0	43.9	43.3	19.3	27.4	25.3	23.8	17.4	..	..
1940	28.4	55.1	32.6	33.0	42.8	35.9	17.3	27.7	25.6	23.6	17.0	..	..
1941	31.1	65.6	47.0	38.3	41.4	41.0	18.9	26.1	25.3	23.9	16.0	..	..
1942	27.8	68.9	26.8	33.2	46.6	36.5	16.0	24.5	20.8	17.2	15.7	..	..
1943	25.7	55.3	23.6	28.0	33.0	34.7	15.3	26.1	19.7	20.3	14.8	..	..
1944	27.4	60.6	18.0	28.2	45.4	35.3	16.0	26.4	22.5	19.7	17.0	..	..
1945	24.0	38.6	19.6	26.5	35.5	31.0	14.4	23.4	19.8	18.3	18.3	..	..
1946	20.8	41.2	18.6	22.1	31.6	25.9	11.9	22.5	21.5	17.1	15.9	..	..
1947	20.1	35.5	22.2	20.9	28.4	26.9	12.2	20.8	19.2	14.7	14.4	..	..
1948	19.0	32.9	17.5	17.9	29.9	25.4	12.0	18.7	17.8	13.6	12.5	..	..
1949	19.6	29.2	29.2	21.8	30.4	25.1	14.2	19.8	17.4	13.2	11.8	..	..
1950	17.5	31.5	21.8	18.7	28.9	22.2	12.2	15.5	12.2	12.5	12.1	32.5	109.0
1951	16.3	30.5	16.9	14.4	25.3	22.5	9.9	14.3	12.9	12.6	11.8	38.7	58.5
1952	15.8	23.5	16.5	14.3	19.6	22.6	10.1	12.8	15.2	12.0	11.0	31.3	97.4
1953	14.5	23.3	16.3	13.1	20.7	19.2	9.6	14.4	15.2	11.7	10.4	37.0	74.1
1954	12.9	20.5	14.6	14.3	18.3	17.5	8.2	12.5	11.8	9.8	9.7	36.1	77.0
1955	12.3	21.9	16.5	12.1	17.5	15.3	8.2	13.0	13.5	10.3	9.4	27.4	70.9
1956	12.1	20.8	15.1	13.0	18.7	15.9	7.8	12.4	11.4	8.3	9.5	23.5	87.4
1957	11.0	18.2	10.3	11.5	14.0	13.9	7.0	13.2	9.1	9.2	10.5	33.1	95.1
1958	11.1	17.1	14.6	13.6	15.4	14.1	7.4	12.7	8.2	8.9	10.4	32.1	93.8
1959	10.1	17.6	12.7	11.2	13.7	12.6	7.1	11.2	8.3	8.0	8.8	18.8	80.0
1960	9.9	15.7	11.6	10.6	13.8	11.7	7.0	11.6	9.4	9.4	8.3	35.8	99.1

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 1,000 neonatal survivors - Taux pour 1,000 survivants néonatales													
Both sexes - Concluded - Deux sexes - fin													
1961	9.4	17.2	14.0	11.1	11.3	10.9	6.4	9.1	9.4	8.8	9.2	23.7	78.8
1962	9.0	18.2	11.6	12.3	12.1	10.2	6.1	9.7	8.4	9.1	7.4	22.6	86.1
1963	8.4	18.5	8.9	10.6	10.3	9.2	6.0	9.6	10.2	7.0	7.9	18.3	61.4
1964	7.5	12.4	10.8	8.8	8.6	8.0	5.7	8.8	8.4	7.0	7.6	21.8	46.2
1965	7.4	14.2	10.1	8.1	8.4	7.9	5.5	8.0	8.3	7.1	7.1	24.0	38.8
1966	7.1	10.3	7.0	8.6	9.2	7.1	5.5	7.5	8.1	6.8	8.5	30.6	49.0
1967	6.9	10.5	4.0	6.7	8.6	6.8	5.8	8.3	8.8	6.7	7.0	10.5	37.3
1968	6.1	10.4	7.7	7.6	7.1	6.2	4.5	7.9	8.6	5.8	6.6	8.3	35.0
1969	5.5	7.1	6.6	5.9	6.2	5.4	4.5	6.8	7.3	5.5	6.1	15.5	32.0
1970	5.4	7.4	2.6	4.6	5.9	5.9	4.2	5.8	6.8	5.7	5.5	6.8	48.1
1971	5.2	6.8	4.4	6.0	4.9	5.1	4.4	6.3	6.5	5.3	5.6	14.0	31.6
1972	5.3	7.3	6.6	7.4	4.9	5.4	4.2	6.9	6.0	5.1	5.8	13.5	30.4
1973	4.8	5.6	5.9	5.4	4.5	4.6	4.1	6.5	5.5	5.2	5.7	7.2	21.1
1974	4.9	6.2	2.1	5.5	4.5	4.3	4.1	5.6	8.2	5.8	5.9	14.3	23.5
1975	4.6 <sup>1</sup>	6.0	5.8	6.8	5.0	4.0 <sup>1</sup>	3.7	5.2	7.2	5.7	5.2	7.5	18.3
1976	4.4 <sup>1</sup>	5.4	4.7	4.9	5.0	3.8 <sup>1</sup>	3.9	5.1	5.7	5.0	4.6	9.0	18.9
1977	4.2	3.4	4.6	3.9	4.5	3.6	3.7	5.7	5.6	4.0	5.7	7.0	10.3
Male - Masculin													
1921	..	..	..	..	..	..	..	..	..	..	..	..	..
1922	..	..	..	..	..	..	..	..	..	..	..	..	..
1923	..	..	..	..	..	..	..	..	..	..	..	..	..
1924	..	..	..	..	..	..	..	..	..	..	..	..	..
1925	..	..	..	..	..	..	..	..	..	..	..	..	..
1926	..	..	..	..	..	..	..	..	..	..	..	..	..
1927	..	..	..	..	..	..	..	..	..	..	..	..	..
1928	..	..	..	..	..	..	..	..	..	..	..	..	..
1929	..	..	..	..	..	..	..	..	..	..	..	..	..
1930	..	..	..	..	..	..	..	..	..	..	..	..	..
1931	50.1	..	47.6	41.9	54.3	74.1	36.9	32.0	37.8	37.3	24.1	..	..
1932	40.8	..	37.2	40.8	42.0	58.5	29.7	31.2	30.2	31.0	22.8	..	..
1933	41.1	..	31.8	39.9	47.9	58.8	29.3	36.5	30.0	32.3	20.9	..	..
1934	42.4	..	33.6	39.0	56.7	64.3	27.9	30.7	27.4	29.1	25.9	..	..
1935	41.8	..	44.3	43.9	51.2	62.0	25.9	36.0	32.8	30.9	22.1	..	..
1936	37.2	..	37.9	40.4	41.2	49.8	26.9	33.2	29.7	35.4	24.0	..	..
1937	47.4	..	47.8	45.0	64.1	69.8	26.2	37.1	42.5	36.4	35.1	..	..
1938	36.3	..	44.0	35.1	42.2	52.3	23.9	29.6	28.0	28.2	25.6	..	..
1939	34.7	..	44.7	37.3	49.2	48.1	22.6	30.4	30.2	24.9	18.6	..	..
1940	30.0	..	38.3	35.3	45.2	39.8	18.7	26.6	29.0	25.4	19.5	..	..
1941	33.4	..	54.3	47.3	43.4	45.6	21.1	27.7	27.5	27.7	17.3	..	..
1942	29.2	..	28.5	37.5	52.8	40.2	17.5	26.8	23.6	18.1	16.9	..	..
1943	27.1	..	24.1	30.7	34.1	37.4	17.2	27.6	22.5	22.5	17.0	..	..
1944	28.2	..	18.7	30.3	49.2	37.8	17.5	25.4	24.1	21.9	18.3	..	..
1945	25.1	..	23.7	29.6	35.2	32.9	15.6	25.4	23.1	20.6	18.4	..	..

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Concluded - Masculin - fin													
1946	22.1	..	22.7	25.4	32.6	28.7	13.2	24.1	24.7	17.9	18.1	..	..
1947	21.6	..	26.1	23.0	32.2	30.1	13.0	24.0	21.3	15.4	16.3	..	..
1948	20.2	..	18.2	19.4	29.5	27.8	13.3	19.8	20.0	15.3	13.7	..	..
1949	21.9	31.1	33.0	23.8	35.1	28.2	15.5	20.9	19.7	14.6	14.2	..	..
1950	18.9	31.8	19.1	21.0	32.2	23.8	13.4	16.2	13.5	12.7	13.3	38.5	121.1
1951	17.6	31.9	23.1	14.6	29.1	24.4	10.7	15.7	11.7	13.9	13.3	35.5	77.4
1952	17.0	25.1	20.2	16.6	21.7	24.8	10.8	13.1	14.9	13.1	10.9	27.0	79.3
1953	15.9	27.7	17.8	14.3	22.1	21.5	10.3	15.0	16.0	12.7	11.5	46.9	77.6
1954	14.3	22.6	13.9	17.0	19.1	19.4	9.1	14.2	13.4	10.8	10.1	49.5	88.3
1955	13.3	24.2	16.8	14.7	19.6	16.6	8.6	12.9	15.3	11.5	11.0	31.0	69.6
1956	12.8	21.1	18.0	14.4	18.7	17.2	8.5	11.8	11.3	8.7	10.2	23.3	95.2
1957	11.8	19.5	11.8	13.4	14.3	14.8	7.7	14.6	10.0	9.7	11.4	32.4	103.9
1958	12.3	18.4	23.2	14.7	17.6	15.6	8.0	14.3	9.7	10.6	10.8	32.7	97.9
1959	11.3	21.6	13.2	11.9	16.1	14.1	7.7	12.6	9.5	9.1	10.1	23.2	86.6
1960	10.9	16.4	12.0	11.4	14.7	13.2	7.6	12.3	11.0	10.0	8.7	40.0	116.5
1961	10.4	17.6	18.1	12.5	12.3	11.5	7.4	11.1	10.7	10.0	10.5	25.2	88.1
1962	9.8	18.6	13.6	12.3	12.2	11.0	6.6	10.6	9.2	10.5	8.8	27.5	93.0
1963	9.2	22.4	12.9	11.6	10.6	9.8	6.7	9.0	11.3	7.6	9.0	20.8	68.8
1964	8.3	12.3	13.0	10.9	9.1	8.6	6.3	9.6	8.5	8.2	9.0	30.0	50.3
1965	8.0	14.8	10.3	8.7	8.7	8.5	6.2	8.6	9.6	7.4	8.3	22.6	32.6
1966	7.8	12.7	8.1	9.3	7.6	7.7	6.2	8.5	8.6	7.8	9.3	16.8	46.6
1967	7.3	11.2	4.8	7.0	9.4	7.1	6.4	8.5	9.5	6.0	7.4	10.2	38.0
1968	6.6	12.6	13.3	7.3	7.2	6.5	4.9	8.9	9.5	6.2	7.2	5.7	33.3
1969	6.0	8.0	4.0	6.7	6.6	5.6	4.9	8.7	7.8	6.5	6.6	24.9	30.8
1970	6.1	8.5	4.1	5.4	7.0	6.5	4.7	6.0	7.9	6.8	6.0	-	50.1
1971	5.9	7.8	4.6	7.2	5.3	5.7	4.9	7.4	7.1	6.3	6.2	18.3	42.9
1972	5.9	7.8	6.7	8.4	4.9	5.7	4.8	7.3	7.7	5.7	6.8	13.0	38.3
1973	5.4	6.2	2.0	5.2	5.2	5.2	4.5	6.8	6.6	6.0	6.2	9.7	30.2
1974	5.5	7.2	3.0	5.9	4.9	4.6	4.6	6.2	9.1	7.1	6.8	15.6	20.4
1975	5.2 <sup>1</sup>	6.9	3.0	8.5	6.1	4.5 <sup>1</sup>	4.4	5.1	6.8	6.6	5.8	10.1	25.2
1976	5.0 <sup>1</sup>	5.6	8.0	5.5	6.8	4.4 <sup>1</sup>	4.3	5.9	7.5	6.0	5.0	12.8	15.3
1977	4.5	3.6	5.1	3.9	5.5	4.0	3.9	6.3	6.1	3.9	6.5	8.9	15.4
Female - Féminin													
1921	..	..	..	..	..	..	..	..	..	..	..	..	..
1922	..	..	..	..	..	..	..	..	..	..	..	..	..
1923	..	..	..	..	..	..	..	..	..	..	..	..	..
1924	..	..	..	..	..	..	..	..	..	..	..	..	..
1925	..	..	..	..	..	..	..	..	..	..	..	..	..
1926	..	..	..	..	..	..	..	..	..	..	..	..	..
1927	..	..	..	..	..	..	..	..	..	..	..	..	..
1928	..	..	..	..	..	..	..	..	..	..	..	..	..
1929	..	..	..	..	..	..	..	..	..	..	..	..	..
1930	..	..	..	..	..	..	..	..	..	..	..	..	..

<sup>1</sup> Estimated. - Évalué.

TABLE 29. Post-neonatal Deaths and Rates, by Sex, Canada and Provinces, 1921 - 1977 - Concluded

TABLEAU 29. Mortalité post-néonatale et taux, selon le sexe, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Female - Concluded - Féminin - fin													
1931	40.5	..	33.7	38.1	40.2	59.3	30.4	27.6	29.4	28.7	22.5	..	..
1932	33.2	..	34.8	32.0	31.2	47.4	24.6	25.6	26.4	23.6	21.2	..	..
1933	33.4	..	21.4	31.0	39.1	48.1	24.6	29.0	25.0	22.8	16.0	..	..
1934	33.2	..	29.3	28.3	44.3	49.5	24.1	23.8	21.1	21.9	16.6	..	..
1935	32.8	..	31.0	31.5	46.1	47.7	19.7	28.6	28.5	22.8	21.4	..	..
1936	30.0	..	27.8	31.3	36.8	39.4	21.9	30.5	22.5	26.3	22.3	..	..
1937	38.6	..	30.4	35.7	54.8	56.9	22.3	35.6	29.6	28.7	28.8	..	..
1938	28.8	..	23.8	30.7	35.6	40.9	18.6	28.5	23.3	21.7	17.6	..	..
1939	27.2	..	38.1	34.7	38.3	38.3	15.8	24.2	20.3	22.7	16.1	..	..
1940	24.9	..	26.8	30.7	40.2	31.8	15.9	28.9	22.0	21.8	14.3	..	..
1941	26.4	..	39.1	29.0	39.4	36.2	16.5	24.5	23.0	19.8	14.6	..	..
1942	23.6	..	25.1	28.6	39.9	32.6	14.4	22.1	17.8	16.3	14.5	..	..
1943	22.5	..	23.0	25.2	32.0	32.0	13.4	24.6	16.7	17.9	12.5	..	..
1944	24.3	..	17.2	25.9	41.3	32.7	14.3	27.4	20.9	17.3	15.7	..	..
1945	21.7	..	15.1	23.3	35.8	29.0	13.2	21.3	16.2	15.8	18.2	..	..
1946	17.8	..	14.2	18.8	30.6	22.9	10.5	20.8	18.2	16.3	13.7	..	..
1947	17.3	..	18.2	18.7	24.5	23.5	11.4	17.4	17.0	14.1	12.3	..	..
1948	16.8	..	16.8	16.3	30.3	22.9	10.7	17.6	15.7	11.7	11.3	..	..
1949	17.3	27.3	25.1	19.7	25.5	21.8	12.8	18.6	14.8	11.7	9.4	..	..
1950	16.1	31.2	24.5	16.2	25.4	20.5	10.9	14.7	10.8	12.2	10.8	26.3	94.3
1951	14.9	29.1	10.3	14.2	21.3	20.4	9.1	12.8	14.2	11.2	10.3	41.9	40.9
1952	14.6	21.9	12.5	11.8	17.5	20.4	9.4	12.5	15.4	10.8	11.1	35.4	128.9
1953	13.0	18.8	14.8	11.8	19.3	16.7	8.8	13.7	14.4	10.6	9.3	26.9	70.6
1954	11.4	18.3	15.4	11.6	17.5	15.5	7.3	10.8	10.0	8.8	9.2	20.7	64.8
1955	11.2	19.6	16.1	9.4	15.3	14.0	7.8	13.1	11.6	9.1	7.7	23.7	72.3
1956	11.3	20.6	12.2	11.5	18.7	14.6	7.1	13.2	11.6	7.9	8.8	23.7	79.1
1957	10.1	16.9	8.7	9.4	13.8	13.0	6.3	11.7	8.2	8.7	9.6	33.9	86.8
1958	9.8	15.8	5.6	12.4	13.0	12.5	6.7	11.0	6.7	7.1	10.0	31.4	89.2
1959	8.8	13.4	12.2	10.4	11.1	11.0	6.5	9.8	7.1	6.8	7.6	14.6	73.0
1960	8.9	15.1	11.2	9.8	12.9	10.1	6.4	10.8	7.8	8.8	7.9	31.3	80.3
1961	8.3	16.8	9.7	9.6	10.2	10.2	5.5	7.0	8.2	7.6	7.9	22.2	69.4
1962	8.2	17.7	9.4	12.2	12.0	9.4	5.7	8.8	7.6	7.8	5.9	16.6	78.8
1963	7.6	14.4	4.9	9.5	9.9	8.5	5.3	10.1	9.2	6.4	6.8	15.9	53.6
1964	6.7	12.4	8.5	6.7	8.2	7.4	5.0	7.9	8.3	5.8	6.1	12.6	41.7
1965	6.7	13.6	10.0	7.5	8.1	7.3	4.7	7.3	7.0	6.8	5.9	25.5	45.8
1966	6.4	7.8	5.8	7.7	10.8	6.4	4.7	6.6	7.6	5.7	7.7	44.2	51.5
1967	6.5	9.7	3.1	6.5	7.9	6.5	5.1	8.1	8.1	7.4	6.7	10.9	36.6
1968	5.6	8.2	2.0	7.9	6.9	5.8	4.2	6.7	7.7	5.3	5.8	10.7	36.7
1969	5.0	6.1	9.1	5.0	5.8	5.2	4.1	5.0	6.8	4.4	5.5	4.8	33.3
1970	4.7	6.1	1.1	3.8	4.7	5.3	3.7	5.5	5.6	4.5	5.0	14.6	45.7
1971	4.5	5.9	4.1	4.8	4.4	4.5	3.8	5.1	5.9	4.2	5.0	8.8	19.6
1972	4.6	6.8	6.4	6.4	4.8	5.0	3.5	6.6	4.3	4.4	4.8	14.0	22.1
1973	4.3	5.1	10.3	5.6	3.8	3.9	3.6	6.2	4.5	4.3	5.3	4.8	10.8
1974	4.3	5.2	1.1	5.0	4.1	4.0	3.5	5.0	7.2	4.4	5.0	12.9	26.9
1975	4.0 <sup>1</sup>	5.1	8.7	5.0	3.8	3.6 <sup>1</sup>	3.0	5.3	7.5	4.9	4.5	4.9	11.8
1976	3.7 <sup>1</sup>	5.1	1.1	4.2	3.2	3.3 <sup>1</sup>	3.5	4.3	3.7	3.9	4.2	4.8	22.6
1977	3.8	3.1	4.2	3.9	3.4	3.3	3.6	5.1	5.1	4.2	4.8	4.9	5.1

<sup>1</sup> Estimated. - Évalué.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977  
 TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T.N.-O.
Total perinatal deaths <sup>1</sup> - Total des décès périnatals <sup>1</sup>													
1921	11,427	..	102	910	692	..	5,840	1,118	1,278	889	598	..	..
1922	10,886	..	120	834	649	..	5,452	1,084	1,244	955	548	..	..
1923	10,511	..	112	787	629	..	5,346	976	1,196	875	590	..	..
1924	10,247	..	104	824	596	..	5,234	951	1,202	842	494	..	..
1925	9,805	..	83	758	652	..	4,906	857	1,158	872	519	..	..
1926	15,023	..	76	645	573	5,329	5,020	826	1,135	856	563	..	..
1927	14,686	..	68	689	620	5,093	4,837	834	1,117	900	528	..	..
1928	15,059	..	76	641	572	5,418	4,874	853	1,124	934	567	..	..
1929	14,855	..	84	676	604	5,183	4,820	891	1,149	928	520	..	..
1930	15,038	..	76	679	661	5,329	4,796	859	1,175	967	496	..	..
1931	14,553	..	83	742	671	5,149	4,568	834	1,118	881	507	..	..
1932	13,584	..	118	784	635	4,672	4,210	717	1,103	885	460	..	..
1933	12,767	..	118	722	580	4,628	3,793	661	964	828	473	..	..
1934	11,994	..	112	646	561	4,366	3,603	630	934	730	412	..	..
1935	12,015	..	118	652	551	4,256	3,807	650	815	743	423	..	..
1936	11,775	..	125	571	554	4,367	3,587	633	813	718	407	..	..
1937	11,702	..	114	539	594	4,320	3,536	631	803	699	466	..	..
1938	11,853	..	97	626	614	4,456	3,547	621	729	669	494	..	..
1939	11,571	..	121	621	579	4,434	3,381	636	728	612	459	..	..
1940	12,039	..	99	656	625	4,552	3,498	620	746	725	518	..	..
1941	12,579	..	105	685	626	4,870	3,660	678	722	695	538	..	..
1942	12,737	..	97	704	604	5,160	3,623	661	662	646	580	..	..
1943	13,094	..	86	767	651	4,963	3,830	695	745	669	688	..	..
1944	12,722	..	80	707	593	5,059	3,572	615	706	732	658	..	..
1945	12,637	..	75	622	609	5,058	3,537	633	666	716	721	..	..
1946	13,873	..	95	714	715	5,180	4,120	732	773	816	728	..	..
1947	14,642	..	108	751	743	5,429	4,352	741	820	868	830	..	..
1948	13,572	..	86	617	759	5,084	3,991	639	744	853	799	..	..
1949	14,019	414	92	631	684	5,165	3,986	673	703	820	851	..	..
1950	14,375	459	86	627	636	5,588	3,949	696	706	808	777	10	33
1951	13,885	398	89	617	627	5,166	4,008	641	641	864	800	8	26
1952	14,468	417	75	660	582	5,398	4,240	684	677	851	847	13	24
1953	14,054	430	81	594	624	5,065	4,046	713	669	960	830	14	28
1954	14,165	457	105	560	608	5,188	4,153	625	673	916	845	13	22
1955	13,947	480	89	621	528	4,924	4,230	652	651	897	830	15	30
1956	14,507	520	107	587	626	5,272	4,199	668	641	908	932	14	33
1957	14,745	515	88	564	551	5,354	4,386	667	626	940	1,009	14	31
1958	14,384	525	83	561	535	5,029	4,419	638	634	930	981	10	39
1959	14,064	567	96	598	520	4,777	4,376	615	607	909	944	10	45
1960	13,778	534	90	579	470	4,549	4,328	659	585	945	980	13	46
1961	13,542	550	93	580	439	4,418	4,248	637	600	1,001	927	11	38
1962	13,598	502	105	616	506	4,427	4,324	620	606	932	898	18	44
1963	13,205	496	86	521	482	4,307	4,208	586	602	953	893	11	60
1964	12,539	474	83	533	457	3,961	3,962	599	610	936	869	14	41
1965	10,992	468	78	440	369	3,431	3,574	532	505	797	745	13	40
1966	10,004	404	74	431	346	3,093	3,326	411	443	679	748	10	39
1967	9,284	390	58	413	355	2,706	3,024	418	455	664	745	9	47
1968	8,727	333	72	329	288	2,363	3,091	406	446	638	696	12	53
1969	8,308	335	58	333	299	2,207	2,831	403	414	660	712	11	45
1970	8,192	305	51	319	276	2,153	2,845	409	411	687	670	14	52
1971	7,352	333	57	287	273	1,866	2,476	341	358	588	727	10	36
1972	6,672	282	44	224	269	1,615	2,405	351	325	550	567	10	30
1973	6,087	291	30	226	245	1,532	2,127	296	300	433	576	5	26
1974	5,835	228	49	217	239	1,440	2,039	274	304	422	577	11	35
1975	..	213	48	197	235	..	1,912	284	243	424	573	9	33
1976	..	188	37	184	195	..	1,883	298	234	460	553	10	22
1977	5,027	134	39	162	154	1,345	1,677	285	258	438	496	3	36

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977 - Continued

TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 1,000 total births <sup>2</sup> - Taux pour 1,000 naissances totales <sup>2</sup>													
1921	65.2	..	46.0	67.2	58.7	..	75.3	58.6	55.2	52.4	54.4	..	..
1922	64.0	..	53.8	63.5	54.8	..	73.1	59.3	54.2	57.5	52.5	..	..
1923	64.7	..	55.1	64.9	57.3	..	73.1	57.4	55.6	56.6	57.2	..	..
1924	62.8	..	54.6	67.2	54.2	..	70.2	59.5	54.3	56.2	47.5	..	..
1925	61.2	..	48.1	64.2	58.0	..	67.3	55.9	54.7	56.7	48.9	..	..
1926	62.6	..	42.5	56.9	54.1	63.4	71.3	54.7	53.4	57.6	54.3	..	..
1927	60.8	..	39.1	59.8	57.6	59.8	68.7	57.0	51.8	58.6	50.9	..	..
1928	61.6	..	41.1	56.9	55.5	63.0	68.4	57.0	51.5	57.8	52.9	..	..
1929	61.1	..	48.8	61.1	57.4	62.0	67.7	60.3	52.2	53.3	48.7	..	..
1930	59.9	..	42.5	57.9	60.8	61.9	64.8	57.7	52.0	53.2	44.5	..	..
1931	58.7	..	43.1	61.7	60.2	59.9	63.6	56.2	51.0	49.8	47.4	..	..
1932	55.9	..	56.0	64.8	57.0	55.2	60.8	49.4	51.7	50.7	43.9	..	..
1933	55.6	..	58.5	62.3	56.1	58.4	57.6	48.4	46.8	50.0	48.1	..	..
1934	52.7	..	55.7	54.9	53.7	55.5	56.0	46.1	46.2	44.0	41.0	..	..
1935	52.7	..	56.8	54.5	51.7	54.9	58.4	47.6	40.8	44.9	41.3	..	..
1936	51.9	..	61.1	47.2	51.5	56.2	55.6	48.0	41.6	44.4	37.7	..	..
1937	51.7	..	52.9	45.4	54.7	55.4	55.6	47.7	42.2	43.0	40.4	..	..
1938	50.3	..	47.7	49.7	52.2	55.4	52.5	44.9	39.2	41.2	38.8	..	..
1939	49.1	..	55.4	50.9	50.0	54.0	51.2	45.7	39.5	36.4	36.4	..	..
1940	48.0	..	46.1	49.6	52.1	52.7	49.6	41.0	37.8	40.9	36.7	..	..
1941	48.0	..	49.8	47.9	49.7	53.0	49.2	44.6	38.4	39.4	35.1	..	..
1942	45.6	..	44.2	44.8	46.6	52.7	45.1	41.2	35.7	34.6	33.9	..	..
1943	45.1	..	38.7	48.6	48.6	48.9	46.0	41.5	39.5	34.1	36.0	..	..
1944	43.7	..	34.4	44.2	43.1	48.1	44.7	37.7	38.2	37.1	34.1	..	..
1945	42.8	..	32.6	39.2	43.6	47.2	43.8	38.2	34.6	35.4	37.5	..	..
1946	41.1	..	33.3	39.0	43.1	45.4	41.4	38.2	35.5	36.2	31.7	..	..
1947	39.9	..	35.4	38.2	41.0	45.8	39.2	35.7	34.6	34.7	31.2	..	..
1948	38.3	..	29.7	34.0	43.1	43.3	37.6	33.3	30.4	34.9	30.4	..	..
1949	37.5	33.1	32.0	34.9	40.3	43.1	36.7	34.3	32.0	32.4	30.7	..	..
1950	37.9	34.3	29.3	35.7	38.1	45.8	35.7	35.4	32.2	31.1	28.3	31.3	52.2
1951	35.8	33.4	32.9	35.4	38.3	41.8	34.3	31.6	29.1	31.5	28.1	23.3	39.4
1952	35.2	32.6	27.3	36.0	34.3	41.8	33.7	32.4	29.5	28.8	28.0	32.8	36.8
1953	33.1	33.1	29.0	31.9	37.2	38.6	30.7	33.0	27.8	30.1	25.8	35.6	40.8
1954	31.9	32.9	37.7	29.1	35.8	38.2	30.0	27.7	26.6	26.9	25.4	30.2	34.2
1955	31.0	32.0	31.5	32.2	31.3	36.2	29.9	28.7	26.0	25.8	24.0	28.3	40.4
1956	31.7	35.1	39.5	30.2	37.0	38.1	28.9	30.0	26.3	25.7	25.4	28.9	41.5
1957	31.0	35.1	32.3	28.7	31.9	37.1	28.7	29.4	25.9	26.0	25.8	28.1	34.0
1958	30.2	34.8	31.6	29.2	32.1	35.0	28.6	29.0	26.3	25.0	24.5	20.9	40.8
1959	28.9	37.5	34.6	31.0	31.1	33.0	27.5	26.6	24.7	23.6	23.4	18.4	44.8
1960	28.4	34.6	32.5	29.8	28.3	32.4	26.8	28.0	24.1	24.0	24.2	23.9	41.6
1961	28.1	34.7	32.2	29.5	26.1	31.8	26.6	27.0	24.7	25.5	23.8	19.6	33.5
1962	28.6	32.8	36.7	31.3	30.3	32.4	27.4	26.7	25.7	23.8	23.3	32.7	38.2
1963	28.0	31.6	28.7	27.1	30.1	31.8	26.8	25.5	25.3	24.5	23.6	21.8	50.9
1964	27.4	31.7	29.9	28.7	29.4	29.9	25.6	27.2	26.6	25.6	24.0	26.9	31.8
1965	26.0	31.2	30.6	26.3	25.7	28.1	25.0	26.3	24.4	24.2	21.9	30.1	33.1
1966	25.5	28.3	33.1	27.9	26.8	27.8	24.9	22.6	23.1	22.0	22.8	27.0	33.2
1967	24.7	29.9	28.0	28.5	28.4	26.3	23.5	24.0	25.0	21.4	22.4	23.1	38.1
1968	23.7	25.6	33.6	23.6	24.5	24.2	24.2	23.0	24.3	21.0	20.5	31.8	40.2
1969	22.3	25.5	28.4	24.1	25.2	22.9	21.5	22.4	23.3	21.2	19.9	23.7	36.5
1970	21.8	24.1	25.8	22.3	23.6	22.3	20.9	22.2	24.7	21.3	18.0	30.8	38.2
1971	20.1	25.8	26.8	19.9	22.2	20.7	18.8	18.7	22.1	19.1	20.7	19.5	27.6
1972	19.0	21.7	21.7	16.4	22.5	19.2	19.1	20.0	20.8	18.6	16.3	21.9	24.0
1973	17.6	24.1	15.8	16.9	21.2	18.1	17.0	17.3	20.1	14.7	16.6	11.8	21.4
1974	16.7	22.0	24.9	16.6	20.6	16.7	16.2	15.7	19.9	14.0	16.1	21.8	33.0
1975	..	18.8	24.6	14.9	19.7	..	15.1	16.4	15.8	13.3	15.7	22.0	27.8
1976	..	16.3	18.9	14.2	16.4	..	15.2	17.7	14.5	13.8	15.3	22.1	18.5
1977	13.8	12.0	19.7	13.0	13.3	14.0	13.6	16.9	15.5	12.6	13.4	6.9	29.8

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977 - Continued

TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Deaths under 1 week - Décès d'enfants âgés de moins de 7 jours													
1921	5,040	..	40	386	363	..	2,386	502	631	469	263	..	..
1922	5,082	..	51	387	376	..	2,337	494	643	521	273	..	..
1923	4,858	..	55	346	347	..	2,296	440	622	467	285	..	..
1924	4,665	..	56	355	323	..	2,220	434	592	470	215	..	..
1925	4,509	..	33	356	369	..	2,124	387	584	417	239	..	..
1926	7,918	..	40	289	331	3,389	2,208	392	579	438	252	..	..
1927	7,350	..	26	306	332	2,979	2,079	362	575	444	247	..	..
1928	7,482	..	31	310	311	3,095	2,081	380	561	476	237	..	..
1929	7,289	..	32	307	321	2,907	2,090	358	601	448	225	..	..
1930	7,331	..	36	292	321	2,924	2,083	378	628	442	227	..	..
1931	6,934	..	35	332	329	2,759	1,916	368	541	428	226	..	..
1932	6,300	..	38	310	311	2,287	1,833	332	578	404	207	..	..
1933	5,919	..	46	293	285	2,265	1,632	297	497	381	223	..	..
1934	5,542	..	45	296	277	2,134	1,512	261	469	367	181	..	..
1935	5,566	..	51	310	285	1,939	1,667	319	410	380	205	..	..
1936	5,425	..	55	279	317	2,002	1,553	310	382	342	185	..	..
1937	5,427	..	51	245	321	2,008	1,548	286	405	344	219	..	..
1938	5,427	..	36	270	300	2,100	1,532	274	359	318	238	..	..
1939	5,206	..	63	257	290	2,019	1,416	308	356	277	220	..	..
1940	5,405	..	47	291	329	2,070	1,461	264	352	347	244	..	..
1941	5,697	..	46	284	311	2,193	1,576	293	372	371	251	..	..
1942	5,605	..	40	291	292	2,256	1,535	305	301	309	276	..	..
1943	6,293	..	35	371	352	2,308	1,770	351	394	341	371	..	..
1944	6,017	..	38	302	310	2,245	1,706	300	362	397	357	..	..
1945	5,969	..	35	295	342	2,178	1,693	306	332	404	384	..	..
1946	6,752	..	32	336	394	2,253	2,104	372	401	453	407	..	..
1947	7,181	..	50	350	399	2,400	2,176	405	458	453	490	..	..
1948	6,723	..	36	282	409	2,315	2,019	324	397	481	460	..	..
1949	6,744	191	44	279	376	2,284	1,984	333	378	417	458	..	..
1950	7,183	235	34	302	357	2,702	2,017	302	360	436	408	7	23
1951	6,862	209	33	298	334	2,398	2,033	301	338	462	435	6	15
1952	7,191	191	30	291	301	2,593	2,155	323	363	452	472	7	13
1953	7,063	217	26	257	317	2,473	2,094	368	350	484	455	4	18
1954	6,934	215	46	234	295	2,383	2,126	302	346	498	472	8	9
1955	7,029	238	45	289	265	2,368	2,186	343	351	466	449	9	20
1956	7,531	260	56	250	295	2,688	2,230	352	350	499	519	10	22
1957	7,908	256	42	239	299	2,803	2,387	365	346	555	587	9	20
1958	7,658	258	41	242	281	2,605	2,402	329	364	535	567	5	29
1959	7,504	260	42	337	268	2,453	2,360	316	360	533	540	4	31
1960	7,307	259	54	300	224	2,203	2,368	380	364	572	543	6	34
1961	7,523	269	47	280	217	2,489	2,378	336	334	629	515	7	22
1962	7,716	253	47	339	268	2,603	2,399	344	358	544	521	15	25
1963	7,473	231	34	281	246	2,507	2,335	317	359	586	528	6	43
1964	7,019	219	37	273	241	2,317	2,172	314	362	563	496	7	18
1965	6,145	214	43	237	181	1,993	1,943	274	301	507	422	9	21
1966	5,575	216	40	219	172	1,792	1,772	218	271	399	447	8	21
1967	5,036	207	34	210	186	1,474	1,605	213	266	378	434	4	25
1968	4,801	150	37	178	142	1,373	1,649	196	275	384	380	5	32
1969	4,614	173	28	159	134	1,302	1,535	229	246	390	381	9	28
1970	4,505	168	32	155	141	1,212	1,545	216	239	387	374	10	26
1971	3,956	175	34	148	135	1,059	1,255	177	199	334	417	4	19
1972	3,626	161	22	100	132	930	1,246	178	185	321	329	4	18
1973	3,221	140	15	107	113	874	1,093	145	156	227	333	2	16
1974	3,069	101	29	94	114	811	1,020	146	172	234	325	4	19
1975	..	97	23	99	105	..	1,006	156	143	251	289	7	18
1976	..	93	18	90	92	..	926	149	118	259	301	5	16
1977	2,590	57	25	82	84	735	827	166	132	200	259	2	21

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977 - Continued  
 TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
	Rate per 1,000 total births <sup>2</sup> - Taux pour 1,000 naissances totales <sup>2</sup>												
1921	28.7	..	18.0	28.5	30.8	..	30.7	26.3	27.3	27.6	23.9	..	..
1922	29.9	..	22.9	29.5	31.8	..	31.4	27.0	28.0	31.4	26.1	..	..
1923	29.9	..	27.0	28.5	31.6	..	31.4	25.9	28.9	30.2	27.7	..	..
1924	28.6	..	29.4	28.9	29.4	..	29.8	27.2	26.7	31.4	20.7	..	..
1925	28.2	..	19.1	30.2	32.9	..	29.1	25.2	27.6	27.1	22.5	..	..
1926	33.0	..	22.4	25.5	31.3	40.3	31.4	26.0	27.2	29.4	24.3	..	..
1927	30.4	..	15.0	26.6	30.8	35.0	29.5	24.8	26.7	28.9	23.8	..	..
1928	30.6	..	16.7	27.5	30.2	36.0	29.2	25.4	25.7	29.5	22.1	..	..
1929	30.0	..	18.6	27.8	30.5	34.7	29.4	24.2	27.3	25.7	21.1	..	..
1930	29.2	..	20.1	24.9	29.5	34.0	28.2	25.4	27.8	24.3	20.4	..	..
1931	27.9	..	18.2	27.6	29.5	32.1	26.7	24.8	24.7	24.2	21.2	..	..
1932	25.9	..	18.0	25.6	27.9	27.0	26.5	22.9	27.1	23.1	19.8	..	..
1933	25.8	..	22.8	25.3	27.6	28.6	24.8	21.7	24.1	23.0	22.7	..	..
1934	24.3	..	22.4	25.2	26.5	27.1	23.5	19.1	23.2	22.1	18.0	..	..
1935	24.4	..	24.6	25.9	26.8	25.0	25.6	23.3	20.5	23.0	20.0	..	..
1936	23.9	..	26.9	23.1	29.5	25.8	24.1	23.5	19.5	21.2	17.1	..	..
1937	24.0	..	23.7	20.6	29.6	25.8	24.3	21.6	21.3	21.2	19.0	..	..
1938	23.0	..	17.7	21.4	25.5	26.1	22.7	19.8	19.3	19.6	18.7	..	..
1939	22.1	..	28.8	21.1	25.1	24.6	21.4	22.1	19.3	16.5	17.4	..	..
1940	21.5	..	21.9	22.0	27.4	24.0	20.7	17.5	17.9	19.6	17.3	..	..
1941	21.7	..	21.8	19.9	24.7	23.9	21.2	19.3	19.8	21.0	16.4	..	..
1942	20.1	..	18.2	18.5	22.5	23.0	19.1	19.0	16.2	16.6	16.1	..	..
1943	21.7	..	15.8	23.5	26.3	22.8	21.3	20.9	20.9	17.4	19.4	..	..
1944	20.7	..	16.3	18.9	22.5	21.4	21.3	18.4	19.6	20.1	18.5	..	..
1945	20.2	..	15.2	18.6	24.5	20.3	20.9	18.5	17.2	19.9	20.0	..	..
1946	20.0	..	11.2	18.4	23.7	19.7	21.2	19.4	18.4	20.1	17.7	..	..
1947	19.6	..	16.4	17.8	22.0	20.2	19.6	19.5	19.3	18.1	18.4	..	..
1948	19.0	..	12.4	15.6	23.2	19.7	19.0	16.9	18.1	19.7	17.5	..	..
1949	18.1	15.3	15.3	15.4	22.1	19.1	18.3	17.0	17.2	16.5	16.5	..	..
1950	18.9	17.6	11.6	17.2	21.4	22.1	18.2	15.4	16.4	16.8	14.8	21.9	26.4
1951	17.7	17.5	12.2	17.1	20.4	19.4	17.4	14.8	15.3	16.9	15.3	17.4	22.7
1952	17.5	14.9	10.9	15.9	17.7	20.1	17.1	15.3	15.8	15.3	15.6	17.7	19.9
1953	16.6	16.7	9.3	13.8	18.9	18.8	15.9	17.0	14.6	15.2	14.2	10.2	26.2
1954	15.6	15.5	16.5	12.2	17.4	17.5	15.4	13.4	13.7	14.6	14.2	18.6	14.0
1955	15.6	15.9	15.9	15.0	15.7	17.4	15.4	15.1	14.0	13.4	13.0	17.0	27.0
1956	16.5	17.6	20.7	12.9	17.5	19.4	15.3	15.8	14.4	14.1	14.2	20.6	27.6
1957	16.6	16.4	15.4	12.2	17.3	19.4	15.6	16.1	14.3	15.4	15.0	18.0	22.0
1958	16.1	17.1	15.6	12.6	16.9	18.1	15.5	15.0	15.1	14.4	14.2	10.5	30.4
1959	15.4	17.2	15.1	17.5	16.0	17.0	14.8	13.7	14.7	13.9	13.4	7.4	30.9
1960	15.1	16.8	19.5	15.5	13.5	15.7	14.7	16.2	15.0	14.5	13.4	11.0	30.7
1961	15.6	16.9	16.3	14.2	12.9	17.9	14.9	14.2	13.8	16.0	13.2	12.5	19.4
1962	16.2	16.5	16.4	17.2	16.0	19.0	15.2	14.8	15.2	13.9	13.5	27.3	21.7
1963	15.8	14.7	11.3	14.6	15.4	18.5	14.9	13.8	15.1	15.1	14.0	11.9	36.5
1964	15.3	14.7	13.3	14.7	15.5	17.5	14.1	14.2	15.8	15.4	13.7	13.4	14.0
1965	14.5	14.3	16.8	14.2	12.6	16.3	13.6	13.5	14.5	15.4	12.4	20.8	17.4
1966	14.2	15.1	17.9	14.2	13.3	16.1	13.3	12.0	14.1	12.9	13.6	21.6	17.9
1967	13.4	15.9	16.4	14.5	14.9	14.4	12.4	12.3	14.6	12.2	13.1	10.3	20.3
1968	13.0	11.5	17.3	12.8	12.1	14.1	12.9	11.1	15.0	12.6	11.2	13.3	24.3
1969	12.4	13.1	13.7	11.5	11.3	13.5	11.7	12.7	13.9	12.5	10.7	19.4	22.7
1970	12.0	13.3	16.2	10.8	12.1	13.1	11.4	11.7	14.4	12.0	10.1	22.0	19.1
1971	10.8	13.5	16.0	10.3	11.0	11.8	9.5	9.7	12.3	10.8	11.9	7.8	14.6
1972	10.3	12.4	10.8	7.3	11.0	11.0	9.9	10.1	11.8	10.9	9.5	8.8	14.4
1973	9.3	11.6	7.9	8.0	9.8	10.3	8.8	8.5	10.4	7.7	9.6	4.7	13.2
1974	8.8	9.7	14.7	7.2	9.8	9.4	8.1	8.3	11.3	7.8	9.1	7.9	17.9
1975	..	8.6	11.8	7.5	8.8	..	7.9	9.0	9.3	7.9	7.9	17.1	15.2
1976	..	8.1	9.2	7.0	7.7	..	7.5	8.8	7.3	7.8	8.3	11.0	13.5
1977	7.1	5.1	12.6	6.6	7.2	7.6	6.7	9.9	7.9	5.8	7.0	4.6	17.4

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977 - Continued

TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Stillbirths (28+ weeks gestation) - Mort-nés (au delà de 28 semaines de gestation)													
1921	8,968	..	62	524	329	2,581	3,454	616	647	420	335	..	..
1922	8,536	138	69	447	273	2,594	3,115	590	601	434	275	..	..
1923	8,425	118	57	441	282	2,654	3,050	536	574	408	305	..	..
1924	8,401	119	48	469	273	2,700	3,014	517	610	372	279	..	..
1925	8,176	116	50	402	283	2,764	2,782	470	574	455	280	..	..
1926	7,245	140	36	356	242	1,940	2,812	434	556	418	311	..	..
1927	7,464	127	42	383	288	2,114	2,758	472	542	456	281	-	1
1928	7,673	90	45	331	261	2,323	2,793	473	563	458	330	-	6
1929	7,720	148	52	369	283	2,276	2,730	533	548	480	295	-	6
1930	7,847	137	40	387	340	2,405	2,713	481	547	525	269	-	3
1931	7,778	156	48	410	342	2,390	2,652	466	577	453	281	1	2
1932	7,396	109	80	474	324	2,385	2,377	385	525	481	253	-	3
1933	6,988	137	72	429	295	2,363	2,161	364	467	447	250	-	3
1934	6,613	159	67	350	284	2,232	2,091	369	465	363	231	-	2
1935	6,594	144	67	342	266	2,317	2,140	331	405	363	218	-	1
1936	6,531	178	70	292	237	2,365	2,034	323	431	376	222	-	3
1937	6,433	156	63	294	273	2,312	1,988	345	398	355	247	1	1
1938	6,595	161	61	356	314	2,356	2,015	347	370	351	256	5	3
1939	6,515	143	58	364	289	2,415	1,965	328	372	335	239	1	6
1940	6,810	172	52	365	296	2,482	2,037	356	394	378	274	2	2
1941	7,091	202	59	401	315	2,677	2,084	385	350	324	287	1	6
1942	7,319	174	57	413	312	2,904	2,088	356	361	337	304	1	12
1943	6,988	178	51	396	299	2,655	2,060	344	351	328	317	2	7
1944	6,895	185	42	405	283	2,814	1,866	315	344	335	301	1	4
1945	6,884	214	40	327	267	2,880	1,844	327	334	312	337	1	1
1946	7,368	241	63	378	321	2,927	2,016	360	372	363	321	-	6
1947	7,646	175	58	401	344	3,029	2,176	336	362	415	340	2	8
1948	7,071	211	50	335	350	2,769	1,972	315	347	372	339	3	8
1949	7,285	223	48	352	308	2,881	2,002	340	325	403	393	3	7
1950	7,192	224	52	325	279	2,886	1,932	394	346	372	369	3	10
1951	7,023	189	56	319	293	2,768	1,975	340	303	402	365	2	11
1952	7,277	226	45	369	281	2,805	2,085	361	314	399	375	6	11
1953	6,991	213	55	337	307	2,592	1,952	345	319	476	375	10	10
1954	7,231	242	59	326	313	2,805	2,027	323	327	418	373	5	13
1955	6,918	242	44	332	263	2,556	2,044	309	300	431	381	6	10
1956	6,976	260	51	337	331	2,584	1,969	316	291	409	413	4	11
1957	6,837	259	46	325	252	2,551	1,999	302	280	385	422	5	11
1958	6,726	267	42	319	254	2,424	2,017	309	270	395	414	5	10
1959	6,560	307	54	261	252	2,324	2,016	299	247	376	404	6	14
1960	6,471	275	36	279	246	2,346	1,960	279	221	373	437	7	12
1961	6,019	281	46	300	222	1,929	1,870	301	266	372	412	4	16
1962	5,882	249	58	277	238	1,824	1,925	276	248	388	377	3	19
1963	5,732	265	52	240	236	1,800	1,873	269	243	367	365	5	17
1964	5,520	255	46	260	216	1,644	1,790	285	248	373	373	7	23
1965	4,847	254	35	203	188	1,438	1,631	258	204	290	323	4	19
1966	4,429	188	34	212	174	1,301	1,554	193	172	280	301	2	18
1967	4,248	183	24	203	169	1,232	1,419	205	189	286	311	5	22
1968	3,926	183	35	151	146	990	1,442	210	171	254	316	7	21
1969	3,694	162	30	174	165	905	1,296	174	168	270	331	2	17
1970	3,687	137	19	164	135	941	1,300	193	172	300	296	4	26
1971	3,396	158	23	139	138	807	1,221	164	159	254	310	6	17
1972	3,046	121	22	124	137	685	1,159	173	140	229	238	6	12
1973	2,866	151	15	119	132	658	1,034	151	144	206	243	3	10
1974	2,766	127	20	123	125	629	1,019	128	132	188	252	7	16
1975	2,627	116	25	98	130	650	906	128	100	173	284	2	15
1976	2,437	95	19	94	103	511	957	149	116	201	252	5	6
1977	2,437	77	14	80	70	610	850	119	126	238	237	1	15

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 30. Perinatal Deaths<sup>1</sup> and Rates, Canada and Provinces, 1921 - 1977 - Concluded

TABLEAU 30. Mortalité périnatale<sup>1</sup> et taux, Canada et provinces, 1921 - 1977 - fin

Year - Année	Canada	Nfld. - T.-N.	P.E.I. - Î.-P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C.-B.	Yukon	N.W.T. - T. N. - O.
Rate per 1,000 total births <sup>2</sup> - Taux pour 1,000 naissances totales <sup>2</sup>													
1921	33.2	-	28.0	38.7	27.9	28.3	44.5	32.3	28.0	24.7	30.5	..	..
1922	31.8	18.7	31.0	34.0	23.1	28.5	41.8	32.3	26.2	26.1	26.3	..	..
1923	32.9	16.7	28.0	36.4	25.7	30.8	41.7	31.5	26.7	26.4	29.6	..	..
1924	32.4	17.5	25.2	38.2	24.8	30.1	40.4	32.4	27.5	24.9	26.8	..	..
1925	31.8	16.5	29.0	34.1	25.2	30.6	38.2	30.6	27.1	29.6	26.4	..	..
1926	29.3	19.2	20.1	31.4	22.9	23.1	39.9	28.8	26.1	28.1	30.0	..	..
1927	30.0	18.3	24.2	33.3	26.7	24.8	39.2	32.3	25.1	29.7	27.1	-	7.9
1928	30.5	13.4	24.3	29.4	25.3	27.0	39.2	31.6	25.8	28.4	30.8	-	26.3
1929	30.9	21.8	30.2	33.4	26.9	27.2	38.3	36.1	24.9	27.6	27.6	-	43.2
1930	30.4	20.4	22.4	33.0	31.3	28.0	36.7	32.3	24.2	28.9	24.2	-	12.8
1931	30.5	23.3	24.9	34.1	30.7	27.8	36.9	31.4	26.3	25.6	26.3	24.4	14.0
1932	29.6	15.8	38.0	39.2	29.1	28.2	34.3	26.5	24.6	27.5	24.2	-	15.2
1933	29.5	20.1	35.7	37.0	28.6	29.8	32.8	26.6	22.7	27.0	25.4	-	16.5
1934	28.2	23.0	33.3	29.8	27.2	28.4	32.5	27.0	23.0	21.9	23.0	-	9.8
1935	28.1	21.2	32.3	28.6	25.0	29.9	32.8	24.2	20.3	21.9	21.3	-	4.3
1936	27.8	23.7	34.2	24.1	22.0	30.5	31.5	24.5	22.0	23.3	20.6	-	12.9
1937	27.5	20.8	29.2	24.8	25.2	29.7	31.2	26.1	20.9	21.8	21.4	11.9	4.7
1938	27.1	21.5	30.0	28.3	26.7	29.3	29.8	25.1	19.9	21.6	20.1	61.7	13.1
1939	26.6	17.1	26.5	29.9	25.0	29.4	29.7	23.6	20.2	19.9	19.0	15.6	25.0
1940	26.3	21.2	24.2	27.6	24.7	28.7	28.9	23.5	20.0	21.3	19.4	23.3	8.3
1941	26.2	23.8	28.0	28.0	25.0	29.1	28.0	25.3	18.6	18.4	18.7	13.7	18.6
1942	25.3	19.4	26.0	26.3	24.0	29.7	26.0	22.2	19.5	18.1	17.8	10.3	31.5
1943	23.3	19.7	23.0	25.1	22.3	26.2	24.7	20.5	18.6	16.7	16.6	19.8	17.1
1944	22.9	19.5	18.0	25.3	20.6	26.8	23.3	19.3	18.6	17.0	15.6	7.3	12.5
1945	22.4	18.7	17.4	20.6	19.1	26.9	22.8	19.7	17.3	15.4	17.5	8.1	2.0
1946	21.0	19.6	22.1	20.7	19.3	25.6	20.3	18.8	17.1	16.1	14.0	-	10.0
1947	20.1	13.6	19.0	20.4	19.0	25.5	19.6	16.2	15.3	16.6	12.8	8.8	12.6
1948	19.3	17.8	17.3	18.5	19.9	23.6	18.6	16.4	15.8	15.2	12.9	10.8	12.3
1949	19.5	17.8	16.7	19.5	18.1	24.1	18.4	17.3	14.8	15.9	14.2	9.6	10.8
1950	19.0	16.7	17.7	18.5	16.7	23.7	17.5	20.0	15.8	14.3	13.4	9.4	15.8
1951	18.1	15.8	20.7	18.3	17.9	22.4	16.9	16.8	13.8	14.7	12.8	5.8	16.7
1952	17.7	17.7	16.4	20.1	16.6	21.7	16.6	17.1	13.7	13.5	12.4	15.2	16.8
1953	16.5	16.4	19.7	18.1	18.3	19.7	14.8	16.0	13.3	14.9	11.7	25.4	14.6
1954	16.3	17.4	21.2	16.9	18.5	20.6	14.7	14.3	12.9	12.3	11.2	11.6	20.2
1955	15.4	16.1	15.6	17.2	15.6	18.8	14.4	13.6	12.0	12.4	11.0	11.3	13.5
1956	15.2	17.6	18.8	17.3	19.6	18.7	13.5	14.2	12.0	11.6	11.3	8.2	13.8
1957	14.4	16.6	16.9	16.5	14.6	17.7	13.1	13.3	11.6	10.7	10.8	10.0	12.1
1958	14.1	17.7	16.0	16.6	15.2	16.9	13.0	14.0	11.2	10.6	10.4	10.5	10.5
1959	13.5	20.3	19.5	13.5	15.1	16.1	12.7	12.9	10.1	9.8	10.0	11.0	13.9
1960	13.3	17.8	13.0	14.4	14.8	16.7	12.2	11.9	9.1	9.5	10.8	12.8	10.8
1961	12.5	17.7	16.0	15.2	13.2	13.9	11.7	12.8	11.0	9.5	10.6	7.1	14.1
1962	12.4	16.3	20.3	14.1	14.2	13.3	12.2	11.9	10.5	9.9	9.8	5.5	16.5
1963	12.2	16.9	17.3	12.5	14.7	13.3	11.9	11.7	10.2	9.5	9.6	9.9	14.4
1964	12.0	17.1	16.6	14.0	13.9	12.4	11.6	12.9	10.8	10.2	10.3	13.4	17.8
1965	11.4	16.9	13.7	12.1	13.1	11.8	11.4	12.8	9.9	8.8	9.5	9.3	15.7
1966	11.3	13.2	15.2	13.7	13.5	11.7	11.6	10.6	9.0	9.1	9.2	5.4	15.3
1967	11.3	14.0	11.6	14.0	13.5	12.0	11.0	11.8	10.4	9.2	9.4	12.8	17.9
1968	10.7	14.1	16.4	10.8	12.4	10.1	11.3	11.9	9.3	8.4	9.3	18.6	15.9
1969	9.9	12.3	14.7	12.6	13.9	9.4	9.8	9.7	9.5	8.7	9.3	4.3	13.8
1970	9.8	10.8	9.6	11.5	11.6	10.2	9.6	10.5	10.4	9.3	8.0	8.8	19.1
1971	9.3	12.2	10.8	9.7	11.2	9.0	9.3	9.0	9.8	8.2	8.8	11.7	13.0
1972	8.7	9.3	10.8	9.1	11.4	8.1	9.2	9.8	8.9	7.7	6.8	13.1	9.6
1973	8.3	12.5	7.9	8.9	11.4	7.8	8.3	8.8	9.6	7.0	7.0	7.1	8.2
1974	8.0	12.4	10.3	9.5	10.9	7.3	8.2	7.4	8.7	6.3	7.1	14.1	15.4
1975	7.3	10.2	12.8	7.4	10.9	6.9	7.2	7.4	6.5	5.4	7.8	4.9	12.6
1976	..	8.2	9.7	7.3	8.6	..	7.7	8.8	7.2	6.0	7.0	11.0	5.0
1977	6.7	6.9	7.1	6.4	6.0	6.3	6.9	7.1	7.6	6.9	6.4	2.3	12.4

<sup>1</sup> Includes foetal deaths (stillbirths) of 28 or more weeks' gestation and infant deaths under 1 week (7 days) of age. - Comprend les décès intra-utérins (mortinaissances) après 28 semaines ou plus de gestation, plus décès de moins (7 jours) d'une semaine.

<sup>2</sup> Foetal deaths (stillbirths) of 28 or more weeks' gestation, plus live births. - Décès intra-utérins (mortinaissances) après 28 semaines ou plus de gestation, plus naissances vivantes.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1977

Int'l. ("P") List No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
	Total perinatal deaths <sup>1</sup> - Total des décès périnataux <sup>1</sup>													
	Chronic circulatory and genitourinary disease in mother (P1 - P4).	6	-	-	-	-	3	2	1	-	-	-	-	-
P 1	Chronic rheumatic heart disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 2	Chronic hypertension . . . . .	4	-	-	-	-	3	1	-	-	-	-	-	-
P 3	Other chronic disease of circulatory system . . . . .	2	-	-	-	-	-	1	1	-	-	-	-	-
P 4	Chronic disease of genitourinary system . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other maternal conditions unrelated to pregnancy (P5 - P11).	92	1	-	3	1	14	28	6	11	11	17	-	-
P 5	Syphilis . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 6	Diabetes mellitus . . . . .	47	-	-	3	1	9	14	6	5	5	4	-	-
P 7	Rubella . . . . .	4	-	-	-	-	-	2	-	1	1	-	-	-
P 8	Injury to mother . . . . .	22	1	-	-	-	3	10	-	-	5	3	-	-
P 9	Operation of mother . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P10	Chemical substances transmitted through placenta . . . . .	1	-	-	-	-	-	-	-	1	-	-	-	-
P11	Other maternal conditions . . . . .	17	-	-	-	-	1	2	-	4	-	10	-	-
	Toxaemias of pregnancy (P12 - P17) . . . . .	121	2	-	3	2	36	39	4	4	6	24	-	1
P12	Renal disease arising during pregnancy . . . . .	6	-	-	-	-	1	3	-	1	-	1	-	-
P13	Pre-eclampsia of pregnancy . . . . .	68	-	-	1	-	20	18	3	-	4	21	-	1
P14	Eclampsia of pregnancy . . . . .	5	1	-	1	-	1	1	-	1	1	-	-	-
P15	Toxaemia unspecified . . . . .	41	1	-	1	2	15	16	1	2	1	2	-	-
P16	Hyperemesis gravidarum . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P17	Other toxaemia of pregnancy . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
	Maternal ante- and intrapartum infection (P18 - P20)	34	-	-	-	1	10	16	1	-	1	5	-	-
P18	Pyelitis and pyelonephritis of pregnancy . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P19	Other infections of genitourinary tract during pregnancy . . . . .	5	-	-	-	-	-	1	-	-	-	4	-	-
P20	Other . . . . .	28	-	-	-	1	10	14	1	-	1	1	-	-
	Difficult labour with abnormality of bones, organs or tissues of pelvis (P21 - P23).	9	-	-	-	-	2	4	-	-	-	3	-	-
P21	With birth injury to brain or spinal cord . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P22	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P23	Without mention of birth injury . . . . .	9	-	-	-	-	2	4	-	-	-	3	-	-
	Difficult labour with disproportion (P24 - P26) . . . . .	7	-	-	-	-	1	5	-	-	-	1	-	-
P24	With birth injury to brain or spinal cord . . . . .	2	-	-	-	-	1	1	-	-	-	-	-	-
P25	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P26	Without mention of birth injury . . . . .	5	-	-	-	-	-	4	-	-	-	1	-	-
	Difficult labour with malposition of foetus (P27 - P29).	52	-	1	1	-	11	20	1	3	2	12	-	1
P27	With birth injury to brain or spinal cord . . . . .	5	-	-	-	-	-	4	-	-	-	1	-	-
P28	With other or unspecified birth injury . . . . .	5	-	-	-	-	3	-	-	-	-	2	-	-
P29	Without mention of birth injury . . . . .	42	-	1	1	-	8	16	1	3	2	9	-	1
	Difficult labour with abnormality of forces of labour (P30 - P32).	5	-	-	-	-	1	2	2	-	-	-	-	-
P30	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-
P31	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P32	Without mention of birth injury . . . . .	4	-	-	-	-	1	2	1	-	-	-	-	-
	Difficult labour with other and unspecified complications (P33 - P35).	24	-	-	-	-	6	5	2	2	3	6	-	-
P33	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	-	-	-	1	-	-	-	-
P34	With other or unspecified birth injury . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-
P35	Without mention of birth injury . . . . .	22	-	-	-	-	6	5	2	1	3	5	-	-
	Other complications of pregnancy and child-birth (P36 - P41).	297	7	3	2	4	64	144	4	4	15	45	-	5
P36	Incompetent cervix . . . . .	29	-	-	-	-	9	12	-	-	1	7	-	-
P37	Premature rupture of membranes . . . . .	63	3	1	2	3	11	19	1	2	4	15	-	2
P38	Hydramnios . . . . .	24	1	-	-	-	6	10	1	1	4	1	-	-
P39	Ectopic pregnancy . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-
P40	Multiple pregnancy . . . . .	148	2	2	-	-	31	92	-	1	2	15	-	3
P41	Other complications of pregnancy or child-birth . . . . .	32	1	-	-	1	7	11	1	-	4	7	-	-
	Conditions of placenta (P42 - P46) . . . . .	766	24	4	22	24	142	285	52	48	81	79	-	5
P42	Placenta praevia . . . . .	33	-	1	2	1	6	6	1	3	1	11	-	1
P43	Premature separation of placenta . . . . .	390	14	3	11	16	86	128	26	17	43	43	-	3
P44	Placental infarction . . . . .	48	-	-	1	1	6	14	10	5	7	4	-	-
P45	Other conditions of placenta . . . . .	40	-	-	2	1	8	13	2	1	3	10	-	-
P46	Placental insufficiency, unspecified . . . . .	255	10	-	6	5	36	124	13	22	27	11	-	1
	Conditions of umbilical cord (P47 - P49) . . . . .	360	8	5	6	11	99	123	9	26	38	34	1	-
P47	Compression of cord . . . . .	43	-	1	-	4	9	14	-	4	3	8	-	-
P48	Prolapse of cord without mention of compression . . . . .	37	2	-	1	2	7	11	3	5	5	1	-	-
P49	Other . . . . .	280	6	4	5	5	83	98	6	17	30	25	1	-

See footnote(s) at end of table.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977

Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.	Causes des décès périnataux (8 <sup>e</sup> révision)	No liste int. ( <sup>1</sup> P <sup>2</sup> )
Rate per 100,000 total births <sup>2</sup> - Taux pour 100,000 naissances totales <sup>2</sup>														
1.6	-	-	-	-	3.0	1.6	5.9	-	-	-	-	-	Maladies chroniques de l'appareil circulatoire et de l'appareil génito-urinaire de la mère (P1 - P4).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Cardiopathie rhumatismale chronique . . . . .	P 1
1.0	-	-	-	-	3.0	0.8	-	-	-	-	-	-	Hypertension chronique . . . . .	P 2
0.5	-	-	-	-	-	0.8	5.9	-	-	-	-	-	Autres maladies chroniques de l'appareil circulatoire.	P 3
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladie chronique de l'appareil génito-urinaire . . . . .	P 4
25.3	9.5	-	24.1	8.6	14.3	22.7	35.6	66.0	31.8	46.0	-	-	Autres affections non gravidiques de la mère (P5 - P11).	
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Syphilis . . . . .	P 5
12.8	-	-	24.1	8.6	9.2	11.3	35.6	29.9	14.4	10.8	-	-	Diabète sucré . . . . .	P 6
1.0	-	-	-	-	1.6	-	-	5.9	2.8	-	-	-	Rubéole . . . . .	P 7
6.0	9.5	-	-	-	3.0	8.0	-	-	14.4	8.1	-	-	Traumatisme maternel . . . . .	P 8
0.2	-	-	-	-	-	-	-	-	-	-	-	-	Intervention chirurgicale sur la mère . . . . .	P 9
4.6	-	-	-	-	1.0	1.6	-	23.9	-	27.0	-	-	Substances chimiques transmises à l'enfant à travers le placenta.	P10
33.3	19.1	-	24.1	17.3	36.8	31.6	23.8	24.0	17.3	65.0	-	82.8	Autres causes d'origine maternelle . . . . .	P11
1.6	-	-	-	-	1.0	2.4	-	5.9	-	2.7	-	-	Toxémies gravidiques (P12 - P17)	
18.6	-	-	8.0	-	20.4	14.5	17.8	-	11.5	56.8	-	82.8	Maladie rénale survenant au cours de la grossesse . . . . .	P12
1.3	9.5	-	8.0	-	0.8	0.8	-	5.9	2.8	-	-	-	Prééclampsie . . . . .	P13
11.2	9.5	-	8.0	17.3	15.3	12.9	5.9	11.9	2.8	5.4	-	-	Eclampsie . . . . .	P14
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Toxémie sans précision . . . . .	P15
9.3	-	-	-	8.6	10.2	12.9	5.9	-	2.9	13.5	-	-	Vomissements gravidiques . . . . .	P16
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres toxémies gravidiques . . . . .	P17
1.3	-	-	-	-	0.8	-	-	-	-	-	-	-	Infection maternelle, ante- et intra-partum (P18 - P20).	
7.6	-	-	-	8.6	10.2	11.3	5.9	-	2.9	2.7	-	-	Pyélite ou pyélonéphrite gravidique . . . . .	P18
2.5	-	-	-	-	2.0	3.2	-	-	-	8.1	-	-	Autres infections de l'appareil génito-urinaire survenant au cours de la grossesse.	P19
-	-	-	-	-	-	-	-	-	-	-	-	-	Autres . . . . .	P20
2.4	-	-	-	-	2.0	3.2	-	-	-	8.1	-	-	Accouchement dystocique par anomalie du squelette, des organes pelviens ou des parties molles (P21 - P23).	
1.9	-	-	-	-	1.0	4.0	-	-	-	2.7	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P21
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . . . .	P22
1.3	-	-	-	-	-	3.2	-	-	-	2.7	-	-	Sans mention de lésion obstétricale . . . . .	P23
14.3	-	50.4	8.0	-	11.2	16.2	5.9	18.0	5.8	32.5	-	82.8	Accouchement dystocique par disproportion foeto-maternelle (P24 - P26).	
1.3	-	-	-	-	-	3.2	-	-	-	2.7	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P24
1.3	-	-	-	-	3.0	-	-	-	-	5.4	-	-	Avec lésion obstétricale autre et sans précision . . . . .	P25
11.5	-	50.4	8.0	-	8.1	12.9	5.9	18.0	5.8	24.3	-	82.8	Sans mention de lésion obstétricale . . . . .	P26
1.4	-	-	-	-	1.0	1.6	11.9	-	-	-	-	-	Accouchement dystocique par attitude vicieuse du fœtus (P27 - P29).	
0.2	-	-	-	-	-	-	5.9	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P27
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . . . .	P28
1.0	-	-	-	-	1.0	1.6	5.9	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P29
6.6	-	-	-	-	6.1	4.0	11.9	12.0	8.7	16.2	-	-	Accouchement dystocique avec complications autres ou sans précision (P33 - P35).	
0.2	-	-	-	-	-	-	-	5.9	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P33
0.2	-	-	-	-	-	-	-	-	-	2.7	-	-	Avec lésion obstétricale autre et sans précision . . . . .	P34
6.0	-	-	-	-	6.1	4.0	11.9	5.9	8.7	13.5	-	-	Sans mention de lésion obstétricale . . . . .	P35
81.6	66.8	151.3	16.1	34.5	65.4	116.5	23.8	24.0	43.3	121.9	-	414.2	Autres complications de la grossesse et de l'accouchement (P36 - P41).	
7.9	-	-	-	-	9.2	9.7	-	-	2.8	18.9	-	-	Béance du col . . . . .	P36
17.2	28.6	50.4	16.1	25.8	11.2	15.3	5.9	11.9	11.5	40.6	-	165.7	Rupture prématurée des membranes . . . . .	P37
6.5	9.5	-	-	-	6.1	8.0	-	5.9	11.5	2.7	-	-	Hydramnios . . . . .	P38
0.2	-	-	-	-	-	-	-	-	-	-	-	-	Grossesse ectopique . . . . .	P39
40.5	19.0	100.8	-	-	31.6	74.4	-	5.9	5.7	40.6	-	248.5	Grossesse multiple . . . . .	P40
8.7	9.5	-	-	8.6	7.1	8.8	5.9	-	11.5	18.9	-	-	Autres complications de la grossesse et de l'accouchement.	P41
210.5	228.9	201.7	176.6	207.2	145.2	230.6	308.9	287.9	233.8	213.9	-	414.2	Anomalies du placenta (P42 - P46)	
9.0	-	50.4	16.0	8.6	6.1	4.8	5.9	17.9	2.8	29.7	-	82.8	Placenta praevia . . . . .	P42
106.9	133.5	151.2	88.3	138.1	87.9	103.5	154.4	101.9	124.1	116.4	-	248.5	Décollement prématuré du placenta . . . . .	P43
13.1	-	-	8.0	8.6	6.1	11.3	59.4	29.9	20.2	10.8	-	-	Infarctus placentaire . . . . .	P44
10.9	-	-	16.0	8.6	8.1	10.5	11.8	5.9	8.6	27.0	-	-	Autres anomalies du placenta . . . . .	P45
69.9	95.3	-	48.1	43.1	36.8	100.3	77.2	131.9	77.9	29.7	-	82.8	Anomalies du placenta, sans précision . . . . .	P46
98.9	76.2	252.1	48.2	94.9	101.2	99.5	53.5	155.9	109.7	92.1	230.4	-	Anomalies du cordon (P47 - P49)	
11.7	-	50.4	-	34.5	9.2	11.3	-	23.9	8.6	21.6	-	-	Compression du cordon . . . . .	P47
10.1	19.0	-	8.0	17.2	7.1	8.8	17.8	29.9	14.4	2.7	-	-	Procidence du cordon sans mention de compression.	P48
76.7	57.2	201.7	40.1	43.1	84.8	79.2	35.6	101.9	86.5	67.6	230.4	-	Autres . . . . .	P49

Voir note(s) à la fin du tableau.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1977 - Continued

Int'l. ("P") list No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Total perinatal deaths <sup>1</sup> - Concluded - Total des décès périnataux <sup>1</sup> - fin														
	Birth injury without mention of cause (P50 - P52)	191	8	1	6	7	37	45	18	10	43	13	-	3
P 50	To brain or spinal cord . . . . .	173	8	1	6	7	30	41	18	10	38	11	-	3
P 51	Other or unspecified birth injury . . . . .	13	-	-	-	-	3	4	-	-	5	1	-	-
P 52	Termination of pregnancy without mention of cause.	5	-	-	-	-	4	-	-	-	-	1	-	-
	Haemolytic disease of newborn (P53 - P56) . . . . .	59	-	-	1	2	15	22	1	2	4	12	-	-
P 53	With RH incompatibility . . . . .	20	-	-	-	-	3	9	1	-	1	6	-	-
P 54	With ABO incompatibility . . . . .	2	-	-	-	1	-	1	-	-	-	-	-	-
P 55	With other or unspecified blood incompatibility	-	-	-	-	-	-	-	-	-	-	-	-	-
P 56	Without mention of cause . . . . .	37	-	-	1	1	12	12	-	2	3	6	-	-
	Anoxic and hypoxic conditions not elsewhere classified (P57 - P60).	994	24	8	35	34	317	292	78	49	66	82	2	7
P 57	Hyaline membrane disease and respiratory distress syndrome.	520	8	6	14	19	181	153	46	22	29	37	2	3
P 58	Intra-uterine anoxia . . . . .	96	8	-	6	2	18	28	9	3	12	9	-	1
P 59	Asphyxia of newborn, unspecified . . . . .	278	7	-	11	10	85	79	14	20	19	30	-	3
P 60	Other anoxic and hypoxic conditions not elsewhere classified.	100	1	2	4	3	33	32	9	4	6	6	-	-
	Other conditions of foetus and newborn (P61 - P68)	892	24	5	40	28	249	284	57	53	86	61	-	5
P 61	Immaturity, unqualified . . . . .	368	3	2	12	10	107	114	26	33	36	23	-	2
P 62	Foetal blood loss before birth . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P 63	Post-maturity . . . . .	18	-	-	-	2	5	4	-	2	2	3	-	-
P 64	Haemorrhagic disease of newborn . . . . .	25	-	1	1	1	9	5	3	1	1	3	-	-
P 65	Cold injury syndrome . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 66	Other conditions of foetus . . . . .	164	6	1	2	2	123	22	1	-	3	4	-	-
P 67	Maceration . . . . .	20	-	-	-	-	11	4	-	1	2	-	-	-
P 68	Other foetal death of unknown cause . . . . .	296	15	1	24	13	5	127	23	16	43	26	-	3
	Congenital anomalies (P69 - P80) . . . . .	940	35	10	39	36	274	301	38	37	72	92	-	6
P 69	Anencephalus . . . . .	239	12	-	13	9	78	76	9	8	15	18	-	1
P 70	Spina bifida . . . . .	60	3	1	1	3	22	19	2	3	2	4	-	-
P 71	Congenital hydrocephalus . . . . .	74	1	-	2	2	20	32	-	-	8	9	-	-
P 72	Other congenital anomalies of central nervous system and eye.	29	-	-	2	1	6	12	-	1	5	1	-	1
P 73	Congenital anomalies of circulatory system . . . . .	188	6	3	8	9	57	63	10	7	10	15	-	-
P 74	Congenital anomalies of respiratory system . . . . .	59	2	-	4	2	9	25	3	2	2	8	-	2
P 75	Congenital anomalies of digestive system . . . . .	24	-	-	1	2	9	6	1	-	1	3	-	1
P 76	Congenital anomalies of genitourinary system . . . . .	73	3	2	2	5	29	15	3	1	7	6	-	-
P 77	Congenital anomalies of musculoskeletal system . . . . .	39	2	-	1	1	5	15	-	2	2	11	-	-
P 78	Down's disease . . . . .	11	-	1	1	-	4	-	2	1	1	1	-	-
P 79	Other congenital syndromes affecting multiple systems.	115	2	2	3	2	24	28	8	12	18	15	-	1
P 80	Other and unspecified congenital anomalies . . . . .	29	4	1	1	-	11	10	-	-	1	1	-	-
	Infections of foetus and newborn (P81 - P88) . . . . .	45	-	-	-	1	17	12	1	3	4	6	-	1
P 81	Diarrhoeal disease . . . . .	18	-	-	-	-	10	-	1	2	1	4	-	-
P 82	Listeriosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 83	Tetanus . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 84	Septicaemia . . . . .	23	-	-	-	1	6	11	-	-	3	1	-	1
P 85	Viral diseases . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 86	Congenital syphilis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 87	Toxoplasmosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 88	Other infective and parasitic diseases . . . . .	3	-	-	-	-	-	1	-	1	-	1	-	-
	Other diseases of foetus and newborn (P89 - P94) . . . . .	128	1	2	4	2	46	46	10	5	6	4	-	2
P 89	Diseases of thyroid gland . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 90	Cystic fibrosis (mucoviscidosis) . . . . .	2	-	-	-	-	1	-	-	-	-	-	-	-
P 91	Diseases of blood and blood forming organs . . . . .	2	-	-	-	-	2	-	-	-	-	-	-	-
P 92	Pneumonia . . . . .	31	1	-	-	2	11	7	5	4	1	-	-	-
P 93	Other specified conditions . . . . .	81	-	1	3	-	31	33	3	1	5	4	-	-
P 94	Symptoms and ill defined conditions . . . . .	12	-	1	1	-	1	5	2	-	-	-	-	2
	External causes of injury to newborn (P95 - P100) . . . . .	5	-	-	-	1	1	2	-	1	-	-	-	-
P 95	Excessive heat . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 96	Excessive cold . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 97	Hunger, thirst, exposure and neglect . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P 98	Inhalation and ingestion of food causing obstruction or suffocation.	2	-	-	-	-	1	-	-	1	-	-	-	-
P 99	Accidental mechanical suffocation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P100	Other external causes . . . . .	2	-	-	-	1	-	1	-	-	-	-	-	-
	Not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	All causes . . . . .	5,027	134	39	162	154	1,345	1,677	285	258	438	496	3	36

See footnote(s) at end of table.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977- suite

Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.	Causes des décès périnatals (8 <sup>e</sup> révision)	No Histo Int. ( <sup>**</sup> P)
Rate per 100,000 total births <sup>2</sup> - Taux pour 100,000 naissances totales <sup>2</sup>														
52.5	76.2	50.4	48.2	60.4	37.8	36.4	106.9	60.0	124.1	35.2	-	248.5	Lésions d'origine obstétricale sans mention de cause (P50 - P52).	
47.4	76.2	50.4	48.2	60.4	30.6	33.1	106.9	60.0	109.6	29.7	-	248.5	Du cerveau ou de la moelle épinière . . . . .	P 50
3.5	-	-	-	-	3.0	3.2	-	-	14.4	2.7	-	-	Autres et sans précision . . . . .	P 51
1.3	-	-	-	-	4.0	-	-	-	-	2.7	-	-	Interruption de la grossesse sans mention de cause . . . . .	P 52
16.2	-	-	8.0	17.3	15.3	17.8	5.9	12.0	11.5	32.5	-	-	Maladie hémolytique du nouveau-né (P53 - P56)	
5.4	-	-	-	-	3.0	7.2	5.9	-	2.8	16.2	-	-	Avec incompatibilité du facteur Rh . . . . .	P 53
0.5	-	-	-	8.6	-	0.8	-	-	-	-	-	-	Avec incompatibilité ABO . . . . .	P 54
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec incompatibilité sanguine autre ou sans précision . . . . .	P 55
10.1	-	-	8.0	8.6	12.2	9.7	-	12.0	8.6	16.2	-	-	Sans mention de cause . . . . .	P 56
273.2	228.9	403.4	281.0	293.5	324.1	236.2	463.3	293.9	190.5	222.1	460.8	579.9	Affections anoxémiques et hypoxémiques, non classées ailleurs (P57 - P60).	
142.6	76.2	302.5	112.4	164.0	185.0	123.7	273.2	131.9	83.7	100.1	460.8	248.5	Syndrome de membrane hyaline et de souffrance respiratoire . . . . .	P 57
26.3	76.2	-	48.1	17.2	18.4	22.6	53.4	17.9	34.6	24.3	-	82.8	Anoxie intra-utérine . . . . .	P 58
76.2	66.7	-	88.3	86.3	86.9	63.9	83.1	119.9	54.8	81.2	-	248.5	Asphyxie du nouveau-né sans précision . . . . .	P 59
27.4	9.5	100.8	32.1	25.8	33.7	25.8	53.4	23.9	17.3	16.2	-	-	Autres affections anoxémiques et hypoxémiques, non classées ailleurs . . . . .	P 60
245.2	228.9	252.1	321.2	241.7	254.6	229.8	338.6	317.9	248.2	165.2	-	414.2	Autres affections du fœtus et du nouveau-né (P61 - P68).	
100.9	28.6	100.8	96.3	86.3	109.3	92.2	154.4	197.9	103.9	62.2	-	165.7	Prématurité et débilité, sans précision . . . . .	P 61
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Hémorragie foetale avant la naissance . . . . .	P 62
4.9	-	-	-	17.2	5.1	3.2	-	11.9	5.7	8.1	-	-	Post-maturité . . . . .	P 63
6.8	-	50.4	8.0	8.6	9.2	4.0	17.8	5.9	2.8	8.1	-	-	Maladie hémorragique du nouveau-né . . . . .	P 64
-	-	-	-	-	-	-	-	-	-	-	-	-	Syndrome de refroidissement du nouveau-né . . . . .	P 65
44.9	57.2	50.4	16.0	17.2	125.7	17.7	5.9	-	8.6	10.8	-	-	Autres affections du fœtus . . . . .	P 66
5.4	-	-	8.0	-	-	8.8	23.7	5.9	2.8	5.4	-	-	Macération . . . . .	P 67
81.1	143.0	50.4	192.7	112.2	5.1	102.7	136.6	95.9	124.1	70.4	-	248.5	Autre décès foetal dû à une cause inconnue . . . . .	P 68
258.4	333.8	504.3	313.2	310.7	280.1	243.5	225.7	221.9	207.8	249.1	-	497.1	Anomalies congénitales (P69 - P80)	
65.5	114.4	-	104.3	77.6	79.7	61.4	53.4	47.9	43.2	48.7	-	82.8	Anencéphalie . . . . .	P 69
16.4	28.6	50.4	8.0	25.8	22.4	15.3	11.8	17.9	5.7	10.8	-	-	Spina bifida . . . . .	P 70
20.2	9.5	-	16.0	17.2	20.4	25.8	-	-	23.0	24.3	-	-	Hydrocéphalie congénitale . . . . .	P 71
7.9	-	-	16.0	8.6	6.1	9.7	-	5.9	14.4	2.7	-	82.8	Autre anomalies congénitales du système nerveux central et de l'œil . . . . .	P 72
51.5	57.2	151.2	64.2	77.6	58.2	50.9	59.4	41.9	28.8	40.6	-	-	Anomalies congénitales de l'appareil circulatoire . . . . .	P 73
16.1	19.0	-	32.1	17.2	9.2	20.2	17.8	11.9	5.7	21.6	-	165.7	Anomalies congénitales de l'appareil respiratoire . . . . .	P 74
6.5	-	-	8.0	17.2	9.2	4.8	5.9	-	2.8	8.1	-	82.8	Anomalies congénitales de l'appareil digestif . . . . .	P 75
20.0	28.6	100.8	16.0	43.1	29.6	12.1	17.8	5.9	20.2	16.2	-	-	Anomalies congénitales de l'appareil génito-urinaire . . . . .	P 76
10.6	19.0	-	8.0	8.6	5.1	12.1	-	11.9	5.7	29.7	-	-	Anomalies congénitales de l'appareil ostéo-musculaire . . . . .	P 77
3.0	-	50.4	8.0	-	4.0	-	11.8	5.9	2.8	2.7	-	-	Syndrome de Down . . . . .	P 78
31.5	19.0	100.8	24.0	17.2	24.5	22.6	47.5	71.9	51.9	40.6	-	82.8	Autres syndromes congénitaux intéressant plusieurs appareils . . . . .	P 79
7.9	38.1	50.4	8.0	-	11.2	8.0	-	-	2.8	2.7	-	-	Anomalies congénitales autres et sans précision . . . . .	P 80
12.4	-	-	-	8.6	17.4	9.7	5.9	18.0	11.5	16.2	-	82.8	Infections du fœtus et du nouveau-né (P81 - P88)	
4.9	-	-	-	-	10.2	-	5.9	11.9	2.8	10.8	-	-	Maladies diarrhéiques . . . . .	P 81
-	-	-	-	-	-	-	-	-	-	-	-	-	Listériose . . . . .	P 82
-	-	-	-	-	-	-	-	-	-	-	-	-	Tétanos . . . . .	P 83
6.3	-	-	-	8.6	6.1	8.8	-	-	8.6	2.7	-	82.8	Septicémie . . . . .	P 84
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Maladies à virus . . . . .	P 85
-	-	-	-	-	-	-	-	-	-	-	-	-	Syphilis congénitale . . . . .	P 86
-	-	-	-	-	-	-	-	-	-	-	-	-	Toxoplasmose . . . . .	P 87
0.8	-	-	-	-	-	0.8	-	5.9	-	2.7	-	-	Autres maladies infectieuses et parasitaires . . . . .	P 88
35.2	9.5	100.9	32.1	17.3	47.0	37.2	59.4	30.0	17.3	10.8	-	165.7	Autres maladies du fœtus et du nouveau-né (P89 - P94).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies du corps thyroïde . . . . .	P 89
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Fibrose kystique . . . . .	P 90
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	Maladies du sang et des organes hématopoïétiques . . . . .	P 91
8.5	9.5	-	-	17.3	11.2	5.6	29.7	23.9	2.8	-	-	-	Pneumonie . . . . .	P 92
22.2	-	50.4	24.0	-	31.6	26.6	17.8	5.9	14.4	10.8	-	-	Autres affections spécifiques . . . . .	P 93
3.2	-	50.4	8.0	-	1.0	4.0	11.8	-	-	-	-	165.7	Symptômes et états mal définis . . . . .	P 94
1.4	-	-	-	8.6	1.0	1.6	-	6.0	-	-	-	-	Causes extérieures de traumatismes du nouveau-né (P95 - P100).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Chaleur excessive . . . . .	P 95
-	-	-	-	-	-	-	-	-	-	-	-	-	Froid excessif . . . . .	P 96
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Faim, soif, exposition aux intempéries et manque de soins . . . . .	P 97
0.5	-	-	-	-	1.0	-	-	6.0	-	-	-	-	Suffocation et obstruction des voies respiratoires par aspiration ou ingestion de substances alimentaires . . . . .	P 98
-	-	-	-	-	-	-	-	-	-	-	-	-	Suffocation mécanique accidentelle . . . . .	P 99
0.5	-	-	-	8.6	-	0.8	-	-	-	-	-	-	Autres causes de traumatismes . . . . .	P100
-	-	-	-	-	-	-	-	-	-	-	-	-	Non données . . . . .	
1,378.6	1,277.8	1,966.7	1,300.7	1,329.3	1,375.1	1,356.7	1,092.9	1,547.4	1,264.2	1,343.1	691.2	2,982.6	Toutes les causes	

Voir note(s) à la fin du tableau.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1977 - Continued

Int'l. ("P") list No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T.-N.	P.E.L. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.
Deaths under 1 week - Décès d'enfants âgés de moins de 7 jours														
	Chronic circulatory and genitourinary disease in mother (P1 - P4).	1	-	-	-	-	-	-	1	-	-	-	-	-
P 1	Chronic rheumatic heart disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 2	Chronic hypertension . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 3	Other chronic disease of circulatory system . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-
P 4	Chronic disease of genitourinary system . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other maternal conditions unrelated to pregnancy (P5 - P11).	7	-	-	-	-	-	3	1	-	2	1	-	-
P 5	Syphilis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 6	Diabetes mellitus . . . . .	4	-	-	-	-	-	2	1	-	1	-	-	-
P 7	Rubella . . . . .	2	-	-	-	-	-	1	-	-	1	-	-	-
P 8	Injury to mother . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 9	Operation of mother . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P10	Chemical substances transmitted through placenta . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P11	Other maternal conditions . . . . .	1	-	-	-	-	-	-	-	-	-	-	1	-
	Toxaemias of pregnancy (P12 - P17) . . . . .	7	-	-	-	-	3	2	-	-	-	2	-	-
P12	Renal disease arising during pregnancy . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-
P13	Pre-eclampsia of pregnancy . . . . .	2	-	-	-	-	1	1	-	-	-	-	-	-
P14	Eclampsia of pregnancy . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P15	Toxaemia unspecified . . . . .	4	-	-	-	-	2	1	-	-	-	1	-	-
P16	Hyperemesis gravidarum . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P17	Other toxaemia of pregnancy . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Maternal ante- and intrapartum infection (P18 - P20)	17	-	-	-	-	5	8	-	-	-	4	-	-
P18	Pyelitis and pyelonephritis of pregnancy . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P19	Other infections of genitourinary tract during pregnancy . . . . .	4	-	-	-	-	-	1	-	-	-	3	-	-
P20	Other . . . . .	13	-	-	-	-	5	7	-	-	-	1	-	-
	Difficult labour with abnormality of bones, organs or tissues of pelvis (P21 - P23).	3	-	-	-	-	1	1	-	-	-	1	-	-
P21	With birth injury to brain or spinal cord . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P22	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P23	Without mention of birth injury . . . . .	3	-	-	-	-	1	1	-	-	-	1	-	-
	Difficult labour with disproportion (P24 - P26) . . . . .	2	-	-	-	-	1	1	-	-	-	-	-	-
P24	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P25	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P26	Without mention of birth injury . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
	Difficult labour with malposition of foetus (P27 - P29).	20	-	-	-	-	6	8	1	-	-	5	-	-
P27	With birth injury to brain or spinal cord . . . . .	2	-	-	-	-	-	1	-	-	-	1	-	-
P28	With other or unspecified birth injury . . . . .	3	-	-	-	-	3	-	-	-	-	-	-	-
P29	Without mention of birth injury . . . . .	15	-	-	-	-	3	7	1	-	-	4	-	-
	Difficult labour with abnormality of forces of labour (P30 - P32).	5	-	-	-	-	1	2	2	-	-	-	-	-
P30	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-
P31	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P32	Without mention of birth injury . . . . .	4	-	-	-	-	1	2	1	-	-	-	-	-
	Difficult labour with other and unspecified complications (P33 - P35).	10	-	-	-	-	2	2	1	-	2	3	-	-
P33	With birth injury to brain or spinal cord . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P34	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P35	Without mention of birth injury . . . . .	10	-	-	-	-	2	2	1	-	2	3	-	-
	Other complications of pregnancy and child-birth (P36 - P41).	186	2	1	1	2	36	101	2	1	3	34	-	3
P36	Incompetent cervix . . . . .	27	-	-	-	-	7	12	-	-	1	7	-	-
P37	Premature rupture of membranes . . . . .	36	2	1	1	1	6	11	-	1	2	11	-	-
P38	Hydramnios . . . . .	4	-	-	-	-	-	2	1	-	-	1	-	-
P39	Ectopic pregnancy . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P40	Multiple pregnancy . . . . .	103	-	-	-	-	19	70	-	-	-	11	-	3
P41	Other complications of pregnancy or child-birth . . . . .	16	-	-	-	1	4	6	1	-	-	4	-	-
	Conditions of placenta (P42 - P46) . . . . .	124	3	2	5	7	24	41	6	9	7	19	-	1
P42	Placenta praevia . . . . .	14	-	-	1	1	2	2	-	1	1	5	-	1
P43	Premature separation of placenta . . . . .	92	2	2	3	5	20	33	6	4	5	12	-	-
P44	Placental infarction . . . . .	4	-	-	1	-	-	1	-	1	-	1	-	-
P45	Other conditions of placenta . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-
P46	Placental insufficiency, unspecified . . . . .	13	1	-	-	1	2	5	-	3	1	-	-	-
	Conditions of umbilical cord (P47 - P49) . . . . .	22	1	-	-	-	8	6	1	1	3	2	-	-
P47	Compression of cord . . . . .	5	-	-	-	-	1	1	-	1	1	1	-	-
P48	Prolapse of cord without mention of compression . . . . .	7	1	-	-	-	1	3	1	-	1	-	-	-
P49	Other . . . . .	10	-	-	-	-	6	2	-	-	1	1	-	-

See footnote(s) at end of table.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977 - suite

Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.	Causes des décès périnataux (8 <sup>e</sup> révision)	N <sup>o</sup> liste int. ( <sup>1</sup> P <sup>2</sup> )
Rate per 100,000 total births <sup>2</sup> - Taux pour 100,000 naissances totales <sup>2</sup>														
0.3	-	-	-	-	-	-	5.9	-	-	-	-	-	Maladies chroniques de l'appareil circulatoire et de l'appareil génito-urinaire de la mère (P1 - P4).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Cardiopathie rhumatismale chronique . . . . .	P 1
0.3	-	-	-	-	-	-	5.9	-	-	-	-	-	Hypertension chronique . . . . .	P 2
-	-	-	-	-	-	-	-	-	-	-	-	-	Autres maladies chroniques de l'appareil circula- toire.	P 3
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladie chronique de l'appareil génito-urinaire . . .	P 4
1.9	-	-	-	-	-	2.4	5.9	-	5.8	2.7	-	-	Autres affections non gravidiques de la mère (P5 - P11).	
1.0	-	-	-	-	-	1.6	5.9	-	2.8	-	-	-	Syphilis . . . . .	P 5
0.5	-	-	-	-	-	0.8	-	-	2.8	-	-	-	Diabète sucré . . . . .	P 6
-	-	-	-	-	-	-	-	-	-	-	-	-	Rubéole . . . . .	P 7
-	-	-	-	-	-	-	-	-	-	-	-	-	Traumatisme maternel . . . . .	P 8
-	-	-	-	-	-	-	-	-	-	-	-	-	Intervention chirurgicale sur la mère . . . . .	P 9
-	-	-	-	-	-	-	-	-	-	-	-	-	Substances chimiques transmises à l'enfant à tra- vers le placenta.	P10
0.2	-	-	-	-	-	-	-	-	-	2.7	-	-	Autres causes d'origine maternelle . . . . .	P11
1.9	-	-	-	-	3.1	1.6	-	-	-	5.4	-	-	Toxémies gravidiques (P12 - P17)	
0.2	-	-	-	-	-	-	-	-	-	2.7	-	-	Maladie rénale survenant au cours de la grossesse . .	P12
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Prééclampsie . . . . .	P13
-	-	-	-	-	-	-	-	-	-	-	-	-	Eclampsie . . . . .	P14
1.0	-	-	-	-	2.0	0.8	-	-	-	2.7	-	-	Toxémie sans précision . . . . .	P15
-	-	-	-	-	-	-	-	-	-	-	-	-	Vomissements gravidiques . . . . .	P16
-	-	-	-	-	-	-	-	-	-	-	-	-	Autres toxémies gravidiques . . . . .	P17
4.7	-	-	-	-	5.1	6.5	-	-	-	10.8	-	-	Infection maternelle, ante- et intra-partum (P18 - P20).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Pyélite ou pyélonéphrite gravidique . . . . .	P18
1.0	-	-	-	-	-	0.8	-	-	-	8.1	-	-	Autres infections de l'appareil génito-urinaire sur- venant au cours de la grossesse.	P19
3.5	-	-	-	-	5.1	5.6	-	-	-	2.7	-	-	Autres . . . . .	P20
0.8	-	-	-	-	1.0	0.8	-	-	-	2.7	-	-	Accouchement dystocique par anomalie du squelet- te, des organes pelviens ou des parties molles (P21 - P23).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinrière.	P21
0.8	-	-	-	-	1.0	0.8	-	-	-	2.7	-	-	Avec lésion obstétricale autre et sans précision . . .	P22
-	-	-	-	-	-	-	-	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P23
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Accouchement dystocique par disproportion foeto- maternelle (P24 - P26).	
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinrière.	P24
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P25
-	-	-	-	-	-	-	-	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P26
5.5	-	-	-	-	6.1	6.5	5.9	-	-	13.5	-	-	Accouchement dystocique par attitude vicieuse du foetus (P27 - P29).	
0.5	-	-	-	-	-	0.8	-	-	-	2.7	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinrière.	P27
0.8	-	-	-	-	3.0	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P28
4.1	-	-	-	-	3.0	5.6	5.9	-	-	10.8	-	-	Sans mention de lésion obstétricale . . . . .	P29
1.4	-	-	-	-	1.0	1.6	11.9	-	-	-	-	-	Accouchement dystocique d'origine fonctionnelle (P30 - P32).	
0.2	-	-	-	-	-	-	5.9	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinrière.	P30
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P31
1.0	-	-	-	-	1.0	1.6	5.9	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P32
2.7	-	-	-	-	2.0	1.6	5.9	-	5.8	8.1	-	-	Accouchement dystocique avec complications autres ou sans précision (P33 - P35).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinrière.	P33
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P34
2.7	-	-	-	-	2.0	1.6	5.9	-	5.8	8.1	-	-	Sans mention de lésion obstétricale . . . . .	P35
51.1	19.0	50.4	8.0	17.3	36.8	81.7	11.9	6.0	8.7	92.1	-	248.5	Autres complications de la grossesse et de l'accou- chement (P36 - P41).	
7.4	-	-	-	-	7.1	9.7	-	-	2.8	18.9	-	-	Béance du col . . . . .	P36
9.8	19.0	50.4	8.0	8.6	6.1	8.8	-	6.0	5.7	29.7	-	-	Rupture prématurée des membranes . . . . .	P37
1.0	-	-	-	-	-	1.6	5.9	-	-	2.7	-	-	Hydramnios . . . . .	P38
-	-	-	-	-	-	-	-	-	-	-	-	-	Grossesse ectopique . . . . .	P39
28.2	-	-	-	-	19.4	56.6	-	-	-	29.7	-	248.5	Grossesse multiple . . . . .	P40
4.3	-	-	-	8.6	4.0	4.8	5.9	-	-	10.8	-	-	Autres complications de la grossesse et de l'accou- chement.	P41
34.1	28.6	100.9	40.1	60.4	24.5	33.2	35.6	54.0	20.2	51.5	-	82.8	Anomalies du placenta (P42 - P46)	
3.8	-	-	8.0	8.6	2.0	1.6	-	5.9	2.8	13.5	-	82.8	Placenta praevia . . . . .	P42
25.2	19.0	100.9	24.0	43.1	20.4	26.6	35.6	23.9	14.4	32.4	-	-	Décollement prématuré du placenta . . . . .	P43
1.0	-	-	8.0	-	-	0.8	-	-	-	2.7	-	-	Infarctus placentaire . . . . .	P44
0.2	-	-	-	-	-	-	-	-	-	-	-	-	Autres anomalies du placenta . . . . .	P45
3.5	9.5	-	-	8.6	2.0	4.0	-	17.9	2.8	-	-	-	Anomalies du placenta, sans précision . . . . .	P46
6.0	9.5	-	-	-	8.2	4.9	5.9	6.0	8.7	5.4	-	-	Anomalies du cordon (P47 - P49)	
1.3	-	-	-	-	1.0	0.8	-	6.0	2.8	2.7	-	-	Compression du cordon . . . . .	P47
1.9	9.5	-	-	-	1.0	2.4	5.9	-	2.8	-	-	-	Procidence du cordon sans mention de compres- sion.	P48
2.7	-	-	-	-	6.1	1.6	-	-	2.8	2.7	-	-	Autres . . . . .	P49

Voir note(s) à la fin du tableau.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1976 - Continued

Int'l. ("P") list No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Deaths under 1 week - Concluded - Décès d'enfants âgés de moins de 7 jours - fin														
	Birth injury without mention of cause (P50-P52)	167	5	1	4	7	31	39	18	8	40	11	-	3
P 50	To brain or spinal cord . . . . .	160	5	1	4	7	28	38	18	8	38	10	-	3
P 51	Other or unspecified birth injury . . . . .	7	-	-	-	-	3	1	-	-	2	1	-	-
P 52	Termination of pregnancy without mention of cause.	-	-	-	-	-	-	-	-	-	-	-	-	-
	Haemolytic disease of newborn (P53-P56) . . . . .	30	-	-	-	2	11	6	-	2	3	6	-	-
P 53	With RH incompatibility . . . . .	4	-	-	-	-	1	-	-	-	1	2	-	-
P 54	With ABO incompatibility . . . . .	2	-	-	-	1	-	1	-	-	-	-	-	-
P 55	With other or unspecified blood incompatibility	-	-	-	-	-	-	-	-	-	-	-	-	-
P 56	Without mention of cause . . . . .	24	-	-	-	1	10	5	-	2	2	4	-	-
	Anoxic and hypoxic conditions not elsewhere classified (P57-P60).	819	16	7	25	28	259	243	64	43	52	74	2	6
P 57	Hyaline membrane disease and respiratory distress syndrome.	511	8	6	14	19	173	152	46	22	29	37	2	3
P 58	Intra-uterine anoxia . . . . .	15	2	-	-	-	6	1	2	-	2	2	-	-
P 59	Asphyxia of newborn, unspecified . . . . .	255	5	-	11	8	72	79	11	19	17	30	-	3
P 60	Other anoxic and hypoxic conditions not elsewhere classified.	38	1	1	-	1	8	11	5	2	4	5	-	-
	Other conditions of foetus and newborn (P61-P68)	391	8	3	13	11	102	128	28	32	36	28	-	2
P 61	Immaturity, unqualified . . . . .	329	3	2	12	9	84	106	25	31	33	22	-	2
P 62	Foetal blood loss before birth . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 63	Post-maturity . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 64	Haemorrhagic disease of newborn . . . . .	24	-	1	1	1	8	5	3	1	1	3	-	-
P 65	Cold injury syndrome . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 66	Other conditions of foetus . . . . .	37	5	-	-	1	10	16	-	-	2	3	-	-
P 67	Maceration . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 68	Other foetal death of unknown cause . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Congenital anomalies (P69-P80) . . . . .	611	21	9	31	23	182	179	30	28	44	60	-	4
P 69	Anencephalus . . . . .	104	3	-	10	4	43	28	4	2	5	5	-	-
P 70	Spina bifida . . . . .	38	2	1	1	1	15	11	1	3	2	1	-	-
P 71	Congenital hydrocephalus . . . . .	17	-	1	-	-	10	5	-	-	-	1	-	-
P 72	Other congenital anomalies of central nervous system and eye.	19	-	-	2	1	4	8	-	1	2	1	-	-
P 73	Congenital anomalies of circulatory system . . . . .	168	6	3	7	7	51	56	10	7	9	12	-	-
P 74	Congenital anomalies of respiratory system . . . . .	54	1	-	4	2	6	25	3	1	2	8	-	2
P 75	Congenital anomalies of digestive system . . . . .	17	-	-	1	2	6	3	1	-	-	3	-	1
P 76	Congenital anomalies of genitourinary system . . . . .	61	3	2	2	4	22	13	3	1	7	4	-	-
P 77	Congenital anomalies of musculoskeletal system . . . . .	30	1	-	-	-	4	10	-	2	2	11	-	-
P 78	Down's disease . . . . .	6	-	-	-	-	2	-	2	1	-	1	-	-
P 79	Other congenital syndromes affecting multiple systems.	83	1	2	2	2	14	18	6	10	15	12	-	1
P 80	Other and unspecified congenital anomalies . . . . .	14	4	1	1	-	5	2	-	-	-	1	-	-
	Infections of foetus and newborn (P81-P88) . . . . .	43	-	-	-	1	17	12	1	2	3	6	-	1
P 81	Diarrhoeal disease . . . . .	18	-	-	-	-	10	-	1	2	1	4	-	-
P 82	Listeriosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 83	Tetanus . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 84	Septicaemia . . . . .	22	-	-	-	1	6	11	-	-	2	1	-	1
P 85	Viral diseases . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 86	Congenital syphilis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 87	Toxoplasmosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 88	Other infective and parasitic diseases . . . . .	2	-	-	-	-	-	1	-	-	-	1	-	-
	Other diseases of foetus and newborn (P89-P94) . . . . .	120	1	2	3	2	45	43	10	5	5	3	-	1
P 89	Diseases of thyroid gland . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 90	Cystic fibrosis (mucoviscidosis) . . . . .	2	-	-	-	-	1	1	-	-	-	-	-	-
P 91	Diseases of blood and blood forming organs . . . . .	2	-	-	-	-	2	-	-	-	-	-	-	-
P 92	Pneumonia . . . . .	31	1	-	-	2	11	7	5	4	1	-	-	-
P 93	Other specified conditions . . . . .	75	-	1	2	-	31	30	3	1	4	3	-	-
P 94	Symptoms and ill defined conditions . . . . .	10	-	1	1	-	-	5	2	-	-	-	-	1
	External causes of injury to newborn (P95-P100) . . . . .	5	-	-	-	1	1	2	-	1	-	-	-	-
P 95	Excessive heat . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 96	Excessive cold . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 97	Hunger, thirst, exposure and neglect . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P 98	Inhalation and ingestion of food causing obstruction or suffocation.	2	-	-	-	-	1	-	-	1	-	-	-	-
P 99	Accidental mechanical suffocation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P100	Other external causes . . . . .	2	-	-	-	1	-	1	-	-	-	-	-	-
	Not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	All causes . . . . .	2,590 <sup>3</sup>	57	25	82	84	735	827	166	132	200	259	2	21

See footnote(s) at end of table.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977 - suite

Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.	Causes des décès périnataux (8 <sup>e</sup> révision)	No liste int. (**P**)
Rate per 100,000 total births <sup>2</sup> - Taux pour 100,000 naissances totales <sup>2</sup>														
45.9	47.6	50.4	32.1	60.4	31.7	31.6	106.9	48.0	115.5	29.8	-	248.5	Lésions d'origine obstétricale sans mention de cause (P50 - P52).	
43.8	47.6	50.4	32.1	60.4	28.6	30.7	106.9	48.0	109.6	27.0	-	248.5	Du cerveau ou de la moelle épinière . . . . .	P 50
1.9	-	-	-	-	3.0	0.8	-	-	5.7	2.7	-	-	Autres sans précision . . . . .	P 51
-	-	-	-	-	-	-	-	-	-	-	-	-	Interruption de la grossesse sans mention de cause	P 52
8.2	-	-	-	17.3	11.2	4.9	-	12.0	8.7	16.2	-	-	Maladie hémolytique du nouveau-né (P53 - P56)	
1.0	-	-	-	-	1.0	-	-	-	2.8	5.4	-	-	Avec incompatibilité du facteur Rh . . . . .	P 53
0.5	-	-	-	8.6	-	0.8	-	-	-	-	-	-	Avec incompatibilité ABO . . . . .	P 54
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec incompatibilité sanguine autre ou sans précision.	P 55
6.5	-	-	-	8.6	10.2	4.0	-	12.0	5.7	10.8	-	-	Sans mention de cause . . . . .	P 56
225.1	152.6	353.0	200.7	241.7	264.8	196.6	380.2	257.9	150.1	200.4	460.8	497.1	Affections anoxémiques et hypoxémiques, non classées ailleurs (P57 - P60).	
140.1	76.2	302.5	112.4	164.0	176.8	122.9	273.2	131.9	83.7	100.1	460.8	248.5	Syndrome de membrane hyaline et de souffrance respiratoire.	P 57
4.1	19.0	-	-	-	6.1	0.8	11.8	-	5.7	5.4	-	-	Anoxie intra-utérine . . . . .	P 58
69.9	47.6	-	88.3	69.0	73.6	63.9	65.3	113.9	49.0	81.2	-	248.5	Asphyxie du nouveau-né, sans précision . . . . .	P 59
10.4	9.5	50.4	-	8.6	8.1	8.8	29.7	11.9	11.5	13.5	-	-	Autres affections anoxémiques et hypoxémiques, non classées ailleurs.	P 60
107.5	76.3	151.3	104.4	94.9	104.3	103.6	166.3	191.9	103.9	75.8	-	165.7	Autres affections du fœtus et du nouveau-né (P61 - P68).	
90.2	28.6	100.8	96.3	77.6	85.8	85.7	148.5	185.9	95.2	59.5	-	165.7	Prématurité et débilité, sans précision . . . . .	P 61
-	-	-	-	-	-	-	-	-	-	-	-	-	Hémorragie foetale avant la naissance . . . . .	P 62
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Post-maturité . . . . .	P 63
6.5	-	50.4	8.0	8.6	8.1	4.0	17.8	5.9	2.8	8.1	-	-	Maladie hémorragique du nouveau-né . . . . .	P 64
-	-	-	-	-	-	-	-	-	-	-	-	-	Syndrome de refroidissement du nouveau-né . . . . .	P 65
10.1	47.6	-	-	8.6	10.2	12.9	-	-	5.7	8.1	-	-	Autres affections du fœtus . . . . .	P 66
-	-	-	-	-	-	-	-	-	-	-	-	-	Macération . . . . .	P 67
-	-	-	-	-	-	-	-	-	-	-	-	-	Autre décès foetal dû à une cause inconnue . . . . .	P 68
167.9	200.3	453.9	248.9	198.5	186.1	144.8	178.2	167.9	127.0	162.5	-	331.4	Anomalies congénitales (P69 - P80)	
28.5	28.6	-	80.2	34.5	43.9	22.6	23.7	11.9	14.4	13.5	-	-	Anencéphalie . . . . .	P 69
10.4	19.0	50.4	8.0	8.6	15.3	8.8	5.9	17.9	5.7	2.7	-	-	Spina bifida . . . . .	P 70
4.6	-	-	8.0	-	10.2	4.0	-	-	2.7	-	-	-	Hydrocéphalie congénitale . . . . .	P 71
5.2	-	-	16.0	8.6	4.0	6.4	-	5.9	5.7	2.7	-	-	Autres anomalies congénitales du système nerveux central et de l'oeil.	P 72
46.0	57.2	151.2	56.2	60.4	52.1	45.3	59.4	41.9	25.9	32.4	-	-	Anomalies congénitales de l'appareil circulatoire	P 73
14.8	9.5	-	32.1	17.2	6.1	20.2	17.8	5.9	5.7	21.6	-	165.7	Anomalies congénitales de l'appareil respiratoire	P 74
4.6	-	-	8.0	17.2	6.1	2.4	5.9	-	-	8.1	-	82.8	Anomalies congénitales de l'appareil digestif . . . . .	P 75
16.7	28.6	100.8	16.0	34.5	22.4	10.5	17.8	5.9	20.2	10.8	-	-	Anomalies congénitales de l'appareil génito-urinaire	P 76
8.2	9.5	-	-	-	4.0	8.0	-	11.9	5.7	29.7	-	-	Anomalies congénitales de l'appareil ostéo-musculaire.	P 77
1.6	-	-	-	-	2.0	-	-	11.8	5.9	-	2.7	-	Syndrome de Down . . . . .	P 78
22.7	9.5	100.8	16.0	17.2	14.3	14.5	35.6	59.9	43.2	32.4	-	82.8	Autres syndromes congénitaux intéressant plusieurs appareils.	P 79
3.8	38.1	50.4	8.0	-	5.1	1.6	-	-	-	2.7	-	-	Anomalies congénitales autres et sans précision . . . . .	P 80
11.8	-	-	-	8.6	17.4	9.7	5.9	12.0	8.7	16.2	-	82.8	Infections du fœtus et du nouveau-né (P81 - P88)	
4.9	-	-	-	-	10.2	-	5.9	12.0	2.8	10.8	-	-	Maladies diarrhéiques . . . . .	P 81
-	-	-	-	-	-	-	-	-	-	-	-	-	Listériose . . . . .	P 82
-	-	-	-	-	-	-	-	-	-	-	-	-	Tétanos . . . . .	P 83
6.0	-	-	-	8.6	6.1	8.8	-	-	5.7	2.7	-	82.8	Septicémie . . . . .	P 84
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Maladies à virus . . . . .	P 85
-	-	-	-	-	-	-	-	-	-	-	-	-	Syphilis congénitale . . . . .	P 86
-	-	-	-	-	-	-	-	-	-	-	-	-	Toxoplasmose . . . . .	P 87
0.5	-	-	-	-	-	0.8	-	-	-	2.7	-	-	Autres maladies infectieuses et parasitaires . . . . .	P 88
33.0	9.5	100.9	24.1	17.3	46.0	34.8	59.4	30.0	14.4	8.1	-	82.8	Autres maladies du fœtus et du nouveau-né (P89 - P94.)	
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies du corps thyroïde . . . . .	P 89
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Fibrose kystique . . . . .	P 90
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	Maladies du sang et des organes hématopoïétiques	P 91
8.5	9.5	-	-	17.3	11.2	5.6	29.7	23.9	2.8	-	-	-	Pneumonie . . . . .	P 92
20.5	-	50.4	16.0	-	31.6	24.2	17.8	5.9	11.5	8.1	-	-	Autres affections spécifiées . . . . .	P 93
2.7	-	50.4	8.0	-	-	4.0	11.8	-	-	-	-	-	Symptômes et états mal définis . . . . .	P 94
1.4	-	-	-	8.6	1.0	1.6	-	6.0	-	-	-	-	Causes extérieures de traumatismes du nouveau-né (P95 - P100).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Chaleur excessive . . . . .	P 95
-	-	-	-	-	-	-	-	-	-	-	-	-	Froid excessif . . . . .	P 96
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Faim, soif, exposition aux intempéries et manque de soins.	P 97
0.5	-	-	-	-	1.0	-	-	6.0	-	-	-	-	Suffocation et obstruction des voies respiratoires par aspiration ou ingestion de substances alimentaires.	P 98
-	-	-	-	-	-	-	-	-	-	-	-	-	Suffocation mécanique accidentelle . . . . .	P 99
0.5	-	-	-	8.6	-	0.8	-	-	-	-	-	-	Autres causes de traumatismes . . . . .	P100
-	-	-	-	-	-	-	-	-	-	-	-	-	Non données . . . . .	
710.2	543.5	1,260.7	658.4	725.0	751.4	669.0	986.0	791.6	577.3	701.3	460.8	1,739.8	Toutes les causes	

Voir note(s) à la fin du tableau.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1977 - Continued

Int'l. ("P") list No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Stillbirths (28 + weeks gestation) - Mort-nés (au-delà de 28 semaines de grossesse)														
	Chronic circulatory and genitourinary disease in mother (P1 - P4).	5	-	-	-	-	3	2	-	-	-	-	-	-
P 1	Chronic rheumatic heart disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 2	Chronic hypertension . . . . .	4	-	-	-	-	3	1	-	-	-	-	-	-
P 3	Other chronic disease of circulatory system . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P 4	Chronic disease of genitourinary system . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other maternal conditions unrelated to pregnancy (P5 - P11).	85	1	-	3	1	14	25	5	11	9	16	-	-
P 5	Syphilis . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 6	Diabetes mellitus . . . . .	43	-	-	3	1	9	12	5	5	4	4	-	-
P 7	Rubella . . . . .	2	-	-	-	-	-	1	-	1	-	-	-	-
P 8	Injury to mother . . . . .	22	1	-	-	-	3	10	-	-	5	3	-	-
P 9	Operation of mother . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P10	Chemical substances transmitted through placenta . . . . .	1	-	-	-	-	-	-	-	1	-	-	-	-
P11	Other maternal conditions . . . . .	16	-	-	-	-	1	2	-	4	-	9	-	-
	Toxaemias of pregnancy (P12 - P17) . . . . .	114	2	-	3	2	33	37	4	4	6	22	-	1
P12	Renal disease arising during pregnancy . . . . .	5	-	-	-	-	1	3	-	1	-	-	-	-
P13	Pre-eclampsia of pregnancy . . . . .	66	-	-	1	-	19	17	3	-	4	21	-	1
P14	Eclampsia of pregnancy . . . . .	5	1	-	1	-	-	1	-	1	1	-	-	-
P15	Toxaemia unspecified . . . . .	37	1	-	1	2	13	15	1	2	1	1	-	-
P16	Hyperemesis gravidarum . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P17	Other toxaemia of pregnancy . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
	Maternal ante- and intrapartum infection (P18 - P20)	17	-	-	-	1	5	8	1	-	1	1	-	-
P18	Pyelitis and pyelonephritis of pregnancy . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P19	Other infections of genitourinary tract during pregnancy . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-
P20	Other . . . . .	15	-	-	-	1	5	7	1	-	1	-	-	-
	Difficult labour with abnormality of bones, organs or tissues of pelvis (P21 - P23).	6	-	-	-	-	1	3	-	-	-	2	-	-
P21	With birth injury to brain or spinal cord . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P22	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P23	Without mention of birth injury . . . . .	6	-	-	-	-	1	3	-	-	-	2	-	-
	Difficult labour with disproportion (P24 - P26) . . . . .	5	-	-	-	-	-	4	-	-	-	1	-	-
P24	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P25	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P26	Without mention of birth injury . . . . .	4	-	-	-	-	-	3	-	-	-	1	-	-
	Difficult labour with malposition of foetus (P27 - P29).	32	-	1	1	-	5	12	-	3	2	7	-	1
P27	With birth injury to brain or spinal cord . . . . .	3	-	-	-	-	-	3	-	-	-	-	-	-
P28	With other or unspecified birth injury . . . . .	2	-	-	-	-	-	-	-	-	-	2	-	-
P29	Without mention of birth injury . . . . .	27	-	1	1	-	5	9	-	3	2	5	-	1
	Difficult labour with abnormality of forces of labour (P30 - P32).	-	-	-	-	-	-	-	-	-	-	-	-	-
P30	With birth injury to brain or spinal cord . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P31	With other or unspecified birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P32	Without mention of birth injury . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Difficult labour with other and unspecified complications (P33 - P35).	14	-	-	-	-	4	3	1	2	1	3	-	-
P33	With birth injury to brain or spinal cord . . . . .	1	-	-	-	-	-	-	-	1	-	-	-	-
P34	With other or unspecified birth injury . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-
P35	Without mention of birth injury . . . . .	12	-	-	-	-	4	3	1	1	1	2	-	-
	Other complications of pregnancy and child-birth (P36 - P41).	111	5	2	1	2	28	43	2	3	12	11	-	2
P36	Incompetent cervix . . . . .	2	-	-	-	-	2	-	-	-	-	-	-	-
P37	Premature rupture of membranes . . . . .	27	1	-	1	2	5	8	1	1	2	4	-	2
P38	Hydramnios . . . . .	20	1	-	-	-	6	8	-	1	4	-	-	-
P39	Ectopic pregnancy . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-
P40	Multiple pregnancy . . . . .	45	2	2	-	-	12	22	-	1	2	4	-	-
P41	Other complications of pregnancy or child-birth . . . . .	16	1	-	-	-	3	5	-	-	4	3	-	-
	Conditions of placenta (P42 - P46) . . . . .	642	21	2	17	17	118	244	46	39	74	60	-	4
P42	Placenta praevia . . . . .	19	-	1	1	-	4	4	1	2	-	6	-	-
P43	Premature separation of placenta . . . . .	298	12	1	8	11	66	95	20	13	38	31	-	3
P44	Placental infarction . . . . .	44	-	-	-	1	6	13	10	4	7	3	-	-
P45	Other conditions of placenta . . . . .	39	-	-	2	1	8	13	2	1	3	9	-	-
P46	Placental insufficiency, unspecified . . . . .	242	9	-	6	4	34	119	13	19	26	11	-	1
	Conditions of umbilical cord (P47 - P49) . . . . .	338	7	5	6	11	91	117	8	25	35	32	1	-
P47	Compression of cord . . . . .	38	-	1	-	4	8	13	-	3	2	7	-	-
P48	Prolapse of cord without mention of compression . . . . .	30	1	-	1	2	6	8	2	5	4	1	-	-
P49	Other . . . . .	270	6	4	5	5	77	96	6	17	29	24	1	-

See footnote(s) at end of table.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977 - suite

Canada	Nfld. T. - N.	P.E.I. I. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.	Causes des décès périnataux (8 <sup>e</sup> révision)	N <sup>o</sup> liste Int. ("P")
Rate per 100,000 total births <sup>2</sup> - Taux pour 100,000 naissances totales <sup>2</sup>														
1.4	-	-	-	-	3.0	1.6	-	-	-	-	-	-	Maladies chroniques de l'appareil circulatoire et de l'appareil génito-urinaire de la mère (P1 - P4).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Cardiopathie rhumatismale chronique . . . . .	P 1
1.0	-	-	-	-	3.0	0.8	-	-	-	-	-	-	Hypertension chronique . . . . .	P 2
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres maladies chroniques de l'appareil circulatoire.	P 3
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladie chronique de l'appareil génito-urinaire . . .	P 4
23.4	9.5	-	24.1	8.6	14.3	20.2	29.7	66.0	26.0	43.3	-	-	Autres affections non gravidiques de la mère (P5 - P11).	
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Syphilis . . . . .	P 5
11.7	-	-	24.1	8.6	9.2	9.7	29.7	29.9	11.5	10.8	-	-	Diabète sucré . . . . .	P 6
0.5	-	-	-	-	-	0.8	-	5.9	-	-	-	-	Rubéole . . . . .	P 7
6.0	9.5	-	-	-	3.0	8.0	-	-	14.4	8.1	-	-	Traumatisme maternel . . . . .	P 8
0.2	-	-	-	-	-	-	-	5.9	-	-	-	-	Intervention chirurgicale sur la mère . . . . .	P 9
4.3	-	-	-	-	1.0	1.6	-	23.9	-	24.3	-	-	Substances chimiques transmises à l'enfant à travers le placenta.	P 10
31.3	19.1	-	24.1	17.3	33.7	29.9	23.8	24.0	17.3	59.6	-	-	Autres causes d'origine maternelle . . . . .	P 11
1.3	-	-	-	-	1.0	2.4	-	5.9	-	-	-	-	Toxémies gravidiques (P12 - P17)	
18.0	-	-	8.0	-	19.4	13.7	17.8	-	11.5	56.8	-	-	Maladie rénale survenant au cours de la grossesse . . .	P 12
1.3	9.5	-	8.0	-	0.8	0.8	-	5.9	2.8	-	-	-	Prééclampsie . . . . .	P 13
10.1	9.5	-	8.0	17.3	13.2	12.1	5.9	11.9	2.8	2.7	-	-	Eclampsie . . . . .	P 14
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Toxémie sans précision . . . . .	P 15
4.7	-	-	-	8.6	5.1	6.5	5.9	-	2.9	2.7	-	-	Vomissements gravidiques . . . . .	P 16
0.2	-	-	-	-	-	-	-	-	-	-	-	-	Autres toxémies gravidiques . . . . .	P 17
0.2	-	-	-	-	-	-	-	-	-	-	-	-	Infection maternelle, ante- et intra-partum (P18 - P20).	
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Pyélite ou pyélonéphrite gravidique . . . . .	P 18
4.1	-	-	-	8.6	5.1	5.6	5.9	-	2.9	-	-	-	Autres infections de l'appareil génito-urinaire survenant au cours de la grossesse.	P 19
1.6	-	-	-	-	1.0	2.4	-	-	-	5.4	-	-	Autres . . . . .	P 20
-	-	-	-	-	-	-	-	-	-	-	-	-	Accouchement dystocique par anomalie du squelette, des organes pelviens ou des parties molles (P21 - P23).	
1.6	-	-	-	-	1.0	2.4	-	-	-	5.4	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P 21
1.4	-	-	-	-	-	3.2	-	-	-	2.7	-	-	Avec lésion obstétricale autre et sans précision . . .	P 22
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P 23
1.0	-	-	-	-	-	2.4	-	-	-	2.7	-	-	Accouchement dystocique par disproportion foeto-maternelle (P24 - P26).	
8.8	-	50.4	8.0	-	5.1	9.7	-	18.0	5.8	19.0	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P 24
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P 25
0.5	-	-	-	-	-	-	-	-	-	5.4	-	-	Sans mention de lésion obstétricale . . . . .	P 26
7.4	-	50.4	8.0	5.1	7.2	18.0	5.8	18.0	5.8	13.5	-	-	Accouchement dystocique par attitude vicieuse du fœtus (P27 - P29).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P 27
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P 28
-	-	-	-	-	-	-	-	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P 29
-	-	-	-	-	-	-	-	-	-	-	-	-	Accouchement dystocique d'origine fonctionnelle (P30 - P32).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P 30
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec lésion obstétricale autre et sans précision . . .	P 31
-	-	-	-	-	-	-	-	-	-	-	-	-	Sans mention de lésion obstétricale . . . . .	P 32
3.8	-	-	-	-	4.0	2.4	5.9	12.0	2.9	8.1	-	-	Accouchement dystocique avec complications autres ou sans précision (P33 - P35).	
0.2	-	-	-	-	-	-	-	5.9	-	-	-	-	Avec lésion obstétricale du cerveau ou de la moelle épinière.	P 33
0.2	-	-	-	-	-	-	-	-	-	2.7	-	-	Avec lésion obstétricale autre et sans précision . . .	P 34
3.2	-	-	-	-	4.0	2.4	5.9	5.9	2.9	5.4	-	-	Sans mention de lésion obstétricale . . . . .	P 35
30.5	47.7	100.9	8.0	17.3	28.6	34.8	11.9	18.0	34.6	29.8	-	-	165.7 Autres complications de la grossesse et de l'accouchement (P36 - P41).	
0.5	-	-	-	-	2.0	-	-	-	-	-	-	-	Béance du col . . . . .	P 36
7.4	9.5	-	8.0	17.3	5.1	6.4	5.9	5.9	5.7	10.8	-	-	Rupture prématurée des membranes . . . . .	P 37
5.4	9.5	-	-	-	6.1	6.4	-	5.9	11.5	-	-	-	Hydranmios . . . . .	P 38
0.2	-	-	-	-	-	-	-	5.9	-	-	-	-	Grossesse ectopique . . . . .	P 39
12.3	19.0	100.9	-	-	12.2	17.7	-	5.9	5.7	10.8	-	-	Grossesse multiple . . . . .	P 40
4.3	9.5	-	-	-	3.0	4.0	-	-	11.5	8.1	-	-	Autres complications de la grossesse et de l'accouchement.	P 41
176.5	200.3	100.9	136.5	146.7	120.6	197.4	273.2	233.9	213.6	162.5	-	-	331.4 Anomalies du placenta (P42 - P46)	
5.2	-	50.4	8.0	-	4.0	3.2	5.9	11.9	-	16.2	-	-	Placenta praevia . . . . .	P 42
81.7	114.4	50.4	64.2	94.9	67.4	76.8	118.8	77.9	109.6	83.9	-	-	Décollement prématuré du placenta . . . . .	P 43
12.0	-	-	8.6	6.1	10.5	59.4	23.9	20.2	8.1	-	-	-	Infarctus placentaire . . . . .	P 44
10.6	-	-	16.0	8.6	8.1	10.5	11.8	5.9	8.6	24.3	-	-	Autres anomalies du placenta . . . . .	P 45
66.3	85.8	-	48.1	34.5	34.7	96.2	77.2	113.9	75.0	29.7	-	-	Anomalies du placenta, sans précision . . . . .	P 46
92.9	66.8	252.1	48.2	94.9	93.0	94.7	47.5	149.9	101.0	86.7	230.4	-	Anomalies du cordon (P47 - P49)	
10.4	-	50.4	-	34.5	8.1	10.5	-	17.9	5.7	18.9	-	-	Compression du cordon . . . . .	P 47
8.2	9.5	-	8.0	17.2	6.1	6.4	11.8	29.9	11.5	2.7	-	-	Procidence du cordon sans mention de compression.	P 48
74.0	57.2	201.7	40.1	43.1	78.7	77.6	35.6	101.9	83.7	64.9	230.4	-	Autres . . . . .	P 49

Voir note(s) à la fin du tableau.

TABLE 31. Perinatal Deaths<sup>1</sup> and Rates by Cause, Canada and Provinces, 1977 - Concluded

Int'l. ( <sup>IP</sup> ) List No.	Cause of perinatal death (8th Revision)	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - 0.
Stillbirths (28 + weeks gestation) - Concluded - Mort-nés (au delà de 28 semaines de grossesse - fin)														
	Birth injury without mention of cause (P50 - P52)	24	3	-	2	-	6	6	-	2	3	2	-	-
P 50	To brain or spinal cord . . . . .	13	3	-	2	-	2	3	-	2	-	1	-	-
P 51	Other or unspecified birth injury . . . . .	6	-	-	-	-	-	3	-	-	3	-	-	-
P 52	Termination of pregnancy without mention of cause . . . . .	5	-	-	-	-	4	-	-	-	-	1	-	-
	Haemolytic disease of newborn (P53 - P56) . . . . .	29	-	-	1	-	4	16	1	-	1	6	-	-
P 53	With RH incompatibility . . . . .	16	-	-	-	-	2	9	1	-	-	4	-	-
P 54	With ABO incompatibility . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 55	With other or unspecified blood incompatibility . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 56	Without mention of cause . . . . .	13	-	-	1	-	2	7	-	-	1	2	-	-
	Anoxic and hypoxic conditions not elsewhere classified (P57 - P60).	175	8	1	10	6	58	49	14	6	14	8	-	1
P 57	Hyaline membrane disease and respiratory distress syndrome . . . . .	9	-	-	-	-	8	1	-	-	-	-	-	-
P 58	Intra-uterine anoxia . . . . .	81	6	-	6	2	12	27	7	3	10	7	-	1
P 59	Asphyxia of newborn, unspecified . . . . .	23	-	-	-	2	13	-	3	1	2	-	-	-
P 60	Other anoxic and hypoxic conditions not elsewhere classified . . . . .	62	-	1	4	2	25	21	4	2	2	1	-	-
	Other conditions of foetus and newborn (P61 - P68)	501	16	2	27	17	147	156	29	21	50	33	-	3
P 61	Immaturity, unqualified . . . . .	39	-	-	-	1	23	8	1	2	3	1	-	-
P 62	Foetal blood loss before birth . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-
P 63	Post-maturity . . . . .	17	-	-	-	2	5	3	-	2	2	3	-	-
P 64	Haemorrhagic disease of newborn . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-
P 65	Cold injury syndrome . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
P 66	Other conditions of foetus . . . . .	127	1	2	1	1	113	6	1	1	1	1	-	-
P 67	Maceration . . . . .	20	-	-	1	-	11	4	4	1	1	2	-	-
P 68	Other foetal death of unknown cause . . . . .	296	15	1	24	13	5	127	23	16	43	26	-	3
	Congenital anomalies (P69 - P80) . . . . .	329	14	1	8	13	92	122	8	9	28	32	-	2
P 69	Anencephalus . . . . .	135	9	-	3	5	35	48	5	6	10	13	-	1
P 70	Spina bifida . . . . .	22	1	-	2	7	7	8	1	-	3	3	-	-
P 71	Congenital hydrocephalus . . . . .	57	1	-	1	2	10	27	-	-	8	8	-	-
P 72	Other congenital anomalies of central nervous system and eye . . . . .	10	-	-	-	-	2	4	-	-	3	-	-	1
P 73	Congenital anomalies of circulatory system . . . . .	20	-	-	1	2	6	7	-	-	1	3	-	-
P 74	Congenital anomalies of respiratory system . . . . .	5	1	-	-	-	3	-	-	1	-	-	-	-
P 75	Congenital anomalies of digestive system . . . . .	7	-	-	-	-	3	3	-	-	1	-	-	-
P 76	Congenital anomalies of genitourinary system . . . . .	12	-	-	1	7	2	-	-	-	-	2	-	-
P 77	Congenital anomalies of musculoskeletal system . . . . .	9	1	-	1	1	1	5	-	-	-	-	-	-
P 78	Down's disease . . . . .	5	-	1	1	-	2	-	-	-	1	-	-	-
P 79	Other congenital syndromes affecting multiple systems . . . . .	32	1	-	1	-	10	10	2	2	3	3	-	-
P 80	Other and unspecified congenital anomalies . . . . .	15	-	-	-	-	6	8	-	-	1	-	-	-
	Infections of foetus and newborn (P81 - P88) . . . . .	2	-	-	-	-	-	-	-	1	1	-	-	-
P 81	Diarrhoeal disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 82	Listeriosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 83	Tetanus . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 84	Septicaemia . . . . .	1	-	-	-	-	-	-	-	-	1	-	-	-
P 85	Viral diseases . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 86	Congenital syphilis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 87	Toxoplasmosis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 88	Other infective and parasitic diseases . . . . .	1	-	-	-	-	-	-	-	1	-	-	-	-
	Other diseases of foetus and newborn (P89 - P94) . . . . .	8	-	-	1	-	1	3	-	-	1	1	-	1
P 89	Diseases of thyroid gland . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 90	Cystic fibrosis (mucoviscidosis) . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 91	Diseases of blood and blood forming organs . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 92	Pneumonia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 93	Other specified conditions . . . . .	6	-	-	1	-	-	3	-	-	1	1	-	-
P 94	Symptoms and ill defined conditions . . . . .	2	-	-	-	-	1	-	-	-	-	-	-	1
	External causes of injury to newborn (P95 - P100) . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 95	Excessive heat . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 96	Excessive cold . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 97	Hunger, thirst, exposure and neglect . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 98	Inhalation and ingestion of food causing obstruction or suffocation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P 99	Accidental mechanical suffocation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
P100	Other external causes . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	Not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
	All causes . . . . .	2,437	77	14	80	70	610	850	119	126	238	237	1	15

<sup>1</sup> Includes foetal deaths (stillbirths) of 28 or more weeks gestation and infant deaths under 1 week (7 days) of age.  
<sup>2</sup> Foetal deaths (stillbirths) of 28 or more weeks gestation plus live births.  
<sup>3</sup> Table unadjusted for the difference of two infant deaths.

TABLEAU 31. Mortalité périnatale<sup>1</sup> et taux, selon la cause, Canada et provinces, 1977 - fin

Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.	Causes des décès périnatals (8 <sup>e</sup> révision)	N <sup>o</sup> liste int. ( <sup>"P"</sup> )
Rate per 100,000 total births <sup>2</sup> - Concluded - Taux pour 100,000 naissances totales <sup>2</sup> - fin														
6.6	28.6	-	16.1	-	6.1	4.9	-	12.0	8.7	5.4	-	-	Lésions d'origine obstétricale sans mention de cause (P50 - P52).	
3.5	28.6	-	16.1	-	2.0	2.4	-	12.0	-	2.7	-	-	Du cerveau ou de la moelle épinière . . . . .	P 50
1.6	-	-	-	-	-	2.4	-	-	8.7	-	-	-	Autres et sans précision . . . . .	P 51
1.3	-	-	-	-	4.0	-	-	-	-	2.7	-	-	Interruption de la grossesse sans mention de cause	P 52
8.0	-	-	8.0	-	4.1	12.9	5.9	-	2.9	16.2	-	-	Maladie hémolytique du nouveau-né (P53 - P56)	
4.3	-	-	-	-	2.0	7.2	5.9	-	-	10.8	-	-	Avec incompatibilité du facteur Rh. . . . .	P 53
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec incompatibilité ABO . . . . .	P 54
-	-	-	-	-	-	-	-	-	-	-	-	-	Avec incompatibilité sanguine autre ou sans précision.	P 55
3.5	-	-	8.0	-	2.0	5.6	-	-	2.9	5.4	-	-	Sans mention de cause . . . . .	P 56
48.1	76.2	50.4	80.3	51.8	59.3	39.6	83.2	36.0	40.4	21.7	-	82.8	Affections anoxémiques et hypoxémiques, non classées ailleurs (P57 - P60).	
2.4	-	-	-	-	8.1	0.8	-	-	-	-	-	-	Syndrome de membrane hyaline et de souffrance respiratoire.	P 57
22.2	57.2	-	48.1	17.2	12.2	21.8	41.5	17.9	28.8	18.9	-	82.8	Anoxie intra-utérine . . . . .	P 58
6.3	19.0	-	-	17.2	13.2	-	17.8	5.9	5.7	-	-	-	Asphyxie du nouveau-né, sans précision . . . . .	P 59
17.0	-	50.4	32.1	17.2	25.5	16.9	23.7	11.9	5.7	2.7	-	-	Autres affections anoxémiques et hypoxémiques, non classées ailleurs.	P 60
137.7	152.6	100.9	216.8	146.7	150.2	126.2	172.3	126.0	144.3	89.4	-	248.5	Autres affections du foetus et du nouveau-né (P61 - P68).	
10.6	-	-	-	8.6	23.5	6.4	5.9	11.9	8.6	2.7	-	-	Prématurité et débilité, sans précision . . . . .	P 61
0.2	-	-	-	-	-	0.8	-	-	-	-	-	-	Hémorragie foetale avant la naissance . . . . .	P 62
4.6	-	-	-	17.2	5.1	2.4	-	11.9	5.7	8.1	-	-	Post-maturité . . . . .	P 63
0.2	-	-	-	-	1.0	-	-	-	-	-	-	-	Maladie hémorragique du nouveau-né . . . . .	P 64
-	-	-	-	-	-	-	-	-	-	-	-	-	Syndrome de refroidissement du nouveau-né . . . . .	P 65
34.8	9.5	50.4	16.0	8.6	115.5	4.8	5.9	-	2.8	2.7	-	-	Autres affections du foetus . . . . .	P 66
5.4	-	-	8.0	-	-	8.8	23.7	5.9	2.8	5.4	-	-	Macération . . . . .	P 67
81.1	143.0	50.4	192.7	112.2	5.1	102.7	136.6	95.9	124.1	70.4	-	248.5	Autre décès foetal dû à une cause inconnue . . . . .	P 68
90.4	133.5	50.4	64.2	112.2	94.1	98.7	47.5	54.0	80.8	86.7	-	165.7	Anomalies congénitales (P69 - P80)	
37.0	85.8	-	24.0	43.1	35.7	38.8	29.7	35.9	28.8	35.2	-	82.8	Anencéphalie . . . . .	P 69
6.0	9.5	-	-	17.2	7.1	6.4	5.9	-	-	8.1	-	-	Spina bifida . . . . .	P 70
15.6	9.5	-	8.0	17.2	10.2	21.8	-	-	23.0	21.6	-	-	Hydrocéphalie congénitale . . . . .	P 71
2.7	-	-	-	-	2.0	3.2	-	-	8.6	-	-	-	Autres anomalies congénitales du système nerveux central et de l'oeil.	P 72
5.4	-	-	8.0	17.2	6.1	5.6	-	-	2.8	8.1	-	-	Anomalies congénitales de l'appareil circulatoire	P 73
1.3	9.5	-	-	-	3.0	-	-	5.9	-	-	-	-	Anomalies congénitales de l'appareil digestif . . . . .	P 74
1.9	-	-	-	-	3.0	2.4	-	-	2.8	-	-	-	Anomalies congénitales de l'appareil génito-urinaire	P 75
3.2	-	-	-	8.6	7.1	1.6	-	-	-	5.4	-	-	Anomalies congénitales de l'appareil ostéo-musculaire.	P 76
2.4	9.5	-	8.0	8.6	1.0	4.0	-	-	-	-	-	-	Syndrome de Down . . . . .	P 77
1.3	-	50.4	8.0	-	2.0	-	-	-	2.8	-	-	-	Autres syndromes congénitaux intéressant plusieurs appareils.	P 78
8.7	9.5	-	8.0	-	10.2	8.0	11.8	11.9	8.6	8.1	-	-	Anomalies congénitales autres et sans précision . . . . .	P 79
4.1	-	-	-	-	6.1	6.4	-	-	2.8	-	-	-		P 80
0.5	-	-	-	-	-	-	-	6.0	2.9	-	-	-	Infections du foetus et du nouveau-né (P81 - P88)	
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies diarrhéiques . . . . .	P 81
-	-	-	-	-	-	-	-	-	-	-	-	-	Listériose . . . . .	P 82
-	-	-	-	-	-	-	-	-	-	-	-	-	Tétanos . . . . .	P 83
0.2	-	-	-	-	-	-	-	-	2.9	-	-	-	Septicémie . . . . .	P 84
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies à virus . . . . .	P 85
-	-	-	-	-	-	-	-	-	-	-	-	-	Syphilis congénitale . . . . .	P 86
-	-	-	-	-	-	-	-	-	-	-	-	-	Toxoplasmose . . . . .	P 87
0.2	-	-	-	-	-	-	-	6.0	-	-	-	-	Autres maladies infectieuses et parasitaires . . . . .	P 88
2.2	-	-	8.0	-	1.0	2.4	-	-	2.9	2.7	-	82.8	Autres maladies du foetus et du nouveau-né (P89 - P94).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies du corps thyroïde . . . . .	P 89
-	-	-	-	-	-	-	-	-	-	-	-	-	Fibrose kystique . . . . .	P 90
-	-	-	-	-	-	-	-	-	-	-	-	-	Maladies du sang et des organes hématopoïétiques	P 91
-	-	-	-	-	-	-	-	-	-	-	-	-	Pneumonie . . . . .	P 92
-	-	-	8.0	-	-	2.4	-	-	2.9	2.7	-	-	Autres affections spécifiées . . . . .	P 93
1.6	-	-	-	-	1.0	-	-	-	-	-	-	-	Symptômes et états mal définis . . . . .	P 94
0.5	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	Causes extérieures de traumatismes du nouveau-né (P95 - P100).	
-	-	-	-	-	-	-	-	-	-	-	-	-	Chaleur excessive . . . . .	P 95
-	-	-	-	-	-	-	-	-	-	-	-	-	Froid excessif . . . . .	P 96
-	-	-	-	-	-	-	-	-	-	-	-	-	Faim, soif, exposition aux intempéries et manque de soins.	P 97
-	-	-	-	-	-	-	-	-	-	-	-	-	Suffocation et obstruction des voies respiratoires par aspiration ou ingestion de substances alimentaires.	P 98
-	-	-	-	-	-	-	-	-	-	-	-	-	Suffocation mécanique accidentelle . . . . .	P 99
-	-	-	-	-	-	-	-	-	-	-	-	-	Autres causes de traumatismes . . . . .	P 100
-	-	-	-	-	-	-	-	-	-	-	-	-	Non données . . . . .	
668.3	734.3	706.0	642.3	604.2	623.6	687.6	706.8	755.7	686.9	641.7	230.4	1,242.7	Toutes les causes	

<sup>1</sup> Comprend les décès intra-utérins (mortinaissances) après 28 semaines ou plus de gestation plus décès de moins (7 jours) d'une semaine.

<sup>2</sup> Décès intra-utérins (mortinaissances) après 28 semaines ou plus de gestation plus les naissances vivantes.

<sup>3</sup> Tableau non ajusté pour la différence de deux décès infantiles.



TABLE 32. Stillbirths<sup>1, 2</sup> and Ratios, Canada and Provinces, 1921 - 1977 and by Month, 1977

TABLEAU 32. Mortinatalité<sup>1, 2</sup> et rapports, Canada et provinces, 1921 - 1977, par mois, 1977

Year - Année	Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	T. - N.	Î. - P. - É.	N. - É.	N. - B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
28 + weeks gestation - De 28 semaines ou plus de gestation													
Number - Nombre													
1921	8,968	..	62	524	329	2,581	3,454	616	647	420	335	..	..
1922	8,536	138	69	447	273	2,594	3,115	590	601	434	275	..	..
1923	8,425	118	57	441	282	2,654	3,050	536	574	408	305	..	..
1924	8,401	119	48	469	273	2,700	3,014	517	610	372	279	..	..
1925	8,176	116	50	402	283	2,764	2,782	470	574	455	280	..	..
1926	7,245	140	36	356	242	1,940	2,812	434	556	418	311	..	..
1927	7,464	127	42	383	288	2,114	2,758	472	542	456	281	-	1
1928	7,673	90	45	331	261	2,323	2,793	473	563	458	330	-	6
1929	7,720	148	52	369	283	2,276	2,730	533	548	480	295	-	6
1930	7,847	137	40	387	340	2,405	2,713	481	547	525	269	-	3
1931	7,778	156	48	410	342	2,390	2,652	466	577	453	281	1	2
1932	7,396	109	80	474	324	2,385	2,377	385	525	481	253	-	3
1933	6,988	137	72	429	295	2,363	2,161	364	467	447	250	-	3
1934	6,613	159	67	350	284	2,232	2,091	369	465	363	231	-	2
1935	6,594	144	67	342	266	2,317	2,140	331	405	363	218	-	1
1936	6,531	178	70	292	237	2,365	2,034	323	431	376	222	-	3
1937	6,433	156	63	294	273	2,312	1,988	345	398	355	247	1	1
1938	6,595	161	61	356	314	2,356	2,015	347	370	351	256	5	3
1939	6,515	143	58	364	289	2,415	1,965	328	372	335	239	1	6
1940	6,810	172	52	365	296	2,482	2,037	356	394	378	274	2	2
1941	7,091	202	59	401	315	2,677	2,084	385	350	324	287	1	6
1942	7,319	174	57	413	312	2,904	2,088	356	361	337	304	1	12
1943	6,988	178	51	396	299	2,655	2,060	344	351	328	317	2	7
1944	6,895	185	42	405	283	2,814	1,866	315	344	335	301	1	4
1945	6,884	214	40	327	267	2,880	1,844	327	334	312	337	1	1
1946	7,368	241	63	378	321	2,927	2,016	360	372	363	321	-	6
1947	7,646	175	58	401	344	3,029	2,176	336	362	415	340	2	8
1948	7,071	211	50	335	350	2,769	1,972	315	347	372	339	3	8
1949	7,285	223	48	352	308	2,881	2,002	340	325	403	393	3	7
1950	7,192	224	52	325	279	2,886	1,932	394	346	372	369	3	10
1951	7,023	189	56	319	293	2,768	1,975	340	303	402	365	2	11
1952	7,277	226	45	369	281	2,805	2,085	361	314	399	375	6	11
1953	6,991	213	55	337	307	2,592	1,952	345	319	476	375	10	10
1954	7,231	242	59	326	313	2,805	2,027	323	327	418	373	5	13
1955	6,918	242	44	332	263	2,556	2,044	309	300	431	381	6	10
1956	6,976	260	51	337	331	2,584	1,969	316	291	409	413	4	11
1957	6,837	259	46	325	252	2,551	1,999	302	280	385	422	5	11
1958	6,726	267	42	319	254	2,424	2,017	309	270	395	414	5	10
1959	6,560	307	54	261	252	2,324	2,016	299	247	376	404	6	14
1960	6,471	275	36	279	246	2,346	1,960	279	221	373	437	7	12
1961	6,019	281	46	300	222	1,929	1,870	301	266	372	412	4	16
1962	5,882	249	58	277	238	1,824	1,925	276	248	388	377	3	19
1963	5,732	265	52	240	236	1,800	1,873	269	243	367	365	5	17
1964	5,520	255	46	260	216	1,644	1,790	285	248	373	373	7	23
1965	4,847	254	35	203	188	1,438	1,631	258	204	290	323	4	19
1966	4,429	188	34	212	174	1,301	1,554	193	172	280	301	2	18
1967	4,248	183	24	203	169	1,232	1,419	205	189	286	311	5	22
1968	3,926	183	35	151	146	990	1,442	210	171	254	316	7	21
1969	3,694	162	30	174	165	905	1,296	174	168	270	331	2	17
1970	3,687	137	19	164	135	941	1,300	193	172	300	296	4	26
1971	3,396	158	23	139	138	807	1,221	164	159	254	310	6	17
1972	3,046	121	22	124	137	685	1,159	173	140	229	238	6	12
1973	2,866	151	15	119	132	658	1,034	151	144	206	243	3	10
1974	2,766	127	20	123	125	629	1,019	128	132	188	252	7	16
1975	2,627	116	25	98	130	650	906	128	100	173	284	2	15
1976 <sup>3</sup>	2,691	95	19	94	103	694	957	149	116	201	252	5	6
1977	2,437	77	14	80	70	610	850	119	126	238	237	1	15
January - Janvier	229	10	3	1	6	53	83	13	8	23	28	-	1
February - Février	198	4	1	9	4	46	70	4	17	21	21	-	1
March - Mars	233	1	-	4	4	66	75	14	11	29	27	-	2
April - Avril	191	7	3	12	5	54	65	6	12	11	15	-	1
May - Mai	203	8	2	6	5	53	74	12	8	20	15	-	-
June - Juin	198	10	-	8	6	45	74	9	11	23	11	-	1
July - Juillet	215	5	2	5	4	52	74	12	12	24	25	-	-
August - Août	219	4	1	14	17	53	74	12	5	14	22	-	3
September - Septembre	190	13	-	8	6	51	56	8	8	22	16	1	1
October - Octobre	205	3	1	9	3	58	67	13	12	17	20	-	2
November - Novembre	169	5	-	2	4	41	57	8	14	15	20	-	3
December - Décembre	187	7	1	2	6	38	81	8	8	19	17	-	-

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 32. Stillbirths<sup>1,2</sup> and Ratios, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued

TABLEAU 32. Mortinatalité<sup>1,2</sup> et rapports, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
28 + weeks gestation - Concluded - De 28 semaines ou plus de gestation - fin													
Ratio per 1,000 live births - Rapport pour 1,000 naissances vivantes													
1921	34.8	..	28.8	40.2	28.7	29.1	46.6	33.2	28.8	25.4	31.4	..	..
1922	32.9	19.0	31.9	35.2	23.6	29.4	43.6	33.4	26.9	26.9	27.1	..	..
1923	34.1	17.0	28.3	37.8	26.3	31.8	43.5	32.5	27.4	27.1	30.5	..	..
1924	33.4	17.7	25.8	39.7	25.5	31.1	42.1	33.5	28.3	25.5	27.6	..	..
1925	32.8	16.8	29.9	35.3	25.8	31.6	39.7	31.6	27.9	30.5	27.0	..	..
1926	30.2	19.5	20.5	32.4	23.4	23.6	41.6	29.6	25.8	28.9	30.9	..	..
1927	31.0	18.7	24.7	34.4	27.5	25.5	40.8	33.4	25.8	30.6	27.9	-	7.9
1928	31.5	13.6	24.9	30.3	26.0	27.8	40.8	32.6	26.5	29.2	31.8	-	27.0
1929	31.9	22.3	31.1	34.5	27.7	28.0	39.9	37.4	25.6	28.4	28.4	-	45.1
1930	31.3	20.9	22.9	34.1	32.3	28.8	38.1	33.4	24.8	29.7	24.8	-	12.9
1931	31.5	23.8	25.5	35.3	31.7	28.6	38.3	32.4	27.0	26.3	27.0	25.0	14.2
1932	30.5	16.1	39.5	40.8	30.0	29.0	35.6	27.3	25.2	28.3	24.8	-	15.4
1933	30.4	20.5	37.0	38.4	29.4	30.7	34.0	27.4	23.2	27.7	26.1	-	16.8
1934	29.0	23.6	34.5	30.7	27.9	29.2	33.6	27.7	23.5	22.4	23.5	-	9.9
1935	28.9	21.7	33.3	29.4	25.6	30.8	33.9	24.8	20.7	22.4	21.8	-	4.3
1936	28.6	24.3	35.4	24.7	22.5	31.4	32.6	25.1	22.5	23.8	21.0	-	13.1
1937	28.2	21.3	30.1	25.4	25.8	30.6	32.2	26.8	21.4	22.3	21.9	12.0	4.7
1938	27.8	21.9	30.9	29.1	27.4	30.1	30.7	25.7	20.3	22.1	20.5	65.8	13.3
1939	27.4	17.4	27.3	30.8	25.6	30.3	30.6	24.1	20.6	20.3	19.3	15.9	25.6
1940	27.0	21.7	24.8	28.4	25.3	29.6	29.7	24.1	20.4	21.8	19.8	23.8	8.3
1941	26.9	24.4	28.8	28.8	25.7	30.0	28.8	26.0	19.0	18.7	19.1	13.9	19.0
1942	26.0	19.8	26.7	27.0	24.6	30.6	26.7	22.7	19.8	18.4	18.1	10.4	32.5
1943	23.9	20.0	23.5	25.7	22.8	26.9	25.4	21.0	19.0	17.0	16.9	20.2	17.4
1944	23.5	19.9	18.4	26.0	21.0	27.5	23.9	19.7	19.0	17.3	15.8	7.4	12.7
1945	22.9	19.1	17.7	21.1	19.5	27.6	23.3	20.1	17.6	15.6	17.9	8.1	2.0
1946	21.4	20.0	22.6	21.1	19.7	26.3	20.7	19.2	17.4	16.4	14.2	-	10.1
1947	20.5	13.9	19.4	20.8	19.4	26.2	20.0	16.5	15.5	16.8	12.9	8.9	12.8
1948	19.6	18.2	17.6	18.8	20.3	24.1	18.9	16.7	16.1	15.5	13.0	10.9	12.4
1949	19.8	18.2	17.0	19.8	18.5	24.7	18.8	17.6	15.0	16.2	14.4	9.7	10.9
1950	19.3	17.0	18.0	18.8	17.0	24.2	17.8	20.5	16.1	14.5	13.6	9.5	16.1
1951	18.4	16.1	21.1	18.6	18.2	22.9	17.2	17.0	13.9	14.9	13.0	5.8	16.9
1952	18.0	18.0	16.6	20.6	16.8	22.2	16.8	17.4	13.9	13.7	12.6	15.4	17.1
1953	16.7	16.6	20.1	18.4	18.7	20.1	15.0	16.2	13.5	15.2	11.8	26.1	14.8
1954	16.6	17.7	21.7	17.2	18.8	21.1	14.9	14.5	13.1	12.4	11.3	11.8	20.6
1955	15.6	16.4	15.8	17.5	15.8	19.2	14.6	13.8	12.1	12.5	11.2	11.5	13.7
1956	15.5	17.9	19.2	17.6	20.0	19.0	13.7	14.4	12.1	11.7	11.4	8.3	14.0
1957	14.6	16.9	17.2	16.8	14.8	18.0	13.2	13.5	17.7	10.8	10.9	10.1	12.2
1958	14.3	18.0	16.3	16.9	15.5	17.1	13.2	14.2	11.3	10.7	10.5	10.6	10.6
1959	13.7	20.7	19.9	13.7	15.3	16.3	12.8	13.1	10.2	9.9	10.1	11.2	14.1
1960	13.5	18.1	13.2	14.6	15.1	17.0	12.3	12.0	9.2	9.6	10.9	13.0	11.0
1961	12.7	18.0	16.2	15.5	13.4	14.1	11.9	12.9	11.1	9.6	10.7	7.2	14.3
1962	12.5	16.5	20.7	14.3	14.5	13.5	12.3	12.0	10.6	10.0	9.9	5.5	16.8
1963	12.3	17.2	17.6	12.6	15.0	13.5	12.1	11.8	10.3	9.5	9.7	10.0	14.6
1964	12.2	17.4	16.9	14.2	14.1	12.6	11.7	13.1	10.9	10.3	10.4	13.6	18.2
1965	11.6	17.2	13.9	12.3	13.3	11.9	11.5	12.9	10.0	8.9	9.6	9.3	16.0
1966	11.4	13.3	15.5	13.9	13.7	11.8	11.8	10.7	9.0	9.2	9.3	5.4	15.5
1967	11.5	14.2	11.7	14.2	13.7	12.1	11.1	11.9	10.5	9.3	9.5	13.0	18.2
1968	10.8	14.3	16.6	11.0	12.6	10.2	11.4	12.1	9.4	8.4	9.4	18.9	16.2
1969	10.0	12.5	14.9	12.8	14.1	9.5	9.9	9.8	9.5	8.8	9.4	4.3	14.0
1970	9.9	10.9	9.7	11.6	11.7	10.3	9.6	10.6	10.5	9.4	8.0	8.9	19.4
1971	9.4	12.4	10.9	9.8	11.3	9.0	9.4	9.1	9.9	8.3	8.9	11.9	13.2
1972	8.8	9.4	10.9	9.2	11.6	8.2	9.3	9.9	9.0	7.8	6.9	13.3	9.7
1973	8.3	12.7	8.0	9.0	11.6	7.8	8.4	8.9	9.7	7.0	7.1	7.1	8.3
1974	7.5	12.4	9.8	8.9	10.0	6.9	7.7	7.0	8.1	5.7	6.7	12.1	14.4
1975	7.3	10.3	13.0	7.5	11.0	7.0	7.2	7.5	6.6	5.5	7.8	4.9	12.8
1976 <sup>3</sup>	7.5	8.5	9.8	7.3	8.7	7.2	7.8	8.9	7.3	6.1	7.0	11.2	5.1
1977	6.7	6.9	7.1	6.5	6.1	6.4	6.9	7.1	7.6	6.9	6.5	2.3	12.6

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 32. Stillbirths<sup>1,2</sup> and Ratios, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Concluded

TABLEAU 32. Mortinatalité<sup>1,2</sup> et rapports, Canada et provinces, 1921 - 1977, par mois, 1977 - fin

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
20 - 27 weeks gestation - De 20 - 27 semaines de gestation													
Number - Nombre													
1960	..	..	..	43	..	..	..	49	..	35	..	..	..
1961	..	..	..	44	..	230	..	51	65	33	..	..	..
1962	..	..	..	63	53	402	477	51	49	34	56	..	..
1963	..	..	..	65	64	470	421	67	66	77	111	..	..
1964	..	..	..	11	59	36	427	459	56	74	77	112	..
1965	..	..	..	15	42	41	376	437	37	58	82	124	..
1966	..	..	..	9	44	38	416	378	52	53	77	108	..
1967	..	..	..	10	36	32	304	400	53	51	64	111	..
1968	..	..	..	15	40	28	264	369	49	59	64	117	..
1969	..	..	..	3	43	31	244	365	67	57	76	137	..
1970	..	..	..	4	34	36	262	379	52	51	92	111	..
1971	..	..	..	1	33	33	263	355	58	46	78	132	2
1972	..	..	..	5	17	33	203	375	53	33	64	118	1
1973	..	..	..	4	22	21	156	328	43	33	62	96	-
1974	..	..	..	11	25	22	169	316	62	37	54	112	3
1975	..	..	..	3	7	22	141	294	50	37	66	130	1
1976	..	..	..	5	19	26	..	246	49	35	58	109	2
1977	..	..	..	7	17	15	150	236	51	37	69	93	1
Ratio per 1,000 live births - Rapport pour 1,000 naissances vivantes													
1960	..	..	..	2.2	..	..	..	2.1	..	0.9	..	..	..
1961	..	..	..	2.2	..	1.6	..	2.2	2.7	0.8	..	..	..
1962	..	..	..	3.2	3.8	3.0	3.1	2.3	2.1	0.9	1.5	..	..
1963	..	..	..	..	3.4	4.1	3.5	2.7	2.9	2.8	2.0	3.0	..
1964	..	..	..	4.0	3.2	2.3	3.3	3.0	2.6	3.3	2.1	3.1	..
1965	..	..	..	6.0	2.5	2.9	3.1	3.1	1.9	2.8	2.5	3.7	..
1966	..	..	..	4.1	2.9	3.0	3.8	2.9	2.9	2.8	2.5	3.3	..
1967	..	..	..	4.9	2.5	2.6	3.0	3.1	3.1	2.8	2.1	3.4	..
1968	..	..	..	7.1	2.9	2.4	2.7	2.9	2.8	3.2	2.1	3.5	..
1969	..	..	..	1.5	3.2	2.7	2.6	2.8	3.8	3.2	2.5	3.9	..
1970	..	..	..	2.0	2.4	3.1	2.9	2.8	2.8	3.1	2.9	3.0	..
1971	..	..	..	0.5	2.3	2.7	2.9	2.7	3.2	2.9	2.6	3.8	4.0
1972	..	..	..	2.5	1.3	2.8	2.4	3.0	3.0	2.1	2.2	3.4	2.2
1973	..	..	..	2.1	1.7	1.8	1.9	2.6	2.5	2.2	2.1	2.8	-
1974	..	..	..	5.7	1.9	1.9	2.0	2.5	3.6	2.4	1.8	3.2	6.1
1975	..	..	..	1.6	0.5	1.9	1.5	2.3	2.9	2.4	2.1	3.6	2.5
1976	..	..	..	2.6	1.5	2.2	..	2.0	2.9	2.2	1.8	3.0	4.5
1977	..	..	..	3.6	1.4	1.3	1.6	1.9	3.1	2.2	2.0	2.5	2.3

<sup>1</sup> 20 or more completed weeks gestation. - De 20 semaines de gestation ou plus.

<sup>2</sup> See Table 31 for stillbirths by cause. - Voir tableau 31 mortinatalité selon la cause de décès.

<sup>3</sup> Stillbirths for Canada and Quebec estimated. - On a estimé la mortinatalité pour le Canada et pour le Québec.

TABLE 33. Maternal Deaths and Rates, Canada and Provinces, 1921 - 1977 and by Month, 1977

TABLEAU 33. Mortalité maternelle et taux, Canada et provinces, 1921 - 1977, par mois, 1977

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Deaths - Décès													
1921	1,257	53	7	56	47	336	387	81	128	111	51	..	..
1922	1,318	52	8	70	59	359	370	99	127	111	63	..	..
1923	1,235	46	5	84	49	340	369	76	118	85	63	..	..
1924	1,339	70	9	78	49	324	418	86	145	91	69	..	..
1925	1,231	27	14	62	51	331	388	95	117	86	60	..	..

TABLE 33. Maternal Deaths and Rates, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Continued

TABLEAU 33. Mortalité maternelle et taux, Canada et provinces, 1921 - 1977, par mois, 1977 - suite

Year - Année	Canada	Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
	Deaths - Concluded - Décès - fin												
1926	1,351	34	8	51	66	427	381	87	147	85	65	..	..
1927	1,336	35	4	76	65	403	403	72	114	95	68	-	1
1928	1,358	24	11	57	58	444	396	74	124	106	61	-	3
1929	1,380	37	13	45	75	430	368	97	132	123	58	-	2
1930	1,441	35	5	76	57	463	440	75	112	114	63	-	1
1931	1,257	42	13	55	60	400	372	69	93	87	66	-	-
1932	1,218	35	13	53	63	421	343	68	102	64	54	-	2
1933	1,141	30	8	52	60	381	346	54	92	73	45	-	-
1934	1,209	40	10	71	52	418	348	51	86	81	50	1	1
1935	1,115	21	8	62	48	405	313	56	80	69	52	-	1
1936	1,281	46	11	51	69	450	355	70	86	91	50	-	2
1937	1,107	34	12	35	39	397	319	55	86	77	51	-	2
1938	1,018	45	5	51	52	408	251	39	46	68	48	2	3
1939	1,014	44	16	49	54	369	276	47	59	59	38	1	2
1940	1,014	33	6	54	56	377	254	57	62	69	43	-	3
1941	960	57	6	49	43	386	219	46	58	54	40	1	1
1942	858	39	10	41	57	314	206	40	62	43	45	-	1
1943	835	33	9	57	41	315	189	40	48	52	47	1	3
1944	816	38	12	33	43	318	198	49	42	31	50	1	1
1945	690	27	6	24	25	256	171	31	49	48	50	-	3
1946	623	27	6	28	34	229	160	32	36	32	38	-	1
1947	588	29	6	20	25	259	129	23	38	22	32	-	5
1948	538	22	3	19	23	232	125	28	22	29	29	2	4
1949	540	24	1	20	18	234	134	25	27	25	28	-	4
1950	423	21	3	21	15	182	97	14	21	19	27	-	3
1951	407	25	1	12	11	180	97	22	22	15	20	-	2
1952	376	25	4	14	19	155	100	11	13	15	18	-	2
1953	327	19	2	14	16	136	69	16	13	21	18	1	2
1954	316	22	2	10	12	140	69	11	22	11	13	-	4
1955	337	29	2	13	20	133	81	15	11	15	16	-	2
1956	278	23	1	6	9	125	70	6	8	14	13	-	3
1957	255	20	2	13	5	115	55	10	5	12	15	1	2
1958	263	14	1	14	8	95	70	12	13	17	15	-	4
1959	263	12	-	8	6	104	73	14	10	14	17	-	5
1960	215	16	-	4	10	85	55	9	10	7	19	-	-
1961	219	11	1	4	8	89	67	13	6	9	10	1	-
1962	191	5	-	9	7	69	54	7	5	16	17	1	1
1963	165	7	3	2	6	61	46	10	7	11	11	-	1
1964	137	6	-	9	10	50	43	4	5	8	2	-	-
1965	135	5	-	9	5	42	44	6	9	4	10	-	1
1966	135	2	2	2	4	58	36	2	9	6	13	-	1
1967	88	3	-	3	3	33	29	3	4	5	5	-	-
1968	99	3	-	6	6	36	22	4	3	8	11	-	-
1969	77	-	-	1	3	33	20	5	4	2	9	-	-
1970	75	5	-	2	2	22	27	4	3	4	5	-	1
1971	66	1	-	7	-	20	25	2	2	3	6	-	-
1972	54	2	1	1	1	18	14	1	5	4	4	1	2
1973	37	2	-	-	1	10	14	-	1	4	5	-	-
1974	35	1	-	1	1	12	12	-	3	1	3	-	1
1975	27	1	1	-	2	8	6	1	3	2	2	-	1
1976	24	1	-	-	2	2	10	2	2	1	3	-	1
1977	18	-	-	1	-	5	7	-	-	2	3	-	-
January - Janvier	1	-	-	-	-	-	-	-	-	1	-	-	-
February - Février	3	-	-	-	-	1	1	-	-	1	-	-	-
March - Mars	1	-	-	-	-	-	-	-	-	-	1	-	-
April - Avril	2	-	-	-	-	1	1	-	-	-	-	-	-
May - Mai	-	-	-	-	-	-	-	-	-	-	-	-	-
June - Juin	-	-	-	-	-	-	-	-	-	-	-	-	-
July - Juillet	-	-	-	-	-	-	-	-	-	-	-	-	-
August - Août	4	-	-	-	-	1	2	-	-	-	1	-	-
September - Septembre	1	-	-	-	-	-	-	-	-	-	1	-	-
October - Octobre	-	-	-	-	-	-	-	-	-	-	-	-	-
November - Novembre	3	-	-	-	-	2	1	-	-	-	-	-	-
December - Décembre	3	-	-	1	-	-	2	-	-	-	-	-	-

TABLE 33. Maternal Deaths and Rates, Canada and Provinces, 1921 - 1977 and by Month, 1977 - Concluded

TABLEAU 33. Mortalité maternelle et taux, Canada et provinces, 1921 - 1977, par mois, 1977 - fin

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.
	Rate per 10,000 live births - Taux pour 10,000 naissances vivantes												
1921	47.5	74.1	32.5	43.0	40.0	37.9	52.2	43.8	56.9	67.0	47.9	..	..
1922	50.7	71.7	37.0	55.1	51.0	40.6	51.8	56.0	56.9	68.7	62.0	..	..
1923	50.0	66.4	25.3	71.9	45.8	40.7	52.7	46.1	56.3	56.4	63.0	..	..
1924	53.3	104.5	48.4	66.1	45.7	37.3	58.5	55.6	67.3	62.3	68.2	..	..
1925	49.4	39.1	83.6	54.4	46.6	37.8	55.3	63.9	56.8	57.6	58.0	..	..
1926	56.3	47.5	45.7	46.4	63.8	52.0	56.3	59.3	71.0	58.8	64.6	..	..
1927	55.4	51.4	23.6	68.2	62.0	48.5	59.6	50.9	54.2	63.8	67.4	-	79.4
1928	55.7	36.3	60.9	52.1	57.7	53.1	57.8	51.0	58.3	67.6	58.9	-	135.1
1929	57.0	55.7	77.8	42.1	73.3	52.8	53.8	68.1	61.5	72.7	55.9	-	150.4
1930	57.6	53.3	28.6	67.0	54.1	55.4	61.7	52.0	50.8	64.6	58.0	-	43.1
1931	50.8	64.1	69.2	47.3	55.5	47.8	53.8	48.0	43.6	50.4	63.4	-	-
1932	50.2	51.5	64.1	45.6	58.3	51.2	51.3	48.1	49.0	37.7	52.9	-	102.6
1933	49.7	44.9	41.1	46.6	59.8	49.5	54.4	40.6	45.7	45.3	47.0	-	-
1934	53.0	59.3	51.5	62.2	51.2	54.7	56.0	38.3	43.5	49.9	51.0	227.3	49.3
1935	48.8	31.6	39.8	53.4	46.2	53.8	49.6	42.0	40.9	42.6	51.9	-	43.3
1936	56.2	62.7	55.6	43.2	65.6	59.8	56.8	54.5	45.0	57.6	47.3	-	87.3
1937	48.6	46.3	57.3	30.2	36.9	52.5	51.7	42.7	46.1	48.4	45.2	-	94.8
1938	42.9	61.3	25.3	41.7	45.4	52.2	38.3	28.9	25.2	42.8	38.5	263.2	132.7
1939	42.6	53.5	75.2	41.4	47.8	46.3	43.0	34.6	32.7	35.8	30.7	158.7	85.5
1940	40.1	41.6	28.6	42.0	47.9	45.0	37.1	38.6	32.1	39.7	31.1	-	125.0
1941	36.4	68.8	29.3	35.2	35.0	43.3	30.3	31.1	31.4	31.2	26.6	138.9	31.6
1942	30.5	44.4	46.8	26.8	45.0	33.0	26.3	25.5	34.1	23.5	26.8	-	27.1
1943	28.5	37.2	41.5	37.0	31.3	31.9	23.3	24.4	25.9	27.0	25.0	101.0	74.4
1944	27.8	40.9	52.5	21.2	31.9	31.1	25.4	30.6	23.2	16.0	26.3	73.5	31.6
1945	23.0	24.1	26.6	15.5	18.3	24.5	21.7	19.1	25.9	24.1	26.5	-	58.7
1946	18.1	22.4	21.5	15.6	20.9	20.6	16.4	17.0	16.8	14.4	16.8	-	16.9
1947	15.8	22.9	20.1	10.4	14.1	22.4	11.9	11.3	16.3	8.9	12.2	-	80.0
1948	15.0	18.9	10.6	10.7	13.3	20.2	12.0	14.8	10.2	12.0	11.2	73.0	62.0
1949	14.7	19.5	3.5	11.3	10.8	20.0	12.6	13.0	12.5	10.0	10.3	-	62.1
1950	11.4	16.0	10.4	12.2	9.2	15.3	8.9	7.3	9.7	7.4	10.0	-	48.2
1951	10.7	21.3	3.8	7.0	6.8	14.9	8.4	11.0	10.1	5.6	7.1	-	30.8
1952	9.3	19.9	14.8	7.8	11.4	12.3	8.1	5.3	5.8	5.2	6.0	-	31.2
1953	7.8	14.8	7.3	7.7	9.7	10.6	5.3	7.5	5.5	6.7	5.7	26.1	29.6
1954	7.2	16.1	7.3	5.3	7.2	10.5	5.1	4.9	8.8	3.3	3.9	-	63.4
1955	7.6	19.7	7.2	6.9	12.0	10.0	5.8	6.7	4.4	4.4	4.7	-	27.3
1956	6.2	15.8	3.8	3.1	5.4	9.2	4.9	2.7	3.3	4.0	3.6	-	38.2
1957	5.4	13.1	7.5	6.7	2.9	8.1	3.6	4.5	2.1	3.4	3.9	20.2	22.2
1958	5.6	9.4	3.9	7.4	4.9	6.7	4.6	5.5	5.5	4.6	3.8	-	42.3
1959	5.5	8.1	-	4.2	3.6	7.3	4.6	6.1	4.1	3.7	4.3	-	50.5
1960	4.5	10.5	-	2.1	6.1	6.2	3.5	3.9	4.2	1.8	4.7	-	-
1961	4.6	7.1	3.5	2.1	4.8	6.5	4.2	5.6	2.5	2.3	2.6	17.9	-
1962	4.1	3.3	-	4.6	4.3	5.1	3.5	3.1	2.1	4.1	4.5	18.3	8.8
1963	3.5	4.5	10.2	1.1	3.8	4.6	3.0	4.4	3.0	2.9	2.9	-	8.6
1964	3.0	4.1	-	4.9	6.5	3.8	2.8	1.8	2.2	2.2	0.6	-	-
1965	3.2	3.4	-	5.4	3.5	3.5	3.1	3.0	4.4	1.2	3.0	-	8.4
1966	3.5	1.4	9.1	1.3	3.1	5.3	2.7	1.1	4.7	2.0	4.0	-	8.6
1967	2.4	2.3	-	2.1	2.4	3.3	2.3	1.7	2.2	1.6	1.5	-	-
1968	2.7	2.3	-	4.4	5.2	3.7	1.7	2.3	1.6	2.7	3.3	-	-
1969	2.1	-	-	0.7	2.6	3.5	1.5	2.8	2.3	0.6	2.5	-	-
1970	2.0	3.9	-	1.4	1.7	2.4	2.0	2.2	1.8	1.3	1.4	-	7.5
1971	1.8	0.8	-	4.9	-	2.2	1.9	1.1	1.2	1.0	1.7	-	-
1972	1.6	1.6	5.0	0.7	0.8	2.2	1.1	0.6	3.2	1.4	1.2	22.2	16.1
1973	1.1	1.7	-	-	0.9	1.2	1.1	-	0.7	1.4	1.5	-	-
1974	1.0	1.0	-	0.8	0.9	1.4	1.0	-	2.0	0.3	0.8	-	9.6
1975	0.7	0.9	5.2	-	1.7	0.9	0.3	0.6	2.0	0.6	0.6	-	8.5
1976	0.7	0.9	-	-	1.7	0.2	0.8	1.2	1.3	0.3	0.8	-	8.5
1977	0.5	-	-	0.8	-	0.5	0.6	-	-	0.6	0.8	-	-

TABLE 34. Maternal Deaths by Cause, Canada and Provinces, 1977

Int'l. list No.	Cause of death (8th Revision)	Canada		Nfld. T. - N.	P.E.I. Î. - P. - É.	N.S. N. - É.	N.B.	Qué.
		Number Nombre	Rate <sup>1</sup> Taux <sup>1</sup>					
	Complications of pregnancy (630 -634) . . . . .	4	1.1	-	-	-	-	1
630	Infections of genital tract . . . . .	-	-	-	-	-	-	-
631	Ectopic pregnancy . . . . .	-	-	-	-	-	-	-
632	Haemorrhage . . . . .	-	-	-	-	-	-	-
633, 634	Other complications . . . . .	4	1.1	-	-	-	-	1
	Urinary infections and toxæmias of pregnancy and the puerperium (635 -639).	3	0.8	-	-	1	-	-
635	Urinary infections . . . . .	-	-	-	-	-	-	-
636	Renal disease . . . . .	-	-	-	-	-	-	-
637	Pre-eclampsia, eclampsia and toxæmia, unspecified . . . . .	3	0.8	-	-	1	-	-
638, 639	Other toxæmias . . . . .	-	-	-	-	-	-	-
	Abortion (640 -645) . . . . .	1	0.3	-	-	-	-	1
640	Induced for medical indications . . . . .	-	-	-	-	-	-	-
641	Induced for other legal indications . . . . .	-	-	-	-	-	-	-
642	Induced for other reasons . . . . .	-	-	-	-	-	-	-
643	Spontaneous . . . . .	-	-	-	-	-	-	-
644	Not specified as induced or spontaneous . . . . .	1	0.3	-	-	-	-	1
645	Other . . . . .	-	-	-	-	-	-	-
	Delivery with complication(s) (651 -661) . . . . .	3	0.8	-	-	-	-	1
651	Placenta prævia or antepartum haemorrhage . . . . .	1	0.3	-	-	-	-	1
652	Retained placenta . . . . .	-	-	-	-	-	-	-
653	Other postpartum haemorrhage . . . . .	-	-	-	-	-	-	-
654, 655	Abnormality of bony pelvis and foetopelvic disproportion . . . . .	-	-	-	-	-	-	-
656, 657	Malpresentation and prolonged labour of other origin . . . . .	-	-	-	-	-	-	-
659	Rupture of uterus . . . . .	-	-	-	-	-	-	-
658, 660	Other obstetrical trauma . . . . .	2	0.6	-	-	-	-	-
661	Other complications . . . . .	-	-	-	-	-	-	-
	Complications of the puerperium (670 -678) . . . . .	7	1.9	-	-	-	-	2
670	Sepsis . . . . .	-	-	-	-	-	-	-
671	Phlebitis and thrombosis . . . . .	-	-	-	-	-	-	-
672	Pyrexia of unknown origin . . . . .	-	-	-	-	-	-	-
673	Pulmonary embolism . . . . .	3	0.8	-	-	-	-	1
674	Cerebral haemorrhage . . . . .	1	0.3	-	-	-	-	-
675	Blood dyscrasias . . . . .	1	0.3	-	-	-	-	1
676 -678	Other and unspecified complications . . . . .	2	0.6	-	-	-	-	-
	All complications of pregnancy, delivery and the puerperium . . .	18	5.0	-	-	1	-	5
	Rate <sup>1</sup> . . . . .	-	5.0	-	-	8.1	-	5.1

<sup>1</sup> Per 100,000 live births.

TABLEAU 34. Mortalité maternelle, selon la cause de décès, Canada et provinces, 1977

Ont.	Man.	Sask.	Alta. - Alb.	B.C. - C. - B.	Yukon	N.W.T. - T. N. - O.	Causes de décès (8 <sup>e</sup> révision)	No liste int.
2	-	-	-	1	-	-	<b>Complications de la grossesse (630 - 634)</b>	
-	-	-	-	-	-	-	Infections de l'appareil génital . . . . .	630
-	-	-	-	-	-	-	Grossesse ectopique . . . . .	631
-	-	-	-	-	-	-	Hémorragie. . . . .	632
2	-	-	-	1	-	-	Autres complications . . . . .	633, 634
1	-	-	1	-	-	-	<b>Infections urinaires et toxémies gravidiques et puerpérales (635 - 639).</b>	
-	-	-	-	-	-	-	Infections urinaires . . . . .	635
-	-	-	-	-	-	-	Affection rénale . . . . .	636
1	-	-	1	-	-	-	Pré-éclampsie, éclampsie et toxémie, sans précision . . . . .	637
-	-	-	-	-	-	-	Autres toxémies . . . . .	638, 639
-	-	-	-	-	-	-	<b>Avortement (640 - 645)</b>	
-	-	-	-	-	-	-	Provoqué pour raisons médicales . . . . .	640
-	-	-	-	-	-	-	Provoqué pour d'autres raisons légales . . . . .	641
-	-	-	-	-	-	-	Provoqué pour d'autres raisons . . . . .	642
-	-	-	-	-	-	-	Spontané . . . . .	643
-	-	-	-	-	-	-	Non précise comme provoqué ou spontané. . . . .	644
-	-	-	-	-	-	-	Autres. . . . .	645
1	-	-	1	-	-	-	<b>Accouchement avec complication(s) (651 - 661)</b>	
-	-	-	-	-	-	-	Placenta praevia ou hémorragie ante-partum . . . . .	651
-	-	-	-	-	-	-	Rétention placentaire . . . . .	652
-	-	-	-	-	-	-	Autres hémorragies post-partum. . . . .	653
-	-	-	-	-	-	-	Anomalie du bassin et disproportion foeto-pelvienne . . . . .	654, 655
-	-	-	-	-	-	-	Présentation vicieuse, prolongation du travail d'autre origine . . . . .	656, 657
-	-	-	-	-	-	-	Rupture de l'utérus . . . . .	659
1	-	-	1	-	-	-	Autres traumatismes obstétricaux . . . . .	658, 660
-	-	-	-	-	-	-	Autres complications . . . . .	661
3	-	-	-	2	-	-	<b>Complications des suites de couches (670 - 678)</b>	
-	-	-	-	-	-	-	Infection . . . . .	670
-	-	-	-	-	-	-	Phlébite et trombo-phlébite . . . . .	671
-	-	-	-	-	-	-	Pyrexie d'origine inconnue . . . . .	672
1	-	-	-	1	-	-	Embolie pulmonaire. . . . .	673
-	-	-	-	1	-	-	Hémorragie cérébrale . . . . .	674
-	-	-	-	-	-	-	Dyscrasies sanguines. . . . .	675
2	-	-	-	-	-	-	Complications autres et sans précision . . . . .	676 - 678
7	-	-	2	3	-	-	Toutes les complications de la grossesse, de l'accouchement et des suites de couches.	
5.7	-	-	5.8	8.2	-	-	Taux <sup>1</sup>	

<sup>1</sup> Pour 100,000 naissances vivantes.





DATE DUE  
DATE DE RETOUR

	MAY 14 1980	
FEB 26 1981		
	DEC 13 1982	
AUG - 5 1981		
DEC 16 1981	FEB - 5 1987	
	OCT - 1 1987	
DEC 30 1981		
MAR 15 1982	SEP 18 1991	
OCT 28 1982		
NOV 12 1982		
NOV 14 1983		

LOWE-MARTIN No. 1137

*Rowe*  
*Rowe*  
*Medich*  
*Rowe*  
*Shaw*  
*Rowe*  
*Norris*  
*I440 235-00CM*

## QUELQUES PUBLICATIONS STATISTIQUES SUR LA SANTÉ ET LA POPULATION

En vente à la Distribution des publications, Section des finances,  
Statistique Canada, Ottawa

### STATISTIQUES DE L'ÉTAT CIVIL ET REGISTRES DES MALADIES

#### Catalogue

- 84-001 La statistique de l'état civil – T., Bil.
- 84-203 Causes de décès, par provinces selon le sexe et le Canada selon le sexe et l'âge, A., Bil.
- 84-204 La statistique de l'état civil, Vol. I, Naissances, A., Bil.
- 84-205 La statistique de l'état civil, Vol. II, Mariages et divorces, A., Bil.
- 84-206 La statistique de l'état civil, Vol. III, Décès, A., Bil.
- 84-207 Principales statistiques de l'état civil selon la localité, A., Bil.

#### Rapports analytiques:

##### Tables de survie:

- 84-532 Tables de mortalité, Canada et provinces, 1970-1972, HS., Bil.

##### Autres publications:

- 82-201 Les maladies à déclaration obligatoire – A., Bil.
- Maladies à déclaration obligatoire, (1924-1968), résumé chronologique, Bil.
- 82-207 Nouveaux sièges primaires de tumeurs malignes au Canada, A., Bil.
- Nouveaux sièges primaires de tumeurs malignes au Canada selon la région de recensement 1969-70 (Supplément à 82-207), A., Bil.
- Registre canadien de la dialyse, Préliminaire, A., Bil.
- 82-212 La statistique de la tuberculose, Morbidité et mortalité – A., Bil.
- 84-528 Mortalité due au suicide, 1950-1968, HS., Bil.
- 84-529 Cardiovasculaire-rénale mortalité, 1950-1968, HS., Bil.
- 84-530 Taux de suicide du Canada, par localité et par centre urbain, 1970-1972, HS., Bil.
- 84-531 Mortalité générale, 1950-1972, HS., Bil.
- 84-533 Variations de la mortalité au Canada, 1960-1962 – 1970-1972, HS., Bil.
- 84-534 Mortalité par cancer selon le siège, 1960-1973, HS., Bil.

### STATISTIQUES DES ÉTABLISSEMENTS

- 83-001 Indicateurs des hôpitaux – T., Bil.
- 83-201 Hôpitaux canadiens et des installations connexes – A., Bil.
- 83-205 La statistique de l'hygiène mentale, Vol. III, Installations, services et finances des établissements – A., Bil.
- 83-217 La statistique hospitalière, Rapport annuel préliminaire – A., Bil.
- 83-222 Établissements de soins spéciaux, établissements et services en internat, A., Bil.
- 83-227 La statistique hospitalière, Vol. I, Lits, Services, Personnel – A., Bil.
- 83-228 La statistique hospitalière, Vol. II, Dépenses, Revenus, Bilans – A., Bil.
- 83-229 La statistique hospitalière, Vol. III, Indicateurs – A., Bil.

### STATISTIQUES DE LA MAIN-D'OEUVRE

- 83-220 Main-d'oeuvre sanitaire – Infirmières autorisées – A., Bil.
- 83-223 Main-d'oeuvre sanitaire – Médecins et chirurgiens – A., Bil.
- 83-224 Main-d'oeuvre sanitaire – Techniciens en radiologie, A., Bil.
- 83-225 Main-d'oeuvre sanitaire – Physiothérapeutes, A., Bil.
- 83-226 Soins infirmiers au Canada: Statistiques des soins infirmiers, A., Bil.
- 83-230 Main-d'oeuvre sanitaire – Hygiénistes Dentaires, A., Bil.
- 83-401 Traitements annuels du personnel infirmier des hôpitaux, Bienn., Bil.
- 83-402 Traitements annuels des infirmiers d'hygiène publique, Bienn., Bil.

### STATISTIQUES DE L'HYGIÈNE MENTALE

- 83-204 La statistique de l'hygiène mentale, Vol. I, Admissions et radiations des institutions – A., Bil.
- 83-204P La statistique de l'hygiène mentale, mouvement des malades, Préliminaire – A., Bil. (gratuit)
- 83-208 La statistique de l'hygiène mentale, Vol. II, Les malades inscrits dans les établissements – A., Bil.
- 83-505 *Trends in Hospital Care and Patient Characteristics, 1955-1963*, HS., Angl.
- 83-506 Probabilité d'hospitalisation dans un établissement psychiatrique du Canada, HS., Bil.

### STATISTIQUES DE LA MORBIDITÉ

- 82-206 La morbidité hospitalière – A., Bil.
- 82-208 Interventions chirurgicales et traitements, A., Bil.
- 82-209 La morbidité hospitalière, Liste canadienne de diagnostics, A., Bil.
- 82-211 Avortement thérapeutiques, A., Bil.

### STATISTIQUES DES SERVICES COMMUNAUTAIRES

- 82-214 Soins infirmiers à domicile – Les infirmières de l'Ordre de Victoria du Canada, A., Bil.
- 82-536 Services médicaux et diagnostics correspondants – Saskatchewan, O., Bil.

M. – Mensuel    T. – Trimestriel    A. – Annuel    Bienn. – Biennale    HS. – Hors série    F. – Français    Angl. – Anglais

*Outre les publications ci-dessus énumérées, Statistique Canada publie une grande variété de rapports statistiques sur le Canada tant dans le domaine économique que social, y compris des rapports détaillés sur les recensements de 1971 et 1976. On peut se procurer gratuitement un catalogue complet des publications courantes à Statistique Canada, Ottawa (Canada), K1A 0T6.*



1010410997

SELECTED PUBLICATIONS ON HEALTH STATISTICS

Obtainable from Publications Distribution Unit, Financial Services Section,  
Statistics Canada, Ottawa

VITAL STATISTICS AND DISEASE REGISTRIES

Catalogue

- 84 - 001 Vital Statistics, Q., Bil.
- 84 - 203 Causes of Death, Provinces by Sex and Canada by Sex and Age, A., Bil.
- 84 - 204 Vital Statistics, Vol. I, Births, A., Bil.
- 84 - 205 Vital Statistics, Vol. II, Marriages and Divorces, A., Bil.
- 84 - 206 Vital Statistics, Vol. III, Deaths, A., Bil.
- 84 - 207 Principal Vital Statistics by local Areas, A., Bil.

Analytical Reports:

Life Tables:

- 84 - 532 Life Tables, Canada and Provinces, 1970 - 1972, O., Bil.

Other:

- 82 - 201 Notifiable Diseases, A., Bil.
- Notifiable Disease, (1924 - 1968), Historical Supplement, Bil.
- 82 - 207 New Primary Sites of Malignant Neoplasms in Canada, A., Bil.
- New Primary Sites of Malignant Neoplasms in Canada by Census District 1969 - 70 (Supplement to 82 - 207), A., Bil.
- Canadian Dialysis Register, Preliminary, A., Bil.
- 82 - 212 Tuberculosis Statistics, Morbidity and Mortality, A., Bil.
- 84 - 528 Suicide Mortality, 1950 - 1968, O., Bil.
- 84 - 529 Cardiovascular-renal Mortality, 1950 - 1968, O., Bil.
- 84 - 530 Canadian Suicide Ratios by Local Areas and by Urban Centres, 1970 - 1972, O., Bil.
- 84 - 531 General Mortality, 1950 - 1972, O., Bil.
- 84 - 533 Mortality Differences in Canada, 1960 - 1962 - 1970 - 1972, O., Bil.
- 84 - 534 Cancer Mortality by Site, 1960 - 1973, O., Bil.

INSTITUTIONAL STATISTICS

- 83 - 001 Hospital Indicators, Q., Bil.
- 83 - 201 Canadian Hospitals and Related Facilities, A., Bil.
- 83 - 205 Mental Health Statistics, Vol. III, Institutional Facilities, Services and Finances, A., Bil.
- 83 - 217 Hospital Statistics, Preliminary Annual Report, A., Bil.
- 83 - 222 Special Care Facilities, Residential Facilities and Services, A., Bil.
- 83 - 227 Hospital Statistics, Vol. I, Beds, Services, Personnel, A., Bil.
- 83 - 228 Hospital Statistics, Vol. II, Expenditures, Revenues, Balance Sheets, A., Bil.
- 83 - 229 Hospital Statistics, Vol. III, Indicators, A., Bil.

HEALTH MANPOWER STATISTICS

- 83 - 220 Health Manpower - Registered Nurses, A., Bil.
- 83 - 223 Health Manpower - Physicians and Surgeons, A., Bil.
- 83 - 224 Health Manpower - Radiological Technicians, A., Bil.
- 83 - 225 Health Manpower - Physiotherapists, A., Bil.
- 83 - 226 Nursing in Canada: Canadian Nursing Statistics, A., Bil.
- 83 - 230 Health Manpower - Dental Hygienists, A., Bil.
- 83 - 401 Annual Salaries of Hospital Nursing Personnel, Bien., Bil.
- 83 - 402 Annual Salaries of Public Health Nurses, Bien., Bil.

MENTAL HEALTH STATISTICS

- 83 - 204 Mental Health Statistics, Vol. I, Institutional Admissions and Separations, A., Bil.
- 83 - 204P Mental Health Statistics, Patient Movement, Preliminary, A., Bil. (Free)
- 83 - 208 Mental Health Statistics, Vol. II, Patients on Books of Institutions, A., Bil.
- 83 - 505 Trends in Hospital Care and Patient Characteristics, 1955 - 1963, O., E.
- 83 - 506 Expectation of Admission to a Canadian Psychiatric Institution, O., Bil.

HOSPITAL MORBIDITY STATISTICS

- 82 - 206 Hospital Morbidity, A., Bil.
- 82 - 208 Surgical Procedures and Treatments, A., Bil.
- 82 - 209 Hospital Morbidity, Canadian Diagnostic List, A., Bil.
- 82 - 211 Therapeutic Abortions, A., Bil.

COMMUNITY AND OTHER SERVICES STATISTICS

- 82 - 214 Home Nursing Services - The Victorian Order of Nurses for Canada, A., Bil.
- 82 - 536 Medical Services and Associated Diagnoses - Saskatchewan, O., Bil.

M. - Monthly      Q. - Quarterly      A. - Annual      Bien. - Biennial      O. - Occasional      E. - English      F. - French

*In addition to the selected publications listed above, Statistics Canada publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1971 and 1976 Censuses. A comprehensive catalogue of all current publications is available free on request from Statistics Canada, Ottawa (Canada), K1A 0T6.*