

Vital statistics


Volume III
Mortality
Summary list of causes

1981

La statistique de l'état civil

Volume III
Mortalité
Liste sommaire des causes

1981



Data in Many Forms...

Statistics Canada disseminates data in a variety of forms. In addition to publications, both standard and special tabulations are offered on computer print-outs, microfiche and microfilm, and magnetic tapes. Maps and other geographic reference materials are available for some types of data. Direct access to aggregated information is possible through CANSIM, Statistics Canada's machine-readable data base and retrieval system.

How to Obtain More Information

Inquiries about this publication and related statistics or services should be directed to:

Vital Statistics and Disease Registries Section,
Health Division,

Statistics Canada, Ottawa, K1A 0T6 (Telephone: 995-9593) or to the Statistics Canada reference centre in:

St. John's (772-4073)	Winnipeg (949-4020)
Halifax (426-5331)	Regina (359-5405)
Montréal (283-5725)	Edmonton (420-3027)
Ottawa (992-4734)	Vancouver (666-3691)
Toronto (966-6586)	

Toll-free access is provided in all provinces and territories, for users who reside outside the local dialing area of any of the regional reference centres.

Newfoundland and Labrador	Zenith 0-7037
Nova Scotia, New Brunswick and Prince Edward Island	1-800-565-7192
Quebec	1-800-361-2831
Ontario	1-800-268-1151
Manitoba	1-800-282-8006
Saskatchewan	1(112)800-667-3524
Alberta	1-800-222-6400
British Columbia (South and Central)	112-800-663-1551
Yukon and Northern B.C. (area served by NorthwTel Inc.)	Zenith 0-8913
Northwest Territories (area served by NorthwTel Inc.)	Zenith 2-2015

How to Order Publications

This and other Statistics Canada publications may be purchased from local authorized agents and other community bookstores, through the local Statistics Canada offices, or by mail order to Publication Sales and Services, Statistics Canada, Ottawa, K1A 0V7.

Des données sous plusieurs formes...

Statistique Canada diffuse les données sous formes diverses. Outre les publications, des totalisations habituelles et spéciales sont offertes sur imprimés d'ordinateur, sur microfiches et microfilms et sur bandes magnétiques. Des cartes et d'autres documents de référence géographique sont disponibles pour certaines sortes de données. L'accès direct à des données agrégées est possible par le truchement de CANSIM, la base de données ordiolingue et le système d'extraction de Statistique Canada.

Comment obtenir d'autres renseignements

Toutes demandes de renseignements au sujet de cette publication ou de statistiques et services connexes doivent être adressées à:

Section de la statistique de l'état civil et des registres de maladies,
Division de la santé,

Statistique Canada, Ottawa, K1A 0T6 (téléphone: 995-9593) ou au centre de consultation de Statistique Canada à:

St. John's (772-4073)	Winnipeg (949-4020)
Halifax (426-5331)	Regina (359-5405)
Montréal (283-5725)	Edmonton (420-3027)
Ottawa (992-4734)	Vancouver (666-3691)
Toronto (966-6586)	

Un service d'appel interurbain sans frais est offert, dans toutes les provinces et dans les territoires, aux utilisateurs qui habitent à l'extérieur des zones de communication locale des centres régionaux de consultation.

Terre-Neuve et Labrador	Zénith 0-7037
Nouvelle-Écosse, Nouveau-Brunswick et Île-du-Prince-Édouard	1-800-565-7192
Québec	1-800-361-2831
Ontario	1-800-268-1151
Manitoba	1-800-282-8006
Saskatchewan	1(112)800-667-3524
Alberta	1-800-222-6400
Colombie-Britannique (sud et centrale)	112-800-663-1551
Yukon et nord de la C.-B. (territoire desservi par la NorthwTel Inc.)	Zénith 0-8913
Territoires du Nord-Ouest (territoire desservi par la NorthwTel Inc.)	Zénith 2-2015

Comment commander les publications

On peut se procurer cette publication et les autres publications de Statistique Canada auprès des agents autorisés et des autres librairies locales, par l'entremise des bureaux locaux de Statistique Canada, ou en écrivant à la Section des ventes et de la distribution des publications, Statistique Canada, Ottawa, K1A 0V7.

Statistics Canada
Health Division
Vital Statistics and Disease Registries
Section

Statistique Canada
Division de la santé
Section de la statistique de l'état civil
et des registres de maladies

Vital statistics

Volume III
Mortality
Summary list of causes

1981

La statistique de l'état civil

Volume III
Mortalité
Liste sommaire des causes

1981

Published under the authority of
the Minister of Supply and
Services Canada

Statistics Canada should be credited when
reproducing or quoting any part of this document

© Minister of Supply
and Services Canada 1983

June 1983
4-2302-511

Price: Canada, \$8.45
Other Countries, \$10.15

Catalogue 84-206

ISSN 0225-7394

Ottawa

Publication autorisée par
le ministre des Approvisionnements et
Services Canada

Reproduction ou citation autorisée sous réserve
d'indication de la source: Statistique Canada

© Ministre des Approvisionnements
et Services Canada 1983

Juin 1983
4-2302-511

Prix: Canada, \$8.45
Autres pays, \$10.15

Catalogue 84-206

ISSN 0225-7394

Ottawa

SYMBOLS

The following standard symbols are used in Statistics Canada publications:

- .. figures not available.
- ... figures not appropriate or not applicable.
- nil or zero.
- amount too small to be expressed.
- p preliminary figures.
- r revised figures.
- x confidential to meet secrecy requirements of the Statistics Act.

SIGNES CONVENTIONNELS

Les signes conventionnels suivants sont employés uniformément dans les publications de Statistique Canada:

- .. nombres indisponibles.
- ... n'ayant pas lieu de figurer.
- néant ou zéro.
- nombres infimes.
- P nombres provisoires.
- r nombres rectifiés.
- x confidentiel en vertu des dispositions de la Loi sur la statistique relatives au secret.

TABLE OF CONTENTS

	Page
Notes	5
Terms and Definitions	7
Methodological Notes	9

Table

1. Vital Statistics Summary, 1980 and 1981	11
2. Deaths by Selected Causes and Sex, Canada and Provinces, 1981	12
3. Age-specific Death Rates, by Selected Causes and Sex, Canada, 1981	16
4. Standardized Death Rates, by Selected Causes and Sex, Canada and Provinces, 1981	20
5. Deaths by Cause, Age and Sex, Canada, 1981	24
6. Deaths and Rates (per 100,000 Population) by Cause and Sex, Canada and Provinces, 1981	62
7. Infant Deaths for Selected Detailed Causes by Age and Sex, Canada, 1981	100
8. Infant Death Rates for Selected Detailed Causes, by Age and Sex, Canada, 1981	106
9. Neonatal Deaths and Rates for Selected Detailed Causes, Canada and Provinces, 1981	112
10. Perinatal Deaths and Rates by Cause, Canada and Provinces, 1981	118
Selected Publications on Health Statistics	160

TABLE DES MATIÈRES

	Page
Notes	5
Termes et définitions	7
Notes méthodologiques	9

Tableau

1. Statistique sommaire de l'état civil, 1980 et 1981	11
2. Mortalité selon certaines causes et le sexe, Canada et provinces, 1981	12
3. Taux de mortalité par âge, selon certaines causes et le sexe, Canada, 1981	16
4. Taux comparatif de mortalité, selon certaines causes et le sexe, Canada et provinces, 1981	20
5. Décès suivant la cause, l'âge et le sexe, Canada, 1981	24
6. Décès et taux (pour 100,000 habitants) suivant la cause et le sexe, Canada et provinces, 1981	62
7. Mortalité infantile due à certaines causes détaillées, selon l'âge et le sexe, Canada, 1981	100
8. Taux de mortalité infantile due à certaines causes détaillées, selon l'âge et le sexe, Canada, 1981	106
9. Mortalité néonatale due à certaines causes détaillées et taux, Canada et provinces, 1981	112
10. Mortalité périnatale et taux, selon la cause, Canada et provinces, 1981	118
Quelques publications statistiques sur la santé	160



NOTES

1. Data for the Yukon and Northwest Territories are included in all tables unless otherwise noted.
2. Population figures for years ending in 1 and 6 are those of the June 1 Census for that year; and for other years they are estimates as of June 1.
3. Beginning in 1979, causes of death are classified to the 9th revision of the International Classification of Diseases. Cause of death tables are according to the "List of 282 Selected Causes of Death" published by the U.S. National Center for Health Statistics,(1) unless otherwise specified. Perinatal deaths are shown by the detailed (4-digit ICD-9) list of causes.
4. Prior to 1959 and the early 1960's the following definitions of "live birth" and "stillbirth" were incorporated in the vital statistics legislation of the several provinces:

"(Live) birth means the birth of a foetus which, after complete separation from the mother, shows any sign of life."

"Stillbirth means the birth of a foetus, after at least 28 weeks' pregnancy, which, after complete separation from the mother, does not show any sign of life."

Subsequently, the above definitions were revised to conform, in substance, to new definitions of "livebirth" and "foetal death" recommended by the World Health Organization. At the same time the compulsory registration of stillbirths was extended to 20 weeks' gestation - from 28 weeks and the new period of gestation incorporated into the definition. Following therefore, for the record, are the new definitions adopted by each province - with only minor modification of the stillbirth definition in one province and the year in which the new definitions were implemented:

"(LIVE) BIRTH means the complete expulsion or extraction from its mother, irrespective of the duration of pregnancy, of a product of conception in which, after such expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached."

(1) Vital Statistics ICD-9 Underlying Cause of Death Lists for Tabulating Mortality Statistics. Hyattsville: U.S. Department of Health, Education and Welfare, 1979.

NOTES

1. A moins d'indication contraire, les données du Yukon et des Territoires du Nord-Ouest figurent dans tous les tableaux.
2. Les données démographiques pour les années se terminant par 1 et 6 proviennent des recensements (au 1^{er} juin); pour les autres années, il s'agit d'estimations.
3. Pour 1979 et les années suivantes, les causes de décès sont classées selon la 9^e révision de la Classification internationale des maladies. Les tables des causes de décès sont conformes, sauf indication contraire, à la **List of 282 Selected Causes of Death** publiée par le U.S. National Center for Health Statistics (1). Les décès périnataux figurent selon la liste détaillée (à 4 chiffres de la CIM-9) des causes.
4. Avant 1959, et durant le début des années soixante, les définitions relatives aux "naissances vivantes" et aux "mortinaissances" de la loi sur l'état civil de plusieurs provinces ont été les suivantes:

"On entend par naissance (vivante) l'expulsion complète du corps de la mère d'un foetus qui présente un quelconque signe de vie."

"On entend par mortinaissance l'expulsion, après un minimum de 28 semaines de gestation et après séparation complète du corps de la mère, d'un foetus qui ne présente aucun signe de vie."

Ultérieurement, les définitions ci-dessus ont été révisées suivant les recommandations de l'Organisation Mondiale de la Santé concernant les "naissances vivantes" et les "décès foetaux". En même temps, la durée minimum de gestation selon laquelle l'enregistrement d'une mortinaissance est obligatoire a été ramenée de 28 à 20 semaines. On trouvera, ci-dessous, les nouvelles définitions et leurs dates d'entrée en application, par province (avec une modification mineure de la définition des mortinaissances dans une des provinces):

"On entend par NAISSANCE (VIVANTE) l'expulsion ou l'extraction complète du corps de la mère, indépendamment de la durée de gestation, d'un produit de conception chez qui, après cette expulsion ou extraction, il y a respiration, battement du coeur, pulsation du cordon ombilical ou contraction nettement perceptible d'un muscle volontaire que le cordon ombilical ait été coupé ou non, ou que le placenta soit demeuré attaché ou non."

(1) Vital Statistics ICD-9 Underlying Cause of Death Lists for Tabulating Mortality Statistics. Hyattsville: U.S. Department of Health, Education and Welfare, 1979.

NOTES - Concluded

"STILLBIRTH means the complete expulsion or extraction from its mother, after at least 20 weeks' pregnancy, of a product of conception in which, after such expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle."

Nova Scotia	March	1959
Manitoba	August	1959
Alberta	January 1	1960(1)
	January 1	1963(2)
Saskatchewan	January 1	1961
Quebec	January 1	1961
Ontario	December 15	1961
New Brunswick	January 1	1962
British Columbia	July 1	1962
Prince Edward Island	January 1	1964

5. Births, stillbirths and deaths are classified by area of reported residence, births and stillbirths according to the residence of the mother. Events occurring in the United States to Canadian residents are included, and conversely, events occurring in Canada to United States residents are excluded.

(1) 24 + weeks', or 750 grams weight.

(2) 20 + weeks', or 500 grams weight.

NOTES - fin

"On entend par MORTINAISSANCE l'expulsion ou l'extraction du corps de la mère, après 20 semaines au moins de gestation, d'un produit de conception chez qui, après cette expulsion ou extraction, il n'y a pas respiration, battement du coeur, pulsation du cordon ombilical ou contraction nettement perceptible d'un muscle volontaire."

Nouvelle-Écosse	Mars	1959
Manitoba	Août	1959
Alberta	1 ^{er} janvier	1960(1)
	1 ^{er} janvier	1963(2)
Saskatchewan	1 ^{er} janvier	1961
Québec	1 ^{er} janvier	1961
Ontario	15 décembre	1961
Nouveau-Brunswick	1 ^{er} janvier	1962
Colombie-Britannique	1 ^{er} juillet	1962
Île-du-Prince-Édouard	1 ^{er} janvier	1964

5. Les naissances, mortinaissances et décès sont classés suivant le lieu de résidence, celle-ci étant celle de la mère dans le cas des naissances et mortinaissances. Le calcul comprend les événements survenus aux États-Unis à des ressortissants canadiens, mais ne comprend pas les événements survenus au Canada à des ressortissants des États-Unis.

(1) 24 semaines ou plus, ou poids de 750 grammes.

(2) 20 semaines ou plus, ou poids de 500 grammes.

TERMS AND DEFINITIONS

A summary of definitions, population and the method of computing rates used in this report are given below.

Population

De jure (resident) population as enumerated in Census years or estimated for intercensal years.
1979, 1980 - June 1 estimates.

Births

Unless otherwise indicated, infants born alive, i.e., excluding stillbirths.

Stillbirths

Unless otherwise indicated, foetal deaths of 28 or more weeks' gestation.

Deaths

Unless otherwise indicated, excludes stillbirths.

- Infant - Deaths under one year of age.
- Neonatal - Deaths under 28 days (four weeks) of age.
- Post-neonatal - Deaths between four weeks and one year of age.
- Maternal - Deaths due to delivery and complications of pregnancy, childbirth and the puerperium (categories 630-676 International List).
- Perinatal - Foetal deaths of 28 or more weeks' gestation plus infant deaths under seven days (one week) of age.

Natural Increase

Excess of births over deaths.

Rates

Crude - Birth, marriage, death and natural increase rates per 1,000 population.

Total Births

Live births and stillbirths.

TERMES ET DÉFINITIONS

Un sommaire des définitions de la population et de la méthode utilisée pour calculer les taux du présent rapport paraît ci-dessous.

Population

Population résidente dénombrée aux années de recensement ou estimée aux années intercensales.
1979, 1980 - Estimation du 1^{er} juin.

Natalité

Sauf indication contraire, il s'agit d'enfants nés vivants (sans la mortinatalité).

Mortinatalité

Sauf indication contraire, décès du foetus de 28 semaines ou plus.

Mortalité générale

Sauf indication contraire, ce terme exclut la mortinatalité.

- Infantile - Décès des moins de un an.
- Néonatale - Décès des moins de 28 jours (quatre semaines).
- Post-néonatale - Décès d'enfants de quatre semaines à un an.
- Maternelle - Décès dus à l'accouchement et aux complications de la grossesse, de l'accouchement et des suites de couches (rubriques 630-676 de la liste internationale).
- Périnatale - Décès des foetus de 28 semaines ou plus, plus les décès d'enfants âgés de moins de sept jours (une semaine).

Accroissement naturel

Excédent des naissances sur les décès.

Taux(de)

Bruts - Taux de natalité, de nuptialité, de mortalité et d'accroissement naturel pour 1,000 habitants.

Naissances

Naissances vivantes et mortinaissances.

Age

Completed ages in years, months, etc.

Average - Arithmetic mean.

Median - Age above and below which half of the total events occur.

Rates or Ratios

Unless otherwise indicated, computed as follows:

Stillbirths per 1,000 live births.

Deaths per 1,000 population.

Infant " 1,000 live births.

Neonatal " 1,000 " "

Post-neonatal " 1,000 " "

Maternal " 10,000 " "

Perinatal " 1,000 total births.

Causes of Death

All causes per 100,000 population.

Infant " 100,000 live births.

Neonatal " 100,000 " "

Maternal " 100,000 " "

Marriages per 1,000 population.

Natural increase per 1,000 population.

Ratio

Ratio of the number of stillbirths (28 + weeks) in a year to the total births (live and stillborn) in the same year.

Age

Age en années, mois révolus.

Moyen - Moyenne arithmétique

Médian - Age au-dessous duquel surviennent la moitié des événements.

Taux ou rapports

Sauf indication contraire, ils sont calculés ainsi:

Mortinatalité pour 1,000 naissances vivantes.

Mortalité pour 1,000 habitants.

Infantile " 1,000 naissances vivantes.

Néonatale " 1,000 naissances vivantes.

Post-néonatale " 1,000 naissances vivantes.

Maternelle " 10,000 naissances vivantes.

Périnatale " 1,000 naissances totales.

Causes de mortalité

Toutes causes pour 100,000 habitants

Infantile " 100,000 naissances vivantes.

Néonatale " 100,000 naissances vivantes.

Maternelle " 100,000 naissances vivantes.

Nuptialité pour 1,000 habitants.

Accroissement naturel pour 1,000 habitants.

Rapport

Rapport entre le nombre de mortinaissances (28 semaines ou plus) au cours d'une année et le nombre total de naissances (naissances vivantes et mortinaissances) pendant la même année.

METHODOLOGICAL NOTE

The source of vital statistics data in Canada is the universal system of registration of births, marriages, deaths and stillbirths. These are recorded and accumulated by registrars of vital statistics in each province and territory. Under existing Federal-Provincial agreements, microfilm copies of registration documents on births, marriages, deaths and stillbirths are made available to Statistics Canada by the provincial and territorial offices for compilation of aggregate national statistics.

Mode of Data Availability

The data for Newfoundland, Prince Edward Island, New Brunswick, Nova Scotia and the Territories of Yukon and Northwest, are transformed into machine readable form at Statistics Canada. Data from other provinces are supplied in machine readable form by the provincial offices of vital statistics. Editing and processing of data to generate the necessary tabulations are accomplished by means of specialized routines developed at Statistics Canada.

Mode of Dissemination

The tabulations which are often requested and are in increasing demand, are published in four annual reports and one occasional:

Catalogue

84-203 Causes of Death
84-204 Births and Deaths
84-205 Marriages and Divorces
84-206 Mortality - Summary List of Causes
84-542 The Principal Vital Statistics by Local Area - O

Historical as well as current information is also available through Statistics Canada's computerized data base system. In addition, some unpublished tabulations are stored on microfilm and are available on demand. Special tabulations may also be generated from the data files and supplied upon request on a cost-recovery basis.

NOTE MÉTHODOLOGIQUE

Au Canada, le système universel d'enregistrement des naissances, des mariages, des décès et des mortinaissances est la principale source des données sur l'état civil, qui sont enregistrées et conservées par les registraires de la statistique de l'état civil des provinces et des territoires. En vertu des ententes fédérales-provinciales existantes, les microfilms des documents d'enregistrement des naissances, des mariages, des décès et des mortinaissances sont mis à la disposition de Statistique Canada par les bureaux provinciaux et territoriaux et le Bureau se charge de compiler les données nationales sur l'état civil.

Support d'information

Les données provenant de Terre-Neuve, de l'Île-du-Prince-Édouard, du Nouveau-Brunswick, de la Nouvelle-Écosse et des Territoires du Yukon et du Nord-Ouest sont traduites sous une forme lisible à la machine par Statistique Canada. Dans les autres provinces, ce sont les bureaux provinciaux de l'état civil qui se chargent de ce travail. Le contrôle et le traitement des données permettant de produire les totalisations nécessaires se font à l'aide des programmes spécialisés conçus à Statistique Canada.

Mode de diffusion

Les totalisations pour lesquelles il y a une demande de plus en plus forte sont publiées dans les quatre bulletins annuels et un occasionnel:

Catalogue

84-203 Causes de décès
84-204 Naissances et décès
84-205 Mariages et divorces
84-206 Mortalité - Liste sommaire des causes
84-542 Principales statistiques de l'état civil selon la localité - HS

On peut aussi obtenir des données chronologiques ou courantes grâce à la base de données informatisée de Statistique Canada. On peut aussi se procurer sur demande des totalisations non publiées enregistrées sur microfilms et des totalisations spéciales établies, à partir des fichiers originaux de données en acquittant les frais.

TABLE 1. Vital Statistics Summary, 1980 and 1981

TABLEAU 1. Statistique sommaire de l'état civil, 1980 et 1981

Item Rubrique	Year	Canada	New- found- land Terre- Neuve	Prince Edward Island Ile-du- Prince- Edouard	Nova Scotia Nou- velle- Ecosse	New Brun- swick Nou- veau- Brun- swick	Québec	Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia Colombie- Britten- nique	Yukon	North- west- Terri- tories Terri- toires du Nord- Ouest
Population ('000) June 1 - 1 ^{er} juin ('000)	1981	24,343	568	123	847	696	6,438	8,625	1,026	968	2,238	2,745	23	46
	1980	23,941	579	124	853	708	6,314	8,574	1,029	971	2,083	2,642	21	43
Live births - Naissances vivantes	1981	371,346(1)	10,130(1)	1,897	12,079	10,503	95,322	122,183	16,073	17,209	42,638	41,474	536	1,302
	1980	370,709(1)	10,332(1)	1,958	12,369	10,636	97,421	123,316	15,989	17,057	39,749	40,104	476	1,302
Rate - Taux	1981	15.3(1)	17.8(1)	15.5	14.3	15.1	14.8	14.2	15.7	17.8	19.1	15.1	23.2	28.5
	1980	15.5(1)	17.8(1)	15.7	14.5	15.0	15.4	14.4	15.5	17.6	19.1	15.2	22.2	30.2
Deaths - Décès	1981	171,029	3,230	992	6,958	5,139	42,684	62,838	8,648	7,523	12,823	19,857	141	196
	1980	171,473	3,345	1,035	7,004	5,297	43,512	62,746	8,436	7,651	12,710	19,371	128	238
Rate - Taux	1981	7.0	5.7	8.1	8.2	7.4	6.6	7.3	8.4	7.8	5.7	7.2	6.1	4.3
	1980	7.2	5.8	8.3	8.2	7.5	6.9	7.3	8.2	7.9	6.1	7.3	6.0	5.5
Infant deaths - Mor- talité infantile	1981	3,562	98	25	139	114	807	1,073	191	203	452	424	8	28
	1980	3,868	110	22	135	116	953	1,175	184	193	500	442	9	29
Rate - Taux	1981	9.6	9.7	13.2	11.5	10.9	8.5	8.8	11.9	11.8	10.6	10.2	14.9	21.5
	1980	10.4	10.6	11.2	10.9	10.9	9.8	9.5	11.5	11.3	12.6	11.0	18.9	22.3
Neonatal deaths - Mor- talité néonatale	1981	2,359	69	18	92	87	587	697	122	112	283	271	6	15
	1980	2,470	71	16	86	71	649	784	117	102	305	247	6	16
Rate - Taux	1981	6.4	6.8	9.5	7.6	8.3	6.2	5.7	7.6	6.5	6.6	6.5	11.2	11.5
	1980	6.7	6.9	8.2	7.0	6.7	6.7	6.4	7.3	6.0	7.7	6.2	12.6	12.3
Post-neonatal deaths - Mortalité post- néonatale	1981	1,203	29	7	47	27	220	376	69	91	169	153	2	13
	1980	1,398	39	6	49	45	304	391	67	91	195	195	3	13
Rate - Taux	1981	3.2	2.9	3.7	3.9	2.6	2.3	3.1	4.3	5.3	4.0	3.7	3.7	10.0
	1980	3.8	3.8	3.1	4.0	4.2	3.1	3.2	4.2	5.3	4.9	4.9	6.3	10.0
Maternal deaths - Mor- talité maternelle	1981	23	1	-	1	2	4	10	-	-	2	3	-	-
	1980	28	1	1	-	1	5	14	2	-	2	2	-	-
Rate - Taux	1981	0.6	1.0	-	0.8	1.9	0.4	0.8	-	-	0.5	0.7	-	-
	1980	0.8	1.0	5.1	-	0.9	0.5	1.1	1.3	-	0.5	0.5	-	-
Stillbirths - Mort-nés:														
20+ weeks gestation - semaines de gestation	1981	2,729	67	15	93	77	638	873	142	136	309	368	1	10
	1980	2,622	53	13	87	83	549	952	122	133	298	316	3	13
Ratio(2) - Rapport (2)	1981	7.3	6.6	7.9	7.7	7.3	6.7	7.1	8.8	7.9	7.2	8.9	1.9	7.7
	1980	7.1	5.1	6.6	7.0	7.8	5.6	7.7	7.6	7.8	7.5	7.9	6.3	10.0
28+ weeks gestation - semaines de gestation	1981	1,972	49	9	76	59	479	641	92	103	215	242	1	6
	1980	1,952	45	11	70	75	444	698	89	95	216	196	1	12
Ratio(2) - Rapport(2)	1981	5.3	4.8	4.7	6.3	5.6	5.0	5.2	5.7	6.0	5.0	5.8	1.9	4.6
	1980	5.3	4.4	5.6	5.7	7.1	4.6	5.7	5.6	5.6	5.4	4.9	2.1	9.2

(1) Adjusted for expected undercount.

(1) On fait un ajustement, parce que le compte était censé être trop bas.

(2) Rate per 1,000 total births.

(2) Taux pour 1,000 naissances totales.

INFANT
MORTALITY

TABLE 2. Deaths by Selected Causes and Sex, Canada and Provinces, 1981

Cause	ICD-9 codes Codes de la CIM-9	1981					Québec
		Canada	New-found-land Terre-Neuve	Prince Edward Island Ile-du-Prince-Edouard	Nova Scotia Nouvelle-Ecosse	New Brunswick Nouveau-Brunswick	
No.		Male - Masculin					
		number - nombre					
1	TOTAL ALL CAUSES 001-799, E800-E999	97,055	1,939	571	3,968	2,996	24,746
2	All malignant neoplasms 140-208	22,440	427	122	898	676	6,162
3	Intestine, except rectum 152, 153, 159.0	2,191	49	16	94	56	561
4	Lung (primary site, including trachea and bronchus) 162	7,147	128	38	299	201	2,121
5	Breast 174, 175	33	1	-	2	-	9
6	All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175) 140-208	13,069	249	68	503	419	3,471
7	Diabetes mellitus 250	1,317	16	7	83	41	353
8	Diseases of the heart 391, 392.0, 393-398, 402, 404, 410-416, 420-429	33,633	687	230	1,417	1,068	8,377
9	Ischaemic heart disease 410-414	28,875	581	195	1,204	857	6,843
10	All other heart diseases 391, 392.0, 393-398, 402, 404, 415, 416, 420-429	4,758	106	35	213	211	1,534
11	Cerebrovascular disease 430-438	6,601	150	35	255	186	1,592
12	Atherosclerosis 440	1,251	20	12	52	37	369
13	Respiratory diseases (excluding infec- tious and parasitic diseases) 460-519	6,999	134	46	338	232	1,621
14	Pneumonia and influenza 480-487	2,471	55	19	109	70	459
15	Bronchitis, emphysema and asthma (ex- cluding acute bronchitis) 490-493	1,876	27	13	53	61	497
16	All other respiratory diseases (exclud- ing 480-487, 490-493) 460-519	2,652	52	14	176	101	665
17	Chronic liver disease and cirrhosis 571	1,839	13	5	33	30	512
18	Congenital anomalies 740-759	885	27	8	34	26	219
19	Causes of perinatal mortality excluding stillbirths 760-767, 768, 779	865	23	5	43	33	214
20	All accidents and adverse effects (in- cluding late effects) E800-E999	11,096	205	40	369	345	3,003
21	Motor vehicle accidents E810-E825, E929.0	4,054	74	15	142	158	1,073
22	Suicide E950-E959	2,570	20	9	76	67	799
23	Homicide E960-E969	346	-	1	2	7	97
24	All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969) E800-E999	4,126	111	15	149	113	1,034
25	All other causes not specified in the above list (from 001-E999)	10,129	237	61	446	322	2,324

TABLEAU 2. Mortalité selon certaines causes et le sexe, Canada et provinces, 1981

1981							Cause	N ^o
Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia Colombie- Britannique	Yukon	Northwest Territories Territoires du Nord- Ouest		
Male - Masculin								
number - nombre								
34,461	4,920	4,428	7,623	11,182	93	128	TOUTES LES CAUSES	1
8,100	1,084	951	1,485	2,504	11	20	Toutes les tumeurs malignes	2
871	100	81	125	237	-	1	Intestin, sauf le rectum	3
2,580	322	240	407	795	6	10	Poumon (siège primaire, incluant la trachée et les bronches)	4
15	2	-	1	3	-	-	Sein	5
4,634	660	630	952	1,469	5	9	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6
501	54	47	93	118	3	1	Diabète sucré	7
12,441	1,745	1,576	2,366	3,682	22	22	Maladies du coeur	8
11,140	1,456	1,280	2,009	3,281	16	13	Cardiopathies ischémique	9
1,301	289	296	357	401	6	9	Toutes les autres maladies du coeur	10
2,439	363	291	490	790	3	7	Maladies vasculaires cérébrales	11
424	54	63	82	138	-	-	Athérosclérose	12
2500	445	370	567	736	4	6	Maladies de l'appareil respiratoire (excluant les maladies infectieuses et parasitaires)	13
961	192	184	241	180	-	1	Grippe et pneumonie	14
500	63	72	143	447	-	-	Bronchite, emphysème et asthme (excluent la bronchite aiguë)	15
1,039	190	114	183	109	4	5	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16
669	73	51	163	286	4	-	Maladies chroniques et cirrhose du foie	17
290	44	42	94	98	1	2	Anomalies congénitales	18
240	37	53	104	105	1	7	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19
3,152	530	551	1,227	1,595	35	44	Tous les accidents et effets aduerses (y compris les séquelles)	20
1,107	158	224	489	595	11	8	Accidents de la circulation	21
780	122	127	265	293	5	7	Suicide	22
90	18	14	49	65	-	3	Homicide	23
1,175	232	186	424	642	19	26	Tous les autres accidents et effets aduerses (excluant E810-E825, E929.0, E950-E969)	24
3,705	491	433	952	1,130	9	19	Toutes les autres causes non spécifiées de 001-E999	25

TABLE 2. Deaths by Selected Causes and Sex, Canada and Provinces, 1981 - Concluded

Cause	ICD-9 codes Codes de la CIM-9	1981					Québec
		Canada	Newfoundland Terre-Neuve	Prince Edward Island Île-du-Prince-Édouard	Nova Scotia Nouvelle-Écosse	New Brunswick Nouveau-Brunswick	
No.		Female - Féminin number - nombre					
1 TOTAL ALL CAUSES	001-799, E800-E999	73,974	1,291	421	2,990	2,143	17,938
2 All malignant neoplasms	140-208	17,974	288	102	680	487	4,646
3 Intestine, except rectum	152, 153, 159.0	2,439	45	21	113	73	594
4 Lung (primary site, including trachea and bronchus)	162	2,170	18	9	80	48	521
5 Breast	174, 175	3,604	49	20	117	92	934
6 All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175)	140-208	9,761	176	52	370	274	2,597
7 Diabetes mellitus	250	1,639	38	11	87	55	435
8 Diseases of the heart	391, 392.0, 393-398, 402, 404, 410-416, 420-429	24,754	451	165	1,069	789	5,960
9 Ischaemic heart disease	410-414	19,808	340	119	800	600	4,345
10 All other heart diseases	391, 392.0, 393-398, 402, 404, 415, 416, 420-429	4,946	111	46	269	189	1,615
11 Cerebrovascular disease	430-438	8,244	125	34	311	211	1,930
12 Atherosclerosis	440	1,874	17	14	60	47	509
13 Respiratory diseases (excluding infectious and parasitic diseases)	460-519	3,980	70	27	203	111	782
14 Pneumonia and influenza	480-487	2,132	40	19	116	59	342
15 Bronchitis, emphysema and asthma (excluding acute bronchitis)	490-493	699	9	2	27	19	175
16 All other respiratory diseases (excluding 480-487, 490-493)	460-519	1,149	21	6	60	33	265
17 Chronic liver disease and cirrhosis	571	874	8	2	15	19	194
18 Congenital anomalies	740-759	692	22	3	23	18	178
19 Causes of perinatal mortality excluding stillbirths	760-767, 768, 779	618	15	4	30	22	159
20 All accidents and adverse effects (including late effects)	E800-E999	4,436	61	7	123	113	1,063
21 Motor vehicle accidents	E810-E825, E929.0	1,389	20	1	39	40	337
22 Suicide	E950-E959	833	4	-	16	10	255
23 Homicide	E960-E969	214	1	-	4	11	39
24 All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969)	E800-E999	2,000	36	6	64	52	432
25 All other causes not specified in the above list (from 001-E999)		8,889	196	52	389	271	2,082

TABLEAU 2. Mortalité selon certaines causes et le sexe, Canada et provinces, 1981 - fin

1981								Cause	N ^o
Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia Colombie- Britannique	Yukon	Northwest Territories Territoires du Nord- Ouest			
Female - Féminin									
number - nombre									
28,377	3,728	3,095	5,200	8,675	48	68	TOUTES LES CAUSES	1	
6,850	863	696	1,224	2,117	7	14	Toutes les tumeurs malignes	2	
967	123	86	129	286	-	2	Intestin, sauf le rectum	3	
832	109	82	144	320	1	6	Poumon (siège primaire, incluant la trachée et les bronches)	4	
1,393	175	143	244	437	-	-	Sein	5	
3,658	456	385	707	1,074	6	6	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6	
627	67	62	108	147	2	-	Diabète sucré	7	
9,846	1,244	1,012	1,466	2,737	8	7	Maladies du coeur	8	
8,469	945	750	1,147	2,283	7	3	Cardiopathies ischémique	9	
1,377	299	262	319	454	1	4	Toutes les autres maladies du coeur	10	
3,163	450	386	590	1,037	3	4	Maladies vasculaires cérébrales	11	
780	67	70	136	172	1	1	Athérosclérose	12	
1,570	266	208	286	447	5	5	Maladies de l'appareil respiratoire (excluant les maladies infectieuses et parasitaires)	13	
884	170	139	163	194	4	2	Grippe et pneumonie	14	
209	25	24	47	161	1	-	Bronchite, emphysème et asthme (excluant la bronchite aiguë)	15	
477	71	45	76	92	-	3	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16	
323	39	24	77	172	1	-	Maladies chroniques et cirrhose du foie	17	
230	38	25	73	80	1	1	Anomalies congénitales	18	
168	35	28	67	79	4	7	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19	
1,479	201	203	450	713	10	13	Tous les accidents et effets adwerses (y compris les séquelles)	20	
392	59	55	189	248	6	3	Accidents de la circulation	21	
295	22	44	79	105	-	3	Suicide	22	
61	17	17	20	42	1	1	Homicide	23	
731	103	87	162	318	3	6	Tous les autres accidents et effets adwerses (excluant E810-E825, E929.0, E950-E969)	24	
3,341	458	381	723	974	6	16	Toutes les autres causes non spécifiées de 001-E999	25	

TABLE 3. Age-specific Death Rates by Selected Causes and Sex, Canada, 1981

Cause	ICD-9 codes Codes de la CIM-9	1981									
		Total	Under one year Moins de un an	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
No.											
Male - Masculin											
per 100,000 population - pour 100,000 habitants											
1	TOTAL ALL CAUSES 001-799, E800-E999	804.2	1,075.5	58.9	33.1	40.1	137.2	163.2	135.9	139.1	180.3
2	All malignant neoplasms 140-208	185.9	4.7	6.6	6.0	5.3	5.9	6.6	8.9	13.6	28.7
3	Intestine, except rectum 152, 153, 159.0	18.2	-	-	-	-	0.1	0.2	0.5	1.1	3.3
4	Lung (primary site, including trachea and bronchus) 162	59.2	-	-	-	0.1	0.2	0.1	0.3	1.2	3.8
5	Breast 174, 175	0.3	-	-	-	-	-	-	-	-	-
6	All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175) 140-208	108.3	4.7	6.6	6.0	5.2	5.7	6.3	8.1	11.4	21.6
7	Diabetes mellitus 250	10.9	-	0.1	0.1	-	0.2	0.2	0.7	1.5	2.1
8	Diseases of the heart 391, 392.0, 393-398, 402, 404, 410-416, 420-429	278.7	7.9	1.2	0.7	0.5	1.4	2.6	4.7	13.1	30.2
9	Ischaemic heart disease 410-414	239.3	-	-	-	-	0.1	0.5	2.3	10.2	24.8
10	All other heart diseases 391, 392.0, 393-398, 402, 404, 415, 416, 420-429	39.4	7.9	1.2	0.7	0.5	1.4	2.1	2.4	2.9	5.4
11	Cerebrovascular disease 430-438	54.7	0.5	0.3	0.1	0.3	0.7	0.9	2.1	3.0	5.5
12	Atherosclerosis 440	10.4	-	-	-	-	-	-	-	-	-
13	Respiratory diseases (excluding infectious and parasitic diseases) 460-519	58.0	46.2	3.6	0.2	1.4	2.4	1.5	2.1	2.3	3.0
14	Pneumonia and influenza 480-487	20.5	22.0	0.8	0.1	0.3	0.9	0.7	0.6	1.4	1.1
15	Bronchitis, emphysema and asthma (excluding acute bronchitis) 490-493	15.5	1.6	0.8	-	1.0	1.0	0.6	0.9	0.3	0.7
16	All other respiratory diseases (excluding 480-487, 490-493) 460-519	22.0	22.6	1.9	0.1	0.1	0.4	0.3	0.6	0.7	1.2
17	Chronic liver disease and cirrhosis 571	15.2	1.0	0.3	-	-	0.1	0.3	1.1	2.2	6.4
18	Congenital anomalies 740-759	7.3	332.6	9.4	3.0	1.4	1.9	2.0	1.4	0.8	1.3
19	Causes of perinatal mortality excluding stillbirths 760-767, 768, 779	7.2	451.7	0.6	-	-	-	-	-	-	-
20	All accidents and adverse effects (including late effects) E800-E999	91.9	39.3	28.0	19.7	27.0	117.1	140.4	102.8	91.3	84.9
21	Motor vehicle accidents E810-E825, E929.0	33.6	6.3	9.8	9.9	13.2	65.7	69.8	43.4	33.2	27.1
22	Suicide E950-E959	21.3	-	-	0.1	2.5	21.2	33.2	25.5	27.3	24.2
23	Homicide E960-E969	2.9	4.2	1.0	1.0	1.1	2.4	4.1	3.8	3.1	5.1
24	All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969) E800-E999	34.2	28.9	17.3	8.8	10.2	27.9	33.3	30.2	27.7	28.5
25	All other causes not specified in the above list (from 001-E999)	83.9	191.5	8.7	3.3	4.2	7.6	8.7	12.1	11.3	18.2

TABLEAU 3. Taux de mortalité par âge, selon certaines causes et le sexe, Canada, 1981

1981										Cause	N ^o
40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 years and over 85 ans et plus		
Male - Masculin											
per 100,000 population - pour 100,000 habitants											
282.4	474.2	764.1	1,242.8	1,955.5	3,070.3	4,581.0	7,165.1	10,916.9	18,846.5	TOUTES LES CAUSES	1
52.5	109.7	210.1	392.7	612.3	906.6	1,303.2	1,733.1	2,321.6	2,671.5	Toutes les tumeurs malignes	2
5.0	10.1	18.2	33.1	55.1	86.5	131.9	177.3	278.1	311.1	Intestin, sauf le rectum	3
14.7	32.5	82.5	152.0	252.4	333.9	432.7	533.0	526.7	416.4	Poumon (siège primaire, incluant la trachée et les bronches)	4
-	0.2	0.2	0.9	0.6	1.5	2.8	1.7	3.2	4.7	Sein	5
32.8	67.0	109.2	206.7	304.1	484.7	735.7	1,021.1	1,513.7	1,939.2	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6
3.4	4.1	10.5	17.4	25.7	48.4	74.3	123.0	162.2	259.3	Diabète sucré	7
77.8	156.6	281.7	464.6	781.2	1,217.9	1,767.2	2,812.4	4,270.3	7,431.4	Maladies du coeur	8
66.7	140.2	251.4	414.7	697.5	1,076.3	1,533.6	2,428.5	3,581.4	5,882.0	Cardiopathies ischémique	9
11.1	16.4	30.2	50.0	83.7	141.6	233.6	384.0	688.9	1,549.5	Toutes les autres maladies du coeur	10
8.0	18.4	27.2	46.6	84.3	179.0	344.2	685.9	1,154.5	2,325.8	Maladies vasculaires cérébrales	11
0.4	0.6	2.1	4.0	9.5	16.9	39.1	115.8	266.5	826.6	Athérosclérose	12
5.3	14.0	24.0	49.3	105.5	211.7	369.1	707.5	1,172.4	2,283.3	Maladies de l'appareil respiratoire (excluant les maladies infectieuses et parasitaires)	13
2.1	5.7	8.4	13.5	26.0	48.1	96.4	208.3	445.6	1,277.6	Grippe et pneumonie	14
2.5	2.5	6.1	13.9	36.3	75.5	118.4	202.8	278.1	381.9	Bronchite, emphysème et asthme (excluant la bronchite aiguë)	15
0.7	5.8	9.5	21.8	43.3	88.1	154.3	296.4	448.7	623.9	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16
16.6	30.3	38.4	53.0	60.3	68.6	62.2	64.8	43.2	28.3	Maladies chroniques et cirrhose du foie	17
0.7	2.0	1.6	2.3	0.9	1.5	1.4	1.1	3.2	4.7	Anomalies congénitales	18
-	-	-	-	-	-	-	-	-	-	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19
90.3	96.7	102.3	100.1	105.1	114.2	134.4	157.4	254.9	491.9	Tous les accidents et effets adverses (y compris les séquelles)	20
26.4	28.0	26.1	25.2	27.5	31.0	30.2	33.2	37.9	50.3	Accidents de la circulation	21
28.0	27.1	29.9	30.8	26.2	25.1	35.9	29.4	46.3	15.7	Suicide	22
3.7	3.6	3.7	2.3	2.4	1.3	3.2	2.8	2.1	4.7	Homicide	23
32.2	38.0	42.6	41.9	49.1	56.8	65.1	92.0	168.5	421.2	Tous les autres accidents et effets adverses (excluant E810-E825, E929.0, E950-E969)	24
27.3	41.8	66.3	112.8	170.6	305.4	485.7	764.1	1,268.2	2,523.8	Toutes les autres causes non spécifiées de 001-E999	25

TABLE 3. Age-specific Death Rates by Selected Causes and Sex, Canada, 1981 - Concluded

Cause	ICD-9 codes Codes de la CIM-9	1981									
		Total	Under one year Moins de un an	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
		Female - Féminin									
		per 100,000 population - pour 100,000 habitants									
No.											
1	TOTAL ALL CAUSES 001-799, E800-E999	602.6	836.5	46.5	25.3	22.0	45.8	46.2	55.1	63.4	96.9
2	All malignant neoplasms 140-208	146.4	3.9	5.2	4.2	4.5	4.4	4.3	9.8	16.2	33.2
3	Intestine, except rectum 152, 153, 159.0	19.9	-	-	-	0.1	-	-	0.4	0.6	1.7
4	Lung (primary site, including trachea and bronchus) 162	17.7	-	-	-	-	-	-	0.5	1.0	2.5
5	Breast 174, 175	29.4	-	-	-	-	-	0.1	1.6	4.5	11.6
6	All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175) 140-208	79.5	3.9	5.2	4.2	4.4	4.4	4.2	7.3	10.1	17.3
7	Diabetes mellitus 250	13.4	0.6	-	0.2	0.2	0.1	0.1	0.8	1.1	1.0
8	Diseases of the heart 391, 392.0, 393-398, 402, 404, 410-416, 420-429	201.7	3.9	0.9	0.2	0.3	1.0	1.1	2.8	3.1	7.4
9	Ischaemic heart disease 410-414	161.4	-	-	-	-	0.1	0.1	1.0	1.6	4.8
10	All other heart diseases 391, 392.0, 393-398, 402, 404, 415, 416, 420-429	40.3	3.9	0.9	0.2	0.3	0.9	1.0	1.8	1.6	2.6
11	Cerebrovascular disease 430-438	67.2	1.1	-	0.5	0.4	0.6	1.1	1.9	3.5	6.4
12	Atherosclerosis 440	15.3	-	-	-	-	-	-	-	-	-
13	Respiratory diseases (excluding infec- tious and parasitic diseases) 460-519	32.4	38.2	4.1	0.8	0.6	1.2	1.1	2.2	2.0	3.6
14	Pneumonia and influenza 480-487	17.4	16.0	1.6	0.3	0.4	0.7	0.6	0.8	0.9	1.5
15	Bronchitis, emphysema and asthma (ex- cluding acute bronchitis) 490-493	5.7	0.6	0.3	0.3	0.1	0.4	0.3	0.6	0.5	0.6
16	All other respiratory diseases (exclud- ing 480-487, 490-493) 460-519	9.4	21.6	2.2	0.1	0.1	0.1	0.2	0.7	0.6	1.5
17	Chronic liver disease and cirrhosis 571	7.1	0.6	0.4	0.1	-	-	0.3	0.7	2.0	3.2
18	Congenital anomalies 740-759	5.6	269.4	7.1	2.2	1.1	2.2	1.0	0.5	0.6	0.9
19	Causes of perinatal mortality excluding stillbirths 760-767, 768, 779	5.0	341.9	-	-	-	-	-	-	-	-
20	All accidents and adverse effects (in- cluding late effects) E800-E999	36.1	31.0	19.2	12.7	10.8	31.2	31.0	27.7	26.2	26.2
21	Motor vehicle accidents E810-E825, E929.0	11.3	7.7	7.1	7.5	4.8	19.7	16.6	12.3	8.8	6.3
22	Suicide E950-E959	6.8	-	-	-	1.0	3.8	5.9	6.9	8.1	8.5
23	Homicide E960-E969	1.7	1.1	0.7	0.8	1.0	1.7	3.0	2.1	2.5	2.6
24	All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969) E800-E999	16.3	22.1	11.3	4.4	4.1	6.0	5.5	6.4	6.9	8.8
25	All other causes not specified in the above list (from 001-E999)	72.4	146.1	9.6	4.4	4.1	5.1	6.2	8.5	8.8	15.0

TABLEAU 3. Taux de mortalité par âge, selon certaines causes et le sexe, Canada, 1981 - fin

1981										Cause	N ^o
40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 years and over 85 ans et plus		
Female - féminin											
per 100,000 population - pour 100,000 habitants											
162.1	258.1	412.2	632.8	976.3	1,524.6	2,386.2	3,894.1	6,721.4	14,160.8	TOUTES LES CAUSES	1
68.9	118.9	198.8	296.1	416.9	550.7	685.2	855.4	1,159.7	1,435.2	Toutes les tumeurs malignes	2
4.2	9.5	17.9	34.2	49.3	72.9	105.9	142.0	200.2	280.4	Intestin, sauf le rectum	3
9.0	16.4	35.1	47.4	70.8	81.8	82.1	83.7	84.6	69.9	Poumon (siège primaire, incluant la trachée et les bronches)	4
21.9	38.2	55.8	74.9	94.0	103.8	116.1	124.9	174.8	225.9	Sein	5
33.8	54.8	90.1	139.6	202.7	292.2	381.0	504.8	700.0	859.0	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6
1.5	3.4	5.1	10.5	20.1	42.3	72.1	123.3	184.1	244.3	Diabète sucré	7
18.2	36.9	66.1	136.7	255.4	484.2	895.6	1,583.0	2,782.7	6,008.2	Maladies du coeur	8
13.6	26.3	51.0	108.3	208.7	401.5	739.1	1,299.5	2,233.5	4,693.6	Cardiopathies ischémique	9
4.7	10.6	15.1	28.5	46.6	82.6	156.5	283.5	549.3	1,314.6	Toutes les autres maladies du coeur	10
8.9	14.7	24.6	37.9	66.2	121.2	253.0	494.1	964.4	2,288.8	Maladies vasculaires cérébrales	11
0.2	0.2	0.8	2.0	4.8	9.3	26.1	71.4	219.9	891.2	Athérosclérose	12
5.0	7.9	15.1	22.1	43.9	71.6	117.6	211.8	400.4	1,006.5	Maladies de l'appareil respiratoire (excluant les maladies infectieuses et parasitaires)	13
2.4	2.4	4.7	6.5	13.0	21.6	45.4	96.8	234.8	761.4	Grippe et pneumonie	14
1.1	2.3	5.3	6.7	11.8	21.8	31.5	45.2	60.5	67.6	Bronchite, emphyème et asthme (excluant la bronchite aiguë)	15
1.5	3.2	5.1	8.8	19.2	28.2	40.6	69.8	105.0	177.5	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16
6.8	10.6	14.5	25.0	25.0	28.0	26.4	24.6	21.6	8.5	Maladies chroniques et cirrhose du foie	17
0.3	1.5	0.8	2.0	3.5	2.4	1.4	2.4	1.2	0.8	Anomalies congénitales	18
-	-	-	-	-	-	-	-	-	-	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19
33.9	35.4	41.3	34.2	39.5	47.6	57.9	82.5	162.5	406.4	Tous les accidents et effets aduerses (y compris les séquelles)	20
9.0	9.3	11.9	8.2	13.2	13.9	13.3	21.0	19.2	14.6	Accidents de la circulation	21
12.1	11.9	12.7	13.6	8.9	11.0	9.1	6.3	9.3	6.9	Suicide	22
2.0	2.3	1.3	0.7	1.7	0.7	1.4	2.0	2.5	2.3	Homicide	23
10.9	11.9	15.4	11.8	15.7	22.0	34.1	53.1	131.6	382.6	Tous les autres accidents et effets aduerses (excluant E810-E825, E929.0, E950-E969)	24
18.4	28.7	45.0	66.4	101.2	167.3	251.0	445.7	824.8	1,870.8	Toutes les autres causes non spécifiées	25

TABLE 4. Standardized Death Rates, by Selected Causes and Sex, Canada and Provinces, 1981

Cause	ICD-9 codes Codes de la CIM-9	1981					
		Canada	New- found- land Terre- Neuve	Prince Edward Island Ile-du- Prince- Edouard	Nova Scotia Nouvelle- Ecosse	New Brunswick Nouveau- Brunswick	Québec
No.		Male - Masculin					
		per 100,000 population - pour 100,000 habitants					
1	TOTAL ALL CAUSES 001-799, E800-E999	738.1	723.7	691.3	798.2	769.3	784.3
2	All malignant neoplasms 140-208	168.5	160.3	145.9	178.2	173.5	192.6
3	Intestine, except rectum 152, 153, 159.0	16.4	18.5	19.1	18.3	14.0	17.7
4	Lung (primary site, including trachea and bronchus) 162	53.2	47.6	46.5	59.4	51.9	64.6
5	Breast 174, 175	0.2	0.4	-	0.4	-	0.3
6	All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175) 140-208	98.6	93.9	80.4	100.1	107.6	110.0
7	Diabetes mellitus 250	9.9	6.1	9.1	16.1	10.5	11.1
8	Diseases of the heart 391, 392.0, 393-398, 402, 404, 410-416, 420-429	253.7	257.5	267.4	279.6	269.2	266.9
9	Ischaemic heart disease 410-414	217.6	217.3	227.0	238.2	216.4	216.3
10	All other heart diseases 391, 392.0, 393-398, 402, 404, 415, 416, 420-429	36.2	40.2	40.4	41.4	52.8	50.6
11	Cerebrovascular disease 430-438	50.0	57.4	39.0	49.6	45.4	52.5
12	Atherosclerosis 440	9.7	7.8	11.4	10.0	9.3	13.3
13	Respiratory diseases (excluding infec- tious and parasitic diseases) 460-519	53.1	51.4	50.6	65.2	57.5	53.3
14	Pneumonia and influenza 480-487	19.0	21.3	20.7	21.4	17.2	15.6
15	Bronchitis, emphysema and asthma (ex- cluding acute bronchitis) 490-493	14.0	10.3	15.0	10.1	15.2	16.0
16	All other respiratory diseases (exclud- ing 480-487, 490-493) 460-519	20.0	19.8	15.0	33.8	25.0	21.6
17	Chronic liver disease and cirrhosis 571	14.1	4.9	6.8	7.3	8.7	15.5
18	Congenital anomalies 740-759	8.0	9.1	14.9	8.9	8.2	7.6
19	Causes of perinatal mortality excluding stillbirths 760-767, 768, 779	7.8	7.7	9.3	12.1	10.4	7.5
20	All accidents and adverse effects (in- cluding late effects) E800-E999	86.0	72.1	58.9	81.8	95.4	88.2
21	Motor vehicle accidents E810-E825, E929.0	31.7	26.4	21.7	31.7	43.7	31.6
22	Suicide E950-E959	19.4	7.1	15.2	16.9	18.6	22.6
23	Homicide E960-E969	2.7	-	1.8	0.5	2.0	2.8
24	All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969) E800-E999	32.2	38.6	20.3	32.7	31.0	31.3
25	All other causes not specified in the above list (from 001-E999)	77.4	89.2	77.9	89.4	81.3	75.9

TABLEAU 4. Taux comparatif de mortalité, selon certaines causes et le sexe, Canada et provinces, 1981

1981								
Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia Colombie- Britannique	Yukon	Northwest Territories Territoires du Nord- Ouest	Cause	N ^o
Male - Masculin								
per 100,000 population - pour 100,000 habitants								
732.1	746.6	668.0	717.8	679.0	1,174.6	827.7	TOUTES LES CAUSES	1
168.4	161.1	140.7	144.7	149.1	176.9	150.4	Toutes les tumeurs malignes	2
18.1	14.8	11.5	12.3	14.1	-	5.8	Intestin, sauf le rectum	3
52.9	48.4	36.0	40.1	46.9	100.8	71.9	Poumon (siège primaire, incluant la trachée et les bronches)	4
0.3	0.3	-	0.1	0.2	-	-	Sein	5
97.1	97.6	93.1	92.3	87.9	76.1	72.8	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6
10.5	7.9	6.7	9.2	6.9	33.0	8.8	Diabète sucré	7
261.5	255.4	223.9	230.8	216.3	399.7	184.1	Maladies du coeur	8
233.8	213.6	184.0	196.3	192.5	260.2	107.4	Cardiopathies ischémique	9
27.7	41.8	39.8	34.5	23.8	139.4	76.7	Toutes les autres maladies du coeur	10
52.2	51.2	39.5	47.1	45.5	65.4	72.7	Maladies vasculaires cérébrales	11
9.3	7.6	8.0	7.8	7.8	-	-	Athérosclérose	12
53.4	62.4	50.0	54.6	43.3	53.8	59.3	Maladies de l'appareil respiratoire (excluent les maladies infectieuses et parasitaires)	13
21.0	26.6	23.7	22.9	10.7	-	12.6	Grippe et pneumonie	14
10.5	9.1	10.3	13.9	25.6	-	-	Bronchite, emphysème et asthme (excluant la bronchite aiguë)	15
22.0	26.6	16.0	17.8	7.0	53.8	46.6	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16
13.9	12.2	9.2	15.8	18.2	41.8	-	Maladies chroniques et cirrhose du foie	17
7.8	9.2	8.3	7.9	7.8	8.5	5.7	Anomalies congénitales	18
6.6	7.7	10.3	8.2	8.6	6.3	17.3	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19
69.2	98.1	108.1	102.4	108.1	275.6	209.4	Tous les accidents et effets aduerses (y compris les séquelles)	20
24.6	30.2	45.5	40.1	41.7	103.0	36.4	Accidents de la circulation	21
16.6	22.5	24.6	21.8	19.1	36.4	26.0	Suicide	22
2.0	3.2	3.1	4.1	4.6	-	19.0	Homicide	23
26.0	42.2	34.9	36.5	42.7	136.3	128.1	Tous les autres accidents et effets aduerses (excluant E810-E825, E929.0, E950-E969)	24
79.3	73.8	63.3	89.3	67.3	113.6	120.1	Toutes les autres causes non spécifiées de 001-E999	25

TABLE 4. Standardized Death Rates, by Selected Causes and Sex, Canada and Provinces, 1981 - Concluded

Cause	ICD-9 codes Codes de la CIM-9	1981					Québec
		Canada	New-found-land Terre-Neuve	Prince Edward Island Île-du-Prince-Edouard	Nova Scotia Nouvelle-Ecosse	New Brunswick Nouveau-Brunswick	
No.		Female - Féminin					
		per 100,000 population - pour 100,000 habitants					
1	TOTAL ALL CAUSES 001-799, E800-E999	503.8	498.1	442.9	528.6	499.1	509.6
2	All malignant neoplasms 140-208	126.1	113.7	128.3	128.1	121.1	129.6
3	Intestine, except rectum 152, 153, 159.0	16.7	17.2	25.5	20.4	17.1	16.5
4	Lung (primary site, including trachea and bronchus) 162	15.5	7.4	12.6	15.6	12.5	14.3
5	Breast 174, 175	25.8	19.7	25.2	22.9	23.2	26.1
6	All other malignant neoplasms (excluding 152, 153, 159.0, 162, 174, 175) 140-208	68.2	69.3	65.1	69.3	68.3	72.6
7	Diabetes mellitus 250	11.0	15.0	12.3	15.6	12.2	12.2
8	Diseases of the heart 391, 392.0, 393-398, 402, 404, 410-416, 420-429	162.7	175.6	161.8	179.5	175.2	167.9
9	Ischaemic heart disease 410-414	130.2	132.8	120.8	134.9	133.9	121.7
10	All other heart diseases 391, 392.0, 393-398, 402, 404, 415, 416, 420-429	32.5	42.7	41.0	44.6	41.4	46.2
11	Cerebrovascular disease 430-438	54.0	48.4	29.6	51.4	46.3	54.9
12	Atherosclerosis 440	11.7	6.5	10.7	9.1	9.9	15.0
13	Respiratory diseases (excluding infec- tious and parasitic diseases) 460-519	26.5	27.1	25.5	34.9	24.8	22.2
14	Pneumonia and influenza 480-487	13.8	15.4	16.3	19.2	12.7	9.9
15	Bronchitis, emphysema and asthma (ex- cluding acute bronchitis) 490-493	4.8	3.5	2.4	4.9	4.4	4.8
16	All other respiratory diseases (exclud- ing 480-487, 490-493) 460-519	7.9	8.2	6.9	10.8	7.7	7.5
17	Chronic liver disease and cirrhosis 571	6.4	3.1	3.2	2.9	5.1	5.4
18	Congenital anomalies 740-759	6.1	7.6	5.1	6.0	5.7	6.2
19	Causes of perinatal mortality excluding stillbirths 760-767, 768, 779	5.6	4.9	6.7	8.2	7.1	5.6
20	All accidents and adverse effects (in- cluding late effects) E800-E999	33.2	21.5	6.7	25.8	29.2	30.9
21	Motor vehicle accidents E810-E825, E929.0	10.9	6.7	1.6	8.7	10.9	10.0
22	Suicide E950-E959	6.2	1.4	-	3.8	2.7	7.0
23	Homicide E960-E969	1.7	0.3	-	0.9	3.0	1.1
24	All other accidents and adverse effects (excluding E810-E825, E929.0, E950-E969) E800-E999	14.4	13.0	5.0	12.5	12.6	12.8
25	All other causes not specified in the above list (from 001-E999)	60.6	74.7	53.0	67.0	62.5	59.6

TABLEAU 4. Taux comparatif de mortalité, selon certaines causes et le sexe, Canada et provinces, 1981 - fin

1981								
Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia Colombie- Britannique	Yukon	Northwest Territories Territoires du Nord- Ouest	Cause	N ^o
Femèle - Féminin								
per 100,000 population - pour 100,000 habitants								
508.0	509.1	459.7	503.7	485.0	777.7	623.6	TOUTES LES CAUSES	1
128.4	124.5	111.3	122.7	123.3	108.6	184.4	Toutes les tumeurs malignes	2
17.5	17.1	13.4	13.0	15.9	-	33.3	Intestin, sauf le rectum	3
16.0	16.3	13.7	14.6	19.0	21.5	75.4	Poumon (siège primaire, incluant la trachée et les bronches)	4
26.8	26.3	23.3	24.6	25.9	-	-	Sein	5
68.2	64.7	60.9	70.5	62.5	87.1	75.6	Toutes les autres tumeurs malignes (excluant 152, 153, 159.0, 162, 174, 175)	6
11.0	8.9	9.4	10.7	8.1	43.7	-	Diabète sucré	7
168.3	156.9	139.7	143.8	143.0	212.8	94.1	Maladies du coeur	8
144.3	118.8	104.0	112.8	119.0	187.2	45.5	Cardiopathies ischémique	9
23.9	38.1	35.7	31.1	24.0	25.6	48.6	Toutes les autres maladies du coeur	10
53.8	57.0	53.1	57.4	53.5	43.1	48.7	Maladies vasculaires cérébrales	11
12.4	7.7	8.5	12.8	8.2	21.5	16.4	Athérosclérose	12
27.1	34.5	29.0	27.7	24.6	83.3	52.8	Maladies de l'appareil respiratoire (excluant les maladies infectieuses et parasitaires)	13
14.7	21.3	18.6	15.5	10.0	46.6	19.6	Grippe et pneumonie	14
3.9	3.5	3.8	4.6	8.9	36.7	-	Bronchite, emphysème et asthme (excluant la bronchite aiguë)	15
8.5	9.6	6.5	7.5	5.7	-	33.2	Toutes les autres maladies de l'appareil respiratoire (excluant 480-487, 490-493)	16
6.3	5.9	4.5	7.5	10.9	6.7	-	Maladies chroniques et cirrhose du foie	17
6.0	7.9	4.9	6.0	6.1	6.2	2.7	Anomalies congénitales	18
4.6	7.3	5.5	5.3	6.3	24.9	19.0	Causes de la mortalité périnatale à l'exclusion des mortinaissances	19
29.8	35.3	38.5	40.5	46.5	103.8	90.4	Tous les accidents et effets adwerses (y compris les séquelles)	20
8.6	11.0	11.0	16.5	17.6	73.7	25.0	Accidents de la circulation	21
6.0	4.0	8.6	7.4	6.7	-	11.6	Suicide	22
1.3	3.0	3.4	1.6	3.2	7.1	14.6	Homicide	23
13.8	17.3	15.4	15.0	19.0	23.0	39.2	Tous les autres accidents et effets adwerses (excluant E810-E825, E929.0, E950-E969)	24
60.2	63.2	55.3	69.3	54.4	123.2	115.1	Toutes les autres causes non spécifiées de 001-E999	25

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE							
							1	2	3	4	5-9	10-14	15-19	20-24
I. INFECTIOUS AND PARASITIC DISEASES (A1-A36)														
INTESTINAL INFECTIOUS DISEASES (A1-A6)														
A 1	CHOLERA AND TYPHOID AND PARATYPHOID FEVERS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 2	SHIGELLOSIS	M	2	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-
		T	4	-	-	-	-	-	-	-	1	1	-	-
A 3	OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL)	M	6	-	-	-	-	-	-	-	-	-	-	1
		F	8	-	-	-	-	-	-	-	-	-	-	-
		T	14	-	-	-	-	-	-	-	-	-	-	1
A 4	AMOEBIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
A 5	INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS	M	3	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	1	1	1	-	1	-	-	-	-
		T	15	-	-	1	1	1	-	1	-	-	-	-
A 6	ILL-DEFINED INTESTINAL INFECTIONS	M	6	-	-	-	-	-	2	-	-	-	-	-
		F	3	-	-	1	1	-	-	-	-	-	-	-
		T	9	-	-	1	1	-	2	-	-	-	-	-
TOTAL (A1-A6)		M	17	-	-	-	-	-	2	-	-	1	-	1
		F	26	-	-	2	2	1	-	1	1	1	-	-
		T	43	-	-	2	2	1	2	1	1	1	-	1
TUBERCULOSIS (A7,A8)														
A 7	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	90	-	-	-	-	-	-	-	-	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	-
		T	125	-	-	-	-	-	-	-	-	-	-	-
A 8	OTHER TUBERCULOSIS	M	12	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-
		T	24	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A7,A8)		M	102	-	-	-	-	-	-	-	-	-	-	-
		F	47	-	-	-	-	-	-	-	-	-	-	-
		T	149	-	-	-	-	-	-	-	-	-	-	-
ZOOONOTIC AND OTHER BACTERIAL DISEASES (A9-A16)														
A 9	BRUCELLOSIS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 10	DIPHTHERIA	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 11	WHOOPING COUGH	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	1	-	-	-	-	-	-	-
		T	1	-	-	1	1	-	-	-	-	-	-	-
A 12	STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
A 13	MENINGOCOCCAL INFECTION	M	12	-	-	3	3	2	3	-	-	-	-	-
		F	15	-	-	3	3	1	1	1	1	1	1	1
		T	27	-	-	6	6	3	4	1	1	1	1	1
A 14	TETANUS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
A 15	SEPTICAEMIA	M	131	3	3	3	9	-	-	-	-	-	-	1
		F	129	2	2	6	10	-	-	1	-	1	-	-
		T	260	5	5	9	19	-	-	1	-	1	-	1
A 16	ALL OTHER BACTERIAL DISEASES	M	23	-	-	2	2	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-
		T	34	-	-	2	2	-	-	-	-	-	-	-
TOTAL (A9-A16)		M	166	3	3	8	14	2	3	-	-	-	-	1
		F	158	2	2	10	14	1	1	1	2	1	2	1
		T	324	5	5	18	28	3	4	1	2	1	2	2
VIRAL DISEASES (A17-A23)														

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981

AGE - AGE													CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)		
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			N.S.	
I. MALADIES INFECTIEUSES ET PARASITAIRES (A1-A36)																
MALADIES INFECTIEUSES INTESTINALES (A1-A6)																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- CHOLERA ET FIEVRES TYPHOÏDE ET PARATYPHOÏDE	A 1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- SHIGELLOSE	A 2
1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	- AUTRES SALMONELLOSES ET AUTRES TOXI-INFECTIENS ALIMENTAIRES (BACTERIENNES)	A 3
1	1	-	-	1	2	-	-	1	-	1	3	3	-	-	- AMIBIASE	A 4
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	- INFECTIONS INTESTINALES DUES A D'AUTRES MICRO- ORGANISMES	A 5
-	-	-	-	-	-	-	1	-	-	-	1	5	1	-	- INFECTIONS INTESTINALES MAL DEFINIES	A 6
-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	- TOTAL (A1-A6)	
1	-	-	-	1	-	1	1	2	-	1	3	3	3	-	TUBERCULOSE (A7, A8)	
1	1	-	-	1	2	-	1	-	1	2	6	7	7	-	- TUBERCULOSE DE L'APPAREIL RESPIRATOIRE	A 7
1	1	2	2	1	7	10	15	7	13	17	18	20	12	-	- AUTRES TUBERCULOSES	A 8
-	-	-	-	1	1	3	-	-	1	2	2	2	2	-	- TOTAL (A7, A8)	
-	-	-	1	1	1	4	1	-	3	2	7	4	4	-	ANTHRAX, GONCOCCUSES ET AUTRES MALADIES BACTERIENNES (A9-A16)	
-	1	1	1	7	11	15	4	12	13	13	16	8	8	-	- BRUCELLOSE	A 9
1	1	1	1	1	1	4	4	1	7	7	11	8	8	-	- DIPHTHERIE	A 10
1	2	2	2	8	11	19	8	13	20	20	27	16	16	-	- COQUELUCHE	A 11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- ANGINE A STREPTOCOQUES ET SCARLATINE ET ERYSIPELE	A 12
-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	- INFECTIONS A MENINGOCOCCQUES	A 13
-	2	2	2	1	-	-	1	-	-	-	1	-	-	-	- TETANOS	A 14
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	- SEPTICEMIE	A 15
2	-	-	2	-	6	11	9	15	22	18	13	23	29	-	- TOUTES LES AUTRES MALADIES BACTERIENNES	A 16
3	-	-	2	5	3	4	9	12	14	17	19	29	32	-	- TOTAL (A9-A16)	
5	-	-	4	5	9	15	18	27	36	35	32	52	52	-	MALADIES A VIRUS (A17-A23)	
-	2	-	-	-	1	1	1	4	7	2	2	1	-	-		
-	-	-	-	-	1	-	2	2	3	1	2	-	-	-		
-	2	-	-	-	2	1	3	6	10	3	4	1	-	-		
2	3	1	3	1	7	12	10	19	29	20	15	24	30	-		
3	1	1	3	5	4	4	12	14	18	18	22	30	30	-		
5	4	2	6	6	11	16	22	33	47	38	37	54	54	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE						
								1	2	3	4	5-9	10-14	15-19
A 17	ACUTE POLICMYELITIS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-
		T	3	-	-	-	-	-	-	-	-	-	-	-
A 18	SMALLPOX	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 19	MEASLES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-
A 20	RUBELLA	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 21	ARTHROPOD-BORNE ENCEPHALITIS	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
A 22	VIRAL HEPATITIS	M	23	-	-	-	-	-	-	-	-	1	1	1
		F	15	-	-	-	-	-	-	-	-	-	-	1
		T	38	-	-	-	-	-	-	-	-	1	1	2
A 23	OTHER VIRAL DISEASES	M	59	-	-	2	2	-	-	2	-	1	2	4
		F	68	-	-	3	3	-	-	-	-	4	1	3
		T	127	-	-	5	5	-	-	2	-	5	3	7
TOTAL (A17-A23)	M	83	-	-	2	2	-	-	2	-	2	3	5	
	F	87	-	-	3	3	1	-	-	-	4	1	3	
	T	170	-	-	5	5	1	-	2	-	6	4	8	
RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES (A24-A26)														
A 24	TYPHUS AND OTHER RICKETTSIOSES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 25	MALARIA	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-
A 26	ALL OTHER ARTHROPOD-BORNE DISEASES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A24-A26)	M	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
	T	1	-	-	-	-	-	-	-	-	-	-	-	
SYPHILIS AND OTHER VENEREAL DISEASES (A27-A31)														
SYPHILIS														
A 27	CARDIOVASCULAR SYPHILIS	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-
		T	4	-	-	-	-	-	-	-	-	-	-	-
A 28	NEUROSYPHILIS	M	6	-	-	-	-	-	-	-	-	-	-	
		F	4	-	-	-	-	-	-	-	-	-	-	
		T	10	-	-	-	-	-	-	-	-	-	-	
A 29	ALL OTHER SYPHILIS	M	7	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	
		T	8	-	-	-	-	-	-	-	-	-	-	
TOTAL (A27-A29)	M	14	-	-	-	-	-	-	-	-	-	-		
	F	8	-	-	-	-	-	-	-	-	-	-		
	T	22	-	-	-	-	-	-	-	-	-	-		
A 30	GONOCOCCAL INFECTIONS	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	
A 31	OTHER VENEREAL DISEASES	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	
TOTAL (A27-A31)	M	14	-	-	-	-	-	-	-	-	-	-		
	F	8	-	-	-	-	-	-	-	-	-	-		
	T	22	-	-	-	-	-	-	-	-	-	-		
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS (A32-A36)														

SEE FOOTNOTE AT END OF TABLE.

TABEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)		
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			N.S.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- POLIOMYELITIS AIGUE	A 17
-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- VARICELLE	A 18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- ROUGEOLLE	A 19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- RUBELLE	A 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	- ENCEPHALITES TRANSMISES PAR DES ARTHROPODES	A 21
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
1	1	1	3	-	2	-	1	3	3	2	1	1	-	-	- HEPATITE VIRALE	A 22
-	-	1	2	1	1	3	2	2	2	-	-	-	-	-	-	
1	1	2	5	1	3	3	3	5	5	2	1	1	-	-	-	
1	1	-	1	3	1	1	6	6	5	5	5	9	-	-	- AUTRES MALADIES A VIRUS	A 23
2	2	2	-	4	3	2	7	6	3	3	10	12	-	-	-	
3	3	2	1	7	4	3	13	12	8	8	15	21	-	-	-	
2	2	1	4	3	3	2	7	9	8	7	6	10	-	-	- TOTAL (A17-A23)	
2	2	3	2	5	4	6	9	10	5	3	10	12	-	-	-	
4	4	4	6	8	7	8	16	19	13	10	16	22	-	-	-	
RICKETTSIQUES ET AUTRES MALADIES TRANSMISES PAR LES ARTHROPODES (A24-A26)																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- TYPHUS ET AUTRES RICKETTSIQUES	A 24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- PALUDISME	A 25
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- TOUTES LES AUTRES MALADIES TRANSMISES PAR LES ARTHROPODES	A 26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- TOTAL (A24-A26)	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SYPHILIS ET AUTRES MALADIES VENERIENNES (A27-A31)																
SYPHILIS																
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	- SYPHILIS CARCINO-VASCULAIRE	A 27
-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	
-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	- SYPHILIS NERVEUSE	A 28
-	-	-	-	-	-	1	-	2	-	3	2	2	-	-	-	
1	-	1	-	-	-	-	-	2	2	-	1	-	-	-	- TOUTES LES AUTRES SYPHILIS	A 29
1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	1	-	-	-	1	-	3	3	3	2	-	-	-	- TOTAL (A27-A29)	
-	-	-	-	-	-	1	1	2	-	-	1	3	-	-	-	
1	-	1	-	-	-	2	1	5	3	3	3	3	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- INFECTIONS GONOCOCCIQUES	A 30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- AUTRES MALADIES VENERIENNES	A 31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	-	1	-	3	3	3	2	-	-	-	- TOTAL (A27-A31)	
1	-	1	-	-	-	1	1	2	-	-	1	3	-	-	-	
1	-	1	-	-	-	2	1	5	3	3	3	3	-	-	-	
AUTRES MALADIES INFECTIEU- SES ET PARASITAIRES ET LEURS SEQUELLES (A32-A36)																

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		TOTAL	AGE - AGE				AGE - AGE								
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 32	MYCOSES	M	21	-	-	1	1	-	-	-	-	-	-	-	-	1
		F	14	-	-	1	1	-	-	-	-	-	-	-	-	-
		T	35	-	-	2	2	-	-	-	-	-	-	-	-	1
A 33	HELMINTHIASES	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
A 34	LATE EFFECTS OF TUBERCULOSIS	M	35	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	56	-	-	-	-	-	-	-	-	-	-	-	-	-
A 35	LATE EFFECTS OF ACUTE POLIOMYELITIS	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	9	-	-	-	-	-	-	-	-	-	-	-	-	-
A 36	ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND THEIR LATE EFFECTS	M	33	-	-	4	4	-	1	-	-	-	-	2	-	2
		F	21	-	-	1	1	-	-	-	1	-	-	-	1	-
		T	54	-	-	5	5	-	1	-	1	-	-	2	1	2
	TOTAL (A32-A36)	M	96	-	-	5	5	-	1	-	-	-	-	2	-	3
		F	59	-	-	2	2	-	-	-	1	-	-	-	1	-
		T	155	-	-	7	7	-	1	-	1	-	-	2	1	3
	TOTAL (A1-A36)	M	479	3	3	15	21	2	6	2	-	3	5	6	9	9
		F	385	2	2	17	21	3	1	2	4	5	3	4	3	3
		T	864	5	5	32	42	5	7	4	4	8	8	10	12	12
II. NEOPLASMS (A37-A93)																
MALIGNANT NEOPLASMS, INCLUDING THOSE OF LYMPHATIC AND HAEMATOPOIETIC TISSUES (A37-A86)																
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (A37-A40)																
A 37	OF LIP	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	-	-	-	-	-
		T	19	-	-	-	-	-	-	1	-	-	-	-	-	-
A 38	OF TONGUE	M	125	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	169	-	-	-	-	-	-	-	-	-	-	-	-	-
A 39	OF PHARYNX	M	258	1	-	-	1	-	-	-	-	-	1	1	1	1
		F	91	-	-	-	-	-	-	-	1	-	-	-	-	1
		T	349	1	-	-	1	-	-	-	1	-	1	1	1	2
A 40	OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX	M	156	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	80	-	-	-	-	-	-	-	-	-	-	-	-	2
		T	236	-	-	-	-	-	-	-	-	-	-	-	-	2
	TOTAL (A37-A40)	M	553	1	-	-	1	-	-	-	-	-	1	1	1	1
		F	220	-	-	-	-	-	-	1	1	-	-	-	-	3
		T	773	1	-	-	1	-	-	1	1	-	1	1	1	4
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (A41-A55)																
A 41	OF OESOPHAGUS	M	511	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	180	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	691	-	-	-	-	-	-	-	-	-	-	-	-	-
A 42	OF STOMACH	M	1,399	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	907	-	-	-	-	-	-	-	-	-	-	-	-	1
		T	2,306	-	-	-	-	-	-	-	-	-	-	-	-	2
A 43	OF SMALL INTESTINE	M	41	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	52	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	93	-	-	-	-	-	-	-	-	-	-	-	1	-
OF COLON (A44-A48)																
A 44	HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON	M	67	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	81	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	148	-	-	-	-	-	-	-	-	-	-	-	-	-
A 45	DESCENDING COLON	M	51	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	85	-	-	-	-	-	-	-	-	-	-	-	-	-
A 46	SIGMOID COLON	M	261	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	282	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	543	-	-	-	-	-	-	-	-	-	-	-	-	-
A 47	CAECUM, APPENDIX, AND ASCENDING COLON	M	227	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	327	-	-	-	-	-	-	-	-	-	-	1	-	-
		T	554	-	-	-	-	-	-	-	-	-	-	1	-	-

SEE FOOTNOTE AT END OF TABLE.

TABEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	1	-	1	2	1	3	1	1	4	4	1	-	-	MYCOSES	A 32
1	2	-	2	2	1	1	1	1	-	2	-	-	-	-	-
1	3	-	3	4	2	4	2	2	4	6	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	HELMINTHIASES	A 33
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	2	5	4	4	5	4	6	3	-	SEQUELLES DE LA TUBERCULOSE	A 34
-	-	-	-	-	-	2	5	3	3	2	3	3	-	-	-
-	-	-	2	-	2	7	9	7	8	6	9	6	-	-	-
1	1	1	2	-	-	-	-	-	1	-	1	-	-	SEQUELLES DE LA	A 35
-	1	-	-	-	-	-	-	-	-	-	1	-	-	PGLICHMYELITE AIGUE	-
1	2	1	2	-	-	-	-	-	1	-	2	-	-	-	-
1	-	1	-	2	1	-	6	4	4	1	2	2	-	TOUTES LES AUTRES MALADIES	A 36
-	2	1	-	1	5	4	-	3	-	1	1	-	-	INFECTIEUSES ET PARASITAIRES ET LEURS SEQUELLES	-
1	2	2	-	3	6	4	6	7	4	2	3	2	-	-	-
2	2	2	5	4	4	8	11	9	14	9	10	5	-	TOTAL (A32-A36)	-
1	5	1	3	3	6	7	6	7	3	5	5	3	-	-	-
3	7	3	8	7	10	15	17	16	17	14	15	8	-	-	-
9	8	6	13	16	25	39	33	54	67	53	52	50	-	TOTAL (A1-A36)	-
7	10	6	9	15	16	22	33	34	34	35	55	63	-	-	-
16	18	12	22	31	41	61	66	88	101	88	107	113	-	-	-
11. TUMEURS (A37-A53)															
TUMEURS MALIGNES, Y COMPRIS CELLES DES TISSUS LYMPHATIQUES ET HEMATO- POIETIQUES (A37-A86)															
TUMEURS MALIGNES DES LEVRES, DE LA CAVITE BUCCALE ET DU PHARYNX (A37-A40)															
-	-	-	-	-	1	1	1	-	1	3	3	4	-	DES LEVRES	A 37
-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	2	1	1	-	1	4	3	6	-	-	-
1	1	1	-	7	9	18	20	16	22	18	3	9	-	DE LA LANGUE	A 38
-	-	-	-	-	8	4	4	10	5	3	4	6	-	-	-
1	1	1	-	7	17	22	24	26	27	21	7	15	-	-	-
-	-	5	6	17	26	38	45	38	37	21	11	10	-	DU PHARYNX	A 39
-	-	1	1	2	7	13	18	14	12	10	5	6	-	-	-
-	-	6	7	19	33	51	63	52	49	31	16	16	-	-	-
-	1	2	6	8	10	18	21	23	21	15	19	12	-	DE SIEGES AUTRES ET MAL	A 40
-	-	-	-	4	4	8	9	11	5	8	17	12	-	DEFINIS DE LA LEVRE, DE LA	-
-	1	2	6	12	14	26	30	34	26	23	36	24	-	CAVITE BUCCALE, DU PHARYNX	-
1	2	8	12	32	46	75	87	77	81	57	36	35	-	TOTAL (A37-A40)	-
-	-	1	1	6	20	25	31	35	22	22	26	26	-	-	-
1	2	9	13	38	66	100	118	112	103	79	62	61	-	-	-
TUMEURS MALIGNES DES PARTIES DE L'APPAREIL DIGESTIF ET DU PERITONE (A41-A55)															
-	-	2	9	20	36	56	65	108	79	62	45	29	-	DE L'OEȘOPHAGE	A 41
1	-	1	1	1	8	19	20	26	31	31	15	26	-	-	-
1	-	3	10	21	44	75	85	134	110	93	60	55	-	-	-
3	6	8	19	40	78	126	151	210	234	241	159	123	-	DE L'ESTOMAC	A 42
5	10	2	11	21	35	63	72	117	127	157	133	153	-	-	-
8	16	10	30	61	113	185	223	327	361	398	292	276	-	-	-
1	-	-	-	3	3	3	3	11	7	6	2	1	-	DE L'INTESTIN GRELE	A 43
-	-	-	1	1	5	5	10	13	5	6	2	4	-	-	-
1	-	-	1	4	8	8	13	24	12	12	4	5	-	-	-
DU COLON (A44-A48)															
-	2	3	3	-	3	2	7	12	5	14	8	8	-	ANGLES HEPATIQUE ET	A 44
-	-	2	2	-	2	9	7	5	19	8	11	16	-	SPLNIQUE ET COLON	-
-	2	5	5	-	5	11	14	17	24	22	19	24	-	TRANSVERSE	-
-	-	1	1	3	-	5	8	9	6	6	11	1	-	COLON DESCENDANT	A 45
-	-	-	-	3	1	2	6	1	7	5	4	4	-	-	-
-	-	1	1	6	1	7	14	10	13	11	16	5	-	-	-
-	-	1	3	5	11	27	35	33	45	42	32	27	-	COLON SIGMOIDE	A 46
-	-	1	5	6	15	23	34	43	34	40	31	50	-	-	-
-	-	2	8	11	26	50	65	76	79	82	63	77	-	-	-
-	-	2	2	6	15	17	20	25	40	35	33	32	-	CAECUM, APPENDICE ET COLON	A 47
-	-	3	1	3	10	25	34	28	47	48	63	64	-	ASCENDANT	-
-	-	5	3	9	25	42	54	53	87	83	56	56	-	-	-

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE								
								1	2	3	4	5-9	10-14	15-19	20-24	
A 48		OTHER AND COLON, UNSPECIFIED	M 1,280	-	-	-	-	-	-	-	-	-	-	-	-	2
			F 1,322	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 2,602	-	-	-	-	-	-	-	-	-	-	-	-	2
		TOTAL (A44-A48)	M 1,886	-	-	-	-	-	-	-	-	-	-	-	-	2
			F 2,046	-	-	-	-	-	-	-	-	-	-	1	-	-
			T 3,932	-	-	-	-	-	-	-	-	-	-	1	-	2
A 49		OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	M 784	-	-	-	-	-	-	-	-	-	-	-	1	-
			F 570	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 1,354	-	-	-	-	-	-	-	-	-	-	-	1	-
		OF LIVER AND INTRAHEPATIC BILE DUCTS (A50-A52)														
A 50		LIVER, PRIMARY	M 153	-	-	1	1	-	1	-	1	-	-	1	2	
			F 95	-	-	1	1	-	1	-	-	-	1	3	1	
			T 248	-	-	2	2	-	2	-	1	-	1	4	3	
A 51		INTRAHEPATIC BILE DUCTS	M 26	-	-	-	-	-	-	-	-	-	-	-	-	-
			F 18	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 44	-	-	-	-	-	-	-	-	-	-	-	-	-
A 52		LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	M 133	-	-	-	-	-	-	-	-	1	-	-	-	-
			F 125	-	-	1	1	-	-	-	-	-	-	-	-	1
			T 258	-	-	1	1	-	-	-	-	1	-	-	-	1
		TOTAL (A50-A52)	M 312	-	-	1	1	-	1	-	1	1	-	1	2	
			F 238	-	-	2	2	-	1	-	-	-	1	3	2	
			T 550	-	-	3	3	-	2	-	1	1	1	4	4	
A 53		OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	M 205	-	-	-	-	-	-	-	-	-	-	-	-	-
			F 350	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 555	-	-	-	-	-	-	-	-	-	-	-	-	-
A 54		OF PANCREAS	M 1,190	-	-	-	-	-	-	-	-	-	-	1	-	-
			F 1,000	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 2,190	-	-	-	-	-	-	-	-	-	-	1	-	-
A 55		OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES	M 404	-	-	-	-	-	1	-	-	-	-	-	-	1
			F 451	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 855	-	-	-	-	-	1	-	-	-	-	-	-	1
		TOTAL (A41-A55)	M 6,732	-	-	1	1	-	2	-	1	1	-	4	6	
			F 5,794	-	-	2	2	-	1	-	-	-	2	3	3	
			T 12,526	-	-	3	3	-	3	-	1	1	2	7	9	
		MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (A56-A58)														
A 56		OF LARYNX	M 332	-	-	-	-	-	-	-	-	1	-	-	-	-
			F 72	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 404	-	-	-	-	-	-	-	-	1	-	-	-	-
A 57		OF TRACHEA, BRONCHUS, AND LUNG	M 7,147	-	-	-	-	-	-	-	-	-	1	2	1	
			F 2,170	-	-	-	-	-	-	-	-	-	-	-	-	
			T 9,317	-	-	-	-	-	-	-	-	-	1	2	1	
A 58		OF ALL OTHER AND ILL- DEFINED SITES	M 96	1	-	-	1	-	-	-	-	-	-	1	2	
			F 42	-	-	-	-	-	-	-	-	-	-	2	-	
			T 138	1	-	-	1	-	-	-	-	-	-	3	2	
		TOTAL (A56-A58)	M 7,575	1	-	-	1	-	-	-	-	1	1	3	3	
			F 2,284	-	-	-	-	-	-	-	-	-	-	2	-	
			T 9,859	1	-	-	1	-	-	-	-	1	1	5	3	
		MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (A59-A64)														
A 59		OF BONE AND ARTICULAR CARTILAGE	M 117	-	-	-	-	-	-	1	-	1	6	10	12	
			F 63	-	-	-	-	-	-	1	-	1	2	6	3	
			T 180	-	-	-	-	-	-	2	-	2	8	16	15	
A 60		OF CONNECTIVE AND OTHER SOFT TISSUE	M 94	-	-	1	1	1	-	-	-	4	2	4	2	
			F 79	-	-	1	1	-	1	-	-	1	2	2	1	
			T 173	-	-	2	2	1	1	-	-	5	4	6	3	
A 61		MELANOMA OF SKIN	M 219	-	-	-	-	-	-	-	-	-	-	-	4	
			F 152	-	-	-	-	-	-	-	-	-	-	-	3	
			T 371	-	-	-	-	-	-	-	-	-	-	-	7	
A 62		OTHER MALIGNANT NEOPLASMS OF SKIN	M 47	-	-	-	-	-	-	-	-	-	-	-	-	-
			F 30	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 77	-	-	-	-	-	-	-	-	-	-	-	-	-
A 63		OF FEMALE BREAST	F 3,604	-	-	-	-	-	-	-	-	-	-	-	-	1
A 64		OF MALE BREAST	M 33	-	-	-	-	-	-	-	-	-	-	-	-	-

SEE FOOTNOTE AT END OF TABLE.

TABEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
4	7	18	15	40	67	116	149	216	219	184	138	105	-	AUTRES ET COLON, SANS PRECISION	A 48
4	5	7	15	37	67	121	123	198	207	201	165	171	1		
8	12	25	30	77	134	237	272	414	426	385	303	276	1		
4	9	25	24	54	96	167	219	295	315	281	222	173	-	TOTAL (A44-A48)	
4	5	13	23	49	55	180	204	275	314	302	275	305	1		
8	14	38	47	103	191	347	423	570	629	583	457	478	1		
1	1	4	9	30	41	86	93	121	118	101	109	69	-	DU RECTUM, DE LA JONCTION RECTO-SIGMOIDIENNE ET DE L'ANUS	A 49
1	1	3	7	19	28	47	56	86	67	73	85	97	-		
2	2	7	16	45	69	133	149	207	185	174	194	166	-		
														DU FOIE ET DES VOIES BILIAIRES INTRAHEPATIQUES (A50-A52)	
2	4	4	4	8	14	18	23	29	16	11	11	3	-	FOIE, PRIMITIVE	A 50
1	2	1	6	6	2	8	11	10	14	10	9	8	-		
3	6	5	10	14	16	26	34	39	30	21	20	11	-		
-	-	-	1	3	1	4	3	1	4	3	4	2	-	CANALX BILIAIRES INTRAHEPATIQUES	A 51
-	1	1	-	1	1	2	1	3	1	5	-	2	-		
-	1	1	1	4	2	6	4	4	5	8	4	4	-		
-	-	1	5	1	6	16	17	19	23	23	12	9	-	FOIE, NON PRECISEE	A 52
1	1	-	2	2	7	13	8	18	14	23	17	17	-	PRIMITIVE NI SECONCAIRE	
1	1	1	7	3	13	29	25	37	37	46	29	26	-		
2	4	5	10	12	21	38	43	49	43	37	27	14	-	TOTAL (A50-A52)	
2	4	2	8	9	10	23	20	31	29	38	26	27	-		
4	8	7	18	21	31	61	63	80	72	75	53	41	-		
1	-	-	2	3	9	14	25	35	33	33	30	20	-	DE LA VESICULE BILIAIRE ET DES VOIES BILIAIRES EXTRAHEPATIQUES	A 53
-	1	-	5	5	8	26	29	49	45	67	59	56	-		
1	1	-	7	8	17	40	54	84	78	100	89	76	-		
1	2	11	17	36	75	122	146	168	244	171	112	64	-	DU PANCREAS	A 54
1	2	2	13	28	51	62	109	166	163	140	140	123	-		
2	4	13	30	64	126	184	255	334	407	311	252	207	-		
1	4	4	11	10	19	25	49	56	75	51	55	38	-	DU TISSU RETROPERITONEAL, PERITONE ET CE SIEGES	A 55
2	2	2	5	10	15	33	51	51	70	66	65	79	-		
3	6	6	16	20	34	62	100	107	145	117	120	117	-	AUTRES ET MAL DEFINIS	
14	26	59	101	208	378	641	794	1,053	1,148	983	761	551	-	TOTAL (A41-A55)	
16	25	25	74	143	255	458	571	814	851	880	800	870	1		
30	51	84	175	351	633	1,059	1,365	1,867	1,999	1,863	1,561	1,421	1		
														TUMEURS MALIGNES DE L'APPAREIL RESPIRATOIRE ET DES ORGANES THORACIQUES (A56-A58)	
-	2	4	5	8	25	52	59	68	33	41	19	15	-	DU LARYNX	A 56
1	-	-	1	5	7	5	13	13	12	5	7	3	-		
1	2	4	6	13	32	57	72	81	45	46	26	18	-		
3	12	31	99	206	513	864	1,167	1,304	1,217	962	500	265	-	DE LA TRACHEE, DES BRONCHES ET DU POUMON	A 57
5	10	20	60	102	218	290	366	371	289	211	137	51	-		
8	22	51	159	308	731	1,154	1,533	1,675	1,506	1,173	637	356	-		
1	1	4	2	4	8	13	8	15	19	10	6	1	-	DE TOUTS LES SIEGES AUTRES ET MAL DEFINIS	A 58
2	-	1	1	1	2	4	4	9	8	1	5	2	-		
3	1	5	3	5	10	17	12	24	27	11	11	3	-		
4	15	39	106	218	546	925	1,234	1,387	1,269	1,013	525	281	-	TOTAL (A56-A58)	
8	10	21	62	138	227	295	383	393	305	217	149	96	-		
12	25	60	168	326	773	1,228	1,617	1,780	1,578	1,230	674	377	-		
														TUMEURS MALIGNES DES OS, DU TISSU CONJONCTIF, DE LA PEAU ET DU SEIN (A59-A64)	
7	3	2	5	6	7	5	5	13	15	6	5	8	-	DES OS ET DU CARTILAGE ARTICULAIRE	A 59
3	1	2	1	1	2	3	7	7	6	9	4	4	-		
10	4	4	6	7	9	8	12	20	21	15	9	12	-		
3	5	4	3	3	6	7	7	9	16	11	4	2	-	DU TISSU CONJONCTIF ET DES AUTRES TISSUS MOUS	A 60
3	3	-	3	6	5	6	7	13	8	7	5	5	-		
6	8	4	6	9	11	13	14	22	24	18	9	7	-		
6	10	16	17	19	21	29	23	24	21	12	7	10	-	MELANOME DE LA PEAU	A 61
6	6	15	15	8	12	17	16	16	12	11	6	9	-		
12	16	31	32	27	33	46	39	40	33	23	13	19	-		
-	1	-	1	1	-	5	4	4	7	3	11	10	-	AUTRES TUMEURS MALIGNES DE LA PEAU	A 62
1	-	1	2	2	1	-	4	2	2	3	5	7	-		
1	1	1	3	3	1	5	8	6	9	6	16	17	-		
18	46	94	145	237	347	458	486	471	409	315	283	254	-	DU SEIN CHEZ LA FEMME	A 63
-	-	-	-	1	1	5	3	6	8	3	3	3	-	DU SEIN, CHEZ L'HOMME	A 64

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE							
								1	2	3	4	5-9	10-14	15-19	20-24
		TOTAL (A59-A64)	M 510	-	-	1	1	1	-	1	-	5	8	14	18
			F 3,928	-	-	1	1	-	1	1	-	2	4	8	8
			T 4,438	-	-	2	2	1	1	2	-	7	12	22	26
		MALIGNANT NEOPLASMS OF GENITAL ORGANS (A65-A71)													
A 65		OF CERVIX UTERI	F 457	-	-	-	-	-	-	-	-	-	-	1	3
A 66		OF OTHER PARTS OF UTERUS	F 497	-	-	-	-	-	-	-	-	-	-	-	-
A 67		OF OVARY AND OTHER UTERINE ADNEXA	F 1,030	-	-	-	-	-	-	-	-	-	1	5	2
A 68		OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F 97	-	-	-	-	-	-	-	-	-	-	-	1
A 69		OF PROSTATE	M 2,194	-	-	-	-	-	-	-	1	-	-	-	-
A 70		OF TESTIS	M 50	-	-	-	-	-	-	-	-	-	-	6	8
A 71		OF PENIS AND OTHER MALE GENITAL ORGANS	M 15	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A65-A71)	M 2,263	-	-	-	-	-	-	-	1	-	-	6	6
			F 2,081	-	-	-	-	-	-	-	-	-	1	6	6
			T 4,344	-	-	-	-	-	-	-	1	-	1	12	14
		MALIGNANT NEOPLASMS OF URINARY ORGANS (A72,A73)													
A 72		OF BLADDER	M 738	-	-	-	-	-	-	-	-	-	-	1	-
			F 284	-	-	-	-	-	-	-	-	-	-	-	-
			T 1,022	-	-	-	-	-	-	-	-	-	-	1	-
A 73		OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	M 494	-	-	-	-	-	-	1	-	3	-	-	1
			F 324	-	-	-	-	-	-	2	-	2	-	1	-
			T 818	-	-	-	-	-	-	3	-	5	-	1	1
		TOTAL (A72,A73)	M 1,232	-	-	-	-	-	-	1	-	3	-	1	1
			F 608	-	-	-	-	-	-	2	-	2	-	1	-
			T 1,840	-	-	-	-	-	-	3	-	5	-	2	1
		MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (A74-A78)													
A 74		OF EYE	M 15	-	-	-	-	-	-	1	-	-	-	-	-
			F 18	-	-	-	-	-	-	-	-	-	-	-	-
			T 37	-	-	-	-	-	-	1	-	-	-	-	-
A 75		OF BRAIN	M 595	-	-	3	3	1	5	1	1	10	10	5	6
			F 472	-	-	1	1	-	1	2	3	8	7	6	4
			T 1,067	-	-	4	4	1	6	3	4	18	17	11	10
A 76		OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	M 13	-	-	-	-	1	-	-	-	-	1	-	1
			F 21	-	-	1	1	-	-	-	-	-	1	-	2
			T 34	-	-	1	1	1	-	-	-	-	2	-	3
A 77		OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M 84	-	-	-	-	3	3	4	3	5	3	-	2
			F 114	-	-	1	1	4	5	1	1	6	3	1	-
			T 198	-	-	1	1	7	8	5	4	11	6	1	2
A 78		OF ALL OTHER AND UNSPECIFIED SITES	M 845	-	-	-	-	-	1	1	-	-	-	1	-
			F 861	-	-	-	-	-	-	-	-	-	1	1	1
			T 1,706	-	-	-	-	-	1	1	-	-	1	2	1
		TOTAL (A74-A78)	M 1,556	-	-	3	3	5	9	7	4	15	14	10	5
			F 1,486	-	-	3	3	4	6	3	4	14	12	8	7
			T 3,042	-	-	6	6	9	15	10	8	29	26	18	16
		MALIGNANT NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES (A79-A86)													
A 79		LYMPHOSARCOMA AND RETICULOSARCOMA	M 245	-	-	-	-	-	-	-	-	2	4	6	7
			F 201	-	-	-	-	-	-	-	1	-	1	2	6
			T 446	-	-	-	-	-	-	-	1	2	5	8	13
A 80		HODGKIN'S DISEASE	M 130	-	-	-	-	-	-	-	-	-	-	1	8
			F 71	-	-	-	-	-	-	-	-	1	-	1	6
			T 201	-	-	-	-	-	-	-	-	1	-	2	12
A 81		OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE	M 428	-	1	-	1	1	-	-	1	2	4	6	4
			F 344	-	-	1	1	-	-	2	-	-	1	3	-
			T 772	-	1	1	2	1	-	2	1	2	5	9	4

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
16	19	22	26	30	35	51	42	56	67	35	30	33	-	TOTAL (A59-A64)	
31	56	112	166	254	367	484	520	509	437	345	303	319	-		
47	75	134	192	284	402	535	562	565	504	380	333	352	-		
TUMEURS MALIGNES DES ORGANES GENITO-URINAIRES (A65-A71)															
13	13	28	33	33	39	42	67	50	39	40	35	21	-	DU CCL DE L'UTERUS	A 65
1	3	4	5	14	24	37	51	94	90	78	54	42	-	DES AUTRES PARTIES DE L'UTERUS	A 66
2	3	14	33	59	99	143	132	153	152	95	69	64	-	DE L'OVAIRE ET DES AUTRES ANNEXES DE L'UTERUS	A 67
-	-	1	-	2	5	7	5	13	12	10	20	21	-	D'ORGANES GENITAUX AUTRES OU NON PRECISES DE LA FEMME	A 68
-	-	1	-	6	20	60	140	267	368	475	423	433	-	DE LA PROSTATE	A 69
10	4	8	2	-	3	1	-	1	3	2	2	-	-	DU TESTICULE	A 70
-	-	-	-	2	-	1	-	3	4	4	2	3	-	DE LA VERGE ET DES AUTRES ORGANES GENITAUX MASCULINS	A 71
10	4	9	2	8	23	62	140	271	375	481	427	436	-	TOTAL (A65-A71)	
16	19	47	71	108	167	229	255	310	293	227	178	148	-		
26	23	56	73	116	150	291	395	581	668	708	605	584	-		
TUMEURS MALIGNES DES ORGANES URINAIRES (A72, A73)															
-	-	3	2	13	24	47	50	111	132	139	107	109	-	DE LA VESSIE	A 72
-	1	1	1	4	7	12	23	26	35	48	52	74	-		
-	1	4	3	17	31	59	73	137	167	187	159	183	-		
2	2	2	15	15	36	72	70	91	71	60	32	21	-	DU REIN ET D'ORGANES URINAIRES AUTRES QU NON PRECISES	A 73
1	1	3	10	13	16	44	41	50	46	41	32	21	-		
3	3	5	25	28	52	116	111	141	117	101	64	42	-		
2	2	5	17	28	60	119	120	202	203	199	139	130	-	TOTAL (A72, A73)	
1	2	4	11	17	23	56	64	76	81	89	84	95	-		
3	4	9	28	45	83	175	184	278	284	288	223	225	-		
TUMEURS MALIGNES DE SIEGES AUTRES ET SANS PRECISION (A74-A78)															
-	1	1	-	-	1	-	1	5	2	2	2	3	-	DE L'OEIL	A 74
1	1	-	-	1	1	1	4	1	2	4	1	1	-		
1	2	1	-	1	2	1	5	6	4	6	3	4	-		
15	21	22	26	50	55	86	77	84	66	31	11	5	-	DE L'ENCEPHALE	A 75
6	16	18	20	31	37	53	79	74	58	24	13	10	1		
21	37	40	46	81	92	139	156	158	124	55	24	15	1		
1	-	-	-	-	-	3	-	2	1	1	1	1	-	DE PARTIES AUTRES ET NON PRECISEES DU SYSTEME NERVEUX	A 76
1	-	1	-	1	2	3	2	2	3	2	-	-	-		
2	-	1	-	1	2	6	2	4	4	3	1	1	-		
1	1	-	3	3	8	5	8	8	8	10	2	4	-	DU CORPS THYROIDIE ET AUTRES GLANDES THYROIDIE ET STRUCTURES APPARENTES	A 77
1	1	1	4	2	5	8	10	8	18	8	14	12	-		
2	2	1	7	5	13	13	18	16	26	18	16	16	-		
3	6	11	8	22	40	91	118	135	153	95	80	80	-	DE TOUTS LES SIEGES AUTRES ET NON PRECISES	A 78
3	5	7	8	21	49	72	93	116	116	123	116	129	-		
6	11	18	16	43	89	163	211	251	269	218	156	209	-		
20	29	34	37	75	104	185	204	234	230	139	96	93	-	TOTAL (A74-A78)	
12	23	27	32	56	94	137	188	201	197	161	144	152	1		
32	52	61	69	131	158	322	392	435	427	300	240	245	1		
TUMEURS MALIGNES DES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES (A79-A86)															
2	8	6	5	16	13	26	26	40	27	28	16	13	-	LYMPHOSARCOME ET	A 79
-	7	2	4	2	5	17	26	19	36	35	24	14	-	RETICULOSARCOME	
2	15	8	9	18	18	43	52	59	63	62	40	27	-		
8	8	10	12	6	5	16	13	16	11	12	3	3	-	MALADIE DE HCCGKIN	A 80
5	5	4	6	4	5	4	7	7	6	5	2	3	-		
13	13	14	18	10	10	20	20	23	17	17	5	6	-		
7	7	15	9	28	27	45	43	47	69	41	49	24	-	AUTRES TUMEURS MALIGNES DES TISSUS LYMPHOIDE ET HISTIOCYTAIRE	A 81
1	4	5	9	12	23	25	31	45	48	52	46	36	-		
8	11	20	18	40	50	70	74	92	117	93	95	60	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	AGE - AGE				AGE - AGE									
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
A 82	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	M	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	638	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEUKAEMIA (A23-A86)																	
A 83	LYMPHOID LEUKAEMIA	M	275	-	-	1	1	2	2	4	2	16	13	6	4		
		F	174	-	-	-	-	1	1	-	3	11	12	5	3		
		T	449	-	-	1	1	3	3	4	5	27	25	11	7		
A 84	MYELOID LEUKAEMIA	M	312	-	-	-	-	1	-	-	-	2	3	8	6		
		F	275	-	-	-	-	-	-	1	-	2	3	5	3		
		T	587	-	-	-	-	1	-	1	-	4	6	13	9		
A 85	MONOCYTTIC LEUKAEMIA	M	25	-	-	-	-	1	-	-	-	1	1	-	1		
		F	10	-	-	-	-	-	-	-	-	-	1	-	-		
		T	35	-	-	-	-	1	-	-	-	1	2	-	2		
A 86	OTHER AND UNSPECIFIED LEUKAEMIA	M	262	-	-	-	-	1	-	-	1	7	3	4	5		
		F	202	-	-	-	-	-	2	1	-	4	5	6	4		
		T	464	-	-	-	-	1	2	1	1	11	8	10	9		
TOTAL (A83-A86)																	
		M	874	-	-	1	1	5	2	4	3	26	20	18	16		
		F	661	-	-	-	-	1	3	2	3	17	21	16	11		
		T	1,535	-	-	1	1	6	5	6	6	43	41	34	27		
TOTAL (A79-A86)																	
		M	2,019	-	1	1	2	6	7	4	4	30	28	31	31		
		F	1,573	-	-	1	1	1	3	4	4	18	23	22	23		
		T	3,592	-	1	2	3	7	5	8	8	48	51	53	54		
TOTAL (A37-A86)																	
		M	22,440	2	1	6	9	12	13	13	10	55	52	70	77		
		F	17,974	-	-	7	7	5	11	11	9	36	42	50	50		
		T	40,414	2	1	13	16	17	24	24	19	91	94	120	127		
BENIGN NEOPLASMS, AND THOSE OF UNSPECIFIED NATURE (A87-A93)																	
BENIGN NEOPLASMS (A87-A89)																	
A 87	OF FEMALE GENITAL ORGANS	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 88	OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		T	82	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A 89	OF ALL OTHER AND UNSPECIFIED SITES	M	32	1	1	1	3	-	-	-	-	-	-	-	1	2	
		F	25	-	1	1	2	-	-	-	-	-	-	-	-	1	
		T	57	1	2	2	5	-	-	-	-	-	-	-	1	3	
TOTAL (A87-A89)																	
		M	63	1	1	1	3	-	-	-	-	-	-	-	1	2	
		F	82	-	1	1	2	-	-	-	-	-	-	-	-	2	
		T	145	1	2	2	5	-	-	-	-	-	-	-	1	4	
CARCINOMA IN SITU (A90,A91)																	
A 90	OF BREAST AND GENITOURINARY SYSTEM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 91	OF ALL OTHER AND UNSPECIFIED SITES	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A90,A91)																	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 92	NEOPLASMS OF UNCERTAIN BEHAVIOUR	M	64	-	-	-	-	1	-	-	-	-	-	2	2		
		F	56	2	-	-	2	-	-	-	-	2	-	-	-	2	
		T	120	2	-	-	2	1	-	-	-	2	-	2	4		
A 93	NEOPLASMS OF UNSPECIFIED NATURE	M	65	1	-	2	3	-	-	-	-	-	-	3	-		
		F	65	-	-	-	-	-	-	1	-	1	1	1	-		
		T	130	1	-	2	3	-	-	1	-	1	1	4	-		
TOTAL (A87-A93)																	
		M	192	2	1	3	6	1	-	-	-	-	-	6	4		
		F	205	2	1	1	4	-	-	1	-	3	1	1	4		
		T	397	4	2	4	10	1	-	1	-	3	1	7	8		
TOTAL (A37-A93)																	
		M	22,632	4	2	9	15	13	13	13	10	55	52	76	81		
		F	18,179	2	1	8	11	5	11	12	9	35	43	51	54		
		T	40,811	6	3	17	26	18	24	25	19	94	95	127	135		

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE														N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	1	6	9	20	30	47	47	61	39	43	38	1	MYELOME MULTIPLE ET TUMEURS IMMUNOPROLIFERATIVES	A 82	
-	2	-	3	6	12	29	35	39	55	43	45	27	-			
-	2	1	9	15	32	55	82	86	116	82	88	65	1			
LEUCEMIE (A83-A86)																
1	5	3	5	4	9	15	27	23	36	30	36	31	-	LEUCEMIE LYMPHOIDE	A 83	
2	1	1	3	2	3	10	6	12	15	20	32	27	-			
3	6	4	8	6	12	25	33	35	55	50	68	58	-			
7	8	16	10	22	23	23	30	42	41	36	21	13	-	LEUCEMIE MYELOIDE	A 84	
9	8	13	11	14	19	23	20	25	33	36	20	30	-			
16	16	29	21	36	42	46	50	67	74	72	41	43	-			
-	-	-	-	-	3	1	1	6	2	5	2	1	-	LEUCEMIE MONOCYTAIRE	A 85	
1	-	-	-	-	2	1	-	-	2	-	1	1	-			
1	-	-	-	-	5	2	1	6	4	5	3	2	-			
4	6	9	6	12	14	14	23	40	45	30	20	18	-	LEUCEMIE, AUTRES ET NCN PRECISEES	A 86	
5	3	6	4	6	14	14	18	14	24	25	23	24	-			
9	9	15	10	18	28	28	41	54	69	55	43	42	-			
12	19	28	21	36	49	53	81	111	124	101	79	63	-	TOTAL (A83-A86)		
17	12	20	18	22	38	48	44	51	78	81	76	82	-			
29	31	48	39	60	87	101	125	162	202	182	155	145	-			
29	42	60	53	97	114	170	210	261	292	221	190	141	1	TOTAL (A79-A80)		
23	30	31	40	46	83	123	143	161	223	216	153	162	-			
52	72	91	93	143	157	293	353	422	515	437	383	303	1			
96	139	236	354	696	1,306	2,232	2,831	3,541	3,665	3,128	2,204	1,700	1	TOTAL (A37-A86)		
107	165	268	457	738	1,236	1,811	2,155	2,499	2,413	2,157	1,877	1,868	2			
203	304	504	811	1,434	2,542	4,043	4,986	6,040	6,078	5,285	4,081	3,568	3			
TUMEURS BENIGNES ET CELLES DE NATURE NON PRECISEE (A87-A93)																
TUMEURS BENIGNES (A87-A89)																
DES ORGANES GENITAUX DE LA FEMME														A 87		
-	-	-	-	-	-	-	2	1	1	-	1	1	-			
2	-	1	-	1	1	3	4	4	6	4	3	2	-	DE L'OEIL, DE L'ENCEPHALE ET DES AUTRES PARTIES DU SYSTEME NERVEUX	A 88	
-	-	3	3	1	1	3	7	10	7	4	5	6	-			
2	-	4	3	2	2	6	11	14	13	8	8	8	-			
2	-	-	-	2	2	4	2	2	8	-	1	3	-	DE TOUTS LES SIEGES AUTRES ET NCN PRECISES	A 89	
-	1	-	1	-	5	2	3	2	2	2	3	1	-			
2	1	-	1	2	7	6	5	4	10	2	4	4	-			
4	-	1	-	3	3	7	6	6	14	4	4	5	-	TOTAL (A87-A89)		
-	1	3	4	1	6	5	12	13	10	6	9	8	-			
4	1	4	4	4	9	12	18	19	24	10	13	13	-			
CARCINOME IN SITU (A90, A91)																
DU SEIN ET DE L'APPAREIL GENITO-URINAIRE														A 90		
-	-	-	-	1	-	-	-	-	-	-	-	-	-			
-	-	-	-	1	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	DE TOUTS LES SIEGES AUTRES ET NCN PRECISES	A 91	
-	-	-	-	1	-	-	-	-	-	-	-	-	-			
-	-	-	-	1	-	-	-	-	-	-	-	-	-			
-	-	-	-	2	-	-	-	-	-	-	-	-	-	TOTAL (A90, A91)		
-	-	-	-	2	-	-	-	-	-	-	-	-	-			
1	-	-	1	2	5	4	5	10	7	5	10	9	-	TUMEURS A EVOLUTION IMPREVISIBLE	A 92	
1	-	2	-	1	2	3	3	7	6	7	11	7	-			
2	-	2	1	3	7	7	8	17	13	12	21	16	-			
-	-	-	2	4	3	3	4	13	10	6	6	8	-	TUMEURS DE NATURE NCN PRECISEE	A 93	
3	1	2	1	-	2	7	2	8	4	8	7	10	-			
3	1	2	3	4	5	10	6	21	14	14	13	24	-			
5	-	1	3	9	11	14	15	29	31	15	20	22	-	TOTAL (A87-A93)		
4	2	7	5	4	10	15	17	28	20	21	27	31	-			
9	2	8	8	13	21	29	32	57	51	36	47	53	-			
101	139	237	357	705	1,317	2,246	2,846	3,570	3,696	3,143	2,224	1,722	1	TOTAL (A37-A93)		
111	167	275	462	742	1,246	1,826	2,172	2,527	2,433	2,178	1,904	1,859	2			
212	306	512	819	1,447	2,563	4,072	5,018	6,057	6,129	5,321	4,128	3,621	3			

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	AGE - AGE.					AGE - AGE.						
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (A94-A104)														
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (A94-A101)														
A 94	DISORDERS OF THYROID GLAND	M 18 F 59 T 77	-	-	-	-	-	-	-	-	-	-	-	-
A 95	DIABETES MELLITUS	M 1,317 F 1,635 T 2,956	-	-	-	-	-	1	-	-	1	-	2	2
A 96	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL	M 6 F 8 T 14	-	-	-	-	-	-	1	-	-	-	-	-
A 97	DISEASES OF THYMUS GLAND	M 3 F - T 3	-	-	2	2	-	-	-	-	-	-	-	-
A 98	DISORDERS OF ADRENAL GLANDS	M 9 F 17 T 26	-	-	1	1	-	-	-	-	-	-	-	-
A 99	CYSTIC FIBROSIS	M 16 F 38 T 54	-	-	1	1	-	-	-	-	3	4	5	3
A 100	OBESITY	M 46 F 60 T 106	-	-	-	-	-	-	-	-	-	-	-	-
A 101	ALL OTHERS	M 263 F 266 T 525	7	4	4	15	2	2	-	-	1	2	4	3
TOTAL (A94-A101)		M 1,678 F 2,087 T 3,765	7	4	8	19	2	3	1	-	5	6	11	8
NUTRITIONAL DEFICIENCIES (A102-A104)														
A 102	NUTRITIONAL MARASMUS	M 1 F 4 T 5	-	-	-	-	-	-	-	-	-	-	-	-
A 103	OTHER PROTEIN-CALORIE MALNUTRITION	M 47 F 65 T 112	-	-	-	-	-	-	-	-	1	-	-	-
A 104	ALL OTHER NUTRITIONAL DEFICIENCIES	M 7 F 6 T 13	-	-	-	-	-	-	-	-	-	-	-	1
TOTAL (A102-A104)		M 55 F 75 T 130	-	-	-	-	-	-	-	-	1	-	-	1
TOTAL (A94-A104)		M 1,733 F 2,162 T 3,895	7	4	8	19	2	3	1	-	5	6	11	9
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (A105-A110)														
ANAEMIAS (A105-A108)														
A 105	DEFICIENCY ANAEMIAS	M 23 F 36 T 59	-	-	-	-	-	-	-	-	-	-	-	-
A 106	HEMOLYTIC ANAEMIAS	M 27 F 17 T 44	1	-	2	3	1	-	2	-	-	-	-	-
A 107	APLASTIC ANAEMIA	M 64 F 58 T 122	-	-	-	-	-	1	1	-	1	1	1	5
A 108	OTHER AND UNSPECIFIED ANAEMIAS	M 66 F 92 T 158	-	-	1	1	-	-	-	-	-	-	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	-	-	-	-	-	1	5	1	1	4	3	2	-	III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME ET TROUBLES IMMUNITAIRES (A94-A104)	
-	1	-	-	-	-	1	1	1	1	4	3	2	-	MALADIES ENDOCRINIENNES, DU METABOLISME ET TROUBLES IMMUNITAIRES (A94-A101)	
-	2	-	-	-	1	4	9	6	8	11	9	9	-	TROUBLES DU CORPS THYROÏDE	A 94
-	3	-	-	-	1	5	14	7	9	15	12	11	-		
8	15	17	23	26	65	99	119	189	209	222	154	165	-	DIABETE SUCRE	A 95
9	11	8	10	21	32	64	104	192	254	311	298	318	-		
17	26	25	33	47	97	163	223	381	463	533	452	483	-		
-	-	-	-	1	-	-	-	1	2	1	-	-	-	TROUBLES DE L'HYPHYPHYSE ET DE SON CONTROLE	A 96
-	-	-	-	1	-	-	-	1	3	1	1	1	-	HYPOTHALAMIQUE	
-	-	-	-	2	-	-	-	1	4	2	2	1	-		
1	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES DU THYMUS	A 97
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	1	1	1	-	2	2	-	TROUBLES DES GLANDES SURRENALES	A 98
-	1	1	1	1	1	1	2	4	2	1	-	2	-		
1	1	1	1	1	1	1	3	5	3	1	2	4	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	FIBROSE KYSTIQUE	A 99
3	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	1	-	-	-	-	-	-	-	-	-	-	-	-		
-	2	-	5	2	4	6	8	6	10	3	-	-	-	OBESITE	A 100
-	-	2	4	5	5	7	9	5	10	5	5	3	-		
-	2	2	9	7	9	13	17	11	20	8	5	3	-		
4	4	5	7	7	11	13	14	19	29	35	27	59	-	TOUTES LES AUTRES	A 101
2	-	3	3	3	7	15	12	14	20	22	45	55	-		
6	4	8	10	10	18	28	26	33	49	57	72	154	-		
14	22	22	35	36	80	119	147	217	252	265	186	228	-	TOTAL (A94-A101)	
14	15	14	18	31	45	91	137	224	294	351	358	428	-		
28	37	36	53	67	125	210	284	441	546	616	544	656	-		
-	-	-	-	-	-	-	-	-	-	1	-	-	-	ETATS DE CARENCE (A102-A104)	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	ATHREPSIE NUTRITIONNELLE	A 102
-	-	-	-	-	-	-	-	-	-	2	1	2	-		
-	-	2	-	-	-	-	3	1	7	10	6	18	-	AUTRES MALNUTRITIONS	A 103
-	-	-	1	-	-	-	1	8	5	10	10	29	-	PROTEINO-CALORIQUES	
-	-	2	1	-	-	-	4	9	12	20	16	47	-		
-	-	-	-	1	-	1	2	-	-	1	-	1	-	TOUTES LES AUTRES ETATS DE CARENCE	A 104
-	-	-	-	1	-	-	-	1	-	2	2	1	-		
-	-	-	-	1	-	1	2	1	-	3	2	2	-		
-	-	2	-	1	-	1	5	1	7	12	6	19	-	TOTAL (A102-A104)	
-	-	-	1	-	-	-	1	9	5	13	13	32	-		
-	-	2	1	1	-	1	6	10	12	25	19	51	-		
14	22	24	35	37	80	120	152	218	259	277	192	247	-	TOTAL (A94-A104)	
14	15	14	19	31	45	91	138	233	299	364	371	460	-		
28	37	38	54	68	125	211	290	451	558	641	563	707	-		
-	-	-	-	-	2	2	1	2	1	3	3	9	-	IV. MALADIES DU SANG ET ORGANES HEMATOPOÏETIQUES (A105-A110)	
-	-	-	-	-	-	1	-	2	-	6	9	18	-	ANEMIES (A105-A108)	
-	-	-	-	-	2	3	1	4	1	9	12	27	-	ANEMIES PAR CARENCE	A 105
-	-	1	-	1	3	1	2	3	3	2	1	4	-	ANEMIES HEMOLYTIQUES	A 106
-	1	1	-	1	3	2	3	5	4	4	3	5	-		
2	1	2	-	2	3	1	2	6	5	8	13	10	-	ANEMIE APLASTIQUE	A 107
1	-	-	2	1	4	2	6	4	4	8	9	11	-		
3	1	2	2	3	7	3	8	10	9	16	22	21	-		
-	-	-	-	1	1	3	3	2	6	7	18	24	-	ANEMIES, AUTRES ET SANS PRECISION	A 108
-	-	-	-	1	-	-	3	6	4	14	22	42	-		
-	-	-	-	2	1	3	6	8	10	21	40	66	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE							
								1	2	3	4	5-9	10-14	15-19	20-24
		TOTAL (A105-A108)	M 180	1	-	3	4	1	1	3	-	-	1	1	5
			F 203	1	-	-	1	2	1	-	1	4	-	2	1
			T 383	2	-	3	5	3	2	3	1	4	1	3	6
A 109		PURPURA AND OTHER HAEMORRHAGIC CONDITIONS	M 24	-	-	-	-	-	-	-	-	1	1	1	-
			F 30	-	-	-	-	-	-	-	-	1	-	-	-
			T 54	-	-	-	-	-	-	-	-	2	1	1	-
A 110		ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M 126	-	-	1	1	-	-	-	-	1	-	-	-
			F 72	-	-	1	1	-	1	-	-	-	-	-	-
			T 198	-	-	2	2	-	1	-	-	1	-	-	-
		TOTAL (A105-A110)	M 330	1	-	4	5	1	1	3	-	2	2	2	5
			F 305	1	-	1	2	2	2	-	1	5	-	2	1
			T 635	2	-	5	7	3	3	3	1	7	2	4	6
		V. MENTAL DISORDERS (A111-A117)													
A 111		SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	M 160	-	-	-	-	-	-	-	-	-	-	-	-
			F 242	-	-	-	-	-	-	-	-	-	-	-	-
			T 402	-	-	-	-	-	-	-	-	-	-	-	-
A 112		ALCOHOLIC PSYCHOSES	M 30	-	-	-	-	-	-	-	-	-	-	-	-
			F 8	-	-	-	-	-	-	-	-	-	-	-	-
			T 38	-	-	-	-	-	-	-	-	-	-	-	-
A 113		ALL OTHER PSYCHOSES	M 46	-	-	-	-	-	-	-	-	-	-	-	-
			F 50	-	-	-	-	-	-	-	-	-	-	-	-
			T 96	-	-	-	-	-	-	-	-	-	-	-	-
A 114		ALCOHOL DEPENDENCE SYNDROME	M 339	-	-	-	-	-	-	-	-	-	-	1	4
			F 100	-	-	-	-	-	-	-	-	-	-	-	1
			T 439	-	-	-	-	-	-	-	-	-	-	1	5
A 115		DRUG DEPENDENCE	M -	-	-	-	-	-	-	-	-	-	-	-	-
			F -	-	-	-	-	-	-	-	-	-	-	-	-
			T -	-	-	-	-	-	-	-	-	-	-	-	-
A 116		OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS	M 203	-	-	-	-	-	-	-	-	1	-	2	4
			F 164	-	-	-	-	-	-	-	-	-	-	-	-
			T 367	-	-	-	-	-	-	-	-	1	-	2	4
A 117		MENTAL RETARDATION	M 13	-	-	-	-	-	1	-	-	-	1	2	1
			F 9	-	-	-	-	-	1	-	-	1	-	-	-
			T 22	-	-	-	-	-	2	-	-	1	1	2	1
		TOTAL (A111-A117)	M 791	-	-	-	-	-	1	-	-	1	1	5	9
			F 573	-	-	-	-	-	1	-	-	1	-	-	1
			T 1,364	-	-	-	-	-	2	-	-	2	1	5	10
		VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (A118-A126)													
		DISEASES OF THE NERVOUS SYSTEM (A118-A124)													
A 118		MENINGITIS	M 53	2	1	9	12	5	3	1	-	-	2	1	1
			F 41	-	-	10	10	3	2	1	1	3	1	-	1
			T 94	2	1	19	22	8	5	2	1	3	3	1	2
A 119		PARKINSON'S DISEASE	M 239	-	-	-	-	-	-	-	-	-	-	-	-
			F 183	-	-	-	-	-	-	-	-	-	-	-	-
			T 422	-	-	-	-	-	-	-	-	-	-	-	-
A 120		OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	M 412	-	1	9	10	3	-	2	1	5	2	2	1
			F 389	1	-	6	7	6	3	1	2	3	6	3	2
			T 801	1	1	15	17	9	3	3	3	8	8	5	3
A 121		MULTIPLE SCLEROSIS	M 71	-	-	-	-	-	-	-	-	-	-	-	-
			F 122	-	-	-	-	-	-	-	-	-	-	-	-
			T 193	-	-	-	-	-	-	-	-	-	-	-	-
A 122		INFANTILE CEREBRAL PALSY	M 33	-	-	7	7	2	1	-	-	2	1	2	6
			F 25	-	-	2	2	1	-	1	-	4	4	2	3
			T 58	-	-	9	9	3	1	1	-	6	5	4	9
A 123		EPILEPSY	M 155	-	-	2	2	-	-	1	-	5	3	6	4
			F 118	1	1	-	2	-	1	1	-	2	1	7	17
			T 273	1	1	2	4	-	1	2	-	7	4	13	21
A 124		OTHER DISEASES OF THE NERVOUS SYSTEM	M 307	2	1	11	14	3	1	1	1	-	12	29	15
			F 213	-	-	5	5	-	2	-	-	1	3	4	1
			T 520	2	1	16	19	3	3	1	1	1	15	33	16
		TOTAL (A118-A124)	M 1,270	4	3	38	45	13	5	5	2	12	20	40	27
			F 1,091	2	1	23	26	10	8	4	3	13	15	19	24
			T 2,361	6	4	61	71	23	13	9	5	25	35	59	51
A 125		DISORDERS OF THE EYE AND ADNEXA	M 1	-	-	-	-	-	-	-	-	-	-	-	-
			F 5	-	-	-	-	-	-	-	-	-	-	-	-
			T 6	-	-	-	-	-	-	-	-	-	-	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			N.S.
2	1	3	-	4	9	7	8	13	15	20	35	47	-	TOTAL (A105-A108)	
1	1	-	2	2	4	4	10	14	9	30	42	72	-		
3	2	3	2	6	13	11	18	27	24	50	77	119	-		
1	1	1	1	-	2	-	3	-	4	6	-	2	-	PURPURA ET AUTRES	A 109
2	-	-	-	1	1	4	4	2	1	4	5	5	-	AFFECTIONS HEMORRAGIQUES	
3	1	1	1	1	3	4	7	2	5	10	5	7	-		
3	1	-	2	4	5	3	14	26	20	22	14	10	-	TOUTES LES AUTRES MALADIES	A 110
1	-	3	2	5	2	6	5	7	12	8	8	11	-	DU SANG ET DES ORGANES	
4	1	3	4	5	7	9	19	33	32	30	22	21	-	HEMATOPOIETIQUES	
6	3	4	3	8	16	10	25	39	39	48	49	59	-	TOTAL (A105-A110)	
4	1	3	4	8	7	14	19	23	22	42	55	88	-		
10	4	7	7	16	23	24	44	62	61	90	104	147	-		
V. TROUBLES MENTAUX (A111-A117)															
-	-	-	-	-	-	2	3	5	17	32	46	55	-	ETATS PSYCHOTIQUES	A 111
-	-	-	-	-	-	1	4	9	10	15	40	159	-	ORGANIQUES SENILES ET	
-	-	-	-	-	-	3	7	14	27	51	86	214	-	PRESENILES	
2	1	1	1	2	1	2	2	8	6	3	-	1	-	PSYCHOSES ALCOOLIQUES	A 112
-	1	-	-	2	2	-	2	-	1	-	-	-	-		
2	2	1	1	4	3	2	4	8	7	3	-	1	-		
-	1	-	2	1	1	-	3	2	5	12	7	12	-	TOUTES LES AUTRES PSYCHOSES	A 113
-	1	-	-	1	-	-	2	3	7	4	10	22	-		
-	2	-	2	2	1	-	5	5	12	16	17	34	-		
5	6	13	19	23	44	55	50	54	35	16	6	7	1	SYNDROME DE DEPENDANCE	A 114
5	3	7	4	7	13	18	13	16	4	6	2	1	-	ALCOOLIQUE	
10	9	20	23	30	57	73	63	70	39	22	8	8	1		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	PHARMACODEPENDANCE	A 115
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	6	11	8	7	12	13	16	12	20	21	23	39	-	TROUBLES NEURGIQUES, DE	A 116
-	2	2	2	6	4	6	6	10	18	11	28	69	-	LA PERSONNALITE ET AUTRES	
8	8	13	10	13	16	19	22	22	38	32	51	108	-	NON PSYCHOTIQUES	
2	-	-	-	1	2	1	-	-	1	-	1	-	-	RETARD MENTAL	A 117
1	1	2	-	1	-	1	-	-	1	-	-	-	-		
3	1	2	-	2	2	2	-	-	2	-	1	-	-		
17	14	25	30	34	60	73	74	81	84	84	83	114	1	TOTAL (A111-A117)	
6	8	11	6	17	19	26	27	38	41	40	80	251	-		
23	22	36	36	51	79	99	101	119	125	124	163	365	1		
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS (A118-A126)															
MALADIES DU SYSTEME NERVEUX (A118-A124)															
1	-	-	3	2	2	6	1	1	7	1	4	-	-	MENINGITES	A 118
1	-	1	-	1	1	1	-	3	3	1	6	1	-		
2	-	1	3	3	3	7	1	4	10	2	10	1	-		
-	-	-	-	-	3	6	6	23	52	55	52	38	-	SYNDROME PARKINSONNIEN	A 119
-	-	-	-	1	1	3	5	17	28	40	44	44	-		
-	-	-	-	1	4	9	11	40	80	95	96	82	-		
4	6	6	2	16	21	32	35	76	58	60	34	36	-	AUTRES AFFECTIONS HEREDI-	A 120
4	1	3	2	6	20	26	42	52	59	50	35	56	-	TAIRES ET DEGENERATIVES	
8	7	9	4	22	41	58	77	128	117	110	65	92	-	DU SYSTEME NERVEUX CENTRAL	
2	2	4	6	9	12	5	10	12	2	5	2	-	-	SCLEROSE EN PLAQUES	A 121
3	3	7	11	15	15	17	20	15	7	5	1	-	-		
5	5	11	17	24	27	22	30	27	9	10	3	-	-		
4	-	-	-	1	2	1	2	-	1	-	1	-	-	PARALYSIE CEREBRALE	A 122
-	3	-	-	-	-	1	1	2	-	-	1	-	-	INFANTILE	
4	3	-	-	1	2	2	3	2	1	-	2	-	-		
16	17	19	17	7	13	8	3	10	10	7	2	5	-	EPILEPSIE	A 123
12	7	9	7	4	6	8	2	5	6	9	3	9	-		
28	24	28	24	11	19	16	5	15	16	16	5	14	-		
4	8	9	6	6	12	27	31	37	25	26	22	18	-	AUTRES MALADIES DU SYSTEME	A 124
2	4	11	3	5	11	16	21	14	17	33	25	30	1	NERVEUX	
6	12	20	5	15	23	43	52	51	42	55	47	48	1		
31	33	38	34	41	65	85	88	159	155	158	117	97	-	TOTAL (A118-A124)	
22	18	31	23	36	54	72	91	108	120	138	115	140	1		
53	51	69	57	77	119	157	179	267	275	256	232	237	1		
-	-	-	-	-	-	-	-	-	1	-	-	-	-	MALADIES DE L'OEIL ET DE	A 125
-	-	-	-	-	-	-	-	-	-	1	1	3	-	SES ANNEXES	
-	-	-	-	-	-	-	-	-	1	1	1	3	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		TOTAL	AGE - AGE				AGE - AGE								
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 126	DISEASES OF THE EAR AND MASTOID PROCESS	M	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	5	-	-	2	2	-	1	-	-	-	-	-	-	-
		T	7	-	-	2	2	1	1	-	-	-	-	-	-	-
	TOTAL (A118-A126)	M	1,273	4	3	38	45	14	5	5	2	12	20	40	27	
		F	1,101	2	1	25	28	10	5	4	3	13	15	15	24	
		T	2,374	6	4	63	73	24	14	9	5	25	35	59	51	
	VII. DISEASES OF THE CIRCULATORY SYSTEM (A127-A160)															
	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (A127-A131)															
A 127	ACUTE RHEUMATIC FEVER	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHRONIC RHEUMATIC HEART DISEASE (A128-A131)															
A 128	DISEASES OF MITRAL VALVE	M	74	-	-	-	-	-	-	-	-	1	-	-	-	1
		F	206	-	-	-	-	-	-	1	-	1	-	-	-	1
		T	280	-	-	-	-	-	-	1	-	1	-	-	-	1
A 129	DISEASE OF AORTIC VALVE	M	19	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	32	-	-	-	-	-	-	-	-	-	-	-	-	-
A 130	DISEASES OF MITRAL AND AORTIC VALVES	M	44	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	86	-	-	-	-	-	-	-	-	-	-	1	1	
		T	130	-	-	-	-	-	-	-	-	-	-	1	1	
A 131	ALL OTHER CHRONIC RHEUMATIC HEART DISEASE	M	80	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	142	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	222	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL (A128-A131)	M	217	-	-	-	-	-	-	-	-	1	-	-	-	1
		F	447	-	-	-	-	-	-	1	-	1	-	1	1	
		T	664	-	-	-	-	-	-	1	-	1	-	1	2	
	TOTAL (A127-A131)	M	221	-	-	-	-	-	-	-	-	1	-	-	-	1
		F	450	-	-	-	-	-	-	1	-	1	-	1	1	
		T	671	-	-	-	-	-	-	1	-	1	-	1	2	
	HYPERTENSIVE DISEASE (A132-A135)															
A 132	ESSENTIAL HYPERTENSION	M	91	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	145	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	240	-	-	-	-	-	-	-	-	-	-	-	-	-
A 133	HYPERTENSIVE HEART DISEASE	M	254	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	368	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	622	-	-	-	-	-	-	-	-	-	-	1	-	-
A 134	HYPERTENSIVE RENAL DISEASE	M	140	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	138	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	278	-	-	-	-	-	-	-	-	-	-	-	-	-
A 135	HYPERTENSIVE HEART AND RENAL DISEASE	M	110	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	171	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	281	-	-	-	-	-	-	-	-	-	-	1	-	-
	TOTAL (A132-A135)	M	595	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	826	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1,421	-	-	-	-	-	-	-	-	-	-	2	-	-
	ISCHAEMIC HEART DISEASE (A136-A139)															
A 136	ACUTE MYOCARDIAL INFARCTION	M	18,462	-	-	-	-	-	-	-	-	-	-	1	5	
		F	10,760	-	-	-	-	-	-	-	-	-	-	1	1	
		T	29,222	-	-	-	-	-	-	-	-	-	-	1	6	
A 137	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE	M	840	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	501	-	-	-	-	-	-	-	-	-	-	1	-	-
		T	1,341	-	-	-	-	-	-	-	-	-	-	1	-	-
A 138	ANGINA PECTORIS	M	49	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	48	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	97	-	-	-	-	-	-	-	-	-	-	-	-	-
A 139	ALL OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	M	9,524	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	8,499	-	-	-	-	-	-	-	-	-	-	-	-	1
		T	18,023	-	-	-	-	-	-	-	-	-	-	-	-	1
	TOTAL (A136-A139)	M	28,875	-	-	-	-	-	-	-	-	-	-	1	6	
		F	19,808	-	-	-	-	-	-	-	-	-	-	1	1	
		T	48,683	-	-	-	-	-	-	-	-	-	-	2	7	

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	MALADIES DE L'CREILLE ET DE	A 126
-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	L'APCPHYSE MASTOICE	
-	-	-	-	1	1	-	-	-	-	-	-	-	1	-		
31	33	38	34	41	66	85	88	159	156	158	117	97	-	TOTAL (A118-A126)		
22	18	31	23	37	54	72	91	108	120	135	116	144	1			
53	51	69	57	78	120	157	175	267	276	297	233	241	1			
VII. MALADIES DE L'APPAREIL CIRCULATOIRE (A127-A16C)																
RHUMATISME ARTICULAIRE ET CARDIOPATHIES RHUMA- TISMALES (A127-A131)																
-	-	-	-	-	-	-	-	3	-	-	-	1	-	RHUMATISME ARTICULAIRE AIGL	A 127	
-	-	-	-	-	-	1	-	-	-	2	-	-	-			
-	-	-	-	-	-	1	-	3	-	2	-	1	-			
CARDIOPATHIES RHUMATISMALES CHRONIQUES (A128-A131)																
2	1	1	2	4	2	8	8	16	14	6	4	4	-	MALADIES DE LA VALVULE	A 128	
2	1	2	3	7	18	22	23	32	36	18	14	27	-	MITRALE		
4	2	3	5	11	20	30	31	48	50	24	18	31	-			
-	-	-	-	1	-	2	3	3	4	3	2	1	-	MALADIES DE LA VALVULE	A 129	
-	-	-	-	-	-	-	-	2	1	5	1	4	-	ACRTIQUE		
-	-	-	-	1	-	2	3	5	5	8	3	5	-			
1	-	-	3	2	3	3	4	6	7	9	3	3	-	MALADIES DES VALVULES	A 130	
-	-	-	3	3	1	3	13	18	6	14	13	10	-	MITRALE ET AORTIQUE		
1	-	-	6	5	4	6	17	24	13	22	16	13	-			
-	3	-	2	5	5	9	10	12	16	9	7	2	-	TOUTES LES AUTRES	A 131	
2	-	-	3	5	7	12	16	15	23	27	15	17	-	CARDIOPATHIES RHUMATISMALES		
2	3	-	5	10	12	21	26	27	39	36	22	19	-	CHRONIQUES		
3	4	1	7	12	10	22	25	37	41	27	16	10	-	TOTAL (A128-A131)		
4	1	2	9	15	26	37	52	67	66	64	43	58	-			
7	5	3	16	27	36	59	77	104	107	91	59	68	-			
3	4	1	7	12	10	22	25	40	41	27	16	11	-	TOTAL (A127-A131)		
4	1	2	9	15	26	38	52	67	66	66	43	58	-			
7	5	3	16	27	36	60	77	107	107	93	59	69	-			
MALADIES HYPERTENSIVES (A132-A135)																
-	2	1	1	3	5	9	8	11	18	14	8	11	-	HYPERTENSION ESSENTIELLE	A 132	
-	-	2	1	3	3	5	4	8	18	29	26	50	-			
-	2	3	2	6	8	14	12	19	36	42	34	61	-			
-	-	-	1	6	11	16	25	35	50	44	27	38	-	CARDIOPATHIE DUE A	A 133	
-	-	-	-	5	5	9	17	22	50	65	74	121	-	L'HYPERTENSION ARTERIELLE		
-	-	-	1	11	16	25	42	57	100	109	101	159	-			
-	-	-	-	3	3	2	6	15	28	23	30	30	-	NEPHROPATHIE DUE A	A 134	
1	-	1	-	2	3	3	6	11	18	26	26	41	-	L'HYPERTENSION ARTERIELLE		
1	-	1	-	5	6	5	12	26	46	49	56	71	-			
-	-	-	1	1	3	3	4	7	13	23	23	31	-	CARDIO-NEPHROPATHIE DUE A	A 135	
-	-	-	-	-	2	3	3	9	16	27	41	70	-	L'HYPERTENSION ARTERIELLE		
-	-	-	1	1	5	6	7	16	29	50	64	101	-			
-	2	1	3	13	22	30	43	68	109	104	88	110	-	TOTAL (A132-A135)		
1	-	3	1	10	13	20	30	50	102	147	167	282	-			
1	2	4	4	23	35	50	73	118	211	251	255	352	-			
CARDIOPATHIES ISCHEMIQUES (A136-A139)																
14	78	148	331	643	1,124	1,686	2,299	2,914	2,878	2,774	1,905	1,657	5	INFARCTUS AIGL DU MYOCARDE	A 136	
8	14	21	70	108	229	479	786	1,260	1,751	1,961	1,851	2,219	2			
22	92	169	401	751	1,353	2,165	3,085	4,174	4,625	4,735	3,756	3,876	7			
2	4	15	29	50	75	108	97	118	116	90	74	62	-	AUTRES FORMES AIGUES DU	A 137	
2	1	8	8	22	18	29	45	58	65	77	73	54	-	SUBAIGUES DES CARDIOPATHIES		
4	5	23	37	72	93	137	142	176	181	167	147	156	-	ISCHEMIQUES		
-	-	-	1	2	1	7	5	10	6	7	6	4	-	ANGINE DE PECTORINE	A 138	
-	-	-	-	-	2	4	4	1	10	10	8	9	-			
-	-	-	1	2	3	11	9	11	16	17	14	13	-			
9	22	41	89	195	363	556	824	1,162	1,313	1,512	1,415	2,020	2	TOUTES LES AUTRES FORMES	A 139	
1	1	10	12	33	68	150	244	503	777	1,229	1,683	3,787	1	DE CARDIOPATHIE ISCHEMIQUE		
10	23	51	101	228	431	706	1,068	1,665	2,090	2,741	3,098	5,807	3	CHRONIQUE		
25	104	204	450	890	1,563	2,357	3,225	4,204	4,313	4,383	3,400	3,743	7	TOTAL (A136-A139)		
11	16	39	90	163	317	462	1,079	1,822	2,603	3,277	3,615	6,109	3			
36	120	243	540	1,053	1,880	3,019	4,304	6,026	6,916	7,660	7,015	9,852	10			

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	AGE - AGE				AGE - AGE							
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
A 140	DISEASES OF PULMCNARY CIRCULATION	M	485	-	-	1	1	1	-	-	-	1	-	1	2
		F	467	-	-	-	-	-	-	-	-	-	-	1	3
		T	952	-	-	1	1	1	-	-	-	1	-	2	5
OTHER FORMS OF HEART DISEASE (A141-A148)															
A 141	ACUTE AND SUBACUTE ENDOCARDITIS	M	23	-	-	-	-	-	-	-	-	-	-	-	1
		F	17	-	-	-	-	-	-	-	-	-	-	-	1
		T	40	-	-	-	-	-	-	-	-	-	-	-	2
A 142	ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM	M	52	-	-	1	1	-	-	-	-	1	-	1	4
		F	48	-	-	-	-	-	-	1	-	-	-	2	-
		T	100	-	-	1	1	-	-	-	1	1	-	3	4
OTHER DISEASES OF ENDOCARDIUM (A143-A145)															
A 143	MITRAL VALVE DISORDERS	M	55	-	-	-	-	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	-	-
		T	104	-	-	-	-	-	-	-	-	-	-	-	-
A 144	AORTIC VALVE DISORDERS	M	175	-	-	-	-	-	-	-	-	-	1	-	1
		F	151	-	-	-	-	-	-	-	-	-	-	-	2
		T	326	-	-	-	-	-	-	-	-	-	1	-	3
A 145	ALL OTHER DISEASES OF ENDOCARDIUM	M	41	-	-	-	-	-	-	-	-	-	-	-	-
		F	66	-	-	-	-	-	-	-	-	-	-	-	-
		T	107	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A142-A145)															
A 146	HEART FAILURE	M	1,406	-	-	-	-	-	-	1	-	1	-	1	4
		F	1,564	-	-	1	1	1	-	-	1	-	1	1	1
		T	2,970	-	-	1	1	1	-	1	-	2	-	2	5
A 147	MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION	M	14C	-	-	-	-	-	1	-	-	-	1	-	1
		F	174	-	-	-	-	1	-	-	-	-	-	1	-
		T	314	-	-	-	-	1	1	-	-	-	1	1	1
A 148	ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE	M	1,797	2	1	10	13	4	1	1	-	2	3	11	11
		F	1,423	-	-	6	6	1	1	-	-	1	3	4	4
		T	3,220	2	1	16	19	5	2	1	-	3	6	15	15
TOTAL (A141-A148)															
A 149	SUBARACHNOID HAEMORRHAGE	M	323	-	-	-	-	-	-	-	-	1	2	5	5
		F	511	-	-	1	1	-	-	-	-	2	2	5	5
		T	834	-	-	1	1	-	-	-	-	3	4	10	10
A 150	INTRACEREBRAL AND OTHER INTRACRANIAL HAEMORRHAGE	M	926	-	-	1	1	-	1	-	-	-	1	3	6
		F	996	-	-	1	1	-	-	-	1	1	2	6	
		T	1,922	-	-	2	2	-	1	-	1	2	5	12	
A 151	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	M	110	-	-	-	-	-	-	-	-	-	-	-	-
		F	81	-	-	-	-	-	-	-	-	-	-	-	-
		T	191	-	-	-	-	-	-	-	-	-	-	-	-
A 152	CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES	M	1,094	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,252	-	-	-	-	-	-	-	-	-	-	-	1
		T	2,346	-	-	-	-	-	-	-	-	-	-	-	1
A 153	CEREBRAL EMBOLISM	M	42	-	-	-	-	-	-	-	-	-	-	-	-
		F	46	-	-	-	-	-	-	-	-	-	-	-	-
		T	88	-	-	-	-	-	-	-	-	-	-	-	-
A 154	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	M	3,184	-	-	-	-	-	-	1	-	-	-	-	-
		F	4,023	-	-	-	-	-	-	-	-	1	-	-	-
		T	7,207	-	-	-	-	-	-	1	-	1	-	-	-
A 155	OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES	M	922	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,335	-	-	-	-	-	-	-	1	-	-	-	1
		T	2,257	-	-	-	-	-	-	-	1	-	-	-	1
TOTAL (A149-A155)															
A 156	ATHEROSCLEROSIS	M	1,251	-	-	1	1	-	1	-	1	1	3	8	11
		F	1,874	-	-	2	2	-	-	-	4	4	7	13	
		T	3,125	-	-	3	3	-	1	-	5	7	15	24	

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.		
1	2	6	12	10	20	33	39	69	94	81	64	48	-	TROUBLES DE LA CIRCULATION PULMONAIRE	A 140
8	1	9	9	10	20	21	34	49	61	90	70	81	-		
9	3	15	21	20	40	54	73	118	155	171	134	129	-		
AUTRES FORMES DE CARDIOPATHIES (A141-A148)															
1	1	-	4	-	4	3	4	1	3	-	1	-	-	ENDOCARDITES AIGUES ET SUBAIGUES	A 141
1	-	-	-	-	-	1	5	2	3	3	1	-	-		
2	1	-	4	-	4	4	9	3	6	3	2	-	-		
1	2	2	3	1	3	6	4	12	6	3	1	1	-	PERICARDITE AIGUE, MYOCARDITE AIGUE, ET AUTRES MALADIES DU PERICARDE	A 142
-	1	2	2	4	3	5	6	7	4	6	3	2	-		
1	3	4	5	5	6	11	10	19	10	9	4	3	-		
AUTRES MALADIES DE L'ENDOCARDE (A143-A145)															
-	-	-	1	-	2	9	4	5	9	11	7	7	-	AFFECTIONS DE LA VALVULE MITRALE	A 143
-	-	1	-	-	-	1	4	2	9	4	10	18	-		
-	-	1	1	-	2	10	8	7	18	15	17	25	-		
-	3	1	4	2	9	12	29	29	22	30	21	11	-	AFFECTIONS DE LA VALVULE AORTIQUE	A 144
-	-	-	-	2	1	6	9	20	21	25	25	36	-		
-	3	1	4	4	10	18	38	49	43	59	46	47	-		
-	1	-	1	1	2	3	4	7	4	6	4	8	-	TOUTES LES AUTRES MALADIES DE L'ENDOCARDE	A 145
-	-	1	1	1	1	1	2	12	8	8	12	16	-		
-	1	1	2	2	3	7	6	19	12	14	16	24	-		
-	4	1	6	3	13	24	37	41	35	47	32	26	-	TCTAL (A143-A145)	A 145
-	-	2	1	3	2	11	15	34	38	41	47	70	-		
-	4	3	7	6	15	35	52	75	73	88	79	96	-		
2	4	5	5	8	26	48	70	116	177	202	258	478	-	INSUFFISANCE CARDIAQUE	A 146
1	2	2	2	7	15	26	34	65	144	222	326	713	-		
3	6	7	7	15	41	74	104	181	321	424	584	1,151	-		
2	-	2	-	4	2	6	7	13	18	15	27	41	-	MYOCARDITE, SANS PRECISION ET DEGENERESCENCE DU MYOCARDE	A 147
1	1	-	-	2	-	3	5	9	9	26	29	85	-		
3	1	2	-	6	2	9	12	22	27	41	56	126	-		
16	13	27	36	59	96	123	172	220	220	251	205	312	1	TOUTES LES FORMES AUTRES ET MALADIES DE CARDIOPATHIES	A 148
5	10	5	8	20	21	58	70	111	160	169	255	511	-		
21	23	32	44	79	117	181	242	331	380	420	460	823	-		
22	24	37	54	75	144	210	294	403	459	518	524	858	1	TCTAL (A141-A148)	
8	14	11	13	36	41	104	135	228	358	467	661	1,381	2		
30	38	48	67	111	185	314	429	631	817	985	1,185	2,239	3		
MALADIES VASCULAIRES CEREBRALES (A149-A155)															
13	18	20	24	36	38	46	33	31	18	13	11	9	-	HEMORRAGIE SOUS-ARACHNOIDIENNE	A 149
14	22	27	34	50	60	67	56	60	51	27	21	7	-		
27	40	47	58	86	98	113	89	91	69	40	32	16	-		
8	9	15	13	34	61	62	107	140	143	141	83	98	-	HEMORRAGIE CEREBRALE ET AUTRES HEMORRAGIES INTRACRANIENNES	A 150
4	11	17	13	23	45	63	84	110	151	150	118	156	-		
12	20	32	26	57	106	125	191	250	294	291	201	294	-		
-	-	1	4	5	13	6	12	21	20	15	3	6	-	OCCLUSION ET STENOSE DES ARTERES PRECEREBRALES	A 151
-	-	1	2	-	6	7	3	12	9	19	10	12	-		
-	-	2	6	5	19	13	15	33	25	38	13	18	-		
-	2	2	3	15	17	49	65	131	156	235	177	242	-	THROMBOSE CEREBRALE ET OCCLUSION SANS PRECISION DES ARTERES CEREBRALES	A 152
3	2	3	3	10	9	23	45	90	142	204	263	454	-		
3	4	5	6	25	26	72	110	221	298	435	440	656	-		
-	-	-	-	2	1	5	4	3	6	7	8	6	-	EMBOLIE CEREBRALE	A 153
-	-	-	-	-	1	2	4	3	7	8	8	13	-		
-	-	-	-	2	2	7	8	6	13	15	16	19	-		
-	2	3	7	18	37	77	142	312	517	633	617	818	-	MALADIES CEREBRO-VASCULAIRES AIGUES MAIS MAL DEFINIES	A 154
-	1	1	1	6	23	59	123	238	412	648	886	1,624	-		
-	3	4	8	24	60	136	265	550	929	1,281	1,503	2,442	-		
2	-	4	3	7	2	20	27	61	108	190	157	301	-	AUTRES ET SEQUELLES DES MALADIES CEREBRO-VASCULAIRES	A 155
-	-	3	6	2	9	11	27	37	119	190	255	673	-		
2	-	7	9	9	11	31	54	98	227	380	452	974	-		
23	31	45	54	117	169	265	390	699	968	1,238	1,096	1,480	-	TOTAL (A149-A155)	
21	36	52	59	91	153	232	342	550	891	1,246	1,561	2,979	1		
44	67	97	113	208	322	497	732	1,249	1,859	2,484	2,657	4,459	1		
MALADIES DES ARTERES, ARTERIOLES ET CAPILLAIRES (A156-A158)															
-	-	-	3	4	13	23	44	66	110	209	253	526	-	ATHEROSCLEROSE	A 156
-	-	-	1	1	5	12	25	42	92	180	356	1,160	-		
-	-	-	4	5	18	35	69	108	202	389	609	1,686	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	DAYS				AGE - AGE								
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 157	AORTIC ANEURYSM	M	1,122	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	445	-	-	-	-	-	1	-	-	-	-	1	-	-
		T	1,567	-	-	-	-	-	1	-	-	-	1	1	-	-
A 158	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M	356	-	-	-	-	-	-	-	-	-	-	1	1	2
		F	275	-	-	1	1	-	-	-	-	-	-	-	-	1
		T	631	-	-	1	1	-	-	-	-	-	-	1	1	3
	TOTAL (A156-A158)	M	2,729	-	-	-	-	-	-	-	-	-	1	1	1	2
		F	2,594	-	-	1	1	-	1	-	-	-	-	1	-	1
		T	5,323	-	-	1	1	-	1	-	-	-	1	2	1	3
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (A159,A160)																
A 159	PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS	M	161	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	159	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	320	-	-	-	-	-	-	-	-	-	-	-	-	1
A 160	ALL OTHERS	M	73	1	-	-	1	-	-	-	-	-	-	-	-	1
		F	58	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	131	1	-	-	1	-	-	-	-	-	-	-	-	1
	TOTAL (A159,A160)	M	234	1	-	-	1	-	-	-	-	-	-	-	-	2
		F	217	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	451	1	-	-	1	-	-	-	-	-	-	-	-	2
	TOTAL (A127-A160)	M	43,429	3	1	13	17	5	3	2	1	8	5	26	46	
		F	36,098	-	-	10	10	3	2	1	1	6	8	18	27	
		T	79,527	3	1	23	27	8	5	3	2	14	17	44	73	
VIII. DISEASES OF THE RESPIRATORY SYSTEM (A161-A178)																
DISEASES OF THE UPPER RESPIRATORY TRACT (A161,A162)																
A 161	ACUTE UPPER RESPIRATORY INFECTIONS	M	15	-	1	3	4	2	3	-	-	-	-	-	-	-
		F	21	-	-	5	5	1	1	1	2	-	-	-	-	-
		T	36	-	1	8	9	3	4	1	2	-	-	-	-	-
A 162	OTHER DISEASES OF UPPER RESPIRATORY TRACT	M	6	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	1	-	-	-	1	-	-	-
		T	19	1	-	-	1	-	1	-	-	-	1	-	-	-
	TOTAL (A161,A162)	M	21	1	1	3	5	2	3	-	-	-	-	-	-	-
		F	34	-	-	5	5	1	2	1	2	1	-	-	-	-
		T	55	1	1	8	10	3	5	1	2	1	-	-	-	-
OTHER DISEASES OF THE RESPIRATORY SYSTEM (A163-A178)																
A 163	ACUTE BRONCHITIS AND BRONCHIOLITIS	M	25	-	-	6	6	1	-	1	-	-	-	2	-	-
		F	28	-	-	6	6	2	-	-	-	-	1	-	-	-
		T	53	-	-	12	12	3	-	1	-	-	1	2	-	-
PNEUMONIA (A164-A167)																
A 164	VIRAL PNEUMONIA	M	21	-	2	7	9	1	-	-	-	-	1	-	-	-
		F	21	-	-	2	2	-	-	-	-	-	-	-	-	1
		T	42	-	2	9	11	1	-	-	-	-	1	-	-	1
A 165	PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA	M	173	1	-	6	7	-	-	-	-	1	-	-	2	-
		F	108	1	-	-	1	-	-	-	-	1	-	1	1	-
		T	281	2	-	6	8	-	-	-	-	2	-	1	3	-
A 166	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	M	979	-	1	6	7	-	1	-	-	-	-	-	5	2
		F	891	1	-	9	10	1	3	2	-	-	3	3	2	-
		T	1,870	1	1	15	17	1	4	2	-	-	3	8	4	-
A 167	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM	M	1,227	3	1	14	18	1	-	2	-	-	2	3	4	-
		F	991	2	2	11	15	3	-	1	-	2	1	2	3	-
		T	2,218	5	3	25	33	4	-	3	-	2	3	5	7	-
	TOTAL (A164-A167)	M	2,400	4	4	33	41	2	1	2	-	1	3	8	8	-
		F	2,011	4	2	22	28	4	3	3	-	3	4	6	7	-
		T	4,411	8	6	55	69	6	4	5	-	4	7	14	15	-
A 168	INFLUENZA	M	71	-	-	1	1	-	-	-	1	-	-	3	-	-
		F	121	-	-	1	1	1	-	-	-	-	-	2	-	-
		T	192	-	-	2	2	1	-	-	1	-	-	5	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (A169-A174)																

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NG. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.		
4	-	2	4	12	20	56	112	206	235	212	141	117	-	ANEVRISME DE L'AOORTE	A 157
1	1	-	2	-	4	12	21	45	70	71	107	109	-		
5	1	2	6	12	24	68	133	251	305	283	248	226	-		
-	3	3	3	8	9	23	28	53	58	61	47	56	-	TOUTES LES AUTRES MALADIES	A 158
3	2	3	4	3	8	12	14	32	28	33	47	84	-	DES ARTERES, ARTERIQUES	
3	5	6	7	11	17	35	42	85	86	94	94	140	-	ET CAPILLAIRES	
4	3	5	10	24	42	102	184	325	403	482	441	659	-	TOTAL (A156-A158)	
4	3	3	7	4	17	36	60	119	150	284	510	1,353	-		
8	6	8	17	28	59	138	244	444	593	766	951	2,052	-		
														MALADIES DES VEINES, DES VAISSEAUX LYMPHATIQUES ET AUTRES MALADIES CIRCULATOIRES (A159,A160)	
2	1	1	2	9	5	18	14	17	36	17	17	21	-	PHLEBITE, THROMBOPHLEBITE,	A 159
-	2	1	-	3	4	9	11	20	24	23	23	39	-	ET EMBOLIES ET THROMBOSES	
2	3	2	2	12	9	27	25	37	60	40	40	60	-	VEINEUSES	
2	-	-	1	1	4	5	9	11	14	5	10	9	-	TOUTES LES AUTRES	A 160
-	-	-	-	-	3	2	4	4	10	9	8	18	-		
2	-	-	1	1	7	7	13	15	24	14	18	27	-		
4	1	1	3	10	9	23	23	28	50	22	27	30	-	TOTAL (A159,A160)	
-	2	1	-	3	7	11	15	24	34	32	31	57	-		
4	3	2	3	13	16	34	38	52	84	54	58	87	-		
82	171	300	593	1,151	1,979	3,042	4,223	5,836	6,437	6,855	5,656	6,979	8	TOTAL (A127-A160)	
57	73	120	188	332	594	1,124	1,747	2,909	4,305	5,409	6,658	12,300	6		
139	244	420	781	1,483	2,573	4,166	5,970	8,745	10,742	12,464	12,314	19,279	14		
														VIII. MALADIES DE L'APPAREIL RESPIRATOIRE (A161-A178)	
														MALADIES DES VOIES RESPIRATOIRES SUPERIEURES (A161,A162)	
1	-	1	-	-	-	-	1	-	-	1	-	2	-	AFFECTIONS AIGUES DES	A 161
1	-	-	-	-	-	-	-	-	2	3	4	1	-	VOIES RESPIRATOIRES	
2	-	1	-	-	-	-	1	-	2	4	4	3	-	SUPERIEURES	
-	1	1	-	-	-	-	-	1	-	-	1	1	-	AUTRES MALADIES DES VOIES	A 162
3	-	1	-	-	1	1	2	-	-	1	-	2	-	RESPIRATOIRES SUPERIEURES	
3	1	2	-	-	1	1	2	1	-	1	1	3	-		
1	1	2	-	-	-	-	1	1	-	1	1	3	-	TOTAL (A161,A162)	
4	-	1	-	-	1	1	2	-	2	4	4	3	-		
5	1	3	-	-	1	1	3	1	2	5	5	6	-		
														AUTRES MALADIES DE L'APPAREIL RESPIRATOIRE (A163-A178)	
-	-	-	-	1	2	3	-	3	1	1	1	3	-	BRONCHITE ET BRONCHIOLITE	A 163
-	-	1	-	-	1	-	2	-	3	4	2	6	-	AIGUES	
-	-	1	-	1	3	3	2	3	4	5	3	9	-		
														PNEUMONIE (A164-A167)	
-	-	-	1	-	1	1	1	2	2	-	1	1	-	PNEUMONIE A VIRUS	A 164
2	-	-	1	-	-	-	2	3	1	2	-	7	-		
2	-	-	2	-	1	1	3	5	3	2	1	8	-		
-	3	-	-	8	10	15	13	18	19	21	22	34	-	A PNEUMOCOQUES ET AUTRES	A 165
1	2	1	1	5	4	8	5	7	9	5	15	37	-	PNEUMONIES BACTERIENNES	
1	5	1	1	13	14	23	18	25	28	30	37	71	-		
1	4	7	8	13	16	23	52	69	103	159	172	336	1	BRONCHOPNEUMONIE, MICRO-	A 166
2	2	4	8	5	13	15	23	33	64	99	171	428	-	ORGANISME NON PRECISE	
3	6	11	16	18	29	38	75	102	167	256	343	764	1		
4	5	2	4	12	24	37	53	97	140	181	219	419	-	PNEUMONIE DUE A DES MICRO-	A 167
4	4	6	5	3	12	16	37	50	77	120	178	452	-	ORGANISMES AUTRES ET NON	
8	9	8	9	15	36	53	90	147	217	301	397	871	-	PRECISES	
5	12	9	13	33	51	76	119	186	264	361	414	790	1	TOTAL (A164-A167)	
9	8	11	15	13	29	39	67	93	151	230	364	924	-		
14	20	20	28	46	80	115	186	279	415	591	778	1,714	1		
1	2	-	1	3	1	1	1	2	7	15	9	23	-	GRIPPE	A 168
-	1	1	1	2	-	1	-	5	9	14	16	67	-		
1	3	1	2	5	1	2	1	7	16	29	25	90	-		
														MALADIES PULMONAIRES OBSTRUCTIVES CHRONIQUES ET AFFECTIENS CONNEXES (A169-A174)	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	AGE - AGE											
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (A169-A172)														
A 169	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC	M 44 F 49 T 93	- - -	- - -	1 1 2	1 1 2	2 1 3	1 - 1	1 - 1	- - -	- 1 1	- - -	- - -	- - -
A 170	CHRONIC BRONCHITIS	M 671 F 214 T 885	- - -	- - -	1 - 1	1 - 1	- 1 1	1 - -	- - -	- - -	- - -	- 1 1	- - -	1 - 1
A 171	EMPHYSEMA	M 939 F 228 T 1,167	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - 1
A 172	ASTHMA	M 222 F 208 T 430	- - -	1 - 1	- - -	1 - 1	1 - -	- - -	- - -	- - -	- 2 2	10 - 10	10 - 15	6 3 9
TOTAL (A169-A172)		M 1,876 F 699 T 2,575	- - -	1 - 1	2 1 3	3 1 4	3 2 5	2 - 1	1 - -	- - -	- 3 3	10 1 11	12 5 17	7 4 11
A 173	BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS	M 43 F 40 T 83	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 2
A 174	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED	M 1,929 F 559 T 2,488	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -
TOTAL (A169-A174)		M 3,848 F 1,298 T 5,146	- - -	1 - 1	2 1 3	3 1 4	3 2 5	2 - 1	1 - -	- - -	- 3 3	11 1 12	12 5 17	8 5 13
A 175	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	M 144 F 61 T 205	- - -	- - -	3 2 5	3 2 5	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -
A 176	EMPHYSEMA AND ABSCESS OF LUNG AND MEDIASTINUM	M 51 F 30 T 81	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 177	PLEURISY	M 28 F 32 T 60	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -
A 178	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	M 411 F 365 T 776	1 - 1	1 - 1	27 26 53	29 26 55	5 4 9	1 1 2	- 2 2	- - -	1 - 1	- - -	2 1 3	2 1 3
TOTAL (A163-A178)		M 6,978 F 3,946 T 10,924	5 4 9	6 2 8	72 58 130	83 64 147	11 13 24	5 4 9	4 5 9	1 - 1	2 6 8	14 6 20	28 14 42	18 13 31
TOTAL (A161-A178)		M 6,999 F 3,980 T 10,979	6 4 10	7 2 9	75 63 138	88 69 157	13 14 27	8 6 14	4 6 10	1 2 3	2 7 9	14 6 20	28 14 42	18 13 31
IX. DISEASES OF THE DIGESTIVE SYSTEM (A179-A193)														
A 179	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS	M 4 F 6 T 10	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (A180-A193)														
ULCER OF STOMACH AND DUODENUM (A180-A182)														
A 180	GASTRIC ULCER	M 172 F 131 T 303	1 - 1	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 181	DUODENAL ULCER	M 201 F 125 T 326	- - -	- - -	1 - 1	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -
A 182	PEPTIC ULCER, SITE UNSPECIFIED	M 52 F 54 T 106	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
TOTAL (A180-A182)		M 425 F 310 T 735	1 - 1	- - -	1 - 1	2 - 2	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
1	-	-	1	-	-	2	-	2	2	11	4	16	-	BRONCHITE, CHRONIQUE ET NCN PRECISEE, EMPHYSEME ET ASTHME (A169-A172)	
-	-	-	-	-	1	1	4	2	5	9	8	16	-	BRONCHITE, NCN PRECISEE COMME AIGUE NI CHRONIQUE	A 169
1	-	-	1	-	1	3	4	4	7	20	12	32	-		
1	-	1	2	4	12	25	57	90	114	140	100	122	-	BRONCHITE CHRONIQUE	A 170
-	-	1	-	-	4	10	17	29	39	35	41	36	-		
1	-	2	2	4	16	35	74	119	153	175	141	158	-		
-	-	-	5	6	22	40	86	173	191	183	142	89	-	EMPHYSEME	A 171
-	1	1	2	3	9	12	18	42	45	44	26	24	-		
-	1	1	7	9	31	52	104	215	236	227	168	113	-		
8	3	5	9	6	4	12	25	30	26	32	18	16	-	ASTHME	A 172
7	4	3	5	11	19	18	22	26	22	26	23	12	-		
15	7	8	14	17	23	30	47	56	48	58	41	28	-		
10	3	6	17	16	38	79	168	295	333	266	264	243	-	TOTAL (A169-A172)	
7	5	5	7	14	33	41	61	99	111	114	58	88	-		
17	8	11	24	30	71	120	229	394	444	480	362	331	-		
-	-	-	-	1	3	4	5	6	8	4	4	7	-	BRONCHECTASIE ET ALVEOLITE ALLERGIQUE EXTRINSEQUE	A 173
-	1	-	2	1	4	1	3	4	9	6	5	5	-		
-	1	-	2	1	7	5	8	10	12	12	10	12	-		
-	1	1	-	14	33	71	140	260	348	434	331	295	-	OBSTRUCTION CHRONIQUE DES VIES RESPIRATOIRES, NCN CLASSEE AILLEURS	A 174
-	-	2	3	6	15	29	63	84	84	101	79	92	-		
-	1	3	3	20	48	100	203	344	432	535	410	367	-		
10	4	7	17	31	74	154	313	561	685	804	599	545	-	TOTAL (A169-A174)	
7	6	7	12	20	52	71	127	187	199	224	183	185	-		
17	10	14	29	51	126	225	440	748	888	1,028	782	730	-		
2	1	1	-	6	4	9	11	23	18	24	29	12	-	PNEUMOCOQUES ET AUTRES MALADIES PULMONAIRES DUES A DES AGENTS EXTERNES	A 175
-	-	-	1	1	1	2	3	3	6	9	15	19	-		
2	1	1	1	7	4	11	14	26	24	32	44	31	-		
-	-	1	1	2	2	8	4	4	9	10	5	5	-	EMPHYSEME ET ABCES DU POUMON ET DU MEDIASTIN	A 176
-	-	-	2	1	1	1	4	3	2	5	5	6	-		
-	-	1	3	3	3	9	8	7	11	15	10	11	-		
-	-	-	-	-	2	2	2	1	6	5	5	4	-	PLEURESIE	A 177
-	-	1	1	2	1	1	-	2	3	6	4	11	-		
-	-	1	1	2	3	3	2	3	9	11	9	15	-		
4	4	5	4	13	13	27	37	46	44	56	50	68	-	TOUTES LES AUTRES MALADIES DE L'APPAREIL RESPIRATOIRE	A 178
4	5	7	1	10	9	19	22	32	39	38	55	85	-		
8	9	12	5	23	22	46	59	78	83	94	105	157	-		
22	23	23	36	89	149	280	487	826	1,038	1,276	1,112	1,450	-	TOTAL (A163-A178)	
20	20	28	33	45	93	134	225	325	412	530	644	1,307	-		
42	43	51	69	138	242	414	712	1,151	1,450	1,806	1,756	2,757	-		
23	24	25	36	85	149	280	488	827	1,038	1,277	1,113	1,453	-	TOTAL (A161-A178)	
24	20	29	33	49	94	135	227	325	414	534	648	1,310	-		
47	44	54	69	138	243	415	715	1,152	1,452	1,811	1,761	2,763	-		
IX. MALADIES DE L'APPAREIL DIGESTIF (A179-A193)															
1	-	-	-	-	-	-	-	-	1	-	-	1	-	MALADIES DE LA CAVITE BUCCALE, DES GLANDES SALI- VAIRES ET DES MAXILLAIRES	A 179
-	-	-	-	-	-	-	-	-	1	-	1	3	-		
1	-	-	-	-	-	-	-	-	1	1	1	4	-		
MALADIES DES AUTRES PARTIES DE L'APPAREIL DIGESTIF (A180-A193)															
ULCERE DE L'ESTOMAC ET DU DUODENUM (A180-A182)															
1	1	1	3	4	9	12	22	21	23	28	16	30	-	ULCERE DE L'ESTOMAC	A 180
1	1	-	1	4	3	6	5	7	12	27	31	33	-		
2	2	1	4	8	12	18	27	28	35	55	47	63	-		
-	2	1	1	6	11	14	18	19	32	32	25	37	-	ULCERE DU DUODENUM	A 181
1	-	2	-	2	5	6	10	16	10	15	18	40	-		
1	2	3	1	8	16	20	28	35	42	48	43	77	-		
1	-	-	1	1	-	4	5	7	5	6	8	14	-	ULCERE DIGESTIF DE SIEGE NCN PRECISE	A 182
-	-	-	-	-	-	1	3	4	10	12	6	18	-		
1	-	-	1	1	-	5	8	11	15	18	14	32	-		
2	3	2	5	11	20	30	45	47	60	67	49	81	-	TOTAL (A180-A182)	
2	1	2	1	6	8	13	18	27	32	54	55	91	-		
4	4	4	6	17	28	43	63	74	92	121	104	172	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	AGE - AGE				AGE - AGE								
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-15	20-24	
A 183	GASTRITIS AND DUODENITIS	M	46	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	74	-	-	-	-	-	-	-	-	-	-	-	-	2
A 184	APPENDICITIS	M	31	-	-	1	1	-	1	-	-	-	-	-	1	-
		F	21	-	-	-	-	-	-	-	-	-	-	1	-	-
		T	52	-	-	1	1	-	1	-	-	-	-	1	1	-
A 185	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M	254	2	-	2	4	-	-	-	-	1	1	-	-	1
		F	336	1	-	5	6	-	-	1	-	-	-	-	-	1
		T	590	3	-	7	10	-	-	1	-	1	1	-	-	2
A 186	REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS	M	39	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	47	-	-	-	-	-	-	-	-	-	-	-	-	1
		T	86	-	-	-	-	-	-	-	-	-	-	-	-	2
A 187	ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	M	291	-	-	11	11	1	-	-	1	1	-	-	-	1
		F	362	-	1	5	6	2	-	-	-	-	-	-	-	1
		T	653	-	1	16	17	3	-	-	1	1	-	-	-	2
A 188	DIVERTICULA OF INTESTINE	M	90	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	217	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	307	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (A189-A191)																
A 189	CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC	M	974	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	402	-	-	-	-	-	-	-	-	-	-	-	-	2
		T	1,376	-	-	-	-	-	-	-	-	-	-	-	-	3
A 190	CHRONIC HEPATITIS AND BILIARY CIRRHOSIS	M	39	-	-	-	-	-	-	-	1	-	-	-	-	1
		F	77	-	-	-	-	-	-	-	1	-	-	-	-	-
		T	116	-	-	-	-	-	-	-	1	1	-	-	-	1
A 191	OTHER, CHRONIC LIVER DISEASE AND CIRRHOSIS WITHOUT MENTION OF ALCOHOL	M	826	-	-	2	2	1	-	-	-	-	-	-	1	2
		F	395	-	-	1	1	2	-	-	1	-	-	-	-	2
		T	1,221	-	-	3	3	3	-	-	1	-	-	-	1	4
TOTAL (A189-A191)																
		M	1,839	-	-	2	2	1	-	-	1	-	-	-	1	4
		F	874	-	-	1	1	2	-	-	1	1	-	-	-	4
		T	2,713	-	-	3	3	3	-	-	2	1	-	-	1	8
A 192	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	M	174	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	157	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	331	-	-	-	-	-	-	-	-	-	-	-	-	-
A 193	ALL OTHER DISEASES OF DIGESTIVE SYSTEM	M	823	-	-	2	2	2	-	-	-	1	2	4	4	4
		F	685	-	-	5	5	1	-	-	1	-	1	4	4	4
		T	1,508	-	-	7	7	3	-	-	1	1	3	8	8	8
TOTAL (A180-A193)																
		M	4,012	3	-	19	22	4	1	-	2	3	3	7	13	13
		F	3,037	1	1	16	18	5	-	1	2	1	2	4	4	11
		T	7,049	4	1	35	40	9	1	1	4	4	5	11	24	24
TOTAL (A179-A193)																
		M	4,016	3	-	19	22	4	1	-	2	3	3	7	14	14
		F	3,043	1	1	16	18	5	-	1	2	1	2	4	11	11
		T	7,059	4	1	35	40	9	1	1	4	4	5	11	25	25
X. DISEASES OF THE GENITOURINARY SYSTEM (A194-A204)																
DISEASES OF URINARY SYSTEM (A194-A200)																
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (A194-A196)																
A 194	ACUTE GLOMERULONEPHRITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
A 195	NEPHROTIC SYNDROME	M	16	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-
		T	20	-	-	-	-	-	-	-	1	1	-	-	-	-
A 196	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS UNSPECIFIED	M	83	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	97	-	-	-	-	-	-	-	-	-	-	1	-	-
		T	180	-	-	-	-	-	-	-	-	-	-	1	-	-
TOTAL (A194-A196)																
		M	100	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	102	-	-	-	-	-	-	-	1	-	1	-	-	-
		T	202	-	-	-	-	-	-	-	1	1	1	-	-	-
A 197	RENAL FAILURE AND OTHER DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION	M	637	3	-	2	5	-	-	-	1	1	-	-	-	1
		F	568	2	-	1	3	-	-	-	1	1	1	1	1	3
		T	1,205	5	-	3	8	-	-	-	1	2	1	1	1	4

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE														N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	2	3	1	4	6	5	5	6	4	4	4	4	-	GASTRITE ET CUODENITE	A 183
1	-	-	1	1	1	2	1	2	-	1	7	11	-	-		
1	-	2	4	2	5	8	6	7	6	5	11	15	-	-		
-	-	-	-	-	-	4	1	3	6	6	4	4	4	-	APPENDICITE	A 184
-	1	-	1	-	-	-	-	1	3	3	5	6	-	-		
-	1	-	1	-	-	4	1	4	9	9	9	10	-	-		
2	5	1	1	1	7	10	8	24	29	42	46	71	-	-	HERNIE ABDOMINALE ET	A 185
1	2	4	1	5	12	8	15	24	32	45	47	131	1	OCCLUSION INTESTINALE		
3	7	5	2	6	19	18	23	48	61	87	93	202	1	SANS MENTION DE HERNIE		
3	-	1	3	2	-	5	5	3	3	6	5	2	-	-	ENTERITE REGIONALE ET	A 186
-	2	2	-	1	4	3	6	8	4	5	8	3	-	-	RECTO-COLITE IDIOPATHIQUE	
3	2	3	3	3	4	8	11	11	7	11	13	5	-	-		
1	-	2	4	1	5	21	28	42	36	38	32	63	-	-	TOUTES LES AUTRES GASTRO-	A 187
2	-	2	3	6	10	12	21	31	47	59	49	111	-	-	ENTERITES ET COLITES NON	
3	-	4	7	7	15	33	49	73	86	97	81	174	-	-	INFECTIEUSES	
-	2	-	1	2	6	3	8	12	10	14	13	19	-	-	DIVERTICULE DE L'INTESTIN	A 188
-	-	-	-	3	4	5	5	19	27	33	49	72	-	-		
-	2	-	1	5	10	8	13	31	37	47	62	91	-	-		
MALADIES CHRONIQUES ET CIRRHOSE DU FOIE (A189-A191)																
9	18	33	76	107	143	169	150	134	82	42	6	4	-	-	MALACIES CHRONIQUES ET	A 189
5	16	17	35	38	48	89	59	53	22	9	9	-	-	-	CIRRHOSE DU FOIE, PRECISEES	
14	34	50	111	145	191	258	209	187	104	51	15	4	-	-	ALCOOLIQUES	
-	1	1	3	5	2	4	6	5	4	3	2	1	-	-	HEPATITE CHRONIQUE ET	A 190
-	-	2	1	10	6	9	15	10	10	8	3	2	-	-	CIRRHOSE BILIAIRE	
-	1	3	4	15	8	13	21	15	14	11	5	3	-	-		
3	3	19	33	80	94	128	123	129	89	72	33	13	-	-	CIRRHOSE ET AUTRES MALADIES	A 191
3	4	7	9	18	36	55	55	64	61	45	23	9	-	-	CHRONIQUES DU FOIE SANS	
6	7	26	42	98	130	183	178	193	150	117	56	22	-	-	MENTION D'ALCOOL	
12	22	53	112	192	239	301	279	268	175	117	41	18	-	-	TOTAL (A189-A191)	
8	20	26	45	66	50	153	129	127	93	62	35	11	-	-		
20	42	79	157	258	329	454	408	395	268	179	76	29	1	-		
-	-	-	-	1	3	7	9	24	25	34	28	43	-	-	LITHIASIS BILIAIRE ET AUTRES	A 192
2	-	-	-	3	2	4	8	15	19	20	26	58	-	-	MALADIES DE LA VESICULE	
2	-	-	-	4	5	11	17	39	44	54	54	101	-	-	BILIAIRE	
5	7	11	20	35	37	79	85	96	99	110	96	128	-	-	TOUTES LES AUTRES MALADIES	A 193
4	3	8	14	9	23	30	50	75	55	112	113	173	-	-	DE L'APPAREIL DIGESTIF	
9	10	19	34	44	60	109	135	171	154	222	209	301	-	-		
25	39	72	149	246	321	466	473	524	452	438	318	423	-	-	TOTAL (A180-A193)	
20	29	44	66	100	154	230	253	329	312	394	394	667	1	-		
45	68	116	215	346	475	696	726	853	764	832	712	1,100	2	-		
26	39	72	149	246	321	466	473	524	453	438	318	434	-	-	TOTAL (A179-A193)	
20	29	44	66	100	154	230	253	330	312	395	395	670	1	-		
46	68	116	215	346	475	696	726	854	765	833	713	1,104	2	-		
X. MALADIES DES ORGANES GENITO-URINAIRES (A194-A204)																
MALADIES DE L'APPAREIL URINAIRE (A194-A200)																
NEPHRITE, SYNDROME NEPHROTIQUE ET NEPHROSE (A194-A196)																
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	GLOMERULONEPHRITE AIGUE	A 194
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-		
-	-	-	1	1	2	3	1	1	-	2	4	-	-	-	SYNDROME NEPHROTIQUE	A 195
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-		
-	-	-	1	1	2	4	1	2	1	2	4	-	-	-		
1	-	1	2	4	6	4	9	14	14	11	9	8	-	-	GLOMERULONEPHRITE CHRONIQUE	A 196
-	3	1	2	4	7	4	8	9	13	11	16	18	-	-	NEPHRITE, NEPHROPATHIE ET	
1	3	2	4	8	13	8	17	23	27	22	25	26	-	-	SCLEROSE RENALE, SAI	
1	-	1	3	5	8	7	10	15	14	14	13	8	-	-	TOTAL (A194-A196)	
-	3	1	2	4	7	5	8	10	15	11	16	18	-	-		
1	3	2	5	9	15	12	18	25	25	25	29	26	-	-		
3	9	6	8	7	17	21	34	71	68	103	107	175	-	-	INSUFFISANCE RENALE ET	A 197
3	2	1	2	4	13	22	23	42	63	82	110	192	-	-	AUTRES TROUBLES	
6	11	7	10	11	30	43	57	113	131	185	217	367	-	-	FONCTIONNELS DU REIN	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	AGE - AGE					AGE - AGE							
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 198		INFECTIONS OF KIDNEY	M 94	-	-	-	-	-	-	-	-	-	-	-	2	1
			F 140	-	-	-	-	-	-	-	1	-	-	-	-	-
			T 234	-	-	-	-	-	-	-	1	-	-	-	2	1
A 199		URINARY CALCULUS	M 18	-	-	-	-	-	-	-	-	-	-	-	-	-
			F 9	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 27	-	-	-	-	-	-	-	-	-	-	-	-	-
A 200		ALL OTHER DISEASES OF URINARY SYSTEM	M 201	-	-	1	1	-	-	-	-	-	-	-	1	-
			F 186	-	-	-	-	-	-	-	-	-	-	-	-	-
			T 387	-	-	1	1	-	-	-	-	-	-	-	1	-
		TOTAL (A194-A200)	M 1,050	3	-	3	6	-	-	-	1	2	-	-	3	2
			F 1,005	2	-	1	3	-	-	1	1	1	2	1	1	3
			T 2,055	5	-	4	9	-	-	1	2	3	2	4	5	5
		DISEASES OF MALE GENITAL ORGANS (A201,A202)														
A 201		HYPERPLASIA OF PROSTATE	M 94	-	-	-	-	-	-	-	-	-	-	-	-	-
A 202		OTHER DISEASES OF MALE GENITAL ORGANS	M 21	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A201,A202)	M 115	-	-	-	-	-	-	-	-	-	-	-	-	-
		DISEASES OF FEMALE GENITAL ORGANS (A203,A204)														
A 203		DISORDERS OF BREAST	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
A 204		OTHER DISEASES OF FEMALE GENITAL ORGANS	F 21	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A203,A204)	F 21	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A194-A204)	M 1,165	3	-	3	6	-	-	-	1	2	-	-	3	2
			F 1,026	2	-	1	3	-	-	1	1	1	2	1	1	3
			T 2,191	5	-	4	9	-	-	1	2	3	2	4	5	5
		XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (A205-A216)														
		PREGNANCY WITH ABORTIVE OUTCOME (A205-A209)														
A 205		ECTOPIC PREGNANCY	F 2	-	-	-	-	-	-	-	-	-	-	-	-	1
A 206		SPONTANEOUS ABORTION	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
A 207		LEGALLY INDUCED ABORTION	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
A 208		ILLEGALLY INDUCED ABORTION	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
A 209		OTHER PREGNANCY WITH ABORTIVE OUTCOME	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A205-A209)	F 2	-	-	-	-	-	-	-	-	-	-	-	-	1
		DIRECT OBSTETRIC CAUSES (A210-A214)														
A 210		HAEMORRHAGE OF PREGNANCY AND CHILDBIRTH	F 4	-	-	-	-	-	-	-	-	-	-	-	2	1
A 211		TOXAEMIA OF PREGNANCY	F 2	-	-	-	-	-	-	-	-	-	-	-	-	1
A 212		OBSTRUCTED LABOUR	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
A 213		COMPLICATIONS OF THE PUERPERIUM	F 5	-	-	-	-	-	-	-	-	-	-	-	-	1
A 214		OTHER DIRECT OBSTETRIC CAUSES	F 5	-	-	-	-	-	-	-	-	-	-	-	-	2
		TOTAL (A210-A214)	F 16	-	-	-	-	-	-	-	-	-	-	-	2	5
A 215		INDIRECT OBSTETRIC CAUSES	F 5	-	-	-	-	-	-	-	-	-	-	-	-	2
A 216		DELIVERY IN A COMPLETELY NORMAL CASE	F -	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A205-A216)	F 23	-	-	-	-	-	-	-	-	-	-	-	2	8

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
-	1	-	-	1	1	3	3	8	11	15	17	31	-	INFECTIONS RENALES	A 198
1	-	1	1	4	3	8	4	9	21	17	30	40	-		
1	1	1	1	5	4	11	7	17	32	32	47	71	-		
-	-	-	-	-	1	1	4	-	2	4	2	4	-	CALCULS URINAIRES	A 199
-	-	-	-	-	-	-	-	-	2	2	5	-	-		
-	-	-	-	-	1	1	4	-	4	6	7	4	-		
2	1	2	-	-	4	4	2	14	18	30	42	80	-	TOUTES LES AUTRES MALADIES	A 200
1	1	1	2	3	3	8	8	9	10	27	30	83	-	DE L'APPAREIL URINAIRE	
3	2	3	2	3	7	12	10	23	28	57	72	163	-		
6	11	9	11	13	31	36	53	108	113	166	181	298	-	TOTAL (A194-A200)	
5	6	4	7	15	26	43	43	70	111	139	191	333	-		
11	17	13	18	28	57	79	96	178	224	305	372	621	-		
MALADIES DES ORGANES GENITAUX DE L'HOMME (A201, A202)															
-	-	-	-	-	-	1	-	5	12	18	18	39	1	HYPERPLASIE DE LA PROSTATE	A 201
-	-	-	-	-	-	-	-	3	3	1	5	9	-	ALTRES MALADIES DES ORGANES GENITAUX DE L'HOMME	A 202
-	-	-	-	-	-	1	-	8	15	19	23	48	1	TOTAL (A201, A202)	
MALADIES DES ORGANES GENITAUX DE LA FEMME (A203, A204)															
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS DU SEIN	A 203
-	1	1	2	2	1	1	-	2	3	3	2	3	-	ALTRES MALADIES DES ORGANES GENITAUX DE LA FEMME	A 204
-	1	1	2	2	1	1	-	2	3	3	2	3	-	TOTAL (A203, A204)	
6	11	9	11	13	31	37	53	116	128	185	204	346	1	TOTAL (A194-A204)	
5	7	5	9	17	27	44	43	72	114	142	153	336	-		
11	18	14	20	30	58	81	96	188	242	327	397	682	1		
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES (A205-A216)															
GROSSESSE ABOUTISSANT A L'AVORTEMENT (A205-A209)															
-	1	-	-	-	-	-	-	-	-	-	-	-	-	GROSSESSE ECTOPIQUE	A 205
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT SPONTANE	A 206
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT PROVOQUE LEGAL	A 207
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT PROVOQUE ILLÉGAL	A 208
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ALTRE GROSSESSE ABOUTISSANT A L'AVORTEMENT	A 209
-	1	-	-	-	-	-	-	-	-	-	-	-	-	TOTAL (A205-A209)	
COMPLICATIONS DIRECTES (A210-A214)															
1	-	-	-	-	-	-	-	-	-	-	-	-	-	HEMORRAGIE DE LA GROSSESSE ET DE L'ACCOUCHEMENT	A 210
-	-	-	1	-	-	-	-	-	-	-	-	-	-	TOXEMIE DE LA GROSSESSE	A 211
-	-	-	-	-	-	-	-	-	-	-	-	-	-	DYSTOCIE D'OBSTACLE	A 212
3	-	-	1	-	-	-	-	-	-	-	-	-	-	COMPLICATIONS DES SUITES DE COUCHES	A 213
3	-	-	-	-	-	-	-	-	-	-	-	-	-	ALTRES COMPLICATIONS DIRECTES	A 214
7	-	-	2	-	-	-	-	-	-	-	-	-	-	TOTAL (A210-A214)	
-	3	-	-	-	-	-	-	-	-	-	-	-	-	COMPLICATIONS INDIRECTES	A 215
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT NORMAL	A 216
7	4	-	2	-	-	-	-	-	-	-	-	-	-	TOTAL (A205-A216)	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	AGE - AGE				AGE - AGE							
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (A217,A218)														
A 217	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M 12 F 15 T 27	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1
A 218	ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	M 34 F 41 T 75	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	1 - 1	- - -	1 - 2	1 - 1
TOTAL (A217,A218)		M 46 F 56 T 102	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	1 - 1	- - -	1 - 2	2 - 2
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (A219-A223)														
A 219	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS	M 43 F 132 T 175	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 1	- - -
A 220	OTHER ARTHROPATHIES AND RELATED DISORDERS	M 78 F 164 T 242	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 2 2	- 2 2
A 221	DORSOPATHIES	M 13 F 9 T 22	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 222	RHEUMATISM, EXCLUDING THE BACK	M 11 F 9 T 20	- - -	- - -	- 1 1	- 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1
A 223	OSTHEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	M 40 F 63 T 103	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- 1 1	- 1 1
TOTAL (A219-A223)		M 185 F 377 T 562	- - -	- - -	- 1 1	- 1 1	- - -	- - -	- - -	- - -	- - -	1 - 1	- 4 4	1 3 4
XIV. CONGENITAL ANOMALIES (A224-A228)														
A 224	SPINA BIFIDA	M 37 F 52 T 89	12 24 36	7 11 18	13 11 24	32 46 78	2 2 4	1 - 2	- - -	- - -	2 - 2	- 1 1	- 1 1	- - -
A 225	ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	M 129 F 106 T 235	62 60 122	6 5 11	24 19 43	92 84 176	7 2 9	3 - 3	- 2 2	- 4 12	8 2 12	5 2 7	5 5 10	5 2 7
A 226	CONGENITAL ANOMALIES OF HEART	M 299 F 218 T 517	91 46 137	31 24 55	59 68 127	181 138 319	14 13 27	8 3 11	8 2 10	5 10 9	10 10 20	4 3 7	13 10 23	14 7 21
A 227	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M 72 F 58 T 130	31 13 44	6 10 16	16 14 30	53 37 90	- 1 1	1 - 1	- 1 1	- - 2	2 2 4	2 1 3	2 1 3	1 - 1
A 228	ALL OTHER CONGENITAL ANOMALIES	M 348 F 258 T 606	206 130 336	22 11 33	48 41 89	276 182 458	14 8 22	2 7 9	1 3 4	2 - 2	5 5 10	3 2 5	2 8 10	3 3 35
TOTAL (A224-A228)		M 885 F 692 T 1,577	402 273 675	72 61 133	160 153 313	634 487 1,121	37 26 63	15 11 26	9 8 17	7 4 11	27 19 46	14 10 24	22 25 47	23 12 35
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (A229-A231)														
A 229	BIRTH TRAUMA	M 42 F 25 T 67	30 19 49	10 6 16	1 - 1	41 25 66	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 230	INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME	M 280 F 183 T 463	242 163 405	29 16 45	8 4 12	279 183 462	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
A 231	OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M 543 F 410 T 953	468 369 837	47 30 77	26 11 37	541 410 951	- - -	2 - 2	- - -	- - -	- - -	- - -	- - -	- - -

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1991 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
														XII. MALADIES DE LA PEAU ET DU TISSU CELLULAIRE SOUS-CUTANE (A217,A218)	
1	-	-	2	-	-	-	-	2	2	-	2	2	2	- INFECTIONS DE LA PEAU ET DU	A 217
-	-	1	-	-	-	1	-	-	-	-	4	1	8	- TISSU CELLULAIRE	
1	-	1	2	-	-	1	-	2	2	4	3	10	10	- SCUS-CUTANE	
1	-	-	-	-	1	3	3	4	4	3	6	5	5	- TCUTES LES ALTRES MALADIES	A 218
-	-	2	1	2	-	5	2	3	2	3	5	15	15	- DE LA PEAU ET DU TISSU	
1	-	2	1	2	1	8	5	7	6	6	11	20	20	- CELLULAIRE SCUS-CUTANE	
2	-	-	2	-	1	3	3	6	6	3	8	7	7	- TOTAL (A2.7,A218)	
-	-	3	1	2	-	6	2	3	2	7	6	23	23	-	
2	-	3	3	2	1	9	5	9	8	10	14	30	30	-	
														XIII. MALADIES DU SYSTEME CSTEO-ARTICULAIRE, DES MUSCLES ET DU TISSU CONJONCTIF (A219-A223)	
-	-	-	-	-	2	3	5	11	8	8	5	1	1	- ARTHRITE RHUMATOIQUE ET	A 219
1	-	-	1	1	1	14	13	22	22	24	14	18	18	- ALTRES POLYARTHROPATHIES	
1	-	-	1	1	3	17	18	33	30	32	19	19	19	- INFLAMMATOIRES	
1	-	5	1	4	7	8	4	6	13	7	6	16	16	- AUTRES ARTHROPATHIES ET	A 220
1	5	3	4	5	10	13	15	21	17	19	6	37	37	- AFFECTIONS APPARENTÉES	
2	5	8	5	13	17	21	19	27	30	26	12	53	53	-	
-	-	-	-	-	1	1	3	-	1	4	1	2	2	- AFFECTIONS DES REGIONS LU	A 221
-	-	-	-	-	-	-	1	-	2	1	1	4	4	- PLAN DORSAL	
-	-	-	-	-	1	1	4	-	3	5	2	6	6	-	
-	-	-	-	1	1	1	-	2	-	1	2	2	2	- RHUMATISME ABARTICULAIRE, A	A 222
-	-	-	-	-	1	-	-	4	1	-	-	2	2	- L'EXCLUSION DES AFFECTIONS	
-	-	-	-	1	2	1	-	2	4	2	2	4	4	- DU PLAN DORSAL	
-	-	1	1	2	-	3	5	3	9	5	6	4	4	- OSTÉOPATHIES, CHONCRCPATHIE	A 223
-	1	-	1	1	1	2	5	3	6	11	6	24	24	- ET MALFORMATIONS ACQUISES	
-	1	1	2	3	1	5	10	6	15	16	12	28	28	- DU SYSTEME CSTEO-MUSCULAIRE	
1	-	6	2	7	11	16	17	22	31	25	20	25	25	- TCTAL (A219-A223)	
2	6	3	6	11	13	29	34	46	51	56	27	85	85	-	
3	6	9	8	18	24	45	51	68	82	81	47	110	110	-	
														XIV. ANOMALIES CONGENITALES (A224-A228)	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- SPINA BIFIDA	A 224
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	2	-	-	-	-	1	-	-	-	-	-	-	-	- TOUTES LES AUTRES ANOMALIES	A 225
1	-	-	-	1	-	-	2	-	-	1	-	-	-	- CONGENITALES DU SYSTEME	
2	2	-	-	1	-	1	2	-	-	1	-	-	-	- NERVEUX	
7	2	3	2	6	6	6	3	5	1	-	1	-	-	- ANOMALIES CONGENITALES	A 226
3	1	3	1	2	3	4	5	2	2	1	1	-	-	- DU CŒUR	
10	3	6	3	6	9	10	8	7	3	1	2	-	-	-	
1	2	2	2	2	-	2	-	-	-	-	-	-	-	- ALTRES ANOMALIES	A 227
1	2	1	1	2	1	2	3	2	-	1	-	-	-	- CONGENITALES DE L'APPAREIL	
2	4	3	3	4	1	4	3	2	-	1	-	-	-	- CIRCULATOIRE	
6	2	6	1	5	4	4	1	1	3	2	2	3	3	- TOUTES LES AUTRES ANOMALIES	A 228
1	3	3	-	4	1	5	8	7	3	3	1	1	1	- CONGENITALES	
7	5	9	1	9	5	9	9	8	6	5	3	4	4	-	
15	8	11	5	13	10	13	4	6	4	2	3	3	3	- TOTAL (A224-A228)	
6	6	7	2	9	5	12	18	11	5	6	2	1	1	-	
21	14	18	7	22	15	25	22	17	9	8	5	4	4	-	
														XV. CERTAINES AFFECTIONS DONT L'ORIGINE SE SITUE DANS LA PERIODE PERINATALE (A229-A231)	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- TRAUMATISME OBSTETRICAL	A 229
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- HYPOXIE INTRA-UTERINE,	A 230
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- ASPHYXIE A LA NAISSANCE, ET	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- SYNDROME DE DETRESSE RESP.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- AUTRES AFFECTIONS DONT	A 231
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- L'ORIGINE SE SITUE DANS	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- LA PERIODE PERINATALE	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	SEX	TOTAL	AGE				AGE -- AGE									
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
	TOTAL (A229-A231)	M	865	740	86	35	861										
		F	618	551	52	15	618										
		T	1,483	1,291	138	50	1,479	2	2	-	-	-	-	-	-	-	-
	XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (A232-A233)																
A 232	SENILITY WITHOUT MENTION OF PSYCHOSIS	M	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 233	SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS	M	1,052	3	11	228	242	7	-	1	-	1	2	11	22		
		F	770	5	5	160	170	4	2	2	3	3	5	4	9		
		T	1,822	8	16	388	412	11	2	3	3	4	7	15	31		
	TOTAL (A232,A233)	M	1,131	3	11	228	242	7	-	1	-	1	2	11	22		
		F	920	5	5	160	170	4	2	2	3	3	5	4	9		
		T	2,051	8	16	388	412	11	2	3	3	4	7	15	31		
	EXVII. EXTERNAL CAUSES OF INJURY AND POISONING (AE234-AE282)																
	ACCIDENTS AND ADVERSE EFFECTS (AE234-AE263)																
	TRANSPORT ACCIDENTS (AE234-AE245)																
AE234	RAILWAY ACCIDENTS	M	46	-	-	-	-	-	-	1	-	-	5	4	5		
		F	5	-	-	-	-	-	-	-	-	-	-	1	-		
		T	51	-	-	-	-	-	-	1	-	-	5	5	5		
	MOTOR VEHICLE ACCIDENTS (AE235-AE241)																
	MOTOR VEHICLE TRAFFIC ACCIDENTS (AE235-AE240)																
AE235	INVOLVING COLLISION WITH TRAIN	M	57	-	-	1	1	1	-	-	-	-	1	10	10		
		F	17	-	-	-	-	-	-	-	-	4	1	2	1		
		T	74	-	-	1	1	1	-	-	-	4	2	12	11		
AE236	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	M	1,428	-	-	8	8	2	1	5	5	16	38	265	306		
		F	583	-	-	7	7	7	3	6	4	15	14	69	86		
		T	2,011	-	-	15	15	9	4	11	9	31	52	334	392		
AE237	INVOLVING COLLISION WITH PEDESTRIAN	M	579	-	-	-	-	4	7	14	9	40	41	65	40		
		F	297	-	-	1	1	2	1	3	4	31	17	20	25		
		T	876	-	-	1	1	6	8	17	13	71	58	91	65		
AE238	INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT	M	308	-	-	-	-	-	1	2	1	22	26	69	57		
		F	57	-	-	-	-	-	-	-	-	4	4	11	13		
		T	365	-	-	-	-	-	1	2	1	26	30	80	70		
AE239	NOT INVOLVING COLLISION ON HIGHWAY	M	1,215	-	-	2	2	2	3	1	1	5	10	282	320		
		F	276	-	-	4	4	2	2	3	1	3	6	83	56		
		T	1,491	-	-	6	6	2	5	4	2	8	16	365	376		
AE240	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	M	348	1	-	-	1	1	1	2	-	5	9	67	70		
		F	130	-	-	2	2	1	-	-	-	7	2	29	13		
		T	478	1	-	2	3	2	1	2	-	12	11	96	83		
	TOTAL (AE235-AE240)	M	3,935	1	-	11	12	8	13	24	16	68	125	758	803		
		F	1,360	-	-	14	14	12	6	12	9	64	44	220	194		
		T	5,295	1	-	25	26	20	19	36	25	132	169	978	997		
AE241	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	M	105	-	-	-	-	6	2	-	2	2	5	16	16		
		F	27	-	-	-	-	4	6	-	-	1	1	3	-		
		T	132	-	-	-	-	10	8	-	2	3	6	19	16		
	TOTAL (AE235-AE241)	M	4,040	1	-	11	12	14	15	24	18	90	130	774	819		
		F	1,387	-	-	14	14	16	12	12	9	65	45	223	194		
		T	5,427	1	-	25	26	30	27	36	27	155	175	997	1,013		
AE242	OTHER ROAD VEHICLE ACCIDENTS	M	12	-	-	-	-	-	-	-	-	-	2	4	1		
		F	8	-	-	-	-	-	-	1	-	-	2	1	-		
		T	20	-	-	-	-	-	-	1	-	-	4	5	1		
AE243	WATER TRANSPORT ACCIDENTS	M	282	-	-	1	1	-	1	-	1	3	2	38	49		
		F	23	-	-	1	1	-	-	-	1	2	3	4	1		
		T	305	-	-	2	2	-	1	-	2	5	5	42	50		
AE244	AIR AND SPACE TRANSPORT ACCIDENTS	M	151	-	-	1	1	-	-	1	-	1	1	8	20		
		F	23	-	-	-	-	-	-	1	-	1	1	1	5		
		T	174	-	-	1	1	-	-	2	-	2	2	9	25		
AE245	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	M	4	-	-	-	-	-	-	-	-	-	-	-	1		
		F	1	-	-	-	-	-	-	-	-	-	-	1	-		
		T	5	-	-	-	-	-	-	-	-	-	1	-	1		

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TOTAL (A229-A231)	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
														XVI. SYMPTOMES, SIGNES ET ETATS MORBIDES MAL DEFINIS (A232,A233)		
-	-	-	-	-	-	-	-	1	1	8	9	40	-	SENETITE SANS MENTION DE	A 232	
-	-	-	-	-	-	-	-	-	2	6	16	126	-	PSYCHOSE		
-	-	-	-	-	-	-	-	1	3	14	25	186	-			
26	16	28	26	36	48	65	77	87	106	92	74	84	1	SYMPTOMES, SIGNES ET AUTRES	A 233	
14	15	20	20	12	32	30	39	43	46	59	90	146	2	ETATS MORBIDES MAL DEFINIS		
40	31	48	46	48	80	95	116	130	152	151	164	230	3			
26	16	28	26	36	48	65	77	88	107	100	83	144	1	TOTAL (A232,A233)		
14	15	20	20	12	32	30	39	43	48	65	106	272	2			
40	31	48	46	48	80	95	116	131	155	165	189	416	3			
														EXVII. CAUSES EXTERIEURES DE TRAUMATISMES ET EMPOISONNEMENTS (AE234-AE282)		
														TRAUMATISMES ET EFFETS ADVERSES (AE234-AE263)		
														ACCIDENTS DE TRANSPORT (AE234-AE245)		
4	7	3	-	3	6	4	-	-	-	1	1	2	-	ACCIDENTS DE CHEMIN DE FER	AE234	
-	-	-	-	-	1	1	-	-	1	-	-	1	-			
4	7	3	-	3	7	5	-	-	1	1	1	3	-			
														ACCIDENTS DE VEHICULES A MCTEUR (AE235-AE241) ACCIDENTS DE LA CIRCULATION IMPLIQUANT DES VEHICULES A MCTEUR (AE235-AE240)		
4	8	6	6	2	1	3	2	1	1	-	-	-	-	PAR COLLISION AVEC UN TRAIN	AE235	
2	3	-	-	-	2	1	-	-	-	1	-	-	-			
6	11	6	6	2	3	4	2	1	1	1	-	-	-			
188	114	72	68	71	50	61	47	46	27	22	8	8	-	PAR COLLISION AVEC UN	AE236	
68	47	25	34	29	37	28	33	29	15	14	8	5	-	AUTRE VEHICULE A MCTEUR		
256	161	97	102	100	87	89	80	75	42	36	16	13	-			
39	28	17	34	26	35	28	28	32	29	26	17	20	-	PAR COLLISION AVEC UN	AE237	
12	8	8	6	9	13	10	16	24	22	30	17	12	-	PIETON		
51	36	25	40	35	48	38	44	56	51	56	34	32	-			
44	28	15	5	8	5	5	9	7	2	1	1	-	-	PAR COLLISION AVEC UN AUTRE	AE238	
6	4	1	1	3	1	2	3	1	1	1	1	-	-	VEHICULE OU OBJET		
50	32	16	6	11	6	7	12	8	3	2	2	-	-			
158	112	90	47	44	46	26	29	23	10	3	2	1	-	SANS COLLISION SUR LA VOIE	AE239	
30	16	9	14	12	12	3	6	7	3	2	1	1	-	PUBLIQUE		
188	128	99	61	56	58	25	35	30	13	5	3	2	-			
30	37	14	12	19	16	16	10	10	12	6	7	3	-	ACCIDENT DE LA CIRCULATION,	AE240	
16	9	7	4	4	7	6	8	2	6	4	3	-	-	NATURE NON PRECISEE, IMPLI-		
46	46	21	16	23	23	22	18	12	18	10	10	3	-	QUANT UN VEHICULE A MCTEUR		
463	327	214	172	170	153	139	125	119	81	58	35	32	-	TOTAL (AE235-AE240)		
134	87	50	59	57	72	50	66	63	47	52	30	18	-			
597	414	264	231	227	225	189	191	182	128	110	65	50	-			
6	9	9	5	8	7	3	1	2	4	1	1	-	-	ACCIDENTS DE VEHICULES A	AE241	
1	1	1	1	1	2	-	2	-	-	1	1	-	-	MCTEUR HORS DE LA VOIE		
7	10	10	6	9	9	3	3	2	4	2	2	-	-	PUBLIQUE		
469	336	223	177	178	160	142	126	121	85	59	36	32	-	TOTAL (AE235-AE241)		
135	88	51	60	56	74	50	68	63	47	53	31	18	1			
604	424	274	237	236	234	192	194	184	132	112	67	50	1			
1	-	-	-	-	-	1	1	-	1	-	-	1	-	AUTRES ACCIDENTS DE	AE242	
-	2	-	-	-	1	-	-	-	-	-	1	-	-	VEHICULES ROUTIERS		
1	2	-	-	-	1	1	1	-	1	-	1	-	-			
40	24	28	19	23	18	15	8	7	3	1	-	-	1	ACCIDENTS DE TRANSPORT	AE243	
-	-	2	4	2	1	-	1	1	-	-	-	-	-	PAR EAU		
40	24	30	23	25	19	15	9	8	3	1	-	-	1			
18	30	22	9	13	13	9	4	-	1	-	-	-	-	ACCIDENTS DE TRANSPORT	AE244	
2	4	4	1	2	1	-	-	-	-	-	-	-	-	AERIEN OU DE VCL SPATIAL		
20	34	26	10	15	14	9	4	-	1	-	-	-	-			
-	1	-	-	1	-	1	-	-	-	-	-	-	-	ACCIDENTS NON CLASSES	AE245	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AILLEURS IMPLIQUANT DES		
-	1	-	-	1	-	1	-	-	-	-	-	-	-	VEHICULES		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	AGE - AGE							
							1	2	3	4	5-9	10-14	15-19	20-24
TOTAL (AE234-AE245)		M 4,535	1	-	13	14	14	16	26	19	54	140	228	295
	F	1,447	-	-	15	15	16	12	14	10	66	52	230	200
	T	5,982	1	-	28	29	30	28	40	29	162	192	1,058	1,095
ACCIDENTAL POISONING (AE246-AE248)														
AE246	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M 115	-	-	-	-	1	-	-	-	1	1	8	10
	F	95	-	-	-	-	1	-	-	-	-	1	4	7
	T	214	-	-	-	-	2	-	-	-	1	2	12	17
AE247	ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES	M 91	-	-	-	-	-	1	-	-	1	2	3	5
	F	39	-	-	-	-	-	-	-	-	1	-	1	-
	T	130	-	-	-	-	-	1	-	-	2	2	4	5
AE248	ACCIDENTAL POISONING BY GASES AND VAPORS	M 88	-	-	-	-	-	-	1	-	1	-	12	15
	F	14	-	-	-	-	-	-	-	-	-	-	3	3
	T	102	-	-	-	-	-	-	1	-	1	-	15	18
TOTAL (AE246-AE248)		M 294	-	-	-	-	1	1	1	-	3	3	23	30
	F	152	-	-	-	-	1	-	-	-	1	1	8	10
	T	446	-	-	-	-	2	1	1	-	4	4	31	40
AE249	MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS	M 13	1	-	1	2	-	-	-	-	-	-	-	-
	F	24	-	1	-	1	-	-	-	-	-	-	2	1
	T	37	1	1	1	3	-	-	-	-	-	-	2	1
ACCIDENTAL FALLS (AE250-AE252)														
AE250	FALL FROM ONE LEVEL TO ANOTHER	M 361	-	-	4	4	4	1	1	1	1	2	15	25
	F	148	-	-	2	2	-	3	-	-	2	-	4	3
	T	509	-	-	6	6	4	4	1	1	3	2	19	32
AE251	FALL ON SAME LEVEL	M 28	-	-	-	-	-	-	-	-	-	-	3	-
	F	45	-	-	-	-	-	-	-	-	-	1	-	-
	T	73	-	-	-	-	-	-	-	-	-	1	3	-
AE252	FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS	M 505	-	-	-	-	-	-	-	1	-	-	2	2
	F	672	-	-	1	1	1	-	-	1	-	-	-	-
	T	1,177	-	-	1	1	1	-	-	1	1	-	2	2
TOTAL (AE250-AE252)		M 894	-	-	4	4	4	1	1	2	1	2	20	31
	F	865	-	-	3	3	1	3	-	-	3	1	4	3
	T	1,759	-	-	7	7	5	4	1	2	4	3	24	34
AE253	ACCIDENTS CAUSED BY FIRES AND FLAMES	M 407	-	1	9	10	7	13	8	7	19	14	21	45
	F	236	-	-	7	7	4	4	0	3	14	11	13	17
	T	643	-	1	16	17	11	17	14	10	33	25	34	62
OTHER ACCIDENTS, INCLUDING LATE EFFECTS (AE254-AE262)														
AE254	LIGHTNING	M 8	-	-	-	-	-	-	-	-	1	1	1	4
	F	2	-	-	-	-	-	-	-	-	-	-	2	-
	T	10	-	-	-	-	-	-	-	-	1	1	3	4
AE255	ACCIDENTAL DROWNING AND SUBMERSION	M 496	-	-	2	2	5	13	12	15	22	26	65	52
	F	123	-	-	2	2	10	7	5	7	13	9	7	6
	T	619	-	-	4	4	15	20	17	22	46	37	72	58
AE256	SUFFOCATION CAUSED BY INHALATION OR INGESTION OF FOOD OR OTHER OBJECT	M 218	2	1	17	20	3	3	2	-	1	1	3	11
	F	149	1	-	14	15	3	-	1	-	-	2	-	1
	T	367	3	1	31	35	6	3	3	-	1	3	3	12
AE257	ACCIDENT CAUSED BY HANDGUN	M 1	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	1
	T	2	-	-	-	-	-	-	-	-	-	-	-	2
AE258	ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS	M 53	-	-	-	-	-	-	-	-	3	10	15	9
	F	7	-	-	-	-	1	-	-	-	-	2	1	1
	T	60	-	-	-	-	1	-	-	-	3	12	16	10
AE259	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	M 16	-	-	-	-	-	-	-	-	-	-	5	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	16	-	-	-	-	-	-	-	-	-	-	5	1
AE260	ACCIDENTS CAUSED BY HOT, CAUSTIC, OR CORROSIVE SUBSTANCES AND RADIATION	M 8	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	-	-	1
	T	14	-	-	-	-	-	1	-	-	-	-	-	1
AE261	ACCIDENT CAUSED BY ELECTRIC CURRENT	M 69	-	-	1	1	2	-	-	-	1	5	14	9
	F	3	-	-	-	-	-	-	-	-	-	-	-	-
	T	72	-	-	1	1	2	-	-	-	1	5	14	9
AE262	ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY	M 732	-	-	12	12	4	7	5	3	12	22	70	73
	F	141	-	-	5	9	3	6	5	2	3	3	7	3
	T	873	-	-	17	21	7	13	10	5	15	25	77	76
TOTAL (AE254-AE262)		M 1,601	2	1	32	35	14	23	19	16	51	67	173	160
	F	432	1	-	25	26	17	14	11	9	16	16	17	13
	T	2,033	3	1	57	61	31	37	30	27	67	83	190	173
AE263	ADVERSE EFFECTS OF DRUGS,	M 4	-	-	-	-	-	-	-	-	-	-	1	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													CAUSES DE DECES		NC. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.	LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	
532	398	276	205	218	197	172	139	128	90	61	37	35	1	TOTAL (AE234-AE245)	
137	94	57	65	62	78	51	69	64	48	52	32	19	1		
669	492	333	270	280	275	223	208	192	138	114	69	54	2		
INTOXICATION ACCIDENTELLE (AE246-AE248)															
15	18	8	7	13	9	6	4	3	4	3	-	4	-	INTOXICATION ACCIDENTELLE	
12	8	9	7	6	12	7	4	9	6	2	3	1	-	PAR MEDICAMENTS ET PRODUITS	
27	26	17	14	19	21	13	8	12	10	5	3	5	-	BIOLOGIQUES	
5	8	8	14	8	9	8	7	4	6	1	1	-	-	INTOXICATION ACCIDENTELLE	
8	3	4	2	2	5	2	5	2	3	-	-	1	-	PAR D'AUTRES SUBSTANCES	
13	11	12	16	10	14	10	12	6	9	1	1	1	-	SOLIDES ET LIQUIDES	
12	9	5	4	9	4	4	3	4	1	4	-	-	-	INTOXICATION ACCIDENTELLE	
1	1	1	-	1	-	-	1	-	1	1	1	-	-	PAR DES GAZ ET DES VAPEURS	
13	10	6	4	10	4	4	4	4	2	5	1	-	-		
32	35	21	25	30	22	18	14	11	11	8	1	4	-	TOTAL (AE246-AE248)	
21	12	14	9	9	17	9	10	11	10	3	4	2	-		
53	47	35	34	39	39	27	24	22	21	11	5	6	-		
-	-	-	-	1	-	-	2	3	3	-	-	2	-	INCIDENTS LORS D'ACTES MEDIC	
1	-	1	-	3	-	-	1	4	3	3	1	3	-	CAUX, REACTIONS ANORMALES	
1	-	1	-	4	-	-	3	7	6	3	1	5	-	ET COMPLICATIONS TARDIVES	
CHUTES ACCIDENTELLES (AE250-AE252)															
20	15	16	11	17	29	22	32	33	25	28	21	35	1	CHUTE D'UN NIVEAU A UN	
2	2	1	6	6	5	6	4	15	10	11	22	44	-	ALTRE	
22	17	17	17	23	34	28	36	48	35	39	43	77	1		
-	-	-	-	1	2	-	4	1	5	5	1	6	-	CHUTE DE PLAIN-PIED	
-	-	-	-	-	1	-	-	5	3	4	7	24	-		
-	-	-	-	1	3	-	4	6	8	9	8	30	-		
9	2	5	4	4	20	19	22	37	47	62	90	179	-	FRACTURE, CAUSE NCN	
1	5	4	5	5	7	5	9	17	43	68	131	369	-	PRECISEE, ET CHUTE AUTRE	
10	7	9	9	5	27	24	31	54	90	130	221	548	-	ET NCN PRECISEE	
29	17	21	15	22	51	41	58	71	77	95	112	218	1	TOTAL (AE250-AE252)	
3	7	5	11	11	13	11	13	37	56	83	160	437	-		
32	24	26	26	33	64	52	71	108	133	178	272	655	1		
26	24	19	24	22	26	30	25	23	19	8	9	8	-	ACCIDENTS PROVOQUES PAR	
14	11	9	12	8	18	15	10	13	16	15	6	10	-	LE FEU	
40	35	28	36	30	44	45	35	36	35	23	15	18	-		
ALTRES ACCIDENTS, Y COMPRIS LES SEQUELLES (AE254-AE262)															
-	1	-	-	-	-	-	-	-	-	-	-	-	-	ECLOURE	
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	1	-	-	-	-	-	-	-	-	-	-	-	-		
47	32	20	27	28	23	18	23	19	14	14	4	1	1	NOYADE ET SUBMERSION	
5	6	2	7	5	12	-	4	1	6	3	5	1	-	ACCIDENTELLES	
52	38	22	34	33	35	18	27	20	20	17	9	2	1		
6	7	9	10	10	16	15	17	28	19	9	13	15	-	SUFFOCATION PROVOQUEE PAR	
4	1	1	4	10	6	12	12	16	13	11	15	22	-	ASPIRATION OU INGESTION	
10	8	10	14	20	22	27	29	44	32	20	28	37	-	D'ALIMENTS OU AUTRE OBJET	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ACCIDENT CAUSE PAR ARME	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	DE POING	
3	1	2	3	1	1	-	2	1	2	-	-	-	-	ACCIDENTS CAUSES PAR ARMES	
1	-	-	-	-	-	-	1	-	-	-	-	-	-	A FEU, TOUTES LES AUTRES	
4	1	2	3	1	1	-	3	1	2	-	-	-	-	ET NCN PRECISEES	
-	1	2	-	1	1	1	3	-	-	1	-	-	-	ACCIDENT CAUSE PAR EXPLOSIF	
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	1	-	-	1	-	-	-	1	2	-	2	1	-	ACCIDENT CAUSE PAR MATIERE	
-	-	-	-	-	-	-	-	-	1	-	-	3	-	BRULANTE, CALSTIQUE OU	
-	-	-	-	1	-	-	-	1	3	-	2	4	-	CORROSIVE, ET RADIATION	
11	8	3	3	7	2	-	2	-	1	-	-	-	-	ACCIDENT CAUSE PAR LE	
-	-	-	1	1	-	-	-	-	1	-	-	-	-	CGURANT ELECTRIQUE	
11	8	3	4	8	2	-	2	-	2	-	-	-	-		
62	52	52	44	49	54	54	48	37	23	24	14	11	-	TOUTS LES AUTRES ACCIDENTS	
1	7	5	8	7	6	4	12	6	3	10	16	15	-	ET SEQUELLES D'ACCIDENTS	
63	59	57	52	56	60	58	60	43	26	34	30	26	-		
129	103	88	87	97	97	88	95	86	61	48	33	28	1	TOTAL (AE254-AE262)	
11	14	8	20	23	24	16	29	23	24	24	36	41	-		
140	117	96	107	120	121	104	124	109	85	72	69	69	1		
-	-	-	1	1	-	-	-	-	-	1	-	-	-	EFFETS ADVERSEES DE MEDICA-	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONTINUED

LIST NO	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		TOTAL	AGE - AGE												
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-15	20-24	
	MEDICAMENTS AND BIOLOGICALS IN THERAPEUTIC USE	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-
		T	10	-	-	-	-	-	-	-	-	-	1	-	1	-
	TOTAL (AE246-AE263)	M	3,213	3	2	46	51	26	38	29	27	74	86	238	266	
		F	1,715	1	1	35	37	23	21	17	12	35	29	44	44	
		T	4,928	4	3	81	88	49	59	46	39	109	115	282	310	
	SUICIDE (AE264-AE270)															
AE264	SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M	228	-	-	-	-	-	-	-	-	-	1	10	25	
		F	317	-	-	-	-	-	-	-	-	-	2	13	18	
		T	545	-	-	-	-	-	-	-	-	-	3	23	43	
AE265	SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES	M	34	-	-	-	-	-	-	-	-	-	-	-	3	
		F	18	-	-	-	-	-	-	-	-	-	-	-	3	
		T	52	-	-	-	-	-	-	-	-	-	-	-	6	
AE266	SUICIDE BY GASES AND VAPORS	M	264	-	-	-	-	-	-	-	-	-	-	8	45	
		F	70	-	-	-	-	-	-	-	-	-	-	1	5	
		T	334	-	-	-	-	-	-	-	-	-	-	9	50	
AE267	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	M	633	-	-	-	-	-	-	-	-	1	16	69	80	
		F	164	-	-	-	-	-	-	-	-	-	3	9	14	
		T	797	-	-	-	-	-	-	-	-	1	19	78	94	
AE268	SUICIDE BY HANDGUN	M	33	-	-	-	-	-	-	-	-	-	1	2	-	
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	
		T	35	-	-	-	-	-	-	-	-	-	1	2	1	
AE269	SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS	M	1,044	-	-	-	-	-	-	-	-	-	7	143	193	
		F	90	-	-	-	-	-	-	-	-	-	3	17	15	
		T	1,134	-	-	-	-	-	-	-	-	-	10	160	208	
AE270	SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF- INFLECTED INJURY	M	334	-	-	-	-	-	-	-	-	-	-	18	44	
		F	172	-	-	-	-	-	-	-	-	-	1	3	13	
		T	506	-	-	-	-	-	-	-	-	-	1	21	57	
	TOTAL (AE264-AE270)	M	2,570	-	-	-	-	-	-	-	-	1	25	250	390	
		F	833	-	-	-	-	-	-	-	-	-	5	43	65	
		T	3,403	-	-	-	-	-	-	-	-	1	34	293	455	
	HOMICIDE AND LEGAL INTERVENTION (AE271-AE276)															
AE271	ASSAULT BY HANDGUN	M	8	-	-	-	-	-	-	-	-	-	1	-	1	
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	
		T	11	-	-	-	-	-	-	-	-	-	1	-	1	
AE272	ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS	M	115	-	-	-	-	-	-	1	3	5	10	16		
		F	54	-	-	-	-	-	-	-	3	2	3	8		
		T	169	-	-	-	-	-	-	1	6	7	13	24		
AE273	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	M	101	-	-	1	1	-	-	-	1	2	9	17		
		F	58	-	-	-	-	1	-	1	1	1	3	11		
		T	159	-	-	1	1	1	-	1	2	3	12	28		
AE274	ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY	M	122	1	2	4	7	3	-	3	-	5	3	5	14	
		F	99	1	-	1	2	-	2	1	-	3	6	13	16	
		T	221	2	2	5	9	3	2	4	-	6	9	22	30	
AE275	LEGAL EXECUTION	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	-	
AE276	OTHER LEGAL INTERVENTION AND LATE EFFECTS	M	7	-	-	-	-	-	-	-	-	-	-	-	2	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
		T	7	-	-	-	-	-	-	-	-	-	-	-	2	
	TOTAL (AE271-AE276)	M	353	1	2	5	8	3	-	3	1	9	11	28	50	
		F	214	1	-	1	2	1	2	2	-	7	9	19	35	
		T	567	2	2	6	10	4	2	5	1	16	20	47	85	
	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED (AE277-AE281)															
AE277	FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M	90	-	-	-	-	-	-	-	-	-	-	4	8	
		F	100	-	-	-	-	-	-	-	-	-	-	5	8	
		T	190	-	-	-	-	-	-	-	-	-	-	9	16	
AE278	FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES	M	49	-	-	-	-	-	-	-	-	-	1	1	5	
		F	31	-	-	-	-	-	1	-	-	-	-	4	3	
		T	80	-	-	-	-	-	1	-	-	-	1	5	8	
AE279	FROM INJURY BY HANDGUN	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
		T	-	-	-	-	-	-	-	-	-	-	-	-	-	
AE280	FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS	M	50	-	-	-	-	-	-	-	-	-	-	9	11	
		F	5	-	-	-	-	-	-	-	-	-	-	2	-	

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - SUITE

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
1	-	1	-	-	-	-	1	-	-	-	-	1	1	-	MENT OU PRODUIT BIOLOGIQUE	
1	-	1	1	1	-	-	1	-	-	1	-	1	1	-	PCUR USAGE THERAPEUTIQUE	
216	179	149	152	173	156	177	194	194	171	160	155	260	2	2	TOTAL (AE246-AE263)	
51	44	38	52	54	72	51	64	88	109	128	208	494	-	-		
267	223	187	204	227	268	228	258	282	280	288	363	754	2	2		
SUICIDE (AE264-AE270)																
25	37	26	20	25	16	12	17	5	2	3	3	1	-	-	SUICIDE PAR MEDICAMENTS	AE264
21	38	34	29	31	28	34	22	21	11	3	8	4	-	-	ET SUBSTANCES BIOLOGIQUES	
46	75	60	49	56	44	46	39	26	13	6	11	5	-	-		
2	5	3	6	4	3	2	2	1	2	-	1	-	-	-	SUICIDE PAR AUTRES	AE265
2	-	-	-	4	-	2	2	1	1	3	-	-	-	-	SUBSTANCES SOLIDES OU	
4	5	3	6	8	3	4	4	2	3	3	1	-	-	-	LIQUIDES	
36	30	30	28	18	18	19	12	8	4	5	1	2	-	-	SUICIDE PAR GAZ ET VAPEURS	AE266
9	6	8	10	7	10	6	4	3	1	-	-	-	-	-		
45	36	38	38	25	28	25	16	11	5	5	1	2	-	-		
65	66	46	40	41	46	51	32	28	29	7	14	2	-	-	SUICIDE PAR PENDAISGN,	AE267
12	11	3	22	16	19	14	8	12	10	5	2	2	-	-	STRANGULATION ET ASPHYXIE	
77	77	49	62	57	65	65	40	40	39	12	16	4	2	2		
5	6	1	6	3	2	2	1	1	2	1	-	-	-	-	SUICIDE PAR ARME DE POING	AE268
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
5	6	1	7	3	2	2	1	1	2	1	-	-	-	-		
100	98	76	67	59	74	67	33	37	44	29	15	2	-	-	SUICIDE PAR ARMES A FEU,	AE269
14	9	9	9	5	4	4	-	-	1	-	-	-	-	-	TCUTES LES AUTRES ET NON	
114	107	85	76	64	78	71	33	37	45	29	15	2	-	-	PRECISEES	
43	37	17	22	22	27	22	24	18	18	8	10	3	1	1	SUICIDE PAR TCUS LES AUTRES	AE270
17	18	15	9	11	18	23	10	13	8	5	5	3	-	-	MOYENS ET SEQUELLES DE	
60	55	32	31	33	45	45	34	31	26	13	15	6	1	1	TENTATIVES DE SUICIDE	
276	279	199	189	172	186	175	121	98	101	53	44	10	1	1	TOTAL (AE264-AE270)	
75	82	69	80	74	79	83	46	50	32	16	15	9	2	2		
351	361	268	269	246	265	258	167	148	133	69	59	19	3	3		
HOMICIDE ET INTERVENTION DE LA FORCE PUBLIQUE (AE271-AE276)																
1	-	1	-	1	2	-	1	-	-	-	-	-	-	-	ATTENTAT PAR ARME DE POING	AE271
1	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
2	-	2	-	1	2	1	1	-	-	-	-	-	-	-		
17	16	17	6	6	8	5	2	-	1	-	-	1	1	1	ATTENTAT PAR ARMES A FEU,	AE272
10	6	7	3	5	3	1	2	-	-	1	-	-	-	-	TCUTES LES AUTRES ET NON	
27	22	24	9	11	11	6	4	-	1	1	-	1	1	1	PRECISEES	
14	11	13	10	7	3	3	3	3	2	1	1	-	-	-	ATTENTAT PAR INSTRUMENT	AE273
4	9	5	5	2	1	1	4	2	2	1	1	3	-	-	TRANCHANT OU PERFORANT	
18	20	18	15	9	4	4	7	5	4	2	2	3	-	-		
9	5	11	9	5	10	5	5	2	6	4	1	2	-	-	ATTENTAT PAR TCUS LES	AE274
8	10	8	5	7	4	1	3	1	3	3	3	-	-	-	AUTRES MOYENS ET SEQUELLES	
17	15	19	14	16	14	6	8	3	9	7	4	2	-	-	DES TRAUMATISMES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EXECUTION	AE275
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	AUTRES INTERVENTIONS DE LA	AE276
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FORCE PUBLIQUE ET LEURS	
2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	SEQUELLES	
43	32	44	26	23	23	13	11	5	9	5	2	3	1	1	TOTAL (AE271-AE276)	
23	25	21	13	14	8	4	9	3	5	5	4	3	-	-		
66	57	65	39	37	31	17	20	8	14	10	6	6	1	1		
TRAUMATISMES ET EMPUISONNEMENTS CAUSES DE MANIERE INDETERMINEE QUANT A L'INTENTION (AE277-AE281)																
16	19	4	5	6	5	9	4	5	2	-	-	2	1	1	D'EMPOISONNEMENT PAR	AE277
9	8	14	8	8	9	9	7	5	6	2	1	1	-	-	MEDICAMENTS ET SUBSTANCES	
25	27	18	13	14	14	18	11	10	8	2	1	3	1	1	BIOLOGIQUES	
5	2	4	5	4	6	3	4	5	1	3	-	-	-	-	D'EMPOISONNEMENT PAR AUTRES	AE278
-	-	4	2	2	2	3	3	4	2	1	-	-	-	-	SUBSTANCES SOLIDES OU	
5	2	8	7	6	8	6	7	9	3	4	-	-	-	-	LIQUIDES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DE TRAUMATISMES PAR ARME	AE279
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DE POING	
4	6	5	3	2	5	2	-	-	-	-	2	-	-	-	DE TRAUMATISMES PAR ARMES A	AE280
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	FEU, TOUTES LES AUTRES ET	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 5. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1981 - CONCLUDED

LIST NO	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	TOTAL	AGE - AGE				AGE - AGE								
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
		T	55	-	-	-	-	-	-	-	-	-	-	-	11	11
AE281		FROM INJURY BY ALL OTHER	M	234	-	-	2	2	-	-	1	-	2	3	26	24
		MEANS AND LATE EFFECTS	F	91	-	-	2	2	1	-	-	-	-	2	6	3
		OF INJURY	T	325	-	-	4	4	1	-	1	-	2	5	32	27
TOTAL (AE277-AE281)		M	423	-	-	2	2	-	-	1	-	2	4	40	46	
		F	227	-	-	2	2	1	1	-	-	-	2	17	14	
		T	650	-	-	4	4	1	1	1	-	2	6	57	62	
AE282		INJURY RESULTING FROM	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		OPERATIONS OF WAR	F	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	2	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (AE234-AE282)		M	11,096	5	4	66	75	43	54	59	47	180	266	1,384	1,649	
		F	4,436	2	1	53	56	41	36	33	22	110	101	353	362	
		T	15,532	7	5	119	131	84	90	92	69	290	367	1,737	2,011	
AN283		TOTAL - NATURE OF	M	11,096	5	4	66	75	43	54	59	47	180	266	1,384	1,649
		INJURY CAUSES	F	4,436	2	1	53	56	41	36	33	22	110	101	353	362
			T	15,532	7	5	119	131	84	90	92	69	290	367	1,737	2,011
TOTAL - ALL CAUSES		M	97,055	1,184	193	673	2,050	144	112	99	71	302	395	1,622	1,917	
		F	73,974	853	129	530	1,512	117	81	70	52	219	206	519	540	
		T	171,029	2,037	322	1,203	3,562	261	193	169	123	521	601	2,141	2,457	

(1) THIS IS THE AMERICAN LIST OF 282 CAUSES.
 REFERENCE: ICD - 9 UNDERLYING CAUSE-OF-DEATH LISTS FOR TABULATING MORTALITY STATISTICS, N.C.H.S., INSTRUCTION MANUAL.

TABLEAU 5. DECES SUIVANT LA CAUSE, L'AGE ET LE SEXE, CANADA, 1981 - FIN

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NC. DE LA LISTE A(1)
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.		
6	6	5	4	2	5	2	-	-	-	-	2	-	1	NON PRECISEES	
23	18	17	24	16	18	18	13	11	4	2	1	2	9	DE TRAUMATISMES PAR TCUS	AE281
6	13	9	4	6	9	8	6	2	2	3	3	3	3	LES AUTRES MOYENS ET LEURS	
29	31	26	28	22	27	26	19	13	6	5	4	5	12	SEQUELLES	
48	45	30	37	28	34	32	21	21	7	5	3	4	11	TOTAL (AE277-AE281)	
17	21	27	15	16	20	20	16	11	10	6	4	4	3		
65	66	57	52	44	54	52	37	32	17	11	7	8	14		
-	-	-	-	-	-	-	-	-	-	-	1	1	-	TRAUMATISMES DE GUERRE	AE282
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	1	1	-		
1,115	933	698	609	614	636	569	486	446	378	284	242	313	16	TOTAL (AE234-AE282)	
303	266	212	225	220	257	209	204	216	204	208	263	529	6		
1,418	1,199	910	834	834	893	778	690	662	582	492	505	842	22		
1,115	933	698	609	614	636	569	486	446	378	284	242	313	16	TOTAL - NATURE DE LA	AN283
303	266	212	225	220	257	209	204	216	204	208	263	529	6	BLESSURE	
1,418	1,199	910	834	834	893	778	690	662	582	492	505	842	22		
1,474	1,421	1,483	1,905	3,010	4,750	7,064	9,042	11,992	12,883	12,932	10,364	11,553	30	TOTAL - TOUTES LES	
602	645	783	1,075	1,602	2,563	3,870	5,047	6,918	8,404	9,820	10,879	18,431	19	CAUSES	
2,076	2,066	2,266	2,980	4,612	7,313	10,934	14,089	18,910	21,287	22,752	21,243	30,424	49		

(1) IL S'AGIT DE LA LISTE AMERICAINE DE 282 CAUSES.
REFERENCE: ICD - 9 UNDERLYING CAUSE-OF-DEATH LISTS FOR TABULATING MORTALITY STATISTICS, N.C.H.S., INSTRUCTION MANUAL.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
				T.-N.	I.-P.-E.	N.-E.									
NUMBER - NOMBRE															
I. INFECTIOUS AND PARASITIC DISEASES (A1-A36)															
INTESTINAL INFECTIOUS DISEASES (A1-A6)															
A 1	CHOLERA AND TYPHOID AND PARATYPHOID FEVERS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 2	SHIGELLOSIS	M	2	-	-	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-
		T	4	-	-	-	-	-	-	2	-	2	-	-	-
A 3	OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL)	M	6	-	-	-	-	1	4	-	-	-	1	-	-
		F	8	-	-	-	-	2	5	-	-	-	-	-	1
		T	14	-	-	-	-	3	9	-	-	-	-	1	-
A 4	AMOEBIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	-	-	-
A 5	INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS	M	3	-	-	-	-	-	-	1	-	-	-	2	-
		F	12	-	-	1	-	-	8	-	1	1	1	-	-
		T	15	-	-	1	-	-	8	1	1	1	3	-	-
A 6	ILL-DEFINED INTESTINAL INFECTIONS	M	6	-	-	-	1	-	4	-	1	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	-	-	1	-
		T	9	-	-	-	1	-	5	1	1	-	-	1	-
TOTAL (A1-A6)		M	17	-	-	-	1	1	8	2	1	1	3	-	-
		F	26	-	-	1	-	2	14	2	1	3	2	-	1
		T	43	-	-	1	1	3	22	4	2	4	5	-	1
TUBERCULOSIS (A7,A8)															
A 7	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	90	2	-	6	4	34	12	6	7	12	6	-	1
		F	35	1	1	1	-	12	8	2	2	6	2	-	-
		T	125	3	1	7	4	46	20	8	9	18	8	-	1
A 8	OTHER TUBERCULOSIS	M	12	-	1	-	1	6	-	-	-	1	3	-	-
		F	12	-	1	-	4	-	2	-	2	3	-	-	
		T	24	-	1	1	1	10	-	2	-	3	6	-	-
TOTAL (A7,A8)		M	102	2	1	6	5	40	12	6	7	13	9	-	1
		F	47	1	1	2	-	16	8	4	2	8	5	-	-
		T	149	3	2	8	5	56	20	10	9	21	14	-	1
ZOOBOTIC AND OTHER BACTERIAL DISEASES (A9-A16)															
A 9	BRUCELLOSIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 10	DIPHTHERIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 11	WHOOPING COUGH	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
A 12	STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	-	-	-
A 13	MENINGOCOCCAL INFECTION	M	12	-	-	-	-	3	3	2	1	-	3	-	-
		F	15	-	-	-	-	8	4	-	-	3	-	-	
		T	27	-	-	-	-	11	7	2	1	3	3	-	-
A 14	TETANUS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
		T	1	-	-	-	-	-	-	1	-	-	-	-	-
A 15	SEPTICAEMIA	M	131	4	-	7	5	34	53	6	-	12	10	-	-
		F	129	4	-	9	1	31	55	2	7	15	2	-	2
		T	260	8	-	16	6	65	108	8	7	27	12	-	2
A 16	ALL OTHER BACTERIAL DISEASES	M	23	-	-	-	-	5	8	1	1	5	3	-	-
		F	11	-	-	1	-	4	5	1	-	-	-	-	-
		T	34	-	-	1	-	9	13	2	1	5	3	-	-
TOTAL (A9-A16)		M	166	4	-	7	5	42	64	5	2	17	16	-	-
		F	158	4	-	10	1	43	65	5	7	19	2	-	2
		T	324	8	-	17	6	85	129	14	9	36	18	-	2
VIRAL DISEASES (A17-A23)															
A 17	ACUTE POLIOMYELITIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981

CANADA	Nfld. P.-E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.		YUKON	N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
	T.-N.	I.P.E.	-	N.E.							C.-B.	T.-N.C.						
RATE - TAUX																		
I. MALADIES INFECTIEUSES ET PARASITAIRES (A1-A36)																		
MALADIES INFECTIEUSES INTESTINALES (A1-A6)																		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CHOLERA ET FIEVRES TYPHOÏDE ET PARATYPHOÏDE	A 1
0.0	-	-	-	-	-	-	-	0.2	-	0.1	-	-	-	-	-	-	SHIGELLOSE	A 2
0.0	-	-	-	-	-	-	-	0.2	-	0.1	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	0.2	-	0.1	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.1	-	-	-	-	0.1	-	-	-	-	-	AUTRES SALMONELLOSES ET AUTRES TOXI-INFECTIENS ALIMENTAIRES (BACTERIENNES)	A 3
0.1	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	4.6	-	-		
0.1	-	-	-	-	0.0	0.1	-	-	-	-	0.0	-	-	2.2	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AMIBIASE	A 4
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	0.2	-	-	0.1	-	-	-	-	-	-	INFECTIONS INTESTINALES DUES A D'AUTRES MICRO- ORGANISMES	A 5
0.1	-	-	0.2	-	-	0.2	-	0.2	0.1	0.1	-	-	-	-	-	-		
0.1	-	-	0.1	-	-	0.1	0.1	0.1	0.1	0.0	0.1	-	-	-	-	-		
0.0	-	-	-	0.3	-	0.1	-	0.2	-	-	-	-	-	-	-	-	INFECTIONS INTESTINALES MAL DEFINIES	A 6
0.0	-	-	-	-	-	0.0	0.2	-	-	0.1	-	-	-	-	-	-		
0.0	-	-	-	0.1	-	0.1	0.1	0.1	0.1	-	0.0	-	-	-	-	-		
0.1	-	-	-	0.3	0.0	0.2	0.4	0.2	0.1	0.2	-	-	-	-	-	-	TOTAL (A1-A6)	
0.2	-	-	0.2	-	0.1	0.3	0.4	0.2	0.3	0.1	-	-	-	4.6	-	-		
0.2	-	-	0.1	0.1	0.0	0.3	0.4	0.2	0.2	0.2	-	-	-	2.2	-	-		
TUBERCULOSE (A7,A8)																		
0.7	0.7	-	1.4	1.2	1.1	0.3	1.2	1.4	1.0	0.4	-	-	-	4.2	-	-	TUBERCULOSE DE L'APPAREIL RESPIRATOIRE	A 7
0.3	0.4	1.6	0.2	-	0.4	0.2	0.4	0.4	0.5	0.1	-	-	-	-	-	-		
0.5	0.5	0.8	0.8	0.6	0.7	0.2	0.8	0.9	0.8	0.3	-	-	-	2.2	-	-		
0.1	-	1.6	-	0.3	0.2	-	-	-	0.1	0.2	-	-	-	-	-	-	AUTRES TUBERCULOSES	A 8
0.1	-	-	0.2	-	0.1	-	0.4	-	0.2	0.2	-	-	-	-	-	-		
0.1	-	0.8	0.1	0.1	0.2	-	0.2	-	0.1	0.2	-	-	-	-	-	-		
0.8	0.7	1.6	1.4	1.4	1.3	0.3	1.2	1.4	1.1	0.7	-	-	-	4.2	-	-	TOTAL (A7,A8)	
0.4	0.4	1.6	0.5	-	0.5	0.2	0.8	0.4	0.7	0.4	-	-	-	-	-	-		
0.6	0.5	1.6	0.9	0.7	0.9	0.2	1.0	0.9	0.9	0.5	-	-	-	2.2	-	-		
ANTHROPZOONOSES ET AUTRES MALADIES BACTERIENNES (A9-A16)																		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BRUCELLOSE	A 9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DIPHTHERIE	A 10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CCQUELUCHE	A 11
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	ANGINE A STREPTOCOQUES ET SCARLATINE ET ERYSIPELE	A 12
0.0	-	-	-	-	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.1	-	-	-	-	0.1	0.1	0.4	0.2	-	0.2	-	-	-	-	-	-	INFECTIONS A MENINGOCOQUES	A 13
0.1	-	-	-	-	0.2	0.1	-	-	0.3	-	-	-	-	-	-	-		
0.1	-	-	-	-	0.2	0.1	0.2	0.1	0.1	0.1	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TETANOS	A 14
0.0	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-		
1.1	1.4	-	1.7	1.4	1.1	1.2	1.2	-	1.0	0.7	-	-	-	-	-	-	SEPTICEMIE	A 15
1.1	1.4	-	2.1	0.3	0.9	1.3	0.6	1.5	1.4	0.1	-	-	-	9.2	-	-		
1.1	1.4	-	1.9	0.9	1.0	1.3	0.9	0.7	1.2	0.4	-	-	-	4.4	-	-		
0.2	-	-	-	-	0.2	0.2	0.2	0.2	0.4	0.2	-	-	-	-	-	-	TOUTES LES AUTRES MALADIES BACTERIENNES	A 16
0.1	-	-	0.2	-	0.1	0.1	0.2	-	-	-	-	-	-	-	-	-		
0.1	-	-	0.1	-	0.1	0.2	0.2	0.1	0.2	0.1	-	-	-	-	-	-		
1.4	1.4	-	1.7	1.4	1.3	1.5	1.8	0.4	1.5	1.2	-	-	-	-	-	-	TOTAL (A9-A16)	
1.3	1.4	-	2.3	0.3	1.3	1.5	1.0	1.5	1.7	0.1	-	-	-	9.2	-	-		
1.3	1.4	-	2.0	0.9	1.3	1.5	1.4	0.9	1.6	0.7	-	-	-	4.4	-	-		
MALADIES A VIRUS (A17-A23)																		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	POLICMYELITE AIGUE	A 17

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.B.T.
			T.-N.	I.P.E.	N.E.							C.B.		T.N.G.
NUMBER - NOMBRE														
			3	-	-	-	-	3	-	-	-	-	-	-
			3	-	-	-	-	3	-	-	-	-	-	-
A 18	SMALLPOX		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
A 19	MEASLES		-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	1	-	-	-	-	-
			1	-	-	-	-	-	1	-	-	-	-	-
A 20	RUBELLA		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
A 21	ARTHROPOD-BORNE ENCEPHALITIS		1	-	-	-	-	-	-	1	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	1	-	-	-	-	-
A 22	VIRAL HEPATITIS		23	-	-	1	-	5	10	-	-	2	5	-
			15	-	-	-	2	5	6	1	-	1	-	-
			38	-	-	1	2	10	16	1	-	3	5	-
A 23	OTHER VIRAL DISEASES		59	2	-	1	-	11	27	5	2	4	6	-
			68	1	-	2	3	12	26	2	4	-	18	-
			127	3	-	3	4	23	53	7	6	4	24	-
.TOTAL (A17-A23)			83	2	-	2	1	16	37	6	2	6	11	-
			87	1	-	2	5	20	32	4	4	1	18	-
			170	3	-	4	6	36	69	10	6	7	29	-
RICKETTSIOSIS AND OTHER ARTHROPOD-BORNE DISEASES (A24-A26)														
A 24	TYPHUS AND OTHER RICKETTSIOSIS		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
A 25	MALARIA		1	-	-	-	-	-	1	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	1	-	-	-	-	-
A 26	ALL OTHER ARTHROPOD-BORNE DISEASES		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A24-A26)			1	-	-	-	-	-	1	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	1	-	-	-	-	-
SYPHILIS AND OTHER VENEREAL DISEASES (A27-A31)														
SYPHILIS														
A 27	CARDIOVASCULAR SYPHILIS		1	-	-	1	-	-	-	-	-	-	-	-
			3	-	-	1	-	-	-	-	-	1	1	-
			4	-	-	2	-	-	-	-	-	1	1	-
A 28	NEUROSYPHILIS		6	-	-	-	-	2	3	-	-	-	1	-
			4	-	-	-	-	1	3	-	-	-	-	-
			10	-	-	-	-	3	6	-	-	-	1	-
A 29	ALL OTHER SYPHILIS		7	-	-	1	1	4	-	-	-	-	1	-
			1	-	-	-	-	1	-	-	-	-	-	-
			8	-	-	1	1	5	-	-	-	-	1	-
TOTAL (A27-A29)			14	-	-	2	1	6	3	-	-	-	2	-
			8	-	-	1	-	2	3	-	-	-	1	-
			22	-	-	3	1	8	6	-	-	1	3	-
A 30	GONOCOCCAL INFECTIONS		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
A 31	OTHER VENEREAL DISEASES		-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (A27-A31)			14	-	-	2	1	6	3	-	-	-	2	-
			8	-	-	1	-	2	3	-	-	-	1	-
			22	-	-	3	1	8	6	-	-	1	3	-
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS (A32-A36)														
A 32	MYCOSES		21	1	-	1	-	4	12	-	-	-	3	-
			14	-	-	-	2	1	8	1	-	-	2	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.P.E.	N.E.							C.B.		T.N.C.		
RATE - TAUX														
0.0	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-
0.0	-	-	-	-	C.0	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	VARIGLE	A 18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	ROUGEULE	A 19
0.0	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-
0.0	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	RUBECLE	A 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.0	-	-	-	-	-	-	0.2	-	-	-	-	-	ENCEPHALITES TRANSMISES PAR DES ARTHROPODES	A 21
0.0	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-
0.2	-	-	0.2	-	0.2	0.2	-	-	C.2	0.4	-	-	HEPATITE VIRALE	A 22
0.1	-	-	-	0.6	0.2	0.1	0.2	-	0.1	-	-	-	-	-
0.2	-	-	0.1	0.3	C.2	0.2	0.1	-	0.1	C.2	-	-	-	-
0.5	0.7	-	0.2	0.3	0.3	0.6	1.0	0.4	0.3	0.4	-	-	AUTRES MALADIES A VIRUS	A 23
0.6	0.4	-	0.5	0.9	0.4	0.6	0.4	0.8	-	1.3	-	-	-	-
0.5	0.5	-	0.4	0.6	C.4	0.6	0.7	C.6	C.2	0.9	-	-	-	-
0.7	0.7	-	0.5	0.3	C.5	0.9	1.2	0.4	0.5	0.8	-	-	TOTAL (A17-A23)	-
0.7	0.4	-	0.5	1.4	0.6	C.7	0.8	0.8	C.1	1.3	-	-	-	-
0.7	0.5	-	0.5	0.9	0.6	0.8	1.0	0.6	0.3	1.1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	RICKETTSIOSES ET AUTRES MALADIES TRANSMISES PAR LES ARTHROPODES (A24-A26)	-
-	-	-	-	-	-	-	-	-	-	-	-	-	ITYPHUS ET AUTRES RICKETTSIOSES	A 24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	PALUDISME	A 25
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	TOUTES LES AUTRES MALADIES TRANSMISES PAR LES ARTHROPODES	A 26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	TOTAL (A24-A26)	-
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS ET AUTRES MALADIES VENERIENNES (A27-A31)	-
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS	-
0.0	-	-	0.2	-	-	-	-	-	-	-	-	-	SYPHILIS CARCIC-VASCULAIRE	A 27
0.0	-	-	0.2	-	-	-	-	-	0.1	0.1	-	-	-	-
0.0	-	-	0.2	-	-	-	-	-	0.0	0.0	-	-	-	-
0.0	-	-	-	-	0.1	0.1	-	-	-	0.1	-	-	SYPHILIS NERVEUSE	A 28
0.0	-	-	-	-	0.0	0.1	-	-	-	-	-	-	-	-
0.0	-	-	-	-	0.0	0.1	-	-	-	0.0	-	-	-	-
0.1	-	-	0.2	0.3	0.1	-	-	-	-	0.1	-	-	TOUTES LES AUTRES SYPHILIS	A 29
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-
0.0	-	-	0.1	0.1	0.1	-	-	-	-	0.0	-	-	-	-
0.1	-	-	0.5	0.3	0.2	0.1	-	-	-	0.1	-	-	TOTAL (A27-A29)	-
0.1	-	-	0.2	-	C.1	0.1	-	-	C.1	0.1	-	-	-	-
0.1	-	-	0.4	0.1	0.1	0.1	-	-	0.0	0.1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	INFECTIONS GONOCOCCIQUES	A 30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES MALADIES VENERIENNES	A 31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.1	-	-	0.5	0.3	0.2	0.1	-	-	-	0.1	-	-	TOTAL (A27-A31)	-
0.1	-	-	0.2	-	0.1	0.1	-	-	0.1	0.1	-	-	-	-
0.1	-	-	0.4	0.1	0.1	0.1	-	-	0.0	0.1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.1	-	-	0.5	0.3	0.2	0.1	-	-	-	0.1	-	-	MYCOSES	A 32
0.1	-	-	0.2	-	0.1	0.1	-	-	0.1	0.1	-	-	-	-
0.1	-	-	0.4	0.1	0.1	0.1	-	-	0.0	0.1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES MALADIES INFECTIEU- SES ET PARASITAIRES ET LEURS SEQUELLES (A32-A36)	-
0.2	0.4	-	0.2	-	0.1	0.3	-	-	-	0.2	-	-	-	-
0.1	-	-	-	0.6	0.0	0.2	0.2	-	-	0.1	-	-	-	-

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD.	P.-E.-I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.b.T.
				T.-N.	I.P.E.	N.E.							C.B.		T.N.G.
NUMBER - NOMBRE															
		T	35	1	-	1	2	5	20	1	-	-	5	-	-
A 33	HELMINTHIASES	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
A 34	LATE EFFECTS OF TUBERCULOSIS	M	35	-	-	2	1	9	12	1	1	-	9	-	-
		F	21	-	-	4	-	3	8	1	1	1	3	-	-
		T	56	-	-	6	1	12	20	2	2	1	12	-	-
A 35	LATE EFFECTS OF ACUTE POLICYMYELITIS	M	7	-	-	-	-	2	2	1	-	1	-	-	1
		F	2	1	-	-	-	-	-	1	-	-	-	-	-
		T	9	1	-	-	-	2	2	2	-	1	-	-	1
A 36	ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND THEIR LATE EFFECTS	M	33	-	1	1	1	5	17	2	1	1	4	-	-
		F	21	-	-	-	-	3	9	2	-	5	2	-	-
		T	54	-	1	1	1	8	26	4	1	6	6	-	-
	TOTAL (A32-A36)	M	56	1	1	4	2	20	43	4	2	2	16	-	1
		F	59	1	-	4	2	7	26	5	1	6	7	-	-
		T	155	2	1	8	4	27	69	9	3	8	23	-	1
	TOTAL (A1-A36)	M	479	9	2	21	15	125	168	27	14	39	57	-	2
		F	385	7	1	20	8	90	148	20	15	36	35	-	3
		T	864	16	3	41	23	215	316	47	29	77	92	-	5
II. NEOPLASMS (A37-A93)															
MALIGNANT NEOPLASMS, INCLUDING THOSE OF LYMPHATIC AND HAEMATOPOIETIC TISSUES (A37-A86)															
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (A37-A40)															
A 37	OF LIP	M	14	2	-	-	-	3	4	1	1	2	1	-	-
		F	5	-	-	-	-	3	2	-	-	-	-	-	-
		T	19	2	-	-	-	6	6	1	1	2	1	-	-
A 38	OF TONGUE	M	125	-	-	7	3	40	45	5	8	4	13	-	-
		F	44	1	-	-	3	6	22	-	6	2	4	-	-
		T	169	1	-	7	6	46	67	5	14	6	17	-	-
A 39	OF PHARYNX	M	258	1	2	5	11	83	95	10	8	21	22	-	-
		F	91	-	1	3	3	17	43	2	3	6	12	1	-
		T	349	1	3	8	14	100	138	12	11	27	34	1	-
A 40	OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX	M	156	-	1	4	4	57	62	3	5	8	12	-	-
		F	80	1	1	2	1	24	24	4	3	6	14	-	-
		T	236	1	2	6	5	81	86	7	8	14	26	-	-
	TOTAL (A37-A40)	M	553	3	3	16	18	183	206	19	22	35	48	-	-
		F	220	2	2	5	7	50	51	6	12	14	30	1	-
		T	773	5	5	21	25	233	297	25	34	49	78	1	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (A41-A55)															
A 41	OF OESOPHAGUS	M	511	17	6	20	13	113	207	12	14	30	78	-	1
		F	180	2	1	9	4	36	81	5	4	9	25	-	-
		T	691	19	7	29	17	149	288	17	18	39	103	-	1
A 42	OF STOMACH	M	1,399	59	7	57	68	386	425	80	58	85	172	-	2
		F	907	24	4	40	33	273	319	35	29	63	87	-	-
		T	2,306	83	11	97	101	659	744	115	87	148	259	-	2
A 43	OF SMALL INTESTINE	M	41	1	-	-	1	9	20	3	2	1	4	-	-
		F	52	1	-	3	1	11	25	2	3	2	4	-	-
		T	93	2	-	3	2	20	45	5	5	3	8	-	-
OF COLON (A44-A48)															
A 44	HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON	M	67	1	-	1	5	17	25	2	2	1	13	-	-
		F	81	-	-	1	7	22	20	3	4	4	19	-	1
		T	148	1	-	2	12	39	45	5	6	5	32	-	1
A 45	DESCENDING COLON	M	51	2	-	1	1	17	17	-	1	5	7	-	-
		F	34	-	-	2	2	8	12	1	2	1	6	-	-
		T	85	2	-	3	3	25	29	1	3	6	13	-	-
A 46	SIGMOID COLON	M	261	3	-	10	19	92	67	12	15	14	28	-	1
		F	282	2	-	11	19	104	74	10	12	17	33	-	-
		T	543	5	-	21	38	196	141	22	27	31	61	-	1
A 47	CAECUM, APPENDIX, AND ASCENDING COLON	M	227	1	1	8	14	62	77	11	11	14	28	-	-
		F	327	3	1	9	26	104	96	18	17	9	44	-	-
		T	554	4	2	17	40	166	173	29	28	23	72	-	-
A 48	OTHER AND COLON, UNSPECIFIED	M	1,280	35	12	53	16	289	556	68	46	71	134	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	N.F.L.D. T.-N.	P.-E.-I. I.P.E.	N.-S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.-M.-T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
0.1	0.2	-	0.1	0.3	0.1	0.2	0.1	-	-	0.2	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	HELMINTHIASES	A 33
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
0.3	-	-	0.5	0.3	0.3	0.3	0.2	0.2	-	0.7	-	-	SEQUELLES DE LA TUBERCULOSE	A 34
0.2	-	-	0.9	-	0.1	0.2	0.2	0.2	0.1	0.2	-	-		
0.2	-	-	0.7	0.1	0.2	0.2	0.2	0.2	0.0	0.4	-	-		
0.1	-	-	-	-	0.1	0.0	0.2	-	0.1	-	-	4.2	SEQUELLES DE LA POLIOMYELITIS AIGUE	A 35
0.0	0.4	-	-	-	-	-	0.2	-	-	-	-	-		
0.0	0.2	-	-	-	0.0	0.0	0.2	-	0.0	-	-	2.2		
0.3	-	1.6	0.2	0.3	0.2	0.4	0.4	0.2	0.1	0.3	-	-	TOUTES LES AUTRES MALADIES INFECTIEUSES ET PARASI- TAIRES ET LEURS SEQUELLES	A 36
0.2	-	-	-	-	0.1	0.2	0.4	-	0.5	0.1	-	-		
0.2	-	0.8	0.1	0.1	0.1	0.3	0.4	0.1	0.3	0.2	-	-		
0.8	0.4	1.6	1.0	0.6	0.6	1.0	0.8	0.4	0.2	1.2	-	4.2	TOTAL (A32-A36)	
0.5	0.4	-	0.9	0.6	0.2	0.6	1.0	0.2	0.5	0.5	-	-		
0.6	0.4	0.8	0.9	0.6	0.4	0.8	0.9	0.3	0.4	0.8	-	2.2		
4.0	3.2	3.3	5.0	4.3	3.9	4.0	5.3	2.9	3.4	4.2	-	8.3	TOTAL (A1-A36)	
3.1	2.5	1.6	4.7	2.3	2.8	3.4	3.8	3.1	3.5	2.5	-	13.8		
3.5	2.8	2.4	4.8	3.3	3.3	3.7	4.6	3.0	3.4	3.4	-	10.9		
II. TUMEURS (A37-A93)														
TUMEURS MALIGNES, Y COMPRIS CELLES DES TISSUS LYMPHATIQUES ET HEMATO- POIETIQUES (A37-A86)														
TUMEURS MALIGNES DES LEVRES, DE LA CAVITE BUCCALE ET DU PHARYNX (A37-A4C)														
0.1	0.7	-	-	-	0.1	0.1	0.2	0.2	0.2	0.1	-	-	DES LEVRES	A 37
0.0	-	-	-	-	0.1	0.0	-	-	-	-	-	-		
0.1	0.4	-	-	-	0.1	0.1	0.1	0.1	0.1	0.0	-	-		
1.0	-	-	1.7	0.9	1.3	1.1	1.0	1.6	0.3	1.0	-	-	DE LA LANGUE	A 38
0.4	0.4	-	-	0.9	0.2	0.5	-	1.2	0.2	0.3	-	-		
0.7	0.2	-	0.8	0.9	0.7	0.8	0.5	1.4	0.3	0.6	-	-		
2.1	0.4	3.3	1.2	3.2	2.6	2.2	2.0	1.6	1.8	1.6	-	-	DU PHARYNX	A 39
0.7	-	1.6	0.7	0.9	0.5	1.0	0.4	0.6	0.5	0.9	9.1	-		
1.4	0.2	2.4	0.9	2.0	1.6	1.6	1.2	1.1	1.2	1.2	4.3	-		
1.3	-	1.6	1.0	1.2	1.8	1.5	0.6	1.0	0.7	0.9	-	-	DE SIEGES AUTRES ET MAL DEFINIS DE LA LEVRE, DE LA CAVITE BUCCALE, DU PHARYNX	A 40
0.7	0.4	1.6	0.5	0.3	0.7	0.5	0.8	0.6	0.5	1.0	-	-		
1.0	0.2	1.6	0.7	0.7	1.3	1.0	0.7	0.8	0.6	0.9	-	-		
4.6	1.1	4.9	3.8	5.2	5.8	4.9	3.8	4.5	3.1	3.5	-	-	TOTAL (A37-A4C)	
1.8	0.7	3.2	1.2	2.0	1.5	2.1	1.2	2.5	1.3	2.2	9.1	-		
3.2	0.9	4.1	2.5	3.6	3.6	3.4	2.4	3.5	2.2	2.8	4.3	-		
TUMEURS MALIGNES DES PARTIES DE L'APPAREIL DIGESTIF ET DU PERITONE (A41-A55)														
4.2	6.0	9.8	4.8	3.8	3.6	4.9	2.4	2.9	2.6	5.7	-	4.2	DE L'ESOPHAGE	A 41
1.5	0.7	1.6	2.1	1.1	1.1	1.9	1.7	0.8	0.8	1.8	-	-		
2.8	3.3	5.7	3.4	2.4	2.3	3.3	2.0	1.9	1.7	3.8	-	2.2		
11.6	20.7	11.5	13.6	19.7	12.2	10.0	15.8	11.9	7.4	12.6	-	8.3	DE L'ESTOMAC	A 42
7.4	8.5	6.5	9.3	9.4	8.4	7.3	6.7	6.0	5.8	6.3	-	-		
9.5	14.6	9.0	11.4	14.5	10.2	8.6	11.2	9.0	6.6	9.4	-	4.4		
0.3	0.4	-	-	0.3	0.3	0.5	0.6	0.4	0.1	0.3	-	-	DE L'INTESTIN GRELE	A 43
0.4	0.4	-	0.7	0.3	0.3	0.6	0.4	0.6	0.2	0.3	-	-		
0.4	0.4	-	0.4	0.3	0.3	0.5	0.5	0.5	0.1	0.3	-	-		
DU COLON (A44-A48)														
0.6	0.4	-	0.2	1.4	0.5	0.6	0.4	0.4	0.1	1.0	-	-	ANGLES HEPATIQUE ET SPLENIQUE ET COLON TRANSVERSE	A 44
0.7	-	-	0.2	2.0	0.7	0.5	0.6	0.8	0.4	1.4	-	4.6		
0.6	0.2	-	0.2	1.7	0.6	0.5	0.5	0.6	0.2	1.2	-	2.2		
0.4	0.7	-	0.2	0.3	0.5	0.4	-	0.2	0.4	0.5	-	-	COLON DESCENDANT	A 45
0.3	-	-	0.5	0.6	0.2	0.3	0.2	0.4	0.1	0.4	-	-		
0.3	0.4	-	0.4	0.4	0.4	0.3	0.1	0.3	0.3	0.5	-	-		
2.2	1.1	-	2.4	5.5	2.9	1.6	2.4	3.1	1.2	2.1	-	4.2	COLON SIGMOÏDE	A 46
2.3	0.7	-	2.6	5.4	3.2	1.7	1.9	2.5	1.6	2.4	-	-		
2.2	0.9	-	2.5	5.5	3.0	1.6	2.1	2.8	1.4	2.2	-	2.2		
1.9	0.4	1.6	1.5	4.0	2.0	1.8	2.2	2.3	1.2	2.1	-	-	CAECUM, APPENDICE ET COLON ASCENDANT	A 47
2.7	1.1	1.6	2.1	7.4	3.2	2.2	3.5	3.5	0.8	3.2	-	-		
2.3	0.7	1.6	2.0	5.7	2.6	2.0	2.8	2.9	1.0	2.6	-	-		
10.6	12.3	19.7	12.6	4.6	9.1	13.1	13.4	9.5	6.2	9.8	-	-	AUTRES ET COLON, SANS	A 48

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
				T.-N.	I.P.E.	N.E.		NUMBER - NOMBRE	NUMBER - NOMBRE	NUMBER - NOMBRE	NUMBER - NOMBRE	NUMBER - NOMBRE	C.B.		T.N.G.
		F	1,322	32	10	58	18	268	598	69	47	74	147	-	1
		T	2,602	67	22	111	34	557	1,154	137	93	145	261	-	1
	TOTAL (A44-A48)	M	1,886	42	13	73	55	477	742	93	75	105	210	-	1
		F	2,046	37	11	81	72	566	800	101	82	105	249	-	2
		T	3,932	79	24	154	127	983	1,542	194	157	210	459	-	3
A 49	OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	M	784	12	3	23	25	194	309	46	47	43	78	1	1
		F	570	6	1	15	19	146	233	27	20	33	70	-	-
		T	1,354	18	4	38	44	340	542	75	67	76	148	1	1
	OF LIVER AND INTRAHEPATIC BILE DUCTS (A50-A52)														
A 50	LIVER, PRIMARY	M	153	-	1	1	2	43	60	7	4	4	31	-	-
		F	95	-	-	2	2	33	27	-	3	3	25	-	-
		T	248	-	1	3	4	76	87	7	7	7	56	-	-
A 51	INTRAHEPATIC BILE DUCTS	M	26	-	-	1	-	4	10	-	-	3	8	-	-
		F	18	-	-	2	1	1	9	-	-	2	3	-	-
		T	44	-	-	3	1	5	19	-	-	5	11	-	-
A 52	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	M	133	1	2	10	4	50	42	10	4	8	2	-	-
		F	125	4	1	5	5	51	38	6	6	7	1	-	1
		T	258	5	3	15	9	101	80	16	10	15	3	-	1
	TOTAL (A50-A52)	M	312	1	3	12	6	97	112	17	8	15	41	-	-
		F	238	4	1	9	8	85	74	6	9	12	29	-	1
		T	550	5	4	21	14	182	166	23	17	27	70	-	1
A 53	OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	M	205	4	1	7	4	74	67	13	11	13	11	-	-
		F	350	7	2	5	6	99	129	21	21	23	37	-	-
		T	555	11	3	12	10	173	196	34	32	36	48	-	-
A 54	OF PANCREAS	M	1,190	25	9	40	38	342	398	65	61	77	134	1	-
		F	1,000	11	4	52	19	245	382	56	42	70	119	-	-
		T	2,190	36	13	92	57	587	780	121	103	147	253	1	-
A 55	OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES	M	404	10	4	24	1	142	153	7	8	27	28	-	-
		F	451	9	10	30	1	137	167	23	4	28	42	-	-
		T	855	19	14	54	2	279	320	30	12	55	70	-	-
	TOTAL (A41-A55)	M	6,732	171	46	256	211	1,834	2,433	338	284	356	756	2	5
		F	5,794	101	34	244	183	1,538	2,210	260	214	345	662	-	3
		T	12,526	272	80	500	374	3,372	4,643	616	498	741	1,418	2	8
	MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (A56-A58)														
A 56	OF LARYNX	M	332	5	-	13	13	114	115	14	13	22	23	-	-
		F	72	-	1	4	-	22	29	4	1	5	6	-	-
		T	404	5	1	17	13	136	144	18	14	27	29	-	-
A 57	OF TRACHEA, BRONCHUS, AND LUNG	M	7,147	128	38	299	201	2,121	2,580	322	240	407	755	6	10
		F	2,170	18	9	80	48	521	822	105	82	144	320	1	6
		T	9,317	146	47	379	249	2,642	3,412	431	322	551	1,115	7	16
A 58	OF ALL OTHER AND ILL-DEFINED SITES	M	96	1	-	3	2	32	31	2	6	3	16	-	-
		F	42	1	-	1	-	13	21	1	1	1	3	-	-
		T	138	2	-	4	2	45	52	3	7	4	19	-	-
	TOTAL (A56-A58)	M	7,575	134	38	315	216	2,267	2,726	336	259	432	834	6	10
		F	2,284	19	10	85	48	556	882	114	84	150	329	1	6
		T	9,859	153	48	400	264	2,823	3,608	452	343	582	1,163	7	16
	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (A59-A64)														
A 59	OF BONE AND ARTICULAR CARTILAGE	M	117	2	-	-	4	49	26	9	4	11	12	-	-
		F	63	-	-	2	1	29	13	3	1	8	6	-	-
		T	180	2	-	2	5	78	39	12	5	19	18	-	-
A 60	OF CONNECTIVE AND OTHER SOFT TISSUE	M	94	1	-	4	4	23	27	3	10	13	9	-	-
		F	79	1	1	7	3	19	21	3	5	12	7	-	-
		T	173	2	1	11	7	42	48	6	15	25	16	-	-
A 61	MELANOMA OF SKIN	M	219	3	-	8	2	35	108	12	5	17	25	-	-
		F	152	1	-	6	4	32	66	5	7	10	21	-	-
		T	371	4	-	14	6	67	174	17	12	27	50	-	-
A 62	OTHER MALIGNANT NEOPLASMS OF SKIN	M	47	-	-	-	-	17	23	-	3	1	3	-	-
		F	30	-	-	3	1	6	12	1	1	2	4	-	-
		T	77	-	-	3	1	23	35	1	4	3	7	-	-
A 63	OF FEMALE BREAST	F	3,604	49	20	117	92	934	1,393	175	143	244	437	-	-
A 64	OF MALE BREAST	M	33	1	-	2	-	9	15	2	-	1	3	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	MFLD.		P.-E.-I.		N.-S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.		N.-W.-T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.-P.-E.	I.-P.-E.	N.-E.	C.-B.	T.-N.-G.												
	RATE - TAUX																	
10.8	11.3	16.2	13.6	5.1	8.2	13.7	13.3	9.7	6.8	10.7	-	4.6	PRECISION					
10.7	11.8	18.0	13.1	4.9	8.7	13.4	13.3	9.6	6.5	10.2	-	2.2						
15.6	14.7	21.3	17.4	15.5	15.0	17.5	18.4	15.4	5.2	15.4	-	4.2	TOTAL (A44-A48)					
16.7	13.1	17.9	18.9	20.5	15.5	18.3	19.4	17.0	5.6	18.1	-	9.2						
16.2	13.9	19.6	18.2	18.2	15.3	17.9	18.5	16.2	9.4	16.7	-	6.6						
6.5	4.2	4.9	5.5	7.2	6.1	7.3	9.5	9.7	3.8	5.7	8.2	4.2	DU RECTUM, DE LA JONCTION RECTO-SIGMOÏDIENNE ET DE L'ANUS		A	49		
4.6	2.1	1.6	3.5	5.4	4.5	5.3	5.2	4.1	3.0	5.1	-	-						
5.6	3.2	3.3	4.5	6.3	5.3	6.3	7.3	6.9	3.4	5.4	4.3	2.2						
	DU FOIE ET DES VOIES BILIAIRES INTRAHEPATIQUES (A50-A52)																	
1.3	-	1.6	0.2	0.6	1.4	1.4	1.4	0.8	0.3	2.3	-	-	FOIE, PRIMITIVE		A	50		
0.8	-	-	0.5	0.6	1.0	0.6	-	0.6	0.2	1.8	-	-						
1.0	-	0.8	0.4	0.6	1.2	1.0	0.7	0.7	0.3	2.0	-	-						
0.2	-	-	0.2	-	0.1	0.2	-	-	0.3	0.6	-	-	CANAUX BILIAIRES INTRAHEPATIQUES		A	51		
0.1	-	-	0.5	0.3	0.0	0.2	-	-	0.2	0.2	-	-						
0.2	-	-	0.4	0.1	0.1	0.2	-	-	0.2	0.4	-	-						
1.1	0.4	3.3	2.4	1.2	1.6	1.0	2.0	0.8	0.7	0.1	-	-	FOIE, NON PRECISEE PRIMITIVE NI SECONDAIRE		A	52		
1.0	1.4	1.6	1.2	1.4	1.6	0.9	1.2	1.2	0.6	0.1	-	4.6						
1.1	0.9	2.4	1.8	1.3	1.6	0.9	1.6	1.0	0.7	0.1	-	2.2						
2.6	0.4	4.9	2.9	1.7	3.1	2.6	3.4	1.6	1.3	3.0	-	-	TOTAL (A50-A52)					
1.9	1.4	1.6	2.1	2.3	2.6	1.7	1.2	1.9	1.1	2.1	-	4.6						
2.3	0.9	3.3	2.5	2.0	2.8	2.2	2.2	1.8	1.2	2.6	-	2.2						
1.7	1.4	1.6	1.7	1.2	2.3	1.6	2.6	2.3	1.1	0.8	-	-	DE LA VESICULE BILIAIRE ET DES VOIES BILIAIRES EXTRAHEPATIQUES		A	53		
2.9	2.5	3.2	1.2	1.7	3.0	2.9	4.0	4.4	2.1	2.7	-	-						
2.3	1.9	2.4	1.4	1.4	2.7	2.3	3.3	3.3	1.6	1.7	-	-						
9.9	8.8	14.8	9.5	11.0	10.8	9.4	12.8	12.5	6.7	9.8	8.2	-	DU PANCREAS		A	54		
8.1	3.9	6.5	12.2	5.4	7.5	8.7	10.8	8.7	6.4	8.6	-	-						
9.0	6.3	10.6	10.5	8.2	9.1	9.0	11.8	10.6	6.6	9.2	4.3	-						
3.3	3.5	6.6	5.7	0.3	4.5	3.6	1.4	1.6	2.4	2.1	-	-	DU TISSU RETROPERITONEAL, PERITONE ET DE SIEGES AUTRES ET MAL DEFINIS		A	55		
3.7	3.2	16.2	7.0	0.3	4.2	3.8	4.4	0.8	2.6	3.0	-	-						
3.5	3.3	11.4	6.4	0.3	4.3	3.7	2.9	1.2	2.5	2.6	-	-						
55.8	59.9	75.5	61.0	61.0	57.8	57.3	66.7	58.4	34.6	55.4	16.4	20.9	TOTAL (A41-A55)					
47.2	35.8	55.2	57.0	46.5	47.1	50.5	53.9	44.4	31.5	48.0	-	13.8						
51.5	47.9	65.3	59.0	53.7	52.4	53.8	60.2	51.4	33.1	51.7	8.6	17.5						
	TUMEURS MALIGNES DE L'APPAREIL RESPIRATOIRE ET DES ORGANES THORACIQUES (A56-A58)																	
2.8	1.8	-	3.1	3.8	3.6	2.7	2.8	2.7	1.9	1.7	-	-	DU LARYNX		A	56		
0.6	-	1.6	0.9	-	0.7	0.7	0.8	0.2	0.5	0.4	-	-						
1.7	0.9	0.8	2.0	1.5	2.1	1.7	1.8	1.4	1.2	1.1	-	-						
59.2	44.8	62.4	71.3	58.1	66.9	60.8	63.6	49.4	35.6	58.2	49.3	41.7	DE LA TRACHEE, DES BRONCHES ET DU POUMON		A	57		
17.7	6.4	14.6	18.7	13.7	16.0	19.0	21.0	17.0	13.2	23.2	5.1	27.5						
38.3	25.7	38.4	44.7	35.8	41.0	35.6	42.0	33.3	24.6	40.6	30.2	35.0						
0.8	0.4	-	0.7	0.6	1.0	0.7	0.4	1.2	0.3	1.2	-	-	DE TOUTES LES SIEGES AUTRES ET MAL DEFINIS		A	58		
0.3	0.4	-	0.2	-	0.4	0.5	0.2	0.2	0.1	0.2	-	-						
0.6	0.4	-	0.5	0.3	0.7	0.6	0.3	0.7	0.2	0.7	-	-						
62.8	46.9	62.4	75.1	62.4	71.5	64.2	66.7	53.3	37.8	61.1	45.3	41.7	TOTAL (A56-A58)					
18.6	6.7	16.2	19.9	13.7	17.0	20.1	21.5	17.4	13.7	23.9	9.1	27.5						
40.5	27.0	39.2	47.2	37.9	43.8	41.8	44.0	35.4	26.0	42.4	30.2	35.0						
	TUMEURS MALIGNES DES OS, DU TISSU CONJONCTIF, DE LA PEAU ET DU SEIN (A59-A64)																	
1.0	0.7	-	-	1.2	1.5	0.6	1.8	0.8	1.0	0.9	-	-	DES OS ET DU CARTILAGE ARTICULAIRE		A	59		
0.5	-	-	0.5	0.3	0.9	0.3	0.6	0.2	0.7	0.4	-	-						
0.7	0.4	-	0.2	0.7	1.2	0.5	1.2	0.5	0.8	0.7	-	-						
0.8	0.4	-	1.0	1.2	0.7	0.6	0.6	2.1	1.1	0.7	-	-	DU TISSU CONJONCTIF ET DES AUTRES TISSUS MOUS		A	60		
0.6	0.4	1.6	1.6	0.9	0.6	0.5	0.6	1.0	1.1	0.5	-	-						
0.7	0.4	0.8	1.3	1.0	0.7	0.6	0.6	1.5	1.1	0.6	-	-						
1.8	1.1	-	1.9	0.6	1.1	2.5	2.4	1.0	1.5	2.1	-	-	MELANOME DE LA PEAU		A	61		
1.2	0.4	-	1.4	1.1	1.0	1.5	1.0	1.5	0.9	1.5	-	-						
1.5	0.7	-	1.7	0.9	1.0	2.0	1.7	1.2	1.2	1.8	-	-						
0.4	-	-	-	-	0.5	0.5	-	0.6	0.1	0.2	-	-	AUTRES TUMEURS MALIGNES DE LA PEAU		A	62		
0.2	-	-	0.7	0.3	0.2	0.3	0.2	0.2	0.2	0.3	-	-						
0.3	-	-	0.4	0.1	0.4	0.4	0.1	0.4	0.1	0.3	-	-						
29.4	17.4	32.5	27.3	26.3	28.6	31.8	33.7	29.7	22.3	31.7	-	-	DU SEIN CHEZ LA FEMME		A	63		
0.3	0.4	-	0.5	-	0.3	0.4	0.4	-	0.1	0.2	-	-	DU SEIN, CHEZ L'HOMME		A	64		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.C.
	TOTAL (A59-A64)	M	510	7	-	14	10	133	159	26	22	43	56	-	-
		F	3,928	51	21	135	101	1,020	1,505	167	157	276	475	-	-
		T	4,438	58	21	149	111	1,153	1,704	213	179	319	531	-	-
	MALIGNANT NEOPLASMS OF GENITAL ORGANS (A65-A71)														
A 65	OF CERVIX UTERI	F	457	15	4	24	21	121	180	14	9	27	42	-	-
A 66	OF OTHER PARTS OF UTERUS	F	497	9	-	17	11	147	165	38	17	34	59	-	-
A 67	OF OVARY AND OTHER UTERINE ADNEXA	F	1,030	13	6	41	22	250	423	42	41	72	117	1	1
A 68	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F	97	2	1	5	2	22	34	7	6	7	10	-	1
A 69	OF PROSTATE	M	2,194	25	11	93	75	515	748	127	126	201	271	2	-
A 70	OF TESTIS	M	50	-	-	3	2	10	20	1	3	5	6	-	-
A 71	OF PENIS AND OTHER MALE GENITAL ORGANS	M	19	1	-	1	1	2	7	4	1	1	1	-	-
	TOTAL (A65-A71)	M	2,263	26	11	97	78	527	775	132	130	207	278	2	-
		F	2,081	39	11	87	56	540	802	102	73	140	228	1	2
		T	4,344	65	22	184	134	1,067	1,577	234	203	347	506	3	2
	MALIGNANT NEOPLASMS OF URINARY ORGANS (A72,A73)														
A 72	OF BLADDER	M	738	12	7	29	22	197	287	32	32	46	74	-	-
		F	284	4	3	9	11	65	124	11	10	15	32	-	-
		T	1,022	16	10	38	33	262	411	43	42	61	106	-	-
A 73	OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	M	494	10	2	17	15	128	181	28	21	30	62	-	-
		F	324	9	3	11	14	85	122	12	9	22	36	1	-
		T	818	19	5	28	29	213	303	40	30	52	98	1	-
	TOTAL (A72,A73)	M	1,232	22	9	46	37	325	468	60	53	76	136	-	-
		F	608	13	6	20	25	150	246	23	19	37	68	1	-
		T	1,840	35	15	66	62	475	714	83	72	113	204	1	-
	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (A74-A78)														
A 74	OF EYE	M	19	-	-	1	1	6	7	-	1	1	2	-	-
		F	18	-	-	-	-	5	7	-	1	1	4	-	-
		T	37	-	-	1	1	11	14	-	2	2	6	-	-
A 75	OF BRAIN	M	595	10	-	27	14	166	224	14	25	46	68	-	1
		F	472	9	2	13	14	157	175	20	16	29	57	-	-
		T	1,067	19	2	40	28	303	399	34	41	75	125	-	1
A 76	OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	M	13	-	-	-	-	9	1	1	-	1	1	-	-
		F	21	1	-	1	-	4	10	1	2	2	-	-	-
		T	34	1	-	1	-	13	11	2	2	3	1	-	-
A 77	OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	84	3	1	4	1	22	34	6	2	6	5	-	-
		F	114	5	-	3	6	25	44	7	6	7	11	-	-
		T	198	8	1	7	7	47	78	13	8	13	16	-	-
A 78	OF ALL OTHER AND UNSPECIFIED SITES	M	845	24	5	48	24	191	300	54	40	82	76	-	1
		F	861	26	5	36	30	185	304	39	53	92	85	3	3
		T	1,706	50	10	84	54	376	604	93	93	174	161	3	4
	TOTAL (A74-A78)	M	1,556	37	6	80	40	394	566	75	68	136	152	-	2
		F	1,486	41	7	53	50	356	540	67	78	131	157	3	3
		T	3,042	78	13	133	90	750	1,106	142	146	267	309	3	5
	MALIGNANT NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES (A79-A86)														
A 79	LYMPHOSARCOMA AND RETICULOSARCOMA	M	245	4	1	11	6	78	75	10	17	9	34	-	-
		F	201	3	1	5	5	70	55	8	9	18	27	-	-
		T	446	7	2	16	11	148	130	18	26	27	61	-	-
A 80	HODGKIN'S DISEASE	M	130	1	-	3	10	38	51	5	4	9	9	-	-
		F	71	1	-	1	-	21	26	5	5	6	6	-	-
		T	201	2	-	4	10	59	77	10	9	15	15	-	-
A 81	OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE	M	428	7	2	8	8	102	170	27	22	38	43	1	-
		F	344	2	2	6	7	98	141	26	12	26	24	-	-
		T	772	9	4	14	15	200	311	53	34	64	67	1	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	Nfld. P.E.I.			N.S.			N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.		YUKON	N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.-P.	E.-E.	N.-E.	C.-B.	T.-N.							N.-O.						
RATE - TAUX																			
4.2	2.5	-	3.3	2.9	4.2	4.7	5.1	4.5	3.8	4.1	-	-	TOTAL (A59-A64)		-	-	-	-	
32.0	18.1	34.1	31.6	28.8	31.2	34.4	36.0	32.6	25.2	34.4	-	-			-	-	-	-	
18.2	10.2	17.1	17.6	15.9	17.9	19.8	20.8	18.5	14.3	19.3	-	-			-	-	-	-	
TUMEURS MALIGNES DES ORGANES GENITO-URINAIRES (A65-A71)																			
3.7	5.3	6.5	5.6	6.0	3.7	4.1	2.7	1.9	2.5	3.0	-	-	DU COL DE L'UTERUS		-	-	-	-	A 65
4.0	3.2	-	4.0	3.1	4.5	3.8	7.3	3.5	3.1	4.3	-	-	DES AUTRES PARTIES DE L'UTERUS		-	-	-	-	A 66
8.4	4.6	9.7	9.6	6.3	7.7	9.7	8.3	8.5	6.6	8.5	9.1	4.6	DE L'OVAIRE ET DES AUTRES ANNEXES DE L'UTERUS		-	-	-	-	A 67
0.8	0.7	1.6	1.2	0.6	0.7	0.8	1.3	1.2	0.6	0.7	-	4.6	D'ORGANES GENITAUX AUTRES OU NCN PRECISES DE LA FEMME		-	-	-	-	A 68
18.2	8.8	18.1	22.2	21.7	16.2	17.6	25.1	25.9	17.6	19.9	16.4	-	DE LA PROSTATE		-	-	-	-	A 69
0.4	-	-	0.7	0.6	0.3	0.5	0.2	0.6	0.4	0.4	-	-	DU TESTICULE		-	-	-	-	A 70
0.2	0.4	-	0.2	0.3	0.1	0.2	0.8	0.2	0.1	0.1	-	-	DE LA VERGE ET DES AUTRES ORGANES GENITAUX MASCULINS		-	-	-	-	A 71
18.8	9.1	18.1	23.1	22.5	16.6	18.2	26.1	26.7	18.1	20.4	16.4	-	TOTAL (A65-A71)		-	-	-	-	
17.0	13.8	17.9	20.3	16.0	16.5	18.3	19.6	15.1	12.8	16.5	9.1	9.2			-	-	-	-	
17.8	11.5	18.0	21.7	19.2	16.6	18.3	22.8	21.0	15.5	18.4	13.0	4.4			-	-	-	-	
TUMEURS MALIGNES DES ORGANES URINAIRES (A72, A73)																			
6.1	4.2	11.5	6.9	6.4	6.2	6.8	6.3	6.6	4.0	5.4	-	-	DE LA VESSIE		-	-	-	-	A 72
2.3	1.4	4.9	2.1	3.1	2.0	2.8	2.1	2.1	1.4	2.3	-	-			-	-	-	-	
4.2	2.8	8.2	4.5	4.7	4.1	4.8	4.2	4.3	2.7	3.9	-	-			-	-	-	-	
4.1	3.5	3.3	4.1	4.3	4.0	4.3	5.5	4.3	2.6	4.5	-	-	DU REIN ET D'ORGANES URINAIRES AUTRES OU NCN PRECISES		-	-	-	-	A 73
2.6	3.2	4.9	2.6	4.0	2.6	2.8	2.3	1.9	2.0	2.6	5.1	-			-	-	-	-	
3.4	3.3	4.1	3.3	4.2	3.3	3.5	3.9	3.1	2.3	3.6	4.3	-			-	-	-	-	
10.2	7.7	14.8	11.0	10.7	10.2	11.0	11.8	10.9	6.6	10.0	-	-	TOTAL (A72, A73)		-	-	-	-	
5.0	4.6	9.7	4.7	7.1	4.6	5.6	4.4	3.9	3.4	4.9	9.1	-			-	-	-	-	
7.6	6.2	12.2	7.8	8.9	7.4	8.3	8.1	7.4	5.0	7.4	4.3	-			-	-	-	-	
TUMEURS MALIGNES DE SIEGES AUTRES ET SANS PRECISION (A74-A78)																			
0.2	-	-	0.2	0.3	0.2	0.2	-	0.2	0.1	0.1	-	-	DE L'OEIL		-	-	-	-	A 74
0.1	-	-	-	-	0.2	0.2	-	0.2	0.1	0.3	-	-			-	-	-	-	
0.2	-	-	0.1	0.1	0.2	0.2	-	0.2	0.1	0.2	-	-			-	-	-	-	
4.9	3.5	-	6.4	4.0	5.2	5.3	2.8	5.1	4.0	5.0	-	4.2	DE L'ENCEPHALE		-	-	-	-	A 75
3.8	3.2	3.2	3.0	4.0	4.2	4.0	3.8	3.3	2.6	4.1	-	-			-	-	-	-	
4.4	3.3	1.6	4.7	4.0	4.7	4.6	3.3	4.2	3.4	4.6	-	2.2			-	-	-	-	
0.1	-	-	-	-	0.3	0.0	0.2	-	0.1	0.1	-	-	DE PARTIES AUTRES ET NON PRECISEES DU SYSTEME NERVEUX		-	-	-	-	A 76
0.2	0.4	-	0.2	-	0.1	0.2	0.2	0.4	0.2	-	-	-			-	-	-	-	
0.1	0.2	-	0.1	-	0.2	0.1	0.2	0.2	0.1	0.0	-	-			-	-	-	-	
0.7	1.1	1.6	1.0	0.3	0.7	0.8	1.2	0.4	0.5	0.4	-	-	DU CORPS THYROÏDE ET AUTRES GLANDES THYROÏDE ET STRUCTURES APPARENTES		-	-	-	-	A 77
0.9	1.8	-	0.7	1.7	0.8	1.0	1.3	1.2	0.6	0.8	-	-			-	-	-	-	
0.8	1.4	0.8	0.8	1.0	0.7	0.9	1.3	0.8	0.6	0.6	-	-			-	-	-	-	
7.0	8.4	8.2	11.4	6.9	6.0	7.1	10.7	8.2	7.2	5.6	-	4.2	DE TOUS LES SIEGES AUTRES ET NCN PRECISES		-	-	-	-	A 78
7.0	9.2	8.1	8.4	8.6	5.7	6.9	7.5	11.0	8.4	6.2	27.3	13.8			-	-	-	-	
7.0	8.8	8.2	9.9	7.8	5.8	7.0	9.1	9.6	7.8	5.9	13.0	8.7			-	-	-	-	
12.9	13.0	9.8	19.1	11.6	12.4	13.3	14.8	14.0	11.9	11.1	-	8.3	TOTAL (A74-A78)		-	-	-	-	
12.1	14.5	11.4	12.4	14.3	10.9	12.3	12.9	16.2	12.0	11.4	27.3	13.8			-	-	-	-	
12.5	13.7	10.6	15.7	12.9	11.6	12.8	13.8	15.1	11.9	11.3	13.0	10.9			-	-	-	-	
TUMEURS MALIGNES DES TISSUS LYMPHATIQUES ET HEMATOPOÏÏTIQUES (A79-A86)																			
2.0	1.4	1.6	2.6	1.7	2.5	1.8	2.0	3.5	0.8	2.5	-	-	LYMPHOSARCOME ET		-	-	-	-	A 79
1.6	1.1	1.6	1.2	1.4	2.1	1.3	1.5	1.9	1.6	2.0	-	-	RETICULOSARCOME		-	-	-	-	
1.8	1.2	1.6	1.9	1.6	2.3	1.5	1.8	2.7	1.2	2.2	-	-			-	-	-	-	
1.1	0.4	-	0.7	2.9	1.2	1.2	1.0	0.8	0.8	0.7	-	-	MALADIE DE HCCGKIN		-	-	-	-	A 80
0.6	0.4	-	0.2	-	0.6	0.6	1.0	1.0	0.5	0.4	-	-			-	-	-	-	
0.8	0.4	-	0.5	1.4	0.9	0.9	1.0	0.9	0.7	0.5	-	-			-	-	-	-	
3.5	2.5	3.3	1.9	2.3	3.2	4.0	5.3	4.5	3.3	3.1	8.2	-	ALTRES TUMEURS MALIGNES DES TISSUS LYMPHOÏÏDE ET HISTIOCYTAIRE		-	-	-	-	A 81
2.8	0.7	3.2	1.4	2.0	3.0	3.2	5.0	2.5	2.4	1.7	-	-			-	-	-	-	
3.2	1.6	3.3	1.7	2.2	3.1	3.6	5.2	3.5	2.9	2.4	4.3	-			-	-	-	-	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
				T-N.	I.P.E.	N.E.							C.B.		T.N.O.
NUMBER - NOMBRE															
A 82	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	M	342	5	1	13	11	71	128	20	19	29	44	-	1
		F	296	6	3	14	9	73	105	15	9	18	44	-	-
		T	638	11	4	27	20	144	233	35	28	47	88	-	1
LEUKAEMIA (A83-A86)															
A 83	LYMPHOID LEUKAEMIA	M	275	2	-	15	7	66	101	8	18	22	35	-	1
		F	174	3	-	5	2	57	58	6	5	20	18	-	-
		T	449	5	-	20	9	123	159	14	23	42	53	-	1
A 84	MYELOID LEUKAEMIA	M	312	3	2	7	12	71	114	20	14	32	37	-	-
		F	275	4	1	7	7	67	119	16	11	22	21	-	-
		T	587	7	3	14	19	138	233	36	25	54	58	-	-
A 85	MONOCYTTIC LEUKAEMIA	M	25	-	-	1	3	11	4	1	1	-	4	-	-
		F	10	-	-	-	-	2	2	-	-	4	2	-	-
		T	35	-	-	1	3	13	6	1	1	4	6	-	-
A 86	OTHER AND UNSPECIFIED LEUKAEMIA	M	262	5	3	16	9	62	84	5	18	21	38	-	1
		F	202	3	4	13	7	48	68	8	8	17	26	-	-
		T	464	8	7	29	16	110	152	13	26	38	64	-	1
TOTAL (A83-A86)															
		M	874	10	5	39	31	210	303	34	51	75	114	-	2
		F	661	10	5	25	16	174	247	30	24	63	67	-	-
		T	1,535	20	10	64	47	384	550	64	75	138	181	-	2
TOTAL (A79-A86)															
		M	2,019	27	9	74	66	499	727	96	113	160	244	1	3
		F	1,573	22	11	51	37	436	574	84	59	131	168	-	-
		T	3,592	49	20	125	103	935	1,301	180	172	291	412	1	3
TOTAL (A37-A86)															
		M	22,440	427	122	898	676	6,162	8,100	1,084	951	1,485	2,504	11	20
		F	17,974	288	102	680	487	4,646	6,850	863	696	1,224	2,117	7	14
		T	40,414	715	224	1,578	1,163	10,808	14,950	1,947	1,647	2,709	4,621	18	34
BENIGN NEOPLASMS, AND THOSE OF UNSPECIFIED NATURE (A87-A93)															
BENIGN NEOPLASMS (A87-A89)															
A 87	OF FEMALE GENITAL ORGANS	F	6	-	-	-	-	2	-	2	-	-	2	-	-
A 88	OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	M	31	-	-	-	-	6	13	1	4	2	5	-	-
		F	51	-	-	4	-	10	21	2	1	4	9	-	-
		T	82	-	-	4	-	16	34	3	5	6	14	-	-
A 89	OF ALL OTHER AND UNSPECIFIED SITES	M	32	-	-	-	1	8	8	2	2	5	6	-	-
		F	25	1	-	1	-	3	11	2	-	-	7	-	-
		T	57	1	-	1	1	11	19	4	2	5	13	-	-
TOTAL (A87-A89)															
		M	63	-	-	-	1	14	21	3	6	7	11	-	-
		F	82	1	-	5	-	15	32	6	1	4	18	-	-
		T	145	1	-	5	1	29	53	9	7	11	29	-	-
CARCINOMA IN SITU (A90,A91)															
A 90	OF BREAST AND GENITOURINARY SYSTEM	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-	-
A 91	OF ALL OTHER AND UNSPECIFIED SITES	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	-	1	-	-	-	-	-	-
TOTAL (A90,A91)															
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
		T	2	-	-	-	-	1	1	-	-	-	-	-	-
A 92	NEOPLASMS OF UNCERTAIN BEHAVIOUR	M	64	-	-	4	3	18	22	-	2	8	7	-	-
		F	56	1	1	-	-	11	23	4	3	6	7	-	-
		T	120	1	1	4	3	29	45	4	5	14	14	-	-
A 93	NEOPLASMS OF UNSPECIFIED NATURE	M	65	6	1	11	-	-	18	10	4	9	6	-	-
		F	65	7	1	6	1	-	15	11	3	10	11	-	-
		T	130	13	2	17	1	-	33	21	7	19	17	-	-
TOTAL (A87-A93)															
		M	192	6	1	15	4	32	61	13	12	24	24	-	-
		F	205	9	2	11	1	27	71	21	7	20	36	-	-
		T	397	15	3	26	5	59	132	34	19	44	60	-	-
TOTAL (A37-A93)															
		M	22,632	433	123	913	680	6,194	8,161	1,097	963	1,509	2,528	11	20
		F	18,179	297	104	691	488	4,673	6,921	884	703	1,244	2,153	7	14
		T	40,811	730	227	1,604	1,168	10,867	15,082	1,981	1,666	2,753	4,681	18	34

III. ENDOCRINE,
NUTRITIONAL, AND METABOLIC

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD.		P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.		YUKON	N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	N.C. DE LA LISTE A(1)
	T.-N.	I.P.E.	N.E.	N.E.	C.B.	T.N.C.													
RATE - TAUX																			
2.8	1.8	1.6	3.1	3.2	2.2	3.0	3.9	3.9	2.5	3.2	-	4.2	MYELOME MULTIPLE ET TUMEURS IMMUNOPROLIFERATIVES	A 82					
2.4	2.1	4.9	3.3	2.6	2.2	2.4	2.5	1.9	1.6	3.2	-	-							
2.6	1.9	3.3	3.2	2.9	2.2	2.7	3.4	2.9	2.1	3.2	-	2.2							
LEUCEMIE (A83-A86)																			
2.3	0.7	-	3.6	2.0	2.1	2.4	1.6	3.7	1.9	2.6	-	4.2	LEUCEMIE LYMPHOIDE	A 83					
1.4	1.1	-	1.2	0.6	1.7	1.3	1.2	1.0	1.8	1.3	-	-							
1.8	0.9	-	2.4	1.3	1.9	1.8	1.4	2.4	1.9	1.9	-	2.2							
LEUCEMIE MYELOIDE																			
2.6	1.1	3.3	1.7	3.5	2.2	2.7	3.9	2.9	2.8	2.7	-	-	LEUCEMIE MYELOIDE	A 84					
2.2	1.4	1.6	1.6	2.0	2.1	2.7	3.1	2.3	2.0	1.5	-	-							
2.4	1.2	2.4	1.7	2.7	2.1	2.7	3.5	2.6	2.4	2.1	-	-							
LEUCEMIE MONGCYTAIRE																			
0.2	-	-	0.2	0.5	0.3	0.1	0.2	0.2	-	0.3	-	-	LEUCEMIE MONGCYTAIRE	A 85					
0.1	-	-	-	-	0.1	0.0	-	-	C.4	0.1	-	-							
0.1	-	-	0.1	0.4	0.2	0.1	0.1	0.1	0.2	0.2	-	-							
LEUCEMIE, AUTRES ET NON PRECISEES																			
2.2	1.8	4.9	3.8	2.6	2.0	2.0	1.0	3.7	1.8	2.8	-	4.2	LEUCEMIE, AUTRES ET NON PRECISEES	A 86					
1.6	1.1	6.5	3.0	2.0	1.5	1.6	1.5	1.7	1.6	1.9	-	-							
1.9	1.4	5.7	3.4	2.3	1.7	1.8	1.3	2.7	1.7	2.3	-	2.2							
TCTAL (A83-A86)																			
7.2	3.5	8.2	9.3	9.0	6.6	7.1	6.7	10.5	6.6	8.4	-	8.3	TCTAL (A83-A86)						
5.4	3.5	8.1	5.8	4.6	5.3	5.6	5.8	5.0	5.8	4.9	-	-							
6.3	3.5	8.2	7.6	6.7	6.0	6.4	6.2	7.7	6.2	6.6	-	4.4							
TOTAL (A79-A86)																			
16.7	9.5	14.8	17.6	19.1	15.7	17.1	19.0	23.2	14.0	17.9	8.2	12.5	TOTAL (A79-A86)						
12.8	7.8	17.9	11.9	10.6	13.3	13.1	16.2	12.2	12.0	12.2	-	-							
14.8	8.6	16.3	14.8	14.8	14.5	15.1	17.5	17.8	13.0	15.0	4.3	6.6							
TOTAL (A37-A86)																			
185.9	149.5	200.2	214.0	165.4	194.3	190.7	214.0	195.6	129.9	183.4	90.3	83.5	TOTAL (A37-A86)						
146.4	102.1	165.7	158.9	139.0	142.2	156.5	166.0	144.3	111.8	153.5	63.8	64.3							
166.0	126.0	182.8	186.2	167.0	167.9	173.3	189.7	170.1	121.1	168.4	77.7	74.3							
TUMEURS BENIGNES ET CELLES DE NATURE NCN PRECISEE (A87-A93)																			
TUMEURS BENIGNES (A87-A89)																			
DES ORGANES GENITAUX DE LA FEMME																			
0.0	-	-	-	-	0.1	-	0.4	-	-	0.1	-	-	DES ORGANES GENITAUX DE LA FEMME	A 87					
0.3	-	-	-	-	0.2	0.3	0.2	0.8	0.2	0.4	-	-	DE L'OEIL, DE L'ENCEPHALE ET DES AUTRES PARTIES DU SYSTEME NERVEUX	A 88					
0.4	-	-	0.9	-	0.3	0.5	0.4	0.2	0.4	0.7	-	-							
0.3	-	-	0.5	-	0.2	0.4	0.3	0.5	0.3	0.5	-	-							
DE TOUS LES SIEGES AUTRES ET NCN PRECISES																			
0.3	-	-	-	0.3	0.3	0.2	0.4	0.4	0.4	0.4	-	-	DE TOUS LES SIEGES AUTRES ET NCN PRECISES	A 89					
0.2	0.4	-	0.2	-	0.1	0.3	0.4	-	-	0.5	-	-							
0.2	0.2	-	0.1	0.1	0.2	0.2	0.4	0.2	0.2	0.5	-	-							
TOTAL (A87-A89)																			
0.5	-	-	-	0.3	0.4	0.5	0.6	1.2	0.6	0.8	-	-	TOTAL (A87-A89)						
0.7	0.4	-	1.2	-	0.5	0.7	1.2	0.2	0.4	1.3	-	-							
0.6	0.2	-	0.6	0.1	0.5	0.6	0.9	0.7	0.5	1.1	-	-							
CARCINOME IN SITU (A90,A91)																			
DU SEIN ET DE L'APPAREIL GENITO-URINAIRE																			
-	-	-	-	-	-	-	-	-	-	-	-	-	DU SEIN ET DE L'APPAREIL GENITO-URINAIRE	A 90					
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-							
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-							
DE TOUS LES SIEGES AUTRES ET NON PRECISES																			
-	-	-	-	-	-	-	-	-	-	-	-	-	DE TOUS LES SIEGES AUTRES ET NON PRECISES	A 91					
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-							
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-							
TOTAL (A90,A91)																			
0.0	-	-	-	-	0.0	0.0	-	-	-	-	-	-	TOTAL (A90,A91)						
0.0	-	-	-	-	0.0	0.0	-	-	-	-	-	-							
TUMEURS A EVOLUTION IMPREVISIBLE																			
0.5	-	-	1.0	0.9	0.6	0.5	-	0.4	0.7	0.5	-	-	TUMEURS A EVOLUTION IMPREVISIBLE	A 92					
0.5	0.4	1.6	-	-	0.3	0.5	0.8	0.6	0.5	0.5	-	-							
0.5	0.2	0.8	0.5	0.4	0.5	0.5	0.4	0.5	0.6	0.5	-	-							
TUMEURS DE NATURE NCA PRECISEE																			
0.5	2.1	1.6	2.6	-	-	0.4	2.0	0.8	0.8	0.4	-	-	TUMEURS DE NATURE NCA PRECISEE	A 93					
0.5	2.5	1.6	1.4	0.3	-	0.3	2.1	0.6	0.9	0.8	-	-							
0.5	2.3	1.6	2.0	0.1	-	0.4	2.0	0.7	0.8	0.6	-	-							
TOTAL (A87-A93)																			
1.6	2.1	1.6	3.6	1.2	1.0	1.4	2.6	2.5	2.1	1.8	-	-	TOTAL (A87-A93)						
1.7	3.2	3.2	2.6	0.3	0.8	1.6	4.0	1.5	1.8	2.6	-	-							
1.6	2.6	2.4	3.1	0.7	0.9	1.5	3.3	2.0	2.0	2.2	-	-							
TOTAL (A37-A93)																			
187.5	151.6	201.8	217.6	166.5	195.3	192.2	216.6	198.1	132.0	185.2	90.3	83.5	TOTAL (A37-A93)						
148.1	105.3	168.9	161.5	139.3	143.1	158.1	170.1	145.8	113.7	156.1	63.8	64.3							
167.6	128.6	185.3	189.3	167.7	168.8	174.9	193.0	172.1	123.0	170.6	77.7	74.3							

III. MALADIES ENDO-
CRINIENNES, DE LA NUTRITION

VOIR NOTE A LA FIN DU TABLEAU.

TABLE G. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1)	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	CANADA	Nfld. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.C.
NUMBER - NOMBRE															
DISEASES AND IMMUNITY DISORDERS (A94-A104)															
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (A94-A101)															
A 94		DISORDERS OF THYROID GLAND	M 18	-	-	-	2	3	7	-	2	1	3	-	-
			F 59	2	1	1	3	18	25	1	1	1	6	-	-
			T 77	2	1	1	5	21	32	1	3	2	9	-	-
A 95		DIABETES MELLITUS	M 1,317	16	7	83	41	353	501	54	47	93	118	3	1
			F 1,635	38	11	87	55	435	627	67	62	108	147	2	-
			T 2,956	54	18	170	96	788	1,128	121	109	201	265	5	1
A 96		DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL	M 6	-	-	1	-	-	3	-	-	2	-	-	-
			F 8	-	-	1	-	1	5	-	1	-	-	-	-
			T 14	-	-	2	-	1	8	-	1	2	-	-	-
A 97		DISEASES OF THYMUS GLAND	M 3	-	-	-	-	-	-	1	-	-	1	-	1
			F -	-	-	-	-	-	-	-	-	-	-	-	-
			T 3	-	-	-	-	-	-	1	-	-	1	-	1
A 98		DISORDERS OF ADRENAL GLANDS	M 9	-	-	-	1	4	1	1	-	-	2	-	-
			F 17	1	-	1	-	8	4	2	-	1	-	-	-
			T 26	1	-	1	1	12	5	3	-	1	2	-	-
A 99		CYSTIC FIBROSIS	M 16	2	-	-	2	5	5	-	-	2	-	-	-
			F 38	1	-	-	-	5	16	4	2	5	5	-	-
			T 54	3	-	-	2	10	21	4	2	7	5	-	-
A 100		OBESITY	M 46	-	-	3	4	13	18	-	4	3	1	-	-
			F 60	2	1	3	3	20	21	1	2	2	5	-	-
			T 106	2	1	6	7	33	39	1	6	5	6	-	-
A 101		ALL OTHERS	M 263	6	1	18	11	92	83	15	4	17	14	1	1
			F 266	13	3	12	11	106	67	8	11	15	20	-	-
			T 529	19	4	30	22	198	150	23	15	32	34	1	1
TOTAL (A94-A101)			M 1,678	24	8	105	61	470	618	71	57	118	139	4	3
			F 2,087	57	16	105	72	593	765	82	75	132	183	2	-
			T 3,765	81	24	210	133	1,063	1,383	154	136	250	322	6	3
NUTRITIONAL DEFICIENCIES (A102-A104)															
A 102		NUTRITIONAL MARASMUS	M 1	1	-	-	-	-	-	-	-	-	-	-	-
			F 4	-	-	-	-	1	1	-	1	-	1	-	-
			T 5	1	-	-	-	1	1	-	1	-	1	-	-
A 103		OTHER PROTEIN-CALORIE MALNUTRITION	M 47	-	-	3	1	15	16	1	-	3	8	-	-
			F 65	-	-	4	4	15	23	1	2	4	12	-	-
			T 112	-	-	7	5	30	39	2	2	7	20	-	-
A 104		ALL OTHER NUTRITIONAL DEFICIENCIES	M 7	-	-	-	-	2	4	-	-	-	1	-	-
			F 6	-	-	-	-	3	1	-	-	1	1	-	-
			T 13	-	-	-	-	5	5	-	-	1	2	-	-
TOTAL (A102-A104)			M 55	1	-	3	1	17	20	1	-	3	9	-	-
			F 75	-	-	4	4	19	25	1	3	5	14	-	-
			T 130	1	-	7	5	36	45	2	3	8	23	-	-
TOTAL (A94-A104)			M 1,733	25	8	108	62	487	638	72	57	121	148	4	3
			F 2,162	57	16	109	76	612	790	84	82	137	157	2	-
			T 3,895	82	24	217	138	1,099	1,428	156	139	258	345	6	3
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (A105-A110)															
ANAEMIAS (A1C5-A1C8)															
A 105		DEFICIENCY ANAEMIAS	M 23	-	-	-	-	13	4	2	1	1	2	-	-
			F 36	2	-	4	3	12	7	2	3	-	3	-	-
			T 59	2	-	4	3	25	11	4	4	1	5	-	-
A 106		HEMOLYTIC ANAEMIAS	M 27	-	-	3	-	7	10	-	1	3	3	-	-
			F 17	1	-	1	-	3	9	1	1	-	1	-	-
			T 44	1	-	4	-	10	19	1	2	3	4	-	-
A 107		APLASTIC ANAEMIA	M 64	2	-	3	2	14	21	4	4	6	8	-	-
			F 58	1	1	2	3	14	23	3	-	4	7	-	-
			T 122	3	1	5	5	28	44	7	4	10	15	-	-
A 108		OTHER AND UNSPECIFIED ANAEMIAS	M 66	3	-	2	3	22	22	3	2	4	5	-	-
			F 92	6	2	3	-	32	32	2	3	5	7	-	-
			T 158	9	2	5	3	54	54	5	5	9	12	-	-
TOTAL (A105-A108)			M 180	5	-	8	5	56	57	9	8	14	18	-	-
			F 203	10	3	10	6	61	71	8	7	9	18	-	-

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	N.F.L.D. P.E.I.			N.S.			N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.		YUKON	N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.P.E.	N.E.	N.E.	N.E.	C.B.							T.N.O.						
RATE - TAUX																			
ET DU METABOLISME ET TROUBLES IMMUNITAIRES (A94-A104)																			
MALADIES ENDOCRINIENNES, DU METABOLISME ET TROUBLES IMMUNITAIRES (A94-A101)																			
0.1	-	-	-	0.6	0.1	0.2	-	0.4	0.1	0.2	-	-	0.2	-	-	-	-	TROUBLES DU CCRPS THYROIDE	A 94
0.5	0.7	1.6	0.2	0.9	0.6	0.6	0.2	0.2	0.1	0.4	-	-	0.1	0.4	-	-	-		
0.3	0.4	0.8	0.1	0.7	0.3	0.4	0.1	0.3	0.1	0.3	-	-	0.1	0.3	-	-	-		
10.9	5.6	11.5	19.8	11.8	11.1	11.8	10.7	9.7	8.1	8.6	24.6	4.2	-	-	-	-	-	DIABETE SUCRE	A 95
13.4	13.5	17.9	20.3	15.7	13.3	14.3	12.9	12.9	9.9	10.7	18.2	-	-	-	-	-	-		
12.1	9.5	14.7	20.1	13.8	12.2	13.1	11.8	11.3	9.0	9.7	21.6	2.2	-	-	-	-	-		
0.0	-	-	0.2	-	-	-	0.1	-	-	-	-	-	0.2	-	-	-	-	TROUBLES DE L'HYPOTHYROIDIE ET DE SON CONTROLE HYPOTHALAMIQUE	A 96
0.1	-	-	0.2	-	0.0	0.1	-	0.2	-	-	-	-	0.1	-	-	-	-		
0.1	-	-	0.2	-	0.0	0.1	-	0.1	0.1	-	-	-	0.1	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES DU THYMUS	A 97
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.1	-	-	-	0.3	0.1	0.0	0.2	-	-	-	-	-	0.1	-	-	-	-	TROUBLES DES GLANDES SURRENALES	A 98
0.1	0.4	-	0.2	-	0.2	0.1	0.4	-	0.1	-	-	-	0.1	-	-	-	-		
0.1	0.2	-	0.1	0.1	0.2	0.1	0.3	-	0.0	0.1	-	-	0.1	-	-	-	-		
0.1	0.7	-	-	0.6	0.2	0.1	-	-	0.2	-	-	-	0.2	-	-	-	-	FIBROSE KYSTIQUE	A 99
0.3	0.4	-	-	-	0.2	0.4	0.8	0.4	0.5	0.4	-	-	0.5	0.4	-	-	-		
0.2	0.5	-	-	0.3	0.2	0.2	0.4	0.2	0.3	0.2	-	-	0.3	0.2	-	-	-		
0.4	-	-	0.7	1.2	0.4	0.4	-	0.8	0.3	0.1	-	-	0.1	-	-	-	-	OBESITE	A 100
0.5	0.7	1.6	0.7	0.9	0.6	0.5	0.2	0.4	0.2	0.4	-	-	0.2	0.4	-	-	-		
0.4	0.4	0.8	0.7	1.0	0.5	0.5	0.1	0.6	0.2	0.2	-	-	0.2	0.2	-	-	-		
2.2	2.1	1.6	4.3	3.2	2.9	2.0	3.0	0.8	1.5	1.0	8.2	4.2	-	-	-	-	-	TOUTES LES AUTRES	A 101
2.2	4.6	4.9	2.8	3.1	3.2	1.5	1.5	2.3	1.4	1.5	-	-	1.4	1.5	-	-	-		
2.2	3.3	3.3	3.5	3.2	3.1	1.7	2.2	1.5	1.4	1.2	4.3	2.2	-	-	-	-	-		
13.9	8.4	13.1	25.0	17.6	14.8	14.6	14.0	11.7	10.3	10.2	32.9	12.5	-	-	-	-	-	TOTAL (A94-A101)	
17.0	20.2	26.0	24.5	20.5	18.2	17.5	16.0	16.4	12.1	13.3	18.2	-	-	-	-	-	-		
15.5	14.3	19.6	24.8	15.1	16.5	16.0	15.0	14.0	11.2	11.7	25.9	6.6	-	-	-	-	-		
ETATS DE CARENCE (A102-A104)																			
0.0	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ATHREPSIE NUTRITIONNELLE	A 102
0.0	-	-	-	-	0.0	0.0	-	0.2	-	0.1	-	-	0.1	-	-	-	-		
0.0	0.2	-	-	-	0.0	0.0	-	0.1	-	0.0	-	-	0.0	-	-	-	-		
0.4	-	-	0.7	0.3	0.5	0.4	0.2	-	0.3	0.6	-	-	0.6	-	-	-	-	AUTRES MALNUTRITIONS PROTEINO-CALORIQUES	A 103
0.5	-	-	0.9	1.1	0.5	0.5	0.2	0.4	0.4	0.9	-	-	0.4	0.9	-	-	-		
0.5	-	-	0.8	0.7	0.5	0.5	0.2	0.2	0.3	0.7	-	-	0.3	0.7	-	-	-		
0.1	-	-	-	-	0.1	0.1	-	-	-	0.1	-	-	0.1	-	-	-	-	TOUTES LES AUTRES ETATS DE CARENCE	A 104
0.0	-	-	-	-	0.1	0.0	-	-	0.1	0.1	-	-	0.1	0.1	-	-	-		
0.1	-	-	-	-	0.1	0.1	-	-	0.0	0.1	-	-	0.0	0.1	-	-	-		
0.5	0.4	-	0.7	0.3	0.5	0.5	0.2	-	0.3	0.7	-	-	0.3	0.7	-	-	-	TOTAL (A102-A104)	
0.6	-	-	0.9	1.1	0.6	0.6	0.2	0.6	0.5	1.0	-	-	0.5	1.0	-	-	-		
0.5	0.2	-	0.8	0.7	0.6	0.5	0.2	0.3	0.4	0.8	-	-	0.4	0.8	-	-	-		
14.4	8.8	13.1	25.7	17.9	15.4	15.0	14.2	11.7	10.6	10.8	32.9	12.5	-	-	-	-	-	TOTAL (A94-A104)	
17.6	20.2	26.0	25.5	21.7	18.7	18.0	16.2	17.0	12.5	14.3	18.2	-	-	-	-	-	-		
16.0	14.4	19.6	25.6	19.8	17.1	16.6	15.2	14.4	11.5	12.6	25.9	6.6	-	-	-	-	-		
IV. MALADIES DU SANG ET ORGANES HEMATOPOIETIQUES (A105-A110)																			
ANEMIES (A105-A108)																			
0.2	-	-	-	-	0.4	0.1	0.4	0.2	0.1	0.1	-	-	0.1	0.1	-	-	-	ANEMIES PAR CARENCE	A 105
0.3	0.7	-	0.9	0.9	0.4	0.2	0.4	0.6	-	0.2	-	-	0.2	-	-	-	-		
0.2	0.4	-	0.5	0.4	0.4	0.1	0.4	0.4	0.0	0.2	-	-	0.0	0.2	-	-	-		
0.2	-	-	0.7	-	0.2	0.2	-	0.2	0.3	0.2	-	-	0.3	0.2	-	-	-	ANEMIES HEMOLYTIQUES	A 106
0.1	0.4	-	0.2	-	0.1	0.2	0.2	0.2	-	0.1	-	-	0.1	-	-	-	-		
0.2	0.2	-	0.5	-	0.2	0.2	0.1	0.2	0.1	0.1	-	-	0.1	0.1	-	-	-		
0.5	0.7	-	0.7	0.6	0.4	0.5	0.8	0.8	0.5	0.6	-	-	0.4	0.5	-	-	-	ANEMIE APLASTIQUE	A 107
0.5	0.4	1.6	0.5	0.9	0.4	0.5	0.6	-	0.4	0.5	-	-	0.4	0.5	-	-	-		
0.5	0.5	0.8	0.6	0.7	0.4	0.5	0.7	0.4	0.4	0.5	-	-	0.4	0.5	-	-	-		
0.5	1.1	-	0.5	0.5	0.7	0.5	0.6	0.4	0.3	0.4	-	-	0.4	-	-	-	-	ANEMIES, AUTRES ET SANS PRECISION	A 108
0.7	2.1	3.2	0.7	-	1.0	0.7	0.4	0.6	0.5	0.5	-	-	0.5	0.5	-	-	-		
0.6	1.6	1.6	0.6	0.4	0.8	0.6	0.5	0.5	0.4	0.4	-	-	0.4	0.4	-	-	-		
1.5	1.8	-	1.5	1.4	1.8	1.3	1.8	1.6	1.2	1.3	-	-	1.3	-	-	-	-	TOTAL (A105-A108)	
1.7	3.5	4.9	2.3	1.7	1.9	1.6	1.5	1.5	0.8	1.3	-	-	1.3	-	-	-	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD. T.-N.	P.-E.-I. I.-P.-E.	N.-S. N.-E.	N.-B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.-N.-O.
		T	383	15	3	18	11	117	128	17	15	23	36	-	-
A 109	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS	M	24	1	-	1	-	8	5	2	-	5	2	-	-
		F	30	-	-	1	2	10	7	-	1	3	6	-	-
		T	54	1	-	2	2	18	12	2	1	8	8	-	-
A 110	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M	126	3	1	7	2	31	49	3	8	12	10	-	-
		F	72	3	1	2	-	21	25	1	6	2	11	-	-
		T	198	6	2	9	2	52	74	4	14	14	21	-	-
	TOTAL (A105-A110)	M	330	9	1	16	7	95	111	14	16	31	30	-	-
		F	305	13	4	13	8	92	103	9	14	14	35	-	-
		T	635	22	5	29	15	187	214	23	30	45	65	-	-
V. MENTAL DISORDERS (A111-A117)															
A 111	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	M	160	3	1	2	3	21	80	8	6	12	24	-	-
		F	242	5	1	4	3	22	147	8	8	12	32	-	-
		T	402	8	2	6	6	43	227	16	14	24	56	-	-
A 112	ALCOHOLIC PSYCHOSES	M	30	-	-	-	-	3	18	1	-	6	2	-	-
		F	8	-	-	-	1	-	2	-	-	2	3	-	-
		T	38	-	-	-	1	3	20	1	-	8	5	-	-
A 113	ALL OTHER PSYCHOSES	M	46	-	-	1	1	5	34	-	1	1	3	-	-
		F	50	-	-	2	-	3	36	3	1	2	3	-	-
		T	96	-	-	3	1	8	70	3	2	3	6	-	-
A 114	ALCOHOL DEPENDENCE SYNDROME	M	339	3	2	10	8	72	119	14	15	52	37	2	5
		F	100	1	1	2	3	12	48	6	2	13	9	1	2
		T	439	4	3	12	11	84	167	20	17	65	46	3	7
A 115	DRUG DEPENDENCE	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 116	OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS	M	203	7	1	18	9	24	71	13	5	17	37	-	1
		F	164	8	6	16	4	14	65	10	6	15	20	-	-
		T	367	15	7	34	13	38	136	23	11	32	57	-	1
A 117	MENTAL RETARDATION	M	13	-	-	1	3	-	4	-	2	2	1	-	-
		F	9	1	-	1	-	-	6	-	-	1	-	-	-
		T	22	1	-	2	3	-	10	-	2	3	1	-	-
	TOTAL (A111-A117)	M	791	13	4	32	24	125	326	36	29	90	104	2	6
		F	573	15	8	25	11	51	304	27	17	45	67	1	2
		T	1,364	28	12	57	35	176	630	63	46	135	171	3	8
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (A118-A126)															
DISEASES OF THE NERVOUS SYSTEM (A118-A124)															
A 118	MENINGITIS	M	53	2	-	1	3	12	14	3	3	7	8	-	-
		F	41	-	-	3	1	8	9	4	2	3	10	1	-
		T	94	2	-	4	4	20	23	7	5	10	18	1	-
A 119	PARKINSON'S DISEASE	M	239	5	1	9	5	37	91	13	13	10	55	-	-
		F	183	4	1	2	4	42	65	7	8	14	36	-	-
		T	422	9	2	11	9	79	156	20	21	24	91	-	-
A 120	OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	M	412	8	4	15	18	64	176	25	12	26	64	-	-
		F	389	8	1	10	14	80	161	14	12	25	60	-	-
		T	801	16	5	25	32	144	337	39	24	55	124	-	-
A 121	MULTIPLE SCLEROSIS	M	71	-	1	3	1	15	17	6	5	12	11	-	-
		F	122	2	1	9	-	34	42	4	5	9	16	-	-
		T	193	2	2	12	1	49	59	10	10	21	27	-	-
A 122	INFANTILE CEREBRAL PALSY	M	33	1	-	-	-	9	11	-	2	4	5	-	1
		F	25	1	-	1	1	6	10	1	1	2	1	-	1
		T	58	2	-	1	1	15	21	1	3	6	6	-	2
A 123	EPILEPSY	M	155	4	2	5	2	42	55	7	8	18	12	-	-
		F	118	-	-	5	-	28	44	8	1	14	17	-	1
		T	273	4	2	10	2	70	99	15	9	32	29	-	1
A 124	OTHER DISEASES OF THE NERVOUS SYSTEM	M	307	9	1	11	5	107	95	15	12	27	24	1	-
		F	213	3	2	5	5	90	55	15	5	18	14	-	1
		T	520	12	3	16	10	197	150	30	17	45	38	1	1
	TOTAL (A118-A124)	M	1,270	29	9	44	34	286	459	69	55	104	179	1	1
		F	1,091	18	5	35	25	288	386	53	34	89	154	1	3
		T	2,361	47	14	79	59	574	845	122	89	193	333	2	4
A 125	DISORDERS OF THE EYE AND ADNEXA	M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	4	-	-	1	-	-	-
		T	6	-	-	-	-	-	4	-	-	1	1	-	-
A 126	DISEASES OF THE EAR AND	M	2	1	-	-	-	-	-	-	-	1	-	-	

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	Nfld. P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)		NO. DE LA LISTE A(1)
	T.-M.	I.P.E.	N.E.						C.B.		T.N.C.			
RATE - TAUX														
1.6	2.6	2.4	2.1	1.6	1.8	1.5	1.7	1.5	1.0	1.3	-	-		
0.2	0.4	-	0.2	-	0.3	0.1	0.4	-	0.4	0.1	-	-	PURPURA ET AUTRES	A 109
0.2	-	-	0.2	0.6	0.3	0.2	-	0.2	0.3	0.4	-	-	AFFECTIONS HEMORRAGIQUES	
0.2	0.2	-	0.2	0.3	0.3	0.1	0.2	0.1	0.4	0.3	-	-		
1.0	1.1	1.6	1.7	0.6	1.0	1.2	0.6	1.6	1.0	0.7	-	-	TOUTES LES AUTRES MALADIES	A 110
0.6	1.1	1.6	0.5	-	0.6	0.6	0.2	1.2	0.2	0.8	-	-	DU SANG ET DES ORGANES	
0.8	1.1	1.6	1.1	0.3	0.8	0.5	0.4	1.4	0.6	0.8	-	-	HEMATOPOIETIQUES	
2.7	3.2	1.6	3.8	2.0	3.0	2.6	2.8	3.3	2.7	2.2	-	-	TOTAL (A105-A110)	
2.5	4.6	6.5	3.0	2.3	2.8	2.4	1.7	2.9	1.3	2.5	-	-		
2.6	3.9	4.1	3.4	2.2	2.9	2.5	2.2	3.1	2.0	2.4	-	-		
V. TROUBLES MENTAUX (A111-A117)														
1.3	1.1	1.6	0.5	0.9	0.7	1.9	1.6	1.2	1.0	1.8	-	-	ETATS PSYCHOTIQUES	A 111
2.0	1.8	1.6	0.9	0.9	0.7	3.4	1.5	1.7	1.1	2.3	-	-	ORGANIQUES SENILES ET	
1.7	1.4	1.6	0.7	0.9	0.7	2.6	1.6	1.4	1.1	2.0	-	-	PRESENILES	
0.2	-	-	-	-	0.1	0.4	0.2	-	0.5	0.1	-	-	PSYCHOSES ALCOOLIQUES	A 112
0.1	-	-	-	0.3	-	0.0	-	-	0.2	0.2	-	-		
0.2	-	-	-	0.1	0.0	0.2	0.1	-	0.4	0.2	-	-		
0.4	-	-	0.2	0.3	0.2	0.8	-	0.2	0.1	0.2	-	-	TOUTES LES AUTRES PSYCHOSES	A 113
0.4	-	-	0.5	-	0.1	0.8	0.6	0.2	0.2	0.2	-	-		
0.4	-	-	0.4	0.1	0.1	0.8	0.3	0.2	0.1	0.2	-	-		
2.8	1.1	3.3	2.4	2.3	2.3	2.8	2.8	3.1	4.5	2.7	16.4	20.9	SYNDROME DE DEPENDANCE	A 114
0.8	0.4	1.6	0.5	0.9	0.4	1.1	1.2	0.4	1.2	0.7	9.1	9.2	ALCOOLIQUE	
1.8	0.7	2.4	1.4	1.6	1.3	1.9	1.9	1.8	2.9	1.7	13.0	15.3		
-	-	-	-	-	-	-	-	-	-	-	-	-	PHARMACODEPENDANCE	A 115
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-		
1.7	2.5	1.6	4.3	2.6	0.8	1.7	2.6	1.0	1.5	2.7	-	4.2	TROUBLES NEVROTIQUES, DE	A 116
1.3	2.8	9.7	3.7	1.1	0.4	1.5	1.9	1.2	1.4	1.5	-	-	LA PERSONNALITE ET AUTRES	
1.5	2.6	5.7	4.0	1.9	0.6	1.6	2.2	1.1	1.4	2.1	-	2.2	NON PSYCHOTIQUES	
0.1	-	-	0.2	0.9	-	0.1	-	0.4	0.2	0.1	-	-	RETARD MENTAL	A 117
0.1	0.4	-	0.2	-	-	0.1	-	-	0.1	-	-	-		
0.1	0.2	-	0.2	0.4	-	0.1	-	0.2	0.1	0.0	-	-		
6.6	4.6	6.6	7.6	6.9	3.9	7.7	7.1	6.0	7.9	7.6	16.4	25.0	TOTAL (A111-A117)	
4.7	5.3	13.0	5.8	3.1	1.6	6.9	5.2	3.5	4.1	4.9	9.1	9.2		
5.6	4.9	9.8	6.7	5.0	2.7	7.3	6.1	4.8	6.0	6.2	13.0	17.5		
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS (A118-A126)														
MALADIES DU SYSTEME NERVEUX (A118-A124)														
0.4	0.7	-	0.2	0.9	0.4	0.3	0.6	0.6	0.6	0.6	-	-	MENINGITES	A 118
0.3	-	-	0.7	0.3	0.2	0.2	0.8	0.4	0.3	0.7	9.1	-		
0.4	0.4	-	0.5	0.6	0.3	0.3	0.7	0.5	0.4	0.7	4.3	-		
2.0	1.8	1.6	2.1	1.4	1.2	2.1	2.6	2.7	0.9	4.0	-	-	SYNDROME PARKINSONNIEN	A 119
1.5	1.4	1.6	0.5	1.1	1.3	1.5	1.3	1.7	1.3	2.6	-	-		
1.7	1.6	1.6	1.3	1.3	1.2	1.8	1.5	2.2	1.1	3.3	-	-		
3.4	2.8	6.6	3.6	5.2	2.0	4.1	4.9	2.5	2.3	4.7	-	-	AUTRES AFFECTIONS HEREDITAIRES ET DEGENERATIVES	A 120
3.2	2.8	1.6	2.3	4.0	2.4	3.7	2.7	2.5	2.6	4.4	-	-	DU SYSTEME NERVEUX CENTRAL	
3.3	2.8	4.1	3.0	4.6	2.2	3.9	3.8	2.5	2.5	4.5	-	-		
0.6	-	1.6	0.7	0.3	0.5	0.4	1.2	1.0	1.0	0.8	-	-	SCLEROSE EN PLAQUES	A 121
1.0	0.7	1.6	2.1	-	1.0	1.0	0.8	1.0	0.8	1.2	-	-		
0.8	0.4	1.6	1.4	0.1	0.8	0.7	1.0	1.0	0.9	1.0	-	-		
0.3	0.4	-	-	-	0.3	0.3	-	0.4	0.3	0.4	-	4.2	PARALYSIE CEREBRALE	A 122
0.2	0.4	-	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	-	4.6	INFANTILE	
0.2	0.4	-	0.1	0.1	0.2	0.2	0.1	0.3	0.3	0.2	-	4.4		
1.3	1.4	3.3	1.2	0.6	1.3	1.3	1.4	1.6	1.6	0.9	-	-	EPILEPSIE	A 123
1.0	-	-	1.2	-	0.9	1.0	1.5	0.2	1.3	1.2	-	4.6		
1.1	0.7	1.6	1.2	0.3	1.1	1.1	1.5	0.9	1.4	1.1	-	2.2		
2.5	3.2	1.6	2.6	1.4	3.4	2.2	3.0	2.5	2.4	1.8	8.2	-	AUTRES MALADIES DU SYSTEME	A 124
1.7	1.1	3.2	1.2	1.4	2.8	1.3	2.9	1.0	1.6	1.0	-	4.6	NERVEUX	
2.1	2.1	2.4	1.9	1.4	3.1	1.7	2.9	1.8	2.0	1.4	4.3	2.2		
10.5	10.2	14.8	10.5	9.8	9.0	10.8	13.6	11.3	9.1	13.1	8.2	4.2	TOTAL (A118-A124)	
8.9	6.4	8.1	8.2	7.1	8.8	8.8	10.2	7.1	8.1	11.2	9.1	13.8		
9.7	8.3	11.4	9.3	8.5	8.9	9.8	11.9	9.2	8.6	12.1	8.6	6.7		
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	MALADIES DE L'OEIL ET DE	A 125
0.0	-	-	-	-	-	0.1	-	-	0.1	-	-	-	SES ANNEXES	
0.0	-	-	-	-	-	0.0	-	-	0.0	0.0	-	-		
0.0	0.4	-	-	-	-	-	-	-	0.1	-	-	-	MALADIES DE L'OREILLE ET DE	A 126

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.A.G.
NUMBER - NOMBRE															
	MASTOID PROCESS	F	5	-	-	-	-	1	2	-	-	-	1	1	-
		T	7	1	-	-	-	1	2	-	-	1	1	1	-
	TOTAL (A118-A126)	M	1,273	30	9	44	34	286	459	65	55	105	180	1	1
		F	1,101	18	5	35	25	289	392	53	34	90	155	2	3
		T	2,374	48	14	79	59	575	851	122	89	195	335	3	4
VII. DISEASES OF THE CIRCULATORY SYSTEM (A127-A160)															
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (A127-A131)															
A 127	ACUTE RHEUMATIC FEVER	M	4	-	-	1	-	2	1	-	-	-	-	-	-
		F	3	-	-	-	-	2	1	-	-	-	-	-	-
		T	7	-	-	1	-	4	2	-	-	-	-	-	-
CHRONIC RHEUMATIC HEART DISEASE (A128-A131)															
A 128	DISEASES OF MITRAL VALVE	M	74	-	1	1	-	25	24	2	2	12	7	-	-
		F	206	1	-	4	3	54	76	8	12	22	26	-	-
		T	280	1	1	5	3	79	100	10	14	34	33	-	-
A 129	DISEASE OF AORTIC VALVE	M	19	-	-	-	-	6	6	1	-	1	5	-	-
		F	13	-	-	-	1	6	3	-	-	-	3	-	-
		T	32	-	-	-	1	12	9	1	-	1	8	-	-
A 130	DISEASES OF MITRAL AND AORTIC VALVES	M	44	-	-	-	-	18	12	2	1	3	8	-	-
		F	86	-	-	2	-	43	15	2	1	4	19	-	-
		T	130	-	-	2	-	61	27	4	2	7	27	-	-
A 131	ALL OTHER CHRONIC RHEUMATIC HEART DISEASE	M	80	1	-	2	3	10	37	4	7	7	9	-	-
		F	142	2	1	4	2	14	67	10	4	16	22	-	-
		T	222	3	1	6	5	24	104	14	11	23	31	-	-
	TOTAL (A128-A131)	M	217	1	1	3	3	59	79	9	10	23	29	-	-
		F	447	3	1	10	6	117	161	20	17	42	70	-	-
		T	664	4	2	13	9	176	240	29	27	65	99	-	-
	TOTAL (A127-A131)	M	221	1	1	4	3	61	80	9	10	23	29	-	-
		F	450	3	1	10	6	119	162	20	17	42	70	-	-
		T	671	4	2	14	9	180	242	29	27	65	99	-	-
HYPERTENSIVE DISEASE (A132-A135)															
A 132	ESSENTIAL HYPERTENSION	M	91	1	-	6	3	33	29	8	4	3	4	-	-
		F	149	1	1	5	6	56	47	8	4	6	15	-	-
		T	240	2	1	11	9	89	76	16	8	9	19	-	-
A 133	HYPERTENSIVE HEART DISEASE	M	254	5	3	11	5	57	80	9	20	22	41	-	1
		F	368	8	6	10	7	107	103	16	17	25	69	-	-
		T	622	13	9	21	12	164	183	25	37	47	110	-	1
A 134	HYPERTENSIVE RENAL DISEASE	M	140	-	-	5	5	25	51	5	12	16	21	-	-
		F	138	1	1	5	3	21	51	7	12	14	23	-	-
		T	278	1	1	10	8	46	102	12	24	30	44	-	-
A 135	HYPERTENSIVE HEART AND RENAL DISEASE	M	110	3	3	-	3	73	16	-	1	2	9	-	-
		F	171	2	7	3	2	102	31	3	2	9	10	-	-
		T	281	5	10	3	5	175	47	3	3	11	19	-	-
	TOTAL (A132-A135)	M	595	9	6	22	16	188	176	22	37	43	75	-	1
		F	826	12	15	23	18	286	232	34	35	54	117	-	-
		T	1,421	21	21	45	34	474	408	56	72	97	192	-	1
ISCHAEMIC HEART DISEASE (A136-A139)															
A 136	ACUTE MYOCARDIAL INFARCTION	M	18,462	413	143	806	608	4,543	6,671	943	940	1,213	2,062	5	11
		F	10,760	217	79	466	366	2,711	4,053	528	474	603	1,258	3	2
		T	29,222	630	222	1,272	974	7,254	10,724	1,471	1,414	1,816	3,320	12	13
A 137	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE	M	840	4	-	3	7	606	158	21	10	17	14	-	-
		F	501	2	1	-	4	309	152	7	7	12	7	-	-
		T	1,341	6	1	3	11	915	310	28	17	29	21	-	-
A 138	ANGINA PECTORIS	M	49	1	-	-	2	33	9	1	-	2	1	-	-
		F	48	-	-	-	1	30	11	-	4	-	2	-	-
		T	97	1	-	-	3	63	20	1	4	2	3	-	-
A 139	ALL OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	M	9,524	163	52	395	240	1,661	4,302	491	330	677	1,204	7	2
		F	8,499	121	39	334	229	1,295	4,253	410	265	532	1,016	4	1
		T	18,023	284	91	729	469	2,956	8,555	901	595	1,209	2,220	11	3
	TOTAL (A136-A139)	M	28,875	581	195	1,204	857	6,843	11,140	1,456	1,280	2,009	3,281	16	13
		F	19,808	340	119	800	600	4,345	8,469	945	750	1,147	2,283	7	3

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	MFLD.	P.-E.-I.	N.-S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.	YUKON	N.-W.-T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.-P.-E.	M.-E.							C.-B.		T.-N.O.		
RATE - TAUX														
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	9.1	-	L'APCOPHYSE MASTOIDE	
0.0	0.2	-	-	-	0.0	0.0	-	-	0.0	0.0	4.3	-		
10.5	10.5	14.8	10.5	9.8	9.0	10.8	13.6	11.3	9.2	13.2	8.2	4.2	TOTAL (A118-A126)	
9.0	6.4	8.1	8.2	7.1	8.8	9.0	10.2	7.1	8.2	11.2	18.2	12.8		
9.8	8.5	11.4	9.3	8.5	8.9	9.9	11.5	9.2	8.7	12.2	13.0	8.7		
VII. MALADIES DE L'APPAREIL CIRCULATOIRE (A127-A160)														
RHUMATISME ARTICULAIRE ET CARDIOPATHIES RHUMATISMALES (A127-A131)														
0.0	-	-	0.2	-	0.1	0.0	-	-	-	-	-	-	RHUMATISME ARTICULAIRE AIGU	A 127
0.0	-	-	-	-	0.1	0.0	-	-	-	-	-	-		
0.0	-	-	0.1	-	0.1	0.0	-	-	-	-	-	-		
CARDIOPATHIES RHUMATISMALES CHRONIQUES (A128-A131)														
0.6	-	1.6	0.2	-	0.8	0.6	0.4	0.4	1.0	0.5	-	-	MALADIES DE LA VALVULE MITRALE	A 128
1.7	0.4	-	0.9	0.9	1.7	1.7	1.5	2.5	2.0	1.9	-	-		
1.2	0.2	0.8	0.6	0.4	1.2	1.2	1.0	1.4	1.5	1.2	-	-		
0.2	-	-	-	-	0.2	0.1	0.2	-	0.1	0.4	-	-	MALADIES DE LA VALVULE AORTIQUE	A 129
0.1	-	-	-	0.3	0.2	0.1	-	-	-	0.2	-	-		
0.1	-	-	-	0.1	0.2	0.1	0.1	-	0.0	0.3	-	-		
0.4	-	-	-	-	0.6	0.3	0.4	0.2	0.3	0.6	-	-	MALADIES DES VALVULES MITRALE ET AORTIQUE	A 130
0.7	-	-	0.5	-	1.3	0.3	0.4	0.2	0.4	1.4	-	-		
0.5	-	-	0.2	-	0.9	0.3	0.4	0.2	0.3	1.0	-	-		
0.7	0.4	-	0.5	0.9	0.3	0.9	0.8	1.4	0.6	0.7	-	-	TOUTES LES AUTRES CARDIOPATHIES RHUMATISMALES CHRONIQUES	A 131
1.2	0.7	1.6	0.9	0.6	0.4	1.5	1.9	0.8	1.5	1.6	-	-		
0.9	0.5	0.8	0.7	0.7	0.4	1.2	1.4	1.1	1.0	1.1	-	-		
1.8	0.4	1.6	0.7	0.9	1.9	1.9	1.8	2.1	2.0	2.1	-	-	TOTAL (A128-A131)	
3.6	1.1	1.6	2.3	1.7	3.6	3.7	3.8	3.5	3.8	5.1	-	-		
2.7	0.7	1.6	1.5	1.3	2.7	2.8	2.8	2.8	2.9	3.6	-	-		
1.8	0.4	1.6	1.0	0.9	1.9	1.9	1.8	2.1	2.0	2.1	-	-	TOTAL (A127-A131)	
3.7	1.1	1.6	2.3	1.7	3.6	3.7	3.8	3.5	3.8	5.1	-	-		
2.8	0.7	1.6	1.7	1.3	2.8	2.8	2.8	2.8	2.9	3.6	-	-		
MALADIES HYPERTENSIVES (A132-A135)														
0.8	0.4	-	1.4	0.9	1.0	0.7	1.6	0.8	0.3	0.3	-	-	HYPERTENSION ESSENTIELLE	A 132
1.2	0.4	1.6	1.2	1.7	1.7	1.1	1.5	0.8	0.5	1.1	-	-		
1.0	0.4	0.8	1.3	1.3	1.4	0.9	1.6	0.8	0.4	0.7	-	-		
2.1	1.8	4.9	2.6	1.4	1.8	1.9	1.8	4.1	1.9	3.0	-	4.2	CARDIOPATHIE DUE A L'HYPERTENSION ARTERIELLE	A 133
3.0	2.8	9.7	2.3	2.0	3.3	2.4	3.1	3.5	2.3	5.0	-	-		
2.6	2.3	7.3	2.5	1.7	2.5	2.1	2.4	3.8	2.1	4.0	-	2.2		
1.2	-	-	1.2	1.4	0.8	1.2	1.0	2.5	1.4	1.5	-	-	NEPHROPATHIE DUE A L'HYPERTENSION ARTERIELLE	A 134
1.1	0.4	1.6	1.2	0.9	0.6	1.2	1.3	2.5	1.3	1.7	-	-		
1.1	0.2	0.8	1.2	1.1	0.7	1.2	1.2	2.5	1.3	1.6	-	-		
0.9	1.1	4.9	-	0.9	2.3	0.4	-	0.2	0.2	0.7	-	-	CARDIO-NEPHROPATHIE DUE A L'HYPERTENSION ARTERIELLE	A 135
1.4	0.7	11.4	0.7	0.6	3.1	0.7	0.6	0.4	0.8	0.7	-	-		
1.2	0.9	8.2	0.4	0.7	2.7	0.5	0.3	0.3	0.5	0.7	-	-		
4.9	3.2	9.8	5.2	4.6	5.9	4.1	4.3	7.6	3.8	5.5	-	4.2	TOTAL (A132-A135)	
6.7	4.3	24.4	5.4	5.1	8.8	5.3	6.5	7.3	4.9	8.5	-	-		
5.8	3.7	17.1	5.3	4.9	7.4	4.7	5.5	7.4	4.3	7.0	-	2.2		
CARDIOPATHIES ISCHEMIQUES (A136-A139)														
153.0	144.6	234.7	192.1	175.7	143.2	157.1	186.2	193.4	114.9	151.0	73.9	45.9	INFARCTUS AIGU DU MYOCARDE	A 136
87.7	77.0	128.3	108.9	104.5	83.0	92.6	101.6	98.3	55.1	91.2	27.3	9.2		
120.0	111.0	181.2	150.1	139.9	112.7	124.3	143.2	146.0	85.6	121.0	51.8	28.4		
7.0	1.4	-	0.7	2.0	19.1	3.7	4.1	2.1	1.5	1.0	-	-	AUTRES FORMES AIGUES OU SUBAIGUES DES CARDIOPATHIES ISCHEMIQUES	A 137
4.1	0.7	1.6	-	1.1	9.5	3.5	1.3	1.5	1.1	0.5	-	-		
5.5	1.1	0.8	0.4	1.6	14.2	3.6	2.7	1.8	1.3	0.8	-	-		
0.4	0.4	-	-	0.6	1.0	0.2	0.2	-	0.2	0.1	-	-	ANGINE DE POITRINE	A 138
0.4	-	-	-	0.3	0.9	0.3	-	0.8	-	0.1	-	-		
0.4	0.2	-	-	0.4	1.0	0.2	0.1	0.4	0.1	0.1	-	-		
78.9	57.1	85.3	94.1	69.4	52.4	101.3	96.9	67.9	59.2	88.2	57.5	8.3	TOUTES LES AUTRES FORMES DE CARDIOPATHIE ISCHEMIQUE CHRONIQUE	A 139
69.2	42.9	63.3	78.1	65.4	39.6	97.1	78.9	55.0	48.6	73.7	36.4	4.6		
74.0	50.0	74.3	86.0	67.3	45.9	99.2	87.8	61.4	54.0	80.9	47.5	6.6		
239.3	203.4	320.0	287.0	247.7	215.7	262.3	287.5	263.3	175.7	240.3	131.4	54.2	TOTAL (A136-A139)	
161.4	120.6	193.3	187.0	171.2	133.0	193.4	181.8	155.5	104.8	165.5	63.8	13.8		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
				T.-N.	I.P.E.	N.E.							C.B.		T.-N.C.
NUMBER - NOMBRE															
		T	48,683	921	314	2,004	1,457	11,188	19,609	2,401	2,030	3,156	5,564	23	16
A 140	DISEASES OF PULMGNARY CIRCULATION	M	485	12	8	23	15	96	151	39	35	46	19	-	-
		F	467	11	2	27	16	50	159	46	21	36	19	-	-
		T	952	23	10	50	31	186	390	85	56	82	38	-	1
	OTHER FORMS OF HEART DISEASE (A141-A148)														
A 141	ACUTE AND SUBACUTE ENDOCARDITIS	M	23	2	-	1	1	3	4	2	4	2	4	-	-
		F	17	-	-	2	-	4	4	1	-	1	5	-	-
		T	40	2	-	3	1	7	8	3	4	3	9	-	-
A 142	ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM	M	52	1	-	2	1	16	17	4	2	2	7	-	-
		F	48	-	-	2	3	12	12	2	3	2	12	-	-
		T	100	1	-	4	4	28	29	6	5	4	19	-	-
	OTHER DISEASES OF ENDOCARDIUM (A143-A145)														
A 143	MITRAL VALVE DISCRDERS	M	55	3	-	2	-	11	15	3	8	7	6	-	-
		F	49	-	2	1	2	9	16	1	11	1	6	-	-
		T	104	3	2	3	2	20	31	4	19	8	12	-	-
A 144	AORTIC VALVE DISCRDERS	M	175	3	-	3	10	24	59	5	20	14	36	-	1
		F	151	2	2	3	3	43	49	6	13	7	23	-	-
		T	326	5	2	6	13	67	108	11	33	21	59	-	1
A 145	ALL OTHER DISEASES OF ENDOCARDIUM	M	41	-	-	1	3	6	20	1	2	3	5	-	-
		F	66	1	-	2	2	8	26	2	6	7	12	-	-
		T	107	1	-	3	5	14	46	3	8	10	17	-	-
	TOTAL (A143-A145)	M	271	6	-	6	13	41	54	5	30	24	47	-	1
		F	266	3	4	6	7	60	91	9	30	15	41	-	-
		T	537	9	4	12	20	101	185	18	60	39	88	-	1
A 146	HEART FAILURE	M	1,406	28	11	73	86	501	303	120	121	58	58	5	2
		F	1,564	50	14	106	76	570	356	124	90	113	63	1	1
		T	2,970	78	25	179	162	1,071	659	244	211	121	121	6	3
A 147	MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION	M	140	1	3	7	2	58	28	2	10	19	10	-	-
		F	174	1	1	13	8	66	59	4	6	7	9	-	-
		T	314	2	4	20	10	124	87	6	16	26	19	-	-
A 148	ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE	M	1,797	47	6	87	82	628	488	95	63	119	177	1	4
		F	1,423	33	11	90	64	485	362	74	76	69	156	-	3
		T	3,220	80	17	177	146	1,113	850	169	139	188	333	1	7
	TOTAL (A141-A148)	M	3,689	85	20	176	185	1,247	934	232	230	264	303	6	7
		F	3,492	87	30	219	158	1,197	884	214	205	207	286	1	4
		T	7,181	172	50	395	343	2,444	1,818	446	435	471	589	7	11
	CEREBROVASCULAR DISEASES (A149-A155)														
A 149	SUBARACHNOID HAEMORRHAGE	M	323	7	1	12	6	86	113	24	12	17	42	1	2
		F	511	2	1	12	13	140	177	33	24	42	65	1	1
		T	834	9	2	24	19	226	290	57	36	59	107	2	3
A 150	INTRACEREBRAL AND OTHER INTRACRANIAL HAEMORRHAGE	M	926	17	6	24	29	275	303	47	48	63	114	-	-
		F	996	13	5	31	26	316	319	51	49	63	122	1	-
		T	1,922	30	11	55	55	591	622	98	97	126	236	1	-
A 151	OCCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	M	110	2	-	4	-	45	33	5	3	5	12	-	1
		F	81	1	-	-	1	25	28	2	2	5	17	-	-
		T	191	3	-	4	1	70	61	7	5	10	29	-	1
A 152	CEREBRAL THROMBOSIS AND UNSPECIFIED OCCCLUSION OF CEREBRAL ARTERIES	M	1,094	24	-	27	24	332	356	43	43	75	166	-	-
		F	1,252	17	2	37	25	354	405	51	58	94	209	-	-
		T	2,346	41	2	64	49	686	761	94	101	173	375	-	-
A 153	CEREBRAL EMBOLISM	M	42	2	-	2	-	23	8	1	4	-	1	-	1
		F	46	1	-	-	1	14	17	1	6	-	6	-	-
		T	88	3	-	2	1	37	25	2	10	-	7	-	1
A 154	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	M	3,184	88	20	166	111	591	1,236	188	146	269	364	2	3
		F	4,023	80	19	204	128	736	1,624	227	190	333	481	-	1
		T	7,207	168	39	370	239	1,327	2,860	415	336	602	845	2	4
A 155	OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES	M	922	10	8	20	16	240	350	55	35	57	91	-	-
		F	1,335	11	7	27	17	345	593	85	57	53	137	1	2
		T	2,257	21	15	47	33	585	943	140	92	110	228	1	2
	TOTAL (A149-A155)	M	6,601	150	35	255	186	1,592	2,439	363	291	490	750	3	7
		F	8,244	125	34	311	211	1,930	3,163	450	386	590	1,037	3	4
		T	14,845	275	69	566	397	3,522	5,602	813	677	1,080	1,827	6	11
	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (A156-A158)														
A 156	ATHEROSCLEROSIS	M	1,251	20	12	52	37	369	424	54	63	82	138	-	-
		F	1,874	17	14	60	47	509	780	67	70	156	172	1	1
		T	3,125	37	26	112	84	878	1,204	121	133	238	310	1	1

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD. T.-N.	P.-E.-I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C. C.B.	YUKON	N.-W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
200.0	162.2	256.3	236.5	209.2	173.8	227.3	234.0	209.6	141.0	202.7	99.3	35.0		
4.0	4.2	13.1	5.5	4.3	3.0	4.5	7.7	7.2	4.0	1.4	-	4.2	TROUBLES DE LA CIRCULATION PULMONAIRE	A 140
3.8	3.9	3.2	6.3	4.6	2.8	4.5	8.9	4.4	3.3	1.4	-	-		
3.9	4.1	8.2	5.9	4.5	2.9	4.5	8.3	5.8	3.7	1.4	-	2.2		
													AUTRES FORMES DE CARCIU- PATHIES (A141-A148)	
0.2	0.7	-	0.2	0.3	0.1	0.1	0.4	0.8	0.2	0.3	-	-	ENCOCCARDITES AIGUE ET SUBAIGUE	A 141
0.1	-	-	0.5	-	0.1	0.1	0.2	-	C.1	0.4	-	-		
0.2	0.4	-	0.4	0.1	0.1	0.1	0.3	0.4	0.1	0.3	-	-		
0.4	0.4	-	0.5	0.3	0.5	0.4	0.8	0.4	0.2	0.5	-	-	PERICARDITE AIGUE, MYCCARDITE AIGUE, ET AUTRES MALACIES DU PERICARDE	A 142
0.4	-	-	0.5	0.9	0.4	0.3	0.4	0.6	0.2	0.9	-	-		
0.4	0.2	-	0.5	0.6	0.4	0.3	0.6	0.5	0.2	0.7	-	-		
													AUTRES MALACIES DE L'ENDOCARDE (A143-A145)	
0.5	1.1	-	0.5	-	0.3	0.4	0.6	1.6	0.6	0.4	-	-	AFFECTIIONS DE LA VALVULE MITRALE	A 143
0.4	-	3.2	0.2	0.6	0.3	0.4	0.2	2.3	0.1	0.4	-	-		
0.4	0.5	1.6	0.4	0.3	0.3	0.4	0.4	2.0	0.4	0.4	-	-		
1.5	1.1	-	0.7	2.9	0.8	1.4	1.0	4.1	1.2	2.6	-	4.2	AFFECTIIONS DE LA VALVULE AORTIQUE	A 144
1.2	0.7	3.2	0.7	0.9	1.3	1.1	1.2	2.7	0.6	1.7	-	-		
1.3	0.9	1.6	0.7	1.9	1.0	1.3	1.1	3.4	0.9	2.1	-	2.2		
0.3	-	-	0.2	0.9	0.2	0.5	0.2	0.4	0.3	0.4	-	-	TOUTES LES ALTRES MALADIES DE L'ENDOCARDE	A 145
0.5	0.4	-	0.5	0.6	0.2	0.6	0.4	1.2	0.6	0.9	-	-		
0.4	0.2	-	0.4	0.7	0.2	0.5	0.3	0.8	0.4	0.6	-	-		
2.2	2.1	-	1.4	3.8	1.3	2.2	1.8	6.2	2.1	3.4	-	4.2	TOTAL (A143-A145)	
2.2	1.1	6.5	1.4	2.0	1.8	2.1	1.7	6.2	1.4	3.0	-	-		
2.2	1.6	3.3	1.4	2.9	1.6	2.1	1.8	6.2	1.7	3.2	-	2.2		
11.7	9.8	18.1	17.4	24.5	15.8	7.1	23.7	24.9	8.6	4.2	41.1	8.3	INSUFFISANCE CARDIAQUE	A 146
12.7	17.7	22.7	24.8	21.7	17.5	8.1	23.9	18.7	10.3	4.6	9.1	4.6		
12.2	13.7	20.4	21.1	23.3	16.6	7.6	23.8	21.8	9.4	4.4	25.9	6.6		
1.2	0.4	4.9	1.7	0.6	1.8	0.7	0.4	2.1	1.7	0.7	-	-	MYCCARDITE, SANS PRECISION ET DEGENERESCENCE DU MYCCARDE	A 147
1.4	0.4	1.6	3.0	2.3	2.0	1.3	0.8	1.2	0.6	0.7	-	-		
1.3	0.4	3.3	2.4	1.4	1.9	1.0	0.6	1.7	1.2	0.7	-	-		
14.9	16.5	9.8	20.7	23.7	19.8	11.5	18.8	13.0	10.4	13.0	6.2	16.7	TOUTES LES FORMES AUTRES ET MAL DEFINIES DE CARDIOPATHIES	A 148
11.6	11.7	17.9	21.0	18.3	14.8	8.3	14.2	15.8	6.3	11.3	-	13.8		
13.2	14.1	13.9	20.9	21.0	17.3	9.9	16.5	14.4	8.4	12.1	4.3	15.3		
30.6	29.8	32.8	41.9	53.5	39.3	22.0	45.8	47.3	23.1	22.2	49.3	29.2	TOTAL (A141-A148)	
28.4	30.9	48.7	51.2	45.1	36.6	20.2	41.2	42.5	18.9	20.7	9.1	18.4		
29.5	30.3	40.8	46.6	49.3	38.0	21.1	43.5	44.9	21.0	21.5	30.2	24.0		
													MALADIES VASCULAIRES CEREBRALES (A149-A155)	
2.7	2.5	1.6	2.9	1.7	2.7	2.7	4.7	2.5	1.5	3.1	8.2	8.3	HÉMORRAGIE SOUS- ARACHNOÏDIENNE	A 149
4.2	0.7	1.6	2.8	3.7	4.3	4.0	6.3	5.0	3.8	4.7	9.1	4.6		
3.4	1.6	1.6	2.8	2.7	3.5	3.4	5.6	3.7	2.6	3.9	8.6	6.6		
7.7	6.0	9.8	5.7	8.4	8.7	7.1	9.3	9.9	5.5	8.4	-	-	HÉMORRAGIE CEREBRALE ET AUTRES HÉMORRAGIES INTRACRANIENNES	A 150
8.1	4.6	8.1	7.2	7.4	9.7	7.3	9.8	10.2	5.8	8.8	9.1	-		
7.9	5.3	9.0	6.5	7.9	9.2	7.2	9.5	10.0	5.6	8.6	4.3	-		
0.9	0.7	-	1.0	-	1.4	0.8	1.0	0.6	0.4	0.9	-	4.2	OCCCLUSION ET STENOSE DES ARTERES PRECEREBRALES	A 151
0.7	0.4	-	-	0.3	0.8	0.6	0.4	0.4	0.5	1.2	-	-		
0.8	0.5	-	0.5	0.1	1.1	0.7	0.7	0.5	0.4	1.1	-	2.2		
9.1	8.4	-	6.4	6.9	10.5	8.4	8.5	8.8	6.9	12.2	-	-	THROMBOSE CEREBRALE ET OCCCLUSION SANS PRECISION DES ARTERES CEREBRALES	A 152
10.2	6.0	3.2	8.6	7.1	10.8	9.3	9.8	12.0	8.6	15.2	-	-		
9.6	7.2	1.6	7.6	7.0	10.7	8.8	9.2	10.4	7.7	13.7	-	-		
0.3	0.7	-	0.5	-	0.7	0.2	0.2	0.8	-	0.1	-	4.2	EMBOLIE CEREBRALE	A 153
0.4	0.4	-	-	0.3	0.4	0.4	0.2	1.2	-	0.4	-	-		
0.4	0.5	-	0.2	0.1	0.6	0.3	0.2	1.0	-	0.3	-	2.2		
26.4	30.8	32.8	39.6	32.1	18.6	29.1	37.1	30.0	23.5	26.7	16.4	12.5	MALACIES CEREBRO- VASCULAIRES AIGUES MAIS MAL DEFINIES	A 154
32.8	28.4	30.9	47.7	36.5	22.5	37.1	43.7	39.4	30.4	34.9	-	4.6		
29.6	29.6	31.8	43.7	34.3	20.6	33.2	40.4	34.7	26.9	30.8	8.6	8.7		
7.6	3.5	13.1	4.8	4.6	7.6	9.2	10.9	7.2	5.0	6.7	-	-	AUTRES ET SEQUELLES DES MALADIES CEREBRO- VASCULAIRES	A 155
10.9	3.9	11.4	6.3	4.9	10.6	13.5	16.4	11.8	4.8	9.9	5.1	9.2		
9.3	3.7	12.2	5.5	4.7	9.1	11.4	13.6	9.5	4.9	8.3	4.3	4.4		
54.7	52.5	57.4	60.8	53.8	50.2	57.4	71.7	59.9	42.9	57.9	24.6	29.2	TOTAL (A149-A155)	
67.2	44.3	55.2	72.7	60.2	59.1	72.2	86.6	80.0	53.9	75.2	27.3	18.4		
61.0	48.4	56.3	66.8	57.0	54.7	64.9	79.2	69.9	48.3	66.6	25.9	24.0		
													MALADIES DES ARTERES, ARTERIOLES ET CAPILLAIRES (A156-A158)	
10.4	7.0	19.7	12.4	10.7	11.6	10.0	10.7	13.0	7.2	10.1	-	-	ATHEROSCLEROSE	A 156
15.3	6.0	22.7	14.0	13.4	15.6	17.8	12.9	14.5	12.4	12.5	5.1	4.6		
12.8	6.5	21.2	13.2	12.1	13.6	14.0	11.8	13.7	9.7	11.3	4.3	2.2		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD. P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. - C.B.	YUKON	N.W.T. - T.N.O.	
				T.-N.	I.P.E.	N.E.	N.E.									NUMBER - NOMBRE	
A 157	AORTIC ANEURYSM	M	1,122	27	9	45	35	194	469	51	45	73	174	-	-	-	-
		F	445	7	3	12	15	52	172	25	20	34	57	-	-	-	-
		T	1,567	34	12	57	54	286	641	80	65	107	231	-	-	-	-
A 158	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M	356	8	5	21	15	80	142	15	12	25	29	-	-	-	-
		F	275	6	3	11	7	54	115	13	12	21	23	-	-	-	-
		T	631	14	8	32	22	134	257	28	24	50	62	-	-	-	-
TOTAL (A156-A158)		M	2,729	55	26	118	87	643	1,035	120	120	184	341	-	-	-	-
		F	2,594	30	20	83	73	655	1,067	109	102	191	262	1	1	1	1
		T	5,323	85	46	201	160	1,298	2,102	229	222	375	603	1	1	1	1
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (A159,A160)																	
A 159	PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS	M	161	5	4	3	7	48	47	5	6	10	26	-	-	-	-
		F	159	2	-	6	2	41	47	3	12	14	32	-	-	-	-
		T	320	7	4	9	9	89	94	8	18	24	58	-	-	-	-
A 160	ALL OTHERS	M	73	2	1	2	1	28	27	1	3	3	5	-	-	-	-
		F	58	-	2	4	2	22	13	6	2	3	4	-	-	-	-
		T	131	2	3	6	3	50	40	7	5	6	9	-	-	-	-
TOTAL (A159,A160)		M	234	7	5	5	8	76	74	6	9	13	31	-	-	-	-
		F	217	2	2	10	4	63	60	9	14	17	36	-	-	-	-
		T	451	9	7	15	12	139	134	15	23	30	67	-	-	-	-
TOTAL (A127-A160)		M	43,429	900	296	1,807	1,257	10,746	16,669	2,247	2,012	3,072	4,869	25	29	25	29
		F	36,098	610	223	1,483	1,086	8,685	14,236	1,827	1,530	2,284	4,110	12	12	12	12
		T	79,527	1,510	519	3,290	2,443	19,431	30,905	4,074	3,542	5,356	8,979	37	41	37	41
VIII. DISEASES OF THE RESPIRATORY SYSTEM (A161-A178)																	
DISEASES OF THE UPPER RESPIRATORY TRACT (A161,A162)																	
A 161	ACUTE UPPER RESPIRATORY INFECTIONS	M	15	1	-	1	-	7	1	1	-	1	3	-	-	-	-
		F	21	-	-	-	1	4	10	2	2	-	2	-	-	-	-
		T	36	1	-	1	1	11	11	3	2	1	5	-	-	-	-
A 162	OTHER DISEASES OF UPPER RESPIRATORY TRACT	M	6	-	-	-	-	1	2	-	-	1	2	-	-	-	-
		F	13	-	-	1	-	4	4	-	-	1	3	-	-	-	-
		T	19	-	-	1	-	5	6	-	-	2	5	-	-	-	-
TOTAL (A161,A162)		M	21	1	-	1	-	8	3	1	-	2	5	-	-	-	-
		F	34	-	-	1	1	8	14	2	2	1	5	-	-	-	-
		T	55	1	-	2	1	16	17	3	2	3	10	-	-	-	-
OTHER DISEASES OF THE RESPIRATORY SYSTEM (A163-A178)																	
A 163	ACUTE BRONCHITIS AND BRONCHIOLITIS	M	25	1	-	1	1	4	8	1	-	-	9	-	-	-	-
		F	28	1	1	3	-	4	6	3	2	1	7	-	-	-	-
		T	53	2	1	4	1	8	14	4	2	1	16	-	-	-	-
PNEUMONIA (A164-A167)																	
A 164	VIRAL PNEUMONIA	M	21	1	-	1	-	3	4	1	3	2	6	-	-	-	-
		F	21	-	-	-	-	4	10	2	1	-	4	-	-	-	-
		T	42	1	-	1	-	7	14	3	4	2	10	-	-	-	-
A 165	PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA	M	173	2	2	8	6	11	78	16	8	26	16	-	-	-	-
		F	108	-	-	3	2	11	46	10	10	10	14	2	-	-	-
		T	281	2	2	11	8	22	124	26	18	36	30	2	-	-	-
A 166	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	M	979	28	5	13	29	217	354	76	86	98	73	-	-	-	-
		F	891	15	2	26	17	144	412	65	60	78	70	1	1	1	1
		T	1,870	43	7	39	46	361	766	141	146	176	143	1	1	1	1
A 167	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM	M	1,227	23	9	82	35	212	513	97	79	105	71	-	-	-	-
		F	991	25	11	76	36	164	388	90	54	68	77	1	1	1	1
		T	2,218	48	20	158	71	376	901	187	133	173	148	1	1	1	1
TOTAL (A164-A167)		M	2,400	54	16	104	70	443	949	190	176	231	166	-	-	-	-
		F	2,011	40	13	105	55	323	856	167	125	156	165	4	2	4	2
		T	4,411	94	29	209	125	766	1,805	357	301	387	331	4	3	4	3
A 168	INFLUENZA	M	71	1	3	5	-	16	12	2	8	10	14	-	-	-	-
		F	121	-	6	11	4	19	28	3	14	7	25	-	-	-	-
		T	192	1	9	16	4	35	40	5	22	17	43	-	-	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS																	

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.G.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
9.3	9.5	14.8	10.7	10.1	6.1	11.0	10.1	9.3	6.4	12.7	-	-	ANEVRISME DE L'ARTE	A 157
3.6	2.5	4.9	2.8	5.4	2.8	3.9	5.6	4.1	3.1	4.1	-	-		
6.4	6.0	9.8	6.7	7.8	4.4	7.4	7.8	6.7	4.8	8.4	-	-		
2.9	2.8	8.2	5.0	4.3	2.5	3.3	3.0	2.5	2.5	2.1	-	-	TCUTES LES AUTRES MALADIES	A 158
2.2	2.1	4.9	2.6	2.0	1.7	2.6	2.5	2.5	1.9	2.4	-	-	DES ARTERES, ARTERIGLES	
2.6	2.5	6.5	3.8	3.2	2.1	3.0	2.7	2.5	2.2	2.3	-	-	ET CAPILLAIRES	
22.6	19.3	42.7	28.1	25.1	20.3	24.4	23.7	24.7	16.1	25.0	-	-	TCTAL (A156-A158)	
21.1	10.6	32.5	19.4	20.8	20.1	24.4	21.0	21.2	17.5	19.0	9.1	4.6		
21.9	15.0	37.5	23.7	23.0	26.2	24.4	22.3	22.9	16.8	22.0	4.3	2.2		
													MALADIES DES VEINES, DES VAISSEAUX LYMPHATIQUES ET AUTRES MALADIES CIRCULATOIRES (A159,A160)	
1.3	1.8	6.6	0.7	2.0	1.5	1.1	1.0	1.2	0.9	1.9	-	-	PHLEBITE, THRCMBOPHLEBITE, ET EMBOLIES ET THROMBOSES VEINEUSES	A 159
1.3	0.7	-	1.4	0.6	1.3	1.1	0.6	2.5	1.3	2.3	-	-		
1.3	1.2	3.3	1.1	1.3	1.4	1.1	0.8	1.9	1.1	2.1	-	-		
0.6	0.7	1.6	0.5	0.3	0.9	0.6	0.2	0.6	0.3	0.4	-	-	TOUTES LES AUTRES	A 160
0.5	-	3.2	0.9	0.6	0.7	0.3	1.2	0.4	0.3	0.3	-	-		
0.5	0.4	2.4	0.7	0.4	0.8	0.5	0.7	0.5	0.3	0.3	-	-		
1.9	2.5	8.2	1.2	2.3	2.4	1.7	1.2	1.9	1.1	2.3	-	-	TOTAL (A.59,A160)	
1.8	0.7	3.2	2.3	1.1	1.9	1.4	1.7	2.9	1.6	2.6	-	-		
1.9	1.6	5.7	1.8	1.7	2.2	1.6	1.5	2.4	1.3	2.4	-	-		
359.9	315.0	485.7	430.7	352.2	338.8	378.4	443.6	413.9	268.7	356.7	205.3	121.0	TCTAL (A127-A160)	
294.1	216.3	362.2	346.6	309.9	265.9	325.1	351.5	317.3	208.7	298.0	109.3	55.1		
326.7	266.0	423.6	388.2	350.8	301.8	351.4	397.0	365.8	239.4	327.2	159.8	89.6		
													VIII. MALADIES DE L'APPAREIL RESPIRATOIRE (A161-A178)	
													MALADIES DES VOIES RESPIRATOIRES SUPERIEURES (A161,A162)	
0.1	0.4	-	0.2	-	0.2	0.0	0.2	-	0.1	0.2	-	-	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES SUPERIEURES	A 161
0.2	-	-	-	0.3	0.1	0.2	0.4	0.4	-	0.1	-	-		
0.1	0.2	-	0.1	0.1	0.2	0.1	0.3	0.2	0.0	0.2	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	0.1	0.1	-	-	AUTRES MALADIES DES VOIES RESPIRATOIRES SUPERIEURES	A 162
0.1	-	-	0.2	-	0.1	0.1	-	-	0.1	0.2	-	-		
0.1	-	-	0.1	-	0.1	0.1	-	-	0.1	0.2	-	-		
0.2	0.4	-	0.2	-	0.3	0.1	0.2	-	0.2	0.4	-	-	TOTAL (A161,A162)	
0.3	-	-	0.2	0.3	0.2	0.3	0.4	0.4	0.1	0.4	-	-		
0.2	0.2	-	0.2	0.1	0.2	0.2	0.3	0.2	0.1	0.4	-	-		
													AUTRES MALADIES DE L'APPAREIL RESPIRATOIRE (A163-A178)	
0.2	0.4	-	0.2	0.3	0.1	0.2	0.2	-	-	0.7	-	-	BRONCHITE ET BRUNCHIOLITE AIGUES	A 163
0.2	0.4	1.6	0.7	-	0.1	0.1	0.6	0.4	0.1	0.5	-	-		
0.2	0.4	0.8	0.5	0.1	0.1	0.2	0.4	0.2	0.0	0.6	-	-		
													PNEUMGNIE (A164-A167)	
0.2	0.4	-	0.2	-	0.1	0.1	0.2	0.6	0.2	0.4	-	-	PNEUMONIE A VIRUS	A 164
0.2	-	-	-	-	0.1	0.2	0.4	0.2	-	0.3	-	-		
0.2	0.2	-	0.1	-	0.1	0.2	0.3	0.4	0.1	0.4	-	-		
1.4	0.7	3.3	1.5	1.7	0.3	1.8	3.2	1.6	2.3	1.2	-	-	A PNEUMOCOQUES ET AUTRES PNEUMGNIES BACTERIENNES	A 165
0.9	-	-	0.7	0.6	0.3	1.1	1.9	2.1	0.9	1.0	18.2	-		
1.2	0.4	1.6	1.3	1.1	0.3	1.4	2.5	1.9	1.6	1.1	8.6	-		
8.1	9.8	8.2	3.1	8.4	6.8	8.3	15.0	17.7	8.6	5.3	-	-	BRONCHOPNEUMGNIE, MICRO- ORGANISME NON PRECISE	A 166
7.3	5.3	3.2	6.1	4.9	4.4	9.4	12.5	12.4	7.1	5.1	9.1	4.6		
7.7	7.6	5.7	4.6	6.6	5.6	8.9	13.7	15.1	7.9	5.2	4.3	2.2		
10.2	8.1	14.8	19.5	10.1	6.7	12.1	19.2	16.3	9.2	5.2	-	4.2	PNEUMONIE DUE A DES MICRO- ORGANISMES AUTRES ET NON PRECISES	A 167
8.1	8.9	17.9	17.8	10.3	5.0	8.9	17.3	11.2	6.2	5.6	9.1	4.6		
9.1	8.5	16.3	18.6	10.2	5.8	10.4	18.2	13.7	7.7	5.4	4.3	4.4		
19.9	18.9	26.3	24.8	20.2	14.0	22.3	37.5	36.2	20.2	12.2	-	4.2	TCTAL (A164-A167)	
16.4	14.2	21.1	24.5	15.7	9.9	19.6	32.1	25.9	14.3	12.0	36.4	5.2		
18.1	16.6	23.7	24.7	17.9	11.9	20.9	34.8	31.1	17.3	12.1	17.3	6.6		
0.6	0.4	4.9	1.2	-	0.5	0.3	0.4	1.6	0.9	1.0	-	-	GRIPPE	A 168
1.0	-	9.7	2.6	1.1	0.6	0.6	0.6	2.9	0.6	2.1	-	-		
0.8	0.2	7.3	1.9	0.6	0.5	0.5	0.5	2.3	0.8	1.6	-	-		
													MALADIES PULMONAIRES DESTRUCTIVES CHRONIQUES ET AFFECTIENS CONNEXES	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.H.T.	
			T.-N.	I.P.E.	N.E.							C.B.		T.N.O.	
NUMBER - NOMBRE															
(A169-A174)															
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (A169-A172)															
A 169	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC	M	44	1	-	5	3	17	10	2	1	1	4	-	-
		F	49	1	-	5	1	17	12	-	3	2	7	1	-
		T	93	2	-	10	4	34	22	2	4	3	11	1	-
A 170	CHRONIC BRONCHITIS	M	671	13	2	16	15	160	156	14	32	47	216	-	-
		F	214	4	-	4	7	45	54	6	5	12	77	-	-
		T	885	17	2	20	22	205	210	20	37	59	293	-	-
A 171	EMPHYSEMA	M	939	6	7	23	32	263	270	35	24	74	205	-	-
		F	228	3	2	9	8	58	60	8	3	17	60	-	-
		T	1,167	9	9	32	40	321	330	43	27	91	265	-	-
A 172	ASTHMA	M	222	7	4	9	11	57	64	12	15	21	22	-	-
		F	208	1	-	9	3	55	83	11	13	16	17	-	-
		T	430	8	4	18	14	112	147	23	28	37	39	-	-
TOTAL (A169-A172)	M	1,876	27	13	53	61	497	500	63	72	143	447	-	-	
	F	699	9	2	27	19	175	209	25	24	47	161	1	-	
	T	2,575	36	15	80	80	672	709	88	96	190	608	1	-	
A 173	BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS	M	43	3	-	2	3	7	13	4	-	3	8	-	-
		F	40	4	-	-	2	3	17	3	1	7	2	-	1
		T	83	7	-	2	5	10	30	7	1	10	10	-	1
A 174	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED	M	1,929	37	12	121	78	460	809	147	89	145	24	2	5
		F	559	9	4	36	18	113	277	40	14	36	10	-	2
		T	2,488	46	16	157	96	573	1,086	187	103	181	34	2	7
TOTAL (A169-A174)	M	3,848	67	25	176	142	964	1,322	214	161	251	479	2	5	
	F	1,298	22	6	63	39	291	503	68	39	90	173	1	3	
	T	5,146	89	31	239	181	1,255	1,825	282	200	381	652	3	8	
A 175	PNEUMOCOINOSSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	M	144	2	1	14	6	32	54	10	6	7	11	1	-
		F	61	1	1	4	2	12	33	2	2	1	3	-	-
		T	205	3	2	18	8	44	87	12	8	8	14	1	-
A 176	EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM	M	51	-	-	4	2	17	23	1	-	2	2	-	-
		F	30	-	-	2	-	4	21	-	-	3	-	-	
		T	81	-	-	6	2	21	44	1	-	5	2	-	
A 177	PLEURISY	M	28	-	-	4	-	11	7	1	2	-	2	1	-
		F	32	-	-	2	-	11	11	-	4	1	3	-	
		T	60	-	-	6	-	22	18	1	6	1	5	1	
A 178	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	M	411	8	1	29	11	126	122	25	17	24	48	-	-
		F	365	6	-	12	10	110	98	21	20	26	62	-	-
		T	776	14	1	41	21	236	220	46	37	50	110	-	-
TOTAL (A163-A178)	M	6,978	133	46	337	232	1,613	2,497	444	370	565	731	4	6	
	F	3,946	70	27	202	110	774	1,556	264	206	285	442	5	5	
	T	10,924	203	73	539	342	2,387	4,053	708	576	850	1,173	9	11	
TOTAL (A161-A178)	M	6,999	134	46	338	232	1,621	2,500	445	370	567	736	4	6	
	F	3,980	70	27	203	111	782	1,570	266	208	286	447	5	5	
	T	10,979	204	73	541	343	2,403	4,070	711	578	853	1,183	9	11	
IX. DISEASES OF THE DIGESTIVE SYSTEM (A179-A193)															
A 179	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS	M	4	-	-	-	-	1	1	-	-	2	-	-	
		F	6	-	-	-	-	3	3	-	-	-	-		
		T	10	-	-	-	-	4	4	-	-	2	-		
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (A180-A193)															
ULCER OF STOMACH AND DUODENUM (A180-A182)															
A 180	GASTRIC ULCER	M	172	3	1	8	3	39	50	11	10	22	25	-	-
		F	131	5	-	5	3	30	45	10	7	13	13	-	-
		T	303	8	1	13	6	69	95	21	17	35	38	-	-
A 181	DUODENAL ULCER	M	201	2	1	4	3	31	73	7	11	26	43	-	-
		F	125	-	1	3	3	16	57	5	11	7	18	-	-
		T	326	2	2	7	6	47	130	16	22	33	61	-	-
A 182	PEPTIC ULCER, SITE UNSPECIFIED	M	52	3	-	4	2	18	7	5	5	4	3	-	-
		F	54	2	-	3	4	13	9	2	5	6	10	-	-
		T	106	5	-	7	7	31	16	7	10	10	13	-	-
TOTAL (A180-A182)	M	425	8	2	16	9	88	130	23	26	52	71	-	-	

SEE FOOTNOTE AT END OF TABLE.

TABEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.C.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
(A165-A174)														
BRONCHITE, CHRONIQUE ET NON PRECISEE, EMPHYSEME ET ASTHME (A165-A172)														
0.4	0.4	-	1.2	0.9	0.5	0.2	0.4	0.2	0.1	0.3	-	-	BRONCHITE, NON PRECISEE	A 169
0.4	0.4	-	1.2	0.3	0.5	0.3	-	0.6	0.2	0.5	9.1	-	COMME AIGUE NI CHRONIQUE	
0.4	0.4	-	1.2	0.6	0.5	0.3	0.2	0.4	0.1	0.4	4.3	-		
5.6	4.6	3.3	3.8	4.3	5.0	3.7	2.8	6.6	4.1	15.8	-	-	BRONCHITE CHRONIQUE	A 170
1.7	1.4	-	0.5	2.0	1.4	1.2	1.2	1.0	1.1	5.6	-	-		
3.6	3.0	1.6	2.4	3.2	3.2	2.4	1.5	3.8	2.6	10.7	-	-		
7.8	2.1	11.5	5.5	9.2	8.3	6.4	6.9	4.9	6.5	15.0	-	-	EMPHYSEME	A 171
1.9	1.1	3.2	2.1	2.3	1.8	1.4	1.5	0.6	1.6	4.4	-	-		
4.8	1.6	7.3	3.8	5.7	5.0	3.8	4.2	2.8	4.1	9.7	-	-		
1.8	2.5	6.6	2.1	3.2	1.8	1.5	2.4	3.1	1.8	1.6	-	-	ASTHME	A 172
1.7	0.4	-	2.1	0.9	1.7	1.9	2.1	2.7	1.5	1.2	-	-		
1.8	1.4	3.3	2.1	2.0	1.7	1.7	2.2	2.9	1.7	1.4	-	-		
15.5	9.5	21.3	12.6	17.6	15.7	11.8	12.4	14.8	12.5	32.7	-	-	TOTAL (A169-A172)	
5.7	3.2	3.2	6.3	5.4	5.4	4.8	4.8	5.0	4.3	11.7	5.1	-		
10.6	6.3	12.2	9.4	11.5	10.4	8.2	8.6	9.9	8.5	22.2	4.3	-		
0.4	1.1	-	0.5	0.9	0.2	0.3	0.8	-	0.3	0.6	-	-	BRONCHECTASIE ET ALVEOLITE ALLERGIQUE EXTRINSEQUE	A 173
0.3	1.4	-	-	0.6	0.1	0.4	0.6	0.2	0.6	0.1	-	4.6		
0.3	1.2	-	0.2	0.7	0.2	0.3	0.7	0.1	0.4	0.4	-	2.2		
16.0	13.0	19.7	28.8	22.5	14.5	19.0	29.0	18.3	12.7	1.8	16.4	20.9	OBSTRUCTION CHRONIQUE DES VIES RESPIRATOIRES, NON CLASSEE AILLELRS	A 174
4.6	3.2	6.5	8.4	5.1	3.5	6.3	7.7	2.9	3.3	0.7	-	9.2		
10.2	8.1	13.1	18.5	13.8	8.9	12.6	18.2	10.6	8.1	1.2	6.6	15.3		
31.9	23.5	41.0	41.9	41.0	30.4	31.1	42.2	33.1	25.5	35.1	16.4	20.9	TOTAL (A169-A174)	
10.6	7.8	9.7	14.7	11.1	8.9	11.5	13.1	8.1	8.2	12.5	5.1	12.8		
21.1	15.7	25.3	28.2	26.0	19.5	21.2	27.5	20.7	17.0	23.8	13.0	17.5		
1.2	0.7	1.6	3.3	1.7	1.0	1.3	2.0	1.2	0.6	0.8	8.2	-	PNEUMONICOSES ET AUTRES MALADIES PULMONAIRES DUES A DES AGENTS EXTERNES	A 175
0.5	0.4	1.6	0.5	0.6	0.4	0.8	0.4	0.4	0.1	0.2	-	-		
0.8	0.5	1.6	2.1	1.1	0.7	1.0	1.2	0.8	0.4	0.5	4.3	-		
0.4	-	-	1.0	0.6	0.5	0.5	0.2	-	0.2	0.1	-	-	EMPHYSEME ET ABCES DU POUMON ET DU MEDIASTIN	A 176
0.2	-	-	0.5	-	0.1	0.5	-	-	0.3	-	-	-		
0.3	-	-	0.7	0.3	0.3	0.5	0.1	-	0.2	0.1	-	-		
0.2	-	-	1.0	-	0.3	0.2	0.2	0.4	-	0.1	8.2	-	PLEURESIE	A 177
0.3	-	-	0.5	-	0.3	0.3	-	0.8	0.1	0.2	-	-		
0.2	-	-	0.7	-	0.3	0.2	0.1	0.6	0.0	0.2	4.3	-		
3.4	2.8	1.6	6.9	3.2	4.0	2.9	4.9	3.5	2.1	3.5	-	-	TOUTES LES AUTRES MALADIES DE L'APPAREIL RESPIRATOIRE	A 178
3.0	2.1	-	2.8	2.9	3.4	2.2	4.0	4.1	2.4	4.5	-	-		
3.2	2.5	0.8	4.8	3.0	3.7	2.6	4.5	3.8	2.2	4.0	-	-		
57.8	46.6	75.5	80.3	67.1	50.8	58.8	87.7	76.1	49.4	53.5	32.9	25.0	TOTAL (A163-A178)	
32.1	24.8	43.9	47.2	31.4	23.7	35.5	50.8	42.7	26.0	32.0	45.5	23.0		
44.9	35.8	59.6	63.6	49.1	37.1	47.0	69.0	59.5	38.0	42.7	38.9	24.0		
58.0	46.9	75.5	80.6	67.1	51.1	58.9	87.9	76.1	49.6	53.9	32.9	25.0	TOTAL (A161-A178)	
32.4	24.8	43.9	47.4	31.7	23.9	35.9	51.2	43.1	26.1	32.4	45.5	23.0		
45.1	35.9	59.6	63.8	49.3	37.3	47.2	69.3	59.7	38.1	42.1	38.9	24.0		
IX. MALADIES DE L'APPAREIL DIGESTIF (A179-A193)														
0.0	-	-	-	-	0.0	0.0	-	-	0.2	-	-	-	MALADIES DE LA CAVITE BUCCALE, DES GLANDES SALI- VAIRES ET DES MAXILLAIRES	A 179
0.0	-	-	-	-	0.1	0.1	-	-	-	-	-	-		
0.0	-	-	-	-	0.1	0.0	-	-	0.1	-	-	-		
MALADIES DES AUTRES PARTIES DE L'APPAREIL DIGESTIF (A180-A193)														
ULCERE DE L'ESTOMAC ET DU DUODENUM (A180-A182)														
1.4	1.1	1.6	1.9	0.9	1.2	1.2	2.2	2.1	1.9	1.8	-	-	ULCERE DE L'ESTOMAC	A 180
1.1	1.8	-	1.2	0.5	0.9	1.0	1.5	1.5	1.2	0.9	-	-		
1.2	1.4	0.8	1.5	0.5	1.1	1.1	2.0	1.8	1.6	1.4	-	-		
1.7	0.7	1.6	1.0	0.5	1.0	1.7	1.4	2.3	2.3	3.1	-	-	ULCERE DU DUODENUM	A 181
1.0	-	1.6	0.7	0.9	0.5	1.3	1.7	2.3	0.6	1.3	-	-		
1.3	0.4	1.6	0.8	0.9	0.7	1.5	1.6	2.3	1.5	2.2	-	-		
0.4	1.1	-	1.0	0.9	0.6	0.2	1.0	1.0	0.3	0.2	-	-	ULCERE DIGESTIF DE SIEGE NON PRECISE	A 182
0.4	0.7	-	0.7	1.1	0.4	0.2	0.4	1.0	0.5	0.7	-	-		
0.4	0.9	-	0.8	1.0	0.5	0.2	0.7	1.0	0.4	0.5	-	-		
3.5	2.8	3.3	3.8	2.6	2.8	3.1	4.5	5.3	4.5	5.2	-	-	TOTAL (A180-A182)	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.H.T.
				T.-N.	I.P.E.	N.E.									T.A.O.
NUMBER - NOMBRE															
		F	310	7	1	11	10	59	111	21	23	26	41	-	-
		T	735	15	3	27	15	147	241	44	49	78	112	-	-
A 183	GASTRITIS AND DUODENITIS	M	46	-	-	-	-	11	13	1	2	5	13	1	-
		F	28	1	-	1	2	9	10	1	1	2	1	-	-
		T	74	1	-	1	2	20	23	2	3	7	14	1	-
A 184	APPENDICITIS	M	31	-	-	2	1	8	8	-	2	4	5	-	1
		F	21	-	1	1	-	3	8	2	-	2	4	-	-
		T	52	-	1	3	1	11	16	2	2	6	9	-	1
A 185	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M	254	5	2	15	8	59	89	8	11	21	32	-	-
		F	336	3	2	21	8	71	138	14	16	28	35	-	-
		T	590	8	4	40	16	130	227	22	27	49	67	-	-
A 186	REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS	M	39	-	-	1	1	16	9	-	4	5	3	-	-
		F	47	-	-	1	3	16	14	2	1	1	9	-	-
		T	86	-	-	2	4	32	23	2	5	6	12	-	-
A 187	ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	M	291	7	2	9	11	60	51	20	16	33	42	-	-
		F	362	10	2	14	9	84	110	24	21	42	46	-	-
		T	653	17	4	23	20	144	201	44	37	75	88	-	-
A 188	DIVERTICULA OF INTESTINE	M	90	2	1	3	3	18	35	3	2	7	16	-	-
		F	217	3	3	7	4	42	108	5	9	11	25	-	-
		T	307	5	4	10	7	60	143	8	11	18	41	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (A189-A191)															
A 189	CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC	M	974	2	-	16	18	211	335	23	18	103	244	4	-
		F	402	-	-	5	8	54	133	7	4	47	143	1	-
		T	1,376	2	-	21	26	265	468	30	22	150	387	5	-
A 190	CHRONIC HEPATITIS AND BILIARY CIRRHOSIS	M	39	-	-	2	-	7	13	4	4	4	5	-	-
		F	77	3	1	4	3	18	28	5	4	6	5	-	-
		T	116	3	1	6	3	25	41	9	8	10	10	-	-
A 191	OTHER, CHRONIC LIVER DISEASE AND CIRRHOSIS WITHOUT MENTION OF ALCOHOL	M	826	11	5	15	12	294	321	46	29	56	37	-	-
		F	395	5	1	6	8	122	162	27	16	24	24	-	-
		T	1,221	16	6	21	20	416	483	73	45	80	61	-	-
TOTAL (A189-A191)		M	1,839	13	5	33	30	512	669	73	51	163	286	4	-
		F	874	8	2	15	15	194	323	35	24	77	172	1	-
		T	2,713	21	7	48	49	706	992	112	75	240	458	5	-
A 192	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	M	174	2	1	5	3	52	56	3	10	12	30	-	-
		F	157	1	-	4	8	42	56	8	8	15	15	-	-
		T	331	3	1	9	11	94	112	11	18	27	45	-	-
A 193	ALL OTHER DISEASES OF DIGESTIVE SYSTEM	M	823	16	7	52	21	230	279	45	34	70	67	1	1
		F	685	13	1	39	24	183	244	37	31	52	59	2	-
		T	1,508	29	8	91	45	413	523	82	65	122	126	3	1
TOTAL (A180-A193)		M	4,012	53	20	140	87	1,054	1,379	176	158	372	565	6	2
		F	3,037	46	12	114	87	703	1,122	153	134	256	407	3	-
		T	7,049	99	32	254	174	1,757	2,501	329	292	628	972	9	2
TOTAL (A179-A193)															
		M	4,016	53	20	140	87	1,055	1,380	176	158	374	565	6	2
		F	3,043	46	12	114	87	706	1,125	153	134	256	407	3	-
		T	7,059	99	32	254	174	1,761	2,505	329	292	630	972	9	2
X. DISEASES OF THE GENITOURINARY SYSTEM (A194-A204)															
DISEASES OF URINARY SYSTEM (A194-A200)															
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (A194-A196)															
A 194	ACUTE GLOMERULONEPHRITIS	M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
		T	2	-	-	-	-	-	1	-	-	-	1	-	-
A 195	NEPHROTIC SYNDROME	M	16	-	-	-	1	6	5	-	-	2	2	-	-
		F	4	-	-	-	1	1	-	-	-	-	2	-	-
		T	20	-	-	-	2	6	6	-	-	2	4	-	-
A 196	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS UNSPECIFIED	M	83	2	-	1	4	8	30	5	4	12	17	-	-
		F	97	1	1	7	3	17	36	3	6	3	20	-	-
		T	180	3	1	8	7	25	66	8	10	15	37	-	-
TOTAL (A194-A196)		M	100	2	-	1	5	14	36	5	4	14	19	-	-
		F	102	1	1	7	4	17	37	3	6	3	23	-	-
		T	202	3	1	8	9	31	73	8	10	17	42	-	-
A 197	RENAL FAILURE AND OTHER DISORDERS RESULTING FROM	M	637	21	4	42	26	184	230	30	45	34	20	-	1
		F	568	14	3	44	27	171	192	29	26	34	24	1	3

SEE FOOTNOTE AT END OF TABLE.

TABEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD.		P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
	T.-N.	I.-P.	I.-P.	E.-E.	N.-E.	T.-N.									G.-G.				
RATE - TAUX																			
2.5	2.5	1.6	2.6	2.9	1.8	2.5	4.0	4.8	2.4	3.0	-	-	-	-	-	-	-	-	
3.0	2.6	2.4	3.2	2.7	2.3	2.8	4.3	5.1	3.5	4.1	-	-	-	-	-	-	-	-	
0.4	-	-	-	-	0.3	0.3	0.2	0.4	0.4	1.0	8.2	-	-	-	-	-	GASTRITE ET CUCDENITE	A 183	
0.2	0.4	-	0.2	0.6	0.3	0.2	0.2	0.2	0.2	0.2	0.1	-	-	-	-	-	-	-	
0.3	0.2	-	0.1	0.3	0.3	0.3	0.2	0.3	0.3	0.5	4.3	-	-	-	-	-	-	-	
0.3	-	-	0.5	0.3	0.3	0.2	-	0.4	0.3	0.4	-	4.2	-	-	-	-	APPENDICITE	A 184	
0.2	-	1.6	0.2	-	0.1	0.2	0.4	-	0.2	0.3	-	-	-	-	-	-	-	-	
0.2	-	0.8	0.4	0.1	0.2	0.2	0.2	0.2	0.3	0.3	-	2.2	-	-	-	-	-	-	
2.1	1.8	3.3	4.5	2.3	1.9	2.1	1.6	2.3	1.8	2.3	-	-	-	-	-	-	HERNIE ABDOMINALE ET OCCLUSION INTESTINALE SANS MENTION DE HERNIE	A 185	
2.7	1.1	3.2	4.9	2.3	2.2	3.2	2.7	3.3	2.6	2.5	-	-	-	-	-	-	-	-	
2.4	1.4	3.3	4.7	2.3	2.0	2.6	2.1	2.8	2.2	2.4	-	-	-	-	-	-	-	-	
0.3	-	-	0.2	0.3	0.5	0.2	-	0.8	0.4	0.2	-	-	-	-	-	-	ENTERITE REGIONALE ET RECTO-COLITE ICIOPATHIQUE	A 186	
0.4	-	-	0.2	0.9	0.5	0.3	0.4	0.2	0.1	0.7	-	-	-	-	-	-	-	-	
0.4	-	-	0.2	0.6	0.5	0.3	0.2	0.5	0.3	0.4	-	-	-	-	-	-	-	-	
2.4	2.5	3.3	2.1	3.2	1.9	2.1	3.9	3.3	2.9	3.1	-	-	-	-	-	-	TCUTES LES AUTRES GASTRO- ENTERITES ET COLITES NON INFECTIEUSES	A 187	
2.9	3.5	3.2	3.3	2.6	2.6	2.5	4.6	4.4	3.8	3.3	-	-	-	-	-	-	-	-	
2.7	3.0	3.3	2.7	2.9	2.2	2.3	4.3	3.8	3.4	3.2	-	-	-	-	-	-	-	-	
0.7	0.7	1.6	0.7	0.9	0.6	0.8	0.6	0.4	0.6	1.2	-	-	-	-	-	-	DIVERTICULE DE L'INTESTIN	A 188	
1.8	1.1	4.9	1.6	1.1	1.3	2.5	1.0	1.9	1.0	1.8	-	-	-	-	-	-	-	-	
1.3	0.9	3.3	1.2	1.0	0.9	1.7	0.8	1.1	0.8	1.5	-	-	-	-	-	-	-	-	
MALADIES CHRONIQUES ET CIRRHOSE DU FOIE (A189-A191)																			
8.1	0.7	-	3.8	5.2	6.7	7.9	4.5	3.7	9.0	17.9	32.9	-	-	-	-	-	MALADIES CHRONIQUES ET CIRRHOSE DU FOIE, PRECISEES ALCOOLIQUES	A 189	
3.3	-	-	1.2	2.3	1.7	3.0	1.3	0.8	4.3	10.4	5.1	-	-	-	-	-	-	-	
5.7	0.4	-	2.5	3.7	4.1	5.4	2.9	2.3	6.7	14.1	21.6	-	-	-	-	-	-	-	
0.3	-	-	0.5	-	0.2	0.3	0.8	0.8	0.3	0.4	-	-	-	-	-	-	HEPATITE CHRONIQUE ET CIRRHOSE BILIAIRE	A 190	
0.6	1.1	1.6	0.9	0.5	0.6	0.6	1.0	0.8	0.5	0.4	-	-	-	-	-	-	-	-	
0.5	0.5	0.8	0.7	0.4	0.4	0.5	0.5	0.8	0.4	0.4	-	-	-	-	-	-	-	-	
6.8	3.9	8.2	3.6	3.5	9.3	7.6	9.1	6.0	4.9	2.7	-	-	-	-	-	-	CIRRHOSE ET AUTRES MALADIES CHRONIQUES DU FOIE SANS MENTION D'ALCOOL	A 191	
3.2	1.8	1.6	1.4	2.3	3.7	3.7	5.2	3.3	2.2	1.7	-	-	-	-	-	-	-	-	
5.0	2.8	4.9	2.5	2.9	6.5	5.6	7.1	4.6	3.6	2.2	-	-	-	-	-	-	-	-	
15.2	4.6	8.2	7.9	8.7	16.1	15.8	14.4	10.5	14.3	21.0	32.9	-	-	-	-	-	TOTAL (A189-A191)	-	
7.1	2.8	3.2	3.5	5.4	5.9	7.4	7.5	5.0	7.0	12.5	9.1	-	-	-	-	-	-	-	
11.1	3.7	5.7	5.7	7.0	11.0	11.5	10.9	7.7	10.7	16.7	21.6	-	-	-	-	-	-	-	
1.4	0.7	1.6	1.2	0.9	1.6	1.3	0.6	2.1	1.0	2.2	-	-	-	-	-	-	LITHIASIS BILIAIRE ET AUTRES MALADIES DE LA VESICULE BILIAIRE	A 192	
1.3	0.4	-	0.9	2.3	1.3	1.3	1.5	1.7	1.4	1.1	-	-	-	-	-	-	-	-	
1.4	0.5	0.8	1.1	1.6	1.5	1.3	1.1	1.9	1.2	1.6	-	-	-	-	-	-	-	-	
6.8	5.6	11.5	12.4	6.1	7.3	6.6	8.9	7.0	6.1	4.9	6.2	4.2	-	-	-	-	TCUTES LES AUTRES MALADIES DE L'APPAREIL DIGESTIF	A 193	
5.6	4.6	1.6	9.1	6.8	5.6	5.6	7.1	6.4	4.8	4.3	18.2	-	-	-	-	-	-	-	
6.2	5.1	6.5	10.7	6.5	6.4	6.1	8.0	6.7	5.5	4.6	13.0	2.2	-	-	-	-	-	-	
33.2	18.6	32.8	33.4	25.1	33.2	32.5	34.7	32.5	32.5	41.4	45.3	8.3	-	-	-	-	TOTAL (A194-A193)	-	
24.7	16.3	19.5	26.6	24.8	21.5	25.6	25.4	27.8	23.4	29.5	27.3	-	-	-	-	-	-	-	
29.0	17.4	26.1	30.0	25.0	27.3	29.0	32.1	30.2	28.1	35.4	38.9	4.4	-	-	-	-	-	-	
33.3	18.6	32.8	33.4	25.1	33.3	32.5	34.7	32.5	32.7	41.4	49.3	8.3	-	-	-	-	TOTAL (A179-A193)	-	
24.8	16.3	19.5	26.6	24.8	21.6	25.7	29.4	27.8	23.4	29.5	27.3	-	-	-	-	-	-	-	
29.0	17.4	26.1	30.0	25.0	27.4	29.0	32.1	30.2	28.2	35.4	38.9	4.4	-	-	-	-	-	-	
X. MALADIES DES ORGANES GENITO-URINAIRES (A194-A204)																			
MALADIES DE L'APPAREIL URINAIRE (A194-A200)																			
NEPHRITE, SYNDROME NEPHROTIQUE ET NEPHROSE (A194-A196)																			
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	GLOMERULONEPHRITE AIGUE	A 194
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	
0.0	-	-	-	-	-	0.0	-	-	-	0.0	-	-	-	-	-	-	-	-	
0.1	-	-	-	0.3	0.2	0.1	-	-	0.2	0.1	-	-	-	-	-	-	-	SYNDROME NEPHROTIQUE	A 195
0.0	-	-	-	0.3	-	0.0	-	-	-	0.1	-	-	-	-	-	-	-	-	
0.1	-	-	-	0.3	0.1	0.1	-	-	0.1	0.1	-	-	-	-	-	-	-	-	
0.7	0.7	-	0.2	1.2	0.3	0.7	1.0	0.8	1.0	1.2	-	-	-	-	-	-	GLOMERULONEPHRITE CHRONIQUE NEPHRITE, NEPHROPATHIE ET SCLEROSE RENALE, SAIS	A 196	
0.8	0.4	1.6	1.6	0.9	0.5	0.8	0.6	1.2	0.3	1.5	-	-	-	-	-	-	-	-	
0.7	0.5	0.8	0.9	1.0	0.4	0.8	0.8	1.0	0.7	1.3	-	-	-	-	-	-	-	-	
0.8	0.7	-	0.2	1.4	0.4	0.8	1.0	0.8	1.2	1.4	-	-	-	-	-	-	TOTAL (A194-A196)	-	
0.8	0.4	1.6	1.6	1.1	0.5	0.8	0.6	1.2	0.3	1.7	-	-	-	-	-	-	-	-	
0.8	0.5	0.8	0.9	1.3	0.5	0.8	0.8	1.0	0.8	1.5	-	-	-	-	-	-	-	-	
5.3	7.4	6.6	10.0	7.5	5.8	5.4	5.9	9.3	3.0	1.5	-	4.2	-	-	-	-	INSUFFISANCE RENALE ET AUTRES TROUBLES	A 197	
4.6	5.0	4.9	10.3	7.7	5.2	4.4	5.6	5.4	3.1	1.7	9.1	13.8	-	-	-	-	-	-	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST A(1) NO.	CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD. T.-N.	P.-E. I.P.E.	I. P.E.	N.-S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.-B.T. T.-N.O.
NUMBER - NOMBRE																
	IMPAIRED RENAL FUNCTION	T	1,205	35	7	86	53	355	422	59	71	68	44	1	4	
A 198	INFECTIONS OF KIDNEY	M	94	1	-	2	-	26	26	6	6	8	17	-	-	
		F	140	-	1	8	3	29	44	9	9	15	22	-	-	
		T	234	1	1	10	3	55	70	17	15	23	39	-	-	
A 199	URINARY CALCULUS	M	18	-	-	2	-	3	6	2	2	1	2	-	-	
		F	9	-	-	-	-	1	5	-	-	1	2	-	-	
		T	27	-	-	2	-	4	11	2	2	2	4	-	-	
A 200	ALL OTHER DISEASES OF URINARY SYSTEM	M	201	8	1	21	12	54	65	6	4	10	19	1	-	
		F	186	2	-	14	8	57	56	11	6	13	19	-	-	
		T	387	10	1	35	20	111	121	17	10	23	38	1	-	
	TOTAL (A194-A200)	M	1,050	32	5	68	43	281	363	51	61	67	77	1	1	
		F	1,005	17	5	73	42	275	334	52	47	66	90	1	3	
		T	2,055	49	10	141	85	556	697	103	108	133	167	2	4	
DISEASES OF MALE GENITAL ORGANS (A201,A202)																
A 201	HYPERPLASIA OF PROSTATE	M	94	2	2	2	1	25	27	4	5	8	18	-	-	
A 202	OTHER DISEASES OF MALE GENITAL ORGANS	M	21	2	-	-	-	5	6	1	1	4	2	-	-	
	TOTAL (A201,A202)	M	115	4	2	2	1	30	33	5	6	12	20	-	-	
DISEASES OF FEMALE GENITAL ORGANS (A203,A204)																
A 203	DISORDERS OF BREAST	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 204	OTHER DISEASES OF FEMALE GENITAL ORGANS	F	21	-	-	2	1	4	8	1	1	1	3	-	-	
	TOTAL (A203,A204)	F	21	-	-	2	1	4	8	1	1	1	3	-	-	
	TOTAL (A194-A204)	M	1,165	36	7	70	44	311	396	56	67	79	97	1	1	
		F	1,026	17	5	75	43	279	342	53	48	67	93	1	3	
		T	2,191	53	12	145	87	590	738	109	115	146	190	2	4	
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (A205-A216)																
PREGNANCY WITH ABORTIVE OUTCOME (A205-A209)																
A 205	ECTOPIC PREGNANCY	F	2	-	-	-	-	-	1	-	-	-	1	-	-	
A 206	SPONTANEOUS ABORTION	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 207	LEGALLY INDUCED ABORTION	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 208	ILLEGALLY INDUCED ABORTION	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 209	OTHER PREGNANCY WITH ABORTIVE OUTCOME	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL (A205-A209)	F	2	-	-	-	-	-	1	-	-	-	1	-	-	
DIRECT OBSTETRIC CAUSES (A210-A214)																
A 210	HAEMORRHAGE OF PREGNANCY AND CHILDBIRTH	F	4	1	-	-	-	-	1	-	-	1	1	-	-	
A 211	TOXAEMIA OF PREGNANCY	F	2	-	-	-	-	-	2	-	-	-	-	-	-	
A 212	OBSTRUCTED LABOUR	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
A 213	COMPLICATIONS OF THE PUERPERIUM	F	5	-	-	-	2	-	2	-	-	-	1	-	-	
A 214	OTHER DIRECT OBSTETRIC CAUSES	F	5	-	-	1	-	2	1	-	-	-	-	-	-	
	TOTAL (A210-A214)	F	16	1	-	1	2	2	6	-	-	2	2	-	-	
A 215	INDIRECT OBSTETRIC CAUSES	F	5	-	-	-	-	2	3	-	-	-	-	-	-	
A 216	DELIVERY IN A COMPLETELY NORMAL CASE	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL (A205-A216)	F	23	1	-	1	2	4	10	-	-	2	3	-	-	

SEE FOOTNOTE AT END OF TABLE.

TABEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD. T.-N.	P.-E.-I. I.-P.-E.	N.-S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C. C.-B.	YUKON	N.-W.-T. T.-N.-O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
5.0	6.2	5.7	10.1	7.6	5.5	4.9	5.7	7.3	3.0	1.6	4.3	8.7	FUNCTIONNELS DU REIN	
0.8	0.4	-	0.5	-	0.8	0.6	1.6	1.2	0.7	1.2	-	-	INFECTIONS RENALES	A 198
1.1	-	1.6	1.9	0.9	0.9	1.0	1.7	1.9	1.4	1.6	-	-		
1.0	0.2	0.8	1.2	0.4	0.9	0.8	1.7	1.5	1.0	1.4	-	-		
0.1	-	-	0.5	-	0.1	0.1	0.4	0.4	0.1	0.1	-	-	CALCULS URINAIRES	A 199
0.1	-	-	-	-	0.0	0.1	-	-	0.1	0.1	-	-		
0.1	-	-	0.2	-	0.1	0.1	0.2	0.2	0.1	0.1	-	-		
1.7	2.8	1.6	5.0	3.5	1.7	1.5	1.2	0.8	0.9	1.4	6.2	-	TOUTES LES AUTRES MALADIES DE L'APPAREIL URINAIRE	A 200
1.5	0.7	-	3.3	2.3	1.7	1.3	2.1	1.2	1.2	1.4	-	-		
1.6	1.8	0.8	4.1	2.9	1.7	1.4	1.7	1.0	1.0	1.4	4.3	-		
8.7	11.2	8.2	16.2	12.4	8.9	8.5	10.1	12.5	5.9	5.6	8.2	4.2	TOTAL (A194-A200)	
8.2	6.0	8.1	17.1	12.0	8.4	7.6	10.0	9.7	6.0	6.5	9.1	13.8		
8.4	8.6	8.2	16.6	12.2	8.6	8.1	10.0	11.2	5.9	6.1	8.6	8.7		
MALADIES DES ORGANES GENITAUX DE L'HOMME (A201, A202)														
0.8	0.7	3.3	0.5	0.3	0.8	0.6	0.8	1.0	0.7	1.3	-	-	HYPERPLASIE DE LA PROSTATE	A 201
0.2	0.7	-	-	-	0.2	0.1	0.2	0.2	0.3	0.1	-	-	AUTRES MALADIES DES ORGANES GENITAUX DE L'HOMME	A 202
1.0	1.4	3.3	0.5	0.3	0.9	0.8	1.0	1.2	1.0	1.5	-	-	TOTAL (A201, A202)	
MALADIES DES ORGANES GENITAUX DE LA FEMME (A203, A204)														
-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS DU SEIN	A 203
0.2	-	-	0.5	0.3	0.1	0.2	0.2	0.2	0.1	0.2	-	-	AUTRES MALADIES DES ORGANES GENITAUX DE LA FEMME	A 204
0.2	-	-	0.5	0.3	0.1	0.2	0.2	0.2	0.1	0.2	-	-	TOTAL (A203, A204)	
9.7	12.6	11.5	16.7	12.7	5.8	9.3	11.1	13.8	6.9	7.1	8.2	4.2	TOTAL (A194-A204)	
8.4	6.0	8.1	17.5	12.3	6.5	7.8	10.2	10.0	6.1	6.7	9.1	13.8		
9.0	9.3	9.8	17.1	12.5	9.2	8.6	10.6	11.9	6.5	6.9	8.6	8.7		
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES (A205-A216)														
GROSSESSE ABOUTISSANT A L'AVORTEMENT (A205-A209)														
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	GROSSESSE ECTOPIQUE	A 205
-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT SPONTANE	A 206
-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT PROVOQUE LEGAL	A 207
-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENT PROVOQUE ILLÉGAL	A 208
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRE GROSSESSE ABOUTISSANT A L'AVORTEMENT	A 209
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	TOTAL (A205-A209)	
COMPLICATIONS DIRECTES (A210-A214)														
1.1	9.9	-	-	-	-	0.8	-	-	2.3	2.4	-	-	HEMORRAGIE DE LA GROSSESSE ET DE L'ACCOUCHEMENT	A 210
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	TOXEMIE DE LA GROSSESSE	A 211
-	-	-	-	-	-	-	-	-	-	-	-	-	DYSTOCIE D'OBSTACLE	A 212
1.3	-	-	-	19.0	-	1.6	-	-	-	2.4	-	-	COMPLICATIONS DES SUITES DE COUCHES	A 213
1.3	-	-	8.3	-	2.1	0.8	-	-	2.3	-	-	-	AUTRES COMPLICATIONS DIRECTES	A 214
4.3	9.9	-	8.3	19.0	2.1	4.9	-	-	4.7	4.8	-	-	TOTAL (A210-A214)	
1.3	-	-	-	-	2.1	2.5	-	-	-	-	-	-	COMPLICATIONS INDIRECTES	A 215
-	-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT NORMALE	A 216
6.2	9.9	-	8.3	19.0	4.2	8.2	-	-	4.7	7.2	-	-	TOTAL (A205-A216)	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
			T.-N.	I.P.E.	N.E.							C.B.	T.N.G.	
NUMBER - NOMBRE														
XII. DISEASES OF THE SKIN AND SUBCUTANECUS TISSUE (A217,A218)														
A 217	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	12	-	-	1	-	3	7	1	-	-	-	-
		F	15	-	-	4	-	2	6	-	1	2	-	-
		T	27	-	-	5	-	5	13	1	1	2	-	-
A 218	ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	M	34	-	-	3	-	6	17	1	-	3	3	1
		F	41	-	-	4	-	10	21	-	3	-	3	-
		T	75	-	-	7	-	16	38	1	3	3	6	1
TOTAL (A217,A218)		M	46	-	-	4	-	9	24	2	-	3	3	1
		F	56	-	-	8	-	12	27	-	4	2	3	-
		T	102	-	-	12	-	21	51	2	4	5	6	1
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (A219-A223)														
A 219	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS	M	43	1	-	1	4	7	14	2	2	5	7	-
		F	132	1	-	3	9	20	60	3	11	10	15	-
		T	175	2	-	4	13	27	74	5	13	15	22	-
A 220	OTHER ARTHROPATHIES AND RELATED DISORDERS	M	78	2	1	1	3	9	30	4	4	6	18	-
		F	164	2	1	5	5	33	56	8	9	12	33	-
		T	242	4	2	6	8	42	86	12	13	18	51	-
A 221	DORSOPATHIES	M	13	1	-	-	2	3	2	-	-	1	4	-
		F	9	-	-	-	1	1	1	1	-	1	4	-
		T	22	1	-	-	3	4	3	1	-	2	8	-
A 222	RHEUMATISM, EXCLUDING THE BACK	M	11	-	-	-	-	1	4	-	-	2	4	-
		F	9	-	-	-	-	1	6	-	1	1	-	-
		T	20	-	-	-	-	2	10	-	1	3	4	-
A 223	OSTHEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	M	40	1	-	3	1	5	20	4	1	2	3	-
		F	63	-	-	4	2	20	14	4	4	7	8	-
		T	103	1	-	7	3	25	34	8	5	9	11	-
TOTAL (A219-A223)		M	185	5	1	5	10	25	70	10	7	16	36	-
		F	377	3	1	12	17	75	127	16	25	31	60	-
		T	562	8	2	17	27	100	207	26	32	47	96	-
XIV. CONGENITAL ANCMALIES (A224-A228)														
A 224	SPINA BIFIDA	M	37	-	1	2	4	18	6	-	1	3	2	-
		F	52	4	-	3	-	22	14	3	-	2	4	-
		T	89	4	1	5	4	40	20	3	1	5	6	-
A 225	ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	M	129	7	-	6	2	34	43	5	5	12	15	-
		F	106	1	-	2	8	37	29	4	2	9	13	1
		T	235	8	-	8	10	71	72	9	7	21	28	1
A 226	CONGENITAL ANOMALIES OF HEART	M	299	7	2	11	10	74	101	18	15	25	31	-
		F	218	8	1	9	6	49	76	15	11	22	20	-
		T	517	15	3	20	16	123	177	33	26	51	51	-
A 227	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M	72	-	2	3	2	8	25	3	2	15	12	-
		F	58	-	2	1	1	10	23	2	2	6	11	-
		T	130	-	4	4	3	18	48	5	4	21	23	-
A 228	ALL OTHER CONGENITAL ANOMALIES	M	348	13	3	12	8	85	115	18	19	35	38	1
		F	258	9	-	8	3	60	88	14	10	34	32	-
		T	606	22	3	20	11	145	203	32	29	69	70	1
TOTAL (A224-A228)		M	885	27	8	34	26	219	250	44	42	54	98	1
		F	692	22	3	23	18	178	230	38	25	73	80	1
		T	1,577	49	11	57	44	397	520	82	67	167	178	2
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (A229-A231)														
A 229	BIRTH TRAUMA	M	42	-	-	2	-	13	11	1	5	8	2	-
		F	25	-	-	-	-	6	6	-	4	5	4	-
		T	67	-	-	2	-	19	17	1	9	13	6	-
A 230	INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME	M	280	11	1	12	14	80	57	14	8	29	13	-
		F	183	4	1	8	10	67	55	9	2	21	3	1
		T	463	15	2	20	24	147	152	23	10	50	16	2
A 231	OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M	543	12	4	29	19	121	122	22	40	67	50	1
		F	410	11	3	22	12	86	107	26	22	41	72	2
		T	953	23	7	51	31	207	239	48	62	108	162	3
TOTAL (A229-A231)		M	865	23	5	43	33	214	240	37	53	104	105	1

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	Nfld. T.-N.	P.-E.-I. I.P.E.	N.-S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C. C.B.	YUKON	N.-W.-T. T.-N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
RATE - TAUX														
XII. MALADIES DE LA PEAU ET DU TISSU CELLULAIRE SOUS-CUTANE (A217,A21E)														
0.1	-	-	0.2	-	0.1	0.2	0.2	-	-	-	-	-	INFECTIONS DE LA PEAU ET DU TISSU CELLULAIRE SCUS-CUTANE	A 217
0.1	-	-	0.9	-	0.1	0.1	-	0.2	0.2	-	-	-		
0.1	-	-	0.6	-	0.1	0.2	0.1	0.1	0.1	-	-	-		
0.3	-	-	0.7	-	0.2	0.4	0.2	-	0.3	0.2	8.2	-	TOUTES LES AUTRES MALADIES DE LA PEAU ET DU TISSU CELLULAIRE SOUS-CUTANE	A 218
0.3	-	-	0.9	-	0.3	0.5	-	0.6	-	0.2	-	-		
0.3	-	-	0.8	-	0.2	0.4	0.1	0.3	0.1	0.2	4.3	-		
0.4	-	-	1.0	-	0.3	0.6	0.4	-	0.3	0.2	8.2	-	TOTAL (A217,A218)	
0.5	-	-	1.9	-	0.4	0.6	-	0.8	0.2	0.2	-	-		
0.4	-	-	1.4	-	0.3	0.6	0.2	0.4	0.2	0.2	4.3	-		
XIII. MALADIES DU SYSTEME OSTEO-ARTICULAIRE, DES MUSCLES ET DU TISSU CONJONCTIF (A219-A223)														
0.4	0.4	-	0.2	1.2	0.2	0.3	0.4	0.4	0.4	0.5	-	-	ARTHRITE RHUMATOIDE ET AUTRES POLYARTHROPATHIES INFLAMMATOIRES	A 219
1.1	0.4	-	0.7	2.6	0.6	1.4	0.6	2.3	0.9	1.1	-	-		
0.7	0.4	-	0.5	1.9	0.4	0.9	0.5	1.3	0.7	0.8	-	-		
0.6	0.7	1.6	0.2	0.9	0.3	0.7	0.8	0.8	0.5	1.3	-	-	AUTRES ARTHROPATHIES ET AFFECTIONS APPARENTES	A 220
1.3	0.7	1.6	1.2	1.4	1.0	1.3	1.5	1.9	1.1	2.4	-	-		
1.0	0.7	1.6	0.7	1.1	0.7	1.0	1.2	1.3	0.8	1.9	-	-		
0.1	0.4	-	-	0.6	0.1	0.0	-	-	0.1	0.3	-	-	AFFECTIONS DES REGIONES DU PLAN DORSAL	A 221
0.1	-	-	-	0.3	0.0	0.0	0.2	-	0.1	0.3	-	-		
0.1	0.2	-	-	0.4	0.1	0.0	0.1	-	0.1	0.3	-	-		
0.1	-	-	-	-	0.0	0.1	-	-	0.2	0.3	-	-	RHUMATISME ARTICULAIRE, A L'EXCLUSION DES AFFECTIONS DU PLAN DORSAL	A 222
0.1	-	-	-	-	0.0	0.1	-	0.2	0.1	-	-	-		
0.1	-	-	-	-	0.0	0.1	-	0.1	0.1	0.1	-	-		
0.3	0.4	-	0.7	0.3	0.2	0.5	0.8	0.2	0.2	0.2	-	-	OSTEOPATHIES, CHONDROPATHIE ET MALFORMATIONS ACQUISES DU SYSTEME OSTEO-MUSCULAIRE	A 223
0.5	-	-	0.9	0.6	0.6	0.3	0.8	0.8	0.6	0.6	-	-		
0.4	0.2	-	0.8	0.4	0.4	0.4	0.8	0.5	0.4	0.4	-	-		
1.5	1.8	1.6	1.2	2.9	0.8	1.6	2.0	1.4	1.4	2.6	-	-	TOTAL (A219-A223)	
3.1	1.1	1.6	2.8	4.9	2.3	3.1	3.1	5.2	2.8	4.4	-	-		
2.3	1.4	1.6	2.0	3.9	1.6	2.4	2.5	3.3	2.1	3.5	-	-		
XIV. ANOMALIES CONGENITALES (A224-A228)														
0.3	-	1.6	0.5	1.2	0.6	0.1	-	0.2	0.3	0.1	-	-	SPINA BIFIDA	A 224
0.4	1.4	-	0.7	-	0.7	0.3	0.6	-	0.2	0.3	-	-		
0.4	0.7	0.8	0.6	0.6	0.6	0.2	0.3	0.1	0.2	0.2	-	-		
1.1	2.5	-	1.4	0.6	1.1	1.0	1.0	1.0	1.0	1.1	-	-	TOUTES LES AUTRES ANOMALIES CONGENITALES DU SYSTEME NERVEUX	A 225
0.9	0.4	-	0.5	2.3	1.1	0.7	0.8	0.4	0.8	0.9	9.1	-		
1.0	1.4	-	0.5	1.4	1.1	0.8	0.9	0.7	0.9	1.0	4.3	-		
2.5	2.5	3.3	2.6	2.9	2.3	2.4	3.6	3.1	2.5	2.3	-	4.2	ANOMALIES CONGENITALES DU CŒUR	A 226
1.8	2.8	1.6	2.1	1.7	1.5	1.7	2.9	2.3	2.0	1.5	-	4.6		
2.1	2.6	2.4	2.4	2.3	1.5	2.1	3.2	2.7	2.3	1.9	-	4.4		
0.6	-	3.3	0.7	0.6	0.3	0.6	0.6	0.4	1.3	0.9	-	-	AUTRES ANOMALIES CONGENITALES DE L'APPAREIL CIRCULATOIRE	A 227
0.5	-	3.2	0.2	0.3	0.3	0.5	0.4	0.4	0.5	0.8	-	-		
0.5	-	3.3	0.5	0.4	0.3	0.6	0.5	0.4	0.9	0.8	-	-		
2.9	4.6	4.9	2.9	2.3	2.7	2.7	3.6	3.9	3.1	2.8	8.2	4.2	TOUTES LES AUTRES ANOMALIES CONGENITALES	A 228
2.1	3.2	-	1.9	0.9	1.8	2.0	2.7	2.1	3.1	2.3	-	-		
2.5	3.9	2.4	2.4	1.6	2.3	2.4	3.1	3.0	3.1	2.6	4.3	2.2		
7.3	9.5	13.1	8.1	7.5	6.9	6.8	8.7	8.6	8.2	7.2	8.2	8.3	TOTAL (A224-A228)	
5.6	7.8	4.9	5.4	5.1	5.4	5.3	7.3	5.2	6.7	5.8	9.1	4.6		
6.5	8.6	9.0	6.7	6.3	6.2	6.0	8.0	6.9	7.5	6.5	8.6	6.6		
XV. CERTAINES AFFECTIONS DONT L'ORIGINE SE SITUE DANS LA PERIODE PERINATALE (A229-A231)														
0.3	-	-	0.5	-	0.4	0.3	0.2	1.0	0.7	0.1	-	-	TRAUMATISME OBSTETRICAL	A 229
0.2	-	-	-	-	0.2	0.1	-	0.8	0.5	0.3	-	-		
0.3	-	-	0.2	-	0.3	0.2	0.1	0.9	0.6	0.2	-	-		
2.3	3.9	1.6	2.9	4.0	2.5	2.3	2.8	1.6	2.5	1.0	-	4.2	HYPOXIE INTRA-UTERINE, ASPHYXIE A LA NAISSANCE, ET SYNDROME DE DETRESSE RESP.	A 230
1.5	1.4	1.6	1.9	2.9	2.1	1.3	1.7	0.4	1.9	0.2	18.2	4.6		
1.9	2.6	1.6	2.4	3.4	2.3	1.8	2.2	1.0	2.2	0.6	8.6	4.4		
4.5	4.2	6.6	6.9	5.5	3.8	3.1	4.3	8.2	5.9	6.6	8.2	25.0	AUTRES AFFECTIONS DONT L'ORIGINE SE SITUE DANS LA PERIODE PERINATALE	A 231
3.3	3.9	4.9	5.1	3.4	2.6	2.4	5.0	4.6	3.7	5.2	18.2	27.5		
3.9	4.1	5.7	6.0	4.5	3.2	2.8	4.7	6.4	4.8	5.9	13.0	26.2		
7.2	8.1	8.2	10.2	9.5	6.7	5.7	7.3	10.9	9.1	7.7	8.2	25.2	TOTAL (A229-A231)	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	NFLD. T.-N.	P.-E.-I. I.-P.-E.	N.-S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.-B.-T. T.-N.-O.
		F	618	15	4	30	22	159	168	35	28	67	79	4	7
		T	1,483	38	9	73	55	373	408	72	81	171	164	5	14
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (A232-A233)															
A 232	SENILITY WITHOUT MENTION OF PSYCHOSIS	M	79	3	-	1	5	38	15	5	2	3	6	-	1
		F	150	8	-	10	9	51	43	5	7	4	9	-	-
		T	229	11	-	11	14	89	58	14	9	7	15	-	1
A 233	SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS	M	1,052	34	1	23	35	193	462	53	32	189	25	1	4
		F	770	31	1	15	19	137	352	53	18	110	29	-	5
		T	1,822	65	2	38	54	330	814	106	50	299	54	1	9
TOTAL (A232,A233)		M	1,131	37	1	24	40	231	477	56	34	152	31	1	5
		F	920	39	1	25	28	188	355	62	25	114	38	-	5
		T	2,051	76	2	49	68	419	872	120	59	306	69	1	10
EXVII. EXTERNAL CAUSES OF INJURY AND POISONING (AE234-AE282)															
ACCIDENTS AND ADVERSE EFFECTS (AE234-AE263)															
TRANSPORT ACCIDENTS (AE234-AE245)															
AE234	RAILWAY ACCIDENTS	M	46	-	-	1	2	8	19	-	3	3	9	1	-
		F	5	-	-	-	1	1	1	-	-	-	1	-	-
		T	51	-	-	1	3	9	20	1	3	3	10	1	-
MOTOR VEHICLE ACCIDENTS (AE235-AE241)															
MOTOR VEHICLE TRAFFIC ACCIDENTS (AE235-AE240)															
AE235	INVOLVING COLLISION WITH TRAIN	M	57	-	-	-	-	15	24	3	4	8	3	-	-
		F	17	1	-	2	-	2	7	-	-	4	1	-	-
		T	74	1	-	2	-	17	31	3	4	12	4	-	-
AE236	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	M	1,428	11	5	39	46	383	440	56	90	156	158	1	3
		F	583	4	1	13	12	140	187	18	25	79	104	-	-
		T	2,011	15	6	52	58	523	627	74	115	235	302	1	3
AE237	INVOLVING COLLISION WITH PEDESTRIAN	M	579	10	5	27	28	156	155	25	25	66	78	3	1
		F	297	4	-	8	10	52	88	14	8	26	45	2	-
		T	876	14	5	35	38	248	243	39	33	92	123	5	1
AE238	INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT	M	308	6	-	2	14	112	120	13	8	14	19	-	-
		F	57	1	-	1	2	14	30	1	-	4	4	-	-
		T	365	7	-	3	16	126	150	14	8	18	23	-	-
AE239	NOT INVOLVING COLLISION ON HIGHWAY	M	1,215	19	2	68	58	270	303	34	65	129	262	4	1
		F	276	2	-	13	12	46	57	15	16	33	81	1	-
		T	1,491	21	2	81	70	316	360	49	81	162	343	5	1
AE240	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	M	348	27	2	3	10	116	27	18	19	103	20	3	1
		F	130	8	-	1	4	40	14	9	5	40	5	3	1
		T	478	35	2	4	14	156	41	27	24	143	25	6	1
TOTAL (AE235-AE240)		M	3,935	73	14	139	156	1,052	1,069	149	211	476	580	11	5
		F	1,360	20	1	38	40	334	383	57	54	166	240	6	1
		T	5,295	93	15	177	196	1,386	1,452	206	265	662	820	17	6
AE241	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	M	105	1	1	3	2	19	30	5	13	12	12	-	3
		F	27	-	-	1	-	3	8	2	1	3	7	-	2
		T	132	1	1	4	2	22	38	11	14	15	19	-	5
TOTAL (AE235-AE241)		M	4,040	74	15	142	158	1,071	1,099	158	224	468	552	11	8
		F	1,387	20	1	39	40	337	391	59	55	189	247	6	3
		T	5,427	94	16	181	198	1,408	1,490	217	279	677	839	17	11
AE242	OTHER ROAD VEHICLE ACCIDENTS	M	12	-	-	-	-	3	3	-	-	2	4	-	-
		F	8	-	-	-	-	1	1	1	-	2	3	-	-
		T	20	-	-	-	-	4	4	1	-	4	7	-	-
AE243	WATER TRANSPORT ACCIDENTS	M	282	21	-	24	11	51	69	18	11	18	55	1	3
		F	23	-	-	-	-	10	4	2	2	2	3	-	-
		T	305	21	-	24	11	61	73	20	13	20	58	1	3
AE244	AIR AND SPACE TRANSPORT ACCIDENTS	M	151	5	-	2	-	27	31	13	3	22	43	4	1
		F	23	1	-	2	-	5	2	4	2	2	4	1	-
		T	174	6	-	4	-	32	33	17	5	24	47	5	1
AE245	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	M	4	-	-	-	-	1	1	-	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
		T	5	-	-	-	-	1	1	-	-	1	2	-	-
TOTAL (AE234-AE245)		M	4,535	100	15	169	171	1,161	1,222	189	241	533	705	17	12

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	N.F.L.D. P.-E.-I.			N.-S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.		YUKON	N.-W.-T.		CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.-P.-E.	I.-P.-E.	N.-E.	N.-E.							C.-B.	T.-N.O.					
RATE - TAUX																		
5.0	5.3	6.5	7.0	6.3	4.9	3.8	6.7	5.8	6.1	5.7	36.4	32.1						
6.1	6.7	7.3	8.6	7.9	5.8	4.7	7.0	6.4	7.6	6.7	21.6	30.6						
XVI. SYMPTOMES, SIGNES ET ETATS MORBIDES MAL DEFINIS (A232,A233)																		
0.7	1.1	-	0.2	1.4	1.2	0.4	1.0	0.4	0.3	0.4	-	4.2						
1.2	2.8	-	2.3	2.6	1.6	1.0	1.7	1.5	0.4	0.7	-	-						A 232
0.9	1.9	-	1.3	2.0	1.4	0.7	1.4	0.9	0.3	0.5	-	2.2						
8.7	11.9	1.6	5.5	10.1	6.1	10.9	10.5	6.6	16.5	1.8	8.2	16.7						A 233
6.3	11.0	1.6	3.5	5.4	4.2	8.0	10.2	3.7	10.1	2.1	-	23.0						
7.5	11.5	1.6	4.5	7.8	5.1	5.4	10.3	5.2	13.4	2.0	4.3	15.7						
TOTAL (A232,A233)																		
9.4	13.0	1.6	5.7	11.6	7.3	11.2	11.5	7.0	16.8	2.3	8.2	20.9						
7.5	13.8	1.6	5.8	8.0	5.8	9.0	11.9	5.2	10.4	2.8	-	23.0						
8.4	13.4	1.6	5.8	9.8	6.5	10.1	11.7	6.1	13.7	2.5	4.3	21.9						
EXVII. CAUSES EXTERIEURES DE TRAUMATISMES ET EMPUSCNEMENTS (AE234-AE282)																		
TRAUMATISMES ET EFFETS ADVERSES (AE234-AE263)																		
ACCIDENTS DE TRANSPORT (AE234-AE245)																		
0.4	-	-	0.2	0.6	0.3	0.4	-	0.6	0.3	0.7	8.2	-						
0.0	-	-	-	0.3	0.0	0.0	0.2	-	-	0.1	-	-						AE234
0.2	-	-	0.1	0.4	0.1	0.2	0.1	0.3	0.1	0.4	4.3	-						
ACCIDENTS DE VEHICULES A MCTEUR (AE235-AE241)																		
ACCIDENTS DE LA CIRCULATION IMPLIQUANT DES VEHICULES A MCTEUR (AE235-AE240)																		
0.5	-	-	-	-	0.5	0.6	0.6	0.8	0.7	0.2	-	-						
0.1	0.4	-	0.5	-	0.1	0.2	-	-	0.4	0.1	-	-						
0.3	0.2	-	0.2	-	0.3	0.4	0.3	0.4	0.5	0.1	-	-						
11.8	3.9	8.2	9.3	13.3	12.1	10.4	11.1	18.5	13.6	14.5	8.2	12.5						AE236
4.7	1.4	1.6	3.0	3.4	4.3	4.3	3.5	5.2	7.2	7.5	-	-						
8.3	2.6	4.9	6.1	8.3	8.1	7.3	7.2	11.9	10.5	11.0	4.3	6.6						
4.8	3.5	8.2	6.4	8.1	4.9	3.6	4.9	5.1	5.8	5.7	24.6	4.2						AE237
2.4	1.4	-	1.9	2.9	2.8	2.0	2.7	1.7	2.4	3.3	18.2	-						
3.6	2.5	4.1	4.1	5.5	3.9	2.8	3.8	3.4	4.1	4.5	21.6	2.2						
2.6	2.1	-	0.5	4.0	3.5	2.8	2.6	1.6	1.2	1.4	-	-						AE238
0.5	0.4	-	0.2	0.6	0.4	0.7	0.2	-	0.4	0.3	-	-						
1.5	1.2	-	0.4	2.3	2.0	1.7	1.4	0.8	0.8	0.8	-	-						
10.1	6.7	3.3	16.2	16.8	8.5	7.1	6.7	13.4	11.3	19.2	32.9	4.2						AE239
2.2	0.7	-	3.0	3.4	1.4	1.3	2.9	3.3	3.0	5.9	9.1	-						
6.1	3.7	1.6	9.6	10.1	4.9	4.2	4.8	8.4	7.2	12.5	21.6	2.2						
2.9	9.5	3.3	0.7	2.9	3.7	0.6	3.6	3.9	9.0	1.5	24.6	-						AE240
1.1	2.8	-	0.2	1.1	1.2	0.3	1.7	1.0	3.7	0.4	27.3	4.6						
2.0	6.2	1.6	0.5	2.0	2.4	0.5	2.6	2.5	6.4	0.9	25.9	2.2						
TOTAL (AE235-AE240)																		
32.6	25.6	23.0	33.1	45.1	33.2	25.2	29.4	43.4	41.6	42.5	90.3	20.9						
11.1	7.1	1.6	8.9	11.4	10.2	8.7	11.0	11.2	17.0	17.4	54.6	4.6						
21.8	16.4	12.2	20.9	28.1	21.5	16.8	20.1	27.4	29.6	29.9	73.4	13.1						
0.9	0.4	1.6	0.7	0.6	0.6	0.7	1.8	2.7	1.0	0.9	-	12.5						AE241
0.2	-	-	0.2	-	0.1	0.2	0.4	0.2	0.3	0.5	-	5.2						
0.5	0.2	0.8	0.5	0.3	0.3	0.4	1.1	1.4	0.7	0.7	-	10.9						
TOTAL (AE235-AE241)																		
33.5	25.9	24.6	33.8	45.7	33.8	25.9	31.2	46.1	42.7	43.4	90.3	33.4						
11.3	7.1	1.6	9.1	11.4	10.3	8.9	11.4	11.4	17.3	17.9	54.6	13.8						
22.3	16.6	13.1	21.4	28.4	21.9	17.3	21.1	28.8	30.3	30.6	73.4	24.0						
0.1	-	-	-	-	0.1	0.1	-	-	0.2	0.3	-	-						AE242
0.1	-	-	-	-	0.0	0.0	0.2	-	0.2	0.2	-	-						
0.1	-	-	-	-	0.1	0.0	0.1	-	0.2	0.3	-	-						
2.3	7.4	-	5.7	3.2	1.6	1.6	3.6	2.3	1.6	4.0	8.2	12.5						AE243
0.2	-	-	-	-	0.3	0.1	0.4	0.4	0.2	0.2	-	-						
1.3	3.7	-	2.8	1.6	0.9	0.8	1.9	1.3	0.9	2.1	4.3	6.6						
1.3	1.8	-	0.5	-	0.9	0.7	2.6	0.6	1.9	3.1	32.9	4.2						AE244
0.2	0.4	-	0.5	-	0.2	0.0	0.8	0.4	0.2	0.3	9.1	-						
0.7	1.1	-	0.5	-	0.5	0.4	1.7	0.5	1.1	1.7	21.6	2.2						
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	-	-						AE245
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-						
0.0	-	-	-	-	0.0	0.0	-	-	0.0	0.1	-	-						
TOTAL (AE234-AE245)																		
37.6	35.0	24.6	40.3	49.4	36.6	28.8	37.3	49.6	46.6	51.6	139.6	50.1						

VOIR NOTE A LA FIN DU TABLEAU.

TABLE G. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.A.G.
NUMBER - NOMBRE															
		F	1,447	21	1	41	41	354	399	67	59	156	258	7	3
		T	5,982	121	16	210	212	1,515	1,621	256	300	729	963	24	15
ACCIDENTAL POISONING (AE246-AE248)															
AE246	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M	115	1	-	3	1	9	57	1	1	1	39	1	1
		F	95	2	-	3	1	9	40	5	6	2	31	-	-
		T	214	3	-	6	2	18	97	6	7	3	70	1	1
AE247	ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES	M	91	1	-	7	3	1	19	5	2	3	48	-	4
		F	39	2	-	1	-	-	10	1	1	2	22	-	-
		T	130	3	-	8	3	1	29	6	3	5	70	-	2
AE248	ACCIDENTAL POISONING BY GASES AND VAPORS	M	88	4	-	-	3	20	25	8	6	14	8	-	-
		F	14	1	-	-	-	3	5	1	2	2	-	-	-
		T	102	5	-	-	3	23	30	9	8	16	8	-	-
TOTAL (AE246-AE248)															
		M	294	6	-	10	7	30	101	14	9	18	95	1	3
		F	152	5	-	4	1	12	55	7	9	6	53	-	-
		T	446	11	-	14	8	42	156	21	18	24	148	1	3
AE249	MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS	M	13	-	-	-	1	1	6	1	-	2	2	-	-
		F	24	-	1	1	1	2	15	1	2	1	-	-	-
		T	37	-	1	1	2	3	21	2	2	3	2	-	-
ACCIDENTAL FALLS (AE250-AE252)															
AE250	FALL FROM ONE LEVEL TO ANOTHER	M	361	3	-	17	14	57	126	17	27	37	61	2	-
		F	148	3	-	11	2	5	71	3	7	10	35	-	1
		T	509	6	-	28	16	62	197	20	34	47	96	2	1
AE251	FALL ON SAME LEVEL	M	28	-	-	2	1	2	7	4	2	5	5	-	-
		F	45	-	-	5	1	1	15	3	4	3	13	-	-
		T	73	-	-	7	2	3	22	7	6	8	18	-	-
AE252	FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS	M	505	5	4	7	14	115	189	23	25	40	81	-	2
		F	672	7	5	18	21	148	283	25	23	43	99	-	-
		T	1,177	12	9	25	35	263	472	48	48	83	180	-	2
TOTAL (AE250-AE252)															
		M	894	8	4	26	29	174	322	44	54	62	147	2	2
		F	865	10	5	34	24	154	369	31	34	56	147	-	1
		T	1,759	18	9	60	53	328	691	75	88	118	294	2	3
AE253	ACCIDENTS CAUSED BY FIRES AND FLAMES	M	407	8	1	23	13	105	109	26	24	46	46	4	2
		F	236	5	-	9	6	60	81	15	8	21	28	-	3
		T	643	13	1	32	19	165	190	41	32	67	74	4	5
OTHER ACCIDENTS, INCLUDING LATE EFFECTS (AE254-AE262)															
AE254	LIGHTNING	M	8	-	-	-	-	-	5	-	-	2	1	-	-
		F	2	-	-	-	-	1	-	-	1	-	-	-	-
		T	10	-	-	-	-	1	5	-	1	2	1	-	-
AE255	ACCIDENTAL DROWNING AND SUBMERSION	M	496	26	5	16	17	150	118	40	14	44	60	1	5
		F	123	5	-	4	3	32	41	12	4	6	16	-	-
		T	619	31	5	20	20	182	159	52	18	50	76	1	5
AE256	SUFFOCATION CAUSED BY INHALATION OR INGESTION OF FOOD OR OTHER OBJECT	M	218	9	-	13	12	42	67	16	11	16	12	-	-
		F	149	1	-	4	11	35	70	8	5	5	10	-	-
		T	367	10	-	17	23	77	137	24	16	21	22	-	-
AE257	ACCIDENT CAUSED BY HANDGUN	M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
		T	2	-	-	-	-	-	-	-	1	-	-	1	-
AE258	ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS	M	53	-	1	4	2	11	14	2	2	12	3	1	1
		F	7	-	-	-	-	1	2	2	-	-	1	-	1
		T	60	-	1	4	2	12	16	4	2	12	4	1	2
AE259	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	M	16	-	-	1	1	3	3	2	2	3	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	16	-	-	1	1	3	3	2	2	3	1	-	-
AE260	ACCIDENTS CAUSED BY HOT, CAUSTIC, OR CORROSIVE SUBSTANCES AND RADIATION	M	8	-	-	-	1	1	3	-	1	2	-	-	-
		F	6	1	-	-	-	-	4	-	-	-	1	-	-
		T	14	1	-	-	1	1	7	-	1	2	1	-	-
AE261	ACCIDENT CAUSED BY ELECTRIC CURRENT	M	69	1	-	3	3	17	15	2	7	14	7	-	-
		F	3	-	-	-	-	-	2	-	-	1	-	-	-
		T	72	1	-	3	3	17	17	2	7	15	7	-	-
AE262	ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY	M	732	5	2	21	9	249	208	27	37	60	104	2	8
		F	141	2	-	4	2	42	45	7	3	13	18	1	-
		T	873	7	2	25	11	291	257	34	40	73	122	3	8
TOTAL (AE254-AE262)															
		M	1,601	41	8	58	45	473	453	89	75	153	188	4	14
		F	432	9	-	12	16	111	168	25	13	25	46	2	1
		T	2,033	50	8	70	61	584	621	118	88	178	234	6	15
AE263	ADVERSE EFFECTS OF DRUGS,	M	4	-	-	-	1	1	1	-	-	1	-	-	-

SEE FOOTNOTE AT END OF TABLE.

TABEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	NFLD. P.-E.-I.			N.S.			N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.			YUKON	N.-M.-T.			CAUSES DE CECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
	-			-									C.B.				T.N.C.					
	T.-N.	I.P.E.	-	N.-E.	-	-							RATE - TAUX									
11.8	7.4	1.6	9.6	11.7	10.8	9.1	12.9	12.2	17.9	18.7	63.8	13.8										
24.6	21.3	13.1	24.8	30.4	23.5	18.8	24.9	31.0	32.6	35.1	103.6	32.8										
1.0	0.4	-	0.7	0.3	0.3	1.3	0.2	0.2	0.1	2.9	8.2	4.2										
0.8	0.7	-	0.7	0.3	0.3	0.9	1.0	1.2	0.2	2.2	-	-									AE246	
0.9	0.5	-	0.7	0.3	0.3	1.1	0.6	0.7	0.1	2.6	4.3	2.2										
0.8	0.4	-	1.7	0.9	0.0	0.4	1.0	0.4	0.3	3.5	-	8.3									AE247	
0.3	0.7	-	0.2	-	-	0.2	0.2	0.2	0.2	1.6	-	-										
0.5	0.5	-	0.5	0.4	0.0	0.3	0.6	0.3	0.2	2.6	-	4.4										
0.7	1.4	-	-	0.9	0.6	0.6	1.6	1.2	1.2	0.6	-	-									AE248	
0.1	0.4	-	-	-	0.1	0.1	0.2	0.4	0.2	-	-	-										
0.4	0.9	-	-	0.4	0.4	0.3	0.9	0.8	0.7	0.3	-	-										
2.4	2.1	-	2.4	2.0	0.9	2.4	2.8	1.9	1.6	7.0	8.2	12.5										
1.2	1.8	-	0.9	0.3	0.4	1.3	1.3	1.9	0.5	3.8	-	-										
1.8	1.9	-	1.7	1.1	0.7	1.8	2.0	1.9	1.1	5.4	4.3	6.6										
0.1	-	-	-	0.3	0.0	0.1	0.2	-	0.2	0.1	-	-										
0.2	-	1.6	0.2	0.3	0.1	0.3	0.2	0.4	0.1	-	-	-									AE249	
0.2	-	0.8	0.1	0.3	0.0	0.2	0.2	0.2	0.1	0.1	-	-										
3.0	1.1	-	4.1	4.0	1.8	3.0	3.4	5.6	3.2	4.5	16.4	-									AE250	
1.2	1.1	-	2.6	0.6	0.2	1.6	0.6	1.5	0.9	2.5	-	4.6										
2.1	1.1	-	3.3	2.3	1.0	2.3	1.9	3.5	2.1	3.5	8.6	2.2										
0.2	-	-	0.5	0.3	0.1	0.2	0.8	0.4	0.4	0.4	-	-									AE251	
0.4	-	-	1.2	0.3	0.0	0.3	0.6	0.8	0.3	0.9	-	-										
0.3	-	-	0.8	0.3	0.0	0.3	0.7	0.6	0.4	0.7	-	-										
4.2	1.8	6.6	1.7	4.0	3.6	4.5	4.5	5.1	3.5	5.9	-	8.3									AE252	
5.5	2.5	8.1	4.2	6.0	4.5	6.5	4.8	4.8	3.9	7.2	-	-										
4.8	2.1	7.3	3.0	5.0	4.1	5.5	4.7	5.0	3.7	6.6	-	4.4										
7.4	2.8	6.6	6.2	8.4	5.5	7.6	8.7	11.1	7.2	10.8	16.4	8.3										
7.0	3.5	8.1	7.9	6.8	4.7	8.4	6.0	7.1	5.1	10.7	-	4.6										
7.2	3.2	7.3	7.1	7.6	5.1	8.0	7.3	9.1	6.2	10.7	8.6	6.6										
3.4	2.8	1.6	5.5	3.8	3.3	2.6	5.1	4.9	4.0	3.4	32.9	8.3									AE253	
1.9	1.8	-	2.1	1.7	1.8	1.9	2.5	1.7	1.9	2.0	-	13.8										
2.6	2.3	0.8	3.8	2.7	2.6	2.2	4.0	3.3	3.0	2.7	17.3	10.9										
0.1	-	-	-	-	-	0.1	-	-	0.2	0.1	-	-									AE254	
0.0	-	-	-	-	0.0	-	-	-	0.2	-	-	-										
0.0	-	-	-	-	0.0	0.1	-	-	0.1	0.1	0.0	-										
4.1	9.1	8.2	3.8	4.9	4.7	2.8	7.9	2.9	3.8	4.4	8.2	20.9									AE255	
1.0	1.8	-	0.9	0.9	1.0	0.9	2.3	0.8	0.5	1.2	-	-										
2.5	5.5	4.1	2.4	2.5	2.8	1.8	5.1	1.9	2.2	2.8	4.3	10.9										
1.8	3.2	-	3.1	3.5	1.3	2.0	3.2	2.3	1.4	0.9	-	-									AE256	
1.2	0.4	-	0.9	3.1	1.1	1.6	1.5	1.0	0.5	0.7	-	-										
1.5	1.8	-	2.0	3.3	1.2	1.8	2.3	1.7	0.9	0.8	-	-										
0.0	-	-	-	-	-	-	-	-	0.2	-	-	-									AE257	
0.0	-	-	-	-	-	-	-	-	-	-	-	9.1										
0.0	-	-	-	-	-	-	-	-	0.1	-	-	4.3										
0.4	-	1.6	1.0	0.6	0.3	0.3	0.4	0.4	1.0	0.2	8.2	4.2									AE258	
0.1	-	-	-	-	0.0	0.0	0.4	-	-	0.1	-	4.6										
0.2	-	0.8	0.5	0.3	0.2	0.2	0.4	0.2	0.5	0.1	4.3	4.4										
0.1	-	-	0.2	0.3	0.1	0.1	0.4	0.4	0.3	0.1	-	-									AE259	
0.1	-	-	-	-	-	-	-	-	-	-	-	-										
0.1	-	-	0.1	0.1	0.0	0.0	0.2	0.2	0.1	0.0	-	-										
0.1	-	-	-	0.3	0.0	0.1	-	0.2	0.2	-	-	-									AE260	
0.0	0.4	-	-	-	-	0.1	-	-	-	0.1	-	-										
0.1	0.2	-	-	0.1	0.0	0.1	-	0.1	0.1	0.0	-	-										
0.6	0.4	-	0.7	0.9	0.5	0.4	0.4	1.4	1.2	0.5	-	-									AE261	
0.0	-	-	-	-	-	0.0	-	-	0.1	-	-	-										
0.3	0.2	-	0.4	0.4	0.3	0.2	0.2	0.7	0.7	0.3	-	-										
6.1	1.8	3.3	5.0	2.6	7.8	4.9	5.3	7.6	5.2	7.6	16.4	33.4									AE262	
1.1	0.7	-	0.9	0.6	1.3	1.1	1.3	0.6	1.2	1.3	5.1	-										
3.6	1.2	1.6	3.0	1.6	4.5	3.0	3.3	4.1	3.3	4.4	13.0	17.5										
13.3	14.4	13.1	13.8	13.0	14.9	10.7	17.6	15.4	13.4	13.8	32.9	58.4										
3.5	3.2	-	2.8	4.6	3.4	3.8	5.6	2.7	2.3	3.3	18.2	4.6										
8.4	8.8	6.5	8.3	8.8	9.1	7.2	11.5	9.1	8.0	8.5	25.9	32.8										
0.0	-	-	-	0.3	0.0	0.0	-	-	0.1	-	-	-									AE263	

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONTINUED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)	CANADA	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	
			T.-N.	I.-P.-E.	N.-E.		NUMBER	ONT.		NOMBRE	C.-B.	T.-N.D.			
	MEDICAMENTS AND BIOLOGICALS IN THERAPEUTIC USE	F T	6 10	- -	- -	- -	1 2	2 3	1 2	1 1	- -	1 2	- -	- -	- -
	TOTAL (AE246-AE263)	M F T	3,213 1,715 4,928	63 29 92	13 6 19	117 60 177	96 49 145	784 341 1,125	992 689 1,681	174 84 258	162 66 228	302 110 412	478 274 752	11 2 13	21 5 26
	SUICIDE (AE264-AE270)														
AE264	SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M F T	228 317 545	- -	1 -	8 7 15	2 4 6	73 82 155	86 138 224	4 6 10	6 15 21	24 32 56	24 33 57	- -	- -
AE265	SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES	M F T	34 18 52	- -	- -	- -	1 -	10 4 14	6 5 11	1 -	4 1 8	3 1 4	9 4 13	- -	- -
AE266	SUICIDE BY GASES AND VAPORS	M F T	264 70 334	- -	2 -	5 2 7	4 1 5	66 11 77	76 30 106	16 2 18	15 1 16	50 14 64	30 9 39	- -	- -
AE267	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	M F T	633 164 797	4 -	3 -	12 3 15	13 1 14	239 67 306	205 40 245	25 6 31	18 9 27	47 14 61	63 23 86	- -	4 1 5
AE268	SUICIDE BY HANDGUN	M F T	33 2 35	- -	- -	2 -	- -	8 2 10	14 -	1 -	1 -	2 -	5 -	- -	- -
AE269	SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS	M F T	1,044 90 1,134	15 2 17	2 -	43 2 45	42 2 45	292 27 319	268 21 289	61 4 65	73 11 84	121 10 131	118 9 127	5 -	3 2 5
AE270	SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF- INFLICTED INJURY	M F T	334 172 506	1 2 3	1 -	6 2 8	4 2 6	111 62 173	125 61 186	14 4 18	10 4 14	18 8 26	44 27 71	- -	- -
	TOTAL (AE264-AE270)	M F T	2,570 833 3,403	20 4 24	9 -	76 16 92	67 10 77	799 255 1,054	780 255 1,075	122 22 144	127 44 171	265 79 344	253 105 358	5 -	7 3 10
	HOMICIDE AND LEGAL INTERVENTION (AE271-AE276)														
AE271	ASSAULT BY HANDGUN	M F T	8 3 11	- -	- -	- -	1 -	1 -	1 1	1 1	1 1	- -	3 -	- -	- -
AE272	ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS	M F T	115 54 169	- 1 1	- -	1 1 2	4 5 9	48 12 60	19 14 33	5 2 7	5 6 11	13 3 16	18 10 28	- -	2 -
AE273	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	M F T	101 58 159	- -	- -	- 1 1	1 1 2	22 12 34	30 19 49	6 5 11	3 3 6	21 6 27	18 9 27	- 1 1	- 1 1
AE274	ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY	M F T	122 99 221	- -	1 -	1 2 3	1 5 6	26 15 41	40 27 67	6 5 15	5 7 12	15 11 26	26 23 49	- -	1 -
AE275	LEGAL EXECUTION	M F T	- - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
AE276	OTHER LEGAL INTERVENTION AND LATE EFFECTS	M F T	7 - 7	- -	- -	- -	- -	1 -	4 -	2 -	- -	- -	- -	- -	- -
	TOTAL (AE271-AE276)	M F T	353 214 567	- 1 1	1 -	2 4 6	7 11 18	98 39 137	94 61 155	20 17 37	14 17 31	49 20 69	65 42 107	- 1 1	3 1 4
	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (AE277-AE281)														
AE277	FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS	M F T	90 100 190	- 1 1	- -	2 2 4	1 -	32 34 66	15 19 34	5 7 12	1 5 6	21 16 37	13 15 28	- -	- 1 1
AE278	FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES	M F T	49 31 80	1 1 2	1 -	1 -	- 2 2	6 3 9	5 1 4	5 3 8	4 3 7	18 9 27	9 9 18	- -	1 -
AE279	FROM INJURY BY HANDGUN	M F T	- - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
AE280	FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS	M F	50 5	8 -	1 -	- -	- -	22 4	6 -	4 -	- -	3 -	6 1	- -	- -

SEE FOOTNOTE AT END OF TABLE.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - SUITE

CANADA	Nfld. P.-E.I. T.-N. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)	
RATE - TAUX														
0.0	-	-	0.3	0.1	0.0	0.2	-	0.1	-	-	-	MENT OU PRODUIT BIOLOGIQUE PCUR USAGE THERAPEUTIQUE		
0.0	-	-	0.3	0.1	0.0	0.1	-	0.1	-	-	-			
26.6	22.1	21.3	27.9	27.7	24.7	23.4	34.4	33.3	26.4	35.0	90.3	87.6	TOTAL (AE246-AE263)	
14.0	10.3	9.7	14.0	14.0	10.4	15.7	16.2	13.7	10.1	19.9	18.2	23.0		
20.2	16.2	15.5	20.9	20.8	17.5	19.5	25.1	23.5	18.4	27.4	56.1	56.8		
SUICIDE (AE264-AE270)														
1.9	-	1.6	1.9	0.6	2.3	2.0	0.8	1.2	2.1	1.8	-	-	SUICIDE PAR MEDICAMENTS ET SUBSTANCES BIOLOGIQUES	AE264
2.6	-	-	1.6	1.1	2.5	3.2	1.2	3.1	2.9	2.4	-	-		
2.2	-	0.8	1.8	0.9	2.4	2.6	1.0	2.2	2.5	2.1	-	-		
0.3	-	-	-	0.3	0.3	0.1	0.2	0.8	0.3	0.7	-	-	SUICIDE PAR ALTRES SUBSTANCES SOLIDES OU LIQUIDES	AE265
0.1	-	-	-	-	0.1	0.1	-	0.8	0.1	0.3	-	-		
0.2	-	-	-	0.1	0.2	0.1	0.1	0.8	0.2	0.5	-	-		
2.2	-	3.3	1.2	1.2	2.1	1.8	3.2	3.1	4.4	2.2	-	-	SUICIDE PAR GAZ ET VAPEURS	AE266
0.6	-	-	0.5	0.3	0.3	0.7	0.4	0.2	1.3	0.7	-	-		
1.4	-	1.6	0.8	0.7	1.2	1.2	1.8	1.7	2.9	1.4	-	-		
5.2	1.4	4.9	2.9	3.8	7.5	4.8	4.9	3.7	4.1	4.6	-	16.7	SUICIDE PAR PENDAISUN, STRANGULATION ET ASPHYXIE	AE267
1.3	-	-	0.7	0.3	2.1	0.9	1.2	1.9	1.3	1.7	-	4.6		
3.3	0.7	2.4	1.8	2.0	4.8	2.8	3.0	2.8	2.7	3.1	-	10.9		
0.3	-	-	0.5	-	0.3	0.3	0.2	0.2	0.2	0.4	-	-	SUICIDE PAR ARME DE PCING	AE268
0.0	-	-	-	-	0.1	-	-	-	-	-	-	-		
0.1	-	-	0.2	-	0.2	0.2	0.1	0.1	0.1	0.2	-	-		
8.7	5.3	3.3	10.2	12.4	9.2	6.3	12.0	15.0	10.6	8.6	41.1	12.5	SUICIDE PAR ARMES A FEU, TCUES LES AUTRES ET NON PRECISEES	AE269
0.7	0.7	-	0.5	0.6	0.8	0.5	0.8	2.3	0.9	0.7	-	9.2		
4.7	3.0	1.6	5.3	6.5	5.0	3.4	6.3	8.7	5.9	4.6	21.6	16.9		
2.8	0.4	1.6	1.4	1.2	3.5	2.9	2.8	2.1	1.6	3.2	-	-	SUICIDE PAR TOUS LES AUTRES MOYENS ET SEQUELLES DE TENTATIVES DE SUICIDE	AE270
1.4	0.7	-	0.5	0.6	1.9	1.4	0.8	0.8	0.7	2.0	-	-		
2.1	0.5	0.8	0.9	0.9	2.7	2.2	1.8	1.4	1.2	2.6	-	-		
21.3	7.0	14.8	18.1	19.4	25.2	18.4	24.1	26.1	23.2	21.5	41.1	29.2	TOTAL (AE264-AE270)	
6.8	1.4	-	3.7	2.9	7.8	6.7	4.2	9.1	7.2	7.6	-	13.8		
14.0	4.2	7.3	10.5	11.1	16.4	12.5	14.0	17.7	15.4	14.5	21.6	21.9		
HOMICIDE ET INTERVENTION DE LA FORCE PUBLIQUE (AE271-AE276)														
0.1	-	-	-	0.3	0.0	0.0	0.2	0.2	-	0.2	-	-	ATTENTAT PAR ARME DE PCING	AE271
0.0	-	-	-	-	-	0.0	0.2	0.2	-	-	-	-		
0.0	-	-	-	0.1	0.0	0.0	0.2	0.2	-	0.1	-	-		
1.0	-	-	0.2	1.2	1.5	0.4	1.0	1.0	1.1	1.3	-	8.3	ATTENTAT PAR ARMES A FEU, TCUES LES AUTRES ET NON PRECISEES	AE272
0.4	0.4	-	0.2	1.4	0.4	0.3	0.4	1.2	0.3	0.7	-	-		
0.7	0.2	-	0.2	1.3	0.9	0.4	0.7	1.1	0.7	1.0	-	4.4		
0.8	-	-	-	0.3	0.7	0.7	1.2	0.6	1.8	1.3	-	-	ATTENTAT PAR INSTRUMENT TRANCHANT OU PERFORANT	AE273
0.5	-	-	0.2	0.3	0.4	0.4	1.0	0.6	0.5	0.7	5.1	4.6		
0.7	-	-	0.1	0.3	0.5	0.6	1.1	0.6	1.2	1.0	4.3	2.2		
1.0	-	1.6	0.2	0.3	0.8	0.9	1.2	1.0	1.3	1.9	-	4.2	ATTENTAT PAR TCUES LES AUTRES MOYENS ET SEQUELLES DES TRAUMATISMES	AE274
0.8	-	-	0.5	1.4	0.5	0.6	1.7	1.5	1.0	1.7	-	-		
0.9	-	0.8	0.4	0.9	0.6	0.8	1.5	1.2	1.2	1.8	-	2.2		
-	-	-	-	-	-	-	-	-	-	-	-	-	EXECUTION	AE275
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.1	-	-	-	-	0.0	0.1	0.4	-	-	-	-	-	AUTRES INTERVENTIONS DE LA FORCE PUBLIQUE ET LEURS SEQUELLES	AE276
0.0	-	-	-	-	0.0	0.0	0.2	-	-	-	-	-		
2.9	-	1.6	0.5	2.0	3.1	2.2	3.9	2.9	4.3	4.8	-	12.5	TOTAL (AE271-AE276)	
1.7	0.4	-	0.9	3.1	1.2	1.4	3.3	3.5	1.8	3.0	5.1	4.6		
2.3	0.2	0.8	0.7	2.6	2.1	1.8	3.6	3.2	3.1	3.9	4.3	8.7		
TRAUMATISMES ET EMPICISON- NEMENTS CAUSES DE MANIERE INDETERMINEE QUANT A L'INTENTION (AE277-AE281)														
0.7	-	-	0.5	0.3	1.0	0.4	1.0	0.2	1.8	1.0	-	-	D'EMPICISONNEMENT PAR MEDICAMENTS ET SUBSTANCES BIOLOGIQUES	AE277
0.8	0.4	-	0.5	-	1.0	0.4	1.3	1.0	1.5	1.1	-	4.6		
0.8	0.2	-	0.5	0.1	1.0	0.4	1.2	0.6	1.7	1.0	-	2.2		
0.4	0.4	1.6	0.2	-	0.2	0.1	1.0	0.8	1.6	0.7	-	4.2	D'EMPICISONNEMENT PAR AUTRES SUBSTANCES SOLIDES OU LIQUIDES	AE278
0.3	0.4	-	-	0.6	0.1	0.0	0.6	0.6	0.8	0.7	-	-		
0.3	0.4	0.8	0.1	0.3	0.1	0.0	0.8	0.7	1.2	0.7	-	2.2		
-	-	-	-	-	-	-	-	-	-	-	-	-	DE TRAUMATISMES PAR ARME DE PCING	AE279
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.4	2.8	1.6	-	-	0.7	0.1	0.8	-	0.3	0.4	-	-	DE TRAUMATISMES PAR ARMES A FEU, TOUTES LES AUTRES ET	AE280
0.0	-	-	-	-	0.1	-	-	-	-	0.1	-	-		

VOIR NOTE A LA FIN DU TABLEAU.

TABLE 6. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1981 - CONCLUDED

LIST NO.	A(1) CAUSE OF DEATH INTERMEDIATE LIST A (NINTH REVISION)		CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.b.T.
				T.-N.	I.P.E.	N.E.							C.B.		T.N.G.
NUMBER - NOMBRE															
		T	55	8	1	-	-	26	6	4	-	3	7	-	-
AE281	FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY	M	234	13	-	2	2	101	40	11	2	36	25	2	-
		F	91	4	-	-	-	33	15	1	9	20	9	-	-
		T	325	17	-	2	2	134	55	12	11	56	34	2	-
TOTAL (AE277-AE281)		M	423	22	2	5	3	161	64	25	7	78	53	2	1
		F	227	6	-	2	2	74	35	11	17	45	34	-	1
		T	650	28	2	7	5	235	99	36	24	123	87	2	2
AE282	INJURY RESULTING FROM OPERATIONS OF WAR	M	2	-	-	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	1	-	-	-	-	-	-	1	-
TOTAL (AE234-AE282)		M	11,096	205	40	369	345	3,003	3,152	530	551	1,227	1,595	35	44
		F	4,436	61	7	123	113	1,063	1,479	201	203	450	713	10	13
		T	15,532	266	47	492	458	4,066	4,631	731	754	1,677	2,308	45	57
AN283 TOTAL - NATURE OF INJURY CAUSES		M	11,096	205	40	369	345	3,003	3,152	530	551	1,227	1,595	35	44
		F	4,436	61	7	123	113	1,063	1,479	201	203	450	713	10	13
		T	15,532	266	47	492	458	4,066	4,631	731	754	1,677	2,308	45	57
TOTAL - ALL CAUSES		M	97,055	1,939	571	3,968	2,996	24,746	34,461	4,520	4,428	7,623	11,182	93	128
		F	73,974	1,291	421	2,990	2,143	17,938	28,377	3,728	3,095	5,200	8,675	46	60
		T	171,029	3,230	992	6,958	5,139	42,684	62,838	8,248	7,523	12,823	19,857	141	188

(1) THIS IS THE AMERICAN LIST OF 282 CAUSES.
REFERENCE: ICD - 9 UNDERLYING CAUSE-OF-DEATH LISTS FOR TABULATING MORTALITY STATISTICS, N.C.H.S., INSTRUCTION MANUAL.

TABLEAU 6. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1981 - FIN

CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (NEUVIEME REVISION)	NO. DE LA LISTE A(1)
	T.-N.	I.P.E.	N.E.							C.B.		T.N.C.		
RATE - TAUX														
0.2	1.4	0.8	-	-	0.4	0.1	0.4	-	0.1	0.3	-	-	NCN PRECISEES	
1.9	4.6	-	0.5	0.6	3.2	0.9	2.2	0.4	3.1	1.8	16.4	-	DE TRAUMATISMES PAR TCUS	AE211
0.7	1.4	-	-	-	1.0	0.3	0.2	1.9	1.8	0.7	-	-	LES AUTRES MOYENS ET LEURS	
1.3	3.0	-	0.2	0.3	2.1	0.6	1.2	1.1	2.5	1.2	8.6	-	SEQUELLES	
3.5	7.7	3.3	1.2	0.9	5.1	1.5	4.9	1.4	6.8	3.9	16.4	4.2	TOTAL (AE277-AE281)	
1.8	2.1	-	0.5	0.6	2.3	0.8	2.1	3.5	4.1	2.5	-	4.6		
2.7	4.9	1.6	0.8	0.7	3.6	1.1	3.5	2.5	5.5	3.2	8.6	4.4		
0.0	-	-	-	0.3	-	-	-	-	-	0.1	-	-	TRAUMATISMES DE GUERRE	AE282
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	0.1	-	-	-	-	-	0.0	-	-		
91.9	71.8	65.6	87.9	59.7	94.7	74.2	104.6	113.4	107.3	116.8	287.5	183.6	TOTAL (AE234-AE282)	
36.1	21.6	11.4	28.7	32.2	32.5	33.8	38.7	42.1	41.1	51.7	91.1	59.7		
63.8	46.9	38.4	58.1	65.8	63.2	53.7	71.2	77.9	74.9	84.1	194.3	124.6		
91.9	71.8	65.6	87.9	59.7	94.7	74.2	104.6	113.4	107.3	116.8	287.5	183.6	TOTAL - NATURE DE LA	AN213
36.1	21.6	11.4	28.7	32.2	32.5	33.8	38.7	42.1	41.1	51.7	91.1	59.7	BLESSURE	
63.8	46.9	38.4	58.1	65.8	63.2	53.7	71.2	77.9	74.9	84.1	194.3	124.6		
804.2	678.7	937.0	945.7	865.9	780.1	811.5	971.4	911.0	666.8	819.1	763.9	534.1	TOTAL - TOUTES LES	
602.6	457.8	683.8	698.8	611.6	545.2	648.1	717.3	641.8	475.1	628.9	437.2	312.2	CAUSES	
702.6	569.0	809.7	821.1	737.9	663.0	728.5	842.7	776.9	573.0	723.5	608.9	428.5		

(1) IL S'AGIT DE LA LISTE AMERICAINE DE 282 CAUSES.
 REFERENCE: ICD - 9 UNDERLYING CAUSE-OF-DEATH LISTS FOR TABULATING MORTALITY STATISTICS, N.C.H.S., INSTRUCTION MANUAL.

TABLEAU 7. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981

TOTAL 28 DAYS -1 YEAR	28 DAYS - 2 MOS	2 MOS	3 MOS	4 MOS	PCST-NEONATAL			7 MOS	8 MOS	9 MOS	10 MOS	11 MOS	CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
-	-	-	-	-	-	-	-	-	-	-	-	-	MORTALITE INFANTILE DUE A CERTAINES CAUSES	
2	-	1	1	-	-	-	-	-	-	-	-	-	CERTAINES INFECTIEUSES INTESTINALES	006-009
2	-	1	1	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	COQUELUCHE	033
1	1	-	-	-	-	-	-	-	-	-	-	-		
1	1	-	-	-	-	-	-	-	-	-	-	-		
3	-	-	1	-	1	-	-	1	-	-	-	-	INFECTIONS A MENINGOCOQUES	036
3	-	-	1	-	1	-	-	1	-	-	-	-		
6	-	-	2	-	2	-	-	2	-	-	-	-		
3	1	-	1	-	1	-	-	-	-	-	-	-	SEPTICEMIE	03E
6	3	2	-	-	1	-	-	-	-	-	-	-		
9	4	2	1	-	2	-	-	-	-	-	-	-		
2	1	-	-	-	1	-	-	-	-	-	-	-	AUTRES MALADIES A VIRUS	045-079
3	1	-	-	-	1	-	-	-	-	-	-	-		
5	2	-	-	1	1	1	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS CONGENITALE	090
-	-	-	-	-	-	-	-	-	-	-	-	-		
7	-	3	1	-	2	-	-	1	-	-	-	-	AUTRES MALADIES INFECTIEUSES ET PARASITAIRES	001-139
2	-	-	-	-	-	-	-	-	1	-	-	-		
9	-	3	1	-	2	-	-	1	1	-	-	-		
15	2	3	3	-	5	-	-	2	-	-	-	-	TOTAL 001-139	
17	5	3	2	1	2	1	-	1	1	-	-	-		
32	7	6	5	1	7	1	-	3	1	-	-	-		
6	-	-	-	-	1	1	2	1	1	-	-	-	TUMEUR MALIGNES INCLUANT LYMPHAT., HEMATOPOIETIQUES	140-20E
7	-	-	-	-	1	1	1	2	1	-	-	-		
13	-	-	-	-	1	1	2	3	3	2	-	-		
3	1	1	-	-	1	-	-	-	-	-	-	-	TUMEURS BENIGNES, CARCINOME IN SITU, ET AUTRES SAI	210-239
1	-	-	1	-	-	-	-	-	-	-	-	-		
4	1	1	1	-	1	-	-	-	-	-	-	-		
2	-	2	-	-	-	-	-	-	-	-	-	-	MALADIES DU THYMUS	254
-	-	-	-	-	-	-	-	-	-	-	-	-		
2	-	2	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	1	-	-	-	-	-	-	-	-	FIBROSE KYSTIQUE	2770
2	-	-	-	-	1	1	-	-	-	-	-	-		
3	-	-	-	1	1	1	-	-	-	-	-	-		
4	-	1	-	-	1	-	-	1	1	-	-	-	MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES	280-289
1	-	1	-	-	-	-	-	-	-	-	-	-		
5	-	2	-	-	1	-	-	1	1	-	-	-		
9	-	2	3	1	1	-	-	1	-	1	-	-	MENINGITE	320-322
10	1	2	2	4	-	-	-	-	-	-	-	-		
19	1	4	5	5	1	-	-	1	-	1	-	-		
29	3	1	5	3	3	6	1	-	1	2	-	-	AUTRES MALADIES DU SYSTEME NERVEUX ET ORGANES DES SENS	323-389
15	2	3	2	2	-	-	4	2	-	-	-	-		
44	5	4	7	5	3	6	5	2	1	2	4	-		
54	4	7	8	5	7	7	3	3	3	3	4	-	TOTAL 140-389	
36	3	6	5	7	1	2	5	4	1	-	-	-		
90	7	13	13	12	8	9	8	7	4	3	6	-		
3	1	-	1	-	1	-	-	-	-	-	-	-	AFFECTIENS AIGUES DES VIES RESPIRATOIRES SUPERIEURES	460-465
5	1	1	3	-	-	-	-	-	-	-	-	-		
8	2	1	4	-	1	-	-	-	-	-	-	-		
8	1	1	2	1	3	-	-	-	-	-	-	-	BRONCHITE ET BRONCHICLITE	466,490- 491
7	-	2	1	2	1	-	-	1	-	-	-	-		
15	1	3	3	3	4	-	-	1	-	-	-	-		
33	11	5	4	3	3	3	1	1	1	1	-	-	PNEUMONIE	480-486
22	6	3	2	3	-	1	2	1	1	2	1	-		
55	17	8	6	6	3	4	3	2	2	3	1	-		
1	-	-	-	-	-	-	-	1	-	-	-	-	GRIPPE	487
1	-	-	-	1	-	-	-	-	-	-	-	-		
2	-	-	-	1	-	-	-	1	-	-	-	-		
30	9	4	6	6	1	-	-	1	-	3	-	-	AUTRES MALADIES DE L' APPAREIL RESPIRATOIRE	470-478, 492-519
28	3	10	4	3	2	1	2	-	2	1	-	-		
58	12	14	10	9	3	1	2	1	2	4	-	-		
75	22	10	13	10	8	3	1	3	1	4	-	-	TOTAL 460-519	
63	10	16	10	9	3	2	4	2	3	3	1	-		
138	32	26	23	19	11	5	5	5	4	7	1	-		
2	-	-	1	-	1	-	-	-	-	-	-	-	OCCLUSION INTESTINALE ET HERNIE ABDOMINALE	550-553, 560
5	2	1	-	-	-	-	-	1	-	-	-	-		
7	2	1	1	-	1	-	1	-	-	-	-	-		
11	1	2	-	1	1	2	1	1	2	-	-	-	GASTRITE, DUODENITE ET ENT-	535,555-

TABLE 7. INFANT DEATHS FOR SELECTED DETAILED CAUSES BY AGE AND SEX, CANADA, 1981 - CONTINUED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	TOTAL	TOTAL -28 DAYS	-1 DAY	1 DAY	2 DAYS	NEONATAL		5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS
							3 DAYS	4 DAYS					
558	INFECTIVE ENTERITIS, COLITIS	F	6	1	-	-	-	-	-	-	-	-	1
		T	17	1	-	-	-	-	-	-	-	-	-
520-534, 536-543, 562-579	REMAINDER OF DISEASES OF DIGESTIVE SYSTEM	M	7	1	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-
		T	13	1	1	-	-	-	-	-	-	-	-
TOTAL 520-579		M	22	3	3	-	-	-	-	-	-	-	-
		F	18	2	1	-	-	-	-	-	-	-	-
		T	40	5	4	-	-	-	-	-	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	M	43	43	33	1	4	-	2	-	2	-	1
		F	44	41	32	3	1	1	1	1	-	2	-
		T	87	84	65	4	5	1	3	1	2	2	1
741	SPINA BIFIDA	M	32	19	5	1	1	1	1	3	-	5	2
		F	46	35	14	3	1	1	2	2	1	3	5
		T	78	54	19	4	2	2	3	5	1	8	7
7423	CONGENITAL HYDROCEPHALUS	M	26	14	9	-	-	1	1	-	-	-	2
		F	16	8	3	1	2	-	1	1	-	-	-
		T	42	22	12	1	2	1	2	1	-	-	2
7420-7422 7424-7429 743	OTHER CONGENITAL ANOMALIES OF CNS AND EYE	M	23	11	6	-	1	-	1	-	1	-	1
		F	24	16	11	-	-	-	1	-	1	-	1
		T	47	27	17	-	1	-	2	-	2	-	2
745-746	CONGENITAL ANOMALIES OF HEART	M	181	122	24	13	20	16	7	9	2	18	8
		F	138	70	17	12	7	2	6	2	-	17	7
		T	319	192	41	25	27	18	13	11	2	35	15
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M	53	37	9	8	6	6	-	2	-	4	1
		F	37	23	5	2	3	-	1	2	-	4	3
		T	90	60	14	10	9	6	1	4	-	8	4
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	M	56	48	40	3	2	1	-	-	-	1	-
		F	35	31	26	-	1	1	-	1	-	2	-
		T	91	79	66	3	3	2	-	1	-	3	-
749-751	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	M	23	13	4	1	1	-	1	-	-	-	1
		F	11	3	-	-	-	1	-	-	1	-	1
		T	34	16	4	1	1	1	1	-	1	-	2
752-753	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	M	61	54	45	2	2	-	2	-	-	1	1
		F	15	15	13	1	-	-	1	-	-	-	-
		T	76	69	58	3	2	-	3	-	-	1	1
754-756	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	M	61	53	36	8	2	3	-	1	1	2	-
		F	46	38	26	8	1	1	1	-	1	-	-
		T	107	91	62	16	3	4	1	1	2	2	-
7580	DOWN'S SYNDROME	M	6	4	1	-	-	-	-	1	1	1	-
		F	5	1	-	-	-	1	-	-	-	-	-
		T	11	5	1	-	-	1	-	1	1	1	-
7581-7589	OTHER CHROMOSOMAL ANOMALIES	M	24	19	5	2	4	1	1	-	1	3	2
		F	41	27	11	2	1	1	1	1	2	3	4
		T	65	46	16	4	5	2	2	1	3	6	6
744,757, 759	ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M	45	37	28	3	1	-	1	1	-	1	1
		F	29	26	22	1	1	-	2	-	-	-	-
		T	74	63	50	4	2	-	3	1	-	1	1
TOTAL 740-759		M	634	474	245	42	44	29	17	17	8	36	20
		F	487	334	180	33	18	9	17	10	6	31	21
		T	1,121	808	425	75	62	38	34	27	14	67	41
760	NB AFFECT. BY MATERNAL COND- ITION UNRELATED TO PREGNANCY	M	14	14	10	-	3	1	-	-	-	-	-
		F	10	10	8	-	-	1	1	-	-	-	-
		T	24	24	18	-	3	2	1	-	-	-	-
761	NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	M	77	76	65	3	1	1	1	1	2	1	1
		F	59	58	52	4	1	1	-	-	-	-	-
		T	136	134	117	7	2	2	1	1	2	1	1
762	NB AFFECT. BY COMPLICATIONS, PLACENTA, CORD AND MEMBRANES	M	70	69	58	4	2	-	1	-	1	1	2
		F	62	61	50	4	4	-	1	-	-	2	-
		T	132	130	108	8	6	-	2	-	1	3	2
763	NB AFFECT. BY OTHER COMPLIC- ATIONS OF LABOR AND DELIVERY	M	15	15	12	-	-	-	-	1	-	2	-
		F	12	12	10	-	-	-	-	-	1	-	-
		T	27	27	22	-	-	-	-	1	1	2	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	M	6	6	3	-	-	-	-	1	-	2	-
		F	3	3	1	1	-	-	-	-	-	1	-
		T	9	9	4	1	-	-	-	1	-	3	-
765	DISORDERS RELATING TO SHORT GEST. AND UNSPECIFIED LOW BW	M	132	132	123	4	2	1	1	-	-	1	-
		F	114	113	94	5	5	1	1	-	-	5	2
		T	246	245	217	9	7	2	2	-	-	6	2
766	DISORDERS RELATING TO LONG GEST. AND HIGH BIRTHWEIGHT	M	2	2	1	1	-	-	-	-	-	-	-
		F	1	1	1	-	-	-	-	-	-	-	-
		T	3	3	2	1	-	-	-	-	-	-	-
767	BIRTH TRAUMA	M	41	40	11	5	4	7	-	2	1	8	2

TABLEAU 7. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981 - SUITE

TOTAL 28 DAYS -1 YEAR	POST-NEONATAL											CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
	28 DAYS -1 YEAR	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS		
5	1	2	-	-	-	-	-	1	1	-	-	ERITE ET CCLITE NON INFECT.	558
16	2	4	-	1	1	2	1	2	3	-	-		
6	-	3	1	1	-	-	-	-	-	1	-	AUTRES MALADIES DE L' APPAREIL DIGESTIF	520-534, 536-543, 562-575
6	-	1	1	-	1	1	-	1	-	1	-		
12	-	4	2	1	1	1	-	1	-	2	-		
19	1	5	2	2	2	2	1	1	2	1	-	TOTAL 520-575	
16	3	4	1	-	1	1	1	2	1	1	1		
35	4	9	3	2	3	3	2	3	3	2	1		
-	-	-	-	-	-	-	-	-	-	-	-	ANENCEPHALIE ET ANCPALIES SIMILAIRES	746
3	1	1	-	1	-	-	-	-	-	-	-		
3	1	1	-	1	-	-	-	-	-	-	-		
13	6	2	3	2	-	-	-	-	-	-	-	SPINA BIFIDA	741
11	3	3	1	1	-	-	-	1	-	1	1		
24	9	5	4	3	-	-	-	1	-	1	1		
12	2	2	3	2	1	1	-	1	-	-	-	HYDROCEPHALIE CONGENITALE	7423
8	6	2	-	-	-	-	-	-	-	-	-		
20	8	4	3	2	1	1	-	1	-	-	-		
12	3	4	1	-	2	-	-	-	-	2	-	AUTRES ANOMALIES CONGENIT- ALE SNC ET DE L'OEIL	742C-7422 7424-7429 743
8	1	-	-	3	-	-	-	1	-	3	-		
20	4	4	1	3	2	-	-	1	-	3	2		
59	15	10	12	5	5	3	3	1	1	1	3	ANOMALIES CONGENITALES DU COEUR	745-746
68	20	10	9	7	7	1	4	1	3	3	3		
127	35	20	21	12	12	4	7	2	4	4	6		
16	8	1	2	2	-	1	-	-	1	-	-	AUTRES ANOMALIES CONGENITAL- ES, L'APPAREIL CIRCULATOIRES	747
14	4	-	2	1	-	1	-	3	1	2	-		
30	12	1	4	3	-	2	-	3	2	2	1		
8	1	1	1	2	2	-	1	-	-	-	-	ANOMALIES CONGENITALES DE L'APPAREIL RESPIRATOIRE	746
4	1	-	-	-	1	-	1	1	-	-	-		
12	2	1	1	2	3	-	2	1	-	-	-		
10	4	-	1	1	2	-	-	-	1	-	1	ANOMALIES CONGENITALES DE L'APPAREIL DIGESTIF	749-751
8	2	-	-	1	1	2	1	1	-	-	-		
18	6	-	1	2	3	2	1	1	1	-	1		
7	3	1	-	-	1	-	-	1	-	-	1	ANOMALIES CONGENITALES DES ORGANES GENITO-URINAIRES	752-753
-	-	-	-	-	-	-	-	-	-	-	-		
7	3	1	-	-	1	-	-	1	-	-	1		
8	3	2	1	-	-	1	-	1	-	-	-	ANOMALIES CONGENITALES DU SYSTEME OSTEO-MUSCULAIRE	754-756
8	1	5	-	-	1	-	-	-	-	1	-		
16	4	7	1	-	1	1	-	1	-	1	-		
2	-	-	-	1	-	-	-	1	-	-	-	DOWN'S SYNDROME	756C
4	-	1	-	1	-	1	-	-	-	1	-		
6	-	1	-	2	-	1	-	1	-	1	-		
5	2	2	-	-	1	-	-	-	-	-	-	AUTRES ABERRATIONS CHROMOSMIQUES	756I-7589
14	5	3	1	1	1	3	-	-	-	-	-		
19	7	5	1	1	2	3	-	-	-	-	-		
8	5	2	1	-	-	-	-	-	-	-	-	AUTRES ET SANS PRECISION	744, 757, 759
3	-	1	1	1	-	-	-	-	-	-	-		
11	5	3	2	1	-	-	-	-	-	-	-		
160	52	27	25	15	14	6	4	5	3	3	6	TOTAL 740-759	
153	44	26	14	17	11	8	7	7	7	8	4		
313	96	53	39	32	25	14	11	12	10	11	10		
-	-	-	-	-	-	-	-	-	-	-	-	TROUBLES MATERNELS ACD DE LA GROSSESSE	76C
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
1	-	-	-	-	-	-	1	-	-	-	-	NOUVEAU-NE AFFECTE PAR COMP. MATERNELLES DE LA GROSSESSE	76I
1	-	-	1	-	-	-	-	-	-	-	-		
2	-	-	1	-	-	-	1	-	-	-	-		
1	1	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE AFFECTE PAR COMP. PLACENTA, CORD, MEMBRANES	762
1	-	-	1	-	-	-	-	-	-	-	-		
2	1	-	1	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE AFFECTE PAR COMP. DU TRAVAIL OU D'ACCOUCHEMENT	763
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	CROISSANCE LENTE ET MALNUTRITION	764
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	BRIEVETE DE GESTATION, POIDS LEGER SAI	765
1	1	-	-	-	-	-	-	-	-	-	-		
1	1	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	LONGUE GESTATION ET POIDS ELEVÉ	766
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
1	1	-	-	-	-	-	-	-	-	-	-	TRAUMATISME OBSTETRICAL	767

TABLE 7. INFANT DEATHS FOR SELECTED DETAILED CAUSES BY AGE AND SEX, CANADA, 1981 - CONCLUDED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	TOTAL	NEONATAL											
			TOTAL -28 DAYS	-1 DAY	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	
		F	25	25	5	4	1	2	3	3	1	5	-	1
		T	66	65	16	9	5	9	3	5	2	13	2	1
7682-7684	FETAL DISTRESS IN LIVEBORN INFANT	M	15	15	10	-	2	-	-	1	1	1	-	-
		F	8	8	5	-	1	2	-	-	-	-	-	-
		T	23	23	15	-	3	2	-	1	1	1	-	-
7685-7689	BIRTH ASPHYXIA	M	44	42	21	4	4	4	1	1	1	3	2	1
		F	31	31	18	4	2	2	2	-	1	1	1	-
		T	75	73	39	8	6	6	3	1	2	4	3	1
769	RESPIRATORY DISTRESS SYNDROME	M	220	214	104	41	15	15	5	6	2	12	7	3
		F	144	140	69	15	23	7	2	4	2	9	3	2
		T	364	354	173	60	42	22	7	10	4	21	10	5
770	OTHER RESPIRATORY CONDITIONS OF NEWBORN	M	123	104	62	14	6	5	2	2	5	3	3	2
		F	80	75	49	6	6	4	2	1	1	3	2	1
		T	203	179	111	20	12	9	4	3	6	6	5	3
771	INFECTIONS SPECIFIC TO THE PERINATAL PERIOD	M	27	25	8	3	2	4	-	1	2	2	3	-
		F	14	12	2	-	4	2	-	-	2	2	-	2
		T	41	37	10	3	6	6	-	1	4	4	3	2
772	NEONATAL HAEMORRHAGE	M	18	18	6	-	4	1	-	2	-	1	2	2
		F	15	19	4	3	2	1	4	1	-	1	3	-
		T	37	37	10	3	6	2	4	3	-	2	5	2
773-774	HAEMOLYTIC DIS. NB DUE TO ISOIMMUN., OTHER PERI. JAUN.	M	7	5	3	-	-	-	-	-	-	1	1	-
		F	4	4	3	-	-	-	-	-	1	-	-	-
		T	11	9	6	-	-	-	-	-	1	1	1	-
7750-7751	SYNDROME, INFANT, DIABETIC MOTHER AND NEONATAL DIABETES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	1	-	-	-	-	-	-	-	-	-
		T	1	1	1	-	-	-	-	-	-	-	-	-
7760	HAEMORRHAGIC DISEASE OF NEWBORN	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	1	-	-	-	-	-	-	-
		T	1	1	-	-	1	-	-	-	-	-	-	-
7752-7759	ALL OTHER AND ILL-DEFINED CONDITIONS	M	50	49	20	1	4	-	1	2	4	6	7	4
7761-779		F	30	29	12	3	3	3	1	2	-	2	1	2
		T	80	78	32	4	7	3	2	4	4	8	8	6
	TOTAL 760-779	M	861	826	517	80	53	35	12	20	15	44	28	14
		F	618	603	384	53	53	26	17	11	7	31	12	9
		T	1,479	1,429	901	133	106	65	29	31	26	75	40	23
7980	SUDDEN INFANT DEATH SYNDROME	M	226	14	1	1	1	-	-	-	-	1	3	7
		F	161	10	1	2	1	1	-	-	-	2	1	2
		T	387	24	2	3	2	1	-	-	-	3	4	9
780-797, 7981-799	SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS	M	16	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-
		T	25	-	-	-	-	-	-	-	-	-	-	-
	TOTAL 780-799	M	242	14	1	1	1	-	-	-	-	1	3	7
		F	170	10	1	2	1	1	-	-	-	2	1	2
		T	412	24	2	3	2	1	-	-	-	3	4	9
E911-E912	INHALATION, INGESTION, FOOD CAUSING RESPIR. OBSTRUCTION	M	20	3	-	1	-	-	-	-	1	-	1	-
		F	15	1	-	-	-	-	1	-	-	-	-	-
		T	35	4	-	1	-	-	1	-	1	-	1	-
E913	ACCIDENTAL MECHANICAL SUFFOCATION	M	10	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-
		T	18	-	-	-	-	-	-	-	-	-	-	-
E800-E910	OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS	M	35	3	2	-	-	-	-	-	-	-	1	-
E914-E949		F	29	1	-	-	-	-	-	-	-	-	1	-
		T	64	4	2	-	-	-	-	-	-	-	2	-
	TOTAL E800-E949	M	65	6	2	1	-	-	-	-	1	-	2	-
		F	52	2	-	-	-	-	1	-	-	-	1	-
		T	117	8	2	1	-	-	1	-	1	-	3	-
E967	CHILD BATTERING AND OTHER MALTREATMENT	M	4	2	1	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-
		T	5	2	1	-	-	-	-	-	-	-	-	1
E960-E966	OTHER HOMICIDE	M	4	1	-	-	-	-	-	-	-	-	-	1
E968-E969		F	1	1	1	-	-	-	-	-	-	-	-	-
		T	5	2	1	-	-	-	-	-	-	-	-	1
	TOTAL E960-E969	M	8	3	1	-	-	-	-	-	-	-	-	2
		F	2	1	1	-	-	-	-	-	-	-	-	-
		T	10	4	2	-	-	-	-	-	-	-	-	2
001-E999	ALL OTHER CAUSES	M	41	18	3	2	2	4	-	1	1	4	-	1
		F	31	12	5	4	-	-	1	-	-	1	-	1
		T	72	30	8	6	2	4	1	1	1	5	-	2
	ALL CAUSES	M	2,050	1,377	777	130	101	75	31	39	31	90	58	45
		F	1,512	982	577	93	75	36	38	21	13	68	37	24
		T	3,562	2,359	1,354	223	176	111	69	60	44	158	95	69

TABLEAU 7. MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981 - FIN

TOTAL 28 DAYS -1 YEAR	28 DAYS			POST-NEONATAL						7 MOS	8 MOS	9 MOS	10 MOS	11 MOS	CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SOUFFRANCE FOETALE CHEZ ENFANT NE VIVANT	76E2-76E4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	ASPHYXIE OBSTETRICALE	76E5-76E9
2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
6	3	-	1	1	-	-	-	-	1	-	-	-	-	-	SYNDROME DE DETRESSE RESPIRATOIRE	76F
4	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
10	5	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-
19	3	2	7	2	2	1	1	-	-	-	-	1	-	-	AUTRES AFFECTIENS RESPIRAT- OIRES DU NOUVEAU-NE	77G
5	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
24	3	4	8	3	3	1	1	-	-	-	-	1	-	-	-	-
2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	INFECTIONS SPECIFIQUES DE LA PERICDE PERINATALE	77I
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HEMORRAGIES FOETALE ET NEONATALE	77J
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	MAL. HEMO. NN DUE A ISO-IMM- UN. ET AUTRES ICTERES PERIN.	77K-0774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SYNDROME D'ENFANT DE MERE DIABET., DIAB. SUCRE NEONAT.	775C-775I
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIE HEMORRAGIQUE DU NOUVEAU-NE	776C
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECT. COMMENC., LA PERICDE PERI., AUTRES, MAL DEFINIES	775Z-7759 776I-775
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	11	2	9	3	3	2	2	1	1	-	1	-	1	-	TOTAL 760-775	-
15	5	2	5	1	1	-	-	1	-	-	-	-	-	-	-	-
50	16	4	14	4	4	2	2	2	2	1	-	1	-	-	-	-
212	57	55	46	28	11	7	2	1	1	-	4	-	4	-	SYNDROME DE MORT SUBITE DU NOURRISSON	79EC
151	38	37	27	26	10	4	2	2	1	3	1	3	1	-	-	-
363	95	92	73	54	21	11	4	3	2	3	5	5	5	-	-	-
16	4	3	4	1	1	1	1	-	1	-	-	-	-	-	SYMPTOMES, SIGNES ET AUTRES ETATS MCRBIDES MAL DEFINIS	78C-797 79E1-799
9	2	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-
25	6	4	5	4	1	2	1	-	1	-	1	-	1	-	-	-
228	61	58	50	29	12	8	3	1	2	-	4	-	4	-	TOTAL 780-799	-
160	40	38	28	29	10	5	2	2	1	3	2	2	2	-	-	-
388	101	96	78	58	22	13	5	3	3	3	6	6	6	-	-	-
17	5	3	2	2	1	1	1	-	1	-	1	-	1	-	ASPIRATION OU INGESTION ALI- MENT. AVEC OBSTRUCTION RESP.	E911-E912
14	5	2	1	2	-	2	2	-	2	-	-	-	-	-	-	-
31	10	5	3	4	1	3	3	-	1	-	1	-	1	-	-	-
10	4	-	-	1	2	1	-	-	1	1	-	-	-	-	SUFFOCATION MECANIQUE ACCIDENTELLE	E913
8	-	1	1	3	-	-	1	2	-	1	-	-	-	-	-	-
18	4	1	1	4	2	1	1	2	1	1	-	-	-	-	-	-
32	7	5	2	2	1	3	2	5	1	2	2	2	2	-	AUTRES CAUSES ACCIDENTELLES ET EFFETS ADVERSES	E80C-E910 E914-E949
28	5	2	3	2	3	1	2	3	3	2	2	2	2	-	-	-
60	12	7	5	4	4	4	4	8	4	4	4	4	4	-	-	-
59	16	8	4	5	4	5	3	5	3	3	3	3	3	-	TOTAL E800-E949	-
50	10	5	5	7	3	3	5	5	3	2	2	2	2	-	-	-
109	26	13	9	12	7	8	8	10	6	5	5	5	5	-	-	-
2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	ENFANT MALTRAITE	E967
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	AUTRE HOMICIDE	E96C-E966 E968-E969
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	1	1	-	2	1	-	-	-	-	-	-	TOTAL E960-E969	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-
23	4	1	4	1	6	-	4	1	2	-	-	-	-	-	TOUTES LES AUTRES CAUSES	001-E999
19	3	3	4	2	1	2	1	1	1	-	1	-	1	-	-	-
42	7	4	8	3	7	2	5	2	3	-	1	-	1	-	-	-
673	173	121	118	71	62	33	23	23	17	14	18	14	18	-	TOUTES LES CAUSES	-
530	123	103	74	73	34	24	25	25	18	17	14	14	14	-	-	-
1,203	296	224	192	144	96	57	48	48	35	31	32	32	32	-	-	-

TABLEAU 8. TAUX DE MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981

TOTAL 28 DAYS -1 YEAR	POST-NEONATAL											CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.	
	28 DAYS	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS			
-	-	-	-	-	-	-	-	-	-	-	-	-	MORTALITE INFANTILE DUE A CERTAINES CAUSES	
1.1	-	0.6	0.6	-	-	-	-	-	-	-	-	-	CERTAINES INFECTIEUSES INTESTINALES	00E-00S
0.5	-	0.3	0.3	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	COQUELUCHE	033
0.6	0.6	-	-	-	-	-	-	-	-	-	-	-		
0.3	0.3	-	-	-	-	-	-	-	-	-	-	-		
1.6	-	-	0.5	-	0.5	-	-	0.5	-	-	-	-	INFECTIENS A MENINGOCOQUES	03E
1.7	-	-	0.6	-	0.6	-	-	0.6	-	-	-	-		
1.6	-	-	0.5	-	0.5	-	-	0.5	-	-	-	-		
1.6	0.5	-	0.5	-	0.5	-	-	-	-	-	-	-	SEPTICEMIE	036
3.3	1.7	1.1	-	-	0.6	-	-	-	-	-	-	-		
2.4	1.1	0.5	0.3	-	0.5	-	-	-	-	-	-	-		
1.0	0.5	-	-	-	0.5	-	-	-	-	-	-	-	AUTRES MALADIES A VIRUS	045-07S
1.7	0.6	-	-	0.6	-	0.6	-	-	-	-	-	-		
1.3	0.5	-	-	0.3	0.3	0.3	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS CONGENITALE	09C
-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-		
3.7	-	1.6	0.5	-	1.0	-	-	0.5	-	-	-	-	AUTRES MALADIES INFECTIEUSES ET PARASITAIRES	001-139
1.1	-	-	-	-	-	-	-	-	0.6	-	0.6	-		
2.4	-	0.8	0.3	-	0.5	-	-	0.3	0.3	-	0.3	-		
7.9	1.0	1.6	1.6	-	2.6	-	-	1.0	-	-	-	-	TOTAL 001-139	
9.4	2.8	1.7	1.1	0.6	1.1	0.6	-	0.6	0.6	-	0.6	-		
8.6	1.9	1.6	1.3	0.3	1.9	0.3	-	0.8	0.3	-	0.3	-		
3.1	-	-	-	-	0.5	0.5	1.0	0.5	0.5	-	-	-	TUMEUR MALIGNES INCLLANT LYMPHAT., HEMATOPOIETIQUES	14C-20E
3.9	-	-	-	0.6	-	0.6	0.6	1.1	0.6	-	0.6	-		
3.5	-	-	-	0.3	0.3	0.5	0.8	0.8	0.5	-	0.3	-		
1.6	0.5	0.5	-	-	0.5	-	-	-	-	-	-	-	TUMEURS BENIGNES, CARCINOME IN SITU, ET AUTRES SAI	21C-23S
0.6	-	-	0.6	-	-	-	-	-	-	-	-	-		
1.1	0.3	0.3	0.3	-	0.3	-	-	-	-	-	-	-		
1.0	-	1.0	-	-	-	-	-	-	-	-	-	-	MALADIES DU THYMUS	254
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.5	-	0.5	-	-	-	-	-	-	-	-	-	-		
0.5	-	-	-	0.5	-	-	-	-	-	-	-	-	FIBROSE KYSTIQUE	2770
1.1	-	-	-	-	0.6	0.6	-	-	-	-	-	-		
0.8	-	-	-	0.3	0.3	0.3	-	-	-	-	-	-		
2.1	-	0.5	-	-	0.5	-	-	0.5	0.5	-	-	-	MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES	28C-289
0.6	-	0.6	-	-	-	-	-	-	-	-	-	-		
1.3	-	0.5	-	-	0.3	-	-	0.3	0.3	-	-	-		
4.7	-	1.0	1.6	0.5	0.5	-	-	0.5	-	0.5	-	-	MENINGITE	32C-322
5.5	0.6	1.1	1.1	2.2	-	-	-	-	-	-	0.6	-		
5.1	0.3	1.1	1.3	1.3	0.3	-	-	0.3	-	0.3	0.3	-		
15.2	1.6	0.5	2.6	1.6	1.6	3.1	0.5	-	0.5	1.0	2.1	-	AUTRES MALADIES DU SYSTEME NERVEUX ET ORGANES DES SENS	323-389
8.3	1.1	1.7	1.1	1.1	-	-	2.2	1.1	-	-	-	-		
11.8	1.3	1.1	1.9	1.3	0.8	1.6	1.3	0.5	0.3	0.5	1.1	-		
28.3	2.1	3.7	4.2	2.6	3.7	3.7	1.6	1.6	1.6	1.6	2.1	-	TOTAL 140-389	
19.9	1.7	3.3	2.8	3.9	0.6	1.1	2.8	2.2	0.6	-	1.1	-		
24.2	1.9	3.5	3.5	3.2	2.2	2.4	2.2	1.9	1.1	0.8	1.6	-		
1.6	0.5	-	0.5	-	0.5	-	-	-	-	-	-	-	AFFECTIENS AIGUES DES VOIES RESPIRATOIRES SUPERIEURES	46C-46S
2.8	0.6	0.6	1.7	-	-	-	-	-	-	-	-	-		
2.2	0.5	0.3	1.1	-	0.3	-	-	-	-	-	-	-		
4.2	0.5	0.5	1.0	0.5	1.6	-	-	-	-	-	-	-	BRONCHITE ET BRONCHICLITE	46E,49C- 49I
3.9	-	1.1	0.6	1.1	0.6	-	-	0.6	-	-	-	-		
4.0	0.3	0.8	0.8	0.8	1.1	-	-	0.3	-	-	-	-		
17.3	5.8	2.6	2.1	1.6	1.6	1.6	0.5	0.5	0.5	0.5	-	-	PNEUMONIE	48C-486
12.2	3.3	1.7	1.1	1.7	-	0.6	1.1	0.6	0.6	1.1	0.6	-		
14.8	4.6	2.2	1.6	1.6	0.8	1.1	0.8	0.5	0.5	0.8	0.3	-		
0.5	-	-	-	-	-	-	-	0.5	-	-	-	-	GRIPPE	487
0.6	-	-	-	0.6	-	-	-	-	-	-	-	-		
0.5	-	-	-	0.3	-	-	-	0.3	-	-	-	-		
15.7	4.7	2.1	3.1	3.1	0.5	-	-	0.5	-	1.6	-	-	AUTRES MALADIES DE L* APPAREIL RESPIRATOIRE	47C-47E, 492-519
15.5	1.7	5.5	2.2	1.7	1.1	0.6	1.1	-	1.1	0.6	-	-		
15.6	3.2	3.8	2.7	2.4	0.8	0.3	0.5	0.3	0.5	1.1	-	-		
39.3	11.5	5.2	6.8	5.2	4.2	1.6	0.5	1.6	0.5	2.1	-	-	TOTAL 460-519	
34.9	5.5	8.9	5.5	5.0	1.7	1.1	2.2	1.1	1.7	1.7	0.6	-		
37.2	8.6	7.0	6.2	5.1	3.0	1.3	1.3	1.3	1.1	1.9	0.3	-		
1.0	-	-	0.5	-	0.5	-	-	-	-	-	-	-	OCCCLUSION INTESTINALE ET HERNIE ABDOMINALE	55C-553, 56C
2.8	1.1	0.6	-	-	-	-	-	0.6	-	-	0.6	-		
1.9	0.5	0.3	0.3	-	0.3	-	-	0.3	-	-	0.3	-		
5.8	0.5	1.0	-	0.5	0.5	1.0	0.5	0.5	1.0	-	-	-	GASTRITE, DUODENITE ET ENT-	53S,55S-

TABLE 8. INFANT DEATH RATES FOR SELECTED DETAILED CAUSES, BY AGE AND SEX, CANADA, 1981 - CONTINUED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	SEX	TOTAL	TOTAL -28 DAYS	-1 DAY	1 DAY	2 DAYS	NEONATAL							
								3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	
558	INFECTIVE ENTERITIS, COLITIS	F	3.3	0.6	-	-	-	-	-	-	-	-	-	-	0.6
		T	4.6	0.3	-	-	-	-	-	-	-	-	-	-	0.3
520-534, 536-543, 562-579	REMAINDER OF DISEASES OF DIGESTIVE SYSTEM	M	3.7	0.5	0.5	-	-	-	-	-	-	-	-	-	-
		F	3.3	-	-	-	-	-	-	-	-	-	-	-	-
		T	3.5	0.3	0.3	-	-	-	-	-	-	-	-	-	-
TOTAL 520-579		M	11.5	1.6	1.6	-	-	-	-	-	-	-	-	-	-
		F	10.0	1.1	0.6	-	-	-	-	-	-	-	-	-	0.6
		T	10.8	1.3	1.1	-	-	-	-	-	-	-	-	-	0.3
740	ANENCEPHALUS AND SIMILAR ANOMALIES	M	22.6	22.6	17.3	0.5	2.1	-	1.0	-	1.0	-	0.5	-	-
		F	24.3	22.7	17.7	1.7	0.6	0.6	0.6	0.6	-	1.1	-	-	-
		T	23.4	22.6	17.5	1.1	1.3	0.3	0.8	0.3	0.5	0.5	0.3	-	-
741	SPINA BIFIDA	M	16.8	10.0	2.6	0.5	0.5	0.5	0.5	1.6	-	2.6	1.0	-	-
		F	25.5	19.4	7.7	1.7	0.6	0.6	1.1	1.1	0.6	1.7	2.8	1.7	-
		T	21.0	14.5	5.1	1.1	0.5	0.5	0.8	1.3	0.3	2.2	1.9	0.8	-
7423	CONGENITAL HYDROCEPHALUS	M	13.6	7.3	4.7	-	-	0.5	0.5	-	-	-	1.0	0.5	-
		F	8.9	4.4	1.7	0.6	1.1	-	0.6	0.6	-	-	-	-	-
		T	11.3	5.9	3.2	0.3	0.5	0.3	0.5	0.3	-	-	0.5	0.3	-
7420-7422 7424-7429 743	OTHER CONGENITAL ANOMALIES OF CNS AND EYE	M	12.1	5.8	3.1	-	0.5	-	0.5	-	0.5	-	0.5	0.5	-
		F	13.3	8.9	6.1	-	-	-	0.6	-	0.6	-	0.6	1.1	-
		T	12.7	7.3	4.6	-	0.3	-	0.5	-	0.5	-	0.5	0.8	-
745-746	CONGENITAL ANOMALIES OF HEART	M	95.0	64.0	12.6	6.8	10.5	8.4	3.7	4.7	1.0	9.4	4.2	2.0	-
		F	76.4	38.7	9.4	6.6	3.9	1.1	3.3	1.1	-	9.4	3.9	-	-
		T	85.5	51.7	11.0	6.7	7.3	4.8	3.5	3.0	0.5	9.4	4.0	1.3	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M	27.8	19.4	4.7	4.2	3.1	3.1	-	1.0	-	2.1	0.5	0.5	-
		F	20.5	12.7	2.8	1.1	1.7	-	0.6	1.1	-	2.2	1.7	1.7	-
		T	24.2	16.2	3.8	2.7	2.4	1.6	0.3	1.1	-	2.2	1.1	1.1	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	M	29.4	25.2	21.0	1.6	1.0	0.5	-	-	-	0.5	-	0.5	-
		F	19.4	17.2	14.4	-	0.6	0.6	-	0.6	-	1.1	-	-	-
		T	24.5	21.3	17.8	0.8	0.8	0.5	-	0.3	-	0.8	-	0.3	-
749-751	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	M	12.1	6.8	2.1	0.5	0.5	-	0.5	-	-	-	0.5	2.6	-
		F	6.1	1.7	-	-	-	0.6	-	-	0.6	-	0.6	-	-
		T	9.2	4.3	1.1	0.3	0.3	0.3	0.3	-	0.3	-	0.5	1.3	-
752-753	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	M	32.0	28.3	23.6	1.0	1.0	-	1.0	-	-	0.5	0.5	0.5	-
		F	8.3	8.3	7.2	0.6	-	-	0.6	-	-	-	-	-	-
		T	20.5	18.6	15.6	0.8	0.5	-	0.8	-	-	0.3	0.3	0.3	-
754-756	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	M	32.0	27.8	18.9	4.2	1.0	1.6	-	0.5	0.5	1.0	-	-	-
		F	25.5	21.0	14.4	4.4	0.6	0.6	0.6	-	0.6	-	-	-	-
		T	28.8	24.5	16.7	4.3	0.8	1.1	0.3	0.3	0.5	0.5	-	-	-
7580	DOWN'S SYNDROME	M	3.1	2.1	0.5	-	-	-	-	0.5	0.5	0.5	-	-	-
		F	2.8	0.6	-	-	-	0.6	-	-	-	-	-	-	-
		T	3.0	1.3	0.3	-	-	0.3	-	0.3	0.3	0.3	-	-	-
7581-7589	OTHER CHROMOSOMAL ANOMALIES	M	12.6	10.0	2.6	1.0	2.1	0.5	0.5	-	0.5	1.6	1.0	-	-
		F	22.7	14.9	6.1	1.1	0.6	0.6	0.6	0.6	1.1	1.7	2.2	0.6	-
		T	17.5	12.4	4.3	1.1	1.3	0.5	0.5	0.3	0.8	1.6	1.6	0.3	-
744,757, 759	ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M	23.6	19.4	14.7	1.6	0.5	-	0.5	0.5	-	0.5	0.5	0.5	-
		F	16.0	14.4	12.2	0.6	0.6	-	1.1	-	-	-	-	-	-
		T	19.9	17.0	13.5	1.1	0.5	-	0.8	0.3	-	0.3	0.3	0.3	0.3
TOTAL 740-759		M	332.6	248.7	128.5	22.0	23.1	15.2	8.9	8.9	4.2	18.9	10.5	8.4	-
		F	269.4	184.8	99.6	18.3	10.0	5.0	9.4	5.5	3.3	17.2	11.6	5.0	-
		T	301.9	217.6	114.4	20.2	16.7	10.2	9.2	7.3	3.8	18.0	11.0	6.7	-
760	NB AFFECT. BY MATERNAL CONDITION UNRELATED TO PREGNANCY	M	7.3	7.3	5.2	-	1.6	0.5	-	-	-	-	-	-	-
		F	5.5	5.5	4.4	-	-	0.6	0.6	-	-	-	-	-	-
		T	6.5	6.5	4.8	-	0.8	0.5	0.3	-	-	-	-	-	-
761	NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	M	40.4	39.9	34.1	1.6	0.5	0.5	0.5	0.5	1.0	0.5	0.5	-	-
		F	32.6	32.1	28.8	2.2	0.6	0.6	-	-	-	-	-	-	-
		T	36.6	36.1	31.5	1.9	0.5	0.5	0.3	0.3	0.5	0.3	0.3	-	-
762	NB AFFECT. BY COMPLICATIONS, PLACENTA, CORD AND MEMBRANES	M	36.7	36.2	30.4	2.1	1.0	-	0.5	-	0.5	-	1.0	-	-
		F	34.3	33.7	27.7	2.2	2.2	-	0.6	-	-	1.1	-	-	-
		T	35.5	35.0	29.1	2.2	1.6	-	0.5	-	0.3	0.8	-	0.5	-
763	NB AFFECT. BY OTHER COMPLICATIONS OF LABOR AND DELIVERY	M	7.9	7.9	6.3	-	-	-	-	0.5	-	1.0	-	-	-
		F	6.6	6.6	5.5	-	-	-	-	-	0.6	-	-	-	0.6
		T	7.3	7.3	5.9	-	-	-	-	0.3	0.3	0.5	-	0.3	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	M	3.1	3.1	1.6	-	-	-	-	0.5	-	1.0	-	-	-
		F	1.7	1.7	0.6	0.6	-	-	-	-	-	0.6	-	-	-
		T	2.4	2.4	1.1	0.3	-	-	-	0.3	-	0.8	-	-	-
765	DISORDERS RELATING TO SHORT GEST. AND UNSPECIFIED LOW BW	M	69.3	69.3	64.5	2.1	1.0	0.5	0.5	-	-	0.5	-	-	-
		F	63.1	62.5	52.0	2.8	2.8	0.6	0.6	-	-	2.8	1.1	-	-
		T	66.2	66.0	58.4	2.4	1.9	0.5	0.5	-	-	1.6	0.3	-	-
766	DISORDERS RELATING TO LONG GEST. AND HIGH BIRTHWEIGHT	M	1.0	1.0	0.5	0.5	-	-	-	-	-	-	-	-	-
		F	0.6	0.6	0.6	-	-	-	-	-	-	-	-	-	-
		T	0.8	0.8	0.5	0.3	-	-	-	-	-	-	-	-	-
767	BIRTH TRAUMA	M	21.5	21.0	5.8	2.6	2.1	3.7	-	1.0	0.5	4.2	1.0	-	

TABLEAU 8. TAUX DE MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981 - SUITE

TOTAL 28 DAYS -1 YEAR	POST-NEONATAL											CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7 MOS	8 MOS	9 MOS	10 MOS	11 MOS			
2.8	0.6	1.1	-	-	-	-	-	0.6	0.6	-	-	ERITE ET CCLITE NON INFECT.	558
4.3	0.5	1.1	-	0.3	0.3	0.5	0.3	0.5	0.8	-	-		
3.1	-	1.6	0.5	0.5	-	-	-	-	-	0.5	-	AUTRES MALADIES DE L' APPAREIL DIGESTIF	520-534, 536-543, 562-575
3.3	-	0.6	0.6	-	0.6	0.6	-	0.6	-	0.6	-		
3.2	-	1.1	0.5	0.3	0.3	0.3	-	0.3	-	0.5	-		
10.0	0.5	2.6	1.0	1.0	1.0	1.0	0.5	0.5	1.0	0.5	-	TOTAL 520-579	
8.9	1.7	2.2	0.6	-	0.6	0.6	0.6	1.1	0.6	0.6	0.6		
9.4	1.1	2.4	0.8	0.5	0.8	0.8	0.5	0.8	0.8	0.5	0.3		
-	-	-	-	-	-	-	-	-	-	-	-	ANENCEPHALIE ET ANOMALIES SIMILAIRES	740
1.7	0.6	0.6	-	0.6	-	-	-	-	-	-	-		
0.8	0.3	0.3	-	0.3	-	-	-	-	-	-	-		
6.8	3.1	1.0	1.6	1.0	-	-	-	-	-	-	-	SPINA BIFIDA	741
6.1	1.7	1.7	0.6	0.6	-	-	-	0.6	-	0.6	0.6		
6.5	2.4	1.3	1.1	0.8	-	-	-	0.3	-	0.3	0.3		
6.3	1.0	1.0	1.6	1.0	0.5	0.5	-	0.5	-	-	-	HYDROCEPHALIE CONGENITALE	7423
4.4	3.3	1.1	-	-	-	-	-	-	-	-	-		
5.4	2.2	1.1	0.8	0.5	0.3	0.3	-	0.3	-	-	-		
6.3	1.6	2.1	0.5	-	1.0	-	-	-	-	1.0	-	AUTRES ANOMALIES CONGENIT- ALE SNC ET DE L'OEIL	7420-7422 7424-7429 743
4.4	0.6	-	-	1.7	-	-	0.6	-	1.7	-	-		
5.4	1.1	1.1	0.3	0.8	0.5	-	0.3	-	0.8	0.5	-		
31.0	7.9	5.2	6.3	2.6	2.6	1.6	1.6	0.5	0.5	0.5	1.6	ANOMALIES CONGENITALES DU COEUR	745-746
37.6	11.1	5.5	5.0	3.9	3.9	0.6	2.2	0.6	1.7	1.7	1.7		
34.2	9.4	5.4	5.7	3.2	3.2	1.1	1.9	0.5	1.1	1.1	1.6		
8.4	4.2	0.5	1.0	1.0	-	0.5	-	-	0.5	-	0.5	AUTRES ANOMALIES CONGENITAL- ES, L'APPAREIL CIRCULATOIRES	747
7.7	2.2	-	1.1	0.6	-	0.6	-	1.7	0.6	1.1	-		
8.1	3.2	0.3	1.1	0.8	-	0.5	-	0.8	0.5	0.5	0.3		
4.2	0.5	0.5	0.5	1.0	1.0	-	0.5	-	-	-	-	ANOMALIES CONGENITALES DE L'APPAREIL RESPIRATOIRE	748
2.2	0.6	-	-	-	0.6	-	0.6	0.6	-	-	-		
3.2	0.5	0.3	0.3	0.5	0.8	-	0.5	0.3	-	-	-		
5.2	2.1	-	0.5	0.5	1.0	-	-	-	0.5	-	0.5	ANOMALIES CONGENITALES DE L'APPAREIL DIGESTIF	749-751
4.4	1.1	-	-	0.6	0.6	1.1	0.6	0.6	-	-	-		
4.8	1.6	-	0.3	0.5	0.8	0.5	0.3	0.3	0.3	-	0.3		
3.7	1.6	0.5	-	-	0.5	-	-	0.5	-	-	0.5	ANOMALIES CONGENITALES DES ORGANES GENITO-URINAIRES	752-753
-	-	-	-	-	-	-	-	-	-	-	-		
1.9	0.8	0.3	-	-	0.3	-	-	0.3	-	-	0.3		
4.2	1.6	1.0	0.5	-	-	0.5	-	0.5	-	-	-	ANOMALIES CONGENITALES DU SYSTEME CSTE0-MUSCULAIRE	754-756
4.4	0.6	2.8	-	-	0.6	-	-	-	-	0.6	-		
4.3	1.1	1.9	0.3	-	0.3	0.3	-	0.3	-	0.3	-		
1.0	-	-	-	0.5	-	-	-	0.5	-	-	-	DOWN'S SYNDROME	7580
2.2	-	0.6	-	0.6	-	0.6	-	-	-	0.6	-		
1.6	-	0.3	-	0.5	-	0.3	-	0.3	-	0.3	-		
2.6	1.0	1.0	-	-	0.5	-	-	-	-	-	-	AUTRES ABERRATIONS CHROMOSOMIQUES	7581-7589
7.7	2.8	1.7	0.6	0.6	0.6	1.7	-	-	-	-	-		
5.1	1.9	1.3	0.3	0.3	0.5	0.8	-	-	-	-	-		
4.2	2.6	1.0	0.5	-	-	-	-	-	-	-	-	AUTRES ET SANS PRECISION	744,757, 755
1.7	-	0.6	0.6	0.6	-	-	-	-	-	-	-		
3.0	1.3	0.8	0.5	0.3	-	-	-	-	-	-	-		
83.9	27.3	14.2	13.1	7.9	7.3	3.1	2.1	2.6	1.6	1.6	3.1	TOTAL 740-759	
84.7	24.3	14.4	7.7	9.4	6.1	4.4	3.9	3.9	3.9	4.4	2.2		
84.3	25.9	14.3	10.5	8.6	6.7	3.8	3.0	3.2	2.7	3.0	2.7		
-	-	-	-	-	-	-	-	-	-	-	-	TROUBLES MATERNELS NON DE LA GROSSESSE	760
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
0.5	-	-	-	-	-	-	0.5	-	-	-	-	NOUVEAU-NE AFFECTE PAR CCMP. MATERNELLES DE LA GROSSESSE	761
0.6	-	-	0.6	-	-	-	-	-	-	-	-		
0.5	-	-	0.3	-	-	-	0.3	-	-	-	-		
0.5	0.5	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE AFFECTE PAR CCMP. PLACENTA, CORD, MEMBRANES	762
0.6	-	-	0.6	-	-	-	-	-	-	-	-		
0.5	0.3	-	0.3	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	NOUVEAU-NE AFFECTE PAR COMP. DU TRAVAIL OU D'ACCCUCHEMENT	763
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	CROISSANCE LENTE ET MALNUTRITION	764
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	BRIEVETE DE GESTATION, PCIDS LEGER SAI	765
0.6	0.6	-	-	-	-	-	-	-	-	-	-		
0.3	0.3	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	LONGUE GESTATION ET POIDS ELEVÉ	766
-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-		
0.5	0.5	-	-	-	-	-	-	-	-	-	-	TRAUMATISME OBSTETRICAL	767

TABLE 3. INFANT DEATH RATES FOR SELECTED DETAILED CAUSES, BY AGE AND SEX, CANADA, 1981 - CONCLUDED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	TOTAL	NEONATAL											
			TOTAL -28 DAYS	-1 DAY	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	
		F	13.8	13.8	2.8	2.2	0.6	1.1	1.7	1.7	0.6	2.8	-	0.6
		T	17.8	17.5	4.3	2.4	1.3	2.4	3.8	1.3	0.5	3.5	0.5	0.3
7682-7684	FETAL DISTRESS IN LIVEBORN INFANT	M	7.9	7.9	5.2	-	1.0	-	-	0.5	0.5	-	-	-
		F	4.4	4.4	2.8	-	0.6	1.1	-	-	-	-	-	-
		T	6.2	6.2	4.0	-	0.8	0.5	-	0.3	0.3	0.3	-	-
7685-7689	BIRTH ASPHYXIA	M	23.1	22.0	11.0	2.1	2.1	2.1	0.5	0.5	0.5	1.6	1.0	0.5
		F	17.2	17.2	10.0	2.2	1.1	1.1	1.1	-	0.6	0.6	0.6	-
		T	20.2	19.7	10.5	2.2	1.6	1.6	0.8	0.3	0.5	1.1	0.8	0.3
769	RESPIRATORY DISTRESS SYNDROME	M	115.4	112.3	54.6	21.5	10.0	7.9	2.6	3.1	1.0	6.3	3.7	1.6
		F	79.7	77.5	38.2	10.5	12.7	3.9	1.1	2.2	1.1	5.0	1.7	1.1
		T	98.0	95.3	46.6	16.2	11.3	5.9	1.9	2.7	1.1	5.7	2.7	1.3
770	OTHER RESPIRATORY CONDITIONS OF NEWBORN	M	64.5	54.6	32.5	7.3	3.1	2.6	1.0	1.0	2.6	1.6	1.6	1.0
		F	44.3	41.5	27.1	3.3	3.3	2.2	1.1	0.6	0.6	1.7	1.1	0.6
		T	54.7	48.2	29.9	5.4	3.2	2.4	1.1	0.8	1.6	1.6	1.3	0.8
771	INFECTIONS SPECIFIC TO THE PERINATAL PERIOD	M	14.2	13.1	4.2	1.6	1.0	2.1	-	0.5	1.0	1.0	1.6	-
		F	7.7	6.6	1.1	-	2.2	1.1	-	-	-	1.1	-	1.1
		T	11.0	10.0	2.7	0.8	1.6	1.6	-	0.3	0.5	1.1	0.8	0.5
772	NEONATAL HAEMORRHAGE	M	9.4	9.4	3.1	-	2.1	0.5	-	1.0	-	0.5	1.0	1.0
		F	10.5	10.5	2.2	1.7	1.1	0.6	2.2	0.6	-	0.6	1.7	-
		T	10.0	10.0	2.7	0.8	1.6	0.5	1.1	0.8	-	0.5	1.3	0.5
773-774	HAEMOLYTIC DIS. NB DUE TO ISOIMMUN., OTHER PERI. JAUN.	M	3.7	2.6	1.6	-	-	-	-	-	-	0.5	0.5	-
		F	2.2	2.2	1.7	-	-	-	-	-	-	0.6	-	-
		T	3.0	2.4	1.6	-	-	-	-	-	-	0.3	0.3	-
7750-7751	SYNDROME, INFANT, DIABETIC MOTHER AND NEONATAL DIABETES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	0.6	0.6	0.6	-	-	-	-	-	-	-	-	-
		T	0.3	0.3	0.3	-	-	-	-	-	-	-	-	-
7760	HAEMORRHAGIC DISEASE OF NEWBORN	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	0.6	0.6	-	-	0.6	-	-	-	-	-	-	-
		T	0.3	0.3	-	-	0.3	-	-	-	-	-	-	-
7752-7759	ALL OTHER AND ILL-DEFINED CONDITIONS	M	26.2	25.7	10.5	0.5	2.1	-	0.5	1.0	2.1	3.1	3.7	2.1
7761-779		F	16.6	16.0	6.6	1.7	1.7	1.7	0.6	1.1	-	1.1	0.6	1.1
		T	21.5	21.0	8.6	1.1	1.9	0.8	0.5	1.1	1.1	2.2	2.2	1.6
	TOTAL 760-779	M	451.7	433.4	271.2	42.0	27.8	20.5	6.3	10.5	10.0	23.1	14.7	7.3
		F	341.9	333.6	212.5	29.3	29.3	14.4	9.4	6.1	3.5	17.2	6.6	5.0
		T	398.3	384.8	242.6	35.8	28.5	17.5	7.8	8.3	7.0	20.2	10.8	6.2
7980	SUDDEN INFANT DEATH SYNDROME	M	118.6	7.3	0.5	0.5	0.5	-	-	-	-	0.5	1.6	3.7
		F	89.1	5.5	0.6	1.1	0.6	0.6	-	-	-	1.1	0.6	1.1
		T	104.2	6.5	0.5	0.8	0.5	0.3	-	-	-	0.8	1.1	2.4
780-797, 7981-799	SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS	M	8.4	-	-	-	-	-	-	-	-	-	-	-
		F	5.0	-	-	-	-	-	-	-	-	-	-	-
		T	6.7	-	-	-	-	-	-	-	-	-	-	-
	TOTAL 780-799	M	127.0	7.3	0.5	0.5	0.5	-	-	-	-	0.5	1.6	3.7
		F	94.1	5.5	0.6	1.1	0.6	0.6	-	-	-	1.1	0.6	1.1
		T	110.9	6.5	0.5	0.8	0.5	0.3	-	-	-	0.8	1.1	2.4
E911-E912	INHALATION, INGESTION, FCOD CAUSING RESPIR. OBSTRUCTION	M	10.5	1.6	-	0.5	-	-	-	-	0.5	-	0.5	-
		F	8.3	0.6	-	-	-	-	0.6	-	-	-	-	-
		T	9.4	1.1	-	0.3	-	-	0.3	-	0.3	-	0.3	-
E913	ACCIDENTAL MECHANICAL SUFFOCATION	M	5.2	-	-	-	-	-	-	-	-	-	-	-
		F	4.4	-	-	-	-	-	-	-	-	-	-	-
		T	4.8	-	-	-	-	-	-	-	-	-	-	-
E800-E910	OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS	M	18.4	1.6	1.0	-	-	-	-	-	-	-	0.5	-
E914-E949		F	16.0	0.6	-	-	-	-	-	-	-	-	0.6	-
		T	17.2	1.1	0.5	-	-	-	-	-	-	-	0.5	-
	TOTAL E800-E949	M	34.1	3.1	1.0	0.5	-	-	-	-	0.5	-	1.0	-
		F	28.8	1.1	-	-	-	-	0.6	-	-	-	0.6	-
		T	31.5	2.2	0.5	0.3	-	-	0.3	-	0.3	-	0.8	-
E967	CHILD BATTERING AND OTHER MALTREATMENT	M	2.1	1.0	0.5	-	-	-	-	-	-	-	-	0.5
		F	0.6	-	-	-	-	-	-	-	-	-	-	-
		T	1.3	0.5	0.3	-	-	-	-	-	-	-	-	0.3
E960-E966	OTHER HOMICIDE	M	2.1	0.5	-	-	-	-	-	-	-	-	-	0.5
E968-E969		F	0.6	0.6	0.6	-	-	-	-	-	-	-	-	-
		T	1.3	0.5	0.3	-	-	-	-	-	-	-	-	0.3
	TOTAL E960-E969	M	4.2	1.6	0.5	-	-	-	-	-	-	-	-	1.0
		F	1.1	0.6	0.6	-	-	-	-	-	-	-	-	-
		T	2.7	1.1	0.5	-	-	-	-	-	-	-	-	0.5
001-E999	ALL OTHER CAUSES	M	21.5	9.4	1.6	1.0	1.0	2.1	-	0.5	0.5	2.1	-	0.5
		F	17.2	6.6	2.8	2.2	-	-	0.6	-	-	0.6	-	0.6
		T	19.4	8.1	2.2	1.6	0.5	1.1	0.3	0.3	0.3	1.3	-	0.5
	ALL CAUSES	M	1075.5	722.4	407.7	68.2	53.0	39.3	16.3	20.5	16.3	47.2	30.4	23.6
		F	836.5	543.3	319.2	51.5	41.5	19.9	21.0	11.6	7.2	37.6	20.5	13.3
		T	959.2	635.3	364.6	60.1	47.4	29.9	18.6	16.2	11.8	42.5	25.6	18.6

TABLEAU 8. TAUX DE MORTALITE INFANTILE DUE A CERTAINES CAUSES DETAILLEES, SELON L'AGE ET LE SEXE, CANADA, 1981 - FIN

TOTAL 28 DAYS -1 YEAR	28 DAYS - 2 MOS	2 MOS	3 MOS	POST-NEONATAL						9 MOS	10 MOS	11 MOS	CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
				4 MOS	5 MOS	6 MOS	7 MOS	8 MOS						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.3	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1.0	-	-	0.5	-	-	-	-	-	-	0.5	-	-	ASPHYXIE OBSTETRICALE	7685-7689
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.5	-	-	0.3	-	-	-	-	-	-	0.3	-	-	-	-
3.1	1.6	-	0.5	0.5	-	-	-	0.5	-	-	-	-	SYNDROME DE DETRESSE RESPIRATOIRE	765
2.2	1.1	-	0.6	-	-	-	-	0.6	-	-	-	-	-	-
2.7	1.3	-	0.5	0.3	-	-	-	0.5	-	-	-	-	-	-
10.0	1.6	1.0	3.7	1.0	1.0	0.5	0.5	-	-	-	-	0.5	AUTRES AFFECTIONS RESPIRAT- OIRES DU NOUVEAU-NE	77C
2.8	-	1.1	0.6	0.6	0.6	-	-	-	-	-	-	-	-	-
6.5	0.8	1.1	2.2	0.8	0.8	0.3	0.3	-	-	-	-	0.3	-	-
1.0	-	-	-	-	0.5	0.5	-	-	-	-	-	-	INFECTIONS SPECIFIQUES DE LA PERIODE PERINATALE	771
1.1	0.6	-	0.6	-	-	-	-	-	-	-	-	-	-	-
1.1	0.3	-	0.3	-	0.3	0.3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1.0	1.0	-	-	-	-	-	-	-	-	-	-	-	MAL. HEMO. NN DUE A ISO-IMM- UN. ET AUTRES ICTERES PERIN.	773-C774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.5	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.5	0.5	-	-	-	-	-	-	-	-	-	-	-	AFFECT. COMMENC., LA PERIGDE PERI., AUTRES, MAL DEFINIES	7752-7759 7761-779
0.6	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-
0.5	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-
18.4	5.8	1.0	4.7	1.6	1.6	1.0	1.0	0.5	0.5	-	-	0.5	TOTAL 760-779	-
8.3	2.8	1.1	2.8	0.6	0.6	-	-	0.6	-	-	-	-	-	-
13.5	4.3	1.1	3.8	1.1	1.1	0.5	0.5	0.5	0.3	-	-	0.3	-	-
111.2	29.9	28.9	24.1	14.7	5.8	3.7	1.0	0.5	0.5	-	-	2.1	SYNDROME DE MORT SUBITE DU NOURRISSON	796C
83.5	21.0	20.5	14.9	14.4	5.5	2.2	1.1	1.1	0.6	1.7	0.6	0.6	-	-
97.8	25.6	24.8	15.7	14.5	5.7	3.0	1.1	0.8	0.5	0.8	0.8	1.3	-	-
8.4	2.1	1.6	2.1	0.5	0.5	0.5	0.5	-	0.5	-	-	-	SYMPTOMES, SIGNES ET AUTRES ETATS MGRBIDES MAL DEFINIS	780-797 7981-799
5.0	1.1	0.6	0.6	1.7	-	0.6	-	-	-	-	-	0.6	-	-
6.7	1.6	1.1	1.3	1.1	0.3	0.5	0.3	-	0.3	-	-	0.3	-	-
119.6	32.0	30.4	26.2	15.2	6.3	4.2	1.6	0.5	1.0	-	-	2.1	TOTAL 780-799	-
88.5	22.1	21.0	15.5	16.0	5.5	2.8	1.1	1.1	0.6	1.7	1.1	1.1	-	-
104.5	27.2	25.9	21.0	15.6	5.9	3.5	1.3	0.8	0.8	0.8	0.8	1.6	-	-
8.9	2.6	1.6	1.0	1.0	0.5	0.5	0.5	-	0.5	-	-	0.5	ASPIRATION OU INGESTION ALI- MENT. AVEC OBSTRUCTION RESP.	E911-E912
7.7	2.8	1.1	0.6	1.1	-	1.1	1.1	-	-	-	-	-	-	-
8.3	2.7	1.3	0.8	1.1	0.3	0.8	0.8	-	0.3	-	-	0.3	-	-
5.2	2.1	-	-	0.5	1.0	0.5	-	-	0.5	0.5	-	-	SUFFOCATION MECANIQUE ACCIDENTELLE	E913
4.4	-	0.6	0.6	1.7	-	-	0.6	1.1	-	-	-	-	-	-
4.8	1.1	0.3	0.3	1.1	0.5	0.3	0.3	0.5	0.3	0.3	0.3	-	-	-
16.8	3.7	2.6	1.0	1.0	0.5	1.6	1.0	2.6	0.5	1.0	1.0	1.0	AUTRES CAUSES ACCIDENTELLES ET EFFETS ADVERSEES	E900-E910 E914-E949
15.5	2.8	1.1	1.7	1.1	1.7	0.6	1.1	1.7	1.7	1.1	1.1	1.1	-	-
16.2	3.2	1.9	1.3	1.1	1.1	1.1	1.1	2.2	1.1	1.1	1.1	1.1	-	-
31.0	8.4	4.2	2.1	2.6	2.1	2.6	1.6	2.6	1.6	1.6	1.6	1.6	TOTAL E900-E949	-
27.7	5.5	2.8	2.8	3.9	1.7	1.7	2.8	2.8	1.7	1.1	1.1	1.1	-	-
29.4	7.0	3.5	2.4	3.2	1.9	2.2	2.2	2.7	1.6	1.3	1.3	1.3	-	-
1.0	-	-	-	0.5	-	-	0.5	-	-	-	-	-	ENFANT MALTRAITE	E967
0.6	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-
0.8	-	-	-	0.3	0.3	-	0.3	-	-	-	-	-	-	-
1.6	-	-	-	-	0.5	-	0.5	0.5	-	-	-	-	AUTRE HOMICIDE	E960-E966 E968-E969
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.8	-	-	-	-	0.3	-	0.3	0.3	-	-	-	-	-	-
2.6	-	-	-	0.5	0.5	-	1.0	0.5	-	-	-	-	TOTAL E960-E969	-
0.6	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-
1.6	-	-	-	0.3	0.5	-	0.5	0.3	-	-	-	-	-	-
12.1	2.1	0.5	2.1	0.5	3.1	-	2.1	0.5	1.0	-	-	-	TOUTES LES AUTRES CAUSES	001-E999
10.5	1.7	1.7	2.2	1.1	0.6	1.1	0.6	0.6	0.6	-	-	0.6	-	-
11.3	1.9	1.1	2.2	0.8	1.9	0.5	1.3	0.5	0.8	-	-	0.3	-	-
353.1	90.8	63.5	61.9	37.3	32.5	17.3	12.1	12.1	8.9	7.3	9.4	9.4	TOUTES LES CAUSES	-
293.2	68.1	57.0	40.9	40.4	18.8	13.3	13.8	13.8	10.0	9.4	7.7	7.7	-	-
324.0	79.7	60.3	51.7	38.8	25.9	15.3	12.9	12.9	9.4	8.3	8.6	8.6	-	-

TABLEAU 9. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1981

CANADA	Nfld. T.-N.	P.E.I. I.P.E.	N.S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.C. C.-B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
-	-	-	-	-	-	-	-	-	-	-	-	-	MORTALITE INFANTILE DUE A CERTAINES CAUSES	
-	-	-	-	-	-	-	-	-	-	-	-	-	CERTAINES INFECTIEUSES INTESTINALES	008-009
-	-	-	-	-	-	-	-	-	-	-	-	-	COQUELUCHE	033
-	-	-	-	-	-	-	-	-	-	-	-	-	INFECTIONS A MENINGOCOQUES	036
3.1	-	-	-	16.2	-	3.2	-	-	9.1	4.7	-	-	SEPTICEMIE	036
2.2	-	-	-	-	-	5.0	-	-	4.8	-	-	-	-	-
2.7	-	-	-	9.5	-	4.1	-	-	7.0	2.4	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES MALADIES A VIRUS	045-079
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS CONGENITALE	050
-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES MALADIES INFECTIEUSES ET PARASITAIRES	061-139
3.1	-	-	-	18.2	-	3.2	-	-	9.1	4.7	-	-	TOTAL 001-139	
2.2	-	-	-	-	-	5.0	-	-	4.8	-	-	-	-	-
2.7	-	-	-	9.5	-	4.1	-	-	7.0	2.4	-	-	-	-
1.6	-	-	-	-	-	1.6	-	-	-	9.5	-	-	TUMEUR MALIGNES INCLUANT LYMPHAT., HEPATOPHOIETIQUES	140-208
0.8	-	-	-	-	-	0.8	-	-	-	4.8	-	-	-	-
1.6	-	-	-	-	2.0	3.2	-	-	-	-	-	-	TUMEURS BENIGNES, CARCINOME IN SITU, ET AUTRES SAI	210-239
1.7	-	-	-	-	-	1.7	12.8	-	-	4.9	-	-	-	-
1.6	-	-	-	-	1.0	2.5	6.2	-	-	2.4	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES DU THYMUS	254
-	-	-	-	-	-	-	-	-	-	-	-	-	FIBROSE KYSTIQUE	2770
0.6	-	-	-	-	-	-	-	-	-	4.5	-	-	-	-
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-
0.5	-	-	-	-	-	-	-	-	4.6	-	-	-	MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES	280-289
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-	-	-
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	-	-
1.6	-	-	-	-	2.0	1.6	-	11.2	-	-	-	-	MENINGITE	320-322
0.8	-	-	-	-	1.0	0.8	-	5.8	-	-	-	-	-	-
2.1	-	-	-	18.2	4.1	-	12.1	-	-	-	-	-	AUTRES MALADIES DU SYSTEME NERVEUX ET ORGANES DES SENS	323-389
1.7	-	-	-	19.9	-	-	-	-	9.6	-	-	-	-	-
1.9	-	-	-	15.0	2.1	-	6.2	-	4.7	-	-	-	-	-
7.3	-	-	-	18.2	8.1	6.4	12.1	11.2	4.6	9.5	-	-	TOTAL 140-389	
4.4	-	-	-	19.9	-	3.3	12.8	-	9.6	9.8	-	-	-	-
5.9	-	-	-	15.0	4.2	4.5	12.4	5.8	7.0	9.6	-	-	-	-
0.5	19.3	-	-	-	-	-	-	-	-	-	-	-	AFFECTIONS AIGUES DES VOIES RESPIRATOIRES SUPERIEURES	460-465
0.3	9.9	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	BRONCHITE ET BRONCHIOLITE	466,46C- 451
4.2	-	-	-	-	2.0	1.6	-	22.5	4.6	14.2	-	-	PNEUMONIE	466-466
3.3	20.2	-	-	-	-	1.7	12.8	-	9.6	4.9	-	-	-	-
3.8	9.9	-	-	-	1.0	1.6	6.2	11.6	7.0	9.6	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	GRIPPE	467
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.1	-	-	-	18.2	-	4.8	-	-	-	-	-	-	AUTRES MALADIES DE L' APPAREIL RESPIRATOIRE	470-478, 452-519
1.1	-	-	-	5.5	-	2.5	-	-	-	-	-	-	-	-
6.8	19.3	-	-	18.2	2.0	6.4	-	22.5	4.6	14.2	-	-	TOTAL 460-519	
3.3	20.2	-	-	-	-	1.7	12.8	-	9.6	4.9	-	-	-	-
5.1	19.7	-	-	9.5	1.0	4.1	6.2	11.6	7.0	9.6	-	-	-	-
1.0	-	-	-	-	-	3.2	-	-	-	-	-	-	OCCLUSION INTESTINALE ET HERNIE ABDOMINALE	550-553, 560
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-	-	-
0.8	-	-	-	-	-	2.5	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	GASTRITE, DUODENITE ET ENT-	535,555-

TABLE 9. NEONATAL DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1981 - CONTINUED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	CANADA	NFLD.	P.-E.-I.	N.-S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.-C.	YUKON	N.-B.-T.
			T.-N.	I.-P.-E.	N.-E.						ALB.	C.-B.		T.-N.-C.
558	INFECTIVE ENTERITIS, COLITIS	F	1	-	-	-	-	-	-	-	-	1	-	-
		T	1	-	-	-	-	-	-	-	-	1	-	-
520-534, 536-543, 562-579	REMAINDER OF DISEASES OF DIGESTIVE SYSTEM	M	1	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	-
	TOTAL 520-579	M	3	-	-	-	-	2	-	-	-	1	-	-
		F	2	-	-	-	-	1	-	-	-	1	-	-
		T	5	-	-	-	-	3	-	-	-	2	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	M	43	6	-	3	1	7	15	1	1	3	6	-
		F	41	1	-	-	5	6	15	2	1	5	5	1
		T	84	7	-	3	6	13	30	3	2	8	11	1
741	SPINA BIFIDA	M	19	-	1	-	3	12	2	-	-	1	-	-
		F	35	2	-	2	-	16	7	2	-	2	4	-
		T	54	2	1	2	3	28	9	2	-	3	4	-
7423	CONGENITAL HYDROCEPHALUS	M	14	-	-	-	1	5	4	1	-	2	1	-
		F	8	-	-	-	1	3	2	-	-	2	1	-
		T	22	-	-	-	2	8	6	1	-	2	3	-
7420-7422 7424-7429 743	OTHER CONGENITAL ANOMALIES OF CNS AND EYE	M	11	-	-	-	-	4	3	1	-	1	2	-
		F	16	-	-	1	-	5	3	2	-	3	2	-
		T	27	-	-	1	-	9	6	3	-	4	4	-
745-746	CONGENITAL ANOMALIES OF HEART	M	122	3	2	3	6	30	44	6	7	15	6	-
		F	70	1	1	1	1	16	27	6	2	6	9	-
		T	192	4	3	4	7	46	71	12	9	21	15	-
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M	37	-	2	1	1	4	13	1	-	9	6	-
		F	23	-	1	-	-	3	6	1	1	6	5	-
		T	60	-	3	1	1	7	19	2	1	15	11	-
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	M	48	1	-	2	1	2	25	2	2	10	3	-
		F	31	-	-	-	-	7	13	2	-	7	2	-
		T	79	1	-	2	1	9	38	4	2	17	5	-
749-751	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	M	13	1	1	-	1	3	3	2	2	-	-	-
		F	3	-	-	-	-	1	1	-	-	-	1	-
		T	16	1	1	-	1	4	4	2	2	-	1	-
752-753	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	M	54	2	-	1	3	15	18	1	4	4	6	-
		F	15	1	-	-	-	5	6	2	-	1	-	-
		T	69	3	-	1	3	20	24	3	4	5	6	-
754-756	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	M	53	3	1	1	-	16	21	2	1	1	7	-
		F	38	-	-	1	1	12	13	1	-	7	3	-
		T	91	3	1	2	1	28	34	3	1	8	10	-
7580	DOWN'S SYNDROME	M	4	-	-	-	-	3	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-
		T	5	-	-	-	-	3	1	-	-	-	1	-
7581-7589	OTHER CHROMOSOMAL ANOMALIES	M	19	-	-	-	1	4	6	1	1	3	2	-
		F	27	1	-	1	1	7	7	2	-	4	4	-
		T	46	1	-	1	2	11	13	3	1	7	6	-
744, 757, 759	ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M	37	3	-	3	1	12	5	5	2	5	1	-
		F	26	2	-	-	-	9	6	2	3	3	1	-
		T	63	5	-	3	1	21	11	7	5	6	2	-
	TOTAL 740-759	M	474	19	7	14	19	117	160	23	20	54	40	-
		F	334	8	2	6	9	90	104	22	7	44	39	1
		T	808	27	9	20	28	207	266	45	27	98	79	1
760	NB AFFECT. BY MATERNAL CONDITION UNRELATED TO PREGNANCY	M	14	-	-	-	-	1	1	-	-	-	12	-
		F	10	1	-	-	-	-	2	-	-	-	6	-
		T	24	1	-	-	-	1	3	-	-	-	18	-
761	NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY	M	76	1	-	-	-	16	18	5	2	5	29	-
		F	58	-	-	1	-	12	10	2	2	1	30	-
		T	134	1	-	1	-	28	28	7	4	6	59	-
762	NB AFFECT. BY COMPLICATIONS, PLACENTA, CORD AND MEMBRANES	M	69	-	-	2	-	21	20	-	3	5	17	1
		F	61	2	-	2	2	10	18	2	2	6	16	1
		T	130	2	-	4	2	31	38	2	5	11	33	2
763	NB AFFECT. BY OTHER COMPLICATIONS OF LABOR AND DELIVERY	M	15	-	-	-	-	2	-	-	-	11	2	-
		F	12	1	-	1	-	2	3	-	1	2	2	-
		T	27	1	-	1	-	4	3	-	1	13	4	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION	M	6	-	-	1	-	3	-	-	1	1	-	-
		F	3	-	-	-	-	1	1	1	-	-	-	-
		T	9	-	-	1	-	4	1	1	1	1	-	-
765	DISORDERS RELATING TO SHORT GEST. AND UNSPECIFIED LOW BW	M	132	6	2	13	5	26	24	7	23	15	9	-
		F	113	6	3	8	4	19	23	13	10	16	8	1
		T	245	12	5	21	9	45	47	20	33	31	17	1
766	DISORDERS RELATING TO LONG GEST. AND HIGH BIRTHWEIGHT	M	2	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-
		T	3	-	-	-	-	-	-	-	-	1	1	-
767	BIRTH TRAUMA	M	40	-	-	2	-	12	10	1	5	8	2	-

TABEAU 9. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1981 - SUITE

CANADA	MFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES (NEUVIEME REVISION)	NC LISTE INT.
	T.-N.	I.-P.E.	N.-E.						ALB.	C.-B.		T.-N.O.		
0.6	-	-	-	-	-	-	-	-	-	4.5	-	-	ERITE ET COLITE NON INFECT.	558
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-		
0.5	-	-	-	-	-	-	-	-	-	4.7	-	-	AUTRES MALADIES DE L' APPAREIL DIGESTIF	520-534, 536-543, 562-579
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-		
1.6	-	-	-	-	-	3.2	-	-	-	4.7	-	-	TOTAL 520-579	
1.1	-	-	-	-	-	1.7	-	-	-	4.9	-	-		
1.3	-	-	-	-	-	2.5	-	-	-	4.8	-	-		
22.6	115.7	-	48.8	18.2	14.2	24.0	12.1	11.2	13.7	28.4	-	-	ANENCEPHALIE ET ANOMALIES SIMILAIRES	740
22.7	20.2	-	-	99.6	13.0	25.1	25.6	12.0	24.1	24.6	381.7	-		
22.6	69.1	-	24.8	57.1	13.6	24.6	18.7	11.6	18.8	26.5	186.6	-		
10.0	-	107.5	-	54.7	24.4	3.2	-	-	4.6	-	-	-	SPINA BIFIDA	741
19.4	40.5	-	33.7	-	34.7	11.7	25.6	-	9.6	19.7	-	-		
14.5	19.7	52.7	16.6	28.6	29.4	7.4	12.4	-	7.0	9.6	-	-		
7.3	-	-	-	18.2	10.1	6.4	12.1	-	9.1	4.7	-	-	HYDROCEPHALIE CONGENITALE	7423
4.4	-	-	-	19.9	6.5	3.3	-	-	-	9.8	-	-		
5.9	-	-	-	19.0	8.4	4.9	6.2	-	4.7	7.2	-	-		
5.8	-	-	-	-	8.1	4.8	12.1	-	4.6	9.5	-	-	AUTRES ANOMALIES CONGENIT- ALE SNC ET DE L'OEIL	7420-7422 7424-7429 743
8.9	-	-	16.8	-	10.9	5.0	25.6	-	14.5	9.8	-	-		
7.3	-	-	8.3	-	9.4	4.9	18.7	-	9.4	9.6	-	-		
64.0	57.8	215.1	48.8	105.4	60.9	70.5	72.7	78.7	68.5	28.4	-	-	ANOMALIES CONGENITALES DU COEUR	745-746
38.7	20.2	103.4	16.8	19.9	34.7	45.2	76.8	24.0	28.9	44.2	-	-		
51.7	39.5	158.1	33.1	66.6	48.3	58.1	74.7	52.3	49.3	36.2	-	-		
19.4	-	215.1	16.3	18.2	8.1	20.8	12.1	-	41.1	28.4	-	-	AUTRES ANOMALIES CONGENIT- ES, L'APPAREIL CIRCULATOIRES	747
12.7	-	103.4	-	-	6.5	10.0	12.8	12.0	28.9	24.6	-	-		
16.2	-	158.1	8.3	5.5	7.3	15.6	12.4	5.8	35.2	26.5	-	-		
25.2	19.3	-	32.6	18.2	4.1	40.0	24.2	22.5	45.6	14.2	-	-	ANOMALIES CONGENITALES DE L'APPAREIL RESPIRATOIRE	746
17.2	-	-	-	-	15.2	21.8	25.6	-	33.8	9.8	-	-		
21.3	9.9	-	16.6	9.5	9.4	31.1	24.9	11.6	39.9	12.1	-	-		
6.8	19.3	107.5	-	18.2	6.1	4.8	24.2	22.5	-	-	-	-	ANOMALIES CONGENITALES DE L'APPAREIL DIGESTIF	745-751
1.7	-	-	-	-	2.2	1.7	-	-	-	4.9	-	-		
4.3	9.9	52.7	-	5.5	4.2	3.3	12.4	11.6	-	2.4	-	-		
28.3	38.6	-	16.3	54.7	30.4	28.8	12.1	45.0	18.3	28.4	-	-	ANOMALIES CONGENITALES DES ORGANES GENITO-URINAIRES	752-753
8.3	20.2	-	-	-	10.9	10.0	25.6	-	4.8	-	-	-		
18.6	29.6	-	8.3	28.6	21.0	19.6	18.7	23.2	11.7	14.5	-	-		
27.8	57.8	107.5	16.3	-	32.5	33.6	24.2	11.2	4.6	33.1	-	-	ANOMALIES CONGENITALES DU SYSTEME OSTEO-MUSCULAIRE	754-756
21.0	-	-	16.8	15.9	26.1	21.8	12.8	-	33.8	14.7	-	-		
24.5	29.6	52.7	16.6	5.5	29.4	27.8	18.7	5.8	18.8	24.1	-	-		
2.1	-	-	-	-	6.1	1.6	-	-	-	-	-	-	DOWN'S SYNDROME	7580
0.6	-	-	-	-	-	-	-	-	-	4.9	-	-		
1.3	-	-	-	-	3.1	0.8	-	-	-	2.4	-	-		
10.0	-	-	-	18.2	8.1	9.6	12.1	11.2	13.7	9.5	-	142.7	AUTRES ABERRATIONS CHROMOSOMIQUES	7581-7589
14.9	20.2	-	16.8	19.9	15.2	11.7	25.6	-	19.3	19.7	-	-		
12.4	9.9	-	8.3	15.0	11.5	10.6	18.7	5.8	16.4	14.5	-	76.8		
19.4	57.8	-	48.8	18.2	24.4	8.0	60.6	22.5	22.8	4.7	-	-	AUTRES ET SANS PRECISION	744,757, 759
14.4	40.5	-	-	-	19.5	10.0	25.6	36.1	14.5	4.9	-	-		
17.0	49.4	-	24.8	5.5	22.0	9.0	43.6	29.1	18.8	4.8	-	-		
248.7	366.4	752.7	227.9	346.5	237.4	256.3	278.6	224.9	246.5	189.3	-	142.7	TOTAL 740-759	
184.8	161.8	206.8	101.1	175.3	195.5	177.4	281.5	84.2	212.3	191.7	381.7	-		
217.6	266.5	474.4	165.6	266.6	217.2	217.7	280.0	156.9	229.8	190.5	186.6	76.8		
7.3	-	-	-	-	2.0	1.6	-	-	-	56.8	-	-	TROUBLES MATERNELS NON DE LA GROSSESSE	760
5.5	20.2	-	-	-	-	3.3	-	-	4.8	29.5	-	-		
6.5	9.9	-	-	-	1.0	2.5	-	-	2.3	43.4	-	-		
39.9	19.3	-	-	-	32.5	28.8	60.6	22.5	22.8	137.3	-	-	NOUVEAU-NE AFFECTE PAR COMP. MATERNELLES DE LA GROSSESSE	761
32.1	-	-	16.8	-	26.1	16.7	25.6	24.0	4.8	147.5	-	-		
36.1	9.9	-	8.3	-	29.4	22.9	43.6	23.2	14.1	142.3	-	-		
36.2	-	-	32.6	-	42.6	32.0	-	33.7	22.8	80.5	365.0	-	NOUVEAU-NE AFFECTE PAR CCMP. PLACENTA, CORD, MEMBRANES	762
33.7	40.5	-	33.7	35.8	21.7	30.1	25.6	24.0	28.9	78.6	381.7	-		
35.0	19.7	-	33.1	19.0	32.5	31.1	12.4	29.1	25.8	75.6	373.1	-		
7.9	-	-	-	-	4.1	-	-	-	50.2	5.5	-	-	NOUVEAU-NE AFFECTE PAR CCMP. DJ TRAVAIL OU C'ACCOUCHEMENT	763
6.6	20.2	-	16.8	-	4.3	5.0	-	12.0	9.6	9.8	-	-		
7.3	9.9	-	8.3	-	4.2	2.5	-	5.8	30.5	9.6	-	-		
3.1	-	-	16.3	-	6.1	-	-	11.2	4.6	-	-	-	GROISSANCE LENTE ET MALNUTRITION	764
1.7	-	-	-	-	2.2	1.7	12.8	-	-	-	-	-		
2.4	-	-	8.3	-	4.2	0.8	6.2	5.8	2.3	-	-	-		
69.3	115.7	215.1	211.7	91.2	52.8	38.4	84.8	258.7	68.5	42.6	-	285.3	BRIEVETE DE GESTATION, POIDS LEGER SAI	765
62.5	121.4	310.2	134.7	79.7	41.3	38.5	166.3	120.2	77.2	39.3	381.7	332.8		
66.0	118.5	263.6	173.9	85.7	47.2	38.5	124.4	191.8	72.7	41.0	186.6	307.2		
1.0	-	-	-	-	-	-	-	-	4.6	4.7	-	-	LONGUE GESTATION ET PCIDS ELEVÉ	766
0.6	-	-	-	-	-	-	-	12.0	-	-	-	-		
0.8	-	-	-	-	-	-	-	5.8	2.3	2.4	-	-		
21.0	-	-	32.6	-	24.4	16.0	12.1	56.2	36.5	9.5	-	-	TRAUMATISME OBSTETRICAL	767

TABLE 9. NEONATAL DEATHS AND RATES FOR SELECTED DETAILED CAUSES, CANADA AND PROVINCES, 1981 - CONCLUDED

INT'L LIST NO.	CAUSE OF DEATH (NINTH REVISION)	CANADA	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
			T.-N.	I.P.E.	N.-E.						ALB.	C.-B.		T.N.O.
		F	25	-	-	-	6	6	-	4	5	4	-	-
		T	65	-	-	2	18	16	1	9	13	6	-	-
7682-7684	FETAL DISTRESS IN LIVEBORN INFANT	M	15	-	-	1	6	6	-	-	1	1	-	-
		F	8	-	-	2	4	1	-	-	-	-	-	-
		T	23	-	-	3	10	7	-	-	1	1	-	-
7685-7689	BIRTH ASPHYXIA	M	42	1	-	3	5	20	4	-	4	4	-	-
		F	31	-	-	3	2	17	2	-	6	-	1	-
		T	73	1	-	3	4	37	6	-	10	4	1	-
769	RESPIRATORY DISTRESS SYNDROME	M	214	10	1	7	13	67	10	7	23	8	-	1
		F	140	4	1	6	6	60	7	1	14	3	1	1
		T	354	14	2	13	19	127	17	8	37	11	1	2
770	OTHER RESPIRATORY CONDITIONS OF NEWBORN	M	104	1	1	4	5	26	30	5	15	9	-	2
		F	75	-	-	2	4	23	24	5	8	4	-	2
		T	179	1	1	6	9	49	54	10	23	13	-	4
771	INFECTIONS SPECIFIC TO THE PERINATAL PERIOD	M	25	-	-	3	2	8	8	-	2	-	-	1
		F	12	-	-	4	1	3	2	-	1	-	-	-
		T	37	-	-	7	3	11	10	-	2	1	-	1
772	NEONATAL HAEMORRHAGE	M	18	1	1	-	1	5	7	2	1	-	-	-
		F	19	-	-	-	-	4	7	3	3	-	-	-
		T	37	1	1	-	1	9	14	5	4	-	-	-
773-774	HAEMOLYTIC DIS. NB DUE TO ISOIMMUN., OTHER PERI. JAUN.	M	5	1	-	-	-	1	1	1	-	1	-	-
		F	4	-	-	-	-	3	-	-	-	1	-	-
		T	9	1	-	-	-	4	1	1	-	2	-	-
7750-7751	SYNDROME, INFANT, DIABETIC MOTHER AND NEONATAL DIABETES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-
		T	1	-	-	-	1	-	-	-	-	-	-	-
7760	HAEMORRHAGIC DISEASE OF NEWBORN	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-
7752-7759	ALL OTHER AND ILL-DEFINED CONDITIONS	M	49	2	-	4	5	7	15	1	5	3	-	-
7761-779		F	29	1	-	4	-	7	11	-	2	2	-	2
		T	78	3	-	8	5	14	26	1	7	5	-	2
	TOTAL 760-779	M	826	23	5	40	32	206	227	36	101	98	1	6
		F	603	15	4	30	22	156	162	35	64	77	4	7
		T	1,429	38	9	70	54	362	389	71	165	175	5	13
7980	SUDDEN INFANT DEATH SYNDROME	M	14	1	-	1	1	2	6	-	2	-	-	-
		F	10	-	-	-	-	3	2	-	1	3	-	1
		T	24	1	-	1	1	5	8	-	3	3	-	1
780-797, 7981-799	SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL 780-799	M	14	1	-	1	1	2	6	-	2	-	-	-
		F	10	-	-	-	-	3	2	-	1	3	-	1
		T	24	1	-	1	1	5	8	-	3	3	-	1
E911-E912	INHALATION, INGESTION, FOOD CAUSING RESPIR. OBSTRUCTION	M	3	-	-	-	-	2	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-
		T	4	-	-	-	-	2	1	-	-	1	-	-
E913	ACCIDENTAL MECHANICAL SUFFOCATION	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
E800-E910	OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS	M	3	1	-	-	-	-	1	-	1	-	-	-
E914-E949		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	4	1	-	-	-	1	1	-	1	-	-	-
	TOTAL E800-E949	M	6	1	-	-	-	2	2	-	1	-	-	-
		F	2	-	-	-	-	1	-	-	1	-	-	-
		T	8	1	-	-	-	3	2	-	1	1	-	-
E967	CHILD BATTERING AND OTHER MALTREATMENT	M	2	-	-	-	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	1	-	-	-	1	-	-
E960-E966	OTHER HOMICIDE	M	1	-	-	-	-	1	-	-	-	-	-	-
E968-E969		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	2	-	-	-	-	2	-	-	-	-	-	-
	TOTAL E960-E969	M	3	-	-	-	-	1	1	-	-	1	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	4	-	-	-	-	2	1	-	-	1	-	-
001-E999	ALL OTHER CAUSES	M	18	-	-	1	-	5	8	1	2	-	-	-
		F	12	-	-	-	-	2	2	-	5	1	-	-
		T	30	-	-	1	-	7	10	1	7	1	-	-
	ALL CAUSES	M	1,377	45	12	56	55	336	416	63	164	146	1	7
		F	982	24	6	36	32	251	281	59	119	125	5	8
		T	2,359	69	18	92	87	587	697	122	283	271	6	15

TABLEAU 9. MORTALITE NEONATALE DUE A CERTAINES CAUSES DETAILLEES ET TAUX, CANADA ET PROVINCES, 1981 - FIN

CANADA	NFLD. T.-N.	P.-E.-I. I.-P.-E.	N.-S. N.-E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA. ALB.	B.-C. C.-B.	YUKON	N.-W.-T. T.-N.-O.	CAUSES DE DECES (NEUVIEME REVISION)	NG LISTE INT.
13.8	-	-	-	-	13.0	10.0	-	48.1	24.1	19.7	-	-		
17.5	-	-	16.6	-	18.9	13.1	6.2	52.3	30.5	14.5	-	-		
7.9	-	-	16.3	-	12.2	9.6	-	-	4.6	4.7	-	-	SOUFFRANCE FOETALE CHEZ ENFANT NE VIVANT	7682-7684
4.4	-	-	33.7	19.9	8.7	1.7	-	-	-	-	-	-		
6.2	-	-	24.8	5.5	10.5	5.7	-	-	2.3	2.4	-	-		
22.0	19.3	-	48.8	18.2	10.1	32.0	48.4	-	18.3	18.9	-	-	ASPHYXIE OBSTETRICALE	7685-7689
17.2	-	-	-	55.8	4.3	28.4	25.6	-	28.9	-	381.7	-		
19.7	9.9	-	24.8	38.1	7.3	30.3	37.3	-	23.5	9.6	186.6	-		
112.3	192.8	107.5	114.0	237.1	136.0	107.3	121.1	78.7	105.0	37.9	-	142.7	SYNDROME DE DETRESSE RESPIRATOIRE	769
77.5	80.9	103.4	101.1	115.5	130.3	60.2	89.6	12.0	67.5	14.7	381.7	166.4		
95.3	138.2	105.4	107.6	180.9	122.2	84.3	105.8	46.5	86.8	26.5	186.6	153.6		
54.6	19.3	107.5	65.1	91.2	52.8	48.1	60.6	67.5	68.5	42.6	-	285.3	AUTRES AFFECTIENS RESPIRAT- CURES DU NOUVEAU-NE	770
41.5	-	-	33.7	79.7	50.0	40.2	64.0	36.1	38.6	19.7	-	332.8		
48.2	9.9	52.7	49.7	65.7	51.4	44.2	62.2	52.3	53.9	31.3	-	307.2		
13.1	-	-	48.8	36.5	16.2	12.8	-	11.2	9.1	-	-	142.7	INFECTIONS SPECIFIQUES DE LA PERIODE PERINATALE	771
6.6	-	-	67.4	19.9	6.5	3.3	-	12.0	-	4.9	-	-		
10.0	-	-	58.0	26.6	11.5	8.2	-	11.6	4.7	2.4	-	76.8		
9.4	19.3	107.5	-	18.2	10.1	11.2	24.2	-	4.6	-	-	-	HEMORRAGIES FOETALE ET NEONATALE	772
10.5	-	-	-	-	8.7	11.7	38.4	24.0	14.5	-	-	-		
10.0	9.9	52.7	-	9.5	5.4	11.5	31.1	11.6	9.4	-	-	-		
2.6	19.3	-	-	-	2.0	1.6	12.1	-	-	4.7	-	-	MAL. HEMO. NN CUE A ISC-IMM- UN. ET AUTRES ICTERES PERIN.	773-774
2.2	-	-	-	-	6.5	-	-	-	-	4.9	-	-		
2.4	9.9	-	-	-	4.2	0.8	6.2	-	-	4.8	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	SYNDROME D'ENFANT DE MERE DIABET., DIAB. SUCRE NEUNAT.	775C-775I
0.6	-	-	-	19.9	-	-	-	-	-	-	-	-		
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIE HEMORRAGIQUE DU NOUVEAU-NE	776C
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-		
25.7	38.6	-	65.1	91.2	14.2	24.0	12.1	33.7	41.1	14.2	-	-	AFFECT. COMMENC., LA PERIODE PERI., AUTRES, MAL DEFINIES	7752-7759 7761-779
16.0	20.2	-	67.4	-	15.2	18.4	-	-	9.6	5.8	-	332.8		
21.0	29.6	-	66.2	47.6	14.7	21.3	6.2	17.4	25.8	12.1	-	153.6		
433.4	443.5	537.6	651.3	583.6	418.0	363.6	436.0	573.5	461.0	463.8	365.0	855.9	TOTAL 760-779	
333.6	303.4	413.7	505.3	436.2	338.8	271.1	447.8	324.6	308.7	378.5	1526.7	1164.7		
384.8	375.1	474.4	579.5	514.1	375.8	318.4	441.7	453.3	387.0	422.0	932.8	998.5		
7.3	19.3	-	16.3	16.2	4.1	9.6	-	11.2	9.1	-	-	-	SYNDROME DE MORT SUBITE DU NOURRISSON	786C
5.5	-	-	-	-	6.5	3.3	-	-	4.8	14.7	-	166.4		
6.5	9.9	-	8.3	9.5	5.2	6.5	-	5.8	7.0	7.2	-	76.8		
-	-	-	-	-	-	-	-	-	-	-	-	-	SYMPTOMES, SIGNES ET AUTRES ETATS MORBIDES MAL DEFINIS	786C-787 7881-789
-	-	-	-	-	-	-	-	-	-	-	-	-		
7.3	19.3	-	16.3	16.2	4.1	9.6	-	11.2	9.1	-	-	-	TOTAL 780-799	
5.5	-	-	-	-	6.5	3.3	-	-	4.8	14.7	-	166.4		
6.5	9.9	-	8.3	5.5	5.2	6.5	-	5.8	7.0	7.2	-	76.8		
1.6	-	-	-	-	-	3.2	12.1	-	-	-	-	-	ASPIRATION OU INGESTION ALI- MENT. AVEC OBSTRUCTION RESP.	E811-E812
0.6	-	-	-	-	-	-	-	-	-	4.9	-	-		
1.1	-	-	-	-	-	1.6	6.2	-	-	2.4	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	SUFFOCATION MECANIQUE ACCIDENTELLE	E813
-	-	-	-	-	-	-	-	-	-	-	-	-		
1.6	19.3	-	-	-	-	-	12.1	-	4.6	-	-	-	AUTRES CAUSES ACCIDENTELLES ET EFFETS ADVERSES	E860-E810 E914-E949
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
1.1	9.9	-	-	-	-	0.8	6.2	-	2.3	-	-	-		
3.1	19.3	-	-	-	-	3.2	24.2	-	4.6	-	-	-	TOTAL E800-E949	
1.1	-	-	-	-	-	1.7	-	-	-	4.9	-	-		
2.2	9.9	-	-	-	-	2.5	12.4	-	2.3	2.4	-	-		
1.0	-	-	-	-	2.0	-	-	-	-	4.7	-	-	ENFANT MALTRAITE	E967
0.5	-	-	-	-	1.0	-	-	-	-	2.4	-	-		
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	AUTRE HOMICIDE	E960-E966 E968-E969
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-		
1.6	-	-	-	-	2.0	1.6	-	-	-	4.7	-	-	TOTAL E960-E969	
0.6	-	-	-	-	-	1.7	-	-	-	-	-	-		
1.1	-	-	-	-	1.0	1.6	-	-	-	2.4	-	-		
9.4	-	-	16.3	-	10.1	12.8	12.1	11.2	9.1	-	-	-	TOUTES LES AUTRES CAUSES	001-E999
6.6	-	-	-	-	4.3	3.3	-	24.0	24.1	4.9	-	-		
8.1	-	-	8.3	-	7.3	8.2	6.2	17.4	16.4	2.4	-	-		
722.4	867.7	1290.3	911.8	1003.1	681.9	666.4	763.0	854.7	748.6	691.0	365.0	998.6	TOUTES LES CAUSES	
543.3	485.4	620.5	606.4	637.5	545.1	470.2	754.9	432.8	574.1	614.4	1908.4	1331.1		
635.3	681.1	948.9	761.7	828.3	615.8	570.5	759.0	650.8	663.7	652.4	1119.4	1152.1		

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. I.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Total perinatal deaths - Total des décès périnataux												
038	Septicaemia	5	-	-	-	-	-	3	-	-	2	-	-	-
038.0	Streptococcal septicaemia	4	-	-	-	-	-	2	-	-	2	-	-	-
038.9	Unspecified septicaemia	1	-	-	-	-	-	1	-	-	-	-	-	-
090	Congenital syphilis	1	-	-	-	-	-	-	-	-	-	1	-	-
090.9	Congenital syphilis, unspecified	1	-	-	-	-	-	-	-	-	-	1	-	-
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx	1	-	-	-	-	-	-	-	-	-	1	-	-
149.0	Pharynx, unspecified	1	-	-	-	-	-	-	-	-	-	1	-	-
164	Malignant neoplasm of thymus, heart and mediastinum	1	-	-	-	-	-	-	-	-	-	1	-	-
164.1	Heart	1	-	-	-	-	-	-	-	-	-	1	-	-
228	Haemangioma and lymphangioma, any site	2	-	-	-	-	1	-	-	1	-	-	-	-
228.1	Lymphangioma, any site	2	-	-	-	-	1	-	-	1	-	-	-	-
238	Neoplasm of uncertain behaviour of other and unspecified sites and tissues	2	-	-	-	-	-	1	-	-	-	1	-	-
238.0	Bone and articular cartilage	2	-	-	-	-	-	1	-	-	-	1	-	-
239	Neoplasm of unspecified nature	1	-	-	-	-	-	1	-	-	-	-	-	-
239.8	Other specified sites	1	-	-	-	-	-	1	-	-	-	-	-	-
258	Polyglandular dysfunction and related disorders	1	-	-	-	-	1	-	-	-	-	-	-	-
258.1	Other combinations of endocrine dysfunction	1	-	-	-	-	1	-	-	-	-	-	-	-
259	Other endocrine disorders	9	-	-	-	-	3	1	-	1	3	1	-	-
259.4	Dwarfism, not elsewhere classified	9	-	-	-	-	3	1	-	1	3	1	-	-
270	Disorders of amino-acid transport and metabolism	1	-	-	-	-	-	1	-	-	-	-	-	-
270.6	Disorders of urea cycle metabolism	1	-	-	-	-	-	1	-	-	-	-	-	-
276	Disorders of fluid, electrolyte and acid-base balance	3	-	-	1	-	-	1	-	1	-	-	-	-
276.2	Acidosis	2	-	-	1	-	-	-	-	1	-	-	-	-
276.7	Hyperpotassaemia	1	-	-	-	-	-	1	-	-	-	-	-	-
277	Other and unspecified disorders of metabolism	3	-	-	-	-	1	2	-	-	-	-	-	-
277.8	Other	1	-	-	-	-	-	1	-	-	-	-	-	-
277.9	Unspecified	2	-	-	-	-	1	1	-	-	-	-	-	-
282	Hereditary haemolytic anaemias	2	-	-	-	-	-	1	-	-	1	-	-	-
282.4	Thalassaemias	2	-	-	-	-	-	1	-	-	1	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981

1981														
Canada	Nfld. I.-N.	P.E.I. I.-P.-E.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.	Causes des décès périnatals	Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
1.3	-	-	-	-	-	2.4	-	-	4.7	-	-	-	Septicémie	038
1.1	-	-	-	-	-	1.6	-	-	4.7	-	-	-	Septicémie à streptocoques	038.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Septicémie, sans précision	038.9
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Syphilis congénitale	090
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Syphilis congénitale, sans précision	090.9
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Tumeurs malignes de sièges autres et mal définis de la lèvre, de la cavité buccale et du pharynx	149
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Pharynx, sans précision	149.0
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Tumeur maligne du thymus, du coeur et du médiastin	164
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Coeur	164.1
0.5	-	-	-	-	1.0	-	-	5.8	-	-	-	-	Hémangiome et lymphangiome, tout siège	228
0.5	-	-	-	-	1.0	-	-	5.8	-	-	-	-	Lymphangiome, tout siège	228.1
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Tumeurs à évolution imprévisible de sièges et tissus autres et non précisés	238
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Os et cartilage articulaire	238.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Tumeur de nature non précisée	239
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres sièges précisés	239.8
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Dysfonction pluriglandulaire et troubles apparentés	258
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres associations de dysfonctions endo- criniennes	258.1
2.4	-	-	-	-	3.1	0.8	-	5.8	7.0	2.4	-	-	Autres troubles endocriniens	259
2.4	-	-	-	-	3.1	0.8	-	5.8	7.0	2.4	-	-	Nanisme, non classé ailleurs	259.4
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Troubles du métabolisme et de l'élimination des acides aminés	270
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Troubles du métabolisme des acides aminés de l'urée	270.6
0.8	-	-	8.2	-	-	0.8	-	5.8	-	-	-	-	Troubles de l'équilibre acido-basique et du métabolisme de l'eau et des électrolytes	276
0.5	-	-	8.2	-	-	-	-	5.8	-	-	-	-	Acidose	276.2
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hyperkaliémie	276.7
0.8	-	-	-	-	1.0	1.6	-	-	-	-	-	-	Troubles du métabolisme, autres et sans précision	277
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres	277.8
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Sans précision	277.9
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	Anémies hémolytiques héréditaires	282
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	Thalassémies	282.4

Voir note(a) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Total perinatal deaths - Total des décès périnataux												
320	Bacterial meningitis	2	-	-	-	-	1	1	-	-	-	-	-	-
320.1	Pneumococcal meningitis	1	-	-	-	-	-	1	-	-	-	-	-	-
320.2	Streptococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-	-
330	Cerebral degenerations usually manifest in childhood	1	-	-	-	1	-	-	-	-	-	-	-	-
330.0	Leucodystrophy	1	-	-	-	1	-	-	-	-	-	-	-	-
345	Epilepsy	1	-	-	-	-	-	-	-	1	-	-	-	-
345.3	Grand mal status	1	-	-	-	-	-	-	-	1	-	-	-	-
348	Other conditions of brain	1	-	-	-	1	-	-	-	-	-	-	-	-
348.3	Encephalopathy, unspecified	1	-	-	-	1	-	-	-	-	-	-	-	-
359	Muscular dystrophies and other myopathies	1	-	-	-	-	1	-	-	-	-	-	-	-
359.2	Myotonic disorders	1	-	-	-	-	1	-	-	-	-	-	-	-
425	Cardiomyopathy	2	-	-	-	-	1	1	-	-	-	-	-	-
425.3	Endocardial fibroelastosis	2	-	-	-	-	1	1	-	-	-	-	-	-
458	Hypotension	1	-	-	-	-	-	1	-	-	-	-	-	-
458.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
478	Other diseases of upper respiratory tract	1	-	-	-	-	-	1	-	-	-	-	-	-
478.7	Other diseases of larynx, not elsewhere classified	1	-	-	-	-	-	1	-	-	-	-	-	-
482	Other bacterial pneumonia	2	-	-	-	-	-	-	1	1	-	-	-	-
482.3	Pneumonia due to Streptococcus	2	-	-	-	-	-	-	1	1	-	-	-	-
485	Bronchopneumonia, organism unspecified	1	-	-	-	-	-	-	1	-	-	-	-	-
486	Pneumonia, organism unspecified	5	-	-	-	-	1	2	-	-	1	1	-	-
516	Other alveolar and parietoalveolar	1	-	-	-	-	-	1	-	-	-	-	-	-
516.8	Other	1	-	-	-	-	-	1	-	-	-	-	-	-
531	Gastric Ulcer	1	-	-	-	-	-	-	-	-	-	1	-	-
531.3	Acute without mention of haemorrhage or perforation	1	-	-	-	-	-	-	-	-	-	1	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981														
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.	Causes des décès périnatales	Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Méningite bactérienne	320
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	A pneumocoques	320.1
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	À streptocoques	320.2
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Dégénérescences cérébrales habituellement manifestes pendant l'enfance	330
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Leucodystrophie	330.0
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Épilepsie	345
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	État de grand mal	345.3
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Autres affections de l'encéphale	348
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Encéphalopathie, sans précision	348.3
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Dystrophies musculaires et autres myopathies	359
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Myotonies	359.2
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Cardiomyopathie	425
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Fibro-élastose endocardique	425.3
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hypotension	458
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	458.9
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres maladies des voies respiratoires supérieures	478
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres maladies du larynx, non classées ailleurs	478.7
0.5	-	-	-	-	-	-	-	5.8	2.3	-	-	-	Autres pneumonies bactériennes	482
0.5	-	-	-	-	-	-	-	5.8	2.3	-	-	-	Pneumonie à streptocoques	482.3
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Bronchopneumonie, micro-organisme non précisé	485
1.3	-	-	-	-	1.0	1.6	-	-	2.3	2.4	-	-	Pneumonie, micro-organisme non précisé	486
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres pneumopathies alvéolaires et pariéto-alvéolaires	516
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres	516.8
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Ulcère de l'estomac	531
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Aigu sans mention d'hémorragie ni de perforation	531.3

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981											
		Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	N.W.T.
		T.-N.	I.-P.-É.	N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alb.	C.-B.	Yukon	T.-N.-O.
		Total perinatal deaths - Total des décès périnataux											
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	6	-	-	-	-	-	6	-	-	-	-	-
553.1	Umbilical	6	-	-	-	-	-	6	-	-	-	-	-
586	Renal failure, unspecified	5	-	-	-	-	-	2	-	-	3	-	-
740	Anencephalus and similar anomalies	157	13	1	6	8	35	56	5	2	12	18	1
740.0	Anencephalus	156	13	1	6	8	35	55	5	2	12	18	1
740.1	Craniorachischisis	1	-	-	-	-	-	1	-	-	-	-	-
741	Spina bifida	46	1	1	5	2	17	12	2	-	1	5	-
741.0	With hydrocephalus	32	1	1	3	-	13	6	2	-	1	5	-
741.9	Without mention of hydrocephalus	14	-	-	2	2	4	6	-	-	-	-	-
742	Other congenital anomalies of nervous system	73	-	-	2	3	21	27	3	-	7	10	-
742.0	Encephalocele	15	-	-	1	-	6	2	2	-	1	3	-
742.1	Microcephalus	3	-	-	-	-	1	2	-	-	-	-	-
742.2	Reduction deformities of brain	1	-	-	-	-	-	-	-	-	-	1	-
742.3	Congenital hydrocephalus	47	-	-	-	3	13	19	1	-	5	6	-
742.4	Other specified anomalies of brain	2	-	-	1	-	-	-	-	-	1	-	-
742.9	Unspecified anomalies of brain, spinal cord and nervous system	5	-	-	-	-	1	4	-	-	-	-	-
744	Congenital anomalies of ear, face and neck	2	-	-	-	-	-	1	-	-	-	1	-
744.8	Other specified anomalies of face and neck	2	-	-	-	-	-	1	-	-	-	1	-
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	32	-	1	1	3	6	14	3	1	2	1	-
745.0	Common truncus	7	-	-	-	-	-	5	1	-	1	-	-
745.1	Transposition of great vessels	8	-	-	1	1	2	2	1	-	1	-	-
745.2	Tetralogy of fallot	2	-	1	-	-	-	1	-	-	-	-	-
745.3	Common ventricle	3	-	-	-	-	-	3	-	-	-	-	-
745.4	Ventricular septal defect	5	-	-	-	-	1	2	1	-	-	1	-
745.5	Ostium secundum type atrial septal defect	5	-	-	-	2	2	1	-	-	-	-	-
745.6	Endocardial cushion defects	1	-	-	-	-	1	-	-	-	-	-	-
745.9	Unspecified defect of septal closure	1	-	-	-	-	-	-	-	1	-	-	-
746	Other congenital anomalies of heart	121	3	2	2	3	30	48	5	5	11	12	-
746.0	Anomalies of pulmonary valve	2	-	-	-	-	-	-	-	-	1	1	-
746.1	Tricuspid atresia and stenosis, congenital	3	-	-	-	-	1	1	-	1	-	-	-
746.2	Ebstein's anomaly	3	-	-	-	-	1	1	1	-	-	-	-
746.3	Congenital stenosis of aortic valve	6	-	-	-	-	3	1	-	1	1	-	-
746.4	Congenital insufficiency of aortic valve	1	-	1	-	-	-	-	-	-	-	-	-
746.5	Congenital mitral stenosis	2	-	-	-	-	-	-	-	-	-	2	-
746.7	Hypoplastic left heart syndrome	32	1	-	-	3	7	12	1	1	2	5	-
746.8	Other specified anomalies of heart	25	1	-	1	-	4	13	1	-	2	1	-
746.9	Unspecified anomalies of heart	49	1	1	1	-	14	20	2	2	5	3	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatales	Codes de la CIM-9	
Canada	Nfld. T.-N.	P.-É.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.			
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)															
1.6	-	-	-	-	-	4.9	-	-	-	-	-	-	-	Autres hernies abdominales sans mention d'occlusion ni de gangrène	553
1.6	-	-	-	-	-	4.9	-	-	-	-	-	-	-	Ombilicale	553.1
1.3	-	-	-	-	-	1.6	-	-	7.0	-	-	-	-	Insuffisance rénale, sans précision	586
42.1	127.7	52.5	49.4	75.7	36.5	45.6	30.9	11.6	28.0	43.1	186.2	-	-	Anencéphalie et anomalies similaires	740
41.8	127.7	52.5	49.4	75.7	36.5	44.8	30.9	11.6	28.0	43.1	186.2	-	-	Anencéphalie	740.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	Crânio-rachischisis	740.1
12.3	9.8	52.5	41.1	18.9	17.7	9.8	12.4	-	2.3	12.0	-	-	-	Spina bifida	741
8.6	9.8	52.5	24.7	-	13.6	4.9	12.4	-	2.3	12.0	-	-	-	Avec hydrocéphalie	741.0
3.8	-	-	16.5	18.9	4.2	4.9	-	-	-	-	-	-	-	Sans mention d'hydrocéphalie	741.9
19.6	-	-	16.5	28.4	21.9	22.0	18.6	-	16.3	24.0	-	-	-	Autres anomalies congénitales du système nerveux	742
4.0	-	-	8.2	-	6.3	1.6	12.4	-	2.3	7.2	-	-	-	Encéphalocèle	742.0
0.8	-	-	-	-	1.0	1.6	-	-	-	-	-	-	-	Microcéphalie	742.1
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	Anomalies localisées du développement de l'encéphale	742.2
12.6	-	-	-	28.4	13.6	15.5	6.2	-	11.7	14.4	-	-	-	Hydrocéphalie congénitale	742.3
0.5	-	-	8.2	-	-	-	-	-	2.3	-	-	-	-	Autres anomalies précisées de l'encéphale	742.4
1.3	-	-	-	-	1.0	3.3	-	-	-	-	-	-	-	Anomalies du système nerveux, sans précision	742.9
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	-	Anomalies congénitales de l'oreille, de la face et du cou	744
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	-	Autres anomalies précisées de la face et du cou	744.8
8.6	-	52.5	8.2	28.4	6.3	11.4	18.6	5.8	4.7	2.4	-	-	-	Anomalies du bulbus cordis et des cloisons intracardiaques	745
1.9	-	-	-	-	-	4.1	6.2	-	2.3	-	-	-	-	Tronc artériel commun	745.0
2.1	-	-	8.2	9.5	2.1	1.6	6.2	-	2.3	-	-	-	-	Transposition des gros vaisseaux	745.1
0.5	-	52.5	-	-	-	0.8	-	-	-	-	-	-	-	l'étréologie de Fallot	745.2
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	-	Ventricule unique	745.3
1.3	-	-	-	-	1.0	1.6	6.2	-	-	2.4	-	-	-	Communication interventriculaire	745.4
1.3	-	-	-	18.9	2.1	0.8	-	-	-	-	-	-	-	Communication interauriculaire	745.5
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	Ostium commune	745.6
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	-	Anomalies non précisées des cloisons intracardiaques	745.9
32.4	29.5	104.9	16.5	28.4	31.3	39.1	30.9	28.9	25.7	28.8	-	-	-	Autres anomalies congénitales du coeur	746
0.5	-	-	-	-	-	-	-	-	2.3	2.4	-	-	-	Anomalies de la valvule pulmonaire	746.0
0.8	-	-	-	-	1.0	0.8	-	5.8	-	-	-	-	-	Atrésie et sténose tricuspidiennes congénitales	746.1
0.8	-	-	-	-	1.0	0.8	6.2	-	-	-	-	-	-	Maladie d'Ebstein	746.2
1.6	-	-	-	-	3.1	0.8	-	5.8	2.3	-	-	-	-	Sténose congénitale de la valvule aortique	746.3
0.3	-	52.5	-	-	-	-	-	-	-	-	-	-	-	Insuffisance congénitale de la valvule aortique	746.4
0.5	-	-	-	-	-	-	-	-	-	4.8	-	-	-	Rétrécissement mitral congénital	746.5
8.6	9.8	-	-	28.4	7.3	9.8	6.2	5.8	4.7	12.0	-	-	-	Hypoplasie du coeur gauche	746.7
6.2	9.8	-	8.2	-	4.2	10.6	6.2	-	4.7	2.4	-	-	-	Autres anomalies précisées du coeur	746.8
13.1	9.8	52.5	8.2	-	14.6	16.3	12.4	11.6	11.7	7.2	-	-	-	Anomalies du coeur, sans précision	746.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Total perinatal deaths - Total des décès périnatals												
747	Other congenital anomalies of circulatory system	50	-	3	1	-	5	19	-	-	12	10	-	-
747.0	Patent ductus arteriosus	7	-	1	-	-	1	3	-	-	2	-	-	-
747.1	Coarctation of aorta	4	-	-	-	-	-	2	-	-	-	2	-	-
747.2	Other anomalies of aorta	6	-	-	-	-	3	1	-	-	-	2	-	-
747.3	Anomalies of pulmonary artery	3	-	-	1	-	-	1	-	-	-	1	-	-
747.4	Anomalies of great veins	5	-	-	-	-	1	1	-	-	1	2	-	-
747.5	Absence of hypoplasia of umbilical artery	3	-	-	-	-	-	2	-	-	-	1	-	-
747.6	Other anomalies of peripheral vascular system	1	-	-	-	-	-	-	-	-	-	1	-	-
747.9	Unspecified anomalies of circulatory system	21	-	2	-	-	-	9	-	-	9	1	-	-
748	Congenital anomalies of respiratory system	76	1	-	2	1	9	36	4	1	16	6	-	-
748.3	Other anomalies of larynx, trachea and bronchus	4	-	-	-	-	-	3	-	1	-	-	-	-
748.5	Agenesis, hypoplasia and dysplasia of lung	67	1	-	2	-	7	32	4	-	16	5	-	-
748.6	Other anomalies of lung	4	-	-	-	1	2	1	-	-	-	-	-	-
748.8	Other specified anomalies of respiratory system	1	-	-	-	-	-	-	-	-	-	1	-	-
749	Cleft palate and cleft lip	2	-	-	-	-	-	2	-	-	-	-	-	-
749.0	Cleft palate	2	-	-	-	-	-	2	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	7	-	-	-	-	3	2	1	1	-	-	-	-
750.1	Other anomalies of tongue	1	-	-	-	-	-	-	-	1	-	-	-	-
750.3	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	6	-	-	-	-	3	2	1	-	-	-	-	-
751	Other congenital anomalies of digestive system	6	1	-	-	-	1	1	-	2	-	1	-	-
751.1	Atresia and stenosis of small intestine	2	-	-	-	-	-	-	-	2	-	-	-	-
751.5	Other anomalies of intestine	2	1	-	-	-	-	-	-	-	-	1	-	-
751.6	Anomalies of gallbladder, bile ducts and liver	2	-	-	-	-	1	1	-	-	-	-	-	-
752	Congenital anomalies of genital organs	1	-	-	-	-	-	1	-	-	-	-	-	-
752.9	Unspecified anomalies of genital organs	1	-	-	-	-	-	1	-	-	-	-	-	-
753	Congenital anomalies of urinary system	76	3	-	1	3	23	27	3	4	5	7	-	-
753.0	Renal agenesis and dysgenesis	49	2	-	1	1	13	19	2	2	4	5	-	-
753.1	Cystic kidney disease	12	-	-	-	2	6	3	1	-	-	-	-	-
753.2	Obstructive defects of renal pelvis and ureter	2	-	-	-	-	1	1	-	-	-	-	-	-
753.3	Other specified anomalies of kidney	1	-	-	-	-	-	-	-	-	-	1	-	-
753.6	Atresia and stenosis of urethra and bladder neck	2	-	-	-	-	-	2	-	-	-	-	-	-
753.7	Anomalies of urachus	2	-	-	-	-	2	-	-	-	-	-	-	-
753.9	Unspecified anomalies of urinary system	8	1	-	-	-	1	2	-	2	1	1	-	-
755	Other congenital anomalies of limbs	4	-	-	-	-	-	2	-	-	2	-	-	-
755.0	Polydactyly	1	-	-	-	-	-	1	-	-	-	-	-	-
755.6	Other anomalies of lower limb, including pelvic girdle	1	-	-	-	-	-	1	-	-	-	-	-	-
755.8	Other specified anomalies of unspecified limb	2	-	-	-	-	-	-	-	-	2	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9		
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.				
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)																
13.4	-	157.4	8.2	-	5.2	15.5	-	-	28.0	24.0	-	-	-	-	Autres anomalies congénitales de l'appareil circulatoire	747
1.9	-	52.5	-	-	1.0	2.4	-	-	4.7	-	-	-	-	-	Persistance du canal artériel	747.0
1.1	-	-	-	-	-	1.6	-	-	-	4.8	-	-	-	-	Coarctation de l'isthme aortique	747.1
1.6	-	-	-	-	3.1	0.8	-	-	-	4.8	-	-	-	-	Autres anomalies de l'aorte	747.2
0.8	-	-	8.2	-	-	0.8	-	-	-	2.4	-	-	-	-	Anomalies de l'artère pulmonaire	747.3
1.3	-	-	-	-	1.0	0.8	-	-	2.3	4.8	-	-	-	-	Anomalies des grosses veines	747.4
0.8	-	-	-	-	-	1.6	-	-	-	2.4	-	-	-	-	Absence ou hypoplasie de l'artère ombilicale	747.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Autres anomalies du système vasculaire périphérique	747.6
5.6	-	104.9	-	-	-	7.3	-	-	21.0	2.4	-	-	-	-	Anomalie de l'appareil circulatoire, sans précision	747.9
20.4	9.8	-	16.5	9.5	9.4	29.3	24.7	5.8	37.3	14.4	-	-	-	-	Anomalies congénitales de l'appareil respiratoire	748
1.1	-	-	-	-	-	2.4	-	5.8	-	-	-	-	-	-	Autres anomalies du larynx, de la trachée et des bronches	748.3
17.9	9.8	-	16.5	-	7.3	26.1	24.7	-	37.3	12.0	-	-	-	-	Agénésie, aplasie et hypoplasie du poumon	748.5
1.1	-	-	-	9.5	2.1	0.8	-	-	-	-	-	-	-	-	Autres anomalies du poumon	748.6
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Autres anomalies précisées de l'appareil respiratoire	748.8
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Fissure du palais et bec-de-lièvre	749
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Fissure du palais	749.0
1.9	-	-	-	-	3.1	1.6	6.2	5.8	-	-	-	-	-	-	Autres anomalies congénitales de la partie supérieure de l'appareil digestif	750
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	-	-	Autres anomalies de la langue	750.1
1.6	-	-	-	-	3.1	1.6	6.2	-	-	-	-	-	-	-	Fistule trachéo-oesophagienne, atrésie et sténose de l'oesophage	750.3
1.6	9.8	-	-	-	1.0	0.8	-	11.6	-	2.4	-	-	-	-	Autres anomalies congénitales de l'appareil digestif	751
0.5	-	-	-	-	-	-	-	11.6	-	-	-	-	-	-	Atrésie et sténose de l'intestin grêle	751.1
0.5	9.8	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Autres anomalies de l'intestin	751.5
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	-	-	Anomalies de la vésicule biliaire, des voies biliaires et du foie	751.6
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Anomalies congénitales des organes génitaux	752
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Anomalies des organes génitaux, sans précision	752.9
20.4	29.5	-	8.2	28.4	24.0	22.0	18.6	23.1	11.7	16.8	-	-	-	-	Anomalies congénitales de l'appareil urinaire	753
13.1	19.6	-	8.2	9.5	13.6	15.5	12.4	11.6	9.3	12.0	-	-	-	-	Agénésie et dyagénésie du rein	753.0
3.2	-	-	-	18.9	6.3	2.4	6.2	-	-	-	-	-	-	-	Maladie polykystique du rein	753.1
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	-	-	Anomalies obstructives du bassinet et de l'uretère	753.2
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Autres anomalies précisées du rein	753.3
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Atrésie et sténose de l'urètre et du col vésical	753.6
0.5	-	-	-	-	2.1	-	-	-	-	-	-	-	-	-	Anomalies de l'outraque	753.7
2.1	9.8	-	-	-	1.0	1.6	-	11.6	2.3	2.4	-	-	-	-	Anomalies de l'appareil urinaire, sans précision	753.9
1.1	-	-	-	-	-	1.6	-	-	4.7	-	-	-	-	-	Autres malformations des membres	755
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Polydactylie	755.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Autres anomalies du membre inférieur et de la ceinture pelvienne	755.6
0.5	-	-	-	-	-	-	-	-	4.7	-	-	-	-	-	Autres anomalies précisées d'un membre non précisé	755.8

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
		T.-N.	I.-P.-É.	N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alb.	C.-B.	Yukon	T.N.-O.	
		Total perinatal deaths - Total des décès périnataux												
756	Other congenital musculoskeletal anomalies	95	3	1	2	2	29	38	3	1	6	10	-	-
756.0	Anomalies of skull and face bones	4	-	-	-	-	2	2	-	-	-	-	-	-
756.1	Anomalies of spine	2	-	-	-	-	1	1	-	-	-	-	-	-
756.3	Other anomalies of ribs and sternum	4	-	1	-	-	2	-	-	-	1	-	-	-
756.4	Chondrodystrophy	5	-	-	-	-	3	1	-	-	-	1	-	-
756.5	Osteodystrophies	6	-	-	1	1	-	3	-	-	1	-	-	-
756.6	Anomalies of diaphragm	62	3	-	1	-	17	26	3	1	3	8	-	-
756.7	Anomalies of abdominal wall	7	-	-	-	-	4	2	-	-	-	1	-	-
756.8	Other specified anomalies of muscle, tendon, fascia and connective tissue	4	-	-	-	-	-	3	-	-	1	-	-	-
756.9	Unspecified anomalies of musculoskeletal system	1	-	-	-	1	-	-	-	-	-	-	-	-
758	Chromosomal anomalies	42	-	-	-	3	9	10	4	-	7	8	-	1
758.0	Down's syndrome	6	-	-	-	-	2	1	1	-	-	2	-	-
758.1	Patau's syndrome	15	-	-	-	2	2	5	1	-	3	1	-	1
758.2	Edwards's syndrome	16	-	-	-	1	5	4	1	-	2	3	-	-
758.5	Other conditions due to autosomal anomalies	1	-	-	-	-	-	-	-	-	-	1	-	-
758.8	Other conditions due to sex chromosome anomaly	1	-	-	-	-	-	-	-	-	-	1	-	-
758.9	Conditions due to anomaly of unspecified chromosome	3	-	-	-	-	-	-	1	-	2	-	-	-
759	Other and unspecified congenital anomalies	99	7	-	5	1	39	14	8	5	12	7	1	-
759.2	Anomalies of other endocrine glands	1	-	-	-	-	1	-	-	-	-	-	-	-
759.4	Conjoined twins	2	-	-	-	-	-	2	-	-	-	-	-	-
759.7	Multiple congenital anomalies, so described	54	4	-	4	-	18	6	8	3	7	4	-	-
759.8	Other specified anomalies	12	1	-	-	-	3	4	-	-	1	2	1	-
759.9	Congenital anomaly, unspecified	30	2	-	1	1	17	2	-	2	4	1	-	-
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	132	1	-	6	3	18	43	3	4	11	43	-	-
760.0	Maternal hypertensive disorders	80	-	-	3	2	13	37	3	2	5	15	-	-
760.1	Maternal renal and urinary tract diseases	3	1	-	-	-	-	2	-	-	-	-	-	-
760.2	Maternal infections	6	-	-	-	-	2	2	-	-	-	2	-	-
760.3	Other chronic maternal circulatory and respiratory diseases	3	-	-	1	-	1	-	-	1	-	-	-	-
760.4	Maternal nutritional disorders	2	-	-	1	-	-	-	-	-	-	1	-	-
760.5	Maternal injury	9	-	-	-	-	1	1	-	-	3	4	-	-
760.6	Surgical operation on mother	4	-	-	-	-	-	-	-	1	1	2	-	-
760.7	Noxious influences transmitted via placenta or breast milk	2	-	-	-	1	-	-	-	-	1	-	-	-
760.8	Other	23	-	-	1	-	1	1	-	-	1	19	-	-
761	Fetus or newborn affected by maternal complications of pregnancy	174	-	-	2	-	40	38	7	5	16	66	-	-
761.0	Incompetent cervix	28	-	-	1	-	2	8	-	-	-	17	-	-
761.1	Premature rupture of membranes	65	-	-	-	-	11	13	7	3	7	24	-	-
761.2	Oligohydramnios	2	-	-	-	-	1	1	-	-	-	-	-	-
761.3	Polyhydramnios	13	-	-	1	-	2	2	-	-	3	5	-	-
761.4	Ectopic pregnancy	1	-	-	-	-	1	-	-	-	-	-	-	-
761.5	Multiple pregnancy	58	-	-	-	-	20	14	-	2	2	20	-	-
761.7	Malpresentation before labour	4	-	-	-	-	1	-	-	-	3	-	-	-
761.8	Other	3	-	-	-	-	2	-	-	-	1	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
25.4	29.5	52.5	16.5	18.9	30.3	30.9	18.6	5.8	14.0	24.0	-	-	Autres anomalies congénitales du système ostéo-musculaire	756
1.1	-	-	-	-	2.1	1.6	-	-	-	-	-	-	Anomalies du crâne et des os de la face	756.0
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Anomalies de la colonne vertébrale	756.1
1.1	-	52.5	-	-	2.1	-	-	-	2.3	-	-	-	Autres anomalies des côtes et du sternum	756.3
1.3	-	-	-	-	3.1	0.8	-	-	-	2.4	-	-	Chondrodystrophies	756.4
1.6	-	-	8.2	9.5	-	2.4	-	-	2.3	-	-	-	Ostéodystrophies	756.5
16.6	29.5	-	8.2	-	17.7	21.2	18.6	5.8	7.0	19.2	-	-	Anomalies congénitales du diaphragme	756.6
1.9	-	-	-	-	4.2	1.6	-	-	-	2.4	-	-	Anomalies congénitales de la paroi abdominale	756.7
1.1	-	-	-	-	-	2.4	-	-	2.3	-	-	-	Autres anomalies précisées des muscles, des tendons, des aponévroses et du tissu conjonctif	756.8
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Anomalies du système ostéo-musculaire, sans précision	756.9
11.3	-	-	-	28.4	9.4	8.1	24.7	-	16.3	19.2	-	76.5	Aberrations chromosomiques	758
1.6	-	-	-	-	2.1	0.8	6.2	-	-	4.8	-	-	Syndrome de Down	758.0
4.0	-	-	-	18.9	2.1	4.1	6.2	-	7.0	2.4	-	76.5	Syndrome de Patau	758.1
4.3	-	-	-	9.5	5.2	3.3	6.2	-	4.7	7.2	-	-	Syndrome d'Edwards	758.2
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autres affections dues à des aberrations autosomiques précisées	758.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autres affections dues à anomalies gonosomiques précisées	758.8
0.8	-	-	-	-	-	-	6.2	-	4.7	-	-	-	Affection due à aberration chromosomique, sans précision	758.9
26.5	68.8	-	41.1	9.5	40.7	11.4	49.5	28.9	28.0	16.8	186.2	-	Anomalies congénitales, autres et sans précision	759
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Anomalies des autres glandes endocrines	759.2
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	Monstres doubles	759.4
14.5	39.3	-	32.9	-	18.8	4.9	49.5	17.3	16.3	9.6	-	-	Anomalies congénitales précisées comme multiples	759.7
3.2	9.8	-	-	-	3.1	3.3	-	-	2.3	4.8	186.2	-	Autres anomalies congénitales précisées	759.8
8.0	19.6	-	8.2	9.5	17.7	1.6	-	11.6	9.3	2.4	-	-	Anomalie congénitale, sans précision	759.9
35.4	9.8	-	49.4	28.4	18.8	35.0	18.6	23.1	25.7	103.1	-	-	Foetus ou nouveau-né affecté par des troubles maternels, éventuellement sans rapport avec la grossesse actuelle	760
21.4	-	-	24.7	18.9	13.6	30.1	18.6	11.6	11.7	36.0	-	-	Troubles hypertensifs de la mère	760.0
0.8	9.8	-	-	-	-	1.6	-	-	-	-	-	-	Maladies rénales et des voies urinaires de la mère	760.1
1.6	-	-	-	-	2.1	1.6	-	-	-	4.8	-	-	Infections maternelles	760.2
0.8	-	-	8.2	-	1.0	-	-	5.8	-	-	-	-	Autres maladies chroniques circulatoires ou respiratoires de la mère	760.3
0.5	-	-	8.2	-	-	-	-	-	-	2.4	-	-	Troubles nutritionnels de la mère	760.4
2.4	-	-	-	-	1.0	0.8	-	-	7.0	9.6	-	-	Traumatisme maternel	760.5
1.1	-	-	-	-	-	-	-	5.8	2.3	4.8	-	-	Intervention chirurgicale chez la mère	760.6
0.5	-	-	-	9.5	-	-	-	-	2.3	-	-	-	Effets nocifs à travers le placenta ou le lait maternel	760.7
6.2	-	-	8.2	-	1.0	0.8	-	-	2.3	45.5	-	-	Autres	760.8
46.6	-	-	16.5	-	41.8	30.9	43.3	28.9	37.3	158.2	-	-	Foetus ou nouveau-né affecté par des complications maternelles de la grossesse	761
7.5	-	-	8.2	-	2.1	6.5	-	-	-	40.8	-	-	Béance du col	761.0
17.4	-	-	-	-	11.5	10.6	43.3	17.3	16.3	57.5	-	-	Rupture prématurée des membranes	761.1
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Oligohydramnios	761.2
3.5	-	-	8.2	-	2.1	1.6	-	-	7.0	12.0	-	-	Polyhydramnios	761.3
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Grossesse ectopique	761.4
15.5	-	-	-	-	20.9	11.4	-	11.6	4.7	47.9	-	-	Grossesse multiple	761.5
1.1	-	-	-	-	1.0	-	-	-	7.0	-	-	-	Présentation anormale avant le travail	761.7
0.8	-	-	-	-	2.1	-	-	-	2.3	-	-	-	Autres	761.8

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
		I.-N.	I.-P.	-E.	N.-E.						Alb.	C.-B.		T.N.-O.
		Total perinatal deaths - Total des décès périnataux												
762	Fetus or newborn affected by complications of placenta, cord and membranes	1,021	20	6	38	30	236	336	47	55	111	139	1	2
762.0	Placenta praevia	25	1	-	3	1	7	4	-	4	1	4	-	-
762.1	Other forms of placental separation and haemorrhage	380	7	2	8	12	101	117	22	16	38	56	1	-
762.2	Other and unspecified morphological and functional abnormalities of placenta	237	4	1	11	8	34	93	17	16	31	21	-	1
762.3	Placental transfusion syndromes	9	-	-	-	-	1	1	-	2	1	4	-	-
762.4	Prolapsed cord	27	-	-	1	3	7	7	1	2	3	3	-	-
762.5	Other compression of umbilical cord	275	5	3	12	5	70	90	6	14	32	37	-	1
762.6	Other and unspecified conditions of umbilical cord	50	1	-	3	-	12	22	1	-	3	8	-	-
762.7	Chorioamnionitis	17	2	-	-	1	4	2	-	1	1	6	-	-
762.9	Unspecified abnormality of chorion and amnion	1	-	-	-	-	-	-	-	-	1	-	-	-
763	Fetus or newborn affected by other complications of labour and delivery	64	1	-	2	3	10	18	-	7	18	4	-	1
763.0	Breach delivery and extraction	21	-	-	-	-	1	10	-	4	3	2	-	1
763.1	Other malpresentation, malposition and disproportion during labour and delivery	13	1	-	-	-	3	3	-	1	4	1	-	-
763.2	Forceps delivery	1	-	-	1	-	-	-	-	-	-	-	-	-
763.4	Caesarean delivery	4	-	-	-	1	1	1	-	-	1	-	-	-
763.5	Maternal anaesthesia and analgesia	1	-	-	-	-	-	-	-	1	-	-	-	-
763.7	Abnormal uterine contractions	3	-	-	-	-	2	1	-	-	-	-	-	-
763.8	Other complications of labour and delivery	13	-	-	1	2	3	2	-	1	3	1	-	-
763.9	Unspecified	8	-	-	-	-	-	1	-	-	7	-	-	-
764	Slow fetal growth and fetal malnutrition	37	-	-	2	1	16	6	2	2	7	1	-	-
764.0	"Light-for-dates" without mention of fetal malnutrition	2	-	-	-	-	-	1	-	-	1	-	-	-
764.1	"Light-for-dates" with signs of fetal malnutrition	2	-	-	-	-	1	-	-	1	-	-	-	-
764.2	Fetal malnutrition without mention of "light-for-dates"	15	-	-	1	-	13	-	-	1	-	-	-	-
764.9	Fetal growth retardation, unspecified	18	-	-	1	1	2	5	2	-	6	1	-	-
765	Disorders relating to short gestation and unspecified low birthweight	270	16	5	23	9	52	53	21	37	32	17	1	4
765.0	Extreme immaturity	91	4	4	7	1	15	23	2	9	15	9	1	1
765.1	Other preterm infants	179	12	1	16	8	37	30	19	28	17	8	-	3
766	Disorders relating to long gestation and high birthweight	10	-	-	-	-	1	3	-	2	1	3	-	-
766.0	Exceptionally large baby	1	-	-	-	-	1	-	-	-	-	-	-	-
766.2	Post-term infant, not "heavy-for-dates"	9	-	-	-	-	-	3	-	2	1	3	-	-
767	Birth trauma	57	1	-	2	-	14	14	-	8	12	6	-	-
767.0	Subdural and cerebral haemorrhage	50	-	-	1	-	11	13	-	8	12	5	-	-
767.1	Injuries to scalp	2	1	-	-	-	-	1	-	-	-	-	-	-
767.3	Other injuries to skeleton	1	-	-	1	-	-	-	-	-	-	-	-	-
767.8	Other	2	-	-	-	-	1	-	-	-	-	1	-	-
767.9	Unspecified	2	-	-	-	-	2	-	-	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnataux	Codes de la CIM-9
Canada	Nfld. T.-N.	P.É.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
273.5	196.5	314.8	312.6	284.0	246.3	273.6	290.8	317.7	259.0	333.2	186.2	152.9	Foetus ou nouveau-né affecté par des complications concernant le placenta, le cordon ombilical et les membranes	762
6.7	9.8	-	24.7	9.5	7.3	3.3	-	23.1	2.3	9.6	-	-	Placenta praevia	762.0
101.8	68.8	104.9	65.8	113.6	105.4	95.3	136.1	92.4	88.7	134.2	186.2	-	Autres formes de décollement et hémorragie placentaires	762.1
63.5	39.3	52.5	90.5	75.7	35.5	75.7	105.2	92.4	72.3	50.3	-	76.5	Anomalies morphologiques et fonctionnelles du placenta, autres et sans précision	762.2
2.4	-	-	-	-	1.0	0.8	-	11.6	2.3	9.6	-	-	Syndrome de transfusion placentaire	762.3
7.2	-	-	8.2	28.4	7.3	5.7	6.2	11.6	7.0	7.2	-	-	Procidence du cordon	762.4
73.7	49.1	157.4	98.7	47.3	73.1	73.3	37.1	80.9	74.7	88.7	-	76.5	Autres formes de compression du cordon ombilical	762.5
13.4	9.8	-	24.7	-	12.5	17.9	6.2	-	7.0	19.2	-	-	Affections du cordon ombilical, autres et sans précision	762.6
4.6	19.6	-	-	9.5	4.2	1.6	-	5.8	2.3	14.4	-	-	Chorio-amniotite	762.7
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Anomalies du chorion et de l'amnios, sans précision	762.9
17.1	9.8	-	16.5	28.4	10.4	14.7	-	40.4	42.0	9.6	-	76.5	Foetus ou nouveau-né affecté par d'autres complications du travail ou de l'accouchement	763
5.6	-	-	-	-	1.0	8.1	-	23.1	7.0	4.8	-	76.5	Accouchement et extraction par la siège	763.0
3.5	9.8	-	-	-	3.1	2.4	-	5.8	9.3	2.4	-	-	Autres présentations et positions vicieuses du fœtus et disproportions fœto-pelviennes pendant le travail et l'accouchement	763.1
0.3	-	-	8.2	-	-	-	-	-	-	-	-	-	Accouchement par forceps	763.2
1.1	-	-	-	9.5	1.0	0.8	-	-	2.3	-	-	-	Accouchement par opération césarienne	763.4
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Anesthésie et analgésie de la mère	763.5
0.8	-	-	-	-	2.1	0.8	-	-	-	-	-	-	Contractions anormales de l'utérus	763.7
3.5	-	-	8.2	18.9	3.1	1.6	-	5.8	7.0	2.4	-	-	Autres complications du travail et de l'accouchement	763.8
2.1	-	-	-	-	-	0.8	-	-	16.3	-	-	-	Sans précision	763.9
9.9	-	-	16.5	9.5	16.7	4.9	12.4	11.6	16.3	2.4	-	-	Croissance lente et malnutrition du fœtus	764
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	"Léger pour l'âge gestationnel" sans mention de malnutrition du fœtus	764.0
0.5	-	-	-	-	1.0	-	-	5.8	-	-	-	-	"Léger pour l'âge gestationnel" avec signes de malnutrition du fœtus	764.1
4.0	-	-	8.2	-	13.6	-	-	5.8	-	-	-	-	Malnutrition du fœtus sans mention de "légèreté pour l'âge gestationnel"	764.2
4.8	-	-	8.2	9.5	2.1	4.1	12.4	-	14.0	2.4	-	-	Croissance fœtale retardée, sans précision	764.9
72.3	157.2	262.3	189.2	85.2	54.3	43.2	129.9	213.7	74.7	40.8	186.2	305.8	Troubles en rapport avec la brièveté de la gestation et un poids insuffisant à la naissance, sans précision	765
24.4	39.3	209.9	57.6	9.5	15.7	18.7	12.4	52.0	35.0	21.6	186.2	76.5	Immaturité extrême	765.0
47.9	117.9	52.5	131.6	75.7	38.6	24.4	117.5	161.7	39.7	19.2	-	229.4	Autres enfants nés avant terme	765.1
2.7	-	-	-	-	1.0	2.4	-	11.6	2.3	7.2	-	-	Troubles en rapport avec une longue gestation et un poids élevé à la naissance	766
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Enfant exceptionnellement gros	766.0
2.4	-	-	-	-	-	2.4	-	11.6	2.3	7.2	-	-	Enfant né après terme mais qui n'est pas "gros pour l'âge gestationnel"	766.2
15.3	9.8	-	16.5	-	14.6	11.4	-	46.2	28.0	14.4	-	-	Traumatisme obstétrical	767
13.4	-	-	8.2	-	11.5	10.6	-	46.2	28.0	12.0	-	-	Hémorragie sous-durale et cérébrale	767.0
0.5	9.8	-	-	-	-	0.8	-	-	-	-	-	-	Lésions du cuir chevelu	767.1
0.3	-	-	8.2	-	-	-	-	-	-	-	-	-	Autres lésions du squelette	767.3
0.5	-	-	-	-	1.0	-	-	-	-	2.4	-	-	Autres	767.8
0.5	-	-	-	-	2.1	-	-	-	-	-	-	-	Sans précision	767.9

Voir note(a) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Total perinatal deaths - Total des décès périnataux												
768	Intrauterine hypoxia and birth asphyxia	232	5	-	11	7	49	103	11	1	23	20	1	1
768.0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	127	4	-	5	3	30	50	7	1	11	15	-	1
768.1	Fetal death from asphyxia or anoxia during labour	18	-	-	1	-	2	12	1	-	2	-	-	-
768.2	Fetal distress before onset of labour, in liveborn infant	2	-	-	-	1	1	-	-	-	-	-	-	-
768.4	Fetal distress, unspecified, in liveborn infant	20	-	-	3	-	9	6	-	-	1	1	-	-
768.5	Severe birth asphyxia	6	-	-	-	-	1	5	-	-	-	-	-	-
768.9	Unspecified birth asphyxia in liveborn infant	59	1	-	2	3	6	30	3	-	9	4	1	-
769	Respiratory distress syndrome	319	12	1	12	18	113	96	13	8	33	10	1	2
770	Other respiratory conditions of fetus and newborn	184	1	1	6	10	52	56	10	11	21	12	-	4
770.0	Congenital pneumonia	14	-	-	-	-	8	3	-	-	2	1	-	-
770.1	Massive aspiration syndrome	31	-	-	-	3	4	11	5	2	1	5	-	-
770.2	Interstitial emphysema and related conditions	17	-	1	1	1	5	5	-	-	2	2	-	-
770.3	Pulmonary haemorrhage	13	-	-	-	1	7	3	-	2	-	-	-	-
770.4	Primary atelectasis	19	1	-	-	1	6	5	4	1	1	-	-	-
770.5	Other and unspecified atelectasis	29	-	-	-	2	14	3	1	5	4	-	-	-
770.8	Other respiratory problems after birth	60	-	-	5	2	8	25	-	1	11	4	-	4
770.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
771	Infections specific to the perinatal period	35	-	-	7	3	9	6	-	2	5	2	-	1
771.2	Other congenital infections	5	-	-	3	1	-	-	-	-	-	1	-	-
771.8	Other infection specific to the perinatal period	30	-	-	4	2	9	6	-	2	5	1	-	1
772	Fetal and neonatal haemorrhage	39	1	1	-	1	12	17	4	2	-	1	-	-
772.0	Fetal blood loss	5	-	-	-	-	-	5	-	-	-	-	-	-
772.1	Intraventricular haemorrhage	18	-	1	-	1	-	10	4	2	-	-	-	-
772.2	Subarachnoid haemorrhage	7	1	-	-	-	5	-	-	-	-	1	-	-
772.4	Gastrointestinal haemorrhage	1	-	-	-	-	1	-	-	-	-	-	-	-
772.5	Adrenal haemorrhage	2	-	-	-	-	1	1	-	-	-	-	-	-
772.6	Cutaneous haemorrhage	4	-	-	-	-	4	-	-	-	-	-	-	-
772.8	Other	1	-	-	-	-	1	-	-	-	-	-	-	-
772.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
773	Haemolytic disease of fetus or newborn, due to isoimmunization	23	-	-	1	1	7	6	1	1	1	5	-	-
773.0	Haemolytic disease due to Rh isoimmunization	10	-	-	1	-	2	3	1	-	1	2	-	-
773.2	Haemolytic disease due to other and unspecified isoimmunization	13	-	-	-	1	5	3	-	1	-	3	-	-
774	Other perinatal jaundice	1	-	-	-	-	1	-	-	-	-	-	-	-
774.4	Perinatal jaundice due to hepatocellular damage	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
62.1	49.1	-	90.5	66.3	51.1	83.9	68.0	5.8	53.7	47.9	186.2	76.5	Hypoxie intra-utérine et asphyxie à la naissance	768
34.0	39.3	-	41.1	28.4	31.3	40.7	43.3	5.8	25.7	36.0	-	76.5	Mort du fœtus par asphyxie ou anoxie, avant le début du travail ou à un moment non précisé	768.0
4.8	-	-	8.2	-	2.1	9.8	6.2	-	4.7	-	-	-	Mort du fœtus par asphyxie ou anoxie pendant le travail	768.1
0.5	-	-	-	9.5	1.0	-	-	-	-	-	-	-	Souffrance foetale avant le début du travail, chez un enfant né vivant	768.2
5.4	-	-	24.7	-	9.4	4.9	-	-	2.3	2.4	-	-	Souffrance foetale, sans précision, chez un enfant né vivant	768.4
1.6	-	-	-	-	1.0	4.1	-	-	-	-	-	-	Asphyxie obstétricale sévère	768.5
15.8	9.8	-	16.5	28.4	6.3	24.4	18.6	-	21.0	9.6	186.2	-	Asphyxie obstétricale sans précision, chez un enfant né vivant	768.9
85.4	117.9	52.5	98.7	170.4	118.0	78.2	80.4	46.2	77.0	24.0	186.2	152.9	Syndrome de détresse respiratoire	769
49.3	9.8	52.5	49.4	94.7	54.3	45.6	61.9	63.5	49.0	28.8	-	305.8	Autres affections respiratoires du fœtus et du nouveau-né	770
3.8	-	-	-	-	8.4	2.4	-	-	4.7	2.4	-	-	Pneumonie congénitale	770.0
8.3	-	-	-	28.4	4.2	9.0	30.9	11.6	2.3	12.0	-	-	Syndrome d'aspiration massive	770.1
4.6	-	52.5	8.2	9.5	5.2	4.1	-	-	4.7	4.8	-	-	Emphysème	770.2
3.5	-	-	-	9.5	7.3	2.4	-	11.6	-	-	-	-	Hémorragie pulmonaire	770.3
5.1	9.8	-	-	9.5	6.3	4.1	24.7	5.8	2.3	-	-	-	Atélectasie primaire	770.4
7.8	-	-	-	18.9	14.6	2.4	6.2	28.9	9.3	-	-	-	Atélectasie, autres et sans précision	770.5
16.1	-	-	41.1	18.9	8.4	20.4	-	5.8	25.7	9.6	-	305.8	Autres problèmes respiratoires après la naissance	770.8
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	770.9
9.4	-	-	57.6	28.4	9.4	4.9	-	11.6	11.7	4.8	-	76.5	Infections spécifiques de la période périnatale	771
1.3	-	-	24.7	9.5	-	-	-	-	-	2.4	-	-	Autres infections congénitales	771.2
8.0	-	-	32.9	18.9	9.4	4.9	-	11.6	11.7	2.4	-	76.5	Autres infections spécifiques de la période périnatale	771.8
10.4	9.8	52.5	-	9.5	12.5	13.8	24.7	11.6	-	2.4	-	-	Hémorragies foetales et néonatales	772
1.3	-	-	-	-	-	4.1	-	-	-	-	-	-	Perte de sang par le fœtus	772.0
4.8	-	52.5	-	9.5	-	8.1	24.7	11.6	-	-	-	-	Hémorragie (cérébrale) intraventriculaire	772.1
1.9	9.8	-	-	-	5.2	-	-	-	-	2.4	-	-	Hémorragie sous-arachnoïdienne	772.2
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Hémorragie gastro-intestinale	772.4
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Hémorragie surrénalienne	772.5
1.1	-	-	-	-	4.2	-	-	-	-	-	-	-	Hémorragie cutanée	772.6
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres	772.8
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	772.9
6.2	-	-	8.2	9.5	7.3	4.9	6.2	5.8	2.3	12.0	-	-	Maladie hémolytique du fœtus ou du nouveau-né due à l'iso-immunisation	773
2.7	-	-	8.2	-	2.1	2.4	6.2	-	2.3	4.8	-	-	Maladie hémolytique due à l'iso-immunisation anti Rh	773.0
3.5	-	-	-	9.5	5.2	2.4	-	5.8	-	7.2	-	-	Maladie hémolytique due à une iso-immunisation, autres et sans précision	773.2
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres ictères périnatales	774
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Ictère périnatal dû à une lésion hépatocellulaire	774.4

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-D.
		Total perinatal deaths - Total des décès périnataux												
775	Endocrine and metabolic disturbances specific to the fetus and newborn	38	1	-	-	4	8	11	2	2	4	5	-	1
775.0	Syndrome of "infant of a diabetic mother"	32	1	-	-	3	6	9	2	2	4	5	-	-
775.1	Neonatal diabetes mellitus	2	-	-	-	1	1	-	-	-	-	-	-	-
775.4	Hypocalcaemia and hypomagnesaemia of newborn	1	-	-	-	-	-	1	-	-	-	-	-	-
775.5	Other transitory neonatal electrolyte disturba	1	-	-	-	-	-	1	-	-	-	-	-	-
775.7	Late metabolic acidosis of newborn	1	-	-	-	-	1	-	-	-	-	-	-	-
775.8	Other transitory neonatal endocrine and metabolic disturbances	1	-	-	-	-	-	-	-	-	-	-	-	1
776	Haematological disorders of fetus and newborn	9	-	-	-	-	2	4	-	-	2	1	-	-
776.0	Haemorrhagic disease of newborn	1	-	-	-	-	-	1	-	-	-	-	-	-
776.2	Disseminated intravascular coagulation in newborn	4	-	-	-	-	2	2	-	-	-	-	-	-
776.5	Congenital anaemia	4	-	-	-	-	-	1	-	-	2	1	-	-
777	Perinatal disorders of digestive system	12	-	-	-	2	4	3	1	-	1	1	-	-
777.5	Necrotizing enterocolitis in fetus or newborn	11	-	-	-	2	4	3	1	-	-	1	-	-
777.9	Unspecified	1	-	-	-	-	-	-	-	-	1	-	-	-
778	Conditions involving the integument and temperature regulation of fetus and newborn	25	1	-	2	1	5	8	1	1	3	3	-	-
778.0	Hydrops fetalis not due to isoimmunization	25	1	-	2	1	5	8	1	1	3	3	-	-
779	Other and ill-defined conditions originating in the perinatal period	355	11	2	18	7	81	105	23	22	42	41	-	3
779.1	Other and unspecified cerebral irritability in newborn	1	-	-	-	-	-	-	-	1	-	-	-	-
779.6	Termination of pregnancy (fetus)	1	-	-	-	-	-	-	-	-	-	1	-	-
779.8	Other	32	2	-	5	1	1	15	-	1	4	2	-	1
779.9	Unspecified	321	9	2	13	6	80	90	23	20	38	38	-	2
780	General symptoms	1	-	-	-	-	1	-	-	-	-	-	-	-
780.0	Coma and stupor	1	-	-	-	-	1	-	-	-	-	-	-	-
782	Symptoms involving skin and other integumentary tissue	1	-	-	-	-	-	-	1	-	-	-	-	-
782.3	Oedema	1	-	-	-	-	-	-	1	-	-	-	-	-
798	Sudden death cause unknown	8	-	-	-	-	2	5	-	-	-	-	-	1
798.0	Sudden infant death syndrome	8	-	-	-	-	2	5	-	-	-	-	-	1
799	Other ill-defined and unknown causes of morbidity and mortality	3	-	-	-	-	2	-	1	-	-	-	-	-
799.9	Other unknown and unspecified cause	3	-	-	-	-	2	-	1	-	-	-	-	-
819	Motor vehicle traffic accident of unspecified nature	1	-	-	-	-	-	-	1	-	-	-	-	-
819.9	Unspecified person	1	-	-	-	-	-	-	1	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
10.2	9.8	-	-	37.9	8.4	9.0	12.4	11.6	9.3	12.0	-	76.5	Troubles endocriniens et métaboliques spécifiques du fœtus et du nouveau-né	775
8.6	9.8	-	-	28.4	6.3	7.3	12.4	11.6	9.3	12.0	-	-	Syndrome de l'enfant de mère diabétique	775.0
0.5	-	-	-	9.5	1.0	-	-	-	-	-	-	-	Diabète sucré néonatal	775.1
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hypocalcémie et hypomagnésémie du nouveau-né	775.4
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres troubles électrolytiques transitoires néonataux	775.5
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Acidose métabolique tardive du nouveau-né	775.7
0.3	-	-	-	-	-	-	-	-	-	-	-	76.5	Autres troubles endocriniens ou métaboliques transitoires néonataux	775.8
2.4	-	-	-	-	2.1	3.3	-	-	4.7	2.4	-	-	Troubles hématologiques du fœtus et du nouveau-né	776
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Maladie hémorragique du nouveau-né	776.0
1.1	-	-	-	-	2.1	1.6	-	-	-	-	-	-	Coagulation intravasculaire disséminée chez le nouveau-né	776.2
1.1	-	-	-	-	-	0.8	-	-	4.7	2.4	-	-	Anémie congénitale	776.5
3.2	-	-	-	18.9	4.2	2.4	6.2	-	2.3	2.4	-	-	Troubles périnataux de l'appareil digestif	777
2.9	-	-	-	18.9	4.2	2.4	6.2	-	-	2.4	-	-	Entéro-colite nécrosante chez le fœtus ou le nouveau-né	777.5
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Sans précision	777.9
6.7	9.8	-	16.5	9.5	5.2	6.5	6.2	5.8	7.0	7.2	-	-	Affections intéressant le tégument et la régulation thermique du fœtus et du nouveau-né	778
6.7	9.8	-	16.5	9.5	5.2	6.5	6.2	5.8	7.0	7.2	-	-	Anasarque foetu-placentaire, non consécutive à l'iso-immunisation	778.0
95.1	108.1	104.9	148.1	66.3	84.6	85.5	142.3	127.1	98.0	98.3	-	229.4	Affections dont l'origine se situe dans la période périnatale, autres et mal définies	779
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Autres signes d'irritabilité cérébrale	779.1
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Interruption de la grossesse (fœtus)	779.6
8.6	19.6	-	41.1	9.5	1.0	12.2	-	5.8	9.3	4.8	-	76.5	Autres	779.8
86.0	88.4	104.9	107.0	56.8	83.5	73.3	142.3	115.5	88.7	91.1	-	152.9	Sans précision	779.9
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Symptômes généraux	780
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Coma et stupeur	780.0
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Symptômes relatifs au tégument	782
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Oedème	782.3
2.1	-	-	-	-	2.1	4.1	-	-	-	-	-	76.5	Mort subite de cause inconnue	798
2.1	-	-	-	-	2.1	4.1	-	-	-	-	-	76.5	Syndrome de la mort subite chez le nourrisson	798.0
0.8	-	-	-	-	2.1	-	6.2	-	-	-	-	-	Autres causes mal définies ou inconnues de morbidité et de mortalité	799
0.8	-	-	-	-	2.1	-	6.2	-	-	-	-	-	Autres causes inconnues ou non précisées	799.9
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Accident de la circulation de nature non précisée impliquant un véhicule à moteur	819
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Personne non précisée	819.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Total perinatal deaths - Total des décès périnatales														
870	Accidental cut, puncture, perforation or haemorrhage during medical care	1	-	-	-	-	-	-	-	-	1	-	-	-
870.6	Heart catheterization	1	-	-	-	-	-	-	-	-	1	-	-	-
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	3	-	-	-	-	-	2	-	-	-	1	-	-
963	Assault by hanging and strangulation	1	-	-	-	-	-	1	-	-	-	-	-	-
967	Child battering and other maltreatment	1	-	-	-	-	1	-	-	-	-	-	-	-
967.9	By unspecified person	1	-	-	-	-	1	-	-	-	-	-	-	-
	ALL CAUSES	4,009	103	25	160	131	973	1,270	191	196	449	484	6	21

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Coupure, piqûre, perforation ou hémorragie accidentelles au cours d'actes médicaux	870
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Cathétérisme cardiaque	870.6
0.8	-	-	-	-	-	1.6	-	-	-	2.4	-	-	Aspiration ou ingestion de produits alimentaires	911
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Attentat par pendaison ou strangulation	963
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Enfant maltraité	967
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Par personne non précisée	967.9
1073.9	1011.9	1311.6	1316.3	1240.3	1015.6	1034.0	1181.6	1132.2	1047.8	1160.2	1117.3	1605.5	TOUTES LES CAUSES	

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
038	Septicaemia	5	-	-	-	-	-	3	-	-	2	-	-	-
038.0	Streptococcal septicaemia	4	-	-	-	-	-	2	-	-	2	-	-	-
038.9	Unspecified septicaemia	1	-	-	-	-	-	1	-	-	-	-	-	-
149	Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx	1	-	-	-	-	-	-	-	-	-	1	-	-
149.0	Pharynx, unspecified	1	-	-	-	-	-	-	-	-	-	1	-	-
164	Malignant neoplasm of thymus, heart and mediastinum	1	-	-	-	-	-	-	-	-	-	1	-	-
164.1	Heart	1	-	-	-	-	-	-	-	-	-	1	-	-
228	Haemangioma and lymphangioma, any site	1	-	-	-	-	1	-	-	-	-	-	-	-
228.1	Lymphangioma, any site	1	-	-	-	-	1	-	-	-	-	-	-	-
238	Neoplasm of uncertain behaviour of other and unspecified sites and tissues	2	-	-	-	-	-	1	-	-	-	1	-	-
238.0	Bone and articular cartilage	2	-	-	-	-	-	1	-	-	-	1	-	-
239	Neoplasm of unspecified nature	1	-	-	-	-	-	1	-	-	-	-	-	-
239.8	Other specified sites	1	-	-	-	-	-	1	-	-	-	-	-	-
258	Polyglandular dysfunction and related disorders	1	-	-	-	-	1	-	-	-	-	-	-	-
258.1	Other combinations of endocrine dysfunction	1	-	-	-	-	1	-	-	-	-	-	-	-
259	Other endocrine disorders	8	-	-	-	-	3	1	-	1	2	1	-	-
259.4	Dwarfism, not elsewhere classified	8	-	-	-	-	3	1	-	1	2	1	-	-
270	Disorders of amino-acid transport and metabolism	1	-	-	-	-	-	1	-	-	-	-	-	-
270.6	Disorders of urea cycle metabolism	1	-	-	-	-	-	1	-	-	-	-	-	-
276	Disorders of fluid electrolyte and acid-base balance	3	-	-	1	-	-	1	-	1	-	-	-	-
276.2	Acidosis	2	-	-	1	-	-	-	-	1	-	-	-	-
276.7	Hyperpotassaemia	1	-	-	-	-	-	1	-	-	-	-	-	-
277	Other and unspecified disorders of metabolism	2	-	-	-	-	1	1	-	-	-	-	-	-
277.9	Unspecified	2	-	-	-	-	1	1	-	-	-	-	-	-
282	Hereditary haemolytic anaemias	2	-	-	-	-	-	1	-	-	1	-	-	-
282.4	Thalassaemias	2	-	-	-	-	-	1	-	-	1	-	-	-
320	Bacterial meningitis	2	-	-	-	-	1	1	-	-	-	-	-	-
320.1	Pneumococcal meningitis	1	-	-	-	-	-	1	-	-	-	-	-	-
320.2	Streptococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981														
Canada	Nfld. T.-N.	P.-E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.	Causes des décès périnatals	Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
1.3	-	-	-	-	-	2.4	-	-	4.7	-	-	-	Septicémie	038
1.1	-	-	-	-	-	1.6	-	-	4.7	-	-	-	Septicémie à streptocoques	038.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Septicémie, sans précision	038.9
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Tumeurs malignes de sièges autres et mal définis de la lèvre, de la cavité buccale et du pharynx	149
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Pharynx, sans précision	149.0
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Tumeur maligne du thymus, du coeur et du médiastin	164
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Coeur	164.1
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Hémangiome et lymphangiome, tout siège	228
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Lymphangiome, tout siège	228.1
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Tumeurs à évolution imprévisible de sièges et tissus autres et non précisés	238
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Os et cartilage articulaire	238.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Tumeur de nature non précisée	239
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres sièges précisés	239.8
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Dysfonction pluriglandulaire et troubles apparentes	258
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres associations de dysfonctions endocriniennes	258.1
2.1	-	-	-	-	3.1	0.8	-	5.8	4.7	2.4	-	-	Autres troubles endocriniens	259
2.1	-	-	-	-	3.1	0.8	-	5.8	4.7	2.4	-	-	Nanisme, non classé ailleurs	259.4
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Troubles du métabolisme et de l'élimination des acides aminés	270
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Troubles du métabolisme des acides aminés	270.6
0.8	-	-	8.2	-	-	0.8	-	5.8	-	-	-	-	Troubles de l'équilibre acido-basique et du métabolisme de l'eau et des électrolytes	276
0.5	-	-	8.2	-	-	-	-	5.8	-	-	-	-	Acidose	276.2
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hyperkaliémie	276.7
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Troubles du métabolisme, autres et sans précision	277
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Sans précision	277.9
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	Anémies hémolytiques héréditaires	282
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	Thalassémies	282.4
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Méningite bactérienne	320
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	A pneumocoques	320.1
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	A streptocoques	320.2

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
		T.-N.	I.-P.-É.	N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alb.	C.-B.	Yukon	T.N.-O.	
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
330	Cerebral degenerations usually manifest in childhood	1	-	-	-	1	-	-	-	-	-	-	-	-
330.0	Leucodystrophy	1	-	-	-	1	-	-	-	-	-	-	-	-
345	Epilepsy	1	-	-	-	-	-	-	-	1	-	-	-	-
345.3	Grand mal status	1	-	-	-	-	-	-	-	1	-	-	-	-
348	Other conditions of brain	1	-	-	-	1	-	-	-	-	-	-	-	-
348.3	Encephalopathy, unspecified	1	-	-	-	1	-	-	-	-	-	-	-	-
359	Muscular dystrophies and other myopathies	1	-	-	-	-	1	-	-	-	-	-	-	-
359.2	Myotonic disorders	1	-	-	-	-	1	-	-	-	-	-	-	-
425	Cardiomyopathy	2	-	-	-	-	1	1	-	-	-	-	-	-
425.3	Endocardial fibroelastosis	2	-	-	-	-	1	1	-	-	-	-	-	-
458	Hypotension	1	-	-	-	-	-	1	-	-	-	-	-	-
458.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
478	Other diseases of upper respiratory tract	1	-	-	-	-	-	1	-	-	-	-	-	-
478.7	Other diseases of larynx, not elsewhere classified	1	-	-	-	-	-	1	-	-	-	-	-	-
482	Other bacterial pneumonia	2	-	-	-	-	-	-	-	1	1	-	-	-
482.3	Pneumonia due to Streptococcus	2	-	-	-	-	-	-	-	1	1	-	-	-
485	Brochopneumonia, organism unspecified	1	-	-	-	-	-	-	1	-	-	-	-	-
486	Pneumonia, organism unspecified	5	-	-	-	-	1	2	-	-	1	1	-	-
516	Other alveolar and parietoalveolar pneumopathy	1	-	-	-	-	-	1	-	-	-	-	-	-
516.8	Other	1	-	-	-	-	-	1	-	-	-	-	-	-
531	Gastric Ulcer	1	-	-	-	-	-	-	-	-	-	1	-	-
531.3	Acute without mention of haemorrhage or perforation	1	-	-	-	-	-	-	-	-	-	1	-	-
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	3	-	-	-	-	-	3	-	-	-	-	-	-
553.1	Umbilical	3	-	-	-	-	-	3	-	-	-	-	-	-
586	Renal failure, unspecified	5	-	-	-	-	-	2	-	-	3	-	-	-
740	Anencephalus and similar anomalies	81	7	-	3	5	13	29	3	1	8	11	1	-
740.0	Anencephalus	80	7	-	3	5	13	28	3	1	8	11	1	-
740.1	Craniorachischisis	1	-	-	-	-	-	1	-	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981														
Canada	Nfld. I.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.	Causes des décès périnatale	Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Dégénérescences cérébrales habituellement manifestées pendant l'enfance	330
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Leucodystrophie	330.0
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Épilepsie	345
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	État de grand mal	345.3
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Autres affections de l'encéphale	348
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Encéphalopathie, sans précision	348.3
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Dystrophies musculaires et autres myopathies	359
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Myotonies	359.2
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Cardiomyopathie	425
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Fibro-élastose endocardique	425.3
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hypotension	458
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	458.9
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres maladies des voies respiratoires supérieures	478
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres maladies du larynx, non classées ailleurs	478.7
0.5	-	-	-	-	-	-	-	5.8	2.3	-	-	-	Autres pneumonies bactériennes	482
0.5	-	-	-	-	-	-	-	5.8	2.3	-	-	-	Pneumonie à streptocoques	482.3
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Bronchopneumonie, micro-organisme non précisé	485
1.3	-	-	-	-	1.0	1.6	-	-	2.3	2.4	-	-	Pneumonie, micro-organisme non précisé	486
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres pneumopathies alvéolaires et parieto-alvéolaires	516
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres	516.8
0.3	-	-	-	-	-	-	-	-	2.4	-	-	-	Ulçère de l'estomac	531
0.3	-	-	-	-	-	-	-	-	2.4	-	-	-	Aigu sans mention d'hémorragie ni de perforation	531.3
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Autres hernies abdominales sans mention d'occlusion ni de gangrène	553
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Ombilicale	553.1
1.3	-	-	-	-	-	1.6	-	-	7.0	-	-	-	Insuffisance rénale, sans précision	586
21.7	68.8	-	24.7	47.3	13.6	23.6	18.6	5.8	18.7	26.4	186.2	-	Anencéphalie et anomalies similaires	740
21.4	68.8	-	24.7	47.3	13.6	22.8	18.6	5.8	18.7	26.4	186.2	-	Anencéphalie	740.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Crainio	740.1

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
741	Spina bifida	36	1	1	2	2	15	8	2	-	1	4	-	-
741.0	With hydrocephalus	27	1	1	1	-	12	5	2	-	1	4	-	-
741.9	Without mention of hydrocephalus	9	-	-	1	2	3	3	-	-	-	-	-	-
742	Other congenital anomalies of nervous system	41	-	-	1	2	13	12	3	-	3	7	-	-
742.0	Encephalocele	14	-	-	-	-	6	2	2	-	1	3	-	-
742.1	Microcephalus	2	-	-	-	-	1	1	-	-	-	-	-	-
742.2	Reduction deformities of brain	1	-	-	-	-	-	-	-	-	-	1	-	-
742.3	Congenital hydrocephalus	19	-	-	-	2	6	6	1	-	1	3	-	-
742.4	Other specified anomalies of brain	2	-	-	1	-	-	-	-	-	1	-	-	-
742.9	Unspecified anomalies of brain, spinal cord	3	-	-	-	-	-	3	-	-	-	-	-	-
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	26	-	1	1	1	4	12	3	1	2	1	-	-
745.0	Common truncus	7	-	-	-	-	-	5	1	-	1	-	-	-
745.1	Transposition of great vessels	7	-	-	1	1	1	2	1	-	1	-	-	-
745.2	Tetralogy of Fallot	1	-	1	-	-	-	-	-	-	-	-	-	-
745.3	Common ventricle	3	-	-	-	-	-	3	-	-	-	-	-	-
745.4	Ventricular septal defect	4	-	-	-	-	1	1	1	-	-	1	-	-
745.5	Ostium secundum type atrial septal defect	2	-	-	-	-	1	1	-	-	-	-	-	-
745.6	Endocardial cushion defect	1	-	-	-	-	1	-	-	-	-	-	-	-
745.9	Unspecified defect of septal closure	1	-	-	-	-	-	-	-	1	-	-	-	-
746	Other congenital anomalies of heart	111	3	2	2	3	26	44	5	5	11	10	-	-
746.0	Anomalies of pulmonary valve	2	-	-	-	-	-	-	-	-	1	1	-	-
746.1	Tricuspid atresia and stenosis, congenital	3	-	-	-	-	1	1	-	1	-	-	-	-
746.2	Ebstein's anomaly	3	-	-	-	-	1	1	1	-	-	-	-	-
746.3	Congenital stenosis of aortic valve	5	-	-	-	-	3	-	-	1	1	-	-	-
746.4	Congenital insufficiency aortic valve	1	-	1	-	-	-	-	-	-	-	-	-	-
746.5	Congenital mitral stenosis	2	-	-	-	-	-	-	-	-	-	2	-	-
746.7	Hypoplastic left heart syndrome	32	1	-	-	3	7	12	1	1	2	5	-	-
746.8	Other specified anomalies of heart	20	1	-	1	-	2	12	1	-	2	1	-	-
746.9	Unspecified anomalies of heart	43	1	1	1	-	12	18	2	2	5	1	-	-
747	Other congenital anomalies of circulatory system	44	-	3	1	-	5	15	-	-	12	8	-	-
747.0	Patent ductus arteriosus	7	-	1	-	-	1	3	-	-	2	-	-	-
747.1	Coarctation of aorta	3	-	-	-	-	-	1	-	-	-	2	-	-
747.2	Other anomalies of aorta	4	-	-	-	-	3	-	-	-	-	1	-	-
747.3	Anomalies of pulmonary artery	3	-	-	1	-	-	1	-	-	-	1	-	-
747.4	Anomalies of great veins	5	-	-	-	-	1	1	-	-	1	2	-	-
747.6	Other anomalies of peripheral vascular system	1	-	-	-	-	-	-	-	-	-	1	-	-
747.9	Unspecified anomalies of circulatory system	21	-	2	-	-	-	9	-	-	9	1	-	-
748	Congenital anomalies of respiratory system	75	1	-	2	1	9	36	4	1	16	5	-	-
748.3	Other anomalies of larynx, trachea and bronchus	4	-	-	-	-	-	3	-	1	-	-	-	-
748.5	Agnesis, hypoplasia and dysplasia of lung	66	1	-	2	-	7	32	4	-	16	4	-	-
748.6	Other anomalies of lung	4	-	-	-	1	2	1	-	-	-	-	-	-
748.8	Other specified anomalies of respiratory system	1	-	-	-	-	-	-	-	-	-	1	-	-
750	Other congenital anomalies of upper alimentary tract	3	-	-	-	-	-	2	1	-	-	-	-	-
750.3	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	3	-	-	-	-	-	2	1	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
9.6	9.8	52.5	16.5	18.9	15.7	6.5	12.4	-	2.3	9.6	-	-	Spina bifida	741
7.2	9.8	52.5	8.2	-	12.5	4.1	12.4	-	2.3	9.6	-	-	Avec hydrocéphalie	741.0
2.4	-	-	8.2	18.9	3.1	2.4	-	-	-	-	-	-	Sans mention d'hydrocéphalie	741.9
11.0	-	-	8.2	18.9	13.6	9.8	18.6	-	7.0	16.8	-	-	Autres anomalies congénitales du système nerveux	742
3.8	-	-	-	-	6.3	1.6	12.4	-	2.3	7.2	-	-	Encéphalocèle	742.0
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Microcéphalie	742.1
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Anomalies localisées du développement de l'encéphale	742.2
5.1	-	-	-	18.9	6.3	4.9	6.2	-	2.3	7.2	-	-	Hydrocéphalie congénitale	742.3
0.5	-	-	8.2	-	-	-	-	-	2.3	-	-	-	Autres anomalies précisées de l'encéphale	742.4
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Anomalies du système nerveux, sans précision	742.9
7.0	-	52.5	8.2	9.5	4.2	9.8	18.6	5.8	4.7	2.4	-	-	Anomalies du bulbus cordis et des cloisons intracardiaques	745
1.9	-	-	-	-	-	4.1	6.2	-	2.3	-	-	-	Tronc artériel commun	745.0
1.9	-	-	8.2	9.5	1.0	1.6	6.2	-	2.3	-	-	-	Transposition des gros vaisseaux	745.1
0.3	-	52.5	-	-	-	-	-	-	-	-	-	-	Tétralogie de Fallot	745.2
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Ventricule unique	745.3
1.1	-	-	-	-	1.0	0.8	6.2	-	-	2.4	-	-	Communication interventriculaire	745.4
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Communication interauriculaire	745.5
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Ostium commune	745.6
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Anomalies non précisées des cloisons intracardiaques	745.9
29.7	29.5	104.9	16.5	28.4	27.1	35.8	30.9	28.9	25.7	24.0	-	-	Autres anomalies congénitales du coeur	746
0.5	-	-	-	-	-	-	-	-	2.3	2.4	-	-	Anomalies de la valvule pulmonaire	746.0
0.8	-	-	-	-	1.0	0.8	-	5.8	-	-	-	-	Atrésie et sténose tricuspidiennes congénitales	746.1
0.8	-	-	-	-	1.0	0.8	6.2	-	-	-	-	-	Maladie d'Ebstein	746.2
1.3	-	-	-	-	3.1	-	-	5.8	2.3	-	-	-	Sténose congénitale de la valvule aortique	746.3
0.3	-	52.5	-	-	-	-	-	-	-	-	-	-	Insuffisance congénitale de la valvule aortique	746.4
0.5	-	-	-	-	-	-	-	-	-	4.8	-	-	Rétrécissement mitral congénital	746.5
8.6	9.8	-	-	28.4	7.3	9.8	6.2	5.8	4.7	12.0	-	-	Hypoplasie du coeur gauche	746.7
5.4	9.8	-	8.2	-	2.1	9.8	6.2	-	4.7	2.4	-	-	Autres anomalies précisées du coeur	746.8
11.5	9.8	52.5	8.2	-	12.5	14.7	12.4	11.6	11.7	2.4	-	-	Anomalies du coeur, sans précision	746.9
11.8	-	157.4	8.2	-	5.2	12.2	-	-	28.0	19.2	-	-	Autres anomalies congénitales de l'appareil circulatoire	747
1.9	-	52.5	-	-	1.0	2.4	-	-	4.7	-	-	-	Persistence du canal artériel	747.0
0.8	-	-	-	-	-	0.8	-	-	-	4.8	-	-	Coarctation de l'isthme aortique	747.1
1.1	-	-	-	-	3.1	-	-	-	-	2.4	-	-	Autres anomalies de l'aorte	747.2
0.8	-	-	8.2	-	-	0.8	-	-	-	2.4	-	-	Anomalies de l'artère pulmonaire	747.3
1.3	-	-	-	-	1.0	0.8	-	-	2.3	4.8	-	-	Anomalies des grosses veines	747.4
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autres anomalies du système vasculaire périphérique	747.6
5.6	-	104.9	-	-	-	7.3	-	-	21.0	2.4	-	-	Anomalies de l'appareil circulatoire, sans précision	747.9
20.1	9.8	-	16.5	9.5	9.4	29.3	24.7	5.8	37.3	12.0	-	-	Anomalies congénitales de l'appareil respiratoire	748
1.1	-	-	-	-	-	2.4	-	5.8	-	-	-	-	Autres anomalies de larynx, de la trachée et des bronches	748.3
17.7	9.8	-	16.5	-	7.3	26.1	24.7	-	37.3	9.6	-	-	Agénésie, aplasie et hypoplasie du poumon	748.5
1.1	-	-	-	9.5	2.1	0.8	-	-	-	-	-	-	Autres anomalies du poumon	748.6
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autres anomalies précisées de l'appareil respiratoire	748.8
0.8	-	-	-	-	-	1.6	6.2	-	-	-	-	-	Autres anomalies congénitales de la partie supérieure de l'appareil digestif	750
0.8	-	-	-	-	-	1.6	6.2	-	-	-	-	-	Fistule trachéo-oesophagienne, atrésie et sténose de l'oesophage	750.3

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
751	Other congenital anomalies of digestive system	6	1	-	-	-	1	1	-	2	-	1	-	-
751.1	Atresia and stenosis of small intestine	2	-	-	-	-	-	-	-	2	-	-	-	-
751.5	Other anomalies of intestine	2	1	-	-	-	-	-	-	-	-	1	-	-
751.6	Anomalies of gallbladder, bile ducts and liver	2	-	-	-	-	1	1	-	-	-	-	-	-
753	Congenital anomalies of urinary system	66	3	-	1	3	19	23	3	3	5	6	-	-
753.0	Renal agenesis and dysgenesis	45	2	-	1	1	11	17	2	2	4	5	-	-
753.1	Cystic kidney disease	10	-	-	-	2	5	2	1	-	-	-	-	-
753.2	Obstructive defects of renal pelvis and ureter	2	-	-	-	-	1	1	-	-	-	-	-	-
753.6	Atresia and stenosis of urethra and bladder neck	1	-	-	-	-	-	1	-	-	-	-	-	-
753.7	Anomalies of urachus	1	-	-	-	-	1	-	-	-	-	-	-	-
753.9	Unspecified anomalies of urinary system	7	1	-	-	-	1	2	-	1	1	1	-	-
755	Other congenital anomalies of limbs	2	-	-	-	-	-	-	-	-	2	-	-	-
755.8	Other specified anomalies of unspecified limb	2	-	-	-	-	-	-	-	-	2	-	-	-
756	Other congenital musculoskeletal anomalies	87	3	1	2	1	26	34	3	1	6	10	-	-
756.0	Anomalies of skull and face bones	1	-	-	-	-	1	-	-	-	-	-	-	-
756.1	Anomalies of spine	1	-	-	-	-	-	1	-	-	-	-	-	-
756.3	Other anomalies of ribs and sternum	4	-	1	-	-	2	-	-	-	1	-	-	-
756.4	Chondrodystrophy	5	-	-	-	-	3	1	-	-	-	1	-	-
756.5	Osteodystrophies	5	-	-	1	1	-	2	-	-	1	-	-	-
756.6	Anomalies of diaphragm	61	3	-	1	-	17	25	3	1	3	8	-	-
756.7	Anomalies of abdominal wall	6	-	-	-	-	3	2	-	-	-	1	-	-
756.8	Other specified anomalies of muscle, tendon, fascia and connective tissue	4	-	-	-	-	-	3	-	-	1	-	-	-
758	Chromosomal anomalies	37	-	-	-	2	8	9	3	-	7	7	-	1
758.0	Down's syndrome	4	-	-	-	-	2	1	-	-	-	1	-	-
758.1	Patau's syndrome	13	-	-	-	1	2	4	1	-	3	1	-	1
758.2	Edwards's syndrome	15	-	-	-	1	4	4	1	-	2	3	-	-
758.5	Other conditions due to autosomal anomalies	1	-	-	-	-	-	-	-	-	-	1	-	-
758.8	Other conditions due to sex chromosome anomalies	1	-	-	-	-	-	-	-	-	-	1	-	-
758.9	Conditions due to anomaly of unspecified chromosome	3	-	-	-	-	-	-	1	-	2	-	-	-
759	Other and unspecified congenital anomalies	60	5	-	3	1	19	11	6	5	8	2	-	-
759.4	Conjoined twins	2	-	-	-	-	-	2	-	-	-	-	-	-
759.7	Multiple congenital anomalies, so described	37	2	-	3	-	11	4	6	3	7	1	-	-
759.8	Other specified anomalies	8	1	-	-	-	3	3	-	-	-	1	-	-
759.9	Congenital anomaly, unspecified	13	2	-	-	1	5	2	-	2	1	-	-	-
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	24	1	-	-	-	1	3	-	-	1	18	-	-
760.0	Maternal hypertensive disorders	7	-	-	-	-	1	2	-	-	-	4	-	-
760.1	Maternal renal and urinary tract diseases	2	1	-	-	-	-	1	-	-	-	-	-	-
760.5	Maternal injury	2	-	-	-	-	-	-	-	-	-	2	-	-
760.6	Surgical operation on mother	1	-	-	-	-	-	-	-	-	-	1	-	-
760.7	Noxious influences transmitted via placenta or breast milk	1	-	-	-	-	-	-	-	-	1	-	-	-
760.8	Other	11	-	-	-	-	-	-	-	-	-	11	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnataux	
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
1.6	9.8	-	-	-	1.0	0.8	-	11.6	-	2.4	-	-	Autres anomalies congénitales de l'appareil digestif	751
0.5	-	-	-	-	-	-	-	11.6	-	-	-	-	Atrésie et sténose de l'intestin grêle	751.1
0.5	9.8	-	-	-	-	-	-	-	2.4	-	-	-	Autres anomalies de l'intestin	751.5
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Anomalies de la vésicule biliaire, des voies biliaires et du foie	751.6
17.7	29.5	-	8.2	28.4	19.8	18.7	18.6	17.3	11.7	14.4	-	-	Anomalies congénitales de l'appareil urinaire	753
12.1	19.6	-	8.2	9.5	11.5	13.8	12.4	11.6	9.3	12.0	-	-	Agénésie et dysgénésie du rein	753.0
2.7	-	-	-	18.9	5.2	1.6	6.2	-	-	-	-	-	Maladie polykystique du rein	753.1
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Anomalies obstructives du bassinet et de l'uretère	753.2
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Atrésie et sténose de l'uretère et du col vésical	753.6
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Anomalies de l'ouraque	753.7
1.9	9.8	-	-	-	1.0	1.6	-	5.8	2.3	2.4	-	-	Anomalies de l'appareil urinaire, sans précision	753.9
0.5	-	-	-	-	-	-	-	-	4.7	-	-	-	Autres malformations des membres	755
0.5	-	-	-	-	-	-	-	-	4.7	-	-	-	Autres anomalies précisées d'un membre non précisé	755.8
23.3	29.5	52.5	16.5	9.5	27.1	27.7	18.6	5.8	14.0	24.0	-	-	Autres anomalies congénitales du système ostéo-musculaire	756
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Anomalies du crâne et des os de la face	756.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Anomalie de la colonne vertébrale	756.1
1.1	-	52.5	-	-	2.1	-	-	-	2.3	-	-	-	Autres anomalies des côtes et du sternum	756.3
1.3	-	-	-	-	3.1	0.8	-	-	-	2.4	-	-	Chondrodystrophies	756.4
1.3	-	-	8.2	9.5	-	1.6	-	-	2.3	-	-	-	Ostéodystrophies	756.5
16.3	29.5	-	8.2	-	17.7	20.4	18.6	5.8	7.0	19.2	-	-	Anomalies congénitales du diaphragme	756.6
1.6	-	-	-	-	3.1	1.6	-	-	-	2.4	-	-	Anomalies congénitales de la paroi abdominale	756.7
1.1	-	-	-	-	-	2.4	-	-	2.3	-	-	-	Autres anomalies précisées des muscles, des tendons, des aponévroses et du tissu conjonctif	756.8
9.9	-	-	-	18.9	8.4	7.3	18.6	-	16.3	16.8	-	76.5	Aberrations chromosomiques	758
1.1	-	-	-	-	2.1	0.8	-	-	-	2.4	-	-	Syndrome de Down	758.0
3.5	-	-	-	9.5	2.1	3.3	6.2	-	7.0	2.4	-	76.5	Syndrome de Patau	758.1
4.0	-	-	-	9.5	4.2	3.3	6.2	-	4.7	7.2	-	-	Syndrome d'Edwards	758.2
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autre affections dues à des aberrations autosomiques précisées	758.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Autres affections dues à anomalies gonosomiques précisées	758.8
0.8	-	-	-	-	-	-	6.2	-	4.7	-	-	-	Affection due à aberration chromosomique, sans précision	758.9
16.1	49.1	-	24.7	9.5	19.8	9.0	37.1	28.9	18.7	4.8	-	-	Anomalies congénitales, autres et sans précision	759
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	Monstres doubles	759.4
9.9	19.6	-	24.7	-	11.5	3.3	37.1	17.3	16.3	2.4	-	-	Anomalies congénitales précisées comme multiples	759.7
2.1	9.8	-	-	-	3.1	2.4	-	-	-	2.4	-	-	Autres anomalies congénitales précisées	759.8
3.5	19.6	-	-	9.5	5.2	1.6	-	11.6	2.3	-	-	-	Anomalies congénitales, sans précision	759.9
6.4	9.8	-	-	-	1.0	2.4	-	-	2.3	43.1	-	-	Fœtus ou nouveau-né affecté par des troubles maternels, éventuellement sans rapport avec la grossesse actuelle	760
1.9	-	-	-	-	1.0	1.6	-	-	-	9.6	-	-	Troubles hypertensifs de la mère	760.0
0.5	9.8	-	-	-	-	0.8	-	-	-	-	-	-	Maladies rénales et des voies urinaires de la mère	760.1
0.5	-	-	-	-	-	-	-	-	-	4.8	-	-	Traumatisme maternel	760.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Intervention chirurgicale chez la mère	760.6
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Effets nocifs à travers le placenta ou le lait maternel	760.7
2.9	-	-	-	-	-	-	-	-	-	26.4	-	-	Autres	760.8

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
761	Fetus or newborn affected by maternal complications of pregnancy	132	-	-	1	-	28	28	7	4	6	58	-	-
761.0	Incompetent cervix	27	-	-	1	-	2	8	-	-	-	16	-	-
761.1	Premature rupture of membranes	53	-	-	-	-	9	11	7	2	4	20	-	-
761.3	Polyhydramnios	5	-	-	-	-	1	-	-	-	1	3	-	-
761.5	Multiple pregnancy	45	-	-	-	-	15	9	-	2	-	19	-	-
761.8	Other	2	-	-	-	-	1	-	-	-	1	-	-	-
762	Fetus or newborn affected by complications of placenta, cord and membranes	125	2	-	4	2	31	38	2	5	10	30	1	-
762.0	Placenta praevia	8	-	-	1	-	2	1	-	-	1	3	-	-
762.1	Other forms of placental separation and haemorrhage	79	-	-	3	-	23	25	2	5	5	15	1	-
762.2	Other and unspecified morphological and functional abnormalities of placenta	7	-	-	-	-	-	4	-	-	1	2	-	-
762.3	Placental transfusion syndromes	6	-	-	-	-	1	1	-	-	-	4	-	-
762.4	Prolapsed cord	5	-	-	-	-	2	2	-	-	1	-	-	-
762.5	Other compression of umbilical cord	5	-	-	-	1	1	3	-	-	-	-	-	-
762.6	Other and unspecified conditions of umbilical cord	1	-	-	-	-	-	-	-	-	-	1	-	-
762.7	Chorioamniotitis	13	2	-	-	1	2	2	-	-	1	5	-	-
762.9	Unspecified abnormality of chorion and amnion	1	-	-	-	-	-	-	-	-	1	-	-	-
763	Fetus or newborn affected by other complications of labour and delivery	24	1	-	1	-	4	3	-	1	12	2	-	-
763.0	Breech delivery and extraction	6	-	-	-	-	1	1	-	1	2	1	-	-
763.1	Other malpresentation, malposition and disproportion during labour and delivery	5	1	-	-	-	1	-	-	-	3	-	-	-
763.2	Forceps delivery	1	-	-	1	-	-	-	-	-	-	-	-	-
763.7	Abnormal uterine contractions	1	-	-	-	-	1	-	-	-	-	-	-	-
763.8	Other complications of labour and delivery	4	-	-	-	-	1	2	-	-	-	1	-	-
763.9	Unspecified	7	-	-	-	-	-	-	-	-	7	-	-	-
764	Slow fetal growth and fetal malnutrition	6	-	-	1	-	3	-	1	1	-	-	-	-
764.2	Fetal malnutrition without mention of "light-for-dates"	5	-	-	1	-	3	-	-	1	-	-	-	-
764.9	Fetal growth retardation, unspecified	1	-	-	-	-	-	-	1	-	-	-	-	-
765	Disorders relating to short gestation and unspecified low birthweight	237	12	5	21	9	42	46	20	32	29	16	1	4
765.0	Extreme immaturity	86	3	4	7	1	14	22	2	7	15	9	1	1
765.1	Other preterm infants	151	9	1	14	8	28	24	18	25	14	7	-	3
766	Disorders relating to long gestation and high birthweight	3	-	-	-	-	-	-	-	1	1	1	-	-
766.2	Post-term infant, not "heavy-for-dates"	3	-	-	-	-	-	-	-	1	1	1	-	-
767	Birth trauma	49	-	-	1	-	13	13	-	7	9	6	-	-
767.0	Subdural and cerebral haemorrhage	46	-	-	1	-	11	13	-	7	9	5	-	-
767.8	Other	2	-	-	-	-	1	-	-	-	-	1	-	-
767.9	Unspecified	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnote(s) at end of table.

TABIEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		Codes de la CIM-9
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
35.4	-	-	8.2	-	29.2	22.8	43.3	23.1	14.0	139.0	-	-	Foetus ou nouveau-né affecté par des complications maternelles de la grossesse	761
7.2	-	-	8.2	-	2.1	6.5	-	-	-	38.4	-	-	Béance du col	761.0
14.2	-	-	-	-	9.4	9.0	43.3	11.6	9.3	47.9	-	-	Rupture prématurée des membranes	761.1
1.3	-	-	-	-	1.0	-	-	-	2.3	7.2	-	-	Polyhydramnios	761.3
12.1	-	-	-	-	15.7	7.3	-	11.6	-	45.5	-	-	Grossesse multiple	761.5
0.5	-	-	-	-	1.0	-	-	-	2.3	-	-	-	Autres	761.8
33.5	19.6	-	32.9	18.9	32.4	30.9	12.4	28.9	23.3	71.9	186.2	-	Foetus ou nouveau-né affecté par des complications concernant le placenta, le cordon ombilical et les membranes	762
2.1	-	-	8.2	-	2.1	0.8	-	-	2.3	7.2	-	-	Placenta praevia	762.0
21.2	-	-	24.7	-	24.0	20.4	12.4	28.9	11.7	36.0	186.2	-	Autres formes de décollement et hémor-	762.1
1.9	-	-	-	-	-	3.3	-	-	2.3	4.8	-	-	Anomalies morphologiques et fonctionnelles du placenta, autres et sans précision	762.2
1.6	-	-	-	-	1.0	0.8	-	-	-	9.6	-	-	Syndrome de transfusion placentaire	762.3
1.3	-	-	-	-	2.1	1.6	-	-	2.3	-	-	-	Procidence du cordon	762.4
1.3	-	-	-	9.5	1.0	2.4	-	-	-	-	-	-	Autres formes de compression du cordon ombilical	762.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Affections du cordon ombilical, autres et sans précision	762.6
3.5	19.6	-	-	9.5	2.1	1.6	-	-	2.3	12.0	-	-	Chorio-amiotite	762.7
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Anomalies du chorion et de l'amnios, sans précision	762.9
6.4	9.8	-	8.2	-	4.2	2.4	-	5.8	28.0	4.8	-	-	Foetus ou nouveau-né affecté par d'autres complications du travail ou de l'accouchement	763
1.6	-	-	-	-	1.0	0.8	-	5.8	4.7	2.4	-	-	Accouchement et extraction par le siège	763.0
1.3	9.8	-	-	-	1.0	-	-	-	7.0	-	-	-	Autres présentations et positions vicieuses du foetus et disproportions foeto-pelviennes pendant le travail et l'accouchement	763.1
0.3	-	-	8.2	-	-	-	-	-	-	-	-	-	Accouchement par extracteur pneumatique (ventouse)	763.2
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Contractions anormales de l'utérus	763.7
1.1	-	-	-	-	1.0	1.6	-	-	-	2.4	-	-	Autres complications du travail et de l'accouchement	763.8
1.9	-	-	-	-	-	-	-	-	16.3	-	-	-	Sans précision	763.9
1.6	-	-	8.2	-	3.1	-	6.2	5.8	-	-	-	-	Croissance lente et malnutrition du foetus	764
1.3	-	-	8.2	-	3.1	-	-	5.8	-	-	-	-	Malnutrition du foetus sans mention de "légèreté pour l'âge gestationnel"	764.2
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Croissance foetale retardée, sans précision	764.9
63.5	117.9	262.3	172.8	85.2	43.8	37.5	123.7	184.8	67.7	38.4	186.2	305.8	Troubles en rapport avec la brièveté de la gestation et un poids insuffisant à la naissance, sans précision	765
23.0	29.5	209.9	57.6	9.5	14.6	17.9	12.4	40.4	35.0	21.6	186.2	76.5	Immaturité extrême	765.0
40.4	88.4	52.5	115.2	75.7	29.2	19.5	111.4	144.4	32.7	16.8	-	229.4	Autres enfants nés avant terme	765.1
0.8	-	-	-	-	-	-	-	5.8	2.3	2.4	-	-	Troubles en rapport avec une longue gestation et un poids élevé à la naissance	766
0.8	-	-	-	-	-	-	-	5.8	2.3	2.4	-	-	Enfant né après terme, mais qui n'est pas "gros pour l'âge gestationnel"	766.2
13.1	-	-	8.2	-	13.6	10.6	-	40.4	21.0	14.4	-	-	Traumatisme obstétrical	767
12.3	-	-	8.2	-	11.5	10.6	-	40.4	21.0	12.0	-	-	Hémorragie sous-durale et cérébrale	767.0
0.5	-	-	-	-	1.0	-	-	-	-	2.4	-	-	Autres	767.8
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Sans précision	767.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Deaths under one week - Décès d'enfants âgés de moins d'une semaine														
768	Intrauterine hypoxia and birth asphyxia	87	1	-	5	4	17	41	3	-	10	5	1	-
768.2	Fetal distress before onset of labour in liveborn infant	2	-	-	-	1	1	-	-	-	-	-	-	-
768.4	Fetal distress unspecified, in liveborn infant	20	-	-	3	-	9	6	-	-	1	1	-	-
768.5	Severe birth asphyxia	6	-	-	-	-	1	5	-	-	-	-	-	-
768.9	Unspecified birth asphyxia in liveborn infant	59	1	-	2	3	6	30	3	-	9	4	1	-
769	Respiratory distress syndrome	318	12	1	12	18	112	96	13	8	33	10	1	2
770	Other respiratory conditions of fetus and newborn	165	-	1	6	9	45	51	9	8	21	11	-	4
770.0	Congenital pneumonia	11	-	-	-	-	6	2	-	-	2	1	-	-
770.1	Massive aspiration syndrome	25	-	-	-	2	4	9	4	1	1	4	-	-
770.2	Interstitial emphysema and related conditions	17	-	1	1	1	5	5	-	-	2	2	-	-
770.3	Pulmonary haemorrhage	13	-	-	-	1	7	3	-	2	-	-	-	-
770.4	Primary atelectasis	18	-	-	-	1	6	5	4	1	1	-	-	-
770.5	Other and unspecified atelectasis	20	-	-	-	2	9	1	1	3	4	-	-	-
770.8	Other respiratory problems after birth	60	-	-	5	2	8	25	-	1	11	4	-	4
770.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
771	Infections specific to the perinatal period	28	-	-	6	1	9	6	-	2	2	1	-	1
771.2	Other congenital infections	2	-	-	2	-	-	-	-	-	-	-	-	-
771.8	Other infection specific to the perinatal period	26	-	-	4	1	9	6	-	2	2	1	-	1
772	Fetal and neonatal haemorrhage	28	-	1	-	1	7	13	4	2	-	-	-	-
772.0	Fetal blood loss	1	-	-	-	-	-	1	-	-	-	-	-	-
772.1	Intraventricular haemorrhage	18	-	1	-	1	-	10	4	2	-	-	-	-
772.2	Subarachnoid haemorrhage	4	-	-	-	-	4	-	-	-	-	-	-	-
772.4	Gastrointestinal haemorrhage	1	-	-	-	-	1	-	-	-	-	-	-	-
772.5	Adrenal haemorrhage	2	-	-	-	-	1	1	-	-	-	-	-	-
772.8	Other	1	-	-	-	-	1	-	-	-	-	-	-	-
772.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
773	Haemolytic disease of fetus or newborn, due to isoimmunization	7	-	-	-	-	3	1	1	-	-	2	-	-
773.0	Haemolytic disease due to Rh isoimmunization	3	-	-	-	-	1	-	1	-	-	1	-	-
773.2	Haemolytic disease due to other and unspecified isoimmunization	4	-	-	-	-	2	1	-	-	-	1	-	-
775	Endocrine and metabolic disturbances specific to the fetus and newborn	5	-	-	-	1	1	2	-	-	-	-	-	1
775.0	Syndrome of "infant of a diabetic mother"	1	-	-	-	1	-	-	-	-	-	-	-	-
775.4	Hypocalcaemia and hypomagnesaemia of newborn	1	-	-	-	-	-	1	-	-	-	-	-	-
775.5	Other transitory neonatal electrolyte disturbances	1	-	-	-	-	-	1	-	-	-	-	-	-
775.7	Late metabolic acidosis of newborn	1	-	-	-	-	1	-	-	-	-	-	-	-
775.8	Other transitory neonatal endocrine and metabolic disturbances	1	-	-	-	-	-	-	-	-	-	-	-	1
776	Haematological disorders of fetus and newborn	7	-	-	-	-	2	4	-	-	1	-	-	-
776.0	Haemorrhagic disease of newborn	1	-	-	-	-	-	1	-	-	-	-	-	-
776.2	Disseminated intravascular coagulation in newborn	4	-	-	-	-	2	2	-	-	-	-	-	-
776.5	Congenital anaemia	2	-	-	-	-	-	1	-	-	1	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
23.3	9.8	-	41.1	37.9	17.7	33.4	18.6	-	23.3	12.0	186.2	-	Hypoxie intra-utérine et asphyxie à la naissance	768
0.5	-	-	-	9.5	1.0	-	-	-	-	-	-	-	Souffrance foetale avant le début du travail, chez un enfant né vivant	768.2
5.4	-	-	24.7	-	9.4	4.9	-	-	2.3	2.4	-	-	Souffrance foetale, sans précision, chez un enfant né vivant	768.4
1.6	-	-	-	-	1.0	4.1	-	-	-	-	-	-	Asphyxie obstétricale évère	768.5
15.8	9.8	-	16.5	28.4	6.3	24.4	18.6	-	21.0	9.6	186.2	-	Asphyxie obstétricale sans précision, chez un enfant né vivant	768.9
85.2	117.9	52.5	98.7	170.4	116.9	78.2	80.4	46.2	77.0	24.0	186.2	152.9	Syndrome de détresse respiratoire	769
44.2	-	52.5	49.4	85.2	47.0	41.5	55.7	46.2	49.0	26.4	-	305.8	Autres affections respiratoires du fœtus et du nouveau-né	770
2.9	-	-	-	-	6.3	1.6	-	-	4.7	2.4	-	-	Pneumonie congénitale	770.0
6.7	-	-	-	18.9	4.2	7.3	24.7	5.8	2.3	9.6	-	-	Syndrome d'aspiration massive	770.1
4.6	-	52.5	8.2	9.5	5.2	4.1	-	-	4.7	4.8	-	-	Emphysème interstitiel et affections apparentées	770.2
3.5	-	-	-	9.5	7.3	2.4	-	11.6	-	-	-	-	Hémorragie pulmonaire	770.3
4.8	-	-	-	9.5	6.3	4.1	24.7	5.8	2.3	-	-	-	Atélectasie primaire	770.4
5.4	-	-	-	18.9	9.4	0.8	6.2	17.3	9.3	-	-	-	Atélectasie, autres et sans précision	770.5
16.1	-	-	41.1	18.9	8.4	20.4	-	5.8	25.7	9.6	-	305.8	Autres problèmes respiratoires après la naissance	770.8
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	770.9
7.5	-	-	49.4	9.5	9.4	4.9	-	11.6	4.7	2.4	-	76.5	Infections spécifiques de la période périnatale	771
0.5	-	-	16.5	-	-	-	-	-	-	-	-	-	Autres infections congénitales	771.2
7.0	-	-	32.9	9.5	9.4	4.9	-	11.6	4.7	2.4	-	76.5	Autres infections spécifiques de la période périnatale	771.8
7.5	-	52.5	-	9.5	7.3	10.6	24.7	11.6	-	-	-	-	Hémorragies foetale et néonatale	772
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Perte de sang par le fœtus	772.0
4.8	-	52.5	-	9.5	-	8.1	24.7	11.6	-	-	-	-	Hémorragie (cérébrale) intraventriculaire	772.1
1.1	-	-	-	-	4.2	-	-	-	-	-	-	-	Hémorragie sous-arachnoïdienne	772.2
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Hémorragie gastro-intestinale	772.4
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Hémorragie surrénalienne	772.5
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres	772.8
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	772.9
1.9	-	-	-	-	3.1	0.8	6.2	-	-	4.8	-	-	Maladie hémolytique du fœtus ou du nouveau-né due à l'iso-immunisation	773
0.8	-	-	-	-	1.0	-	6.2	-	-	2.4	-	-	Maladie hémolytique due à l'iso-immunisation anti Rh	773.0
1.1	-	-	-	-	2.1	0.8	-	-	-	2.4	-	-	Maladie hémolytique due à une iso-immunisation, autres et sans précision	773.2
1.3	-	-	-	9.5	1.0	1.6	-	-	-	-	-	76.5	Troubles endocriniens et métaboliques spécifiques du fœtus et du nouveau-né	775
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Syndrome de l'enfant de mère diabétique	775.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Hypocalcémie et hypomagnésémie du nouveau-né	775.4
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres troubles électrolytiques transitoires néonataux	775.5
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Acidose métabolique tardive du nouveau-né	775.7
0.3	-	-	-	-	-	-	-	-	-	-	-	76.5	Autres troubles endocriniens ou métaboliques transitoires néonataux	775.8
1.9	-	-	-	-	2.1	3.3	-	-	2.3	-	-	-	Troubles hématoLOGIQUES du fœtus et du nouveau-né	776
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Maladie hémorragique du nouveau-né	776.0
1.1	-	-	-	-	2.1	1.6	-	-	-	-	-	-	Coagulation intravasculaire disséminée chez de la prématurité	776.2
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	Anémie congénitale	776.5

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Deaths under one week - Décès d'enfants âgés de moins d'une semaine												
777	Perinatal disorders of digestive system	11	-	-	-	2	4	3	1	-	-	1	-	-
777.5	Necrotizing enterocolitis in fetus or newborn	11	-	-	-	2	4	3	1	-	-	1	-	-
778	Conditions involving the integument and temperature regulation of fetus and newborn	10	1	-	2	1	1	3	-	-	2	-	-	-
778.0	Hydrops fetalis not due to isoimmunization	10	1	-	2	1	1	3	-	-	2	-	-	-
779	Other and ill-defined conditions originating in the perinatal period	25	-	-	5	1	-	12	-	-	4	2	-	1
779.8	Other	23	-	-	5	1	-	12	-	-	2	2	-	1
779.9	Unspecified	2	-	-	-	-	-	-	-	-	2	-	-	-
798	Sudden death, cause unknown	8	-	-	-	-	2	5	-	-	-	-	-	1
798.0	Sudden infant death syndrome	8	-	-	-	-	2	5	-	-	-	-	-	1
819	Motor vehicle traffic accident of unspecified nature	1	-	-	-	-	-	-	1	-	-	-	-	-
819.9	Unspecified person	1	-	-	-	-	-	-	1	-	-	-	-	-
870	Accidental cut, puncture, perforation or haemorrhage during medical care	1	-	-	-	-	-	-	-	-	1	-	-	-
870.6	Heart catheterization	1	-	-	-	-	-	-	-	-	1	-	-	-
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	3	-	-	-	-	-	2	-	-	-	1	-	-
963	Assault by hanging and strangulation	1	-	-	-	-	-	1	-	-	-	-	-	-
967	Child battering and other maltreatment	1	-	-	-	-	1	-	-	-	-	-	-	-
967.9	By unspecified person	1	-	-	-	-	1	-	-	-	-	-	-	-
ALL CAUSES		2,037	54	16	84	72	494	629	99	93	234	242	5	15

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
2.9	-	-	-	18.9	4.2	2.4	6.2	-	-	2.4	-	-	Troubles périnataux de l'appareil digestif	777
2.9	-	-	-	18.9	4.2	2.4	6.2	-	-	2.4	-	-	Entéro-colite nécrosante chez le fœtus ou le nouveau-né	777.5
2.7	9.8	-	16.5	9.5	1.0	2.4	-	-	4.7	-	-	-	Affections intéressant le tégument et la régulation thermique du fœtus et du nouveau-né	778
2.7	9.8	-	16.5	9.5	1.0	2.4	-	-	4.7	-	-	-	Anasarque foeto-placentaire, non consécutive à l'iso-immunisation	778.0
6.7	-	-	41.1	9.5	-	9.8	-	-	9.3	4.8	-	76.5	Affections dont l'origine se situe dans la période périnatale, autres et mal définies	779
6.2	-	-	41.1	9.5	-	9.8	-	-	4.7	4.8	-	76.5	Autres	779.8
0.5	-	-	-	-	-	-	-	-	4.7	-	-	-	Sans précision	779.9
2.1	-	-	-	-	2.1	4.1	-	-	-	-	-	76.5	Mort subite de cause inconnue	798
2.1	-	-	-	-	2.1	4.1	-	-	-	-	-	76.5	Syndrome de la mort subite chez le nourisson	798.0
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Accident de la circulation de nature non précisée impliquant un véhicule à moteur	819
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	Personne non précisée	819.9
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Coupure, piqûre, perforation ou hémorragie accidentelles au cours d'actes médicaux	870
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Cathétérisme cardiaque	870.6
0.8	-	-	-	-	-	1.6	-	-	-	2.4	-	-	Aspiration ou ingestion de produits alimentaires provoquant obstruction des voies respiratoires ou suffocation	911
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Attentat par pendaison ou strangulation	963
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Enfant maltraité	967
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Par personne non précisée	967.9
545.6	530.5	839.5	691.1	681.7	515.7	512.1	612.4	537.2	546.1	580.1	931.1	1146.8	TOUTES LES CAUSES	

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
		Stillbirths (28+ weeks gestation) - Mort-nés (28+ semaines de gestation)												
090	Congenital syphilis	1	-	-	-	-	-	-	-	-	-	1	-	-
090.9	Congenital syphilis, unspecified	1	-	-	-	-	-	-	-	-	-	1	-	-
228	Haemangioma and Lymphangioma, any site	1	-	-	-	-	-	-	1	-	-	-	-	-
228.1	Lymphangioma, any site	1	-	-	-	-	-	-	1	-	-	-	-	-
259	Other endocrine disorders	1	-	-	-	-	-	-	-	1	-	-	-	-
259.4	Dwarfism, not elsewhere classified	1	-	-	-	-	-	-	-	1	-	-	-	-
277	Other and unspecified disorders of metabolism	1	-	-	-	-	1	-	-	-	-	-	-	-
277.8	Other	1	-	-	-	-	1	-	-	-	-	-	-	-
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	3	-	-	-	-	3	-	-	-	-	-	-	-
553.1	Umbilical	3	-	-	-	-	3	-	-	-	-	-	-	-
740	Anencephalus and similar anomalies	76	6	1	3	3	22	27	2	1	4	7	-	-
740.0	Anencephalus	76	6	1	3	3	22	27	2	1	4	7	-	-
741	Spina bifida	10	-	-	3	-	2	4	-	-	-	1	-	-
741.0	With hydrocephalus	5	-	-	2	-	1	1	-	-	-	1	-	-
741.9	Without mention of hydrocephalus	5	-	-	1	-	1	3	-	-	-	-	-	-
742	Other congenital anomalies of nervous system	32	-	-	1	1	8	15	-	-	4	3	-	-
742.0	Encephalocele	1	-	-	1	-	-	-	-	-	-	-	-	-
742.1	Microcephalus	1	-	-	-	-	-	1	-	-	-	-	-	-
742.3	Congenital hydrocephalus	28	-	-	-	1	7	13	-	-	4	3	-	-
742.9	Unspecified anomalies of brain, spinal cord and nervous system	2	-	-	-	-	1	1	-	-	-	-	-	-
744	Congenital anomalies of ear, face and neck	2	-	-	-	-	-	1	-	-	-	1	-	-
744.8	Other specified anomalies of face and neck	2	-	-	-	-	-	1	-	-	-	1	-	-
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	6	-	-	-	2	2	2	-	-	-	-	-	-
745.1	Transposition of great vessels	1	-	-	-	-	1	-	-	-	-	-	-	-
745.2	Tetralogy of Fallot	1	-	-	-	-	-	1	-	-	-	-	-	-
745.4	Ventricular septal defect	1	-	-	-	-	-	1	-	-	-	-	-	-
745.5	Ostium secundum type atrial septal defect	3	-	-	-	2	1	-	-	-	-	-	-	-
746	Other congenital anomalies of heart	10	-	-	-	-	4	4	-	-	-	2	-	-
746.3	Congenital stenosis of aortic valve	1	-	-	-	-	-	1	-	-	-	-	-	-
746.8	Other specified anomalies of heart	3	-	-	-	-	2	1	-	-	-	-	-	-
746.9	Unspecified anomalies of heart	6	-	-	-	-	2	2	-	-	-	2	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Syphilis congénitale	090
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Syphilis congénitale, sans précision	090.9
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Hémangiome et lymphangiome, tout siège	228
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Lymphangiome, tout siège	228.1
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Autres troubles endocriniens	259
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	Nanisme, non classé ailleurs	259.4
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Troubles du métabolisme, autres et sans précision	277
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Autres	277.8
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Autres hernies abdominales sans mention d'occlusion ni de gangrène	553
0.8	-	-	-	-	-	2.4	-	-	-	-	-	-	Ombilicale	553.1
20.4	58.9	52.5	24.7	28.4	23.0	22.0	12.4	5.8	9.3	16.8	-	-	Anencéphalie et anomalies similaires	740
20.4	58.9	52.5	24.7	28.4	23.0	22.0	12.4	5.8	9.3	16.8	-	-	Anencéphalie	740.0
2.7	-	-	24.7	-	2.1	3.3	-	-	-	2.4	-	-	Spina bifida	741
1.3	-	-	16.5	-	1.0	0.8	-	-	-	2.4	-	-	Avec hydrocéphalie	741.0
1.3	-	-	8.2	-	1.0	2.4	-	-	-	-	-	-	Sans mention d'hydrocéphalie	741.9
8.6	-	-	8.2	9.5	8.4	12.2	-	-	9.3	7.2	-	-	Autres anomalies congénitales du système nerveux	742
0.3	-	-	8.2	-	-	-	-	-	-	-	-	-	Encéphalocèle	742.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Microcéphalie	742.1
7.5	-	-	-	9.5	7.3	10.6	-	-	9.3	7.2	-	-	Hydrocéphalie congénitale	742.3
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Anomalies du système nerveux, sans précision	742.9
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Anomalies congénitales de l'oreille, de la face et du cou	744
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	Autres anomalies précisées de la face et du cou	744.8
1.6	-	-	-	18.9	2.1	1.6	-	-	-	-	-	-	Anomalies du bulbus cordis et des cloisons intracardiaques	745
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Transposition des gros vaisseaux	745.1
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Tétralogie de Fallot	745.2
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Communication interventriculaire	745.4
0.8	-	-	-	18.9	1.0	-	-	-	-	-	-	-	Communication interauriculaire	745.5
2.7	-	-	-	-	4.2	3.3	-	-	-	4.8	-	-	Autres anomalies congénitales du cœur	746
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sténose congénitale de la valvule aortique	746.3
0.8	-	-	-	-	2.1	0.8	-	-	-	-	-	-	Autres anomalies précisées du cœur	746.8
1.6	-	-	-	-	2.1	1.6	-	-	-	4.8	-	-	Anomalies du cœur, sans précision	746.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Stillbirths (28+ weeks gestation) - Mort-nés (28+ semaines de gestation)														
747	Other congenital anomalies of circulatory system	6	-	-	-	-	-	4	-	-	-	2	-	-
747.1	Coarctation of aorta	1	-	-	-	-	-	1	-	-	-	-	-	-
747.2	Other anomalies of aorta	2	-	-	-	-	-	1	-	-	-	1	-	-
747.5	Absence of hypoplasia of umbilical artery	3	-	-	-	-	-	2	-	-	-	1	-	-
748	Congenital anomalies of respiratory system	1	-	-	-	-	-	-	-	-	-	1	-	-
748.5	Agenesis, hypoplasia and dysplasia of lung	1	-	-	-	-	-	-	-	-	-	1	-	-
749	Cleft palate and cleft lip	2	-	-	-	-	-	2	-	-	-	-	-	-
749.0	Cleft palate	2	-	-	-	-	-	2	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	4	-	-	-	-	3	-	-	1	-	-	-	-
750.1	Other anomalies of tongue	1	-	-	-	-	-	-	-	1	-	-	-	-
750.3	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	3	-	-	-	-	3	-	-	-	-	-	-	-
752	Congenital anomalies of genital organs	1	-	-	-	-	-	1	-	-	-	-	-	-
752.9	Unspecified anomalies of genital organs	1	-	-	-	-	-	1	-	-	-	-	-	-
753	Congenital anomalies of urinary system	10	-	-	-	-	4	4	-	1	-	1	-	-
753.0	Renal agenesis and dygenesis	4	-	-	-	-	2	2	-	-	-	-	-	-
753.1	Cystic kidney disease	2	-	-	-	-	1	1	-	-	-	-	-	-
753.3	Other specified anomalies of kidney	1	-	-	-	-	-	-	-	-	-	1	-	-
753.6	Atresia and stenosis of urethra and bladder neck	1	-	-	-	-	-	1	-	-	-	-	-	-
753.7	Anomalies of urachus	1	-	-	-	-	1	-	-	-	-	-	-	-
753.9	Unspecified anomalies of urinary system	1	-	-	-	-	-	-	-	1	-	-	-	-
755	Other congenital anomalies of limbs	2	-	-	-	-	-	2	-	-	-	-	-	-
755.0	Polydactyly	1	-	-	-	-	-	1	-	-	-	-	-	-
755.6	Other anomalies of lower limb, including pelvic girdle	1	-	-	-	-	-	1	-	-	-	-	-	-
756	Other congenital musculoskeletal anomalies	8	-	-	-	1	3	4	-	-	-	-	-	-
756.0	Anomalies of skull and face bones	3	-	-	-	-	1	2	-	-	-	-	-	-
756.1	Anomalies of spine	1	-	-	-	-	1	-	-	-	-	-	-	-
756.5	Osteodystrophies	1	-	-	-	-	-	1	-	-	-	-	-	-
756.6	Anomalies of diaphragm	1	-	-	-	-	-	1	-	-	-	-	-	-
756.7	Anomalies of abdominal wall	1	-	-	-	-	1	-	-	-	-	-	-	-
756.9	Unspecified anomalies of musculoskeletal system	1	-	-	-	1	-	-	-	-	-	-	-	-
758	Chromosomal anomalies	5	-	-	-	1	1	1	1	-	-	1	-	-
758.0	Down's syndrome	2	-	-	-	-	-	-	1	-	-	1	-	-
758.1	Patau's syndrome	2	-	-	-	1	-	1	-	-	-	-	-	-
758.2	Edwards's syndrome	1	-	-	-	-	1	-	-	-	-	-	-	-
759	Other and unspecified congenital anomalies	39	2	-	2	-	20	3	2	-	4	5	1	-
759.2	Anomalies of other endocrine glands	1	-	-	-	-	1	-	-	-	-	-	-	-
759.7	Multiple congenital anomalies, so described	17	2	-	1	-	7	2	2	-	-	3	-	-
759.8	Other specified anomalies	4	-	-	-	-	-	1	-	-	1	1	1	-
759.9	Congenital anomaly, unspecified	17	-	-	1	-	12	-	-	-	3	1	-	-

See footnote(a) at end of table.

TABLEAU 10. Mortalité périnatale et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9		
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.				
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)																
1.6	-	-	-	-	-	3.3	-	-	-	4.8	-	-	-	-	Autres anomalies congénitales de l'appareil circulatoire	747
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Coarctation de l'isthme aortique	747.1
0.5	-	-	-	-	-	0.8	-	-	-	2.4	-	-	-	-	Autres anomalies de l'aorte	747.2
0.8	-	-	-	-	-	1.6	-	-	-	2.4	-	-	-	-	Absence ou hypoplasie de l'artère ombilicale	747.5
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Anomalies congénitales de l'appareil respiratoire	748
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Agénésie, aplasie et hypoplasie du poumon	748.5
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Fissure du palais et bec-de-lièvre	749
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Fissure du palais	749.0
1.1	-	-	-	-	3.1	-	-	5.8	-	-	-	-	-	-	Autres anomalies congénitales de la partie supérieure de l'appareil digestif	750
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	-	-	Autres anomalies de la langue	750.1
0.8	-	-	-	-	3.1	-	-	-	-	-	-	-	-	-	Fistule trachéo-oesophagienne, atrésie et sténose de l'oesophage	750.3
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Anomalies congénitales des organes génitaux	752
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Anomalies des organes génitaux, sans précision	752.9
2.7	-	-	-	-	4.2	3.3	-	5.8	-	2.4	-	-	-	-	Anomalies congénitales de l'appareil urinaire	753
1.1	-	-	-	-	2.1	1.6	-	-	-	-	-	-	-	-	Agénésie et dysgénésie du rein	753.0
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	-	-	Maladie polykystique du rein	753.1
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	Autres anomalies précisées du rein	753.3
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Atrésie et sténose de l'urètre et du col vésical	753.6
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	Anomalies de l'ouraque	753.7
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	-	-	Anomalies de l'appareil urinaire, sans précision	753.9
0.5	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	Autres malformations des membres	755
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Polydactylie	755.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Autres anomalies du membre inférieur et de la ceinture pelvienne	755.6
2.1	-	-	-	9.5	3.1	3.3	-	-	-	-	-	-	-	-	Autres anomalies congénitales du système ostéo-musculaire	756
0.8	-	-	-	-	1.0	1.6	-	-	-	-	-	-	-	-	Anomalies du crâne et des os de la face	756.0
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	Anomalies de la colonne vertébrale	756.1
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Ostéodystrophies	756.5
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	Anomalies congénitales du diaphragme	756.6
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	Anomalies congénitales de la paroi abdominale	756.7
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	-	-	Anomalies du système ostéo-musculaire, sans précision	756.9
1.3	-	-	-	9.5	1.0	0.8	6.2	-	-	2.4	-	-	-	-	Aberrations chromosomiques	758
0.5	-	-	-	-	-	-	6.2	-	-	2.4	-	-	-	-	Syndrome de Down	758.0
0.5	-	-	-	9.5	-	0.8	-	-	-	-	-	-	-	-	Syndrome de Patau	758.1
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	Syndrome d'Edwards	758.2
10.4	19.6	-	16.5	-	20.9	2.4	12.4	-	9.3	12.0	186.2	-	-	-	Anomalies congénitales, autres et sans précision	759
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	Anomalies des autres glandes endocrines	759.2
4.6	19.6	-	8.2	-	7.3	1.6	12.4	-	-	7.2	-	-	-	-	Anomalies congénitales précisées comme multiples	759.7
1.1	-	-	-	-	-	0.8	-	-	2.3	2.4	186.2	-	-	-	Autres anomalies congénitales précisées	759.8
4.6	-	-	8.2	-	12.5	-	-	-	7.0	2.4	-	-	-	-	Anomalie congénitale, sans précision	759.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

ICD-9 codes	Causes of perinatal deaths	1981												
		Canada	Nfld.	P.E.I.	N.S.	N.B.	Qué.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
		T.-N.	I.-P.-É.	N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alb.	C.-B.	Yukon	T.N.-O.	
Stillbirths (28+ weeks gestation) - Mort-nés (28+ semaines de gestation)														
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	108	-	-	6	3	17	40	3	4	10	25	-	-
760.0	Maternal hypertensive disorders	73	-	-	3	2	12	35	3	2	5	11	-	-
760.1	Maternal renal and urinary tract diseases	1	-	-	-	-	-	1	-	-	-	-	-	-
760.2	Maternal infections	6	-	-	-	-	2	2	-	-	-	2	-	-
760.3	Other chronic maternal circulatory and respiratory diseases	3	-	-	1	-	1	-	-	1	-	-	-	-
760.4	Maternal nutritional disorders	2	-	-	1	-	-	-	-	-	-	1	-	-
760.5	Maternal injury	7	-	-	-	-	1	1	-	-	3	2	-	-
760.6	Surgical operation on mother	3	-	-	-	-	-	-	-	1	1	1	-	-
760.7	Noxious influences transmitted via placenta or breast milk	1	-	-	-	1	-	-	-	-	-	-	-	-
760.8	Other	12	-	-	1	-	1	1	-	-	1	8	-	-
761	Fetus or newborn affected by maternal complications of pregnancy	42	-	-	1	-	12	10	-	1	10	8	-	-
761.0	Incompetent cervix	1	-	-	-	-	-	-	-	-	-	1	-	-
761.1	Premature rupture of membranes	12	-	-	-	-	2	2	-	1	3	4	-	-
761.2	Oligohydramnios	2	-	-	-	-	1	1	-	-	-	-	-	-
761.3	Polyhydramnios	8	-	-	1	-	1	2	-	-	2	2	-	-
761.4	Ectopic pregnancy	1	-	-	-	-	1	-	-	-	-	-	-	-
761.5	Multiple pregnancy	13	-	-	-	-	5	5	-	-	2	1	-	-
761.7	Malpresentation before labour	4	-	-	-	-	1	-	-	-	3	-	-	-
761.8	Other	1	-	-	-	-	1	-	-	-	-	-	-	-
762	Fetus or newborn affected by complications of placenta, cord and membranes	896	18	6	34	28	205	298	45	50	101	109	-	2
762.0	Placenta praevia	17	1	-	2	1	5	3	-	4	-	1	-	-
762.1	Other forms of placental separation and haemorrhage	301	7	2	5	12	78	92	20	11	33	41	-	-
762.2	Other and unspecified morphological and functional abnormalities of placenta	230	4	1	11	8	34	89	17	16	30	19	-	1
762.3	Placental transfusion syndromes	3	-	-	-	-	-	-	-	2	1	-	-	-
762.4	Prolapsed cord	22	-	-	1	3	5	5	1	2	2	3	-	-
762.5	Other compression of umbilical cord	270	5	3	12	4	69	87	6	14	32	37	-	1
762.6	Other and unspecified conditions of umbilical cord	49	1	-	3	-	12	22	1	-	3	7	-	-
762.7	Chorioamnionitis	4	-	-	-	-	2	-	-	1	-	1	-	-
763	Fetus or newborn affected by other complications of labour and delivery	40	-	-	1	3	6	15	-	6	6	2	-	1
763.0	Breech delivery and extraction	15	-	-	-	-	-	9	-	3	1	1	-	1
763.1	Other malpresentation, malposition and disproportion during labour and delivery	8	-	-	-	-	2	3	-	1	1	1	-	-
763.4	Caesarean delivery	4	-	-	-	1	1	1	-	-	1	-	-	-
763.5	Maternal anaesthesia and analgesia	1	-	-	-	-	-	-	-	1	-	-	-	-
763.7	Abnormal uterine contractions	2	-	-	-	-	1	1	-	-	-	-	-	-
763.8	Other complications of labour and delivery	9	-	-	1	2	2	-	-	1	3	-	-	-
763.9	Unspecified	1	-	-	-	-	-	1	-	-	-	-	-	-
764	Slow fetal growth and fetal malnutrition	31	-	-	1	1	13	6	1	1	7	1	-	-
764.0	"Light-for-dates" without mention of fetal malnutrition	2	-	-	-	-	-	1	-	-	1	-	-	-
764.1	"Light-for-dates" with signs of fetal malnutrition	2	-	-	-	-	1	-	-	1	-	-	-	-
764.2	Fetal malnutrition without mention of "light-for-dates"	10	-	-	-	-	10	-	-	-	-	-	-	-
764.9	Fetal growth retardation, unspecified	17	-	-	1	1	2	5	1	-	6	1	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.-E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
28.9	-	-	49.4	28.4	17.7	32.6	18.6	23.1	23.3	59.9	-	-	Foetus ou nouveau-né affecté par des troubles maternels, éventuellement sans rapport avec la grossesse actuelle	760
19.6	-	-	24.7	18.9	12.5	28.5	18.6	11.6	11.7	26.4	-	-	Troubles hypertensifs de la mère	760.0
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Maladies rénales et des voies urinaires de la mère	760.1
1.6	-	-	-	-	2.1	1.6	-	-	-	4.8	-	-	Infections maternelles	760.2
0.8	-	-	8.2	-	1.0	-	-	5.8	-	-	-	-	Autres maladies chroniques circulatoires ou respiratoires de la mère	760.3
0.5	-	-	8.2	-	-	-	-	-	-	2.4	-	-	Troubles nutritionnels de la mère	760.4
1.9	-	-	-	-	1.0	0.8	-	-	7.0	4.8	-	-	Traumatisme maternel	760.5
0.8	-	-	-	-	-	-	-	5.8	2.3	2.4	-	-	Intervention chirurgicale chez la mère	760.6
0.3	-	-	-	9.5	-	-	-	-	-	-	-	-	Effets nocifs à travers le placenta ou le lait maternel	760.7
3.2	-	-	8.2	-	1.0	0.8	-	-	2.3	19.2	-	-	Autres	760.8
11.3	-	-	8.2	-	12.5	8.1	-	5.8	23.3	19.2	-	-	Foetus ou nouveau-né affecté par des complications maternelles de la grossesse	761
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	Béance du col	761.0
3.2	-	-	-	-	2.1	1.6	-	5.8	7.0	9.6	-	-	Rupture prématurée des membranes	761.1
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Oligohydramnios	761.2
2.1	-	-	8.2	-	1.0	1.6	-	-	4.7	4.8	-	-	Polyhydramnios	761.3
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Grossesse ectopique	761.4
3.5	-	-	-	-	5.2	4.1	-	-	4.7	2.4	-	-	Grossesse multiple	761.5
1.1	-	-	-	-	1.0	-	-	-	7.0	-	-	-	Présentation anormale avant le travail	761.7
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres	761.8
240.0	176.8	314.8	279.7	265.1	214.0	242.6	278.4	288.8	235.7	261.3	-	152.9	Foetus ou nouveau-né affecté par des complications concernant le placenta, le cordon ombilical et les membranes	762
4.6	9.8	-	16.5	9.5	5.2	2.4	-	23.1	-	2.4	-	-	Placenta praevia	762.0
80.6	68.8	104.9	41.1	113.6	81.4	74.9	123.7	63.5	77.0	98.3	-	-	Autres formes de décollement et hémorragie placentaires	762.1
61.6	39.3	52.5	90.5	75.7	35.5	72.5	105.2	92.4	70.0	45.5	-	76.5	Anomalies morphologiques et fonctionnelles du placenta, autres et sans précision	762.2
0.8	-	-	-	-	-	-	-	11.6	2.3	-	-	-	Syndrome de transfusion placentaire	762.3
5.9	-	-	8.2	28.4	5.2	4.1	6.2	11.6	4.7	7.2	-	-	Procidence du cordon	762.4
72.3	49.1	157.4	98.7	37.9	72.0	70.8	37.1	80.9	74.7	88.7	-	76.5	Autres formes de compression du cordon ombilical	762.5
13.1	9.8	-	24.7	-	12.5	17.9	6.2	-	7.0	16.8	-	-	Affections du cordon ombilical, autres et sans précision	762.6
1.1	-	-	-	-	2.1	-	-	5.8	-	2.4	-	-	Chorio-amniotite	762.7
10.7	-	-	8.2	28.4	6.3	12.2	-	34.7	14.0	4.8	-	76.5	Foetus ou nouveau-né affecté par d'autres complications du travail ou de l'accouchement	763
4.0	-	-	-	-	-	7.3	-	17.3	2.3	2.4	-	76.5	Accouchement et extraction par le siège	763.0
2.1	-	-	-	-	2.1	2.4	-	5.8	2.3	2.4	-	-	Autres présentations et positions vicieuses du fœtus et disproportions foeto-pelviennes pendant le travail et l'accouchement	763.1
1.1	-	-	-	9.5	1.0	0.8	-	-	2.3	-	-	-	Accouchement par opération césarienne	763.4
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	Anesthésie et analgésie de la mère	763.5
0.5	-	-	-	-	1.0	0.8	-	-	-	-	-	-	Contractions anormales de l'utérus	763.7
2.4	-	-	8.2	18.9	2.1	-	-	5.8	7.0	-	-	-	Autres complications du travail et de l'accouchement	763.8
0.3	-	-	-	-	-	0.8	-	-	-	-	-	-	Sans précision	763.9
8.3	-	-	8.2	9.5	13.6	4.9	6.2	5.8	16.3	2.4	-	-	Croissance lente et malnutrition du fœtus	764
0.5	-	-	-	-	-	0.8	-	-	2.3	-	-	-	"Léger pour l'âge gestationnel" sans mention de malnutrition du fœtus	764.0
0.5	-	-	-	-	1.0	-	-	5.8	-	-	-	-	"Léger pour l'âge gestationnel" avec signes de malnutrition du fœtus	764.1
2.7	-	-	-	-	10.4	-	-	-	-	-	-	-	Malnutrition du fœtus sans mention de "légèreté pour l'âge gestationnel"	764.2
4.6	-	-	8.2	9.5	2.1	4.1	6.2	-	14.0	2.4	-	-	Croissance foetale retardée, sans précision	764.9

Voir note(s) à la fin du tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Continued

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-E.	N.S. N.-E.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Stillbirths (28+ weeks gestation) - Mort-nés (28+ semaines de gestation)														
765	Disorders relating to short gestation and unspecified low birthweight	33	4	-	2	-	10	7	1	5	3	1	-	-
765.0	Extreme immaturity	5	1	-	-	-	1	1	-	2	-	-	-	-
765.1	Other preterm infants	28	3	-	2	-	9	6	1	3	3	1	-	-
766	Disorders relating to long gestation and high birthweight	7	-	-	-	-	1	3	-	1	-	2	-	-
766.0	Exceptionally large baby	1	-	-	-	-	1	-	-	-	-	-	-	-
766.2	Post-term infant, not "heavy-for-dates"	6	-	-	-	-	-	3	-	1	-	2	-	-
767	Birth trauma	8	1	-	1	-	1	1	-	1	3	-	-	-
767.0	Subdural and cerebral haemorrhage	4	-	-	-	-	-	-	-	1	3	-	-	-
767.1	Injuries to scalp	2	1	-	-	-	-	1	-	-	-	-	-	-
767.3	Other injuries to skeleton	1	-	-	1	-	-	-	-	-	-	-	-	-
767.9	Unspecified	1	-	-	-	-	1	-	-	-	-	-	-	-
768	Intrauterine hypoxia and birth asphyxia	145	4	-	6	3	32	62	8	1	13	15	-	1
768.0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	127	4	-	5	3	30	50	7	1	11	15	-	1
768.1	Fetal death from asphyxia or anoxia during labour	18	-	-	1	-	2	12	1	-	2	-	-	-
769	Respiratory distress syndrome	1	-	-	-	-	1	-	-	-	-	-	-	-
770	Other respiratory conditions of fetus and newborn	19	1	-	-	1	7	5	1	3	-	1	-	-
770.0	Congenital pneumonia	3	-	-	-	-	2	1	-	-	-	-	-	-
770.1	Massive aspiration syndrome	6	-	-	-	1	-	2	1	1	-	1	-	-
770.4	Primary atelectasis	1	1	-	-	-	-	-	-	-	-	-	-	-
770.5	Other and unspecified atelectasis	9	-	-	-	-	5	2	-	2	-	-	-	-
771	Infections specific to the perinatal period	7	-	-	1	2	-	-	-	-	3	1	-	-
771.2	Other congenital infections	3	-	-	1	1	-	-	-	-	-	1	-	-
771.8	Other infection specific to the perinatal period	4	-	-	-	1	-	-	-	-	3	-	-	-
772	Fetal and neonatal haemorrhage	11	1	-	-	-	5	4	-	-	-	1	-	-
772.0	Fetal blood loss	4	-	-	-	-	-	4	-	-	-	-	-	-
772.2	Subarachnoid haemorrhage	3	1	-	-	-	1	-	-	-	-	1	-	-
772.6	Cutaneous haemorrhage	4	-	-	-	-	4	-	-	-	-	-	-	-
773	Haemolytic disease of fetus or newborn, due to isoimmunizations	16	-	-	1	1	4	5	-	1	1	3	-	-
773.0	Haemolytic disease due to Rh isoimmunization	7	-	-	1	-	1	3	-	-	1	1	-	-
773.2	Haemolytic disease due to other and unspecified isoimmunization	9	-	-	-	1	3	2	-	1	-	2	-	-
774	Other perinatal jaundice	1	-	-	-	-	1	-	-	-	-	-	-	-
774.4	Perinatal jaundice due to hepatocellular damage	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnote(s) at end of table.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - suite

1981													Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.		
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)														
8.8	39.3	-	16.5	-	10.4	5.7	6.2	28.9	7.0	2.4	-	-	Troubles en rapport avec la brièveté de la gestation et un poids insuffisant à la naissance, sans précision	765
1.3	9.8	-	-	-	1.0	0.8	-	11.6	-	-	-	-	Immaturité extrême	765.0
7.5	29.5	-	16.5	-	9.4	4.9	6.2	17.3	7.0	2.4	-	-	Autres enfants nés avant terme	765.1
1.9	-	-	-	-	1.0	2.4	-	5.8	-	4.8	-	-	Troubles en rapport avec une longue gestation et un poids élevé à la naissance	766
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Enfant exceptionnellement gros	766.0
1.6	-	-	-	-	-	2.4	-	5.8	-	4.8	-	-	Enfant né après terme mais qui n'est pas "gros pour l'âge gestationnel"	766.2
2.1	9.8	-	8.2	-	1.0	0.8	-	5.8	7.0	-	-	-	Traumatisme obstétrical	767
1.1	-	-	-	-	-	-	-	5.8	7.0	-	-	-	Hémorragie sous-durale et cérébrale	767.0
0.5	9.8	-	-	-	-	0.8	-	-	-	-	-	-	Lésions du cuir chevelu	767.1
0.3	-	-	8.2	-	-	-	-	-	-	-	-	-	Autres lésions du squelette	767.3
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Sans précision	767.9
38.8	39.3	-	49.4	28.4	33.4	50.5	49.5	5.8	30.3	36.0	-	76.5	Hypoxie intra-utérine et asphyxie à la naissance	768
34.0	39.3	-	41.1	28.4	31.3	40.7	43.3	5.8	25.7	36.0	-	76.5	Mort du fœtus par asphyxie ou anoxie, avant le début du travail ou à un moment non précisé	768.0
4.8	-	-	8.2	-	2.1	9.8	6.2	-	4.7	-	-	-	Mort du fœtus par asphyxie ou anoxie pendant le travail	768.1
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Syndrome de détresse respiratoire	769
5.1	9.8	-	-	9.5	7.3	4.1	6.2	17.3	-	2.4	-	-	Autres affections respiratoires du fœtus et du nouveau-né	770
0.8	-	-	-	-	2.1	0.8	-	-	-	-	-	-	Pneumonie congénitale	770.0
1.6	-	-	-	9.5	-	1.6	6.2	5.8	-	2.4	-	-	Syndrome d'aspiration massive	770.1
0.3	9.8	-	-	-	-	-	-	-	-	-	-	-	Atélectasie primaire	770.4
2.4	-	-	-	-	5.2	1.6	-	11.6	-	-	-	-	Atélectasie, autres et sans précision	770.5
1.9	-	-	8.2	18.9	-	-	-	-	7.0	2.4	-	-	Infections spécifiques de la période périnatale	771
0.8	-	-	8.2	9.5	-	-	-	-	-	2.4	-	-	Autres infections congénitales	771.2
1.1	-	-	-	9.5	-	-	-	-	7.0	-	-	-	Autres infections spécifiques de la période périnatale	771.8
2.9	9.8	-	-	-	5.2	3.3	-	-	-	2.4	-	-	Hémorragies fœtale et néonatale	772
1.1	-	-	-	-	-	3.3	-	-	-	-	-	-	Perte de sang par la fœtus	772.0
0.8	9.8	-	-	-	1.0	-	-	-	-	2.4	-	-	Hémorragie sous-arachnoïdienne	772.2
1.1	-	-	-	-	4.2	-	-	-	-	-	-	-	Hémorragie cutanée	772.6
4.3	-	-	8.2	9.5	4.2	4.1	-	5.8	2.3	7.2	-	-	Maladie hémolytique du fœtus ou du nouveau-né due à l'iso-immunisation	773
1.9	-	-	8.2	-	1.0	2.4	-	-	2.3	2.4	-	-	Maladie hémolytique due à l'iso-immunisation anti Rh	773.0
2.4	-	-	-	9.5	3.1	1.6	-	5.8	-	4.8	-	-	Maladie hémolytique due à une iso-immunisation, autres et sans précision	773.2
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Autres ictères périnatals	774
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	Ictère périnatal dû à une lésion hépatocellulaire	774.4

Voir note(s) à la fin tableau.

TABLE 10. Perinatal Deaths(1) and Rates by Cause, Canada and Provinces, 1981 - Concluded

Causes of perinatal deaths ICD-9 codes		1981												
		Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.
Stillbirths (28+ weeks gestation) - Mort-nés (28+ semaines de gestation)														
775	Endocrine and metabolic disturbances specific to the fetus and newborn	33	1	-	-	3	7	9	2	2	4	5	-	-
775.0	Syndrome of "infant of a diabetic mother"	31	1	-	-	2	6	9	2	2	4	5	-	-
775.1	Neonatal diabetes mellitus	2	-	-	-	1	1	-	-	-	-	-	-	-
776	Haematological disorders of fetus and newborn	2	-	-	-	-	-	-	-	-	1	1	-	-
776.5	Congenital anaemia	2	-	-	-	-	-	-	-	-	1	1	-	-
777	Perinatal disorders of digestive system	1	-	-	-	-	-	-	-	-	1	-	-	-
777.9	Unspecified	1	-	-	-	-	-	-	-	-	1	-	-	-
778	Conditions involving the integument and temperature regulation of fetus and newborn	15	-	-	-	-	4	5	1	1	1	3	-	-
778.0	Hydrops fetalis not due to isoimmunization	15	-	-	-	-	4	5	1	1	1	3	-	-
779	Other and ill-defined conditions originating in the perinatal period	330	11	2	13	6	81	93	23	22	38	39	-	2
779.1	Other and unspecified cerebral irritability in newborn	1	-	-	-	-	-	-	-	1	-	-	-	-
779.6	Termination of pregnancy (fetus)	1	-	-	-	-	-	-	-	-	-	1	-	-
779.8	Other	9	2	-	-	-	1	3	-	1	2	-	-	-
779.9	Unspecified	319	9	2	13	6	80	90	23	20	36	38	-	2
780	General symptoms	1	-	-	-	-	1	-	-	-	-	-	-	-
780.0	Coma and stupor	1	-	-	-	-	1	-	-	-	-	-	-	-
782	Symptoms involving skin and other integumentary tissue	1	-	-	-	-	-	-	1	-	-	-	-	-
782.3	Oedema	1	-	-	-	-	-	-	1	-	-	-	-	-
799	Other ill-defined and unknown causes of morbidity and mortality	3	-	-	-	-	2	-	1	-	-	-	-	-
799.9	Other unknown and unspecified cause	3	-	-	-	-	2	-	1	-	-	-	-	-
ALL CAUSES		1,972	49	9	76	59	479	641	92	103	215	242	1	6

(1) Includes fetal deaths (stillbirths) of 28 or more weeks gestation and infant deaths under one week (seven days) of age.
(2) Fetal deaths (stillbirths) of 28 or more weeks gestation plus live births.

TABLEAU 10. Mortalité périnatale(1) et taux, selon la cause, Canada et provinces, 1981 - fin

1981														Causes des décès périnatals	Codes de la CIM-9
Canada	Nfld. T.-N.	P.E.I. I.-P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.-O.			
Rate per 100,000 total births(2) - Taux pour 100,000 naissances totales(2)															
8.8	9.8	-	-	28.4	7.3	7.3	12.4	11.6	9.3	12.0	-	-	-	Troubles endocriniens et métaboliques spécifiques du fœtus et du nouveau-né	775
8.3	9.8	-	-	18.9	6.3	7.3	12.4	11.6	9.3	12.0	-	-	-	Syndrome de l'enfant de mère diabétique	775.0
0.5	-	-	-	9.5	1.0	-	-	-	-	-	-	-	-	Diabète sucré néonatal	775.1
0.5	-	-	-	-	-	-	-	-	2.3	2.4	-	-	-	Troubles hématologiques du fœtus et du nouveau-né	776
0.5	-	-	-	-	-	-	-	-	2.3	2.4	-	-	-	Anémie congénitale	776.5
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	-	Troubles périnataux de l'appareil digestif	777
0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	-	Sans précision	777.9
4.0	-	-	-	-	4.2	4.1	6.2	5.8	2.3	7.2	-	-	-	Affections intéressant le tégument et la régulation thermique du fœtus et du nouveau-né	778
4.0	-	-	-	-	4.2	4.1	6.2	5.8	2.3	7.2	-	-	-	Anasarque foeto-placentaire, non consécutive à l'iso-immunisation	778.0
88.4	108.1	104.9	107.0	56.8	84.6	75.7	142.3	127.1	88.7	93.5	-	152.9	-	Affections dont l'origine se situe dans la période périnatale, autres et mal définies	779
0.3	-	-	-	-	-	-	-	5.8	-	-	-	-	-	Autres signes d'irritabilité cérébrale	779.1
0.3	-	-	-	-	-	-	-	-	-	2.4	-	-	-	Interruption de la grossesse (fœtus)	779.6
2.4	19.6	-	-	-	1.0	2.4	-	5.8	4.7	-	-	-	-	Autres	779.8
85.4	88.4	104.9	107.0	56.8	83.5	73.3	142.3	115.5	84.0	91.1	-	152.9	-	Sans précision	779.9
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	Symptômes généraux	780
0.3	-	-	-	-	1.0	-	-	-	-	-	-	-	-	Coma et stupeur	780.0
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	-	Symptômes relatifs au tégument	782
0.3	-	-	-	-	-	-	6.2	-	-	-	-	-	-	Oedème	782.3
0.8	-	-	-	-	2.1	-	6.2	-	-	-	-	-	-	Autres causes mal définies ou inconnues de morbidité et de mortalité	799
0.8	-	-	-	-	2.1	-	6.2	-	-	-	-	-	-	Autres causes inconnues ou non précisées	799.9
528.2	481.4	472.2	625.3	558.6	500.0	521.9	569.1	595.0	501.7	580.1	186.2	458.7		TOUTES LES CAUSES	

(1) Comprend les décès intra-utérins (mortinaissances) après 28 semaines ou plus de grossesse plus décès de moins (sept jours) d'une semaine.
 (2) Décès intra-utérins (mortinaissances) après 28 semaines ou plus de grossesse plus les naissances vivantes.

SELECTED PUBLICATIONS ON HEALTH STATISTICS

Obtainable from Publication Sales and Services, Statistics Canada, Ottawa, K1A 0V7.

Catalogue

Vital Statistics and Disease Registries

- 84-001 Vital Statistics, Q., Bil.
84-203 Causes of Death, Provinces by Sex and Canada by Sex and Age, A., Bil.
84-204 Vital Statistics, Vol. I, Births and Deaths, A., Bil.
84-205 Vital Statistics, Vol. II, Marriages and Divorces, A., Bil.
84-206 Vital Statistics, Vol. III, Mortality – Summary List of Causes, A., Bil.

Analytical Reports:

Life Tables:

- 84-532 Life Tables, Canada and Provinces, 1970-1972, 1975-1977, O., Bil.

Other:

- 82-207 Cancer in Canada, A., Bil.
82-212 Tuberculosis Statistics, Morbidity and Mortality, A., Bil.
84-528 Suicide Mortality, 1950-1968, O., Bil.
84-529 Cardiovascular-renal Mortality, 1950-1968, O., Bil.
84-530 Canadian Suicide Ratios by Local Areas and by Urban Centres, 1970-1972, O., Bil.
84-531 General Mortality, 1950-1972, O., Bil.
84-533 Mortality Differences in Canada, 1960-1962 – 1970-1972, O., Bil.
84-534 Cancer Mortality by Site, 1960-1973, O., Bil.
84-535 Cancer Mortality by Sub-provincial Areas, O., Bil.

Institutional Statistics

- 83-201 List of Canadian Hospitals and Special Care Facilities, A., Bil.
83-205 Mental Health Statistics, Vol. III, Institutional Facilities, Services and Finances, A., Bil.
83-217 Hospital Statistics, Preliminary Annual Report, A., Bil.
83-232 Hospital Annual Statistics, A., Bil.

QUELQUES PUBLICATIONS STATISTIQUES SUR LA SANTÉ

En vente à Ventes et services de publications, Statistique Canada, Ottawa, K1A 0V7.

Catalogue

Statistiques de l'état civil et des registres de maladies

- 84-001 La statistique de l'état civil, T., Bil.
84-203 Causes de décès, par province selon le sexe et le Canada selon le sexe et l'âge, A., Bil.
84-204 La statistique de l'état civil, vol. I, Naissances et décès, A., Bil.
84-205 La statistique de l'état civil, vol. II, Mariages et divorces, A., Bil.
84-206 La statistique de l'état civil, vol. III, Mortalité – Liste sommaire des causes, A., Bil.

Rapports analytiques:

Tables de survie:

- 84-532 Tables de mortalité, Canada et provinces, 1970-1972, 1975-1977, HS., Bil.

Autres publications:

- 82-207 Le cancer au Canada, A., Bil.
82-212 La statistique de la tuberculose, Morbidité et mortalité, A., Bil.
84-528 Mortalité due au suicide, 1950-1968, HS., Bil.
84-529 Cardiovasculaire-rénale mortalité, 1950-1968, HS., Bil.
84-530 Taux de suicide du Canada, par localité et par centre urbain, 1970-1972, HS., Bil.
84-531 Mortalité générale, 1950-1972, HS., Bil.
84-533 Variations de la mortalité au Canada, 1960-1962 – 1970-1972, HS., Bil.
84-534 Mortalité par cancer selon le siège, 1960-1973, HS., Bil.
84-535 Mortalité causée par le cancer par région infra-provinciale, HS., Bil.

Statistiques des établissements

- 83-201 Liste des hôpitaux canadiens et des établissements de soins spéciaux, A., Bil.
83-205 La statistique de l'hygiène mentale, vol. III, Installations, services et finances des établissements, A., Bil.
83-217 La statistique hospitalière, Rapport annuel préliminaire, A., Bil.
83-232 La statistique annuelle des hôpitaux, A., Bil.



1010300343

Catalogue

Institutional Care Statistics

- 83-204 Mental Health Statistics, Vol. I, Institutional Admissions and Separations, A., Bil.
82-206 Hospital Morbidity, A., Bil.
82-208 Surgical Procedures and Treatments, A., Bil.
82-211 Therapeutic Abortions, A., Bil.
82-215 Basic Facts on Therapeutic Abortions, A., Bil.

Community and Other Services Statistics

- 82-536 Medical Services and Associated Diagnoses – Saskatchewan, O., Bil.

Social Security Statistics

- 86-201 Social Security: National Programs, A., Bil.
86-501 Social Security: Provincial Programs, Workers'/Workers' Compensation, O., Bil.
86-502 Social Security: Provincial Programs, Criminal Injuries Compensation, O., Bil.
86-503 Social Security: Provincial Programs, Legal Aids, O., Bil.
86-504 Social Security: Provincial Programs, Health Insurance, O., Bil.

Research and Analysis Section

- 82-538E The Health of Canadians: Report of the Canada Health Survey, O., E. and F.
82-539E Health and Economic Activity: A Time-series Analysis of Canadian Mortality and Unemployment Rates, O., E. and F.
83-520E A Prognosis for Hospitals: The Effects of Population Change on the Need for Hospital Space 1967 - 2031, O., E. and F.
83-521E Retirement and Mortality: An Examination of Mortality in a Group of Retired Canadians, O., E. and F.
83-522E An Analysis of Hospital Expenditures in Canada, O., E. and F.
84-536 Marriage, Divorce and Mortality: A Life Table Analysis for Canada, O., Bil.

Q. – Quarterly A. – Annual O. – Occasional
E. – English F. – French Bil. – Bilingual

In addition to the selected publications listed above, Statistics Canada publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1971 and 1976 Censuses. A comprehensive catalogue of all current publications is available free on request from Statistics Canada, Ottawa (Canada), K1A 0T6.

Catalogue

Statistiques des soins en établissements

- 83-204 La statistique de l'hygiène mentale, vol. I, Admissions et radiations des institutions, A., Bil.
82-206 La morbidité hospitalière, A., Bil.
82-208 Interventions chirurgicales et traitements, A., Bil.
82-211 Avortements thérapeutiques, A., Bil.
82-215 Principales statistiques sur les avortements thérapeutiques, A., Bil.

Statistiques des services communautaires

- 82-536 Services médicaux et diagnostics correspondants – Saskatchewan, HS., Bil.

Statistiques de la sécurité sociale

- 86-201 Sécurité sociale: Programmes nationaux, A., Bil.
86-501 Sécurité sociale: Programmes provinciaux, Indemnisation des victimes des accidents du travail, HS., Bil.
86-502 Sécurité sociale: Programmes provinciaux, Indemnisation des victimes d'actes criminels, HS., Bil.
86-503 Sécurité sociale: Programmes provinciaux, Aide juridique, HS., Bil.
86-504 Sécurité sociale: Programmes provinciaux, Assurance-santé, HS., Bil.

Section de la recherche et de l'analyse

- 82-538F La santé des Canadiens: Rapport de l'Enquête Santé Canada, HS., F. et Angl.
82-539F Influence économique sur la santé des Canadiens: Analyse chronologique de taux canadiens de mortalité et de chômage, HS., F. et Angl.
83-520F Hôpitaux: Horizon 2031: Les effets du mouvement de la population sur les besoins en soins hospitaliers 1967 - 2031, HS., F. et Angl.
83-521F La retraite et la mortalité: Examen de la mortalité chez un groupe de retraités canadiens, HS., F. et Angl.
83-522F Une analyse des dépenses hospitalières au Canada, HS., F. et Angl.
84-536 Mariage, divorce et mortalité: Analyse des tables de mortalité, Canada, HS., Bil.

T. – Trimestriel A. – Annuel HS. – Hors série
F. – Français Angl. – Anglais Bil. – Bilingue

Outre les publications ci-dessus énumérées, Statistique Canada publie une grande variété de rapports statistiques sur le Canada tant dans le domaine économique que social, y compris des rapports détaillés sur les recensements de 1971 et 1976. On peut se procurer gratuitement un catalogue complet des publications courantes à Statistique Canada, Ottawa (Canada), K1A 0T6.

000 00

1992