

PUBLISHED BY AUTHORITY OF THE HON. W. D. EULER, M.P.

MINISTER OF TRADE AND COMMERCE

DOMINION BUREAU OF STATISTICS - CANADA  
VITAL STATISTICS BRANCH

DOMINION BUREAU OF STATISTICS  
DOES NOT CIRCULATE  
PROPERTY OF THE  
NE PAS PRÉTER

June 24, 1937.

Dominion Statistician: R.H. Coats, LL.D., F.R.S.C., F.S.S. (Hon.)  
Chief, Vital Statistics: W.R. Tracey, B.A.,

BIRTHS, DEATHS AND MARRIAGES IN THE FOURTH QUARTER OF 1936.

Live births in Canada during the fourth quarter of 1936 numbered 50,261 (preliminary figures) giving an equivalent annual rate of 18.1 per 1,000 population as compared with 51,634 births and a rate of 18.8 for the fourth quarter of 1935. There were 1,655 illegitimate births forming 3.3 per cent of all live births as compared with 1,726 and the same rate.

Stillbirths amounted to 1,458 or 2.8 per cent of all births as against 1,479 and the same rate.

Deaths totalled 26,226 with a rate of 9.4 per 1,000 population, as compared with 25,433 and a rate of 9.2. There were 22,854 marriages giving a rate of 8.2 as against 22,764 or a rate of 8.3 in the fourth quarter of 1935.

Deaths under one year of age totalled 3,765 and the infant mortality rate was 75 per 1,000 live births. These figures compared with 3,384 deaths and a rate of 66 in the corresponding period of 1935. Deaths under one month of age numbered 1,712 giving a rate of 34 per 1,000 live births, as against 1,725 and a rate of 33. There were 274 maternal deaths as compared with 230, and the rate was 5.5 as against 4.5 per 1,000 live births.

The number of deaths assigned to certain causes in the fourth quarter of 1936 was as follows (the figures for the corresponding period of 1935 being given in parentheses in each case): Typhoid and paratyphoid fever, 56 (79); Small-pox, - (3); Measles, 76 (95); Scarlet fever, 67 (60); Whooping-cough, 145 (162); Diphtheria, 97 (111); Influenza, 679 (559); Infantile paralysis, 42 (9); Tuberculosis, 1,437 (1,451); Cancer, 2,930 (2,747); Diseases of the heart, 4,151 (4,102); Diseases of the arteries, 2,241 (2,216); Pneumonia, 1,989 (1,852); Diarrhoea and enteritis, 631 (557); Nephritis, 1,590 (1,485); Suicide, 219 (225); Homicide, 24 (31); Automobile accidents, 405 (394); Other external causes, 1,000 (1,014).

The returns on hand at the Bureau of Statistics at the time of the issue of this report show the following figures for the whole of the year 1936, with 1935 figures in parentheses: Live births, 219,464 (221,451); Birth rate 19.9 (20.3); Illegitimate births, 8,521 (8,344); Per cent of total live births, 3.9 (3.8); Stillbirths, 6,311 (6,449); Per cent of total births, 2.8 (2.8); Deaths, 106,617 (105,567); Death rate 9.7 (9.7); Marriages, 80,616 (76,893); Marriage rate, 7.3 (7.0); Deaths under one year, 14,508 (15,730); Rate per 1,000 live births, 66 (71); Deaths under one month, 7,352 (7,747); Rate per 1,000 live births, 33 (35); Maternal deaths, 1,229 (1,093); Rate per 1,000 live births, 5.6 (4.9).

Deaths from certain causes for the year 1936 as compared with the corresponding figures for 1935 were as follows: Typhoid and paratyphoid, 256 (273); Smallpox, 2 (4); Measles, 372 (490); Scarlet fever, 244 (242); Whooping-cough, 591 (892); Diphtheria, 258 (264); Influenza, 3,096 (3,392); Infantile paralysis 99 (64); Tuberculosis, 6,745 (6,597); Cancer, 11,652 (11,156); Diseases of the heart, 16,361 (16,069); Diseases of the arteries, 9,088 (8,302); Pneumonia, 7,266 (7,411); Diarrhoea and enteritis, 2,374 (2,767); Nephritis, 6,390 (6,176); Suicide, 919 (905); Homicide, 129 (153); Automobile accidents, 1,309 (1,224); Other external causes, 5,058 (4,616). Deaths from excessive heat in the month of July, chiefly in Ontario and Manitoba contributed largely to the increase in deaths from other external causes.




TABLE 1.

Summary of births, deaths and marriages by provinces, during the fourth quarter of 1936.

|                                   | CANADA (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|-----------------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| Live births                       | 50,261     | 414                  | 2,591       | 2,416         | 17,229 | 14,333  | 2,951    | 4,383        | 3,477   | 2,467            |
| Legitimate                        | 48,606     | 405                  | 2,461       | 2,338         | 16,744 | 13,803  | 2,855    | 4,257        | 3,340   | 2,403            |
| Illegitimate                      | 1,655      | 9                    | 130         | 78            | 485    | 530     | 96       | 126          | 137     | 64               |
| Stillbirths                       | 1,458      | 15                   | 49          | 40            | 591    | 469     | 73       | 102          | 69      | 50               |
| Deaths (exclusive of stillbirths) | 26,226     | 239                  | 1,399       | 1,209         | 8,114  | 9,211   | 1,407    | 1,559        | 1,280   | 1,808            |
| Deaths under 1 year of age        | 3,765      | 34                   | 177         | 194           | 1,709  | 902     | 182      | 258          | 190     | 119              |
| Deaths under 1 month of age       | 1,712      | 14                   | 76          | 95            | 716    | 450     | 78       | 138          | 89      | 56               |
| Deaths from puerperal causes      | 274        | 2                    | 3           | 16            | 103    | 80      | 18       | 26           | 17      | 9                |
| Marriages                         | 22,854     | 177                  | 1,177       | 1,038         | 5,919  | 7,391   | 1,923    | 2,657        | 1,908   | 1,564            |

(1) Exclusive of Yukon and the Northwest Territories.

TABLE 2.

Infant mortality (under one year) from certain causes in Canada in the fourth quarter of 1936, compared with the fourth quarter of 1935.

| Int. List No. | Causes of death                          | Number of deaths |       | Rate per 100,000 live births |       |
|---------------|--|------------------|-------|------------------------------|-------|
|               |  | 1936             | 1935  | 1936                         | 1935  |
| 7             | Measles                                  | 29               | 34    | 58                           | 66    |
| 8             | Scarlet fever                            | 1                | 4     | 2                            | 8     |
| 9             | Whooping-cough                           | 104              | 102   | 207                          | 198   |
| 10            | Diphtheria                               | 7                | 6     | 14                           | 12    |
| 11            | Influenza                                | 170              | 96    | 338                          | 186   |
| 15            | Erysipelas                               | 18               | 12    | 36                           | 23    |
| 23-32         | Tuberculosis                             | 41               | 27    | 82                           | 52    |
| 34            | Syphilis                                 | 52               | 37    | 103                          | 72    |
| 79            | Simple meningitis                        | 36               | 26    | 72                           | 50    |
| 86            | Convulsions                              | 39               | 33    | 78                           | 64    |
| 106           | Bronchitis                               | 28               | 15    | 56                           | 29    |
| 107-109       | Pneumonia                                | 529              | 381   | 1,053                        | 738   |
| 116-118       | Diseases of the stomach                  | 32               | 26    | 64                           | 50    |
| 119           | Diarrhoea and enteritis                  | 461              | 390   | 917                          | 755   |
| 122           | Hernia, intestinal obstruction           | 13               | 20    | 26                           | 39    |
| 157           | Congenital malformations                 | 289              | 313   | 575                          | 606   |
| 158           | Congenital debility                      | 287              | 287   | 571                          | 556   |
| 159           | Premature birth                          | 840              | 779   | 1,671                        | 1,509 |
| 160           | Injury at birth                          | 200              | 207   | 398                          | 401   |
| 161           | Other diseases peculiar to early infancy | 257              | 273   | 511                          | 529   |
|               | Other specified causes                   | 289              | 274   | 575                          | 531   |
| 199,200       | Unspecified or ill-defined causes        | 43               | 42    | 86                           | 81    |
|               | All Causes                               | 3,765            | 3,384 | 7,491                        | 6,554 |



TABLE 3.

Neo-natal mortality (under one month) from certain causes in Canada in the fourth quarter of 1936, compared with the fourth quarter of 1935.

| Int. List No. | Causes of death                          | Number of deaths |       | Rate per 100,000 live births |       |
|---------------|--|------------------|-------|------------------------------|-------|
|               |  | 1936             | 1935  | 1936                         | 1935  |
| 7             | Measles                                  | 2                | 3     | 4                            | 6     |
| 8             | Scarlet fever                            | -                | -     | -                            | -     |
| 9             | Whooping-cough                           | 5                | 5     | 10                           | 10    |
| 10            | Diphtheria                               | 1                | 2     | 2                            | 4     |
| 11            | Influenza                                | 20               | 8     | 40                           | 15    |
| 15            | Erysipelas                               | 2                | -     | 4                            | -     |
| 23-32         | Tuberculosis                             | -                | -     | -                            | -     |
| 34            | Syphilis                                 | 7                | 11    | 14                           | 21    |
| 79            | Simple meningitis                        | 6                | 7     | 12                           | 14    |
| 86            | Convulsions                              | 16               | 15    | 32                           | 29    |
| 106           | Bronchitis                               | 5                | 3     | 10                           | 6     |
| 107-109       | Pneumonia                                | 65               | 60    | 129                          | 116   |
| 116-118       | Diseases of the stomach                  | 5                | 4     | 10                           | 8     |
| 119           | Diarrhoea and enteritis                  | 39               | 39    | 78                           | 76    |
| 122           | Hernia, intestinal obstruction           | -                | 1     | -                            | 2     |
| 157           | Congenital malformations                 | 164              | 188   | 326                          | 364   |
| 158           | Congenital debility                      | 197              | 192   | 392                          | 372   |
| 159           | Premature birth                          | 739              | 702   | 1,470                        | 1,360 |
| 160           | Injury at birth                          | 185              | 203   | 368                          | 393   |
| 161           | Other diseases peculiar to early infancy | 184              | 209   | 366                          | 405   |
|               | Other specified causes                   | 61               | 61    | 121                          | 118   |
| 199,200       | Unspecified or ill-defined causes        | 9                | 12    | 18                           | 23    |
|               | All causes                               | 1,712            | 1,725 | 3,406                        | 3,341 |

TABLE 4.

Maternal mortality from certain causes in Canada in the fourth quarter of 1936, compared with the fourth quarter of 1935.

| Int. List No. | Causes of death  | Number of deaths |      | Rate per 100,000 live births |      |
|---------------|--|------------------|------|------------------------------|------|
|               |  | 1936             | 1935 | 1936                         | 1935 |
| 140           | Abortion with septic conditions  | 31               | 32   | 62                           | 62   |
| 141           | Abortion without mention of septic conditions (haemorrhage included)                     | 13               | 7    | 26                           | 14   |
| 142,143       | Ectopic gestation and other accidents of pregnancy (haemorrhage excluded)                | 12               | 8    | 24                           | 15   |
| 144           | Puerperal haemorrhage  | 36               | 29   | 72                           | 56   |
| 145           | Puerperal septicaemia (not specified as consequent upon abortion)                        | 75               | 57   | 149                          | 110  |
| 146           | Puerperal albuminuria and eclampsia  | 37               | 39   | 74                           | 76   |
| 147           | Other toxæmias of pregnancy  | 16               | 9    | 32                           | 17   |
| 148           | Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)     | 25               | 12   | 50                           | 23   |
| 149,150       | Other accidents of childbirth and other or unspecified conditions of the puerperal state | 29               | 37   | 58                           | 72   |
|               | All puerperal causes   | 274              | 230  | 545                          | 445  |




TABLE 5.

Deaths at all ages from certain specified causes by provinces,  
during the fourth quarter of 1936.

| Int. List No.         | Causes of death          | CANADA (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|-----------------------|--------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| 1,2                   | Typhoid fever            | 56         | -                    | -           | 4             | 23     | 15      | 4        | 7            | 3       | -                |
| 6                     | Small-pox                | -          | -                    | -           | -             | -      | -       | -        | -            | -       | -                |
| 7                     | Measles                  | 76         | -                    | 1           | -             | 24     | 9       | 4        | 19           | 8       | 11               |
| 8                     | Scarlet fever            | 67         | -                    | 3           | 1             | 28     | 12      | 2        | 7            | 13      | 1                |
| 9                     | Whooping-cough           | 145        | 3                    | 24          | 9             | 65     | 25      | 1        | 9            | 6       | 3                |
| 10                    | Diphtheria               | 97         | -                    | 4           | 1             | 64     | 16      | 3        | 5            | 3       | 1                |
| 11                    | Influenza                | 679        | 4                    | 29          | 20            | 312    | 173     | 29       | 36           | 45      | 31               |
| 16                    | Infantile paralysis      | 42         | -                    | -           | -             | 8      | 9       | 12       | 5            | 2       | 6                |
| 23-32                 | Tuberculosis             | 1,437      | 15                   | 107         | 80            | 620    | 253     | 96       | 57           | 84      | 125              |
| 45-53                 | Cancer                   | 2,930      | 28                   | 167         | 105           | 766    | 1,126   | 195      | 169          | 126     | 248              |
| 90-95                 | Diseases of the heart    | 4,151      | 24                   | 184         | 166           | 1,020  | 1,813   | 210      | 225          | 189     | 320              |
| 96,97, )<br>99,102, ) | Diseases of the arteries | 2,241      | 19                   | 149         | 102           | 425    | 1,090   | 103      | 105          | 105     | 143              |
| 107-109               | Pneumonia                | 1,989      | 22                   | 102         | 100           | 624    | 665     | 123      | 124          | 99      | 130              |
| 119,120               | Diarrhoea and enteritis  | 631        | 4                    | 21          | 19            | 315    | 157     | 35       | 42           | 22      | 16               |
| 130-132               | Nephritis                | 1,590      | 13                   | 66          | 55            | 713    | 488     | 64       | 66           | 40      | 85               |
| 140-150               | Puerperal causes         | 274        | 2                    | 3           | 16            | 103    | 80      | 18       | 26           | 17      | 9                |
| 163-171               | Suicides                 | 219        | -                    | 10          | 10            | 20     | 101     | 12       | 19           | 13      | 34               |
| 172-175               | Homicides                | 24         | -                    | -           | -             | 4      | 9       | 3        | 1            | 2       | 5                |
|                       | Automobile accidents     | 405        | 2                    | 21          | 13            | 106    | 184     | 13       | 16           | 23      | 27               |
|                       | Other violent deaths     | 1,000      | 10                   | 60          | 43            | 207    | 377     | 63       | 66           | 48      | 126              |

(1) Exclusive of Yukon and the Northwest Territories.

STATISTICS CANADA LIBRARY  
BIBLIOTHÈQUE STATISTIQUE CANADA



1010483322