


PUBLISHED BY AUTHORITY OF THE HON. W.D. EULER, M.P.,

MINISTER OF TRADE AND COMMERCE

DOMINION BUREAU OF STATISTICS - CANADA
VITAL STATISTICS BRANCH

DOES NOT CIRCULATE
NE PAS PRETER



Dominion Statistician: R.H. Coats, LL.D., F.R.S.C., F.S.S. (Hon.)
Chief, Vital Statistics: W.R. Tracey, B.A.,

BIRTHS, DEATHS AND MARRIAGES IN THE FOURTH QUARTER OF 1937.

Live births in Canada during the fourth quarter of 1937 numbered 50,748 (preliminary figures) giving an equivalent annual rate of 18.1 per 1,000 population, as compared with 50,773 births and a rate of 18.3 for the fourth quarter of 1936. There were 1,728 illegitimate births forming 3.4 per cent of all live births, as compared with 1,712 and the same rate. Stillbirths amounted to 1,433 or 2.7 per cent of all births as against 1,485 and a rate of 2.8 per cent.

Deaths totalled 27,126 with a rate of 9.7 per 1,000 population as compared with 26,549 and a rate of 9.6.

The natural increase for the quarter was 23,622 giving a rate of 8.4 per 1,000 population as against 24,224 or a rate of 8.7.

Deaths under one year of age numbered 3,681 and the infant mortality rate was 73 per 1,000 live births. These figures compared with 3,825 deaths and a rate of 75 in the corresponding period of 1936. Deaths under one month of age numbered 1,704 giving a rate of 34 per 1,000 live births as against 1,747 and the same rate. There were 222 maternal deaths as compared with 277 and the rate was 4.4 as against 5.5 per 1,000 live births.

The number of deaths assigned to certain causes in the fourth quarter of 1937 was as follows (the figures for the corresponding period of 1936 being given in parentheses in each case): Typhoid and paratyphoid fever, 148 (56); Small-pox, - (-); Measles, 136 (80); Scarlet fever, 77 (67); Whooping-cough, 200 (146); Diphtheria, 156 (97); Influenza, 632 (693); Infantile paralysis, 36 (41); Tuberculosis, 1,371 (1,448); Cancer, 3,038 (2,969); Diseases of the heart, 4,342 (4,199); Diseases of the arteries, 2,405 (2,254); Pneumonia, 1,981 (2,028); Diarrhoea and enteritis, 880 (635); Nephritis, 1,564 (1,596); Suicide, 219 (226); Homicide, 37 (31); Automobile accidents, 443 (404); Other violent deaths, 1,028 (1,020).

There were 24,632 marriages giving a rate of 8.8 as against 23,122 or a rate of 8.3 in the fourth quarter of 1936.

The returns on hand at the Bureau of Statistics at the time of the issue of this report show the following figures for the whole of the year 1937, with 1936 figures in parenthesis: Live births, 219,339 (220,371); Birth rate, 19.7 (20.0); Illegitimate births, 8,448 (8,633); per cent of total live births, 3.9 (3.9); Stillbirths, 6,245 (6,350); per cent of total births, 2.8 (2.8); Deaths, 113,510 (107,050); death rate, 10.2 (9.7); Natural increase, 105,829 (113,321); Rate of natural increase, 9.5 (10.3); Deaths under one year, 16,650 (14,574); Rate per 1,000 live births, 76 (66); Deaths under one month, 7,507 (7,393); Rate per 1,000 live births, 34 (34); Maternal deaths, 1,060 (1,233); Rate per 1,000 live births, 4.8 (5.6); Marriages, 87,715 (80,904); Marriage rate, 7.9 (7.3).

Deaths from certain causes for the year 1937 as compared with the corresponding figures for 1936 were as follows:- Typhoid and paratyphoid fever, 328 (256); Small-pox, 2 (2); Measles, 813 (376); Scarlet fever, 268 (244); Whooping-cough, 762 (594); Diphtheria, 367 (258); Influenza, 5,249 (3,113); Infantile paralysis, 199 (97); Tuberculosis, 6,633 (6,763); Cancer, 11,942 (11,694); Diseases of the heart, 16,806 (16,424); Diseases of the arteries, 9,589 (9,112); Pneumonia, 7,713 (7,313); Diarrhoea and enteritis, 4,202 (2,378); Nephritis, 6,522 (6,402); Suicide, 974 (928); Homicide, 137 (137); Automobile accidents, 1,611 (1,316); Other violent deaths, 4,594 (5,082).

TABLE 1.

Summary of births, deaths and marriages, by provinces during the fourth quarter of 1937.

| | Canada (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|-----------------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| Live births | 50,748 | 464 | 2,606 | 2,311 | 17,553 | 14,257 | 2,999 | 4,245 | 3,649 | 2,664 |
| Legitimate | 49,020 | 454 | 2,482 | 2,234 | 17,039 | 13,693 | 2,915 | 4,135 | 3,508 | 2,560 |
| Illegitimate | 1,728 | 10 | 124 | 77 | 514 | 564 | 84 | 110 | 141 | 104 |
| Stillbirths | 1,433 | 16 | 52 | 73 | 527 | 468 | 75 | 81 | 74 | 67 |
| Deaths (exclusive of stillbirths) | 27,126 | 292 | 1,417 | 1,257 | 8,416 | 9,495 | 1,447 | 1,501 | 1,453 | 1,848 |
| Deaths under 1 year of age | 3,681 | 32 | 201 | 202 | 1,698 | 777 | 175 | 226 | 221 | 149 |
| Deaths under 1 month of age | 1,704 | 13 | 102 | 85 | 699 | 432 | 80 | 117 | 120 | 56 |
| Deaths from puerperal causes | 222 | 3 | 1 | 5 | 84 | 73 | 14 | 22 | 10 | 10 |
| Marriages | 24,632 | 171 | 1,283 | 1,012 | 5,840 | 8,091 | 2,123 | 2,044 | 2,309 | 1,759 |

(1) Exclusive of Yukon and the Northwest Territories.

TABLE 2.

Infant mortality (under one year) from certain causes in Canada in the fourth quarter of 1937, compared with the fourth quarter of 1936.

| Int. List No. | Causes of death | Number of deaths | | Rate per 100,000 live births | |
|---------------|--|------------------|-------|------------------------------|-------|
| | | 1937 | 1936 | 1937 | 1936 |
| 7 | Measles | 55 | 32 | 108 | 63 |
| 8 | Scarlet fever | 3 | 1 | 6 | 2 |
| 9 | Whooping-cough | 132 | 105 | 260 | 207 |
| 10 | Diphtheria | 7 | 7 | 14 | 14 |
| 11 | Influenza | 129 | 172 | 254 | 339 |
| 15 | Erysipelas | 2 | 18 | 4 | 35 |
| 23,32 | Tuberculosis | 29 | 42 | 57 | 83 |
| 34 | Syphilis | 45 | 52 | 89 | 102 |
| 79 | Simple meningitis | 35 | 36 | 69 | 71 |
| 86 | Convulsions | 28 | 39 | 55 | 77 |
| 106 | Bronchitis | 15 | 29 | 30 | 57 |
| 107-109 | Pneumonia | 407 | 539 | 802 | 1,062 |
| 116-118 | Diseases of the stomach | 23 | 32 | 45 | 63 |
| 119 | Diarrhoea and enteritis | 574 | 462 | 1,131 | 910 |
| 122 | Hernia, intestinal obstruction | 15 | 13 | 30 | 26 |
| 157 | Congenital malformations | 346 | 295 | 682 | 581 |
| 158 | Congenital debility | 248 | 292 | 489 | 575 |
| 159 | Premature birth | 807 | 863 | 1,590 | 1,700 |
| 160 | Injury at birth | 186 | 201 | 367 | 396 |
| 161 | Other diseases peculiar to early infancy | 252 | 258 | 497 | 508 |
| | Other specified causes | 288 | 291 | 568 | 573 |
| 199,200 | Unspecified or ill-defined causes | 55 | 46 | 108 | 91 |
| | All, causes | 3,681 | 3,825 | 7,253 | 7,534 |




TABLE 3.

Neo-natal mortality (under one month) from certain causes in Canada in the fourth quarter of 1937, compared with the fourth quarter of 1936.

| Int. List No. | Causes of death | Number of deaths | | Rate per 100,000 live births | |
|---------------|--|------------------|-------|------------------------------|-------|
| | | 1937 | 1936 | 1937 | 1936 |
| 7 | Measles | 2 | 2 | 4 | 4 |
| 8 | Scarlet fever | - | - | - | - |
| 9 | Whooping-cough | 5 | 6 | 10 | 12 |
| 10 | Diphtheria | 1 | 1 | 2 | 2 |
| 11 | Influenza | 15 | 20 | 30 | 39 |
| 15 | Erysipelas | - | 2 | - | 4 |
| 23-32 | Tuberculosis | 4 | - | 8 | - |
| 34 | Syphilis | 8 | 7 | 16 | 14 |
| 79 | Simple meningitis | 3 | 6 | 6 | 12 |
| 86 | Convulsions | 8 | 16 | 16 | 32 |
| 106 | Bronchitis | 3 | 6 | 6 | 12 |
| 107-109 | Pneumonia | 47 | 68 | 93 | 134 |
| 116-118 | Diseases of the stomach | 3 | 5 | 6 | 10 |
| 119 | Diarrhoea and enteritis | 54 | 39 | 106 | 77 |
| 122 | Hernia, intestinal obstruction | 2 | - | 4 | - |
| 157 | Congenital malformations | 215 | 169 | 424 | 333 |
| 158 | Congenital debility | 163 | 200 | 321 | 394 |
| 159 | Premature birth | 740 | 757 | 1,458 | 1,491 |
| 160 | Injury at birth | 177 | 186 | 349 | 366 |
| 161 | Other diseases peculiar to early infancy | 183 | 186 | 361 | 366 |
| | Other specified causes | 53 | 62 | 104 | 122 |
| 199,200 | Unspecified or ill-defined causes | 18 | 9 | 35 | 18 |
| | All causes | 1,704 | 1,747 | 3,358 | 3,441 |

TABLE 4.

Maternal mortality from certain causes in Canada in the fourth quarter of 1937, compared with the fourth quarter of 1936.

| Int. List No. | Causes of death | Number of deaths | | Rate per 100,000 live births | |
|---------------|--|------------------|------|------------------------------|------|
| | | 1937 | 1936 | 1937 | 1936 |
| 140 | Abortion with septic conditions | 27 | 33 | 53 | 65 |
| 141 | Abortion without mention of septic conditions (haemorrhage included) | 2 | 14 | 4 | 28 |
| 142,143 | Ectopic gestation and other accidents of pregnancy (haemorrhage excluded) | 12 | 13 | 24 | 26 |
| 144 | Puerperal haemorrhage | 32 | 35 | 63 | 69 |
| 145 | Puerperal septicaemia (not specified as consequent upon abortion) | 48 | 75 | 95 | 148 |
| 146 | Puerperal albuminuria and eclampsia | 42 | 37 | 83 | 73 |
| 147 | Other toxaeemias of pregnancy | 13 | 16 | 26 | 32 |
| 148 | Puerperal phlegmasia, alba dolens, embolism or sudden death (not specified as septic) | 25 | 25 | 49 | 49 |
| 149,150 | Other accidents of childbirth and other or unspecified conditions of the puerperal state | 21 | 29 | 41 | 57 |
| | All puerperal causes | 222 | 277 | 437 | 546 |




TABLE 5.

Deaths at all ages from certain specified causes by provinces,
during the fourth quarter of 1937.

| Int. list No. | Causes of death | Canada (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|--------------------|--------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| 1,2 | Typhoid fever | 148 | 1 | 4 | 9 | 94 | 13 | 4 | 18 | 1 | 4 |
| 6 | Small-pox | - | - | - | - | - | - | - | - | - | - |
| 7 | Measles | 136 | - | 8 | 1 | 29 | 5 | 2 | 11 | 15 | 65 |
| 8 | Scarlet fever | 77 | - | 2 | - | 52 | 13 | 4 | 1 | 3 | 2 |
| 9 | Whooping-cough | 200 | - | 5 | - | 134 | 19 | 14 | 4 | 8 | 16 |
| 10 | Diphtheria | 156 | - | 4 | 10 | 121 | 12 | - | 4 | 5 | - |
| 11 | Influenza | 632 | 4 | 29 | 14 | 296 | 176 | 31 | 24 | 32 | 26 |
| 16 | Infantile paralysis | 36 | - | 3 | - | 4 | 15 | 3 | 9 | 2 | - |
| 23-32 | Tuberculosis | 1,371 | 17 | 98 | 75 | 537 | 273 | 87 | 68 | 75 | 141 |
| 45-53 | Cancer | 3,038 | 33 | 176 | 122 | 765 | 1,171 | 200 | 157 | 152 | 262 |
| 90-95 | Diseases of the heart | 4,342 | 35 | 207 | 148 | 1,000 | 1,911 | 269 | 220 | 245 | 307 |
| 96,97,) 99,102) | Diseases of the arteries | 2,405 | 36 | 124 | 102 | 461 | 1,193 | 134 | 99 | 110 | 146 |
| 107-109 | Pneumonia | 1,981 | 24 | 94 | 105 | 599 | 702 | 98 | 135 | 101 | 123 |
| 119,120 | Diarrhoea and enteritis | 880 | 8 | 44 | 70 | 481 | 147 | 39 | 42 | 37 | 12 |
| 130-132 | Nephritis | 1,564 | 26 | 69 | 63 | 667 | 480 | 43 | 61 | 67 | 88 |
| 140-150 | Puerperal causes | 222 | 3 | 1 | 5 | 84 | 73 | 14 | 22 | 10 | 10 |
| 163-171 | Suicides | 219 | 4 | 6 | 8 | 29 | 86 | 20 | 17 | 22 | 27 |
| 173-175 | Homicides | 37 | - | - | 1 | 6 | 11 | 1 | 4 | 11 | 3 |
| | Automobile accidents | 443 | 1 | 22 | 20 | 116 | 209 | 16 | 13 | 17 | 29 |
| | Other violent deaths | 1,028 | 10 | 57 | 50 | 251 | 380 | 45 | 71 | 54 | 110 |

(1) Exclusive of Yukon and the Northwest Territories.

TABLE 6.

Summary of births, deaths and marriages by provinces, during the year, 1937.

| | Canada (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|-----------------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| Live births | 219,339 | 2,065 | 11,342 | 10,544 | 75,582 | 61,499 | 12,888 | 18,559 | 15,717 | 11,123 |
| Legitimate | 210,891 | 2,002 | 10,671 | 10,167 | 73,135 | 58,747 | 12,410 | 17,927 | 15,108 | 10,724 |
| Illegitimate | 8,448 | 63 | 671 | 377 | 2,447 | 2,752 | 478 | 632 | 609 | 419 |
| Stillbirths | 6,245 | 61 | 284 | 269 | 2,311 | 1,988 | 341 | 393 | 353 | 245 |
| Deaths (exclusive of stillbirths) | 113,510 | 1,135 | 5,963 | 5,392 | 35,442 | 38,462 | 6,070 | 6,865 | 6,247 | 7,934 |
| Deaths under 1 year of age | 16,650 | 151 | 806 | 1,069 | 7,578 | 3,379 | 826 | 1,225 | 990 | 626 |
| Deaths under 1 month of age | 7,507 | 71 | 354 | 471 | 2,966 | 1,927 | 371 | 580 | 489 | 278 |
| Deaths from puerperal causes | 1,060 | 12 | 25 | 39 | 397 | 319 | 55 | 86 | 76 | 51 |
| Marriages | 87,715 | 584 | 4,319 | 3,662 | 24,870 | 29,889 | 6,113 | 5,762 | 6,340 | 6,176 |

(1) Exclusive of Yukon and the Northwest Territories.

TABLE 7.

Deaths at all ages from certain specified causes by provinces, during the year 1937.

| Int. list No. | Causes of death | Canada (1) | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|---------------|-------------------------|------------|----------------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| 1,2 | Typhoid fever | 328 | 1 | 13 | 28 | 185 | 39 | 10 | 36 | 6 | 10 |
| 6 | Small-pox | 2 | - | - | - | - | - | - | - | 1 | 1 |
| 7 | Measles | 813 | 1 | 10 | 10 | 227 | 30 | 13 | 234 | 120 | 168 |
| 8 | Scarlet fever | 268 | - | 9 | 2 | 147 | 50 | 12 | 16 | 24 | 8 |
| 9 | Whooping-cough | 762 | 4 | 42 | 4 | 444 | 104 | 39 | 47 | 49 | 29 |
| 10 | Diphtheria | 367 | - | 11 | 17 | 277 | 30 | 10 | 10 | 10 | 2 |
| 11 | Influenza | 5,249 | 63 | 244 | 155 | 1,610 | 1,656 | 304 | 400 | 471 | 346 |
| 16 | Infantile paralysis | 199 | - | 7 | 5 | 21 | 119 | 12 | 22 | 13 | - |
| 23-32 | Tuberculosis | 6,633 | 65 | 452 | 383 | 2,767 | 1,315 | 426 | 294 | 337 | 594 |
| 45-53 | Cancer | 11,942 | 136 | 703 | 465 | 3,028 | 4,548 | 738 | 688 | 598 | 1,038 |
| 90-95 | Diseases of the heart | 16,806 | 133 | 808 | 628 | 3,980 | 7,224 | 962 | 875 | 848 | 1,348 |
| 96,97) | Diseases of the | | | | | | | | | | |
| 99,102) | arteries | 9,589 | 95 | 542 | 370 | 1,871 | 4,632 | 558 | 437 | 452 | 632 |
| 107,109 | Pneumonia | 7,713 | 102 | 389 | 423 | 2,262 | 2,596 | 444 | 564 | 462 | 471 |
| 119,120 | Diarrhoea and enteritis | 4,202 | 23 | 159 | 415 | 2,527 | 562 | 142 | 202 | 115 | 57 |
| 130,132 | Nephritis | 6,522 | 95 | 313 | 221 | 2,896 | 1,945 | 191 | 267 | 240 | 354 |
| 140-150 | Puerperal causes | 1,060 | 12 | 25 | 39 | 397 | 319 | 55 | 86 | 76 | 51 |
| 161-173 | Suicides | 974 | 6 | 29 | 29 | 154 | 365 | 87 | 87 | 101 | 116 |
| 173-175 | Homicides | 137 | 1 | 4 | 3 | 30 | 51 | 8 | 9 | 18 | 13 |
| | Automobile accidents | 1,611 | 6 | 82 | 66 | 395 | 771 | 66 | 46 | 55 | 124 |
| | Other violent deaths | 4,594 | 35 | 252 | 183 | 1,160 | 1,661 | 218 | 304 | 299 | 482 |

(1) Exclusive of Yukon and the Northwest Territories.

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010483326