## LUNG CANCER IN CANADA

**LUNG CANCER** develops in the cells of the lungs. Changes in these cells may lead to benign tumours (non-cancerous), but when cells no longer behave normally, they may cause malignant tumours (cancer). Cancer starting in the lung cells is known as primary lung cancer. Cancers that start in other parts of the body can spread to the lungs (lung metastasis), but they are not treated in the same way as primary lung cancers.


## THE DATA

LUNG CANCER IS THE MOST COMMON CANCER IN CANADA



29,300 CANADIANS

WILL BE DIAGNOSED WITH LUNG CANCER IN 2019



## **RISK FACTORS AND PREVENTION**







RADON GAS









Being **smoke-free** and **testing for radon at home** can help lower the risk of getting lung cancer

## SCREENING AND DETECTION



of all lung cancer cases are diagnosed late **AT STAGE IV**\*



Screening for lung cancer is only recommended for high risk Canadians aged 55 to 74.

Screening guidelines are available from the **Canadian Task Force on Preventive Health Care.** 



For more facts about lung cancer visit: www.Canada.ca and Search: lung cancer

**Like us on Facebook:** Public Health Agency of Canada **Follow us on Twitter:** @PHAC GC

Data Sources: Canadian Cancer Statistics 2019; Statistics Canada, Canadian Cancer Registry CANSIM Table 103-0554; Canadian Partnership Against Cancer Cancerview.ca - 2017 Cancer System Performance Report.

\* Cancer stage distribution is based on eight provinces and does not include Quebec or Ontario.



Public Health Agency of Canada Agence de la santé publique du Canada

