

- 466 *Notropis spilopterus* — Male; 70 mm; Ontario, Leeds Co., St. Lawrence River; Aug. 29, 1959; ROM 23617.
- 469 *Notropis stramineus* — 65 mm; Ontario, Algoma Dist., Stokeley River; June 18, 1954; ROM 27054.
- 472 *Notropis umbratilis* — 50–54 mm; Ontario, Norfolk Co., Black Creek; July 25, 1947; ROM 18215.
- 473 *Notropis volucellus* — 62 mm; Quebec, Rivière Rigaud; Sept. 20, 1965; ROM 23984.
- 476 *Pimephales notatus* — Drawings by E. B. S. Logier, no data.
- 480 *Pimephales promelas* — Female; 67 mm; Ontario, Thunder Bay Dist., Pickerel River; June 8, 1964; ROM 23030.
- 484 *Platygobio gracilis* — Female; 275 mm; British Columbia, Fort Nelson River; Aug. 9, 1957; BC 57-224.
- 487 *Ptychocheilus oregonensis* — Male; 382 mm; British Columbia, Griffen Lake; Aug. 29, 1967; ROM 25555.
- 491 *Rhinichthys atratulus* — Male; 71 mm; Ontario, Northumberland Co., Shelter Valley Creek; July 20–21, 1966; ROM 25119.
- 494 *Rhinichthys cataractae* — Male; 86 mm; Ontario, Haldimand Co., Grand River; June–July 1966; ROM 25210.
- 498 *Rhinichthys falcatus* — Male; 74 mm; British Columbia, Chilcotin Dist., Nazko River; Aug. 15, 1956; ROM 18574.
- 501 *Rhinichthys osculus* — Female; 70 mm; British Columbia, Teslin Lake; July–Aug. 1944; ROM 18570.
- 503 *Richardsonius balteatus* — Female; 108 mm; British Columbia, Pothole Lake; ROM 25554.
- 507 *Semotilus atromaculatus* — Adult — male; 309 mm; Ontario, Haliburton Co., Big Straggle Lake; May 18, 1963; ROM 22323; Immature — 80 mm; Ontario, Renfrew Co., Chalk River; Aug. 11, 1966; ROM 24573.
- 511 *Semotilus corporalis* — Adult — composite ROM 12921 and ROM 24491; Immature — 78 mm; Ontario, Frontenac Co., Collins Creek; July 8, 1941; ROM 12921.
- 515 *Semotilus margarita* — Male; 135 mm; Ontario, Cochrane Dist., Munro Lake; July 30, 1958; ROM 20033.
- 528 *Carpioles cyprinus* — Male; 390 mm; Ontario, Kent Co., Lake Erie; July 6, 1932; ROM 8056.
- 531 *Catostomus catostomus* — Male; 409 mm; Ontario, Bruce Co., Lake Huron; Apr. 5, 1968; ROM 25775.
- 536 *Catostomus columbianus* — Male; 126 mm; British Columbia, Cale Creek; Aug. 11, 1956; BC 56-570.
- 538 *Catostomus commersoni* — Female; 465 mm; New Brunswick, Carleton Co., Meddux-nekeag River; May 25, 1958; ROM 19534.
- 544 *Catostomus macrocheilus* — Male; 413 mm; British Columbia, Wolfe Creek; May 16, 1956; BC 56-413.
- 547 *Catostomus platyrhynchus* — Male; 232 mm; Alberta, Cardston, Lee Creek; July 20, 1964; ROM 25919.
- 551 *Erimyzon suetta* — Female; 270 mm; Ontario, Kent Co., Lake Erie; Apr. 12, 1955; ROM 17590.
- 554 *Hypentelium nigricans* — Male; 140 mm; Ontario, Peel Co., Credit River; Apr. 26, 1964; ROM 22766.
- 557 *Ictiobus cyprinellus* — Female; 315 mm and 355 mm; Saskatchewan, Last Mountain Lake; Feb. 5, 1955; ROM 16728.
- 564 *Moxostoma anisurum* — 354 mm; Ontario, Kent Co., Lake St. Clair; Feb. 19–May 20, 1964; ROM 22893.
- 567 *Moxostoma carinatum* — Female; 460 mm; Quebec, Lake St. Louis; 1941; ROM 13413.
- 571 *Moxostoma duquesnei* — Female; 329 mm; Michigan, Thornapple River; May 8–10, 1928; ROM 4463.
- 574 *Moxostoma erythrurum* — Female; 347 mm; Ontario, Elgin Co., Catfish Creek; Mar. 26, 1937; ROM 9633.
- 577 *Moxostoma hubbsi* — Male; 487 mm; Quebec, St. Hyacinthe, Yamaska River; Aug. 10–12, 1963; ROM 23118.
- 579 *Moxostoma macrolepidotum* — 386 mm; Ontario, Bruce Co., Lake Huron, Douglas Point; 1963; ROM 22509.
- 584 *Moxostoma valenciennesi* — Male; 393 mm; Ontario, Peel Co., Credit River; June 15, 1927; ROM 3552.
- 591 *Ictalurus melas* — Male; 196 mm; Saskatchewan, Souris River; Sept. 5, 1956; ROM 19948.
- 595 *Ictalurus natalis* — Male; 235 mm; Ontario, Norfolk Co., Lake Erie; Oct. 31, 1952; ROM 15633.
- 598 *Ictalurus nebulosus* — Male; 303 mm; Ontario, Muskoka Dist., Six Mile Lake; May 27, 1970; ROM 27094.
- 604 *Ictalurus punctatus* — Drawing by E. B. S. Logier, no data.
- 611 *Noturus flavus* — Female; 215 mm; Ontario, Durham Co., Wilmot Creek; Apr. 25, 1968; ROM 25813.
- 615 *Noturus gyrinus* — Female; 82 mm; Quebec, Napierville Co., Pond Southwest of Douglastburg; Apr. 22, 1969; ROM 27178.
- 619 *Noturus miurus* — Female; 86 mm; Ontario, Welland Co., Niagara River; 1958; ROM 20019.
- 624 *Anguilla rostrata* — Borrowed from FRB Bull. 155.
- 631 *Fundulus diaphanus* — Borrowed from FRB Bull. 155.
- 635 *Fundulus heteroclitus* — Borrowed from FRB Bull. 155.

641	<i>Lota lota</i> — Male; 510 mm; Ontario, Algonquin Park, Lake Opeongo; July 7, 1958; ROM 19838.		Ontario, Ontario Co., Frenchman Bay; Apr. 15, 1958; ROM 20006.
646	<i>Microgadus tomcod</i> — Borrowed from FRB Bull. 155.	755	<i>Perca flavescens</i> — Male; 225 mm; Ontario, Nipissing Dist., Aumond Creek; Aug. 10, 1966; ROM 24607.
652	<i>Labidesthes sicculus</i> — Male; 62 mm; Ontario, Frontenac Co., Lake Opinicon; ROM 23894.	762	<i>Stizostedion canadense</i> — Male; 325 mm; Ontario, Lake Erie; Nov., 1953; ROM 15970.
658	<i>Apeltes quadratus</i> — Male; 42 mm; Newfoundland, Port au Port, Piccadilly Bay; July 14, 1960; ROM 20989.	767	<i>Stizostedion vitreum</i> — Male; 392 mm; Ontario, Prince Edward Co., Lake Ontario; Nov. 16, 1957; ROM 18815.
661	<i>Culaea inconstans</i> — 48 mm; Ontario, Nipissing Dist., Aumond Creek; Aug. 8, 1966; ROM 24565.	775	<i>Ammocrypta pellucida</i> — Female; 60 mm; Ontario, Middlesex Co., Sydenham River; Sept. 9, 1927; ROM 3702.
665	<i>Gasterosteus aculeatus</i> — 52 mm; Newfoundland, Fortune Bay; July 26, 1960; ROM 21027.	777	<i>Etheostoma blennioides</i> — Male; 82 mm; Ontario, Peel Co., Thames River; Summer 1965; ROM 24485.
669	<i>Gasterosteus wheatlandi</i> — 45 mm; Newfoundland, Port au Port; July 14, 1960; ROM 20988.	780	<i>Etheostoma caeruleum</i> — Male; 50 mm; Ontario, Ontario Co., Duffin Creek; ROM 24070.
671	<i>Pungitius pungitius</i> — 66 mm; Ontario, Timiskaming Dist., Jerry Lake; Sept. 16, 1958; ROM 20026.	783	<i>Etheostoma exile</i> — Female; 49 mm; Ontario, Manitoulin Island, Ice Lake; June 9, 1960; ROM 25853.
678	<i>Percopsis omiscomaycus</i> — Female; 106 mm; Ontario, Sudbury Dist., Spanish River; July 11, 1950; ROM 14958.	787	<i>Etheostoma flabellare</i> — Male; 62 mm; Ontario, Leeds Co., Jones Creek; June 4, 1960; ROM 21059.
684	<i>Morone americana</i> — 255 mm; New Brunswick, St. John River; Nov. 15, 1968; ROM 26389.	790	<i>Etheostoma microperca</i> — 37 mm; Ontario, Bruce Co., Teeswater River; July 16, 1956; ROM 18515.
689	<i>Morone chrysops</i> — 177 mm; Ontario, Norfolk Co., Lynn River; July 5, 1949; ROM 18328.	793	<i>Etheostoma nigrum</i> — Male; 61 mm; Manitoba, Valley River; Aug. 28, 1953; ROM 18456.
693	<i>Morone saxatilis</i> — 320 mm; Quebec, St. Lawrence River, May 1950; ROM 15983.	797	<i>Percina caprodes</i> — Female; 100 mm; Ontario, Algoma Dist., Harmony Creek; June 17, 1954; ROM 16241.
703	<i>Ambloplites rupestris</i> — Male; 173 mm; Ontario, Oxford Co., Nith River; June 21, 1966; ROM 25090.	801	<i>Percina copelandi</i> — 41 mm; Ohio; ROM 6975,
707	<i>Lepomis auritus</i> — Male; 174 mm; New Brunswick, Kennebecasis River; Aug. 22, 1949; ROM 14587.	803	<i>Percina maculata</i> — Male; 75 mm; Ontario, Oxford Co., Otter Creek; June-July 1967; ROM 26294.
710	<i>Lepomis cyanellus</i> — Male; 135 mm; Ontario, Grey Co., Williams Lake; July 17, 1968; ROM 26098.	806	<i>Percina shumardi</i> — 49 mm; Ontario, Kenora Dist., Sandy Lake; July 3-17, 1961; ROM 22373.
713	<i>Lepomis gibbosus</i> — Female; 165 mm; Ontario, Northumberland Co., Trent Canal; Aug. 20, 1958; ROM 19827.	812	<i>Aplodinotus grunniens</i> — Male; 600 mm; Ontario, Leeds Co., St. Lawrence River; Aug. 20, 1967; ROM 25569.
719	<i>Lepomis macrochirus</i> — Male; 182 mm; Ontario, Frontenac Co., Rideau Canal; Apr. 28, 1968; ROM 25812.	820	<i>Cottus aleuticus</i> — Borrowed from FRB Bull. 173.
724	<i>Lepomis megalotis</i> — Male; 96 mm; Ontario, Middlesex Co., Ausable River; June 30, 1969; ROM 26797.	823	<i>Cottus asper</i> — Borrowed from FRB Bull. 173.
728	<i>Micropterus dolomieu</i> — Male; 302 mm; Ontario, Peterborough Co., Connelly's Lake; Sept. 17, 1958; ROM 19836.	826	<i>Cottus bairdi</i> — Borrowed from the National Museum of Canada.
734	<i>Micropterus salmoides</i> — Female; 340 mm; Ontario, Leeds Co., St. Lawrence River; May 20, 1968; ROM 25886.	830	<i>Cottus cognatus</i> — Borrowed from the National Museum of Canada.
741	<i>Pomoxis annularis</i> — Male; 212 mm; Ontario, Essex Co., Cedar Creek; June 11, 1941; ROM 13214.	835	<i>Cottus confusus</i> — Borrowed from the Museum of Zoology, University of Michigan.
745	<i>Pomoxis nigromaculatus</i> — Female; 280 mm;	837	<i>Cottus rhotheus</i> — 47 mm; British Columbia, Kootenay River; Slocan Pool; June 20, 1928; ROM 6104.
		839	<i>Cottus ricei</i> — Borrowed from FRB Bull. 173.
		842	<i>Myoxocephalus quadricornis</i> — Drawing by E. B. S. Logier, no data.

THE ILLUSTRATORS . . .



Anker Odum, Scientific Illustrator in the Department of Entomology and Invertebrate Zoology, Royal Ontario Museum, prepared most of the pen-and-ink species illustrations as well as several of the paintings.



Peter Buerschaper is Chief Technician of the Department of Ichthyology and Herpetology at the Royal Ontario Museum. He prepared certain pen-and-ink drawings and colour illustrations of chars, painting used for the frontispiece, as well as the cover design of the book.

REFERENCES

REFERENCES

- ADAMS, A. L. 1873. Field and forest rambles, with notes and observations on the natural history of eastern Canada. Henry S. King & Co., London. 333 p.
- ADAMSTONE, F. B. 1922. Rates of growth of the blue and yellow pike perch. Univ. Toronto Stud. Publ. Ont. Fish. Res. Lab. 5: 77-86.
- AGASSIZ, A. 1879. The development of *Lepidosteus*. Proc. Amer. Acad. Arts Sci. 1879, 14: 65-75.
- AGASSIZ, J. L. R. 1848. Two new genera of fishes from Lake Superior, *Percopsis* and *Rhinichthys*. Proc. Boston Soc. Natur. Hist. 1848, 3: 80-81.
- 1850. Lake Superior. Its physical character, vegetation, and animals, compared with those of other and similar regions. Gould, Kendall and Lincoln, Boston, Mass. 428 p.
- 1855. Synopsis of the ichthyological fauna of the Pacific slope of North America, chiefly from the collections made by the expedition under the command of Capt. C. Wilkes, with recent additions and comparisons with eastern types. Amer. J. Sci. Arts, 2nd ser., 19(55): 71-99; 19(56): 215-232.
- ALI, M. A., and M. ANCTIL. 1968. Corrélation entre la structure rétinienne et l'habitat chez *Stizostedion vitreum vitreum* et *S. canadense*. J. Fish. Res. Board Canada 25(9): 2001-2003.
- ALI, M. A., and I. HANYU. 1964. Occurrence of multiple lenses in the eyes of brown bullheads (*Ictalurus nebulosus*). Copeia 1964(4): 704-705.
- ALLIN, A. E. 1951. The fallfish, *Semotilus corporalis*, from the Lake Superior drainage of western Ontario. Copeia 1951(4): 300.
- 1953. Records of the creek northern chub from Ontario. Can. Field-Natur. 67(3): 128-130.
- AL-RAWI, A. H., and F. B. CROSS. 1964. Variation in the plains minnow, *Hybognathus placitus* Girard. Trans. Kansas Acad. Sci. 67(1): 154-168.
- ALT, K. 1965. Food habits of inconnu in Alaska. Trans. Amer. Fish. Soc. 94(3): 272-274.
- ANDREWS, A. K. 1970. Squamation chronology of the fathead minnow, *Pimephales promelas*. Trans. Amer. Fish. Soc. 99(2): 429-432.
- ANDREWS, C. W. 1966. Landlocked Atlantic salmon (*Salmo salar* L.) in the Terra Nova River system, Newfoundland. Can. Field-Natur. 80(2): 101-109.
- ANDREWS, C. W., and E. LEAR. 1956. The biology of Arctic char (*Salvelinus alpinus* L.) in northern Labrador. J. Fish. Res. Board Canada 13(6): 843-860.
- ANONYMOUS. 1960. Maria eat eggs. Fishing. Fish. Br. Prov. Manitoba 1(4): 13.
- 1964. Rough fish removal. Fishing. Fish. Br. Prov. Manitoba 4(1): 8-10.
- APPELGET, J., and L. L. SMITH, JR. 1951. The determination of age and rate of growth from vertebrae of the channel catfish, *Ictalurus lacustris punctatus*. Trans. Amer. Fish. Soc. 80 (1950): 119-139.
- APPLEGATE, V. C. 1943. Partial analysis of growth in a population of mudminnows, *Umbra limi* (Kirtland). Copeia 1943(2): 92-96.
- 1950. Natural history of the sea lamprey, *Petromyzon marinus*, in Michigan. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 55: 237 p.
- APPLEGATE, V. C., and C. L. BRYNILDSON. 1952. Downstream movement of recently transformed sea lampreys, *Petromyzon marinus*, in the Carp Lake River, Michigan. Trans. Amer. Fish. Soc. 81 (1951): 275-290.
- APPLEGATE, V. C., and M. L. H. THOMAS. 1965. Sex ratios and sexual dimorphism among recently transformed sea lampreys, *Petromyzon marinus* Linnaeus. J. Fish. Res. Board Canada 22(3): 695-711.
- ARMSTRONG, R. H. 1965. Some migratory habits of the anadromous Dolly Varden *Salvelinus malma* (Walbaum) in southeastern Alaska. Alaska Dep. Fish Game Res. Rep. 3: 36 p.
- ARMSTRONG, R. H., and W. M. MORTON. 1969. Revised annotated bibliography on the Dolly Varden char. Alaska Dep. Fish Game Res. Rep. 7: 108 p.
- ARO, K. V., and M. P. SHEPARD. 1967. Salmon of the North Pacific Ocean — Part 4. Spawning populations of North Pacific salmon. 5. Pacific salmon in Canada. Int. North Pac. Fish. Comm. Bull. 23: 225-327.
- ATTON, F. M. 1959. The invasion of Manitoba and Saskatchewan by carp. Trans. Amer. Fish. Soc. 88(3): 203-205.
- ATTON, F. M., and R. P. JOHNSON. 1955. First records of eight species of fishes in Saskatchewan. Can. Field-Natur. 69(3): 82-84.
- ATZ, J. W. 1940. Reproductive behavior in the eastern johnny darter, *Boleosoma nigrum olmstedi* (Storer). Copeia 1940(2): 100-106.
- AYERS, H. D., H. R. MCCRIMMON, and A. H. BERST. 1963. Construction and management of farm ponds in Ontario. Ont. Dep. Agric. Publ. 515.
- AYRES, W. O. 1854. (Description of new fishes from California). Proc. Calif. Acad. Natur. Sci., 1854-57 (1857), 1: 3-22.
- 1855. (Description of *Petromyzon plumbeus*). Proc. Calif. Acad. Natur. Sci. 1: 28.
- 1860. (On new fishes of the California coast). Proc. Calif. Acad. Sci. 1858-1862 (1863), 2: 52-64.

- BABKIN, B. P., and D. J. BOWIE. 1928. The digestive system and its function in *Fundulus heteroclitus*. Biol. Bull. (Woods Hole) 54(3): 254-277.
- BACKUS, R. H. 1951. New and rare records of fishes from Labrador. Copeia 1951(4): 288-294.
- 1957. The fishes of Labrador. Bull. Amer. Mus. Natur. Hist. 113(4): 273-337.
- BAILEY, J. E. 1952. Life history and ecology of the sculpin *Cottus bairdi punctulatus* in southwestern Montana. Copeia 1952(4): 243-255.
- BAILEY, M. M. 1963. Age, growth, and maturity of round whitefish of the Apostle Islands and Isle Royale regions, Lake Superior. U.S. Fish Wildlife Serv. Fish. Bull. 63(1): 63-75.
- 1964. Age, growth, maturity, and sex composition of the American smelt, *Osmerus mordax* (Mitchill), of western Lake Superior. Trans. Amer. Fish. Soc. 93(3): 382-395.
- BAILEY, R. M. 1938. The fishes of the Merrimack watershed, p. 149-185. In Biological survey of the Merrimack watershed. N. H. Fish Game Dep. Survey Rep. 3.
- 1941. The scientific name of the black crappie. Copeia 1941(1): 21-23.
- 1951. A check-list of the fishes of Iowa, with keys for identification, p. 185-237 + 9 figs. In Iowa Fish and Fishing, by James R. Harlan and Everett B. Speaker. Iowa State Conserv. Comm., Des Moines, Iowa. 237 p.
- 1954. Distribution of the American cyprinid fish *Hybognathus hankinsoni* with comments on its original description. Copeia 1954(4): 289-291.
- 1956. A revised list of the fishes of Iowa with keys for identification, p. 327-377 + 10 figs. In Iowa Fish and Fishing, 3rd ed., by James R. Harlan and Everett B. Speaker. Iowa State Conserv. Comm., Des Moines, Iowa. 377 p.
- 1959. Distribution of the American cyprinid fish *Notropis anogenus*. Copeia 1959(2): 119-123.
- BAILEY, R. M., and M. O. ALLUM. 1962. Fishes of South Dakota. Misc. Publ. Mus. Zool. Univ. Mich. 119: 131 p + 1 pl.
- BAILEY, R. M., and C. E. BOND. 1963. Four new species of freshwater sculpins, genus *Cottus*, from western North America. Occas. Pap. Mus. Zool. Univ. Mich. 634: 27 p.
- BAILEY, R. M., and M. F. DIMICK. 1949. *Cottus hubbsi*, a new cottid fish from the Columbia River system in Washington and Idaho. Occas. Pap. Mus. Zool. Univ. Mich. 513: 18 p.
- BAILEY, R. M., J. E. FITCH, E. S. HERALD, E. A. LACHNER, C. C. LINDSEY, C. R. ROBINS, and W. B. SCOTT. 1970. A list of common and scientific names of fishes from the United States and Canada. 3rd ed. Amer. Fish. Soc. Spec. Publ. 6: 150 p. Ann Arbor, Mich.
- BAILEY, R. M., and C. R. GILBERT. 1960. The American cyprinid fish *Notropis kanawha* identified as an inter-specific hybrid. Copeia 1960(4): 354-357.
- BAILEY, R. M., and H. M. HARRISON, JR. 1948. Food habits of the southern channel catfish (*Ictalurus lacustris punctatus*) in the Des Moines River, Iowa. Trans. Amer. Fish. Soc. 75 (1945): 110-138.
- BAILEY, R. M., and C. L. HUBBS. 1949. The black basses (*Micropterus*) of Florida, with description of a new species. Occas. Pap. Mus. Zool. Univ. Mich. 516: 40 p. + 2 pl.
- BAILEY, R. M., E. A. LACHNER, C. C. LINDSEY, C. R. ROBINS, P. M. ROEDEL, W. B. SCOTT, and L. P. WOODS. 1960. A list of common and scientific names of fishes from the United States and Canada. 2nd ed. Amer. Fish. Soc. Spec. Publ. 2: 102 p. Ann Arbor, Mich.
- BAILEY, R. M., and K. F. LAGLER. 1938. An analysis of hybridization in population of stunted sunfishes in New York. Pap. Mich. Acad. Sci. Arts Lett. 23 (1937): 577-606.
- BAILEY, R. M., H. E. WINN, and C. L. SMITH. 1954. Fishes from the Escambia River, Alabama and Florida, with ecologic and taxonomic notes. Proc. Acad. Natur. Sci. Philadelphia 106: 109-164 + 1 fig.
- BAJKOV, A. 1927. Reports of the Jasper Park Lakes investigation, 1925-26. I. The fishes. Contrib. Can. Biol. Fish. n.s. 3(16): 379-404.
- 1928. A preliminary report on the fishes of the Hudson Bay drainage system. Can. Field-Natur. 42(4): 96-99.
- 1930. Fishing industry and fisheries investigations in the Prairie Provinces. Trans. Amer. Fish. Soc. 60 (1930): 215-237.
- BAKER, F. C. 1916. The relation of mollusks to fish in Oneida Lake. N.Y. Coll. Forestry, Syracuse Univ. Tech. Publ. 4: 1-366 + figs. 1-49.
- BALDWIN, N. S. MS 1948. A study of the speckled trout *Salvelinus fontinalis* (Mitchill) in a pre-Cambrian lake. M.A. Thesis. Univ. Toronto, Toronto, Ont. 53 p. + 1 table.
- 1950. The American smelt, *Osmerus mordax* (Mitchill), of South Bay, Manitoulin Island, Lake Huron. Trans. Amer. Fish. Soc. 78 (1948): 176-180.
- 1957. Food consumption and growth of brook trout at different temperatures. Trans. Amer. Fish. Soc. 86 (1956): 323-328.
- BALDWIN, N. S., and R. W. SAALFELD. 1962. Commercial fish production in the Great Lakes, 1867-1960. Great Lakes Fish. Comm. Tech. Rep. 3: 166 p.
- ĂĂNĂRESCU, P. 1964. Fauna republicii populare Romine, vol. 13. Academia Republicii Populare Romine, Bucuresti. 959 p.

- BANGHAM, R. V. 1940. Parasites of fish of Algonquin Park lakes. Progr. Fish-Cult. Memo. I-131(52): 37.
- 1941. Parasites of fish of Algonquin Park lakes. Trans. Amer. Fish. Soc. 70 (1940): 161-171.
- 1955. Studies on fish parasites of Lake Huron and Manitoulin Island. Amer. Midland Natur. 53(1): 184-194.
- BANGHAM, R. V., and J. R. ADAMS. 1954. A survey of the parasites of freshwater fishes from the mainland of British Columbia. J. Fish. Res. Board Canada 11(6): 673-708.
- BANGHAM, R. V., and G. W. HUNTER III. 1936. Studies of fish parasites of Lake Erie. III. *Microcotyle spinicirrus* MacCallum (1918) char. emend. and *M. eriensis* sp.nov. Trans. Amer. Microsc. Soc. 55(3): 334-339.
- 1939. Studies on fish parasites of Lake Erie. Distribution studies. Zoologica 24(4); pt. 27: 385-448.
- BANGHAM, R. V., and C. E. VENARD. 1946. Parasites of fish of Algonquin Park lakes. Univ. Toronto Stud. Biol. Ser. 53, Publ. Ont. Fish. Res. Lab. 65: 33-46.
- BARDACH, J. E., J. H. TODD, and R. CRICKMER. 1967. Orientation by taste in fish of the genus *Ictalurus*. Science 155(3767): 1276-1278.
- BARDACK, D., and R. ZANGERL. 1968. First fossil lamprey: a record from the Pennsylvanian of Illinois. Science 162(3859): 1265-1267.
- BARNEY, R. L. 1926. The distribution of the fresh-water sheepshead, *Aplodonotus grunniens* Rafinesque, in respect to the glacial history of North America. Ecology 7(3): 351-364.
- BARRACLOUGH, W. E. 1964. Contribution to the marine life history of the eulachon *Thaleichthys pacificus*. J. Fish. Res. Board Canada 21(5): 1333-1337.
- BATTLE, H. I. 1940. The embryology and larval developments of the goldfish (*Carassius auratus* L.) from Lake Erie. Ohio J. Sci. 40(2): 82-93.
- BATTLE, H. I., and W. M. SPRULES. 1960. A description of the semi-buoyant eggs and early developmental stages of the goldeye, *Hiodon alosoides* (Rafinesque). J. Fish. Res. Board Canada 17(2): 245-265.
- BEAMISH, R. J. MS 1970. Factors affecting the age and size of the white sucker, *Catostomus commersoni*, at maturity. Ph.D. Thesis, Dep. Zool. Univ. Toronto, Toronto, Ont.
- BEAMISH, R. J., and H. H. HARVEY. 1969. Age determination in the white sucker. J. Fish. Res. Board Canada 26(3): 633-638.
- BEAN, T. H. 1879. Fishes collected in Cumberland Gulf and Disko Bay. Bull. U.S. Nat. Mus. 15: 107-138.
- 1880a. Description of an apparently new species of *Gasterosteus* (*G. Atkinsii*) from the Schoodic Lakes, Maine. Proc. U.S. Nat. Mus. (1879) 2: 67-79.
- 1880b. Descriptions of some genera and species of Alaskan fishes. Proc. U.S. Nat. Mus. (1879) 2: 353-359.
- 1882. Descriptions of new fishes from Alaska and Siberia. Proc. U.S. Nat. Mus. (1881) 4: 144-159.
- 1884a. On the occurrence of branch alewife in certain lakes of New York. Fish. and Fish. Ind. of U.S. by G. B. Goode, sec. 1: 588-593.
- 1884b. Notes on a collection of fishes made in 1882 and 1883 by Capt. Henry E. Nichols, U.S.N., in Alaska and British Columbia, with a description of a new genus and species, *Prionistius macellus*. Proc. U.S. Mus. 6(23): 353-367.
- 1887. Description of a supposed new species of char (*Salvelinus aureolus*) from Sunapee Lake, New Hampshire. Proc. U.S. Nat. Mus. 10: 628-630.
- 1889. Description of *Coregonus pusillus*, a new species of whitefish from Alaska. Proc. U.S. Nat. Mus. 11: 526.
- 1891. Kennerly's salmon. Trans. Amer. Fish. Soc. 20 (1891): 41-46.
- 1894a. Life history of the salmon. Bull. U.S. Fish Comm. (1892) 12: 21-38.
- 1894b. Bibliography of the salmon of Alaska and adjacent regions. Bull. U.S. Fish Comm. (1892) 12: 39-49.
- 1903a. The food and game fishes of New York: notes on their common names, distribution, habits and mode of capture. State N.Y. Forest Fish Game Comm. p. 251-460.
- 1903b. Catalogue of the fishes of New York. N.Y. State Mus. Bull. 60: 784 p.
- 1916. Description of a new cisco from Lake Erie. Proc. Biol. Soc. Washington 29: 25-26.
- BECKER, C. D. 1962. A new haemogregarine from the blood of a freshwater fish, *Catostomus macrocheilus* Girard. J. Parasitol. 48(4): 596-600.
- BECKMAN, W. C. 1949. The rate of growth and sex ratio for seven Michigan fishes. Trans. Amer. Fish. Soc. 76 (1946): 63-81.
- BEHNKE, R. J. 1966. Relationships of the far eastern trout, *Salmo mykiss* Walbaum. Copeia 1966(2): 346-348.
- BELDING, D. L. 1939. The number of eggs and pyloric appendages as criteria of river varieties of the Atlantic salmon (*Salmo salar*). Trans. Amer. Fish. Soc. 69 (1939): 285-289.
- BELL, J. M., and C. THOMPSON. 1951. Freshwater fish as an ingredient of mink rations. Fish. Res. Board Canada Bull. 92: 13 p.
- BELL, R. 1880. Report on explorations on the Churchill and Nelson Rivers and around God's and Island Lakes, 1879. Geol. Surv. Can. Progr. Rep. 1878-79, part C. 72 p.

- BENDIRE, C. 1882. Notes on Salmonidae of the upper Columbia. Proc. U.S. Nat. Mus. (1881) 4: 81–87.
- BENNETT, G. W. 1954. Largemouth bass in Ridge Lake, Coles County, Illinois. Ill. Natur. Hist. Surv. Bull. 26(2): 217–275.
- BENSLEY, B. A. 1915. Fishes of Georgian Bay. Contrib. Can. Biol. Sess. Pap. 39b (1911–14): 1–51.
- BERG, L. S. 1909. Ichthyologia amurensis. Mem. Acad. Sci. 8, ser. 24: 1–270. St. Petersburg.
- 1931. A review of the lampreys of the northern hemisphere. Akad. Nauk SSSR Zool. Mus. Ann. 32: 87–116 + 8 pls. Leningrad.
- 1932. Les poissons des eaux douces de l'U.R.S.S. et des pays limitrophes. 3rd ed. L'Inst. Pêches Pisciculture, Leningrad. vol. 1: 543 p. (In Russian)
- 1936. Note on *Coregonus (Prosopium) cylindraceus* (Pallas). Copeia 1936(1): 57–58.
- 1940. Classification of fishes, both recent and fossil. Trav. de l'Inst. Zool. de l'Acad. des Sci. de l'URSS 5(2): 87–517. Repr. 1965, App. Sci. Res. Corp. Thailand. 304 p. (English)
- 1948. Freshwater fishes of the U.S.S.R. and adjacent countries. Akad. Nauk SSSR Zool. Inst., vol. 1, 4th ed. 493 p. + App. (Translation by Israel Program for Scientific Translations, 1962)
- BERRY, F. H. 1955. Food of the mudfish (*Amia calva*) in Lake Newnan, Florida, in relation to its management. Quart. J. Florida Acad. Sci. 18(1): 69–75.
- BERSAMIN, S. V. 1958. A preliminary study of the nutritional ecology and food habits of the chubs (*Leucichthys* spp.) and their relation to the ecology of Lake Michigan. Pap. Mich. Acad. Sci. Arts Lett. 43: 107–118.
- BERTRAND, E. 1893. Observations sur divers modes de reproduction chez les poissons. Bull. Soc. Centr. Aquicult. France 5: 115–119.
- BEVERTON, R. J. H., and S. J. HOLT. 1959. A review of the lifespans and mortality rates of fish in nature, and their relation to growth and other physiological characteristics, p. 142–180. In G. E. W. Wolstenholme and M. O'Connor [ed.], Ciba Foundation Colloquia on Ageing, vol. 5. The lifespan of animals. Little, Brown and Co., Boston. 324 p. + 46 pls.
- BEYERLE, G. B., and E. L. COOPER. 1960. Growth of brown trout in selected Pennsylvania streams. Trans. Amer. Fish. Soc. 89(3): 255–262.
- BICKNELL, E. P., and F. B. DRESSLAR. 1886. A review of the species of the genus *Semotilus*. Proc. Acad. Natur. Sci. Philadelphia (1885): 14–18.
- BIDGOOD, B. F., and A. H. BERST. 1967. Phenotypic characteristics of rainbow trout in the Great Lakes. J. Fish. Res. Board Canada 24(4): 887–892.
- BIGELOW, H. B. 1963. *Salvelinus fontinalis*, p. 525–542. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- BIGELOW, H. B., and W. C. SCHROEDER. 1948. Fishes of the western North Atlantic (lancelets, cyclostomes and sharks). Mem. Sears Found. Mar. Res. 1(1): 576 p.
- 1953. Fishes of the Gulf of Maine. U.S. Fish Wildlife Serv. Fish. Bull. 74, Vol. 53: 577 p.
- 1963. Family Osmeridae. p. 533–597. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- BIGELOW, N. K. 1923. The food of young suckers (*Catostomus commersonii*) in Lake Nipigon. Univ. Toronto Stud. Biol. Ser. 24, Publ. Ont. Fish. Res. Lab. 21: 83–115.
- BILTON, H. T., D. W. JENKINSON, and M. P. SHEPARD. 1964. A key to five species of Pacific salmon (genus *Oncorhynchus*) based on scale characters. J. Fish. Res. Board Canada 21(5): 1267–1288.
- BILTON, T. H., and M. P. SHEPARD. 1955. The sports fishery for cut-throat trout at Lakelse Lake, British Columbia. Fish. Res. Board Canada Progr. Rep. Pac. 104: 38–42.
- BIRMAN, I. B. 1950. Parasitism of salmon of the genus *Oncorhynchus* by the Pacific lamprey. Izvestia TINRO 32: 158–160. (Fish. Res. Board Canada Translation 290, 1960)
- BISHOP, F. G. 1971. Observations on spawning habits and fecundity of Arctic grayling. Progr. Fish-Cult. 33(1): 12–19.
- BISHOP, S. C. 1946. An alleged new species of muskellunge. Copeia 1946(1): 43.
- BISSETT, E. D. R. 1927. Fresh-water fish of Manitoba. Can. Field-Natur. 41(6): 127–128.
- BJORN, E. E. 1940. Preliminary observations and experimental study of the ling, *Lota maculosa*, in Wyoming. Trans. Amer. Fish. Soc. 69 (1939): 192–196.
- BLACK, E. C. 1953. Upper lethal temperatures of some British Columbia freshwater fishes. J. Fish. Res. Board Canada 10(4): 196–210.
- BLACK, J. D. 1945. Natural history of the northern mimic shiner, *Notropis volucellus volucellus* Cope. Invest. Indiana Lakes Streams 2(18): 449–469.
- BLACK, R. D. 1934. Charles Fothergill's notes on the natural history of eastern Canada, 1816–1837. Trans. Roy. Can. Inst. 20(1): 141–168.
- BLACK, V. S. 1945. Gas exchange in the swimbladder of the mudminnow. Proc. Nova Scotian Inst. Sci. 21 (1 and 2): 1–22.
- BLACKETT, R. F. 1962. Some phases in the life history of the Alaskan blackfish, *Dallia pectoralis*. Copeia 1962(1): 124–130.

- 1968. Spawning behavior, fecundity and early life history of anadromous Dolly Varden in southeastern Alaska. Alaska Dep. Fish Game Res. Rep. 6: 85 p.
- BLEAKNEY, S. 1954. Food habits of lake trout from Squaw Lake, northern Quebec. Can. Field-Natur. 68(2): 94.
- BODOLA, A. 1966. Life history of the gizzard shad, *Dorosoma cepedianum* (LeSueur), in western Lake Erie. U.S. Fish Wildlife Serv. Fish. Bull. 65(2): 391-425.
- BONN, E. W. 1953. The food and growth rate of young white bass (*Morone chrysops*) in Lake Texoma. Trans. Amer. Fish. Soc. 82 (1952): 213-221.
- BOOKE, H. E. 1968. Cytotaxonomic studies of the coregonine fishes of the Great Lakes, USA: DNA and karyotype analysis. J. Fish. Res. Board Canada 25(8): 1667-1687.
- BOULVA, J., and A. SIMARD. 1968. Présence du *Salvelinus namaycush* (Pisces: Salmonidae) dans les eaux marines de l'Arctique occidental canadien. J. Fish. Res. Board Canada 25(7): 1501-1504.
- BOWEN, E. S. 1931. The role of the sense organs in aggregations of *Ameiurus melas*. Ecol. Monogr. 1: 1-35.
- 1932. Further studies of the aggregating behavior of *Ameiurus melas*. Biol. Bull. (Woods Hole) 63(2): 258-270.
- BOWMAN, M. L. 1970. Life history of the black redhorse, *Moxostoma duquesnei* (Lesueur), in Missouri. Trans. Amer. Fish. Soc. 99(3): 546-559.
- BOYD, J. W., and N. TOMLINSON. 1965. Myxosporidian parasite from salmon. J. Fish. Res. Board Canada 22(3): 849-850.
- BRANION, H. 1930. The marketing of the ling (burbot). Trans. Amer. Fish. Soc. 60: 199-203.
- BRATZLER, L. J., and M. O. ROBINSON. 1967. Processing Great Lakes chub (*Leucichthys hoyi*). Quart. Bull. Mich. Agric. Exp. Sta. Mich. State Univ. 49(4): 440-444.
- BREDER, C. M., JR. 1928. On the appetite of *Amia calva* (Linnaeus). Copeia (1928)167: 54-56.
- 1936a. "All modern conveniences." A note on the nest architecture of the four-spined stickleback. Bull. N.Y. Zool. Soc. 39(2): 72-76.
- 1936b. I. The reproductive habits of the North American sunfishes (family Centrarchidae). Zoologica 21(1): 1-48 + 1 pl.
- 1940. The nesting behavior of *Eupomotis gibbosus* (Linnaeus) in a small pool. Zoologica 25(3): 353-360 + 2 pls.
- BREDER, C. M., JR., and R. J. NIGRELLI. 1935. The influence of temperature and other factors on the winter aggregations of the sunfish, *Lepomis auritus*, with critical remarks on the social behavior of fishes. Ecology 16(1): 33-47.
- BREDER, C. M., JR., and D. E. ROSEN. 1966. Modes of reproduction in fishes. Natur. Hist. Press, New York, N.Y. 941 p.
- BRETT, J. R. 1952. Temperature tolerance in young Pacific salmon, genus *Oncorhynchus*. J. Fish. Res. Board Canada 9(6): 265-323.
- BRETT, J. R., and D. B. SUTHERLAND. 1965. Respiratory metabolism of pumpkinseed (*Lepomis gibbosus*) in relation to swimming speed. J. Fish. Res. Board Canada 22(2): 405-409.
- BROWN, C. J. D. 1952. Spawning habits and early development of the mountain whitefish, *Prosopium williamsi*, in Montana. Copeia 1952(2): 109-113.
- BROWN, C. J. D., and J. W. MOFFETT. 1942. Observations on the number of eggs and feeding habits of the cisco (*Leucichthys artedi*) in Swains Lake, Jackson County, Michigan. Copeia 1942(3): 149-152.
- BROWN, E. H., JR. 1970. Extreme female predominance in the bloater (*Coregonus hoyi*) of Lake Michigan in the 1960's, p. 501-514. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- BROWN, M. E. 1957a. The physiology of fishes. Vol. 1. Metabolism. Academic Press Inc., New York, N.Y. 447 p.
- 1957b. The physiology of fishes. Vol. 2. Behavior. Academic Press Inc., New York, N.Y. 526 p.
- BRUEMMER, F. 1967. Eeling in Quebec. Can. Audubon 29(1): 11-14.
- BRUMMETT, A. R. 1966. Observations on the eggs and breeding season of *Fundulus heteroclitus* at Beaufort, North Carolina. Copeia 1966(3): 616-620.
- BRYAN, C. F. 1969. Variation in selected meristic characters of some basses, *Micropterus*. Copeia 1969(2): 370-374.
- BRYNILDSON, O. M., V. A. HAKER, and T. A. KLICK. 1963. Brown trout. Its life history, ecology and management. Wis. Conserv. Dep. Publ. 234: 14 p.
- BUCHWALD, D. G. MS 1968. The Arctic lamprey of Great Slave Lake, N.W.T. M.Sc. Thesis. Univ. Alberta, Edmonton, Alta. 84 p.
- BUCHWALD, D. G., and J. R. NURSALL. 1969. *Triaenophorus crassus* in Arctic lampreys of the Northwest Territories, Canada. J. Fish. Res. Board Canada 26(8): 2260-2261.
- BUDD, J. (C.) 1957a. Introduction of the hybrid between the eastern brook trout and lake trout into the Great Lakes. Can. Fish Cult. 20: 25-28.
- 1957b. Movements of tagged whitefish in northern Lake Huron and Georgian Bay. Trans. Amer. Fish. Soc. 86 (1956): 128-134.

- 1959. The use of the hybrid between eastern brook trout and lake trout in fishery management. *Trans. N.E. Wildlife Conf.* 10: 115-116.
- MS 1961. The use of the South Bay creel census in understanding the smallmouth bass fishery and predicting its course. *Ont. Dep. Lands Forests Res. Br. South Bay Mouth*, Ont. 9 p.
- BUDDE, W. 1965. Candling for the detection of *Triaenophorus crassus* cysts in whitefish. *J. Fish. Res. Board Canada* 22(3): 865-867.
- BULKLEY, R. V. 1960. Use of branchiostegal rays to determine age of lake trout, *Salvelinus namaycush* (Walbaum). *Trans. Amer. Fish. Soc.* 89(4): 344-350.
- 1961. Fluctuations in age composition and growth rate of cutthroat trout in Yellowstone Lake. *U.S. Fish Wildlife Serv. Bur. Sport Fish. Wildlife Res. Rep.* 54: 31 p.
- BULLER, F. 1971. Pike. Macdonald, London. 320 p.
- BURDICK, G. E., E. J. HARRIS, H. J. DEAN, T. M. WALKER, J. SKEA, and D. COLBY. 1964. The accumulation of DDT in lake trout and the effect on reproduction. *Trans. Amer. Fish. Soc.* 93(2): 127-136.
- BURNER, C. J. 1951. Characteristics of spawning nests of Columbia River salmon. *U.S. Fish Wildlife Serv. Fish. Bull.* 61, Vol. 52: 97-110.
- BUSS, K. 1957. The controversial kokanee — a salmon for the lakes of northeastern United States. *Pa. Fish Comm. Spec. Purpose Rep.* 13 p.
- 1961. The northern pike. *Pa. Fish Comm. Benner Spring Fish Res. Sta. Spec. Sci. Rep.* 58 p. (Mimeo.)
- 1962. A literature survey of the life history of the redfin and grass pickerels. *Pa. Fish Comm. Benner Spring Fish Res. Sta.* 12 p. (Mimeo.)
- BUSS, K., and J. E. WRIGHT, JR. 1956. Results of species hybridization within the family Salmonidae. *Progr. Fish-Cult.* 18(4): 149-158.
- 1958. Appearance and fertility of trout hybrids. *Trans. Amer. Fish. Soc.* 87 (1957): 172-181.
- BYKOVSKAYA-PAVLOVSKAYA, I. E., et al. 1962. Key to parasites of freshwater fish of the USSR. *Zool. Inst. Acad. Sci. U.S.S.R.* (English transl. TT 64-11040, OTS, Dep. Comm. Washington, D.C. 919 p.)

- CAHN, A. R. 1927. An ecological study of southern Wisconsin fishes. *Ill. Biol. Monogr.* 11(1): 1-151.
- CAMERON, G. S. 1948. An unusual maskinonge from Little Vermilion Lake, Ontario. *Can. J. Res., D*, 26: 223-229.
- CAMPBELL, R. S. MS 1935. A study of the common sucker, *Catostomus commersoni* (Lacépède), of Waskeus Lake. M.A. Thesis. Dep. Biol. Univ. Saskatchewan, Saskatoon, Sask. 48 p.
- CARBINE, W. F. 1939. Observations on the spawning habits of centrarchid fishes in Deep Lake, Oakland County, Michigan. *Trans. 4th N.A. Wildlife Conf.* p. 275-287.
- CARL, G. C. 1936. Food of the coarse-scaled sucker (*Catostomus macrocheilus* Girard). *J. Biol. Board Canada* 3(1): 20-25.
- 1938. A spawning run of brown trout in the Cowichan river system. *Fish. Res. Board Canada Progr. Rep. Pac.* 36: 12-13.
- 1953. Limnobiology of Cowichan Lake, British Columbia. *J. Fish. Res. Board Canada* 9(9): 417-449.
- CARL, G. C., and W. A. CLEMENS. 1948. The fresh-water fishes of British Columbia. *B.C. Prov. Mus. Handb.* 5: 132 p.
- 1953. The fresh-water fishes of British Columbia. 2nd ed. (rev.). *B.C. Prov. Mus. Handb.* 5: 136 p.
- CARL, G. C., W. A. CLEMENS, and C. C. LINDSEY. 1967. The fresh-water fishes of British Columbia. *B.C. Prov. Mus. Handb.* 5: 192 p.
- CARLANDER, K. D. 1941. The darters (Etheostominae) of Minnesota. *Proc. Minn. Acad. Sci.* 9: 41-48.
- 1945. Growth length-weight relationship and population fluctuations of the tullibee, *Leucichthys artedi tullibee* (Richardson), with reference to the commercial fisheries, Lake of the Woods, Minnesota. *Trans. Amer. Fish. Soc.* 73 (1943): 125-136.
- 1950a. Handbook of freshwater fishery biology. Wm. C. Brown Co., Dubuque, Iowa. 281 p.
- 1950b. Growth rate studies of saugers, *Stizostedion canadense canadense* (Smith) and yellow perch, *Perca flavescens* (Mitchill) from Lake of the Woods, Minnesota. *Trans. Amer. Fish. Soc.* 79 (1949): 30-42.
- 1953. Handbook of freshwater fishery biology with the first supplement. Wm. C. Brown Co., Dubuque, Iowa. 430 p.
- 1969. Handbook of freshwater fishery biology. Vol. 1. Life history data on freshwater fishes of the United States and Canada, exclusive of the Perciformes. Iowa State Univ. Press. Ames, Iowa. 752 p.
- CARLSON, D. R. 1967. Fathead minnow, *Pimephales promelas* Rafinesque, in the Des Moines River, Boone County, Iowa, and the Skunk River drainage, Hamilton and Story counties, Iowa. *Iowa State J. Sci.* 41(3): 363-374.
- CARR, M. H. 1942. The breeding habits, embryology and larval development of the large-mouthed black bass in Florida. *Proc. New England Zool. Club* 20: 43-77.
- CARTER, A. H. MS 1940. Life history and ecology of the minnow, *Nothonotus biguttatus* (Kirtland). M.A. Thesis. Univ. Toronto, Toronto, Ont.

- CARTIER, D., and E. MAGNIN. 1967. La croissance en longueur et en poids des *Amia calva* L. de la région de Montréal. Can. J. Zool. 45(5): 797-804.
- CARTWRIGHT, J. W. 1961. Investigation of the rainbow trout of Kootenay Lake, British Columbia, with special reference to the Leardieu River. Brit. Columbia Fish Game Br. Manage. Publ. 7: 46 p.
- CARUFEL, L. H. 1963. Life history of saugers in Garrison Reservoir. J. Wildlife Manage. 27(3): 450-456.
- CASSELMAN, J. M. MS 1967. Age and growth of northern pike, *Esox lucius* Linnaeus, in the upper St. Lawrence River. M.Sc. Thesis. Dep. Zool. Univ. Guelph, Guelph, Ont. 219 p.
- CATING, J. P. 1953. Determining age of Atlantic shad from their scales. U.S. Fish Wildlife Serv. Fish. Bull. 85, Vol. 54: 187-199.
- CATT, J. 1949. Small-mouthed black bass in the waters of New Brunswick and Nova Scotia. Can. Fish Cult. 4(5): 15-18.
- 1950. Some notes on brown trout with particular reference to their status in New Brunswick and Nova Scotia. Can. Fish Cult. 7: 25-27.
- CHADWICK, H. K. 1959. California sturgeon tagging studies. Calif. Fish Game 45(4): 297-301.
- CHAMBERS, K. J. 1963. Lake of the Woods survey. Northern sector — 1963. (Preliminary report.) Ont. Dep. Lands Forests, Maple, Ont. 65 p.
- 1966. Winter angling for Sabaskong crappies. Ont. Fish Wildlife Rev. Dep. Lands Forests 5(1): 3-5.
- CHAPMAN, W. M. 1934. The osteology of the haploimus fish *Noyumbra hubbsi* Schultz with comparative notes on related species. J. Morphol. 56(2): 371-405.
- 1939. Eleven new species and three new genera of oceanic fishes collected by the International Fisheries Commission from the northeastern Pacific. Proc. U.S. Nat. Mus. 86: 501-542.
- CHATWIN, B. M. 1953. Age and size of chum salmon from the Johnstone Strait area. Fish. Res. Board Canada Progr. Rep. Pac. 97: 9-10.
- CHEEK, R. P. 1968. The American shad. U.S. Fish Wildlife Serv. Fish. Leafl. 614: 13 p.
- CHIDESTER, F. E. 1916. A biological study of the more important of the fish enemies of the salt marsh mosquitoes. Bull. N.J. Agric. Exp. Sta. New Brunswick 300: 1-16.
- CHLEBECK, A., and G. L. PHILLIPS. 1969. Hematological study of two buffalofishes, *Ictiobus cyprinellus* and *I. bubalus* (Catostomidae). J. Fish. Res. Board Canada 26(11): 2881-2886.
- CHOQUETTE, L. P. E. 1948. Parasites of freshwater fish. IV. Internal helminths parasitic in speckled trout (*Salvelinus fontinalis* (Mitchill)) in rivers and lakes of the Laurentide Park, Quebec, Canada. Can. J. Res., D, 26: 204-211.
- 1955. The life history of the nematode *Metabronema salvelini* (Fujita, 1920) parasitic in the speckled trout, *Salvelinus fontinalis* (Mitchill), in Quebec. Can. J. Zool. 33(1): 1-4.
- CHRISTIE, W. J. 1960. Variation in vertebral count in F_2 hybrids of *Salvelinus fontinalis* \times *S. namaycush*. Can. Fish Cult. 26: 15-21.
- 1963. Effects of artificial propagation and the weather on recruitment in the Lake Ontario whitefish fishery. J. Fish. Res. Board Canada 20(3): 597-646.
- CLADY, M. D. 1967. Changes in an exploited population of the cisco, *Coregonus artedii* LeSueur. Pap. Mich. Acad. Sci. Arts Lett. 52: 85-99.
- CLEMENS, H. P. 1951a. The food of the burbot, *Lota lota maculosa* (LeSueur) in Lake Erie. Trans. Amer. Fish. Soc. 80 (1950): 56-66.
- 1951b. The growth of the burbot, *Lota lota maculosa* (LeSueur) in Lake Erie. Trans. Amer. Fish. Soc. 80 (1950): 163-173.
- CLEMENS, H. P., and K. E. SNEED. 1957. The spawning behavior of the channel catfish *Ictalurus punctatus*. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 219: 11 p.
- CLEMENS, W. A. 1939. The fishes of Okanagan Lake and nearby waters, p. 27-38. In A biological survey of Okanagan Lake, British Columbia. Fish. Res. Board Canada Bull. 56: 70 p.
- 1953. On some fundamental problems in the biology of Pacific salmon. Trans. Roy. Soc. Canada 47 ser. 3, sec. 5: 1-13.
- CLEMENS, W. A., R. V. BOUGHTON, and J. A. RATTENBURY. 1945. A preliminary report on a fishery survey of Teslin Lake, British Columbia. Rep. Prov. Fish. Dep. for year 1944, Prov. B.C.: M70-M73.
- CLEMENS, W. A., J. R. DYMOND, and N. K. BIGELOW. 1924. Food studies of Lake Nipigon fishes. Univ. Toronto Stud. Biol. Ser. 25, Publ. Ont. Fish. Res. Lab. 25: 101-165.
- CLEMENS, W. A., J. R. DYMOND, N. K. BIGELOW, F. B. ADAMSTONE, and W. J. K. HARKNESS. 1923. The food of Lake Nipigon fishes. Univ. Toronto Stud. 22, Publ. Ont. Fish. Res. Lab. 16: 171-188.
- CLEMENS, W. A., and J. A. MUNRO. 1934. The food of the squawfish. Fish. Res. Board Canada Progr. Rep. Pac. 19: 3-4.
- CLEMENS, W. A., D. S. RAWSON, and J. L. MCUGH. 1939. A biological survey of Okanagan Lake, British Columbia. Fish. Res. Board Canada Bull. 56: 70 p.
- CLEMENS, W. A., and G. V. WILBY. 1946. Fishes of the Pacific coast of Canada. Fish. Res. Board Canada Bull. 68: 368 p.
- 1961. Fishes of the Pacific coast of Canada. 2nd ed. Fish. Res. Board Canada Bull. 68: 443 p.

- CLINTON, DEWITT. 1824. Description of a new species of fish from the Hudson river (*Clupea hudsonia*). Ann. Lyceum Natur. Hist. N.Y. 1: 49–50.
- COBLE, D. W. 1966. Dependence of total annual growth in yellow perch on temperature. J. Fish. Res. Board Canada 23(1): 15–20.
- 1967. Relationship of temperature to total annual growth in adult smallmouth bass. J. Fish. Res. Board Canada 24(1): 87–99.
- COCKERELL, T. D. A. 1909. The nomenclature of the American fishes usually called *Leuciscus* and *Rutilus*. Proc. Biol. Soc. Washington 22: 215–218.
- 1913. Observations on fish scales. Bull. Bur. Fish. (1912) 32 (doc. 779): 117–174 + pls. 32–40.
- COHEN, D. M. 1954. Age and growth studies on two species of whitefishes from Point Barrow, Alaska. Stanford Ichthyol. Bull. 4(3): 168–187.
- COLBY, P. J., and L. T. BROOKE. 1970. Survival and development of lake herring (*Coregonus artedii*) eggs at various incubation temperatures, p. 417–428. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- COLE, C. F. 1965. Additional evidence for separation of *Etheostoma olmstedi* Storer from *Etheostoma nigrum* Rafinesque. Copeia 1965(1): 8–13.
- 1967. A study of the eastern Johnny darter, *Etheostoma olmstedi* Storer (Teleostei, Percidae). Chesapeake Sci. 8(1): 28–51.
- COLLETTE, B. B., and L. W. KNAPP. 1966. Catalog of type specimens of the darters (Pisces, Percidae, Etheostomatini). Proc. U.S. Nat. Mus. 119(3550): 88 p.
- COOK, F. R. 1961. Further records of the eastern blacknose dace in Nova Scotia. Can. Field-Natur. 75(1): 51–52.
- COOPER, A. R. 1915. Contributions to the life history of *Proteocephalus ambloplitis* Leidy. A parasite of the black bass. Contrib. Can. Biol. 1911–1914 (2): 177–194.
- 1918. North American pseudophyllidean cestodes. Ill. Biol. Monogr. 4(4): 291–531.
- COOPER, E. L. 1952. Returns from plantings of legal-sized brook, brown and rainbow trout in the Pigeon River, Otsego County, Michigan. Trans. Amer. Fish. Soc. 82 (1952): 265–280.
- 1953. Growth of brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*) in the Pigeon River, Otsego County, Michigan. Pap. Mich. Acad. Sci. Arts Lett. 38: 151–162.
- 1959. Trout stocking as an aid to fish management. Pennsylvania Agric. Exp. Sta. Bull. 663: 21 p.
- 1970. Growth of cutthroat trout (*Salmo clarki*) in Chef Creek, Vancouver Island, British Columbia. J. Fish. Res. Board Canada 27(11): 2063–2070.
- COOPER, G. P. 1935. Some results of forage fish investigations in Michigan. Trans. Amer. Fish. Soc. 65 (1935): 132–142.
- 1936a. Importance of forage fishes. Proc. First N. Amer. Wildlife Conf. p. 305–310.
- 1936b. Age and growth of the golden shiner (*Notemigonus crysoleucas auratus*) and its suitability for propagation. Pap. Mich. Acad. Sci. Arts Lett. 21: 587–597.
- 1937. Food habits, rate of growth and cannibalism of young largemouth bass (*Aplites salmoides*) in State-operated rearing ponds in Michigan during 1935. Trans. Amer. Fish. Soc. 66 (1936): 242–266.
- 1940. A biological survey of the Rangeley Lakes with special reference to the trout and salmon. Maine Dep. Inland Fish. Game Fish Surv. Rep. 3.
- 1941. A biological survey of lakes and ponds of the Androscoggin and Kennebec River drainage systems in Maine. Maine Dep. Inland Fish. Game Fish. Surv. Rep. 4: 228 p. + 25 pls.
- COOPER, G. P., and R. N. SCHAFER. 1954. Studies on the population of legal-size fish in Whitmore Lake, Washtenaw and Livingstone Counties, Michigan. Trans. N. Amer. Wildlife Conf. 19: 239–258.
- COOTS, M. 1955. The Pacific lamprey, *Entosphenus tridentatus*, above Copco Dam, Siskiyou County, California. Calif. Fish Game 41(1): 118–119.
- COPE, E. D. 1862. (Observations upon certain cyprinoid fish in Pennsylvania.) Proc. Acad. Natur. Sci. Philadelphia (1861): 522–524.
- 1864. Partial catalogue of the cold-blooded vertebrates of Michigan. Pt. I. Proc. Acad. Natur. Sci. Philadelphia 16: 276–285.
- 1865. Partial catalogue of the cold-blooded vertebrates of Michigan. Part II. Proc. Acad. Natur. Sci. Philadelphia 17: 78–88.
- 1869. Synopsis of the Cyprinidae of Pennsylvania. Trans. Amer. Phil. Soc. 13(2): 351–399, 4 pls. + figs.
- 1870. Partial synopsis of the freshwater fishes of North Carolina. Proc. Amer. Phil. Soc. 11: 448–495.
- 1872. Recent reptiles and fishes. Report on the reptiles and fishes obtained by the naturalists of the expedition, p. 432–443. In Part IV: Special Reports of Preliminary Report of the U.S. Geol. Survey of Wyoming and portions of contiguous territories, by F. V. Hayden. 511 p.
- 1873. On the extinct vertebrates of the Eocene of Wyoming, p. 545–649. In United States Geological Survey Territories embracing portions of Montana, Idaho, Wyoming and Utah; being a report of progress of the explorations for the year 1872 (Hayden) Sixth Ann. Rep. xi + 844 p.

- COPE, O. B. 1964. Revised bibliography on the cutthroat trout. U.S. Fish Wildlife Serv. Bur. Sport Fish. Wildlife Res. Rep. 65: 43 p.
- COX, PHILIP. 1893. Observations on the distribution and habits of some New Brunswick fishes. Bull. Natur. Hist. Soc. New Brunswick 3(2): 33–42.
- 1896a. History and present state of the ichthyology of New Brunswick. Bull. Natur. Hist. Soc. New Brunswick 13: 27–61.
- 1896b. Catalogue of the marine and freshwater fishes of New Brunswick. Bull. Natur. Hist. Soc. New Brunswick 13: 62–75.
- 1899. Fresh water fishes and batrachia of the Peninsula of Gaspé, P.Q., and their distribution in the Maritime Provinces of Canada. Trans. Roy. Soc. Canada ser. 2, 5, sec. 4: 141–154.
- 1901. Cyprinidae of eastern Canada. Proc. Natur. Hist. Assoc. Miramichi 2: 36–45. World Press, Chatham, N.B.
- 1921. A cyprinid new to science. Can. Field-Natur. 35(4): 66–67.
- 1922. Results of the Hudson Bay Expedition, 1920. II. The Gasterosteidae. Contrib. Can. Biol. (1921) 10: 149–153.
- 1923. A new stickleback from the west coast of Newfoundland. Can. Field-Natur. 37(8): 147–148.
- 1924. New and rare records of certain freshwater fishes in Canada. Can. Field-Natur. 38(5): 85–86.
- COX, U. O. 1896. A report upon the fishes of southwestern Minnesota. Rep. U.S. Fish Comm. (1894) 20: 605–616.
- 1897. A preliminary report on the fishes of Minnesota. Geol. Natur. Hist. Surv. Minn., (Zool.) 3: i–x, 1–93, 1 pl.
- COYLE, E. E. 1930. The algal food of *Pimephales promelas* (fathead minnow). Ohio J. Sci. 30(1): 23–35.
- CREASER, C. W. 1925. The establishment of the Atlantic smelt in the upper waters of the Great Lakes. Pap. Mich. Acad. Sci. Arts Lett. 5: 405–423, fig. 25, pls. 24–27.
- 1927. The food of the yearling smelt from Michigan. Pap. Mich. Acad. Sci. Arts Lett. 10: 427–431.
- CREASER, C. W., and C. S. HANN. 1929. The food of larval lampreys. Pap. Mich. Acad. Sci. Arts Lett. 10: 433–437.
- CREASER, C. W., and C. L. HUBBS. 1922. A revision of the holarctic lampreys. Occas. Pap. Mus. Zool. Univ. Mich. 120: 14 p. + 1 pl.
- CROSS, F. B. 1967. Handbook of fishes of Kansas. Univ. Kansas Mus. Natur. Hist. Misc. Publ. 45: 357 p.
- CROSSMAN, E. J. 1959a. Distribution and movements of a predator, the rainbow trout, and its prey, the redside shiner, in Paul Lake, British Columbia. J. Fish. Res. Board Canada 16(3): 247–267.
- 1959b. A predator-prey interaction in freshwater fish. J. Fish. Res. Board Canada 16(3): 269–281.
- 1960. Variation in number and asymmetry in branchiostegal rays in the family Esocidae. Can. J. Zool. 38(2): 363–375.
- 1962a. The grass pickerel, *Esox americanus vermiculatus* LeSueur, in Canada. Roy. Ont. Mus. Univ. Toronto, Life Sci. Div. Contrib. 55: 29 p.
- 1962b. Predator-prey relationships in pikes (Esocidae). J. Fish. Res. Board Canada 19(5): 979–980.
- 1962c. The redfin pickerel, *Esox a. americanus* in North Carolina. Copeia 1962(1): 114–123.
- 1962d. Black spot parasite in fishes. Inform. Leafl. Dep. Ichth. Herpetol. Roy. Ont. Mus. April. 4 p. + refs.
- 1962e. A colour mutant of the yellow perch from Lake Erie. Can. Field-Natur. 76(4): 224–225.
- 1966. A taxonomic study of *Esox americanus* and its subspecies in eastern North America. Copeia 1966(1): 1–20.
- CROSSMAN, E. J., and K. BUSS. 1965. Hybridization in the family Esocidae. J. Fish. Res. Board Canada 22(5): 1261–1292.
- 1966. Artificial hybrid between kokanee (*Oncorhynchus nerka*) and brook trout (*Salvelinus fontinalis*). Copeia 1966(2): 357–359.
- CROSSMAN, E. J., and R. G. FERGUSON. 1963. The first record from Canada of *Minytrema melanops*, the spotted sucker. Copeia 1963(1): 186–187.
- CROSSMAN, E. J., and P. A. LARKIN. 1959. Yearling liberations and change of food as effecting rainbow trout yield in Paul Lake, British Columbia. Trans. Amer. Fish. Soc. 88 (1959): 36–44.
- CROWE, W. R. 1962. Homing behavior in walleyes. Trans. Amer. Fish. Soc. 91(4): 350–354.
- CUCIN, D., and H. A. REGIER. 1965. Dynamics and exploitation of lake whitefish in southern Georgian Bay. J. Fish. Res. Board Canada 23(2): 221–274.
- CUERRIER, J.-P. 1943. Résultats de l'étiquetage d'achigans pratiqué dans la Rivière Châteauguay, à Châteauguay, Québec, depuis 1941. Rev. Can. Biol. 2(5): 545–548.
- 1947. *Esox americanus* in Quebec. Copeia 1947(1): 62.
- 1949. L'esturgeon de lac: âge croissance, maturité. Chasse et Pêche (6).
- CUERRIER, J.-P., F. E. J. FRY, et G. PREFONTAINE. 1946. Liste préliminaire des poissons de la région de Montréal et du Lac Saint-Pierre. Natur. Can. 73: 17–32.

- CUERRIER, J.-P., and F. H. SCHULTZ. 1957. Studies of lake trout and common whitefish in Waterton Lakes, Waterton Lakes National Park, Alberta. Wildlife Manage. Bull. (Ottawa) ser. 3, 5: 1-41.
- CURRAN, H. W., J. BARDACH, R. J. BOWMAN, and H. G. LAWLER. 1947. A biological survey of Lake Opinicon. Progr. Rep. Queen's Univ. Biol. Sta. Chaffey's Lock, Ont. 48 p.
- CUVIER, G. A., and M. A. VALENCIENNES. 1828-1849. Histoire naturelle des poissons. Levraut, Strasborg. 22 vol. Paris.
- CUVIER, G. L. C. F. D. 1834. The animal kingdom arranged in conformity with its organization, with supplementary additions to each order, by Edward Griffith. Vol. 10. The class Pisces arranged by the Baron Cuvier with supplementary additions, by Edward Griffith and Charles Hamilton Smith. Whittaker & Co. London. i-viii + 680 p.
- DAIBER, F. C. 1952. The food and feeding relationships of the freshwater drum, *Aplodinotus grunniens* Rafinesque in western Lake Erie. Ohio J. Sci. 52(1): 35-46.
- 1953. Notes on the spawning population of the freshwater drum (*Aplodinotus grunniens* Rafinesque) in western Lake Erie. Amer. Midland Natur. 50(1): 159-171.
- 1956. A comparative analysis of the winter feeding habits of two benthic stream fishes. Copeia 1956(3): 141-151.
- DALL, W. H. 1870. Alaska and its resources. Boston, Mass. 628 p.
- (DALL, W. H.) 1871. The food fishes of Alaska. Rep. U.S. Comm. Agric. for 1870: 375-392. (No author's name with paper, but credited to Dall by editor on p. 154.)
- DARNELL, R. M., and R. R. MEIEROTTO. 1965. Diurnal periodicity in the black bullhead, *Ictalurus melas* (Rafinesque). Trans. Amer. Fish. Soc. 94(1): 1-8.
- DAVIDSON, F. A., and S. J. HUTCHINSON. 1938. The geographic distribution and environmental limitations^a of the Pacific salmon (genus *Oncorhynchus*). Bull. Bur. Fish. 48(26): 667-692.
- DAVIDSON, V. M. MS 1949. Fish (salmon) management. Fish. Res. Board Canada. MS Rep. Biol. Sta. 401: 15-20.
- MS 1950. Fish (salmon) management. Fish. Res. Board Canada. MS Rep. Biol. Sta. 427: 30-39.
- MS 1951. Fish (salmon) management. Fish. Res. Board Canada. MS Rep. Biol. Sta. 498: 74-79.
- DAVIS, B. J., and R. J. MILLER. 1967. Brain patterns in minnows of the genus *Hybopsis* in relation to feeding habits and habitat. Copeia 1967(1): 1-39.
- DAVIS, C. C. 1959. A planktonic fish egg from fresh water. Limnol. Oceanogr. 4(3): 352-355.
- DAVIS, H. S. 1953. Culture and diseases of game fishes. Univ. Calif. Press, Berkeley and Los Angeles, Calif. 332 p.
- DAVIS, W. S. 1957. Ova production of American shad in Atlantic coast rivers. U.S. Fish Wildlife Serv. Res. Rep. 49: 5 p.
- DAWSON, J. W. 1859. On a new species of stickleback (*Gasterosteus gymnetes*). Can. Natur. Geol. 4(5), art. 24: 321-324.
- DAY, FRANCIS. 1880-1884. The fishes of Great Britain and Ireland. Vol. 2. Williams and Norgate, London. 388 p. + pls.
- DEAN, B., and F. B. SUMNER. 1897. Notes on the spawning habits of the brook lamprey (*Petromyzon wilderi*). Trans. N.Y. Acad. Sci. 16(2): 321-324.
- DEASON, H. J. 1939. The distribution of cottid fishes in Lake Michigan. Pap. Mich. Acad. Sci. Arts Lett. 24(2): 105-115.
- DEASON, H. J., and R. HILE. 1947. Age and growth of the kiyi, *Leucichthys kiyi* Koelz, in Lake Michigan. Trans. Amer. Fish. Soc. 74 (1944): 88-142.
- DECHTIAR, A. O. 1965. Preliminary observations on *Glugea hertwigi*, Weissenberg, 1911 (Microsporidia; Glugeidae) in American smelt, *Osmerus mordax* (Mitchill) from Lake Erie. Can. Fish Cult. 34: 35-38.
- 1966a. A new species of *Phyllodistomum* (Trematoda: Gorgoderidae) from *Coregonus clupeaformis* (Mitchill) from Lake of the Woods (Ontario). Can. J. Zool. 44(1): 135-140.
- 1966b. A new species of monogenetic trematode, *Ostomacrum semotili*, from the creek chub, *Semotilus atromaculatus* (Mitchill) from Algonquin Park lakes. Can. J. Zool. 44(5): 821-824.
- 1967a. *Neoechinorhynchus notemigoni* n.sp. (Acanthocephala: Neoechinorhynchidae) from golden shiner of Lake Ontario. Can. J. Zool. 45(2): 155-159.
- 1967b. *Neodiscocotyle carpiodi* n.gen., n.sp., monogenetic trematode (Discocotylidae: Neodiscocotylinae subfam. n.) from the gills of the quillback, *Carpoides cyprinus* (Le Sueur) of Lake Erie. Can. J. Zool. 45(4): 473-478.
- 1968. *Neoechinorhynchus carpiodi* n.sp. (Acanthocephala: Neoechinorhynchidae) from quillback of Lake Erie. Can. J. Zool. 46(2): 201-204.
- 1969. Two new species of monogenetic trematodes (Trematoda: Monogenea) from nasal cavities of catostomid fishes. J. Fish. Res. Board Canada 26(4): 865-869.
- DECHTIAR, A. O., and K. H. LOFTUS. 1965. Two new hosts for *Cyathocephalus truncatus* (Pallas, 1781) (Cestoda: Cyathocephalidae) in Lake Huron. Can. J. Zool. 43(2): 407-408.

- DEKAY, J. E. 1842. Natural history of New York. Part I. Zoology. Reptiles and fishes. Part 4 — Fishes. Appleton and Co., and Wilby and Putnam, Albany, N.Y. 415 p.
- DELACY, A. C., and W. M. MORTON. 1943. Taxonomy and habits of the charrs, *Salvelinus malma* and *Salvelinus alpinus*, of the Karluk drainage system. Trans. Amer. Fish. Soc. 72 (1942): 79–82.
- DELISLE, C. 1969. Bimonthly progress of a non-lethal infection by *Glugea hertwigi* in young-of-the-year smelt, *Osmerus eperlanus mordax*. Can. J. Zool. 47(5): 871–876.
- DELISLE, C., and W. VAN VLIET. 1968. First records of the sculpins *Myoxocephalus thompsonii* and *Cottus ricei* from the Ottawa Valley, southwestern Quebec. J. Fish. Res. Board Canada 25(12): 2733–2737.
- DELISLE, C., and C. VEILLEUX. 1969. Répartition géographique de l'éperlan arc-en-ceil *Osmerus eperlanus mordax* et de *Glugea hertwigi* (Sporozoa: Microsporidia) en eau douce, au Québec. Natur. Can. 96: 337–358.
- DENCE, W. A. 1948. Life history, ecology and habits of the dwarf sucker, *Catostomus commersonii utawana* Mather, at the Huntington Wildlife Station. Roosevelt Wildlife Bull. 8(4): 81–150.
- 1952. Establishment of white perch, *Morone americana*, in central New York. Copeia 1952(3): 200–201.
- 1958. Studies on *Ligula*-infected common shiners (*Notropis cornutus frontalis* Agassiz) in the Adirondacks. J. Parasitol. 44(3): 334–338.
- DENNY, M. 1938. The lateral-line system of the teleost, *Fundulus heteroclitus*. J. Comp. Neurol. 68(1): 49–65.
- DE ROTH, G. C. 1963. Age and growth studies of channel catfish in western Lake Erie. J. Wildlife Manage. 29(2): 280–286.
- DESROCHER, J. E. 1904. Poisson-castor. Natur. Can. 11: 38.
- DIMICK, R. E., and D. C. MOTE. 1934. A preliminary survey of the food of Oregon trout. Oregon State Coll. Agric. Exp. Sta. Bull. 323: 23 p.
- DISLER, N. N. 1953. Ecological and morphological characteristics of the development of the Amur autumn chum salmon — *Oncorhynchus keta* Walbaum. Akad. Nauk SSSR, Ikhtiol. Kom. Trudy Sov. 1: 354–362.
- DOAN, K. H. 1938. Observations on dogfish (*Amia calva*) and their young. Copeia 1938(4): 204.
- 1939. Growth of bass fry. Copeia 1939(2): 81–87.
- 1940. Studies of the smallmouth bass. J. Wildlife Manage. 4(3): 241–266.
- 1941. Relation of sauger catch to turbidity in Lake Erie. Ohio J. Sci. 41(6): 449–452.
- DOBIE, J. 1959. Note on food of northern log perch. Trans. Amer. Fish. Soc. 88(3): 213.
- DOBIE, J., O. L. MEEHEAN, S. F. SNIESZKO, and G. N. WASHBURN. 1956. Raising bait fishes. U.S. Fish Wild-life Serv. Circ. 35: 123 p.
- DOBIE, J. R., O. L. MEEHEAN, and G. N. WASHBURN. 1948. Propagation of minnows and other bait species. U.S. Fish Wildlife Serv. Circ. 12: 113 p.
- DODGE, D. P., and H. R. MACCRIMMON. 1970. Vital statistics of a population of Great Lakes rainbow trout (*Salmo gairdneri*) characterized by an extended spawning season. J. Fish. Res. Board Canada 27(3): 613–618.
- DOMBROSKI, E. 1955. Cestode and nematode infection of sockeye smolts from Babine Lake, British Columbia. J. Fish. Res. Board Canada 12(1): 93–96.
- DRESEL, H. G. 1884. Notes on some Greenland fishes. Proc. U.S. Nat. Mus. 7: 244–258.
- DRIVER, E. A., and E. T. GARSIDE. 1966. Meristic numbers of yellow perch in saline lakes in Manitoba. J. Fish. Res. Board Canada 23(11): 1815–1817.
- DRYER, W. R. 1963. Age and growth of the whitefish in Lake Superior. U.S. Fish Wildlife Serv. Fish. Bull. 63(1): 77–95.
- 1966. Bathymetric distribution of fish in the Apostle Islands region, Lake Superior. Trans. Amer. Fish. Soc. 95(3): 248–259.
- DRYER, W. R., and J. BEIL. 1964. Life history of lake herring in Lake Superior. U.S. Fish Wildlife Serv. Fish. Bull. 63(3): 493–530.
- 1968. Growth changes of the bloater (*Coregonus hoyi*) of the Apostle Islands region of Lake Superior. Trans. Amer. Fish. Soc. 97(2): 146–158.
- DRYER, W. R., L. F. ERKKILA, and C. L. TETZLOFF. 1965. Food of lake trout in Lake Superior. Trans. Amer. Fish. Soc. 94(2): 169–176.
- DRYFOOS, R. L. 1961. Four range extensions of fishes from the northeastern Pacific. Copeia 1961(4): 476–477.
- DUBOIS, A., and R. LAGUEUX. 1968. Etude comparée de l'âge scalaire et de l'âge otolithique de la touladi (*Salvelinus namaycush*), Lac Mistassini, Québec. Natur. Can. 95(4): 907–928.
- DUMÉRIL, AUGUST. 1870. Histoire naturelle des poissons ou ichthyologie générale 2: 624 p.
- DUNBAR, M. J., and H. H. HILDEBRAND. 1952. Contribution to the study of the fishes of Ungava Bay. J. Fish. Res. Board Canada 9(2): 83–128.
- D'URBAN, W. S. M. 1859. Observations on the natural history of the valley of the River Rouge, and surrounding townships in the counties of Argenteuil and Ottawa. Can. Natur. Geol. 4: 252–276.
- DYMOND, J. R. 1922. A provisional list of the fishes of Lake Erie. Univ. Toronto Stud. Biol. Ser. 20, Publ. Ont. Fish. Res. Lab. 4: 57–73.
- 1926. The fishes of Lake Nipigon. Univ. Toronto Stud. Biol. Ser. 27, Publ. Ont. Fish. Res. Lab. 27: 1–108.

- 1928a. A description of *Leucichthys tullibee* (Richardson) based on six specimens from the type locality. Univ. Toronto Stud. Biol. Ser. 31, Publ. Ont. Fish. Res. Lab. 31: 1-6.
- 1928b. Some factors affecting the production of lake trout (*Cristivomer namaycush*) in Lake Ontario. Univ. Toronto Stud. Biol. Ser. 31, Publ. Ont. Fish. Res. Lab. 33: 27-41.
- 1931a. The small-mouthed black bass and its conservation. Ont. Dep. Game Fish., Biol. Fish Cult. Br. Bull. 2: 10 p.
- 1931b. Description of two new forms of British Columbia trout. Contrib. Can. Biol. Fish. n.s. 6(16): 393-395.
- 1932a. Records of the alewife and steelhead (rainbow) trout from Lake Erie. Copeia (1932)1: 32-33.
- 1932b. Blue perch. Copeia 1932(4): 182.
- 1932c. The trout and other game fishes of British Columbia. Dep. Fish. Ottawa, Ont. 51 p.
- 1933. The coregonine fishes of Hudson and James bays. In Biological and oceanographic conditions in Hudson Bay. Contrib. Can. Biol. Fish. 8(1) (Ser. A, Gen. 28): 1-12.
- 1936. Some fresh-water fishes of British Columbia. Rep. Comm. Fish. for British Columbia (1935). Contrib. Roy. Ont. Mus. Zool. 9: L60-L73.
- 1937. New records of Ontario fishes. Copeia (1937)1: 59.
- 1939. The fishes of the Ottawa region. Contrib. Roy. Ont. Mus. Zool. 15: 1-43.
- 1943. The coregonine fishes of northwestern Canada. Trans. Roy. Can. Inst. 24(2): 171-231.
- 1944a. Spread of the smelt (*Osmerus mordax*) in the Canadian waters of the Great Lakes. Can. Field-Natur. 58(1): 12-14.
- 1944b. Distribution of the cyprinid fishes, *N. deliciosus* and *N. volucellus* in Ontario. Can. Field-Natur. 58(6): 195.
- 1947. A list of the freshwater fishes of Canada east of the Rocky Mountains, with keys. Roy. Ont. Mus. Zool. Misc. Publ. 1: 36 p.
- 1955. The introduction of foreign fishes into Canada. Proc. Int. Assoc. Theor. Appl. Limnol. 12: 543-553.
- 1957. Artificial propagation in the management of Great Lakes fisheries. Trans. Amer. Fish. Soc. 86 (1956): 384-392.
- 1963. Family Salmonidae, p. 457-502. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- 1964. A history of ichthyology in Canada. Copeia 1964(1): 2-33.
- DYMOND, J. R., and J. L. HART. 1927. The fishes of Lake Abitibi (Ontario) and adjacent waters. Univ. Toronto Stud. Biol. Ser., Publ. Ont. Fish. Res. Lab. 28: 1-19.
- DYMOND, J. R., J. L. HART, and A. L. PRITCHARD. 1929. The fishes of the Canadian waters of Lake Ontario. Univ. Toronto Stud. Biol. Ser. 33, Publ. Ont. Fish. Res. Lab. 37: 1-35.
- DYMOND, J. R., and A. L. PRITCHARD. 1930. Some ciscoes or lake herrings of western Canada. Contrib. Can. Biol. Fish. n.s. 5(17): 467-474.
- DYMOND, J. R., and W. B. SCOTT. 1941. Fishes of Patricia Portion of the Kenora District, Ontario. Copeia 1941(4): 243-245.
- DYMOND, J. R., and V. D. VLADYKOV. 1934. The distribution and relationship of the salmonoid fishes of North America and North Asia. Proc. 5th Pac. Sci. Congress 5: 3741-3750.

- EALES, J. G. 1968. The eel fisheries of eastern Canada. Fish. Res. Board Canada Bull. 166: 79 p.
- EDDY, S., and T. SURBER. 1960. Northern fishes with special reference to the upper Mississippi Valley. Rev. ed. Charles T. Branford Co., Mass. 276 p.
- EDSALL, T. A. 1960. Age and growth of the whitefish, *Coregonus clupeaformis*, of Munising Bay, Lake Superior. Trans. Amer. Fish. Soc. 89(4): 323-332.
- 1967. Biology of the freshwater drum in western Lake Erie. Ohio J. Sci. 67(6): 321-340.
- EDSALL, T. A., and P. J. COLBY. 1970. Temperature tolerance of young-of-the-year cisco, *Coregonus artedii*. Trans. Amer. Fish. Soc. 99(3): 526-531.
- EDE, V. 1939. A revision of the genus *Anguilla* Shaw. A systematic, phylogenetic and geographical study. Dana-Report 16: 256 p. + 53 figs. and charts, + 6 pls.
- EHRENBAUM, E. 1894. Beiträge zur Naturgeschichte einiger Elbfische (*Osmerus eperlanus* L., *Clupea finta* Cuv., *Acerina cernua* L., *Acipenser sturio* L.). Beilage zu den "Mittheilungen des deutschen Seefischereivereins," Nr. 10: 49 p. + 4 pls. Berlin.
- EIGENMANN, C. H. 1895. Results of explorations in western Canada and the northwestern United States. Bull. U.S. Fish Comm. (1894) 14: 101-132.
- EIGENMANN, C. H., and R. S. EIGENMANN. 1892. New fishes from western Canada. Amer. Natur. 26: 961-964.
- 1893a. Preliminary descriptions of new fishes from the Northwest. Amer. Natur. 27: 151-154.
- 1893b. Scientific news. Amer. Natur. 27(318): 592.
- EIGENMANN, C. R., and C. H. KENNEDY. 1902. The leptocephalus of the American eel and other American *Leptocephali*. Bull. U.S. Fish Comm. (1901) 21: 81-92.

- EIPPER, A. W. 1964. Growth, mortality rates, and standing crops of trout in New York farm ponds. Cornell Exp. Sta. Memoir 388: 67 p.
- ELLIS, D. V., and M. A. GILES. 1965. The spawning behavior of the walleye, *Stizostedion vitreum* (Mitchill). Trans. Amer. Fish. Soc. 94(4): 358-362.
- ELLIS, M. M., and G. C. ROE. 1917. Destruction of log perch eggs by suckers. Copeia 1917(47): 69-71.
- EMERY, A. R. 1970. Fish and crayfish mortalities due to an internal seiche in Georgian Bay, Lake Huron. J. Fish. Res. Board Canada 27(6): 1165-1168.
- EMIG, J. W. 1966. Brown bullhead, p. 463-475. In Inland Fisheries Management. Calif. Dep. Fish Game Resources Agency.
- ENGLISH, T. S. 1952. A method of sectioning carp spines for growth studies. Progr. Fish-Cult. 14(1): 36.
- ESCHMEYER, P. H. 1955. The reproduction of lake trout in southern Lake Superior. Trans. Amer. Fish. Soc. 84 (1954): 47-74.
- ESCHMEYER, P. H., and R. M. BAILEY. 1955. The pygmy whitefish, *Coregonus coulteri*, in Lake Superior. Trans. Amer. Fish. Soc. 84 (1954): 161-199.
- ESCHMEYER, P. H., and A. M. PHILLIPS, JR. 1965. Fat content of the flesh of siscowets and lake trout from Lake Superior. Trans. Amer. Fish. Soc. 94(1): 62-74.
- EVANS, H. E. 1952. The correlation of brain pattern and feeding habits in four species of cyprinid fishes. J. Compar. Neurol. 97(1): 133-142.
- EVANS, H. E., and E. E. DEUBLER, JR. 1955. Pharyngeal tooth replacement in *Semotilus atromaculatus* and *Clinostomus elongatus*, two species of cyprinid fishes. Copeia 1955(1): 31-41.
- EVERHART, W. H. 1958. Fishes of Maine. Maine Dep. Inland Fish. Game: 1-94.
- EVERHART, W. H., and C. A. WATERS. 1965. Life history of the blueback trout (Arctic char, *Salvelinus alpinus* (Linnaeus)) in Maine. Trans. Amer. Fish. Soc. 94(4): 393-397.
- EVERMANN, B. W. 1893. A reconnaissance of the streams and lakes of western Montana and northwestern Wyoming. Bull. U.S. Fish Comm. (1891) 11: 3-60.
- EVERMANN, B. W., and H. W. CLARK. 1920. Lake Maxinkuckee: a physical and biological survey. Indiana Dep. Conserv. 1: 1-660.
- EVERMANN, B. W., and T. D. COCKERELL. 1909. Descriptions of three new species of cyprinoid fishes. Proc. Biol. Soc. Washington 22: 185-188.
- EVERMANN, B. W., and U. O. COX. 1896. Report upon the fishes of the Missouri river basin. Rep. U.S. Fish Comm. (1894) 20: 325-429.
- EVERMANN, B. W., and E. L. GOLDSBOROUGH. 1907a. A check list of the freshwater fishes of Canada. Proc. Biol. Soc. Washington 20: 89-119.
- 1907b. The fishes of Alaska. Bull. Bur. Fish. (1906) 26: 219-360.
- EVERMANN, B. W., and W. C. KENDALL. 1901. Notes on the fishes of Lake Ontario. N.Y. Forest Fish Game Comm. Ann. Rep. (1900): 479-488.
- 1902. Notes on the fishes of Lake Ontario. Rep. U.S. Comm. Fish (1901) 27: 209-216.
- EVERMANN, B. W., and H. B. LATIMER. 1910. The fishes of the Lake of the Woods and connecting waters. Proc. U.S. Nat. Mus. 39: 121-136.
- EVERMANN, B. W., and H. M. SMITH. 1896. The whitefishes of North America. Rep. U.S. Fish Comm. (1894) 20: 283-324 + 18 pls.
- EWERS, L. A. 1933. Summary report of Crustacea used as food by the fishes of the western end of Lake Erie. Trans. Amer. Fish. Soc. 63 (1933): 379-390.
- ECLESHYMER, A. C. 1901. Observations on the breeding habits of *Ameiurus nebulosus*. Amer. Natur. 35(419): 911-918.
- FABER, D. J. 1970. Ecological observations on newly hatched lake whitefish in South Bay, Lake Huron, p. 481-500. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- FABRICIUS, E., and K.-J. GUSTAFSON. 1954. Further aquarium observations on the spawning behaviour of the char, *Salmo alpinus* L. Rep. Inst. Freshwater Res. Drottningholm 35: 58-104.
- FABRICIUS, O. F. 1780. Fishes, p. 125-183. In Fauna Groenlandica. Copenhagen and Leipzig. 452 p.
- FAHY, W. E. 1954. The life history of the northern greenside darter, *Etheostoma blennioides blennioides* Rafinesque. J. Elisha Mitchell Sci. Soc. 70: 139-205.
- FALLIS, B. W. MS 1970. The ecology of an exotic population of kokanee *Oncorhynchus nerka* (Walbaum) in Boulter Lake, Ontario. M.Sc. Thesis. Dep. Zool. Univ. Toronto, Toronto, Ont. 110 p.
- FEDORUK, A. N. 1969. Checklist of and key to the freshwater fishes of Manitoba. Manitoba Dep. Mines Natur. Resources, Canada Land Inventory Project Rep. 6: 98 p.
- FENDERSON, O. C. 1964. Evidence of sub-populations of lake whitefish, *Coregonus clupeaformis*, involving a dwarfed form. Trans. Amer. Fish. Soc. 93(1): 77-94.
- FERGUSON, R. G. 1958. The preferred temperature of fish and their midsummer distribution in temperate lakes and streams. J. Fish. Res. Board Canada 15(4): 607-624.

- 1965. Bathymetric distribution of American smelt *Osmerus mordax* in Lake Erie. Great Lakes Res. Div. Univ. Mich. Publ. 13: 47–60.
- FISCHTHAL, J. H. 1942. *Triganodistomum hypentelii* n.sp. (Trematoda: Lissorchidae) from the hog sucker, *Hypentelium nigricans* (LeSueur). J. Parasitol. 28(5): 389–393.
- FISH, M. P. 1927. Contributions to the embryology of American eel. Zoologica 8: 289–324.
- 1929. Contributions to the early life histories of Lake Erie fishes, p. 76–95. In Suppl. 18th Ann. Rep. N.Y. Conserv. Dep. 1928. 244 p.
- 1932. Contributions to the early life histories of sixty-two species of fishes from Lake Erie and its tributary waters. Bull. U.S. Bur. Fish. 10, Vol. 47: 293–398.
- FISK, M. 1913. A review of the fishes of the genus *Osmerus* of the California coast. Proc. U.S. Nat. Mus. 46(207): 29–297.
- FLICKINGER, S. A. 1969. Determination of sexes in the fathead minnow. Trans. Amer. Fish. Soc. 98(3): 526–527.
- FLITTNER, G. A. MS 1964. Morphometry and life history of the emerald shiner, *Notropis atherinoides* Rafinesque. Ph.D. Thesis. Univ. Michigan, Ann Arbor, Mich.
- FOERSTER, R. E. 1925. Studies in the ecology of the sockeye salmon (*Oncorhynchus nerka*). Contrib. Can. Biol. n.s. 2(16): 335–422.
- 1935. Inter-specific cross-breeding of Pacific salmon. Trans. Roy. Soc. Canada ser. 3, 29, sec. 5: 21–33.
- 1947. Experiment to develop sea-run from land-locked sockeye salmon (*Oncorhynchus nerka kennerlyi*). J. Fish. Res. Board Canada 7(2): 88–93.
- 1955. The Pacific salmon (genus *Oncorhynchus*) of the Canadian Pacific coast, with particular reference to their occurrence in or near fresh water. Int. North Pac. Fish. Comm. Bull. 1: 1–56.
- 1968. The sockeye salmon, *Oncorhynchus nerka*. Fish. Res. Board Canada Bull. 162: 422 p.
- FOERSTER, R. E., and A. L. PRITCHARD. 1935. A study of the variation in certain meristic characters in the genus *Oncorhynchus* in British Columbia. Trans. Roy. Soc. Canada ser. 3, 29, sec. 5: 85–95.
- FOERSTER, R. E., and W. E. RICKER. 1942. The effect of reduction of predaceous fish on survival of young sockeye salmon at Cultus Lake. J. Fish. Res. Board Canada 5(4): 315–336.
- 1953. The coho salmon of Cultus Lake and Sweltzer Creek. J. Fish. Res. Board Canada 10(6): 293–319.
- FORBES, S. A. 1878. *Episema jejuna* Forbes, n.s. Bull. Ill. State Lab. Natur. Hist. 1: 60–61.
- 1885. Description of new Illinois fishes. Bull. Ill. State Lab. Natur. Hist. 2(2): 135–139.
- FORBES, S. A., and R. E. RICHARDSON. 1920. The fishes of Illinois. State Ill. Natur. Hist. Survey Div. 357 p.
- FORELLE, F. 1857. On the classification of fishes. With particular reference to the fishes of Canada. Can. Natur. Geol. 1, art. 43: 275–283.
- FORNEY, J. L. 1955. Life history of the black bullhead, *Ameiurus melas* (Rafinesque), of Clear Lake, Iowa. Iowa State Coll. J. Sci. 30(1): 145–162.
- 1957. Bait fish production in New York ponds. N.Y. Fish Game J. 4(2): 150–194.
- FORNEY, J. L., and C. B. TAYLOR. 1963. Age and growth of white bass in Oneida Lake, New York. N.Y. Fish Game J. 10(2): 194–200.
- FORSTER, J. R. 1771. Catalogue of the animals of North America containing an enumeration of the known quadrupeds, birds, reptiles, fish . . . London. 43 p.
- 1773. An account of some curious fishes, sent from Hudson Bay. Phil. Trans. Roy. Soc. London 63(1): 149–160.
- FORTIN, PIERRE. 1863. List of the cetacea, fishes, crustacea and mollusca, which now inhabit and have been inhabiting the Canadian shores of the Gulf of St. Lawrence and are objects of fishing operations, whether on a large or small scale, and which are used as bait, etc. In Annual report of Pierre Fortin, Esq., Magistrate in command of the expedition for the protection of the fisheries in the Gulf of St. Lawrence, during the seasons of 1861 and 1862. Appendix. p. 109–124.
- 1864. Continuation of the list of fish of the Gulf and River St. Lawrence, p. 60–72. In Annual report of Pierre Fortin, Esq., commanding the expedition for the protection of the fisheries in the Gulf of St. Lawrence during the season of 1863. Fisheries appendices from Annual Report for 1863, of the Hon. Wm. McDougal, commissioner of crown lands for the year 1863.
- 1865. Continuation of the list of fishes found in the Gulf and River St. Lawrence, p. 61–69. In Annual report of Pierre Fortin, Esq., stipendiary magistrate, commander of the expedition for the protection of fisheries in the Gulf of St. Lawrence on board *La Canadienne* during the season of 1864.
- 1866. Continuation of the list of fishes taken in the Gulf and River St. Lawrence, p. 69–79. In Annual report of Pierre Fortin, Esq., stipendiary magistrate in command of the expedition for the protection of the fisheries in the Gulf of St. Lawrence, on board *La Canadienne* during the season of 1865.
- FOSTER, F. J. 1918. White perch notes and methods of propagation. Trans. Amer. Fish. Soc. 48: 160–165.
- FOWLER, H. W. 1948. Fishes of the Nueltin Lake expedition, Keewatin. 1947. Part 1 — taxonomy. Proc. Acad. Natur. Sci. Philadelphia 100: 141–152.
- 1961. Taxonomic notes on fishes of the interior of the Ungava Peninsula. J. Elisha Mitchell Sci. Soc. 77(2): 309–311.

- FOWLER, H. W., and F. HARPER. 1948. Fishes of the Nueltin Lake Expedition, Keewatin, 1947. Part 1. Taxonomy. 25 text-figs. (Fowler). Part 2. Historical and field notes. Plates 10 and 11 (Harper). Proc. Acad. Natur. Sci. Philadelphia 100: 141–203 + pls. 12, 13, 14.
- Fox, W. S. 1930. The literature of *Salmo salar* in Lake Ontario and tributary streams. Trans. Roy. Soc. Canada ser. 3, 24, sec. 2: 45–55.
- FRASER, J. M. 1955. The smallmouth bass fishery of South Bay, Lake Huron. J. Fish. Res. Board Canada 12(1): 147–177.
- FREEMAN, R. S., and B. H. THOMPSON. 1969. Observations on transmission of *Diphyllobothrium* sp. (Cestoda) to lake trout in Algonquin Park, Canada. J. Fish. Res. Board Canada 26(4): 871–878.
- FREESE, M. 1970. Distribution of *Triaenophorus crassus* parasites in whitefish flesh and its significance to automatic detection of the parasites with ultrasound. J. Fish. Res. Board Canada 27(2): 271–279.
- FRY, F. E. J. 1937. The summer migration of the cisco, *Leucichthys artedi* (LeSueur), in Lake Nipissing, Ontario. Univ. Toronto Stud. Biol. Ser. 44, Publ. Ont. Fish. Res. Lab. 55: 91 p.
- FRY, F. E. J., and K. E. F. WATT. 1957. Yields of year classes of the smallmouth bass hatched in the decade of 1940 in Manitoulin Island waters. Trans. Amer. Fish. Soc. 85 (1955): 135–143.
- FUCHS, E. H. 1967. Life history of the emerald shiner, *Notropis atherinoides*, in Lewis and Clark Lake, South Dakota. Trans. Amer. Fish. Soc. 96(3): 247–256.
- FULLER, W. A. 1955. The inconnu (*Stenodus leucichthys mackenziei*) in Great Slave Lake and adjoining waters. J. Fish. Res. Board Canada 12(5): 768–780.
- GAFFNEY, J. J. 1960. Utilization of the mountain whitefish *Coregonus williamsoni* in Montana. Proc. Montana Acad. Sci. 19: 92–106. (Also, Contrib. Montana State Coll. Agric. Exper. Sta. Project MS-844, Pap. 335 J ser.)
- GAGE, J. F. 1963. The landlocked salmon or ouananiche in Ontario. Ont. Fish Wildlife Rev. 2(2): 2–7.
- GAGE, S. H. 1928. The lampreys of New York State — life history and economics, p. 158–191. In A biological survey of the Oswego River System. Suppl. 17th Ann. Rep. N.Y. Conserv. Dep. 1927. 371 p.
- GARLICK, T. 1857. A treatise on the artificial propagation of fish, with the description and habits of such kinds as are the most suitable for pisciculture; also, directions for the most successful modes of angling for such kind of fish as are herein described. T. Brown, New York and Cleveland. 142 p.
- GARMAN, S. 1893. The lac de Marbre trout. A new species. Science, July 14. p. 23.
- GARSIDE, E. T. 1966. Developmental rate and vertebral number in salmonids. J. Fish. Res. Board Canada 23(10): 1537–1551.
- GARSIDE, E. T., and C. M. JORDAN. 1968. Upper lethal temperatures at various levels of salinity in the euryhaline cyprinodontids *Fundulus heteroclitus* and *F. diaphanus* after isosmotic acclimation. J. Fish. Res. Board Canada 25(12): 2717–2720.
- GARSIDE, E. T., and J. S. TAIT. 1958. Preferred temperature of rainbow trout (*Salmo gairdneri* Richardson) and its unusual relationship to acclimation temperature. Can. J. Zool. 36(3): 563–567.
- GASOWSKA, M. 1960. Genus *Coregonus* L. discussed in connection with a new systematic feature, that of shape and proportion of os maxillare and os supramaxillare. Ann. Zool. Inst. Zool. Polska Akad. Nauk 18: 471–513.
- GEE, J. H., and T. C. NORTHCOTE. 1963. Comparative ecology of two sympatric species of dace (*Rhinichthys*) in the Fraser River system, British Columbia. J. Fish. Res. Board Canada 20(1): 105–118.
- GEEN, G. H., T. G. NORTHCOTE, G. F. HARTMAN, and C. C. LINDSEY. 1966. Life histories of two species of catostomid fishes in Sixteenmile Lake, British Columbia, with particular reference to inlet spawning. J. Fish. Res. Board Canada 23(11): 1761–1788.
- GERALD, J. W. 1966. Food habits of the longnose dace, *Rhinichthys cataractae*. Copeia 1966(3): 478–485.
- GERKING, S. D. 1945. The distribution of the fishes of Indiana. Invest. Indiana Lakes Streams 3(1): 1–137 + maps 1–113.
- GIBBONS, W. P. 1855. (Description of a new trout.) Proc. Calif. Acad. Natur. Sci. 1 (1854): 36.
- GIBBS, R. H., JR. 1957. Cyprinid fishes of the subgenus *Cyprinella* of *Notropis*. II. Distribution and variation of *Notropis spilopterus*, with the description of a new subspecies. Lloydia 20(3): 186–211.
- GILBERT, C. H. 1895. The ichthyological collections of the steamer "Albatross" during the years 1890 and 1891. Rep. U.S. Fish Comm. (1893) 19: 392–476.
- 1922. The salmon of the Yukon River. Bull. U.S. Bur. Fish. (1921–1922) 38, doc. 928: 317–332.
- GILBERT, C. R. MS 1953. Age and growth of the yellow stone catfish, *Noturus flavus* (Rafinesque). M.Sc. Thesis. Ohio State Univ., Columbus, Ohio. 67 p.
- 1964. The American cyprinid fishes of the subgenus *Luxilus* (genus *Notropis*). Bull. Florida State Mus. Biol. Sci. 8(2): 95–194.
- GILCHRIST, F. C. 1888. Assiniboia fisheries. Sess. Pap. Dom. Canada 21(8): 304–308.
- GILL, T. N. 1859. Description of a new genus of Pimelodinae from Canada. Ann. Lyceum Natur. Hist. N.Y. 7. p. 40.

- 1862. Catalogue of the fishes of the eastern coast of North America from Greenland to Georgia. Proc. Acad. Natur. Sci. Philadelphia 13 (suppl.): 1–63.
- 1863. Note on some genera of fishes of western North America. Proc. Acad. Natur. Sci. Philadelphia (1862) 14: 329–332.
- 1865. Synopsis of the fishes of the Gulf of St. Lawrence and Bay of Fundy. Can. Natur. 2: 244–266.
- 1903. A remarkable genus of fishes — the umbras. Smithsonian Misc. Collect. 45: 295–305.
- GILLESPIE, G. J. 1967. Gaspereaux fishing in the Maritimes. Fish. Canada 20(1): 14–16.
- GIRARD, C. F. 1850. A monograph of the freshwater Cotti. Proc. Amer. Assoc. Adv. Sci. 2nd meet. (1849). p. 409–411.
- 1852. Contributions to the natural history of the freshwater fishes of North America. I. A monograph of the cottoids. Smithsonian Contrib. Knowl. 3(art. 3): 80 p.
- 1854a. *Salmo oquassa*. Proc. Boston Soc. Natur. Hist. 4: 262.
- 1854b. Description of a supposed new species of *Salmo*. Proc. Acad. Natur. Sci. Philadelphia 6: 380–381.
- 1856a. Descriptions of new fishes collected by A. L. Heermann, naturalist attached to the survey of the Pacific railroad, under Lieut. R. S. Williamson, U.S.A. Proc. Acad. Natur. Sci. Philadelphia (1854–55), 7: 129–156.
- 1856b. Notice upon the viviparous fishes inhabiting the Pacific coast of North America, with an enumeration of the species observed. Proc. Acad. Natur. Sci. Philadelphia (1854–55), 7: 318–323.
- 1857a. Researches upon the cyprinoid fishes inhabiting the fresh waters of the United States west of the Mississippi valley, from specimens in the museum of the Smithsonian Institution. Proc. Acad. Natur. Sci. Philadelphia (1856), 8: 165–213.
- 1857b. Notice upon the species of the genus *Salmo* of authors, observed chiefly in Oregon and California. Proc. Acad. Natur. Sci. Philadelphia (1856) 8: 217–220.
- 1859. Fishes. In General report on the zoology of the several Pacific railroad routes. U.S. Pac. R.R. Surv. 10(4): 400 p.
- 1860. Ichthyological notices. Proc. Acad. Natur. Sci. Philadelphia (1859) 11: 56–68; 100–104; 113–122; 157–161.
- GMELIN, J. F. 1788. Caroli a Linné, systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Vol. 1 (Regnum animale). 13th ed., aucta, reformata. Lipsiae. Georg. Emmanuel. Beer.
- GODFREY, H. 1955. On the ecology of Skeena River whitefishes, *Coregonus* and *Prosopium*. J. Fish. Res. Board Canada 12(4): 499–541.
- 1957. Feeding of eels in four New Brunswick salmon streams. Fish. Res. Board Canada Progr. Rep. Atl. 67: 19–22.
- 1965. Salmon of the North Pacific Ocean — Part 9. 1. Coho salmon in offshore waters. Int. North Pac. Fish. Comm. Bull. 15: 39 p.
- GODFREY, J., JR. 1945. Muskies unlimited. Outdoors, October.
- GOODE, G. B. 1903. American fishes. Dana Estes & Co. Boston, Mass. 562 p.
- GOSLINE, W. A. 1947. Some meristic characters in a population of the fish *Poecilichthys exilis*: their variation and correlation. Occas. Pap. Mus. Zool. Univ. Mich. 500: 23 p. + 2 pls.
- 1966. The limits of the fish family Serranidae, with notes on other lower percoids. Proc. Calif. Acad. Sci. 4th Ser. 33(6): 91–112 + 10 figs., 1 table.
- Goss, R. J., and M. W. STAGG. 1957. The regeneration of fins and fin rays in *Fundulus heteroclitus*. J. Exp. Zool. 136(3): 487–503.
- GOULD, W. R. III, and W. H. IRWIN. 1965. The suitabilities and relative resistances of twelve species of fish as bioassay animals for oil-refinery effluents. Proc. S. E. Assoc. Game Fish Comm. 16: 333–348.
- GOWANLOCH, J. N. 1927. Notes on the occurrence and control of the trematode, *Gyrodactylus*, ectoparasitic on *Fundulus*. Proc. Trans. Nova Scotian Inst. Sci. 16(3): 126–131.
- GRAHAM, J. J. 1956. Observations on the alewife, *Pomolobus pseudoharengus* (Wilson), in fresh water. Univ. Toronto Stud. Biol. Ser. 62, Publ. Ont. Fish. Res. Lab. 74: 43 p.
- 1957. Some observations on the schooling movements of the alewife in Lake Ontario. Can. Field-Natur. 71(3): 115–116.
- GRAINGER, E. H. 1953. On the age, growth, migration, reproductive potential and feeding habits of the Arctic char (*Salvelinus alpinus*) of Frobisher Bay, Baffin Island. J. Fish. Res. Board Canada 10(6): 326–370.
- GRAY, J. W. MS 1942. Studies of *Notropis atherinoides atherinoides* Rafinesque, in the Bass Islands region of Lake Erie. M.Sc. Thesis. Ohio State Univ., Columbus, Ohio. 29 p.
- GREELEY, J. R. 1927. Fishes of the Genesee Region with annotated list, p. 47–66. In A biological survey of the Genesee River system. Suppl. 16th Ann. Rep. N.Y. Conserv. Dep. 1926. 100 p.
- 1929. Fishes of the Erie–Niagara watershed, p. 150–179. In A biological survey of Erie–Niagara system. Suppl. 18th Ann. Rep. N.Y. Conserv. Dep. 1928. 244 p.
- 1930. Fishes of the Lake Champlain watershed, p. 44–87. In A biological survey of the Champlain watershed. Suppl. 19th Ann. Rep. N.Y. Conserv. Dep. 1929. 321 p.

- 1932. The spawning habits of the brook, brown, and rainbow trout and the problem of egg predators. *Trans. Amer. Fish. Soc.* 62 (1932): 239–248.
- 1934. Fishes of the Raquette watershed with annotated list, p. 53–108. In A biological survey of the Raquette watershed. Suppl. 23rd Ann. Rep. N.Y. Conserv. Dep. 1933. 301 p.
- 1936. Fishes of the area with annotated list, p. 45–88. In A biological survey of the Delaware and Susquehanna watersheds. Suppl. 25th Ann. Rep. N.Y. Conserv. Dep. 1935. 356 p.
- 1937. Fishes of the area with an annotated list, p. 45–103. In A biological survey of the lower Hudson watershed. Suppl. 26th Ann. Rep. N.Y. Conserv. Dep. 1936. 373 p.
- 1938. Fishes of the area with annotated list, p. 48–73. In A biological survey of the Allegheny and Chemung watersheds. Suppl. 27th Ann. Rep. N.Y. Conserv. Dep. 1937. 287 p.
- 1939. The freshwater fishes of Long Island and Staten Island with annotated list, p. 29–44. In A biological survey of the freshwaters of Long Island. Suppl. 28th Ann. Rep. N.Y. Conserv. Dep. 1938. 128 p.
- 1940. Fishes of the watershed with annotated list, p. 42–81. In A biological survey of the Lake Ontario watershed. Suppl. 29th Ann. Rep. N.Y. Conserv. Dep. 1939. 261 p.
- GREELEY, J. R., and C. W. GREENE. 1931. Fishes of the area with annotated list, p. 44–94. In A biological survey of the St. Lawrence watershed. Suppl. 20th Ann. Rep. N.Y. Conserv. Dep. 1930. 261 p.
- GREEN, A. 1891. The economic fishes of British Columbia. *Proc. Natur. Hist. Soc. Brit. Columbia* 1: 20–33.
- GREENBANK, J. 1957. Aggregational behavior in a freshwater sculpin. *Copeia* 1957(2): 157.
- GREENBANK, J., and P. R. NELSON. 1958. Life history of the threespine stickleback *Gasterosteus aculeatus* Linnaeus in Karluk Lake and Bare Lake, Kodiak Island, Alaska. *U.S. Fish Wildlife Serv. Fish. Bull.* 56(5): 537–559.
- GREENE, C. W. 1935. The distribution of Wisconsin fishes. *State Wis. Conserv. Comm. Madison, Wis.* 235 p.
- GREENE, G. N. 1962. White bass feeding: scent or sight. *Trans. Amer. Fish. Soc.* 91(3): 326.
- GREENWOOD, P. H., D. E. ROSEN, S. H. WEITZMAN, and G. S. MYERS. 1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. *Bull. Amer. Mus. Natur. Hist.* 131(4): 341–355.
- GRUCHY, C. G., and W. B. SCOTT. 1966. *Lepomis megalotis*, the longear sunfish, in western Ontario. *J. Fish. Res. Board Canada* 23(9): 1457–1459.
- GRUCHY, C. G., and V. D. VLADYKOV. 1968. Sexual dimorphism in anal fin of brown trout, *Salmo trutta*, and close relatives. *J. Fish. Res. Board Canada* 25(4): 813–815.
- GUDGER, E. W. 1937. A glut herring, *Pomolobus aestivalis*, with an attached colonial hydroid, *Obelia commensuralis*. *Amer. Mus. Novitates* 945: 6 p. + 3 text-figs.
- GUILFORD, H. G. 1963. New species of Myxosporidia found in percid fishes from Green Bay (Lake Michigan). *J. Parasitol.* 49(3): 474–478.
- GÜLDENSTADT, A. J. 1772. *Salmo leucichthys et Cyprinus chalcooides*. *Novi Comment. Acad. Petropol.* 16 (1771): 531–547.
- GÜNTHER, A. 1860–1870. Catalogue of fishes of the British Museum. Vol. 2 (1860): 548 p.; vol. 3 (1861): 586 p.; vol. 4 (1862): 534 p.; vol. 5 (1864): 455 p. vol. 6 (1866): 368 p.; vol. 7 (1868): 512 p.; vol. 8 (1870): 549 p. London.
- 1877a. An account of the fishes collected by Capt. Fielden between 78° and 83° N. lat. during the Arctic Expedition of 1875–6. *Proc. Zool. Soc. London*. p. 293–295.
- 1877b. Report on a collection of fishes made by Mr. C. Hart during the late Arctic expedition. *Proc. Zool. Soc. London*. p. 475–477.
- 1895. (2nd edition). Catalogue of fishes of the British Museum. 1: 391 p. + 15 pls. London.
- HAGEN, D. W. 1967. Isolating mechanisms in threespine sticklebacks (*Gasterosteus*). *J. Fish. Res. Board Canada* 24(8): 1637–1692.
- HAGEN, D. W., and J. D. MCPHAIL. 1970. The species problem within *Gasterosteus aculeatus* on the Pacific coast of North America. *J. Fish. Res. Board Canada* 27(1): 147–155.
- HAGEN, H. K. 1970. Age, growth and reproduction of the mountain whitefish in Phelps Lake, Wyoming, p. 399–415. In C. C. Lindsey and C. S. Woods [ed.] *Biology of coregonid fishes*. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- HALEY, A. J. 1952. Preliminary observation on a severe epidemic of microsporidiosis in the smelt, *Osmerus mordax* (Mitchill). *J. Parasitol.* 38: 183.
- HALKETT, A. 1913. Check list of the fishes of the Dominion of Canada and Newfoundland. King's Printer, Ottawa. 138 p.
- HALL, J. D. MS 1960. Preliminary studies on the biology of native Michigan lampreys. M.Sc. Thesis. Univ. Michigan, Ann Arbor, Mich. 39 p.
- MS 1963. An ecological study of the chestnut lamprey, *Ichthyomyzon castaneus* Girard in the Manistee River, Michigan. Ph.D. Thesis. Univ. Mich. Diss. Abstract 24(2): 901–902.
- HALLAM, J. C. 1959. Habitat and associated fauna of four species of fish in Ontario streams. *J. Fish. Res. Board Canada* 16(2): 147–173.

- HAMADA, KEIKICHI. 1961. Taxonomic and ecological studies of the genus *Hypomesus* of Japan. Mem. Fac. Fish. Hokkaido Univ. 9(1): 1-55 + 9 pls.
- HANEK, G., and W. THRELFALL. 1970. Helminth parasites of the fourspine stickleback (*Apeltes quadratus* (Mitchill)) in Newfoundland. Can. J. Zool. 48(2): 404-406.
- HANKINSON, T. L. 1930. Breeding behavior of the silverfin minnow, *Notropis whipplii spilopterus* (Cope). Copeia 1930(3): 73-74.
- HANSEN, D. F. 1951. Biology of the white crappie in Illinois. Bull. Ill. Natur. Hist. Surv. 25(4): 211-265.
- 1965. Further observations on nesting of the white crappie, *Pomoxis annularis*. Trans. Amer. Fish. Soc. 94(2): 182-184.
- HARKNESS, W. J. K. 1922. The rate of growth of the yellow perch (*Perca flavescens*) in Lake Erie. Univ. Toronto Stud. Biol. Ser. 20, Publ. Ont. Fish. Res. Lab. 6: 87-95.
- 1923. The rate of growth and the food of the lake sturgeon (*Acipenser rubicundus* LeSueur). Univ. Toronto Stud. Biol. Ser. 24, Publ. Ont. Fish. Res. Lab. 18: 15-42.
- HARKNESS, W. J. K., and J. R. DYMOND. 1961. The lake sturgeon. The history of its fishery and problems of conservation. Ont. Dep. Lands Forests, Fish Wildlife Br. 121 p.
- HARKNESS, W. J. K., and J. L. HART. 1927. The fishes of Long Lake, Ontario. Univ. Toronto Stud. Biol. Ser. 29, Publ. Ont. Fish. Res. Lab. 29: 21-31.
- HARKNESS, W. J. K., and W. E. RICKER. 1929. A preliminary study of some trout waters of Ontario. Trans. Amer. Fish. Soc. 59: 256-267.
- HARLAN, J. R., and E. B. SPEAKER. 1969. Iowa fish and fishing. State Conserv. Comm., Des Moines, Iowa. 365 p.
- HARPER, F. 1948. Fishes of the Nueltin Lake expedition, Keewatin, 1947. Part 2 — Historical and field notes. Proc. Acad. Natur. Sci. Philadelphia 50: 153-184.
- 1961. Field and historical notes on fresh-water fishes of the Ungava Peninsula and on certain marine fishes of the north shore of the Gulf of St. Lawrence. J. Elisha Mitchell Sci. Soc. 77(2): 312-342.
- HARPER, F., and J. T. NICHOLS. 1919. Six new fishes from northwestern Canada. Bull. Amer. Mus. Natur. Hist. 41(2): 263-270.
- HARRINGTON, R. W., Jr. 1947a. The breeding behavior of the bridled shiner, *Notropis bifrenatus*. Copeia 1947(3): 186-192.
- 1947b. Observations on the breeding habits of the yellow perch *Perca flavescens* (Mitchill). Copeia 1947(3): 199-200.
- 1948a. The life cycle and fertility of the bridled shiner, *Notropis bifrenatus* (Cope). Amer. Midland Natur. 39(1): 83-92.
- 1948b. The food of the bridled shiner, *Notropis bifrenatus* (Cope). Amer. Midland Natur. 40(2): 353-361.
- 1955. The osteocranum of the American cyprinid fish, *Notropis bifrenatus*, with an annotated synonymy of teleost skull bones. Copeia 1955(4): 267-290.
- HARRIS, R. H. D. 1962. Growth and reproduction of the longnose sucker, *Catostomus catostomus* (Forster), in Great Slave Lake. J. Fish. Res. Board Canada 19(1): 113-126.
- HART, J. L. 1928. Data on the rate of growth of pike perch (*Stizostedion vitreum*) and sauger (*S. canadense*) in Ontario. Univ. Toronto Stud. Biol. Ser. 31, Publ. Ont. Fish. Res. Lab. 34: 43-55.
- 1930. The spawning and early life history of the whitefish, *Coregonus clupeaformis* (Mitchill), in the Bay of Quinte, Ontario. Contrib. Can. Biol. Fish. 6(7): 165-214.
- 1931. The growth of the whitefish *Coregonus clupeaformis* (Mitchill). Contrib. Can. Biol. Fish. 6(20): 427-444.
- 1973. Pacific fishes of Canada. Fish. Res. Board Canada Bull. 180: 740 p.
- HART, J. L., and R. G. FERGUSON. 1966. The American smelt. Trade News 18(9): 22-23.
- HART, J. L., and J. L. MCHUGH. 1944. The smelts (Osmeridae) of British Columbia. Fish. Res. Board Canada Bull. 64: 27 p.
- HART, J. S. 1952. Geographic variations of some physiological and morphological characters in certain freshwater fish. Univ. Toronto Biol. Ser. 60, Publ. Ont. Fish. Res. Lab. 72: 79 p.
- HARTMAN, G. F. MS 1956. A taxonomic study of cutthroat trout, *Salmo clarki clarki* Richardson, rainbow trout, *Salmo gairdneri* Richardson, and reciprocal hybrids. M.A. Thesis. Univ. British Columbia, Vancouver, B.C.
- 1965. The role of behavior in the ecology and interaction of underyearling coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). J. Fish. Res. Board Canada 22(4): 1035-1081.
- HARTMAN, G. F., and C. A. GILL. 1963. Distributions of juvenile steelhead and cutthroat trout (*Salmo gairdneri* and *S. clarki clarki*) within streams in southwestern British Columbia. J. Fish. Res. Board Canada 14(5): 687-691.
- HARTMAN, G. F., T. G. NORTHCOTE, and C. C. LINDSEY. 1962. Comparison of inlet and outlet spawning runs of rainbow trout in Loon Lake, British Columbia. J. Fish. Res. Board Canada 19(2): 173-200.
- HAUSER, W. J. 1969. Life history of the mountain sucker, *Catostomus platyrhynchus*, in Montana. Trans. Amer. Fish. Soc. 98(2): 209-215.

- HAVEY, K. A., and K. WARNER. 1970. The landlocked salmon (*Salmo salar*). Its life history and management in Maine. Sport Fish. Inst. Washington, and Maine Dep. Inland Fish. Game. 129 p.
- HAY, O. P. 1881. On a collection of fishes from eastern Mississippi. Proc. U.S. Nat. Mus. (1880) 3: 488–515.
- HAZZARD, A. S., and M. J. MADSEN. 1933. Studies of the food of the cutthroat trout. Trans. Amer. Fish. Soc. 63 (1933): 198–203.
- HEARD, W. R. 1965. Limnetic cottid larvae and their utilization as food by juvenile sockeye salmon. Trans. Amer. Fish. Soc. 94(2): 191–193.
- 1966. Observations on lampreys in the Naknek River system of southwest Alaska. Copeia 1966(2): 332–339.
- HEARD, W. R., and W. L. HARTMAN. 1966. Pygmy whitefish *Prosopium coulteri* in the Naknek River system of southwest Alaska. U.S. Fish Wildlife Serv. Fish. Bull. 65(3): 555–579.
- HECKEL, J. J. 1840. Ichthyologische Beiträge zu den Familien der Cottoiden, Scorpaenoiden, Gobioiden, und Cyprinoiden. Ann. Wien. Mus. Natur. 2: 143–164.
- HECKEL, J. J., and L. J. FITZINGER. 1836. Monographische Darstellung der Gattung *Acipenser*. Ann. Wien. Mus. Natur. 1: 261–326.
- HEISER, D. W. 1966. Age and growth of anadromous Dolly Varden char in Eva Creek, Baranof Island, southeastern Alaska. Alaska Dep. Fish Game Res. Rep. 5: 29 p.
- HENDERSON, N. E., and R. E. PETER. 1969. Distribution of fishes of southern Alberta. J. Fish. Res. Board Canada 26(2): 325–338.
- HENN, A. W. 1932. Part II. Zoology. Sec. 3. Some fishes of Southampton Island, p. 1–3. In The exploration of Southampton Island, Hudson Bay. Mem. Carnegie Mus. 12(2).
- HENN, A. W., and W. H. RINKENBACH. 1925. Description of the aurora trout (*Salvelinus timagamiensis*), a new species from Ontario. Ann. Carnegie Mus. 16: 131–141.
- HENRY, K. A. 1961. Racial identification of Fraser River sockeye salmon by means of scales and its applications to salmon management. Int. Pac. Salmon Fish. Comm. Bull. 12: 97 p.
- HERBERT, H. W. 1850. Great northern pickerel. Frank Forester's fish and fishing of the United States and the British provinces of North America. 2nd ed., London. p. 1–359.
- HERGENRADER, G. L., and A. D. HASLER. 1968. Influence of changing seasons on schooling behavior of yellow perch. J. Fish. Res. Board Canada 25(4): 711–716.
- HERMAN, E., W. WISBY, L. WIEGERT, and M. BURDICK. 1959. The yellow perch. Its life history, ecology, and management. Wis. Conserv. Dep. Publ. 228: 14 p.
- HERMANN, JOHANNES. 1804. Observations zoologicae, quibus novae complures, aliaeque animalium species describuntur et illustrantur. IV. Pisces: 290–328. (Opus posthumum edidit Fridericus Ludovicus Hammer.) Argentoratum and Paris. Amandus Koenig: p. i–viii, 1–332.
- HERTING, G. E., and W. WITT, JR. 1968. Rate of digestion in the bowfin. Progr. Fish-Cult. 30(1): 26–28.
- HERVEY, G. F., and J. HEMS. 1968. The goldfish. Faber and Faber, London. 271 p.
- HESTER, F. E. 1970. Phylogenetic relationships of sunfishes as demonstrated by hybridization. Trans. Amer. Fish. Soc. 99(1): 100–104.
- HILDEBRAND, S. F. 1963. Family Clupeidae, p. 257–454. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- HILDEBRAND, S. F., and W. C. SCHROEDER. 1928. Fishes of Chesapeake Bay. U.S. Bur. Fish. Bull. 43(1), doc. 1024: 366 p.
- HILE, R. 1937. Morphometry of the cisco, *Leucichthys artedi* (Le Sueur), in the lakes of the northeastern highlands, Wisconsin. Sonderdruck aus; Int. Rev. d. ges. Hydr. u. Hydr. Leipzig 36(1/2): 57–130.
- HILE, R., and H. J. BUETTNER. 1955. Commercial fishery for chubs (ciscoes) in Lake Michigan through 1953. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 163: 49 p.
- HINKS, DAVID. 1943. The fishes of Manitoba. Man. Dep. Mines Natur. Res. 102 p.
- HOAR, W. S. 1951. The chum and pink salmon fisheries of British Columbia, 1917–1947. Fish. Res. Board Canada Bull. 90: 46 p.
- 1952. Thyroid function in some anadromous and landlocked teleosts. Trans. Roy. Soc. Can. 46: 39–53.
- HODDER, V. M. 1966. Two further records of the American shad in Newfoundland waters. Trans. Amer. Fish. Soc. 95(2): 228–229.
- HOFFMAN, G. L. 1960. Synopsis of Strigeoidea (Trematoda) of fishes and their life cycles. U.S. Fish Wildlife Serv. Fish. Bull. 175, Vol. 60: 439–469.
- 1967. Parasites of North American freshwater fishes. Univ. California Press, Los Angeles, Calif. 486 p.
- HOFSTETTER, A. M., C. F. DINEEN, and P. S. STOKELY. 1958. Skeletal differences between the black and white crappies. Trans. Amer. Microsc. Soc. 77: 19–21.
- HOGMAN, W. J. 1968. Annulus formation on scales of four species of coregonids reared under artificial conditions. J. Fish. Res. Board Canada 25(10): 2111–2122.
- 1970. Early scale development on the Great Lakes coregonids, *Coregonus artedii* and *C. kiyi*, p. 429–436. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.

- HOLLIS, E. H. 1952. Variations in the feeding habits of the striped bass, *Roccus saxatilis* (Walbaum), in Chesapeake Bay. Bull. Bingham Oceanogr. Collect. 14(1): 111–131.
- HOLLOWAY, A. D. 1954. Notes on the life history and management of the shortnose and longnose gars in Florida waters. J. Wildlife Manage. 18(4): 438–449.
- HOLT, R. D. 1960. Comparative morphometry of the mountain whitefish, *Prosopium williamsoni*. Copeia 1960(3): 192–200.
- HOOPER, F. F. 1949. Age analysis of a population of the ameiurid fish *Schilbeodes mollis* (Hermann). Copeia 1949(1): 34–38.
- HOOVER, E. E. 1936. Contributions to the life history of the chinook and landlocked salmon in New Hampshire. Copeia 1936(4): 193–198.
- HOUDÉ, E. D. 1964. The strigeid trematode, *Crassiphiala bulboglossa*, from the blacknose dace, *Rhinichthys atratulus*. Trans. Amer. Fish. Soc. 93(3): 304–306.
- HOURSTON, A. S. 1952. The food and growth of the maskinonge (*Esox masquinongy* Mitchell) in Canadian waters. J. Fish. Res. Board Canada 8(5): 347–368.
- 1955. A study of variations in the maskinonge from three regions in Canada. Roy. Ont. Mus. Zool. Palaeont. Contrib. 40: 13 p. + 16 fig.
- HOY, P. R. 1872. Deep-water fauna of Lake Michigan. Trans. Wis. Acad. Sci. Arts Lett. 1870–1872: 98–101.
- 1873. Deep-water fauna of Lake Michigan. Ann. Mag. Natur. Hist. 11 (4th ser.): 319–320.
- HUBBS, C. L. 1921a. An ecological study of the life-history of the fresh-water atherine fish *Labidesthes sicculus*. Ecology 2(4): 262–276.
- 1921b. Geographical variation of *Notemigonus crysoleucas* — an American minnow. Trans. Ill. State Acad. Sci. 11: 147–151.
- 1925a. The life-cycle and growth of lampreys. Pap. Mich. Acad. Sci. Arts Lett. (1924) 4(1): 587–603.
- 1925b. A revision of the osmerid fishes of the North Pacific. Proc. Biol. Soc. Washington 38: 49–56.
- 1926. A check-list of the fishes of the Great Lakes and tributary waters, with nomenclatorial notes and analytical keys. Univ. Mich. Mus. Zool. Misc. Publ. 15: 77 p.
- 1927. The related effects of a parasite on a fish. J. Parasitol. 14(2): 75–84.
- 1929. The Atlantic American species of the fish genus *Gasterosteus*. Occas. Pap. Mus. Zool. Univ. Mich. 200: 9 p. + 2 pls.
- 1930a. Materials for a revision of the catostomid fishes of eastern North America. Univ. Mich. Mus. Zool. Misc. Publ. 20: 47 p.
- 1930b. Further additions and corrections to the list of the fishes of the Great Lakes and tributary waters. Pap. Mich. Acad. Sci. Arts Lett. 11 (1929): 425–436.
- 1931. Studies of the fishes of the order Cyprinodontes. X. Four nominal species of *Fundulus* placed in synonymy. Occas. Pap. Mus. Zool. Univ. Mich. 231: 8 p.
- 1936. An older name for the black-nosed dace. Copeia 1936(2): 124–125.
- 1942. Sexual dimorphism in the cyprinid fishes, *Margariscus* and *Couesius*, and alleged hybridization between these genera. Occas. Pap. Mus. Zool. Univ. Mich. 468: 6 p.
- 1947. *Tirodon*, a neglected nominal genus of American cyprinid fishes. Copeia 1947(3): 175–176.
- HUBBS, C. L., and R. M. BAILEY. 1938. The small-mouthed bass. Cranbrook Inst. Sci. Bull. 10: 92 p.
- HUBBS, C. L., and D. E. S. BROWN. 1929. Materials for a distributional study of Ontario fishes. Trans. Roy. Can. Inst. 17(1): 56 p.
- HUBBS, C. L., and G. P. COOPER. 1935. Age and growth of the long-eared and the green sunfishes in Michigan. Pap. Mich. Acad. Sci. Arts Lett. 20: 669–696 + 5 pls.
- 1936. Minnows of Michigan. Cranbrook Inst. Sci. Bull. 8: 95 p.
- HUBBS, C. L., and W. R. CROWE. 1956. Preliminary analysis of the American cyprinid fishes, seven new, referred to the genus *Hybopsis*, subgenus *Erimystax*. Occas. Pap. Mus. Zool. Univ. Mich. 578: 8 p.
- HUBBS, C. L., and G. W. GREENE. 1928. Further notes on the fishes of the Great Lakes and tributary waters. Pap. Mich. Acad. Sci. Arts Lett. (1927) 8: 371–392.
- HUBBS, C. L., and K. F. LAGLER. 1939. Keys for the identification of the fishes of the Great Lakes and tributary waters. Ann Arbor, Mich. 37 p. (Mimeo.)
- 1941. Guide to the fishes of the Great Lakes and tributary waters. Cranbrook Inst. Sci. Bull. 18: 100 p.
- 1947. Fishes of the Great Lakes region. Cranbrook Inst. Sci. Bull. 26: (xi) + 186 p., 251 figs., 26 col. pls., 38 text-figs.
- 1949. Fishes of Isle Royale, Lake Superior, Michigan. Pap. Mich. Acad. Sci. Arts Lett. (1947) 33: 73–133 + 2 pls.
- 1958. Fishes of the Great Lakes region. Univ. Mich. Press, Ann Arbor, Mich. 213 p.
- 1964. Fishes of the Great Lakes region. Univ. Mich. Press, Ann Arbor, Mich. xv + 213 p.
- HUBBS, C. L., and R. R. MILLER. 1948. The Great Basin. II. The zoological evidence. Bull. Univ. Utah 38(20): 17–144.
- HUBBS, C. L., and T. E. B. POPE. 1937. The spread of the sea lamprey through the Great Lakes. Trans. Amer. Fish. Soc. 66 (1936): 172–176.

- HUBBS, C. L., and E. C. RANEY. 1944. Systematic notes on North American siluroid fishes of the genus *Schilbeodes*. Occas. Pap. Mus. Zool. Univ. Mich. 487: 36 p. + 1 pl., 1 map.
- HUBBS, C. L., and L. P. SCHULTZ. 1931. The scientific name of the Columbia River chub. Occas. Pap. Mus. Zool. Univ. Mich. 232: 6 p. + 1 pl.
- 1932. A new catostomid fish from the Columbia River. Univ. Washington Publ. Biol. 2(1): 1-14.
- 1941. Contributions to the ichthyology of Alaska, with descriptions of two new fishes. Occas. Pap. Mus. Zool. Univ. Mich. 431: 31 p.
- HUBBS, C. L., and M. B. TRAUTMAN. 1937. A revision of the lamprey genus *Ichthyomyzon*. Univ. Mich. Mus. Zool. Misc. Publ. 35: 109 p.
- HUBBS, C. L., B. W. WALKER, and R. E. JOHNSON. 1943. Hybridization in nature between species of American cyprinodont fishes. Contrib. Lab. Vertebrate Biol. Univ. Mich. 23: 21 p. + 6 pls.
- HUBBS, CLARK. 1961. Developmental temperature tolerances of four etheostomatine fishes occurring in Texas. Copeia 1961(2): 195-198.
- HUCK, L. L., and G. E. GUNNING. 1967. Behavior of the longear sunfish, *Lepomis megalotis* (Rafinesque). Tulane Stud. Zool. 14(3): 121-131.
- HUME, L. C. 1955. Rainbow trout spawn twice a year. Calif. Fish Game 41(1): 117.
- HUNTER, G. W. III. 1930. Contributions to the life cycle of *Centrovarium lobotes* (MacCallum 1895). J. Parasitol. 17(2): 108.
- HUNTER, G. W. III, and J. S. RANKIN, JR. 1939. Parasites of northern pike and pickerel. Trans. Amer. Fish. Soc. 69 (1939): 268-272.
- HUNTER, J. G. 1959. Survival and production of pink and chum salmon in a coastal stream. J. Fish. Res. Board Canada 16(6): 835-886.
- 1966. The Arctic char. Fish. Canada 19(3): 17-19.
- 1970. Production of arctic char (*Salvelinus alpinus* Linnaeus) in a small arctic lake. Fish. Res. Board Canada Tech. Rep. 231: 190 p.
- HUNTER, J. R. 1963. The reproductive behavior of the green sunfish, *Lepomis cyanellus*. Zoologica 48(1): 13-24.
- HUNTER, J. R., and A. D. HASLER. 1965. Spawning association of the redfin shiner, *Notropis umbratilis*, and the green sunfish, *Lepomis cyanellus*. Copeia 1965(3): 265-281.
- HUNTER, J. R., and W. J. WISBY. 1961. Utilization of the nests of green sunfish (*Lepomis cyanellus*) by the redfin shiner (*Notropis umbratilis cyanocephalus*). Copeia 1961(1): 113-115.
- HUNTSMAN, A. G. 1917. The lampreys of eastern Canada. Ottawa Natur. 31(2): 23-27.
- 1922. The fishes of the Bay of Fundy. Contrib. Can. Biol. (1921), 3: 49-72.
- 1931. The maritime salmon of Canada. Biol. Board Canada Bull. 21: 99 p.
- 1944. Why did Ontario salmon disappear? Trans. Roy. Soc. Canada ser. 3, 38, sec. 5: 83-102.
- HUNTSMAN, G. R. 1967. Nuptial tubercles in carpsuckers (*Carpoides*). Copeia 1967(2): 457-458.
- HUSSOKOF, L. 1913. Sea lampreys and their nests. Amer. Mus. J. 13: 323-325.
- HYNES, H. B. N. 1950. The food of fresh-water sticklebacks (*Gasterosteus aculeatus* and *Pygosteus pungitius*), with a review of methods used in studies of the food of fishes. J. Anim. Ecol. 19: 36-58.
- IDYLL, C. 1942. Food of rainbow, cutthroat, and brown trout in the Cowichan River system, B.C. J. Fish. Res. Board Canada 5(5): 448-458.
- IEVLEVA, M. YA. 1951. Morphology and rate of embryonic development of Pacific salmon. Izv. Tikhookean. Nauch-Issled. Inst. Ryb. Khoz. Okeanogr. 34: 123-130.
- INNES, W. T. 1947. Goldfish varieties and water gardens. Innes Publications, Philadelphia, Pa. 381 p.
- JACKSON, V. W. 1934. A manual of vertebrates of Manitoba. Univ. Manitoba, Winnipeg, Man. 42 p. + figs.
- JACOBS, D. L. 1948. Nesting of the brook stickleback. (Abstract.) Proc. Minnesota Acad. Sci. 16: 33-34.
- JACOBY, C. MS 1953. Notes on the life history of the deepwater sculpin, *Myoxocephalus quadricornis* L., in Lake Superior. M.Sc. Thesis. Univ. Michigan School Natur. Res., Ann Arbor, Mich. 21 p.
- 1961. Relative growth of fins in the fourhorn sculpin, *Myoxocephalus quadricornis*, from the upper Great Lakes. Copeia 1961(4): 473-475.
- JEAN, YVES. 1946. Two northern longnose gars, *Lepisosteus osseus oxyurus* Rafinesque, caught in the estuary of the St. Lawrence, Quebec. Copeia 1946(2): 100.
- JEFFERS, G. W. 1932. Fishes observed in the Strait of Belle Isle. Contrib. Can. Biol. Fish., n.s. 7(16): 203-211.
- JENKINS, J. T. 1958. The fishes of the British Isles, both fresh water and salt. Frederick Warne and Co. Ltd., London. 408 p.
- JENKINS, R. E. MS 1970. Systematic studies of the catostomid fish tribe Moxostomatini. Ph.D. Thesis. Cornell Univ., Ithaca, N.Y. 800 p.
- JENSEN, AD. S. 1937. Remarks on the Greenland eel, its occurrence and reference to *Anguilla rostrata*. Medd. om. Grönland 118(9): 1-8.
- JEPPSON, P. W. 1957. The control of squawfish by use of dynamite, spot treatment, and reduction of lake levels. Progr. Fish-Cult. 19(4): 168-171.

- JEPPSON, P. W., and W. S. PLATTS. 1959. Ecology and control of the Columbia squawfish in northern Idaho lakes. *Trans. Amer. Fish. Soc.* 88(3): 197–202.
- JOB, S. V. 1955. The oxygen consumption of *Salvelinus fontinalis*. *Univ. Toronto Stud. Biol. Ser.* 61, *Publ. Ont. Fish. Res. Lab.* 73: 39 p.
- JOBES, F. W. 1943. The age, growth, and bathymetric distribution of Reighard's chub, *Leucichthys reighardi* Koelz, in Lake Michigan. *Trans. Amer. Fish. Soc.* 72 (1942): 108–135.
- 1949a. The age, growth, and distribution of the longjaw cisco, *Leucichthys alpenae* Koelz, in Lake Michigan. *Trans. Amer. Fish. Soc.* 76 (1946): 215–247.
- 1949b. The age, growth, and bathymetric distribution of the bloater, *Leucichthys hoyi* (Gill) in Lake Michigan. *Pap. Mich. Acad. Sci. Arts Lett.* 33 (1947): 135–172.
- 1952. Age, growth, and production of yellow perch in Lake Erie. *U.S. Fish Wildlife Serv. Fish Bull.* 70, Vol. 52: 205–266.
- JOERIS, L. S. 1957. Structure and growth of scales of yellow perch of Green Bay. *Trans. Amer. Fish. Soc.* 86 (1956): 169–194.
- JOHANNES, R. E., and P. A. LARKIN. 1961. Competition for food between redside shiners (*Richardsonius balteatus*) and rainbow trout (*Salmo gairdneri*) in two British Columbia lakes. *J. Fish. Res. Board Canada* 18(2): 203–220.
- JOHN, K. R. 1956. Onset of spawning activities of the shallow water cisco, *Leucichthys artedi* (LeSueur), in Lake Mendota, Wisconsin, relative to water temperatures. *Copeia* 1956(2): 116–118.
- JOHN, K. R., and A. D. HASLER. 1956. Observations on some factors affecting the hatching of eggs and the survival of young shallowwater cisco, *Leucichthys artedi* LeSueur, in Lake Mendota, Wisconsin. *Limnol. Oceanogr.* 1(3): 176–194.
- JOHNSON, D. W. 1968. Pesticides and fishes — a review of selected literature. *Trans. Amer. Fish. Soc.* 97(4): 398–424.
- JOHNSON, G. H. 1951. An investigation of the mooneye (*Hiodon tergisus*). Abstract 5th Tech. Sess. Res. Council, Ontario. 16 p.
- JOHNSON, L. 1964. Marine-glacial relicts of the Canadian arctic islands. *Syst. Zool.* 13(2): 76–91.
- JOHNSON, L., G. H. LAWLER, and L. A. SUNDE. MS 1970. Rainbow trout farming in central Canada. *Fish. Res. Board Canada Tech. Rep.* 165: 9 p. + appendix, 6 figs.
- JOHNSON, M. G. 1965. Estimates of fish populations in warmwater streams by the removal method. *Trans. Amer. Fish. Soc.* 94(4): 350–357.
- JOHNSON, M. G., and H. R. McCrimmon. 1967. Survival, growth, and reproduction of largemouth bass in southern Ontario ponds. *Progr. Fish-Cult.* 29(4): 216–221.
- JOHNSON, R. P. 1963. Studies on the life history and ecology of the bigmouth buffalo, *Ictiobus cyprinellus* (Valenciennes). *J. Fish. Res. Board Canada* 20(6): 1397–1429.
- JONES, J. M. 1882. List of the fishes of Nova Scotia. *Proc. Nova Scotian Inst. Natur. Sci. V. pt. Appendix 1:* 87–97.
- JONES, J. W. 1959. The salmon. Collins, London. 192 p.
- JONES, J. W., and H. B. N. HYNES. 1950. The age and growth of *Gasterosteus aculeatus*, *Pygosteus pungitius* and *Spinachia vulgaris*, as shown by their otoliths. *J. Anim. Ecol.* 19: 59–73.
- JORDAN, D. S. 1876. Manual of the vertebrates of the northern United States, including the district east of the Mississippi river and north of North Carolina and Tennessee, exclusive of marine species. A. C. McLurg, Chicago. 342 p.
- 1877a. ii. A. Notes on Cottidae, Etheostomatidae, Percidae, Centrarchidae, Aphododeridae, Dorysomatidae and Cyprinidae, with revisions of the genera and descriptions of new or little known species. B. Synopsis of the Siluridae of the fresh waters of North America. In Contributions to North American ichthyology; based primarily on the collections of the United States National Museum. *Bull. U.S. Nat. Mus.* 1877–78, 10: 1–116.
- 1877b. A partial synopsis of the fishes of upper Georgia with supplementary papers on fishes of Tennessee, Kentucky, and Indiana. *Ann. N.Y. Lyceum Natur. Hist.* 11: 307–377.
- 1878a. On the distribution of freshwater fishes of the United States. *Ann. N.Y. Acad. Sci.* 1(4): 92–120.
- 1878b. iii. B. A synopsis of the family Catostomidae. In Contributions to North American ichthyology; based primarily on the collections of the United States National Museum. *Bull. U.S. Nat. Mus.* 12: 97–230.
- 1878c. Manual of the vertebrates of the northern United States, including the district east of the Mississippi river and north of North Carolina and Tennessee, exclusive of marine species. 2nd ed. Chicago. 407 p.
- 1886. Note on the scientific name of the yellow perch, the striped bass, and other North American fishes. *Proc. U.S. Nat. Mus.* (1885) 8: 72–73.
- 1888. A manual of the vertebrate animals of the northern United States, including the district north and east of the Ozark mountains, south of the Laurentian hills, north of the southern boundary of Virginia, and east of the Missouri river; inclusive of marine species. 5th ed. A. C. McLurg, Chicago. 375 p.
- 1892. Description of a new species of salmon. *Forest Stream* 39: 405–406.

- 1893. Description of a new species of cyprinoid fish, *Couesius greeni*, from the head waters of Frazer River in British Columbia. Proc. U.S. Nat. Mus. 16(938): 313–314.
- 1924. Concerning the American dace allied to the genus *Leuciscus*. Copeia 1924(132): 70–72.
- 1926. The name of the brook trout of Europe. Copeia 1926(155): 140–141.
- JORDAN, D. S., and H. E. COPELAND. 1876. Check list of the fishes of the fresh waters of North America, p. 133–164. In Vol. 3. Bull. Buffalo Soc. Natur. Sci. (1875–1877). 230 p.
- 1878. A catalogue of the fishes of the fresh waters of North America. U.S. Geol. Geogr. Surv. Terr. (Hayden) Bull. 4: 407–442.
- JORDAN, D. S., and B. W. EVERMANN. 1896–1900. The fishes of North and Middle America. Bull. U.S. Nat. Mus. 47(1–4): 3313 p. + 392 pls.
- 1908. American food and game fish. Doubleday, Page & Co., Garden City, N.Y. 572 p.
- 1909. Descriptions of three new species of cisco, or lake herring (*Argyrosomus*), from the Great Lakes of America; with a note on the species of whitefish. Proc. U.S. Nat. Mus. 36(1662): 165–172.
- 1911. A review of the salmonoid fishes of the Great Lakes, with notes on the whitefishes of other regions. Bull. Bur. Fish. 29 (1909), doc. 737: 1–41 + 7 pls.
- JORDAN, D. S., B. W. EVERMANN, and H. W. CLARK. 1930. Check list of the fishes and fishlike vertebrates of North and Middle America. Reprint Appendix X to Rep. U.S. Comm. Fish. (1928). 670 p.
- JORDAN, D. S., and M. W. FORDICE. 1886. Review of the North American species of Petromyzontidae. Ann. N.Y. Acad. Sci. (1885) 3: 279–296.
- JORDAN, D. S., and C. H. GILBERT. 1883a. A synopsis of the fishes of North America. Bull. U.S. Nat. Mus. 16: 1–1018.
- 1883b. Description of a new species of *Uranidea* (*Uranidea pollicaris*) from Lake Michigan. Proc. U.S. Nat. Mus. (1882) 5: 222–223.
- JORDAN, D. S., and W. F. THOMPSON. 1910a. Description of a new species of deep-water sculpin (*Triglopsis ontariensis*) from Lake Ontario, with notes on related species. Proc. U.S. Nat. Mus. 38(1728): 75–78.
- 1910b. Note on the gold-eye, *Amphiodon albosoides* Rafinesque, or *Elattonistius chrysopsis* (Richardson). Proc. U.S. Nat. Mus. 38(1752): 353–357 + 2 fig.
- KARR, J. R. 1963. Age, growth, and food habits of johnny, slenderhead and blacksided darters of Boone County, Iowa. Proc. Iowa Acad. Sci. 70: 228–236.
- 1964. Age, growth, fecundity and food habits of fantail darters in Boone County, Iowa. Proc. Iowa Acad. Sci. 71: 274–280.
- KASAHARA, H. 1963. Salmon of the north Pacific ocean — Part 1. Catch statistics for north Pacific salmon. Int. North Pac. Fish. Comm. Bull. 12: 7–82.
- KATZ, M. 1954. Reproduction of fish. Data for Handb. Biol. Data. 22 p.
- KATZ, M., J. C. WOODEY, C. D. BECKER, P. T. K. WOO, and J. R. ADAMS. 1966. Records of *Cryptobia salmostica* from sockeye salmon from the Fraser River drainage and from the state of Washington. J. Fish. Res. Board Canada 23(12): 1965–1966.
- KAUP, J. J. 1856. Uebersicht der Aale. Arch. Naturgesch. 22(1): 41–77.
- KEAST, A. 1965. Resource subdivision amongst cohabiting fish species in a bay, Lake Opinicon, Ontario. Publ. Great Lakes Res. Div. Univ. Mich. 13: 106–132.
- 1968a. Feeding biology of the black crappie, *Pomoxis nigromaculatus*. J. Fish. Res. Board Canada 25(2): 285–297.
- 1968b. Feeding of some Great Lakes fishes at low temperatures. J. Fish. Res. Board Canada 25(6): 1199–1218.
- KEAST, A., and D. WEBB. 1966. Mouth and body form relative to feeding ecology in the fish fauna of a small lake, Lake Opinicon, Ontario. J. Fish. Res. Board Canada 23(12): 1845–1867.
- KEAST, A., and L. WELSH. 1968. Daily feeding periodicities, food uptake rates, and dietary changes with hour of day in some lake fishes. J. Fish. Res. Board Canada 25(6): 1133–1144.
- KEENLEYSIDE, M. H. A. 1955. Some aspects of the schooling behaviour of fish. Behaviour 8(2, 3): 183–248.
- KELEHER, J. J. MS 1950. Growth, maturity, and *Triaenophorus* parasitism in relation to taxonomy of Lake Winnipeg ciscoes (*Leucichthys*). Fish. Res. Board Canada MS Rep. Biol. Sta. 509: 69 p.
- 1952a. Notes on fishes collected from Lake Winnipeg region. Can. Field-Natur. 66(6): 170–173.
- 1952b. Growth and *Triaenophorus* parasitism in relation to taxonomy of Lake Winnipeg ciscoes (*Leucichthys*). J. Fish. Res. Board Canada 8(7): 469–478.
- MS 1953. Growth of ciscoes, *Leucichthys* sp., collected from five different lakes. Fish. Res. Board Canada MS Rep. Biol. Sta. 557: 9 p. + 12 tables.
- 1956. The northern limits of distribution in Manitoba for cyprinid fishes. Can. J. Zool. 34(4): 263–266.
- 1961. Comparison of largest Great Slave Lake fish with North American records. J. Fish. Res. Board Canada 18(3): 417–421.
- 1966. A survey of Great Slave Lake fishing. North 13(1): 50–53.

- KELEHER, J. J., and B. KOOYMAN. 1957. Supplement to Hinks' "The fishes of Manitoba". Dep. Mines Natur. Res. Prov. Manitoba. p. 104–117.
- KELLEY, J. W. 1962. Sexual maturity and fecundity of the largemouth bass, *Micropterus salmoides* (Lacépède), in Maine. Trans. Amer. Fish. Soc. 91(1): 23–28.
- KELLY, H. A. 1924. *Amia calva* guarding its young. Copeia (1924)133: 73–74.
- KENDALL, W. C. 1895. Notes on the freshwater fishes of Washington county, Maine. Bull. U.S. Fish. Comm. (1894) 14: 43–54.
- 1896. Description of a new stickleback, *Gasterosteus gladiunculus*, from the coast of Maine. Proc. U.S. Nat. Mus. 18(1089): 623–624.
- 1909. The fishes of Labrador. Proc. Portland Soc. Natur. Hist. 2: 207–248.
- 1910. American catfishes: habits, culture, and commercial importance. U.S. Bur. Fish. Doc. 733: 39 p. + 10 pls.
- 1911. Notes on *Percopsis guttatus* Agassiz and *Salmo omiscomaycus* Walbaum. Proc. Biol. Soc. Washington 24: 45–52.
- 1917. The pikes: their geographical distribution, habits, culture, and commercial importance. Rep. U.S. Fish. Comm. (1917), Bur. Fish. Doc. 853: 1–45.
- 1919. Concerning the generic name, *Cristivomer* vs. *Salvelinus*, for the Great Lakes trout or namaycush. Copeia 1919(74): 78–81.
- 1927. The smelts. Bull. U.S. Bur. Fish. 42, doc. 1015: 217–375.
- 1935. The fishes of New England. The salmon family. Part 2 — The salmons. Mem. Boston Soc. Natur. Hist. 9(1): 166 p. + 11 pls.
- KENNAMER, E. F. (undated). Catfish for fun and cash. Auburn Univ. Coop. Exten. Serv. Circ. E-15, Auburn, Ala. 35 p.
- KENNEDY, W. A. 1943. The whitefish, *Coregonus clupeaformis* (Mitchill), of Lake Opeongo, Algonquin Park, Ontario. Univ. Toronto Stud. Biol. Ser. 51, Publ. Ont. Fish. Res. Lab. 62: 21–66.
- 1949a. Relationship of length, weight and sexual maturity to age in three species of Lake Manitoba fish. Fish. Res. Board Canada Bull. 81: 5 p.
- 1949b. Some observations on the coregonine fish of Great Bear Lake, N.W.T. Fish. Res. Board Canada Bull. 82: 10 p.
- 1953a. The morphometry of the coregonine fishes of Great Bear Lake, N.W.T. J. Fish. Res. Board Canada 10(2): 51–61.
- 1953b. Growth, maturity, fecundity and mortality in the relatively unexploited whitefish, *Coregonus clupeaformis*, of Great Slave Lake. J. Fish. Res. Board Canada 10(7): 413–441.
- 1954a. Tagging returns, age studies and fluctuations in abundance of Lake Winnipeg whitefish 1931–1951. J. Fish. Res. Board Canada 11(3): 284–309.
- 1954b. Growth, maturity and mortality in the relatively unexploited lake trout, *Cristivomer namaycush*, of Great Slave Lake. J. Fish. Res. Board Canada 11(6): 827–852.
- 1963. Growth and mortality of whitefish in three unexploited lakes in northern Canada. J. Fish. Res. Board Canada 20(2): 265–272.
- KENNEDY, W. A., and W. M. SPRULES. 1967. Goldeye in Canada. Fish. Res. Board Canada Bull. 161: 45 p.
- KERSWILL, C. J. MS 1937. A taxonomic and distributional study of *Amphiodon alosoides* and *Hiodon tergisus*. M.A. Thesis. Univ. Western Ontario, London, Ont. 67 p. + 10 pls.
- KHAN, N. Y., and S. U. QADRI. 1970. Morphological differences in Lake Superior lake char. J. Fish. Res. Board Canada 27(1): 161–167.
- KINNEY, E. C., JR. MS 1950. The life-history of the trout perch, *Percopsis omiscomaycus* (Walbaum), in western Lake Erie. M.Sc. Thesis. Ohio State Univ., Columbus, Ohio. 75 p.
- MS 1954. A life history study of the silver chub, *Hybopsis storriana* (Kirtland), in western Lake Erie with notes on associated species. Ph.D. Thesis. Ohio State Univ., Columbus, Ohio. 99 p.
- KIRTLAND, J. P. 1838. Report on the zoology of Ohio. 2nd Ann. Rep. Geol. Surv. State Ohio (by W. W. Mather, principal geologist and the several assistants). p. 157–200.
- 1841a. Descriptions of four new species of fishes. Boston J. Natur. Hist. 3(3): 273–279.
- 1841b. Descriptions of the fishes of the Ohio River and its tributaries. Boston J. Natur. Hist. vol. 3: 338–352; 469–482. vol. 4: 16–26; 303–308. vol. 5: 21–32.
- 1844a. Descriptions of *Acipenser rubicundus*, *A. platyrhynchus* and *Rutilus Storerianus*. Proc. Boston Soc. Natur. Hist. (1841–1844) 1: 71.
- 1844b. Description of *Leuciscus Storerianus*, sp. nov., from Ohio. Proc. Boston Soc. Natur. Hist. (1841–1844) 1: 199–200.
- 1850. Fishes of Ohio. Fragments of natural history. The family visitor. Cleveland (and Hudson) 1(1): 1–2.
- 1854a. *Alburnus nitidus* (Silvery minnow). In The Annals of Science, being a record of inventions and improvements in applied science: including the transactions of the Cleveland Acad. Natur. Sci. 2 (February): 44.

- 1854b. Revision of the species belonging to the genus *Esox*, inhabiting Lake Erie and the River Ohio. In *The Annals of Science, being a record of inventions and improvements in applied science: including the transactions of the Cleveland Acad. Natur. Sci.* 2(3): 78–79.
- KITCHELL, J. F., and J. T. WINDELL. 1970. Nutritional value of algae to bluegill sunfish, *Lepomis macrochirus*. *Copeia* 1970(1): 186–190.
- KLAWE, W. L. 1957. Common mummichog and newt in a lake on Digby Neck, Nova Scotia. *Can. Field-Natur.* 71(3): 154–155.
- KLEEREKOPER, H. 1969. Olfaction in fishes. Indiana Univ. Press, Bloomington, Ind. 222 p.
- KLEINERT, S. J., and D. MRAZ. 1966. Life history of the grass pickerel (*Esox americanus vermiculatus*) in southeastern Wisconsin. *Wis. Conserv. Dep. Tech. Bull.* 37: 40 p.
- KLIEWER, E. V. 1970. Gillraker variation and diet in lake whitefish *Coregonus clupeaformis* in northern Manitoba, p. 147–165. In C. C. Lindsey and C. S. Woods [ed.], *Biology of coregonid fishes*. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- KLOCKE, J. F., P. I. TACK, M. A. OHLSOM, R. NITCHALS, E. LEFFLER, and N. S. HENRY. 1947. Nutritive value of fish from Michigan waters. II. Thiamin of lake herring, carp, common sucker, burbot and smelt. *Food Res.* 12(1): 37–43.
- KLUIKANOV, V. A. 1969. Morphological bases of classification of smelts of the genus *Osmerus* (Osmeridae). *Zool. J.* 48(1). (Can. Dep. Sec. State Translation 2196)
- KNAPP, L. W. MS 1964. Systematic studies of the rainbow darter, *Etheostoma caeruleum* (Storer), and the subgenus *Hadropterus* (Pisces, Percidae). Ph.D. Thesis. Cornell Univ. Ithaca, N.Y. 206 p.
- KNIGHT, A. E. 1963. The embryonic and larval development of the rainbow trout. *Trans. Amer. Fish. Soc.* 92(4): 344–355.
- KNIGHT, T. F. 1866. Fishes of Nova Scotia. Descriptive catalogue of fishes of Nova Scotia. Halifax, N.S. 54 p.
- KOELZ, W. 1921. Description of a new cisco from the Great Lakes. *Occas. Pap. Mus. Zool. Univ. Mich.* 104: 4 p.
- 1924. Two new species of cisco from the Great Lakes. *Occas. Pap. Mus. Zool. Univ. Mich.* 146: 8 p.
- 1925. Description of a new cisco from the Great Lakes basin. *Occas. Pap. Mus. Zool. Univ. Mich.* 158: 3 p.
- 1929. Coregonid fishes of the Great Lakes. *Bull. U.S. Bur. Fish.* 43, 1927, 2, doc. 1048: 297–643.
- 1931. The coregonid fishes of northeastern America. *Pap. Mich. Acad. Sci. Arts Lett.* 13 (1930): 303–432.
- KOLBE, C. F. 1944. Food. The controlling factor of fish populations and other related factors influencing survival of valuable species. Port Dover, Ont. 29 p.
- KOOYMAN, A. H. MS 1970. Taxonomy of the whitefishes in Waskesiu Lake, Saskatchewan. M.Sc. Thesis. Dep. Biol., Univ. Calgary, Calgary, Alta. 88 p.
- KOSHINSKY, G. D. 1965. Limnology and fisheries of five precambrian headwater lakes near Lac la Ronge, Saskatchewan. Fish. Branch, Dep. Natur. Res., Sask. Fish. Rep. 7: 52 p.
- KOSTER, W. J. MS 1936. The life-history and ecology of the sculpins (Cottidae) of central New York. Ph.D. Thesis. Cornell Univ., Ithaca, N.Y. 2 p. (unnumbered).
- 1937. The food of sculpins (Cottidae) in central New York. *Trans. Amer. Fish. Soc.* 66 (1936): 374–382.
- 1939. Some phases of the life history and relationships of the cyprinid, *Clinostomus elongatus* (Kirtland). *Copeia* 1939(4): 201–208.
- KRAMER, R. H., and L. L. SMITH, JR. 1960a. Utilization of nests of largemouth bass, *Micropterus salmoides*, by golden shiners, *Notemigonus crysoleucas*. *Copeia* 1960(1): 73–74.
- 1960b. First-year growth of the largemouth bass, *Micropterus salmoides* (Lacépède), and some related ecological factors. *Trans. Amer. Fish. Soc.* 89(2): 222–233.
- 1962. Formation of year classes in largemouth bass. *Trans. Amer. Fish. Soc.* 91(1): 29–41.
- KREJSA, R. J. 1967a. The systematics of the prickly sculpin, *Cottus asper* Richardson, a polytypic species. Part I. Synonymy, nomenclatural history, and distribution. *Pac. Sci.* 21(2): 241–251.
- 1967b. The systematics of the prickly sculpin, *Cottus asper* Richardson, a polytypic species. Part II. Studies on the life history, with especial reference to migration. *Pac. Sci.* 21(3): 414–422.
- KRUEGER, W. H. 1961. Meristic variation in the fourspine stickleback, *Apeltes quadratus*. *Copeia* 1961(4): 442–450.
- KRUMHOLZ, L. A., and H. S. CAVANAH. 1968. Comparative morphometry of freshwater drum from two mid-western localities. *Trans. Amer. Fish. Soc.* 97(4): 429–441.
- KUEHN, J. H. 1957. Life history and ecology of the long-nose dace. Data for Handb. Biol. Data. 2 p.
- KUNTZ, A., and L. RADCLIFFE. 1917. Notes on the embryology and larval development of twelve teleostean fishes. *Bull. U.S. Bur. Fish.* 35, 1915–16, doc. 849: 89–134.
- KUTKUHN, J. H. 1958. Utilization of gizzard shad by game fishes. *Proc. Iowa Acad. Sci.* 65: 571–579.
- LA CEPÈDE, B. G. 1802. *Histoire naturelle des poissons*. Vol. 4. Plassan, Paris. 728 p.
- 1803. *Histoire naturelle des poissons*. Vol. 5. Plassan, Paris. 803 p.

- LACHNER, E. A. 1952. Studies of the biology of the cyprinid fishes of the chub genus *Nocomis* of northeastern United States. Amer. Midland Natur. 48(2): 433-466.
- LACHNER, E. A., and R. E. JENKINS. 1967. Systematics, distribution, and evolution of the chub genus *Nocomis* (Cyprinidae) in the southwestern Ohio River Basin, with the description of a new species. Copeia 1967(3): 557-580.
- LAGLER, K. F. 1956. The pike, *Esox lucius* Linnaeus, in relation to waterfowl on the Seney National Wildlife Refuge, Michigan. J. Wildlife Manage. 20(2): 114-124.
- LAGLER, K. F., and F. V. HUBBS. 1940. Food of the long-nosed gar (*Lepisosteus osseus oxyurus*) and the bowfin (*Amia calva*) in southern Michigan. Copeia 1940(4): 239-241.
- LAGLER, K. F., D. B. OBERHART, and G. V. HARRY. 1942. The food and habits of gars (*Lepisosteus* spp.) considered in relation to fish management. Invest. Indiana Lakes Streams, Indiana Dep. Conserv. 2: 118-135.
- LAGLER, K. F., and A. T. WRIGHT. 1962. Predation of the Dolly Varden, *Salvelinus malma*, on young salmons, *Oncorhynchus* spp., in an estuary. Trans. Amer. Fish. Soc. 88(1): 90-93.
- LAKE, C. T. 1936. The life history of the fan-tailed darter, *Catotomus flabellaris flabellaris* (Rafinesque). Amer. Midland Natur. 17(5): 816-830.
- LA LANNE, J. J., and G. SAFSTEN. 1969. Age determination from scales of chum salmon (*Oncorhynchus keta*). J. Fish. Res. Board Canada 26(3): 671-681.
- LAMSA, A. 1963. Downstream movements of brook sticklebacks, *Eucalia inconstans* (Kirtland), in a small southern Ontario stream. J. Fish. Res. Board Canada 20(2): 587-589.
- LANGFORD, R. R. 1938. The food of the Lake Nipissing cisco, *Leucichthys artedi* (Le Sueur), with special reference to the utilization of the limnetic crustacea. Univ. Toronto Stud. Biol. Ser. 45, Publ. Ont. Fish. Res. Lab. 57: 143-190.
- LANGLOIS, T. H. 1929. Breeding habits of the northern dace. Ecology 10(1): 161-163.
- 1935. Notes on the spawning habits of the Atlantic smelt. Copeia 1935(3): 141-142.
- 1936. Length-weight relationships of bullheads. Copeia 1936(2): 120.
- 1954. The western end of Lake Erie and its ecology. Edwards Bros. Inc., Ann Arbor, Mich. 479 p.
- LANTZ, A. W. 1948. Experiments on the canning of freshwater fish. Fish. Res. Board Canada Progr. Rep. Pac. 74: 19-21.
- 1962. Specialty fish products. Circ. (Gen. Ser.) Biol. Sta. London, Ont. 4: 10-28.
- LAPWORTH, E. D. 1956. The effect of fry planting on whitefish production in eastern Lake Ontario. J. Fish. Res. Board Canada 13(4): 547-558.
- LA RIVERS, I. 1952. A key to Nevada fishes. Southern Calif. Acad. Sci. Bull. 51(3): 86-102.
- 1962. Fishes and fisheries of Nevada. Nevada State Fish Game Comm. State Printing Office, Carson City, Nev. 782 p.
- LARKIN, P. A. MS 1945. Unpublished report in the files of the Department of Biology, Univ. Saskatchewan, Saskatoon, Sask.
- LARKIN, P. A., G. C. ANDERSON, W. A. CLEMENS, and D. C. G. MACKAY. 1950. The production of Kamloops trout (*Salmo gairdnerii kamloops*, Jordan) in Paul Lake, British Columbia. Univ. British Columbia and Brit. Columbia Game Dep. 37 p.
- LARKIN, P. A., and S. B. SMITH. 1954. Some effects of introduction of the redside shiner on the Kamloops trout in Paul Lake, British Columbia. Trans. Amer. Fish. Soc. 83 (1953): 161-175.
- LARKIN, P. A., J. G. TERPENNING, and R. R. PARKER. 1957. Size as a determinant of growth rate in rainbow trout *Salmo gairdneri*. Trans. Amer. Fish. Soc. 86 (1956): 84-96.
- LARSEN, A. 1954. First record of the white perch (*Morone americana*) in Lake Erie. Copeia 1954(2): 154.
- LAWLER, G. H. 1952. A new North American host for the fish parasite *Triaenophorus nodulosus* (Pallas). Can. Field-Natur. 66(4): 111.
- MS 1953. Age, growth, production and infection with *Triaenophorus nodulosus* of the yellow perch, *Perca flavescens* (Mitchill) of Manitoba. Fish. Res. Board Canada MS Rep. Biol. Sta. 521: 19 p.
- 1954. Observations on the trout-perch *Percopsis omiscomaycus* (Walbaum), at Heming Lake, Manitoba. J. Fish. Res. Board Canada 11(1): 1-4.
- 1960. A mutant pike, *Esox lucius*. J. Fish. Res. Board Canada 17(5): 647-654.
- 1961. Egg counts of Lake Erie whitefish. J. Fish. Res. Board Canada 18(2): 293-294.
- 1963. The biology and taxonomy of the burbot, *Lota lota*, in Heming Lake, Manitoba. J. Fish. Res. Board Canada 20(2): 417-433.
- 1964. Incidence of *Ligula intestinalis* in Heming Lake fish. J. Fish. Res. Board Canada 21(3): 549-554.
- 1965a. Fluctuations in the success of year-classes of whitefish populations with special reference to Lake Erie. J. Fish. Res. Board Canada 22(5): 1197-1227.
- 1965b. The food of the pike, *Esox lucius*, in Heming Lake, Manitoba. J. Fish. Res. Board Canada 22(6): 1357-1377.
- 1969. Aspects of the biology of *Triaenophorus nodulosus* in yellow perch, *Perca flavescens*, in Heming Lake, Manitoba. J. Fish. Res. Board Canada 26(4): 821-831.

- 1970. Parasites of coregonid fishes, p. 279–309. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- LAWLER, G. H., and M. FIRZ-EARLE. 1968. Marking small fish with stains for estimating populations in Heming Lake, Manitoba. J. Fish. Res. Board Canada 25(2): 255–266.
- LAWLER, G. H., and W. B. SCOTT. 1954. Notes on the geographical distribution and the hosts of the cestode genus *Triaenophorus* in North America. J. Fish. Res. Board Canada 11(6): 884–893.
- LAWLER, G. H., and N. H. F. WATSON. 1958. Limnological studies of Heming Lake, Manitoba, and two adjacent lakes. J. Fish. Res. Board Canada 15(2): 203–217.
- LEACH, J. F. MS 1962. Summer food and feeding of the white perch *Roccus americanus* (Gmelin) in the Bay of Quinte. M.A. Thesis. Univ. Toronto, Toronto, Ont. 58 p.
- LEACH, W. J. 1940. Occurrence and life history of the northern brook lamprey, *Ichthyomyzon fossor*, in Indiana. Copeia 1940(1): 21–34.
- LECOMPTE, E. L. 1926. The striped bass (rock fish) of the Atlantic coast. Trans. Amer. Fish. Soc. 56: 203–206.
- LEGENDRE, P. MS 1969. Two natural hybrids of the cyprinid fish *Chrosomus eos*. M.Sc. Thesis. Dep. Zool., McGill Univ., Montreal, Que. 119 p.
- LEGENDRE, V. 1942. Redécouverte après un siècle et reclassification d'une espèce de catostomidé. Natur. Can. 69(10 et 11): 227–233.
- 1943. Un nouveau poisson pour la province de Québec. Rev. can. de Biol. 2(1): 105–107.
- 1952. Clef des poissons de pêche sportive et commerciale de la Province de Québec. Soc. Can. d'Ecol. Montreal. xiii + 84 p.
- 1953. The freshwater fishes of the Province of Quebec: list of the species, ecological groups, history, nomenclature, annotations. 9th Rep. Biol. Bur. Game Fish. Dep. Quebec, 1951–52. p. 190–294.
- 1954. Key to game and commercial fishes of the Province of Quebec. Vol. 1. The freshwater fishes. Soc. Can. d'Ecol. Montreal. 180 p.
- LEGENDRE, V., and R. LAGUEUX. 1948. The tomcod (*Microgadus tomcod*) as a permanent fresh-water resident of Lake St. John, Province of Quebec. Can. Field-Natur. 65(5): 157.
- LEGENDRE, V., et J. ROUSSEAU. 1949. La distribution de quelques-uns de nos poissons dans le Québec arctique. Annales de l'Acfas 15: 133–135.
- LEGGETT, W. C., and G. POWER. 1969. Differences between two populations of landlocked Atlantic salmon (*Salmo salar*) in Newfoundland. J. Fish. Res. Board Canada 26(6): 1585–1596.
- LEIM, A. H. 1924. The life history of the shad (*Alosa sapidissima* (Wilson)), with special reference to the factors limiting its abundance. Contrib. Can. Biol. n.s. 2(1): 163–284.
- LEIM, A. H., and W. B. SCOTT. 1966. Fishes of the Atlantic coast of Canada. Fish. Res. Board Canada Bull. 155: 485 p.
- LE JEUNE, R., and V. LEGENDRE. 1968. Extension d'aire du saumon d'eau douce (*Salmo salar*) au Québec. Natur. Can. 95: 1169–1173.
- LENNON, R. E. 1954. Feeding mechanism of the sea lamprey and its effect on host fishes. U.S. Fish Wildlife Serv. Fish. Bull. 98, Vol. 56: 247–293.
- LEONARD, A. K. 1927. The rate of growth and the food of the horned dace (*Semotilus atromaculatus*) in Quebec, with some data on the food of the common shiner (*Notropis cornutus*) and of the brook trout (*Salvelinus fontinalis*) from the same region. Univ. Toronto Stud. Biol. Ser. 28, Publ. Ont. Fish. Res. Lab. 30: 35–44.
- LE SUEUR, C. A. 1817a. A short description of five (supposed) new species of the genus *Muraena*, discovered by Mr. Le Sueur, in the year 1816. J. Acad. Natur. Sci. Philadelphia 1(1): 81–83.
- 1817b. Description of two new species of the genus *Gadus*. J. Acad. Natur. Sci. Philadelphia 1(1): 83–85.
- 1817c. Description of a new species of the genus *Cyprinus*. J. Acad. Natur. Sci. Philadelphia 1(1): 85–86.
- 1817d. A new genus of fishes of the order Abdominales, proposed under the name of *Catostomus*, and the characters of this genus, with those of its species, indicated. J. Acad. Natur. Sci. Philadelphia 1(1): 88–96; 102–111.
- 1817e. Descriptions of four new species, and two varieties, of the genus *Hydrargira*. J. Acad. Natur. Sci. Philadelphia 1(1): 126–134.
- 1818a. Descriptions of several new species of North American fishes. J. Acad. Natur. Sci. Philadelphia 1(2): 222–235; 359–368.
- 1818b. Description of several new species of the genus *Esox*, of North America. J. Acad. Natur. Sci. Philadelphia 1(2): 413–417.
- 1818c. Description of several species of chondropterygious fishes of North America, with their varieties. Trans. Amer. Phil. Soc., n.s. 1: 383–394.
- 1819. Notice sur quelques poissons découverts dans les lacs du haut Canada, durant l'été de 1816. Mém. Mus. Hist. Natur. Paris, 5: 148–161.
- 1822a. Descriptions of five new species of the genus *Cichla* of Cuvier. J. Acad. Natur. Sci. Philadelphia n.s. 2: 214–221.
- 1822b. Description of three new species of the genus *Sciaena*. J. Acad. Natur. Sci. Philadelphia n.s. 2: 251–256.

- 1827. American ichthyology, or natural history of the fishes of North America. New Harmony, Indiana. 44 p.
- LEVANIDOV, V. YA., and I. M. LEVANIDOVA. 1957. Food of downstream migrant young summer chum salmon and pink salmon in Amur tributaries. Izv. Tikhookean. Nauch-Issled. Inst. Ryb. Khoz. Okeanogr. 45: 3–16.
- LEWIS, C. MS 1965. The largemouth bass fishery, Lake Opinicon, Ontario. M.Sc. Thesis. Fac. Arts Sci. Queen's Univ. Kingston, Ont. 69 p.
- LEWIS, R. M. 1957. Comparative study of populations of the striped bass. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 204: 54 p.
- LEWIS, W. M. 1949. The use of vertebrae as indicators of the age of the northern black bullhead *Ameiurus m. melas* (Rafinesque). Iowa State Coll. J. Sci. 23(2): 209–218.
- LEWIS, W. M., and G. E. GUNNING. 1959. Notes on the life history of the steelcolor shiner, *Notropis whipplei* (Girard). Trans. Ill. State Acad. Sci. 52(1 and 2): 59–64.
- LINDEBORG, R. G. 1941. Records of fishes from the Quetico Provincial Park of Ontario, with comments on the growth of the yellow pike-perch. Copeia 1941(3): 159–161.
- LINDSEY, C. C. 1953. Variation in anal fin ray count of the redside shiner *Richardsonius balteatus* (Richardson). Can. J. Zool. 31(3): 211–225.
- 1956. Distribution and taxonomy of fishes in the Mackenzie drainage of British Columbia. J. Fish. Res. Board Canada 13(6): 759–886.
- 1958. Modification of meristic characters by light duration in kokanee, *Oncorhynchus nerka*. Copeia 1958(2): 134–136.
- 1962. Distinctions between the broad whitefish, *Coregonus nasus*, and other North American whitefishes. J. Fish. Res. Board Canada 19(4): 687–714.
- 1963. Status of the whitefish species *Coregonus nelsonii* Bean, with designation of a new type. Copeia 1963(1): 173–174.
- 1964. Problems in zoogeography of the lake trout, *Salvelinus namaycush*. J. Fish. Res. Board Canada 21(5): 977–994.
- LINDSEY, C. C., J. W. CLAYTON, and W. G. FRANZIN. 1970. Zoogeographic problems and protein variation in the *Coregonus clupeaformis* whitefish species complex, p. 127–146. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes, Univ. Manitoba Press, Winnipeg, Man. 560 p.
- LINDSEY, C. C., and T. G. NORTHCOTE. 1963. Life history of redside shiners, *Richardsonius balteatus*, with particular reference to movements in and out of Sixteenmile Lake streams. J. Fish. Res. Board Canada 20(4): 1001–1030.
- LINDSEY, C. C., T. G. NORTHCOTE, and G. F. HARTMAN. 1959. Homing of rainbow trout to inlet and outlet spawning streams at Loon Lake, British Columbia. J. Fish. Res. Board Canada 16(5): 695–719.
- LINDSEY, C. C., and C. S. Woods [ed.] 1970. Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- LINNAEUS, C. 1758. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Laurentii Salvii, Holmiae, 8th ed., Vol. 1: 824 p.
- 1766. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Laurentii Salvii, Holmiae, 12th ed., Vol. 1(1): 532 p.
- LIVINGSTONE, D. A. 1953. The fresh water fishes of Nova Scotia. Proc. Nova Scotian Inst. Sci. 23(1): 90 p.
- LOCH, J. S. MS 1969. A description and general biology of the northern pearl dace, *Semotilus margarita nachtriebi*, with an introductory discussion of taxonomic principles. Dep. Zool. Univ. Toronto, Toronto, Ont. 34 p. + 7 fig. (Mimeo.)
- LOCKINGTON, W. N. 1880. Description of a new fish from Alaska (*Uranidea microstoma*). Proc. U.S. Nat. Mus. 3: 58–59.
- LOEB, H. A. 1955. An electrical device for carp control. N.Y. Fish Game J. 2(2): 220–231.
- 1960a. Reactions of carp to food and flavours. N.Y. Fish Game J. 7(1): 60–71.
- 1960b. The development of stomach poisons for the control of carp. Contrib. Fed. Aid Fish Wildlife Restoration Proj. F-9-R, N.Y. State Conserv. Dep. 6 p. (Mimeo.)
- LOFTUS, K. H. 1958. Studies on river spawning populations of lake trout in eastern Lake Superior. Trans. Amer. Fish. Soc. 87 (1957): 259–277.
- LORD, J. K. 1866a. The naturalist in Vancouver Island and British Columbia. Vol. 1: 358 p. Richard Bentley, London.
- 1866b. The naturalist in Vancouver Island and British Columbia. Vol. 2: 375 p. Richard Bentley, London.
- 1867. A new charr (*Fario lordii*) from British Columbia. Intell. Observ. 10: 338–347.
- LORZ, H. W., and T. G. NORTHCOTE. 1965. Factors affecting stream location, and timing and intensity of entry by spawning kokanee (*Oncorhynchus nerka*) into an inlet of Nicola Lake, British Columbia. J. Fish. Res. Board Canada 22(3): 665–687.
- LOUDON, W. J. 1910. The small-mouthed bass. Hunter-Rose Co. Ltd., Toronto, Ont. 103 p.

- LOW, A. P. 1896. Report on explorations in the Labrador Peninsula along the East Main, Koksoak, Hamilton, Manicuan and portions of other rivers in 1892-93-94-95. In Rep. Geol. Survey Canada, n.s. Vol. 8 for 1875, App. III. Queen's Printer, Ottawa, Ont. 387 p.
- LOWER, A. R. M. 1915. A report on the fish and fisheries of the West coast of James Bay, p. 29-67. In Canada. Dep. of the Naval Services. Report on fisheries investigations in Hudson and James Bays and tributary waters in 1914. King's Printer, Ottawa, Ont.
- LUND, W. A., JR. 1957. Morphometric study of the striped bass, *Roccus saxatilis*. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 216: 24 p.
- LYNCH, J. E. 1936. New species of *Neochinorhynchus* from the western sucker *Catostomus macrocheilus* Girard. Trans. Amer. Microsc. Soc. 55(1): 21-43.
- LYSTER, L. L. 1940a. Parasites of freshwater fish. II. Parasitism of speckled and lake trout and the fish found associated with them in Lake Commandant, Que. Can. J. Res., D, 18: 66-78.
- 1940b. *Apophallus imperator* sp. nov., a heterophyid encysted in trout, with a contribution to its life history. Can. J. Res., D, 18: 106-121.
- MACCRIMMON, H. R. 1971. World distribution of rainbow trout (*Salmo gairdneri*). J. Fish. Res. Board Canada 28(5): 663-704.
- MACCRIMMON, H. R., and J. S. CAMPBELL. 1969. World distribution of brook trout, *Salvelinus fontinalis*. J. Fish. Res. Board Canada 26(7): 1699-1725.
- MACCRIMMON, H. R., and W.-H. KWAIN. 1969. Influence of light on early development and meristic characters in the rainbow trout, *Salmo gairdneri* Richardson. Can. J. Zool. 47(4): 631-637.
- MACCRIMMON, H. R., and T. L. MARSHALL. 1968. World distribution of brown trout, *Salmo trutta*. J. Fish. Res. Board Canada 25(12): 2527-2548.
- MACCRIMMON, H. R., T. L. MARSHALL, and B. L. GOTS. 1970. World distribution of brown trout, *Salmo trutta*: further observations. J. Fish. Res. Board Canada 27(4): 811-818.
- MACCRIMMON, H. R., and E. SKOBE. 1970. The fisheries of Lake Simcoe. Ont. Dep. Lands Forests, Toronto. 140 p.
- MACKAY, H. H. 1934. Record of the alewife from Lake Huron. Copeia (1934) 2: 97.
- 1963. Fishes of Ontario. Ont. Dep. Lands Forests, Toronto. 300 p.
- MACKAY, H. H., and E. MACGILLIVRAY. 1949. Recent investigations on the sea lamprey, *Petromyzon marinus*, in Ontario. Trans. Amer. Fish. Soc. 76 (1946): 148-159.
- MACKAY, I., and G. POWER. 1968. Age and growth of round whitefish (*Prosopium cylindraceum*) from Ungava. J. Fish. Res. Board Canada 25(4): 657-666.
- MACLULICH, D. A. 1943a. *Proteocephalus parallacticus*, a new species of tapeworm from lake trout, *Cristivomer namaycush*. Can. J. Res., D, 21: 145-149.
- 1943b. Parasites of trout in Algonquin Provincial Park, Ontario. Can. J. Res., D, 21: 405-412.
- MAGNIN, ÉTIENNE. 1959. Répartition actuelle des acipenserides. Rev. Trav. Inst. Pêches marit. 23(3): 277-285.
- 1963a. Notes sur la répartition, la biologie et particulièrement la croissance de l'*Acipenser brevirostris* LeSueur 1817. Natur. Can. 90(3): 87-96.
- 1963b. Recherches sur la systématique et la biologie des Acipenserides *Acipenser sturio* L., *Acipenser oxyrinchus* Mitchill, *Acipenser fulvescens* Raf. Thèse de Docteur ès Sciences Naturelles, Université de Paris. Imprimerie Nationale, Sér. A., No. 3964, Paris. 242 p.
- 1964. Validité d'une distinction spécifique entre les deux acipenseridés: *Acipenser sturio* L. d'Europe et *Acipenser oxyrinchus* d'Amérique du nord. Natur. Can. 91(1): 5-20.
- 1966a. Quelques données biologiques sur la reproduction des esturgeons *Acipenser fulvescens* Raf. de la Rivière Nottaway, tributaire de la Baie James. Can. J. Zool. 44(2): 257-263.
- 1966b. Recherches sur les cycles de reproduction des esturgeons *Acipenser fulvescens* Raf. de la rivière Nottaway tributaire de la baie James. Verh. Internat. Verein. Limnol. 16: 1018-1024.
- MAGNIN, É., et G. BEAULIEU. 1966. Divers aspects de la biologie et de l'écologie de la barbeue *Ictalurus punctatus* (Rafinesque) du fleuve Saint-Laurent d'après les données du marquage. Trav. Pêches Qué. 92(12): 277-291.
- 1967. Le bar, *Roccus saxatilis* (Walbaum), du Fleuve Saint-Laurent. Natur. Can. 94: 539-555.
- 1968. Déplacements du doré jaune *Stizostedion vitreum* (Mitchill) du fleuve Saint-Laurent d'après les données du marquage. Natur. Can. 95: 897-905.
- MAGNUSON, J. L., and L. L. SMITH. 1963. Some phases of the life history of the trout-perch. Ecology 44(1): 83-95.
- MAHER, F. P., and P. A. LARKIN. 1955. Life history of the steelhead trout of the Chilliwack River, British Columbia. Trans. Amer. Fish. Soc. 84 (1954): 27-38.
- MAHON, E. F., and W. S. HOAR. 1956. The early development of the chum salmon, *Oncorhynchus keta* (Walbaum). J. Morphol. 98(1): 1-48.
- MALONEY, J. E., D. R. SCHUPP, and W. J. SCIDMORE. 1962. Largemouth bass population and harvest, Gladstone Lake, Crow Wing County, Minnesota. Trans. Amer. Fish. Soc. 91(1): 42-52.

- MALOY, C. R., and H. WILLOUGHBY. 1967. Rearing marketable channel catfish in ponds. U.S. Fish Wildlife Serv. Resource Publ. 31: 4 p.
- MANSELL, W. D. 1966. Brown trout in southwestern Ontario. Ont. Fish Wildlife Rev. 5(2): 3-8.
- MANSUETI, A. J. 1964. Early development of the yellow perch, *Perca flavescens*. Chesapeake Sci. 5(1-2): 46-66.
- MANSUETI, A. J., and J. D. HARDY, JR. 1967. Development of fishes of the Chesapeake Bay Region. Part 1. Nat. Res. Inst., Univ. Maryland, Baltimore, Md. 202 p.
- MANSUETI, R. J. 1956. Alewife herring eggs and larvae reared successfully in lab. Md. Tidewater News 13(1): 2-3, 1 fig.
- 1960. Selection of body site for scale samples in the white perch, *Roccus americanus*. Chesapeake Sci. 1(2): 103-109.
- 1961. Movements, reproduction, and mortality of the white perch, *Roccus americanus*, in the Patuxent estuary, Maryland. Chesapeake Sci. 2(3-4): 142-205.
- MARCOTTE, A., et J.-L. TREMBLAY. 1948. Notes sur la biologie de l'éperlan (*Osmerus mordax*, Mitchell) de la province de Québec. Contrib. Station Biol. Saint-Laurent, P.Q. 18: 107 p.
- MARGOLIS, L. 1951. "Red sore" disease of pike in Mont Tremblant Park District, Quebec. Can. Fish Cult. 10: 30-31.
- 1954. Ulcer disease and furunculosis in a Quebec trout hatchery. Can. Fish Cult. 15: 16-17.
- 1963. Parasites as indicators of the geographical origin of sockeye salmon, *Oncorhynchus nerka* (Walbaum), occurring in the North Pacific Ocean and adjacent seas. Int. North Pac. Fish. Comm. Bull. 11: 101-156.
- 1965. Parasites as an auxiliary source of information about the biology of Pacific salmons (genus *Oncorhynchus*). J. Fish. Res. Board Canada 22(6): 1387-1395.
- 1967a. *Triaenophorus crassus* plerocercoids in sockeye salmon smolts from the Kvichak River system, Alaska. J. Fish. Res. Board Canada 24(4): 893-894.
- 1967b. The swimbladder nematodes (Cystidicolinae) of Pacific salmons (genus *Oncorhynchus*). Can. J. Zool. 45(6), pt. 2: 1183-1199.
- MARGOLIS, L., and J. R. ADAMS. 1956. Description of *Genolinea oncorhynchi* n.sp. (Trematoda: Hemiuridae) from *Oncorhynchus gorbuscha* in British Columbia with notes on the genus. Can. J. Zool. 34(6): 573-577.
- MARGOLIS, L., F. C. CLEAVER, Y. FUKUDA, and H. GODFREY. 1966. Salmon of the North Pacific Ocean — Part 6. Sockeye salmon in offshore waters. Int. North Pac. Fish. Comm. Bull. 20: 1-70.
- MARKUS, H. C. 1934. Life history of the blackhead minnow (*Pimephales promelas*). Copeia 1934(3): 116-122.
- MARSHALL, K. E., and J. J. KELEHER. 1970. A bibliography of the lake trout, *Cristivomer namaycush* (Walbaum) 1929-1969. Fish. Res. Board Canada Tech. Rep. 176: 60 p.
- MARSHALL, T. L., and H. R. MACCRIMMON. 1970. Exploitation of self-sustaining Ontario stream populations of brown trout (*Salmo trutta*) and brook trout (*Salvelinus fontinalis*). J. Fish. Res. Board Canada 27(6): 1087-1102.
- MARTENS, E. 1868. Ueber einige ostasiatische Süsswasserthiere. Arch. Naturgesch. 34. Jahrg. 1: 1-64.
- MARTIN, N. V. 1952. A study of the lake trout, *Salvelinus namaycush*, in two Algonquin Park, Ontario, lakes. Trans. Amer. Fish. Soc. 81 (1951): 111-137.
- 1954. Catch and winter food of lake trout in certain Algonquin Park lakes. J. Fish. Res. Board Canada 11(1): 5-10.
- 1955. The effect of drawdowns on lake trout reproduction and the use of artificial spawning beds. Trans. N. A. Wildlife Conf. 20: 263-271.
- 1957. Reproduction of lake trout in Algonquin Park, Ontario. Trans. Amer. Fish. Soc. (1956) 86: 231-244.
- 1960. Homing behavior in spawning lake trout. Can. Fish Cult. 26: 3-6.
- 1966. The significance of food habits in the biology, exploitation, and management of Algonquin Park, Ontario, lake trout. Trans. Amer. Fish. Soc. 95(4): 415-422.
- 1970. Long-term effects of diet on the biology of the lake trout and the fishery in Lake Opeongo, Ontario. J. Fish. Res. Board Canada 27(1): 125-146.
- MARTIN, N. V., and N. S. BALDWIN. 1960. Observations on the life history of the hybrid between eastern brook trout and lake trout in Algonquin Park, Ontario. J. Fish. Res. Board Canada 17(4): 541-551.
- MARTIN, N. V., and L. J. CHAPMAN. 1965. Distribution of certain crustaceans and fishes in the region of Algonquin Park, Ontario. J. Fish. Res. Board Canada 22(4): 969-976.
- MARTIN, N. V., and F. K. SANDERCOCK. 1967. Pyloric caeca and gill raker development in lake trout, *Salvelinus namaycush*, in Algonquin Park, Ontario. J. Fish. Res. Board Canada 24(5): 965-974.
- MARTIN, W. R. MS 1939. The Arctic char of North America. M.Sc. Thesis. Univ. Toronto, Toronto, Ont. 64 p.
- MARZOLF, R. C. 1955. Use of pectoral spines and vertebrae for determining age and rate of growth of the channel catfish. J. Wildlife Manage. 19(2): 243-249.
- MASON, E. J. R. 1933. Smelts in Lake Ontario. Copeia 1933(1): 34.
- MASON, J. E. 1965. Salmon of the North Pacific Ocean — Part 9. Coho, chinook and masu salmon in offshore waters. 2. Chinook salmon in offshore waters. Int. North Pac. Fish. Comm. Bull. 16: 41-73.

- MAXFIELD, G. H. 1967. Pacific salmon literature compilation — 1900–59. U.S. Dep. Comm., Clearinghouse Fed. Sci. Tech. Inform. doc. PB 174 102: 645 microfiches (42,341 p.).
- MAYHEW, J. 1956. The bluegill, *Lepomis macrochirus* (Rafinesque) in West Okoboji Lake, Iowa. Proc. Iowa Acad. Sci. 63: 705–713.
- MCAFEE, W. R. 1966. Eastern brook trout. Calif. Dep. Fish Game, Inland Fish. Manage. A. Calhoun [ed.]. p. 242–260.
- MCAULISTER, D. E. 1959. Records of marine fishes from fresh water in British Columbia. Can. Field-Natur. 73(1): 13–14.
- 1961. The origin and status of the deepwater sculpin, *Myoxocephalus thompsonii*, a nearctic glacial relict. Bull. Nat. Mus. Canada Contrib. Zool. (1959) 172: 44–65.
- 1962a. The brassy minnow, river shiner and sauger new to Alberta. Can. Field-Natur. 76(2): 124–125.
- 1962b. Fishes of the 1960 "Salvelinus" program from western Arctic Canada. Bull. Nat. Mus. Canada Contrib. Zool. 185: 17–39.
- 1963. A revision of the smelt family, Osmeridae. Bull. Nat. Mus. Canada 191, Biol. Ser. 71: 53 p.
- 1964a. Distinguishing characters for the sculpins *Cottus bairdii* and *C. cognatus* in eastern Canada. J. Fish. Res. Board Canada 21(5): 1339–1342.
- 1964b. Fish collections from eastern Hudson Bay. Can. Field-Natur. 78(3): 167–178.
- 1968. Evolution of branchiostegals and classification of teleostome fishes. Bull. Nat. Mus. Canada 221, Biol. Ser. 77: 239 p.
- 1969. Introduction of tropical fishes into a hot spring near Banff, Alberta. Can. Field-Natur. 83(1): 31–35.
- 1970. Rare or endangered Canadian fishes. Can. Field-Natur. 84(1): 5–26.
- MCAULISTER, D. E., and S. BLEAKNEY. 1960. Some freshwater fishes from northeastern Quebec and Labrador. Bull. Nat. Mus. Canada Contrib. Zool. (1958) 166: 31–39.
- MCAULISTER, D. E., and C. C. LINDSEY. 1961. Systematics of the freshwater sculpins (*Cottus*) of British Columbia. Bull. Nat. Mus. Canada Contrib. Zool. (1959) 172: 66–89.
- MCCABE, B. C. 1942. Fishes. Section 3: Fish. Surv. Rep. Mass. Dep. Conserv. Div. Fish Game. p. 3–68.
- 1958. *Esox niger* LeSueur. Tabular treatment of the life history and ecology of the chain pickerel. Nat. Acad. Sci. Comm. Handb. Biol. Data. 45 p. (Mimeo).
- MCCANN, J. A. 1959. Life history studies of the spottail shiner of Clear Lake, Iowa, with particular reference to some sampling problems. Trans. Amer. Fish. Soc. 88(4): 336–343.
- MCCRRAHER, D. B., and R. THOMAS. 1968. Some ecological observations on the fathead minnow, *Pimephales promelas*, in the alkaline waters of Nebraska. Trans. Amer. Fish. Soc. 97(1): 52–55.
- MCCART, P. 1965. Growth and morphometry of four British Columbia populations of pygmy whitefish (*Prosopium coulteri*). J. Fish. Res. Board Canada 22(5): 1229–1259.
- 1970. Evidence for the existence of sibling species of pygmy whitefish (*Prosopium coulteri*) in three Alaskan lakes, p. 81–98. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- MCCART, P., and B. ANDERSEN. 1967. Plasticity of gillraker number and length in *Oncorhynchus nerka*. J. Fish. Res. Board Canada 24(9): 1999–2002.
- MCLANE, A. J. [ed.] 1965. McClane's standard fishing encyclopedia and international angling guide. Holt, Rinehart and Winston, N.Y. 1057 p.
- MCCOMISH, T. S. 1968. Sexual differentiation of bluegills by the urogenital opening. Progr. Fish-Cult. 30(1): 28.
- MCCONNELL, W. J. 1952. The opercular bone as an indicator of age and growth of the carp, *Cyprinus carpio* Linnaeus. Trans. Amer. Fish. Soc. 81 (1951): 138–149.
- MCCRRAW, B. M. 1952. Furunculosis of fish. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 84: 87 p.
- MCCRIMMON, H. R. 1948. The reintroduction of Atlantic salmon into tributary streams of Lake Ontario. Trans. Amer. Fish. Soc. 78 (1948): 128–132.
- 1952. Mortality of coregonid fish in Lake Simcoe during spring temperature warm-up. Can. Field-Natur. 66(4): 112.
- 1954. Stream studies on planted Atlantic salmon. J. Fish. Res. Board Canada 11(4): 362–403.
- 1956. Fishing in Lake Simcoe. Ont. Dep. Lands Forests, Toronto. 137 p.
- 1958. Observations on the spawning of lake trout, *Salvelinus namaycush*, and the post-spawning movement in Lake Simcoe. Can. Fish Cult. 23: 3–11.
- 1968. Carp in Canada. Fish. Res. Board Canada Bull. 165: 93 p.
- MCCRIMMON, H. R., and O. E. DEVITT. 1954. Winter studies on the burbot, *Lota lota lacustris*, of Lake Simcoe, Ontario. Can. Fish Cult. 16: 34–41.
- MCCRIMMON, H. R., and U. B. SWEE. 1967. Scale formation as related to growth and development of young carp, *Cyprinus carpio* L. J. Fish. Res. Board Canada 24(1): 47–51.
- MFADDEN, J. T., and E. L. COOPER. 1964. Population dynamics of brown trout in different environments. Physiol. Zool. 37(4): 355–363.
- MFADDEN, J. T., E. L. COOPER, and J. K. ANDERSEN. 1962. Sex ratio in wild populations of brown trout. Trans. Amer. Fish. Soc. 91(1): 94–95.

- 1965. Some effects of environment on egg production in brown trout (*Salmo trutta*). Limnol. Oceanogr. 10(1): 88-95.
- McHUGH, J. L. 1940. Food of the Rocky Mountain whitefish, *Prosopium williamsoni* (Girard). J. Fish. Res. Board Canada 5(2): 131-137.
- 1942. Growth of the Rocky Mountain whitefish. J. Fish. Res. Board Canada 5(4): 337-343.
- MCINERNEY, J. E. 1969. Reproductive behavior of the blackspotted stickleback, *Gasterosteus wheatlandi*. J. Fish. Res. Board Canada 26(8): 2061-2075.
- MCINTYRE, J. D. 1969. Spawning behavior of the brook lamprey, *Lampetra planeri*. J. Fish. Res. Board Canada 26(12): 3252-3254.
- McKENZIE, J. A., and M. H. A. KEENLEYSIDE. 1970. Reproductive behavior of ninespine sticklebacks (*Pungitius pungitius* (L.)) in South Bay, Manitoulin Island, Ontario. Can. J. Zool. 48(1): 55-61.
- McKENZIE, R. A. 1947. The Prairie "jigger" for setting gill nets under ice. Fish. Res. Board Canada Circ. Gen. Ser. 7. (2 p. unnumbered).
- 1959. Marine and freshwater fishes of the Miramichi River and estuary, New Brunswick. J. Fish. Res. Board Canada 16(6): 807-833.
- 1964. Smelt life history and fishery in the Miramichi River, New Brunswick. Fish. Res. Board Canada Bull. 144: 77 p.
- McLAIN, A. L. 1952. Diseases and parasites of the sea lamprey, *Petromyzon marinus*, in the Lake Huron basin. Trans. Amer. Fish. Soc. 81 (1951): 94-100.
- McLARNEY, W. O. 1968. Spawning habits and morphological variation in the coastrange sculpin, *Cottus aleuticus*, and the prickly sculpin, *Cottus asper*. Trans. Amer. Fish. Soc. 97(1): 46-48.
- McMURRICH, J. P. 1909. The life history of the Pacific salmon. Trans. Can. Inst. Toronto 9: 23-44.
- McMYNN, R. G., and P. A. LARKIN. 1953. The effects on fisheries of present and future water utilization in the Campbell River drainage area. Brit. Columbia Game Comm. Manage. Publ. 2: 61 p.
- McPHAIL, J. D. 1960. Annotated bibliography on arctic North American fresh-water fishes. Univ. British Columbia Inst. Fish. Mus. Contrib. 6: 1-24.
- 1961. A systematic study of the *Salvelinus alpinus* complex in North America. J. Fish. Res. Board Canada 18(5): 793-814.
- 1963. Geographic variation in North American ninespine sticklebacks, *Pungitius pungitius*. J. Fish. Res. Board Canada 20(1): 27-44.
- 1966. The *Coregonus autumnalis* complex in Alaska and northwestern Canada. J. Fish. Res. Board Canada 23(1): 141-148.
- 1967. Distribution of freshwater fishes in western Washington. Northwest Sci. 41(1): 1-11.
- McPHAIL, J. D., and C. C. LINDSEY. 1970. Freshwater fishes of northwestern Canada and Alaska. Fish. Res. Board Canada Bull. 173: 381 p.
- MEDCOF, J. C. 1966. Incidental records on behaviour of eels in Lake Ainslie, Nova Scotia. J. Fish. Res. Board Canada 23(7): 1101-1105.
- MEEK, S. E. 1888. The fishes of the Cayuga Lake basin. Ann. N.Y. Acad. Sci. 4: 297-316.
- 1899. Notes on a collection of fishes and amphibians from Muskoka and Gull Lakes. Field Columbian Mus. Publ. 41, Zool. ser. 1(17): 307-311.
- MEEK, S. E., and H. W. CLARK. 1902. Notes on a collection of cold-blooded vertebrates from Ontario. Field Columbian Mus. Publ. 67, Zool. ser. 3(7): 131-140.
- MÉLANCON, C. 1936. Les poissons de nos eaux. 2nd ed. Montreal, Que. 250 p.
- MELVILL, C. D. 1915. Report on the east coast fisheries of James Bay. Ann. Rep. Canada Dep. Naval Serv. 1913-14: 3-29 of appendix.
- MELVILLE, J. C. D. 1914. Notes on the distribution and economic importance of the 'inconnu' (*Stenodus mackenii*) in the Mackenzie River valley. 47th Ann. Rep. Dep. Mar. Fish. Ottawa. p. 238-240.
- MERRIMAN, D. 1941. Studies on the striped bass (*Roccus saxatilis*) of the Atlantic Coast. U.S. Fish Wildlife Serv. Fish. Bull. 35, Vol. 50: 1-77.
- METCALF, A. L. 1966. Fishes of the Kansas River System in relation to zoogeography of the Great Plains. Univ. Kansas Publ. Mus. Natur. Hist. 17(3): 23-189, 4 figs., 51 maps.
- MEYER, W. H. 1962. Life history of three species of redhorse (*Moxostoma*) in the Des Moines River, Iowa. Trans. Amer. Fish. Soc. 91(4): 412-419.
- MIGDALSKI, E. C. 1962. Angler's guide to the fresh water sport fishes. Ronald Press, N.Y. 431 p.
- MILLER, E. E. 1966. Channel catfish, p. 440-463. In Inland Fisheries Management. Calif. Dep. Fish Game Resources Agency.
- MILLER, J. G. 1962. Occurrence of ripe chain pickerel in the fall. Trans. Amer. Fish. Soc. 91(3): 323.
- MILLER, R. B. 1945. Studies on cestodes of the genus *Triaenophorus* from fish of Lesser Slave Lake, Alberta. Can. J. Res., D, 23: 117-127.
- 1946a. Effectiveness of a whitefish hatchery. J. Wildlife Manage. 10(4): 316-322.
- 1946b. Notes on the Arctic grayling, *Thymallus signifer* Richardson, from Great Bear Lake. Copeia 1946(4): 227-236.

- 1947. Great Bear Lake, p. 31–44. In North West Canadian Fisheries Surveys in 1944–1945. Fish. Res. Board Canada Bull. 72: 94 p.
- 1949. Preliminary biological surveys of Alberta watersheds, 1947–1949. Alberta Dep. Lands Forests. 139 p.
- 1950. Observations on mortality rates in fished and unfished cisco populations. Trans. Amer. Fish. Soc. 79 (1949): 180–186.
- 1954. Comparative survival of wild and hatchery-reared cutthroat trout in a stream. Trans. Amer. Fish. Soc. 83 (1953): 120–130.
- 1956. The collapse and recovery of a small whitefish fishery. J. Fish. Res. Board Canada 13(1): 135–146.
- 1957. Permanence and size of home territory in stream-dwelling cutthroat trout. J. Fish. Res. Board Canada 14(5): 687–691.
- MILLER, R. B., and W. A. KENNEDY. 1946. Color change in a sculpin. Copeia 1946(2): 100.
- 1948a. Observations on the lake trout of Great Bear Lake. J. Fish. Res. Board Canada 7(4): 176–189.
- 1948b. Pike (*Esox lucius*) from four northern Canadian lakes. J. Fish. Res. Board Canada 7(4): 190–199.
- MILLER, R. B., and R. C. THOMAS. 1957. Alberta's 'pothole' trout fisheries. Trans. Amer. Fish. Soc. 86 (1956): 261–268.
- MILLER, R. J. 1968. Speciation in the common shiner: an alternative view. Copeia 1968(3): 640–647.
- MILLER, R. R. 1950a. A review of the American clupeid fishes of the genus *Dorosoma*. Proc. U.S. Nat. Mus. 100(3267): 387–410.
- 1950b. Notes on the cutthroat and rainbow trouts with the description of a new species from the Gila River, New Mexico. Occas. Pap. Mus. Zool. Univ. Mich. 529: 42 p. + 1 pl.
- 1952. Bait fishes of the lower Colorado River from Lake Mead, Nevada, to Yuma, Arizona, with a key for their identification. Calif. Fish Game 38(1): 7–42.
- 1954. The southern limit of the garfishes, family Lepisosteidae. Copeia 1954(3): 230–231.
- 1957. Origin and dispersal of the alewife, *Alosa pseudoharengus*, and the gizzard shad, *Dorosoma cepedianum*, in the Great Lakes. Trans. Amer. Fish. Soc. 86 (1956): 97–111.
- 1960. Systematics and biology of the gizzard shad (*Dorosoma cepedianum*) and related fishes. U.S. Fish Wildlife Serv. Fish. Bull. 173, Vol. 60: 371–392.
- MILLER, R. R., and R. G. MILLER. 1948. The contribution of the Columbia River system to the fish fauna of Nevada: five species unrecorded from the State. Copeia 1948(3): 174–187.
- MILLER, R. R., and G. R. SMITH. 1967. New fossil fishes from Plio-Pleistocene Lake Idaho. Occas. Pap. Mus. Zool. Univ. Mich. 654: 24 p.
- MILLER, R. V. 1968. A systematic study of the greenside darter, *Etheostoma blennioides* Rafinesque (Pisces: Percidae). Copeia 1968(1): 1–40.
- MILNE, D. J. 1964. The chinook and coho salmon fisheries of British Columbia. Fish. Res. Board Canada Bull. 142: 46 p. (appendix by H. Godfrey).
- MILNER, J. W. 1874. Notes on the grayling of North America. Rep. Commissioner for 1872 and 1873, U.S. Comm. Fish Fish. Pt. 2: 729–742.
- MITCHILL, S. L. 1814. Report in part of Samuel L. Mitchill, M.D., on the fishes of New York. D. Carlisle, N.Y. 28 p.
- 1815a. Fishes of New York. Trans. Lit. Phil. Soc. N.Y. 1: 355–492.
- 1815b. On the fishes of New York. Notice in Trans. Linn. Soc. London 1815, 11(2): 424.
- 1817. Report on the ichthyology of the Walkill, from specimens of fishes presented to the Society (Lyceum of Natural History) by Dr. B. Akerly. Amer. Month. Mag. Crit. Rev. 1(4): 289–290.
- 1818a. Memoir on ichthyology. The fishes of New York described and arranged. Amer. Month. Mag. Crit. Rev. 1817–1818, 2: 241–248; 321–328.
- 1818b. Description of three species of fish. J. Acad. Natur. Sci. Philadelphia 1(2): 407–412.
- MOFFETT, J. W. 1957. Recent changes in the deep-water fish populations of Lake Michigan. Trans. Amer. Fish. Soc. 86 (1956): 393–408.
- 1966. The general biology of the cyclostomes with special reference to the lamprey, p. 252–262. In Phylogeny of immunity. Pt. 5. Univ. Florida Press, Gainesville, Fla. 276 p.
- MOFFETT, J. W., and B. P. HUNT. 1943. Winter feeding habits of bluegills, *Lepomis macrochirus* Rafinesque, and yellow perch, *Perca flavescens* (Mitchill), in Cedar Lake, Washtenaw County, Michigan. Trans. Amer. Fish. Soc. 73 (1943): 231–242.
- MONTPETIT, A. N. 1897. Les poissons d'eau douce du Canada. Montreal, Que. 553 p. + 12 pls.
- MOODIE, G. E. E. MS 1966. Some factors affecting the distribution and abundance of the chiselmouth (*Acrocheilus alutaceus*). M.Sc. Thesis. Dep. Zool., Univ. British Columbia, Vancouver, B.C. 53 p.
- MOORE, E. 1922. The primary sources of food of certain food and game and bait fishes of Lake George, p. 52–63 + 3 figs. In A biological survey of Lake George, N.Y. N.Y. Conserv. Comm.
- 1930. A biological survey of the Champlain watershed. Suppl. to 19th Ann. Rept. N.Y. State Conserv. Dep. for 1929. Albany, N.Y. 321 p. + maps.

- MOORE, G. A. 1968. Fishes, p. 21–165. In Vertebrates of the United States, by W. F. Blair, A. P. Blair, P. Brodkorb, F. R. Cagle, and G. A. Moore. 2nd ed. McGraw-Hill Inc. 616 p.
- MOORE, H. R. 1917. The burbot. U.S. Bur. Fish. Econ. Circ. 25: 1–4.
- MORRIS, D. 1958. The reproductive behaviour of the ten-spined stickleback (*Pygosteus pungitius* L.). Behaviour, Supp. 6. E. J. Brill, Leiden. 154 p.
- MORROW, J. E. 1964. Populations of pike, *Esox lucius*, in Alaska and northeastern North America. Copeia 1964(1): 235–236.
- MORSELL, J. W., and C. R. NORDEN. 1968. Food habits of the alewife, *Alosa pseudoharengus* (Wilson), in Lake Michigan. Proc. 11th Conf. Great Lakes Res. 1968. p. 96–102.
- MORTON, W. M. 1970. On the validity of all subspecific descriptions of North American *Salvelinus malma* (Walbaum). Copeia 1970(3): 581–587.
- MORTON, W. M., and R. R. MILLER. 1954. Systematic position of the lake trout, *Salvelinus namaycush*. Copeia 1954(2): 116–124.
- Moss, D. D., and D. C. SCOTT. 1961. Dissolved-oxygen requirements of three species of fish. Trans. Amer. Fish. Soc. 90(4): 377–393.
- MOTTLEY, C. McC. 1934. The origin and relations of the rainbow trout. Trans. Amer. Fish. Soc. 64 (1934): 323–327.
- 1936a. The classification of the rainbow trout of British Columbia. Biol. Board Canada Progr. Rep. Pac. Biol. Sta. Pac. Fish. Exp. Sta. 27: 3–5.
- 1936b. A biometrical study of the Kamloops trout of Kootenay Lake, *Salmo kamloops* Jordan. J. Biol. Board Canada 2(4): 359–377.
- MRAZ, D. 1964a. Age and growth of the round whitefish (*Prosopium cylindraceum*) in Lake Michigan. Trans. Amer. Fish. Soc. 93(1): 46–53.
- 1964b. Observations on large and smallmouth bass nesting and early life history. Wis. Conserv. Dep. Res. Rep. Fish 11: 13 p.
- MRAZ, D., S. KMIOTEK, and L. FRANKENBERGER. 1961. The largemouth bass. Its life history, ecology and management. Wis. Conserv. Dep. Publ. 232: 13 p.
- MRAZ, D., and C. W. THREINEN. 1957. Angler's harvest, growth rate and population estimate of the largemouth bass of Browns Lake, Wisconsin. Trans. Amer. Fish. Soc. 85 (1955): 241–256.
- MUELLER, J. F. 1934. Pt. 4. Additional studies on parasites of Oneida Lake fishes including descriptions of new species, p. 335–373. In Parasites of Oneida Lake fishes. Bull. N.Y. State Coll. Forestry 7(1). Roosevelt Wild Life Annals 3(4).
- MUNCY, R. J. 1962. Life history of the yellow perch, *Perca flavescens*, in estuarine waters of Severn River, a tributary of Chesapeake Bay, Maryland. Chesapeake Sci. 3(3): 143–159.
- MUNRO, J. A., and W. A. CLEMENS. 1936. Food of the American merganser (*Mergus merganser americanus*) in British Columbia. Can. Field-Natur. 50(3): 34–36.
- 1937. The American merganser in British Columbia and its relation to the fish population. Bull. Biol. Bd. Canada 55: 50 p.
- MYERS, G. S. 1932. A new whitefish, *Prosopium snyderi*, from Crescent Lake, Washington. Copeia 1932(2): 62–64.
- NARVER, D. W., and M. L. DAHLBERG. 1965. Estuarine food of Dolly Varden at Chignik, Alaska. Trans. Amer. Fish. Soc. 94(4): 405–408.
- NASH, C. W. 1908. Manual of vertebrates of Ontario. Legislative Assembly Ont., Toronto, Ont. 107 p.
- NEAVE, F. 1958. The origin and speciation of *Oncorhynchus*. Trans. Roy. Soc. Canada ser. 3, 52, sec. 5: 25–39.
- 1966. Salmon of the North Pacific Ocean — Part 3. A review of the life history of North Pacific salmon. 6. Chum salmon in British Columbia. Int. North Pac. Fish. Comm. Bull. 18: 81–85.
- NEAVE, F., and A. BAJKOV. 1929. Reports of the Jasper Park Lakes investigations, 1925–26. 5. Food and growth of Jasper Park fishes. Contrib. Can. Biol. Fish. n.s. 4(16): 199–217 + 1 pl.
- NEEDHAM, J. G. 1920. Clean waters for New York State. Cornell Rural School Leafl. 13: 153–182.
- NEEDHAM, P. R. 1938. Trout streams. Comstock Pub. Co., Ithaca, N.Y. 233 p.
- 1961. Observations on the natural spawning of eastern brook trout. Calif. Fish Game 47(1): 27–40.
- NEEDHAM, P. R., and R. GARD. 1959. Rainbow trout in Mexico and California. Univ. Calif. Publ. Zool. 67(1): 1–124 + pls. 1–8, figs., maps.
- NEEDHAM, P. R., and T. M. VAUGHAN. 1952. Spawning of the Dolly Varden, *Salvelinus malma*, in Twin Creek, Idaho. Copeia 1952(3): 197–199.
- NEEDLER, A. W. H. 1929. Unpigmented elvers (*Anguilla rostrata* LeSueur) in haddock stomachs at Ingonish, Cape Breton. Copeia 1929(171): 41–42.
- 1939. A preliminary list of the fishes of Malpeque Bay. Proc. Nova Scotian Inst. Sci. 20(2): 33–41.
- NEILL, W. T. 1950. An estivating bowfin. Copeia 1950(3): 240.
- NELSON, E. W. 1876. A partial catalogue of the fishes of Illinois. Ill. Mus. Natur. Hist. Bull. 1(1): 33–52.

- 1887. Field notes on Alaskan fishes. Rep. Natur. Hist. Coll. Alaska between years 1877 and 1881. 3: 297–322. Washington.
- NELSON, J. S. 1965. Effects of fish introductions and hydroelectric development on fishes in the Kananaskis River system, Alberta. J. Fish. Res. Board Canada 22(3): 721–753.
- 1968a. Salinity tolerance of brook sticklebacks, *Culaea inconstans*, freshwater ninespine sticklebacks, *Pungitius pungitius*, and freshwater fourspine sticklebacks, *Apeltes quadratus*. Can. J. Zool. 44(4): 663–667.
- 1968b. Life history of the brook silverside, *Labidesthes sicculus*, in Crooked Lake, Indiana. Trans. Amer. Fish. Soc. 97(3): 293–296.
- 1968c. Hybridization and isolating mechanisms between *Catostomus commersonii* and *C. macrocheilus* (Pisces: Catostomidae). J. Fish. Res. Board Canada 25(1): 101–150.
- 1968d. Distribution and nomenclature of North American kokanee, *Oncorhynchus nerka*. J. Fish. Res. Board Canada 25(2): 409–414.
- 1968e. Variation in gillraker number in North American kokanee, *Oncorhynchus nerka*. J. Fish. Res. Board Canada 25(2): 415–420.
- 1969. Geographic variation in the brook stickleback, *Culaea inconstans*, and notes on nomenclature and distribution. J. Fish. Res. Board Canada 26(9): 2431–2447.
- 1971a. Comparison of the pectoral and pelvic skeletons and of some other bones and their phylogenetic implications in the Aulorhynchidae and Gasterosteidae (Pisces). J. Fish. Res. Board Canada 28(3): 427–442.
- 1971b. Absence of the pelvic complex in ninespine sticklebacks, *Pungitius pungitius*, collected in Ireland and Wood Buffalo National Park Region, Canada, with notes on meristic variation. Copeia 1971(4): 707–717.
- NELSON, J. S., and F. M. ATTON. 1971. Geographic and morphological variation in the presence and absence of the pelvic skeleton in the brook stickleback, *Culaea inconstans* (Kirtland), in Alberta and Saskatchewan. Can. J. Zool. 49(3): 343–352.
- NELSON, W. R. 1968a. Reproduction and early life history of sauger, *Stizostedion canadense*, in Lewis and Clark Lake. Trans. Amer. Fish. Soc. 97(2): 159–166.
- 1968b. Embryo and larval characteristics of sauger, walleye, and their reciprocal hybrids. Trans. Amer. Fish. Soc. 97(2): 167–174.
- NETBOY, A. 1968. The Atlantic salmon. A vanishing species? Faber and Faber, London. 457 p.
- NETSCH, LT. NORVAL F., and A. WITT, JR. 1962. Contributions to the life history of the longnose gar (*Lepisosteus osseus*) in Missouri. Trans. Amer. Fish. Soc. 91(3): 251–262.
- NEW, J. G. 1962. Hybridization between two cyprinids, *Chrosomus eos* and *Chrosomus neogaeus*. Copeia 1962(1): 147–152.
- NEWMAN, H. H. 1907. Spawning behavior and sexual dimorphism in *Fundulus heteroclitus* and allied fish. Biol. Bull. (Woods Hole) 12(5): 314–345.
- 1914. Modes of inheritance in teleost hybrids. J. Exp. Zool. 16: 447–499.
- NIAZI, A. D., and G. A. MOORE. 1926. The Weberian apparatus of *Hybognathus placitus* and *H. nuchalis* (Cyprinidae). Southwest. Natur. 7(1): 41–50.
- NIKOL'SKII, G. V. 1954. (Rev. 1961.) Special ichthyology. Nat. Sci. Found. Washington, D.C. and Smithsonian Inst. 538 p. (Trans. from Russian)
- NOBLE, G. K. 1934. Sex recognition in the sunfish, *Eupomotis gibbosus* (Linne). Copeia (1934)4: 151–155.
- NOBLE, R. L. 1965. Life history and ecology of western blacknose dace, Boone County, Iowa, 1963–1964. Iowa Acad. Sci. 72: 282–293.
- NORDEN, C. R. 1961a. Comparative osteology of representative salmonid fishes, with particular reference to the grayling (*Thymallus arcticus*) and its phylogeny. J. Fish. Res. Board Canada 18(5): 679–791.
- 1961b. The identification of larval yellow perch, *Perca flavescens* and walleye, *Stizostedion vitreum*. Copeia 1961(3): 282–288.
- 1967. Development and identification of the larval alewife, *Alosa pseudoharengus* (Wilson), in Lake Michigan. Proc. 11th Conf. Great Lakes Res. 1967. p. 70–78. Internat. Assoc. Great Lakes Res.
- 1968. Morphology and food habits of the larval alewife, *Alosa pseudoharengus* (Wilson), in Lake Michigan. Proc. 11th Conf. Great Lakes Res. 1968. p. 103–110. Internat. Assoc. Great Lakes Res.
- 1970. Evolution and distribution of the genus *Prosopium*, p. 67–80. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- NORMAN, J. R. 1963. A history of fishes. (2nd ed.) Rev. by P. H. Greenwood. Ernest Benn Ltd., London. 398 p.
- NORMANDEAU, D. A. 1969. Life history and ecology of the round whitefish *Prosopium cylindraceum* (Pallas), of Newfound Lake, Bristol, New Hampshire. Trans. Amer. Fish. Soc. 98(1): 7–13.
- NORRIS, T. 1868. Remarks on a new species of *Osmerus*. Proc. Acad. Natur. Sci. Philadelphia 20: 93–94.
- NORTHCOTE, T. G. 1954. Observations on the comparative ecology of two species of fish, *Cottus asper* and *Cottus rhotheus*, in British Columbia. Copeia 1954(1): 25–28.
- 1957. A review of the life history and management of the mountain whitefish, *Coregonus williamsoni* Girard. Fish Manage. Div. Brit. Columbia Game Comm. 6 p. (Mimeo.)

- NORTHCOTE, T. G., and G. F. HARTMAN. 1959. A case of "schooling" behavior in the prickly sculpin, *Cottus asper* Richardson. *Copeia* 1959(2): 156-158.
- NORTHCOTE, T. G., and H. W. LORZ. 1966. Seasonal and diel changes in food of adult kokanee (*Oncorhynchus nerka*) in Nicola Lake, British Columbia. *J. Fish. Res. Board Canada* 23(8): 1259-1263.
- NORTHCOTE, T. G., and R. J. PATERSON. 1960. Relationship between number of pyloric caeca and length of juvenile rainbow trout. *Copeia* 1960(3): 248-250.
- NORTHCOTE, T. G., S. N. WILLISCROFT, and H. TSUYUKI. 1970. Meristic and lactate dehydrogenase genotype differences in stream populations of rainbow trout below and above a waterfall. *J. Fish. Res. Board Canada* 27(11): 1987-1995.
- NURSALL, J. R., and V. LEWIN. 1964. The stonecat, *Noturus flavus*, newly recorded in Alberta. *Can. Field-Natur.* 78(2): 128-129.
- ODELL, T. T. 1934. The life history and ecological relationships of the alewife (*Pomolobus pseudoharengus* (Wilson)), in Seneca Lake, New York. *Trans. Amer. Fish. Soc.* 64: 118-126.
- OEHMCKE, A. A., L. JOHNSON, J. KLINGBIEL, and C. WISTROM. 1958. The Wisconsin muskellunge. Its life history, ecology, and management. *Wis. Conserv. Dep. Publ.* 225: 12 p.
- OKADA, Y. 1950-1960. Studies on the freshwater fishes of Japan. *Prefectural Univ. Mie, Tsu, Mie Prefecture, Japan.* 860 p. + pls. I-LXI; text-figs. 1-133, tables 1-185.
- OKKELBERG, P. 1922. Notes on the life-history of the brook lamprey, *Ichthyomyzon unicolor*. *Occas. Pap. Mus. Zool. Univ. Mich.* 125: 14 p.
- OLSON, D. E. 1958. Statistics of a walleye sport fishery in a Minnesota lake. *Trans. Amer. Fish. Soc.* 87 (1957): 52-72.
- OLUND, L. J., and F. B. CROSS. 1961. Geographic variation in the North American cyprinid fish, *Hybopsis gracilis*. *Univ. Kansas Pub. Mus. Natur. Hist.* 13(7): 323-348.
- OSTDIEK, J. L., and R. M. NARDONE. 1959. Studies on the Alaskan blackfish *Dallia pectoralis*. I. Habitat, size and stomach analyses. *Amer. Midland Natur.* 61(1): 218-229.
- PAETZ, M. J., and J. S. NELSON. 1968. Keys to the fishes of Alberta. *Mus. Zool. Univ. Alberta, Edmonton, Alta.* 25 p. (Mimeo.)
- 1970. The fishes of Alberta. *Govt. Alberta. Distrib. Queen's Printer, Edmonton, Alta.* 281 p.
- PALLAS, P. S. 1776. *Reise durch verschiedene Provinzen des Russischen Reichs* (1768-74). Vol. 3. *St. Petersburg.*
- 1814. *Zoogeographia Rosso-Asiatica*. Vol. 3. *Petropoli.* 423 p. + cxxv. (Date established by Opinion 212 of Int. Comm. Zool. Nomencl.)
- PARKER, G. H., and H. P. BROWER. 1935. A nuptial secondary sex-character in *Fundulus heteroclitus*. *Biol. Bull. (Woods Hole)* 68(1): 4-6.
- PARKER, P. S., and R. E. LENNON. 1956. Biology of the sea lamprey in its parasitic phase. *U.S. Fish Wildlife Serv. Res. Rep.* 44: iii + 32 p.
- PARSONS, J. W. 1967. Contributions of year-classes of blue pike to the commercial fishery of Lake Erie, 1943-59. *J. Fish. Res. Board Canada* 24(5): 1035-1066.
- PATERSON, C. G. 1966. Life history notes on the goldeye, *Hiodon alosoides* (Rafinesque), in the North Saskatchewan River in Alberta. *Can. Field-Natur.* 80(4): 250-251.
- 1969. Occurrence of *Coregonus artedii* and *C. zenithicus* in Barrow Lake, Alberta. *J. Fish. Res. Board Canada* 26(7): 1934-1939.
- PATTEN, B. G. 1960. A high incidence of the hybrid *Acrocheilus alutaceum* \times *Ptychocheilus oregonense*. *Copeia* 1960(1): 71-73.
- 1962. Cottid predation upon salmon fry in a Washington stream. *Trans. Amer. Fish. Soc.* 91(4): 427-429.
- PATTEN, B. G., and D. T. RODMAN. 1969. Reproductive behavior of northern squawfish, *Ptychocheilus oregonensis*. *Trans. Amer. Fish. Soc.* 98(1): 108-111.
- PAYNE, N. R. MS 1964. The life history of the walleye, *Stizostedion vitreum vitreum* (Mitchill), in the Bay of Quinte. *M.A. Thesis. Univ. Toronto, Toronto, Ont.* 40 p.
- PEARSE, A. S. 1918. The food of the shore fishes of certain Wisconsin lakes. *Bull. Bur. Fish.* 35 (1915-16), doc. 856: 245-292.
- 1919. Habits of the black crappie in inland lakes of Wisconsin. App. 3 *Rep. U.S. Comm. Fish.* (1918) *Bur. Fish. Doc.* 867: 5-16.
- PEARSON, J. C. 1938. The life history of the striped bass, or rockfish, *Roccus saxatilis* (Walbaum). *U.S. Bur. Fish. Bull.* 28(48): 825-851.
- PECKHAM, R. S., and C. F. DINEEN. 1957. Ecology of the central mudminnow, *Umbra limi* (Kirtland). *Amer. Midland Natur.* 58(1): 222-231.
- PEER, D. L. 1966. Relationship between size and maturity in the spottail shiner, *Notropis hudsonius*. *J. Fish. Res. Board Canada* 23(3): 455-457.
- PENNANT, T. 1784. *Arctic zoology*. Vol. 1. Henry Hughes, London. 185 p.

- 1792. Arctic zoology. 2nd ed. London 1(1): 1-334; 2: 1-418.
- PERLEY, M. H. 1852. Reports of the sea and river fisheries of New Brunswick. Fredericton, N.B. 294 p.
- PERLMUTTER, A. 1951. An aquarium experiment on the American eel as a predator on larval lampreys. *Copeia* 1951(2): 173-174.
- 1963. Observations on fishes of the genus *Gasterosteus* in the waters of Long Island, New York. *Copeia* 1963(1): 168-173.
- PETRAVICZ, J. J. 1936. The breeding habits of the least darter *Micropogonias punctulata* Putnam. *Copeia* 1936(2): 77-82.
- PETRAVICZ, W. P. 1938. The breeding habits of the black-sided darter, *Hadropterus maculatus* Girard. *Copeia* 1938(1): 40-44.
- PFEIFFER, REV. R. A. 1955. Studies on the life history of the rosyface shiner. *Notropis rubellus*. *Copeia* 1955(2): 95-104.
- PFEIFFER, W., and T. F. PLETCHER. 1964. Club cells and granular cells in the skin of lamprey. *J. Fish. Res. Board Canada* 21(5): 1083-1088.
- PFLIEGER, W. L. 1971. A distributional study of Missouri fishes. *Univ. Kansas Publ. Mus. Natur. Hist.* 20(3): 225-570, 15 figs., 193 maps.
- PIAVIS, G. N. 1961. Embryological stages in the sea lamprey and effects of temperature on development. *U.S. Fish Wildlife Serv. Fish. Bull.* 182, Vol. 61: 111-143.
- PIERS, H. 1927. *Coregonus labradoricus*, the Sault whitefish, an interesting addition to the freshwater fish fauna of Nova Scotia. *Trans. Nova Scotian Inst. Sci.* 16(2): 92-95.
- PIGEON, J., et A. VALÉE. 1937. Contenu du tube digestif de trois espèces de poissons du St-Laurent. *Natur. Can.* 64(2): 33-40.
- PIKE, G. C. 1951. Lamprey marks on whales. *J. Fish. Res. Board Canada* 8(4): 275-280.
- 1953. The Pacific sea lamprey. *Fish. Res. Board Canada Progr. Rep. Pac.* 97: 3-5.
- PIPPY, J. H. C., and I. M. SANDEMAN. 1967. A kill of brook trout (*Salvelinus fontinalis*) involving the acanthcephalan *Echinorhynchus lateralisis*. *J. Fish. Res. Board Canada* 24(7): 1627-1628.
- PLETCHER, F. T. MS 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. M.Sc. Thesis. Univ. British Columbia, Vancouver, B.C. 195 p.
- POTTER, G. E. 1925. Scales of the bluegill, *Lepomis pallidus* (Mitchell). *Trans. Amer. Microsc. Soc.* 44: 31-37.
- POWER, G. 1958. The evolution of freshwater races of the Atlantic salmon (*Salmo salar* L.). *Arctic* 2(2): 86-92.
- 1965. Notes on the cold-blooded vertebrates of the Nabipipi River region, County Duplessis, Quebec. *Can. Field-Natur.* 79(1): 49-64.
- 1966. Observations on the speckled trout (*Salvelinus fontinalis*) in Ungava. *Natur. Can.* 93(3): 187-199.
- 1969. The salmon of Ungava Bay. *Arctic Inst. North America Tech. Pap.* 22: 72 p.
- POWER, G., and D. R. OLIVER. 1961. Notes on the distribution and relative abundance of fresh-water fish in Ungava. *Can. Field-Natur.* 75(4): 221-224.
- PRAKASH, A. 1962. Seasonal changes in feeding of coho and chinook (spring) salmon in southern British Columbia waters. *J. Fish. Res. Board Canada* 19(5): 851-866.
- PREBLE, E. A. 1908. Fishes of the Athabasca-Mackenzie region, p. 502-515. In *A biological investigation of the Athabasca-Mackenzie region*. U.S. Dep. Agr. Bur. Biol. Surv. North American Fauna 27.
- PRICE, C. E., and H. P. ARAI. 1967. The monogenean parasites of Canadian freshwater fishes. *Can. J. Zool.* 45(6), pt. 2: 1235-1245.
- PRICE, J. W. 1940. Time-temperature relations in the incubation of the whitefish, *Coregonus clupeaformis* (Mitchill). *J. Gen. Physiol.* 23: 449-468.
- PRIEGEL, G. R. 1963a. Dispersal of the shortnose gar, *Lepisosteus platostomus*, into the Great Lakes drainage. *Trans. Amer. Fish. Soc.* 92(2): 178.
- 1963b. Food of walleye and sauger in Lake Winnebago, Wisconsin. *Trans. Amer. Fish. Soc.* 92(3): 312-313.
- 1964. Early scale development in the walleye. *Trans. Amer. Fish. Soc.* 93(2): 199-200.
- 1966. Age-length and length-weight relationship of bullheads from Little Lake Butte des Mortes, 1959. *Wis. Conserv. Dep. Res. Rep. Fish.* 17: 6 p.
- 1969. The Lake Winnebago sauger. Age, growth, reproduction, food habits and early life history. *Tech. Bull. Wis. Dep. Natur. Res.* 43: 63 p.
- 1970. Reproduction and early life history of the walleye in the Lake Winnebago region. *Tech. Bull. Wis. Dep. Natur. Res.* 45: 105 p.
- PRINCE, E. E. 1898. On the Esocidae (or Luciidae) of Canada. Rep. 67th Meeting Brit. Ass. Advancement Sci. 1897. p. 688.
- PRITCHARD, A. L. 1929. The alewife (*Pomolobus pseudoharengus*) in Lake Ontario. *Univ. Toronto Stud. Publ. Ont. Fish. Res. Lab.* 38: 37-54.
- 1930. Spawning habits and fry of the cisco (*Leucichthys artedi*) in Lake Ontario. *Contrib. Can. Biol. Fish. Stud. Biol. Sta. Canada* n.s., 6(9): 227-240.

- 1931. Taxonomic and life history studies of the ciscoes of Lake Ontario. Univ. Toronto Stud. Biol. Ser. 35, Publ. Ont. Fish. Res. Lab. 41: 78 p.
- 1936. Stomach content analyses of fishes preying upon the young of Pacific salmon during the fry migration at McClinton Creek, Masset Inlet, British Columbia. Can. Field-Natur. 50(6): 104–105.
- 1940. The age of spring salmon in the commercial catches in British Columbia. Fish. Res. Board Canada Progr. Rep. Pac. 44: 9–11.
- 1943. The age of chum salmon taken in the commercial catches of British Columbia. Fish. Res. Board Canada Progr. Rep. Pac. 54: 9–11.
- PRITCHARD, A. L., and A. L. TESTER. 1944. Food of spring and coho salmon in British Columbia. Fish. Res. Board Canada Bull. 65: 23 p.
- PROVANCHER, L'ABBÉ. 1875. Faune canadienne. Les poissons. Natur. Can. 7: 361–363.
- 1876. Faune canadienne. Les poissons. Natur. Can. 8: 257–263.
- PUTNAM, F. W. 1863. List of the fishes sent by the Museum to different institutions, in exchange for other specimens, with annotations. Bull. Mus. Comp. Zool. 1(1): 2–16.
- 1866. Remarks on a supposed nondescript species of *Gasterosteus* from Massachusetts. Proc. Essex Inst. 5: 4.
- QADRI, S. U. 1959. Some morphological differences between the subspecies of cutthroat trout, *Salmo clarkii clarkii* and *Salmo clarkii lewisi*, in British Columbia. J. Fish. Res. Board Canada 16(6): 903–922.
- 1967. Morphological comparisons of three populations of the lake char, *Cristivomer namaycush*, from Ontario and Manitoba. J. Fish. Res. Board Canada 24(6): 1407–1411.
- 1968. Growth and reproduction of the lake whitefish, *Coregonus clupeaformis*, in Lac la Ronge, Saskatchewan. J. Fish. Res. Board Canada 25(10): 2091–2100.
- RABB, L., and L. A. McDERMOTT. 1962. Bacteriological studies of freshwater fish. II. Furunculosis in Ontario fish in natural waters. J. Fish. Res. Board Canada 19(6): 989–995.
- RADFORTH, I. 1944. Some considerations on the distribution of fishes in Ontario. Contrib. Roy. Ont. Mus. Zool. 25: 1–116.
- RAFINESQUE, C. S. 1817a. Additions to the observations on the sturgeons of North America. Amer. Month. Mag. Crit. Rev. 1(4): 288.
- 1817b. First decade of new North American fishes. Amer. Month. Mag. Crit. Rev. 2(2): 120–121.
- 1818a. Descriptions of two new genera of North American fishes, *Opsanus* and *Notropis*. Amer. Month. Mag. Crit. Rev. 2(3): 203–204.
- 1818b. Second decade of new North American fishes. Amer. Month. Mag. Crit. Rev. 2(3): 204–206.
- 1818c. Discoveries in natural history made during a journey through the western region of the United States. Amer. Month. Mag. Crit. Rev. 3(5): 354–356.
- 1818d. Further account of discoveries in natural history made during a journey through the western region of the United States. Amer. Month. Mag. Crit. Rev. 4(1): 39–42.
- 1818e. Description of three new genera of fluviatile fish, *Pomoxis*, *Sarchirus* and *Exoglossum*. J. Acad. Natur. Sci. Philadelphia 1(2): 417–422.
- 1819. Prodrome de 70 nouveaux genres d'animaux découverts dans l'intérieur des Etats-Unis d'Amérique durant l'année 1818. J. Physique, Paris, 88: 417–429.
- 1820a. Fishes of the Ohio. Western Rev. and Misc. Mag. 1: 361–377.
- 1820b. Fishes of the River Ohio. Western Rev. and Misc. Mag. 2: 48–57; 169–177; 235–242; 299–307.
- 1820c. Ichthyologia Ohiensis, or natural history of the fishes inhabiting the river Ohio and its tributary streams, preceded by a physical description of the Ohio and its branches. Lexington, Ky. 90 p.
- 1820d. Description of the silures or catfishes of the river Ohio. Quart. J. Sci. Lit. Arts, Roy. Inst. London 9: 48–52.
- RAHRER, J. F. 1965. Age, growth, maturity, and fecundity of "humper" lake trout, Isle Royale, Lake Superior. Trans. Amer. Fish. Soc. 94(1): 75–83.
- RANEY, E. C. 1939. The breeding habits of the silvery minnow, *Hybognathus regius* Girard. Amer. Midland Natur. 21(3): 674–680.
- 1940a. The breeding behavior of the common shiner, *Notropis cornutus* (Mitchill). Zoologica 25(1): 1–14 + 4 pls.
- 1940b. *Rhinichthys bowersi* from West Virginia a hybrid, *Rhinichthys cataractae* × *Nocomis micropogon*. Copeia 1940(4): 270–271.
- 1940c. Comparison of the breeding habits of two subspecies of black-nosed dace, *Rhinichthys atratulus* (Hermann). Amer. Midland Natur. 23(2): 399–403.
- 1942. Propagation of the silvery minnow (*Hybognathus nuchalis regius* Girard) in ponds. Trans. Amer. Fish. Soc. 71 (1941): 215–218.
- 1949. Nests under water. Can. Natur. 11(3): 71–78.

- 1952. The life history of the striped bass, *Roccus saxatilis* (Walbaum). Bull. Bingham Oceanogr. Collect. 14(1): 5-97.
- 1957. Subpopulations of the striped bass, *Roccus saxatilis* (Walbaum), in the tributaries of the Chesapeake Bay. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish. 208: 85-107.
- 1965. Some pan fishes of New York. Inform. Leafl. N.Y. State Conserv. Dep. Div. Conserv. Educat. Apr.-May. 16 p.
- RANEY, E. C., and D. P. deSYLVA. 1953. Racial investigations of the striped bass, *Roccus saxatilis* (Walbaum). J. Wildlife Manage. 17(4): 495-509.
- RANEY, E. C., and E. A. LACHNER. 1942. Studies of the summer food, growth, and movements of young yellow pike-perch, *Stizostedion v. vitreum*, in Oneida Lake, New York. J. Wildlife Manage. 6(1): 1-16.
- 1943. Age and growth of johnny darters, *Boleosoma nigrum olmstedi* (Storer) and *Boleosoma longimanum* (Jordan). Amer. Midland Natur. 29(1): 229-238.
- 1946. Age, growth, and habits of the hog sucker, *Hypentelium nigricans* (LeSueur), in New York. Amer. Midland Natur. 36(1): 76-86.
- RANEY, E. C., and D. A. WEBSTER. 1940. The food and growth of the young of the common bullhead, *Ameiurus nebulosus nebulosus* (LeSueur), in Cayuga Lake, New York. Trans. Amer. Fish. Soc. 69 (1939): 205-209.
- RANEY, E. C., W. S. WOOLCOTT, and A. G. MEHRING. 1954. Migratory pattern and racial structure of Atlantic Coast striped bass. Trans. 19th N. Amer. Wildlife Conf. p. 376-396.
- RASQUIN, P. 1949. Spontaneous depigmentation in the catfish. Copeia 1949(4): 246-251.
- RAUSCH, R. L. 1956. Studies on the helminth fauna of Alaska. XVIII. The description and occurrence of *Diphyllobothrium dalliae* N. sp. (Cestoda). Trans. Amer. Microsc. Soc. 75(2): 180-187.
- RAWSON, D. S. MS 1930(?a). The past, present and future of fishing in Lake Simcoe. 8 p.
- 1930b. The bottom fauna of Lake Simcoe and its role in the ecology of the lake. Univ. Toronto Stud. Biol. Ser. 34, Publ. Ont. Fish. Res. Lab. 40: 183 p. + 5 pls.
- 1932. The pike of Waskesiu Lake, Saskatchewan. Trans. Amer. Fish. Soc. 62 (1932): 323-330.
- 1938. Natural rearing enclosures for smallmouth black bass. Trans. Amer. Fish. Soc. 67 (1937): 96-104.
- 1945. The experimental introduction of smallmouth black bass into lakes of the Prince Albert National Park, Saskatchewan. Trans. Amer. Fish. Soc. 73 (1943): 19-31.
- 1947. Great Slave Lake, p. 45-68. In Northwest Canadian fisheries surveys in 1944-45 (various authors). Fish. Res. Board Canada Bull. 72: 94 p.
- 1949. A check list of the fishes of Saskatchewan. Rep. Roy. Comm. Fish. Saskatchewan 1947. Regina, Sask. 8 p.
- 1950. The grayling (*Thymallus signifer*) in northern Saskatchewan. Can. Fish Cult. 6: 3-10.
- 1951. Studies of the fish of Great Slave Lake. J. Fish. Res. Board Canada 8(4): 207-240.
- 1957. The life history and ecology of the yellow walleye, *Stizostedion vitreum*, in Lac la Ronge, Saskatchewan. Trans. Amer. Fish. Soc. 86 (1956): 15-37.
- 1959. Limnology and fisheries of Cree and Wollaston lakes in northern Saskatchewan. Fish. Branch Dep. Natur. Res. Sask. Fish. Rep. 4: 73 p.
- 1960. Five lakes on the Churchill River near Stanley, Saskatchewan. Fish. Branch Dep. Natur. Res. Sask. Fish. Rep. 5: 39 p.
- 1961. The lake trout of Lac la Ronge, Saskatchewan. J. Fish. Res. Board Canada 18(3): 423-462.
- RAWSON, D. S., and C. A. ELSEY. 1950. Reduction in the longnose sucker population of Pyramid Lake, Alberta, in an attempt to improve angling. Trans. Amer. Fish. Soc. 78 (1948): 13-31.
- RAWSON, D. S., and J. E. MOORE. 1944. The saline lakes of Saskatchewan. Can. J. Res. 22: 141-201.
- RECKAHLN, J. A. 1970. Ecology of young lake whitefish (*Coregonus clupeaformis*) in South Bay, Manitoulin Island, Lake Huron, p. 437-460. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Man. 560 p.
- REED, E. B. 1962. Limnology and fisheries of the Saskatchewan River in Saskatchewan. Fish. Branch Dep. Natur. Res. Sask. Fish. Rep. 6: 48 p.
- REED, H. D. 1900. The structure of the poison glands of *Schilbeodes gyrinus*. Proc. Amer. Assoc. Adv. Sci. 49: 232-233.
- 1907. The poison glands of *Noturus* and *Schilbeodes*. Amer. Natur. 41(489): 553-566.
- 1924a. The morphology and growth of the spines of siluroid fishes. J. Morphol. 38: 431-451 + figs. 1-14.
- 1924b. The morphology of the dermal glands in nematognathus fishes. Zeitschr. Morphol. und Anthropol. (Stuttgart) 24: 227-264 + pls. 8-15 (incl. figs. 1-32).
- REED, R. J. 1954. Hermaphroditism in the rosyface shiner, *Notropis rubellus*. Copeia 1954(4): 293-294.
- 1957a. The prolonged spawning of the rosyface shiner, *Notropis rubellus* (Agassiz), in northwestern Pennsylvania. Copeia 1957(3): 250.
- 1957b. Phases of the life history of the rosyface shiner, *Notropis rubellus*, in northwestern Pennsylvania. Copeia 1957(4): 286-290.
- 1958. The early life history of two cyprinids, *Notropis rubellus* and *Campostoma anomalum pullum*. Copeia 1958(4): 325-327.

- 1959. Age, growth, and food of the longnose dace, *Rhinichthys cataractae*, in northwestern Pennsylvania. Copeia 1959(2): 160–162.
- 1964. Life history and migration patterns of Arctic grayling. Alaska Dep. Fish Game Res. Rep. 2: 30 p.
- 1967. Age and growth of Prince of Wales, Alaska, Dolly Varden, *Salvelinus malma* (Walbaum), and rainbow trout, *Salmo gairdneri* Richardson. Trans. Amer. Fish. Soc. 96(2): 223–224.
- REEVES, C. D. 1907. The breeding habits of the rainbow darter (*Etheostoma coeruleum* Storer), a study in sexual selection. Biol. Bull. (Woods Hole) 14: 35–59.
- REGAN, C. T. 1911. British freshwater fishes. Methuen and Co., London. 287 p.
- REGIER, H. A. 1962. Validation of the scale method for estimating age and growth of bluegills. Trans. Amer. Fish. Soc. 91(4): 362–374.
- 1963a. Ecology and management of largemouth bass and golden shiners in farm ponds in New York. N.Y. Fish Game J. 10(2): 139–169.
- 1963b. Ecology and management of channel catfish in farm ponds in New York. N.Y. Fish Game J. 10(2): 170–185.
- REGIER, H. A., V. C. APPLEGATE, and R. A. RYDER. 1969. The ecology and management of the walleye in western Lake Erie. Great Lakes Fish. Comm. Tech. Rep. 15: 101 p.
- REID, H. 1930. A study of *Eupomotis gibbosus* (L.) as occurring in the Chamcook lakes, N.B. Contrib. Can. Biol. Fish. 5(16): 457–466.
- REIGHARD, J. E. 1894. A biological examination of Lake St. Clair. Bull. Mich. Fish. Comm. 4: 1–41.
- 1900. The breeding habits of the dog-fish, *Amia calva*. First Rep. Mich. Acad. Sci. (1894–1899): 133–137.
- 1904. The natural history of *Amia calva* Linnaeus. (In Mark Anniversary Volume, no. 4: 57–109 + pl. and figs, New York, 1904.)
- 1906. The breeding habits, development and propagation of the black bass (*Micropterus dolomieu* Lacépède and *Micropterus salmoides* Lacépède). Bull. Mich. Fish Comm. 7: 73 p. + 29 fig.
- 1910. Methods of studying the habits of fishes with an account of the breeding habits of the horned dace. Bull. Bur. Fish. 28, doc. 710: 1111–1136 + pls. 114–120.
- 1913. The breeding habits of the log-perch (*Percina caprodes*). Rep. Mich. Acad. Sci. 15: 104–105.
- 1943. The breeding habits of the river chub, *Nocomis micropogon* (Cope). Pap. Mich. Acad. Sci. Arts Lett. 28 (1942): 397–423.
- REIGHARD, J. E., and H. CUMMINS. 1916. Description of a new species of lamprey of the genus *Ichthyomyzon*. Occas. Pap. Mus. Zool. Univ. Mich. 31: 12 p. + 2 pls.
- REISMAN, H. M. 1963. Reproductive behaviour of *Apeltes quadratus*, including some comparisons with other gasterosteid fishes. Copeia 1963(1): 191–192.
- 1968. Reproductive isolating mechanisms of the blackspotted stickleback, *Gasterosteus wheatlandi*. J. Fish. Res. Board Canada 25(12): 2703–2706.
- RICHARDSON, J. 1823. Notice of the fishes, p. 705–728. In Appendix to narrative of a journey to the shores of the Polar Sea in the years 1819, 1820, 1821, and 1822 by John Franklin. Appendix 6. John Murray, London.
- 1835. Salmones, p. 55–58. In J. C. Ross [ed.] Appendix to the narrative of a 2nd voyage in search of a north-west passage, and of a residence in the Arctic regions during the years 1829, 1830, 1831, 1832 and 1833. A. W. Webster, London.
- 1836. Fauna Boreali-Americana; or the zoology of the northern parts of British America: part third *The fish*. Richard Bentley, London. 327 p.
- 1854. Vertebrates, including fossil mammals. Fishes, p. 156–171. In E. Forbes [ed.] The zoology of the voyage of H.M.S. "Herald", under the command of Captain Henry Kellett, R.N., during the years 1845–51. London.
- RICHARDSON, J. H. 1908. *Salmo salar* in Ontario. Univ. Month. 8(3): 97–103.
- RICHARDSON, L. R. MS 1935. The fresh-water fishes of south-eastern Quebec. Ph.D. Thesis. Dep. Zool. McGill Univ., Montreal, Que. 196 p.
- 1937. Observations on the mating and spawning of *Pimephales promelas* (Raf.). Can. Field-Natur. 51(1): 1–4.
- 1938. A note on variation in squamation of the cheek operculum in two etheostomid fishes from Quebec. Copeia 1938(3): 126–128.
- 1939. The spawning behavior of *Fundulus diaphanus* (LeSueur). Copeia 1939(3): 165–167.
- 1944. Brief records of fishes from central Quebec. Copeia 1944(4): 205–208.
- RICHMOND, N. D. 1940. Nesting of the sunfish, *Lepomis auritus* (Linnaeus), in tidal waters. Zoologica 25(3): 329–331.
- RICKER, K. E. 1959. The origin of two glacial relict crustaceans in North America, as related to Pleistocene glaciation. Can. J. Zool. 37(6): 871–893.
- RICKER, W. E. 1932. Studies of speckled trout (*Salvelinus fontinalis*) in Ontario. Univ. Toronto Stud. Biol. Ser. 36, Publ. Ont. Fish. Res. Lab. 44: 67–110.
- 1933. Destruction of sockeye salmon by predatory fishes. Fish. Res. Board Canada Progr. Rep. Pac. 18: 3–4.

- 1934. An ecological classification of certain Ontario streams. Univ. Toronto Stud. Biol. Ser. 37, Publ. Ont. Fish. Res. Lab. 49: 114 p.
- 1938a. A comparison of the seasonal growth rates of young sockeye salmon and young squawfish in Cultus Lake. Fish. Res. Board Canada Progr. Rep. Pac. 36: 3-5.
- 1938b. "Residual" and kokanee salmon in Cultus Lake. J. Fish. Res. Board Canada 4(3): 192-218.
- 1940. On the origin of kokanee, a fresh-water type of sockeye salmon. Trans. Roy. Soc. Canada ser. 3, 34, sec. 5: 121-135.
- 1941. The consumption of young sockeye salmon by predaceous fish. J. Fish. Res. Board Canada 5(3): 293-313.
- 1959. Additional observations concerning residual sockeye and kokanee (*Oncorhynchus nerka*). J. Fish. Res. Board Canada 16(6): 897-902.
- 1960. A population of dwarf coastrange sculpins (*Cottus aleuticus*). J. Fish. Res. Board Canada 17(6): 929-932.
- 1966. Salmon of the North Pacific ocean — Part 3. A review of the life history of North Pacific salmon. 4. Sockeye salmon in British Columbia. Int. North Pac. Fish. Comm. Bull. 18: 59-70.
- RIGGS, C. D. 1955. Reproduction of the white bass, *Morone chrysops*. Invest. Indiana Lakes Streams 4(3): 87-110.
- RIMSKY-KORSAKOFF, V. N. 1930. The food of certain fishes of the Lake Champlain watershed, p. 88-104. In A biological survey of the Champlain watershed. Suppl. 19th Ann. Rep. N.Y. Conserv. Dep. 1929. 321 p.
- ROACH, L. S., and I. M. EVANS. 1948. Growth of game and pan fish in Ohio. 2. Crappies. Ohio Div. Conserv. Sec. Fish Manage., Fish Manage. Rep. 29 p.
- ROBERTSON, J. G. 1949. Sockeye fry production in a small British Columbia coastal watershed. Fish. Res. Board Canada Prog. Rep. Pac. 80: 55-57.
- ROBINS, C. R., and R. R. MILLER. 1957. Classification, variation, and distribution of the sculpins, genus *Cottus*, inhabiting Pacific Slope waters in California and southern Oregon, with a key to the species. Calif. Fish Game 43(3): 213-233.
- ROBINS, C. R., and E. C. RANEY. 1956. Studies of the catostomid fishes of the genus *Moxostoma*, with descriptions of two new species. Mem. Agr. Exp. Sta. Ithaca 343: 56 p.
- RONALD, K., and K. A. WILSON. MS 1968. A check list of the parasites of the order Petromyzontiformes (lampreys). Fish. Res. Board Canada Tech. Rep. 48: 23 p.
- Roos, J. F. 1959. Feeding habits of the Dolly Varden, *Salvelinus malma* (Walbaum), at Chignik, Alaska. Trans. Amer. Fish. Soc. 88 (1959): 253-260.
- 1960. Predation of young coho salmon on sockeye salmon fry at Chignik, Alaska. Trans. Amer. Fish. Soc. 89(4): 377-379.
- ROOSEVELT, R. B. 1884. Superior fishing, or the striped bass, trout, black bass and blue-fish of the northern states. Embracing full directions for dressing artificial flies with the feathers of American birds, an account of a sporting visit to lake Superior, etc. 2nd ed. New York, N.Y.
- ROSEBOROUGH, J. D. 1962. Smelt harvest by sport fishermen in Lake Erie. Ont. Fish Wildlife Rev. 1(4): 8-12.
- ROSEN, D. E. 1964. The relationships and taxonomic position of the halfbeaks, killifishes, silversides, and their relatives. Bull. Amer. Mus. Natur. Hist. 127(5): 219-267.
- ROSTLUND, E. 1952. Freshwater fish and fishing in native North America. Univ. Calif. Publ. Geogr. 9: 313 p.
- ROTHSCHILD, B. J. 1966. Observations on the alewife (*Alosa pseudoharengus*) in Cayuga Lake. N.Y. Fish Game J. 13(2): 188-195.
- ROUNSFELL, G. A. 1957. Fecundity of North American Salmonidae. U.S. Fish Wildlife Serv. Fish. Bull. 122, Vol. 57: 451-468.
- 1958. Anadromy in North American Salmonidae. U.S. Fish Wildlife Serv. Fish. Bull. 131, Vol. 58: 171-185.
- 1962. Relationships among North American Salmonidae. U.S. Fish Wildlife Serv. Fish. Bull. 209, Vol. 62: 235-270.
- ROUNSFELL, G. A., and L. D. STRINGER. 1943. Restoration and management of the New England alewife fisheries with special reference to Maine. U.S. Fish Wildlife Serv. Fish Leafl. 42: 33 p.
- ROUSSOUW, G. 1955. Quelques observations sur les variation de forme et de couleur chez les esturgeons de la Province de Québec. Annales de l'Acfas 21: 79-85.
- 1957. Some considerations concerning sturgeon spawning periodicity. J. Fish. Res. Board Canada 14(4): 553-572.
- 1960. Cycle du parasite *Diphyllobothrium latum* (Linne). J. de bord de l'office biol. 3(52): 398-401.
- ROWAN, M. J. MS 1962. The effect of temperature on the young-of-the-year smallmouth black bass (*Micropterus dolomieu*). M.A. Thesis. Dep. Zool. Univ. Toronto, Toronto, Ont. 43 p.
- ROY, J. M. 1969. The American shad and the alewife. Fishes of Quebec Album 8: 24 p.
- RUPP, R. S. 1965. Shore-spawning and survival of eggs of the American smelt. Trans. Amer. Fish. Soc. 94(2): 160-168.

- 1968. Life history and ecology of the smelt (*Osmerus mordax*) in inland waters of Maine. Maine Dep. Inland Fish Game. 36 p. (Mimeo.)
- RUPP, R. S., and M. C. MEYER. 1954. Mortality among brook trout, *Salvelinus fontinalis*, resulting from attacks of freshwater leeches. Copeia 1954(4): 294–295.
- RYDER, J. A. 1886. The development of *Fundulus heteroclitus*. Amer. Natur. 20: 824.
- RYDER, R. A. 1961. Lymphocystis as a mortality factor in a walleye population. Progr. Fish-Cult. 23(4): 183–186.
- 1968. Dynamics and exploitation of mature walleyes, *Stizostedion vitreum vitreum*, in the Nipigon Bay region of Lake Superior. J. Fish. Res. Board Canada 25(7): 1347–1376.
- RYDER, R. A., W. B. SCOTT, and E. J. CROSSMAN. 1964. Fishes of northern Ontario, north of the Albany River. Roy. Ont. Mus. Univ. Toronto, Life Sci. Div. Contrib. 60: 30 p.
- SAKSENA, V. P., K. YAMAMOTO, and C. D. RIGGS. 1961. Early development of the channel catfish. Prog. Fish-Cult. 23(4): 156–161.
- SALE, P. F. 1967. A re-examination of the taxonomic position of the aurora trout. Can. J. Zool. 45(2): 215–225.
- SANDEMAN, I. M., and J. H. C. PIPPY. 1967. Parasites of freshwater fishes (Salmonidae and Coregonidae) of insular Newfoundland. J. Fish. Res. Board Canada 24(9): 1911–1943.
- SANDERCOCK, F. K. 1964. A contribution to the ecology of the whitefishes *Prosopium cylindraceum* and *Coregonus clupeaformis* of Algonquin Park, Ontario. Dep. Zool. Univ. British Columbia, Vancouver, B.C. 63 p. (Mimeo.)
- SATO, RYUHE. 1952. Biological observation on the pond smelt, *Hypomesus olidus* (Pallas), in Lake Kogawara, Aomori Prefecture, Japan. II. Early life history of the fish. Tohoku J. Agr. Res. 3(1): 175–184.
- SAUNDERS, L. H., and J. A. MCKENZIE. 1971. Comparative electrophoresis of arctic char. Comp. Biochem. Physiol. 38B: 487–492.
- SAUNDERS, L. H., and G. POWER. 1969. The Arctic char, *Salvelinus alpinus* (Linnaeus), of Matamek Lake, Quebec. Natur. Can. 96: 919–934.
- SAVAGE, J. 1933. *Imostoma shumardi* in northwestern Ontario. Copeia 1933(1): 34.
- SAVAGE, T. 1962. *Cottus girardi* Robins, a synonym of *Cottus bairdi* Girard. Copeia 1962(4): 848–850.
- 1963. Reproductive behavior of the mottled sculpin, *Cottus bairdi* Girard. Copeia 1963(2): 317–325.
- SCHANER, E., and K. SHERMAN. 1960. Observations on the fecundity of the tomcod, *Microgadus tomcod* (Walbaum). Copeia 1960(4): 347–348.
- SCHMIDT, G. D. 1969. *Paracanthocephalus rauschi* sp. n. (Acanthocephala: Paracanthocephalidae) from grayling, *Thymallus arcticus* (Pallas), in Alaska. Can. J. Zool. 47(3): 383–385.
- SCHMIDT, J. 1922. The breeding places of the eel. Phil. Trans. Roy. Soc. London, ser. B, vol. 211: 179–208.
- SCHNEBERGER, E. 1937. The biological and economic importance of the smelt in Green Bay. Trans. Amer. Fish. Soc. 66 (1936): 139–142.
- SCHULTZ, F. H. 1955. Investigation of the spawning of northern pike in Prince Albert National Park, Saskatchewan, 1953. Can. Wildlife Serv. Wildlife Manage. Bull. 3(4): 21 p.
- SCHULTZ, L. P. 1926. Temperature-controlled variation in the golden shiner, *Notemigonus crysoleucas*. Pap. Mich. Acad. Sci. Arts Lett. 7: 417–432 + 1 pl.
- 1929. Description of a new type of mudminnow from western Washington with notes on related species. Coll. Fish. Univ. Washington Publ. Fish. 2(6): 73–81.
- 1930. The life history of *Lampetra planeri* Bloch with a statistical analysis of the rate of growth of the larvae from western Washington. Occas. Pap. Mus. Zool. Univ. Mich. 221: 35 p. + 2 pls.
- 1935. The spawning habits of the chub, *Mylocheilus caurinus* — a forage fish of some value. Trans. Amer. Fish. Soc. 65 (1935): 143–147.
- 1941. Fishes of Glacier National Park, Montana. U.S. Dept. Int., Nat. Park Serv. Conserv. Bull. 22: 42 p. + 26 figs.
- SCHULTZ, L. P., and W. M. CHAPMAN. 1934. A new osmerid fish, *Spirinchus dilatus*, from Puget Sound. Ann. Mag. Natur. Hist. ser. 10, vol. 13: 67–78 + figs.
- SCHULTZ, L. P., and W. A. SPOOR. 1933. *Cottus protrusus*, a new sculpin from Unalaska Island. Copeia 1933(3): 142–145.
- SCHULTZ, L. P., and students. 1935. The breeding activities of the little redfish, a landlocked form of the sockeye salmon *Oncorhynchus nerka*. J. Pan-Pac. Res. Inst. 10(1): 67–77.
- SCHWARTZ, F. H. 1963. The fresh-water minnows of Maryland. Md. Conserv. 40(2): 19–29.
- SCHWARTZ, F. J. 1956. First record of infestation and death in the ictalurid catfish, *Schilbeodes miurus*, by the parasite *Clinostomum marginatum*. Copeia 1956(4): 250–251.
- 1965. Age, growth and egg complement of the stickleback *Apeltes quadratus* at Solomons, Maryland. Chesapeake Sci. 6(2): 116–118.
- SCHWARTZ, F. J., and J. NORVELL. 1958. Food, growth and sexual dimorphism of the redeye dace *Clinostomus elongatus* (Kirtland) in Linesville Creek, Crawford County, Pennsylvania. Ohio J. Sci. 58(5): 311–316.

- SCOFIELD, N. B. 1899. List of fishes obtained in waters of Arctic Alaska, p. 493–509. In D. S. Jordan [ed.] The fur-seals and fur-seal islands of the North Pacific Ocean. Rep. of the fur-seal investigations 1896–1897. Part 3. Washington, D.C.
- SCOFIELD, N. B., and G. A. COLEMAN. 1910. Notes on spawning and hatching striped bass eggs at Bouldin Island hatchery. Rep. Board Fish Game Comm. Calif. (1907–1908), App. to Rep. 1909–1910. p. 109–117 + 3 pls.
- SCOTT, D. C. 1955. Activity patterns of perch, *Perca flavescens*, in Rondeau Bay of Lake Erie. Ecology 36(2): 320–327.
- SCOTT, D. M. 1955. Additional records of two fishes, *Erimyzon suetta kennerleyi* and *Hadropterus copelandi*, from southern Ontario, Canada. Copeia 1955(2): 151.
- SCOTT, D. P. 1962. Effect of food quantity on fecundity of rainbow trout, *Salmo gairdneri*. J. Fish. Res. Board Canada 19(4): 715–730.
- SCOTT, WILL. 1938. The food of *Amia* and *Lepistosteus*. Invest. Indiana Lakes Streams, art. 9: 112–115.
- SCOTT, W. B. MS 1950. The Lake Erie cisco (*Leucichthys artedi*) population. Ph.D. Thesis. Univ. Toronto, Toronto, Ont. 112 p. + 29 tables.
- 1951. Fluctuations in abundance of the Lake Erie cisco (*Leucichthys artedi*) population. Contrib. Roy. Ont. Mus. Zool. 32: 41 p.
- 1952. Records of the western lake chubsucker, *Erimyzon suetta kennerleyi*, from Ontario, Canada. Copeia 1952(3): 203.
- 1954. Freshwater fishes of eastern Canada. Univ. Toronto Press, Toronto, Ont. 128 p.
- 1956. Wendigo — the hybrid trout. Roy. Ont. Mus. Div. Palaeontol. 7 p.
- 1957a. Distributional records of fishes in western Canada. Copeia 1957(2): 160–161.
- 1957b. Changes in the fish fauna of Ontario, p. 19–25. In F. A. Urquhart [ed.] Changes in the fauna of Ontario. Univ. Toronto Press, Toronto, Ont. 75 p.
- 1958. A checklist of the freshwater fishes of Canada and Alaska. Roy. Ont. Mus. Zool. Palaeontol. 30 p.
- 1963. A review of the changes in the fish fauna of Ontario. Trans. Roy. Can. Inst. 34(2): 111–125.
- 1967. Freshwater fishes of eastern Canada. 2nd ed. Univ. Toronto Press, Toronto, Ont. 137 p.
- SCOTT, W. B., and W. J. CHRISTIE. 1963. The invasion of the lower Great Lakes by the white perch, *Roccus americanus* (Gmelin). J. Fish. Res. Board Canada 20(5): 1189–1195.
- SCOTT, W. B., and E. J. CROSSMAN. 1959. The freshwater fishes of New Brunswick: a checklist with distributional notes. Contrib. Roy. Ont. Mus. Div. Zool. Palaeont. 51: 37 p.
- 1964. Fishes occurring in the fresh waters of insular Newfoundland. Dep. Fish. Ottawa. 124 p.
- 1967. Provisional checklist of Canadian freshwater fishes. Inform. Leafl. Dept. Ichthy. Herpetol. Roy. Ont. Mus. July. 24 p.
- 1969. Checklist of Canadian freshwater fishes with keys for identification. Life Sci. Misc. Publ. Roy. Ont. Mus. 104 p.
- SCOTT, W. B., and B. KOONYAN. 1952. A northern record for *Aplodinotus grunniens*. Can. Field-Natur. 66(3): 89.
- SCOTT, W. B., and S. H. SMITH. 1962. The occurrence of the longjaw cisco, *Leucichthys alpenae*, in Lake Erie. J. Fish. Res. Board Canada 19(6): 1013–1023.
- SEABROOK, W. D. 1961. A preliminary report on the biology of the non-migratory char of Butts Pond. Progr. Rep. Fish Cult. Dep., Dep. Fish. St. John's, Nfld. 37 p.
- SEAL, W. P. 1932. Breeding habits of the four-spined stickleback (*Apeltes quadracus*). Aquarium, Philadelphia 1(2): 38–41.
- SÉGUIN, L.-R. 1955. Moeurs et méthodes d'élevage des truites du Québec. Le Jeune Natur. 5(7): 146–176.
- SELF, J. T. 1954. Parasites of the goldeye, *Hiodon alosoides* (Raf.), in Lake Texoma. J. Parasitol. 40(4): 386–389.
- SEMAKULA, S. N. MS 1963. The age and growth of the white sturgeon (*Acipenser transmontanus* Richardson) of the Fraser River, British Columbia, Canada. M.Sc. Thesis. Dep. Zool. Univ. British Columbia, Vancouver, B.C. 115 p.
- SEMAKULA, S. N., and P. A. LARKIN. 1968. Age, growth, food, and yield of the white sturgeon (*Acipenser transmontanus*) of the Fraser River, British Columbia. J. Fish. Res. Board Canada 25(12): 2589–2602.
- SHAPOSHNIKOVA, G. KH. 1967. Sravnitel'naya kharakteristika nelmy *Stenodus leucichthys nelma* (Pallas) i belorybitsy *Stenodus leucichthys leucichthys* (Güldenstadt). (Comparative characteristics of *Stenodus leucichthys nelma* (Pallas) and "Caspian inconnu" (Güldenstadt).) Vopr. Ikhtiol. 7: 227–239.
- SHAPOVALOV, L., and A. C. TAFT. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. Calif. Dep. Fish Game Bull. 98: 375 p.
- SHEPARD, M. P. 1955. Resistance and tolerance of young speckled trout (*Salvelinus fontinalis*) to oxygen lack, with special reference to low oxygen acclimation. J. Fish. Res. Board Canada 12(3): 387–446.
- SHERI, A. N., and G. POWER. 1968. Reproduction of white perch, *Roccus americanus*, in the Bay of Quinte, Lake Ontario. J. Fish. Res. Board Canada 25(10): 2225–2231.

- 1969a. Annulus formation on scales of the white perch, *Morone americanus* (Gmelin), in the Bay of Quinte, Lake Ontario. Trans. Amer. Fish. Soc. 98(2): 322–326.
- 1969b. Vertical distribution of white perch, *Roccus americanus*, modified by light. Can. Field-Natur. 83(2): 160–161.
- 1969c. Fecundity of the yellow perch, *Perca flavescens* Mitchell, in the Bay of Quinte, Lake Ontario. Can. J. Zool. 47(1): 55–58.
- SHETTER, D. S., and G. R. ALEXANDER. 1965. Results of angling under special and normal trout fishing regulations in a Michigan trout stream. Trans. Amer. Fish. Soc. 94(3): 219–226.
- 1970. Results of predator reduction on brook trout and brown trout in 4.2 miles (6.76 km) of the north branch of the Au Sable River. Trans. Amer. Fish. Soc. 99(2): 312–319.
- SHIELDS, J. T. 1957. Experimental control of carp reproduction through water drawdowns in Fort Randall Reservoir, South Dakota. Trans. Amer. Fish. Soc. 87 (1957): 23–38.
- SHOEMAKER, H. H. 1947. Pickerel and pumpkinseed coaction over the sunfish nest. Copeia 1947(3): 195–196.
- SHUFELDT, R. W. 1900. The skeleton of the black bass. U.S. Fish Comm. Bull. (1899) 19: 311–320 + 1 pl.
- SIBLEY, C. K., and V. M. RIMSKY-KORSAKOFF. 1931. Food of certain fishes in the watershed, p. 109–120. In A biological survey of the St. Lawrence watershed. Suppl. 20th Ann. Rep. N.Y. State Conserv. Dep. 1930. 261 p.
- SIEFFERT, R. E. 1968. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection in the white crappie. Trans. Amer. Fish. Soc. 97(3): 252–259.
- 1969. Characteristics for separation of white and black crappie larvae. Trans. Amer. Fish. Soc. 98(2): 326–328.
- SIGLER, W. F. 1958. The ecology and use of carp in Utah. Utah State Univ. Logan Agric. Exp. Sta. Bull. 405: 63 p.
- SIGLER, W. F., and R. R. MILLER. 1963. Fishes of Utah. Utah State Dep. Fish Game, Salt Lake City, Utah. 203 p.
- SIMON, J. R. 1946. Wyoming fishes. Wyoming Game Fish Dep. Bull. 4: 129 p.
- SIMON, R. C., and A. M. DOLLAR. 1963. Cytological aspects of speciation in two North American teleosts, *Salmo gairdneri* and *Salmo clarki lewisi*. Can. J. Genet. Cytol. 5(1): 43–49.
- SIMON, R. C., and R. E. NOBLE. 1968. Hybridization in *Oncorhynchus* (Salmonidae). I. Viability and inheritance in artificial crosses of chum and pink salmon. Trans. Amer. Fish. Soc. 97(2): 109–118.
- SINCLAIR, S., S. TRACHTENBERG, and M. L. BECKFORD. 1967. Physical and economic organization of the fisheries of the District of Mackenzie, Northwest Territories. Fish. Res. Board Canada Bull. 158: 70 p.
- SKUD, B. E. 1955. Length-weight relationship in migrating fry of pink salmon (*Oncorhynchus gorbuscha*) in Sashin Creek, Little Port Walter, Alaska. Copeia 1955(3): 204–207.
- SLASTENENKO, E. P. 1958. The freshwater fishes of Canada. Kiev Printers, Toronto, Ont. 383 p.
- SMALL, H. B. 1865. The animals of North America. ser. 2. Fresh-water fish. M. Longmoore & Co., Montreal, Que. p. 1–72.
- 1883. Fishes of the Ottawa district. Trans. Ottawa Field Natur. Club 4, 1882–1885: 31–49.
- SMALLWOOD, W. M., and M. L. SMALLWOOD. 1929. The German carp, an invited immigrant. Sci. Month. 29: 394–401.
- SMEDLEY, E. M. 1933. Nematode parasites from Canadian marine and fresh water fishes. Contrib. Can. Biol. Fish. n.s. 8(14): 169–179.
- SMITH, G. R. 1966. Distribution and evolution of the North American catostomid fishes of the subgenus *Pantosteus*, genus *Catostomus*. Misc. Publ. Mus. Zool. Univ. Mich. 129: 132 p. + 1 pl.
- SMITH, H. M. 1892. Report on the investigation of the fisheries of Lake Ontario. Bull. U.S. Fish Comm. 1890, 10: 177–215.
- 1895. Notes on two hitherto unrecognized species of American whitefishes. Bull. U.S. Fish Comm. 1894, 14: 1–13.
- 1907. The fishes of North Carolina. N.C. Geol. Econ. Surv. 2: 453 p.
- SMITH, L. L., JR., and R. H. KRAMER. 1964. The spottail shiner in Lower Red Lake, Minnesota. Trans. Amer. Fish. Soc. 93(1): 35–45.
- SMITH, M. W. 1938. A preliminary account of the fish population in certain Nova Scotian lakes. Trans. Amer. Fish. Soc. 67 (1937): 178–183.
- 1939. The fish population of Lake Jesse, Nova Scotia. Proc. Nova Scotian Inst. Sci. (for 1937–38) 19(4): 389–427.
- 1942. The smallmouth black bass in the Maritime provinces. Fish. Res. Board Canada Progr. Rep. Atl. 32: 3–4.
- 1947. Food of killifish and white perch in relation to supply. J. Fish. Res. Board Canada 7(1): 22–34.
- 1952. Limnology and trout angling in Charlotte County lakes, New Brunswick. J. Fish. Res. Board Canada 8(6): 383–452.
- SMITH, M. W., and J. W. SAUNDERS. 1955. The American eel in certain fresh waters of the Maritime Provinces of Canada. J. Fish. Res. Board Canada 12(2): 238–269.

- 1958. Movements of brook trout, *Salvelinus fontinalis* (Mitchill), between and within fresh and salt water. J. Fish. Res. Board Canada 15(6): 1403-1449.
- 1967. Movements of brook trout in relation to an artificial pond on a small stream. J. Fish. Res. Board Canada 24(8): 1743-1761.
- SMITH, O. R. 1941. The spawning habits of cutthroat and eastern brook trouts. J. Wildlife Manage. 5(4): 461-471.
- SMITH, ROSA. 1882. Description of a new species of *Uranidea* (*U. rhothea*) from Spokane river, Washington territory. Proc. U.S. Nat. Mus. 5: 347-348.
- SMITH, R. F. 1949. Notes on *Ergasilus* parasites from the New Brunswick, New Jersey, area, with a check list of all species and hosts east of the Mississippi River. Zoologica 34(15): 127-133.
- SMITH, S. B. 1955. The relation between scale diameter and body length of Kamloops trout, *Salmo gairdneri kamloops*. J. Fish. Res. Board Canada 12(5): 742-753.
- SMITH, S. H. 1956. Life history of lake herring of Green Bay, Lake Michigan. U.S. Fish Wildlife Serv. Fish. Bull. 109, Vol. 57: 87-138.
- 1964a. Status of the deepwater cisco population of Lake Michigan. Trans. Amer. Fish. Soc. 93(2): 155-163.
- 1964b. The taxonomic status of *Leucichthys macropterus*, a cisco of Lake Erie. Copeia 1964(1): 230.
- 1968. Species succession and fishery exploitation in the Great Lakes. J. Fish. Res. Board Canada 25(4): 667-693.
- SMITT, F. A. 1893-1895. A history of Scandinavian fishes. Stockholm and London. 2 pts. 566 p.
- SNEED, K. E. 1951. A method for calculating the growth of channel catfish, *Ictalurus punctatus*. Trans. Amer. Fish. Soc. 80 (1950): 174-183.
- 1964. Southeastern Fish Cultural Laboratory. U.S. Fish Wildlife Serv. Circ. 178: 111-118.
- SNIESZKO, S. F. 1952. Ulcer disease in brook trout (*Salvelinus fontinalis*): its economic importance, diagnosis, treatment, and prevention. Progr. Fish-Cult. 14(2): 43-49.
- SNOW, H. E. 1969. Comparative growth of eight species of fish in thirteen northern Wisconsin lakes. Res. Rep. Dep. Natur. Res. Madison, Wis. 46: 23 p.
- SNYDER, J. O. 1917. Coulter's whitefish. Copeia 1917(50): 93-94.
- SPANGLER, G. R. 1968. Angler harvest and mortality of *Esox masquinongy* in Pigeon and Sturgeon lakes, Ontario. J. Fish. Res. Board Canada 25(6): 1145-1154.
- SPARROW, R. A. H. 1968. A first report of chum salmon fry feeding in fresh water of British Columbia. J. Fish. Res. Board Canada 25(3): 599-602.
- SPEIRS, J. M. 1951. History of the original descriptions of Great Lakes fishes. Paper presented at R.C.O. Technical Session, London, Ont., Feb. 24, 1951. 38 p.
- 1952. Nomenclature of the channel catfish and the burbot of North America. Copeia 1952(2): 99-103.
- SPOOR, W. A. 1935. On the sexual dimorphism of *Catostomus commersonii* (Lacépède). Copeia 1935(4): 167-171.
- SPRULES, W. M. 1952. The Arctic char of the west coast of Hudson Bay. J. Fish. Res. Board Canada 9(1): 1-15.
- SPRULES, W. M., and K. H. DOAN. 1947. Records of the mooneye (*Hiodon tergisus*) and the quillback sucker (*Carpioles cyprinus*) from Saskatchewan. Copeia 1947(3): 196-197.
- STAFFORD, J. 1907. Preliminary report on the trematodes of Canadian marine fishes. Contrib. Can. Biol. 1902-1905, Sess. Pap. 22a: 91-94.
- STARKEY, E. C. 1904. A synopsis of characters of some fishes belonging to the order Haplomi. Biol. Bull. (Woods Hole) 7: 254-262.
- STARRETT, W. C. 1951. Some factors affecting the abundance of minnows in the Des Moines River, Iowa. Ecology 32(1): 13-27.
- STEINDACHNER, F. 1870. Ichthyologische Notizen. Sitzber. Akad. Wiss. Wien. 61: 1-26; 429.
- STENTON, J. E. 1950. Artificial hybridization of eastern brook trout and lake trout. Can. Fish Cult. 6: 2-4.
- 1951. Eastern brook trout eggs taken by longnose suckers in Banff National Park, Canada. Copeia 1951(2): 171-173.
- 1952. Additional information on eastern brook trout \times lake trout hybrids. Can. Fish Cult. 13: 1-7.
- STERBA, G. 1962. Freshwater fishes of the world. Vista Books, London. 878 p.
- STEWART, K. 1964. Million dollar fish from Manitoba. Can. Dep. Fish. Trade News 17(2): 5-6.
- STEWART, K. W., and C. C. LINDSEY. 1970. First specimens of the stonecat, *Noturus flavus*, from the Hudson Bay drainage. J. Fish. Res. Board Canada 27(1): 170-172.
- STEWART, N. H. 1926. Development, growth, and food habits of the white sucker, *Catostomus commersonii* Le Sueur. Bull. Bur. Fish. 42, doc. 1007: 147-184.
- STEWART-HAY, R. K. 1954. A killifish in Manitoba. Can. Field-Natur. 68(2): 94.
- STOCKARD, C. R. 1909. The influence of alcohol and other anesthetics on developing embryos. Proc. Soc. Exp. Biol. Med. N.Y. 7: 1-2.
- 1910. The influence of alcohol and other anaesthetics on embryonic development. Amer. J. Anat. 10: 369-392.

- STONE, F. L. 1947. Notes on two darters of the genus *Boleosoma*. Copeia 1947(2): 92–96.
- MS 1948. A study of the taxonomy of the blue and the yellow pikeperches (*Stizostedion*) of Lake Erie and Lake Ontario. Ph.D. Thesis. Dep. Zool. Univ. Rochester, Rochester, N.Y. 164 p.
- STONE, U. B. 1938. Growth, habits, and fecundity of the ciscoes of Irondequoit Bay, New York. Trans. Amer. Fish. Soc. 67 (1937): 234–245.
- 1941. Studies on the biology of the satinfin minnows, *Notropis analostanus* and *Notropis spilopterus*. Cornell Univ. Abstr. Theses 1940. p. 288–290.
- 1947. A study of the deep-water cisco fishery of Lake Ontario with particular reference to the bloater, *Leucichthys hoyi* (Gill). Trans. Amer. Fish. Soc. 74 (1944): 230–249.
- STORER, D. H. 1845. Description of hitherto undescribed fishes. Proc. Boston Soc. Natur. Hist. 2: 47–49.
- 1846. A synopsis of the fishes of North America. Memoirs Amer. Acad. Arts Sci. 2 (1930): 253–550.
- STORER, H. R. 1857. Observations on the fishes of Nova Scotia and Labrador, with descriptions of new species. Boston J. Natur. Hist. 1850–1857, 6: 247–270.
- STRAWN, K. 1958. Optimum and extreme temperatures for growth and survival: various fishes. Data for Handb. Biol. Data. 1 p.
- STROUD, R. H. 1948. Notes on growth of hybrids between the sauger and the walleye (*Stizostedion canadense canadense* × *S. vitreum vitreum*) in Norris Reservoir, Tennessee. Copeia 1948(4): 297–298.
- 1955. Fisheries report for some central, eastern, and western Massachusetts lakes, ponds, and reservoirs, 1951–52. Dep. Conserv. Div. Fish Game. 447 p.
- SUCKLEY, G. 1860. Report upon the fishes collected on the survey, No. 5. Chapter 1. Report upon the Salmonidae, p. 307–349. In Reports of explorations and surveys to ascertain the most practicable and economical route for a railroad from the Mississippi River to the Pacific Ocean, made under the direction of the Secretary of War, in 1853–1855, according to act of Congress, of March 3, 1853, May 31, 1854, and August 5, 1854. Vol. 12, book 2. 36th Congress. 1st session, Senate Exec. Doc. Washington.
- 1862a. Description of several new species of Salmonidae from the north-west coast of America. Ann. Lyceum Natur. Hist. N.Y. 7: 1–10.
- 1862b. Notices of certain new species of North American Salmonidae, chiefly in the collection of the North-west Boundary Commission. Ann. Lyceum Natur. Hist. N.Y. 7: 306–313.
- 1874. On the North American species of salmon and trout. Appendix B. Part 3, p. 91–160. In Report of the Commissioner for 1872–1873. U.S. Comm. Fish Fish.
- SUMMERFELT, R. C. 1964. A new microsporidian parasite from the golden shiner, *Notemigonus crysoleucas*. Trans. Amer. Fish. Soc. 93(1): 6–10.
- SUMMERFELT, R. C., and C. O. MINCKLEY. 1969. Aspects of the life history of the sand shiner, *Notropis stramineus* (Cope), in the Smoky Hill River, Kansas. Trans. Amer. Fish. Soc. 98(3): 444–453.
- SUMNER, F. B., R. C. OSBURN, and L. J. COLE. 1913. A biological survey of the waters of Woods Hole and vicinity. Part 2, Sect. 3. A catalogue of the marine fauna. Bull. Bur. Fish. 31, 1911: 549–794.
- SUTTKUS, R. D. 1958. Status of the nominal cyprinid species *Moniana deliciosa* Girard and *Cyprinella texana* Girard. Copeia 1958(4): 307–318.
- 1963. Order Lepisosteoi, p. 61–88. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- SVARDSON, G. 1957. The coregonid problem. VI. The Palearctic species and their intergrades. Rep. Inst. Freshwater Res. Drottningholm 38: 261–356.
- SVETOVIDOV, A. N., and E. A. DOROFEEVA. 1963. Systematics, origin, and history of the distribution of the Eurasian and North American perches and pike-perches (genera *Perca*, *Lucioperca*, and *Stizostedion*). Vop. Ikhtiol. 3(4): 625–651. (English translation Bur. Comm. Fish. Washington.)
- SWAN, J. G. 1881. The eulachon or candle-fish of the northwest coast. Proc. U.S. Nat. Mus. (1880) 3: 257–264.
- SWEET, U. B., and H. R. McCrimmon. 1966. Reproductive biology of the carp, *Cyprinus carpio* L., in Lake St. Lawrence, Ontario. Trans. Amer. Fish. Soc. 95(4): 372–380.
- TAIT, J. S. 1970. A method of selecting trout hybrids (*Salvelinus fontinalis* × *S. namaycush*) for ability to retain swimbladder gas. J. Fish. Res. Board Canada 27(1): 39–45.
- TAMBS-LYCHE, H. 1963. Norwegian Petromyzontidae. Sarsia 11: 21–24.
- TAYLOR, W. R. 1954. Records of fishes in the John N. Lowe collection from the Upper Peninsula of Michigan. Misc. Publ. Mus. Zool. Univ. Mich. 87: 50 p.
- MS 1955. A revision of the genus *Noturus* Rafinesque with a contribution to the classification of the North American catfishes. Ph.D. Thesis. Univ. Michigan, Ann Arbor, Mich. 583 p.
- 1969. A revision of the catfish genus *Noturus* Rafinesque with an analysis of higher groups in the Ictaluridae. U.S. Nat. Mus. Bull. 282: 315 p.
- TCHERNAVIN, V. 1943. The breeding characters of salmon in relation to their size. Proc. Zool. Soc. ser. B., 113: 206–232.
- TEDLA, S., and C. H. FERNANDO. 1969a. Observations on the seasonal changes of the parasite fauna of yellow perch (*Perca flavescens*) from the Bay of Quinte, Lake Ontario. J. Fish. Res. Board Canada 26(4): 833–843.

- 1969b. Observations on the glochidia of *Lampsilis radiata* (Gmelin) infesting yellow perch, *Perca flavescens* (Mitchill) in the Bay of Quinte, Lake Ontario. Can. J. Zool. 47(4): 705-712.
- 1969c. Observations on the biology of *Ergasilus* spp. (Cyclopoidae: Copepoda) infesting North American freshwater fishes. Can. J. Zool. 47(3): 405-408.
- 1970. Some aspects of the ecology of the parasite fauna of the gills of yellow perch, *Perca flavescens*. J. Fish. Res. Board Canada 27(6): 1045-1050.
- TEMPLEMAN, W., H. J. SQUIRES, and A. M. FLEMING. 1957. Nematodes in the fillets of cod and other fishes in Newfoundland and neighbouring areas. J. Fish. Res. Board Canada 14(6): 831-897.
- TESTER, A. L. 1930. Spawning habits of the small-mouthed black bass in Ontario waters. Trans. Amer. Fish. Soc. 60 (1930): 53-61.
- 1932a. Food of the small-mouthed black bass (*Micropterus dolomieu*) in some Ontario waters. Univ. Toronto Stud. Biol. Ser. 36, Publ. Ont. Fish. Res. Lab. 46: 171-203.
- 1932b. Rate of growth of the small-mouthed black bass (*Micropterus dolomieu*) in some Ontario waters. Univ. Toronto Stud., Publ. Ont. Fish. Res. Lab. 47: 205-221.
- THARRATT, R. C. 1959. Food of yellow perch, *Perca flavescens* (Mitchill) in Saginaw Bay, Lake Huron. Trans. Amer. Fish. Soc. 88(4): 330-331.
- THOITS, C. F. III. 1958. A compendium of the life history and ecology of the white perch *Morone americana* (Gmelin). Mass. Div. Fish. Game, Fish. Bull. 24: 1-16 + biblio. (Mimeo.)
- THOMAS, B. O. 1962. Behavioral studies of the brook stickleback, *Eucalia inconstans* (Kirtland). Amer. Zool. 2(3): 452.
- THOMAS, M. L. H. 1961. Lamprey fisheries, past and present, of North America and Europe. Fish. Res. Board Canada, Gen. Ser. Biol. Sta. London Circ. 3: 4-7.
- THOMPSON, E. S. 1898. A list of the fishes known to occur in Manitoba. Forest and Stream 51(11): 214.
- THOMPSON, R. B. 1959. Food of the squawfish *Ptychocheilus oregonensis* (Richardson) of the lower Columbia River. U.S. Fish Wildlife Serv. Fish Bull. 158, Vol. 60: 43-58.
- THOMPSON, ZADOCK. 1842. History of Vermont, natural, civil, and statistical. 3 pts. Burlington, Vt.
- 1850. No title. Proc. Boston Soc. Natur. Hist. 3: 305-306.
- 1853. History of Vermont, natural, civil and statistical. 2nd ed. Appendix p. 33. Burlington, Vt.
- THREINEN, C. W., C. WISTROM, B. APELGREN, and H. SNOW. 1966. The northern pike, its life history, ecology, and management. Wis. Conserv. Dep. Publ. 235: 16 p.
- THRELFALL, W., and G. HANEK. 1970. Metazoan parasites of salmonids and coregonids from the Avalon Peninsula, Newfoundland. J. Fish. Res. Board Canada 27(10): 1894-1897.
- TIFFANY, L. H. 1921. The gizzard shad in relation to plants and game fishes. Trans. Amer. Fish. Soc. 50 (1920): 381-386.
- TODD, J. H., J. ATEMA, and J. E. BARDACH. 1967. Chemical communication in social behavior of a fish, the yellow bullhead (*Ictalurus natalis*). Science 158(3801): 672-673.
- TODY, W. H., and H. A. TANNER. 1966. Coho salmon for the Great Lakes. Mich. Dep. Conserv. Fish Manage Rep. 1: 38 p.
- TONER, E. D. 1959. Predation by pike (*Esox lucius* L.) in three Irish lakes. Rep. Sea Inld. Fish. Eire, 1959: 67-73.
- 1966. Synopsis of biological data on the pike *Esox lucius* Linnaeus 1758. FAO (Food Agr. Organ. U.N.) Fish. Synopsis 30. 36 p. + 5 fig. (Mimeo.)
- TONER, G. C. 1933. Annotated list of fishes of Georgian Bay. Copeia 1933(3): 133-140.
- 1934. Notes on the alewife. Can. Field-Natur. 48(3): 51-52.
- 1937. Preliminary studies of the fishes of eastern Ontario. Bull. East. Ont. Fish Game Prot. Assoc., Supp. 2: 1-24.
- 1938. Biological survey of lower Beverly Lake, Leeds County, Ontario. Bull. East. Ont. Fish Game Prot. Assoc., Supp. 3: 1-16.
- MS 1943. Ecological and geographical distribution of fishes in eastern Ontario. M.A. Thesis. Univ. Toronto, Toronto, Ont. 91 p.
- TRAUTMAN, M. B. 1931. *Notropis volucellus wickliffi*, a new subspecies of cyprinid fish from the Ohio and Upper Mississippi rivers. Ohio J. Sci. 31(6): 468-474.
- 1948. A natural hybrid catfish, *Schilbeodes miurus* \times *Schilbeodes mollis*. Copeia 1948(3): 166-174.
- 1957. The fishes of Ohio with illustrated keys. Ohio State Univ. Press, Columbus, Ohio. 683 p.
- TRAVER, J. R. 1929. The habits of the black-nosed dace, *Rhinichthys atronasus* Mitchell. J. Elisha Mitchell Sci. Soc. 45 (1929-1930): 101-129.
- TREMBLEY, F. J. 1930. The gar-pike of Lake Champlain, p. 139-145. In A Biological survey of the Champlain watershed. Suppl. 19th Ann. Rep. N.Y. Conserv. Dep. 1928. 321 p.
- 1960. Research project on effect of condenser discharge water on aquatic life. Inst. Res. Lehigh Univ. Progr. Rep. 1956-1959.
- TRENT, L., and W. W. HASSSLER. 1966. Feeding behaviour of adult striped bass, *Morone saxatilis*, in relation to stages of sexual maturity. Chesapeake Sci. 7(4): 189-192.

- TSUYUKI, H., and E. ROBERTS. 1966. Inter-species relationships within the genus *Ornithorhynchus* based on biochemical systematics. J. Fish. Res. Board Canada 23(1): 101-107.
- TUCKER, D. W. 1959. A new solution to the Atlantic eel problem. Nature 183: 495-501.
- TUOMI, A. L. W. 1964. Statistics on salmon sport fishing in the tidal waters of British Columbia. Dep. Fish. Canada, Pac. 26 p.
- TURNER, C. L. 1921. Food of the common Ohio darters. Ohio J. Sci. 22(2): 41-62.
- TURNER, C. L., and W. C. KRAATZ. 1921. Food of young large-mouth black bass in some Ohio waters. Trans. Amer. Fish. Soc. 50 (1920): 372-380.
- TURNER, G. E., and H. R. MACCRIMMON. 1970. Reproduction and growth of smallmouth bass, *Micropterus dolomieu*, in a Precambrian lake. J. Fish. Res. Board Canada 27(2): 395-400.
- TURNER, L. M. 1886. Fishes, p. 87-113. In Contributions to the natural history of Alaska. Conducted under the auspices of the Signal Service, U.S.A., extending from May, 1874 to August, 1881. Govt. Printing Off., Washington. Arctic Series on publ. 2(4).
- TYLER, A. V. 1966. Some lethal temperature relations of two minnows of the genus *Chrosomus*. Can. J. Zool. 44(3): 349-364.
- ULREY, L., C. RISK, and W. SCOTT. 1938. The number of eggs produced by some of our common fresh-water fishes. Invest. Indiana Lakes Streams 1(6): 73-77.
- UNDERHILL, J. C. 1957. The distribution of Minnesota minnows and darters in relation to Pleistocene glaciation. Occas. Pap. Minn. Mus. Natur. Hist. 7: 45 p.
- 1963. Distribution in Minnesota of the subspecies of the percid fish *Etheostoma nigrum*, and of their intergrades. Amer. Midland Natur. 70(2): 470-478.
- URE, G. P. 1858. Fishes, p. 62-63. In The handbook of Toronto, by a member of the press. Toronto, Ont.
- UTHE, J. F., and R. A. RYDER. 1970. Regional variation in muscle myogen polymorphism in walleye (*Stizostedion vitreum vitreum*) as related to morphology. J. Fish. Res. Board Canada 27(5): 923-927.
- VAN BERGINK, W. A., and S. ALEXANDER. 1962. Lateral line canal organs on the head of *Fundulus heteroclitus*. J. Morphol. 110(3): 333-346.
- VAN CLEAVE, H. J. 1921. Acanthocephala from the eel. Trans. Amer. Microsc. Soc. 40(1): 1-13.
- 1923. Acanthocephala from the fishes of Oneida Lake, New York. Roosevelt Wild Life Bull. 2(1): 73-84.
- VAN CLEAVE, H. J., and J. F. MUELLER. 1934. Parasites of Oneida Lake fishes. Pt. 3. A biological and ecological survey of the worm parasites. Bull. N.Y. State Coll. Forestry 7(1). Roosevelt Wild Life Annals 3(3): 161-334.
- VANDERMEER, J. H. 1966. Statistical analysis of geographic variation of the fathead minnow, *Pimephales promelas*. Copeia 1966(3): 457-466.
- VAN DUZER, E. M. 1939. Observations on the breeding habits of the cutlip minnow, *Exoglossum maxillingua*. Copeia 1939(2): 65-75.
- VANICEK, D. 1961. Life history of the quillback and highfin carp suckers in the Des Moines River. Proc. Iowa Acad. Sci. 68: 238-246.
- VAN OOSTEN, J. 1929. Life history of the lake herring (*Leucichthys artedi* Le Sueur) of Lake Huron as revealed by its scales, with a critique of the scale method. Bull. Bur. Fish. 44, doc. 1053, (1928): 265-428.
- 1935. First record of the alewife, *Pomolobus pseudo-harengus*, for the State of Michigan. Copeia 1935(4): 194-195.
- 1937a. The age, growth, and sex ratio of the Lake Superior longjaw, *Leucichthys zenithicus* (Jordan and Evermann). Pap. Mich. Acad. Sci. Arts Lett. 22 (1936): 691-711.
- 1937b. The dispersal of smelt, *Osmerus mordax* (Mitchill), in the Great Lakes region. Trans. Amer. Fish. Soc. 66 (1936): 160-161.
- 1939. The age, growth, sexual maturity, and sex ratio of the common whitefish, *Coregonus clupeaformis* (Mitchill), of Lake Huron. Pap. Mich. Acad. Sci. Arts Lett. 24(2): 195-221.
- 1942. The age and growth of the Lake Erie white bass, *Lepibrama chrysops* (Rafinesque). Pap. Mich. Acad. Sci. Arts Lett. 27(2): 307-334.
- 1946. Maximum size and age of whitefish. The Fisherman 14(8): 17-18.
- 1947. Mortality of smelt, *Osmerus mordax* (Mitchill), in lakes Huron and Michigan during the fall and winter of 1942-1943. Trans. Amer. Fish. Soc. 74 (1944): 310-337.
- 1961. Records, ages, and growth of the mooneye, *Hiodon tergisus*, of the Great Lakes. Trans. Amer. Fish. Soc. 90(2): 170-174.
- VAN OOSTEN, J., and H. J. DEASON. 1938. The food of the lake trout (*Cristivomer namaycush*) and of the lawyer (*Lota maculosa*) of Lake Michigan. Trans. Amer. Fish. Soc. 67 (1937): 157-177.
- VAN OOSTEN, J., and R. HILE. 1949. Age and growth of the lake whitefish, *Coregonus clupeaformis* (Mitchill), in Lake Erie. Trans. Amer. Fish. Soc. 77 (1947): 178-249.
- VAN VLIET, W. H. MS 1964. An ecological study of *Cottus cognatus* Richardson in northern Saskatchewan. M.A. Thesis. Dep. Biol. Univ. Saskatchewan, Saskatoon, Sask. 155 p.

- VERNON, E. H. 1957. Morphometric comparison of three races of kokanee (*Oncorhynchus nerka*) within a large British Columbia lake. J. Fish. Res. Board Canada 14(4): 573–598.
- VERNON, E. H., and R. G. McMENN. 1957. Scale characteristics of yearling coastal cutthroat and steelhead trout. J. Fish. Res. Board Canada 14(2): 203–212.
- VINCENT, R. E. 1960. Experimental introductions of fresh-water alewives. Progr. Fish-Cult. 22(1): 38–42.
- VIOSCA, P., JR. 1943. Phenomenal growth rates of largemouth black bass in Louisiana waters. Trans. Amer. Fish. Soc. 72 (1942): 68–71.
- VLADYKOV, V. D. 1933. Biological and oceanographic conditions in Hudson Bay. 9. Fishes from the Hudson Bay region (except the Coregonidae). Contrib. Can. Biol. Fish. n.s. 8(2): 13–61.
- 1942. Two fresh-water fishes new for Quebec. Copeia 1942(3): 193–194.
- 1945. Trois poissons nouveaux pour la Province de Québec. Natur. Can. 72(1 et 2): 27–39.
- 1947. Rapport du biologiste du département des pêcheries. Contrib. Que. Dep. Fish. 22: 1–89.
- 1949a. Quebec lampreys (Petromyzonidae). I. List of species and their economical importance. Dep. Fish. Prov. Quebec Contrib. 26: 67 p.
- 1949b. Les cottides d'eau douce du Québec. Annales de l'Acfas 15: 85.
- 1949c. Captures de poissons d'eau salée en eau douce et de poissons d'eau douce en eau salée dans le Québec. Annales de l'Acfas 15: 85–86.
- 1950. Larvae of eastern American lampreys (Petromyzonidae). I. Species with two dorsal fins. Natur. Can. 77(3–4): 73–94.
- 1952. Présence dans le Québec du *Morone americana*, troisième espèce des serranidés. Natur. Can. 79(12): 325–329 + addenda.
- 1954. Taxonomic characters of the eastern North America chars (*Salvelinus* and *Cristivomer*). J. Fish. Res. Board Canada 11(6): 904–932.
- 1955a. Fishes of Quebec. Cods. Dep. Fish. Que. Album 4: 12 p.
- 1955b. Fishes of Quebec. Sturgeons. Dep. Fish. Que. Album 5: 11 p.
- 1955c. Fishes of Quebec. Eels. Dep. Fish. Que. Album 6: 12 p.
- 1955d. A comparison of Atlantic sea sturgeon with a new subspecies from the Gulf of Mexico (*Acipenser oxyrinchus de sotoi*). J. Fish. Res. Board Canada 12(5): 754–761.
- 1956. Fecundity of wild speckled trout (*Salvelinus fontinalis*) in Quebec lakes. J. Fish. Res. Board Canada 13(6): 799–841.
- 1957. Les formes locales de la truite rouge du Québec (*Salvelinus marstoni*). Natur. Can. 84(12): 233–248.
- 1959. The true taxonomic position of the lake trout (*Cristivomer namaycush*). Trans. N.E. Wildlife Conf. 10th Ann. Meet. 1958, Que. Dep. Fish Game. 74 p.
- 1962. Osteological studies on Pacific salmon of the genus *Oncorhynchus*. Fish. Res. Board Canada Bull. 136: 172 p.
- 1963. A review of salmonid genera and their broad geographical distribution. Trans. Roy. Soc. Can. ser. 4, 1, sec. 3: 459–504.
- 1964. Quest for the true breeding area of the American eel (*Anguilla rostrata* LeSueur). J. Fish. Res. Board Canada 21(6): 1523–1530.
- 1970. Pearl tubercles and certain cranial peculiarities useful in the taxonomy of coregonid genera, p. 167–193. In C. C. Lindsey and C. S. Woods [ed.] Biology of coregonid fishes, Univ. Manitoba Press, Winnipeg, Man. 560 p.
- VLADYKOV, V. D., and G. BEAULIEU. 1946. Études sur l'esturgeon (*Acipenser*) de la Province de Québec. Natur. Can. 73(6–8): 143–204.
- VLADYKOV, V. D., and W. I. FOLLETT. 1958. Redescription of *Lampetra ayresii* (Günther) of western North America, a species of lamprey (Petromyzontidae) distinct from *Lampetra fluviatilis* (Linnaeus) of Europe. J. Fish. Res. Board Canada 15(1): 47–77.
- 1965. *Lampetra richardsoni*, a new nonparasitic species of lamprey (Petromyzonidae) from western North America. J. Fish. Res. Board Canada 22(1): 139–158.
- 1967. The teeth of lampreys (Petromyzonidae): their terminology and use in a key to the holarctic genera. J. Fish. Res. Board Canada 24(5): 1067–1075.
- VLADYKOV, V. D., and J. R. GREELEY. 1963. Order Acipenseroidae, p. 24–60. In Fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 1(3): 630 p.
- VLADYKOV, V. D., and R. A. MCKENZIE. 1935. The marine fishes of Nova Scotia. Proc. Nova Scotia Inst. Sci. 19(1): 17–113.
- VLADYKOV, V. D., and J. M. ROY. 1948. Biologie de la lamproie d'eau douce (*Ichthyomyzon unicuspis*) après la métamorphose. (Résumé). Rev. Can. Biol. 7(3): 483–485.
- VLADYKOV, V. D., and D. H. WALLACE. 1952. Studies of the striped bass, *Roccus saxatilis* (Walbaum), with special reference to the Chesapeake Bay region during 1936–38. Bull. Bingham Oceanogr. Collect. 14(1): 132–177.
- VRAT, VED. 1949. Reproductive behavior and development of eggs of the three-spined stickleback (*Gasterosteus aculeatus*) of California. Copeia 1949(4): 252–260.

- WAGNER, C. C. 1969. Incidence of leech infestation on blacknose dace. *Trans. Amer. Fish. Soc.* 98(1): 115–116.
- WAGNER, G. 1910. *Argyrosomus johannae*, a new species of cisco from Lake Michigan. *Science*, n.s. 31(807): 957–958.
- WAINIO, A. A. 1962. Rainbow trout in the Nottawasaga River — with specific reference to Nicolston Dam. *Ont. Fish Wildlife Rev.* 1(4): 19–24.
- MS 1966. A study of pike (*Esox lucius*, Linnaeus) in two areas of Lake Huron. M.Sc. Thesis. Univ. Toronto, Toronto, Ont. 72 p.
- WALBAUM, J. J. 1792. Petri Artedi renovati, i.e. *bibliotheca et philosophia ichthyologica*. *Ichthyologiae pars III . . . Grypeswaldiae*. Ant. Ferdin. Roese. 723 p.
- WALDEN, H. T. 1964. Familiar freshwater fishes of America. Harper and Row, New York, N.Y. 324 p.
- WALES, J. H. 1941. Development of steelhead trout eggs. *Calif. Fish Game* 27(4): 250–260.
- WALLACE, C. R. 1967. Observations on the reproductive behavior of the black bullhead (*Ictalurus melas*). *Copeia* 1967(4): 852–853.
- WALTERS, V. 1953. The fishes collected by the Canadian Arctic Expedition, 1913–1918, with additional notes on the ichthyofauna of western Arctic Canada. *Bull. Nat. Mus. Canada* 128: 257–274.
- 1955. Fishes of the western Arctic America and eastern Arctic Siberia. Taxonomy and Zoogeography. *Bull. Amer. Mus. Nat. Hist.* 106, art. 5: 259–368.
- WARD, E. B. 1878. (Lampern in Detroit River). *Forest and Stream* 11: 222.
- WARD, J. C. MS 1951. Breeding biology of the Arctic grayling in the southern Athabaska drainage. M.A. Thesis. Univ. Alberta, Edmonton, Alta.
- WARDLE, R. A. 1933. The Cestoda of Canadian fishes. III. Additions to the Pacific coastal fauna. *Contrib. Can. Biol. Fish.* n.s. 8(5): 77–87.
- WARNER, E. N. 1941. Studies on the embryology and early life history of the gizzard shad, *Dorosoma cepedianum* LeSueur. Abstract Doctoral Dissertation, Ohio State Univ., Columbus, Ohio 34: 637–643.
- WARREN, B. H. MS 1951. Metazoan parasites of the lake herring, *Leucichthys artedi* LeSueur 1818 from the north shore of Lake Superior. M.Sc. Thesis. Univ. Minnesota Library, St. Paul, Minn.
- 1952. Report of parasites from the Lake Superior cisco *Leucichthys artedi arcticus*. *J. Parasitol.* 38(5): 495.
- WATLING, H., and C. J. D. BROWN. 1955. The embryological development of the American grayling (*Thymallus signifer tricolor*) from fertilization to hatching. *Trans. Amer. Microsc. Soc.* 74(1): 85–93.
- WEBSTER, D. A. 1943. Food progression in young white perch *Morone americana* (Gmelin) from Bantam Lake, Connecticut. *Trans. Amer. Fish. Soc.* 72 (1942): 136–144.
- WEBSTER, D. A., W. G. BENTLEY, and J. P. GALLIGAN. 1959. Management of the lake trout fishery of Cayuga Lake, New York, with special reference to the role of hatchery fish. *Mem. Cornell Univ. Agric. Exp. Sta.* 357: 83 p.
- WEED, A. C. 1927. Pike, pickerel, and muskalonge. *Field Mus. Natur. Hist. Zool. Leafl.* 9: 52 p.
- 1934. Notes on the sea trouts of Labrador. *Copeia* 1934(3): 127–133.
- WEISEL, G. F. 1954. A rediscovered cyprinid hybrid from western Montana, *Mylocheilus caurinus* × *Richardsonius balteatus balteatus*. *Copeia* 1954(4): 278–282.
- 1955a. The osteology of *Mylocheilus caurinus* × *Ptychocheilus oregonense*, a cyprinid hybrid, compared with its parental species. *J. Morphol.* 96(2): 333–358.
- 1955b. Three new intergeneric hybrids of cyprinid fishes from western Montana. *Amer. Midland Natur.* 53(2): 396–411.
- 1961. Variations in anal fin ray count of a deme of redside shiners, *Richardsonius balteatus*, from a warm spring. *Copeia* 1961(3): 270–274.
- 1962. Comparative study of the digestive tract of a sucker, *Catostomus catostomus*, and a predaceous minnow, *Ptychocheilus oregonense*. *Amer. Midland Natur.* 68(2): 334–346.
- WEISEL, G. F., and H. W. NEWMAN. 1951. Breeding habits, development and early life history of *Richardsonius balteatus*, a northwestern minnow. *Copeia* 1951(3): 187–194.
- WELLS, L. 1966. Seasonal and depth distribution of larval bloaters (*Coregonus hoyi*) in southeastern Lake Michigan. *Trans. Amer. Fish. Soc.* 95(4): 388–396.
- 1968. Seasonal depth distribution of fish in southeastern Lake Michigan. *U.S. Fish Wildlife Serv. Fish. Bull.* 67(1): 1–15.
- WELLS, L., and A. M. BEETON. 1963. Food of the bloater, *Coregonus hoyi*, in Lake Michigan. *Trans. Amer. Fish. Soc.* 92(3): 245–255.
- WESTMAN, J. R. 1938. Studies on the reproduction and growth of the blunt-nosed minnow, *Hyborhynchus notatus* (Rafinesque). *Copeia* 1938(2): 57–60.
- 1952. Lakes, fish and fishing, p. 6–25. In *New Jersey Fisheries Survey Report No. 1* (1950). N.J. Dep. Conserv. Econ. Dev., Div. Fish Game.
- WHEELER, A. 1969. The fishes of the British Isles and north-west Europe. Macmillan Co. Ltd., Toronto, Ont. 613 p.

- WHITE, H. C. 1924. A quantitative determination of the number of survivors from planting 5,000 trout fry in each of two streams. *Contrib. Can. Biol. Stud. Biol. Sta. Canada* n.s. 2(1): 137–149 + 6 fig.
- 1930. Some observations on the eastern brook trout (*S. fontinalis*) of Prince Edward Island. *Trans. Amer. Fish. Soc.* 60: 101–108.
- 1933. Salmon fry in still water. *Biol. Board Canada Progr. Rep. Atl.* 7: 6–8.
- 1936. The food of kingfishers and mergansers on the Margaree River, Nova Scotia. *J. Biol. Board Canada* 2(3): 299–309.
- 1937. Local feeding of kingfishers and mergansers. *J. Biol. Board Canada* 3(4): 323–338.
- 1938. The feeding of kingfishers: food of nestlings and effect of water height. *J. Fish. Res. Board Canada* 4(1): 48–52.
- 1953. The eastern belted kingfisher in the Maritime Provinces. *Fish. Res. Board Canada Bull.* 97: 44 p.
- 1957. Food and natural history of mergansers on salmon waters in the Maritime Provinces of Canada. *Fish. Res. Board Canada Bull.* 116: 63 p.
- WHITE, H. C., J. C. MEDCOF, and L. R. DAY. 1965. Are killifish poisonous? *J. Fish. Res. Board Canada* 22(2): 635–637.
- WHITE, W. J. MS 1970. A study of a population of smallmouth bass *Micropterus dolomieu* (Lacépède) at Baie du Doré, Ontario. M.Sc. Thesis. Univ. Toronto, Toronto, Ont. 83 p.
- WHITEAVES, J. F. 1886. Catalogue of Canadian Pinnipedia, Cetacea, fishes and marine Invertebrata. Ottawa Dep. Fish. p. 1–42.
- WHITEHEAD, P. J. P., and A. C. WHEELER. 1967. The generic names used for the sea basses of Europe and North America (Pisces: Serranidae). *Ann. Mus. Civ. Stor. Nat. Genova*, 1966–67, 76: 23–41.
- WHITEHOUSE, F. C. 1919. Notes on some fishes of Alberta and adjacent waters. *Ottawa Natur.* 33: 50–55.
- WHITLEY, G. P. 1950. New fish names. *Proc. Roy. Zool. Soc. New South Wales* for 1948–49. p. 44.
- WICH, K., and J. W. MULLAN. 1958. A compendium of the life history and ecology of the chain pickerel *Esox niger* (LeSueur). *Contrib. to Nat. Acad. Sci. Comm. Handb. Biol. Data* 22: 23 p. + biblio.
- WICKETT, W. P. 1958. Review of certain environmental factors affecting the production of pink and chum salmon. *J. Fish. Res. Board Canada* 15(5): 1103–1126.
- WIER, H. C., and E. P. CHURCHILL. 1946. The anatomy and histology of the digestive system of the gizzard shad *Dorosoma cepedianum* (LeSueur) *Proc. S. Dak. Acad. Sci.* 25: 34–43 + 8 text-figs.
- WIGLEY, R. L. 1959. Life history of the sea lamprey of Cayuga Lake, New York. *U.S. Fish Wildlife Serv. Fish. Bull.* 154, Vol. 59: 561–617.
- WILDER, D. G. 1947. A comparative study of the Atlantic salmon, *Salmo salar* Linnaeus, and the lake salmon, *Salmo salar sebago* (Girard). *Can. J. Res., D*, 25: 175–189.
- 1952. A comparative study of anadromous and freshwater populations of brook trout (*Salvelinus fontinalis* (Mitchill)). *J. Fish. Res. Board Canada* 9(4): 169–203.
- WILIMOVSKY, N. J. 1954. Checklist of the fishes of Alaska. *Stanford Ichthyol. Bull.* 4(5): 279–294.
- [ed.] 1962. Symposium on pink salmon. *Inst. Fish. Univ. British Columbia*, Vancouver, B.C. 226 p.
- WILIMOVSKY, N. J., and W. O. FREIHOFER. 1957. Guide to literature on systematic biology of Pacific salmon. *U.S. Fish Wildlife Serv. Spec. Sci. Rep. Fish.* 209: 266 p.
- WILLIAMS, I. V., and P. GILHOUSEN. 1968. Lamprey parasitism on Fraser River sockeye and pink salmon during 1967. *Int. Pac. Salmon Fish. Comm. Prog. Rep.* 18: 22 p.
- WILLIAMS, J. E. MS 1955. Determination of age from scales of northern pike (*Esox lucius* L.). Ph.D. Dissertation. Univ. Michigan, Ann Arbor, Mich. 185 p.
- WILLIAMSON, G. R. 1963. Newfoundland barachois yields two giant trout. *Atl. Salmon J.* 2: 18–20.
- WILLOCK, T. A. 1968. New Alberta records of the silvery and brassy minnows, stonewat and sauger, with a preliminary list of fishes of the Milk River in Alberta. *Can. Field-Natur.* 82(1): 18–23.
- 1969. Distributional list of fishes in the Missouri drainage of Canada. *J. Fish. Res. Board Canada* 26(6): 1439–1449.
- WILMOT, S. 1876. The spawning season for black bass. *Forest and Stream* 6: 195.
- WILSON, K. A., and K. RONALD. 1967. Parasite fauna of the sea lamprey (*Petromyzon marinus* von Linne) in the Great Lakes region. *Can. J. Zool.* 45(6), pt. 1: 1083–1092.
- WINCHELL, A. 1864. Description of a garpike, supposed to be new — *Lepidosteus (Cylindrostes) oculatus*. *Proc. Acad. Natur. Sci. Philadelphia* 16: 183–185.
- WINN, H. E. 1953. Breeding habits of the percid fish *Hadropterus copelandi* in Michigan. *Copeia* 1953(1): 26–30.
- 1958a. Comparative reproductive behavior and ecology of fourteen species of darters (Pisces—Percidae). *Ecol. Monogr.* 28(2): 155–191.
- 1958b. Observations on the reproductive habits of darters (Pisces—Percidae). *Amer. Midland Natur.* 59(1): 190–212.
- 1960. Biology of the brook stickleback *Eucalia inconstans* (Kirtland). *Amer. Midland Natur.* 63(2): 424–438.
- WITHLER, F. C. 1948. Lakes of the Skeena River drainage. 8. Lakes of the Lac-da-dah Basin. *Fish. Res. Board Canada Progr. Rep. Pac.* 74: 9–12.

- 1955. Coho salmon fingerling attacked by young lamprey. Fish. Res. Board Canada Progr. Rep. Pac. 104: 15.
- WITHLER, I. L. 1956. A limnological survey of Atlin and Southern Tagish lakes. Brit. Columbia Game Comm. Manage. Publ. 5: 36 p.
- 1966. Variability in life history characteristics of steelhead trout (*Salmo gairdneri*) along the Pacific coast of North America. J. Fish. Res. Board Canada 23(3): 365–393.
- WITT, A., JR. 1960. Length and weight of ancient freshwater drum, *Aplodinotus grunniens*, calculated from otoliths found in Indian middens. Copeia 1960(3): 181–185.
- WITT, A., JR., and R. C. MARZOLF. 1954. Spawning and behavior of the longear sunfish, *Lepomis megalotis megalotis*. Copeia 1954(3): 188–190.
- WOHLSCHLAG, D. E. 1954a. Growth peculiarities of the cisco, *Coregonus sardinella* (Valenciennes), in the vicinity of Point Barrow, Alaska. Stanford Ichthyol. Bull. 4(3): 189–209.
- 1954b. Mortality rates of whitefish in an arctic lake. Ecology 35(3): 388–396.
- WOJCIK, F. J. 1956. Growth and maturation of Arctic grayling in interior Alaska. Proc. 4th Alaskan Sci. Conf. Alaska Div. A.A.A.S., Juneau, Sep. 28–Oct. 3 (1953). p. 83–89.
- WOLFERT, D. R. 1969. Maturity and fecundity of walleyes from the eastern and western basins of Lake Erie. J. Fish. Res. Board Canada 26(7): 1877–1888.
- WOOLCOTT, W. S. 1962. Infraspecific variation in the white perch, *Roccus americanus* (Gmelin). Chesapeake Sci. 3(2): 94–113.
- WORLEY, D. E., and R. V. BANGHAM. 1952. Some parasites of fishes of the upper Gatineau River valley. Ohio J. Sci. 52(4): 210–212.
- WORONECKI, D. E. 1969. First record of occurrence of the northern redbelly dace, *Chrosomus eos*, within Prince Edward Island. J. Fish. Res. Board Canada 26(3): 709–710.
- WRIGHT, R. R. 1884. Notes on American parasitic Copepoda. Proc. Can. Inst. Toronto 3rd ser. Vol. 1: 249–253.
- 1892. Preliminary report on the fish and fisheries of Ontario, p. 419–475. In Ont. Game Fish Comm., Comm. Rep.
- WYNNE-EDWARDS, V. C. 1932. The breeding habits of the black-headed minnow (*Pimephales promelas* Raf.). Trans. Amer. Fish. Soc. 62 (1932): 382–383.
- 1947. The Yukon territory, p. 5–20; The Mackenzie River, p. 21–30. In Northwest Canadian Fisheries Surveys in 1944–1945. Fish. Res. Board Canada Bull. 72: 94 p.
- 1952. Fishes of the Arctic and subarctic, p. 5–24. In Freshwater vertebrates of the Arctic and subarctic. Fish. Res. Board Canada Bull. 94: 28 p.
- YARRELL, W. 1836. A history of British fishes. Vol. 2. John Van Voorst, London. 472 p. + suppl. 72 p.
- YERGER, R. W. 1953. Yellow bullhead preyed upon by cottonmouth moccasin. Copeia 1953(2): 115.
- YOUNG, R. T., and L. J. COLE. 1900. On the nesting habits of the brook lamprey (*Lampetra wilderi*). Amer. Natur. 34(404): 617–620.

INDEX

INDEX OF COMMON AND SCIENTIFIC NAMES

- Abramis balteatus* 506
 crysoleucas 438
 lateralis 506
(*Abramis?*) *balteatus*, *Cyprinus* 506
(*Abramis?*) *smithii*, *Cyprinus* 331, 332, 336
achigan à grande bouche 740
achigan à petite bouche 734
achigan, *Bodianus* 733
Acipenser 78
 acutirostris 91
 aleutensis 100
 atelaspis 89
 athracinus 89
 brevirostris 82
 brevirostrum **80-82**
 buffalo 89
 carbonarius 89
 fulvescens **82-89**
 fulvescens acutirostris 83, 89
 fulvescens obtusirostris 83, 89
 kirtlandi 89
 laevis 89
 lamarii 89
 maculosus 89
 medirostris **90-92**
 megalaspis 89
 oxyrhynchus **92-96**
 oxyrhynchus de sotoi 93
 oxyrhynchus oxyrhynchus 96
 rhynchaeus 89
 rosarium 89
 rubicundus 89
 Rupertianus 89
 sturio 89, 93, 96
 sturio oxyrhynchus 96
 transmontanus **96-100**
Acipenseridae 77, 78
 key to 78
Acipenseriformes 77
Acrocheilus alutaceum 388
 alutaceus **386-388**
 xestes 386
Acrochilus alutaceus 388
aculeatus, *Gasterosteus* **665-668**
aculeatus leiurus, *Gasterosteus* 665
aculeatus trachurus, *Gasterosteus* 665
acuta, *Perca* 761
acutirostris, *Acipenser* 91
 Acipenser fulvescens 83, 89
acutus, *Notropis atherinoides* 440
aenea, *Cichla* 707
aeneus, *Centrarchus* 707
aestivalis, *Alosa* **119-120**
Clupea 120
Pomolobus 120
Agosia falcata 500
 oscula 502
 shuswap 500
aguabonita, *Salmo* 185
alascanus, *Argyrosomus* 255, 256
 Leucichthys 256
Alaska blackfish **338-341**
albatrossis, *Osmerus* 324
albeolus, *Notropis* 459
albidus, *Labrax* 692
Alburnellus jaculus 443
Alburnops blennius 447
 heterodon 456
Alburnus nitidus 443
 rubellus 443, 466
 rubrifrons 466
 umbratilis 473
albus, *Coregonus* 243, 277
aleutensis, *Acipenser* 100
Aleutian sculpin 822
aleuticus, *Cottus* **820-822**
alewife **120-128**
 clipes, *Salmo* 202, 207
 Salvelinus 207
Allegheny pearl dace 516
Alosa aestivalis **119-120**
 cyanonotum 120
 pseudoharengus **120-128**
 sapidissima **128-132**
 tyrannus 128
 vernalis 128
aloise 132
aloise à gésier 137
aloise d'été 120
aloise savoureuse 132
aloisoides, *Amphiodon* 331
 Hiodon **327-332**, 336
 Hyodon 331
alpenae, *Coregonus* 230, 231, **234-236**
 Leucichthys 236
alpestris, *Salmo clarkii* 179, 183
alpine char 207
alpinus malma, *Salvelinus* 215, 219
alpinus, *Salmo* 207
 Salvelinus **201-207**
alutacea, *Lavinia* 388
alutaceum, *Acrocheilus* 388
alutaceus, *Acrocheilus* **386-388**
 Acrochilus 388
alveoides, *Amphiodon* 331, 332
Alvordius aspro 805

- maculatus* 805
Ambloplites rupestris **703–707**
rupestris ariommus 704
rupestris rupestris 704, 707
Amblyopsidae 677
Amblyopsiformes 677
Ameiurus 605
lacustris 603, 605, 610
melas 594
melas melas 594
natalis 598
nebulosus 603
vulgaris 594, 603
amentus, *Esox* 365, 369
 American bream 438
 American brook lamprey **58, 62–65**
 American burbot 645
 American chub 515
 American eel **624–629**
 American grayling 305
 American perch 761
 American roach 438
 American shad **128–132**
 American smelt 317
Americana, Lucio-perca 774
Lucioperca 774
americana, Lucioperca 766
Morone **684–689**
Perca 689, 761
americanus, *Esox* 353
Esox americanus **348–351**, 353
Esox lucius β 351
Perca 761
Roccus 689
Americanus, Leucosomus 438
Petromyzon 75
americanus umbrosus, *Esox* 355
americanus vermiculatus, *Esox* **352–355**
amethystus, *Salmo* 227
Amia calva **111, 112–116**
canina 116
occidentalis 116
ocellicauda 116
ocellicaudata 116
thompsoni 116
Amiidae 101, 111
Amiiformes 111
Amiurus 605
borealis 610
catus 603
caudifurcatus 610
natalis 598
nebulosus 603
vulgaris 603
Ammocoetes argenteus 54
aureus 61
borealis 51, 54
concolor 54
hirudo 54
unicolor 51
Ammocrypta (Ammocrypta) pellucida **776**
pellucida **775–776**
amnigenus, *Tirodon* 420
amorus, *Notropis hudsonius* 460
Amphiodon alosoides **331**
alveoides 331, 332
Anacanthini 640
Anguilla 623
anguilla 624
Bostoniensis 628
chrysypa 628
muraena 628
novaeterae 628
punctatissima 628
rostrata **624–629**
tenuirostris 628
vulgaris 628
anguilla, 605
Anguilla 624
Muraena 628
anguille d'Amérique 629
Anguillidae 623
Anguilliformes 623
angusticeps, *Coregonus* 487
anisura, *Myxostoma* 567
anisurum, *Moxostoma* **564–567**, 578, 586
anisurus, *Catostomus* 567
annularis, *Pomoxis* **741–744**
anogenus, *Hybopsis* 439
Notropis **438–439**, 454
anomalum, *Campostoma* 378
apeltes, *Gasterosteus* 660
Apeltes quadracus **658–660**
Aphredoderidae 677
Aplites salmoides 740
Aplodinotus grunniens **812–816**
Apocope falcata 500
oscula 502
Apodes 623
Apomotis cyanellus 710, 713
appendix, *Entosphenus* 64
Lethenteron 64
Petromyzon 64
Pomotis 710
arctic char **201–207**, 215
arctic charr 207
arctic cisco **244–246**
arctic grayling, **300–305**
sailfin 305
Arctic lamprey **58–61**
Arctic Ocean smelt 312
Arctic rainbow smelt 312

- arctic salmon 207
 arctic trout 305
arcticus pallasi, Thymallus 304
arcticus, Salmo 304
Thymallus **300–305**
arcticus signifer, Thymallus 304
arcturus, Salmo 207
Salvelinus 207
ardens, Catostomus 550
argentatus, Salmo irideus 185, 191
argentea, Muraena 628
argenteus, Ammocoetes 54
Ichthyomyzon 48
Leuciscus 514
Petromyzon 54
Argenteus, Ichthyomyzon 54
Argyreus nasutus 498
osculus 502
argyritis, Hybognathus 417
Argyrosomus alascanus 255, 256
artedi 243
eriensis 243
hoysi 250, 252
huronius 243
johannae 252
laurettae 256
nigripinnis 259
prognathus 236, 250, 259
pusillus 264
tullibee 243
zenithicus 268
ariommus, Ambloplites rupestris 704
artedi, Argyrosomus 243
Leucichthys 243
Artedi, Coregonus 243
Salmo (Coregonus) 243
artedi, Coregonus 230, **236–243**, 244, 257, 266, 270
asper, Centridermichthys 825
Cottopsis 825
Cottus **823–826**
aspro, Alvordius 805
Etheostoma 805
Hadropterus 805
atelaspis, Acipenser 89
athabascae, Coregonus 237
Leucichthys 266, 268
Semotilus margarita 516
Atherina mordax 317
Atherinidae 651
Atheriniformes 651
Atherinoidei 651
atherinoides acutus, Notropis 440
atherinoides, Notropis 383, **440–443**
Notropis atherinoides 440
athracinus, Acipenser 89
atikameg, Coregonus 277
atkinsi, Gasterosteus 668
atkinsii, Gasterosteus 668
Atkinsii, Gasterosteus 668
 Atlantic eel 629
 Atlantic rainbow smelt 312
 Atlantic salmon, **192–197**, 198, 202
 common 197
 Atlantic shad 132
 Atlantic smelt, North American 312
 Atlantic sturgeon **92–96**
 Atlantic tomcod **646–649**
 Atlantic whitefish **281–282**
Atractosteus 101
atrarius, Pimelodus 603
atratus, Cyprinus 494
Rhinichthys **491–494**
Rhinichthys atratulus 491
atratulus meleagris, Rhinichthys 491
atricauda, Hydrargyra 345
atricauda, Hydrargyra 345
atromaculatus, Cyprinus 511
Etheostoma olmstedi 794
Leuciscus 511
Semotilus **507–511**
Semotilus atromaculatus 508
atromaculatus thoreauianus, Semotilus 508
atronasus, Cyprinus 494
Leuciscus 494
Rhinichthys 494
auratus, Carassius **389–391**
Cyprinus 391
Notemigonus crysoleucas 435
aurea, Lampetra 61
aureolum, Moxostoma 580, 583, 585, 586
Aureolum, Moxostoma 583
aureolus, Catostomus 583
Cyprinus (Catostomus) 583
Salvelinus 202, 207
aureus, Ammocoetes 61
auritus, Eupomotis 710
Labrus 710
Lepomis **707–710**
Auritus, Lepomis 723
aurora, Catostomus 535
 aurora trout 209, 213
autumnalis, Coregonus **244–246**, 255
Leucichthys 246
Salmo 244
Salmo (Coregonus) 246
ayresi, Lampetra **55–57**
ayresii, Lampetra 57
Petromyzon 56, 57
 Back's grayling 305
Baione 209

- fontinalis* 213
bairdi, Cottus **826–830**, 831, 836
 Cottus *bairdi* 827
bairdi kumlienii, Cottus 827
bairdii, Cottus 830
 Salmo 219
Salvelinus 219
balteatus, Abramis 506
 Cyprinus (*Aramis*) 506
Leuciscus 506
Richardsonius **503–507**
balteatus lateralis, Leuciscus 506
 banded darter 782
 banded killifish, **631–634**
 eastern 632, 634
 western 634
 banded pickerel 351
 bang 128
 banstickle 668
 bar blanc 692
 bar-perche 689
 bar rayé 697
 barbotte brune 604
 barbotte des rapides 614
 barbotte jaune 598
 barbotte noire 594
 barbue de rivière 610
 barred fantail 787
 barred minnow 634
 bass, 689, 740
 black 734, 740
 brown 734
 calico 749
 grass 749
 green 734, 740
 large mouth 740
 large mouthed 740
 largemouth **734–740**
 largemouth black 740
 narrow-mouthed 689
 northern largemouth 735, 740
 northern rock 704, 707
 northern smallmouth 734
 Oswego 749
 Red River 816
 redeye 707
 rock **703–707**
 silver 692, 744, 816
 smallmouth **728–734**.
 smallmouth black 734
 speckled 749
 spotted 733
 strawberry 749
 striped **693–697**
 striper 697
 sun 718
 white **689–692**, 744
 "bass, gray" 816
 "basse, little white" 689
 Basses, 699
 Sea 683
 Temperate 683
 Temperate, key to 684
(Bathysudis) parri, Lestidium 324
bdellium, Ichthyomyzon 48, 54
beadlei, Synchoglanis 610
 Bear Lake bullhead 835
 Bear Lake herring 243
 beaverfish 116
 bec-de-lièvre 414
 beetle-eye 614
 Beloniformes 651
bendirei, Cottus 830
 Bering cisco **255–256**
biaculeatus, Gasterosteus 668, 671
bifrenatus, Hybopsis 445
 Notropis **444–445**
 big-eye Mackenzie herring 265
 big-eyed herring 128
 bighead sucker 557
 bigmouth buffalo **557–560**
 bigmouth shiner 452
biguttata, Hybopsis 430
biguttatus, Nocomis **427–430**
 Semotilus 430
 billfish 105, 109
bison, Lepisosteus 109
bispinosus cuvieri, Gasterosteus 671
bispinosus, Gasterosteus 668, 671
 bitterhead 438
biwa, Oncorhynchus 146
 black-back tullibee 259
 black bass, 734, 740
 largemouth 740
 smallmouth 734
 black brook lamprey, small 65
 black buffalo 560
 black bullhead, **591–594**, 603, 605
 northern 592
 black catfish 594
 black chain pike 374
 black crappie 744, **745–749**
 black-fin tullibee 259
 black lamprey, small 65
 black mullet 543, 573
 black-nosed minnow 459
 black redhorse **571–573**
 black salmon 197
 black-sided darter 805
 black sturgeon 83
 black sucker 535, 543, 557, 562
 blackbelly 120

- blackchin shiner **454–456**
 blackfin 259
 blackfin cisco 231, **256–259**
 blackfish, 116, 341
 Alaska **338–341**
 blackhead minnow 484
 blacknose dace, 459, **491–494**
 eastern 491, 494
 western 491
 blacknose shiner, **456–459**
 northern 459
 blackside darter 798, **803–805**
 blackspot chub 511
 blackspot stickleback 671
 blackspotted stickleback **669–671**
 blear-eyed herring 128
blennioides, *Diplesion* 779
 Etheostoma **777–779**
 Etheostoma blennioides 777
blennioides pholidotum, *Etheostoma* 778
blennius, *Alburnops* 447
 Hybopsis 447
 Notropis **446–447**, 452, 469
blennius jejunus, *Notropis* 446
 bloat 250
 bloater 230, 231, **246–250**
 blob, 830
 deep-water 847
 blood sucker 51
 bloody stickleback 660
 blue bream 724
 blue catfish 609
 blue darter 782
 blue pickerel 767
 blue pike 752, 767, 768
 blue pike perch 767
 blue sunfish 724
 blue walleye 768, 773
 blueback 120, 164, 171, 243
 blueback herring **119–120**
 blueback salmon 171
 blueback trout 207
 blueback tullibee 243
 bluefin 259
 bluefish 305
 bluegill, 709, 713, **719–724**, 727
 common 720, 724
 bluegill bream 724
 bluegill sunfish, 724
 northern 724
 bluehead sucker 542
 blunt-nose minnow **476–479**
Bodianus achigan 733
 rupestris 707
Boleichthys exilis 786
 fusiformis 786
- boleoides*, *Uranidea* 835
Boleosoma maculatum 797
 nigrum 797
 nigrum eulepis 793
 nigrum nigrum 793
 nigrum olmstedi 793
(Boleosoma) nigrum, *Etheostoma* 753, 793
 bony sturgeon 89
 “boreal smelt” 312
boreale, *Etheostoma* 786
borealis, *Amiurus* 610
 Ammocoetes 51, 54
 Lampetra 61
 Opsopoeodus 463
 Petromyzon 61
 Poecilichthys 786
 Silurus 605
 Silurus (Pimelodus) 610
boreum, *Stizostedion canadense* 763
Boreus, *Esox* 363
bosci, *Notemigonus crysoleucas* 435
Bostoniensis, *Anguilla* 628
 Catostomus 543
 Muraena 628
 bottlefish 406
 bouche coupante 388
 Bowfin 111
 bowfin **112–116**
 branch herring 128
branchialis, *Petromyzon* 68
 brassy minnow **414–416**
 bratan 197
 breac 201, 213
 bream, 438, 724
 American 438
 blue 724
 bluegill 724
 red-sided 507
brevicauda, *Salmo* 183
breviceps, *Lepomis megalotis* 725
 Moxostoma 580, 583
brevirostris, *Acipenser* 82
 Thymallus 301
brevirostrum, *Acipenser* **80–82**
 bridgelip sucker **536–538**, 546
 bridle shiner **444–445**
 bridled shiner 445
 brindled madtom 618, **619–621**
 brindled stone-cat 621
 broad mullet 531
 broad whitefish **278–280**
 brochet 363
 brochet d’Amérique 351
 brochet maillé 374
 brochet vermiculé 355
 bronze minnow 399

- brook char, Pacific 219
 western 219
 brook chub 511
 brook lamprey, 51, 55, 65
 American 58, **62–65**
 European 65
 Michigan 51
 nonparasitic 68
 northern **49–51**
 small black 65
 southern 46
 western **57, 65–68**
 brook minnow 494
 brook silverside **652–654**
 brook silversides 654
 brook stickleback **661–664**
 brook trout 170, **208–213**, 218, 221
 common 213
 Eastern 213
 Pacific 219
 sea-run 208
 western 219
 brookie 213
 brown bass 734
 brown bullhead 596, **598–604**
 northern 604
 brown catfish 604
 brown sturgeon 83
 brown trout, **197–201**, 209
 English 201
 European 201
 German 198, 201
 brownback whitefish 285
 brownie 201
bubalus, *Ictiobus* 560
Bubalus, *Ictiobus* 560
buchananii, *Notropis volucellus* 474
 buffalo, 560
 bigmouth **557–560**
 black 560
 gourdhead 560
 redmouth 560
 smallmouth 560
buffalo, *Acipenser* 89
 buffalo à grande bouche 560
 buffalofish, 560
 common 560
 bull trout 219
bullaris, *Cyprinus* 514
 Semotilus 514
 bulldog pickerel 351
 bullhead, 598, 604, 826
 Bear Lake 835
 black **591–594**, 603, 605
 brown 596, **598–604**
 common 604
 marbled 604
 northern black 592
 northern brown 604
 northern yellow 598
 prickly 826
 yellow **595–598**
 yellow belly 594
 burbot, **605, 641–645**
 American 645
 burnstickle, tiny 674
 butterfish 438

caerulea, *Etheostoma* 782
caeruleum, *Etheostoma* **780–782**
 Etheostoma caeruleum 781
caeruleum notiale, *Etheostoma* 781
caeruleum oreium, *Etheostoma* 781
caeruleus, *Oligocephalus* 782
 Poecilichthys 782
 calico bass 749
calva, *Amia* **111, 112–116**
Campbelli, *Salmo* 219
Campostoma anomalam 378
 Camus 89
canadense boreum, *Stizostedion* 763
canadense griseum, *Stizostedion* 763, 766
canadense, *Stizostedion* **762–767**
 Stizostedion canadense 763, 766
 Stizostethium (Cynoperca) 766
Canadense, *Stizostedion* 766
 Stizostethium 766
canadense, *Stizostedium* 766
canadensis, *Coregonus* **281–282**
 Leuciscus 514
 Salmo 213
Canadensis, *Lucio-perca* 766
 Lucioperca 766, 774
 candlefish 324
canina, *Amia* 116
canis, *Oncorhynchus* 157
 Salmo 157
cantharus nigro-maculatus 749
caprodes carbonaria, *Percina* 798
caprodes, *Etheostoma* 800
 Percina **797–800**
 Percina caprodes 798
 Sciaena 800
caprodes semifasciata, *Percina* 798
Carassius 376
 auratus **389–391**
carbonaria, *Percina caprodes* 798
carbonarius, *Acipenser* 89
carinatum, *Moxostoma* **567–570**
carinatus, *Placopharynx* 570
carletoni, *Leuciscus* 519

- caroliniae*, *Cottus* 837
carp, 389, **407–411**, 531, 543
 European 411
 German 411
 golden 391
 lake 531
 leather 411
 mirror 411
 silver 531
 sucking 463
 white 531
carpe 411
carpio, *Catostomus* 567, 578, 586
 Cyprinus **407–411**
 Myxostoma 567, 578
Carpio, *Cyprinus* 411
Carpio, *Cyprinus* **528–531**
 Cyprinus 530
 cyprinus cyprinus 530
 forbesi 529
 thompsoni 529
Thompsoni 530
velifer 529, 530
Carp, Minnows or 376
 key to 378
carpsucker, 531
 eastern 531
 quillback 531
*Caspio**myzon* 36
castaneus, *Ichthyomyzon* **46–48**, 54
cat, channel 610
 speckled 116
 tadpole 618
 white 614
cataphractus, *Gasterosteus* 668
cataractae, *Gobio* 498
 Rhinichthys **494–498**
Catastomus aureolus 583
 communis 543
Forsterianus 535
Hudsonius 543
Lesueuri 583
Sueuri 583
(*Catastomus*) *aureolus*, *Cyprinus* 583
(*Catastomus*) *Forsterianus*, *Cyprinus* 535
(*Catastomus*) *Hudsonius*, *Cyprinus* 463, 543
(*Catastomus*) *reticulatus*, *Cyprinus* 535, 543
(*Catastomus*) *Sueuri*, *Cyprinus* 583
catfish, 604, 614
 black 594
 blue 609
 brown 604
 channel **604–610**
 common 604
 flathead 609
 Great Lake 605, 610
 Great Lakes 610
 lake 610
 northern 610
 spotted 605, 610
 stone 614
 white 609
 yellow 598
Catfishes 588
 key to 589
Catotomus flabellaris 789
Catostomidae 523
 key to 524
Catostomus anisurus 567
 ardens 550
 aurora 535
Bostoniensis 543
carpio 567, 578, 586
catostomus 523, **531–535**, 539
catostomus catostomus 535
catostomus lacustris 532, 535
catostomus nannomyzon 532
catostomus pocatello 532
catostomus rostratus 535
chloropteron 539
columbianus **536–538**
columbianus columbianus 537
columbianus hubbsi 537
columbianus palouseanus 537
commersoni **538–543**, 545
commersoni suckleyi 539, 542
commersonii 543
commersonii 543
commersonii commersonii 543
commersonii utawana 539
communis 535, 539, 543
cyprinus 530
Cyprinus 530
discobolus 550
Duquesnii 573
erythrurus 576
flexuosus 539
forsterianus 535
Forsterianus 539, 543
gracilis 539
griseus 535
hudsonius 535
longirostris 535, 539
macrocheilus **544–547**
macrolepidotum 583
melanops 562
nigricans 556
pallidus 539
platyrhynchus 537, **547–550**
reticulatus 539
richardsoni 543
syncheilus 537, 538

- tahoensis* 550
teres 539, 543
tuberculatus 553
catostomus, *Catostomus* 523, **531–535**, 539
 Catostomus catostomus 535
 Cyprinus 535
Catostomus, *Cyprinus* 535
catostomus lacustris, *Catostomus* 532, 535
catostomus nannomyzon, *Catostomus* 532
catostomus pocatello, *Catostomus* 532
catostomus rostratus, *Catostomus* 535
catulus, *Ictalurus melas* 592
catus, *Amiurus* 603
 Pimelodus 603
caudifurcatus, *Amiurus* 610
caurina, *Clarkina* 427
caurinus, *Cyprinus* (*Leuciscus*) 427
 Mylocheilus **424–427**
cayuga, *Notropis* 459
central johnny darter 793, 797
central mudminnow **341–345**
central redfin pickerel 355
Centrarchidae 699, 751
 key to 700
Centrarchus aeneus 707
 fasciatus 733
Centridermichthys asper 825
 gulosus 826
 parvus 826
Cepediana, *Megalops* 137
cepedianum, *Dorosoma* **133–137**
 Dorosoma cepedianum 133
cepedianum exile, *Dorosoma* 134
cepedianum heterurum, *Dorosoma* 133
cephalus, *Leuciscus* 406, 511
Ceratichthys micropogon 433
 Plumbeus 406
 prosthemius 406
chabot à tête courte 836
chabot à tête plate 842
chabot côtier 822
chabot de profondeur 847
chabot de torrent 838
chabot piquant 826
chabot tacheté 830
chabot visqueux 835
chain pickerel 351, 361, **370–374**
chain pike, black 374
chamberlaini, *Cottus* 835
channel cat 610
channel catfish **604–610**
channel darter 798, **801–802**
char, alpine 207
 arctic **201–207**, 215
 Dolly Varden 219
 European 207
Great Lakes 227
Pacific brook 219
red spotted 219
sea 219
speckled 213
western brook 219
charbonnier 89
charr, arctic 207
 Dolly Varden 219
 Greenland 207
Chars, salmon, trouts and 144
Chars, whitefishes, grayling, salmons, trouts and,
 key to 139
chat-fou brun 618
chat-fou tacheté 621
chatte de l'est 438
Chernaya ryba 341
chestnut lamprey **46–48**
chinook 163, 177
chinook salmon 146, 163, **172–177**
Chirostoma sicculum 654
chiselmouth **386–388**
chivin 515
chloropteron, *Catostomus* 539
Chondrostei 77
Chondrosteidae 77
choquemort 639
chouicha, *Oncorhynchus* 177
choupique 116
Chrosomus 377
 dakotensis 395
 eos **392–395**, 397
 erythrogaster 393, 395
 neogaeus 393, **396–399**
chrysocephalus, *Notropis* 383, 449
chrysoleucas, *Cyprinus* (*Leuciscus*) 438
 Leuciscus 438
 Notemigonus 438
chrysops, *Lepidema* 692
 Morone **689–692**
 Perca 692
 Roccus 692
chrysopsis, *Elattonistius* 331
 Hiodon 331, 336
 Hyodon 331
chrysypa, *Anguilla* 628
chub, 254, 438, 511, 515, 639
 American 515
 blackspot 511
 brook 511
 common 511
 creek 406, **507–511**
 crested 433
 deepwater 252
 eastern river 433
 flathead **484–487**

- gravel **423–424**
 hornyhead **427–430**, 432
 lake **401–406**
 lake northern 406
 longjaw 236
 mohawk 515
 mud 511
 northern 406
 northern creek 511
 northern flathead 485
 peamouth 427
 Reighard's 262
 river 428, **431–433**
 roughnosed 515
 shortjaw 268
 shortnose 262
 silver **420–422**, 682
 silvery 511, 515
 southern flathead 485
 spotted 424
 Storer's 422
 the 252
 white 515
 chub minnow 406
 chub sucker 553
 "chubs" 231
 chubsucker, 553
 lake **551–553**
 western lake 553
 chum 158
 chum salmon 146, 151, **153–158**
churchillensis, *Leucichthys* 243
cibaria, *Lampetra* 57
Cichla aenea 707
 fasciata 733
 minima 733
ciliatus, *Entosphenus tridentatus* 42
 cisco, **236–243**, 265, 282
 arctic **244–246**
 Bering **255–256**
 blackfin 231, **256–259**
 common 243
 deepwater 230, **250–252**
 Hoy's 250
 least **262–265**
 longjaw 230, **234–236**
 mooneye 259
 Reighard 262
 shallowwater 243
 shortjaw 231, **265–268**
 shortnose 230, **260–262**
 cisco à grande bouche 236
 cisco à mâchoires égales 268
 cisco à museau court 262
 cisco à nageoires noires 259
 cisco arctique 246
 cisco de fumage 250
 cisco de lac 243
 cisco de l'Alaska 256
 cisco de profondeur 252
 cisco du Bering 256
 cisco kiyi 254
 cisco sardinelle 265
 ciscoe 243
 Ciscoes 230
 clarki lewisi, *Salmo* 183
 clarki, *Salmo* **177–183**
 Salmo clarki 183
 clarkii alpestris, *Salmo* 179, 183
 clarkii, *Fario* 182
 Salmo 183
 Salmo clarkii 183
 clarkii lewisi, *Salmo* 183
 Clarkii, *Salmo* 182
 Clarkina caurina 427
 Clark's trout 183
 Clinostomus elongatus **399–401**, 508
 margarita 518
 clodalis, *Hiodon* 336
 Clodalis, *Hiodon* 331
 Clupea aestivalis 120
 hudsonia 463
 pseudo harengus 128
 sapidissima 132
 vernalis 128
 clupeaformis, *Coregonus* **269–277**, 278, 282
 Salmo 269, 277
 Clupeidae 117
 key to 118
 Clupeiformes 117
 clupeiformis, *Coregonus* 243, 277
 coarse scaled sucker 543
 coarsescale sucker 547
 coast rainbow trout 191
 coastal cut-throat trout 183
 coastal cutthroat 183
 coaster 213
 coastrange sculpin **820–822**
 Cobitis heteroclitia 638
 cockatouch 835
 cod, freshwater 645
 Pacific 157
 tommy 649
 winter 649
 Codlike fishes 640
 Cods 640
 key to 641
 coenosus, *Pimelodus* 598
 Silurus (Pimelodus) 598, 603
 coerulea, *Etheostoma* 782
 coeruleum, *Etheostoma* 782
 coeruleus, *Poecilichthys* 782

- cognatus*, *Cottus* 872, **830–835**
Cottus cognatus 831
cognatus gracilis, *Cottus* 827, 831
coho 164, 176
coho salmon 146, **158–164**
Colorado squawfish 488
Columbia River dace 490
Columbia River minnow 507
Columbia River sucker 547
Columbia sculpin 830
Columbia small scaled sucker 538
Columbia squawfish 490
Columbia sturgeon 100
Columbia transmontanus 678
columbianus, *Catostomus* **536–538**
 Catostomus columbianus 537
 Pantosteus 537
columbianus hubbsi, *Catostomus* 537
columbianus palouseanus, *Catostomus* 537
commersoni, *Catostomus* **538–543**, 545
commersoni suckleyi, *Catostomus* 539
commersonii, *Catostomus* 543
commersonii, *Catostomus* 543
 Catostomus commersonii 543
Commeronnii, *Cyprinus* 543
commersonii utawana, *Catostomus* 539
common Atlantic salmon 197
common bluegill 720, 724
common brook trout 213
common buffalofish 560
common bullhead 604
common catfish 604
common chub 511
common cisco 243
common eel 629
common emerald shiner 443
common freshwater stickleback 664
common garpike 109
common killifish 639
common mullet 583
common mummichog 639
common redhorse 580, 583, 586
common shad 132
common shiner **448–452**
common slimy muddler 835
common stickleback 664, 668
common sturgeon 89, 96
common sucker 543
common sunfish 718
common white sucker 543
common whitefish 277
communis, *Catastomus* 543
 Catostomus 535, 539, 543
 Pogonichthys 487
concinnus, *Gasterosteus* 674
concolor, 51
Ammocoetes 54
Ichthyomyzon 48, 54
Petromyzon 54, 70, 75
confertus, *Pimephales promelas* 481
confinis, *Salmo* 227
confusus, *Cottus* **835–836**
Connecticut River shad 132
connie 298
conny 298
consuetus, *Oncorhynchus* 157
 Salmo 157
Cooperi, *Oncorhynchus* 177
cooperi, *Salmo* 177
copelandi, *Cottogaster* 802
 Hadropterus 802
 Percina **801–802**
 Rheocrypta 802
Copeland's darter 802
copii, *Leuciscus* 443
Copper-mine River salmon 207
copper redhorse **577–578**
corégone tschir 280
Coregonidae 230
Coregoninae 138, 230
Coregonus 230
 albus 243, 277
 alpenae 230, 231, **234–236**
 angusticeps 487
 Artedi 243
 artedii 230, **236–243**, 244, 257, 266, 270
 athabascae 237
 atikameg 277
 autumnalis **244–246**, 255
 canadensis **281–282**
 clupeaformis **269–277**, 278, 282
 clupeiformis 243, 277
 coulteri 285
 coulterii 285
 entomophagus 237
 hoysi 230, 231, **246–250**
 johannae 230, 231, **250–252**
 kennicotti 277, 278, 280
 kiyi 230, 231, **252–254**, 257
 kiyi kiyi 253
 kiyi orientalis 253
 labradoricus 277, 282
 latior 277
 laurettae 244, **255–256**
 macrogynathus 237
 nasus 270, **278–280**
 nasus kennicotti 280
 nelsoni 270
 nelsonii 277
 nigripinnis 231, **256–259**
 nigripinnis cyanopterus 257
 nigripinnis nigripinnis 257

- nigripinnis prognathus* 257
nigripinnis regalis 257
nipigon 237
odonoghuei 277
pidschian 270
prognathus 257, 259
pusillus 263, 264
quadrilateralis 290, 291
reighardi 230, 231, **260–262**
reighardi dymondi 260
reighardi reighardi 260
sapidissimus 277
sardinella **262–265**
Signifer 304
 sp. 282
 spp. 474
Thymalloides 304
tullibee 244, 257
williamsoni 294
zenithicus 231, 237, **265–268**
(Coregonus) Artedi, *Salmo* 243
(Coregonus) autumnalis, *Salmo* 246
(Coregonus) harengus, *Salmo* 243
(Coregonus) Labradoricus, *Salmo* 277
coregonus, *Moxostoma* 580
(Coregonus) quadrilateralis, *Salmo* 291
(Coregonus) tullibee, *Salmo* 243
cornutus, *Cyprinus* 451
Leuciscus 451
Luxilus 452
Minnilus 451, 452
Notropis 428, 432, **448–452**, 508, 513
corporal 515
corporalis, *Cyprinus* 514
Leucosomus 514, 516
Semotilus **511–515**
Corvina oscula 816
Richardsonii 816
(Corvina) oscula, *Sciaena* 816
Cottidae 817
 key to 818
Cottogaster copelandi 802
shumardi 808
cottonfish 116
Cottopsis asper 825
parvus 825
ricei 842
Cottus 817
aleuticus **820–822**
asper **823–826**
bairdi **826–830**, 831, 836
bairdi bairdi 827
bairdi kumlieni 827
bairdi 830
Bairdii 830
bendirei 830
carolinae 837
chamberlaini 835
cognatus **827, 830–835**
cognatus cognatus 831
cognatus gracilis 827, 831
confusus **835–836**
formosus 835
Franklini 835
girardi 830
gobio 839
gracilis 835
hubbsi 830
ictalops 830
meridionalis 830
onychus 842
philonips 835
pollicaris 842
protrusus 820, 822
quadricornis 846
rhothea 838
rhotheus **837–838**, 839
ricei **837, 839–842**
Richardsoni 830
sibiricus 839
 sp. 341, 836
spinulosus 839
Couesius 377, 516
greeni 406
plumbeus **397, 401–406**, 519
plumbeus dissimilis 403
plumbeus greeni 403
plumbeus plumbeus 403
plumbeus rubrilateralis 519
prosthemius 406
couette 531
coulteri, *Coregonus* 285
Prosopium **282–285**
coulterii, *Coregonus* 285
Prosopium 285
Coulter's whitefish 285
Cranbrook trout 179
crapet à longues oreilles 727
crapet arlequin 724
crapet de roche 707
crapet rouge 710
crapet-soleil 718
crapet vert 713
crappie, 744, 749
 black 744, **745–749**
 white **741–744**, 748
Crappies 699
crawpie 744, 749
crayon d'argent 654
creek chub, 406, **507–511**
 northern 511
creek shiner 452

- crested chub 433
Cristivomer 221
namaycush 227
 Croakers, Drums or 811
crysoleucas, Abramis 438
Notemigonus 332, 336, **434–438**
Notemigonus crysoleucas 435
crysoleucas auratus, Notemigonus 435
crysoleucas bosci, Notemigonus 435
Crysoleucas, Cyprinus 438
Culaea 664
inconstans **661–664**
 cutlips 414
 cutlips minnow **412–414**
 cutthroat, coastal 183
 Yellowstone 183
 cutthroat trout **177–183**, 186
cuvieri, Gasterosteus 668
 Gasterosteus bispinosus 671
cyanellus, Apomotis 710, 713
 Lepomis **710–713**
cyancephalus, Notropis umbratilis 472
cyanonotus, Alosa 120
 Pomolobus 120
cyanopterus, Coregonus nigripinnis 257
 Leucichthys 259
cylindraceum, Prosopium **286–291**
Cylindraceus, Salmo 290
(Cylindrostes) oculatus, Lepidosteus 105
(Cynoperca) canadense, Stizostethium 766
cyprinella, Ictiobus 560
 Macrostomatobus 560
 Megastomatobus 560
 Sclerognathus 560
cyprinellus, Ictiobus **557–560**
Cyprinidae 376
 key to 378
Cypriniformes 376
Cyprinodontidae 630
 key to 631
Cyprinodontiformes 630, 651
Cyprinus 376
(Abramis) balteatus 506
(Abramis?) smithii 331, 332, 336
atratulus 494
atromaculatus 511
atronasus 494
auratus 391
bullaris 514
carpio **407–411**
 Carpio 411
 (Catastomus) aureolus 583
 (Catastomus) Forsterianus 535
 (Catastomus) Hudsonius 463, 543
 (Catastomus) reticulatus 535, 543
 (Catastomus) Sueurii 583
 cavifrons 535
 cavifrons 535
 commersonii 543
 cornutus 451
 corporalis 514
 Crysoleucas 438
 (Leuciscus) caurinus 427
 (Leuciscus) chrysoleucas 438
 (Leuciscus) gracilis 487
 (Leuciscus) Oregonensis 490
 maxillingua 414
 megalops 451
 smithii 332
 sucetta 553
 Tinca 520
cyprinus, Carpiodes **528–531**
 Carpiodes cyprinus 530
 Catostomus 530
 Labeo 530
Cyprinus, Carpiodes 530
 Catostomus 530

 dace, 438, 452, 494, 515
 Allegheny pearl 516
 blacknose **459, 491–494**
 Columbia River 490
 eastern blacknose 491, 494
 finescale **396–399**
 Harvey Lake pearl 516
 horned 511
 leopard **498–500**
 long-nosed 498
 longnose **494–498**
 nachtrieb 519
 northern 519
 northern pearl 516, 519
 northern redbelly **392–395**
 northwest 427
 pearl **515–519**
 red bellied 395
 redbelly 395
 redfin 494
 redside **399–401**
 Saskatchewan 487
 shining 515
 southern redbelly 393
 speckled **501–502**
 striped 494
 western blacknose 491
dakotensis, Chrosomus 395
dallia 341
Dallia pectoralis **338–341**
Dalliidae 337
 dard à ventre jaune 786
 dard arc-en-ciel 782
 dard barré 789

- dard de rivière 808
 dard de sable 776
 dard d'herbe 786
 dard gris 802
 dard noir 805
 dard-perche 800
 dard vert 779
 darter, banded 782
 black-sided 805
 blackside 798, **803–805**
 blue 782
 central johnny 793, 797
 channel 798, **801–802**
 Copeland's 802
 eastern sand **775–776**
 fantail **787–789**
 green-sided 779
 greenside **777–779**
 Iowa **783–786**
 johnny **793–797**
 least **790–792**
 Manitou 800
 rainbow **780–782**
 river **806–808**
 sand 776
 scaly johnny 793
 tessellated johnny 793
 weed 786
 Darters 751
 key to 752
de sotoi, Acipenser oxyrinchus 93
 deep-water blob 847
 deepwater chub 252
 deepwater cisco 230, **250–252**
 deepwater sculpin **842–847**
dekayi, Gasterosteus 674
Dekayii, Pygosteus 674
 Delaware shad 132
deliciosus, Notropis 447, 469, 471, 474
 Notropis deliciosus 469
deliciosus stramineus, Notropis 469, 471, 476
delphinus, Minomus 550
 dentex, *Osmerus* 311, 317
 Osmerus eperlanus 311, 317
 Osmerus mordax 312
dermatinus, Oncorhynchus 157
 Salmo 157
 devilfish 341
diaphana, Hydrargira 634
diaphanus, Fundulus **631–634**
 Fundulus diaphanus 632, 636
 Zygonectus 634
diaphanus menona, Fundulus 632
dilatus, Spirinchus 318, 320
Diplesion blennioides 779
discobolus, Catostomus 550
dissimilis, Couesius plumbeus 403
 Erimystax 423, 424
 Luxilus 424
 dog salmon 158
 dogfish, 116, 345
 freshwater 116
 Dolly Varden **214–219**
 Dolly Varden char 219
 Dolly Varden charr 219
 Dolly Varden trout 215
dolomieu, Micropterus 733
 Micropterus dolomieu 733
dolomieu, Micropterus **728–734**
 Micropterus dolomieu 729, 733
dolomieu velox, Micropterus 729
 doogler 614
 doré 774
 doré noir 767
Dorosoma cepedianum **133–137**
 cepedianum cepedianum 133
 cepedianum exile 134
 cepedianum heterurum 133
dorsalis, Notropis 385, 452
 Semotilus 511
dorsatus, Petromyzon marinus 70
 drum, 531, 816
 freshwater **812–816**
 Drums or croakers 811
 duck-billed pike 374
duquesnei, Moxostoma **571–573**
Duquesnii, Catostomus 573
duquesnii, Moxostoma 573, 580, 585
 Placopharynx 570, 573
 “dwarf” whitefish 270
dymondi, Coregonus reighardi 260

 easgann 629
 eastern banded killifish 632, 634
 eastern blacknose dace 491, 494
 Eastern brook trout 213
 eastern carpsucker 531
 eastern gizzard shad 137
 eastern golden shiner 435, 438
 eastern pickerel 374
 eastern river chub 433
 eastern sand darter **775–776**
 eastern shiner 452
 eastern silvery minnow 417
 eastern speckled trout 213
 eastern stickleback 668
 eastern sucker 543
 eastern whitefish 277
 eel, 629
 American **624–629**
 Atlantic 629

- common 629
 European 624
 freshwater 629
 lamper 55, 65, 75
 lamprey 48, 55, 61, 68, 75
 silver 629
eelpout 645
Eels, 623
 Freshwater 623
egregius, Richardsonius 504
 ekaluk 207
Elattonistius chrysopsis 331
elegans, Labeo 553
eleutherus, Noturus 620
Schilbeodes 620
 ellwife 128
elongata, Gila 401
elongatus, Clinostomus **399–401**, 508
Leuciscus 401
Luxilus 401
Richardsonius 401
 elver 629
 emerald shiner, **440–443**
 common 443
 lake 440, 443
 river 440
emiliae, Notropis **453–545**
Opsopoeodus 454
 English brown trout 201
entomophagus, Coregonus 237
Leucichthys 266, 268
Entosphenus 36
 appendix 64
japonicus 61
japonicus septentrionalis 61
lamottei 64
lamottei japonicus 61
lamottei lamottei 61, 64
lamottenii 61, 64
tridentatus **42–45**
tridentatus ciliatus 42
tridentatus tridentatus 42, 45
(Entosphenus) japonica, Lampetra 61
eos, Chrosomus **392–395**, 397
Phoxinus 395
 éperlan à petite bouche 310
 éperlan arc-en-ciel 317
 éperlan d'hiver 320
 éperlan du nord 317
eperlanus dentex, Osmerus 311, 317
eperlanus mordax, Osmerus 311
eperlanus, Osmerus 311, 312, 317
Osmerus eperlanus 311
Salmo (Osmerus) 317
Eperlanus, Salmo 317
 épinoche à cinq épines 664
 épinoche à neuf épines 674
 épinoche à quatre épines 660
 épinoche à trois épines 668
 épinoche tachetée 671
Episema jejuna 447
 equaluk 207
erebennus, Ictalurus natalis 596
eriensis, Argyrosomus 243
Leucichthys 243
Erimystax dissimilis 423, 424
Erimyzon sucetta **551–553**
sucetta kennerli 552
sucetta kennerlii 553
sucetta oblongus 553
sucetta sucetta 552
Erinemus storerianus 422
eriox, Salmo 200
erythrogaster, Chrosomus 393, 395
erythrurum, Moxostoma **574–576**, 580, 585
erythrurus, Catostomus 576
 escaille 96
 escargot 96
 escargot maillé 89
Esocidae 346
 key to 346
Esox 769
amentus 365, 369
americanus 353
americanus americanus **348–351**, 353
americanus umbrosus 355
americanus vermiculatus **352–355**
Boreus 363
estor 357, 363, 365, 369
immaculatus 369
lucioides 357, 363, 365
lucius 346, **356–363**
Lucius 363
lucius β americanus 351
masquinongy **363–370**
masquinongy immaculatus 365
masquinongy masquinongy 365, 369
masquinongy ohioensis 365
niger **370–374**
nobilior 357, 365, 369
nobilis 357, 365, 369
osseus 109
reticulatus 374
tridecemlineatus 374
umbrosus 355
vermiculatus 353, 355
estor, Esox 357, 363, 365, 369
 esturgeon à museau court 82
 esturgeon blanc 100
 esturgeon de lac 89
 esturgeon noir 96
 esturgeon vert 92

Etheostoma aspro 805
 blennioides **777–779**
 blennioides blennioides 777
 blennioides pholidotum 778
 (*Boleosoma*) *nigrum* 753, 793
 boreale 786
 caerulea 782
 caeruleum **780–782**
 caeruleum caeruleum 781
 caeruleum notiale 781
 caeruleum oreium 781
 caprodes 800
 coerulea 782
 coeruleum 782
 exile **783–786**
 flabellare **787–789**
 flabellare flabellare 787
 flabellare lineolatum 787
 flabellaris 789
 güntheri 806, 808
 iowae 786
 microporca **790–792**
 nigra 797
 nigrum **793–797**
 nigrum eulepis 753, 794
 nigrum nigrum 753, 794
 olmstedi 753
 olmstedi 753, 794
 olmstedi atromaculatum 794
 olmstedi olmstedi 794
 pellucidum 776
 quappella 786
Etheostomatinae 751
Eucalia inconstans 661, 664
 inconstans pygmaea 664
 pygmaea 664
eulachon **320–324**
eulakane 324
eulepis, *Boleosoma nigrum* 793
 Etheostoma nigrum 753, 794
Eupomotis auritus 710
 gibbosus 718
European brook lamprey 65
European brown trout 201
European carp 411
European char 207
European eel 624
European sea sturgeon 93
European smelt 312
European stickleback 668
exile, *Dorosoma cepedianum* 134
 Etheostoma **783–786**
exilis, *Boleichthys* 786
 Noturus 621
 Poecilichthys 786
Exocoetoidei 651

Exoglossum Lesurianum 414
 maxillingua **412–414**
Exomegas 36
extensus, *Fundulus* 634
eye-picker 414

falcata, *Agosia* 500
 Apocope 500
falcatus, *Rhinichthys* **498–500**
fallfish **511–515**
fantail, barred 787
 striped 787
fantail darter **787–789**
Fario clarkii 182
 gairdneri 191
 Lordii 219
 stellatus 182
fario, *Salmo* 198, 200
 Salmo trutta 198
fasciata, *Cichla* 733
Fasciatum, *Pileoma* 800
fasciatus, *Centrarchus* 733
 Fundulus 638
fathead minnow, **480–484**
 Harvey Lake 481
 northern 481, 484
 southern 481
fathom fish 324
federation pickerel 374
felis, *Pimelodus* 603
Felis, *Silurus* 603
ferox, *Salmo* 227
fiddler 197
fine-scale minnow 399
fine scaled sucker 543
finescale dace **396–399**
finescale mullet 573
finescale redhorse 573
finescale sucker 535
five-spined stickleback 664
flabellare, *Etheostoma* **787–789**
 Etheostoma flabellare 787
flabellare lineolatum, *Etheostoma* 787
flabellaris, *Catotomus* 789
 Etheostoma 789
 Poecilichthys 789
flathead catfish 609
flathead chub, **484–487**
 northern 485
 southern 485
Flavescens, *Morone* 761
flavescens, *Perca* **755–761**
 Perca fluviatilis 756, 761
flavus, *Noturus* **611–614**
fretensis, *Hybopsis* 468

- flexuosus*, *Catostomus* 539
floridanus, *Micropterus salmoides* 735
fluriatitidis, *Lampetra* 54
fluvialis, *Petromyzon* 61
fluvialis flavesiensis, *Perca* 756, 761
fluvialis intermedius, *Perca* 756
fluvialis, *Lampetra* 56, 57
 perca 761
 Perca 756, 761, 774
 Perca fluvialis 756
Fluviatilis, *Perca* 774
Flyingfishes, *Silversides* and 651
fondue barré 634
fontinalis, *Baione* 213
 Salmo 213
 Salvelinus **208–213**
fontinalis hudsonicus, *Salvelinus* 209
fontinalis timagamiensis, *Salvelinus* 209
forbesi, *Carpoides* 529
formosa, *Uranidea* 835
formosus, *Cottus* 835
Forsterianus, *Catostomus* 535
forsterianus, *Catostomus* 535
Forsterianus, *Catostomus* 539, 543
 Cyprinus (Catostomus) 535
fossor, *Ichthyomyzon* 46, **49–51**
fourhorn sculpin, 843, 847
 Great Lakes 847
fourspine stickleback **658–660**
Franklini, *Cottus* 835
franklini, *Uranidea* 835
fresh-water herring 336
fresh-water killifish 634
freshwater cod 645
freshwater dogfish 116
freshwater drum **812–816**
freshwater eel 629
Freshwater eels 623
freshwater herring 243, 256
freshwater killifish 634
freshwater mummichog 634
freshwater sculpin 830
freshwater smelt 317
freshwater stickleback, common 664
freshwater sturgeon 89
frontalis, *Leuciscus* 451
frost fish 291, 317
frost, *Gadus* 649
frostfish 649
fulvescens, *Acipenser* **82–89**
fulvescens acutirostris, *Acipenser* 83, 89
fulvescens obtusirostris, *Acipenser* 83, 89
Fundulus diaphanus **631–634**
 diaphanus diaphanus 632, 636
 diaphanus menona 632
 extensus 634
fasciatus 638
heteroclitus 632, **635–639**
 heteroclitus heteroclitus 636
 heteroclitus macrolepidotus 636
 nigrofasciatus 638
 notatus 631
 pisculentus 638
furiosus, *Noturus* 620
 Schilbeodes 620
fusca, *Hydrargyra* 345
fusiformis, *Boleichthys* 786
- Gadidae* 640
 key to 641
Gadiformes 640
Gadinae 640
Gadus frost 649
 lacustris 645
 Lota 645
 (*Lota*) *maculosus* 645
 maculosus 645
 pruinosus 649
 tomcod 649
gagei, *Ichthyomyzon* 46
gairdneri, *Fario* 191
 Salmo **184–191**
Gairdnerii, *Salmo* 191
gar, 109
 longnose **105–109**
 northern longnose 109
 short-nosed 105
 shortnose 104, 105
 spotted **103–105**
garpike, 109
 common 109
Gars 101
 key to 102
gaspareau 128
gasperaeau 128
Gasterosteidae 656
 key to 657
Gasterosteiformes 656
Gasterosteus aculeatus **665–668**
 aculeatus leleurus 665
 aculeatus trachurus 665
 apeltas 660
 atkinsi 668
 atkinsii 668
 Atkinsii 668
 biaculeatus 668, 671
 bispinosus 668, 671
 bispinosus cuvieri 671
 cataphractus 668
 concinus 674
 cuvieri 668

- dekayi* 674
gladiunculus 671
globiceps 664
gymnetes 664
inconstans 664
insculptus 668
microcephalus 668
millepunctatus 660
nebulosus 674
occidentalis 674
pungitius 674
pygmaeus 664
quadracus 660
serratus 668
wheatlandi **669–671**
 Wheatlandi 671
 gatte 689
 gealag 201
Geotria 36
 German 201
 German brown trout 198, 201
 German carp 411
 German trout 201
gibbosa, *Perca* 718
gibbosus, *Eupomotis* 718
Lepomis **713–718**
 Lepomus 718
Gila elongata 401
 gila trout 185
gilae, *Salmo* 185
gilli 504
girardi, *Cottus* 830
 gizzard fish 277
 gizzard shad, **133–137**
 eastern 137
gladiunculus, *Gasterosteus* 671
Gladiunculus wheatlandi 671
glaucum, *Stizostedion* 768, 774
 Stizostedion vitreum 752, 768, 774
globiceps, *Gasterosteus* 664
Gloverii, *Salmo* 196
 glut herring 120, 128
Gobio cataractae 498
 plumbeus 406
gobio, *Cottus* 839
 goggle eye 707
 golden carp 391
 golden mullet 576
 golden redhorse **574–576**
 golden shad 128
 golden shiner, **332, 434–438**
 eastern 435, 438
 southern 435
 western 435
 golden trout 179, 185
 goldeye, **327–332**
 western 332
 Winnipeg 332
 goldfish **389–391**, 407, 438
gorbuscha, *Oncorhynchus* **148–152**
 Salmo 152
 gourdhead buffalo 560
gracilis, *Catostomus* 539
 Cottus 835
 Cottus cognatus 827, 831
 Cyprinus (Leuciscus) 487
 Hybopsis 487
 Leuciscus 451
 Platygobio **484–487**
 Platygobio gracilis 485
 Uranidea 835
gracilis gulosella, *Platygobio* 485
 grand brochet 363
 grande corégone 277
grandis, *Ptychocheilus* 488
 grass bass 749
 grass pickerel, **351, 352–355**, 361, 374
 western 355
 grass pike 355
 grassfish 341
grassii, *Leptocephalus* 628
 gravel chub **423–424**
 gravelier 424
 “gray bass” 816
 gray herring 128
 grayback 128, 634
 grayback tullibee 243
 grayling, **197, 294, 301, 305**
 American 305
 arctic **300–305**
 Back's 305
 sailfin arctic 305
 Grayling, salmons, trouts, chars, whitefishes and,
 key to 139
 Graylings 300
 “greaser” 262
 Great grey trout 227
 Great Lake catfish 605, 610
 Great Lakes catfish 610
 Great Lakes char 227
 Great Lakes fourhorn sculpin 847
 Great Lakes longear 727
 Great Lakes mottled sculpin 827
 Great Lakes muskellunge 369
 Great Lakes sturgeon 89
 Great Lakes trout 227
 Great Lakes whitefish 277
 great northern pickerel 363
 great northern pike 363
 great sea lamprey 75
 greater redhorse **584–586**
 green bass 734, 740

green perch 713
green pike 374
green shad 128
green-sided darter 779
green sturgeon **90–92**
green sunfish 709, **710–713**, 717, 723, 727
greeni, *Couesius* 406
 Couesius plumbeus 403
Greenland charr 207
greenside darter **777–779**
grey pickerel 767
grey pike 767
grey pike perch 767
grey sucker 543
grey trout, 227
 Great 227
grilse 197
grilt 197
grindle 116
Grindle, John A. 116
grinnel 116
grisea, *Lucioperca* 774
griseum, *Stizostedion* 763
 Stizostedion canadense 763, 766
Griseum, *Stizostedium* 766
griseus, *Catostomus* 535
Gristes nigricans 733
grunniens, *Aplodinotus* **812–816**
grunter 816
Grytes megastoma 740
 nigrisans 733, 740
gudgeon 438, 830
gulonella, *Platygobio gracilis* 485
gulosus, *Centridermichthys* 826
 Lepomis 704
güntheri, *Etheostoma* 806, 808
guttatus, *Percopsis* 682
gymnetes, *Gasterosteus* 664
gyrinus, *Noturus* 612, **615–618**, 621
 Schilbeodes 616, 618
 Silurus 618
gyrinus sialis, *Schilbeodes* 618

Hadropterus aspro 805
 copelandi 802
 maculatus 805
 shumardi 808
hankinsoni, *Hybognathus* **414–416**
haplognathus, *Lepomis megalotis* 725
hardmouth 388
harengus, *Leucichthys* 243
 Salmo (Coregonus) 243
Harvey Lake fathead minnow 481
Harvey Lake pearl dace 516
harveyensis, *Pimephales promelas* 481

Haustor 605
 lacustris 610
Hearne's salmon 207
Hearnii, *Salmo* 202, 207
Helopercra incisor 723
 macrochira 724
herring, 256
 Bear Lake 243
 big-eye Mackenzie 265
 big-eyed 128
 blear-eyed 128
 blueback **119–120**
 branch 128
 fresh-water 336
 freshwater 243, 256
 glut 120, 128
 gray 128
 lake **236–243**, 256, 265
 sand 243
 spring 128
 summer 120
 toothed 332, 336
 wall-eyed 128
 yellow 332
Herring-like fishes 117
herring of the lakes, toothed 336
herring-salmon 243
Herrings 117
 key to 118
heteroclitia, *Cobitis* 638
heteroclitus, *Fundulus* **632, 635–639**
 Fundulus heteroclitus 636
heteroclitus macrolepidotus, *Fundulus* 636
heterodon, *Alburnops* 456
 Hybopsis 456
 Notropis 439, **454–456**
heterolepis, *Hybopsis* 459
 Notropis **456–459**
 Notropis heterolepis 457
heterolepis regalis, *Notropis* 457
heterurum, *Dorosoma cepedianum* 133
hickory shad 137
Hiodon 326
 alooides **327–332**, 336
 chrysopsis 331, 336
 clodalis 336
 Clodalis 331
 selenops 336
 tergisus **332, 333–336**
Hiodon, notch-finned 336
Hiodontidae 326
 key to 326
hirudo, *Ammocoetes* 54
 Petromyzon 54
hog sucker, northern **554–557**
hogmolly 557

- hognose sucker 557
 hognosed sucker 557
 hog sucker, northern 557
Hoodii, Salvelinus 207
 hooligan 324
 horned dace 511
 horned pout 604
 hornedpout 594
 hornpout 604
 hornyhead 452
 hornyhead chub **427–430**, 432
hoysi, Argyrosomus 250, 252
Coregonus 230, 231, **246–250**
Leucichthys 250
Uranidea 835
 Hoy's cisco 250
hubbsi, Catostomus columbianus 537
Cottus 830
Moxostoma 577–578
 Hudson Bay salmon 207
hudsonia, Clupea 463
hudsonicus, Salmo 209, 213
Salvelinus fontinalis 209
hudsonius amorus, Notropis 460
hudsonius, Catostomus 535
Hudsonius 463
Notropis **459–463**
Notropis hudsonius 460
Hudsonius, Catastomus 543
Cyprinus (Catastomus) 463, 543
Hudsonius hudsonius 463
hudsonius saludanus, Notropis 460
hudsonius selene, Notropis 460
 humpback 152
 humpback salmon 152
Huro nigricans 740
salmoides 740
(Huro) nigricans, Perca 740
Huronensis, Lepidosteus 109
Lepidosteus 109
huronius, Argyrosomus 243
Huso 78
Hybognathus argyritis 417
hankinsoni **414–416**
nuchale 420
nuchalis **417–420**
nuchalis nuchalis 417
nuchalis regius 417
placitus 417
regius 420
stramineus 447, 471
volucellus 476
Hybopsis 377, 403, 428, 431, 485
anogenus 439
bifrenatus 445
biguttata 430
blennius 447
frctensis 468
gracilis 487
heterodon 456
heterolepis 459
kentuckiensis 430
micropogon 433
plumbea 406
storiana **420–422**
storrianus 422
volucella 476
x-punctata **423–424**
x-punctata trautmani 423
Hyborhynchus 377
notatus 479
Hydrargira diaphana 634
limi 345
Multifasciata 634
Hydrargyra atricada 345
atricauda 345
fusca 345
hydroploch 504
Hydon alosoides 331
tergisus 336
Hypentelium nigricans **554–557**
Hypomesus olidus **308–310**
transpacificus 308
transpacificus nipponensis 308
Hypsifario kennelyi 171

 I-män'-ük 341
Ichthyomyzon 36
argenteus 48
Argenteus 54
bdellium 48, 54
castaneus **46–48**, 54
concolor 48, 54
fossor 46, **49–51**
gagei 46
(Reighardina) unicolor 51
unicuspis 46, 49, **52–55**, 70
Ictalurus nigricans 610
ictalops, Cottus 830
Ictaluridae 588
 key to 589
Ictalurus 605
lacustris 610
lacustris lacustris 605, 610
lacustris punctatus 605
melas **591–594**
melas catulus 592
melas melas 592, 594
natalis **595–598**
natalis erebennus 596
natalis natalis 596

- nebulosus* **598–604**
nebulosus marmoratus 599
nebulosus nebulosus 599, 603
punctatus **604–610**
punctatus punctatus 605, 610
Ictelis megalotis 727
Ictiobus bubalus 560
 Bubalus 560
 cyprinella 560
 cyprinellus **557–560**
immaculatus, *Esox* 369
 Esox masquinongy 365
 Salmo 213
Imostoma shumardi 808
incisor, *Helioperca* 723
inconnu **295–298**
inconstans, *Culaea* **661–664**
 Eucalia 661, 664
 Gasterosteus 664
inconstans pygmaea, *Eucalia* 664
inland whitefish 277
insculptus, *Gasterosteus* 668
intermedius, *Perca fluviatilis* 756
Iowa darter **783–786**
iowae, *Etheostoma* 786
 Oligocephalus 786
iridea, *Salmo* 191
irideus argentatus, *Salmo* 185, 191
irideus, *Salmo* 185, 191
ishikari-wakasagi 310
Isoppondyli 117
ivitaruk 207

jack 363, 374
jackfish 363
jaculus, *Alburnellus* 443
japonica kessleri, *Lampetra* 59
japonica, *Lampetra* **58–61**, 62
 Lampetra (Entosphenus) 61
 Lampetra japonica 59
 Lampetra lamottei 58, 62
(japonica), *Lethenteron* 61
japonicus, *Entosphenus* 61
 Entosphenus lamottei 61
Petromyzon 61
japonicus septentrionalis, *Entosphenus* 61
 Lampetra 59
jejuna, *Episema* 447
jejunus, *Notropis* 447
 Notropis blennius 446
 Paranotropis 447
johannae, *Argyrosomus* 252
 Coregonus 230, 231, **250–252**
 Leucichthys 236, 252
John A. Grindle 116

johnny darter, **793–797**
 central 793, 797
 scaly 793
 tessellated 793
jordani, *Pantosteus* 537, 548, 550
jordanii, *Notropis* 459
Jordan's sucker 550

Kamloops, *Oncorhynchus* 185, 191
 Salmo 191
kamloops, *Salmo rivularis* 191
Kamloops trout **184–191**
kamloops whitehousei, *Salmo* 185, 191
kelt 197
kendalli, *Notropis* 445
Kennebec salmon 197
kennerli, *Erimyzon suetta* 552
kennerlii, *Erimyzon suetta* 553
kennerlyi, *Hypsifario* 171
 Oncorhynchus nerka 166, 171
 Salmo 166
Kennerlyi, *Salmo* 171
Kennerly's salmon 171
kennicotti, *Coregonus* 277, 278, 280
 Coregonus nasus 280
kentuckiensis, *Hybopsis* 430
 Nocomis 430
kessleri, *Lampetra japonica* 59
keta 158
keta, *Oncorhynchus* **153–158**
keta vel kayko, *Salmo* 157
khlagu-zhey 280
kiack 128
kickinnee 171
killifish, 634
 banded **631–634**
 common 639
 eastern banded 632, 634
 freshwater 634
 menona 634
 western banded 634
Killifishes 630
 key to 631
killy, *fresh-water* 634
king 177
king salmon 177
kirtlandi, *Acipenser* 89
kisutch, *Oncorhynchus* **158–164**
 Salmo 164
kiyi 230, **252–254**
kiyi, *Coregonus* 230, 231, **252–254**, 257
 Coregonus kiyi 253
 Leucichthys 254
kiyi orientalis, *Coregonus* 253
koelzi, *Semotilus margarita* 516

- kokanee **165–171**, 209
 kokani 171
krascheninnikovi, *Salvelinus malma* 215
kumlieni, *Cottus bairdi* 827
 kyack 120
 kyak 128
- Labeo cyprinus* 530
elegans 553
Labidesthes sicculus **652–654**
labradoricus, *Coregonus* 277, 282
Labradoricus, *Salmo* (*Coregonus*) 277
Labrax albidus 692
lineatus 697
Lineatus 697
notatus 692, 697
osculatii 692
pallidus 689
labrax, *perca* 697
Labrus auritus 710
salmoides 740
lachrymale, *Moxostoma* 580
lacustris, 605
Ameiurus 603, 605, 610
Catostomus catostomus 532, 535
Gadus 645
Haustor 610
Ictalurus 610
Ictalurus lacustris 605, 610
Lota lota 642, 645
Villarius 610
lacustris punctatus, *Ictalurus* 605
laevis, *Acipenser* 89
lagoccephalus, *Oncorhynchus* 157
 Lahontan redside 504
 lake Atlantic salmon 197
 lake-bass, white 692
 lake carp 531
 lake catfish 610
 lake chub **401–406**
 lake chubsucker, **551–553**
 western 553
 lake emerald shiner 440, 443
 lake herring **236–243**, 256, 265
 lake lamprey 75
 lake northern chub 406
 lake perch 761
 lake pickerel 374
 lake quillback 531
 lake sculpin 847
 lake shad 137
 lake shiner 443
 Lake St. John salmon 193
 lake sturgeon **82–89**
 Lake Superior longjaw 268
- lake trout 183, 209, **220–227**
 lake whitefish **269–277**
 laker 227
lamarii, *Acipenser* 89
lamottei, *Entosphenus* 64
 Entosphenus lamottei 61, 64
Lampetra **58, 62–65**
 Lampetra lamottei 58, 62
lamottei japonica, *Lampetra* 58, 62
lamottei japonicus, *Entosphenus* 61
lamottenii, *Entosphenus* 61, 64
 Lampetra 62
Lamottenii, *Petromyzon* 64
 lamprey 65
 lampre eel 55, 65, 75
Lampetra 36, 42
 aurea 61
 ayresi **55–57**
 ayresii 57
 borealis 61
 cibaria 57
 (*Entosphenus*) *japonica* 61
 fluriatitidis 54
 fluviaialis 56, 57
 japonica **58–61**, 62
 japonica japonica 59
 japonica kessleri 59
 japonicus septentrionalis 59
 lamottei **58, 62–65**
 lamottei japonica 58, 62
 lamottei lamottei 58, 62
 lamottenii 62
 planeri 66, 68
 richardsoni 55, **65–68**
 tridentata 45
 wilderi 64
 lamprey, 75
 American brook 58, **62–65**
 Arctic **58–61**
 brook 51, 55, 65
 chestnut **46–48**
 European brook 65
 great sea 75
 lake 75
 landlocked sea 75
 Michigan brook 51
 nonparasitic brook 68
 northern 48, 55, 61
 northern brook **49–51**
 Pacific **42–45**
 Pacific river 61
 parasitic river 57
 river 48, **55–57**
 sea 45, **69–75**, 231
 silver 46, 48, 49, **52–55**, 70

- silvery 70
 small black 65
 small black brook 65
 southern brook 46
 three-toothed 45
 tridentate 45
 western 48, 57
 western brook 57, **65–68**
 lamprey eel 48, 55, 61, 68, 75
Lampreys 36
 key to 37
 lamproie à queue noire 57
 lamproie arctique 61
 lamproie argentée 55
 lamproie brune 48
 lamproie de l'est 65
 lamproie de l'ouest 68
 lamproie du nord 51
 lamproie du Pacifique 45
 lamproie marine 75
 land-locked sockeye 171
 landlocked salmon 197, 227
 landlocked sea lamprey 75
 la Queche 332
 laquache argentée 336
 laquache aux yeux d'or 332
 large mouth bass 740
 large mouthed bass 740
 largemouth 740
 largemouth bass, **734–740**
 northern 735, 740
 largemouth black bass 740
 largescale sucker 537, 542, **544–547**
lateralis, 504
 - Abramis* 506
 - Leuciscus balteatus* 506
 - Mylocheilus* 427
 - Richardsonius* 506*latior*, *Coregonus* 277
 laurette 256
laurettae, *Argyrosomus* 256
 - Coregonus* 244, **255–256**
 - Leucichthys* 256*Lavinia alutacea* 388
 lawyer 116, 645
 least cisco **262–265**
 least darter **790–792**
 leather carp 411
 leefish 317
leiurus, *Gasterosteus aculeatus* 665
 leopard dace **498–500**
Lepibema chrysops 692
Lepidomeda 376
Lepidosteus (Cylindrostes) oculatus 105
 - Huronensis* 109
 - osseus* 109
- platostomus* 105
Lepiopomus pallidus 723
 lépisosté osseux 109
 lépisosté tacheté 105
Lepisosteidae 101
 key to 102
Lepisosteiformes 101
Lepisosteus 101
 - bison* 109
 - Huronensis* 109
 - longerostris* 109
 - oculatus* **103–105**
 - osseus* **105–109**
 - osseus oxyurus* 109
 - platostomus* 103, 105
 - productus* 104, 105
 - rostratus* 109
 - sinensis* 101*Lepidosteus piquotianus* 109
Lepomis auritus **707–710**
 - Auritus* 723
 - cyanellus* **710–713**
 - gibbosus* **713–718**
 - gulosus* 704
 - macrochira* 723
 - macrochirus* **719–724**
 - macrochirus macrochirus* 720, 724
 - macrochirus purpurascens* 720
 - macrochirus speciosus* 720
 - megalotis* **724–727**
 - megalotis breviceps* 725
 - megalotis haplognathus* 725
 - megalotis megalotis* 725
 - megalotis peltastes* 725, 727
 - pallidus* 723*Lepomis gibbosus* 718
Leptocephalus grassii 628
leptura, *Lota lota* 642
Lestidium (Bathysudis) parri 324
lesueuri, *Moxostoma* 580, 583
Lesueurii, *Catostomus* 583
lesueurii, *Moxostoma* 580, 583, 585
Lesurianum, *Exoglossum* 414
Lethenteron appendix 64
 - (*japonica*) 61*Leucichthys* 230, 231
 - alascanus* 256
 - alpenae* 236
 - artedi* 243
 - athabascae* 266, 268
 - autumnalis* 246
 - churchillensis* 243
 - cyanopterus* 259
 - entomophagus* 266, 268
 - eriensis* 243
 - harengus* 243

- hoyi* 250
johannae 236, 252
kiyi 254
laurettae 256
macrognathus 266, 268
macropterus 243
manitoulinus 243
nigripinnis 259
nipigon 243
nueltinensis 243
ontariensis 243
prognathus 259
pusillus 264
reighardi 262
sardinella 264
sisco 243
supernas 243
tullibee 243
zenithicus 268
leucichthys mackenii, *Stenodus* 295, 298
leucichthys nelma, *Stenodus* 295, 298
leucichthys, *Salmo* 295, 298
 Stenodus **295–298**
 Stenodus leucichthys 295
Leuciscus argenteus 514
 atromaculatus 511
 atronasus 494
 balteatus 506
 balteatus lateralis 506
 canadensis 514
 carletoni 519
 cephalus 406, 511
 chrysoleucas 438
 copii 443
 cornutus 451
 elongatus 401
 frontalis 451
 gracilis 451
 margarita 519
 nachtriebi 518, 519
 neogaeus 399, 519
 nitidus 514
 oregonensis 490
 pulchellus 514
 ruberlateralis 519
 Storerianus 422
 vittatus 451
(Leuciscus) caurinus, *Cyprinus* 427
(Leuciscus) gracilis, *Cyprinus* 487
(Leuciscus) Oregonensis, *Cyprinus* 490
Leucosomus 516
 Americanus 438
 corporalis 514, 516
levenensis, *Salmo* 198, 200
 Salmo trutta 198
lewisi, *Salmo* 178, 183
Salmo clarki 183
Salmo clarkii 183
light-back tullibee 268
limi, *Hydrargira* 345
 Umbra **341–345**
lineatus, *Labrax* 697
 Roccus 697
Lineatus, *Labrax* 697
 Roccus 697
lineolatum, *Etheostoma flabellare* 787
ling, 645
 scaled 116
little pickerel 355
little redfish 171
little sucker 414
“little white basse” 689
loche 645, 649
Lochleven trout 198, 201
logperch, **797–800**
 northern 798
long ear sunfish 727
long-eared sunfish 727
long-finned smelt 320
long-finned sucker 531
long-nosed dace 498
longear, Great Lakes 727
 northern 727
longear sunfish 708, 710, 713, 717, 723, **724–727**
longears 710
longerostris, *Lepisosteus* 109
longfin smelt **318–320**
longirostris, *Catostomus* 535, 539
longjaw 236, 268
longjaw chub 236
longjaw cisco 230, **234–236**
longjaw, Lake Superior 268
longnose dace **494–498**
longnose gar, **105–109**
 northern 109
longnose sucker **531–535**, 542, 550
Lordii, *Fario* 219
lordii, *Salmo* 219
Lota, *Gadus* 645
lota lacustris, *Lota* 642, 645
lota leptura, *Lota* 642
Lota lota 640, **641–645**
 lota lacustris 642, 645
 lota leptura 642
 lota lota 642
 lota maculosa 642, 645
 maculosa 645
lota, *Lota* 640, **641–645**
 Lota lota 642
lota maculosa, *Lota* 642, 645
(Lota) maculosus, *Gadus* 645
Lotinae 640

- lotte 645
Lucio-perca Americana 774
Canadensis 766
lucioides, Esox 357, 363, 365
Lucioperca Americana 774
americana 766
Canadensis 766, 774
grisea 774
lucius β americanus, Esox 351
lucius, Esox 346, **356–363**
Lucius 363
Ptychocheilus 488
Lucius, Esox 363
Lucius lucius 363
masquinongy 369
reticulatus 374
vermiculatus 355
 lunge 369
 lush 645
Luxilus cornutus 452
dissimilis 424
elongatus 401
selene 463
Lythrurus umbratilis 473

 Mackenzie herring, big-eye 265
Mackenzii, Salmo 295, 298
mackenzi, Stenodus 295, 298
Stenodus leucichthys 295, 298
 mackinaw trout 227
macrocephala, Muraena 628
macrocheilus, Catostomus **544–547**
macrochira, Helioperca 724
Lepomis 723
macrochirus, Lepomis **719–724**
Lepomis macrochirus 720, 724
macrochirus purpurascens, Lepomis 720
macrochirus speciosus, Lepomis 720
macrognathus, Coregonus 237
Leucichthys 266, 268
macrolepidotum, Catostomus 583
Moxostoma **579–583**, 585
macrolepidotus, Fundulus heteroclitus 636
macropterus, Leucichthys 243
Macrostomatobus cyprinella 560
maculata, Percina **803–805**
maculatum, Boleosoma 797
maculatus, Alvordius 805
Hadropterus 805
maculosa, Lota 645
Lota lota 642, 645
maculosus, Acipenser 89
Gadus 645
Gadus (Lota) 645
 mad tom 618, 621

 madtom, brindled 618, **619–621**
 northern 620
 stonecat, 614
 tadpole **615–618**
 mailed fish, northern 109
 malachigan 816
Mallotus 306
(Mallotus) pacificus, Salmo 324
malma krascheninnikovi, Salvelinus 215
malma, Salmo 215
Salvelinus 202, **214–219**
Salvelinus alpinus 215, 219
Salvelinus malma 215
Malma, Salmo 219
malma spectabilis, Salvelinus 215, 219
malma tudes, Salvelinus 219
 malorotaya korioshka 310
 Manitou darter 800
manitoulinus, Leucichthys 243
 marbled bullhead 604
Margariscus 516, 519
margarita 519
margarita athabascae, Semotilus 516
margarita, Clinostomus 518
Leuciscus 519
Margariscus 519
Semotilus 397, **515–519**
Semotilus margarita 516
margarita koelzi, Semotilus 516
margarita nachtriebi, Semotilus 516
 maria 645
 marigane blanche 744
 marigane noire 749
marinus dorsatus, Petromyzon 70
marinus, Petromyzon **69–75**
marinus unicolor, Petromyzon 70, 75
marmoratus, Ictalurus nebulosus 599
Rhinichthys 498
marstoni, Salmo 207
Salvelinus 202, 207
 masamacush 227
maskinonge 369, 370
maskinongé 369
masoni, Salmo 191
masou, Oncorhynchus 146
masquinongy, Esox **363–370**
Esox masquinongy 365, 369
Lucius 369
masquinongy immaculatus, Esox 365
masquinongy ohioensis, Esox 365
maxillingua, Cyprinus 414
Exoglossum **412–414**
Mayomyzon pieckoensis 36
Meda 376
medirostris, Acipenser **90–92**
megalaspis, Acipenser 89

- Megalops Cepedianus* 137
megalops, Cyprinus 451
Notropis 451
megalotis breviceps, Lepomis 725
megalotis haplognathus, Lepomis 725
megalotis, Icthelis 727
Lepomis **724–727**
Lepomis megalotis 725
megalotis peltastes, Lepomis 725, 727
Xenotis 727
Megapharynx valenciennesi 578
megastoma, Grystes 740
Megastomatobus cyprinella 560
melanops, Catostomus 562
Minytrema **561–562**
melas, Ameiurus 594
Ameiurus melas 594
Ictalurus **591–594**
Ictalurus melas 592, 594
melas catulus, Ictalurus 592
melas melas, Ameiurus 594
Ictalurus 592
Melas, Silurus 594
meleagris, Rhinichthys atratulus 491
méné à grandes écailles 422
méné à nageoires rouges 452
méné à tête plate 487
méné bâton 433
méné bleu 468
méné camus 439
méné d'argent 420
méné de lac 406
méné de rivière 447
méné deux-barres 427
méné d'herbe 445
méné d'ombre 473
méné émeraude 443
méné laiton 416
méné long 401
méné paille 471
méné pâle 476
méné rose 507
Menominee whitefish 291
ménomini des montagnes 294
ménomini pygmée 285
ménomini rond 291
menona, Fundulus diaphanus 632
menona killifish 634
menton noir 456
meridionalis, 605
Cottus 830
Merluccinae 640
Mesopodus olidus 310
methy 645
meunier à grandes écailles 547
meunier à tête carrée 557
meunier de l'ouest 538
meunier des montagnes 550
meunier noir 543
meunier rouge 535
meunier tacheté 562
Michigan brook lamprey 51
microcephalus, Gasterosteus 668
Microcyprini 630
Microgadus proximus 646
tomcod 640, **646–649**
microporca, Etheostoma **790–792**
Microperca 792
Microperca microporca 792
punctulata 792
punctulatum 792
micropogon, Ceratichthys 433
Hybopsis 433
Nocomis **431–433**
Micropterus dolomieu 733
dolomieu dolomieu 733
dolomieu **728–734**
dolomieu dolomieu 729, 733
dolomieu velox 729
punctulatus 733
salmoides **734–740**
salmoides floridanus 735
salmoides salmoides 735
microstoma, Uranidea 820, 822
milesi, Pimephales 483
millepunctatus, Gasterosteus 660
Miller's thumb 830, 835
milneri, Nocomis 406
mimic shiner, **473–476**
northern 474
minima, Cichla 733
minister 604
Minnilus cornutus 451, 452
notatus 479
selene 463
minnow, 634
barred 634
black-nosed 459
blackhead 484
bluntnose **476–479**
brassy **414–416**
bronze 399
brook 494
chub 406
Columbia River 507
cutlips **412–414**
eastern silvery 417
fathead **480–484**
fine-scale 399
Harvey Lake fathead 481
Moose Lake 406
mud 345

- Muskoka 459
 northern 519
 northern fathead 481, 484
plumbeus 406
 poor 447
 pugnose **453–454**
 Richardson's 507
 salt water 639
 satin-finned 468
 shore 471
 silver-finned 468
 silver-sided 507
 silvery **417–420**
 silvery grey 500
 southern fathead 481
 spottail 463
 straw-coloured 447, 471
 western silvery 417
Minnows or carps 376
 key to 378
Minomus delphinus 550
Minytrema melanops **561–562**
 mirror carp 411
 Mississippi mud-minnow 345
missouriensis, *Notropis stramineus* 470
miurus, *Noturus* **619–621**
Schilbeodes 621
 mohawk chub 515
mollis, *Schilbeodes* 616, 618
montanus, 504
Thymallus 301, 304
Thymallus tricolor 304
mooneye, **254, 333–336**
 shad 332
 southern 336
 mooneye cisco 259
 Mooneyes 326
 key to 326
 moonfish 749
 Moose Lake minnow 406
Mordacia 36
mordax, *Atherina* 317
Osmerus **310–317**
Osmerus eperlanus 311
Osmerus mordax 312
mordax dentex, *Osmerus* 312
Morone 683, 685, 689, 690, 692, 693, 697
americana **684–689**
Americana 689
chrysops **689–692**
Flavescens 761
saxatilis **693–697**
Morrhuia pruinosa 649
 mottled sculpin, **826–830**
 Great Lakes 827
 northern 827
 mountain sucker, 542, **547–550**
 northern 550
 plains 550
 mountain trout 213, 227, 734
 mountain whitefish **291–294**, 301
Moxostoma 563
anisurum **564–567**, 578, 586
aureolum 580, 583, 585, 586
Aureolum 583
breviceps 580, 583
carinatum **567–570**
coregonus 580
duquesnei **571–573**
duquesnii 573, 580, 585
erythrurum **574–576**, 580, 585
hubbsi **577–578**
lachrymale 580
lesueuri 580, 583
lesueurii 580, 583, 585
macrolepidotum **579–583**, 585
oblongum 553
oblongus 553
rubreque 580, 585, 586
valenciennesi 567, 578, 580, **584–586**
 moxostome cuivré 578
 mud chub 511
 mud minnow 345
 mud-minnow, Mississippi 345
 mud-perch 660
 mud pickerel 351, 355, 374
 mud pike 355
 mud-pouch 660
 mud shad 137
 mud trout 213
 mudcat 604
 muddler, common slimy 835
 slimy 835
 spoonhead 842
 mudfish, 116, 345
 western 116
 mudminnow, central **341–345**
 western 345
 Mudminnows 337
 key to 338
 Mugiliformes 651
 "mule whitefish" 270
 "mules" 270
 mullet à cornes 511
 mullet perlé 519
 mullet perlé du nord 519
 mulhaden 120, 128
 mullet, 531, 543
 black 543, 573
 broad 531
 common 583
 finescale 573

- golden 576
 river 570
 short-headed 583
 silver 567
 white nosed 567
Multifasciata, *Hydrargira* 634
 mummichog, **635–639**
 common 639
 freshwater 634
 mummy 639
Muraena anguilla 628
 argentea 628
 Bostoniensis 628
 macrocephala 628
 rostrata 628
 serpentina 628
muraena, *Anguilla* 628
 museau noir 459
 muskellunge, **357, 361, 363–370**
 Great Lakes 369
 Ohio 369
 tiger 361, 368, 369
 Wisconsin 369
 Muskellunge, True Tiger 365
 Muskoka minnow 459
muskoka, *Notropis* 459
 musky, 369
 tiger 365
mykiss, *Salmo* 179, 183, 185
Mylocheilus caurinus **424–427**
 lateralis 427
Myoxocephalus quadricornis **842–847**
 quadricornis quadricornis 843
 quadricornis thompsonii 843, 846
 thompsoni 846
 thompsonii 846
Myxostoma anisura 567
 carpio 567, 578

 nachtrieb dace 519
nachtriebi, *Leuciscus* 518, 519
 Semotilus margarita 516
 namaycush 227
namaycush, *Cristivomer* 227
 Salmo 221, 227
 Salvelinus 219, **220–227**
Namaycush, *Salmo* 227
 namaycush siscowet, *Salvelinus* 221
nannomyzon, *Catostomus catostomus* 532
Naresi, *Salmo* 207
 Salvelinus 207
 narrow-mouthed bass 689
 naseux de rapides 498
 naseux léopard 500
 naseux moucheté 502
 naseux noir 494

nasus, *Coregonus* **270, 278–280**
 Salmo (Coregonus) 280
nasus kennicotti, *Coregonus* 280
nasutus, *Argyreus* 498
natalis, *Ameiurus* 598
 Amiurus 598
 Ictalurus **595–598**
 Ictalurus natalis 596
 Pimelodus 598
natalis erebennus, *Ictalurus* 596
 native trout 213
nebulosus, *Ameiurus* 603
 Amiurus 603
 Gasterosteus 674
 Ictalurus **598–604**
 Ictalurus nebulosus 599, 603
 Pimelodus 603
nebulosus marmoratus, *Ictalurus* 599
 needlenose 109
nelma, *Salmo* 295
 Stenodus leucichthys 295, 298
nelsoni, *Coregonus* 270
nelsonii, *Coregonus* 277
neogaea, *Pfrille* 399
neogaeus, *Chrosomus* 393, **396–399**
 Leuciscus 399, 519
 Pfrille 399
 Phoxinus 399
nerka kennerlyi, *Oncorhynchus* 166, 171
nerka, *Oncorhynchus* **165–171**, 209
 Oncorhynchus nerka 166
 Salmo 171
 New York stickleback 668
niger, *Esox* **370–374**
nigra, *Etheostoma* 797
nigrescens, *Silurus (Pimelodus)* 603
 Thymallus 301
nigricans, *Catostomus* 556
 Gristes 733
 Huro 740
 Hypentelium **554–557**
 Ictalurus 610
 Perca (Huro) 740
 Petromyzon 54, 75
 Pimelodus 610
nigripinnis, *Argyrosomus* 259
 Coregonus **231, 256–259**
 Coregonus nigripinnis 257
 Leucichthys 259
nigripinnis cyanopterus, *Coregonus* 257
nigripinnis prognathus, *Coregonus* 257
nigripinnis regalis, *Coregonus* 257
nigrisans, *Gryistes* 733, 740
nigro-maculatus, *cantharus* 749
 Pomoxis 749
nigrofasciatus, *Fundulus* 638

- nigromaculatus*, *Pomoxis* **745–749**
nigrum, *Boleosoma* **797**
 Boleosoma nigrum **793**
 Etheostoma **793–797**
 Etheostoma (*Boleosoma*) **753, 793**
 Etheostoma nigrum **753, 794**
nigrum eulepis, *Boleosoma* **793**
 Etheostoma **753, 794**
nigrum olmstedi, *Boleosoma* **793**
 Etheostoma **753**
nine-spined stickleback **674**
ninespine stickleback **671–674**
nipigon, *Coregonus* **237**
 Leucichthys **243**
nipponensis, *Hypomesus transpacificus* **308**
nitidus, *Alburnus* **443**
 Leuciscus **514**
 Salmo **202, 207**
 Salvelinus **207**
nobilior, *Esox* **357, 365, 369**
nobilis, *Esox* **357, 365, 369**
Nocomis **377**
 biguttatus **427–430**
 kentuckiensis **430**
 micropogon **431–433**
 milneri **406**
non-parasitic brook lamprey **68**
“normal” whitefish **270**
North American Atlantic smelt **312**
North Pacific Ocean smelt **312**
North River shad **132**
northeastern sand shiner **470**
northern black bullhead **592**
northern blacknose shiner **459**
northern bluegill sunfish **724**
northern brook lamprey **49–51**
northern brown bullhead **604**
northern catfish **610**
northern chub, **406**
 lake **406**
northern creek chub **511**
northern dace **519**
northern fathead minnow **481, 484**
northern flathead chub **485**
northern hog sucker **554–557**
northern hogsucker **557**
northern lamprey **48, 55, 61**
northern largemouth bass **735, 740**
northern logperch **798**
northern longear **727**
northern longnose gar **109**
northern madtom **620**
northern mailed fish **109**
northern mimic shiner **474**
northern minnow **519**
northern mottled sculpin **827**
northern mountain sucker **550**
northern pearl dace **516, 519**
northern pickerel, great **363**
northern pike, **351, 355, 356–363, 368, 374**
 great **363**
northern redbelly dace **392–395**
northern redhorse **580, 583**
northern rock bass **704, 707**
northern sculpin **835**
northern shorthead redhorse **583**
northern smallmouth bass **734**
northern squawfish **487–490**
northern sucker **535**
northern yellow bullhead **598**
northwest dace **427**
notata, *Perca* **761**
notatus, *Fundulus* **631**
 Hyborhynchus **479**
 Labrax **692, 697**
 Minnilus **479**
 Pimephales **476–479**
notch-finned Hiodon **336**
Notemigonus chrysoleucas **438**
 crysoleucas **332, 336, 434–438**
 crysoleucas auratus **435**
 crysoleucas boscii **435**
 crysoleucas crysoleucas **435**
notiale, *Etheostoma caeruleum* **781**
Notopteroidei **326**
Notropis albeolus **459**
 anogenus **438–439, 454**
 atherinoides **383, 440–443**
 atherinoides acutus **440**
 atherinoides atherinoides **440**
 bifrenatus **444–445**
 blennius **446–447, 452, 469**
 blennius jejunes **446**
 cayuga **459**
 chryscephalus **383, 449**
 cornutus **428, 432, 448–452, 508, 513**
 deliciosus **447, 469, 471, 474**
 deliciosus deliciosus **469**
 deliciosus stramineus **469, 471, 476**
 dorsalis **385, 452**
 emiliae **453–454**
 heterodon **439, 454–456**
 heterolepis **456–459**
 heterolepis heterolepis **457**
 heterolepis regulis **457**
 hudsonius **459–463**
 hudsonius amorus **460**
 hudsonius hudsonius **460**
 hudsonius saludanus **460**
 hudsonius selene **460**
 jejunes **447**
 jordanii **459**

- kendalli* 445
megalops 451
muskoka 459
phenacobius 471
photogenis 383
reticulatus 447, 471
rubellus 383, **463–466**
ruberifrons 466
scopiferus 463
spilopterus **466–468**
stramineus **469–471**, 474
stramineus missouriensis 470
stramineus stramineus 470
umbratilis **472–473**
umbratilis cyanocephalus 472
volucellus 469, **473–476**
volucellus buchanani 474
volucellus volucellus 474
whippelii 468
whippelii spilopterus 468
Noturus 620
eleutherus 620
exilis 621
flavus **611–614**
furiosus 620
gyrinus 612, **615–618**, 621
miurus **619–621**
platycephalus 614
sialis 618
stigmosus 620
novaeterrae, Anguilla 628
Novumbriidae 337
nubilus, Rhinichthys 502
nuchale, Hybognathus 420
nuchalis, Hybognathus **417–420**
Hybognathus nuchalis 417
nuchalis regius, Hybognathus 417
nueftinensis, Leucichthys 243

oblongum, Moxostoma 553
oblongus, Erimyzon suetta 553
Moxostoma 553
obtusirostris, Acipenser fulvescens 83, 89
occidentalis, Amia 116
Gasterosteus 674
ocellicauda, Amia 116
ocellicaudata, Amia 116
oculatus, Lepidosteus (Cylindrostes) 105
Lepisosteus **103–105**
odonoghuei, Coregonus 277
Ohio muskellunge 369
ohioensis, Esox masquinongy 365
oilfish 324
olidus, Hypomesus **308–310**
Mesopodus 310

Salmo (Osmerus) 310
Oligocephalus caeruleus 782
iowae 786
olivaris, Pylodictis 609
olmstedi atromaculatum, Etheostoma 794
olmstedi, Boleosoma nigrum 793
Etheostoma 794
Etheostoma nigrum 753
Etheostoma olmstedi 794
omble arctique 305
omble chevalier 207
omble de fontaine 213
omisco 682
omisco-maycus, Percopsis 682
omisco maycus, Salmo 196
Omisco Maycus, Salmo 682
omiscomaycus, Percopsis **678–682**
Oncorhynchus 146
biwa 146
canis 157
chouicha 177
consuetus 157
Cooperi 177
dermatinus 157
gorbuscha **148–152**
Kamloops 185, 191
keta **153–158**
kisutch **158–164**
lagocephalus 157
masou 146
nerka **165–171**, 209
nerka kennerlyi 166, 171
nerka nerka 166
Scouleri 152
tschawytscha 177
tshawytscha **172–177**
ontariensis, Leucichthys 243
Thymallus 301
Thymalus 304
Triglopsis 846
onychus, Cottus 842
oolichan 324
Opsopoeodus borealis 463
emiliae 454
oquassa, Salmo 207
Salvelinus 202, 207
orangespotted sunfish 713, 717, 723, 727
Oregon sturgeon 100
oregonense, Ptychocheilus 490
Oregonensis, Cyprinus (Leuciscus) 490
oregonensis, Leuciscus 490
Ptychocheilus 425, **487–490**
oregonium, Prosopium 292, 294
oerium, Etheostoma caeruleum 781
orientalis, Coregonus kiyi 253
oscula, Agosia 502

- Apocope* 502
Corvina 816
Sciaena 816
Sciaena (Corvina) 816
osculatti, Labrax 692
osculus, Argyreus 502
Rhinichthys **501–502**
 Osmeridae 306
 key to 307
Osmerus 306
 albatrossis 324
 dentex 311, 317
 eperlanus 311, 312, 317
 eperlanus dentex 311, 317
 eperlanus eperlanus 311
 eperlanus mordax 311
 mordax **310–317**
 mordax dentex 312
 mordax mordax 312
 pacificus 324
 sergeanti 317
 spectrum 317
 thaleichthys 320
 viridescens 317
(Osmerus) eperlanus, Salmo 317
(Osmerus) olidus, Salmo 310
osseus, Esox 109
Lepidosteus 109
Lepisosteus **105–109**
osseus oxyurus, Lepisosteus 109
Ostariophysi 376
Oswego bass 749
ouananiche 197
ouananiche, Salmo 196
 Salmo salar 193, 196
ouitouche 515
oxyrhynchus, Acipenser **92–96**
 Acipenser oxyrhynchus 96
 Acipenser sturio 96
oxyrhynchus de sotoi, Acipenser 93
oxyurus, Lepisosteus osseus 109

Pacific brook char 219
Pacific brook trout 219
Pacific cod 157
Pacific lamprey **42–45**
Pacific river lamprey 61
Pacific salmon 146
Pacific smelt 320
Pacific sturgeon 100
pacificus, Osmerus 324
 Salmo (Mallotus) 324
Thaleichthys **320–324**
Paddlefishes, Sturgeons and 77
 pale-back tullibee 268
pallasi, Thymallus arcticus 304
Pallasii, Thymallus 304
pallidus, Catostomus 539
 Labrax 689
 Lepiopomus 723
 Lepomis 723
 Salmo 227
palouseanus, Catostomus columbianus 537
Pantosteus columbianus 537
 jordani 537, 548, 550
 platyrhynchus 548
Paranotropis jejunus 447
parasitic river lamprey 57
parkei, Salmo 219
 Salvelinus 215, 219
parkii, Salmo 219
parr 197
parri, Lestidium (Bathysudis) 324
parvus, Centridermichthys 826
 Cottopsis 825
paucidens, Salmo 171
peamouth **424–427**
peamouth chub 427
pearl dace, **515–519**
 Allegheny 516
 Harvey Lake 516
 northern 516, 519
pectoralis, Dallia **338–341**
pelican 96
pellucida, Ammocrypta **775–776**
 Ammocrypta (Ammocrypta) 776
 Salmoperca 682
pellucidum, Etheostoma 776
pellucidus, Pleurolepis 776
 Vigil 776
peltastes, Lepomis megalotis 725, 727
 Xenotis megalotis 727
Perca acuta 761
 americana 689, 761
 americanus 761
 chrysops 692
 flavescens **755–761**
 fluviatilis 756, 761, 774
 Fluviatilis 774
 fluviatilis flavescens 756, 761
 fluviatilis fluviatilis 756
 fluviatilis intermedius 756
 gibbosa 718
 (Huro) nigricans 740
 notata 761
 saxatilis 697
 vitrea 774
perca fluviatilis 761
 labrax 697
Percesoces 651

- perch, 689, 756, 761
 American 761
 green 713
 lake 761
 log 800
 pond 718
 sea 689
 silver 689
 trout- **678–682**
 white **684–689**
 yellow **755–761**
 "perch, white" 816
 Perch-like fishes 683
 perchaude 761
 Perches 751
 key to 752
 Percichthyidae 683
 key to 684
 Percidae 751
 key to 752
 Perciformes 651, 683, 751, 817
Percina caprodes **797–800**
 caprodes caprodes 798
 caprodes carbonaria 798
 caprodes semifasciata 798
 copelandi **801–802**
 maculata **803–805**
 shumardi **806–808**
 Percinae 751
 Percomorpha 683
 Percopsidae 677
 Percopsiformes 677
Percopsis 678
 guttatus 682
 omisco-maycus 682
 omiscomaycus **678–682**
 transmontanus 678
 petit-bec 454
 petit dard 792
 petite morue 649
Petromyzon 36, 54
 Americanus 75
 appendix 64
 argenteus 54
 ayresii 56, 57
 borealis 61
 branchialis 68
 concolor 54, 70, 75
 fluvialis 61
 hirudo 54
 japonicus 61
 Lamottenii 64
 marinus **69–75**
 marinus dorsatus 70
 marinus unicolor 70, 75
 nigricans 54, 75
 plumbeus 56, 57
 tridentatus 45
 Petromyzontidae 36
 key to 37
 Petromyzontiformes 36
Pfrille 377, 397
 neogaeus 399
 neogaeus 399
 Phallostethiformes 651
phenacobius, Notropis 471
philonips, Cottus 835
pholidotum, Etheostoma blennioides 778
photogenis, Notropis 383
Photogenis rubrifrons 466
 spilopterus 468
Phoxinus 377, 393, 397
 eos 395
 neogaeus 399
 pickerel, 351, 355, 363, 374, 769, 774
 banded 351
 blue 767
 bulldog 351
 central redfin 355
 chain 351, 361, **370–374**
 eastern 374
 federation 374
 grass 351, **352–355**, 361, 374
 great northern 363
 grey 767
 lake 374
 little 355
 mud 351, 355, 374
 redfin **348–351**, 353, 361, 374
 reticulated 374
 sand 767
 trout 351
 wall-eyed 774
 western grass 355
 yellow 774
 picquerelle 374
pidschian, Coregonus 270
pieckoensis, Mayomyzon 36
 pike, 363, 374
 black chain 374
 blue 752, 767, 768
 duck-billed 374
 grass 355
 great northern 363
 green 374
 grey 767
 mud 355
 northern 351, 355, **356–363**, 368, 374
 red-finned 351
 sand 767
 wall-eyed 774
 walleye 774

- yellow 774
 pike-perch, 769, 774
 sand 767
 wall-eyed 774
 pike perch, blue 767
 grey 767
 wall-eyed 774
 yellow 774
 Pikes 346
 key to 346
Pileoma Fasciatum 800
 semifasciatum 800
 zebra 800
 pilot fish 291
Pimelodus atrarius 603
 catus 603
 coenosus 598
 felis 603
 natalis 598
 nebulosus 603
 nigricans 610
 vulgaris 603
(Pimelodus) borealis, Silurus 610
(Pimelodus) coenosus, Silurus 603
(Pimelodus) nigrescens, Silurus 603
Pimephales 377
 milesi 483
 notatus **476–479**
 promelas **480–484**
 promelas confertus 481
 promelas harveyensis 481
 promelas promelas 481
 pin sucker 553
 pinfish 660, 664, 668, 674
 pink 152
 pink salmon 146, **148–152**, 157
 pinkster 82
piquianus, Lepidosteus 109
pisculentus, Fundulus 638
placitus, Hybognathus 417
Placopharynx 578
 carinatus 570
 duquesnii 570, 573
Plagopterus 376
 plains mountain sucker 550
planeri, Lampetra 66, 68
platostomus, Lepidosteus 105
 Lepisosteus 103, 105
platycephalus, Noturus 614
Platygobio 403
 gracilis **484–487**
 gracilis gracilis 485
 gracilis gulonella 485
platyrhynchus, Catostomus 537, **547–550**
 Pantosteus 548
Pleurolepis pellucidus 776
 plumbea, Hybopsis 406
 Plumbeus, Ceratichthys 406
 plumbeus, Couesius **397, 401–406**, 519
 Couesius plumbeus 403
 Gobio 406
 Petromyzon 56, 57
 plumbeus dissimilis, Couesius 403
 plumbeus greeni, Couesius 403
 plumbeus minnow 406
 plumbeus rubrilateralis, Couesius 519
 pocatello, Catostomus catostomus 532
 Poecilichthys borealis 786
 caeruleus 782
 coeruleus 782
 exilis 786
 flabellaris 789
 Poeciliidae 630
 Pogonichthys communis 487
 poisson bleu 305
 poisson-castor 116
 poisson de marais 116
 poisson des chenaux 649
 poisson doré 391
 pollicaris, Cottus 842
 Uranidea 842
 Polyodontidae 77
 Polypteridae 101
 Pomolobus aestivalis 120
 cyanonotus 120
 pseudo-harengus 128
 pseudoharengus 128
 Pomotis appendix 710
 rubri-cauda 710
 vulgaris 718
 Pomotus rubricauda 710
 Pomoxis annularis **741–744**
 nigro-maculatus 749
 nigromaculatus **745–749**
 sparoides 749
 Pomoxys sparoides 749
 pond perch 718
 pond smelt **308–310**
 poor minnow 447
 potbelly 494
 Potomac shad 132
 pottlebelly 494
 poulamon atlantique 649
 pout, horned 604
 291
 prickly bullhead 826
 prickly sculpin **823–826**
 productus, Lepisosteus 104, 105
 prognathus, Argyrosomus 236, 250, 259
 Coregonus 257, 259
 Coregonus nigripinnis 257
 Leucichthys 259

- promelas confertus*, *Pimephales* 481
promelas harveyensis, *Pimephales* 481
promelas, *Pimephales* **480–484**
 Pimephales promelas 481
Prosopium 230, 285
 coulteri **282–285**
 coulterii 285
 cylindraceum **286–291**
 oregonium 292, 294
 preblei 291
 quadrilaterale 291
 snyderi 285
 williamsoni **291–294**
prosthemius, *Ceratichthys* 406
Couesius 406
protrusus, *Cottus* 820, 822
proximus, *Microgadus* 646
pruinosa, *Morpha* 649
pruinosus, *Gadus* 649
pseudo harengus, *Clupea* 128
pseudo-harengus, *Pomolobus* 128
pseudoharengus, *Alosa* **120–128**
 Pomolobus 128
Pseudoscaphyrhynchus 78
Ptychocheilus grandis 488
 lucius 488
 oregonense 490
 oregonensis **425, 487–490**
 umpquae 488
pugnose minnow **453–454**
pugnose shiner **438–439**
pulchellus, *Leuciscus* 514
pumpkinseed 709, **713–718**, 723
pumpkinseed sunfish 718
punctatissima, *Anguilla* 628
punctatus, 605
 Ictalurus **604–610**
 Ictalurus lacustris 605
 Ictalurus punctatus 605, 610
 Silurus 610
punctulata, *Microperca* 792
punctulatum, *Microperca* 792
punctulatus, *Micropterus* 733
pungitius, *Gasterosteus* 674
 Pungitius **671–674**
 Pygosteus 674
Pungitius pungitius **671–674**
punky 718
purpurascens, *Lepomis macrochirus* 720
purpuratus, *Salmo* 182, 185, 191
pusillus, *Argyrosomus* 264
 Coregonus 263, 264
 Leucichthys 264
pygmaea, *Eucalia* 664
 Eucalia inconstans 664
pygmaeus, *Gasterosteus* 664
 pygmy whitefish **282–285**
Pygosteus Dekayii 674
 pungitius 674
Pylodictis olivaris 609

quadracus, *Apeltes* **658–660**
Gasterosteus 660
quadricornis, *Cottus* 846
 Myoxocephalus **842–847**
 Myoxocephalus quadricornis 843
quadricornis thompsonii, *Myoxocephalus* 843, 846
quadrilaterale, *Prosopium* 291
quadrilateralis, *Coregonus* 290, 291
 Salmo (Coregonus) 291
quappella, *Etheostoma* 786
Quebec Red trout 202, 207
queue à tache noire 463
quiescens, *Uranidea* 835
quillback, **528–531**
 lake 531
quillback carpsucker 531
quillback sucker 531
quinnat 146, 177
quinnat, *Salmo* 177

racer 128
rainbow darter **780–782**
rainbow fish 782
rainbow smelt, **310–317**
 Arctic 312
 Atlantic 312
rainbow trout, 163, 179, **184–191**, 198
 coast 191
raseux-de-terre 797
red bellied dace 395
red-finned pike 351
red-horse, short-headed 583
Red River bass 816
red salmon 171
red-sided bream 507
red-sided shiner 401
red-sided sucker 535
red spotted char 219
red-spotted Rocky Mountain trout 219
red spotted trout 219
red sturgeon 89
red sucker 535, 583
red-throated trout 183
Red trout, Quebec 202, 207
redbelly dace, 395
 northern **392–395**
 southern 393
redbreast sunfish **707–710**, 713, 717, 723
redear sunfish 723
redeye 707

- redeye bass 707
 redfin dace 494
 redfin pickerel, **348–351**, 353, 361, 374
 central 355
 redfin shiner 452, **472–473**
 redfish, little 171
 redhorse, 386
 black **571–573**
 common 580, 583, 586
 copper **577–578**
 finescale 573
 golden **574–576**
 greater **584–586**
 northern 580, 583
 northern shorthead 583
 river **567–570**
 short-headed 585
 shorthead **579–583**
 silver **564–567**
 white nose 567
 Redhorses 563
 key to 524
 redmouth buffalo 560
 redside dace **399–401**
 redside, Lahontan 504
 redside shiner **503–507**
regalis, *Coregonus nigripinnis* 257
Notropis heterolepis 457
regius, *Hybognathus* 420
Hybognathus nuchalis 417
 Reighard cisco 262
reighardi, *Coregonus* 230, 231, **260–262**
Coregonus reighardi 260
Leucichthys 262
reighardi dyomondi, *Coregonus* 260
Reighardina unicolor 51
(Reighardina) unicolor, *Ichthyomyzon* 51
 Reighard's chub 262
 residual sockeye 166
 reticulated pickerel 374
reticulatus, *Catostomus* 539
Cyprinus (Catastomus) 535, 543
Esox 374
Lucius 374
Notropis 447, 471
Rheocrypta copelandi 802
Rhinichthys atratulus **491–494**
atratus *atratus* 491
atratus *meleagris* 491
atronasus 494
cataractae **494–498**
falcatus **498–500**
marmoratus 498
nubilus 502
osculus **501–502**
rhothea, *Cottus* 838
rhotheus, *Cottus* **837–838**, 839
rhynchosciurus, *Acipenser* 89
ricei, *Cottopsis* 842
Cottus 837, **839–842**
 Rice's sculpin 842
richardii, *Salmo* 177
richardsoni, *Catostomus* 543
Lampetra 55, **65–68**
Richardsoni, *Cottus* 830
Uranidea 830
Richardsonii, *Corvina* 816
richardsonii, *Trachidermus* 825
Richardsonius balteatus **503–507**
egregius 504
elongatus 401
lateralis 506
 Richardson's minnow 507
 riffle sucker 557
rivalis, *Salmo* 207
 river chub, 428, **431–433**
 eastern 433
 river darter **806–808**
 river emerald shiner 440
 river lamprey, 48, **55–57**
 Pacific 61
 parasitic 57
 river mullet 570
 river redhorse **567–570**
 river shiner **446–447**
 river whitefish 336
rivularis kamloops, *Salmo* 191
rivularis, *Salmo* 185, 191
 roach, 438, 724
 American 438
robustus 605
Roccus 683
americanus 689
chrysops 692
lineatus 697
Lineatus 697
saxatilis 697
 rock bass, **703–707**
 northern 704, 707
 rock sturgeon 83, 89
 rockfish 697
 Rocky Mountain trout, red-spotted 219
 Rocky Mountain whitefish 294
rosarium, *Acipenser* 89
Rossii, *Salmo* 202, 207
rostrata, *Anguilla* **624–629**
Muraena 628
rostratus, *Catostomus catostomus* 535
Lepisosteus 109
 rosy-faced shiner 466
 rosyface shiner **463–466**

- rough-head 452
 roughnosed chub 515
 round fish 291
 round-nosed whitefish 280
 round whitefish **286–291**
 Round whitefishes 230
rubellus, Alburnus 443, 466
 Notropis 383, **463–466**
rubicundus, Acipenser 89
rubreque, Moxostoma 580, 585, 586
rubri-cauda, Pomotis 710
rubricauda, Pomotis 710
rubrifrons, Alburnus 466
 Notropis 466
 Photogenis 466
rubrilateralis, Couesius plumbeus 519
 Leuciscus 519
 ruddy sturgeon 89
Rupertianus, Acipenser 89
rupestris, Ambloplites **703–707**
 Ambloplites rupestris 704, 707
 Bodianus 707
rupestris ariommus, Ambloplites 704
Rutilus Storerianus 422
- Sacramento smelt 320
 Sacramento squawfish 488
 Sacramento sturgeon 100
 sailfin arctic grayling 305
 Sakhalin sturgeon 92
salar ouananiche, Salmo 193, 196
salar, Salmo **192–197**, 198
 Salmo salar 193
salar sebago, Salmo 193
Salmo 202
 aguabonita 185
 alipes 202, 207
 alpinus 207
 amethystus 227
 arcticus 304
 arcturus 207
 autumnalis 244
 bairdii 219
 brevicauda 183
 Campbelli 219
 canadensis 213
 canis 157
 clarki **177–183**
 clarki clarki 183
 clarki lewisi 183
 clarkii 183
 Clarkii 182
 clarkii alpestris 179, 183
 clarkii clarkii 183
 clarkii lewisi 183
- clupeaformis* 269, 277
confinis 227
consuetus 157
cooperi 177
 (Coregonus) Artedi 243
 (Coregonus) autumnalis 246
 (Coregonus) harengus 243
 (Coregonus) Labradoricus 277
 (Coregonus) nasus 280
 (Coregonus) quadrilateralis 291
 (Coregonus) tullibee 243
Cylindraceus 290
dermatinus 157
Eperlanus 317
eriox 200
fario 198, 200
ferox 227
fontinalis 213
gairdneri **184–191**
Gairdnerii 191
gilae 185
Gloverii 196
gorbuscha 152
Hearni 202, 207
hudsonicus 209, 213
immaculatus 213
iridea 191
irideus 185, 191
irideus argentatus 185, 191
Kamloops 191
kamloops whitehousei 185, 191
kennerlyi 166
Kennerlyi 171
keta vel kayko 157
kisutch 164
leucichthys 295, 298
levenensis 198, 200
lewisi 178, 183
lordii 219
Mackenzi 295, 298
 (Mallotus) pacificus 324
malma 215
Malma 219
marstoni 207
masoni 191
mykiss 179, 183, 185
namaycush 221, 227
Namaycush 227
Naresi 207
nelma 295
nerka 171
nitidus 202, 207
omisco maycus 196
Omisco Maycus 682
oquassa 207
 (Osmerus) eperlanus 317

- (Osmerus) olidus* 310
ouananiche 196
pallidus 227
parkei 219
parkii 219
paucidens 171
purpuratus 182, 185, 191
quinnat 177
richardii 177
rivalis 207
rivularis 185, 191
rivularis kamloops 191
Rossii 202, 207
salar **192–197**, 198
salar ouananiche 193, 196
salar *salar* 193
salar sebago 193
Scouleri 152
sebago 192, 196
spectabilis 219
stagnalis 207
stellatus 185, 191
(Thymallus) signifer 304
(Thymallus) thymalloides 304
truncatus 191
trutta **197–201**
trutta fario 198
trutta levenensis 198
tschawytscha 177
tsuppitch 164
tudes 219
warreni 177
salmoides, *Aplites* 740
Huso **740**
Labrus 740
Micropterus **734–740**
Micropterus salmoides 735
salmoides floridanus, *Micropterus* 735
 salmon, 197
 arctic 207
 Atlantic **192–197**, 198, 202
 black 197
 blueback 171
 chinook 146, 163, **172–177**
 chum 146, 151, **153–158**
 coho 146, **158–164**
 common Atlantic 197
 Copper-mine River 207
 dog 158
 Hearne's 207
 Hudson Bay 207
 humpback 152
 Kennebec 197
 Kennerly's 171
 king 177
 lake Atlantic 197
 Lake St. John 193
 landlocked 197, 227
 pink 146, **148–152**, 157
 red 171
 sea-run 193
 sebago 197
 Sebago Lake 193
 silver 164
 sockeye 146, **165–171**
 spring 177
 salmon-herring 246
 salmon-trout 219
 salmon trout 227
 Salmonidae 138, 230
 key to 139
 Salmoninae 138, 144
 Salmons, 138
 Pacific 146
 Salmons, trouts, and chars 144
 Salmons, trouts, chars, whitefishes, grayling and,
 key to 139
 Salmoperca pellucida 682
 Salmopercae 677
 salt water minnow 639
 saludanus, *Notropis hudsonius* 460
 salvation fish 324
 Salvelinus 202
 alipes 207
 alpinus **201–207**
 alpinus malma 215, 219
 arcturus 207
 aureolus 202, 207
 bairdii 219
 fontinalis **208–213**
 fontinalis hudsonicus 209
 fontinalis timagamiensis 209
 Hoodii 207
 malma **202, 214–219**
 malma krascheninnikovi 215
 malma malma 215
 malma spectabilis 215, 219
 malma tudes 219
 marstoni 202, 207
 namaycush 219, **220–227**
 namaycush siscowet 221
 Naresi 207
 nitidus 207
 oquassa 202, 207
 parkei 215, 219
 spectabilis 219
 stagnalis 207
 timagamiensis 209, 213
 sand darter, 776
 eastern **775–776**
 sand herring 243
 sand pickerel 767

- sand pike 767
 sand pike-perch 767
 sand shiner, **469–471**
 northeastern 470
sapidissima, Alosa **128–132**
Clupea 132
sapidissimus, Coregonus 277
sardinella, Coregonus **262–265**
Leucichthys 264
 Saskatchewan dace 487
 satin-finned minnow 468
 sauger **762–767, 773**
 Sault whitefish 277, 282
 saumon 197
 saumon atlantique 197
 saumon chinook 177
 saumon coho 164
 saumon d'eau douce 197
 saumon keta 158
 saumon nerka 171
 saumon rose 152
 sauvagesse du nord 490
 saw-fin stickleback 668
 sawbelly 128, 137
saxatilis, Morone **693–697**
 Perca 697
 Roccus 697
 scaled ling 116
 scaly johnny darter 793
Scaphyrhynchus 78
Schilbeodes 620
 eleutherius 620
 furiosus 620
 gyrinus 616, 618
 gyrinus sialis 618
 miurus 621
 mollis 616, 618
Sciaena caprodes 800
 (*Corvina*) *oscula* 816
 oscula 816
Sciaenidae 811
Sclerognathus cyprinella 560
scopiferus, Notropis 463
 scorpion fish 847
Scouleri, Oncorhynchus 152
 Salmo 152
 sculpin, 847
 Aleutian 822
 coastrange **820–822**
 Columbia 830
 deepwater **842–847**
 fourhorn 843, 847
 freshwater 830
 Great Lakes fourhorn 847
 Great Lakes mottled 827
 lake 847
 mottled **826–830**
 northern 835
 northern mottled 827
 prickly **823–826**
 Rice's 842
 shorthread **835–836**
 slimy **830–835**
 spoonhead **839–842**
 torrent **837–838**
 Sculpins 817
 key to 818
 Sea basses 683
 sea char 219
 sea lamprey, 45, **69–75, 231**
 great 75
 landlocked 75
 sea perch 689
 sea-run brook trout 208
 sea-run salmon 193
 sea sturgeon, 96
 European 93
 sea trout 164, 183, 207, 208, 209, 213, 219
 sebago 197
 Sebago Lake salmon 193
sebago, Salmo 192, 196
 Salmo salar 193
 sebago salmon 197
selene, Luxilus 463
 Minnilus 463
 Notropis hudsonius 460
selenops, Hiodon 336
semifasciata, Percina caprodes 798
semifasciatum, Pileoma 800
Semotilus atromaculatus **507–511**
 atromaculatus atromaculatus 508
 atromaculatus thoreauianus 508
 biguttatus 430
 bullaris 514
 corporalis **511–515**
 dorsalis 511
 margarita 397, **515–519**
 margarita athabascae 516
 mergarita koelzi 516
 margarita margarita 516
 margarita nachtriebi 516
septentrionalis, Entosphenus japonicus 61
 Lampetra japonicus 59
sergeanti, Osmerus 317
serpentina, Muraena 628
Serranidae 683
serratus, Gasterosteus 668
 seth 128
 shad, 132, 137
 American **128–132**
 Atlantic 132
 common 132

- Connecticut River 132
 Delaware 132
 eastern gizzard 137
gizzard 133–137
 golden 128
 green 128
 hickory 137
 lake 137
 mud 137
 North River 132
 Potomac 132
 Susquehanna 132
 white 132
 young 438
Shad 332
 shad mooneye 332
 shallowwater cisco 243
 sharpnose sturgeon 96
 sheefish 298
 sheep-nosed whitefish 280
 sheepshead 816
 shell back sturgeon 89
 shiner, 463, 507, 749
 bigmouth 452
 blackchin 454–456
 blacknose 456–459
 bridle 444–445
 bridled 445
 common 448–452
 common emerald 443
 creek 452
 eastern 452
 eastern golden 435, 438
 emerald 440–443
 golden 332, 434–438
 lake 443
 lake emerald 440, 443
 mimic 473–476
 northeastern sand 470
 northern blacknose 459
 northern mimic 474
 pugnose 438–439
 red-sided 401
 redfin 452, 472–473
 redside 503–507
 river 446–447
 river emerald 440
 rosy-faced 466
 rosyface 463–466
 sand 469–471
 silver 383, 452, 507
 southern golden 435
 spotfin 466–468
 spottail 459–463
 western golden 435
 shining dace 515
- shore minnow 471
 short-headed mullet 583
 short-headed red-horse 583
 short-headed redhorse 585
 short-nosed gar 105
 short-tailed trout 183
 shorthead redhorse, **579–583**
 northern 583
 shorthead sculpin **835–836**
 shortjaw chub 268
 shortjaw cisco 231, **265–268**
 shortnose chub 262
 shortnose cisco 230, **260–262**
 shortnose gar 104, 105
 shortnose sturgeon **80–82**
 shortnosed sturgeon 82
shumardi, Cottogaster 808
 Hadropterus 808
 Imostoma 808
 Percina 806–808
shuswap, Agosia 500
sialis, Noturus 618
 Schilbeodes gyrinus 618
sibiricus, Cottus 839
siculum, Chirostoma 654
sicculus, Labidesthes 652–654
Signifer, Coregonus 304
signifer, Salmo (Thymallus) 304
 Thymallus 301, 304
 Thymallus arcticus 304
signifer tricolor, Thymallus 304
Silurus borealis 605
 Felis 603
 gyrinus 618
 Melas 594
 (*Pimelodus*) *borealis* 610
 (*Pimelodus*) *coenosus* 598, 603
 (*Pimelodus*) *nigrescens* 603
 punctatus 610
 silver bass 692, 744, 816
 silver carp 531
 silver chub **420–422, 682**
 silver eel 629
 silver-finned minnow 468
 silver lamprey 46, 48, 49, **52–55, 70**
 silver mullet 567
 silver perch 689
 silver redhorse **564–567**
 silver salmon 164
 silver shiner 383, 452, 507
 silver-sided minnow 507
 silver trout 171, 191
 silverside, 452, 654
 brook **652–654**
 Silversides 651

- Silversides and flyingfishes 651
 silversides, brook 654
 silver chub 511, 515
 silver grey minnow 500
 silver lamprey 70
 silver minnow, **417–420**
 eastern 417
 western 417
sinensis, *Lepisosteus* 101
sisco, *Leucichthys* 243
 siscowet 221
siscowet, *Salvelinus namaycush* 221
siuslawi 504
 six-spined stickleback 664
 skipjack 128, 654
 slimy muddler, 835
 common 835
 slimy sculpin **830–835**
 slink 197
 small black brook lamprey 65
 small black lamprey 65
 small fish 324
 small scaled sucker, Columbia 538
 smallmouth bass, **728–734**
 northern 734
 smallmouth black bass 734
 smallmouth buffalo 560
 smelt, 317
 American 317
 Arctic Ocean 312
 Arctic rainbow 312
 Atlantic rainbow 312
 European 312
 freshwater 317
 long-finned 320
 longfin **318–320**
 North American Atlantic 312
 North Pacific Ocean 312
 Pacific 320
 pond **308–310**
 rainbow **310–317**
 Sacramento 320
 “smelt, boreal” 312
 Smelts 306
 key to 307
smithii, *Cyprinus* 332
Cyprinus (*Abramis?*) 331, 332, 336
 smolt 197
 smoothback 89
 snake 374
 snig 649
snyderi, *Prosopium* 285
 sockeye, 171
 land-locked 171
 residual 166
 sockeye salmon 146, **165–171**
 southern brook lamprey 46
 southern fathead minnow 481
 southern flathead chub 485
 southern golden shiner 435
 southern mooneye 336
 southern redbelly dace 393
 spantickle 668
sparoides, *Pomoxis* 749
 Pomoxys 749
 spawner 463
speciosus, *Lepomis macrochirus* 720
 speckled bass 749
 speckled cat 116
 speckled char 213
 speckled dace **501–502**
 speckled trout, 213
 eastern 213
spectabilis, *Salmo* 219
 Salvelinus 219
 Salvelinus malma 215, 219
spectrum, *Osmerus* 317
spilopterus, *Notropis* **466–468**
 Notropis whipplii 468
 Photogenis 468
spinulosus, *Cottus* 839
Spirinchus dilatus 318, 320
 thaleichthys **318–320**
 splake 209, 221
 spoonhead muddler 842
 spoonhead sculpin **839–842**
 spotfin shiner **466–468**
 spottail 463
 spottail minnow 463
 spottail shiner **459–463**
 spotted bass 733
 spotted catfish 605, 610
 spotted chub 424
 spotted gar **103–105**
 spotted sucker **561–562**
 spring 177
 spring herring 128
 spring salmon 177
 square-tail 213
 squaremouth 388
 squaretailed trout 213
 squawfish, Colorado 488
 Columbia 490
 northern **487–490**
 Sacramento 488
 Umpqua 488
stagnalis, *Salmo* 207
 Salvelinus 207
 stargazer 835
 steelhead 191

- steelhead trout **184–191**
stellatus, Fario 182
Salmo 185, 191
Stenodus 230
 leucichthys **295–298**
leucichthys leucichthys 295
leucichthys mackenii 295, 298
leucichthys nelma 295, 298
mackenii 295, 298
 sterlyad 92
stevensi, Thaleichthys 324
 stickleback, 660, 674
 blackspot 671
 blackspotted **669–671**
 bloody 660
 brook **661–664**
 common 664, 668
 common freshwater 664
 eastern 668
 European 668
 five-spined 664
 fourspine **658–660**
 New York 668
 nine-spined 674
 ninespine **671–674**
 saw-finned 668
 six-spined 664
 ten-spine 674
 threespine **665–668**
 twospine 668, 671
 twospined 671
 variable 664
 Sticklebacks 656
 key to 657
 Sticklebacks and relatives 656
stigmosus, Noturus 620
Stimpsonii, Triglopsis 846
Stizostedion canadense **762–767**
 Canadense 766
canadense boreum 763
canadense canadense 763, 766
canadense griseum 763, 766
glaucum 768, 774
griseum 763
vitreum **767–774**
vitreum glaucum 752, 768, 774
vitreum vitreum 752, 768, 774
Stizostedium canadense 766
Griseum 766
Stizostethium Canadense 766
(Cynoperca) canadense 766
 stone-cat, brindled 621
 stone catfish 614
 stone sturgeon 89
 stonecat, **611–614**
 tadpole 618
 stonecat madtom 614
 stoneroller 378, 557
storeriana, Hybopsis **420–422**
storerianus, Erinemus 422
Hybopsis 422
Storerianus, Leuciscus 422
Rutilus 422
 Storer's chub 422
stramineus, Hybognathus 447, 471
Notropis **469–471**, 474
Notropis deliciosus 469, 471, 476
Notropis stramineus 470
stramineus missouriensis, Notropis 470
 straw-coloured minnow 447, 471
 strawberry bass 749
 striped bass **693–697**
 striped dace 494
 striped fantail 787
 striped sucker 562
 striper bass 697
 sturgeon, Atlantic **92–96**
 black 83
 bony 89
 brown 83
 Columbia 100
 common 89, 96
 European sea 93
 freshwater 89
 Great Lakes 89
 green **90–92**
 lake **82–89**
 Oregon 100
 Pacific 100
 red 89
 rock 83, 89
 ruddy 89
 Sacramento 100
 Sakhalin 92
 sea 96
 sharpnose 96
 shell back 89
 shortnose **80–82**
 shortnosed 82
 stone 89
 white **96–100**
 sturgeon sucker 535
 Sturgeons 78
 key to 78
 Sturgeons and paddlefishes 77
sturio, Acipenser 89, 93, 96
sturio oxyrhynchus, Acipenser 96
 suet du lac 553

sucetta, Cyprinus 553
Erimyzon **551–553**
 Erimyzon suetta 552
sucetta kenneleri, Erimyzon 552
sucetta kennelerii, Erimyzon 553
sucetta oblongus, Erimyzon 553
suceur ballot 570
suceur blanc 567
suceur cuivré 578
suceur doré 576
suceur jaune 586
suceur noir 573
suceur rouge 583
sucker, 543
 bighead 557
 black 535, 543, 557, 562
 bluehead 542
 bridgelip **536–538**, 546
 chub 553
 coarse scaled 543
 coarsescale 547
 Columbia River 547
 Columbia small scaled 538
 common 543
 common white 543
 eastern 543
 fine scaled 543
 finescale 535
 grey 543
 hognose 557
 hognosed 557
 Jordan's 550
 largescale 537, 542, **544–547**
 little 414
 long-finned 531
 longnose **531–535**, 542, 550
 mountain 542, **547–550**
 northern 535
 northern hog **554–557**
 northern mountain 550
 pin 553
 plains mountain 550
 quillback 531
 red 535, 583
 red-sided 535
 riffle 557
 spotted **561–562**
 striped 562
 sturgeon 535
 Tahoe 550
 Utah 550
 white **538–543**, 546, 550
 white nosed 567
Suckers 523
 key to 524

sucking carp 463
suckleyi, Catostomus commersoni 539, 542
Sueuri, Catastomus 583
Sueurii, Cyprinus (Catastomus) 583
summer herring 120
sun bass 718
 sunfish, 438, 718, 724, 816
 blue 724
 bluegill 717, 724
 common 718
 green 709, **710–713**, 717, 723, 727
 long ear 727
 long-eared 727
 longear 708, 710, 713, 717, 723, **724–727**
 northern bluegill 724
 orangespotted 713, 717, 723, 727
 pumpkinseed 718
 redbreast **707–710**, 713, 717, 723
 redear 723
 yellow 718
 yellowbelly 708, 710
Sunfishes 699, 751
 key to 700
sunny 718
supernas, Leucichthys 243
Susquehanna shad 132
syncheilus, Catostomus 537, 538
Synechoglanis beadlei 610
Synentognathi 651

tadpole cat 618
tadpole madtom **615–618**
tadpole stonecat 618
Tahoe sucker 550
tahoensis, Catostomus 550
tanche 520
taque 227
Temperate basses 683
 key to 684
ten-spine stickleback 674
tench **519–520**
tenuirostris, Anguilla 628
teres, Catostomus 539, 543
tergisus, Hiodon **332, 333–336**
 Hyodon 336
tessellated johnny darter 793
tête à taches rouges 430
tête-de-boule 484
tête rose 466
tezareh 280
tezra 280
thaleichthys, Osmerus 320
 Spirinchus **318–320**
Thaleichthys pacificus **320–324**

- stevensi* 324
thermophilus 504
 the chub 252
thompsoni, Amia 116
Carpoides 529
Myoxocephalus 846
Triglopsis 846
Thompsoni, Carpoides 530
thompsonii, Myoxocephalus 846
Myoxocephalus quadricornis 843, 846
Triglopsis 846
Thoracosteis 656
thoreauianus, Semotilus atromaculatus 508
 three-toothed lamprey 45
 threespine stickleback **665–668**
Thymallidae 301
Thymallinae 138, 300
Thymalloides, Coregonus 304
thymalloides, Salmo (Thymallus) 304
Thymallus arcticus **300–305**
arcticus pallasi 304
arcticus signifer 304
brevirostris 301
montanus 301, 304
nigrescens 301
ontariensis 301
Pallasii 304
signifer 301, 304
signifer tricolor 304
thymallus 301
tricolor 301, 304
tricolor montanus 304
(Thymallus) signifer, Salmo 304
(Thymallus) thymalloides, Salmo 304
thymallus, Thymallus 301
Thymalus ontariensis 304
 tiddler 668
 tiger muskellunge 361, 368, 369
 Tiger Muskellunge, True 365
 tiger musky 365
 tiger trout 198, 209
timagamiensis, Salvelinus 209, 213
Salvelinus fontinalis 209
Tinca, Cyprinus 520
Tinca tinca **519–520**
vulgaris 520
tinca, Tinca **519–520**
 tiny burnstickle 674
Tirodon amnigenus 420
 tittimeg 305
 togue 227
 tomcod, 649
 Atlantic **646–649**
tomcod, Gadus 649
 Microgadus 640, **646–649**
 tommycod 511, 649
 toothed herring 332, 336
 toothed herring of the lakes 336
 topminnow 634
 torrent sculpin **837–838**
 touladi 227
Trachidermus richardsonii 825
trachurus, Gasterosteus aculeatus 665
transmontanus, Acipenser **96–100**
 Columbia 678
 Percopsis 678
transpacificus, Hypomesus 308
transpacificus nipponensis, Hypomesus 308
trautmani, Hybopsis x-punctata 423
tricolor montanus, Thymallus 304
tricolor, Thymallus 301, 304
 Thymallus signifer 304
tridecemlineatus, Esox 374
tridentata, Lampetra 45
 tridentate lamprey 45
tridentatus ciliatus, Entosphenus 42
tridentatus, Entosphenus **42–45**
 Entosphenus tridentatus 42, 45
 Petromyzon 45
Triglopsis ontariensis 846
 Stimpsonii 846
 thompsoni 846
 thompsonii 846
 trout, 207, 219
 arctic 305
 aurora 209, 213
 blueback 207
 brook 170, **208–213**, 218, 221
 brown **197–201**, 209
 bull 219
 Clark's 183
 coast rainbow 191
 coastal cut-throat 183
 common brook 213
 Cranbrook 179
 cutthroat **177–183**, 186
 Dolly Varden 215
 Eastern brook 213
 eastern speckled 213
 English brown 201
 European brown 201
 German 201
 German brown 198, 201
 gila 185
 golden 179, 185
 Great grey 227
 Great Lakes 227
 grey 227
 Kamloops **184–191**
 lake 183, 209, **220–227**

- Lochleven 198, 201
 mackinaw 227
 mountain 213, 227, 734
 mud 213
 native 213
 Pacific brook 219
 Quebec Red 202, 207
 rainbow 163, 179, **184–191**, 198
 red spotted 219
 red-spotted Rocky Mountain 219
 red-throated 183
 salmon 227
 sea 164, 183, 207, 208, 209, 213, 219
 sea-run brook 208
 short-tailed 183
 silver 171, 191
 speckled 213
 squaretailed 213
 steelhead **184–191**
 tiger 198, 209
 von Behr 201
 western brook 219
 white 734
 trout-perch **678–682**
 Trout-perches 677
 trout pickerel 351
 Trouts, chars, salmon *and* 144
 Trouts, chars, whitefishes, grayling, salmons *and*,
 key to 139
 True Tiger Muskellunge 365
 truite 201, 213
 truite arc-en-ciel 191
 truite brune 201
 truite de mer 213
 truite fardée 183
 truite mouchetée 213
truncatus, *Salmo* 191
trutta fario, *Salmo* 198
trutta levensis, *Salmo* 198
trutta, *Salmo* **197–201**
tschawytscha, *Oncorhynchus* 177
 Salmo 177
tshawytscha, *Oncorhynchus* **172–177**
tsuppitch, *Salmo* 164
tuberculatus, *Catostomus* 553
tudes, *Salmo* 219
 Salvelinus malma 219
tullibee, 238
 Argyrosomus 243
 Coregonus 244, 257
 Leucichthys 243
 Salmo (Coregonus) 243
tullibee, 243, 256
 black-back 259
 black-fin 259
 blueback 243
 grayback 243
 light-back 268
 pale-back 268
 twospine stickleback 668, 671
 twospined stickleback 671
 tyee 177
 tyrannus, *Alosa* 128
 ulichan 324
Umbrä limi **341–345**
umbratilis, *Alburnus* 473
 Lythrurus 473
 Notropis **472–473**
umbratilis cyanoccephalus, *Notropis* 472
umbre de vase 345
 Umbridae 337
 key to 338
umbrosus, *Esox* 355
 Esox americanus 355
 Umpqua squawfish 488
umpquae, *Ptychocheilus* 488
unicolor, 51
 Ammocoetes 51
 Ichthyomyzon (Reighardina) 51
 Petromyzon marinus 70, 75
 Reighardina 51
unicuspis, *Ichthyomyzon* 46, 49, **52–55**, 70
Uranidea boleoides 835
 formosa 835
 franklini 835
 gracilis 835
 hoyi 835
 microstoma 820, 822
 pollicaris 842
 quiescens 835
 rhothea 838
 Richardsoni 830
 Utah sucker 550
utawana, *Catostomus commersonii* 539
 uthlecan 324
 valenciennesi, *Megapharynx* 578
 Moxostoma 567, 578, 580, **584–586**
 variable stickleback 664
velifer, *Carpoides* 529, 530
velox, *Micropterus dolomieu* 729
ventre citron 399
ventre-pourri 479
ventre rouge du nord 395
vermiculatus, *Esox* 353, 355
 Esox americanus **352–355**
 Lucius 355

- vernalis*, *Alosa* 128
Clupea 128
Vigil pellucidus 776
Villarius 605
lacustris 610
viridescens, *Osmerus* 317
vitrea, *Perca* 774
vitreum glaucum, *Stizostedion* 752, 768, 774
vitreum, *Stizostedion* **767-774**
Stizostedion vitreum 752, 768, 774
vittatus, *Leuciscus* 451
volucella, *Hybopsis* 476
volucellus buchanani, *Notropis* 474
volucellus, *Hybognathus* 476
Notropis 469, **473-476**
Notropis volucellus 474
 von Behr trout 201
vulgaris, *Ameiurus* 594, 603
Amiurus 603
Anguilla 628
Pimelodus 603
Pomotis 718
Tinca 520
- wall-eye 774
 wall-eyed herring 128
 wall-eyed pickerel 774
 wall-eyed pike 774
 wall-eyed pike perch 774
 wall-eyed pike-perch 774
 walleye, 752, 766, **767-774**
 blue 768, 773
 yellow 768, 773, 774
 walleye pike 774
 warmouth 704, 709, 717, 723
warreni, *Salmo* 177
 waterbelly 254
 weed darter 786
 weepiccheesis 332
 wendigo 221
 western banded killifish 634
 western blacknose dace 491
 western brook char 219
 western brook lamprey 57, **65-68**
 western brook trout 219
 western golden shiner 435
 western goldeye 332
 western grass pickerel 355
 western lake chubsucker 553
 western lamprey 48, 57
 western mudfish 116
 western mudminnow 345
 western silvery minnow 417
wheatlandi, *Gasterosteus* **669-671**
- Gladiunculus* 671
Wheatlandi, *Gasterosteus* 671
whipplii, *Notropis* 468
whipplii spilopterus, *Notropis* 468
 white bass **689-692**, 744
 white carp 531
 white cat 614
 white catfish 609
 white chub 515
 white crappie **741-744**, 748
 white lake-bass 692
 white nose redhorse 567
 white nosed mullet 567
 white nosed sucker 567
 white perch **684-689**
 "white perch" 816
 white shad 132
 white sturgeon **96-100**
 white sucker, **538-543**, 546, 550
 common 543
 white trout 734
 whitefish, 277, 282
 Atlantic **281-282**
 broad **278-280**
 brownback 285
 common 277
 Coulter's 285
 "dwarf" 270
 eastern 277
 Great Lakes 277
 inland 277
 lake **269-277**
 Menominee 291
 mountain **291-294**, 301
 "normal" 270
 pygmy **282-285**
 river 336
 Rocky Mountain 294
 round **286-291**
 round-nosed 280
 Sault 277, 282
 sheep-nosed 280
 Williamson's 294
 "whitefish, mule" 270
 Whitefishes, 230
 grayling, salmons, trouts, chars *and*,
 key to 139
 Round 230
whitehousei, *Salmo kamloops* 185, 191
 whiting 515
wilderi, *Lampetra* 64
williamsoni, *Coregonus* 294
Prosopium **291-294**
 Williamson's whitefish 294
 windfish 438, 515

Winnipeg goldeye 332
winter cod 649
Wisconsin muskellunge 369

Xenotis megalotis peltastes 727
xestes, Acrocheilus 386
x-punctata, Hybopsis **423–424**
x-punctata trautmani, Hybopsis 423

yank 171
yellow belly bullhead 594
yellow bullhead, **595–598**
 northern 598
yellow catfish 598
yellow herring 332
yellow perch **755–761**

yellow pickerel 774
yellow pike 774
yellow pike perch 774
yellow sunfish 718
yellow walleye 768, 773, 774
yellowbelly 786
yellowbelly sunfish 708, 710
Yellowstone cutthroat 183
young shad 438
yshuh 324

zebra fish 800
zebra, Pileoma 800
zenithicus, Argyrosomus 268
 Coregonus 231, 237, **265–268**
 Leucichthys 268
Zygonectus diaphanus 634

RANGES OF PRINCIPAL COMMERCIAL FRESHWATER FISH

