

22-002

no. 11

DO

1955

July 6

c. 2

## BUREAU OF STATISTICS

OTTAWA - CANADA

of the Rt. Hon. C. D. Howe, Minister of Trade and Commerce



For Release

July 6, 1955 3 p.m.

C.R. No. 11, 1955

Price: \$2.00 for series of 23 Crop Reports

TELEGRAPHIC CROP REPORT - PRAIRIE PROVINCES

This is the seventh of the 1955 series of thirteen telegraphic reports, issued by the Dominion Bureau of Statistics, covering crop conditions in the Prairie Provinces. A selected list of crop correspondents chosen from the Federal and Provincial Departments of Agriculture, private crop observers and grain men supply the information on which these reports are based. The weather data included in this release are furnished by the Meteorological Division, Department of Transport.

SUMMARY

With few exceptions, crop conditions in the Prairie Provinces have shown considerable improvement during the past week. Rains have improved the situation over wide areas and with the major exception of the Peace River District moisture supplies are now generally adequate. Early-sown spring crops are heading and fall grains are starting to fill. Late-seeded crops are also generally making good progress although warmer weather is required to ensure rapid development. Haying is under way and a good yield is being obtained in most areas.

Crops are making excellent progress in Manitoba under nearly ideal conditions. Early-sown wheat and barley are heading and stands are generally heavy. Late-seeded barley and flax are showing promising growth. Moisture is generally ample although the extreme southwest will need rain soon. Some flooding has occurred in the Winnipeg-Emerson area following the heavy rain of last Thursday. Leaf rust is prevalent but not unduly alarming yet and only a trace of stem rust has appeared. Hail damage to date has been slight. Aphids on grain are fairly general across southern Manitoba. Chemical treatment for weeds is well advanced in all parts of the province. Farmers have started to harvest an excellent hay crop.

Recent rains have considerably improved crop conditions in Saskatchewan, particularly in western and northern sections of the province. Growth is now generally satisfactory although late-sown crops in the Regina and east-central districts need warmer weather to promote more rapid development. Early-sown wheat in extreme southern regions is now in head and fall rye is filling well. Pastures are in generally excellent condition and haying is now under way in most districts. Scattered hail storms occurred at many points in southern Saskatchewan on June 29 and 30, and on July 1, but the over-all damage does not appear to have been heavy.

Recent rains have also improved the crop outlook greatly in Alberta. Apart from the Peace River area where rain is urgently needed, moisture supplies are now generally good. The main requirement now in most areas is warmer weather to stimulate growth. In southern districts fall-sown crops are heading and spring crops, though late, are making rapid progress. Crop conditions have improved greatly over the large central area of the province and crops are making rapid growth. Very little damage has occurred from any source to date.

Prepared in the Crops Section, Agriculture Division

5502-508.11

EDMOND CLOUTIER, C.M.G., O.A., D.S.P., Queen's Printer and Controller of Stationery, Ottawa, 1955.

Manitoba

Our correspondent from Altona in southeastern Manitoba reports that the aphid population is building up throughout the district and is particularly heavy on late-sown crops of cereals and peas. A heavy hay harvest is in full swing and weed spraying operations are three-quarters completed. Beet thinning is half finished. Sunflowers are doing well. The flax crop is good and rape and soybeans are fair but weedy. Around Morden the weather continues hot and dry and the crop is suffering from the continued long dry spell. Late-seeded crops require moisture immediately while early-seeded crops need moisture for filling. Wheat and barley are starting to head. Haying is well advanced. Pastures are fair but drying while corn and sunflowers are making good progress. At Pilot Mound crops remain in excellent condition but rains will soon be needed to sustain the heavy growth. About 5 per cent of the wheat is headed. Haying is under way with good yields in prospect.

North of Winnipeg at Selkirk early wheat is now headed and late crops are showing three to six inches above ground. Some cutworm damage has occurred in late-seeded barley and infestations of flea beetles, leaf hoppers and potato beetles are very heavy. Application of 2-4-D for weeds has nearly been completed and summerfallow work is progressing favourably. Haying operations are in full swing. In the Portage la Prairie district early-sown wheat is also heading and crops are making rapid growth as a result of warm weather. The rye crop is good and starting to ripen. Hay and pasture crops are excellent and peas are very good. Beet thinning has not been completed and haying has just started. Farmers seeded buckwheat, flax and millet up to the end of June in this district. An infestation of aphids has been reported on barley and peas.

The Experimental Farm at Brandon reports that scattered thunderstorms occurred during the past week with heavy localized rainfall and some severe hail damage in the vicinity of Elgin and Forrest. There has been a spasmodic outbreak of grain aphids throughout the district. Spraying for weeds still continues and the weather has been good for haying. Early grain is heading and there has been little sign of cereal rust to date.

In the Interlake area at Teulon fine weather conditions have advanced crops satisfactorily although some late-seeded grains are suffering from drought. Weeds are quite a problem and conditions for spraying have been poor. Summerfallowing is proceeding rapidly. East of Teulon about 500 to 1,000 acres have been destroyed by cutworms. An excellent crop of tame hay has been cut under ideal weather conditions. At Arborg summerfallow cultivation has started but the land is weedy and wet. Weed spraying for early-seeded grain has started but late-seeded grain is barely above ground. Haying conditions are ideal. The grain crops are uneven and retarded in places but odd fields are in the shot blade stage.

In west-central Manitoba at Neepawa early crops are progressing well with 50 per cent of the wheat headed. Coarse grains are also satisfactory. Late crops in low-lying areas are only fair. Hay and pastures are excellent.

At Dauphin early-sown crops are heading and are showing an average stand. Late-sown barley is patchy and yellow due to heavy mid-June rains. Weed spraying is almost completed with good kills reported. Haying operations are in full swing and a heavy yield of excellent quality is being obtained. Summerfallows are in fair condition. Continued dry weather will improve most crops in this district. At Swan River a general rain over the weekend was most welcome. Fall rye is filling nicely and wheat is heading. Haying is in full swing with grass and legume stands medium to heavy. Chemical field weed spraying is still in progress with poor control being obtained on hemp nettle.



The Entomological Laboratory at Brandon reports that the aphid or greenbug is commencing to appear, particularly on barley throughout southern Manitoba. Some grasshoppers are present, chiefly in pasture fields in the districts from Lavenham to Gladstone and Neepawa.

Average precipitation for the province since April 1 has been 22 per cent above normal as compared with 26 per cent above normal a week ago and 51 per cent above normal a year ago. Mean temperature for the week ending July 4 was 4.5 degrees above normal compared with 0.6 degrees below normal a week ago and 2.1 degrees above normal for the week ending June 28, 1954.

#### Saskatchewan

Crops are making good progress around Service in the southeastern part of the province where timely rains have maintained moisture supplies at a high level. Hail on July 1 caused some damage, particularly to fall rye which is heading. Some summerfallows in the district have not yet been worked because of excess moisture conditions. Wet weather has also delayed haying. In the Yellow Grass area early-sown crops are now in the shot blade. Weed infestation has been heavy but most crops have been sprayed. There has been some hail damage but the general crop outlook is good. Timely showers last week have also maintained good crop prospects in the Fillmore district where first-sown crops are now in the shot blade stage. Fall rye is in blossom and the stand is good. First operations on summerfallows have been completed. There is a heavy stand of field hay but slough hay is still under water. Heavy rains last week have prevented work on the land in the Indian Head district and there has been some minor flooding of seeded crops. Early crops are in the shot blade and making excellent growth. Spraying operations have been delayed because of wet fields. No rust is apparent on grain crops to date. Haying operations are just getting under way.

Crop conditions in the Gravelbourg district in the southwestern part of the province are reported as good. Recent showers have increased the moisture supply and softened the surface soil. Early-seeded grain is now heading and, barring excessive heat in July, the outlook is excellent. Some scattered hail storms occurred in the latter part of June but there have been no indications of rust. Crops are also making good growth around Swift Current where 1 inch of rain fell over the weekend. However, additional rain is required to maintain heavy growth. Winter wheat and barley are now heading and early-sown spring wheat is in the shot blade. Haying operations are under way. Pastures are still green but require additional moisture. Livestock are in excellent condition.

Crops on stubble in the Val Marie district have shown deterioration but those on summerfallow are maintaining fairly good growth. One and three-quarter inches of rain received on July 5 will be very beneficial. Wheat is about 16 inches high, with some fields heading out. Oats and barley are late and flaxseed is poor. Only about half the flaxseed appears to have germinated because of drought. In the Eastend district warm weather and good rains have brought on a rapid growth of all grains. Worm-damaged crops are making good recovery and very little had to be reseeded. Pastures are good and hay crops heavy. Considerable weed spraying has been done. Recent heavy rains around Leader have also maintained excellent growing conditions. Early-seeded wheat and barley are now heading and fall rye is maturing rapidly.

Crops are advancing rapidly around Togo in the east-central part of the province where recent rains have been very beneficial. About 75 per cent of the wheat is now headed and early-sown barley is beginning to head. There have been no signs of rust to date. Haying is general with yields variable and averaging about

three-quarters of a ton per acre. A good grain crop should materialize providing regular rains are received. Prospects are also very good around Willowbrook where some grain is beginning to head. Recent rains have helped gardens and all field crops. Haying has started.

Rains around Drake in the central part of the province have delayed haying operations. Crop progress has been favourable but warmer weather is required to promote more rapid development. Pastures and livestock are in good condition. Recent rains, ranging from one to three and one-half inches, have revived grain crops suffering from drought in west-central Saskatchewan. Heading of grain is rapidly becoming general in this region. Flax looks exceptionally well.

Scattered thundershowers have occurred during the last week in the Melfort district in the northeastern part of the province but rain is still needed in certain areas. All crops are making rapid growth with some of the first-seeded wheat in the shot blade. Haying operations are now under way with yields generally good. Weed spraying is well advanced. Early-seeded crops in the Tisdale-Nipawin district average 6 inches in height. Late crops are patchy and badly in need of rain. Hay has made good growth and sweet clover is in bloom, with an average height of 30 inches. Gardens are late but growth is rapid. Two inches of rain were received around Meota in the northwestern part of the province during the past week and there has been a noticeable improvement in all crops in the area.

Many scattered hail storms were reported over the southern part of the province on June 29 and 30 and July 1. Some of the points affected were Lafleche, Swift Current, Webb, Dinsmore, Perdue, Shaunavon, Redvers, Manor, Carlyle, Yellow Grass, Indian Head, Gravelbourg, Colgate and Knox. Damage has, in most cases, ranged from light to medium, with 10 to 50 per cent loss claimed.

Average precipitation for the province since April 1 has been 25 per cent above normal compared with 20 per cent above normal a week ago and 37 per cent above normal a year ago. Mean temperature for the week ending July 4 was 0.4 degrees below normal compared with 0.8 degrees above normal for the preceding week and 0.9 degrees above normal for the week ending June 28, 1954.

#### Alberta

In the southeast part of the province at Manyberries recent rains have aided growth of all crops. Wheat is up 8 inches in height and stooling while coarse grains are 6 inches high. The fall rye crop looks good. At Medicine Hat rains in the last few days have also improved crop conditions. Wheat is heading and rye is beginning to fill.

The Experimental Farm at Lethbridge reports that all crops are making satisfactory growth. Rains were general south of Calgary, with about two inches received at Lethbridge during the past week. Durum wheat is about 7 inches in height. The mustard crop is promising and starting to bloom while canning pea harvesting has started. At Cardston crops are progressing very favourably with ample moisture. Fall grains are doing well and spring grains look good but are late. In the Claresholm district fall wheat and rye are heading and spring wheat is 6 inches in height. Hay and pastures are excellent. Moisture is in abundant supply and conditions are good but the season is three weeks later than average.

In the Brooks area most crops are looking well but late. Flax is in bloom and wheat is in the shot blade stage. Beneficial showers were received in all parts of the district since last Friday. Some hail damage occurred in spots.



Around Vulcan crops are rather weedy but otherwise thriving. A good supply of moisture was received over the weekend and now good growing weather is needed to ensure an early-maturing crop as seeding was very late this spring.

East of Calgary at Hanna a general rain was received over the entire district and moisture supplies are good. Crops are now responding to improved conditions. A general rain was also received at Calgary and has already greatly improved crops. The average height of wheat is 8 inches, oats 6, barley 8, and flax 3. Some early-sown wheat and barley is starting to head. There has been no damage to crops to date and general conditions are very good. Our correspondent at Olds states that two inches of rain were received since the last report and prospects look the best in years. Crop growth is rapid and no damage has occurred to date.

Moisture conditions are now excellent in the Sedgewick-Donalda districts. At Sedgewick all crops are looking much better and pastures are good. Some damage to crops from burning had occurred at Donalda during the hot, dry spell but it was not excessive. The present crop outlook is very good in this district. Hay crops were hurt somewhat by the hot weather but the average yield will only be slightly below normal.

Heavy rains were received at Red Deer over the weekend and have made growing conditions for crops excellent. No damage has occurred from hail so far. Some hay has been cut in this district. At Lacombe two inches of rain were received in the past week and a rapid growth of grain and forage crops continues. Early-seeded grain is coming into the shot blade, with some barley heading. Crops are also looking very good in the Eckville area. Good rains were received in this district over the weekend. Early-sown barley is starting to head. Pastures and gardens are looking well. Weed spraying has been completed and summerfallow is in good condition. Warm, dry weather is now needed to continue the rapid growth.

Around Edmonton and vicinity crop conditions are very good. One inch of rain was received over last weekend. North of Edmonton at Collington all crops are doing well. Enough rain has been received in this district to produce a good crop. East of Edmonton at Evansburg, however, more moisture is urgently needed. Some early-seeded crops are heading prematurely and late-seeded crops are doing poorly. Forage crops are also in need of rain. Rain is also urgently required in all districts of the Peace River area. Wheat and barley are heading short and stands are mostly thin. Hay crops are light and fescue seed crops mostly fair. A light frost was reported in low areas on June 29.

The Entomological Laboratory at Lethbridge reports that the grasshopper situation is unchanged. Poisoning is restricted to farms in the Foremost, Bow Island and Winnifred districts. The sawfly flight is continuing and late-seeded fields are now becoming infested.

Average precipitation for the province since April 1 has been 10 per cent above normal as compared with 2 per cent below normal a week ago and 19 per cent above normal a year ago. Mean temperature for the week ending July 4 was 4.0 degrees below normal as compared with 3.4 degrees above normal a week ago and 0.6 degrees above normal for the week ending June 28, 1954.

Precipitation and Temperature Data, Prairie Provinces<sup>1/</sup>

Province and Crop District	Station	Precipitation			Mean Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m.	since	since	July 4	
		July 4	April 1	April 1	1955	Normal
		- inches -			- degrees F -	
<u>MANITOBA</u>						
1	Harrison	.01	6.81	6.97	66	64
	Melita	.09	8.23	7.75	68	65
	Waskada	N.R.	4.21 <sup>2/</sup>	6.76	N.R.	64
	Deloraine	.46	3.38 <sup>2/</sup>	6.42	66	64
2	Boissevain	.12	7.23	6.10	67	65
	Deerwood	.04	9.57	6.32	71	65
	Ninette	1.63	9.82	6.70	66	65
3	Portage la Prairie	.72	7.88	6.22	70	65
	Graysville	Trace	6.98	6.86	69	65
	Morden	.02	7.26	6.62	72	65
	Altona	.13	6.60	6.52	72	66
	Morris	1.50	7.37	6.24	70	66
	Roland	.23	6.13	6.17	70	66
	Emerson	1.66	7.20	5.76	71	66
4	Winnipeg	2.06	7.61	6.92	72	66
6	Vita	.43	8.91	6.54	71	65
	Sprague	.53	9.41	6.85	70	64
	Seven Sisters Falls	1.91	7.30	4.90	72	64
7	Virden	.27	6.09	5.56	67	63
	Rivers	.58	7.54	6.27	68	63
8	Brandon	.35	8.72	6.29	65	63
	Cypress River	.56	7.04	6.14	69	65
9	Neepawa	.84	8.30	6.19	68	63
	Plumas	N.R.	8.70 <sup>2/</sup>	6.24	N.R.	63
	10	Russell	.10	6.13	5.93	65
	St. Lazare	N.R.	1.48 <sup>2/</sup>	5.98	N.R.	62
	Birtle	.87	9.00	5.98	66	62
	11	Dauphin	.33	9.09	5.12	67
12	Gimli	1.33	7.54	6.85	72	64
13	Swan River	.36	5.22	6.03	66	61
	The Pas	2.11	7.87	4.51	65	63
MANITOBA AVERAGE		.69	7.60	6.22	68.6	64.1
<u>SASKATCHEWAN</u>						
1A	Estevan	.44	8.82	6.23	66	64
	Carlyle	.80	9.37	6.42	63	62
	Oxbow	N.R.	3.92 <sup>2/</sup>	6.24	N.R.	64
	Willmar	.31	6.61	5.95	N.R.	N.R.
1B	Broadview	.36	8.87	5.45	63	62
	Moosomin	.47	8.91	5.55	64	63
2A	Yellow Grass	.39	5.91	5.98	63	63
	Creelman	1.26	7.58	5.66	64	63
	Leyburn	.32	5.54	6.24	65	64
	Mildale	.82	5.87	5.44	66	63

Precipitation and Temperature Data, Prairie Provinces<sup>1/</sup>

Province and Crop District	Station	Precipitation			Mean Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m.	since	since	July 4	
		July 4	April 1	April 1	1955	Normal
		- inches -			- degrees F. -	
<u>SASKATCHEWAN</u> (continued)						
2B	Moose Jaw	.67	6.86	6.04	64	64
	Regina	.82	7.88	5.92	64	63
	Rowatt	.48	6.55	5.84	N.R.	63
	Francis	.41	7.13	5.11	63	62
	Qu'Appelle	N.R.	6.67 <sup>2/</sup>	7.04	N.R.	64
	Indian Head	1.96	9.30	6.86	63	62
	Wilcox	.78	6.59	5.94	63	63
3AS	Assiniboia	.10	6.35	5.21	63	65
	Ormiston	.29	5.37	5.45	63	65
	Readlyn	.13	8.22	5.21	62	65
	Minton	.28	5.62	6.85	62	64
	Ceylon	.43	5.84	7.44	64	64
3AN	Chaplin	1.16	6.45	6.38	63	64
	Gravelbourg	.91	7.45	5.60	61	63
	Coderre	.60	6.79	5.49	61	63
3BS	Shaunavon	1.48	6.34	5.02	58	63
	Cadillac	.99	6.20	7.50	59	63
	Aneroid	1.23	7.05	6.30	60	62
	Instow	1.79	7.89	5.31	58	63
3BN	Fennant	1.98	7.60 <sup>2/</sup>	6.62	60	63
	Swift Current	.91	7.09	5.96	59	63
	Hughton	1.79	6.75	5.56	59	62
4A	Maple Creek	.39	7.11 <sup>2/</sup>	5.77	58	63
	Consul	N.R.	4.28 <sup>2/</sup>	5.06	N.R.	61
4B	Roadene	.85	6.59	5.57	59	61
5A	Leross	1.13	11.53	6.08	62	60
	Yorkton	.16	6.23	5.62	64	62
	Bangor	.90	7.05	5.54	64	62
5B	Dafoe	1.06	8.66	5.37	63	60
	Lintlaw	.65	6.20	5.63	61	60
	Kamsack	1.13	5.55	4.88	64	62
	Buchanan	.60	6.91	5.64	64	62
	Pelly	.56	4.92	5.62	61	62
6A	Davidson	.79	7.57	4.94	61	63
	Dilke	.45	6.50	5.38	N.R.	N.R.
	Imperial	.66	6.41	5.09	64	62
	Semans	1.00	6.72	3.85	62	60
	Strasbourg	.65	6.77	5.66	62	62
	Watrous	.72	8.95	4.39	62	62
6B	Harris	1.39	6.68	5.29	60	62
	Outlook	.71	6.47	3.80	62	63
	Saskatoon	1.23	6.38	4.94	63	62
	Elbow	N.R.	7.95 <sup>2/</sup>	5.03	N.R.	63
	Tugaske	1.20	8.88	5.02	61	62
	Dundurn	1.28	7.47	6.05	61	62
	Rosthern	1.36	6.18	5.03	62	62



Precipitation and Temperature Data, Prairie Provinces<sup>1/</sup>

Province and Crop District	Station	Precipitation			Mean Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m. July 4	since April 1	since April 1	July 4	
		- inches -			- degrees F. -	
<b>SASKATCHEWAN (continued)</b>						
7A	Eston	2.79	6.64	4.77	63	61
	Kindersley	2.68	6.56	4.49	60	60
	Rosetown	1.08	5.78	5.52	58	61
7B	Macklin	1.86	5.50	5.63	N.R.	59
	Scott	3.45	8.44	4.85	59	61
	Biggar	1.39	6.69	5.42	61	62
	Ruthilda	1.75	5.54	5.45	N.R.	N.R.
8A	Hudson Bay	.71	6.53	5.52	65	62
	Porcupine Plain	.87	7.40	5.41	61	62
8B	Humboldt	1.46	6.31	4.66	63	61
	Melfort	.79	7.67	5.02	62	61
9A	North Battleford	1.63	5.52	5.37	60	63
	Rabbit Lake	2.37	6.95	5.25	60	61
	Leask	1.49	8.67	5.16	62	63
	Prince Albert	.94	5.60	5.38	64	63
	Island Falls	3.65	7.68	5.27	63	62
9B	Waseca	1.63	6.09	5.36	59	60
<b>SASKATCHEWAN AVERAGE</b>		1.07	6.98	5.57	61.9	62.3
<b>ALBERTA</b>						
1	Taber	1.14	7.84	5.07	58	64
	Foremost	.76	6.86	7.08	56	67
	Winnifred	.28	8.00 <sup>2/</sup>	4.83	N.R.	N.R.
	Medicine Hat	.63	7.30	5.04	59	65
	Manyberries	.43	9.02	5.24	61	66
2	Cowley	.43	4.79	6.86	53	59
	Fort Macleod	1.21	7.96	5.68	57	64
	Cardston	1.43	9.35	8.97	53	63
	Lethbridge	2.15	10.21	6.00	56	63
	Del Bonita	1.39	10.09	6.59	51	65
	Magrath	.99	8.21	7.70	56	63
	Vauxhall	.88	5.61	4.65	58	65
3	Hays	.33	5.79	4.56	59	65
	Brooks	.53	5.08	4.76	58	66
	Bindloss	1.35	7.67	4.89	59	65
	Empress	1.29	5.22	5.41	61	66
	High River	1.10	6.89	7.40	56	59
4	Vulcan	1.61	8.91	6.14	55	62
	Drumheller	.63	3.04	6.12	59	65
5	Hanna	.71	6.74	6.54	59	64
	Naco	N.R.	3.19 <sup>2/</sup>	5.75	N.R.	63
	Oyen	.68	4.51	4.32	N.R.	N.R.



Precipitation and Temperature Data, Prairie Provinces<sup>1/</sup>

Province and Reporting District	Station	Precipitation			Mean Temperature	
		Week ending	Total	Normal	Week ending 8 a.m.	
		8 a.m.	since	since	July 4	
		July 4	April 1	April 1	1955	Normal
		- inches -			- degrees F. -	
ALBERTA (continued)						
6	Olds	2.36	8.95	6.27	56	59
	Calgary	1.44	7.09	6.60	56	60
	Three Hills	1.66	5.90	5.73	56	59
	Strathmore	2.45	6.00	6.07	55	60
	Gleichen	1.25	6.39	5.30	56	60
	Hussar	N.R.	4.55 <sup>2/</sup>	5.56	N.R.	N.R.
	Trochu	1.33	4.68	6.05	56	59
7	Alliance	1.94	7.26	5.03	58	61
	Hardisty	2.16	4.96	5.21	N.R.	N.R.
	Coronation	.53	4.87	4.86	58	61
	Hughenden	1.87	7.18	5.22	59	64
8	Red Deer	1.82	6.71	7.68	57	58
	Lacombe	1.61	9.22	6.55	55	59
	Wetaskiwin	1.78	7.28	5.99	58	59
	Camrose	2.51	5.58	5.80	58	60
	Stettler	N.R.	4.85 <sup>2/</sup>	6.70	N.R.	59
	Rocky Mountain House	.36	6.91	6.96	56	57
9	Springdale	.75	3.32	7.42	55	58
	Vegreville	1.25	4.24	6.56	56	58
10	Vermilion	1.45	4.66	5.99	58	59
	Lloydminster	2.58	8.27	4.81	62	59
11	Edmonton	1.20	6.45	6.03	59	60
12	Edson	1.25	5.82	5.68	56	57
	Whitecourt	.57	5.99	5.94	55	59
	Sanguo	N.R.	1.75 <sup>2/</sup>	6.76	N.R.	59
	Elk Point	2.09	6.46	5.32	58	59
13	Lac la Biche	2.43	7.35	5.52	60	59
	Campsie	.28	5.55	6.03	57	59
14	Athabaska	1.33	6.92	5.35	58	59
	High Prairie	.57	6.16	5.27	55	59
15	Wagner	.23	4.54	5.44	55	59
	Beaverlodge	.32	3.82	4.48	56	58
16	Grande Prairie	.28	4.06	5.32	56	58
	Fairview	.49	4.06	4.11	57	58
	Fort St. John	.78	5.90	5.35	57	60
ALBERTA AVERAGE		1.19	6.42	5.83	57.0	61.0

N.R. - No report.

<sup>1/</sup> - Source: Meteorological Service of Canada.

<sup>2/</sup> - Incomplete; not included in average.

STATISTICS CANADA LIBRARY  
BIBLIOTHÈQUE STATISTIQUE CANADA



1010505527