

22-002
no. 23
1924
c. 1

22-002

Published by Authority of Hon. Thos. A. Lee,
Minister of Trade and Commerce.

DOMINION BUREAU OF STATISTICS - CANADA
AGRICULTURAL BRANCH

DOES NOT CIRCULATE
NE PAS CIRCULER

Dominion Statistician: R. H. COATS, B.A., F.S.S., F.R.S.C.
Chief, Agricultural Branch: ERNEST H. GODFREY, F.S.S.

ANNUAL REPORT ON FIELD CROPS OF CANADA, 1924

Ottawa, January 26, 1925, 4 p.m. The Dominion Bureau of Statistics issued to-day the final report on the area, yield, quality and value of the field crops of Canada for the year 1924. The statistics of area have been collected and the estimates of yield and value have been made in cooperation and agreement with the Provincial Departments of Agriculture under plans followed annually since 1918, except as regards the province of Quebec for the year 1924. For Quebec, the estimates of 1924 have been made solely by the Dominion Bureau. The total area under field crops in Canada for 1924 is estimated at 58,308,542 acres, as compared with 57,230,534 acres in 1923, and 57,189,681 acres in 1922.

SEASON OF 1923-24.

For the second year in succession, the spring opened up late, and seeding in the Prairie Provinces was greatly delayed, especially in Manitoba, where, as a consequence, the area sown to wheat was less than in 1924 by more than 456,000 acres. In this province, however, the harvest returns were on the whole excellent, and were in marked contrast with those of 1923, when the crops suffered so severely from rust. In Saskatchewan and Alberta the prevalence of drought reduced the yields, which were not only greatly inferior to those of 1923, but were also considerably below average. Bad weather during the threshing season had the effect of reducing the quality of the grain, which did not therefore grade so well as in 1923. On the other hand the recovery in the prices of grain from the low levels to which they had sunk in 1923 came as a welcome offset to the lower yields.

AREAS AND YIELDS OF GRAIN CROPS.

The total yield of wheat in Canada for the year 1924 is now finally estimated at 262,097,000 bushels from 22,055,710 acres, as compared with 474,199,000 bushels from 22,671,364 acres in 1923, and with 326,258,640 bushels from 21,142,834 acres, the annual averages for the five years 1919-23. The total for 1924 consists of 22,294,000 bushels from 774,172 harvested acres of fall wheat, and of 239,803,000 bushels from 21,281,538 acres of spring wheat. The average yield per acre for all wheat in 1924 is 11.9 bushels, as compared with 21 bushels in 1923, and with 15.4 bushels, the annual average for the five years 1919-23. For fall wheat the average yield per acre in 1924 is 28.8 bushels, as against 23 $\frac{3}{4}$ bushels in 1923 and 22.8 bushels, the five-year average. For spring wheat the average for 1924 is 11.3 bushels, as compared with 20 $\frac{1}{2}$ bushels in 1923 and with 15.1 bushels, the five-year average. Oats yielded in 1924 the total of 411,697,000 bushels from 14,491,289 acres, as compared with 563,997,500 bushels from 14,387,807 acres in 1923, and with 481,313,220 bushels from 15,356,021 acres, the five-year average. The average yield per acre is 28.4 bushels, as against 39 $\frac{1}{4}$ bushels in 1923, and 31.4 bushels, the five-year average. Barley yielded 86,753,000 bushels from 3,407,441 acres, as compared with 76,997,800 bushels from 2,784,571 acres in 1923 and with 65,654,450 bushels from 2,675,437 acres, the five-year average. The average yields per acre were 25.5 bushels in 1924, 27 $\frac{1}{4}$ bushels in 1923 and 24.5 bushels, the five-year average. Flaxseed gave the total of 9,694,700 bushels from 1,376,667 acres in 1924, as compared with 7,139,500 bushels from 629,938 acres in 1923, and with 5,946,060 bushels from 849,968 acres, the five-year average. The yield per acre was 7.6 bushels for 1924, as against 11.30 bushels in 1923 and 7 bushels, the five-year average. For the remaining cereal

crops the total yields for 1924 were, in bushels as follows, the corresponding totals for 1923 and for the five-year average being shown within brackets: Rye 14,212,900 (23,231,800; 19,714,852); peas 3,259,900 (2,898,200; 3,154,536); beans 1,194,100 (1,041,700; 1,217,760) buckwheat 11,412,000 (9,743,700; 9,440,100); mixed grains 31,995,000 (29,750,500; 28,000,420); and corn for husking 11,998,000 (13,608,000; 14,717,060).

ROOT AND FODDER CROPS.

The total yield of potatoes in 1924 is estimated at 56,648,000 cwt. from 561,628 acres, as compared with 55,497,000 cwt. from 560,942 acres in 1923, and with 56,259,736 cwt. from 709,952 acres, the five-year average 1919-23. The average yield per acre in 1924 is 100.9 cwt. as compared with 99 cwt. in 1923 and with 95.3 cwt., the five-year average. Turnips, mangolds, etc. gave 40,597,000 cwt. from 197,920 acres, as against 38,116,500 cwt. from 194,512 acres in 1923, and with 47,200,980 cwt. from 250,805 acres, the five-year average. The yield per acre is 205.1 cwt., as compared with 196 cwt. in 1923 and with 188.2 cwt., the five-year average. Sugar beets produced 334,000 tons from 36,080 acres in 1924, as against 216,200 tons from 22,450 acres in 1923 and 265,400 tons from 26,466 acres, the five-year average. The yield per acre was 9.28 tons in 1924, 9.60 tons in 1923 and 10.03 tons, the five-year average. The total yield of hay and clover in 1924 was 14,960,300 tons from 9,874,907 acres, as compared with 14,844,900 tons from 9,725,602 acres in 1923, and with 14,077,180 tons from 10,253,379 acres, the average. The yields per acre were 1.51 ton in 1924, 1.55 ton in 1923 and 1.37 ton, the average. Grain hay is estimated to have yielded in 1924 4,983,000 tons from 2,486,899 acres, an average yield per acre of 2 tons. Alfalfa yielded 1,256,300 tons from 473,507 acres in 1924, 1,028,600 tons from 391,116 acres in 1923, and 715,038 tons from 285,273 acres, the average. The yield per acre was 2.65 tons in 1924, the same as in 1923; the five-year average was 2.50 tons. Fodder corn yielded 5,740,700 tons from 718,879 acres in 1924, 5,300,600 tons from 659,070 acres in 1923, and 5,529,182 tons from 599,967 acres, the five-year average. The yields per acre were 7.99 tons in 1924, 8.10 tons in 1923, and 9.38 tons, the five-year average.

GRAIN YIELDS OF THE PRAIRIE PROVINCES.

The total grain yields of the three Prairie Provinces (Manitoba, Saskatchewan and Alberta) are finally estimated as follows: Wheat 225,694,000 bushels from 21,066,821 acres (452,260,000 bushels, 21,665,276 acres in 1923); oats 229,046,000 bushels from 9,190,426 acres (301,756,000 bushels, 9,022,821 acres in 1923); barley 68,576,000 bushels from 2,820,545 acres (59,718,200 bushels, 2,180,472 acres in 1923); rye 11,586,000 bushels from 743,039 acres (20,842,000 bushels, 1,303,210 acres in 1923); flaxseed 9,577,900 bushels from 1,265,895 acres (7,044,800 bushels, 620,172 acres in 1923).

QUALITY OF GRAIN CROPS.

The average weights in lb. per measured bushel for all Canada are reported as follows; the averages for 1923 and for the five-years 1919-23 are given within brackets: Fall wheat 60.92 (60.27; 60.05); spring wheat 59.14 (58.55; 58.91); all wheat 59.29 (58.80; 59.12); oats 54.58 (35.55; 34.80); barley 47.02 (47.19; 46.97); rye 55.48 (54.61; 55.18); peas 59.98 (60; 59.91); beans 59.67 (59.09; 59.50); buckwheat 47.63 (47.80; 47.63); mixed grains 42.88 (44.19; 43.92); flaxseed 54.81 (54.63; 54.79); corn for husking 54.15 (55.29; 55.69).

VALUES OF FIELD CROPS.

The average prices per unit, as received by farmers in 1924, are estimated from the reports of crop correspondents as follows; the corresponding prices for 1923 and for the five-year average 1919-23 are given within brackets. Per bushel: Fall wheat \$1.27 (92 cents; \$1.14); spring wheat \$1.23 (36 cents; \$1.07); all wheat \$1.22 (67 cents; \$1.09); oats 49 cents (53, 45); barley 70 cents (42; 66); rye 99 cents (89; 76); peas \$1.75 (\$1.72; \$2.19); beans \$2.77 (\$2.66; \$3.41); buckwheat 69 cents (84; \$1.08); mixed grains 71 cents (59; 82); flaxseed

\$1.94 (\$1.77; \$2.20); corn for husking \$1.19 (92 cents; \$1.02); Per cwt.: Potatoes 85 cents (\$1.02; \$1.32); turnips, etc., 44 cents (59; 75). Per ton: Hay and clover \$11.07 (\$10.97; \$18.65); alfalfa \$11.70 (\$11.58; \$16.81); grain hay \$9.25 (\$3.47 in 1923); fodder corn \$5.03 (\$4.62; \$6.27); sugar beets \$6.79 (\$6.48; \$9.44).

The total values of field crops are estimated as follows, the corresponding values for 1923 and for the five-year average 1919-23, being given within brackets: Wheat \$320,352,000 (\$316,934,700; \$356,873,800); oats \$203,034,000 (\$184,857,400; \$222,784,020); barley \$60,509,000 (\$32,570,700; \$43,262,370); rye \$14,137,700 (\$11,339,800; \$14,953,610); peas \$5,676,000 (\$4,987,400; \$6,903,720); beans \$3,506,900 (\$2,773,000; \$4,155,100); buckwheat \$10,149,000 (\$8,191,700; \$10,192,220); mixed grains \$22,626,000 (\$17,654,800; \$23,013,664); flaxseed \$18,849,300 (\$12,643,900; \$13,066,580); corn for husking \$14,227,000 (\$12,466,000; \$14,993,220); potatoes \$47,956,000 (\$56,397,800; \$87,512,580); turnips, mangolds, etc., \$17,884,000 (\$22,483,100; \$35,232,180); hay and clover \$165,587,000 (\$162,882,000; \$262,495,120); alfalfa \$14,705,000 (\$11,914,000; \$12,021,580); fodder corn \$28,848,000 (\$24,605,000; \$35,312,780); sugar beets \$2,268,000 (\$1,401,000; \$2,505,540); grain hay \$46,133,000 (\$15,063,800). The aggregate value of all field crops in 1924 is \$996,257,900, as compared with \$899,166,200 for 1923, an increase of \$97,091,700, caused mainly by the higher prices per bushel for grain on smaller yields, and also to a large extent by the increased value of grain hay in Alberta, which for 1924 is placed at \$45,695,000, as compared with \$12,562,000 in 1923.

CANADIAN WOOL CLIP, 1924.

The Canadian wool clip of 1924 is estimated at 15,111,719 lb. of the value of \$3,777,930, or 25 cents per lb., as compared with 15,539,416 lb., of the value of \$3,160,000, or 20 cents per lb. in 1924.

PRODUCTION AND VALUE OF FARM EGGS, 1924.

It is estimated that the production of farm eggs in Canada for 1924 was 212,648,685 doz. of the value of \$50,322,439, as compared with 202,186,508 doz. of the value of \$48,770,780 in 1923.

CABLEGRAM FROM ARGENTINA.

The Canadian Trade Commissioner at Buenos Aires cables under date of January 20, 1925, that the area sown to corn in Argentina for the season of 1924-25 is 9,143,000 acres, as against 8,465,000 acres for 1923-24, and with 8,117,000 acres, the annual average for the five years 1917-18 to 1921-22.

Area, Yield, Quality and Value of Field Crops in Canada, 1924.

| Field crops | Area | Yield per acre | Total Yield | Weight measured | Aver- | | Total Value |
|------------------------|------------|----------------|-------------|-----------------|-----------|-------------|-------------|
| | | | | | bush. | lb. bushel | |
| CANADA - | | | | | \$ c. | per bush. | \$ |
| Fall wheat | 774,172 | 28.8 | 22,294,000 | 60.92 | 1.27 | 28.337,000 | |
| Spring wheat | 21,281,558 | 11.3 | 239,803,000 | 59.14 | 1.22 | 292,025,000 | |
| All wheat | 22,055,710 | 11.9 | 262,097,000 | 59.29 | 1.22 | 320,362,000 | |
| Oats | 14,491,289 | 23.4 | 411,697,000 | 34.52 | 0.49 | 203,034,000 | |
| Barley | 3,407,441 | 25.5 | 86,753,000 | 47.02 | 0.70 | 60,509,000 | |
| Fall rye | 770,416 | 16.6 | 12,792,000 | 55.63 | 0.99 | 12,646,000 | |
| Spring rye | 120,398 | 11.8 | 1,420,900 | 55.37 | 1.05 | 1,491,700 | |
| All rye | 890,814 | 16.0 | 14,212,900 | 55.48 | 0.99 | 14,157,700 | |
| Peas | 179,509 | 18.0 | 3,239,900 | 59.98 | 1.75 | 5,676,000 | |
| Beans | 71,936 | 16.6 | 1,194,100 | 59.67 | 2.77 | 3,306,900 | |
| Buckwheat | 442,263 | 25.8 | 11,412,000 | 47.53 | 0.89 | 10,149,000 | |
| Mixed grains | 848,078 | 37.7 | 31,995,000 | 42.88 | 0.71 | 22,626,000 | |
| Flax | 1,276,567 | 7.6 | 9,694,700 | 54.51 | 1.94 | 18,849,300 | |
| Corn for husking | 295,015 | 40.7 | 11,998,000 | 54.15 | 1.19 | 14,227,000 | |
| Potatoes | 561,628 | 100.9 | 56,648,000 | - | 0.85 | 47,956,000 | |
| Turnips, etc. | 197,920 | 205.1 | 40,597,000 | - | 0.44 | 17,884,000 | |
| Hay & clover | 9,874,907 | 1.51 | 14,960,300 | - | 11.07 | 165,587,000 | |
| Alfalfa | 473,507 | 2.65 | 1,256,800 | - | 11.70 | 14,705,000 | |
| Fodder corn | 718,879 | 7.99 | 5,740,700 | - | 5.03 | 28,848,000 | |
| Sugar beets | 36,080 | 9.28 | 334,000 | - | 6.79 | 2,268,000 | |
| Grain hay | 2,486,899 | 2.00 | 4,983,000 | - | 9.25 | 46,133,000 | |
| PRINCE EDWARD ISLAND - | | | | | per bush. | | |
| Spring wheat | 28,642 | 18.7 | 535,000 | 60.02 | 1.59 | 850,000 | |
| Oats | 169,137 | 29.9 | 5,065,000 | 36.37 | 0.59 | 3,004,000 | |
| Barley | 5,201 | 26.5 | 138,000 | 48.71 | 0.98 | 135,000 | |
| Peas | 165 | 24.5 | 4,000 | 56.75 | 2.00 | 8,000 | |
| Buckwheat | 2,088 | 23.4 | 49,000 | 47.68 | 1.00 | 49,000 | |
| Mixed grains | 22,931 | 35.4 | 765,900 | 42.72 | 0.75 | 574,400 | |
| Potatoes | 37,173 | 155.4 | 5,776,000 | - | 0.44 | 2,558,000 | |
| Turnips, etc. | 9,847 | 257.2 | 2,336,000 | - | 0.30 | 701,000 | |
| Hay & clover | 251,926 | 1.48 | 371,800 | - | 11.00 | 4,090,000 | |
| Fodder corn | 648 | 6.33 | 4,100 | - | 5.00 | 21,000 | |
| NOVA SCOTIA - | | | | | per bush. | | |
| Spring wheat | 9,236 | 18.1 | 168,000 | 59.17 | 1.61 | 271,000 | |
| Oats | 115,771 | 35.3 | 3,856,000 | 34.28 | 0.78 | 2,988,000 | |
| Barley | 7,122 | 26.1 | 186,000 | 47.17 | 1.05 | 195,000 | |
| Spring rye | 189 | 18.6 | 3,500 | 56.00 | 1.05 | 3,700 | |
| Peas | 517 | 19.3 | 10,000 | 59.67 | 2.22 | 22,000 | |
| Beans | 1,565 | 19.2 | 30,000 | 59.30 | 3.75 | 112,500 | |
| Buckwheat | 7,338 | 20.8 | 168,000 | 47.20 | 1.11 | 186,000 | |
| Mixed grains | 3,548 | 32.1 | 113,900 | 44.47 | 1.12 | 127,600 | |
| Potatoes | 29,052 | 107.1 | 3,112,000 | - | 0.60 | 1,867,000 | |
| Turnips, etc. | 12,643 | 234.4 | 2,963,000 | - | 0.50 | 1,482,000 | |
| Hay & clover | 510,017 | 1.58 | 808,000 | - | 11.75 | 9,494,000 | |
| Fodder corn | 1,015 | 7.30 | 7,400 | - | 5.00 | 37,000 | |
| NEW BRUNSWICK - | | | | | per bush. | | |
| Spring wheat | 11,616 | 14.2 | 205,000 | 59.89 | 1.78 | 364,000 | |
| Oats | 205,244 | 28.8 | 5,902,000 | 34.96 | 0.64 | 3,751,000 | |
| Barley | 5,069 | 30.0 | 150,000 | 47.92 | 1.00 | 150,000 | |
| Spring rye | 283 | 26.0 | 7,400 | 56.00 | 1.50 | 11,000 | |
| Peas | 1,229 | 17.0 | 20,900 | 60.50 | 2.22 | 46,000 | |
| Beans | 1,246 | 19.6 | 24,400 | 60.00 | 3.50 | 85,000 | |
| Buckwheat | 38,285 | 26.2 | 1,004,000 | 47.20 | 0.77 | 771,000 | |
| Mixed grains | 2,351 | 32.4 | 76,200 | 41.00 | 0.75 | 57,000 | |
| Potatoes | 46,231 | 155.3 | 7,205,000 | - | 0.42 | 3,025,000 | |
| Turnips, etc. | 10,657 | 213.9 | 2,280,000 | - | 0.25 | 570,000 | |
| Hay & clover | 534,752 | 1.11 | 595,000 | - | 12.00 | 7,140,000 | |
| Fodder corn | 2,449 | 9.00 | 22,000 | - | 5.00 | 110,000 | |

| | acres | bush. | bush. | lb. | per bush. | cwt. | \$ |
|-----------------------|------------|-------|-------------|-------|-----------|-------------|----|
| <u>QUEBEC -</u> | | | | | | | |
| Spring wheat | 69,000 | 16.1 | 1,132,000 | 58.38 | 1.66 | 1,879,000 | |
| Oats | 1,828,000 | 27.7 | 50,913,000 | 71.75 | 0.64 | 32,584,000 | |
| Barley | 124,000 | 25.7 | 2,980,000 | 48.09 | 1.00 | 2,939,000 | |
| Spring rye | 15,000 | 15.0 | 195,000 | 50.05 | 1.41 | 275,000 | |
| Peas | 40,000 | 15.4 | 616,000 | 59.92 | 2.50 | 1,540,000 | |
| Beans | 15,000 | 16.7 | 251,000 | 59.71 | 3.00 | 753,000 | |
| Buckwheat | 154,000 | 21.3 | 3,742,000 | 48.53 | 1.00 | 3,742,000 | |
| Mixed grains | 112,000 | 27.4 | 5,069,000 | 44.89 | 0.90 | 2,762,000 | |
| Flax | 3,800 | 8.5 | 24,000 | 54.60 | 2.25 | 54,000 | |
| Corn for husking | 31,400 | 27.3 | 857,000 | 54.36 | 1.52 | 1,303,000 | |
| | | cwt. | cwt. | | | per cwt. | |
| Potatoes | 159,000 | 106.3 | 16,743,000 | - | 0.96 | 16,073,000 | |
| Turnips, etc. | 83,600 | 161.1 | 5,413,000 | - | 0.70 | 3,789,000 | |
| | | tons | tons | | | per ton | |
| Hay & clover | 4,031,000 | 1.51 | 6,087,000 | - | 11.00 | 66,957,000 | |
| Alfalfa | 21,500 | 1.90 | 41,000 | - | 8.50 | 349,000 | |
| Fodder corn | 92,000 | 9.35 | 860,000 | - | 5.07 | 4,360,000 | |
| <u>ONTARIO -</u> | | bush. | bush. | | | per bush. | |
| Fall wheat | 722,366 | 29.6 | 21,397,000 | 60.94 | 1.27 | 27,179,000 | |
| Spring wheat | 101,401 | 19.2 | 1,949,000 | 59.02 | 1.30 | 2,532,000 | |
| All wheat | 823,767 | 28.3 | 23,346,000 | 60.22 | 1.27 | 29,711,000 | |
| Oats | 2,891,990 | 39.5 | 114,249,000 | 35.08 | 0.51 | 58,794,000 | |
| Barley | 429,177 | 33.2 | 14,570,000 | 48.57 | 0.77 | 11,287,000 | |
| Fall rye | 126,641 | 18.2 | 2,300,000 | 55.40 | 1.01 | 2,331,000 | |
| Peas | 180,989 | 18.8 | 2,456,000 | 60.00 | 1.54 | 3,771,000 | |
| Beans | 53,047 | 16.5 | 857,000 | 59.53 | 2.65 | 2,271,000 | |
| Buckwheat | 240,552 | 26.8 | 6,449,000 | 47.00 | 0.84 | 5,401,000 | |
| Mixed grains | 646,622 | 40.9 | 26,403,000 | 42.56 | 0.69 | 18,149,000 | |
| Flax | 6,619 | 11.8 | 78,000 | 52.50 | 1.64 | 128,000 | |
| Corn for husking | 263,615 | 42.3 | 11,141,000 | 54.14 | 1.16 | 12,924,000 | |
| | | cwt. | cwt. | | | per cwt. | |
| Potatoes | 169,145 | 68.6 | 14,980,000 | - | 0.88 | 13,278,000 | |
| Turnips, etc. | 108,126 | 224.4 | 24,283,000 | - | 0.32 | 7,772,000 | |
| | | tons | tons | | | per ton | |
| Hay & clover | 3,545,856 | 1.58 | 5,615,000 | - | 10.83 | 60,803,000 | |
| Alfalfa | 581,258 | 2.80 | 1,068,000 | - | 11.35 | 12,119,000 | |
| Fodder corn | 403,060 | 9.87 | 3,977,000 | - | 4.91 | 19,527,000 | |
| Sugar beets | 36,080 | 9.28 | 334,000 | - | 6.79 | 2,268,000 | |
| <u>MANITOBA -</u> | | bush. | bush. | | | per bush. | |
| Spring wheat | 2,459,408 | 16.9 | 41,464,000 | 57.65 | 1.24 | 51,415,000 | |
| Oats | 1,953,337 | 56.2 | 70,729,000 | 34.21 | 0.47 | 33,243,000 | |
| Barley | 1,372,803 | 29.8 | 40,923,000 | 46.85 | 0.70 | 28,646,000 | |
| Fall rye | 263,417 | 20.7 | 5,450,000 | 56.47 | 1.00 | 5,450,000 | |
| Spring rye | 27,156 | 15.7 | 425,000 | 55.30 | 1.00 | 425,000 | |
| All rye | 290,573 | 20.2 | 5,875,000 | 55.09 | 1.00 | 5,875,000 | |
| Peas | 1,057 | 17.0 | 18,000 | 60.00 | 2.00 | 36,000 | |
| Mixed grains | 14,703 | 30.0 | 441,000 | 42.53 | 0.57 | 251,000 | |
| Flax | 323,813 | 10.5 | 3,405,000 | 54.73 | 1.94 | 6,602,000 | |
| | | cwt. | cwt. | | | per cwt. | |
| Potatoes | 28,713 | 69.1 | 1,984,000 | - | 1.04 | 2,063,000 | |
| Turnips, etc. | 4,619 | 99.0 | 457,000 | - | 0.75 | 334,000 | |
| | | tons | tons | | | per ton | |
| Hay & clover | 301,123 | 1.77 | 532,000 | - | 10.00 | 5,320,000 | |
| Alfalfa | 7,715 | 2.19 | 17,000 | - | 10.00 | 170,000 | |
| Fodder corn | 60,176 | 5.73 | 345,000 | - | 6.00 | 2,070,000 | |
| <u>SASKATCHEWAN -</u> | | bush. | bush. | | | per bush. | |
| Spring wheat | 15,033,000 | 10.2 | 132,918,000 | 59.32 | 1.21 | 160,831,000 | |
| Oats | 4,942,465 | 19.7 | 97,345,000 | 53.82 | 0.43 | 41,858,000 | |
| Barley | 953,851 | 18.2 | 17,360,000 | 46.19 | 0.63 | 10,937,000 | |
| Fall rye | 105,986 | 17.3 | 1,836,000 | 55.50 | 0.95 | 1,744,000 | |
| Spring rye | 72,108 | 9.3 | 671,000 | 54.99 | 0.95 | 658,000 | |
| All rye | 173,094 | 14.1 | 2,507,000 | 54.12 | 0.95 | 2,382,000 | |
| Peas | 1,613 | 16.6 | 27,000 | 60.00 | 2.00 | 54,000 | |
| Beans | 891 | 8.0 | 7,000 | 60.00 | 2.00 | 14,000 | |
| Mixed grains | 29,513 | 22.3 | 658,000 | 45.00 | 0.57 | 375,000 | |
| Flax | 927,082 | 6.6 | 6,119,000 | 54.87 | 1.95 | 11,932,000 | |
| | | cwt. | cwt. | | | per cwt. | |
| Potatoes | 44,516 | 48.0 | 2,157,000 | - | 1.54 | 3,291,000 | |
| Turnips, etc. | 5,364 | 37.3 | 200,000 | - | 1.64 | 328,000 | |
| | | tons | tons | | | per ton | |
| Hay & clover | 297,788 | 1.76 | 405,000 | - | 8.71 | 3,528,000 | |
| Alfalfa | 6,119 | 1.64 | 10,000 | - | 14.00 | 140,000 | |
| Fodder corn | 87,115 | 5.18 | 277,000 | - | 4.00 | 1,108,000 | |

| | | | | | | \$ c. |
|---------------------------|-----------|-------|------------|-------|-----------|------------|
| | acres | bush. | bush. | lb. | per bush. | \$ |
| <u>ALBERTA -</u> | | | | | | |
| Fall wheat | 36,479 | 14.1 | 515,000 | 50.66 | 1.20 | 619,000 |
| Spring wheat | 5,537,354 | 11.0 | 60,797,000 | 59.73 | 1.20 | 72,956,000 |
| All wheat | 5,573,813 | 11.0 | 61,312,000 | 59.75 | 1.20 | 73,575,000 |
| Oats | 2,503,024 | 26.4 | 60,972,000 | 34.70 | 0.41 | 24,999,000 |
| Barley | 493,891 | 20.8 | 10,893,000 | 46.50 | 0.59 | 6,034,000 |
| Fall rye | 274,372 | 11.7 | 3,206,000 | 55.42 | 0.97 | 3,121,000 |
| Peas | 1,659 | 18.0 | 30,000 | 60.00 | 2.00 | 60,000 |
| Beans | 461 | 8.0 | 3,700 | 60.00 | 2.00 | 7,400 |
| Mixed grains | 13,445 | 24.6 | 331,000 | - | 0.63 | 209,000 |
| Flax | 15,000 | 3.7 | 55,900 | 56.00 | 1.90 | 106,300 |
| | | cwt. | cwt. | | per cwt. | |
| Potatoes | 31,469 | 93.7 | 2,949,000 | - | 0.95 | 2,802,000 |
| Turnips, etc. | 6,559 | 230.0 | 1,509,000 | - | 1.23 | 1,856,000 |
| | | tons | tons | | per ton | |
| Hay & clover | 256,795 | 1.09 | 230,000 | - | 10.00 | 2,800,000 |
| Alfalfa | 39,812 | 1.90 | 76,000 | - | 14.00 | 1,064,000 |
| Fodder corn | 67,472 | 2.92 | 197,000 | - | 5.00 | 985,000 |
| Grain hay | 2,477,505 | 2.00 | 4,855,000 | - | 9.00 | 43,695,000 |
| | | bush. | bush. | | per bush. | |
| <u>BRITISH COLUMBIA -</u> | | | | | | |
| Fall wheat | 15,327 | 24.9 | 382,000 | 59.91 | 1.41 | 539,000 |
| Spring wheat | 21,901 | 19.9 | 635,000 | 60.10 | 1.46 | 927,000 |
| All wheat | 47,228 | 21.5 | 1,017,000 | 60.03 | 1.44 | 1,466,000 |
| Oats | 71,721 | 57.2 | 2,666,000 | 35.10 | 0.68 | 1,813,000 |
| Barley | 6,327 | 30.6 | 194,000 | 48.52 | 0.96 | 186,000 |
| Spring rye | 7,662 | 15.5 | 119,000 | 56.57 | 1.17 | 139,000 |
| Peas | 2,280 | 25.5 | 58,000 | 60.00 | 2.40 | 139,000 |
| Beans | 726 | 28.3 | 21,000 | 60.00 | 3.05 | 64,000 |
| Mixed grains | 3,960 | 34.6 | 137,000 | 45.50 | 0.88 | 121,000 |
| Flax | 1,353 | 10.0 | 14,800 | 55.00 | 1.80 | 27,000 |
| | | cwt. | cwt. | | per cwt. | |
| Potatoes | 16,329 | 106.0 | 1,764,000 | - | 1.70 | 2,999,000 |
| Turnips, etc. | 6,435 | 179.7 | 1,156,000 | - | 0.91 | 1,052,000 |
| | | tons | tons | | per ton | |
| Hay & clover | 145,650 | 1.83 | 266,500 | - | 20.47 | 5,455,000 |
| Alfalfa | 17,103 | 2.62 | 44,800 | - | 19.26 | 863,000 |
| Fodder corn | 4,944 | 10.35 | 51,200 | - | 12.30 | 630,000 |
| Grain hay | 59,596 | 2.15 | 128,000 | - | 19.05 | 2,438,000 |

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010525467