

C.R.No.13  
1926.2200

22-002

no. 23

1926

c. 1

Copy 22-002

Authority of the Hon. James Malcolm, M.P.,  
Minister of Trade and Commerce.

PROPERTY OF THE LIBRARY

Recd. JAN 21 1927

DEPARTMENT OF TRADE AND COMMERCE  
DOMINION BUREAU OF STATISTICS - CANADA  
AGRICULTURAL DIVISION

Dominion Statistician: R.H. COATS, B.A., F.S.S., F.R.S.C.  
Chief, Agricultural Division: ERNEST H. GODFREY, F.S.S.

## ANNUAL REPORT ON FIELD CROPS OF CANADA, 1926

Ottawa, January 25, 1927, 4 p.m. - The Dominion Bureau of Statistics issued to-day, subject to final revision, the annual report on the area, yield, quality and value of the field crops of Canada for the year 1926. As in previous years, the data have been determined in agreement with the Provincial Governments, except as regards Quebec, for which the estimates are made solely by the Dominion Bureau. Data of the Census of the Prairie Provinces of 1926 have been used for Manitoba and Alberta in respect of the areas sown in 1926 to wheat, rye, oats, barley and flax. For yields and values the report is based upon final returns made by crop correspondents during the month of December, 1926.

### AGRICULTURAL SEASON OF 1926

In Eastern Canada the spring of 1926 was one of the latest on record, and the cold, inclement weather had a serious effect upon the early growth and ultimate yield of cereal crops. At the end of April, practically no spring seeding had been done in the provinces of Quebec and Ontario, whereas in 1925, by the same date, 19 p.c. had been completed in Quebec and 57 p.c. in Ontario. Seeding in the Atlantic provinces does not usually start until May; but in 1926 very little seeding had been done by the end of that month, and the spring was reported as one of the latest on record. In the Prairie Provinces, the progress of seeding was favourable, and the proportion completed by the end of April was greater than usual, especially in Alberta, where the spring opened up quite early, and conditions generally were favourable. In British Columbia, where the preceding winter was the mildest on record, the spring was from two to three weeks earlier than the average. Seeding was practically completed during April, and crop prospects were particularly favourable. Good growing weather was general throughout the west in June, but hot, dry weather in July caused some set-back on the Prairies. Rains early in August proved very beneficial, especially to the later sown crops. On the whole, harvest prospects were excellent for wheat; but the oat crop was late, and bad weather towards the end of the season lessened the yield and lowered the quality of oats as grain to a very considerable extent. Throughout most of the Dominion, the fall season proved to be abnormal, and was indeed one of the worst for harvesting and threshing ever experienced. Continuous rain and snow greatly hindered threshing, which, although completed eventually before the setting in of the winter, was not accomplished without a considerable reduction in the grading of the grain. In Alberta, where a fortnight's fine weather enabled more progress to be made than in the other Prairie Provinces, excellent crops of wheat were harvested, not however, without a lowering of grades in many districts owing to bad weather during the threshing season.

### AREAS AND YIELDS OF GRAIN CROPS

The total yield of wheat in Canada for the year 1926 is estimated at 406,269,000 bushels from 22,768,449 acres, as compared with 411,375,700 bushels from 21,972,738 acres in 1925 and with 386,864,525 bushels from 22,034,320 acres, the annual averages for the four years 1922-25. The total for 1926 comprises 22,442,000 bushels from 880,154 acres of fall wheat and 383,827,000 bushels from 21,888,295 acres of spring wheat. The average yield per acre for all wheat in 1926 was 17.8 bushels, as compared with 18.7 bushels in 1925 and with 17.5 bushels the annual average for the four years 1922-25. For fall wheat the average yield per acre in 1926 was 25.5 bushels, as compared with 30 bushels in 1925 and with 25.7 bushels, the four-year average. For spring wheat the average for 1926 was 17.5 bushels, as compared with 18.3 bushels in 1925 and with 17.2 bushels, the four-year average. Oats yielded in 1926 the total of 404,598,000 bushels from 13,494,760 acres, as compared with 513,364,000 bushels from 14,672,320 acres in 1925 and





493,649,125 bushels from 14,523,161 acres, the four-year average. The average yield per acre was 30 bushels, as against 35 bushels in 1925 and 34 bushels, the four-year average. Barley yielded 103,651,100 bushels from 3,794,718 acres, as against 112,668,300 bushels from 4,075,995 acres in 1925 and 87,584,600 bushels from 3,216,832 acres, the four-year average. The average yield per acre was 27.3 bushels, as against 27.6 bushels in 1925 and 27.2 bushels, the four-year average. The total yield of flaxseed was 6,546,700 bushels from 816,311 acres as compared with 9,297,100 bushels from 1,128,100 acres in 1925 and with 7,784,950 bushels from 900,046 acres, the four-year average. The yield per acre was 8 bushels, as compared with 8.2 bushels in 1925 and 8.6 bushels, the four-year average. For the remaining grain crops the total yields for 1926 were in bushels as follows, the corresponding totals for 1925 and for the four-year average being given within brackets: Rye 11,809,900 (13,688,500; 20,761,150); peas 2,635,000, (3,410,700; 3,179,725); beans 1,159,500 (1,500,700; 1,259,950); buck-wheat 9,932,300 (10,448,800; 10,326,425); mixed grains 34,559,000 (34,301,000; 30,938,550); and corn for husking 7,815,000 (10,564,300; 12,492,075).

The wheat crop in point of yield is the third largest on record, the other large yields having been 474,199,000 bushels in 1923, 411,375,700 bushels in 1925; 399,786,400 bushels in 1922 and 393,542,600 bushels in 1915.

#### ROOT AND FODDER CROPS

The total yield of potatoes in 1926 was 48,682,000 cwt. from 545,918 acres, as compared with 42,379,900 cwt. from 545,891 acres in 1925 and 52,567,550 cwt. from 588,014 acres, the four-year average. The average yield per acre was 89.2 cwt. as compared with 77.6 cwt. in 1925 and 89.4 cwt., the four-year average. Turnips, mangolds, etc. yielded 34,576,000 cwt. from 301,782 acres, as compared with 36,868,000 cwt. from 204,376 acres in 1925 and 39,904,500 cwt. from 205,266 acres, the four-year average. Sugar beets produced 529,000 tons from 46,988 acres, as compared with 453,200 tons from 43,418 acres in 1925 and 299,700 cwt. from 30,662 acres, the four-year average. The yield per acre was 11.26 tons, as compared with 10.55 tons in 1925 and 9.77 tons, the four-year average. The total yield of hay and clover amounted in 1926 to 14,916,000 tons from 10,069,519 acres, as compared with 16,141,200 tons from 10,097,042 acres in 1925 and 15,108,650 tons from 9,924,805 acres, the four-year average. The yield per acre was 1.48 ton as against 1.60 ton in 1925 and 1.52 ton, the four-year average. Grain hay is estimated at 4,763,000 tons from 1,910,100 acres, as compared with 4,438,000 tons from 1,494,911 acres in 1925 and 3,845,300 tons from 1,794,717 acres, the four-year average. The average yield was 2.49 tons, as compared with 2.97 tons in 1925 and 2.14 tons, the four-year average. Alfalfa yielded 2,116,000 tons from 858,043 acres, as compared with 1,640,200 tons from 655,567 acres in 1925 and 1,183,000 tons from 456,551 acres, the four-year average. The yield per acre was 2.47 tons, as against 2.50 tons in 1925 and 2.59 tons, the four-year average. Fodder corn yielded 4,720,800 tons from 579,388 acres, as compared with 5,438,700 tons from 641,119 acres in 1925 and 5,592,300 tons from 668,423 acres, the four-year average.

#### GRAIN YIELDS OF THE PRAIRIE PROVINCES

The total grain yields of the three Prairie Provinces (Manitoba, Saskatchewan and Alberta) are estimated as follows, with the yields and acreages of 1925 given within brackets: wheat 379,898,000 bushels from 21,678,114 acres (382,952,000 bushels, 20,942,590 acres); oats 241,632,000 bushels from 8,245,308 acres (322,254,000 bushels, 9,391,234 acres); barley 85,581,000 bushels from 3,195,366 acres (94,141,000 bushels, 3,492,474 acres); rye 10,032,000 bushels from 630,788 acres (11,545,000 bushels, 732,536 acres); flaxseed 6,430,000 bushels from 805,118 acres (9,138,000 bushels, 1,114,423 acres).

#### QUALITY OF GRAIN CROPS

The average weights in lb. per measured bushel for all Canada are reported as follows; the averages for 1925 and for the four years 1922-25 are given within brackets: Fall wheat 59.54 (60.39; 60.36); spring wheat 59.55 (59.70; 59.43); all wheat 59.55 (59.78; 59.53);





oats 33.10 (33.75; 35.32); barley 47.10 (47.75; 47.41); fall rye 55.36 (55.22; 55.12); spring rye 55.43 (55.32; 55.12); all rye 55.38 (55.25; 55.26); peas 59.33 (59.73; 59.36); beans 58.66 (59.46; 59.40); buckwheat 47.15 (47.35; 47.62); mixed grains 41.88 (43.23; 43.67); flaxseed 54.90 (55.63; 55.03); corn for husking 54.72 (54.19; 54.77).

#### VALUES OF FIELD CROPS

The average prices per unit as received by growers at the point of production in 1926 are estimated from the reports of crop correspondents as follows, the corresponding prices for 1925 and for the four-year average 1922-25 being given within brackets: Per bushel: Fall wheat \$1.24 (\$1.21; \$1.12); spring wheat \$1.06 (\$1.11; 93 cents); all wheat \$1.09 (\$1.12; 93 cents); oats 48 cents (59 cents; 39 cents); barley 54 cents (51 cents; 53 cents); fall rye 77 cents (70 cents; 79 cents); spring rye 81 cents (76 cents; 65 cents); all rye 78 cents (71 cents; 64 cents); peas \$1.75 (\$1.65; \$1.74); beans \$2.34 (\$2.53; \$2.71); buckwheat 87 cents (85 cents; 86 cents); mixed grains 66 cents (64 cents; 64 cents); flaxseed \$1.62 (\$1.99; \$1.88); corn for husking \$1 (94 cents; 96 cents): Per cwt.: Potatoes \$1.47 (\$1.97; \$1.13); turnips, etc. 60 cents (57 cents; 53 cents). Per ton: Hay and clover \$11.97 (\$10.30; \$11.38); grain hay \$10.11 (\$9.25; \$8.01); alfalfa \$13.32 (\$12.64; \$12.18); fodder corn \$5.02 (\$4.28; \$4.76); sugar beets \$6.45 (\$6.08; \$6.63).

The total values of field crops are estimated as follows, the corresponding values for 1925 and for the four-year average 1922-25 being given within brackets: wheat \$441,355,000 (\$459,149,200; \$358,981,225); oats \$193,003,000 (\$201,050,600; \$193,012,750); barley \$55,902,000 (\$57,320,100; \$46,371,525); rye \$9,159,600 (\$9,721,800; \$13,360,900); peas \$4,609,500 (\$5,616,400; \$5,524,500); beans \$3,060,000 (\$3,878,600; \$3,417,575); buckwheat \$8,633,000 (\$8,930,600; \$8,840,525); mixed grains \$22,747,000 (\$21,900,900; \$19,370,600); flaxseed \$10,587,000 (\$18,462,500; \$14,648,650); corn for husking \$7,780,000 (\$9,938,700; \$12,435,350); potatoes \$71,598,000 (\$83,614,900; \$59,572,175); turnips, mangolds, etc. \$20,836,000 (\$20,964,400; \$21,304,375); hay and clover \$172,536,000 (\$164,525,400; \$172,001,100); grain hay \$46,154,000 (\$1,037,000; \$30,785,950); alfalfa \$28,191,000 (\$20,730,800; \$14,411,300); fodder corn \$23,685,000 (\$23,260,100; \$26,610,375); sugar beets \$3,420,000 (\$2,784,900; \$1,988,475).

The aggregate value of all field crops in 1926 is \$1,131,241,100, as compared with \$1,153,324,900 in 1925 and \$995,235,900 in 1924. Their total area amounts to 57,690,710 acres, as compared with 58,240,667 acres in 1925 and 57,852,550 acres in 1924.

#### CANADIAN WOOL CROP OF 1926

The total production of wool by Canada in 1926 is estimated at 17,180,270 lb. as compared with 15,553,045 lb. in 1925. The value of the clip of 1926 is estimated provisionally at \$3,780,000, as compared with \$3,961,000, the value of the clip of 1925. By provinces the wool clip for 1926 is as follows: Prince Edward Island 476,467 lb.; Nova Scotia 1,609,607 lb.; New Brunswick 887,761 lb.; Quebec 4,850,116 lb.; Ontario 4,926,313 lb.; Manitoba 707,325 lb.; Saskatchewan 745,555 lb.; Alberta 2,400,000 lb.; British Columbia 566,168 lb.; Indian Reserves 10,388 lb.

#### PRODUCTION OF FARM EGGS, 1926

The production of farm eggs by Canada in 1926 is estimated at 237,080,399 dozen of the value of \$66,198,285, as compared with 224,778,867 dozen of the value of \$57,950,340 in 1925. By provinces the estimated production and value for 1926 are as follows: Prince Edward Island 3,709,115 dozen, value \$1,032,552; Nova Scotia 3,331,657 dozen, value \$1,086,864; New Brunswick 3,931,793 dozen, value \$1,100,891; Quebec 34,081,125 dozen, value \$10,906,930; Ontario 20,228,530 dozen, value \$27,188,559; Manitoba 16,646,277 dozen, value \$3,995,250; Saskatchewan 38,224,433 dozen, value \$9,173,364; Alberta 28,510,014 dozen, value \$6,942,403; British Columbia 17,113,770 dozen, value \$4,791,576; Indian Reserves 164,123 dozen, value \$74,368.





# Area, Yield, Quality and Value of Principal Field Crops in Canada, 1926.

Field Crops	Area	Yield per Acre	Total Yield	Weight per Measur- ed bushel	Aver- age price	Total Value
	acres	bush.	bush.	lb.	\$ c.	\$
<b>CANADA-</b>						
Fall Wheat	21,888,295	17.5	383,827,000	59.51	1.34	27,763,000
Spring wheat	22,768,449	17.2	406,269,000	59.56	1.08	416,592,000
All wheat	13,494,780	30.0	404,598,000	33.10	1.09	441,355,000
Oats	3,794,718	27.3	103,651,100	47.10	0.42	193,003,000
Barley	561,589	16.6	9,296,000	55.39	0.54	55,903,000
Fall rye	175,545	14.3	2,513,300	55.43	0.77	7,131,000
Spring rye	737,114	16.1	11,809,900	55.38	0.31	2,022,600
All rye	145,060	13.2	2,635,000	59.33	0.78	9,159,600
Peas	71,593	16.2	1,159,500	58.68	1.75	4,602,500
Beans	460,625	21.6	9,932,300	47.15	2.64	3,060,000
Buckwheat	980,117	35.3	34,559,000	41.86	0.87	2,638,000
Mixed grains	816,311	8.0	6,546,700	54.90	0.66	22,747,000
Flaxseed	209,735	37.2	7,815,000	54.73	1.62	10,587,000
Corn for husking		cwt.	cwt.		1.00	7,780,000
Potatoes	545,918	89.2	48,882,000	-	per cwt.	
Turnips, etc.	201,782	171.3	34,576,000	-	1.47	71,598,000
		tons	tons		0.60	20,836,000
Hay & Clover	10,069,519	1.48	14,916,000	-	per ton	
Grain hay	1,910,100	2.49	4,763,000	-	11.97	178,526,000
Alfalfa	858,043	2.47	2,116,000	-	10.11	48,154,000
Fodder corn	579,828	8.14	4,720,800	-	13.32	28,191,000
Sugar beets	46,988	11.26	529,000	-	5.02	23,685,000
Total	57,690,710				6.45	3,410,000
						1,131,241,100
<b>PRINCE EDWARD ISLAND-</b>						
Spring wheat	31,238	18.0	562,000	59.15	per bush.	
Oats	160,590	34.7	5,564,000	35.81	1.48	335,000
Barley	5,235	32.9	172,000	48.82	0.59	3,282,000
Peas	162	16.0	3,000	60.00	0.95	163,000
Buckwheat	2,263	29.3	84,000	47.46	2.50	7,500
Mixed grains	21,642	36.2	783,000	42.95	0.88	74,000
		cwt.	cwt.		0.76	598,000
Potatoes	34,891	131.9	4,603,000	-	per cwt.	
Turnips, etc.	10,334	201.8	2,086,000	-	1.30	5,992,000
		tons	tons		0.71	1,472,000
Hay & Clover	251,977	1.70	429,000	-	per ton	
Fodder corn	756	5.00	3,800	-	10.76	4,641,000
Total	519,693				4.00	15,000
						17,079,500
<b>NOVA SCOTIA-</b>						
Spring wheat	8,877	16.8	149,000	57.22	per bush.	
Oats	113,957	33.8	3,849,000	33.37	1.58	235,000
Barley	7,005	27.1	191,600	46.56	0.73	3,014,000
Spring rye	143	20.0	2,900	56.00	1.37	3,433,000
Peas	665	20.0	13,000	30.00	1.25	3,600
Beans	1,927	15.8	30,500	53.05	3.20	42,000
Buckwheat	7,458	23.2	175,300	45.92	4.25	129,000
Mixed grains	4,377	31.1	136,000	44.70	1.20	208,000
		cwt.	cwt.		0.95	129,000
Potatoes	29,453	105.6	3,113,000	-	per cwt.	
Turnips, etc.	14,853	220.2	3,372,000	-	1.43	1,641,000
		tons	tons		0.35	2,781,000
Hay & Clover	522,039	1.62	844,000	-	per ton	
Fodder corn	1,170	8.25	10,000	-	15.25	11,123,000
Total	712,037				4.00	40,000
						24,838,300
<b>NEW BRUNSWICK-</b>						
Spring wheat	10,913	16.5	180,000	53.73	per bush.	
Oats	204,636	25.0	5,112,000	33.36	1.73	320,000
Barley	6,553	20.8	135,500	46.35	0.71	3,634,000
Spring rye	320	14.9	5,000	53.00	0.32	125,000
Peas	1,467	13.0	18,000	53.35	1.25	6,000
Beans	1,327	14.3	19,000	51.75	3.35	43,000
					3.75	71,000





	acres	bush.	bush.	lb.	\$ c.	\$
<b>NEW BRUNSWICK-Con.</b>						
Buckwheat	45,503	20.7	941,000	47.14	0.83	837,000
Mixed grains	2,331	31.3	90,000	45.75	0.84	76,000
		cwt.	cwt.		per cwt.	
Potatoes	42,744	143.5	6,080,000	-	1.32	8,039,000
Turnips, etc.	12,235	211.6	2,528,000	-	0.50	1,295,000
		tons	tons		per ton	
Hay & Clover	559,019	1.45	813,000	-	10.75	8,740,000
Fodder corn	3,373	9.50	38,000	-	4.00	152,000
Total	891,831					23,338,000
<b>QUEBEC-</b>						
		bush.	bush.		per bush.	
Spring wheat	64,000	17.1	1,094,000	58.21	1.75	1,915,000
Oats	1,856,000	26.3	49,741,000	33.82	0.64	31,834,000
Barley	124,000	23.5	2,914,000	46.52	1.02	2,972,000
Spring rye	12,500	15.9	199,000	56.81	1.59	316,000
Peas	38,000	15.6	593,000	59.86	2.52	1,494,000
Beans	14,600	17.5	256,000	58.06	2.71	694,000
Buckwheat	154,000	22.8	3,511,000	47.11	0.98	3,441,000
Mixed grains	115,000	27.0	3,105,000	43.49	0.86	2,670,000
Flaxseed	2,500	11.2	28,000	56.55	2.45	69,000
Corn for husking	30,400	30.5	927,000	55.32	1.41	1,307,000
		cwt.	cwt.		per cwt.	
Potatoes	159,000	92.3	14,676,000	-	1.40	20,548,000
Turnips, etc.	34,000	145.3	4,340,000	-	0.57	2,816,000
		tons	tons		per ton	
Hay & Clover	4,153,000	1.35	5,607,000	-	11.72	65,714,000
Alfalfa	22,200	1.95	43,000	-	7.50	323,000
Fodder corn	88,000	7.96	700,000	-	4.50	3,150,000
Total	6,867,200					139,263,000
<b>ONTARIO-</b>						
		bush.	bush.		per bush.	
Fall wheat	807,015	26.0	20,934,000	59.54	1.24	26,053,000
Spring wheat	115,497	13.8	2,166,000	57.61	1.31	2,835,000
All wheat	922,512	25.0	23,100,000	58.86	1.25	28,888,000
Oats	2,831,755	33.8	95,722,000	30.62	0.52	49,644,000
Barley	449,095	32.2	14,447,000	47.02	0.68	9,754,000
Fall rye	86,355	17.4	1,501,000	55.83	0.90	1,351,000
Peas	97,865	19.2	1,880,000	59.20	1.46	2,755,000
Beans	51,721	15.8	819,000	58.71	2.54	2,081,000
Buckwheat	234,870	21.2	4,975,000	47.17	0.78	3,282,000
Mixed grains	770,981	37.1	28,578,000	41.44	0.64	18,232,000
Flaxseed	7,712	9.8	75,700	55.50	2.13	161,000
Corn for husking	179,325	38.4	6,886,000	54.65	0.94	6,473,000
		cwt.	cwt.		per cwt.	
Potatoes	153,468	64.5	9,898,000	-	1.87	18,509,000
Turnips, etc.	107,181	172.6	18,503,000	-	0.46	8,511,000
		tons	tons		per ton	
Hay & Clover	3,333,722	1.55	5,239,000	-	12.75	66,797,000
Alfalfa	743,473	2.47	1,350,000	-	13.25	24,518,000
Fodder corn	367,772	9.51	3,437,000	-	4.78	16,646,000
Sugar beets	41,594	11.32	471,000	-	6.50	3,062,000
Total	10,434,401					261,264,000
<b>MANITOBA-</b>						
		bush.	bush.		per bush.	
Spring wheat	2,285,838	22.6	51,677,000	59.41	1.09	56,328,000
Oats	1,643,979	31.9	52,517,000	34.59	0.43	22,583,000
Barley	1,760,279	28.9	50,808,000	47.21	0.49	34,896,000
Fall rye	200,559	15.9	3,183,000	55.30	0.76	2,419,000
Spring rye	26,831	15.0	403,000	56.26	0.74	298,000
All rye	227,390	15.3	3,586,000	55.54	0.76	2,717,000
Peas	1,156	18.1	21,000	58.80	1.80	38,000
Buckwheat	15,926	15.6	248,000	48.17	0.79	196,000
Mixed grains	14,438	30.1	435,000	49.80	0.50	218,000
Flaxseed	195,359	10.5	2,043,000	55.24	1.62	3,310,000
		cwt.	cwt.		per cwt.	
Potatoes	29,043	33.3	2,368,000	-	0.93	2,202,000
Turnips, etc.	4,411	97.0	428,000	-	0.88	377,000
		tons	tons		per ton	
Hay & Clover	346,729	1.66	575,000	-	10.00	5,750,000
Alfalfa	8,620	1.90	17,000	-	12.22	208,000
Fodder corn	28,716	6.44	185,000	-	6.50	1,203,000
Total	6,561,884					120,026,000





	acres	bush.	bush.	lb.	\$ c.	\$
<u>SASKATCHEWAN-</u>						
Spring wheat	13,277,358	16.2	215,101,000	59.67	1.08	232,309,000
Oats	4,694,134	28.1	131,905,000	34.68	0.42	55,400,000
Barley	1,030,398	25.1	25,863,000	47.14	0.45	11,638,000
Fall rye	201,966	18.5	3,736,000	55.20	0.74	2,765,000
Spring rye	89,770	15.1	1,356,000	55.07	0.74	1,003,000
All rye	291,736	17.5	5,092,000	55.17	0.74	3,768,000
Peas	1,778	15.0	27,000	60.00	1.80	49,000
Beans	845	14.0	12,000	60.00	2.10	25,000
Mixed grains	30,534	26.2	800,000	43.75	0.53	424,000
Flaxseed	597,282	7.2	4,305,000	54.69	1.60	6,904,000
		cwt.	cwt.		per cwt.	
Potatoes	44,823	67.6	3,030,000	-	1.45	4,394,000
Turnips, etc.	3,387	87.0	295,000	-	1.08	319,000
		tons	tons		per ton	
Hay & Clover	407,328	1.40	570,000	-	8.00	4,560,000
Alfalfa	5,299	2.42	13,000	-	13.25	172,000
Fodder corn	33,073	2.91	96,000	-	10.00	960,000
Total	20,419,175					320,922,000
<u>ALBERTA-</u>						
		bush.	bush.		per bush.	
Fall wheat	58,128	18.5	1,073,000	59.44	1.05	1,127,000
Spring wheat	6,056,290	18.5	112,047,000	59.46	1.05	117,649,000
All wheat	6,114,418	18.5	113,120,000	59.46	1.05	118,776,000
Oats	1,307,195	30.0	57,210,000	34.12	0.38	21,740,000
Barley	404,992	22.0	8,910,000	46.83	0.42	3,742,000
Fall rye	72,689	12.0	876,000	55.48	0.68	596,000
Spring rye	38,973	12.0	468,000	55.09	0.68	318,000
All rye	111,662	12.0	1,344,000	55.34	0.68	914,000
Peas	1,061	15.0	16,000	60.00	2.28	36,000
Beans	410	14.0	6,000	60.00	2.60	16,000
Mixed grains	15,735	29.8	469,000	41.17	0.54	253,000
Flaxseed	11,777	7.0	82,000	55.71	1.50	123,000
		cwt.	cwt.		per cwt.	
Potatoes	32,551	91.1	2,967,000	-	1.31	3,887,000
Turnips, etc.	8,596	128.8	1,107,000	-	1.81	2,004,000
		tons	tons		per ton	
Hay & Clover	278,723	1.74	485,000	-	11.00	5,335,000
Grain hay	1,850,000	2.50	4,625,000	-	10.00	46,250,000
Alfalfa	52,766	2.57	136,000	-	14.50	1,972,000
Fodder corn	50,000	2.50	125,000	-	7.50	938,000
Sugar beets	5,394	10.70	58,000	-	6.00	348,000
Total	10,845,280					206,334,000
<u>BRITISH COLUMBIA-</u>						
		bush.	bush.		per bush.	
Fall wheat	15,011	22.0	435,000	60.23	1.34	583,000
Spring wheat	37,781	22.5	851,000	59.45	1.37	1,166,000
All wheat	52,792	24.4	1,286,000	59.71	1.36	1,749,000
Oats	82,464	36.0	2,972,000	35.60	0.63	1,872,000
Barley	7,096	29.5	209,000	48.84	0.85	178,000
Spring rye	7,008	11.4	80,000	55.75	1.05	84,000
Peas	2,906	22.0	64,000	59.73	2.28	146,000
Beans	763	22.1	17,000	60.00	2.60	44,000
Mixed grains	4,529	36.1	163,000	47.00	0.90	147,000
Flax	981	13.2	13,000	57.00	1.55	20,000
		cwt.	cwt.		per cwt.	
Potatoes	19,946	97.0	1,935,000	-	1.75	3,386,000
Turnips, etc.	6,780	200.0	1,356,000	-	0.93	1,261,000
		tons	tons		per ton	
Hay & Clover	166,952	2.12	354,000	-	16.40	5,806,000
Grain hay	60,100	2.30	138,000	-	13.80	1,904,000
Alfalfa	20,685	2.76	57,000	-	17.50	998,000
Fodder corn	6,417	10.24	66,000	-	8.80	581,000
Total	439,419					18,176,000



1010525469