

22-002

no. 48

1929

c. 1

led by Authority of Hon. James Malcolm, M.P.  
Minister of Trade and Commerce

C.R.No.15  
1930-2,200

DEPARTMENT OF TRADE AND COMMERCE  
DOMINION BUREAU OF STATISTICS - CANADA  
AGRICULTURAL BRANCH

Dominion Statistician:

R. H. Coats, B.A., F.S.S.(Hon.), F.R.S.C.

Chief, Agricultural Branch:

F. J. Horning, B.A., F.S.S.

Ottawa, January 23, 1930, 4 p.m.- The Dominion Bureau of Statistics issued to-day, subject to final revision, the annual report on the area, yield, quality and value of the field crops of Canada for the year 1929. As in previous years, the data have been determined in agreement with the Provincial Governments, except as regards Quebec, for which estimates are made solely by the Dominion Bureau. For yields and values for 1929, the report is based upon final returns made by crop correspondents during the month of December, 1929.

### AGRICULTURAL SEASON OF 1929.

The summer of 1929 will be remembered for the unusual and prolonged drought which seriously reduced the year's out-turn. In Western Canada, in spite of a cool and backward season, larger areas were sown by the end of April than in the two previous years. While germination and growth were slow at first owing to cold, dry weather, rains and warmer weather later brought conditions up to the average by the end of May. In June, however, drought set in and the condition of the crop deteriorated steadily as the heat and absence of rain continued. Grain crops in the West matured rapidly and with generally favourable weather, harvesting and threshing were completed in record time. Yields, while widely variable, were found to be, not only greatly inferior to those of 1928, but also much below the average. A very satisfactory feature of the season was the particularly high quality of the grain, inspections showing a larger proportion of higher grades than for several years. The recovery in the prices of grain also came as a welcome, if partial, offset to the lower yields. In Ontario the wet and backward spring, followed by the long drought, resulted in reduced grain yields. The quality, however, was, on the whole, good. Hay yielded well up to average; corn, considering its poor start, developed into a fair crop, but the yield of potatoes in Ontario was low. In Quebec, where the rainfall was not so deficient, an excellent return was secured, superior to that of 1928. In the Maritime Provinces, the season's operations have been generally satisfactory. In Nova Scotia the production of apples was the largest in several years. Fair yields of grains of good quality were realized in British Columbia. The apple crop was considerably below last year, while strawberries and cherries yielded heavily. Throughout Canada, pastures, and consequently milk production, showed the effect of drought, while fall ploughing was rendered difficult owing to the hard dry condition of the soil.

### AREAS AND YIELDS OF GRAIN CROPS

The total yield of wheat in Canada for the year 1929 is estimated at 299,520,000 bushels from 25,255,002 acres, as compared with 566,726,000 bushels from 24,119,140 acres in 1928 and with 422,219,740 bushels from 22,464,089 acres, the annual averages for the five-years 1924-28. The total for 1929 comprises 20,504,000 bushels from 834,284 acres of fall wheat and 279,016,000 bushels from 24,420,718 acres of spring wheat. The average yield per acre for all wheat in 1929 was 11.9 bushels, as compared with 23.5 bushels in 1928 and with 18.8 bushels, the average for the years 1924-28. For fall wheat, the average yield per acre in 1929 was 24.6 bushels, as compared with 24.5 bushels in 1928 and with 27.0 bushels, the five-year average. For spring wheat the average yield for 1929 was 11.4 bushels, as compared with 23.5 bushels in 1928 and with 18.5 bushels, the five-year average. Oats yielded 282,838,300 bushels from 12,479,477 acres, as compared with 452,153,000 bushels from 13,136,516 acres in 1928 and 416,710,740 bushels from 13,232,957 acres, the five-year average. The average yield per acre was 22.7 bushels, as against 34.4 bushels in 1928 and 31.5 bushels, the five-year average. Barley yielded 102,313,300 bushels from 5,925,542 acres, as against 136,391,400 bushels from 4,880,740 acres in 1928 and 101,848,360 bushels from 3,793,058 acres, the five-year average. The average yield per acre was 17.3 bushels, as against 27.9 bushels in 1928 and 26.9 bushels, the five-year average. The total yield of flaxseed was 2,060,400 bushels from 382,359 acres, as against 3,614,400 bushels from



378,081 acres in 1928 and 6,085,100 bushels from 742,305 acres, the five-year average. The yield per acre was 5.4 bushels, as compared with 9.6 bushels in 1928 and 8.2 bushels, the five-year average. For the remaining grain crops, the total yields for 1929 were, in bushels, as follows, with the corresponding totals for 1928 and the five-year average within brackets: Rye 13,160,500 (14,617,700; 13,055,320); peas 1,979,800 (2,588,300; 2,933,760); beans 1,491,300 (1,170,500; 1, 212,420); buckwheat 10,470,100 (10,899,300; 10,725,880); mixed grains 35,753,700 (39,130,000; 35,145,500); corn for husking 5,183,000 (5,241,000; 7,975,660).

#### ROOT AND FODDER CROPS.

The total yield of potatoes in 1929 was 39,930,000 cwt. from 543,727 acres, as compared with 50,195,000 cwt. from 599,063 acres in 1928 and with 48,090,980 cwt. from 555,707 acres, the five-year average. The average yield per acre was 73.4 cwt., as compared with 83.8 cwt. in 1928 and 86.5 cwt., the five-year average. Turnips, mangolds, etc., yielded 36,228,000 cwt. from 205,455 acres, as compared with 43,623,000 cwt. from 202,447 acres in 1928 and 38,393,600 cwt. from 198,927 acres, the five-year average. The yield per acre was 176.3 cwt., as compared with 215.5 cwt. in 1928 and 193.0 cwt., the five-year average. Sugar beets produced 364,000 tons from 43,464 acres, as compared with 433,000 tons from 51,294 acres in 1928 and 428,240 tons from 44,377 acres, the five-year average. The yield per acre was 8.37 tons, as compared with 8.44 tons in 1928 and 9.65 tons, the five-year average. The total yield of hay and clover in 1929 amounted to 15,833,000 tons from 10,560,101 acres, as compared with 16,515,000 tons from 10,320,863 acres in 1928 and 15,573,100 tons from 9,900,353 acres, the five-year average. The yield per acre was 1.50 tons, as against 1.60 tons in 1928 and 1.57 tons, the five-year average. Grain hay is estimated at 2,099,000 tons from 1,647,095 acres, as compared with 4,021,000 tons from 1,614,305 acres in 1928 and 4,419,600 tons from 1,813,412 acres, the five-year average. The average yield was 1.27 tons, as compared with 2.49 tons in 1928 and 2.44 tons, the five-year average. Alfalfa yielded 1,835,000 tons from 798,951 acres, as compared with 2,009,500 tons from 853,818 acres in 1928 and 1,813,400 tons from 742,160 acres, the five-year average. The yield per acre was 2.30 tons, as compared with 2.35 tons in 1928 and 2.44 tons, the five-year average. Fodder corn yielded 3,322,300 tons from 422,848 acres, as compared with 3,666,400 tons from 440,898 acres in 1928 and 4,427,220 tons from 532,224 acres, the five-year average. The yield per acre was 7.86 tons, as compared with 8.32 tons in 1928 and 8.32 tons, the five-year average.

#### GRAIN YIELDS OF THE PRAIRIE PROVINCES.

The total grain yields of the three Prairie Provinces are estimated as follows, with the yields and acreages of 1928 given within brackets: Wheat 276,664,000 bushels from 24,297,116 acres (544,598,000 bushels from 23,158,505 acres); oats 141,620,000 bushels from 7,731,937 acres (297,676,000 bushels from 8,157,411 acres); barley 79,787,000 bushels from 5,114,203 acres (112,684,000 bushels from 4,104,250 acres); rye 11,982,000 bushels from 922,217 acres (13,158,000 bushels from 753,915 acres); flaxseed 1,970,000 bushels from 373,415 acres (3,519,400 bushels from 367,385 acres).

#### QUALITY OF GRAIN CROPS.

The average weights in lb. per measured bushels for all Canada in 1929 are reported as follows, the averages for 1928 and for the five-years 1924-28 being given within brackets: Fall wheat 60.36 (59.67; 59.90); spring wheat 60.80 (59.75; 59.38); all wheat 60.77 (59.74; 59.42); oats 35.03 (34.62; 34.35); barley 47.31 (47.04; 47.22); fall rye 56.24 (55.54; 55.52); spring rye 55.11 (55.18; 55.42); all rye 55.95 (55.44; 55.47); peas 59.55 (59.42; 59.66); beans 59.78 (59.82; 59.48); buckwheat 47.60 (47.45; 47.38); mixed grains 42.53 (42.15; 42.54); flaxseed 55.56 (55.16; 55.18); corn for husking 55.64 (53.19; 54.18).

#### VALUE OF FIELD CROPS.

The average prices per unit as received by growers at the point of production in 1929 are estimated from the reports of crop correspondents as follows, the prices for 1928 and for the five-year average 1924-28 being given with brackets: Per bushel: Fall wheat \$1.24 (\$1.15; \$1.22); spring wheat \$1.15 (78 cents; \$1.02);



all wheat \$1.16 (80 cents; \$1.03); oats 60 cents (47 cents; 47 cents); barley 62 cents (56 cents; 59 cents); fall rye 84 cents (78 cents; 83 cents); spring rye 86 cents (80 cents; 85 cents); all rye 84 cents (79 cents; 83 cents); peas \$2.06 (\$1.85; \$1.75); beans \$3.30 (\$3.57; \$2.78); buckwheat 94 cents (93 cents; 89 cents); mixed grains 76 cents (71 cents; 69 cents); flaxseed \$2.38 (\$1.59; \$1.76); corn for husking \$1.06 (\$1.12; \$1.05). Per cwt.: Potatoes \$1.59 (81 cents; \$1.23); turnips, etc. 53 cents (47 cents; 50 cents); Per ton: Hay and clover \$11.65 (\$10.37; \$10.83); grain hay \$12.05 (\$10.08; \$9.74); alfalfa \$12.63 (\$11.51; \$12.28); fodder corn \$4.59 (\$4.69; \$4.67); sugar beets \$6.85 (\$7.25; \$6.83).

The total values of field crops are estimated as follows, the corresponding values for 1928 and for the five-year average being given within brackets: Wheat \$346,502,000 (\$451,235,000; \$435,869,040); oats \$169,433,000 (\$210,956,000; \$197,758,320); barley \$63,071,000 (\$76,112,000; \$60,027,620); rye \$11,095,000 (\$11,491,000; \$10,878,720); peas \$4,079,400 (\$4,786,000; \$5,129,340); beans \$4,920,000 (\$4,184,000; \$3,367,160); buckwheat \$9,867,000 (\$10,128,000; \$9,513,320); mixed grains \$27,227,000 (\$27,672,000; \$24,223,180); flaxseed \$4,898,000 (\$5,758,000; \$10,679,760); corn for husking \$5,469,000 (\$5,860,000; \$8,403,540); potatoes \$63,372,000 (\$40,874,000; \$59,046,980); turnips, etc. \$19,062,000 (\$20,700,000; \$19,306,080); hay and clover \$184,528,000 (\$171,225,000; \$168,601,280); grain hay \$25,287,000 (\$40,540,000; \$43,044,600); alfalfa \$23,183,000 (\$23,138,000; \$22,264,560); fodder corn \$15,265,000 (\$17,204,000; \$20,654,020); sugar beets \$2,492,000 (\$3,140,000; \$2,924,580);

The aggregate value of all field crops in 1929 is \$979,750,400, as compared with \$1,125,003,000 in 1928 and \$1,173,133,600 in 1927. The total area amounts to 61,207,034 acres, as compared with 59,351,811 acres in 1928 and 56,172,310 acres in 1927.

#### WOOL CLIP OF CANADA, 1929.

The total production of wool in Canada in 1929 is estimated at 21,234,000 lb., as compared with 19,611,430 lb. in 1928. The value of the clip of 1929 is estimated provisionally at \$4,247,000, as compared with \$5,099,000 in 1928. By provinces, the wool clip for 1929 is, in pounds, as follows: Prince Edward Island 553,000; Nova Scotia 1,584,000; New Brunswick 866,000; Quebec 5,498,000; Ontario 6,300,000; Manitoba 1,015,000; Saskatchewan 1,192,000; Alberta 3,054,000; British Columbia 1,156,000; Indian Reserves 16,000.

Table 1-Area, Yield, Quality and Value of Principal Field Crops in Canada, 1929.

Crops	Area	Yield per Acre	Total Yield	Weight per measured bushel	Average Price	Total Value
	Acres	Bush.	Bush.	Lb.	\$	\$
<b>CANADA -</b>						
Fall Wheat	834,284	24.6	20,504,000	60.36	per bush. 1.24	25,450,000
Spring wheat	24,420,718	11.4	279,016,000	60.80	1.15	321,052,000
All wheat	25,255,002	11.9	299,520,000	60.77	1.16	346,502,000
Oats	12,479,477	22.7	282,838,300	35.03	0.60	169,433,000
Barley	5,925,542	17.3	102,313,300	47.31	0.62	63,071,000
Fall rye	664,193	14.7	9,775,000	56.24	0.84	8,188,000
Spring rye	327,751	10.3	3,385,500	55.11	0.86	2,907,000
All rye	991,944	13.3	13,160,500	55.95	0.84	11,095,000
Peas	125,194	15.8	1,979,800	59.55	2.06	4,079,400
Beans	86,290	17.3	1,491,300	59.78	3.30	4,920,000
Buckwheat	515,976	20.3	10,470,100	47.60	0.94	9,867,000
Mixed grains	1,118,649	32.0	35,753,700	42.53	0.76	27,227,000
Flaxseed	382,359	5.4	2,060,400	55.56	2.38	4,898,000
Corn for husking	152,055	34.1	5,183,000	55.64	1.06	5,469,000
Potatoes	543,727	cwt. 73.4	cwt. 39,930,000	-	per cwt. 1.59	63,372,000
Turnips, etc.	205,455	176.3	36,228,000	-	0.53	19,062,000
Hay and clover	10,560,101	tons 1.50	tons 15,833,000	-	per ton 11.65	184,528,000
Alfalfa	798,951	2.30	1,835,000	-	12.63	23,183,000
Fodder corn	422,848	7.86	3,322,300	-	4.59	15,265,000
Sugar beets	43,464	8.37	364,000	-	6.85	2,492,000
Grain hay	1,647,095	1.27	2,099,000	-	12.05	25,287,000
Total	61,207,034					979,750,400
<b>PRINCE EDWARD ISLAND -</b>						
Spring wheat	27,057	bush. 16.7	bush. 452,000	58.93	per bush. 1.59	719,000
Oats	170,105	32.5	5,524,000	35.55	0.65	3,591,000
Barley	5,870	24.7	145,000	48.75	1.02	148,000
Peas	211	20.0	4,200	62.00	2.00	8,400
Buckwheat	3,091	22.3	68,900	47.69	1.06	73,000
Mixed grains	28,045	32.3	906,000	43.00	0.75	680,000
Potatoes	42,500	cwt. 89.9	cwt. 3,820,000	-	per cwt. 1.59	6,074,000
Turnips, etc.	11,116	284.4	3,161,000	-	0.41	1,296,000
Hay and clover	257,188	tons 1.37	tons 352,000	-	per ton 12.29	4,326,000
Fodder corn	580	10.86	6,300	-	4.00	25,000
Total	545,763					16,940,400
<b>NOVA SCOTIA -</b>						
Spring wheat	6,056	bush. 15.7	bush. 95,000	58.66	per bush. 1.72	163,000
Oats	109,836	32.1	3,523,300	34.13	0.87	3,065,000
Barley	10,868	26.9	292,500	47.67	1.16	339,000
Spring rye	172	15.0	3,000	56.00	1.40	4,000
Peas	774	17.6	13,600	60.28	2.91	40,000
Beans	2,461	16.6	40,800	59.45	3.84	157,000
Buckwheat	8,221	23.0	189,100	47.76	1.07	202,000
Mixed grains	4,800	32.9	158,100	44.00	1.15	182,000
Potatoes	30,783	cwt. 93.3	cwt. 2,872,000	-	per cwt. 1.37	3,935,000
Turnips, etc.	15,516	222.6	3,454,000	-	0.60	2,072,000
Hay and clover	540,841	tons 1.60	tons 876,000	-	per ton 12.25	10,731,000
Fodder corn	1,026	10.78	11,000	-	5.00	55,000
Total	731,354					20,945,000
<b>NEW BRUNSWICK -</b>						
Spring wheat	8,916	bush. 18.8	bush. 163,000	59.27	per bush. 1.87	314,000
Oats	216,530	30.4	6,588,000	34.61	0.79	5,205,000
Barley	9,448	27.4	258,800	48.45	0.99	256,000
Spring rye	565	15.0	8,000	56.00	1.40	11,000
Peas	1,753	16.5	29,000	59.00	2.75	80,000
Beans	1,515	18.2	27,500	60.20	3.75	103,000
Buckwheat	44,553	23.9	1,064,100	47.87	0.96	1,022,000
Mixed grains	4,055	32.0	129,600	42.57	1.10	143,000



	Acres	Cwt.	Cwt.	Lb.	\$	\$
<b>NEW BRUNSWICK - Con.</b>						
Potatoes	45,215	102.8	4,646,000	-	per cwt. 1.35	6,272,000
Turnips, etc.	13,790	196.5	2,710,000	-	0.50	1,355,000
		tons	tons		per ton	
Hay and clover	559,203	1.32	736,000	-	12.16	8,950,000
Fodder corn	3,136	9.90	31,000	-	4.00	124,000
Total	908,659					23,835,000
<b>QUEBEC -</b>						
		Bush.	Bush.		per bush.	
Spring wheat	58,266	17.1	995,000	59.21	1.63	1,622,000
Oats	1,826,042	26.0	47,475,000	35.14	0.76	36,081,000
Barley	154,016	22.8	3,512,000	47.23	1.07	3,758,000
Spring rye	10,954	15.8	173,500	56.44	1.47	255,000
Peas	34,806	15.5	539,000	59.66	2.95	1,590,000
Beans	16,731	17.1	286,000	59.45	3.70	1,058,000
Buckwheat	159,707	21.9	3,495,000	47.70	1.04	3,635,000
Mixed grains	134,500	26.4	3,552,000	44.10	0.95	3,374,000
Flaxseed	2,996	12.1	36,400	53.57	2.54	92,000
Corn for husking	32,055	22.9	733,000	54.88	1.39	1,019,000
		cwt.	cwt.		per cwt.	
Potatoes	162,411	95.0	15,429,000	-	1.28	19,749,000
Turnips, etc.	40,357	206.1	8,333,000	-	0.64	5,333,000
		tons	tons		per ton	
Hay and clover	4,306,727	1.46	6,306,000	-	11.30	71,258,000
Alfalfa	24,078	1.91	46,000	-	11.72	539,000
Fodder corn	87,879	10.07	885,000	-	4.86	4,301,000
Total	7,051,605					153,664,000
<b>ONTARIO -</b>						
		bush.	bush.		per bush.	
Fall wheat	691,662	25.8	17,821,000	60.16	1.26	22,454,000
Spring wheat	106,610	18.1	1,930,000	58.38	1.27	2,451,000
All wheat	798,272	24.7	19,751,000	60.03	1.26	24,905,000
Oats	2,335,310	31.5	73,640,000	33.81	0.62	45,657,000
Barley	622,063	29.0	18,032,000	47.52	0.78	14,065,000
Fall rye	52,023	16.8	873,000	56.12	0.99	864,000
Peas	79,523	15.5	1,236,000	59.51	1.65	2,039,000
Beans	63,732	17.5	1,113,000	59.86	3.18	3,539,000
Buckwheat	294,388	18.9	5,562,000	47.45	0.87	4,839,000
Mixed grains	892,897	33.5	29,904,000	42.29	0.74	22,129,000
Flaxseed	5,492	8.5	47,000	55.25	2.38	112,000
Corn for husking	120,000	37.1	4,450,000	55.77	1.00	4,450,000
		cwt.	cwt.		per cwt.	
Potatoes	148,435	57.2	8,484,000	-	1.82	15,441,000
Turnips, etc.	104,674	156.7	16,400,000	-	0.40	6,563,000
		tons	tons		per ton	
Hay and clover	3,493,175	1.65	5,755,000	-	11.47	66,010,000
Alfalfa	685,880	2.33	1,596,000	-	12.26	19,567,000
Fodder corn	287,566	7.73	2,221,000	-	4.31	9,573,000
Sugar beets	36,864	8.25	304,000	-	6.66	2,025,000
Total	10,020,294					241,778,000
<b>MANITOBA -</b>						
		bush.	bush.		per bush.	
Spring wheat	2,300,615	13.7	31,565,000	60.74	1.19	37,562,000
Oats	1,558,404	19.7	30,740,000	34.86	0.55	16,907,000
Barley	2,181,895	16.7	36,518,000	47.41	0.59	21,546,000
Fall rye	60,171	16.6	1,000,000	56.19	0.86	860,000
Spring rye	24,869	12.4	309,000	55.73	0.85	263,000
All rye	85,040	15.4	1,309,000	56.08	0.86	1,123,000
Peas	1,476	22.6	33,000	59.40	1.74	57,000
Buckwheat	6,036	15.0	91,000	49.00	1.05	96,000
Mixed grains	11,569	19.1	221,000	41.25	0.62	137,000
Flaxseed	62,474	7.1	145,000	55.82	2.42	1,077,000
		cwt.	cwt.		per cwt.	
Potatoes	30,436	38.2	1,161,000	-	2.30	2,670,000
Turnips, etc.	4,642	66.5	309,000	-	0.96	297,000
		tons	tons		per ton	
Hay and clover	420,978	1.35	570,000	-	11.15	6,356,000
Alfalfa	11,229	1.59	18,000	-	15.60	281,000
Fodder corn	12,369	3.50	43,000	-	5.25	226,000
Total	6,687,163					88,335,000



	Acres	Bush.	Bush.	lb.	\$	\$
<u>SASKATCHEWAN</u>						
Spring wheat	14,445,286	10.7	154,565,000	60.17	per bush. 1.14	176,204,000
Oats	4,255,789	16.2	68,944,000	34.81	0.51	35,161,000
Barley	2,228,604	13.8	30,755,000	47.01	0.53	16,300,000
Fall rye	452,194	14.0	6,331,000	56.34	0.82	5,191,000
Spring rye	189,444	10.4	1,970,000	54.53	0.82	1,615,000
All rye	641,638	12.9	8,301,000	55.91	0.82	6,806,000
Peas	1,503	10.0	15,000	60.00	2.25	34,000
Beans	824	8.0	7,000	60.00	3.00	21,000
Mixed grains	22,607	15.2	344,000	43.51	0.54	186,000
Flaxseed	298,302	4.9	1,462,000	55.55	2.37	3,465,000
		cwt.	cwt.		per cwt.	
Potatoes	41,637	27.6	1,149,000	-	2.62	3,010,000
Turnips, etc.	3,196	22.9	73,000	-	1.50	110,000
		tons	tons		per ton	
Hay and clover	460,437	1.09	502,000	-	11.48	5,763,000
Alfalfa	10,344	1.41	15,000	-	13.44	202,000
Fodder corn	10,065	1.05	11,000	-	10.22	112,000
Total	22,420,232					247,374,000
<u>ALBERTA</u>						
		bush.	bush.		per bush.	
Fall wheat	128,253	18.3	2,353,000	62.00	1.08	2,541,000
Spring wheat	7,422,962	11.9	88,181,000	62.00	1.14	100,526,000
All wheat	7,551,215	12.0	90,534,000	62.00	1.14	103,067,000
Oats	1,917,744	21.9	41,936,000	37.50	0.49	20,549,000
Barley	703,704	17.8	12,514,000	47.39	0.51	6,382,000
Fall rye	99,805	15.7	1,571,000	55.96	0.81	1,273,000
Spring rye	95,734	8.4	801,000	55.94	0.79	633,000
All rye	195,539	12.0	2,372,000	55.95	0.80	1,906,000
Peas	1,483	12.3	18,000	61.00	1.60	29,000
Beans	377	8.0	3,000	60.00	2.40	7,000
Mixed grains	15,290	23.4	358,000	43.33	0.65	233,000
Flaxseed	12,639	5.0	63,000	55.20	2.22	140,000
		cwt.	cwt.		per cwt.	
Potatoes	27,822	36.7	1,022,000	-	2.66	2,719,000
Turnips, etc.	4,858	66.1	321,000	-	1.27	408,000
		tons	tons		per ton	
Hay and clover	343,752	1.12	384,000	-	13.23	5,080,000
Alfalfa	38,072	2.14	82,000	-	14.89	1,221,000
Fodder corn	13,500	3.13	42,000	-	6.50	273,000
Sugar beets	6,600	9.07	60,000	-	7.79	467,000
Grain hay	1,600,000	1.25	2,000,000	-	12.00	24,000,000
Total	12,432,595					166,481,000
<u>BRITISH COLUMBIA</u>						
		Bush.	bush.		per bush.	
Fall wheat	14,369	23.0	330,000	59.77	1.38	455,000
Spring wheat	44,950	23.7	1,065,000	59.72	1.40	1,491,000
All wheat	59,319	23.5	1,395,000	59.73	1.39	1,946,000
Oats	89,717	49.8	4,468,000	36.05	0.72	3,217,000
Barley	9,074	31.5	286,000	47.85	0.97	277,000
Spring rye	6,013	20.2	121,000	55.55	1.04	126,000
Peas	3,665	25.2	92,000	59.20	2.20	202,000
Beans	650	21.5	14,000	60.00	2.50	35,000
Mixed grains	4,886	37.1	181,000	46.00	0.90	163,000
Flaxseed	456	15.0	7,000	58.00	1.75	12,000
		cwt.	cwt.		per cwt.	
Potatoes	14,488	93.0	1,347,000	-	2.60	3,502,000
Turnips, etc.	7,226	203.0	1,467,000	-	1.11	1,628,000
		tons	tons		per ton	
Hay and clover	177,800	1.98	352,000	-	17.20	6,054,000
Alfalfa	29,348	2.65	78,000	-	17.60	1,373,000
Fodder corn	6,727	10.75	72,000	-	8.00	576,000
Grain hay	47,095	2.10	99,000	-	13.00	1,287,000
Total	409,369					20,398,000

II. Areas and Yields of Wheat, Oats, Barley, Rye and Flaxseed in the Prairie Provinces  
1928 - 1929.

Crops	1928	1929	1928	1929
	Acres	Acres	Bushels	Bushels
Wheat	23,158,505	24,297,116	544,598,000	276,664,000
Oats	8,157,411	7,731,937	297,676,000	141,620,000
Barley	4,104,250	5,114,203	112,684,000	79,787,000
Rye	753,915	922,217	13,158,000	11,982,000
Flaxseed	367,385	373,415	3,519,400	1,970,000

STATISTICS CANADA LIBRARY  
BIBLIOTHÈQUE STATISTIQUE CANADA



1010519882