


CJD CASES BY PROVINCE/TERRITORY AS OF AUGUST 31, 2020



DEFINITE AND PROBABLE CJD, 1998-2020

AS OF AUGUST 31, 2020

Deaths of Definite and Probable CJD							
Year	Sporadic	Iatrogenic	Familial	GSS	FFI	vCJD	Total
1998	22	1	0	1	0	0	24
1999	27	2	2	1	0	0	32
2000	32	0	0	3	0	0	35
2001	27	0	2	1	0	0	30
2002	31	0	2	2	0	1	36
2003	27	1	1	0	0	0	29
2004	42	0	1	1	0	0	44
2005	42	0	1	1	0	0	44
2006	39	0	1	3	1	0	44
2007	35	0	0	4	0	0	39
2008	48	0	1	0	0	0	49
2009	48	0	3	2	0	0	53
2010	35	0	3	0	0	0	38
2011	46	0	3	1	0	1	51
2012	62	0	1	0	0	0	63
2013	50	0	0	0	1	0	51
2014	51	0	4	0	1	0	56
2015	44	0	5	1	2	0	52
2016	57	1	5	1	0	0	64
2017	82	0	2	1	1	0	86
2018	74	1	4	0	1	0	80
2019	75	0	2	0	0	0	77
2020	19	0	1	0	0	0	20
Total	1015	6	44	23	7	2	1097

Cases with definite & probable diagnosis to date

Gerstmann-Sträussler-Scheinker disease (GSS)

Fatal familial Insomnia (FFI)

Variant CJD (vCJD)



CJD DEATHS IN CANADA

Year of Death	Total CJD Cases	Population of Canada	Crude mortality rate
1998	24	30,244,982	0.79
1999	32	30,492,106	1.05
2000	35	30,783,969	1.14
2001	30	31,130,030	0.96
2002	36	31,450,443	1.14
2003	29	31,734,851	0.91
2004	44	32,037,434	1.37
2005	44	32,352,233	1.36
2006	44	32,678,986	1.35
2007	39	33,001,076	1.18
2008	49	33,371,810	1.47
2009	53	33,756,714	1.57
2010	38	34,131,451	1.11
2011	51	34,472,304	1.48
2012	63	34,880,248	1.81
2013	51	35,289,003	1.45
2014	56	35,675,834	1.57
2015	52	35,702,707	1.46
2016	64	36,286,400	1.76
2017	86	36,712,658	2.34
2018	80	37,589,262	2.13
2019	77	37,797,496	2.04

Cases with definite & probable diagnosis to date

Population estimates as of July each year. Source: <http://www150.statcan.gc.ca/t1tbl1/en/tv.action?pid=171000901>



REFERRALS OF SUSPECTED CJD REPORTED BY CJDSS, 1998-2020

AS OF AUGUST 31, 2020

Year of Reporting	Numbers of Referrals
1998	43
1999	63
2000	82
2001	101
2002	103
2003	75
2004	90
2005	97
2006	80
2007	101
2008	100
2009	104
2010	76
2011	102
2012	103
2013	99
2014	99
2015	98
2016	117
2017	116
2018	125
2019	140
2020	75
Total	2189

