Proposed Maximum Residue Limit

Santé

Canada

PMRL2020-16

Pendimethalin

(publié aussi en français)

4 August 2020

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6607 D Ottawa, Ontario K1A 0K9

Internet: canada.ca/pesticides hc.pmra.publications-arla.sc@canada.ca Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 hc.pmra.info-arla.sc@canada.ca



ISSN: 1925-0835 (print) 1925-0843 (online)

Catalogue number: H113-24/2020-16E (print version)

H113-24/2020-16E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2020

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the addition of new uses on garlic and dry bulb shallots to the product label of PROWL H₂O HERBICIDE, containing technical grade pendimethalin, is acceptable. The specific uses approved in Canada are detailed on the label of PROWL H₂O HERBICIDE, *Pest Control Products Act* Registration Number 29542.

The evaluation of these pendimethalin applications indicated that the end-use product has value and the human health and environmental risks associated with the new uses are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for pendimethalin is being conducted via this document (see Next Steps). A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the World Trade Organization, as coordinated by the Canada's Notification Authority and Enquiry Point.

The proposed MRL, to be added to the MRLs already established for pendimethalin, is as follows.

Table 1 Proposed maximum residue limit for pendimethalin

| Common name | Residue definition | MRL (ppm) ¹ | Food commodity |
|---------------|---|------------------------|--|
| Pendimethalin | N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine, including the metabolite benzenemethanol, 4-[(1-ethylpropyl)amino]-2-methyl-3,5-dinitro- | 0.1 | Bulb onions (crop subgroup 3-07A, except dry bulb onions ²) |

ppm = parts per million

An MRL is proposed for each commodity included in the listed crop grouping in accordance with the Residue Chemistry Crop Groups webpage in the Pesticides section of the Canada.ca website.

² Dry bulb onions are excluded from this MRL action as a 0.1 ppm MRL is already established for the commodity.

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the Pest Control Products Act, both for pesticides or for food commodities.

International situation and trade implications

MRLs may vary from one country to another for a number of reasons, including differences in pesticide use patterns and the locations of the crop field trials used to generate residue chemistry data.

Table 2 compares the MRL proposed for pendimethalin in Canada with the corresponding American tolerance and Codex MRL. American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of established Codex MRLs is available on the Codex Alimentarius Pesticide Index webpage, by pesticide or commodity.

Table 2 Comparison of canadian MRL, american tolerance and Codex MRL (where different)

| Food commodity | Canadian MRL (ppm) | American tolerance (ppm) | Codex MRL (ppm) |
|-----------------------------------|--------------------|--------------------------|--------------------------|
| Bulb onions (crop subgroup 3-07A) | 0.1 | 0.1 | 0.05 (Onion, bulb and |
| | | | garlic) |

The PMRA invites the public to submit written comments on the proposed MRL for

pendimethalin up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The

Next steps

established MRL will be legally in effect as of the date that it is entered into the Maximum Residue Limit Database.

The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Appendix I

Summary of field trial data used to support the proposed maximum residue limit

Residue data for pendimethalin in dry bulb onions were submitted to support the domestic uses of PROWL H₂O HERBICIDE on garlic and dry bulb shallots.

Maximum residue limit

The recommendation for a maximum residue limit (MRL) for pendimethalin was based upon the submitted field trial data, and the guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRL.

Table A1 Summary of field trial data used to support MRL

| Commodity | Application method/ total application rate (g a.i./ha) ¹ | Preharvest interval (days) | Lowest average field trial residues (ppm) | Highest average field trial residues (ppm) |
|----------------|--|----------------------------------|--|---|
| Dry bulb onion | Foliar in Muck Soil/ 6014–6177 | 43 | <0.10 | <0.10 |
| Dry bulb onion | Foliar in Mineral Soil/ 2966–3155 | 45–48 | <0.10 | <0.10 |

g a.i./ha = grams of active ingredient per hectare

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover residues of pendimethalin. Residues of pendimethalin in these commodities at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.