



Health  
Canada Santé  
Canada

*Your health and  
safety... our priority.*

*Votre santé et votre  
sécurité... notre priorité.*

Proposed Maximum Residue Limit

PMRL2020-02

# Pyriofenone

*(publié aussi en français)*

**4 February 2020**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications  
Pest Management Regulatory Agency  
Health Canada  
2720 Riverside Drive  
A.L. 6607 D  
Ottawa, Ontario K1A 0K9

Internet: [canada.ca/pesticides](http://canada.ca/pesticides)  
[hc.pmra.publications-arla.sc@canada.ca](mailto:hc.pmra.publications-arla.sc@canada.ca)  
Facsimile: 613-736-3758  
Information Service:  
1-800-267-6315 or 613-736-3799  
[hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca)

Canada 

ISSN: 1925-0835 (print)  
1925-0843 (online)

Catalogue number: H113-24/2020-2E (print version)  
H113-24/2020-2E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2020

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

Under the authority of the [Pest Control Products Act](#), Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the addition of tomatoes to the product label of Pyriofenone 300SC Fungicide, containing technical grade pyriofenone, is acceptable. The specific uses approved in Canada are detailed on the label of Pyriofenone 300SC Fungicide, *Pest Control Products Act* Registration Number 32376.

The evaluation of this pyriofenone application indicated that the end-use product has value and the human health and environmental risks associated with the new uses are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for pyriofenone is being conducted via this document (see Next Steps). A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the [World Trade Organization](#), as coordinated by the [Canada's Notification Authority and Enquiry Point](#).

The proposed MRL, to be added to the MRLs already established for pyriofenone, is as follows.

**Table 1 Proposed Maximum Residue Limit for Pyriofenone**

Common Name	Residue Definition	MRL (ppm) <sup>1</sup>	Food Commodity
Pyriofenone	(5-chloro-2-methoxy-4-methyl-3-pyridinyl)(2,3,4-trimethoxy-6-methylphenyl)methanone	0.3	Fruiting vegetables (crop group 8-09)

<sup>1</sup> ppm = parts per million

MRLs are proposed for each commodity included in the listed crop groupings in accordance with the [Residue Chemistry Crop Groups](#) webpage in the Pesticides section of the Canada.ca website.

MRLs established in Canada may be found using the [Maximum Residue Limit Database](#) on the [Maximum Residue Limits for Pesticides](#) webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

## International Situation and Trade Implications

The MRL proposed for pyriofenone in Canada is the same as the corresponding American tolerance as listed in the [Electronic Code of Federal Regulations](#), 40 CFR Part 180, by pesticide. Currently, there are no Codex MRLs<sup>1</sup> listed for pyriofenone in or on any commodity on the Codex Alimentarius [Pesticide Index](#) webpage.

**Table 2 Comparison of Canadian MRLs, American Tolerances and Codex MRLs (where different)**

<b>Food Commodity</b>	<b>Canadian MRL (ppm)</b>	<b>American Tolerance (ppm)</b>	<b>Codex MRL (ppm)</b>
Fruiting vegetables (crop group 8-09)	0.3	0.3 (Vegetable, fruiting, crop group 8-10)	Not established

### Next Steps

The PMRA invites the public to submit written comments on the proposed MRL for pyriofenone up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRL will be legally in effect as of the date that they are entered into the [Maximum Residue Limit Database](#).

---

<sup>1</sup> The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

## Appendix I

### Summary of Field Trial Data Used to Support the Proposed Maximum Residue Limit

Residue data for pyriofenone in tomatoes, and bell and non-bell peppers were submitted to support the domestic use of Pyriofenone 300SC Fungicide on crop group 8-09 (fruiting vegetables). In addition, a processing study in treated tomatoes was reviewed to determine the potential for concentration of residues of pyriofenone into processed commodities.

#### Maximum Residue Limit

The recommendation for maximum residue limit (MRL) for pyriofenone was based upon the submitted field trial data, and the guidance provided in the [OECD MRL Calculator](#). Table A1 summarizes the residue data used to calculate the proposed MRL for crop group 8-09 (fruiting vegetables).

**Table A1 Summary of Field Trial and Processing Data Used to Support the MRL**

Commodity	Application Method/ Total Application Rate (g a.i./ha) <sup>1</sup>	Preharvest Interval (days)	Lowest Average Field Trial Residues (ppm)	Highest Average Field Trial Residues (ppm)	Experimental Processing Factor
Tomatoes	Foliar Broadcast/ 349-363	0	<0.01	0.129	Paste: 0.6× Puree: 0.3× Juice: 0.1×
Bell Peppers	Foliar Broadcast/ 357-367	0	0.017	0.115	Not required
Non-bell Peppers	Foliar Broadcast/ 360-369	0	0.053	0.096	Not required

<sup>1</sup> g a.i./ha = grams of active ingredient per hectare

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover residues of pyriofenone. Residues of pyriofenone in these crop commodities at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.