**Proposed Maximum Residue Limit** 

Santé

Canada

PMRL2020-21

# Cyflufenamid

(publié aussi en français)

11 August 2020

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

**Publications** Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6607 D Ottawa, Ontario K1A 0K9

canada.ca/pesticides Internet: hc.pmra.publications-arla.sc@canada.ca Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 hc.pmra.info-arla.sc@canada.ca



ISSN: 1925-0835 (print) 1925-0843 (online)

Catalogue number: H113-24/2020-21E (print version)

H113-24/2020-21E-PDF (PDF version)

### © Her Majesty the Queen in Right of Canada, as represented by the Minister of Health Canada, 2020

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) is proposing to establish maximum residue limits (MRLs) for various commodities to permit the import and sale of foods containing such residues.

Cyflufenamid is a fungicide not currently registered for use in Canada.

The PMRA must determine the quantity of residues that are likely to remain in or on the imported food commodities when cyflufenamid is used according to label directions in the exporting country, and that such residues will not be a concern to human health. This quantity is then legally established as an MRL on the corresponding imported commodity. An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRLs for cyflufenamid is being conducted via this document (see Next Steps). A summary of the field trial data used to support the proposed MRLs can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRLs is also being conducted internationally by notifying the World Trade Organization, as coordinated by Canada's Notification Authority and Enquiry Point.

The proposed MRLs, to be added to the MRLs already established for cyflufenamid, are as follows.

Table 1 Proposed maximum residue limits for cyflufenamid

Common name	Residue definition	MRL (ppm) <sup>1</sup>	Food commodity
Cyflufenamid	[(Z)]-N-[[(cyclopropylmethoxy)amino][2,3-difluoro-6-(trifluoromethyl)phenyl]methylene]benzeneac etamide	5.0	Hops (dried)
		0.6	Cherries (crop subgroup 12-09A)
		0.2	Fruiting vegetables (crop group 8-09)

<sup>&</sup>lt;sup>1</sup> ppm = parts per million

MRLs are proposed for each commodity included in the listed crop groupings in accordance with the Residue Chemistry Crop Groups webpage in the Pesticides section of the Canada.ca website.

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the Pest Control Products Act, both for pesticides or for food commodities.

#### **International situation and trade implications**

The MRLs proposed for cyflufenamid in Canada are the same as corresponding American tolerances as listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. Currently, there are no Codex MRLs<sup>1</sup> listed for cyflufenamid in or on any commodity on the Codex Alimentarius Pesticide Index webpage.

#### **Next steps**

The PMRA invites the public to submit written comments on the proposed MRLs for cyflufenamid up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRLs. Comments received will be addressed in a separate document linked to this PMRL. The established MRLs will be legally in effect as of the date that they are entered into the Maximum Residue Limit Database.

-

The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

## Appendix I

### Summary of field trial data used to support the proposed maximum residue limits

Residue data for cyflufenamid in tomatoes, bell and nonbell peppers, sweet and tart cherries, and hops were submitted to support the maximum residue limits on imported fruiting vegetables (crop group 8-09), cherries (crop subgroup 12-09A) and dried hops. In addition, a processing study in treated tomatoes was reviewed to determine the potential for concentration of residues of cyflufenamid into processed commodities.

#### **Maximum residue limits**

The recommendation for maximum residue limits (MRLs) for cyflufenamid was based upon the residues observed in crop commodities treated according to label directions in the exporting country, and the guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRLs for imported fruiting vegetables (crop group 8-09), cherries (crop subgroup 12-09A) and dried hops.

Table A1 Summary of field trial and processing data used to support MRLs

Commodity	Application method/total application rate (g a.i./ha) <sup>1</sup>	Preharvest interval (days)	Lowest average field trial residues (ppm)	Highest average field trial residues (ppm)	Experimental processing factor	
Tomato	Foliar/77–78	0	0.016	0.093	Tomato paste: $0.3 \times$ Tomato puree: $0.2 \times$	
Bell pepper	Foliar/77–78	0	< 0.01	0.047	Not required	
Non-bell pepper	Foliar/76–76	0	< 0.01	0.031	Not required	
Cherry, sweet	Foliar/119–121	6	0.061	0.307	Not required	
Cherry, tart	Foliar/118–122	6	< 0.01	0.300		
Hops (dried)	Foliar/119–122	6	0.821	2.24	Not required	

 $<sup>\</sup>frac{1}{1}$  g a.i./ha = grams of active ingredient per hectare

Following the review of all available data, MRLs as proposed in Table 1 are recommended to cover residues of cyflufenamid. Residues of cyflufenamid in these imported crop commodities at the proposed MRLs will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.