



Agriculture
Canada

Research Branch Direction générale
 de la recherche

ORIGINAL

***Alternaria brassicae* (Berk.) Sacc., *A. brassicicola* (Schwein.) Wiltsh., and *A. raphani* Groves and Skolko: Introduction, bibliography, and subject index**



Canada



Digitized by the Internet Archive
in 2013

<http://archive.org/details/alternariabras1993002verm>

Alternaria brassicae (Berk.) Sacc., *A. brassicicola* (Schwein.)
Wiltsh. and *A. raphani* Groves and Skolko: Introduction,
Bibliography and Subject Index

P. R. Verma and G. S. Saharan

Agriculture Canada Research Station, 107 Science Place, Saskatoon, Saskatchewan,
Canada S7N 0X2

and

Department of Plant Pathology, Haryana Agricultural University, Hisar, Haryana,
India

Saskatoon Research Station Technical Bulletin No. 93-002

Cat. No.: A54-13 / 93-002E

ISBN: 0-662-20608-8

Alternaria brassicae (Berk.) Sacc., *A. brassicicola* (Schwein.) Wiltsh.
and *A. raphani* Groves and Skolko: Introduction, Bibliography
and Subject Index

P. R. Verma and G. S. Saharan

Agriculture Canada Research Station, 107 Science Place, Saskatoon, Saskatchewan,
Canada S7N 0X2

and

Department of Plant Pathology, Haryana Agricultural University, Hisar, Haryana, India

INTRODUCTION

The economic importance of *Alternaria brassicae*, *A. brassicicola* and *A. raphani* has been adequately documented over the years. These pathogens are responsible in causing severe losses in yield of several temperate and tropical Brassicaceae crops, particularly rapeseed and mustard. Publication of this comprehensive bibliography with subject matter index will provide a valuable research tool to plant pathologists, mycologists, graduate students, and others who are actively involved in research with these pathogens. The primary aim of such a compilation is to provide the base for a monographic treatment of these three *Alternaria* species.

Occasional exchange of material may be possible where copyright laws permit it, but we regret that there will be no general distribution of copies of papers listed in the bibliography. However, most of the material listed is available with both authors, and visiting scientists and graduate students are welcome to make use of the collection. We hope that this endeavour will help to increase our understanding of these challenging pathogens.

ACKNOWLEDGEMENTS

An undertaking of this nature cannot hope to succeed without the help of many people. It is a pleasure to acknowledge those who have contributed. The original tracking down of many papers was done by Saskatoon Research Station Librarians, Van Keane and Gail Charabin. Two other people deserve a special acknowledgement; Joanne Downing did the bulk of the typing and initial proof-reading and Angie O'Shea spent many hours preparing the final version. Any errors, either of commission or omission are, however, our responsibility. We hope they will be brought to our attention.

Several of the senior authors' colleagues have made valuable suggestions and Dr. Ron Howarth as Director, and Dr. Keith Downey as Head of the Oilseeds Section, at Saskatoon, have been supportive of the work. Here, we also wish to thank many people at Headquarters Library, Agriculture Canada, Ottawa, for providing countless photocopies, and to the Translation Bureau, Department of Secretary-of-State for translation of a series of foreign language papers.

001. Abeecron, M. V. and A. Finck. 1983. Boron supply of oilseed rape and resistance against some fungus diseases. 6th Intern. Rapeseed Confr., Paris, France: p. 183. (Abstr.).
002. Agustoni, E. 1935. [Observations and researches on cauliflower blackspot.] Riv. Pat. Veg. 25: 305-315.
003. Ahmed, S. R. and J. P. Agnihotri. 1977. Antifungal activity of some plant extracts. Indian J. Mycol. Plant Pathol. 7: 180-181.
004. Aizina, A. F. 1977. [The formation of extracellular lipids of *Alternaria brassicicola* strain 13.] Izv. AN Mold. SSR, Biol. i khim. N. No. 3: 87-88.
005. Aizina, A. F., M. A. Zlatoust, P. N. Razumovskii and V. N. Yadovina. 1976. [Study on phospholipids of *Alternaria brassicicola* strain 13.] Izv. AN Mold. SSR, Biol. i khim. N. No. 1: 57-59.
006. Ajroldi, R. 1938. [The influence of micromycetes on the germination and development of horticultural plants.] Italian Agric. 75: 519-587.
007. Akinrefon, O. A. 1961. Laboratory evaluation of the fungitoxicity of cycloheximide towards *Alternaria brassicicola*. Trans. Br. Mycol. Soc. 50: 319-325.
008. Ammermann, E., F. Loecher, G. Lorenz, B. Janssen, S. Karbach and N. Meyer. 1990. BAS 480 F- a new broad spectrum fungicide. Proc. 1990 British Crop Prot. Confr., Pests and Diseases, Brighton 2: 407-414.
009. Anand, I. J., J. P. Singh and R. S. Malik. 1985. *Brassica carinata*, a potential oilseed crop for rainfed agriculture. Cruciferae NewsLetter 10: 76-79.
010. Anchel, M., A. Hervey and W. J. Robbins. 1955. Biological activity of p-methoxytetra-cholorophenol. Mycologia 47: 30-33.
011. Anderson, M. G. 1986. Cabbage storage decay control. IN: 1985 Annual Report Research Station, Kentville, Nova Scotia, Canada: p. 115.
012. Andre, P. and R. Yves. 1987. *Alternaria brassicae* (Berk.) Sacc. Etude de prodvits fongicides et methodes echantillonnage. 7th Intern. Rapeseed Congr., Poznan, Poland: Abstr. 240.
013. Anonymous. 1929. Department of Botany. Biennial Report for the fiscal years ending Nov. 30, 1927 and 1928. Massachusetts Agric. Expt. Stn. Bull. 247: 306-313.
014. Anonymous. 1939. Emendation to the second edition of the list of common names of British Plant Diseases (prepared by a subcommittee of the British Mycological Society's Plant Pathology Committee and approved by that Committee). Trans. Brit. Mycol. Soc. 23: 273-280.
015. Anonymous. 1941. Plant diseases. Notes contributed by the biological branch. Agric. Gaz. N.S.W. 1ii (7): 369-371; 384; 435-438.
016. Anonymous. 1942. Divisions of plant pathology and seed investigations. Rept. New York State Agric. Expt. Stn. 1940-41: 33-40; 50-55.

017. Anonymous. 1942. [Scientific annual report of the National Biological Institute for Agriculture and Forestry, 1940.] Mitt. biol. Anst. (Reichsanst.), Berl. 65: 1941. (Abstr. in Z. Pflkrankh 1ii (11): 513-516, 1942).
018. Anonymous. 1944. Divisions of Plant Pathology and seed investigations. Rept. N. Y. State Agric. Expt. Stn. 1942-43: pp. 34-43; 1944: pp. 53-58.
019. Anonymous. 1944. Pathology and mycology of corn. Rept. Iowa Agric. Expt. Stn. 1942-43, Part 2: pp. 52-57.
020. Anonymous. 1945. Annual Report of the Department of Agriculture, Jamaica, for the year ending 31st March 1944: 16 p.
021. Anonymous. 1945. Plant Pathology Section. Rept. Dept. Agric. Canada 1944-45: pp. 29-34.
022. Anonymous. 1946. [Plant diseases in Denmark in 1945. Annual survey of data collected by the state Phytopathological Experiment Station.] Tidsskr. Planteavl, 1i (3): 373-437.
023. Anonymous. 1948. Report of the Science Service, Dominion Department of Agriculture, for the year ending March 31st, 1947: 105 p.
024. Anonymous. 1949. Annual Report of the Agricultural Experiment Stations, Florida, for the year ending June 30th, 1948: 280 p.
025. Anonymous. 1950. Annual Report of the Agricultural Experiment Stations, Florida, for the year ending June 30th, 1949: 333 p.
026. Anonymous. 1950. Annual Report of the Agricultural Experiment Stations, Florida, for the year ending June 30th, 1950: 263 p.
027. Anonymous. 1950. [Plant pathology.] Rapp. Inst. Rech. Agron., Paris, 1949: 101-110.
028. Anonymous. 1951. Department of Agriculture, Kenya, Annual Report 1949. Vol II- Record of Investigations: 89 p.
029. Anonymous. 1951. [Some diseases and pests of cultivated crops in 1950 and their control.] Versl. PIziekt. Dienst Wageningen 118: 120 p.
030. Anonymous. 1952. Annual Report of the Agricultural Experiment Stations, Florida, for the year ending June 30th, 1951: 277 p.
031. Anonymous. 1952. [Plant Protection conference of the Federal Biological Institute, Brunswick, at Munster, Westphalia, 6th to 10th October, 1952.] Mitt. biol. ZentAnst. Berl. 75: 250.
032. Anonymous. 1956. [Report for 1955 on the work of the Federal Agricultural Experiment Stations, Lausanne.] Annu. Agric. Suisse (70), N.S. 5: 399-513.
033. Anonymous. 1957. Diseases of mustard. Indian Oilseed J. 1: 169.
034. Anonymous. 1959. Plant disease survey for the twelve months ending 30th June 1959. Twenty-ninth Annual Report N.S.W. Department of Agriculture. Biological Branch-Division of Science Services: 54 p.

035. Anonymous. 1959. Yearbook for 1958. Versl. PlZiekt. Dienst. Wageningen 133: 152 p.
036. Anonymous. 1961. Quarterly reports for January-March, April-June, 1961 of the Plant Protection Committee for the South East Asia and Pacific region. 18 p.: 16 p. F.A.O. Publ. Bangkok, Thailand.
037. Anonymous. 1963. [Phytopathology Division.] Rapp. Inst. Rech. Agron. Trop. Madagascar 1961: pp. 81-110; 1962: pp. 110-135.
038. Anonymous. 1967. Report of the second session of the Near East Plant Protection Commission, F.A.O. held at Tripoli, Libya, 6-13 May 1967. F.A.O. Meeting Rept. PL: 1967/M/3: 36 p.
039. Anonymous. 1969. CMI distribution map of *Alternaria Brassicicola*, Kew, Commonwealth Mycological Institute.
040. Anonymous. 1980. Diseases of rape. Commonwealth Agricultural Bureaux-Annotated Bibliography No. M3: 38 p.
041. Anonymous. 1980. Diseases and insect pests of rapeseed and mustard, a package of practices for rabi crops. Haryana Agric. Univ., Hisar, India: pp. 25-29.
042. Anonymous. 1981. *Brassica* diseases. Annual Report Edinburgh School Agriculture, 1981, Edinburgh, U.K.: pp. 131-132; 137-138.
043. Anonymous. 1982. *Brassica* diseases. Vegetable crops production and storage. Annual Report Edinburgh School Agriculture, 1982, Edinburgh, U.K.: pp. 147-149; 155-157.
044. Anonymous. 1983. Diseases of vegetables. Research Report 1982, Horticulture. Dublin Irish Republic; An Foras Taluntais: pp. 44-45.
045. Anonymous. 1983. Diseases and pests of horticulture crops. Annual Report Edinburgh School Agriculture, 1983. Edinburgh, U.K.: pp. 41-42; 95-96.
046. Anonymous. 1984. Oilseed rape-diseases and pests. Annual Report Edinburgh School Agriculture, 1983. Edinburgh, U.K.: pp. 39-40.
047. Anonymous. 1985. Diseases of vegetables. Research Report 1984, Horticulture. Dublin, Ireland; An Foras Taluntais: pp. 45.
048. Anonymous. 1985. Foliar diseases of *Brassicas*. Research Report 1984, Horticulture. Dublin, Ireland; An Foras Taluntais: pp. 45-46.
049. Anonymous. 1985. Oilseed rape. Annual Report Edinburgh School Agriculture, 1984, Edinburgh, U.K.: pp. 53; 108-109.
050. Anonymous. 1985. Oilseed rape and other *Brassicas*. Annual Report Edinburgh School Agriculture, 1985, Edinburgh, U.K.: pp. 57-59; 102-105.
051. Anonymous. 1985. Diseases of vegetables. Annual Report Edinburgh School Agriculture, 1984, Edinburgh, U.K.: pp. 54; 57-58.

052. Anonymous. 1985. Vegetables. Annual Report Edinburgh School Agriculture, 1985, Edinburgh, U.K.: p.p. 61-63; 108-111.
053. Anonymous. 1988. [The control of *Alternaria* on chinese cabbage.] Gartner Tidende 104: 392.
054. Ansari, N. A. 1987. Studies on *Alternaria* blight of some oilseed crucifers. Ph.D. Thesis Aligarh Muslim Univ., India.
055. Ansari, N. A., M. W. Khan and A. Muheet. 1988. Identify and cultural characters of the pathogen causing *Alternaria* blight of rapeseed and mustard. J. Oilseeds Res. 5: 80-88.
056. Ansari, N. A., M. W. Khan and A. Muheet. 1988. Effect of temperature and relative humidity on spore germination of *Alternaria brassicae* and development of *Alternaria* blight on oilseed crucifers. Rev. Trop. Plant Pathol. 5: 79-84.
057. Ansari, N. A., M. W. Khan and A. Muheet. 1988. Effect of *Alternaria* blight on oil content of rapeseed and mustard. Curr. Sci. 57: 1023-1024.
058. Ansari, N. A., M. W. Khan and A. Muheet. 1989. Effect of some factors on growth and sporulation of *Alternaria brassicae* causing *Alternaria* blight of rapeseed and mustard. Acta Botanica Indica 17: 49-53.
059. Ansari, N. A., M. W. Khan and A. Muheet. 1989. Reaction of some rapeseed accessions to *Alternaria* blight. Tests Agrochem. Cultiv. 10: 148-149.
060. Ansari, N. A., M. W. Khan and A. Muheet. 1989. Survival and perpetuation of *Alternaria brassicae* causing *Alternaria* blight of oilseed crucifers. Mycopathologia 105: 67-70.
061. Ansari, N. A., M. W. Khan and A. Muheet. 1990. Host range of *Alternaria brassicae*. Acta Botanica Indica 18: 104-105.
062. Ansari, N. A., M. W. Khan and A. Muheet. 1990. Evaluation of some fungicides for seed treatment and foliar application in management of damping-off of seedlings and blight of rapeseed caused by *Alternaria brassicae*. Mycopathologia 110: 163-167.
063. Appel, O. 1929. [Cabbage diseases II.] Deutsche Landw. Presse 56 (38): 546.
064. Arruda, S. C. 1938. [Grey rot of cauliflower.] Biologico 4: 343-344.
065. Ashraf, S. S. and K. C. B. Chaudhary. 1989. Mycoflora associated with rapeseed and their significance. Int. J. Trop. Plant Dis. 7: 93-94.
066. Atkinson, R. G. 1950. Studies on the parasitism and variation of *Alternaria raphani*. Can. J. Res. Sect. C 28: 288-317.
067. Atkinson, R. G. 1953. Survival and pathogenicity of *Alternaria raphani* after five years in dried soil cultures. Can. J. Bot. 31: 542-547.
068. Awasthi, R. P. 1988. Comparative study of some exotic and indigenous oleiferous *Brassica* crop species in relation to their reaction to three *Alternaria* species. Ph. D. Thesis, G. B. Pant Univ. of Agric. and Tech., Pantnagar, India.

069. Awasthi, R. P. and S. J. Kolte. 1989. Effect of some epidemiological factors on occurrence and severity of *Alternaria* blight of rapeseed and mustard. Proc. IDRC (Canada) Oil Crops: meetings held at Pantnagar and Hyderabad, India, Jan. 4-17: pp. 49-55.
070. Awasthi, R. P. and S. J. Kolte. 1989. Variability in *Alternaria brassicae* affecting rapeseed and mustard. Indian Phytopathol. 42: 275. (Abstr.).
071. Ayer, W. A., P. S. Bains, L. M. Pena-Rodriguez and J. P. Tewari. 1987. Production of a host specific phytotoxin by *Alternaria brassicae*. 7th Int. Rapeseed Congr., Poznan, Poland: pp. 257 (Abst.); Proc. pp. 1256-1261.
072. Ayer, W. A. and L. M. Pena-Rodriguez. 1987. Metabolites produced by *Alternaria brassicae*, the black spot pathogen of Canola, Part 1, The phytotoxic components. J. Natural Products 50: 400-407.
073. Ayer, W. A. and L. M. Pena-Rodriguez. 1987. Metabolites produced by *Alternaria brassicae*, the black spot pathogen of Canola, Part 2, Sesquiterpenoid metabolites. J. Natural Products 50: 408-417.
074. Babadoost, M. and R. L. Gabrielson. 1979. Pathogen causing *Alternaria* diseases of *Brassica* seed crops in Western Washington. Plant Dis. Repr. 63: 815-820.
075. Babadoost, M. and R. L. Gabrielson. 1979. Pathogens causing *Alternaria* black spot disease of *Brassica* seed crops in Western Washington. Phytopathology 69: 1021. (Abstr.).
076. Baimataeva, B. K. 1970. [Some biological features of *Alternaria tenuis* Nees.] Izvestiya Academii Nauk Kazakhskoi SSR, Biologicheskaya 8: 37-41.
077. Bains, S. S. and H. S. Dhaliwal. 1987. Development of *Alternaria brassicae* on *Brassica juncea* in relation to certain cultural factors. Indian J. Ecology 14: 123-128.
078. Bains, P. S. and J. P. Tewari. 1985. Purification and properties of the phytoalexin (s) produced by *Alternaria brassicae*. Phytopathology 75: 1298. (Abstr.).
079. Bains, P. S. and J. P. Tewari. 1986. Isolation and characterization of the toxin produced by *Alternaria brassicae*. Proc. Crucifer Genetic Workshop 3, Univ. Guelph, Canada. Crucifer Genetic Cooperative. p. 66.
080. Bains, P. S. and J. P. Tewari. 1986. Purification, chemical characterization and host-specificity of the toxin produced by *Alternaria brassicae*. Physiol. Mol. Plant. Pathol. 30: 259-271.
081. Baker, K. F. and L. H. Davis. 1950. Some diseases of ornamental plants in California caused by species of *Alternaria* and *Stremphylium*. Plant Dis. Repr. 34: 403-413.
082. Bandyopadhy, D. C., G. N. Saha and D. Mukherjee. 1974. Note on variations in quantitative composition of seeds of "B-9" variety of yellow sarson caused by *Alternaria* blight. Indian J. Agric. Sci. 44: 406-407.
083. Bandyopadhyay, B. and S. Mukhopadhyay. 1980. Effect of a quinoline fungicide on the cultural characteristics of some plant pathogens. Sci. Cult. 46: 342-343.

084. Banga, S. S., K. S. Labana and B. N. Medhi. 1984. *Alternaria* incidence in some alloplasmic lines of Indian mustard (*Brassica juncea* (L.) Coss.). *Theor. Appl. Genet.* 67: 195-196.
085. Bansal, V. K., G. Séguin-Swartz, G. F. W. Rakow and G. A. Petrie. 1990. Reaction of *Brassica* species to infection by *Alternaria brassicae*. *Can. J. Plant. Sci.* 70: 1159-1162.
086. Bansal, V. K., G. Séguin-Swartz and G. A. Petrie. 1991. Phytotoxicity of the culture filtrates of six *Alternaria* species. GCIRC 8th Int. Rapeseed Congr. July 9-11, Saskatoon, Canada: p. 226 (Abst.); Proc. Vol. 6: 1658-1662.
087. Barbu, V. and I. Dinescu. 1969. Studies in some Alternarioses of cultivated plants. *Phytopathol. Z.* 64: 344-354.
088. Barton, L. V. and J. M. Fine. 1958. Noninterference between effects of giberellic acid and fungicides. *Contr. Boyce Thomp. Inst.* 19: 291-294.
089. Baruah, H.K., P. Baruah and A. Baruah. 1980. Text book of Plant Pathology. Oxford & IBH Pub. Co., New Delhi, India: 437-439.
090. Bassey, E. O. and R. L. Gabrielson. 1983. The effects of humidity, seed infection level, temperature and nutrient stress on cabbage seedling disease caused by *Alternaria brassicicola*. *Seed Sci. Technol.* 11: 403-410.
091. Bassey, E. O. and R. L. Gabrielson. 1983. Factors affecting accuracy of 2,4-D assays of crucifer seed for *Alternaria brassicicola* and relation of assays to seedling disease potential. *Seed Sci. Technol.* 11: 411-420.
092. Bazzi, C. and S. Mariotti. 1972. Individuazione di *Alternaria brassicicola* agente del "Nerume" primaverile del cavolfiore nelle Marche. *Informatore Fitopatol.* 22: 11-13.
093. Beale, R. E. and J. B. Sweet. 1990. Control of diseases in field vegetables using resistant cultivars and their integration with biological and chemical methods. British Crop Prot. Council Mongraph No. 45, Crop Prot. in organic and low input Agric.: pp. 131-136.
094. Bedlan, G. 1987. [Control of leaf spot in chinese cabbage.] *Pflanzenschutz* (Vienna) 3: 4-6.
095. Bedlan, G. 1989. [*Alternaria* on Radishes.] *Pflanzenschutz* (wien) No. 3: 4.
096. Bedlan, G. 1989. [Diseases of chinese cabbage and their control.] *Pflanzenschutz* (wien) No. 3: 2-3.
097. Berkenkamp, B. 1972. Diseases of rapeseed in Central and Northern Alberta in 1971. *Can. Plant Dis. Surv.* 52: 62-63.
098. Berkenkamp, B. and K. Degenhardt. 1974. Diseases of rapeseed in Central and Northern Alberta in 1972. *Can. Plant Dis. Surv.* 54: 35-36.
099. Berkenkamp, B. and C. Kirkham. 1991. Canola diseases in N. E. Saskatchewan, 1990. *Can. Plant Dis. Surv.* 71: 94.

100. Berkenkamp, B. and H. Vaartonou. 1972. Fungi associated with rape root rot in Alberta. *Can J. Plant Sci.* 52: 973-976.
101. Bernier, C. C. 1971. Diseases of rapeseed in Manitoba in 1971. *Can. Plant Dis. Surv.* 52: 108.
102. Berry, L. A. and J. H. Lennard. 1988. Foliar infection of *Brassica* plants by *Alternaria brassicicola* in relation to leaf surface characteristics. *Cruciferae NewsLetter* 13: 104-106.
103. Bertossi, E. O. 1963. [Fungus phytopathology of Vaidivia. 4th contribution.] *Riv. Univ. Santiago* 48: 41-56.
104. Beynon, K. I. and K. F. Brown. 1969. The identification of a fungicide antagonists in leaf exudate. *Phytopathol. Z.* 64: 213-220.
105. Bhandar, D. S. and N. S. Maini. 1965. Studies on the resistance of oleiferous *Brassicas* to *Alternaria* blight. *Indian Oilseeds J.* 9: 58-60..
106. Bhargava, S. N., D. N. Shukla and N. Singh. 1980. Root and foot-rot of *Eruca sativa* caused by *Alternaria alternata* (fr.) Keissler. *Curr. Sci.* 49: 452.
107. Bhowmik, T. P. and P. N. Munde. 1987. Identification of resistance in rapeseed and mustard against *Alternaria brassicae* (Berk.) Sacc. and some resistant sources. *Beitrage Trop. Landwirtsch. Veterinarmed.* 25: 49-53.
108. Billotte, J. M. 1963. Une methode d'induction de la sporulation de l'*Alternaria brassicae* (Berk) Sacc. de colza en culture pure. *Comptes Rendus Academie Agriculture de France* 49: 1056-1061.
109. Bjorling, K. 1944. [Some fungus diseases of Colza and white mustard.] *Vaxtskyddsnotiser Vaxtskyddsanstalt, Stockh.* 8: 73-77.
110. Boerema, G. H. and H. A. V. Kesteren. 1964. The nomenclature of two fungi parasitizing *Brassica*. *Persoonia* 3: 17-28.
111. Bokor, A. 1972. Diseases of rape. *J. Agric. Western Austr. (fourth series)*. 13: 45-48.
112. Bolkan, H. A., W. R. C. Ribeiro and J. C. Dianese. 1983. Occurrence and pathogenicity of *Alternaria brassicicola* in Brazil. *Plant Dis.* 67: 825-827.
113. Bolle, P. C. 1924. [Plant diseases caused by the blackening fungi (Phaeodictyace).] *Meded. Phytopath. Lab. "Willie Commelin Scholten", Baarn [Holland]* 7: 77.
114. Bond, T. E. T. 1947. Notes on Ceylon fungi and plant diseases. Part 1. (1-15). *Ceylon J. Sci., Sect. A*, 12: 171-193.
115. Bonin, K. and E. Fratczak. 1987. Control of fungal diseases in winter oil seed rape. *Proc. 7th Int. Rapeseed Congr., Poznan, Poland*: pp. 1281-1287.
116. Boning, K. 1938. [The most important diseases and pests of horse-radish.] *Nachr. Schadl-Bekampf., Leverkusen* 13: 62-87.

117. Borg, A. 1949. [Some plant diseases and pests of agricultural plants in West Gothland 1949.] Vaxtskyddsnotiser, Vaxtskyddsanst., Stockh. 6: 6-10.
118. Brian, P. W., P. J. Curtis, H. G. Hemming, C. H. Unwin and J. M. Wright. 1949. Alternaria acid, a biologically active metabolic product of the fungus *Alternaria solani*. Nature (London) 164: 534.
119. Braverman, S. W. 1971. Reaction of broccoli and cauliflower introductions to *Alternaria brassicicola*. Plant Dis. Repr. 55: 454-457.
120. Braverman, S. W. 1976. Resistance to *Alternaria brassicicola* in brussels sprouts introductions. Proc. Amer. Phytopathol. Soc. 3: 302.
121. Braverman, S. W. 1977. Reaction of brussels sprouts introductions to artificial inoculation with *Alternaria brassicicola*. Plant Dis. Repr. 61: 360-361.
122. Brien, R. M. and J. M. Dingley. 1953. First supplement to "A revised list of plant diseases recorded in New Zealand", 1949-1951. N. Z. J. Sci. Tech. Sect. A 34: 556-562.
123. Brien, R. M. and J. M. Dingley. 1955. Second supplement to "A revised list of plant diseases recorded in New Zealand", 1952-1955. N. Z. J. Sci. Tech. Sect. A 37: 27-35.
124. Briton-Jones, H. R. 1925. Mycological work in Egypt during the period 1920-1922. Tech. Bull. Min. Agric. 49: 129 p.
125. Brokenshire, T. 1987. The control of button diseases of brussels sprouts. Proc. Crop Prot. Northern Britain. pp. 405-410.
126. Brokenshire, T. and K. P. R. Prasanna. 1984. Diseases of winter oilseed rape in S.E. Scotland. Proc. Crop Prot. Northern Britain: pp. 216-221.
127. Browne, L. M., K. L. Conn, W. A. Ayer and J. P. Tewari. 1991. The camalexins : new phytoalexins produced in the leaves of *Camelina sativa* (Cruciferae). Tetrahedron 47: 3909-3914.
128. Bruce, V. R., M. E. Stack and P. B. Mislivec. 1984. Incidence of toxic *Alternaria* species in small grains in the U.S.A. J. Food Sci. 49: 1626-1627.
129. Brun, H., J. Plessis and M. Renard. 1987. Resistance of some crucifers to *Alternaria brassicae* (Berk.) Sacc. Proc. 7th Int. Rapesed Congr., Poznan, Poland: pp. 222-1227.
130. Brun, H., M. Renard and J. Plessis. 1987. Resistance of some crucifers to *Alternaria brassicae* (Berk.) Sacc. Proc. 7th Int. Rapesed Congr., Poznan, Poland: p. 247.
131. Brun, H., M. Renard, M. Tribodet, J. Plessis and X. Tanguy. 1989. [Contribution to the genetic control of rapeseed diseases.] Phytoma No. 404: 36-37; 40-41.
132. Buchwaldt, L. and J. S. Jensen. 1991. HPLC purification of destruxins produced by *Alternaria brassicae* in culture and in leaves of *Brassica napus*. Assignment of the ¹H- ¹³C- NMR spectra by 1D-and-2D techniques. Phytochemistry 30: 2311-2316.

133. Buchwaldt, L., J. S. Jensen and H. Green. 1991. HPLC purification of destruxins from *Alternaria brassicae* and examination of their role in pathogenesis. Can. J. Plant Pathol. 13: 272 (Abstr.).
134. Buchwaldt, L., J. K. Nielsen and H. Sorensen. 1984. Preliminary investigations of the effect of sinigrin on in vitro growth of three fungal pathogens of oilseed rape. Advances in the production and utilization of cruciferous crops. Proc. of a seminar CEC Prog. Res. Plant Protein Improv. Copenhagen, 11-13 Sept.: pp. 260-267.
135. Buchwaldt, L. and H. Green. 1992. Phytotoxicity of destruxin B and its possible role in the pathogenesis of *Alternaria brassicae*. Plant Pathol. 41: 55-63.
136. Bugnicourt, F., F. Cohic and R. Dadant. 1951. [A catalogue of the animal and plant parasites of the cultivated plants of New Caledonia.] Noumea, Institute Francais d'oceanie 1951. 120 p.
137. Buhl, C. 1950. [A virus disease of Head Cabbage (*Brassica oleracea* L.). (Preliminary note).] NachrBl. dtsch. PflSch Dienst (Braunschw.) 2: 53-54.
138. Buonassisi, A. and L. S. MacDonald. 1990. 1988 and 1989 Canola disease survey in British Columbia, Canada. Can. Plant Dis. Surv. 70: 62.
139. Butler, E. J. and G. R. Bisby. 1960. The Fungi of India. The Indian Council of Agricultural Research, New Delhi, India.
140. Butler, E. J. and G. R. Bisby. 1968. The Fungi of India, Second Supplement. Indian Council of Agricultural Research, New Delhi, India: 7 p.
141. Butler, E. J. and S.G. Jones. 1961. Plant Pathology. McMillan, London.
142. Campbell, C. J. 1964. Studies on the leaf spot disease of *Brassica* spp. caused by *Alternaria brassicicola* (Schw.) Wilts. M.Sc. Thesis, Univ. of Exeter, U.K.
143. Campbell, R. 1969. An electron microscope study of spore structure and development in *Alternaria brassicicola*. J. Microbiol. Genetic 54: 381-392.
144. Campbell, R. 1969. Further electron microscope studies of the conidium of *Alternaria brassicicola*. Archiv fur mikrobiologie 69: 60-68.
145. Campbell, R. 1970. Ultrastructure of an albino strain of *Alternaria brassicicola*. Trans. Br. Mycol. Soc. 54: 309-313.
146. Campbell, R. 1970. An electron microscope study of exogenously dormant spores, spore germination, hyphae and conidiophores of *Alternaria brassicicola*. New Phytologist 69: 287-293.
147. Campbell, R. 1972. Changes in volume of reproductive structures during spore production by *Alternaria brassicicola*. Trans. Br. Mycol. Soc. 59: 153-156.
148. Campbell, R., R. W. Larner and M. F. Madelin. 1968. Notes on an albino mutant of *Alternaria brassicicola*. Mycologia 60: 1122-1125.
149. Casarini, B. and E. Pucci. 1956. [Specificity of action of fungicides.] R.C. Accad. Lincei 21: 305-308.

150. Casarini, B. and E. Pucci. 1957. [In vitro tests of the fungicidal efficacy of various fungicides against fungi selected from among the usual "test" organisms and some harmful parasites of plants.] Ric. Sci. 27: 1468-1477.
151. Ceponis, M. J., R. A. Cappellini and G. W. Lightner. 1987. Disorders in cabbage, bunched broccoli and cauliflower shipments to the New York market, 1972-1985. Plant Dis. 71: 1151-1154.
152. Chahal, A.S. 1977. Studies on *Alternaria* blight of rape and mustard crops and its control in the Punjab. Ph.D. Thesis, Punjab Agric. Univ., Ludhiana, Punjab, India.
153. Chahal, A. S. 1981. Seed-borne infection of *Alternaria brassicae* in Indian mustard and its elimination during storage. Curr. Sci. 50: 621-623.
154. Chahal, A. S. 1982. Diseases of rapeseed and mustard. Indian Farming 32: 27-32.
155. Chahal, A. S. 1986. Relationship of *Alternaria* blight with the age of brown sarson. Indian J. Mycol. Plant Pathol. 16: 166-167.
156. Chahal, A. S. 1986. Losses and chemical control of *Alternaria* blight in rapeseed-mustard in Punjab. Plant Dis. Res. 1: 46-50.
157. Chahal, A. S. 1987. Germination and seedling stand of mustard after elimination of *Alternaria brassicae* from the seed during storage. Seed Research (New Delhi, India) 15: 229-232.
158. Chahal, A. S. and M. S. Kang. 1979. Changes in free amino acids and sugars in the leaves of brown sarson (rape) infected by *Alternaria brassicae*. J. Res. 16: 57-59.
159. Chahal, A. S. and M. S. Kang. 1979. Some aspects of seed-borne infection of *Alternaria brassicae* in rape and mustard cultivars in the Punjab. Indian J. Mycol and Plant Pathol. 9: 51-55.
160. Chahal, A. S. and M. S. Kang. 1979. Different levels of *Alternaria* blight in relation to grain yield of brown sarson. Indian J. Mycol. Plant Pathol. 9: 260-261.
161. Chahal, A. S. and M. S. Kang. 1979. Influence of the meteorological factors on the development of *Alternaria* blight of rape and mustard in the Punjab. Indian Phytopathol. 32: 171. (Abstr.).
162. Chahal, A. S., M. S. Kang and J. S. Chohan. 1977. *Alternaria* blight - A serious disease of rapeseed and mustard. Progressive Farming 12: 21-22.
163. Chahal, A. S. and K. S. Labana. 1980. Investigations on the seed-borne nature of *Alternaria brassicae* in Indian mustard. Indian Phytopathol. 33: 162. (Abstr.).
164. Champion, R., D. Brunet, C. Anselme, J. Bourdin and G. Berthier. 1979. [Fungicidal seed disinfection of market garden plants: carrot (*Daucus carota*), cabbage (*Brassica oleracea bullata*), *Valerianella olitoria* and radish (*Raphanus sativus*).] Rev. Hortic. 196: 23-34.
165. Chancogne, M. M. and G. Viel. 1956. [Methods of evaluating the fungicidal properties of different substances with a view to their employment in agriculture.] Ann. Inst. Rech. Agron., Ser. c (Ann. Epiphyt.) 7: 641-660.

166. Chand, J. N. and S. S. Jatian. 1969. Efficacy of different fungicides against *Alternaria* blight of radish (*Raphanus sativus* L.). JNKVV Res. J. 3: 132-133.
167. Chandra, S., M. Narang and R. K. Srivastava. 1981. Changes in the associated mycoflora and viability of seeds of some oilseeds in prolonged storage. Geobios 8: 200-204.
168. Changsri, W. 1951. Etude sur les especes d'*Alternaria* pathogenes sur crucifers. Diss. Abstr. 21: 1968.
169. Changsri, W. 1960. Studies of *Alternaria* spp. pathogenic on Cruciferae. Ph. D. Thesis, Univ. Florida.
170. Changsri, W. 1961. Studies of *Alternaria* spp. pathogenic on Cruciferae. Diss. Abstr. 21: 1698.
171. Changsri, W. and G. F. Weber. 1960. Studies of *Alternaria* spp. pathogenic on Cruciferae. Phytopathology 50: 631. (Abstr.).
172. Changsri, W. and G. F. Weber. 1963. Three *Alternaria* species pathogenic on certain cultivated crucifers. Phytopathology 53: 643-648.
173. Channon, A. G. 1970. Tests of fungicides against *Alternaria brassicicola* and studies on some factors enhancing attack by the fungus. Ann. Appl. Biol. 65: 481-487.
174. Channon, A. G. and R. B. Maude. 1971. Vegetables. IN: Diseases of Crop Plants, J. H. Western (Ed.), Macmillan, London. Chapter 16: pp. 323-363.
175. Chattopadhyay, A. K. 1989. Relationship of phenols and sugars in *Alternaria* blight resistance of rapeseed and mustard. Indian. J. Mycol. Res. 27: 195-199.
176. Chattopadhyay, S. B. and S. K. Sen Gupta. 1955. Further addition to fungi of West Bengal. II. Bull. Bot. Soc. Bengal 9: 46-50.
177. Chaturvedi, C. 1982. Physiological studies on *Alternaria*. II. Utilization of oligosaccharides. Proc. Nat. Acad. Sci., India, B 52: 125-129.
178. Child, R. D., D. E. Evans, J. A. Hutcheon, V. W. Jordon and G. R. Stinchcombe. 1988. Influence of time of application of growth retardants on canopy structure, disease and yield in oilseed rape. Proc. 1988 British Crop Prot. Confr., Pests and Diseases, Brighton 3: 881-886.
179. Chirco, E. M. and G. E. Harman. 1979. The effects of *Alternaria brassicicola* infection on *Brassica* seed vigor and viability. J. Seed Technol. 3: 12-22.
180. Chohan, J. S. 1978. Diseases of oilseed crops, future plans and strategy for control under small holdings. Indian Phytopathol. 31: 1-15.
181. Chowdhury, S. 1937. Germination of fungal spores in relation to atmospheric humidity. Indian J. Agric. Sci. 7: 653-657.
182. Christensen, C. M. 1957. Deterioration of stored grains by fungi. Bot. Rev. 23: 108-134.

183. Chupp, C. 1923. Black mold or leaf spot caused by *Alternaria brassicae* (Berk.) Sacc. IN: Diseases of Field and Vegetable Crops in the United States in 1922. U.S. Dept. Agric. Bur. Plant. Indus. Plant Dis. Surv. Bull. Suppl. 26: p. 107.
184. Chupp, C. 1925. Alternaria leaf spot and blight of crucifers. IN: Manual of vegetable garden diseases. The MacMillan Co., New York: pp. 146-150.
185. Chupp, C. 1935. *Macrosporium* and *Colletotrichum* rots of turnip roots. Phytopathology 25: 269-274.
186. Chupp, C. and P. P. Pirone. 1935. Some notes on fungi causing diseases of cabbage and other crucifers. Plant Dis. Repr. 19: 275.
187. Chupp, C. and A. F. Sherf. 1960. Crucifer diseases IN: Vegetable diseases and their control. Ronald Press Co., New York, Chapter 8: pp. 237-288.
188. Ciferri, R. and R. F. Gonzalez. 1927. [Parasitic and saprophytic fungi of the Dominican Republic.] (11th series). Bol. R. Soc. Espanola Hist. Nat. 27: 267-280.
189. Clark, N. G. and A. F. Hams. 1953. The fungicidal activity of substituted acetanilides and related compounds. Biochem. J. 55: 839-851.
190. Clear, R. M. 1992. Frequency and distribution of seedborne fungal pathogens in western Canadian canola - 1989 and 1990. Can. Plant Dis. Surv. 72: 21-28.
191. Coleno, A., M. Le Normand and L. Hingard. 1971. [A bacterial disease of the cauliflower head.] C.r. Seanc. Acad. Agric. Fr. 57: 650-652.
192. Conn, K. L. 1986. Leaf epicuticular wax of Canola: Ultrastructure, chemistry and interaction with *Alternaria brassicae*. M. Sc. Thesis, Univ. of Alberta, Edmonton, Canada.
193. Conn, K. L., O.A. Jejelowa, J.P. Tewari and P.S. Bains. 1991. *Camelina sativa* phytoalexins (Camalexin and methoxy camalexin) provide resistance against *Alternaria brassicae*. Can. J. Plant Pathol. 13: 274 (Abstr.).
194. Conn, K. L. and J. P. Tewari. 1985. The ultrastructure of leaf epicuticular wax in canola. Phytopathology 75: 1377. (Abstr.).
195. Conn, K. L. and J. P. Tewari. 1986. Hypersensitive reaction induced by *Alternaria brassicae* in *Eruca sativa*, an oil-yielding crucifer. Can. J. Plant Pathol. 8: 348. (Abstr.).
196. Conn, K. L. and J. P. Tewari. 1989. Interactions of *Alternaria brassicae* conidia with leaf epicuticular wax of canola. Mycol. Res. 93: 240-242.
197. Conn, K. L. and J. P. Tewari. 1989. Ultrastructure of epicuticular wax in canola. Zeitschrift fur Naturforschung (Section C. Bioscience) 44: 705-711.
198. Conn, K. L. and J. P. Tewari. 1990. Survey of *Alternaria* blackspot and *Sclerotinia* stem rot in central Alberta in 1989. Can. Plant Dis. Surv. 70: 66-67.
199. Conn, K. L. and J. P. Tewari. 1991. Survey of *Alternaria* blackspot and *Sclerotinia* stem rot in central Alberta, Canada in 1990. Can. Plant Dis. Surv. 71: 96-97.

200. Conn, K.L. and J.P. Tewari. 1992. Survey of *Alternaria* black spot and Sclerotinia stem rot in central Alberta in 1991. Can. Plant Dis. Surv. 72: 75-76.
201. Conn, K. L., J. P. Tewari and R. P. Awasthi. 1990. A disease assessment key for *Alternaria* blackspot in rapeseed and mustard. Can. Plant Dis. Surv. 70: 19-22.
202. Conn, K. L., J. P. Tewari and J. S. Dahiya. 1987. Resistance to *Alternaria brassicae* and phytoalexin-elicitation in rapeseed and some other crucifers. Phytopathology 77: 1703. (Abstr.).
203. Conn, K. L., J. P. Tewari and J. S. Dahiya. 1988. Resistance to *Alternaria brassicae* and phytoalexin-elicitation in rapeseed and other crucifers. Plant Sci. 55: 21-25.
204. Conn, K. L., J. P. Tewari and D. Hadziyev. 1984. The role of epicuticular wax in canola in resistance to *Alternaria brassicae*. Phytopathology 74: 851. (Abstr.).
205. Conners, I. L. 1935. Fourteenth Annual Report of the Canadian Plant Disease Survey. 8 + 116 p.
206. Conners, I. L. 1954. Thirty third Annual Report of the Canadian Plant Disease Survey 1953. 15+124 p.
207. Conners, I. L. 1967. An annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada and Greenland. Can. Dept. Agric. Publ. 1251, Queen's Printer, Ottawa.: pp. 61-64.
208. Cook, R. J. and E. J. Evans. 1978. Build-up of diseases with intensification of oilseed rape in England. Proc. 5th Int. Rapeseed Confr., Malmo, Sweden: pp. 333-337.
209. Coombes, G. A. N. and J. H. Julien. 1949. The production of vegetable seeds in Mauritius (1943-1946). Bull. Dept. Agric. Mauritius 50: 38 p.
210. Cotty, P. J. and S. M. Alcorn. 1984. *Alternaria raphani* on turnip in Arizona, U.S.A. Plant Dis. 68: 732.
211. Cotty, P. J. and I. J. Misaghi. 1984. Zinniol production by *Alternaria* species. Phytopathology 74: 785-788.
212. Cox, T. W., J. L. Souche, H. Grapel and F.J.V. Wijst. 1983. The control of *Alternaria*, *Sclerotinia* and *Botrytis* on oilseed rape with spray treatments of a flowable formulation of iprodione. Proc. 6th Int. Rapeseed Confr., Paris, France: pp. 928-933.
213. Cox, T. W., D. Swash and J. Paviot. 1981. The control of *Alternaria brassicae* and *Sclerotinia sclerotiorum* on oilseed rape with iprodione. Proc. British Crop Prot. Confr., Pests and Diseases 2: 513-520.
214. Creelman, D. W. 1967. Summary of the prevalence of plant diseases in Canada in 1965. A compilation. Can. Plant Dis. Surv. 47: 39.
215. Crisan A. and I. Pall. 1986. [Effect of infection by *Alternaria alternata* on cauliflower seed germination and effectiveness of some fungicides.] Contributii Botanice Gradina Botanica Universitatea Babes Bolyai din Cluj-Napoca: pp. 213-218.

216. Critopoulos, P. D. 1953. A contribution to the fungus flora of Greece. Bull. Torrey Bot. Club 80: 325-341.
217. Crosier, W. and S. Patrick. 1940. Influence of chemical and thermal treatments on infection of cruciferous seedlings by *Alternaria* spp. and *Rhizopus nigricans*. Proc. Ass. Off. Seed Anal. N. Amer. 1939: 116-120.
218. Czyzewska, S. 1957. [Microflora of rape seeds and its effect on the healthiness of seedlings.] Biul. IOR (Bulletin, Plant Prot. Inst.) 1: 31-39.
219. Czyzewska, S. 1958. [Phytopathological and mycological studies on seeds of rape (*B. napus* var. *oleifera*.)] Roczn. Nauk rol. 78 (ser.A) 2: 283-307.
220. Czyzewska, S. 1958. Proby zwalczania czerni rzepakowej wywolywanej na rzepaku przez *Alternaria brassicae* (Berk.) Sacc. przy pomocy zaprawiania nasion. Biul Inst. Ochrony Roslin 3: 111-137.
221. Czyzewska, S. 1969. Alternaria blight of *Crambe abyssinica*. Acta Mycol. 5: 175-211.
222. Czyzewska, S. 1970. [Effect of temperature on the growth and sporulation of *Alternaria* species isolated from *Crambe abyssinica*.] Acta Mycol. 6: 261-276.
223. Czyzewska, S. 1971. The pathogenicity of *Alternaria* spp. isolated from *Crambe abyssinica*. Acta Mycol. 7: 171-240.
224. Czyzewska, S., B. Grabiec and T. Kloczowska. 1967. [Investigations on the control of Alternariosis of *Crambe abyssinica* by means of seed treatment.] Biul Inst. Hodowl. Aklim. Rosl. Oleistych 6 (81): 127-145.
225. Daebeler, F. and D. Amelung. 1988. [Occurrence and importance of *Alternaria* dark leaf spot in winter rape.] Nachrichtenblatt fur den Pflanzenschutz in der DDR 42: 196-199.
226. Daebeler, F., D. Amelung and V. Riedel. 1986. [Leaf spot damage caused by *Alternaria* sp. in winter rape.] Wissenschaftliche Zeitschrift der Wilhelm-Pieck-Universitat Rostock, Naturwissenschaftliche Reihe 35: 52-54.
227. Daebeler, F., D. Amelung, H. J. Pluschbell and G. Legde. 1980. [Occurrence of and importance of fungal diseases in winter rape in northern part of GPR.] Nachrichtenblatt fur den Pflanzenschutz in der DDR 34: 17-20.
228. Daebeler, F., D. Amelung and D. Seidel. 1981. [The most important fungal diseases of rape and possibilities to reduce them.] Nachrichtenblatt fur den Pflanzenschutz in der DDR 35: 249-251.
229. Daebeler, F., D. Seidel and N. Makowski. 1987. [Phytosanitary aspects of designing crop rotations with rape.] Nachrichtenblatt fur den Pflanzenschutz in der DDR 41: 30-32.
230. Dahiya, J. S. 1988. Melanin biosynthesis in *Alternaria brassicae*. Indian J. Microbiol. 28: 42-49.
231. Dahiya, J. S., J. P. Tewari and D. L. Woods. 1988. Abscisic acid from *Alternaria brassicae*. Phytochemistry 27: 2983-2984.

232. Dahiya, J.S. and J.P. Tewari. 1991. Plant growth factors produced by the fungus *Alternaria brassicae*. *Phytochemistry* 30: 2825-2828.
233. Darpoux, H. 1945. [A contribution to the study of the disease of oleaginous plants in France.] *Annales Epiphyt.* 11: 71-103.
234. Darpoux, H. and A. Faivre-Amiot. 1949. [The antagonistic action of Actinomycete 105 towards some micro-organisms, mostly phyto-pathogenic. Experiments on their application in the control of plant diseases.] *Ann. Inst. Pasteur* 76: 72-74.
235. Darpoux, H., J. Louvet and J. Ponchet. 1957. [Experiments on the seed treatment of crucifers against *Phoma lingam* (Tode) Desm. and *Alternaria brassicae* (Berk.) Sacc.] *Annales Epiphyt.* 4: 545-557.
236. Das, M. L. and A. Rahman. 1988. Induced mutagenesis for the development of high yielding varieties in mustard. *J. Nuclear Agric. Biol.* 17: 1-4.
237. Das, M. L. and A. Rahman. 1989. *Alternaria* resistance of *Brassica campestris* L. improved by induced mutations. *Mutation Breeding Newsletter* 33: 9-10.
238. Dasgupta, S. N. and J. P. Verma. 1961. Studies in the enzyme make-up of *Alternaria* I. Qualitative demonstration of enzymes. *Curr. Sci.* 30: 450-452.
239. Dasgupta, S. N. and J. P. Verma. 1962. Studies in the enzyme make-up of *Alternaria* II. Quantitative distribution of enzymes. *Proc. Nat. Inst. Sci., India*, 28 B: 201-205.
240. Davies, J. M. L., D. M. Ann, S. C. Dobson, O. W. Jones, P. Gladders, S. C. Melville, G. M. McPherson, M. D. Popham, R. I. Price and J. D. Wafford. 1986. Fungicide spray timing on brussels sprouts. *Aspects Appl. Biol.* 12: 21-28.
241. Davis, L. H., R. H. Sciaroni and F. Pritchard. 1949. *Alternaria* leaf spot of garden stock in California. *Plant Dis. Repr.* 33: 432-433.
242. Davis, W. H. 1934. *Alternaria brassicae* as a parasite of chinese cabbage. *Phytopathology* 24: 1379-1380.
243. DeCarvolho, T. 1948. [Preliminary report on the diseases observed in plants and insects with phytopathological annotations.] *Colonia de Mocambique, Reparticao de Agricultura, Seccao de Micologia.* 84 p.
244. Degenhardt, K. J. 1973. *Alternaria brassicae* and *A. raphani*: Sporulation in culture, and their effects on yield and quality of rapeseed. M. Sc. Thesis, Univ. of Alberta, Canada.
245. Degenhardt, K. J. 1978. *Alternaria* blackspot of rapeseed and mustard: Phytotoxins and other aspects of the host-parasite interaction. Ph. D. Thesis, Univ. of Saskatchewan, Saskatoon, Canada.
246. Degenhardt, K. J., G. A. Petrie and R. A. A. Morrall. 1982. Effects of temperature on spore germination and infection of rapeseed by *Alternaria brassicae*, *A. brassicicola* and *A. raphani*. *Can. J. Plant Pathol.* 4: 115-118.
247. Degenhardt, K. J., G. A. Petrie, J. Dueck and I. E. Pelcher. 1975. The synergistic action of two phytotoxic metabolites produced by *Alternaria brassicae*. *Proc. Can. Phytopathol. Soc.* 42: 17-18. (Abstr.).

248. Degenhardt, K. J., W. P. Skoropad and Z. P. Kondra. 1974. Effects of *Alternaria* blackspot on yield, oil content and protein content of rapeseed. Can. J. Plant Sci. 54: 795-799.
249. Derbyshire, D. M. and M. R. Shipway. 1978. Control of post-harvest deterioration in vegetables in the U.K. Outlook on Agriculture 9: 246-252.
250. Devys, M., M. Barbier, I. Loiselet, T. Rouxel, A. Sarniguet, A. Kollmann and J. F. Bousquet. 1988. Brassilexin a novel sulfur-containing phytoalexin from *Brassica juncea* L. Cruciferae. Tetrahedron Letters 29 (49): 6447-6448.
251. Dey, P. K. 1948. Plant Pathology. Adm. Rep. Agric. Dept. U.P., 1946-47: pp. 39-42.
252. Dixit, R. K. and A. N. Srivastava. 1989. "Vaibhav" a new variety of mustard for rainfed situation. Indian Farming 39: 9.
253. Dixon, G. R. 1975. The reaction of some oil rape cultivars to some fungal pathogens. Proc. 8th British Insecticide and Fungicide Confr.: pp. 503-506.
254. Dixon, G. R. 1981. Pathogens of Crucifer Crops. IN: Vegetable Crop Diseases. AVI Publ. Co. Inc., Westport, Connecticut: pp. 119-123.
255. Djurle, A. 1982. [Plant Protection year 1981. Agriculture.] Vaxtskyddsnotiser 46: 4-9.
256. Domsch, K. H. 1957. [The blackening of rape and cabbage siliquae.] Z. Pflanzenkr. Pflanzenschutz. 64: 65-79.
257. Doughty, K. J., A. J. R. Porter, A. M. Morton, G. Kiddie, C. H. Bock and R. Wallsgrave. 1991. Variation in the glucosinolate content of oilseed rape (*Brassica napus* L.) leaves. II. Response to infection by *Alternaria brassicae* (Berk.) Sacc. Ann. Appl. Biol. 118: 469-477.
258. Downey, R. K. and J. L. Bolton. 1961. Production of rape in Western Canada. Publ. Dept. Agric. Canada 1021: 19 p.
259. Doyer, L. C. 1941. [The importance of the seed as a conveyor of vegetable diseases and pests.] Tijdschr. Plziekt. xlvii: 14-24.
260. Dube, V. P., M. V. Charaya, S. Tyagi and S. Devi. 1980. Effect of *Alternaria brassicae* (Berk.) Sacc. and its culture filtrates on the permeability of cauliflower leaves. Acta Botonica Indica 8: 265-267.
261. Dueck, J. and K. Degenhardt. 1975. Effect of leaf age and inoculum concentration on reaction of oilseed *Brassica* spp. to *Alternaria brassicae*. Proc. Amer. Phytopathol. Soc. 2: 59 (Abstr.).
262. Duhan, J. C. 1986. Alternaria pod and leaf blight of cauliflower (*Brassica oleracea* var. *Botrytis*) raised for seed production and its control. Ph.D. Thesis. Haryana Agricultural University, Hisar, India.
263. Duhan, J. C. and L.S. Suhag. 1989. Studies on the *Alternaria* leaf and pod blight of cauliflower. I. Pathogenicity and distribution in Haryana. Indian Phytopathol. 42: 87-94.

264. Dunn, C. L., K. F. Brown and J. T. W. Montagne. 1969. Antagonism between fungicides and water soluble exudates from leaves of plants. *Phytopathol. Z.* 64: 112-118.
265. Durbin, R. D. and T. F. Uchytil. 1977. Survey of plant insensitivity to tentoxin. *Phytopathology* 67: 602-603.
266. Eastburn, D. 1989. Disease management of cabbage and broccoli- an IPM approach. *Trans. Illinois State Hort. Soc.* 123: 32-35.
267. Eddins, A. H. 1952. Diseases, deficiency and injuries of cabbage and other crucifers in Florida. *Florida Expt. Stn. Bull.* 492: 6-11.
268. Eddins, A. H. and S. R. Burrell. 1949. Diseases of cabbage and other crucifers in the Hastings and Sanford areas, Florida, in the 1948-49 season. *Plant Dis. Repr.* 33: 322-324.
269. Elliot, J. A. 1917. Taxonomic characters of the genera *Alternaria* and *Macrosporium*. *Amer. J. Bot.* 4: 439-476.
270. Ellis, M. B. 1968. *Alternaria brassicae*. Commonwealth Mycological Institute. Descriptions of Pathogenic Fungi and Bacteria. No. 162. CMI, Kew, Surrey, England.
271. Ellis, M. B. 1968. *Alternaria brassicicola*. Commonwealth Mycological Institute. Descriptions of Pathogenic Fungi and Bacteria. No. 163. CMI, Kew, Surrey, England.
272. Ellis, M. B. 1971. Dematiaceous hyphomycetes. Commonwealth Mycological Institute, Kew, Surrey, England. No. 608: pp. 464-497.
273. Esiyok, D., N. Cetinkaya, E. Onogur and B. Eser. 1988. Preliminary results on the relations between cultivation methods, fungicide application and disease incidence in the seed production of early cauliflower variety (cv. *Brio*). *Cruciferae NewsLetter* 13: 130-131.
274. Estifeyeff, P. G. 1925. [Diseases of cultivated and wild plants in the Djetyssouy region in the period 1922-1924.] Pamphlet of the Djetyssouy Plant Protection Station, Alma-Ata [verni]. 14 p.
275. Evans, E. J. 1983. The occurrence and control of diseases of winter oilseed rape in England. 6th Int. Rapeseed Confr., Paris, France: p. 195. (Abstr.).
276. Evans, E. J., P. Bowerman, and N. J. Giltrap. 1988. A comparison of fungicide spray programmes on four cultivars of winter oilseed rape. *Tests Agrochem. Cultiv.* 9: 32-33.
277. Evans, E. J., J. M. Davies, P. Gladders, N. V. Hardwick, J. H. Hawkins, D. R. Jones and M. B. Simkin. 1983. The occurrence and control of diseases of winter oilseed rape in England. Proc. 6th Int. Rapeseed Confr., Paris, France: pp. 1032-37.
278. Evans, E. J. and P. Gladders. 1981. Diseases of winter oilseed rape and their control, east and south-east England, 1977-81. Proc. 1981 British Crop Prot. Confr.: pp. 505-512.

279. Evans, E. J., P. Gladders, J. M. L. Davies, D. R. Ellerton, N. V. Hardwick, J. H. Hawkins, D. R. Jones and M. B. Simkin. 1984. Current status of diseases and disease control of winter oilseed rape in England. *Aspects Appl. Biol.* 6, *Agronomy, physiology, plant breeding and crop protection of oilseed rape:* pp. 323-334.
280. Evans, J. and T. Cox. 1982. *Alternaria* is now the major disease of oilseed rape crop. *Arable Farming*, April-1982: pp. 78-84.
281. Fajardo, T. G. and M. A. Palo. 1934. A serious leaf spot of chinese celery cabbage, wongbok and other cruciferous plants in Trinidad Valley, Mountain Province Luzon. *Phillipp. J. Agric.* 5: 143-153.
282. Fawcett, H. S. 1909. Cabbage diseases. *Florida Agric. Exp. Stn. Annu. Rept.:* 59-60.
283. Feekes, F. H. 1949. [Studies on fungicides. I. Spore germination tests with dithiocarbamates.] *Tijdschr. Plziekt.* 55: 22-30.
284. Ferraris, T. 1928. [Leaf spot of cauliflower]. *Curiamo le Piante* 6: 168-170.
285. Flik, H. M. and G. J. Saaltink. 1950. [The most important diseases, pests and injuries of agricultural crops in 1949.] *Maandbl. LandbVoorl.* 7, 6: 241-250.
286. Fontem, D. A. 1986. Disease progress of dark leafspot in fungicide sprayed cabbage. M. Sc. Thesis, Univ. of Florida, Gainsville, U.S.A.
287. Fontem, D. A., D. P. Weingartner and J. A. Bartz. 1986. Disease progress of *Alternaria brassicicola* on cabbage. *Phytopathology* 76: 1114. (Abstr.).
288. Fontem, D. A., R. D. Berger, D. P. Weingartner and J. A. Bartz. 1991. Progress and spread of dark leaf spot in cabbage. *Plant Dis.* 75: 269-274.
289. Galvez, R. C. and M. F. Romero. 1988. [*Alternaria brassicicola*, a new causal agent of black spot of crucifers in Spain.] In *comunicaciones dell 3 Congreso Nacional de Fitopatologia*. Puerto de la cruz 29 October-2 November: pp. 82-86.
290. Galvez, R. C. and M. F. Romero. 1988. [Study of the susceptibility of *Brassica carinata*, *B. juncea* and *B. napus* var. *oleifera* to black spot of crucifers.] In *Communicaciones dell 3 Congreso Nacional de Fitopatologia*. Puerto de la cruz 29 Oct.-2 Nov.: pp. 171-175.
291. Gambogi, P. 1981. [Plant Pathological aspects and problems of seeds of market garden and industrial plants.] *Informatore Fitopatol.* 12: 31-40.
292. Gangwar, S. K. 1983. Inhibition of root and shoot growth in mustard by culture filtrate of three species of *Alternaria*. *Indian J. Mycol. Plant Pathol.* 13: 366-368.
293. Gardner, M. W. 1927. Indiana plant diseases, 1925. *Proc. Indiana Acad. Sci.* 36 (1926): 231-247.
294. Gardner, M. W. 1929. Indiana plant diseases, 1927. *Proc. Indiana Acad. Sci.* 38 (1928): 143-157.
295. Gaur, R. B. and S. R. Ahmed. 1980. Efficacy of different fungicides for the control of *Alternaria* blight and white rust of mustard. *Indian J. Mycol. Plant Pathol.* 10: 48.

296. Gaur, R. B. and S. R. Ahmed. 1982. Seed mycoflora on four varieties of raya. Indian J. Mycol. Plant Pathol. 12: 225-226.
297. Gay, J. D. 1984. Plant Pathology fact sheet: Cabbage diseases (*Rhizoctonia*, *Peronospora parasitica*, *Xanthomonas campestris*, *Phoma lingam*, *Alternaria brassicae*). Leafl-coop-Ext.-Serv.-Univ. Ga., Athens. The Service, March 1984 (294, rev.): 4 p.
298. Geeson, J. D. 1979. The fungal and bacterial flora of stored white cabbage. J. Appl. Bacteriol. 46: 189-193.
299. Geeson, J. D. and K. M. Browne. 1979. Effect of post harvest fungicide drenches on stored winter white cabbage. Plant Pathol. 28: 161-168.
300. Geeson, J. D. and R. W. Kear. 1978. Fungicide dips for cabbage storage. Horticulture Industry, October 1978: pp. 38-39.
301. Gillman, H. 1952. Report of the acting director of agriculture. Rept. Dept. Agric. Nyasaland 1950: 36 p.
302. Gladders, P. 1978. The disease threat to oilseed rape. Arable Farming, September 1978: pp. 47-49.
303. Gladders, P. 1984. Present and potential disease interaction between oilseed rape and vegetable *Brassicas*. Proc. 1984 British Crop Prot. Confr., Pests and Diseases 2: 791-798.
304. Gladders, P. 1987. Current status of diseases and disease control in winter oilseed rape in England and Wales. Bulletin SROP 10: 7-10.
305. Gladders, P. 1988. The contribution and value of pesticides to disease control on combinable break crops. IN: Control of Plant Diseases: cost and benefits; meeting of the Brit. Soc. Plant Pathol., Manchester, England, U.K. Dec. 1984. Cliford, B.C. and E. Lester (Ed.): p. 29-50.
306. Gladders, P. and T. M. Musa. 1982. Effects of several herbicides on diseases of winter oilseed rape. Proc. 1982 Brit. Crop Prot. Confr., Weeds: pp. 115-122.
307. Gladders, P. and A. D. Rhodes. 1985. Evaluation of chlorothalonil and iprodione for the control of leaf diseases of turnip. Tests Agrochem. Cultiv. 6, Supplement to Ann. Appl. Biol. 106: 72-73.
308. Glaeser, G. 1970. [What causes black spot on stored cabbage.] Pflanzenarzt 23: 122-123.
309. Glaeser, G. 1976/1979. [Report on the occurrence of important diseases and pests on cultivated plants in Austria in 1977.] Pflanzenschutzberichte 45: 153-164.
310. Gobelez, M. 1956. [Research work on the varieties and areas of spread of bacterial and parasitic diseases affecting and contaminating the seeds of cultivated plants grown in certain provinces of Central Anatolia as well as the approximate degree of damage caused by such diseases.] Zir Fak. Yaynl. 107 (62): 131 p.

311. Godfrey, G. H. 1941. An outbreak of cabbage blackspot disease in the lower Rio Grande Valley of Texas. *Plant Dis. Reptr.* 25: 119-120.
312. Goidanich, G. 1937. [On the species of *Alternaria* which produce cauliflower blackspot in Italy.] *Boll. Staz. Pat. Veg. Roma, N.S.* 17: 193-200.
313. Gorshkov, A. K. 1976. [Infectious damping-off of cabbage seedlings under glass.] *Trudy Vses. s.-kh. Inst. Zaoch. obrazovaniya No. 117:* 25-29.
314. Green, D. E. 1947. Black spot disease of *Brassica* seed crops. *Gardners' Chronicle Series 3*, 122, 3149: pp. 178-180.
315. Grontoft, M. 1986. [Resistance to *Alternaria* spp. in oilseed crops.] *Sveriges Utsadesforenings Tidskrift* 96: 263-269.
316. Grontoft, M. and D. O'Connor. 1990. Greenhouse method for testing of resistance of young *Brassica* plants to *Alternaria brassicae*. *Plant Breeding* 105: 160-164.
317. Grover, R. K. 1984. Management of diseases of oil seed crops. *Pesticides* 18: 18-21.
318. Groves, J. W. and A. J. Skolko. 1944. Notes on seed-borne fungi II. *Alternaria*. *Can. J. Res. Sect. C* 12: 217-234.
319. Gupta, B.D., B. N. Chatterjee, S. Chowdhury, R. K. Ghosh and K. Baral. 1985. Fungicidal control of *Alternaria* blight of mustard. *J. Oilseeds Res.* 2: 148-151.
320. Gupta, I. J., B. S. Sharma and G. G. Dalela. 1977. Control of white rust and *Alternaria* leaf spot of mustard. *Indian J. Mycol. Plant Pathol.* 7: 163-164.
321. Gupta, R. B. L., B. G. Desai and V. N. Pathak. 1969. Nutritional studies on *Alternaria brassicae* (Berk.) Sacc. I. Influence of different nutrient media, pH, nitrogen and carbon/nitrogen ratio. *Phyton*. 26: 201-205.
322. Gupta, R. B. L., B. G. Desai and V. N. Pathak. 1972. Effect of light on growth and sporulation of *Alternaria brassicae*(Berk.) Sacc. *Phytopathol. Mediterr.* 11: 61-62.
323. Gupta, R. C. and A. Saxena. 1984. Efficacy of some fungicides on incidence of seed-borne fungi of *Eruca sativa* grown in Tarai region of Nainital. *Madras Agric. J.* 71: 512-515.
324. Gupta, R. P., J. N. Sinha and S. M. Ghufran. 1985. Field evaluation of fungicides for the control of *Alternaria* blight of Indian mustard. *Pesticides (Bombay)* 19: 47; 50.
325. Gupta, S. K., P. P. Gupta and T. P. Yadava. 1987. Leaf surface constituents of mustard genotypes in relation to *Alternaria* leaf blight disease. *Indian J. Mycol. Plant Pathol.* 17: 332-334.
326. Gupta, S. K., P. P. Gupta and T. P. Yadava. 1987. Leaf surface constituents of *Brassica* species in relation to *Alternaria* leaf blight (*Alternaria brassicae* (Berk.) Sacc. and *A. brassicicola* Schw. Wilts.). *Proc. 7th Int. Rapeseed Congr.*, Poznan, Poland: pp. 1241-1247.
327. Gupta, S. K., P. P. Gupta and T. P. Yadava. 1987. Leaf surface constituents of *Brassica* species in relation to *Alternaria* leaf blight (*Alternaria brassicae* (Berk.) Sacc. and *A. brassicicola* (Schw. Wilts.). *7th Int. Rapeseed Congr.*, Poznan, Poland: p. 252.

328. Gupta, S. K., P. Kumar, T. P. Yadava and G. S. Saharan. 1984. Changes in phenolic compounds, sugars and total nitrogen in relation to *Alternaria* leaf blight in Indian mustard. Haryana Agric. Univ. J. Res. 14: 535-537.
329. Gupta, Y. K., V. K. Agarwal, A. N. Roy and M. N. Gupta. 1977. Fungi associated with Rai (*Brassica juncea* Hook. f. and Thoms.) seeds. Curr. Sci. 46: 319-320.
330. Gurha, S. N. and V. Dhar. 1987. A new leaf spot disease of candy tuft. Indian J. Mycol. Plant Pathol. 17: 238-239.
331. Gurha, S. N., J. Nath, D. P. Misra and J. P. Srivastva. 1980. Notes on the occurrence of possible sources of resistance in *Brassica* cultivars against *Alternaria brassicae* (Berk.) Sacc. Madras Agric. J. 67: 196-198.
332. Halloin, J. M., J. C. Walker, G. A. de Zoeten and G. Gaard. 1969. Effects of tentoxin on plastids of cucumber and cabbage. Phytopathology 59: 1028-1029 (Abstr.).
333. Halloin, J. M., G. A. De Zoeten, G. Gaard and J. C. Walker. 1970. The effects of tentoxin on chlorophyll synthesis and plastid structure in cucumber and cabbage. Plant Physiol. 45: 310-314.
334. Halloin, J. M. and D. J. Hagedorn. 1975. Effect of tentoxin on enzymic activities in cucumber and cabbage cotyledons. Mycopathologia 55: 159-162.
335. Harman, G. E. and G. Nash. 1978. Soaking *Brassica* seeds in fungicide solutions to eradicate seed-borne fungi: A comparison of aqueous and organic solvent infusion techniques. Plant Dis. Repr. 62: 408-412.
336. Harrison, L. M. 1990. Canola disease survey in the Peace River region in 1989. Can. Plant Dis. Surv. 70: 65.
337. Harrison, L. M. and J. Loland. 1991. Canola disease survey in the Peace River region in 1990. Can. Plant Dis. Surv. 71: 100.
338. Harrison, L. M. 1992. Canola diseases in the Peace River region in 1991. Can. Plant Dis. Surv. 72: 72.
339. Harter, L. L. and L. R. Jones. 1918. Cabbage disease. U.S. Dept. Agric. Farmers' Bull. 925: 30 p.
340. Harter, L. L. and L. R. Jones. 1923. Cabbage disease. U.S. Dept. Agric. Farmers' Bull. 1351: 28 p.
341. Hasan, S. and C. Vago. 1966. Transmission of *Alternaria brassicicola* by slugs. Plant Dis. Repr. 50: 764-767.
342. Hemmi, T. and K. Ishigami. 1953. Ecological studies on *Alternaria circinans* causing leaf spot and browning of cabbage and cauliflower. Bull. Univ. Naniwa, Ser. B. (3): 93-104.
343. Higgins, B. B. 1917. Notes on some diseases of collards. Georgia Agric. Expt. Stn. Annu. Rept. (1916) 29: 21-27.

344. Hodgkin, T. 1990. In vitro pollen selection in *Brassica napus* L. for resistance to phytotoxic compounds from *Alternaria brassicicola* (Schw.) Wilts. Sexual Plant Reproduction 3: 116-120.
345. Hodgkin, T. and M. V. MacDonald. 1986. The effect of a phytotoxin from *Alternaria brassicicola* on *Brassica* pollen. New Phytologist 104: 631-636.
346. Holcomb, G. E. and B. E. Newman. 1970. *Alternaria circinans* and other fungal pathogens on *Crambe abyssinica* in Louisiana. Plant Dis. Repr. 54: 28.
347. Holliday, P. 1980. Fungus diseases of tropical crops. Cambridge Univ. Press: pp. 6-9; 19.
348. Holtzhausen, M. A. 1978. Seed-borne fungal pathogens and diseases of Japanese radish and their control in South Africa. Phytophylactica 10: 107-113.
349. Holtzhausen, M. A. and P. S. Knox-Davies. 1974. Pathogens of cruciferous vegetable crops in commercial seed samples in South Africa. Phytophylactica 6: 289-294.
350. Hossain, M. I. M. 1985. Effectiveness of available varieties, fungicides, sowing dates and water and fertilizer management to control leaf blight (*Alternaria* sp.) of mustard. 10th Annu. Bangladesh Sci. Confr.: Abstr. 83.
351. Howlidar, M. A. R., M. B. Meah, M. Jalaluddin and M. A. Rahman. 1985. Effect of fungicides in reducing intensity of *Alternaria* blight of Mustard. Bangladesh J. Agric. 10: 41-46.
352. Huber, G. and C. J. Gould. 1949. Cabbage seed treatment. Phytopathology 39: 869-875.
353. Humpherson-Jones, F. M. 1983. The occurrence of *Alternaria brassicicola*, *Alternaria brassicae* and *Leptosphaeria maculans* in *Brassica* seed crops in south-east England between 1976 and 1980. Plant Pathol. 32: 33-39.
354. Humpherson-Jones, F. M. 1984. Seed-borne disease interactions between oilseed rape and other *Brassicas*. Proc. 1984 British Crop Prot. Confr., Pests and Diseases 2: 799-806.
355. Humpherson-Jones, F. M. 1985. The incidence of *Alternaria* spp. and *Leptosphaeria maculans* in commercial *Brassica* seed in the United Kingdom. Plant Pathol. 34: 385-390.
356. Humpherson-Jones, F. M. 1989. Survival of *Alternaria brassicae* and *Alternaria brassicicola* on crop debris of oilseed rape and cabbage. Ann. Appl. Biol. 115: 45-50.
357. Humpherson-Jones, F. M. and L. F. Ainsworth. 1981. Canker of *Brassicas*. 31st Annual Report for 1980, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 68-70.
358. Humpherson-Jones, F. M. and L. F. Ainsworth. 1982. Tests on commercial *Brassica* seed. 32nd Annual Report for 1981, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 67.

359. Humpherson-Jones, F. M. and L. F. Ainsworth. 1983. Seed studies- infection tests on oilseed rape seed. 33rd Annual Report for 1982, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 64.
360. Humpherson-Jones, F. M. and L. F. Ainsworth. 1984. *Alternaria* disease of *Brassica* seed crops. 34th Annual Report for 1983, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 70.
361. Humpherson-Jones, F. M., L. F. Ainsworth, J. M. Bambridge, A. Spencer, K. A. Gott, R. B. Maude and T. H. Thomas. 1984. Seed studies. 34th Annual Report for 1983, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 71-72.
362. Humpherson-Jones, F. M., L. F. Ainsworth, R. B. Maude, J. M. Bambridge and A. Spencer. 1983. Seed studies. 33rd Annual Report for 1982, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 64-65.
363. Humpherson-Jones, F. M. and M. J. Hocart. 1983. *Alternaria* diseases of *Brassica* seed crops. 33rd Annual Report for 1982, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 63-64.
364. Humpherson-Jones, F. M. and R. B. Maude. 1982. Studies on the epidemiology of *Alternaria brassicicola* in *Brassica oleracea* seed production crops. Ann. Appl. Biol. 100: 61-71.
365. Humpherson-Jones, F. M. and R. B. Maude. 1982. Control of dark leaf spot (*Alternaria brassicicola*) of *Brassica oleracea* seed production crops with foliar sprays of iprodione. Ann. Appl. Biol. 100: 99-104.
366. Humpherson-Jones, F. M. and R. B. Maude. 1983. The seed-borne source of *Alternaria* spp. and *Leptosphaeria maculans* in oil-seed rape in United Kingdom. Prospects for control. Proc. 6th Int. Rapeseed Confr., Paris, France: pp. 916-921.
367. Humpherson-Jones, F. M., R. B. Maude and L. F. Ainsworth. 1981 *Alternaria* disease of *Brassica* seed crops. 31st Annual Report for 1980, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 69-70.
368. Humpherson-Jones, F. M., R. B. Maude and S. C. Kennedy. 1980. Gray leaf spot of *Brassicas*. 30th Annual Report for 1979, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p.65.
369. Humpherson-Jones, F. M. and M. J. O'Brien. 1985. *Alternaria* disease of *Brassica* seed crops. 35th Annual Report for 1984, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 73.
370. Humpherson-Jones, F. M. and K. Phelps. 1989. Climatic factors influencing spore production in *Alternaria brassicae* and *Alternaria brassicicola*. Ann. Appl. Biol. 114: 449-459.
371. Huq, M. L and H. U. Ahmed. 1985. Evaluation of different foliar fungicides in controlling the leaf blight of mustard. 10th Annu. Bangladesh Sci. Confr.: Abstract No. 85.
372. Husain, A. and R. N. Thakur. 1962. Control of *Alternaria* blight of rape and mustard by griseofulvin. Plant Dis. Repr. 46: 672-673.

373. Husain, A. and R. N. Thakur. 1966. Production of a toxin by *Alternaria brassicae* (Berk.) Sacc. in vitro. Labdev. J. Sci. Technol. 4: 144-145.
374. Husain, A. and R. N. Thakur. 1963. Some sources of resistance to *Alternaria* blight of rapeseed and mustard. Indian Oilseeds J. 7: 259-261.
375. Hussaini, S. H. 1983. Studies on *Alternaria* blight of radish and its control in the Punjab. M. Sc. Thesis, Punjab Agric. Univ., Ludhiana, India.
376. Hussaini, S. H. and H. Singh. Efficacy of different fungicides against *Alternaria* blight of radish seed crop. Plant Dis. Res. 4: 105-107.
377. Hutcheon, J. A. 1989. Evaluation of triapenthenol, prochloraz and an experimental fungicide, HWG 1608, against oilseed rape diseases. Tests Agrochem. Cultiv. 10: 52-53.
378. Jacks, H. 1951. The efficacy of chemical treatments of vegetable seeds against seed-borne and soil-borne organisms. Ann. Appl. Biol. 38: 135-168..
379. Jackson, C. R. 1958. *Alternaria* leaf spot disease of cucurbits. Diss. Abstr. 19: 940.
380. Jain, J. P. 1974. Carbon and nitrogen requirement of *Alternaria brassicicola*, the incitant of leaf blight disease of cauliflower (*Brassica oleracea* var. *botrytis* L.). Beihefte Zur Nova Hedwigia No. 47: 211-217.
381. Jain, S. K., P. N. Singh and G. Singhal. 1982. Fungi associated with the seeds of *Brassica campestris* var. *sarson*. Seed Research 10: 87-90.
382. Jamil, M. 1966. Annual Report of the Department of Agriculture, Federation of Malaya, for the year 1963. 6: 82 p.
383. Janardhanan, K. K. and A. Husain. 1984. Phytotoxic activity of tenuazonic-acid isolated from *Alternaria alternata* causing leaf blight of *Datura inoxia* and its effect on host metabolism. Phytopathol. Z. 111: 305-311.
384. Jannone, G. 1964. [Results of some tests against whiptail on master cauliflowers.] Proc. Confr. on vegetable diseases, Venice 24-26 April, 1964. Notiz. Mal Piante 70-71 (N.S. 49-50): 425 p.
385. Jayant, M. and S.K. Sinha. 1981. Control of leaf spot disease of brown sarson caused by *Alternaria brassicae* and *Alternaria brassicicola* by the antibiotic substance produced by a strain of *Streptomyces hygroscopicus*. 3rd Intern. Symp. Plant Pathol., New Delhi, India, Dec. 14-18: 21 (Abstr.)
386. Jejelowo, O. A., K. L. Conn and J. P. Tewari. 1991. Relationship between conidial concentration, germling growth, and phytoalexin production by *Camelina sativa* leaves inoculated with *Alternaria brassicae*. Mycol. Res. 95: 928-934.
387. Jennrich, H. 1985. Ronilan-smoke, a new vinclozolin formulation for control of *Botrytis cinerea* and other diseases in greenhouses and storage rooms. Med. fac. Landbouww. Rijksuniv. Gent 50: 1227-1233.
388. Johnston, A. 1964. Quarterly report for October- December, 1963, of the Plant Protection Committee for the South East Asia and Pacific region. F.A.O. Publ., Bangkok, Thailand: 20 p.

389. Joly, P. 1959. Variations morphologiques et notion d'espece chez le genre *Alternaria* (Ness.) Wiltshire. Bull. Soc. Mycol. France 75: 149-158.
390. Joly, P. 1961. Recherches sur les genres *Alternaria* et *Stemphylium*. I. Rapoports entre la nutrition azotée, le pH et la vie anaérobie. Rev. Mycol. 26: 243-257.
391. Joly, P. 1964. Le genre *Alternaria* recherches physiologiques, biologiques et systématiques. Encyclopédie Mycologique Paris 35: 174-179.
392. Joly, P. 1965. Clé de détermination des espèces les plus courantes du genre *Alternaria* (Ness) Wiltsh. emend Joly. Rev. Mycol., Paris, 29: 348-351.
393. Joly, P. 1970. Essais d'applications de méthodes de traitement numérique des informations systématiques. 1. Etude du groupe des *Alternaria* sensu lato. Bulletin trimestriel de la Société mycologique de France 85: 213-233.
394. Jorgensen, J. 1967. [Studies on the cause of grey discoloration of seeds of white mustard (*Sinapis alba*)]. State seed control, 96th Annu. Report 1 July 1966-30 June 1967, Kobenhavn: 112 p.
395. Jorstad, L. 1945. [Parasitic fungi of cultivated and economic plants in Norway. I. Sack spore fungi (Ascomycetes) and conidial fungi (Fungi Imperfecti).] Medd. plantepat. Inst., Oslo. 1: 142 p.
396. Joshi, M. K., U. S. Singh and G. K. Garg. 1988. Use of *Brassica* callus culture to induce sporulation in *Alternaria brassicae* (Berk.) Sacc. Plant Cell, Tissue and Organ Culture 14: 59-62.
397. Jouan, B., J. M. Lemaire and Y. Hervé. 1972. [Study of cauliflower diseases (*Brassica oleracea* L. var. *botrytis* D. C.) part 1. The parasites of winter cauliflower grown for seeds.] Annal. Phytopathol. 4: 133-155.
398. Jouan, B. and J. M. Lemaire and Y. Hervé. 1972. Élement d'appréciation des interactions entre champignons cultivés in vitro. Phytiatr. Phytopharm 13: 185-195.
399. Juhans, J. 1934. [Concerning seed-borne diseases.] Mitteil. Phytopathol. Versuchsstat. der Univ. Tartu No. 19: 13.
400. Juraszek, H. and W. Rondomanski. 1957. [Microflora of cabbage seeds and related vegetable plants in Poland.] Biul. IOR (Bulletin Plant Prot. Inst.), 1: 89-92.
401. Kadian, A. K. 1982. Studies on the *Alternaria* blight of raya (*Brassica juncea* (L.) Czern. and Coss. M.Sc., Thesis, Haryana Agricultural University, Hisar, India.
402. Kadian, A. K. and G. S. Saharan. 1983. Symptomatology, host range and assessment of yield losses due to *Alternaria brassicae* infection in rapeseed and mustard. Indian J. Mycol. Plant Pathol. 13: 319-323.
403. Kadian, A. K. and G. S. Saharan. 1984. Studies on spore germination and infection of *Alternaria brassicae* of rapeseed and mustard. J. Oilseeds Res. 1: 183-188.
404. Kadian, A. K. and G. S. Saharan. 1988. Progress of *Alternaria* blight of mustard in relation to cultural practices. Oil Crops Newsletter 5: 32-33.

405. Kadian, O. P. and D. Suryanarayana. 1971. Studies on seed microflora of oilseed crops.
ii. Rape (*Brassica campestris* L. var *Toria*). Haryana Agric. Univ. J. Res. 1: 32-35.
406. Kadow, K. J. and H. W. Anderson. 1940. A study of horseradish diseases and their control. Illinois Agric. Expt. Stn. Bull. 469: 531-583.
407. Kanapathipillai, V. S. and Z. B. Hashim. 1981. Seed-borne fungi of *Brassica chinensis* L. and *Brassica rapa* L. and their pathogenic importance. Malasian Agric. J. 53: 90-96.
408. Kanwar, Z. S. and P. K. Khanna. 1979. Mustard seed mycoflora in Central India-their effect on the health of seed, seedling and pod, and their control. Int. Pest Control 21: 83; 86-87; 92.
409. Kapoor, A., R. Mahor, N. Vaishampayan and N. Gautam. 1981. Antifungal spectrum of some petal extracts. Geobios, 8: 66-67.
410. Karwasra, S. S. and G. S. Saharan. 1982. Two new diseases of chinese cabbage (*Brassica pekinensis* L.). Cruciferae NewsLetter 7: 58-59.
411. Karwasra, S. S. and G. S. Saharan. 1983. Epidemiology of *Alternaria* leaf spot of chinese cabbage. Cruciferae NewsLetter 8: 34-35.
412. Kaspers, H. and R. Siebert. 1989. Folicur (tebuconazole) for the control of rape diseases. Pflanzenschutz-Nachrichten Bayer 42:121-137.
413. Katiyar, R. K. and V. L. Chopra. 1990. Somaclonal induced earliness in a *Bracssica juncea* germplasm accession with field resistance to important diseases. Plant Breeding 104: 262-264.
414. Kaul, J. L. 1972. Comparative effect of various treatments on the microflora and germinability of cauliflower (*Brassica oleracea* var. *botrytis*) seed in storage. Indian Phytopathol. 25: 44-47.
415. Kaur, M. and K. B. Deshpande. 1980. Physiological changes in vegetables during pathogenesis. Biovigyanam 6: 177-178.
416. Kaushik, C. D., J. C. Kaushik and G. S. Saharan. 1983. Field evaluation of fungicides for the control of *Alternaria* leaf blight of *Brassica juncea*. Indian J. Mycol. Plant Pathol. 13: 262-264.
417. Kaushik, C. D., G. S. Saharan and J. C. Kaushik. 1984. Magnitude of losses in yield and management of *Alternaria* blight in rapeseed-mustard. Indian Phytopathol. 37: 398. (Abstr.).
418. Kaushik, C. D., S. Vir and T. P. Yadava. 1975. Resistance of varieties of raya (*Brassica juncea* Coss.) to *Alternaria* blight. Oilseeds J. 5: 5-6.
419. Kaushik, C. D., T. P. Yadava and B. Singh. 1971. Apki Sarson Ki Dushman Ye Bimariyan (In Hindi). Haryana kheti 12: 10-11.
420. Kear, R. W. and J. P. Symons. 1973. Post-harvest deterioration of stored dutch white cabbage. Med. facu. Landbouww. Rijksuniv. Gent 38: 1549-1560.

421. Kear, R. W., D. J. Williams and C. C. Stevens. 1977. The effect of iprodione on the fungal deterioration of stored white cabbage. Proc. 1977 British Crop Prot. Confr., Pests and Diseases, Brighton: pp. 189-195.
422. Khandelwal, G. L., R. Prasada and J. P. Jain. 1970. Studies on growth response of *Alternaria brassicae* isolated from *Eruca sativa* Lam. in different nitrogen media. Labdev. J. Sci. Technol. 8 B: 140-141.
423. Khristov, A. 1979. [Diseases of turnip in Bulgaria.] Rastitelna Zashchita 27: 27-28.
424. Khulbe, R. D. and M. C. Sati. 1987. Seed transmission of *Alternaria raphani* in tomato. Indian Phytopathol. 40: 106-107.
425. Kidane, A. and E. Bekele. 1986. Major diseases of *Brassica* and preliminary observations on yield loss due to *Alternaria* leaf spot. Proc. IDRC (Canada) 3rd Oil Crops Network Workshop held in Addis Ababa, Ethiopia, Oct. 6-10, 1986: 53-57.
426. Kikoina, M. R. 1930. [Note on the work of the laboratory for the investigation of storage of vegetables.] Bull. North Caucasian Plant Prot. Stn., Rostoff-on-Don 1930 (6-7): 287-288.
427. Kilpatrick, R. A. 1975. Seed-borne fungi of crambe and virulence of selected fungi. Proc. Amer. Phytopathol. Soc. 2: 62. (Abstr.).
428. Kilpatrick, R. A. 1976. Fungal flora of crambe seeds and virulence of *Alternaria brassicicola*. Phytopathology 66: 945-948.
429. Kirkham, C. and B. Berkenkamp. 1990. Canola diseases in N.E. Saskatchewan, 1989. Can. Plant. Dis Surv. 70: 68.
430. Kirkham, C. 1992. Canola diseases in N.E. Saskatchewan, 1991. Can. Plant Dis. Surv. 72: 77.
431. Klemm, M. 1938. [The most important diseases and pests of colza and rape.] Dtsch. Landw. Pr., 1xv 19: 239; 20: 251-252.
432. Knight, C. and M. J. Furber. 1980. Winter oilseed rape diseases: variety reaction. J. Nat. Inst. Agric. Bot. 15: 276-280.
433. Knox-Davies, P. S. 1979. The nuclei of *Alternaria brassicicola*. Trans. Br. Mycol. Soc. 72: 81-90.
434. Knox-Davies, P. S. 1980. Relationships between *Alternaria brassicicola* and *Brassica* seeds. Trans. Br. Mycol. Soc. 73: 235-248.
435. Kohle, H. and G. M. Hoffmann. 1989. [Studies on the physiology of *Alternaria* dark pod spot disease of oilseed rape.] Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz 96: 225-238.
436. Koleva-Sekutkovska, M. 1959. [A contribution to the knowledge of parasitic flora in the People's Republic of Macedonia.] Zasht. Bilja (Plant Prot., Beograd) 51: 107-117.
437. Kolte, S. J. 1982. Diseases of rai and toria. Indian Farming 32: 91-93.

438. Kolte, S. J. 1985. Diseases of Annual Edible Oilseed crops. Vol II. CRC Press, Inc.
439. Kolte, S. J. 1985. Disease management strategies for rapeseed-mustard crops in India. Agric. Rev. 6: 81-88.
440. Kolte, S. J. 1987. Important diseases of rapeseed and mustard in India. Present research progress and future research needs. IN: Proc. IDRC, Canada, 3rd Oil Crops Network Workshop held in Addis Ababa, Ethiopia, Oct. 6-10, 1986: 91-106.
441. Kolte, S. J., R. P. Awasthi and Vishwanath. 1985. Field performance of improved Toria (*Brassica campestris* var. *Toria*) varieties against *Alternaria* blight, downy mildew and white rust diseases. Indian J. Mycol. Plant. Pathol. 15: 211-213.
442. Kolte, S. J., R. P. Awasthi and Vishwanath. 1987. Assessment of yield losses due to *Alternaria* blight in rapeseed and mustard. Indian Phytopathol. 40: 209-211.
443. Kolte, S. J., R. P. Awasthi and Vishwanath. 1989. Management of major diseases of rapeseed-mustard and groundnut in Uttar Pradesh. Indian Phytopathol. 42: 316. (Abstr.).
444. Kolte, S. J., R. P. Awasthi and Vishwanath. 1989. Disease problems in *Brassicac* and research activities at Pantnagar. IDRC (Canada) Oil Crops: Proc. of the three meetings held at Pantnagar and Hyderabad, India, Jan. 4-17, 1989: 43-48.
445. Kolte, S. J., R. P. Awasthi, Vishwanath, S. D. Sawant and R. Thakur. 1985. Plant Pathology. IN: Oilseeds Research at Pantnagar, Directorate of Exp. Sta., G. B. Pant Univ. Agric. Techn., Pantnagar, India. Tech. Bull. 111: 36-62
446. Kolte, S. J., D. K. Bardoloi and R. P. Awasthi. 1991. The search for resistance to major diseases of rapeseed - mustard in India. Proc. GCIRC 8th Int. Rapeseed Congr., July 9-11, Saskatoon, Canada: p. 60 (Abstr.); Proc. Vol. 1: 219-225.
447. Kolte, S. J. and A. N. Tewari. 1978 Efficacy of certain chemicals for the control of *Alternaria* blight of yellow sarson. Indian Phytopathol. 31: 81-84.
448. Kothari, K. L. and M. K. Bhatnagar. 1967. Relative efficacy of fungicides against leaf blight fungus of cauliflower. Sci. Cult. 33: 235-236.
449. Krasil' Nikov, N. A. and A. D. Koveshnikov. 1962. [Actinomyces tumemacerans n. sp.- a new species causing disintegration of tumours in plants.] Microbiol., Moscow 31: 589-594.
450. Kruger, W. 1979. [Spread of collar and stem rot (caused by *Phoma lingam*) of rape in the Federal Republic of Germany.] Nachrichtenblatt des Deutschen Pflanzenschutzdienstes 31: 145-148.
451. Kruger, W. 1989. [On the occurrence of root, root collar and stalk rot of rape as well as their pathogens (1985-1987).] Nachrichtenblatt des Deutschen Pflanzenschutzdienstes 41: 97-103.
452. Kruger, W. and I. Wittern. 1985. [Epidemiological investigations into root and collar rot of rape, caused by *Phoma lingam*.] Phytopathol. Z. 113: 125-140.
453. Kudela, V. 1986. [Chinese cabbage as a new host of *Pseudomonas viridiflava*. SB Uvtiz. (USTAV.) Vedekotech. Inf. Zemed.) Ochr. Rostl. 22: 181-187.

454. Kudela, V., O. Novak and M. Skorpik. 1978. [Effect of chemical control on seed yield of cauliflower.] *Ochr. Rostl.* 14 : 275-284.
455. Kueh, T. K. 1972. New plant disease records for Sarawak for 1972. *Gardens' Bulletin, Singapore* 27: 123-129.
456. Kulshreshtha, B. M. and R. K. S. Chauhan. 1985. Production of phytoalexins in the roots of radish (*Raphanus sativus*) after inoculation with *Alternaria alternata*. *Indian Phytopathol.* 38: 286-291.
457. Kumar, K. and D. P. Singh. 1986. Control of *Alternaria brassicae* infection in mustard and rapeseed. *Pesticides* 20: 22-23.
458. Kumar, K. and D. P. Singh. 1986. Effect of different fungicides on the germination and seedling growth of mustard. *Pesticides* 20: 45-46.
459. Kumar, N., S. Khirbat and A. D. Taneja. 1988. Fungicidal activity of carboxy alkyl and thiazolyl substituted thiocarbamides and their copper and mercury complexes. *Indiar. J. Microbiol.* 28: 281-285.
460. Kupryanova. M. V. K. 1957. [Measures for the control of cabbage diseases.] *Plant Prot. Moscow* 5: 28-29.
461. Kurzawinska, H. and M. Poniedzialek. 1987. Diseases of horse-radish with a particular consideration for brittle root. *Bull. Polish Acad. Sci. Biol.* 35: 237-244.
462. Lancicowa, B. 1960. [Attempts at controlling cruciferous blackness (*Alternaria* blight) on *Crambe abyssinica* Hochst. using a thermal treatment method on seeds.] *Rocz. Nauk, Roln.* 81A: 465-481.
463. Lapis, D. B. and E. T. Ricaforte. 1974. *Alternaria* leaf spot of crucifers in the Philippines. *Philipp. Agric.* 58: 121-137.
464. Lembcke, G. and W. Heidel. 1990. [Current plant protection problems in rape.] *Nachrichtenblatt fur den Pflanzenschutz in der DDR* 44: 37-39.
465. Leppik, E. E. 1973. Diseases of crambe. *Plant Dis. Repr.* 57: 704-708.
466. Lindenfelser, L. A. and A. Ciegler. 1969. Production of antibiotics by *Alternaria* species. *Dev. Ind. Microbiol.* 10: 271-278.
467. Linnasalmi, A. 1952. Damping-off on herbaceous vegetables and ornamental plants grown under glass in Finland. *Ann. (bot-zool.) soc. Zool-bot. Fenn. Vanamo, sect. bot.* 26: 1-120.
468. Litzenberger, S. C. and J. A. Stevenson. 1957. A preliminary list of Nicaraguan plant diseases. *Plant Dis. Repr. Suppl.* 243: 19 p.
469. Loof, B. 1959. [Economically important diseases of cruciferous oil crops and possibilities of their control, especially by breeding for resistance.] *Sverig. Utsadesforen. Tidskr.* 69: 237-250.
470. Louvet, J. 1958. [The blackspot disease of colza, *Alternaria brassicae*.] *C.R. Acad. Agric. J., France*, 44: 694-701.

471. Louvet, J. 1963. *Alternaria* disease of rape and disease causing concern on other oleaginous plants. C. R. Journess d' Inf., Oleagineux Metr. 1961: p. 9.
472. Louvet, J. 1970. Les maladies cryptogamiques du colza. Journees Internationales sur la colza, Paris, May 26-30, 1970: 272-278.
473. Louvet, J. and J. M. Billotte. 1964. Influence des facteurs climatiques sur les infections du colza par l'*Alternaria brassicae* et consequences pour la lutte. Annales Epiph. 15: 229-243.
474. MacDoanld, L. S. 1992. Canola disease survey in British Columbia. Can. Plant Dis. Surv. 72: 74.
475. MacDonald, M. V. and D. S. Ingram. 1985. In vitro selection for resistance to *Alternaria brassicicola* in *Brassica napus* spp. *oleifera* (winter oilseed rape) using partially purified culture filtrates. Cruciferae NewsLetter 10: 97-100.
476. MacDonald, M. V. and D. S. Ingram. 1986. Towards the selection in vitro for resistance to *Alternaria brassicicola* in *Brassica napus* spp. *oleifera* (metzg.) sinsk., winter oilseed rape. New Phytologist 104: 621-629.
477. MacDonald, M. V., D. S. Ingram and T. Hodgkin. 1986. Selection in vitro for resistance to *Alternaria brassicicola* in *Brassica napus* spp. *oleifera*, winter oilseed rape. Proc. Crucifer Genetic Workshop 3, Crucifer Genetic Co-operative: 66.
478. Madej, T. 1986. [Incidence of diseases affecting cruciferous plants in Poland.] Wissenschaftliche Zeitschrift der Wilhelm-Pieck-Universitat Rostock, Naturwissenschaftliche Reihe 35: 50-51.
479. Maitra, S. and N. Samajpati. 1982. Changes in polyphenoloxidase and peroxidase in the cauliflower (*Brassica oleracea* L.) leaves infected by *Alternaria brassicae* (Berk.) Sacc. IN: Advances in mycology and plant pathology (Edt. S. B. Chattopadhyay and N. Samajpati). Oxford & IBH Publ. Co., New Delhi, India: pp. 216-224.
480. Maitra, S. and N. Samajpati. 1985. Nucleic acid content in leaf blight disease of *Brassica oleracea* var. *botrytis* caused by *Alternaria brassicicola* (Schw.) Wiltshire. Phytopathol. Z. 114: 69-72.
481. Malencon, G. and R. Delecluse. 1937. [Pathogenic fungi observed in Marocco.] Bull. Soc. Sci. Nat. Maroc. 18: 132-144.
482. Mandahar, C. L. and R. A. Suri. 1983. Secretion of cytokinins in vivo and in vitro by *Alternaria brassicae* and their role in pathogenesis. Trop. Plant Sci. Res. 1: 285-288.
483. Mandahar, C. L. and R. A. Suri. 1987. Cytokinin-like activity in green islands formed around infection spots of *Alternaria brassicicola* on mustard leaves in nature and their role in pathogenesis. Biologia Plantarum 29: 76-79.
484. Mannerucci, G. F., P. Gambogi and G. Vannacci. 1982. [Detection of pathogenic fungi on seeds of market garden plants.] Informatore Fitopatol. 32: 47-54.

485. Marchegay, P., N. Thorin and M. Schiavon. 1990. Effects of climatic conditions on the aerial liberation of spores of *Alternaria brassicae* (Berk.) Sacc. and epidemiology of blackspot disease of rapeseed crops. *Agronomie* 10: 831-839.
486. Marchionatto, J. B. 1947. [Parasitic fungi of plants, new or little known in Argentina.] *Publ. misc. Minist. Agric. B. Aires, Ser. A* 3 (37): 11 p.
487. Marshall, J. and R. I. Harris. 1984. Broad spectrum disease control in oilseed rape with prochloraz. *Proc. 1984 Brit. Crop Prot. Confr., Pest and Diseases:* pp. 729-734.
488. Martens, J. W., W. L. Seaman and T. G. Atkinson. 1984. Diseases of Canola, rapeseed and mustard. IN: Diseases of Field Crops in Canada. (Martens, Seaman, Atkinson, Editors). *Can. Phytopathol. Soc.*: pp. 116-121.
489. Martinelli, J. A. and E. M. Reis. 1984. [Fungitoxicity of 1-2, dibromo, 2-4, dicyanobutane to some plant pathogenic fungi.] *Summa Phytopathologica* 10: 273-279.
490. Matus, V. K., T. I. Lyskova, I. V. Sergienko, A. I. Kustova, L. N. Grigortsevich and S. V. Konev. 1982. [The growth and sporulation of fungi in a single treatment of spores with ozone.] *Mikrobiya i Fitopatologiya* 16: 420-423.
491. Maude, R. B. 1976. Dark leaf spot of *Brassicas*. *26th Annual Report for 1975*, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 98.
492. Maude, R. B. 1977. *Alternaria*. Routine sprays to check seed crop disease now under test. *The Grower* 88: 288-291.
493. Maude, R. B. 1978. Vegetable seed treatments. IN: CIPAC Monograph 2 on Seed Treatments (Ed. K. Jeffs): pp. 91-101.
494. Maude, R. B. 1983. Seed treatment control of *Phoma* and *Alternaria* infections of *Brassica* seed. *10th Int. Congr. Plant Prot.* 3: 1202.
495. Maude, R. B. 1986. Seed treatment control of *Phoma* and *Alternaria* infections of *Brassica* seed. *1986 British Crop Prot. Council Monograph No. 33 Symposium on Healthy Planting Material*: pp. 209-210.
496. Maude, R.B., J.M. Banbridge and A. Spencer. 1983. *Brassica* seed treatments. *33rd Annual Report for 1982*, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 64-65.
497. Maude, R. B., J. M. Bambridge, A. Spencer, D. L. Suett, R. L. K. Drew, F. M. Humpherson-Jones, M. J. O'Brien, I. R. Crute and P. L. Gordon. 1986. Fungus diseases of *Brassicas*- biology, resistance and control. *36th Annual Report for 1985*, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 56-60.
498. Maude, R. B. and C. L. Dudley. 1972. Dark leaf spot (*Alternaria brassicicola*) of cabbage. *22nd Annual Report for 1971*, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 76.
499. Maude, R. B. and C. L. Dudley. 1973. *23rd Annual Report for 1972*, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 139.

500. Maude, R. B. and C. L. Dudley. 1973. Dark leaf spot of cabbage. 23rd Annual Report for 1972, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 94.
501. Maude, R. B. and F. M. Humpherson-Jones. 1977. Dark leaf spot of *Brassicas* (*Alternaria brassicicola*). 27th Annual Report for 1976, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 95-96.
502. Maude, R. B. and F. M. Humpherson-Jones. 1978. Dark leaf spot of *Brassicas* (*Alternaria brassicicola*). 28th Annual Report for 1977, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 95-96.
503. Maude, R. B. and F. M. Humpherson-Jones. 1979. Dark leaf spot of *Brassicas*. 29th Annual Report for 1978, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 71-72.
504. Maude, R. B. and F. M. Humpherson-Jones. 1980. Studies on the seed-borne phase of dark leaf spot (*Alternaria brassicicola*) and grey leaf spot (*Alternaria brassicae*) of *Brassicas*. Ann. Appl. Biol. 95: 311-319.
505. Maude, R. B. and F. M. Humpherson-Jones. 1980. The effect of Iprodione on the seed-borne phase of *Alternaria brassicicola*. Ann. Appl. Biol. 95: 321-327.
506. Maude, R. B. and F. M. Humpherson-Jones. 1984. Importance and control of seed-borne diseases of oilseed rape. Aspects Appl. Biol. 6: 335-341.
507. Maude, R. B., F. M. Humpherson-Jones and C. G. Shuring. 1984. Treatments to control *Phoma* and *Alternaria* infections of brassica seeds. Plant Pathol. 33: 525-535.
508. Maude, R. B., A. M. Kyle, C. G. Moule and C. L. Dudley. 1972. Seed dressings with systemic fungicides for the control of seed-borne fungal pathogens. 22nd Annual Report for 1971, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 75.
509. Maude, R. B. and C. G. Moule. 1971. Dark leaf spot (*Alternaria brassicicola*) of cabbage. 21st Annual Report for 1970, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: p. 107.
510. Maude, R. B. and C. G. Shuring. 1968. Tests of the thiram soak treatment for the control of other seed-borne fungal diseases. 18th Annual Report for 1967, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 80-81.
511. Maude, R. B. and D. L. Suett. 1986. Application of fungicide to *Brassica* seeds using a film-coating technique. Proc. 1986 British Crop Prot. Conf., Pests and Diseases 1: 237-242.
512. Maude, R. B. and D. L. Suett. 1986. A review of the progress in the development of seed treatment for the control of *Alternaria* and *Phoma* infections of *Brassica* seeds. Aspects Appl. Biol. 12: 13-19.
513. Maude, R. B., A. S. Vizor and C. G. Shuring. 1969. The control of fungal seed-borne diseases by means of a thiram seed soak. Ann. Appl. Biol. 64: 245-257.

514. McCallan, S. E. A. 1948. Characteristic curve for the action of copper sulphate on the germination of spores of *Sclerotinia fructicola* and *Alternaria oleracea*. Contr. Boyce Thomp. Inst. 15: 77-90.
515. McCallan, S. E. A., L. P. Miller and R. M. Weed. 1954. Comparative effect of fungicides on oxygen uptake and germination of spores. Contr. Boyce Thomp. Inst. 18: 39-68.
516. McDonald, W. C. 1959. Gray leaf spot of rape in Manitoba. Can. J. Plant Sci. 39: 409-416.
517. McDonald, W. C. 1967. Diseases of rape. IN: Diseases of Field Crops in the Prairie Provinces. Can. Dept. Agric. Publ. No. 1008 (Revised), Queen's Printer, Ottawa: pp. 77-81.
518. McFarlane, J. S., R. Bardin and W. C. Snyder. 1954. An *Alternaria* leaf spot of the sugar beet. Proc. Amer. Soc. Sugar Beet Tech. 8: 241-246.
519. McKay, R. 1956. Crucifer Diseases in Ireland. At the sign of the three candles, Dublin: pp. 52-54.
520. McKenzie, K. J., J. Robb and J. H. Lennard. 1988. Toxin production by *Alternaria* pathogens of oilseed rape (*Brassica napus*). Crop Res. (Hort. Res.) 28: 67-81.
521. McLean, D. M. 1947. *Alternaria* blight and seed infection a cause of low germination in certain radish seed crops. J. Agric. Res. 75: 71-79.
522. McNew, G. L. and H. P. Burchfield. 1950. Particle size in relation to the fungitoxicity of dichloronaphthoquinone. Contr. Boyce Thomp. Inst. 16: 163-176.
523. McNew, G. L. and N. K. Sundholm. 1949. The fungicidal activity of substituted pyrazoles and related compounds. Phytopathology 39: 721-751.
524. Meah, M. B., M. A. R. Howlader and M. K. Alam. 1988. Effect of fungicide spray at different time and frequencies on *Alternaria* blight of mustard. Thai J. Agric. Sci. 21: 101-107.
525. Mee, E. 1991. Evaluation of *Alternaria alternata* as a biological agent against *Alternaria brassicae*. Tests Agrochem. Cultv. 12: 142-143.
526. Mehta, P. R., D. N. Garg and S. C. Mathur. 1950. Important diseases of food crops, their distribution in India and Uttar Pradesh. Tech. Bull. Dept. Agric. U.P. 2: 13 p.
527. Mercer, P. C., D. L. Easson, H. C. McGimpsey and A. Ruddock. 1989. Effect of fungicide sprays on yield and disease in two oilseed rape cultivars in Northern Ireland. Tests Agrochem. Cultiv. 10: 54-55.
528. Messeliere, C. 1981. Les traitements fongicides des maladies du colza d'hiver. Phytoma - defense des cultures, April 1981: pp. 17-19.
529. Michail, S. H., O. A. Al-Menoufi and E. A. Abo-Taleb. 1979. Seed health testing, leaf spot and damping-off of certain crucifers in Egypt. Acta Phytopathol. Acad. Sci. Hung. 14: 41-48.
530. Milbraith, D. G. 1922. *Alternaria* from California. Bot. Gaz. 74: 320-324.

531. Miller, H. J. 1950. Relation of concentration of some organic substances to spore germination and dosage response. *Phytopathology* 40: 326-332.
532. Miller, L. P. 1962. Aqueous extracts of fungus spores as stimulants or nutrients for germination. *Phytopathology* 52: 22. (Abstr.).
533. Miller, L. P. and S. E. A. McCallan. 1957. Toxic action of metal ions to fungus spores. *J. Agric. Fd. Chem.* 5: 116-122.
534. Miller, L. P., S. E. A. McCallan and R. M. Weed. 1953. Rate of uptake and toxic dose on a spore weight basis of various fungicides. *Contr. Boyce Thomp. Inst.* 14: 173-195.
535. Miller, L. P., S. E. A. McCallan and R. M. Weed. 1954. The use of radioisotopes in studying the affinity of various toxicants for fungus spores. *Radioisotope Confr.* 1: 381-390.
536. Miller, L. P. and E. Richter. 1960. Relationship of lipid contents of fungal conidia to uptake of toxicants. *Phytopathology* 50: 646. (Abstr.).
537. Mills, J. T. and G. J. Bollen. 1976. Microflora of heat damaged rapeseed. *Can. J. Bot.* 54: 2893-2902.
538. Minkevicius, A. 1932. [Investigations on the influences of narcosis on the susceptibility of plants to fungous infection.] *Phytopathol. Z.* 2: 99-152.
539. Mirchink, T. G. and K. P. Greshnykh. 1961. [The formation of toxins in the soil by some species of fungi of the genus *Penicillium*.] *Microbiol., Moscow*, 30: 1045-1049.
540. Mishra, R. R. and R. S. Kanaujia. 1973. Studies on certain aspects of seed-borne fungi. II. Seed-borne fungi of certain oilseeds. *Indian Phytopathol.* 26: 284-294.
541. Mohan, M. and K. G. Murkerji. 1978. Abnormal conidium development in *Alternaria tenuissima*. *Indian Phytopathol.* 31: 247-248.
542. Mondal, S. N., M. A. Rashid, S. M. Monowar and A. M. Abdullah. 1989. Efficacy of fungicides in controlling *Alternaria* blight of radish seed crop. *Thai J. Agric. Sci.* 22: 191-196.
543. Moody, A. R. and P. S. Benepal. 1979. Screening cabbage germplasm for resistance to *Alternaria brassicicola*. *Phytopathology* 69: 1039. (Abstr.).
544. Moore, W. C. 1944. Diseases of vegetables. IN: Diseases of crop plants. A ten years' review (1933- 1942). Bulletin No.126. The Ministry of Agriculture and Fisheries, H.M.S.O., London: pp. 40-57.
545. Moore, W. C. 1948. Diseases of crop plants (1943-1946). Bulletin No.139. The Ministry of Agriculture and Fisheries, H.M.S.O., London: pp. 28-29; 41-44; 53-54.
546. Morner, J. 1980. [Co-ordinated oilseed cropping-problems and possibilities.] *Vaxtskyddsrap-porter* 12: 21-29.
547. Morton, F. J. 1964. Species of *Alternaria* on *Brassica* hosts in New Zealand. *N. Z. J. Bot.* 2: 19-33.

548. Mridha, M. A. U. 1983. Virulence of different isolates of *Alternaria brassicae* on winter oilseed rape cultivars. 6th Int. Rapeseed Confr., Paris, France: pp. 1025-1029.
549. Mridha, M. A. U. 1986. In vitro sporulation of *Alternaria brassicae*. Bangladesh J. Bot. 15: 205-206.
550. Mridha, A. U. and N. Safa. 1985. Prevalence and control of seed-borne *Alternaria brassicae* in mustard. Bangladesh J. Plant Pathol. 1: 9-12.
551. Mridha, M. A. U. and B. E. J. Wheeler. 1987. Spore liberation and disease development in winter oilseed rape by *Alternaria brassicae* under field conditions. 7th Int. Rapeseed Congr., Poznan, Poland: p. 253.
552. Mukadam, D. S. 1976. Physiology of leaf spot fungi I. Studies on spore germination of *Alternaria* spp. Ph. D. Thesis, Marathwada Univ., India.
553. Mukadam, D. S. 1982. Studies on self-inhibition in *Alternaria brassicicola* (Schw.) Wiltshire. Indian Bot. Repr. 1: 37-39.
554. Mukadam, D. S. and K. B. Deshpande. 1977. Effect of different substrates and age of the culture on spore germination in *Alternaria brassicae* and *A. brassicicola*. Indian Phytopathol. 30: 374-378.
555. Mukadam, D. S. and K. B. Deshpande. 1977. Occurrence of *Alternaria brassicae* and *A. brassicicola* on mustard plants. Malathwada Univ. Nat. Sci. J. 16: 194-197.
556. Mukadam, D. S. and K. B. Deshpande. 1978. Simultaneous occurrence of *Alternaria brassicae* and *A. brassicicola* on mustard plants. Marathwada Univ. J. Sci. 16: 35-38.
557. Mukadam, D. S. and K. B. Deshpande. 1979. Role of light and temperature on growth, sporulation and subsequent spore germinability of *Alternaria brassicae* (Berk.) Sacc. Sci. Cult. 45: 244-246.
558. Mukadam, D. S. and K. B. Deshpande. 1979. Hydrolysis of carbohydrates by germinating spores of *Alternaria brassicae* and *A. brassicicola*. Acta Botanica Indica 7: 36-38.
559. Munde, P. N. 1983. Studies on the leaf spot of rapeseed and mustard caused by *Alternaria brassicae* (Berk.) Sacc. Ph. D. Thesis, I.A.R.I., New Delhi, India.
560. Munde, P. N. and T. P. Bhowmik. 1984. A spray schedule of fungicide and insecticide mixture for the control of *Alternaria* leaf blight and aphid pest of rapeseed and mustard. Indian Phytopathol. 37: 398. (Abstr.).
561. Munde, P. N. and T. P. Bhowmik. 1985. A source of morphological resistance to leaf blight diseases of rapeseed and mustard caused by *Alternaria brassicae*. Curr. Sci. 54: 514-515.
562. Munger, G. D. 1956. Sorption and fungitoxicity of radioactive potassium dimethyl- and di-N-propylthiocarbamates. Diss. Abstr. 16: 438-439.

563. Munro, J. M. 1984. *Alternaria* infection of cabbage following spray applications of a commercial formulation of tridemorph. Test Agrochem. Cultv. No. 5 (Ann. Appl. Biol. 104, Supplement): 32-33.
564. Murphy, P. A. 1928. The connexion between dry-rot of Swedes in New Zealand and British seed. Nature 122 (3062): 13-14.
565. Musaev, T. S. 1979. [Alternaria disease (black spot) of brassicas.] Trudy Samarkandskogo sel'skokhozyaistvennogo Instituta 37: 134-135.
566. Myers, C. E. 1942. The Penn State Ballhead Cabbage. Some problems encountered in its development. Bull. Pa. Agric. Expt. Stn. 430: 52 p.
567. Narain, U., J. Singh and A. K. Kaul. 1982. Leaf spot of candy tuft caused by *Alternaria raphani*. Nat. Acad. Sci. Letters 5: 13.
568. Narayappa, M. 1982. A new seed-borne disease of radish caused by *Alternaria alternata*. Curr. Sci. 51: 520-521.
569. Neergaard, P. 1939. [Annual report of the Phytopathological Laboratory of J. E. Ohlsen's widow from 1st April, 1938 to 31st March, 1939.] : 16 p.
570. Neergaard, P. 1941. [Seed germination, seed-borne diseases, seed disinfection. A survey of the gardner's problems in connection with seed production.] Fro og Gartneri 6: 12 p.
571. Neergaard, P. 1945. Danish species of *Alternaria* and *Stemphylium* taxonomy, parasitism, economical significance. Oxford Univ. Press, London, Oxford 559 p.
572. Neergaard, P. 1948. [Eleventh annual report from the J. E. Ohlsen Phytopathological Laboratory. 1st August, 1945 to 31st July, 1947.] : 19 p.
573. Neergaard, P. 1949. [Thirteenth annual report from the J. E. Ohlsen Phytopathological Laboratory. 1st August, 1947 to 31st July, 1948.] : 19 p.
574. Neergaard, P. 1950. [Fourteenth annual report from the J. E. Ohlsen Phytopathological Laboratory. 1st August, 1948 to 31st July, 1949.] : 23 p.
575. Neergaard, P. 1951. [Fifteenth and final annual report from the J. E. Ohlsen Phytopathological Laboratory. 1st August, 1949 to 31st July, 1950.] : 33 p.
576. Neergaard, P. 1956. [Sixth and seventh annual reports from the J.E. Ohlson Phytopathological Laboratory relating to the control of seed pathology from 1st April, 1953 to 31st May, 1954, and 1st June, 1954 to 31st May, 1955.] : 17 p. and 17 p.
577. Neergaard, P. 1979. Seed Pathology 1. The McMillan Press Ltd., London, Basengstoke 839 p.
578. Negru, A. 1959. [New and rare species of fungi from the Romanian People's Republic.] Bot. Mater. (Notul. syst. sect. crypt. Inst. Bot. Acad. Sci. U.S.S.R.) 12: 213-224.
579. Nehemiah, K. M. A. 1976. Physiology of fungi. III. Cellulolytic enzyme system of *Alternaria brassicae* (Berk.) Sacc. Ph.D. Thesis, Marathwada Univ., India.

580. Nehemiah, K. M. A. 1978. Transeliminative degradation of carboxymethyl cellulose by *Alternaria brassicae* (Berk.) Sacc. *Acta Botanica Indica* 6: 118-120.
581. Nahemiah, K. M. A. and K. B. Deshpande. 1974. Studies on physiology of *Alternaria brassicae*. II. Influence of carbohydrates on cellulase production. *Proc. 44th Nat. Acad. Sci., India, Part B*: 56 (Abstr.).
582. Nehemiah, K.M.A. and K.B. Deshpande. 1975. Effect of physical factors on production of cellulolytic enzymes by *Alternaria brassicae* (Berk.) sacc. *Marathwada Univ. Sci. J.* 14: 135-139.
583. Nehemiah, K. M. A. and K. B. Deshpande. 1976. Detection of cell wall breaking ability by cellulase of *Alternaria brassicae* (Berk.) Sacc. *Curr. Sci.* 45: 28-29.
584. Nahemiah, K. M. A. and K. B. Deshpande. 1976. *In vivo* cellulase production by *Alternaria brassicae* (Berk.) Sacc. *Proc. 45th Nat. Acad. Sci., India*: p. 2 (Abstr.).
585. Nehemiah, K. M. A. and K. B. Deshpande. 1976. Cellulase production and decomposition of cotton fabric and filter paper by *Alternaria brassicae*. *Indian Phytopathol.* 29: 55-57.
586. Nehemiah, K. M. A. and K. B. Deshpande. 1977. Production and activity of B-glucosidase by *Alternaria brassicae* (Berk.) Sacc. *Botanique* 8: 113-116.
587. Nehemiah, K. M. A. and K. B. Deshpande. 1977. *In vivo* cellulase activity from *Alternaria brassicae*. *Indian Phytopathol.* 30: 509-512.
588. Nehemiah, K. M. A. and K. B. Deshpande. 1977. Influence of amino acids and vitamins on the in vitro and in vivo cellulase production by *Alternaria brassicae* (Berk.) Sacc. *Acta Botanica Indica* 5: 44-49.
589. Nehemiah, K. M. A., D. S. Mukadam and K. B. Deshpanda. 1976. Influence of salts on spore germination, production and activity of cellulase from *Alternaria brassicae* (Berk.) Sacc. *Proc. 45th Nat. Acad. Sci., India, Part B*: 77 (Abstr.).
590. Nehemiah, K. M. A., D. S. Mukadam and K. B. Deshpande. 1977. Influence of salts on spore germination, production and activity of cellulases of *Alternaria brassicae*. *Acta Botanica Indica* 5: 195-198.
591. Nehrash, A. K. 1961. [The antimicrobial properties of cultivated radish. Report I. The anti-microbial activity of extracts and essential oil from cultivated and wild radish.] *J. Microbiol.*, Kiev 23: 32-37.
592. Nelen, E. S. 1959. [Alternariosis or blackspot of crucifer seed plants in the Primorskii Krai.] *Soobshch. dal'nevost. Fil. Sibir. Ot del. Akad. Nauk. S.S.S.R.* 11: 77-83.
593. Nelen, E. 1966. [Diseases of plants in the Soviet Far East.] *Zashch. Rast. Mosk.* 11: 46-47.
594. Nelson, R. 1926. Storage and transportational diseases of vegetables due to suboxidation. *Michigan Agric. Expt. Stn. Tech. Bull.* 81: 38 p.
595. Newman, P. L. 1984. Screening for disease resistance in winter oilseed rape. *Aspects Appl. Biol.* 6: 371-380.

596. Newton, W. 1953. Antagonism by species of *Alternaria* and the isolation of a crystalline substance from the filtrate of culture of *A. radicina*. Can J. Bot. 31: 423-425.
597. NIAB. 1985. Assessment key for oilseed rape diseases. Key No. 41, National Inst. Agric. Bot., Cambridge.
598. Nielsen, O. 1933. [Experiments in the control of the siliqua fungus.] Tidsskr. Planteavl. 39: 437-452.
599. Nielsen, O. 1936. [Hot water treatment of cabbage seed.] Tidsskr. Planteavl. 41: 450-458.
600. Nijhawan, H. L. and A. Hussain. 1964. Effect of *Alternaria* blight on the chemical composition of yellow sarson. Indian Oilseeds J. 8: 44-45.
601. Nipoti, P. 1978. [Investigations into the presence of *Alternaria brassicicola* on cabbage seeds.] Informatore Fitopatol. 28: 21-23.
602. Nishimura, S. and K. Kohmoto. 1983. Host-specific toxins and chemical structures from *Alternaria* species. Annu. Rev. Phytopathol. 21: 87-116.
603. Noble, M and M. J. Richardson. 1968. An annotated list of seed-borne diseases. Proc. Int. Seed Test Assoc. 33: 1-191.
604. Noon, R. A., P. J. Northwood, M. C. Brown, A. Montury and C. Charlet. 1988. Flutriafol-based formulations for control of oilseed rape diseases. Proc. 1988 British Crop Prot. Confr., Pests and Diseases, Brighton: 3: 947-952.
605. Nyvall, R. F. 1979. Diseases of rapeseed and mustard. IN: Field Crop Diseases Handbook, AVI Publ. Co. Inc., Westport Connecticut. Chapter 13: 183-190.
606. Ogilvy, S. E. 1984. Disease control in oilseed rape, with particular reference to *Alternaria brassicae*. Crop Prot. Northern Britain s.1: 210- 215.
607. Owens, R. G. 1953. Studies on the nature of fungicidal action. II. Chemical constitution of benzenoid and quinonoid compound in relation to fungitoxicity and inhibition of amino- and sulphydryl- dependent enzymes. Contr. Boyce Thomp. Inst. 17: 273-282.
608. Pace, M. A. and R. Campbell. 1974. The effect of saprophytes on infection of leaves of *Brassica* spp. by *Alternaria brassicicola*. Trans. Br. Mycol. Soc. 63: 193-196.
609. Padmavathy, K. and P. Ramarao. 1970. A study of fungistasis in Indian soils. Indian Phytopathol. 23: 100-104.
610. Pandotra, V. N. 1966. Note on the fungi of Jammu and Kasmir. Proc. Indian Acad. Sci. 54: 68-73.
611. Pape, H. 1941. Untersuchungen über die Rapschwarze (*Alternaria brassicae*). Mitt. Biol. Reichsanst land-u. Forstwirtsch., 2e Aufl. v. Heft 53: 80-81.
612. Paris, S., C. Fitting, E. Ramirez, J. P. Latge and B. David. 1990. Comparison of different extraction methods of *Alternaria* allergens. J. Allergy Clin. Immunol. 85: 941-948.

613. Pathak, V. N. 1972. *Alternaria* leaf spot of crucifers. IN: Essentials of Plant Pathology. Parkash Publ. Jaipur, India, Chapter 14: 289-290.
614. Pena-Rodriguez, L. M. 1985. Bioactive metabolites of *Alternaria brassicae* and *Monocillium nordinni*. Ph. D. Thesis, Univ. of Alberta, Edmonton, Canada.
615. Peres, A. 1987. Methodology of trials in greenhouses of preventive and curative treatments against *Alternaria brassicae* in rapeseed. Informations Techniques CETIOM 99-II/87: 15-24.
616. Peres, A., J. G. Pierre and Y. Regnault. 1983. Recherche de l'efficacite et du mode d'action des fongicides sur plantes inoculees par *Alternaria brassicae* (Berk.) Sacc. Proc. 6th Int. Rapeseed Congr. Paris, France: pp. 1018-1023.
617. Peres, A. and R. Yves. 1987. [*Alternaria brassicae* (Berk.) Sacc.: study of fungicidal products and sampling methods.] 7th Int. Rapeseed Congr., Pozan, Poland: pp. 1269-1274.
618. Petrie, G. A. 1973. Diseases of *Brassica* species in Saskatchewan, 1970- 1972. II. Stem, pod and leaf spots. Can. Plant Dis. Surv. 53: 83-87.
619. Petrie, G. A. 1974. Fungi associated with seeds of rape, turnip rape, flax, and safflower in Western Canada, 1968-73. Can Plant Dis. Surv. 54: 155-165.
620. Petrie, G. A. 1974. *Alternaria brassicicola* on imported garden crucifer seed, a potential threat to rapeseed production in Western Canada. Can. Plant Dis. Surv. 54: 31-34.
621. Petrie, G. A. 1975. Diseases of rapeseed and mustard. IN: Oilseed and pulse Crops in Western Canada- A symposium. Western Co-operative fertilizer Ltd., Calgary, Alberta, Canada. J. T. Harapiak, ed: pp. 399-413.
622. Petrie, G. A. 1978. Prevalence of six fungal pathogens associated with seeds of rape and turnip rape in Western Canada in 1976. Can Plant Dis. Surv. 58: 99-103.
623. Petrie, G. A. 1985. Saskatchewan, rapeseed-canola disease survey 1983. Can. Plant Dis. Surv. 65: 47-50.
624. Petrie, G. A. 1985. Yield losses in Saskatchewan, rapeseed/canola crops from basal stem cankers of blackleg (*Leptosphaeria maculans*) in 1982-with notes on other diseases. Can. Plant. Dis. Surv. 65: 43-46.
625. Petrie, G. A. and J. Dueck. 1979. Diseases. IN: Canola, Canada's Rapeseed Crop. Dale Adolphe (Editor). Publ. No. 56. Rapeseed Association of Canada, Winnipeg.: pp.23-25.
626. Petrie, G. A., K. Mortensen and J. Dueck. 1985. Blackleg and other diseases of rapeseed in Saskatchewan, 1978 to 1981. Can Plant Dis. Surv. 65: 35-42.
627. Petrie, G. A. and T. C. Vanterpool. 1966. Diseases of rape, mustard and cruciferous weeds in the Prairie Provinces. Can. Plant Dis. Surv. 46: 117-120.
628. Petrie, G. A. and T. C. Vanterpool. 1968. Diseases of Crucifers in Saskatchewan in 1967. Can. Plant Dis. Surv. 48: 25-27.

629. Petrie, G. A. and T. C. Vanterpool. 1970. Diseases of rape and other crucifers in Saskatchewan in 1969. Can. Plant Dis. Surv. 50: 106-107
630. Petrie, G. A. and T. C. Vanterpool. 1974. Fungi associated with hypertrophies caused by infection of cruciferae by *Albugo cruciferarum*. Can. Plant Dis. Surv. 54: 37-42.
631. Pimenova, M. A. and I. Maslennikov. 1955. [Diseases and pests of cabbage seedlings and their control.] Orchard and Garden 6: 30-33.
632. Pink, D. A. C., B. M. Smith, C. P. Werner and J. Williams. 1987. Variation among inbred brussel sprout lines for reaction to infection by *Alternaria brassicae*. Cruciferae NewsLetter 12: 92-93.
633. Platford, R. G. and C. C. Bernier. 1973. Diseases of rapeseed in Manitoba in 1972. Can. Plant Dis. Surv. 53: 61.
634. Platford, R. G. and C. C. Bernier. 1975. Diseases of rapeseed in Manitoba 1973-1974. Can. Plant Dis. Surv. 55: 75-76.
635. Poapst, P. A., B. A. Ramsoomair and C. O. Gaurley. 1979. On the promotion of senescence in *Brassica oleracea* var. *capitata* by *Alternaria brassicicola* and by *Botrytis cinerea*. Can. J. Bot. 57: 2378-2386.
636. Pollacci, G. 1932. [Report on the activity of the cryptogamic laboratory of Pavia (Phytopathological observatory for the Provinces of Cremona, Parma, Pavia and Piacenza, Italy) during the year 1931.] Atti. 1st Bot. R. Univ. di Pavia ser 4: 310-324.
637. Polyakoff, I. M. 1939. [A new fungicide of complex action.] Bull. Plant Prot. Leningr. 1: 60-72.
638. Ponce, F. and C. Mendoza. 1983. Fungal diseases and pests of rapeseed *Brassica napus* L. and *B. campestris* L. in the high valleys of Mexico. Phytopathology 73: 124. (Abstr.).
639. Porter, R. H. 1926. A preliminary report of surveys for plant diseases in East China. Plant Dis. Repr. Suppl. 46: 153-166.
640. Porwal, S. and K. L. Kothari. 1970. Leaf blight of cauliflower caused by *Alternaria brassicicola* in Rajasthan. Sci. Cult. 36: 663-664.
641. Pound, G. S. 1946. Diseases of cabbage plants grown for seed in Western Washington. Washington Agric. Exp. Stn. Bull. No. 475: 27 p.
642. Pound, G. S., P. C. Cheo, O. H. Calvert and R. D. Raabe. 1951. Extent of transmission of certain cabbage pathogens by seed grown in Western Washington. Phytopathology 41: 820-828.
643. Pradhan, N. K., S. Lingappa, T. B. Anilkumar and S. Viswanath. 1988. Fungicidal action of synthetic pyrethroids and their interaction with fungicides on *Alternaria brassicae*. Indian J. Plant Prot. 16: 249-251.
644. Prasada, R., G. L. Khandelwal and J. P. Jain. 1970. Morphology, physiology and control of *Alternaria brassicae* on taramera. Indian Phytopathol. 23: 105-110.

645. Prasanna, K. P. R. 1984. Studies on *Alternaria brassicae* and *A. brassicicola* of cruciferous crop lants. Ph. D. Thesis, Univ. of Edinburgh, U.K.
646. Prassana, K. P. R. and J. H. Lennard. 1982. Incidence of *Alternaria* infection in oilseed rape (*Brassica napus*) crops in Scotland. Cruciferae Newsletter 7: 60-61.
647. Putnam, L. G., G. A. Petrie and H. McDonald. 1972. *Alternaria* blackspot. IN: Insect Pests and Diseases of Rape and Mustard. Publ. No. 18 Rapeseed Assoc. of Canada, Winnipeg.: pp. 25-26.
648. Quak, F. 1956. The biology and possible control measure of *Alternaria* leaf spot in *Brassica napus*. Vessl. Landbouwk. Qnderz. No. 62: 1-40.
649. Raabe, A. 1939. [Investigations on parasitic fungal diseases of colza and rape.] Zbl. Bakt., Abt. 2, c, 1-3: 35-52.
650. Rahman, A., M. L. Das, M. A. R. Howlider and M. A. Mansur. 1987. Promising mutants in *Brassica campestris*. Mutation Breeding NewsLetter 29: 14-15.
651. Rahman, A., M. L. Das and M. A. R. Howlider. 1990. *Alternaria* disease reaction and fatty acid content in M_3 mutants of mustard. Bangladesh J. Bot. 19: 235-237.
652. Rai, B., S. J. Kolte and A. N. Tewari. 1977. Evaluation of oleiferous *Brassicaceae* germplasm for resistance to *Alternaria* leaf blight. Indian J. Mycol. Plant Pathol. 6: 76-77.
653. Rai, B. and D. B. Singh. 1977. Leaf surface mycoflora of mustard. Suppl. Acta Bot. Indica. 5: 21-22.
654. Rai, B. and D. B. Singh. 1980. Antagonistic activity of some leaf surface microfungi against *Alternaria brassicae* and *Drechslera graminea*. Trans. Br. Mycol. Soc. 75: 363-369.
655. Rai, B. and D. B. Singh. 1982. Effect of fungicides on the leaf surface mycoflora of mustard. Acta Botanica Indica 10: 223-232.
656. Rai, J. N. and A. Saxena. 1980. Effect of some seed-borne fungi on the physicochemical properties of the oil of Indian mustard (*Brassica juncea* ssp. *juncea*). Indian J. Agric. Sci. 50: 769-772.
657. Rai, J. N. and A. K. Sinha. 1963. Effect of colchicine on the growth and sporulation of *Alternaria tenuis* Ness. ex Pers. Curr. Sci. 32: 135-136.
658. Rai, J. N., J. P. Tewari, R. P. Singh and V. C. Saxena. 1974. Fungal diseases of Indian crucifers. Nova Hedwigia. 47 (Suppl.): 477-486.
659. Rader, W. E., C. M. Monroe and R. R. Whetstone. 1952. Tetrahydropyrimidine derivatives as potential foliage fungicides. Science 115 (2979): 124-125.
660. Ramesh, C. R. and S. C. Rao. 1989. Outbreaks and new records. India. Ring Spot (*Mycosphaerella brassicicola*) of cabbage and cauliflower observed in the Andaman islands. F.A.O. Plant Prot. Bull. 37: 95.

661. Ramsey, G. B. and M. A. Smith. 1961. Market diseases of cabbage, cauliflower, turnips, cucumbers, melons and related crops. U.S. Dept. Agric. Agric. Handbook 184: 49 p.
662. Randhawa, H. S. and K. S. Aulakh. 1981. Pathology of shrivelled seeds of rapeseed and mustard in Punjab. Indian Phytopathol. 34: 318-324.
663. Randhawa, H. S. and K. S. Aulakh. 1982. Comparative evaluation of performance of sixteen fungitoxicants as seed dressers for the control of seed-borne fungi of raya (*Brassica juncea* Coss.). J. Res., Punjab Agric. Univ. 19: 343-350.
664. Randhawa, H. S. and K. S. Aulakh. 1984. Efficacy of hot water treatment to control seed-borne fungi of Raya (*Brassica juncea* Coss.). Indian J. Plant Pathol. 2: 73-76.
665. Rangaswami, G. 1956. In vitro effect of mycothricin on plant pathogenic bacteria and fungi. Mycologia 48: 800-804.
666. Rangaswami, G. 1984. Diseases of Vegetables and Diseases of Oilseeds. IN: Diseases of crop plants in India. Chapters 9: 279; 10: 344.
667. Rangel, J. F. 1945. Two *Alternaria* diseases of cruciferous plants. Phytopathology 35: 1002-1007.
668. Rao, B. R. 1977. Species of *Alternaria* on some *Cruciferae*. Geobios 4: 163-166.
669. Rawlinson, C. J. and G. Muthyalu. 1979. Diseases of winter oil-seed rape, occurrence, effects and control. J. Agric. Sci. Comb: 93: 593-606.
670. Raychaudhuri, S. P. 1967. Controlling diseases of oilseed crops. Indian Farming 16: 29-33.
671. Regnalt, Yves. 1983. Diseases of rape. Cultivar, Lille, France 173: 74-75.
672. Regnalt, Y. and Collaborators. 1983. Mise au point de la lutte au plein champ contre *Alternaria brassicae* (Berk.) Sacc. Proc. 6th Int. Rapeseed Confr., Paris, France: pp. 1001-1006.
673. Reiss, J. 1983. *Alternaria* mycotoxins in grains and bread. Z. Lebensm Untern. Forsch. 176: 36-39.
674. Reyes, A. A. 1979. First occurrence of a severe white leaf spot on chinese mustard in Canada. Can. Plant Dis. Surv. 59: 1-2.
675. Reyes, A. A., R. W. Daniels, E. N. Estabrooks, C. C. Filman, L. F. Mainprize, W. M. Rutherford, C. A. Warner and H. M. Wester. 1968. A survey of fungal and bacterial diseases of vegetable crops in eastern and central Ontario in 1967. Can. Plant Dis. Surv. 48: 53-55.
676. Reyes, A. A. and A. E. Maitland. 1978. The effect of chlorthalonil on *Alternaria* leaf spot of crucifers under laboratory conditions. Can. Plant Dis. Surv. 58: 75-76.
677. Richardson, M. J. 1970. Investigations on seed-borne pathogens of *Brassica* spp. Proc. Int. Seed Test Assoc. 35: 207-223.

678. Richardson, M. J. 1979. An annotated list of seed-borne diseases. Phytopathological Paper No. 23, Commonwealth Mycol. Inst. Publ. 203 p.
679. Rimmer, S. R. and R. G. Platford. 1982. Manitoba rapeseed disease survey 1978-1980. Can. Plant Dis. Surv. 62: 45-49.
680. Rod, J. 1986. [Use of metalaxyl and iprodione in cabbage (*Brassica oleracea* var. *capitata*) seed plants.] Bulletin, Vyzkumny a slechtitelsky Ustav Zelinarsky, Olomouc No. 30: 17-26.
681. Roger, L. and A. Mallamaire. 1937. [Notes on African Phytopathology.] Ann. Agric. Afr. Occ. 1: 187-206.
682. Roll-Hansen, J. 1956. [Disinfection of vegetable seed. Experiments during the years 1944-1954.] Meld. PlPat. Inst. Oslo, Norway 10: 69 p.
683. Romero-Munoz, F. and R. Gonzalez. 1983. Phytopathological problems of rapeseed in Andalusia (Southern Spain). Proc. 6th Intern. Rapeseed Confr., Paris, France: pp. 934-939.
684. Romero, Munoz F. and D. R. M. Jimenez. 1979. Black spot: a disease of turnip rape recently recorded in Spain. Annales del Instituto Nacional de investigaciones Agrarias, Procccion Vegetal No. 9: 11-31.
685. Rosen, I., R. A. Disanza and A. Hirsch. 1958. Some new derivatives of pentachlorophenol and their fungistatic activities. J. Org. Chem. 23: 149-150.
686. Rozej, A. 1974. [Susceptibility of different varieties of winter rape (*Brassica napus* L. var. *oleifera*) to infection with *Alternaria brassicae* (Berk.) Sacc.] Roczniki Nauk Rolniczych, A 100: 67-71.
687. Ruth, A. and T. C. Vanterpool. 1963. *Alternaria* species on rape in Western Canada. Proc. Can. Phytopathol. Soc. 30: 10. (Abstr.).
688. Rutherford, S. J., A. Chalandon, M. J. Griffin and K. D. Lockley. 1981. The efficacy of flowable and dust formulations of iprodione on a range of crops. Proc. 1981 Brit. Crop Prot. Confr. Brighton, 16-19 Nov. 1981 Vol. 1 (Research Reports): 35-42.
689. Ryan, E. W., W. P. Staunton and J. C. Cassidy. 1984. Diseases of vegetables. Research Report 1983. Horticulture. Dublin, Irish Republic; An Foras Taluntais: pp. 41-42.
690. Sachin, N. M. 1985. Effect of foliar sprays on the incidence of *Alternaria* blight on four varieties of mustard. M.Sc. Thesis, Dept. Plant Pathol., Bangladesh Agric. Univ., Mymensingh, Bangladesh.
691. Saharan, G. S. 1980. Diseases of oilseed crops and their control. Farmers and Parliament 15: 13-15.
692. Saharan, G. S. 1991. Assessment of losses, epidemiology and management of black spot disease of rapeseed-mustard. GCIRC 8th Inst. Rapeseed Congr. July 9-11, Saskatoon, Canada: p. 84 (Abstr.); Proc. Vol. 2: 465-470.
693. Saharan, G. S. and J. S. Chohan. 1972. A survey of diseases of plants in the Kangra district, Himachal Pradesh. J. Res. Punjab Agric. Univ. 9: 68-73.

694. Saharan, G. S. and A. K. Kadian. 1983. Physiologic specialization in *Alternaria brassicae*. Cruciferae NewsLetter 8: 32-33.
695. Saharan, G. S. and A. K. Kadian. 1984. Epidemiology of *Alternaria* blight of rapeseed and mustard. Cruciferae NewsLetter 9: 84-86.
696. Saharan, G. S. and A. K. Kadian. 1983. Analysis of components of horizontal resistance in rapeseed and mustard cultivars against *Alternaria brassicae*. Indian Phytopathol. 36: 503-507.
697. Saharan, G. S. and J. N. Chand. 1988. Diseases of rapeseed and mustard. IN: Diseases of oilseed crops (in Hindi). Directorate Publication, Haryana Agric. Univ. Press, Hisar, India. Chapter 3: 84-91.
698. Saharan, G. S., C. D. Kaushik and J. C. Kaushik. 1982. Save Rabi oilseeds from diseases. Haryana Farming 11: 9-10.
699. Saharan, G. S., J. C. Kaushik and C. D. Kaushik. 1982. Two new host records of *Alternaria brassicae*. Indian Phytopathol. 35: 172.
700. Samra, A. S. 1956. Relative value and mode of action of some fungicides used as seed disinfectants and protectants. Meded LandbHogesch., Wageningen 56: 1-55.
701. Sandhu, K. S., H. Singh and R. Kumar. 1985. Effect of different nitrogen levels and dates of planting on *Alternaria* blight and downy mildew diseases of radish seed crop. J. Res. Punjab Agric. Univ. 22: 285-290.
702. Sandhu, K. S., H. Singh and T. S. Dhillon. 1984. Effect of *Alternaria* blight on radish varieties sown on different dates. J. Res. Punjab Agric. Univ. 21: 543-546.
703. Sandhu, K. S., H. Singh and T. S. Dhillon. 1986. Effect of *Alternaria* blight and downy mildew diseases on radish seed yield and its quality. J. Res. Punjab Agric. Univ. 23: 603-606.
704. Sarbhoy, A. K., G. Lal and J. L. Varshney. 1975. Fungi of India. Navyug Traders, New Delhi, India: 2 p.
705. Sardaryan, E. O. 1968. [Artificial infection of cabbage seeds with a newly isolated pathogenic *Alternaria* species.] Ispol. Mikro-organ. V. Zhivot-novod. i dlya Zashch. rast. 50: 163-165.
706. Sarkar, B. and P. K. Sen Gupta. 1978. Studies on some aspects of the epidemiology of *Alternaria* leaf blight of mustard (*Brassica* sp.). Beitrage Zur Tropischen Landwirtschaft Und Veterinarmedizin 16: 91-96.
707. Sasaki, T., Y. Honda, M. Umekawa and M. Nemoto. 1985. Control of certain diseases of greenhouse vegetables with ultraviolet-absorbing vinyl film. Plant Dis. 69: 530-533.
708. Schaad, N. W., R. L. Gabrielson and M. W. Mulanax. 1980. Hot acidified cupric acetate soaks for eradication of *Xanthomonas campestris* from crucifer seeds. Appl. Environ. Microbiol. 39: 803-807.
709. Scheffer, R. P. Anthracnose leafspot of crucifers. Tech. Bull. N.C. Agric. Expt. Sta. 92: 26 p.

710. Schimmer, F. C. 1953. *Alternaria brassicicola* on summer cauliflower seed. Plant Pathol. 2: 16-17.
711. Schreven, D. A. Van. 1953. *Alternaria, Stemphylium en Botrytis* aantasting bij Koolzaad (*Brassica napus*). Tijdschr. Plantenziekt. 59: 105-136.
712. Schrodter, H. 1952. [Agrario meteorological contributions to phytopathological questions, with special reference to the importance of the microclimate for plant diseases.] Abh. Met. Dienst. Aschersleben 2: 15.
713. Schuldt, P. H. and C. N. Wolf. 1956. Fungitoxicity of substituted-s-triazines. Contr. Boyce Thomp. Inst. 18: 377-393.
714. Senior, D. P., H. A. S. Epton and A. P. J. Trinci. 1987. An efficient technique for inducing profuse sporulation of *Alternaria brassicae* in culture. Trans. Br. Mycol. Soc. 89 (2): 244-246.
715. Seow, A. L. and L. G. Lim. 1969. A list of leaf spot diseases in Singapore. Rev. Mycol. 34: 79-82.
716. Shahda, W. T. and K. G. Mukerji. 1980. Formation of two new, less pathogenic variants of *Alternaria brassicicola* by the use of a new dithiocarbamate fungicide. Incompatibility NewsLetter 12: 71-75.
717. Shahda, V. T. and K. G. Mukerji. 1984. Variation to less pathogenic types as caused by a new dithiocarbamate fungicide in *Alternaria brassicicola*. Acta Agronomica Hung. 33: 448-452.
718. Sharma, A. K. 1985. An unrecorded leaf blight disease of taramira (*Eruca sativa* Mill.) from India caused by *Alternaria brassicicola* (Schew.) Wiltshire. Curr. Sci. 54: 942-943.
719. Sharma, A. K. 1989. Effect of pH on antifungal activity of *Streptomyces arabicus* diffusate in relation to *Alternaria brassicae* (Berk.) Sacc. and *Alternaria brassicicola* (Schew.) Wiltshire. Arab J. Plant Prot. 7: 182-183.
720. Sharma, A. K. and J. S. Gupta. 1985. A comparative study of air-spora and phylloplane microflora of yellow sarson and taramira. Indian Phytopathol. 38: 170-171.
721. Sharma, A. K., J. S. Gupta and R. B. Dixit. 1983. Aeromycology of *Alternaria brassicae* (Berk.) Sacc. and *A. brassicicola* (Shew.) Wiltshire. Geobios 10: 272-273.
722. Sharma, A. K., J. S. Gupta and R. B. Dixit. 1986. Incidence of pathogenic conidia on leaf surface of yellow sarson and taramira. J. Indian Bot. Soc. 65: 550-552.
723. Sharma, A. K., J. S. Gupta and R. K. Maheshwari. 1984. The relationship of *Streptomyces arabicus* to *Alternaria brassicae* (Berk.) Sacc. and *Alternaria brassicicola* (Schew.) Wiltshire on the leaf surface of yellow sarson and taramira. Geobios 3: 83-84.
724. Sharma, A. K., J. S. Gupta and S. P. Singh. 1985. Effect of temperature on the antifungal activity of *Streptomyces arabicus* against *Alternaria brassicae* (Berk.) Sacc and *Alternaria brassicicola* (Schew.) Wiltshire. Geobios 12: 168-169.

725. Sharma, A. K., K. K. Maheshwari and J. C. Gupta. 1985. Effect of leaf exudates of yellow sarson (*Brassica campestris* L. var. *sarson* Prain) and taramira (*Eruca sativa* Mill.) on conidial germination of *Alternaria brassicae* (Berk.) Sacc. Agric. Sci. Digest 5: 131-132.
726. Sharma, K. G., K. C. Gupta and A. N. Roy. 1980. Incidence of leaf spot disease of mustard (*Brassica campestris*) in coal smoke polluted area of Firozabad, India. Indian J. Mycol. Plant Pathol. 10: 54.
727. Sharma, K. R. and K. G. Mukerji. 1973. Microbial colonization of aerial parts of plants, a review. Acta Phytopathol. Acad. Sci. Hung. 8: 425-461.
728. Sharma, R. and S. K. Sinha. 1989. A pigmented, xylose-utilizing strain of *Streptomyces bobili*. Curr. Sci. 58: 1405-1406.
729. Sharma, S. K. 1976. Biology of surface micro-organisms of brown sarson (*Brassica campestris* L. var. *dichotoma* Watt.) in relation to leaf blight caused by *Alternaria brassicicola* and *A. brassicae*. Ph. D. Thesis, Agra Univ., Agra, India.
730. Sharma, S. K. 1984. Role of leaf surface wax in the resistance of brown sarson cultivars. Indian Phytopathol. 37: 142-143.
731. Sharma, S. K. and J. S. Gupta. 1978. Biological control of leaf blight disease of brown sarson caused by *Alternaria brassicae* and *A. brassicicola*. Indian Phytopathol. 31: 448-449.
732. Sharma, S. K. and J. S. Gupta. 1978. Effect of brown sarson leaf leachates on the germination of the conidia of *Alternaria brassicae* and *Alternaria brassicicola*. Proc. Indian Nat. Sci. Acad. B. 44: 57-58.
733. Sharma, S. K. and J. S. Gupta. 1978. Seasonal and diurnal variation in the air-spora over a field of brown sarson. Indian Phytopathol. 31: 389-391.
734. Sharma, S. K. and J. S. Gupta. 1979. Role of surface microorganisms of brown sarson in relation to *Alternaria brassicae* and *Alternaria brassicicola*. Agra Univ. J. Res. Sci. 28: 109-111.
735. Sharma, S. K. and J. S. Gupta. 1980. *Streptomyces rochei* in relation to *Alternaria brassicae* and *A. brassicicola* on the surface of brown sarson. J. Indian Bot. Soc. 59: 161-163.
736. Sharma, S. K. and N. N. Tripathi. 1984. Evaluation of fungicides against *Alternaria brassicae* (Berk.) Sacc. and modification of their toxicity by leaf washing of rapeseed and mustard. Int. J. Trop. Plant Dis. 2: 139-148.
737. Sharma, S. R. 1983. Effect of fungicidal spray on white rust and downy mildew diseases and seed yield of radish. Gartenbauwissenschaft 48: 108-112.
738. Sharma, T. R. 1990. Induction and transfer of resistance to *Alternaria* blight of mustard caused by *Alternaria brassicae* and *A. brassicicola*. Ph.D. Thesis, Himachal Pradesh Krishi Vishva Vidyalaya, Palampur, India.
739. Sheir, H. M., M. Y. Kassim, A. N. Abou-Heilah and S. Khan. 1981. Leaf spot diseases in Saudi Arabia. I. Studies on leaf spots of certain cruciferous plants. J. Coll.-Sci. Univ. Riyadh. 12: 101-111.

740. Sherf, A. F. and A. A. Macnab. 1986. Diseases of Crucifers. IN: Vegetable Diseases and their Control. (2nd ed.). The Ronald Press, New York: pp. 251-306.
741. Shirahama, K. 1973. Cultivation of cruciferous crops and pest control in Japan. Japan Plant Prot. Assoc. Japan Pesticide Information No. 15: 5-10.
742. Shivpuri, A. 1988. Studies on the seed-borne mycoflora of mustard (*Brassica juncea* L. Czern. and Coss) in Rajasthan. Ph. D. Thesis, Rajasthan Univ., India.
743. Shivpuri, A. 1991. Management of *Alternaria* blight of mustard with fungicides. GCIRC 8th Int. Rapeseed Congr., July 9-11, Saskatoon, Canada: p. 117 (Abst.); Proc. Vol. 6: 1668-1671.
744. Shivpuri, A. and B. S. Siradhana. 1989. Seed-borne infection of *Alternaria brassicae* on Indian mustard and its elimination during storage. Indian Phytopathol. 42: 275. (Abstr.).
745. Shivpuri, A., B. S. Siradhana and R. K. Bansal. 1988. Management of *Alternaria* blight of mustard with fungicides. Indian Phytopathol. 41: 644-646.
746. Shivpuri, A., B. S. Siradhana and R. K. Bansal. 1990. Effect of seed-borne mycoflora on quantity and quality of mustard oil. Indian Phytopathol. 43: 404-407.
747. Shukla, H. P. 1975. Physiological and pathological studies on *Alternaria brassicae* (Berk.) Sacc. causing blight of oilseed crucifers. Ph.D. Thesis, Kanpur Univ., Kanpur, India.
748. Siddiqui, M. R. 1963. Taxonomy and pathogenicity of the genus *Alternaria* with special reference to Indian species I. *Alternaria tenuis* Auct. J. Indian Bot. Soc. 42: 260-272.
749. Simmons, E. G. 1967. Typification of *Alternaria*, *Stemphylium* and *Ulocladium*. Mycologia 59: 67-92.
750. Singh, A. 1977. Studies on *Alternaria* blight of rape and mustard crops and its control in the Punjab. Ph. D. Thesis, Punjab Agric. Univ. Ludhiana, India.
751. Singh, A. and T. P. Bhowmik. 1985. Persistence and efficacy of some common fungicides against *Alternaria brassicae*, the causal agent of leaf blight of rapeseed and mustard. Indian Phytopathol. 38: 35-38.
752. Singh, B. P., S. P. Singh, M. Abu and G. M. Mishra. 1989. Relative efficacy of different fungicides for the control of leaf spot of cabbage. Veg. Sci. 16: 62-65.
753. Singh, D. B. 1977. Studies on leaf surface mycoflora of mustard and barley. Ph.D. Thesis, Banaras Hindu Univ., Varanasi, India.
754. Singh, D. B. 1980. Effect of culture media, pH and temperature on growth behaviour of *Alternaria brassicae* and *Drechslera graminea*. Proc. Indian Nat. Sci. Acad. B 46: 393-396.
755. Singh, D. B. 1986. Evaluation of fungicides for control of *Alternaria brassicae* and *Drechslera graminea*. Iranian J. Plant Pathol. 22: 39-43.

756. Singh, D. B. 1989. Effect of foliar application of culture filtrates on phylloplane mycoflora of mustard. *Acta Mycologica* 22: 185-188.
757. Singh, D. B. and B. Rai. 1980. Studies on the leaf surface mycoflora of mustard (*Brassica campestris* L.) cv. YS-42. *Bull. Torrey Bot. Club* 107: 447-452.
758. Singh, D. B. and B. Rai. 1982. Effect of leaf extracts of mustard and barley on growth behavior of some phylloplane microfungi. *Bull. Torrey Bot. Club* 108: 419-421.
759. Singh, D. B. and B. Rai. 1982. Effect of certain agro-chemicals on growth behaviour of *Alternaria brassicae* and *Drechlera graminea*. *Acta Botanica Indica* 10: 4-7.
760. Singh, G. and H. C. S. Negi. 1984. Seed mycoflora of some *Brassica* varieties and their impact on seed quality. *Seed Research* 12: 120-122.
761. Singh, H. and S. H. Hussaini. 1986. Efficacy of different fungicides against *Alternaria* blight of radish seed crop. *Indian J. Mycol. Plant Pathol.* 16: 2 (Abstr.).
762. Singh, H. and D. Singh. 1987. A note on transfer of resistance to white rust from Ethiopian mustard to Indian mustard. *Cruciferae NewsLetter* 12: 95.
763. Singh, H. G. and S. Sinha. 1978. Mould counts and biochemical changes in stored seeds of Indian mustard, taramira and safflower. *Indian J. Agric. Sci.* 48: 67-71.
764. Singh, H. G. and A. K. Sobti. 1980. Effect of fungicides on *Alternaria* blight of mustard. *Indian J. Mycol. Plant. Pathol.* 10: 49.
765. Singh, K. and L. S. Suhag. 1983. Some pathological studies on *Alternaria alternata* causing leaf and pod blight of radish in Haryana. *Indian Phytopathol.* 36: 174-176.
766. Singh, N. I. 1988. The fungal air-spora of Imphal, its seasonal fluctuations and relationship with occurrence and intensity of major crop diseases. *International Aerobiology NewsLetter* 28: 15-17.
767. Singh, R., B. M. Trivedi, H. S. Gill and B. Sen. 1987. Breeding for resistance to black rot, downy mildew and curd blight in Indian cauliflower. *Cruciferae NewsLetter* 12: 96-97.
768. Singh, R. S. 1968. *Alternaria* leaf spot of crucifers. IN: *Plant Diseases*. Oxford and IBH Publ. Co., New Delhi, India. Chapter 19: 311-316.
769. Singh, R. S. 1987. *Alternaria* leaf spot or black spot of crucifers. IN: *Diseases of Vegetable Crops*. Oxford and IBH Publ. Co., New Delhi, India. Chapter 5: 159-163.
770. Sinha, P. P. and R. K. Prasad. 1989. Chemical management of *Alternaria* blight of cauliflower seed crop. *Indian J. Mycol. Plant Pathol.* 19: 204-205.
771. Skipp, R. A. and J. A. Bailey. 1977. The fungitoxicity of isoflavanoid phytoalexins measured using different types of bioassay. *Physiol. Plant Pathol.* 11: 101-112.
772. Skoropad, W. P. and J. P. Tewari. 1977. Field evaluation of the role of epicuticular wax in rapeseed and mustard in resistance to *Alternaria* blackspot. *Can. J. Plant Sci.* 57: 1001-1003.

773. Sloan, B. J., J. B. Routien and V. P. Miller. 1960. Increased sporulation in fungi. *Mycologia* 52: 47-63.
774. Snyder, W. C. and K. F. Baker. 1943. Diseases of seed cabbage in California. *Plant Dis. Repr.* 27: 394-398.
775. Snyder, W. C. and K. F. Baker. 1945. Diseases of seed cauliflower in California. *Plant Dis. Repr.* 29: 248-252.
776. Sorgel, G. 1955. [On the influence of temperature on the size of fungus spores.] *Naturwissenschaften* 42: 565-566.
777. Sosna, Z. 1960. Wpływ porażenia nasion *Crambe abyssinica* przez grzyb *Alternaria brassicae* (Berk.) Sacc. oraz wpływ zaprawiania na ich zdolność kielkowania, *Roczniki WSR Poznań* 9 (B₅): 267-274.
778. Southerland, K. G., S. J. P. Oxley, T. Brokenshire and J. M. Munro. 1990. The control of late diseases of winter oilseed rape in Scotland. *Proc. 1990 British Crop Prot. Confr., Pests and Diseases*, Brighton. 2: 789-794.
779. Spanier, A. 1987. Selection of pathogen resistant mutants in rapeseed, *Brassica napus*. *Proc. 7th Int. Rapeseed Congr. Poznan, Poland*: pp. 451-456.
780. Srivastava, A. K., V. N. Singh and K. K. Pathak. 1981. Seed mycoflora of stored mustard (*Brassica juncea*) cultivar Varuna and its control by fungicides. *Proc. Indian Nat. Sci. Acad. Part B (Bio. Sci.)* 47: 96-98.
781. Srivastava, S. K. and A. K. Srivastava. 1982. Polygalacturonase and cellulase production by *Alternaria brassicae* (Berk.) Sacc. var. *sarson*. *New Bot.* 9: 9-11.
782. Srivastava, S. K. and A. K. Srivastava. 1984. Plant Pathology Fact Sheet: Cabbage Diseases. Univ. of Georgia Co-operative Extension Service Leaflet. The Service, March 1984 (294 rev.). 4 p.
783. Stankova, J. 1972. [Varietal variability of winter rape in its susceptibility to dark leaf spot and the factors influencing the development of the disease.] *Rostlinna Vyroba* 18: 625-630.
784. Stell, F. 1922. Some common diseases of kitchen garden crops. *Proc. Agric. Soc., Trinidad and Tobago*, 22: 779-785.
785. Stoll, K. 1948. [On the *Alternaria* blackening of *Brassicas*.] *NachrBl. Dtsch. PflSchDienst*, Berl., N.F. 2: 174-178.
786. Stoll, K. 1952. [The origin, injurious effect and control of *Brassica* blackening.] *NachrBl. Dtsch. Pfjsch. Dienst. Berl. N. F.* 6: 81-85.
787. Stovold, G. E., R. J. Mailer and A. Francis. 1987. Seed-borne levels, chemical seed treatment and effects on seed quality following a severe outbreak of *Alternaria brassicae* on rapeseed in New South Wales. *Plant Prot. Quart.* 2: 128-131.
788. Strzelczyk, E. and A. Rozej. 1974. [CCC and Alar effect on infection of different winter rape varieties by *Alternaria brassicae* (Berk.) Sacc.] *Roczniki Nauk Rolniczych A* 100: 7-15.

789. Su, M. T. 1934. Report of the Mycologist, Burma, Mandalay, for the year ending the 31st March, 1934. Rep. Dept. Agric. Burma, 1933-34: 25-33.
790. Subramanian, C. V. 1971. Hyphomycetes. Indian Council of Agricultural Research, New Delhi, India: pp. 801-820.
791. Subramanian, C. V. 1983. Hyphomycetes, Taxonomy and Biology. Academic Press, London: pp. 65 - 74.
792. Suhag, L. S., P. S. Nain and J. C. Duhan. 1986. Studies on the effect of seed moisture and length of storage on radish seed-borne micoflora. Indian Phytopathol. 39: 293-295.
793. Suhag, L. S., R. Singh and Y. S. Malik. 1983. Assessment of losses caused by *Alternaria alternata* on radish seed crop and its control by chemicals. Indian Phytopathol. 36: 758-760.
794. Suhag, L. S., R. Singh and Y. S. Malik. 1985. Epidemiology of pod and leaf blight of radish seed crop caused by *Alternaria alternata*. Indian Phytopathol. 38: 148-149.
795. Suri, R. A. and C. L. Mandahar. 1982. Production of pectolytic enzymes by *Alternaria brassicae*. Indian J. Mycol. Plant Pathol. 12: 351-352.
796. Suri, R. A. and C. L. Mandahar. 1984. Secretion of cytokinnins in vivo and in vitro by *Alternaria brassicicola* and their role in pathogenesis. Experientia Basel, Birkhauser 40: 462-463.
797. Suri, R. A. and C. L. Mandahar. 1985. Involvement of cytokinin-like substances in the pathogenesis of *Alternaria brassicae* (Berk.) Sacc. Plant Sci. 41: 105-109.
798. Suri, R. A. and C. L. Mandahar. 1986. Cytokinin-like substances and accumulation of labelled metabolites at infection sites of *Alternaria brassicicola*. Mycopathologia 94: 153-156.
799. Suri, R. A., C. L. Mandahar and P. S. Gill. 1983. Study of secretion of cytokinins by *Alternaria brassicicola* and their possible role in pathogenesis in mustard. Indian J. Plant Pathol. 1: 117-121.
800. Suryanarayana, D. and B. B. Bhombe. 1961. Studies on the fungal flora of some vegetable seeds. Indian Phytopathol. 14: 30-41.
801. Suryanarayana, D., B. B. Bhombe and Ram Nath. 1963. Testing of vegetable seeds for freedom from diseases. Indian J. Hort. 20: 141-145.
802. Sutherland, K.G., S.J.P. Oxley, T. Brokenshire and J.M. Munro. 1990. The control of late diseases of winter oilseed rape in Scotland. Proc. 1990 British Crop Prot. Conf., Pests and Diseases 5: 789-793.
803. Svensson, C. 1983. *Alternaria* diseases on oilseed crops. Results from field trials 1982. Vaxtskyddsrapporter, Jordbruk 22: 183-187.
804. Swarup, V. and S.S. Chatterjee. 1974. Improvement of Indian cauliflower. Proc. 2nd General Congr. Soc. Advancement Breed. Res. in Asia and Oceania. Session 18: Indian Soc. Gen. Pl. Breed: 1300-1304.

805. Taber, R. A. 1964. A study of pathogenicity and in vitro growth of *Alternaria* spp. isolated from *Brassica* spp. with special reference to *A. raphani* from rape. M. Sc. Thesis, Univ. of Saskatchewan, Saskatoon, Canada.
806. Taber, R. A., and T. C. Vanterpool. 1963. *Alternaria* species on rape in Western Canada. Proc. Canadian Phytopathol. Soc. 30: 19. (Abstr.).
807. Taber, R. A., T. C. Vanterpool and A. T. Williard. 1968. A comparative nutritional study of *Alternaria raphani*, *A. brassicae* and *A. brassicicola* with special reference to *A. raphani*. Phytopathology 58: 609-616.
808. Tahvonen, R. 1979. Seed-borne fungi on cruciferous cultivated plants in Finland and their importance in seedling raising. J. Sci. Agric. Soc., Finland, 51: 327-379.
809. Tahvonen, R. 1981. Storage fungi of cabbage and their control. J. Sci Agric. Soc., Finland, 53: 211-227.
810. Tahvonen, R. 1982. The suppressiveness of Finnish light coloured sphagnum peat. J. Sci. Agric. Soc., Finland, 54 : 345-356. .
811. Tahvonen, R. 1982. Preliminary experiments into the use of *Streptomyces* spp. isolated from peat in the biological control of soil and seed-borne disease in peat culture. J. Sci. Agric. Soc., Finland, 54: 357-369.
812. Tahvonen, R. 1985. [Mycostop-a biological formulation for control of fungal diseases.] Vaxtskyddsnotiser 49: 86-90, 93.
813. Tahvonen, R. T. 1988. Microbial control of plant disease with *Streptomyces* spp. Bulletin OEPP 18: 55-59.
814. Tahvonen, R. and H. Avikainen. 1987. The biological control of seed-borne *Alternaria brassicicola* of Cruciferous plants with a powdery preparation of *Streptomyces* sp. J. Agric. Sci., Finland, Helsinki, 59: 199-208.
815. Talukdar, M. J. 1974. Plant Diseases in Bangladesh. Bangladesh J. Agric. Res. 1: 61-83.
816. Tapiio, E. and A. Pohto-Lahdenpera. 1989. [Interaction between antagonists and pathogenic fungi.] Vaxtskyddsnotiser 53: 12-18.
817. Tarr, S. A. J. 1951. Plant Pathology. Report Res. Div. Minist. Agric., Sudan Govt. 1948-1949: pp. 47-65.
818. Tarr, S. A. J. 1954. Plant Pathology. Report Res. Div. Minist. Agric., Sudan Govt. 1951-1952: pp. 71-80.
819. Tasca, G. and F. Trandaf. 1984. [Efficacy of pre-harvest treatment with fungicides in reducing cabbage decay during storage.] Lucrari stiintifice Institutul de cercetari si Proiectari Pentru Valorificarea si Industrializarea Legumelor si Fructelor 15: 89-93.
820. Templeton, G. E. 1972. *Alternaria* toxins related to pathogenesis in plants. IN: Microbial Toxins. vol. 8 Fungal Toxins (eds. S. Kadis, A. Ciegler and S. J. Ajl), New York, Acad. Press: pp. 169-192.

821. Teng, S. C. 1940. Supplement to higher fungi of China. *Sinensis* 11: 105-130.
822. Tewari, J. P. 1983. Cellular alterations in the blackspot of rapeseed caused by *Alternaria brassicae*. *Phytopathology* 73: 831. (Abstr.)
823. Tewari, J. P. 1985. Diseases of canola caused by fungi in the Canadian prairies. *Agric. Forest Bulletin* 8: 13-20.
824. Tewari, J. P. 1986. Subcuticular growth of *Alternaria brassicae* in rapeseed. *Can. J. Bot.* 64: 1227-1231.
825. Tewari, J. P. 1991. Current understanding of resistance to *Alternaria brassicae* in crucifers. GCIRC 8th Int. Rapeseed Congr., July 9-11, Saskatoon, Canada: p. 84 (Abst.); Proc. Vol. 2: 471-476.
826. Tewari, J.P. 1991. Structural and biochemical bases of the blackspot disease of crucifers. *Adv. Struct. Biol.* 1: 325-349.
827. Tewari, J. P. and P. S. Bains. 1988. Mode of action of the host-specific toxins produced by *Alternaria brassicae*. 5th Int. Congr. Plant Pathol. August 20-27, Kyoto, Japan: p. 234.
828. Tewari, J. P. and K. L. Conn. 1988. Incidence of the blackspot of Canola caused by *Alternaria brassicae* (Berk.) Sacc. during 1987. *Can. Plant Dis. Surv.* 68: 103.
829. Tewari, J. P. and K. L. Conn. 1992. Reactions of some wild crucifers to *Alternaria brassicae*. IOBC/WPRS Bull. (In Press)
830. Tewari, J.P. and K.L. Conn. 1992. Wild crucifers as sources of resistance to *Alternaria brassicae*. Proc. 13th Eucarpia Congress, Angers, France: pp. 495-496.
831. Tewari, J. P., K. L. Conn and J. S. Dahiya. 1987. Resistance to *Alternaria brassicae* in crucifers. 7th Int Rapeseed Congr., Poznan, Poland: p. 48 (Abst.); Proc. 1085-1089.
832. Tewari, J. P., K. L. Conn and J. S. Dahiya. 1988. Dynamic response of rapeseed and other crucifers to *Alternaria brassicae* and *Rhizoctonia solani*. Proc. 5th Intern. Congr. Plant Pathol., Kyoto, Japan: p. 242 (Abstr.).
833. Tewari, J. P. and W. P. Skoropad. 1976. Relationship between epicuticular wax and blackspot caused by *Alternaria brassicae* in three lines of rapeseed. *Can. J. Plant. Sci.* 56: 781-785.
834. Tewari, J. P. and W. P. Skoropad. 1979. The effect of polyoxin B and polyoxin D on *Alternaria brassicae* and the black spot of rapeseed. *Can. J. Plant Sci.* 59: 1-6.
835. Thakur, R. and S. J. Kolte. 1985. Radish root extract agar, a suitable medium for the growth and sporulation of *Alternaria brassicae*. *Cruciferae NewsLetter* 10: 117-118.
836. Thakur, V., A. D. Sharma and R. L. Munjal. 1981. Seed mycoflora of *Raphanus sativus* its pathology and control from India. *Indian J. Mycol. Plant Pathol.* 11: 161-163.
837. Thind, T. S. and J. S. Jhooty. 1985. Iatrogenic effect of copper oxychloride sprays on *Alternaria* blight of some crucifers. *Curr. Sci.* 54 : 635-636.

838. Thind, T. S. and J. S. Jhooty. 1988. Differential behaviour of fungicides against *Alternaria* blight of some cruciferous hosts. Indian J. Mycol. Plant Pathol. 18: 122-127.
839. Thomas, P. 1984. *Alternaria* blackspot (grey leaf spot). IN: Canola Growers Manual. Canola Council of Canada, Winnipeg, Manitoba, Canada. pp. 1056-1058.
840. Todt, M. and F. A. Schulz. 1987. [Storage of chinese cabbages.] Gemuse 23: 414-416.
841. Torgeson, D. C., W. H. Hensley and J. A. Lambrech. 1961. Polyaracyclic methylmercap-toimidazolines as foliage fungicides. Contr. Boyce Thomp. Inst. 21: 27-31.
842. Torgeson, D. C., J. A. Lambrech and W. H. Hensley. 1960. Fungicidal effectiveness of S, S-dimethyl xanthogenethylenebis (dithiocarbamate) and related compounds. Contr. Boyce Thomp. Inst. 20: 299-305.
843. Toro, R. A. 1929. Plant disease notes from the Central Andes II. Phytopathology 19: 969-974.
844. Tosi, L and A. Zazzerini. 1985. [*Alternaria brassicae* (Berk.) Sacc. on rape (*Brassica napus* L. subsp. *oleifera*) and turnip rape (*Brassica campestris* L. var. *oleifera* DC.).] Informatore Fitopatol. 35: 43-44.
845. Trail, F. and W. Koller. 1990. Diversity of cutinases from plant pathogenic fungi: evidence for a relationship between enzyme properties and tissue specificity. Physiol. Mol. Plant Pathol. 36: 495-508.
846. Treshow, M. 1965. Response of some pathogenic fungi to sodium fluoride. Mycologia 57: 216-221.
847. Treshow, M., F. M. Harner, H. E. Price and J. R. Kormelink. 1969. Effects of ozone on growth, lipid metabolism, and sporulation of fungi. Phytopathology 59: 1223-1225.
848. Tripathi, N. N. and C. D. Kaushik. 1984. Studies on the survival of *Alternaria brassicae* the causal organism of leaf spot of rapeseed and mustard. Madras Agric. J. 71: 237-241.
849. Tripathi, N. N., C. D. Kaushik, T. P. Yadava and A. K. Yadav. 1980. *Alternaria* leaf spot resistance in raya. Haryana Agric. Univ. J. Res. 10: 166-168.
850. Tripathi, N. N., G. S. Saharan, C. D. Kaushik, J. C. Kaushik and P. P. Gupta. 1987. Magnitude of losses in yield and management of *Alternaria* blight of rapeseed and mustard. Haryana Agric. Univ. J. Res. 17: 14-18.
851. Tripathi, N. N., H. Singh, C. D. Kaushik and M. Singh. 1985. Compatibility of fungicides with insecticides for the control of *Alternaria* leaf-spot and aphid on brown sarson (*Brassica campestris*). Pesticides 19: 21-23.
852. Tsai, Y. P. and C. K. Wang. 1974. Comparison of three blotter tests on detection of Taiwan vegetable seed-borne pathogens. Plant Prot. Bull. 16: 93-101.
853. Tsukaguchi, E., N. Tottori and W. Wleklik. 1987. [The control of grass weeds and fungal diseases in winter rape.] Materiały sesji Instytutu Ochrony Roslin 27: 157-164. (Abstr.).

854. Tsuneda, A. 1977. Mycoparasitism of *Alternaria brassicae* by *Nectria inventa*. Ph.D. Thesis, Univ. of Alberta, Edmonton, Canada.
855. Tsuneda, A. and W. P. Skoropad. 1977. The *Alternaria brassicae-Nectria inventa* host-parasite interface. Can. J. Bot. 55: 448-454.
856. Tsuneda, A. and W. P. Skoropad. 1977. Formation of microsclerotia and chlamydospores from conidia of *Alternaria brassicae*. Can. J. Bot. 55: 1276-1281.
857. Tsuneda, A. and W. P. Skoropad. 1978. Phyloplane fungal flora of rapeseed. Trans. Br. Mycol. Soc. 70: 329-334.
858. Tsuneda, A. and W. P. Skoropad. 1978. Behavior of *Alternaria brassicae* and its mycoparasite *Nectria inventa* on intact and excised leaves of rapeseed. Can. J. Bot. 56: 1333-1340.
859. Tsuneda, A. and W. P. Skoropad. 1978. Nutrient leakage from dried and rewetted conidia of *Alternaria brassicae* and its effect on the mycoparasite *Nectria inventa*. Can. J. Bot. 56: 1341-1345.
860. Tsuneda, A. and W. P. Skoropad. 1980. Interactions between *Nectria inventa*, a destructive mycoparasite, and fourteen fungi associated with rapeseed. Trans. Br. Mycol. Soc. 74: 501-507.
861. Tsuneda, A., W. P. Skoropad and J. P. Tewari. 1976. Mode of parasitism of *Alternaria brassicae* by *Nectria inventa*. Phytopathology 66: 1056-1064.
862. Tupenevich, S. M. and V. N. Shirko. 1956. [A study of cabbage seedling diseases.] Bull. Inst. Appl. Zool. Phytopathol. 4: 147-154.
863. Tylkowska, K., M. Beresniewicz-Dudala. 1988. [Significance of the presence of *Alternaria brassicicola* in *Brassica oleracea* seeds multiplied in Poland for seedling emergence and health.] Biuletyn Instytutu Hodowli i Aklimatyzacji Roslin No. 167: 101-108.
864. Umalkar, G. V. and S. Begum. 1976. Effect of light spectra on growth, sporulation and pectic enzyme secretion in some pathogenic fungi. Biovigyanam 2: 21-25.
865. Umalkar, G. V., B. M. Bhawal, S. Begum and K. A. Thakar. 1977. Antifungal activity of some benz (1, 2) isoxazoles. Indian J. Expt. Biol. 15: 406-407.
866. Umalkar, G. V., D. S. Mukadam and K. M. A. Nehemiah. 1977. Fungistatic properties of some deproteinized leaf extracts. Sci. Cult. 43: 437-439.
867. Umalkar, G. V., D. S. Vishwe and L. V. Gangawane. 1977. In vitro inhibition of *Alternaria brassicae* by some newly synthesized compounds. Indian Phytopathol. 30: 563-564.
868. Upadhyay, R. S. and D. B. Singh. 1978. Seed mycoflora of mustard and their responses to storage and seed treatments with fungicides. J. Sci. Res. Bonaras Hindu Univ. 29: 171-181.
869. Vaartnou, H. and I. Tewari. 1972. *Alternaria* on polish-type rape in Alberta. Plant Dis. Repr. 56: 633.

870. Vaartnou, H. and I. Tewari. 1972. *Alternaria alternata* parasitic on rape in Alberta. Plant Dis. Repr. 56: 676-677.
871. Vakhurusheva, T. E. 1983. [Diseases of Swede rape grown in Leningrad province.] Nauchno-tehnicheskii Byulleten vsesoyuznogo ordena Lenina i ordena Druzhby Narodov Nauchno-issledovatel'skogo instituta Rastenievodstva Imeni N. I. Vavilova No. 127: 40-44.
872. Vala, D. G. and J. N. Kapoor. 1985. Detection of *Alternaria* species on seeds of carrot and cabbage. Indian Phytopathol. 38: 760.
873. Valkonen, J. P. T. and H. Koponen. 1990. The seed-borne fungi of chinese cabbage (*Brassica pekinensis*), their pathogenicity and control. Plant Pathol. 39: 510-516.
874. Vandenberg, C. G. J. and R. G. Platford. 1990. Distribution, prevalence and incidence of canola diseases in 1989. Can. Plant. Dis. Surv. 70: 71-73.
875. Vandenberg, C. G. J. and R. G. Platford. 1991. Distribution, prevalence and incidence of canola diseases in 1990. Can. Plant. Dis. Surv. 71: 92-93.
876. Vandenberg, C. G. J., R. G. Platford and S. R. Rimmer. 1992. Distribution, prevalence and incidence of canola diseases in 1991. Can. Plant Dis. Surv. 72: 69-71.
877. Vannacci, G. 1981. Seed-borne *Alternaria brassicicola*: detection by means of symptoms on seedlings. Acta Horticulturae 111: 123-129.
878. Vannacci, G. and G. E. Harman. 1987. Biocontrol of seed-borne *Alternaria raphani* and *A. brassicicola*. Can. J. Microbiol. 33: 850-856.
879. Vannacci, G. and S. Pecchia. 1988. Location and transmission of seed-borne *Alternaria raphani* Groves and Skolko in *Raphanus sativus* L.: a case study. Archiv fur. Phytopathologie und Pflanzenschutz. 24: 305-315.
880. Van Schreven, D. A. 1953. [*Alternaria*, *Stemphylium* and *Botrytis* infection of colza (*Brassica napus*).] Tijdschr. Plantenziekten 59: 105-136.
881. Vanterpool, T. C. 1950. Rape-seedling blight and leaf spot. 29th Annu. Report Can. Plant Dis. Surv. p. 31.
882. Vanterpool, T. C. 1956. Rapeseed diseases in Saskatchewan in 1956. Can. Plant Dis. Surv. 36: 36-37.
883. Vanterpool, T. C. 1957. Rape diseases in Saskatchewan in 1957. Can. Plant Dis. Surv. 37: 38-40.
884. Vanterpool, T. C. 1958. Rape diseases in Saskatchewan in 1958. Can. Plant Dis. Surv. 38: 37-38.
885. Vanterpool, T. C. 1959. Rape diseases in Saskatchewan in 1959. Can. Plant Dis. Surv. 39: 30-31.
886. Vanterpool, T. C. 1960. Rape diseases in Saskatchewan in 1960. Can. Plant Dis. Surv. 40: 60-61.

887. Vanterpool, T. C. 1961. Rape diseases in Saskatchewan in 1961. Can. Plant Dis. Surv. 41: 372.
888. Vanterpool, T. C. 1963. Rape diseases in Saskatchewan in 1963. Can. Plant Dis. Surv. 43: 212-214.
889. Vasudeva, R. S. 1958. Diseases of rape and mustard. IN: Rape and Mustard. Singh D. P. (Editor), Indian Central Oilseed Committee, Hyderabad: pp. 77- 86.
890. Verma, J. P. 1960 Fungal enzymes and their activities. Ph. D. Thesis, Lucknow Univ., India.
891. Verma, J. P. 1963. Studies in the enzyme make-up of *Alternaria*. IV. Ribonuclease activity. Mycopath. et Mycol. Applicata 20: 337-345.
892. Verma, J. P. 1964. Studies in the enzyme make-up of *Alternaria*. V. Aldolase activity. Mycologia 56: 909-918.
893. Verma, J. P. 1965. Studies in the enzyme make-up of *Alternaria*. VI. Nucleodeaminase activity. Proc. Indian Sci. Congr. Combd. 51 and 52, Part 3: 328. (Abstr.).
894. Verma, J.P. 1965. Studies in the enzyme make-up of *Alternaria* VII. Adaptive production of certain enzymes. Proc. Indian Sci. Congr. Combd. 51 and 52, Part 3: 328 (Abstr.).
895. Verma, J. P. 1971. Studies in the enzyme make-up of *Alternaria*. IX. Nucleaophosphatase activity. Indian Phytopathol. 24:43-49.
896. Verma, V. D. and B. Rai . 1980. Note on induced mutagenesis for spotting out the source of resistance to *Alternaria* leaf-spot in Indian mustard. Indian J. Agric. Sci. 50: 278-280.
897. Verona, O. 1932. [On the so called pox of cauliflower.] Boll. R. Inst. Sup. Agric. di, Pisa, 8: 291-300.
898. Viel, G., M. M. Chancogne, M. Sy and N. P. Buu-hoi. 1958. [Antifungal activity of halogenated derivatives of diphenyl.] Bull. Soc. Chim. Biol. 40: 1617-1622.
899. Vishnuavat, K., V. K. Agarwal and R. S. Singh. 1985. Relationship of discoloration of mustard (*Brassica campestris* var. *sarson*) seed infection by *Alternaria brassicae* and its longevity on seed. Seed Research 13: 53-56.
900. Vishwanath. 1987. Studies on some fungicides and micronutrients in the control of three important diseases of toria (*Brassica campestris* var. *Toria*). M. Sc. Thesis, G. B. Pant Univ. of Agric. and Tech., Pantnagar, India.
901. Voisenat. 1930. [Examination of the state of health of seeds at the official seed testing station at Wageningen.] Ann. Sci. Agron. 47: 744-754.
902. Wadhwani, K. and S. K. Dudeja. 1982. The primary source of inoculum of leaf spot disease of *Brassica juncea* due to *Alternaria*. Indian Bot. Repr. 1: 162-163.
903. Wafford, J. D., P. Gladders and G. M. McPherson. 1986. The incidence and severity of brussels sprout diseases and the influence of oilseed rape. Aspects Appl. Biol. 12: 1-12.

904. Walker, J. C. 1927. Diseases of cabbage and related plants. U.S. Dept. Agric. Farmers' Bulletin 1439: 30 p.
905. Walker, J. C. 1952. Diseases of crucifers. IN: Diseases of Vegetable Crops. McGraw Hill Book Co., New York, London Chapter 6: 150-152.
906. Wallace, G. B. 1954. 1952 and 1953 annual reports of the Plant Pathologist, Lyamungu, Moshi. Rept. Dept. Agric. Tanganyika 1952: 55-60; Part 2: 71-77, 1954.
907. Wallace, G. B. and M. M. Wallace. 1945. Tanganyika territory fungus list: recent records. VI. Mycol. Circ. Dept. Agric. Tanganyika 15: 2 p.
908. Wallen, V. R., M. D. Sutton and A. J. Skolko. 1950. The effect of actidione on the growth of certain pathogenic fungi and on the germination of pea seed. *Phytopathology* 40: 156-160.
909. Ware, W. M. 1936. *Alternaria* leaf-spot of Stock (Matthiola). Gdnrs'. Chron. C 2596: 236-237.
910. Weber, G. F. 1932. Some diseases of cabbage and other crucifers in Florida. Florida Agric. Exp. Stn. Bull. 256: 62 p.
911. Weber, G. F. 1973. Bacterial and fungal diseases of plants in the tropics. Univ. Florida Press, Gainesville: pp. 86-88.
912. Weimer, J. L. 1924. *Alternaria* leaf spot and brownrot of cauliflower. J. Agric. Res. 29: 421-441.
913. Weimer, J. L. 1926. A leaf spot of cruciferous plants caused by *Alternaria herculea*. J. Agric. Res. 33: 645-650.
914. Weiss, E. A. 1983. Rapeseed. IN: Oilseed Crops. Longman, London, New York. Chapter 5: 204-209.
915. Weiss, F. 1960. Index to plant diseases in the United States. Crops Res. Division, Agric. Res. Service, U.S. Dept. Agric. Handbook No. 165: 97-106.
916. White, J. G. 1982. *Brassica* seedling establishment. Annual Report of the Plant Breeding Institute 1981. Cambridge, U.K.: pp. 72-73.
917. White, J. G. 1984. *Brassica* seedling establishment. 34th Annual Report for 1983, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 76-77.
918. White, J. G. 1988. The effects of soil conditions, soil sterilisation and seed treatment on the emergence of cabbage in controlled temperature cabinets and the field. Ann. Appl. Biol. 112: 347-357.
919. White, J. G., K. Bloor, R. K. Ho, R. B. Maude, J. M. Bambridge, A. Spencer, K. A. Gott, T. H. Thomas, F. M. Humpherson-Jones and M. J. O'Brien. 1985. Seed studies. 35th Annual Report for 1984, National Vegetable Research Station, Wellesbourne, Warwick, U.K.: pp. 82-85.

920. White, J.G., C.A. Linfield, M.L. Lahdenpera and J. Uoti. 1990. Mycostop a novel biofungicide based on *Streptomyces griseoviridis*. Proc. 1990 British Crop Prot. Confr., Pests and Diseases, Brighton 1: 221-226.
921. Williams, P. H., M. H. Ebbin, J. Hack, W. H. Read, R. J. Smith, R. Howles, O. Owen, J. H. L. Messing and D. M. Massey. 1952. Plant diseases. Chemical investigations. Growers' notes. Rept. Exp. Stn. Cheshunt, 1951: 22-40; 78-83; 85-87.
922. Williams, J. and D. A. C. Pink. 1987. Development of an *in vitro* screen in brussels sprout for resistance to *Alternaria brassicae*. Cruciferae NewsLetter 12: 91.
923. Wills, A. B. and T. Hodgkin. 1987. Pollen selection in *Brassica* species. Proc. 7th Int. Rapeseed Congr., Poznan, Poland: pp. 97-102.
924. Wiltshire, S. P. 1933. The foundation species of *Alternaria* and *Microsporium*. Trans. Br. Mycol. Soc. 18: 135-160.
925. Wiltshire, S. P. 1947. Species of *Alternaria* on *Brassicaceae*. Mycol. Paper No. 20, CMI, England, 15 p.
926. Winter, W. and W. Huber. 1978. [Investigation of winter rape attacked by *Phoma lingam* as well as other fungal diseases in 1977.] Mitteilungen fur die schweizerische Landwirtschaft 26: 115-122.
927. Wolf, C. N., P. H. Schuldt and M. M. Baldwin. 1955. S-triazine derivatives- a new class of fungicides. Science 121 (3133): 61-62.
928. Wu, W. S. 1979. Survey on seed-borne fungi of vegetable. Plant Prot. Bull., Taiwan, 21: 206-219.
929. Wu, W. S. and J. H. Lu. 1984. A semiselective medium for detecting seed-borne *Alternaria brassicicola*. Plant Prot. Bull. (Taiwan, R.O.C.) 26: 67-72.
930. Wu, W. S. and J. H. Lu. 1984. Seed treatment with antagonists and chemicals to control *Alternaria brassicicola*. Seed Sci. Technol. 12: 851-862.
931. Wu, W. S., C. H. H. Wu and K. C. Wu. 1979. *Alternaria brassicicola*, a destructive pathogen in seed production of cauliflower. Plant Prot. Bull., Taiwan, 21: 294-304.
932. Yadav, R. D., J. S. Yadav, G. S. Saharan and H. V. Singh. 1984. Increasing production of rapeseed-mustard in Haryana. Haryana Farming 13: 3-5.
933. Yadav, R. D. S., S. N. Singh and S. D. Singh. 1989. Tolerance of mustard improved genotypes to diara stress. Proc. Nat. Acad. Sci. India Sect. B. (Bio. Sci.) 59: 115-118.
934. Yamagishi, H., M. Ashizawa and S. Yui. 1985. Screening techniques of disease resistance in cruciferae vegetables. Japan Agric. Res. Quart. 19: 184-189.
935. Yasmeen, and S. K. Saxena. 1990. Effect of fern extracts on growth and germination of fungi. Curr. Sci. 15: 798-799.
936. Yitbarek, S. M., P. R. Verma and R. A. A. Morrall. 1987. Anastomosis groups, pathogenicity and specificity of *Rhizoctonia solani* isolates from seedlings and adult rapeseed/canola plants and soils in Saskatchewan. Can. J. Plant Pathol. 9: 6-13.

937. Yoshii, H. 1933. On three species of *Alternaria* parasitic on cruciferous plants. Bull. Sci. Fakultato. Terkultura, Kjusu Imper. Univ. 3: 221-235.
938. Zlatoust, M. A., A. F. Aizina and V. N. Vadovina. 1975. [Effect of nutrient media on the growth and biosynthesis of lipids of *Alternaria brassicicola* strain 13.] Izv. AN Mold. SSR, Biol. i khim. N. No. 4: 42-44.

SUBJECT INDEX

- Abcisin Acid: 231
- AB-toxin: 827
- Accessions: 59, 120, 121, 849
- Aeromycology: 721, 733, 766
- Africa: 681
- Aggressiveness: 135, 223
- Albino strain: 145, 148, 177
- Allergens: 612
- Allyloglucosinolate: 134
- Alternaria allergens: 612
- Alternaria* species: 1, 11, 40, 47, 53, 82, 86, 93, 99, 101, 109, 115, 117, 124-126, 128, 137-141, 151, 167-169, 178, 182, 184, 189, 208, 219, 224, 225, 227-229, 249, 251, 255, 259, 266, 269, 272, 273, 293, 298-300, 302, 308, 309, 313, 320, 329, 336-338, 354, 377, 378, 389, 391-393, 405, 412, 414, 418, 428-430, 448, 451, 452, 461, 462, 474, 487, 552, 564, 565, 631, 634, 641, 642, 669, 678-680, 687, 700, 708, 709, 711, 727, 748, 749, 753, 762, 766, 773, 800, 806, 820, 825, 853, 868, 874-876, 883, 885-888, 890, 891, 903, 919, 924, 925, 936.
- Alternariosis: 87, 224, 592, 631, 800, 801.
- Alternaria alternata*: 65, 74-76, 100, 106, 152, 154, 208, 211, 215, 223, 224, 265, 272, 292, 323, 334, 347, 381, 383, 450, 456, 465, 466, 489, 520, 525, 537, 568, 577, 602, 612, 618, 621, 630, 646, 653-655, 662, 673, 705, 720, 728, 737, 739, 757, 760, 765, 780, 790-794, 836, 845, 857, 869, 870, 928.
- Alternaria brassicae*: 2, 3, 6, 8, 12-19, 27-29, 32, 34-36, 40, 42-46, 48-52, 54-65, 68, 70-75, 77-80, 82, 84-87, 89, 94, 96-98, 105, 107-111, 113, 114, 116, 122, 125, 126, 129-136, 139-141, 152-159, 163, 164, 166, 168-172, 174-176, 180, 181, 183-190, 192-196, 198-205, 207, 208, 211-214, 217, 219-225, 230-238, 240-248, 253-258, 260-263, 266, 267, 269, 270, 272, 274-280, 282, 284-286, 290, 292, 294, 295, 297, 301, 303, 305-307, 311-313, 315-319, 321, 322, 324-328, 330, 331, 339, 340, 343, 347-351, 353-363, 366-374, 379, 381, 384-387, 392-397, 399, 401-404, 406-410, 413, 416-419, 422-426, 431, 432, 435-439, 442, 444, 447, 449, 453, 454, 457-460, 463, 464, 466, 468-473, 478, 479, 481, 482, 484-486, 488-491, 494, 495, 497, 504, 506, 507, 513, 516-521, 524-527, 530, 538-540, 542, 544, 546-552, 554-558, 559-561, 563, 566, 569-573, 576-596, 598-600, 603-606, 610, 611, 613-619, 621-630, 632, 636-639, 641, 643-652, 654, 656, 658, 661, 662, 664, 666-668, 670-672, 675-678, 681, 683, 684, 686, 688-

693, 696, 699, 701-704, 706, 707, 711, 714, 715, 719-726, 728-736, 738, 740, 742-747, 750, 751, 754-759, 764, 767, 770, 772, 774, 775, 777, 779, 781-788, 790, 791, 795, 797, 803, 806-808, 818, 819, 821-835, 837-840, 843-845, 848-851, 854-862, 867, 869, 871, 880-884, 888, 889, 896-902, 904-907, 909-912, 914, 915, 919, 922, 925, 926, 928, 932, 933, 937.

Alternaria brassicae f. *nigrescens*: 370.

Alternaria brassicicola: 4, 5, 7, 10, 22, 24-26, 30, 31, 36-39, 42, 43, 45, 46, 49, 50, 68, 74, 75, 83, 86, 88-92, 94, 96, 102-104, 112, 114, 119-121, 123, 134, 139-150, 152, 154, 164, 165, 168-174, 176, 177, 179, 180, 187, 191, 207, 209, 221-226, 238, 239, 245, 246, 249, 253, 254, 256, 262-264, 271, 272, 280, 283, 286-292, 298, 301, 303, 310, 319, 323, 325-327, 335, 341, 342, 344, 345, 347-349, 353, 355-360, 363-370, 380, 382, 388, 389, 397, 409, 413, 415, 421, 427, 428, 433-435, 437-447, 450, 454, 455, 458, 465-467, 469, 475-477, 480, 483, 484, 491-495, 497-520, 522, 523, 529, 531-536, 542, 543, 547, 552-556, 558, 563, 572-577, 592, 596, 601, 603, 605, 607-610, 612, 613, 620, 621, 633, 635, 640, 642, 645, 646, 658, 659, 662, 665, 666, 668, 677, 678, 682, 683, 685, 689, 691, 702, 704, 706, 710-713, 716-724, 726, 728-735, 738-741, 748, 752, 767, 770, 771, 786, 790, 791, 796, 798, 799, 806-814, 816-818, 840-842, 845, 863-866, 873, 877, 878, 880, 891-896, 902, 905, 908, 915-918, 920, 921, 923, 925, 927-931, 935, 938.

Alternaria blackspot: 71, 75, 85, 101, 111, 196, 198-203, 207, 214, 231, 244-246, 248, 256, 257, 289, 290, 302, 311, 314, 339, 340, 413, 431, 435, 565, 594, 605, 618, 621, 623, 624, 626, 629, 631, 647, 683, 684, 767, 772, 784, 822, 826, 828, 834, 839, 843, 886, 888, 914.

Alternaria blight: 9, 54-62, 69, 82, 84, 105, 152, 154-163, 166, 175, 180, 221, 223, 252, 295, 317, 319, 324-327, 331, 350, 351, 372-376, 401-404, 416-419, 437-448, 521, 524, 542, 600, 690, 695, 699, 701-703, 743, 745, 750, 761, 764, 770, 837, 850, 887, 899, 932, 933.

Alternaria cheiranthi: 272, 348, 392, 393, 574, 924.

Alternaria circinans: 16, 22, 31, 113, 205, 207, 217, 218, 283, 312, 342, 346, 399, 465, 469, 570, 571, 598, 599, 659, 711, 712, 774, 789, 907, 915, 921, 925, 937.

Alternaria herculea: 15, 205, 207, 269, 281, 294, 486, 571, 641, 667, 704, 910, 913, 925, 937.

Alternaria japonica: 393, 741.

Alternaria longipas: 668.

Alternaria macrospora: 668.

Alternaria oleracea: 10, 16, 20, 24-26, 37, 88, 113, 149, 150, 164, 205, 207, 209, 210, 242, 267, 268, 314, 318, 389, 390, 392, 393, 406, 514, 515, 521-523, 530-536, 562, 570, 571, 592, 599, 607, 661, 665, 685, 713, 774, 789, 841, 842, 846, 847, 898, 907, 908, 915, 925, 927, 937.

Alternaria raphani: 21, 23, 66-68, 81, 86, 95, 98, 134, 152, 154, 164, 168-172, 187, 190, 206, 210, 211, 214, 216, 238, 239, 241, 244-246, 248, 254, 272, 292, 318, 348, 349, 375, 376, 424, 444, 466, 484, 488, 493, 517, 521, 529, 567, 571, 572, 577, 592, 603, 605, 613, 618-622, 624-627, 629, 630, 646, 647, 658, 678, 683, 700, 728, 739, 740, 776, 790, 791, 805-808, 839, 857, 860, 869, 873, 878, 879, 888, 890-893, 895, 905, 914, 925, 928.

Alternaria solani: 118.

Alternaria tenuis: 207, 219, 221-224, 238, 239, 269, 318, 332-334, 389, 390, 392, 393, 420, 428, 461, 466, 518, 521, 540, 547, 571, 573, 592, 596, 657, 658, 705, 711, 727, 748, 785, 786, 806, 820, 869, 870, 880, 883, 888, 890-893, 895, 897, 915, 924.

Alternaria tenuissima: 272, 389, 393, 425, 541, 547, 658, 668, 757, 924.

Alternaria Leaf Spot, Leaf and Pod Blight: 13, 15, 20, 28, 45, 51, 54-62, 66, 89, 93, 94, 107, 112, 125, 139-141, 152, 154, 183, 184, 187, 214, 226, 241, 258, 262, 263, 266-268, 281, 282, 284, 295, 320, 325-328, 342, 347, 348, 371, 376, 380, 406, 411, 416, 425, 448, 456, 463, 468, 480, 491, 493, 518, 551, 552, 559-561, 563, 567, 594, 627, 628, 641, 648, 651, 652, 658, 660, 661, 675, 676, 696, 706, 709, 715, 718, 723, 731, 736, 739-741, 751, 752, 762, 765, 768-770, 774, 775, 781, 782, 794, 840, 848, 849, 851, 881, 883, 884, 887, 889, 896, 902, 904, 909-913, 915, 933.

Alternaria Pod Spot: 42, 43, 55, 97, 115, 214, 253, 254, 277, 551, 595, 618, 627, 628, 683, 882-884.

Alternaria Sooty Spot: 741.

Alloplasm: 84.

Amino acids: 66, 80, 158, 169-172.

Anagallis arvensis A Host: 699.

Antagonism: 104, 234, 235, 596, 608, 654, 728, 731, 734, 735, 740, 811, 813-815, 878, 930.

Antibiotics: 372, 449, 466, 728, 813, 920; Griseofulvin: 372, 759; Mycostatin: 759; Mycothricin: 665; Polyoxin B and D: 823, 834.

Antifungal Activity: 3.

Aqueous Extract of Fungal Spore: 532.

Area under Disease Progress Curve: 286-288.

Argentina: 486.

Armoracia species: 135, 829.

Artificial Inoculation: 129, 130, 316, 615, 705.

Association: 627, 630, 709.

Australia: 15, 34, 111, 787, 914.

Austria: 94-96, 308, 309.

Bangladesh: 236, 237, 350, 351, 371, 524, 542, 548-551, 650, 651, 690, 815.

Benzimidazole Agar Medium: 50, 102.

Bibliography: 40.

Bioassay: 72, 73, 80, 344, 345, 771, 827.

Biological Changes: 155, 158, 763.

Biological Control: 254, 397, 525, 596, 731, 811-814, 816, 823, 878, 920.

Biological Control Agents: *Alternaria alternata*: 525; *Chaetomium globosum*: 878, 880; *Fusarium* species: 878; *Gliocladium virens*: 930; *Nectria inventa*: 823, 854-861; *Penicillium corylophilum*: 930; *Penicilium* species: 930; *Streptomyces* species: 31, 719, 723, 724, 728, 731, 734, 735, 810-814, 816, 873, 920; *Trichoderma* species: 816, 878, 930.

Biology of the Pathogen: 254, 256, 270, 271, 347, 363, 391, 463, 497, 648, 729, 790, 791.

Biosynthesis: 5, 230, 536, 938.

Black Pod Blotch: 23.

Black Spot: 2, 45, 71-75, 85, 97- 99, 111, 117, 134, 138, 244, 245, 248, 258, 284, 289, 290, 308, 312, 339, 347, 429, 470, 474, 485, 517, 592, 633, 634, 642, 667, 692, 705, 784, 822, 823, 828, 834, 839, 843, 861, 874-876, 882, 883, 885, 886, 888, 897, 904, 905, 928, 930.

Boron Supply: 1.

Borneo: 36.

Brassica species: 42-44, 48, 50, 51, 54-62, 68, 70, 71, 74, 75, 79, 80, 85, 105, 110, 113, 120, 121, 135, 139-142, 188, 207, 208, 255, 261, 270, 271, 280, 314, 316, 317, 331, 335, 347, 353, 357-359, 388, 491, 494, 496, 497, 501-504, 507, 512, 513, 547, 558, 603, 608, 619, 639, 647, 661, 668, 677, 694, 697, 704, 706, 707, 760, 790, 791, 805, 812-814, 852, 877, 904, 905, 910-912, 914-917, 925.

Brassica alba: 69, 105, 325-327, 331, 374, 652.

Brassica alba glabra: 715.

Brassica campestris: 1, 9, 50, 55, 59, 60, 65, 69-71, 78-80, 82, 84-86, 97, 98, 100, 101, 107, 129, 130, 138, 155, 175, 194-200, 202-204, 208, 236, 237, 244-246, 248, 251, 254, 261, 307, 316, 319, 325-327, 331, 345, 347, 351, 353, 373, 374, 381, 402, 405, 441, 442, 447, 456, 474, 482, 483, 488, 524, 537, 540, 550, 552-558, 595, 605, 618, 619, 622, 624, 626, 630, 633, 634, 638, 649, 652, 655, 658, 679, 697, 720, 725, 726, 731-733, 736, 755-757, 760, 762, 765, 772, 781, 805, 806, 824, 829, 831-834, 839, 844, 848, 850, 851, 857, 858, 869, 874-876, 899, 914, 915, 934, 936, 937.

Brassica carinata: 9, 69, 70, 84, 85, 107, 131, 289, 290, 316, 325-327, 425, 658, 762.

Brassica chinensis: 84, 105, 374, 402, 407, 658, 909, 915, 937.

Brassica fruticulosa: 135.

Brassica hirta: 71, 80, 245, 261, 488, 605, 628, 915.

Brassica japonica: 84.

Brassica juncea: 9, 50, 55, 57, 60, 62, 69-71, 75, 77, 80, 84, 85, 105, 112, 114, 129, 131, 135, 153, 156, 167, 169-172, 175, 250-252, 261, 270, 281, 285, 289, 290, 292, 295, 296, 315, 316, 319, 320, 324-329, 331, 347, 350, 351, 371, 374, 381, 396, 402-404, 413, 416, 418, 442, 458, 488, 526, 605, 626, 652, 653, 656, 658, 663, 664, 697, 736, 738, 742-746, 760, 762, 763, 772, 780, 848, 850, 896, 899, 902, 934.

Brassica napobrassica: 66.

Brassica napus: 9, 50, 69, 70, 71, 78-80, 84, 85, 97, 98, 101, 102, 105, 107, 108, 130-133, 135, 138, 166, 194, 197-200, 202-204, 219, 233, 244-246, 248, 254, 257, 261, 290, 305, 306, 316, 325-327, 331, 344, 345, 347, 353, 355, 363, 374, 402, 425, 431, 473-477, 488, 520, 537, 605, 606, 618, 619, 622, 624, 626, 628, 633, 634, 638, 646, 648, 649, 652, 679, 686, 711, 772, 779, 805, 806, 810, 824, 829-834, 839, 844, 857, 858, 874-876, 914, 915, 923, 936.

Brassica nigra: 50, 71, 80, 84, 85, 105, 107, 135, 331, 374, 402, 526, 540, 668.

Brassica oleracea: 3, 43, 50, 66, 85, 90, 93, 102, 112, 119-121, 123, 135, 137, 151, 179, 210, 216, 238, 254, 260, 281, 286-288, 299, 316, 321, 332-334, 345, 353, 355, 364, 365, 367, 380, 397, 402, 414, 448, 480, 488, 492, 502, 530, 541, 561, 609, 620, 635, 640, 642, 658, 661, 668, 676, 680, 681, 765, 801, 852, 863, ,872, 915, 934, 937.

Brassica pekinensis: 13, 112, 242, 281, 294, 402, 410, 453, 468, 852, 873, 915.

Brassica rapa: 15, 71, 80, 112, 135, 382, 407, 431, 468, 649, 658, 711, 831, 875, 937.

Brassica tournefortii: 105, 107, 135, 374, 402.

Brassilexin: 250.

Brazil: 64, 112, 489, 667.

Broccoli: 119, 151, 205, 210, 217, 266, 270, 281, 316, 347, 349, 353-355, 428, 503, 661, 667, 677, 741, 910.

Brown Rot: 92, 661, 740, 904, 907, 912.

Brown Sarson: 65, 105, 155, 158, 160, 325-327, 331, 372, 374, 402, 729-735, 760, 850, 851.

Brussel Sprouts: 45, 51, 74, 75, 93, 102, 119-121, 125, 240, 254, 303, 347, 349, 353, 355, 428, 434, 513, 519, 572, 574, 575, 620, 632, 677, 682, 786, 903, 905, 910, 922.

Bulgaria: 423.

Bulletin: 544, 545, 823, 904, 910.

Burma: 789.

Cabbage: 6, 11, 18, 19, 24, 26, 36-38, 43, 45, 63, 66, 74, 75, 90, 93, 112-114, 123, 136, 137, 151, 164, 173, 183, 184, 186, 217, 242, 243, 249, 256, 259, 266-268, 270, 271, 274, 281, 282, 285-288, 297-301, 308, 310, 311, 313, 314, 316, 332-335, 339-342, 347, 349, 352-354, 356, 358, 360, 363, 365, 368-370, 395, 400, 420, 421, 426, 428, 434, 436, 454, 455, 460, 467, 481, 484, 491, 492, 494, 497-500, 503, 507-510, 513, 519, 529, 530, 543, 563, 565, 566, 570, 572-575, 594, 598, 599, 601, 603, 609, 610, 631, 636, 637, 639, 641, 642, 644, 660, 661, 666, 675-678, 680-682, 705, 712, 713, 739-741, 752, 765, 774, 782, 784, 786, 789, 800, 801, 809, 812, 819, 821, 837, 852, 862, 863, 872, 904, 905, 907, 910, 911, 913, 915, 918, 920, 929, 931, 937.

Callus culture: 396.

Camelina sativa: 127, 135, 193, 202, 203, 315, 386, 829-832.

Canada: 11, 21, 23, 66, 67, 71-73, 77-80, 84, 85, 97-101, 127, 133, 138, 190, 192-207, 214, 230-232, 244-248, 258, 261, 318, 336-338, 386, 429, 430, 474, 488, 516, 517, 537, 596, 618-630, 633-635, 647, 674-676, 679, 687, 772, 805-807, 822-834, 839, 854-861, 869, 870, 874-876, 881-888, 908, 936.

Canola: 66, 70, 72, 73, 99, 138, 190, 192, 194, 196-200, 202-204, 231, 336-338, 347, 429, 430, 474, 488, 623-625, 823, 828, 874-876.

Capsella bursa-pastoris: 135, 202, 203, 347, 829-832.

Carbohydrates: 558, 579, 581, 584, 589.

Carbon Sources: 66, 254, 321, 380, 807.

Cauliflower: 2, 3, 25, 26, 31, 43, 45, 64, 66, 74, 75, 92, 112, 119, 151, 184, 205, 209, 210, 215, 242, 260, 262, 263, 267, 268, 270, 271, 273, 284, 312, 314, 316, 339, 340, 342, 347, 349, 353, 380, 384, 397, 414, 428, 448, 454, 479, 492, 519, 529, 530, 538, 572-575, 594, 598, 599, 603, 640, 660, 661, 666, 667, 675-678, 710, 740, 741, 765, 767, 770, 775, 785, 789, 801, 804, 814, 817, 837, 843, 852, 897, 904, 905, 907, 910-913, 915, 920, 931, 937.

Cellular Alterations: 822.

Ceylon: 114.

Chemistry: 79, 80, 192.

Chile: 103.

China: 639, 821.

Chinese Cabbage: 13, 15, 20, 53, 74, 75, 93, 94, 96, 112, 114, 209, 242, 267, 281, 294, 309, 347, 410, 411, 428, 453, 468, 593, 709, 741, 840, 873, 905, 910, 913, 928, 937.

Chlamydospore Production: 66, 347, 856, 869.

Chlorosis: 265.

Chromatography: 71-73, 78-80, 177, 204, 344, 345, 456, 466, 651, 923.

Coal Smoke Pollution Effect: 726.

Colony Growth: 55, 90, 177, 222, 244, 270-272, 321, 322, 347, 380, 422, 449, 463, 557, 644, 657, 754, 807, 835, 847, 869, 908, 938.

Colony Morphology: 54, 55, 58, 169-172, 270-272, 321, 347, 389, 717.

Collards: 343, 428, 904, 905, 910.

Collateral Host: 699.

Colza: 32, 108, 109, 117, 235, 270, 271, 431, 470, 472, 528, 603, 649, 678, 880.

Compatibility: 851.

Convolvulus arvensis A Host: 699.

Conidium Germination: 70, 135, 196, 202-204, 245, 246, 254, 262, 263, 270-272, 341, 347, 357, 369, 386, 456, 461, 697, 706, 725.

Conidium Longevity: 341, 347, 356, 369, 463, 510, 848.

Conidium Morphology: 95, 169-172, 254, 270-272, 281, 289, 312, 318, 347, 392, 463, 530, 571, 644, 667, 668, 697, 718, 740, 765, 776, 844, 905, 909, 912, 913, 928, 937.

Conidium Production: 58, 95, 254, 270-272, 357, 364, 369, 697.

Control: 11, 24, 30, 37, 53, 54, 66, 89, 92, 94, 96, 111, 115, 125, 152, 154, 156, 162, 163, 180, 187, 213, 217, 224, 226, 228, 240, 254-256, 270, 271, 275-277, 280, 286-288, 295, 304, 305, 319, 320, 324, 347, 350, 351, 365, 368, 371, 375, 376, 387, 397, 406, 408, 412, 414, 416, 419, 423, 437-440, 444, 445, 448, 454, 457, 463, 464, 470, 488, 497, 499, 500, 503, 505, 506, 510, 517, 519, 542, 550, 560, 563, 604-606, 613, 648, 663, 666, 670, 697, 698, 707, 740, 741, 750, 752, 768, 769, 780, 782, 823, 839, 844, 868, 873, 880, 889, 900, 905, 910-912, 914, 916-918, 920, 932.

Cost Benefit Ratio: 319, 416, 417, 691, 692, 697, 752, 778, 850.

Crambe abyssinica: 221-224, 316, 331, 346, 427, 428, 462, 465, 777.

Crop Residue: 111, 174, 347, 356, 437, 438, 478, 488, 497, 517, 649, 667, 740, 823, 839.

Crop Rotation: 64, 111, 174, 225, 226, 229, 280, 347, 397, 488, 517, 593, 647, 740, 782.

Crucifers: 16, 29, 30, 50, 54, 56, 60, 91, 111, 113, 118, 129, 130, 134, 135, 168-172, 174, 185-187, 202, 203, 207, 210-217, 233, 246, 250, 257, 265, 270, 271, 280, 281, 289, 290, 318, 331, 339, 347, 349, 392, 399, 428, 463, 478, 526, 544, 545, 547, 567, 576, 592, 594, 603, 613, 620, 628, 629, 645, 658, 667, 668, 676, 678, 694, 697, 704, 707-709, 714, 715, 717, 741, 768, 769, 790, 791, 806, 808, 814, 825, 826, 829-831, 837, 838, 852, 889, 905, 910-915, 930, 934.

Cruciferous Weeds: 44, 56, 347.

Cultivars: 9, 43, 54, 57, 70, 77, 85, 93, 120, 121, 159, 196, 197, 204, 257, 261-263, 276, 288, 326, 327, 331, 347, 527, 548, 696, 697, 730, 735, 824.

Cultural Characters: 55, 66, 70, 92, 170-172, 210, 221, 222, 254, 270-272, 281, 289, 318, 321, 342, 347, 444, 463, 530, 568, 644, 667, 807.

Cultural Conditions: 66, 347, 397, 401, 404, 438, 439, 697.

Cultural Practices: 64, 77, 94, 111, 347, 401, 404, 438, 439, 697.

Culture Filtrate: 31, 78-80, 86, 260, 292, 344, 345, 347, 373, 475-477, 520, 580, 596, 738, 756, 779, 922, 923.

Culture Media: 5, 55, 66, 70, 86, 134, 169-172, 177, 222, 247, 271, 321, 341, 347, 373, 463, 516, 532, 554, 556, 558, 635, 644, 714, 754, 835, 869, 929, 938.

Curd Blight/Curd Drying: 767.

Cutinases: 845.

Cytokinins: 482, 483, 796-799.

Cytotoxicity: 520.

Czechoslovakia: 453, 454, 680, 783.

Damage: 32, 244, 245, 249, 254, 270, 271, 280, 401, 402, 437-440, 488, 516, 598, 697, 905, 910, 912, 914.

Damping-off of Seedlings: 54, 55, 60, 62, 66, 169-172, 179, 221, 223, 268, 280, 313, 339, 347, 467, 519, 529, 667, 808, 810.

Dark Leaf and Pod Spot: 42, 44, 46, 47, 49-52, 115, 125, 173, 174, 225, 240, 254, 258, 270, 271, 278-280, 286, 288, 307, 353, 354, 357, 359, 363, 365, 367, 370, 432, 491, 492-494, 498, 500-504, 508-510, 513, 519, 595, 604, 606, 632, 710, 789, 880, 903, 907, 914, 924.

Denmark: 22, 53, 132, 134, 135, 569-577, 598, 599.

Destruxin B: 71-73, 79, 80, 132, 133, 135, 193, 827.

Dew Period: 246, 712.

Diffusate: 719, 724, 731.

Diplotaxis Erucooides: 135.

Disease: 16, 17, 41, 74, 97-99, 101, 105, 111, 112, 162, 183, 198-201, 208, 214, 255, 257, 270, 271, 275, 277, 281, 285-288, 297, 303-305, 347, 353, 429, 430, 432, 437-440, 461, 463, 465, 471, 472, 485, 509, 516, 543-545, 551, 568, 618, 625-629, 633, 634, 658, 661, 669, 675, 707, 793, 794, 823, 828, 850, 874-876, 882, 883, 886-888.

Disease Assessment: 56, 59, 69, 74, 97-99, 101, 105, 126, 198-201, 213, 236, 237, 248, 277, 280, 286-288, 303, 320, 336-338, 347, 353, 374, 401, 402, 404, 425, 429, 430, 432, 437-440, 474, 485, 543, 563, 597, 618, 623, 624, 626-629, 633, 634, 651, 692, 697, 701, 703, 737, 767, 793, 794, 828, 850, 874-910.

Disease Cycle: 347, 488, 517, 613, 647, 740, 768, 769, 839, 889, 905, 912.

Disease Development: 49, 50, 56, 69, 77, 161, 162, 169-171, 174, 208, 254, 256, 268, 280, 286-288, 314, 347, 363, 401, 402, 404, 473, 485, 551, 692, 697, 740, 822, 889, 905, 910, 912.

Disease Distribution: 50, 97-99, 126, 174, 183, 190, 198-200, 225, 262, 263, 270, 271, 277, 279, 281, 336-338, 347, 429, 430, 437-440, 474, 516, 618, 627-629, 646, 647, 679, 692, 697, 806, 828, 874-876, 889, 905, 912-914.

Disease Incidence: 42, 43, 66, 74, 97-99, 101, 198-200, 226, 240, 280, 286-288, 303, 336-338, 347, 353, 429, 430, 450, 478, 501, 543, 563, 565, 623, 624, 627-629, 633, 634, 647, 679, 726, 828, 874-876, 882, 883, 886-888, 903, 912.

Disease Intensity: 54, 56, 59, 97-99, 160, 198-200, 319, 320, 324, 347, 350, 351, 372, 402-404, 429, 430, 438-447, 618, 627, 628, 647, 693, 701-703, 731, 851.

Disease Management: 62, 266, 280, 317, 347, 350, 351, 402, 404, 417, 437-440, 443-445, 618, 627, 628, 692, 697, 698, 740, 743, 745, 768-770, 850, 889, 932.

Disease Occurrence: 66, 68, 69, 74, 97-99, 101, 105, 109, 112, 198-200, 225-227, 272, 277, 280, 347, 423, 429, 430, 432, 437-440, 450, 464, 501, 555, 623, 624, 626-629, 633, 634, 647, 661, 679, 693, 741, 828, 874-876, 883, 886-888.

Disease Score: 54, 56, 59, 69, 74, 99, 105, 198-201, 278, 303, 320, 331, 347, 429, 430, 432, 441, 543, 618, 632, 679, 737, 767, 794.

Disease Spread: 54, 60, 280, 286-288, 450, 501, 626, 631.

Disease Severity: 68, 69, 74, 97-99, 101, 198-200, 225, 240, 248, 278, 280, 286-288, 290, 320, 347, 353, 402-404, 429, 430, 442, 447, 563, 618, 628, 629, 633, 634, 679, 692, 693, 701-710, 712-714, 737, 828, 889, 903.

Dominant Resistant Gene: 849.

Dominican Republic: 188.

Dried Soil Cultures: 67.

Drought Stress: 74, 361.

Efficacy of Fungicides: 295, 323, 347, 350, 351, 358, 359, 371, 375-377, 397, 438, 447, 448, 454, 458, 514, 515, 522, 524, 542, 616, 617, 663, 672, 676, 680, 700, 736, 743, 745, 751, 752, 755, 761, 764, 770, 838, 850, 900.

Egypt: 529.

Electron Microscopy: 143-146, 197, 347, 434, 824, 833, 854-856, 858-861, 930.

Elimination of Infection: 153, 157, 163, 347, 358, 359, 405, 457, 505, 506, 599, 664, 708, 787.

Environment Effect: 66, 69, 90, 161, 286, 288, 347, 370, 402, 473, 485, 518, 692, 918.

Enzymes: 238, 239, 334, 479, 579-590, 607, 781, 795, 845, 864, 890-894.

Epicuticular Wax: 102, 192, 194, 196, 197, 204, 347, 561, 772, 833.

Epidemiology: 50, 69, 161, 174, 280, 288, 347, 357, 364, 367, 369, 370, 397, 401, 411, 438, 445, 463, 470, 473, 485, 497, 692, 695, 697, 706, 794.

Eruca sativa (Taramira): 106, 135, 195, 202, 203, 323, 331, 422, 644, 718, 720, 722, 723, 725, 763, 829, 831.

Erucic acid: 257.

Ethiopia: 425.

Ethylene: 635.

Etiology: 880, 912.

Exogenously Dormant Spore: 146.

Extracellular Lipids: 4.

Exudate: 196, 434.

Fatty Acid Content: 651.

Fern Extracts: 935.

Fertilizer: 350, 701, 759, 783.

Finland: 467, 808-814, 816, 873.

Forecasting: 69.

France: 2, 27, 32, 108, 129-131, 164, 191, 212, 213, 233-235, 250, 341, 389-393, 397, 398, 470-473, 485, 571, 604, 612, 615-617, 671, 672, 898.

Fungicide Tested: Acetone: 931; Actidione: 908; Agrosan G.N.: 323, 408, 414, 458, 644, 780, 836; Alar: 788; Arasan: 18, 21, 66, 667; Aureofungin: 320; Azepine-A2151: 507; Bafin: 83; BAS 480 F: 8; Baycor: 751; Bayleton: 324; Benomyl (Benlate) 62, 164, 276, 295, 298, 299, 320, 323, 335, 351, 366, 408, 454, 495, 507, 542, 550, 669, 764, 823, 926, 930, 931; Benz (1,2) isoxazoles: 865; Bhaquin: 30; Bordeaux mixture: 64, 160, 163, 263, 281, 314, 339, 340, 365, 376, 448, 492, 498-500, 509, 510, 519, 593, 910-912; Boric acid: 443; Brestan: 320, 408, 498, 509, 616, 764; Bromosan: 447; Calixin: 295, 324, 563; Captafol: 180, 277, 279, 317, 396, 438, 441, 443, 445, 643, 736, 745, 752, 764, 770, 837, 850, 851; Captan: 83, 112, 152, 154, 235, 264, 270, 273, 319, 335, 348, 408, 414, 447, 458, 542; Carbendazim: 12, 115, 125, 240, 366, 447, 457, 458, 571, 604, 643, 751; Carboxin (Vitavax): 215, 366, 458, 550; Ceresan: 23, 66, 217, 408, 414, 644, 780, 836; Chlorothalonil (Bravo, Daconil): 53, 307, 447, 478, 604, 676, 737, 740, 782; Citric acid: 531; Copper oxychloride (Blitox): 62, 115, 156, 164, 166, 173, 180, 256, 319, 323, 376, 438, 593, 643, 644, 737, 745, 751, 755, 770, 793, 837, 838, 851; Copper sulphate: 264, 514; Cuman L: 166, 295, 751, 752, 770; Cupravit: 87, 351, 524; Cupric acetate: 708; Cuprox: 463; Cycloheximide: 7; Delan C: 930; DDB: 489; Dichlofluanid: 215, 499, 500; Dichloromethane: 931; Difolatan: 62, 156, 295, 319, 320, 323, 324, 351, 408, 416, 417, 437, 438, 447, 457, 458, 737, 751, 764, 793; Dithane D-14: 25, 30; Dithane M-45: 62, 156, 295, 319, 320, 323, 324, 351, 376, 408, 416, 417, 457, 458,

524, 542, 560, 655, 737, 745, 751, 755, 759, 770, 780, 793; Dithane Z-78: 30, 62, 323, 376, 414, 416, 417, 448, 463, 542, 644, 755, 759, 780, 793; Dithiocarbamate: 716, 717, 842; Duter: 351, 416, 457, 458, 542; ETMT: 335; Edifenphol: 643; Euporan: 215; Fenarimol: 12, 366, 368, 617; Fenpropimorph: 277, 279, 359, 361-363, 366, 494, 495, 506, 507, 606, 919; Fentin acetate: 74, 498, 509; Ferbam: 30, 166; Fermate: 24, 463; Flutriafol: 604; Folicur (Tebuconazole): 412; Folpet: 617, 819; Formaldehyde: 637; Granosan-n: 550; Griseofulvin: 372; Halogenated derivatives: 898; Guazatin: 751; Imazalil: 277, 366, 368, 494, 495; Iprodione (Rovral): 12, 43, 46, 48, 49, 53, 94, 96, 115, 125, 164, 212, 213, 240, 275-280, 299, 307, 357, 359, 360, 362, 363, 365-368, 421, 443, 445, 487, 491, 492, 494, 495, 502, 503, 505-507, 511, 542, 604, 606, 616, 617, 672, 680, 688, 689, 736, 740, 743, 745, 787, 793, 823, 878, 916, 917, 919, 930; Isooxazole derivatives: 867; Karbam white: 24; Lunasan: 644; Malic acid: 531; Mancozeb (Dithane M-45): 125, 173, 180, 240, 254, 273, 276, 317, 319, 323, 351, 382, 416, 417, 438, 441, 443, 445, 447, 454, 457, 458, 492, 509, 542, 560, 643, 680, 736, 737, 751, 752, 754, 755, 819, 838, 850, 851; Maneb: 164, 173, 463, 492, 509, 510, 576, 676, 740; Manzate: 30, 87; Merpan: 215; Metalaxyl: 115, 125, 276, 417, 443, 680, 850, 916-918; Methyl bromide: 917, 918; Metiram: 930; Miltox: 320; 4-Nitrosopyrazole: 523; Miltex: 320; Nuarimol: 366, 617; Panogen: 378; Nuarimol: 370; Ozone: 490, 847; Parzate: 24, 25; Pentachloronitrobenzene (Brassicol): 335, 414, 644; Pentachlorophenol: 685; Phygon: 10, 522; P-methoxytetrachlorophenol: 10; Polyoxins B and D: 834; Prochloraz: 115, 125, 276, 277, 279, 360, 363, 377, 487, 527, 606; Procymidone: 115, 277, 279, 464, 606; Propiconazole: 606; Propineb: 173, 273, 492, 509; Pyrene compounds: 841; Quinolate: 215, 235, 270; Quinone: 921; Semesan: 18, 23, 667; Sisthane: 736; Sodium fluoride: 846; Sperton: 10, 24, 30, 66, 378; S-triazines: 713, 927, Sumilex (Procymidone): 672, 853; Syllit: 751; Tetrahydropyrimidine: 659; Thiabendazole: 299, 507; Thiaphanate methyl: 507; Thiovit: 320; Thiram: 164, 173, 174, 179, 235, 256, 267, 270, 271, 335, 348, 359, 361, 366, 408, 414, 454, 457, 458, 491-493, 499-501, 507, 509, 510, 513, 644, 669, 745, 873; Tillex: 224, Topsin M: 542; TPTH: 447; Triademefon: 240; Triapenthenol: 377; Triarimol: 507-509; Tribasic copper sulphate: 30, 676; Tribasic copper zinc: 25; Tridemorph: 507-509, 563; Trimiltox forte: 351, 524; Ronilan (Vinclozolin): 53, 94, 96, 115, 125, 277, 279, 387, 464, 606, 672; Wettable sulphur: 180; Zincop: 655, 755, 759; Zineb: 37, 166, 173, 215, 264, 447, 463, 492, 509, 676, 752, 755, 759, 838, 850, 851, 880; Zinc sulphate: 25; Ziram: 30, 62, 256, 438, 443, 736.

Fungistasis: 609, 659, 866.

Fungitoxic: 3, 7, 10, 165, 166, 189, 347, 409, 412, 459, 489, 523, 533, 534, 539, 643, 663, 713, 719, 724, 736, 921, 931.

Gamma Rays: 236, 237, 650, 738.

G/C Ratio: 480.

Germany: 8, 17, 63, 116, 137, 212, 225-229, 256, 387, 399, 412, 431, 435, 450-452, 464, 571, 611, 649, 673, 776, 779, 785, 786, 840.

Germplasm Screening: 50, 59, 68, 119, 121, 253, 316, 413, 543, 652.

Germ Tube Growth: 196, 386.

Giberellic Acid: 88.

Glass/Greenhouse Testing: 66, 90, 102, 119, 120, 173, 245, 316, 387, 615, 736, 920.

Glucosinolate: 244, 257.

Godetia hybrida: 22.

Greece: 216.

Green Islands: 482, 483, 797-799.

Grey Leaf Spot: 97, 368, 504, 516, 603, 626, 667, 679, 888, 915.

Growth in Culture: 66, 177, 347, 490, 706, 807.

Growth Regulators: 88, 377, 435.

Growth Retardants: 178, 435, 635.

Guanylic Acid: 480.

Hirschfeldia iscana: 135.

Holland (Netherlands): 29, 35, 110, 113, 212, 285, 318, 700, 711, 880, 901.

Homodestruxin B: 72, 135.

Horizontal Resistance: 696.

Horseradish: 116, 270, 406, 461.

Host Age: 155, 370, 706.

Host Pathogen Interaction: 434, 438, 824, 854, 855, 858.

Host Range: 54, 61, 66, 256, 270, 271, 330, 401, 402, 438, 516, 518, 647, 699, 740, 765, 823, 912.

Host Specific Toxins: 72, 73, 78-80, 135, 245, 602, 827.

Hot Water Treatment: 23, 174, 185, 217, 270, 271, 347, 348, 352, 438, 493, 519, 521, 599, 664, 710, 740, 905, 914.

Hydrogen Ion Concentration: 54, 58, 168-172, 321, 390, 438, 463, 586, 587, 644, 719, 739, 754, 807, 891.

Hydrolysis: 558.

Hypersensitive Reaction: 195, 831.

Iatrogenic Effect: 837.

Iberis Species: 567, 569, 572, 575.

Incubation Period: 223, 262, 263, 402, 403, 444, 696.

India: 3, 9, 33, 41, 54-62, 65, 68-70, 77-80, 82-84, 105-107, 152-163, 166, 167, 175-177, 180, 181, 236-239, 251, 252, 260, 262, 263, 292, 295, 296, 317, 319-331, 372-376, 380, 381, 383, 396, 401-405, 407-411, 413-419, 422, 424, 437-448, 453, 454, 456-459, 479, 480, 482, 483, 526, 540-543, 552-561, 567, 568, 579-590, 600, 609, 610, 613, 640, 643, 644, 652-658, 660, 662-666, 668, 670, 691-699, 701-704, 706, 716-738, 742-748, 750-770, 780-782, 790-801, 804, 835-838, 848-851, 864-868, 872, 889-896, 899, 900, 902, 932, 933, 935.

Infection of Host: 50, 169-172, 174, 179, 245, 246, 257, 343, 347, 360, 363, 364, 369, 403, 438, 912.

Infection Rate: 77, 102, 286, 287, 696, 783.

Inheritance of Resistance: 762, 849.

Inhibition of Spore Germination: 10, 531, 553, 590, 591, 643, 644, 654, 685, 713, 719, 724, 732-735, 751, 835, 841, 842, 920, 935.

Incubation Method: 66, 286-288, 402, 404, 463.

Inoculum: 54, 60, 90, 94, 174, 223, 261, 286-288, 356, 357, 386, 428, 485, 902.

Insecticides: Cypermethrin: 643; Deltamethrin: 643; Fenualerate: 643; Flucythrinate: 643; Metasystox: 560, Methyl demeton: 851; Permethrin: 643; Phospha-medon: 851.

Integrated Control: 266, 438, 439.

Interactions: 195, 196, 245, 247, 303, 727, 816, 860.

In-vitro Study: 7, 56, 87, 91, 134, 149, 150, 164, 173, 246, 264, 344, 386, 475-477, 482, 485, 489, 491, 495, 514, 549, 588, 615, 643, 665, 716, 717, 796, 805, 867, 918, 922, 923.

Ireland: 44, 47, 48, 519, 525, 527.

Irrigation: 26, 69, 350.

Isolation: 72, 112, 450-452, 463, 516.

Italy: 6, 92, 149, 150, 284, 312, 484, 601, 844, 877-879, 897.

- Jamaica: 20.
- Japan: 342, 602, 707, 741, 909, 934, 937.
- Kale: 74, 314, 353, 492, 503, 513, 519, 572, 575, 677, 682, 905.
- Kenya: 28.
- Kohlrabi: 270, 395, 572, 575.
- Latent Period: 696.
- Leaf Age: 261, 370, 667, 757.
- Leaf Extracts: 758, 866.
- Leaf Exudates: 104, 325, 725, 736.
- Leaf Leachates: 325-327, 732.
- Leaf Surface Mycoflora: 608, 653-655, 720, 723, 727, 729, 734, 735, 753, 756, 757.
- Leaf Wetness: 357, 367, 370, 401, 403, 438, 667.
- Libya: 38.
- Lepidium* Species: 627, 658.
- Light and Darkness: 54, 58, 91, 169-172, 254, 322, 370, 438, 463, 557, 864.
- Long-term Survival: 60, 67, 356, 369, 438, 667, 765, 848.
- Losses in Oil Content: 54, 57, 153, 248, 401, 402, 416, 417, 438, 600, 760.
- Lunaria annua*: 35.
- Macrosporium* Species: 185, 186, 269, 406, 571, 593, 924, 925, 937.
- Malaysia: 387, 407.
- Matthiola incana*: 81, 206, 241, 571, 572, 575, 620, 909.
- Melanin: 230.
- Metabolites: 6, 72, 73, 244, 247, 262, 263, 435, 520, 614, 822, 847..
- Metal Ions: 533, 593.
- Mexico: 638.
- Microsclerotia: 541, 856.

Mode of Infection: 169-171, 438.

Morocco: 481.

Mozambique: 243.

Mutation: 66, 148, 236, 237, 650, 651, 779, 896.

Mycoparasitism: 812, 854-861, 878.

Mycosphaerella brassicicola: 110, 352, 397.

Mycostop: 812, 920.

Necrosis: 71, 78-80, 135, 254, 373, 435, 520, 822.

New Records: 13, 15, 20, 28, 34, 44, 106, 114, 122, 123, 136, 213, 216, 221, 251, 274, 285, 289, 293, 294, 301, 309, 310, 330, 339, 382, 388, 395, 406, 409, 425, 436, 453, 455, 467, 468, 481, 518, 567-569, 578, 592, 593, 636, 668, 681, 684, 699, 715, 718, 789, 806, 817, 821, 843, 844, 870, 897, 904, 906, 907.

New Zealand: 122, 123, 547, 564.

Nicaragua: 468.

Nitrogen Source in the Medium: 254, 321, 325-328, 380, 390, 422, 701, 807.

Norway: 395, 682.

Nuclei: 433.

Nucleic Acid: 480.

Nucleo-cytoplasmic Interaction: 84.

Nutrient Leakage: 859.

Nutrition: 66, 90, 177, 254, 321, 390, 532, 553, 554, 701.

Nyasald: 301.

Oil Quality: 746.

Oilseed Rape: 43, 46, 49, 50, 115, 126, 134, 178, 219, 225-228, 244, 246, 248, 253, 255, 257, 270, 271, 275-280, 302-304, 315, 317, 347, 354, 356, 357, 359, 361, 363, 366, 367, 369, 371, 377, 412, 432, 435, 450-452, 464, 471, 473-477, 487, 488, 497, 506, 517, 519, 520, 525, 527, 537, 546, 548, 551, 595, 597, 603, 604, 615, 623, 624, 626, 627, 629, 633, 669, 671, 677, 679, 687-689, 747, 778, 787, 802, 803, 806, 822, 824, 833, 834, 853-861, 881-889, 903, 914, 919, 926.

Oxygen Uptake: 515.

Pathogen Morphology: 70, 225, 233, 254, 256, 347, 697, 717, 912.

Pathogen Perpetuation: 54, 60, 67, 254, 347, 356, 357, 369, 438, 478, 697, 848, 889, 905.

Pathogen Physiology: 391.

Pathogenesis: 66, 67, 112, 135, 170-172, 223, 245, 262, 263, 347, 415, 438, 463, 482, 483, 516, 518, 530, 547, 697, 716, 717, 748, 765, 796-799, 805, 869, 870, 873, 889, 912.

Pathogenic Isolate: 66, 70, 347, 363, 438, 444, 516, 548, 694, 697.

Pathogenic Variation: 66, 70, 347, 363, 438, 444, 694, 697, 716, 717.

Pectinases: 50, 202, 203, 795.

Penetration: 169-172, 223, 254, 262, 263, 347, 463, 516.

Petal Extract: 409.

Phenolic Compounds: 155, 175, 230, 325-328.

Phillipines: 281, 463.

Phospholipids: 5, 536.

Phylloplane Microflora: 720, 722, 723, 727, 729, 735, 756, 758, 857.

Physico-Chemical Properties of Oil: 656.

Physiological Changes: 415, 416, 747, 912.

Phytoalexins: 78, 127, 193, 202, 203, 250, 254, 386, 456, 771, 831.

Phytotoxin: 71-73, 79, 80, 86, 135, 173, 245, 247, 265, 344, 345, 368, 373, 383, 520, 673, 820, 923.

Plant Age: 69, 261, 326, 327, 347, 370, 463, 706.

Plant Growth Stage: 105, 179, 292, 326, 327, 370, 463, 485, 706.

Poland: 115, 219-224, 461, 462, 478, 686, 788, 863.

Pollen Selection: 344, 345, 923.

Protein Content: 248, 482.

Protoplast Regeneration: 71.

Radioactive Tracer Technique: 534, 535, 562.

Radish Root Extract: 835.

Rainfall: 69, 161, 311, 473, 478, 551, 783, 794.

Rapeseed-Mustard: 33, 40-43, 49, 50, 54-62, 65, 68-72, 74, 78-80, 84, 97, 98, 100, 101, 103, 107-109, 111, 114, 117, 152-163, 175, 196, 201-203, 219, 225, 226, 228, 229, 231, 236, 237, 246, 248, 251, 252, 285, 292, 295, 317-320, 324, 325, 328, 347, 351, 355, 372, 396, 401-404, 408, 412, 416, 417, 431, 437-447, 452, 457, 458, 470, 482, 483, 488, 506, 516, 517, 519, 524, 537, 540, 550, 555-561, 603, 605, 615, 619, 621-624, 626-629, 638, 647, 649, 655, 662, 670, 671, 678, 679, 683, 686, 690-699, 706, 726, 736, 738, 742-746, 750, 751, 753, 756, 758, 762, 764, 772, 780, 781, 788, 796-799, 805-807, 822, 824, 832-834, 844, 848-851, 853, 857, 858, 860, 861, 868, 869, 871, 881-889, 896, 899, 914, 926, 932, 933.

Raphano brassica: 50.

Raphanus sativus: 21, 23, 50, 66, 67, 87, 95, 129, 130, 164, 166-172, 217, 235, 238, 254, 270, 274, 281, 293, 316, 318, 347, 348, 375, 376, 395, 428, 456, 484, 486, 521, 529, 542, 565, 568, 571, 572, 574, 591, 603, 627, 658, 700-703, 737, 739, 741, 761, 765, 786, 792-794, 800, 818, 835-837, 852, 877-879, 901, 905, 910, 928, 934, 937.

Regression Analysis: 69, 288.

Relative Humidity Effect: 48, 49, 54, 56, 58, 69, 90, 120, 161, 181, 246, 256, 291, 311, 347, 357, 364, 367, 370, 470, 473, 485, 551, 695, 706, 744, 794, 912.

Resistance: 1, 9, 43, 50, 59, 71, 79, 84, 85, 87-93, 105, 107, 119-121, 129-131, 172, 175, 202-204, 236, 237, 256, 257, 286-288, 296, 315, 316, 325-328, 331, 344, 345, 347, 386, 413, 418, 435, 438, 439, 441, 444-446, 469, 475-477, 497, 543, 561, 595, 632, 650-652, 684, 686, 696, 697, 702, 730, 738, 740, 762, 767, 772, 779, 783, 825, 831, 832, 844, 849, 896, 922, 923, 934.

Resistant Variety: 326, 327, 418.

Rhizosphere Microflora: 450-452.

Root and Foot Rot: 100, 106, 185.

Romania: 87, 215, 578, 819.

Sanitation: 256, 280, 284, 347, 598, 910.

Saudi Arabia: 38, 739.

Scotland: 49, 50, 125, 126, 520, 645, 646, 778, 802.

Sea Kale: 234.

Seed-borne Infection: 19, 21, 23, 43, 66, 67, 90, 91, 112, 152, 153, 159, 163, 174, 179, 185, 190, 210, 219, 251, 254, 258, 270, 271, 291, 318, 323, 329, 335, 347-349, 354, 355, 357-362, 365-368, 378, 381, 399, 407, 414, 427, 428, 434, 457, 458, 478, 482, 491, 495, 497, 498, 501, 502, 504-506, 509, 510, 512, 516, 521, 540, 550, 568, 570, 603, 619-622, 642, 656, 663, 664, 667, 677, 678, 682, 710, 742, 744, 746, 787, 792, 801, 808, 823, 863, 869, 872, 873, 877-882, 889, 899, 901, 905, 912, 918-920, 926, 928-931.

Seed Disorder: 66, 67, 74, 75, 151, 159.

Seed Moisture Effect: 91, 792.

Seed Mycoflora: 65, 167, 218, 219, 296, 318, 323, 329, 349, 381, 400, 405, 407, 408, 414, 427, 428, 484, 537, 540, 541, 569-577, 601, 619, 622, 642, 662, 677, 678, 737, 742, 746, 760, 780, 792, 800, 801, 808, 836, 851, 863, 868, 873.

Seed Quality: 82, 179, 223, 244, 258, 347, 394, 598, 600, 703, 787, 899.

Seed Transmission: 17, 254, 270, 271, 347, 424, 504, 642, 667, 879.

Seed Treatment: 18, 23, 49, 62, 66, 112, 164, 179, 215, 235, 256, 270, 280, 291, 347, 352, 358, 359, 362, 368, 378, 414, 457, 458, 493-495, 498, 502, 506-509, 511, 513, 550, 598, 663, 667, 700, 708, 710, 787, 813, 814, 836, 873, 912, 918-931.

Seedling Blight: 159, 347, 881.

Senescence: 435, 635, 797-799.

Sinapis Species: 50, 129-131, 135, 315, 316, 394, 488.

Singapore: 455, 715.

Sinigrin: 134.

Sisymbrium Species: 34, 42, 135, 363, 629.

Slugs Association: 341.

Soil Moisture Effect: 66, 918.

Soil Treatment: 918, 920, 930.

Somaclonal Variation: 72, 413, 738, 922.

Sources of Resistance: 107, 331, 374, 543, 561, 696, 697, 896.

South Africa: 348, 349, 433, 434.

Spain: 289, 290, 683, 684.

Spore Dispersal: 17, 360, 364, 463, 485, 501, 551.

Spore Germination: 56, 88, 135, 146, 181, 246, 283, 347, 357, 369, 401, 403, 434, 463, 473, 514, 515, 523, 531, 532, 552, 554, 557, 558, 590, 667, 697, 912.

Spore Structure and Development: 143, 144, 146, 541, 912.

Sporulation: 55, 58, 66, 70, 83, 108, 147, 168-170, 222, 244, 254, 256, 321, 322, 347, 357, 364, 369, 390, 473, 485, 490, 497, 516, 549, 556, 557, 615, 657, 696, 714, 717, 773, 835, 847, 864.

Sowing Time Effect: 77, 278, 350, 438, 443, 702.

Spraying of Chemicals: 24, 25, 30, 43, 46, 62, 125, 180, 213, 240, 256, 319, 347, 360, 363, 365, 370, 447, 499, 500, 502, 503, 509, 519, 524, 560, 606, 697, 750, 751, 850.

Starch: 482, 483, 807.

Storage Fungi: 11, 157, 167, 182, 297-300, 339, 340, 387, 415, 420, 421, 426, 661, 663, 792, 809, 819, 840, 904.

Strain: 4, 5, 70, 221-223.

Subcuticular Growth: 824.

Sudan: 817, 818.

Sugar Beet (*Beta vulgaris*): 518.

Sugar Analysis: 155, 158, 175, 177, 325-328, 482.

Susceptibility of the Host: 43, 59, 69, 71, 79, 80, 84, 135.

Symptoms: 2, 66, 71, 72, 79, 80, 94, 95, 106, 111, 112, 135, 141, 162, 168-171, 174, 178, 184, 185, 187, 221, 223, 225, 233, 244, 245, 254, 256, 257, 280, 281, 397, 401, 402, 406, 410, 419, 424, 427, 428, 432, 437, 453, 463, 488, 492, 516-519, 530, 568, 605, 613, 641, 644, 647, 661, 666, 667, 670, 671, 691, 697-699, 718, 740, 768, 769, 782, 808, 823, 839, 844, 877, 889, 897, 904, 905, 909, 910, 912, 913, 932.

Synergism: 245, 247.

Synonymous: 270, 271, 379, 924, 925.

Sweden: 109, 117, 255, 315, 316, 469, 546.

Swedes: 52, 66, 102, 354, 355, 360, 564, 677, 871.

Switzerland: 32, 926.

Taiwan: 852, 928-931.

Tanganyika: 906, 907.

Taxonomy: 110, 269, 270-272, 391-393, 571, 711, 748, 749, 790, 791, 924, 925.

Techniques: 3, 50, 71, 80, 108, 135, 146, 165, 244, 316, 344, 345, 407, 549, 615, 714, 852, 934.

Temperature Effect: 50, 54, 56, 58, 66, 69, 86, 90, 91, 120, 153, 168-172, 174, 179, 222, 245, 246, 251, 256, 270, 342, 347, 363, 364, 370, 379, 403, 463, 470, 473, 485, 497, 549, 551, 557, 586, 587, 615, 661, 664, 667, 684, 695, 706, 724, 739, 744, 748, 754, 776, 781, 794, 807, 852, 891, 905, 912, 913, 918, 920.

Tentoxin: 332-334, 475-477.

Thailand: 36, 388.

Thlaspi arvense: 135, 363, 627, 629.

Toria: 71, 105, 175, 405, 441, 658, 900.

Toxins: 71, 72, 78-80, 128, 135, 244, 245, 373, 520, 673, 738, 820.

Toxin Bioassay: 80, 135.

Trace Elements: 66.

Trinidad: 784.

Turkey: 273, 310.

Turnips: 15, 28, 34, 74, 101, 112, 122, 169-172, 185, 210, 225, 267, 270, 281, 285, 294, 347, 353, 355, 363, 378, 388, 395, 423, 468, 486, 488, 519, 529, 564, 565, 603, 619, 657, 661, 677, 678, 684, 741, 817, 818, 837, 905, 910.

Ultrastructures: 143-146, 192, 194, 197, 347.

United Kingdom: 7, 14, 39, 40, 42-53, 93, 102, 118, 125, 142-148, 173, 174, 178, 189, 208, 212, 213, 240, 249, 253, 254, 257, 270-272, 275-280, 298-300, 302-307, 314, 344, 345, 353-370, 377, 378, 420, 421, 432, 475-477, 487, 491-513, 520, 527, 544, 545, 548, 551, 563, 595, 603, 604, 606, 608, 632, 645, 646, 669, 677, 678, 688, 689, 710, 714, 771, 802, 903, 909, 917-920, 922-925.

U.S.A.: 10, 13, 16, 18, 19, 24-26, 30, 66, 74, 75, 81, 88, 90, 91, 119-121, 128, 151, 168-172, 179, 182-189, 210, 211, 217, 241, 242, 265, 267-269, 286-288, 293, 294, 311, 318, 332-335, 339, 340, 343, 346, 352, 379, 406, 427, 428, 465, 466, 476, 514, 515, 518, 521-523, 530-536, 543, 562, 566, 568, 594, 607, 641, 642, 659, 661, 665, 667, 685, 708, 709, 713, 740, 749, 773-775, 782, 841-843, 845-847, 878, 904, 905, 910, 912, 913, 915, 921, 927.

U.S.S.R.: 4, 5, 274, 313, 384, 449, 460, 539, 565, 591-593, 631, 637, 705, 862, 871.

Variants: 716, 717.

Variability in Pathogen: 66, 67, 70, 438, 442, 444, 448.

Virulence: 66, 67, 70, 135, 223, 245, 246, 347, 427, 428, 438, 444, 548.

Vitamins: 644, 807.

Wallflowers: 66, 67, 574, 575.

Wax Crystals: 50, 102, 192, 194, 196, 197, 204, 325-327, 347, 730, 833.

Weeds at Host: 647, 806.

Wire Stem: 667.

Wongbok: 281.

Yellow Sarson: 65, 71, 82, 105, 107, 175, 236, 237, 251, 261, 325-327, 347, 350, 351, 372, 374, 381, 401, 402, 442, 444-447, 600, 650, 651, 658, 720, 722, 723, 725, 755, 757, 758.

Yield Increase: 25, 94, 180, 212, 213, 276, 278, 319, 320, 324, 347, 351, 365, 416, 417, 438, 447, 524, 542, 604, 606, 647, 743, 751, 785.

Yield Losses: 29, 43, 74, 75, 156, 160, 171, 183, 198, 223, 225-227, 244, 245, 248, 251, 285-288, 311, 339, 340, 347, 348, 397, 401, 402, 417, 425, 431, 437-440, 442, 445, 446, 469, 516, 517, 560, 624, 662, 692, 697, 702, 703, 793, 819, 850, 912, 913.

Yugoslavia: 436.



