ROYAL COMMISSION ON HEALTH SERVICES



MEDICAL MANPOWER
IN CANADA

Stanislaw Judek, Ph. D.

University of Ottawa

Pu Cc ne Cc

Mr. Justice Emmett M. Hall — Chairman Miss A. Girard, D.M. Baltzan, O.J. Firestone, C.L. Strachan, A.F. Van Wart B.R. Blishen — Director of Research

© Crown Copyrights reserved

大·16年1月27日。

Available by mail from the Queen's Printer, Ottawa, and at the following Canadian Government bookshops:

OTTAWA

Daly Building, Corner Mackenzie and Rideau

TORONTO

Mackenzie Building, 36 Adelaide St. East

MONTREAL
Aeterna-Vie Building, 1182 St. Catherine St. West

or through your bookseller

A deposit copy of this publication is also available for reference in public libraries across Canada

Price \$4.00 Catalogue No. Z1-1961/3-1/1

Price subject to change without notice

ROGER DUHAMEL, F.R.S.C.

Queen's Printer and Controller of Stationery

Ottawa, Canada

1964

PREFACE

This is a study of the supply and demand for medical manpower in Canada, its distribution and utilization, with physician-population projections until 1991. The statistical data used are subject to numerous limitations. Furthermore, economics as yet has not developed a theoretical framework for all aspects of medical manpower and, consequently, this study must be considered as a preliminary, containing some shortcomings that are inevitably present in a pioneering work, rather than a final contribution in this area.

A great deal of factual information useful in this analysis of the supply, demand and utilization of Canadian medical manpower was obtained from the surveys of physicians conducted by the Royal Commission on Health Services in 1962. Provincial Medical Boards and Colleges of Physicians and Surgeons, the Canadian Medical Association, the Royal College of Physicians and Surgeons of Canada, and medical schools provided additional valuable information. A research project, such as this, of course, depends heavily on the co-operation of the officials of various federal and provincial government departments in making available the factual information. Such co-operation, with a few exceptions, was generously provided.

In general, it may be said that many data on measurable characteristics of the supply of doctors in Canada are available, but they are not sufficiently precise and there is a lack in their continuity. On the other hand, qualitative data with respect to the degree of skill and efficiency of doctors, changing patterns of practice, etc., are inadequate. There is also insufficient information on the patterns of work of doctors and utilization of medical services, in particular, on the adequacy of such services for the purposes of diagnosis, prevention and therapy. With regard to the demand for medical manpower only a few studies have been made and there is no satisfactory methodology to serve as a basis for estimating the current and future demands. In addition, little research has been undertaken concerning the attitudes and motivations of medical students underlying the choice of a medical career.

It is apparent that more extensive research is required on the Canadian medical manpower problem. The demand outlook for various categories of doctors should be periodically examined. Surveys of the contents of medical training and of physical and teaching facilities available in our medical schools should be made. Periodical inventories should be made to measure the adequacy of the supply of doctors so that the medical schools can make long-term adjustments in their output. Furthermore, changes in supply from immigration and emigration,

retirement and other causes should be examined. Methods of improving the standards of performance should be devised in order to improve the quality of our physicians. More attention should be given to the problem of how far and in what directions medical specialization should be encouraged. In view of the geographic maldistribution of our medical manpower, the whole problem of how the local and regional supply of doctors is related to population size, medical teaching facilities, economic conditions, etc., should be thoroughly reviewed. A survey of medical market areas in Canada should be conducted periodically. It is necessary to have better analysis of functions and tasks of various categories of physicians and of factors influencing physicians' professional and geographic mobility. There is a need for more factual information on the demand for medical manpower. And, finally, there is a need for long-term national planning in the supply of physicians to meet the constantly growing demand for doctors in this country.

Because of his non-medical background an economist may be at a disadvantage in attempting to analyze and appraise the structure and functions of the medical profession in our society. On the other hand, however, medical care involves many aspects of an economic nature, such as the economic factors determining the demand for and supply of medical manpower, the assessment of the costs of medical care, the adequacy of medical services, the operating costs of medical practice, the problem of efficiency and many other problems. These interests of an economist in medicine are necessary if adequate social and economic national policy with respect to adequate medical care for Canadian society is to be evolved. Most of the economic aspects of medical care are outside the competence and professional experience of organized medicine. Needless to say, however, any reorganization of medical care must safeguard the legitimate interests of the medical profession and ensure its concurrence and co-operation, but any comprehensive medical care scheme does involve political, economic and social issues, which the society as a whole has the right and obligation to resolve.

I wish to acknowledge particularly the assistance provided by Professor B. R. Blishen, Director of Research, of the Royal Commission on Health Services, Dr. J. W. Macleod and Dr. A. Stukel, who read the manuscript in its earlier stages and offered valuable criticisms of many details of this study. I wish to state, however, that the interpretation of factual information is my own responsibility. I am also under a very real obligation to the clerical staff of the Commission who helped me in the very tedious and vast clerical aspects of this research work.

Stanislaw Judek

University of Ottawa, March 1964.

	TABLE OF CONTENTS	Page
List of Text	Tables	IX
List of Appe	endices	XVI
CHAPTER I - IN	TRODUCTION AND SOME CONCLUSIONS	
	in Trends and Issues in Medical Care	. 1
	ope, Method and Organization of Study	
	mmary of Conclusions	
	Canadians and Their Health During 1951-61	
	(i) The People	
	(ii) Incidence of Diseases	. 8
	Supply of Physicians	
c.	Medical Graduates and Students	. 9
a.	Distribution and Some Professional Characteristics	
e.	of Canadian Doctors Demand for Medical Services	
f.	Economics of Medical Practice	. 15
	Evaluation of Supply and Demand for Physicians in Canada	
h.	Physician-Population Projections, 1961-91	. 18
CHAPTER II – S	SUPPLY OF PHYSICIANS	
1. Int	roduction	. 21
2. Tr	ends in the Supply of Physicians	. 22
a.	The Physician-Population Ratio and Its Limitations	. 22
	National Physician-Population Ratios, 1901-1961	
_	Provincial Physician-Population Ratios, 1911-1961	
	egistration and Licensing of Physicians	
	Provincial Licensing Authorities	
	Foreign Medical Graduates	
d.	Organized Medicine	. 36
	gration of Physicians into and out of Canada	
	Net Balance	
	National Origin of Immigrant Physicians	
C.	Female Immigrant Physicians	. 39
d.	New Registrants of Foreign Medical Schools	. 41
	S. Physicians who Graduated from Canadian Medical Schools	
	Movement of U.S. Physicians from Canada	
	Age Distribution	
	Distribution by Sex	
d.	Type of Employment	. 47
e.	Distribution of Specialists	. 49
f.	Source of Medical Education Received in Canada	49
g.	Registration Policies for Citizens of Canada by Licensing Boards in the United States	E1
6. De	eaths of Canadian Physicians	
0. De	Deaths of Physicians by Age Groups at Death	. 51
b.	Death Rates	. 53
c.	Causes of Death Among Physicians	. 54
	tirement of Physicians	

		Pa	ge
CHAPTER		- CANADIAN MEDICAL GRADUATES AND STUDENTS Graduates of Canadian Medical Schools	57
		a. Trends in Output of Medical Schools b. Female Medical Graduates c. Country of Residence of Medical Graduates	57 61 62
		Medical Students	63 64 66 67 68 72 74
		Canadians in United States Medical Schools	75
		Recruitment of Medical Students Social and Economic Characteristics of Medical	76
		Students in Canada, 1961-62	80
		Canadian-born Medical Undergraduate Students	80
CHAPTE	īg	Marital Status (ii) Home Residence, Parents' Education, Father's Occupation and Parents' Income (iii) Part-time and Summer Work (iv) Financial Difficulties (v) Students' Plans Following Graduation b. Cost Analysis of Attending Medical School (i) Distribution of Students by Level of Expenditure (ii) Expenditure and Marital Status (iii) Educational and Living Costs (iv) Median Expenditure and Age c. Sources and Amounts of Income of Canadian Medical Students (i) Per Cent of Students, by Source of Income (ii) Average Income, by Source (iii) Importance of Scholarships d. Foreign Students in Canadian Medical Schools, 1961–62 e. Canadian Graduate Students in Medicine	95 95 96 97 99
CHAPTE		CANADIAN DOCTORS	
	2 3 4 5	. Introduction . Age of Physicians . Degrees of Retirement . Years of Practice . Female Physicians . Father's Occupation of Physicians . Geographical Distribution of Medical Manpower a. Problems and Factors Influencing Location of Practice b. Choise of Location of First Practice (i) Regional Analysis (ii) Effects of Size of Community	. 103 . 105 . 106 . 112 . 114 . 116 . 116 . 120 . 120

	Page
	c. Regional Distribution of Canadian-born Doctors and Medical Schools 125 d. Geographical Mobility of Canadian-born Physicians 126 e. Medical Care in Rural Areas 128 f. Urban Concentration 130 g. Distribution of Physicians by Counties and Census Divisions, 1961. 137 Types and Auspices of Medical Work 140 a. Types of Work 140 b. Auspices of Work 143 Changes in Physicians' Careers 147
10.	Specialization in Medical Profession 151 a. Causes and Implications of Specialization 151 b. Balanced Medical Manpower 153 c. Training and Formal Requirements of Specialists 154 d. Specialization Trends 156 e. Location of Specialists 160 f. Distribution by Specialty 162
CHAPTER V	- DEMAND FOR MEDICAL SERVICES
1.	Patterns of Service in Private Practice
2.	Nature of Demand for Physicians' Services
3.	Utilization of Services of Physicians in
4.	Private Practice, Canada, 1961
	Non-Hospital Medical Staff Employed by Governments
	Teaching Staff of Canadian Medical Schools
7.	Industrial Physicians
8.	Life Insurance Medical Officers
9.	Canadian Forces Medical Service
CHAPTER V	I – ECONOMICS OF MEDICAL PRACTICE
	Description of Procedure of the Survey
	Group Medical Practice
	a. Definition
	a. Some Economic Aspects to be Considered

Pag	ge
c. Average Total Net Income of Active Civilian Physicians 22 d. Distribution of Doctors by Total Net Income Classes 22 e. Effects of Location on Incomes of Doctors 22 f. Pattern of Income and Years in Practice 23 g. Income of Specialists 23 4. Operating Expenditures and Capital Costs of Medical Practice 23 a. Operating Expenditures of General Practitioners and Specialists 23 b. Operating Expenditures and Location of Practice 24 c. Employment of Paramedical and Clerical Staff 24 d. Capital Costs Involved in Medical Practice 24 5. Methods and Costs of Establishing Private Practice 24 a. Methods of Establishing Practice 25 b. Costs of Establishing Practice 26 c. Financing the Opening of Practice 27 c. Employment of Practice 27 c. Financing the Opening of Prac	24 26 31 35 36 37 42 43 44 45 47
CHAPTER VII - EVALUATION OF SUPPLY AND DEMAND FOR PHYSICIANS IN CANADA	
1. Adequacy of Medical Manpower 2	51
2. First Approach — Physician-Population Ratios	
4. Inter-Professional Comparison of Earnings and Supply in Canada 2.	57
5. Physicians' Professional Income and Wages and Personal Income Personal Income Per Capita Compared	:59
6. Cost of Living and Prices of Medical Services	60
7. Expenditure on Personal Medical Services	61
CHAPTER VIII - PHYSICIAN-POPULATION PROJECTIONS, 1961-1991	
1. Introduction	63
2. Attrition Rate of Canadian Doctors	65
3. Future Requirements and Supply of Physicians in Canada,	67
4. Required Supply of Medical Graduates and First-year Enrolment of Canadians in Medical Schools	69
Appendices	75
Bibliography4	101

LIST OF TEXT TABLES

CHAPTER II SUPPLY OF PHYSICIANS

Table	P	age
2-1	Physician-Population Ratios in Canada, 1901-61	24
2-2	Annual National Physician-Population Ratios in Canada, 1951-61	26
2-3	Provincial Physician-Population Ratios, 1911-61	27
2-4	Provincial Physician—Population Ratios, Personal Income and Hospital Bed Capacity per Person and Per Cent of Urbanization of Population, by Province, 1961	28
2-5	Relative Improvement in Physician—Population Ratios, Canada and for Provinces, 1951—61	30
2-6	Migration of Physicians into and out of Canada, 1946-61	38
2-7	Physician Immigrants into Canada, by National Origin, 1953-61	39
2-8	Female Physicians Admitted to Canada in 1953, 1954 and 1956-61	40
2–9	Number and Per Cent Distribution of New Registrants by Graduates of Canadian and Foreign Medical Schools, Canada and for Provinces, 1950-60	40
2-10	Ratios of Foreign Medical School Graduates to the Total Licentiates Representing Additions to the Medical Manpower, 1950-60	41
2-11	New Registrants, Graduates of Foreign Schools and Output of Canadian Medical Schools Compared, 1950-60	42
2-12	Examination Results of the Medical Council of Canada, by Country where Qualified, 1945-61	43
2–13	Distribution of U. S. Physicians Trained in Canada, by Years since First Licensed in the U.S.A., 1962	45
2-14	Distribution of United States Physicians, Trained in Canada, by Age Group and Country of Birth	46
2-15	Distribution of United States Physicians Trained in Canada, by Sex	46
2–16	Distribution of United States Physicians Trained in Canada, by Type of Practice	47
2-17	Canadian Physicians Training in the United States Hospitals, 1954-1962	48
2-18	Canadian Physicians in United States Medical Schools and American Physicians Teaching in Canada, 1955-62	48
2-19	Distribution of U.S. Physicians, Trained in Canada, by Country of Birth and Place of Medical Education Received in Canada, April 1962	49
2-20	Distribution of U.S. Physicians Trained in Canada by Country of Birth and Years since Graduation	50
2–21	Five-Year Annual Average Number and Per Cent Distribution of Deaths of Canadian Physicians, 1926-61, and of Canadian Male Population of 20 Years and Over, 1941-61, by Age Group at Death	52
2—22	Death Rates per 1,000 Canadian Physicians and Male Population of the Age of 20 and Over, 1951-61	54

CHAPTER III CANADIAN MEDICAL GRADUATES AND STUDENTS

Cable		Page
3-1	Number and Per Cent Distribution of Graduates of Canadian Medical Schools, by School, 1944-45 to 1961-62	. 58
3-2	Graduates of Canadian Medical Schools per 100,000 Population,	
3_3	1911-1962	. 60
5-5	to 1938-39 and 1947-48 to 1960-61	. 61
3-4	Five-year Average Number and Per Cent Distribution of Graduates of Canadian Medical Schools who Came from Other Countries, 1947-48 to 1961-62	. 62
3—5	Number and Per Cent Distribution of Graduates of Canadian Medical Schools, by Country of Residence at the Time of Graduation and by School, 1947-48 to 1961-62	. 63
3–6	Medical Student Enrolment and Total University Student Enrolment per 100,000 Population, Canada, 1947-48 to 1960-61	
3-7	Index of Medical Student and Total University Student Enrolment	. 65
3-8	Number and Percentage Distribution of Medical Students by Sex,	. 67
3-9	Medical Enrolment in Canada by Year of Course, 1947-48 to 1960-61	
3-10	Attrition Rates of Canadian Medical Students, 1947–48 to 1959–60	
3-11	Number and Per Cent Distribution of First-year Medical Students, by Province and Country of Residence and Medical School, 1947-48 to	
2 10	1961–62	70
3–12	Average Annual Number of First-year Medical Students per 100,000 Population, Canada and by Province, 1952-53 to 1961-62	71
3–13	Average Annual Number of First-year Medical Students per 10,000 Population of University Age Group, 20–24, Canada and for Provinces, 1952–53 and 1961–62	72
3-14	Acceptance Rate and Vacancies at Start of Term in Canadian Medical Schools, 1949-50 to 1961-62	73
3-15	Attrition Rates in Canadian Medical Schools over Five-year Period, 1951 to 1955	. 74
3-16	Causes of Withdrawals, by Year of Course, from Canadian Medical Schools, 1961-62 (Order of Mention)	. 75
3-17	Canadians Studying Medicine in the United States, by Academic Status and Sex, 1952-53 to 1961-62	. 76
3-18	Medical Students' Marital Status and Residence at College, for Regions and Canada, 1961-62	
3-19	Per Cent of Married Canadian Medical Students, by Year of Course, 1958	
3-20	Per Cent Distribution of Home Residence of Medical Students and of	. 0.
3-20	Canada's Population, by Size of Community, for Regions and Canada, 1962	83
3-21	Level of Schooling of The Fathers and Mothers of Medical Students,	
5-21	Canada, 1962	84
3-22	Occupation of The Fathers of Medical Students and Male Labour Force, Canada, 1962	84
3-23	Parents' Income Level of Medical Students, 1961	. 85
3-24	Part-time Work and Year of Expected Graduation of Male Medical Students, 1961-62	86
	Demones, 1901—02 iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	

Table	Pa	age
3-25	Part-time Work and Type of Job of Medical Students, 1961-62	87
3-26	Part-time Work and Hours Worked per Week by Canadian Male Medical Students, 1961-62	87
3-27	Summer Work 1961 - Type of Work of Medical Students	88
3-28	Summer Word 1961 - Monthly Rate of Pay of Medical Students	89
3-29	Male Medical Students Reporting a Break in Their Schooling, 1961-62	89
3-30	Medical and Other Students' Expenditure, by Level of Expenditure, for Regions and Canada, 1961-62	91
3–31	Average Expenditure of Married Medical Students, and Single Male Students Living at Home and Away from Home, for Regions and Canada, 1961-62	92
3-32	Average Education and Living Costs of Medical and Other Students, Canada, 1961-62	93
3-33	Median Expenditure of Medical Students, by Age and Expected Year of Graduation, Canada, 1961-62	94
3-34	Per Cent of Medical and Other Students Receiving Funds from Contributing Sources, Canada, 1961-62	94
3–35	Average Amounts of Income Received by Medical Students from Contributing Sources and Percentage of Total Income Received, by Source, Canada, 1961-62	96
3-36	Scholarship and Age of Medical Students, and Year of Expected Graduation, Canada, 1961-62	97
3-37	Country or Area of Birth of Foreign Undergraduate and Graduate Students in Canadian Medical Schools, 1961-62	98
3–38	Distribution of Foreign Undergraduate and Graduate Medical Students in Canadian Medical Schools, by Region, 1961-62	98
	CHAPTER IV	
	DISTRIBUTION AND SOME PROFESSIONAL CHARACTERISTICS OF CANADIAN DOCTORS	
4-1	Per Cent Rate of Response to 1962 Questionnaire on Medical Practice of Active Physicians, for Provinces and Canada	1 02
4-2	Per Cent Distribution of Active Civilian Physicians, by Age Group, Canada, 1931-1961	1 03
4-3	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Age Group, Canada, 1962	104
4-4	Number and Per Cent Distribution of Active Civilian Specialist Physicians, by Age Group, Canada, 1962	
4-5	Retirement of Physicians, by Degree of Retirement, Canada, 1962	106
4–6	Number and Per Cent Distribution of Canadian-born and Immigrant Active Civilian Physicians, by Years since First Licensed to Practise in Canada, 1962	107
4-7	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Years of Residence in Canada, 1962	,
4-8	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Birthplace, for Regions and Canada, 1962	
4-9	Number and Per Cent Distribution of Active Civilian Immigrant Physicians by Place of Undergraduate Medical Training, Canada, 1962	,

Table	Page	
4—10	Number and Per Cent Distribution of Active Civilian Physicians, by Years of Practice in Canada, for Regions and Canada, 1962	
4—11	Number and Per Cent Distribution of Active Civilian Physicians, by Length of Time in Present Practice or Employment and Type of Work, Canada, 1962	
4—12	Number and Per Cent Distribution of Active Civilian Physicians, by Sex, Canada, 1911-1961	
4–13	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Sex, for Regions and Canada, 1962	
4-14	Number and Per Cent Distribution of Active Civilian Physicians, by Sex, for Provinces, 1961	
4—15	Number and Per Cent Distribution of Canadian-born and Immigrant Active Civilian Physicians, by Father's Occupation, Canada, 1962 115	
4—16	Choice of Region of First Practice by Canadian-born Physicians, for Regions, 1962	
4-17	Choice of Region of First Practice by Immigrant Physicians, for Regions and Canada, 1962 121	
4-18	Number and Per Cent Distribution of Canadain-born Active Civilian Physicians, by Size of Community of Residence at Time of Entry to Medical School and Size of Community of First Practice, Canada 122	
4-19	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Size of Community of First Practice, for Regions and Canada 123	
4-20	Distribution of Canadian-born Active Civilian Physicians, by School of Undergraduate Medical Training in Canada, for Regions and Canada, 1962	
4-21	Number and Per Cent Distribution of Canadian-born Active Civilian Physicians, by Region of Birth and by Region of Undergraduate Medical Training Received, for Regions and Canada, 1962	
4-22	Distribution of Active Civilian Physicians, by Size of Community in which Located, for Provinces and Canada, 1951 and 1962	
4-23	Distribution of Active Civilian Immigrant Physicians, by Size of Location, for Regions and Canada, 1962	
4-24	Active Civilian Physicians Located in Metropolitan Areas, for Provinces and Canada, 1961	
4-25	Counties and Census Divisions of Canada, Cross-Classified by Degree of Urbanization of Population and Civilian Population per Active Physician, June 1961	
4–26	Population per Active Civilian Physician, for Counties and Census Divisions, Grouped According to Per Cent of Urbanization of Popula- tion, for Regions and Canada, 1961	
4-27	Active Civilian Physicians, by Type of Work, March 1943 140	
4-28	Number and Per Cent Distribution of Active Civilian Physicians, by Type of Work, for Regions and Canada, 1962	
4–29	Distribution of Active Civilian Physicians, by Auspices of Employment, for Regions and Canada, 1962	
4-30	Number and Per Cent Distribution of Active Physicians in Private Practice, by Type and Auspices of Work, Canada, 1962	
4-31	Distribution of Active Physicians Not in Private Practice, by Type and Auspices of Major Work, Canada, 1962	

Table	Page
4-32	Number and Per Cent Distribution of Active Canadian-born and Immigrant Physicians, by Type of Major Work of First Practice and Type of Major Work in which Engaged in 1962, Canada
4-33	Ratio of Certified and Non-certified Active Civilian Specialists to Total Civilian Physicians, Canada, 1947-1961
4-34	Specialist Certificates Granted by the R.C.P.S. 1942-1960 157
4-35	Ratios of General Practitioners and Certified Specialists to Population, for Provinces and Canada, 1961
4–36	Distribution of Certified Specialists, by Province and Size of Urban Centre, September 1, 1961
4–37	Number and Percentage Distribution of Specialist Physicians in Private Practice and Hospital Work, by Size of Locality, for Regions and Canada, 1962
4-38	Number and Percentage Distribution of Specialist Physicians in Private Practice and Hospital Work, by Size of Locality and Specialty Practised, Canada, 1962
4–39	Number and Percentage Distribution of Active Civilian Specialist Physicians, Certified and Non-certified, by Specialty Practised, for Regions and Canada, 1961
4-40	Ratios of Specialists per 100,000 Population, Canada, 1961 168
	CHAPTER V
	DEMAND FOR MEDICAL SERVICES
5-1	Average Weekly Services of Physicians in Private Practice, by Type of Major Work and Activity, Canada, 1962
5-2	Percentage Distribution of Weekly Patient-visit Loads and Weekly Work-Hours of Physicians, by Day of Week and Type of Major Work, Canada, Spring 1962
5-3	Average Weekly Services of Physicians in Private Practice, by Type of Major Work and Activity, and Duration of Practice, Canada, 1962 178
5-4	Average Weekly Services of General Practitioners in Private Practice, by Size of Centre in Which Located and Type of Activity, Canada, 1962 180
5-5	Average Weekly Load of Patients per Physician in Private Practice, by Type of Major Work and Nature of Service, Canada, 1962
5-6	Estimated Annual Patient-visit Loads of Physicians in Private Practice and Volume of Services Rendered, Canada, 1962
5-7	Average Size of Practice and Average Number of Patients Currently Under Treatment of Self-employed General Practitioners, for Provinces and Canada, 1962
5-8	Average Size of Practice and Average Number of Patients Under Active Treatment of Self-employed General Practitioners, by Duration of Practice, Canada, 1962
5-9	Average Size of Practice and Average Number of Patients Currently Under Treatment of Self-employed General Practitioners by Size of Centre in Which Located, for Provinces and Canada, Spring 1962
5-10	Full-and Part-time Medical Staff and Interns and Residents, Employed in Hospitals, Canada, 1950-1961
5-11	Physicians Employed Full-time by Governments, for Provinces and Canada, 1963

Table	Pa	age
5-12	Salaries of Teaching Staff in Basic Sciences of Canadian Medical Schools, 1961-62	96
5-13 5-14 5-15	Doctors Employed in Industry, Canada, May 1, 1962	201
	CHAPTER VI	
	THE ECONOMICS OF MEDICAL PRACTICE	
6–1	Statistical Analysis of Opinions on Group Practice Expressed by Civilian Canadian Doctors, 1962	213
6–2	Per Cent Rate of Response to 1962 Questionnaire on Earnings of Active Civilian Physicians in 1960, for Provinces and Canada	220
6–3	Average Annual Total Net Income from Medical Practice and Salaried Appointment of Active Civilian Physicians, by Type of Major Work in Which Engaged during 1960, for Provinces and Canada	221
6-4	Average Total Net Income of Physicians in Group Practice and Number of Practices/Doctors, by Size of Group, Canada, 1960	
6–5	Per Cent of Active Civilian Physicians in Private Practice and on Salaried Appointment to Total Number of Reporting Physicians by Type of Major Work and Average Net Income, Canada, 1960 2	224
6–6	Number and Per Cent Distribution of Active Civilian Physicians, by Total Net Income Range, for Provinces and Canada, 1960	225
6–7	Number and Per Cent Distribution of Active Civilian Physicians, by Total Net Income Range and Type of Major Work, Canada, 1960	227
6–8	Average Total Net Income from Medical Practice and Salaried Appointment of Active Civilian Physicians, by Type of Major Work in Which Engaged in 1960 and Size of Community in Which Located, Canada	229
6-9	Number and Per Cent Distribution of General Practitioners and Specialists in Solo Private Practice in Rural and Urban Areas, by Total Net Income Range, Canada, 1960	230
6-10	Average Total Net Income of Active Civilian Physicians in Private Practice, by Type of Major Work in Which Engaged during 1960 and Length of Experience in Private Practice, Canada	231
6-11	Average Total Net Income of Salaried Physicians by Type of Major Work in Which Engaged During 1960 and Years of Experience, Canada 2	233
6—12	Average Total Net Income of Civilian Active Physicians in Specialist Work, by Specialty Practised and Private and Non-private Practice, Canada, 1960	235
6–13	Per Cent Rate of Response to 1962 Questionnaire on Annual Operating Expenditures Incurred by Active Civilian Physicians in 1960, for Regions in Canada	236
6–14	Average Annual Operating Expenditures Incurred by General Practitioners and Specialists in Solo Private Practice and by Physicians in Group Practice, by Items of Expenditures, Canada, 1960	238
6—15	Average Annual Total Operating Expenditures of Specialists by Specialty	239
6-16	Reported Total Practice Expenditures per Doctor, by Size of Group, for	

Table	Page
6-17	Average Annual Operating Expenditures Incurred by General Practitioners in Solo Medical Practice, by Item of Expenditures and Size of Community in Which Located, Canada, 1960
6–18	Number and Percentage Distribution of Active Civilian Physicians in Solo Private Practice, by Level of Annual Total Operating Expenditures and Rural and Urban Areas, Canada, 1960
6–19	Employment of Nursing, Technical, Clerical and Other Staff by General Practitioners and Specialists in Solo Private Practice and by Physicians in Group Practice, Canada, 1960
6–20	Average Depreciated Value of Capital Assets Used in Medical Practice at End of 1960, Canada
6–21	Average Depreciated Value of Capital Assets of General Practitioners in Solo Private Practice at End of 1960, by Size of Community in which Located, Canada
6–22	Average Annual Capital Expenditure on Purchase of New Buildings and/ or Equipment by General Practitioners and Specialists in Solo Private Practice and by Physicians in Group Practice, Canada, 1960 245
6–23	Methods of Establishing Practice by Physicians in Solo Private Practice and by Physicians in Group Practice, by Type of Major Work and Size of Community, Canada, since 1956
6–24	Average Total Initial Capital Cost and Average Additional Cost of Establishing Practice by General Practitioners and Specialists in Solo Private Practice, by Size of Community, Canada, Commencing 1957 247
6–25	Source and Amount of Funds Used to Establish Practice Initially by General Practitioners and Specialists in Private Practice by Size of Locality, Canada, 1957—1961
	CHAPTER VII
	EVALUATION OF SUPPLY AND DEMAND FOR PHYSICIANS IN CANADA
7-1	Estimated Requirements for Physicians, for Provinces and Canada,
7-2	Physician-Population Ratios in Selected Countries, 1950-1962 254
7–3	Estimated Requirements for Physicians in Private Practice, for Provinces and Canada, 1961
7-4	Three-year Average Annual Professional Income Earned by Self-employed Physicians, Lawyers, Dentists, Consulting Engineers and Architects and Accountants, Canada, 1946-1960
7–5	Per Cent Distribution of Physicians, Lawyers, Dentists, Consulting Engineers and Architects and Accountants, by Average Annual Professional Income Range, Canada, 1960
	CHAPTER VIII
	PHYSICIAN-POPULATION PROJECTIONS, 1961-1991
8-1	Average Composite Attrition Rate of Canadian Doctors, 1952-1960 266
8–2	Projected Five-year Requirements and Expected Supply of Physicians, Canada, 1961-1991
8–3	Required Supply of Medical Graduates and First-year Enrolment of Canadians in Medical Schools

LIST OF APPENDICES

CHAPTER II

SUPPLY OF PHYSICIANS

Appendix		Page
2-1	Provincial Physician-Population Ratios, 1911-61, Active Civilian Physicians	277
2-2	Distribution of U.S. Physicians Trained in Canada, by Type of Practice and Sex	278
2-3	Distribution of U.S. Physicians Trained in Canada, by Specialty	280
2-4	Distribution of U.S. Physicians, Trained in Canada, by Country of Birth, Canadian Medical School and Years since Graduation	281
2-5	Registration Policies for Citizens of Canada by Licensing Boards in the United States and Location of U.S. Physicians who Graduated from Canadian Medical Schools	284
2-6	Deaths of Canadian Physicians, by Age Group at Death, 1926-61	286
2–7	Per Cent Distribution of Deaths of Canadian Physicians, by Age Group at Death, 1926-61	287
	CHAPTER III	
	CANADIAN MEDICAL GRADUATES AND STUDENTS	
3–1	Number and Percentage Distribution of Graduates of Canadian Medical Schools, by School, 1944-45 to 1961-62	. 288
3-2	Number of Graduates of Canadian Medical Schools by Medical Schools, 1910-1961, and by Sex, 1947-1948, 1960-1961	. 290
3–3	Number and Per Cent Distribution of Medical Graduates, Canadian and Foreign, by Medical School, 1947-48 to 1961-62	. 292
3-4	Per Cent of Medical Student Enrolment to Total University Student Enrolment by Sex, 1947—48 to 1960—61	. 295
3–5	Medical Student Enrolment and Total University Student Enrolment per 100,000 Population of University Age Group by Sex, 1947-48 to 1960-61	. 296
3–6	Number and Per Cent Distribution of First-year Medical Students, Canadian and Foreign, by Medical School, 1947-48 to 1961-62	. 298
3–7	First-year Medical Students per 100,000 Population, Canada and by Province, 1952-53 to 1961-62	. 301
3–8	First-year Medical Students per 10,000 Population of University Age Group, 20-24, Canada and for Provinces, 1952-53 to 1961-62	. 303
3–9	Number of Applicants for Medical Studies, by Medical School,	305

CHAPTER IV

DISTRIBUTION AND SOME PROFESSIONAL CHARACTERISTICS OF CANADIAN DOCTORS

appendix		Page
4-1	Questionnaire — Survey of Physicians in Canada, 1962	306
4-2	Number and Per Cent Distribution of Active Civilian Physicians, by Age Group, for Regions and Canada, 1962	
4-3	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Age Group, for Regions and Canada, 1962	. 311
4-4	Number and Per Cent Distribution of Active Civilian Specialist Physicians, by Age Group, for Regions and Canada, 1962	312
4-5A	Number and Per Cent Distribution of Canadian-born Active Civilian Physicians, by Years since First Licensed to Practise in Canada, for Regions and Canada, 1962	313
4-5B	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Years since First Licensed to Practise in Canada, for Regions and Canada, 1962	314
4–6	Number and Per Cent Distribution of Canadian-born and Immigrant Active Civilian Physicians by Father's Occupation, for Regions and Canada, 1962	. 315
4-7	Choice of Region of First Practice by Canadian-born Physicians, for Regions and Canada, 1962	.317
4–8	Number and Per Cent Distribution of Canadian-born Active Civilian Physicians, by Size of Community of Residence at Time of Entry to Medical School and Size of Community of First Practice, for Regions and Canada	318
4-9	Distribution of Canadian-born Active Civilian Physicians, by School of Undergraduate Medical Training in Canada and Years since Graduation, for Regions and Canada, 1962	319
4-10	Active Civilian Physicians in Relation to Population and Area, by County or Census Division, for Provinces, 1961	321
4-11A	Number and Per Cent Distribution of Canadian-born Active Civilian Physicians, by Type of Work, for Regions and Canada, 1962	326
4-11B	Number and Per Cent Distribution of Active Civilian Immigrant Physicians, by Type of Work, for Regions and Canada, 1962	327
4-12A	Number and Per Cent Distribution of Canadian-born Active Physicians, by Auspices of Employment, for Regions and Canada, 1962	328
4-12B	Number and Per Cent Distribution of Immigrant Active Physicians, by Auspices of Employment, for Regions and Canada, 1962	329
4–13A	Number and Per Cent Distribution of Active Canadian-born Physicians, by Type of Major Work of First Practice and Type of Major Work in which Engaged in 1962, for Regions and Canada	330

Appendix		Page
4-13B	Number and Per Cent Distribution of Active Immigrant Physicians, by Type of Major Work of First Practice and Type of Major Work in which Engaged in 1962, for Regions and Canada	. 332
4-14	Certified and Non-certified Civilian Specialists, by Provinces and Canada, 1951—1961	. 334
415	Distribution of Civilian Certified Specialists by Provinces and Per Cent of Specialists to Total Specialists in Specialty, September 1, 1961	. 335
4–16	Ratios of Specialists per 100,000 Population, for Regions and Canada, 1961	. 337
4-17	Certified and Non-certified Specialist-Population Ratios, by Specialty, for Regions and Canada, 1961	. 338
4–18	Number and Per Cent Distribution of Active Civilian Physicians in Specialist Work, by Type of Work, Certification and Specialty Practised, Canada, 1962	. 340
4–19	Number and Per Cent Distribution of Active Civilian Immigrant Specialists, by Type of Work and Specialty Practised, Canada, 1962	. 341
	CHAPTER V	
	DEMAND FOR MEDICAL SERVICES	
51	Average Weekly Services of Specialists in Private Practice, by Specialty Practised, Type of Activity and Method of Practice, Canada, 1962	342
5—2	Average Weekly Services of General Practitioners in Private Practice, by Type of Medical Organization and Type of Activity, Canada, 1962	344
5-3	Average Weekly Load of Patients of Specialists in Private Practice, by Specialty Practised, Method of Practice and Nature of Service, Canada, 1962	345
5–4	Number and Percentage Distribution of Active, Self- employed General Practitioners by Size of Practice and Size of Locality, for Regions and Canada	347
5—5	Number and Percentage Distribution of Active, Self- employed General Practitioners, by Number of Patients Under Treatment and Size of Locality, for Regions and Canada	349
5-6	Full- and Part-time Medical Staff and Interns and Residents Employed in Hospitals, for Regions and Canada, 1950—1961	351
5-7	Availability of Industrial Medical Services and Medical Personnel in Canadian Industry, 1962	354
5-8	Employment of Specialists in the Armed Forces, March 31, 1962	356
5 – 9	Scale of Salaries in Existence for Physicians in the Armed Services by Categories, 1962	. 357

CHAPTER VI

ECONOMICS OF MEDICAL PRACTICE

Appendix		Page
6-1	Questionnaire: Economics of Medical Practice - 1960	358
6–2	Geographic Distribution of Group Medical Practice, by Size of Group and Size of Community, for Regions and Canada, 1960	360
6-3	Average Annual Total Net Income from Medical Practice and Salaried Appointment of Active Civilian Physicians, by Type of Major Work in which Engaged during 1960, for Provinces and Canada	361
6–4	Average Total Net Income of Physicians in Group Practice and Number of Practices/Doctors, by Size of Group, for Provinces and Canada, 1960	363
6–5	Response Count and Average Net Income of Active Civilian Physicians with Independent Practice Only, by Type of Major Work in which Engaged during 1960, for Provinces and Canada	364
6–6	Distribution of Active Civilian Physicians, by Total Net Income Range, for Provinces and Canada, 1960	
6-7	Average Total Net Income from Medical Practice and Salaried Appoint- Appointment of Active Civilian Physicians, by Type of Major Work in which Engaged in 1960 and by Size of Community in which Located, for Regions and Canada	. 367
6–8	Number and Per Cent Distribution of General Practitioners and Specialists in Solo Private Practice in Rural and Urbain Areas, by Total Net Income Range, for Regions and Canada, 1960	371
6–9	Average Total Net Income of Active Civilian Physicians in Private Practice, by Type of Major Work in which Engaged during 1960 and Length of Experience in Private Practice, for Regions and Canada	. 372
6-10	Average Total Net Income of Specialists in Private Practice, by Specialty Practised and Years of Experience in Private Practice, Canada, 1960	373
6–11	Average Total Net Income of Specialists Not in Private Practice, by Specialty Practised and Years of Experience, Canada, 1960	375
6-12	Average Total Net Income of Civilian Active Physicians in Specialist Work, by Specialty Practised and Type of Work, for Regions and Canada, 1960	377
6-13	Average Annual Operating Expenditures Incurred by General Practitioners in Solo Private Practice, by Items of Expenditures, for Regions and Canada, 1960	379
6–14	Average Annual Operating Expenditures Incurred by Specialists in Private Practice, by Items of Operating Expenditures and Specialty Practised, Canada, 1960	380
6–15	Number and Percentage Distribution of Active Civilian Physicians in Solo Private Practice by Level of Expenditures, and Rural and Urban Areas, Canada, 1960	. 382

Appendix		Page
6–16	Employment of Nursing, Technical, Clerical and Other Staff by General Practitioners in Solo Private Practice, by Size of Community, Canada, 1960	. 383
6–17	Employment of Paramedical and Clerical Staff by Specialists in Solo Private Practice, by Specialty Practised, Canada, 1960	384
6-18	Average Depreciated Value of Capital Assets of Specialists, in Solo Private Practice, by Specialty Practised, at End of 1960, Canada	385
6-19	Average Initial and Additional Net Cost of Establishing Practice by General Practitioners and Specialists in Solo Private Practice, by Item of Expenditure and Size of Locality, Canada, Commencing 1957.	386
	CHAPTER VII	
EV	ALUATION OF SUPPLY AND DEMAND FOR PHYSICIANS IN CANADA	
7-1	Average Annual Professional Income Earned by Self-employed Physicians, Lawyers, Dentists, Consulting Engineers and Architects and Accountants, Canada, 1946—1960	389
7–2	Growth of Selected Professional and Technical Occupations, Canada, 1931-1961	390
7-3	Index Numbers of Physicians' Professional Income, Workers' Average Weekly Wages and Salaries and Labour Income Per Paid Worker, Canada, 1946—1960	391
7-4	Index Numbers of Cost of Living, Doctors' Fees and Other Components of Medical Care, for Urban Areas, Canada, 1945-1962	392
7—5	Expenditures on Personal Medical Services, Canada, 1945—1961	393
	CHAPTER VIII	
	PHYSICIAN - POPULATION PROJECTIONS, 1961-1991	
8-1	Projected Doctor Requirements, Canada, 1961-1991 (Physician - Population Ratio)	394
8–2	Projected Doctor Requirements, Canada, 1966–1991 (Volume of Services)	395
8-3	Expected Supply of Physicians, Canada, 1961—1991	396
8-4 A 8-4D	Required Supply of Medical Graduates and First-year Enrolment of Canadians in Medical School	397

Introduction and Some Conclusions

1. Main Trends and Issues in Medical Care

The preamble to the Charter of the World Health Organization states that:

"Health is a state of physical, mental and social well-being and not merely the absence of disease and infirmity.

The enjoyment of the highest attainable standard of health is one of the fundamental rights of every human being without distinction of race, religion, political belief, economic and social conditions."

In very general terms, the purpose of medical care is to promote, preserve and restore health and to minimize the effects of sickness. It is generally accepted today that the health of the people is one of the most valuable assets of a society. During the last few decades, rapid social and scientific advances have greatly improved the health of our nation.

Since the health status of a society is a rather intangible thing, there are some obvious difficulties in measuring it directly. However, there are various indices which indirectly measure it. The more important include specific death rates for particular age and sex groups of the population, infant and maternal death rates, morbidity rates, rejection rates for military services, life expectancy, disability from disease and injuries, and a few others. All of them are subject to some limitations in interpretation. However, national long-term planning of medical care requires such health indices in order to formulate reliable standards by which past achievements in the provision of medical services can be analyzed and assessed and to arrive at some estimates of the actual medical needs of society, and to determine appropriate policy and methods to satisfy those needs. It is obvious that only a scientific assessment of society's health, together with an analysis of social and economic trends and scientific and technical progress of medicine will make it possible to provide balanced medical care for all sections of a society and all regions of a country.

Essentially, the total medical care problem consists of the maintenance of high quality of medical education, the satisfactory geographical and specialist distribution of the medical manpower, and the ability of the people to satisfy their medical needs. Consequently, the provision of medical services involves

considerations that are educational, social, political, economic, professional and administrative in nature. It is in this wide context that medical care and practice must be analyzed, particularly when far-reaching changes have taken place in the science and art of medicine and in the organization of medical practice. Medicine is a social institution that has a unique role in our society and, therefore, cannot be confined to a consulting room and laboratory, isolated from the main stream of social and economic changes of our time. The medical profession must be ready and willing to solve some of the social and economic problems facing a modern society. Modern medicine must keep pace with the changing and increasing medical needs of the people as well as with the scientific and political evolution of the present age. Since the beginning of this century medical services have become more complex, both in structure and function, and in their socioeconomic basis. Consequently, medical economics of today is not only a problem of costs and methods of financing medical care, but it is also the problem of quality of medical services, adequacy and proper distribution of medical manpower and its efficient utilization.

Usually a distinction is made between technological and organizational aspects of medical practice. The technology of medicine implies scientific and technical advancement, professional skills and ability involved in prevention, diagnosis and treatment of diseases. Organization of medical practice implies economic and social arrangements, through which medical services are dispensed to individuals and socio-economic groups. It may, therefore, be useful to outline briefly some important general influences on technology and organization of medical care and indicate the implications therefrom.

Medical care is still an art but it is increasingly dependent on scientific and technical advancement. Medical science has applied new knowledge that has evolved in the fields of chemistry, physics, biology, electronics and many other sciences. The discovery and use of X-rays, radium and radio-isotopes, and new potent drugs like insulin, penicillin, and other antibiotics, paved the way for new developments and methods for prevention, diagnosis and treatment of diseases, which accelerated recovery and lessened disability. As a result of this impressive progress during the last half century, medical services today are of a greater variety and complexity. The medical profession is highly specialized and a physician requires specialized auxiliary staff, equipment and facilities. But, at the same time, new and complex techniques, larger capital investments, increased specialization of paramedical personnel mean increasing costs of medical services and medical research. Thus medicine must compete not only for the consumers' purchasing power but also medical science is forced to compete with other applied sciences and industry for scientific and technical personnel.

Another important trend in medical practice is the changing pattern of illnesses and diseases. As the methods of prevention, diagnosis and treatment have improved during the last half century, it has become possible to control, prevent and cure many illnesses that previously accounted for many deaths. Great progress has been made in controlling and curing communicable diseases such as tubercu-

losis; there is almost a complete eradication of such scourges as diphtheria, small-pox, typhoid fever and most recently poliomyelitis, and, of course, there has been considerable progress in public health measures and environmental sanitation such as supply of water, food control and sewage disposal.

Some of the chronic illnesses such as diabetes and pernicious anaemia no longer constitute a hopeless medical problem. In addition, surgical techniques have improved considerably. These impressive achievements have resulted in the decline in mortality, particularly of infants, mothers and persons in the middle-age groups. Life expectancy has increased by about twenty years in the last half century. This implies a longer period of productive activities for both men and women, but these very same achievements of medicine have created new medical, social and economic problems. Higher expectancy of life means that more individuals are exposed to chronic and degenerative diseases associated with old age such as cancer, heart diseases, arthritis, rheumatic diseases, mental and "psychophysiological" disorders. This shift in the character of illnesses presents a new problem to medical science.

It changes also the over-all medical care problem because medical needs of the older people are becoming increasingly more important, and this in the long run will require a change in the direction and training of personnel, more rehabilitation measures and will impose heavier economic burdens upon a society as a whole.

The structure and nature of the organization of medical practice are conditioned by the type of economic and political system of the country in which it operates. In a free enterprise and competitive system, medical practice with some exceptions such as public medical programmes which are financed from public funds and administered by public authorities, is carried out through private practice. Physicians rendering medical services under voluntarily organized programmes of medical insurance are usually private practitioners, who are compensated for their services on the basis of the fee-for-service method, the part-time system, or the flat-rate method. The minority of physicians employed by public health departments, medical insurance associations, industry, universities and medical research institutions, hold full-time salaried positions. Medical practice, however, is a social service and in the nature of a public utility, and since "... public utilities are by their nature monopolistic, while at the same time their services are needed by everybody, some governmental control of them is necessary".

Medical practice and its organization in this country as elsewhere has been affected in recent decades by various socio-economic factors and trends.²

Means, James Howard, Doctor, People and Government, An Atlantic Monthly Press Book, Boston: Little, Brown and Company, 1953, p. 9.

These aspects of medical practice have been discussed in the articles of Willard, Joseph W., The Effects of Socio-Economic Trends on the Practice of Medicine, Ontario Medical Review, Vol. 26, October, 1959, pp. 935-36, and 958-970; and Greenhill, Stanley, Preparing Today's Medical Student for Tomorrow's Society - A Role of a Department of Social Medicine in Medical School, CMA Journal, Vol. 86, April 7, 1962, pp. 611-13.

Developments in transportation and communications have extended the physician's area of medical services distribution, made available to many communities a higher quality of medical services and increased productivity of the physician because in his working day he sees proportionately more patients in his office or hospital.

Since the First World War, one of the basic trends in the Canadian economy has been the shift from agriculture to industry and this change in the economic structure has been accompanied by a movement of the population from the rural areas to urban centres.

This trend towards urbanization has resulted in large numbers of physicians locating in urban areas and leaving rural areas relatively under-supplied. In this geographic movement the physician has only followed the general population trend. Economic, professional, and personal incentives account for this concentration of doctors in urban centres, particularly in the case of medical specialists. The problem of more equitable geographic distribution of physicians is, however, very difficult in this country because of its size, regional topographic and economic differences and scattered population.

Then, the increase in the numbers of paramedical personnel such as nurses, physiotherapists, laboratory technicians, dietitians, and many others, enables the physician today to utilize his time more efficiently than formerly.

The Canadian medical profession as elsewhere is characterized by increasing specialization, which has been imposed for scientific and technical reasons and by popular demand. This functional segmentation of medical manpower differs greatly from the almost homogeneous profession of several decades ago. In this specialization trend the status of a general practitioner has changed.

Another development, which is becoming increasingly more significant, has been the growth of medical group practice for economic and professional reasons.

Then the growing industrialization of our economy and efforts to raise the productivity of labour have had a decisive impact on the demand for industrial and occupational medical services by Canadian workers.

One of the most important trends in Canada during the last few decades has been the development of voluntary medical insurance plans in order to mitigate the growing costs of sickness, particularly for middle and lower income groups. There is a wide variety of such plans due to the federal form of the state in this country and regional social and economic differences.

A steadily rising standard of living, the broadening of fringe benefits, including medical care, of our working population, a tendency to early marriage and family formation, higher survival rate of middle-aged and elderly groups of our population, better health education and better knowledge of and greater expectations from a modern medicine have created growing medical needs. Scientific and technical progress of medicine has increased society's ability to meet them technically, if not actually, for financial and other reasons.

It is suggested that the organization and availability of medical care in its social and economic aspects seems to lag behind the more spectacular scientific and technical medical achievements and, consequently, our society, in fact, is deprived of the full potential benefits that modern medicine can provide. There appears to be a growing public concern about the inequitable distribution of medical services, medical personnel and facilities as well as medical costs, as between regions, urban and rural areas, and between various socio-economic groups. Our affluent society apparently has not as yet succeeded in providing equal opportunity for medical care to all its citizens. This evident shortcoming of our society must inevitably adversely affect the social and economic welfare of the people because of enforced idleness, reduced productivity and the need for public assistance.

Though, it is perhaps true that indigent patients are largely looked after by public authorities and well-to-do are able to look after themselves, still it is probably the middle and lower income groups that require consideration for their recognized and unrecognized medical needs that the modern medicine is capable of satisfying.

There is perhaps agreement that the best medical services our society can afford should be made available to all Canadians. The only controversy arises concerning how to accomplish this equitably, efficiently and economically. The solution of this problem imposes a necessity for an unbiased approach and an analysis that tries to reconcile the interests of society with legitimate professional principles.

2. Scope, Method and Organization of Study

The main purposes of this study include an investigation of the short-and long-term trends in the supply and demand for medical manpower in Canada; an evaluation of the economic, social and educational problems and implications resulting from this analysis of supply and demand for physicians; an examination of some aspects of geographic and professional distribution of physicians and utilization of medical services; an analysis of professional characteristics of doctors and patterns of medical practice; an economic discussion of incomes, capital investments and operating expenses of private medical practitioners; and finally, a projection of future requirements for physicians in Canada.

The approach to the problem of medical manpower in Canada will be historical, statistical and theoretical or analytical. It is historical in the sense that both supply and demand for physicians will be treated in the context of historical developments over the last few decades in the provision of medical care in this country. A statistical approach implies a presentation of statistical evidence, whenever possible, obtained from existing sources and from special surveys conducted by the Royal Commission on Health Services, on which analysis and interpretation of the problems concerning Canadian medical manpower are based. Reliable statistical data are essential for satisfactory planning of the supply of medical

manpower in this country and for solving problems of medical care as a whole in the Canadian institutional and governmental setting and the economic, social and geographic environment. Some qualitative data and interpretation will have to be used since the statistical information is not always adequate, especially in the earlier periods.

There will also be a theoretical approach in the sense that an attempt will be made to provide a conceptual framework of supply and demand for physicians, on which a projection of medical manpower requirements and of supply of doctors in Canada will be made.

Chapter I contains a statement of the problem investigated, method and organization of the study as well as a summary of conclusions provided by the analysis of the medical manpower in Canada.

Chapter II presents factual information and an analysis of the historical and current trends in the supply of physicians in Canada, both on a national and provincial basis. It examines the procedures pertaining to the registration of graduates from Canadian and foreign medical schools. It is also concerned with migration of physicians into and out of Canada, in particular, with the United States physicians who graduate from Canadian medical schools. An attempt is made to estimate the rate of attrition of the physicians due to emigration, death and retirement.

An analysis of the national and regional trends and the supply of graduates from Canadian medical schools, during the last fifty years, is made in Chapter III. Total medical students' enrolment is examined in relation to total university students' enrolment as well as to college age groups in population and total population for the years 1947/48 to 1961/62, on a national and provincial basis. This chapter is also concerned with the geographic and national origin of medical students, and the problem of their recruitment. In addition, other aspects of medical students are discussed, such as their social and economic background, costs and methods of financing medical studies from the viewpoint of students. Similar consideration is also given to medical students from other countries studying in Canada.

The next chapter is concerned with an analysis of the distribution of Canadian medical manpower by age groups, years since first licensed to practise, duration of practice and length of time in present practice or employment. The problem of women in medicine is also reviewed. This is followed by an analysis of the geographical distribution of doctors, including an evaluation of the factors influencing location of practice and choice of location of first practice, the problem of medical care in rural areas and the geographical mobility of physicians. A special section is concerned with the patterns of types and auspices of work among Canadian doctors and their professional mobility. Then, the problem of specialization in the medical profession is discussed, including the reasons for and the duplications and limitations of such specialization. This is followed by an analytical and statistical examination of the distribution and location of specialists by specialty practised.

Chapter V contains an analysis of the patterns of service of doctors in private practice, including a brief discussion of the factors affecting doctors' efficiency and the significance of patient-visit loads of the doctors. This is followed by a description of the work-patterns of general practitioners, specialists and consultants engaged in private practice. Patient-visit loads are also related to years of practice and the size of community in which practice is located. The nature of medical services provided is examined with respect to type of major work of physicians. Then, the size of practice and number of patients under treatment of self-employed general practitioners are analyzed. An attempt is made to calculate the effective demand for services of physicians in private practice. Finally, the last section of this chapter is concerned with the trends in employment of doctors in hospitals, industry, medical schools, public health, armed forces and life insurance companies.

The following chapter is limited to the economics of medical practice. It begins with a brief discussion of a group medical practice. This is followed by an examination of earnings of physicians in 1960 showing income of doctors by province, type of major work, type of practice, size of community in which practice was located, years of experience and medical specialty practised. It also examines annual operating expenditures incurred in private practice during 1960, by items of expenditure, on a national and regional basis. In addition, this part of the study examines capital investments made by physicians. The last part of this chapter is concerned with the cost of establishing medical practice since 1956 and with the source and amount of funds used to establish private practice initially.

Chapter VII is confined to an appraisal of the supply of physicians in relation to requirements for medical manpower resources in Canada in terms of price of medical services, physician-population ratios, personal expenditures and family expenditures on medical care.

In the last chapter, Chapter VIII, an attempt is made to project future requirements for physicians in Canada up to 1991 and to analyze the future potential supply of doctors from Canadian medical schools as well as from immigration. This analysis is based on specific qualitative assumptions concerning future efficiency of physicians. It also includes an evaluation of the inflow of young Canadians into our medical schools.

3. Summary of Conclusions

- a. Canadians and Their Health During 1951-1961,
 - (i) The People During the last decade the Canadian population has increased from 13.984 million to 18.238 million, i.e., by 30.4 per cent. Not only were there more Canadians but they were also different in their age composition. In 1961 34.0 per cent of the population consisted of children under 15 years as compared with 30.4 per cent in 1951. There were about as many older people over 65 years in 1961 (7.6 per cent) as in 1951 (7.7 per cent), but there were fewer people of working age between 15 and 65 years (58.4 per cent

in 1961 as compared with 61.9 per cent in 1951). Personal income per capita increased from \$978 in 1950 to \$1,156 in 1960, i.e. an 18.2 per cent increase per capita in constant dollars.

Canadians live longer. The average age at death increased from 56.8 years in 1950 to 61.1 years in 1960. Consequently, life expectancy increased from 64.6 years in 1941, to 68.6 years in 1951 and to 70.3 years in 1956.

Mortality has been reduced in several significant respects, particularly maternal, infant and pre-natal. The maternal mortality rate was reduced to 4.5 per 1,000 live births by 1960 from 11.1 in 1950. The infant mortality rate declined from 42 per 1,000 of infants under one year of age in 1950 to 27 in 1960. Similarly, in the same period, the pre-natal death rate has declined from 37.9 in 1950 to 28.4 in 1960.

(ii) Incidence of Diseases — During the past decade more of the infectious diseases have been effectively controlled and, consequently, the rate of mortality from these diseases declined sharply from 34.6 per 100,000 population in 1951 to 8.7 in 1961. The tuberculosis mortality rate accounted for much of this decline as it decreased from 24.8 in 1951 to 4.2 in 1961. Its incidence has also continued to fall from 84.5 in 1950 to 35.7 in 1960. Smallpox is no longer a problem as an indigenous disease, while diphtheria mortality rate was substantially reduced to 0.5 by 1960 as compared with 3.1 in 1950. On the other hand, other infectious diseases have come to the fore, in particular, the venereal diseases, which have recently reversed their earlier downward trend and the mortality rate of infectious hepatitis rose from 2.8 in 1951 to 67.9 in 1961.

While many of the health hazards of the past are being controlled, new ones arise, partly resulting from man-made environmental conditions, and partly from more people being exposed to the diseases of old age. The rate of first admissions to mental hospitals doubled from 73 in 1950 to 143 in 1960. The rate of mortality from heart diseases remains on a high level, that is, 276 in 1960 as compared with 283 a decade earlier. Cancer mortality increased slightly from 128 to 130 in the same period. There has been a more pronounced increase in the mortality rate from certain respiratory cancers. The mortality rate from accidents as a whole shows little change (55 in 1950 and 53 in 1960), but motor vehicle accidents have increased as a cause of death from 17 in 1950 to 21 in 1960.

b. Supply of Physicians

- (i) The number of physicians between 1911 and 1931 did not keep pace with the growth of the Canadian population and hence in 1931 there were more people per physician (1:1,034) than in 1911 (1:972). This trend has been reversed since 1931, and the national physician-population ratio has steadily improved to 1:968 in 1941, and 1:857 in 1961.
- (ii) While the physician-population ratios varied considerably from province to province, all provinces have improved their ratios during the last five dec-

ades and, in particular, since 1951. During the entire period under consideration, Ontario and British Columbia have consistently had physician-population ratios more favourable than those for the country as a whole. As of June 1961, the following provinces had lower physician-population ratios than that for Canada as a whole: British Columbia - 1:758; Ontario - 1:776; Manitoba - 1:823 and Quebec - 1:853. The physician-population ratio in the Atlantic Provinces has always been less favourable than that for the whole country. In 1961 the population of this region amounted to 10.4 per cent of the total population in Canada, while the number of active civilian physicians constituted only 7.0 per cent of the total number of physicians in this country. The number of physicians in Newfoundland, Prince Edward Island, Nova Scotia and New Brunswick in 1961 was 1,482, giving a ratio of 1:1,280 persons as compared with the national ratio of 1:857. While the relative improvement in physician-population ratio for the country as a whole was 12.2 per cent during the years 1951 to 1961, the Atlantic Provinces have improved their relative ratio by only 8.7 per cent.

(iii) The considerable improvement in the national physician-population ratio between 1951 and 1961 was due to a great inflow of immigrant doctors during those years. Out of nearly 15,000 newly registered physicians in Canada during the years 1950-60, about one-third were immigrant physicians. Over the same years, the immigrant doctors were equal to about one-half of the total output of 9,300 graduates of Canadian medical schools.

Of the Atlantic Provinces, Newfoundland relied on foreign-trained physicians to the extent of three-quarters of all new registrants during the years 1950-60, Nova Scotia, one-third, while the other two provinces in that region were less dependent on this source of doctors' supply. All three Prairie Provinces were similar in their dependence on immigrant physicians to the extent of about one-half of their additions to the medical manpower. Ontario and British Columbia relied on foreign-trained doctors to the extent of approximately one-third. The Province of Quebec, however, did not attract many immigrant doctors.

(iv) As of April 1962, there were 5,718 United States physicians trained in Canada, of whom 3,125 were born in Canada, 1,781 in the United States and 812 in other countries or not specified.

Approximately one-sixth of the total of Canadian-born and educated physicians in the United States served their internship and residency in that country. It is difficult to assess, however, to what extent this training in the United States is responsible for attracting Canadian physicians to remain permanently in that country.

c. Medical Graduates and Students

(i) During the years 1944/45 to 1961/62, the twelve medical schools in Canada have supplied 14,146 medical graduates or an average of 785 physicians per

annum. The largest contributions to this total have been made by the medical schools of Toronto, McGill, Laval and Montreal.

The Atlantic Provinces and British Columbia have experienced an inadequate supply of medical graduates from the medical schools located within their boundaries. This implies either the necessity of having a less favourable physician-population ratio or having this situation ameliorated through heavier reliance on immigrant physicians or dependence on a supply of physicians from other regions of Canada.

Since 1958 our medical schools have been producing relative to the size of population, almost the same number of doctors as that produced 50 years ago — despite changes in the demand for medical services. During the years 1958—62, there were 4.7 medical graduates per 100,000 population as compared with 4.3 in 1911.

- (ii) During the years 1947/48 to 1951/52, there were 37 graduates of Canadian medical schools annually who came from other countries or 5.5 per cent of the total Canadian medical graduates per year. The corresponding figures for the period 1957/58 to 1961/62 were 105 and 12.3 per cent respectively. This increase in foreign-born Canadian medical graduates from the middle of the 1950's corresponds to a relative decline of Canadian-born students entering medical schools. About 80.0 per cent of foreign-born medical graduates were from the U.S.A.
- (iii) It appears that the enrolment of medical students during the post-war years did not keep pace with the growing population of Canada. While the number of medical students remained relatively stable around 3,500 during the years 1947/48 to 1960/61, the number of medical students per 100,000 population steadily decreased from 25.4 in 1950/51 to 19.6 in 1960/61. Taking 1953/54 as a base year, the index of enrolment of medical students remained stationary at 96.3 in 1960/61, while total university student enrolment was at 174.4 in the same year. Total enrolment per 100,000 population of university age group, 20 24, increased from 7,143 in 1947/48 to 8,992 in 1960/61, while the medical student enrolment actually decreased from 353 to 328. Some improvment has taken place in recent years.
- (iv) The attrition rate of Canadian medical students for all years of the medical course during the years 1947/48 to 1959/60 was 10.0 per cent. Thus, for every 100 first-year medical students, approximately ten will withdraw for various reasons during their medical studies.
- (v) The average ratio of first-year medical students per 10,000 population of the university age group 20-24, for the country as a whole, during the years 1952/53 to 1961/62 was 7.5, and the corresponding ratios were for Newfoundland 3.2, Nova Scotia 5.0 and New Brunswick 5.1. The provinces with the most unfavourable physician-population ratios were also at a disadvantage in recruiting entrants into medical schools.

- (vi) The number of Canadians studying medicine in the United States during the post-war years was insignificant. On the average, there were about 60 post-graduates and about 40 undergraduates in the United States medical schools.
- (vii) About 60.0 per cent of Canadian-born medical students in 1962 came from communities of 100,000 population and over. Approximately half of these students came from the socio-economic groups of owners and proprietors, managers and superintendents and professional occupations. About 10.0 per cent of students came from a physician family. Median parents' income of medical students in 1961 was \$6,439 as compared with \$3,646 for all taxpayers in this country. There appears to be an under-representation of medical students from lower socio-economic classes and lower representation from rural areas and smaller urban centres.
- (viii) Approximately one-quarter of male medical students held part-time work during a regular academic year and about 90.0 per cent had summer employment in 1961. A large proportion of this work was, however, related to their course of studies.
 - (ix) Average expenditure per medical student amounted to \$2,250 in the 1961/62 school year, which was one of the highest of all university students. Average income per medical student in the same year amounted to \$2,344.
 One-third to two-fifths of medical students, in each year of the medical course, were receiving bursaries or scholarships. The median award was \$300-350, which does not appear to be high enough if more able students are to be encouraged to enter medical schools.
- d. Distribution and Some Professional Characteristics of Canadian Doctors
 - (i) In Canada as a whole, 64.4 per cent of the active civilian physicians were under 45 years of age in 1961 as compared with 52.0 per cent in 1931, 51.9 in 1941 and 53.3 per cent in 1951. Thus there has been the trend toward an increased proportion of younger doctors in an over-all age distribution of the civilian medical manpower in this country.
- (ii) The number and proportion of women in the medical profession to total active civilian physicians have steadily increased since 1921, particularly after World War II. Female physicians constituted 6.8 per cent of the total medical manpower in 1961 as compared with 1.7 per cent in 1921.
- (iii) More than one-half of the reporting Canadian-born physicians indicated that their fathers' occupation was of professional (30.4 per cent) and managerial (25.8 per cent) nature, while these two occupational groups accounted for only 7.6 per cent and 10.2 per cent respectively of the total male labour force in 1961. Farmers and farm male workers accounted for 12.2 per cent of the total male labour force and this percentage is close to 13.0 per cent of the reporting physicians who indicated agriculture as the occupation of their father.
- (iv) A high proportion of the physicians tend to remain in the region where they started their first practice. This proportion ranged from 90.7 per cent in the

Atlantic Provinces to 41.2 per cent in British Columbia. For the remaining regions it was above 80.0 per cent. More than four-fifths of the reporting physicians in the Atlantic Provinces, Quebec and Ontario, and three-quarters in the Prairie Provinces and approximately one-third in British Columbia indicated that they resided in the region of present practice prior to entry into medical school and remained there after starting their first practice in the same region.

- (v) The Canadian-born physicians tend to start their first practice in communities larger than the ones they came from thus contributing to unequal geographical distribution of physicians as between rural and urban areas.
- (vi) There is a definite tendency of the physicians to establish their practice in the regions in which they have obtained their basic medical education. This suggests that an effective method of improving the physician-population ratio in a province or region would be the establishment of a medical school there or the expansion of the existing ones. This conclusion may be of particular significance in relation to the supply of medical manpower in the Atlantic Provinces.
- (vii) For the country as a whole, approximately one-fifth of the reporting physicians indicated that they were born and educated in regions other than those in which they were practising in 1962. This proportion probably constitutes a real measure of the geographical mobility of the Canadian-born doctors.
- (viii) Physicians in general private practice showed a concentration in urban centres similar to that for the general population. In contrast, physicians in specialist private practice showed a higher degree of urban concentration than the general population.

The proportion of physicians in urban centres of 10,000 or more population was 73.2 per cent for Canada as a whole and in 1962 it stood at 85.8 per cent. In contrast, only 48.2 per cent of the total population in 1951 was located within these centres and 58.7 per cent in 1962. The process of "urbanization" of physicians between these two years was somewhat lower (17.2 per cent) than that of the population generally (21.8 per cent).

As of June, 1961, 69.4 per cent of active civilian physicians were located within metropolitan areas, whereas only 47.2 per cent of the total population of Canada was so located. Consequently, while the metropolitan physician-population ratio was 1:581, it was only 1:1,474 for the population outside the metropolitan areas.

(ix) Approximately 67.0 per cent of the reporting physicians for the country as a whole indicated they were engaged in private practice in 1962. Excluding internand residents, private practitioners accounted for about three-quarters of the active civilian physicians. The balance of civilian physicians consisted of those engaged in medical research and teaching, public health, hospitals, industrial medicine and others.

- (x) Approximately one-third of the reporting physicians in private practice in 1962 were organized either in partnership or group practice.
- (xi) There was an insignificant degree of professional mobility of physicians from other types of major work towards a general private practice. On the other hand, there was a shift from a general private practice toward specialist private practice and other types of work based on salaried appointment.
- (xii) The trend towards medical specialization continued steadily during the last two decades. The population of Canada increased between 1947 and 1961 from 12.6 million to 18.3 million or by 45.2 per cent, while total medical manpower increased during the same period by nearly 55.0 per cent. But the total of specialist physicians (certified and non-certified) has increased by over three times.

The number of certified specialists rose from 3,795 in 1951 to 7,925 in 1961, i.e., by 127.4 per cent, accounting for 37.3 per cent of the total doctor population in 1961 as compared with 27.0 per cent in 1951. Similarly, the general practitioner has shown a greater interest in specializing as the non-certified specialists have increased from 984 in 1951 to 2,941 in 1961.

In 1961, there were 10,133 general practitioners and 7,925 certified specialists.

(xiii) About 95.0 per cent of certified specialists were located in centres with population 10,000 and over, as of September 1, 1961. They provided specialist services directly to 58.5 per cent of the total Canadian population so located. Approximately 80.0 per cent of specialists in private practice and 75.0 per cent of specialist hospital staff were located in communities of 50,000 and over population.

e. Demand for Medical Services

(i) The average working week of the reporting general practitioners in private practice in 1962 was 52 hours and the corresponding figures for specialists and consultants were 43 and 44 hours respectively.

A patient-visit load of the typical general practitioner was 159 per week, that of specialists was 104 and for consultants it was 94. Only 14.1 per cent of the weekly patient-visit load of the reporting general practitioner were home calls. The corresponding percentages for specialists and consultants were 5.2 and 0.7 respectively. About 60.0 per cent of the weekly patient-visit load of general practitioners was made at doctor's office. The corresponding percentages for specialists and consultants were 46.0 and 35.0 respectively. Hospital calls amounted to 24.4 per cent of the weekly patient-visit load of general practitioners and 45.8 and 60.5 per cent for specialists and consultants respectively. Other activities of physicians accounted for about 3.0 per cent of the weekly patient-visit loads.

(ii) The volume of service performed by a physician in private practice varies naturally with his age and years of practice. The patterns of patient-visit

loads, based on years of practice, of general practitioners, specialists and consultants were very similar to those of their earnings, also based on the same criterion. The general practitioners in large urban centres of 50,000 population and over had lower patient-visit loads than those practising in smaller urban centres presumably because of a higher concentration of specialists in larger centres.

- (iii) The broad categories of services (physical examination of apparently well people for specific purposes or of preventive routine and other specific services, such as surgical and obstetrical procedures, referred consultations, special diagnostic and treatment procedures, etc.), performed by general practitioners, specialists and consultants were very similar. Naturally, however, the actual contents of these services will vary greatly according to the type of major work of a physician.
- (iv) The average size of practice in 1962 of general practitioners ranged from 1,367 persons in the Yukon and Northwest Territories to 3,166 persons in Newfoundland. The national average size of practice amounted to 1,709 persons per general practitioner as compared with general practitioner-population ratio of 1:1,800 in 1961.

In general, the size of practice tended to be larger in those provinces which had less favourable general practitioner-population ratios and less urbanized population such as Newfoundland, New Brunswick, Saskatchewan and Nova Scotia.

- (v) It is estimated that an annual (48 weeks) patient-visit load in 1962 per physician in private practice was 6,336, and, excluding hospital calls, it averaged about 4,300 patient-visits per year.
- (vi) On a per capita basis, each person in this country, irrespective of age, sex, income and location, received 5.4 physician-visits. The latter figure was composed of 2.9 office calls, 1.8 hospital visits, 0.6 home calls and 0.1 of other types of services. (A patient-visit is defined here as a consultation with a physician or his nurse, either in person, or by telephone, in his office, the hospital, clinic and the patient's home, for examination, treatment or advice.).
- (vii) The number of doctors employed in hospitals (general, mental, tuberculosis, federal and private) on a full-time or part-time basis increased from about 1,800 in 1950 to 4,500 in 1961, i.e. by nearly 150.0 per cent. At the end of 1961 there were about 1,800 full-time physicians in hospitals across the country. Approximately 100 established positions were not filled in provincially and federally operated hospitals as of June 1963.

As of June, 1963, there were 775 doctors employed on a full-time basis in non-hospital work by the three levels of government in Canada. There were 134 known unfilled established positions.

(viii) With the increase in the number of medical schools to twelve and higher enrolment of students during the post-war years, but particularly due to a new

- staffing pattern, there has been a gradual expansion of full-time faculty personnel until in the academic year of 1961/62 it amounted to 420 doctors.
- (ix) As of May, 1962, there were 261 physicians employed on a full-time basis in industry. The largest concentration was in manufacturing, transportation, service, and mining industry in that order.
- (x) A small proportion of Canadian physicians serve as advisors to insurance companies, and as of February 1962, there were 86 doctors of medicine associated with them.
- (xi) The Canadian Forces Medical Service, which was formed in January, 1959 through the unification of the medical branches of Navy, Army and Air Force, employed as of March 31, 1962, about 400 physicians.

f. Economics of Medical Practice

(i) Average net income from private medical practice of general practitioners in Canada in 1960 was \$13,820 and that of specialists was \$18,730. Independent medical practice tends to be more lucrative than salaried medical employment as the incomes of doctors engaged in medical research amounted to only \$8,940 and in public health to \$10,750.

The average net income of private practitioners organized in group practice was higher than that of doctors in solo practice, amounting to \$19,420.

- (ii) In practically all regions of the country the incomes of general practitioners and specialists located in rural areas were lower compared with those in urban areas.
- (iii) The patterns of income vary with years in practice. The general practitioners in private practice reached their peak of earnings of \$15,000 only after five years in practice and maintained it for the next twenty-five years, while the specialists reached their peak of income of \$24,000 after ten years in practice and sustained it for only the next ten years.
- (iv) Average net income of various categories of salaried physicians increased gradually and steadily with the length of experience though less rapidly than that of general practitioners and specialists in private practice.
- (v) The highest earnings of specialists in private practice were in such specialties as therapeutic radiology (\$31,500), urology (\$29,900), thoracic surgery (\$26,000), plastic surgery (\$25,300), neuro-surgery (\$25,000) and ophthalmology and otolaryngology (\$24,200).
- (vi) Average incomes of interns and residents in 1960 were respectively \$1,740 and \$3,360. The low income of residents, who require four to five years of specialized training, might well constitute the most important economic barrier in the recruitment of young Canadians into the medical profession.
- (vii) The average annual total operating expenditures in 1960 of private general practitioners, in the country as a whole, amounted to \$7,450 and those of specialists were \$7,890. Similar expenditures of physicians working in group

practice were somewhat higher mainly because of higher expenses on paramedical personnel and equipment.

There were some differences in the patterns of operating expenditures between general practitioners and specialists. General practitioners spent proportionately more on medical and surgical supplies and relatively less on paramedical and clerical staff as well as on office rental as compared with similar operating expenditures made by specialists.

Relatively higher average annual total operating expenditures of specialists practising in diagnostic and therapeutic radiology, ophthalmology and otolaryngology and urology were due to proportionately higher expenses incurred by these specialists on medical supplies and on paramedical and clerical staff.

- (viii) There were only small differences in average annual operating expenditures of general practitioners whether located in rural or urban areas.
 - (ix) Average depreciated value of capital assets of general practitioners in 1960 was \$8,840 per doctor and that of specialists was \$6,160. Physicians in group practice indicated a lower figure of \$4,460. This suggests that in group practice there is an economy in sharing equipment and buildings among physicians.
 - (x) Average annual capital expenditure on purchase of new buildings and/or equipment in 1960 was \$3,060 per general practitioner, and the figures for a specialist and a doctor in group practice were \$2,750 and \$1,640 respectively.
 - (xi) About 16.0 per cent of the reporting physicians, general and specialist, engaged in solo private practice since 1956, have taken over existing practices, nearly 80.0 per cent have established new practices and only a very insignificant proportion have started their practice under the contract with either community organization, like municipality, or partnership or group practice. On the other hand, approximately 80.0 per cent of the reporting doctors engaged in group practice have started their practice under the auspices of partnership or group practice.
 - (xii) In general, the initial capital expenditure involved in starting a solo medical practice came to about \$5,000 (since 1957), in the second year of practice additional capital costs amounted to \$1,500 and it gradually declined to a few hundred dollars by the fifth year of practice (1962).

There appear to be no special differences in capital costs, initial and subsequent, because of the various sizes of community in which practices were located.

(xiii) Approximately \$6,500 to \$7,500 were needed to establish a medical practice initially. This initial amount of funds needed was not perceptibly influenced by the size of community. Approximately three-quarters of the initial funds were obtained by way of a loan from relatives, bank or other

- sources. Personal financial resources accounted for the remaining quarter of the initial funds needed.
- (xiv) A large proportion of the Canadian physicians have indicated that a group practice improves the quality and availability of medical services as well as the working conditions of doctors.
- g. Evaluation of Supply and Demand for Physicians in Canada
 - (i) If the national physician-population ratio of 1:857 were to prevail throughout the whole country and thus an equitable distribution of medical manpower were to take place, approximately 5.0 per cent of the physicians would have to move from provinces in central Canada and British Columbia to the Atlantic Provinces, Saskatchewan and Alberta.
 - (ii) If all provinces of Canada were to have a supply of physicians similar to what existed in the provinces with the best physician-population ratios (i.e., Quebec, Ontario, Manitoba and British Columbia), there would be a shortage of about 1,400 doctors in Canada as of June 1961. All provinces, except Ontario and British Columbia, would have had a deficit in their 1961 supply of doctors on the foregoing criterion.
- (iii) In population per physician Canada compares less favourably with such countries as Western Germany, Italy and United States.
- (iv) The Atlantic Provinces, Saskatchewan and Alberta experienced also a shortage of physicians in private practice in comparison with other provinces of Canada.
- (v) It is suggested that if unmet demand for medical services were to be satisfied there would be an additional need for 3,900 physicians in private practice as of 1961.
- (vi) In making inter-professional comparison of earnings in Canada it appears that the three-year average annual professional income of consulting engineers and architects increased by 116.0 per cent between 1946-48 and 1958-60, and the corresponding percentage for dentists was 111.0, physicians-110.0 and lawyers-88.0. In terms of dollars, the physicians increased their three-year average annual income by \$7,630 in the period under review, consulting engineers and architects by \$6,915, dentists by \$5,650 and lawyers by \$5,562.
- (vii) Physicians decreased their percentage of total professional and technical groups from 4.2 per cent in 1931 to 3.4 per cent in 1961. On the other hand, doctors, as a percentage of the total labour force, increased from 0.26 per cent in 1931 to 0.32 per cent in 1961.
- (viii) The physicians' professional income between 1949 to 1960 increased by 77.4 per cent, which increase was almost identical with the increase in annual average weekly wages of people engaged in manufacturing and also in all other industries (industrial composite index). On the other hand, the indicated

- increase in income of physicians was somewhat higher than that of average labour income per employee by about 16.0 per cent.
- (ix) Consumer price index increased from 100.0 in 1949 to an annual average of 130.7 in 1962, while doctors' fees index (weighted average of the four components: office call, home call, confinement and appendectomy) increased from 100.0 to 150.4 during the same period.
- (x) Canadian expenditures on personal medical care accounted for 1.56 per cent of total personal expenditures in 1961 as compared with 1.09 per cent in 1945. In the former year they amounted to \$393.2 million or \$21.0 per capita as compared with \$76.2 million and \$6.30 in 1945. The Canadian community tends to devote increasing proportions of its income to medical care as income increases.

h. Physician-Population Projections, 1961-1991

- (i) The annual average composite attrition rate of Canadian doctors during the years 1952-1960 amounted to 3.2 per cent. It includes a loss due to a natural cause like death or sickness, emigration, retirement and other departures.
- (ii) At the constant 1961 physician-population ratio of 1:857, which indicates only a current and static demand for medical services, the physician requirements to keep pace with the projected increased population (including 50,000 net immigration per year) will amount to 23,683 in 1966, 26,358 in 1971 and gradually increasing to 40,964 in 1991. At a progressively improving ratio of 1:857 in 1961 to 1:665 in 1991, based on the experience of the last decade, these requirements for physicians will progressively increase from 24,691 in 1966 to 28,714 in 1971 and by 1991 the total requirements would amount to 52,792 doctors.
- (iii) The expected supply of physicians under assumptions of 800 Canadian medical graduates per year between 1961-1965 and 900 and 950 during the years 1966-1970 and 1971-1990 respectively, and 350 immigrant doctors per year during the period of 1961-1970, and 250 thereafter and 3.2 per cent attrition rate will amount to 23,489 in 1966, 25,826 in 1971, increasing to 31,410 in 1991.
 - Thus the expected supply will be short of the requirements for doctors in this country.
- (iv) Annual average needed supply of Canadian medical graduates will increase from 848 during the projected period 1961/62 to 1965/66 to 1,825 during the years 1986/87-1990/91 on the assumptions of maintaining the 1961 physician-population ratio of 1:857 and 50,000 net immigration per year during the projected period. These requirements for medical graduates will be higher if this ratio is to improve gradually.
 - It appears that existing educational facilities and the present output of our medical schools will not be able to satisfy our future needs for doctors.

(v) A statistical analysis made also indicates that to obtain the objective of adequate supply of physicians steps will have to be taken to encourage a higher proportion of our students to enroll in our medical schools because in the past not enough young Canadians were willing or able to choose a medical career.

Supply of Physicians

1. Introduction

This chapter presents factual information and an analysis of the historical and current trends in the supply of medical manpower in Canada, both on a national and provincial basis. It examines the procedures pertaining to the registration of graduates from Canadian and foreign medical schools. An attempt is made to estimate the attrition of the physicians due to emigration, death and retirement. The above analysis will provide a basis for the projection of future requirements for physicians in Canada.

In an analysis of professional groups the quantities of manpower demanded and supplied may be considered as simply a function of "price", i.e., of expected net earnings. However, an analysis of a medical manpower market presents some obvious difficulties both with respect to definition of the appropriate "unit" of supply and to the fact that actually there is no one price but rather a range of prices as net incomes of physicians may vary according to place of practice, and type of work.

The starting point in the quantitative appraisal of the supply of physicians is the number of doctors because an individual practitioner may be considered to be the relevant "unit" of supply and because the total amount of medical services available to a society, with some qualifications, depends primarily on the number of medical practitioners.

It is necessary to establish and measure the main categories of inflow to and outflow from the total supply of medical manpower in order to obtain a picture of changes in the actual size of the supply. On the side of inflow we must include an annual output of medical graduates, immigrant and alien physicians as well as those who re-enter the medical profession after some years of withdrawal from active practice. On the side of outflow we must include physicians who emigrated, died or retired from active practice. An analysis of this kind must be accompanied by an evaluation of the various factors which determine the increments and decreases in the total supply of medical manpower in order to project a net change in this supply in the future.

It should be pointed out, however, that a mere size of physician population and an analysis of its various components are not really sufficient to

indicate the volume of potential supply of medical services. A further study will have to be made in the following chapters with respect to the actual utilization of medical manpower, its actual functions, demographic characteristics, geographic distribution, professional specialization, etc.

The supply of physicians in a short-run period is said to be relatively inelastic because principally only death and voluntary retirement are the reasons for withdrawal from medical practice. Similarly, the number entering the medical profession is largely determined by the number currently graduating from medical schools, and to a lesser extent by recruitment of foreign-educated physicians. The supply of medical graduates is in a short-run period inelastic because of the limitations of their production imposed by existing teaching personnel and facilities and the long duration of medical training. "Over long periods, the number of withdrawals from the profession, but not the number seeking to enter, is still almost completely determined by non-economic factors. The higher the economic prospects of one profession relatively to others the larger the number who may be expected to try to enter it. Over these longer periods, economic factors affect the supply of services offered, i.e., the total number of practitioners, primarily through their effect on the number who try to enter the profession."

This general tendency applies to professions which are characterized by free entry. If the number permitted to enter is, however, regulated through licensing authorities, then the supply of practitioners will not be a function of the price or expected net income. In general, "If we abstract from all factors affecting the choice of a profession other than actuarial ones, the supply of new entrants depends solely on the relative arithmetic mean return and cost". It should be pointed out that there is no consensus of opinion as to what really constitutes an adequate supply of physicians and hence the differences in views. It is generally acknowledged that one of the difficult problems of the medical profession is the lack of accurate determination of the number of practitioners needed and what form of control of supply to adopt to protect the interests of the public and of the profession.

2. Trends in the Supply of Physicians

a. The Physician-Population Ratio and Its Limitations

It is customary and convenient to test the national and regional sufficiency or insufficiency of the supply of medical manpower and of the adequacy or inadequacy of local medical services in terms of a proportion of the population to the number of physicians. Some experts have expressed their personal opinions as to what this proportion ideally should be. There is, however, a wide range

¹ Friedman, Milton and Kuznets, Simon, Income from Independent Professional Practice, National Bureau of Economic Research, New York: 1945, p. 155.

² Ibid., p. 157.

of estimates and consequently no general conclusion can be drawn. The absence of an established optimum physician-population ratio, naturally, makes the projection of future requirements for physicians a more difficult task.

A simple physician-population ratio does not indicate completely the volume of medical services rendered or needed because it does not take into consideration the nature, scope and quality of the physicians' services nor the economic, social and physical characteristics of the people being served. As one writer observed: "The many social, economic and geographic factors involved prevent the determination of supply or demand for an economic good by the counting of noses". The use of physician-population ratio simply means measuring supply and demand for medical manpower by counting sellers and potential buyers but the consumption of medical services, assuming that they are needed and readily available, varies with the income of the consumers and the cost of such services.

A comparison of the physician-population ratio over a long period of time should be viewed with caution because too many variables are involved and, therefore, it should be considered along with other factors. As already pointed out the "output per physician" has steadily increased. The physicians of today can supply more and better medical services as compared with those of fifty years ago. An increase in "output per physician", due to technological progress in the practice of medicine and an increase in demand, may roughly be measured by dividing the index of expenditures for physicians' services by its price index.²

Better organization of medical practice, improved methods of diagnosis, prevention and treatment, more and better hospitals, equipment and other facilities, larger numbers of paramedical personnel, which relieve the physician from many routine and time consuming tasks, easier access of doctor to patient, and patient to doctor due to the development of transportation and communication, all of these factors account for the fact that the physician can accomplish more in a given time and geographical area than formerly.

On the other hand, the physician-population ratio being a gross figure of medically qualified persons will include a larger proportion of physicians than formerly, who are engaged in administrative work, research, teaching and as such are not providing medical services. In addition, the increase of older people in the population, the higher standard of living, better health education of the public and hence higher awareness of medical requirements and greater expectations from medicine, all these factors imply greater demand for medical care than formerly. To argue that the physician-population ratio in Canada compares favourably with that in other countries or that this ratio has practically remained the same during the last few decades, while physicians became more productive, may mean nothing in itself. Such an argument overlooks the fact that our national

Goldman, Franz, Editor and Leavell, Hugh, Medical Care for Americans, The Annals of the American Academy of Political and Social Science, January 1951, Vol. 273, p. 27.

² Dickinson, Frank G., "Supply of Physicians' Services," The Journal of the American Medical Association, April 21, 1951, Vol. 145, p. 1261.

income and standard of living have increased manyfold during these last decades and consequently in previous periods of lower national income and economic welfare that ratio might have been sufficient but not today.

In comparing the adequacy of medical services between regions and local areas, the physician-population ratio may be also of limited significance because people from one place may seek services of particular specialists in another place and there also may be differences in the productivity of doctors in various localities. The age characteristics of the physicians will influence their productivity. The peak of efficiency as measured in terms of the patient-load is reached at the age of 40 to 45 years. To the extent that average age is an index of productivity, an analysis of the availability of doctors in terms of age characteristics must modify an analysis of this availability in terms of the physicianpopulation ratio. Then, one would have to consider also the proportion of general practitioners and specialists in a given physician population because of the difference in the scope and nature of medical services made available to the population by these two broad categories of physicians. There are also local differences with respect to the volume of patients treated, availability of outpatient departments, and availability of hospitals and travelling clinics, which will influence the usefulness of the physician-population ratio for comparative purposes.

In view of the above limitations, the physician-population ratio must be used with caution. It is useful, however, as a guide in comparing the supply of physicians between countries, provinces and large economic regions. But a shortage or surplus of medical manpower cannot be based or proved entirely on a simple physician-population ratio. It should perhaps be correlated with other indices already mentioned, which measure the progress in the general health of

TABLE 2-1
PHYSICIAN-POPULATION RATIOS IN CANADA, 1901-61

Year	Active Civilian Physicians	Population ¹	Physician- Population Ratio
		('000)	
901	5,475	5,324	1: 972
911	7,411	7,191	1: 970
921	8,706	8,776	1:1,008
931	10,020	10,363	1:1,034
941	11,873 ²	11,490	1: 968
951	14,325	13,984	1: 976
961	21,290	18,238	1: 857
1			

¹ Exclusive of Yukon and Northwest Territories until 1960.

Sources: 1901 to 1961, Census data; 1960, The Canadian Medical Association's Survey of Provincial Licensing Authorities, C.M.A.'s Brief on Future Requirements for Physicians in Canada, submitted to the Royal Commission on Health Services, October 27, 1961, p. 2.

The 1941 figure includes 1,150 armed forces' doctors because of wartime conditions.

the population. This ratio is even less useful in comparing the supply of medical services between local areas because of the differences in age characteristics and type of work of the physicians concerned.

b. National Physician-Population Ratios, 1901-1961

Table 2-1 shows in an historical perspective the statistical data concerning the number of physicians and population in Canada, from the beginning of this century until 1961, and the corresponding physician-population ratios.

Table 2-1 suggests that between 1911 and 1931 the number of physicians did not keep pace with the growth of population and hence in 1931 there were more people per physician than in 1911. This trend has been reversed since 1931. During the first five decades, the proportion of physicians to population has remained relatively stable and only during the last decade has the national physician-population ratio improved considerably. The table 2-1 shows also that, although the total number of physicians was increasing each decade, the rate of increase or the average annual increase has dropped from 193.6 physicians during 1901-11 to 131.4 physicians in the decade 1921-31. During the next two decades the corresponding figures were 185.3 and 245.2 physicians. During the 1951/61 years, the average annual increase amounted to 697 physicians. In 1961 the physician-population ratio was 1:857, which indicates that in that year there were approximately 120 persons less per physician as compared with the 1951 ratio of 1:976. During this period of 1951-61, the number of physicians in Canada increased by 48.6 per cent while the population of this country has increased by 30.4 per cent. This improvement in the physician-population ratio between 1951 and 1961 represents more than a 12 per cent change in the relative supply of physicians or, on an annual basis, the rate of improvement in medical manpower was more than 1 per cent.

Table 2-2 indicates the national physician-population ratios annually during the last decade.

The Canadian Medical Association has estimated that between 1951 and 1960 there was a total of 13,627 newly registered physicians in Canada, of whom 8,957 were graduates of Canadian medical schools and 4,670 or 34.3 per cent of the total were graduates of foreign medical schools.¹ Consequently, after making a due allowance for the normal rate of attrition of medical manpower during this period and in the absence of any significant increase in the number of graduates from Canadian medical schools, the ten per cent improvement in the physician-population ratio between 1951 and 1960 must be attributed to this substantial inflow of immigrant physicians. In fact, without this inflow of physicians from abroad, the physician-population ratio would have deteriorated. It may, therefore, be suggested that Canadian medical schools are not producing enough physicians to keep pace with the rapidly growing population.

¹ The Canadian Medical Association's brief on Future Requirements for Physicians in Canada submitted to the Royal Commission on Health Services, October 27, 1961, Appendix A, Tables A₂ and A₃, p. 20.

TABLE 2-2
ANNUAL NATIONAL PHYSICIAN-POPULATION RATIOS
IN CANADA, 1951-61

Year	Estimated Number of Doctors ¹ (Dec. 31)	Estimated Population Corresponding Year and Month ²	Physician- Population Ratio
1951 (June) 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 ³	14,325 15,135 15,829 16,431 17,221 17,871 18,523 19,096 19,800 20,517 21,290	('000) 13,984 14,649 15,195 15,698 16,081 16,589 17,048 17,284 17,678 18,041 18,238	1:976 1:968 1:960 1:955 1:934 1:928 1:920 1:905 1:893 1:879

Sources: 1 C.M.A.'s Survey of Provincial Licensing Authorities except for 1951 which is based on census data; C.M.A.'s Brief on Future Requirements for Physicians in Canada, submitted to the Royal Commission on Health Services, October 27, 1961, p. 3.

c. Provincial Physician-Population Ratios, 1911-1961

The supply of physicians, in the country as a whole, expressed in terms of population per physician has declined since the beginning of this century and, in addition, it did not cover the country evenly. The relative supply situation in certain provinces has deteriorated, while other provinces have always maintained a favourable position with respect to the supply of doctors. The factors which probably influence the provincial physician-population ratios include the level of personal income per person, the extent of urbanization of population within a province, the absence or presence of medical schools, and the extent of hospital facilities. The provinces characterized by an inadequate number of hospitals and low physician-population ratios will tend to have fewer interns and residents in relation to all active physicians indicating lower rates of increase in the supply of physicians in the future.

Appendix 2-1 shows, on a provincial basis, the number of physicians, the corresponding percentage of the total number of physicians in Canada and the physician-population ratios for the period 1911-61. It indicates the relative trends in the supply of physicians in each province. Table 2-3 presents the provincial physician-population ratios over the period under review.

Table 2-3 shows that while the physician-population ratios varied considerably from province to province, all provinces have improved their ratios

² D.B.S.

³ Census data.

during the last five decades and, in particular, since 1951. During the entire period under consideration, Ontario and British Columbia have consistently had better physician-population ratios than those for the country as a whole. The ratio for the Province of Quebec in 1941 was also below the national figure, in 1951 it was only slightly above the Canadian average figure; and in 1961 it was almost equal to the national level. The Province of Manitoba in 1951 experienced a lower ratio than that for the country as a whole, while in 1961 it was below the national average figure. In the remaining provinces, the physician-population ratios have been higher than the national ratio.

TABLE 2-3
PROVINCIAL PHYSICIAN-POPULATION RATIOS, 1911-61

Province	1911	1921	1931	1941	1951	1961
Newfoundland	_	_	_	_	1:2,524	1:1,991
Prince Edward Island	1:1,306	1:1,309	1:1,397	1:1,418	1:1,342	1:1,149
Nova Scotia	1:1,206	1:1,147	1:1,153	1:1,350	1:1,094	1:1,044
New Brunswick	1:1,253	1:1,448	1:1,517	1:1,693	1:1,445	1:1,314
Quebec	1:1,003	1:1,065	1:1,046	1:1,054	1: 990	1: 853
Ontario	1: 828	1: 848	1: 872	1: 903	1: 857	1: 776
Manitoba	1:1,065	1:1,095	1:1,051	1:1,108	1: 926	1: 823
Saskatchewan	1:1,298	1:1,445	1:1,579	1:1,700	1:1,278	1: 973
Alberta	1:1,014	1:1,073	1:1,256	1:1,320	1:1,118	1: 982
British Columbia	1: 945	1: 862	1: 952	1:1,010	1: 847	1: 758
Canada	1: 970	1:1,008	1:1,034	1:1,072	1: 976	1: 857

Sources: 1911-1961, Census data.

Table 2-4 suggests that the provinces, like Ontario, British Columbia, Manitoba and Quebec, which in 1961 had the most favourable physician-population ratios, were also the provinces with higher personal incomes per capita, the highest percentages of urbanization of their population, and some of them have had an advantage in the hospital bed—capacity per person.

The physician-population ratio in the Atlantic Provinces has always been less favourable than that for the whole country. In 1961 the population of this region amounted to over 10.0 per cent of the total population in Canada, while the number of physicians constituted only 7.0 per cent of the total number of physicians in this country. Consequently, the physician-population ratios in the Atlantic Provinces were lower than that for Canada as a whole. The number of active resident physicians in the four provinces in 1961 was 1,482, giving a ratio of 1,280 persons as compared with the national ratio of 857. There was a greater shortage of physicians in Newfoundland than in the other three Maritime Provinces.

The number of doctors practising in Newfoundland has increased substantially from 143 in 1951 to 230 in 1961, thus changing the physician-population ratio from 1:2,524 to 1:1,991 although outside the larger centres an individual

TABLE 2-4

PROVINCIAL PHYSICIAN-POPULATION RATIOS, PERSONAL INCOME AND HOSPITAL BED CAPACITY PER PERSON AND PER CENT OF URBANIZATION OF POPULATION, BY PROVINCE, 1961

Province	Pop	sician- ulation atios	Personal Income per Person ¹	Hospital Bed Capacity Per 1,000 Persons ²	Per Cent of Urbanization of Population
			\$		
British Columbia	1:	758	1,809	5.6	72.6
Ontario	1:	776	1,829	5.5	77.3
Manitoba	1:	823	1,476	6.0	63.9
Quebec	1:	853	1,332	5.0	74.3
Saskatchewan	1:	973	1,184	7.4	43.0
Alberta	1:	982	1,582	6.6	36.7
Nova Scotia	1:1	,044	1,191	4.9	54.3
Prince Edward Island	1:1	,149	952	6.8	32.4
New Brunswick	1:1	,314	1,054	5.2	46.5
Newfoundland	1:1	,991	904	3.8	50.7

Sources: 1 National Accounts, Income and Expenditure, 1961, Table 29, p. 38.

physician is serving sometimes about 6,000 people. Towards the end of 1961 a total of 295 doctors was reported in that province, approximately 50 of whom were full-time physicians with the Provincial Department of Health or in larger institutions.¹

In New Brunswick the physician-population ratio has deteriorated from 1:1,253 in 1911 to 1:1,693 in 1941, but afterwards it has gradually improved until in 1961 it reached the level of 1:1,314. By the end of 1961 there was a total of 486 registered physicians, an improvement of about 10.0 per cent over the 1960 figure. New Brunswick has no medical school and no research centre and therefore practically all the doctors are engaged in providing medical services directly to the public. This factor must be taken into consideration when evaluating the physician-population ratio. Nevertheless, as the New Brunswick Medical Society pointed out, the supply of doctors in the province is inadequate and some areas have no resident doctor because of their low economic standing.

In Prince Edward Island the physician-population ratio has shown the same long-term trend as that in New Brunswick, declining from 1:1,306 in 1911 to 1:1,418 in 1941 and increasing gradually until in 1961 it reached the level

² Health and Welfare Division, D.B.S., (public hospitals only.)

³ Census of Canada, 1961, Advance Report No. AP-4, Census (Demography) Division, D.B.S.

A brief from the Department of Health of Newfoundland, October 16, 1961, submitted to the Royal Commission on Health Services, p. 8.

A brief from the Department of Health of New Brunswick, November 9, 1961, submitted to the Royal Commission on Health Services, p. 6.

³ A brief from the New Brunswick Medical Society, November 10, 1961, submitted to the Royal Commission on Health Services, p.p. 6-7.

of 1:1,149. The Medical Society of Prince Edward Island has reported 90 physicians in 1961 of whom 77 general practitioners and specialists were directly concerned with the provision of medical services to the people of the province, while 13 were salaried physicians employed full-time in various administrative or clinical posts of the different departments of the provincial government. It has been suggested that many private practitioners, especially in rural areas, were carrying an excessive work load.

The Province of Nova Scotia, which has a medical school, has always shown the most favourable physician-population ratio amongst the Atlantic Provinces. This ratio was 1:1,206 in 1911 and 1:1,044 in 1961. In the latter year, there were 719 physicians reported, 66 of whom were employed in administrative and other capacities. The Government of Nova Scotia has reported that there is an insufficient number of doctors practising in Nova Scotia according to Canadian standards, and that there is an unequal distribution of physicians. As a result certain areas are not properly served.²

The Province of Quebec experienced a relatively stable long-term physician-population ratio until 1941, when it stood at 1:1,054 as compared with 1:1,103 in 1911. Since 1941 this ratio has gradually improved reaching 1:853 in 1961. In this latter year the population of the province accounted for 28.8 per cent of the Canadian population and the physicians for 29.0 per cent of the total number of doctors in this country, making the provincial ratio almost identical with the national ratio. The total number of doctors registered with the College of Physicians and Surgeons of the Province of Quebec increased from 5,863 in 1960 to 6,129 in July 1961. However, only 5,920 of these were actually practising in the province, giving a true ratio of 1:878. Many physicians devote all or part of their time to teaching, research or administrative work. It has also been suggested that about half of the districts of the Medical Association of the Province of Quebec feel that they have enough physicians for the needs of their population. It must, of course, be appreciated that the geography of the province is such that wide areas are sparsely populated and consequently unable to support a physician or to provide him with the facilities for satisfactory work.3

Ontario has always enjoyed the most favourable physician-population ratio in Canada and it has changed very little, 1:828 to 1:776, over the years 1911-61. In 1961 the population of the province accounted for 34.2 per cent of the total Canadian population and the doctors for 37.8 per cent of all active physicians in the country. The medical manpower as of January 31, 1962, included 9,182 doctors fully registered with the College of Physicians and Surgeons of Ontario (this figure does not include interns), over 1,000 of whom were not residing in the province, leaving 8,136 doctors registered and residing in Ontario. On that

A brief from the Medical Society of Prince Edward Island, November 7, 1961, submitted to the Royal Commission on Health Services, p. 1, 1.

A bried from the Government of Nova Scotia, October 1961, submitted to the Royal Commission on Health Services, p. 3.

³ A brief from the Medical Association of the Province of Quebec, April 17, 1962, submitted to the Royal Commission on Health Services, p. 5.

date there was one doctor for every 764 persons. There were approximately 1,300 doctors who were on salary, the majority of whom were doing administrative, academic and research work. This was partially offset, however, by over 1,000 interns assisting physicians to render personal medical services in hospitals, the majority of whom were not registered with the College.¹

The Prairie Provinces, with the exception of Manitoba in 1960 have had a lower physician-population ratio than that for Canada as a whole. Their population accounted for 17.4 per cent of the total Canadian population and their 3,427 doctors or 16.1 per cent of the total number of physicians in the country, giving a ratio of 928 persons per physician as compared with the national ratio of 857

The Manitoba ratio has remained fairly constant over the years 1911—1941 being 1:1,065 and 1:1,108 respectively and slightly above the national average ratio. Since 1941 there was a relative improvement in the province and by 1961 the provincial ratio was slightly better than the national one.

Saskatchewan consistently experienced a relatively higher physician-population ratio amongst the Prairie Provinces until 1961. A real improvement in the supply of medical manpower took place between 1951 and 1961 when the number of doctors increased from 662 to 951, diminishing the ratio from 1:1,278 in 1951 to 1:973 in 1961.

In Alberta, the physician-population ratio increased steadily from 1:1,014 in 1911 to 1:1,320 in 1941 and then it gradually declined to 1:982 in 1961. The relative improvement took place during the period 1951/61 when the number of physicians increased from 840 to 1,356, an average increase of 52 physicians per year.

TABLE 2-5

RELATIVE IMPROVEMENT IN PHYSICIAN-POPULATION RATIOS,
CANADA AND FOR PROVINCES, 1951-61

Province	Relative Improvement Per Cent
Newfoundland	21.1
Prince Edward Island	14.4
Nova Scotia	4.6
New Brunswick	9.1
Quebec	13.8
Ontario	9.5
Manitoba · · · · · · · · · · · · · · · · · · ·	11.1
Saskatchewan	23.9
Alberta	12.2
British Columbia	10.5
Canada	12.2

¹ A brief from the Ontario Medical Association, May 7, 1962, submitted to the Royal Commission on Health Services, p. 48.

For the period under review, British Columbia has always had a physician-population ratio below the national ratio. In 1911 this province had one doctor to every 945 persons. This position improved in 1921 with a ratio of 862 persons per physician, but became relatively less favourable in 1931 and 1941, with the ratios of 952 and 1,010 respectively. Since then, however, this ratio steadily improved until in 1961 it reached 758 persons per physician. The population of British Columbia in that year accounted for 9.0 per cent of the total Canadian population while its physicians for abour 10.0 per cent of all Canadian doctors. As of December December 1961, there were 2,101 physicians practising in the province.

Table 2-5 illustrates a relative improvement in physician-population ratios over the period 1951-1961.

3. Registration and Licensing of Physicians²

a. Provincial Licensing Authorities

In Upper Canada the first legislative measure to control registration of physicians was introduced in 1795, but it was repealed in 1806 on the ground that people should be free in their choice of practitioners to cure their ailments. Soon afterwards a new medical act was passed in 1819. This and the earlier act established a medical board to examine professional qualifications of the physicians and grant licences. A College of Physicians and Surgeons was established in Lower Canada in 1847 and in Upper Canada in 1865. At the time of Confederation each province had its own system of assessing applicants and granting registration.

The British North America Act of 1867 assigned the jurisdiction over education and health to the provincial governments. Thus, it is within the constitutional power of each province to establish the necessary administrative machinery for the granting of a licence to practise medicine within its territory. Consequently, the Provincial Medical Acts or the Medical Profession Acts gave to a Provincial College of Physicians and Surgeons or a Provincial Council or Medical Board the right to determine the qualifications required prior to the entry of a medical school, and conditions required to obtain a licence to practise medicine in each particular province. The Executive Councils of these provincial licensing authorities are made up of representatives elected by the members of the medical profession, and in some provinces they are composed of elected representatives and persons appointed by the provincial government and by universities having a medical faculty within the province. The responsibility of administering the medical act is relegated to the medical profession itself. In

A brief from the British Columbia Medical Association, February 20, 1962, submitted to the Royal Commission on Health Services, p. 2.

² See also: Moore, W. Bramley, "Medical Licensure in Canada," C.M.A.J., Vol. 73, July 1955; and Taylor, Malcolm G., "The Role of the Medical Profession in the Formulation and Execution of Public Policy," The Canadian Journal of Economics and Political Science, Vol. 26, No. 1, Feb. 1960, p.p. 108-127.

order to protect the public interest, a provincial licensing authority assesses the professional qualifications of each applicant for a licence, evaluates moral and ethical character, maintains the necessary discipline within the profession and ensures through various committees as high a standard of medical care as possible. Before receiving a licence to practise, the candidate must have a medical degree and complete a satisfactory year of internship in an approved hospital. In most provinces, he must submit a certificate of registration with the Medical Council of Canada. The examinations of the M.C.C. ensure a uniform standard of educational attainment that is acceptable in all provinces.

The disciplinary powers of the Council or Medical Board vary in detail between different provincial licensing authorities but, generally, they include the power to examine complaints against a doctor's professional and moral conduct. A penalty may range from a reprimand, fine and suspension to expulsion from the profession. Erasure of the doctor's name from the provincial register automatically leads to a similar erasure from the Canadian Medical Register.

Interprovincial mobility of physicians is somewhat hampered by the fact that a licensure in one province does not imply the right to practise across the country. It is necessary to obtain a licence in each province in which the doctor's practice is extended.

b. Medical Council of Canada

This institution was established in 1912 by the Canada Medical Act. It is responsible for examinations in both French and English. The successful candidates receive the diploma of Licentiate of the Medical Council of Canada (L.M.C.C.) or Licence du Conseil Médical du Canada (L.C.M.C.) and are registered with the Canadian Medical Register. The licentiates are then eligible for registration in any province provided they satisfy provincial requirements concerning the payment of the fees, character and citizenship.

The Medical Council of Canada is composed of three members appointed by the Governor-in-Council, two members representing each provincial medical council, one member from each university having a medical faculty, and three elected by homeopathic practitioners in Canada. The Council appoints the board of examiners, excluding members of the Council itself, who set and mark written examination papers, and grant certificates of qualification. There are clinical and oral examinations as well on a local basis.

A practitioner licensed to practise in a Canadian province prior to the establishment of the M.C.C. on November 7, 1912, may obtain his registration without examination, but all other applicants are required to take examinations. To be eligible for M.C.C. registration a candidate must be a holder of a provincial licence or possess a certificate from the registrar of his own provincial medical council, and he must hold an acceptable medical degree plus proof that he has completed one year of satisfactory internship in a hospital approved by his provincial licensing authority. The five subjects of examination include: (1) medicine (and therapeutics), (2) surgery, (3) obstetrics and gynaecology, (4)

paediatrics and (5) public health and preventive medicine. The written and oral examinations are held twice a year, in the spring and the fall, at several centres across the country. The whole examination, or the written part only, may be taken before the period of internship when the student receives a medical degree. Most of the medical schools have accepted the M.C.C. examinations, in whole or in part, as their own final examinations. To be eligible for M.C.C. examination a candidate must have an Enabling Certificate from his provincial licensing authority or Interim Certificate, if he is completing a medical course of a university that has an arrangement with the M.C.C. about conjoint examinations. In order to pass, the candidate must obtain 60 per cent of the total marks in every subject, and he cannot be below 50 per cent in either the written or the oral and clinical part of an examination. Persons failing in more than two subjects must try the examinations again in all subjects. Persons failing in not more than two subjects, receive partial credit, and must pass the remaining subjects at a later date.

c. Foreign Medical Graduates

Registration of foreign-trained physicians involves a difficult problem of assessing their medical education and training, verification of documents, acquaintance with English or French language and adoption of fair procedures in the screening process in order to protect the public and to safeguard the immigrant-physicians' right to practise in Canada.

Unfortunately, there is no recognized medical organization in Canada or in the United States for assessing the educational standards of foreign medical schools and, consequently, each provincial licensing authority must discharge this duty itself.

In general, foreign physicians in order to obtain a licence are required also to pass the examinations of the Medical Council of Canada and to satisfy other provincial specific requirements, which, in detail, vary amongst various provinces. The notable exception is made of practitioners registered on the "General List" of the General Medical Council of Great Britain, who may register by reciprocal arrangement without further examination in six Canadian Provinces, viz., Alberta, Saskatchewan, Manitoba, Nova Scotia, Prince Edward Island and Newfoundland.

The General Medical Council maintains three separate registration lists, viz:

- The General List, which contains the names of physicians registered by the Branch Councils of England and Wales, Scotland and Ireland.
- 2. The Commonwealth List, which includes the physicians who are fully registered by virtue of recognized qualifications received in medical schools located in the Commonwealth.
- The Foreign List, which is relatively insignificant, containing the names
 of physicians who are fully registered by virtue of recognized qualifications
 granted in foreign countries; for instance, Rangoon Medical College in
 Burma.

The reciprocity of the Provincial Medical Board of Nova Scotia extends to all three lists. Five other provincial licensing authorities in Canada extend it, in most cases, to the General List only. In Alberta, graduates from medical schools in the United Kingdom, South Africa, New Zealand and Australia receive licences without any examination. The same applies to doctors from the United States. In Saskatchewan, the reciprocity includes medical graduates from the Republic of Ireland. Manitoba requires a minimum of one year in a rotating internship in an approved hospital by the College, in Manitoba. Nova Scotia accepts internship being served outside the province. Prince Edward Island extends reciprocity to the "General List" only.

The reciprocity arrangement does not necessarily mean that this category of foreign physicians tends to settle mainly in these provinces. The Provincial Medical Board of Nova Scotia has reported that of the ten doctors registering by reciprocity, in 1951, all entered practice in that province, but in 1961, of 34 such doctors registering only nine entered practice there. "The purposes of registration in Nova Scotia for other registrants of the General Medical Council were (a) to obtain a Certificate of Eligibility to write the Medical Council of Canada examinations and go elsewhere in Canada when successful, (b) employment in military or Federal Government service, a requirement of which is the holding of registration in one province of Canada, (c) post-graduate training or certification as a specialist, which also requires possession of a provincial registration."

Most of the provincial licensing authorities accept for consideration the graduates of medical schools approved by the Educational Council for Foreign Medical Graduates (E.C.F.M.G.), which is sponsored by the American Hospital Association, The Association of American Medical Colleges and the Federation of state Medical Boards of the United States. This institution certifies foreign medical graduates before they come to the United states of America as interns and residents on the basis of the educational standard of the foreign medical schools from which the graduates come. The E.C.F.M.G. sets the examinations comparable to those of American medical schools for the foreign students twice a year in various parts of the world. Graduates of medical schools in Canada and Puerto Rico are exempted from these examinations. Ontario College of Physicians and Surgeons accepts the graduates of medical schools approved by the E.C.F.M.G. as "First Class" graduates. Graduates of medical schools outside the list approved by the above institution but recognized by the World Health Organization's "World Directory of Medical Schools" may be accepted on the Educational Register to pursue post-graduate studies but they are not entitled to obtain an Enabling Certificate or to be accepted for full registration for practice at a later date. These graduates are classified in the "Second Class" category. In Nova Scotia alien physicians must also be approved by the E.C.F.M.G. In British Columbia alien physicians to be considered must come from the medical schools listed by the W.H.O.

A brief from the Provincial Medical Board of Nova Scotia, submitted to the Royal Commission on Health Services, October 30, 1961, p. 9.

The registration of foreign-trained physicians has been approved in the following ways:

- 1. Documents are usually examined by the Credentials Committee of the provincial licensing authorities.
- 2. Alien physicians must pass basic science examinations, which include usually such subjects as anatomy, biochemistry, physiology, pathology, bacteriology and pharmacology. In British Columbia the graduates of the United States and United Kingdom are exempted from these examinations conducted by the Council of the College of Physicians and Surgeons of British Columbia. In Alberta, alien physicians, except those under reciprocity arrangement, must pass these examinations which are carried out by the University of Alberta. The same procedure is followed in Saskatchewan. In Manitoba, alien physicians, except British, American and usually also those who possess the Standard Certificate of the E.C.F.M.G., are obliged to sit these examinations. In Ontario, basic science examinations are required of the "Second Class" graduates, referred to above, and these examinations as of January 1963 will take place before a Conjoint Board of Examiners appointed by the universities and the provincial College.
- 3. In practically all provinces prior to the issue of Enabling Certificates the licensing authorities require of all immigrant physicians one or two years of a satisfactory rotating internship in a hospital located in the province and approved by the licensing authorities. The purpose of this requirement is to estimate the applicant's moral, social and ethical characteristics as well as to form an idea of his general and professional education. In some instances, the immigrant physicians are only able to obtain a position in a laboratory or as ward attendants. One College's statement observed that because of the fact that there are not enough desirable vacancies for them, "many are temporarily employed in menial work until they learn the English language and become more or less acquainted with our Canadian way of life. There may be a waiting period of several months before they could get a position that would be helpful in their medical training."1 Most of the provinces require one year of internship, but New Brunswick and Ontario demand two years. Prince Edward Island requires no internship of physicians listed on the "General List" of the General Medical Council of the United Kingdom.
- 4. The requirement of passing basic science examinations and internship provides an opportunity for the provincial licensing authorities to assess the applicant's knowledge of English or French language. The immigrant physician is expected to read, write and speak in either of these two languages depending on the province.
- Another requirement concerns Canadian citizenship. In most provinces, the provincial licensing authorities require documentary evidence regarding

^{1 &}quot;The Problem of Refugee Doctors -" A statement of the College of Physicians and Surgeons of Ontario, 1951, Canadian M.A.J. Vol. 65, October 1951, p. 382.

- the immigrant physician's intention of becoming a Canadian subject. Ontario demands proof of Canadian citizenship. In the Province of Quebec the potential registrants must be Canadian subjects, except foreign scholars teaching in the provincial medical schools. However, temporary registration allows no right to practise in the province.
- 6. Alien physicians, except those under reciprocity arrangement and in some cases United States physicians, must satisfy the above requirements before the provincial licensing authorities issue them Enabling Certificates granting permission to write the examinations of the Medical Council of Canada. In Ontario, New Brunswick, British Columbia and Quebec, all immigrant physicians are required to write these examinations before they are duly registered. In other provinces all alien physicians other than those under the reciprocity arrangement have the same requirement.

d. Organized Medicine¹

There are two national organizations of the medical profession in Canada, The Canadian Medical Association, and L'Association des Médecins de Langue Française du Canada. The C.M.A. is a federation of provincial autonomous associations or "divisions". Membership is voluntary except in Saskatchewan, where the "division" merged with the provincial College of Physicians and Surgeons, and in Alberta and New Brunswick where the compulsory licence fee supports both the College and the "division". L'Association des Médecins de Langue Française du Canada comprises five divisions: Western Provinces, Ontario, Quebec, New Brunswick and Nova Scotia.

The functions of the C.M.A. are listed in the Act of Incorporation as amended in 1959:

"The objects of the Association shall be:

- 1. to promote the medical and related arts and sciences and to maintain the honour and the interests of the medical profession;
- to aid in the furtherance of measures designed to improve the public health and to prevent disease and disability;
- 3. to promote the improvement of medical services however rendered;
- 4. to publish the "Canadian Medical Association Journal" and such other periodic journals as may be authorized, together with such transactions, reports, books, brochures or other papers as may promote the objects of The Association;
- 5. to assist in the promotion of measures designed to improve standards of hospital and medical services;
- 6. to promote the interests of the members of The Association and to act on their behalf in the promotion thereof;

See the C.M.A.'s preliminary submission to the Royal Commission on Health Services, September 27, 1961: "Some Characteristics of the Medical Profession of Canada".

- 7. to grant sums of money out of the funds of The Association for the furtherance of these objects, and
- 8. to do such other lawful things as are incidental or conducive to the attainment of the above objects."

The work in the C.M.A. is carried out by various committees, whose functions range from advising the Federal Government on such matters as hospitals, and the training of interns, to studying the problems of cancer, traffic accidents, prepaid medical care, rehabilitation and public health.

The special and sectional interest of the medical profession are represented by various national medical societies, which are affiliated with the C.M.A., such as The Canadian Heart Association, the College of General Practice of Canada, the Royal College of Physicians and Surgeons of Canada, and many others reflecting the particular interests of specialist groups of physicians.

In addition, the C.M.A. co-operates with national organizations which are concerned with particular illnesses of social significance, such as the Canadian Cancer Society, and the Canadian Mental Health Association. Naturally, there is a close co-operation with the Association of Canadian Medical Colleges and the Canadian Hospital Association. The C.M.A. is affiliated with the World Medical Association.

4. Migration of Physicians into and out of Canada

a. Net Balance

The composition and the pattern of educational background of Canadian medical manpower underwent a considerable change during the post-war years due to the importation of immigrant physicians, who came with the large wave of postwar immigrant population to this country. Table 2-6 indicates general trends in the migration of physicians into and out of Canada during the years 1946—61.

The record of immigration of physicians began in 1953, when the Department of Citizenship and Immigration started to publish statistics on intended occupations of all immigrants. These statistics do not indicate the occupations actually followed by immigrants in this country, nor do they indicate age, marital status, etc. Data on immigration are also inadequate because they are limited to those physicians who left Canada for the United States.

With these limitations, however, the foregoing table illustrates the steadily increasing annual number of immigrant physicians during the period under review. The rapid post-war economic growth and increased population as well as the increased demand for medical care required more physicians than the Canadian medical schools were able to supply. Until 1950, the number of immigrant physicians was relatively small because of the difficulties of overseas transportation, reliance on sponsored immigration and restrictions on the admission

of former enemy aliens. From 1950 to 1957 this number increased greatly because of a more liberal Canadian immigration policy that permitted unsponsored immigration. Also during this period, there was a great inflow of British doctors to Canada.

At the end of 1956 and in the early part of 1957 after the tragic events in Hungary, many Hungarians found new homes in this country. Since 1957, however, the annual number of immigrant physicians showed a tendency to decline. Presumably, improved economic conditions in Western Europe and the completed settlement of post-war political immigrants, diminished this external source of

TABLE 2-6
MIGRATION OF PHYSICIANS INTO AND OUT OF CANADA, 1946-61

Year	From U.S.A.	Immigra- tion From Other Countries	Tota1	Emigra- tion to U.S.A.	Total Difference Between Immigration and Emigration	Net Loss to U.S.A.
1946	_	56	56	_	56	_
1947		81	81		81	
1948		95	95	_	95	_
1949	_	78	78	_	78	_
1950	-	68	68	260	-192	-260
1951	_	166	166	173	- 7	-173
1952	-	293	293	186	107	-186
1953	55	347	402	105	297	- 50
1954	39	272	311	135	176	- 96
1955	33	300	333	127	206	- 94
1956	29	386	415	96	319	- 67
1957	46	589	635	265	370	-219
1958	52	342	394	179	215	-127
1959	66	373	439	229	210	-163
1960	84	357	441	262	179	-178
1961	67	378	445	296	149	-229
Tota1	471	4,181	4,652	2,313	2,339	-1,842

Data for the period 1946 to 1952 have been estimated by the Department of Citizenship and Immigration.

Sources: (1) The Migration of Professional Workers Into and Out of Canada, 1946-1960, Bulletin No. 11, October 1961, Table 1, p. 9; Table 10, p. 29; Table 15, p. 39; Table 17, p. 42; Economics and Research Branch, Department of Labour.

⁽²⁾ Immigration 1961, Table 4, p. 11; Statistics Section, Department of Citizenship and Immigration.

⁽³⁾ Immigrant Aliens Admitted to the United States, Whose Country of Last Permanent Residence was Canada, 1961, Immigration and Naturalization Service, U.S. Department of Justice.

supply of medical manpower. There is evidence of a growing shortage of doctors in the United Kingdom, which provided about half the foreign-trained physicians in Canada during the post-war period.¹

Table 2-6 indicates that while approximately 5,000 physicians immigrated into Canada, about half of that figure left this country for the United States. Although there is a positive net balance between over-all immigration and emigration, this country has lost approximately 2,000 doctors to the United States.

b. National Origin of Immigrant Physicians

TABLE 2-7
PHYSICIAN IMMIGRANTS INTO CANADA, BY NATIONAL ORIGIN, 1953-61

National Origin	Number	Per Cent of Total
Austrian	45	1.2
British	1,764	46.2
Danish	11	0.3
French	43	1.1
German	179	4.7
Greek	48	1.3
ewish	166	4.4
Hungarian	180	4.7
talian	92	2.4
Polish	124	3.2
Outch	77	2.0
Swiss	10	0.2
J.S.A	471	12.4
Others	605	15.9
Total	3,815	100.0

Source: The Migration of Professional Workers Into and Out of Canada 1946-1960, Bulletin No. 11, October 1961, Table 4, pp. 14-15, Economics and Research Branch, Department of Labour, and Immigration 1961, Table 4, pp. 10-11, Department of Citizenship and Immigration, Statistics Section.

Nearly half of 3,815 immigrant physicians came from the United Kingdom and the Republic of Ireland. Approximately 500 doctors came from the United States, and other ethnic groups that contributed substantially to our medical manpower were German, Hungarian, Jewish, Polish, Italian and Dutch.

c. Female Immigrant Physicians

Table 2-8 suggests that immigrant physicians contain a larger proportion of women doctors than the Canadian medical profession or the proportion of female medical students in our medical schools' total registration.

^{1 &}quot;Shortage of Doctors," Editorial, C.M.A.J., Vol. 86, February 10, 1962, p.p. 297-298; and a letter from the Secretary of the British Medical Association to the Royal Commission on Health Services, September 24, 1962.



TABLE 2-8
FEMALE PHYSICIANS ADMITTED TO CANADA IN 1953, 1954 AND 1956-61

Year	Number of Female Physicians ¹	Number of Total Physicians Admitted	Per Cent of Female Physicians to Total Physicians Admitted
1953	47 33	402 311	11.7 10.6
1956	51 89	415 635	12.3 14.0 13.7
1958	54 58	394 439	13.2
1960	52 92	441 445	11.8 20.7
Total	476	3,482	13.7

¹ No information available for 1955.

Source: The Migration of Professional Workers Into and Out of Canada 1940-1960, Bulletin No. 11, October 1961, Table 6, p. 19, Economics and Research Branch, Department of Labour.

TABLE 2-9

NUMBER AND PER CENT DISTRIBUTION OF NEW REGISTRANTS
BY GRADUATES OF CANADIAN AND FOREIGN ME DICAL SCHOOLS,

CANADA AND FOR PROVINCES, 1950-60

Province	Graduates of Canadian Medical Schools		Graduates of Foreign Medical Schools		Total
	Number	% of Total	Number	% of Total	32
Newfoundland	253 44 484 181 2,949 3,243 501	27.7 77.2 60.3 83.0 92.9 67.7 50.8	659 13 319 37 224 1,550 485	72.3 22.8 39.7 17.0 7.1 32.3 49.2	912 57 803 218 3,173 4,793 986
Saskatchewan Alberta British Columbia Canada	506 619 1,025 9,805	48.6 50.7 70.0 66.8	536 603 440 4,866	51.4 49.3 30.0 33.2	1,042 1,222 1,465 14,671

Source: C.M.A. Survey of Provincial Licensing Authorities, December 31, 1960; C.M.A. Brief on Future Requirements for Physicians in Canada, submitted to the Royal Commission on Health Services, October 27, 1960, Appendix A, Tables A₂ and A₃, p. 20.

d. New Registrants of Foreign Medical Schools

The survey of the provincial licensing authorities conducted by the Canadian Medical Association in 1961 provides revealing information on the importance of immigrant physicians in the over-all and provincial supply of physicians during the decade of 1950-60. The number of foreign-trained physicians issued licences to practise in this country increased markedly in that decade.

It appears that out of nearly 15,000 newly registered physicians in Canada during the years 1950-60, about one—third were immigrant doctors. However, some of the immigrant physicians register in more than one province and hence there is some duplication of immigrant doctor registrations. Of the Atlantic Provinces, Newfoundland relied on foreign-trained physicians to the extent of three-quarters of all new registrants, Nova Scotia over one-third, while the other two provinces in that region were less dependent on this source of doctors supply. All three Prairie Provinces were similar in their dependence on immigrant physicians to the extent of about one-half of their additions to the medical manpower. Ontario and British Columbia relied on foreign-trained doctors to the extent of approximately one-third. Presumably because of language differences the Province of Quebec did not attract immigrant physicians.

Table 2-10 shows the percentage share of additions to Canadian medical manpower attributable to foreign medical graduates.

Table 2-10 indicates that the proportion of immigrant physicians relative to the total number of new registrants of the medical profession has

TABLE 2-10

RATIOS OF FOREIGN MEDICAL SCHOOL GRADUATES TO THE TOTAL LICENTIATES REPRESENTING ADDITIONS TO THE MEDICAL MANPOWER, 1950-60

Year	Annual Licentiates Representing Additions to the Medical Manpower	Additions Representing Graduates of Foreign Medical Schools	Percentage of Additions Attributable to Foreign Medical Graduates
1950	1,044	196	18.8
1951	1,163	261	22.4
1952	1,256	339	27.0
1953	1,292	393	30.4
1954	1,421	488	34.3
1955	1,401	447	31.9
1956	1,405	496	35.3
1957	1,473	582	39.5
1958	1,376	557	40.5
1959	1,397	586	41.9
1960	1,443	521	36.1
Total	14,671	4,866	33.2

shown a striking annual increase during the period under examination. In 1950, approximately 1,000 newly registered physicians were added; of these about 200 or one-fifth were graduated from foreign medical schools. In 1960, almost 1,500 were added to the medical profession and immigrants accounted for more than one-third.

The heavy dependence on foreign-trained physicians becomes even more striking when a comparison is made between new registrants, immigrant physicians and the output of Canadian medical schools. This is shown in Table 2-11.

TABLE 2-11

NEW REGISTRANTS, GRADUATES OF FOREIGN SCHOOLS AND OUTPUT OF
CANADIAN MEDICAL SCHOOLS COMPARED, 1950-60

	Canadian	New Registrants, Graduates of Foreign Medical Schools		
Year	Medical Graduates	Number	Per Cent of Canadian Graduates	
1950	791	196	24.8	
1951	858	261	30.4	
1952	783	339	43.3	
1953	825	393	47.6	
1954	896	488	54.5	
1955	894	447	50.0	
1956	816	496	60.8	
1957	893	582	65.2	
1958	836	557	66.6	
1959	859	586	68.2	
1960	863	521	60.4	
Total	9,314	4,866	52.2	

Over the years 1950 to 1960, the immigrant physicians constituted slightly more than half of the total output of graduates of Canadian medical schools. This proportion is even higher if an allowance is made for the fact that approximately 10.0 per cent of Canadian medical graduates were from foreign lands and they would not likely remain in this country. It should be pointed out that to an unknown extent the figures of immigrant doctors' registration are inflated for various reasons. One of these is that the Royal College of Physicians and Surgeons of Canada accepts, for its certification examinations, only physicians who are licensed to practise in one of the Provinces of Canada. This has led to foreigners' registration in one of the provinces with no particular desire to practise there. A number of graduates from medical schools in China, Formosa, the Phillipines and Malaya come to Canada for the purpose of obtaining a Commonwealth qualification such as the Certificate of the Medical Council of Canada in order to obtain registration with the Medical Council of Hong Kong.

EXAMINATION RESULTS OF THE MEDICAL COUNCIL OF CANADA, BY COUNTRY WHERE QUALIFIED, 1945-61 **TABLE 2-12**

							Resu	Its of E	Results of Examinations	ations				
Country Where Qualified	Numb	Number of Candidates		Fai	Failure			Partial	Partial Credit			Pa	Pass	
y			No.	.0	%		No.		6	%	N	No.	6	%
Canada	1	10,464	ı	6	1	0.1	1	469	1	4.5	1	9,986	1	95.4
United Kingdom & Eire	1	1,680	1	24	1	1.4	I	195	1	11.6	1	1,461	1	87.0
United Kingdom	1,457	1	17	1	1.2	1	148	1	10.2	ı	1,292	1	88.7	ı
Republic of Ireland	223	ı	7	ı	3.1	1	47	1	21.1	1	169	1	75.8	1
British Commonwealth	1	118	1	1	I	1	1	14	1	11.9	1	104	1	88.1
United States	ı	429	1	12	1	2.8	i	117	1	27.3	1	300	1	6.69
Other Countries	1	2,740	ı	392	ı	14.3	1	889	I	32.8	1	1,449	1	52.9
Austria	243	ı	32	ı	13.2	1	83	1	34.2	1	128	1	52.7	1
China	195	ı	28	ı	14.4	1	89	1	34.9	1	95	1	48.7	1
Czechoslovakia	104	1	17	ı	16.3	ı	39	1	37.5	1	48	1	46.2	ı
France	88	1	7	ı	2.3	ı	17	1	19.3	1	69	ı	78.4	1
Germany	501	1	61	1	12.2	1	165	1	32.9	ı	275	1	54.9	ı
Hungary	356	ı	20	1	14.0	1	117	1	32.9	t	189	1	53.1	ı
Italy	164	1	35	ı	21.3	1	57	Ī	34.8	1	72	ı	43.9	ı
Netherlands	178	1	8	ı	4.5	1	51	1	28.7	1	119	ı	6.99	Į
Poland	177	1	35	1	19.8	1	62	1	35.0	ı	79	1	44.6	1
Switzerland	79	1	7	1	2.5	1	26	1	32.9	ı	51	1	64.6	ı
U.S.S.R.	61	١	19	1	31.1	1	22	1	36.1	1	20	1	32.8	1
Others	594	ı	102	i	17.2	1	194	١	32.7	1	298	1	50.2	1

Source: Computed from the files and Annual Announcements of The Medical Council of Canada.

Notes: Examination includes five subjects.

This table does not distinguish fresh candidates from those undergoing re-examination.

[&]quot;Partial Credit" - failing in not more than two subjects; candidates receive credit for the subject, passed and they must pass the remaining "Failure" - failing in more than two subjects: requires re-examination.

subjects later. "Pass" - passing in all subjects previously failed.

This analysis raises a question with serious educational and political implications. Is it really proper and in the national interest for a country to become progressively dependant for the supply of medical manpower upon graduates of foreign medical schools? There now seems to be a slow falling off in medical immigration, and if the present physician-population ratio is to be maintained, more medical students must be trained in Canada.

e. Examination Results of the Medical Council of Canada

The records of the examinations of the Medical Council of Canada during the post-war years, 1945 to 1961, have been examined to show the failure rates of graduates of Canadian and foreign medical schools. The Council examines professionally persons sponsored by provincial medical councils and certified by them as eligible for examination. This examination, if successful, leads to enrolment on the Canadian Medical Register as Licentiate of the Medical Council of Canada and consequently eligibility for registration as a doctor in the sponsoring province. Thus the Council protects the public by ensuring medical competence and assists the immigrant physicians to achieve the necessary qualifications.

Table 2-12 illustrates the results of these examinations of Canadian and foreign-trained candidates, by country where qualified.

5. U.S. Physicians who Graduated from Canadian Medical Schools.

Most of the data concerning American physicians who graduated from Canadian medical school, have been obtained from the master files of the Circulation and Records Department of the American Medical Association, as of April, 1962.

At that date there were 5,718 American doctors, about 2.0 per cent of the total medical manpower in the United States, who have received their training in Canada. Out of this total, there were 3,125 Canadian-born and trained doctors. This figure of emigrant physicians constitutes approximately 15.0 per cent of the current medical manpower in Canada or the four—year output of graduates of all the medical schools in this country.

There were 1,781 American-born physicians who completed their basic medical education in Canada, and 456 doctors trained in Canada but born outside Canada. In addition, there were 356 physicians whose country of birth is not given. Most of the foreign-born doctors who were trained in Canada were at one time, presumably, immigrant physicians in this country. This figure of 456 is relatively small when one considers that during the years, 1950–60, there were 4,866 immigrant physicians registered by the provincial licensing authorities in Canada. In fact, the immigrant physicians who left Canada for the United States constitute less than 10.0 per cent of the total figure of immigrant physicians in this country. This percentage is lower than that of the Canadian-born physicians who emigrated to the U.S.A.

a. Movement of U.S. Physicians from Canada

Table 2-13, which records the distribution of the U.S. physicians, trained in Canada, by years since first licensed to practise medicine in the United States, indicates roughly the periods during which they left this country for the United States.

TABLE 2-13
DISTRIBUTION OF U.S. PHYSICIANS TRAINED IN CANADA, BY YEARS
SINCE FIRST LICENSED IN THE U.S.A., 1962

V		Numbe	r and F	er Cen	Distri	bution	and Co	untry o	f Birth	
Years Since First Licensed in U.S.	Can	ada	U.S	S.A.		her itries		intry Given	То	ta1
- 10 3000	No.	%	No.	%	No.	%	No.	%	No.	%
Less Than 5	253 8.1 237 13.3		43	9.4	7	2.0	540	9.4		
5–9	315	10.1	224	12.6	41	9.0	55	15.4	635	11.1
10-14	400	12.8	148	8.3	46	10.1	16	4.5	610	10.7
15–19	297	9.5	199	11.2	29	6.4	6	1.7	531	9.3
20-24	240	7.6	302	17.0	28	6.1	3	0.8	573	10.0
25-29	230	7.4	224	12.6	34	7.5	_	-	488	8.5
30-34	245	7.8	133	7.4	51	11.2	7	2.0	436	7.6
35–39	430	13.8	73	4.1	69	15.1	33	9.3	605	10.6
40 and over	279	8.9	53	3.0	37	8.1	92	25.8	461	8.1
Not Specified	436	14.0	188	10.5	78	17.1	137	38.5	839	14.7
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0	5,718	100.0

Source: A.M.A., Circulation and Records Department, Chicago, April 24,1962.

As for Canadian-born doctors, it appears from Table 2–13 that there was a relatively stable outflow of these doctors from Canada during the last forty years, although there was a somewhat larger emigration of 400 Canadian doctors in the late 1940's. Since then their number has slightly decreased. On the other hand, the number of American-born doctors who were trained in Canada has steadily increased during the post-war period. The above table also reveals that their number reached a peak during the "Great Depression" of the 1930's. As for the U.S. foreign-born physicians who received their medical qualifications in Canada, their number is rather insignificant and it has been constant during the post-war years.

b. Age Distribution

Table 2-14 provides a distribution of the United States physicians, trained in Canada, by age group.

The median age of the Canadian-born physicians is, for practical purposes, almost the same as that of the total physician population in Canada and that of the American-born doctors, who, after graduating from Canadian medical schools,

left for the United States. About half of the Canadian-born physicians are below the age of 45 years, the age when they are capable of carrying the heaviest patient-load. It would appear then that there is no particular evidence that only young Canadian physicians emigrate to our neighbour in the South. Foreign-born physicians, who were trained in Canada, show a slightly higher median age because of the fact that it took some years before they obtained the necessary medical qualifications in Canada prior to their departure for the United States.

TABLE 2-14

DISTRIBUTION OF UNITED STATES PHYSICIANS, TRAINED IN CANADA BY AGE GROUP AND COUNTRY OF BIRTH

		Number	and P	er Cen	Distri	bution	and Co	untry o	f Birth	
Age Group	Cana	ada	U.S	.A.	Oti Coun		Not C	Given	Tot	al
	No.	%	No.	%	No.	%	No.	%	No.	%
Under 25	3	0.1	_	_	_	_	_	_	3	0.1
25-34	787	25.2	458	25.7	99	21.7	164	46.1	1,508	26.4
35-44	761	24.4	348	19.5	104	22.8	49	13.8	1,262	22.1
45-54	519	16.6	554	31.1	66	14.5	9	0.000	1,148	20.1
55-64	673	21.5	322	18.1	114	25.0	36	10.1	1,145	20.0
65-69	207	6.6	51	2.9	43	9.4	28	7.9	329	5.7
70 & Over	175	5.6	48	2.7	30	6.6	70	19.6	323	5.6
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0	5,718	100.0
Median Age	45.2		46.5	11	48.8		37.9		45.8	

Source: A.M.A., Circulation and Records Department, Chicago, April 24, 1962.

c. Distribution by Sex

Table 2-15 shows the distribution of these physicians by sex:

TABLE 2-15
DISTRIBUTION OF UNITED STATES PHYSICIANS TRAINED IN CANADA BY SEX

		Number and	d Per Cent D	istribution	n
Country of Birth	Ma	le	Fem	ale	Tota1
	Number	%	Number	%	Number
Canada	2,926	93.6	199	6.4	3,125
J.S.A	1,708	95.9	73	4.1	1,781
Other Countries	415	91.0	41	9.0	456
Country Not Given	346	97.2	10	2.8	356
Total	5,395	94.4	323	5.6	5,718

Source: A.M.A., Circulation and Records Department, Chicago, April 24, 1962.

Canadian-born women physicians accounted for 6.4 per cent of the total number of Canadian-born emigrant physicians to the U.S.A. This percentage is almost identical with the 6.6 per cent that the female medical graduates accounted for in the total output of Canadian medical schools during the period 1947–48 to 1960–61. Evidently, sex is no barrier in the emigration of physicians from Canada. A slightly higher percentage of female physicians, born outside Canada but trained in this country, is due to the fact that immigrant physicians in Canada show also a relatively higher proportion of women doctors.

d. Type of Employment

Appendix 2-2 illustrates the distribution of physicians by the type of practice and by sex. A summary of this is given in Table 2-16.

It is noticeable that a high proportion of the American physicians trained in Canada engaged in specialty practice or were being trained as residents and fellows in some fields of medical specialization. This proportion is higher than that for medical manpower in Canada.

TABLE 2-16
DISTRIBUTION OF UNITED STATES PHYSICIANS TRAINED IN CANADA,
BY TYPE OF PRACTICE

		Numbe	r and F	er Cen	Distri	bution	and Co	ountry o	of Birth	8
Type of Practice ¹	Car	nada	U.S	S.A.		ther	Not	Given	То	ta1
	No.	%	No.	%	No.	%	No.	%	No.	%
No Specification	8	0.3	5	0.3	2	0.4	_	_	15	0.3
Full-time Specialty Practice	1,690	54.1	1,101	61.8	227	49.8	89	25.0	3,107	54.3
Part-time Specialty Practice	120	3.8	106	6.0	13	2.9	6	1.7	245	4.3
Intern	53	1.7	61	3.4	22	4.8	2	0.6	138	2.4
Resident or Fellow.	543	17.4	227	12.7	75	16.4	204	57.3	1,049	18.3
Other Full-time Staff in Hospital	300	9.6	148	8.3	57	12.5	14	3.9	519	10.1
Full-time Medical School Faculty	90	2.9	29	1.6	11	2.4	1	0.3	131	2.3
Administrative Medicine	29	0.9	13	0.7	6	1.3	1	0.3	49	0.9
Preventive Medicine	106	3.4	32	1.8	14	3.1	4	1.1	156	2.7
Research	41	1.3	17	1.0	6	1.3	1	0.3	65	1.1
Retired	105	3.7	26	1.5	16	3.5	32	9.0	179	3.1
Not in Practice	40	1.3	16	0.9	7	1.5	2	0.6	65	1.1
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0	5,718	100.0

These figures include 967 general practitioners (Canada - 457; U.S.A. - 398; Other Countries - 73; and Country Not Given - 39) who were not shown separately.

Source: A.M.A., Circulation and Records Department, April 24, 1962.

Approximately one-sixth of the total of Canadian-born and educated physicians in the U.S.A. served their internship and residency in that country. Most of them have a non-immigrant status. It is difficult to assess, however, to what extent this training in the United States is responsible for attracting Canadian physicians to remain permanently in that country. It is of interest to observe from Table 2-17 that the number of Canadian interns and residents trained in the U.S. hospitals has remained substantial throughout the years:

TABLE 2-17

CANADIAN PHYSICIANS TRAINING IN THE UNITED STATES HOSPITALS

1 954-1962¹

Year	Interns	Residents	Tota1
1954–55	_	-	520
1955–56	44	540	584
1956–57	60	516	576
1957—58	66	469	535
1958—59	50	513	563
1959–60	52	487	539
1960–61	75	583	658
1961–62	67	659	726

¹ Non-immigrant status.

Source: Open Doors Reports, the Institute of International Education, New York, U.S.A.

There has been a steadily increasing outflow of Canadian physicians into the United States medical school faculties, while the number of American doctors teaching in Canadian medical schools is almost nil, probably due to salary differentials, inadequate research facilities, and licence problems. This can be seen from Table 2–18.

TABLE 2-18

CANADIAN PHYSICIANS IN UNITED STATES MEDICAL SCHOOLS AND AMERICAN PHYSICIANS TEACHING IN CANADA, 1955-62

Year	Canadian Physicians Teaching in the U.S.A.	American Physicians Teaching in Canada
1955—56	12	2
1956–57		1
1957–58		-
958–59		-
1959–60		-
960–61		1
1961–62		n. a.

Source: Open Doors Reports, the Institute of International Education, New York, U.S.A.

e. Distribution of Specialists

Appendix 2-3 indicates the number and per cent distribution of the physicians by specialty practised.

Out of 3,125 Canadian-born physicians, 2,364 were classified as specialists. The largest number were in the following specialties: Internal Medicine (352), Psychiatry (349), General Surgery (334), Obstetrics and Gynaecology (209), Anaesthesiology (148), General Paediatrics (126), Pathology (125), Ophthalmology (114), Radiology (108), and Otolaryngology (104).

Out of 1,781 American-born physicians who were trained in Canada, 1,222 were practising as specialists. Their pattern of specialization follows roughly that of Canadian-born physicians. Approximately one-half of U.S. foreign-born doctors who received training in Canada have been classified as specialists.

Out of the total of 5,718 U.S. physicians who graduated from Canadian medical schools, excluding general practitioners (967), and those who retired or are not in practice (578), 4,173 were practising specialties. It is evident that for economic and other reasons the United States attracts mainly specialists.

f. Source of Medical Education Received in Canada

Appendix 2-4 illustrates in detail where the U.S. physicians received their basis medical education in Canada and the years since graduation. Some aspects of this problem are illustrated in Table 2-19.

TABLE 2-19

DISTRIBUTION OF U.S. PHYSICIANS, TRAINED IN CANADA, BY COUNTRY OF BIRTH AND PLACE OF MEDICAL EDUCATION RECEIVED IN CANADA, APRIL 1962

		Number		Cent Di			nysician	S
Medical School	Car	nada	U.S	.A.	1-00	her ntries		intry Given
	No.	%	No.	%	No.	%	No.	%
Dalhousie	148	4.7	116	6.5	32	7.1	14	3.9
Laval	117	3.8	113	6.3	15	3.3	19	5.4
Montreal	112	3.6	58	3.3	20	4.4	21	5.9
McGill	580	18.6	1,121	62.9	159	34.9	45	12.6
Ottawa	140	4.5	74	4.2	14	3.1	7	2.0
Queen's	276	8.8	71	4.0	28	6.1	95	26.8
Toronto	907	29.0	85	4.8	104	22.8	65	18.4
Western Ontario	248	7.9	79	4.4	24	5.3	27	7.6
Manitoba	360	11.5	32	1.8	36	7.9	27	7.6
Saskatchewan	21	0.7	2	0.1	1	0.2	1	0.3
Alberta	168	5.4	21	1.2	10	2.2	20	5.6
British Columbia	48	1.5	9	0.5	13	2.7	14	3.9
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0

Source: A.M.A., Circulation and Records Department, April 24, 1962.

The medical schools of the University of Toronto and McGill University, which have the highest output of medical graduates in Canada, were the two schools from with almost half the Canadian-born physicians who left for the United States, graduated. Because of the language barrier the medical schools of the University of Montreal and Laval University have supplied a relatively small number of Canadian-born physicians for the United States. The same observations apply to these medical schools with respect to training of foreign-born physicians who emigrated to the U.S.A. The above statistics indicate that about two-thirds of American-born physicians trained in this country were graduates of McGill University.

Table 2-20 examines the distribution of physicians by years since graduation from Canadian medical schools.

TABLE 2-20
DISTRIBUTION OF U.S. PHYSICIANS TRAINED IN CANADA
BY COUNTRY OF BIRTH AND YEARS SINCE GRADUATION

	Num	ber and	Per Cer	nt Distri	bution a	and Coun	try of B	Birth
Graduation	Cana	ada	U.S	.A.	Oth	ner ntries	0.00	intry Given
	No.	%	No.	%	No.	%	No.	%
Less than 5	450	14.4	303	17.0	78	17.1	25	7.0
5–9	483	15.4	282	15.8	64	14.0	160	44.9
10–14	374	12.0	112	6.3	45	9.9	24	6.8
15-19	315	10.0	191	10.8	39	8.6	10	2.8
20-24	250	8.0	329	18.5	30	6.6	2	0.6
25–29	225	7.2	259	14.5	27	5.9	2	0.6
30-34	270	8.8	160	9.0	57	12.5	5	1.4
35–39	449	14.4	84	4.7	67	14.7	29	8.1
40 and Over	309	9.8	61	3.4	49	10.7	99	27.8
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0

Source: A.M.A., Circulation and Records Department, April 24, 1962.

Table 2-20 suggests that there has been a relatively stable outflow of Canadian-born medical graduates into the United States, with a somewhat accelerated rate during the post-war years. This latter trend is in contrast with the previously established finding of decreasing registration of Canadian-born and educated doctors in U.S.A. during the last ten years. This may be explained by the growing number of Canadian interns and residents going to the United States and who, after completing their training, return to Canada. As for the American-born physicians who have studied in Canada, and who presumably after graduation leave for the United States, there has been a steadily increasing number of them since the 1920's, except during the years of the Second World War.

g. Registration Policies for Citizens of Canada by Licensing Boards in the United States

Medical licensure in the United States, as in Canada, is a "state right", i.e., it is entirely under the jurisdiction of the state governments. The power to license physicians is exercised through the medical licensing board of each state. In addition, there is the National Board of Medical Examiners, corresponding in some ways to the Medical Council of Canada, which also issues certificates after special examination. The National Board admits to its examinations only students from approved medical schools in the United States and Canada. This Board is not, however, a licensing body.

Appendix 2-5 highlights the principal features and requirements for licensure of Canadian physicians and shows the location of the U.S. physicians, who graduated from Canadian medical schools, as of mid-1959.

There are 55 legally constituted medical examining boards, which have an authority to issue medical licences.

All but two (Alabama and Illinois) state medical boards accept graduates of Canadian medical schools for licensure by written examination on the same basis as graduates of approved medical schools in the United States. Eleven states accept Canadian registration to practise medicine by reciprocity and endorsement of credentials. Some differences exist between state licensing boards with respect to American citizenship requirements for candidates from Canada. Twenty states require full U.S. citizenship, 18 states require a candidate to declare his intention of becoming an American citizen (two of which issue a temporary licence renewable for five years or until full citizenship is obtained) and 15 state licensing boards have no citizenship requirement.

It is of interest to note that in 1961, out of 198 candidates from medical schools in Canada, 175 passed and 23 or 11.6 per cent failed the state boards' examinations. The percentage of failure for students from the U.S. medical schools was 2.8 per cent. There were no failures among the 75 Canadian candidates who took the examinations in 1961 before the National Board of Medical Examiners.²

6. Deaths of Canadian Physicians

An analysis of deaths of physicians has a direct bearing on the problem of replacement in the profession and it may indicate the extent to which physicians, while protecting the health of their patients, have not succeeded in protecting themselves. The untimely death of physicians constitutes a considerable social and economic loss to a community because of the large investment in their education.

^{1 &}quot;Medical Licensure Statistics," The Journal of the A.M.A., Vol. 180, June 9, 1962, p. 856.

² Ibid., p. 848.

TABLE 2-21

FIVE-YEAR ANNUAL AVERAGE NUMBER AND PER CENT DISTRIBUTION OF DEATHS OF CANADIAN PHYSICIANS, 1926-61, AND OF CANADIAN MALE POPULATION OF 20 YEARS AND OVER, 1941-61, BY AGE GROUP AT DEATH

	1926–30		1931–35		1936–40	40	15	1941–45	2	1	1946-50	0	1	1951–55	5	1	1955-61	11
Age Group	Physi- cians	i.	Physi- cians	is si-	Physi- cians	is si	Physi- cians		Male Popula- tion	Physi- cians		Male Popula- tion	Physi- cians		Male Popula- tion	Physi- cians		Male Popula- tion
	No.	8	No.	%	No.	2%	No.	%	%	No.	%	%	No.	%	%	No.	%	%
20-24	0.2	0.1	0.2	0.1	1	ı	ı	1	2.6	0.2	0.1	1.9	1	1	1.6	ı	ı	1.4
25-34	8.8	5.2	8.4	4.4	5.8	2.7	3.8	1.8	4.4	6.4	2.7	3.7	3.8	1.7	3.3	3.8	1.5	3.0
3.7		8.3	11.6	6.1	12.0	5.7	14.0	6.2	0.9	12.8	5.5	5.5	10.8	4.9	5.0	15.0	5.8	4.7
45-54		17.5	26.0	13.7	25.8	12.2	25.8	11.4	10.9	29.5	12.5	10.3	23.6	10.7	10.1	29.5	11.4	6.6
55-64	42.0	24.7	49.8	26.3	56.4	26.8	49.0	21.6	19.6	47.6	20.4	19.6	45.2	20.4	18.2	50.7	19.7	17.5
65–74	45.6	25.1	54.4	28.7	59.2	28.1	28.1 73.4 32.3	32.3	25.8	73.2	31.3	27.4	65.4	29.6	28.2	68.5	26.6	27.3
75 and over		19.1	32.4 19.1 39.2 20.7 51.6 24.5 60.6 26.7	20.7	51.6	24.5	9.09	26.7	30.7	64.4	27.5	31.6	72.4	32.7	33.6	90.2 35.0	35.0	36.2
Total		0.001	189.61	0.00	10.8	0.00	226.6	0.001	170.0 100.0 189.6100.0 210.8 100.0 226.6 100.0 100.0	233.8	100.0	233.8 100.0 100.0	221.2 100.0	0.001	100.0 257.7100.0	257.7	0.00	100.0

1 Six-year annual average.

Source: Physicians - 1926-1945, Vital Statistics references, D.B.S., 1946-1954, Physicians Register, C.M.A., and News Note sources,

1955-1961, Canadian Medical Directory's listings and bulletins, Original data have been provided by the Research and Statistics Division, Department of National Health and Welfare.

Male Population: D.B.S., Health and Welfare Division, Vital Statistics Section.

a. Deaths of Physicians by Age Group at Death

In order to show the reduction in the medical manpower each year through death, the recorded number and percentage distribution of deaths, by age groups at death, for the years 1926-61 inclusive, are set out in Appendix 2-6 and Appendix 2-7 respectively.

Table 2-21 summarizes the statistical data of the above appendices and provides a comparison with the Canadian male population of 20 years and over.

The physicians, like the population in general, now live longer than forty or fifty years ago. Consequently, with the aging physician population, the percentage of deaths in the younger age groups, 20–24 and 45–54, has dropped in most of the five-year periods during the years under examination, while in the older age groups, 65 and over, there has been a rise in the percentage of deaths. This was particularly noticeable in the age group of 75 and over, whose percentage has increased from 19.1 in 1926–30 to 35.0 in 1956–61. The same trend of a rising age at death applies to the male population in general.

The average age at death of physicians has been steadily increasing from 60.8 years in the period 1926-30 to 66.4 in 1956-61. The latter figure was below the 67.8 years for the male population of 20 years and over during the same period, 1956-61. Thus, an over-all mortality experience of physicians is, by no means, more favourable than that of male population in general. It would appear that the physicians give their patients the same quality of medical care as they receive from their own professional colleagues.

Table 2-21 also reveals that the percentage of deaths of physicians in the lower age groups at death, 20-24 and 25-34, is below that of the male population. This part may reflect better physical conditions and more favourable social and economic status of the physicians as compared with those of male population in general. Later in life, physicians have slightly higher death rates probably because of irregular hours and strain involved in their work.

b. Death Rates

Table 2-22 examines the death rates of physicians and male population of 20 years and over during the years 1951-1961.

Once again these data suggest that physicians enjoy no particular advantage in counteracting the law of nature as compared with the male population in general. In fact, the data available indicate a slightly higher death rate of physicians. The eleven—year annual average rate of death per 1,000 physicians amounted to 14.6 persons as compared with 13.4 persons for the male population of 20 years and over in Canada. These data indicate that Canadian medical manpower is reduced by 1.5 per cent per annum, or about 300 new physicians must be provided a year to satisfy the replacement needs of the medical profession. This figure amounts to one-third of our current output of medical graduates in Canada.

TABLE 2-22	
DEATH RATES PER 1,000 CANADIAN PHYSICIANS AND MALE POPULAT	ION
OF THE AGE OF 20 AND OVER, 1951-61	

	Estimated	Number of	Death Rates per 1,000			
Year	Number of Doctors(1) (Dec. 31)	Deaths of Physicians	Physicians	Male Population of 20 Years and over(2)		
1951 (June)	14,325	226	15.8	13.6		
1952	15,135	236	15.6	13.4		
1953	15,829	254	16.1	13.4		
1954	16,431	249	15.2	13.0		
1955	17,221	277	16.1	13.2		
1956	17,871	295	16.5	13.3		
1957	18,523	264	14.3	13.6		
1958	19,096	250	13.1	13.3		
1959	19,800	221	11.2	13.5		
1960	20,517	252	12.3	13.5		
1961	21,290	309	14.5	13.5		
Average		257.5	14.6	13.4		

Sources: (1) C.M.A.'s Survey of Provincial Licensing Authorities except for 1951 and 1961, which were based on Census data;

c. Causes of Death Among Physicians

The principal causes of death among male population of 20 years and over in Canada include cardio—vascular disease, cancer, accidents and violence, influenza, bronchitis, pneumonia, tuberculosis, cirrhosis of liver, and diabetes mellitus. The order of importance of these diseases varies with age group.

American studies² show that the leading causes of death among physicians are somewhat different from those among the male population. Thus, one author suggests that physicians have high mortality as compared with males from: leukemia, biliary calculi, gall bladder disease, cerebral hemorrhage, diseases of the heart and coronary arteries, arteriosclerosis, cirrhosis of liver, pneumonia and influenza, and diabetes mellitus. Compared with the male population³ the physicians have lower death rates from most infectious diseases, surgical conditions, cancer, hernia and accidents.

The differences in causes of death among physicians compared with those of the general male population may be due to the physicians' special knowledge

⁽²⁾ D.B.S., Health and Welfare Division, Vital Statistics Section.

¹ D.B.S., Vital Statistics 1960, Table L., p. 35

² Frank G. Dickinson and Everett L. Walker, "The Leading Causes of Death Among Physicians," The Journal of the A.M.A., Vol. 139, April 23, 1949, pp. 1129-31; Louis I. Dublin and Mortimer Spiegelman, Longevity and Mortality of American Physicians, 1938-1942, The Journal of the A.M.A., Vol. 134, August 9, 1947, pp. 1211-15; and Louis I. Dublin, Mortimer Spiegelman and Roscoe G. Leland, "Longevity and Mortality of Physicians," Post-graduate medicine, Vol. 2, September 1947, pp. 188-202.

³ Dublin, Spiegelman and Leland, op. cit., p. 193.

and skills, early recognition of some diseases, like tuberculosis or cancer, their willingness to follow the therapeutic procedures required, and also to certain occupational hazards, no doubt. This experience of physicians emphasizes the importance of the early diagnosis of an illness for the public in general. A comprehensive study of the leading causes of death among Canadian physicians may lead to the discovery of effective preventive measures.

7. Retirement of Physicians

It is difficult to establish the total number of physicians, who have retired from "active" medical practice, and to indicate, even approximately, an annual rate of retirement from the medical profession. A doctor may retire partially and still continue to practise for many years on a part-time basis; he may retire temporarily; or he may pursue other than medical activities. In addition, the reporting of retirement is often delayed because though a doctor is not "active" he has not revoked his provincial registration. Besides, the number of doctors retiring depends on factors such as economic conditions, the secular trend towards a larger proportion of older physicians, and a deduction of contributions made to registered pension plans for income tax purposes.

Probably, the age of 65 may be considered to be a normal retirement age. Thus, approximately, the proportion of physicians in that age group to the total physician population would indicate this retired group at a particular point of time. Whatever the proportion may be, there is some statistical evidence which suggests that 6.0 per cent of the total physicians in Canada may constitute a group of retired physicians.¹

Canadian Medical Procurement and Assignment Board in its "Report of the National Health survey" has indicated that out of a total of 9,244 physicians in civilian life in Canada in March, 1943, 615 or 6.7 per cent were retired; Department of National Health and Welfare in its 1946 and 1947 "Survey of Physicians in Canada" has reported 5.0 and 5.6 per cent respectively; and, on a provincial basis only, the data provided by the Provincial Medical Board of Nova Scotia in its brief to the Royal Commission on Health Services, would indicate a figure of 7.1 per cent as of mid—1961.

Canadian Medical Graduates and Students

As medical schools are the principal source of production of doctors, their activities from the quantitive viewpoint are important in an analysis of the past trends in enrolment of students, in output of medical manpower and in projecting future supply of medical graduates in relation to the size of population and other factors. In general, the number of physicians available at any time depends primarily upon the balance between the number of medical graduates each year and the loss in medical manpower due to retirement, migration and death. It should be noted that the number of medical graduates fluctuates from year to year because the number of students entering medical schools at any time is influenced by social, economic and other considerations. Consequently, the current number of medical graduates largely depends upon these factors as they operated when these graduates entered medical school.

1. Graduates of Canadian Medical Schools

a. Trends in Output of Medical Schools

Appendix 3-1 shows the number and percentage distribution of graduates of Canadian medical schools, by school, during the post-war years, 1944-45 to 1961-62. It should be noted that the University of Ottawa produced its first medical graduates in 1951, the University of British Columbia in 1954 and the University of Saskatchewan in 1957. Appendix 3-2 provides a detailed breakdown of the number of graduates of medical schools for the period 1910 to 1961 and, by sex, for the years 1947-48 to 1960-61.

Table 3-1 indicates the relative output of the twelve medical schools during the post-war years.

During the period under review, the 12 medical schools have supplied 14,146 medical graduates or an average of 785 physicians per annum. The largest contributions to this total have been made by the medical schools of Toronto, McGill, Laval and Montreal.

The average annual output of medical graduates and the corresponding percentages indicate the actual productive capacity per year of the medical schools

TABLE 3-1

NUMBER AND PER CENT DISTRIBUTION OF GRADUATES

OF CANADIAN MEDICAL SCHOOLS, BY SCHOOL, 1944-45 TO 1961-62

Medical School	Number of Graduates	Per Cent of Total	Annual Average Output	Per Cent of Total Annual Average Output
Dalhousie	847	6.0	50	5.9
Laval	1,869	13.2	104	12.1
Montreal	1,616	11.4	90	10.6
McGill	1,924	13.6	107	12.5
Ottawa	544	3.8	45	5.3
Queen's	891	6.3	52	6.1
Toronto	2,763	19.5	154	18.0
Western Ontario	1,019	7.2	57	6.7
Manitoba	1,140	8.2	63	7.4
Saskatchewan	181	1.3	30	3.5
Alberta	894	6.3	50	5.9
British Columbia	458	3.2	51	6.0
Canada	14,146 (785 annual average)	100.0	853	100.0

Source: Education Issues of the Journal of the American Medical Association.

during the post-war years. The same four medical schools show the highest productive capacity.

On the assumption that the medical graduates have located in the regions in which medical schools are situated and ignoring the fact that American and other foreign medical graduates, who completed their training in Canada, left this country, Table 3-1 would indicate that Dalhousie University, serving mainly the Atlantic region, provided 6.0 per cent of the total medical graduates in Canada during the period of 1945 to 1962. With an annual average of 5.9 per cent of actual productive capacity of the 12 Canadian medical schools during the same period, it serves the population of this region, which ranged from 9.7 per cent of the total Canadian population in 1945 (excluding Newfoundland's population) to 10.4 per cent in 1962.

The three medical schools (Laval, Montreal and McGill) located in the Province of Quebec provided 38.2 per cent of the total medical graduates during the period under review and with an annual average of 35.2 per cent productive capacity, served the population of the province, which ranged from 29.8 per cent of the total population of Canada in 1945 to 28.8 per cent in 1962.

The four medical schools (Ottawa, Queen's, Toronto and Western Ontario) located in Ontario provided 36.8 per cent of the total medical graduates during the years 1945 to 1962 and with an annual average productive capacity of 36.1 per cent, met the demand for new physicians of the province, which ranged

from 33.1 per cent in 1945 to 34.2 per cent in 1962 of the total population of the country.

The three medical schools in the Prairie Provinces provided 16.0 per cent of the total medical graduates of Canada during the years 1945 to 1962 and with an annual average productive capacity of 16.8 per cent, served the population of Manitoba, Saskatchewan and Alberta, which ranged from 19.5 per cent in 1945 to 17.5 per cent in 1962, of the total Canadian population.

Finally, the medical school of the University of British Columbia provided 3.2 per cent of the total medical graduates of Canada and with an annual average of 6.0 per cent of the actual productive capacity of medical manpower in Canada, met the demand for new physicians of the population of British Columbia, Yukon and Northwest Territories, which ranged from 8.0 per cent in 1945 to 9.1 per cent in 1962, of the total Canadian population.

This analysis would suggest that the Atlantic Provinces and British Columbia have experienced an inadequate supply of medical graduates from the medical schools located within their boundaries. This implies either the necessity of having a less favourable physician—population ratio or having this situation ameliorated through a greater reliance on immigrant physicians or dependence on a supply of physicians from other regions of Canada. These observations apply also to the Prairie Provinces though to a lesser extent.

Partially coincident with a population increase from 7.2 millions in 1911 to 18.5 millions in 1962, the annual output of graduates of 8 medical schools in Canada in 1911 numbered about 300, and in 1962 from 12 medical schools about 850. During the last few years our medical schools have been producing, relatively to the size of population, almost the same number of doctors as that produced 50 years ago when the effective demand for medical services was determined by a lower standard of living and by the lower status of medical science. It seems that the production of medical graduates is related to the physical and financial capacity of existing medical schools rather than to the requirements of our society. The association of Canadian Medical Colleges finds that "... the medical schools of Canada do not graduate the number of physicians necessary to provide adequate medical service for our citizens, and that there is no current provision of increasing the volume of graduates as the population expands."

Table 3-2 shows the number of medical graduates of Canada per 100,000 population over the period of 1911 to 1962.

In 1943 the medical schools accelerated their time-tables to meet the wartime demand for more physicians. Under this accelerated teaching programme each medical school, on the average, graduated one class every eight months. The speed-up plan did not increase the total student registration because the schools were still enrolling one first-year class in each calendar year, but it did produce trained doctors in a shorter period of time. The growing demand for doctors in the

A brief from the Association of Canadian Medical Colleges, April 1962, submitted to the Royal Commission on Health Services, p. 1.

TABLE 3-2
GRADUATES OF CANADIAN MEDICAL SCHOOLS
PER 100,000 POPULATION, 1911-1962

Year	Medical Graduates	Population ('000)	Medical Graduates per 100,000 Population
1911	307¹	7,2072	4.3
1921	364 ¹	8,788²	4.1
1931	475¹	10,3772	4.6
1941 ³	562	11,5072	4.9
1942	539	11,637	4.6
1943	496	11,795	4.2
1944	523	11,958	4.4
1945	769	12,102	6.4
1946	513	12,283	4.2
1947	567	12,558	4.5
1948	632	12,859	4.9
1949	679	13,447	5.1
1950	791	13,712	5.8
1951	858	14,009²	6.1
1952	783	14,459	5.4
1953	825	14,845	5.6
1954	896	15,287	5.9
1955	894	15,618	5.7
1956	816	16,080	5.1
1957	893	16,610	5.4
1958	836	17,080	4.9
1959	859	17,483	4.9
1960	863	17,870	4.8
1961	834	18,238²	4.6
1962	838	18,570	4.5

¹ Three-year average (including preceding and following year).

armed forces was facilitated through the introduction of the Army enlistment plan, under which the future medical officers were financially assisted during their medical studies. In 1945 as a result of this programme five medical schools graduated two classes of physicians in one calendar year. In that year there were 6.4 medical graduates per 100,000 population, which was the usual average output of the Canadian medical schools.

² Census data: 1942-1950 and 1952-1960 population figures are based on Dominion Bureau of Statistics intercensal estimates of population as at June 1 for the years concerned: Population Estimates, Age and Sex, September, 1962, DBS, Census (Demography) Division, Reference Paper, Catalogue No. 91-506.

³ Medical graduates as reported in Education Issues of the Journal of the American Medical Association.

Table 3-2 indicates that from 1950 to 1955 the figures of medical graduates per 100,000 population were generally higher than in the preceding and following years. This evident increase in productivity of our medical schools was the result of the backlog of six years of veterans that was imposed on the normal number of graduates during other periods. This would suggest that with the disappearance of this factor, there were not enough young Canadians applying for admission to medical schools in more recent years, i.e., the post-war influx of students subsided in the early 1950's.

b. Female Medical Graduates

Table 3-3 indicates the number and percentage of female medical graduates in Canada during the pre-war decade 1929-30 to 1939-40 and during the post-war period, 1947-48 to 1960-61.

TABLE 3-3
DISTRIBUTION OF GRADUATES OF CANADIAN MEDICAL SCHOOLS
BY SEX, 1929-30 TO 1938-39 AND 1947-48 TO 1960-61

		Med	lical Gradu	ates	
Year	Male	Per cent of Total	Female	Per cent of Total	Tota1
1929–30	497	95.0	26	5.0	523
1930–31	544	96.8	18	3.2	562
1931–32	528	96.5	19	3.5	547
1932–33	538	95.5	25	4.5	563
1933–34	526	96.1	21	3.9	547
1934–35	453	96.4	17	3.6	470
1935–36	450	95.1	23	4.9	473
1936–37	486	95.7	22	4.3	508
1937–38	477	97.0	15	3.0	492
1938–39	468	94.9	25	5.1	493
947–48	583	92.2	49	7.8	632
948–49	621	91.5	58	8.5	679
949–50	746	94.3	45	5.7	791
1950–51	795	92.7	63	7.3	858
951–52	747	95.4	36	4.6	783
1952–53	779	94.4	46	5.6	825
1953–54	836	93.3	60	6.7	896
1954–55	835	93.4	59	6.6	894
955–56	763	93.5	53	6.5	816
956–57	829	92.8	64	7.2	893
.957–58	793	94.9	43	5.1	836
.958–59	808	94.1	51	5.9	859
959–60	798	92.5	65	7.5	863
960–61	771	92.4	63	7.6	834

Sources: Canadian Medical Procurement and Assignment Board, Report of National Health Survey 1945, Appendices 9 and 10.

Education Issues of the Journal of the American Medical Association.

During the pre-war decade of 1929—30 to 1938—39, the total number of graduates of Canadian medical schools was 5,178, of which 211 were females. This constituted 4.1 per cent of the total medical graduates. From 1947—48 to 1960—61 there were 11,459 graduates, of which women accounted for 755 or 6.6 per cent.

c. Country of Residence of Medical Graduates

A survey of Canadian medical schools conducted by the Royal Commission on Health Services provided some information as to the country of residence at the time of graduation of medical graduates over the period 1948 to 1962. Appendix 3-3 contains detailed statistical data on the number and per cent distribution of medical graduates, Canadian and foreign, by medical school from 1947-48 to 1961-62. An analysis of these data clearly indicates a steady increase in absolute and relative figures of graduates of Canadian medical schools, who came from other countries. Table 3-4 summarizes this finding.

TABLE 3-4

FIVE-YEAR AVERAGE NUMBER AND PER CENT DISTRIBUTION OF GRADUATES OF CANADIAN MEDICAL SCHOOLS WHO CAME FROM OTHER COUNTRIES, 1947-48 TO 1961-62

Graduates of Canadian Medical Schools who came from Other Countries			
Average Number	Average per cent of Total Medical Graduates in Canada		
37	5.5		
74	8.6		
105	12.3		
	who came Average Number 37 74		

This increase in foreign-born Canadian medical graduates from the middle of the 1950's corresponds to a relative decline of Canadian-born students entering medical schools. In other words, the medical schools have filled the existing vacancies with foreign students. Presumably, this trend need not continue provided that there is an increase in applications from Canadian-born candidates.

Table 3-5 shows the extent to which various medical schools in Canada provided education to graduates who came from other countries over the whole period under review.

Out of 12,218 medical graduates of Canadian medical schools during the period from 1948 to 1962, there were 1,078 graduates, or 8.8 per cent of the total who came from other countries, of whom nearly 800 were from the United States. The two French-language medical schools, Laval and Montreal, accounted for a very high proportion of graduates whose country of residence was Canada. Almost half of the graduates who came from other countries received their education at McGill University. The University of Ottawa was next in providing its facilities for foreign graduates.

TABLE 3-5

NUMBER AND PER CENT DISTRIBUTION OF GRADUATES OF CANADIAN MEDICAL SCHOOLS, BY COUNTRY OF RESIDENCE AT THE TIME OF GRADUATION AND BY SCHOOL, 1947-48 TO 1961-62

				Count	ry of Re	sidence			
Medical School	Can	ada	U.S	S.A.		tish nwealth	Oti Cour	ner ntries	
	No.	Per Cent	No.	Per Cent	No.	Per Cent	No.	Per Cent	Total
Dalhousie	694	93.2	27	3.6	24	3.2	_	_	745
Laval	1,621	96.9	52	3.1	_	_	-	_	1,673
Montreal	1,423	97.9	18	1.2	_	_	13	0.9	1,454
McGill	977	59.2	513	31.1	114	6.9	45	2.8	1,649
Ottawa	469	85.3	69	12.5	7	1.3	5	0.9	550
Queen's	687	94.5	38	5.3	1	0.1	1	0.1	727
Toronto	2,222	97.1	29	1.3	33	1.4	4	0.2	2,288
Western Ontario.	863	98.4	14	1.6	_	_	_	_	877
Manitoba	812	95.6	9	1.1	28	3.3	-		849
Saskatchewan	172	94.0	7	3.8	1	0.5	3	1.7	183
Alberta	750	99.5	2	0.3	1	0.1	1	0.1	754
British Columbia	450	95.9	9	1.9	9	1.9	1	0.3	469
Canada	11,140	91.2	787	6.4	218	1.8	73	0.6	12,218

Source: Survey of Medical Schools by the Royal Commission on Health Services, 1962.

It is generally accepted that foreign graduates do not remain in Canada to practise medicine. On the assumption that a four-year medical course costs a medical school approximately \$12,000 per student, it would appear that Canadian medical schools have spent between \$12.0 to \$15.0 million in training foreign medical graduates over the last 15 years.

2. Medical Students

This section is concerned with an analysis of the trends in the enrolment of medical students during the post-war years, 1947-48 to 1961-62. This enrolment is related to the total university student enrolment, total population of Canada and to the population of the University age group, 20-24. It is followed by a discussion of the distribution of medical students by sex and year of course. A special survey of Canadian medical schools provided useful data concerning the geographical source of first-year medical students by province and country of origin.

Briefs from the Faculty of Medicine, Dalhousie University, p. 3, and the C.M.A., British Columbia Division, p. 38, submitted to the Royal Commission on Health Services, reported that medical education, being the costliest of all types of university education, now averages approximately \$3,250 to \$4,000 per year per student. In the above calculation an average figure of \$3,000 per student was taken.

a. Trends in Student Enrolment

Table 3-6 indicates trends in enrolment of medical students and other university students per 100,000 population in Canada.

TABLE 3-6

MEDICAL STUDENT ENROLMENT AND TOTAL UNIVERSITY STUDENT ENROLMENT
PER 100,000 POPULATION, CANADA, 1947-48 to 1960-61

Year		Student Iment ¹	Total Ur Student B	niversity Cnrolment	Minus M	nrolment	Popula- tion
	No.	Per 100,000	No.	Per 100,000	No.	Per 100,000	
1947-48	3,100	24.7	78,205	623.1	75,105	598.4	12,551
1948-49	3,233	25.2	74,797	583.3	71,564	558.1	12,823
1949-50	3,278	24.4	68,480	509.3	65,202	484.9	13,447
1950-51	3,489	25.4	63,942	466.3	60,453	440.8	13,712
1951-52	3,458	24.7	59,634	425.7	56,176	401.0	14,009
1952-53	3,444	23.8	59,826	413.8	56,382	390.0	14,459
1953-54	3,643	24.5	60,737	408.9	57,094	384.4	14,845
1954-55	3,589	23.5	64,669	423.0	61,080	399.5	15,287
1955–56	3,651	23.3	68,768	438.0	65,117	414.8	15,698
1956-57	3,655	22.7	72,624	451.6	68,969	428.9	16,081
1957-58	3,686	22.2	80,443	484.3	76,757	462.1	16,610
1958-59	3,668	21.5	88,006	515.3	84,338	493.8	17,080
1959–60	3,549	20.3	94,928	542.9	91,379	522.6	17,483
1960–61	3,508	19.6	105,911	592.7	102,403	573.1	17,870

¹ Excludes pre-medical, postgraduate students and fifth year undergraduate interns (at Dalhousie, Laval, and Montreal).

Source: Medical student enrolment has been computed from the Educational Issues of the A.M.A.

Journal. Total university student enrolment has been computed from the files of Higher
Education Section, Education Division, DBS.

This table indicates that while the number of medical students remained relatively stable around 3,500 during the last decade, the number of medical students per 100,000 population steadily decreased from 25.4 in 1950-51 to 19.6 in 1960-61. Thus the recruitment of medical students did not keep pace with the growing population of Canada. In fact, since 1957-58 the absolute number of medical students has declined although in the last few years there was an increase in the number of students entering medical schools, but it is not possible as yet to determine whether or not this increase represents the beginning of a new trend towards higher registration in our medical schools. However, a noticeable increase in arts and science students, which began some years ago, reached the professional schools in 1960 and 1961. Consequently, one can expect some increase in medical student enrolment in the coming years. The immediate post—war years showed a

First year enrolment has increased from 946 in 1959-60 to 1061 in 1962-63 and 1086 in the 1963-64 academic year.

relatively high ratio of total university student enrolment per 100,000 population. This ratio gradually declined from 623.1 in 1947-48 to 408.9 in 1953-54, but since then it increased very rapidly until in 1960-61 it reached almost the immediate post-war years' level, being 592.7. Taking 1953-54 as a base year, Table 3-7 shows by way of an index of enrolment the trends in medical student registration as contrasted with total university student registration in the period under review.

TABLE 3-7
INDEX OF MEDICAL STUDENT AND TOTAL UNIVERSITY STUDENT ENROLMENT
(1953-54 = 100)

Year	Medical Student Enrolment	Total University Student Enrolment	Total University Student Enrolment Minus Medical Student Enrolment
1947–48	85.1	128.8	131.6
1948–49	88.8	123.1	125.3
1949–50	90.0	112.8	114.2
1950–51	95.8	105.3	105.9
1951–52	94.9	98.4	98.5
1952–53	94.5	98.5	98.8
1953–54	100.0	100.0	100.0
1954–55	98.5	106.5	107.0
1955–56	100.2	113.2	114.1
1956-57	100.3	119.6	120.8
1957–58	101.2	132.4	134.4
1958–59	100.7	144.9	147.7
1959–60	97.4	156.3	160.1
1960–61	96.3	174.4	179.4

Total university student enrolment increased by almost 75.0 per cent by 1960-61 as compared with the total registration of the university students in 1953-54. Medical student enrolment, however, actually declined being almost 4.0 per cent less than in 1953-54. It appears obvious that a medical career is becoming less attractive to university students. It may be difficult to estimate accurately what the actual number of medical students should be to satisfy the nation's needs for doctors, but, it seems clear that some means must be devised to attract young men and women of suitable intellectual and other characteristics to study medicine. The problem of recruitment of medical students becomes one aspect of the over-all requirement for additional physicians.

Appendix 3-4 indicates the percentage of medical student enrolment to total university student enrolment by sex, for the years 1947-48 to 1960-61. It shows that from 1953-54 this percentage has gradually declined from 6.0 to 3.1 in 1960-61. This decline is particularly pronounced in the case of men. In 1953-54, male medical students accounted for 7.2 per cent of total male university student

enrolment, while in 1960-61 this percentage declined to 4.4. As for female medical students this percentage remained relatively stable, i.e., about 1.5 of the total female university student registration in Canada.

Another way to asses the trends in the registration of medical and total university students is to relate such registration to the population of the university age group, 20-24. Appendix 3-5 shows medical student enrolment and total university student enrolment per 100,000 population of university age group, by sex, for the years 1947-48 to 1960-61. These data are essential in projecting the future supply of medical students in this country.

Enrolment of male and female medical students per 100,000 population of university age group 20-24, decreased from 353.2 in 1947-48 to 328.1 in the 1955-56 academic year and then it has steadily declined, particularly in 1959-60 and 1960-61 to 297.9 in the latter year. There has been, however, some increase in female medical student enrolment. In 1947-48 there were 233 female medical students or 42.3 per 100,000 female population of the university age group and the figures for 1960-61 were 379 and 64.2 respectively. This trend was in line with a general increase in total female university student enrolment, which has increased from 2,573.6 per 100,000 female population of the university age group in 1947-48 to 4,457.9 in 1960-61. As for male medical students their enrolment in 1953-54 amounted to 617.0 per 100,000 total male population of the university age group and it gradually declined to a level below 600 in 1960-61. This trend was in sharp contrast with the enrolment of the total male university students. In 1953-54 there were 8,587 university students per 100,000 male population of the university age group, but in 1960-61 the figure stood at 13,545 persons. These findings confirm the conclusions arrived at be relating the enrolment of medical and total university students to the total population in Canada.

b. Distribution of Medical Students by Sex

Table 3-8 shows the number and per cent distribution of medical students by sex for the years 1947-48 to 1960-61. It confirms a slightly decreasing proportion of male students and increasing proportion of female students. The latter accounted, on the average, for 6.9 per cent of the total number of medical students during the period under review. During the years 1959-60 and 1960-61, the corresponding figures were 8.9 and 9.8.

It seems that women have greater difficulties in gaining admission to medical schools than men although in more recent years more women have been admitted. This may be due to the fact that a smaller proportion of men are applying to medical school. One writer mentioned some of the prejudices against female medical students. "There is a widespread feeling that women medical students do not make as good use of their medical training as do men because of marriage and child-bearing. This tends to make standards for acceptance of women more vigorous than for men; grades must be excellent; there is a tendency to accept only those women of attractive appearance and to reject girls who appear immature or women older than the usual age of admission. Little

TABLE 3-8

NUMBER AND PERCENTAGE DISTRIBUTION OF MEDICAL STUDENTS BY SEX

1947-48 TO 1960-61

Year	M	ale	Fen	ale		
Tear	Number	Per Cent	Number	Per Cent	Total	
947-48	2,867	92.5	233	7.5	3,100	
948-49	3,017	93.3	216	6.7	3,233	
949-50	3,249	94.3	198	5.7	3,447	
950-51	3,469	94.2	214	5.8	3,683	
951-52	3,247	93.9	211	6.1	3,458	
952-53	3,220	93.5	224	6.5	3,444	
953-54	3,410	93.6	233	6.4	3,643	
954-55	3,365	93.7	224	6.3	3,589	
955–56	3,449	93.7	232	6.3	3,681	
956-57	3,419	93.5	236	6.5	3,655	
957-58	3,427	93.0	259	7.0	3,686	
958–59	n.a.	_	n.a.	_	3,668	
959–60	3,379	91.1	331	8.9	3,710	
960-61	3,478	90.2	379	9.8	3.857	

¹ 50 additional year students at Queen's University and 119 at Laval University are included.

Source: Educational Issues of the A.M.A. Journal.

encouragement is given to married women, especially those with children. This whole approach is unfortunate." On the other hand, it has been argued that in view of the limited accomodations in medical schools and rather heavy investment by the universities per medical student, there is a natural tendency to admit male students who may be expected to remain active physicians without temporary withdrawals from the profession for the rest of their lives. Some women students may not apply for admission to medical schools because of the impression that the medical profession is primarily men's domain, furthermore that it demands long and expensive training and requires an adequate knowledge of the basic sciences.

c. Medical Student Enrolment by Year of Course

Table 3-9 shows the total registrations in Canadian medical schools by the year of course over a period of 14 years.

First-year medical students accounted for 27.1 per cent of the total enrolment over the period under review. This implies that for every first-year medical

² 50 additional year students at Queen's University and 144 at Laval University are included.

³ 60 additional year students at Queen's University are included and 30 third-year students at the University of Saskatchewan are excluded.

⁴ 108 pre-medical students at Queen's University and 53 at the University of Ottawa are included.

⁵ A total of 349 pre-medical students at Queen's University and the Universities of Ottawa and Saskatchewan are included.

Boucot, Katharine R., "Special Problems of Women Medical Students", Canad. M.A.J., vol. 86, April 7, 1962, pp. 614-15.

TABLE 3-9

MEDICAL ENROLMENT IN CANADA BY YEAR OF COURSE

1947-48 TO 1960-61

V		Year of	Course		Total	Medical
Year	First	Second	Third	Fourth	Enrolment	Graduates
1947–48	827	842	756	675	3,100	632
1948–49	887	765	842	739	3,233	679
1949–50	897	798	761	822	3,278	791
1950–51	960	880	844	805	3,489	858
1951–52	873	891	858	836	3,458	783
1952–53	918	809	865	852	3,444	825
1953-54	982	901	844	916	3,643	896
1954–55	968	903	881	837	3,589	894
1955–56	1,035	883	877	856	3,651	816
1956–57	1,001	934	855	865	3,655	893
1957–58	1,012	916	928	830	3,686	836
1958–59	986	911	867	904	3,668	859
1959–60	946	882	863	858	3,549	863
1960–61	970	842	853	843	3,508	834
Total	13,262	12,157	11,894	11,638	48,951	
Each year as						
per cent of						
Total	27.1	24.8	24.3	23.8	100.0	

Source: Educational Issues of the A.M.A. Journal.

student approximately 2.7 student places must be provided in the three subsequent years of medical studies, although this percentage is somewhat lower for each subsequent year because of the withdrawals for academic and non-academic reasons.

A rough estimate of the attrition rate from one course year to another can be obtained from Table 3-9. The total number of first-year course students in a given year becomes a somewhat smaller total number in the second-year course of the subsequent academic year. Expressing the difference between the total number of the first-year students during the years 1947-48 to 1956-57 and the total number of second-year students during the years 1948-49 to 1957-58, as a percentage of the first total, the attrition rate is 8.1 per cent. In a similar way the attrition rates for subsequent years have been calculated. The results are shown in Table 3-10.

This rough analysis would suggest that for every 100 first-year medical students, approximately 10 will withdraw for various reasons during their medical studies. In other words, one can expect that about 90 per cent will become medical graduates.

d. Geographical Source of First-Year Medical Students

A survey of Canadian medical schools provided useful information with respect to the geographical source of the first-year medical students. This infor-

TABLE 3-10 ATTRITION RATES OF CANADIAN MEDICAL STUDENTS 1947-48 TO 1959-60

Year of Course	Attrition Rates
First	8.1%
Second	1.2%
Third	0.2%
Fourth	0.4%
Total	9.9%

mation, summarized in Table 3-11, shows the number and per cent distribution of these students, by province and country of residence and by medical school during the years 1947-48 to 1961-62.

This table shows that over the last 15 years, 10.5 per cent of the first-year students in Canadian medical schools were from other countries, with over two-thirds of these coming from the United States and the remainder mainly from the countries of the British Commonwealth. It may be said that the total number of foreign first-year medical students during the period under review was almost equal to the total first-year enrolment of one of the larger medical schools in Canada, like McGill or Montreal or of two of the smaller medical schools. The relatively higher percentage of foreign first-year students may indicate a shortage of suitable Canadian students. On the average, the students from outside the country have filled about 100 vacant places per year.

The medical schools of McGill University and the University of Ottawa have provided accommodation for first-year Canadian medical students to the extent of 52.7 and 84.9 per cent respectively. It is these two schools which have had the highest percentages of first-year medical students from the United States. The students from the Commonwealth countries have mainly concentrated at McGill, Manitoba, British Columbia and Dalhousie Universities.

Table 3-11 also illustrates that the medical schools mainly serve the provinces or regions in which they are located. Thus Dalhousie accepted about 85.0 per cent of its first-year medical students from the Atlantic Provinces. Montreal and Laval universities show that over 90.0 per cent of their first-year medical students came from the Province of Quebec, while McGill's percentage was only 30.6. In Ontario, the University of Toronto and Western Ontario accepted over 90.0 per cent of their first-year students from their own province, Queen's three-quarters and the University of Ottawa about one half. The latter university being bilingual also partly serves the Province of Quebec. The medical schools in the Prairie Provinces accept mainly the students from their respective provinces. The University of British Columbia shows that 85.0 per cent of its first-year medical students came from its own province.

Appendix 3-6 indicates the annual number and per cent distribution of first-year medical students, Canadian and foreign, by medical school for the same

NUMBER AND PER CENT DISTRIBUTION OF FIRST-YEAR MEDICAL STUDENTS, BY PROVINCE AND COUNTRY OF TABLE 3-11

RESIDENCE AND MEDICAL SCHOOL, 1947-48 TO 1961-62

Medical	Nf1d.	1d.	P.E.I.	3.I.	N.S.	Š	N.B.	ď	One.	*	Ont.	t.	Man.	'n.	Sask.	k.
School	No.	%	No.	8%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	8%
Delhousie	113	12.6	104	11.6	376	42.0	172	19.2	10	1.1	∞	0.9	1	0.1	1	1
Toyo, I	1	1	6	0.2	14	0.7	47	2.4	1,740	8.06	25	1.3	11	9.0	17	0.9
Montreel	i	1	1	1	1	1	00	0.4	1,769	96.5	15	0.8	7	0.1	ı	1
McGill	00	0.4	6	0.5	20	1.2	89	4.0	522	30.6	122	7.1	6	0.5	29	1.7
Ottowa	9	0.6	4	0.4	20	2.0	27	2.8	236	24.2	474	48.7	13	1.3	18	1.8
Oneen's	-	0.1		0.1	-	0.1	10	1.1	53	0.9	069	78.3	6	1.0	46	5.2
Toronto	1 (7)	0.1		1	1	1	ນດ	0.2	16	0.7	2,163	93.0	1	1	ທ	0.2
Western Ontario	1	1	1	1	1	1	8	0.3	ın	9.0	849	94.8	1	1	က	0.3
Wenitobe	ı	1	1	1	ı	1	1	1	9	0.7	17	2.1	609	74.2	83	10.1
Costotchewan	١	1	1	1	1	1	1	1	7	1.3	4	8.0	w	0.9	471	89.2
Alberto	1	ı	ı	1	1	1	ı	1	7	0.8	9	0.7	1	1	21	5.6
British Columbia ¹	ı	1	١	١	1	1	-	0.1	16	2.2	00	1.1	4	9.0	S	0.7
Total	131	0.9	122	0.8	431	3.0	341	2.4	4,387	30.6	4,381	30.6	663	4.6	869	4.9

Medica1	Alta.	ta.	B.C.	ri	Yukon & NWT	% NWT	Canada	ıda	U.S.A.	Α.	British Comm.	ish m.	Other	er try	Total	a1
School	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Dalhousie	2	0.2	2	0.2	1	1	788	87.9	09	8.9	44	4.9	4	0.4	968	100.0
Taya, I	2	0.1	8	0.2	1	1	1,862	97.3	51	2.7	-	0.1	1	1	1,914	100.0
Montreal	-	1	1	1	ı	1	1,795	6.76	23	1.3	1	1	16	0.8	1,834	100.0
McGill	, r.	0.0	66	80	ı	1	901	52.7	629	36.8	126	7.4	54	3.1	1,710	100.0
Ottawa	12	1.2	17	1.7	ı	1	827	84.9	112	11.5	23	2.3	12	1.2	974	100.0
Oneen's	4	0.5	20	2.3	1	ı	835	94.7	44	2.0	7	0.3	ı	1	881	100.0
Toronto	9	0.2	35	1.5	1	1	2,234	0.96	30	1.3	48	2.1	14	9.0	2,326	100.0
Western Onterio	~	0.3	11	1.2	1	ı	874	97.5	18	2.0	3	0.3		0.1	896	100.0
Wanitoba	20 00	2.2	00	1.0	1	1	741	90.3	15	1.8	61	7.4	4	0.5	821	100.0
Saskatchewan	9	1.1	7	0.4	1	1	495	93.8	15	7.8	17	3.2	-	0.7	528	100.0
Alberta	770	92.3	16	1.9	2	0.2	822	98.5	7	0.8	w	9.0	Н	0.1	835	100.0
British Columbia ¹	00	1.1	209	84.8	1	1	649	9.06	18	2.5	48	8.9	Н	0.1	716	100.0
Total	847	5.9	820	5.8	2	1	12,823	89.5	1,022	7.1	378	2.6	108	8.0	14,331	100.0

¹ Data for University of British Columbia from 1950-51 only.
Source: Survey of Medical Schools by the Royal Commission on Health Services, 1962.

TABLE 3-12

AVERAGE ANNUAL NUMBER OF FIRST-YEAR MEDICAL STUDENTS PER 100,000 POPULATION, CANADA AND BY PROVINCE, 1952-53 TO 1961-62

Province	Average Number of First-year Medical Students per Year	Average Ratio per 100,000 Population
Newfoundland	9.4	2.3
New Brunswick	18.9	3.4
Nova Scotia	24.4	3.5
British Columbia, Yukon and		
Northwest Territories	56.0	3.9
Saskatchewan	44.1	5.0
Alberta	57.6	5.0
Ontario	284.9	5.2
Manitoba	48.3	5.6
Quebec	306.6	6.5
Prince Edward Island	7.2	7.2
Canada	857.4	5.2

period of 1947-48 to 1961-62. It shows that the peak of 1,025 firest-year medical student enrolment was reached in the academic year, 1955-56, which gradually declined to 938 in 1959-60, but since then it showed some improvement and it remained at 1,001 in 1961-62. Excluding foreign students, the enrolment of Canadian first-year medical students shows the same pattern; that is to say, it reached a peak of 948 in 1955-56, then it declined to 802 in 1959-60 and improved to 871 in 1961-62. This trend in the enrolment of first-year medical students was in sharp contrast with the rapid increase in the registration of university students in general in Canada since the middle of the 1950's. There was a definite increase in foreign first-year medical students beginning 1952-53, which showed itself in a higher proportion of medical graduates, who completed their basic education in Canada, in the second part of the 1950's as suggested elsewhere in this study. During the last two academic years under review, when medical schools seem to operate at full capacity, the proportion of foreign first-year medical students remained constant due to a slight increase of Canadian students.

The same trend in the enrolment of first-year medical students is indicated in Appendix 3-7, which examines the ratio of these students per 100,000 population for Canada and provinces, for the years 1952-53 to 1961-62. For the country as a whole, there were 5.9 first-year medical students per 100,000 population in 1952-53. The rate gradually declined to 4.6 in 1959-60, and since then it has increased slightly to 4.8 in 1961-62.

Table 3-12 shows the average number per year of first-year medical students and its relation to 100,000 population for Canada and the provinces during the years, 1952-53 to 1961-62.

Because of the small number of cases observed it is difficult to establish a definite relationship between the relative number of doctors in a province and the

relative number of students from the province who enter medical school. However, two provinces, Newfoundland and New Brunswick, had the most unfavourable physician-population ratios in 1960. It is possible that the same factors of an economic, educational and cultural nature, which attract doctors to a province also stimulate the young person's interest in the medical profession. It is also interesting to note that these two provinces lack medical schools. However, the previous findings, that the medical schools take mainly first-year students from the provinces in which they are located, would suggest that provincial boundaries are of some importance in planning the location of any new medical school or the expansion of an existing one to offset regional and provincial maldistribution of physicians.

Appendix 3-8 shows the relationship between the number of first-year medical students and the population of the university age group, 20-24, for Canada and the provinces, during the same period of 1952-53 and 1961-62. A summary of this analysis is shown in Table 3-13.

The usefulness of this table lies in making a projection of the enrolment of medical students from Canada in relation to the future size of the population of university age group.

TABLE 3-13

AVERAGE ANNUAL NUMBER OF FIRST-YEAR MEDICAL STUDENTS PER 10,000

POPULATION OF UNIVERSITY AGE GROUP, 20-24, CANADA AND FOR PROVINCES,

1952-53 AND 1961-62

Province	Average Ratio of First-year Medical Students per 10,000 Population of University Age Group 20-24
Newfoundland	3.2
Nova Scotia	5.0
New Brunswick	5.1
British Columbia, Yukon and Northwest Territories	6.2
Alberta	6.9
Saskatchewan	7.4
Ontario	7.6
Manitoba	8.3
Quebec	8.6
Prince Edward Island	11.7
Canada	7.5

e. Student Admissions to Canadian Medical Schools

It is apparent from the examination of statistics on numbers of applications for medical studies that the recruitment of medical students constituted a rather difficult problem during the last 12 years. Most of the Canadian medical schools have experienced a gradual decrease in the number of applicants.

It is reasonable to assume that some candidates applied to more that one university and, therefore, they appear in the application statistics of more than one university. Appendix 3-9 contains the number of applicants from all sources, Canadian and foreign, for medical studies, by medical school, at three-year intervals, for the period of 1949-50 to 1961-62. Amongst the larger institutions, McGill University's applications in 1961-62 were only about half the total of 1,700 received in the 1949-50 academic year. The University of Toronto experienced a drop from 304 in 1949-50 to 276 in 1961-62. Amongst the smaller medical schools a similar trend can be observed. For Queen's University and the University of British Columbia the corresponding figures were 199 and 153, and 285 and 233 respectively. The Prairie universities show some increase in the number of applications received during the last year reported.

Table 3-14 shows the ratios of applicants offered places at medical schools to the total number of applications received, at three-year intervals, for the reporting medical schools during the period under review.

The acceptance rate remained relatively stable over the period of the last 12 years, i.e., approximately half of the applicants were offered places in the medical schools. No statistical information is available, however, as to the main reasons for this relatively high rejection ratio. Such information would be extremely useful in overcoming the difficulties experienced in the recruitment of medical students.

TABLE 3-14

ACCEPTANCE RATE AND VACANCIES AT START OF TERM IN CANADIAN MEDICAL SCHOOLS, 1949-50 TO 1961-62

(at three-year intervals)

Year	Number of Applicants	Acceptance Rate ¹	Official Class Size	Vacancies at Start of Term ²
		%		
1949–50	1,105	41.03	347 ⁸	1
1952–53	1,067	53.74	467°	† 1
1955–56	1,327	52.35	48210	† 2
1958–59	2,392	44.96	73311	23
961–62	2,852	35.87	1,02212	16
Average		45.5		

Per cent of applicants offered places by medical schools to total number of applications received.

Source: MacFarlane, J.A., et. al., Medical Education in Canada, a study prepared for the Royal Commission on Health Services, Ottawa: Queen's Printer, 1964.

 $^{^2}$ Sign \dagger indicates the number of students registered exceeding the official class size.

³ Six schools reporting.

⁴ Seven schools reporting.

⁵ Eight schools reporting.

⁶ Nine schools reporting.

⁷ Twelve schools reporting.

⁸ Six schools reporting.

⁹ Seven schools reporting.

¹⁰ Seven schools reporting.

¹¹ Ten schools reporting.

¹² All Twelve schools reporting.

Table 3-14 also suggests that despite a decline in the number of applications and difficulties in recruitment, the medical schools reporting have had, for all practical purposes, no vacancies. In other words, the official capacity of medical schools has been filled. This point is important for it suggests that to some extent the supply of medical graduates in Canada is really determined by the physical and financial limitations of our medical schools and not by the society's requirements.

f. Attrition Rates in Medical Schools

An analysis of the medical student enrolment, by year of course, suggests that approximately 90.0 per cent of first-year students may be expected to become medical graduates. This finding is confirmed by Table 3—15 showing attrition rates in Canadian medical schools over a five-year period.

Table 3-15 indicates that of all medical students admitted during the years 1951-1955 to Canadian medical schools, 87.5 per cent ultimately became medical graduates. Thus the over-all attrition rate was 12.5 per cent. This rate varies somewhat between different schools, the highest, 27.8 per cent, at the University of Ottawa and lowest, 6.5 per cent, at the University of Western Ontario.

TABLE 3-15
ATTRITION RATES IN CANADIAN MEDICAL SCHOOLS OVER
FIVE-YEAR PERIOD, 1951 TO 1955

	Pro	-		idents raduate	admitte ed¹	d				ver Fiv	
Medical School	1951 %	1952 %	1953 %	1954 %	1955 %	Aver- age %	I %	II %	III %	IV %	Total %
Dalhousie	87.0	87.5	88.0	91.0	90.0	88.7	12.0	4.0	0.8	0	16.8
Laval	93.8	93.6	92.6	96.8	87.4	92.8	13.0	3.5	1.6	0	18.1
Montreal	71.3	75.6	78.7	81.8	82.9	78.1	7.9	0.6	1.0	0.2	9.7
McGill	87.0	91.0	87.0	91.0	83.0	87.8	11.0	2.0	1.5	0.4	14.9
Ottawa	80.0	60.1	76.6	61.0	78.6	71.3	16.7	11.1	0	0	27.8
Oueen's	95.0	95.0	83.0	89.0	92.6	90.9	8.4	6.8	1.1	0.6	16.9
Toronto	_	_	85.0	84.0	88.0	85.7	8.0	5.0	1.0	0.1	14.1
Western											
Ontario	96.6	95.0	91.6	98.3	85.9	93.5	4.0	1.0	0	0	5.0
Manitoba	93.0	97.3	86.9	85.5	94.5	91.4	7.9	1.4	2.8	0	12.1
Saskatchewan	93.6	93.7	96.6	98.5	83.5	93.2	-	_	-		_
Alberta	82.0	87.0	82.0	87.0	88.0	85.2	9.4	4.0	1.0	0.3	14.7
British											
Columbia	93.0	96.0	88.0	86.0	86.0	89.8	8.0	1.6	0.7	0	10.3
Average	88.4	88.4	86.3	87.5	86.7	87.5	9.7	3.8	1.1	0.1	14.7

¹ Including students who took time out, or who were allowed to repeat a year.

Source: MacFarlane, J.A., et al., Medical Education in Canada, a study prepared for the Royal Commission on Health Services, Ottawa: Queen's Printer, 1964.

As might be expected, the highest attrition rate occurred during the first year of the medical course; it was 9.7 per cent on the average, over a five-year period for all medical schools reporting. This rate gradually declined to 3.8 per cent for the second year, 1.1 per cent for the third year, and 0.1 for the fourth year of the medical course. Again these particular rates vary somewhat between different medical schools.

Table 3-16 summarizes the views of the deans of medical schools as to the causes of withdrawal of students from medical schools.

CAUSES OF WITHDRAWALS, BY YEAR OF COURSE, FROM CANADIAN MEDICAL SCHOOLS, 1961–62 (ORDER OF MENTION)¹

						3	Tea	of	Co	urse	•							m		
Causes of		I				I	I			I	Ι	×		I	V		(To Orde	tal er of	f
Withdrawals			er of			Orde Men					er o			Orde Men		-		Men	ition	1
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Academic Personal reasons, environmental	9	1	-	-	9	-	-	-	5	2	1	-	3	-	-	-	26	3	1	-
problems	_	4	_	1	_	2	1	_	1	1	1	_	1	1	_	_	2	8	2	1
Illness	-	-	4	-	-	1	3	-	1	1	-	1	-	1	-	-	1	3	7	1
of interest Psychiatric	1	2	3	1	-	2	-	2	1	1	-	-	-	-	-	-	2	5	3	3
disorders		1	_	_	_	1	_	_	1	_	_	_	1	_	_	_	2	2	_	_
Death	_	-	2	-	-	-	1	_	-	_	_	_	_	_	_	_	_	_	3	-
Finance Not known or	-	-	-	1	-	-	1	-	-		-	-	-	-	-	-	-	-	1	1
miscellaneous	_	1	_	_	-	1	-	_	_	_	_	1	_	_	_	_	_	2	_	1
Marriage	-	_	_	-	-	-	1	-	_	_	_	_	_	_	_	_	_	_	1	-
Moved away	-	-	-	-	-	1	-	_		1	_	_	_	_	_	_	_	2	_	-

¹ Ten medical schools reporting.

Source: MacFarlane, J.A., et al., Medical Education in Canada, a study prepared for the Royal Commission on Health Services, Ottawa: Queen's Printer, 1964.

It is apparent that academic reasons are the principal factor for withdrawal at each level of the medical course. Other more significant reasons include personal and environmental problems, illness and changes or lack of interest. It is to be noted that financial difficulties, so often emphasized by the spokesmen of the medical profession and students' organizations as deterrent to more successful recruitment of medical students, appear to be of no real significance.

3. Canadians in United States Medical Schools

There are a very small number of Canadian medical students in the United States as compared with other Canadian students acquiring higher education in

that country. Table 3-17 indicates the number of Canadian medical students in the U.S., by sex and academic ranking, over the last few years.

TABLE 3-17

CANADIANS STUDYING MEDICINE IN THE UNITED STATES, BY ACADEMIC STATUS AND SEX, 1952-53 TO 1961-62

Tota1	Number		C	anadia	ns in	U.S. M	edical	Schoo	1s		Per cent
	nadians U.S.	Pos	t Gradu	ates	Unde	r Grad	uates	3	Tota	1	of all Canadian
	ersities olleges	Male	Fe- male	Tota1	Male	Fe- male	Total	Male	Fe- male	Total	Students in U.S.
1952-53	4,572	_	_	_		_	_	_	_	152	3.3
1953-54	4,775	_	_	_	-	_	-	_	_	79	1.7
1954-55	4,655	_	_	_	-	_	_	-	_	85	1.8
1955-56	4,990	_	_	_	_	_	_	_	_	58	1.2
1956-57	5,379	83	4	87	35	4	39	118	8	126	2.3
1957-58	5,271	87	1	88	36	4	40	123	5	128	2.4
1958-59	5,432	82	4	86	39	4	43	121	8	129	2.4
1959-60	5,679	46	_	46	31	2	33	77	2	79	1.4
1960-61	6,058	78	5	83	39	4	43	117	9	126	2.1
1961-62	6,552	54	4	58	37	5	44	91	9	100	1.5

Source: Directory of Canadians Studying in the United States, Economics and Research Branch,
Department of Labour.

Approximately two-thirds of these medical students were post-graduates, who registered for further courses in specialized medical education. Undergraduates include pre-medical students and those enrolled in medical schools. They constituted approximately 1.0 per cent of the total number of Canadians studying in the United States. This percentage is considerably below the proportion of medical student enrolment to total university student enrolment in Canada. If this trend continues American medical schools will play an insignificant role in the future supply of Canadian medical manpower.

4. Recruitment of Medical Students

The previous analysis clearly indicated a relative decline in the registration in Canadian medical schools as contrasted with an upsurge in general university enrolment across the country. Some anxiety has been expressed in medical schools and in the profession because of fewer medical applicants in relation to the available vacancies. There appears to be a shortage of applicants with suitable qualifications. Some experts in medical education have observed that "... there are still many rejected applicants each year, but these are almost invariably individuals who, in the eyes of the admission committees, do not have a reasonable chance of success in medical schools".¹

Macleod, J.W., and Thompson, J.S., "The Changing Scene in Canadian Medical Education, the Journal of Medical Education, 36:1079-1091, September 1961, p. 1079 (Special International Issue.)

The admission committees usually appraise the following attributes of medical school applicants: scholastic achievement, ability, character and personality, industry, resourcefulness and general cultural and social background.

It is rather difficult to assess, without a special study, the relative importance of various factors involved in the motivation of young people to enter a medical school. In general, these factors include a special interest in medical science, a humanitarian service motive, a family tradition, the social and economic status of the medical profession and the relative attractiveness of other professions. Even if a young man or woman is formally qualified and personally interested in medicine, he or she may still be deterred from a medical career because of various reasons, economic and others. These, often suggested by educators and doctors, can only be mentioned here, without any analytical evaluation as to their validity, magnitude and significance.

Our civilization, which is characterized by very rapid technological progress, incessantly requires an ever increasing number of students of high intellectual ability and an interest in the sciences to meet the demand for scientific and professional manpower. Medicine is no exception. Thus, the difficulties experienced in the recruitment of medical students constitute only one aspect of the recruitment for scientific and professional manpower. In fact, there are indications of similar difficulties in engineering faculties of Canadian universities. The need for scientists has been stressed as a national problem, and employment possibilities for them have been represented as very attractive. Consequently, the number of graduates in physical sciences has steadily been rising over the last two decades while graduates of medical schools have remained relatively constant. In brief, medicine as a career is in competition with the prestige, social status and economic opportunities offered to university-trained people in the natural sciences by industry, business and governments. It has been suggested that the prestige and social status of the medical profession and, in particular, of the general practitioner, may be somewhat declining in the eyes of the public and potential doctors.

Another factor responsible for the lowering of the number of applicants is the high cost of medical education. This high cost is made up not only of the relatively higher university fees of medical students compared with those of other university students, but also because bursaries and fellowships are less readily available to medical students than to post-graduate students of other faculties. Finally, medical education requires long years of unpaid training (the least time required after obtaining senior matriculation is seven years as compared with four years in most of the other university courses). Morever, a medical graduate must spend one to six years in internship and residency or fellowship training, before he is ready to practise, while it takes three to four years for most of the Ph.D. students. Thus, a specialist medical education still further accentuates this problem of high cost in terms of both money and time.

Some have claimed that the public image of a physician, working long and irregular hours, deprived of leisure time for recreation, family and community life, is another factor discouraging our young people from choosing a medical career.

In order to appraise these various factors, it would seem necessary to conduct a special survey, otherwise it is difficult to suggest corrective measures. Such a study should include an over-all investigation of the factors determining career interests of Canadian students of all regions and socio-economic groups, as well as deterrents to the study of medicine.

The provincial licensing authorities and provincial governments, the spokesmen of the medical schools and the national organization of medical students have made numerous and specific recommendations with respect to improvements in the recruitment of medical students, in their submissions to the Royal Commission on Health Services, the more significant of which are summarized below.

Most of the recommendations agree on the need for financial assistance to the undergraduate medical students if a relatively satisfactory supply of physicians in Canada is to be secured. There is a divided opinion on the question of whether more loan funds or more bursaries and scholarships are needed. There is a fear that a large debt militates against the choice of a medical career. The Canadian Association of Medical Students and Interns has recommended that "the Government of Canada make available to a central fund or foundation appropriate grants of money to be used as interest-free loan capital in the support of the undergraduate medical students".¹ The College of Medicine, University of Saskatchewan, suggested that "a grant of at least \$500 per medical student per year be made to universities from federal sources to permit free tuition for students of medicine".² The Faculty of Medicine, University of Alberta, suggested the following financial assistance measures:

- "i) Free Tuition: To all students in their third and fourth years of medicine.
- 'ii) Scholarships: In the amount of \$1,000 per year to those in the upper third of the class in the last three years.
- "iii) Loan Funds: Available to any student in any year with a proven need in an amount not exceeding \$5,000 during his undergraduate study period. Such loans would be interest-free until 12 months after graduation. Interest would then be at the prevailing bank interest rates."

The Faculty of Medicine, University of Toronto, recommended as follows:

- "a) that students with Grade A standing receive free tuition plus one-half loan and one-half bursary to carry on their maintenance;
- "b) that students with Grade B standing should receive one-half free tuition and their maintenance in half loan and half bursary; and

A brief from the Canadian Association of Medical Students and Interns, submitted to the Royal Commission on Health Services, March 20, 1962, p. 2.

² A brief from the College of Medicine, University of Saskatchewan, submitted to the Royal Commission on Health Services, January 25, 1962, p. 5.

The College of Physicians and Surgeons, Province of Alberta; The C.M.A. Alberta Division and the Faculty of Medicine, University of Alberta, February 13, 1962, p. 60.

"c) that students with Grade C standing should be evaluated and supported in accordance with their individual situations."

This Faculty of Medicine also suggested some general principles in this area of financial assistance to medical students, viz., it should be in proportion to demonstrated financial need, loans should not exceed \$1,200 upon graduation and be interest-free until two or three years after graduation and then repayable by installments. In addition, it suggested some specific federal assistance be provided for the medical students from Asia, Africa and the West Indies.

Some provinces have a scheme of financial assistance. For example, Newfoundland has instituted a plan whereby an annual bursary of \$1,200 is made available to residents of Newfoundland during the medical course. After graduation the student must serve two years in an area to which he is assigned by the Provincial Government and an additional two years practising in a community of his choice in the province which may include post-graduate training in St. John's.

A special plea has been submitted on behalf of medical students from rural areas to recognize their greater costs of attending medical school as compared with urban students who can live at home. This special consideration may mean more physicians for rural areas.

Most students rely in part on summer earnings to finance their medical education. From an educational point of view it seems desirable that they should work in their own professional or scientific field, e.g., clinical science, basic medical science, research and hospital practice. A plea has been made for more funds and bursaries for summer professional employment. For example, the Canadian Association of Medical Students and Interns recommended that "the Medical Research Council of Canada be encouraged and enabled to increase the grants available to Canadian Universities for the summer employment of capable undergraduate students in research fellowships".2

Another recommendation concerns interns and residents. It has been suggested that the economic status of this category of medical trainee be improved. The last mentioned association has recommended that "minimum standards of remuneration for first-year interns should be established in Canada at a rate no less than \$2,600 per annum" subject to periodical review in accordance with changes in the purchasing power of money.

A number of recommendations submitted to the Royal Commission on Health Services stressed the importance of aggressive recruitment programmes, which should incorporate "Open Houses" in medical schools to inform the public about work in such schools, publication of information on the opportunities for studying medicine, its cost and other aspects, visiting high schools on "Career Days", and use of mass media, radio, television and the press.

A brief from the Faculty of Medicine, University of Toronto, submitted to the Royal Commission on Health Services, May 14, 1962, p. 6.

² Brief of the Canadian Association of Medical Students and Interns, op.cit., p. 2.

³ Ibid., p. 8.

With the increase in university-age population over the next decade, it can be expected that the medical schools will increase their number of applicants and students. Nervertheless, some special efforts, financial and educational, will have to be made to attract more medical students for it seems that this expected increase in applicants will not keep pace with the increased need for the medical care of our growing population. Perhaps also some special considerations should be given to the recruitment of female medical students.

5. Social and Economic Characteristics of Medical Students in Canada, 1961-62

This part of the study is based mainly on factual information provided in the publication "University Student Expenditure and Income in Canada 1961-62" by the Education Division of the Dominion Bureau of Statistics. Most of the information was gathered by the use of a questionnaire sent to a sample of students. The survey covered the fall and spring terms of the academic year 1961-1962 and activity during the summer vacation in 1961. This survey included a sample of 1,000 medical undergraduate Canadian-born students, and the total number of graduate medical students as well as medical students from other countries.

The following sections include social background and economic and other characteristics of Canadian-born medical undergraduate students, cost analysis of attending medical school as well as an examination of sources of income to finance their medical education. This is followed by a brief analysis of foreign medical students in Canada and of graduate medical students.

- a. Social Background and Economic and Other Characteristics of Canadian-born Medical Undergraduate Students. 1
 - (i) Age, Year of Graduation Expected, Residence at College, and Marital Status

The DBS survey of a sample of undergraduate medical students excludes pre-medical students of Queen's and Toronto universities but it includes the fifth-year undergraduate interns of medical schools of Dalhousie, Laval and Montreal, who receive medical degrees after one year's internship. The DBS universe of Canadian medical undergraduate students, excluding 354 non-Canadian medical undergraduate students, amounted to 3,472, of whom 1,000 provided a sample and, therefore, the following statistical data mainly expressed in percentages are fairly representative. The data available are organized into two parts, namely, the social and economic background of the students, while the rest of the information covers the problem of expenditures and incomes of the students.

The medical undergraduate students in the sample indicated the expected year of graduation in the following percentages: 20.4 in 1962, 21.0 in 1963,

^{1 &}quot;Canadian-born" includes also immigrants who subsequently became Canadian citizens.

23.4 and 24.3 in the next two years, and 10.9 in 1966 or later. The latter percentage applies to those students, who obtain their M.D. degrees only after the required internship.

Admission requirements to medical school stipulate some previous university training and, therefore, the median age of medical undergraduates was somewhat higher than that of undergraduate students in most other faculties except law and dentistry. The median age of medical students was 23 years and three months; 12.8 per cent of medical students were within the age group of 18-20 years, 65.7 per cent within the next age group of 21-24 years, and 21.5 per cent were 25 years or older.²

Table 3-18 shows marital status of medical students and residence at college for regions and Canada.

TABLE 3-18

MEDICAL STUDENTS' MARITAL STATUS AND RESIDENCE AT COLLEGE,
FOR REGIONS AND CANADA, 1961-62

	East	Quebec	Ontario	West	Canada
			Per Cent		
Single students					
In parents' home	14.4	48.2	29.7	36.8	37.1
In rented house or apartment	6.2	11.7	11.4	12.6	11.4
Rooming or boarding:					
Private house or boarding house	20.6	14.1	19.0	20.3	17.5
College operated residence	25.8	11.4	17.3	6.0	13.5
Married, living with spouse	29.9	14.3	20.3	24.0	19.3
All other	3.1	0.3	2.3	0.3	1.2

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 7, p. 21.

About one-third of medical students in the country as a whole were living in parents' home. This porportion was one-half in the Province of Quebec but only one-sixth in Eastern Canada, due to the fact that only one medical school serves the whole region. This, no doubt, constitutes an additional economic barrier against recruitment of medical students from that part of the country. Only one-sixth of the medical students in Canada were able to live in university operated residences.

Approximately one-fifth of the medical undergraduate students were married. This proportion was slightly exceeded by law students, while in case of dentistry students almost one-third were married. There is apparently no marked regional trend towards marriage among medical students in the

¹ University Student Expenditure and Income in Canada, 1961-62, Part II-Canadian Undergraduate Students, DBS, Education Division, Table 2, p. 18.

² Ibid., Table 4, p. 19.

different areas of Canada but the proportion of married students was somewhat higher in the East and lower in the Province of Quebec as compared with the national proportion. With advancing age it is natural to assume that more students will get married. Among those married, 46.1 per cent indicated 1962 as the year of expected graduation, 26.9 per cent expected to finish university training in 1963, and this percentage gradually declined to 16.2 in 1964, 9.3 in 1965 and 1.5 in 1966 or later. Table 3-19 indicates the percentage of marriages among Canadian medical students, by year of the course, as of September 1958.

TABLE 3-19
PER CENT OF MARRIED CANADIAN MEDICAL STUDENTS,
BY YEAR OF COURSE, 1958

Year of Course	Percentage of Married Students
1	8.0
2	14.0
3	19.0
4	31.0
All years	18.0

Source: Thompson, J.S., "Canadian Medical Education - Its Cost and Personnel", Canad. M.A.J., vol. 82, April 2, 1960, Table II, p. 727.

The fact that approximately one-fifth of medical undergraduate students are married should have some bearing on the university administrators in planning student residencies. Moreover, family responsibility of married medical studer may curtail a number contemplating post-graduate careers. It is difficult to discharge this responsibility when a junior intern in Canada in 1960 made an income of \$1,740 and a senior intern \$3,360. However, about three-quarters of married male medical students in 1961–1962 had no children and the remain der had one or more.²

(ii) Home Residence, Parents' Education, Father's Occupation and Parents' Income.

Table 3-20 provides information on undergraduate medical students, by region, showing percentages living on farms and in centres of population from less than 1,000 to those of more than 100,000. These data should be compared with the percentage distribution of the population for the same regions which live in the same sizes of centres.

Only 9.8 per cent of the reporting undergraduate medical students come from farms and communities of less than 1,000 population, while 30.4 per cent of the Canadian population were so located. When the metropolitan areas

¹ Ibid., Table 3, p. 19

² Ibid., Table 8, p. 21.

TABLE 3-20

PER CENT DISTRIBUTION OF HOME RESIDENCE OF MEDICAL STUDENTS AND OF CANADA'S POPULATION, BY SIZE OF COMMUNITY, FOR REGIONS AND CANADA, 1962

	9	le .	Size of C	Community		
Region	on a farm	Less than	1,000- 9,999	10,000- 29,999	30,000 <u></u> 99,999	100,000 and over
Medical Students						
East	5.0	7.0	27.0	16.0	26.0	19.0
Quebec	6.7	3.4	13.5	15.1	9.8	51.5
Ontario	4.4	3.0	8.7	7.0	13.0	63.9
West	8.8	4.7	10.6	2.4	9.2	64.3
Canada	6.1	3.7	12.0	9.7	11.9	56.6
Population						
East	8.6	41.6	14.2	9.4	11.6	14.6
Quebec	10.7	15.0	11.5	5.3	7.3	50.2
Ontario	8.1	14.5	10.1	4.8	15.0	47.5
West	17.5	19.9	10.4	6.2	3.4	42.6
Canada	11.4	19.0	11.1	5.8	9.3	43.4
		1				

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 11, p. 22.

of 100,000 and over are considered, it appears that the percentages of medical students enrolled from these areas were higher in all regions than the proportion of their population was of the total. This is particularly evident in the case of Western Canada where 64.3 per cent of the medical undergraduates come from metropolitan areas while only 42.6 per cent of the population were so located. The intermediate population centres of 1,000 to 99,999 population, which accounted for 26.2 per cent of Canada's population had 33.6 per cent of medical students. It is apparent that a location of a person's home in relation to the location of medical school has some bearing whether or not he becomes a medical student.

Table 3-21 shows the level of education of parents of medical students and of the labour force.

Over one-third of the fathers of the medical students had received a formal education above the high school level in contrast with about one-tenth of the Canadian male labour force who have attained a comparable level of schooling. Nearly one-half of the mothers of these students had received a formal education mostly at a high school level and university level in contrast to one-third of the Canadian female labour force who have also obtained this extent of education.

It is apparent then that, in general, enrolment of the medical students is correlated to parents' formal education.

TABLE 3-21

LEVEL OF SCHOOLING OF THE FATHERS AND MOTHERS OF MEDICAL STUDENTS,

CANADA, 1962

Level of Schooling	Fathers	Labour Force (men) ¹	Mothers	Labour Force (women)1
	*	Per	Cent	
University degree	29.3	4.9	9.6	2.8
Some University	5.3	4.3	4.9	5.0
High school graduation	14.7	15.3	32.0	26.3
Some high school	19.5	31.1	24.9	36.0
Elementary school plus trade training Elementary school	7.1 24.1	44.4	26.1	29.9

¹ Census 1961.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Tables 14 and 15, p. 23.

TABLE 3-22

OCCUPATION OF THE FATHERS OF MEDICAL STUDENTS AND MALE LABOUR FORCE, CANADA, 1962

Occupation of Father	Medical Students	Male Labour Force
5	Per Cent	
Owners and proprietors	12.3)	
Managers and superintendents	9.9)	9.9
Professional occupations:	29.5	7.6
Engineers	2.6	0.9
Teaching professions	2.3	1.4
Physicians and surgeons	10.8	0.4
Dentists	1.1	0.1
Pharmacists	1.0	0.1
Legal professions	1.2	0.3
Religious professions	1.7	0.5
Accountants and auditors	3.6	0.6
Other professional	5.2	3.3
Commercial and financial occupations	7.5	5.6
Clerical occupations	5.7	6.9
Manufacturing and mechanical occupation	9.5	22.0
Transportation and communication occupations	4.5	8.0
Construction occupations	3.7	6.3
Service and recreation occupations	2.3	8.5
Farmers	7.0	8.2
Other primary occupations	2.4	3.8
Farm and non-farm labourers	2.9	9.6
All other and not stated	2.8	3.6

Source: University Student Expenditure and Income in Canada 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 16, p. 24.

Table 3-22 indicates the percentage distribution of fathers' occupation of the Canadian undergraduate medical students and a similar distribution of male labour force.

Over half of the fathers of medical students were owners and proprietors or were employed in managerial and professional occupations in comparison with 17.5 per cent of Canada's male labour force. It is interesting to note that 10.8 per cent of the students listed the father's occupation as physician or surgeon, whereas doctors represented only 0.4 per cent of the total male labour force of the country. Table 4-15 shows that 12.4 per cent of Canadianborn physicians have indicated that their fathers were doctors. This survey simply confirms the fact that only half the expected number of students come from farms and farm workers. The same is true of manufacturing, transportation and communication, construction and service and recreation occupations.

Family income is also related to attendance at medical school. This is shown in Table 3-23.

TABLE 3-23
PARENTS' INCOME LEVEL OF MEDICAL STUDENTS, 1961

Parents' Income Level	A11 Medica1 Students	Single Medic	T	
		At Home	Away from Home	Income of Taxpayers
		Per Cent		
Less than \$5,000	35.1	27.0	41.4	78.2
\$5,000 - 5,999	11.2	11.5	13.1	9.4
\$6,000 - 7,999	14.7	15.5	13.8	7.1
\$8,000 - 9,999		13.2	11.8	2.3
\$10,000 - 14,999	12.8	14.7	10.3	1.8
\$15,000 or more	14.3	18.1	9.6	1.2
Median income	\$6,439	\$7,183	\$5,655	\$3,646

Adapted from 1961 Taxation Statistics.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Tables 7 and 18, p. 24-25.

Ninety-four point seven per cent of the taxpayers in Canada made an income of less than \$8,000 but only 61.0 per cent of medical students reported family income being of this level. On the other hand, 5.3 per cent of taxpayers made an income of \$8,000 or more, while 39.0 per cent medical students reported their parents' income of \$8,000 or more. Forty-one point four per cent of single medical students who reported residing away from home, had parents whose income was less than \$5,000. A median income of parents of single students residing away from home was somewhat lower than that of parents of students residing at home.

All these references to socio-economic background of medical students, the under-representation of those from lower socio-economic classes and lower

representation from rural areas and smaller urban centres, would suggest that there is a financial deterrent to attendance at medical schools. However, entry into a medical profession is likely to depend not only on the possession of adequate financial resources, but also on the availability of educational facilities, a young man's social background, his cultural environment, etc.

(iii) Part-time and Summer Work

Medical students accept part-time work while attending college probably in order to meet growing expenses. The extent of part-time work amongst the students is indicated in Table 3—24.

TABLE 3-24

PART-TIME WORK AND YEAR OF EXPECTED GRADUATION
OF MALE MEDICAL STUDENTS, 1961-62

Graduation Year Expected	Per Cent of Male Students with Part-time Work
1962	43.9
1963	28.9
1964	23.1
1965	15.7
All years ¹	24.8

Includes some graduating in 1966 or later.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 26, p. 28.

It appears that one out of four medical students had part-time work during a regular academic year. The extent of part-time work varied with the year of course. Thus in the final year of studies almost one out of two had part-time employment, while only one out of six in the first year. This may partly be explained perhaps by a larger proportion of married students in later years of studies and the family responsibilities of the older students. Some general picture of the variety of types of part-time jobs can be obtained from the Table 3-25. More than half of the reporting students had jobs that were related to their studies, and another one-tenth worked for a university. This would suggest that, apart from economic reasons, part-time jobs may also be sought in order to further academic training.

Table 3-26 provides information on regional distribution of medical students with part-time jobs and hours worked per week.

It appears that approximately one-third of medical students in Eastern Canada had part-time jobs as compared with one-sixth in Western Canada. This regional differential is propably due to greater economic need of the medical students in the eastern part of the country, which is relatively poorer. It also appears that a larger proportion of the reporting students

TABLE 3-25
PART-TIME WORK AND TYPE OF JOB OF MEDICAL STUDENTS, 1961-62

Type of Part-time Job	Per Cent of Student	
Worked for university	10.2	
Jobs related to course		
R.O.T.C. etc		
Jobs requiring special skills ¹	5.3	
Store clerk, cashier, receptionist, etc. ²	2.7	
Service occupations ³	1.1	
Recreation worker, entertainer, etc	2.6	
Labourer, Factory worker, delivery service, etc. 4	2.6	
Baby sitter, odd jobber	_	
Worked for parents	0.5	
Other and not reported	3.0	

Includes stenographers and other office workers, craftsmen and repairmen.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 28, p. 29.

TABLE 3-26
PART-TIME WORK AND HOURS WORKED PER WEEK
BY CANADIAN MALE MEDICAL STUDENTS, 1961-62

Region wi	Percentage with Part-	Per Cent Distribution by Number of Hours Worked per Week			
	time Job	Less than 10	10-19	20-29	30 or more
East	36.0	50.0	3.1	18.8	28.1
Quebec	29.3	37.5	23.6	11.1	27.8
Ontario	23.8	67.2	19.7	8.2	4.9
West	17.6	75.0	20.4	2.3	2.3
Canada	25.4	56.4	20.3	8.8	14.5

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 30, p. 30.

having part-time jobs, in that part of Canada, worked 30 hours or more per week, in comparison with the better-off parts of the country.

Summer employment of medical students appears to be an important aspect of their university years and a means of financing their studies. The summer job opportunities may vary from year to year depending partly on the general economic condition of the country and since most Canadian students seek summer employment the competition is becoming stronger because of the rapid increase in the Canadian student population. However, the medical students do not seem to lack these opportunities as in 1956 only 5.8 per

² Includes stockroom keepers, purchasers, etc.

Includes such occupations as waiter, maid, bellboy, bartender, guard, watchman and orderly.

⁴ Includes truck and bus drivers, seamen, railway and highway workers, etc.

cent of them were without summer jobs and in 1961 only 2.6 per cent of single male students were unable to find work. Eighty-nine point seven per cent of single male medical students and 95.6 per cent of married ones worked for pay in the summer of 1961. About 8.0 per cent of the single male and 4.0 per cent of the married medical students reported that they did not look for work.

The type of summer work of the medical students is indicated in Table 3-27.

TABLE 3-27
SUMMER WORK 1961 - TYPE OF WORK OF MEDICAL STUDENTS

Type of Work	Per Cent of Student	
Worked for university	3.2	
Jobs related to course		
R.O.T.C., etc		
Jobs requiring special skills ¹		
Store clerk, cashier, receptionist, etc. ²		
Service occupations ³		
Recreation worker, entertainer, etc	5.1	
Factory worker, truck or bus driver		
Labourer, seaman, railway or highway worker, etc		
Worked for parents	0.3	
Other and not reported		

¹ Includes stenographers and other office workers, craftsmen and repairmen.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 22, p. 27.

It is very pleasing to an educationist to note that about half of the reporting medical students, having summer work, had jobs related to their academic training or at university.

Earnings from summer work are indicated in Table 3-28.

The median monthly rate was \$242 and on the assumption that most of the medical students have a four-month summer employment, an average student was able to earn about \$1,000 towards his education.

It is difficult to assess the academic value of part-time work and of summer jobs and it is equally difficult not to conclude that evidently there is an economic need, on the part of the medical students, to seek additional sources of income to finance their university training.

² Includes stockroom keepers, purchasers, etc.

³ Includes such occupations as waiter, maid, bellboy, bartender, guard, watchman and orderly.

¹ Ibid., Table 21, p. 26.

TABLE 3-28
SUMMER WORK 1961 - MONTHLY RATE OF PAY OF MEDICAL STUDENTS

Monthly Rate of Pay	Per Cent of Students
Less than \$100	4.2
\$100 - 149	8.4
\$150 - 199	10.8
\$200 - 249	31.7
\$250 - 299	18.6
\$300 - 349	15.5
\$350 - 399	5.4
\$400 - 499	3.9
\$500 or more	1.5
Median monthly rate	\$242

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 23, p. 27.

(iv) Financial Difficulties

There are a variety of reasons for a break in the continuity of university training. The DBS data provide some information on those medical students who withdrew for financial reasons but eventually returned to resume their medical training. These students reported the effects which the financial difficulties had on their academic careers. Table 3—29 provides this information.

TABLE 3-29

MALE MEDICAL STUDENTS REPORTING A BREAK IN THEIR SCHOOLING, 1961-62

Percentage of Students who, Because of Insufficient Money:	East	Quebec	Ontario	West	Canada
Postponed entrance to university	8.0	3.0	5.7	11.7	6.0
At some time withdrew from university	7.0	_	3.3	4.7	2.5
Attended university part-time	1.0	2.3	1.3	1.0	1.6
Enrolled in extramural courses	-	0.7	1.7	0.7	1.0
Percentage with some interruption					
in their education	14.6	5.3	7.9	13.9	8.5

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 31, p. 30.

It appears that 8.5 per cent of the reporting medical undergraduates encountered some financial difficulties that forced them to interrupt a regular course of training. Six point zero per cent indicated that they had to postpone entrance to university. Of course, these statistics do not indicate the extent to which financial problems prevented some potential students from entering medical school altogether.

(v) Students' Plans Following Graduation

The medical students were asked specific questions concerning their plans following graduation. Fifty-four point four per cent of them indicated that they would practise, 5.0 were offered special jobs elsewhere and 38.1 per cent would continue post-graduate studies, presumably leading towards specialization. The latter percentage is almost identical with that of the distribution of physicians in Canada as between specialists and non-specialists. Less than 1.0 per cent expressed a desire to teach at the university level. Of course, these are tentative plans; some students might change them before the end of their university training.

b. Cost Analysis of Attending Medical School

(i) Distribution of Students by Level of Expenditure

What is the cost of medical education to the student? What are his sources of income while in medical school? Answers to these questions were sought through the DBS questionnaire on expenditures and incomes of the students. The factual information that is given in the following tables may be of some importance to the many students interested in the study of medicine, to their parents as well as to their college advisors, and the various other groups interested in costs to the student becoming a physician.

The figures given are for the academic year 1961-62 and they may not necessarily be applicable to the current academic year either because of an increase in cost of living or because tuition and other fees have been increased.

The students surveyed provided information with respect to their annual expenditures on specific items and a total for the academic year. Naturally, these expenditures differ from student to student because of spending habits, availability of funds, educational requirements, faculty, place of residence, etc.

Table 3-30 shows average expenditure of the Canadian medical undergraduate students by regions, and, for comparative purposes, averages for students from other faculties.

It appears that the average annual expenditure of \$2,246 of medical students was the second highest after that of dental students. On a regional basis the highest average annual expenditure of medical students was in eastern Canada. This probably was due to the fact that only a small proportion of the students in that part of Canada resided in parents' home and almost one-third of them were married, living with spouse.

About half of the reporting medical students indicated that their total expenditure per annum was \$2,000 or more as compared with about one-tenth proportion of students from Arts and Science.

¹ Ibid., Table 34, p. 31.

TABLE 3-30

61–62	Average Expend- iture		2,606	2,205	2,272	2,162	2,246	1,352	1,415	1,553	2,050	2,465	1,550	
NADA, 19	\$3,000 or more		31.0	17.0	14.7	17.4	17.1	5.6	4.6	4.2	15.7	22.6	5.2	
IS AND CA	\$2,000— 2,999		25.0	23.4	36.0	21.3	27.8	5.8	10.1	9.5	17.2	35.0	9.5	
R REGION	\$1,800 1,999		14.0	11.7	15.7	12.3	13.4	4.8	2.9	9.2	11.6	10.4	7.9	
TURE, FO	\$1,600— 1,799		10.0	10.3	13.0	15.7	12.3	8.8	6.2	13.6	12.8	9.7	11.9	
EXPENDI	\$1,400- 1,599		11.0	12.3	10.3	17.4	12.5	16.4	9.7	17.2	11.4	9.6	14.0	
EVEL OF	\$1,200— 1,399		3.0	8.0	6.7	8.3	7.3	17.9	15.6	18.1	11.5	8.7	18.9	-
RE, BY L	\$1,000- 1,199		3.0	12.3	3.0	6.3	7.1	16.6	21.5	12.9	10.0	3.0	18.4	
PENDITU	\$800		3.0	4.7	9.0	1.3	2.4	15.0	15.9	10.7	1.0	8.0	6.6	
ENTS' EX	Less than \$800		ı	0.3	1	1	0.1	12.1	13.5	4.6	2.8	0.2	5.2	
MEDICAL AND OTHER STUDENTS' EXPENDITURE, BY LEVEL OF EXPENDITURE, FOR REGIONS AND CANADA, 1961-62	Faculty and Region	Medicine	East	One pec	Ontario	West	Canada	Canada - Arts and Science	Education	Engineering	Law	Dentistry	Pharmacy	

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 35, p. 36.

(ii) Expenditure and Marital Status

Annual total expenditure of married students, living with spouse, was twice as high as that of single male students living away from home. This was due to the fact that married students with dependents spent a greater proportion of their money on capital and consumer-durable goods. The differences in average annual expenditure between married and single students are shown in Table 3-31.

TABLE 3-31

AVERAGE EXPENDITURE OF MARRIED MEDICAL STUDENTS, AND SINGLE MALE STUDENTS LIVING AT HOME AND AWAY FROM HOME, FOR REGIONS AND CANADA, 1961-62

Region	Sing	Married Students		
Kegion	Living at Home	Living away from Home	Living with Spous	
East	\$ 1,458	\$ 2,003	\$ 4,119	
Quebec		2,061	4,660	
Ontario	-,	2,018	3,594	
West	1,603	1,875	3,546	
Canada	1,652	1,989	3,871	

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 36, p. 37.

Average expenditures of married male students were highest in the Province of Quebec and in Eastern Canada, by about \$800 and \$250 respectively more than compared with the national average of about \$3,900. There were smaller regional differences between average expenditures of single male students living away from home. For those living at home, the highest average expenditure was incurred by students in Ontario and in Western Canada, while this average was lowest in Halifax and then slightly higher in Montreal and Quebec City.

(iii) Educational and Living Costs

The various items of expenditure incurred by the students may be classified under educational costs and living costs. The former include fees, books, fraternity dues, transportation from home town to dwelling in college town, and other current expenses on school supplies and equipment related to university work. All other expenses are included under living costs.

Table 3-32 gives average expenditure, by items of expenditure, and per cent of medical students reporting having made a particular expenditure. For comparative purposes educational costs of students from other faculties are also given.

TABLE 3-32

AVERAGE EDUCATION AND LIVING COSTS OF MEDICAL AND OTHER STUDENTS, CANADA, 1961-62

	Med	icine				
Items of Expenditure	Average Expend.	Per Cent of Students Reporting	Dent- istry	Law	Engi- neering	Pharm- acy
	\$		\$	\$	\$	\$
Fees (tuition, etc.)	572		524	401	452	397
Dues (Fraternity, etc.)	41	62.9	55	39	33	38
Text-books	106	99.1	79	70	80	71
School supplies and equipment.	70	79.6	30	28	32	26
Transportation						
(other than local)	85	52.5	39	88	67	65
Total education costs	802		744	551	610	543
Transportation (local)	31	60.9				
Room and board or household	-	0015				
operating costs	854	77.3				
Recreation, refreshments,						
cigarettes, etc	185	96.4				
Grooming (haircuts, laundries,						
etc.)	61	98.1				
Clothing	143	96.0				
Health	53	77.3				
Durable items	354	61.7				
Church and charitable		9				
donations	36	55.5				
Total living costs	1,444					
Total expenditures	2,246					

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 37, p. 38.

The average education costs of \$802 of medical students were the highest in comparison with the similar costs incurred by the students from other faculties mainly because of higher fees and higher expenses on school supplies. An average of total education costs constituted approximately one-third of an average medical student's annual total expenditure. Fees alone accounted for one-quarter of the total expenditure. The increasing cost of medical education falls heavily on a lower income family and it may be beyond their financial possibility.

Room and board or household operating costs also constituted about onethird of the total expenditure. The other more important expenses were on durable items, presumably mainly incurred by married students, and on cars, then on recreation and smoking and on clothing.

(iv) Median Expenditure and Age

Expenses tend to increase with the age of the students and the year of course. This is evident from Table 3-33.

TABLE 3-33

MEDIAN EXPENDITURE OF MEDICAL STUDENTS, BY AGE AND EXPECTED YEAR

OF GRADUATION, CANADA, 1961-62

Age of Students		Year of Graduation Expected			
	\$		\$		
Under 21	1,619	1962	2,510		
21	1,728	1963	2,016		
22-24	1,937	1964	1,936		
25 and over	2,548	1965	1,758		
		1966 and later	1,638		

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 41, p. 39.

The probable reason for the higher median expenditure of older students is that a higher proportion of them were married as compared with other students.

TABLE 3-34

PER CENT OF MEDICAL AND OTHER STUDENTS RECEIVING FUNDS
FROM CONTRIBUTING SOURCES, CANADA, 1961-62
(weighted)

Source of Income	Med- icine	Dent- istry	Law	Engi- neering	Pharm- acy
			Per cent		
Fellowships and Assistantships	3.3	0.5	0.8	1.4	0.5
Scholarships and Bursaries	41.9	31.0	33.2	39.3	28.6
D.V.A., National Defence, R.O.T.P	5.9	8.5	1.6	6.3	1.6
Other Grants-in-Aid	3.0	3.5	3.1	4.1	3.0
Leave of Absence with Pay	0.1	0.3	0.3	0.4	1.7
Loans:					
(a) from Parental Family	22.9	23.5	18.8	21.4	14.3
(b) from College	7.4	8.1	4.0	4.1	4.6
(c) from Bank or Insurance Co	6.5	6.8	8.4	6.2	2.9
(d) from Provincial Government	22.2	23.0	22.1	18.6	10.9
(e) from Other Sources	10.7	10.6	8.5	7.0	7.6
Funds from Parental Family	53.4	43.8	55.0	47.8	51.7
Funds from Spouse	13.4	21.2	15.4	6.8	4.9
Gifts from Relatives, Friends	18.5	13.2	16.8	14.6	14.1
Savings from Summer Employment	78.3	77.4	76.3	83.4	80.2
Earnings from Part-time Jobs					
during School Year	20.7	18.4	30.3	15.7	45.5
Personal Savings (other than above)	19.5	20.5	18.2	23.6	23.0
Investments, Endowments, Insurance	6.6	5.4	10.0	5.2	3.8
Other Sources	3.4	4.8	7.2	4.3	4.5

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 44, p. 45.

c. Sources and Amounts of Income of Canadian Medical Students

The medical student, like other students in Canada, gets his income from a great variety of sources. There are some students, of course, who depend entirely on parents' income, others earn enough from part-time and summer work, still others receive adequate scholarships.

(i) Per Cent of Students, by Source of Income

Table 3-34 shows the per cent of medical and other students who received income from the various sources listed. Each item is separate and, therefore, the percentages do not add up to 100.

Grants-in-aid, including scholarships, etc., were reported by 54.2 per cent of medical students as compared with 43.8 per cent in Dentistry, 51.5 per cent in Law, 51.5 per cent in Engineering and 35.4 per cent in Pharmacy. Loans from various sources were reported by about 70.0 per cent in Medicine and Dentistry as compared with approximately 60.0 per cent in Law and Engineering and only 40.0 per cent in Pharmacy.

About 50.0 per cent of students reported receiving financial assistance from their parents, and, as previous analysis has shown a greater proportion of students in Medicine and Dentistry and Law were married; these students received in slightly higher proportion some funds from their working wives.

Savings from summer employment were reported by about four-fifths of the students from all the faculties considered here. The percentage of students reporting earnings from part-time work during the academic year was highest for the students in Pharmacy as compared with one-sixth to one-third in other faculties. About one-fifth of the students in all faculties considered reported using personal savings, other than those from summer employment.

(ii) Average Income, by Source

Table 3-35 indicates the average amounts of revenue received by Canadian undergraduate medical students from the same items as in the previous table and the percentage of the total income received which each of the contributing sources represented.

On the average, students who reported fellowships and assistantships received about \$550 and those who received scholarships and bursaries reported \$400. Those who borrowed money, on the average, were able to get about \$900 from the banks or \$800 from their parents. The earnings of wives of the married students of about \$2,100 covered about half of their annual expenditures. Students were able to save about \$550 from their summer employment and the same amount was reported by those who had part-time work during the school year.

An average medical student relied on funds from home to an extent of about one-fifth of his revenue, another one-fifth of savings from summer employment, while grants-in-aid and loans contributed approximately one-sixth each of his total revenue.

TABLE 3-35

AVERAGE AMOUNTS OF INCOME RECEIVED BY MEDICAL STUDENTS FROM CONTRIBUTING SOURCES AND PERCENTAGE OF TOTAL INCOME RECEIVED, BY SOURCE, CANADA, 1961-62

Source of Income	Average Amount Received	Percentage of Total Income Received by Source
	\$	%
Fellowships and AssistantshipsScholarships and Bursaries	545 } 1 384 }	7.8
D.V.A., National Defence, R.O.T.P	2,062	5.3
Other Grants-in-Aid	311	0.4
Leave of Absence with Pay	227	- ,
Loans	W.O. 4	7.0
(a) From Parental Family	794	7.8
(b) From College	255	0.9
(c) From Bank or Insurance Company	890	2.6
(d) From Provincial Government	422	3.8
(e) From Other Sources	479	22.0
Funds from Parental Family	955	
Funds from Spouse	2,086	11.9
Gifts from Relatives and Friends	224	1.8
Savings from Summer Employment	549	18.4
Earnings from Part-time Jobs	555	5.2
During School Year	400	3.1
Personal Savings (other than above)		2.6
Investments, Endowments, Insurance, etc	749	0.7
Other Sources	502	
Income Needed	_	3.5
Income from All Sources	2,344	

¹ Fellowships and Assistantships included here as in all cases they accounted for 1.0 per cent or less.

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 45, p. 45.

(iii) Importance of Scholarships

Table 3-36 relates scholarships to age and year of expected graduation of medical students.

It appears that the availability of scholarships is fairly evenly distributed amongst students in all years of the medical course and the median scholarship does not vary substantially between either age groups of students or year in course. The implication of this fact is that once a student enters a medical school he can count on some financial help from the scholarships available to him, One-third to two-fifths of medical students were receiving scholarships. Although the median scholarship of \$300—350 does not appear to be high enough if more able students are to be encouraged to enter medical schools; however, the median

TABLE 3-36
SCHOLARSHIP AND AGE OF MEDICAL STUDENTS AND YEAR OF EXPECTED
GRADUATION, CANADA, 1961-62

Age of Students	Per Cent with Scholarship	Median Scholarship	Year of Expected Graduation	Per Cent with Scholarship	Median Scholarship
	%	\$		%	\$
			1962	32.0	349
18 - 20	38.5	325	1963	42.2	326
21 - 24	41.6	335	1964	43.2	350
25 and over	40.2	329	1965	43.7	313
			1966		
			and later	43.1	342

Source: University Student Expenditure and Income in Canada, 1961-62, Part II - Canadian Undergraduate Students, DBS, Education Division, Table 48, p. 47.

scholarships available to students in other faculties do not differ substantially from those for medical students.

d. Foreign Students in Canadian Medical Schools, 1961-62

During the academic year 1961-62 there were 7,900 non-Canadian students enrolled in Canadian universities and colleges, who constituted 6.1 per cent of the total university student population in this country. Canadian medical schools in the same academic year had 354 undergraduate medical students from other countries, which number accounted for about 10.0 per cent of the total medical undergraduates in Canada. In addition, there were 32 foreign graduate medical students. Table 3-37 shows the distribution of these students by country or area of birth.

Three-fifths of foreign medical undergraduate and two-fifths of foreign medical graduate students were from the United States. A total of 213 undergraduate students came from the United States and thus some 50 students in any one year of graduation may be expected to be American. Approximately one-third of all non-Canadian medical students came from the countries of the British Commonwealth.

Table 3-38 indicates the distribution of foreign medical students between medical schools located in the various regions of Canada.

This table indicates that approximately two-thirds of foreign medical students in Canada were in the medical schools located in the Province of Quebec and Ontario.

Out of 354 foreign undergraduate medical students 127 received grants-in-aid from Canadian and non-Canadian sources, amounting, on the average, to \$920. The corresponding figures for foreign graduate medical students were 19 and \$3,305.1

¹ University Student Expenditure and Income in Canada, 1961-62, Part I - Non-Canadian Students, DBS, Education Division, Table 22, p. 24.

TABLE 3-37
COUNTRY OR AREA OF BIRTH OF FOREIGN UNDERGRADUATE AND GRADUATE STUDENTS IN CANADIAN MEDICAL SCHOOLS, 1961-62

Garatan and Shirth	Undergradu	ate Students	Graduate Students		
Country or area of birth	Number	Per Cent	Number	Per Cent	
United States of America	213	60.2	13	40.5	
Central and South America	9	2.5	_	_	
West Indies	59	16.7	2	6.3	
United Kingdom	5	1.4	1	3.1	
Continental Europe	6	1.7	3	9.4	
Asia	49	13.8	11	34.4	
Republic of China	11	3.1	_	_	
Hong Kong	22	6.2	1	3.1	
Other Asia1	16	4.5	10	31.3	
Australia and New Zealand	1	0.3	_	_	
Africa	11	3.1	2	6.3	
Not Stated	1	0.3	-	_	
Total	354	100.0	32	100.0	
Students from British					
Commonwealth ²	103	29.1	9	28.1	

¹ Includes Malaya, India, Pakistan and other Asian countries.

Source: University Student Expenditure and Income in Canada, 1961-62, Part I - Non-Canadian Students, DBS, Education Division, Table 6, p. 19.

TABLE 3-38

DISTRIBUTION OF FOREIGN UNDERGRADUATE AND GRADUATE MEDICAL STUDENTS IN CANADIAN MEDICAL SCHOOLS, BY REGION, 1961-62

	Foreign Medical Students						
Region	Underg	raduate	Graduate				
	Number	Per Cent	Number	Per Cent			
East	56	15.8	7	21.9			
Ouebec	151	42.7	10	31.2			
Ontario	87	24.6	11	34.4			
West	60	16.9	4	12.5			
Canada	354	100.0	32	100.0			

Source: University Student Expenditure and Income in Canada, 1961-62, Part I - Non-Canadian Students, DBS, Education Division, Table 7, p. 20,

² Includes United Kingdom, Australia, India, Pakistan, Malaya, Hong Kong, Ghana, Nigeria, and British West Indies.

e. Canadian Graduate Students in Medicine¹

During the academic year 1961-62 there were 7,900 non-Canadian students 14 women, post-graduate medical students enrolled in the Canadian medical schools. All of them had M.D. degrees and were working towards the M.A. or Ph.D. degrees in medical sciences, particularly, in physiology and biochemistry, or diplomas in medicine and surgery. These students in large measure constitute a pool of future medical teachers and scientists. Forty-eight of them have indicated intention to work in this area.

Thirty students reported their father's occupation as professional (10 were physicians and surgeons) and 14 as proprietors and managers. Forty-four of the reporting medical graduate students were married and their average income was \$5,436 as compared with \$3,621 of 7 single students living at home and \$3,275 of 21 single students living away from home. Their income was mainly derived from fellowships of about \$3,000 each. There were only a few students receiving scholarships. About three-quarters of the married students indicated total education and living costs per year of \$4,000 and over, while three-quarters of the single students incurred total cost of \$2,000 and over.

About half of the total 75 students were within the age group of 25-29 years and almost another half were over 30 years old. Most of these graduate students, if they were in private practice, would be earning an income of \$10,000 or more at this age. It seems that if our medical schools are to secure the necessary recruitment of the medical teaching personnel adequately, to meet the growing demand with the expected expansion of medical schools, higher fellowships and scholarships will have to be provided for the medical graduates in Canada.

Reference: University Student Expenditure and Income in Canada, 1961-62, Part III - Canadian Graduate Students, DBS, Education Division.

Distribution and Some Professional Characteristics of Canadian Doctors

1. Introduction

In order to assess the relative availability of medical services in different regions and centres in Canada, it is necessary to analyse the distribution of physicians by various criteria such as age, location, specialization, etc.

The first part of this chapter is concerned with an analysis of the distribution of Canadian medical manpower by age groups, years since first licensed to practise, years of practice, length of time in present practice or employment, and degree of retirement. It also includes a section on women in medicine.

Another part deals with the geographical distribution of physicians, including an evaluation of the factors influencing location of practice and choice of location of first practice, the problem of medical care in rural areas and the geographical mobility of doctors.

This is followed by an examination of the patterns of types and auspices of work among Canadian doctors and their professional mobility.

The last section of this chapter is concerned with the problem of specialization in the medical profession, including reasons for and implications and limitations of such specialization. This is followed by an analytical and statistical examination of the distribution of specialists by specialty practised and their location.

In some sections, the above analysis is made seperately for Canadian-born and immigrant physicians for comparative purposes.

The statistical data employed in this chapter have mainly been drawn from the replies of the doctors to a Questionnaire on Medical Practice, which was mailed in the spring of 1962 to all doctors in Canada, including salaried physicians, interns and residents. A sample questionnaire is reproduced as Appendix 4-1. A mailing list of physicians, compiled mainly from the Canadian Medical Directory, was supplied by the Department of National Health and Welfare. The survey of physicians has been conducted to provide information concerning the distribution and utilization of physicians in Canada and to obtain doctors'

opinions about current plans of medical insurance and possible future developments.

From an initial mailing list of over 21,000 doctors nearly 12,000 usable replies were received, of which not all applied to the different parts of the analysis. Consequently, the number of respondents in various parts of this survey varied slightly, thus reducing the effective response rate for various sections of the analysis.

The effective response rate of active physicians to the Questionnaire on Medical Practice is shown in Table 4-1.

TABLE 4-1

PER CENT RATE OF RESPONSE TO 1962 QUESTIONNAIRE ON MEDICAL PRACTICE
OF ACTIVE PHYSICIANS, FOR PROVINCES AND CANADA

	Physicia	ans, 1962	Questionnaire Response			
Province	Number	Per Cent	Number of Usable Replies	Per Cent of Canada	Per Cent Rate of Response	
Newfoundland	296	1.4	150	1.3	50.7	
Prince Edward Island	88	0.4	51	0.4	58.0	
Nova Scotia	728	3.4	427	3.7	58.7	
New Brunswick	462	2.1	248	2.1	53.7	
Quebec	6,067	28.3	2,841	24.5	46.8	
Ontario	8,120	37.9	4,378	37.8	53.9	
Manitoba	1,126	5.2	699	6.0	62.1	
Saskatchewan	847	4.0	551	4.8	65.1	
Alberta	1,455	6.8	843	7.3	57.9	
British Columbia	2,245	10.5	1,385	12.0	61.7	
Canada ¹	21,434	100.0	11,573¹	100.0	54.0	

Excludes Yukon and Northwest Territories.
Source: Directory of Canadian Mailings Ltd., October 1, 1962, and Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

The survey data may be considered as fairly representative since the percentage distribution of respondents, by province, is, within a narrow percentage margin, in agreement with the actual distribution of the medical manpower in Canada by province. The response rate of the Province of Quebec is the lowest with less than half of the physicians replying to the questionnaire, and approximately half of the physicians in the provinces of Newfoundland, Nova Scotia and Ontario replied. As for the remaining provinces, about three-fifths of their physicians provided usable replies.

The survey data are supplemented by statistical information contained in the periodical reports of the "Survey of Physicians in Canada" published since 1946 by the Research and Statistics Division of the Department of National Health and Welfare in the Directory of Canadian Mailings Limited and in the various briefs of the provincial and national medical organizations submitted to the Royal Commission on Health Services.

2. Age of Physicians

The age distribution of active physicians is an important factor in considering the supply of doctors in the various regions as well as in the country as a whole because of its relation to the effectiveness of the physicians and its bearing on retirement and death. The fact that some regions have a comparatively higher proportion of older physicians, whose effeciency naturally decreases with age, still further reduces the available supply of medical services as indicated by crude numbers of living physicians in the regions concerned.

Table 4-2 compares the age distribution of active civilian physicians in Canada over a period of thirty years. Regional data concerning age distribution are given in Appendix 4-2.

TABLE 4-2

PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS,
BY AGE GROUP, CANADA, 1931-1961

Age Group	1931	1941	1951	1961
Under 25	1.9	2.7	0.2	2.4
25 — 34	25.2	23.9	25.2	29.3
35 – 44	24.9	25.3	27.9	32.3
45 – 54	23.7	20.0	21.6	19.0
55 – 64	16.0	17.3	13.7	11.4
65 – 69	8.3	10.8	4.9	2.7
70 and over			5.6	2.9
Not given	-	-	0.9	_
Median age ¹	44.2	44.2	43.7	42.1

Based on total for whom age is known.

Source: 1931-51, Survey of Physicians in Canada, 1954, Research Division, Department of National Health and Welfare, Table 5, p. 13; 1931, 1941, and 1961 Census data; 1951, Physicians Register, Department of National Health and Welfare.

In Canada as a whole, 64.0 per cent of active civilian physicians were under 45 years of age in 1961 as compared with 52.0 per cent in 1931, 51.9 per cent in 1941 and 53.3 per cent in 1951. Thus there has been the trend toward an increased proportion of younger doctors in the over-all age distribution of the civilian medical manpower in this country.

The increasing longevity enjoyed by the general population seems to be shared by the physicians as well, and this is indicated by the larger percentages in the age groups 65 and over. In 1931, the per cent of active civilian physicians who were aged 65 and over amounted to 8.3 as compared with 10.8 and 10.5 in 1941 and 1951 respectively. Increased longevity of physicians implies larger professional resources through increased years of practice for individual physicians that is equally advantageous to all regions and areas.

The median age, which had ranged between 44.2 and 43.7 years during the period of 1931 to 1951, dropped to 42.1 in 1961.

² Excludes Yukon and Northwest Territories.

The regional variation in age distribution of physicians in 1962 is quite apparent. In the Atlantic region, 55.4 per cent of active civilian physicians were under 45 years of age, in Ontario – 58.9 per cent, in British Columbia – 59.9 per cent as compared with 60.6 per cent national figure. Quebec had a particularly high percentage of 64.0 of physicians in this age category and the Prairie region had the next highest percentage of 62.3. It will be noted from Appendix 4–2 that Ontario had a particularly high percentage (7.0) of physicians in the age group 65 and over. The Atlantic region had the next highest percentage (5.3) of physicians in this age category, while British Columbia, the Prairie region and Quebec had 2.9, 4.3 and 5.0 per cent respectively.

Appendix 4-3 shows the number and percentage distribution of active civilian immigrant physicians, by age group, for regions and Canada as based on the survey of physicians in 1962. The same data for the country as a whole are shown in Table 4-3.

TABLE 4-3

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS,
BY AGE GROUP, CANADA, 1962¹

	Immigrant Physician		
Age Group	Number	D 6	
0.	Reporting	Per Cent	
Under 25	3	0.1	
25-34	642	21.6	
35-44	1,329	44.6	
45-54	572	19.2	
55-64	334	11.2	
65-69	66	2.2	
70 and over	31	1.1	
Total	2,977	100.0	

¹ Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

It is of interest to note that 66.3 per cent of active civilian immigrant physicians were under 45 years of age as compared with 60.6 per cent of the total Canadian civilian medical manpower. The higher percentage of younger immigrant physicians must be related to the considerable influx of these physicians during the 1950's as shown in the chapter on supply of physicians. The additional training requirements in Canada and language barrier in some cases act probably as a deterrent against the potential supply of middle-aged immigrant physicians.

¹ See Appendix 4-2.

Appendix 4-4 indicates number and per cent distribution of active civilian specialist physicians by age group, for regions and Canada, in 1962. The same data for the country as a whole are shown in Table 4-4.

TABLE 4-4

NUMBER AND PER CENT DISTRIBUTION OF
ACTIVE CIVILIAN SPECIALIST PHYSICIANS,
BY AGE GROUP, CANADA, 1962¹

	Physi	icians
A [*] ge Group	Number	Per Cent
25–34	434	10.7
35–44	1,764	43.4
45-54	1,035	25.5
55-64	633	15.6
65–69	104	2.6
70 and over	82	2.0
Total	4,052	100.0

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Out of 4,052 reporting specialists, 54.1 per cent were under 45 years of age as compared with 60.6 per cent of the total civilian medical manpower in Canada. This differential is the result of longer training required for the specialists. Only one-tenth of the reporting specialists were under 35 years of age as compared with one-quarter of the total active civilian reporting physicians. As of June 1954, only 13.8 per cent of specialists in private practice were under 35 years of age as compared with 27.1 per cent of physicians engaged in general private practice.

3. Degrees of Retirement

Table 4-5 shows the degree of retirement reported by physicians who considered themselves partially or fully retired. The total number of this category of physicians amounted to 334, which constituted 2.9 per cent of the reporting active civilian physicians. This percentage is almost equal to the percentage distribution of active civilian physicians who were aged 70 and over. This part of the analysis would suggest that probably the physicians reaching the age of 70 years might be considered arbitrarily as retired. Consequently, it may be argued that the retirement rate of Canadian physicians, working under the existing conditions, amounts to three per cent of the medical manpower.

^{1 &}quot;Active Civilian Physicians, June 1954, by Age Group and Nature of Major Work", a memorandum from the Research and Statistics Division, Department of National Health and Welfare, April 1962.

An American study on medical manpower in the United States indicated that out of 257,035 physicians in 1962 there were 9,851 retired doctors, not in medical practice, i.e., 3.8 per cent.¹

TABLE 4-5
RETIREMENT OF PHYSICIANS, BY DEGREE OF RETIREMENT, CANADA, 1962¹

Degree of Retirement	Number Reporting	Per Cent of Total Reporting
100 per cent	97	29.0
75–99 " "	36	10.8
50-74 " "	60	18.0
25-49 " "	16	4.8
1-24 " "	6	1.8
Not stated	119	35.6
Total number reporting	334	100.0
Active civilian		
physicians reporting	11,560	2.9

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

4. Years of Practice

Appendices 4-5A and 4-5B show the number and per cent distribution of Canadian-born and immigrant active civilian physicians respectively, by years since first licensed to practise in Canada, for regions and Canada, in 1962. Table 4-6 summarizes the above data for the country as a whole.

This table indicates that approximately four-fifths of immigrant active civilian physicians obtained their licence to practise medicine in Canada during the last 15 years as compared with only one-half of Canadian-born physicians. This comparison confirms the previous finding of heavy reliance of Canadian medical manpower on the supply from outside sources during the post-war years.

Table 4-7 shows the distribution of active civilian immigrant physicians by years of residence in Canada.

It is difficult to establish a time lag between the years of residence and years since first licensed to practise in Canada for the immigrant physicians. An examinati of the last two tables indicates, however, that 81.9 per cent the reporting immigrant physicians obtained their licences during the last 15 years as compared with 80.4 per cent of these physicians having resided in this country during the same period. Looking only at the last five years it can be seen that 30.2 per cent of the immigrant physicians obtained their licences while only 18.3 per cent of these physicians reside in Canada during the same period. This would suggest that about half of them resided longer than five years.

Health Manpower Source Book, Section 14, Medical Specialists, U.S. Department of Health, Education, and Welfare, Public Health Service, Washington, D.C., 1962.

TABLE 4-6

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN AND IMMIGRANT ACTIVE CIVILIAN PHYSICIANS, BY YEARS SINCE FIRST LICENSED TO PRACTISE IN CANADA, 1962¹

Years Since	Canadi Physi	an-born cians	Immi Physi	grant cians	To	tal
First Licensed to Practise in Canada	Number Reporting	Per Cent of Total Number Reporting	Number Reporting	Per Cent of Total Number Reporting	Number Reporting	Per Cent of Total Number Reporting
Less than 5	1,195	14.7	826	30.2	2,021	18,6
5 – 9	1,558	19.1	937	34.2	2,495	22.9
10 – 14	1,407	17.3	479	17.5	1,886	17.3
15 – 19	1,079	13.3	138	5.0	1,217	11.2
20 – 24	869	10.7	88	3.2	957	8.8
25 – 29	733	9.0	92	3.4	825	7.6
30 — 34	514	6.3	81	3.0	595	5.5
35 – 39	395	4.8	53	1.9	448	4.1
40 and over	388	4.8	44	1.6	432	4.0
Total						
Number Reporting.	8,1'38	100.0	2,738	100.0	10,876	100.0

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

TABLE 4-7

NUMBER AND PER CENT DISTRIBUTION OF
ACTIVE CIVILIAN IMMIGRANT PHYSICIANS,
BY YEARS OF RESIDENCE IN CANADA, 1962¹

Years of Residence	Number Reporting	Per Cent of Total Reporting
Less than 5	474	18.3
5 – 9	866	33.4
10-14	744	28.7
15 – 19	84	3.2
20 – 24	85	3.3
25 – 29	30	1.2
30 – 34	57	2,2
35 _ 39	76	2,9
40 and over	177	6.8
Total	2,593	100.0

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.




TABLE 4-8

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS, BY BIRTHPLACE, FOR REGIONS AND CANADA, 1962

	Atlantic Provs.	Provs.	Onebec	pec	Ontario	rio	Prairie Provs.	Provs.	British Columbia	olumbia	Total R	Total Reporting
Birthplace	Number Report- ing	Per Cent	Number Report- ing	Per	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent
United Kingdom	100	9.4	52	4.9	350	32.8	354	33.2	211	19.7	1,067	35.8
Common wealth	47	14.3	40	12.2 9.8	105	31.9	100	30.4	37	11.2	329	11.0
North America	18	6.7	79	29.4 19.4	94	34.9	46	17.1 5.8	32	11.9	269	0.6
Africa	w	11.9	7	16.7	15	35.7	11	26.2	4	9.5	42	1.4
AsiaPer Cent of region	16	9.4	16	3.9	71	41.8	38	22.4	29	17.0	170	5.7
EuropePer cent of region	61	5.7	204	19.1	473	44.2	233	21.8	66	9.2	1,070	35,9
Other	7	5.7	6	25.7	11	31.4	7	20.0	9	17.2	35	1.2
Canada¹	249	8.4	407	13.6	1,119	37.5	789	26.5	418	14.0	2,982	100.0

1 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Table 4-8 indicates the distribution of active civilian immigrant physicians, by birthplace, for regions and Canada.

Approximately half of the reporting immigrant physicians came from the United Kingdom and Commonwealth countries and one-third from Europe. The Commonwealth physicians were mainly located in Ontario, the Prairie Provinces and British Columbia, while immigrant physicians from Europe were located principally in the Province of Quebec, Ontario and the Prairie Provinces. In the Province of Quebec about half of immigrant physicians have a European background but only one-fifth came from the United Kingdom and Commonwealth countries.

Table 4-9 shows the distribution of immigrant physicians by place of undergraduate medical training.

TABLE 4-9

NUMBER AND PER CENT DISTRIBUTION OF
ACTIVE CIVILIAN IMMIGRANT PHYSICIANS,
BY PLACE OF UNDERGRADUATE MEDICAL TRAINING, CANADA, 1962

Discount Visite on the te	Immigran	t Physicians
Place of Undergraduate Medical Training	Number Reporting	Per Cent of Total Reporting
United Kingdom and		
Commonwealth Countries	1,227	60.5
Europe	724	35.7
North America	47	2.4
Africa	29	1.4
Total Reporting	2,027	100.0

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Only 2.4 per cent of the reporting immigrant physicians indicated North America (i.e., United States and Mexico) as their place of basic medical training as compared with 9.0 per cent of the reporting immigrant physicians who indicated North America as their birthplace. This difference in the above percentages is probably due to the fact that some of the U.S. graduates of Canadian medical schools remain in this country.

Table 4-10 illustrates the distribution of active civilian physicians by years of practice in Canada.

This table shows a fairly even distribution of active civilian physicians by years of practice as between various regions of Canada. Sixty-one point nine per cent of the reporting physicians in the country had less than fifteen years of practice. This percentage corresponds to 60.6 per cent of active civilian physicians who were under 45 years of age. Regional distribution of physicians by years of practice generally follows the pattern of age distribution for the various regions.

TABLE 4-10

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY YEARS OF PRACTICE IN CANADA, FOR REGIONS AND CANADA, 1962

			Y	ears of	Medic	al Pra	actice	1		
Region	Less Than 5	5— 9	10 <u></u>	15— 19	20 <u>-</u> 24	25- 29	30- 34	35 <u>–</u> 39	40 and Over	Total
Atlantic Provinces										20
No. Reporting	167	164	145	98	60	69	48	34	27	812
Per Cent	20.6	20.1	17.9	12.1	7.4	8.5	5.9	4.2	3.3	100.0
Quebec										
No. Reporting	519	530	392	227	165	187	136	101	74	2,331
Per Cent	22.4	22.7	16.8	9.7	7.1	8.0	5.8	4.3	3.2	100.0
Ontario				40.5				100		2 061
No. Reporting	751	900	681	427	240	305	192	180	185	3,861
Per Cent	19.5	23.2	17.6	11.1	6.2	7.9	5.0	4.7	4.8	100.0
Prairie Provinces										
No. Reporting	439		340	222	146	99	88	54	50	1,899
Per Cent	23.1	24.4	17.9	11.7	7.7	5.2	4.6	2.8	2.6	100.0
British Columbia										
No. Reporting	241	317	260	153	94	104	65	35	13	1,282
Per Cent	18.8	24.8	20.3	11.9	7.3	8.1	5.1	2.7	1.0	100.0
Canada ²	,									
No. Reporting	2,117	2,372	1,818	1,127	705	764	529	404	2022 2000000	10,185
Per Cent	20.8	23.3	17.8	11.1	6.9	7.5	5.2	4.0	3.4	100.0

Years of practice or medical employment exclude internship, post-graduate studies, or service in the Regular Armed Forces.

Table 4-11 provides a distribution of active civilian physicians by length of time in present practice or employment and type of work.

This table indicates that approximately half of the reporting general practitioners and specialists in private practice were in their present employment less than ten years as compared with two-thirds of consultants in private practice. The latter usually assume consulting responsibilities after some years of practice as specialists or general practitioners. Two-thirds of doctors working in hospitals were also in their present employment less than ten years. This high proportion may indicate the fact that some young physicians start their medical career in hospitals before they establish themselves financially to open a private practice.

Nearly 85.0 per cent of doctors in research work were less than ten years in their present employment. This is probably due to an inflow of young doctors in this type of work and to a more recent increase in medical research activities. Over 60.0 per cent of doctors engaged in teaching were in their present work less

² Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

BY LENGTH OF TIME IN PRESENT PRACTICE OR EMPLOYMENT AND TYPE OF WORK, CANADA, 19621 NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, TABLE 4-11

			Leng	th of Tim	Length of Time in Present Practice or Employment (Years)	ent Pract	ice or Em	ployment	(Years)		
Type of Major Work	1-	1–9	10–19	-19	20–29	29	30-	30–39	40 and	40 and over	
	Number	Per Cent	Number	Per Cent	Number	Per Cent	Number	Per Cent	Number	Per Cent	Total Reporting
Private Practice General	2,146	53.9	932	23.4	441	11.1	287	7.2	177	4.4	3.983
Specialist	1,507	48.2	931	29.8	395	12.6	222	7.1	72	2.3	3,127
Total	4,046	52.5	2,024	26.3	861	11.2	520	6.7	253	3,3	7,704
Hospital Staff											
Specialist	584	65.7	206	23.2	63	7.0	30	3.4	9	0.7	889
Other	112	54.6	59	28.8	21	10.2	11	5.4	7	1.0	205
Total	969	63.6	265	24.2	84	7.7	41	3.8	∞	0.7	1,094
Research	223	84.8	29	11.0	9	2,3	v	1.9	1	ı	263
Teaching	124	8.09	52	25.5	20	8.6	9	2.9	2	1.0	204
Public health	226	52,3	115	26.6	57	13.2	28	6.5	9	1.4	432
Industrial Medicine	29	48.8	44	36.4	10	8.2	7	5.8	1	0.8	121
Other ²	1,357	91.0	88	0.9	28	1.9	12	8.0	ın	0.3	1,491
Total	6,731	59.5	2,618	23.2	1,066	9,4	619	5.5	275	2,4	11,309

1 Excludes Yukon and Northwest Territories,

² Includes over 1,200 interns and residents.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

than ten years. This high proportion may reflect the fact of recent expansion in medical school staffs, of teaching positions becoming more attractive financially, and of becoming a university teacher after some years of practice in hospitals or private practice.

5. Female Physicians

Table 4-12 shows the number and per cent distribution of active civilian physicians in Canada by sex for the census years 1911 to 1961. It will be noted that the number and proportion of women in the medical profession to total active civilian physicians in the country have steadily increased since 1921, particularly, after World War II. Female physicians constituted 6.8 per cent of the total medical manpower in 1961 as compared with 1.7 per cent in 1921. During the pre-war decade of 1929-30 to 1939-40, female graduates constituted 4.1 per cent of the total medical graduates in Canada as compared with 6.6 per cent during the years of 1947-48 to 1960-61.

TABLE 4-12

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS,

BY SEX, CANADA, 1911-1961

Year	Ma	les	Fet	nales	Total
Tear	Number	Per Cent	Number	Per Cent	
1911	7,215	97.4	196	2.6	7,411
921	8,554	98.3	152	1.7	8,706
1931	9,817	98.0	203	2.0	10,020
941	11,489	96.8	384	3.2	11,873
9511		95.9	587	4.1	14,163
1961 ¹	1000	93.2	1,455	6.8	21,290

¹ Yukon and Northwest Territories included.

Source: Survey of Physicians in Canada, 1954, Research Division, Department of National Health and Welfare, Table 4, p. 12; 1911-41, Census data; 1951 Physicians Register, Department of National Health and Welfare; 1961 Census data, 1961 Census of Canada, Labour Force, Occupations by Sex, Bulletin 3.1-3, DBS.

This closeness in percentages of female graduates of Canadian medical schools and of female medical practitioners suggests that there is no "waste" because of marriage, involved in training female doctors. On the basis of this analysis it would seem that Canadian medical schools might well consider accepting a higher percentage of women in the future, particularly when the numbers of male applicants are inadequate. Canadian medical schools have accepted women more freely in the last two decades and more female graduates have gone into the medical profession. It is also perhaps true that the attitude of the public to the woman doctor has changed in more recent decades.

² The 1941 figure includes 1,150 armed forces' doctors because of wartime conditions.

Admittedly, there are problems of the personal domestic nature, relationship with patients and relations with professional men, with which married female physicians have to deal. It has been pointed out, however, that "A change of attitude with more realism and understanding of the married women physicians' problems would materially decrease the period of inactivity or the abandonment of the work entirely by the medically trained women".¹ About half of our population are women and it is only natural that their physical and emotional needs can better be dealt with by scientifically trained women doctors. Efforts should be made to provide part-time employment to married women physicians in laboratory and research establishments, in community health centres, etc., during the interval when they must devote much time to the rearing of children. Special refresher courses should be organized by medical schools for married women doctors after they renew their professional activities on a full-time basis.

The slightly higher percentage (6.8) of active female civilian physicians in 1961 as compared with the percentage (6.6) of female graduates of Canadian medical schools during the post-war years is probably due to a somewhat higher proportion of female doctors amongst active civilian immigrant physicians. The latter fact is apparent from Table 4-13.

TABLE 4-13

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS, BY SEX, FOR REGIONS AND CANADA, 1962

	Mal	es	Fem	ales	
Region	Number Reporting	Per Cent	Number Reporting	Per Cent	Tota1
Atlantic Provinces	227	91.2	22	8.8	249
Quebec	367	90.2	40	9.8	407
Ontario	1,018	91.0	101	9.0	1,119
Prairie Provinces	727	92.1	62	7.9	789
British Columbia	384	91.9	34	8.1	418
Canada ¹	2,723	91.3	259	8.7	2,982

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

In Chapter II it was shown that female immigrant doctors constituted 13.7 per cent of total immigrant physicians admitted to this country during the years 1953—1961. Approximately 80.0 per cent of immigrant physicians were admitted during the post-war period. It would seem that female immigrant physicians have encountered some difficulties in establishing themselves professionally in this country.

The distribution of active female civilian physicians in Canada, by province, is set out in Table 4-14. It will be noted that in June 1961, over 600 or

¹ Thelander, Hulda E. and Weyrauch, Helen B., "Women in Medicine", The Journal of the A.M.A., Vol. 148, February 16, 1952, p. 535.

nearly half of the total active female physicians in the country were located in the province of Ontario constituting approximately 8.0 per cent of the active civilian physicians in this province. Another quarter of the female physicians were located in the Province of Quebec constituting about 6.0 per cent of the active civilian physicians there.

TABLE 4-14

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS,
BY SEX, FOR PROVINCES, 1961

5	Ma	les	Fem	ales	Tota1
Province	Number	Per Cent	Number	Per Cent	Total
Newfoundland	219	95.2	11	4.8	230
Prince Edward Island	87	95.6	4	4.4	91
Nova Scotia	673	95.3	33	4.7	706
New Brunswick	434	95.4	21	4.6	455
Quebec	5,817	94.3	350	5.7	6,167
Ontario	7,408	92.1	632	7.9	8,040
Manitoba	1,046	93.4	74	6.6	1,120
Saskatchewan	889	93.5	62	6.5	951
Alberta	1,251	92.3	105	7.7	1,356
British Columbia	1,990	92.6	160	7.4	2,150
Yukon and N.W.T	21	87.5	3	12.5	24
Canada	19,835	93.2	1,455	6.8	21,290

Source: 1961 Census of Canada, Labour Force, Occupations by Sex, Bulletin 3.1-3, DBS.

6. Father's Occupation of Physicians

Appendix 4-6 records the number and per cent distribution of Canadian-born and immigrant physicians by father's occupation at time of entering university training, for regions of present practice and Canada. This appendix reveals a fairly even distribution of Canadian-born physicians, by father's occupation, in all the regions of the country in which the physicians were located in 1962. The only understandable exception from this uniform pattern of father's occupational background were the physicians in the Prairie Provinces, where about one-fifth of doctors reported agriculture as father's occupation as compared with approximately one-tenth of physicians of the same background located in other regions of the country.

Table 4-15 shoes the same data of the reporting Canadian-born and immigrant physicians for the country as a whole.

This table indicates a similar pattern of father's occupational background of Canadian-born and immigrant physicians. Small differences appear, however, in a few cases. Thus, for instance, a higher proportion of reporting immigrant physicians came from professional (including medical) classes and a smaller proportion from agricultural occupational groups as compared with Canadian-born doctors.

As for the distribution of the reporting Canadian-born physicians by father's occupation, the largest number fell into the professional (including medical) class, followed by the proprietors and managerial group, agriculture, manufacturing and construction, commercial and financial, and clerical occupational groups.

More than half of the reporting Canadian-born physicians indicated that their father's occupation was of a professional (30.4 per cent) and managerial (25.8 per cent) nature, while these two occupational groups accounted for only 7.6 per cent and 10.2 per cent of the total male labour force in 1961 respectively. Farmers and male farm workers accounted for 12.2 per cent of the total male labour force and this percentage is close to 13.0 per cent of the reporting physicians who indicated agriculture as the occupation of their father.

As in the case of most other professions, there is in the medical profession a relationship between father's occupation and that followed by his children. One-eighth of the Canadian-born physicians reported father's occupation as physicians and surgeons.

TABLE 4-15

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN AND IMMIGRANT ACTIVE CIVILIAN PHYSICIANS, BY FATHER'S OCCUPATION, CANADA, 1962¹

Father's Occupational	Canadi Physi		Immigrant F	Physicians
Groups ²	Number	Per Cent	Number	Per Cent
	Reporting	of Total	Reporting	of Total
Proprietors and managers	2,203	25.8	807	27.5
Physicians and surgeons	1,052	12.4	417	14.2
Other professional	1,529	18.0	776	26.5
Clerical	393	4.6	187	6.4
Transportation and communication	293	3.4	46	1.5
Commercial and financial	456	5.4	94	3.2
Service	151	1.8	88	3.0
Agriculture	1,103	13.0	188	6.4
Fishing, trapping, logging and mining	94	1.1	11	0.3
Manufacturing, mechanical				
and construction	829	9.7	186	6.4
Unskilled workers	180	2.1	31	1.1
Retired	133	1.6	46	1.6
Not stated ³	92	1.1	58	1.9
Total	8,508	100.0	2,935	100.0

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

² Father's occupation at time of entering university training or earlier if father then deceased.

³ Includes some who were unemployed.

¹ Census of Canada, 1961, Labour Force, Occupation by Sex, Bulletin 3.1-3, DBS

7. Geographical Distribution of Medical Manpower

a. Problems and Factors Influencing Location of Practice

The medical care market is, in general, of local nature and, consequently, the availability of medical services depends primarily on the geographical distribution of physicians. A regime of private medical practice implies the doctors' freedom to choose the type and location of their practice. In exercising this freedom the physicians naturally are motivated by personal, professional and economic considerations. In recent decades there has been a decline in the number of physicians in rural communities and in the smaller cities because the urbanization trend of our general population has also affected the medical profession. Consequently, it is becoming increasingly more difficult to attract physicians to rural and sparsely populated areas. It has been argued that the maldistribution of medical manpower between urban centres and rural areas is perhaps the major problem facing organized medicine in Canada today. For in communities badly provisioned the better-off people may still be able to obtain adequate medical care but poorer families cannot overcome financially this geographic maldistribution of doctors. On the other hand, it has also been argued that this "urbanization" of the medical profession may not necessarily be in conflict with public interest because of the fact that the progress of medicine requires a concentration of physicians in metropolitan areas where there are medical schools, big hospitals, medical research institutions, laboratories, clinics, etc., which serve the entire nation. Moreover, the maldistribution of medical manpower is to some extent offset by the greater productivity of today's physicians, by the increased mobility of both doctors and patients due to improved transportation and communication, which may provide the citizens of understaffed areas with superior service at an adjacent medical centre. Then, it is also said that a shortage of medical personnel and facilities is not the only deficiency in the over-all provision of health services in the rural communities.

Despite these reservations, an analysis of the choice of place of practice, the geographical distribution of general practitioners and specialists and of the various factors influencing it, is important in assessing the adequacy of the local supply of medical services as well as in finding a solution for a more equitable distribution of such services on a geographic basis, for the undirected market forces in a free society cannot be relied upon to bring this about.

There are many interrelated variables of personal, professional, cultural, social and economic nature, which are involved in the choice of a location of medical practice. Very likely these variables are not especially different from those considered by any other profession, although, perhaps, a physician will evaluate more carefully other factors than just the "availability of position". It may be difficult to establish a causal relationship between these variables and the actual local physician-population ratio, and thus to isolate the more important factors and to measure their impact on doctors' choice of a place of practice. Moreover, some of these factors, like cultural characteristics of an area, are really intangible and do not lend themselves to a statistical measurement. Hence

a considerable difference of opinions as to the required measures to affect a more equitable territorial distribution of physicians.

Among the generally recognized factors, and not necessarily in order of importance, which influence the choice of a place of practice are as follows: population density, level of income per capita, since it measures ability of individuals to perchase professional services, effective demand for medical services, the location of medical school attended, place of residence before entering medical school, the place where internship and residency was served, the methods and availability of transportation and communications, the ready accessibility of hospital and consultation facilities, climate, topography, availability of good schools, cultural and social environment, recreational facilities, housing and many other personal, social and economic factors. Thus the number of physicians practising in any community is a function of the above factors which tend to direct them to specific localities in which they can maintain a satisfactory professional service and enjoy adequate cultural and social life.

Some studies have been made, particularly in the United States, to assess quantitatively and qualitatively, the relative importance of these variables.¹ One writer suggested that the relative importance of the factors which he examined were in this order: place of residence prior to entering medical school, then place of internship and location of medical school.² There is a strong tendency for interns and residents to start practice in the locality where they were trained and so became known to the hospital and medical staffs. The hospitals, approved by licensing authorities as suitable for training, are of necessity located in the larger cities. Consequently, larger cities, because clinical and diagnostic facilities are concentrated in hospitals, tend to attract a disproportionately larger number of doctors. The fact that a place of residence before admission to medical school is one of the influencing factors whould suggest that an increase in the number of medical students from smaller communities would probably result in an increased number of physicians in rural communities.

Effective demand for medical services may be considered as a function of population density and of economic status of a given community. It is generally accepted that the regions with low per capita income tend to receive less than their proportionate share of new medical registrants as compared with regions with high per capita income. It has been suggested that communities with the

See the following studies: Weiskotten, H.G., Wiggins, W.S., Altenderfer, M.E., Gooch, M., and Tipner, A. — "Trends in Medical Practice — An Analysis of the Distribution and Characteristics of Medical College Graduates, 1915—1950", The Journal of Medical Education, vol. 35, No. 12 December 1960, pp. 1071—1121; McGibony, John R. and Johnston, Helen L. — "Prospects for Rwal Health Care", Rural Sociology, vol. 19, 1954, pp. 337—348; Dickinson, Frank G. — "Distritubion of Physicians by Medical Service Areas", A.M.A., Bureau of Medical Economics, Chicago, Bulletin No. 94, 1954, P. 162; Roemer, Milton I. — "Hospital Utilization and the Supply of Physicians", The Journal of the A.M.A., vol. 178, December 9, 1961, pp. 989—93; and Ciocco, Antonio, and Altenderfer, M.E. — "Birth Statistics as an Index of Interdependence of Counties with regard to Medical Services", Public Health Reports, vol. 60, August 24, 1945, pp. 973—985, Mountin, J.W., Pennell, E.H. and Nicolay, V. — "Location and Movement of Physicians, 1923 and 1938 — Effect of Local Factors Upon Location", Public Health Reports, U.S. Public Health Service, vol. 57, December 18, 1942, pp. 1945—53; Mountin, J.W. et al. — "Location and Movement of Physicians, 1923 and 1938 — General Observations", Public Health Reports, vol. 57, Sept. 11, 1942, pp. 1363—75.

² Weiskotten, H.G., et al., op. cit., p. 1086.

population in the low income groups are at a disadvantage in attracting physicians although their needs for medical service are greater as compared with better-off communities because "underprivileged groups experience illness more frequently than those higher on the economic scale".¹ One a narrow local basis there seems to be less evident correlation of this nature, at least, as far as general practitioners are concerned.² For it is doubtful if a physician can determine the relative levels of income per capita in several communities under his consideration.

Adequate hospital accommodation and facilities constitute an asset in attracting physicians to a given locality and district. A hospital reduces the inconvenience of a house-to-house practice, enables a doctor to avail himself of consulting services of other doctors and to economize his time through the use of paramedical personnel at a hospital. It has been suggested that utilization of hospitals in rural areas with a low number of doctors tends to be higher because overworked physicians tend to send more patients to the hospital. This practice has been described as "a reasonable adjustment to the problem of providing good medical care in the face of a relative shortage of medical personnel". The question still remains whether from the economic point of view it is really a reasonable adjustment for the increased supply of physicians and greater investment in medical personnel "might yield great savings in the national expenditures for hospital care, not to mention improvements in the health services generally".

A convenient method in determining the sufficiency of the supply of physicians and of the adequacy of their distribution in any area or locality is the physician-population ratio. This ratio is, however, somewhat deficient because of the relative mobility of patients between regions and localities. In fact, it is argued, that a comparative analysis of the availability of medical care on a local basis must disregard administrative and political boundaries. For it is feasible to assume that a community with adverse physician-population ratio, inadequate number of nurses, etc., may be able to satisfy its effective demand for medical and health care because it utilizes superior and more adequate medical and other health resources located in nearby places.

To obtain a more correct assessment of medical resources available to a local community some adjustments would have to be made both in population and number of physicians, i.e., in demand and supply of medical care. This would mean the use of statistical information with respect to births and deaths, which would indicate the number of persons who go outside their own community to have babies and to receive medical care for serious illness. Such statistics would roughly indicate the extent of reliance of a given community on medical resources located elsewhere and also would show the main centres for dispensing medical services.

Mountin, J.W., et al. - "Location and Movement of Physicians, 1923 and 1938 - General Observations", op. cit., p. 1363.

² Dickinson, Frank G., op.cit., p. 135.

³ Roemer, Milton I. op.cit., p. 992.

⁴ Ibid.

⁵ Ciocco, Antonio, and Altenderfer, M.E., op. cit., pp. 973-985.

TABLE 4-16

CHOICE OF REGION OF FIRST PRACTICE BY CANADIAN-BORN PHYSICIANS, FOR REGIONS, 1962

Regions and Present Practice and Number of Reporting Physicians Prairie British Atlantic Quebec Ontario Provinces Columbia Provinces 1,837 2,726 848 1,092 537 % % % % % (a) Per cent of reporting physicians who remained since first practice in the 87.4 85.2 81.3 41.2 region of present practice 90.7 (b) Per cent of reporting physicians who resided in the region of present practice before entry to medical school and who remained since first practice in the region of present practice 87.9 86.4 81.8 77.4 38.8 Difference between (a) and (b) 2.8 1.0 3.4 3.9 2.4 (c) Per cent of reporting physicians who resided in the region of present practice before entry to 76.0 95.3 91.9 90.4 medical school 94.2 Difference between 10.1 13.0 37.2 8.9 (c) and (b) 6.3 (d) Per cent of reporting physicians who resided in other regions before entry to medical school and who started their first practice in other 3.7 4.7 5.7 21.6 3.0 regions

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

The movement of patients between communities will occur if there are differentials in physician-population ratios between them. Another suggestion has been that the distribution of physicians should be related to "medical service areas", defined as "areas in which populations depend upon physicians located in these circumscribed territories for most of their physician service".

b. Choice of Location of First Practice

(i) Regional Analysis

Appendix 4-7 provides a statistical information on choice of region of first practice by Canadian-born physicians for regions and Canada. A summary analysis of this information is presented in Table 4-16.

This table indicates a high proportion of the reporting physicians remaining in the region where they started their first practice. This proportion ranged from 90.7 per cent in the Atlantic Provinces to 41.2 per cent in British Columbia. For the remaining regions it was above 80.0 per cent. More than four-fifths of the reporting physicians in the Atlantic Provinces, Quebec and Ontario, and three-quarters in the Prairie Provinces and approximately one-third in British Columbia indicated that they resided in the region of present practice prior to entry into medical school and remained there after starting their first practice in the same region. Only a small proportion of the reporting doctors came from other regions of residence and remained in the region of present practice, where they started their first practice. This proportion was 2.8 per cent in the Atlantic Provinces, 1.0 per cent in Quebec, and 3.4 and 3.9 per cent in Ontario and the Prairie Provinces respectively. In British Columbia it was 2.4 per cent.

A very high proportion of the reporting physicians resided, prior to entry into medical school, in the regions of their present practice. This proportion ranged from 95.3 per cent in the Province of Quebec to 76.0 per cent in British Columbia. Some of these physicians started their first practice in other regions or abroad but have returned to the region of their residence. This is particularly pronounced in case of the reporting physicians in British Columbia, where approximately one-third started their first practice elsewhere, mainly in the Prairie Provinces, and then came back to their own region. It is also interesting to note that approximately one-fifth of the reporting doctors in British Columbia moved into that region from other regions of residence and of first practice. This type of interregional mobility of physicians is rather insignificant for other regions of Canada.

Twelve point two per cent of the reporting physicians (576), who indicated the Atlantic Provinces as their region of residence prior to entry into medical school, were in 1962 practising in other regions of the country. The corresponding percentages for other regions were as follows: Quebec -4.8; Ontario -6.4; the Prairie Provinces -20.0 and British Columbia -9.9. Probably because of language problems, only a small proportion of the doctors from the Province of Quebec

Dickinson, Frank G., op. cit., p. 13.

moved to other regions of Canada. On the other hand, the physicians from the Prairie Provinces moved in substantial proportion to British Columbia and Ontario.

Out of the total 7,040 reporting Canadian-born physicians, 8.2 per cent indicated the Atlantic Provinces as their region of residence before entry to medical school but only 7.6 per cent indicated this region as their location of present practice. This latter percentage includes physicians who resided in the Atlantic Provinces prior to entry to medical schools as well as those who moved from other regions of Canada. Thus the Atlantic Provinces experienced a net loss. The corresponding percentages for the Province of Quebec were 26.1 in both cases. This means that the interregional movement just balances. For Ontario the percentages were 38.0 and 38.7 and thus this province gained slightly. The Prairie Provinces showed a loss from 17.5 to 15.5 per cent, while British Columbia showed a gain as its percentages were 10.2 and 12.1 respectively. It is these two regions, the Atlantic and Prairie Provinces, which showed less favourable physician-population ratios as compared with other regions of Canada.

Table 4-17 illustrates a similar statistical information with respect to immigrant physicians, for regions and Canada.

TABLE 4-17
CHOICE OF REGION OF FIRST PRACTICE BY IMMIGRANT PHYSICIANS,
FOR REGIONS AND CANADA, 1962

			F	Region	of F	rst P	ractic	е			Т	otal
Region of		ntic	Que	bec	Onta	ario		irie inces	В.	c.	Repo	rting
Present Practice	No.	Per Cent	No.	Per Cent	No.	Per Cent	No.	Per Cent	No.	Per Cent	No.	Per Cent
Atlantic Provinces Quebec	171 8	85.1 3.2	6 214	3.0 88.1	6 15	3.0 6.2	14 6	7.0 2.5	4	1.9 -	201 243	9.0 10.9
Ontario	28	3.4	8	1.0	720	87.6	57	6.9	9 5	1.1	822	36.8
Prairie Provinces British Columbia.	33 5	5.1	3	0.2	14 22	2.2 6.7	588 51	91.7 15.6	246	0.8 75.3	641 327	28.7 14.6
Canada ¹	245	10.9	232	10.4	777	34.8	716	32.1	264	11.8	2,234	100.0

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Immigrant physicians, like the Canadian-born doctors, tend to remain in the region of their first practice. Ninety-one point seven per cent of the reporting immigrant physicians in the Prairie Provinces remained there having established their first practice in that region. The corresponding percentages for other regions were as follows: Quebec — 88.1; Ontario — 87.6; the Atlantic Provinces — 85.1; and British Columbia — 75.3.

Out of 2,234 total reporting immigrant physicians, 10.9 per cent indicated the Atlantic Provinces as their region of first practice but 9.0 per cent stated that they were working in 1962 in that region. Thus, the Atlantic Provinces also

experienced a net loss with respect to immigrant physicians. The corresponding percentages for the Province of Quebec were 10.4 and 10.9, indicating a slight gain. Ontario's percentages were 34.8 and 36.8, suggesting this province to be a gainer. Similarly, British Columbia was also a gainer because its percentages were 11.8 and 14.6. Again the Prairie Provinces were the losers having the corresponding percentages 32.1 and 28.7.

It appears again that the Atlantic and Prairie Provinces lost some immigrant physicians in favour mainly of British Columbia and Ontario.

(ii) Effects of Size of Community

Appendix 4-8 provides statistical information on the relationship between the size of community of residence at time of entry to medical school and size of community of first practice with respect to Canadian-born physicians, for regions and Canada. Table 4-18 summarizes the above data for the country as a whole.

TABLE 4-18

NUMBER AND PER CENT DISTRIBUTION

OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS,

BY SIZE OF COMMUNITY OF RESIDENCE AT TIME OF ENTRY TO MEDICAL SCHOOL

AND SIZE OF COMMUNITY OF FIRST PRACTICE, CANADA¹

Sine of Community	S	Size of (•	esidence cal Schoo		t Time of Entry			
Size of Community of First Practice		10,000 lation	10,00 under 1 Popul	00,000	1000	nd 00,000 ation	To	tal		
	Number	Per Cent	Number	Per Cent	Number	Per Cent	Number	Per Cent		
Number reporting Under 10,000 population . 10,000 and under	1,119	29.7 46.7	1,295 256	16.1 19.8	4, 362 805	54.2 18.5	8,051 2,180	_ 27.1		
100,000 population 100,000 and over population	588 687	24.6	648 391	50.0 30.2	1,065 2,492	24.457.1	2,301 3,570	28.6 44.3		

Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Out of 8,051 total reporting Canadian-born physicians, 29.7 per cent came from communities of less than 10,000 population at the time they entered medical schools, 16.1 per cent from communities of 10,000 and under 100,000, and 54.2 per cent from cities of 100,000 and over population. Approximately one-half of those who came from communities of less than 10,000 population started their first practice in communities of the same size and about one-third in cities of 100,000 and over population. The remainder started their practice also in larger communities than the ones they came from. Again about half of the reporting physicians who came from communities of 10,000 and under 100,000 population started their practice in similar sized communities, while about one-third moved

to cities of 100,000 and over population after the completion of medical training and only one-quarter moved to communities of less than 10,000. Finally, 57.1 per cent of the reporting physicians, who came from metropolitan areas of 100,000 and over population, started their first practice in similar metropolitan areas. Less than one-quarter moved to communities of less than 10,000 population, while one-quarter went to intermediate communities.

While 29.7 per cent of the total reporting physicians indicated coming from communities of less than 10,000 population, only 27.1 per cent of them indicated starting their practice in similarly sized communities. Rural and urban population living in communities of less than 10,000 population together accounted for 41.5 per cent of total population of Canada in 1961. This disparity in the above percentages gives a rough indication of unequal geographical distribution of Canadian-born physicians, by location of first practice, as between rural and urban areas.

TABLE 4-19

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS, BY SIZE OF COMMUNITY OF FIRST PRACTICE, FOR REGIONS AND CANADA

	Siz	ze of Co	mmunity	of Firs	t Practi	ce	
Region of Present Practice	Less 10, Popul	000	10,000- Popul		50,0 and Popul	over	Total Reporting
	Number	Per Cent	Number	Per Cent	Number	Per Cent	
Atlantic Provinces	97	48.3	28	13.9	76	37.8	201
Quebec	24	9.9	13	5.3	206	84.8	243
Ontario	157	19.1	104	12.6	562	68.3	823
Prairie Provinces	259	40.3	90	14.0	293	45.7	642
British Columbia	93	28.2	40	12.1	197	59.7	330
Canada ¹	630	28.1	275	12.3	1,334	59.6	2,239

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Sixty-point two per cent of the total reporting physicians indicated coming from communities of 10,000 and over population, while 72.9 per cent of them started their first practice in similar areas. Urban population living in such communities accounted for 68.5 per cent of total population of Canada in 1961.²

Table 4-19 provides an analysis of immigrant physicians by size of community of first practice.

It is interesting to note the similarity in the pattern of distribution of Canadian-born and immigrant physicians, by size of community of first practice.

I Census of Canada, 1961, Advance Report No. AP-4, Census (Demography) Division, DBS, p. 1.

² Ibid.

DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS, BY SCHOOL OF UNDERGRADUATE MEDICAL TRAINING IN CANADA, FOR REGIONS AND CANADA, 1962 TABLE 4-20

				Regi	on of Pre	Region of Present Practice	ctice				To	Total
Medical School	Atla Provi	Atlantic Provinces	Quebec	pec	Ontario	ario	Prairie Provinces	irie nces	British Columbi	British Columbia	No.	jo %
	No. Report- ing	% of Medical School	No. Report- ing	% of Medical School	No. Report- ing	% of Medical School	No. Report- ing	% of Medical School	No. Report- ing	% of Medical School	Report- ing	All Medical Schools
Dalhousie	413	76.6	19	3.5	61	11.3	21	3.9	25	4.7	539	6.4
Laval	36	3.7	881	6.06	32	3,3	17	1.8	8	0.3	696	11.5
Montreal	∞	6.0	860	95.3	29	3.2	S	9.0	1	1	905	10.6
McGill	92	9.5	456	47.2	175	18.1	75	7.8	169	17.4	296	11.4
Ottawa	7	5,3	25	18,9	82	62.1	00	6.1	10	7.6	132	1.6
Oneen's	12	1.9	42	9*9	457	71.3	59	9.2	71	11.0	641	7.6
Toronto	18	8.0	52	2.4	1,782	83.8	115	5.4	161	7.6	2,128	25.2
Western Ontario	1	1	33	5.6	487	83,3	34	5.8	31	5.3	585	6.9
Manitoba	ю	0.4	19	2.3	87	10.6	527	64.5	181	22.2	817	7.6
Saskatchewan	1	1	7	2.8	7	6.6	51	71.8	11	15.5	71	8.0
Alberta	2	0.4	∞	1.5	27	5.0	355	62.9	147	27.2	539	6.4
British Columbia	1	9.0	∞	5.1	10	6.3	က	1.9	136	86.1	158	1.9
Canada ¹	592	7.0	2,405	28.5	3,236	38,3	1,270	15.0	945	11.2	8,448	100.0

¹ Excludes Yukon and Northwest Territories Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Thus, 28.1 per cent of the total reporting immigrant physicians indicated starting their practice in communities of less than 10,000 population as compared with 27.1 per cent of Canadian-born doctors, and 71.9 per cent of immigrant doctors started their practice in urban areas of 10,000 and over population as compared with 72.9 per cent of the total reporting Canadian-born physicians.

c. Regional Distribution of Canadian-born Doctors and Medical Schools

Appendix 4-9 shows the distribution of Canadian-born active civilian physicians, by school of undergraduate medical training in Canada and years since graduation, for regions and Canada. Table 4-20, which is based on the above appendix, illustrates the relationship between the regional geographical distribution of these physicians and the location of the medical schools.

This table indicates a definite tendency of the physicians to establish their practices in the regions in which they have obtained their basic medical education. Thus, 76.6 per cent of the reporting physicians, who were medical graduates of Dalhousie University, remained in the Atlantic Provinces, others moved to Ontario and Western Canada. This medical school accounted for 70.0 per cent of the reporting physicians in the Atlantic region, while McGill and Laval medical schools provided 15.5 and 6.1 per cent respectively.

In the Province of Quebec, reporting doctors indicated that 91.4 per cent of them were the graduates of the three medical schools (Laval, Montreal and McGill) located in that province. The remainder came mainly from the medical schools in Ontario. Ninety point nine per cent of the reporting physicians, who were medical graduates of Laval University remained in the Province of Quebec. The corresponding percentages for University of Montreal and McGill University were 95.3 and 47.2. Most of McGill University's medical graduates were practising in Ontario, British Columbia and the Prairie Provinces.

The four medical schools (Ottawa, Queen's, Toronto and Western Ontario) located in Ontario provided 86.8 per cent of the total reporting physicians practising in that province. Others came mainly from McGill, Manitoba and Dalhousie medical schools. Eighty-three point eight per cent of the reporting physicians, who were graduates of Toronto University, remained in the Province of Ontario. The corresponding percentages for medical schools of Western Ontario, Queen's and Ottawa were 83.3, 71.3 and 62.1 respectively. The University of Ottawa served also the Province of Quebec, while Queen's University's medical graduates were also located in the Prairie Provinces and British Columbia.

The three medical schools in the Prairie Provinces provided 73.5 per cent of the total reporting physicians practising in that region. The remainder came mainly from the medical schools of Toronto, McGill, Queen's and Western Ontario. It is interesting to note that smaller proportions of the medical graduates of Manitoba, Alberta and Saskatchewan universities remained in the Prairie region. Thus, 71.8 per cent of the reporting physicians, who were graduates of the University of Saskatchewan, remained in that region, while the corresponding

percentages for Alberta and Manitoba universities were 65.9 and 64.5 respectively. Most of the other medical graduates of the latter two universities were practising in British Columbia and Ontario.

Finally, the medical school of the University of British Columbia, established only in recent years, provided 14.4 per cent of the total reporting physicians practising in that province. Most of other reporting physicians came from the Prairie Provinces and Ontario medical schools. Differential earnings of physicians in British Columbia and the Prairie Provinces are principally responsible for this movement of doctors to British Columbia.

The medical schools located in the Province of Quebec and Ontario accounted for 33.5 and 41.3 per cent respectively of the total reporting physicians, while 28.5 and 38.3 per cent of this total indicated practising in Quebec and Ontario. Medical schools in these two provinces and, in particular, McGill, and partly also schools in the Prairie Provinces supplement the output of medical schools in other regions of Canada.

This analysis would suggest that the Atlantic Provinces and British Columbia have experienced an inadequate supply of medical graduates from the medical schools located within their boundaries. In the latter region the medical school of the U.B.C. is only a few years old. Because of a strong relationship between regional distribution of physicians and the location of a medical school, it seems that the most effective method of improving the physician-population ratio in a province or region is the establishment of a medical school there or the expansion of the existing ones. This conclusion may be of particular significance in relation to the supply of medical manpower in the Atlantic Provinces.

d. Geographical Mobility of Canadian-born Physicians

There is no information available on the movement of physicians from one locality to another over the period of time after entry into practice. There is also no information as to the actual motivation involved in such a movement. It is, however, generally accepted that economic benefits and professional opportunities as well as adequacy of facilities for practice are essential motives in the movement of doctors from one region to another or one community to another.

Obviously such geographical mobility of physicians affects physician-population ratios in different areas just as these ratios are affected by changes in population.

Table 4-21 gives a general idea of the interregional movement of Canadian-born active civilian physicians for various regions of Canada.

This table indicates that approximately three-quarters of the total reporting Canadian-born civilian physicians partised in the regions in which they were born. This proportion varied somewhat as between the various regions. It ranged from 84.6 per cent in the Province of Quebec to 28.3 per cent in British Columbia. It stood at 71.3 per cent in the Atlantic Provinces and 80.4 per cent in Ontario and 56.2 per cent in the Prairie Provinces. Approximately three-fifths of the total reporting physicians were born and educated in the region of their present practice. Again this proportion varied considerably as between regions.

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS, BY REGION OF BIRTH AND BY REGION OF UNDERGRADUATE MEDICAL TRAINING RECEIVED, FOR REGIONS AND CANADA, 1962 TABLE 4-21

				Reg	Region of Present Practice	esent Pra	ctice					
Birth and Undergraduate	Atl	Atlantic Provinces	δne	Quebec	Ont	Ontario	Pra Provi	Prairie Provinces	Brit	British Columbia	Can	Canada ¹
Medical Training Received	No. Report- ing	Per	No. Report- ing	Per Cent	No. Report- ing	Per Cent	No. Report- ing	Per Cent	No. Report-	Per	No. Report- ing	Per
Total number of physicians	. 627		2,434		3,259		1,304		196		8,591	
Physicians born in the region	447	71.3	2,059	84.6	2,618	80.4	733	56.2	274	28.3	6,131	71.4
(1) who completed their medical training in region	211	33.7	2 007	ν.	2 405	9	7 7 1		C		1	
(2) educated in other regions	236	37.6	52	2.1	123	0 8	243	41.0	104	× ×	5,338	62.1
Physicians born in other regions but											6	2
equcated in the region of present practice	09	9.6	190	7.8	314	9.6	178	13.6	56	5.8	798	6.3
Physicians born and educated in other regions	120	19.1	185	7.6	327	10.0	393	30,2	637	65.9	1.662	19.3
				1						,	1)

1 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Thus, it stood at 82.5 per cent in the Province of Quebec and only 8.3 per cent in British Columbia. In the latter province, of course, this low ratio was due to the lack of a medical school until recently. The corresponding percentages for the Atlantic Provinces, Ontario and the Prairie Provinces were 33.7, 76.6 and 41.8 respectively. Approximately one-tenth of the reporting doctors were born in other regions but educated in the regions of their present practice.

For the country as a whole, approximately one-fifth of the reporting physicians indicated that they were born and educated in regions other than those in which they were practising in 1962. This proportion probably constitutes a real measure of the geographical mobility of the Canadian-born doctors. This interregional movement is very substantial in the case of British Columbia (65.9 per cent), the Prairie Provinces (30.2 per cent) and the Atlantic Provinces (19.1 per cent). This migration of doctors may suggest a shortage of regionally trained doctors due to inadequate medical school capacities and the attraction of higher earnings, particularly in British Columbia.

e. Medical Care in Rural Areas

There are important social, cultural and economic differences between rural and urban areas, which create special problems in the provision of medical services to sparsely populated parts of the country. Along with the long-term movement of population to urban centres there has been a departure of various industries and services, including medical, from rural areas. Consequently, the rural areas experience a deficiency in the supply of medical personnel and health facilities. And as the rural population very likely will continue to decline, the need of providing medical and health services for those who will remain in rural areas may become even greater, for as one writer observed: "Rural population trends which drain off those in the most productive years and leave behind young children and older people seem likely to lead to a continued rural need for medical care at least equal to that among urban residents. The opportunities for improvement in rural infant mortality rates and the relatively high farm accident rate also show at least equal medical care need in rural areas. In addition, the rural rate of chronic illness apparently equals that of city population, but in rural areas the care of chronically ill poses problems of peculiar difficulty".1

The bulk of medical services in rural areas is being provided by general practitioners since, for professional and economic reasons, there has been no movement of specialists to the communities of less than 10,000 population. The rural general practitioners are usually deprived of the advantages of a modern hospital, laboratory, clinic and specialist facilities and consulting services and, consequently, rural practitioners may not be adequately informed about more recent advances in medical science and practice, particularly if they do not take refresher courses. For the above reasons a rural practitioner has naturally to be more self-sufficient and may sometimes assume responsibilities, like clinical care, which may be beyond his training and skill or assume some duties like those of a

¹ McGibony, John R., and Johnston, Helen L. - op.cit., p. 342.

sanitary engineer or health inspector, which may be beyond his scope of work. Consequently, the quality and quantity of medical care in rural areas may, in some cases, be lower than in urban areas.

Rural areas not only have fewer physicians but they are older than those in urban areas. This implies not only a reduced service capacity of rural doctors but also an accelerated rate of loss through retirement and death. The reasons for this trend of concentration of older practioners in rural communities are not difficult to establish. Rural areas are characterized generally by a lower economic status. A young doctor, after having made a considerable investment in his training, may be reluctant to start his practice in areas where the fees, by necessity, must be lower as compared with those in larger cities. Then, fewer people in rural areas can afford expensive medical training and since, generally, physicians establish their practice where they came from, it follows that rural areas will continue to attract a smaller number of newly registered doctors.

This adverse situation in the rural areas with respect to medical manpower is to some extent offset by the fact that due to improved transportation and communication rural areas today are less isolated than they used to be and, consequently, there is an increasing tendency of people in sparsely populated areas to avail themselves of medical and other health services concentrated in larger cities.

This brief analysis suggests that medical care in rural areas is a complex problem involving professional and economic considerations and, therefore, it would seem that, apart from specific remedies, the conditions of practice in rural areas should partly be altered in order to provide the professional incentives to young physicians to locate in such areas.

Acknowledging the principle of the doctors' freedom to select the location of their practice and the importance of factors, mentioned elsewhere, that influence the location of practice, the problems of proper geographical distribution of physicians and of more uniform provision of medical care to all people are, indeed, difficult ones to solve, consequently, the need for offsetting factors will likely persist in the future.

Various suggestions have been made, and in some cases practical steps have been taken though within so restricted an area that their effectiveness has not been tested, as to how an improved geographical distribution of physicians should be achieved. The following are the principal remedial measures recommended, though not necessarily in order of their importance:

- Construction of small hospitals (12-20 bed capacity), strategically located in rural areas, and of small clinics to attract some specialists, and the establishment of diagnosis and treatment centres with access to consulting services from larger medical centres, or in association with near-by medical schools. These would be organized along group medical practice lines.
- Educational and professional efforts should be made to raise the status of general practitioners, for whom there is a demand in rural areas. Something

PRIVY COUNCIL OFFICE

of this nature has already been done by the establishment of the College of General Practice of Canada some years ago. A higher status, for a general practitioner may direct medical students towards a general practice rather than a specialty.

- 3. The establishment of physicians' placement services under the auspices of Provincial Medical Associations or Colleges of Physicians and Surgeons, which would assist rural communities in obtaining doctors or indicate alternative sources of supply of medical care.
- 4. Medical schools should provide refresher courses particularly to rural physicians and larger and modern hospitals should be made accessible to them in order to keep the rural physicians in close and constant contact with larger medical centres. (At the Tufts Medical School a broad post-graduate educational programme has been set up in order to extend medical education to physicians practising in small communities. This programme operates through the medical school and affiliated hospitals and thus a rural physician is integrated with the metropolitan medical centres and assimilates the most recent advances in medical science and practice.)
- 5. Rural communities themselves should assume greater responsibility in attracting doctors through citizens' health councils or community health centres construction of adequate living quarters and office space for doctors supply a minimum of standard medical equipment, and make them available to doctors at a reasonable rent. A young doctor may not have the financial resources to do this himself.
- 6. Medical schools, in selecting students, should give special consideration to those from rural areas and provincial governments should offer scholarships to such students under the condition that the recipients would commit themselves to practise medicine for a specified period of time in the indicated rural areas.
- 7. Provincial and municipal governments should subsidize physicians' income in rural areas, because of the lower economic status of these areas as compared with urban centres, or these governments should directly employ physicians and assign them to specified areas at an agreed salary.

Implementation of some of these remedial measures would certainly improve to supply of comprehensive medical care to a still substantial portion of our population living in rural areas.

f. Urban Concentration

Concentration of physicians within the larger urban centres is greater than that of the population generally. In 1947, 70.8 per cent of the physicians in Canada were located in urban centres of 10,000 or more population, ranging

Proger, Samuel, "Distribution of Medical Care - A Postgraduate Program to Fit a Pattern of Medical Practice", The Journal of the A.M.A., vol. 124, March 25, 1944, pp. 823-26.

DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY SIZE OF COMMUNITY IN WHICH LOCATED, FOR PROVINCES AND CANADA, 1951 AND 1962 TABLE 4-22

10,000 and over	Population, 19512	Der Cent	The state of the s	Population	18.7	16.1	33.0	25.7	51.6	58.2	48.2	20.0	37.4	56.4	48.2
10,000	Populati	Per Cent	of Active	Civilian Physicians	43.4	43.1	52.1	55.0	76.8	78.6	75.4	48.1	65.1	76.8	73.2
	rer		Per Cent	of Total Civilian Population ¹ Physicians	29.1	17.5	44.1	33.1	62.7	67.2	56.1	31.2	51,4	62.7	58.7
.2	10,000 and over		Physicians	Per Cent	58.4	72.5	70.8	76.6	88.2	90.6	84.2	71.5	78.4	86.4	85.8
Size of Community, 1962	10	À	Physi	Number Reporting	87	37	301	187	2,493	3,958	585	391	657	1,196	9,892
Size of Com	Persons		Per Cent	of Total Population ¹	70.9	82.5	55.9	6.99	37.3	32.8	43.9	8.89	48.6	37.3	41.3
	Less than 10,000 Persons	Dhusicions	o in the same	Per Cent	41.6	27.5	29.2	23.4	11.8	9.4	15.8	28.5	21.6	13.6	14.2
	Less tl	Dhys	2 6 7 4	Number Reporting	62	14	124	57	332	412	110	156	181	188	1,636
E	Number	Jo	Reporting	Physicians	149	51	425	244	2,825	4,370	695	547	838	1,384	11,528
		Province			Newfoundland	Prince Edward Island	Nova Scotia	New Brunswick	Onebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Canada³

¹ Census of Canada, 1961, Advance Report No. AP-4, Census (Demography) Division, DBS.

² Survey of Physicians in Canada, 1951, Research Division, Department of National Health and Welfare, Table 7, p. 13,

3 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

provincially from 40.6 per cent for Prince Edward Island to 79.1 per cent for British Columbia.

Table 4-22 illustrates the distribution of active civilian physicians, by size of community in which located, for Provinces and Canada, in 1951 and 1962.

By 1951, the proportion of physicians in urban centres of 10,000 or more population had risen to 73.2 per cent for Canada as a whole and in 1962 it stood at 85.8 per cent. In contrast, only 48.2 per cent of the total population in 1951 was located within these centres and 58.7 per cent in 1962. The process of "urbanization" of physicians between these two years was somewhat lower (17.2 per cent) than that of the population generally (21.8 per cent).

Provincial variation in the proportion of physicians in urban centres of 10,000 or more population in 1962 was between 58.4 per cent for Newfoundland and 90.6 per cent for Ontario.

Approximately one-sixth of the reporting active civilian physicians were located in the communities of less than 10,000 population for the country as a whole. Provincial variation ranged from 41.6 per cent for Newfoundland to 9.4 per cent for Ontario.

Table 4-23 provides similar statistical information for immigrant physicians.

The pattern of geographical distribution of immigrant active civilian physicians was very similar to that of the total Canadian medical manpower though a slightly higher proportion of immigrant doctors tended to be located in areas of less than 10,000 population as compared with the national pattern. It is interesting

TABLE 4-23

DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS,
BY SIZE OF LOCATION, FOR REGIONS AND CANADA, 1962

		Size	of Communit	y and Physi	icians
Region	Total Number of Reporting		n 10,000 lation	10,000 a Popu	and over lation
	Physicians	Number Reporting	Per Cent	Number Reporting	Per Cent
Atlantic Provinces Quebec Ontario Prairie Provinces British Columbia	246 406 1,118 784 417	96 16 134 221 64	39.0 3.9 12.0 28.2 15.3	150 390 984 563 353	61.0 96.1 88.0 71.8 84.7
Canada ¹	2,971	531	17.9	2,971	82.1

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Survey of Physicians in Canada, 1954, Table 8, p. 16, Research Division, Department of National Health and Welfare.

to note, however, that 96.1 per cent of the reporting immigrant physicians in the Province of Quebec were located in communities of 10,000 and over population as contrasted with 88.2 per cent of all the reporting doctors in that province.

In 1954, 52.5 per cent of general practitioners in private practice in Canada were located in urban centres of 10,000 or more population. The corresponding percentages for specialists in private practice and for salaried doctors were 93.4 and 86.3 respectively.¹ Physicians in general private practice showed a similar concentration to that for the general population. In contrast, physicians in specialist private practice showed a higher degree of urban concentration than that for the general population. The same was true of other doctors, who included physicians in hospital and government services, medical school teaching staffs, etc. Thus, the specialists in private practice and other doctors not in private practice accounted for the disproportionate concentration of the total supply of physicians in the larger urban centres.

Table 4-24 provides census statistical information on a concentration of physicians in metropolitan areas, for Provinces and Canada, in 1961.²

As of June 1961, 69.4 per cent of active civilian physicians were located within metropolitan areas, whereas only 47.2 per cent of the total population of Canada was so located. Consequently, while the metropolitan physician-population ratio was 1:581, it was only 1:1,474 for the population outside the metropolitan areas, and the over-all national ratio was 1:857.

In Newfoundland the St. John's metropolitan area accounted for 19.8 per cent of the provincial population, while the doctors located in that city constituted more than half of the total provincial medical manpower. In the metropolitan area there were 763 persons per doctor as compared with 3,306 persons per doctor in non-metropolitan areas and the over-all provincial physicianpopulation ratio of 1:1,991. The provincial government is heavily involved in the provision of medical services. The Cottage Hospital Service, initiated in 1933, provides hospitalization and medical services in the sparsely populated areas and the Children's Health Service provides medical services in hospitals, at public expense, for all children up to the age of 16. The Cottage Hospital Service has been described by the medical profession as "... a necessary and effective means of providing medical services in outlying areas. It has not, however, provided a sufficient number of doctors to allow necessary improvements in the quality of medical care".3 Approximately one-third of the province's physicians held salaried posts with the Newfoundland Department of Health and, of the remainder, many perform professional service on behalf of the department, either on a retainer or a fee-for-service arrangement. In fact, in the Province of Newfoundland two distinct

¹ Ibid., Table 9, p. 17.

While the Census (Demography) Division, Occupation and Employment Section, of the Dominion Bureau of Statistics has available the 1961 census data on population and number of doctors of incorporated cities of 10,000 and over population, these data cannot be used, however, because they exclude both population and doctors located in the suburban districts. This does not apply to metropolitan areas designated by the DBS.

³ A brief from the Newfoundland Medical Association, submitted to the Royal Commission on Health Services, November 2, 1961, p. B.

TABLE 4-24

ACTIVE CIVILIAN PHYSICIANS LOCATED IN METROPOLITAN AREAS,
FOR PROVINCES AND CANADA, 1961

		Metrop	politan A	\reas ¹			Provincial
	Populat	ion		Physic	ians		Non-metro-
Province and City	Number	Per Cent of Prov.	Number	Per Cent of Prov.	Physician- Population Ratio	Physician- Population Ratio	politan Physician- Population Ratio
Newfoundland St. John's	90,838	19.8	179	51.7	1:763	1:1,991	1:3,306
Nova Scotia Halifax	183,946	25.0	338	47.9	1:544	1:1,044	1:1,503
New Brunswick Saint John	95,563	16.0	135	29.7	1:708	1:1,314	1:1,570
Quebec	2,109,509 357,568 70,253 86,659 2,623,989	40.1 6.8 1.3 1.6 49.8	3,728 683 105 97 4,613	60.5 11.1 1.7 1.6 74.9	1:568 1:524 1:669 1:893 1:569	1:853	1:1,696
Ontario	395,189 63,419 154,864 181,283	6.3 1.0 2.5 2.9	520 220 185 433	6.5 2.7 2.3 5.4	1:760 1:288 1:837 1:419	1:776	1:1,201
and Eastview Oshawa Sudbury Toronto Windsor	292,761 80,918 110,694 1,824,481 193,365	1.8 29.3	577 91 129 3,157 280	7.2 1.1 1.6 39.3 3.5	1:507 1:889 1:858 1:578 1:691		
Total	3,296,974	52.9	5,592	69.6	1:590		
Manitoba	475,989	51.6	887	79.2	1:537	1:823	1:1,913
Saskatchewan Regina Saskatoon Total	112,141 95,526 207,667	10.3	235 281 516	24.7 29.5 54.2	1:477 1:340 1:402	1:973	1:1,650
Alberta Calgary Edmonton	279,062 337,568	21.0	331 576	24.4 42.5	1:843 1:586	1:982	1:1,593
Total British Columbia Vancouver Victoria	790,165 154,152	48.5	907 1,352 231	66.9 62.9 10.7	1:680 1:584 1:667	1:758	1:1,229
Total Canada²	944,317 8,535,913		1,583 14,690	73.6 69.4	1:597 1:581	1:855	1:1,474

Metropolitan areas except Regina, Saskatoon and Ottawa, which excludes Hull and other cities within the Province of Quebec, Metropolitan areas include suburban parts and cities.

Source: 1961 Census data, DBS, Census (Demography) Division, Occupation and Employment Section.

² Excludes Yukon and Northwest Territories and Prince Edward Island.

groups of physicians have developed, namely doctors still practising essentially as private practitioners in relatively populated areas and another group of physicians engaged in the Cottage Hospital Service and as Medical Health Officers under contract with the Department of Health. It has been estimated that approximately one-third of the provincial population reside in the private practice—and more densely populated areas, while the remaining population live in the Cottage Hospital Service areas of Newfoundland. The private practice areas were served by about two-thirds of the physicians registered in the province. Consequently, the physician-population ratio in the private practice areas was 1:899 in comparison with a ratio of 1:5,600 in the Cottage Hospital Service areas.¹ Specialist physicians are mainly located in the former areas and, therefore, patients from less populated areas requiring services of specialists must be referred to private specialists in larger centres.

In Prince Edward Island 46 doctors out of the total number of 91 in the province were located as of June 1961 in Charlottetown serving a population of 18,000 while the remaining doctors served the other 86,000 residents. In Charlottetown there were 398 persons per doctor as compared with 1,918 people per doctor outside Charlottetown. The over-all provincial physician-population ratio was 1:1,150.²

In Nova Scotia nearly half of the physicians were located in the Halifax-Dartmouth metropolitan area, but its population constituted only one-quarter of the provincial population. The corresponding physician-population ratios were 1:544 in the metropolitan area, and 1:1,503 for the rest of the province; while the overall provincial ratio was 1:1,044. It has been stated that over 70.0 of Nova Scotia's specialists in 1961 were in the Halifax city area with consequent thin specialist coverage throughout the rest of the province, the Halifax-Dartmouth metropolitan area, with a population of 180,000 had 165 practising specialists, while the Sydney area with a population of 125,000 had only 37 specialists.

Saint John metropolitan area in New Brunswick had nearly one-third of the province's doctors, while its population accounted for one-sixth of that of the province. The metropolitan physician-population ratio was 1:708, the provincial ratio was 1:1,314, but outside of the metropolitan area there were 1,696 persons per physician.

The metropolitan area of Greater Montreal, with 60.5 per cent of the physicians of the Province of Quebec, had a ratio of one physician for 568 persons, leaving a ratio of 1:1,402 for the rest of the province. This ratio was further reduced to 1:1,696 for smaller centres and rural regions by virtue of the appreciable concentration of physicians in Quebec City, Sherbrooke and Trois Rivières metropolitan areas. These four large centres comprised three-quarters of the province's physicians but their population constituted only about a half of that of the province.

¹ Ibid., p. 21.

² 1961 Census data.

³ A brief from the Government of Nova Scotia, submitted to the Royal Commission on Health Services, October 30, 1961, p. 5.

The over-all provincial physician-population ratio was 1:853 and that of the four metropolitan areas was 1:569. The geographical distribution of general practitioners outside metropolitan areas was more equitable. However, it has been stated that there is an urgent need for general practitioners in many rural areas of the province. In order to improve somewhat this situation in the remote rural areas, the provincial government maintains a number of nurses in smaller localities to dispense elementary medical care. As of October 1961, there were over 100 country nurses across the province.²

A similar pattern of geographical distribution of physicians prevailed in Ontario where 40.0 per cent of the province's doctors were concentrated in the Toronto metropolitan area but its population accounted for 29.3 per cent of that of the province. In Toronto there were 578 people per doctor, leaving a ratio of 1:904 for the rest of the province. This ratio was further reduced to 1:1,201 for smaller centres and rural regions because of the concentration of doctors in other metropolitan areas such as Hamilton, Kingston, Kitchener-Waterloo, London, Ottawa City and Eastview, Oshawa, Sudbury, and Windsor. All metropolitan areas in Ontario comprised about 70.0 per cent of the province's physicians but their population constituted only 52.9 per cent of the provincial population. The provincial physician-population ratio was 1:776 in 1961 as compared with the over-all metropolitan areas ratio of 1:590.

In Manitoba about 80.0 per cent of the physicians were located in the Winnipeg metropolitan area but its population accounted for only one-half that of the province. Consequently, there were 537 persons per physician in Greater Winnipeg while in the rest of the province there were 1,913 people per doctor. The over-all provincial ratio was 1:823. This concentration of medical practitioners in Winnipeg metropolitan area is expected to persist in future years because further medical advances "... require elaborate technical equipment and the skilled technical and professional staff which cannot be economically justified outside the larger centres".

The disparity between community size and physician distribution in Saskatchewan was even more evident than in Manitoba as more than half of Saskatchewan doctors resided in Regina and Saskatoon, while these two cities accounted for about one-fifth of the provincial population. There were 400 persons per doctor in the two cities as compared with 1,650 persons per physician for the rest of the provincial population. The provincial physician-population ratio was 1:913. It has been stated that in 1959, 76.0 per cent of Saskatchewan's population lived in communities of less than 10,000 population whereas only 33.0 per cent of the province's doctors were so located.

A brief from the Collège des Médecins et Chirurgiens de la Province de Québec, submitted to the Royal Commission on Health Services, April 1962, p. 76.

² Ibid.

³ A brief from the Government of Manitoba, submitted to the Royal Commission on Health Services, January 15, 1962, p. 42.

A brief from the College of Medicine, University of Saskatchewan, submitted to the Royal Commission on Health Services, January 25, 1962, p. 31.

A very similar situation existed in Alberta, where Calgary and Edmonton together comprised two-thirds of the provincial medical manpower and accounted for less than half of the province's population. In these two cities combined there were 680 people per doctor as contrasted with 1,593 persons per physician in the rest of the province. The over-all provincial physician-population ratio was 1:982 in 1961. It has been stated that there are a few areas in the province in which the population has increased to the point where there is a need for a resident physician. In particular, there are areas where there is a considerable distance to the nearest physician and where the roads do not permit easy transportation.

Finally, in British Columbia the two metropolitan areas, Vancouver and Victoria, comprised three-quarters of the physicians registered in the province and about half of the provincial population. The metropolitan area's physician-population ratio was 1:597 while that of the rest of the province was 1:1,229. The over-all provincial ratio in 1961 was 1:758. It has been stated that many medical services of great importance are not "... easily accessible to a proportion of our residents".²

Admittedly, the high metropolitan physician-population ratios do not necessarily reflect the actual availability of medical care to the general population since many doctors in the metropolitan areas devote all or part of their time to medical teaching and research, hospital work and administrative tasks and treat many patients who are referred or come to them from non-urban areas. Nevertheless, the above analysis suggests that even making allowance for this, there is a disproportionate geographic distribution of the medical manpower as between large centres and less populated areas throughout all the provinces. Apart from the system of granting bursaries to medical students who agree to work later in rural areas for a specified period, another scheme should be explored fully, namely, promoting the construction of community-type hospitals in the rural areas to induce doctors to serve in the more isolated regions.

g. Distribution of Physicians by Counties and Census Divisions, 1961

Appendix 4—10 shows active civilian physicians in relation to population and size of geographical area, by county and census divisions, for provinces as of June 1961. The study of counties and census divisions, according to the percentage of urbanization of population, reveals that for the most part, in the more highly urbanized counties and census divisions, the proportion of active physicians to population was more favourable than in the largely rural areas. If the counties in more urbanized provinces such as Ontario and British Columbia, are considered, the same situation existed, but the differences in physician-population ratios between the more highly urbanized and the more rural counties were much less pronounced.

A brief from the College of Physicians and Surgeons, Province of Alberta; the Canadian Medical Association, Alberta Division; and the Faculty of Medicine, University of Alberta, submitted to the Royal Commission on Health Services, February 13, 1962, p. 7.

² A brief from the Canadian Medical Association, B.C. Division, submitted to the Royal Commission on Health Services, February 20, 1962, p. 10.

TABLE 4-25

COUNTIES AND CENSUS DIVISIONS OF CANADA, CROSS-CLASSIFIED BY DEGREE OF URBANIZATION OF POPULATION AND CIVILIAN POPULATION PER ACTIVE PHYSICIAN1, JUNE, 1961

0-9 10-19 20-29 30-39 40-49 50-59 60-69 70-79 80-89 90+ - - - - - - 2 1 -	Ē			Per	sent of I	Urbaniza	tion of 1	Percent of Urbanization of Population	uo			Total	Donnfetion
	Population per Physician	6-0	10-19	20-29	30–39	40-49	50-59	69-09	70–79	80-89	+06	Counties	ropulation
- - - - - - - - - - 2 3 5 5 2 4 5 6 1 - - - - - - - - - 2 2 1 -	400	1	1	I	. 1	1	1	ı	2	1	ì	8	434,802
1 1 1 1 - 2 2 4 5 6 1 1 1 1 7 6 8 4 6 3 1 1 1 1 4 3 6 7 3 8 3 1 1 2 4 3 6 7 3 8 3 1 1 2 4 3 5 2 2 1 1 1 1 2 3 4 2 2 2 2 1 <td< td=""><td>749</td><td>ı</td><td>1</td><td>1</td><td>ı</td><td>1</td><td>ı</td><td>1</td><td>2</td><td>3</td><td>S</td><td>10</td><td>6,419,855</td></td<>	749	ı	1	1	ı	1	ı	1	2	3	S	10	6,419,855
1	666	1	1	1	1	2	7	4	ß	9	1	23	2,856,423
1 1 4 3 6 8 4 6 3 1 1 1 4 3 6 7 3 8 3 1 1 2 4 3 5 2 1 2 2 1 2 3 4 2 2 2 2 1 1 2 3 1 1 4 2 2 2 2 1 1 1 1 4 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 2 3 1 1 1 1 1 1 1 3 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 <t< td=""><td></td><td>ı</td><td>1</td><td>7</td><td>32</td><td>2</td><td>13</td><td>2</td><td>4</td><td>2</td><td>7</td><td>32</td><td>2,197,368</td></t<>		ı	1	7	32	2	13	2	4	2	7	32	2,197,368
1 4 3 6 7 3 8 3 - 2 4 3 5 2 1 1 - 2 3 4 2 2 2 2 - - 2 3 4 2 2 2 - - - - 2 3 1 1 - - - - - - 1 - - 1 1 - - - - - 1 - - - 1 - - - - - 1 2 1 1 - - - - - - 1 2 1 1 - - - - - - 1 2 1 1 - - - - - - 1 2 1 1 - - - - - - 1 2 1 1 - - - - - - 1 2 1 1 - - - - <td></td> <td>1</td> <td>1</td> <td>7</td> <td>9</td> <td>00</td> <td>4</td> <td>9</td> <td>3</td> <td>-</td> <td>1</td> <td>38</td> <td>1,950,144</td>		1	1	7	9	00	4	9	3	-	1	38	1,950,144
1 8 7 1 5 2 2 1		1	4	က	9	7	3	00	3	ı	ı	35	1,415,001
2 4 3 5 2 1 2 2 - <td></td> <td>1</td> <td>00</td> <td>7</td> <td>1</td> <td>Ŋ</td> <td>2</td> <td>7</td> <td>1</td> <td>1</td> <td>1</td> <td>28</td> <td>922,543</td>		1	00	7	1	Ŋ	2	7	1	1	1	28	922,543
1 1 4 2 2 2 -	:	2	4	8	ß	2	П	2	2	1	ı	21	597,321
1 1 4 2 2 - <td>:</td> <td>2</td> <td>3</td> <td>4</td> <td>2</td> <td>2</td> <td>2</td> <td>1</td> <td>ı</td> <td>ı</td> <td>1</td> <td>15</td> <td>482,998</td>	:	2	3	4	2	2	2	1	ı	ı	1	15	482,998
2 3 1 1 - <td>:</td> <td>1</td> <td>П</td> <td>4</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> <td>ı</td> <td>1</td> <td>1</td> <td>10</td> <td>349,222</td>	:	1	П	4	2	2	1	1	ı	1	1	10	349,222
1 - - 1 - <td></td> <td>2</td> <td>8</td> <td>-</td> <td>1</td> <td>ı</td> <td>ı</td> <td>1</td> <td>L</td> <td>ı</td> <td>1</td> <td>7</td> <td>180,821</td>		2	8	-	1	ı	ı	1	L	ı	1	7	180,821
1 3 1 - <td></td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>ı</td> <td>ı</td> <td>1</td> <td>1</td> <td>က</td> <td>55,430</td>		1	1	1	1	1	1	ı	ı	1	1	က	55,430
- - <td>-</td> <td>1</td> <td>3</td> <td>1</td> <td>1</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>1</td> <td>Ŋ</td> <td>84,073</td>	-	1	3	1	1	ı	ı	ı	ı	ı	1	Ŋ	84,073
- - <td></td> <td>I</td> <td>ı</td> <td>1</td> <td>1</td> <td>1</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>1</td> <td>7</td> <td>85,621</td>		I	ı	1	1	1	ı	ı	ı	ı	1	7	85,621
1 2 1 1 - 1 -		1	1	ı	ı	ı	1	1	ı	1	i	ı	ı
14 30 34 31 32 28 24 22 14 9 2.412 2.080 1.721 1.690 1.557 1,281 1,195 834 737 571	:	1	2	1	-	1	-	1	1	ı	ı	9	168,999
2.412 2.080 1.721 1.690 1.557 1.281 1,195 834 737 571		14	30	34	31	32	28	24	22	14	6	238	18,200,621
4114	ician	2,412	2,080	1,721	1,690	1,557	1,281	1,195	834	737	571	857	

1 Excludes the Yukon and Northwest Territories

Source: Census of Canada, 1961, Advance Report No. AP-4, June 28, 1962, DBS, Census (Demography) Division and Occupations and Employment Section for basic data, see Appendix 4-10.

The physician-population ratios for county and census divisions as such should not be considered as an adequate index for the purpose of determining the degree of sufficiency in the supply of medical personnel because in the more highly urbanized counties some physicians were not engaged in directly dispensing medical care within their respective communities. In the larger cities many physicians were engaged in teaching, research, industry and public health, and administration work. Nevertheless, the physician-population ratios for census and county divisions indicate a broadly unequal geographic proportional distribution of medical personnel throughout the country.

Table 4-25 indicates a cross-classification of counties and census divisions, for the country as a whole, by degree of urbanization of population and the size of physician-population ratios.

The relative concentration of physicians in counties and census divisions containing urban centres is apparent from the rapid decrease in average population per physician with increase of urbanization of population. In counties and census divisions which were 70.0 or more per cent urban, the physician-population ratios were more favourable than that for the country as a whole.

In terms of population numbers, a total of 9,711,080 persons or 53.2 per cent of the total Canadian population in 1961, were living in counties and census divisions which had physician-population ratios of less than 1:1,000; another 4,147,512 or 23.7 per cent experienced physician-population ratios of 1:1,000 to 1:1,499 and the remaining one-quarter of our population had one physician per 1,500 or more persons.

Variation in the physician-population ratio between counties and census divisions grouped by percentage of urbanization of population is shown by regions in Table 4-26.

TABLE 4-26

POPULATION PER ACTIVE CIVILIAN PHYSICIAN, FOR COUNTIES AND CENSUS DIVISIONS, GROUPED ACCORDING TO PER CENT OF URBANIZATION OF PCPULATION, FOR REGIONS AND CANADA, 1961

Per cent of Urbanization of Population	Atlantic Region	Quebec	Ontario	Prairie Region	British Columbia	Canada ¹
0 – 9	2,182	2,441	2,232	2,438	_	2,412
10 – 19	2,122	1,950	1,866	2,160	_	2,080
20 – 29	1,536	2,175	1,615	1,787	_	1,773
30 – 39	2,043	2,397	1,524	1,547	1,405	1,690
40 – 49	1,352	1,942	1,220	1,561	1,941	1,557
50 - 59	1,402	1,679	1,167	1,079	1,202	1,281
60 – 69	1,218	1,567	1,130	2,027	894	1,195
70 – 79	777	1,216	868	550	_	834
80 – 89	1,066	945	770	753	615	737
90 and Over	-	557	593	537	_	571
Total	1,280	852	776	928	758	857

Excludes Yukon and Northwest Territories.

Source: Census of Canada, Advance Report No. AP-4, June 28, 1962, DBS, Census (Demography)
Division and Occupations and Employment Section. For basic data, see Appendix 4-10.

The extent to which the geographical distribution pattern of physicians is not adequately represented by the over-all regional physician-population ratios is clearly indicated. Thus, the Province of Quebec, with the third lowest over-all average ratio among the regions, experienced group average ratios higher than those for any other region in all but the 10-19, 60-69, 80-89 and 90 plus groups of degree of urbanization of population.

8. Types and Auspices of Medical Work

a. Types of Work

In addition to geographical distribution, age and years of practice of physicians, type and auspices of medical work must be taken into account when attempting to assess the availability of medical services to the general public in particular regions and communities. A concentration of doctors engaged in medical research and teaching, and of interns and residents in training hospitals, in larger cities, does not greatly increase the availability of medical services to the general public in these communities as the main source of these services is provided by general practitioners and specialists in private practice.

A historical analysis of medical manpower suggests that some changes have occurred in the patterns of medical services in recent decades, particularly, in terms of new types of medical services and specialization. Perhaps a major change has been the increased employment of physicians in hospital services, teaching, research, industry, administration and other types of institutional practice. This has also been associated with a relative reduction in the propor-

TABLE 4-27

ACTIVE CIVILIAN PHYSICIANS BY TYPE OF WORK, MARCH 1943¹

	Phys	icians
Type of Work	Number	Per cent
General practice	5,894	68.4
pecialist practice	1,437	16.7
ndustrial medicine	135	1.6
Medical teaching	111	1.3
Medical research	13	0.1
nsurance or other corporation	24	0.3
Inspital service	447	5.2
Public health	292	3.4
Other government service	170	2.0
Medical administration	62	0.7
Other	29	0.3
Total ²	8,614	100.0

¹ Excluding 615 retired physicians.

Excluding Yukon and Northwest Territories.

Source: Report of the National Health Survey, 1945, Canadian Medical Procurement and Assignment Board, Table 17, p. 36.

TABLE 4-28 NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY TYPE OF WORK, FOR REGIONS AND CANADA, 1962

	Total	874	2,841	4,373	2,087	1,385	11,560
	Other	56	29	149 3.4	97	56	3.4
-snpuI	trial Med- icine	5.0	43	1.4	8 4.0	5	121
	Teach-Public trial ing Health Med- icine	49 5.6	3.5	147 3.4	91	56	443 3.9
	Teach-	14	1.5	75	59	21	211
	Re- search	5	3,1	122	26	24	266
Staff	Total ⁸	114	279	405	198	108	1,104
Hospital Staff	Other	32	53	55	49	20	209
Hos	Spe- cial- ist	9,3	226	350	149	6.4	895
dı	Total	53	436	472	186	100	1,247
Internship	Senior	49	390	353	137	83	1,012
	Jun- ior	4 0.5	46	2.7	49	17	235
0	Tota1	578 66.1	1,823	2,943	1,422	1,015	7,781 67,3
ractice	Con- sult- ant	27	67	340	63 3.0	103	600 5.2
Private Practice	Spe- cialist	230	940	1,052	590 28.3	353 25.5	3,165
	General Practi- tioner	321	816 28,7	1,551	769	559	4,016
	Region	Atlantic Provinces Number reporting Per cent of total	Quebec Number reporting Per cent of total	Ontario Number reporting Per cent of total	Prairie Provinces Number reporting Per cent of total	British Columbia Number reporting Per cent of total	Canada¹ Number reporting Per cent of total

¹Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

tion of physicians in private practice. Moreover, some physicians in private practice give part of their time to one or more of these activities. An increase in the number of medical schools or an expansion of the existing ones will require more teaching physicians. Demands for physicians for research and administrative work are also growing and can be expected to increase in future.

The 8,614 active civilian physicians (excluding 3,006 in the Armed Forces) in Canada as of March 1943 are classified according to the nature of their work in Table 4-27.

Appendices 4-11A and 4-11B show the distribution of the reporting Canadian-born and immigrant active civilian physicians respectively by type of major work in 1962 for regions and Canada. Table 4-28 provides the above information for all active civilian physicians.

Physicians categorized as in general, specialist and consultant private practice included all those who reported this type of service "on their own account", whether this was accomplished in solo practice, partnership or group, and regardless of the method of payment within the partnership or group. Separation of physicians in private practice into specialist, consultant and general practitioner relates to that which the physician said he was doing regardless of formal requirement, held or not held.

Internship group included junior and senior interns and residents being trained in the hospitals. The "hospital staff" category included all those employed by hospitals as specialists, general practitioners and in administration on full-time basis, excluding interns and residents.

The balance of active civilian physicians consisted of those engaged in medical research and teaching, public health, industrial medicine and others, employed mainly in an administrative capacity by insurance companies, national and provincial professional associations and voluntary health organizations.

Sixty-seven point three per cent of the reporting physicians for the country as a whole indicated they were engaged in private practice in 1962. Excluding interns and residents, private practitioners accounted for 75.4 per cent of the reporting active civilian physicians. In 1951, general practitioners and specialists in private practice constituted 74.3 per cent of the total medical manpower in Canada, excluding interns and residents.¹ Thus, in the latter year about 3 out of 4 physicians were in private practice as compared with 2 out of 3 physicians in 1962. The latter proportion was almost identical with that prevailing in the United States where in 1962, 66.4 per cent of the total actual number of doctors were in private practice.² Thus it appears that in Canada the proportion of physicians in private practice has been decreasing. In actual numbers, physicians in private practice have increased. The same trend is to be observed in the United States, where in 1931 about 86.0 per cent of the physicians were private practitioners.³

¹ Survey of Physicians in Canada, 1951, Research Division, Department of National Health and Welfare, Table 8, p. 14.

² Health Manpower Source Book, op. cit., Table 1, p. 3.

³ Ibid.

Interns and residents constituted 10.8 per cent of the total reporting physicians in 1962 in this country. As of October 1, 1962, there were 2,614 interns, assistant residents and residents, comprising 12.2 per cent of the total medical manpower in the country. In addition, there were 596 reported Canadian-born interns and residents being trained in the United States in the spring of 1962, some of whom will return to this country. Including the latter category of interns and residents with the figure of 2,614 interns and residents trained in Canada, the total constituted 15.0 per cent of the Canadian medical manpower in 1962. The corresponding percentage for the U.S.A., excluding Canadian and foreign interns and residents, in 1962 was 13.9. Making allowance for those Canadian-born residents and interns in the U.S.A., who probably will not return to Canada, it would seem that the immediate supply of doctors in this country is relatively the same as in the U.S.A.

Physicians, specialists and others, working in hospitals accounted for 9.5 per cent of the total reporting physicians as compared with 5.2 per cent in 1943. In 1951, the "hospital staff" category (including interns and residents) constituted 15.0 per cent of the total number of physicians as compared with 20.3 in 1962. All these percentages suggest a relative increase of physicians working in hospitals on a full-time basis.

Doctors engaged in medical research and teaching in 1962 accounted for 4.1 per cent of the total reporting physicians as compared with 1.4 per cent in 1943. A similar trend has also taken place in the U.S.A. during recent decades.

A slight increase of physicians working in the public health area also seems to have occured between 1943 and 1962. During the latter year 3.9 per cent of the reporting physicians indicated this type of work as compared with 3.4 per cent in 1943.

A breakdown of the reporting physicians between Canadian-born and immigrant doctors, by type of work, as shown in the Appendices 4–10A and 4–10B, indicates a smaller proportion of immigrant physicians in private practice (59.1 per cent), particularly as specialists, in comparison with the Canadian-born doctors (70.1 per cent). On the other hand, proportionately more immigrant physicians are working in hospitals (13.3 per cent) and in public health (4.9 per cent) as compared with the Canadian-born doctors, whose corresponding percentages were 8.3 and 3.6 respectively. Also, 5.9 per cent of the reporting immigrant physicians indicated working in medical research and teaching as compared with only 3.5 per cent of the reporting Canadian-born doctors.

b. Auspices of Work

Appendices 4-12A and 4-12B show employing agencies (for major source of income) of Canadian-born and immigrant physicians respectively. Table 4-29 provides this information for all reporting physicians for regions and Canada.

¹ Canadian Mailings Limited, 1962, Toronto, List No. 6.

² See Chapter II, Table 2-17.

³ Health Manpower Source Book, op. cit., Table 1, p. 3.

TABLE 4-29

DISTRIBITION OF ACTIVE CIVILIAN PHYSICIANS. BY AUSPICES OF EMPLOYMENT. FOR REGIONS AND CANADA. 1962

Auspices of Worker functions of Workers (Seport-Cent Ing Number) Outpoint of Mumber (Seport-Cent Ing Number) Performance (Seport-Cent Ing Number) Performancent Ing Number) Performancen Ing Number)	DISTRIBUTION OF ACTIVE CIVILING THE STATE OF	9											
Work Number ling Per ling Number ling Number ling Per ling Number ling Numbe	8	Atla: Provi	ntic nces	Quel	pec	Onta	rio	Prai Provii	rie nces	Brit	ish nbia	Сап	ada 1
ent 21 51.5 1,495 54.8 2,166 52.4 592 29.3 535 40,0 5,209 77 9.4 184 6.8 461 11,1 443 22.0 313 23.4 1,478 77 9.4 151 5.6 316 7.6 387 19.2 169 12.7 1,400 77 9.4 151 5.6 316 7.6 387 19.2 169 12.7 1,100 ent 575 70.3 1,830 67.2 2,943 71.1 1,422 70.5 1,017 7,177 1,100 1,100 1,100 1,1100 1,100 1,1100 1,1100 1,1100 1,11 1,422 70.5 1,017 1,1100 1,110 1,11 1,422 70.5 1,101 1,1100 1,11 1,422 70.5 1,101 1,11 1,422 70.5 1,11 1,413 <	Auspices of Work	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per	Number Report- ing	Per Cent	Number Report- ing	Per	Number Report- ing	Per Cent
77 9.4 184 6.8 461 11.1 443 22.0 313 23.4 1,478 77 9.4 151 5.6 316 7.6 387 19.2 169 12.7 1,100 2 575 70.3 1,830 67.2 2,943 71.1 1,422 70.5 1,017 76.1 7,787 2 28 3.4 54 2.0 97 2.3 65 3.2 1,017 76.1 7,787 129 15.8 62 2.3 198 4.8 141 7.0 60 4.5 590 20 2.4 9.5 3.5 148 3.6 9.9 2.9 2.9 4.9 4.5 179 20 2.4 9.5 1.3 46 1.1 4 0.2 4 0.3 1.530 30 1.1 2.6 1.2 1.2 1.2 1.2 1.2 1.2 1.5	Private practice:	421	51.5	1,495	54.8	2,166	52,4	592	29.3	535	40.0	5,209	47.2
77 944 151 3.0 310 7.0 307 1.02 <td>Partnership</td> <td>77</td> <td>9.4</td> <td>184</td> <td>8.9</td> <td>461</td> <td>11,1</td> <td>443</td> <td>22.0</td> <td>313</td> <td>23.4</td> <td>1,478</td> <td>13,4</td>	Partnership	77	9.4	184	8.9	461	11,1	443	22.0	313	23.4	1,478	13,4
28 3.4 54 2.0 97 2.3 65 3.2 51 3.8 295 129 15.8 62 2.3 198 4.8 141 7.0 60 4.5 590 20 2.4 0.5 2.5 0.9 69 1.7 59 2.9 1.6 179 179 20 2.4 95 3.5 148 3.6 98 4.9 42 3.1 403 5 0.6 36 1.3 46 1.1 4 0.2 4 0.3 95 48 5.9 593 21.8 554 13.4 213 10.6 15 9.2 1,530 9 1,1 26 1.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	roup practice	575	70,3	1.830	5.0	2,943	71.1	1,422	70.5	1,017	76.1	7,787	70.6
129 15.8 62 2.3 198 4.8 141 7.0 60 4.5 590 20 2.4 0.5 2.5 0.9 69 1.7 59 2.9 2.9 1.6 1.7 590 20 2.4 95 3.5 148 3.6 98 4.9 42 3.1 403 3 5 0.6 1.3 46 1.1 4 0.2 4 0.3 95 48 5.9 593 21.8 554 13.4 213 10.6 122 9.2 1,530 9 1,1 26 1.0 82 2.0 15 0.7 18 1.4 150 818 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	eral Government	28	4.6	54	2,0	97	2,3	65	3,2	51	3,8	295	2,7
4 0.5 25 0.9 69 1.7 59 2.9 2.9 1.6 1.79 20 2.4 95 3.5 148 3.6 98 4.9 42 3.1 403 5 0.6 36 1.3 46 1.1 4 0.2 4 0.3 95 48 5.9 593 21.8 554 13.4 213 10.6 122 9.2 1,530 9 1,1 26 1.0 82 2.0 15 0.7 18 1.4 150 818 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	incial Government	129	15.8	62	2,3	198	8.4	141	7.0	09	4.5	290	5,3
. 20 2.4 95 3.5 148 3.6 98 4.9 4.9 3.1 403 . 5 0.6 36 1.3 46 1.1 4 0.2 4 0.3 95 . 48 5.9 593 21.8 554 13.4 213 10.6 122 9.2 1,530 . 9 1,1 26 1.0 82 2.0 15 0.7 18 1.4 150 . 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	nty or Municipality	4	0.5	25	6.0	69	1.7	29	2.9	22	1.6	179	1.6
5 0.6 36 1.3 46 1.1 4 0.2 4 0.2 4 0.3 95 . 48 5.9 593 21.8 554 13.4 213 10.6 122 9.2 1,530 . 9 1.1 26 1.0 82 2.0 15 0.7 18 1.4 150 . 818 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	rersity or College	20	2.4	95	3.5	148	3,6	86	4.9	42	3,1	403	3.7
48 5.9 593 21.8 554 13.4 213 10.6 122 9.2 1,530 9 1,1 26 1,0 82 2,0 15 0,7 18 1,4 150 818 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029	s try	25	9.0	36	1,3	46	1,1	4	0.2	4	0,3	95	6.0
. 9 1,1 26 1,0 82 2,0 15 0,7 18 1,4 150 818 100,0 2,721 100,0 4,137 100,0 2,017 100,0 1,336 100,0 11,029	pital ²	48	5.9	593	21,8	554	13,4	213	10,6	122	9,2	1,530	13,8
. 818 100.0 2,721 100.0 4,137 100.0 2,017 100.0 1,336 100.0 11,029		6	1,1	26	1,0	82	2,0	15	0.7	18	1,4	150	1,4
	Total		100,0	2,721	100.0	4,137	100,0	2,017	100.0	1,336	100.0	11,029	100,0

1 Excludes Yukon and Northwest Territories.

² Includes personnel in hospitals of auspices not shown above. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

This table indicates that 70.6 per cent of the total reporting physicians, who provided information on employing agency for their major source of income were in private practice. Approximately one-third of them were organized either in partnership or group practice. However, in the Prairie Provinces and British Columbia about half of the reporting private practitioners were working under this arrangement. Table 4-30 gives a further breakdown of the reporting private practitioners for the country as a whole by type of service and type of practice.

TABLE 4-30

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE PHYSICIANS
IN PRIVATE PRACTICE, BY TYPE AND AUSPICES OF WORK, CANADA, 1962

			Type o	of Work			Tot	ta1
Auspices	Gen Practi		Spec	ialist	Cons	ultant	Number	_
of Work	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Report- ing	Per Cent
Self-employed Partnership Group practice.	2,686 820 504	67.0 20.4 12.6	2,055 567 522	65.3 18.1 16.6	469 80 48	78.6 13.4 8.0	5,210 1,467 1,074	67.2 18.9 13.9
Total ¹	4,010	100.0	3,144	100.0	597	100,0	7,751	100.0

Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

From Table 4-30 it appears that approximately four-fifths of the reporting consultants were in solo practice as compared with two-thirds of general practitioners and specialists. The partnership form of medical practice appears to be somewhat more prevalent amongst general practitioners, while group practice is more characteristic amongst specialists.

Outside private practice about one-eighth of the total reporting physicians were working in hospitals that were not operating under the auspices of public authorities. This proportion was somewhat higher in the Province of Quebec amounting to about one-fifth. Another important employing agency were provincial governments particularly in the Atlantic Provinces, where about one-sixth of the reporting physicians indicated being employed by this level of government. This high proportion in that region is due to the fact that the provincial government of Newfoundland employs a substantial number of doctors in the Cottage Hospital Service.

An examination of the Appendices 4-12A and 4-12B indicates that a higher proportion (40.9 per cent) of immigrant physicians are salaried physicians as compared with Canadian-born doctors (25.2 per cent). Eighteen point one

TABLE 4-31

DISTRIBUTION OF ACTIVE PHYSICIANS NOT IN PRIVATE PRACTICE, BY TYPE AND AUSPICES OF MAJOR WORK, CANADA, 1962

Spe- cialist 11 9 7 73 11 3 14 2 25 8 13 5 13 1 145 20 13 1 13 5 13 5 13 7 14 2 2 2 14 2 2 2 15 1 1 145 20	Hospital Staff Senior Junior Interns Interns Fellows - 2 - 86 - 2 - 86 - 2 - 19 - 86 - 3 - 18	Admini- stration I 4 20 1 1 25
Spe- cialist Other other Re- search ing Teach- ing 11 9 7 - 73 11 3 - 1 - 9 - 207 25 8 - 14 2 2 - 13 1 145 203 1 - 5 - 543 46 36 6		
11 9 7 - 73 11 3 - 1 - 9 - 207 25 8 - 2 14 2 2 - 2 13 5 - - 1 13 1 145 203 1 - 5 - 1 543 46 36 6	2	
207 25 8 - 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 25 8	
207 25 8 - 14 2 2 - 13 5 - - 13 1 145 203 1 - 5 - 543 46 36 6		
14 2 2 - 13 5 - - 13 1 145 203 1 - 5 - 543 46 36 6		
13 5 13 1 145 203 1 - 5 - 6 543 46 36 6		_
13 1 145 203 1 - 5 - 543 46 36 6 -		
543 46 36 6	3 49	
543 46 36 6	1	
	214 712	
7 16 2 51 2 4		
	1 68	
892 101 271	236 1,067	
23.2 2.6		
28.0 1.4 5.9 -	26.4	

Includes personnel of the Provincial Insurance Administration, Workmen's Compensation Boards and other departments. ¹ Includes personnel of the Canadian Pension Commission, Defence Research Board and other departments.

3 Excludes physicians in hospitals under federal or provincial government or county or municipality auspices.

Survey of Physicians in Canada, 1951, Research Division, Department of National Health and Welfare, Table 11, p. 17. 4 Includes personnel of the Medical Research Council (mainly research personnel).

per cent of the reporting immigrant physicians were employed by the three levels of government compared with only 6.6 per cent of the reporting Canadian-born doctors. This is particularly evident in the Atlantic Provinces where the corresponding percentages were 42.6 and 9.1. A somewhat higher proportion of immigrant physicians were employed by hospitals compared with Canadian-born physicians, particularly in the Province of Quebec where about one-third of immigrant physicians were working in hospitals operated by non-government organizations.

The nature of the work of active civilian physicians not in private practice is shown in some detail in Table 4-31.

Postgraduates, fellows, senior interns and residents formed the largest proportion (33.9 per cent) of those not in private practice. These categories of physicians together with hospital staff physicians accounted for nearly two-thirds of the total reporting physicians not in private practice in 1962 as compared with three-fifths in 1951. The remainder were engaged in medical research, teaching, industrial medicine, public health, and other types of work. Public hospitals, non-governmental, employed more physicians (41.7 per cent) than any other type of agency listed in the above table, while governments at the federal, provincial and county or municipal levels together employed 36.3 per cent of all reporting physicians who were not in private practice. In 1951 these governments employed 42.4 per cent of physicians not in private practice.

About half of the reporting physicians engaged in medical research were employed by the universities.

9. Changes in Physicians' Careers

The physician's career is not static for apart from geographical mobility when doctors move from one province to another or from rural areas to cities, there is also some shifting from general practice to specialization and from one type of work to another. Several studies have been made in the United States of medical graduates at various intervals after graduation to determine changing patterns and method of practice, type of work, etc.¹ One of these studies suggested the following changes as most significant: as time goes on after graduation, medical graduates tend to change their type of practice from a more general to a more specialized practice; the proportion of graduates in private practice tends to increase with the length of time after graduation; the over—all change from individual practice to partnership or group practice tends to be greater than changes in the opposite direction; and those physicians leaving

See the following references: Weiskotten, H.G., and Altenderfer, M.E. "Trends in Medical Practice: An Analysis of the Distribution and Characteristics of Medical College Graduates, 1915-1940", The Journal of Medical Education, Supplement, vol. 27, September 1952, pp. 3-41; and Weiskotten, H.G., Wiggins, W.S., Altenderfer, M.E., Gooch, M., and Tipner, A. "Changes in Professional Careers of Physicians Who Were Graduated from Medical College in 1935, 1940, and 1945", The Journal of Medical Education, vol. 36, No. 11, November 1961, pp. 1565-1585.

teaching and/or research activities tended to go into private practice while those entering these fields of professional activities tended to come from other kinds of salaried positions.

Appendices 4-13A and 4-13B illustrate professional mobility of Canadianborn and immigrant physicians respectively, for regions and Canada.

A statistical analysis of professional mobility of the reporting Canadianborn and immigrant physicians, for the country as a whole, is shown in Table 4-32.

This table reveals that 95.5 per cent of the reporting Canadianborn general practitioners in private practice in 1962 started their medical careers in the same type of major work. The corresponding percentage for the immigrant physicians is 85.4. Thus, it would appear that there was an insignificant degree of professional mobility of physicians from other types of major work towards a general private practice. On the other hand, there was a shift from a general private practice towards specialist private practice and other types of work based on salaried appointment. Thus, 25.9 per cent of the reporting Canadian-born specialists and 22.9 per cent of the reporting immigrant specialists came from the ranks of general practitioners. There has been a definite trend from a general to specialized private practice and to other types of work. Out of 4,000 reporting Canadian-born doctors, who started as general practitioners in private practice, only 72.7 per cent remained in their original type of work, others shifted mainly to specialist private practice, hospital specialist work and to public health work. Out of 1,100 reporting immigrant doctors, who also started as general practitioners in private practice, about three-quarters remained in this type of work, while the remainder shifted to specialist private practice and the public health area. Out of the total of 7,466 reporting Canadianborn physicians, 53.8 per cent started as general practitioners in private practice, after shifting to and from other types of work, only 40.9 per cent of the total reporting were in this type of work in 1962. The corresponding percentages for the immigrant physicians were 44.0 and 38.6 respectively.

Approximately three-quarters of Canadian-born and immigrant specialists in private practice in 1962 indicated that this was also their first type of practice.

Out of 2,025 Canadian-born doctors, who started as specialists in private practice about 10.0 per cent became consultants in private practice, others became specialists in hospitals or teachers of medicine. Out of 655 immigrant doctors, who also started as specialists in private practice about 90 shifted to consulting private practice and 100 to specialist hospital staff.

As for consultant private practitioners about 40.0 per cent of Canadianborn doctors and about 60.0 per cent of immigrant physicians came from private specialist work and only 13.9 per cent and 16.7 per cent respectively from private general practitioners. It should be noted that 40.0 per cent of the reporting

Weiskotten, H.G., et al. "Changes in Professional Careers of Physicians" op.cit., pp. 1584-1585.

TABLE 4-32

BY TYPE OF MAJOR WORK OF FIRST PRACTICE AND TYPE OF MAJOR WORK IN WHICH ENGAGED IN 1962, CANADA¹ NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CANADIAN-BORN AND IMMIGRANT PHYSICIANS,

				Typ	e of Prese	Type of Present Major Work	ork			
			Private Practice	Practice				Hospital staff	ıl staff	
Tune of Maior Work of	General	General Practice	Specialist	alist	Const	Consultant	Spec	Specialist	Of	Other
	Number Report- ing	Per Cent of Present Work	Number Report- ing	Per Cent of Present Work	Number Report- ing	Per Cent of Present Work	Number Report- ing	Per Cent of Present Work	Number Report- ing	Per Cent of Present Work
				Ca	nadian-bor	Canadian-born Physicians	sus			
Private practice: GeneralSpecialist	2,921	95.5	653	25.9	63 184	13.9	128	22.0	47	33,1 6,3
Consultant	108	0.2 3.5	3 17 132	0.1 0.7 5.3	181 6 18	40.0 1.3 4.1	382 24	65.7 4.2	70 16	49,3 11,3
Tota1	3,057	100.0	2,523	100.0	452	100.0	581	100.0	142	100.0
Per Cent of Total Reporting	40.9		33,8		6.1		7.8		1.9	
					Immigrant	 	Ø .			and the
Private practice: General. Specialist Consultant Hospital staff.	825 13 	85.4 1.3 - 2.2 11.1	148 420 3 27 48	22.9 65.0 0.5 7.4	25 89 20 5	16.7 59.4 13.3 3.3 7.3	25 100 - 168 34	7.6 30.6 51.4 10.4	81 2 1 4 8	26.5 2.9 2.9 58.8 11.8
Total	996	100.0	646	100.0	150	100.0	327	100,0	89	100,0
Per Cent of Total Reporting	38.6		25.7		0.9		13,1		2.7	

TABLE 4-32 (Concl.)

Number Per Cent Number Per Cent Number Per Cent Number Numb				Tyl	Type of Present Major Work	nt Major W	/ork			To	Total
Number ing Per Cent of Report-ing Number of Mork ing Per Cent of Report-ing Number of Mork ing Persent ing work ing Number of Report-ing work ing Number of Report-ing work ing Number ing work ing Number ing work ing Number ing work ing Number ing work ing Persent ing Number ing Persent ing <t< td=""><td></td><td>Rese</td><td>arch</td><td>Теас</td><td>hing</td><td>Put</td><td>olic alth</td><td>Indus Medi</td><td>trial</td><td>Nun Repo</td><td>Number Reporting</td></t<>		Rese	arch	Теас	hing	Put	olic alth	Indus Medi	trial	Nun Repo	Number Reporting
17 10.2 10 6.9 122 40.3 55 56.7 2 1.2 28 19.3 11 3.6 4 4.1 1 0.6 7 4.8 17 5.6 1 100.0 143 86.2 98 67.6 153 50.5 37 38.2 166 100.0 145 100.0 303 100.0 97 100.0 2.2 1.9 4.1 1.3 14 12.8 5 7.5 32 22.1 8 33.3 1 0.9 4 3.7 4 3.7 4 6.0 13 9.0 11 44.2 109 100.0 67 100.0 145 100.0 24 100.0 4.4 2.7 5.8 1.00		Number Report- ing	Per Cent of Present Work	Number	Per Cent						
17 10,2 10 6,9 122 40,3 55 56,7 2 1,2 28 19,3 11 3.6 4 4,1 3 1,8 2 1,4 — — — — 1 0,6 7 4,8 17 5.6 1 1.0 143 86,2 98 67,6 153 50,5 37 38,2 166 100,0 145 100,0 303 100,0 97 100,0 2,2 1,9 4,1 4,1 1,3 12 11,0 10 14,9 7 4,8 2 8,3 1 0,9 — — — — — — 4 3,7 4 6,0 13 9,0 1 4,2 109 100,0 67 100,0 145 100,0 24 100,0 4,4 2,7 5,8 100,0 24 100,0				20	Ü	nadian-bo	rn Physicia	ans			
143 86,2 98 67,6 153 50,5 37 38,2 100,0 145 100,0 14,1 10,0 10,0 10,0 10,0 10,0 10,		17	10.2	0	9	122	40.3	Y.	26.7	4.016	80
3 1.8 2 1.4 — — — — — — — — — — — — — — — — — — —		7	1,2	28	19,3	11	3.6	9 4	4,1	2,025	27.1
143 86.2 98 67.6 153 50.5 1 1.0 166 100.0 145 100.0 303 100.0 97 100.0 2.2	:	က	1,8	2	1,4	1	1	ı	1	190	2.5
143 86.2 98 67.6 153 50.5 37 38.2 166 100.0 145 100.0 303 100.0 97 100.0 2.2 1.9 4.1 1.3 1.3 100.0 97 100.0 14 12.8 5 7.5 32 22.1 8 33.3 12 11.0 10 14.9 7 4.8 2 8.3 1 0.9 - - - - - - - 4 3.7 4 6.0 13 9.0 1 4.2 78 71.6 48 71.6 93 64.1 13 54.2 109 100.0 67 100.0 24 100.0 4.4 2.7 5.8 1.0 1.0	•	1	9.0	7	4.8	17	5,6	1	1,0	206	8.9
166 100.0 145 100.0 303 100.0 97 100.0 2.2 1.9 4.1 1.3	•	143	86.2	86	9.79	153	50.5	37	38,2	729	8.6
14 12.8 5 7.5 32 22.1 8 33.3 11.0 10.9		166	100,0	145	100,0	303	100,0	26	100.0	7,466	100,0
14 12.8 5 7.5 32 22.1 8 33.3 14.9 11.0 10 14.9 7 4.8 2 8.3 8.3 1.0	Per Cent of Total Reporting	2.2		1.9		4,1		1,3			
14 12.8 5 7.5 32 22.1 8 33.3 12 11.0 10 14.9 7 4.8 2 8.3 1 0.9 - - - - - - - 1 0.9 - - - - - - - 2 4 3.7 4 6.0 13 9.0 1 4.2 3 78 71.6 48 71.6 93 64.1 13 54.2 3 100.0 67 100.0 145 100.0 24 100.0 3 4.4 2.7 5.8 1.0 1.0						Immigrant	Physicians				
12 11.0 10 14.9 7 4.8 2 8.3 1 10.0 1 14.9 7 4.8 2 8.3 8.3 1 10.0 1 10.0 1 14.9 7 11.6 11.0 1 11.3 11.0 1 11		71	2 CT	v	v 1	33	22.1	α	33	1.100	44.0
		12	11.0	10	14,9	7	8.4	2 (8,3	655	26.1
	•	1	0.9	ı	1	1	1	ı	1	24	1.0
		4	3,7	4	0.9	13	0.6	1	4.2	283	11,3
109 100,0 67 100,0 145 100,0 24 100,0 4,4 2,7 5,8 1,0 1,0 1,0 1,0	•	78	71.6	48	71.6	93	64.1	13	54.2	440	17,6
4,4 2,7 5,8 1,0	Tota1	109	100.0	29	100.0	145	100,0	24	100.0	2,502	100,0
	Per Cent of Total Reporting	4.4		2.7	42	5,8		1.0	*	100,0	

1 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

Canadian-born consultants started their medical profession in this capacity as compared with only 13.3 per cent of the reporting immigrant consultants.

Approximately two-thirds (65.7 per cent) of the reporting Canadian—born specialists working on a full-time basis in hospitals and about half (51.4 per cent) of the reporting immigrant specialists working in hospitals started their careers in hospital staff. One-third of the immigrant hospital staff specialists came from private specialist practice as compared with less than 10.0 per cent of the Canadian-born hospital staff specialists. However, it should be noted that about one-fifth of the Canadian-born hospital staff specialists came from private general practice. Out of 506 Canadian-born doctors, who started as specialists in hospitals, 382 or 75.5 per cent remained in that work and out of 283 immigrant physicians only 168 or 59.4 per cent remained. About half of non-specialist hospital staff, both of Canadian-born and immigrant doctors, started their medical careers in the same capacity. Another quarter came from private general practice.

Most of the reporting Canadian-born and immigrant physicians engaged in research and teaching activities evidently started their professional careers along the same lines or moved in from other salaried appointments. Only one-quarter of these physicians indicated a shift from general or specialist private practice to research and teaching.

As for physicians engaged in public health and industrial medicine fields approximately half of the Canadian—born as well as of immigrant physicians started their work along the same lines and most of the others came from general private practice.

Out of the total 7,466 reporting Canadian-born doctors, 83.4 per cent indicated having started their medical careers in private practice and 80.8 per cent indicated that they were in private practice in 1962. The corresponding figures for the immigrant physicians are 71.1 and 70.3 per cent. There was an insignificant shift from private practice towards salaried medical appointment. The above percentages also suggest that a somewhat higher proportion of the immigrant physicians were and are working as salaried physicians.

10. Specialization in Medical Profession

a. Causes and Implications of Specialization

It is, perhaps, inevitable that in a highly organized and technologically progressive society like ours, there should be a strong tendency towards specialization in various professions and occupations, including the medical. In fact, continued technical progress largely depends on specialization and division of labour as evidenced in industry and trade.

Specialization in medicine is a characteristic development of the recent decades. Towards the end of the last century there were only a few specialties recognized such as surgery, ophthalmology, otolaryngology, dermatology, obstetrics, psychiatry, and a few others. During the last thirty or forty years

there was a particularly rapid increase in scientific medicine, diagnosis and treatment techniques, which development imposed specialty training programmes on our medical schools. Thus the whole structure of medical manpower underwent a change.

It is said that the body of medical knowledge today is far too great to be mastered by any one individual doctor, and hence the physician specialist is a necessity. In fact, specialists are indispensible in order to provide high quality of service in medical care.

H.E. Rawlinson sees three main factors that operate to produce specialists.¹ Firstly, as knowledge and technical skills grow and develop, there are always those whose intellectual urge is to do a few things very well, rather than many things merely adequately. The frontiers of any science, including medicine, are expanded through concentration of a few specialists on limited areas of research and practice. Different specialties will attract different personalities. Secondly, there has gradually developed in the medical profession a sense of public responsibility and a desire to see that the public have available the highest level of service which is ensured by allowing into the profession only those who can meet the required standards of performance. Thirdly, there is the economic motive. These three factors are not mutually exclusive; they usually operate together, but at a particular time any one may predominate.

It is not the purpose of this study to assess the pros and cons of medical specialization. There seems to be a considerable difference of opinion amongst the physicians themselves on this subject. Thus some doctors have strongly criticized the increasing tendency towards specialization as being dangerous for the status of the general practitioners. One author expressed the view that "... the main justification for specialization among clinicians is the necessity for mastering difficult techniques..." and that "... in the field of medicine, as opposed to surgery, ... there is little to be said in favour of specialization, and much to be said against it". On the other hand, another authority argued that a branch of a specialization should be delimited within medical science whenever our diagnostic and therapeutic knowledge has reached such a point that a physician must devote himself entirely to the subject if he is to master it.

One writer following A. Smith's list of advantages of the division of labour, summarized the benefits of medical specialization such as (a) increased productivity by separating tasks; (b) facilitating the acquisition of accuracy, speed and skill; (c) better distribution of tasks among doctors endowed with

¹ Rawlinson, H.E. "The History of Specialism and Its Implications for Today", The Canad. M.A.J., vol. 67, September 1952, p. 267.

² Joubert, J.D., S. Afr. Med J., vol. 28, 1954, p. 133 and Schultz, H.H., S. Afr. Med J., vol. 28, 1954, p. 855, quoted in the W.H.O. publication on Medical Specialization: A Survey of Existing Legislation, Geneva, 1958, p. 5.

³ Todd, G.W., The Lancet, vol. 1, 1951, p. 462, quoted in the above W.H.O. publication, pp. 5-6.

Fog, M., Ugeskr. Laeg., vol. 117, 1955, p. 863, quoted in the above W.H.O. publication, p. 6.

specific abilities; (d) economy in utilization of material and equipment; and (e) specialization tends to increase dissemination of knowledge and provides opportunities for development of new techniques.¹

Among the adverse effects of specialization may be included as follows:

(a) an increase in the disparities in the physician-population ratio and in the variety of services available between rural and urban areas; (b) medical specialization raises costs of medical care; (c) intensive specialization makes a physician a better craftsman or technician, while the essential humanistic nature of the practice of medicine might have suffered a little; and (d) the specialist is often faced with the end results of disease, and the narrowness of his specialized training may not permit him to perceive its earlier stages in the fields outside his own specialty, and so we "... reach the trend reciprocal to specialization, which is the growing recognition that it is merely possible to think of a disease in terms of a particular organ or anatomical system".2

b. Balanced Medical Manpower

An overemphasis on training of specialists has disturbed the balance between general practitioners and specialists in medical manpower. A medical organization has stated that "A disproportionately large number of high calibre physicians have entered the specialties because they have been influenced and taught be specialists and have seen little of either general practitioners or their work during the years of training; rather than because of any need for more specialists or of any specific interest in the specialty chosen". It also suggested that at least half of Canada's medical graduates are entering specialties.

Indeed, one of the basic problems facing medical schools and the profession is — what percentage of the medical manpower should be specialists?

In attempting to answer this difficult question it is necessary to consider the scope of work of general practitioners and that of specialists as well as the pattern of practice. There is almost a general agreement amongst medical experts as to the scope of work of general practitioners. Thus, it has been suggested that "General practice encompasses the art and science of medicine in the diagnosis and treatment of 85 per cent of the ills of mankind, and this includes the knowledge of when and where to obtain help for the remaining 15 per cent", and similarly that "... about 80 per cent of illnesses can be treated satisfactorily by general practitioners".

Le R.W.H. "The Character of the Physician in Relation to Social and Economic Consequences of Specialization", The Canad. M.A.J., vol. 83, October 22, 1960, p. 413.

² Brain, Sir Russell, "Osler and Medicine Today", The Canad. M.A.J., vol. 83, August 20, 1960, p. 351.

³ A brief from the College of General Practice of Canada, submitted to the Royal Commission on Health Services, May 1962, p. 13.

⁴ Ibid.

⁵ Johnston, W.V., The General Practitioner of Today, The Canad. M.A.J., vol 61, August 1949, p. 169.

⁶ A.M.A., Bureau of Medical Economics, Factual Data on Medical Economics, Revised Edition, 1940, p. 15.

It should be pointed out that such figures are only estimated averages and, as such, are meaningless when applied to an individual doctor. What these figures do, however, is to indicate the importance of the general practitioner in the distribution process of medical care. As for the pattern of practice, it can be said that if specialists do general practice or unreferred practice then the demand for general practitioners is somewhat reduced. This development is, however, economically unsound and medically wrong because it cannot be argued that all physicians are basically general practitioners since specialists were trained to deal with specific ailments or patients belonging to a specific age group. If, on the other hand, specialists do mainly consulting work, then, obviously, more general practitioners are needed. The demand for specialists increases if the general practitioners refrain from certain types of services.

The general practitioners have always been the bulwark of the medical profession; they determine both when the services of a specialist are needed and who of the available specialists is best qualified, and they probably know better the social, economic and family circumstances of their patients and they maintain a more continuous personal relation with them.

A balanced medical manpower would require a distribution of physicians among the various specialties and in general practice so that the variety of medical services would be available to the local community. Various surveys suggest that "... the distribution of physicians in such a community should be from 30 to 40 per cent specialists, and from 60 to 70 per cent general practitioners".¹

It is very likely that the present trend of the declining proportion of general practitioners in relation to the total medical manpower will continue for some years to come. In view of the important role of general practitioners in the distribution of medical services throughout the country, the establishment of the College of General Practice of Canada in 1954 is welcomed because this institution has been instrumental in encouraging more hospitals to develop a special internship designed to meet the requirements of today's advanced general practice. This may result in a larger number and a better quality of general practitioners, particularly because, at the present time, approximately one-third of our population lives in communities where the general practitioner is the only doctor available.

c. Training and Formal Requirements of Specialists

Training in a medical specialty is readily available in medical schools and major hospitals in Canada and the United States and entrance to a specialty has been formalized and special certification is now required, though the laws and regulations scarcely provide a definition of "specialist" or define his functions mainly because it is difficult in practice to delineate a demarcation line between the functions of the general practitioner and those of the specialist.

¹ Truman, Stanley R., "Balanced Medical Community", General Practitioner, vol. 6, December 1952, p. 106.

Organized specialist training in Canada is relatively new having started in 1929, when the Royal College of Physicians and Surgeons of Canada was established. Prior to this, physicians practised a specialty without formal recognition, and some still do today, or sought formal specialist diploma from the Royal College of the United Kingdom or from similar institutions in the United States.

The Royal College of Physicians and Surgeons of Canada, a national body concerned with graduate medical education, sets the standards of training, approves hospitals and medical schools in which such training may be taken in this country. The Royal College is not directly responsible for the organization and supervision of specialist training. As of 1962, there were 82 approved training hospitals, affiliated with medical schools, and 56 not so affiliated. The number of approved resident posts on establishment was 2,391, of which 2,125 were filled. A few universities also offer graduate programmes and diplomas in certain specialties. In most cases, however, faculty members of the medical schools are involved in specialty training through their hospital staff positions.

There are two standards of training and examination for specialists of the Royal College: (a) Fellows of the R.C.P.S. in either medicine or surgery within various sub-specialties.2 In 1962, there were 2,402 Fellows of the Royal College, 959 physicians and 1,443 surgeons.3 (b) Specialty classification by the way of Certification Examinations, is also regulated by the Royal College, with advice of its various specialty committees. The examinations for certified specialists, introduced since 1939, are somewhat less exacting than those for the Fellows. Actual examination programmes were not started until 1942 because of the dislocation of physicians at the beginning of World War II. Certificates were granted without examination to a selected group of Canadian physicians and surgeons. Certification without examination came to an end December 31, 1947. By that time approximately 3,500 specialist certificates had been issued without examination. As of 1962 there were 8,319 Royal College specialist certificates in effect in Canada, which figure includes also the Fellows, who automatically are granted such certificates. The scope of specialist certificates is the same as that for Fellows plus the specialty in public health.

It is due to this two-level arrangement that the accelerated production of specialists took place in Canada. It is estimated that approximately 90.0 per cent of specialists in this country hold formal recognition from the Royal College.

As far as the Province of Quebec is concerned, the provincial College of Physicians and Surgeons has since 1950 autonomous jurisdiction over the certification of specialists under an arrangement somewhat similar to that under

A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, March 21, 1962, p. 14.

² Fellowship examinations are conducted in eleven medical specialties: internal medicine, anaesthesia, bacteriology, dermatology, neurology, paediatrics, pathology, physical medicine and rehabilitation, psychiatry, diagnostic radiology and therapeutic radiology and innine surgical specialties: general surgery, cardiovascular and thoracic surgery, neuro-surgery, obstetrics and gynaecology, ophthalmology, orthopaedic surgery, otolaryngology, plastic surgery and urology.

³ Brief of the Royal College of Physicians and Surgeons of Canada, op.cit., p.3.

⁴ Ibid.

which the Royal College certificates are granted, i.e., completion of a prescribed course of study and the passing of an examination. However, most physicians in the Province of Quebec who hold a certificate from the College of Physicians and Surgeons of Quebec also hold the corresponding certificate from the Royal College of Physicians and Surgeons of Canada.

In the Province of Alberta, which has recognized the formal requirements for specialists since 1926, a specialist must be legally approved by the University of Alberta, and up to 1948 it did recognize specialists though they were not certified by the Royal College.

d. Specialization Trends

Table 4–33 provides statistical information on the trend to specialization in Canadian medical manpower during the period of 1947–61. The number of specialists include those who were in specialist private practice as well as those not in private practice, i.e., employed by hospitals, medical schools, industry, the various levels of government, etc. Some certified specialists in smaller urban centres do not restrict their practice to a specific specialty but are also engaged in general practice to some extent. On the other hand, some general practitioners practice a specialty on a part-time or full-time basis as non-certified specialists. Consequently, the category of non-specialist physicians is not necessarily identical with general practitioners in private and non-private practice. Because the non-certified specialists devote probably a major part of

TABLE 4-33

RATIO OF CERTIFIED AND NON-CERTIFIED ACTIVE CIVILIAN SPECIALISTS
TO TOTAL CIVILIAN PHYSICIANS, CANADA, 1947-1961¹

			Specia	lists			No. Specia		
Year	Certi	fied	Non-cer	tified	Tot	a1		Per	Tota12
	Number	Per Cent	Number	Per Cent	Number	Per Cent	Number	Cent	
1947 ^a	- 3,795 4,182 7,925 d	- 27.0 26.7 37.3	984 2,064 2,941	7.0 13.2 13.8	3,064 4,779 6,246 10,866	23.1 34.0 39.9 51.1	10,672 9,263 9,405 10,400	76.9 66.0 60.1 48.9	13,736 14,042 15,651 21,266 e

¹ Excludes Yukon and Northwest Territories.

Source: a Survey of Physicians in Canada, 1947, Department of National Health and Welfare, Table 15, p. 23.

Note: Specialists include those certified by the Royal College of Physicians and Surgeons of Canada, the College of Physicians and Surgeons of the Province of Quebec and by provincial authority in the Province of Alberta.

² Includes junior and senior interns.

b Survey of Physicians in Canada, 1951, Research Division, Department of National Health and Welfare, Table 15, p. 21.

^c Specialists in Canada, 1954, Research and Statistics Division, Department of National Health and Welfare, p. 1.

d A brief from the Royal College of Physicians and Surgeons of Canada, Submitted to the Royal Commission on Health Services, February 1962, Appendix I, Table 2.

e 1961 Census data.

their work to general practice, these doctors should be considered for all practical purposes as general practitioners. The non-specialist category includes junior and senior interns.

Table 4-33 clearly indicates that the trend to specialization continued steadily during the last two decades. The population of Canada has increased between 1947 and 1961 from 12.6 million to 18.3 million or by 45.2 per cent, while total medical manpower has increased during the same period by nearly 55.0 per cent. But the total specialist physicians (certified and non-certified) have increased by over three times.

The number of certified specialists has risen from 3,795 in 1951 to 7,925 in 1961, i.e., by 127.4 per cent, accounting for 37.3 per cent of the total doctor population in 1961 as compared with 27.0 per cent in 1951. Similarly, the general practitioner has shown a greater interest in specializing as the noncertified specialists have increased from 984 in 1951 to 2,941 in 1961. Noncertified specialists as a group accounted for only 7.0 per cent of the total physician population in 1951 as compared with 13.8 per cent in 1961.

This trend in specialization has not been accompanied by corresponding gains in the number of non-specialists.

A measure of the growth in specialist practice in Canada may also be seen from figures showing the number of specialist certificates granted by the Royal College of Physicians and Surgeons of Canada, which are presented in Table 4-34.

TABLE 4-34
SPECIALIST CERTIFICATES GRANTED BY THE R.C.P.S., 1942-1960

Period (to Dec. 31)	Number of Years	Number of Certificates Granted	Cumulative Total	Average Number per Annum
1942 — 1944	3	1,221	1,221	407
1945 — 1949	5	3,029	4,250	606
1950 - 1954	5	2,185	6,435	437
1955 — 1956	2	934	7,369	467
1957 - 1958	2	1,070	8,439	535
1959 — 1960	2	1,051	9,490	523
Total	19	9,490¹		499

Includes 511 individuals certificated in more than one specialty.

Source: A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February 1962, Table I, p. 28.

The higher average number of certificates issued per annum for the period 1945–1949 is attributable to the large number of certificates granted without examination in the years 1945–1947. Of the total 8,971 physicians certified by the R.C.P.S., 7,157 or about 80.0 per cent were in active civilian practice

in Canada as of Septenber 1,1961, 58 were in the Armed Forces, and 432 or about 5.0 per cent resided outside Canada. The remainder were retired, working outside specialty or deceased. The number of certified specialists resident outside of Canada include those from other countries who have obtained their training and certification in Canada and who have subsequently returned to their own countries, as well as those Canadians who may be undertaking further specialist training abroad. Thus the figure of 432 specialists residing outside of Canada does not indicate emigration of these specialists from Canada.

Appendix 4-14 shows an increase in certified and non-certified specialists for provinces during the years 1951-1961. Among the provinces, the greatest number of specialists were located in Ontario, followed by the Province of Quebec and British Columbia, although the most striking relative increases between 1951 and 1961 occurred in Newfoundland and Alberta.

Table 4-35 presents the distribution of general practitioners and certified specialists by provinces, showing the general practitioner-population ratio with the certified specialist-population ratio in 1961.

It is noteworthy that the provincial ratios of certified specialists to total physicians were above the national ratio in New Brunswick, British Columbia, Quebec and Alberta, in that order; while this ratio was lowest in Newfoundland despite a relatively high increase in certified specialists in recent years. It is evident that the autonomous programme of certification of specialists by the College of Physicians and Surgeons of Quebec has played an important role in the supply of specialists in that province.

It appears from this table that general practitioners accounted for about half of the total medical manpower in Canada in 1961. The World Health Organization recommended a ratio of 66.6 of general practitioners per 100,000 population.¹ This ratio has been approached only in two provinces, Ontario and Alberta. The most unfavourable ratios prevailed in New Brunswick, Quebec and Newfoundland. The general practitioner-population ratios ranged from 1:1,508 in Ontario to 1:2,588 in New Brunswick. The supply of medical services, as measured in terms of the general practitioner-population ratios, in the country as a whole and by provinces was much less favourable than it would appear from the national and provincial over-all physician-population ratios. On the other hand, the differences in the provincial general practitioner-population ratios were less pronounced than the differences in the provincial over-all physician-population ratios.

The provinces which experienced the most favourable certified specialist-population ratios were British Columbia, Ontario, Quebec, Alberta and Manitoba in that order. It was also these provinces which has the most advantageous over-all physician-population ratios. The most adverse ratio prevailed in Newfoundland where there were over 7,000 persons per certified specialist as

¹ Expert Committee on Professional and Technical Education of Medical and Auxiliary Personnel, Report on the First Session, 1950, Technical Report Series No. 22, W.H.O., Geneva, 1950 (quoted in "The Location of British Columbia Physicians" - Anderson, D.O., and Clough, A.F., the British Columbia Medical Journal, vol. 2, No. 9, September 1960, pp. 558-564).

RATIOS OF GENERAL PRACTITIONERS AND CERTIFIED SPECIALISTS TO POPULATION, FOR PROVINCES AND CANADA, 1961 TABLE 4-35

	Gene	General Practitioners ^a	ersa		Certified S	Certified Specialists ^b	
Province	Number	General Practition- ers- Population Ratio	Per 100,000 Population	Number	Per Cent of Total Physicians in Province	Per Cent of Total Specialists	Certified Specialist- Population Ratio
Newfoundland	186	1:2,462	40,62	64	27.8	0.8	1:7,154
Prince Edward Island	53	1:1,974	50,66	29	31,9	0.4	1:3,608
Nova Scotia	402	1:1,833	54.54	236	33,4	3.0	1:3,123
New Brunswick	231	1:2,588	38,63	199	43.7	2.5	1:3,005
One pec	2,506	1:2,099	39,09	2,443	39.6	30.8	1:2,153
Ontario	4,135	1:1,508	66.31	2,912	36.2	36.7	1:2,142
Manitoba	523	1:1,762	56.74	357	31.9	4.5	1:2,582
Saskatchewan	471	1:1,964	50.91	293	30.8	3.7	1:3,158
Alberta	816	1:1,632	61.26	529	39.0	6.7	1:2,518
British Columbia	793	1:2,054	48.68	863	40.1	10,9	1:1,888
Yukon & N.W.T.	17	1:2,213	45.18	n,a,	n,a,	n,a,	n, a,
Canada	10,133	1:1,800	55.67	7,925	37.3	100.0	1:2,297

Sources: a A brief from the College of General Practice of Canada, submitted to the Royal Commission on Health Services, May 1962, p. 12. These figures were compiled in June 1961 and were made up of lists supplied by Provincial Chapters of the College. They include certified physicians doing general practice and exclude non-certified physicians confining their work to a specialty.

^b A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February 1962, Appendix I, Table 2. These figures were as of September 1, 1961. Population 1961 Census. compared with the national ratio of 1:2,288. This would suggest that in general the factors which influence the distribution of physicians as a whole affect the distribution of specialists in a similar manner.

It would appear that if the present trend to specialization continues, the medical manpower in Canada in the next decade will show as many certified specialists as general practitioners. This trend may be, of course, modified by changes in economic conditions and medical education as well as by government policy that makes all medical services universally available which would result in an improved economic and professional status of a general practitioner

This rapid increase in specialists is not limited to Canada alone. In the United States in 1931, about 16.0 per cent of physicians were full-time specialists but by 1962 this proportion had increased to 50.0 per cent, including specialists in private practice, in hospital service (other than interns and residents), in teaching, administration, research, and preventive medicine. This proportion was even higher for physicians in private practice, namely, 58.6 per cent.¹ Physicians in private practice are now almost equally divided in their choice between general practice and specialization, whereas 30 years ago there were five general practitioners to every full-time specialist. Between 1940 and 1962 the number of full-time specialists in private practice tripled from 33,000 to 99,000 (out of 170,000 doctors in private practice). On the other hand, the number of general practitioners (including part-time specialists) decreased from 61.2 per cent of the total physicians in private practice in 1940 to 27.2 per cent in 1962.²

The same trend towards specialization has been even more marked in Denmark, where in 1955, two-thirds of the physicians were specialists or had applied for specialist training.³

e. Location of Specialists

Since a specialist limits the scope of his practice to a narrow field it is necessary that he must practise in larger centres. In smaller areas the number of patients requiring his specific services may be too small to provide an economic basis for his practice, to justify the years of training, and expensive equipment he requires. Besides in larger centres he is near the medical schools, modern hospitals, laboratories, X-ray facilities, etc. and thus has at his disposal special diagnostic and treatment facilities. It has been suggested that the least number of people that can fully support any specialist by providing him with sufficient work in his own specialty is "... in the neighbourhood of 10,000. Some types of specialists require a population of 25,000 or more". In smaller centres there are some specialists, for example, general surgeons. Others serve mainly in the capacity of

¹ Health Manpower Source Book, op. cit., Table 1, p. 3.

² Ibid., Table 4, p. 5.

Fog, M., Ugeskr. Laeg., 1955, 117, p. 863; quoted in the W.H.O. publication on 'Medical Specialization: A Survey of Existing Legislation', Geneva, 1958, p. 5.

⁴ A brief from the C.M.A., British Columbia Division, submitted to the Royal Commission on Health Services, February 20, 1962, p. 44.

consultants and a relatively high proportion of their work consists of referral cases from the general practitioners located in rural areas and smaller cities. It is said that in this capacity a specialist may serve an area of 40,000 and more population. In larger centres, where specialists are more numerous, they directly establish relations with their patients without intermediary general practitioners.

Improvements in transportation and communication have greatly increased the mobility of both patients and physicians, with the result that a larger proportion of rural and non-urban patients have access to specialists' services than was the case in an earlier period. It should be pointed out that a more equitable distribution of specialists throughout the sparsely populated parts of the country would require the development and extension of hospital facilities and other ancillary services. It may be that group medical practice would provide a means of bringing more specialists to smaller communities.

Table 4-36 presents the distribution of civilian certified specialists (R.C. P.S. only) by provinces and the three sizes of urban centres.

TABLE 4-36
DISTRIBUTION OF CERTIFIED SPECIALISTS BY PROVINCE
AND SIZE OF URBAN CENTRE, SEPTEMBER 1, 1961

		gi.	Urba	n Centre	Size	Group		Total in	
Province	Total Certified Specialists	10,00 24,9 Popula	99	25,00 49,9 Popula	99	50,0 and o Popula	ver	Urban C of 10 and c Popula	,000 over
		Number	Per Cent	Number	Per Cent	Number	Per Cent	Number	Per Cent
Newfoundland	64	_	_	9	14.1	55	85.9	64	100.0
Prince Edward Island	29	22	75.9	_	_	_	_	22	75.9
Nova Scotia	236	16	6.8	19	8.1	155	65.6	190	80.5
New Brunswick	198	34	17.1	44	22.2	79	40.0	157	79.3
Quebec	1,697	73	4.3	27	1.6	1,521	89.6	1,621	95.5
Ontario	2,912	184	6.3	181	6.2	2,434	83.6	2,799	96.1
Manitoba	357	4	1.1	17	4.8	334	93.5	355	99.4
Saskatchewan	293	34	11.6	25	8.5	220	75.1	279	95.2
Alberta	508	24	4.7	31	6.1	427	84.1	482	94.9
British Columbia	863	78	9.0	_	_	742	86.0	820	95.0
Canada ¹	7,157	469	6.6	353	4,9	5,967	83.4	6,789	94.9

¹ Excludes Yukon and Northwest Territories.

Source: A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February 1962, Table V, p. 32.

It emerges from this table that 95.0 per cent of certified specialists were located in centres with population of 10,000 and over, as of September 1, 1961. They provided specialist services directly to 58.5 per cent of the total Canadian population. In the three Maritime Provinces of New Brunswick, Nova Scotia and Prince Edward Island, the percentage of certified specialists located in

urban centres of 10,000 population and over was significantly less than in all other provinces. This is due to the fact that these provinces have fewer urban centres in the larger population categories and a correspondingly greater number of urban centres of under 10,000 population.

A survey of physicians in the spring of 1962, conducted by the Royal Commission on Health Services, confirms the above conclusions with respect to the location of certified and non-certified specialists. According to that survey 94.3 per cent of the reporting specialists working in private practice and hospitals were located in communities of 10,000 population and over. In the Atlantic region, however, this proportion was somewhat lower being 80.0 per cent. These data on a regional basis are presented in Table 4-37.

The distribution of certified and non-certified specialists in private practice and hospital work by size or locality and specialty practised is shown in Table 4-38

This table indicates that specialists in general surgery, neurology and phychiatry, internal medicine and tuberculosis were present in a slightly higher proportion in communities of less than 10,000 population than the over-all proportion of specialists so located. Partly this is due to institutional work of these categories of specialists in mental and general hospitals. In most of other specialties, however, 80.0 to 90.0 per cent of the reporting specialists were located in the large urban areas of 50,000 population and over.

f. Distribution by Specialty

Appendix 4-15 shows the distribution of certified specialists by the Royal College of Physicians and Surgeons of Canada, the College of Physicians and Surgeons of the Province of Quebec and by provincial authority in the Province of Alberta as of September 1, 1961, for provinces and Canada. The major clinical specialties of Internal Medicine, General Surgery, and Obstetrics and Gynaecology constituted 47.5 per cent of the total active civilian certified specialists. Paediatrics, Neurology and Psychiatry, and Ophthalmology and Otolaryngology comprised 23.3 per cent of the total, while the supportive specialty services, Anaesthesia, Radiology and Pathology, accounted for an additional 18.8 per cent. Specialists certified in Public Health constituted only 1.9 per cent. The remaining 8.5 per cent of the total is made up of those certified in the other medical and surgical clinical sub-specialties.

The distribution of active civilian certified and non-certified specialists, by specialty practised in 1961, for regions and Canada is shown in Table 4-39.

It is apparent from this table that 45.0 per cent of physicians in specialist work in the country as a whole were engaged in the specialties of Internal Medicine, General Surgery and Obstetrics and Gynaegology. Regional variations in this category of specialists were not extensive ranging from 43.2 per cent in British Columbia to 48.2 in the Province of Quebec. Those engaged in Paediatrics, Neurology and Psychiatry, and Ophthalmology and Otolaryngology comprised 20.4 per cent of the total civilian specialists. Again regional differences were insignificant as this proportion ranged from 19.5 per cent in Quebec to 21.3 per

NUMBER AND PERCENTAGE DISTRIBUTION OF SPECIALIST PHYSICIANS IN PRIVATE PRACTICE AND HOSPITAL WORK, BY SIZE OF LOCALITY, FOR REGIONS AND CANADA, 1962 TABLE 4-37

	Atlantic Provinces	tic	Quebec	oec	Ontario	rio	Prairie Provinces	ie	British Columbia	ish nbia	Canada	da
Size of Locality & Type of Work	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per Cent	Number Report- ing	Per
Less than 10,000 population Private practice	43	18.8	39	4.2	30	2.9	19	3.2 14.9	17	4.8 14.8	148	4.7
Total	62	20.0	22	8.4	43	3,1	41	5.6	30	8.9	231	5.7
10,000 to 49,999 population Private practice	82	35.8 16.0	105	11,3	176 82	16.7	61	10,3	56	15.9 14.8	480	15.2 17.3
Total	95	30.6	119	10,3	258	18,4	93	12,6	69	15.6	634	15,7
50,000 and over population Private practice	104	45.4	787	84.5	845	80.4	510	86.5	280	79.3	2,526	80.1
Tota1	153	49.4	982	84.9	1,100	78.5	604	81.8	342	77.6	3,181	78.6
All areas Private practice	229		931		1,051		590		353		3,154	
Total	310		1,156		1,401		738		441		4,046	

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

NUMBER AND PERCENTAGE DISTRIBUTION OF SPECIALIST PHYSICIANS IN PRIVATE PRACTICE AND HOSPITAL WORK, BY SIZE OF LOCALITY AND SPECIALTY PRACTISED, CANADA, 1962 TABLE 4-38

						Size of	Size of Locality and Type of Work	ity and	Type o	f Work						Total	tal
	Less	s than	10,000	than 10,000 Population	tion	10,0	10,000 - 4	49,999 Population	Populat	ion	50,	000 and	50,000 and over Population	Populat	ion	Reporting	rting
Specialty	Pri-			Per	Per	Pri-			Per	Per				Per	Per Cent	,	ſ
	vate	Hosp.	Total	of	of		Hosb.	Total		jo		Hosp.	Tota1		Jo .	-unv	Per
	Prac-	Staff		Spe-	Local-	Local- Prac-	Staff		Spe-	Local-Prac-		Staff		Spe-	Local- ity	Der	Cent
	tice			CIGITÀ	113	רוכב			- Carner								
Anaesthesia	18	1	18	4.2	7.8	22	ı	22	12,9	8.7	336	19	355	82.9	11,2	428	10.6
Dermatology &	ı	ı	ı	1	1	rv	ı	Ŋ	7.6	0.7	29	7	19	92,4	1,9	99	1.6
Conoral Surgery	78	4	82	13.4	35,5	136	2	138	22.6	21.8	377	14	391	64.0	12,3	611	15,1
Internal Medicine	12	24	36	6.4	15,6	62	12	74	13,1	11.7	365	89	454	80.5	14,3	564	13,9
& T.B.																	
Neurology &	2	30	32	9,1	13,9	4	53	57	16,3	0.6	134	127	261	74.6	8.2	350	8.7
Neurosurgery	1	1	ı	1	ı	1	ı	1	5,9	0.2	15	-	16	94.1	0.5	17	0.4
Obstetrics & Gynaecology	∞	1	6	2,1	3,9	65	ı	65	15,4	10,2	348	1	349	82,5	11.0	423	10.4
Orthopaedic Surgery	1	1	1	0.9	0.4	111	ı	11	9.6	1.7	100	7	102	89.5	3.2	114	2.8
Opthalmology & Otolaryngology	17	1	17	4.6	7.4	64	1	64	17,4	10,1	286	1	287	78.0	0.6	368	9,1
Paediatrics	4	1	4	1.4	1.7	36	7	38	13,1	0.9	235	13	248	85.5	7.8	730	7.7
Pathology & Bacteriology	1	9	7	3,2	3.0	4	34	38	17.4	0.9	00	165	173	79.4	5.4	218	5,4
Diagnostic & The-	2	14	16	5.0	6,9	14	49	63	19,6	6.6	26	167	243	75.4	7.6	322	8.0
Halogy	1	1	1	. 1	1	15	ı	15	17.6	2.4	70	ı	70	82.4	2.2	82	2,1
Otton 8- Mot Stoted1	v	4	0	4.7	3.0	00	7	10	5,3	1,6	117	54	171	0.06	5.4	190	4.7
Other & Not States	1	· &	231	5.7	100.0	48	154	634	15.7	15.7 100.0 2,526	2,526	655	3,181	78.6	100.0	100.0 4,046	100,0

¹ Includes Hospital Administration, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, Proctology, Biochemistry, Physical Medicine and Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery and Industrial Medicine. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

cent in the Atlantic Provinces. The supportive specialty services, Anaesthesia, Radiology and Pathology accounted for 17.2 per cent of the total civilian specialists in the country. Regional variations in this category of specialists ranged from 16.3 per cent in the Province of Quebec to 19.0 per cent in British Columbia.

Table 4-39 indicates a particularly high degree of non-certified specialization in Public Health, Internal Medicine, General Surgery, Psychiatry (physicians working in mental hospitals) and Obstetrics and Gynaecology.

Comparison of non-certified specialists with the total specialists shows that approximately one-third of the civilian specialists in the Atlantic region and the Prairie Provinces were non-certified, while Quebec and British Columbia had the relatively high proportion of four-fifths of their civilian certified specialists.

In Appendix 4-16, the ratio of some specialists to regional population is compared with the empirical estimates of medical requirements made by the World Health Organization in 1950. The same analysis for the country as a whole is presented in Table 4-40.

The specialist distribution, in the country as a whole, by service was, in general, at the recommended W.H.O. standard in such specialties as General Surgery, Obstetrics and Gynaecology, Paediatrics, Dermatology, Orthopaedic Surgery and Urology. In other specialties such as Internal Medicine, Psychiatry, Pathology and Radiology, however, there were too many doctors, while in Ophthalmology and Otolaryngology there were not enough specialists. It should be pointed out, however, that the W.H.O. recommended standard may not be exactly applicable to the Canadian conditions because of the long geographic distances and widespread distribution of population and hence the real difficulty in determining the number of specialists required to meet adequately the needs of our population for specialist care.

The Royal College of Physicians and Surgeons of Canada stated that shortages exist in the following specialties: Anaesthesia, Bacteriology, Dermatology, Ophthalmology, Otolaryngology, Obstetrics and Gynaecology, Pathology, Paediatrics, Physical Medicine and Rehabilitation, Psychiatry, and Diagnostic and Therapeutic Radiology. The extent of these shortages varies between different provinces.¹ The same source indicated that the percentage of certified specialists in the upper age groups was much higher in such specialties as Bacteriology, Ophthalmology, Otolaryngology and Public Health than for the specialist group as a whole. It was also the case that there has been a decline in the average annual entry to these specialties. Consequently, a worsening of the already critical shortage in these fields may be anticipated in the years ahead.

An examination of Appendix 4-16 would suggest that in the Atlantic Provinces shortages existed in such specialties as Ophthalmology and Otolaryngology, Obstetrics and Gynaecology, Paediatrics, Urology and Dermatology. In Prince Edward Island, it has been reported, there were no specialists in Neurology, Neurosurgery and

A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February 1962, p. 37.

TABLE 4-39

NUMBER AND PERCENTAGE DISTRIBUTION OF ACTIVE CIVILIAN SPECIALIST PHYSICIANS,

CERTIFIED AND NON-CERTIFIED, BY SPECIALTY PRACTISED,

FOR REGIONS AND CANADA, 1961

	A	tlantic	Prov	inces		Qu	ebec			Ont	ario	
Specialty Practised	Cert.	Non- Cert.	Tot.	Per Cent of Re- gion	Cert.	Non- Cert.	Tot.	Per Cent of Re- gion	Cert.	Non- Cert.	Tot.	Per Cent of Re- gion
Medical Specialties												
Internal Medicine1	70	37	107	13.4	513	176	689	22.0	472	215	687	16.9
Anaesthesia	42	17	59	7.4	191	56	247	7.9	247	91	338	8.3
Dermatology & Syphilology	4	1	5	0.6	40	7	47	1.5	53	13	66	1.6
Paediatrics	29	9	38	4.8	165	28	193	6.2	219	45	264	6.5
Physicial Medicine & Rehabilitation	3	_	3	0.4	11	_	11	0.4	11	_	11	0.3
Public Health	9	60	69	8.7	59	95	154	4.9	38	205	243	6.0
Surgical Specialties												71
	160	33	193	24.2	461	67	528	16.7	631	135	766	18.8
Neurosurgery	3	_	3	0.4	20	_	20	0.6	15	_	15	0.4
Orthopaedic Surgery	12	3	15	1.9	83	6	89	2.8	54	12	66	1.6
Plastic Surgery	_	_	_	_	14	_	14	0.4	13	_	13	0.3
Thoracic Surgery	3	_	3	0.4	6	_	6	0.2	3	_	3	0.1
Urology	10	2	12	1.5	52	1	53	1.7	61	4	65	1.6
Medical Specialties- Complexes												
Neurology & Psychiatry												
Neurology	3	_	3	0.4	25	_	25	0.8	16	_	16	0.4
Psychiatry	35	-	35	4.4	138	-	138	4.4	212	-	212	5.2
Neurology & Psychiatry	4	22	26	3.3	15	31	46	1.5	18	76	94	2.3
Pathology & Bacteriology												
Bacteriology	1	_	1	0.1	28	_	28	0.9	17	_	17	0.4
Pathology	14	-	14	1.8	46	-	46	1.5	66	_	66	1.6
Pathology & Bacteriology	2	16	18	2.3	16	19	35	1.1	33	42	75	1.8
Radiology												
Diagnostic	22	_	22	2.8	41	_	41	1.3	116	_	116	2.9
Therapeutic	5	_	5	0.6	5	_	5	0.2	19	_	19	0.5
Diagnostic & Therapeutic	15	7	22	2.8	98	8	106	3,4	59	21	80	2.0
Surgical Specialties- Complexes												
Obstetrics & Gynaecology												
Gynaecology	-	_		_	26	-	26	0.8	2	-	2	_
Obstetrics	_	-	_	- ,	59	-	59	1.9	12	_	12	0.3
Obstetrics & Gynaecology	31	29	60	7.5	131	81	212	6.8	278	100	378	9,3
Ophthalmology & Otolaryngology												
Ophthalmology	15	-	15	1.9	72	-	72	2.3	106	-	106	2.6
Otolaryngology	10	-	10	1.3	93	-	93	3.0	93	-	93	2.3
Ophthalmology & Otolaryngology	26	15	41	5.2	35	7	42	1.3	48	21	69	1.7
Industrial Medicine ²	_	15	15	1.9	-	109	109	3.5	_	174	174	4.3
Total	528	266	794 7.3	100.0	2,443	691	3,134	100.0	2,912	1,154	4,066 37.4	100.0

TABLE 4-39 (Concl.)

	Pr	airie F	Province	es		British	Colum	bia		Can	ada ³	
Specialty Practised		Non- Cert.	Tot.	Per Cent of Re- gion	Cert.	Non- Cert.	Tot.	Per Cent of Re- gion	Cert.	Non- Cert.	Tot.	Per Cent of Re- gion
Medical Specialties												
Internal Medicine ¹ Anaesthesia Dermatology &	195 106	74 49	269 155	15.1 8.8	129 87	41 14	170 101	15.3 9.2	1,379 673	543 227	1,922 900	17.8 8.3
Syphilology Paediatrics Physical Medicine	13 86	11 20	24 106	1.4 6.0	16 53	11	20 64	1.8 5.8	126 552	36 113	162 665	1.4 6.1
& Rehabilitation Public Health	5 21	124	5 145	0.3 8.2	5 23	50	5 73	0.5 6.6	35 150	534	35 684	0.3 6.3
Surgical Specialties												
General Surgery Neurosurgery Orthopaedic Surgery Plastic Surgery Thoracic Surgery	235 14 43 6 6	91 - 12 -	326 14 55 6	18.4 0.8 3.1 0.3 0.3	181 9 29 2	28 - 1 -	209 9 30 2 1	18.8 0.8 2.7 0.2 0.1	1,668 61 221 35 19	354 - 34 - -	2,022 61 255 35 19	18.7 0.6 2.3 0.3 0.2
Urology Medical Specialties — Complexes	33	2	35	2.0	29	3	32	2.9	185	12	197	1.8
Neurology & Psychiatry Neurology Psychiatry Neurology & Psychiatry	5 74 3	- - 51	5 74 54	0.3 4.2 3.1	5 46 6	- - 14	5 46 20	0.5 4.2 1.8	54 505 46	_ _ 194	54 505 240	0.5 4.6 2.2
Pathology & Bacteriology Bacteriology	5 38	_	5 38	0.3	5 14	_	5 14	0.5	56 178	_	56 178	0.5
Pathology & Bacteriology	7	22	29	1.6	7	13	20	1.8	65	112	177	1.6
Radiology Diagnostic Therapeutic Diagnostic &	47 14	=	47 14	2.7 0.8	37 5	_	37 5	3.4 0.5	263 48	=	263 48	2.4 0.4
Therapeutic	18	12	30	1.7	20	5	25	2.3	210	53	263	2.4
Surgical Specialties — Complexes												
Obstetrics & Gynaecology Gynaecology		_	_	_	_	_	_	_	28	_	28	0,3
Obstetrics	1	-	1	0.1	-	-	-	-	72	-	72	0.7
Gynaecology Ophthalmology & Otolaryngology	106	66	172	9.7	70	31	101	9.1	616	307	923	8.5
Ophthalmology Otolaryngology Ophthalmology -	48 27	-	48 27	1.5	48 24	_	48 24	4.4 2.2	284 247	=	289 247	2.3
Otolaryngology	23	-	47	2.7	12	5	17	1.5	144	72	216	2.0
Industrial Medicine ² Total	1,179	32 590	1,769	1.8	863	20	1,103	1.8	7,925	350 2,941	350 10,866	100.0

¹ Non-certified internal medicine also includes physical medicine.

Not included in certified specialties.

³ Excludes Yukon and Northwest Territories.

Source: Submission to the Royal Commission on Health Services by the Royal College of Physicians and Surgeons of Canada, February, 1962, Appendix I, Table 2 provides data for certified specialists. Data for non-certified specialists taken from Canadian Mailings Limited, 1961.

TABLE 4-40
RATIOS OF SPECIALISTS PER 100,000 POPULATION, CANADA, 1961

W.H.O. Recommended Ratio per 100,000 Populationa	1961 Canadian Certified Specialist Ratio per 100,000 Population ^b	1961 Canadian Certified and Non-certified Specialist Ratio per 100,000 Population ^c
10.0	9.16	11.10
6.6	3.74	4.13
5.0	3.93	5.62
3.3	7.58	10.56 ²
3.3	3.03	3.65
1.7	2.86	3.15
1.6	1.02	1.08
1.0	1.34	1.95 ³
1.0	1.21	1.40
1.0	0.69	0.89
1.0	3.03	4.094
	Recommended Ratio per 100,000 Populationa 10.0 6.6 5.0 3.3 3.3 1.7 1.6 1.0 1.0 1.0	W.H.O. Recommended Ratio per 100,000 Populationa 10.0 6.6 3.74 5.0 3.93 3.3 7.58 3.3 1.7 2.86 1.6 1.02 1.0 1.04 1.01 1.01 1.01 1.01 1.01 1.01

Excludes Yukon and Northwest Territories.

Sources: a Adapted Services are calculated at the rate of 2,000 hours per annum. Expert Committee on Professional and Technical Education of Medical and Auxiliary Personnel, Report on the First Session, 1950. Technical Report Series No. 22, World Health Organization, Geneva, 1950 (quoted in "The Location of British Columbia Physicians" - Anderson, D.O., and Clough, A.F., Department of Preventive Medicine, University of British Columbia, The British Columbia Medical Journal, vol. 2, No. 9, September 1960, pp. 558-564).

Cardiovascular Surgery. In these cases the patients are referred to Halifax and other places.¹ In the Provinces of Ontario and Quebec shortages existed in Ophthalmology and Otolaryngology and Urology. In the Prairie Provinces as a whole there were not enough specialists in Ophthalmology and Otolaryngology, Urology and Dermatology. It has been stated that in Alberta, the specialties of Psychiatry, Physiatry and Pathology were the three in which there were deficiencies.² Manitoba indicated a need for additional psychiatrists, radiologists and pathologists.³ In

² Includes non-certified physical medicine.

³ Includes non-certified bacteriologists.

Includes non-certified neurologists and psychiatrists.

b A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February 1962, Appendix I, Table 2.

^c Non-certified specialist, Canadian Mailings Limited, 1961, Toronto.

A brief from the Medical Society of Prince Edward Island, submitted to the Royal Commission on Health Services, November 7, 1961.

A brief from the College of Physicians and Surgeons, Province of Alberta; the Canadian Medical Association, Alberta Division and the Faculty of Medicine, University of Alberta, submitted to the Royal Commission on Health Services, February 13, 1962, p. 11.

³ A brief from the Manitoba Medical Association, submitted to the Royal Commission on Health Services, January 16, 1962, p. A 2.

the Province of Saskatchewan there were shortages of pathologists, ophthalmologists, psychiatrists and specialists in Rehabilitation Medicine. Finally, in British Columbia there was a shortage of specialists in Ophthalmology and Otolaryngology, and it has been suggested that there was a need for pathologists and physicians in the field of occupational health.

Another method to indicate regional maldistribution of specialists and to assess deficiencies in particular specialties is to compare regional certified and non-certified specialist-population ratios with the similar national ratios. These ratios are shown in Appendix 4-17.

In the Atlantic Provinces these ratios were below the Canadian average ratios in the following major specialties: Internal Medicine, Anaesthesia, Dermatology, Paediatrics, Neurosurgery, Urology, Obstetrics and Gynaecology. In the Province of Quebec the more important shortages were in Public Health, Neurology and Psychiatry, Obstetrics and Gynaecology. As for Ontario these ratios would suggest a need for specialists in Neurosurgery and Radiology, while in the Prairie Provinces, as a whole, there existed shortages of specialists in Physical Medicine and Rehabilitation, Neurology and Radiology. Finally British Columbia indicated a need for specialists in Plastic and Thoracic Surgery, Ophthalmology and Otolaryngology.

Appendix 4-18 gives a distribution of the reporting specialists, by type of work and specialty practised, for the country as a whole. In private practice the major fields of specialist concentration were in General Surgery, Internal Medicine, Anaesthesia, Obstetrics and Gynaecology, Ophthalmology and Otolaryngology and Paediatrics, while in hospital work the specialties mainly represented were Radiology, Neurology and Psychiatry, Pathology and Bacteriology, and Internal Medicine (tuberculosis). A similar pattern of distribution, by type of work and specialty practised, emerges from Appendix 4-19, which gives the same data with respect to immigrant civilian specialists. One-third of the reporting immigrant specialists were working in hospitals as compared with one-fifth of all the reporting specialists in the country.

A brief from the College of Medicine, University of Saskatchewan, submitted to the Royal Commission on Health Services, January 25, 1962, p. 31.

A brief from the Canadian Medical Association, B.C. Division, submitted to the Royal Commission on Health Services, February 20, 1962, p. 45.

Demand for Medical Services

The first part of this chapter is an analysis of the patterns of service of doctors in private practice, based on the statistical information drawn from the replies of the doctors to the Questionnaire on Medical Practice, conducted by the Royal Commission on Health Services in the spring of 1962. This analysis includes a brief discussion of the factors affecting doctors' efficiency, and the significance of patient—visit loads of doctors, which is followed by a description of work-patterns of general practitioners, specialists and consultants engaged in private practice. Patient-visit loads are also related to years of practice and the size of the community in which practice is located. The nature of medical services provided is examined with respect to type of major work of physicians. Finally, the size of practice and number of patients under treatment of self-employed general practitioners are analysed.

The next part deals with the demand for medical services and the factors affecting it. An attempt is made to calculate the effective demand for services of physicians in private practice.

The last section of this chapter is concerned with the trends in employment of doctors in hospitals, industry, medical schools, public health, armed forces and life insurance companies.

Accurate measurement of work of physicians is essential to an understanding of the nature of the activities and efficiency of medical practitioners. Such information is valuable in establishing quantitative criteria to determine the availability of medical services in relation to the effective demand and to the needs for them by the community.

1. Patterns of Service in Private Practice

a. Doctor's Efficiency

Progress in medical technology, improved diagnostic equipment, a greater use of paramedical personnel, the telephone, better transportation, greater concentration of patients and medical and hospital facilities in urban areas, more efficient organization of practice, and other factors enable doctors to see

more patients and to treat them more rapidly than in the past. A doctor's efficiency is measured by the quality of his service and by the number of patients he is able to see and treat per day, week or year.

Can doctors continue to increase their efficiency to an extent which will make possible substantially larger patient loads in private practice and thus reduce the urgency of increasing the present supply of doctors? This is not likely according to authoritative opinions. "Continued improvement in physician productivity, however, will probably be more difficult to achieve in the future. Such individual efficiency factors as reduction in travel time, in home visits, and in time per patient, have probably been pushed as far as they can go without serious ill effects".1 In fact, it has been suggested, that there is not likely to be any more progress in this direction. "The pressures, rather, are building in in the opposite direction. Hopes for the development of programmes for the home care of the aged and other efforts to deemphasize institutional care of the ill, rest on the possibility of more medical service to patients in the home."2 Perhaps, the major remaining areas for increasing physician productivity lie in a more rational organization of medical practice, more mechanical diagnostic and treatment equipment, more institutional health facilities, and greater use of the paramedical personnel, which can be trained more cheaply and quickly than doctors.3 But even allowing for these factors to improve somewhat the efficiency of doctors in the future, it is unlikely that they alone will be able to offset the anticipated shortage in the supply of physicians.

b. Significance of Patient-visit Loads of Physicians4

The size of patient-visit loads per doctor is an important and useful index for measuring the extent to which physicians are able to meet the demand for medical services. A patient load of physicians is said to be "...a function of both the supply of physicians and the demand made upon them". In general, the number of patients seen by the doctors in a given unit of time depends on three main variables, namely, the number of persons who demand medical services, the volume of services they actually require and the physicians' efficiency in supplying those services.

Naturally, the physicians differ in the amount of patient-visit loads because of the differences in age or duration of practice, location of practice, nature of

¹ Somers, Herman Miles, and Somers, Anne Ramsay, Doctors, Patients, and Health Insurance, The Brookings Institution, Washington D.C., 1961, p. 127.

² U.S. Department of Health, Education, and Welfare, Public Health Service, Physicians for a Growing America, A Report of the Surgeon General's Consultant Group on Medical Education, 1959, p. 11.

³ Somers, Herman Miles, and Somers, Anne Ramsay, op. cit., pp. 127-128.

References: Ciocco, Antonio, and Altman, Isidore, "The Patient Load of Physicians in Private Practice — A comparative Statistical Study of Three Areas", U.S. Public Health Reports, vol. 58, September 3, 1943, pp. 1329-51; Ciocco, Antonio, Altman, Isidore, and Truan, T. David. "Patient Load and Volume of Medical Services", U.S. Public Health Reports, vol. 67, June 1952, pp. 527-34; and Ciocco, Antonio, and Altman, Isidore, "Statistics on the Patient Load of Physicians in Private Practice", The Journal of the A.M.A., vol. 121, February 13, 1943, pp. 506-13.

⁵ Ciocco, Antonio, and Altman, Isidore, "The Patient Load of Physicians in Private Practice". op. cit., p. 1345.

work or the specific characteristics of the individual physician. Consequently, the physician-population ratio in a given area or region is only a rough measure of the availability of medical care and the volume of services provided. It has been said that the small correlation between patient-visit loads and the number of physicians reflects the absence of association between patient-visit loads and per capita income in particular areas or regions. Low patient-visit loads are evidently found in both wealthy and poor areas because the rich areas tend to have a large number of physicians while in poor areas there is a relatively low demand for medical services for economic reasons. However, the number of doctors indicate the medical personnel potentially available, while patient-visit loads of physicians measure the degree of activity of these doctors. The two together are necessary in order"... to obtain a measure of service actually received and should constitute the basis for appraising the effective demand to be expected from a population".2 Hence it is necessary to analyse the factors which are related to the size of the patient-visit loads and to examine the relationship between them and the supply of physicians, as utilization of the full working capacities of physicians may be achieved at different levels of ratio of physicians to population.

Data on the patient-visit loads of physicians provide also a direct approach to arriving at a measure of the demand for medical services, if it is assumed that this effective demand does not exceed the ability of the physicians to meet it. It is possible to estimate the total volume of services rendered by private practitioners in a year expressed in terms of patient-visit loads. The latter may be related to the actual size of population served by doctors in order to measure the actual demand, but not the need, for medical services provided by private practitioners.

Total volume of services rendered by doctors may also be reduced to a per capita basis of population, which may be used for purposes of comparison of demand for services on a regional basis as well as for calculating future requirements for medical manpower.

c. Work-Patterns of General Practitioners, Specialists and Consultants

Table 5-1 illustrates weekly average services, in terms of patient-visit per doctor and work-hours per doctor, of general practitioners, specialists and consultants and a percentage distribution of patient-visit loads and work-hours by type of activity. In computing weekly average services an allowance of five per cent was made on account of seasonal variations as the utilization of medical sercives reported by the doctors was probably greater in the early spring of 1962 than in other seasons of the calendar year.

This table indicates some differences in the average weekly patient-visit loads and in the weekly work-hours of general practitioners, specialists and consultants. The average working week of the reporting general

¹ Ciocco, Antonio, et al., "Patient Load and Volume of Medical Services", op cit., p. 530.

² Ibid.,pp. 530-531.

TABLE 5-1

AVERAGE WEEKLY SERVICES OF PHYSICIANS IN PRIVATE PRACTICE,
BY TYPE OF MAJOR WORK AND ACTIVITY, CANADA, 1962

Type of activity	General Practitioner	Specialist	Consultant
Number of reporting doctors	3,833	2,936	578
Office calls			
Per cent of total patients	59.2	45.7	35.2
Per cent of total hours	50.0	40.5	33.1
Time per patient	0:16	0:22	0:26
Hospital calls			
Per cent of total patients	24.4	45.8	60.5
Per cent of total hours,	21.7	39.1	44.9
Time per patient	0:17	0:21	0:21
Home visits: Day			
Per cent of total patients	11.3	4.6	0.7
Per cent of total hours	17.2	4.8	0.9
Time per patient	0:30	0:26	0:35
Night			
Per cent of total patients	2.8	0.6	0.0
Per cent of total hours	6.0	2.1	0.9
Time per patient	0:42	1:20	_
Teaching and/or research			
Per cent of total hours	0,6	5.8	8.8
Other activities ¹			
Per cent of total patients	2.3	3.3	3.6
Per cent of total hours	4,5	7.7	11.4
Time per patient	0:37	0:58	1:29
Weekly number of patient-visits per doctor	159	104	94
Weekly hours per doctor	51:34	42:42	44:03

¹ Includes such activities as work at clinics, preparation of medical papers, attendance at medical meetings, telephone consultations, work connected with medical insurance, etc.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

practitioners was 52 hours and the corresponding figures for specialists and consultants were 43 and 44 hours respectively. According to an American source, the average working week of physicians in private practice in the United States in 1956 was 60 hours. A survey of general practitioners conducted in British Columbia indicated that the average general practitioner works about 62 hours per week.

Medical Economics, February 1957, p. 116, quoted in Somers, H.M., and Somers, A.R., "Doctors, Patients, and Health Insurance", 1961, footnote p. 49.

² A brief from the Canadian Medical Association, B.C. Division, submitted to the Royal Commission on Health Services, February 20, 1962, p. G.P.-2; time "on call" was not included in the estimate of the hours worked per week.

General practitioners used half their working time for attending patients at office as compared with two-fifths for specialists and one-third for consultants. On the other hand, general practitioners used only one-quarter of their working week for hospital calls as compared with two-fifths for specialists and consultants. About one-quarter of the working week of general practitioners was used for attending patients at home, while specialists and consultants gave insignificant proportions of their time for this type of activity. In addition to the above activities, physicians also spent some time on routine work such as keeping medical records, filling in forms, office supervision, telephone consultations, medical insurance, hospital committees, medical society meetings, etc.

The average time a general practitioner attended a patient in his office amounted to 16 minutes as compared with 22 and 26 minutes per patient for specialists and consultants respectively. The average time per patient-visit at home by a general practitioner lasted about half an hour. The type of patient who in the past needed many hours of close attention in his home is now, in most cases, sent to the hospital and consequently there is less waste of the doctor's time for transportation purposes, to see patients separately in their homes.

A patient-visit load of the typical general practitioner was 159 per week. This load amongst physicians who limit their practice to special fields of medicine was somewhat lower being 104 patient-visits per week. The corresponding figure for consultants was 94. It has been stated that in the United States thirty years ago the average physician saw about 50 patients a week as compared with 125–165 patients per general practitioner in 1955.¹ The B.C. survey indicated that the average general practitioner in each working day sees 18–20 patients in his office, 2 patients at home, and 4–9 patients (including operations) in hospital.² This latter statistical information is in agreement with the survey data obtained by the Royal Commission on Health Services, which also indicated that on the average, a general practitioner saw 16–20 patients in his office, 6–8 patients in hospital, and 1–4 patients at home. Percentage distribution of weekly patient-visit loads and weekly work-hours of physicians, by day of the week and type of major work, is shown in Table 5–2.

It appears that physicians reported having more work from Monday to Friday inclusive. Some doctors naturally were also busy during week-ends though less than during other days of the week.

Other differences between general practitioners and specialists and consultants were observed with regard to the relationship of office, hospital and home calls to total calls. Until a few decades ago a large proportion of patients were attended by physicians in their homes. It has been reported that as late as 1928—1931 in the United States about 40.0 per cent of out-patient visits were made in the home. According to the data in Table 5—1, only 14.1 per cent of

¹ Somers, H.M., and Somers, A.R., op.cit., p. 49.

² Brief from B.C. Division, C.M.A., op. cit., p. G.P.-2.

³ Somers, H.M. and Somers, A.R., op.cit., p. 48.

TABLE 5-2

PERCENTAGE DISTRIBUTION OF WEEKLY PATIENT-VISIT LOADS
AND WEEKLY WORK-HOURS OF PHYSICIANS, BY DAY OF WEEK
AND TYPE OF MAJOR WORK, CANADA, SPRING 1962

	General P	ractitioner	Spec	ialist	Const	ultant
	Per ce	ent of	Per c	ent of	Per ce	nt of
Day of Week	weekly patient- visit load	weekly work hours	weekly patient- visit load	weekly work hours	weekly patient- visit load	weekly work hours
Sunday	8.7	9.7	10.3	9.1	10.6	17.4
Monday	16.0	15.6	15.8	15.9	15.2	14.9
Tuesday	16.0	15.6	14.4	15.3	15.2	15.3
Wednesday	14.6	15.3	15.1	15.3	15.9	13.8
Thursday	15.5	15.2	16.3	15.6	14.4	14.1
Friday	15.5	15.3	14.4	15.4	17.3	14.2
Saturday	13.7	13.3	13.7	13.4	11.4	10.3

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

the weekly patient-visit load of the reporting general practitioner in Canada was home calls. The corresponding percentages for specialists and consultants were 5.2 and 0.7 respectively. About 60.0 per cent of the weekly patient-visit load of general practitioners was made at doctor's office. The corresponding percentages for specialists and consultants were 46.0 and 35.0 respectively. Out-patient hospital calls amounted to 24.4 per cent of the weekly patient-visit load of general practitioners and 45.8 and 60.5 per cent for specialists and consultants respectively. Other activities of physicians accounted for about 3.0 per cent of the weekly patient-visit loads. In recent decades, there has been a trend towards the increased utilization of hospitals by private medical practitioners because of superior facilities, equipement and paramedical personnel in hospitals and also because family nursing care has decreasingly become available. "Moreover, hospitalization of his patients conserves the time of the practising physician. As demands for physician services have increased, home visits have dropped off and both office and hospital visits have increased." A somewhat similar pattern of the distribution of patient-calls prevailed in the United States. According to the 1957 National Health Survey only 8.0 per cent were home calls, 68.0 per cent were made at doctor's office, 13.0 per cent out-patient clinic visits and 11.0 per cent other calls.2

Appendix 5-1 shows average weekly services of specialists in private practice, by type of activity, in terms of patient-visit loads and doctor's working time, for some major specialties. These data are separated for specialists in

¹ U.S. Department of Health, Education, and Welfare, Public Health Service, Physicians for a Growing America, a Report of the Surgeon General's Consultant Group on Medical Education, 1959, p. 8.

² Somers, H.M., and Somers, A.R., op.cit., p. 48.

solo and partnership or group practice respectively. In general, a weekly patient-visit load of specialists in partnership or group practice was higher than that of solo specialists. Specialists in dermatology, obstetrics and gynaecology, orthopaedic surgery, general surgery and paediatrics see more patients than other specialists.

Appendix 5-2 provides statistical information on the average weekly patient-visit load of reporting general practitioners by type of activity and method of medical practice organization. The larger weekly patient-visit loads of general practitioners operating under partnership or group practice arrangement suggest superior efficiency of these types of practice over a solo practice though the average working week of a general practitioner in solo practice appears somewhat lower than that of general practitioners working under these other arrangements.

d. Years of Practice and Patient-visit Loads

The volume of service performed by a physician in private practice varies naturally with his age or years of practice. In general, the activity of an average medical practitioner reaches a peak in the age interval between 30 and 35 and continues on a plateau for the next twenty years. After that a doctor faces, with advancing years, a continuous decline in patient-visit load which is closely connected with his capacity to work. Another generalization applies to the practice of a young doctor, which undergoes an initial process of building up when he has fewer patients than he could handle, until he has made a reputation for himself and gained the confidence of his community.

Table 5-3 illustrates the above general observations with respect to general practitioners, specialists and consultants in private practice in Canada.

The patterns of patient-visit loads, based on years of practice, of general practitioners, specialists and consultants are very similar to those of their earnings, also based on the same criterion, as shown in Table 6-9. On the assumption that a general practitioner begins to practise around the age of 25, it can be seen from the foregoing table that he will maintain his peak of weakly patient-visit load of about 170 as well as that of his earnings until the age of 50-55 years, while a specialist begins to practice around the age of 30 and will maintain his peak of weekly average patient-visit load of 110 and of income until the age of approximately 50 years.

The differences in the patient-visit loads of physicians of the several age groups may be of some significance in considering the problem of meeting the demand for medical services at a local community level since the physicians in predominantly rural areas are believed to be somewhat older than those located in urban centres.

There are apparently not only differences with regard to patient-visit loads but also in weekly working time and in office working time of physicians. In general, the proportion of the working week of general practitioners spent on office calls tends to increase slightly with age, while that spent on hospital

AVERAGE WEEKLY SERVICES OF PHYSICIANS IN PRIVATE PRACTICE, BY TYPE OF MAJOR WORK AND ACTIVITY, AND DURATION OF PRACTICE, CANADA, 1962

		a		Genera	General Practitioner	tioner					Speci	Specialist	
Type of Activity	Less Than 5 Years	5-9	10–14	15–19	20–24	25–29	30–34	35–39	40 Years and Over	Less Than 5 Years	5–9	10–14	15–19
Number of Reporting Doctors	1,148	934	528	383	217	203	138	125	148	781	640	570	308
Office Calls Per cent of Total Patients Per cent of Total Hours	57.1	58.9	50.9	58.9	53.0	58.1	59.3	63.7 57.1	64.3 56.6	42.1 35.2	43.5	52.0 41.8	49.9
Hospital Calls Per cent of Total Patients Per cent of Total Hours	25.0 23.1	23.5	24.2	26.5	24.2	22.6 19.5	22.2	22.7	14.3	47.3	47.9	40.0	41.7
Home Visits													
Day Per cent of Total Patients Per cent of Total Hours	10.7	11.8	9.1	8.8 15.8	12.1 16.0	12.9 18.6	11.1	13.6	21.4	3.8	4.4	4.3	5.4
Night Per cent of Total Patients Per cent of Total Hours	3.6	2.9	3.0	5.8	3.0	3.2	3.7	3.3	0.0	0.0	0.0	0.0	0.0
Teaching and/or Research Per cent of Total Hours	0.8	0.8	0.8	8.0	0.8	0.0	6.0	1.1	0.0	6.7	5.3	6.1	5.4
Other Activities¹ Per cent of Total Patients Per cent of Total Hours	3.6	2.9	3.0	2.9	3.0	3.2	3.7	3.3	0.0	5.3	7.1	7.8	4.2 8.9
Weekly Number of Patient- Visits per Doctor Weekly Hours per Doctor	146	178 54:52	172 53:59	178 52:15	172 51:49	162 49:12	141 48:20	115 39:37	73 33:05	90 41:34	109 44:44	119 45:31	114 44:20

TABLE 5-3 (Concld.)

		Speci	Specialist (Cont.)	Cont.)					O	Consultant	int			
Type of Activity	20–24	20-24 25-29 30-34 35-39	30-34	35-39	40 Years and Over	Less Than 5 Years	5-9	10–14	10-14 15-19	20–24	25–29	20-24 25-29 30-34 35-39	35–39	40 Years and Over
Number of Reporting Doctors	. 185	169	112	72	48	211	173	110	47	13	00	9	4	8
Office Calls Per cent of Total Patients	54.1	56.6	54.6	57.8	66.6 58.8	27.8	35.0	33.3	43.5 33.3	44.4	38.9	31.6	50.0 39.0	50.0
Hospital Calls Per cent of Total Patients	37.5	39.1 34.9	40.9	31.6	26.7 30.0	66.6	60.0	61.9 43.8	52.2	55.6	61.1	68.4 40.6	25.0 15.6	50.0 55.0
Home Visits														
Day Per cent of Total Patients	6.5	4.3	7.1	5.3	6.7	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0
Night Per cent of Total Patients Per cent of Total Hours	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Teaching and/or Research Per cent of Total Hours	4.6	6.4	4.1	3.5	0.0	9.1	9.6	7.0	7.7	9.6	22.2	2.9	3.9	0.0
Other Activities ¹ Per cent of Total Patients	5.6	0.0	0.0	ທຸນ ຕຸສຸ	0.0	5.6	5.0	0.0	4.3	0.0	0.0	0.0	25.0	0.0
Weekly Number of Patient- Visits per Doctor	114 42:45	109	104	90	71 31:40	86 43:32	95 45:08	100	109	128 45:31	86 39:11	90 27:19	57 30:29	38 15:50

1 Includes such activities as work at clinics, preparation of medical papers, attendance of medical meetings, telephone consultations, work connected with medical insurance, etc.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

calls tends to decrease with age. The same observations apply to specialists and consultants in private practice. The younger physicians see greater numbers of patients and also see more patients in a given unit of time than do the older doctors. There is definite decline in the length of the working week with advancing age of all types of doctors.

TABLE 5-4

AVERAGE WEEKLY SERVICES OF GENERAL PRACTITIONERS IN PRIVATE PRACTICE,

BY SIZE OF CENTRE IN WHICH LOCATED AND TYPE OF ACTIVITY, CANADA, 1962

	Size of c	entre in which	h located
	Less than 10,000 population	10,000 49,999 population	50,000 population and over
Number of doctors reporting	1,499	502	1,835
Office calls Per cent of total patients	58.0	56.2	61.0
Per cent of total hours Time per patient	49.8 0:16	48.2 0:15	50.9 0:17
Hospital calls Per cent of total patients Per cent of total hours Time per patient	28.0 23.7 0:16	29.6 29.2 0:17	19.5 18.1 0:19
Home visits:			
Per cent of total patients Per cent of total hours Time per patient Night Per cent of total patients.	10.3 15.7 0:29	9.0 13.1 0:25	12.7 19.3 0:31
Per cent of total hours Time per patient	6.2 0:42	5.2 0:35	6.1 0:42
Teaching and/or research Per cent of total hours	0,6	0.6	0.6
Other activities ¹ Per cent of total patients	0.9	2.6 3.7	3.9 5.0
Time per patient	1:22	0:25	0:26
Weekly number of patient-visits per doctor Weekly hours per doctor	160 51:12	174 49:53	153 51:45

Includes such activities as work at clinics, preparation of medical papers, attendance at metical meetings, telephone consultation, work connected with medical insurance, etc.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

e. Size of Community and Patient-visit, Loads of General Practitioners

Table 5-4 provides information on average weekly services, by type of activity, supplied by reporting general practitioners in private practice in various sizes of community in which their practices were located.

Table 5-4 indicates that general practitioners in large urban centres of 50,000 population and over had lower patient-visit loads than those practising in urban centres of 10,000 to 49,999 population or in communities of less than 10,000 population. The latter communities include also predominantly rural areas. The fact that the weekly patient-visit load of general practitioners in large urban centres was relatively lower may be explained by a concentration of specialists in such centres and hence a somewhat smaller demand of the population in such centres for the services of general practitioners. The highest patient-visit load of general practitioners practising in urban centres of 10,000 to 49,999 population was probably due to the flow of patients from surrounding rural areas to those urban centres. General practitioners in communities of less than 10,000 population experienced relatively high patient-visit loads because of fewer physicians being located in less densely populated areas and also because of the absence of specialists in these communities and, therefore, a stronger demand for services of general practitioners.

f. Nature of Services Performed

The nature of services rendered and particular procedures carried out by general practitioners, specialists and consultants are of some importance to medical schools because they must know whether their students are being taught those procedures which they will subsquently most frequently use in their practice. It is also important to know whether the nature of medical services provided is changing under the impact of pharmaceutical and technological progress. This type of information is of equal value to tariff committees of medical insurance associations, which are interested in various patterns of medical services in order to assess the effects of tariff changes, in the fee-forservice payment of medical services.¹

Table 5-5 illustrates the percentage distribution in broad categories of the nature of work of the reporting general practitioners, specialists and consultants as measured by weekly laod of patients attended by doctors.

Physical examinations of apparently well people for specific purposes included medical examinations of patients for insurance, employment purposes, while preventive routine examinations included annual check-ups, well baby care, etc.

Table 5-5 suggests that the patterns of broad categories of services performed by general practitioners, specialists and consultants are very similar. Naturally, however, the actual contents of these services will

¹ leRiche, Harding and Stiver, W.B., "The Work of Specialists and General Practitioners in Ontario", Canad. M.A.J., vol. 81, July 1, 1959, p. 37.

TABLE 5-5

AVERAGE WEEKLY LOAD OF PATIENTS PER PHYSICIAN IN PRIVATE PRACTICE,
BY TYPE OF MAJOR WORK AND NATURE OF SERVICE, CANADA, 1962

Nature of Service	General Practitioner	Specialist	Consultant
Number of doctors reporting	4,344	1,289	936
A. Physical examination of apparently well people:			
(1) For specific purposes	9.3	8.0	10.2
(2) Preventive routine	18.7	18.5	18.0
B. Other specific services:			
(1) Surgical and Obstetrical procedures	14.7	17.2	17.9
(2) Referred consultations	13.3	10.3	11.5
(3) Special diagnostic and treatment			
procedures	26.6	25.4	24.5
(4) Immunizations	10.7	10.3	7.7
(5) Other services ¹	6.7	10.3	10.2
Weekly load of patients	56	59	53

¹ Includes routine treatment of colds, etc.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

vary greatly according to the type of major work of the physician. There is some variation in the nature of services performed between different specialists in the same field depending to some extent on where they practise. It has been suggested that in a medium-sized town and rural area, surgeons, obstetricians, and internists tend to do more general practice than the same specialists in large cities. Then, in large cities, general practitioners will do less surgical work than their colleagues located in rural areas. Consequently, it is difficult to draw representative samples of any type of major work.

Appendix 5-3 provides information on the weekly average load of patients of specialists in private practice, by specialty practised, method of practice and nature of service rendered. It is apparent that the specialists working in partnership or group practice are able to carry out a somewhat larger patient load than their colleagues practising solo.

A job analysis study of physicians in Ontario was made in 1957. It shows the estimated number of procedures in a year of 2,000 working hours in the various specialties and general practice. The basis data for this study were derived from one month's experience of Physicians' Services Incorporated. P.S.I. procedures are those carried out by physicians for which there is a separate payment. They also include office, home and hospital visits. In a number of instances each major procedure is regarded as one service by P.S.I., irrespective of the number of times the physician may treat or visit the patient for the

¹ Ibid., p. 37.

F

particular condition. For example, a normal delivery counts as one service but, in fact, a physician will see the patient 6 to 12 times. Consequently, the P.S.I.'s "services" are an underestimate of the patient-visit loads.

Table 5-6 provides a comparison of the findings of the study on job analysis in Ontario and the estimated annual patient-visit loads of physicians and volume of services supplied, in terms of numbers of patients, in the country as a whole in the spring of 1962.

In comparing the data for Ontario with those for the country as a whole in 1962, it should be borne in mind, that the former figures may be somewhat higher than the national averages since greater utilization of medical services is probably made in the province of Ontario than in most other provinces of Canada.

g. Size of Practice and Number of Patients Under Treatment of Self-employed General Practitioners

Table 5-7 indicates the average size of practice and average number of patients under active or continuing treatment of the reporting self-employed general practitioners for provinces and Canada. In addition, for analytical purposes, general practitioner-population ratios and degree of urbanization of population for provinces and Canada are included.

The average size of practice ranged from 1,367 in Yukon and Northwest Territories to 3,166 in Newfoundland. The national average size of practice amounted to 1,709 persons per general practitioner as compared with the general practitioner-population ratio of 1:1,800 in 1961. In great Britain, each general practitioner is allowed a total of 3,000 patients but it must be remembered that he has no hospital patients to attend and many of the minor investigations carried out by a general practitioner in Canada are in Britain referred to a specialist, a clinic or a hospital. The average number of the potential patients, who were under active or continuing treatment by a reporting general practitioner in solo private practice, ranged from 61 in Yukon and Northwest Territories to 366 in Newfoundland. The national average was 194 patients under actual treatment. More sigificant is, however, the percentage of patients to the size of practice. This varied from 4.5 per cent in Yukon and Northwest Territories to 16.1 in New Brunswick, while the national percentage was 11.3.

In general, the size of practice tended to be larger in those provinces which had less favourable general practitioner-population ratios and less urbanized population such as Newfoundland, New Brunswick, Saskatchewan and Nova Scotia.

Average size of practice and average number of patients under active treatment varied with the age or years of practice of physicians. This is shown in Table 5-8.

Once again the above data indicate that a general practitioner reaches the peak of the size of his practice after an initial building-up period of five years

¹ Ibid., pp. 37-38.

TABLE 5-6
ESTIMATED ANNUAL PATIENT-VISIT LOADS OF PHYSICIANS
IN PRIVATE PRACTICE AND VOLUME OF SERVICES RENDERED, CANADA, 1962

Specialty Practised	Estimated Number of Services carried out in a Standard 2,000 Hours by Physicians in Ontario, 19571	Estimated ann Patient-visit Load Reporting Physicians Assumption of 48 w Working Year Canada, 1962²	Estimated annual Patient-visit Loads of Reporting Physicians on the Assumption of 48 weeks Working Year, Canada, 1962²	Estimated Annual Examination and Specific Services Performed by Reporting Physicians on Assumption of 48 Weeks Working Year, Canada, 1962 ²	Estimated Annual Examinations and Specific Services Performed by Reporting Physicians on Assumption of 48 Weeks Working Year, Canada, 1962 ²
		Solo	Partnership or Group Practice	Solo	Partnership or Group Practice
Anaesthesia	2,295	1,728	1,824	1,344	1,824
Dermatology	5,349	7,676	8,640	3,168	4,320
General surgery	3,683	5,520	6,144	1,824	2,064
Neurosurgery	3,104	5,520	4,800	1,584	1,824
Orthopaedic surgery	2,390	7,008	7,776	1,824	1,824
Internal medicine	5,396	5,280	5,952	1,824	2,496
Psychiatry	4,229	3,024	4,320	2,584	2,584
Obstetrics and gynaecology	2,851	5,520	6,816	2,736	3,168
Ophthalmology and otolaryngology	5,046	5,280	5,712	3,168	3,168
Paediatrics	6,795	7,296	7,056	4,128	3,408
Urology	2,501	5,280	5,952	2,064	1,824
General practice	5,251	7,104	8,592 - 8,304	2,688	

¹ leRiche, Harding and Stiver, W.B., "The Work of Specialists and General Practitioners in Ontario, 1957", C.M.A.J., vol. 81, July 1, 1959, Table V, p. 41.

² Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

TABLE 5-7

TREATMENT OF SELF-EMPLOYED GENERAL PRACTITIONERS FOR PROVINCES AND CANADA, 1962 AVERAGE SIZE OF PRACTICE AND AVERAGE NUMBER OF PATIENTS CURRENTLY UNDER

	The second secon					
Province	Response	Average Size of Practice	Average Number of Patients Currently Under Active or Continuing Treatment	Per cent of Patients to Size of Practice	General Practitioner Population Ratios, 1961	Degree of Urbanization of Provincial Population 1961
Newfoundland	20	3,166	366	11.6	1:2,462	50,7
Prince Edward Island	11	1,473	220	14.9	1:1,974	32.4
Nova Scotia	06	1,804	163	9,1	1:1,833	54.3
New Brunswick	44	2,017	325	16,1	1:2,588	46.5
Quebec	569	1,868	133	7.1	1:2,099	74.3
Ontario	797	1,509	219	14.5	1:1,508	77.3
Manitoba	88	1,919	256	13,3	1:1,762	63.9
Saskatchewan	80	1,985	194	8.6	1:1,964	43.0
Alberta	105	1,687	188	11.1	1:1,632	63,3
British Columbia	190	1,584	214	13.5	1:2,054	72.6
Yukon and Northwest Territories	3	1,367	61	4.5	1:2,213	36.8
Canada	1,967	1,709	194	11.3	1:1,800	9,69

¹ A brief from the College of General Practice of Canada, submitted to the Royal Commission on Health Services, May 1962, p. 12. Figures of general practitioners were compiled in June 1961 and were made up of lists supplied by Provincial Chapters of the College. They include certified physicians doing general practice and exclude non-certified physicians confining their work to a specialty.

² Census of Canada 1961, Advance Report No. AP-4.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

TABLE 5-8

AVERAGE SIZE OF PRACTICE AND AVERAGE NUMBER OF PATIENTS

UNDER ACTIVE TREATMENT OF SELF-EMPLOYED GENERAL PRACTITIONERS,

BY DURATION OF PRACTICE, CANADA, 1962

Duration of Practice	Number of Doctors Reporting	Average Size of Practice	Average Number of Patients Under Treatment
Less than 5 years	482	1,190	131
5 – 9	597	1,497	155
10 – 14	412	1,388	168
15 – 19	260	1,292	159
20 – 24	193	1,397	179
25 – 29	188	1,254	156
30 – 34	155	1,010	103
35 – 39	140	980	114
40 and over	178	661	70

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

and it remains on a plateau for the next twenty years and thereafter it gradually declines with the advancing years of a doctor. A somewhat similar pattern emerges from the average number of patients attended by physicians.

Table 5-9 shows the relationship between size of practice and number of patients under treatment and size of community in which practice was located for provinces and Canada.

It appears that in communities of less than 10,000 population general practitioners had larger practices than those located in greater urban centres. This is explained by the fact of a greater concentration of specialists in the latter size of communities. On the other hand, in smaller communities general practitioners had a lower number of patients under active treatment. This fact explains the lower income of general practitioners in rural and smaller communities as compared with those in larger urban centres. It would also appear that in smaller communities for economic and other reasons the demand for general practitioners' services is somewhat lower.

Appendix 5-4 provides detailed statistical information with respect to the distribution of general practitioners in solo private practice by size of practice and size of cummunity in which practice was located for regions and the country as a whole. Approximately half of the reporting doctors in Canada practising in communities of less than 10,000 population had a practice of 2,000 persons or more as compared with about one-third proportion of physicians located in larger urban centres.

Appendix 5-5 gives similar information with respect to the distribution of general practitioners by number of patients under active treatment. For the country as a whole, about 30.0 per cent of the reporting general practitioners located in communities of less than 10,000 population had 200 or more patients under active

TABLE 5-9

AVERAGE SIZE OF PRACTICE AND AVERAGE NUMBER OF PATIENTS CURRENTLY UNDER TREATMENT OF SELF-EMPLOYED GENERAL PRACTITIONERS BY SIZE OF CENTRE IN WHICH LOCATED, FOR PROVINCES AND CANADA, SPRING 1962

	Less	Less Than 10,000 Population	000 Popul	ation	10,0	10,000 - 49,9	49,999 Population	ation	50,00	50,000 Population and	tion and	Over
Province	No. of Doctors Report- ing	Average Size of Practice	Average No. of Patients Under Treat- ment	Per Cent of Patients to Size of Practice	No. of Doctors Report- ing	Average Size of Practice	Average No. of Patients Under Treat- ment	Per Cent of Patients to Size of Practice	No. of Doctors Report- ing	Average Size of Practice	Average No. of Patients Under Treat- ment	Per Cent of Patients to Size of Practice
Newfoundland	11	3,375	426	12.6	2	2,100	113	5,4	7	3,143	345	11.0
Prince Edward Island	00	1,713	265	15.5	3	835	100	12.0	1	1	1	ŧ
Nova Scotia	49	1,915	145	7.5	7	1,736	124	7.1	12	1,825	347	19,0
New Brunswick	2.9	2,348	449	19,1	6	2,072	134	6.5	2	1,000	26	2.6
One pec	237	2,284	105	4.6	28	1,838	157	8.5	214	1,912	192	10,1
Ontario	223	1,531	168	10,9	103	1,607	265	16.5	395	1,643	261	15.9
Manitoba	39	2,062	141	6.9	П	2,000	250	12.5	43	2,012	390	19.4
Saskatchewan	26	2,203	185	8.4	က	296	53	5,5	15	2,137	333	15.6
Alberta	40	1,803	166	9.2	2	1,050	47	4.4	57	1,805	228	12.6
British Columbia	52	1,659	218	13,2	6	1,250	429	34,3	121	1,682	210	12.5
Yukon & N.W.T	က	1,367	61	4.5	1	1	ı	1	ı	1	1	ĺ
Canada	765	1,956	165	8.4	194	1,664	220	13.2	998	1,765	244	13.8

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

treatment, while the corresponding percentages for physicians located in communities of 10,000 to 49,999 population and 50,000 population and over were 34.0 and 36.0 respectively.

2. Nature of Demand for Physicians' Services

The adequacy of medical manpower at any time depends to a large extent upon the degree of utilization of physicians in private practice by the general public, and on the demand for physicians' services on the part of hospitals, public health, agencies, industry, the armed forces, life insurance companies, medical research and teaching institutions.

A distinction must be made between "need" and "effective demand" for medical services. "Medical need is composed of the actual physical and emotional requirements of a patient for a physician or for other services." This need can only be determined professionnally by a physician through a medical history, a physicial examination, laboratory test, etc., and the kind, extend and quality of medical services needed are, of course, determined by the nature of diagnosis and by the methods of treatment available at the time. A "need" for medical care, however, does not lead to "demand" for it unless the need is recognized by the patient, the physicians' services are accessible and the consumer of these services is able to purchase them. Hence, areas of relative neglect in meeting medical needs. This distinction between the demand and the actual need for medical care leads to much of the differences with respect to the adequacy or shortage of physicians.

There are certain specific characteristics of medical services as compared with demand for other commodities or most of other services because need for them is universal, it is not regular, and cost of meeting them are not within the consumers' control unless a consumer joins a pre-payment insurance scheme. Buyers' motivations are also different. In general, people spend all they feel they can afford on other goods and services, including luxuries, while for medical and similar services they spend only as much as they feel they must. Medical needs and costs are not usually known in advance and, therefore, it is difficult to save for what one does not know or even desire.

There are some inherent difficulties in defining demand for medical services because "... the more important factors affecting change in demand lack the immediate direct, and easily measurable relationships to it...". Total demand for medical care and for medical manpower at any given time is the net result of a number variables, the more important of which are population growth and its age and sex structure, economic growth that influences personal disposable income and standard of living, including demand for medical care, urbanization which reflects the fact that city people use more medical services than rural people, the level, content

Clark, Dean A., "Problems in the Distribution of Medical Care" - Symposium on Medical Sociology, the New England Journal of Medicine, vol. 234, January 10, 1946, p. 55.

National Science Foundation, A Program for National Information on Scientific and Technical Personnel, U.S.A., August 1958, p. 25.

and quality of education, which familiarizes a person with good health and turns existing needs into recognized medical needs as well as increasing social awareness of the value of healthy and able human resources, and government policies with respect to health and other welfare measures. Because of the complex interrelationships between these factors it may be impossible to measure exactly their impact on the demand for medical services though certain broad conclusions are possible. For instance, there is a direct relationship between income, age and place of residence and utilization of physicians' services. The dimensions of demand for medical care, on the whole, are rationally related to phychological and educational characteristics of the people, to availability of physicians, but, principally, these dimensions are conditioned by economic factors, costs and ability to pay of patients. Removal of financial barriers to hospitalization revealed a substantial unsatisfied need for hospital services. A similar removal of financial barriers with respect to medical care would very likely substantially increase the effective demand for it, particularly, in use of the financially most vulnerable group of families in the middle and lower income ranges.

It is necessary to measure the quantity, if not quality, of medical services actually consumed, in order to understand actual and potential demand for them, to appraise the extent to which the demand is related to the supply of physicians, to provide a basis from which to project future requirements for medical manpower, to identify the population groups, which do not use extensively medical care for one or another reason and to be able to determine priorities.

There are objective measures of demand for medical services like, for instance, units of service rendered (i.e., patient-visit loads) and in money terms, the cost of care for one illness, or family medical expenditure for a year or such expenditure for the society as a whole, adjusted for price and population growth.

3. Utilization of Services of Physicians in Private Practice, Canada, 1961

It is estimated that in 1961 there were 15,450 general practitioners, specialists and consultants in private practice.¹ They accounted for nearly three-quarters of the Canadian civilian medical manpower. The weighted weekly average patient-visit load per doctor in private practice, irrespective of the type of major work, was 132, making an annual (48 weeks) patient-visit load of 6,336 per physician. A physician in private practice, excluding hospital calls, averaged about 4,300 patient-visits a year. A patient-visit is defined here as a consultation with a physician, either in person, or by telephone, in his office, the hospital, clinics, and the patient's home, for examination, diagnosis, treatment, or advice. The medical service could be provided by the physician himself, or by nurses acting under a physician's supervision.

This figure has been computed by subtracting from 21,265 physicians in Canada (excluding Yukon and Northwest Territories) as reported by the 1961 Census, 2,470 interns and residents, 1,800 full-time physicians in hospitals, 775 full-time doctors employed in non-hospital work by all levels of government, 420 full-time physicians in medical schools, 260 full-time industrial physicians and 90 doctors employed by life insurance companies.

The total annual volume of medical services supplied by all the physicians in private practice in Canada in 1961 amounted to 97,891,200 patient-visits. Thus, on a per capita basis, each person in this country, irrespective of age, sex, income and location, received 5.378 physician-visits. The latter figure was composed of 2.9 office calls, 1.8 hospital visits, 0.6 home calls and 0.1 of other types of services. The Canadian average physician-visit of 5.4 may be compared with 5.3 physician-visits per person (all ages and both sexes) per year in the United States (average of July 1957 — June 1958), which figure does not include visits made to persons while they were in-patients in a hospital.¹

4. Hospital Medical Personnel

After the physicians in private practice the second largest group of doctors is composed of full- and part-time medical personnel in hospitals. Appendix 5-6 indicates numbers of such physicians and interns and residents working in hospitals, by type of hospital, for regions and Canada, during the years 1950-1961. It also includes the number of operating and reporting hospitals for the country as a whole for the same period. Table 5-10 shows these data for the whole country.

The number of doctors employed in hospitals on a full-time or part-time basis increased from about 1,800 in 1950 to 4,500 in 1960, that is by nearly 150.0 per cent. There has been a steady increase in full-time medical personnel working in general hospitals and the number of doctors so employed increased from about 400 to over 900 in the period under review. A similar increase also occured in part-time physicians associated with general hospitals. The rising incidence of mental disturbances is reflected in a larger number of mental institutions and in the number of doctors working in these hospitals. The mental hospitals' full-time medical staff increased from 230 in 1950 to 450 in 1961, while part-time doctors associated with these hospitals increased five times over the same period. In TB hospitals, however, the employment of full-time medical personnel remained relatively stable until the later part of the 1950's and it has gradually declined since then. The same trend is noticeable with respect to part-time doctors working in TB hospitals.

Approximately one-half of the full-time hospital medical personnel in 1961 was working in general hospitals, including public and allied special hospitals such as chronic, convalescent and maternity hospitals. Another quarter of these doctors were working in mental hospitals, while the remainder practised in tuberculosis, federal are private hospitals. With the hospitalization insurance in operation in Canada one can reasonably expect that this trend fo rising employment of doctors in hospitals, particularly in general and mental, will continue in the future. A large proportion of hospital medical staff consists of radiologists, pathologists, who are certified specialists in most cases, and medical superintendents.

There has been also a steady increase in the number of intems and residents being trained in various types of hospitals. This increase is partly related to

¹ U.S. Department of Health, Education, and Welfare, Public Health Service, "Medical Care, Financing and Utilization," Health Economic Series, No. 1, Table 175, p. 218.

TABLE 5-10

FULL-AND PART-TIME MEDICAL STAFF AND INTERNS AND RESIDENTS, EMPLOYED IN HOSPITALS, CANADA 1950 $^{-}$ 1961 1

		1950			1951			1952			1953			1954			1955	
Type of Hospitals	Physi	Physicians		Physi	Physicians		Phys	Physicians		Physicians	cians	0,0	Physicians	cians	2 %	Physi	Physicians	7 % 7
	F-t	P-t	R R	F-t	P-t	I & K	F-t	P-t	I & K	F-t	P-t	8	F-t	P-t	8	F-t	P-t	
General ²		383	1,618	431	578	1,773	394	85	1,582	233	485	1,666	510	327	1,722	276	319	2,035
Tuberculosis	228	155	39	249	159	35		183	cc	295	187	41		14/	00		/61	66
Federal	2	71	1 1		331	1 1		192 43	1.1	CA	38	1	2	282 53	1	.,	290 49	1 4
Total	1,8	10	1,702	2,1	2,146	1,845	1,8	1,857	1,708	2,1	2,178	1,799	2,349	49	1,837	2,4	2,471	2,124
Minus medical graduates of Dalhousie, Laval and Montreal who receive degrees			273			288			203			253			286			273
Total Interns & Residents			1,429			1,557			1,505			1,546			1,551			1,851
		1956			1957	7		1958			1959			1960			1961	
General ²	624	643	2,087	676	352	2,403	755	771	2,601	929	1,131	2,573	936	1,411	2,993	908	1,482	3,101
Tuberculosis	262	175	30	272	169	32	248	159	25	239	132	19	236	135		223	132	26
Federal	6	92	13	CI CI	288	16		304	12	190	38	251	207	510	315	191	455	321
Total	2,758	58	2,199	2,5	2,985	2,520	3,	3,049	2,762	1,707	2,022	2,990	1,783	2,585	3,453	1,791	2,660	3,577
Minus medical graduates of Dalhousie, Laval and Montreal																		
who receive degrees after internship			225			262			289			273			292			261
Total Interns & Residents			1,974			2,258			2,473			2,717			3,161			3,316

1 Excludes Yukon and Northwest Territories.

² General hospital includes public, general and allied special hospitals (chronic, convalescent, maternity and others). Source: Health and Welfare Division, Institution Section, DBS.

increasing specialization, as greater amounts of graduate training and experience are required for specialty certification and because of a tendency to specialization on the part of larger numbers of doctors. The fi gures of interns and residents in hospitals as reported by the DBS Institutions Section do not agree with those quoted by the Canadian Mailings Limited. This is due to the fact that the DBS figures include medical graduates of Dalhousie, Laval and Montreal universities, who receive medical degrees only after internship. They are excluded, however, in the listings of the Canadian Mailings Limited. Moreover, despite efforts to eliminate duplication of the interns and residents reported by the hospitals there is very likely some such duplication as some interns rotate in a few hospitals and all of them report having them on their staff. Then, some interns and residents may be working on a full-time basis in one hospital and on a part-time basis somewhere else. Finally, the DBS data contain a number of immigrant-doctors, who work in hospitals prior to their obtaining Enabling Certificates.

As of June 1963, provincial governments indicated that in provincially operated hospitals there were 67 unfilled established positions for full-time physicians and in federally operated hospitals there were 19 unfilled positions.

5. Non-Hospital Medical Staff Employed by Governments

Governmental health activities in Canada play a fundamental role in supplying medical and other health services. Public health services are provided at all levels of government. In most provinces these services, at a local government level, are to a large extent rendered by part-time medical officers, while the personnel of the provincial and federal health services consists of full-time medical practitioners. The federal government assumed responsibility for maritime quarantine, the medical examination of immigrants and the control of food, drugs and narcotics, as well as health care services for certain groups like Indians, Eskimos, war veterans and others, advisory services to the provinces in specialized health fields, research development, etc. In the main, however, public health activities are considered as provincial responsibilities under interpretation of the "property and civil rights" clause of the British North America Act of 1867. These responsibilities include health education, care for chronic diseases such as tuberculosis and mental illness, medical services to specified indigent groups, regulatory measures to control the spread of disease, consultative or assistance services, such as public health laboratories, and other services. Seven provinces have separate departments of health and the remaining three have combined departments of health and welfare. Local governments assumed regulatory health activities and the general preventive services - diagnosis, education, and personal health supervision through clinics and home visits. Public health units operate in large municipalities or, in rural areas, serve counties or groups of municipalities.

¹ Information obtained directly from the provincial departments of health by the Royal Commission on Health Services, June 1963. No information was available from the Province of Quebec.

TABLE 5-11

PHYSICIANS EMPLOYED FULL-TIME BY GOVERNMENTS, FOR
PROVINCES AND CANADA, 1963¹

	Provincial (Governments ²	Local Go	vernments ³
Province	Positions Filled	Total Known and Established Vacancies	Positions Filled	Total Known and Established Vacancies
Newfoundland	32	9	_4	_
Prince Edward Island	9	4	_5	_
Nova Scotia	25	2	3	1
New Brunswick	31	15	_6	_
Quebec ⁷	50	n.a.	89	n.a.
Ontario	70	11	86	12
Manitoba	27	6	2	_
Saskatchewan	24	9	4	n.a.
Alberta	19	9	23	5
British Columbia	28	3	15	15
Canada	315	68	219	33
Federal Government Department of National				
Health and Welfare	164	22		
Commission Department of	58	7		
Veterans Affairs	14	4		
Medical Research Council	2	_		
Atomic Energy of Canada	3	_		
Total	241	33		

Exclusive of hospital appointments and of Yukon and Northwest Territories.

Source: Information obtained directly by the Royal Commission on Health Services from the Provincial Departments of Health and Federal Government Departments, June, 1963.

² Includes full-time physicians employed by Provincial Departments of Health (Tuberculosis Prevention Branch, Industrial Hygiene Branch, Mental Health Branch, Central Laboratories, etc.) and other branches of the Provincial Governments (Reform Institutions, Public Welfare, etc.) and Provincial Government agencies (Cancer Treatment and Research Foundation, Hospital Services Commission, Cancer Institute, Alcoholism and Drug Addiction Research Foundation, etc.).

³ Physicians employed full-time either by municipal health departments or by county health units.

Newfoundland employs public health nurses, sanitary inspectors and medical officers in the St. John's area, but these are not under the unified direction of a full-time medical health officer. Elsewhere in the province, only partial public health services are available.

⁵ Prince Edward Island has a district nursing service and some sanitary inspectors, but these are under the part-time supervision of a medical health officer.

⁶ New Brunswick's medical health officers service a few districts each, and thus each health district receives only part-time attention.

⁷ Estimated figure for full-time physicians employed by the Department of Health and 1956 figure for full-time physicians employed in local health units ("The Administration of Public Health in Canada", Research and Statistics Division, Department of National Health and Welfare, Health Care Series No. 3, 1958, Table 4, p. 67).

The extent of full-time local health services in this country was surveyed in 1938 by the Canadian Public Health Association. At that time, there were 85 communities, urban and rural, which employed a full-time medical officer. The population of these communities represented approximately half of the total estimated population of Canada. The other half of the population, chiefly in rural areas, was served by a medical officer on a part-time basis. As of March 1943, the communities having full-time medical officers of health employed 118 physicians. 1 By 1948, there were 157 local health units or districts and urban health departments employing 155 full-time medical health officers and the corresponding figures for 1956 were 191 and 188 respectively.2 The 28 urban health departments in 1956 covered 4.9 million persons, and 163 local health units or districts covered 7.1 million persons.3 Thus, approximately two-thirds of Canada's population were covered by public local health services. In 1960, a survey of health unit services in eight provinces, excluding Newfoundland and the Province of Quebec, was made which covered only health units and city health departments with a full-time medical officer of health. Twenty of the 116 units in that survey were classified as city health departments while most of the remainder were regional, country or township units. The estimated population served by these health units was over 9,000,000, of which about 6,500,000 or 75 per cent lived in urban areas. The 116 health unit services employed 186 full-time physicians as of January 1, 1960.4

Table 5-11 shows the number of full-time physicians, exclusive of full-time hospital appointments, employed by different levels of government, for Provinces and Canada, as of June 1963.

As of June 1963, there were 775 doctors employed on a full-time basis in non-hospital work by the three levels of government in Canada. There were 134 known unfilled established positions. Presumably, lower salaries of doctors in this type of employment accounted for this relatively high number of vacancies.

6. Teaching Staff of Canadian Medical Schools

In September 1939, the peacetime medical personnel in the nine medical faculties included 173 full-time and 890 part-time instructors. By March 1943, because of the strong demand for doctors in the armed forces, the corresponding figures decreased to 141 and 796 respectively. The medical schools were compelled to call back a number of retired physicians to assist them in teaching.

Canadian Medical Procurement and Assignment Board, Report of the National Health Survey, 1945, pp. 112-113.

² "The Administration of Public Health in Canada", Research and Statistics Division, Health Care Series No. 3, 1958, Tables 2 and 4, pp. 65 and 67.

³ Ibid.,p. 64.

⁴ Report of the Survey of Health Unit Services in Eight Provinces of Canada, 1960 - Department of National Health and Welfare, 1961, pp. 5 and 11.

⁵ Canadian Medical Procurement and Assignment Board, Report of the National Health Survey, 1945, Table 43, p. 105.

With the increase in the number of medical schools to 12 and higher enrolment of students during the post-war years, there has been a gradual expansion of full-time faculty personnel until in the academic year of 1961-62 it amounted to 763 teachers.

It is convenient to divide faculty members into those in the basic pre-clinical sciences like anatomy, biochemistry, biophysics, physiology, and others, about 60.0 per cent of whom possess an M.D. degree (this compares with only 35.0 per cent in the United States), and those in clinical departments¹ who are physicians. A characteristic feature of Canadian post-war medical education was the rapid growth of full-time staff in clinical departments, particularly of so-called "geographic full-time" members who account for about four-fifths of the staff in these departments. This latter term refers to the clinical teachers receiving a large portion of their income from university salary and over and above this share a limited earning from consulting practice associated with the medical schools. In some schools these surplus earnings from private practice are used to support medical research and teaching. It has been estimated that these medical practitioners give about half of their time to teaching duties and another half to private practice. Consequently, approximately two-thirds of them must be considered as being available in private practice.

During the academic year 1961-62 there were over 400 full-time faculty members in pre-clinical basic science departments, of whom about 60.0 per cent or 250 were physicians. In clinical departments there were about 70 full-time medical personnel and about 300 "geographic full-time" members, of whom 100 may be considered as being available for teaching purposes. Thus, approximately 420 physicians may be counted as being employed in the 12 medical schools. As of that year there were 23 budgeted vacant positions in basic science departments and 15 in clinical departments. These vacancies evidently existed during the last few years, particularly, in the basic science fields.

The full-time faculty members are supported in teaching by the selected part-time medical staff of about 1,500, who, as a rule, receive only a nominal remuneration. One medical school reported that the part-time teachers actually undertake six to ten hours of undergraduate teaching per week plus a large portion of the post-graduate education programmes. Many of them spend more time in clinical research as well as many hours per month in administration. It has been estimated that the part-time teachers spend 400 to 450 hours per year in the university and teaching hospital. 4

Table 5-12 shows the median salary scale prevailing in basic medical science departments in the 12 Canadian medical schools as of November 1961.

It has been stated that the current annual income of the professional man in a department of basic medical science is about two-thirds the income of a man of

^{1 &}quot;Medical Education", The Journal of A.M.A., vol. 171, November 14, 1959, Table 10, p. 1529.

² "Medical Education", The Journal of the A.M.A., vol. 182, November 17, 1962, Table 2, p. 804.

³ Ibid.

⁴ A brief from the Faculty of Medicine, University of Toronto, submitted to the Royal Commission on Health Services, May 14,1962, p. 8.

TABLE 5-12 SALARIES OF TEACHING STAFF IN BASIC SCIENCES OF CANADIAN MEDICAL SCHOOLS, 1961-62

Professor and Head of Department	\$14,200
Professor	\$12,700
Associate Professor	\$10,100
Assistant Professor	\$ 7,800
Lecturer	\$ 6,600

Source: A brief from the Association of Canadian Medical Colleges, submitted to the Royal Commission on Health Services, May 11, 1962, Exhibit A: Staff and Facilities in the Basic Medical Sciences in Canadian Medical Schools, p. 3.

similar training and expensionce in medical practice in the same community and that this fact constitutes a critical barrier in the recruitment of medical personnel in the Canadian medical schools.¹

The income of clinical teachers is considerably higher than that of basic medical scientists because it depends partly on fees derived from practice. It has been stated that in a typical Canadian medical school, the income of a clinical teacher may exceed \$25,000 per annum.² This income, however, does not apply to full-time teachers in clinical departments who limit their activities to teaching only.

Modern scientific developments have resulted in an increased need for undergraduate teaching of small groups and increased clinical and laboratory research, which activities impose a requirement for larger teaching staffs in medical schools. Expected expansion of the medical services will create a stronger demand for medical personnel, which, in turn, will create an equally strong demand for doctors and medical scientists to train future physicians.

7. Industrial Physicians³

Occupational health service has been defined by the International Labour Organization as "... a service organized in or near a place of employment for the purposes of protecting the workers against any health hazards which may arise out of their work or the conditions in which it is carried on, of promoting the optimum

A brief from the Association of Canadian Medical Colleges, submitted to the Royal Commission on Health Services, May 11, 1962, Exhibit A: Staff and Facilities in the Basic Medical Sciences in Canadian Medical Schools, p. 3.

² Ibid., p. 6.

References: Charron, K.C., "Health Services for Industry", Canadian Journal of Public Health, vol. 39, August 1948, pp. 320-324; Cruickshank, W.H., "The Changing Status of Industrial Medicine", Canad. M.A.J., vol. 59, December 1948, pp. 536-539; Mallery, O.T., "The Industrial Physician - Past, Present, and Future", Industrial Medicine and Surgery - The Journal of Medicine in Industry, vol. 21, June 1952, pp. 296-288; and Robson, R.B., "Medical Care of the Industrial Worker", Canad. M.A.J., vol. 52, February 1945, pp. 143-147; Occupational Health Services in Industry in Canada, 1954, Memorandum No. 13, Research and Statistics Division, Department of National Health and Welfare, June 1956; and Working Conditions in Canadian Industry, 1962, Report No. 6, Economics and Research Branch, Department of Labour, 1963.

workers' physical and mental adjustment, in particular by their assignment to jobs for which they are suited, and of contributing to the establishment and maintenance of the highest possible degree of physical and mental well-being of the workers''.¹ Industrial medicine was stimulated by the development of workmen's compensation boards, which became the basis for services to workers injured or contracting occupational sickness, and with changing social and economic conditions. It has been steadily expanding in scope to include preventive medicine, treatment service, promotion of health, services for diagnosis, and rehabilitation services.

Industrial medicine is justified on humanitarian and economic grounds because its results may be appraised in terms of improved welfare of workers, better employer-employee relations, reduced rates of accidents and occupational diseases, lower compensation premiums, more steady production and higher productivity of labour.

In Canada there is no certified specialty in occupational medicine recognized as such by the Royal College of Physicians and Surgeons of Canada. In the United States, however, industrial physicians receive specialist certification. In practice occupational medicine in Canada has also become a recognized specialty although many other sections of the mecical profession are concerned with the health of workers apart from industrial physicians. In addition, an industrial physician works with paramedical personnel such as occupational health nurses, industrial hygienists, medical attendants and technicians specialized in occupational mecicine. There is a gradual change in the status of industrial physicians in relation to organized medicine, management and labour parellel to the growing scope and objectives of industrial medicine under the modern and complex industrial structure of our economy. The working population constitutes a large proportion of our population but only a relatively small proportion of workers, mostly employees of large establishments, do in fact enjoy occupational health services. Any extension of such services will require more trained paramedical personnel and, probably, official recognition of industrial medicine as a specialty.

In general, Canadian industry is composed largely of small establishments employing less than 500 workers, which probably are too small to require the services of a full-time industrial physician. Consequently, most of the production units employ a part-time doctor or one "on call". The part-time industrial physician is usually a general practitioner.

The organization of supply of industrial medicine services depends on such factors as type of industry, size of industrial and commercial establishment and its location. Consequently, there are a variety of methods that may be used to provide occupational health services. There may be the co-operative arrangement under which a group of small firms share in financing a full- or part-time physician and other personnel. More often, however, a small establishment will use a local medical practitioner who will supply medical services on a part-time basis. In larger industrial centres, there may be an industrial clinic operated and financed

International Labour Organization, Forty-Third Session, Geneva, 1959, quoted in the brief from the Canadian Medical Association, B.C. Division, submitted to the Royal Commission on Health Services, February 20, 1962, Occupational Health, p. 1.

by physicians themselves and its services made available to all local industrial and commercial establishments. These private efforts are supplemented by governmental activities in occupational medicine through provincial industrial health units, and the Division of Industrial Health and an Industrial Health Laboratory in the Federal Department of National Health and Welfare.

During the war in 1943, there were 112 full-time and 229 part-time physicians on salary, employed in 220 factories with 200 or more workers, totalling 413,000 workers. An additional 63 physicians were employed on a fee basis, and 110 doctors, engaged in industrial contract practice serving workers in logging, mining and construction works away from centres of population, for which services the physician was paid out of wage deductions. In 1947, there were 200 full-time and about 750 part-time physicians engaged in occupational health services. Nearly half of the full-time and two-thirds of the part-time industrial physicians were employed by manufacturing industries. The largest concentration of full-time physicians was in the establishments employing 500 or more workers.

More extensive information on the qualitative and quantitative aspects of the occupational health services provided to employees by Canadian industrial and business establishments is available in the 1954 Survey of Occupational Health Services in Canada.³ This survey covered a total of 12,265 establishments employing 386,177 office and 1,256,051 non-office workers. The railways and telegraph companies were omitted. There were 272 full-time and 704 part-time physicians employed in the establishments reviewed.⁴ About 80.0 per cent of the physicians were employed in the heavily industrialized provinces of Ontario and Quebec. Again the largest concentration of these physicians was in manufacturing, followed by public utilities and mining industries. Establishments employing 100 workers or more accounted for four-fifths the employment of both full-time and part-time industrial physicians.

More recent information on the number of industrial physicians, the extent of availability of industrial medical services and medical personnel in selected Canadian industries is available in the publication on Working Conditions in Canadian Industry, 1962, of the Department of Labour. The survey covered about 80.0 per cent of establishments having 15 or more employees. Table 5-13 shows the number of establishments that employed doctors and the number of doctors, by major industries, as of May 1, 1962.

The Canadian labour force has increased from 5.493 million in 1954 to 6.590 million in 1962 but the actual number of physicians employed in industry on a full-time basis has remained the same between these two years. No importance can be

¹ Canadian Medical Procurement and Assignment Board, Report of the National Health Survey, 1945, Table 75, p. 163.

² Survey of Pension and Welfare Plans in Industry, 1947, DBS, Reference Paper No. 4, 1950, Health and Welfare Division, p. 97.

³ Research and Statistics Division, Department of National Health and Welfare, June 1956.

⁴ The number of physicians employed is open to a margin of error since in certain firms, one doctor may service two or more establishments. Hence some duplication may be inherent in the total figures.

	TABLE 5-13		
DOCTORS EMPLOYED	IN INDUSTRY,	CANADA,	MAY 1, 1962

	Number of	Number of		Physicians	
Industry	Establishments that Employed Doctors	Employees in Establishments that Employed Doctors	Employed full-time	Employed pert-time	On call
Manufacturing	1,489	511,533	88	570	1,318
Mining	113	42,302	30	26	134
Transportation	172	167,054	66	74	1,520
Public utilities	40	27,694	6	10	91
Service	169	36,381	37	52	159
Trade	516	135,112	18	112	494
Finance	48	33,559	16	24	41
All industry	2,547	953,635	261	868	3,757

Source: Working Conditions Survey (May 1, 1962), Economics and Research Branch, Department of Labour, June 12, 1963.

attached to the small increase in part-time industrial physicians because of the duplication involved in their numbers as one doctor may service a few establishments all of which will report having a physician on a part-time basis. The largest concentration of full-time industrial physicians was in manufacturing, transportation, service, and mining industries, in that order.

Appendix 5-7 indicates the extent of availability of industrial medical services and medical personnel in selected Canadian industries in 1962.

Only 1.0 per cent of the total reporting units of 8,618 in manufacturing had one or more physicians in attendance full-time as compared with 6.0 and 12.0 per cent one or more physicians in attendance part-time and "on call" respectively. Since, in general, only larger establishments employ physicians, the corresponding percentages indicating a coverage of plant and office employees by industrial physicians were naturally higher. Approximately one-quarter of the manufacturing workers had available the services of industrial physicians. This proportion was somewhat lower in the mining industry but it varied considerably between different types of mining. A somewhat higher proportion of the available medical personnel prevailed in the transportation industry, public utilities sector and for life insurance employees.

The costs of occupational health services are borne entirely by the industries concerned. These costs vary with the nature, size and, location of the industry as well as the type and extent of such services provided. It has been suggested that the costs per employee vary from a minimum of \$5.00-8.00 per year to a maximum of \$35.00-40.00.1

¹ CMA's Committee on Occupational Medicine, A Report submitted to the Royal Commission on Health Services, January 2, 1962, p. 1.

The Canadian economy is still subject to extensive industrialization and, therefore, it can be expected that in years to come occupational medicine will pay an increasingly important role in the provision of medical care to our growing working population and hence the demand for industrial physicians is likely to increase in the future.

8. Life Insurance Medical Officers

A small proportion of Canadian physicians serve as advisors to insurance companies, which provide the health insurance coverage at present in force. As of February 1962, there were 86 doctors of medicine associated with such insurance companies. They are organized in the Canadian Life Medical Officers Association, which is an affiliate of the Canadian Medical Association.

9. Canadian Forces Medical Service²

The provision of medical services to the members of Canada's armed forces and, in certain localities, to their dependents is the responsibility of the Canadian Forces Medical Service, which was formed in January 1959 through the unification of the medical branches of Navy, Army and Air Force under the direction of the Surgeon General, Canadian Forces.

At the end of World War II there were 3,387 doctors serving in the Canadian armed forces as compared with 33 in 1939. After the war and demobilization of the armed forces the number of military physicians again declined to a peacetime level of 110 in 1947. Military medical personnel expanded somewhat with the Korean War to keep pace with the size of the armed forces. Table 5–14 indicates the number of physicians in the armed forces during the years 1951 to 1962.

Because of the early retirement age of military personnel, medical officers fall within low age groups as shown in Table 5-15.

The total of 393 military physicians consisted of 65 certified specialists, holding specialist certificates of the Royal College of Physicians and Surgeons of Canada, 18 other specialists, 51 graded specialists, 65 specialist trainees and 194 others. A distribution of certified and non-certified specialists, by specialty, is shown in Appendix 5-8, which also indicates the extent of vacancies in the various specialties. Specialties mainly represented were those in General Surgery, Internal Medicine, Anaesthesia, Phychiatry and Diagnostic Radiology.

A brief from the Canadian Life Insurance Medical Officers Association, submitted to the Royal Commission on Health Services, February 10, 1962, p. 1.

² Statistical data concerning military medical personnel were obtained by the Royal Commission on Health Services from the Department of National Defence: Surgeon General, Canadian Forces, July 20 1962, File ref. HQ2-6030-2DSG (PTS).

³ Ibid., Table I.

TABLE 5-14

DISTRIBUTION OF CANADIAN FORCES MEDICAL SERVICE, BY SEX, 1951-1962
(as of March 31)

Year	Male	Female	Tota1
1951	185	1	186
1952	265	1	266
1953	347	2	349
1954	377	2	379
1955	429	2	431
1956	442	1	443
1957	457	1	458
1958	393	1	394
1959	402	1	403
1960	415	1	416
1961	412	2	414
1962	392	1	393

Source: Department of National Defence, Surgeon General, Canadian Forces, July 20, 1962, File ref. HQ2-6030-2DSG (PTS), Table I.

TABLE 5-15
AGE DISTRIBUTION OF CANADIAN FORCES MEDICAL SERVICE, 1962

Age group	Certified specialists	Other
25–34	1	42
35–44	40	241
45–54	24	45
Total	65	328

Source: Department of National Defence, Surgeon General, Canadian Forces, July 20, 1962, File ref. HQ2-6030-2DSG (PTS), Table II.

It had been pointed out in the evidence to the Royal Commission on Health Services that the appointment of qualified physicians as medical officers in sufficient numbers, has been a problem since World War II. ¹ This deficiency was partly overcome through short service commissions of doctors from the United Kingdom, (in 1962 there were 141 immigrant physicians in the Canadian Forces Medical Service) and the subsidy of Canadian medical students during the final forty-five months of their medical training by the army aurhorities in return for three years' service as medical officers. This particular programme was started in 1959 and accounted for an annual enrolment of 50 in that year, 63 in 1960 and 65 in 1961. Average cost of subsidization amounted to \$16,386 per student over the period of 45 months training.

¹ A brief from the Canadian Medical Association, submitted to the Royal Commission on Health Services, May 15, 1962, p. 41.

As of March 1962, there were 195 medical officers who entered military service by various subsidization plans. The World War II Subsidization Scheme accounted for 14.9 per cent of the above figure: unclassified early post-war scheme 3.1 per cent; Reserve Officers Training Plan — 8.7 per cent; 21 Months Plan — 70.2 per cent; and finally, 45 Months Plan for 3.1 per cent. From the records maintained since 1954 it appears that of 361 subsidized entrants under the above plans, 43.4 per cent relinquished their contractual option for release to become regular officers. Approximately one-third of so subsidized physicians became career medical officers with the armed forces.

It appears that in Canada, as in the United States, the voluntary procurement of physicians into the armed forces is difficult, partly, because of the routine nature of the work of medical officers who are dealing with a young and selected group of healthy men and, partly also, because of lower earnings in the forces than in private practice.

Arrangements are made to enable medical officers of the CFMS to keep abreast of medical research and to improve their skills through the post-graduate training programme which, however, is restricted to regular officers, and through attendance of professional conventions and refresher training by way of short clinical and technical courses.

Appendix 5–9 shows the scale of salaries in existence in 1962 for physicians in the armed services by categories of physicians and duration of service. The minimum for the unmarried doctor was \$7,056 and the married \$7,896. The corresponding maxima, after 25–34 years of service, by which time all ranks reach maximum active service age limits, were \$17,160 and \$18,000 respectively. These initial salaries were approximately one-third less than an average earning of physicians in private practice in 1960. Progressive increase in salaries of medical officers with duration of service is at a much lower rate than that of general practitioners and specialists in private practice. On the average, the private general practitioners reach their peak of earnings only after five years in practice and maintain it for the next twenty-five years and the specialists reach their somewhat higher peak after ten years and sustain it for the next ten years. It is interesting to note that there are no separate allowances paid to specialists. The scale of salaries is based on rank, minimum and maximum scales, and includes medical officer allowance, marriage and subsistence allowance and progressive pay in rank.

Economics of Medical Practice

This chapter is limited to a brief discussion of a group medical practice and an analysis of the statistical data obtained from a special survey of the economics of medical practice in Canada in 1960, carried out by the Royal Commission on Health Services in the spring of 1962. It includes an examination of earnings of physicians in 1960 showing incomes of doctors by province, type of major work, type of practice, size of community in which practice was located, years of experience and medical specialty practised. It also examines annual operating expenditures incurred in practice during 1960 by items of expenditure on a national and regional basis, size of community, type of major work, type of practice and specialty practised. In addition, this section examines the depreciated value of capital assets owned by doctors at the end of 1960 and the problem of capital costs of buildings and/or equipment purchased in the same year. The last part of this chapter is concerned with the cost of establishing a medical practice since 1956 and with the source and amount of funds used to establish practice initially.

1. Description of Procedure of the Survey

A mailing list of active civilian physicians, compiled mainly from the Canadian Medical Directory, was supplied by the Department of National Health and Welfare and a questionnaire was mailed to all doctors in Canada, including salaried physicians, interns and residents. To ensure the confidential nature of replies, the respondents were asked to mail the completed and unsigned questionnaire to the Royal Commission on Health Services. A sample questionnaire is reproduced as Appendix 5-1.

From an initial mailing list of over 20,000 doctors the Commission received about 7,000 usable replies. The survey did not cover those doctors who were in practice in 1960 but who left the profession by 1962, nor most of those who started their practice after 1960. Some of the questionnaires were not usable, however, and of the usable ones not all applied to the different parts of the analysis. Consequently, the number of respondents in various parts of this survey varied considerably, thus reducing the effective response rate for various sections of the analysis. No sampling of non-respondents was carried out and, therefore, it is not

possible to say with definite certainty that the various averages of income, operating expenditures and cost of establishing practice shown in this chapter are typical of the profession as a whole. However, all the evidence available to the Commission suggests that the group of doctors from which the averages shown in this study are drawn is fairly representative of the medical profession in Canada. Thus, for instance, the per cent distribution of respondents by province is generally in agreement with the actual per cent distribution of the total medical population in Canada by province. The same is true of the distribution of physicians between general practitioners and specialists. The evidence for the representativeness of the income figures was a general comparison of the returns which were received from the doctors in the survey with income tax returns for 1960.

2. Group Medical Practice¹

a. Definition

G.H. Hunt and M. Goldstein define group practice as "... a formal association of three or more physicians providing services in more than one medical field or specialty, with income from medical practice pooled and redistributed to the members according to some prearranged plan". This definition puts emphasis on the integration of the work of specialists.

Group medical practice refers to a system of practising medicine, and not to a method of paying for medical care. It entails professional co-operation, rather than competition, of the physicians within a particular group practice. It includes three or more doctors representing various specialties as well as general practice, with joint ownership of buildings, office facilities, and equipment. There is a pooling of medical skill, knowledge and experience through consultations, and the collective use of technical, administrative and other auxiliary personnel. Income is distributed to members of the group according to agreed principles.

References, Bowler, J.P., "Group Practice Is One Answer to the Problem of Distribution", Modem Hospital, vol. 62, May 1944, p. 46-49; Clark, Dean A., "Group Medical Practice", American Journal of Public Health, vol. 39, No. 3, March 1949, p. 321-328; Clark, Dean A. and Clark, Katharine G., "Organization and Administration of Group Medical Practice", Joint Committee of the Twentieth Century Fund and the Good Will Fund and Medical Administration Service, Inc., October 1941, p. 109; Clark, Dean A. and Hapney, Cozette, "Group Practice", The Annals of the American Academy of Political and Social Science — "Medical Care for Americans", January 1951; Collings, Joseph S., "Group Practice, Existing Patterns and Future Policies", The Lancet, vol. 265, July 1953, p. 31-33; Jordan, Edwin P., "The Business Side of Group Practice", The Journal of the A.M.A., vol. 155, August 7, 1954, p. 1371-72; Jordan, Edwin P., "The Physician and Group Practice The Year Book Publishers, Inc., Chicago, p. 238; Rorem, C. Rufus, "Pattern and Problems of Group Medical Practice", American Journal of Public Health, vol. 40, December 1950, p. 1521-28; Rorem, C. Rufus, "Economics of Private Group Practice", Canadian M.A.J., vol. 70, April 1954, p. 462-66; Sanders, J.P. and Nyberg, Charles E., "Integration of the General Practitioners into Well-Organized Private Group Practice Clinics', General Practitioner, vol. 1, May 1950, p. 71-75; Thorlakson, P.H.T., "Group Practice and Medical Education", Canadian M.A.J., vol. 63, October 1950, p. 336-39; Thorlakson, P.H.T., "Provision of Medical Services Through Group Practice", a Report submitted to the Royal Commission on Health Services, April 16, 1962, and Research and Statistics Division, Department of National Health and Welfare, A Survey of Medical Groups in Canada, 1954, Memorandum No. 7, November 1958.

Hunt, G.H. and Goldstein, M., The Journal of the A.M.A., vol. 135, 1947, p. 904, quoted by Joseph S Collins in "Group Practice, Existing Patterns and Future Policies", The Lancet, vol. 265, July 4, 1953, p. 32.

Because of the voluntary nature of group practice there exists a wide variety of forms of organization, sizes, methods of proprietorship and distribution of income. Some groups provide comprehensive medical care involving specialties and general practice while others are limited to purely diagnostic services and referred cases. Some groups are limited to special classes of clientele, such as contract patients, while others are sponsored by industries and non-profit foundations.

b. Reasons for the Development of Group Practice and a Few Historical Comments

Group practice is a natural outgrowth of the evolution in medical techniques and sciences, which allows a measure of flexibility in medical organization. During the last 50 years or so there has been a gradual but continuous change in medicine resulting from rapid scientific advances, specialization, development of new professions and vocations allied to physicians, greater reliance upon capital investment in expensive equipment, changes in the pattern of illness, composition of population, and requirement for closer co-operation among physicians in the provision of diagnostic and therapeutic services. Some of these factors have contributed to the greatly improved medicine of today but, at the same time, have resulted in the complexity and higher operating costs of medical practice making a solo practice somewhat obsolete. A doctor practising independently may not always be able financially to acquire all the modern equipment necessary for good medicine or to perform each professional and technical service because of incomplete knowledge, inadequate auxiliary staff, lack of opportunity for consultation with his colleagues or because of the pressure of time.

The effective utilization of diversified medical manpower, expensive equipment and the economic provision of medical services are, therefore, the principal reasons for the development of group practice.

The American Medical Association's Committee on Research in Medical Economics published the booklet: "Group Medical Practice" in 1940 and indicated the following four main objectives of group practice:

- "1. Increased professional efficiency in health conservation, and in the diagnosis and treatment of disease, secured through professional association, adequate equipment, and the co-ordination of the activities of physicians possessing differentiated skills.
- "2. Satisfaction of patients through continuity of relations with physicians, and through the convenience of obtaining medical services at a single center.
- "3. Realization of economy by means of efficient organization to furnish medical services and supplies at the lowest cost consistent with high standards of service.
- "4. Proper compensation for physicians, adequate facilities for their work, and systematic opportunities for professional education and advancement".

Quoted by Clark, Dean A, and Clark, Katharine G, in: "Organization and Administration of Group Medical Practice", p. 18.

Thus the specific objectives of group practice include personal convenience, economy, improved medical service to patients and better professional opportunities, improvement of working conditions and stabilization of income to physicians.

Group practice is not only a method for providing proper distribution of adequate medical care on an efficient basis, but it is much more than an economic device, for it provides a means through which diverse skills and achievements of modern medicine are made available to the general public.

Group practice is a unique medical organization confined to the United States of America and Canada following a general trend here towards larger enterprises and mass-production methods. It can be traced back to charitable and teaching hospitals and clinics. It had its origin in the dispensaries established in Philadelphia, New York and Boston in the latter part of the eighteenth century, which provided medical services to the poor. Later hospitals operated out-patient departments for indigent patients, in which a number of physicians were working together. However, the basis upon which group practice developed in the early twentieth century was the development of hospital staffs and the use of the out-patient departments by medical schools, which showed the advantages of team work by doctors. The Mayo Clinic, estiblished at the end of the nineteenth century, played a dominant influence in establishing group practice, but the new groups that developed began to differ in their professional aims as well as in the economic aspects of organized medicine.

Further incentive to the development of group practice was provided by the experience of doctors in the armed forces during World War II, who worked together larger medical units and were impressed by the advantages of group medical practice In the United States the number of medical groups of three or more physicians increased three-fold between 1946 and 1959. In Canada there were 127 groups in 1949 as compared with 187 in 1955.2 The greatest increases were in the provinces of Ontario, Saskatchewan and Manitoba. A survey of medical groups in this country, conducted by the Department of National Health and Welfare in 1954, revealed that about a quarter of physicians engaged in private practice in that year were associated in various types of groups.3 There were 877 groups which have been classified as follows: "Clinic groups" (109), "Specialist groups" (197), "General practitioner groups" (345) and "Other groups" (226).4 There were 518 groups or over half of all 877 groups which had two doctors, and they comprised over a 1,000 physicians or just over a third of all doctors practising in groups. Approximately three-quarters of all groups had less than five members, and the physicians in these groups numbered under two-thirds of all physicians practising in groups. They were mainly general practitioners while the larger groups comprised mainly specialists.5 A

¹ Thorlakson, P.H.T., a Report on "Provision of Medical Services Through Group Practice", submitted to the Royal Commission on Health Services, April 16, 1962, p. 13.

² Ibid.

³ Department of National Health and Welfare, Research and Statistics Division, A Survey of Medical Groups in Canada, 1954, Memorandum No. 7, November 1958, p. 2.

⁴ Ibid., p. 5.

⁵ Ibid., p. 6.

large proportion of all groups were located in urban centres and the actual number of physicians in groups tended to increase with the size of locality. These findings are confirmed in Appendix 6-2, which shows geographic distribution of group medical practice, by size of group and size of community, for regions and Canada in 1960. These limited data were obtained from a survey of the Economics of Medical Practice conducted by the Royal Commission on Health Services in 1962.

Small communities of less than 10,000 population in general can support only small groups of three to four doctors. Different sizes of group practice fit, however, into rural and urban communities and when strategically located may improve the supply of medical services, on a regional basis, because the group practice having specialists can serve patients from far away places.

c. Types of Group Practice and Methods of Distributing Income

Group medical practices may be classified according to the type of principal activity and scope of medical services provided, the ownership of buildings, facilities and equipment used and the categories of patients served.

With the principal activity as a criterion, medical groups can be classified as follows:

- 1. Complete service groups, or clinic groups which provide complete medical care encompassing the services of both general practitioners and specialists in the home, the office, and the hospital, to a continuing clientele. This form of group practice tends to be established in densely populated centres with good transport facilities. The number of specialties within a group is influenced by such factors as the size of community and the degree to which the group utilizes auxiliary personnel for routine diagnostic and treatment procedures.
- Reference groups, which mainly deal with referred cases by outside physicians, usually for a single illness. They are usually multiple specialty groups or clinics and ordinarily they do not provide complete medical care to a continuing clientele and limit their scope to the provision of diagnostic and consultant services.
- 3. Diagnostic groups, which consist of specialists and give little or no treatment service. Thus the physicians in such groups do not follow the progress of their patients. The public in general does not distinguish between functions of diagnosis and treatment and, as a rule, desires to receive complete medical care from the same medical organization.
- 4. Single specialty groups, which consist of three or more full-time specialists of the same category, or related fields such as internists, radiologists, orthopaedic surgeons, paediatricians, etc. For economic reasons these groups tend to locate in larger cities.
- 5. General practice groups, which consist of general practitioners only.

From the viewpoint of the categories of patients served medical groups may be classified as follows:

- 1. Private group clinics, including physicians of several specialties, which are opened to the general public but also accept referrals from other doctors. They depend mainly on prepayment programmes.
- Full-time hospital staff groups, which combine the out-patient and in-patient services at the hospitals owned by the groups, and render services to the gener public as well as to patients having prepayment insurance.
- 3. Medical groups, which provide medical care to the employees and their dependents of a particular enterprise or to organized consumers' co-operative groups, and the capital assets are owned by the employer or consumer.

From the point of view of ownership of capital assets, groups may be classified into three major categories:

- Legal partnership with some physicians accepting the role of partners while
 others accept employee status. The provisions of the partnership include
 sharing of income, obligations of partners, vacations, sick leave etc. There are
 also departmentalized partnerhsips, where each department of a clinic operates
 as a team of two or more members, using the same facilities and sharing the
 net income.
- Sole proprietorship where one doctor owns all the assets and controls the
 practice while other physicians are employees and remunerated generally on a
 salary or percentage basis.
- 3. Corporation an association of physicians under which a corporation owns the buildings and equipment while a medical group conducts and controls the medical practice of the clinic. The principal reason for this arrangement is a legal restriction against medicine organized along the lines of a corporation. Usually, the members who found the group are the main shareholders of such a corporation. The medical group leases the building and equipment from the corporation, which is governed by its by-laws and selects its management. In some cases, a medical foundation or institute may own all the capital assets. This corporation-medical group association ensures the continuity of the group in case of death, resignation, dismissal or retirement of memberdoctors.

Physicians do not usually have equal status within a private medical group from the standpoint of administration, ownership and income. Thus, senior members who originate a group, make decisions on administrative and personal matters, promotions, etc., while junior partners participate to a limited extent in the determination of business and professional policies. Employee-physicians are usually excluded from management and receive straight salaries only.

Some groups operate on the basis of fee-for-service only, while others receive mainly regular payments for services rendered to patients who have medical insuran under voluntary prepayment programmes or an industrial labour contract. However, a combination of the two sources of income is common. Since medical groups can, in

many cases, provide complete medical care for a substantial number of people, prepayment plans which are based on a broad population foundation, are a natural concomitant of group practice.

It is generally accepted that group practice is less remunerative than a successful solo practice, general or specialist, though income of physicians in group practices tends to be more stable. In addition they have other benefits such as financial security in case of illness, paid vacations and access to modern and expensive equipment.

Incomes of individual physicians in group practice are influenced by such factors as type of specialty, doctor's experience, length of service with a group, volume of services performed as measured by total consultations, examinations or treatments, popularity with patients and ability to attract new patients, degree of administrative responsibility, contribution to quality of service through research and additional education and mere skills, etc. Any financial arrangement within a medical group must aim at rewarding ability and effort, avoiding financial competition within the group and stimulating co-operation.

The following are the main methods of income distribution:

- Sharing net income among members of a group based either on the equality
 principle or according to a point rating system. The latter takes into consideration some of the factors mentioned above in determining the size of income
 of a particular physician. The latter system also provides the necessary incentive,
 but it is difficult to set up and may cause dissatisfaction among the members of
 the group.
- 2. Salary system, under which a salary is paid to new members of a group until they become partners or full members. It may fail to provide the required incentive for the more enterprising and well qualified junior partners unless advancement is given readily by the senior members.
- Fee-for-service method, under which each member of the group receives his own earnings less his share of the operating expenditures. This method tends to introduce an element of competition within a particular group.

In practice, the above three main methods may be combined in various ways.

It has been reported that in Canada in 1954 over one-half of reporting physicians (74 per cent was the response rate of all physicians in group practices) in any one type of group pooled their income; on the average, for all reporting group physicians, 20 per cent were on salaried basis, and another 5 per cent partly on salaried basis, and 20 per cent received "receipts from own practice". 1

d. Advantages and Disadvantages of Group Practice

Group medical practice, as a relatively recent development in the distribution of medical services, must be critically assessed from the viewpoint of both patients and doctors. More complete empirical studies of group practice in Canada are needed to provide a proper basis of evaluation as to its efficiency, professional desirability,

¹ Ibid., p. 74.

and its role in any reorganization of medical manpower to meet a future increase in demand for medical care in this country. The following comments are made with reference to group practice in general.

Group practice offers some benefits to the patients that are professional, economic and sociological in nature. Complete treatment of a patient requires cognizance of his personal problems and social environment. It is claimed that "... the medical group can provide the most favorable environment for the consideration of health service in its entirety. Comprehensive health examinations, health education, solution of social and emotional problems, vocational advice, and special types of therapy call for resources and personnel which cannot be readily provided by the busy solo practitioner in his private office. Group practice of medicine can assume total responsibility for the individual patient and fulfil its complete obligation".1 Improved medical service is made available to a patient because he gets the pooled scientific knowledge and varied skills of all the members in a medical group; a larger group usually comprises the younger, recently trained physicians, and the senior, more experienced doctors, making collective experience and up-to-date training available to the patients; special diagnostic and therapeutic skills, facilities and methods are immediately provided when required; physicians are stimulated to follow modern medical achievements being subjected to the informal appraisal of their colleagues. Team-work is required because of the complexities of modern medicine. Fees charged to patients tend to be in line with fees charged by other physicians in the same community, but since group practice appears to be more efficient in the utilization of resources, personnel and material, the patients very likely benefit from a higher quality of service. In addition, patients save time and perhaps money, if they have to consult a few specialists. Group practice yields itself to various forms of prepayment plans and it may be located in smaller centres, thus increasing the availability of services, in particular, of specialists, to the patients in rural and small urban areas.

These potential advantages are, to some extent, offset by certain drawbacks of group practice. The patient's freedom of choice in the selection of his own doctor is somewhat impaired since he is limited to physicians wihtin a given medical group. On the other hand, it may be argued that, in fact, the patient is rather helped in making a rational choice of a doctor because under group practice he will be diverted to the physician who is best qualified to take care of his particular ailment. It is alleged that group practice implies "mechanized" and "assembly-line" medicine where every patient is exposed to long and expensive referrals, consultations, laboratory and technical procedures that may not always be required. This would imply misuse of science resources. Being treated by a team of physicians, the patient is exposed to a scattered approach of each individual doctor for whom he is just a "case" while in fact, the patient's personality is not really divisible. On the other hand, it is said, that a group usually assigns one of the doctors as the patient's "personal physician" and the fact that several doctors are able to discuss the patient's case with one another or with the family doctor ensures continuity and uniformity of medical care.

¹ Clark, Dean A. and Hapney, Cozette, "Group Practice", p. 2.

Physicians in group practice gain professional, educational, economic and practical benefits. A group can more easily afford to employ auxiliary personnel such as nurses, secretaries, managers, technicians and others, who relieve physicians of routine, time-consuming and "unproductive" work. Thus they can spend more time on their professional functions. They improve professionally by contact with each other and by sharing experience. They limit their work to those medical procedures for which they are most qualified.

Group physicians having regular working hours can enjoy more time for leisure, undertake post-graduate studies, conduct research, attend conferences and plan vacations, without any loss of income. A group physician is under less economic pressure to take more patients than he can handle satisfactorily since, in most cases, his income does not depend directly on the number of patients he attends.

Operating expenditures per group doctor tend to be relatively less than per individual specialist in the same community although group practice tends to have higher capital expenditures. Expensive equipment is used to its full capacity and duplication of facilities is avoided. A young doctor in solo practice cannot be expected to purchase initially all the modern equipment required, to the disadvantage of his patients, while a group practice offers an opportunity to enter modern practice without a heavy professional capital investment and delay in establishing practice. It has been suggested that: "The usual spread between the individual practitioner's gross intake and his net income is 40 per cent. Group practice can lower this spread to 30 per cent, sometimes more".1

The economic incentives of a group doctor tend to merge with those of the group as a whole and hence he has no direct financial concern with the amount and quality of services he gives to patients. His professional incentives are relatively more free from financial considerations. Moreover, he is assured of a relatively stable income throughout his professional life unlike a solo practitioner who usually experiences wide variations in professional income during his active medical career. In addition, group physicians usually have retirement provision, security for disability due to illness and group insurance plans.

There are also some disadvantages to doctors engaged in group practice. Group practice may lead to a narrow over-specialization; it may attract physicians seeking professional and economic security rather than excellence of independent practice, and it tends to restrict the individuality of the physician. He must abide by the decisions of the majority because team work requires conformity to group rules. These factors may adversely affect the independence of professional judgement and discourage professional progress.

The salary method or sharing net earnings may not attract superior doctors who will probably do better financially in solo practice.

The list of potential drawbacks of group practice both to patients and physicians suggests that this method is by no means a panacea for all problems involved in modern medicine. Despite this reservation, however, group practice may be considered as an alternative to a solo practice particularly in larger areas.

Davis, Michael M., "Medical Care for Tomorrow", Harper & Bros., New York, 1955, p. 146-47.

e. Canadian Doctors' Views on Group Practice

The Royal Commission on Health Services in its questionnaire on Medical Practice, asked the doctors to indicate "yes" or "no" to three questions on group practice, whether it tends to:

- (a) Improve the quality of medical services?
- (b) Improve the availability of medical services?
- (c) Improve the working conditions of doctors?

A statistical analysis of opinions on group practice expressed by the reporting physicians is shown in Table 6-1.

This table suggests that Canadian physicians have firmly established views on group practice, as only a small proportion of the reporting physicians were undecided in their assessment of the various aspects of group practice.

Sixty-five point five per cent of over 10,000 doctors replying to the first question have indicated that group practice improves the quality of medical services. It is of interest to note, however, that only approximately half of the physicians in solo private practice gave a positive answer to this question. Over 90.0 per cent of physicians working in group practice were affirmative in their opinions on this aspect of group practice.

Four-fifths of the respondents believed that group practice improves the availability of medical services and even almost three-quarters of the physicians in solo private practice were of the same view. It is interesting to observe that over 90.0 per cent of the reporting doctors thought that group practice improves the working conditions of doctors. This high proportion would suggest probably that group practice will further develop in this country.

The views of doctors on group practice were also related to their age or years of practice. In general, the views of older doctors did not differ much from those of the younger ones though the older doctors seemed to be a little doubtful whether group practice improves the quality and availability of medical services and the working conditions of doctors.

Finally, it appears from the table that a location of practice, by size of community, had really no bearing on the opinions of the doctors with respect to these three aspects of group practice.

f. Conclusions

The patterns of medical practice develop with the evolution of medical science and techniques as well as with the changes in the scope and type of medical needs. It is, therefore, difficult to predict the future development of group practice. Its success will be determined by the attainment of a high standard of service, satisfactory doctor-patient relationship, efficient administration, research and educational achievements and a socially acceptable policy with regard to ownership of capital assets and physicians' income.

STATISTICAL ANALYSIS OF OPINIONS ON GROUP PRACTICE EXPRESSED BY CIVILIAN CANADIAN DOCTORS, 1962 TABLE 6-1

					Group	Group Practice Tends to:	ce Ten	ds to:				
Type and Auspices of Work, Duration	(a) Improve the Quality Medical Services	rove t]	mprove the Quali Medical Services	lity of s	(b) Improve the Availability of Medical Services	Improve the Availabi	e Avail Servic	ability	(c) Im Cond	prove t	(c) Improve the Working Conditions of Doctors	king
of Practice and Size of Community in Which Located			Per Cent	nt	,	щ	Per Cent	ıt	;		Per Cent	ıt
	No. Re- porting	Yes	No	Unde-	No. Re-	Yes	No	Unde- cided	No. Ke-	Yes	No	Unde- cided
Type and Auspices of Work Private Practice:												
Self-employed	4,739	46.5	49.9	3.6	4,737	70.1	27.1	2.8	4,860	87.5	10.2	2.3
Partnership	1,428	81.3	17.6	1.1	1,430	91.4	8.1	0.5	1,435	96.1	3.5	0.4
Group practice	1,081	91.0	7.8	1.2	1,069	95.5	3.9	9.0	1,085	98.1	1.5	0.4
Total	7,248	0.09	37.2	2.8	7,236	78.1	19.9	2.0	7,380	7.06	7.6	1.7
Interns and Residents	1,064	78.5	18.9	2.6	1,070	88.9	9.5	1.6	1,085	9.96	2.5	6.0
Hospital Staff	951	9.62	17.5	2.9	944	88.0	9.4	2.5	964	96.4	2.2	1.4
Research and Teaching	373	72.9	22.3	4.8	377	87.5	11.4	1.1	382	93.2	2.0	1.8
Other	783	77.7	20.3	2.0	788	90.1	8.6	1.3	793	96.1	2.8	1.1
Grand Total	10,419	65.5	31.7	2.8	10,415	81.3	16.8	1.9	10,604	92.3	6.1	1.6
Duration of Practice												
Less than 10 years	4,170	65.7	32.3	2.0	4,179	82.7	16.0	1.3	4,245	93.6	5.2	1.1
10 - 19 years	2,702	67.9	33.9	3.2	2,700	80.7		2.1	2,754	92.4	6.1	1.4
20 - 39 years	2,094	63.3	33.0	3.7	2,090	77.6		2.8	2,133	89.2	8.3	2.5
40 years and over	298	60.7	35.2	4.0	290	71.4	24.5	4.1	293	84.0	12.3	3.7
Size of Community in which Located	,)		((1	(1	,
Less than 10,000 population	1,938	71.7	26.1	2.2	1,919	80.2	17.8	2.0	1,965		2.0	1.6
10,000 - 49,999 population	1,251	9.89	28.9	2.5	1,240	81.0	16.7	2.3	1,256		6.4	2.0
50,000 population and over	7,195	63.2	33.8	3.0	1,223	81.7	16.4	1.9	7,349	92.1	6.4	1.5

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

The co-ordination of a medical insurance plan with a group medical practice would offer financial security to physicians, overcome the economic barriers that exist to the demand for medical services, increase availability of medical care in all geographical areas, and ensure efficient use of medical manpower and allied resources.

Group practice may prove to be an important method in planning the supply and distribution of medical care on a local and regional basis. General practice groups located in geographically strategic communities would ensure more equal distribution of medical manpower between rural and urban areas, and meet a major part of the medical needs of the average patient. More complex groups, including specialists, could be planned on a regional basis. The size of any group would depend on such factors as population density, transportation and communication facilities, hospital facilities and others. Local planning and regional integration of medical markets would involve some adjustment in training of medical manpower and paramedical personnel, in order to equalize supply and demand for various categories of physicians and other auxiliary personnel.

It has been suggested that a medium-sized clinic comprising approximately 30 physicians could serve a centre of 25,000 to 30,000 population on the assumption that there should be one physician for 750 to 1,000 people and that a physician averages 300 working days a year.¹ The following distribution of physicians according to type of practice has been recommended:²

General practice17	
Obstetrics and gynaecology	
Surgery 2	1
Ophthalmology 2	
Radiology 1	
Dermatology 1	
Cardiology	
Gastro-enterology	
Otolaryngology 2	
Paediatrics 1	
Orthopaedic surgery	
Pathology 1	
Total	-

Sanders, J.P. and Nyberg, Charles E., "Integration of the General Practitioners into Well-organized Private Group Practice Clinics", p. 74.

² Ibid.

3. Earnings of Physicians in Canada

a. Some Economic Aspects to be Considered

The adequate remuneration of physicians is a necessary condition for a sufficient supply of medical manpower and for the maintenance of high standards of medical care. Physicians, like other professional groups, are motivated not only by professional, but also by financial incentives in their activities.

In a comparative analysis of professional incomes of physicians and those of other professional groups, it is perhaps necessary to stress certain specific features of the medical profession. The long and intensive training of physicians involves not only direct personal investment in education but also an inevitable postponement of earnings. It is difficult, however, to estimate exactly to what extent the higher earnings of physicians are due to these "extra costs". In addition, the medical profession requires persons of relatively rare personal and intellectual abilities and it demands a development of special skills and long experience before a peak in earnings is achieved. The practice of medicine involves numerous occupational hardships, hazards and specific mode of living. For "Medicine, indeed, involves less regular and longer hours, less personal freedom, the inconvenience of 'home' calls at any hour of the day or night, and, consequently, greater physical and mental strain." Physicians, generally, are obliged to postpone marriage and the attainment of financial independence. It is perhaps impossible to assess quantitatively the importance of the above factors and their impact on physicians' earnings.

Medical practice provides no economies of scale though some economic advantages are offered through a group medical practice. The medical market is of a local nature and characterized by imperfect competition. There are real economic barriers and institutional factors governing entry into the medical profession, which may account for the slow adjustment of supply of medical manpower to a rapidly growing demand for medical services. Restriction of entry into medicine is open to different interpretations. "It may reflect, first, a public policy of raising the standards of medical practice to levels that create a shortage in the relative supply of 'innate abilities' needed for the medical profession; ... second, a related public policy of raising the standards of medical training to levels that are difficult for medical schools to meet and that make it impossible for the accredited schools to handle large numbers of students; or, third, a deliberate policy of limiting the number of entrants in order to keep down the total number of physicians, that is, to prevent 'overcrowding' of the profession." Thus, the length of medical training required, financial barriers in the case of some potential doctors, a licensing policy which implicitly aims at limiting the number of practitioners, and inadequate knowledge of the real conditions of the medical market, may account for its imperfections of competition and maladjustment of supply and demand for medical manpower.

¹ Friedman, Milton, and Kuznets, Simon, Income from Independent Professional Practice, National Bureau of Economic Research, New York, 1945, p. 130.

² Ibid., p. 395.

The medical market differs from other markets because of the unique value of medical services to the individual and the community. These services are greatly "differentiated" because of the heterogeneous nature of the medical profession and also because medical services are highly "personalized". Hence the considerable differences in the prices of medical services and the variability of incomes amongst physicians.

Differences in earnings within the medical profession reflect a number of factors. The more important factors are: location of practice, type of major work, type of practice, length of experience, doctor's reputation, personality, ability, social connections and the organization of practice. Adequate statistical analysis is possible for only a few of these factors. Differences in earnings caused by location, type and organization of practice tend to persist and they account for the stability of relative income status amongst particular groups of physicians. On the other hand, length of experience causes variability of annual income over the physicians' working lifetime.

The relative increase in physicians' income during the last decade or so is probably due to the general economic improvement of our society that resulted in greater demand for medical services, population growth, the higher productivity of physicians resulting from increased use of auxiliary personnel, modern equipment and improved transportation that enables physicians to see a higher proportion of patients in the office.

Economic analysis of medical practice involves two basic problems, namely, the methods of payment for services rendered by physicians and setting of fees, and the level of income as affected by the various factors mentioned above.

b. Factors Affecting Medical Fees and Methods of Earning

In general, the effective range of medical fees is determined at the lower level by the operating costs of medical practice, and at the upper limit by the ability to pay plus the unique value of medical service to an individual. In exceptional cases a doctor may give free service.

Medical fees, like most of other professional fees, tend to remain stable for a considerable period of time irrespective of changes in the cost of living, the general state of the economy and actual changes in the medical services market. The Canadian Medical Association publishes a schedule of fees as a guide to the profession. The latest one became effective as of January 1962 and, for the first time, fees were established not only for general practitioners but also for specialists. The schedule is used by practitioners as well as by the organizations which insure the cost of medical services.

J. Backman, after having made a survey of the various professions, suggested that the fee charged usually is determined by some combination of the following main factors: cost of service rendered (i.e., expenses incurred and time involved), ability to pay, value of service rendered (i.e., amount of money involved,

savings to client, convenience to client and success or failure of producer's performance, establishment of precedent), customary or fixed nature of fee, casual or established relationship with client and, finally, legal limitations.

The precise combination of these factors will vary amongst physicians and with the same doctor it will vary over time as well as with respect to his particular patients. The fee charged the average patient must be adequate to cover the pro rata share of operating expenditures that will include the cost of medical supplies, office rental, wages paid to auxiliary personnel, amortization of equipment and other capital assets and an adequate compensation for the time spent by a doctor. Moreover, a physician may use a sliding scale of fees, depending on the patient's ability to pay as measured by size of family income and by size of community. The criterion of value of service rendered to a patient is closely related to ability to pay. Convenience to the patient (i.e., doctor's visit at home) also determines the size of fee. In general, the customary fee or fees suggested by the association within geographic areas and specialties practised may provide a list of minimum fees with the actual level determined by the various factors mentioned above.

In evaluating and comparing the financial arrangements between physicians and patients, attention must be given not only to the fee schedules, but also to the method of payment which may affect the type, quality and quantity of medical services as well as the professional income of the physician. In practice, it may be difficult to assess the connection between the method of payment and the doctor-patient relationship because the quality of medical care depends upon the doctor's training, ability and experience. Nevertheless, he is susceptible to the conditions or auspices under which he works, or at least, his energy and interest are influenced by economic incentives.

Basically, there are three methods of payment: fee-for-service, which is the principal method of remuneration of physicians in Canada, salary or salary plus fee-for-service, and the capitation or panel system under a national health scheme where the doctor is paid a fixed rate per annum for each patient on his panel whether he is required to render service or not. This latter method is used in Great Britain. Some three-quarters of physicians in Canada obtain their earnings by fee-for-service method.

It is argued that the fee-for-service system fosters a higher standard of service provided by physicians since it ensures a financial return in proportion to ability, training and the experience of the doctor. Moreover, it "...allows the evaluations of the market place as expressed by the actions of patients, the widest scope..." because the popular doctor will have many patients and a larger income and "...if the judgment of patients reflects a true evaluation of the relative professional skill..." then the fee-for-service method operates "... to reward efficiency and promotes high standards." In other words, it is claimed, that the pricing of

Backman, Jack, "Professional Fees: Factors Affecting Fee Setting in the Several Professions," The Journal of Accountancy, vol. 95, May 1953, p. 555.

² Davis, Michael M., op. cit., p. 332.

medical services under the fee-for-service system, is determined by the forces of supply and demand mitigated but not removed by the occasional charity of physicians and the sliding scale of fees. In addition, the proponents of this payment system argue that this method is an important factor in the preservation of the personal relationship between patient and doctor, that it protects professional independence, and ensures freedom of choice to the patients.

These probable advantages of the fee-for-service method are offset somewhat by a number of disadvantages. Thus, for instance, it may be argued that this system places a premium on quantity rather than quality of medical services because the financial incentive "...meets the counteracting force of the doctor's professional standards which define what services the patient's best interests would require; but there are cases where professional judgment about required services is evenly balanced and where the economic motive may enter unconsciously".1 It may be difficult to identify the price and value of medical services because some people believe that the best services always cost more and, therefore, are prepared to pay more for them. The sliding scale of fees, based on the ability to pay, implies an indirect form of taxation and, in fact, there is no public participation in the determination of the equitable distribution of the financial burden of illness. One writer has observed that "the sliding scale has the basic limitation that it can distribute costs only among sick persons of different economic groups, not among both the well and the sick. Furthermore, it places upon the physician the responsibility for deciding the patient's ability to pay - a task frequently difficult and often invidious for the physician".2 It is also said that the fee-for-service method constitutes a barrier to preventive medicine because in the absence of a real physical distress there is no compelling reason to seek the doctor's services. For many individuals and families, under the fee-for-service method, the cost of medical care raises two major problems; namely, the high cost of illness and the lack of care or delay in obtaining needed medical services. Needless to say, this adversely affects their efficiency. In some cases, physicians stand ready to offer free services, but charity can only mitigate the burden of sickness costs; it provides no real remedy. "The spirit of charity is not disparaged by asking to what extent the principle of charity is sufficient to deal with the problem of sickness costs, which affects not only the destitute and those on the borderline of poverty, but also families of all income groups except the well-to-do." 3

It is estimated that 20 to 25 per cent of all active physicians in Canada are mainly remunerated on a salary basis although in addition to salary they may have also an opportunity to provide medical services on a fee-for-service basis. These salaried physicians are engaged in public health and preventive medicine at all levels of government service, in the armed forces, in industrial medicine, in hospitals as pathologists, bacteriologists, biochemists, radiologists or administrative posts, in research and teaching, in sanatoria, in rehabilitation centres or in medical

¹ Ibid.

² Ibid., p. 26.

³ Ibid., p. 25.

group practice. The salary is fixed on the basis of qualification, experience, age and ability. As a rule the salaries of physicians are lower than the professional incomes of independent practitioners because of the latter's large capital investment in building and equipment and the expenses of building up a practice. On the other hand, salaried physicians have certain advantages which are not reflected in their salaries, such as paid vacations, sick leave, insurance and pension benefits and periodic educational leave. The salary system of remunerating doctors may be said to promote high standards of medical care because by ensuring a predictable income the physician concentrates on the continuity of high quality medical care.

c. Average Total Net Income of Active Civilian Physicians

The effective response rate of active civilian physicians to the Questionnaire on the Economics of Medical Practice with respect to their earnings is shown in Table 6-2.

A breakdown of reporting physicians between those in group medical practice and those not in group medical practice is made because the major part of the subsequent analysis of doctors' earnings is confined to those not in group practice. The survey data may be considered as fairly representative since the percentage distribution of respondents, by province, for both the total number of physicians and for those not in group practice is within a narrow percentage margin in agreement with the actual distribution of medical manpower in Canada by province. The response rate of the Province of Quebec is the lowest with only about one-quarter of the physicians replying to the Commission's questionnaire, while that of Prince Edward Island is the highest with approximately half of the province's physicians replying. As for the remaining provinces, approximately one third of their physicians provided usable replies concerning doctors' remunerations.

As a measure of the level of income of physicians, classified by different variables, the arithmetic mean is used because the arithmetic mean, by definition, is the income each doctor of a particular category would receive if the total income of each category of doctors as a whole were divided equally; it provides, therefore, a convenient method for establishing patterns in the distribution of incomes.

Average total net income is defined here as net income before taxation, earned from independent medical practice, from salaried professional employment, plus other professional income such as income from a fellowship. Net income from independent practice represents gross income from medical practice less the operating costs connected with the practice.

Appendix 6-3 shows average annual total net incomes of active civilian physicians, by source of income and by type of major work in which the reporting physicians were engaged in 1960 for provinces and Canada. These data exclude physicians in group medical practice. For each province, the actual total number of doctors in active civilian practice may be compared with the number from whom replies to the questionnaire were received, but there is no way of knowing whether

PER CENT RATE OF RESPONSE TO 1962 QUESTIONNAIRE ON EARNINGS OF ACTIVE CIVILIAN PHYSICIANS IN 1960, FOR PROVINCES AND CANADA TABLE 6-2

	Physicia	Physicians, 1962			Quest	Questionnaire Response	ponse		
Province		ž	Numb	Number of Respondents	ndents	Per cent Rate of Response	it Rate ponse	Per cent of Canada	er cent of Canada
	Number	Per cent	Not in Group Practice	In Group Practice	Total	Not in Group Practice	Tctal	Not in Group Practice	Total
Newfoundland	296	1.4	78	11	89	26.4	30.1	1.3	1.2
Prince Edward Island	88	0.4	22	21	43	25.0	48.9	0.4	9.0
Nova Scotia	728	3.4	233	44	277	32.0	38.0	3.8	3.8
New Brunswick	462	2.1	146	3	149	31.6	32.3	2.4	2.1
Onebec	6,067	28.3	1,561	52	1,613	25.7	26.6	25.3	22.4
Ontario	8,120	37.9	2,414	288	2,702	29.7	33.3	39.1	37.5
Manitoba	1,126	5.2	259	124	383	23.0	34.0	4.2	5.3
Saskatchewan	847	4.0	225	74	299	26.6	35.3	3.6	4.1
Alberta	1,455	8.9	348	205	553	23.9	38.0	5.6	7.7
British Columbia	2,245	10.5	616	214	830	27.4	37.0	10.0	11.5
Not Stated			277	ı	277			4.4	3.8
Canada	21,434	100.0	6,179	1,036	7,215	28.8	33.7	100.0	100.0

Source: Directory of Canadian Mailings Limited, 1962, and Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

AVERAGE ANNUAL TOTAL NET INCOME FROM MEDICAL PRACTICE AND SALARIED APPOINTMENT OF ACTIVE CIVILIAN PHYSICIANS, BY TYPE OF MAJOR WORK IN WHICH ENGAGED DURING 1960, FOR PROVINCES AND CANADA¹ TABLE 6-3

	Canada	0 13,820 0 18,730	0 1,740 0 3,360	0 13,590 0 11,560	0 8,940 0 13,870	0 10,750		0 15,110	19,420
	Not Stated	14,030	1,840	11,200	7,990	11,200	12,770	10,440	1
	British Columbia	16,220 18,030	2,060	11,320	10,880	11,200	11,860	11,260	19,460
	Alberta	13,340 19,320	1,530	11,730 9,270	10,300	9,360	15,960	18,750	17,780
	Saskat- chewan	13,810	1,040	10,050	20,000	12,000	11,530	ı	17,420
	Saskat- Manitoba chewan	14,390 16,550	1,110	12,300	10,420	12,860	14,090	2,000	26,710
Province	Ontario	14,930 20,660	2,010	15,490 13,300	8,150	10,350	14,650	15,380	18,890
Pro	Quebec	10,990 16,340	1,430 3,100	12,900	9,020	10,400	13,070	17,270	17,230
	New Bruns- wick	13,490 19,640	3,220	10,580	I I	10,610		Ī	19,380
	Nova Scotia	13,820 18,390	1,780 3,840	14,580 8,850	9,160	12,590	12,190	16,470	20,450 19,380
	Prince Edward Island	11,360 14,930	Ιİ	1 1	ĪĪ	10,350	1	ı	14,910
	New- foundland	13,880	400	19,000 9,860	LI	10,430	7,610	8,500	9,100
	Type of Major Work	Private Practice: ² General\$ Specialist\$	Internship: Junior\$ Senior\$	Hospital Staff: Specialist\$ Other\$	Research\$	Public Health	Other	Not Stated\$	Average Net Income of Physicians in Group Practice\$

1 Average income includes net income from practice, salaried appointment and other professional activities.

2 Excludes partnership or group medical practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

the responding doctors are a representative sample of all doctors practising in a particular province. An additional limitation arises from the fact that there is no information on the actual distribution of physicians as between the various types of major work.

Table 6-3 summarizes the data of the above appendix and it shows the average total net income of doctors in 1960, by type of major work, for provinces and Canada.

Several important conclusions emerge from Table 6-3 subject to the above-mentioned limitations. The average income of specialists engaged in independent private practice, in the country as a whole, was approximately \$5,000 higher than the average income of general practitioners. This differential is due to the fact that the specialists have foregone income during additional years of training required and most of them live in larger cities where the costs of living tend to be higher than those prevailing in smaller localities. The average salary of specialists working in hospitals was lower than the average income of specialists in private practice. The differential between the salaries of specialists and non-specialists working in hospitals amounted to \$2,000.

Incomes of physicians in private practice depend, in general, on the level of personal income of the people they serve, the degree of utilization of medical services and the level of fees. Incomes of general practitioners in British Columbia, Ontario and Manitoba, the provinces which had the highest personal income per capita in Canada in 1960, were higher than those in other provinces. This correlation is less evident in the case of specialists. The three provinces mentioned also have had the most favourable physician-population ratios in 1960 as compared with those of other provinces. The provincial differences in incomes of general practitioners were, however, smaller than the differences in incomes of general practitioners between sizes of community in which practice was located. This would suggest a greater geographical mobility of general practitioners between provinces contrasted with such mobility within a province. The incomes of general practitioners in the Province of Quebec were the lowest in the country and, probably, the language barrier hampers their inter-provincial mobility.

Table 6-3 also indicates that independent medical practice tends to be more lucrative than salaried medical employment. Thus the incomes of doctors engaged in medical research amounted to only \$8,940, in public health to \$10,750, far below the average net income of general practitioners in the country as a whole. The incomes of physicians engaged in teaching and in industrial medicine approximated that of general practitioners.

It has been reported to the Commission that salaried physicians in the United States receive salaries approximately 50 to 70 per cent higher than Canadian salaried physicians. This fact is probably the main reason why Canadian physicians in the salaried group seek employment in the United States.

A brief from Ontario Medical Association, May 7, 1962, submitted to the Royal Commission on Health Services, Appendix No. 4, p. 113.

It is of special interest to note the very low incomes of interns and residents in all provinces. The fact that the income of residents, who require four to five years of specialized training does not exceed \$4,000 per annum might well constitute the most important economic factor in the recruitment of young Canadians into the medical profession.

Table 6-3 also indicates that the average net income of physicians working in group medical practice in most of the provinces was higher than that of general practitioners. This is due to the fact that group practices are composed mainly of specialists.

Appendix 6-4 indicates the average net income of physicians in group practice and number of practices/doctors, by size of group, for provinces and Canada. Table 6-4 summarizes some of these data.

TABLE 6-4

AVERAGE TOTAL NET INCOME OF PHYSICIANS IN GROUP PRACTICE

AND NUMBER OF PRACTICES/DOCTORS, BY SIZE OF GROUP, CANADA, 1960¹

Size of Medical Group	Number of	Average Net Income
(Number of Physicians)	Practices/Doctors	
		\$
3	90/ 270	18,490
4	33/ 132	17,710
5	21/ 105	18,430
6	13/ 78	19,460
7	10/ 70	15,480
8	3/ 24	18,500
9	4/ 36	17,860
0	2/ 20	28,510
0 and Over	16/ 301	21,910
Total	192/1,036	19,420

Includes only those practices that responded.

Sources: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

The number of practices reported is perhaps too small to draw any definite conclusions. It appears, however, that physicians working in a group medical practice comprising 10 or more doctors enjoyed the highest average net incomes. Most of these practices were located in Western Canada.

Appendix 6-5 shows the number reporting and average net income of general practitioners and specialists, whose income was derived from independent practice only, for provinces and Canada. It appears that most of the reporting physicians confined their activities to private practice only.

Table 6-5 illustrates the extent to which some reporting physicians depended for their incomes on both private practice and salaried professional appointment.

TABLE 6-5

PER CENT OF ACTIVE CIVILIAN PHYSICIANS IN PRIVATE PRACTICE AND ON SALARIED APPOINTMENT TO TOTAL NUMBER OF REPORTING PHYSICIANS BY TYPE OF MAJOR WORK AND AVERAGE NET INCOME, CANADA, 1960¹

	Respon	se Count			
Type of Major Work	No.	Per Cent of Total Count	Average Net Income From Practice	Average Income for Salaried Appointment	Total Average Income
		%	\$	\$	\$
Private Practice:					
General	293	15	11,230	3,680	14,910
Specialist	616	26	17,160	4,610	21,770
Internship:					
Junior	2	1	2,050	2,900	4,950
Senior	7	1	3,490	5,130	8,620
Hospital Staff:					
Specialist	11	6	10,090	7,360	17,450
Other	3	4	5,990	8,460	14,450
Research	6	4	4,970	9,490	14,460
Teaching	19	19	7,220	10,240	17,460
Public Health	8	3	6,000	6,180	12,180
Industrial Medicine	8	9	5,920	10,160	16,080
Other	26	12	14,350	6,420	20,770

¹ Excludes partnership or group medical practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

Approximately one-sixth of the general practitioners and one-quarter of the specialists reporting combined private practice with some kind of salaried professional appointment. Their incomes were mainly derived, however, from private practice and were slightly higher than those of the general practitioners and the specialists shown in Table 6-3.

It also appears that approximately one-fifth of reporting doctors engaged in teaching supplemented their regular salaries through private practice. The combined incomes of the physicians working in private practice and salaried appointment were invariably higher than those shown in Table 6-3.

d. Distribution of Doctors by Total Net Income Classes

Appendix 6-6 shows the number and per cent distribution of the reporting doctors by total net income level in 1960 for provinces and Canada. Table 6-6 summarizes these data by total net income classes.

About 1,230 doctors, or one-fifth of the total reporting physicians in 1960 earned a total net income of \$5,000 or less. Nearly 60.0 per cent of this income

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY TOTAL NET INCOME RANGE, FOR PROVINCES AND CANADA, 19601 TABLE 6-6

	Canada	1,237		20	1,224		20	1,444		23	984		16	587		6	703		11	6,179	
	Not Stated	54	19	7	59	21	5	63	23	4	36	13	4	24	6	4	41	15	9	277	12,000
	British Colum- bia	87	14	7	123	20	10	150	24	10	122	20	12	65	11	11	69	11	10	616	14,000
	Alberta	70	20	9	9	17	ß	89	26	9	09	17	9	32	6	5	37	11	S	348	13,000
	Saskat- chewan	37	16	3	52	23	4	62	28	4	38	17	4	19	∞	8	17	∞	2	225	12,000
	Man- itoba	53	20	4	52	20	4	29	26	5	51	20	S	16	9	က	20	∞	3	259	12,000
Province	Quebec Ontario	490	20	40	389	16	32	531	22	37	389	16	40	265	11	45	350	14	20	2,414	14,000
Prov	Quebec	391	25	32	381	24	31	349	22	24	203	13	21	112	7	19	125	80	18	1,561	11,000
	New- Bruns- wick	16	11	1	37	25	3	31	21	2	23	16	2	17	12	8	22	15	က	146	14,000
	Nova Scotia	26	11	2	50	21	4	65	28	S	46	20	rv	28	12	ις	18	00	3	233	13,000
	Prince Edward Island	3	14	0	3	14	0	11	20	1	4	18	0	L	Ī	1	1	Ŋ	0	22	13,000
	New- found- land	10	13	1	18	23	1	26	33	2	12	15	1	6	12	2	8	4	0	78	12,000
	Average Income Group	\$5,000 or Less - Number Reporting	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada .	\$5,001 - \$10,000 - Number Reporting	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada.	\$10,001 - \$15,000 - Number Reporting.	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada.	\$15,001 - \$20,000 - Number Reporting.	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada.	\$20,001 - \$25,000 - Number Reporting.	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada.	Over \$25,000 - Number Reporting	Per Cent of Total Reporting in Province	Per Cent of Total Reporting in Canada.	Total Number Reporting	Median

1 Excludes partnership or group me dical practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

group were interns and residents located mainly in Ontario and the Province of Quebec. Another one-fifth of the total reporting physicians earned a total net income within a range of \$5,001 to \$10,000. One-quarter of the reporting physicians in the Province of Quebec, Newfoundland, New Brunswick and Saskatchewan were within this income range. Approximately one-quarter of the total reporting physicians in Canada had a total net income within the \$10,001-\$15,000 income range. Another 16.0 per cent of the reporting physicians were within the \$15,001-\$20,000 income class and the remaining one-fifth of the reporting physicians earned over \$20,000. One-quarter of the reporting doctors in the provinces of Ontario and New Brunswick were in that income class, while for British Columbia, Nova Scotia and Alberta this proportion was one-fifth and for other provinces it was lower than that for the country as a whole.

Table 6-7 illustrates the number and per cent distribution of the reporting physicians by total net income classes and type of major work.

Approximately one-tenth of the reporting general practitioners and specialists in private practice earned a total net income of \$5,000 or less, and about half of general practitioners and one-third of specialists in private practice were within a range of \$5,001-\$15,000. Approximately one-fifth of the reporting general practitioners and over one-third of the specialists earned more than \$20,000. In fact, more than half of the reporting specialists showed a total net income above \$15,000 as compared with only one-third of the reporting general practitioners.

Nine-tenths of the reporting interns and residents had a total net income of \$5,000 or less. Two-thirds of the reporting physicians working in hospitals were in the range of \$5,001-\$15,000 and only approximately one-tenth earned more than \$20,000.

It is of interest to note that approximately one-quarter of the reporting doctors engaged in medical research and teaching earned \$5,000 or less, approximately half of this category of physicians had a total net income ranging from \$5,001-\$15,000 and only 6.0 per cent earned more than \$20,000.

Four-fifths of the reporting doctors engaged in the public health sector and two-thirds of the doctors working in the field of industrial medicine were within the income range of \$5,001-\$15,000.

It is clear from the above analysis that private medical practice is more remunerative than other types of medical activities based on salaries.

e. Effects of Location on Incomes of Doctors

It has already been stated that the provincial and regional differences in average total net incomes of the various categories of physicians tend to be less pronounced than the differences in incomes of the same categories of physicians, classified by the size of community in which their practice is located. It appears that the size of community has a greater influence on doctors' incomes than the province or region in which the practice is located. It may be argued,

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY TOTAL NET INCOME RANGE AND TYPE OF MAJOR WORK, CANADA, 19601 TABLE 6-7

1 Excludes partnership or group medical practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

therefore, that the geographic mobility of physicians between provinces and regions has a levelling-off effect on physicians' incomes throughout the country. Even more important in this levelling-off process is the choice of province by the new medical registrants.

There is less geographic mobility of doctors between various sizes of community once a physician has chosen his location. It is, of course, true that with urbanization physicians have concentrated their practices in urban areas. There are some practical deterrents against a movement from one locality to another. It has been suggested that: "The uncertainties attached to beginning anew elsewhere, the capital needed to cover living expenses during the period of adjustment, and the direct costs of moving combine with inertia and habit to keep professional men from moving to new and possibly more advantageous locations. These obstacles are especially serious for men in independent practice because of the capital value represented by an established practice, and the inevitably low level of earnings during the initial period in a new location."1 Besides, lower incomes are characteristic of the older physicians who, for social and psychological reasons, do not move to a new community, and of the younger doctors who, for economic reasons, are often unable to move. On the other hand, physicians with ten to twenty years' experience and earning higher incomes, have less incentive to change a place of practice.

Appendix 6-7 shows average total net income from medical practice and salaried appointment of active civilian physicians, by type of major work in which they were engaged in 1960 and by the size of community in which their practices were located, for regions and the country as a whole. The same data for Canada are shown in Table 6-8.

An examination of the appendix and table indicates that in practically all regions of the country the incomes of general practitioners and specialists located in rural areas were lower compared with those in urban areas. It also appears that the professional incomes of general practitioners in middle-sized (10,000 to 100,000 population) centres were higher than in very large cities. In part this can be explained by the fact that greater health facilities in large cities attract more physicians, and particularly, the younger ones. As for the specialists in private practice, their average total net income appears to increase consistently with the size of community.

The differences in average income due to the size of community in which practice is located may also be explained by higher costs of living in larger cities as compared with rural and semi-rural areas. Physicians' incomes are also likely to be affected by the level of incomes of their patients. In general, wages and salaries in larger centres tend to be higher than in smaller cities. In fact, higher incomes of people in larger centres account, in part, for higher incomes of physicians located in the same centres. In the absence of inter-community geographic mobility of physicians, higher incomes will not lead to an influx of practitioners that would reduce incomes.

¹ Friedman, Milton and Kuznets, Simon, op. cit., pp. 175-176.

TOTAL 6-8

AVERAGE TOTAL NET INCOME FROM MEDICAL PRACTICE AND SALARIED APPOINTMENT OF ACTIVE CIVILIAN PHYSICIANS, BY TYPE OF MAJOR WORK IN WHICH ENGAGED IN 1960 AND SIZE OF COMMUNITY IN WHICH LOCATED, CANADA¹

1	Average N	let Income and	Size of Com	nunity
			Urban Areas	
Canada	Rura1 Areas	Less than 10,000 Population	10,000— 100,000 Population	Over 100,000 Population
\$	\$	\$	\$	\$
13,750	12,350	14,020	15,540	13,280
18,560	13,420	14,030	18,710	18,990
1,680	2,780	1,830	1,640	1,700
2,890	2,420	6,830	3,280	2,790
				9
13,380	9,860	8,740	15,110	13,510
11,330	4,300	7,710	10,940	12,200
7,920	14,250	15,000	6,070	8,000
13,250	8,280	-	13,350	13,440
10,640	10,180	8,130	9,870	11,550
13,110	12,240	11,410	14,850	13,050
13,260	9,640	12,220	12,140	14,190
14,800	1,160	8,120	24,790	15,280
	\$ 13,750 18,560 1,680 2,890 13,380 11,330 7,920 13,250 10,640 13,110 13,260	Rura1 Areas \$ \$ 13,750 12,350 18,560 13,420 1,680 2,780 2,890 2,420 13,380 9,860 11,330 4,300 7,920 14,250 13,250 8,280 10,640 10,180 13,110 12,240 13,260 9,640	Canada Rural Less than 10,000 Population \$ \$ \$ 13,750 12,350 14,020 18,560 13,420 14,030 1,680 2,780 1,830 2,890 2,420 6,830 13,380 9,860 8,740 11,330 4,300 7,710 7,920 14,250 15,000 13,250 8,280 — 10,640 10,180 8,130 13,110 12,240 11,410 13,260 9,640 12,220	Canada Rural Areas Less than 10,000— 100,000 Population Population Rural 10,000 Population Rural 10,540 Rural 13,750 Rural 14,030 Rural 15,540 Rural 14,030 Rural 15,540 Rural 15,800 Rural 15,800 Rural 15,800 Rural 13,380 Rural 15,900 Rural 13,380 Rural 15,900 Rural 13,350 Rural 15,900 Rural 13,250 Rural 15,900 Rural 13,350 Rural 15,900 Rural

A verage net income excludes income from other professional activities. These data exclude partnership or group practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

In case of interns, residents and physicians engaged in medical research and teaching, the variability of incomes shows a less consistent relation to size of community. This is due to the fact that their income, being based on a salary system, is largely independent of the community they live in. The same observation applies to physicians working in the public health field. The incomes of specialists working in hospitals are higher in middle-sized centres than either in smaller or in larger cities. The incomes of non-specialists also working in hospitals appear to increase consistently with the size of community.

Appendix 6-8 indicates number and per cent distribution of general practitioners and specialists in solo private practice in rural and urban areas by total net income classes for regions and Canada. The same data for the country as a whole are shown in Table 6-9.

TABLE 6-9

NUMBER AND PER CENT DISTRIBUTION OF GENERAL PRACTITIONERS
AND SPECIALISTS IN SOLO PRIVATE PRACTICE IN RURAL AND
URBAN AREAS, BY TOTAL NET INCOME RANGE, CANADA, 1960

Average Income Range	Gene Practit		Spec	ialist
	Rural	Urban	Rura1	Urban
\$5,000 and less Number reporting	55 13	161 11	3	110
\$5,001 - 10,000 Number reporting Per cent of total reporting	125 30	370 25	11 28	218 12
\$10,001 - 15,000 Number reporting Per cent of total reporting	121 29	378 26	11 28	329 18
\$15,001 - 20,000 Number reporting Per cent of total reporting	68 15	257 18	8 21	378 21
\$20,001 - 25,000 Number reporting Per cent of total reporting	24 6	153 11	2 5	301 17
\$25,001 and over Number reporting Per cent of total reporting	30 7	138	4 10	466 26
Total number reporting	423	1,457	39	1,802

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

Of the total 423 reporting general practitioners practising in rural areas almost three-quarters earned \$15,000 or less compared with less than two-thirds of the total of 1,457 reporting general practitioners located in urban areas. One-fifth of the latter physicians had a total net income above \$20,000 compared with only one-seventh of the general practitioners practising in rural areas. In the Province of Quebec 84.0 per cent of the general practitioners in rural areas earned \$15,000 or less.

A very small proportion of the reporting specialists were practising in rural areas and, therefore, no conclusions can be drawn from these limited data. But of the total 1,802 reporting specialists located in urban areas only one-third earned \$15,000 or less while a little more than two-fifths had a total net income above \$20,000.

TABLE 6-10

AVERAGE TOTAL NET INCOME OF ACTIVE CIVILIAN PHYSICIANS IN PRIVATE PRACTICE, BY TYPE OF MAJOR WORK IN WHICH ENGAGED DURING 1960 AND LENGTH OF EXPERIENCE IN PRIVATE PRACTICE, CANADA¹

Type of Major Work and Years in Private Practice	Number Reporting	Average Net Income		
,		\$		
Genera1				
Less than 5	278	10,840		
5 - 9	424	15,450		
10 – 14	290	15,870		
15 – 19	233	15,830		
20 – 24	141	15,640		
25 - 29	153	15,910		
30 – 34	146	11,400		
35 – 39	89	11,130		
40 and Over	141	7,980		
Not Stated	22	14,330		
Total and Average	1,917	13,870		
Specialist				
Less than 5	275	12,910		
5 – 9	409	20,570		
10 – 14	386	24,560		
15 – 19	221	24,470		
20 - 24	122	21,390		
25 - 29	155	21,090		
30 – 34	109	20,490		
35 – 39	77	17,600		
40 and Over	77	12,930		
Not Stated	35	16,290		
Total and Average	1,866	20,300		

¹ Excludes partnership or group practice.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

f. Pattern of Income and Years in Practice

After spending many years in training, physicians and particularly specialists begin to earn relatively late in life; their highest lifetime earnings are received in a comparatively short period after training. The early years of their professional activities are characterized by relatively low earnings. This is due to the fact that some years usually elapse before a doctor builds up his practice, acquires experience and reputation. After this initial period he probably can charge higher fees and will, no doubt, increase the number of his patients. The upper limits to his earnings are determined by the number of patients he can handle, the size of the community he serves, the competition of other physicians and, above all, his age. Modern medicine demands extensive and up-to-date knowledge as well as physical dexterity and skill and, therefore, the physicians in the prime of professional life are at an advantage. Consequently, after a brief

interlude of low earnings, their remuneration rises rapidly and tends to remain level for a number of years and then gradually declines.

In larger communities, where the patients have a choice of doctors, a young physician may appeal to some because of a presumption that he has the latest medical education and knowledge; a middle-aged doctor may attract other patients because of his experience and an older one because of his established reputation. Thus, "the relative incomestatus of physicians in varying practice periods depends on the relative strength of these motives; the general preference for middle-aged men leads to their receiving higher income".

Appendix 6-9 illustrates average total net income of general practitioners and specialists in private practice, by years of experience, for regions and Canada. The patterns of income and years in practice for these two categories of doctors for the country as a whole are shown in Table 6-10.

It appears from this table that the pattern of income and years in practice tend to vary according to whether a physician is a general practitioner or specialist. During the initial period of practice of less than five years, average incomes of these two categories of physicians differed by only \$2,070, being \$10,840 and \$12,910 respectively. After this period, however, the average incomes diverge considerably and the difference amounted to over \$8,000 at the peak of earning. The rise of \$7,660 in average income of a specialist during the next five years in practice was proportionately greater than the \$4,610 in the average income of a general practitioner. But, the general practitioners reached their peak of earnings only after five years in practice and maintained it for the next twenty-five years. The specialists on the other hand reached their peak after ten years and sustained it for only the next ten years.

On the assumption that a general practitioner begins to practice around the age of 25, it can be said that he will maintain his peak of earnings until the age of approximately 55 years, while a specialist begins to practice around the age of 30 and will maintain his peak of income until the age of approximately 50 years. However, it is of interest to note that a specialist continues to earn more than a general practitioner to the very end of his active medical practice.

Appendices 6-10 and 6-11 show respectively average total net income of specialists in private practice and of those not in private practice, by specialty practised and years of experience, for the country as a whole.

Table 6-11 shows the patterns of income and years of experience of salaried physicians by type of major work.

The sample basis of Table 6-11 is perhaps too small to draw any definite conclusion. It appears, however, that average net income of each category of salaried physicians increased gradually and steadily with the length of experience though less rapidly than that of general practitioners and specialists in private practice.

¹ Ibid., p. 256.

TABLE 6-11

AVERAGE TOTAL NET INCOME OF SALARIED PHYSICIANS BY TYPE OF MAJOR WORK IN WHICH ENGAGED DURING 1960 AND YEARS OF EXPERIENCE, CANADA

				Years of Experience	xperience			
1	0-4	4	5-	5–9	10-14	-14	15–19	19
Type of Major Work	Number Reporting	Average Net Income	Number Reporting	Average Net Income	Number Reporting	Average Net Income	Number Reporting	Average Net Income
		₩		₩		↔		44
Intemship: Junior	138	1,680	4	3,480	2	800	9	2,160
Senior	399	3,010	165	3,650	28	4,410	19	4,040
Hospital Staff:			45					
Specialist	9	4,670		11,080	40	12,340	37	16,900
Other	4	4,980	11	8,040	19	11,500	7	14,950
Research	38	4,550	39	7,050	33	10,410	21	12,840
Teaching	6	3,830	17	11,870	14	13,180	18	14,750
Public Health	10	7,240	33	10,820	31	9,350	20	10,300
Industrial Medicine	w	9,270	∞	11,650	10	12,030	10	13,230
Other	20	5,360	34	11,190	26	14,510	26	19,380

TABLE 6-11 (Concl.)

					Years of F	Years of Experience				
	20-	20-24	25-	25–29	30.	30-34	35-	35–39	40 and over	over
Type of Major Work	Number Report- ing	Number Average Report- Net ing Income	Number Report- ing	Average Net Income	Number Report- ing	Average Net Income	Number Report- ing	Average Net Income	Number Report- ing	Average Net Income
		↔		€9		₩.		₩.		₩.
Internship: Tunior	I	1	1	1	1	ı	1	1	ı	ı
	4	12,620	2	8,900	1	3,900	1	ı	1	1
Hospital Staff:	20	16 270	7	16.680	12	12.030	4	9.370	ю	18,570
SpecialistOther		12,440	11	14,410	7	11,560	. 9	12,400	8	11,500
Research	11	13,020	9	14,330	Ī	1	7	15,150	9	12,470
Teaching	10	18,400	17	16,240	6	19,340	7	10,930	4	11,070
Public Health	29	11,580	41	11,060	25	11,840	26	12,000	11	10,910
Industrial Medicine	. 22	17,020	19	10,920	9	10,890	∞	14,930	2	13,270
Other	30	14,810	23	15,700	23	13,640	23	14,220	6	7,460

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

g. Income of Specialists

The technical and economic reasons for a rapid extension of specialization in medicine during the last few decades and the geographic distribution of specialists have already been discussed in Chapter IV.

The higher financial remunerations of specialists provide an economic incentive for this trend towards specialization to continue in the future. The specialists earn a higher average income than general practitioners because they tend to concentrate in larger cities, possess higher qualifications and skills and begin their active professional career a few years later than general practitioners.

Appendix 6-12 shows average total net income of specialists in private and non-private practice, by specialty practised, for regions and Canada. Table 6-12 illustrates the income of the full-time specialists in various branches of medical practice, private and non-private, who reported in this survey.

TABLE 6-12

AVERAGE TOTAL NET INCOME OF CIVILIAN ACTIVE PHYSICIANS
IN SPECIALIST WORK, BY SPECIALTY PRACTISED AND PRIVATE
AND NON-PRIVATE PRACTICE, CANADA, 1960¹

	Private I	Practice	Not in Private Practice		
Specialty Practised	Number Reporting	Average Net Income	Number Reporting	Average Net Income	
		\$		\$	
Anaesthesia	139	16,600	21	9,600	
Dermatology and Syphilology	38	16,500	_	_	
General Surgery	410	20,200	18 46 91 1	6,980 11,860 10,970 5,000	
Internal Medicine and Tuberculosis	266	18,540			
Neurology and Psychiatry	125	18,870			
Neurosurgery	21	25,040			
Obstetrics and Gynaecology	227	20,770	4	7,630	
Orthopaedic Surgery	52	23,100	1	4,000	
Ophthalmology and Otolaryngology	163	24,190	8	8,140	
Paediatrics	158	17,810	13	9,340	
Pathology and Bacteriology	14	19,250	88 3 59	14,480 2,830 16,820	
Plastic Surgery	13	25,300			
Diagnostic and Therapeutic Radiology ²	42	24,260			
Other and Not Stated ³	198	22,810	127	13,720	
Total and Average	1,866	20,280	480	12,740	

¹ Excludes partnership or group practice.

² Includes 17 doctors in Therapeutic Radiology in private practice with an average total net income of \$31,520.

³ Includes such specialties as Physical Medicine and Rehabilitation, Public Health, Thoracic Surgery, Urology (50 doctors reporting in private practice with an average total net income of \$29,900), Industrial Medicine, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, Proctology and Biochemistry.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

Table 6-12 shows that the incomes of specialists in non-private practice were, in every specialty practised, lower than the incomes of specialists in private practice.

The highest earnings of specialists in private practice were in the following specialties: therapeutic radiology (\$31,520), urology (\$29,900), thoracic surgery (\$25,960), plastic surgery (\$25,330), neuro-surgery (\$25,060), and ophthalmology and otolaryngology (\$24,190).

4. Operating Expenditures and Capital Costs of Medical Practice

On its survey of the Economics of Medical Practice, the Commission received over 4,200 usable replies concerning annual operation expenditures incurred during 1960 by general practitioners and specialists engaged in solo medical practice and over 1,000 usable replies from physicians practising in medical groups. As in the case of replies dealing with earnings, not all replies concerning operating expenditures could be used in the different parts of the subsequent analysis thus reducing the effective response rate for various sections of the analysis of annual operating expenditures of medical practice in Canada. This rate is shown in Table 6–13.

TABLE 6-13

PER CENT RATE OF RESPONSE TO 1962 QUESTIONNAIRE ON ANNUAL OPERATING EXPENDITURES INCURRED BY ACTIVE CIVILIAN PHYSICIANS IN 1960, FOR REGIONS IN CANADA

	Physicia	ns,1962		(Question	naire R	espons	е	
			Number	of Resp	ondents	Per Cer of Res			ent of ada
Region	Number	Per Cent	Not in Group Prac- tice	In Group Prac- tice	Total	Not in Group Prac- tice	Total	Not in Group Prac- tice	Tota1
Atlantic									
Provinces	1,574	7.3	341	75	416	21.6	26.4	8.0	7.9
Quebec	6,067	28.3	1,022	50	1,072	16.8	17.7	24.3	20.3
Ontario	8,120	37.9	1,680	309	1,989	20.7	24.5	39.9	37.6
Prairie Provinces British	3,428	16.0	521	433	954	15.2	27.8	12.3	18.1
Columbia	2,245	10.5	450	203	653	20.0	29.1	10.7	12.3
Not Stated		_	199	_	199	_	_	4.8	3.8
	21,434	100.0	4,213	1,070	5,283	19.7	24.5	100.0	100.0

Source: Directory of Canadian Mailings Limited, 1962, and Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

ECONOMICS OF MEDICAL PRACTICE

The survey data may be considered as fairly representative because the percentage distribution of respondents, by region, is within reasonable limits in agreement with the actual distribution of physicians in Canada by region. The noticeable exception is that of Quebec. The response rate of this province is the lowest with only about one-sixth of the physicians replying to this part of the Commission's questionnaire, while the remaining regions provided usable replies concerning doctors operating expenditures to the extent to one-fifth or more of their actual number of physicians.

A breakdown of reporting physicians between those in group medical practice and those in solo medical practice could not be made for all sections of the analysis of operating expenditures because of the difficulties in the interpretation of composite returns supplied by individual doctors on behalf of partnerships or groups with which they were associated and, therefore, individual doctor's expenditures could not be determined in all cases. Consequently, only a partial comparison is made of operating expenditures of physicians in group medical practice with those in solo medical practice.

All physicians were asked to indicate their annual operating expenditures on specific items in accordance with their bookkeeping records and to provide total current operating expenses incurred in 1960.

a. Operating Expenditures of General Practitioners and Specialists

Appendix 6-13 indicates average annual total operating expenditures of general practitioners in solo private practice and average expenditures on specific items incurred by reporting physicians in 1960 for regions and Canada. The average annual total operating expenditures of general practitioners, in the country as a whole, amounted to \$7,450. They were \$6,560 in the Province of Quebec, \$6,700 in the Atlantic Provinces, \$7,080 in the Prairie Provinces, while in British Columbia and Ontario they were highest being \$8,510 and \$8,060 respectively. The principal factor accounting for the lower operating expenditures incurred by general practitioners in the Province of Quebec and the Atlantic Provinces were the relatively smaller expenses on the paramedical and clerical staff. These expenses accounted for 5.5 per cent in Quebec and 11.0 per cent in the Atlantic Provinces of the average annual total operating expenditures as compared with 27.2 per cent in British Columbia and 19.1 per cent in Ontario. Wages paid to clerical staff per physician were somewhat lower in Quebec and the Atlantic Provinces as compared with those in British Columbia and Ontario. Expenses connected with office rental were also considerably lower in the two former regions as compared with those in British Columbia and Ontario.

Table 6-14 indicates average annual total operating expenditures of active civilian physicians, by items of expenditures and by type of major work in which the reporting physicians were engaged in 1960 for the country as a whole.

TABLE 6-14

AVERAGE ANNUAL OPERATING EXPENDITURES INCURRED BY GENERAL PRACTITIONERS AND SPECIALISTS IN SOLO PRIVATE PRACTICE AND BY PHYSICIANS IN GROUP PRACTICE, BY ITEMS OF EXPENDITURES, CANADA, 1960

	Gener	General Practitioners Response Count-1,940	oners -1,940	S Respon	Specialists Response Count-1,889	-1,889	Group	Group Medical Practice Response Count-1,070	actice -1,070
Items of Operating Expenditures	Number Report- ing	Average Operating Expend-	Per Cent of Total Average Expend- iture	Number Report- ing	Average Operating Expenditure	Per Cent of Total Average Expend- iture	Number Report- ing	Average Operating Expenditure	Per Cent of Total Average Expend- iture
		₩.			49		2	€	2
Medical, surgical supplies and services	1,704	1,610	18,9	1,458	1,020	10,0	1,070	1,250	11.0
Salaries or Wages to staff:	488	2 470	80	471	2.610	8.2	607	1,740	8.7
Nursing	8	1.850	1.1	109	2,260	1,7	443	1,520	5.6
Clerical and other	999	1,580	7.3	813	1,970	10,8	658	2,540	13,8
	493	086	3,4	428	1,150	3,3	514	2,790	11,8
Assistant's feesOffice rental	1,357	1,170	11.0	1,557	1,520	15,8	1,028	1,930	16,3
Depreciation allowance:	1 125	350	2.7	1,015	360	2,4	503	290	1.2
Medical equipment	954	240	1.6	924	310	1,9	396	190	9.0
Office lumiture	1.579	730	8,1	1,504	710	7.2	n.a.	n.a.	n, a,
Positidia	615	620	2.7	278	069	1,3	140	340	0.4
building	1,879	920	11.9	1,830	880	10.8	n.a.	n.a.	n.a.
Information borrowed central	739	390	2.0	297	390	1,5	n.a.	n.a.	n.a.
All other expenses 1	1,913	1,590	21,0	1,862	2,010	25.1	1,070	3,470	30.6
Total average expenditure ²			\$7,450			\$7,890		ļi.	\$11,350

1 Residual expenditure, convention expenses, association fees, miscellaneous office expenses, etc.

² Total average expenditure was obtained by dividing total operating expenditures by total response count.

Source: Royal Commission on Health Services, Questionnaire on the Economics of Medical Practice, 1962.

Table 6-14 indicates a small difference of about \$400 in the average annual total operating expenditures incurred by general practitioners and specialists being \$7,450 and \$7,890 respectively. There are, however, some differences in the patterns of operating expenditures between these two categories of physicians. Thus, for instance, general practitioners spent proportionately more on the medical and surgical supplies and services and relatively less on paramedical and clerical staff as well as on office rental as compared with similar operating expenditures made by specialists. Average expenditure on technical and clerical staff per reporting general practitioner was lower than that made by reporting specialist, reflecting the demand for less qualified personnel on the part of general practitioners. Average office rental expense per reporting general practitioner was also lower than that of specialist, reflecting a general practitioner's requirement for a smaller office space.

Appendix 6-14 illustrates average expenditure on specific items per reporting specialist physician and shows the average annual total operating expenditures for certain categories of specialists. The latter data are shown in Table 6-15.

TABLE 6-15

AVERAGE ANNUAL TOTAL OPERATING EXPENDITURES OF SPECIALISTS BY SPECIALTY PRACTISED, CANADA, 1960¹

Specialty Practised	Average Total Operating Expenditures ²
	\$
Anaesthesia	4,400
Dermatology and syphilology	8,240
General surgery	7,680
nternal medicine and tuberculosis	7,690
Neurology and psychiatry	5,950
Neurosurgery	7,460
Obstetrics and gynaecology	8,560
Orthopaedic surgery	8,960
Ophthalmology and otolaryngology	9,930
Paediatrics	8,130
Pathology and bacteriology	6,140
Diagnostic and therapeutic radiology	11,610
Jrology	9,750
Other and not stated ³	8,200
All specialties	7,890

Excludes partnership or group practice.

² Average annual total operating expenditures were obtained by dividing total operating expenditures by response count.

Includes such specialties as allergy, cardiology, cardiovascular diseases, gastroenterology, proctology and biochemistry, physical medicine and rehabilitation, plastic surgery, public health, thoracic surgery and industrial medicine.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

Relatively high average annual total operating expenditures of specialists practising in diagnostic and therapeutic radiology, ophthalmology and otolaryngology and urology were due to proportionately higher expenses incurred by these specialists on medical supplies and services and on paramedical and clerical staff.

Table 6-16 shows the reported total practice expenditures per doctor in group medical practice, by size of group, for Canada in 1960.

TABLE 6-16

REPORTED TOTAL PRACTICE EXPENDITURES PER DOCTOR, BY SIZE OF GROUP,
FOR CANADA, 1960

Group Size	Number of Practices	Number of Doctors	Mean Reported Expenditures Per Doctor	Median Reported Expenditures Per Doctor	Range
No. of doctors			\$	\$	\$
3	96	288	9,190	8,550	2,370 - 32,470
4	31	124	10,480	8,040	1,290 - 39,810
5	23	115	12,750	8,300	5,500 - 36,230
6	10	60	11,130	10,850	5,520 - 24,500
7	10	70	12,970	11,930	7,430 - 23,570
8	2	16	7,410	7,410	5,810 - 9,010
9	3	27	10,430	9,700	6,640 - 14,950
10	3	30	14,280	14,770	12,930 - 15,140
10+	17	340	13,120	14,490	8,570 - 22,830
All group sizes	195	1,070	11,350	10,810	1,290 - 39,810

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

The figures used to prepare this table were taken from the "total current operating expenses" reported in a composite return supplied by an individual doctor on behalf of the medical group with which he was associated. There were reasons to believe that automobile operating expenses were not included in a number of replies because of differing methods of allocating such costs of medical practice. On the other hand, in other cases, assistant's fees reported obviously included salaries paid for physicians regularly employed by a medical group. In view of these discrepancies it is difficult to make a really valid comparative analysis of operating expenditures and relative economic efficiency of physicians in group practices and of those engaged in solo medical practice.

Tables 6-14 and 6-16 show that the average annual total operating expenditures of physicians in group practice were higher than those of solo specialists. This was mainly due to proportionately higher expenses on para-medical and and clerical staff as well as on office rental incurred by physicians in group practice as compared with the similar expenditures made by specialists. Average absolute expenditures on nursing and technical staff per reporting physician in group

AVERAGE ANNUAL OPERATING EXPENDITURES INCURRED BY GENERAL PRACTITIONERS IN SOLO MEDICAL PRACTICE, BY ITEM OF EXPENDITURES AND SIZE OF COMMUNITY IN WHICH LOCATED, CANADA, 19601 7'ABLE 6-17

		Rural Areas	as				5	Urban Areas	as			
The me of T	Res	Response Count-430	ınt-430	Les	Less than 10,000 Population Response Count-352	,000 on nt-352	10,0 Resp	10,000 - 100,000 Population Response Count-440),000 on int-440	O	Over 100,000 Population Response Count-684	00 n nt-684
Expenditures	Num- ber Report- ing	Average Operating Expend-	Per Cent of Total Average Expend- iture	Num- ber Report- ing	Average Operating ing Expenditure	Per Cent of Total Average Expend- iture	Num- ber Report- ing	Average Operating ing Expenditure	Per Cent of Total Average Expend- iture	Num- ber Report- ing	Average Cent Cent ing Average Expend- Expend- iture	Per Cent of Total Average Expend- iture
		€9	%		€9	%		49	%		69	%
Medical, surgical supplies and services	377	2,150	27.1	309	1,970	23.7	379	1,540	16.4	613	1,130	13.5
Salaries or wages to staff: Nursing	79	2,210	5.9	72	2,260	6.3	123	2.820	9.7	207	2.480	10.0
Technical	19	1,790	1.2	16	1,280	8.0	18	1,810	0.8	31	2,180	1.3
Clerical and other	124	1,330	5.5	118	1,620	7.4	171	1,710	8.5	241	1,550	7.4
Assistant's fees	95	950	3.0	101	1,100	4.4	124	1,170	4.1	165	780	2.5
Office rental	218	750	5.5	188	1,110	7.4	350	1,310	12.8	582	1,310	14.9
Depreciation allowance:												
Medical equipment	246	370	3.0	191	350	2.6	256	360	2.6	416	350	2.8
Office furniture	198	220	1.4	175	230	1.5	226	270	1.7	345	250	1.7
Automobile	350	820	6.7	283	260	8.3	351	720	7.0	572	089	7.5
Building	185	650	4.0	133	610	3.1	113	650	2.1	173	260	1.9
Automobile operating exp	408	970	13.3	326	086	12.4	423	860	10.2	069	890	11.9
Interest on borrowed capital	168	380	2.2	125	420	2.1	191	390	2.1	245	390	1.9
All other expenses ²	414	1,300	18.2	336	1,530	20.0	426	1,850	22.0	705	1,640	22.7
Tota laverage expenditure ³ .			\$6,930			\$7,310			\$8,130			\$7,470

1 Excludes physicians in partnership or group practice.

Residual expenditure, convention expenses, association fees, miscellaneous office expenses, etc.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962. 3 Total average expenditure was obtained by dividing total operating expenditures by total response count.

practice were lower than those made by reporting specialists, probably, reflecting some economies in utilization of paramedical personnel employed by group medical practices.

b. Operating Expenditures and Location of Practice

Table 6-17 shows average annual operating expenditures incurred by general practitioners in solos medical practice according to size of community in which their practice was located.

Table 6-17 indicates only small differences in average annual operating expenditures of general practitioners whether located in rural or urban areas. There are, however, some differences in the pattern of expenditures. Thus, for example, average absolute operating expenditures and the percentage of average total expenditure on medical, surgical supplies and services decline consistently with the increasing size of community in which practice was located. This would suggest that a general practitioner in smaller localities, where there are fewer drug stores, distributes the required medical supplies. Salaries and wages paid by general practitioners to paramedical and clerical staff increase proportionately with the size of community of practice suggesting a greater use of auxiliary personnel by physicians in larger centres. It is also apparent from Table 6-17 that office rental expenses increase relatively and absolutely with the larger sizes of localities in which practice was located.

Appendix 6-15 indicates the number and percentage distribution of general practitioners and specialists engaged in solo private practice, by level of annual operating expenditures in 1960 and by rural and urban areas, for regions and Canada.

Table 6-18 summarizes the main data of this appendix for the country as a whole. TABLE 6-18

NUMBER AND PERCENTAGE DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS IN SOLO PRIVATE PRACTICE, BY LEVEL OF ANNUAL TOTAL OPERATING EXPENDITURES AND RURAL AND URBAN AREAS, CANADA, 1960

	Ger	neral P	ractitioner			Spec	ialist	
Level of Operating	Rural A	reas	Urban A	reas	Rural A	Donse nut	reas	
Expenditures	Response Count	Per Cent	Response Count	Per Cent	Response Count		-	Per Cent
Less than \$2,000	26	6	43	3	3	9		4
\$ 2,001 - \$ 5,000	127	30	387	26	8	24	387	21
\$ 5,001 - \$10,000	178	41	684	46	17	50	852	46
\$10,001 - \$15,000	70	16	250	17	5	15	355	19
\$15,001 - \$20,000	22	5	63	4	1	3	96	5
\$20,001 and over	7	2	44	3	-	_	73	4
Total	430	100	1,471	100	34	reas Urban Ar Per Response Count 9 71 24 387 50 852 15 355 3 96 - 73	100	

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

Approximately three-quarters of reporting general practitioners and specialists located in rural areas or urban areas incurred \$10,000 or less operating expenditures in running their medical practices and approximately half of the reporting physicians were within \$5,001 to \$10,000 range.

c. Employment of Paramedical and Clerical Staff

Table 6-19 shows the number of paramedical and clerical staff employed by general practitioners and specialists in solo private practice and by physicians in group practice.

TABLE 6-19

EMPLOYMENT OF NURSING, TECHNICAL, CLERICAL AND OTHER STAFF
BY GENERAL PRACTITIONERS AND SPECIALISTS IN SOLO PRIVATE
PRACTICE AND BY PHYSICIANS IN GROUP PRACTICE, CANADA, 1960

			Sta	aff	
Type of Major Work	Response Count	Nursing	Technical	Clerical and Other	Tota1
General Practitioner Number of staff Mean number employed	1,940	571	91	806	1,468
per doctor ¹		0.3	0.05	0.4	0.8
Specialist Number of staff Mean number employed	1,889	531	132	959	1,622
per doctor ¹		0.3	0.07	0.5	0.5
Group Practice Number of staff Mean number employed	953	478	272	744	1,494
per doctor ¹		0.5	0.3	0.8	1.6

Number of staff employed divided by response count.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

It is evident from this table that physicians in group medical practice rely to a larger extent on the services of the auxiliary personnel than do general practitioners and specialists. For each doctor in solo private practice there was nearly one person assisting him in dispensing medical services, while for each doctor engaged in medical group practice there were one and a half persons. This confirms the previous finding that physicians in group practice incurred relatively greater expense on paramedical and clerical staff.

Appendix 6-16 illustrates the number and mean number of auxiliary staff employed by general practitioners by various sizes of community in which their

practice was located. It appears that general practitioners in larger centres rely to a greater extent on such staff than those located in rural areas and small cities.

Appendix 6-17 indicates mean number of auxiliary staff employed per specialist by specialty practised, for Canada as a whole. Specialists in the fields of orthopaedic surgery, ophthalmology and otolaryngology, paediatrics and diagnostic and therapeutic radiology employed one person per doctor.

d. Capital Costs Involved in Medical Practice

Due to technical development in modern medicine large capital investments became necessary. Such investments have been made partly by physicians themselves, if they are engaged in solo practice, partly by commercial organizations, which supply buildings, offices, laboratories to physicians on a commercial basis, and partly by religious and other non-profit organizations, which provide hospital, clinical and laboratory facilities to many private doctors.

Table 6-20 illustrates the average depreciated value of capital assets of general practitioners and specialists in solo private practice and of physicians in group practice at the end of 1960 for the country as a whole.

TABLE 6-20

AVERAGE DEPRECIATED VALUE OF CAPITAL ASSETS USED IN MEDICAL PRACTICE AT END OF 1960, CANADA

Type of Major Work	Number Reporting	Average Depreciated Value of Assets per Reporting Physician
General practitioner Specialist	of second	\$ 8,840 6,160 4,460

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

It is of interest to note relatively higher average depreciated value of capital assets per reporting general practitioner than that of the specialists and of physicians practising in group practice. Table 6-20 suggests that in group practice there is an economy in sharing equipment and buildings among physicians.

Table 6-21 shows the average depreciated value of capital assets of general practitioners by size of centre in which practice was located.

Actually there appear to be no large differences in the average capital investments made by general practitioners because of location of practice.

Appendix 6-18 shows average depreciated value of capital assets of specialists in solo private practice, by specialty practised, at the end of 1960 for

TABLE 6-21

AVERAGE DEPRECIATED VALUE OF CAPITAL ASSETS OF GENERAL PRACTITIONERS IN SOLO PRIVATE PRACTICE AT END OF 1960, BY SIZE OF COMMUNITY IN WHICH LOCATED, CANADA

Size of Community	Number Reporting	Average Depreciated Value of Capital Assets
Rura1	265	\$ 8,920
Urban, less than 10,000	204	9,530
Urban 10,000 - 100,000	252	9,160
Urban over 100,000	331	8,150
		1

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

the country as a whole. The largest capital investments were made by specialists in the following fields: diagnostic and therapeutic radiology, anaesthesia, obstetrics and gynaecology, general surgery and urology.

Table 6-22 indicates the average annual capital expenditure made by physicians in 1960.

TABLE 6-22

AVERAGE ANNUAL CAPITAL EXPENDITURE ON PURCHASE OF NEW BUILDINGS AND/OR EQUIPMENT BY GENERAL PRACTITIONERS AND SPECIALISTS IN SOLO PRIVATE PRACTICE AND BY PHYSICIANS IN GROUP PRACTICE, CANADA, 1960

Type of Major Work	Response Count	Number Reporting	Average Expenditure per Doctor ¹	Average Expenditure per Reporting Doctor
General practitioner	2,080	640 504 468	\$ 930 670 720	\$ 3,060 2,750 1,640

¹ Total capital expenditures reported divided by response count.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

This table confirms the previous finding that general practitioners were making the largest capital investments in operating their medical practice, while physicians in group practice were making the lowest capital expenditures. This, once again, suggests some economies in operating group practices.

5. Methods and Costs of Establishing Private Practice

This section is concerned with the methods and cost of establishing practice and source and amount of funds used to establish practice initially. The statistical data used in the subsequent analysis apply only to medical practices that were established since 1956.

TABLE 6-23

METHODS OF ESTABLISHING PRACTICE BY PHYSICIANS IN SOLO PRIVATE PRACTICE AND BY PHYSICIANS IN GROUP PRACTICE, BY TYPE OF MAJOR WORK AND SIZE OF COMMUNITY, CANADA, SINCE 1956

	S	Solo Private Practice	e Practic	ø			Group 1	Group Medical Practice	ractice	
	Methods	Methods of Establishing Practice	dishing F	ractice		Methods	Methods of Establishing Practice	lishing F	ractice	
Type of Major Work and Size of Community of Present	Taking	Estab-	Starting Practice Under Contract With	Starting ractice Under Contract With	E	Taking	Estab-	Star Practic Contra	Starting Practice Under Contract With	Total
Practice		lishing New Solo Practice	Com- munity Organi- zation	Partner- ship or Group	l otal	over Practice	New Solo Practice	Com- munity Organi- zation	Partner- ship or Group	8
General Practitioner	29	42	m	ю	77	10	ю	1	25	38
Urban areas - under 10,000 population	18	28	1	ı	47	5	8	4	30	42
10,000 – 100,000	22	69	I I	- 5	92	4 -	8 17	7 1	63 39	54
over 100,000	90	225	1 4	0 6	328	20	28	9	157	211
		,		-	c	ı	1	1	2	2
Rural areas	۱ ۲	1 1	۱ -	٠	10	1	1	1	4	S
Urban areas — under 10,000 population 10,000 — 100,000	1 9 7	84	101	8 4	95		7	1 -	41	49
over 100,000	12	255	10	10	287	5 5	27		134	164
	50	43	m	4	79	10	က	1	27	40
Tithen grees under 10.000 nonulation	20	35	5	1	57	S	4	4	34	47
10 000 - 100 000 - 100 000	28	153	2	4	187	S	15	7	104	126
over 100,000	25	249	7	11	292	2	33	П	126	162
Total	102	480	14	19	615	22	55	7	291	375

Questionnaire on The Economics of Medical Practice, 1962. Source: Royal Commission on Health Services,

a. Methods of Establishing Practice

Table 6-23 indicates the way general practitioners and specialists in solo and group private practice have started their practice.

Table 6-23 indicates that out of 615 reporting physicians, general and specialist, engaged in solo private practice in 1962, about 100 or 16.0 per cent have taken over existing practice, 480 or nearly 80.0 per cent have established new practice and only a very insignificant number of about 30 have started their practice under a contract with either community organizations, like municipality, industry, etc., or partnership or group practice. On the other hand, out of 375 reporting doctors, engaged in group practice in 1962, approximately 80.0 per cent have started their practice under the auspices of partnership or group.

It appears also that the tendency to move from solo practice to group practice is stronger than the opposite tendency. Out of 375 reporting physicians in group practice, 77 or 20.0 per cent gravitated from solo to group practice, while only 19 doctors or 3.0 per cent of the total 615 in solo practice in 1962 started their professional career under the auspices of group practice.

b. Costs of Establishing Practice

Appendix 6-19 shows the average initial capital cost of establishing practice and additional net cost in subsequent years incurred by general practitioners and specialists in solo private practice, by item of expenditure and size of community, for the country as a whole, commencing in 1957. Table 6-24 summarizes the main data contained in this appendix.

TABLE 6-24

AVERAGE TOTAL INITIAL CAPITAL COST AND AVERAGE ADDITIONAL COST OF ESTABLISHING PRACTICE BY GENERAL PRACTITIONERS AND SPECIALISTS IN SOLO PRIVATE PRACTICE, BY SIZE OF COMMUNITY, CANADA, COMMENCING 1957¹

	Gen	eral Practiti	oner		Specialist	
Year of Practice	Rura1 Areas	Urban Areas Under 100,000 Population	Urban Areas 100,000 and over Population	Rura1 Areas	Urban Areas Under 100,000 Population	Urban Areas 100,000 and over Population
	\$	\$	\$	Rura1 Areas	\$	\$
First year	5,530	5,740	5,540	_	5,030	4,030
Second year	1,640	1,300	1,720	_	1,690	1,190
Third year	1,040	1,220	2,150	-	900	1,290
Fourth year	620	680	1,580	_	Urban Areas Under 100,000 Population \$ 5,030 1,690	790
Fifth year	340	250	380		530	410

These averages were obtained by dividing total expenditures reported by total response count. Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice, 1962.

TABLE 6-25

SOURCE AND AMOUNT OF FUNDS USED TO ESTABLISH PRACTICE INITIALLY BY GENERAL PRACTITIONERS AND SPECIALISTS IN PRIVATE PRACTICE BY SIZE OF LOCALITY, CANADA, 1957-1961

1 1	1																	
0000	(b)	₩	1	2,053	179	1,346	2,069	817	6,464			1,471		040	7/61	1,727	160	6,157
of 100,	Average (a) (b	€9	ı	2,841	1,645	3,089	3,166	4,124	1		1	2,599	2,407	7	4,011	3,156	4,650	I
Urban Areas of 100,000 and Over Population	Number Report- ing		1	73	11	44	99	20	ı	8	13	90	15	(80	87	26	1
Urbs	Total Re- sponse Count		101						1		159							1
ır n	(b)	€9	1	1,826	20	1,169	2,975	1,395	7,415		ı	1,883	122	,	1,119	3,041	653	6,818
Urban Areas Under 100,000 Population	Average (a) (b	€9	1	3,453	1,210	3,725	4,235	4,690	1		ı	3,325	000'9	1	3,539	4,083	7,111	ı
rban Are 10,000 P	Number Report- ing		1	64	Ŋ	38	85	36	1		1	22	7	3	31	73	6	ı
Ü, Ü	Total Re- sponse Count		121	1	ı	ı	1	1	ı	2	86	1	1		1	ı	ı	I
	'age (b)	₩.	ı	1,309	23	1,556	2,013	1,597	6,498		1	1	1		ı	ı	I	1
Areas	Average (a) (b	€9	1	2,582	800	4,093	3,040	4,362	1		1	1	1		1	1	1	1
Rural Areas	Number Report- ing		1	36	7	27	47	26	ı		ı	1	1		ı	1	ı	I
	Total Re- sponse Count		71						1		Ì							ı
	Type of Major Work and Source of Funds		General practitioner	Personal resources	Gift	Credit or loan from: Family or relatives		Other	Total average amount		Specialist	Personal resources	Giff	Credit or loan from:	Family or relatives	Bank	Other	Total average amount

(a) This average was obtained by dividing total source amount of fund by number reporting.

⁽b) This average was obtained by dividing total source amount of fund by total response count. Source: Royal Commission on Health Services, Questionnaire on the Economics of Medical Practice, 1962.

Table 6-24 suggests that there are no special differences in initial and subsequent capital costs in establishing medical practice as between general practitioners and specialists. In general, the initial capital expenditure involved in starting a medical practice came to about \$5,000, in the second year of practice additional capital costs amounted to \$1,500 and it gradually declined to a few hundred dollars by the fifth year of practice.

There appear to be no special differences in capital costs, initial and subsequent, because of the various sizes of community in which practices were located.

c. Financing the Opening of Practice

Table 6-25 shows the source and amount of funds used to establish practice initially by general practitioners and specialists in private practice by size of community, for the country as a whole, during the years 1957-61.

It appears from Table 6-25 that approximately \$6,500 to \$7,500 were needed to establish a medical practice initially. This initial amount of funds needed was not perceptibly influenced by the size of community. Approximately three-quarters of the initial funds were obtained by way of a loan from relatives, bank or other sources. Personal financial resources accounted for the remaining quarter of the initial funds needed. A debt of about \$5,000 per physician in starting a practice does not seem to be particularly burdensome in view of the level of income indicated in the early part of this chapter.

Evaluation of Supply and Demand for Physicians in Canada

1. Adequacy of Medical Manpower

"In the field of medical care, a shortage in personnel or in facilities is conceived of as the difference between the numbers available to render service and the numbers needed. The use of need as the standard of adequacy is common to all discussions of medical care, both technical and popular, and is adhered to with remarkable consistency." There is almost universal agreement that adequate and good medical care should be available to all people, regardless of economic status. The care of the medically indigent attests to the validity of this general proposition.

Appraisal of medical manpower requirements, current and future, is a controversial subject because there is a wide range of premises which can be set forth with some degree of logic and acceptability as a basis for measuring the national physician requirement. Moreover, there is no theoretical framework for the analysis of medical manpower demand. The very concept of adequate medical care and hence adequate medical manpower does not mean any precisely defined quantity or quality because it is "... in a continuous state of flux varying with what is being achieved and what is generally thought to be available." For these reasons there is no really definite and generally acceptable estimate of the current adequacy of doctors in Canada.

There is the "medical" approach to adequacy of medical care, i.e., a "conservative and reasonable standard which members of the medical profession regard as sufficient and appropriate". According to this method, it is necessary to estimate the probable incidence of injuries and diseases for each age and sex group in the population and the quantity of services required for each category of sickness. This

¹ Klarman, Herbert E., "Requirements for Physicians, Economics of Medical Care," The American Economic Review, vol. XLI, No. 2, May 1951. Papers and Proceedings of the Sixty-third Annual Meeting of the American Economic Association, December 27-30, 1950, p. 633.

² Somers, H.M., and Somers, A.R., op. cit., p. 138.

³ Lee, Roger I., and Jones, Lewis Webster, The Fundamentals of Good Medical Care, Chicago: 1933, p. 111.

can be then translated into a medical manpower requirement. It has further been argued that "The need for medical care is a medical, not an economic concept... It can be defined only in terms of the physical conditions of the people and the capacities of the science and art of medicine to deal with them".

In fact, however, economic considerations cannot be disregarded. Medical care, useful as it is, cannot by itself be the only object of consumption. Equally important are adequate nutrition, good housing, health education, etc., all of which make positive contributions to people's health. Economic allocation of resources is as essential in health and medical services as in other industries. Further, it may be argued that from the standpoint of national economic welfare, medical personnel and facilities cannot be, under the present conditions, given an absolute priority because our society needs more scientists, technicians and other highly skilled personnel. Thus, it would appear that to calculate adequacy of medical care and of medical manpower simply in terms of medical needs may not be entirely satisfactory. On the other hand, actual current utilization of medical personnel and facilities may be used as a basis of calculations, on the assumption that this utilization is determined by the economic capacity of a community. This does not mean, however, that a standard of need must be abondoned because "... the most practical method of ascertaining a standard of need today is to study the utilization experience of known populations who receive comprehensive medical services by paying moderate insurance premiums" and, if need is accepted as a standard, it "... implies a willingness on the part of physicians, hospitals, or the community to underwrite a level of demand corresponding to the standard of need". 2 Otherwise it would involve maladjustment in the allocation of resources.

Requirements for physicians are usually estimated on the basis of physicians to population at selected points of time. Apart from the difficulties of using the physician-population ratio discussed elsewhere, there is a question as to what do we know of the adequacy of medical manpower at any selected date? However, the estimates of shortages may be made using the provinces with the best physician-population ratios as a yardstick for the rest of the country. Naturally, if a system which will provide greater medical insurance coverage is introduced, or if physicians are subsidized in "under-doctored" regions and areas, a physician-population ratio which would have been adequate under present conditions would not be adequate under the changed circumstances.

The medical profession tends to make estimates of the shortages of doctors on the basis of counting communities capable economically of supporting more. However, if need is accepted as the basis for determining requirements for medical services, then the market mechanism cannot perform the test of adequacy of medical manpower because, as shown in previous chapters, there exist shortages of physicians in rural areas.

Other methods in evaluation adequacy of medical manpower include an intraprofessional comparison of supply and of earnings, as well as of relative change in

¹ Ibid.

² Klarman, Herbert E., op. cit., pp. 644-45.

physicians' earnings with those of gainfully employed people; a comparison of medical fees with consumers' price index; an analysis of the proportion of family expenditure made for the physicians' services to total of such expenditures, and, finally, personal medical care expenses may be analysed with respect to the aggregate consumer expenditures, and other aggregates of the national income accounts.

It has been suggested that if the standard of need for medical services (including preventive, diagnostic and therapeutic services) is accepted then it is best measured under these conditions: (1) services are comprehensive in scope; (2) they are available to a population; (3) they are freely used by patients; (4) total services are subject to over-all supervision by physicians; (5) the limit on total services rendered is set by the available medical resources that can be purchased at reasonable prices by a known outlay; and (6) the size of the outlay must be related to the economic capacity of the population served. 1

2. First Approach - Physician-Population Ratios

Many numerical estimates of the need of physicians are framed in physicianpopulation ratios as a measure of the medical manpower needed in proportion to the

TABLE 7-1
ESTIMATED REQUIREMENTS FOR PHYSICIANS,
FOR PROVINCES AND CANADA, 1961

Province	Number of Physicians 1961 ¹	Required Number of Physicians at National Physician— Population Ratio 1:857	Deficit or Surplus	Required Number of Physicians at Ratio 1:804 ²	Deficit or Surplus
Newfoundland	230	535	- 305	570	- 340
Prince Edward Island	91	122	- 31	130	- 39
Nova Scotia	706	861	- 155	917	- 211
New Brunswick	455	699	- 244	744	- 289
Quebec	6,167	6,138	+ 29	6,541	- 374
Ontario	8,040	7,278	+ 762	7,755	+ 285
Manitoba	1,120	1,076	+ 44	1,146	- 26
Saskatchewan	951	1,080	- 129	1, 15 1	- 200
Alberta	1,356	1,555	- 199	1,657	- 301
British Columbia	2,150	1,902	+ 248	2,026	+ 124
Yukon and					
Northwest Territories	24	44	- 20	47	- 23
Canada	21,290	21,290	±1,083	22,684	-1,394

¹ Census data.

² Average physician—population ratio of Quebec, Ontario, Manitoba and British Columbia, whose ratios were more favourable than the national ratio of 1:857.

¹ Ibid., pp. 636-37.

size of the community. The physician-population ratio implies a static situation of demand and use of medical services. The present ratio may be considered as a minimum essential to maintain the health of the Canadian people although it does not make allowance for actual volume of services and it assumes a degree of homogeneity of both physicians and population, which, in fact, they do not possess.

Table 7-1 indicates the maldistribution of physicians in Canada and shows deficits in medical manpower as they existed in 1961.

It is clear that if the national physician-population ratio of 1:857 were to prevail throughout the whole country and thus an equitable distribution of medical manpower were to take place, approximately 5.0 per cent of the physicians would have to move from provinces in central Canada and British Columbia to the Atlantic Provinces, Saskatchewan and Alberta.

If the present pattern of distribution is allowed to continue, it is perhaps true that there will be a gradual improvement in some parts of the country but, in general, the gains will come in those provinces which already have a relatively advantageous physician-population ratio while the present shortage of doctors in less developed regions of Canada will continue as in the past. It should be obvious

TABLE 7-2
PHYSICIAN-POPULATION RATIOS IN SELECTED COUNTRIES,
1950 - 1962

Year	France ¹	Germany ²	Ita1y³	United Kingdom ³	United States ⁴	Canada
1950	1:1,290	1:755	_	-	1:756	_
1951	1:1,180	_	1:816	1:1,143	1:770	1:976
1952	1:1,132	1:762	-	_	-	1:968
1953	1:1,124	1:753	_	_	1:766	1:960
1954	1:1,091	1:743	_	_	-	1:955
1955	1:1,056	1:742	-	_	1:758	1:934
1956	1:1,034	1:733	1:691	_	_	1:928
1957	1:1,018	1:729	_	_	1:755	1:920
1958	1:1,004	1:734	_	1:1,035	_	1:905
1959	1:1,003	1:725	_	_	1:749	1:893
1960	-	1:715	1:608	1: 932	1:754	1:879
1961	_	-	_	_	_	1:857
1962	_	_	_	-	1:736	1:866

Sources: 1 Statistical Year Books of France.

² Excluding Eastern Germany and Berlin, Statistical Year Books of Germany.

³ U.N. Statistical Year Books.

⁴ 1950-1953, U.N. Statistical Year Books, 1955-1962, Health Manpower Source Books, Section 14, Medical Specialists, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962, Table 1, p.3.

⁵ 1951 and 1961, Census data; 1952—1960, C.M.A.'s Survey of Provincial Licensing Authorities; C.M.A.'s brief on Future Requirements for Physicians in Canada, submitted to the Royal Commission on Health Services, October 27, 1961, p.3; 1962, Canadian Mailings Ltd., Toronto, 1962.

by now that we require some planning, on a regional or national level, if all our people are to have access to medical services on an equitable basis. It might be necessary to institute a planned use of physician resources through subsidization of doctors in less economically developed parts of the country.

If all provinces of Canada were to have a supply of physicians similar to what existed in the provinces with the best physician-population ratios, there would be a shortage of about 1,400 doctors in Canada as of June, 1961. All provinces, except Ontario and British Columbia would have had a deficit in their 1961 supply of doctors on the foregoing criterion.

For a nation with one of the world's highest living standards, our medical manpower seems to be inadequate and its distribution is far from equitable. To argue that there is no deficiency in the national supply of physicians or that it is not likely to occur in the future because of rapid increase in productivity of doctors, is to fail to acknowledge that any increase in the individual doctor's efficiency is more than offset by increased demand for his services.

Comparative physician-population ratios for major countries of the western world are shown in Table 7-2.

Even if one allows for sparseness of settlement in Canada, it appears that in population per physician Canada compares less favourably with other countries except the United Kingdom and France.

3. Second Approach - Volume of Services

To supplement the physician-population ratio approach, refinements in the form of patient-visits load approach may be used in assessing the present and future requirements for physicians. The physician's performance is measured by counting patient-visits per annum and no attempt is made to assess quality of his performance. Quality of service is related to how well the job is done and to the skills and specialized training of a physician. As such it does not render itself to a statistical interpretation. This fact creates a reasonable objection to using demand for services as a basis for estimating physician requirements.

Patient-visits load, however, is a useful index for determining the demand for medical care and medical manpower because it indicates the number of individuals seen by a private practitioner and measures his performance under modern standards of diagnosis, therapy and prevention.

It is somewhat difficult to apply national averages of volume of medical services received and provided by a doctor in private practice for regions and areas because of economic and other differences in the characteristics of regions and local areas. For this approach attempts to measure actual utilization of physicians

Bachman, George W., "Method of Measuring Physician Requirements, with Appraisal of Former Methods," The Brookings Institution, Washington 6, D.C., May 1955, Reprint No. 5, from the Journal of the American Medical Association, June 4, 1955, vol. 158, pp. 375-81, p. 10.

TABLE 7-3

ESTIMATED REQUIREMENTS FOR PHYSICIANS IN PRIVATE PRACTICE, FOR FROVINCES AND CANADA, 1961

Shortage of Doctors, 1961	- 319 - 45 - 269 - 303 -1,100 - 776 - 164 - 292 - 428 - 166
No. of Doctors in Private Practice Required to Meet Demand at Improved National Standard ² (6.7230 patient-visits)	486 111 782 634 5,579 6,615 978 1,413 1,728
Deficit or Surplus of Physicians in Private Fractice	- 222 - 23 - 113 - 177 + 16 + 547 + 32 - 94 - 145 + 179
No. of Doctors in Private Practice Required to Meet Demand at 1961 National Standard ¹ (5.3784 patient—visits)	389 89 626 508 4,464 5,293 782 1,131 1,333
Private Practice Physician- Population Ratio	1:2,742 1:1,585 1:1,437 1:1,806 1:1,173 1:1,068 1:1,132 1:1,339 1:1,350 1:1,350 1:1,350
Distribution of Fhysicians in Private Fractice	167 66 513 331 4.480 5.840 814 691 1,562 15,450
Fer Cent Distribution of Physicians Census 1961	1.08 0.43 3.32 2.14 29.00 37.80 5.27 4.47 6.38 10.11
Province	Newfoundland Prince Edward Island. Nova Scotia New Brunswick Quebec Manitoba Saskatchewan Alberta British Columbia

1 On the assumption that each person in Canada received 5.378 physician-visits and that each doctor in private practice was able, on the average, to dispense 6,336 patient-visits per year.

approximately 25% of the Canadian population have had complete medical insurance coverage and 50% have had partial coverage. The 25% addition ² Improved national standard of 6,7230 has been computed by adding 1,3446 physician-visits or 25% to the national standard of 5,3784 because represents the unmet demand for medical services.

SExcludes Yukon and Northwest Territories.

and it assumes that all provinces are comparable in their education, economic and social composition and, therefore, the demand for medical services will be similar. In fact, it must be acknowledged, not all members of a regional community are recipients of medical services. The extent and type of services received vary because of age, sex, income and other characteristics of the regional population.

It may be useful to calculate physician requirements with reference to the actual effective demand (volume of services received) as well as to non-effective demand (or need). Table 7-3 summarizes the calculations of requirements for physicians in private practice, for provinces and Canada, as of June 1961, both with respect to effective and non-effective demand.

Table 7-3 clearly indicates an inequitable distribution of physicians in private practice as between provinces. The deficit provinces include the Atlantic Provinces and Saskatchewan and Alberta.

If unmet demand for medical services were to be satisfied, it would appear, that there were 3,900 more physicians needed in private practice in 1961, assuming that economic and other barriers were to be eliminated and equitable distribution of physicians in private practice were to take place throughout the whole country.

4. Inter-Professional Comparison of Earnings and Supply in Canada

An inter-professional comparison of the average incomes of various professions over a period of time may lead to evidence of a national shortage of manpower in a particular profession whose income has increased more than that of other professions. This fact would suggest a maladjustment in the conditions of supply and demand. Professional income differentials may be accounted for by the difficulty of entry into a profession or may indicate that monetary remunerations are necessary to compensate for some professional disadvantages (long training) or to induce an adequate supply of qualified persons to satisfy a strong demand for given professional services or that productivity of a given professional group has increased disproportionately.

Net incomes of physicians, lawyers, dentists, consulting engineers and architects and accountants during the years 1946—1960 are shown in Appendix 7—1. The information is taken from "Taxation Statistics," published by the Department of National Revenue. For the purposes of this comparative analysis of earnings of various professions, professional income means income or fees received from the independent practice of a profession for profit. In the case of physicians these statistics apply only to those in private practice.

All five professions are characterized by a considerable degree of stability of relative income status. However, while the average annual income of physicians and dentists invariably increased every year between 1946 and 1960, indicating that, generally, demand for dental and medical services does not seem to fluctuate with the general economic conditions of the country, the average annual incomes of the three professions, being more sensitive to economic conditions, fluctuated slightly. Taking 1951 earnings as a base, dentists increased their income by 100.0 per cent

between 1951-1960, consulting engineers and architects by 90.0 per cent, physicians by 72.0 per cent, while accountants and lawyers by only 46.0 per cent and 50.0 per cent respectively.

Table 7-4 shows the three-year average annual professional income of the five occupations being examined.

The three-year average annual professional income of consulting engineers and architects increased by 116.0 per cent between 1945-48 to 1958-60, and the corresponding percentage for dentists was 111.0, physicians - 110.0, and lawyers - 88.0. These were relative changes in respective professional incomes. Absolute change may be measured in dollars. Thus, physicians increased their three-year average annual income by \$7,630 in the period under review, consulting engineers and architects by \$6,915, dentists by \$5,650 and lawyers by \$5,562. It should be noted that the three-year average annual professional income of physicians was highest in both the 1946-48 and 1958-60 periods amongst the professions considered.

TABLE 7-4

THREE-YEAR AVERAGE ANNUAL PROFESSIONAL INCOME
EARNED BY SELF-EMPLOYED PHYSICIANS, LAWYERS, DENTISTS,
CONSULTING ENGINEERS AND ARCHITECTS AND ACCOUNTANTS, CANADA,
1946-1960¹

	1946-48	1949-51	1952-54	1955-57	1958-60
	\$	\$	\$	\$	\$
Medical Doctors & Surgeons	6,945	8,667	10,014	11,761	14,575
Change	500 - 001 00000	1,722	1,344	1,750	2,814
% Change		24.8%	15.5%	17.5%	23.9%
Lawyers	6,350	8,421	8,435	10,637	11,912
Change		2,071	14	2,202	1,275
% Change	33	32.6%	0.2%	26.1%	12.0%
Dentists	5,077	5,575	6,638	8,465	10,727
Change		498	1,063	1,827	2,262
% Change		9.8%	19.1%	27.5%	26.7%
Consulting Engineers &				11 600	10.075
Architects	5,960	8,793	9,247	11,682	12,875
Change		2,833	454	2,435	1,193
% Change		47.5%	5.2%	26.3%	10.2%
Accountants	_	_	6,953	8,764	9,876
Change		_	-	1,811	1,112
% Change		-	1-	26.0%	12,7%

¹ For purposes of these statistics, the Department of National Revenue has defined professional income as income or fees received from the independent practice of a profession for profit. Thus, professionally-qualified persons employed on an annual salary basis by a company, government or institution are excluded. Income figures were derived by dividing the total professional income by the number of taxable returns.

Source: Taxation Statistics, Annual Reports, 1948 to 1962, Department of National Revenue.

Table 7-5 shows the percentage distribution of the five professions under consideration, by average annual professional income classes, for 1960.

It appears from Table 7-5 that physicians and surgeons in private practice have proportionately more respresentatives in the higher income brackets than the other comparable professions. This is especially true for the group in the \$20,000 and under \$25,000 net income per annum bracket. In the income group of over \$25,000 the proportion of physicians, consulting engineers and architects is approximately the same. Nearly half of the reporting physicians earned a net professional income of \$15,000 or more as compared with one-third of the reporting lawyers and consulting engineers and architects, and less than one-third of the other two professions.

TABLE 7-5

PER CENT DISTRIBUTION OF PHYSICIANS, LAWYERS, DENTISTS, CONSULTING ENGINEERS AND ARCHITECTS AND ACCOUNTANTS, BY AVERAGE ANNUAL PROFESSIONAL INCOME RANGE, CANADA, 1960

Professional Income Class	Phy- sicians	Lawyers	Dentists	Consulting Engineers & Architects	Accoun- tants
	%	%	%	%	%
Less than \$5,000	9.6	17.2	12.3	17.8	24.5
\$5,000 to under \$10,000	23.6	31.2	30.8	29.0	34.8
\$10,000 - under \$15,000	20.1	20.1	28.5	20.2	18.5
\$15,000 - under \$20,000	18.1	11.6	17.2	11.2	9.3
\$20,000 - under \$25,000	11.9	6.9	7.0	6.5	5.1
\$25,000 & Over	16.7	13.0	4.2	15.3	7.8
Number of Taxable Returns	14,013	7,195	4,381	2,019	4,119

Source: Taxation Statistics, 1962, Department of National Revenue.

Appendix 7-2 illustrates the growth of selected professional and technical occupations in Canada between 1931-1961. Professional and technical occupations, as a whole, steadily increased in absolute numbers as well as a proportion of the total labour force. Physicians and surgeons decreased their percentage of total professional and technical groups from 4.2 per cent in 1931 to 3.4 per cent in 1961. On the other hand, doctors, as a percentage of the total labour force, increased from 0.26 per cent in 1931 to 0.32 per cent in 1961. The professions which showed a more pronounced growth include nurses and teachers.

5. Physicians' Professional Income and Wages and Personal Income Per Capita Compared

A comparison of changes in annual average professional income of physicians with changes in personal income per capita as well as in labour income may be used in an assessment of the adequacy of medical manpower.

The three-year annual average professional income earned by self-employed physicians increased from \$6,945 during the years 1946-1948 to \$14,575 in 1958-1960, i.e., by 109.9 per cent, while personal income per capita in Canada increased during the period under consideration from \$849 to \$1,484, i.e., by only 74.8 per cent.¹

Appendix 7-3 shows index numbers of physicians' professional income, workers' average weekly wages and salaries and labour income per employee, based on 1949 as 100.0, during the years 1946-1960.

It appears that the physicians' professional income between 1949-1960 increased by 77.4 per cent, which increase was almost identical with the increase in annual average weekly wages of people engaged in manufacturing and also in all other industries (industrial composite index). On the other hand, the indicated increase in income of physicians was somewhat higher than that of average labour income per paid worker or employee by about 16.0 per cent.

6. Cost of Living and Prices of Medical Services

The problem of medical care costs may be discussed with reference to total personal medical care costs incurred by a nation or per capita or the price of a particular service. A change in total expenditures reflects the change in population size as well as the change in per capita costs and in prices of medical services. Medical care expenditure per capita reflects both the change in prices of medical services and the extent and character of average utilization of such services.

The analysis of prices of medical services is limited to the post-war period because it is now long enough to show significant contemporary trends and also because in terms of economic and social developments the post-war era should be viewed differently from the war and pre-war years.

Prices of medical services since the end of World War II have spiralled upward more rapidly than the general cost of living, but "price changes, at best, are no measure of what the purchaser of medical care gets from the doctors for his money." No adjustment in prices is made because of the change in quality of medical services due to advances in medical knowledge and art, growing specialization, the development of new drugs and treatment and surgical procedures, etc. This rise in prices of medical services reflects the impact of inflation and a growing demand for more medical care in contrast to a relatively inelastic supply of medical services.

As the Canadian standard and cost of living rose in recent decades, a parallel rise in medical care prices was to be expected. But the fact is that the rise in the latter prices during the post-war years has far outstripped the general increase in the consumer price index. And, it should be pointed out, the figures

¹ National Accounts, Income and Expenditure, D.B.S.

² Davis, Michael M., Medical Care for Tomorrow, Harper & Bros., New York: 1955, p. 311.

reflect only effective demand and not unrecognized and unmet needs. It should also be pointed out that both on the demand and supply side there is no single "price" of medical services. The latter covers a wide variety of services differing in quality and quantity. Besides a physician may use a sliding scale.

Appendix 7-4 records index numbers of cost of living, doctors' fees, and other components of medical care, for urban areas in Canada, during the years 1945-1962. At the national level, price indexes are available for office consultations, home calls and confinements from 1935-1962, and for appendectomies from 1949-1962. The above items were selected as representative of the major expenditures on doctors' care.¹

Consumer price index increased from 100.0 in 1949 to an annual average of 130.7 in 1962, while doctors' fees index (weighted average of the four components of medical care) increased from 100.0 to 150.4 during the same period. The largest increase occurred in prices of confinements and the smallest in the case of appendectomies.

This comparison between relative changes in consumer price index and doctors' fees index would indicate that prices of medical care have risen either because of improvement in its quality or because the supply of medical care did not keep pace with the increased demand for it.

7. Expenditure on Personal Medical Services

Appendix 7-5 shows total and per capita expenditures on personal medical services and the percentage of total to gross national expenditure and personal expenditure during the years 1945-1961. Personal expenditures have been adjusted to include expenditures on personal health care as reported in the National Accounts, the cost of providing hospital care in public, mental, tuberculosis and federal hospitals, and the administrative costs of public insurance programmes.

Canadian expenditures on personal medical care accounted for 1.56 per cent of total personal expenditures in 1961 as compared with 1.09 per cent in 1945. This percentage was steadily rising between the two periods. Similarly, the percentage of these expenditures to gross national expenditure has increased from 0.64 in 1945 to 1.02 in 1961. In the latter year they amounted to \$393.2 million, or \$21.0 per capita as compared with \$76.2 million and \$6.30 in 1945. These figures are expressed in current dollars. Per capita expenditure on personal medical care is the combination of price and utilization that determine the comparative costs of medical care over periods of time.

Four items of doctors' care (office consultation, home calls, confinement and appendectomies) have been priced since September 1953 in 11 major Canadian cities (Halifax, Saint John, Montreal, Ottawa, Toronto, Winnipeg, Regina, Saskatoon, Calgary, Edmonton and Vancouver) and prior to 1953, fees were priced in only eight cities. Price information is obtained by personal contact with a sample of doctors in each city. Each doctor is asked to report the fee which he charges to the majority of his patients in the month during which the fees are obtained. A judgement sample of doctors in each city is selected with care being taken to select doctors who would be concerned with the target group of the consumer price index which is basically concerned with middle income groups. As a result doctors who would charge on the high side, are generally excluded. A sample of approximately five doctors is covered in each city.

Expenditures on personal medical services increased by 416 per cent over the period under consideration as compared with a 210 per cent increase of gross national expenditure and a 248 per cent increase of personal expenditures over the same period. This would suggest that the Canadian community tends to devote increasing proportions of its income to medical care as income increases and prices of medical services rise. However, to take a percentage of medical care expenses to total consumers' expenditures is not entirely a measure of a trend indicating greater concern with health. This percentage may reflect a large proportion of the population with small outlays for medical care and a small proportion of the population with large expenditures on medical services.

The total sum that consumers are willing to spend on medical services depends in part on the total number of doctors, i.e., on the degree of availability of medical practitioners, though the medical care market is characterized by the almost complete absence of direct price competition.

No comparison of expenditure on medical fees and total family expenditure over a period of time can be made because of the difficulties of maintaining comparability of data obtained from expenditure surveys carried out by the Dominion Bureau of Statistics. There were differences in survey criteria and definitions as well as in the sizes of city samples. City samples were not large enough to produce a reliable estimate of actual medical fees. The surveys of family expenditure in metropolitan areas carried out by the D.B.S. between 1937/38-1959 suggest that average expenditure per family on medical care (medical fees exclusive of amounts paid by health care plans) constituted 0.99 to 1.20 per cent of the total family expenditure.

The medical needs and hence medical costs of an individual are unpredictable. The average of medical cost per family is somewhat misleading because in a group of families of similar income levels, the majority, having no serious illness in a family, will have their medical costs below the average, while at the other extreme there will be a few families who have one or more health problems and their medical care expenditure will be naturally very high. The large families, and especially those with only one wage-earner, are at a particular disadvantage. And if a wage-earner is ill himself then the loss of wages is an additional burden to the family. Various studies indicate that expenditures on medical care as a percentage of family income decrease as income increases.

It may be argued that by the very nature of the medical services, consumer expenditures on medical care when consumers exercise free choice are bound to be low because the return is uncertain. Besides consumers will tend to economize by seeking medical attention only when they think they are really ill.

Physician-Population Projections, 1961-1991

1. Introduction1

Almost invariably there exist wide variations in estimates of future requirements for physicians in any country because there is as yet no generally acceptable theoretical framework for the analysis of the medical manpower problems, no defined standard of medical care or an agreement as to the number of doctors needed to supply a given demand for medical care. "However significant present estimates may be, their use in determining future requirements is seriously open to question — if for no other reason than because of changing medical practices, the lack of acceptable standards of measurement, and the changing social and physical structure of the population." Moreover, the term "physician" changes with respect to training and ability, the content and efficiency of medicine, particularly, in a dynamic country where medicine itself is constantly progressing. Consequently, differences in numerical estimates result, giving contradictory impressions of shortages or surplus of doctors, which make planning for current and future medical manpower requirements difficult.

The statistical problem of projecting the supply of physicians into the future involves determination of the existing number of doctors in the current or some other base year and the establishment, if possible, of various trends in inflow (re-entry, transfer, immigration, medical graduates) and outflow (emigration, retirement, mortality, other departures), which should be projected to a given future year, and the total net estimate for that year is computed after the appropriate additions and subtractions.

Another approach is to assess the expansion likely to occur in various fields of medical practice (general and specialist private practice, hospital medical personnel, medical research and teaching, public health, industrial

See also Clarkson, Guy C., "Future Requirements for Physicians in Canada," C.M.A.J., November 18, 1961, vol. 85, pp. 1162-69; and Bachman, George W., "A Method of Measuring Physician Requirements with Appraisal of Former Methods," The Brookings Institution, Washington 6, D.C., May, 1955, Reprint No. 5, from the Journal of the A.M.A., June 4, 1955, vol. 158, pp. 375-81, p. 21.

² Bachman, George W., op. cit., pp. 2-3.

medicine, etc.), evaluating existing shortages or surpluses, and then to estimate additional medical requirements to meet this assessed expansion.

In this study only the first approach will be attempted because of inadequate statistical data needed for the second method.

It has been pointed out, however, that no precise estimates are possible because of many uncertainties and also of many imponderables.¹ At best, it has been suggested that estimates can be made for a 10-year period and beyond that estimates should be regarded with caution because over a longer period the output of medical schools varies considerably, the incidence of losses, by death and retirement of doctors, may change and there is great uncertainty with respect to migration of doctors, the organization of medical practice is flexible, utilization of paramedical personnel increases, etc.

A similar approach must be followed with respect to the projection of the demand for physicians. The principal factors in projecting demand for doctors include population growth and changes in its age structure. Not only does the increase in total population necessitate more physicians but also the greater proportions of younger and older people create additional demand for medical services. Then, the socio-economic structure of a society is subject to constant change. The process of urbanization of the population can be expected to continue and to add to the demand for medical services as people in cities tend to see doctors more often. Improved economic status and a higher standard of living will also increase demand for medical care as people with higher incomes demand more services. Improved levels of education of the people will mean a greater health consciousness and hence a greater demand for physicians' services. Medical research and technical development in medical practice will widen the doctor's scope of work and skills and, it is said, the more doctors can do for the people the larger becomes the demand, and increased demand in turn creates still further demand. In addition, the utilization of physicians' services in research, teaching, industrial health, hospitals, and public health may be expected to increase in the future.

On the other hand, more effective drugs, better organization of practice, changes in medical techniques and therapeutic methods, more widespread knowledge of hygiene, as well as changes in the incidence of illness, all of these may decrease the demand for doctors' services.

Total demand at a particular time is the net result of the above determinants and, it may simply not be possible to forecast the precise effect of future changes in these factors, some of which are so unpredictable that in estimating the future requirements for physicians the right course is to make no allowance for them one way or another. However, it has been argued that "it is safe to assume that health needs will not

¹ Great Britain, Ministry of Health, Report of the Committee to Consider the Future Number of Medical Practitioners and the Appropriate Intake of Medical Students, London, H.M.S.O. 1957, pp. 1-2.

diminish and that better utilization of physicians' services can effect only modest savings in professional time. Therefore a substantial decline in the physician-population ratio will be reflected in lessened quantity or quality of health services". 1

A minimum estimate may be made by reference to current demand for medical services; and a maximum estimate on the basis of "needed" services by all people, and thus future requirements for doctors to meet the "need" for these services can be calculated. Since doctors prefer to locate their practices where opportunities, professional and financial, exist, i.e., the cities and industrial centres, the higher production of doctors cannot possibly solve the problem of medical care in the smaller and rural communities. The better geographic distribution of physicians will require more hospitals, medical facilities and auxiliary personnel in the latter areas.

2. Attrition Rate of Canadian Doctors

In order to project the supply of physicians into the future it is necessary to estimate the loss or attrition in medical manpower each year or each projected period. This loss may be due to a natural cause like death or sickness, emigration, retirement and other departures. Because of the lack of statistical data, the extent of loss from each of these causes cannot be estimated, and, therefore, only a composite or gross attrition can be suggested. While death rate of Canadian doctors has been calculated as being 1.4 per cent, the situation concerning physicians designated as retired and not in practice is different. These physicians are for the most part advanced in years and, although retirement is voluntary or the result of disability associated with age their effective capacity has greatly diminished. Relatively few physicians formally retire until they are well advanced in age. With longer life and work expectancy probably the average retirement age is 72. But, this is only a conjecture and no data are available to indicate the number of doctors in Canada of 72 years and over. There is also a lack of complete data with respect to emigration of the new Canadian medical graduates who leave Canada in order to continue their studies or to practise outside this country.

The calculation of the gross attrition rate is presented in Table 8-1.

In the above calculation only Canadian medical graduates are considered, on the assumption, that most of the other graduates of Canadian medical schools who came from other countries did not remain in Canada. In view of the difficulty in establishing a time lag between the entry of immigrant doctors and their actual registration, the figures of immigrant physicians, who registered with Provincial Licensing Authorities during the years under consideration,

Peterson, Paul Q. and Pennell, Maryland Y., "Physician-Population Projections, 1961-1975: Their Causes and Implications," A.J.P.H., vol. 53, No. 2, February, 1963, p. 171.

TABLE 8-1	
AVERAGE COMPOSITE ATTRITION RATE OF CANADIAN DOCTORS,	1952-1960

Year	Estimated Number of Phy- sicians at Beginning of Year	Canadian Graduates of Canadian Medical Schools ¹	Immi- grant Phy- sicians ²	Theor- etical Total	Loss	Average Number of Phy- sicians During Year	Composite Attrition Rate
1952	14,520	757	339	15,616	481	14,828	3.24
1953	15,135	771	393	16,299	470	15,482	3.04
1954	15,829	836	488	17,153	722	16,130	4.48
1955	16,431	817	447	17,695	474	16,826	2.82
1956	17,221	734	496	18,451	580	17,546	3.30
1957	17,871	806	582	19,259	736	18,197	4.04
1958	18,523	730	557	19,810	714	18,810	3.80
1959	19,096	765	586	20,447	647	19,448	3.33
1960	19,800	777	521	21,098	581	20,158	2.88
Average		2	8				
1952-1960	17,421		5		600		3.44

¹ Canadian graduates exclude medical graduates of Canadian medical schools who were from foreign countries.

have been used. This latter procedure implies, very likely, some duplication since an immigrant doctor might have registered in more than one province. However, such duplication is probably not very significant.

On January 1, 1952, there were 14,520 registered physicians. During the year there were 757 Canadian-born graduates of Canadian medical schools plus 339 immigrant physicians, who registered throughout the whole calendar year, making a theoretical total of 15,616 at the end of 1952. In actual fact, however, there were only 15,135 doctors registered at the beginning of 1952. The net loss, therefore, was 481 physicians, which expressed as a percentage of the average number of physicians during the year, gives a gross attrition rate of 3.24 per cent. This process has been repeated for the subsequent years until 1960. The average gross attrition rate for the years 1952–1960 was 3.44 per cent as derived from the actual experience of the last decade. The 3.5 per cent attrition factor has been suggested for Canada elsewhere. In all the subsequent calculations of expected supply of doctors in Canada and required output from Canadian medical schools to meet future requirements for physicians the 3.2 per cent attrition rate is being used to make allowance for some duplication of registration of immigrant doctors.

² Immigrant physicians who registered with Provincial Licensing Authorities.

^{1 &}quot;Medical Economics: Are There Too Many Doctors in Canada?", C.M.A.J., vol. 78, June 15, 1958, p. 967

3. Future Requirements and Supply of Physicians in Canada, 1961–1991

The purpose of this section is to determine physician requirements with the use of measurable factors such as the physician-population ratio and the volume of medical services received per capita, and to estimate the expected supply of doctors until 1991.

Appendices 8-1 and 8-2 show the projected physician requirements in Canada, 1961-1991, with projected populations, on the assumptions of a net immigration of 10,000 and 100,000 persons respectively. Further calculations were not made with respect to these two physician requirements because the recent Canadian experience with net immigration did not warrant them.

Appendix 8–3 provides information on the expected supply of physicians in Canada per annum between the years 1961 to 1991. The annual attrition rate of 3.2 per cent was used with respect to the number of doctors at the beginning of each year. It was assumed that during the years 1961 to 1971 there will be 350 immigrant physicians added to the Canadian medical manpower per annum, and thereafter only 250 per year. Output of Canadian medical schools was assumed to be 800 Canadian graduates per year (excluding graduates of Canadian medical schools who come from other countries) during the projected period of 1961 to 1965, thus making 4,000 for the whole period. The annual output of 900 Canadian graduates was assumed for the period 1966 to 1970, and 950 (including the graduates of the proposed medical school in Sherbrooke) per year for the remaining projected five-year periods.

Table 8-2 shows the projected five-year requirements and expected supply of physicians in Canada between the years 1961 and 1991, and surpluses or deficits between requirements and supply. These requirements were calculated on the assumption of constant 1961 physician-population ratio of 1:857 and the same improving ratio of constant volumes of medical services per capita of 5.3784 and 6.7230 physician-visits. As for projected populations, three variables were assumed, namely, net immigration 0 per annum, 25,000 and 50,000 persons per year.

Total requirements for physicians were computed by applying either a static physician-population ratio of 1:857, assuming thus the current demand for medical services, or a progressively improving physician-population ratio of 1:857 in 1961 to 1:665 in 1991², to the projected populations, on the assumptions of net immigration of 0 per annum, 25,000 and 50,000 persons per year.

Population projections were prepared for the Royal Commission on Health Services by Dr. A. Stukel.

Physician—population ratio improved from 1:976 in 1951 to 1:897 in 1961 (excluding the actual improvement to 1:857 due to immigrant new registrants who were additions to Canadian medical manpower during the years 1950—1960. These immigrants accounted for about one—third of the total new registrants during the same period). Thus the rate of improvement equalled 8.8 per cent over the 10—year period or at a compound rate of 0.85 per cent per annum. This rate was used to calculate the five—year improved ratios.

PROJECTED FIVE-YEAR REQUIREMENTS AND EXPECTED SUPPLY OF PHYSICIANS, CANADA, 1961–1991 TABLE 8-2

	P.	Population: net immigration - 0; 25,000 and 50,000 per annum	et immigrat	ion -0 ; 25,	000 and 50,	000 per a	nnum			
	Population assuming: (1) net immigration -0 0 0.8	Expected	Constant Popul Ratio -	Constant Physician- Population Ratio — 1:857	Improving Physician- Population Ratio - 1:857 ²	hysician- tion 1:8572	Constant 5,3784 Physician-Vigits per Capita	5,3784 -Vişits oita	Constant 6,7230 Physician-Visits per Capita	6,7230 -Visits pita
Year	(3) " 25,000 p.a. (3) " 50,000 p.a. ('000)	Supply of Physicians	Total Require- ments for Physicians	Surplus or Deficit in Supply	Total Require- ments for Physicians	Deficit in Supply	Total Require- ments for Physicians	Deficit in Supply	Total Require- ments for Physicians	Deficit in Supply
1961	(1) 18,238.2 (2) 18,238.2 (3) 18,238.2	21,290	21,290 21,290 21,290	[11	21,290 21,290 21,290	111	21,290 21,290 21,290	111	21,290 21,290 21,290	111
1966	(1) 20,021.5 (2) 20,159.0 (3) 20,296.5	23,489	23,362 23,522 23,683	127 - 33 - 194	24,357 24,524 24,691	- 868 - 1,035 - 1,202	23,441 23,602 23,764	48 - 113 - 275	29,302 29,503 29,705	5,8136,0146,216
1971	(1) 21,983.8 (2) 22,286.7 (3) 22,589.5	25,826	25,652 26,005 26,358	174 - 179 - 532	27,933 28,318 28,714	- 2,107 - 2,492 - 2,888	25,739 26,094 26,448	87 - 268 - 622	32,174 32,618 33,060	6,3486,7927,234
1976	(1) 24,253.6 (2) 24,743.5 (3) 25,233.5	27,579	28,300 28,872 29,443	- 721 -1,293 -1,864	32,123 32,772 33,421	- 4,544 - 5,193 - 5,842	28,397 28,971 29,545	- 818 -1,392 -1,966	35,496 36,212 36,929	- 7,917 - 8,633 - 9,350
1981	(1) 26,858.5 (2) 27,522.6 (3) 28,246.7	29,069	31,340 32,150 32,959	-2,271 -3,081 -3,890	37,148 38,108 39,068	- 8,097 - 9,039 - 9,999	31,447 32,259 33,071	-2,378 -3,190 -4,002	39,309 40,324 41,340	-10,240 -11,255 -12,271
1986	(1) 29,714.9 (2) 30,630.4 (3) 31,545.9	30,335	34,673 35,741 36,809	-4,338 -5,406 -6,474	42,878 44,199 45,520	-12,543 -13,864 -15,185	34,791 35,863 36,935	-4,456 -5,528 -6,600	43,489 44,829 46,168	-13,154 -14,494 -15,833
1991	(1) 32,785.9 (2) 33,946.3 (3) 35,106.7	31,410	38,256 39,610 40,964	-6,846 -8,200 -9,554	49,302 51,047 52,792	-17,892 -19,637 -21,382	38,387 39,746 41,104	-6,977 -8,336 -9,694	47,983 49,681 51,380	-16,573 -18,271 -19,970

The total annual volume of medical services supplied by an estimated 15,450 physicians in private practice in Canada in 1961 amounted to 97,891,200 aptent-visits. The weighted weekly average patient-visit load per doctor in private practice, irrespective of the type of major work, was 132, making an annual (48 weeks) patient-visit load of 6,356 per physician. A patient-visit is defined here as a consultation with a physician either in person, or by projected periods. The physician population ratio becomes 1:822 in 1966; 1:787 in 1971; 1:755 in 1976; 1:723 in 1981; 1:693 in 1986 and 1:665 in 1991, On assumption that physician-population ratio will maintain the 0.85 per cent average annual improvement registered between 1951 and 1961 during the 1961 physician-population ratio, based on 1961 Census data.

The volume of medical services required per capita, 6,7230 physician visits, has been estimated by adding 25 per cent to 5,3784 to meet the total medical need per person on the assumption that only 25 per cent of population of Canada had full medical insurance coverage in 1961 and 50 per cent population of Canada had partial coverage. Elimination of an economic barrier between patients and physicians would raise the effective demand to the telephone in his office, in hospital, or the patient's home for examination, diagnosis, treatment or advice. On a per capita basis, each person in this county irrespective of age, set, income and location, received 5,3784 physician visits. This figure is not comparable with "services" received by persons under full medical insurance coverage. suggested. At the constant ratio of 1:857 the physician requirements simply indicate the numbers of doctors needed to keep pace with the projected increases in population.

Total requirements for physicians were also computed by applying the previously calculated 1961 utilization of private practitioners' services of 5.3784 physician-visits per capita and of 6.7230 physician-visits per capita, which volume of services would meet the unsatisfied demand for medical services, to projected populations. The volume of services (population multiplied by constant required volume of services) was divided by a private practitioner's Work-load of 6,336 patient-visits per year. Private practitioners constituted 72.5 per cent of the total medical manpower in Canada in 1961. This constant proportion was used to calculate the requirements for the total number of doctors in the projected periods.

It will be noticed that the calculations of future requirements have been based on the whole population of physicians, without regard to the nature of their employment. This was done because doctors change their jobs and calculations on a sectional basis would be liable to be upset by future changes in relative demand for different types of doctors.

4. Required Supply of Medical Graduates and First-Year Enrolment of Canadians in Medical Schools

Appendices 8-4A, 4B, 4C and 4D show the detailed calculations of required supply of Canadian medical gradutes (excluding those who come from other countries) and of first-year enrolment of Canadian students in medical schools during the whole projected period.

Needed supply of medical graduates has been computed on the basis of theoretical requirements assuming different physician-population ratios or constant volume of medical services required per capita and different net immigration per annum. The attrition rate of 3.2 per cent per annum was applied to the mid-value of the theoretical requirements during two successive five-year projection periods. This annual attrition was multiplied by five in order to obtain the total attrition over the five-year projected period. To this total attrition the net increase in the physician-population requirement during the period was added. From the sum of the total attrition and net increase the expected five-year influx of immigrant doctors was deducted. The remainder reflects the number of physicians that Canadian medical schools should supply to achieve the estimated requirement. This makes it possible to calculate an annual average needed supply of medical graduates during projected periods.

On the assumption that 10.0 per cent of first-year medical students do not reach graduation, the needed supply of medical graduates has been inflated by 11.1 per cent to determine first-year enrolment requirements. As it takes four years to

become a doctor enrolment must take place four years prior to graduation. Therefore, the yearly average of first-year enrolment pertains to a five-year period, beginning four years prior to that on which the first set of graduates are expected to appear. Thus, for example, to get 3,894 medical graduates over the five-year period 1961-62 1965-66 enrolment must total 4,322 over the five-year academic period 1957-58 to 1961-62.

Estimates of first-year enrolment were made of the population of the university age group, 20-24 years, from which in the past came 7.5 first-year medical students per 10,000 persons per annum. For the first projected period the actual figure of the population of university age group in 1959 was used. For each of the remaining projected periods a figure for average population was used. The computation of which was as follows: the mid-point of the projected periods were determined to be June, 1964, June, 1969, etc. Population estimates were made, however, for June, 1966, June, 1971, etc. The difference between two successive population estimates was computed and two-fifths of this difference was deducted from the latter (higher) population projection. This was done because the mid-point of our projection period is two years earlier than that for which the actual population estimates were made.

From these projected populations of the university age group the number of expected first-year Canadian students per year were calculated.

The difference between the yearly averages of needed first-year enrolment and the number of expected first-year students indicates the deficit or surplus in the recruitment of first-year Canadian medical students.

Table 8-3 summarizes the computations made under the various assumptions already indicated.

The table clearly indicates that existing educational facilities and certainly the present output of our medical schools cannot satisfy our future needs for physicians. Some increments in future output have been allowed, but it is unlikely that the present facilities will permit further increases indicated. Moreover, the required increased output of our medical schools introduces the problem of enrolmen Canadian medical schools.

Building or expanding medical schools is not only a question of constructing facilities, but it is a matter of long-term financing, recruiting the necessary teaching personnel, acquiring training hospitals, developing research personnel. Even if complete training and teaching facilities could be provided quickly, a number of years will he needed to produce new doctors. On the average, a doctor requires from 7 to 10 years to complete his education.

In view of the above findings with respect to almost immediate requirements for additional output of Canadian medical schools, there appears to be an urgent need to plan now the foundation of new medical schools and the immediate expansion of the existing ones.

It is also obvious that to obtain the objective of adequate supply of physicians it will be necessary in the first instance to encourage a higher proportion of our students to enroll in medical schools.

REQUIRED SUPPLY OF MEDICAL GRADUATES AND FIRST-YEAR ENROLMENT OF CANADIANS IN MEDICAL SCHOOLS Constant Physician-Population Ratio - 1:857 TABLE 8-3

		ment	Deficit or Surplus	-43	-81	-1.07	185	-136	-227		-284	-440	-580	-738	-977	-1,284
	Е	First-Year Enrolment	Annual Aver. Re- quired Enrol- ment	942	1,094	1,398	1,611	1,816	2,026		1,183	1,453	1,871	2,264	2,657	3,083
	50,000 Per Annum	First-Ye	Projected Enrolment Yrs.	1957/58- 1961/62	1962/63- 1966/67	1967/68- 1971/72	1972/73-	1977/78- 1981/82	1982/83- 1986/87		1957/58- 1961/62	1962/63- 1966/67	1967/68- 1971/72	1972/73-	1977/78- 1981/82	1981/82- 1986/87
z	50,00	al Grads.	Annual Aver. Needed Supply of Grads.	848	986	1,260	1,452	1,636	1,825		1,066	1,309	1,686	2,039	2,394	2,777
		Can. Medical Grads.	Projected Yrs.	1961/62- 1965/66	1966/67— 1970/71	1971/72-	1976-77-	1981/82- 1985/86	1986/87— 1990/91		1961/62-	1966/67-	1971/72-	1976/77-	1981/82- 1985/86	1986/87— 1990/91
ion:		ment	Deficit or Surplus	4-	-37	09-	-30	-75	-162	$-1:857^{1}$	-244	-387	-522	-662	-886	-1,176
Immigrat	mr	First-Year Enrolment	Annual Deficit Aver, or Required Surplus	903	1,042	1,334	1,534	1,725	1,920	n Ratio	1,143	1,392	1,796	2,166	2,536	2,934
Projected Population, Net Immigration:	25,000 Per Annum	First-Y	Projected Enrolment Yrs.	1957/58- 1961/62	1962/63- 1966/67	1967/68- 1971/72	1972/73-	1977/78- 1981/82	1982/83- 1986/87	Populatio	1957/58-	1962/63- 1966/67	1967/68-	1972/73-	1977/78- 1981/82	1982/83-
d Populat	25,00	d Grads.	Annual Aver. Needed Supply of Grads.	813	939	1,201	1,382	1,554	1,729	ysician	1,030	1,254	1,618	1,951	2,285	2,644
Projected		Can. Medical Grads.	Projected Yrs.	1961/62- 1965/66	1966/67— 1970/71	1971/72- 1975/76	1976/77-	1981/82- 1985/86	1986/87- 1990/91	Inproving Physician-Population Ratio	1961/62- 1965/66	1966/67-	1971/72-	1976/77-	1981/82- 1985/86	1986/87-
		ment	Deficit or Surplus	35	7	-10	24	-15	95-	In	-204	-337	-461	-587	-196	1,069
		First-Year Enrolment	Annual Aver. Required Enrolment	864	066	1,268	1,457	1,635	1,813		1,103	1,334	1,719	2,068	2,416	2,786
	0 Per Annum	First-Y	Projected Enrolment Yrs.	1957/58- 1961/62	1962/63-	1967/68- 1971/72	1972/73-	1977/78- 1981/82	1982/83- 1986/87		1957/58- 1961/62	1962/63- 1966/67	1967/68- 1971/72	1972/73-	1977/78– 1981/82	1982/83- 1986/87
	1 0	al Grads.	Annual Aver. Needed Supply of Grads.	779	892	1,143	1,312	1,473	1,633		994	1,202	1,549	1,863	2,176	2,510
		Can. Medical Grads.	Projected Yrs.	1961/62- 1965/66	1966/67-	1971/72- 1975/76	1976/77-	1981/82- 1985/86	1986/87-		1961/62— 1965/66	1966/67— 1970/71	1971/72-	1976/77 - 1980/81	1981/82- 1985/86	1986/87— 1990/91

TABLE 8-3 (Cont'd.) Constant Physician-Population Ratio - 1:857

	0	0 Per Annum				25,000	25,000 Per Annum	Е			20,00	50,000 Per Annum	mr	
Can. Medical Grads.	cal Grads.	First-Y	First-Year Enrolment	lent	Can. Medical Grads.	al Grads.	First-Y	First-Year Enrolment		Can. Medical Grads.	al Grads.	First-Y	First-Year Enrolment	ment
Projected Yrs.	Annual Aver. Needed Supply of Grads.	Projected Enrolment Yrs.	Annual Aver. Required Enrolment	Deficit or Surplus	Projected Yrs.	Annual Aver. Needed Supply of Grads.	Projected Enrolment Yrs.	Annual Aver. Required Enrolment	Deficit or Surplus	Projected Yrs.	Annual Aver. Needed Supply of Grads.	Projected Enrolment Yrs.	Annual Aver. Re- quired Enrol-	Deficit or Surplus
		Cor	ustant Vol	lume of	Constant Volume of Medical Services		Required per	er Capita	1	5.3784 Physician-Visits	an-Visit			
1961/62-	196	1957-58- 1961/62	883	16	1961/62— 1965/66		1957/58- 1961/62	922	-23	-23 1961/62- 1965/66	998	1957/58- 1961/62	961	-62
1966/67-	968	1962/63-	966	7	1966/67-	944	1962/63— 1966/67	1,047	-42	1966/67— 1970/71	066	1962/63— 1966/67	1,099	-86
1971/72-	1,148	1967/68-	1,274	-16	1971/72- 1975/76	1,206	1967/68- 1971/72	1,339	-65	1971/72- 1975/76	1,265	1967/68- 1971/72	1,404	-113
1976/77-	1,318	1972/73-	1,463	18	1976/77- 1980/81	1,387	1972/73- 1976/77	1,540	-36	1976/77- 1980/81	1,457	1972/73- 1976/77	1,617	91
1981/82-	1,479	1977/78-	1,641	21	1981/82— 1985/86	1,561	1977/78- 1981/82	1,732	-82	1981/82- 1985/86	1,643	1977/78- 1981/82	1,824	-144
1986/87-	1,640	1982/83- 1986/87	1,820	103	1986/87- 1990/91	1,736	1982/83- 1986/87	1,927	-169	1986/87— 1990/91	1,832	1982/83- 1986/87	2,034	-235
		Con	stant Vol	lume of	Constant Volume of Medical Services	rvices R	equired pe	er Capita	-6.723	Required per Capita - 6.7230 Physician-Visits	an-Visits	**		
1961/62- 1965/66	2,062	1957/58-	2,289	-1,390	1961/62— 1965/66	2,105	1957/58- 1961/62	2,337	-1,438	-1,438 1961/62- 1965/66	2,149	1957/58- 1961/62	2,385	-1,486
1966/67-	1,208	1962/63-	1,341	-344	1966/67— 1970/71	1,260	1962/63- 1966/67	1,398	-393	1966/67— 1970/71	1,325	1962/63- 1966/67	1,471	-458
1971/72-	1,497	1967/68- 1971/72	1,662	-404	1971/72- 1975/76	1,570	1967/68- 1971/72	1,743	-469	1971/72- 1975/76	1,650	1967/68- 1971/72	1,831	-540
1976/77-	1,709	1972/73-	1,897	-416	1976/77-	1,797	1972/73-	1,995	-491	$\frac{1976}{77}$	1,885	1972/73-	2,092	-266
1981/82-	1,911	1977/78— 1981/82	2,121	-501	1981/82— 1985/86	2,013	1977/78- 1981/82	2,235	-585	1981/82- 1985/86	2,116	1977/78- 1981/82	2,349	699-
1986/87-	2,112	1982/83-	2,345	-628	1986/87— 1990/91	2,233	1982/83-	2,478	-720	1986/87 - 1990/91	2,353	1982/83-	2,612	-813

On the assumption that the physician-population ratio will maintain the 0.85 per cent average annual improvement registered between 1951 and 1961, during the projected periods. The physician-population ratio becomes: 1961, 1:857; 1966, 1:822; 1971, 1:787; 1976, 1:755; 1981, 1:723; 1986, 1:693; 1665.

Having fixed our requirements for physicians and medical students enrolment, it is necessary to decide the best methods of eliminating the indicated deficits in our medical manpower in order to pave the way as far as possible towards the ultimate goal of providing enough medical services for our peoples' needs today and tomorrow.



PROVINCIAL PHYSICIAN-POPULATION RATIOS, 1911-61*, ACTIVE CIVILIAN PHYSICIANS APPENDIX 2-1

		1911			1921			1931	
Province 1	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio
Newfoundland	- 72 408 281	1.0 3.8 3.8	1:1,306 1:1,206 1:1,253 1:1,003	- 68 457 268	0.8 3.1 3.1	1:1,309 1:1,147 1:1,448 1:1.065	- 63 445 269 2.747	0.6 4.4 7.7.4	1:1,397 1:1,153 1:1,517 1:1,046
Quebec Ontario Manitoba Saskatchewan Alberta British Columbia	3,053 433 433 379 369 416	5.18 5.0 5.0 5.0 5.0	1: , 828 1:1, 065 1:1, 298 1:1, 014 1: 945	3,459 557 524 548 609	39.7 6.0 6.0 7.0 7.0	1: , 848 1:1,095 1:1,445 1:1,073 1: 862	3,934 666 584 583 729	39.3 6.6 5.8 5.8 7.3	1: 872 1:1,051 1:1,579 1:1,256 1: 952
Total	7,411	100.0	1: 970	8,706	100.0	1:1,008	10,020	100.0	1:1,034
Province 1	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio	Number of Phy- sicians	Per Cent of Total	Physician- Population Ratio
Newfoundland Prince Edward Island Nova Scotia New Brunswick Quebec Ontario Manitoba Saskatchewan. Alberta British Columbia	- 67 428 3,162 4,197 659 527 603	29.2.2 39.5.5 39.1. 39.1. 3.5.6 7.5.6	1:1,418 1:1,4350 1:1,693 1:1,054 1:1,108 1:1,108 1:1,700 1:1,320	143 73 588 357 4,097 5,363 838 651 840 1,375	1.0 2.2.4 3.7.6 4.7.8 8.6.9 9.6.9	1:2,524 1:1,342 1:1,094 1:1,445 1:1,857 1: 857 1: 1,278 1:1,118	230 91 706 455 6,167 8,040 1,120 1,356 2,150	1.1 9.4 9.2 2.0 3.7.8 3.7.8 6.4.5	1:1,991 1:1,149 1:1,044 1:1,314 1:1,314 1: 853 1: 776 1: 973 1: 982 1: 982
Total	10,723	100.0	1:1,072	14,325	100.0	1: 976	21,266	100.0	1: 857

* These data are not available for 1901. Exclusive of Yukon and Northwest Territories.

Source: 1911-1961, Census data.

APPENDIX 2-2

DISTRIBUTION OF U.S. PHYSICIANS TRAINED IN CANADA, BY TYPE OF PRACTICE AND SEX

					Z	umber	and Per	Cent 1	Distrik	Number and Per Cent Distribution and Country of Birth	and Co	untry o	f Birth	_				
Tune of Deaction			ပၱ	Canada					Unite	United States	w				Other	Other Countries	ies	
יייייייייייייייייייייייייייייייייייייי	Ma	ale	Fei	Female	Total	tal	Ma	Male	Fen	Female	Total	tal	M	Male	Female	ale	To	Total
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
No Specification, . Full-time	7	0.2	1	0.5	8	0.3	rc	0.3	ı	1	ro.	0.3	1	0.2	П	2.4	2	0.4
specialty	1,617	55.3	73	36.7	1,690	54.1	1,066	62.4	35	47.9	1,101	61.8	221	53.3	9	14.6	227	49.8
ty practice	114	3.9	9	3.0	120	3.8	104	6.1	2	2.7	106	0.9	10	2.4	3	7.3	13	2.9
Intern	49	1.7	4	2.0	53	1.7	28	3.4	8	4.1	61	3.4	19	4.6	8	7.3	22	4.8
Resident or fellow	515	17.6	28	14.1	543	17.4	216	12.7	11	15.1	227	12.7	64	15.4	11	26.8	75	16.4
staff in hospi-																		
tal service	274	9.4	26	13.1	300	9.6	141	8.3	7	9.6	148	8.3	49	11.8	00	19.5	57	12.5
Full-time medical	ć	((•	Č			,	1	9		9	20		/2			
Administrative	87	8	00	4.0	06	2.9	26	1.5	က	4.1	29	1.6	11	2.7	1	1	11	2.4
medicine	27	6.0	2	1.0	29	6.0	11	9.0	7	2.7	13	0.7	S	1.2	1	2.4	9	1.3
Preventive																		
medicine	92	3.1	14	7.0	106	3.4	28	1.6	4	5.5	32	1.8	11	2.7	3	7.3	14	3.1
Research	39	1.3	7	1.0	41	1.3	16	0.9	1	1.4	17	1.0	S	1.2	1	2.4	9	1.3
Retired	94	3.2	11	5.5	105	3.7	25	1.5	1	1.4	26	1.5	16	3.9	ı	1	16	3.5
Not in practice	16	0.5	24	12.1	40	1.3	12	0.7	4	5.5	16	0.9	3	0.7	4	8.6	7	1.5
Total 2,926	2,926	100.0	199	100.0	3,125	100.0 1,708	1,708	100.0	73	100.0 1,781 100.0	1,781	100.0	415	100.0	41	100.0	456	100.0

APPENDIX 2-2 (Concl.)

			Nu	Number and Per Cent Distribution and Country of Birth	Per Ce	nt Distr	ibution	ind Cour	itry of E	3irth		
E E		O	ountry]	Country Not Given	a				T	Total		
Type of Fractice	Male	le	Fe	Female	To	Tota1	Ma	Male	Fen	Female	To	Tota1
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
No specification	ı	ı	1	1	1	I	13	0,2	7	9.0	15	0,3
Full-time specialty	88	25,4	1	10.0	89	25.0	2,992	55.5	115	35.6	3,107	54.3
Part-time specialty practice	9	1.7	1	1	9	1.7	234	4.3	11	3,4	245	4.3
Intern	7	9.0	1	1	2	9.0	128	2.4	10	3,1	138	2,4
Resident or fellow	196	56.6	00	80.0	204	57.3	991	18,4	28	18.0	1,049	18,3
Other full-time staff in hospital service	14	4.0	1	ı	14	3,9	478	8.9	41	12.7	519	10.0
Full-time medical school faculty	1	0.3	Ĭ	I	1	0,3	120	2.2	11	3,4	131	2.3
Administrative medicine	1	0.3	1	ı	1	0.3	44	0.8	ß	1.5	49	6.0
Preventive medicine	4	1.2	1	1	4	1.1	135	2.5	21	6.5	156	2.7
Research	1	0.3	ı	I	1	0,3	19	1,1	4	1,2	65	1,1
Retired	31	0.6	1	10.0	32	0.6	166	3,1	13	4.0	179	3,1
Not in practice	7	9.0	1	1	7	9*0	33	9.0	32	6.6	65	1.1
Tota1	346	100.0	10	100.0	356	100,0	5,395	100.0	323	100.0	5,718	100.0

¹ The figures include 967 General Practitioners (Canada 457; U.S.A. 398; Other Countries 73; Country not given 39), who were not shown separately. Source: A.M.A., Circulation and Records Department, Chicago, April 24, 1962.

APPENDIX 2-3 DISTRIBUTION OF U.S. PHYSICIANS TRAINED IN CANADA, BY SPECIAL TY

				Nu	nber ar	d Per	Cent Di	stribut	Number and Per Cent Distribution and Country of Birth	Countr	y of Bi	뒫			
Specialty		Canada		Uni	United Sta	States	Othe	Other Countries	ries	Count	Country Not Given	Given		Total	
	No.	•	%	No.	°	%	No.	•	%	No.	•	%	No.	°.	%
Administrative Medicine Anaesthesiology Dermatology. General surgery Internal Medicine: General. Sub-Specialty: (Allery, cardiovascular	293	26 148 27 334 352	1.0 5.5 1.0 12.5 13.2	202	7 66 26 205 236	0.5 4.8 1.9 14.8 17.1	43	5 19 6 40 56	1.3 5.0 1.6 10.4 14.6	28	1 5 41 36	0.3 1.6 1.6 12.9 11.4	999	39 238 64 620 680	0.8 5.0 1.3 13.0 14.3
pulmonary diseases) Neurological surgery Neurology Obstetrics & Gynaecology Ophthalmology Othopaedic surgery Otolaryngology Pathology General paediatrics	29	37 209 114 89 104 125	11174.6.6.44	34	15 103 103 56 74 78 78	1.0.7.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	13	28 113 20 20 20	1.000.000.000 0.100.000	∞	3 23 13 13 6 6 24 24 15	0.02 2.2.2.1. 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	114	60 359 196 174 247 237	1.1.7.4.8.8.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
Physical medicine & Rehabilitation	4	12 8 93	0.3 3.5	1	888	200	Ī	11 2	0.5	I	112	0.0	w	12	0.0 4.0 8
Aviation medicine Occupational medicine Public health Proctology Psychiatry Radiology Thoracic Surgery Urology Unspecified¹	38 38	6 349 108 17 47 304	0.2 4.0 0.6 1.8	17 12 12	104 47 47 9 23 161	0.5 7.5 3.4 0.7 1.7	اسم	52 9 1 6 6	13.6 2.3 0.3 1.6 17.2	1	- 43 10 10 47	13.6 3.2 0.3 14.8	3 56	13 548 174 28 86 578	0.3 11.5 3.7 0.6 1.8
		2,668 100.0	100.0		1,383	100,0		383	100,0		317	100.0		4,751	100.0

1 Retired, not in practice and no claim.
Source: A.M.A., Circulation & Records Dept., Chicago, April 24, 1962.

APPENDIX 2-4

DISTRIBUTION OF U.S. PHYSICIANS, TRAINED IN CANADA, BY COUNTRY OF BIRTH, CANADIAN MEDICAL SCHOOL AND YEARS SINCE GRADUATION

		(p)	1	I	i	1	1	1	I	1	1	1	1	I	2	9.0
	20-24	(c)	ro	Н	1	6	ı	7	10	1	П	1	I	1	30	9.9
	20-	(b)	54	25	Ŋ	189	ı	15	6	25	7	ı	Ŋ	ı	329	18.5
		(a)	12	Ŋ	Н	40	ı	28	89	22	31	ı	22	1	250	8.0
		(p)	2	1	-	1	1	ı	က	I	3	1	Н	I	10	2.8
	15–19	(c)	1	3	7	14	1	7	∞	ı	4	1	ı	ı	39	8.6
	15-	(b)	8	22	7	133	ı	00	9	9	4	I	7	1	191	10.8
g.		(a)	15	13	Ŋ	29	ł	29	91	24	46	I	25	1	315	10.0
Years Since Graduation		(p)	1	9	1	3	Ī	2	2	3	7	1	4	1	24	6.8
e Gra	-14	(c)	က	1	7	18	1	7	12	3	7	1	1	ı	45	9.9
s Sinc	10-14	(p)	1	∞	က	84	1	2	3	7	က	1	I	1	112	6.3
Year		(a)	25	10	11	73	13	15	95	40	61	1	31	ı	374	12.0
		(p)	6	12	12	20	4	18	30	14	14	1	13	13	160	14.0 44.9
2	6.	(c)	7	1	4	16	Ŋ	4	12	7	7	1	7	rv	64	14.0
	5-9	(b)	3	23	12	180	32	12	Ŋ	00	1	1	1	ιΩ	282	15.8
		(a)	21	24	22	61	28	25	82	28	100	8	38	18	483	15.4
		(p)	I	1	I	1	က	3	11	4	1	1	1	1	25	7.0
	than 5	(c)	5	9	7	20	∞	က	12	7	4	1	7	∞	78	17.1
	Less than	(b)	16	14	9	180	41	16	13	7	က	7	1	4	3 03	14.4 17.0
		(a)	16	55	33	39	69	26	62	40	29	18	33	30	450	
	Medical School		Dalhousie	Laval	Montreal	McGill	Ottawa	Queen's	Toronto	Western Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Total	Per Cent of Total

APPENDIX 2-4 (Cont'd)

							Years	Since	Years Since Graduation	ion						
Medical		25-	25-29			30-	30–34			35–39	39			40 and	40 and Over	
100000	(a)	(p)	(c)	(p)	(a)	(p)	(c)	(p)	(a)	(p)	(c)	(p)	(a)	(p)	(0)	(p)
Dalhousie	15	23	н	1	6	7	8	1	23	6	6	ı	12	1	8	1
Laval	7	9	1	ı	7	6	4	ı	8	Ŋ	ı	ı	က	1	1	1
Montreal	8	14	1	1	ĸ	8	1	1	20	7	1	ı	12	1	1	7
McGill	48	167	12	1	53	115	22	7	123	31	24	4	92	42	24	13
Ottawa	1	I	1	1	ı	Ī	1	ı	I	I	ı	ı	Ī	ı	í	ſ
Oneen's	29	13	က	1	59	Н	3	1	41	1	က	20	24	3	9	51
Toronto	73	12	4	I	83	11	17	-	189	18	19	4	140	8	10	14
Western Ontario	19	16	н	ı	24	3	4	Ī	20	Ŋ	1	1	31	2	1	4
Manitoba	29	4	2	1	26	9	1	1	27	2	11	1	11	4	4	∞
Saskatchewan	Î	ı	ı	Ī	1	1	ı	ı	1	I	ı	1	1	ı	ı	1
Alberta	7	4	က	ı	6	S	7	ı	က	က	ı	ı	ı	1	1	1
British Columbia	1	1	ı	Ī	ı	1	1	ı	ı	ı	ı	ı	ı	ı	1	ı
Total	225	259	27	2	270	160	57	z,	449	84	29	29	309	61	49	66
Per Cent of Total	7.2	14.5	5.9	9.0	8.8	0.6	12.5	1.4	14.4	4.7	14.7	8.1	9,8	3.4	10.7	27.8
A N II (A)		3	140	201400000000000000000000000000000000000		7										

(a) Canada (b) U.S.A. (c) Other Countries and (d) Country not given Source: A.M.A. Circulation and Records Department, Chicago, April 24th, 1962.

APPENDIX 2-4 (Concl.)

				Total	al			
Modern Control				Country of Birth	of Birth			
Medical School	Canada	ada	United	United States	Other Countries	ountries	Country Not Given	ot Given
	No.	%	No.	%	No.	%	No.	%
Dalhousie	148	4.7	116	6.5	32	7.1	14	3.9
Laval	117	8.8	113	6.3	15	3.3	19	5.4
Montreal	112	3.6	28	3.3	20	4.4	21	5.9
McGill	280	18.6	1,121	62.9	159	34.9	45	12.6
Ottawa	140	4.5	74	4.2	14	3.1	7	2.0
Oneen's	276	8.8	71	4.0	28	6.1	95	26.8
Toronto	206	29.0	82	4.8	104	22.8	65	18.4
Western Ontario	248	7.9	79	4.4	24	5.3	27	7.6
Manitoba	360	11.5	32	1.8	36	7.9	27	7.6
Saskatchewan	21	0.7	2	0.1	1	0.2	1	0.3
Alberta	168	5.4	21	1.2	10	2.2	20	5.6
British Columbia	48	1.5	6	0.5	13	2.7	14	3.9
Total	3,125	100.0	1,781	100.0	456	100.0	356	100.0

APPENDIX 2-5

	zenship for Canada	Not Re- quired	×	×	ı	1 1	×I	×	ı	ı	۱ >	۱ ۱	1	×	ı	1	ı	×	1	ŧ	ı	ı	×	×	١	ı	×	ı	ı	
S AND	United States Citizenship Requirement for Candidates from Canada	Declara- tion of Inten- tion	ı	1	×	ı	ı	i	1 }	×	1 (1	,	f	×	×	1	ı	×	1	ı	×	1	ı	×.	X	ı	ı	13	×
D STATE IOOLS	United St Req Candida	Full Citizen- ship	ı	1	ı	×	ı	13	×	ıÞ	۱ ۱	ı >	*	1	ı	1	×	ı		×	×	ı	ı	1	ı	ı	ı	1	×	1
BOARDS IN THE UNITE ANADIAN MEDICAL SCH	Graduates of Medical Schools Outside of United States and Canada Presenting	Canadian Registration Accepted for Licensure by Reciprocity or Endorsement		1	ı	ı	13	×	ı	ı	1		ı	×	1	1	1		ı	•	1	1	1	•	ı	ı	ı	1	1	1
ANADA BY LICENSING GRADUATED FROM CA	Graduates of Approved Canadian Medical Schools	Registration Acceptable for Licensure by Reciprocity or Endorsement	1	ı	1	×	1 3	×	1 }	×	۷ ۱	1 1	1	×	1	1	ı	1	ı	1	1	1	1	ı	ı	1	1	×	×	ı
REGISTRATION POLICIES FOR CITIZENS OF CANADA BY LICENSING BOARDS IN THE UNITED STATES AND LOCATION OF U.S. PHYSICIANS WHO GRADUATED FROM CANADIAN MEDICAL SCHOOLS	Graduates of Approved Canadian Medical Schools Considered for Licensure by Exa-	mination on Same Basis as Graduates of Approved Medical Schools in United States	ı	×	×	×	×I	×I	×	× >	< ≻	< ≻	*	×	×	×	ı	×	×	×	×	×	×	×	×	×	×	×	×I	×
TION POLIC	Location of Dhysicians	as of May 1959 (a)	14	1	32	7	662	į	21	171	30	200	. 7.	}	19	7	166	35	28	24	13	27	100	98	322	530	144	11	41	10
REGISTRA		States	Alabama	Alaska	Arizona	Arkansas	California	Canal Zone	Colorado	Connecticut	Delaware	Dist. of Columbia	Georgia	Guam	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachussets	Michigan	Minnesota	Mississipi	Missouri	Montana

APPENDIX 2-5 (Concl.)

United States Citizenship Requirement for Candidates from Canada	lara- Not Re-		1	ı	ı			-		x - x			×			1	1	1					×	1	×		1
ted States Citizes Requirement for ndidates from Cas	Full Declara- Citizen- Inten- ship tion	+			×	۱ ; ×	×:		× :		\ \ \	۱ 							< +		-	- ×		×	1		×
									_			_	_	_				_	_	_	_	_	_	_	_	_	
Graduates of Medical Schools Outside of United States and Canada Presisenting	Accepted for Licensure by Reciprocity or Endorsement		1 1	r	ı	ı	ı	ı	1	ı	L	L	1	1	1		1	1	1 1		1	1	ı	ı	ı	i	1
Graduates of Approved Canadian Medical Schools Presenting Canadian	Registration Acceptable for Licensure by Reciprocity or Endorsement		ı	>	4 1		1 >	∢ 1			1				1		1		1		. ≯	4	i	,	ı	ı	ı Þ
Graduates of Approved Canadian Medical Schools Considered for Licensure by Exa- mination on Same Basis		×	X	×	· ×	:×	:×	: ×	· ×	: ×	· ×	×	· ×	I ×	×	×	×	×	×	*	1 ≻	*		∢ ⊳	< ▶	∢ ⊳	< ×
Location of Physicians	as or May 1959 (a)	ı,	16	91	155	11	1.062		61	252	13	33	241	10	53	2	7	20	61	13	34		44	140	210	36	2 2
States		Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Puerto Rico	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virgin Islands	Virginia	Washington	West Virginia	Wisconsin	Wyoming

X Implies Yes.

¹ Issued temporary licence renewable for 5 years or until full citizenship is obtained.

Source: (1) "Medical Licensure Statistics 1961", The Journal of the A.M.A., vol. 180, June 9, 1962, p. 856.
(2) "Health Manpower Source Book", Section 11, "Medical School Alumni", William H. Stewart and Maryland Y. Pennell, U.S. Department of Health, Education and Welfare, Public Health Service, Division of Public Health Methods, 1961, Table 1, p. 2. Note: (a) Foreign countries - 137; unknown location - 37; federal physicians - 198; Total - 5,421.

APPENDIX 2-6
DEATHS OF CANADIAN PHYSICIANS, BY AGE GROUP AT DEATH, 1926-61

Year				Α	ge Grou	p		,	m
of Death	20-24	25-34	35-44	45—54	55-64	65-74	75 and over	Not Given	Total
1926	_	7	21	32	41	34	24	_	159
1927		14	12	18	45	39	23	-	151
1928	_	10	14	35	43	35	43		180
1929	_	2	12	32	40	66	35	-	187
1930	1	11	12	32	41	39	37	-	173
1931	_	8	15	41	44	44	29	-	181
1932	-	8	11	22	43	54	39	-	177
1933	-	7	14	21	42	56	44	-	184
1934	1	7	8	18	59	61	39	-	193
1935	-	12	10	28	61	57	45	-	213
1936	-	6	9	17	56	48	46	-	182
1937	-	8	13	32	50	46	54	-	203
1938	_	5	12	27	63	66	53	_	226
1939	_	8	12	22	66	64	43	-	215
1940	-	2	14	31	47	72	62	-	228
1941		4	16	25	46	72	67	-	230
1942	-	4	19	20	59	72	43	-	217
1943	-	6	11	32	50	65	50	2	216
1944	_	1	12	22	51	70	75	2	233
1945	-	4	12	30	39	88	68	2	243
1946	-	8	10	28	47	66	54	24	237
1947	-	6	8	29	39	71	66	20	239
1948	_	3	19	27	52	68	58	18	245
1949	1	5	14	36	61	73	74	24	288
1950	-	10	13	26	49	78	70	11	257
1951	-	3	13	31	40	67	47	25	226
1952	_	3	13	32	53	58	63	14	236
1953	_	4	14	22	52	68	67	27	254
1 954	-	3	9	19	28	55	94	41	249
1955	-	6	5	14	53	79	91	29	277
1956	-	3	15	33	57	75	106	6	295
1957	-	2	6	34	45	64	102	11	264
1958	-	8	14	25	58	58	78	9	250
1959	-	2	16	18	40	63	75	7	22:
1960	-	3	22	29	38	66	85	9	252
1961	_	5	17	38	66	85	95	3	309

Sources: 1926-45, DBS, Vital Statistics references; 1946-54, medical register, association, and "news note" sources utilized in the maintenance of the records of the Physicians Register, Department of National Health and Welfare; and 1955-61, Canadian Medical Directory's listings and bulletins. This statistical information was provided by the Research and Statistics Division, Department of National Health and Welfare.

APPENDIX 2-7
PER CENT DISTRIBUTION OF DEATHS OF CANADIAN PHYSICIANS,
BY AGE GROUP AT DEATH, 1926-61

Year	Total Number of Physicians			A	ge Grou	p		
of	Whose Age						1	
Death	of Death was Given	20–24	25-34	35–44	45-54	55-64	65-74	75 and Over
1926	159	_	4.4	13.2	20.1	25.8	21.4	15.1
1927	151	-	9.3	8.0	11.9	29.8	25.8	15.2
1928	180	-	5.7	7.8	19.4	23.8	19.4	23.9
1929	187	-	1.1	6.4	17.1	21.4	35.3	18.7
1930	173	0.6	6.4	6.9	18.5	23.7	22.5	21.4
1931	181	-	4.4	8.3	22.7	24.3	24.3	16.0
1932	177	-	4.5	6.2	12.4	24.3	30.5	22.0
1933	184	-	3.8	7.6	11.4	22.8	30.5	23.9
1934	193	0.6	3.6	4.2	9.3	30.5	31.6	20.2
1935	213	-	5.6	4.7	13.2	28.6	26.8	21.1
1936	182	-	3.3	5.0	9.3	30.8	26.4	25.3
1937	203	-	3.9	6.4	15.8	24.6	22.7	26.6
1938	226	-	2.2	5.3	11.9	27.9	29.2	23.5
1939	215	-	3.7	5.6	10.2	30.7	29.8	20.0
1940	228	-	0.9	6.1	13.6	20.6	31.6	27.2
1941	230	-	1.7	7.0	10.9	20.0	31.3	29.1
1942	217	-	1.8	8.8	9.2	27.2	33.2	19.8
1943	214	-	2.8	5.1	15.0	23.4	30.3	23.4
1944	231	-	0.4	5.2	9.5	22.1	30.3	32.5
1945	241	-	1.7	5.0	12.4	16.2	36.5	28.2
1946	213	-	3.8	4.7	13.1	22.1	31.0	25.3
1947	219	-	2.7	3.7	13.2	17.8	32.4	30.2
1948	227	-	1.3	8.4	11.9	22.9	30.0	25.5
1949	264	0.4	1.9	5.3	13.6	23.1	27.7	28.0
1950	246	-	4.0	5.3	10.6	19.9	31.7	28.5
1951	201	-	1.5	6.5	15.4	19.9	33.3	23.4
1952	222	-	1.4	5.9	14.4	23.9	26.0	28.4
1953	227	-	1.8	6.2	9.7	22.9	30.0	29.4
1954	208	-	1.4	4.3	9.1	13.6	26.4	45.2
1955	248	-	2.4	2.0	5.6	21.4	31.9	36.7
1956	289	-	1.0	5.2	11.4	19.7	26.0	36.7
1957	253	-	0.8	2.4	13.4	17.8	25.3	40.3
1958	241	-	3.3	5.8	10.4	24.1	24.1	32.3
1959	214	-	0.9	7.5	8.4	18.7	29.4	35.1
1960	243	-	1.2	9.1	11.9	15.6	27.2	35.0
1961	306	_	1.6	5.6	12.4	21.6	27.8	21.0

NUMBER AND PERCENTAGE DISTRIBUTION OF GRADUATES OF CANADIAN MEDICAL SCHOOLS, BY SCHOOL, 1944-45 to 1961-62 APPENDIX 3-1

				Academ	Academic Year				
Medical School	1944-19451	1945-1946	1946-1947	1947-1948	1948-1949	1949-1950	1950-1951	1951-1952	1952-1953
Dathonsie	751	I	28	34	43	45	55	53	26
:	8,6	ı	4.9	5.4	6.3	5,7	6.4	8.9	8.9
Laval	37	70	85	72	83	144	141	29	108
	4.8	13.6	15.0	11.4	12.2	18.2	16.4	8.6	13.1
Montreal No	47	26	79	100	83	84	92	83	89
	6.1	10.9	13.9	15.8	12.2	10.6	10.7	10.6	10.8
McGillNo.	92	101	92	119	128	113	116	115	115
	12.0	19.8	16.2	18.8	18.9	14.3	13.5	14.7	13.9
Oftawa	ı	1	1	ı	ı	1	43	44	52
	ı	1	1	ı	1	ı	5.0	5.6	6.3
Oneen's	831	41	41	ĺ	43	47	52	50	57
	10.8	8.0	7.2	ı	6.3	5.9	6.1	6.4	6.9
Toronto No.	2451	131	124	129	154	161	174	175	162
	31,8	25.5	21.9	20.4	22.7	20.4	20.3	22.2	19.6
Western Ontario%	551	38	34	40	52	93	61	09	62
%	8,5	7.4	0.9	6,4	7.7	11.8	7.2	7.7	7.6
Manitoba No.	55	56	63	62	59	63	29	83	72
	7,2	10.9	11.2	8.6	8.7	7.9	7.8	10.6	8.7
SaskatchewanNo	i	ı	ı	ı	1	I	ı	ı	1
%	1	ı	ı	ı	I	I	1	1	ı
AlbertaNo	701	20	21	761	34	41	57	53	52
	0.6	3.9	3.7	12.0	5.0	5.2	9.9	8.9	6.3
British Columbia No	1	ı	1	ı	ı	ı	ı	ı	1
%	ı	I	1	ı	1	1	ı	ı	1
CanadaNo.	692	513	567	632	649	791	828	783	825
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Change ²	1	-256	54	65	47	112	29	-75	42
Percentage Change 2	1	-33.3	10.5	11.5	7.4	16.5	8.5	-8.7	5.4

APPENDIX 3-1 (Concl.)

					A	Academic	Year				
Medical School	1953- 1954	1954– 1955	1955— 1956	1956– 1957	1957– 1958	1958– 1959	1959– 1960	1960–	1961– 1962	Total	Annual Average 1944-45 to 1961-62
DalhousieNo.	53	48	51	49	56	52	50	49	5.0	847	0 1
	5.9	5.4	6.3	5.5	6.7	6.1	5.8	5.9	6.0	6,0	9.5
Laval No	134	134	78	113	120	124	141	108	110	1,869	104
Montreal	15.0	15.0	9.6	12.7	14.5	14.4	16,3	12.9	13.2	13.2	12.1
	11.1	10.2	11.8	11.2	13.5	113	101	109	97	1,616	06
McGill No	110	112	108	97	108	98	95	103	102	1.024	10.0
%	12.3	12.5	13,2	10.9	12.9	11.4	11.0	12.4	12.2	13.6	12.5
Ottawa Nc	47	8 1	32	20	41	22	43	48	41	544	45
Olippin's	7.02	ر 4	ກ ເ ດ	5.0	4.9	6.4	2.0	5.8	4.9	3.8	5,3
:	ς γ	00	200	26	45	26	52	48	53	891	52
Toronto	166	155	151	130	110.4	147	0.0	8,52	6.3	6.3	6.1
	18.5	17.3	18.5	15.6	14.2	147	138	143	150	2,763	154
Western Ontario No	61	09	28	54	57.2	51.1	54.0	27.0	62.69	1 010	18.0
	6.8	6.7	7.1	0.9	8.9	5.9	6,3	8.9	7.4	61011	7.9
Manitoba Nc.	28	92	64	116^{1}	45	55	54	53	39	1,140	, 69
700	6.5	8,4	7.8	12.9	5.4	6.4	6,3	6.4	4.7	8.2	7.4
:	ı	1	1	29	38	30	29	56	59	181	30
A Therto	1 5	1 1	1 0	3.2	4.5	3,5	3,4	3,1	3.5	1,3	3,5
	10	70	700	4 2 4 2	7.4	50	20	51	53	89	20
British Columbia	2 4	י ס ט	7.7	107	0.0	ν, γ	٠ د د	6.1	6.3	6.3	5.9
	6.0	6.5	7.4	4. 4.	7 7	7,	200	39	27	458	51
Canada No	968	894	816	893	836	850	863	27.	230.0	14 146	0.0
%	100.0	100.0	100.0	100.0	100.0	1000	100.0	100.0	100.0	785	1000
										(Annual	0.00
								8		Average)	
Change ¹	71	-2	-78	77	-57	23	4	-29	4		
Percentage Change ²	8.6	-0.2	-8.7	9,4	-6.4	2.8	0.5	-3.4	0.5		

Two classes.
 Minus sign denotes decreases.
 Source: Education Issues of the Journal of the American Medical Association.

290

APPENDIX 3-2

NUMBER OF GRADUATES OF CANADIAN MEDICAL SCHOOLS BY MEDICAL SCHOOLS, 1910-1961 AND BY SEX 1947-1948, 1960-1961

Per- centage Change	0 82 0 82 4 7 1 6 1 1 4 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		7.4	16.5	8.5	-8.7	5.4
Change ¹	29 165 124 126 100 199 27		47	112	67	-75	45
Total No.	88322288 85332288 85332288	583 49 632 100.0	621 58 679 100.0	746 45 791 100.0	795 63 858 100.0	747 36 783 100.0	779 46 825 100.0
British Colum- bia		1111	1111	1111	1111	1111	1111
A1- berta	1 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	69 76 12.0	31 34 5.0	37 4 4 5.2	53 57 6.6	51 53 6.8	52 6.3
Saskat- chewan	321	[111	1111	1111	11,11	1111	1111
Man- itoba	21 24 25 26 26 26 26 26 26 26 26 26 26 26 26 26	59 3 62 9.8	52 7 59 8.7	53 10 63 7.9	63 4 67 7.8	79 4 83 10.6	68 72 8.7
Western Ontario	21112 848328432 64644332 707	36 4 40 6.4	49 3 52 7.7	92 1 93 11.8	54 7 61 7.2	57 3 60 7.7	58 4 62 7.6
To-	98 1132 1123 1123 1154 1168	114 15 129 20.4	123 31 154 22.7	152 9 161 20.4	149 25 174 20.3	165 10 175 22.2	154 8 162 19.6
Que en's	44444444444444444444444444444444444444	1111	41 43 43 6.3	43 47 5.9	51 1 52 6.1	47 3 50 6.4	51 6 57 6,9
Ottawa		1111	1111	1111	40 43 5.0	44 44 5.6	51 1 52 6.3
McGill	56 58 110 88 89 99 106 114	109 10 119 18.8	121 7 128 18.9	104 9 113 14,3	109 7 116 13,5	109 6 115 14.7	106 115 13.9
Mon- treal	23 442 442 442 443 69 99	94 6 100 15.8	79 4 83 12.2	81 3 84 10.6	86 6 92 10.7	78 5 83 10,6	84 89 10.8
Laval	116 114 121 133 137 144 119 119	68 4 72 11.4	83 - 83 12,2	142 2 144 18.2	137 4 141 16.4	66 1 67 8,6	106 2 108 13.1
Dal- housie	111 222 338 525 525 525 525	34 34 5.4	42 1 43 6.3	45. 5.7.	53 55 64	51 22 53 6.8	54 22 56 6.8
Item & Years	Average Annual Number of Graduates: 1910–14 1915–19 1925–24 1935–39 1935–34 1940–44 1955–59	Number of Graduates: 1947-48 M	1948–49 M F T	1949—50 M F T	1950–51 M T T		

APPENDIX 3-2 (Concl.)

Item & Years	Da1- housie	Laval	Mon- treal	McGill	Ottawa	Queen's	To- ronto	Western	Man- itoba	Saskat- chewan	A1- berta	British Colum- bia	Total No.	Change ¹	Per- centage Change
1953-54 M	48	133	06	106	45		150		52	ı	55	52	836		
T.		1		4	2		16		9	ı	9		900		
T		134		110	47	53	166		80	ı	61	4.5	806	7.1	ď
%	5.9	15.0		12,3	5.2	6	18,5	8.9	6.5	L	8.9	0.9	100.0	1	0
1954-55 M	47	132		103	47		141	1	40		1	0	100		
		2		6	: -		141	30	7 4	ı	40	20	835		
H	48	134	91	112	4 8	יני כ	155	† 0	4 4	I	יו מ	00 g	59	(
%	4	15.0		12.5	5.4	7	17,3	6.7	8.4	1 1	6.4	5.5	100.0	7-	7.0-
1955-56 M	20	73		101	31		140	52	00		57	26	763		
Ľ,	1	ĸ		7	1		11	9	9	ı		5 4	2 2		
T	51	78	96	108	32		151	28	64		1 0	09	218	178	0
%	6,3	9.6		13,2	3.9	7.2	18.5	7.1	7.8	1	7.2	7.4	10000	2	1001
1956-57 M	45	110		06	46		123		114	\top	30	44	870		
Ĭ.		3		7	4		16	4	2			4	640		
T		113	_	6	20		139		116		42	- 84	803	7.7	0
%	5,5	12,7	11,2	10.9	5.6	6,3	15.6	0	12,9	3,2	4.7	5.4	100.0		1
1957-58 M	53			106	40		106		43	T	45	44	703		
Ĺ	3	7		2	1		13	7	2		2	. "	43		
T	26			108	41		119	57	45		47	. 4	25	7	7
%	6.7	14.5	13,5	12,9	4.9	5.4	14.2	8.9	5.4	4.5	5.6	5.6	1000	î	100
M 95-8561	49	118	91	92	53		138	46	52		40	40	000		
'n	က	9	9	9	7		6	ı,	. "	0 4	-	2 4	000		
T	52	124	6	86	55		147	51	25.	30	1 0	44	250	00	o
%	6,1	14.4	11,3	11,4	6.4	6.5	17,1	5.9	6.4	3,5	5.8	5.2	100.0	24	0.7
1959-60 · · · M	46	135	94	89	39		121	52	53	25	40	T	100		
ম	4	9	7	9	4		17	2	2	4	-	0	067		
H	20	141	101	95	43		138	54	54	29	1 0		000		u
%	2.8	16,3	11,6	11.0	2.0	0°9	16.0	6,3	6.3	3.4	5.8	6.5	100,0		3
1960-61 · · · M	46	102	106	91	41		133	53	48	26	47		771		
ĮT.	က	9		12	. 7		10	4	Ŋ	1	4	ın	63		
H	49	108		103	48		143	57	53	26	51	39	834	-29	-3.4
%	5.9	12.9	-	12,4	2.8	5.8	17.0	8.9	6.4	3.1	6,1	4.7	100.0)	
Minus sign denotes decr	otes decr	4			1	0									

Minus sign denotes decrease.
 1951-1954.
 1954.

4 1957-1959. 5 Two classes.

Source: Education Issues of the Journal of the American Medical Association.

NUMBER AND PER CENT DISTRIBUTION OF MEDICAL GRADUATES, CANADIAN AND FOREIGN, BY MEDICAL SCHOOL, 1947-48 To 1961-62 APPENDIX 3-3

															-					-					
			1048	oc				1949				15	1950				1	1951				15	1952	-	1
Medical	000	Conscien	F OF	Foreign	Total	-	Canadian	Foreign		Total	Canadian		Forei	Foreign Total		Canadian		Foreign		Total C	Canadian		orei	Foreign Total	tal
School	Z	6	Z	8		o Z	%	No.	8		No	%	No.	%	-	No.	% 1	No.	%	4	No.	%	No	%	
		2					2								,	u u	0			r.	52	98.1		1,9	53
Dalhousie	33	97.1	г	2.9	34	42	97.7	н	2,3	43	45	10001				٠	2							- 1	67
1	7.1	97.3	7	2.7	73	102	96.2	4	3.8	106	116	99.1		0.9	117	141	98.6	7			-	2.00	<u> </u>		5 6
Lavai	. 00		c:	2.9	102	82	97.6	7	2.4	84	84	100.0	1	1	84	89	2.96	က	3,3	93	86 10	100.0			80
Montreal	66		и	4		111		21	15.9	132	88	82,2	19 1	17.8	107	93	78.8	25 2	21.2	118	83	74.1	29 25		112
McGill	00	0000				-		ı	ı	1	1	ı	1	1	ı	45 1	100.0	1	1	45	46	6.76	-	2.1	47
Ottawa	I	l	1	ı	ı	- :				0,7	46	0.7.0	-	2.1	47	52 1	100.0	1	1	52	50 1	100.0	1	1	20
Queen's	1	1	1	ı	ı	43	100.0	ı	1	5	2				-	_	0		-	175	175	99.4	-	0.6	176
Toronto	127	96.3	4	3,1	131	156	98.7	7	1,3	158	157	98.1	m	1.9	100	7/1	2000	3							
Western					40	5.2	100.0	ı	ı	52	93	100.0	1	1	93	61 1	61 100.0	ı	1	61	59	98.3	-	1.7	09
Ontario		40 100.0	1	I	}	-			ı	ı	63	100.0	1	1	63	67 1	100.0	1	1	29	98	6.86	-	1.1	87
Manitoba	1	1	1	1	1	I 						1	ı	1	1	1	ı	1	1	1	1	1	1	1	ı
Saskatchewan	1	1	1	1	1	-	1	1	ı	1	1	1			-	0	100	1	1	oc v	53	100.0	ı	1	53
Alberta		44 100.0	-	1	44	34	100.0	1	I	34	41	100.0	ı	ı	1		2)					
British Columbia	1	1	1	<u> </u>	1	1	1		1	1	ı	ı	ı	1	1	ı	ı	ı	1	ı	1	1	1	1	1
			+			+					-		1	,	1 1 1	033	06.2	33	3.8	866	757	95.7	34	4.3	791
Canada	480	480 88.4	4 63	11.6	543	622	95.4	30	4.6	652	733	96.8	47	3.2	/2/	200		3	3	- 1	-				

APPENDIX 3-3 (Cont'd)

1															
	Total		49	107	66	6	20	26	140	54	116	29	46	20	893
	eign	%	6.1	2.8	6.1	46,4	26.0	5.4	2.9	1,9	5.2	1	1	0.9	9.7
1957	Forei	No.	က	က	9	45	13	3	4	1	9	1	1	3	87
	dian	%	93.9	97.2	93.9	53.6	74.0	94.6	97.1	98.1	94.8	29 100.0	100.0	94.0	90,3
	Canadian	No.	46	104	93	52	37	53	136	53	110	29	46	47	908
	Total		51	80	95	108	32	59	156	28	64	1	28	09	821
5		%	1	8.7	1,1	56.5	21,9	8.9	2.6	1.7	3,1	1	1	ı	10.6
1956	Foreign	No.	1	7	П	61	7	4	4	П	7	1	1	1	87
	Canadian	%	100.0	91,3	6.86	43.5	78.1	93.2	97.4	98.3	6.96	1	100.0	100.0	89,4
	Cana	No.	51	73	94	47	25	55	152	57	62	1	28	09	734
	Total		8	133	66	112	45	52	154	09	11	1	22	59	897
	Foreign	%	í	5,3	5,1	46.4	11,1	5.5	3.2	3,3	1	1	1	1.7	6.8
1955	For	No.	ı	7	Ŋ	52	S	က	S	7	1	ı	1	H	80
7	Canadian	%	100.0	94.7	94.9	53.6	88.9	94.5	8.96	7.96	100.0	ı	100.0	98.3	91,1
	Cana	No.	48	126	94	09	40	52	149	58	77	1	22	80	817
	Total		54	135	96	110	45	53	161	09	61	ı	63	57	895
4		%	1.9	4.4	3,1	40.9	ı	1.9	0.2	1	ı	1	1	1.8	9.9
1954	Foreign	No.	н	9	3	45	1	1	7	1	1	ı	I	н	59
	dian	%	98.1	92.6	6.96	59,1	100.0	98.1	8.86	100,0	100.0	ı	10000	98.2	93.4
	Canadian	No.	53	129	93	65	45	52	159	9	61 1	1	63 1	26	836
	Total		56	110	93	115	48	22	169	59	69	1	53	I	829
_		%	1.8	1.8	4.3	32.2	6.2	7.0	2.4	3,4	1,4	1	0.001	1	7.0
1953	Foreign	No.	1	2	4	37	က	4	4	7	П	ı	ı	1	58
	dian	%	98.2	98.2	95.7	67.8	93.8	93.0	9.76	9.96	98.6	ı	100.0	I	93.0
	Canadian	No.	55	108	89	78	45	53	165	57	89	1	53	1	771
	Medical School		Dalhousie	Laval 108	Montreal	McGill	Ottawa	Queen's	Toronto 165	Western Ontario	Manitoba	Saskat- chewan	Alberta	British Columbia	Canada 771

APPENDIX 3-3 (Concl.)

		1958	000				1959					1960	0				1961					1962		
Canadian	-	Fore	ign	Total	Can	Canadian	Fore	oreign 7	Total	Canadian		Foreign		Total	Canadian	dian	Foreign		Total	Canadian	lian	Fore	oreign 7	Tota1
No. %	_	No.	%		No.	%	No.	%		No.	%	No.	%		No.	%	No.	%		No.	%	No	%	
									C 1		9		9	ç		1	-		9	=	0 00	0	0	2
48 85.7	-	∞	14.3	26	43	82.7	6	17,3	25	44	0.88	0	17.0			0.//		1.77		-	0.40			2
Laval 121 99.2	4	-	8.0	122	114	93,4	00	9.9	122	139 9	98.6	7	1,4	141	102	95,3	ιΩ	4.1	107	108	98.2	7	1.8	110
Montreal 111 99.1	٦.	-	0.9	112	101	98,1	7	1.9	103	100	0.66	1	1.0	101	111 1	100.0	ı	ı	111	97 1	100.0	1	1	26
44 40.4	4	9	59.6	109	45	42.1	62	57.9	107	49	51.0	47 4	49.0	96	42	40.0	63	0.09	105	54	52.9	4 8	47.1	102
33 84.6	0	9	15,4	39	41	74.5	14	25.5	55	35	9.89	16 3	31,4	51	42	80.8	10	19,2	52	35	85,4	9	14.6	41
39 84.8	æ	7	15.2	46	20	89,3	9	10.7	26	49	94.2	8	5.8	52	46	8.56	7	4.2	48	47	88.7	9	11,3	53
115 93.5	43	00	6.5	123	142	95.9	9	4.1	148	129	95.8	10	7.2	139	143	9.96	ro	3.4	148	145	2.96	'n	3,3	150
56 98.2	2,	1	1.8	57	50	0.86	-	2.0	51	52	96.3	7	3.7	54	54	94.7	m	5,3	57	61	98.4	-	1.6	62
39 86.7		9 4	13,3	45	52	94.5	3	5.5	22	4 8	9.06	r.	4.6	53	48	9.06	Ŋ	9.4	53	31	79.5	00	20.5	39
36 94.7	:	2	5,3	38	30	93.8	2	6.2	32	78	9.96	П	3,4	29	24	92,3	7	7.7	26	25	86.2	4	13.8	29
43 97.7		7 1	2,3	44	20	100.0	I	1	20	51	98,1	1	1,9	52	49	0.86	1	2.0	20	52	98.1	н	1.9	53
45 95.7		7	4.3	4.7	47	100.0	I	Ĺ	47	53	94.6	က	4. 5	56	37	90.2	4	8.6	41	4.7	90.4	ro.	9.6	52
87	·	Canada 730 87.1 108	12.9	838	765	87.1	113	12.9	878	777	88.9	97	11.1	874	736	86.9	111	13,1	847	743	88.7	95	11.3	838
-	1	-																						

APPENDIX 3-4

PER CENT OF MEDICAL STUDENT ENROLMENT TO TOTAL UNIVERSITY STUDENT ENROLMENT BY SEX

1947-48 to 1960-61

		M	Medical Student Enrolment	ent Enrolme	ant		Total Unive	Total University Student Enrolment	t Enrolment
Year	M	Male	Female	nale	Total	al	Male	Female	Tota1
	No.	%	No.	%	No。	%			
1947–48	2,867	4.5	233	1.6	3,100	4.0	64,027	14,178	78,205
1948–49	3,017	5.0	216	1.5	3,233	4.3	60,794	14,003	74,797
1949–50	3,249	5.9	198	1.5	3,447	5.01	54,846	13,644	68,480
1950–51	3,469	6.9	214	1.6	3,683	5.81	50,479	13,463	63,942
1951–52	3,247	7.0	211	1.6	3,458	5.8	46,484	13,150	59,634
1952–53	3,220	6.9	224	1.7	3,444	5.8	46,781	13,045	59,826
1953–54	3,410	7.2	233	1.8	3,643	0.9	47,460	13,277	60,737
1954–55	3,365	9.9	224	1.6	3,589	5.5	50,820	13,849	64,669
1955–56	3,449	6.4	232	1.6	3,681	5,41	54,188	14,580	68,768
1956–57	3,419	0.9	236	1.5	3.655	5.0	56,675	15,949	72,624
1957–58	3,427	5.5	259	1,4	3,686	4.6	62,157	18,286	80,443
1958–59	n.a.	ı	n.a.	ı	3,668	4.2	67,546	20,466	88,006
1959–60	3,379	4.7	331	1.5	3,710	3,91	72,136	22,792	94,928
1960–61	3,478	4.4	379	1.4	3,857	3.61	209,67	26,306	105,911

1 Excluding pre-medical and additional year students the per cent of total medical student enrolment to total university student enrolment is as follows: 1949-50-4.8;1950-51-5.5;1955-56-5.3;1959-60-3.7;1960-61-3.1.

MEDICAL STUDENT ENROLMENT AND TOTAL UNIVERSITY STUDENT ENROLMENT PER 100,000 POPULATION OF UNIVERSITY AGE GROUP BY SEX, APPENDIX 3-5

21
Į
196
2
8
 1947

		Medi	cal Stude	Medical Student Enrolment	lent	Я		Total	University	Total University Student Enrolment	rolment	3
Year	Mal	ale	Female	nale	To	Total	M	Male	Female	ale	Total	al
	No.	Per 100,000	No.	Per 100,000	No.	Per 100,000	No.	Per 100,000	No.	Per 100,000	No.	Per 100,000
1947–48	2,867	527.1	233	42.3	3,100	353.2	64,027	11,771.8	14,178	2,573.6	78,205	7,143.3
1948-49	3,017	554.1	216	39.4	3,233	296.0	60,794	11,165.1	14,003	2,556.6	74,797	6,848.3
1949–50	3,249	584.3	198	35.4	3,447	308.82	54,846	9,864.3	13,644	2,435.9	68,480	6,135.7
1950–51	3,469	631.3	214	38.5	3,683	332.92	50,479	9,186.3	13,463	2,418.7	63,942	5,780.9
1951–52	3,247	604.0	211	38,3	3,458	317.6	46,484	8,648.2	13,150	2,386.1	59,634	5,478.0
1952–53	3,220	589.1	224	40.5	3,444	313.3	46,781	8,558.5	13,045	2,359.8	59,826	5,441.7
1953–54	3,410	617.0	233	42.0	3,643	329.0	47,460	8,586.9	13,277	2,394.8	60,737	5,486.1
1954–55	3,365	601.8	224	40.2	3,589	321.7	50,820	0,880,6	13,849	2,489.0	64,669	5,796.8
1955–56	3,449	612.6	232	41.5	3,681	328.12	54,188	9,624.8	14,580	2,608.7	68,768	6,129.6
1956–57	3,419	602.8	236	42.0	3,655	323.7	56,675	9,992.1	15,949	2,838.4	72,624	6,432.0
1957–58	3,427	590.1	259	45.1	3,686	319.2	62,157	10,703.8	18,286	3,185.7	80,443	9,996,9
1958–59	п.а.	ı	n.a.	ı	3,668	313.6	67,540	11,504.0	20,466	3,514.1	88,006	7,525.1
1959–60	3,379	575.3	331	9.99	3,710	316.52	72,136	12,282.6	22,792	3,896.1	94,928	8,097.6
1960–61	3,478	591.8	379	64.2	3,857	327.52	79,605	13,545.2	26,306	4,457.9	105,911	8,992.3
	-											

APPENDIX 3-5 (Concl.)

		Total Un	iversity Stude	Total University Student Enrolment Minus Medical Student Enrolment	nent Minus it		Popula	Population of University Age Group	versity
Year	Ma	Male	Fen	Female	To	Tota1	20-241	241	1,0001
	No	Per 100,000	No.	Per 100,000	No.	Per 100,000	Male	Female	Tota1
1947–48	61,160	11,244.7	13,945	2,531.3	75,105	6,860.2	543.9	550.9	1,094.8
1948–49	57,777	10,611.0	13,787	2,517.0	71,564	6,552.3	544.5	547.7	1,092.2
1949–50	51,597	9,280.0	13,446	2,400.6	65,033	5,826.8	556.0	560.1	1,116.1
1950–51	47,010	8,555.0	13,249	2,380.3	60,259	5,447.9	549.5	556.6	1.106.1
1951–52	43,237	8,044.2	12,939	2,347.8	56,176	5,160.4	537.5	551.1	1,088.6
1952–53	43,561	7,969.4	12,821	2,319.3	56,382	5,128.4	546.6	552.8	1,099.4
1953–54	44,050	7,969.9	13,044	2,352.8	57,094	5,157.1	552.7	554.4	1,107.1
1954–55	47,455	8,486.2	13,625	2,448.8	61,080	5,475.1	559.2	556.4	1,115.6
1955–56	50,739	9,012.2	14,348	2,567.2	65,087	5,801.5	563.0	558.9	1,121.9
1956–57	53,256	9,389.3	15,713	2,796.4	696'89	6,108.3	567.2	561.9	1,129.1
1957–58	58,730	10,113.7	18,027	3,140.6	76,757	6,647.4	580.7	574.0	1,154.7
1958–59	ĺ	ı	ı	1	84,338	7,211.5	587.1	582.4	1,169.5
1959–60	68,757	11,707.3	22,461	3,839.5	91,218	7,781.1	587.3	585.0	1,172.3
1960–61	76,127	12,953.4	25,927	4,393.7	102,054	8,664.8	587.7	590.1	1,177.8

11947-1950 population of university age, 20-24, excludes Yukon and Northwest Territories.

² Excluding pre-medical and additional year students, the total medical students' enrolment per 100,000, population of university age group, 20-24, are as follows: 1949-50 - 297.3; 1950-51 - 315.4; 1955-56 - 325.4; 1959-60 - 302.7; and 1960-61 - 297.9. Source: Data on medical student enrolment have been computed from the Educational Issues of the A.M.A. Journal; total university students enrolment has been obtained from the files of the D.B.S., Education Division, Higher Education Section.

APPENDIX 3-6

NUMBER AND PER CENT DISTRIBUTION OF FIRST-YEAR MEDICAL STUDENTS, CANADIAN AND FOREIGN, BY MEDICAL SCHOOL, 1947-48 to 1961-62

							1													-					
		194	1947-48	80			15	1948-49	6			19	1949-50	0			19	1950–51	_			19.	1951–52	2	
Medical	Can	Canadian	For	Foreign	E	Can	Canadian	Foreign			Can	Canadian	Foreign	-	To-	Сапа	Canadian	Foreign		To-	Canadian		Foreign		To-
1000000	Ž	%	No.	%	tal	No.	%	No.	%		No.	%	No.	%	-	No.	%	No.	%	tal	No.	%	No.	%	tal
	u u	00	-	1	ď	7.7	98.3	-	1.7	28	57	98.3		1.7	8 28	59 1	100.0	1	1	59	59 10	100.0	1	ı	59
Lavel			۱ ا	۱ ;	91	123	98.4		1.6		153	96.2	9	3.8	159 1	153	94.4	6	5.6	162	74	90.2	00	8.6	82
Montreal 123 100.0	123	100.0	ı	ı	123	118	95.9	'n	4.1	123	114	94.2	7	5.8	121	95	0.36	'n	2.0	100	114	98.3	7	1.7	116
McGill	93	80.9	22	19.1	115	87	75.0	29	25.0	116	81	66.4	41 3	33.6	122	65	26.0	51 4	44.0	116	28	50.0	58		116
Ottawa			2	3.3	09	09	93.8	4	6.2	64	64	100.0	1	ı	64	28	7.96	7	3,3	09	53	88.3	7	11.7	09
Oueen's			1	ı	52	53	100.0	Ī	ı	53	28	95.1	3	4.9	61	09	98.4	-	1.6	61	29	2.96	7	3,3	61
Toronto 150	150	98.7	7	1.3	152	189	99.0	7	1.0	191	159	98.1	က	1.9	162 1	160	98.2	8	1.8	163 1	152	1.86	e	1.9	155
Western	v	98		1.7	09	09	100.0	1	1	09	28	7.96	2	3,3	09	59	100.0	1	ī	59	59	98.3	1	1.7	09
Villario			'	1				1	I	ı	71	100.0	1	-	71	70	97.2	7	2.8	72	63	95.5	က	4.5	99
Mailtona		32 100 0		١	32	32	100.0	ı	I	32	32	100.0	1	ı	32	32	100.0		ı	32	31 1	100.0	ī	ı	31
Alberta		51 100.0		I	51				I	49	48	100.0	Ī	ı	48	54	100.0	1	ı	54	55 1	100.0	1	ı	55
British Columbia	1	1	ļ	I	1	1	1	1_	I	1	-1	1	1	1	1	59	98.3	-	1.7	09	59	98.3	1	1.7	09
Canada 766	166	96.5	28	3.5	794	828	95.1	43	4.9	871	895	93.4	63	9.9	958	924	97.6	74	7.4	866	836	8.06	85	9.2	921

APPENDIX 3-6(Cont'd)

1956–57	Canadian Foreign To-	% No. %	77.0 14 23.0 61	95.0 7	99.2 1 0.8 129	50.0 58 50.0 116	73.1 18 26.9 67	94.8 3 5.2 58	93.3 10 6.7 149	93.3 4 6.7 60	91.0 6 9.0 67	91.7 3 8.3 36	96.2 2 3.8 53	91.7 5 8.3	
	To- Ca	tal No.	56 47	158 133	123 128	115 58	70 49	63 55	157 139	57 56	73 61	41 33	53 51	59 55	
9		10%	8.9	0.6	0.8	57.4 1	27.1	11.1	3,2 1	3.5	9.6	7.3		4.6	
1955-56	Foreign	No.	rv	1	1	99	19 2	7 1	S	6	7	က	1	7	
19	Canadian	8	91.1	99.4	99.2	42.6	72.9	88.9	8.96	96.5	90.4	92.7	100.0	9.96	1
	Can	No.	51	157	122	49	51	26	152	55	99	38	53	57	
	To-	tal	57	129	114	117	64	53	131	09	65	40	28	09	
-55	Foreign	%	15.8	6.2	1.8	57.3	10.9	11,3	6.1	1.7	13.8	5.0	I	11.7	
1954-55		No.	6	∞	2	67	7	9	00	1	6	2	ı	7	,
	Canadian	%	84.2	93.8	98.2	42.7	89.1	88.7	93.9	98.3	86.2	95.0	100.0	88.3	1
	Car	No.	84	121	112	20	57	47	123	59	26	38	58	53	0
	To-	tal	50	140	126	113	64	09	150	80	61	33	53	9	
4	Foreign	%	10.3	1.4	0.8	49.6	26.6	6.7	2.0	1	11.5	1	1	10.0	0
1953-54	면	No.	9	7	-	26	17	4	8	1	7	I	1	9	0
15	Canadian	%	89.7	98.6	99.2	50.4	73.4	93.3	98.0	100.0	88.5	100,0	100,0	90.0	0
	Can	No.	52	138	125	57	47	26	147	80	54	33	53	54	0 7.4
	To-	tal	59	96	122	108	63	64	153	09	73	32	09	09	0
-53	oreign	%	3.4	2.1	4.9	56.5	22.2	6.2	3.9	1.7	2.7	3.1	Ţ	1.7	0
1952-	দ	No.	7	2	9	61	14	4	9	1	2	1	I	1	
	Canadian	%	96.1	97.9	95.1	43.5	77.8	93.8	96.1	98.3	97.3	6.96	100.0	98.3	89 5 100
	Car	No.	57	94	116	47	49	09	147	59	71	31	09	59	0 5 8
	Medical School		Dalhousie	Laval	Montreal 116	McGill	Ottawa	Queen's	Toronto 147	Western Ontario	Manitoba	Saskatchewan.	Alberta	British Columbia	Canada

APPENDIX 3-6 (Concl.)

	To- tal		65	128	129	109	70	09	146	09	61	40	72	61	1,001
2	oreign	8	13.8	8.0	1	55.0	25.7	5.0	11.0	1.7	8.2	12.5	1.4	18.0	13.0
1961–62	For	No.	6	П	1	09	18	က	16	-	ın	S	1	11	130
	dian	%	86.2	99.2	100.0	45.0	74.3	95.0	89.0	98,3	91.8	87.5	98.6	82.0	87.0
	Canadian	No.	56	127	129	49	52	57	130	59	26	35	71	50	871
	To- tal		65	126	129	110	0.4	51	147	59	20	39	99	09	972
	oreign	%	30.8	8.0	8.0	51.8	12.9	3.9	8.9	1.7	18.0	7.7	3.0	18,3	13.0
1960–61	Fore	No.	20	1	1	57	6	7	10	-	6	n	7	11	126
10	adian	%	69.2	99.2	99.2	48.2	87.1	96.1	93.2	98.3	82.0	92.3	0.76	81.7	87.0
	Can	No.	45	125	128	53	61	49	137	8	41	36	64	49	846
	To- tal		62	116	116	110	09	09	151	61	47	40	57	58	938
0	oreign	%	32.3	6.0	1.7	56.4	18.3	1.7	0.9	3.3	17.0	15.0	10.5	13.8	14.5
1959-60	ᅜ	No.	20	1	2	62	11	1	6	7	00	9	9	∞	136
19	Canadian	%	67.7	99,1	98.3	43.6	81.7	98.3	94.0	7.96	83.0	85.0	89.5	86.2	85.5
	Can	No.	42	115	114	48	49	59	142	59	39	34	51	20	8 02
	To- tal		09	124	142	111	99	63	163	09	51	34	51	59	984
6	ign	%	23.3	1.6	2.8	49.5	13.6	9.5	3.7	5.0	25.5	23.5	3.9	13.6	13.2
1958-59	Foreign	No.	14	7	4	55	6	9	9	8	13	00	7	∞	130
19	Canadian	%	7.97	98.4	97.2	50.5	86.4	90.5	8.96	95.0	74.5	76.5	96.1	86.4	86.8
	Can	No.	46	122	138	56	57	57	157	57	38	26	49	51	854
ii .	To- tal		61	138	121	116	72	61	156	62	64	34	55	59	666
80	eign	%	8.6	1.4	1.7	56.9	13.9	9.9	3.8	8.4	14.1	5.9	ı	10.2	11.6
1957-58	Fore	No.	9	7	7	99	10	4	9	6	6	2	ı	9	
19.	Canadian	%	90.2	98.6	98.3	43.1	86.1	93.4	96.2	95.2	85.9	94.1	100.0	8.68	88.4 116
	Can	No.	55	136	119	20	62	57	150	59	55	32	55	53	883
	Medical School		Dalhousie	Laval 136	Montreal 119	McGill	Ottawa	Queen's	Toronto 150	Western Ontario	Manitoba	Saskatchewan, 32	Alberta	British Columbia	Canada 883

APPENDIX 3-7
FIRST-YEAR MEDICAL STUDENTS PER 100,000 POPULATION,
CANADA AND BY PROVINCE, 1952-53 to 1961-62

Province	Population ('000) First-Year Medical Students Ratio Per 100,000	1952 – 1953	1953 1954	1954 – 1955	1955— 1956	1956— 1957
Newfoundland	Population Students	374.0 8 2.1	383,0 14 3,7	395.0 7 1.8	406.0 15 3.7	415.0 5 1.2
Prince Edward Island	Population Students Ratio	100.0 13 13.0	101.0 4 4.0	101.0 9 8.9	100.0 6 6.0	99.3 8 8.1
Nova Scotia	Population Students Ratio	653,0 32 4,9	663,0 25 3,8	673.0 17 2.5	683.0 23 3.4	694.7 27 3.9
New Brunswick	Population Students Ratio	526.0 21 4.0	533,0 20 3,8	540.0 22 4.1	547.0 21 3.8	554.6 17 3.1
Quebec	Population Students Ratio	4,174.0 241 5.8	4,629.0 302 6.5	4,388.0 295 6.7	4,517.0 332 7.4	4,628.4 318 6.9
Ontario	Population Students Ratio	4,788.0 294 6.1	4,941.0 290 5.9	5,115.0 258 5.0	5,266.0 289 5.5	5,404.9 279 5.2
Manitoba	Population Students Ratio	798.0 57 7.1	809.0 43 5.3	823.0 43 5.2	839.0 59 7.0	850.0 59 6.9
Saskatchewan	Population Students Ratio	843.0 57 6.8	861.0 63 7.3	873.0 52 5.9	878.0 45 5.1	880.7 39 4.4
Alberta	Population Students Ratio	973.0 62 6.4	1,012,0 53 5,2	1,057.0 63 6.0	1,091.0 53 4.9	1,123,1 55 4,9
B.C., Yukon, N.W.T.	Population Students Ratio	1,230.0 65 5.3	1,273,0 60 4,7	1,322.0 56 4,2	1,371.0 64 4.7	1,430.0 58 4.1
Canada	Population Students Ratio	14,459.0 850 5.9	18,845.0 874 4.6	15,287.0 822 5.4	15,698.0 907 5.8	16,080.0 865 5.4

APPENDIX 3-7 (Concl.)

FIRST-YEAR MEDICAL STUDENTS PER 100,000 POPULATION, CANADA AND BY PROVINCE, 1952-53 to 1961-62

Province	Population ('000) First-Year Medical Students Ratio Per 100,000	1957— 1958	1958– 1959	1959— 1960	1960— 1961	1961— 1962	Average
Newfoundland	Population. Students Ratio	424.0 7 1.7	432.0 7 1.6	444.1 9 2.0	448.0 9 2.0	457.9 13 2.8	9.4 2.3
Prince Edward Island	Population . Students Ratio	99.0 7 7.1	100.0 5 5.0	101.0 5 5.0	103.0 7 6.8	104.6 8 7.6	- 7.2 7.2
Nova Scotia	Population. Students Ratio	701.0 29 4.1	709.0 30 4.2	719.0 16 2.2	727.0 22 3.0	737.0 23 3.1	24.4 3.5
New Brunswick	Population. Students Ratio	562.0 20 3.6	571.0 13 2.3	582.0 16 2.7	589.0 16 2.7	597.9 23 3.8	18.9 3.4
Quebec	Population . Students Ratio	4,769.0 325 6.8	4,904.0 322 6.6	5,024.0 299 6.0	5,142.0 319 6.2	5,259.2 313 6.0	306.6 6.5
Ontario	Population. Students	5,636.0 297 5.3	5,821.0 308 5.3	5,969.0 285 4.8	6,111.0 274 4.5	6,236.1 275 4.4	284.9 5.2
Manitoba	Population. Students Ratio	862.0 51 5.9	875.0 38 4.3	891.0 39 4.4	906.0 40 4.4	921.7 54 5.9	48.3 5.6
Saskatchewan.		880.0 34 3.9	891.0 34 3.8	907.0 36 4.0	915.0 41 4.5	925.2 40 4.3	- 44.1 5.0
Alberta	Population. Students Ratio	1,164.0 62 5.3	46	1,248.0 48 3.8	1,291.0 62 4.8	1,332.0 72 5.4	57.6 5.0
B.C., Yukon, N.W.T.	Population. Students	1,503.0 51 3.4	51	50	55	1,666.7 50 3.0	56.0
Canada	Population. Students Ratio	16,610.0 883 5.3	854	802	846	18,238.0 871 4.8	857.4

APPENDIX 3-8

FIRST-YEAR MEDICAL STUDENTS PER 10,000 POPULATION OF UNIVERSITY AGE GROUP, 20-24, CANADA AND FOR PROVINCES, 1952-53 TO 1961-62

	Population					
	('000)	1952-	1953-	1954-	1955-	1956-
Province	Students	1953	1954	1955	1956	1957
	Per 10,000					1307
Newfoundland	Population	27.7	28.3	29.0	29.5	30.0
	Students	8	14	7	15	5
	Ratio	2.9	4.9	2.4	5.1	1.7
Prince Edward Island	Population	6.7	6.8	6,6	6,3	6.1
	Students	13	4	9	6	8
	Ratio	19,4	5.9	13,6	14.3	13.1
Nova Scotia	Population	46.5	47.0	47.4	48.2	49.1
	Students	32	25	17	223	27
	Ratio	6.9	5.3	3,6	4.8	5.5
New Brunswick	Population	36.9	36.8	36,7	36,6	36.4
	Students	21	20	22	21	17
	Ratio	5.7	5.4	6,0	5.7	4.7
Quebec	Population	343,1	343.9	346.4	349.7	353,2
	Students	241	302	295	332	318
	Ratio	7.0	8.8	8.5	9,5	9.0
Ontario	Population	357.2	360.9	364.1	364.4	365.1
	Students	294	290	258	289	279
	Ratio	8.2	8.0	7.1	7.9	7.6
Manitoba	Population	58.8	58.4	58.1	57.9	57.7
	Students	57	43	43	59	59
	Ratio	9.7	7.4	7.4	10.2	10.2
Saskatchewan	Population	62.5	62.8	62.2	60.9	59.0
	Students	57	63	52	45	39
d	Ratio	9.1	10.0	8.4	7.4	6.6
Alberta	Population	74.7	78.6	80,3	81.7	82.9
	Students	62	53	63	53	55
	Ratio	8.3	6.7	7.8	6, 5	6.6
B.C., Yukon & N.W.T.	Population	82.3	83,5	84.8	86.7	89.7
	Students	65	60	56	64	58
	Ratio	7.9	7.2	6,6	7.4	6.5
Canada	Population		1,107.1	1,115.6	1,121.9	1,129.1
	Students	850	874	822	907	865
	Ratio	7.7	7.9	7.4	8.1	7.7

APPENDIX 3-8 (Concl.)

Province	Population ('000) Students Per 10,000	1957— 1958	1958— 1959	1959— 1960	1960— 1961	1961– 1962	Average
Newfoundland	Population . Students	30.4 7 2.3	30.4 7 2.3	30.4 9 3.0	30.1 9 3.0	30.2 13 4.3	9.4 3.2
Prince Edward Island	Population . Students Ratio	6.0 7 11.7	6.3 5 7.9	6.4 5 7.8	6.4 7 10.9	6.3 8 12.7	- 7.2 11.7
Nova Scotia	Population . Students Ratio	49.1 29 5.9	49.3 30 6.1	49.5 16 3.2	49.4 22 4.5	49.3 23 4.7	- 24.4 5.0
New Brunswick	Population . Students Ratio	36.6 20 5.5	37.1 13 3.5	37.2 16 4.3	37.2 16 4.3	37.4 23 6.1	18.9 5.1
Quebec	Population . Students Ratio	356.9 325 9.1	358.6 322 9.0	360.9 299 8.3	364.3 319 8.8	369.6 313 8.5	306.6 8.6
Ontario	Population . Students Ratio	379.5 297 7.8	386.6 308 8.0	385.8 285 7.4	387.3 274 6.9	386.9 275 7.1	284.9 7.6
Manitoba	Population . Students Ratio	58.2 51 8.8	58.4 38 6.5	58.7 39 6.6	58.9 40 6.8	59.0 54 9.2	- 48.3 8.3
Saskatchewan.	Population . Students Ratio	56.4 34 6.0	56.8 34 6.0	57.4 36 6.3	57.2 41 7.2	57.0 40 7.0	- 44.1 7.4
Alberta	Population . Students Ratio	84.5 62 7.3	85.5 46 5.4	86.5 48 5.5	87.8 62 7.1	82.2 72 8.1	57.6 6.9
B.C., Yukon & N.W.T.	The same of the sa	97.1 51 5.3	100.5 51 5.1	99.5 50 5.0	99.2 55 5.5	98.7 50 5.1	56.0 6.2
Canada	Population . Students Ratio	1,154.7 883 7.6	854	1,172.3 802 6.8	1,177.8 846 7.2	1,183.6 871 7.4	857.4 7.5

APPENDIX 3-9

NUMBER OF APPLICANTS FOR MEDICAL STUDIES, BY MEDICAL SCHOOL, $1949-50 \ \text{TO} \ 1961-62$

(At three-year intervals)

Medical School	University Years								
medical School	1949-1950	1952-1953	1955-1956	1958-1959	1961 1962				
Laval	_	_	_	159	206				
Montreal	-	270	297	246	211				
McGill	1,673	1,276	891	920	820				
Ottawa	-	-	304	395	359				
Queen's	199	126	113	152	153				
Toronto	304	254	269	286	276				
Western Ontario	99	100	110	136	130				
Manitoba	206	141	181	158	211				
Saskatchewan	89	60	63	65	121				
Alberta	129	93	81	-	143				
British Columbia	285	164	214	270	233				

Source: Medical Education in Canada, J.A. MacFarlane, et al., a study prepared for the Royal Commission on Health Services.

APPENDIX 4-1

ROYAL COMMISSION ON HEALTH SERVICES

Daly Building P.O. Box 1173, Ottawa March, 1962.

Dear Doctor:

The studies undertaken by the Royal Commission on Health Services make it necessary to approach every member of the medical profession for information which will contribute to our understanding of the work of physicians and to solicit their views on certain aspects of health services. We have enlisted the aid of the Department of National Health and Welfare, The Canadian Medical Association, l'Association des Médecins de Langue Française du Canada, and the Royal College of Physicians and Surgeons of Canada in this undertaking, and the attached questionnaire is the product of their cooperation and the Commission's requirements. The present enquiry incorporates the current survey of the periodic series conducted by the Department of National Health and Welfare to obtain information about the supply and distribution of physicians in Canada.

I hope that busy practitioners will not find the task of completing these questions too burdensome and that the Commission may count on your help in establishing essential data on doctors.

You will observe that the questions are presented in two separate portions. The first relates to your qualifications, your work and your opinions. This main questionnaire should be completed and returned in the envelope addressed to the Department of National Health and Welfare. The second portion relates to the economics of medical work. It is designed to be completely anonymous and to that end should be returned to the Royal Commission on Health Services where it will be processed to obtain tables related to the financial aspects of practice and employment.

The physician is the central figure in the health services which constitute our field of study and his help is essential in our task of assessing needs and resources. The data which emerge from this inquiry will be available to the cooperating professional organizations and I hope that you will do your part by completing and returning the questionnaires at your earliest convenience.

Yours sincerely,

EMMETT M. HALL

SURVEY OF PHYSICIANS IN CANADA, 1962

Do not write here

1. Year of Birth 2. Sex 3. Birth p	lace
4. Undergraduate	(province, if Canada, or country)
medical training: a) Name of school	b) Year graduated
5. Postgraduate specialist degrees, diploma	s, certificates:
Specialties	Qualifying Body Qualified
6. Year first licensed to practise	7. If immigrant,
in Canada (excluding student registration) year entered Canada
8. Location (for major work in which now en	gaged)(place) (province)
9. Types of work in which now engaged: 1((give % of time for each) % of time	O. Employing agency: (for major source of income; check one)
Private practice:	Self
General	Partnership
Specialist	Group
Consultant (referred only)	Hospital (of auspices not shown below)
Junior intern	Dept. Nat'l Health and Welfare
Senior intern, resident, fellow	Dept. Veterans Affairs
Hospital staff:	Canadian Pension Commission
Specialist services	Regular Armed Forces
Other (specify)	Other Fed. Govt. Dept., Board or agency (specify)
Research	Prov. Dept. Health (except below)
Teaching	Prov. Hosp. Insurance Admin. body
Public health	Other Prov. Dept., Board or agency (specify)
Other (specify or give title)	County or municipality
Specialist	University or college
Non-spec.	Industry
Retired: Part time	Other (specify)
1. Is your major work chiefly administrative?	Yes No
2. If in partnership or group practice, how ma	any are associated?(total physicians)
3. Per cent of total remuneration gained from	1:
Professional fees% Salaried medic	cal work% Other sources%
	Specialties % of tim
4. If all or part of your total work	
time is devoted to a specialty	

Do not write here

15. Length of time in present practice or employment (major work) years
16. First practice or medical employment a) Year begun in Canada (excluding internship,
postgraduate studies, or service b) Type of work in the Regular Armed Forces):
c) Location(place) (province)
17. Place of residence prior to
entering university training (place and province, if Canada, or country)
18. Father's occupation at time you entered university training (or earlier, if father then deceased)
Prepayment and Insurance Plans The following questions are designed to elicit your opinions about current plans of medical insurance and possible future developments.
19. About what proportion of your current patients have some kind of medical prepayment or insurance coverage?
100%75-99%50-74%25-49% Less than 25% None
20. a) Would you be in favour of a plan which provides, as a basic benefit, in-hospital medical, surgical and obstetrical services?
b) If yes, check below the additional benefits which you would include:
Home and office calls Appliances
Prescribed drugs Dental care
Home nursing service Ambulance service
Visual and hearing aids
21. What expenses should the plan pay? Total Part Total Part
a) Doctor's services Appliances
Prescribed drugs Dental care
Home nursing service Ambuíance service
Visual and hearing aids
b) Catastrophic expenses only
N.B. Does your answer a) only to benefits you indicate in Q. 20? Yes No to this question relate: b) to any range of benefits?
22. Which sponsorship would you prefer? (check one)
Medical profession Government Insurance company Other
23. Which type of patient, in your experience, is more likely to:
a) "Shop around"? Insured Non-insured
b) Seek early diagnosis and treatment? Insured Non-insured
c) Follow and complete treatment? Insured Non-insured
d) Demand over-servicing? Insured Non-insured
24. In your experience, are you likely to receive more remuneration for the same amount of service from a patient who is:

Do not write here

Gro	pup Practice		
25.	Do you think that group practice tends to:		
	a) Improve the quality of medical services?	es No	
	b) Improve the availability of medical services?	Yes No	
	c) Improve the working conditions of doctors?		
	tterns of Service in Private Practice		
(in	cluding group practice and partnership)		
26.	For the working day (midnight to midnight) immediately prior to your filling in this questionnaire, please specify:		
	Day of the week	ents	Hours
		(No.)	Spent
	a) Office calls		
	b) Hospital calls (in- and out-patients)		
	c) Home visits (including travelling time):		
	i) Day		
	ii) Night		
	d) Teaching and/or research		
	e) Other activities (specify major below):		
	(midnight to midnight) immediately prior to filling in this questionnaire (i.e., same day as for Question 26): a) Physical examination of apparently well people: i) For specific purposes (e.g., insurance, employment, etc.) ii) Preventive routine (e.g., well baby, annual check up, etc.) b) Other specific services: i) Surgical and obstetrical procedures	Number	
28.	If in solo general practice:		
	a) What is the size of your practice? (persons) b) How many of these potential patients are now under active or continuing treatment?	(persons)	_
	Thank you for your cooperation in filling in this questionnaire. Pleas	e mail this	

Thank you for your cooperation in filling in this questionnaire. Please mail this portion of it to the Research and Statistics Division of the Department of National Health and Welfare in the enclosed return envelope so addressed. Mail the separate anonymous supplement on medical economics directly to the Royal Commission on Health Services (special return envelope enclosed).

APPENDIX 4-2

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS,
BY AGE GROUP, FOR REGIONS AND CANADA, 1962

				Age	Groups				
Region	Under 25	25— 34	35— 44	45— 54	55— 64	65— 69	70 and Over	Not Given	Tota1
Atlantic Provinces				140					
Number	1	173	312	205	139	21	25	-	876
Per cent	0.1	19.7	35.6	23.4	15.9	2.4	2.9	-	-
0 1				- 1					
Quebec Number	10	871	935	503	377	85	57	2	2,840
Per cent	0.4	30.7	32.9	17.7	13.3	3.0	2.0	_	_
Fer cent,	0	00.7	0200						
Ontario									4 077
Number	13		1,527	897	596	150	156	1	4,375
Per cent	0.3	23.7	34.9	20.5	13.6	3.4	3.6	-	_
Prairie Provinces									
Number	11	453	838	471	224	47	43	5	2,092
Per cent	0.5	21.7	40.1	22.5	10.7	2.2	2.1	0.2	_
D 1 G. 1 13-									
British Columbia	4	289	537	336	179	25	15	_	1,385
Number Per cent	0.3	20.9	38.7	24.3	12.9	1.8	1.1	_	_
Per cent	0.3	20.5	30.7	2110	12.5				
Canada ¹									44 750
Number		2,821		1	1,515	328	296	8	11,568
Per cent	0.3	24.4	35.9	20.9	13.1	2.8	2.6	_	_

Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-3

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS, BY AGE GROUP, FOR REGIONS AND CANADA, 1962

		Age Groups								
Region	Under 25	25— 34	35— 44	45— 54	55— 64	65– 69	70 and Over	Tota1		
Atlantic Provinces										
Number	1	64	111	48	20	3	2	249		
Per cent	0.4	25.7	44.6	19.3	8.0	1.2	0.8	_		
Quebec										
Number	1	109	155	62	56	14	8	405		
Per cent	0.2	26.9	38.3	15.3	13.8	3.5	2.0	_		
Ontario										
Number	1	230	528	207	114	24	13	1.117		
Per cent	0.1	20.6	47.3	18.5	10.2	2.1	1.2	_		
Prairie Provinces										
Number	_	152	354	172	86	18	6	788		
Per cent	_	19.3	44.9	21.8	10.9	2.3	0.8	_		
British Columbia										
Number	_	87	181	83	58	7	2	418		
Per cent	_	20.8	43.3	19.9	13.9	1.7	0.4	_		
Canada ¹										
Number	3	642	1,329	572	334	66	31	2,977		
Per cent	0.1	21.6	44.6	19.2	11.2	2.2	1.1	_		

¹ Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-4

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN SPECIALIST PHYSICIANS, BY AGE GROUP, FOR REGIONS AND CANADA, 1962

			Age G	roups			
Region	25- 34	35— 44	45— 54	55– 64	65— 69	70 and Over	Tota1
Atlantic Provinces			10				
Number	29	133	75	63	7	4	311
Per cent	9.3	42.8	24.1	20.2	2.3	1.3	_
Quebec							
Number	145	504	285	174	33	23	1,164
Per cent	12.5	43.3	24.5	14.9	2.8	2.0	-
Ontario							
Number	148	605	336	227	43	40	1,399
Per cent	10.6	43.2	24.0	16.2	3.1	2.9	-
Prairie Provinces							
Number	83	342	198	92	11	11	737
Per cent	11.2	46.4	26.4	12.5	1.5	1.5	-
British Columbia							
<i>Number</i>	29	180	141	77	10	4	44
Per cent	6.6	40.8	32.0	17.5	2.3	1.0	_
Canada ¹							
Number	434	1,764	1,035	633	104	82	4,05
Per cent	10.7	43.4	25.5	15.6	2.6	2.0	_

¹Excludes Yukon and Northwest Territories.

APPENDIX 4-5A

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS, BY YEARS SINCE FIRST LICENSED TO PRACTISE IN CANADA, FOR REGIONS AND CANADA, 1962

Canada ¹	Per cent	14.7	19.1	17.3	13.3	10.7	0.6	6.3	8.4	4.8	100.0
Can	Number	1,195	1,558	1,407	1,079	869	733	514	395	388	8,138
Columbia	Per cent	13.6	20.1	16.8	16.2	10.9	11.0	5,3	4.6	1.5	100.0
British (Number	128	189	158	152	102	103	20	43	14	939
Prairie Provinces British Columbia	Number Per cent	15.9	19.0	16.9	16.4	10.9	8.4	5.6	3,3	3,6	100.0
Prairie F	Number	199	238	212	206	137	105	70	41	45	1,253
Ontario	Per cent	12.4	17.6	16.7	12.7	12.0	9.6	6.7	5.7	9.9	100.0
Ont		391	558	529	403	380	305	211	180	208	3,165
O O	Per cent Number	19.0	21.8	18.7	10.4	8.4	7.4	5.7	4.6	4.0	100.0
Onebec	Number	412	471	405	225	182	160	123	66	98	2,163
Atlantic	Per cent	10.5	16.5	16.7	15.0	11.0	6.7	7.6	5.2	5.7	100.0
Atla Prov	Number	65	102	103	93	89	09	09	32	35	618
Years Since First Licensed to Practise in Canada		Less than 5	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	35 – 39	40 and Over	Total Reporting

1 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS, BY YEARS SINCE FIRST LICENSED TO PRACTISE IN CANADA, APPENDIX 4-5B

FOR REGIONS AND CANADA, 1962

ada1	Per	30.2	34.2	17.5	5.0	3,2	3,4	3.0	1,9	1.6	
Canada¹	Number Report- ing	826	937	479	138	88	92	81	53	44	2,738
British Columbia	Per	26.5	31.5	19.5	6.8	4.0	5.5	3,5	2.2	0.5	
Bri Colu	Number Report- ing	106	126	78	27	16	22	14	6	2	400
irie inces	Per	32.0	35.0	16,9	3,1	3,1	3,5	3.2	1.9	1.3	
Prairie Provinces	Number Report- ing	237	259	125	23	23	26	24	14	10	741
Ontario	Per	27.3	36.0	20.2	5.5	2,8	2,7	2,0	2,0	1.5	
Ont	Number Report- ing	284	374	210	57	29	28	21	21	15	1,039
pec	Per	32,9	32.4	11,6	5.4	4.1	3.0	5,4	2.4	4.8	
Quebec	Number Report- ing	104	109	39	18	14	10	18	00	16	336
Atlantic Provinces	Per	42.8	31,1	12.2	5,9	2,7	2.7	1.8	0.4	0.4	
Atla	Number Report- ing	95	69	27	13	9	9	4	1	-	222
Years Since	First Licensed to Practise in Canada	Less than 5 years	5 - 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	35 – 39	40 and Over	Total

1 Excludes Yukon and Northwest Territories.

APPENDIX 4-6

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN AND IMMIGRANT ACTIVE CIVILIAN PHYSICIANS BY FATHER'S OCCUPATION, FOR REGIONS AND CANADA, 1962

					Ca	Canadian-born Physicians	rn Physi	cians				
Father's Occupational	Atla Prov	Atlantic Provinces	onò	Quebec	Ont	Ontario	Pre	Prairie Provinces	Bri	British Columbia	Can	Canada ²
Groups ¹	Number Report- ing	Per cent of Total ing	Number Report- ing	Per cent of Total Report- ing	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total
Proprietors and managers	177	28.5	638	26.5	828	25.7	330	25.4	230	24.2	2,203	25.8
surgeons	89	10.9	285	11.9	454	14.0	146	11,3	66	10,4	1,052	12,4
Other professional	106	17,1	367	15,3	641	19.8	210	16,1	205	21,5	1,529	18.0
Clerical	23	3.7	135	5.6	140	4.3	58	4.5	37	3,9	393	4.6
Transportation and communication	36	5.8	89	3.7	83	2,5	43	3,3	42	4.4	293	3,4
Commercial and financial	33	5.3	130	5,4	178	5,5	72	5,6	43	4.5	456	5,4
Service	12	1.9	40	1.7	53	1,6	26	2.0	20	2,1	151	1.8
Agriculture	72	11.6	299	12,4	354	10,9	262	20.2	116	12.2	1,103	13.0
Fishing, trapping, logging and mining	15	2,4	14	9.0	34	1.1	13	1.0	18	1.9	96	1,1
Manufacturing, mechanical and construction	50	8,1	263	10,9	335	10.4	88	8,0	93	8,6	829	9.7
Unskilled workers	13	2.1	72	3.0	19	1.9	18	1,4	16	1.7	180	2,1
Retired	∞	1,3	31	1,3	26	1.7	18	1.4	20	2.1	133	1.6
Not stated ³	00	1.3	40	1.7	18	9.0	13	1.0	13	1,3	92	1.1
Total	621	100,0	2,403	100.0	3,235	100.0	1,297	100.0	952	100.0	8,508	100,0

APPENDIX 4-6 (Concl.)

					I	Immigrant Physicians	Physicia	ns				
Father's Occupational	Atla Prov	Atlantic Provinces	γnζ	Quebec	Ont	Ontario	Pra Prov	Prairie Provinces	Bri Colu	British Columbia	Can	Canada²
Groups ¹	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total		Number Per cent Report- of Total ing	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total	Number Report- ing	Per cent of Total
Proprietors and managers	73	29.9	137	34.7	282	25.5	214	27.4	101	24.6	807	27.5
Physicians and surgeons	37	15.2	49	12,4	172	15.6	. 80	11.3	71	17.4	417	14.2
Other professional	52	21.2	91	23.0	323	29.1	215	27.6	95	23.2	216	26.5
Clerical	17	6.9	20	5.1	99	0.9	28	7.4	26	6.3	187	6.4
Transportation and communication	ß	2.0	ĸ	1,3	16	1.4	12	1.5	00	2.0	46	1.5
Commercial and financial	∞	3.2	12	3.0	36	3,3	23	3.0	15	3.7	94	3.2
Service	. 14	5.8	∞	2.0	22	2.0	32	4.1	12	2.9	88	3.0
Agriculture	. 15	6,1	23	5.8	57	5.2	89	8.8	25	6.1	188	6.4
Fishing, trapping, logging and mining	П	0.4	Ī	1	w	0.5	7	0.2	ю	0.7	11	0.3
Manufacturing, mechanical and construction	18	7.3	26	9.9	70	6.3	40	5.1	32	7.8	186	6.4
Unskilled workers		0.4	က	8.0	22	2.0	4	0.5	1	0.2	31	1.1
Retired		0.4	6	2,3	14	1,3	10	1,3	12	2.9	46	1.6
Not stated ³	ю	1.2	12	3.0	20	1.8	14	1.8	6	2.2	58	1.9
Total	. 245	100.0	395	100.0	1,105	100.0	780	100.0	410	100.0	2,935	100.0
1 Enthony Commontion of time	-i		- tanining		11 9 91	44						

¹ Father's occupation at time of entering university training or earlier, if father then deceased.
² Excludes Yukon and Northwest Territories.

³ Includes some who were unemployed. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-7 CHOICE OF REGION OF FIRST PRACTICE BY CANADIAN-BORN PHYSICIANS, FOR REGIONS AND CANADA, 1962

				FOR R	EGIONS	FOR REGIONS AND CANADA, 1962	ADA, 19	62							
Region of Dresent	Region of Residence				Regi	Region of First Practice	st Practic	9				9		Total	Total Reporting
Practice	before Entry to Medical School	Alt	Altantic	One	Quebec	Ont	Ontario	Prai	Prairie	, Br	British	Outside of Canada	ıtside of Canada	Phys	Physicians
		217	TITCES					Prov	nces	Col	Columbia			Number	Per cent
Atlantic Provinces Atlantic Provinces.	Atlantic Provinces	472	87,9%	15		7		3		8		9		206	94.2
	Quebec	4		2		8		I		1		1		00	5.1
	Ontario	00		1		7		I		1		1		16	3.0
	Prairie Provinces	က		1		1		П		ı		1		ın	0.0
	British Columbia	ı		1		1		1		1		1		7	0.4
	Total and Per cent	487	90.7	18	3.4	16	3.0	4	0.7	2	0.9	7	1.3	537	7.6
Quebec Atlantic Provinces	Atlantic Provinces	14		S		-		I		1		1		10	0
	Quebec	49		1,588	86.4%	74		19		10		11		1.751	95.3
	Prairie Provinces	7		6		31		4		1		1		46	4
	Prairie Provinces	1		2		н		11		1		1		16	0.0
	British Columbia	1		1		3		Ī		1		1		ĸ	0.3
	Total and Per cent	99	3.6	1,605	87.4	109	5.9	34	1.9	11	9.0	12	9.0	1,837	26.1
Ontario	Atlantic Provinces	25		Ī		10		1				1		37	1.4
	One pec	8		18		25		9		3		1		v.	2.0
	Ontario	44		62		2,231	81.8%	125		21		22		2.505	91.9
	Prairie Provinces	7		3		37		47		3		1		93	3,4
	British Columbia	I		2		19		S		10		1		36	1.3
	Total and Per cent	74	2.7	85	3.1	2,322	85.2	184	8.9	38	1.4	23	0.8	2,726	38.7
Prairie Provinces	Atlantic Provinces	6		1		1		ı		ı		1		10	0
	Quebec	1		7		4		8		ı		1		10	000
	Ontario	1		1		32		22		1		-		5.2	
	Prairie Provinces	15		14		73		845	77.4%	22		18		987	90.4
	British Columbia	I		Ī		9		18		4		1		28	2.6
	Total and Per cent	56	2.4	16	1.5	116	10.6	888	81.3	27	2,5	19	1.7	1,092	15.5
British Columbia		8		ı		1		1		1		- 1		4	0.5
	One pec	I		9		'n		2		2		1		15	1.8
	Ontario	7		1		28		6		10		ı		51	0.9
	Prairie Provinces	1		3		∞		113		00		1		133	15.7
	British Columbia	24		12		87		186		329	38.8%	7		645	76.0
	Total and Per cent	30	3.5	22	2.6	129	15.2	310	36.6	349	41.2	80	0.9	848	12.1
Canada ¹	Atlantic Provinces	523		20		19		4		4		9		576	8.2
	One pec	22		1.616		110		30		15		11		1,839	26.1
	Ontario	22		72		2,329		160		33		24		2,675	38.0
	Prairie Provinces	22		23		119		1,017		33		20		1,234	17.5
1	British Columbia	24		15		115		209		345		œ		716	10.2
	Total and Per cent	683	9.7	1,746	24.8	2,692	38.2	1,420	20.2	430	6.1	69	1.0	7,040	

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-8

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS, BY SIZE OF COMMUNITY OF RESIDENCE AT TIME OF ENTRY TO MEDICAL SCHOOL AND SIZE OF COMMUNITY OF FIRST PRACTICE, FOR REGIONS AND CANADA

					ity of R to Medi			
Region of Present Practice and Size of Community of First Practice	Und 10,0 Popul	000	Un 100,	0 and der ,000 lation	100,00 Ove Popul	er	To	ta1
	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent
Atlantic Provinces								
Number reporting	291 176 63 52	50.0 60.5 21.6 17.9	114 32 60 22	19.6 28.1 52.6 19.3	177 58 32 87	30.4 32.8 18.1 49.1	582 266 155 161	45.7 26.6 27.7
Quebec								
Number reporting	631 299 170 162	28.1 47.4 26.9 25.7	338 46 199 93	15.1 13.5 59.0 27.5	1,275 149 340 786	56.8 11.7 26.7 61.6	2,244 494 709 1,041	22.0 31.6 46.4
Ontario								
Number reporting	781 306 224 251	25.1 39.2 28.7 32.1	561 96 291 174	18.0 17.1 51.9 31.0	1,768 258 479 1,031	56.9 14.6 27.1 58.3	3,110 660 994 1,456	21.2 32.0 46.8
Prairie Provinces						89		
Number reporting Under 10,000 population 10,000 and under 100,000 pop. 100,000 and over population	442 227 90 125	51.4 20.4	153 47 59 47	12.7 30.7 38.6 30.7	607 174 127 306	50.5 28.7 20.9 50.4	1,202 448 276 478	37.3 23.0 39.7
British Columbia								
Number reporting Under 10,000 population 10,000 and under 100,000 pop 100,000 and over population	249 111 41 97	44.6	129 35 39 55	14.1 27.1 30.2 42.7	535 166 87 282	58.6 31.0 16.3 52.7	913 312 167 434	34.3 18.3 47.
Canada ¹				91				
Number reporting	2,394 1,119 588 687	46.7 24.6	1,295 256 648 391	16.1 19.8 50.0 30.2	4,362 805 1,065 2,492	54.2 18.5 24.4 57.1	8,051 2,180 2,301 3,570	27. 28. 44.

¹ Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-9
DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS,
BY SCHOOL OF UNDERGRADUATE MEDICAL TRAINING IN CANADA AND YEARS SINCE GRADUATION,
FOR REGIONS AND CANADA, 1962¹

						Re	gion of	Prese	nt Prac	tice			
School of Undergraduate Medical Training	Years since Graduation		antic rinces	Que	ebec	Ont	ario	Pra Provi			itish ımbia	Number	Per cent of all Univers- ities
Dalhousie	Less than 10	120		5		28		6		5		164	
	10 – 19	129		7		16		9		13		174	
	20 – 29	85		4		12		4		6		111	
	30 – 39	58		3		5		2		1		69	
	40 and over	21		-		-		-		-		21	
	Not stated	-		-		-		-		-		-	
	Total and per cent	413	76.6	19	3.5	61	11.3	21	3.9	25	4.7	539	6.4
I aval	Less than 10	10		354		8		8				380	
Davai	10 - 19	12		254		17		4		2		289	
	20 – 29	5		144		5		4		1		159	
	30 – 39	6		96		2		_		_		104	
	40 and over	3		32		_		1		_		36	
	Not stated	_		1		_		_		_		1	
	Total and												
	per cent	36	3.7	881	90.9	32	3.3	17	1.8	3	0.3	969	11.5
Montreal	Less than 10	2		345		6		-		-		353	
	10 – 19	5		261		9		-		-		275	
	20 – 29	1		130		5		1		-		137	
	30 – 39	-		89		5		2		-		96	
	40 and over	-		33		3		2		-		38	
	Not stated	-		2		1		-		-		3	
	Total and	8	0.9	860	95.3	29	3.2	5	0.6	_	_	902	10.6
McGill	Less than 10	8		108		27		16		20		179	
	10 - 19	27		144		59		27		70		327	
	20 – 29	25		109		38		12		39		223	
	30 – 39	22		62		33		13		28		158	
	40 and over	10		31		18		7		11		77	
	Not stated	-		2		-		-		1		3	
	Total and per cent	92	9.5	456	47.2	175	18.1	75	7.8	169	17.4	967	11.4
Ottown	Less than 10	1		19		60		6		8		94	
Cuana	10 - 19	6		5		21		2		2		36	
	20 – 29	_		_		-				_		_	
	30 – 39	_		_		_		_		_		_	
	40 and over	_		_		_		_		_		_	
	Not stated	_		1		1		_		_		2	
	Total and per cent	7	5.3	25	18.9	82	62.1	8	6.1	10	7.6	132	1.6
0			5.0		13.9		02.1	-	0.1				1.0
Queen's	Less than 10	- 6		25 11		122		11 22		14		172 190	
	20 – 29	3		11		117		17		34 14		190	
	30 – 39	2		- 5		69							
	40 and over	1		1		36		4 5		6		86	
	Not stated	_1		_		36		5		_		46	
						1						1	
	Total and per cent	12	1.9	42	6.6	457	71.3	59	9.2	71	11.0	641	7.6
		14	1.9	72	0.0	737	/1.3	39	3.4	11	11.0	041	7.0

APPENDIX 4-9 (Concl.)

						Re	gion of	Preser	it Prac	tice			
School of Under- graduate Medical Training	Years since Graduation		antic	Que	bec	Ont	ario	Pra Prov			itish imbia	Number	Per cent of all Universities
Toronto	Less than 10	3		26		454		14		27		524	
	10 - 19	4		10		519		44		45		622	
	20 - 29	7		10		381		35		50		483	
	30 - 39	3		6		278		13		35		335	
	40 and over	1		-		146		9		4		160	
	Not stated	_		-		4		-		_		4	
	Total and			-									
	per cent	18	0.8	52	2.4	1,782	83.8	115	5.4	161	7.6	2,128	25.2
Vestern Ontario	Less than 10	_		17		168		7		4		196	
mario	10 - 19	_		8		154		18		18		198	
	20 – 29	_		6		89		5		8		108	
	30 – 39	_		2		56		2		1		61	
	40 and over	_				19		2		_		21	
	Not stated	_		_		1		_		_		1	
	Total and												
	per cent	-	_	33	5.6	487	83.3	34	5.8	31	5.3	585	6.9
Manitoba	Less than 10	_		7		15		143		35		200	
	10 - 19	1		4		33		167		53		258	
	20 - 29	_		5		26		120		63		214	
	30 - 39	2		2		13		72		29		118	
	40 and over	_		1		-		23		1		25	
	Not stated	-		-		-		2		-		2	
	Total and	3	0.4	19	2.3	87	10.6	527	64.5	101	22.2	817	9.7
Saskatch-	per cent	3	0.4		2.3		10.0		04.5	181	22.2		9.7
wan	Less than 10	-		2		3		47		6		58	
	10 – 19	-		-		-		-		-		-	
	20 – 29	-		_		_		-		-		- 1	
	30 – 39	-		-		-		-		-		-	
	40 and over Not stated	_		_		4		4		5		13	
		_		_		4		4		3		13	
	Total and per cent	_	_	2	2.8	7	9.9	51	71.8	11	15.5	71	0.8
Alberta	Less than 10	_		6		13		130		31		180	
around	10 - 19	2		1		4		133		59		199	
	20 – 29	_		_		7		78		43		128	
	30 – 39	_		1		3		14		14		32	
	40 and over	_		-		_				_		_	
	Not stated	_		-		-		-		-		-	
	Total and			_		-	-		-	-	-	-	
D	per cent	2	0.4	8	1.5	27	5.0	355	65.9	147	27.2	539	6.4
British Columbia	Less than 10	1		8		10		3		129		151	
	10 - 19	_		_		-		_		-		-	
	20 - 29	-		-		-		_		-		-	
	30 - 39	-		-		-		-		-		-	
	40 and over	-		-		-		-		-		-	
	Not stated	-		-		-		-		7		7	
	Total and	_		-		-							
	per cent	1	0.6	8	5.1	10	6.3	3	1.9	136	86.1	158	1.9
A11 Universities .	Less than 10	145	24.5	922	38.3	914	28.2	391	30.8	279	29.5	2,651	31.4
	10 – 19	192	32.4	705	29.3	949	29.3	426	33.5	296	31.3	2,568	30.4
	20 – 29	126	21.3	408	17.0	675	20.9	276	21.7	224	23.7	1,709	20.2
	30 – 39	93	15.7	266	11.1	464	14.3	122	9.6	114	12.1	1,059	12.6
	40 and over	36	6.1	98	4.1	222	6.9	49	3.9	19	2.0	424	5.0
	Not stated	-	-	6	0.2	12	0.4	6	0.5	13	1.4	37	0.4
	Total and												
	per cent	592	7.0	2,405	28.5	3,236	38.3	1,270	15.0	945	11.2	8,448	100.0

¹ Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-10

ACTIVE CIVILIAN PHYSICIANS IN RELATION TO POPULATION AND AREA, BY COUNTY OR CENSUS DIVISION, FOR PROVINCES, 1961

Province and County or Census Division	Population June, 1961	Per cent of Urban Population	Physi- cians June, 1961	Physician- Population Ratio	
**					
Newfoundland Div. 1 (St. John's) Div. 2 (Grand Bank) Div. 3 (Port aux Basques) Div. 4 (Stephenville) Div. 5 (Cornerbrook) Div. 6 (Grand Falls) Div. 7 (Bonavista) Div. 8 (Lewisporte) Div. 9 (St. Anthony) Div. 10 (Goose Bay)	188,904 24,779 23,299 24,185 39,086 38,045 39,652 44,659 21,710 13,534	62.4 36.3 35.3 43.5 74.7 77.1 27.2 18.3 13.8 43.6	139 6 9 8 20 17 8 11 5 7	1:1,359 1:4,130 1:2,589 1:3,023 1:1,954 1:2,238 1:4,957 1:4,060 1:4,342 1:1,933	26.0 288.3 890.2 339.3 119.6 564.2 319.5 282.6 1,367.2 15,347.9
Total Nfld	457,853	50.7	230	1:1,991	621.9
Prince Edward Island Div. 1 (Kings) Div. 2 (Prince) Div. 3 (Queens)	17,893 40,894 45,842	14.9 23.5 47.2	7 28 56	1:2,556 1:1,461 1: 819	91.6 27.9 13.7
Total P.E.I.	104,629	32.4	91	1:1,150	24.0
Nova Scotia					
Div. 1 (Annapolis) Div. 2 (Antigonish) Div. 3 (Cape Breton) Div. 4 (Colchester) Div. 5 (Cumberland) Div. 6 (Digby) Div. 7 (Guysborough) Div. 8 (Halifax) Div. 9 (Hants) Div. 10 (Inverness) Div. 11 (Kings) Div. 12 (Lunenburg) Div. 13 (Pictou) Div. 15 (Richmond) Div. 16 (Shelburne) Div. 17 (Victoria) Div. 18 (Yarmouth)	22,649 14,360 131,507 34,307 37,767 20,216 13,274 225,723 26,444 18,718 41,747 34,998 43,908 13,155 11,374 15,208 8,266 23,386	13.1 30.3 82.5 49.3 52.8 11.4 17.3 75.9 19.7 18.5 28.0 24.7 61.4 28.2 23.9	12 12 89 22 25 16 6 353 15 9 45 24 30 8 6	1:1,887 1:1,197 1:1,478 1:1,559 1:1,511 1:1,264 1:2,212 1: 639 1:1,763 1:2,080 1: 928 1:1,458 1:1,458 1:1,464 1:1,690 1:2,755 1:1,063	107·1 45·1 10·9 66·0 67·3 60·6 268·5 5.8 81·9 156·6 18·7 48·7 37·5 122·9 81·5 108·8 368·3 38·1
Total N.S	737,007	54.3	706	1:1,044	29.4
New Brunswick	12,485 23,507 23,285 66,343 26,667 25,908 38,983 50,035 11,640 40,973 89,251 22,796 19,712 93,679 52,672	31.4 22.7 34.1 19.9 10.9 19.2 44.4 30.1 11.7 51.4 88.1 59.2 26.6 60.9 58.0	8 16 13 29 8 27 23 14 4 36 118 2 11 99	1:1,561 1:1,469 1:1,791 1:2,288 1:3,333 1: 960 1:1,695 1:3,574 1:2,910 1:1,138 1: 756 1:1,398 1:1,792 1: 946 1:1,121	85.1 81.3 95.6 63.9 216.8 50.9 54.9 333.6 343.3 90.1 5.2 539.5 188.5 14.4 75.4
Total N.B					
I Utal IV.D	597,936	46.5	455	1: 1, 314	60.4

APPENDIX 4-10 (Cont.)

		1			
		D		Dhuaiaian	Square
Province and County or	Population	Per cent	Physicians	Physician-	
	Tune 1061	of Urban		r opulation	The second secon
Census Division	June, 1961	Population	June, 1901	Ratio	Physicia
) was had					
Div. 1 (Abitibi)	108,313	45.3	42	1:2,579	1,826.8
Div. 2 (Argenteuil)	31,830	52.3	19	1:1,675	41.2
Div. 3 (Arthabaska)	45,301	60.4	26	1:1,742	25.6
Div. 4 (Bagot)	21,390	31.1	8	1:2,674	43.3
Div. 5 (Beauce)	62,264	42.1	42	1:1,482	26.9
Div. 6 (Beauharnois)	49,667	85.8	28	1:1,774	5.3
Div. 7 (Bellechasse)	26,054	4.4	11	1:2,369	59.4
Div. 8 (Berthier)	27,325	44.0	12	1:2,277	151.3
Div. 9 (Bonaventure)	42,962	3.1	15	1:2,864	230.9
Div. 10 (Brome)	13,691	23.0	5	1:2,738	97.6
Div. 11 (Chambly)	146,745	97.3	126	1:1,165	1.
Div. 12 (Champlain)	111,953	69.6	73	1:1,534	117.0
Div. 13 & 14 (Charlevoix)	31,012	41.6		N. 91 CONT. PROS. CO.	123.
Div. 13 (Charlevoix E)	16,450	50.0	11	1:1,495	
Div. 14 (Charlevoix O)	14,562	32.1	7	1:2,080	
Div. 15 (Chateauguay)	34,042	63.4	19	1:1,792	13.
Div. 16 (Chicoutimi)	157,196	78.5	165	1: 956	107.
Div. 17 (Compton)	24,410	35.0	10	1:2,441	93.
Div. 18 (Deux Montagnes)	32,837	43.0	21	1:1,564	13.
Div. 19 (Dorchester)	34,711	17.6	21	1:1,653	40.
Div. 20 (Drummond)	58,220	71.2	34	1:1,712	15.
Div. 21 (Frontenac)	30,600	28.6	14	1:2,186	97.
Div. 22, 23, 24 (Gaspé)	74,341	24.2		1 1 000	126.
Div. 22 (Gaspé – Est)	41,333	21.5	21	1:1,968	
Div. 23 (Gaspé - Ouest)	20,529	44.4	12	1:1,711	
Div. 24 (Iles de la				1 2 100	
Madeleine)			4	1:3,120	000
Div. 25, 26 (Hull)				1 1 107	28.
Div. 25 (Hull)	84,803	96.7	59	1:1,437	
Div. 26 (Gatineau)			30	1:1,477	70
Div. 27 (Huntingdon)			5	1:2,950	72. 19.
Div. 28 (Iberville)			10	1:1,808	69.
Div. 29 (Joliette)			36 12	1:1,249 1:2,262	86.
Div. 30 (Kamouraska)			10	1:2,908	239.
Div. 31 (Labelle)			10	1.2,900	354.
Div. 32 & 33 (Lac St. Jean)			29	1:1,514	334.
Div. 32 (Lac St. Jean Est)			38	1:1,613	
Div. 33 (Lac St. Jean Ouest) Div. 34 (La Prairie)			15	1:2,077	11.
Div. 35 (L'Assomption)			22	1:1,793	11.
Div. 36 (Levis)			50	1:1,037	5.
Div. 37 (L'Islet)			13	1:1,908	59.
Div. 37 (L'Islet)			14	1:2,160	51.
Div. 39 (Maskinonge)			12	1:1,773	198.
Div. 40 & 41 (Matane)					147.
Div. 40 (Matane)			13	1:2,698	
Div. 41 (Matapedia)			10	1:3,559	
Div. 42 (Mégantic)			34	1:1,688	22.
Div. 42 (Missisquoi)	1		18	1:1,640	20
Div. 44 (Montcalm)		31.1	6	1:3,128	649
Div. 45 (Montmagny)			13	1:2,035	48
Div. 46 - 47 (Montmorency).					157
Div. 46 (Montmorency #1)			9	1:2,304	
Div. 47 (" #2,	20,.0	1000			
Ile-D'Oléons)	4,974	1 -	5	1: 995	
	.,,,,				
Div. 48 & 49 (Montreal &					
Div. 48 & 49 (Montreal & Lesus Islands)	. 1,872,437	7 99.7			0.
Div. 48 & 49 (Montreal & Jesus Islands) Div. 48 (Ile de Montréal)			3,442	1: 508	0.

APPENDIX 4-10 (Cont'd)

		Per cent		Physician-	Square
Province and County or	Population	of II-b-m	Physicians	Population	
Census Division	June, 1961	Population	June, 1961	Ratio	Physicia
		Population		Ratio	rnysicia
Div. 50 (Napierville)	11,216	36.4	7	1:1,602	21.3
Div. 51 (Nicolet)	30,827	14.4	16	1:1,927	39.1
Div. 52 (Papineau)	32,697	50.5	14	1:2,336	112.9
Div. 53 (Pontiac)	19,947	22.0	10	1:1,995	956.0
Div. 54 (Portneuf)	50,711	41.9	27	1:1,878	53.3
Div. 55 (Quebec)	331,307	92.2	646	1: 513	4.2
Div. 56 (Richelieu)	38,565	75.0	24	1:1,607	9.2
Div. 57 (Richmond)	42,232	64.0	21	1:2,011	25.9
Div. 58 (Rimouski)	65,295	50.1	48	1:1,360	43.5
Div. 59 (Rouville)	25,979	50.3	11	1:2,362	22.1
Div. 60 (Saguenay)	81,900	55.8	38	1:2,155	8,294.1
Div. 61 (Shefford)	54,963	65.5	34	1:1,617	16.7
Div. 62 (Sherbrooke)	80,490	87.3	108	1: 745	2.2
Div. 63 (Soulanges)	10,075	10.2	3	1:3,358	45.3
Div. 64 (Stanstead)	36,095	69.9	23	1:1,569	18.8
Div. 65 (St. Hyacinthe)	44,993	69.9	45	1:1,000	6.2
Div. 66 (St. Jean) Div. 67 (St. Maurice)	38,470 109,873	73.2 84.0	27 118	1:1,425 1: 931	7.6
Div. 68 (Temiscamingue)	60,288	57.1	31	1:1,945	15.4 289.6
Div. 69 & 70 (Temiscouata).	69,318	40.5	31	1.1,943	56.8
Div. 69 (Rivière du Loup)	40,239	44.4	21	1:1.916	30.0
Div. 70 (Temiscouata)	29,079	35.0	12	1:2,423	
Div. 71 (Terrebonne)	102,275	72.2	78	1:1,311	10.0
Div. 72 (Vaudreuil)	28,681	60.4	18	1:1,593	11.2
Div. 73 (Vercheres)	25,697	55.9	21	1:1,224	9.5
Div. 74 (Wolfe)	18,335	24.6	7	1:2,619	97.1
Div. 75 (Yamaska)	16,058	9.7	7	1:2,071	52.1
Total Quebec	5,259,211	74.3	6,167	1: 853	84.9
ntario					
Div. 1 (Algoma)	111,408	73.1	72	1:1,547	268.3
Div. 2 (Brant)	83,839	75.9	92	1: 911	4.6
Div. 3 (Bruce)	43,036	34.9	29	1:1,484	56.9
Div. 4 (Carleton)	352,932	92.1	627	1: 563	1.5
Div. 5 (Cochrane)	95,666	66.2	67	1:1,428	779.7
Div. 6 (Dufferin)	16,095	36.2	12	1:1,341	46.4
Div. 7 (Dundas)	17,162	32.8	12	1:1,430	32.0
Div. 8 (Durham)	39,916	46.6	25	1:1,597	25.2
Div. 9 (Elgin)	62,862	48.9	72	1: 873	10.0
Div. 10 (Essex) Div. 11 (Frontenac)	258,218 87,534	81.4 72.5	328 232	1: 787	2.2
Div. 12 (Glengarry)	19,217	13.5	11	1: 377 1:1,747	6.9 43.5
Div. 13 (Grenville)	22,864	40.5	16	1:1,429	28.9
Div. 14 (Grey)	62,005	48.4	52	1:1,192	32.8
Div. 15 (Haldimand)	28,197	33.5	17	1:1,659	28.7
Div. 16 (Haliburton)	8,928	_	4	1:2,232	371.5
Div. 17 (Halton)	106,967	88.8	125	1: 856	2.9
Div. 18 (Hastings)	93,377	59.7	73	1:1,279	31.8
	53,805	33.7	37	1:1,454	35.0
Div. 19 (Huron)		40 4	35	1:1,471	4,377.7
Div. 20 (Kenora)	51,474	48.1			
Div. 20 (Kenora)	51,474 89,427	56.8	83	1:1,077	
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton)	51,474 89,427 102,131	56.8 67.1	83 106	1:1,077 1: 964	10.6
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton) Div. 23 (Lanark)	51,474 89,427 102,131 40,313	56.8 67.1 57.1	83 106 40	1:1,077 1: 964 1:1,008	10.6 28.5
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton) Div. 23 (Lanark) Div. 24 (Leeds)	51,474 89,427 102,131	56.8 67.1	83 106	1:1,077 1: 964	10.6 28.5
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton) Div. 23 (Lanark) Div. 24 (Leeds) Div. 25 (Lennox and	51,474 89,427 102,131 40,313 46,889	56.8 67.1 57.1 50.9	83 106 40 52	1:1,077 1: 964 1:1,008 1: 902	10.6 28.5 17.3
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton) Div. 23 (Lanark) Div. 24 (Leeds) Div. 25 (Lennox and Addington)	51,474 89,427 102,131 40,313 46,889 23,717	56.8 67.1 57.1 50.9	83 106 40 52	1:1,077 1: 964 1:1,008 1: 902	10.6 28.5 17.3
Div. 20 (Kenora) Div. 21 (Kent) Div. 22 (Lambton) Div. 23 (Lanark) Div. 24 (Leeds) Div. 25 (Lennox and	51,474 89,427 102,131 40,313 46,889	56.8 67.1 57.1 50.9	83 106 40 52	1:1,077 1: 964 1:1,008 1: 902	11.1 10.6 28.5 17.3 90.0 2.0 317.6

APPENDIX 4-10 (Cont'd)

Province and County or Census Division						
Census Division			Per cent		Physician.	Sallare
Div. 29 (Muskoka)		-				
Div. 29 (Muskoka)	Census Division	June, 1961		June, 1961		•
Div. 29 (Muskoka)			opulation		itatio	1 my sician
Div. 30 (Nipissing)	Ontario (Cont.)					
Div. 30 (Nipissing)	Div. 29 (Muskoka)	26,705	34.4	22	1:1,214	72.0
Div. 32 (Northumberland)		70,568	61.1		,	
Div. 33 (Ontario)			100.00			
Div. 34 (Oxford)						
Div. 35 (Parry Sound)						
Div. 37 (Perth)						
Div. 38 (Peterborough)						
Div. 39 (Prescott)						
Div. 40 (Prince Edward)						
Div. 41 (Rainy River)						
Div. 43 (Russell)						
Div. 44 (Simcoe)						
Div. 45 (Stormont)						
Div. 46 (Sudbury)						
Div. 47 (Thunder Bay) 138,518 80.1 125 1:1,108 419,8				1 con 1992		
Div. 49 (Victoria) 29.750 47.0 28 1:1,063 48.1		138,518				
Div. 50 (Waterloo)						
Div. 51 (Welland)						
Div. 52 (Wellington S4,702 65.0 92 1: 921 11.1 Div. 53 (Wentworth) 358,837 90.4 465 1: 772 1.0 Div. 54 (York) 1,733,108 97.4 3,029 1: 572 0.3 Total Ontario 6,236,092 77.3 8,040 1: 776 41.5 Manitoba Div. 1 28,734 13.0 12 1:2,395 138.8 Div. 2 36,105 29.5 16 1:2,257 123.9 Div. 3 21,980 7.9 14 1:1,570 182.2 Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,299 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 10 19,921 6.2 6 1:3,320 1,354.2 Div. 10 19,921 6.2 6 1:3,320 1,354.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3 Div. 4 Div. 5 45,396 25.1 21 1:2,162 274.3 Div. 4 Div. 5 45,396 25.1 21 1:2,162 274.3 Div. 4 Div. 5 45,396 25.1 21 1:2,162 274.3 Div. 4 Div. 5 45,396 25.1 21 1:2,162 274.3 Div. 5 45,396 25.1 21 1:2,16						
Div. 54 (York)				92		
Total Ontario						
Manitoba 28,734 13.0 12 1:2,395 138.8 Div. 2 36,105 29.5 16 1:2,257 123.9 Div. 3 21,980 7.9 14 1:1,570 182.2 Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 789.3 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2	Div. 54 (York)	1,733,108	97.4	3,029	1: 572	0.3
Div. 1 28,734 13.0 12 1:2,395 138.8 Div. 2 36,105 29.5 16 1:2,257 123.9 Div. 3 21,980 7.9 14 1:1,570 182.2 Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2	Total Ontario	6,236,092	77.3	8,040	1: 776	41.5
Div. 2 36,105 29.5 16 1:2,257 123.9 Div. 3 21,980 7.9 14 1:1,570 182.2 Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7	Manitoba					
Div. 3 21,980 7.9 14 1:1,570 182.2 Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 19 19,921 6.2 6 1:3,320 1,354	Div. 1					
Div. 4 14,217 16.5 9 1:1,580 274.0 Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1						
Div. 5 31,402 32.9 15 1:2,093 87.8 Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 19 19,921 6.2 6 1:3,320 1,354.2 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
Div. 6 30,929 40.1 15 1:2,062 119.5 Div. 7 49,536 59.1 41 1:1,208 61.8 Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,889 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1						
Div. 8 21,617 28.3 13 1:1,663 166.2 Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 — 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 — 1 1:15,403 ,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3						
Div. 9 11,832 12.0 6 1:1,972 190.3 Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1						
Div. 10 19,296 28.0 14 1:1,378 134.4 Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 2 33,760 30.1						
Div. 11 13,447 - 5 1:2,689 546.0 Div. 12 28,686 6.4 10 1:2,869 789.3 Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1						
Div. 13 12,880 9.8 9 1:1,431 194.2 Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 — 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,164 230.6 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Div. 14 6,702 20.4 2 1:3,351 465.0 Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 — 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 15 14,906 21.2 7 1:2,129 482.7 Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 — 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1:537 0.3 Total Man. 921,686 63.9 1,120 1:823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 16 46,781 47.8 28 1:1,671 5,782.1 Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 17 21,323 39.5 10 1:2,132 166.4 Div. 18 15,403 - 1 1:15,403 3,652.0 Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3		16 501				
Div. 19 19,921 6.2 6 1:3,320 1,354.2 Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3		21,323		1000000	1:2,132	
Div. 20 475,989 97.8 887 1: 537 0.3 Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3			-			
Total Man. 921,686 63.9 1,120 1: 823 189.1 Saskatchewan 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 1 38,875 23.4 22 1:1,767 270.2 Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3		921,686	63.9	1,120	1: 823	189.1
Div. 2 33,760 30.1 29 1:1,164 230.6 Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3		00.055	00.4	00	1.1 767	270.2
Div. 3 28,245 14.1 17 1:1,661 449.8 Div. 4 17,925 24.8 14 1:1,280 541.4 Div. 5 45,396 25.1 21 1:2,162 274.3						
Div. 4						
Div. 5		17.925	24.8			
Div. 6 154,400 74.8 257 1: 601 26.4	Div. 5	. 45,396	25.1			
	Div. 6	. 154,400	74.8	257	1: 601	26.4

APPENDIX 4-10 (Concl.)

		Dan Cant		Physician-	Square
Province and County or	Population	Per Cent	Physicians		
Census Division	June, 1961	of Urban	June, 1961	Population	Miles per
		Population		Ratio	Physician
Saskatchewan (Cont'd)					
Div. 7	61,340	55.8	50	1:1,227	149.4
Div. 8	41,328	39.0	30	1:1,378	308.8
Div. 9	50,021	30.1	31	1:1,614	161.6
Div. 10	33,977	8.8	15	1:2,265	324.0
Div. 11	125,846	78.1	293	1: 430	20.4
Div. 12	28,283	24.0	12	1:2,357	498.5
Div. 13	32,994	23.4	18	1:1,833	380.4
Div. 14	54,564	21.8	31	1:1,760	432.9
Div. 15	83,669	34.3	54	1:1,549	151.7
Div. 16	45,020	27.3	39	1:1,154	208.4
Div. 17	28,830	19.2	12	1:2,403	576.1
Div. 18	20,708	19.1	6	1:3,451	19,251.5
Total Sask	925,181	43.0	951	1: 973	231.5
Alberta					
Div. 1	39,140	71.1	31	1:1,263	260.6
Div. 2	83,306	56.6	89	1: 936	78.0
Div. 3	30,967	41.3	22	1:1,408	217.9
Div. 4	15,020	17.6	8	1:1,878	1,059.3
Div. 5	38,115	15.0	21	1:1,815	310.5
Div. 6	317,989	89.4	359	1: 886	13.8
Div. 7	40,837	22.1	29	1:1,408	261.4
Div. 8	76,533	44.2	57	1:1,343	99.2
Div. 9	20,274	61.9	10	1:2,027	1,777.5
Div. 10	70,177	23.2	48	1:1,462	170.1
Div. 11	410,679	85.1	609	1: 674	9.2
Div. 12	47,310	20.8	20	1:2,366	2,512.1
Div. 13	45,431		16	1:2,839	586.1
Div. 14	19,282		9	1:2,142	1,331.1
Div. 15	76,884	22.6	28	1:2,746	3,310.2
Total Alberta	1,331,944	63.3	1,356	1: 982	183.5
British Columbia					
Div. 1	34,244		25	1:1,370	639.4
Div. 2	70,707	54.9	59	1:1,198	226.2
Div. 3	94,646		82	1:1,154	130.8
Div. 4	907,531		1,476	1: 615	6.6
Div. 5	290,835		350	1: 830	37.7
Div. 6	66,290		53	1:1,251	592.8
Div. 7	21,325		16	1:1,333	1,386.7
Div. 8	74,240		47	1:1,580	1,531.6
Div. 9	38,203	65.1	26	1:1,469	3,389.5
Div. 10	31,061	46.9	16	1:1,941	5,158.3
Total B.C	1,629,082	72.6	2,150	1: 758	167.1
Yukon					
Total Yukon	14,628	34.4	9	1:1,625	22,816.2
Northwest Territories					
Worldwest Territories			1	1	
Total N.W.T.	22,998	36.5	15	1:1,533	83,562.5

Source: Census of Canada, 1961, Advance Report No. AP-4, June 28, 1962, DBS Census (Demography) Division and Occupation and Employment Section.

APPENDIX 4-11A

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN ACTIVE CIVILIAN PHYSICIANS BY TYPE OF WORK, FOR REGIONS AND CANADA, 1962

	Total	625			2,434			3,254			1,301			196			8,581	
	Other	24	3.9		22	6.0		118	3.7		46	3.5		47	4.9		257	3.0
Indus.	Medi- cine	4	9*0	1	36	1.5		20	1.5		4	0.3		က	0.3		46	1,1
3	ing Health	29	4.6		95	3.9		113	3,5		31	2.4		30	3,1		298	3.6
F	ing	00	1,3		31	1,3		46	1.4		39	3.0		20	2.1		144	1.7
ģ	search	2	0.3		59	2.4		72	2.2		12	6.0		12	1,2		157	1.8
aff	Total	57	9.1		220	9,1		271	8.3		95	7.3		99	8.9		402	8,3
Hospital Staff	Other	22	3.5		43	1.8		39	1.2		25	1,9		12	1,2		141	1.6
Hos	Spec- ialist	32	5.6		177	7.3		232	7.1		20	5.4		54	5.6		268	6.7
	Total	26	4.2		339	13.9		337	10,3		131	10,1		29	6*9		006	10,5
Internship	Senior	25	4.0		308	12,6		245	7.5		91	7.0		26	5.8		725	8.5
II	Total Junior Senior	-	0.2		31	1,3		O.	2.8		40	3,1		11	1,1		175	2.0
		475	76.0		1,632	0.79		2,247	69.1		943	72.5		722	74.7		6,019	70,1
ractice	Con- sultant	21	3.4		61	2,5		257	7.9		40	3.1		71	7.3		450	5,2
Private Practice	Spec.	194	31,0		816	33,5		820	25.2		419	32,2		270	27.9		2,519	29,4
	Gen. Pract.	260	41.6		755	31.0		1,170	36.0		484	37.2		381	39.5		3,050	35.5
			:		:	:		:	:		:	:		:	:			:
	Region	Atlantic Provinces	Per cent of total	Quebec	Number reporting	Per cent of total	Ontario	Number reporting	Per cent of total	Prairie Provinces	Number reporting	Per cent of total	British Columbia	Number reporting	Per cent of total	Canada¹	Number reporting	Per cent of total

1 Excludes Yukon and Northwest Territories.

APPENDIX 4-11B

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT PHYSICIANS BY TYPE OF WORK, FOR REGIONS AND CANADA, 1962

Private Practice				_	•	•			10111	33						
		Private P	ractice		I	Internship	0	Hos	Hospital Staff	aff	2	Teach-	Public	Indus.		1
	Gen. Pract.	Spec- ialist	Consul- tant	Total	Junior	Senior	Total	Spec- ialist	Other	Total	search	ing	Health	Medi-	Other	Total
Number reporting	61	36	9	103	က	24	27	47	10	57	က	9	20	1	32	249
:	24.5	14.5	2.4	41.4	1,2	9.6	10.8	18,9	4.0	22.9	1,2	2,4	8.0	0.4	12,9	
Number reporting	61	124	9	191	15	82	26	49	10	59	30	11	S	7	7	407
Per cent of total	14.9	30.5	1.5	46.9	3.7	20,1	23.8	12.0	2.6	14.6	7.4	2.7	1.2	1.7	1.7	
Number reporting	381	232	83	969	27	108	135	118	16	134	20	29	34	10	31	1,119
:	34.0	20.8	7.4	62,2	2.4	7.6	12,1	10,5	1,4	11,9	4.5	2.6	3.0	6.0	2.8	
										o						
Number reporting	285	171	23	479	6	46	55	42	24	103	14	20	09	4	51	786
:	36,3	21.8	2.9	61,0	1,2	5.8	7.0	10.1	3.0	13,1	1.8	2.5	7.6	0.5	6.5	
						2										
Number reporting	178	83	32	293	9	27	33	34	00	42	12	1	26	7	6	418
:	42.5	19,9	7.7	70.1	1.4	6.5	7.9	8,1	1,9	10,0	2,9	0.2	6.2	0.5	2.2	
Number reporting	996	646	150	1,762	09	287	347	327	89	395	109	29	145	24	130	2,979
:	32.4	21.7	5.0	59,1	2.0	9°6	11.6	11.0	2,3	13,3	3.7	2.2	4.9	0.8	4.4	

1 Excludes Yukon and Northwest Territories.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-12A

NUMBER AND PER CENT DISTRIBUTION OF CANADIAN-BORN ACTIVE PHYSICIANS, BY AUSPICES OF EMPLOYMENT, FOR REGIONS AND CANADA, 1962

	Atlantic	ntic	Quebec	oec .	Ontario	rio	Prairie Provinces	rie	British Columbia	ish ıbia	Canada1	ıda¹
Auspices of Work	Number report- ing	Per	Number report- ing	Per								
Private practice												
Self_employed	352	61.8	1,337	57.7	1,652	54.7	389	31.7	353	38.4	4,083	50.8
		11.1	166	7.2	360	11.9	295	24.0	248	27.0	1,132	14.0
Group practice		10.4	136	5.9	234	7.8	259	21.1	123	13.3	811	10.0
Total	474	83.4	1,639	70.8	2,246	74.4	943	76.8	724	78.7	6,026	74.8
Federal Government	15	2.6	32	1.4	62	2.0	35	2.8	28	3.1	172	2.1
Provincial Government	36	6.3	57	2.5	114	3.8	38	3.1	28	3.1	273	3.4
County or Municipality	1	0.2	23	1.0	38	1.3	15	1.2	10	1.1	87	1.1
University or College	10	1.8	26	2.4	93	3.1	53	4.3	31	3.3	243	3.0
Industry	64	0.4	30	1.3	36	1.2	1	0.1	-	0.1	70	0.9
Hospital ²	25	4.4	459	19.8	377	12.5	138	11.2	81	8.8	1,080	13.5
Other	9	1.0	18	0.8	52	1.7	9	0.5	15	1.6	26	1.2
Total	569	100.0	2,314	100.0	3,018	100.0	1,229	100.0	918	100.0	8,048	100.0

1 Excludes Yukon and Northwest Territories.

² Includes personnel in hospitals of auspices not shown above. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-12B

NUMBER AND PER CENT DISTRIBUTION OF IMMIGRANT ACTIVE PHYSICIANS, BY AUSPICES OF EMPLOYMENT, FOR REGIONS AND CANADA, 1962

Auspices of Work Nu	Atlantic Provinces	ntic	Quebec	o o	Ontario	rio	Prairie Provinces	rie	British Columbia	ish mbia	Canada1	ıdaı
101	Number report- ing	Per	Number report- ing	Per								
Private practice)a						
Self-employed	69	27.7	158	38.8	514	45.9	203	25.8	182	43.5	1,126	37.8
Partnership	14	5.6	18	4.4	101	0.6	148	18.8	65	15.6	346	11.6
Group practice	18	7.2	15	3.7	82	7.3	128	16.2	46	11.0	289	2.6
Total	101	40.6	191	46.9	269	62.3	479	8.09	293	70.1	1,761	59.1
Federal Government	13	5.2	22	5.4	35	3.1	30	3.8	23	5.5	123	4.1
Provincial Government	93	37.4	w	1.2	8	7.5	103	13.1	32	7.7	317	10.6
County or Municipality	8	1.2	2	0.5	31	2.8	44	5.6	12	2.9	92	3.1
University or College	10	4.0	39	9.6	55	4.9	45	5.7	11	2.6	160	5.4
Industry	က	1.2	9	1.5	10	0.9	က	0.4	ю	0.7	25	8.0
Hospital ²	23	9.5	134	32.9	177	15.8	75	9.5	41	8.6	450	15.1
Other	ю	1.2	∞	2.0	30	2.7	6	1.1	က	0.7	53	1.8
Total	249	100.0	407	100.0	1,119	100.0	788	100.0	418	100.0	2,981	100.0

1 Excludes Yukon and Northwest Territories.

¹ Includes personnel in hospitals of auspices not shown above.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-13A

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CANADIAN-BORN PHYSICIANS, BY TYPE OF MAJOR WORK OF FIRST PRACTICE AND TYPE OF MAJOR WORK IN WHICH ENGAGED IN 1962, FOR REGIONS AND CANADA

					Type o	f Presen	Type of Present Major Work	Vork								Total number	umber
Private Practice			. 1		Hospital	Sta		Research	ırch	Teaching	ing	Public Health	o H	Indust, Medicine	ist,	reporting	ting
Pract. Specialist Consultant		nsultant		Specialist	alist	Other	-ie										
Per Per Cent Num- cent Num- cent of her of	Num-			Num-	Per cent	Num-	Per cent	Num-	Per cent of	Num-	Per cent of	Num-	Per cent of	Num-	Per cent of	Number	Per
rep, pres. rep, p	rep.			rep.	pres.	rep.	pres.		pres.	rep.	pres.	rep.	pres.	rep.	pres. work		cent
94.6 76 39.2 5 23.8 0.4 100 51.5 8 38.1 5 - 28.6 5.0 15 7.8 - 9.5 5.0 15 7.8 - 9.5	w & o & 1		20 -110 10	111 37	22.9	10010	22.7 4.5 1.5 27.3	-111-	50.0	44 1 6	22.2 44.4 1 - 33.4	13	43.3 - 16.7 40.0	01110	50.0	362 114 6 57 52	61.3 19.3 1.0 9.6 8.8
100.0 194 100.0 21 100.0	21	-	0	48	100.0	22	100.0	2	100.0	6	100.0	30	100.0	4	100.0	591	100.0
32.8	3.6	10		8.1		3.7		0.3		1.5		5.1		0.7		100.0	
92.1 158 19.4 4 6.6 - 593 72.6 37 60.7 0.3 72.6 37 60.7 0.4 0.1 12 19.7 7.6 59 7.3 7 11.6	4 4 4 4 12 12 12 13 3 7 7 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1		0.200	39 19 109 10	22.0 10.7 61.7 5.6	20 5 16 2	46.5 11.6 37.2 4.7	281 121	1.6 3.2 1.6 93.6	- 6 - 6 21 21	6.5 19.4 6.5 67.6	44 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	46.3 4.2 - 1.1 48.4	20 1 1 15	55.6 2.8 1.6	986 667 14 136 276	47.4 32.1 0.7 6.5 13.3
100.0 816 100.0 61 100.0	0 61		-	177	100.0	43	100.0	62	100.0	31	100.0	95	100.0	36	100.0	2,079	100.0
39.2 2.9	2.9			8.5		2.1		3.0		1.5		4.6		1.7		100.0	
95.7 187 22.8 29 11.3 1.1 590 71.9 113 44.0 0.3 7 0.9 10 0.4 2.9 37 4.4 11 4.2	29 113 103 1		80442	57 23 1 141 10	24.6 9.9 60.8 4.3	17 3 15 4	43.6 7.7 - 38.5 10.2	12 - 1 64	15.6 - 1.3 - 83.1	2 13 1 29	28.3 22.2 22.2 63.0	54 7 - 74	47.8 6.2 - 4.4 41.6	31 2 - -	62.0 4.0 - 34.0	1,510 763 106 173 253	53.8 27.2 3.8 6.2
100.0 821 100.0 257 100.0	257	_	0	232	100.0	39	100.0	77	100.0	46	100.0	113	100.0	50	100.0	2,805	100.0
29,3	9,2	2		8,3		1,4		2,7		1,6		40		1,8		100,0	

APPENDIX 4-13A (Concl.)

								Type of	Present	Type of Present Major Work	ork									
		Pr	Private Practice	actice			H	Hospital S	Staff		4000	2.0	Tooch	, in	Public	lic	Indust.	ıst.	reporting	ting
Region of Present Practice and Type	Gen.	Pract.	Specialist	list	Consultant	ıltant	Speci	Specialist	Off	Other	Vese	11011	Teac.	S III	Hea	lth	Medicine	cine		
of Major Work of First Practice	Num-	Per	-mnN	Per	Num-	Per	Num-	Per	Num-	Per	Num-	Per	Num-	Per	Num-	Per	Num-	Per	Num-	Per
	ber	Jo	per	Jo	per	jo	ber	jo	ber	jo	per	Jo	per	jo	per	jo	per	jo	ber	jo
	rep.	pres.	rep,	pres.	rep.	pres. work	rep.	pres. work	rep.	pres. work	rep.	pres. work	rep.	pres. work	rep.	pres.	rep.	pres.	rep.	pres. work
Prairie Provinces Private Practice: General. Specialist Consultant Hospital Staff. Other.	4 4 4 4 4 4	8.0 8.0 8.0 4.0	133 279 - 10	31.5 66.1	14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34.1 7.3 56.1 2.4	10 2 56 2	14.2 2.9 - 80.0 2.9	4 T T T T T T T T T T T T T T T T T T T	15.4 15.4 80.8 3.8	2 - 1 - 11	15.4	31	5.1 2.6 10.3 79.4	92	25.7	1 - 1 1 0	25.0	653 290 24 82 86	57.5 25.5 2.1 7.2
Tota1	485	100,0	422	100.0	41	100.0	70	100.0	26	100.0	13	100.0	39	100.0	35	10000	4	100.0	1,135	100.0
Per cent of total rep	42.7		37.2		3.6		6.2		2.3		1.1		3.4		3.1		0.4		1,00.0	
British Columbia Private Practice: General Specialist Specialist Consultant Hospital Staff Other	376 6	98.1 1.6 - 0.3	99 156 2 2 2	36.7 57.8 0.7 0.7	11 23 37 1	15.3 31.9 51.4 1.4	11 2 39 2	20.4 3.7 72.2 3.7	- 11 mm	8.3 - - 66.7 25.0	1 1 1 6	8.3 8.3 8.3 75.0	24 14	10.0	50 1 1 5 50 1 1 5	6.7 - 20.0 73.3	21141	66.7	505 191 40 58 62	59.0 22.3 4.7 6.8
Total	383	100.0	270	100.0	72	100.0	54	100.0	12	100.0	12	100.0	20	100.0	30	100.0	3	100.0	856	100.0
Per cent of total rep	44.8		31,5		8.4		6,3		1.4		1.4		2,3		3.5		0.4		100.0	
Canada¹ Private Practice: General Specialist Consultant Hospital Staff Other	2,921 23 - 5 108	95.5 0.8 0.2 3.5	653 1,718 3 17 132	25.9 68.0 0.1 0.7 5.3	63 184 181 6	13.9 40.7 40.0 1.3 4.1	128 46 1 382 24	22.0 7.9 0.2 65.7 4.2	47 9 -0 70 16	33.1 6.3 - 49.3 11.3	17 2 3 3 143	10.2 1.2 1.8 0.6 86.2	10 28 7 7	6.9 19.3 1.4 4.8 67.6	122 11 17 17 153	40.3 3.6 5.6 50.5	55 4 1 37	56.7 4.1 - 1.0 38.2	4,016 2,025 190 506 729	23.8 2.5 6.8 9.8
Total	3,057	100.0	2,523	100.0	452	100.0	581	100.0	142	100.0	166	100,0	145	100.0	303	100.0	26	1000	7,466	100.0
Per cent of total rep	40,9		33,8		6,1		7.8		1,9		2,2		1,9		4,1		1,3		100,0	

¹Excludes Yukon and Northwest Territories.

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE IMMIGRANT PHYSICIANS, BY TYPE OF MAJOR WORK OF FIRST PRACTICE AND TYPE OF MAJOR WORK IN WHICH ENGAGED IN 1962, FOR REGIONS AND CANADA APPENDIX 4-13B

								Type	of Pres	of Present Major Work	r Work									
			Private Practice	Practice				Hospital Staff	1 Staff		ſ		E		Pul	blic	ıpuI	Industr.	Total number reporting	umber
Region of Present	Gen.	Pract.	Specialist	alist	Const	Consultant	Specialist	alist	ğ	Other	Kesearch	arch	Teaching	hing	He	Health	Medi	Medicine	ć	
Practice and Type of Major Work of First Practice	Num- ber rep.	Per cent of pres.	Num- ber rep.	Per cent of pres,	Num- ber rep.	Per cent of pres,	Num- ber rep.	Per cent of pres.	Num- ber rep.	Per cent of pres.	Num- ber rep.	Per cent of pres, work	Num- ber rep.	Per cent of pres,	Num- ber rep.	Per cent of pres.	Num- ber rep.	Per of pres, work	Number	Per cent
Atlantic Provinces Private practice: General Specialist Consultant Hospital staff Other	48 1 1 10	78.7 1.6 - 3.3	1 1 4	16.7 69.4 - 2.8 11.1	2112	50.0 16.7 - 33.3	24 6	6,4 29,7 - 51,1 12.8	7 1 2	20.0	11118	100.0	11142	- - 16.7 83.3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15.0 5.0 - 5.0 75.0	. 1.111	100.0	66 42 35 47	34.7 22.1 - 18.4 24.7
Total	61	100.0	36	100.0	9	100.0	47	100.0	10	100.0	8	100.0	9	100.0	20	100.0	1	1,000	190	100.0
Per cent of total reporting	32.1		18.9		3.2		24.7		5.3		1.6		3.2		10.5		0.5		100.0	
Quebec Private practice: General Specialist Consultant Hospital staff Other	4 4 1 1	77.0 6.6 - 1.6 14.8	18 92 12 12	14.5 74.2 - 1.6 9.7	1 2 1 1 1	83.3 - 16.7	22 - 20 6	2.0 44.9 - 40.8 12.3	110	30.0	20 20	16.7 6.7 10.0 66.6	10	9,1	1 2 1 2 2	20.0 40.0 1	12 118	14.3 28.6 - 14.3 42.8	77 129 - 33 64	25.4 42.6 - 10.9 21.1
Tota1	61	100.0	124	100.0	9	100.0	49	100.0	10	100,0	30	100.0	11	100.0	rc	100.0	7	100.0	303	100.0
Per cent of total reporting	20.1		40.9		2.0		16.2		3.3		6.6		3.6	12	1.7		2.3		100.0	
Ontario Private practice: General Specialist Consultant Hospital staff Other	331	86.9 0.8 - 1.3	57 148 1 6	24.6 63.8 0.4 2.6 8.6	14 52 12 3	16.9 62.6 14.5 3.6 2.4	35 - - 12	6.8 29.7 - 53.4 10.1	3	18.8 - 75.0 6.2	8 1 1 34	12.0 16.0 2.0 2.0 68.0	24 80	6.9 13.8 - 10.3 69.0	111 - 7 7 16	32.4 - 20.6 47.0	41110	40.0	436 250 14 100 153	45.8 26.2 1.5 10.5 16.0
Total	381	100.0	232	100.0	83	100.0	118	100.0	16	100,0	20	100.0	29	100.0	34	100.0	10	100.0	953	100.0
Per cent of total reporting	40.0		24.3		8.7		12.4		1.7		5.2		3.0		3,6		1.1		100.0	S E

APPENDIX 4-13B (Concl.)

								Type	of Prese	Type of Present Major Work	Work									
			Private	Private Practice				Hospits	Hospital Staff						1.0	-	1		Total Numb	Total Number
Region of Present	Gen.	Pract,	Specialist	ılist	Consultant	Itant	Speci	Specialist	₹	Other	Research	arch	Teac	Teaching	Health	th	Medicine	sine	nd of	Simp
of Major Work of First Practice	Num- ber rep.	Per cent of pres,	Num- ber rep.	Per cent of pres, work	Num- ber rep.	Per cent of pres, work	Num- ber rep.	Per cent of pres.	Num- ber rep.	Per cent of pres, work	Num- ber rep.	Per cent of pres, work	Num- ber rep.	Per cent of pres.	Num- ber rep,	Per cent of pres,	Num- ber rep.	Per cent of pres,	Number	Per
Prairie Provinces Private practice: General Specialist Consultant Hospital staff Other	244 4 4 - 9 28	85.6 1.4 3.2 9.8	42 105 2 14 8	24.6 61.4 1.2 8.1	17 17 3	4.3 73.9 13.0	9 16 9	11.4 20.3 - 57.0 11.3	133 1 18	33.3 4.2 1 - 54.2 8.3	111112	14.3	1711 622	10.0	∞ω 4 4	13.3 5.0 - 6.7 75.0	71118	50.0	318 153 5 85 119	46.8 22.5 0.7 12.5
Total	285	100.0	171	100.0	23	100.0	42	100.0	24	100.0	14	100.0	20	100.0	09	100.0	4	100.0	680	100.0
Per cent of total reporting	41.9		25.2		3,4		11.6		3.5		2.1		2.9		8.8		0.6		100.0	
British Columbia										,										
Private practice: General Specialist	155	87.1	25	30.2	14	21.9	13	11.8	17	25.0	11	8.3	1.1	1.1	9	34.6	1.1	1.1	203	54.0
Hospital staff	1 4 81	2.2	44	8.4	004	15.6 6.3 12.5	16	47.1	1 00 01	37.5	101	83.4	11"	100.0	12	3.8	11	100.0	30	1.3 8.0 15.2
Total	178	100.0	83	100.0	32	100.0	34	100.0	œ	100.0	12	100.0	1	100.0	26	100.0	2	100.0	376	100.0
Per cent of total reporting	47.3		22.1		8.5		9.1		2.1		3.2		0.3		6.9		0.5		100.0	
Canada¹ Private practice: General Specialist	825 13	85.4	148 420	22.9	25	16.7	25 100	30.6	18	26.5	175	12.8	5 10	7.5	32	22.1	8 7	33.3	1,100	44.0
Hospital staff	21 107	2.2	27	2.4.7	11	3.3 7.3	168	51.4	9 4 8	58.8	1 4 4 7 8 4	3.7	1 4 8	6.0	13	9.0	13	54.2	24 283 440	1.0 11.3 17.6
Total	996	100.0	949	100.0	150	100.0	327	100.0	89	100.0	109	100.0	29	100.0	145	100.0	24	100.0	2,502	100.0
Per cent of total reporting	38.6		25.7		6.0		13.1		2.7	,	4.4		2.7		8.8		1.0		100.0	

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-14

CERTIFIED AND NON-CERTIFIED CIVILIAN SPECIALISTS,
BY PROVINCES AND CANADA, 1951-1961

			Specia	alists			Percentage
Province		1951			1961		Increase in
Province	Certi- fied	Non- Certi- fied	Tota1	Certi- fied	Non- Certi- fied	Total	Total 1951-1961
Newfoundland	1	18	19	64	68	132	794.7
Prince Edward Island	18	3	21	29	21	50	138.1
Nova Scotia	135	38	173	236	106	342	97.7
New Brunswick	114	21	135	199	71	270	100.0
Quebec	906	373	1,279	2,443	691	3,134	145.0
Ontario	1,620	266	1,886	2,912	1,154	4,066	115.6
Manitoba	181	78	259	357	233	590	127.8
Saskatchewan	149	35	184	293	159	452	145.7
Alberta	219	56	275	529	198	727	164.4
British Columbia	452	96	548	863	240	1,103	101.3
Canada ¹	3,795	984	4,779	7,925	2,941	10,866	127.4

¹ Excludes Yukon and Northwest Territories.

Source: Department of National Health and Welfare, Research Division, Survey of Physicians in Canada June 1951, Tables 12 and 13, pp. 18-19; data for 1961 certified specialists taken from the Brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, February, 1962, Appendix I, Table 2; and data for 1961 non-certified specialists taken from Canadian Mailings Limited 1961.

DISTRIBUTION OF CIVILIAN CERTIFIED SPECIALISTS BY PROVINCES AND PER CENT OF SPECIALISTS TO TOTAL SPECIALISTS IN SPECIALTY, SEPTEMBER 1, 1961

			N	Medical Specialties	cialties						Surgical Specialties	1 Speci	alties			
Province	Popula- tion June 1961	Total Physicians June 1961	Internal Medicine	Anaesthe- sia	Derma- tology	Paedia- trics	Physical Medicine and Rehabi- litation	Public Health	General	Neuro- surgery	Orthopaedic Plastic Surgery Surgery	dic PI	Plastic	Thoracic	-	Urology
Newfoundland	457,853	230	6	7	1	ນ	1	2	15	п	4		1		2	1
	2.5	1.1	0.7	1.0	1	0.9	1	1.3	6.0	1.6	-	1.6	ı	1	10.5	0.5
Prince Edward Island	104,629	16	4	2	1	2	1	1	00	1	1		1		1	1
	9.0	0.4	0.3	0.3	1	0.4	I	1	0.5	1	I.		1		1	1
Nova Scotia	737,007	902	33	17	2	13	2	ĸ	20	(x) 1	4	Ξ		Ξ	1 (3)	
	4.0	3.3	2.4	2.5	1.6	2.4	5.7	3.3	4.2	1.6	1,	1.6	1		5.3	2.2
New Brunswick	597,936	455	24	16	2	6	1	7	29	1	4		ı		ī	ıc
	3.3	2.1	1.7	2.4	1.6	1.6	2.9	1.3	4.0	1.6	1.	1.6	ı		1	2.7
Onebec	5,259,211	6,167	513	191	40	165	11	59	461	20	(4) 83	3	14	9	9	52
	28.9	29.0	37.2	28.4	31.7	30.0	31.4	39.4	27.6	32.7	37.7	7	40.0	8	31.6	28.1
Ontario	6,236,092	8,040	472	247	53	219	(2) 11	38	631	(3) 15	(32) 54	(10)	13	(10)	3 (15)) 61
	34.3	37.8	34.2	36.7	45.0	39.6	31.4	25.4	37.8	24.6	24.4	4	37.1	1	15.8	33.0
Manitoba	921,686	1,120	63	34	2	36	1	2	63	(1) 3	(1) 15	3	П	Ξ	2 (1)	6
	5.1	5,3	4.6	5.1	4.0	6.5	2.9	3.3	3.8	4.9	.9	8.9	2.9	1	10.5	4.9
Saskatchewan	925,181	951	45	18	4	17	(2) 1	6	59	S	00	3	-	<u></u>	Ð	13
	5,1	4.5	3,3	2,7	3.2	3,1	2.9	0.9	3,5	8.2	3,	3.6	2,9			7.0
Alberta	1,331,944	1,356	87	54	4	33	က	7	113	9	20		4	(2)	4 (2)	11
	7.3	6.4	6,3	8.0	3,2	0.9	8,6	4.7	8.9	10.0	0.6	0	11,4	21	21.0	5.9
British Columbia	1,629,082	2,150	129	87	(1) 16	53	ĸ	23	181	6	(6) 29	<u></u>	2	©	3	29
	8.9	10,1	6*3	12.9	2.7	9.5	14,3	15,3	10.9	14.8	13,1	1	5.7		5.3	15.7
Canada¹	18,200,621	21,266	1,379	673	126	552	35	150	1,668	19	221		35	15	-	185
			17.4	8,5	1.6	7.0	0.4	1.9	21.0	0.8	2.	00	0.4	U	0.2	2,3
			-			1	1	y	1			1				

APPENDIX 4-15 (Concl.)

National Column Particulogy and Particulog				Medi	ical Spec	cialties -	Medical Specialties - Complexes	es				Surgio	cal Specie	Surgical Specialties - Complexes	omplexes			
National Color Nati		Ne	surology s	and y	P. B.	athology a	and gy	-	Radiolog	b	Obst	etrics a	nd y	Oph	thalmolog	y and ogy	Tota1 Certified	Per Cent of Special- ists
1, 0 0 0 0 0 0 0 0 0 0	Frovince		Psy- chiatry	Neurol, & Psych,	Bac- terio- logy	Pathol.	Pathol. & Bacter.	Diagn.		Dia- gnostic & Therap.	Gynaeco- logy		Obstet, & Gynaec,		Oto laryngo- logy	Ophthalm. & Otolaryng.	Special- ists	to Total Physicians in Province
1.	Newfoundland	П	9	1	1	1	1	1	1	2	ı	1	1	8	1	m	64	27.8
1		1,9		ı	ī	9.0	1	1	ı	6.0	1	1	0.2	1.0	0.4	2.1	0.8	2
1. 1. 1. 1. 1. 1. 1. 1.	Prince Edward Island	1	ю	1	1	ı	1	1	1	1	ı	ī	S	1	1	1	29	31,9
1 16 3 1 8 - 15 42 19 - - 15 32 1 8 - 5.7 4.2 1.9 - - 1.9 - 5.0 1.9 - 1.1 1.0 1.1 1.0 1.1 4.5 - 5.7 4.2 1.9 - - 1.1 0.0 9.0 9.0 9.0 1.0 1.1 0.0 9.0 9.0 1.0 1.1 2.4 6.3 9.0 1.0 1.1 2.4 6.3 9.0 1.0 1.1 2.4 6.3 9.0 2.7 4.2 3.2 1.2 1.2 9.0 1.2 9.0 1.2 9.0 1.2 </td <td></td> <td>ı</td> <td>9.0</td> <td>ı</td> <td>1</td> <td>ı</td> <td>ı</td> <td>ı</td> <td>2,1</td> <td>0.5</td> <td>1</td> <td>1</td> <td>0.8</td> <td>0,3</td> <td>0.4</td> <td>0.7</td> <td>0.4</td> <td></td>		ı	9.0	ı	1	ı	ı	ı	2,1	0.5	1	1	0.8	0,3	0.4	0.7	0.4	
1.0 3.2 6.5 1.8 4.5 -2 5.7 4.2 1.9 -2 5.1 5.1 5.1 5.1 5.0 5.0 5.0 1.0	Nova Scotia	1	16	3	1	80	ı	15	7	4	1	1	13	9	2	13	236	33,4
11 10 1. 1. 1. 2. 3. 2. 3. 4. 4. 5. 4. 5. 4. 5. 4. 5. 5		1.9		6.5	1.8	4.5	1	5.7	4.2	1.9	1	۱ '	2.1	2,1	0.8	0.6	3.0	A Y
1.0 2.0 2.2 2.2 2.8 3.0 2.7 4.2 3.8 2.0 2.0 1.0 1.7 2.4 6.3 5.4 4.6 1.5 1.5 2.8 4.6 1.6 1.6 4.1 5. 9.8 2.6 5.9 131 72 9.3 5.44 4.6 2.7 2.2 2.6 2.5 2.4 2.5 2.4 2.5 2.5 2.4 2.1 2.1 2.1 2.2 2.4 2.2 (.) 1.6 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 4. 3 2. 3 2. 3 2. 3 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 3. 2 5. 3 3. 3 3. 3 3. 3 3. 3 3. 4 3. 2 3. 2 3. 2 3. 2 5. 3 3 3 3 3 3 3 3 3 3	New Brunswick	1		1	1	rc.	2	1	7	00	ı	ı	12	S	9	6	199	43.7
25 138 15 28 46 16 41 5 98 26 131 72 93 35 35 35 44 46.7 92.9 81.9 131 72 93 35 35 35 35 44 46.7 92.9 81.9 21.3 24.9 37.7 24.4 35 15 15 16.7 15 26.9 81.9 17 16.7 24.9 37.7 24.4 37.7 24.9 37.7 24.4 37.7 37.8 48 37.7 48 37.7 48.1 37.7 48.1 37.7 48.1 37.7 48.2 37.7 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.7 37.8 37.2 37.2 37.2 37.2 37.2 37.2 37.2 37.2 37.2 37.2		1.9		2.2	ı	2.8	3.0	2.7	4.2	3.8	1	1	1.9	1.7	2.4	6,3	2.5	
446.2 27.2 32.6 50.0 25.8 24.6 15.6 10.4 46.7 92.9 81.9 21.3 24.9 37.7 24.9 37.7 24.9 37.7 24.9 37.7 24.9 37.7 32.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 34.9 37.7 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37.9 <t< td=""><td>One pec</td><td>25</td><td>_</td><td>15</td><td>28</td><td>46</td><td>16</td><td>41</td><td>ĸ</td><td>86</td><td>26</td><td>29</td><td>131</td><td>72</td><td>93</td><td>35</td><td>2,443</td><td>39.6</td></t<>	One pec	25	_	15	28	46	16	41	ĸ	86	26	29	131	72	93	35	2,443	39.6
(4) 16 212 18 17 666 33 116 19 59 28 12 12 278 106 93 48 29 29 29 29 29 29 29 2		46.2		32,6	20.0	25.8	24.6	15.6	10.4	46.7	92.9	81.9	21.3	24.9	37.7	24.4	30.8	
29.5 42.0 39.1 30.4 37.1 50.8 44.1 39.6 28.1 7.1 16.7 45.1 36.7 37.7 33.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.2 4 5 4.1 1 4 5 5 4 5 4 5 4 5 4 6 4 6 4 7 4 7 4 7 4 6 3 4 7 4	Ontario	(3) 16	212	18	17	99	33	116	19	59	2	12	278	106	93	48	2,912	36.2
1 22 1 2 1 13 4 5 - - 6 18 11 4 33 1.1 4.4 2.2 3.6 6.7 1.5 4.9 8.3 2.4 - - 4.2 6.2 4.5 2.7 4.5 6.7 4.5 6.7 4.5 6.7 4.5 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.3 6.7 7 6.3 7 7 7 4.5 6.3 6.3 6.3 7 1.4 3.9 3.5 2.4 6.3 <td></td> <td>29.5</td> <td></td> <td>39,1</td> <td>30.4</td> <td>37.1</td> <td>50.8</td> <td>44.1</td> <td>39.6</td> <td>28.1</td> <td>7.1</td> <td>16.7</td> <td>45.1</td> <td>36.7</td> <td>37.7</td> <td>33,3</td> <td>36.7</td> <td></td>		29.5		39,1	30.4	37.1	50.8	44.1	39.6	28.1	7.1	16.7	45.1	36.7	37.7	33,3	36.7	
1.9 4.4 2.2 3 3.6 6.7 1.5 4.9 8.3 2.4 — 4.2 4.2 6.2 4.5 2.7 4.9 5.4 2.4 4.2 6.2 4.5 2.7 4.5 5.4 2.2 4.5 2.7 4.5 2.2 2.1 5.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2	Manitoba	1		1	2	12	1	13	4	S	ı	ŀ	26	18	11	4	357	31,9
2 23 1 - 14 2 11 5 5 - 1 24 10 6 9 3.7 4.6 2.2 - 7.9 10.4 2.4 - 1.4 3.9 3.5 2.4 6.3 2 2.9 1 3 12 4 2.3 5 8 - - 56 20 10 10 3.7 5.7 5.7 6.7 6.3 8.7 10.4 2.4 - 9.1 7.0 48 2.9 10 10 6.9		1.9		2.2	3.6	6.7	1.5	4.9	8,3	2.4	1	ı	4.2	6.2	4.5	2.7	4.5	
3.7 4.6 2.2 - 7.9 3.0 4.2 10.4 2.4 - 1.4 3.9 3.5 2.2 6.3 6.3 6.3 6.3 10.4 2.4 - 1.4 3.9 3.5 2.4 6.3 6.4 6.4 6.4 6.4	Saskatchewan	7	23	1	ı	14	7	11	'n	'n	1	1	24	10	9	6	293	30.8
2 29 1 3 12 4 23 5 8 - - 56 20 10 10 10 10 3.7 5.7 5.2 5.7 6.3 8.7 10.4 2.4 - - 9.1 7.0 4.0 6.9 6.9 (1) 5 46 6 5 14 7 3.7 10.4 9.5 - - 7 48 24 12 5.3 5.1 13.0 8.8 7.9 10.8 14.1 10.4 9.5 - - 11.4 16.6 9.7 8.3 5.4 5.5 46 5.6 17.8 48 10.0 2.7 616 289 247 144 7 6.4 6.4 6.4 6.7 6.2 6.2 3.7 3.1 1.8		3.7	4.6	2.2	ī	7.9	3.0	4.2	10.4	2,4	1	1.4	3,9	3,5	2,4	6,3	3.7	
(1) 5 40 6.7 6.3 8.7 10.4 2.4 - - 9.1 7.0 4.0 6.9 6.9 (1) 5 46 6 5 14 7 37 5 20 - - 7 48 24 12 9.3 9.1 13.0 8.8 7.9 10.8 14.1 10.4 9.5 - - 11.4 16.6 9.7 8.3 54 50 46 56 178 65 263 48 210 28 72 616 289 247 144 7 0.7 6.4 0.6 0.7 2.2 0.8 3.3 0.6 2.7 0.4 0.9 7.8 3.1 1.8	Alberta	7	29	1	3	12	4	23	2	00	ı	ı	26	20	10	10	529	39.0
(1) 5 46 6 5 14 7 37 5 20 — — 7 48 24 12		3.7	5.7	2.2	5,4	6.7	6.3	8.7	10.4	2.4	1	ı	9,1	7.0	4.0	6.9	6.7	
9.3 9.1 13.0 8.8 7.9 10.8 14.1 10.4 9.5 — — 11.4 16.6 9.7 8.3 54 505 46 56 178 65 263 48 210 28 72 616 289 247 144 7 0.7 6.4 0.6 0.7 2.2 0.8 3.3 0.6 2.7 0.4 0.9 7.8 3.7 3.1 1.8	British Columbia		46	9	ro	14	7	37	S	20	Ĩ	ı	70	48	24	12	863	40,1
54 505 46 56 178 65 263 48 210 28 72 616 289 247 144 7 0.7 6.4 0.6 0.7 2.2 0.8 3.3 0.6 2.7 0.4 0.9 7.8 3.7 3.1 1.8 7		9,3	9,1	13.0	8.8	7.9	10.8	14.1	10,4	9.5	ı	1	11,4	16.6	6.4	8,3	10,9	
6.4 0.6 0.7 2.2 0.8 3.3 0.6 2.7 0.4 0.9 7.8 3.7 3.1 1.8	Canada¹	54	505	46	26	178	65	263	48	210	28	72	919	289	247	144	7,9252	37.3
		0.7	6.4	9.0	0.7	2.2	0.8	3,3	9*0	2.7	0.4	6.0	7.8	3,7	3,1	1.8	100,0	

1 Excludes Yukon and Northwest Territories.

2 This figure includes 747 specialists cardfied by the College of Physicians and Surgeons of Quebec and 21 certified by provincial authority in the Province of Alberta, as listed by the Canadian Medical Directory.

Note: Figures shown in round brackets () indicate individuals who hold Royal College certification in the specialty but who also hold a certificate in Internal Medicine or General Surgery, Because it is not known to which specialty they are devoting the major portion of their time they have been counted under Internal Medicine or General Surgery rather than under the sub-specialty. Source: A brief from the Royal College of Physicians and Surgeons of Canada, submitted to the Royal Commission on Health Services, Pebruary 1962, Appendix I, Table 2, Population and total number of physicians, 1961 Census.

RATIOS OF SPECIALISTS PER 100,000 POPULATION, FOR REGIONS AND CANADA, 1961 APPENDIX 4-16

	WHO.	Atlantic	Atlantic Provinces	one	Quebec	Ont	Ontario	Prairie F	Prairie Provinces	British C	British Columbia	Can	Canada1
Specialty	Recommended Ratio per 100,000 Population	Certified Specialist Ratio	Certified and Non- Certified Specialist Ratio										
General Surgery	10.00	8.43	10.17	8.77	10.04	10.12	12.28	7.39	10.26	11.10	12.83	9.16	11.10
Ophthalmology &													
Otolaryngology.	09.9	2.69	3.48	3.80	3.94	3.96	4.30	3.08	3.84	5.16	5.46	3.74	4.13
Obstetrics &													
Gynaecology	2.00	1.63	2.90	4.11	5.65	4.68	6.29	3.37	5.44	4.30	6.20	3.93	5.62
Internal													
Medicine ²	3.30	3.69	5.64	9.75	13.10	7.57	11.80	5.13	8.46	7.92	10.43	7.58	10.56
Paediatrics	3.30	1.53	2.00	3.14	3.67	3.51	4.23	2.71	3.34	3.25	3.93	3.03	3,65
Radiology	1.70	2.21	2.58	2.74	2.89	3.11	3,45	2.49	2.86	3.81	4.11	2.86	3,15
Urology	1.60	0.53	0.63	0.99	1.01	0.98	1.04	1.04	1.10	1.14	1.96	1.02	1.08
Pathology ³	1.00	0.84	1.69	1.18	1.54	1.59	2.26	1.42	2.11	1.29	2.09	1.34	1.95
Orthopaedic													
Surgery	1.00	0.63	0.79	1.58	1.69	0.87	1.06	1.35	1.73	1.78	1.84	1.21	1.40
Dermatology	1.00	0.21	0.26	92.0	0.89	0.85	1.06	0.41	0.75	0.98	1.23	0.69	0.89
Psychiatry4	1.00	2.06	3.21	2.91	3.50	3.69	4.91	2.42	4.03	3.19	4.05	3.03	4.09
		1		1			1						

1 Excludes Yukon and Northwest Territories.

Includes non-certified physical medicine.

Includes non-certified bacteriologists.

Includes non-certified bacteriologists

Includes non-certified bacteriologists

Includes non-certified bacteriologists

Includes non-certified bacteriologists

Includes non-certified appecialists taken from the submission to the Royal Commission on Health Services by the Royal College of Physicians and Surgeons of Canada, February, 1962, Appendix I,

Table 2, Data for non-certified specialists taken from Canadan Mailings Limited, 1961.

APPENDIX 4-17
CERTIFIED AND NON-CERTIFIED SPECIALIST - POPULATION RATIOS,
BY SPECIALTY, FOR REGIONS AND CANADA, 1961

	Atlantic F	rovinces	Quel	bec	Onte	rio
Specialty Practised	Cert. Specialist- Population Ratio	Cert. & Non-cert. Specialist- Population Ratio	Cert, Specialist- Population Ratio	Cert. & Non-cert. Specialist- Population Ratio	Cert. Specialist- Population Ratio	Cert. & Non-cert. Specialist- Population Ratio
			('000's)			
ledical Specialties						
nternal Medicine ²	27.1	17.7	10.3	7.6	1,3.2	9.1
naesthesia	45.2	32.2	27.5	21.3	25.2	18.4
Dermatology & Syphilology	474.4	379.5	131.5	111.9	117.7	94.5
aediatrics	65.4	49.9	31.9	27.2	28,5	23,6
Physical Medicine & Rehab	632.5	632.5	478.1	478.1	566.9	566.9
Public Health	210.8	37.5	89.1	34.2	164.1	25.7
urgical Specialties						
General Surgery	11.9	9.8	11.4	10.0	9.9	8,1
leurosurgery	632.5	632.5	262.9	262.9	415.7	415.7
Orthopaedic Surgery	158.1	126.5	63,4	59,1	115.5	94.5
Plastic Surgery	_	_	375.7	375.6	479.7	479.7
Thoracic Surgery	632,5	632.5	876.5	876.5	2,078.7	2,078.7
Jrology	189.7	158,1	101,1	99.2	102.2	95.4
Medical Specialties —						
Complexes						
1000 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1						
Neurology & Psychiatry	632,5	632.5	210.3	210.3	389.8	389.8
Neurology	54.2	54.2	38.1	38.1	29.4	29.4
Psychiatry	474.4	73.0	350.6	114.3	346.4	66.3
Neurology & Psychiatry	4/4.4	75.0				
Pathology & Bacteriology			4000	187.8	366.8	366.8
Bacteriology	1,987.4	1,987.4	187.8	114.3	94.5	94.5
Pathology	135,5	135.5	114.3 328.7	150.3	189.0	83.1
Pathology & Bacteriology	948.7	105.4	328.7	130,3	103.0	0012
Radiology						
Diagnostic		86.2	128.3	128.3	53.8 328.2	53,8 328,2
Therapeutic	379.5	379.5	1,051.8	1,051.8		78.0
Diagnostic & Therapeutic	126.5	86.2	53,7	49.6	105.7	78.0
Surgical Specialties -			×			
Complexes						
Obstetrics & Gynaecology						
Gynaecology	_	_	202.3	202.3	3,118.0	3,118.0
Obstetrics	1	-	89.1	89.1	519.7	519.7
Obstetrics & Gynaecology	2000 200	31.6	40.1	24.8	22,4	16.5
Ophthalmology & Oto-						
laryngology						
Ophthalmology	126.5	126.5	73.0	73.0	58.8	58.8
Otolaryngology		189.7	56.6	56.6	67.1	67.1
Ophthalmology & Oto-			-1			
laryngology	. 73.0	46.3	150,3	125,2	129.9	90.4
Industrial Medicine ³		_	48,2	48.2	35.8	35.8

APPENDIX 4-17 (Concl.)

		APPENDIX 4	-17 (Concl.)			
	Prairie I	Provinces	British (Columbia	Car	nada¹
Specialty Practised	Cert, Specialist- Population Ratio	Cert. & Non-cert. Specialist-Population Ratio	Cert. Specialist- Population Ratio	Cert. & Non-cert. Specialist- Population Ratio	Cert. Specialist- Population Ratio	Cert. & Non-cert. Specialist Population Ratio
Medical Specialties			('000's)			
	16.3					
Internal Medicine ²	16.3	11.8	12.6	9.6	13.2	9,5
Anaesthesia Dermatology & Syphilology	30.0	20.5	18.7	16.1	27.0	20.2
Paediatrics	244.5 37.0	132.5 30.0	101.8	81.5	144.4	112.3
Physical Medicine & Rehab	635.8	635.8	30.7	25.5	33.0	27.4
Public Health	151.4	21.9	325.8 70.8	325.8	520.0	520.0
	151.4	21.9	70.8	22,3	121.3	26,6
Surgical Specialties						
General Surgery	13.5	9,8	9.0	7.8	10.9	9,0
Neurosurgery	227.1	227.1	181.0	181.0	298.4	298.4
Orthopaedic Surgery	73.9	57.8	56.2	54.3	82.4	71.4
Plastic Surgery	529.8	529.8	814.5	814.5	520.0	520.0
Thoracic Surgery	529.8	529.8	1,629.0	1,629.0	957.9	957.9
Urology	96.3	90.8	56,2	50.9	98.4	92.4
Medical Specialties — Complexes						
Neurology & Psychiatry	"					
Neurology	635.8	635.8	325.8	325.8	337.0	337.0
Psychiatry	43.0	43.0	35.4	35.4	36.0	36.0
Neurology & Psychiatry	1,059.6	58.9	271.5	81.5	395.7	75.8
Pathology & Bacteriology						
Bacteriology	635.8	635.8	325.8	325.8	325.0	325.0
Pathology	83.7	83.7	116.4	116.4	102,3	102.3
Pathology & Bacteriology	454.1	109.6	232.7	81.5	280,0	102.8
Radiology						0.813 0.8030
Diagnostic	67.6	67.6	44.0	44.0	69.2	69.2
Therapeutic	227.0	227.0	325.8	325.8	379.2	379.2
Diagnostic & Therapeutic	176.6	105.9	81.5	65,2	86.7	69.2
Surgical Specialties —			02.0	00,2	00.7	03,2
Complexes						
Obstetrics & Gynaecology						
Gynaecology	-	-	-	-	650.0	650.0
Obstetrics	3,178.8	3,178,8	23.3	-	252.8	252.8
Obstetrics & Gynaecology	30.0	18.5	23.3	16.1	29.5	19.7
Ophthalmology & Oto-						
laryngology	66.0	66.0	22.0	22.0	60.0	
Ophthalmology	66.2	66.2	33.9	33.9	63.0	63.0
Otolaryngology	117.7	117.7	67.9	67.9	73.7	73,7
Ophthalmology & Oto-	120.0	67.6	125.0	05.0	105 1	
laryngology	138,2	67.6	135.8	95.8	126,4	84.3
Industrial Medicine ³	99.3	99.3	81.5	81,5	52.0	52.0

Excludes Yukon and Northwest Territories.
 Non-certified internal medicine also includes physical medicine.
 Not included in certified specialties.

Source: Data for certified specialists taken from the submission to the Royal Commission on Health Services, February, 1962, Appendix 1, Table 2, Data for non-certified specialists taken from Canadian Mailings Limited, 1961, and the population figures obtained from the 1961 Census.

APPENDIX 4-18

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS IN SPECIALIST WORK, BY TYPE OF WORK, CERTIFICATION AND SPECIALTY PRACTISED, CANADA, 1962

				Type of Work	Work					Tota1		
		Private Practice	tice			Hospital Staff	aff		و المار	Non-Certi-		Per
Specialty Fractised	Certifi- cated	Non-Certi- ficated	Total	Per Cent	Certifi- cated	Non-Certi- ficated	Total	Per Cent	cated	ficated	Total	Cent
Anaesthesia	326	85	411	13.0	15	4	19	2.1	341	88	430	10.6
Dermatology &	54	10	64	2.0	1	1	2	0.2	55	11	99	1.6
	4	108	592	18.8	10	10	20	2.2	464	118	612	15.1
Internal Medicine & T.B.	361	80	441	13,9	47	42	126	14.2	408	159	267	14.0
Neurology & Psychiatry	105	35	140	4.4	133	78	211	23.8	238	113	351	8.7
Neurosurgery	15	1	16	0.5	1	п	н	0.1	15	7	17	0.4
Obstetrics &	349	72	421	13,3	-	1	7	0.2	350	73	423	10.4
Orthopaedic Surgery		. ∞	113	3.6	1	1	П	0.1	105	6	114	2.8
	300	69	369	11.7	1	1	1	0,1	301	69	370	9,1
Paediatrics		32	275	8.7	12	က	15	1.7	255	35	290	7.2
Pathology and Bacteriology	7	9	13	0.4	141	64	205	23.0	148	70	218	5.4
Diagnostic and Therapeutic												Ġ
Radiology	88	8	92	2.9	215	16	231	25.9	304	19	323	× ×
Urology	26	6	85	2.7	1	1	ı	I	92	6	82	7.7
Other and not stated1	51	79	130	4.1	24	33	57	6.4	75	112	187	4.0
Total	2,565	597	3,162	100.0	009	291	891	100.0	3,165	888	4,053	100.0
					Dis. 112 C.	Dublic Health	1	O to ca o d'	Surgery 81	Thomsoic Surgery and Industrial Medicine.	fedicine.	

¹ Includes such specialties as Physical Medicine and Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery and Industrial Medicine. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 4-19

NUMBER AND PER CENT DISTRIBUTION OF ACTIVE CIVILIAN IMMIGRANT
SPECIALISTS BY TYPE OF WORK AND SPECIALTY PRACTISED, CANADA, 1962

		Type of	Work	r	Tot	:a1
Specialty Practised	Private	Practice	Hospita	al Staff		
	Number reporting	Per cent	Number reporting	Per cent	Number reporting	Per cent
Anaesthesia	121	18.6	5	1.5	126	13.0
Dermatology &						
Syphilology	14	2.2	1	0.3	15	1.5
General Surgery	94	14.6	8	2.5	102	10.5
Internal Medicine & T.B.	89	13.8	48	14.7	137	14.1
Neurology and						
Psychiatry	46	7.1	83	25.5	129	13.3
Neurosurgery	5	0.8	_	_	5	0.5
Obstetrics and						
Gynaecology	76	11.8	1	0.3	77	7.9
Orthopaedic Surgery	20	3.1	1	0.3	21	2.2
Ophthalmology &						
Otolaryngology	70	10.8	-	-	70	7.2
Paediatrics	57	8.8	3	0.9	60	6.2
Pathology and						
Bacteriology	5	0.8	86	26.4	91	9.4
Diagnostic and Therapeutic						
Radiology	14	2.2	68	20.9	82	8.4
Urology	11	1.7	_	40, 9	11	1.1
Other and not stated ¹	24	3.7	22	6.7	46	4.7
Total	646	100.0	326	100.0	972	100.0

¹ Includes Hospital Administration, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, Proctology, Biochemistry, Physical Medicine and Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery and Industrial Medicine.

APPENDIX 5-1 WEEKLY SERVICES OF SPECIALISTS IN PRIVATE PRACTICE, BY SPECIALI

	Neurosurgery	Partnership or Group	4	19.0 13.5	81.0	0.0	0.0	10.1	0.0	100	58:35
ED,	Neuro	Solo	11	18.2	81.8	0.0	0.0	4.3	0.0	115	50:56
PRACTISE	Neurology & Psychiatry	Partnership or Group	15	36.8 50.8	63.2 38.6	0.0	0.0	5,3	3.8	06	52:15
ALTY	Net Psy	Solo	119	53.8	38.5 15.8	0.0	0.0	9.6	7.7	63	49:38
Y SERVICES OF SPECIALISTS IN PRIVATE PRACTICE, BY SPECL TYPE OF ACTIVITY AND METHOD OF PRACTICE, CANADA, 1962	Internal Medicine & T.B.	Partner- ship or Group Practice	137	46.2 48.3	50.0	3°8 9°9	0.0	5,1	0.0	124	46:42
TICE,	Inf Me	Solo	278	38.1	42.9	9,5	0.0	7.0	9.5	110	49:38
TE PRAC	Genera1 Surgery	Partner- ship or Group Practice	201	48.1 39.6	51.9	0.0	0.0	3.6	0.0	128	43:56
PRIVA DD OF 1	Ge	Solo	364	40.9	54.6 48.0	3.9	0.0	4.9	0.0	115	44:25
ALISTS IN	Dermatology	Partnership or Group	7	42.1 49.0	57.9 29.0	0.0	0.0	12,0	0.0	180	39:35
SPECL	Derm	Solo	50	75.9	24.1 16.2	0.0	0.0	6.1	0.0	152	43:06
ICES OF OF ACTIV	Anaesthesia	Partner- ship or Group Practice	225	12.5	87.5 85.9	0.0	0.0	5.6	0.0	38	42:21
Z SERV TYPE (Anae	Solo	117	14.3	85.7 80.2	0.0	0.0	2.0	0.0	36	43:59
AVERAGE WEEKLY SERVICES OF SPECIALISTS IN PRIVATE PRACTICE, BY SPECIALTY PRACTISED, TYPE OF ACTIVITY AND METHOD OF PRACTICE, CANADA, 1962		Type of Activity	No. of Drs. reporting	Office calls % of total patients % of total hours	Hospital calls % of total patients	Home visits Day % of total patients % of total hows	Home visits Night % of total patients % of total hours	Teaching and/or research % of total hours	Other activities b % of total patients	Weekly number of patient-visits per doctor	Weekly hours per doctor

APPENDIX 5-1 (Concl.)

Solo 274 59.1 45.1		Sh Sh	Solo							
tients 59.1				Partner- ship or Group Practice	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group	Solo	Partner- ship or Group Practice
tients 59.1			284	62	180	80	51	24	95	24
urs 45.1			76.2	72.0	48,4	41.9	33,3	30.8	42.8	42.8
		39.0	8.89	63.7	38.2	38,2	36.5	33.0	36,1	42.7
% of total patients	6.7 60.7 7.8 45.1	7 61.8	23.8	28.0	31.0	35.5	66.7	69,2 55,3	52.4	52.4
0.0	3,3	0.0	0.0	0.0	10,3	9,7	0.0	0.0	0.0	8.4
% of total hours 2.7 2.0	2.0 0.	0.9 2.0	1.1	0.0	18,6	17.1	1.9	2,1	2.5	4,3
0.0		0.0	0.0	0.0	3,4	3,2	0.0	0.0	0.0	0.0
7 T		0.1	1.1	0.0	7.6	6.5	1,9	0.0	2.5	1.7
5.7.	4.5	7.8 6.9	3.2	5.0	8.9	5.7	5.8	6.4	11.8	3,5
Other activities % % of total patients 0.0	0.0	3.6	0.0	0.0	6.9	9.7	0.0	0.0	4.8	0.0
	+		4.3	4.0	0./	8.1	3,8	3.2	8,4	7.8
Weekly number of patient-visits per doctor 115	142 146	6 162	110	119	152	147	110	124	110	100
Weekly hours per doctor 48:20 43:56	:56 50:04	04 39:59	40:30	39:11	51:23	48:41	45:17	37:12	51:49	45:31

trial Medicine, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, and other.
Includes such activities as work at clinics, preparation of medical papers, attendance of medical meetings, telephone consultations, work connected Includes such specialties as Physical Medicine & Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery, Hospital Administration, Indus-

with medical insurance, etc. Note: 0.0 per cent less than one patient.

APPENDIX 5-2

AVERAGE WEEKLY SERVICES OF GENERAL PRACTITIONERS IN PRIVATE PRACTICE,
BY TYPE OF MEDICAL ORGANIZATION AND TYPE OF ACTIVITY, CANADA, 1962

Type of Activity	Solo Practice	Partnership	Group Practice
No. of reporting Drs	2,542	819	492
Office calls			**
% of total patients	59.8	58.0	57.4
% of total hours	50.3	49.4	49.9
Time per patient	0:17	0.15	0:16
Hospital calls			
% of total patients	21.6	27.9	28.9
% of total hours	19.9	24.6	25.8
Time per patient	0:19	0:15	0:16
Home visits Day			
% of total patients	12.6	8.7	9.0
% of total hours	18.7	14.4	13.1
Time per patient	0:30	0:29	0:26
Home visits Night		2.9	3.4
% of total patients	100 0		6.7
% of total hours		6.4	0:35
Time per patient	0:40	0:38	0:55
Teaching and/or research			0.5
% of total hours	0.6	0.6	0.5
Other activities1			1.3
% of total patients		2.5	
% of total hours		4.6	4.0
Time per patient	0:31	0:32	0:57
Weekly no. of patient-visits			
per Dr	. 148	179	173
Weekly hours per Dr	. 50:34	52:26	52:08

¹Includes such activities as work at clinics, preparation of medical papers, attendance at medical meetings, telephone consultations, work connected with medical insurance, etc.

Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 5-3

AVERAGE WEEKLY LOAD OF PATIENTS OF SPECIALISTS IN PRIVATE PRACTICE, BY SPECIALTY PRACTISED, METHOD OF PRACTICE AND NATURE OF SERVICE, CANADA, 1962	PRAC	KLY LOAI TISED, ME	OF PA	ATIENTS OF PRAC	OF SPI	ECIALIST AND NAT	S IN PE	VERAGE WEEKLY LOAD OF PATIENTS OF SPECIALISTS IN PRIVATE PRACTICE, CIALTY PRACTISED, METHOD OF PRACTICE AND NATURE OF SERVICE, CANADA	RACTI	CE, ADA, 1962		
	Ana	Anaesthesia	Derm	Dermatology	Ge Su	General Surgery	Inf Me	Internal Medicine & T.B.	Net	Neurology & Psychiatry	Nem	Neurosurgery
Nature of Service	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group	Solo	Partner- ship or Group Practice
No. of Drs. reporting	87	171	43	7	335	193	257	131	98	10	10	4
A. Physical examination of									8.			
apparently well people:												
(1) For specific purposes	16.7	0.0	0.0	0.0	12.5	11,1	12.5	9,1	0.0	0.0	0.0	0.0
(2) Preventive routine	0.0	12.5	0.0	0.0	12,5	11,1	12,5	9,1	0.0	0.0	14,3	12,5
B. Other specific services:		e e										
(1) Surgical and obstetrical		g										
procedures	16.7	12.5	7.1	5,3	25.0	33,4	0.0	0.0	0.0	0.0	14.3	25.0
(2) Referred consultations	0.0	12,5	35.7	63.2	25.0	22.2	25.0	27.3	33,3	22.2	57.1	37.5
(3) Specific diagnostic &												
treatment procedures	0.0	0.0	50,1	21.0	25.0	22.2	37.5	36,3	44.5	44.5	14,3	25.0
(4) Immunizations	0.0	0.0	0.0	10.5	0.0	0.0	0.0	9,1	0.0	11.1	0.0	0.0
(5) Other services	9.99	62.5	7.1	0.0	0.0	0.0	12,5	9.1	22.2	22.2	0.0	0.0
Weekly load of patients	28	38	99	06	38	43	38	52	43	43	33	38

APPENDIX 5-3 (Concl.)

4	Obst Gyna	Obstetrics and Gynaecology	Orth	Orthpaedic Surgery	Ophthe and O	Ophthalmology and Otolaryn- gology	Paed	Paediatrics	Ur	Urology	Sta	Other and Not Stated ¹
Nature of Service	Solo	Partner- ship or Group Practice	Solo	Partner- ship or Group Practice	Solo	Partnership or Group	Solo	Partnership or Group	Solo	Partnership or Group	Solo	Partnership or Group
No. of Drs. reporting	257	118	28	43	232	57	165	79	45	22	88	21
A. Physical examination of			382-3807-307									
apparently well people:				(4)						,		
(1) For specific purposes	8,3	7.1	0.0	0.0	7.1	7.1	0.0	6.7	0.0	0.0	10.0	0.0
(2) Preventive routine	25.0	28.6	0.0	0.0	7.1	0.0	38.9	39,9	0.0	9,1	0.0	9,1
B. Other specific services:												
(1) Surgical and obstetrical												
procedures	33,3	35.7	25.0	25.0	7.1	14.3	0.0	0.0	33,3	18.2	10,0	18.2
(2) Referred consultations	16,7	14,3	62.5	50.0	28.7	28.6	11.1	6.7	33,3	27.2	30.0	27.2
(3) Specific diagnostic &												
treatment procedures	16.7	14,3	12,5	25.0	42.9	42.9	22,2	20.0	33.4	9,1	30.0	9,1
(4) Immunizations	0.0	0.0	0.0	0.0	0.0	0.0	22.2	20.0	0.0	18,2	10.0	18.2
(5) Other services	0.0	0.0	0.0	0.0	7.1	7.1	5.6	6.7	0.0	18,2	10.0	18.2
Weekly load of patients	57	99	38	38	99	99	98	71	43	38	48	52
								i		Vicaciani	dminiet	TI : to 1 A daminimistation Indias

¹ Includes such specialties as Physical Medicine and Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery, Hospital Administration, Industrial Medicine, Allergy, Cardiovascular Diseases, Cardiology, Gastroenterology, Haematology and others.

NUMBER AND PERCENTAGE DISTRIBUTION OF ACTIVE, SELF-EMPLOYED GENERAL PRACTITIONERS BY SIZE OF PRACTICE AND SIZE OF LOCALITY, FOR REGIONS AND CANADA APPENDIX 5-4

		66	% Size of Pract.		18.6	28.6	3.6		30.0	14.3	21.4		22.9	42.9	37.5		21.4	-1	14.3		7.1	14.3	23.2	Ą	100.0	100.0	100.0	
		2,500-2,999	% Local- ity		11.3	9.1	9.5		8.8	1.7	5.6		7.2	2.9	5.3		11.1	ı	6.7		9.6	10.0	10.6		9.5	3.5	6.4	7.2
		2,1	Resp. Count		13	2	7		21	1	12		16	8	21		15	ŧ	00		Ŋ	1	13		70	7	26	133
		66:	% Size of Pract.		14.4	9.1	0.9		38.1	21.2	26.3		23.7	66.7	53.5		18.0	3.0	12.3		8.8	1	7.0		100.0	100.0	100.0	
		2,000-2,499	% Local- ity		17.4	13.6	4.8		22.3	12.1	14.0		14.8	21.0	15.3		18.5	16.7	11.8		15.4	1	6.5	В	18.2	16.4	13.0	15.5
u de la		2,	Resp. Count		20	က	1	ı	53	7	30		33	22	61		25	1	14		00	1	00		139	33	114	286
an dire	(su	660	% Size of Pract.		10.7	11.6	1.6		31.1	25.6	25.4		36.9	48.8	43.4		13.9	4.7	13.9		7.4	9.3	15.6		100.0	100.0	100.0	
TOTAL STATE OF	Size of Practice (Number of Persons)	1,500-1,999	% Local- ity		11.3	22.7	9.5		16.0	19.0	14.5		20.2	20.0	13.3		12.6	33.3	14.3		17.3	40.0	15.4		16.0	21.4	13.9	15.6
TO TO	Vumber	1,	Resp. Count		13	w	2		38	11	31		45	21	53		17	2	17		6	4	19		122	43	122	287
	actice (66	% Size of Pract.		13.9	9.1	4.3	3	17.9	20.5	16.7		41.1	61.4	52.7		17.9	2.3	12.9		9.3	8.9	13.4	E	100.0	100.0	100.0	l.
	ze of Pra	1,000-1,499	% Local- ity		18.3	18.2	38.1		11.3	15.5	14.5		27.8	25.7	24.6		20.0	16.7	20.2		26.9	30.0	20.3		19.8	21.9	21.2	20.7
	Siz	1,	Resp. Count		21	4	80		27	6	31		62	27	86		27	1	24		14	8	25		151	44	186	381
			% Size of Pract.		12.3	3.1	ı		13.6	37.5	26.7		46.9	53.1	49.6		19.8	3.1	5.9		7.4	3.1	17.8		100.0	100.0	100.0	
THE CLEAN THE CLEAN THE CONTRACTOR AND CANADA		500-999	% Local- ity		8.7	4.5	L		4.6	20.7	16.8		17.0	16.2	16.8		11.9	16.7	6.7		11.5	10.0	19.5		10.6	15.9	15.4	13.5
			Resp. Count		10	1	ı		11	12	36	U	38	17	29		16	1	80		9	1	24		81	32	135	248
		200	% Size of Pract.		21.2	21.1	1.0		30.3	42.1	26.7		30,3	26.3	41.6		9.1	5.3	15.8		9.1	5.3	14.9		100.0	100.0	100.0	
		Less Than 500	% Local- ity		6.1	18.2	8.8		4.2	13.8	12.6		4.5	4.8	10.6		2.2	16.7	13.4		5.8	10.0	12.2		4.3	9.5	11.5	8.3
		Le	Resp. Count		7	4	1		10	00	27		10	w	42		3	1	16		8	-	15		33	19	101	153
		Region and	Size of Locality	Atlantic Region	Less than 10,000	10,000 - 49,999	50,000 and over	Cuebec	Less than 10,000	10,000 - 49,999	50,000 and over	Ontario	Less than 10,000	10,000 - 49,999	50,000 and over	Prairie Region	Less than 10,000	10,000 - 49,999	50,000 and over	British Columbia	Less than 10,000	10,000 - 49,999	50,000 and over	Cana da 1	Less than 10,000	10,000 - 49,999	50,000 and over	Total

APPENDIX 5-4 (Concl.)

- 1	1																								_ 1	
	Total	Per	ř.	100	10.0	7.4	31.2	28.9	24.4	29.2	52.2	45.5		17.7	3.0	13.6		00	·	,	14.0	100.0		100.0	100.0	
	To	Resp. Count	, r	000	4 6	71	238	28	214	223	105	398		135	9	119		7,0	4 6	2 6	123	763		707	875	1,839
	ver	% Size of Pract.	8	2 6	14.5	7.4	42.3	42.9	35.7	7.7	42.9	38.1		19.2	ı	9.5			ı	1 ;	14.3	100.0	0.001	100.0	100.0	
	5,000 and Over	% Local- ity	2) u	U	8.	4.6	5.2	7.0	6.0	2.9	4.0		3.7	1	3.4			1	١ :	4. 9	3.4	;	3.5	4.8	4.1
	5,0	Resp. Count	. 0	0 +	٠,	1	11	3	15	2	8	16		w	1	4			l	1 '	9	26	0 1	7	42	75
	666	% Size of Pract.	C C	20.00	1	14.3	50.0	100.0	28.6	ı	ı	42.9		1	ı	ı			ı	1	14.3	100	100.0	100.0	100.0	
rsons)	4,500 - 4,999	% Local- ity	1	1.7	l	8.8	8.0	3.4	6.0	ı	1	0.8		1	ı	ı			ļ	1	0.8	u C	0.0	1.0	8.0	0.7
er of Per	4,5	Resp. Count	c	7	1	Н	2	2	2	1	ı	ю		ı	ı	1			1	ı	-	-	4	7	7	13
Size of Practice (Number of Persons)	66	% Size of Pract.		31.8	20.0	3.7	31.8	20.0	37.0	18.2	0.09	25.9		13.6	ı	25.0		,	5.5	ı	7.4	9	100.0	100.0	100.0	
of Practi	4,000 - 4,499	% Local- ity		0.1	4.5	8.8	2.9	1.7	4.7	8	2.0	1.8		2.2	1	u	•	,	1.9	ı	1.6	c	7.9	2.5	3.1	2.9
Size	4,0	Resp. Count		7	Н	1	7	1	10	4	۰ ،	, ,		m)	1 1		,	1	ı	2	ć	7.7	ĸ	27	54
	661	% Size of Pract.		11.8	20.0	7.1	47.1	ı	17.9	2	0.01	46.4		23.5	2	1 1	6.11		5.9	ı	10.7	9	100.0	100.0	100.0	
	3,500 - 3,999	% Local- ity		1.7	4.5	9.5	3.4	1	2.3	0	6.0	7.0	3	0	3	1 (7.7		1.9	ı	2.4		2.2	1.0	3.2	2.6
	3,5	Resp. Count		7	1	7	00	1	ເກ	c	۷ -	1 1	2	4	٠	l	n		1	1	3		17	2	28	47
	66	% Size of Pract.		12.2	١	3.5	51.0	57.1	26.3	-	7.11	47.9	2.04	20.4	t.07	1 6	797		5.1	1	12.3		100.0	100.0	100.0	
	0 - 3,499	% Local- ity		10.4	ı	9.5	21.0	6.9	7.0			6.7	?	77	14.0	1	13.4		9.6	ı	5.7		12.8	3.5	6.5	8.8
	3,000	Resp. Count		12	1	2	ŭ	8 4	15	;	11	υ <u>t</u>	1	ć	707	1 3	10		S	ı	7		86	7	57	162
	Region and	Size of Locality	Atlantic Region	Less than 10,000	10,000 - 49,999	50,000 and over	Quebec Too 10 000	10 000 40 000	50,000 and over	Ontario	Less than 10,000	10,000 - 49,999	SU, UUU and over	Prairie Region	Less than 10,000	10,000 - 49,999	50,000 and over	British Columbia	Less than 10,000	10,000 - 49,999	50,000 and over	Canada ¹	Less than 10,000	10,000 - 49,999	50,000 and over	Total

¹ Excludes Yukon and Northwest Territories.
Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 5-5

NUMBER AND P NUMBER OF	PERCENTO OF PATIE	PERCENTAGE DISTRIBUTION OF ACTIVE, SELF-EMPLOYED GENERAL PRACTITIONERS, DF PATIENTS UNDER TREATMENT AND SIZE OF LOCALITY, FOR REGIONS AND CANADA	TRIBUTI	ON OF A	ACTIVE,	SELF-EM	PLOYED CALITY,	GENERA FOR RE	IL PRAC	TITIONE	RS, BY	
					Number o	Number of Patients Under Treatment	s Under	Freatment				
Region and	Less t	Less than 50 Patients	tients	50-	. 99 Patients	nts	100 -	199 Patients	ents	200 -	- 299 Patients	ents
Size of	Resp.	Per Cent % No. of	% No. of	Resp.	Per Cent	Per Cent % No. of	Resp.	Per Cent % No. of	% No. of	Resp.	Per Cent % No. of	% No. of
	Count	Locality Patients	Patients	Count	Locality	Locality Patients	Count	Locality Patients	Patients	Count	Locality	Patients
Atlantic Region												
Less than 10,000	24	22.2	10.2	19	17.6	17.0	26	24.1	16.9	11	10.2	13.9
10,000 - 49,999	9	27.3	12.5	က	13.6	9.4	7	31.8	13.0	3	13.6	15.0
50,000 and over	7	10.5	0.8	4	21.1	2.8	S	26.3	2.7	က	15.8	2.7
Quebec												
Less than 10,000	123	52.1	52.3	32	13.6	28.6	39	16.5	25.5	15	6.4	19.0
10,000 - 49,999	24	40.7	50.0	9	10.2	18.8	18	30.5	33,3	ιΩ	8.5	25.0
50,000 and over	100	42.2	41.2	37	15.6	25.7	38	16.0	20.8	24	10.1	21.8
Ontario												
Less than 10,000	45	21.2	19.1	33	15.6	29.5	09	28.3	39.2	35	16.5	44.3
10,000 - 49,999	12	11.9	25.0	15	14.9	46.9	28	27.7	51.9	6	8.9	45.0
50,000 and over	88	22.0	36.2	69	17.3	47.9	82	21.3	46,4	51	12.8	46.4
Prairie Region												
Less than 10,000	32	28.1	13.6	20	17.5	17.9	21	18,4	13.7	14	12.3	17.7
10,000 - 49,999	4	20.0	8,3	3	37.5	9,4	1	1	ı	Н	12.5	5.0
50,000 and over	30	25.2	12.3	13	10.9	0.6	26	21.8	14.2	12	10.1	10.9
British Columbia												
Less than 10,000	11	26.2	4.6	∞	19.0	7.1	7	16.7	4.6	4	9.5	5.1
10,000 - 49,999	7	16.7	4.2	Ŋ	41.7	15.6	-	8,3	1.9	7	16.7	10.0
50,000 and over	23	19.3	9.5	21	17.6	14.6	29	24.4	15.8	20	16.8	18.2
Canada1												
Less than 10,000	235	33.0	100.0	112	15.7	100.0	153	21.5	100.0	79	11.1	100.0
10,000 - 49,999	48	23.8	100.0	32	15.8	100.0	54	26.7	100.0	20	6.6	100.0
	243	27.2	100.0	144	16.1	100.0	183	20.5	100.0	110	12.3	100.0
Total	526	29.1		288	15.9		390	21.6		209	11.6	

APPENDIX 5-5 (Concl.)

				2	Number of Patients Under Treatment	Patients Un	ider Treat	ment			
Region and	300	- 399 Patients	ients	400	400 - 499 Patients	ients	500 P	500 Patients and Over	1 Over	Total	tal
Size of Locality	Resp. Count	Per Cent Locality	% No. of Patients	Resp. Count	Per Cent Locality	% No. of Patients	Resp. Count	Per Cent Locality	% No. of Patients	Resp. Count	Per Cent Locality
Affantic Region											
Less than 10,000	9	5,6	15.0	8	2.8	12.0	19	17.6	27.9	108	15.2
10.000 - 49.999	П	4.5	5.6	2	9.1	25.0	1	ı	ı	22	10.9
50,000 and over	1	5,3	1.8	1	5,3	3.2	က	15.8	2.4	19	2.1
Quebec			1	1	,	(1		,	0	
Less than 10,000	7	3,0	17.5	S	2.1	20.0	15	6.4	22.1	736	33.I
10,000 - 49,999	1	1.7	5.6	3	5.1	37.5	7	3,4	9.1	29	29.2
50,000 and over	11	4.6	19.6	Ŋ	2.1	16.1	22	9,3	17.3	237	26.5
Ontario											1
Less than 10,000	15	7.1	37.5	6	4.2	36.0	15	7.1	22.1	212	29.8
10,000 - 49,999	16	15.8	88.9	က	3.0	37.5	18	17.8	81.8	101	20.0
50,000 and over	28	7.0	50.0	14	3,5	45.2	65	16.3	51.2	400	44.7
Prairie Region			1	1	,		;		,	,	7
Less than 10,000	6	7.9	22.5	7	6.1	28.0	11	0°6	7.01	114	10.0
10,000 - 49,999	ı	ı	ı	Ī	1	ı	I	ı	1	×	4.0
50,000 and over	10	8,4	17.9	2	4.2	16.1	23	19,3	18.1	119	13,3
British Columbia						,	,		,		ı
Less than 10,000	ώ	7.1	7.5	1	2.4	4.0	00	19.0	11.8	42	ט י ט י
10,000 - 49,999	ı	1	ı	1	ı	ı	7	16.7	9,1	12	5.9
50,000 and over	9	5.0	10.7	9	5.0	19,4	14	11.8	11.0	119	13,3
Canada¹		,	,	1	1		Ç	ı	100.0	712	100.0
Less than 10,000	40	5,6	100.0	25	3.5	100.0	99	ر پ	2001	1	
10,000 - 49,999	18	8.9	100.0	∞	4.0	100.0	22	10.9	100.0	202	100.0
50,000 and over	26	6,3	100.0	31	3.5	100.0	127	14.2	100.0	894	100.0
Total	114	6.3		64	3.5		217	12.0		1,808	

¹Excludes Yukon and Northwest Territories. Source: Questionnaire on Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 5-6

FULL AND PART-TIME MEDICAL STAFF AND INTERNS AND RESIDENTS EMPLOYED IN HOSPITALS,
FOR REGIONS AND CANADA, 1950-1961

			T OR REGI	OIII AI	ID CAI	ADA, 1930	-1901					
		195	0		195	1		195	2		195	3
Region & Types of	Physi	cians	Interns	Physi	cians	Interns	Physi	icians	Interns	Physi	cians	Interns
Hospita1	F-T	P-T	and Residents	F-T	P-T	and Residents	F-T	P-T	and Residents	F-T	P-T	and Residents
	r-1	r-1		F-1	F-1		F-1	F-1		r-1	r-1	
Atlantic Provinces												
General ¹	21	33	97	18	39	94	21	26	91	48	51	111
Mental	12	20	2	16	16	2	21	17	2	24	37	-
T.B	35	15	2	36	18	3	40	19	3	42	27	1
Federal		38	-		40	-	-	-	_		50	-
Private		6			16	-		1	_		_	_
Total		180	101		199	99	1	145	96	- 3	279	112
Quebec			202									
General ¹	175	127	645	207	319	637	113	124	475	126	151	543
Mental	50 55	16	30	40	29	14	62	23	19	41	70	45
T.B	55	99 47	23	79	111 53	18	78	126	21	105	123	27
Private		29	_		29	_	-	12	_	4	6	_
	ļ	-			12000		ļ.,			-		
Total		598	698		867	669	- :	538	515		576	615
Ontario	101	110	505	101	100	605	140	170		150	150	600
General ¹	101 93	118 27	526 10	101 89	120 26	635 18	149 95	173 30	643 49	158 76	170 92	628 31
T.B	80	16	10	78	26 6	18	76	11	10	80	10	8
Federal	80	90			103	_ 8	/6	_ 11		80	86	8
Private		18	_		22	_	-	- 6	_	20	3	1
Total	-	543	546		545	661	1	540	702	-	595	668
Prairie Provinces		740	340		343	001	-	540	702	<u> </u>	090	000
General ¹	63	77	226	64	72	267	76	72	223	79	79	235
Mental	50	21	3	62	12	3	64	15	1	60	24	15
T.B	41	10	4	36	9	6	43	17	20	44	9	4
Federal	100	62	_		88	_		_	_		50	_ `
Private		4	_		5	_		9	_		_	_
Total	-	328	233		348	276	1	296	244	1 :	345	254
British Columbia												
General ¹	36	28	124	41	28	140	35	28	150	31	34	149
Mental	24	_	_	31	-	_	34	_	_	32	3	_
т.в	17	15	-	20	15	_	24	10	1	24	13	1
Federal		34	-		47	-	-	_	_		41	_
Private		7	-		5	-		15	-	1	4	-
Total		161	124		187	140		146	151		183	150
Canada ³												
General ¹	396	383	1,618	431	578	1,773	394	423	1,582	442	485	1,666
Mental	229	84	45	238	83	37	276	85	71	233	226	91
T.B	228	155	39	249	159	35	261	183	55	295	182	41
Federal	1	271	-		331	-		192²	-		277	-
Private		64	-		77	_		43	-		38	1
Total	1,8	310	1,702	2,	146	1,845	1,8	857	1,708	2,	178	1,799
Minus medical graduates												
of Dalhousie, Laval												
& Montreal Universities,												
who receive degrees												
after internship			273			288			203			253
Total Interns & Residents			1,429			1,557			1,505			1,546
Operating & Reporting		195	0		195	1		1952	,		1953	
Hospitals, Canada,	0			0			-					1
1950-1961	Oper.	Repo	rt. %	Oper.	Repor	t. %	Oper.	Repor	rt. %	Oper.	Repor	t. %
General ¹	823	763	92.7	830	778	93.7	834	777	93.2	855	810	94.7
Mental	68	65		70	67	95.7	75	72	96.0	77	74	96.1
T.B	64	64	100.0	70	70	100.0	70	70	100.0	70	70	100.0
	1											
Federal Private	-	67 225		-	78 220	_	-	42 187	-	236	47 133	56.4

APPENDIX 5-6 (Cont'd)

	134 13 2 - 149 937 27 21 - 4 989
Physicians Physicians Interns Physicians Residents F_T P_T Re	134 13 2 - 149 937 27 21 - 4
Residents F_T P_T Residents F_T F_T	134 13 2 - - 149 937 27 21 - 4
Atlantic Provinces General* 72 43 111 77 67 100 90 58 110 89 61 Mental 29 56 1 33 57 5 31 80 2 31 69 T.B. 48 25 2 46 27 2 42 39 1 39 28 Federal 49 - 52 - 51 - 49 Private	13 2 - 149 937 27 21 - 4
General*	13 2 - 149 937 27 21 - 4
Mental 29 56 1 33 57 5 31 80 2 31 69 T.B. 48 25 2 46 27 2 42 39 1 39 28 Federal 49 - 52 - - 49 - 49 -	13 2 - 149 937 27 21 - 4
T.B.	2 - 149 937 27 21 - 4
Federal	937 27 21 -
Private	937 27 21 - 4
Total 322 114 359 107 391 113 366 Quebec General¹ 189 187 541 208 231 749 213 236 779 241 296 Mental 49 139 38 39 129 21 53 152 28 66 136 T.B. 99 97 20 91 108 20 89 104 20 92 117 Federal 53 - 53 - 54 - 58 Private 9 8 4 1 13 4 14 19 4 33 Total 830 603 873 794 934 831 1,043 Ontario 10 3 151 15 699 206 220 727 233 282 Mental 110 108 19 111 98 15	937 27 21 - 4
Quebec General¹ 189 187 541 208 231 749 213 236 779 241 296 Mental 49 139 38 39 129 21 53 152 28 66 136 T.B. 99 97 20 91 108 20 89 104 20 92 117 Federal 53 - 53 - 53 - 54 - 58 Private 9 8 4 1 13 4 14 19 4 4 33 Total 830 603 873 794 934 831 1,043 Ontario 660 3873 794 934 831 1,043 Ontario 66neral¹ 110 10 13 14 10 77 21 53 22 165 126 Hental 10 10	937 27 21 - 4
General	27 21 - 4
Mental 49 139 38 39 129 21 53 152 28 66 136 T.B. 99 97 20 91 108 20 89 104 20 92 117 Federal 53 - 53 - 54 - 58 Private 9 8 4 1 13 4 14 19 4 4 33 Total 830 603 873 794 934 831 1,043 Ontario General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 T.B. 70	27 21 - 4
T.B 99 97 20 91 108 20 89 104 20 92 117 Federal 53 - 53 - 53 - 54 - 58 Private 9 8 4 1 1 13 4 14 19 4 4 33 Total 830 603 873 794 934 831 1,043 Ontario General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 Federal 86 - 86 - 76 - 79 Private 12 11 3 15 10 - 37 8 9 34 6 Total 704 660 723 724 889 768 1,015 Prairie Provinces General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 T.B. 45 6 3 45 5 1 42 5 2 45 5 Federal 50 - 54 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 66 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 66 - 61 Private 77 - 7 - 66 - 61 Private 77 - 7 - 66 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 77 - 7 - 7 - 6 - 64 - 61 Private 22 9 1 13 3 3 2 12 6 2 2 3 2 Federal 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 9 - 41 9 T.B. 22 9 1 13 3 3 2 12 6 2 2 3 2 Federal 44 - 45 - 45 - 47 - 6 1 2 2 3 2 Federal 44 - 45 - 45 - 47 - 6 1 2 2 3 2 Federal 54 - 7 1 2 2 1 1 2 Total 184 178 185 186 201 158 206 Canada² General² 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	21 - 4
Federal 53 — 53 — 53 — 58 Private 9 8 4 1 13 4 14 19 4 4 33 Total 830 603 873 794 934 831 1,043 Ontario General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 Federal 86 — 86 — 76 — 79 70 704 660 723 724 889 768 1,015 Private 12 11 3 56 29 8 57 12 12 <t< td=""><td>- 4</td></t<>	- 4
Private 9 8 4 1 13 4 14 19 4 4 33 Total 830 603 873 794 934 831 1,043 Ontario General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 126 17 75 12 5 73 17 Federal 86 — 86 — 76 — 79 Private 12 11 3 15 10 — 37 8 9 34 6 Total 704 660 723 724 889 768 1,015 Prairie Provinces 36 6 71 304 72 85 315 70 95 Mental 50	
Total	
Ontario General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 Federal 86 — 76 — 79 Private 12 11 3 15 10 — 37 8 9 34 6 79 Private 12 11 3 15 10 — 37 8 9 34 6 6 — 79 Private 20 10 723 724 889 768 1,015 10 70 72 85 315 70 95 95 Mental 50 17 13 56 29 8 57 12 12 61	989
General¹ 143 148 628 161 155 699 206 220 727 233 282 Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 Federal 86 - 86 - 76 - 79 Private 12 11 3 15 10 - 37 8 9 34 6 Total 704 660 723 724 889 768 1,015 Prairie Provinces General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 TH 13	
Mental 110 108 19 111 98 15 135 109 27 165 126 T.B. 76 10 10 73 14 10 77 21 5 73 17 Federal 86 - 86 - 86 - 76 - 79 Private 12 11 3 15 10 - 37 8 9 34 6 Total 3 704 660 723 724 889 768 1,015 Prairie Provinces 6 660 723 724 889 768 1,015 Prairie Provinces 6 4 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 45 5 Federal 50 7 - <td></td>	
T.B	793
Federal 86 - 86 - 76 - 79 Private 12 11 3 15 10 - 37 8 9 34 6 Total 704 660 723 724 889 768 1,015 Prairie Provinces General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 T.B. 45 6 3 45 5 1 42 5 2 45 5 Federal 50 - 54 - 64 - 61 6 7 1 33 329 355 355 355 5 48 5 5 48 5 5 48 4 6 1 40	18
Private 12 11 3 15 10 — 37 8 9 34 6 Total 704 660 723 724 889 768 1,015 Prairie Provinces General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 7 12 12 61 12 7 12 12 61 12 7 12 12 61 12 7 12 12 61 12 7 12 12 61 12 45 5 5 1 42 5 2 45 5 5 1 42 5 2 45 5 Federal 50 — 54 — 64 — 61 13 34 34	5
Total	-
Prairie Provinces General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 T.B. 45 6 3 45 5 1 42 5 2 45 5 Federal 50 - 54 - 64 - 61 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 66 - 61 9 355 5 8 40 183 43 344 156 43 44 44 44 13 3 2 12 6 2 23	12
General¹ 71 63 266 64 71 304 72 85 315 70 95 Mental 50 17 13 56 29 8 57 12 12 61 12 T.B. 45 6 3 45 5 1 42 5 2 45 5 Federal 50 - 54 - 64 - 61 - 61 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 1 40 9 - 41 9 - 41 9 - 41 9 - 41 9 - 41	828
Mental 50 17 13 56 29 8 57 12 12 61 12 T.B. 45 6 3 45 5 1 42 5 2 45 5 Federal 50 - 54 - 64 - 61 Private 7 - 7 - 6 - 6 Total 309 282 331 313 343 329 355 British Columbia General 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 - 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 41	
T.B	362
Federal 50 - 54 - 64 - 61 Private 7 - 7 - 6 - 6 Total 309 282 331 313 343 329 355 British Columbia General¹ 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 - 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 41 9 Fival 2 4 - 1 2 - - 47 - 41 Private 2 4 - 1 1 2 - - - - - </td <td>11</td>	11
Private 7 - 7 - 6 - 6 Total 309 282 331 313 343 329 355 British Columbia 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 - 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 41 Private 2 4 - 18 185 186 201 158 206 Canada² 3 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364	4
Total	_
British Columbia General¹ 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 — 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 — 45 — 47 — 41 Private 2 4 — 1 2 — — — 47 — 41 2 Total 184 178 185 186 201 158 206 Canada² General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	_
General¹ 35 34 176 38 40 183 43 44 156 43 44 Mental 27 7 1 37 6 1 40 9 - 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 41 41 Private 2 4 - 1 2 - - - - - - 1 2 Total 184 178 185 186 201 158 206 Canada² Genera¹¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352 <td>377</td>	377
Mental 27 7 1 37 6 1 40 9 - 41 9 T.B. 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 41 41 Private 2 4 - 1 2 - - - - 1 2 Total 184 178 185 186 201 158 206 Canada² General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	
T.B 22 9 1 13 3 2 12 6 2 23 2 Federal 44 - 45 - 47 - 1 2 Private 2 4 - 1 2 1 2 Total 184 178 185 186 201 158 206 Canada² General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	177
Federal 44 - 45 - 47 - 41 Private 2 4 - 1 2 - - - - 1 2 Total 184 178 185 186 201 158 206 Canada² General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	-
Private 2 4 - 1 2 - - - - 1 2 Total 184 178 185 186 201 158 206 Canada² General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	_
Total 184 178 185 186 201 158 206 Canada ² General ¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	
Canada ² General ¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	
General¹ 510 475 1,722 548 564 2,035 624 643 2,087 676 778 Mental 265 327 72 276 319 50 316 362 69 364 352	177
Mental	
	2,403
T.B	69
7 1 1 200 200 200 200	32
Federal 282 - 290 - 292 - 288 Private 53 7 49 4 84 13 86	16
Total 2,349 1,837 2,471 2,124 2,758 2,199 2,985	2,520
Minus medical graduates	
of Dalhousie Laval	
& Montreal Universities	
who receive degrees	262
Total Interns & Residents . 1,551 1,851 1,974	2,258
Operating & Reporting 1954 1955 1956 195	7
Hospitals, Canada, Oper. Report. % Oper. Report. % Oper. Report. % Oper. Report.	t. %
1950–1961	-
General 870 817 93.9 896 858 95.8 908 872 96.0 920 894	
Menta1	97
T.B 66 66 100.0 65 65 100.0 64 64 100.0 62 62	97
	97 100
Federal - 44 - - 46 - 44 - - 40 Private 263 169 64.3 279 175 62.7 266 204 76.7 294 232	97

APPENDIX 5-6 (Concl.)

-			A	PPEN	DIX 5-6	(Concl.)						
Degion % Tunes of		195	8		195	9		196	0		196	1
Region & Types of Hospital	Physic F-T	ians P–T	Interns and Residents	Phys:	icians P–T	Interns and Residents	Physi F-T	cians P-T	Interns and Residents	Phys F-T	icians P-T	Interns and Resident
Atlantic Provinces												
General ¹	97	60	126	98	136	117	109	169	141	116	169	165
Mental	28	82	19	31	103	19	35	96	11	43	110	13
T.B	38	21	1	33	19	2	35	19	2	34	29	2
Federal	57		-	30	. 17	17	39	85	33	39	35	47
Private	-		-	_	-	_	_	-	_	_	_	.,
Total	383		146	192	275	155	218	369	187	232	343	227
Quebec					270	100	210	309	107	232	343	227
General ¹	282	278	1,068	391	428	1,072	335	585	1,279	322	637	1,456
Mental	74	147	35	74	147	35	88	166	43	115	173	49
T.B	77	105	14	76	74	10	79	82	10	71	62	18
Federal	60		_	28	4	74	30	42	105	42	_	97
Private	7	21	4	2	13	8	_	13	2	10	52	9
Tota1	1,05	1	1,121	571	666	1,199	532	888	1,439	560	924	1,629
Ontario										1		1,025
General ¹	247	289	821	281	333	824	320	388	918	295	389	880
Mental	153	133	41	164	171	24	194	185	31	205	189	30
т.в	68	15	5	66	17	4	53	18	4	51	19	5
Federal	84		_	56	130	76	78	196	87	52	199	92
Private	14	10	8	7	20	23	5	25	2	9	18	92
Tota1	1,01		875		-		-			-		
Prairie Provinces	1,01.	3	8/5	574	671	951	650	812	1,042	612	814	1,007
	0.2	104										
General ¹	83	104	416	107	157	391	117	177	491	119	185	438
Mental	70 43	27	11	50	35	20	62	30	19	66	23	10
Marie and an action of the second second second second second		4	3	42	5	3	49	8	3	46	9	1
Federal	61		_	54	8	27	38	87	28	35	118	27
Private	11			-	5	_	2	5		1	7	_
Total	403		430	253	210	441	268	307	541	267	342	476
British Columbia												
General ¹	46	40	170	52	77	169	55	92	164	56	102	162
Mental	19	15	18	20	8	18	18	9	18	20	19	18
T.B	22	14	2	22	17	-	20	8	-	21	13	-
Federal	42		-	22	98	57	22	100	62	23	103	58
Private	_	1	-	1	-	-	-	_	-	-	-	_
Total	199)	190	117	200	244	115	209	244	120	237	238
Canada ³												
General ¹	755	771	2,601	929	1,131	2,573	936	1,411	2,993	908	1,482	3,101
Mental	344	404	124	339	464	116	397	486	122	449	514	120
T.B	248	159	25	239	132	19	236	135	19	223	132	26
Federal	3 04	2	-	190	257	251	207	510	315	191	455	321
Private	64	.	12	10	38	31	7	43	4	20	77	9
Tota1	3,049	,	2,762	1,707	2,022	2,990	1,783	2,585	3,453	1,791	2,660	3,577
Minus medical graduates	-						-	,	-,	,	_,000	3,017
of Dalhousie, Laval												
& Montreal Universities,												
who receive degrees												
after internship			289			273			292			261
Total Interns & Residents			2,473			2,717			3,161			3,316
Operating & Reporting		1958	3		195			196			1961	
Hospitals, Canada	Open			0.	1		_	1			T	
1950-1961	Oper,	Repor	t. %	Oper.	Repor	t. %	Oper.	Repor	t. %	Oper.	Report	. %
	957	922	96.3	963	940	97.6	936	925	98.8	946	946	100.0
General ¹	901					0.000	5300000					1000
	80	76	95.0	81	74	91.4	87	. 73	83.9	89	79	88.8
General ¹	000000	76 58	10.00	81 57	74 57	91.4	87 58	58		89 55	79 55	
General ¹	80		100.0		20000		1000000		100.0	-	79 55 69	88.8 100.0 86.3

General hospital includes public, general and allied special hospitals (chronic, convelencent, maternity and other).

Data for physicians in federal hospitals are not available for 1952.

Bactudes Yukon and Northwest Territories.

Source: Health and Welfare Division, Institutions Section, Dominion Bureau of Statistics.

APPENDIX 5-7
AVAILABILLITY OF INDUSTRIAL MEDICAL SERVICES AND MEDICAL PERSONNEL IN CANADIAN INDUSTRY, 1962

	THE PARTY OF	10 1 1771	717	THE THE	T. C.	EN VICES	THE PART OF	TOTAL	THOOME	ATTENDED IN CHILD OF INTER HEREIGNED SERVICES AND REDICAL FEROOMSE IN CHINDREN IND COLN 1, 1902	NUTOWN	NI CO GNI	11 1302					
				Л	dustrial	Industrial Medical Services	ervices						Medical	Medical Personnel	lei			
Industry & Number of Employees	yees	Medic	Provide Medical or First Aid Services	st Aid	Do No Medical Ser	Do Not Provide Medical or First Aid Services	pi	No Information	mation	пü	Physician(s) in Attendance Full-Time	s)	Phy in At Par	Physician(s) in Attendance Part-Time	- 0	Phys	Physician(s) on Call	
Manufacturing - Plant Employees			%			%		6.	%		%			%			%	
Total number of reporting units-8,618			64			32		,	4		1			9			12	
Total number of plant employees-822,623	.23		84			14			2		6			26			21	
- Office Employees																		
Total number of reporting units-8,338			63			32		-,	5		1			9			12	
Total number of office employees-252,546	546		87			11			2		6			34			22	
Mining - Non-Office Employees																		
Metal mining-49,018			8			2		•	4		16			00			33	
Gold mining-13,258			86			2			ī		00			S			51	
Uranium mining-3,715			100			1			1		19			1			20	
Other metal mining-32,045			92			7			9		20			10			24	
Coal mining-9,460			16			00			1		57			Ì			ı	
Natural gas-1,254			66			1			1		ī			56			1	
Crude oil-4,717			82			12			3		Ĩ			9			4	
Non-metal mining-7,669			96			4			1		22			26			17	
Quarrying-2,488			28			37			2		1			11			11	
Prospecting-1,303			62	•		32			9		1			10			19	
Non-Office Employees		Non-Office Employees		Office	Non-Office Employees		Office E	Non-Office Employees	Office		Non-Office Employees	Office	Non-Office Employees		Office	Non-Office Employees		Office
Transportation Operat-Others	ers ees	Operat- ing	Others	ees C	Operat-O	Others e		Operat- ing Others		Operat-	Others		Operat-	Others		Operat-	Others	ees
Air transport 3,018 7,3	7,378 7,159	80	88	06	17	6	6	m	3 1	09	77	78	48	65	17	10	4	∞
Railway transport (mining trades) 25,410 76,424	424 28,917	66	86	91	-1	7				57	09	88	57	23	46	86	26	06
Urban & suburban passenger transp 10,629 5,0	5,058 3,572	06	96	95	10	4				ı	ı	84	53	89	35	9	9	8
Interurban bus 2,230	559 706	49	30	46	28	67 5	53	80	3 1	1	1	1	28	1	24	4	m	က
Trucking 15,775 5,5	5,578 5,627	45	39	41	20	57 5	54	10	5	1	ı	1	4	4	9	7	7	00
Services incidental to water transport 12,492	2,050	72	6	33	15		23	13	4		1	1	9		4	23		20

APPENDIX 5-7 (Conc1.)

						Indust	Industrial Medical Services	al Services			1			M	Medical Personnel	onnel		
Industry & No. of Employees	nployees			Pro Medical o	Provide Medical or First Ald Services	Me	Do Not Provide Medical or First Aid Services	ovide rst Aid	No In	No Information		Physi in Atte Full	Physician(s) in Attendance Full-Time		Physician(s) in Attendance Part-Time	(s)	Physi on	Physician(s) on Call
	Non-Office Employees		Office Em- ployees	Non-Office Employees	Office Em- es ployees		Non-Office Employees	Office Em- ployees	Non-Office Employees		Office Em- ployees	Non-Office Employees		Office N Em- E	Non-Office Employees	Office Em- ployees	Non-Office Employees	Office Em- s ployees
Storage	600	9	1 035	69	4		36	40		2	0	1			J	1	11	
Storage & Warehousing	1,448	. 92	593	49	20		45	45		9	S	1	1		1	1	16	12
Public Utilities & Communications		(4)																
Electric, Gas & Water	26,368		20,094	84	92	_	15	80		1	1	35	4	43	31	39	25	28
	32,165		23,942	81	87	_	19	13	1		1	89	75	10	59	70	3	
Radio & T.V	6,323	23	6,929	63	69		35	29		2	7	1		1	2	-	1	
Municipal Public Works Departments	33,074		15,243	20	62		39	30	11		00	13		20	8	7	9	
Service																		
Hotels,	21,966	99		20			44			9		S			9		18	
Restaurants	21,397	24		21			69		10	0		1					7	
Laundries & Dry Cleaning	13,929	56		53			40			_		1			4			
Trade							2				,				,		٥	
Wholesale,	48,234	1	57,758	46	52	-	48	45		9	0	-	1	7	2	0	0 -	+
	Sales Em-	Others		Sales Em- ployees	Others	Sales Em- ployees	others	ss	Sales Em- ployees	Others	Δ.	Sales Em- Ot ployees	Others	Sales Em- ployees	Sales Em- Others		Sales Em- Oi ployees	Others
Retail	97,119 69,252 39,098	59,252	860'68	42	60 63	46	34	30	12	9	7	e	4	2 11	1 15	20	12	17
Finance and Insurance								-										-
Banks			808,308		26			44			1			1		20		
Life Insurance			19,671		78			17			22					32		
Non-Life Insurance		_	17,090		36			49			15			1		11		
	_		000		22	_		6.1			17	_		_		c		

All percentages in this table are proportions of the number of employees, except in manufacturing where percentages of reporting units are also given.

Source: "Working Conditions in Canadian Industry, 1962", Report No. 6, Economics and Research Branch, Department of Labour. This survey covers a universe of establishments having 15 or more employees.

APPENDIX 5-8
EMPLOYMENT OF SPECIALISTS IN THE ARMED FORCES, MARCH 31, 1962

2	No. Establi	in shment	No. of P	ositions led	Employ Dut	ed Staff ies
Specialty	Certi- fied	Non- Certi- fied	Certi- fied	Non- Certi- fied	Certi- fied	Non- Certi- fied
Anaesthesia	12	10	8	3	1	
Dermatology & Syphilology	3	2	2	2	1	
General Surgery	16	21	14	10		
Internal Medicine	17	17	10	3	1	
Psychiatry	13	2	6	3		
Obstetrics & Gynaecology	4	6	1			
Orthopaedic Surgery			1	2		
Ophthalmology	11		3	1	1	
Otolaryngology	8		5	1		
Ophthalmology & Otolaryngology			1			
Paediatrics					1	
Pathology	1		1	1		
Physical Medicine	2		1	2		
Plastic Surgery				1		
Diagnostic Radiology	11	3	7	3		
Industrial Medicine				3		
A viation Medicine		26		9		2
Basic Sciences				1		
Biometrics				1	300	
Hospital Administration		6		5		3
Public Health	1			15		
Total	99	93	60	64	5	5

Source: Department of National Defence, July 20, 1962, File ref. H.Q. 2-6030-2 D.S.G. (PTS) Table III.

APPENDIX 5-9

SCALE OF SALARIES IN EXISTENCE FOR PHYSICIANS IN THE ARMED SERVICES BY CATEGORIES, 1962

Categories of Physicians	Scale of	Salaries
Categories of Physicians	Unmarried	Married
L. Captain		
On enrolment	\$ 7,056	\$ 7,896
— after 3 years	8,016	8,856
— after б years	8,976	9,816
- after 9 years	9,936	10,776
2. Major		
On promotion	10,476	11,220
- after 3 years	10,836	11,580
- after 6 years	11,196	11,940
- after 9 years	11,556	12,300
3. Lieutenant-Colonel		
On promotion	11,820	12,588
- after 3 years	12,240	13,008
- after 6 years	12,660	13,428
- after 9 years	13,080	13,848
4. Colonel		,
On promotion	13,236	14,028
- after 3 years	13,656	14,448
- after 6 years	14,076	14,868
5. Brigadier		
On promotion	14,204	16,008
(no progressive pay)		
6. Major General		
On promotion	17,160	18,000
(no progressive pay)		

Note: Enrolled in rank of Lieutenant (Navy), Captain (Army), Flight Lieutenant (RCAF). Rank tables are shown in Army equivalents. Marriage, subsistence and responsibility allowances are included in gross salaries.

ECONOMICS OF MEDICAL PRACTICE - 1960

Do not write here

RETURN THIS PART OF THE QUESTIONNAIRE IN THE ENVELOPE ADDRESSED TO THE ROYAL COMMISSION ON HEALTH SERVICES

The following questions, referring to the year 1960, have been put on a separate sheet so that this portion of the completed questionnaire can be returned separately thus ensuring anonymity.

Please note that over and above the confidential and purely statistical nature of this whole study, the separation of this sheet removes any possibility of identifying the respondent. This procedure, on the other hand, makes it necessary to repeat certain questions regarding the type of your practice in order to ascertain the distribution by such characteristics of the data supplied.

State whether: rural	or urban: under 10,000 population 10,000 to 100,000 cover 100,000
2. Year of graduation years in priv	ate practice
3. Practice: solo ; partnership or group]; not in private practice
4. Type of major work in which engaged during	1960 (check one):
Private practice: General	Research
Specialist	Teaching
(state specialty)	Public Health
	Industrial medicine
	Other (specify or give title):
Consultant	Specialist
(referred only)	Non-specialist
Junior intern	Retired
Senior intern, resident, fellow	8
Hospital staff: Specialist services	
Other (specify)	
	9.1
site return, and giving the number of men	checkmark that this is such a compo- nbers of the group (number)
 Annual operating expenditures incurred in the If you find it more convenient from your book operating expenditure items differently, (e.g. plete this section in accordance with your re- 	kkeeping methods to arrange the following in line with your tax return, etc.) com-
1) Medical, surgical supplies and services	7) Automobile operating
2) Salaries or wages paid to assistants:	
-\ N	expenses \$
a) Nursing staff No	8) Interest paid on
b) Technical staff No	8) Interest paid on borrowed capital
	8) Interest paid on borrowed capital9) All other expenses of
b) Technical staff No	8) Interest paid on borrowed capital 9) All other expenses of practice (incl.
b) Technical staff No	8) Interest paid on borrowed capital9) All other expenses of
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees, misc. office expenses,
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service 4) Assistant's fees	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees,
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service 4) Assistant's fees 5) Office rental	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees, misc. office expenses,
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service 4) Assistant's fees 5) Office rental 6) Depreciation:	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees, misc. office expenses,
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service 4) Assistant's fees 5) Office rental 6) Depreciation: a) Medical equipment costing over \$50	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees, misc. office expenses,
b) Technical staff No c) Clerical & other staff No 3) Telephone & answering service 4) Assistant's fees 5) Office rental 6) Depreciation: a) Medical equipment costing over \$50 b) Medical equipment (less than \$50)	8) Interest paid on borrowed capital 9) All other expenses of practice (incl. convention expenses, association fees, misc. office expenses, etc.)

6. Depreciated value of capital assets	at end of 1960					Do not write here
7. Capital cost of buildings and/or eq	uipment purchas	ed in 196	0		\$	
8. Net income for 1960 from medical p (a) Net income from practice (b) Income from salaried appointment (c) Other professional income (fellow)	nt				\$	
COMPLETE THE FOLLOWING QUEST PRACTICE WAS ESTABLISHED SING		F				
9. Cost of establishing practice:		×				
 (1) How did you establish your practical (a) by taking over an existing p (b) by establishing an entirely reduced (c) starting practice under control (i) community organization (ii) partnership or group? (2) In what year did you establish to the control (iii) partnership or group? 	ractice new solo practic ract with: (e.g. municipali		try, etc.)	· 🗆		
Underline: 1957, 1958,		, 1961,	1962			
(3) Indicate under the following he	adings the NET	COST of	items pu	rchased	as follows:	
	Initial cost in 1st year	additio		in each f practic	subsequent e	
	of practice	2nd year	3rd year	4th year	5th year	
(a) Office space purchased (if rented check here)	\$	' \$	*	\$	\$	
(b) Examining and consulting room equipment					_	
(c) Office and waiting room furniture and equipment (e.g., filing cabinets, typewriter, etc.)						
(d) Automobile used in practice						
(e) Other capital goods						
(f) Purchase of practice		-	-			
(4) Source and amount of funds use	ed to establish	practice i	nitially:			
Source:					Amount:	
(a) Personal resources						
(b) Gift				• • • •		
(c) Credit or loan:						
(i) Family or relatives						
(ii) Bank						
(iii) Other (specify)						
(5) From the time you set up pract income to exceed the annual c current living expenses?	ost of operating	your prac	ctice plus			

PLEASE RETURN THIS SHEET TO THE ROYAL COMMISSION ON HEALTH SERVICES

GEOGRAPHIC DISTRIBUTION OF GROUP MEDICAL PRACTICE, BY SIZE OF GROUP AND SIZE OF COMMUNITY, FOR REGIONS AND CANADA, 1960¹

Parlamental co			Grou	p Siz	e (N	umbe	er of	Doct	ors)	
Regions and Size of Community	3	4	5	6	7	8	9	10	10+	Total
Atlantic Region	12	3	1	5	1	_	1	1	_	24
Rura1	2 2 5 3	- 3 -	1 - -	- 4 1 -	- - - 1	- - -	- 1 -	- 1 -		2 7 11 4
Quebec	14	3	2	2	1	1	-	-	_	23
Rura1	3 1 4 6	1 1 1	1 - 1 -	- 1 1	- - - 1	- - 1	- - -	- - -		4 2 7 10
Ontario	34	10	9	3	3	1	3	1	6	70
Rura1	8 8 7 11	1 2 2 5	- 3 4 2	- 3 -	- - 3 -	- 1 -	- - 3	- 1 -	- 2 4	9 13 23 25
Prairie Region	32	13	9	2	5	_	3	2	9	75
Rura1	10 5 3 14	4 2 4 3	2 3 1 3	1 - 1 -	3 1 1		- 1 - 2	_ _ 2 _	- 3 6	17 14 15 29
British Columbia	20	11	5	4	4	1	1	_	3	49
Rura1	4 2 6	2 2 1 6	1 2 1 1	- 1 1 2	- - 4	- 1 -	- - - 1	-	- 1 2 -	7 8 12 22
Not Stated	1	-	-	_	_	_	_	_	-	1
Rura1	- - - 1			1 1 1 1	1 1 1					- - - 1
Canada	113	40	26	16	14	3	8	4	18	242
Rura1	27 18 25 43	7 7 11 15	4 9 7 6	1 2 10 3	- 3 4 7	- 2 1	1 1 6	1 3 -	- 1 7 10	39 42 69 91

 $^{^{\}mathbf{1}}$ Includes only those practices that responded.

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

AVERAGE ANNUAL TOTAL NET INCOME FROM MEDICAL PRACTICE AND SALARIED APPOINTMENT OF ACTIVE CIVILIAN

PHYSICIANS, BY TYPE OF	MAJOR	WORK I	IN WHICH	H ENGAGED	GED DI	DURING 1	1960, FO	OR PROV	PROVINCES	AND CA	CANADA	
Type of Major Work and Source of Income ¹	Nfld.	P.E.I.	N.S.	N.B.	One.	Ont.	Man.	Sask.	Alta.	B.C.	Not Stated	Canada
Private Practice: General Practice Statiste Appointment Other Professional	11,580 2,280 20	9,890 1,220 250	13,400 290 130	12,990 410 90	10,050 810 130	14,300 590 40	13,720 650 20	12,250	12,820 510 10	15,680 520 20	13,130 790 110	13,060 700 60
Total Average Income	13,880	11,360	13,820	13,490	10,990	14,930	14,390	13,810	13,340	16,220	14,030	13,820
Response Count	24	13	73	53	449	742	84	87	114	196	105	1,940
Specialist Prectice Salaried Appointment Other Professional	14,650 2,850 170	6,440 8,460 30	13,440 4,710 240	16,130 3,450 60	12,610 3,510 220	17,220 3,270 170	10,970 5,510 70	11,550 5,620 310	15,490 3,670 160	14,480 3,500 50	16,780 3,500 70	14,960 3,600 170
Total Average Income\$	17,670	14,930	18,390	19,640	16,340	20,660	16,550	17,480	19,320	18,030	20,350	18,730
Response Count	23	7	87	65	654	915	74	69	127	241	96	2,358
Internship: Junior Practice Salaried Appointment Other Professional	4 00	111	1,780	111	1,260 80	1,780 70	1,020	780 260	1,460	81D 1,250	300	190 1,490 60
Total Average Income\$	400	I	1,780	1	1,430	2,010	1,110	1,040	1,530	2,060	1,840	1,740
Response Count	1	1	4	ı	33	63	6	4	13	15	00	150
Senior Practice Procinent Salaried Appointment Solution Other Professional Solution State	100 4,380 440	[1]	3,080 550	440 960 1,820	650 2,050 400	120 2,880 470	3,210 5,10	300 2,500 660	2,090 420	280 2,990 400	1,870	300 2,590 470
Total Average Income	4,920	1	3,840	3,220	3,100	3,470	3,910	3,460	2,570	3,670	2,320	3,360
Response Count	9	1	19	7	177	259	34	19	28	51	18	618
Hospital Staff: Specialist Practice Practice Salaried Appointment Other Professional	15,000	11.1	2,660 11,730 190	10,580	3,060 9,730 110	2,410 12,800 280	1,210 10,910 180	10,050	590 10,780 360	550	11,070	1,930 11,450 210
Total Average Income	19,000	1	14,580	10,580	12,900	15,490	12,300	10,050	11,730	11,320	11,200	13,590
Respanse Count	2	I	7	80	40	79	14	10	5	20	8	188
Other Professional.	9,860	111	8,850	15,000	1,400 10,210 750	2,500 10,510 290	940 8,810	9,080	250 8,820 200	11,770	2,250 7,270 30	1,270 10,060 230
Total Average Income	9,860	1	8,850	15,000	12,360	13,300	9,750	080'6	9,270	11,800	0526	11,560
Response Count	5	1	2	1	11	26	4	9	7	6	4	75

APPENDIX 6-3 (Concl.)

Type of Major Work and Source of Income 1	Nfld.	P.E.I.	N.S.	N.B.	one.	Ont,	Man.	Sask	Alta	B, C,	Not Stated	Canada
Hospital Staff: (Concl'd) Research												
Practice Salaried Appointment	11	1.1	8,330	1.1	320	580	8,920	7,000	2,140	560 10,320	7,660	7,330
: : : : : : : : : : : : : : : : : : : :	ı	ı	330	ı	1, 180	1, 190	7 40	ı	2,230	ı	330	1,020
Total Average Income \$	ı	ı	9,160	ı	9,020	8,150	10,420	20,000	10,300	10,880	7,990	8,940
Response Count	I	ı	9	ı	42	69	6		7	13	6	156
	ı	ı	7,930	ı	970	2,530	5,420	ı	3,370	3,620	1,000	2,760
Salaried Appointment\$ Other Professional	1 1	1 1	7,960	H	9,020	11,940	9,070	3,170	10,280	11,270	13,660	10,490
	ı	ı	16,330	ı	10,450	15, 190	14,490	13,500	14,730	14,890	14,860	13,870
Response Count	1	ı	80	ı	26	35	7	က	10	9	S	100
Public Health				12					52			
Practice	10,430	10,350	11,170	2,250 8,360	1,790 8,560 50	9,790 9,790 90	1,040 11,820 -	700 11,280 20	8,570 30	10,960	670 10,370 160	790 9,850 110
Total Average Income \$	10,430	10,350	12,590	10,610	10,400	10,350	12,860	12,000	9,360	11,200	11,200	10,750
Response Count	∞	2	S	4	22	88	14	18	16	29	15	256
Industrial Medicine												
Practice Salaried Appointment Other Professional Other Professional	2,000 13,000	111	6,000	11,250	3,710 8,990 20	1,240 12,860 100	12,500	4,000 3,500	11,410	3,800 10,110 50	360 11,140 100	2,110 11,000 60
Total Average Income \$	15,000	1	6,250	11,250	12,720	14,200	12,500	7,500	11,410	13,960	11,600	13,170
Response Count	1	1	2	2	21	40	1	1	4	11	7	06
Other							1					
Practice \$ Salaried Appointment \$ Other Professional \$	570 7,040	111	3,530 8,540 120	5,750 6,840	5,090 7,550 430	5,900 8,500 250	3,000 11,090	610 10,730 190	8,860 7,090 10	4,020 7,770 70	400 12,070 300	4,960 8,300 210
Total Average Income \$	7,610	ı	12,190	12,590	13,070	14,650	14,090	11,530	15,960	11,860	12,770	13,470
Response Count	7	ı	18	9	42	83	∞	7	15	23	S	214
Not Stated					7		0					
Practice Salaried Appointment Salaried Appointment	1,500	H	5,930	11	11,980	12,800	3,000	11	14,250 4,500	9,760	10,440	11,300 3,500
: : : : : : : : : : : : : : : : : : : :	ı	ı	2,920	ı	140	077	ı	ı	ı	ı	ı	310
Total Average Income \$	8,500	1	16,470	1	17,270	15,380	2,000	1	18,750	11,260	10,440	15,110
Response Count	1	ı	2	1	6	15	1	ı	2	2	2	34

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services. 1 Excludes partnership or group medical practice.

APPENDIX 6-4

AVERAGE TOTAL NET INCOME OF PHYSICIANS IN GROUP PRACTICE AND NUMBER OF PRACTICES/DOCTORS, BY SIZE OF GROUP, FOR PROVINCES AND CANADA, 19601

					Size of	Size of Medical Group	Group				Toto	Average Net
LIOATICE		3	4	rv	9	7	∞	6	10	10+	10191	Group Sizes
Newfoundland Number of Practices/Doctors 1/3	tors	1/3	2/8	ı	ı	1	- 1	ı	ı	ı	3/11	
Average Net Income	69	15,730	6,610	1	l	1	1	I	l	1		\$ 9,110
Prince Edward Island Number of Practices/Doctors	tors	ı	.1	1	2/12	ı	1	1/9	ı	ı	3/21	9
Average Net Income	•	ı	ı	ı	14,840		ı	15,000	ı	1		\$ 14,910
Nova Scotia Number of Practices/Doctors Average Net Income	octors 9/27	9/27	1.1	1/5	2/12 23,250	1.1	1.1	1.1	1.1	1.1	12/44	\$ 20,450
New Brunswick Number of Practices/Doctors 1/3 Average Net Income \$ 19.380	tors	1/3	1.1	1 1	1.1	1.1	1.1	1.1	1.1	1.1	1/3	\$ 19,380
Quebec Number of Practices/Doctors 7/21 Average Net Income	tors		3/12 1/5	1/5	1/6	1 1	1/8	1 1	1 1	1 1	13/52	\$ 17.230
Ontario Number of Practices/Doctors 27/81	tors		7/28 7/35	7/35	3/18	3/21	1/8 1/9		1/10	5/78	55/288	
Average Net Income	\$	20,310	18,900	14,710	21,000	14,470	23,130		16,680	19,560		\$ 18,890
Number of Practices/Doctors 7/21 Average Net Income \$ 14,020	tors\$	7/21	2/8 16,620 10,500	1/5	1.1	1.1	1.1	U	1/10	2/80	13/124	\$ 26,710
Saskatchewan Number of Practices/Doctors Average Net Income	octors 9/27	9/27	4/16	3/15	1.1	1/7	ΙΙ	1/9	1.1	1.1	18/74	\$ 17,420
Alberta Number of Practices/Doctors 12/36 Average Net Income\$ 16,890	tors	12/36	7/28 18,150	3/15	1/6	2/14	1.1	1/9 16,910	U	6/97	32/205	\$ 17,780
Number of Practices/Doctors 17/51 Average Net Income\$19,940	tors		8/32 5/25 20,440 23,460	5/25 23,460	4/24	4/28 15,360	1/8 18,130	ΙI	U	3/46	42/214	\$ 19,460
Canada Number of Practices/Doctors 90/270 Average Net Income	tors	00/270	33/132 21/105	21/105	13/78	10/70	3/24 4/36		2/20	16/301	16/301 192/1,036	\$ 10.420

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services. 1 Includes only those practices that responded.

RESPONSE COUNT AND AVERAGE NET INCOME OF ACTIVE CIVILIAN PHYSICIANS WITH INDEPENDENT PRACTICE ONLY, BY TYPE OF MAJOR WORK IN WHICH ENGAGED DURING 1960, FOR PROVINCES AND CANADA¹

		Type of N	Aajor Work	
Province	Ger	nera1	Spe	cialist
	Response Count	Average Net Income	Response Count	Average Net Income
	п	\$		\$
Newfoundland	11	14,180	12	14,850
Prince Edward Island	10	10,400	1	15,510
Nova Scotia	58	14,090	41	19,150
New Brunswick	47	13,580	40	20,870
Quebec	361	10,310	309	16,540
Ontario	621	14,940	528	21,470
Manitoba	72	14,410	33	18,090
Saskatchewan	64	13,290	25	21,590
Alberta	96	13,110	51	19,670
British Columbia	168	16,370	129	18,680
Not Stated	92	14,030	52	19,220
Canada	1,600	13,690	1,221	19,500

¹ Excludes partnership or group medical practice.

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS, BY TOTAL NET INCOME RANGE, FOR PROVINCES AND CANADA, 19602 APP ENDIX 6-6

Level of Income Newfoundland Prince Edward Nova Scotia New Brunswick Quebec Outcome \$\$1,000-2,000 1 3 1 5 1 4 2 2 1 1 6 4 2 1 1 6 4 2 1 1 6 4 2 1 1 6 4 2 1 1 6 4 2 1 1 4 0 6 3 3 6 4 0 9 6 4 0 1 1 1 4 2 2 1 1 4 2 2 1 1 4 2 2 1 1 4 2 3 3 4 4 2 2 1 1 4 2 2 1 1 4 2 3 3 1 4 2 3 3 4 4 3 6 4 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>1</th> <th>ROV</th> <th>PROVINCE</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>									1	ROV	PROVINCE								
A B C A B C	Level of Income	New	foundla	pus	Princ Is]	e Edwa land	ırd	Nov	a Scotia	æ	New B	runswi	X	O	nebec		0	Ontario	
2 3 1 1 5 1 4 2 1 70 4 90 83 5 34 80 113 1 1 1 1 1 1 5 1<		А	В	O	А	В	Ö	А	В	O	А	В	O	A	В	O	A	В	O
4 1 0 4 2 3 3 4 8 3 3 4 8 3 5 34 88 8 3 8 3 8 3 8 9 8 3 113 8 4 3 6 3 1 8 4 3 6 3 1 1 8 4 3 6 4 3 1 8 4 3 6 5 3 1 1 8 4 3 6 4 3 1 8 4 3 6 4 3 1 8 4 3 6 4 3 1 8 8 5 3 1 1 8 8 5 3 1 1 8 8 5 3 1 1 8 8 8 9 9 1 1 1 1 1 1 1 <td>0-0</td> <td>7</td> <td>ω,</td> <td></td> <td>1</td> <td>22</td> <td>1</td> <td>4</td> <td>2</td> <td>7</td> <td>7</td> <td>1</td> <td>-</td> <td>70</td> <td>4</td> <td>8</td> <td>20</td> <td>2</td> <td>29</td>	0-0	7	ω,		1	22	1	4	2	7	7	1	-	70	4	8	20	2	29
1	2,001-	1 4	- 12	0 1	1 1	1 1	1 1	00 4	rs 63	ω ←	9 -	4 -	0 0	83	s c	34	163	m r	33
1 1 1 1 1 1 1 1 1 1	3,001-	1 2	ς -	- 1		ro ro	10	0 4	e c	20	4 6	800	77	77	2 4	38	113	. rv u	45
1	5,001-	1		1	1	1	1	. 2			20	1 m	4 00	57	- 4	32	65) m	36
7 9 2 1 5 - 1 5 - 1 5 - 1 5 - 1 5 - 1 5 6 8 5 3 1 5 9 8 9	6,001-	— и	1	10	1 -	lu	١٥		8	4 1	6	10	ro a	09	4	31	59	27	30
8 10 3 14 1 15 - 21 9 6 5 3 2 105 7 32 93 7 9 2 1 4	8,001-	0 1-	001	4 m		ດທ	0 1	5	50	0.0	8	2	4 °C	73	010	28	8 2 2	4.4	34
No.	\$ 9,001-10,000	4	S	-	1	rv.	1	21	6	9	S	8	7	105	7	32	93	4	88
4 5 2 1 7 7 5 6 7 10 1	\$10,001-11,000	1 00	10	m (m +	14	(13	91	ro ı	ro (ε,	7	64	4	22	103	4	36
2 3 4 5 0 10 4 4 4 3 2 63 4 25 98 2 3 1 4 18 1 10 4 3 2 63 4 25 98 2 3 1 1 5 0 13 6 5 9 6 4 48 3 25 118 2 3 1 1 1 1 1 1 4 3 2 4 4 3 25 63 4 4 3 25 63 101 101 101 101 101 101 101 101 101 4 3 2 4 4 3 2 4	\$12,001-13,000	4	טי ע	7 7	7	ი 6	o 1	17	. 9	s c	© 00	4 m	7 %	51	9 6	26	108	4 4	31
3 4 1 4 18 1 10 4 3 5 3 8 5 3 8 5 7 18 2 3 1 1 5 0 13 6 5 9 6 4 48 3 25 63 2 3 1 1 1 1 1 4 5 4 3 2 4 3 25 63 63 63 101 101 101 101 101 101 101 101 101 101 4 5 4 4 3 2 4 4 3 25 63 101	\$13,001-14,000	4	S	7	1	Ŋ	0	10	4	4	4	n m	7	63	4	25	98	4	38
2 3 1 1 1 2 0 13 6 5 9 6 4 4 8 3 25 63 101 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$14,001-15,000	3	4	-	4	18	-	10	4	3	00	S	3	80	r,	27	118	2	39
2 3 1 3 14 1 10 4 5 4 3 2 42 3 25 63 1 1 1 1 1 1 4 5 4 3 2 4 3 2 2 4 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 4 <td< td=""><td>\$15,001-16,000</td><td>77</td><td>с</td><td>٠,</td><td>1</td><td>rc.</td><td>0</td><td>13</td><td>9</td><td>ro i</td><td>6</td><td>9</td><td>4</td><td>48</td><td>3</td><td>20</td><td>101</td><td>4</td><td>42</td></td<>	\$15,001-16,000	77	с	٠,	1	rc.	0	13	9	ro i	6	9	4	48	3	20	101	4	42
5 6 3 - - 7 3 4 4 3 2 3 2 1 1 2 21 2 2 3 2 2 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 2 3 3 2 3 3 2 2 3 3 2 2 3 3 2 3 2 3 3 4	\$17,001-18,000	7 6	nn	٦.	1 00	14	1 -	∞ <u>C</u>	w 4	n n	4	ი	7	42	m m	25	63	ლ ი	37
1 1 1 1 1 1 1 1 1 1	\$18,001-19,000	ro.	9	ω.	1	. 1	- [7	. 00	4	4	3	7	31	2 2	19	28 5	2 2	55
The state of the s	\$19,001-20,000	1	1	-	1	1	1	00	n	4	9	4	3	39	2	20	83	3	42
The state of the s	\$20,001-21,000		0	-	1	1	1	4	2	က	8	2	7	28	7	23	65	3	53
Tr 3 4 0 1 5 0 18 8 3 22 15 3 125 8 18 350 1 13,000 1 13,000 1 13,000	\$22,001-23,000	A 4	o ro	4	1 1	1 1	1 1	14	00	<i>ا</i> د	n 02	m c	m ~	7 28	N =	19	61	ი ი	41
2 3 2 5 2 2 1 2 2 2 2 4 37 3 4 0 1 1 5 0 18 8 3 22 15 3 125 8 18 350 78 1.3% 2.96 1.3% 2.4% 146 2.4% 1,561 25.3% 2,414 \$ 12,000 }	\$23,001-24,000	1	1	1	1	1	1	4	2	4 4	4	1 m	4	6	4 ₩	10	49	10	53
3 4 0 1 5 0 18 8 3 22 15 3 125 8 18 350 78 1.3% 22 1.3% 2.33 3.4% 146 2.4% 1,561 25.3% 2,414 \$12,000 13,000 13,000 13,000 14,000 14,000 11,000 14,000	\$24,001-25,000	2	က	7	1	ı	1	2	7	7	2	-	7	26	7	24	37	2	34
78 1.3% 22 0.4% 233 3.8% 146 2.4% 1,561 25.3% 2,414 296 1.3% 88 0.4% 728 3.4% 462 2.1% 6,067 28.3% 8,120 \$ 12,000 13,000 13,000 14,000 11,000 11,000 14,000	\$25,000 and over	3	4	0	1	25	0	18	00	က	22	15	3	125	00	18	350	14	20
296 1.3% 13,000 13,000 13,000 13,000 14,000 2.00 14,000 14		10			Č	3		0	200		,	3			1		;	;	
\$ 12,000 11,000 14,000 14,000		296			88	0.4%		728	3.4%	9	146	2,1%			28,3%		2,414	39,1%	
		12,000			13,000			13,000			14,000						14,000		

APPENDIX 6-6 (Concl.)

ĭ	1																													0	-
	ada	U	က	4	9	4	r 10	. ~	2 (n 4	4	S	S	ý	4	4	S	4	က	က	က	က	7	7	7	-	7	11	5	100.07	
	Canada	A	173	241	362	250	202	170	119	196	257	329	288	344	255	257	300	243	170	207	167	197	123	150	114	92	108	703	t v	0,179	0.44
		Ö	4	9	v	, r	o (c)	, ,	ο.	4 v	4	9	S	'n	Ŋ	4	4	'n	7	က	4	4	7	'n	Ŋ	S	3	9			
	Stated	В	~	v	· ·	0 0	o (c	, ,	7	n u	4	7	'n	9	4	8	4	4	-	7	8	က	1	3	7	7	1	15	,	4.5%	ı
	Not	A	7	14	00	0	10	. 4	0 1	12	10	20	14	16	12	6	12	11	4	9	7	∞	2	∞	9	w	3	41	1	1.1.7	12,000
	ia	U	v	· v	0	n u	0 1		10	17	- 1	13	11	13	9	11	10	11	12	14	16	10	00	11	11	12	14	10			
	Columbia	Д	-		ı ır	,	n c	4 (2	4 0	o (*)	7	ın	7	3	4	'n	4	3	'n	4	3	7	3	7	7	2	11		10.0%	0,5.01
eo	British	A	o	<u>, r</u>	2 6		17	† ;	18	24	10	43	33	44	16	27	30	27	21	28	26	20	10	16	13	11	15	69		616	14,000
Province		O	v	10	- 4	o ı	n c	o 1	S	9	+ (4	9	000	7	'n	w	w	w	7	7	∞	9	4	w	7	9	ro			
Ъ	Alberta	B.) U	10	_ (n c	7 (က	ი ი	o n	0.4	v	000	ur,	4	'n	3	2	4	3	4	2	2	2	2	12	11		5.6%	0.8%
	AI	A	1.	111	17	57	12	,	6	12	16	13	16	27	17	13	16	11	00	15	111	15	7	9	9	9	7	37	,	348	13,000
	п	U	0	2 0	0 (n (m c	n	က	m ı	n u	ט ער	u	u	u C	ı.	7	m	4		V.	'n	2	m	С,	C	1 0	7			
	Saskatchewan	В		7 0	0.	4	4 (ν,	7	77	n r	- 1-		10		9 0	000	4	٠,	, m	4	. 4	_		ı	-	4 67	000		3.6%	4.0%
	Saska	A	·	10	- (10	1 00	_	S	w	17	ر د بر	14	1 7	13	13	9	00	9	7	. 00	6	c	4		00	11	17		225	847 12,000
		υ	1		4 (7	w c	9	9	9	7 4	0 6	u) K) Lr	2 0	4	u	10	. 4	٠ ٧	4	- 1	4	- 4		1 4				
	Manitoba	В	1	_	+ /	~	10.1		-	4	~ .	0 "			- v		. v	· ·	·	. m	4	- 65			10	1	10	1 00		4.2%	5.2%
	Man	A	,	77	10	7	12	12	11	11	n (01	, u	11	13	3 7	13	12	12	70	1	000	1	9	> 4		14	20		259	1,126 12,000
	Level of	Income		0	1,001-	2,001-		\$ 4,001- 5,000	\$ 5.001- 6.000	6,001-	7,001-	\$ 8,001- 9,000	***************************************	\$10,001-11,000	\$11,001-12,000	\$12,001—13,000	\$14,001-14,000	\$15 001 16 000	#15,001—10,000 #16,001 17,000	\$10,001 -17,000	#10 001 10 000	\$19,001-19,000	\$20,001 21,000	\$20,001 -21,000	\$21,001 -22,000	422,001,23,000	\$23,001-24,000	\$25,000 and Over	Totals	Questionnaire	Directory

Includes net income from practice, income from salaried appointment, and other professional income.
 Excludes partnership or group practice.
 Directory of Canadian Mailings Limited, listing as per October 1, 1962.

A. Number reporting.
B. Per cent of total reporting in province.
C. Per cent of Canada.

Source: Royal Commission on Health Services, Questionnaire on The Economics of Medical Practice 1962, Questions 1 and 8.

ACTIVE CIVILIAN PHYSICIANS, BY TYPE OF MAJOR WORK IN WHICH ENGAGED IN 1960 AND BY AVERAGE TOTAL NET INCOME FROM MEDICAL PRACTICE AND SALARIED APPOINTMENT OF SIZE OF COMMUNITY IN WHICH LOCATED, FOR REGIONS AND CANADA1

(B) Rural areas (A) Region

(C) Urban areas, under 10,000 population (D) Urban areas, 10,000-100,000 population

(E) Urban areas, over 100,000 population (F) Size of locality not stated

	Not	Stated	11,870	n -	8,960	11	17,680	1.1	17,130	1.1	7,280	5,000	22,440	l:I
		Other	11,160	7,280	15,660	11,160	9,700	11,330	12,640	9,000	6,000	7,630	13,230	_ 24,000 _ 1
	Indus-		8,830 15,890 10,650 10,000 11,160 11,870	9,750 15,000		15,820 10,440 11,250 11,160 4 10 2 11,180	12,000	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9,980 10,340 12,700 12,640 17,130 26 57 21 42 9	8,300 14,460	10,000 12,960 6,000 7,280 2	7,880 15,000 7,630 5,000 19 19 1	7,720 10,290 12,200 12,390 13,230 22,440 35 25 28 40	11
	:	Teach- Public ing Health	10,650	9,750	10,820 -	10,440	11,500	11,850	10,340	8,300	10,000	7,880	12,200	7,000 2,200 13,450 2 1 2
rk	I	reach- ing	15,890	xo I		15,820	15,960	1.1	9,980	1 1	1-1	1 1	10,290	2,200
Major Wo	1	search				1.1				1.1	14,000	11		
Type of Major Work	Hospital Staff	Other	3,100 12,670 10,250	9,300 3,600	11	12,830	9,800 10,200	8,450	2,710 12,790 11,610 177 40 11	1.1	1-1	11,910	2,590 12,710 11,550 159 30 9	1-1
T	Hospit	Spe- cialist	12,670	9,300	9,600	3,390 14,340 12,830 17 11 4	9,800	1.1	12,790	1,850 7,000	7,000 10,950	8,990 17,840 11,910 3 5 2	12,710	1,540 1,080 -
	Internship	Senior	3,100	32		3,390	2,960	2,000			7,000	8,990	2,590	1,540
		Spe- cialist Junior	1,500	400		1,200	2,550	800 2,000	1,350	1.1	990	800	1,420	940
	Private practice	Spe- cialist	13,420 18,450 1,500	10,090 11,830	14,630 15,740	15,640 18,630 1,200 47 121 1	14,160 21,850 2,550 2,960 6 29 2 12	12,480 13,620 5 3	10,870 16,120 449 654	10,690 14,700	9,660 13,350 82 20	11,240 16,340 94 135	11,270 16,400 152 459	11,890
	Private	Gen- eral	13,420	10,090	14,630	15,640	14,160	12,480	10,870	10,690	9,660	11,240	11,270	14,860 11,890 6 11,890
	Region, Size of Community Average Net Income and	Response Count	Atlantic Provinces (A) Average net income\$	(B) Average net income \$	(C) Average net income	(D) Average net income	(E) Average net income	(F) Average Net income	Ouebec (A) Average net income\$ Number of respondents	(B) Average net income	(C) Average net income	(D) Average net income	(E) Average net income	(F) Average net income

APPENDIX 6-7 (Cont'd)

					Ē	Type of Major Work	ajor Wor	м.				
Region, Size of Community	Private Practice	ate	Inter	Internship	Hospital Staff	1 Staff	Q	T co	Dublic	Indus-		Not
Average Net income and Response Count	Gen- era1	Spe- cialist	Junior	Senior	Spe- cialist	Other	search	ing	Health	Medi-	Other	Stated
-												
Ontario	14,900	14,900 20,500 1,940	1,940	3,000	15,210	13,010	096'9	14,470 10,270	10,270	14,110	14,110 14,400 15,160	15,160
9	742	915	63	259	79	26	69	35	88	40	83	15
Section of the contract of the	13.530	12.480	1	3,200	9,500	1	16,000	8,280	8,280 11,430	ı	11,000	1,160
v.	122	6	ı	7	7	1	1	н	9	1	2	
	15.740	13,430	1,580	9,730	8,830	8,300	ı	1	4,800	7,500	8,100	ı
v	111	12	7	3	7	1	1	1	∞	7	-	1
	17.440	20,000	1,950	3,100	16,630	12,620	4,490	13,840	9,270	14,920	14,040 31,380	31,380
U	185				31	4	6	ιΩ	19	13	17	က
	13.660	20,950	2,010	2,920	15,080	13,130	7,410	7,410 14,890 11,370 14,210	11,370	14,210	15,200 13,050	13,050
v	314			213	42	19	57	28	51	25	59	6
:	13.980	20,530	1.280	2,490	8,250	15,000	009	12,000 10,140	10,140	1	7,450	7,350
(r) Average net income	10		4	10	. 7	2	2	1	4	1	4	7
		*										
	1			2 830	11 280	0 240		13,450	11.350	9.630 13.450 11.350 10,940	14,380 14,170	14,170
(A) Average net income	13,790	270	1,240	2,030	29	17		20	48	9	30	8
4	12.210	10.570	900	1.800	10,380	5,000	12,500	1	10,660	9,750	10,280	1
(b) Average net income	95	3		, 1	3	1	1	1	9	7	4	1
\$	14,830	13,010	1,300	5,960	6,150	5,290	1	1	10,350	1	1	ł
its		10	_	9	4	2	1	ı	7	1	1	ł
S. C.	14.440	16,880	1	2,090	9,320	8,820	20,000		10,330 11,350	1	13,130	1
ts	26		ı	16	6	9	1	3	14	1	4	1
S	14,450	18,800	1,490	2,820	13,650	11,070	8,740		14,000 11,630	11,530	16,030	16,030 11,500
its	102			55	12	∞	15	17	22	4	20	7
(F) Average net income\$	14,630	7,280	930	1,550	23,600	ı	1	1	11,420	ı	8,600	8,600 19,500
Number of respondents	4	4	4	7	1	ı	1	ı	4	1	7	٦

APPENDIX 6-7 (Cont'd)

					1	ype of !	Type of Major Work	갂				
Region, Size of Community Average Net Income and	Priv Prac	Private Practice	Inter	Internship	Hospit	Hospital Staff				Indus-		
Response Count	Gen- eral	Spe- cialist	Junior	Senior	Spe- cialist	Other	Re- search	Teach- ing	Public Health	trial Medi- cine	Other	Not Stated
British Columbia												
(A) Average net income \$		16,190 17,990	2,050	3,270		11,320 11,810	10,890	14,890	10,960	13,900	10,890 14,890 10,960 13,900 11,790	11,260
Number of respondents	196	241	15	51	20	6	13	9	29	11	23	2
(B) Average net income \$	17,920	17,920 13,290	5,060	2,800	1	ı	1	Ī	10,000	1	14,510	1
Number of respondents	33	4	7	7	ı	1	I	I	1	1	1	1
(C) Average net income \$	18,000 14,210	14,210	4,250	4,820	8,810	1	16,000	1	10,640	ı	15,000	Í
Number of respondents	27	9	1	2	3	1	1	1	2	ı	1	ī
(D) Average net income \$	16,020 20,470	20,470	1	5,220	15,000	9,250	6,400	1,500	11,220	11,220 30,760	10,530	ı
Number of respondents	59	49	1	က	1	2	1	1	13	1	3	ı
(E) Average net income \$	14,860 17,620	17,620	1,430	3,030	11,580 13,070	13,070	10,580	10,580 17,570 10,830 11,850	10,830	11,850	11,250	11,260
Number of respondents	74	178	11	40	15	9	6	Ŋ	13	6	16	7
(F) Average net income \$	17,050 14,460	14,460	770	3,710	11,320	9,330	11,950	1	1	15,500 15,000	15,000	1
Number of respondents	3	4	Н	4	П	1	7	1	I	1	2	1
Not Stated				55								
(A) Average net income \$	13,910	13,910 20,270	1,840	1,870	11,200	9,520	7,660	14,660	11,040	11,490	7,660 14,660 11,040 11,490 12,470 10,440	10,440
Number of respondents	105	96	00	18	3	4	6	S	15	7	ıs	7
(B) Average net income \$	11,870 10,000	10,000	ı	1	13,000	1	1	1	ı	1	1	ı
Number of respondents	17	1	1	1	1	1	1	1	1	1	1	1
(C) Average net income \$	13,120 12,470	12,470	1,850	1	11,200	9,830	1	ı	000'6	9,000 12,980	ı	1
Number of respondents	25	S	1	1	1	7	1	ı	П	2	Ī	1
(D) Average net income \$	17,830 19,600	19,600	1	3,120	1	1	ł	22,000	11,000	22,000 11,000 10,000	12,000	I
Number of respondents	21	24	1	1	ı	1	1	1	ιΩ	2	1	1
(E) Average net income \$	11,860 21,460	21,460	1,800	1,780	9,400	9,200	9,050	12,830	11,290	12,500	9,050 12,830 11,290 12,500 12,580 10,440	10,440
Number of respondents	38	63	7	∞	П	2	S	4	9	П	4	7
€9 : : :	26,520 17,160	17,160	1,850	1,810	1	ı	5,920	ı	11,270 11,000	11,000	1	1
Number of respondents	4	3	1	12	1	1	4	1	3	2	1	1

APPENDIX 6-7 (Concl.)

					Ty	Type of Major Work	ajor Wor	¥				
Region, Size of Community	Priv	Private Practice	Intern	Internship	Hospital Staff	1 Staff			-	Indus-		+ CN
Average Net Income and Response Count	Gen- eral	Spe- cialist Junior Senior	Junior	Senior	Spe- cialist	Other	ke- search	reach- ing	leach- Public trial ing Health Medi- cine	Trial Medi- cine	Other	Stated
Canada												
(A) Average net income	13,750	13,750 18,560 1,680 1,940 2,358 150	1,680	2,890 618	2,890 13,380 618 188	11,330	7,920	,920 13,250 156 100	10,640	13,110	13,260	14,800 34
	12,350 13,420 2,780 2,420 9,860 4,300 14,250 8,280 10,180 12,240 9,640 433 49 4 8 8 9 2 2 1 20 4 12	13,420	2,780	2,420	9,860	4,300	14,250	8,280	10,180	12,240	9,640	1,160
(C) Average net income	14,020	14,030	1,830	6,830	8,740	7,710	15,000	1 1	8,130	11,410	8,130 11,410 .12,220 20 7 8	8,120
€9. : 		18,710 639	1,640	3,280	15,540 18,710 1,640 3,280 15,110 10,940 6,070 13,350 9,870 14,850 12,140 24,790 432 639 6 71 57 18 11 14 80 14 46 46	10,940	6,070	13,350	9,870	14,850	12,140	24,790 4
(E) Average net income	13,280	18,990 1,553	1,700	2,790	13,280 18,990 1,700 2,790 13,510 12,200 8,000 13,440 11,550 14,190 15,280 686 1,553 115 487 103 45 131 83 121 56 136 22	12,200	8,000	13,440	11,550	13,050	14,190	15,280 22
(F) Average net income	15,850	14,870 42	1,250	2,080	15,850 14,870 1,250 2,080 10,500 11,250 6,280 7,100 11,370 9,500 11,250 11,400 32 42 18 38 5 5 5 10 2 10 2 15 4 12 3	11,250	6,280	7,100	11,370	9,500	11,250	11,400

¹ Excludes income from other professional activities. These data exclude partnership or group medical practice. Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

NUMBER AND PER CENT DISTRIBUTION OF GENERAL PRACTITIONERS AND SPECIALISTS IN SOLO PRIVATE PRACTICE IN RURAL AND URBAN AREAS,
BY TOTAL NET INCOME RANGE, FOR REGIONS AND CANADA, 1960 APPENDIX 6-8

		BI TOTAL NET INCOME KANGE, FOR REGIONS AND CANADA, 1960	AL INE	INCOME	KANGE,	FOR RE	COLOINS	AND CAN	ADA, 1	960			
	\$5,000	and Less	\$5,001-	\$5,001-10,000	\$10,001	\$10,001-15,000	\$15,001	\$15,001-20,000	\$20,001	\$20,001-25,000	\$25,001	and Over	
Region, Type of Major Work and Place of Practice	Number Report- ing	Per cent of Total Report- ing	Number Report- ing	Per cent of Total Report- ing	Number Report- ing	Per cent of Total Report- ing	Number Report- ing	Per cent of Total Report- ing	Number Report- ing	Per cent of Total Report- ing	Number Report-	Per cent of Total Report- ing	Total Number Report- ing
Atlantic Provinces													
General - Rural	S	10	21	43	15	31	7	14	-	2	1	ı	49
Urban	7	7	21	20	27	26	25	24	13	13	10	10	103
Specialist - Rural	ı	ı	7	33	2	33	2	33	ı	1	ı	ı	9
Urban	4	8	14	10	27	20	33	24	27	20	32	23	137
Quebec													
General - Rural	15	13	49	43	32	28	10	6	9	2	8	6	115
Urban	62	19	102	32	95	29	37	11	15	2	12	4	323
Specialist - Rural	7	10	4	20	7	35	8	15	П	2	6	15	20
Urban	40	00	80	17	104	22	86	21	64	14	87	18	473
Ontario													
General - Rural	16	13	27	22	34	28	22	18	10	00	13	11	122
Urban	52	6	141	23	160	26	104	17	4	13	89	11	604
Specialist - Rural	-	13	3	38	1	13	П	13	1	13	1	13	00
Urban	42	9	62	00	123	17	144	20	129	18	234	32	734
Prairie Provinces													
General - Rural	15	17	18	20	30	33	19	21	4	4	4	4	06
Urban	14	00	45	24	46	25	44	24	18	10	17	6	184
Specialist - Rural	ı	ı	ı	1	1	100	1	ı	ı	1	1	ı	1
Urban	13	7	23	12	29	16	38	20	34	18	20	27	187
British Columbia													
General - Rural	1	က	9	20	7	23	25	17	2	7	6	30	30
Urban	15	6	33	21	33	21	37	23	21	13	20	13	159
Specialist - Rural	ı	1	1	33	1	ı	2	67	ı	ı	ı	1	8
Urban	ın	8	30	15	34	17	54	27	37	19	37	19	197
Canada ¹													
General - Rural	22	13	125	30	121	29	89	16	24	9	30	7	423
Urban	161	11	370	25	378	26	257	18	153	11	138	6	1,457
Specialist - Rural	3	00	11	28	11	28	00	21	2	ĸ	4	10	39
Urban	110	9	218	12	329	18	378	21	301	17	466	26	1,802

¹ Totals for Canada include those doctors who did not state a province in which their practice was located, Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 6-9

AVERAGE TOTAL NET INCOME OF ACTIVE CIVILIAN PHYSICIANS IN PRIVATE PRACTICE, BY TYPE OF MAJOR WORK IN WHICH ENGAGED DURING 1960 AND LENGTH OF EXPERIENCE IN PRIVATE PRACTICE, FOR REGIONS AND CANADA¹

Canada	e No. Average Re- Total port- Net	278 424 290	233 15,830 141 15,640 145 11,400 89 11,130 141 7,980	0 1,917 13,870	275 12,905 4 386 24,564 2 221 24,466 3 122 21,391 1 155 21,094 0 77 17,598 3 77 12,933 3 16,288
Not Stated	Average Total Net Income	\$ 12,020 16,470 15,790	14,900 20,300 15,760 10,710 13,290 7,520	14,120	9,165 21,489 32,544 28,032 24,123 19,450 17,370 16,853
	No. Re- port-	11 25 11	11 11 12 8 8 8 12 4	104	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
British Columbia	Average Total Net Income	\$ 11,220 18,390 19,480	20,610 19,780 13,450 10,470 12,740 3,070	16,400	11,762 18,840 19,188 24,666 19,943 22,024 18,368 12,470 5,270
	No. Re- port- ing	36 59 30	23 13 14 1 1 1 13	192	22 444 10 10 10 10 30 30 30 30 30 30 30 30 30 30 30 30 30
Prairie Provinces	Average Total Net Income	\$ 13,728 14,121 15,405	14,726 15,944 20,478 9,005 16,915 6,540 11,678	13,883	12,533 18,923 18,923 26,365 18,530 18,439 23,440 27,665 15,002 18,790
Prairie	No. Re- port- ing	40 63 44	22 22 18 26 10 21 6	279	25 25 25 25 27 27 28 28 27 27 27 27 27 27 27 27 27 27 27 27 27
Ontario	Average Total Net Income	\$ 11,090 16,950 16,590	16,820 17,810 18,250 13,420 10,740 9,590	14,950	13,517 22,763 26,770 28,492 23,754 21,972 22,676 21,568 11,658 16,390
Or	No. Re- port- ing	104 157 106	105 51 52 42 61 61	738	107 183 169 80 43 60 38 28 35 35
Quebec	Average Total Net Income	\$,480 11,860 13,830	12,080 12,050 12,040 8,900 8,620 6,180	11,020	12,775 18,297 23,173 17,597 20,027 21,899 17,236 14,990 12,804 15,143
on	No. Re- port-	63 89 73	46 41 48 31 30 30	445	93 97 97 98 98 98 98 98 97 97 97 97
Atlantic Provinces	Average Total Net Income	\$ 10,073 14,470	15,870 13,485 16,382 15,306 8,235 8,411 35,000	13,603	13,625 18,880 23,322 24,296 21,496 18,142 21,068 10,220 15,745
At	No. Re- port- ing	24 31 26	11388	159	114 31 32 20 20 114 110 10
	Type of Major Work, Years in Private Practice	General Less than 55-9	15-19 20-24 25-29 35-39 40 and over Not Stated	Total	Specialist Less than 5 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40 and over

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services. 1 Excludes partnership or group practice.

APPENDIX 6-10

BY SPECIALTY PRACTISED AND YEARS OF EXPERIENCE IN PRIVATE PRACTICE, CANADA, 1960 AVERAGE TOTAL NET INCOME OF SPECIALISTS IN PRIVATE PRACTICE,

					ears of	Years of Experience	9			
,	0	04	59	6-	10-	10-14	15–19	.19	20-24	-24
Specialty Fractised	No. re- porting	Average Net Income								
		€9		₩		€9		₩		€9
Anaesthesia	24	13,880	18	18,730	20	20,260	29	17,150	11	15,130
Dermatology & Syphilology	ιΩ	9,460	∞	15,660	10	20,950	3	17,270	1	40,270
General Surgery	61	12,090	85	19,710	82	25,460	41	26,260	31	23,570
Internal Medicine & T.B	33	10,210	49	18,750	89	20,880	39	22,300	15	20,110
Neurology and Psychiatry	35	15,430	37	18,870	24	17,710	12	28,600	7	19,470
Neurosurgery	4	21,860	00	25,800	9	24,420	7	36,990	I	I
Obstetrics & Gynaecology	35	12,150	55	21,720	42	24,060	22	24,940	16	23,190
Orthopaedic Surgery	6	10,070	12	25,180	13	30,130	7	25,640	က	19,610
Ophthalmology & Otolaryngology	15	14,080	35	23,890	33	30,300	22	31,290	14	24,570
Paediatrics	20	9,540	40	19,120	37	26,020	13	16,940	00	12,570
Pathology & Bacteriology	3	19,780	4	25,330	3	16,500	1	18,000	1	I
Diagnostic & Therapeutic Radiology	ις	17,440	12	23,950	4	27,570	9	25,130	2	27,640
Urology	4	22,770	13	22,120	12	38,360	7	31,600	8	28,100
Other and Not Stated ¹	22	18,080	33	20,500	32	25,090	17	27,520	11	20,050
Tota1	275	12,910	409	20,570	386	24,560	221	24,470	122	21,390

APPENDIX 6-10 (Concl.)

Average
port- ing Income ing
49
5 12,370 3
3 8,840 2
37 19,300 24
19 24,050 10
2 11,350
1 11,900
9 22,380
1 80,000
8 18,380
10 17,800
1
t
2 35,490
12 21,850
109 20,490 77

physical medicine and rehabilitation, plastic surgery, public health, thoracic surgery, industrial medicine, other and not stated. 1 includes such specialties as: allergy, cardiology, cardiovascular diseases, gastroenterology, haematology, proctology, biochemistry,

APPENDIX 6-11

AVERAGE TOTAL NET INCOME OF SPECIALISTS NOT IN PRIVATE PRACTICE, BY SPECIALTY PRACTISED AND YEARS OF EXPERIENCE, CANADA, 1960

					Tears of	Years of Experience	e e			
	0	- 4	5 -	6 -	10 -	10 - 14	15 -	- 19	20 -	- 24
Specialty Practised	No. Re-	Average Net Income	No. Re-	Average Net Income	No. Re- porting	Average Net Income	No. Re- porting	Average Net Income	No. Re- porting	Average Net Income
		₩		₩		₩		49		₩
Anaesthesia	7	3,310	4	8,110	8	14,850	1	ı	3	11,730
General Surgery	10	2,902	1	ı	2	15,610	1	10,000	1	13,880
Internal Medicine & T.B	S	7,808	9	6,945	Ŋ	11,504	Ŋ	12,550	00	10,503
Neurology & Psychiatry	10	10,050	21	9,462	21	10,150	10	10,610	9	12,080
Neurosurgery	1	5,000	ı	ı	1	1	ı	1	ı	. 1
Obstetrics & Gynaecology	1	ı	7	2,750	7	12,500	1	ı	ı	ı
Orthopaedic Surgery	1	4,000	1	1	1	1	ı	ı	1	ı
Ophthalmology & Otolaryngology	4	1,732	1	-1	1	ı	1	22,970	ı	1
Paediatrics	9	3,100	2	6,850	1	1	7	13,850	1	19,090
Pathology & Bacteriology	4	6,950	18	13,722	19	15,070	20	16,404	7	17,700
Diagnostic & Therapeutic Radiology	2	1,300	18	13,654	11	18,689	11	17,450	7	19,643
Urology	-	3,000	1	33,000	1	1	1	14,000	ı	ı
Other and not stated ¹	00	6,188	15	10,217	17	14,248	22	14,530	19	15,344
	Ç	1	ı							
10ta1	26	5,410	87	11,160	80	13,820	73	14,840	52	14,950

APPENDIX 6-11 (Concl.)

				Year	Years of Experience	ience			
	25-29	.29	30-34	-34	35–39	-39	40 Years and Over	and Over	Total
Specialty Practised	No. Re-	Average Net Income	No. Re-	Average Net Income	No. Re-	Average Net Income	No. Re-	Average Net Income	No. re- porting
		49		49		₩		₩	
0000	က	18,866	1	10,000	1	I	ı	ı	21
Allacollicota	ı		1	16,500	2	10,600	1	4,000	18
General Surgery	∞	20,190	7	12,071	7	7,350	ı	1	46
Neurology and Psychiatry	00	13,978	7	12,980	Ŋ	069'6	က	15,850	91
Neurosurgery	1	1	ı	1	I	1	1	ı	п.
Obstetrics and Gynaecology	1	1	1	1	1	1	1	1	4 ,
Outleased in Surgery	1	1	1	1	1	1	١	I	1
Other Implaction and Otolary pology	1	15,000	1	13,500	1	7,020	1	1	00
Doodietrice	2	21,280	1	ı	1	Î	ı	1	13
Pathology and Bacteriology	∞	16,416	4	11,112	3	13,167	ທ	9,298	80 j
Discussive and Therapeutic Radiology	က	20,167	2	21,710	'n	21,128	1	Í	59
Diagnostic and include and the second	ı	1	ı	1	1	11,500	1	I	4
Orbitor of the orbito	17	14,043	15	14,465	11	14,951	2	13,500	126
Total	20	16,360	38	13,690	30	13,750	11	10,140	480

Note: Data for Dermatology and Syphilology not available.

¹ Includes Industrial Medicine, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, Proctology, Biochemistry, Physical Medicine and Rehabilitation, Plastic Surgery, Public Health.

AVERAGE TOTAL NET INCOME OF CIVILIAN ACTIVE PHYSICIANS IN SPECIALIST WORK, BY SPECIALTY PRACTISED AND TYPE OF WORK, FOR REGIONS AND CANADA, 19601 APPENDIX 6-12

		Atlantic 1	Atlantic Provinces		*	onò	Quebec	
Section Designation of the section o	Private	Practice	Not in Priv	Not in Private Practice	Private	Private Practice	Not in Priv	Not in Private Practice
Specially Flactised	Number	Average	Number	Average	Number	Average	Number	Average
	Reporting	Net Income	Reporting	Net Income	Reporting	Net Income	Reporting	Net Income
		€9		€9		€9		49
Anaesthesia	12	16,020	1	10,000	32	13,000	12	009,6
Dermatology & Syphilology	2	11,600	ı	1	11	16,800	1	ı
General Surgery	45	19,840	ı	ı	120	19,500	11	4,820
Internal Medicine & T.B	16	17,980	П	11,300	11	16,120	18	12,530
Neurology & Psychiatry	6 6	18,480	9	10,030	45	17,930	11	7,390
Mediosurgery	0 1	28,530	ı	ı	n	23,800	-	2,000
Obstetrics & Gynaecology	16	21,200	1	ı	23	17,080	-	1,000
Orthopaedic Surgery	-	17,100	1	1	15	19,700	ı	1
Ophthalmology & Otolaryngology .	11	22,330	1	ı	35	19,150	w	8,500
Paediatrics	7	20,570	1	9,700	48	13,800	9	3,270
Pathology & Bacteriology	ı	1	10	14,270	က	17,000	27	15,300
Plastic Surgery	1	20,000	1	1	က	18,400	က	2,830
Diagn. & Therapeutic Radiology .	2	26,750	10	16,550	12	20,130	24	18,110
Other & Not Stated	20	20,340	7	12,370	46	20,570	31	12,050
Total & Average	145	19,820	36	13,500	502	17,700	150	11,810
		Ont	Ontario			Prairie Province	rovinces	
Anaesthesia	89	18,500	w	8,220	6	16,390	1	5,000
Dermatology & Syphilology	14	19,500	1	ı	'n	14,720	1	1
General Surgery	168	22,000	w	9,120	32	15,340	1	ı
Internal Medicine & T.B	117	20,020	12	11,240	26	18,900	9	11,630
Neurology & Psychiatry	39	21,110	45	11,860	10	16,230	21	11,330
Neurosurgery	9	20,700	1	ı	4	39,700	1	1
Obstetrics & Gynaecology	100	24,020	-	4,500	23	19,150	Н	15,000
Orthologia 9. Otalogia	19	24,800	-	4,000	9	27,150	١	1
Opninalmology & Otolaryngology	22	28,540	1	1	24	26,190	2	7,800
Paediatrics	29	19,400	ιΩ	14,800	19	18,700	-1	18,000
Pathology & Bacteriology	7	20,790	28	13,460	က	18,330	16	14,480
Plastic Surgery	9	31,400	1	ı	7	23,400	ı	1
Diagn. & Inerapeutic Kadiology .	20	26,360	15	15,830	က	28,330	9	16,330
Other & Not Stated	74	24,140	43	14,950	22	23,200	26	14,080
Total & Average	752	22,280	160	13,090	188	20,260	80	13,210

APPENDIX 6-12 (Concl.)

		British (British Columbia			Not S	Not Stated			Canada	da	
	Private	Private Practice	Not in Private Practice	t in Private Practice	Private	Private Practice	Not in Private Practice	t in Private Practice	Private	Private Practice	Not in Private Practice	rivate
Specially Fractised	Number Report-	Number Average Report- Net	Number Report-	Average Number Net Report-	Number Report-	-	Number Report-	Average Number Net Report-	Number Report-	Average Net	Average Number Average	Average Net
	ing	Income	ing	Income	ing	Income	ing	Income	ing	Income	ing	Income
		€9		69	S	€9	23	€9		₩.	11	₩
Anaesthesia	11	15,020	1	16,400	7	17,600		14,600	139	16,600	21	009'6
Dermatology & Syphilology	w	10,020	ı	1	1	23,300	1	1	38	16,500	1	1
General Surgery	36	18,230	1	13,200	6	22,000	1	13,800	410	20,200	18	086,9
Internal Medicine & T.B	25	20,040	9	11,150	12	15,070	3	12,330	266	18,540	46	11,860
Neurology & Psychiatry	16	16,890	4	12,030	9	21,630	4	9,280	125	18,870	91	10,970
Neurosurgery	ın	17,140	1	1	ı	1	1	1	21	25,040	П	2,000
Obstetrics & Gynaecology	21	16,770	1	10,000	∞	21,450	1	1	227	20,770	4	7,630
Orthopaedic Surgery	6	25,090	1	ı	2	16,000	ı	1	52	23,100	1	4,000
Ophthalmology &												
Otolaryngology	33	20,250	1	2,000	w	32,040	1	1	163	24,190	∞	8,140
Paediatrics	14	16,260	1	ı	11	25,390	ı	ı	158	17,810	13	9,340
Pathology & Bacteriology	1	18,000	7	15,810	1	1	ı	ı	14	19,250	88	14,480
Plastic Surgery	1	18,600	ı	ı	J	1	1	ı	13	25,300	က	2,830
Diagnostic & Therap.												
Radiology	8	19,600	4	14,200	7	26,450	1	ı	42	24,260	29	16,820
Other & Not Stated2	23	23,780	13	12,820	13	24,570	7	15,190	198	22,810	127	13,720
Total & Average	203	18,940	38	13,050	92	21,970	16	13,050	1,866	20,280	480	12,740

1 Excludes partnership or group practice.

² Includes such specialties as Physical Medicine and Rehabilitation, Public Health, Thoracic Surgery, Urology, Industrial Medicine, Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Haematology, Proctology, and Biochemistry.

APPENDIX 6-13

AVERAGE ANNUAL OPERATING EXPENDITURES INCURRED BY GENERAL PRACTITIONERS IN SOLO PRIVATE PRACTICE, BY ITEMS OF EXPENDITURES FOR REGIONS AND CANADA, 19601

Average ber Correct Num- Average ber Correct Bergend- Bergend- Bergend- Bergend- Bergend- Correct Bergend- C										.			
Number N		Res	antic Proposition	vinces int-158	Resi	Quebec ponse Cou	mt-446	Res	Ontario ponse Cou	nt-753	Res	airie Prov ponse Cou	inces nt-280
145 1,870 25,5 355 1,970 23,9 690 1,830 20,8	Items of Operating Expenditures	Num- ber Re- porting	Average Operat. Expend.		Num- ber Re- porting	Average Operat. Expend.	% of Total Average Expend- iture		Average Operat. Expend.	% of Total Average Expend- iture		Average Operat. Expend.	% of Total Average Expend- iture
10	Surg. Sunnies & services	145	\$ 1	% 200	2. 7.	\$	%	009	\$ 000	%	250	5	%
102 1,040 4,6 83 1,010 2.9 319 1,070 8.8 1.250 1.250 4.3 339 1,270 1.4 238 720 2.4 2.4 1.250 1.5 2.5 340 10.2 467 1,300 2.9 2.5 2.4 2.5 2.5 2.4 2.5 2.5 2.4 2.5 2.5 2.4 2.5 2.5 2.4 2.5 2.5 2.4 2.5	aries or wages, staff: ursing	24	2,710	0.1	3, 2,	1,590	22.0	218	2,530	9.1	84	2,340	9.6
102	her	47	1,040	4 4	833	1,010	2.9	319	1,670	100 0	111	1,630	10, 1
15		102	780	7.5	339	880	10,2	467	1,300	9.6	211	1,230	13,1
160 890 13.4 421 1,210 17.5 740 800 9.8 1.9		89 67 142 50	230 250 730 480	1.9 9.9 2.2	255 3543 146	340 210 860 820	3.0 10.5 4.1	382 282 298	23 240 290 30 30	2712	176 127 222 61	370 270 690 470	3,717,3
iture ³ 151 1,340 2.0,6 442 1,270 19,2 744 1,820 1,92 1,9	p	160	890	13,4	421	1,210	17.5	740	800	8.6	274	880	12,3
Hittish Columbia Response Count—201 Response Count—102 Response Count—102 Response Count—1040 Response Count—105 Response Count—1040 Response Count—105 Response Count—1040 Response Coun		161	320 1,340	20.6	184	1,270	3.0	286	1,820	1.9 22.2	101	31.0	1.6 20.7
Response Count—201 Response Count—102 Response Count—1940				\$6,700			\$6,560			\$8,060			\$7,080
182 2,710 16.3 22 2,420 7.7 488 2,470 8.3 1,100 18.9 1.3 1,100 10.8 2,470 1.3 1,100 10.8 2,470 1.3 1,100 10.8 2,470 1.3 1,100 10.8 2,470 1.3 1,100 10.8 2,470 1.3 1,100 10.8 2,470 1.3 1,100 10.8 1.3 1,100 10.8 1.3 1,130 1.3 1,1		Br	itish Colu	mbia nt-201	Resp	Not State	ed nt-102	Resp	Canada oonse Cou	nt-1940	1Excluc	les physic	ians in
103 2,710 16.3 22 2,420 7.7 488 2,470 8.3 1,110 15.3 1,100 15.3 29 2,420 7.7 85 1,850 15.1 1,950 5.9 29 8.0 3.4 493 8.5 1,850 15.1 1,950 5.9 29 8.0 3.4 493 8.6 1,357 1,170 11.0 11.0 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	surg, supplies & services	180	700	7.3	78	1,880	21,3	1,704	1,610	18,9	practic	esnip or gr	dno
182 1,950 5.9 2.1 1,050 4.0 000 1,580 7.3 1.4 1.2 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	::	103	2,710	16,3	245	1,420	7.7	888	1,850	8.1.1	Conver	ial expendition expe	iture, nses,
182 1,540 16,3 56 1,190 9,6 1,357 1,170 11.0 121 440 3,2 47 700 4,7 1,125 350 2,7 166 820 1,6 6 820 7,9 1,5 940 1,6 1,6 1,8 1,8 1,5 90 1,9 1,8 1,5 90 1,9 1,8 1,5 90 1,8 1,8 1,5 90 1,8 1,8 1,8 1,8 1,8 1,8 1,8 1,8 1,8 1,8		51	1,950	5.9	29	820	0, 4,	493	980	3.4	office	expenses	etc.
121 440 3.2 47 700 4.7 1,125 350 2.7 1,66 290 1.6 39 300 1.8 954 240 1.6 30 300 1.8 954 240 1.6 30 3.2 1.579 1.579 3.0 3.7 1.6 3.0 3.4 1.6 3.0 3.4 1.6 3.0 3.7 1.2 2.7 1.0 12.6 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	se rental	182	1,540	16,3	26	1,190	9.6	1,357	1,170	11.0	Total	average ex	penditure
	::	121	290	3.2	39	300	7.11	1,125	350	1.6	was ob total o	perating e	dividing xpend-
		34	840	1.6	26	710	2.7	1,579	730	2.7	count.		
	mobile operating exp.	196	750	9.8	80 1	086	12,6	1,879	920	11.9	Source:	Question	Madi
\$6,750	other expenses	200	1,800	21.1	90	1,600	20.9	1,913	390 1,590	2.0	cal Pra	ctice, 196	2, Royal
				\$8,510			\$6,750			\$7,450	Com mis Service	sion on H s.	ealth

AVERAGE ANNUAL OPERATING EXPENDITURES INCURRED BY SPECIALISTS IN PRIVATE PRACTICE, BY ITEMS OF OPERATING EXPENDITURES AND SPECIALTY PRACTISED, CANADA, 1960¹ APPENDIX 6-14

	Medical	Medical, Surgi-		Sala	ries or W	Salaries or Wages to Staff	taff		Accietan	Accietant's Hope	Office	Office Renta1
	cal Sup Serv	cal Supplies & Services	Nur	Nursing	Tech	Technica1	Clerical &	& Other	Top rock			
Specialty		V	N.W.	Average	N. W.	Average	Num	Average	Num-	Average	Num-	Average
Practised	Num-	Operat-	- III NI	Operat-	ber	Operat-	ber	Operat-	ber	Operat-	ber	Operat-
	Re-	ing	Re-	ing	Re-	ing	Re-	ing	Re-	ing	Re-	ing
	port- ing	Expend- iture	port-	Expend- iture	port- ing	Expend- iture	port- ing	Expend- iture	port- ing	Expend- iture	port- ing	iture
		49		49		49		₩.		₩.		€9
Anaesthesia	79	610	∞	1,990	က	2,090	39	1,060	18	1,510	83	760
Dermatology &	27	1.540	w	2,680	2	3,380	19	2,400	2	220	32	1,810
General surgery	335	780	66	2,730	15	1,290	178	1,980	134	1,100	342	1,410
Internal medicine	232	860	71	2,560	18	2,460	118	1,820	43	1,190	240	1,490
Neurology & psychiatry	4	720	10	1,920	00	1,010	72	1,500	7	200	66	1,490
Neutrosurgery	11	400	1	1	1	130	15	2,740	က	260	20	1,630
Obstetrics & gynaecology.	186	1,010	109	2,650	6	2,200	92	1,660	87	006	195	1,650
Orthopaedic surgery	44	850	11	2,110	rv	3,540	29	3,060	00	1,870	47	1,640
Ophthalmology & otolaryngology	139	1,640	41	2,930	13	2,550	88	2,680	29	630	146	1,810
Paediatrics	128	790	59	2,740	00	1,390	71	1,720	27	1,550	140	1,560
Pathology & bacteriology .	9	770	1	ı	ß	1,520	w	710	9	390	ıv	2,360
Diagnostic & thera-	17	7,290	н	6,300	7	6,440	7	2,570	12	3,730	15	2,680
TI+10	44	1,240	∞	2,580	1	1	24	2,380	13	2,310	45	1,630
Other and not stated ²	141	1,030	49	2,160	15	1,450	72	1,990	39	260	148	1,390
	1,458	1,020	471	2,610	109	2,260	813	1,970	428	1,150	1,557	1,520

APPENDIX 6-14 (Concl.)

			De	Depreciation Allowance	n Allow	/ance			Ar	Auto.	ų	Int. on			
	Equi	Med. Equipment	Fur	Office Furniture	Auto	Automobile	Bu	Building	Ope	Operating Expenses	Bor	Borrowed Capital	Exp	All Uther Expenses	Total
Specialty Practised	Num- ber Re- port- ing	Average Operating Expenditure	Num- ber Re- port- ing	Num- Average ber Operat- Re- ing port- Expend- ing iture	Num- ber Re- port- ing	Average Operating Expenditure	Num- ber Re- port- ing	Average Operating Expenditure	Num- ber Re- port- ing	Average Operating Expenditure		Num- Average ber Operat- Re- ing port- Expend- ing iture	Num- ber Re- port- ing	Average Operating Expenditure	Average Expend- iture³
Anaesthesia	52	\$ 160	48	\$ 120	106	\$ 690	29	\$ 200	132	\$ 800	43	\$ 420	135	\$ 1,340	\$ 4,400
syphilology General surgery	22 219	450	17	240 310	26 315	950 730	177	1,500	388	840 930	10	330 400	32	2,130	8,240
& tuberculosis.	174	410	141	300	227	630	36	610	265	890	88	340	268	1,980	7,690
psychiatry	41	220 250	76	250 290	94	570 620	16	30	116	810 780	25	570 570	127	1,630 2,470	5,950
gynaecology	129	360	114	290	181	062	37	009	220	006	98	420	222	2,190	8,560
surgery	27	360	31	450	43	750	4	320	49	930	16	470	20	2,290	8,960
opulnatinology & otolaryngology. Paediatrics	112	530	93	460	132	740	22	1,150	157	096	53	320 340	166	2,480	9,930
bacteriology	rv	470	1	280	20	370	1	ı	22	270	∞	20	23	1,200	6,140
therapeutic radiology	13	1,210	12 23	620 500	26	096	4 n	370 850	37	850 1,090	17	360 440	35	1,500	11,610 9,750
not stated?	107	330	83	250	143	099	21	730	184	190	55	410	183	1,920	8,200
Total 1,015	1,015	360	924	310	1,504	710	278	069	1,830	880	262	390	1,862	2,010	7,890

1 Excludes partnership or group practice.

Includes such specialties as Allergy, Cardiology, Cardiovascular Diseases, Gastroenterology, Proctology and Biochemistry, Physical Medicine and Rehabilitation, Plastic Surgery, Public Health, Thoracic Surgery and Industrial Medicine.

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services. 3 Total average expenditure was obtained by dividing total operating expenditures by total response count,

APPENDIX 6-15

NUMBER AND PERCENTAGE DISTRIBUTION OF ACTIVE CIVILIAN PHYSICIANS IN SOLO PRIVATE PRACTICE BY LEVEL OF EXPENDITURES, AND RURAL AND URBAN AREAS, CANADA, 1960

	Gene	ral P	ractitioner			Spec	ialist	
Regions and Level of	Rural Ar	eas	Urban A	eas	Rural A	reas	Urban Ar	eas
Operating Expenditures	Response Count	%	Response Count	%	Response Count	%	Response Count	%
Atlantic Provinces Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	5 2 —	8 37 41 10 4 -	40 46 11 3 3	- 39 45 11 3 3	1 3 1 -	20 60 20 - - 100	4 39 71 19 3 2	3 28 51 14 2 1
Total	49	100	103	100	5	100	130	100
Quebec Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	44 46 12 4	5 38 40 10 3 3	9 126 132 35 13 8	3 39 41 11 4 2	2 5 8 1 -	13 31 50 6 -	23 129 201 83 17 15	5 28 43 18 4 3
Total	115	100	323	100	16	100	468	100
Ontario Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	24 50 34 6 4	6 19 40 27 4 3	21 136 291 118 26 23	3 22 47 19 4 4	2 4 1 1	25 50 12 13 -	164 48 34	4 20 44 22 6 4
Total	. 126	100	615	100	8	100	756	100
Prairie Provinces Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	33 40 7 5	7 36 44 8 5	6 40 91 32 10 5	3 22 49 17 5 3	1 -	100	12 11	4 17 49 17 6 6
Total	. 91	100	184	100	1	100	188	100
British Columbia Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	3 14 9 3	3 10 47 30 10	3 22 86 44 9 3	2 13 51 26 5 2	1 1 - -	33 33 33 - - 100	25 113 40 13 5	3 12 56 20 6 2
Total	. 30	100	167	100	3	100	202	100
Canada Less than \$2,000 \$ 2,001 - 5,000 \$ 5,001 - 10,000 \$10,001 - 15,000 \$15,001 - 20,000 \$20,001 and over	127 178 70 22	6 30 41 16 5	387 684 250 63	3 26 46 17 4	8 17 5 1	24 50 15	387 852 355	4 21 46 19 5 4

APPENDIX 6-16

EMPLOYMENT OF NURSING, TECHNICAL, CLERICAL AND OTHER STAFF BY GENERAL PRACTITIONERS IN SOLO PRIVATE PRACTICE, BY SIZE OF COMMUNITY, CANADA, 1960

	Re-			Staff	
Size of Community	sponse Count	Nurs- ing	Tech- nical	Clerical and other	Tota1
Rural	430				
Number reporting		79	19	124	
Number of staff		93	20	148	261
Mean number employed per doctor ¹		0.2	0.05	0.3	0.6
Urban less than 10,000 population	352				
Number reporting		72	16	118	
Number of staff		96	19	146	261
Mean number employed per doctor ¹	,	0.3	0.05	0.4	0.7
Urban 10,000 - 100,000 population	440	5			
Number reporting		123	18	171	
Number of staff		135	17	230	382
Mean number employed per doctor ¹		0.3	0.04	0.5	0.9
Urban over 100,000 population	684				
Number reporting		207	31	241	
Number of staff		240	34	265	539
Mean number employed per doctor ¹		0.4	0.05	0.4	0.8
Not Stated · · · · · · · · · · · · · · · · · · ·	34				
Number reporting	78.00	7	1	12	
Number of staff		7	1	17	25
Mean number employed per doctor ¹		0.2	0.03	0.5	0.7

Number of staff divided by response count.

APPENDIX 6-17

EMPLOYMENT OF PARAMEDICAL AND CLERICAL STAFF BY SPECIALISTS IN SOLO PRIVATE PRACTICE, BY SPECIALTY PRACTISED, CANADA, 1960

Specialty Practised	Response Count	Total Staff	Mean Number Employed per Doctor ¹
Anaesthesia	153	54	0.4
Dermatology and syphilology	40	34	0.9
General surgery	441	336	0.8
Internal medicine and tuberculosis	285	227	0.8
Neurology and psychiatry	141	102	0.7
Neurosurgery	23	17	0.7
Obstetrics and gynaecology	248	227	0.9
Orthopaedic surgery	62	59	1.0
Ophthalmology and otolaryngology	179	177	1.0
Paediatrics	169	168	1.0
Pathology and bacteriology	16	8	0.5
Diagnostic and therapeutic radiology	41	38	0.9
Urology	55	36	0.7
Other and not stated ²	185	139	0.8

¹ Number of staff divided by response count.

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

Includes allergy, cardiology, cardiovascular disease, gastroenterology, haematology, proctology, biochemistry, physical medicine and rehabilitation, plastic surgery, public health, thoracic surgery and industrial medicine.

APPENDIX 6-18

AVERAGE DEPRECIATED VALUE OF CAPITAL ASSETS OF SPECIALISTS, IN SOLO PRIVATE PRACTICE BY SPECIALTY PRACTISED, AT END OF 1960, CANADA

Specialty Practised	Number Reporting	Average Depreciated Value of Capital Assets
		\$
Anaesthesia	65	9,680
Dermatology and syphilology	24	4,370
General surgery	227	7,390
Internal medicine and tuberculosis	147	4,370
Neurology and psychiatry	67	5,520
Neurosurgery	10	5,470
Obstetrics and gynaecology	121	8,320
Orthopaedic surgery	27	3,330
Opththalmology and otolaryngology	92	5,390
Paediatrics	78	4,510
Pathology and bacteriology	7	950
Diagnostic and therapeutic radiology	21	12,470
Urology	25	7,240
Other and not specified ¹	92	3,350

Includes allergy, cardiology, cardiovascular diseases, gastroenterology, haematology, proctology, biochemistry, physical medicine and rehabilitation, plastic surgery, public health, thoracic surgery and industrial medicine.

Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 6-19

SPECIALISTS IN SOLO PRIVATE PRACTICE, BY ITEM OF EXPENDITURE AND SIZE OF LOCALITY, CANADA, COMMENCING 1957 AVERAGE INITIAL AND ADDITIONAL NET COST OF ESTABLISHING PRACTICE BY GENERAL PRACTITIONERS AND

						It	Item of Expenditure	enditur	ā						Total	Į.
Size of Locality and Year of	Office Space Purchased	Space	Office Space Rented	Space	Examining and Consulting Room Equipment	ning d Iting om ment	Office & Waiting Room Furniture and Equipment	Room ure	Automobile Used in Practice	bile in	Other Capital Goods	r tai	Purchase of Practice	se of	Response Count and Average Total Expenditure ¹	nse and Total iture
	General Practi- tioners	Spec.	General Practi- tioners	Spec.	General Practi- tioners	Spec.	General Practi- tioners	Spec	General Practi- tioners	Spec.	General Practi- tioners	Spec.	General Practi- tioners	Spec.	General Practi- tioners	Spec
Rural Areas						3										
First year -	80		Ā	,	0	ı	70	1	65	ı	14	1	7	1	77	1
Anna reporting	740	1 1	5.746	1	1.107	1	524	1	2,414	1	3,457	ı	2,799	1		
-Per cent	4.9	1	20.2	ı	15.3	1	8.9	ı	36,8	1	11,4	ı	4.6		5,534	1
Second year -		-	1	,	8	ı	20	ı	27	1	9	1				
	1	1	2.676	1	468	ı	196	1	1,790	ı	1,317	ı				
-Per cent		ı	14.8	1	13.0	ı	3,1	ı	38.4	ı	6.3	ı			1,638	ı
Third year—	7	1	v	ı	22	1	18	1	18	ı	4	ı				
Areaces 2	722	ı	1.942	ı	485	1	307	1	1,948	ı	2,350	ı				
-Per cent	11.8	1	12.2	1	13,4	1	7.0	ı	43.9	1	11.8	ı			1,036	t
Fourth year -	4	'	v	ı	14	1	0	ı	11	1	2	1				
-No. reporting	1 051	1	1.899	1	265	1	2,359	ı	382	1	1,500	ı				
-Per cent	13.2		19.7	ı	7.7	ı	44.3	ı	80	ı	6.3	ı			623	1
Fifth year -			•	-	•	ı	v	ı	v	1	2	ı				
-No. reporting	1 107	•	, 000	١	17.5	ı	132	ı	3,052	1	350	ı				
-Average	_		7.7	ı	2.7	ı	2.7	1	20.0	ı	2.7	1			337	ı

APPENDIX 6-19 (Cont'd)

Size of Office Space Locality Purchased and Year of Practice General Practic Itioners	0 4 1	Office Space Rented General Practie Spece	ace	Examining	2	Office &	8							Response	TR.
General Practi- tioners		-	т о	Equipment	ing	Waiting Room Furniture and Equipment	Room ire ent	Automobile Used in Practice	bile in	Other Capital Goods	er tal	Purchase of Practice	se of	Count and Average Total Expenditure ¹	and Total ture ¹
Maken Asses Tindes		tioners	Spec. F	General Practi- tioners	Spec	General Practi-	Spec	General Practi- tioners	Spec.	General Practi- tioners	Spec	General Practi- tioners	Spec	General Practi- tioners	Spec
100,000 Population															
ting 63					79	111	76	124	8.1	29	16	23	m	139	105
-Average* 1,112 1,0%	10,071	10.0	5,445	14.8	1,657	876	931	2,376	2,476	1,322	952	4,313	4,250	5.730	5.0.25
Second year – – No. reporting 43	56	4	4	19	14	u u	000	33	24	7			•		
\$ 1,567 1,3		1,080 2	2,453	394	978		1.075	1,434	1,712	1,099	6,498				
37.3	20.4	2.4	5.5	13,3	22.6		18.2	26.2	26.0	8.5	7.3			1,299	1,690
29			က	45	25	38	23		15	12	4				
-Average*\$ 1,380 2,043 -Per cent*\$ 23.7 36.6		1,607 2, 2,9	2,967	420 11.2	338 9.0	379	321	2,091	1,688	1,120	2,467			1,216	902
Fourth year 19	6	-	20	25	10	y	o	22	7	v	c				
59		1,320 3,	3,450	170	532	1, 195	492		2,148	2,250	1,550				
-Per cent ³ 27.0 20.	20.8	1.3	15.8	4.5	12.2	7.6	10.0	47.6	34.1	11.8	7.2			684	419
Fifth year -	_		c		Ç	V	Ç	,	,	,	1				
-		1 220 2	7 7 7		1004	0 0	77		0 0	1 000	1				
7		-	200		10001	, ,	444		7 67 67	2,000	,				
5 To 7	4.0	3.7	17.4	4.1	33.5	1.0	21.3	33.5	24.2	2.1	0			245	533

APPENDIX 6-19 (Concl.)

					Iter	Item of Expenditure	enditur	φ.						Total	al
Sog	Office Space Purchased	Office Space Rented		Examining and Office & Wait- Consulting ing Room Fur- Room niture and niture and Equipment	ng and (lting in m	Office & Wait- ing Room Fur- niture and Equipment	Wait- n Fur- and	Automobile Used in Practice		Other Capital Goods	apital ds	Purchase of Practice	ase of tice	Kesponse Count and Average Total Expenditure	and Total liture
	Spe c.	Gen- eral Practi-	Spec.	Gen- eral Practi- tioners	Spec. 1	Gen- eral Practi- tioners	Spec.	Gen- eral Practi- tioners	Spec.	Gen- eral Practi- tioners	Spec.	Gen- eral Practi- tioners	Spec.	Gen- eral Practi- tioners	Spec.
	27.														
	88	10	6	94	118	06		94	148	26	15	13	3 3	112	180
-	1,290	9,210 2,312 14.9 2.9	2,312	1,092	1,185	12.0	800 14.3		43.4	3.6	1.7		2.7	5,535	4,032
37 1,488 128.6	61 1,347 38.5	6,007 1,146 9.4 2.7	5 1,146 2.7	50 549 14.2	70 352 11.6	49 460 11.7	76 386 13.7	38 1,692 33.4	1,458 32.1	9 572 2.7	9 324 1.3			1,720	1,186
31 1,708 22.0	50 1,532 33.0	3,000 3,700 1, 1.3 8.0	3,700 8.0	38 1,524 24.1	53 370 8.4	33 1,877 25.8	58 401 10.0	30 2,013 25.1	48 1,846 38.0	692 1.7	701 2.4			2,146	1,290
	24 29 1,475 1,686 20.0 34.2	3,000 2,020 1.7 4.3	3 2,020 4.3	26 1,472 21.7	31 463 10.1	1,797 21.3	32 559 12.5	3,896 35.3	28 1,918 37.5	75	5 387 1.4			1,580	794
g\$ 1,264	1,930	9 3,000 1,650 3 7.2 4.4	1,650 4.4	12 150 4.2	18 299 7.4	14 133 4.5	19 654 17.0	2,405 57.0	10 1,390 19.0	50 0	5 270 1.7			377	405
1	Pour	rei cent 2000 2000 11 11 11 11 11 11 11 11 11 11 11 11	ling tots	al expen	ditures	by total	respons	se count							

Average total expenditure was obtained by dividing total expenditures by total response count. ² This average was obtained by dividing total item expenditure by number reporting.

3 Per cent of item average (total item expenditure divided by total response count) to average total expenditure. Source: Questionnaire on The Economics of Medical Practice, 1962, Royal Commission on Health Services.

APPENDIX 7-1

AVERAGE ANNUAL PROFESSIONAL INCOME EARNED BY SELF-EMPLOYED PHYSICIANS, LAWYERS, DENTISTS, CONSULTING ENGINEERS AND ARCHITECTS AND ACCOUNTANTS, CANADA, 1946-1960 ¹

Index 1951 = 100.0

Year	Phys	icians	Law	yers	Den	tists	Engir ar	ulting neers nd itects	Accor	untants
	\$	Index	\$	Index	\$	Index	\$	Index	\$	Index
1946	6,544	74.4	5,637	67.4	4,870	84.7	4,993	70.7	n.a.	_
1947	6,775	77.0	6,418	76.8	5,343	92.9	6,353	89.9	n.a.	_
1948	7,516	85.4	6,994	83.7	5,017	87.2	6,534	92.5	n.a.	_
1949	8,529	96.9	8,671	103.7	5,425	94.3	9,898	140.1	n.a.	_
1950	8,671	98.5	8,231	98.5	5,549	96.5	9,415	133.2	n.a.	-
1951	8,800	100.0	8,360	100.0	5,752	100.0	7,066	100.0	6,958	100.0
1952	9,404	106.9	7,704	92.2	6,377	110.9	10,371	146.8	7,062	101.5
1953	9,979	113.4	7,933	95.6	6,596	114.7	7,372	104.3	6,260	90.0
1954	10,651	121.0	9,668	115.6	6,941	120.7	9,999	141.5	7,536	108.3
1955	10,845	123.2	10,167	121.6	7,610	132.3	11,381	161.1	7,892	113.4
1956	11,781	133.8	10,580	126.6	8,530	148.3	11,398	161.3	8,637	124.1
1957	12,657	143.8	11,164	133.5	9,256	160.9	12,268	173.6	9,762	140.3
1958	14,040	159.5	11,187	133.8	9,876	171.7	12,575	177.9	9,573	137.6
1959	14,554	165.4	12,030	143,9	10,796	187.7	12,621	178.6	9,906	142.4
1960	15,131	171.9	12,519	150.0	11,509	200.0	13,430	190.0	10,150	145.8

¹ For purposes of these statistics, the Department of National Revenue has defined professional income as income or fees received from the independent practice of a profession for profit. Thus, professionally qualified persons employed on an annual salary basis by a company, government or institution are excluded. Income figures were derived by dividing the total professional income by the number of taxable returns.

Source: Taxation Statistics, annual reports, 1948 to 1962, Department of National Revenue.

APPENDIX 7-2 GROWTH OF SELECTED PROFESSIONAL AND TECHNICAL OCCUPATIONS, CANADA, 1931-1961¹

		Per Cent of Profes- sional Man- power	3,4	6.0	13,5	8.2	2.0	30,1	0.5	5.0	3,3	33,2						
		Per Cent Cent Cent Cent Cent Cent Cent Cent	0,32	80.0	1,31	080	0.20	2,92	0.04	0,49	0,32	3,22						
1961		Per Cent Change	48.6	18,7	8.99	63.8	34,1	17,1	0*69	57.6	58.5	73,1						
		Number	21,290	5,469	84,692	51,508	12,922	189,172	2,940	31,752	20,623	208,543	6,472m		628,911		9.7%	
		Per Cent of Profes- sional Man- power	3,8	1,2	13,5	8,3	2,6	29,3	0,5	5,3	3,4	33,0						
		Per Cent Cent Of Cent Cent Of Cent Of Profes. Change Labour Sional Man-Force power	0.27	60°0	96*0	0,59	0,18	2,09	0.03	0,38	0,25							
	1661	Per Cent Change	20,6	23,2	31,8	69.5	14.7	22.0	44.8	31,3	126,2							
		Number	14,325	4,608	50,761	31,440	9.635	110,540	1,740	20,146	13.012	120 473	5 286m	3,400111	376,680	,	7.1%	
		Per Cent of Profes- sional Man- power	4.8	1,5	15.7	7.6	3.4	37.0	0,5	6,3	2.3	0 0	7000					
		Per Cent of Cent Cent Cent Cent Cent Profess-Change Labour Sional Force power	0,28	0.09	0.92	0.44	000	2.0	0,03	0,36	0 14		1,21					
	1941	Per Cent Change	18,5	4.7-	20 7	17.0	7	, r	-7.4	4.0		+.77	-10,9					
		Number	11.873	3 740	20 500	10 547	10,01	00.000	1,202	15,344	1	5,733	50,907	4,196m	244,861		ı	5.8%
		Per Cent of of of Profes-Labour Sional Force power	4.2			13,4	0.0	3.6	30.1	6.2		2.0	25.7					
	1931	Per Cent of Labour Force	90 0	0 0	01.0	0,81	0.41	0.22	2,19	0,38		0,12	1,56					
		Number	000	10,020	4,039	31,898	15,818	8,602	86,183	14.748		4,701	61,258	3,927m	238,565			6,1%
		Occupation	Physicians and	Surgeons	Dentists	Nurses	Engineers2	Law Professionals	Teachers	Artists, Writers	and Musicians Draughtsmen and	Designers	Others	Total Labour Force	Total Professional and Technical	Total Professional	and Technical as Percentage of Labour	Force

Excluding Newfoundland prior to 1951 and Yukon and Northwest Territories prior to 1961.

² Including surveyors. Source: Census data.

APPENDIX 7-3

INDEX NUMBERS OF PHYSICIANS' PROFESSIONAL INCOME, WORKERS'
AVERAGE WEEKLY WAGES AND SALARIES AND LABOUR INCOME PER PAID
WORKER, CANADA, 1946 - 1960
1949 = 100.0

Year	Physicians' Professional Income	Average Weekly Wages and Salaries in Manufacturing ¹	Average Weekly Wages and Salaries — Industrial Composite ¹	Average Labour Income Per Employee ²
1946	76.7	73.4	75.6	75.4
1947	79.4	82.6	84. 2	84.3
1948	88. 1	92.5	93. 2	94.9
1949	100.0	100.0	100.0	100.0
1950	10 1. 7	105.7	104.9	105.2
1951	103.2	117.5	116.5	116.6
1952	110.3	128. 2	126.7	124.5
1953	117.0	134.8	133.9	131.5
1954	124.9	139.1	137.4	134.7
1955	127.2	144.4	142.1	137.0
1956	138.1	151.7	150.0	145.2
1957	148.4	159. 1	158. 1	150.9
1958	164.6	165.3	163.9	154.9
1959	170.6	172.5	17 1. 0	157.9
1960	177.4	177.8	176.5	16 1. 1

Employment and Payrolls, March 1963, DBS, Labour Division, Employment Section, Table 8, p. 29.

² DBS, Labour Division, Labour Income and Research. Labour income excludes supplementary labour income.

Note: Income, wages and salaries in current dollars.

APPENDIX 7-4

INDEX NUMBERS OF COST OF LIVING, DOCTORS' FEES AND OTHER COMPONENTS
OF MEDICAL CARE, FOR URBAN AREAS, CANADA, 1945 - 1962
1949 - 100.0

Year	Consumer Price Index	Doctors' Fees Index (Weighted Average)	Office Call Index	Home Call Index	Con- finement Index	Appen- dectomy Index
945	75.0	82.9	86. 2	86.8	76.1	_
946	77.5	84.5	88.0	88.0	77.8	-
947	84.8	87.9	90.4	91.2	82.1	-
948	90.7	95.1	96.8	96.2	92.4	_
.949	100.0	100.0	100.0	100.0	100.0	100.0
.950	102.9	100.9	100.6	10 1. 9	10 1.6	100.1
1951	113.7	107.0	108.0	107.1	107.7	104.8
1952	116.5	114.9	117.2	113.5	117.8	110.3
1953	115.5	118.0	121.7	117.6	121.1	111.0
1954	116.2	120.6	124. 2	121.1	124.1	112.3
1955	116.4	122.4	126.6	123. 2	126.6	113.0
1956	118.1	125.7	130.3	129.6	130.3	113.2
1957	121.9	130.7	136.5	137.3	135.6	114.2
1958	125.1	137.8	145.8	146.1	142.4	116.8
1959	126.5	141.7	149.7	150.1	150.5	118.1
1960	128.0	143.6	150.8	153.2	155.4	118.9
1961	129.2	146.0	153.6	156.0	161.0	119.1
1962	130.7	150.4	158.2	165.5	167.4	119.9

Source: DBS, Prices Division, Retail Prices Section.

APPENDIX 7-5 EXPENDITURES ON PERSONAL MEDICAL SERVICES, CANADA, 1945 - 1961 Current Dollars

Year	Personal Medical Services	Per Capita	Per cent of Gross National Expenditure	Per cent of Personal Expenditure ²
	\$m1	\$		10
1945	76.2	6.31	0.64	1.09
1946	86.7	7.05	0.73	1.07
1947	91.0	7.25	0.69	0.99
1948	101.4	7.91	0.67	1.00
1949	117.0	8.70	0.72	1.06
1950	135.0	9.85	0.75	1.11
1951	153.0	10.92	0.72	1.13
1952	168.0	11.62	0.70	1.13
1953	176.6	11.90	0.71	1.13
1954	188.6	12.34	0.76	1.16
1955	206.5	13.15	0.76	1.18
1956	240.1	14.93	0.79	1.27
1957	269.2	16.21	0.84	1.33
1958	295.5	17.30	0,90	1.39
1959	326.8	18.69	0.94	1.44
1960	354.5	19.84	0,98	1.50
1961	393.2	21.01	1.02	1.56

¹ Computed by Dr. J. Madden.

² Personal expenditures include expenditures on personal health care as reported in the National Accounts, cost of providing hospital care in government mental, tuberculosis, federal hospitals, and the administrative costs of public insurance programmes.

APPENDIX 8-1

PROJECTED DOCTOR REQUIREMENTS, CANADA, 1961-1991 Constant physician-population ratio -1:857

and improving ratio - 1:857 to 1:665

	Projected Population,	Total Requirement	its for Physicians
Year	Net Immigration — 10,000 Per Annum	Constant Ratio - 1:857	Improving Ratio - 1:857 to 1:665
1966	20,076.6	23,426	24,424
1971	22,105.0	25,793	28,087
1976	24,449.6	28,529	32,383
1981	27,136.1	31,664	37,532
1986	30,081.0	35,100	43,406
1991	33,250.1	38,798	50,000
	Projected Population,	Total Requiremen	nts for Physicians
Year	Net Immigration - 100,00 Per Annum	Constant Ratio - 1:857	Improving Ratio 1:857 to 1:665
1966	20,571.3	24,003	25,025
1971	23,195.3	27,065	29,473
1976	26,213.2	30,587	34,719
1981	29,635.0	34,579	40,988
1986	33,377.0	38,946	48,163
1991	37,427.5	43,672	56,281

NOTES: Physician-population ratio of 1:857 has been computed from the 1961 Census data. Physician-population ratio improved from 1:976 in 1951 to 1:897 in 1961 (excluding the improvement due to immigrant new registrants who were additions to Canadian medical manpower during the years 1950-60. These immigrants accounted for one-third of new medical registrants during that period.) Thus the rate of improvement equals 8.8 per cent over the 10-year period or 4.32 per cent of every five years, or at a compound rate of 0.85 per cent per annum. The physician-population ratio becomes: 1961 - 1:857; 1966 - 1:822; 1971 - 1:787; 1976 - 1:755; 1981 - 1:723; 1986 - 1:693; and 1991 - 1:665.

APPENDIX 8-2

PROJECTED DOCTOR REQUIREMENTS, CANADA, 1966-1991

Constant volume of medical services required per capita 5.3784 and 6.7230 physician visits

		Tot	al Requiremen	its for Physici	ans
Year	Projected Population,		Service Per - 5.3784	Volume of S Capita -	
	Net Immigration — 10,000 Per Annum	Physicians in Private Practice	Total Physicians	Physicians in Private Practice	Total Physicians
1966	20,076.6	17,042	23,506	21,303	29,383
1971	22,105.0	18,764	25,881	23,455	32,351
1976	24,449.6	20,754	28,626	25,943	35,783
1981	27,136.1	23,035	31,772	28,793	39,714
986	30,081.0	25,534	35,219	31,918	44,024
.991	33,250,1	28,225	38,931	35,281	48,663
		Tota	al Requiremen	ts for Physici	ans
Year	Projected Population,	Volume of S Capita -			Service Per - 6.7230
	Net Immigration — 100,000 Per Annum	Physicians in Private Practice	Total Physicians	Physicians in Private Practice	Total Physicians
.966	20,571.3	17,462	24,085	21,828	30, 107
971	23, 195, 3	19,690	27,158	24,612	33,947
976	26,213,2	22,251	30,691	27,814	38,364
		25,156	34,698	31,445	43,372
981	29,635.0	43,130			
1981 · · · · · · . 1986 · · · · · · .	29,635.0 33,377.0	28,332	39,078	35,415	48,848

Notes: Estimated 15,450 physicians in private practice in 1961 constituted 72.5 per cent of the total 21,290 physicians (including interns and residents) in Canada as of June, 1961. This proportion was used in calculating the total requirements for physicians.

APPENDIX 8-3
EXPECTED SUPPLY OF PHYSICIANS, CANADA, 1961-1991

Year	Number of Physicians	Attrition	Graduation	Immigration
June 1, 1961	21,290	681	800	350
1962	21,759	696	800	350
1963	22,213	711	800	350
1964	22,652	725	800	350
1965	23,077	738	800	350
June 1, 1966	23,489	752	900	350
1967	23,987	768	900	350
1968	24,469	783	900	350
1969	24,936	798	900	350
1970	25,388	812	900	350
June 1, 1971	25,826	826	95 0	250
1972	26,200	838	950	250
1973	26,562	850	950	250
1974	26,912	861	950	250
1975	27,251	872	95 0	250
June 1, 1976	27,579	882	95 0	250
1977	27,897	893	950	250
1978	28,204	902	950	250
1979	28,502	912	950	250
1980	28,790	921	95 0	250
June 1, 1981	29,069	930	950	250
1982	29,339	939	950	250
1983	29,600	947	950	250
1984	29,853	955	950	250
1985	30,098	963	950	250
June 1, 1986	30,335	971	95 0	250
1987	30,564	978	950	250
1988	30,780	985	950	250
1989	31,001	992	95 0	250
1990	31,209	999	95 0	250
June 1, 1991	31,410			

APPENDIX 8-4A

REQUIRED SUPPLY OF MEDICAL GRADUATES AND FIRST-YEAR ENROLMENT OF CANADIANS IN MEDICAL SCHOOL

Constant physician-population ratio 1:857

100	Surplus or Deficit Per Annum		-43	181	-107	85	-136	-227
-24	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	1,013	1,291	1,526	1,680	1,799
Average Number of Population in University Age-Group 20-24	Popula- tion Net Immi- gration 50,000 Per Annum	(3)	1, 198.4	1,350.5	1,721.2	2,034.7	2,239.6	2,399.1
versity Ag	Surplus or Deficit Per Annum		4	-37	09-	-30	-75	-162
ation in Uni	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	1,005	1,274	1,504	1,650	1,758
r of Popula	Popula- tion Net Immi- gration 25,000 Per Annum	(2)	1, 198.4	1,340.0	1,699.5	2,005.0	2, 199.8	2,344.0
age Numbe	Surplus or Deficit Per Annum		+35	+4	- 10	+24	-15	961
Aver	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	266	1,258	1,481	1,620	1,717
	Popula- tion Net Immi- gration 0 Per Annum	(1)	1, 198.4	1,329.5	1,677.6	1,975.3	2, 159.9	2,288.8
	Yearly Average		864 903 942	990 1,042 1,094	1, 268 1, 334 1, 398	1,457 1,534 1,611	1,635 1,725 1,816	1,813 1,920 2,026
	Re- quired 1st-Yr. Enrol- ment		4,322 4,514 4,708	4,952 5,211 5,470	6,342 6,668 6,992	7,283 7,670 8,056	8,174 8,627 9,081	9,065 9,598.
	Yearly Average		779 813 848	892 939 986	1, 143 1, 20 1 1, 260	1,312 1,382 1,452	1,473 1,554 1,636	1,633 1,729 1,825
	Needed Supply of Medi- cal Grads.	2	3,894 4,067 4,241	4,461 4,695 4,928	5,714 6,007 6,299	6,561 6,910 7,258	7,364 7,772 8,181	8,167 8,647 9,127
			36£	3333	335	365	365	335
	Projection Period		1961/62 - 1965/66	1966/67 - 1970/71	1971/72 — 1975/76	1976/77 - 1980/81	1981/82 - 1985/86	1986/87 — 1990/91

APPENDIX 8-4B

REQUIRED SUPPLY OF MEDICAL GRADUATES AND FIRST-YEAR ENROLMENT OF CANADIANS IN MEDICAL SCHOOL

Improving physician-population ratio - 1:8571

	Deficit Per Annum		-284	-440	-580	-738	-977	-1,284
-24	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	1,013	1,291	1,526	1,680	1,799
Average Number of Population in University Age-Group 20-24	Popula- tion Net Immi- gration 50,000 Per Annum	(3)	1,198.4	1,350,5	1,721.2	2,034.7	2,239.6	2,399,1
versity Ag	Deficit Per Annum		-244	-387	-522	-662	-886	-1,176
tion in Uni	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	1,005	1,274	1,504	1,650	1,758
r of Popula	Population Net Immigration 25,000 Per Annum	(2)	1,198.4	1,340,0	1,699,5	2,005.0	2,199.8	2,344.0
ge Numbe	Deficit Per Annum		-204	-337	-461	-587	-796	-1,069
Avera	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		668	266	1,258	1,481	1,620	1,717
	Population Net Immigration 0 Per Annum	(1)	1,198,4	1,329,5	1,677.6	1,975.3	2,159.9	2,288.8
	Re- quired Yearly 1st-Yr. Aver- Enrol- age ment		1,103 1,143 1,183	1,334 1,392 1,453	1,719	2,068 2,166 2,264	2,416 2,536 2,657	2,786 2,934 3,083
	Re- quired 1st-Yr. Enrol- ment		5,516 5,715 5,915	6,670 6,961 7,265	8,596 8,981 9,355	10,342 10,829 11,318	12,079 12,682 13,286	13,928 14,672 15,414
	Yearly Average		994 1,030 1,066	1,202 1,254 1,309	1,549 1,618 1,686	1,863 1,951 2,039	2,176 2,285 2,394	2,510 2,644 2,777
	Needed Supply y of Medi-cal Grads.		4,969 5,149 5,329	6,009 6,271 6,545	7,744 8,091 8,428	9,317 9,756 10,196	10,882 11,425 11,969	12,548 13,218 13,887
			365	3.8.3	3 (3)	3.8.3	3333	333
	Projection Period		1961/62 — 1965/66	1966/67 — 1970/71	1971/72 — 1975/76	1976/77 - 1980/81	1981/82 — 1985/86	1986/87 — 1990/91
	P 10		1961/62	1966/67	1971/72	1976/77	1981/83	1986/8

On the assumption that the physician-population ratio will maintain the 0.85 per cent average annual improvement registered between 1951 and 1961 during the projected periods. The physician-population ratio becomes: 1961, 1:857; 1966, 1:822; 1971, 1:787; 1976, 1:755; 1981, 1:723; 1986, 1:693; 1991, 1:665.

REQUIRED SUPPLY OF MEDICAL GRADUATES AND FIRST-YEAR ENROLMENT OF CANADIANS IN MEDICAL SCHOOLS Constant Volume of Medical Services Required Per Capita 5,3784 Physician-Visits APPENDIX 8-4C

						Average	e Number	Average Number of Population in University - Age Group 20-24	on in Unive	rsity - A	ge Group 20	-24	
Projection Period	Needed Supply of Medical Grads.	Needed Supply Yearly of Aver-Grads.	Re- quired 1stYr. Enrol- ment	Yearly Aver- age	Vearly Population Aver- Net Immiage Eatton Per Annum	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum	Surplus or Deficit Per Annum	Population Net Immigration 25,000 Per Annum	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum	Surplus or Deficit Per Annum	Population Net Immigration So,000 Per Annum	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum	Surplus or Deficit Per Annum
					(1)			(2)			(3)		
1961/62 - 1965/66 (1) (2) (3)	3,979 (4,153) 4,328	796 831 866	4,417 4,610 4,804	883 922 961	1,198,4	668	+16	1,198,4	899	-23	1,198,4	668	-62
1966/67 - 1970/71 (1) (2) (2)	4,482) 4,718) 4,951	896 944 990	4,975 5,237 5,496	995 1,047 1,099	1,329,5	266	+3	1,340,0	1,005	-42	1,350,5	1,013	98-
1971/72 - 1975/76 (1) (2) (2) (3)	5,739) 6,032) 6,326	1,148 1,206 1,265	6,370 6,696 7,022	1,274 1,339	1,677.6	1,258	-16	1,699,5	1,274	-65	1,721,2	1,291	-113
1976/77 - 1980/81 (1) (2) (2) (3)	6,588 (6,936 (7,285	1,318 1,387 1,457	7,313 7,699 8,086	1,463 1,540 1,617	1,975.3	1,481	+18	2,005,0	1,504	136	2,034,7	1,526	-91
1981/82 - 1985/86 (1) (2) (2) (3)	7,393 7,804 8,214	1,479 1,561 1,643	8,206 8,662 9,118	1,641 1,732 1,824	2,159.9	1,620	-21	2,199,8	1,650	-82	2,239,6	1,680	-144
1986/87 - 1990/91 (1) (2) (2) (3)	8,200) 8,682) 9,162	1,640 1,736 1,832	9,102 9,637 10,170	1,820 1,927 2,034	2,288.8	1,717	-103	2,344.0	1,758	-169	2,399.1	1,799	-235

REQUIRED SUPPLY OF MEDICAL GRADUATES AND FIRST-YEAR ENROLMENT OF CANADIANS IN MEDICAL SCHOOLS Constant volume of medical services required per capita - 6,7230 physician visits¹ APPENDIX 8-4D


	Deficit Per Annum		-1,486	1458	-540	-566	699-	-813
-24	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		899	1,013	1,291	1,526	1,680	1,799
e-Group 20-	Population Expected Net Immi- 1st-Yr. gration Students 50,000 (7,5 per Per Annum 10,000)	(3)	1,198,4	1,350,5	1,721,2	2,034.7	2,239,6	2,399,1
ersity Ag	Deficit Per Annum		-1,438	-393	-469	-491	1 58 55	-720
tion in Univ	No. of Expected 1st-Yr. Students (7.5 per 10,000 Per Annum		899	1,005	1,274	1,504	1,650	1,758
Average Number of Population in University Age-Group 20-24	Population Net Immi- gration 25,000 Per Annum	(2)	1,198,4	1,340,0	1,699,5	2,005,0	2,199,8	2,344.0
ge Numbe	Deficit Per Annum		-1,390	-344	-404	-416	-501	-628
Avera	No. of Expected 1st-Yr. Students (7.5 per 10,000) Per Annum		668	266	1,258	1,481	1,620	1,717
	Yearly Population Aver- Net Immiage gration Per Annum	(1)	1,198.4	1,329,5	1,677.6	1,975,3	2,159,9	2,288.8
			2,289 2,337 2,385	1,341 1,398 1,471	1,662 1,743 1,831	1,897 1,995 2,092	2,121 2,235 2,349	2,345 2,478 2,612
	Yearly quired Aver- 1st-Yr. age Enrol-		11,443 11,684 11,927	6,704 6,992 7,355	8,309 8,714 9,155	9,487 9,973 10,460	10,605 11,174 11,743	11,724 12,391 13,060
			2,062 2,105 2,149	1,208 1,260 1,325	1,497 1,570 1,650	1,709 1,797 1,885	1,911 2,013 2,116	2,112 2,233 2,353
	Needed Supply of Medical Grads.		10,309 10,526 10,745	6,040 6,299 6,626	7,486 7,850 8,248	8,547 8,985 9,423	9,554 10,067 10,579	10,562 11,163 11,766
			333	333	3333	3333	3333	333
	Projection Period		1961/62 - 1965/66 (1) (2) (3)	1966/67 — 1970/71	1971/72 — 1975/76	1976/77 — 1980/81	1981/82 — 1985/86	1986/87 - 1990/91
			196	196	19,	19,	198	198

¹ The high deficits recorded over the period 1961/62 - 1965/66 under the assumption of 6,7230 physician-visits per capita are due to the fact that the present rate is 5,3784 physician-visits per capita. These large deficits reflect the backlog that must be satisfied if the existing physician visits per capita is to be improved to the suggested level of 6,7230,

Government and Other Official Documents

1.	CANADIAN MEDICAL PROCUREMENT AND ASSIGNMENT BOARD, Report of the National Health Survey, 1945, pp. XXVIII and 336.
2.	DEPARTMENT OF NATIONAL HEALTH AND WELFARE, Survey of Physicians in Canada, July 1946, Ottawa.
3.	, Survey of Physicians in Canada, July 1947.
4.	, Survey of Physicians in Canada, September 1948.
5.	, Survey of Physicians in Canada, September 1949.
6.	, Survey of Physicians in Canada, June 1951.
7.	, Survey of Physicians in Canada, June 1954.
8.	, Specialists in Canada, June 1954, a Supplement to: Survey of Physicians in Canada, June 1954.
9.	, Survey of Physicians in Canada, April 1960 (Preliminary).
10.	, The Administration of Public Health in Canada, Health Care Series No. 3, 1958.
11.	Dr. K.C. Charron, Director of Health Services, at the Annual Meeting of the Canadian Welfare Council, May 30, 1961. (Unpublished Paper.)
12.	, Report of the Survey of Health Unit Services in Eight Provinces of Canada, 1960.
13.	No. 3, June 1956.
14.	, A Survey of Medical Groups in Canada, 1954, Memorandum No. 7, November 1958.
15.	DEPARTMENT OF LABOUR, ECONOMICS & RESEARCH BRANCH, Directory of Canadians Studying in the United States, 1961, 1962.
16.	—, The Migration of Professional Workers Into and Out of Canada, 1946-1960, Bulletin No. 11, October 1961.
17.	, Working Conditions in Canadian Industry, 1962, Report No. 6, 1963, pp. 9-
18.	DEPARTMENT OF CITIZENSHIP AND IMMIGRATION, STATISTICS SECTION, Immigration 1961.
19.	DOMINION BUREAU OF STATISTICS, EDUCATION DIVISION, University Student Expenditure and Income in Canada: 1961-62.
20.	, Survey of Pension and Welfare Plans in Industry, 1947, Reference Paper No. 4, 1950.

36.



Technical Report Series, No. 137, Geneva, 1957, p. 29.

Technical Report Series No. 22, Geneva, 1950.

_, Expert Committee on Professional and Technical Education of

Medical and Auxiliary Personnel, Report on the First Session, 1950,

Briefs and Exhibits Submitted to the Royal Commission on Health Services

- 1. The Association of Canadian Medical Colleges, May 11, 1962.
- 2. L'Association des Médecins de Langue Française du Canada, April 11, 1962.
- 3. L'Association Médicale de la Province de Québec, April 17, 1962.
- 4. British Columbia Medical Association, February 20, 1962.
- 5. The Canadian Association of Medical Students and Interns, March 20, 1962.
- 6. Canadian Health Insurance Association, May 16, 1962.
- 7. The Canadian Medical Association, Main Submission, May 15, 1962.
- 8. ______, Preliminary Submission: I. Some Characteristics of the Medical Profession of Canada; II. Comments of the Medical Profession on the Terms of Reference of the Royal Commission on Health Services, September 27, 1961.
- Submission of the C.M.A.'s Committee on Occupational Medicine, January 2, 1962.
- 10. _____, Survey of Salaried Physicians, 1959.
- 11. The Canadian Life Insurance Medical Officers' Association, May 15, 1962,
- 12. Canadian Medical Association, British Columbia Division, February 20, 1962.
- 13. Canadian Public Health Association, May 23, 1962.
- 14. The Canadian Welfare Council, May 31, 1962.
- 15. College of General Practice of Canada, May 15, 1962.
- 16. Collège des Médecins et Chirurgiens de la Province de Québec, April, 1962.
- 17. College of Medicine, University of Saskatchewan, January 25, 1962.
- 18. The College of Physicians and Surgeons, Province of Alberta; The Canadian Medical Association, Alberta Division and The Faculty of Medicine, University of Alberta, February 13, 1962.
- 19. The College of Physicians and Surgeons, Province of Manitoba, January 17, 1962.
- 20. ______, A Brief submitted to the Commission on Medical Education in the Province of Manitoba, March, 1961.
- 21. _____, Report of the Registrar, September 30, 1961.
- 22. _____, College of Physicians and Surgeons, Province of Ontario, May 22, 1962.
- 23. College of Physicians and Surgeons, Province of Saskatchewan, January 22, 1962.
- 24. ______, A Brief to the Advisory Planning Committee of the Province of Saskatchewan on Medical Care, December, 1960.
- 25. Dalhousie University, Faculty of Medicine and Faculty of Dentistry, October 30, 1961.
- 26. Department of Health of New Brunswick, November 9, 1961.
- 27. Department of Health of Newfoundland, November 2, 1961.
- 28. Faculty of Medicine, University of Manitoba, January 15, 1962.

- 29. Faculty of Medicine, University of Toronto, May 14, 1962.
- 30. General Practitioners Association of Manitoba, January 17, 1962.
- 31. The Government of Manitoba, January 15, 1962.
- 32. The Government of Nova Scotia, October 30, 1961.
- 33. The Government of the Province of Saskatchewan, January 22, 1962.
- 34. Manitoba Medical Association, January 16, 1962.
- 35. Manitoba Medical Association, Supplementary Submission, January 16, 1962.
- 36. The Medical Council of Canada, March 22, 1962.
- 37. The Medical Society of Nova Scotia, October 7, 1961.
- 38. Medical Society of Prince Edward Island, November 7, 1961.
- 39. New Brunswick Medical Society, November 10, 1961.
- 40. Newfoundland Medical Association, November 2, 1961.
- 41. _____, Observations on the Newfoundland Cottage Hospital Service, November 2, 1961.
- 42. Ontario Medical Association, May 7, 1962.
- 43. The Provincial Medical Board of Nova Scotia, October 30, 1961.
- 44. Provision of Medical Services Through Group Practice, submitted by P.H.T. Thorlakson, April 16, 1962.
- 45. The Royal College of Physicians and Surgeons of Canada, March 21, 1962.

Books and Pamphlets

- AMERICAN MEDICAL ASSOCIATION, Bureau of Medical Economics, Factual Data on Medical Economics, Revised Edition, Chicago, 1940.
- BACHMAN, GEORGE W. and ASSOCIATES, Health Resources in the United States, Personnel, Facilities, and Services, The Brookings Institution, Washington, pp. XVI and 344, 1952.
- and MERIAM, LEWIS, The Issue of Compulsory Health Insurance, The Brookings Institution, Washington, 1948, pp. IX and 271; Supply of Personnel and Facilities, Chap. 8, pp. 191-197.
- BROWN, ESTHER LUCILE, Physicians and Medical Care, Russell Sage Foundation, New York, 1937, p. 202.
- CLARK, DEAN A, and CLARK, KATHARINE G., Organization and Administration of Group Medical Practice, Joint Committee of the Twentieth Century Fund and the Good Will Fund, and Medical Administration Service, Inc., October 1941, p. 109.
- DAVIS, MICHAEL M., Medical Care for Tomorrow, Harper and Brothers Publishers, New York, 1955, pp. X and 497.
- DICKINSON, FRANK G., Distribution of Physicians by Medical Service Areas, American Medical Association, Bureau of Medical Economics, Bulletin No. 94, Chicago, 1954, p. 162.
- FRIEDMAN, MILTON, and KUZNETS, SIMON, Income from Independent Professional Practice, National Bureau of Economic Research, New York, 1945, pp. XXIX and 599.
- GOLDMAN, FRANZ, edited, and LEAVELL, HUGH, Medical Care for Americans, The Annals of the American Academy of Political and Social Science, Vol. 273, January 1951, pp. VII and 315.
- JORDAN, EDWIN P., edited, The Physician and Group Practice, The Year Book Publishers, Inc., Chicago, 1958, p. 238.
- MEANS, JAMES HOWARD, Doctors, People, and Government, an Atlantic Monthly Press Book, Little, Brown & Co., Boston, 1953, pp. VII and 206.
- 12. NATIONAL SCIENCE FOUNDATION, A Program for National Information on Scientific and Technical Personnel, August 1958, p. 33.
- SOMERS, HERMAN MILES, and SOMERS, ANNE RAMSAY, Doctors, Patients, and Health Insurance, The Brookings Institution, Washington, 1961, pp. XIX and 576.

Articles

- ANDERSON, J.F.C., "Presidential Address," Canadian Medical Association Journal, July 1950, Vol. 63, p. 86.
- ASSOCIATION OF AMERICAN MEDICAL COLLEGES, Import and Export of Medical Professional Talent, Datagrams, Vol 3, No. 11, May 1962.
- BACHMAN, GEORGE W., "A Method of Measuring Physician Requirements, with Appraisal of Former Methods," The Brookings Institution, Washington, May 1955, Reprint No. 5, from the Journal of the American Medical Association, June 1955, Vol. 158, pp. 375-381, p. 21.
- BACKMAN, JULES, "Professional Fees: Factors Affecting Fee Setting in the Several Professions," The Journal of Accountancy, Vol. 95, May 1953, pp. 554-566.
- BOUCOT, KATHARINE R., "Special Problems of Women Medical Students," Canadian Medical Association Journal, Vol. 86, April 7, 1962,pp. 614-617.
- BOWLER, JOHN P, and SYCAMORE, LESLIE K., "Group Practice is One Answer to the Problem of Distribution," Modern Hospital, Vol. 62, May 1944, pp. 46-49.
- BRATT, FLOYD C., "Relative Importance of the General Practitioner and the Specialist in Patient Care," World Medical Journal, Vol. 6, No. 5, September 1959, pp. 302, 303 and 313.
- BRAIN, SIR RUSSELL, "Osler and Medicine Today", Canadian Medical Association Journal, Vol. 83, August 20, 1960, pp. 349-354.
- CANADIAN MEDICAL ASSOCIATION JOURNAL, Editorial: "Justice and the Future of Medicine", Vol. 52, May 1945, pp. 510-511.
- 10. _____, "The Physician and the Public", Vol. 52, May 1945, pp. 524-525. Reprinted from the Calgary Historical Bulletin, November 1944.
- 11. _____, Editorial: "The General Practitioner," Vol. 62, May 1950, p. 508.
- 12. _____, Editorial: "The Doctor and Medical Recruitment," Vol. 78, April 1, 1958, p. 531.
- 13. _____, Medical Economics: "Are There Too Many Doctors in Canada?", Vol. 78, Jun 15, 1958, pp. 966-968.
- 14. _____, Editorial: "Fathers and Sons," Vol. 79, July 1, 1958, pp. 46-47.
- 15. _____, Editorial: "Is There a Place for the Independent Physician in Future Society?" Vol. 82, June 11, 1960, pp. 1237-1238.
- 16. ______, Editorial: "Future Patterns of Medical Practice," Vol. 85, December 23, 1961, pp. 1400-1401.
- 17. _____, Editorial: "Specialization Trends in Canada," Vol. 83, November 12, 1960, pp. 1071-1072.
- 18. _____, Editorial: "Shortage of Doctors," Vol. 86, February 10, 1962, pp. 297-298.
- 19. CAPLOW, THEODORE, "Market Attitudes," a Research Report from the Medical Field, Harvard Business Review, Vol. 30, November-December 1952, pp. 105-112.
- 20. CARLTON, WINSLOW, "Problem of Social Medicine: Equilibrating the Distribution and Technology of Medical Care," The New England Journal of Medicine, Vol. 236, April 3, 1947, pp. 493-497.

- CHARRON, K.C., "Health Services for Industry," Canadian Journal of Public Health, Vol. 39, August 1948, pp. 320-324.
- CIOCCO, ANTONIO, and ALTMAN, ISIDORE, "The Patient Load of Physicians in Private Practice, A Comparative Statistical Study of Three Areas," Public Health Reports, Vol. 58, September 3, 1943, pp. 1329-1351.
- 23. ______, and ALTENDERFER, MARION E., "Birth Statistics as an Index of Interdependence of Counties with Regard to Medical Services," Public Health Reports, Vol. 60, August 24, 1945, pp. 973-985.
- and ALTMAN, ISIDORE and TRUAN, T. DAVID, "Patient Load and Volume of Medical Services," Public Health Reports, Vol. 67, June 1952, pp. 527-534.
- and ALTMAN, ISIDORE, "Statistics on the Patient Load of Physicians in Private Practice," The Journal of the American Medical Association, Vol. 121, February 13, 1943, pp. 506-513.
- CLARK, DEAN A., "Improving the Quality of Medical Care, Group Medical Practice,"
 American Journal of Public Health, Vol. 39, No. 3, March 1949, pp. 321-328.
- "'Problems in the Distribution of Medical Care," Symposium on Medical Sociology, The New England Journal of Medicine, Vol. 234, January 10, 1946, pp. 53-58.
- and HAPNEY, COZETTE, Group Practice, Extract from "Medical Care for Americans", The Annals of the American Academy of Political and Social Science, January 1951.
- CLARKSON, GUY C., "Future Requirements for Physicians in Canada," Canadian Medical Association Journal, November 18, 1961, Vol. 85, pp. 1162-1169.
- COLLEGE OF PHYSICIANS AND SURGEONS OF ONTARIO, "The Problem of Refugee Doctors," a statement quoted in the Canadian Medical Association Journal, Vol. 65, October 1951, pp. 382-383.
- 31. COLLINS, JOSEPH S., "Group Practice, Existing Patterns and Future Policies," Lancet, Vol. 265, July 4, 1953, pp. 31-33.
- 32. _____, and CLARK, DONALD M., "General Practice, Today and Tomorrow," The New England Journal of Medicine, Vol. 248, No. 4, January 22, 1953, pp. 141-148 and No. 5, January 29, 1953, pp. 183-194.
- COUNTS, SARAH and STALNAKER, JOHN M., "Cost of Attending Medical School,"
 The Journal of Medical Education, Vol. 29, February 1954, pp. 20-25.
- CRUICKSHANK, W.H., "The Changing Status of Industrial Medicine," Canadian Medical Association Journal, Vol. 59, December 1948, pp. 536-539.
- 35. DICKINSON, FRANK G., "The Ages of Physicians in the United States, 1940 and 1948,"

 The Journal of the American Medical Association, Vol. 139, January 1, 1949, pp. 51-52.
- 36. _____, "Supply of Physicians' Services," The Journal of the American Medical Association, Vol. 145, April 21, 1951, pp. 1260-1264.
- 37. _____, and BRADLEY, CHARLES E., "Survey of Physicians' Incomes," The Journal of the American Medical Association, Vol. 146, July 28, 1951, pp. 1249-1255,
- 38. _____, and EVERETT L. WELKER, "The Leading Causes of Death Among Physicians," The Journal of the American Medical Association, Vol. 139, April 23, 1949, pp. 1129-1131.

- 39. DIEHL, HAROLD S., "Physicians for Rural Areas, A Factor in Their Procurement,"

 The Journal of the American Medical Association, Vol. 145, April 14, 1951,
 p. 1134.
- DUBLIN, LOUIS I., and SPIEGELMAN, MORTIMER, "The Longevity and Mortality of American Physicians, 1938-1942," The Journal of the American Medical Association, Vol. 134, August 9, 1947, pp. 1211-1215.
- 41. _____, "Mortality of Medical Specialists, 1938-1942," The Journal of the American Medical Association, Vol. 137, August 21, 1948, pp. 1519-1524.
- 42, _____, and ROSCOE G. LELAND, "Longevity and Mortality of Physicians, Postgraduate Medicine," Vol. 2, September 1947, pp. 182-202.
- 43. FALK, I.S., "The Present and Future Organization of Medicine," The Milbank Memorial Fund Quarterly, Vol. XII, April 1938, No. 2, pp. 115-125.
- FARQUHARSON, R.F., "The Medical Research Council of Canada," Canadian Medical Association Journal, Vol. 85, November 25, 1961, pp. 1194-1198.
- FEIN, RASHI, "Studies on Physician Supply and Distribution," American Journal of Public Health and The Nation's Health, Vol. 44, May 1954, pp. 615-624.
- 46. THE FINANCIAL POST, A Feature Report on Medicine and Health in Canada, Vol. LVI, No. 23, June 9, 1962.
- 47. GALVEZ, ALFREDO GIL, "The Rights and Obligations of Medical Organizations," World Medical Journal, Vol. 8, No. 1, January 1961, pp. 5-6.
- 48. GINZBERG, ELI, Perspectives on the Economics of Medical Care, Extract from "Economics of Medical Care," The American Economic Review, Vol. XLI, May 1951, No. 2, Papers and Proceedings of the Sixty-Third Annual Meeting of the American Economic Association, Chicago, December 27-30, 1950, pp. 617-25.
- 49. GOLDMAN, FRANZ, Major Areas of Achievements and Deficiency, Extract from "Economics of Medical Care," the American Economic Review, Vol. XLI, No. 2, May 1951, Papers and Proceedings of the Sixty-Third Annual Meeting of the American Economic Association, Chicago, Illinois, December 27-30, 1950, pp. 626-632.
- 50. _____, "Methods of Payment for Physicians' Services in Medical Care Programs,"

 American Journal of Public Health and The Nation's Health, Vol. 42, February

 1952, pp. 134-141.
- 51. GRAY, JESSIE, "So Your Doctor is a Woman," Saturday Night, August 23, 1952, pp. 31-32.
- 52. GREENHILL, STANLEY, "Preparing Today's Medical Student for Tomorrow's Society."

 The Role of a Department of Social Medicine in a Medical School, Canadian Medical Association Journal, Vol. 86, April 7, 1962, pp. 611-613.
- 53. GREGG, ALAN, "Doctors There are 209,000 M.D.'s," Scientific American, Vol. 185, September 1951, pp. 79-84.
- 54. HALL, OSWALD, "Some Problems in the Provision of Medical Services," The Canadian Journal of Economics and Political Science, Vol. 20, No. 4, November 1954, pp. 456-466.
- 55. _____, "Half Medical Man, Half Administrator: An Occupational Dilemma," Canadian Public Administration, Vol. II, No. 4, December 1959, pp. 185-194.

56. HAMILTON, HORACE C., "Distribution of Medical College Students by Residence," Journal of the Association of American Medical Colleges, Vol. 21, January 1946, pp. 33-37.

- 57. HARRIS, SEYMOUR E., "Prescription to Meet the Doctor Shortage," New York Times Magazine, May 14, 1950, pp. 22 and 68.
- HASTINGS, JOHN E.F., "Issues and Priorities in Health Care," Unpublished Paper presented to the Canadian Welfare Council Annual Conference, Ottawa, May 30, 1961.
- 59. HENRY, C.R., "The Place of the Physician in Rural Health Activities," Public Health Reports, Vol. 68, No. 5, May 1953, pp. 490-492.
- 60. HOLLAND, B. DIXON, "Occupational Health Services, A Challenge to The World Medical Association," World Medical Journal, Vol. 7, No. 3, May 1960, pp. 187-188.
- HOLLIS, KARL, "The Relationship of Doctors and Hospitals," Canadian Medical Association Journal, Vol. 72, May 15, 1955, pp. 774-775.
- JOHNSTON, W.V., "General Practice in the Changing Order," Canadian Medical Association Journal, Vol. 59, August 1948, pp. 167-170.
- 63. ______, "The General Practitioner of Today," Canadian Medical Association Journal, Vol. 61, August 1949, pp. 168-170.
- 64. JORDAN, EDWIN P., "The Business Side of Group Practice," The Journal of the American Medical Association, Vol. 155, August 7, 1954, pp. 1371-1372.
- 65. THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION, Editorial: "The Alleged Shortage of Physicians," Vol. 142, January 14, 1950, pp. 111-113,
- 66. _____, Editorial: "Prewar and Postwar Distribution of Physicians," Vol. 144, September 16, 1950, p. 244.
- 67. _____, Editorial: "Proportion of Physicians to Population," Vol. 139, January 1, 1949, p. 38.
- 68. _____, "Medical Licensure Statistics," Vol. 180, June 9, 1962, pp. 843-893.
- 69. _____, Education Issues.
- 70. _____, "Medical Education," Vol. 171, November 14, 1959, p. 1529.
- 71. KLARMAN, HERBERT E., Requirements for Physicians, Extract from "Economics of Medical Care," The American Economic Review, Vol. XLI, May 1951, No. 2, Papers and Proceedings of the Sixty-Third Annual Meeting of The American Economic Association, Chicago, December 27-30, 1950, pp. 633-645.
- 72. KLASS, ALAN A., "What is a Profession," Canadian Medical Association Journal, Vol. 85, September 16, 1961, pp. 698-701.
- LeRICHE, HARDING, and STIVER, W.B., "The Work of Specialists and General Practitioners in Ontario," Canadian Medical Association Journal, Vol. 81, July 1, 1959, pp. 37-42.
- LIVINGSTON, AIR MARSHALL SIR PHILIP C., "The Effective Use of Medical Manpower in an Emergency," Canadian Medical Association Journal, Vol. 71, December 1954, pp. 536-542.

- 75. LOWTHER, FLORENCE DE L. and DOWNES, HELEN R., "Women in Medicine," The Journal of the American Medical Association, Vol. 129, October 13, 1945, pp. 512-514.
- 76. MACLEOD, J.W., and THOMPSON, J.S., "The Changing Scene in Canadian Medical Education," The Journal of Medical Education, 36: 1079-1091, September 1961, (Special International Issue), p. 15.
- McGIBONY, JOHN R. and JOHNSTON, HELEN L., "Prospects for Rural Health Care," Rural Sociology, Vol. 19, 1954, pp. 337-348.
- McKITTRICK, LELAND S., "Medical Practice and Its Future," The New England Journal of Medicine, Vol. 234, February 7, 1946, pp. 188-194.
- MALLERY, O.T., "The Industrial Physician, Past, Present, and Future, Industrial Medicine and Surgery," The Journal of Medicine in Industry, Vol. 21, June 1952, pp. 286-288.
- 80. MARTIN, HON. PAUL, An Address to the British and Canadian Medical Associations at the Annual Meeting of the Canadian Medical Association, Toronto, June 23, 1955, Canadian Medical Association Journal, Vol. 73, July 15, 1955, pp. 139-143.
- 81. MASTER, ARTHUR M., "Impact of Medical Care Plans on the Medical Profession," The Journal of the American Medical Association, Vol. 150, October 25, 1952, pp. 766-770.
- 82. MEANS, J.H., "Evolution of the Doctor-Patient Relationship," The Bulletin of the New York Academy of Medicine, Vol. 29, September 1953, pp. 725-732.
- MOORE, B.W., "Medical Licensure in Canada," Canadian Medical Association Journal, Vol. 73, July 15, 1955.
- 84. MOUNTIN, JOSEPH W., "Relocation of Physicians: A Prerequisite to Better Medical Care," The Journal of the American Medical Association, Vol. 126, September 23, 1944, pp. 203-205.
- 85. ______, and PENNELL, ELLIOTT H. and BROCKETT, GEORGE S., "Location and Movement of Physicians, 1923 and 1938, Changes in Urban and Rural Totals for Established Physicians," Public Health Reports, Vol. 60, February 16, 1945, pp. 173-185.
- , and NICOLAY, VIRGINIA, "Location and Movement of Physicians, 1923 and 1938, General Observations," Public Health Reports, Vol. 57, September 11, 1942, pp. 1363-1375.
- 87. ______, "Location and Movement of Physicians, 1923 and 1938, Effect of Local Factors Upon Location," Public Health Reports, Vol. 57, December 18, 1942, pp. 1945-1953.
- 88. _____, "Location and Movement of Physicians, 1923 and 1938, Age Distribution in Relation to County Characteristics," *Public Health Reports*, Vol. 58, March 19, 1943, pp. 483-490.
- 89. NEUFFER, HANS, "The Role of the Physician in Our Present Medical, Sociological, Political and Economical Development," World Medical Journal, Vol. 5, No. 4, July 1958, pp. 207-209.
- 90. PARRAN, THOMAS, "Medical Manpower," The Journal of the Association of American Medical Colleges, Vol. 23, January 1948, pp. 18-29.

91. PENNELL, ELLIOTT H., "Location and Movement of Physicians, Methods for Estimating Physician Resources," Public Health Reports, Vol. 59, March 3, 1944, pp. 281-305.

- PETERSON, PAUL Q., and PENNELL, MARYLAND Y., "Physician-Population Projections, 1961-1975: Their Causes and Implications," American Journal of Public Health, Vol. 53, No. 2, February 1963, pp. 163-172.
- PROGER, SAMUEL, "Distribution of Medical Care, A Postgraduate Program to Fit
 a Pattern of Medical Practice," The Journal of the American Medical Association, Vol. 124, March 25, 1944, pp. 823-826.
- 94. LeRICHE, W.H., "Money and the Physician," Canadian Medical Association Journal Vol. 83, September 17. 1960, pp. 656-657.
- "The Character of the Physician in Relation to Social and Economic Consequences of Specialization," Canadian Medical Association Journal, Vol. 83, October 22, 1960, pp. 912-914.
- 96. RAPPLEYE, WILLARD C., "Personnel is the Key to Effective Health Programs,"

 The Modern Hospital, Vol. 75, No. 2, August 1950, pp. 96-100.
- RAWLINSON, H.E., "The History of Specialism and Its Implications for Today,"
 Canadian Medical Association Journal, Vol. 67, September 1952, pp. 266-269.
- ROBSON, R.B., "Medical Care of the Industrial Worker," Canadian Medical Association Journal, Vol. 52, February 1952, pp. 143-147.
- ROEMER, MILTON I., "Hospital Utilization and the Supply of Physicians," The Journal of the American Medical Association, Vol. 178, December 9, 1961, pp. 989-993.
- 100. ROREM, C. RUFUS, "Pattern and Problems of Group Medical Practice," American Journal of Public Health, Vol. 40, December 1950, pp. 1521-1528.
- 101. _____, "Economics of Private Group Practice," Canadian Medical Association Journal, Vol. 70, April 1954, pp. 462-466.
- 102. ROTHENBERG, JEROME, Welfare Implications of Alternative Methods of Financing Medical Care, Extract from "Economics of Medical Care," The American Economic Review, Vol. XLI, No. 2, May 1951, Papers and Proceedings of the Sixty-Third Annual Meeting of the American Economic Association, Chicago, December 27-30, 1950, pp. 676-687.
- 103. SANDERS, J.P., and NYBERG, CHARLES E., "Integration of the General Practitioners into Well-Organized Private Group Practice Clinics," General Practitioner, Vol. 1, May 1950, pp. 71-75.
- 104. SCARLETT, E.P., An Address to the Annual Meeting of the Canadian Medical Association, Winnipeg, June 18, 1953, Canadian Medical Association Journal, Vol. 69, September 1953, pp. 324-328.
- 105. SKINNER, GEORGE F., "The Changing Status of Medicine," Extract from the Presidential Address at the Annual Meeting of the New Brunswick Medical Society, September 6-9, 1953, Canadian Medical Association Journal, Vol. 70, March 1954, pp. 342-344.
- 106. SOLANDT, O.M., "Medical Aspects of Civil Defence," Canadian Medical Association Journal, November 1947, pp. 460-463.

- 107. STALKER, MURRAY, "Distribution of Medical Service," Canadian Medical Association Journal, Vol. 63, July 1953, pp. 79-80.
- 108. STALNAKER, JOHN M. and COUNTS, SARAH, "Ratio of Applicants to Population, 1952-53," The Journal of Medical Education, Vol. 28, October 1953, pp. 28-32.
- 109. STRUTHERS, R.R., "Medical Education in Canada," Canadian Medical Association Journal, Vol. 78, April 1, 1958, pp. 480-481.
- 110. TAYLOR, MALCOLM G., "The Role of the Medical Profession in the Formulation and Execution of Public Policy," The Canadian Journal of Economics and Political Science, Vol. 26, No. 1, February 1960, pp. 108-127.
- 111. TERRIS, MILTON, and MONK, MARY, "Changes in Physicians' Careers: Relation of Time after Graduation to Specialization," The Journal of the American Medical Association, Vol. 160, February 25, 1956, pp. 653-655.
- 112. THELANDER, HULDA E., and WEYRAUCH, HELEN B., "Women in Medicine," The Journal of the American Medical Association, Vol. 148, February 16, 1952, pp. 531-535.
- 113. THOMPSON, J.S., "Who Can Go to Medical School," Canadian Medical Association Journal, Vol. 75, November 15, 1956, pp. 840-842.
- 114. _____, "The Medical Student, His Background and His Problems," Canadian Medical Association Journal, Vol. 78, April 1, 1958, pp. 493-497.
- 115. _____, "Canadian Medical Education, Its Costs and Personnel," Canadian Medical Association Journal, Vol. 82, April 2, 1960, pp. 726-729.
- 116. _____, "Wanted: More and Better Medical Students, The Facts and Figures on Medical Education," Canadian Medical Association Journal, Vol. 84, April 1, 1961, pp. 689-691.
- 117. _____, "The Facts and Figures of Canadian Medical Education," Canadian Medical Association Journal, Vol. 86, April 7, 1962, pp. 605-608.
- 118. THORLAKSON, P.H.T., "Group Practice and Medical Education," Canadian Medical Association Journal, Vol. 63, October 1950, pp. 336-339.
- 119. _____, "Provision of Medical Services Through Group Practice," a Report submitted to the Royal Commission on Health Services, April 16, 1962.
- 120. TROUPIN, JAMES L., "Medical Schools and Physicians, Quantitative Aspects,"

 Bulletin of the World Health Organization, Vol. 13, 1955, pp. 344-361.
- 121. TRUMAN, STANLEY R., "Balanced Medical Community," General Practitioner, Vol. 6, December 1952, pp. 106-107.
- 122. VEEDER, BORDEN S., "Is There a Physician Shortage?" The Journal of Paediatrics, Vol. 39, July 1951, pp. 128-132.
- 123. WEISKOTTEN, H.G., "Factors Relating to the Distribution of Physicians," The Journal of the American Medical Association, Vol. 148, April 1952, pp. 1397-1400.
- 124. _____, and ALTENDERFER, MARION E., "Trends in Medical Practice, An Analysis of the Distribution and Characteristics of Medical College Graduates, 1915-1940," The Journal of Medical Education, Supplement, Vol. 27, September 1952, pp. 3-41.

125. WIGGINS, W.S., ALTENDERFER, M.E., GOOCH, M., and TIPNER, A., "Trends in Medical Practice, An Analysis of the Distribution and Characteristics of Medical College Graduates, 1915-1950," The Journal of Medical Education, Vol. 35, No. 12, December 1960, pp. 1071-1121.

- 126. WILLARD, JOSEPH W., "The Effect of Socio-Economic Trends on the Practice of Medicine," Ontario Medical Review, Vol. 26, No. 10, October 1959, pp. 935-936, 958, 960, 962, 964, 966, 968, and 970.
- 127. WILSON, W.L., "The Physician in Civil Defence," Canadian Medical Association Journal, Vol. 65, July 1951, pp. 57-60.