



Environment and
Climate Change Canada

Environnement et
Changement climatique Canada

AIR POLLUTANT EMISSIONS

CANADIAN ENVIRONMENTAL
SUSTAINABILITY INDICATORS



Canada 

Suggested citation for this document: Environment and Climate Change Canada (2020) Canadian Environmental Sustainability Indicators: Air pollutant emissions. Consulted on *Month day, year*. Available at: www.canada.ca/en/environment-climate-change/services/environmental-indicators/air-pollutant-emissions.html

Cat. No.: En4-144/22-2020E-PDF
ISBN: 978-0-660-35775-1

Unless otherwise specified, you may not reproduce materials in this publication, in whole or in part, for the purposes of commercial redistribution without prior written permission from Environment and Climate Change Canada's copyright administrator. To obtain permission to reproduce Government of Canada materials for commercial purposes, apply for Crown Copyright Clearance by contacting:

Environment and Climate Change Canada
Public Inquiries Centre
12th Floor Fontaine Building
200 Sacré-Coeur Blvd
Gatineau QC K1A 0H3
Telephone: 1-800-668-6767 (in Canada only) or 819-938-3860
Fax: 819-938-3318
Email: ec.enviroinfo.ec@canada.ca

Photos: © Environment and Climate Change Canada

© Her Majesty the Queen in Right of Canada, represented by the Minister of Environment and Climate Change, 2020

Aussi disponible en français

CANADIAN ENVIRONMENTAL SUSTAINABILITY INDICATORS

AIR POLLUTANT EMISSIONS

November 2020

Table of contents

Air pollutant emissions	7
Key results	7
Sulphur oxide emissions by source	10
Key results	10
Sulphur oxide emissions by province and territory	11
Key results	11
Sulphur oxide emissions by facilities	12
Nitrogen oxide emissions by source	14
Key results	14
Nitrogen oxide emissions by province and territory	15
Key results	15
Nitrogen oxide emissions by facilities	16
Volatile organic compound emissions by source	17
Key results	17
Volatile organic compound emissions by province and territory	18
Key results	18
Volatile organic compound emissions by facilities	19
Ammonia emissions by source	20
Key results	20
Ammonia emissions by province and territory	21
Key results	21
Ammonia emissions by facilities	21
Carbon monoxide emissions by source	23
Key results	23
Carbon monoxide emissions by province and territory	23
Key results	23

Carbon monoxide emissions by facilities	24
Fine particulate matter emissions by source	26
Key results	26
Fine particulate matter emissions by province and territory	28
Key results	28
Fine particulate matter emissions by facilities	29
Black carbon emissions by source	31
Key results	31
Black carbon emissions by province and territory	31
Key results	31
Air pollutant emissions from transportation, off-road vehicles and mobile equipment	33
Key results	33
Changes in emissions from transportation, off-road vehicles and mobile equipment	34
Key results	34
Air pollutant emissions from the electric utilities	36
Key results	36
Changes in emissions from the electric utilities	37
Key results	37
Air pollutant emissions from the oil and gas industry	38
Key results	38
Changes in emissions from the oil and gas industry	39
Key results	39
About the indicators	40
What the indicators measure	40
Why these indicators are important	40
Related indicators	41
Data sources and methods	42
Data sources	42
Methods	43
Recent changes	50
Caveats and limitations	50
Resources	51
References	51
Related information	51
Annex	52
Annex A. Data tables for the figures presented in this document	52

List of Figures

Figure 1. Air pollutant emissions, Canada, 1990 to 2018	7
Figure 2. Distribution of air pollutant emissions by source, Canada, 2018	8
Figure 3. Distribution of air pollutant emissions by province and territory, Canada, 2018	9
Figure 4. Total sulphur oxide emissions by source, Canada, 1990 to 2018	10
Figure 5. Sulphur oxide emissions by province and territory, Canada, 1990 and 2018.....	11
Figure 6. Sulphur oxide emissions by reporting facilities, Canada, 2018	13
Figure 7. Total nitrogen oxide emissions by source, Canada, 1990 to 2018	14
Figure 8. Nitrogen oxide emissions by province and territory, Canada, 1990 and 2018	15
Figure 9. Nitrogen oxide emissions by reporting facilities, Canada, 2018	16
Figure 10. Total volatile organic compound emissions by source, Canada, 1990 to 2018.....	17
Figure 11. Volatile organic compound emissions by province and territory, Canada, 1990 and 2018	18
Figure 12. Volatile organic compound emissions by reporting facilities, Canada, 2018	19
Figure 13. Total ammonia emissions by source, Canada, 1990 to 2018	20
Figure 14. Ammonia emissions by province and territory, Canada, 1990 and 2018	21
Figure 15. Ammonia emissions by reporting facilities, Canada, 2018	22
Figure 16. Total carbon monoxide emissions by source, Canada, 1990 to 2018	23
Figure 17. Carbon monoxide emissions by province and territory, Canada, 1990 and 2018	24
Figure 18. Carbon monoxide emissions by reporting facilities, Canada, 2018.....	25
Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018.....	26
Figure 20. Fine particulate matter emissions by province and territory, Canada, 1990 and 2018.....	28
Figure 21. Fine particulate matter by reporting facilities, Canada, 2018.....	30
Figure 22. Total black carbon emissions by source, Canada, 2018	31
Figure 23. Black carbon emissions by province and territory, Canada, 2013 and 2018.....	32
Figure 24. Contribution of transportation, off-road vehicles and mobile equipment to total air pollutant emissions by transportation mode, Canada, 2018	33
Figure 25. Changes in emissions of key air pollutants from transportation, off-road vehicles and mobile equipment, Canada, 1990 to 2018	34
Figure 26. Contribution of electric utilities to total air pollutant emissions by fuel source, Canada, 2018	36
Figure 27. Changes in emissions of key air pollutants from electric utilities, Canada, 1990 to 2018	37
Figure 28. Contribution of the oil and gas industry to total air pollutant emissions by activity type, Canada, 2018	38
Figure 29. Changes in emissions of key air pollutants from the oil and gas industry, Canada, 1990 to 2018 ...	39

List of Tables

Table 1. Source emissions changes between 1990 and 2018.....	27
Table 2. Alignment of sources reported in the indicators with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory	46
Table 3. Alignment of sources reported in the transportation, off-road vehicles and mobile equipment indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory.....	49
Table 4. Alignment of sources reported in the electric utilities indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory	50
Table 5. Alignment of sources reported in the oil and gas industry indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory	50

Table A. 1. Data for Figure 1. Air pollutant emissions, Canada, 1990 to 2018	52
Table A. 2. Data for Figure 2. Distribution of air pollutant emissions by source, Canada, 2018.....	53
Table A. 3. Data for Figure 3. Distribution of air pollutant emissions by province and territory, Canada, 2018 ..	54
Table A. 4. Data for Figure 4. Total sulphur oxide emissions by source, Canada, 1990 to 2018	55
Table A. 5. Data for Figure 5. Sulphur oxide emissions by province and territory, Canada, 1990 and 2018	56
Table A. 6. Data for Figure 7. Total nitrogen oxide emissions by source, Canada, 1990 to 2018.....	56
Table A. 7. Data for Figure 8. Nitrogen oxide emissions by province and territory, Canada, 1990 and 2018	57
Table A. 8. Data for Figure 10. Total volatile organic compound emissions by source, Canada, 1990 to 2018 ..	59
Table A. 9. Data for Figure 11. Volatile organic compound emissions by province and territory, Canada, 1990 and 2018.....	61
Table A. 10. Data for Figure 13. Total ammonia emissions by source, Canada, 1990 to 2018	61
Table A. 11. Data for Figure 14. Ammonia emissions by province and territory, Canada, 1990 and 2018	62
Table A. 12. Data for Figure 16. Total carbon monoxide emissions by source, Canada, 1990 to 2018.....	63
Table A. 13. Data for Figure 17. Carbon monoxide emissions by province and territory, Canada, 1990 and 2018	63
Table A. 14. Data for Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018.....	64
Table A. 15. Additional information for Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018.....	66
Table A. 16. Data for Figure 20. Fine particulate matter emissions by province and territory, Canada, 1990 and 2018	68
Table A. 17. Data for Figure 22. Total black carbon emissions by source, Canada, 2018	68
Table A.18. Data for Figure 23. Black carbon emissions by province and territory, Canada, 2013 and 2018 ...	68
Table A. 19. Data for Figure 24. Contribution of transportation, off-road vehicles and mobile equipment to total air pollutant emissions by transportation mode, Canada, 2018	69
Table A. 20. Data for Figure 25. Changes in emissions of key air pollutants from transportation, off-road vehicles and mobile equipment, Canada, 1990 to 2018	70
Table A.21. Data for Figure 26. Contribution of electric utilities to total air pollutant emissions by fuel source, Canada, 2018	72
Table A. 22. Data for Figure 27. Changes in emissions of key air pollutants from electric utilities, Canada, 1990 to 2018.....	73
Table A.23. Data for Figure 28. Contribution of the oil and gas industry to total air pollutant emissions by activity type, Canada, 2018	75
Table A. 24. Data for Figure 29. Changes in emissions of key air pollutants from the oil and gas industry, Canada, 1990 to 2018	75


Air pollutant emissions

Air pollution problems, such as smog and acid rain, result from the release of pollutants into the atmosphere. The majority of these pollutants are released through human activities, such as transportation, the burning of fuels for electricity and heating, and a variety of industrial activities. The indicators on [sulphur oxides](#) (SO_x), [nitrogen oxides](#) (NO_x), [volatile organic compounds](#) (VOCs), [carbon monoxide](#) (CO), [ammonia](#) (NH₃) [fine particulate matter](#) (PM_{2.5}) and [black carbon](#), a component of PM_{2.5}, report emissions released through human activities.

Key results

- In 2018, emissions of 5 key air pollutants SO_x, NO_x, VOCs, CO and PM_{2.5} ranged from 73% to 11% lower than in 1990
- Emissions of NH₃ were 21% higher than in 1990

Figure 1. Air pollutant emissions, Canada, 1990 to 2018



[Data for Figure 1](#)


Note: This indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Between 1990 and 2018, the largest emission reductions were observed for SO_x, which decreased by 73%. It was followed by CO emissions (54% reduction), VOCs (37%), NO_x (25%) and PM_{2.5} (11%). These reductions since 1990 are due in part to government actions and voluntary initiatives from key industrial emitters that were put in place to restrict or eliminate the release of air pollutants in Canada. For PM_{2.5}, since 2010, emissions have been steadily increasing outweighing the reductions observed over the period. Compared to 2017, there has been a slight upward trend in all the pollutants with the exception of SO_x.

In 2018, the majority of emissions of the 6 key air pollutants in Canada came from ore and mineral industries, transportation, the oil and gas industry, agriculture, and dust and fires (for example, road dust, prescribed burning).

Figure 2. Distribution of air pollutant emissions by source, Canada, 2018



[Data for Figure 2](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "dust and fires" includes emissions from human activities such as prescribed burning and dust from roads. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).


The human made sources most contributing to Canada's air pollutant emissions in 2018 were the following:

- the oil and gas industry, ore and mineral industries and electric utilities together represented the majority of SO_x emissions
- transportation (road, rail, air and marine) was a key source of NO_x and CO emissions
- off-road vehicles and mobile equipment and home firewood burning were also important sources of CO emissions and the oil and gas industry was an important source of NO_x emissions
- most of the VOC emissions came from the oil and gas industry and from the use of paints and solvents
- agriculture (livestock, crop production and fertilizer) accounted for the majority of NH₃ emissions
- dust and fires were the most important sources of PM_{2.5} emissions

At the provincial level, emissions of the 6 key air pollutants in 2018 were:

- the highest in Alberta for SO_x, (27% of national emissions), NO_x (36%), VOCs (31%), NH₃ (27%) and PM_{2.5} (33%)
- the highest in Quebec for CO (28%)
- the second highest in Ontario for SO_x (18% of national emissions), VOCs (21%) and CO (24%)
- also important in British Columbia for NO_x and Saskatchewan for NH₃ and PM_{2.5}, accounting for 16%, 21% and 30% of the national emissions of these pollutants

Figure 3. Distribution of air pollutant emissions by province and territory, Canada, 2018



[Data for Figure 3](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.
Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).


Sulphur oxide emissions by source

Emissions of [sulphur oxides](#) (SO_x) in the atmosphere can have adverse effects on human health and the environment. The SO_x emissions released by human activities consist mostly of sulphur dioxides (SO₂). Sulphur dioxide can affect respiratory systems of humans and animals and cause damage to vegetation, buildings and materials. It is also a precursor to fine particulate matter (PM_{2.5}) and acid rain.

Key results

- Between 1990 and 2018, SO_x emissions decreased by 73% to 811 kilotonnes (kt) in 2018
- In 2018, three sources accounted for 91% (741 kt) of the total SO_x emissions: the oil and gas industry, ore and mineral industries and electric utilities

Figure 4. Total sulphur oxide emissions by source, Canada, 1990 to 2018



[Data for Figure 4](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from transportation (road, rail, air and marine), off-road vehicles and mobile equipment, home firewood burning, incineration and waste, agriculture (livestock, crop production and fertilizer), dust and fires, paints and solvents, building heating and energy generation, manufacturing, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, the [oil and gas industry](#) and the ore and mineral industries each accounted for approximately 32% of total national SO_x emissions (261 kt and 259 kt respectively). [Electric utilities](#) followed with 27% (220 kt) of national emissions. For the ore and mineral industries, 54% (140 kt) of its SO_x emissions came from the non-ferrous refining and smelting industry.

The largest reduction in emissions between 1990 and 2018 was from ore and mineral industries with a reduction in emissions of 1 222 kt. The largest driver of the reduction from the source was from the non-ferrous refining and smelting industry with a reduction of 1 132 kt over the period.

This significant decrease in SO_x emissions from 1990 to 2018 is due in large part to government actions to fight acid rain and related federal-provincial and United States agreements^{1,2} on capping SO_x emissions by 1994. Further reductions were also realized through:


- technological upgrades, new air pollution controls for non-ferrous metal smelters and the closure of 3 major smelters in Manitoba, Ontario and Quebec
- lower emissions from fossil-fuel-fired (for example, coal-fired) power-generating utilities as a result of better technologies and plant closures (for example, the phase-out of coal electricity generation in Ontario)
- better emission control technologies within the oil and gas sector
- implementation of regulations on low-sulphur fuels^{3,4}

Sulphur oxide emissions by province and territory

Key results

- In 2018, Ontario and Alberta accounted for 46% (369 kt) of national SO_x emissions
- Between 1990 and 2018,
 - the largest reduction was observed in Ontario. Emissions in the province decreased by 980 kt (87%)
 - Saskatchewan was the only province that experienced an increase in SO_x (21%, or 20 kt)

Figure 5. Sulphur oxide emissions by province and territory, Canada, 1990 and 2018



¹ Environment and Climate Change Canada (1991) [Canada-United States Air Quality Agreement](#). Retrieved on February 26, 2020.

² Canadian Council of Ministers of the Environment (1998) [The Canada-Wide Acid Rain Strategy for Post-2000](#). Retrieved on February 26, 2020.

³ Environment and Climate Change Canada (2015) [Sulphur in Gasoline Regulations](#). Retrieved on February 26, 2020.

⁴ Environment and Climate Change Canada (2017) [Sulphur in Diesel Fuel Regulations](#). Retrieved on February 26, 2020.

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Alberta had the highest SO_x emissions level in 2018, accounting for 27% (223 kt) of total national emissions. Emissions in the province mainly came from the oil and gas industry and electric utilities, combined accounting for 94% (210 kt) of the emissions.

Ontario was the second-highest emitter of SO_x in 2018, accounting for 18% (146 kt) of total national emissions. Ore and mineral industries were the largest contributor to SO_x emissions of the province in 2018. The sharp reduction in SO_x emissions in Ontario between 1990 and 2018 was mainly due to emission reductions from ore and mineral industries (notably the non-ferrous refining and smelting industry) and electric utilities.


Saskatchewan ranked third, with 14% (117 kt) of total national emissions; electric utilities was the most important source of emissions in the province.

Sulphur oxide emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [SO_x emissions](#) from individual facilities.

Figure 6. Sulphur oxide emissions by reporting facilities, Canada, 2018



Note: Facility-reported sulphur oxide emissions represent 90% of total national sulphur oxide emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](https://www.ec.gc.ca/npri).

Navigate data using the [interactive map](#)


Nitrogen oxide emissions by source

[Nitrogen oxides](#) (NO_x) include emissions of nitric oxide (NO) and nitrogen dioxide (NO₂). Nitrogen dioxide can have adverse effects on human health and the environment. Nitrogen oxides contribute to acid rain, which can lead to the acidification of aquatic and terrestrial ecosystems. It also contributes to the eutrophication of lakes and to the formation of ground-level ozone (O₃) and fine particulate matter (PM_{2.5}).

Key results

- In 2018, NO_x emissions were 1 768 kilotonnes (kt). This is 25% lower than in 1990
- Transportation (road, rail, air and marine) was a major source of NO_x representing 41% (723 kt) of total emissions in 2018

Figure 7. Total nitrogen oxide emissions by source, Canada, 1990 to 2018



[Data for Figure 7](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from ore and mineral industries, manufacturing, building heating and energy generation, home firewood burning, incineration and waste, agriculture (livestock, crop production and fertilizer), dust and fires, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

While transportation (road, rail, air and marine) was the main contributor of NO_x, it was also the sector that experienced the largest reduction between 1990 and 2018. Emissions of NO_x from this sector decreased by 260 kt (26%) during that period.

The [oil and gas industry](#) emitted the next largest proportions of NO_x emissions in 2018, representing 27% (486 kt) of total national emissions. This sector also experienced the largest increase 41% (140 kt) in emissions between 1990 and 2018, partly offsetting reductions from other sectors.

The decline in NO_x emissions between 1990 and 2018 is mostly attributable to 2 factors:

- the reduction in emissions from [transportation](#) after 2000, given the progressive introduction of cleaner technology and fuels for vehicles

- lower emissions from fossil-fuel-fired (for example, coal-fired) power-generating utilities as a result of better emission control technologies and certain plant closures (for example, the closure of coal power plants in Ontario)


More recently, since 2016, NO_x emissions have started to trend up mainly due to increases in emissions from transportation and the oil and gas industry.

Nitrogen oxide emissions by province and territory

Key results

- Among provinces and territories, Alberta emitted the most NO_x in 2018. The province accounted for 36% (638 kt) of national emissions
- Between 1990 and 2018,
 - the largest reduction was observed in Ontario. Emissions decreased by 320 kt (53%) in the province
 - NO_x emissions slightly increased in Saskatchewan and increased by (23%, or 3 kt) for Nunavut and Northwest Territories combined

Figure 8. Nitrogen oxide emissions by province and territory, Canada, 1990 and 2018



[Data for Figure 8](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

The oil and gas industry is an important source of NO_x emissions in Alberta, accounting for 60% (380 kt) of the province's NO_x emissions in 2018. The increasing contribution of this sector to the province's emissions between 1990 and 2018 was offset by emission reductions from the transport and electric utilities sectors.

Ontario and British Columbia both contributed the second-largest proportion of NO_x emissions in 2018, each accounting for 16% (279 kt) of total national emissions, with transportation (road, rail, air and marine) being the most important source in both provinces followed by off-road vehicles and mobile equipment in Ontario and the oil and gas industry in British Columbia. However, Ontario experienced the largest decrease in emissions levels (320 kt) between 1990 and 2018 in large part due to emission reductions from transportation, electric utilities and off-road vehicles and mobile equipment.


Quebec ranked fourth, with 12% (219 kt) of total national emissions. Transportation (road, rail, air and marine) was the most important source of NO_x in this province.

Nitrogen oxide emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [NO_x emissions](#) from individual facilities.

Figure 9. Nitrogen oxide emissions by reporting facilities, Canada, 2018



Note: Facility-reported nitrogen oxide emissions represent 32% of total national nitrogen oxide emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](#).

Navigate data using the [interactive map](#)


Volatile organic compound emissions by source

[Volatile organic compounds](#) (VOCs) are carbon-containing gases and vapours released into the atmosphere by natural sources and human activities.⁵ There are hundreds of VOCs that are emitted and that affect the health of Canadians and the environment. VOCs are primary precursors to the formation of ground-level ozone and particulate matter which are the main pollutants contributing to the formation of smog.

Key results

- In 2018, VOC emissions in Canada were 1 914 kilotonnes (kt). This is a 1 123 kt (37%) decrease from 1990 levels
- Since 2000, the oil and gas industry has been the highest contributor to VOC emissions. In 2018, the sector accounted for 35% (674 kt) of total emissions

Figure 10. Total volatile organic compound emissions by source, Canada, 1990 to 2018



[Data for Figure 10](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from incineration and waste, ore and mineral industries, dust and fires, building heating and energy generation, electric utilities, agriculture (livestock, crop production and fertilizer) and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

The [oil and gas industry](#) was the main source of VOC emissions in 2018 with 674 kt emitted (35% of total emissions). Paints and solvents and home firewood burning were also important sources contributing 22% (412 kt) and 12% (228 kt) of total emissions.

The source with the largest emissions reduction between 1990 and 2018 was off-road vehicles and mobile equipment, with emissions reductions of 676 kt (83%).

The long-term decrease in VOC emissions is mainly attributable to 3 factors:

⁵ Under the *Canadian Environmental Protection Act*, carbon dioxide, carbon monoxide, methane and chlorofluorocarbons are not considered volatile organic compounds.

- the progressive introduction of cleaner technologies and fuels resulting in emission reductions from [transportation, off-road vehicles and mobile equipment](#)
- emission reductions from most industrial and non-industrial sources from improved emission controls
- lower levels of VOCs in products such as paints, solvents and cleaners

The two sources with significant emissions growth over the 1990 to 2018 period were the oil and gas industry with an increase of 74 kt (12%) and the use of paints and solvents with an increase of 55 kt (15%).


The recent increase in VOC emissions can be attributed to the use of paints and solvents, transportation and the oil and gas industry.

Volatile organic compound emissions by province and territory

Key results

- Alberta emitted the highest proportion of VOCs in 2018. The province represented 31% (593 kt) of national emissions
- Between 1990 and 2018,
 - Ontario experienced the largest reduction in VOC emissions. Emissions in the province decreased by 56% (506 kt)
 - Saskatchewan was the only province that experienced an increase in VOC emissions (55%, or 93 kt)

Figure 11. Volatile organic compound emissions by province and territory, Canada, 1990 and 2018



[Data for Figure 11](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Alberta was the highest emitting province of VOCs in 2018 (593 kt), with the oil and gas industry as the main source, contributing 72% (425 kt) of the province's emissions.

Ontario was the second-highest emitter of VOCs, accounting for 21% (397 kt) of total national emissions in 2018. The main emission sources are paints and solvents, home firewood burning and off-road vehicles and mobile equipment. Ontario also experienced the largest reduction in emissions, with 506 kt (56%) between 1990 and 2018, mainly as a result of emission reductions from off-road vehicles and mobile equipment and transportation (road, rail, air and marine).

Quebec was the third largest emitter, with 16% (315 kt) of total national emissions, where home firewood burning and paints and solvents accounted for 62% of the emissions in that province.


Most provinces and territories experienced significant reductions in emissions between 1990 and 2018 with the exception of Saskatchewan, where emissions increased 55% over the period. The oil and gas industry is responsible for the increase in emissions in Saskatchewan.

Volatile organic compound emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [VOC emissions](#) from individual facilities.

Figure 12. Volatile organic compound emissions by reporting facilities, Canada, 2018



Note: Facility-reported volatile organic compound emissions represent 13% of total national volatile organic compound emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](#).

Navigate data using the [interactive map](#)


Ammonia emissions by source

Ammonia (NH₃) is a colourless gas with a noticeable odour at high concentrations. It can be poisonous if inhaled in great quantities and is irritating to the eyes, nose, and throat. It can also contribute to the nitrification and eutrophication of aquatic systems. In the air, the gas combines with sulphates and nitrates to form secondary fine particulate matter (PM_{2.5}).

Key results

- In 2018, NH₃ emissions were 484 kilotonnes (kt). This is 21% higher than in 1990
- Agriculture (livestock, crop production and fertilizer) was the main source of NH₃ emissions in 2018. Emissions from this source accounted for more than 93% (453 kt) of total national emissions

Figure 13. Total ammonia emissions by source, Canada, 1990 to 2018



[Data for Figure 13](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from incineration and waste, the oil and gas industry, home firewood burning, ore and mineral industries, electric utilities, building heating and energy generation, off-road vehicles and mobile equipment, dust and fires, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Between 1990 and 2018, agriculture (livestock, crop production and fertilizer) experienced the largest increase (25% or 90 kt) in NH₃ emissions. It also remained the key source of NH₃ emissions throughout that period. Emissions from manufacturing (12 kt), other sources (12 kt), and transportation (road, rail, air and marine) (8 kt) combined represented 7% of national emissions in 2018.


The growth in NH₃ emissions from agriculture (livestock, crop production and fertilizer) between 1990 and 2018 is mainly due to the increased use of synthetic nitrogen fertilizers. Up to 2005, larger livestock populations also added to the growth. However, from 2006 to 2011, livestock populations decreased and have since remained stable. More recently, emissions from crop production have been steadily increasing since 2006.

Ammonia emissions by province and territory

Key results

- In 2018, Alberta and Saskatchewan accounted for almost half (234 kt) of national NH₃ emissions
- Between 1990 and 2018,
 - Ontario experienced the largest emissions reduction. Emissions in the province decreased by 23 kt (21%)
 - The largest increase in NH₃ emissions was in Saskatchewan. Emissions in the province more than doubled (a 54 kt increase)

Figure 14. Ammonia emissions by province and territory, Canada, 1990 and 2018



[Data for Figure 14](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, Alberta emitted the most NH₃ of all the provinces and territories, accounting for 27% (131 kt) of total national emissions. Saskatchewan contributed the second-largest proportion of NH₃, representing 21% (103 kt).

Ontario and Quebec followed with 18% and 14% (90 kt and 69 kt) of total national emissions, respectively. For all provinces, livestock farms and the application of fertilizers were the most important sources of NH₃ emissions.


Almost all of the increase in emissions between 1990 and 2018 took place in Saskatchewan, Alberta and Manitoba.

Ammonia emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [NH₃ emissions](#) from individual facilities.

Figure 15. Ammonia emissions by reporting facilities, Canada, 2018



Note: Facility-reported ammonia emissions represent 4% of total national ammonia emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](#).

Navigate data using the [interactive map](#)


Carbon monoxide emissions by source

[Carbon monoxide](#) (CO) is a colourless, odourless, tasteless and poisonous gas. Once inhaled into the bloodstream, it can inhibit the blood's capacity to carry oxygen to organs and tissues, affecting human health.

Key results

- In 2018, CO emissions in Canada were 5 752 kilotonnes (kt), a decrease of 54% from 1990 levels
- Transportation (road, rail, air and marine) was the largest source of CO emissions in Canada. In 2018, the sector represented 33% (1 902 kt) of total emissions

Figure 16. Total carbon monoxide emissions by source, Canada, 1990 to 2018



[Data for Figure 16](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from dust and fires, electric utilities, building heating and energy generation, incineration and waste, agriculture (livestock, crop production and fertilizer), paints and solvents, ore and mineral industries, manufacturing and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, [transportation](#), [off-road vehicles and mobile equipment](#), and home firewood burning were the 3 most important sources of CO. These sources combined represented 76% (4 399 kt) of national emissions.

The largest reduction in emissions between 1990 and 2018 occurred in transportation (road, rail, air and marine) with an emission decrease of 3 619 kt (66%).

The decline in CO emissions between 1990 and 2018 is mainly due to increasingly stringent engine and vehicle regulations and the progressive introduction of cleaner and more efficient technology in vehicles (for example, catalytic converters).


Carbon monoxide emissions by province and territory

Key results

- In 2018, Ontario and Quebec accounted for 52% (3 009 kt) of national CO emissions
- Between 1990 and 2018,

- all provinces and territories experienced significant reductions in emissions
- the largest reductions occurred in Ontario (by 2 130 kt or 60%), British Columbia (by 1 649 kt or 69%) and Quebec (by 1 069 kt or 40%)

Figure 17. Carbon monoxide emissions by province and territory, Canada, 1990 and 2018



[Data for Figure 17](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, Quebec emitted the most CO of all the provinces and territories, representing 28% (1 601 kt) of the total national emissions. Home firewood burning was the most important source of CO emissions for Quebec.

The province of Ontario ranked second, with 24% (1 409 kt) of total national emissions in 2018, with 37% of those emissions from transportation (road, rail, air and marine).

Alberta, the third largest CO emitter, accounted for 18% (1 032 kt) of total national emissions. The oil and gas industry accounted for 42% of the province's CO emissions.


The sharp decrease in emissions between 1990 and 2018 in all provinces is mainly attributable to emission reductions from transportation (road, rail, air and marine).

Carbon monoxide emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [CO emissions](#) from individual facilities.

Figure 18. Carbon monoxide emissions by reporting facilities, Canada, 2018



Note: Facility-reported carbon monoxide emissions represent 15% of total national carbon monoxide emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](https://www.ec.gc.ca/npri).

Navigate data using the [interactive map](#)


Fine particulate matter emissions by source

Particulate matter (PM) is directly emitted into the air in solid or liquid form. It is also formed in the air from precursor substances such as sulphur oxides, nitrogen oxides, volatile organic compounds and ammonia.⁶ Fine particulate matter (PM_{2.5}) refers to particulate matter with a size of less than 2.5 micrometres (also called microns). It is one of the major components of smog. When inhaled deeply into the lungs, even small amounts of PM_{2.5} can cause serious health problems. It can also damage vegetation and structures, contribute to haze and reduce visibility.

Key results

- In 2018, PM_{2.5} emissions were 1 625 kilotonnes (kt). This is 11% lower than in 1990
- Emissions from dust and fires (for example, road dust and prescribed burning) accounted for the majority of PM_{2.5} emissions, reaching 59% (955 kt) of total national emissions in 2018. These emissions increased by 80% (425 kt) between 1990 and 2018. Dust from construction operations and unpaved roads accounted for the majority of the increase.

Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018



[Data for Figure 19](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from ore and mineral industries, transportation (road, rail, air and marine), manufacturing, off-road vehicles and mobile equipment, the oil and gas industry, building heating and energy generation, electric utilities, incineration and wastes, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

⁶ PM formed in the air from chemical and physical reactions involving the precursor substances are not included in the indicator.

In 2018, 82% of PM_{2.5} emissions came from open source emissions, such as dust and fires, and agriculture (livestock⁷, crop production and fertilizer). In general, these emissions are spread over large geographical areas, are highly dependent on weather conditions (for example, wind and rain) and are located outside of urban areas.

The remaining 18% of PM_{2.5} emissions in 2018 came from home firewood burning (161 kt or 10%) and other sources, including:

- ore and mineral industries, representing 2% (34 kt) of the emissions
- transportation (road, rail, air and marine), representing 1% (21 kt)
- manufacturing and off-road vehicles and mobile equipment, each representing about 1% (16 kt) of emissions
- miscellaneous sources, such as emissions from cigarette smoking, representing 1% (16 kt)
- the oil and gas industry, representing less than 1% (12 kt)
- other emissions (less than 1%) coming from building heating and energy generation, electric utilities, incineration and wastes, and the use of paints and solvents

Many of the sources above, despite representing a small proportion of national emissions, can have a disproportionate impact on the population because they are generally concentrated in populated areas.

The decreases in PM_{2.5} emissions between 1990 and 2018 are mainly attributable to emission reductions from agriculture (livestock, crop production and fertilizer), home firewood burning and manufacturing. These reductions outweigh the increase in emissions from dust and fires over the period. The adoption of conservation practices in crop production and the use of new fireplace inserts, furnaces and stoves in homes that control emissions and burn more efficiently were the main drivers leading to the reductions. Since 2010, however, emissions from dust and fires have gradually increased outweighing reductions from the other sources.

Table 1. Source emissions changes between 1990 and 2018

Source	PM _{2.5} (change in kilotonnes from 1990 to 2018)	PM _{2.5} (percentage change from 1990 to 2018)
Dust and fires	425.0	80.2
Miscellaneous	1.0	6.5
Building heating and energy generation	0.6	13
Oil and gas industry	0.3	2.4
Paints and solvents	0.02	n/a
Incineration and waste	-2.3	-45.3
Transportation (road, rail, air and marine)	-19.7	-48.5
Ore and mineral industries	-21.5	-38.9
Off-road vehicles and mobile equipment	-37.6	-70.1
Electric utilities	-45.2	-93.4

⁷ PM_{2.5} emissions are produced as a result of the aerial transport of feed particles, feather fragments, fecal material, dander, etc from ventilation systems in livestock buildings.

Manufacturing	-99.6	-85.9
Home firewood burning	-101.0	-38.5
Agriculture (livestock, crop production and fertilizer)	-295.0	-43.5
Total	-195.1	-10.7

Note: The changes have been calculated using source data that are not rounded.


Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Fine particulate matter emissions by province and territory

Key results

- In 2018, Alberta emitted the most PM_{2.5}. The province represented 33% (531 kt) of total national emissions
- Between 1990 and 2018, all provinces and territories, with the exception of Alberta, Nunavut and the Northwest Territories, decreased their emissions
 - The largest decrease was observed in British Columbia with 91 kt (57%)
 - Alberta experienced the largest increase in PM_{2.5} emissions by 21% (92 kt)

Figure 20. Fine particulate matter emissions by province and territory, Canada, 1990 and 2018



[Data for Figure 20](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Dust and fires (for example, road dust and prescribed burning) were the largest sources of PM_{2.5} emissions in Alberta, the highest emitting province in 2018, accounting for 74% (396 kt) of total national dust and fires emissions in 2018.

Saskatchewan ranked second in 2018, with 30% (485 kt) of PM_{2.5} emissions. Dust and fires was the largest source, with agriculture (livestock, crop production and fertilizer) being the second-largest source of PM_{2.5}.

Ontario ranked third, with 12% (200 kt), and Quebec ranked fourth with 10% (163 kt). For Ontario, dust and fires was the largest source of emissions while home firewood burning (for example, woodstoves and fireplaces) was the largest source for Quebec.

The increase in emissions in Alberta between 1990 and 2018 can be attributed to growth in construction operations for the oil and gas industries.


The exclusion of emissions from dust and fires and agriculture (livestock, crop production and fertilizer) provides a different breakdown of PM_{2.5} emissions in each province and territory. With these emissions removed, Quebec becomes the largest emitting province of PM_{2.5} in 2018, representing 34% (98 kt) of total emissions (287 kt). Ontario ranks second with 24% (69 kt) of emissions. British Columbia and Alberta rank third and fourth, both representing 12% and 11% (34 kt and 30 kt, respectively) of emissions. Between 1990 and 2018, all of the provinces and territories experienced emissions reductions between 68% (British Columbia) and 26% (Prince Edward Island).

Fine particulate matter emissions by facilities

The National Pollutant Release Inventory provides detailed information on air pollutant emissions from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore PM_{2.5} emissions from individual facilities.

Figure 21. Fine particulate matter by reporting facilities, Canada, 2018



Note: Facility-reported fine particulate matter emissions represent 3% of total national fine particulate matter emissions.

Source: Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](https://www.ec.gc.ca/npri).

Navigate data using the [interactive map](#)


Black carbon emissions by source

Black carbon is a component of PM_{2.5} and is generated by the incomplete combustion of fossil fuels and biomass. It is a short-lived climate pollutant, and is linked to both climate warming and adverse human health effects. Reductions in black carbon emissions have near-immediate and local benefits.

Key results

- Emissions of black carbon were 37 kt in 2018, a slight increase from 2017 when emissions were 36 kt
- In 2018, 3 sectors accounted for 88% of national black carbon emissions:
 - home firewood burning
 - transportation (road, rail, air and marine)
 - off-road vehicles and mobile equipment

Figure 22. Total black carbon emissions by source, Canada, 2013 to 2018



[Data for Figure 22](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires. The chart includes emissions from the most significant sources of black carbon. "Other sources" includes emissions from ore and mineral industries, manufacturing, electric utilities and agriculture. Consult [Table 2](#) in the Data sources and methods for more details.

Source: Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#).

In 2018, home firewood burning and transportation (road, rail, air and marine) accounted for the largest proportions of total national emissions, both representing 31% (12 kt and 11 kt) of emissions. Off-road vehicles and mobile equipment (for example, lawn and garden equipment, recreational vehicles, excavators, graders) were also large contributors, representing about 26% (10 kt) of total national emissions. The remaining 12% of emissions came from the oil and gas industry, building heating and energy generation and other sources (such as ore and mineral industries).

For both transportation and off-road vehicles and mobile equipment, the use of diesel engines was the main source of black carbon emissions.


Black carbon emissions by province and territory

Key results

- In 2018, Quebec and Ontario accounted for 46% (17 kt) of total national black carbon emissions
- Between 2013 and 2018,

- all provinces and territories experienced reductions in black carbon emissions between 2% to 45%
- Alberta and Ontario experienced the largest reductions in emissions of 1.6 kt, respectively

Figure 23. Black carbon emissions by province and territory, Canada, 2013 and 2018



[Data for Figure 23](#)

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires.

Source: Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#).

Quebec had the highest black carbon emissions in 2018, accounting for 25% (9 kt) of total national emissions. Emissions came from home firewood burning representing 57% (5 kt) of the emissions. The second-highest emitter of black carbon in 2018 was Ontario, accounting for 21% (8 kt) of national emissions. Home firewood burning, off-road vehicles and mobile equipment, and transportation (road, rail, air and marine) were the 3 most importance sources of black carbon in the province.

Between 2013 and 2018, all the provinces and territories experienced reductions in black carbon emissions with Alberta and Ontario experiencing the largest reductions of 1.6 kt, respectively. For both provinces, the reductions were mainly attributable to lower emissions from off-road vehicles and mobile equipment.


Air pollutant emissions from transportation, off-road vehicles and mobile equipment

Transportation, off-road vehicles and mobile equipment are among the largest sources of air pollutants in Canada. Burning fossil fuels to power vehicles and engines causes emissions of many air pollutants. Air pollutants are responsible for the formation of fine particulate matter, ozone, smog and acid rain. They also adversely affect human health, the environment and the economy.

Key results

- In 2018, transportation, off-road vehicles and mobile equipment accounted for more than half of total national emissions of [carbon monoxide](#) (CO) and [nitrogen oxides](#) (NO_x) and 16% of total emissions of [volatile organic compounds](#) (VOCs)
- While also a source of emissions for [fine particulate matter](#) (PM_{2.5}), [sulphur oxides](#) (SO_x) and [ammonia](#) (NH₃), the sectors represented less than 3% of total national emissions of these other pollutants

Figure 24. Contribution of transportation, off-road vehicles and mobile equipment to total air pollutant emissions by transportation mode, Canada, 2018



[Data for Figure 24](#)

Note: "Passenger cars and motorcycles" include cars powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines as well as all types of motorcycles. "Passenger light trucks" include light-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines. "Large trucks and buses" include heavy-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

The contribution of each transportation mode to emissions of different air pollutants is in large part explained by the mix of fuels used in these modes.

[Large trucks and buses](#), and [rail and marine](#) rely predominantly on diesel fuel. Aviation relies on aviation turbo fuel. These transportation modes are the largest sources of NO_x transportation-related emissions accounting for 34% (596 kilotonnes [kt]) of total NO_x emissions.

[Passenger cars and light trucks](#) mostly use gasoline and are an important source of pollutants, especially in urban centres. In 2018, emissions from passenger cars, motorcycles and light trucks amounted to 1 337 kt of CO, 126 kt

of NO_x and 115 kt of VOCs. These emissions represented 23%, 7% and 6% of all emissions of these pollutants respectively.

Other sources (mainly composed of off-road vehicles and equipment)⁸ are also a significant source of pollution. Their combined emissions make up 23%, 11% and 7% of the total emissions of CO, NO_x and VOCs, respectively. Emissions mostly come from household use of gasoline- or diesel-powered recreational and lawn and garden equipment and from the operation of agricultural, construction and mining equipment.


The largest source of sulphur oxide (SO_x) emissions in the transportation sector is marine vessels. Emissions of SO_x from marine vessels decreased by 91% between 2014 and 2018 due to the introduction of more stringent regulations.

Changes in emissions from transportation, off-road vehicles and mobile equipment

Key results

- Between 1990 and 2018, total emissions of NO_x, CO and VOCs from transportation, off-road vehicles and mobile equipment decreased by 34%, 60% and 75%, respectively
- Since 2000, all pollutants demonstrated the same downward trend in their emissions level

Figure 25. Changes in emissions of key air pollutants from transportation, off-road vehicles and mobile equipment, Canada, 1990 to 2018



[Data for Figure 25](#)

Note: Fine particulate matter, sulphur oxides and ammonia are not shown in the chart due to their low share ($\leq 5\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Pollutant emissions have decreased despite economic and population growth as well as growth in transport activities for the period between 1990 and 2018. This decrease is mainly attributable to the adoption of new regulations that lead to the gradual introduction of technologies and clean fuel for vehicles.

⁸ Off-road vehicles and mobile equipment include airport ground support equipment, commercial equipment (such as [forklifts and ice resurfacers](#)), [farming](#), [construction](#), [forestry and mining equipment](#), industrial equipment, lawn and garden equipment, railway maintenance equipment, and [recreational equipment and recreational marine equipment](#).

Between 1990 and 2000, NO_x emissions increased by 24%. It includes the increase in emissions from light trucks (92%), large trucks and buses (44%) and marine transportation (34%). From 2000 to 2018, new regulations contributed to a decrease in emissions from light trucks (60%) and large trucks and buses (44%), while emissions from marine travel continued to increase by 2%. Emissions from air, marine and rail travel represented 17% of national emissions of NO_x in 2018.

Transportation emissions are influenced by a variety of factors. These include population and economic growth, volume of passenger and freight travel, vehicle type, emission control technologies, fuel efficiency and fuel type.


Air pollutant emissions from electric utilities

Electricity generation produces a large share of total national sulphur oxides (SO_x) and nitrogen oxides (NO_x). SO_x and NO_x are mostly emitted from power plants burning [fossil fuels](#) such as coal and, to a lesser extent, natural gas and diesel. These air pollutants are responsible for the formation of fine particulate matter, ozone, smog and acid rain. They also adversely affect human health, the environment, and the economy.

Key results

- In 2018, electric utilities were the source of 27% and 7% of total national emissions of [sulphur oxides](#) (SO_x) and [nitrogen oxides](#) (NO_x)
- Most of the air pollutant emissions from electric utilities come from burning coal
- Electric utilities are also a source of [carbon monoxide](#) (CO), [volatile organic compounds](#) (VOCs), [fine particulate matter](#) (PM_{2.5}) and [ammonia](#) (NH₃) emissions. However, they account for less than 1% of the total national emissions of these pollutants

Figure 26. Contribution of electric utilities to total air pollutant emissions by fuel source, Canada, 2018



[Data for Figure 26](#)

Note: Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share (< 1%) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose. "Other" fuel sources include waste material and other uncategorized sources of electricity generation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, 96% of SO_x and 71% of NO_x emissions from electric utilities came from burning coal.

While generating electricity by burning fossil fuels causes air pollutant emissions, the use of non-fossil energy sources, such as wind, nuclear and other renewable sources to generate electricity does not emit air pollutants. A large share of the electricity generated in Canada comes from sources that do not emit air pollutants:

- 60% of electricity comes from hydro
- 15% comes from nuclear power plants


- 7% comes from non-hydro renewable sources, such as wind, solar, tidal power and biomass⁹

Changes in emissions from electric utilities

Key results

- Emissions of SO_x and NO_x from electric utilities declined by 64% and 50%, respectively, between 1990 and 2018
- Most of that decline occurred from 2005 onward

Figure 27. Changes in emissions of key air pollutants from electric utilities, Canada, 1990 to 2018



[Data for Figure 27](#)

Note: Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Between 1990 and 2018, emissions of NO_x and SO_x from electric utilities decreased by 50% and 64% respectively. The majority of the decline in emissions occurred from 2005 onwards. Between 2005 and 2018, the share of electricity that came from burning fossil fuels fell from 22% to 20%. This decline was mostly the result of a drop in electricity generation from coal power plants.¹⁰ The emissions reductions since 2005 are mainly due to:

- the change in the mix of energy sources used to generate electricity
- the introduction of regulations
- domestic and international agreements
- better removal technologies
- plant closures

⁹ Natural Resources Canada (2018) [Electricity facts](#). Retrieved on March 6, 2020.

¹⁰ Statistics Canada (2020) [CANSIM Table 127-0007 - Electric power generation, by class of electricity producer, annual \(megawatt hour\)](#). Retrieved on March 6, 2020.


Air pollutant emissions from the oil and gas industry

The oil and gas sector is an important contributor to air pollutant emissions. Most emissions from the oil and gas sector come from activities such as exploration, drilling, production and field processing. Air pollutants are responsible for the formation of fine particulate matter (PM_{2.5}), ozone (O₃), smog and acid rain. They also adversely affect human health, the environment, and the economy.

Key results

- In 2018, the oil and gas industry was a major contributor to total national emissions of [volatile organic compounds](#) (VOCs) (35%), [sulphur oxides](#) (SO_x) (32%), [nitrogen oxides](#) (NO_x) (27%) and [carbon monoxide](#) (CO) (10%)
- The oil and gas industry is also a source of emissions of [fine particulate matter](#) (PM_{2.5}) and [ammonia](#) (NH₃). However, in 2018, it made up less than 1% of the total emissions of these pollutants

Figure 28. Contribution of the oil and gas industry to total air pollutant emissions by activity type, Canada, 2018



[Data for Figure 28](#)

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

In 2018, the oil and gas industry was the sector contributing the most to total national emissions of VOCs. It was also the second-largest contributor to emissions of NO_x and SO_x, and the fourth-largest contributor to emissions of CO.


Most of emissions from the oil and gas industry came from upstream activities (exploration, drilling, production and field processing) compared to downstream activities (refining, storage and distribution). In 2018, 97% of VOC and NO_x, 95% of CO, and 82% of SO_x emissions from the oil and gas sector were from upstream activities.

Changes in emissions from the oil and gas industry

Key results

- Emissions of CO, NO_x and VOCs increased by 69%, 41% and 12%, respectively, between 1990 and 2018
- SO_x emissions decreased (51%) over that period

Figure 29. Changes in emissions of key air pollutants from the oil and gas industry, Canada, 1990 to 2018



[Data for Figure 29](#)

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

The increases in CO, NO_x and VOC emissions were due to growth in oil and gas production (the upstream sector of the industry), as emissions from the downstream sector declined due to facility closures during that period. This increase is in part explained by the fact that crude oil production had more than doubled in Canada since 1990. The growth was mostly driven by a rapid increase in oil sands production. During the same period, production of natural gas from unconventional sources, such as those requiring the use of multi-stage fracturing techniques, also increased significantly.

The decrease in SO_x emissions was mostly the result of a decrease in emissions from bitumen and heavy oil upgrading and natural gas processing, attributed to better emission control technologies.

About the indicators

What the indicators measure

Air pollutant emissions indicators track emissions from human activities of 6 key air pollutants: [sulphur oxides](#) (SO_x), [nitrogen oxides](#) (NO_x), [volatile organic compounds](#) (VOCs), [ammonia](#) (NH₃), [carbon monoxide](#) (CO) and [fine particulate matter](#) (PM_{2.5}). [Black carbon](#), which is a component of PM_{2.5}, is also reported.¹¹ Sectoral indicators on air pollutant emissions from [transportation, off-road vehicles and mobile equipment](#), [electric utilities](#) and the [oil and gas industry](#) provide additional analysis on the largest sources of Canada's air pollutant emissions.

For each air pollutant, the indicators are provided at the national and provincial/territorial levels. They also identify the major sources of emissions and provide links to detailed information on air pollutant emissions from facilities.¹²

Why these indicators are important

Canadians are exposed to air pollutants on a daily basis, which can cause adverse health and environmental effects. Fine particulate matter (PM_{2.5}) and ground-level ozone (O₃) are key components of smog and have been associated with pulmonary and cardiovascular health issues even at very low levels. While causing effects of their own, NO_x (such as nitrogen dioxide [NO₂]) and VOCs are the main contributors to the formation of O₃. Nitrogen oxides, SO_x (such as sulphur dioxide [SO₂]), NH₃ and VOCs also lead to the formation of PM_{2.5} in the air, in addition to the PM_{2.5} that is emitted directly. Sulphur oxides and NO_x can also lead to the formation of acid deposition (acid rain) that can harm the environment, materials, living organisms, and humans.

Consult [Air pollution: drivers and impacts](#) for information on the impacts of air pollution on health, the economy and the environment, as well as information on the federal regulations administered under the *Canadian Environmental Protection Act* (1999) addressing air pollution.

Black carbon is estimated to be the third largest contributor in the world to current global warming. Black carbon is of particular significance in Polar Regions, where the deposition of particles on ice and snow darken the surface, increasing the absorption of sunlight, and accelerate melting.

The Air pollutant emissions indicators are intended to inform Canadians and decision makers about progress made towards reducing emissions from human-related sources of air pollutants and about the effectiveness of emission reduction measures implemented to improve ambient air quality in Canada.



Safe and healthy communities

These indicators track progress on the [2019 to 2022 Federal Sustainable Development Strategy](#), supporting the target: Continued decrease in emissions from 1990 of fine particulate matter, nitrogen oxides, sulphur oxides and volatile organic compounds from all sources. The most recent data available shows that, in 2018, emissions of fine particulate matter, nitrogen oxides, volatile organic compounds and sulphur oxides were 11% to 73% lower than in 1990.

In addition, the indicators contribute to the [Sustainable Development Goals of the 2030 Agenda for Sustainable Development](#). They are linked to Goal 11: Sustainable cities and communities.

¹¹ Black carbon is emitted from combustion processes in the form of PM_{2.5}. It is not emitted on its own, but as a component of PM_{2.5} along with other components, such as organic carbon and inorganic compounds like sulphates. Fine particulate matter emissions from non-combustion sources, such as dust raised by traffic on paved and unpaved roads or by wind and machinery on open fields or mine sites, are not considered sources of black carbon. Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#). Retrieved on March 13, 2020.

¹² Only facilities that had air pollutant emissions over a certain reporting threshold were included in the National Pollutant Releases Inventory (NPRI) reported data.

Related indicators

The [International comparison: air pollutant emissions in selected countries](#) indicators compare Canada's emissions of 5 key air pollutants with those of top emitting member countries of the Organisation for Economic Co-operation and Development.

The [Air health trends](#) indicator provides an overview of the public health impacts attributable to outdoor air pollution in Canada.

The [Air quality](#) indicators track ambient concentrations of PM_{2.5}, O₃, SO₂, NO₂, and VOCs at the national and regional level and at local monitoring stations.

The [Greenhouse gas emissions](#) indicators report trends in total anthropogenic (human-made) GHG emissions at the national level, per person and per unit gross domestic product, by province and territory and by economic sector.

The [Greenhouse gas emissions from large facilities](#) indicator reports GHG emissions from the largest GHG emitters in Canada (industrial and other types of facilities).

Data sources and methods

Data sources

The Air pollutant emissions indicators track emissions of 6 key air pollutants: [sulphur oxides](#) (SO_x), [nitrogen oxides](#) (NO_x), [volatile organic compounds](#) (VOCs), [ammonia](#) (NH₃), [carbon monoxide](#) (CO) and [fine particulate matter](#) (PM_{2.5}). The emissions data used are from [Canada's Air Pollutant Emissions Inventory](#) for the years 1990 to 2018.

Data for the black carbon indicator, a component of PM_{2.5}, come from Canada's [Black Carbon Emissions Inventory](#) and are reported for 2018 by source at the national level and by province and territory.

Facility data for local air pollutant emissions reported in [interactive maps](#) come from the [National Pollutant Release Inventory](#) and are available for the years 2009 to 2018.

More information

The Air Pollutant Emissions Inventory and the Black Carbon Emissions Inventory provide data and estimates on releases of air pollutants from human activities. These pollutants contribute to smog, acid rain, reduced air quality and climate change. Improvements to data and the analysis of trends are made periodically as new emission estimation methodologies are adopted and additional information is made available. Historical emissions are updated on the basis of these improvements.

Air Pollutant Emissions Inventory

The Air Pollutant Emissions Inventory fulfills many of Canada's international pollution levels reporting obligations. Specifically, under the 1979 Convention on Long-range Transboundary Air Pollution, Canada is committed to submitting an annual inventory of emissions of key air pollutants to the United Nations Economic Commission for Europe. The inventory is a comprehensive assessment of 17 air pollutants,¹³ combining emissions reported by facilities to the National Pollutant Release Inventory, with emissions estimated by Environment and Climate Change Canada. Estimates are developed using the latest estimation methods and are based on published statistics or other sources of information such as surveys and reports. The Air Pollutant Emissions Inventory provides a comprehensive overview of pollutant emissions across Canada.

The national and provincial/territorial inventory data are current as of March 13, 2020, and cover the period from 1990 to 2018. Emissions data are compiled into a database for reporting approximately one year after data collection, validation and calculation have been completed. After this process is the interpretation of results and public reporting of the inventory. The Air pollutant emissions indicators are reported following the public release of the inventory data.

Black carbon emissions inventory

As a member of the Arctic Council, Canada committed under the [Framework for Action on Enhanced Black Carbon and Methane Emissions Reductions](#) to submit annual inventories of its black carbon emissions to the United Nations Economic Commission for Europe beginning in 2015. The Black Carbon Emissions Inventory is compiled using PM_{2.5} emissions data from combustion-related sources from the Air Pollutant Emissions Inventory. Black carbon estimates are published separately from the Air Pollutant Emissions Inventory. The data are current as of March 13, 2020.

Black carbon is considered a short-lived climate pollutant, meaning it has a relatively short lifespan in the atmosphere (from a few days to a few weeks) compared to carbon dioxide (CO₂) (which can persist in the atmosphere for thousands of years) and other longer-lived greenhouse gases (GHGs). Although their life spans are short, short-lived climate pollutants are potent global warmers contributing to warming of the

¹³ Includes the 6 key air pollutants (sulphur oxides, nitrogen oxides, volatile organic compounds, ammonia, carbon monoxide and fine particulate matter) along with cadmium, lead, mercury, dioxins and furans, 4 types of polycyclic aromatic hydrocarbons, hexachlorobenzene, coarse particulate matter and total particulate matter.

Earth's surface.¹⁴ Black carbon absorbs solar radiation 460 to 1 500 times more than CO₂.¹⁵ Short-lived climate pollutants, including black carbon, are important pollutants to consider when addressing climate change because they can respond relatively quickly to efforts to control their releases and thus impact near-term warming, which is particularly important in the Polar Regions, such as the Arctic.¹⁶ The Intergovernmental Panel on Climate Change (IPCC) special report on Global Warming states that reductions in short-lived climate pollutants are required to limit warming to a maximum of 1.5°C, and [Canada's Changing Climate Report](#) flags short-lived climate pollutants as an important part of climate policy discussions.

National Pollutant Release Inventory

The National Pollutant Release Inventory is a database of pollutant releases (to air, water and land), disposals and transfers for recycling from industrial, commercial and institutional facilities. The data from these facilities is provided by the operators of the facilities as mandated by the *Canadian Environmental Protection Act* (the Act). Under the Act, owners or operators of facilities that manufacture, process or otherwise use or release one or more of the substances tracked by the inventory, and meet substance-specific reporting thresholds and other requirements, must report their pollutant releases, disposals and transfers annually to the department. The inventory data from 1994 to 2018 are current as of October 5, 2020.

Methods

Emissions data from Canada's national inventories are used to produce the indicators for the 6 key air pollutants. Data are grouped to report on the sources that contribute the majority of emissions for each pollutant. Canada's national inventories use the latest advancements in scientific knowledge to estimate or measure emissions for the various air pollutant sources.

More information

Compilation of air pollutant emissions

The Air Pollutant Emissions Inventory is developed using 2 types of information:

- facility-reported data, consisting of emissions from relatively large industrial, commercial and institutional facilities
- in-house estimates, including diffuse sources and other sources that are too numerous to be accounted for individually, such as road and non-road vehicles, agricultural activities, construction and solvent use

The Air Pollutant Emissions Inventory is developed using many sources of information, procedures and emission estimation models. Emissions data reported by individual facilities to the department's National Pollutant Release Inventory are supplemented with documented, science-based estimation tools to quantify total emissions. Together, these data sources provide a comprehensive overview of pollutant emissions across Canada.

A compilation framework has been developed that makes use of the best available data, while ensuring that there is no double-counting or omissions. Additional information on the inventory compilation process is provided in [Chapter 3](#) of the Air Pollutant Emissions Inventory Report.

¹⁴ Environment and Climate Change Canada (2019) [Short-lived climate pollutants](#). Retrieved on March 10, 2020.

¹⁵ Climate and Clean Air Coalition (2020) [Science: Black carbon](#). Retrieved on March 6, 2020.

¹⁶ Environment and Climate Change Canada (2020). [Canada's Black Carbon Inventory 2020: Executive summary](#). Retrieved on March 13, 2020.

Facility-reported emissions data

Facility-reported emissions data generally refers to any stationary sources that emit pollutants through stacks or other equipment at specific locations. The major source of facility-reported data is the National Pollutant Release Inventory.

Facility-reported data from the National Pollutant Release Inventory are used in the Air Pollutant Emissions Inventory without modifications, except when data quality issues are detected and not addressed during the quality control exercise. The National Pollutant Release Inventory reporting requirements and thresholds vary by pollutant and, in some cases, by industry. Details on these reporting requirements and thresholds are available on the [National Pollutant Release Inventory](#) website.

A distinction has been made between reporting facilities and non-reporting facilities. Reporting facilities meet the threshold required to report to the National Pollutant Release Inventory; while non-reporting facilities do not meet these thresholds due to their size or emission levels, and therefore are not required to report to the inventory. Some facilities may be required to report emissions on only certain pollutants. Therefore, emissions from the non-reporting facilities or of non-reported pollutants must be estimated in-house to ensure complete coverage.

In-house emission estimates

In-house emission estimates are calculated with information such as production data and activity data, using various estimation methodologies and emission models. These emission estimates are at the national level rather than at any specific geographic locations. These include emissions from non-industrial, residential, commercial, transportation, and other sources, such as open burning, agricultural activities and construction operations. The Air Pollutant Emissions Inventory uses in-house estimates for the following emission sources:

- any residential, governmental, institutional, or commercial operation that does not report to the National Pollutant Release Inventory
- on-site solid waste disposal facilities
- motor vehicles, aircraft, vessels or other transportation equipment or devices
- other sources, such as open burning, agricultural activities and construction operations

In general, in-house emission estimates are calculated from activity data and emission factors.¹⁷ Activity data usually comprise statistical production or process data at the provincial, territorial or national level. This information is typically provided by provincial/territorial agencies, federal government departments, industry associations, etc. For each source category, activity data are combined with emission factors to produce provincial/territorial-level emission estimates.

The in-house emission estimate methodologies and emission models used in Canada are often based on those developed by the United States Environmental Protection Agency (U.S. EPA) and are adapted to reflect the Canadian climate, fuels, technologies and practices. Methods used in Canada's Air Pollutant Emissions Inventory are therefore generally consistent with those used in the United States or those recommended in the emission inventory guidebook.¹⁸

The Air Pollutant Emissions Inventory reports air pollutant emissions from mobile sources such as on-road vehicles, off-road vehicles and engines. For the current edition of the Air Pollutant Emissions Inventory, an emissions estimation model developed by the U.S. EPA (MOVES) was used. The emissions

¹⁷ The United States Environmental Protection Agency defines an emission factor as "...a representative value that attempts to relate the quantity of a pollutant released to the atmosphere with an activity associated with the release of that pollutant. These factors are usually expressed as the weight of pollutant divided by a unit weight, volume, distance, or duration of the activity emitting the pollutant (for example, kilograms of particulate emitted per megagram of coal burned)."

¹⁸ European Monitoring and Evaluation Programme / European Environment Agency (2013) EMEP/EEA Air Pollutant Emission Inventory Guidebook 2013. Technical Guidance to Prepare National Emission Inventories. Luxembourg: Publications Office of the European Union. Technical Report No. 12/2013.

for off-road vehicles and engines (such as graders, heavy trucks, outboard motors and lawnmowers) were estimated using the U.S. EPA's NONROAD emission estimation model (see "off-road vehicles and equipment" in [Table A2-4 of Annex 2](#) of the Air Pollutant Emissions Inventory Report). The parameters in both models were modified to take into account variations in the Canadian vehicle fleet, emission control technologies, types of fuels, vehicle standards, and types of equipment engines and their application in various industries. The emission estimates for civil and international aviation, railways and navigation are estimated using detailed vehicle movement statistics coupled with fuel consumption, engine information, and emission rates by vehicle types.

Calculation of black carbon emissions

Emissions of black carbon are calculated by applying factors to estimate the fraction of black carbon in PM_{2.5} emissions from combustion-related sources, with the exception of mobile sources, where models are used. The factors primarily come from the United States Environmental Protection Agency's [SPECIATE database](#). SPECIATE is a repository of particulate matter speciation profiles¹⁹ of air pollution sources. [Annex B](#) of Canada's Black Carbon Emissions Inventory lists all the ratios used for each source.

Recalculations

Emission recalculation is an essential practice in the maintenance of an up-to-date air pollutant emissions inventory. The Air Pollutant Emissions Inventory is continuously updated with improved estimation methodologies, statistics and more recent and appropriate emission factors. As new information and data become available, previous estimates are updated and recalculated to ensure a consistent and comparable trend in emissions. Recalculations of previously reported emission estimates are common for both in-house estimates and facility-reported emission data. More information on recalculations is provided in [Annex 3](#) of the Air Pollutant Emissions Inventory Report.

Emissions reconciliation

In several sectors, estimation of total emissions involves combining estimates provided by facilities with estimates developed in-house by the department. To prevent double counting of emissions and to confirm that the Air Pollutant Emissions Inventory includes all emissions, a comparison and reconciliation of emission estimates from various sources is performed for each pollutant, industry sector and geographical region, as appropriate. More information on the reconciliation process is provided in [section 3.4](#) of the Air Pollutant Emissions Inventory Report.

Temporal coverage

Historical data are provided at the national level for the period from 1990 to 2018. For the regional indicators (provincial/territorial), emissions are presented for 1990 and 2018. Facility level emissions information are available from 2009 to 2018.

Air pollutant emissions by source classification

For the purpose of reporting the indicators, calculated emissions data from the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory are grouped into the following 13 sources:

1. agriculture (livestock, crop production and fertilizer)
2. building heating and energy generation
3. dust and fires
4. electric utilities
5. home firewood burning
6. incineration and waste

¹⁹ A speciation profile is the dataset that breaks down PM_{2.5} emitted from a particular source into its different components (black carbon and organic carbon). Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#). Retrieved on March 13, 2020.

7. manufacturing
8. miscellaneous
9. off-road vehicles and mobile equipment
10. oil and gas industry
11. ore and mineral industries
12. paints and solvents
13. transportation (road, rail, air and marine)

Table 2 shows the allocation of air pollutant emission sources reported in the indicators compared with the sources and sectors reported by the Air Pollutant Emissions Inventory.

Table 2. Alignment of sources reported in the indicators with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory

Sources in the indicators	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Agriculture (livestock, crop production and fertilizer)	Agriculture: Animal production
Agriculture (livestock, crop production and fertilizer)	Agriculture: Crop production
Agriculture (livestock, crop production and fertilizer)	Agriculture: Fuel use
Building heating and energy generation	Commercial/Residential/Institutional: Commercial and institutional fuel combustion
Building heating and energy generation	Commercial/Residential/Institutional: Construction fuel combustion
Building heating and energy generation	Commercial/Residential/Institutional: Residential fuel combustion
Dust and fires	Dust: Coal transportation
Dust and fires	Dust: Construction operations
Dust and fires	Dust: Mine tailings
Dust and fires	Dust: Paved roads
Dust and fires	Dust: Unpaved roads
Dust and fires	Fires: Prescribed burning
Dust and fires	Fires: Structural fires
Electric utilities	Electric power generation (utilities): Coal
Electric utilities	Electric power generation (utilities): Diesel
Electric utilities	Electric power generation (utilities): Natural gas
Electric utilities	Electric power generation (utilities): Waste materials ^[A]
Electric utilities	Electric power generation (utilities): Other (electric power generation)
Home firewood burning	Commercial/Residential/Institutional: Home firewood burning
Incineration and waste	Incineration and waste: Crematoriums
Incineration and waste	Incineration and waste: Waste incineration

Sources in the indicators	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Incineration and waste	Incineration and waste: Waste treatment and disposal
Manufacturing	Manufacturing: Abrasives manufacture
Manufacturing	Manufacturing: Bakeries
Manufacturing	Manufacturing: Biofuel production
Manufacturing	Manufacturing: Chemicals industry
Manufacturing	Manufacturing: Electronics
Manufacturing	Manufacturing: Food preparation
Manufacturing	Manufacturing: Glass manufacturing
Manufacturing	Manufacturing: Grain industry
Manufacturing	Manufacturing: Metal fabrication
Manufacturing	Manufacturing: Plastics manufacturing
Manufacturing	Manufacturing: Pulp and paper industry
Manufacturing	Manufacturing: Textiles
Manufacturing	Manufacturing: Vehicle manufacturing (engines, parts, assembly, painting)
Manufacturing	Manufacturing: Wood products
Manufacturing	Manufacturing: Other (manufacturing)
Miscellaneous	Commercial/Residential/Institutional: Cigarette smoking
Miscellaneous	Commercial/Residential/Institutional: Commercial cooking
Miscellaneous	Commercial/Residential/Institutional: Human ^[B]
Miscellaneous	Commercial/Residential/Institutional: Marine cargo handling
Miscellaneous	Commercial/Residential/Institutional: Other (commercial/residential/institutional)
Miscellaneous	Commercial/Residential/Institutional: Service stations
Off-road vehicles and mobile equipment	Transportation and mobile equipment: Off-road diesel vehicles and equipment
Off-road vehicles and mobile equipment	Transportation and mobile equipment: Off-road gasoline / liquefied petroleum gas / natural gas vehicles and equipment
Oil and gas industry	Oil and gas industry: Downstream oil and gas industry
Oil and gas industry	Oil and gas industry: Upstream oil and gas industry
Ore and mineral industries	Ore and mineral industries: Aluminum industry
Ore and mineral industries	Ore and mineral industries: Asphalt paving industry
Ore and mineral industries	Ore and mineral industries: Cement and concrete industry
Ore and mineral industries	Ore and mineral industries: Foundries
Ore and mineral industries	Ore and mineral industries: Iron and steel industry
Ore and mineral industries	Ore and mineral industries: Iron ore industry
Ore and mineral industries	Ore and mineral industries: Mineral products industry
Ore and mineral industries	Ore and mineral industries: Mining and rock quarrying

Sources in the indicators	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Ore and mineral industries	Ore and mineral industries: Non-ferrous refining and smelting industry ^[C]
Paints and solvents	Paints and solvents: Dry cleaning
Paints and solvents	Paints and solvents: General solvent use
Paints and solvents	Paints and solvents: Printing
Paints and solvents	Paints and solvents: Surface coatings
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Air transportation
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Heavy-duty diesel vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Heavy-duty gasoline vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Heavy-duty liquefied petroleum gas / natural gas vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty diesel trucks
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty diesel vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty gasoline trucks
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty gasoline vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty liquefied petroleum gas / natural gas trucks
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Light-duty liquefied petroleum gas / natural gas vehicles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Marine transportation
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Motorcycles
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Rail transportation
Transportation (road, rail, air and marine)	Transportation and mobile equipment: Tire wear and brake lining

Note: ^[A] Includes electric power generation from combustion of waste materials by utilities and by industry for commercial sale and/or private use. ^[B] Includes human respiration, perspiration and dental amalgams. ^[C] These sectors from the Air Pollutant Emissions Inventory are sometimes shown as individual sources in the indicators.

For display purposes, smaller emitting sources are sometimes grouped together under the title Other sources in the charts of air pollutant emissions by source. The names of the sources grouped as such are listed in the notes of each chart.

Sectoral indicators

Sectoral indicators on air pollutant emissions from transportation, off-road vehicles and mobile equipment, electric utilities and the oil and gas industry provide additional analysis on the largest sources of Canada's air pollutant emissions. These indicators also rely on calculated emissions data from the Air Pollutant Emissions Inventory.

These indicators are provided at the national level. They identify the contribution of each sector to the national emissions of air pollutants for the year 2018. They also provide information about emissions of selected pollutant, by sector, for the period from 1990 to 2018.

Tables 3 through 5 below show the alignment of air pollutant emission sources reported in the Air pollutant emissions indicators compared with those reported by the sectoral indicators.

Table 3. Alignment of sources reported in the transportation, off-road vehicles and mobile equipment indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory

Air pollutant emissions from transportation, off-road vehicles and mobile equipment	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Air, marine and rail travel	Transportation and mobile equipment: Air transportation
Air, marine and rail travel	Transportation and mobile equipment: Marine transportation
Air, marine and rail travel	Transportation and mobile equipment: Rail transportation
Large trucks and buses	Transportation and mobile equipment: Heavy-duty diesel vehicles
Large trucks and buses	Transportation and mobile equipment: Heavy-duty gasoline vehicles
Large trucks and buses	Transportation and mobile equipment: Heavy-duty liquefied petroleum gas / natural gas vehicles
Off-road vehicles and equipment, tire wear and brake lining	Transportation and mobile equipment: Off-road diesel vehicles and equipment
Off-road vehicles and equipment, tire wear and brake lining	Transportation and mobile equipment: Off-road gasoline / liquefied petroleum gas / natural gas vehicles and equipment
Off-road vehicles and equipment, tire wear and brake lining	Transportation and mobile equipment: Tire wear and brake lining
Passenger cars and motorcycles	Transportation and mobile equipment: Light-duty diesel vehicles
Passenger cars and motorcycles	Transportation and mobile equipment: Light-duty gasoline vehicles
Passenger cars and motorcycles	Transportation and mobile equipment: Light-duty liquefied petroleum gas / natural gas vehicles
Passenger cars and motorcycles	Transportation and mobile equipment: Motorcycles
Passenger light trucks	Transportation and mobile equipment: Light-duty diesel trucks
Passenger light trucks	Transportation and mobile equipment: Light-duty gasoline trucks
Passenger light trucks	Transportation and mobile equipment: Light-duty liquefied petroleum gas / natural gas trucks

Table 4. Alignment of sources reported in the electric utilities indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory

Air pollutant emissions from electric utilities	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Coal	Electric power generation (utilities): Coal
Diesel	Electric power generation (utilities): Diesel
Natural gas	Electric power generation (utilities): Natural gas
Other	Electric power generation (utilities): Waste materials ^[A]
Other	Electric power generation (utilities): Other (electric power generation)

Note: ^[A] Includes electric power generation from combustion of waste materials by utilities and by industry for commercial sale and/or private use.

Table 5. Alignment of sources reported in the oil and gas industry indicator of Air pollutant emissions with the sources and sectors from the Air Pollutant Emissions Inventory/Black Carbon Emissions Inventory

Air pollutant emissions from the oil and gas industry	Sources and sectors in the Air Pollutant Emissions Inventory and Black Carbon Emissions Inventory
Downstream oil and gas	Oil and gas industry: Downstream oil and gas industry
Upstream oil and gas	Oil and gas industry: Upstream oil and gas industry

Recent changes

The emission estimates reported in the Air Pollutant Emissions Inventory used in the indicators have undergone a number of significant recalculations. Specifically, the sector emissions for the oil and gas industry, manufacturing, transportation, agriculture, commercial/residential/institutional, incineration and waste sources, following the implementation of improved quantification methods. In addition, air emissions attributed to the cruise segment of civil flights in the transportation sector have been removed from inventory totals in order to conform with Canada's national total reported to the United Nations Economic Commission for Europe (UNECE). For more information about these recent changes, consult [Annex 3](#) of the Air Pollutant Emissions Inventory Report.

Canada's Black Carbon Emissions Inventory has undergone a number of recalculations of emissions estimates. Specifically, methodological improvements have been made to all sources to improve the accuracy of estimates. Consult [section 3.3](#) of Canada's Black Carbon Emissions Inventory for more information.

Caveats and limitations

The methodologies for compiling air pollutant emissions generally improve over time, and revisions are made to the Air Pollution Emissions Inventory. As a result of this, the emissions and trends reported for the indicators may be different from those previously published.

Some area source emissions were not updated for 2018 due to the unavailability of activity-level statistics at the time of compilation. In these cases, the emission estimates from the most recent year available were used.

The Air Pollutant Emissions Inventory uses facility information from the National Pollutant Release Inventory and other sources. The version of the data published by the National Pollutant Release Inventory may not be identical to that used in the Air Pollutant Emissions Inventory at a given time because of updates to point source data from National Pollutant Release Inventory reporting.

Only the most significant sources of black carbon have been reported. It is estimated that emissions from these sources (home firewood burning, off-road vehicles and mobile equipment and transportation) represent approximately 88% of the national anthropogenic black carbon emissions.

Resources

References

Environment and Climate Change Canada (2017) [Using and interpreting data from the National Pollutant Release Inventory](#). Retrieved on March 10, 2020.

Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory report - 2020](#). Retrieved on March 13, 2020.

Environment and Climate Change Canada (2020) [Canada's Black Carbon Inventory 2020](#). Retrieved on March 13, 2020.

Environment and Climate Change Canada (2020) [Climate and Clean Air Coalition](#). Retrieved on March 10, 2020.

Environment and Climate Change Canada (2020) [National Pollutant Release Inventory](#). Retrieved on October 5, 2020.

Environment and Climate Change Canada (2020) [Tools and resources for the National Pollutant Release Inventory data](#). Retrieved on March 13, 2020.

Related information

[Air pollution: drivers and impacts](#)

[Air Pollutant Emissions Inventory: overview](#)

[Air Pollutant Emissions Inventory online search](#)

Annex

Annex A. Data tables for the figures presented in this document

Table A. 1. Data for Figure 1. Air pollutant emissions, Canada, 1990 to 2018

Year	Sulphur oxides (percentage change from 1990 level)	Nitrogen oxides (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)	Ammonia (percentage change from 1990 level)	Carbon monoxide (percentage change from 1990 level)	Fine particulate matter (percentage change from 1990 level)
1990	0	0	0	0	0	0
1991	-7	-3	-2	-1	-2	-3
1992	-11	-2	-2	2	-3	-5
1993	-14	1	1	3	0	-6
1994	-21	6	2	6	0	-4
1995	-16	8	2	13	-2	-8
1996	-16	11	1	17	-5	-7
1997	-18	17	-1	19	-8	-6
1998	-19	19	-1	19	-8	-13
1999	-22	22	-4	18	-10	-14
2000	-22	21	-6	20	-12	-16
2001	-22	15	-14	20	-19	-18
2002	-24	13	-14	23	-21	-21
2003	-26	11	-17	22	-23	-22
2004	-25	6	-18	25	-28	-26
2005	-29	2	-21	24	-36	-27
2006	-36	-5	-25	21	-40	-26
2007	-37	-4	-26	22	-41	-23
2008	-43	-7	-27	20	-43	-19
2009	-52	-13	-33	16	-46	-26
2010	-55	-12	-32	14	-46	-21
2011	-58	-14	-37	14	-49	-19
2012	-59	-19	-36	18	-51	-13

Year	Sulphur oxides (percentage change from 1990 level)	Nitrogen oxides (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)	Ammonia (percentage change from 1990 level)	Carbon monoxide (percentage change from 1990 level)	Fine particulate matter (percentage change from 1990 level)
2013	-59	-21	-35	21	-52	-13
2014	-61	-23	-35	19	-53	-13
2015	-65	-26	-36	19	-54	-12
2016	-66	-28	-39	20	-54	-12
2017	-69	-26	-39	17	-54	-12
2018	-73	-25	-37	21	-54	-11

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 2. Data for Figure 2. Distribution of air pollutant emissions by source, Canada, 2018

Source	Sulphur oxides (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Volatile organic compounds (percentage of national emissions)	Ammonia (percentage of national emissions)	Carbon monoxide (percentage of national emissions)	Fine particulate matter (percentage of national emissions)
Oil and gas industry	32.2	27.5	35.2	0.5	9.9	0.8
Manufacturing	5.6	3.9	5.3	2.5	2.4	1.0
Ore and mineral industries	31.9	4.7	0.6	0.3	9.2	2.1
Transportation (road, rail, air and marine)	1.2	40.9	8.4	1.6	33.1	1.3
Off-road vehicles and mobile equipment	<0.1	10.5	7.3	<0.1	22.9	1.0
Building heating and energy generation	0.5	3.6	0.2	0.1	0.6	0.3
Electric utilities	27.2	7.3	<0.1	<0.1	0.6	0.2
Home firewood burning	0.3	1.1	11.9	0.4	20.5	9.9
Incineration and waste	0.3	0.2	0.5	0.8	0.3	0.2
Paints and solvents	n/a	<0.1	21.5	n/a	n/a	<0.1

Source	Sulphur oxides (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Volatile organic compounds (percentage of national emissions)	Ammonia (percentage of national emissions)	Carbon monoxide (percentage of national emissions)	Fine particulate matter (percentage of national emissions)
Agriculture (livestock, crop production and fertilizer)	0.7	0.2	6.0	93.5	<0.1	23.5
Dust and fires	<0.1	<0.1	<0.1	<0.1	0.4	58.8
Miscellaneous	<0.1	<0.1	2.8	0.1	0.1	1.0

Note: n/a = not available. The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The percentages have been rounded off and their sum may not add up to 100.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 3. Data for Figure 3. Distribution of air pollutant emissions by province and territory, Canada, 2018

Province or territory	Sulphur oxides (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Volatile organic compounds (percentage of national emissions)	Ammonia (percentage of national emissions)	Carbon monoxide (percentage of national emissions)	Fine particulate matter (percentage of national emissions)
Newfoundland and Labrador	2.3	2.6	1.5	0.2	1.8	1.1
Prince Edward Island	<0.1	0.2	0.4	0.6	0.5	0.3
Nova Scotia	8.1	2.9	2.1	0.7	3.0	1.3
New Brunswick	2.8	1.8	1.7	0.7	2.6	0.9
Quebec	12.3	12.4	16.4	14.3	27.8	10.0
Ontario	18.0	15.8	20.7	18.5	24.5	12.3
Manitoba	5.0	2.6	3.6	12.4	3.2	6.8
Saskatchewan	14.4	8.6	13.8	21.3	5.3	29.8
Alberta	27.5	36.1	31.0	27.1	17.9	32.7
British Columbia	9.4	15.8	8.5	4.3	13.0	4.3
Yukon	<0.1	0.1	<0.1	<0.1	0.1	0.2
Northwest Territories and Nunavut	0.2	1.0	0.1	<0.1	0.2	0.3

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The percentages have been rounded off and their sum may not add up to 100.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 4. Data for Figure 4. Total sulphur oxide emissions by source, Canada, 1990 to 2018

Year	Oil and gas industry (emissions in kilotonnes)	Ore and mineral industries (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	531.0	1 481.2	618.4	425.8	3 056.3
1991	535.2	1 334.3	592.1	378.0	2 839.6
1992	575.6	1 169.3	610.7	363.6	2 719.2
1993	602.4	1 112.6	547.2	370.3	2 632.5
1994	595.5	891.9	559.8	372.5	2 419.7
1995	589.6	1 105.6	532.6	327.2	2 555.0
1996	587.2	1 089.0	542.2	346.4	2 564.7
1997	542.1	1 032.1	591.3	350.1	2 515.6
1998	511.0	1 019.4	603.6	348.6	2 482.5
1999	507.1	925.3	601.1	354.1	2 387.7
2000	504.7	914.4	619.2	355.6	2 393.9
2001	486.8	911.6	623.9	351.3	2 373.7
2002	459.0	904.0	624.3	347.3	2 334.6
2003	467.2	812.4	630.4	358.1	2 268.1
2004	459.6	874.6	581.5	364.3	2 280.1
2005	452.4	857.4	521.9	335.1	2 166.8
2006	415.8	828.5	458.9	263.8	1 967.0
2007	390.8	779.3	491.9	254.4	1 916.4
2008	369.3	715.5	427.5	221.6	1 733.9
2009	366.5	523.0	384.0	199.3	1 472.8
2010	332.6	501.9	334.0	193.7	1 362.2
2011	323.5	467.6	293.2	189.1	1 273.4
2012	324.1	477.7	284.2	174.5	1 260.5
2013	308.5	492.2	278.2	164.1	1 242.9
2014	277.7	487.3	269.2	163.0	1 197.2
2015	252.9	482.9	251.5	79.8	1 067.2

Year	Oil and gas industry (emissions in kilotonnes)	Ore and mineral industries (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
2016	244.8	481.3	253.1	72.4	1 051.5
2017	253.7	388.9	245.5	69.0	957.2
2018	261.4	258.8	220.3	70.4	811.0

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from transportation (road, rail, air and marine), off-road vehicles and mobile equipment, home firewood burning, incineration and waste, agriculture (livestock, crop production and fertilizer), dust and fires, paints and solvents, building heating and energy generation, manufacturing, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 5. Data for Figure 5. Sulphur oxide emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	73.7	18.7
Prince Edward Island	4.0	0.3
Nova Scotia	207.5	65.5
New Brunswick	111.5	22.4
Quebec	268.8	100.1
Ontario	1 126.2	146.2
Manitoba	509.2	40.3
Saskatchewan	97.0	117.0
Alberta	513.5	223.0
British Columbia	125.8	76.1
Yukon	0.7	<0.1
Northwest Territories and Nunavut	18.5	1.3

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 6. Data for Figure 7. Total nitrogen oxide emissions by source, Canada, 1990 to 2018

Year	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	983.0	345.8	395.4	387.0	257.0	2 368.2
1991	936.9	339.4	381.1	377.4	250.9	2 285.8
1992	947.4	356.0	373.5	386.7	262.9	2 326.5
1993	963.6	381.2	381.9	412.6	243.0	2 382.3
1994	1 012.3	413.1	388.6	446.4	240.0	2 500.4
1995	1 015.0	429.5	387.2	481.1	248.1	2 560.8

Year	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1996	1 063.2	441.6	384.0	472.6	269.0	2 630.4
1997	1 146.9	485.2	382.5	469.8	287.7	2 772.2
1998	1 220.8	496.3	369.1	422.9	310.1	2 819.2
1999	1 292.3	513.5	371.9	400.4	306.4	2 884.4
2000	1 304.7	459.1	374.3	393.3	326.8	2 858.2
2001	1 271.4	453.3	353.1	337.9	313.0	2 728.7
2002	1 202.0	453.3	383.8	324.8	314.9	2 678.8
2003	1 132.5	496.0	378.2	340.5	293.0	2 640.2
2004	1 091.4	430.4	373.2	341.5	267.5	2 504.0
2005	1 072.5	430.6	342.5	309.9	253.7	2 409.2
2006	1 023.8	430.2	293.5	286.1	224.4	2 258.0
2007	1 001.9	453.5	280.7	288.5	238.8	2 263.4
2008	962.5	463.8	260.9	279.7	225.1	2 192.0
2009	889.5	460.0	234.5	264.8	218.0	2 066.8
2010	871.1	451.8	243.1	283.5	233.7	2 083.1
2011	859.9	464.7	250.0	254.2	199.8	2 028.7
2012	820.8	460.9	244.1	223.0	166.3	1 915.0
2013	785.9	464.6	242.6	214.5	162.0	1 869.6
2014	734.7	476.6	245.9	200.9	167.2	1 825.4
2015	688.6	478.0	240.8	196.6	152.4	1 756.3
2016	677.5	470.5	233.2	161.7	152.8	1 695.7
2017	703.0	480.8	245.0	173.8	145.2	1 747.7
2018	722.6	486.1	244.0	186.1	128.8	1 767.6

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from ore and mineral industries, manufacturing, building heating and energy generation, home firewood burning, incineration and waste, agriculture (livestock, crop production and fertilizer), dust and fires, paints and solvents, and other miscellaneous sources. Consult Table 2 in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 7. Data for Figure 8. Nitrogen oxide emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	59.9	46.1
Prince Edward Island	8.3	4.1
Nova Scotia	90.4	51.4
New Brunswick	82.4	31.9
Quebec	345.2	218.6
Ontario	599.7	279.4

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Manitoba	73.0	46.6
Saskatchewan	144.8	151.3
Alberta	643.1	638.5
British Columbia	302.7	279.5
Yukon	3.8	2.0
Northwest Territories and Nunavut	14.8	18.2

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 8. Data for Figure 10. Total volatile organic compound emissions by source, Canada, 1990 to 2018

Year	Oil and gas industry (emissions in kilotonnes)	Paints and solvents (emissions in kilotonnes)	Home firewood burning (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	599.7	357.5	356.5	259.0	388.9	816.8	258.7	3 037.1
1991	594.5	350.0	351.4	260.0	372.9	789.1	255.3	2 973.3
1992	608.9	352.2	335.9	245.4	372.0	797.7	256.5	2 968.5
1993	635.4	351.4	352.1	267.4	370.7	817.6	273.3	3 067.9
1994	648.6	362.1	358.4	265.4	371.7	821.9	275.4	3 103.6
1995	660.5	375.2	342.1	263.2	359.5	822.3	265.2	3 087.9
1996	688.4	373.0	338.4	255.0	352.8	800.8	264.2	3 072.7
1997	678.4	374.9	322.6	243.6	353.1	761.5	259.1	2 993.2
1998	691.0	377.5	342.0	244.8	355.3	721.6	263.2	2 995.3
1999	650.5	389.5	325.0	240.6	351.2	703.8	261.0	2 921.7
2000	667.5	395.9	313.6	238.1	342.6	629.4	256.1	2 843.0
2001	675.5	375.7	289.7	235.4	332.3	473.6	230.9	2 613.0
2002	691.9	368.4	313.2	231.5	312.9	465.2	233.4	2 616.5
2003	689.4	370.0	269.5	243.2	293.4	444.1	217.0	2 526.5
2004	676.0	366.4	261.5	235.3	278.7	459.1	202.4	2 479.4
2005	677.5	425.5	246.3	232.3	249.4	383.4	188.5	2 402.9
2006	665.3	406.0	237.7	217.5	232.0	366.1	165.3	2 289.8
2007	661.4	398.8	234.9	212.4	229.3	359.0	149.4	2 245.1
2008	673.5	383.7	235.3	207.4	238.5	335.1	134.5	2 208.0
2009	630.4	345.1	224.3	206.3	203.5	320.4	114.0	2 044.1
2010	634.6	353.9	235.9	204.3	197.5	310.5	119.7	2 056.3
2011	627.6	342.3	235.2	203.8	183.5	207.9	116.9	1 917.2
2012	682.1	347.8	234.4	201.5	174.6	181.1	118.4	1 940.0
2013	738.2	350.8	233.0	197.2	167.5	167.4	116.2	1 970.3
2014	768.5	358.0	231.5	202.5	154.6	161.5	110.3	1 986.9

Year	Oil and gas industry (emissions in kilotonnes)	Paints and solvents (emissions in kilotonnes)	Home firewood burning (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
2015	729.3	360.8	230.0	198.3	150.5	154.0	106.0	1 928.9
2016	661.4	365.0	231.3	197.9	154.4	128.7	104.7	1 843.3
2017	659.7	369.5	229.9	196.5	156.4	134.5	100.6	1 847.1
2018	673.6	412.0	228.5	197.0	161.0	140.7	101.6	1 914.4

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from incineration and waste, ore and mineral industries, dust and fires, building heating and energy generation, electric utilities, agriculture (livestock, crop production and fertilizer) and other miscellaneous sources. Consult Table 2 in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 9. Data for Figure 11. Volatile organic compound emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	54.5	28.4
Prince Edward Island	12.5	7.1
Nova Scotia	78.1	40.9
New Brunswick	90.0	32.9
Quebec	577.2	314.5
Ontario	903.3	397.2
Manitoba	98.4	69.2
Saskatchewan	170.8	264.0
Alberta	660.6	593.1
British Columbia	379.4	163.5
Yukon	2.0	1.1
Northwest Territories and Nunavut	10.4	2.6

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 10. Data for Figure 13. Total ammonia emissions by source, Canada, 1990 to 2018

Year	Agriculture (livestock, crop production and fertilizer) (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	362.6	20.0	13.9	5.2	401.6
1991	359.5	19.0	14.0	5.3	397.8
1992	371.1	19.0	13.9	5.7	409.7
1993	373.8	18.5	14.7	6.1	413.0
1994	385.9	19.9	14.8	7.0	427.6
1995	403.7	26.6	16.5	7.6	454.5
1996	420.1	26.2	16.2	8.4	470.8
1997	425.7	25.2	16.2	9.2	476.3
1998	425.2	26.1	16.5	10.2	477.9
1999	423.2	24.8	15.0	11.0	474.0
2000	432.6	25.0	14.9	11.2	483.7
2001	436.2	21.7	14.1	11.8	483.8
2002	439.9	21.8	20.8	11.4	493.9
2003	446.3	18.8	12.5	11.2	488.8
2004	461.2	18.6	12.0	10.9	502.7
2005	457.7	17.2	12.7	10.6	498.2
2006	449.4	16.1	11.7	10.0	487.3

Year	Agriculture (livestock, crop production and fertilizer) (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
2007	454.2	16.1	10.8	10.0	491.1
2008	445.5	13.6	12.1	9.4	480.6
2009	432.5	12.6	11.8	9.0	465.9
2010	425.8	11.5	12.7	8.8	458.8
2011	423.4	11.8	12.3	8.5	456.1
2012	440.5	11.9	11.5	8.1	472.0
2013	453.6	11.2	12.5	8.0	485.4
2014	445.2	11.2	12.8	7.5	476.8
2015	448.4	11.7	11.6	7.4	479.1
2016	448.6	12.0	11.9	7.6	480.1
2017	439.1	11.3	11.6	7.6	469.6
2018	452.7	12.0	11.6	7.9	484.2

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from incineration and waste, the oil and gas industry, home firewood burning, ore and mineral industries, electric utilities, building heating and energy generation, off-road vehicles and mobile equipment, dust and fires, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 11. Data for Figure 14. Ammonia emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	1.1	1.0
Prince Edward Island	3.5	2.7
Nova Scotia	5.0	3.5
New Brunswick	4.7	3.4
Quebec	67.2	69.1
Ontario	112.8	89.5
Manitoba	38.7	60.0
Saskatchewan	49.1	103.3
Alberta	96.2	131.0
British Columbia	23.3	20.7
Yukon	<0.1	<0.1
Northwest Territories and Nunavut	<0.1	<0.1

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 12. Data for Figure 16. Total carbon monoxide emissions by source, Canada, 1990 to 2018

Year	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Home firewood burning (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	5 521.8	2 581.7	1 660.4	2 301.6	335.2	12 400.7
1991	5 313.3	2 511.4	1 636.4	2 398.0	325.1	12 184.3
1992	5 310.7	2 572.2	1 564.8	2 225.0	340.4	12 013.1
1993	5 296.2	2 640.0	1 637.9	2 416.5	362.3	12 352.9
1994	5 272.0	2 672.0	1 668.5	2 362.7	398.9	12 374.2
1995	5 057.6	2 720.3	1 593.1	2 398.8	406.6	12 176.5
1996	4 958.4	2 698.4	1 573.8	2 140.9	418.9	11 790.3
1997	4 958.4	2 606.6	1 502.7	1 873.2	468.3	11 409.3
1998	4 991.5	2 532.2	1 597.0	1 784.4	486.2	11 391.2
1999	4 883.2	2 525.4	1 521.8	1 712.3	498.4	11 141.1
2000	4 958.0	2 352.2	1 472.7	1 638.2	443.8	10 864.9
2001	4 705.5	1 956.4	1 364.1	1 527.3	467.9	10 021.3
2002	4 377.5	2 016.4	1 482.7	1 458.3	499.8	9 834.7
2003	4 152.6	2 023.7	1 278.9	1 531.3	530.0	9 516.5
2004	3 825.5	2 151.0	1 247.9	1 235.0	502.3	8 961.7
2005	3 144.8	1 969.5	1 180.0	1 207.4	494.7	7 996.4
2006	2 846.5	1 981.2	1 144.8	1 006.1	503.9	7 482.5
2007	2 725.6	1 970.7	1 146.8	949.5	523.7	7 316.3
2008	2 579.8	1 878.9	1 161.2	959.4	541.3	7 120.5
2009	2 387.9	1 805.3	1 121.1	914.1	525.6	6 754.0
2010	2 279.1	1 792.0	1 193.9	895.1	521.2	6 681.3
2011	2 077.6	1 545.2	1 204.2	905.0	531.0	6 263.0
2012	1 978.0	1 392.3	1 213.9	911.5	532.5	6 028.2
2013	1 932.7	1 372.8	1 206.3	849.3	563.7	5 924.9
2014	1 778.0	1 389.2	1 198.2	905.0	549.4	5 819.8
2015	1 753.5	1 344.6	1 190.3	882.0	556.7	5 727.1
2016	1 828.7	1 204.7	1 195.1	911.1	537.3	5 677.0
2017	1 848.3	1 257.7	1 187.5	879.1	551.7	5 724.2
2018	1 902.3	1 316.6	1 179.9	785.2	567.6	5 751.6

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from dust and fires, electric utilities, building heating and energy generation, incineration and waste, agriculture (livestock, crop production and fertilizer), paints and solvents, ore and mineral industries, manufacturing and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 13. Data for Figure 17. Carbon monoxide emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	221.8	106.1

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Prince Edward Island	63.6	27.9
Nova Scotia	342.3	171.8
New Brunswick	351.3	149.8
Quebec	2 669.8	1 600.5
Ontario	3 538.9	1 408.7
Manitoba	403.6	181.2
Saskatchewan	538.4	307.3
Alberta	1 839.9	1 032.0
British Columbia	2 398.0	749.3
Yukon	15.5	6.4
Northwest Territories and Nunavut	17.5	10.6

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 14. Data for Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018

Year	Dust and fires (emissions in kilotonnes)	Agriculture (livestock, crop production and fertilizer) (emissions in kilotonnes)	Home firewood burning (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
1990	530.2	677.6	262.1	350.3	1 820.2
1991	514.6	670.4	258.4	326.6	1 770.0
1992	499.4	655.5	247.0	319.0	1 720.8
1993	495.1	641.0	258.5	313.7	1 708.4
1994	542.2	626.6	263.1	314.8	1 746.7
1995	497.5	612.2	251.2	314.2	1 675.2
1996	538.5	598.3	248.0	307.8	1 692.7
1997	597.4	584.4	234.8	301.8	1 718.4
1998	467.2	570.6	247.0	291.7	1 576.5
1999	490.4	557.0	232.9	289.2	1 569.3
2000	468.5	543.4	223.2	287.2	1 522.2
2001	499.5	530.1	204.2	257.2	1 491.0
2002	474.3	509.8	219.2	232.6	1 436.0
2003	509.1	489.7	186.4	225.9	1 411.1
2004	487.0	469.2	179.2	219.8	1 355.2
2005	506.6	449.4	166.8	214.8	1 337.6
2006	562.2	429.6	158.8	188.2	1 338.8
2007	647.3	415.9	158.5	183.5	1 405.2
2008	731.7	402.4	160.3	174.8	1 469.2
2009	640.7	389.3	154.4	159.1	1 343.4
2010	730.7	376.4	163.8	161.4	1 432.2

Year	Dust and fires (emissions in kilotonnes)	Agriculture (livestock, crop production and fertilizer) (emissions in kilotonnes)	Home firewood burning (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
2011	792.2	363.2	164.8	150.6	1 470.8
2012	903.4	366.3	165.8	145.4	1 580.8
2013	912.6	369.0	164.7	140.7	1 587.1
2014	914.1	371.8	163.6	137.4	1 587.0
2015	932.9	374.7	162.5	125.2	1 595.2
2016	934.1	377.5	163.3	119.9	1 594.7
2017	939.6	380.1	162.2	126.3	1 608.2
2018	955.1	382.6	161.1	126.3	1 625.1

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from ore and mineral industries, transportation (road, rail, air and marine), manufacturing, off-road vehicles and mobile equipment, the oil and gas industry, building heating and energy generation, electric utilities, incineration and wastes, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 15. Additional information for Figure 19. Total fine particulate matter emissions by source, Canada, 1990 to 2018

Year	Ore and mineral industries (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Miscellaneous (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Building heating and energy generation (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Incineration and waste (emissions in kilotonnes)	Paints and solvents (emissions in kilotonnes)
1990	55.3	40.6	115.9	53.7	14.8	12.0	4.6	48.4	5.1	n/a
1991	52.3	37.9	106.6	51.4	13.0	12.4	4.6	43.4	5.0	n/a
1992	50.2	37.3	103.6	51.6	13.0	12.8	4.7	40.6	5.1	n/a
1993	49.9	37.2	102.3	55.6	13.3	12.9	4.9	32.5	5.2	n/a
1994	51.4	37.8	102.6	60.3	13.7	13.7	4.9	24.9	5.5	n/a
1995	51.5	36.9	103.5	63.1	14.2	14.0	4.9	20.7	5.4	n/a
1996	52.9	37.4	97.9	62.2	14.2	14.0	5.2	18.9	5.1	n/a
1997	54.2	39.0	87.7	61.9	14.6	14.3	5.0	20.1	5.0	n/a
1998	51.1	40.4	83.1	56.9	15.3	15.9	4.6	19.7	4.8	n/a
1999	50.0	41.5	83.1	54.2	15.9	13.6	4.8	21.4	4.6	n/a
2000	51.7	42.5	78.4	52.2	16.3	13.4	5.3	23.0	4.4	n/a
2001	48.4	42.1	65.0	43.2	16.5	13.3	5.0	19.2	4.4	n/a
2002	38.2	40.9	55.9	41.3	17.5	13.9	5.2	15.0	4.7	<0.1
2003	38.1	40.9	54.1	41.8	17.5	12.6	5.6	10.9	4.4	<0.1
2004	37.0	41.0	50.9	41.4	17.6	11.9	5.3	10.2	4.4	<0.1
2005	42.0	43.2	45.2	35.9	17.9	12.4	5.2	8.9	4.1	<0.1
2006	40.8	41.4	29.5	32.9	17.9	11.7	4.9	6.0	3.1	<0.1
2007	39.0	39.9	27.4	32.6	18.0	11.4	5.2	7.0	3.1	<0.1
2008	36.9	38.7	24.5	31.4	18.3	10.0	5.1	6.8	3.0	<0.1
2009	31.5	36.0	20.3	29.5	18.4	9.2	5.0	6.1	3.1	<0.1
2010	34.6	35.2	20.1	30.9	18.1	9.0	4.7	5.7	3.1	<0.1
2011	33.3	33.3	20.4	24.6	17.3	9.5	5.0	4.3	2.9	<0.1
2012	35.4	31.1	19.8	21.2	17.4	10.0	4.6	3.2	2.7	<0.1
2013	32.8	29.3	19.9	19.8	17.2	11.0	4.8	3.2	2.7	<0.1
2014	32.6	27.1	18.7	18.3	16.6	12.8	5.1	3.6	2.7	<0.1

Year	Ore and mineral industries (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Manufacturing (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Miscellaneous (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Building heating and energy generation (emissions in kilotonnes)	Electric utilities (emissions in kilotonnes)	Incineration and waste (emissions in kilotonnes)	Paints and solvents (emissions in kilotonnes)
2015	31.2	19.7	18.2	17.7	15.6	11.9	4.8	3.5	2.7	<0.1
2016	32.3	19.4	16.7	14.0	15.7	11.1	4.6	3.4	2.7	<0.1
2017	34.9	20.2	16.8	15.0	15.8	12.7	4.8	3.3	2.8	<0.1
2018	33.8	20.9	16.3	16.0	15.8	12.3	5.2	3.2	2.8	<0.1

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation. The category "other sources" includes emissions from ore and mineral industries, transportation (road, rail, air and marine), manufacturing, off-road vehicles and mobile equipment, the oil and gas industry, building heating and energy generation, electric utilities, incineration and wastes, paints and solvents, and other miscellaneous sources. Consult [Table 2](#) in the Data sources and methods for a complete list of the air pollutant emissions sources included under each category. The numbers have been rounded off and their sum may not correspond to the total.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 16. Data for Figure 20. Fine particulate matter emissions by province and territory, Canada, 1990 and 2018

Province or territory	1990 (emissions in kilotonnes)	2018 (emissions in kilotonnes)	1990, excluding open sources ^[A] (emissions in kilotonnes)	2018, excluding open sources ^[A] (emissions in kilotonnes)
Newfoundland and Labrador	24.9	17.9	19.1	9.5
Prince Edward Island	5.9	4.8	3.4	2.5
Nova Scotia	33.1	20.4	24.4	12.9
New Brunswick	32.5	15.1	24.2	9.4
Quebec	204.4	162.9	160.3	98.2
Ontario	251.8	200.1	154.5	69.1
Manitoba	112.0	111.0	16.7	7.7
Saskatchewan	547.6	484.8	25.1	13.1
Alberta	439.2	531.5	76.4	30.3
British Columbia	160.5	69.7	106.3	33.8
Yukon	3.9	2.5	0.3	0.1
Northwest Territories and Nunavut	4.4	4.5	1.6	0.7

Note: ^[A] Open sources include emissions associated with dust and fires and agriculture (livestock, crop production and fertilizer). The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires and from vegetation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 17. Data for Figure 22. Total black carbon emissions by source, Canada, 2013 to 2018

Year	Home firewood burning (emissions in kilotonnes)	Transportation (road, rail, air and marine) (emissions in kilotonnes)	Off-road vehicles and mobile equipment (emissions in kilotonnes)	Oil and gas industry (emissions in kilotonnes)	Building heating and energy generation (emissions in kilotonnes)	Other sources (emissions in kilotonnes)	Total emissions (emissions in kilotonnes)
2013	11.7	14.7	12.6	2.2	1.0	1.5	43.7
2014	11.6	14.6	11.4	2.5	1.1	1.4	42.5
2015	11.5	10.6	10.9	2.3	1.0	1.3	37.7
2016	11.6	10.4	8.4	2.1	1.0	1.2	34.7
2017	11.5	11.0	9.1	2.2	1.1	1.3	36.2
2018	11.5	11.4	9.8	2.3	1.2	1.2	37.2

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires. The chart includes emissions from the most significant sources of black carbon. "Other sources" includes emissions from ore and mineral industries, manufacturing, electric utilities and agriculture. Consult [Table 2](#) in the Data sources and methods for more details.

Source: Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#).

- Table A.18. Data for In 2018, Quebec and Ontario accounted for 46% (17 kt) of total national black carbon emissions
- Between 2013 and 2018,
 - all provinces and territories experienced reductions in black carbon emissions between 2% to 45%
 - Alberta and Ontario experienced the largest reductions in emissions of 1.6 kt, respectively

Figure 23. Black carbon emissions by province and territory, Canada, 2013 and 2018

Province or territory	2013 (emissions in kilotonnes)	2018 (emissions in kilotonnes)
Newfoundland and Labrador	1.4	1.3
Prince Edward Island	0.3	0.3
Nova Scotia	1.7	1.5
New Brunswick	1.1	0.9
Quebec	10.3	9.3
Ontario	9.4	7.8
Manitoba	1.4	1.3
Saskatchewan	3.5	3.2
Alberta	8.0	6.4
British Columbia	5.9	4.8
Yukon	<0.1	<0.1
Northwest Territories	0.4	0.3
Nunavut	0.2	0.1

Note: The indicator reports air pollutant emissions from human activities only. It does not include emissions from natural sources such as forest fires.

Source: Environment and Climate Change Canada (2020) [Canada's Black Carbon Emissions Inventory](#).

Table A. 19. Data for Figure 24. Contribution of transportation, off-road vehicles and mobile equipment to total air pollutant emissions by transportation mode, Canada, 2018

Transportation mode	Carbon monoxide (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Volatile organic compounds (percentage of national emissions)	Fine particulate matter (percentage of national emissions)	Sulphur oxides (percentage of national emissions)	Ammonia (percentage of national emissions)
Passenger cars and motorcycles	9.2	2.6	2.6	<0.1	<0.1	0.6
Passenger light trucks	14.1	4.5	3.4	<0.1	<0.1	0.7
Large trucks and buses	8.5	16.7	1.6	0.6	<0.1	0.2
Air, marine and rail travel	1.3	17.0	0.8	0.4	1.0	<0.1
Off-road vehicles and equipment, tire wear and brake lining	22.9	10.5	7.3	1.1	<0.1	<0.1

Note: "Passenger cars and motorcycles" include light-duty vehicles powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines as well as all types of motorcycles. "Passenger light trucks" include light-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines. "Large trucks and buses" include heavy-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines.

Source: Environment and Climate Change Canada (2020) Air Pollutant Emissions Inventory.

Additional information for Figure 24. Contribution of transportation, off-road vehicles and mobile equipment to total air pollutant emissions by transportation mode, Canada, 2018

Transportation mode	Carbon monoxide (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)	Fine particulate matter (emissions in kilotonnes)	Sulphur oxides (emissions in kilotonnes)	Ammonia (emissions in kilotonnes)
Passenger cars and motorcycles	527.2	46.6	50.4	1.1	0.5	3.0
Passenger light trucks	809.6	79.8	64.4	1.4	0.8	3.4
Large trucks and buses	491.3	295.4	30.7	10.3	0.4	1.1
Air, marine and rail travel	74.3	300.8	15.5	6.4	8.1	0.4
Off-road vehicles and equipment, tire wear and brake lining	1 316.6	186.1	140.7	17.6	0.2	0.3

Note: "Passenger cars and motorcycles" include light-duty vehicles powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines as well as all types of motorcycles. "Passenger light trucks" include light-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines. "Large trucks and buses" include heavy-duty trucks powered by motor gasoline, diesel, liquefied petroleum gas and compressed natural gas engines.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 20. Data for Figure 25. Changes in emissions of key air pollutants from transportation, off-road vehicles and mobile equipment, Canada, 1990 to 2018

Year	Nitrogen oxides (percentage change from 1990 level)	Carbon monoxide (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)
1990	0	0	0
1991	-4	-3	-4
1992	-3	-3	-3
1993	0	-2	-1
1994	6	-2	-1
1995	9	-4	-2
1996	12	-6	-4
1997	18	-7	-8
1998	20	-7	-11
1999	24	-9	-12
2000	24	-10	-19
2001	17	-18	-33
2002	11	-21	-35
2003	8	-24	-39
2004	5	-26	-39
2005	1	-37	-48
2006	-4	-40	-50
2007	-6	-42	-51
2008	-9	-45	-52
2009	-16	-48	-57

Year	Nitrogen oxides (percentage change from 1990 level)	Carbon monoxide (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)
2010	-16	-50	-58
2011	-19	-55	-68
2012	-24	-58	-70
2013	-27	-59	-72
2014	-32	-61	-74
2015	-35	-62	-75
2016	-39	-63	-77
2017	-36	-62	-76
2018	-34	-60	-75

Note: Fine particulate matter, sulphur oxides and ammonia are not shown in the chart due to their low share ($\leq 5\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information for Figure 25. Changes in emissions of key air pollutants from transportation, off-road vehicles and mobile equipment, Canada, 1990 to 2018

Year	Nitrogen oxides (emissions in kilotonnes)	Carbon monoxide (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)
1990	1 370.0	8 103.5	1 205.6
1991	1 314.3	7 824.7	1 162.0
1992	1 334.1	7 882.9	1 169.7
1993	1 376.1	7 936.2	1 188.3
1994	1 458.7	7 944.0	1 193.6
1995	1 496.1	7 777.9	1 181.8
1996	1 535.8	7 656.8	1 153.6
1997	1 616.8	7 565.0	1 114.6
1998	1 643.7	7 523.6	1 076.8
1999	1 692.7	7 408.6	1 055.0
2000	1 698.1	7 310.3	972.0
2001	1 609.3	6 661.9	805.8
2002	1 526.7	6 394.0	778.1
2003	1 473.0	6 176.3	737.4
2004	1 432.8	5 976.5	737.9
2005	1 382.4	5 114.3	632.7
2006	1 309.9	4 827.7	598.1
2007	1 290.4	4 696.3	588.3
2008	1 242.2	4 458.7	573.6
2009	1 154.3	4 193.2	523.9
2010	1 154.6	4 071.1	507.9
2011	1 114.2	3 622.8	391.4
2012	1 043.8	3 370.3	355.7
2013	1 000.4	3 305.5	334.9

Year	Nitrogen oxides (emissions in kilotonnes)	Carbon monoxide (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)
2014	935.6	3 167.2	316.1
2015	885.2	3 098.0	304.5
2016	839.2	3 033.4	283.1
2017	876.8	3 105.9	290.9
2018	908.7	3 218.9	301.7

Note: Fine particulate matter, sulphur oxides and ammonia are not shown in the chart due to their low share ($\leq 5\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A.21. Data for Figure 26. Contribution of electric utilities to total air pollutant emissions by fuel source, Canada, 2018

Fuel source	Sulphur oxides (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Carbon monoxide (percentage of national emissions)	Fine particulate matter (percentage of national emissions)	Volatile organic compounds (percentage of national emissions)	Ammonia (percentage of national emissions)
Coal	26.1	5.2	0.3	0.1	<0.1	<0.1
Natural gas	0.2	1.0	0.2	<0.1	<0.1	<0.1
Diesel	<0.1	0.6	<0.1	<0.1	<0.1	n/a
Other sources	0.8	0.5	0.1	<0.1	<0.1	<0.1

Note: n/a = not available. Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose. "Other" fuel sources include waste material and other uncategorized sources of electricity generation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information for Figure 26. Contribution of electric utilities to total air pollutant emissions by fuel source, Canada, 2018

Fuel source	Sulphur oxides (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)	Carbon monoxide (emissions in kilotonnes)	Fine particulate matter (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)	Ammonia (emissions in kilotonnes)
Coal	211.9	92.0	15.3	2.2	0.2	0.1
Natural gas	1.4	17.8	13.0	0.3	0.6	<0.1
Diesel	0.1	9.8	1.8	0.2	<0.1	n/a
Other sources	6.8	9.2	6.3	0.5	0.3	<0.1

Note: n/a = not available. Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose. "Other" fuel sources include waste material and other uncategorized sources of electricity generation.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 22. Data for Figure 27. Changes in emissions of key air pollutants from electric utilities, Canada, 1990 to 2018

Year	Sulphur oxides (percentage change from 1990 level)	Nitrogen oxides (percentage change from 1990 level)
1990	0	0
1991	-4	-2
1992	-1	2
1993	-12	-5
1994	-9	-7
1995	-14	-3
1996	-12	5
1997	-4	12
1998	-2	21
1999	-3	19
2000	0	27
2001	1	22
2002	1	23
2003	2	14
2004	-6	4
2005	-16	-1
2006	-26	-13
2007	-20	-7
2008	-31	-12
2009	-38	-15
2010	-46	-9
2011	-53	-22
2012	-54	-35
2013	-55	-37
2014	-56	-35
2015	-59	-41
2016	-59	-41
2017	-60	-43
2018	-64	-50

Note: Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information for Figure 27. Changes in emissions of key air pollutants from electric utilities, Canada, 1990 to 2018

Year	Sulphur oxides (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)
1990	618.4	257.0
1991	592.1	250.9
1992	610.7	262.9
1993	547.2	243.0
1994	559.8	240.0
1995	532.6	248.1
1996	542.2	269.0
1997	591.3	287.7
1998	603.6	310.1
1999	601.1	306.4
2000	619.2	326.8
2001	623.9	313.0
2002	624.3	314.9
2003	630.4	293.0
2004	581.5	267.5
2005	521.9	253.7
2006	458.9	224.4
2007	491.9	238.8
2008	427.5	225.1
2009	384.0	218.0
2010	334.0	233.7
2011	293.2	199.8
2012	284.2	166.3
2013	278.2	162.0
2014	269.2	167.2
2015	251.5	152.4
2016	253.1	152.8
2017	245.5	145.2
2018	220.3	128.8

Note: Carbon monoxide, fine particulate matter, volatile organic compounds and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018. Excludes emissions from industries that generate electricity and heat as a supporting activity rather than as their primary purpose.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A.23. Data for Figure 28. Contribution of the oil and gas industry to total air pollutant emissions by activity type, Canada, 2018

Activity type	Volatile organic compounds (percentage of national emissions)	Sulphur oxides (percentage of national emissions)	Nitrogen oxides (percentage of national emissions)	Carbon monoxide (percentage of national emissions)	Fine particulate matter (percentage of national emissions)	Ammonia (percentage of national emissions)
Upstream oil and gas	34.1	26.4	26.6	9.4	0.7	0.5
Downstream oil and gas	1.1	5.9	0.9	0.5	<0.1	<0.1

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information for Figure 28. Contribution of the oil and gas industry to total air pollutant emissions by activity type, Canada, 2018

Activity type	Volatile organic compounds (emissions in kilotonnes)	Sulphur oxides (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)	Carbon monoxide (emissions in kilotonnes)	Fine particulate matter (emissions in kilotonnes)	Ammonia (emissions in kilotonnes)
Upstream oil and gas	651.9	213.7	469.9	538.4	10.7	2.5
Downstream oil and gas	21.7	47.7	16.1	29.1	1.6	<0.1

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Table A. 24. Data for Figure 29. Changes in emissions of key air pollutants from the oil and gas industry, Canada, 1990 to 2018

Year	Carbon monoxide (percentage change from 1990 level)	Nitrogen oxides (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)	Sulphur oxides (percentage change from 1990 level)
1990	0	0	0	0
1991	-3	-2	-1	1
1992	2	3	2	8
1993	8	10	6	13
1994	19	19	8	12
1995	21	24	10	11
1996	25	28	15	11
1997	40	40	13	2
1998	45	44	15	-4
1999	49	48	8	-4
2000	32	33	11	-5
2001	40	31	13	-8
2002	49	31	15	-14

Year	Carbon monoxide (percentage change from 1990 level)	Nitrogen oxides (percentage change from 1990 level)	Volatile organic compounds (percentage change from 1990 level)	Sulphur oxides (percentage change from 1990 level)
2003	58	43	15	-12
2004	50	24	13	-13
2005	48	25	13	-15
2006	50	24	11	-22
2007	56	31	10	-26
2008	61	34	12	-30
2009	57	33	5	-31
2010	55	31	6	-37
2011	58	34	5	-39
2012	59	33	14	-39
2013	68	34	23	-42
2014	64	38	28	-48
2015	66	38	22	-52
2016	60	36	10	-54
2017	65	39	10	-52
2018	69	41	12	-51

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information for Figure 29. Changes in emissions of key air pollutants from the oil and gas industry, Canada, 1990 to 2018

Year	Carbon monoxide (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)	Sulphur oxides (emissions in kilotonnes)
1990	335.2	345.8	599.7	531.0
1991	325.1	339.4	594.5	535.2
1992	340.4	356.0	608.9	575.6
1993	362.3	381.2	635.4	602.4
1994	398.9	413.1	648.6	595.5
1995	406.6	429.5	660.5	589.6
1996	418.9	441.6	688.4	587.2
1997	468.3	485.2	678.4	542.1
1998	486.2	496.3	691.0	511.0
1999	498.4	513.5	650.5	507.1
2000	443.8	459.1	667.5	504.7
2001	467.9	453.3	675.5	486.8
2002	499.8	453.3	691.9	459.0
2003	530.0	496.0	689.4	467.2
2004	502.3	430.4	676.0	459.6
2005	494.7	430.6	677.5	452.4
2006	503.9	430.2	665.3	415.8
2007	523.7	453.5	661.4	390.8
2008	541.3	463.8	673.5	369.3
2009	525.6	460.0	630.4	366.5

Year	Carbon monoxide (emissions in kilotonnes)	Nitrogen oxides (emissions in kilotonnes)	Volatile organic compounds (emissions in kilotonnes)	Sulphur oxides (emissions in kilotonnes)
2010	521.2	451.8	634.6	332.6
2011	531.0	464.7	627.6	323.5
2012	532.5	460.9	682.1	324.1
2013	563.7	464.6	738.2	308.5
2014	549.4	476.6	768.5	277.7
2015	556.7	478.0	729.3	252.9
2016	537.3	470.5	661.4	244.8
2017	551.7	480.8	659.7	253.7
2018	567.6	486.1	673.6	261.4

Note: Fine particulate matter and ammonia are not shown in the chart due to their low share ($\leq 1\%$) of total emissions in 2018.

Source: Environment and Climate Change Canada (2020) [Air Pollutant Emissions Inventory](#).

Additional information can be obtained at:

Environment and Climate Change Canada
Public Inquiries Centre
12th Floor Fontaine Building
200 Sacré-Coeur Blvd
Gatineau QC K1A 0H3
Telephone: 1-800-668-6767 (in Canada only) or 819-938-3860
Fax: 819-938-3318
Email: ec.enviroinfo.ec@canada.ca