



Environment and  
Climate Change Canada

Environnement et  
Changement climatique Canada

# RELEASES OF HARMFUL SUBSTANCES TO WATER

CANADIAN ENVIRONMENTAL  
SUSTAINABILITY INDICATORS



Canada 

**Suggested citation for this document:** Environment and Climate Change Canada (2022) Canadian Environmental Sustainability Indicators: Releases of harmful substances to water. Consulted on *Month day, year*. Available at: [www.canada.ca/en/environment-climate-change/services/environmental-indicators/releases-harmful-substances-water.html](http://www.canada.ca/en/environment-climate-change/services/environmental-indicators/releases-harmful-substances-water.html).

Cat. No.: En4-144/81-2022E-PDF  
ISBN: 978-0-660-44689-9  
Project code: EC22011

Unless otherwise specified, you may not reproduce materials in this publication, in whole or in part, for the purposes of commercial redistribution without prior written permission from Environment and Climate Change Canada's copyright administrator. To obtain permission to reproduce Government of Canada materials for commercial purposes, apply for Crown Copyright Clearance by contacting:

Environment and Climate Change Canada  
Public Inquiries Centre  
12th Floor Fontaine Building  
200 Sacré-Coeur Blvd  
Gatineau QC K1A 0H3  
Telephone: 1-800-668-6767 (in Canada only) or 819-938-3860  
Email: [enviroinfo@ec.gc.ca](mailto:enviroinfo@ec.gc.ca)

Photos: © Environment and Climate Change Canada

© Her Majesty the Queen in Right of Canada, represented by the Minister of Environment and Climate Change, 2022

Aussi disponible en français

# CANADIAN ENVIRONMENTAL SUSTAINABILITY INDICATORS

# RELEASES OF HARMFUL SUBSTANCES TO WATER

**August 2022**

## **Table of contents**

- Releases of harmful substances to water .....5**
- Key results .....5
- Releases of mercury to water .....6
  - National mercury releases to water by source .....7
  - Releases of mercury to water by province and territory .....7
  - Releases of mercury to water from facilities .....9
- Releases of lead to water .....10
  - National lead releases to water by source .....10
  - Releases of lead to water by province and territory .....11
  - Releases of lead to water from facilities .....12
  - Other sources of lead releases to the environment .....13
- Releases of cadmium to water .....15
  - National cadmium releases to water by source .....15
  - Releases of cadmium to water by province and territory .....16
  - Releases of cadmium to water from facilities .....18
- About the indicators .....19
  - What the indicators measure .....19
  - Why these indicators are important .....19
  - Related indicators .....19
- Data sources and methods .....20
  - Data sources .....20
  - Methods .....20

|   |           |
|---|-----------|
| Recent changes.....   | 23        |
| Caveats and limitations .....   | 23        |
| Resources.....  | 23        |
| References .....  | 23        |
| Related information .....   | 23        |
| <b>Annex.....</b>   | <b>24</b> |
| Annex A. Data tables for the figures presented in this document ..... | 24        |

### List of Figures

|   |    |
|---|----|
| Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2020 .....           | 5  |
| Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2020 .....                      | 7  |
| Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2010 and 2020.... | 8  |
| Figure 4. Releases of mercury to water by facility, Canada, 2020 .....  | 9  |
| Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2020 .....                         | 10 |
| Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2010 and 2020 .....  | 11 |
| Figure 7. Releases of lead to water by facility, Canada, 2020 .....   | 13 |
| Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2020 .....                      | 15 |
| Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2010 and 2020     | 16 |
| Figure 10. Releases of cadmium to water by facility, Canada, 2020 .....                                       | 18 |

### List of Tables

|   |    |
|---|----|
| Table 1. Alignment of sources reported in the Canadian Environmental Sustainability Indicators and the National Pollutant Release Inventory ..... | 21 |
| Table A.1. Data for Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2020.....                            | 24 |
| Table A.2. Data for Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2020.....                                       | 24 |
| Table A.3. Data for Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2010 and 2020.....                | 25 |
| Table A.4. Data for Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2020.....  | 26 |
| Table A.5. Data for Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2010 and 2020.....                   | 26 |
| Table A.6. Data for Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2020 .....                                      | 27 |
| Table A.7. Data for Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2010 and 2020.....                | 28 |


## Releases of harmful substances to water

The release of some substances to the environment can harm human health, wildlife and biological diversity. Toxic metals released to water can enter the food web and accumulate in the tissues of living organisms. Exposure to these substances, even in small amounts, can be hazardous to both humans and wildlife. Mercury and its compounds, lead, and inorganic cadmium compounds are listed as toxic<sup>1</sup> under the *Canadian Environmental Protection Act, 1999*. The Releases of harmful substances to water indicator reports facility-based releases of these substances to water.<sup>2</sup>

### Key results

- Facility-based releases of mercury, lead and cadmium to water were 76%, 69% and 53% lower in 2020 than in 2003, respectively
- In 2014, a significant spill<sup>3</sup> accounted for 92%, 92% and 59% of total releases of mercury, lead and cadmium, respectively

**Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2020**



[Data for Figure 1](#)

**Note:** The indicator reports facility-based releases only. This chart accounts only for the releases to water reported in the National Pollutant Release Inventory based on the inventory reporting criteria for releases of mercury, lead and cadmium and their compounds. These amounts should not be interpreted as comprehensive totals of releases to water of these pollutants in Canada. In 2014, a significant spill at the Mount Polley mine in central British Columbia accounted for large releases of mercury, lead and cadmium to water.

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

<sup>1</sup> Section 64 of the *Canadian Environmental Protection Act, 1999* defines a substance as toxic if it is "entering or may enter the environment in a quantity or concentration or under conditions that (a) have or may have an immediate or long-term harmful effect on the environment or its biological diversity; (b) constitute or may constitute a danger to the environment on which life depends; or (c) constitute or may constitute a danger in Canada to human life or health."

<sup>2</sup> The indicators only track releases from facilities reporting to the National Pollutant Release Inventory.

<sup>3</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

Mercury, lead and cadmium are naturally occurring elements. Most releases of mercury, lead and cadmium to water are contained in effluent from wastewater treatment facilities. Wastewater treatment facilities do not generate mercury, lead or cadmium. Mercury, lead and cadmium found in wastewater effluents usually comes from industrial discharges to sewers.

In 2020, releases from wastewater treatment facilities accounted for 71%, 55% and 51% of total releases of mercury, lead and cadmium, respectively. From 2003 to 2020, releases of mercury, lead, and cadmium from this source declined by 79%, 73% and 63%, respectively.

## Releases of mercury to water

Mercury is a naturally occurring metal that can be emitted by natural processes (like melting permafrost, volcanic activity and soil and rock erosion). Industrial activities such as the pulp and paper industry, mining operations and metal processing release mercury to water both directly to the environment and indirectly through wastewater treatment facilities. Improper disposal of [mercury-containing products](#) (such as fluorescent lamps, thermometers and waste dental amalgams) can also be a source.<sup>4</sup>

Mercury can have significant negative impacts on [human health and the environment](#). It persists in the environment and accumulates in food chains over time, posing a particular risk to populations, like the northern and Indigenous communities, who rely heavily on the consumption of predatory fish, such as freshwater trout or Arctic char, and traditional food items, including marine mammals.

---


<sup>4</sup> The *Products Containing Mercury Regulations*, which came into force in November 2015, prohibit the manufacture and import of mercury or any of its compounds, with some exemptions for essential products that have no technically or economically viable alternatives (such as certain medical and research applications and dental amalgam).

## National mercury releases to water by source

### Key results

- Between 2003 and 2020, mercury releases to water have declined by 76% or 289 kilograms (kg)
- In 2020, national releases totalled 93 kg
  - the largest source was wastewater treatment, representing 71% (66 kg) of the total
- In 2014, a significant spill<sup>5</sup> accounted for 92% (2 143 kg) of the 2 321 kg of mercury released

**Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2020**



[Data for Figure 2](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

In 2020, 4 sectors contributed 98% (91 kg) of total national releases of mercury to water: wastewater treatment, mining and rock quarrying, non-ferrous metal production and processing, and the pulp and paper industry.

The largest reduction in mercury releases to water between 2003 and 2020 was in wastewater treatment, with a reduction of 241 kg (-79%). This decline contributed to 83% of the total decline in mercury releases to water.

## Releases of mercury to water by province and territory


### Key results

- In 2020, British Columbia, Ontario and Quebec made up 85% (79 kg) of national mercury releases to water

<sup>5</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

- Between 2003 and 2020
  - the largest reduction in releases of mercury to water was from Quebec, which reduced its releases by 104 kg (-85%)
  - slight increases were reported for Newfoundland and Labrador, and New Brunswick

**Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2010 and 2020**



[Data for Figure 3](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Newfoundland and Labrador, Nova Scotia, Manitoba, Saskatchewan and the Northwest Territories are too small to see in the figure. The figure provides a snapshot of mercury releases by province and territory. To access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

In 2020, mercury releases to water were highest in Ontario in, accounting for 42% (39 kg) of the national total. Wastewater treatment facilities was the primary source of releases in the province.

Quebec had the largest decline in mercury releases between 2003 and 2020. Ontario had the second largest decline in mercury releases over this period. The declines in these provinces were mostly due to large mercury reductions in releases from wastewater treatment facilities as a result of reduced industrial and residential discharges to wastewater systems.

In 2020, the largest source of mercury releases to water within each province and territory was:

- wastewater treatment in Nova Scotia, Quebec, Ontario, Manitoba and Alberta
- the pulp and paper industry in New Brunswick
- mining and rock quarrying in Newfoundland and Labrador, Saskatchewan, British Columbia, and the Northwest Territories

Newfoundland and Labrador, New Brunswick and Alberta had higher mercury releases in 2010 compared to 2003. Mercury releases in Alberta peaked in 2009 at 149 kg as a result of reported releases from a pulp and paper mill, an oil and gas extraction facility and a wastewater treatment facility. Although not shown in Figure 3, releases to water in Alberta remained above 2003 levels for 2 additional years (2010 and 2011) before declining. Mercury releases to water in New Brunswick were above 2003 levels annually from 2004 to 2020. Releases in the



province fluctuated from 2003 to 2014 before declining sharply. Between 2010 and 2020 reported releases in Alberta and New Brunswick declined by 88% and 89%, respectively.

Prince Edward Island, Yukon and Nunavut have never reported releases to the National Pollutant Release Inventory of mercury to water. Manitoba had no reported releases in 2003, the Northwest Territories had no reported releases from 2003 to 2012.

### Releases of mercury to water from facilities


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [releases of mercury to water](#) from individual facilities.

In 2020, 95 facilities across Canada reported mercury releases. Of these facilities:

- 30 facilities reported releases under 0.01 kilograms (kg)
- 58 facilities reported releases between 0.01 to 5 kg
- 7 facilities reported releases over 5 kg, which were located in Ontario (3), British Columbia (3) and Alberta (1)

**Figure 4. Releases of mercury to water by facility, Canada, 2020**



Navigate data using the [interactive map](#)

Source: Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

## Releases of lead to water

Lead is a naturally occurring metal found in the Earth's crust and can be released during natural processes, such as rock and soil erosion. Lead is also released directly to the environment from sources such as the pulp and paper industry, metal processing, mining and rock quarrying, and indirectly through wastewater treatment facilities. Lead found in wastewater effluents usually comes from industrial discharges to sewers and the use of lead pipes. Lead emitted to air can be deposited on land or water surfaces and then build up in soils, sediments, humans and wildlife.


Lead is a highly toxic metal. Exposure to lead, even in small amounts, can be [hazardous to both humans and wildlife](#). In humans, chronic exposure to relatively low levels may affect the central and peripheral nervous systems, blood pressure, and renal function and may result in reproductive problems and developmental neurotoxicity.

### National lead releases to water by source

#### Key results

- Between 2003 and 2020, lead releases to water have decreased by 69% or 16 691 kilograms (kg)
- In 2020, national releases totalled 7 648 kg
  - the largest source was wastewater treatment, representing 55% (4 192 kg) of the total
- In 2014, a significant spill generated 92% (134 235 kg) of the 145 621 kg of lead released<sup>6</sup>

**Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2020**



[Data for Figure 5](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

<sup>6</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

In 2020, 84% (6 400 kg) of national releases of lead to water came from wastewater treatment facilities, the pulp and paper industry, and the non-ferrous metal production and processing.


Wastewater treatment contributed to 68% (11 296 kg) of the total reduction in lead releases to water since 2003. This was largely due to decreases in upstream discharges to wastewater effluent. Mining and rock quarrying, and the pulp and paper industry contributed a further 11% (1 874 kg) and 9% (1 461 kg), respectively to the decrease in releases.

## Releases of lead to water by province and territory

### Key results

- In 2020, Quebec, Ontario and British Columbia made up 86% (6 615 kg) of national lead releases to water
- Between 2003 and 2020
  - the largest reduction in releases of lead to water was from Ontario, which reduced its releases by 5 837 kg (-70%)
  - the largest increase in lead releases to water was from Nova Scotia, which had a 150 kg increase in releases

**Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2010 and 2020**



[Data for Figure 6](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Prince Edward Island, Nova Scotia, Saskatchewan, the Northwest Territories and Nunavut are too small to see in the figure. The figure provides a snapshot of lead releases by province and territory, to access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

In 2020, lead releases to water were highest in Ontario in, accounting for 32% (2 484 kg) of the national total.

Even though releases in Ontario increased between 2003 and 2010, Ontario had the largest decline in lead releases between 2003 and 2020. This decline was mostly due to reductions in releases from wastewater treatment facilities. Nova Scotia had the largest increase in releases over this period, although actual releases in

2020 represented 2% of the national total. The results in Nova Scotia were mostly due to releases from a single wastewater treatment facility.

In 2020, the largest source of lead releases to water within each province and territory was:

- wastewater treatment in Ontario, Quebec, Alberta, Nova Scotia, Manitoba, Saskatchewan and Prince Edward Island
- the pulp and paper industry in New Brunswick and Newfoundland and Labrador
- mining and rock quarrying in Nunavut and the Northwest Territories
- non-ferrous metal production and processing in British Columbia

Nova Scotia had higher lead releases in 2010 (11.1 kg) compared to 2003 (3.9 kg). Between 2010 and 2020 reported releases increased further. While not shown in Figure 6, lead releases in Nova Scotia peaked in 2011 at 723 kg as a result of 2 wastewater treatment facilities reporting high releases due to influxes of upstream influent. Provincially-reported releases from the wastewater treatment sector fluctuated from 2012 to 2016 as releases from facilities exceeded or remained below the minimum reporting threshold. Reported releases from a single wastewater treatment facility accounted for 98% of the total lead releases for Nova Scotia from 2017 to 2020.

In 2003, there were no reported releases to the National Pollutant Release Inventory of lead in Prince Edward Island, Yukon and the Northwest Territories. In 2010, there were no reported releases in Prince Edward Island and Yukon. All provinces and territories reported releases in 2020, except for Yukon.

## **Releases of lead to water from facilities**


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [releases of lead to water](#) from individual facilities.

In 2020, 207 facilities across Canada reported lead releases. Of these facilities:

- 59 facilities reported releases under 0.5 kilograms (kg)
- 130 facilities reported releases between 0.5 to 100 kg
- 18 facilities reported releases over 100 kg, which were located in Ontario (8), Quebec (5), British Columbia (3), Alberta (1) and Nova Scotia (1)

**Figure 7. Releases of lead to water by facility, Canada, 2020**



Navigate data using the [interactive map](#)

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

## Other sources of lead releases to the environment

Other sources of lead releases correspond to non-industrial releases that are not included in the National Pollutant Release Inventory. Releases from these sources are therefore not considered in the analysis of the indicators.

### Lead releases to water

Fishing tackle containing lead can pose a serious threat to birds if ingested. Ingestion can lead to blindness, muscle paralysis, reduced reproductive ability, seizures and death. A single sinker or jig containing several grams of lead is enough to kill a bird. It is estimated every year approximately 460 tonnes of lead sinkers and jigs are lost into Canada's lakes and waterways.<sup>7</sup> This represents the most significant annual source of lead releases to water in Canada.

<sup>7</sup> Environment and Climate Change Canada (2018) [Study to gather use pattern information on lead sinkers and jigs and their non-lead alternative in Canada](#). Retrieved on April 28, 2022.

## **Lead releases to land**

In Canada, the largest source of lead releases onto land is ammunition. Lead ammunition releases can eventually end up in water through leaching into soils and groundwater and by hunting over or near water bodies. Annually, ammunition used for recreational shooting, hunting and enforcement releases an estimated 5 200 tonnes of lead into the environment.<sup>8</sup> Migratory bird hunters are required by law to use non-toxic shot. However, recreational shooting and other game hunting remain a significant source of lead releases. The use of lead-free ammunition would help prevent contamination of soil, water and game meat that may be consumed by Canadians or by scavenging animals.

---

<sup>8</sup> Environment and Climate Change Canada (2018) [Moving towards using more lead-free ammunition](#). Retrieved on April 28, 2022.

## Releases of cadmium to water

Cadmium is a naturally occurring metal found in the Earth's crust and can be released during natural processes, such as rock and soil erosion. It can also be released directly to the environment from human activities such as non-ferrous metal production and processing, and fuel consumption for electricity or heating, and indirectly through wastewater treatment facilities. Cadmium found in wastewater effluents usually comes from industrial discharges to sewers. Cadmium is used in batteries and in electroplating to protect other metals from corrosion.


Exposure to cadmium can be [hazardous to both humans and wildlife](#) since it accumulates in the food chain over time. The Government of Canada concluded cadmium compounds may be harmful to the environment and may constitute a danger based on their carcinogenic potential. Exposure to cadmium has been associated with gastrointestinal irritation and harmful effects to the kidneys and bones.

### National cadmium releases to water by source

#### Key results

- Between 2003 and 2020, cadmium releases to water have declined by 53% or 2 602 kilograms (kg)
- In 2020, national releases totalled 2 342 kg
  - the largest source was wastewater treatment, representing about 51% (1 195 kg) of national releases
- In 2014, a significant spill accounted for 59% (3 768 kg) of the 6 339 kg of cadmium released<sup>9</sup>

**Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2020**



[Data for Figure 8](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

<sup>9</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

In 2020, 81% (1 898 kg) of cadmium released to water came from wastewater treatment facilities and the pulp and paper industry.

Wastewater treatment contributed to 77% (2 000 kg) of the total reduction in cadmium releases to water since 2003. This was largely due to decreases in upstream discharges to wastewater effluent. The pulp and paper and non-ferrous metal production and processing industries together contributed an additional 17% (309 kg and 145 kg, respectively) to the total reduction in cadmium releases from 2003 to 2020.

Between 2003 and 2020, the largest reduction in releases of cadmium to water was from wastewater treatment, with a reduction of 2000 kg (-49%). The non-ferrous metal production and processing, pulp and paper, and mining and rock quarrying industries, and the other sources also had decreases over the same period.


In recent years (from 2015 to 2019), releases of cadmium to water have increased before decreasing again in 2020. This increase was mainly due to reported increases from wastewater treatment facilities, and ore and mineral industries (except non-ferrous metal production and processing).

## Releases of cadmium to water by province and territory

### Key results

- In 2020, Ontario, Quebec and British Columbia made up 88% (2 057 kg) of national cadmium releases to water
- Between 2003 and 2020,
  - the largest reduction in releases of cadmium to water was from Quebec, which reduced its releases by 2 039 kg (-80%)
  - the largest increase in cadmium releases to water was from Ontario, which had a 156 kg (+19%) increase in releases

**Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2010 and 2020**



[Data for Figure 9](#)

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Newfoundland and Labrador, Prince Edward Island, Nova Scotia, Saskatchewan, the Northwest Territories and Nunavut are too small to see in the figure. The figure provides a snapshot of cadmium releases by province and territory, to access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).



In 2020, cadmium releases to water were highest in Ontario, accounting for 43% (1 000 kg) of the national total. Wastewater treatment was the main source of these releases.

In 2020, the largest source of cadmium releases to water within each province and territory was:

- wastewater treatment in Ontario, Quebec, Prince Edward Island and Saskatchewan
- the pulp and paper industry in British Columbia, Alberta, New Brunswick, and Newfoundland and Labrador
- mining and rock quarrying in Manitoba, Nunavut and the Northwest Territories
- electric utilities in Nova Scotia

Between 2003 and 2020, reported cadmium releases decreased in all provinces and territories, except Ontario. However, British Columbia and Nunavut had higher cadmium releases in 2010 compared to 2003. Following that increase, reported releases between 2010 and 2020 declined by 31% and 87%, respectively.

Although not shown in Figure 9, reported releases of cadmium to water in New Brunswick peaked in 2007 at 966 kg. Releases within the province were above 2003 levels from 2004 to 2009 and again in 2013. In Alberta, releases exceeded 2003 levels in 2009 and from 2011 to 2014, peaking at 353 kg in 2012. Reported releases of cadmium to water in British Columbia exceeded 2003 levels from 2009 to 2015 and again in 2017. Releases peaked in 2014 at 4 646 kg, primarily as a result of the significant tailings pond spill at the Mount Polley mine.

Yukon has never reported releases to the National Pollutant Release Inventory of cadmium to water. In 2003 and 2010, there were no reported releases of cadmium in Prince Edward Island and the Northwest Territories.

## Releases of cadmium to water from facilities


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore [releases of cadmium to water](#) from individual facilities.

In 2020, 169 facilities across Canada reported cadmium releases. Of these facilities:

- 73 facilities reported releases under 0.5 kilograms (kg)
- 84 facilities reported releases between 0.5 to 40 kg
- 12 facilities reported releases over 40 kg, which were located in British Columbia (5), Ontario (4), Quebec (2) and Alberta (1)

**Figure 10. Releases of cadmium to water by facility, Canada, 2020**



Navigate data using the [interactive map](#)

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

## About the indicators

### What the indicators measure

These indicators track facility-based releases to water of 3 substances that are defined as toxic under the *Canadian Environmental Protection Act, 1999*: mercury, lead and cadmium and their compounds. For each substance, data are provided at the national, regional (provincial and territorial) and facility level and by source.

### Why these indicators are important

Mercury and its compounds, lead and inorganic cadmium compounds are on the [Toxic substances list](#) under Schedule 1 of the *Canadian Environmental Protection Act, 1999*. This means that these substances are "entering or may enter the environment in a quantity or concentration or under conditions that (a) have or may have an immediate or long-term harmful effect on the environment or its biological diversity; (b) constitute or may constitute a danger to the environment on which life depends; or (c) constitute or may constitute a danger in Canada to human life or health."

The indicators inform Canadians about releases to water of these 3 substances from facilities in Canada. The Releases of harmful substances to water indicators also help the government to identify priorities and develop or revise strategies to inform further risk management and to track progress on policies put in place to reduce or control these 3 substances and water pollution in general.



### Safe and healthy communities

These indicators support the measurement of progress towards the following [2019 to 2022 Federal Sustainable Development Strategy](#) long-term goal: All Canadians live in clean, sustainable communities that contribute to their health and well-being.

These indicators are being proposed to track progress in the draft [2022 to 2026 Federal Sustainable Development Strategy](#).

In addition, the indicators contribute to the [Sustainable Development Goals of the 2030 Agenda for Sustainable Development](#). They are linked to the 2030 Agenda's Goal 12, Responsible consumption and production and Target 12.4, "By 2020, achieve the environmentally sound management of chemicals and all wastes throughout their life cycle, in accordance with agreed international frameworks, and significantly reduce their release to air, water and soil in order to minimize their adverse impacts on human health and the environment."

### Related indicators

The [Emissions of harmful substances to air](#) indicators track human-related emissions to air of 3 toxic substances, namely mercury, lead and cadmium, and their compounds. For each substance, data are provided at the national, provincial/territorial and facility level and by source. Global emissions to air are also provided for mercury.

The [Human exposure to harmful substances](#) indicators track the concentrations of 4 substances (mercury, lead, cadmium and bisphenol A) in Canadians.

## Data sources and methods

### Data sources

Data for the indicators and the interactive maps are taken from the [National Pollutant Release Inventory](#) (the inventory). These indicators include the amount of elemental mercury, lead and cadmium in any compound, alloy or mixture released to water as reported to the inventory based on its reporting criteria as listed in section 5.3 of the [2020-2021 Guide to Reporting to the National Pollutant Release Inventory](#) (PDF; 3.11 MB).

#### More information

The [inventory](#) is compiled by Environment and Climate Change Canada (the department), and includes releases reported by industrial, commercial and institutional facilities. It is Canada's legislated, publicly accessible inventory of pollutant releases (to air, water and land), disposals and transfers for recycling. It consists of information reported by facilities to the department under the *Canadian Environmental Protection Act, 1999* (the act). Under the act, owners or operators of facilities that manufacture, process or otherwise use or release one or more of the substances tracked by the inventory and that meet [reporting thresholds](#) and other requirements must report their pollutant releases annually.

#### Estimation of releases to water

Releases to water are estimated or measured through one of the following methods:

- continuous emission monitoring systems
- predictive emission monitoring
- source testing
- mass balance
- site-specific emission factors
- published emission factors
- engineering estimates

These measurement methods and estimation techniques are used by the facilities to report their releases (point sources) to the inventory. The [Report to the National Pollutant Release Inventory program](#) web page provides information to owners or operators of facilities required to report to the inventory, as well as details on the program's calculation methods.

#### Data completeness

Because the indicators are derived solely from the inventory's database, they reflect only releases from facilities that met the reporting criteria. As a result, the indicators do not include all releases in Canada. They are limited to the main point sources for each selected toxic substance.

#### Data timeliness

The data are current up to 2020. The indicators are reported approximately 1.5 years after data collection because of the time required for data validation, analysis and interpretation.

### Methods

The indicators are produced by grouping data from the inventory to report on the key sources that contribute to the majority of mercury, lead and cadmium releases to water.

#### More information

##### Indicator coverage

Historical data are provided at the national level and by source for the period from 2003 to 2020. The year 2003 was selected as the first year for releases to water because it was the year the inventory updated its [reporting criteria](#) for mercury, lead and cadmium. For the provincial/territorial charts, releases to water are provided for 2003, 2010 and 2020. Releases of mercury, lead and cadmium to water by facility are displayed on the Canadian Environmental Sustainability Indicators' [interactive maps](#).

### Source classification

Source descriptions for the indicators were taken from Statistics Canada's [North American Industry Classification System](#). The 4-digit code of the classification system, as reported by the facilities, was used for source classification for the data reported by the inventory. These sources were then classified into the following sources for reporting in the indicators:

- electric utilities
- manufacturing (except pulp and paper)
- mining and rock quarrying
- miscellaneous
- non-ferrous metal production and processing
- oil and gas industry
- ore and mineral industries (except non-ferrous metal production and processing)
- pulp and paper industry
- solid waste management
- wastewater treatment

Table 1 shows the allocation of sources of harmful substances reported in the indicators compared with those reported by the inventory.

**Table 1. Alignment of sources reported in the Canadian Environmental Sustainability Indicators and the National Pollutant Release Inventory**

| <b>Sources in the Canadian Environmental Sustainability Indicators</b> | <b>Sources in the National Pollutant Release Inventory<br/>(based on the North American Industry Classification System)</b> |
|--|---|
| Electric utilities   | Electric power generation, transmission and distribution  |
| Manufacturing (except pulp and paper)                                  | Forest nurseries and gathering of forest products   |
| Manufacturing (except pulp and paper)                                  | Sawmills and wood preservation  |
| Manufacturing (except pulp and paper)                                  | Aerospace product and parts manufacturing   |
| Manufacturing (except pulp and paper)                                  | Basic chemical manufacturing  |
| Manufacturing (except pulp and paper)                                  | Cement and concrete product manufacturing   |
| Manufacturing (except pulp and paper)                                  | Coating, engraving, cold and heat treating and allied activities  |
| Manufacturing (except pulp and paper)                                  | Electrical equipment manufacturing  |
| Manufacturing (except pulp and paper)                                  | Engine, turbine and power transmission equipment manufacturing  |
| Manufacturing (except pulp and paper)                                  | Forging and stamping  |
| Manufacturing (except pulp and paper)                                  | Glass and glass product manufacturing   |
| Manufacturing (except pulp and paper)                                  | Motor vehicle parts manufacturing   |
| Manufacturing (except pulp and paper)                                  | Other chemical product manufacturing  |
| Manufacturing (except pulp and paper)                                  | Other electrical equipment and component manufacturing  |
| Manufacturing (except pulp and paper)                                  | Other fabricated metal product manufacturing  |
| Manufacturing (except pulp and paper)                                  | Other miscellaneous manufacturing   |
| Manufacturing (except pulp and paper)                                  | Pesticide, fertilizer and other agricultural chemical manufacturing   |

| <b>Sources in the Canadian Environmental Sustainability Indicators</b>          | <b>Sources in the National Pollutant Release Inventory<br/>(based on the North American Industry Classification System)</b> |
|---|---|
| Manufacturing (except pulp and paper)   | Petroleum and coal product manufacturing  |
| Manufacturing (except pulp and paper)   | Pharmaceutical and medicine manufacturing   |
| Manufacturing (except pulp and paper)   | Rubber product manufacturing  |
| Manufacturing (except pulp and paper)   | Semiconductor and other electronic component manufacturing  |
| Manufacturing (except pulp and paper)   | Spring and wire product manufacturing   |
| Manufacturing (except pulp and paper)   | Veneer, plywood and engineered wood product manufacturing   |
| Mining and rock quarrying   | Coal mining   |
| Mining and rock quarrying   | Metal ore mining  |
| Mining and rock quarrying   | Non-metallic mineral mining and quarrying   |
| Miscellaneous   | Support activities for water transportation   |
| Miscellaneous   | General medical and surgical hospitals  |
| Miscellaneous   | Other professional, scientific and technical services   |
| Miscellaneous   | Recyclable material merchant wholesalers  |
| Non-ferrous metal production and processing                                     | Non-ferrous metal (except aluminum) production and processing   |
| Oil and gas industry  | Oil and gas extraction  |
| Ore and mineral industries (except non-ferrous metal production and processing) | Alumina and aluminum production and processing  |
| Ore and mineral industries (except non-ferrous metal production and processing) | Foundries   |
| Ore and mineral industries (except non-ferrous metal production and processing) | Iron and steel mills and ferro-alloy manufacturing  |
| Ore and mineral industries (except non-ferrous metal production and processing) | Steel product manufacturing from purchased steel  |
| Pulp and paper industry   | Converted paper product manufacturing   |
| Pulp and paper industry   | Pulp, paper and paperboard mills  |
| Solid waste management  | Remediation and other waste management services   |
| Solid waste management  | Waste collection  |
| Solid waste management  | Waste treatment and disposal  |
| Wastewater treatment  | Water, sewage and other systems   |

For display purposes, sources with smaller releases are sometimes grouped together under the category "Other sources" in the figures and corresponding data tables of releases by source. The grouped sources may differ by substance and are listed in the notes of each figure and data table.

## Recent changes

The wastewater and waste management source in the Canadian Environmental Sustainability Indicators was split into 2 separate sources, wastewater treatment and solid waste management. These sources are listed under 2 different North American Industry Classification System codes.

The provincial/territorial comparison of releases to water was expanded to include 2003, the first year data was available. Also included are 2020, the latest year data was available and a 10-year comparison to the latest year, 2010.

## Caveats and limitations

The indicators reflect only facility-based releases to water as reported to the inventory. They do not include estimates of releases from other sources, such as runoff from cities, transboundary pollution or from consumer products in Canada.

Occasional updates and data quality checking can be done after initial release of the inventory.

The number and composition of facilities that report releases to water to the inventory vary each year. This variation is due to the fact that only facilities that meet or exceed the [reporting threshold](#) are required to report. An analysis of how this might affect the apparent trends has not been undertaken.

Facilities reporting to the inventory may use different methods to calculate releases. These methods vary depending on the substance and/or facility, and may also change from year to year.

The latest year reported (2020) coincides with the first year of the COVID-19 pandemic which had an impact on a wide range of economic sectors, especially the energy and transport sectors. The emissions change for the periods from 2003 to 2020 must be interpreted with caution as the impact of the pandemic on the emissions is not discussed in detail.

## Resources

### References

Environment and Climate Change Canada (2017) [Using and interpreting data from the National Pollutant Release Inventory](#). Retrieved on April 28, 2022.

Environment and Climate Change Canada (2018) [Study to gather use pattern information on lead sinkers and jigs and their non-lead alternatives in Canada](#). Retrieved on April 28, 2022.

Environment and Climate Change Canada (2022) [Bulk data files for all years – releases, disposals, transfers and facility locations](#). Retrieved on April 28, 2022.

### Related information

[NPRI sector overview: Aluminium](#)

[NPRI sector overview: Electricity](#)

[NPRI sector overview: Metal ore mining](#)

[NPRI sector overview: Oil sands extraction](#)

[NPRI sector overview: Wastewater](#)

# Annex

## Annex A. Data tables for the figures presented in this document

**Table A.1. Data for Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2020**

| Year | Mercury<br>(percentage change from 2003 level) | Lead<br>(percentage change from 2003 level) | Cadmium<br>(percentage change from 2003 level) |
|------|--|---|--|
| 2003 | 0  | 0   | 0  |
| 2004 | -11  | -14   | -6   |
| 2005 | 40   | -13   | -31  |
| 2006 | -11  | -21   | -24  |
| 2007 | -33  | -41   | -24  |
| 2008 | -44  | -14   | -49  |
| 2009 | -10  | -32   | -35  |
| 2010 | -32  | -22   | -45  |
| 2011 | -7   | -29   | -44  |
| 2012 | -52  | -42   | -45  |
| 2013 | -45  | -47   | -44  |
| 2014 | 508  | 498   | 28   |
| 2015 | -71  | -62   | -55  |
| 2016 | -63  | -64   | -50  |
| 2017 | -69  | -63   | -45  |
| 2018 | -71  | -57   | -47  |
| 2019 | -72  | -61   | -41  |
| 2020 | -76  | -69   | -53  |

**Note:** The indicator reports facility-based releases only. This table accounts only for the releases to water reported in the National Pollutant Release Inventory based on the inventory reporting criteria for releases of mercury, lead and cadmium and their compounds. These amounts should not be interpreted as comprehensive totals of releases to water of these pollutants in Canada. In 2014, a significant spill at the Mount Polley mine in central British Columbia accounted for large releases of mercury, lead and cadmium to water.

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

- Table A.2. Data for

**Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2020**

| Year | Wastewater treatment<br>(releases to water in kilograms) | Mining and rock quarrying<br>(releases to water in kilograms) | Non-ferrous metal production and processing<br>(releases to water in kilograms) | Pulp and paper industry<br>(releases to water in kilograms) | Other sources<br>(releases to water in kilograms) | Total<br>(releases to water in kilograms) |
|------|--|---|---|---|---|---|
| 2003 | 306.7  | 1.5   | 14.1  | 24.1  | 35.3  | 381.6                                     |
| 2004 | 272.7  | 8.2   | 13.3  | 17.5  | 26.1  | 337.8                                     |
| 2005 | 435.2  | 1.0   | 53.4  | 14.0  | 29.1  | 532.6                                     |
| 2006 | 226.9  | 3.5   | 61.6  | 26.3  | 20.8  | 339.1                                     |
| 2007 | 169.4  | 4.1   | 31.2  | 25.6  | 24.0  | 254.3                                     |



| Year | Wastewater treatment (releases to water in kilograms) | Mining and rock quarrying (releases to water in kilograms) | Non-ferrous metal production and processing (releases to water in kilograms) | Pulp and paper industry (releases to water in kilograms) | Other sources (releases to water in kilograms) | Total (releases to water in kilograms) |
|------|---|--|--|--|--|--|
| 2008 | 149.7   | 3.9  | 10.7   | 22.8   | 25.3   | 212.4                                  |
| 2009 | 167.5   | 17.7   | 9.4  | 83.6   | 66.6   | 344.9                                  |
| 2010 | 137.9   | 6.4  | 23.4   | 71.0   | 21.9   | 260.5                                  |
| 2011 | 173.6   | 90.2   | 9.3  | 68.2   | 13.2   | 354.5                                  |
| 2012 | 100.3   | 17.0   | 5.9  | 43.9   | 9.1  | 176.0                                  |
| 2013 | 123.6   | 38.6   | 8.5  | 34.6   | 6.2  | 211.5                                  |
| 2014 | 87.4  | 2 174.4  | 10.4   | 47.8   | 1.4  | 2 321.4                                |
| 2015 | 77.9  | 5.1  | 5.5  | 21.7   | 1.6  | 111.8                                  |
| 2016 | 83.2  | 3.4  | 30.7   | 21.0   | 4.1  | 142.5                                  |
| 2017 | 81.4  | 6.9  | 12.0   | 18.1   | 0.7  | 118.9                                  |
| 2018 | 80.8  | 2.2  | 14.3   | 11.3   | 1.8  | 110.4                                  |
| 2019 | 59.8  | 18.4   | 14.7   | 11.8   | 0.8  | 105.6                                  |
| 2020 | 65.9  | 5.4  | 8.9  | 11.1   | 1.4  | 92.7                                   |

**Note:** Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

- Table A.3. Data for Between 2003 and 2020
  - the largest reduction in releases of mercury to water was from Quebec, which reduced its releases by 104 kg (-85%)
  - slight increases were reported for Newfoundland and Labrador, and New Brunswick

**Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2010 and 2020**

| Province or territory     | 2003 (releases to water in kilograms) | 2010 (releases to water in kilograms) | 2020 (releases to water in kilograms) |
|---------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Newfoundland and Labrador | < 0.1                                 | < 0.1                                 | < 0.1                                 |
| Prince Edward Island      | n/a                                   | n/a                                   | n/a                                   |
| Nova Scotia               | 0.6                                   | 0.2                                   | 0.2                                   |
| New Brunswick             | 2.0                                   | 4.4                                   | 2.1                                   |
| Quebec                    | 122.2                                 | 33.9                                  | 17.8                                  |
| Ontario                   | 137.2                                 | 85.3                                  | 39.0                                  |
| Manitoba                  | n/a                                   | 0.8                                   | 0.8                                   |
| Saskatchewan              | 0.9                                   | 0.2                                   | < 0.1                                 |
| Alberta                   | 69.7                                  | 92.2                                  | 10.8                                  |
| British Columbia          | 48.9                                  | 43.5                                  | 22.0                                  |
| Yukon                     | n/a                                   | n/a                                   | n/a                                   |
| Northwest Territories     | n/a                                   | n/a                                   | < 0.1                                 |

| Province or territory | 2003<br>(releases to water in kilograms) | 2010<br>(releases to water in kilograms) | 2020<br>(releases to water in kilograms) |
|-----------------------|--|--|--|
| Nunavut               | n/a                                      | n/a                                      | n/a                                      |
| Canada                | 381.6                                    | 260.5                                    | 92.7                                     |

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of mercury releases by province and territory. To access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

- Table A.4. Data for Between 2003 and 2020, lead releases to water have decreased by 69% or 16 691 kilograms (kg)
- In 2020, national releases totalled 7 648 kg
  - the largest source was wastewater treatment, representing 55% (4 192 kg) of the total
- In 2014, a significant spill generated 92% (134 235 kg) of the 145 621 kg of lead released

**Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2020**

| Year | Wastewater treatment<br>(releases to water in kilograms) | Pulp and paper industry<br>(releases to water in kilograms) | Other sources<br>(releases to water in kilograms) | Non-ferrous metal production and processing<br>(releases to water in kilograms) | Mining and rock quarrying<br>(releases to water in kilograms) | Total<br>(releases to water in kilograms) |
|------|--|---|---|---|---|---|
| 2003 | 15 487.1   | 2 583.0   | 1 901.8   | 2 253.9   | 2 112.9   | 24 338.7                                  |
| 2004 | 11 526.4   | 2 886.4   | 1 631.8   | 2 881.5   | 1 925.5   | 20 851.7                                  |
| 2005 | 9 472.5  | 3 340.5   | 1 964.5   | 2 778.4   | 3 713.5   | 21 269.4                                  |
| 2006 | 9 899.8  | 2 365.9   | 1 569.5   | 1 874.6   | 3 429.6   | 19 139.3                                  |
| 2007 | 6 417.4  | 2 370.8   | 1 396.1   | 1 819.4   | 2 252.4   | 14 256.2                                  |
| 2008 | 11 582.8   | 2 424.6   | 1 493.6   | 2 194.1   | 3 274.9   | 20 970.0                                  |
| 2009 | 8 475.9  | 2 252.7   | 1 971.6   | 2 148.8   | 1 611.5   | 16 460.4                                  |
| 2010 | 11 973.3   | 2 117.4   | 1 938.8   | 1 526.6   | 1 341.9   | 18 898.0                                  |
| 2011 | 8 990.8  | 2 908.8   | 1 886.3   | 1 518.9   | 1 876.0   | 17 180.8                                  |
| 2012 | 4 698.6  | 2 864.8   | 1 642.4   | 1 773.6   | 3 074.4   | 14 053.8                                  |
| 2013 | 4 660.3  | 2 423.3   | 1 905.9   | 1 483.6   | 2 388.7   | 12 861.9                                  |
| 2014 | 5 114.7  | 1 849.4   | 1 328.8   | 1 768.1   | 35 559.6  | 145 620.6                                 |
| 2015 | 4 395.9  | 1 459.9   | 1 173.7   | 1 338.7   | 994.7   | 9 363.0                                   |
| 2016 | 3 880.0  | 1 576.9   | 792.3   | 1 527.6   | 1 042.0   | 8 818.7                                   |
| 2017 | 4 373.0  | 1 399.0   | 1 065.5   | 1 111.4   | 1 078.4   | 9 027.3                                   |
| 2018 | 4 596.9  | 2 864.2   | 1 298.5   | 1 117.8   | 614.7   | 10 492.1                                  |
| 2019 | 4 707.7  | 2 135.2   | 1 329.3   | 1 136.9   | 270.2   | 9 579.3                                   |
| 2020 | 4 191.6  | 1 122.5   | 1 009.2   | 1 085.7   | 239.1   | 7 648.1                                   |

**Note:** Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral

industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

**Table A.5. Data for Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2010 and 2020**

| Province or territory     | 2003<br>(releases to water in kilograms) | 2010<br>(releases to water in kilograms) | 2020<br>(releases to water in kilograms) |
|---------------------------|--|--|--|
| Newfoundland and Labrador | 1 670.0                                  | 503.5                                    | 51.4                                     |
| Prince Edward Island      | n/a                                      | n/a                                      | 9.4                                      |
| Nova Scotia               | 3.9                                      | 11.1                                     | 153.7                                    |
| New Brunswick             | 724.9                                    | 483.8                                    | 237.0                                    |
| Quebec                    | 6 296.2                                  | 3 384.9                                  | 2 171.0                                  |
| Ontario                   | 8 321.2                                  | 8 901.1                                  | 2 483.9                                  |
| Manitoba                  | 1 385.0                                  | 227.3                                    | 87.3                                     |
| Saskatchewan              | 217.1                                    | 41.5                                     | 17.6                                     |
| Alberta                   | 1 141.5                                  | 773.6                                    | 476.2                                    |
| British Columbia          | 4 563.9                                  | 3 556.0                                  | 1 960.2                                  |
| Yukon                     | n/a                                      | n/a                                      | n/a                                      |
| Northwest Territories     | n/a                                      | 0.7                                      | 0.1                                      |
| Nunavut                   | 15.0                                     | 14.7                                     | 0.2                                      |
| Canada                    | 24 338.7                                 | 17 898.0                                 | 7 648.1                                  |

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of lead releases by province and territory, to access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

- Table A.6. Data for

**Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2020**

| Year | Wastewater treatment<br>(releases to water in kilograms) | Pulp and paper industry<br>(releases to water in kilograms) | Non-ferrous metal production and processing<br>(releases to water in kilograms) | Other sources<br>(releases to water in kilograms) | Mining and rock quarrying<br>(releases to water in kilograms) | Total<br>(releases to water in kilograms) |
|------|--|---|---|---|---|---|
| 2003 | 3 195.1  | 1 012.2   | 426.4   | 129.7   | 181.2   | 4 944.6                                   |
| 2004 | 2 258.8  | 957.7   | 867.8   | 136.5   | 423.8   | 4 644.6                                   |
| 2005 | 1 391.2  | 931.6   | 454.0   | 229.4   | 402.1   | 3 408.3                                   |
| 2006 | 1 452.3  | 1 076.4   | 435.3   | 267.6   | 514.9   | 3 746.5                                   |
| 2007 | 1 115.0  | 1 104.2   | 877.7   | 264.2   | 396.6   | 3 757.7                                   |
| 2008 | 979.1  | 766.1   | 394.8   | 348.1   | 54.2  | 2 542.2                                   |
| 2009 | 1 260.1  | 710.4   | 365.4   | 511.6   | 368.9   | 3 216.4                                   |

| Year | Wastewater treatment<br>(releases to water in kilograms) | Pulp and paper industry<br>(releases to water in kilograms) | Non-ferrous metal production and processing<br>(releases to water in kilograms) | Other sources<br>(releases to water in kilograms) | Mining and rock quarrying<br>(releases to water in kilograms) | Total<br>(releases to water in kilograms) |
|------|--|---|---|---|---|---|
| 2010 | 1 212.8  | 704.5   | 289.0   | 345.6   | 189.0   | 2 741.0                                   |
| 2011 | 1 356.3  | 777.4   | 321.5   | 201.8   | 134.5   | 2 791.5                                   |
| 2012 | 1 233.2  | 823.7   | 327.0   | 200.9   | 158.9   | 2 743.6                                   |
| 2013 | 902.2  | 1 095.6   | 352.2   | 145.9   | 268.0   | 2 763.8                                   |
| 2014 | 968.0  | 941.5   | 319.5   | 4001.7  | 96.6  | 6 327.3                                   |
| 2015 | 976.7  | 783.0   | 287.3   | 114.7   | 78.4  | 2 240.1                                   |
| 2016 | 1 117.7  | 838.6   | 314.1   | 110.5   | 79.9  | 2 460.8                                   |
| 2017 | 1 234.3  | 853.7   | 282.2   | 237.7   | 91.3  | 2 699.2                                   |
| 2018 | 1 199.3  | 782.0   | 229.6   | 299.6   | 106.7   | 2 617.2                                   |
| 2019 | 1 645.2  | 796.5   | 311.9   | 128.7   | 54.0  | 2 936.3                                   |
| 2020 | 1 194.5  | 703.2   | 281.4   | 131.8   | 31.4  | 2 342.4                                   |

**Note:** Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous metal production and processing), solid waste management and other miscellaneous sources. For more details on sources, please consult the [Data sources and methods](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

**Table A.7. Data for Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2010 and 2020**

| Province or territory     | 2003<br>(releases to water in kilograms) | 2010<br>(releases to water in kilograms) | 2020<br>(releases to water in kilograms) |
|---------------------------|--|--|--|
| Newfoundland and Labrador | 8.4                                      | 6.2                                      | 5.0                                      |
| Prince Edward Island      | n/a                                      | n/a                                      | 12.3                                     |
| Nova Scotia               | 12.1                                     | 7.4                                      | 1.0                                      |
| New Brunswick             | 184.8                                    | 136.7                                    | 65.7                                     |
| Quebec                    | 2 544.8                                  | 704.2                                    | 505.3                                    |
| Ontario                   | 843.6                                    | 832.3                                    | 999.9                                    |
| Manitoba                  | 360.3                                    | 17.8                                     | 37.5                                     |
| Saskatchewan              | 31.8                                     | 4.4                                      | 1.7                                      |
| Alberta                   | 258.3                                    | 231.7                                    | 162.4                                    |
| British Columbia          | 700.3                                    | 799.7                                    | 551.5                                    |
| Yukon                     | n/a                                      | n/a                                      | n/a                                      |
| Northwest Territories     | n/a                                      | n/a                                      | < 0.1                                    |
| Nunavut                   | 0.2                                      | 0.5                                      | < 0.1                                    |
| Canada                    | 4 944.6                                  | 2 741.0                                  | 2 342.4                                  |

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or

mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of cadmium releases by province and territory, to access all available years data please refer to the indicator's [interactive figures](#) or, for the full dataset, to the [National Pollutant Release Inventory](#).

**Source:** Environment and Climate Change Canada (2022) [National Pollutant Release Inventory](#).

Additional information can be obtained at:

Environment and Climate Change Canada  
Public Inquiries Centre  
12th Floor Fontaine Building  
200 Sacré-Coeur Blvd  
Gatineau QC K1A 0H3  
Telephone: 1-800-668-6767 (in Canada only) or 819-938-3860  
Email: [enviroinfo@ec.gc.ca](mailto:enviroinfo@ec.gc.ca)