



Health
Canada

Santé
Canada

Directory of Supplemented Food Caution Identifier Specifications

Health Canada is the federal department responsible for helping the people of Canada maintain and improve their health. Health Canada is committed to improving the lives of all of Canada's people and to making this country's population among the healthiest in the world as measured by longevity, lifestyle and effective use of the public health care system.

Également disponible en français sous le titre :
Répertoire des spécifications sur l'identifiant des aliments supplémentés avec mise en garde

To obtain additional information, please contact:

Health Canada
Address Locator 0900C2
Ottawa, ON K1A 0K9
Tel.: 613-957-2991
Toll free: 1-866-225-0709
Fax: 613-941-5366
TTY: 1-800-465-7735
E-mail: publications-publications@hc-sc.gc.ca

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Health, 2022

Publication date: July 2022

This publication may be reproduced for personal or internal use only without permission provided the source is fully acknowledged.


Cat.: H164-329/2022E-PDF
ISBN: 978-0-660-38260-9
Pub.: 210666

Table of Contents

Reference Diagrams	4
TABLE 1 Unilingual Standard Format	5
TABLE 2 Bilingual Standard Format.....	6
TABLE 3 Bilingual Compact Format.....	7

Reference Diagrams

Standard Format



Compact Format




TABLE 1

Unilingual Standard Format

Item	COLUMN 1 Range of principal display surface	COLUMN 2 Supplemented food caution identifier in Schedule K.2 of the <i>Food and Drug Regulations</i>	COLUMN 3 Supplemented food caution identifier dimensions (width x height)	COLUMN 4 Minimum buffer surrounding the supplemented food caution identifier	COLUMN 5 Height of upper case letters or tallest ascender of lower case letters (except for the words Health Canada / Santé Canada)	COLUMN 6 Height of upper case letters or tallest ascender of lower case letters for the words Health Canada / Santé Canada	COLUMN 7 “x” height of letters (except for the words Health Canada / Santé Canada)	COLUMN 8 “x” height of letters for the words Health Canada / Santé Canada	COLUMN 9 Height of the black bar	COLUMN 10 Height of the exclamation mark
1	> 600 cm ²	1(ES) and 1(FS)	4.42 cm x 1.61 cm	3.0 mm	4.2 mm	3.8 mm	3.0 mm	2.6 mm	7.6 mm	12.7 mm
2	> 450 cm ² to ≤ 600 cm ²	2(ES) and 2(FS)	3.79 cm x 1.38 cm	2.7 mm	3.7 mm	3.1 mm	2.7 mm	2.3 mm	6.5 mm	10.9 mm
3	> 250 cm ² to ≤ 450 cm ²	3(ES) and 3(FS)	3.10 cm x 1.13 cm	2.2 mm	3.0 mm	2.5 mm	2.2 mm	1.8 mm	5.4 mm	8.9 mm
4	> 100 cm ² to ≤ 250 cm ²	4(ES) and 4(FS)	2.50 cm x 0.92 cm	1.7 mm	2.4 mm	2.0 mm	1.7 mm	1.4 mm	4.3 mm	7.2 mm
5	> 30 cm ² to ≤ 100 cm ²	5(ES) and 5(FS)	1.87 cm x 0.69 cm	1.3 mm	1.8 mm	1.6 mm	1.3 mm	1.1 mm	3.2 mm	5.4 mm
6	≤ 30 cm ²	6(ES) and 6(FS)	1.65 cm x 0.65 cm	1.1 mm	1.6 mm	1.6 mm	1.1 mm	1.1 mm	3.0 mm	5.1 mm

ES: English Standard
FS: French Standard

TABLE 2

Bilingual Standard Format

Item	COLUMN 1 Range of principal display surface	COLUMN 2 Supplemented food caution identifier in Schedule K.2 of the <i>Food and Drug Regulations</i>	COLUMN 3 Supplemented food caution identifier dimensions (width x height)	COLUMN 4 Minimum buffer surrounding the supplemented food caution identifier	COLUMN 5 Height of upper case letters or tallest ascender of lower case letters (except for the words Health Canada / Santé Canada)	COLUMN 6 Height of upper case letters or tallest ascender of lower case letters for the words Health Canada / Santé Canada	COLUMN 7 “x” height of letters (except for the words Health Canada / Santé Canada)	COLUMN 8 “x” height of letters for the words Health Canada / Santé Canada	COLUMN 9 Height of the black bar	COLUMN 10 Height of the exclamation mark
1	> 600 cm ²	1(BS)	6.29 cm x 1.28 cm	2.5 mm	3.4 mm	3.2 mm	2.5 mm	2.3 mm	6.1 mm	10.1 mm
2	> 450 cm ² to ≤ 600 cm ²	2(BS)	5.40 cm x 1.10 cm	2.1 mm	2.9 mm	2.7 mm	2.1 mm	1.9 mm	5.2 mm	8.7 mm
3	> 250 cm ² to ≤ 450 cm ²	3(BS)	4.50 cm x 0.93 cm	1.7 mm	2.4 mm	2.2 mm	1.7 mm	1.5 mm	4.4 mm	7.2 mm
4	> 100 cm ² to ≤ 250 cm ²	4(BS)	3.60 cm x 0.76 cm	1.4 mm	1.9 mm	1.9 mm	1.4 mm	1.3 mm	3.5 mm	5.9 mm
5	≤ 100 cm ²	5(BS)	2.97 cm x 0.63 cm	1.1 mm	1.6 mm	1.6 mm	1.1 mm	1.1 mm	2.9 mm	4.9 mm

TABLE 3

Bilingual Compact Format

Item	COLUMN 1 Range of principal display surface	COLUMN 2 Supplemented food caution identifier in Schedule K.2 of the <i>Food and Drug Regulations</i>	COLUMN 3 Supplemented food caution identifier dimensions (width x height)	COLUMN 4 Minimum buffer surrounding the supplemented food caution identifier	COLUMN 5 Height of upper case letters or tallest ascender of lower case letters (except for the words Health Canada / Santé Canada)	COLUMN 6 Height of upper case letters or tallest ascender of lower case letters for the words Health Canada / Santé Canada	COLUMN 7 “x” height of letters (except for the words Health Canada / Santé Canada)	COLUMN 8 “x” height of letters for the words Health Canada / Santé Canada	COLUMN 9 Height of the black bar	COLUMN 10 Height of the exclamation mark
3	> 250 cm ² to ≤ 450 cm ²	1(BC)	2.17 cm x 1.40 cm	1.5 mm	2.0 mm	1.9 mm	1.5 mm	1.4 mm	6.9 mm	6.9 mm
4	> 100 cm ² to ≤ 250 cm ²	2(BC)	1.75 cm x 1.14 cm	1.2 mm	1.6 mm	1.6 mm	1.2 mm	1.1 mm	5.6 mm	5.6 mm
5	≤ 100 cm ²	3(BC)	1.66 cm x 1.09 cm	1.1 mm	1.6 mm	1.6 mm	1.1 mm	1.1 mm	5.3 mm	5.3 mm