Catalogue no. 82-625-X ISSN 1920-9118

Health Fact Sheets

Diabetes, 2015



*

Statistics Statistique Canada Canada

Canada

How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website, www.statcan.gc.ca.

You can also contact us by

email at STATCAN.infostats-infostats.STATCAN@canada.ca

telephone, from Monday to Friday, 8:30 a.m. to 4:30 p.m., at the following numbers:

1-800-363-7629
1-800-263-1136

- Inquiries line
- Fax line

D

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed standards of service that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on www.statcan.gc.ca under "Contact us" > "Standards of service to the public."

Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued co-operation and goodwill.

Standard table symbols

The following symbols are used in Statistics Canada publications:

- . not available for any reference period
- .. not available for a specific reference period
- ... not applicable
- 0 true zero or a value rounded to zero
- 0^s value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded

1-800-635-7943

1-800-565-7757

- ^p preliminary
- r revised
- x suppressed to meet the confidentiality requirements of the *Statistics Act*
- ^E use with caution
- F too unreliable to be published
- * significantly different from reference category (p < 0.05)

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2017

All rights reserved. Use of this publication is governed by the Statistics Canada Open Licence Agreement.

An HTML version is also available.


Cette publication est aussi disponible en français.



Health Fact Sheets Diabetes, 2015



In 2015, 6.9% of Canadians aged 12 and older (roughly 2.1 million people) reported being diagnosed with diabetes. ¹ Overall, males (7.8%) were more likely than females (5.9%) to report that they had diabetes. ² Diabetes increased with age ³ for both males and females up to age 64. The prevalence did not increase significantly for those aged 75 or older (Chart 1).



The proportion of residents aged 12 and older who reported being diagnosed with diabetes was **lower** than the national average (6.9%) in Alberta (4.7%).⁴

The proportion of residents who reported being diagnosed with diabetes was higher than the national average in:

- Newfoundland and Labrador (10.5%)
- Nova Scotia (10.1%)
- New Brunswick (8.8%)

The proportion of residents who reported being diagnosed with diabetes was about the same as the national average in the other provinces.

Canadians aged 18 and older who were either overweight or obese were more likely than those who were classified as having a normal weight⁵ to report that they had been diagnosed with diabetes. The prevalence of diabetes among obese Canadians was 13.6% in 2015, compared with 6.6% among overweight Canadians and 3.2% among those classified as having a normal weight.

About Diabetes

Diabetes occurs when the body does not produce enough insulin, or when the insulin produced is not used effectively. Diabetes may lead to a reduced quality of life as well as complications such as heart disease, stroke and kidney disease.⁶

Survey respondents were asked to report if they had been diagnosed with diabetes by a health professional. Included in the reports were:

- type 1, which is usually diagnosed in children and adolescents;
- type 2, which usually develops in adulthood; and
- gestational diabetes, which occurs during pregnancy.

References

James, R., T. K. Young, C.A. Mustard, and J. Blanchard. 1998. "The health of Canadians with diabetes (www.statcan.gc.ca/access_acces/alternative_alternatif.action?l=eng&loc=http://www.statcan.gc.ca/studies-etudes/82-003/archive/1997/3477-eng.pdf)." *Health Reports*. Statistics Canada, Catalogue no. 82-003. Vol. 9, no. 3. (Accessed January 11th, 2017)

Millar, W., J. Young, and T. Kue 2003. "Tracking diabetes: Prevalence, incidence and risk factors (www.statcan.gc.ca/access_acces/alternative_alternatif.action?l=eng&loc=http://www.statcan.gc.ca/studies-etudes/82-003/archive/2003/6599-eng.pdf)." *Health Reports*. Statistics Canada, Catalogue no. 82-003. Vol. 14, no. 3. (Accessed January 11th, 2017)

Ng, E., K.M. McGrail, and J.A. Johnson. 2010. "Hospitalization risk in a type 2 diabetes cohort (www.statcan.gc.ca/pub/82-003-x/2010003/article/11326-eng.htm) ." *Health Reports.* Statistics Canada, Catalogue no. 82-003. Vol. 21, no. 3. (Accessed January 11th, 2017)

Ross, N.A., H. Gilmour, K. Dasgupta. 2010. "14-year diabetes incidence: The role of socio-economic status (www.statcan.gc.ca/pub/82-003-x/2010003/article/11325-eng.htm)." *Health Reports*. Statistics Canada, Catalogue no. 82-003. Vol.21, no. 3. (Accessed January 11th, 2017)

Data

Additional data from the Canadian Community Health Survey are available from CANSIM table 105–0508 (www.statcan.gc.ca/cansim/a26?lang=fra&retrLang=fra&id=1050508).

Aussi disponible en français. (www.statcan.gc.ca/cgi-bin/change.cgi)

Notes

- 1 Estimates in this article referring to the national average or Canada rate exclude the territories. This is because the coverage of <u>CCHS</u> in 2015 does not represent the entire population of the territories. Only half of the communities in the territories were visited in 2015, and the other half in 2016 so analyses based on the territories is only available for two year cycles of the <u>CCHS</u> (e.g. 2015-2016).
- 2 In this article when two estimates are said to be different this indicates that the difference was statistically significant at a 95% confidence level (p-value less than 5%).

- 3 Note that the rate of diabetes for both males and females aged 12 to 34 had a coefficient of variation between 15.1% and 35.0%; interpret with caution.
- ⁴ Due to the fact that diabetes is strongly related to age, provinces and territories with disproportionately 'younger' populations are expected to have lower diabetes rates than the national average.
- 5 The classification as obese is based on respondent-reported height and weight, adjusted by correction factors to control for known bias, and Health Canada guidelines on body mass index (BMI). An obese individual is an adult aged 18 or older, not pregnant, with a <u>BMI</u> greater or equal to 30. The <u>BMI</u> range from 25 to less than 30 represents overweight individuals, and the range from 18.5 to less than 25 represents normal weight individuals.
- 6 James, R., T. K. Young, C.A. Mustard, and J. Blanchard. 1998. "The health of Canadians with diabetes (www.statcan.gc.ca/access_acces/alternative_alternatif.action?l=eng&loc=http://www.statcan.gc.ca/studies-etudes/82-003/archive/1997/3477-eng.pdf)." *Health Reports*. Statistics Canada, Catalogue no. 82-003. Vol. 9, no. 3. (Accessed January 11th, 2017)