

S599.1


.06

H6

c. 1 aa

ACREAGES OF SOIL CAPABILITY CLASSES FOR AGRICULTURE IN ONTARIO

DREE - TORONTO
LIBRARY



ARDA

Report No. 8

Hon. Jeanne Sauvé
Environment Canada

Hon. William G. Newman
Ministry of Agriculture & Food
Ontario

ACREAGES OF SOIL CAPABILITY CLASSES FOR AGRICULTURE IN ONTARIO

by

Douglas W. Hoffman, Director,
Centre for Resources Development
University of Guelph, Ontario

and

Henry F. Noble, Senior Economist
Land Use Section
Economics Branch
Ontario Ministry of Agriculture and Food
Toronto, Ontario

for

Rural Development Branch
Ontario Ministry of Agriculture and Food

and the

Department of Regional Economic Expansion, Canada

INDUSTRY, SCIENCE AND
TECHNOLOGY CANADA
LIBRARY

JUN 20 1981

BSQB
BIBLIOTHÈQUE

INDUSTRIE, SCIENCES ET
TECHNOLOGIE CANADA

October 1975

ACKNOWLEDGEMENT

Grateful acknowledgement is extended to the Staff, Census Characteristics Division, Statistics Canada, for their able advice and cooperation in this project. We especially wish to thank them for providing certain data adjusted for municipal boundary changes to April 1, 1974.

DREE - TORONTO
LIBRARY

L4
74

47

INTRODUCTION

In this publication agricultural use capability information is presented in tabular form by counties and municipalities for Southern Ontario and by national topographic map sheet numbers for Northern Ontario. The data is from the Canada Land Inventory and has been put in this form to assist local, regional and provincial agencies in agricultural land use planning and development.

The statistics in the tables should not be used until the brief explanation of how they have been produced is read.

The printing of this publication has been financed jointly by the Ministry of Agriculture and Food, Province of Ontario, and the Department of Regional Economic Expansion, Government of Canada, under the Federal-Provincial Rural Development Agreement.

H. F. Crown
Director, Rural Development Branch
Ontario Ministry of Agriculture and Food

TABLE OF CONTENTS

	Page
Introduction	iii
Description	1
Figure 1 Southern Ontario	3 & 4
Figure 2 Northeastern Ontario	5
Figure 3 Northwestern Ontario	6
Tables for Southern Ontario	
Brant Brantford; Burford; Dumfries South; Oakland; Onondaga; Indian Reserves	9
Bruce Albemarle; Amabel; Arran; Brant; Bruce; Carrick; Culross; Eastnor; Elderslie; Greenock; Huron; Kincardine; Kinloss; Lindsay; St. Edmunds; Saugeen; Indian Reserves	10
Dufferin Amaranth; Garafraxa East; Luther East; Melancthon; Mono; Mulmur	11
Dundas Matilda; Mountain; Williamsburg; Winchester	12
Durham Ajax; Brock; Newcastle; Oshawa; Pickering; Scugog; Uxbridge; Whitby; Indian Reserves	13
Elgin Aldborough; Bayham; Dorchester South; Dunwich; Malahide; Southwold; Yarmouth	14
Essex Anderdon; Colchester North; Colchester South; Gosfield North; Gosfield South; Maidstone; Malden; Mersea; Pelee; Rochester; Sandwich South; Sandwich West; Tilbury North; Tilbury West	15
Frontenac Barrie; Bedford; Clarendon & Miller; Hinchinbrooke; Howe Island; Kennebec; Kingston; Loughborough; Olden; Oso; Palmerston & North & South Canonto; Pittsburgh; Portland; Storrington; Wolfe Island	16

	Page
Glengarry Charlottenburgh; Kenyon; Lancaster; Lochiel	17
Grenville Augusta; Edwardsburgh; Gower South; Oxford-on-Rideau; Wolford	17
Grey Artemesia; Bentinck; Collingwood; Derby; Egremont; Euphrasia; Glenelg; Holland; Keppel; Normanby; Osprey; Proton; St. Vincent; Sarawak; Sullivan; Sydenham	18
Haldimand-Norfolk Delhi; Dunnville; Haldimand; Nanticoke; Indian Reserves; Norfolk; Simcoe	19
Haliburton Anson & Hindon & Minden; Bicroft I.D.; Cardiff; Dysart et al; Glamorgan; Lutterworth; Monmouth; Sherborne etc.; Snowdon; Stanhope	20
Halton Burlington; Halton Mills; Milton; Oakville	21
Hamilton-Wentworth Ancaster; Dundas; Flamborough; Glanbrook; Hamilton; Stoney Creek	22
Hastings Bangor & McClure & Wicklow; Carlow; Dungannon; Elzevir & Grimsthorpe; Faraday; Herschel; Hungerford; Huntingdon; Limerick; Madoc; Marmora & Lake; Mayo; Mont-eagle; Rawdon; Sidney; Thurlow; Tudor & Cashel; Tyendinaga; Wollaston; Indian Reserves	23
Huron Ashfield; Colborne; Goderich; Grey; Hay; Howick; Hullett; McKillop; Morris; Stanley; Stephen; Tuckersmith; Turnberry; Usborne; Wawanosh East; Wawanosh West	25
Kent Camden; Chatham; Dover; Harwich; Howard; Orford; Raleigh; Romney; Tilbury East; Zone; Indian Reserves	26
Lambton Bosanquet; Brooke; Dawn; Enniskillen; Euphemia; Moore; Plympton; Sarnia; Sombra; Warwick; Indian Reserves	27

	Page
Lanark Bathurst; Beckwith; Burgess North; Dalhousie & North Sherbrooke; Darling; Drummond; Elmsley North; Lanark; Lavant; Montague; Pakenham; Ramsay; Sherbrooke South	28
Leeds Bastard & South Burgess; Crosby North; Crosby South; Elizabethtown; Elmsley South; Escott, Front of; Kitley; Leeds & Lansdowne, Front of; Leeds & Lansdowne, Rear of; Yonge, Front of; Younge & Escott, Rear of	29
Lennox & Addington Adolphustown; Amherst Island; Camden East; Denbigh & Abinger & Ashby; Ernestown; Fredericksburgh North; Fredericksburgh South; Kaladar, Anglesea & Ethingham; Richmond; Sheffield	30
Manitoulin Assignack; Barrie Island; Billings; Burpee; Carnarvon; Cockburn Island; Gordon; Howland; Rutherford & George Island; Sandfield; Tehkummah; Unorganized; Indian Reserves	31
Middlesex Adelaide; Biddulph; Caradoc; Delaware; Dorchester North; Ekfrid; Lobo; London; McGillivray; Metcalfe; Mosa; Nissouri West; Westminster; Williams East; Williams West; Indian Reserves	33
Muskoka Bracebridge; Georgian Bay; Gravenhurst; Huntsville; Lake of Bays; Muskoka Lakes; Indian Reserves	34
Niagara Lincoln West; Wainfleet; Niagara Falls; Port Colborne; St. Catharines; Welland; Fort Erie; Grimsby; Lincoln; Niagara-on-the-Lake; Pelham; Thorold	35
Northumberland Alnwick; Brighton; Cramahe; Haldimand; Hamilton; Hope; Murray; Percy; Seymour; Indian Reserves	36
Ottawa-Carleton Carleton West; Cumberland; Gloucester; Goulbourn; March; Nepean; Osgoode; Rideau	37

	Page
Oxford Blandford; Blenheim; Dereham; Nissouri East; Norwich North; Norwich South; Oxford East; Oxford North; Oxford West; Zorra East; Zorra West	38
Parry Sound Armour; Carling; Chapman; Christie; Foley; Hagerman; Himsworth North; Himsworth South; Humphry; Joly; Machar; McDougall; McKellar; McMurrich; Nipissing; Perry; Ryerson; Strong; Unorganized; Indian Reserves	39
Peel Brampton; Caledon; Mississauga	40
Perth Blanshard; Downie; Easthope North; Easthope South; Ellice; Elma; Fullarton; Hibbert; Logan; Mornington; Wallace	41
Peterborough Asphodel; Belmont & Methuen; Burleigh & Anstruther; Cavan; Chandos; Douro; Dummer; Ennismore; Galway & Cavendish; Harvey; Monaghan North; Monaghan South; Otonabee; Smith; Indian Reserves	42
Prescott Alfred; Caledonia; Hawkesbury East; Hawkesbury West; Longueuil; Plantagenet North; Plantagenet South	43
Prince Edward Ameliasburgh; Athol; Hallowell; Hillier; Marysburgh North; Marysburgh South; Sophiasburgh	44
Renfrew Admaston; Algona North; Algona South; Alice & Fraser; Bagot & Blithfield; Bromley; Brougham; Brudenell & Lyndoch; Grattan; Griffith & Matawatchan; Hagarty & Richards; Head, Clara & Maria; Horton; McNab; Pembroke; Petawawa; Radcliffe; Raglan; Rolph & Buchanan & Wylie & McKay; Ross; Sebastopol; Sherwood & Jones & Burns; Stafford; Westmeath; Wilberforce; Indian Reserves	45
Russell Cambridge; Clarence; Russell	47
Simcoe Adjala; Essa; Flos; Gwillimbury West; Innisfil; Mara; Matchedash; Medonte; Nottawasaga; Orillia; Oro; Rama; Sunnidale; Tay; Tecumseth; Tiny; Tosorontio; Vespra; Indian Reserves	48

	Page
Stormont	
Cornwall; Finch; Osnabruck; Roxborough; Indian Reserves	49
Victoria	
Bexley; Carden; Dalton; Eldon; Emily; Fenelon; Laxton & Digby & Longford; Manvers; Mariposa; Ops; Somerville; Verulam	50
Waterloo	
Wellesley; Wilmot; Dumfries North; Cambridge; Kitchener; Waterloo; Woolwich	51
Wellington	
Arthur; Eramosa; Erin; Garafraxa West; Guelph; Luther West; Maryborough; Minto; Nichol; Peel; Pilkington; Puslinch	52
York	
Georgina; Gwillimbury East; King; Aurora; Markham; Newmarket; Richmond Hill; Vaughan; Whitchurch-Stouffville; Indian Reserves	53
Tables for Northern Ontario	
Map sheet 31M —Timiskaming (part)	54
Map sheet 32D —Cochrane (part), Timiskaming (part)	55
Map sheet 41I —Nipissing (part), Sudbury (part)	56
Map sheet 41J —Algoma (part), Sudbury (part)	58
Map sheet 41K —Algoma (part)	60
Map sheet 42A —Cochrane (part), Timiskaming (part), Sudbury (part)	61
Map sheet 42G —Algoma (part), Cochrane (part)	63
Map sheet 42H —Cochrane (part)	65
Map sheet 52A —Thunder Bay (part)	67
Map sheet 52C —Rainy River (part)	68
Map sheet 52D —Rainy River (part)	69
Map sheet 52F —Kenora (part)	70
Map sheet 52L —Kenora (part)	71

ACREAGES OF SOIL CAPABILITY CLASSES FOR AGRICULTURE IN ONTARIO

This publication replaces one of a similar nature published by the A.R.D.A. Branch of the Ontario Ministry of Agriculture and Food in January 1970. Like its predecessor this report presents the acreages of each of the 7 classes of land for almost every municipality located within the Canada Land Inventory Area in Ontario.

In southern Ontario acreages are tabled by county or regional municipality, whichever is applicable, and those areas are shown in Figure 1. In northern Ontario acreages are given for each map sheet rather than by municipality. To make it possible for the reader to locate the proper map sheet, index maps are provided (Figures 2 and 3). The map sheet numbers and system of numbering are that of the National Topographic Survey and it should be relatively easy for the reader to identify and locate the area for which information is wanted.

The acreages given in this publication are likely to be different in some instances from those given in the previous report. One of the major reasons for this is the changes that have occurred in many municipal boundaries. The formation of new regional municipalities has often resulted in new political boundaries changing the acreages and sometimes the name of the old municipality. This report includes the municipal changes up to April 1, 1974. Changes in the acreages for the various classes of soil will continue to occur as new and more detailed information is gathered and as new municipalities are formed. As a result, further modifications can be expected in future reports.

The acreages of soil capability classes have been calculated from soil maps prepared and published by the Ontario Soil Survey. The work of mapping and classifying soils was begun in Ontario more than 60 years ago. As a result of this on-going process the maps vary in age and the information provided varies in detail. In general, the more recent maps have been prepared by more sophisticated procedures than were used some years ago and these contain more information. Those using this report should realize that soil maps for the Lake Erie Counties such as Welland, Haldimand, Norfolk, Kent and Elgin are 35 to 45 years old and the acreages calculated for the soil classes may change when re-mapping is completed. However, it is not expected to change significantly except where large acreages are taken out of production by urbanization.

How to Use the Acreage Tables

In order to get the most out of the acreage tables some explanation of the classification system and definitions of symbols is necessary.

The capability classification is one of a number of interpretative groupings for agricultural or other purposes that may be made from soil survey data. Classes of land according to capability are determined by considering the physical factors influencing land use. These factors include soil conditions—physical, chemical and biological—slope, stoniness, degree of erosion and certain other environmental features such as climate and drainage. In this classification the mineral soils are grouped into 7 classes based upon the capacity or potentiality of the land to produce. Each land class is determined by the *degree* of total limitations to land use and the risk or hazards. A brief description of Class 1 soil might serve to illustrate the factors considered in determining a class of soil. Class 1 soil is highly suitable for cultivation for it does not have a permanently high water table; neither is it stony or spotted with rock outcrops; nor does it have any other physical characteristics which interfere with the use of tillage implements. Furthermore, intertilled crops like corn or potatoes, the growing of which is often likely to result in soil washing, can be raised on this land

PROVINCE
OF
QUEBEC

Figure 1 




Figure 1
SOUTHERN ONTARIO
(adjusted for municipal boundary
changes to April 1, 1974).




Figure 2
NORTHEASTERN
ONTARIO

Showing map sheet numbers

42

32


40

30

41

31

5



without danger of appreciable erosion. Finally it retains and supplies sufficient moisture and nutrients to maintain those chemical, physical and biological conditions of the soil that favour continued production of moderate to high yields of crops.

The first three classes are considered suitable for sustained production of common field crops if specified management practices are observed. The fourth class is physically marginal for sustained arable agriculture, the fifth class is capable of use only for permanent pasture and hay, the sixth class is capable of use only for grazing, and class 7 soils are considered to be unsuitable for agriculture. While the soil areas in classes 1 to 4 are suited for cultivated crops, they are also suited for permanent pasture. Soil areas in all classes may be suited for forestry, wildlife, and recreational uses. For the purposes of this classification, trees, tree fruits, cranberries, blueberries and ornamental plants that require little or no cultivation are not considered as cultivated or common field crops.

In order to provide additional information the classes are subdivided into subclasses. The subclasses within a land class are determined by the kind of limitation. Thirteen different kinds of limitations have been recognized but only those listed by letter W, T, P, etc. on the following tables are defined. They are:

- W—excess water other than due to overflow.
- T—topography, slope or pattern.
- P—stoniness.
- S—adverse soil characteristics. A combination of D (adverse soil structure), F (low fertility), M (low moisture).
- R—consolidated bedrock.
- C—climate
- E—erosion.
- I—overflow.

The classes and subclasses are shown across the top of each table and the acreage of land in each of these is arranged by municipality or map sheet in columns below each class and subclass. The soil capability classification was not applied to organic soils and the acreages of these are noted separately in the column marked with the letter O.

The tables indicate the potential for agriculture of most of the land within the Canada Land Inventory Area in Ontario except for areas listed as "unmapped." Unmapped areas are those for which information about agricultural potential is unavailable for various reasons. Areas excepted include Camp Borden, Algonquin Park, large urban areas such as Hamilton and various areas which have never been mapped. Indian Reserves are included in "unmapped" if not specifically listed in the tables. Metropolitan Toronto, which is a separate census division, would have been totally listed as unmapped. Consequently, it was decided to omit Metro Toronto entirely.

The total acreages of the soil capability for agriculture classes for most of the Canada Land Inventory Area in Ontario are as follows:

Class 1	4,818,520 acres
Class 2	5,272,652 acres
Class 3	6,240,574 acres
Class 4	5,329,887 acres
Class 5	3,395,346 acres
Class 6	2,405,696 acres
Class 7	19,850,048 acres
Organic	5,240,218 acres
Unmapped	471,579 acres
Total	53,024,520 acres

The tables are in no way meant to show the amount of land available to agriculture. Indeed, large areas have been set aside for urban expansion and parks and are no longer available for agricultural pursuits although a certain amount of agriculture may be taking place within town and park boundaries. Land is being converted from agriculture to other uses so quickly that keeping an accurate figure of the land in agriculture is an almost impossible task. However, the tables do show the acreages of land by class and the major limitations. They indicate rather clearly where the high quality land is located and how little of this land is present in Ontario. It would appear that the information provided by the tables is a most useful adjunct to the mass of information needed to plan land use in this province.

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
BRANT COUNTY																	
Brantford	21,815	25,920	15,825	5,390	8,625	—	—	1,865	79,440	5805	2,695	620	40,885	—	—	—	—
Burford	8,295	34,635	2,700	7,670	7,255	—	—	5,185	65,740	—	1,870	1,245	5,600	—	—	—	—
Dumfries S.	13,790	12,860	13,065	—	8,815	—	—	1,035	49,565	—	13,065	6,325	19,185	—	—	—	—
Oakland	2,070	4,355	1,870	—	1,865	—	—	1,450	11,610	—	15,825	2,385	33,695	—	—	—	—
Onondaga	11,320	1,865	7,550	—	2,490	—	—	—	23,225	—	7,550	—	1,865	—	—	—	—
Indian Reserves #40 & #40A	5,145	31,940	3,150	—	265	—	—	—	40,500	—	3,150	—	31,940	—	—	—	—
TOTALS	62,435	111,575	44,160	13,060	29,315	—	—	9,535	270,080	5,805	44,155	10,575	133,170	—	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
BRUCE COUNTY																	
Albemarle	4,205	2,985	1,845	2,270	3,890	2,245	39,405	2,805	59,650	2,180	3,610	4,895	10,310	46,465	—	—	—
Amabel	6,325	6,525	10,835	770	20,570	190	19,680	5,445	70,340	7,050	1,220	25,155	26,240	17,790	—	—	—
Arran	11,824	10,575	3,937	2,827	22,558	776	69	6,664	59,230	10,370	3,665	20,990	4,675	—	—	—	—
Brant	32,115	16,265	13,125	115	8,190	80	—	2,050	71,940	12,480	6,490	65	12,290	—	—	—	—
Bruce	37,045	20,065	3,305	115	4,530	80	575	3,840	69,555	12,795	1,540	2,020	8,415	—	—	—	—
Carrick	34,840	765	14,505	295	6,720	345	65	3,330	60,865	4,865	10,240	3,905	5,055	65	—	—	—
Culross	26,075	2,435	5,635	5,270	3,170	7,140	130	8,450	58,305	3,710	11,630	675	12,955	130	—	—	—
Eastnor	4,034	7,598	3,574	60	3,964	—	35,489	2,197	56,916	8,135	3,705	65	7,355	38,210	—	—	—
Elderslie	28,425	14,048	5,213	2,359	5,836	980	—	479	57,340	12,290	6,015	2,435	3,905	—	—	—	—
Greenock	25,110	13,260	7,380	295	4,980	345	65	15,455	66,890	14,970	4,525	65	4,730	65	—	—	—
Huron	12,220	40,020	130	130	4,160	190	2,175	450	59,475	44,740	320	—	11,130	—	—	—	—
Kincardine	36,325	20,535	805	—	3,520	—	190	385	61,760	8,130	615	—	12,660	—	—	—	—
Kinloss	20,214	6,044	5,859	4,666	1,984	6,821	—	3,672	49,260	3,590	13,715	675	16,035	—	—	—	—
Lindsay	1,755	2,745	170	90	2,620	40	57,215	2,625	67,260	2,805	275	575	385	56,960	—	—	—
St. Edmunds	320	1,280	130	155	1,920	230	56,825	3,185	64,045	130	230	—	1,730	59,585	—	—	—
Saugeen	16,695	14,867	2,432	86	3,623	68	2,680	709	41,160	5,950	1,810	65	15,430	—	—	—	—

10



ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
BRUCE COUNTY Continued																	
Indian Reserves #60A & #60B	—	—	—	—	—	—	3,306	714	4,020	—	—	—	—	1,250	—	—	—
#27	2,035	72	1,404	974	—	1,505	6,737	473	13,200	1,050	1,730	—	—	4,700	—	—	—
#28	—	—	—	—	—	—	510	630	1,140	—	—	—	510	—	—	—	—
#29	440	1,068	2,376	—	2,830	—	481	774	7,969	800	1,780	—	2,480	—	—	—	—
TOTALS	300,002	181,152	82,660	20,477	105,065	21,035	225,597	64,332	1,000,320	156,040	73,115	61,585	156,290	225,220	—	—	—
DUFFERIN COUNTY																	
Amaranth	32,805	16,520	3,730	615	3,040	715	700	7,440	65,565	14,000	4,730	240	8,845	40	—	—	—
Garafraxa E.	15,910	4,080	12,260	250	240	1,320	2,260	4,240	40,560	2,320	7,875	—	13,795	—	—	—	—
Luther E.	18,925	11,520	2,945	820	315	130	25	3,920	38,600	10,480	2,185	140	2,240	—	—	—	—
Melancthon	34,487	28,018	1,527	2,929	491	891	294	10,483	79,120	13,800	4,970	2,645	6,275	40	—	—	—
Mono	11,634	11,937	7,622	3,449	3,203	8,498	20,351	5,426	72,120	1,560	31,655	2,320	34,535	1,200	—	—	—
Mulmur	10,570	9,600	6,405	5,625	1,245	8,770	27,340	2,480	72,035	240	41,655	160	31,755	160	—	—	—
TOTALS	124,331	81,675	34,489	13,688	8,534	20,324	50,970	33,989	368,000	42,400	93,070	5,505	97,445	1,440	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
DUNDAS COUNTY																	
Matilda	9,472	24,960	19,520	1,024	7,012	64	—	2,112	64,164	33,985	—	1,640	11,265	65	—	—	—
Mountain	3,840	14,912	21,184	3,160	14,345	—	—	6,016	63,457	33,380	—	2,790	4,565	—	—	—	—
Williamsburgh	1,404	14,464	24,320	9,344	4,672	64	—	7,808	62,076	11,265	—	310	29,725	65	—	—	—
Winchester	11,609	19,648	18,022	960	7,424	64	—	4,096	61,823	30,375	—	3,875	7,425	1,920	—	—	—
TOTALS	26,325	73,984	83,046	14,488	33,453	192	—	20,032	251,520	109,005	—	8,615	52,980	2,050	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF DURHAM																	
Ajax	11,773	2,031	685	832	—	—	648	471	16,440	1,660	1,440	—	—	—	—	530	—
Brock	38,720	12,540	9,060	24,210	255	3,270	—	14,250	102,305	10,020	31,000	—	17,205	—	—	1,410	—
Newcastle	64,003	22,736	10,942	18,172	14,559	13,898	2,260	3,765	150,335	7,425	28,995	5,115	34,715	—	—	5,865	—
Oshawa	19,205	6,015	990	6,155	—	850	255	130	33,600	1,215	2,700	—	6,060	—	—	—	—
Pickering	32,189	13,352	1,144	9,246	—	—	220	294	56,445	1,215	11,145	—	8,640	—	—	—	—
Scugog	47,454	19,164	4,862	14,795	704	12,105	4,954	10,717	114,755	10,495	25,830	—	29,420	—	—	1,535	—
Uxbridge	27,928	19,411	3,476	14,493	—	23,653	—	14,564	103,525	2,750	31,990	—	29,495	—	—	—	—
Whitby	20,500	5,565	1,805	6,705	—	—	1,090	130	35,795	2,560	9,785	—	5,055	—	—	—	—
Indian Reserve #34	190	410	—	50	—	—	—	65	715	410	—	—	50	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	1,125	—	—	—	—	—	—	—	—
TOTALS	261,962	101,224	32,964	94,658	15,518	53,776	9,427	44,386	615,040	37,750	142,885	5,115	130,640	—	—	9,340	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
ELGIN COUNTY																	
Aldborough	—	53,505	18,430	—	4,095	—	1,025	255	77,310	20,990	—	—	67,585	—	—	1,025	—
Bayham	3,790	3,070	21,300	18,945	9,725	—	2,070	—	58,900	16,890	820	—	41,730	—	—	3,840	—
Dorchester S.	22,780	1,025	8,195	—	770	—	—	1,025	33,795	1,025	8,195	—	—	—	—	—	—
Dunwich	—	35,320	31,230	—	2,560	—	1,025	1,280	71,415	27,645	—	—	54,520	—	—	1,025	—
Malahide	15,770	15,610	19,045	11,755	4,095	—	1,535	1,535	69,345	15,630	1,125	—	42,745	—	—	1,535	—
Southwold	14,695	37,120	20,120	—	1,535	—	1,535	—	75,005	20,480	410	—	45,820	—	—	1,535	—
Yarmouth	38,555	17,665	12,135	1,280	4,095	—	1,280	—	75,010	6,655	6,755	—	22,790	—	—	1,280	—
Unmapped	—	—	—	—	—	—	—	—	3,860	—	—	—	—	—	—	—	—
TOTALS	95,590	163,315	130,455	31,980	26,875	—	8,470	4,095	464,640	109,315	17,305	—	275,190	—	—	10,240	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
ESSEX COUNTY																	
Anderdon	2,560	18,940	835	—	895	—	1,090	—	24,320	20,030	—	—	770	65	—	—	—
Colchester N.	2,625	29,055	3,970	—	705	—	—	—	36,355	32,320	—	—	—	705	—	—	—
Colchester S.	11,150	15,691	8,316	—	668	—	—	150	35,975	9,345	—	—	10,750	575	—	—	—
Gosfield N.	65	26,240	2,750	—	195	—	—	65	29,315	25,855	—	—	2,240	960	—	—	—
Gosfield S.	385	18,820	12,350	—	1,410	—	130	130	33,225	11,840	—	—	18,950	510	—	—	—
Maidstone	—	37,069	6,077	—	1,294	—	—	—	44,440	33,020	—	—	3,265	65	—	—	—
Malden	12,350	7,360	770	—	255	—	2,180	—	22,915	9,410	—	—	260	640	—	—	—
Mersea	4,415	42,815	11,580	—	1,025	—	4,605	1,535	65,975	33,020	—	—	26,685	—	—	—	—
Pelee	—	8,255	—	—	—	1,855	450	—	10,560	8,320	—	—	385	1,855	—	—	—
Rochester	—	30,205	2,750	—	895	—	—	—	33,850	31,165	—	—	1,790	—	—	—	—
Sandwich S.	—	22,145	1,725	—	255	—	—	—	24,125	22,145	—	—	1,150	575	—	—	—
Sandwich W.	—	12,201	1,140	—	1,528	—	141	—	15,010	16,130	—	—	10,495	—	—	—	—
Tilbury N.	—	28,480	895	—	765	—	190	—	30,330	28,545	—	—	1,020	—	—	—	—
Tilbury W.	—	24,065	510	—	130	—	—	—	24,705	24,065	—	—	510	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	29,060	—	—	—	—	—	—	—	—
TOTALS	33,550	321,341	53,668	—	10,020	1,855	8,786	1,880	460,160	305,210	—	—	78,270	5,950	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
FRONTENAC COUNTY																	
Barrie	—	—	44	—	3,785	—	46,271	3,350	53,450	785	—	46,940	3,785	3,176	—	—	—
Bedford	—	1,053	—	818	—	1,063	67,929	1,887	72,750	465	1,170	62,470	1,250	1,610	—	—	—
Clarendon & Miller	— 168	—	84 —	265 355	—	618 525	51,992 50,485	3,065 742	56,024 52,275	390 350	640 545	59,555 52,070	275 180	90 —	—	—	—
Hinchinbrooke	—	2,698	87	104	5,739	242	56,651	5,307	70,828	1,225	1,680	34,890	540	22,070	—	—	—
Howe Island	—	6,525	609	261	174	1,827	218	—	9,614	2,830	610	—	3,870	2,305	—	—	—
Kennebec	—	—	79	—	479	182	68,617	3,753	73,110	826	182	48,416	470	26,143	—	—	—
Kingston	1,870	12,355	9,820	4,745	2,740	13,710	3,740	2,915	51,895	7,550	5,835	3,000	10,095	30,230	—	—	—
Loughborough	220	2,130	—	2,345	12,945	3,060	30,060	2,950	53,710	695	1,885	34,610	130	16,425	—	—	—
Olden	—	175	—	380	175	880	60,075	4,785	66,470	955	880	63,425	550	870	—	—	—
Oso	—	—	—	380	—	880	41,930	3,040	46,230	220	880	45,645	380	—	—	—	—
Palmerston & N. Canonto & S. Canonto	—	—	—	405	—	945	54,576	2,700	58,626	175	945	64,435	405	—	—	—	—
	—	—	—	—	—	—	35,235	174	35,409	85	—	35,150	—	—	—	—	—
	—	—	—	—	—	—	37,019	826	37,845	610	—	36,410	—	—	—	—	—
Pittsburgh	—	10,655	11,650	9,185	2,265	7,760	9,430	655	51,600	13,200	10,030	—	10,165	20,690	—	—	—
Portland	2,860	4,350	20	9,450	7,005	9,180	13,960	7,525	54,350	5,090	450	32,445	—	11,635	—	—	—
Storrington	8,005	1,130	1,045	1,620	6,470	7,820	31,200	1,390	58,680	1,045	1,560	525	530	22,295	—	—	—
Wolfe Island	—	14,230	8,295	175	6,480	2,010	1,090	1,175	33,455	9,690	392	6,045	23,110	2,400	—	—	—
Unmapped	—	—	—	—	—	—	—	—	7,679	—	—	—	—	—	—	—	—
TOTALS	13,123	55,301	31,733	30,488	48,257	50,702	660,478	46,239	944,000	46,186	27,684	626,031	55,735	159,939	—	—	—

16

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
GLENGARRY COUNTY																	
Charlottenburgh	680	26,305	23,005	5,310	6,910	15,480	—	8,450	86,140	24,895	—	34,200	8,770	1,855	—	—	—
Kenyon	12,875	1,610	39,500	8,510	5,760	6,515	—	11,070	85,840	10,650	—	37,250	6,080	2,625	—	—	—
Lancaster	1,980	32,770	14,430	1,470	6,785	2,330	—	1,345	61,110	38,975	—	9,980	3,135	—	—	—	—
Lochiel	7,150	5,760	51,885	1,470	5,505	1,190	—	1,790	74,750	8,785	—	19,410	1,745	130	—	—	—
TOTALS	22,685	66,445	128,820	16,760	24,960	25,515	—	22,655	307,840	83,305	—	100,840	19,730	4,610	—	—	—
GRENVILLE COUNTY																	
Augusta	5,594	7,083	22,419	6,877	7,955	15,449	—	12,123	77,500	22,030	—	2,520	12,590	21,100	—	—	—
Edwardsburgh	11,501	25,565	9,746	8,431	11,276	2,242	—	8,119	76,880	13,740	—	5,840	33,370	7,180	—	—	—
Gower South	4,530	2,320	4,000	2,850	4,800	—	—	2,700	21,200	6,900	—	2,030	5,040	—	—	—	—
Oxford-on-Rideau	9,420	11,190	14,270	3,200	11,200	10,050	100	5,490	64,920	27,530	—	4,730	11,730	12,920	—	—	—
Wolford	7,300	4,560	6,990	400	3,400	19,960	—	12,570	55,180	8,400	—	3,300	3,450	20,800	—	—	—
TOTALS	38,345	50,718	57,425	21,758	38,631	47,701	100	41,002	295,680	78,600	—	18,420	66,180	62,000	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
GREY COUNTY																	
Artemesia	23,885	2,625	14,615	1,165	18,595	1,650	—	7,615	70,150	3,330	23,625	25,090	2,560	—	—	—	—
Bentinck	19,432	3,646	18,035	9,028	12,529	8,327	—	9,173	80,170	4,225	21,455	14,140	23,555	—	—	—	—
Collingwood	15,780	5,055	18,970	4,970	17,120	5,045	255	1,855	69,050	1,730	30,140	18,530	14,210	255	—	—	—
Derby	11,970	9,505	4,085	6,885	5,195	640	2,115	5,890	46,285	5,960	11,400	13,345	5,445	2,050	—	—	—
Egremont	29,715	17,820	6,865	2,185	12,800	1,205	—	5,375	75,965	18,560	13,270	12,230	2,110	—	—	—	—
Euphrasia	10,340	3,135	13,790	5,380	37,865	1,470	510	3,010	75,500	3,325	35,620	34,755	2,050	510	—	—	—
Glenelg	9,905	700	17,935	755	35,010	910	—	4,865	70,080	700	35,545	46,210	3,265	65	—	—	—
Holland	7,670	1,025	23,910	5,135	24,405	1,525	—	7,550	71,220	1,155	31,280	50,630	4,545	—	—	—	—
Keppel	18,950	1,025	11,545	8,345	14,275	3,815	29,440	8,895	96,290	6,460	16,215	29,250	6,530	27,840	—	—	—
Normanby	26,460	7,620	11,620	2,395	15,240	2,725	—	4,290	70,350	3,200	17,945	11,650	14,275	—	—	—	—
Osprey	21,395	1,150	17,815	1,605	14,035	2,300	65	13,565	71,930	1,535	19,320	26,880	3,905	65	—	—	—
Proton	50,560	4,865	1,720	590	3,145	880	—	21,630	83,390	4,800	2,780	130	2,175	—	—	—	—
St. Vincent	11,940	2,045	15,200	8,385	12,370	10,320	5,630	450	66,340	4,290	23,475	3,020	20,805	5,440	—	—	—
Sarawak	3,671	1,732	1,019	299	589	545	3,771	104	11,730	1,920	1,490	1,190	1,150	4,670	—	—	—
Sullivan	21,670	9,925	12,245	4,955	22,435	3,495	255	2,880	77,860	12,230	23,750	30,970	7,685	—	—	—	—
Sydenham	19,970	1,790	9,020	10,675	16,920	9,380	6,270	2,625	76,650	2,620	19,155	20,955	3,775	7,420	—	—	—
TOTALS	303,313	73,663	198,389	72,752	262,528	54,232	48,311	99,772	1,112,960	76,040	326,465	338,975	118,040	48,315	—	—	—

18

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY of HALDIMAND-NORFOLK																	
Delhi	6,125	22,550	4,105	51,550	25,245	16,735	2,815	1,115	130,240	30,250	4,765	—	65,100	—	—	14,070	—
Dunnville	817	52,046	1,106	12,608	7,003	245	245	490	74,560	19,455	—	510	49,660	255	—	255	—
Haldimand	31,683	88,556	27,541	—	4,820	3,944	246	—	156,790	255	22,735	1,535	98,290	3,585	—	255	—
Nanticoke	11,120	136,075	6,480	9,835	2,130	2,025	—	510	168,175	26,450	3,920	—	51,100	—	—	715	—
Norfolk	4,226	23,727	2,820	57,639	34,301	30,286	16,101	1,170	170,270	32,505	1,845	—	85,845	—	—	18,940	—
Simcoe	462	4,252	284	1,646	734	503	76	43	8,000	700	—	—	5,270	—	—	—	—
Indian Reserve	2,284	4,148	1,028	—	723	247	—	—	8,430	2,180	920	—	670	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	2,895	—	—	—	—	—	—	—	—
TOTALS	56,717	331,354	43,364	133,278	74,956	53,985	19,483	3,328	719,360	111,795	34,185	2,045	355,935	3,840	—	34,235	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
HALIBURTON COUNTY																	
Anson & Hindon & Minden	—	—	483	—	2,469	—	38,468	—	41,420	230	690	36,610	1,890	36,610	—	—	—
	—	—	—	—	2,150	—	37,589	3,251	42,990	590	—	35,840	1,460	35,840	—	—	—
	—	—	189	—	7,644	—	34,166	31	42,030	—	280	32,540	7,180	32,540	—	—	—
Bicroft I.D.	—	—	—	—	169	—	6,080	751	7,000	920	—	6,080	—	6,080	—	—	—
Cardiff	—	—	—	—	1,453	—	52,177	6,440	60,070	1,330	—	74,760	—	74,760	—	—	—
Dysart & Dudley & Harcourt & Guilford & Harburn & Havelock & Eyre	—	—	—	—	4,680	—	39,610	910	45,200	330	540	40,150	3,810	40,150	—	—	—
	—	—	—	—	1,130	—	37,740	1,160	40,030	640	—	37,740	490	37,740	—	—	—
	—	—	—	—	3,110	—	28,380	540	32,030	1,190	—	28,380	1,920	28,380	—	—	—
	—	—	50	—	2,900	280	37,330	450	41,010	260	—	37,330	2,970	37,330	—	—	—
	—	—	—	—	1,660	—	26,920	150	28,730	1,610	—	26,920	—	26,920	—	—	—
	—	—	—	—	1,000	—	39,930	80	41,010	—	—	35,840	1,460	35,840	—	—	—
	—	—	—	—	3,200	—	48,690	130	52,020	1,000	—	48,690	2,200	48,690	—	—	—
Glamorgan	—	—	—	—	2,640	—	49,180	—	51,820	—	—	49,180	2,640	49,180	—	—	—
Lutterworth	—	—	350	—	1,700	—	42,950	—	45,000	—	520	42,950	1,530	42,950	—	—	—
Monmouth	—	—	—	—	2,570	—	52,134	286	54,990	1,590	—	49,290	840	49,290	—	—	—
Sherborne & McClintock & Livingstone	—	—	—	—	1,290	—	45,910	810	48,010	740	—	45,910	550	45,910	—	—	—
	—	—	—	—	1,570	—	54,160	170	55,900	230	—	54,160	1,340	54,160	—	—	—
	—	—	—	—	440	—	43,140	420	44,000	—	—	43,140	440	43,140	—	—	—
Snowdon	—	—	—	—	6,783	—	43,857	—	50,640	—	—	30,000	4,640	30,000	—	—	—
Stanhope	—	—	—	—	4,377	—	29,638	3,835	37,850	820	—	14,760	1,360	14,760	—	—	—
Lawrence & Bruton, & Nightingale & Clyde*	—	—	—	—	7,699	—	158,719	2,232	168,650	4,240	—	148,120	4,280	148,120	—	—	—
TOTALS	—	—	1,072	—	60,634	280	946,768	21,646	1,030,400	15,720	2,030	918,390	41,000	918,390	—	—	—

20

* Now part of Algonquin Park

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF HALTON																	
Burlington	17,435	5,590	13,660	1,020	180	510	2,190	560	41,145	7,760	7,260	2,620	11,700	8,400	—	460	440
Halton Hills	23,650	12,180	11,290	3,000	4,710	4,800	6,320	360	66,310	6,800	12,765	4,320	20,600	20,100	—	2,160	1,400
Milton	32,470	8,650	13,125	6,320	11,350	6,020	3,390	3,040	84,365	9,940	18,065	14,530	21,910	19,430	—	240	1,620
Oakville	11,710	3,300	7,590	—	—	—	530	—	23,130	850	140	960	2,110	4,560	—	2,000	200
Unmapped	—	—	—	—	—	—	—	—	21,850	—	—	—	—	—	—	—	—
TOTALS	85,265	29,720	45,665	10,340	16,240	11,330	12,430	3,960	236,800	25,350	38,230	22,430	56,320	52,490	—	4,860	3,660

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF HAMILTON-WENTWORTH																	
Ancaster	16,134	8,908	13,926	—	110	—	4,472	330	43,880	5,990	10,050	—	12,810	150	—	—	—
Dundas	1,510	840	1,120	—	—	—	1,940	—	5,410	840	1,120	—	—	1,940	—	—	—
Flamborough	22,128	30,413	19,566	6,365	15,550	11,567	4,669	10,852	121,110	18,180	17,100	7,840	39,880	25,110	—	—	—
Glanbrook	22,495	9,880	16,025	3,080	120	80	—	—	51,680	10,600	7,090	—	11,015	80	—	—	—
Hamilton	11,197	6,756	4,316	375	751	125	—	—	23,520	1,120	13,715	—	1,750	680	—	—	—
Stoney Creek	4,292	7,274	5,697	2,971	1,188	385	2,633	—	24,440	2,020	4,015	—	17,500	1,760	—	—	—
Unmapped	—	—	—	—	—	—	—	—	5,160	—	—	—	—	—	—	—	—
TOTALS	77,756	64,071	60,650	12,791	17,719	12,157	13,714	11,182	275,200	38,750	53,090	7,840	82,955	29,720	—	—	—

NS

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
HASTINGS COUNTY																	
Bangor & McClure & Wicklow	—	—	—	3,828	7,505	1,427	30,483	477	43,720	—	—	42,115	5,615	32,575	—	—	—
	—	—	—	19	3,256	42	44,992	726	49,035	—	—	47,790	3,455	47,745	—	—	—
	—	—	—	2,403	6,978	3,323	32,499	662	45,865	—	—	41,705	10,805	34,625	—	—	—
Carlow	—	—	—	4,450	8,825	2,855	25,010	6,465	47,605	1,280	—	36,040	8,580	25,730	—	—	—
Dungannon	—	—	—	3,777	2,472	6,545	34,417	8,859	56,070	130	—	40,795	9,835	32,450	—	—	—
Elzevir & Grimsthorpe	844	—	917	—	1,489	3,823	57,194	1,058	65,325	255	505	59,405	3,905	60,415	—	—	—
	—	—	—	—	311	—	64,540	5,664	70,515	—	—	66,370	320	66,370	—	—	—
Faraday	—	—	—	1,843	4,888	2,346	48,890	1,953	59,920	190	—	58,280	6,145	54,335	—	—	—
Herschel	—	—	—	2,161	9,139	—	40,413	832	52,545	65	—	49,775	6,165	44,350	—	—	—
Hungerford	6,695	870	19,410	3,455	2,305	44,425	17,240	6,015	100,415	3,070	4,805	52,655	3,175	30,230	—	—	—
Huntingdon	4,764	1,286	7,378	4,743	1,556	28,439	678	5,351	54,195	2,370	6,200	4,705	3,265	25,920	—	—	—
Limerick	—	—	—	—	—	123	38,395	11,347	49,865	—	—	40,705	—	40,835	—	—	—
Madoc	7,855	130	9,190	1,230	4,980	3,690	38,400	2,750	68,225	1,600	3,200	45,890	460	40,895	—	—	—
Marmora & Lake	3,074	67	3,152	62	1,983	11,376	42,254	6,787	68,755	1,025	455	44,935	1,850	48,540	—	—	—
	—	—	62	41	93	139	67,405	1,910	69,650	—	—	55,750	40	65,470	—	—	—
Mayo	—	—	—	2,949	6,581	4,646	30,358	4,646	49,180	1,280	—	25,370	6,315	20,480	—	—	—
Monteagle	—	—	—	7,050	13,775	5,545	24,130	3,135	53,635	190	—	40,445	13,425	24,770	—	—	—
Rawdon	13,555	4,990	18,160	65	2,750	26,180	385	4,545	70,630	3,710	2,045	14,830	8,575	23,170	—	—	—
Sidney	13,245	6,655	29,485	12,415	4,225	3,735	960	1,280	72,000	13,440	17,295	5,090	17,215	3,715	—	—	—
Thurlow	15,496	3,082	18,001	3,720	2,087	5,855	1,633	1,691	51,565	17,090	4,340	5,440	3,650	7,105	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
HASTINGS COUNTY Continued																	
Tudor & Cashel	—	—	—	52	127	—	57,962	3,969	62,110	—	—	31,830	55	61,695	—	—	—
	—	—	—	—	481	—	46,548	2,896	49,925	—	—	49,345	510	49,345	—	—	—
Tyendinaga	5,910	6,910	19,440	1,025	5,055	35,080	—	5,120	78,540	29,055	1,060	27,380	1,985	23,615	—	—	—
Wollaston	—	—	—	256	957	2,061	49,373	1,758	54,405	65	—	52,725	525	54,270	—	—	—
Indian Reserve #38	2,293	—	17,533	—	—	2,544	1,656	424	24,450	—	—	—	—	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	6,415	—	—	—	—	—	—	—	—
TOTALS	73,731	23,990	142,728	55,544	91,818	194,199	795,815	90,320	1,474,560	74,815	39,905	939,370	115,870	918,650	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
HURON COUNTY																	
Ashfield	20,140	39,360	5,080	590	1,710	690	—	—	67,570	35,270	5,770	—	5,370	—	—	—	—
Colborne	12,270	15,425	4,980	345	3,670	40	—	190	36,920	4,115	4,290	—	12,100	—	—	—	—
Goderich	22,822	24,594	8,062	1,336	553	864	—	204	58,435	7,485	8,310	30	18,085	—	—	—	—
Grey	35,820	15,425	4,875	630	3,520	460	—	5,055	65,785	11,265	5,335	—	5,250	—	—	—	—
Hay	17,025	23,555	3,260	25	8,150	40	—	2,110	54,165	16,445	3,110	—	12,995	—	—	—	—
Howick	43,355	2,665	15,295	960	1,640	—	—	10,175	74,090	1,925	8,135	1,505	3,105	—	—	—	—
Hullett	29,138	18,106	4,762	1,480	690	2,278	—	56	56,510	21,055	8,095	320	4,545	—	—	—	—
McKillop	41,795	5,125	2,115	920	395	1,380	—	2,050	53,780	5,125	3,495	130	2,430	—	—	—	—
Morris	28,787	8,764	6,490	2,952	3,278	4,770	—	2,719	57,760	3,140	10,255	705	7,330	—	—	—	—
Stanley	21,820	16,770	5,825	—	440	—	—	830	45,685	9,725	5,570	—	8,515	—	—	—	—
Stephen	18,690	28,155	5,440	—	4,670	—	—	705	57,660	19,710	3,200	—	10,685	—	—	—	—
Tuckersmith	31,910	2,945	6,295	330	390	500	—	65	42,435	2,945	6,795	—	830	—	—	—	—
Turnberry	22,555	450	4,070	1,205	2,500	1,680	—	5,375	37,835	580	5,685	638	3,525	—	—	—	—
Usborne	31,915	2,947	9,993	107	792	166	—	—	45,920	1,985	9,495	—	1,025	—	—	—	—
Wawanosh E.	19,325	1,540	6,785	4,210	4,670	5,645	—	1,025	43,200	2,175	12,240	2,365	11,395	—	—	—	—
Wawanosh W.	23,810	1,220	7,020	1,500	3,675	1,955	—	4,030	43,210	1,215	9,000	515	3,910	—	—	—	—
TOTALS	421,177	207,046	100,347	16,590	40,743	20,468	—	34,589	840,960	144,160	108,780	6,208	111,095	—	—	—	—

25

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
KENT COUNTY																	
Camden	3,840	26,445	9,475	1,025	2,050	—	255	—	43,090	21,450	—	—	27,960	—	—	—	—
Chatham	10,755	60,375	16,895	—	—	—	255	—	88,280	69,005	—	—	44,140	—	—	395	—
Dover	5,630	58,370	2,080	—	—	—	—	3,840	69,920	58,225	—	—	2,815	—	—	—	—
Harwich	18,630	62,370	14,505	—	770	—	—	3,585	99,860	41,425	310	—	43,755	—	—	—	—
Howard	9,420	41,040	7,730	—	2,560	—	255	255	61,260	28,675	1,330	—	26,625	—	—	255	—
Orford	5,910	34,070	7,085	—	1,855	—	510	2,050	51,480	18,170	730	—	30,720	—	—	510	—
Raleigh	7,680	62,205	4,605	—	—	—	—	—	74,490	59,645	—	—	7,675	—	—	—	—
Romney	—	25,340	2,845	—	255	—	—	—	28,440	25,855	—	—	4,095	—	—	—	—
Tilbury E.	—	56,870	—	—	—	—	—	—	56,870	56,870	—	—	—	—	—	—	—
Zone	510	23,550	1,025	1,535	1,280	—	255	—	28,155	3,840	—	—	24,575	—	—	510	—
Indian Reserve #47	690	1,180	580	—	700	—	—	—	3,150	1,180	—	—	1,300	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	11,325	—	—	—	—	—	—	—	—
TOTALS	63,065	451,815	66,825	2,560	9,470	—	1,530	9,730	616,320	384,340	2,370	—	213,660	—	—	1,670	—

26

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
LAMBTON COUNTY																	
Bosanquet	19,545	23,660	1,700	320	11,200	—	14,850	4,735	76,010	20,415	1,320	385	21,505	—	—	1,080	3,970
Brooke	22,975	46,975	1,790	—	4,670	—	—	—	76,410	39,680	1,790	—	7,295	—	—	65	4,610
Dawn	255	60,225	5,440	65	2,880	—	—	—	68,865	59,970	—	190	6,080	65	—	640	2,110
Enniskillen	10,751	69,734	4,200	63	5,017	—	—	—	89,765	71,680	305	65	4,415	65	—	—	5,185
Euphemia	3,650	34,763	421	—	4,071	—	—	—	42,905	13,570	485	—	17,285	—	—	320	4,095
Moore	960	23,025	47,440	65	2,175	—	—	—	73,665	22,910	—	—	47,435	—	—	115	2,175
Plympton	38,540	35,250	1,340	255	3,495	—	—	—	78,880	30,895	440	895	5,250	255	—	1,025	3,070
Sarnia	8,869	7,883	8,371	—	9,356	—	4,018	693	39,190	17,790	—	—	13,810	—	—	3,725	1,090
Sombra	—	61,894	6,640	—	5,796	—	—	—	74,330	49,345	—	—	12,800	—	—	—	5,185
Warwick	51,150	11,000	1,330	705	9,215	—	—	—	73,400	5,825	1,330	—	5,185	705	—	4,800	4,415
Indian Reserves #44 & #45 & #46	—	24,630	—	—	—	—	16,320	—	40,950	31,360	—	—	—	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	6,110	—	—	—	—	—	—	—	—
TOTALS	156,695	399,039	78,672	1,473	57,875	—	35,188	5,428	740,480	363,440	5,670	1,535	141,060	1,090	—	11,770	35,905

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
LANARK COUNTY																	
Bathurst	1,640	10,092	40	3,712	1,680	2,436	35,650	6,880	62,130	7,680	—	38,744	6,216	34,680	—	—	—
Beckwith	1,196	4,744	1,204	2,831	113	28,586	2,475	18,901	60,050	3,440	—	3,944	3,220	35,480	—	—	—
Burgess N.	40	2,160	780	800	440	2,980	28,880	2,840	38,920	1,640	—	31,500	1,740	30,040	—	—	—
Dalhousie & Sherbrooke N.	—	588	801	766	133	1,228	49,671	6,053	59,240	80	1,008	45,608	1,064	44,680	—	—	—
	—	—	45	205	—	477	15,458	545	16,730	—	420	11,560	220	11,560	—	—	—
Darling	—	56	80	516	—	1,148	57,850	3,280	62,930	—	1,148	54,824	548	54,720	—	—	—
Drummond	1,960	17,904	680	6,156	440	7,620	7,230	18,360	60,350	9,080	112	10,324	10,244	14,800	—	—	—
Elmsley N.	177	5,100	1,310	4,324	71	9,593	3,258	7,047	30,880	4,360	84	5,232	2,564	18,160	—	—	—
Lanark	40	4,204	2,400	2,128	200	2,188	42,800	10,000	63,960	480	812	46,652	4,656	44,120	—	—	—
Lavant	—	504	—	896	40	1,120	54,360	1,080	58,000	—	1,054	40,472	1,224	40,200	—	—	—
Montague	1,668	6,388	492	1,280	160	39,172	3,140	18,080	70,380	5,680	84	872	1,696	39,240	—	—	—
Pakenham	4,592	2,356	11,688	1,000	—	3,764	40,600	1,920	65,920	1,400	812	41,644	12,152	44,000	—	—	—
Ramsay	11,144	5,080	3,256	808	280	15,312	24,520	4,120	64,520	3,640	1,008	22,760	2,008	39,000	—	—	—
Sherbrooke S.	40	120	40	232	80	588	33,790	2,680	37,570	200	588	36,240	372	36,240	—	—	—
Unmapped	—	—	—	—	—	—	—	—	5,540	—	—	—	—	—	—	—	—
TOTALS	22,497	59,296	22,816	25,654	3,637	116,212	399,682	101,786	757,120	37,680	7,130	390,376	47,924	486,920	—	—	—

28

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
LEEDS COUNTY																	
Bastard & Burgess S.	4,022 —	5,059 250	649 36	3,187 143	856 286	37,674 1,107	1,889 6,288	4,064 250	57,400 8,360	5,720 200	30 —	2,970 7,360	2,050 280	46,520 7,920	— —	— —	— —
Crosby N.	80	3,400	1,600	2,440	1,200	3,400	32,060	2,720	46,900	2,120	—	40,720	3,880	43,240	—	—	—
Crosby S.	3,224	4,872	1,136	2,380	960	8,348	19,665	2,640	43,225	4,920	30	31,000	3,040	38,800	—	—	—
Elizabethtown	4,176	3,016	7,824	10,464	4,960	35,545	3,960	12,240	82,185	12,760	—	3,450	5,100	59,200	—	—	—
Elmsley S.	3,562	1,935	567	3,056	1,540	4,684	4,498	2,958	22,800	1,720	—	3,550	620	11,200	—	—	—
Front of Escott	240	40	7,960	120	960	2,060	16,480	120	27,980	5,080	80	16,240	1,120	16,320	—	—	—
Kitley	1,592	3,380	208	4,820	680	40,280	240	6,160	57,360	3,880	—	40,790	380	4,840	—	—	—
Front of Leeds & Lansdowne	292	—	38,348	610	835	351	26,651	3,593	70,680	36,080	3,020	24,760	1,740	24,800	—	—	—
Rear of Leeds & Lansdowne	8,360	3,992	2,200	5,116	680	4,972	26,520	2,520	54,360	3,920	530	27,410	7,180	31,080	—	—	—
Front of Yonge	624	876	4,972	1,328	840	9,640	13,960	440	32,680	6,360	320	13,700	950	24,720	—	—	—
Rear of Yonge & Escott	3,848	1,195	415	1,101	948	13,775	6,049	3,389	30,720	2,600	—	6,780	110	22,540	—	—	—
Unmapped	—	—	—	—	—	—	—	—	7,430	—	—	—	—	—	—	—	—
TOTALS	30,020	28,015	65,915	34,765	14,745	161,836	158,260	41,094	542,080	85,360	4,010	218,730	26,450	331,180	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
LENNOX AND ADDINGTON COUNTY																	
Adolphustown	290	3,200	7,270	645	—	1,035	40	—	12,480	4,440	65	—	3,285	1,560	—	—	—
Amherst Island	1,775	3,120	9,845	320	40	3,200	80	1,040	19,420	8,340	225	1,360	3,120	3,520	—	—	—
Camden East	2,829	11,998	3,160	4,846	1,117	50,334	8,853	7,323	90,460	12,760	100	10,120	965	61,960	—	—	—
Denbigh & Abinger & Ashby	—	—	432	2,143	549	951	46,508	392	50,975	80	805	50,925	2,790	50,200	—	—	—
	903	—	471	363	84	143	52,076	—	54,040	280	145	52,845	850	52,740	—	—	—
	—	—	—	162	235	113	50,686	824	52,020	920	60	52,815	460	52,760	—	—	—
Ernestown	10,285	6,000	15,795	2,640	1,680	27,880	160	1,160	65,600	18,080	1,635	40	2,240	30,520	—	—	—
Fredericksburgh N.	2,245	4,920	8,355	2,950	680	4,930	1,100	—	25,180	10,000	725	—	3,270	7,800	—	—	—
Fredericksburgh S.	2,560	3,680	10,790	1,550	1,120	2,210	120	40	22,070	7,580	410	720	3,630	3,720	—	—	—
Kaladar & Angelesea & Effingham	4,240	—	240	—	—	—	59,540	1,760	65,780	240	—	61,360	240	61,360	—	—	—
	240	—	280	—	—	—	53,300	1,720	55,540	360	—	56,000	280	56,000	—	—	—
	240	—	240	—	—	—	50,420	440	51,340	440	—	50,420	240	50,420	—	—	—
Richmond	3,755	640	21,190	2,090	840	19,525	40	3,920	52,000	15,000	145	6,240	2,170	18,320	—	—	—
Sheffield	1,700	320	8,030	1,430	11,720	15,760	43,285	1,880	84,125	760	7,105	67,140	670	69,720	—	—	—
Unmapped	—	—	—	—	—	—	—	—	1,050	—	—	—	—	—	—	—	—
TOTALS	31,062	33,878	86,098	19,139	18,065	126,081	366,208	20,499	702,080	79,240	11,420	409,985	24,210	520,600	—	—	—

03

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
MANITOULIN DISTRICT																	
Assignack & Bidwell & Sheguiandah	—	3,304	1,446	1,687	202	9,104	8,530	562	24,835	2,690	30	4,345	1,470	35,870	—	—	—
	—	1,123	981	1,870	1,910	5,049	3,655	727	15,316	3,585	465	6,185	3,330	17,280	—	—	—
	—	915	719	2,024	78	4,471	3,498	235	11,940	1,470	85	2,950	4,610	14,840	—	—	—
Barrie Island	—	2,635	960	180	130	7,775	7,200	385	19,265	1,600	65	1,650	510	14,400	—	—	—
Billings & Allan	—	1,999	1,569	1,536	3,306	12,269	6,069	842	27,590	3,650	655	2,415	5,440	31,895	—	—	—
	—	2,129	676	1,254	161	12,208	8,713	194	25,335	1,790	65	6,200	640	38,590	—	—	—
Burpee	—	3,170	1,685	560	1,495	7,995	12,990	575	28,470	2,560	45	500	1,215	20,480	—	—	—
Carnarvon	—	4,956	1,758	3,509	638	13,693	12,187	549	37,290	1,535	225	1,145	6,465	34,880	—	—	—
Cockburn Island	(Unmapped)								41,280								
Gordon	—	4,910	2,255	4,030	510	20,535	15,130	1,090	48,460	1,790	145	320	5,375	34,600	—	—	—
Howland	—	1,645	4,190	2,415	6,235	26,990	23,560	385	65,420	7,040	1,255	9,265	4,030	48,535	—	—	—
Rutherford & George Island	(Unmapped)								7,680								
Sandfield	—	2,695	360	2,263	312	8,572	8,316	1,432	23,950	640	5	1,485	450	22,210	—	—	—
Tehkummah	—	5,171	2,746	2,212	483	9,016	7,202	3,910	30,740	3,515	890	2,795	4,610	18,750	—	—	—
Unorganized	(Mapped)																
Campbell	—	15,014	2,126	9,149	1,974	20,937	19,579	5,501	74,280	2,560	160	1,080	5,505	25,025	—	—	—
Dawson	—	2,177	768	1,679	384	28,298	27,522	1,642	62,470	450	—	1,240	2,370	36,735	—	—	—
Mills	—	3,487	3,646	1,856	1,947	14,010	14,010	2,514	41,470	2,175	255	890	3,200	18,435	—	—	—
Robinson	—	3,873	1,149	4,718	1,352	38,842	41,164	387	91,485	1,600	585	1,540	4,480	50,105	—	—	—
Unorganized	(Unmapped)								110,575								

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
MANITOULIN DISTRICT Continued																	
Indian Reserves																	
#20	—	110	650	1,300	140	1,680	1,490	130	5,500	110	1,950	1,820	—	3,170	—	—	—
#21	—	320	—	430	10	30	30	—	820	320	—	440	—	60	—	—	—
#22	—	2,020	1,310	1,850	420	1,080	1,000	60	7,740	2,020	—	—	3,580	2,080	—	—	—
#23	—	250	110	130	830	80	80	—	1,480	250	—	830	240	160	—	—	—
#24	—	30	130	470	810	1,710	1,710	—	4,860	—	810	1,410	—	3,240	—	—	—
#26	—	11,475	9,665	6,195	1,915	36,065	34,850	1,025	101,190	9,665	8,110	8,110	—	70,915	—	—	—
TOTALS	—	73,408	38,899	51,317	25,242	280,409	258,485	22,145	909,440	51,015	15,800	56,615	57,520	542,435	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
MIDDLESEX COUNTY																	
Adelaide	22,877	15,497	7,855	—	1,070	—	—	266	47,565	1,025	7,525	—	14,075	—	—	—	—
Biddulph	26,570	1,540	11,570	—	—	—	510	510	40,700	1,540	11,570	—	—	—	—	510	—
Caradoc	2,269	50,741	586	1,672	4,615	—	869	2,503	63,255	4,355	540	—	53,960	—	—	2,050	—
Delaware	10,726	9,397	3,255	—	1,146	—	1,146	—	25,670	3,070	2,100	—	8,960	—	—	1,280	—
Dorchester N.	28,824	11,036	12,006	—	550	—	—	3,034	55,450	1,280	11,140	—	8,960	—	—	—	—
Ekfrid	—	38,660	8,450	1,535	3,330	—	1,280	1,025	54,280	16,895	—	—	34,310	—	—	1,280	—
Lobo	28,955	3,580	12,005	—	1,790	—	510	510	47,350	510	12,005	—	3,580	—	—	510	—
London	56,326	20,184	13,378	—	414	—	414	414	91,130	1,795	16,460	—	23,040	—	—	510	—
McGillivray	31,025	24,575	9,930	—	770	—	770	1,535	68,605	16,895	9,930	—	7,680	—	—	770	—
Metcalfe	6,145	30,720	510	—	770	—	—	255	38,400	11,520	—	—	19,710	—	—	—	—
Mosa	—	22,785	6,910	9,215	8,450	—	2,560	—	49,920	15,620	—	—	30,460	—	—	2,560	—
Nissouri W.	46,262	1,805	7,008	2,105	1,205	—	905	905	60,195	2,555	5,960	—	770	—	—	770	—
Westminster	38,630	2,507	13,953	—	454	—	454	227	56,225	770	15,690	—	2,050	—	—	510	—
Williams E.	19,802	11,841	7,641	—	809	—	536	536	41,165	3,840	7,270	—	7,425	—	—	510	—
Williams W.	9,010	17,920	4,810	—	1,535	—	1,790	1,025	36,090	6,910	4,810	—	11,010	—	—	1,790	—
Indian Reserves #41 & #42	388	10,213	1,576	2,087	777	—	2,559	—	17,600	4,990	770	—	1,400	—	—	1,250	—
Unmapped	—	—	—	—	—	—	—	—	37,120	—	—	—	—	—	—	—	—
TOTALS	327,809	273,001	121,443	16,614	27,685	—	14,303	12,745	830,720	93,570	105,770	—	227,390	—	—	14,300	—

53

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
DISTRICT MUNICIPALITY OF MUSKOKA																	
Bracebridge	—	—	307	—	12,181	—	142,924	868	156,280	280	3,400	141,210	18,310	130,120	—	—	—
Georgian Bay	—	—	—	—	413	—	149,536	291	150,240	—	—	159,490	440	159,490	—	—	—
Gravenhurst	—	460	1,100	3,300	5,490	—	117,680	180	128,210	1,100	8,790	123,170	6,620	117,680	—	—	—
Huntsville	—	—	769	—	21,512	3,951	145,251	2,047	173,530	—	840	151,110	26,680	151,110	—	—	—
Lake of Bays	—	—	350	—	2,750	990	168,300	410	172,800	—	1,390	169,290	2,700	169,290	—	—	—
Muskoka Lakes	—	—	3,730	—	54,290	—	145,230	2,050	205,300	—	3,260	199,520	3,730	145,230	—	—	—
Indian Reserves #31 & #79	—	—	—	—	—	—	10,760	—	10,760	—	—	7,760	—	7,760	—	—	—
TOTALS	—	460	6,256	3,300	96,636	4,941	879,681	5,846	997,120	1,380	17,680	951,550	58,480	880,680	—	—	—

34

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF NIAGARA																	
Lincoln W.	3,615	84,890	1,545	3,480	—	—	—	—	93,530	3,480	1,545	—	89,915	—	—	—	—
Wainfleet	12,595	15,580	8,140	9,215	2,050	1,790	510	4,095	53,975	19,710	715	1,025	19,455	1,790	—	510	—
Niagara Falls	1,230	17,165	25,070	—	765	1,155	790	510	46,685	20,990	1,715	2,815	35,585	2,560	—	—	—
Port Colborne	—	2,300	20,010	—	255	3,430	1,795	2,560	30,350	22,015	—	770	23,805	5,375	—	770	—
St. Catharines	3,230	13,100	6,000	1,400	—	80	—	—	23,810	5,320	920	—	11,200	—	—	320	—
Welland	—	4,750	13,010	—	255	—	255	—	18,270	4,750	—	660	13,010	255	—	255	—
Fort Erie	—	8,700	26,235	—	1,280	3,840	510	255	40,820	25,595	—	3,070	30,715	3,840	—	510	—
Grimsby	3,286	5,149	3,187	4,113	—	358	787	—	16,880	5,760	1,125	—	12,240	1,000	—	—	—
Lincoln	9,270	13,500	12,620	960	—	1,320	3,840	—	41,510	7,880	5,255	—	19,990	2,360	—	—	—
Niagara-on-the-Lake	2,133	13,760	9,067	6,880	—	160	—	—	32,000	11,520	620	—	15,480	300	—	—	—
Pelham	4,605	17,640	4,100	—	1,305	2,790	—	—	30,440	—	7,320	—	18,000	—	—	1,050	—
Thorold	597	14,482	3,169	—	395	1,410	597	—	20,650	3,070	2,940	255	22,015	770	—	1,750	—
Unmapped	—	—	—	—	—	—	—	—	8,680	—	—	—	—	—	—	—	—
TOTALS	40,561	211,016	132,153	26,048	6,305	16,333	9,084	7,420	457,600	130,090	22,125	8,595	311,410	18,250	—	5,165	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
NORTHUMBERLAND COUNTY																	
Alnwick	6,444	427	4,220	1,425	273	1,950	239	2,492	17,470	1,080	2,580	1,420	6,330	—	—	60	—
Brighton	12,843	6,545	15,141	3,718	1,945	4,205	648	6,140	51,185	5,500	10,720	3,530	16,405	80	—	310	40
Cramahe	8,805	6,620	17,885	3,280	2,120	3,365	80	4,400	46,555	2,600	11,595	120	19,640	—	—	95	—
Haldimand	12,800	8,880	18,480	16,780	2,920	16,780	160	4,480	81,280	4,200	660	240	33,740	—	—	415	—
Hamilton	19,615	13,560	19,220	4,060	3,480	4,145	2,360	760	67,200	8,880	12,570	265	22,180	—	—	735	720
Hope	18,591	16,360	2,976	12,180	7,213	6,758	471	1,341	65,890	1,790	10,880	255	25,805	—	—	870	—
Murray	12,770	4,945	16,050	2,060	2,860	4,765	480	6,260	50,190	6,505	7,245	1,380	14,010	2,440	—	310	—
Percy	20,260	4,090	18,300	2,860	1,680	4,490	40	4,080	55,800	3,350	16,910	2,375	9,955	280	—	10	240
Seymour	28,990	4,135	18,110	4,840	960	11,400	600	3,520	72,555	4,880	10,670	11,510	7,515	9,600	—	—	120
Indian Reserve #37	1,555	580	793	396	—	396	—	—	3,720	190	260	260	320	130	—	—	—
Unmapped	—	—	—	—	—	—	—	—	9,115	—	—	—	—	—	—	—	—
TOTALS	142,673	66,142	131,175	51,599	23,451	58,254	5,078	33,473	520,960	38,975	84,090	21,355	155,900	12,530	—	2,805	1,120

36

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF OTTAWA-CARLETON																	
Carleton W.	20,674	23,914	18,569	5,893	10,456	39,952	18,751	16,465	154,674	12,765	—	24,260	34,235	48,035	—	—	—
Cumberland	2,375	10,690	42,140	15,900	3,650	1,410	1,055	1,410	78,630	47,070	—	7,225	15,745	1,410	—	—	—
Gloucester	5,539	16,585	40,901	13,259	5,757	8,449	125	10,643	101,258	11,860	—	6,440	53,045	5,310	—	—	—
Goulbourn	2,594	10,750	11,294	8,735	1,177	20,307	335	13,696	68,888	10,545	—	2,895	6,885	11,740	—	—	—
March	1,987	2,048	4,336	875	2,635	6,885	8,455	1,665	28,886	875	—	9,545	5,150	13,525	—	—	—
Nepean	3,725	18,200	12,300	4,410	4,470	3,935	4,280	2,280	53,600	19,275	—	7,000	14,330	3,790	—	—	—
Osgoode	19,644	19,169	23,574	10,070	6,346	6,399	—	9,254	94,456	28,580	—	16,220	17,230	8,835	—	—	—
Rideau	8,086	23,105	8,918	3,591	7,899	26,599	—	23,010	101,208	28,845	—	7,050	6,020	30,055	—	—	—
TOTALS	64,624	124,461	162,032	62,733	42,390	113,936	33,001	78,423	681,600	159,815	—	80,635	152,640	122,700	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
OXFORD COUNTY																	
Blandford	11,845	9,930	2,625	—	1,725	—	—	705	26,830	1,665	2,495	—	9,545	—	—	—	—
Blenheim	24,815	30,790	3,980	1,115	3,850	615	—	3,775	68,940	2,310	4,595	—	31,555	—	—	—	—
Dereham	41,300	11,195	11,605	25	350	40	—	2,370	66,885	4,250	11,645	—	7,360	—	—	—	—
Nissouri E.	39,472	3,816	4,518	138	681	202	—	883	49,710	1,980	2,185	—	1,980	—	—	—	—
Norwich N.	24,695	5,250	5,640	—	320	—	—	450	36,355	580	5,640	—	4,735	—	—	—	—
Norwich S.	7,667	27,289	1,252	—	555	—	—	207	36,970	705	1,150	—	24,880	—	—	—	—
Oxford E.	22,844	2,933	6,015	—	980	—	—	653	33,425	1,095	6,965	—	3,200	—	—	—	—
Oxford N.	10,725	6,725	3,995	—	1,985	—	—	255	23,685	835	3,995	—	6,020	—	—	—	—
Oxford W.	21,900	2,365	700	—	1,085	—	—	705	26,755	705	700	—	1,915	—	—	—	—
Zorra E.	43,550	8,260	5,855	—	2,240	—	—	755	60,660	3,520	5,855	—	5,125	—	—	—	—
Zorra W.	40,675	7,170	6,360	360	2,300	535	—	1,985	59,385	3,070	6,895	—	2,625	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	12,160	—	—	—	—	—	—	—	—
TOTALS	289,488	115,723	52,545	1,638	16,071	1,392	—	12,743	501,760	20,715	52,120	—	98,940	—	—	—	—

88

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PARRY SOUND DISTRICT																	
Armour	—	—	2,955	790	10,420	1,710	23,215	2,945	42,035	2,240	1,245	20,160	1,880	20,800	—	—	—
Carling		—	—	130	60	1,025	58,510	—	59,725	1,025	—	60,865	190	61,890	—	—	—
Chapman	—	—	2,955	40	3,910	920	36,210	2,430	46,465	1,405	2,745	45,175	5,965	48,240	—	—	—
Christie	—	—	685	—	1,935	3,230	43,880	190	49,920	255	515	47,660	5,335	51,080	—	—	—
Foley	—	—	1,940	65	1,170	320	38,660	645	42,800	130	145	42,845	3,060	45,305	—	—	—
Hagerman	—	—	105	130	3,735	320	42,725	195	47,210	65	1,750	48,705	4,585	51,775	—	—	—
Himsworth N.	—	—	1,690	—	2,660	—	21,380	1,150	26,880	2,240	1,245	21,380	1,880	22,800	—	—	—
Himsworth S.	—	—	7,900	435	12,325	655	31,860	2,945	56,120	3,265	8,650	44,890	12,505	45,755	—	—	—
Humphry	—	—	525	320	2,995	190	37,620	510	42,160	385	115	49,350	3,660	51,525	—	—	—
Joly	—	—	385	65	4,800	4,800	37,040	2,370	49,460	450	130	41,470	12,225	46,270	—	—	—
Machar	—	—	65	575	11,755	895	28,640	4,350	46,280	130	3,200	39,430	12,480	38,150	—	—	—
McDougall	—	—	180	575	3,210	1,050	33,870	385	39,270	385	770	56,415	5,495	60,135	—	—	—
McKellar	—	—	865	—	4,830	2,175	37,900	260	46,030	190	220	45,505	7,780	52,415	—	—	—
McMurrich	—	—	475	65	2,925	1,990	33,220	4,225	42,900	65	170	25,075	21,155	42,100	—	—	—
Nipissing	—	—	4,665	65	9,720	965	81,275	1,410	98,100	3,775	6,780	49,780	6,595	45,310	—	—	—
Perry	—	—	705	270	14,530	1,460	24,890	6,145	48,000	—	4,515	47,430	20,865	53,820	—	—	—
Ryerson	—	—	5,455	185	6,390	775	26,800	6,910	46,515	2,050	2,330	31,590	11,405	35,545	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PARRY SOUND DISTRICT Continued																	
Strong	—	—	2,660	510	9,815	450	21,215	4,545	39,195	5,355	1,370	33,670	29,105	43,835	—	—	—
Unorganized	—	—	—	—	—	—	1,480,335	—	1,480,335	3,975	20,885	1,366,895	87,580	1,366,895	—	—	—
Indian Reserves #1, #2, #9, #13, #16, #17, and #17A	—	—	—	—	—	—	92,200	—	92,200	—	—	92,200	—	92,200	—	—	—
TOTALS	—	—	34,210	4,220	107,185	22,930	2,231,445	41,610	2,441,600	27,385	56,780	2,210,490	253,745	2,275,845	—	—	—
REGIONAL MUNICIPALITY OF PEEL																	
Brampton	51,304	1,033	5,763	1,697	—	—	—	398	60,195	6,790	4,050	—	6,210	—	—	—	—
Caledon	54,650	26,665	24,610	31,735	320	31,835	1,470	3,610	174,895	6,575	53,800	10,560	58,470	4,035	—	—	—
Mississauga	39,610	3,055	15,155	8,785	575	—	—	450	67,630	3,710	4,160	—	6,830	1,160	—	—	—
TOTALS	145,564	30,753	45,528	42,217	895	31,835	1,470	4,458	302,720	17,075	62,010	10,560	71,510	5,195	—	—	—

40

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PERTH COUNTY																	
Blanshard	28,550	4,285	11,035	155	3,455	230	—	—	47,710	4,220	11,265	—	450	—	—	—	—
Downie	29,990	12,030	3,090	235	2,625	340	—	450	48,760	12,030	3,430	—	575	—	—	—	—
Easthope N.	25,795	2,625	8,775	65	4,035	—	—	2,430	43,725	2,690	9,355	—	2,880	—	—	—	—
Easthope S.	15,820	3,325	3,640	25	1,150	40	—	130	24,130	3,325	3,680	—	140	—	—	—	—
Ellice	24,075	23,105	3,555	75	2,050	115	—	3,135	56,110	23,040	3,670	—	255	—	—	—	—
Elma	36,760	23,680	560	345	4,800	230	—	1,655	68,030	23,485	790	—	770	—	—	—	—
Fullarton	27,105	5,660	5,680	25	2,880	40	—	130	41,520	5,380	5,745	—	320	—	—	—	—
Hibbert	30,790	2,895	5,735	565	2,625	460	—	190	43,260	2,625	6,720	—	770	—	—	—	—
Logan	22,175	29,505	2,510	230	1,090	345	—	705	56,560	29,440	2,855	—	640	—	—	—	—
Mornington	29,070	13,315	2,230	25	5,630	40	—	190	50,500	13,315	2,270	—	65	—	—	—	—
Wallace	37,540	3,965	3,675	280	3,330	420	—	895	50,105	3,775	4,095	—	890	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	11,030	—	—	—	—	—	—	—	—
TOTALS	307,670	124,390	50,485	2,025	33,670	2,260	—	9,910	541,440	123,325	53,875	—	7,755	—	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PETERBOROUGH COUNTY																	
Asphodel	16,160	4,190	8,180	1,290	2,020	2,160	—	5,270	39,270	5,670	6,250	8,220	3,110	1,160	—	—	—
Belmont & Methuen	3,310 150	1,570 200	3,000 670	6,450 1,190	9,810 11,010	12,590 8,930	18,810 38,870	10,910 11,810	66,450 72,830	3,830 9,180	14,450 490	37,820 38,490	11,250 8,930	31,160 37,520	—	—	—
Burleigh & Anstruther	— —	210 —	598 —	1,532 3,107	9,327 21,737	5,151 1,133	44,178 29,860	13,764 18,273	74,760 74,110	5,390 19,040	920 320	56,940 38,720	8,550 12,700	54,860 27,490	—	—	—
Cavan	25,695	6,910	2,715	14,290	3,325	4,655	1,025	8,705	67,320	1,025	18,380	510	9,935	—	—	2,560	—
Chandos	—	—	—	3,770	19,370	2,410	18,380	10,190	54,120	3,770	—	36,350	14,940	27,020	—	—	—
Douro	12,944	2,486	5,688	3,118	2,728	6,495	1,485	3,656	38,600	9,240	3,140	14,040	1,090	6,050	—	—	—
Dummer	10,560	380	7,000	12,380	7,250	17,400	10,410	10,680	76,060	8,650	22,720	50,820	1,850	18,970	—	—	—
Ennismore	8,570	1,790	4,370	1,490	790	1,500	540	2,360	21,410	2,820	1,490	6,220	870	1,320	—	—	—
Galway & Cavendish	— 100	1,740 180	— 60	3,060 1,380	16,910 13,960	2,830 90	30,740 30,510	10,350 6,400	65,630 52,680	8,140 9,400	2,260 150	55,510 38,280	8,960 5,690	44,260 32,210	—	—	—
Harvey	700	1,840	650	7,860	8,150	39,780	23,900	16,460	99,340	7,270	12,280	42,880	6,620	53,690	—	—	—
Monaghan N.	5,970	4,570	2,950	80	540	110	—	570	14,790	4,390	1,450	1,310	1,200	—	—	—	—
Monaghan S.	9,115	1,750	4,500	100	800	210	520	2,000	18,995	2,360	3,525	3,235	1,460	—	—	280	—
Otonabee	31,420	9,960	13,800	2,010	90	2,920	—	8,875	69,075	6,410	9,150	11,410	880	1,930	—	—	—
Smith	21,173	1,630	11,321	3,418	487	11,078	1,676	8,147	58,930	4,310	10,910	20,990	1,290	9,890	—	—	—

42

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PETERBOROUGH COUNTY Continued																	
Indian Reserves #36	950	—	420	—	—	—	80	185	1,635	—	420	—	—	80	—	—	—
#35	—	—	—	540	—	860	—	—	1,400	—	—	—	540	860	—	—	—
#35A	—	—	—	—	—	510	—	—	510	—	—	—	—	510	—	—	—
Unmapped	—	—	—	—	—	—	—	—	9,365	—	—	—	—	—	—	—	—
TOTALS	146,817	39,406	65,922	67,065	128,304	120,812	250,984	148,605	977,280	110,895	108,305	461,745	99,865	348,980	—	2,840	—
PRESCOTT COUNTY																	
Alfred	60	6,270	26,665	5,185	1,280	640	—	4,930	45,030	39,960	—	135	9,855	510	—	—	—
Caledonia	440	5,695	13,835	6,530	3,070	1,280	55	15,810	46,715	19,200	—	1,350	6,655	1,280	—	—	—
Hawkesbury E.	2,515	3,520	35,030	12,095	3,230	255	365	2,175	59,185	35,010	—	8,010	12,510	255	—	—	—
Hawkesbury W.	2,075	2,495	17,570	3,970	2,335	385	230	835	29,895	8,895	—	6,340	5,855	320	—	—	—
Longueuil	655	1,730	11,515	2,110	770	1,470	190	1,210	19,650	12,805	—	1,225	3,330	1,470	—	—	—
Plantagenet N.	—	9,795	8,050	25,210	2,240	4,610	—	895	50,800	16,640	—	—	33,460	1,535	—	—	—
Plantagenet S.	—	10,370	19,010	13,705	3,710	1,920	—	2,945	51,660	30,335	—	—	14,535	130	—	—	—
Unmapped	—	—	—	—	—	—	—	—	4,265	—	—	—	—	—	—	—	—
TOTALS	5,745	39,875	131,675	68,805	16,635	10,560	840	28,800	307,200	162,845	—	17,060	86,200	5,500	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
PRINCE EDWARD COUNTY																	
Ameliasburgh	12,800	15,620	—	—	2,625	11,430	2,610	3,200	48,285	6,465	—	640	1,920	24,770	—	—	—
Athol	4,485	8,705	705	20	2,435	6,635	2,430	—	25,415	4,415	45	—	2,905	13,115	—	—	—
Hallowell	10,750	18,310	130	1,380	1,790	9,050	1,390	3,970	46,770	3,455	3,225	510	4,710	21,445	—	—	—
Hillier	1,990	24,130	65	—	2,110	3,470	1,475	3,585	36,825	3,135	—	—	705	25,860	—	—	—
Marysburgh N.	6,330	7,485	1,215	—	640	6,270	3,010	575	25,525	1,535	—	2,050	1,595	15,425	—	—	—
Marysburgh S.	3,390	4,420	—	—	445	17,080	790	510	26,635	2,175	—	—	2,050	18,050	—	—	—
Sophiasburgh	9,790	13,955	—	—	2,560	16,085	3,325	4,030	49,745	4,540	—	1,215	130	25,025	—	—	—
TOTALS	49,535	92,625	2,115	1,400	12,605	70,020	15,030	15,870	259,200	25,720	3,270	4,415	14,015	143,690	—	—	—

44

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
RENFREW COUNTY																	
Admaston	—	26,216	—	2,041	—	210	50,958	1,515	80,940	600	3,380	50,800	13,020	48,920	—	—	—
Algona N.	—	100	1,980	2,940	2,300	920	15,220	160	23,620	800	1,480	17,160	5,340	16,040	—	—	—
Algona S.	—	740	—	4,370	—	7,690	15,800	4,280	32,880	—	1,840	18,290	3,270	23,720	—	—	—
Alice & Fraser	—	5,622	7,325	8,659	964	1,437	34,821	452	59,280	1,360	410	36,930	20,150	37,520	—	—	—
	—	—	—	1,934	41	—	52,062	123	54,160	—	—	53,120	1,920	53,120	—	—	—
Bagot & Blithfield	—	500	350	2,080	810	300	67,130	640	71,810	120	1,070	73,310	1,350	71,840	—	—	—
	—	50	40	690	80	220	31,000	520	32,600	—	310	35,150	620	35,000	—	—	—
Bromley	—	19,600	7,600	8,030	—	4,330	9,080	2,040	50,680	8,080	4,230	13,530	17,520	13,800	—	—	—
Brougham	—	—	—	1,520	160	840	64,480	80	67,080	40	840	64,480	1,640	64,480	—	—	—
Brudenell & Lyndoch	—	500	1,110	780	1,690	320	50,370	720	55,490	—	500	55,490	1,210	53,440	—	—	—
	—	—	—	1,760	920	—	50,280	1,240	54,200	120	—	53,280	2,560	53,280	—	—	—
Grattan	—	5,440	300	10,760	7,420	2,480	45,040	1,680	73,120	1,280	6,100	53,020	3,900	46,040	—	—	—
Griffith & Matawatchan	—	—	—	120	1,280	—	44,910	840	47,150	—	—	46,120	1,400	46,120	—	—	—
	—	—	—	630	120	490	43,880	200	45,320	40	150	45,050	640	45,120	—	—	—
Hagarty & Richards	—	300	2,260	13,940	4,420	6,520	23,210	3,280	53,930	2,200	300	25,560	18,060	31,920	—	—	—
	—	—	—	9,240	1,800	—	33,920	—	44,960	—	—	35,920	11,040	35,920	—	—	—
Head & Clara & Maria	—	—	—	8,640	—	—	53,480	200	62,320	—	—	53,480	8,640	53,480	—	—	—
	—	—	—	23,280	—	—	43,120	—	66,400	—	—	43,120	23,280	43,120	—	—	—
	—	—	400	10,960	—	—	58,120	—	69,480	—	—	58,120	11,360	58,120	—	—	—
Horton	—	19,680	1,010	6,100	390	6,060	7,600	160	41,000	360	2,380	9,750	24,760	8,360	—	—	—
McNab	—	9,646	20,192	11,503	746	6,182	17,800	651	66,720	3,140	2,080	21,600	37,120	22,800	—	—	—
Pembroke	—	4,640	2,840	1,420	—	420	—	200	9,520	1,680	380	640	6,340	280	—	—	—
Petawawa	—	342	1,413	25,512	471	4,580	13,205	257	45,780	540	—	11,920	25,120	16,880	—	—	—
Radcliffe	—	—	1,224	3,398	2,430	—	34,640	548	42,240	400	—	34,620	5,620	37,720	—	—	—

45

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
RENFREW COUNTY Continued																	
Raglan	—	—	—	5,240	6,280	120	53,240	2,880	67,760	4,400	120	47,160	7,960	49,880	—	—	—
Rolph & Buchanan & Wylie & McKay	—	—	—	9,360	—	—	33,840	160	43,360	—	—	33,840	9,360	33,840	—	—	—
	—	—	—	19,160	—	—	3,560	—	22,720	—	—	3,280	19,160	3,280	—	—	—
	—	—	—	11,080	160	—	39,680	120	51,040	—	—	39,680	11,240	39,680	—	—	—
	—	—	—	920	160	40	52,000	—	53,120	—	—	52,000	1,080	52,040	—	—	—
Ross	—	30,450	3,520	5,730	200	9,700	7,520	320	57,440	3,000	910	10,770	34,860	16,920	—	—	—
Sebastopol	—	1,444	300	4,555	525	487	37,569	—	44,880	40	1,540	41,860	2,920	39,600	—	—	—
Sherwood & Jones & Burns	—	—	40	4,040	5,200	—	36,590	880	46,750	—	—	36,880	9,280	37,840	—	—	—
	—	—	330	—	750	—	26,360	80	27,520	—	—	22,830	330	27,360	—	—	—
	—	—	—	1,520	840	—	45,640	—	48,000	—	—	46,640	1,520	46,640	—	—	—
Stafford	—	9,900	3,520	3,370	—	4,130	120	1,360	22,400	1,880	1,770	3,050	11,180	3,280	—	—	—
Westmeath	—	15,860	16,960	17,740	3,300	10,540	3,740	6,680	74,820	18,040	2,100	4,460	24,500	24,680	—	—	—
Wilberforce	—	7,620	2,430	14,220	4,750	8,700	24,850	2,840	65,410	480	11,090	47,090	6,580	32,440	—	—	—
Indian Reserve #39	—	—	—	—	—	—	1,720	—	1,720	—	—	—	—	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	11,660	—	—	—	—	—	—	—	—
TOTALS	—	158,650	75,144	257,242	48,207	76,716	1,226,555	35,106	1,889,280	48,600	42,980	1,300,000	385,850	1,324,520	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
RUSSELL COUNTY																	
Cambridge	150	26,600	615	13,760	12,290	2,750	3,200	2,815	62,180	26,880	—	2,020	37,305	65	—	—	—
Clarence	595	15,200	21,935	16,410	13,120	1,855	1,345	1,410	71,870	31,360	—	1,650	36,796	256	—	—	—
Russell	2,850	32,285	6,375	2,050	5,985	190	155	255	50,145	20,290	—	3,775	18,145	65	—	—	—
Unmapped	—	—	—	—	—	—	—	—	3,325	—	—	—	—	—	—	—	—
TOTALS	3,595	74,085	28,925	32,220	31,395	4,795	4,700	4,480	187,520	78,530	—	7,445	92,246	386	—	—	

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
SIMCOE COUNTY																	
Adjala	9,280	2,810	13,935	4,500	2,370	8,335	4,915	1,410	47,555	1,790	16,900	—	17,085	—	—	—	—
Essa	24,928	8,665	10,731	14,231	6,983	614	1,584	2,204	69,940	3,265	7,340	—	24,835	—	—	—	—
Flos	14,890	18,260	10,375	8,900	6,975	830	3,330	1,410	64,970	14,660	5,385	1,730	26,190	—	—	—	—
Gwillimbury W.	22,720	960	11,905	3,220	4,735	880	—	6,590	51,010	1,860	11,380	—	8,760	—	—	—	—
Innisfil	32,195	1,435	13,945	8,285	4,870	2,110	1,945	5,890	70,675	1,990	7,550	6,725	16,390	—	—	—	—
Mara	8,658	18,414	7,487	6,112	1,817	4,505	—	15,862	62,855	6,850	2,750	—	18,880	—	—	7,550	—
Matchedash	—	—	2,260	130	130	190	46,700	—	49,410	2,260	—	—	260	46,890	—	—	—
Medonte	780	19,805	23,955	8,340	2,360	1,920	11,845	3,390	72,395	9,200	18,440	2,050	38,330	220	—	—	—
Nottawasaga	26,023	8,726	25,314	8,223	3,432	7,231	14,627	964	94,540	4,545	39,150	1,085	21,235	5,120	—	—	—
Orillia	4,575	11,670	15,045	7,935	2,270	9,410	22,410	6,335	79,650	5,775	4,440	5,440	18,580	27,495	—	—	—
Oro	14,180	12,190	11,275	9,885	575	13,440	10,365	4,610	76,520	1,855	18,720	12,225	25,740	—	—	—	—
Rama	121	5,464	1,367	4,223	3,470	7,339	14,873	3,088	39,945	6,080	130	—	8,895	16,320	—	24,320	—
Sunnidale	4,769	18,476	11,750	8,290	2,017	1,809	—	2,369	49,480	15,560	4,320	130	28,475	—	—	—	—
Tay	152	9,769	12,003	4,638	2,358	3,298	13,942	590	46,750	9,240	11,815	2,620	20,530	5,740	—	—	—
Tecumseth	29,310	9,665	19,830	2,770	1,215	2,355	—	2,560	67,705	2,945	13,435	—	18,880	—	—	—	—
Tiny	1,625	19,405	14,330	26,125	6,785	7,680	7,715	2,305	85,970	7,690	11,530	5,825	51,180	—	—	—	—
Tosorontio	6,124	9,775	12,374	9,725	1,521	2,095	92	3,679	45,385	1,280	2,250	—	22,780	—	—	—	—

48

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
SIMCOE COUNTY Continued																	
Vespra	4,221	11,607	14,068	9,767	2,452	58	8,104	15,463	65,740	8,445	13,105	65	29,920	—	—	—	—
Indian Reserve #32	60	910	—	80	620	110	330	330	2,440	910	620	—	80	440	—	—	—
Unmapped	—	—	—	—	—	—	—	—	53,865	—	—	—	—	—	—	—	—
TOTALS	204,611	188,006	231,949	145,379	56,955	74,209	162,777	79,049	1,196,800	106,200	189,260	37,895	397,025	102,225	—	31,870	—
STORMONT COUNTY																	
Cornwall	5,645	9,180	13,195	2,370	5,950	8,940	—	6,080	51,360	13,185	—	34,290	3,585	—	—	—	—
Finch	4,685	24,065	14,650	3,010	6,015	1,790	—	385	54,600	24,295	—	5,620	16,775	—	—	—	—
Osnabruck	6,875	9,600	16,250	5,375	6,580	335	—	14,785	59,800	10,110	—	10,150	22,400	—	—	—	—
Roxborough	6,080	8,255	22,335	15,295	8,385	385	—	13,825	74,560	15,230	—	9,025	25,600	385	—	—	—
Indian Reserve #59	—	290	1,250	—	—	1,430	—	—	2,970	290	—	2,680	—	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	12,710	—	—	—	—	—	—	—	—
TOTALS	23,285	51,390	67,680	26,050	26,930	12,880	—	35,075	256,000	63,110	—	61,765	68,360	385	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
VICTORIA COUNTY																	
Bexley	1,895	—	—	4,400	—	23,655	—	2,050	32,000	—	1,790	1,025	2,815	23,040	—	—	—
Carden	3,490	450	1,215	2,135	130	33,630	1,855	3,265	46,170	640	1,000	2,625	2,310	38,975	—	—	—
Dalton	570	2,050	580	2,915	130	1,445	31,360	1,920	40,970	580	170	31,425	4,740	32,770	—	—	—
Eldon	20,550	4,160	7,425	16,385	1,575	5,760	—	7,615	63,470	4,670	5,660	1,000	8,155	19,390	—	—	—
Emily	15,860	14,905	255	18,110	2,995	170	—	7,235	59,530	4,670	18,020	3,060	15,430	2,180	—	—	—
Fenelon	18,515	4,800	1,535	13,810	1,930	5,740	—	10,305	56,635	2,110	11,995	3,470	5,655	6,980	—	—	—
Laxton & Digby & Longford	665 670 —	— — —	— — —	1,640 365 —	— — —	21,245 4,095 —	575 42,535 42,505	1,215 255 —	25,340 47,920 42,505	— — —	360 365 —	575 46,335 42,505	1,280 — —	21,820 50,430 42,505	— — —	— — —	— — —
Manvers	21,375	3,325	1,410	13,950	5,120	14,580	1,790	11,520	73,070	1,025	28,535	510	11,645	—	—	1,535	—
Mariposa	26,145	15,295	1,920	19,945	460	540	—	12,545	76,850	12,220	12,620	460	12,380	2,045	—	—	—
Ops	30,085	7,650	1,855	8,180	270	65	—	10,750	58,855	11,520	5,775	270	3,450	575	—	—	—
Somerville	2,045	—	—	17,255	—	28,310	21,505	1,535	70,650	—	3,735	4,095	10,750	50,945	—	—	—
Verulam	13,015	1,855	895	19,620	420	19,160	—	5,310	60,275	1,595	22,435	25,315	1,560	9,090	—	—	—
Unmapped	—	—	—	—	—	—	—	—	3,520	—	—	—	—	—	—	—	—
TOTALS	154,880	54,490	17,090	138,710	13,030	158,395	142,125	75,520	757,760	39,030	112,460	162,670	80,170	300,745	—	1,535	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF WATERLOO																	
Wellesley	24,880	10,370	19,580	5,250	8,580	—	—	940	69,600	2,520	15,570	2,160	13,940	—	—	—	6,940
Wilmot	20,958	16,568	8,449	7,724	9,805	—	471	895	64,870	180	26,400	—	25,790	—	—	—	4,680
Dumfries N.	5,610	14,520	4,410	5,730	6,400	240	—	6,490	43,400	160	24,750	5,840	26,640	—	—	—	1,100
Cambridge	2,021	11,060	5,230	410	8,174	—	—	1,465	28,360	—	3,570	—	7,830	—	—	—	5,580
Kitchener	2,730	7,270	2,690	5,490	3,980	—	—	600	22,760	—	2,690	—	11,250	—	—	—	3,980
Waterloo	3,750	1,380	1,770	1,140	1,310	—	—	510	9,860	170	1,770	—	2,520	—	—	—	1,310
Woolwich	27,001	16,457	6,355	8,050	16,062	800	—	5,715	80,440	2,550	12,920	560	58,430	—	—	—	9,340
Unmapped	—	—	—	—	—	—	—	—	16,710	—	—	—	—	—	—	—	—
TOTALS	86,950	77,625	48,484	33,794	54,311	1,040	471	16,615	336,000	5,580	87,670	8,560	146,400	—	—	—	32,930

15

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
WELLINGTON COUNTY																	
Arthur	50,855	6,920	3,390	1,075	120	920	1,680	2,320	67,280	4,160	4,505	—	6,120	—	—	—	—
Eramosa	21,505	5,480	9,605	1,330	4,255	2,060	1,080	2,520	47,835	3,840	9,270	1,590	10,765	1,200	—	—	—
Erin	17,165	3,535	23,285	2,985	17,680	3,145	—	6,840	74,635	3,280	21,260	8,600	36,115	40	—	—	—
Garafraxa W.	26,602	4,975	7,981	1,020	2,743	385	1,203	1,691	46,600	4,120	8,775	—	9,400	—	—	—	—
Guelph	20,790	8,840	6,150	1,065	660	375	520	1,320	39,720	2,520	6,485	20	8,300	40	—	—	—
Luther W.	31,820	6,720	2,775	375	175	355	80	8,240	50,540	6,760	6,145	—	1,080	—	—	—	—
Maryborough	41,115	3,720	5,900	3,600	—	145	1,640	680	56,800	3,680	7,510	—	1,920	—	—	—	—
Minto	35,705	9,375	6,780	4,040	1,055	6,885	1,600	7,760	73,200	5,280	14,205	—	17,135	—	—	—	—
Nichol	20,525	2,110	4,460	510	15	25	1,000	360	29,005	1,520	4,760	—	1,680	—	—	—	—
Peel	52,780	2,600	14,590	945	—	95	1,640	1,200	73,850	2,400	14,685	—	2,000	—	—	—	—
Pilkington	20,312	4,668	2,367	319	3,303	738	1,013	—	32,720	1,240	3,060	600	6,880	—	—	—	—
Puslinch	3,330	15,520	14,095	2,400	14,905	3,785	560	4,960	59,555	2,880	17,135	16,290	30,505	240	—	—	—
Unmapped	—	—	—	—	—	—	—	—	4,900	—	—	—	—	—	—	—	—
TOTALS	342,504	74,463	101,378	19,664	44,911	18,913	12,016	37,891	656,640	41,680	117,795	27,100	131,900	1,520	—	—	—

52

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
REGIONAL MUNICIPALITY OF YORK																	
Georgina	16,445	21,075	4,505	16,030	—	270	—	12,415	70,740	15,425	360	—	17,395	—	—	—	—
Gwillimbury E.	16,995	18,005	4,840	8,695	—	2,765	190	9,090	60,580	6,790	8,260	—	15,045	—	—	—	—
King	20,610	6,855	6,545	22,215	16,865	5,940	—	4,865	83,895	2,590	29,510	—	9,870	—	—	—	—
Aurora	4,980	520	3,260	270	70	1,790	—	60	10,950	520	3,260	—	2,130	—	—	—	—
Markham	40,585	5,715	1,785	6,135	—	340	—	10	54,570	5,400	1,780	—	6,475	—	—	—	—
Newmarket	5,230	100	2,920	260	—	240	—	30	8,780	100	2,920	—	500	—	—	—	—
Richmond Hill	15,330	3,680	2,390	180	—	1,330	—	210	23,120	—	2,390	—	4,190	—	—	—	—
Vaughan	43,025	8,350	4,650	10,020	—	1,805	—	190	68,040	2,690	9,180	—	5,580	—	—	—	—
Whitchurch-Stouffville	19,363	11,286	7,000	4,499	—	6,136	416	425	49,125	1,665	14,900	—	1,730	—	—	—	—
Unmapped	—	—	—	—	—	—	—	—	4,120	—	—	—	—	—	—	—	—
TOTALS	182,563	75,586	37,895	68,304	16,935	20,616	606	27,295	433,920	35,180	72,560	—	62,915	—	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
31M																	
3W	—	—	—	—	—	—	—	32,450	32,450	—	—	—	—	—	—	—	—
5E	—	1,250	2,590	290	1,290	1,300	79,600	—	86,320	2,920	1,250	78,480	420	78,480	1,250	—	—
5W	—	70	4,320	46,630	2,990	—	55,430	10	109,450	4,520	2,330	98,590	11,500	98,590	70	—	—
12E	—	15,330	26,060	6,090	6,990	2,670	1,640	24,070	82,850	32,150	4,420	5,580	4,610	2,670	15,330	—	—
12W	—	19,780	24,680	4,070	8,880	17,870	22,200	5,800	103,280	33,260	9,520	17,200	28,050	16,380	19,780	—	—
13W	—	24,480	15,510	4,710	13,910	30,080	13,720	5,320	107,730	15,960	10,230	13,680	38,020	13,660	24,480	—	—
TOTALS	—	60,910	73,160	61,790	34,060	51,920	172,590	67,650	522,080	88,810	27,750	213,530	82,600	209,780	60,910	—	—

64

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
32D																	
4E	—	—	1,410	6,680	31,780	—	36,350	2,320	78,540	6,650	8,170	40,050	32,810	28,190	1,410	—	—
4W	—	—	20	58,040	5,690	—	39,290	1,980	105,020	13,830	5,770	41,900	56,520	27,020	20	—	—
5E	—	—	3,140	19,040	21,720	—	23,720	340	67,960	18,410	3,820	28,680	6,880	19,900	—	—	—
5W	—	—	2,780	65,890	34,230	—	22,020	6,010	130,930	20,210	6,550	27,640	62,460	15,470	2,780	—	—
12E	—	—	12,080	15,780	6,480	—	13,840	190	48,370	17,000	4,230	16,450	7,390	8,390	12,080	—	—
TOTALS	—	—	19,430	165,430	99,900	—	135,220	10,840	430,820	76,100	28,540	154,720	166,060	98,970	16,290	—	—

55

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
41I																	
1W	—	1,490	5,590	10,390	1,460	1,790	91,550	—	112,270	8,120	260	91,450	10,380	92,920	1,490	—	—
2E	—	—	760	1,350	300	10	122,920	320	125,660	1,820	300	122,760	1,630	122,470	1,300	—	—
2W	—	1,300	—	—	—	—	102,410	720	104,430	40	—	102,410	—	102,410	—	—	—
3E	—	—	—	—	—	—	114,780	760	115,540	—	—	114,780	—	114,780	—	—	—
3W	—	—	—	—	—	—	105,840	400	106,240	—	—	105,840	—	105,840	—	—	—
4E	—	—	7,830	180	3,080	870	65,130	820	77,910	—	—	65,130	8,880	65,130	—	—	—
4W	—	2,500	10,510	4,470	900	1,960	33,620	—	53,960	7,360	150	31,030	15,990	32,690	2,500	—	—
5E	—	690	1,160	5,950	4,060	10,300	48,800	—	70,960	1,070	4,060	57,900	121,100	48,900	3,690	—	—
5W	—	1,250	4,210	33,810	18,270	2,300	47,520	1,480	108,840	6,420	4,510	52,320	61,450	48,360	1,250	—	—
6E	—	1,560	2,150	650	—	370	94,610	3,240	102,580	800	2,230	96,840	1,720	94,610	1,560	—	—
6W	—	1,690	5,790	680	350	170	43,220	7,740	59,640	2,820	—	43,390	860	43,220	1,690	—	—
7E	—	720	1,000	240	120	—	87,730	1,790	91,600	1,000	120	87,730	240	87,730	720	—	—
7W	—	4,050	1,800	350	—	110	126,070	5,950	138,330	1,800	—	1,210	460	126,070	4,050	—	—
8E	—	1,240	16,940	5,100	90	550	64,090	8,410	96,420	20,770	260	62,860	5,800	62,860	1,240	—	—
8W	—	2,820	13,400	4,860	1,090	950	116,760	3,700	143,580	17,240	200	116,970	11,700	116,830	2,820	—	—
9E	—	20	20	40	2,210	—	140,740	540	143,570	40	2,210	142,950	40	140,740	20	—	—
9W	—	520	240	2,410	—	—	141,040	150	144,360	240	160	141,200	50	284,440	540	—	—
10E	—	440	570	710	—	1,420	96,460	3,390	102,990	200	—	96,460	2,500	96,460	440	—	—

56

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
411 Continued																	
10W	—	4,250	3,260	14,210	1,580	13,930	78,230	5,560	121,020	2,340	—	78,390	31,700	78,790	4,250	—	—
11E	—	4,430	9,920	14,490	140	4,620	40,580	7,790	81,970	19,660	—	41,210	9,760	42,960	4,430	—	—
11W	—	4,880	2,070	2,490	430	2,870	98,450	830	112,020	930	—	98,290	4,700	99,000	4,880	—	—
12	—	—	—	11,760	1,870	5,150	225,190	2,930	246,900	100	1,870	227,460	16,810	225,190	—	—	—
13	—	—	—	10,610	—	550	213,420	90	224,670	1,000	2,530	216,150	7,430	213,620	—	—	—
14E	—	—	—	5,340	—	—	129,900	60	135,300	—	—	129,900	5,340	129,900	—	—	—
14W	—	—	—	5,150	—	550	126,340	900	132,940	1,120	—	126,880	4,030	126,880	—	—	—
15E	—	2,850	560	4,620	1,110	—	100,770	260	110,170	1,970	120	100,890	5,870	100,770	2,850	—	—
15W	—	1,320	—	8,440	—	860	115,550	1,580	127,750	360	420	115,970	8,520	116,410	1,320	—	—
16E	—	—	—	460	—	—	115,540	—	116,000	—	—	111,540	460	111,540	—	—	—
16W	—	2,900	570	12,990	300	—	117,050	—	133,810	1,400	—	117,050	9,600	117,050	—	—	—
TOTALS	—	40,920	88,350	161,750	37,360	49,330	3,004,310	59,410	3,441,430	98,620	19,400	2,896,960	347,020	3,148,570	41,040	—	—

57

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
41J																	
1E	—	12,160	10,720	11,770	9,240	5,170	20,670	1,150	70,880	7,120	—	13,880	8,500	28,830	12,010	—	—
1W	—	2,570	2,370	2,450	4,430	14,190	15,530	2,210	43,750	1,100	—	9,650	19,130	34,000	570	—	—
2E	—	—	700	—	—	—	36,490	60	37,250	—	—	36,490	—	36,490	—	—	—
2W	—	160	530	1,350	3,550	8,930	13,400	390	28,310	1,810	3,220	24,710	330	21,820	160	—	—
3W	—	250	700	1,410	520	50	7,110	290	10,330	1,310	—	7,040	540	7,540	250	—	—
4E	—	—	—	—	—	—	300	—	300	—	—	300	—	300	—	—	—
5E	—	10,240	9,560	9,380	23,180	1,590	55,630	3,710	113,290	13,050	4,360	59,340	200	55,710	10,320	—	—
5W	—	9,150	19,570	8,770	2,240	1,680	53,280	820	95,510	15,780	1,320	52,730	80	52,360	8,170	—	—
7E	—	—	—	—	—	—	116,790	—	116,790	—	—	96,540	20,250	116,790	—	—	—
7W	—	—	—	—	—	—	113,660	260	113,920	—	—	113,660	—	113,660	—	—	—
8E	—	1,140	760	14,430	8,910	8,590	87,570	2,860	124,260	780	4,500	76,510	22,320	103,270	1,140	—	—
8W	—	—	1,600	17,110	1,180	2,960	90,820	140	113,810	130	13,990	101,720	6,900	94,620	—	—	—
9E & W	—	—	—	21,340	3,650	—	226,870	200	252,060	440	—	226,740	130	226,870	—	—	—
10E	—	—	—	5,280	—	—	116,130	4,630	126,040	—	—	116,010	—	116,010	—	—	—
10W	—	—	100	6,550	80	—	118,740	480	125,950	80	—	118,740	—	118,740	—	—	—
11E	—	—	—	1,530	100	—	122,280	540	124,450	100	—	122,280	—	122,280	—	—	—
11W	—	—	—	2,190	100	—	122,020	—	124,310	100	—	122,020	—	122,020	—	—	—
12E	—	680	1,270	2,080	760	—	120,450	510	125,750	720	—	120,450	—	120,450	680	—	—

58

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
41J Continued																	
12W	—	—	680	3,210	2,120	—	119,590	—	125,600	2,120	—	119,590	—	119,590	—	—	—
13E	—	—	20	1,200	—	—	118,800	—	120,020	—	—	118,800	—	118,800	—	—	—
13W	—	—	320	8,400	1,780	6,410	110,550	2,260	129,720	1,780	—	110,550	—	110,550	—	—	—
14E	—	—	—	4,180	350	—	114,510	1,610	120,650	350	—	114,510	—	114,510	—	—	—
14W	—	—	—	3,860	130	—	124,110	650	128,750	130	—	124,110	—	124,110	—	—	—
15E	—	—	320	5,670	—	—	122,500	400	128,890	—	—	122,500	—	122,500	—	—	—
15W	—	—	—	2,410	—	—	122,750	550	125,710	—	—	122,750	—	122,750	—	—	—
16E	—	—	40	1,460	110	—	124,090	210	125,910	110	—	124,090	—	124,090	—	—	—
16W	—	—	—	920	680	—	119,030	520	121,150	380	300	119,330	—	119,030	—	—	—
TOTALS	—	36,350	49,260	136,950	63,110	49,570	2,513,670	24,450	2,873,360	47,390	27,690	2,495,040	78,380	2,567,690	33,300		

83

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
41K																	
1E	—	180	800	6,700	1,170	520	400	2,900	12,670	3,430	1,060	1,460	7,460	580	—	—	—
8E	—	860	13,860	8,690	4,090	2,460	11,630	600	42,190	9,740	2,360	15,150	15,980	12,510	580	—	—
9E	—	1,570	3,750	7,700	1,540	1,380	68,250	90	84,280	4,080	—	67,990	13,970	68,590	1,570	—	—
9W	—	2,890	16,600	23,340	2,300	5,230	57,010	440	107,810	4,630	500	55,910	47,700	59,020	2,890	—	—
10E	—	—	520	6,100	1,130	2,380	14,250	70	24,450	1,130	—	14,250	9,620	16,630	—	—	—
15E	—	—	—	18,300	3,180	1,410	16,350	1,960	41,200	3,180	—	16,350	9,960	27,760	—	—	—
15W	—	—	—	1,830	—	—	170	40	2,040	—	—	170	1,830	170	—	—	—
16E	—	100	260	10,400	310	5,330	109,930	680	127,010	—	310	110,240	8,760	111,810	100	—	—
16W	—	—	150	6,370	1,130	360	94,710	330	103,050	1,010	120	94,830	7,790	95,070	—	—	—
TOTALS	—	5,600	35,940	89,430	14,850	19,070	372,700	7,110	544,700	27,200	4,350	376,350	123,070	392,140	5,140	—	—

02

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42A																	
1E	—	3,130	8,680	12,380	11,120	—	63,730	7,300	106,340	11,020	—	65,600	12,870	63,730	11,470	—	—
1W	—	—	160	40,580	20,850	320	54,170	14,040	130,120	9,710	470	56,400	53,090	55,550	160	—	—
2E	—	—	—	16,840	51,270	—	41,800	10	109,920	1,250	410	42,480	68,110	41,390	—	—	—
2W	—	—	2,440	26,060	25,010	—	63,180	2,500	119,190	2,070	—	63,180	50,380	63,180	2,440	—	—
3E	—	—	—	19,570	38,920	2,990	42,820	4,600	108,900	5,380	23,300	76,950	54,010	2,350	—	—	—
3W	—	—	—	29,060	36,140	530	31,120	3,430	100,280	3,100	20,060	61,960	63,890	11,110	—	—	—
4E	—	—	20,950	1,880	55,100	2,410	27,570	4,380	112,290	1,160	29,980	71,340	77,880	—	—	—	—
4W	—	—	8,730	6,710	53,560	490	24,830	5,780	100,100	1,380	21,310	56,970	83,940	3,820	8,730	—	—
5E & W	—	—	17,350	90,750	59,200	110	37,600	11,930	216,940	7,590	32,320	71,770	141,870	5,380	17,350	—	—
6E	—	—	11,580	32,700	24,570	1,290	1,190	12,530	83,860	29,710	8,410	33,310	12,660	24,740	10,870	—	—
6W	—	—	13,870	19,330	47,710	880	28,250	8,820	118,860	25,990	8,710	32,950	66,180	20,300	13,870	—	—
7E	—	—	10,690	23,670	53,610	—	15,840	12,020	115,830	5,890	1,000	16,530	72,650	14,630	10,690	—	—
7W	—	—	12,010	18,470	40,410	—	47,650	18,440	136,980	20,150	750	15,800	52,980	14,780	12,010	—	—
8E	—	—	5,840	20,750	30,060	—	30,900	31,450	119,000	19,010	7,180	41,030	39,640	23,540	5,840	—	—
8W	—	—	18,680	10,290	46,960	1,150	25,920	14,420	117,420	11,730	6,520	31,770	50,810	20,410	18,680	—	—
9E	—	—	10,330	35,140	34,650	40	17,160	23,190	120,510	10,310	1,980	16,180	69,030	13,590	10,330	—	—
9W	—	—	39,090	15,110	7,120	1,290	29,670	18,240	110,520	10,860	6,870	34,540	12,210	23,410	39,090	—	—
10E	—	—	50,640	22,410	1,070	—	21,530	20,260	115,910	21,350	300	17,620	1,440	17,320	50,640	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42A Continued																	
10W	—	—	22,890	22,420	10,520	—	14,900	25,060	95,790	18,310	7,830	19,460	24,260	11,630	22,890	—	—
11E	—	—	9,340	26,940	7,830	180	11,230	65,590	121,110	24,780	2,030	13,090	11,650	10,810	9,340	—	—
11W	—	—	14,520	25,830	7,440	70	3,020	58,570	109,450	18,560	2,810	3,110	10,710	810	14,520	—	—
12E & W	—	—	33,230	69,510	19,720	—	26,960	16,090	165,510	27,350	5,280	26,240	5,700	20,310	33,230	—	—
13E & W	—	—	33,160	85,880	790	—	3,530	78,710	202,070	47,560	1,880	2,270	920	1,680	33,760	—	—
14E	—	—	25,970	34,310	7,590	—	100	46,010	113,980	22,360	1,770	100	5,820	100	25,970	—	—
14W	—	—	23,480	41,340	40	—	—	59,340	124,200	41,340	40	—	—	—	23,480	—	—
15E & W	—	—	25,950	74,190	620	—	4,900	134,900	240,650	44,660	4,770	4,900	4,590	430	25,950	—	—
16E	—	—	31,410	28,010	4,080	—	1,040	9,330	73,870	28,690	—	220	4,220	220	31,410	—	—
16W	—	—	38,920	39,350	6,190	—	1,960	26,550	112,970	37,420	1,810	2,030	1,840	150	38,920	—	—
TOTALS	—	3,130	489,910	889,480	702,150	11,750	672,570	733,580	3,502,570	508,690	197,790	877,800	1,053,350	465,370	471,640	—	—

62

✓

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42G																	
1E	—	—	41,280	35,480	—	—	60	20,630	97,450	35,190	—	—	—	—	41,280	—	—
1W	—	—	35,450	34,120	—	—	70	30,440	100,080	34,190	—	—	—	—	35,450	—	—
2E	—	—	39,150	24,370	—	—	—	37,180	100,700	24,370	—	—	—	—	39,150	—	—
2W	—	—	69,800	20,920	—	—	—	20,720	111,440	20,920	—	—	—	—	69,800	—	—
3E&W	—	—	108,110	43,970	550	—	56,720	16,690	226,040	44,030	490	56,870	150	56,720	108,110	—	—
4E&W	—	—	80,710	61,860	—	230	45,400	48,640	236,840	61,960	—	44,970	830	44,740	80,710	—	—
5E	—	—	55,810	44,340	—	—	3,650	12,030	115,830	44,960	—	3,030	—	3,030	55,810	—	—
5W	—	—	16,680	36,790	270	4,280	5,670	55,980	119,670	36,000	4,350	9,590	6,040	5,240	16,680	—	—
6E&W	—	—	82,100	117,650	—	—	1,350	26,510	227,610	118,520	—	480	—	480	82,100	—	—
7E	—	—	43,540	26,280	—	—	80	28,340	98,240	26,360	—	—	—	—	43,540	—	—
7W	—	—	49,010	43,740	—	—	—	24,180	116,930	43,740	—	—	—	—	49,010	—	—
8E	—	—	42,910	31,590	880	—	1,680	31,980	109,040	28,730	280	1,450	3,690	1,450	42,910	—	—
8W	—	—	30,190	41,380	—	—	130	18,370	90,070	39,690	—	60	1,760	60	30,190	—	—
9E	—	—	6,120	25,070	13,170	—	970	65,280	110,610	39,160	50	—	—	—	6,120	—	—
9W	—	—	9,990	21,970	8,180	—	360	61,970	102,470	30,350	—	360	—	360	9,990	—	—
10E&W	—	—	54,760	25,200	8,050	—	—	109,480	197,490	33,250	—	—	—	—	54,760	—	—
11E	—	—	11,890	11,540	—	—	—	98,750	122,180	11,390	—	—	150	—	11,890	—	—
11W	—	—	27,820	16,180	20	—	—	66,990	111,010	16,180	20	150	—	—	27,820	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42G Continued																	
12E	—	—	20,280	18,940	—	—	500	73,040	112,760	18,850	—	—	130	—	20,280	—	—
12W	—	—	27,020	22,020	70	—	1,980	51,390	102,480	22,100	70	1,740	60	1,740	27,020	—	—
13E	—	—	21,390	19,560	9,680	—	60	60,190	110,880	29,240	—	60	—	60	21,390	—	—
13W	—	—	28,060	30,180	400	—	—	41,210	99,850	30,580	—	—	—	—	28,060	—	—
14E	—	—	6,440	28,400	40	—	—	69,470	104,350	28,350	—	—	90	—	6,440	—	—
14W	—	—	11,100	30,300	8,390	—	—	49,770	99,560	38,690	—	—	—	—	11,100	—	—
16E	—	—	6,180	36,940	7,000	—	940	53,590	104,650	—	750	1,500	—	—	6,180	—	—
16W	—	—	6,680	47,340	7,180	—	1,640	57,770	120,610	40,440	1,620	3,260	12,460	20	6,680	—	—
TOTALS	—	—	932,470	896,130	63,880	4,510	121,260	1,230,590	3,248,840	897,240	7,630	123,520	25,360	113,900	932,470	—	—

44

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42H																	
1E	—	—	31,600	57,700	—	310	8,430	24,780	122,820	7,370	310	7,310	17,260	7,000	31,600	—	—
1W	—	—	35,360	34,160	12,290	—	6,940	32,100	120,850	19,290	1,630	7,020	30,560	6,540	35,360	—	—
2E	—	—	34,930	30,090	590	—	7,340	37,200	110,150	24,230	5,800	7,340	6,770	1,600	34,930	—	—
2W	—	—	44,560	38,100	2,520	—	320	37,050	122,550	34,270	2,000	320	4,150	—	44,560	—	—
3E	—	—	49,790	25,720	1,220	—	3,460	40,820	121,010	18,920	2,340	2,660	9,960	320	42,040	—	—
3W	—	—	19,960	32,520	470	—	1,050	60,840	114,840	26,750	—	610	4,700	610	19,960	—	—
4E&W	—	—	84,770	55,670	2,400	—	6,080	82,100	231,020	53,030	2,920	4,720	4,920	800	1,680	—	—
5E	—	—	23,420	41,830	—	—	80	56,580	121,910	56,580	—	—	—	—	23,420	—	—
6E&W	—	—	47,280	37,020	8,120	—	5,200	69,710	167,330	27,320	8,120	—	3,200	—	47,280	—	—
7E	—	—	66,850	25,600	5,810	—	1,200	14,570	114,030	25,440	300	1,200	5,670	1,200	66,850	—	—
7W	—	—	42,170	53,530	2,720	—	2,040	18,300	118,760	53,530	500	2,040	2,220	2,040	42,170	—	—
8E	—	—	26,920	32,300	4,910	—	5,460	49,000	118,590	16,030	—	5,460	21,180	5,460	26,920	—	—
8W	—	—	45,580	33,260	14,230	—	6,960	18,850	118,880	8,680	3,350	6,960	25,220	6,960	45,580	—	—
9E	—	—	8,680	23,500	840	—	680	72,070	105,770	23,500	—	680	840	680	8,680	—	—
9W	—	—	16,310	22,410	7,220	—	1,790	70,580	118,310	19,580	750	1,790	9,300	1,790	16,310	—	—
10W	—	—	27,040	13,360	2,000	—	4,620	61,770	108,790	12,750	2,000	4,620	610	4,620	27,040	—	—
12E	—	—	20,700	30,680	1,050	—	—	58,170	110,600	25,440	1,050	—	5,240	—	20,700	—	—
12W	—	—	13,600	37,370	7,740	—	—	40,050	98,760	5,760	7,740	—	—	—	13,600	—	—

59

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
42H Continued																	
13E	—	—	12,090	68,050	1,150	—	—	39,450	120,740	30,020	200	—	38,980	—	12,090	—	—
13W	—	—	23,400	64,680	16,300	—	—	—	104,380	33,380	—	—	47,600	—	23,400	—	—
14E	—	—	21,460	37,890	4,120	—	160	59,910	123,540	42,170	—	—	—	—	21,460	—	—
14W	—	—	8,250	52,910	150	—	—	59,410	120,720	31,510	150	—	21,400	—	8,250	—	—
15E	—	—	16,660	14,570	10,900	—	620	64,430	107,180	15,270	—	620	11,020	620	16,660	—	—
15W	—	—	26,110	10,950	780	—	360	84,240	122,440	130	—	360	650	360	50	—	—
16E	—	—	31,650	—	12,410	—	2,220	21,970	68,250	—	—	2,220	12,410	2,220	14,500	—	—
TOTALS	—	—	779,140	873,870	119,940	310	65,010	1,173,950	3,012,220	610,950	39,160	55,930	283,860	42,820	645,090		

11

66

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
52A																	
3W	—	—	11,590	5,830	8,880	1,240	32,970	2,650	63,160	5,830	5,680	35,840	29,100	32,130	—	—	—
4E	—	140	36,940	12,180	13,750	4,400	40,390	5,970	113,770	17,050	16,770	45,490	55,480	39,100	140	—	—
4W	—	—	26,900	17,480	18,800	5,330	41,810	8,160	118,480	12,130	24,960	60,650	53,510	40,210	—	—	—
5E	—	8,180	28,460	16,660	30,470	11,050	23,220	6,660	124,700	9,880	38,780	47,170	75,370	19,820	8,180	—	—
5W	—	1,620	22,130	7,530	8,180	3,720	78,330	4,770	126,280	3,590	19,500	82,370	45,020	77,130	1,620	—	—
6E	—	150	—	2,450	9,240	1,670	10,220	2,170	25,900	2,610	2,240	8,350	18,330	5,510	150	—	—
6W	—	8,690	22,910	17,040	21,460	10,510	25,070	16,140	121,820	780	15,680	39,130	80,430	20,080	9,490	—	—
7E	—	—	190	2,040	4,270	3,020	17,270	30	26,820	670	7,270	23,950	4,210	16,640	—	—	—
7W	—	—	—	2,660	9,610	3,640	17,140	—	33,050	400	12,080	29,270	6,910	16,820	—	—	—
10E	—	130	13,210	5,610	1,990	2,920	52,510	9,560	85,930	11,610	3,080	55,240	16,470	52,150	130	—	—
10W	—	—	150	5,770	10,250	8,730	76,520	1,020	102,440	210	8,640	90,220	22,150	81,500	—	—	—
11E	—	—	80	340	5,320	3,850	110,840	1,850	122,280	1,090	4,240	111,980	16,480	106,980	—	—	—
11W	—	—	2,660	10,960	13,760	3,460	85,760	3,940	120,540	3,740	19,620	92,450	29,250	83,330	—	—	—
12E	—	120	8,890	22,060	15,340	1,740	64,560	120	112,830	1,420	34,450	65,810	50,440	64,150	110	—	—
12W	—	—	1,130	26,600	1,010	170	97,560	250	126,720	1,560	17,650	97,350	25,350	97,340	—	—	—
13E	—	—	—	—	25,410	—	80,380	—	105,790	10,730	6,290	46,800	25,410	25,830	—	—	—
13W	—	—	—	1,310	42,750	—	65,480	7,810	117,350	12,840	—	64,790	74,660	64,790	—	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
52A Continued																	
14E	—	—	—	—	16,100	8,910	90,150	—	115,160	70	—	99,060	41,040	90,150	—	—	—
14W	—	—	—	—	6,800	—	102,610	—	109,410	4,080	—	102,610	9,520	102,610	—	—	—
15E	—	200	14,840	10,660	39,220	190	48,340	3,530	116,980	8,550	12,070	76,810	67,250	46,840	200	—	—
15W	—	—	—	—	30,710	—	86,610	—	117,320	—	20,470	117,320	30,710	66,140	—	—	—
TOTALS	—	19,230	190,080	167,180	333,320	74,550	1,247,740	74,630	2,106,730	108,840	269,470	1,392,660	777,090	1,149,250	20,020	—	—
52C																	
8E&W	—	—	—	—	—	—	137,580	9,050	146,630	340	—	137,240	—	137,240	—	—	—
9E&W	—	—	—	—	—	—	224,100	15,390	239,490	960	—	223,140	—	223,140	—	—	—
10E&W	—	—	—	—	—	—	123,530	12,970	136,500	2,360	—	—	—	121,170	—	—	—
11E&W	—	2,280	12,160	550	—	—	54,110	8,850	77,950	14,430	200	45,100	690	45,100	1,870	—	—
12E&W	—	46,640	57,200	4,390	870	1,260	12,060	77,870	200,290	55,370	1,790	10,950	14,240	9,630	43,950	—	—
13E&W	—	20,370	20,430	2,160	5,370	120	166,460	20,810	235,720	31,780	2,530	157,440	11,110	157,020	16,420	—	—
14E&W	—	19,510	—	—	—	—	153,320	—	172,830	3,980	—	159,340	—	159,340	150	—	—
15E&W	—	—	—	—	—	—	191,600	26,510	218,110	2,640	—	188,960	—	188,960	—	—	—
16E&W	—	140	5,100	2,740	13,570	—	193,020	17,970	232,540	1,100	—	193,020	35,760	193,020	140	—	—
TOTALS	—	88,940	94,890	9,840	19,810	1,380	1,255,780	189,420	1,660,060	112,960	4,520	1,115,190	61,800	1,234,620	62,530	—	—

88

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
52D																	
9E&W	—	17,330	34,030	7,960	790	2,290	520	11,640	74,560	40,180	420	2,810	6,390	520	17,220	—	—
10E&W	—	320	5,140	1,840	—	—	—	1,260	8,560	6,270	180	—	790	320	320	—	—
15E&W	—	1,130	12,920	6,100	1,460	10,470	4,790	27,020	63,890	20,790	220	12,050	15,960	1,750	1,130	—	—
16E&W	—	57,860	57,810	15,190	2,070	2,500	23,170	83,170	241,770	66,260	280	26,440	21,740	23,680	57,860	—	—
TOTALS	—	76,640	109,900	31,090	4,320	15,260	28,480	123,090	388,780	133,500	1,100	41,300	44,880	26,270	76,530	—	—

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
52F																	
5E	—	—	—	—	—	—	88,230	—	88,230	—	—	—	88,230	88,230	—	—	—
5W	—	—	—	—	—	—	89,460	—	89,460	—	—	—	89,460	89,460	—	—	—
6E	—	—	—	—	1,230	—	12,390	570	14,190	—	—	—	12,390	5,290	—	—	—
6W	—	—	—	—	—	—	97,500	—	97,500	—	—	—	97,500	97,500	—	—	—
7E	—	—	—	4,430	3,710	7,390	84,150	—	99,680	—	7,390	7,900	91,680	84,150	—	—	—
7W	—	—	—	—	5,460	—	81,360	1,700	88,520	—	920	2,550	85,190	81,360	—	—	—
8E	—	—	—	6,550	—	—	96,400	2,790	105,740	—	—	3,920	99,030	96,400	—	—	—
8W	—	9,850	7,400	16,790	420	1,050	77,460	2,470	115,440	7,400	1,050	15,680	80,040	77,460	9,850	—	—
9E	—	820	80	9,120	2,080	12,500	16,820	9,770	51,190	2,430	8,290	4,700	32,830	6,080	820	—	—
9W	—	2,820	4,560	3,550	5,380	4,660	41,470	10,900	73,340	4,640	3,120	840	46,370	38,320	3,090	—	—
10E	—	12,160	27,290	2,160	2,640	4,430	41,260	3,430	93,370	9,950	4,260	4,120	67,830	39,090	12,160	—	—
10W	—	10,710	30,410	8,460	3,490	880	42,920	5,270	102,140	8,690	850	1,030	77,120	42,420	10,710	—	—
11E	—	2,340	9,070	3,870	—	820	63,550	—	79,650	20	590	620	76,670	63,070	2,340	—	—
14E	—	19,660	45,310	5,810	400	2,040	36,270	7,940	117,430	15,140	1,360	400	74,260	33,400	19,660	—	—
14W	—	10,170	25,890	6,760	3,860	7,250	32,050	8,830	94,810	4,660	5,810	2,920	58,230	28,270	10,170	—	—
15E	—	3,730	15,380	13,670	15,300	2,450	38,170	6,730	95,430	5,410	1,660	120	73,270	31,760	3,730	—	—

70

ACREAGES OF SOIL CAPABILITY FOR AGRICULTURE

MAP SHEETS	SOIL CLASSES									SUB-CLASSES							
	Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Organic (0)	Totals	W	T	P	S	R	C	E	I
52F Continued																	
15W	—	8,680	18,830	1,490	3,440	1,980	30,660	7,760	72,840	6,710	1,210	—	49,890	27,610	8,680	—	—
16E	—	—	—	—	—	2,400	91,740	80	94,220	—	1,600	—	94,140	90,140	—	—	—
16W	—	780	2,810	1,280	7,550	7,070	63,720	600	83,810	2,850	4,710	—	79,580	58,970	780	—	—
TOTALS	—	81,720	187,030	83,940	54,960	54,920	1,125,580	68,840	1,656,990	67,900	42,820	44,800	1,373,710	1,078,980	81,990	—	—
52L																	
3E	—	4,380	9,680	—	4,480	—	32,620	4,340	55,500	5,170	4,480	32,580	8,750	32,580	4,380	—	—
6E	—	660	4,560	—	1,130	—	44,040	3,290	53,680	2,470	—	44,040	3,220	44,040	—	—	—
11E	—	—	1,830	—	350	—	—	2,090	4,270	1,830	—	53,340	350	52,990	—	—	—
14E	—	—	—	420	2,920	—	48,610	2,380	54,330	420	—	51,530	3,340	48,610	—	—	—
TOTALS	—	5,040	16,070	420	8,880	—	125,270	12,100	167,780	9,890	4,480	181,490	15,660	178,220	4,380	—	—

71

