



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 11/2023**  
November 24, 2023



Safety First, Service Always

## Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition  
Edition No. 11/2023

Aussi disponible en français :  
Avis aux navigateurs – Édition mensuelle de l'Est  
Édition n° 11/2023

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Fisheries and Oceans Canada  
Montreal, QC H2Y 2E7

For more information, contact [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Minister of Fisheries, Oceans  
and the Canadian Coast Guard, 2023.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)  
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)  
ISSN 2817-0083

A web version is available here:

<https://www.notmar.gc.ca/monthly> (English)

<https://www.notmar.gc.ca/mensuel> (French)

## Explanatory Notes – Notices to Mariners (NOTMAR)

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

**Distances** may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

### Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

### NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


## Explanatory Notes – Canadian Hydrographic Service (CHS)

### Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

### Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2023*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: <https://www.charts.gc.ca/charts-cartes/paper-papier/papertable-tablepapier-eng.asp>.

## Explanatory Notes – Marine Communications and Traffic Services (MCTS)

### Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping<sup>1</sup>, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the CCG Navigational Warnings website at <http://nis.ccg-gcc.gc.ca>.

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p><b>Atlantic Region (North)</b>  <b>*Port aux Basques MCTS Centre</b></p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard                      49 Stadium Rd.                      P.O. Box 99                      Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089                      Facsimile: 709-695-7784</p> <p>Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a></p>	<p><b>Central Region</b>  <b>*Prescott MCTS Centre</b></p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard                      401 King Street West                      P.O. Box 1000                      Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666                      Facsimile: 613-925-4519</p> <p>Email: <a href="mailto:NAVWARN.MCTSPrescott@innav.gc.ca">NAVWARN.MCTSPrescott@innav.gc.ca</a></p>
<p><b>Atlantic Region (South)</b>  <b>*Sydney MCTS Centre</b></p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard                      1190 Westmount Road                      Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676                      Facsimile: 902-564-7662</p> <p>Email: <a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a></p>	<p><b>Arctic Region</b>  <b>*Iqaluit MCTS Centre</b>  <i>Operational from approximately mid-May until late December.</i></p> <p>“A” Series NAVWARN</p> <p>Canadian Coast Guard                      P.O. Box 189                      Iqaluit, NU X0A 0H0</p> <p>Telephone: 867-979-5269                      Facsimile: 867-979-4264</p> <p>Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a></p>

\*Service available in English and in French.

<sup>1</sup> The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

## Table of Contents

<b>Section 1: General and Safety Information</b>	<b>1</b>
*1207/22 Canadian Coast Guard – Waterway information.....	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations.....	1
*807/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process.....	1
*1101/23 Canadian Hydrographic Service – Nautical Charts.....	2
*1102/23 Canadian Hydrographic Service – Electronic Navigational Charts.....	2
*1103/23 Canadian Hydrographic Service – Raster Digital Charts (BSB V3).....	2
*1104/23 Transport Canada – Ship Safety Bulletins #23 and #24/2023.....	3
*1105/23 Canadian Coast Guard Publication – Amendments to the List of Lights, Buoys and Fog Signals Publication: Inland Waters.....	3
*1106/23 Saint John Harbour and Approaches / et les approches – Unlit Buoy Repositioned .....	3
*1107/23 Mahone Bay – Unlit Buoys Repositioned.....	3
*1108/23 Malpeque Bay – Unlit Buoy Repositioned.....	4
*1109/23 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Unlit Buoy Permanently Discontinued.....	4
<b>Section 1A: Temporary and Preliminary Notices</b>	<b>5</b>
Reminder – Comment Period for Active Preliminary Notices .....	5
*1110/23 Seniartlit Islands to / à Nain – Waterway Information : Tide Gauge Operational .....	5
*1111(P)/23 Cape Pine to / à Renews Harbour – Bell to be Discontinued.....	6
*1112/23 Cap de la Tête au Chien au/to Cap aux Oies – Waterway Information : Shallow Depths Charted .....	6
*1113(P)/23 Cape Canso to / à Country Island – Fog Horn to be Discontinued .....	6
<b>Section 2: Chart Corrections</b>	<b>8</b>
<b>Section 3: Radio Aids to Marine Navigation Corrections</b>	<b>23</b>
No corrections for this section. ....	23
<b>Section 4: Canadian Sailing Directions Corrections</b>	<b>24</b>
<b>Section 5: List of Lights, Buoys and Fog Signals Corrections</b>	<b>25</b>

## Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1201	<a href="#">8</a>	4523	<a href="#">5</a>	5143	<a href="#">28</a>
1202	<a href="#">8</a>	4530	<a href="#">13</a>	5163	<a href="#">27, 28</a>
1234	<a href="#">6, 8</a>	4617	<a href="#">25</a>	6035	<a href="#">4, 30</a>
1310	<a href="#">8, 9</a>	4667	<a href="#">25</a>	6242	<a href="#">31</a>
1313	<a href="#">9</a>	4670	<a href="#">25</a>	7573	<a href="#">22</a>
1320	<a href="#">6, 9</a>	4682	<a href="#">13, 14</a>	8046	<a href="#">22</a>
1360	<a href="#">9, 10</a>	4700	<a href="#">14</a>	14853 (U.S.)	<a href="#">1</a>
1513	<a href="#">10</a>	4701	<a href="#">26</a>	14882 (U.S.)	<a href="#">1</a>
2049	<a href="#">30</a>	4728	<a href="#">28</a>	14883 (U.S.)	<a href="#">1</a>
2224	<a href="#">10</a>	4820	<a href="#">15</a>	14884 (U.S.)	<a href="#">1</a>
2235	<a href="#">11</a>	4822	<a href="#">15</a>		
2245	<a href="#">5</a>	4826	<a href="#">15, 25</a>		
2274	<a href="#">11</a>	4839	<a href="#">15</a>		
2292	<a href="#">11</a>	4844	<a href="#">6</a>		
2301	<a href="#">11, 12</a>	4845	<a href="#">15</a>		
3827	<a href="#">2</a>	4848	<a href="#">15, 16, 17</a>		
4017	<a href="#">12</a>	4851	<a href="#">17, 18</a>		
4020	<a href="#">25</a>	4857	<a href="#">18</a>		
4023	<a href="#">12</a>	4862	<a href="#">18</a>		
4117	<a href="#">3, 12, 29</a>	4911	<a href="#">18, 19, 20, 30</a>		
4141	<a href="#">29</a>	4912	<a href="#">21</a>		
4203	<a href="#">29</a>	4913	<a href="#">30</a>		
4233	<a href="#">6</a>	4920	<a href="#">21, 30</a>		
4234	<a href="#">29</a>	4934	<a href="#">2</a>		
4266	<a href="#">29</a>	4967	<a href="#">22</a>		
4302	<a href="#">12, 13</a>	5030	<a href="#">25, 26</a>		
4335	<a href="#">5</a>	5031	<a href="#">26</a>		
4381	<a href="#">3</a>	5032	<a href="#">26, 27</a>		
4419	<a href="#">2</a>	5033	<a href="#">27</a>		
4440	<a href="#">2</a>	5047	<a href="#">28</a>		
4486	<a href="#">30</a>	5048	<a href="#">28</a>		
4491	<a href="#">4</a>	5052	<a href="#">5, 28</a>		
4515	<a href="#">13</a>	5133	<a href="#">27</a>		
4518	<a href="#">13</a>	5134	<a href="#">27</a>		

## Section 1: General and Safety Information

---

### **\*1207/22 Canadian Coast Guard – Waterway information**

(Recurrent publication of notice \*1207/22, originally published in the *Notices to Mariners – Monthly Eastern Edition 12/2022* publication.)

Reference chart: 14853 (U.S.), 14882 (U.S.), 14883 (U.S.), 14884 (U.S.)

Updated shoaling conditions for the navigational channels in the Great Lakes are available on the Canadian Coast Guard websites:

[CCG e-Nav - Shoals in the Detroit River \(canada.ca\)](#)  
[CCG e-Nav - Shoals in the St. Clair River \(canada.ca\)](#)  
[CCG e-Nav - Shoals in the St. Mary's River \(canada.ca\)](#)

Great Lakes Waterways Channel Bottom Conditions and Active Shoals are available at the website:

[GCC - e-Nav Portal - Central - Great Lakes Waterways - Channel Bottom Conditions \(canada.ca\)](#)

Areas		
Detroit River	North Channel	St. Clair River
Great Lakes	Lake Huron	St. Marys River
Lake Erie	Lake St. Clair	Whitefish Bay

(NW-C-2130-22)

### **\*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations**

(Recurrent publication of notice \*505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 05/2023* publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

### **\*807/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process**

(Recurrent publication of notice \*807/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 08/2023* publication.)

The records of the Canadian Hydrographic Service could contain geographical names that may be considered racist, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, but the work is still ongoing. For more information, about inappropriate geographical names, please contact [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).



**\*1101/23 Canadian Hydrographic Service – Nautical Charts**

Charts	Main Title	Scale	Edition Date	Published	Cat#	Price
<b>New Charts</b>						
3827	Tasu Sound	1:22 000	2023-09-29	2023-11-24	2	\$20.00
<b>New Editions</b>						
4440	Îles Sainte-Marie à/to Île à la Brume	1:75 000	2023-08-01	2023-11-24	1	\$20.00
<b>Charts Permanently Withdrawn</b>						
4419	Souris Harbour and Approaches / et les approches	Cancelled by 4934				

**\*1102/23 Canadian Hydrographic Service – Electronic Navigational Charts**

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>New Charts</b>			
CA549QGA (Edn 1.000)	Charlottetown Harbour South	1:6 000	2023-11-24
CA54AQGA (Edn 1.000)	Charlottetown Harbour North	1:6 000	2023-11-24
CA571399 (Edn 1.000)	Whaletown	1:4 000	2023-11-24
<b>New Editions</b>			
CA376070 (Edn 7.000)	Renews Harbour to/à Motion Bay	1:30 000	2023-11-24
CA376811 (Edn 5.000)	South Auliatsivik Island to/à Fenstone Tickle Island	1:30 000	2023-11-03
CA448MTA (Edn 2.000)	Transit4600N07200W	1:11 000	2023-11-24
CA476673 (Edn 4.000)	Cape Daly to/à Amiktok Island	1:20 000	2023-11-03
CA54MQVA (Edn 2.000)	Port4730N06190W	1:4 000	2023-11-17
CA55HQ0A (Edn 2.000)	Port5020N06480W	1:2 000	2023-11-24

**\*1103/23 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts	Main Title	Scale	Edition Date	Published
<b>Charts Permanently Withdrawn</b>				
RM-4419	Souris Harbour and Approaches / et les approches			

**\*1104/23 Transport Canada - Ship Safety Bulletins #23 and #24/2023**

New **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the links below:

[SSB#23/2023](#) – Marine Medical Certificates, Discharge Books & Marine Counter Services  
(September 2023)  
RDIMS# 19794724

[SSB#24/2023](#) – Recognition of Royal Canadian Navy competencies by Transport Canada  
RDIMS# 19859349

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at [marinesafety-securitemaritime@tc.gc.ca](mailto:marinesafety-securitemaritime@tc.gc.ca) or 1-855-859-3123 (Toll Free).

**\*1105/23 Canadian Coast Guard Publication – Amendments to the List of Lights, Buoys and Fog Signals Publication: Inland Waters**

Please note that the Restoule River section in the Inland Waters volume of the *List of Lights, Buoys and Fog Signals* publication has been removed.

**\*1106/23 Saint John Harbour and Approaches / et les approches – Unlit Buoy Repositioned**

Reference chart: 4117

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Round Reef buoy J16	5102.16	45° 15' 28.0"N 066° 03' 20.0"W

(F2023-032)

**\*1107/23 Mahone Bay – Unlit Buoys Repositioned**

Reference chart: 4381

The following unlit buoys have been repositioned to the following coordinates:

Aid Name	LL #	Position
Deep Cove buoy MY54	5459.016	44° 32' 06.8"N 064° 06' 53.9"W
Deep Cove buoy MY56	5459.035	44° 32' 04.9"N 064° 06' 52.3"W

(F2023-024, 025)

**\*1108/23 Malpeque Bay – Unlit Buoy Repositioned**

Reference chart: 4491

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Port Hill buoy JY7	6075.12	46° 35' 09.8"N 063° 49' 37.9"W

(G2023-160)

**\*1109/23 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Unlit Buoy  
Permanently Discontinued**

Reference chart: 6035

The following unlit buoy has been permanently discontinued:

Aid Name	LL #	Position
Buoy J13	9324	46° 12' 54.5"N 079° 21' 50.4"W

(D2023-034)

## Section 1A: Temporary and Preliminary Notices

### Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
<b>Newfoundland and Labrador Coast</b>			
<a href="#">1014(P)/23</a>	4523	336.28	Aid to Navigation to be Discontinued
<b>Atlantic Coast</b>			
<a href="#">916(P)/23</a>	4335	5685	Daybeacon to be Discontinued
<b>Inland Waters</b>			
<a href="#">918(P)/23</a>	2245	984	Aid to Navigation to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

### Newfoundland and Labrador Coast

#### Temporary Notices

#### \*1110/23 Seniartlit Islands to / à Nain – Waterway Information : Tide Gauge Operational

Reference: Notice 1111(T)/22 is cancelled (Chart 5052).

Tide Gauge 01430 located at Nain is now operational.

#### Preliminary Notices

##### Atlantic Region

##### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

**\*1111(P)/23 Cape Pine to / à Renews Harbour – Bell to be Discontinued**

Reference chart: 4844

The Canadian Coast Guard proposes to permanently discontinue the bell from the following aid to navigation:

Aid Name	LL #	Position
Powles Head light and bell buoy ME	5.5	46° 41' 15.0"N 053° 24' 45.0"W

Initial publication date: Friday, November 24, 2023

[Comment submission deadline](#): Thursday, February 22, 2024

(N2023-219)

**Atlantic Coast**

**Temporary Notices**

**\*1112/23 Cap de la Tête au Chien au/to Cap aux Oies – Waterway Information : Shallow Depths Charted**

Reference: Notice 1114(T)/22 is cancelled (Charts 1234, 1320).

Shallower depths now charted on charts 1234 and 1320.

**Preliminary Notices**

**Atlantic Region**

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

**\*1113(P)/23 Cape Canso to / à Country Island – Fog Horn to be Discontinued**

Reference chart: 4233

The Canadian Coast Guard proposes to permanently discontinue the fog horn from the following aid to navigation:

Aid Name	LL #	Position
Hog Island	654	45° 13' 43.6"N 061° 13' 11.0"W

Initial publication date: Friday, November 24, 2023

[Comment submission deadline](#): Thursday, February 22, 2024

(G2023-169)

**Inland Waters**

**Temporary Notices**

No notices applicable for this edition.

**Preliminary Notices**

No notices applicable for this edition.

## Section 2: Chart Corrections

**1201 - Saguenay - New Chart - 07-FEB-2014 - NAD 1983**  
10-NOV-2023

LNМ/D. 17-MAR-2023

Delete Ru against wharf  
(See Chart 1, F33)

48°25'50.4"N 071°03'19.3"W

*DFO(6410944-01)*

**1201 - Saint-Fulgence à/to Saguenay - New Chart - 07-FEB-2014 - NAD 1983**  
10-NOV-2023

LNМ/D. 17-MAR-2023

Delete Ru against wharf  
(See Chart 1, F33)

48°25'51.0"N 071°03'19.2"W

*DFO(6410944-01)*

**1202 - Baie des Ha! Ha! - New Edition - 23-OCT-2020 - NAD 1983**  
10-NOV-2023

LNМ/D. 17-MAR-2023

Delete depth of 13,7 metres  
(See Chart 1, I10)

48°20'09.0"N 070°52'07.3"W

*DFO(6410823-01)*

Add footbridge  
(See Chart 1, D20.2)

between 48°20'08.7"N 070°52'08.3"W  
and 48°20'09.2"N 070°52'07.0"W

*DFO(6410823-02)*

Add dolphin  
(See Chart 1, F20)

48°20'09.1"N 070°52'07.3"W

*DFO(6410823-03)*

**1202 - Cap à l'Est à St-Fulgence - Continuation A - New Edition - 23-OCT-2020 - NAD 1983**  
10-NOV-2023

LNМ/D. 17-MAR-2023

Add footbridge  
(See Chart 1, D20.2)

between 48°20'08.7"N 070°52'08.3"W  
and 48°20'09.2"N 070°52'07.0"W

*DFO(6410823-02)*

**1234 - Cap de la Tête au Chien au/to Cap aux Oies - New Edition - 04-NOV-2011 - NAD 1983**  
24-NOV-2023

LNМ/D. 24-FEB-2023

Delete depth of 11,3 metres  
(See Chart 1, I10)

47°55'24.4"N 069°38'54.0"W

*DFO(6410914-01)*

Add depth of 9,7 metres  
(See Chart 1, I10)

47°55'29.8"N 069°38'57.7"W

*DFO(6410914-02)*

Add depth of 3.3 metres  
(See Chart 1, I10)

47°56'58.4"N 069°47'24.2"W

*DFO(6410941-02)*

**1310 - Section B-C - New Edition - 07-JUN-2019 - NAD 1983**  
17-NOV-2023

LNМ/D. 14-JUL-2023

Delete depth of 6.8 metres  
(See Chart 1, I10)

45°38'06.2"N 073°29'15.9"W

*DFO(6410951-01)*

Add depth of 5.7 metres  
(See Chart 1, I10) 45°38'06.9"N 073°29'15.3"W  
DFO(6410951-02)

**1313 - Batiscan au/to Lac Saint-Pierre - New Edition - 08-MAR-2019 - NAD 1983**  
24-NOV-2023

LNMD. 23-JUN-2023

Delete depth of 4,5 metres  
(See Chart 1, I10) 46°18'40.3"N 072°32'55.4"W  
DFO(6410949-01)

Add depth of 4,1 metres  
(See Chart 1, I10) 46°18'41.5"N 072°32'55.2"W  
DFO(6410949-02)

**1313 - Port de Trois-Rivières - New Edition - 08-MAR-2019 - NAD 1983**  
24-NOV-2023

LNMD. 23-JUN-2023

Delete depth of 6,1 metres  
(See Chart 1, I10) 46°20'43.0"N 072°31'51.5"W  
DFO(6410928-01)

Add depth of 5,7 metres  
(See Chart 1, I10) 46°20'43.2"N 072°31'52.3"W  
DFO(6410928-02)

Add depth of 10,1 metres  
(See Chart 1, I10) 46°20'00.2"N 072°32'43.8"W  
DFO(6410928-03)

**1320 - Île du Bic au/to Cap de la Tête au Chien - New Chart - 26-AUG-2011 - NAD 1983**  
24-NOV-2023

LNMD. 06-OCT-2023

Delete depth of 11,3 metres  
(See Chart 1, I10) 47°55'24.4"N 069°38'54.0"W  
DFO(6410914-01)

Add depth of 9,7 metres  
(See Chart 1, I10) 47°55'29.8"N 069°38'57.7"W  
DFO(6410914-02)

Add depth of 3.3 metres  
(See Chart 1, I10) 47°56'58.4"N 069°47'24.2"W  
DFO(6410941-02)

**1360 - Compartiment B-C - New Chart - 23-MAY-2014 - NAD 1983**  
03-NOV-2023

LNMD. 05-OCT-2018

Delete yellow cautionary can buoy, marked SKINA  
(See Chart 1, Q21,Qi) 45°03'31.6"N 072°15'55.3"W  
(Q2023038) LL(7397.04) DFO(6410839-01)

Add yellow cautionary spar buoy, marked SKINA  
(See Chart 1, Q24,Qi) 45°03'33.4"N 072°15'55.0"W  
(Q2023038) LL(7397.04) DFO(6410839-02)

Delete yellow cautionary can buoy, marked SKINB  
(See Chart 1, Q21,Qi) 45°03'31.4"N 072°15'54.1"W  
(Q2023039) LL(7397.05) DFO(6410840-01)



Add yellow cautionary spar buoy, marked SKINB 45°03'30.4"N 072°15'54.1"W  
(See Chart 1, Q24,Qi)  
(Q2023-039) LL(7397.05) DFO(6410840-02)

**1513 - Rocky Narrows to/à Narrows Lock - Sheet/Feuille 2 - New Edition - 05-JAN-2007 - NAD 1983**  
17-NOV-2023

LNM/D. 12-MAR-2010

Add orange and white mooring can buoy 44°44'06.1"N 076°13'11.8"W  
(See Chart 1, Q40)  
DFO(6605167-01)

Add orange and white mooring can buoy 44°44'02.7"N 076°13'26.4"W  
(See Chart 1, Q40)  
DFO(6605167-02)

Add orange and white mooring can buoy 44°44'02.6"N 076°13'23.0"W  
(See Chart 1, Q40)  
DFO(6605167-03)

Add orange and white mooring can buoy 44°44'02.7"N 076°13'15.9"W  
(See Chart 1, Q40)  
DFO(6605167-04)

Add orange and white mooring can buoy 44°44'03.9"N 076°13'12.9"W  
(See Chart 1, Q40)  
DFO(6605167-05)

Add orange and white mooring can buoy 44°44'06.3"N 076°13'08.7"W  
(See Chart 1, Q40)  
DFO(6605167-06)

Add orange and white mooring can buoy 44°43'59.7"N 076°13'25.3"W  
(See Chart 1, Q40)  
DFO(6605167-07)

Add orange and white mooring can buoy 44°44'07.5"N 076°13'05.9"W  
(See Chart 1, Q40)  
DFO(6605167-08)

Add orange and white mooring can buoy 44°44'13.1"N 076°13'02.3"W  
(See Chart 1, Q40)  
DFO(6605167-09)

Add orange and white mooring can buoy 44°44'11.0"N 076°13'02.8"W  
(See Chart 1, Q40)  
DFO(6605167-10)

Add orange and white mooring can buoy 44°44'08.7"N 076°13'03.0"W  
(See Chart 1, Q40)  
DFO(6605167-11)

**2224 - Rose Island to/à Parry Sound - New Chart - 02-JUN-2006 - NAD 1983**  
17-NOV-2023

LNM/D. 09-SEP-2022

Add obstruction with known depth of 0.4 metres, Rep (2023) 45°20'27.0"N 080°11'02.2"W  
(See Chart 1, K41)  
This notice affects Electronic Navigational Chart: CA573308  
DFO(6605163-01)

**2235 - Cape Hurd to/à Lonely Island - New Edition - 01-OCT-2021 - World Geodetic System 1984**

03-NOV-2023 LNM/D. 19-MAY-2023

Delete leading light, marked F 14M 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, P20.1)  
This notice affects Electronic Navigational Chart: CA373281, CA573005  
*DFO(6605156-01)*

17-NOV-2023 LNM/D. 03-NOV-2023

Amend Bn to read against structure 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, Q80)  
*DFO(6605171-01)*

**2274 - Cape Hurd to/à Tobermory and/et Cove Island - New Edition - 08-NOV-2019 - World Geodetic System 1984**

03-NOV-2023 LNM/D. 19-MAY-2023

Delete leading light, marked F 14M 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, P20.1)  
This notice affects Electronic Navigational Chart: CA373281, CA573005  
*DFO(6605156-01)*

17-NOV-2023 LNM/D. 03-NOV-2023

Amend Bn to read against structure 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, Q80)  
*DFO(6605171-01)*

**2292 - Chantry Island to Cove Island - New Edition - 31-JAN-2020 - NAD 1983**

03-NOV-2023 LNM/D. 28-JUL-2023

Delete leading light, marked F 11m 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, P20.1)  
This notice affects Electronic Navigational Chart: CA373281, CA573005  
*DFO(6605156-01)*

Delete F 16m against light 45°17'32.0"N 081°41'13.7"W  
(See Chart 1, P16)  
*DFO(6605156-02)*

Add F 14M against light 45°17'32.0"N 081°41'13.7"W  
(See Chart 1, P16)  
*DFO(6605156-03)*

Add Fl 5M against light 45°17'32.0"N 081°41'13.7"W  
(See Chart 1, P16)  
*DFO(6605156-04)*

17-NOV-2023 LNM/D. 03-NOV-2023

Amend Bn to read against structure 45°17'09.2"N 081°41'41.2"W  
(See Chart 1, Q80)  
*DFO(6605171-01)*

**2301 - Passage Island to/à Thunder Bay - New Edition - 22-FEB-1991 - US Standard Datum**

17-NOV-2023 LNM/D. 25-AUG-2023

Delete depth of 1¾ fathoms 48°31'35.3"N 088°55'12.0"W  
(See Chart 1, I10)  
*DFO(6605165-01)*

Add	depth of ½ fathoms (See Chart 1, I10)	48°31'37.7"N 088°55'12.6"W  <i>DFO(6605165-02)</i>
<b>4017 - Cape Race to / à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983</b>		
17-NOV-2023		LNMD. 14-APR-2023
Amend	Fl 3s100ft6M to read Fl 5s98ft5M against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA276092, CA476279	49°35'41.8"N 053°45'44.0"W  <i>(N2023140) LL(396) DFO(6310892-01)</i>
<b>4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - World Geodetic System 1984</b>		
03-NOV-2023		LNMD. 28-JUL-2023
Add	depth of 0 fathom, 4 feet (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA276286, CA476133	47°07'24.4"N 064°58'58.8"W  <i>DFO(6310882-08)</i>
Add	depth of 2 fathoms, 2 feet (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA276286	47°06'30.8"N 064°58'04.9"W  <i>DFO(6310882-24)</i>
<b>4117 - Saint John Harbour and Approaches / et les approches - New Edition - 29-MAY-2009 - NAD 1983</b>		
17-NOV-2023		LNMD. 14-JUL-2023
Delete	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576005	45°15'16.8"N 066°02'49.8"W  <i>DFO(6310947-01)</i>
Delete	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576005	45°15'34.2"N 066°02'45.0"W  <i>DFO(6310947-02)</i>
Amend	5,2m to read 5,3m (See Chart 1, I21) This notice affects Electronic Navigational Chart: CA276206, CA376011, CA576005	45°16'12.6"N 066°02'33.3"W  <i>DFO(6310947-03)</i>
Amend	5,2m to read 5,3m (See Chart 1, I21) This notice affects Electronic Navigational Chart: CA276206, CA376011, CA576005	45°15'11.9"N 066°02'54.8"W  <i>DFO(6310947-04)</i>
<b>4302 - Canso Lock and Causeway / Écluse et Chaussée Surélevée de Canso - New Chart - 28-SEP-2012 - NAD 1983</b>		
24-NOV-2023		LNMD. 18-FEB-2022
Delete	depth of 7.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576679	45°38'47.1"N 061°24'43.7"W  <i>DFO(6310948-01)</i>
Replace	depth of 6.1 metres with depth of 1.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576679	45°39'14.5"N 061°25'16.1"W  <i>DFO(6310948-02)</i>

Add	depth of 7.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576679	45°38'47.4"N 061°24'44.2"W  <i>DFO(6310948-03)</i>
Add	depth of 9.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576679	45°38'46.5"N 061°24'39.9"W  <i>DFO(6310948-04)</i>
<b>4515 - Hare Bay - New Edition - 20-NOV-1998 - NAD 1983</b> 24-NOV-2023		LNMD. 25-SEP-2020
Amend	FI R to read FI R 5s against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA376660	51°10'10.2"N 055°59'48.9"W  <i>(N2023144) LL(246) DFO(6310896-01)</i>
<b>4518 - Ariege Bay - New Edition - 08-NOV-2002 - NAD 1983</b> 24-NOV-2023		LNMD. 21-SEP-2007
Amend	FI R to read FI R 5s against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA376660	51°10'10.2"N 055°59'47.9"W  <i>(N2023144) LL(246) DFO(6310896-01)</i>
<b>4530 - Hamilton Sound: Eastern Portion / Partie-est - New Edition - 15-MAR-2002 - NAD 1983</b> 10-NOV-2023		LNMD. 14-APR-2023
Add	marine farm (See Chart 1, K48.2) This notice affects Electronic Navigational Chart: CA476813	49°34'45.0"N 054°15'42.5"W  <i>DFO(6310942-01)</i>
17-NOV-2023		LNMD. 10-NOV-2023
Amend	FI 3s30m6M to read FI 5s30m5M against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA276092, CA476279	49°35'36.3"N 053°45'46.2"W  <i>(N2023140) LL(396) DFO(6310892-01)</i>
Amend	FI 4s8m to read FI 5s8m against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA476279	49°29'27.0"N 053°56'36.9"W  <i>(N2023141) LL(401) DFO(6310893-01)</i>
<b>4682 - Codroy Harbour - New Edition - 27-JUN-2003 - NAD 1983</b> 03-NOV-2023		LNMD. 20-OCT-2023
Delete	depth of 5 feet (See Chart 1, I10)	47°52'50.8"N 059°23'53.5"W  <i>DFO(6310669-01)</i>
Delete	depth of 3 feet (See Chart 1, I10)	47°52'48.0"N 059°23'58.0"W  <i>DFO(6310669-02)</i>
Delete	depth of 4 feet (See Chart 1, I10)	47°52'47.5"N 059°23'52.0"W  <i>DFO(6310669-03)</i>

Delete	depth of 3 feet (See Chart 1, I10)	47°52'45.8"N 059°23'47.4"W <i>DFO(6310669-04)</i>
Add	depth of 1 foot (See Chart 1, I10)	47°52'51.0"N 059°23'53.7"W <i>DFO(6310669-05)</i>
Add	drying height of 0 feet (See Chart 1, I15)	47°52'51.0"N 059°23'52.3"W <i>DFO(6310669-06)</i>
Add	depth of 2 feet (See Chart 1, I10)	47°52'50.6"N 059°23'52.7"W <i>DFO(6310669-07)</i>
Add	drying height of 0 feet (See Chart 1, I15)	47°52'49.1"N 059°23'55.4"W <i>DFO(6310669-08)</i>
Add	drying height of 0 feet (See Chart 1, I15)	47°52'48.4"N 059°23'56.2"W <i>DFO(6310669-09)</i>
Add	drying height of 0 feet (See Chart 1, I15)	47°52'47.8"N 059°23'57.1"W <i>DFO(6310669-10)</i>
Add	depth of 2 feet (See Chart 1, I10)	47°52'47.8"N 059°23'58.6"W <i>DFO(6310669-11)</i>
Add	depth of 4 feet (See Chart 1, I10)	47°52'48.0"N 059°23'51.4"W <i>DFO(6310669-12)</i>
Add	depth of 2 feet (See Chart 1, I10)	47°52'47.4"N 059°23'51.7"W <i>DFO(6310669-13)</i>
Add	depth of 1 foot (See Chart 1, I10)	47°52'46.0"N 059°23'47.4"W <i>DFO(6310669-14)</i>
Add	depth of 6 feet (See Chart 1, I10)	47°52'44.3"N 059°23'47.9"W <i>DFO(6310669-15)</i>

**4700 - Belle Isle to / à Resolution Island - New Edition - 21-MAR-2003 - Unknown**  
03-NOV-2023

Delete	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 128 fathoms (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176290	59°22'29.5"N 060°18'33.5"W <i>DFO(6310884-01)</i>
--------	--	--

**4820 - Cape Freels to / à Exploits Islands - New Chart - 01-JUL-2005 - NAD 1983**

17-NOV-2023

LNLM/D. 06-OCT-2023

Amend FI 3s30m6M to read FI 5s30m5M against light 49°35'36.2"N 053°45'46.1"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA276092, CA476279  
(N2023140) LL(396) DFO(6310892-01)

**4822 - Cape St John to / à St Anthony - New Chart - 30-JUN-2006 - NAD 1983**

24-NOV-2023

LNLM/D. 07-APR-2023

Amend F R to read FI R 5s against light 51°10'10.4"N 055°59'47.7"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376660  
(N2023144) LL(246) DFO(6310896-01)

**4826 - Burgeo to / à François - New Chart - 24-FEB-2006 - NAD 1983**

10-NOV-2023

LNLM/D. 21-JUL-2023

Add wreck, least depth unknown, with legend Rep (2023) 47°33'16.2"N 057°14'16.2"W  
(See Chart 1, K29, I3.2)  
This notice affects Electronic Navigational Chart: CA376619  
DFO(6310943-01)

**4839 - Head of / Fond de Placentia Bay - New Edition - 28-JAN-2011 - NAD 1983**

17-NOV-2023

LNLM/D. 24-MAR-2023

Amend FI 4s12m to read FI 5s12m against light 47°49'14.3"N 054°05'52.7"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA476079  
(N2023132) LL(40) DFO(6310885-01)

**4845 - Fermeuse Harbour - New Edition - 12-SEP-1997 - NAD 1983**

24-NOV-2023

LNLM/D. 04-AUG-2023

Amend FI R to read FI Y against Light 46°58'20.9"N 052°56'58.4"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376070, CA576818  
(N2023118) LL(511.3) DFO(6310852-01)

**4845 - Renews Harbour to/à Motion Bay - New Edition - 12-SEP-1997 - NAD 1983**

24-NOV-2023

LNLM/D. 04-AUG-2023

Add black, yellow and black East cardinal lighted pillar buoy VQ(3)5s, marked 47°10'52.0"N 052°50'17.3"W  
MBE  
(See Chart 1, Q130.3)  
This notice affects Electronic Navigational Chart: CA376070  
(N2023089) LL(508.16) DFO(6310740-01)

**4848 - Long Pond - New Edition - 25-JUL-2008 - NAD 1983**

17-NOV-2023

LNLM/D. 28-JUL-2023

Delete depth of 8 metres 47°31'10.3"N 052°58'47.1"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576114  
DFO(6310946-01)

Delete depth of 8 metres 47°31'08.9"N 052°58'45.1"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576114  
DFO(6310946-02)

Add	depth of 7.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'10.3"N 052°58'47.6"W  <i>DFO(6310946-03)</i>
Replace	depth of 7.8 metres with depth of 8.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'09.6"N 052°58'45.7"W  <i>DFO(6310946-04)</i>
Add	depth of 7.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'09.7"N 052°58'44.1"W  <i>DFO(6310946-05)</i>
Add	depth of 8.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'08.8"N 052°58'45.9"W  <i>DFO(6310946-06)</i>
Add	depth of 8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'08.9"N 052°58'43.7"W  <i>DFO(6310946-07)</i>
Add	depth of 7.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'06.9"N 052°58'43.9"W  <i>DFO(6310946-08)</i>
Add	depth of 4.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'05.7"N 052°58'44.0"W  <i>DFO(6310946-09)</i>
Add	depth of 8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'06.0"N 052°58'43.2"W  <i>DFO(6310946-10)</i>
Replace	depth of 8.1 metres with depth of 7.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'02.9"N 052°58'41.6"W  <i>DFO(6310946-11)</i>
Replace	depth of 5.3 metres with depth of 4.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°30'54.3"N 052°58'37.1"W  <i>DFO(6310946-12)</i>
Add	depth of 1.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°30'55.3"N 052°58'35.2"W  <i>DFO(6310946-13)</i>
Add	depth of 1.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°30'56.9"N 052°58'33.6"W  <i>DFO(6310946-15)</i>

Add	depth of 1.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°30'57.7"N 052°58'33.5"W  <i>DFO(6310946-16)</i>
Add	depth of 1.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°30'59.2"N 052°58'33.0"W  <i>DFO(6310946-17)</i>
Add	depth of 4.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'00.9"N 052°58'32.6"W  <i>DFO(6310946-18)</i>
Add	depth of 1.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'01.8"N 052°58'32.7"W  <i>DFO(6310946-19)</i>
Replace	depth of 8.4 metres with depth of 7.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'03.0"N 052°58'34.4"W  <i>DFO(6310946-20)</i>
Add	depth of 1.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'03.6"N 052°58'33.3"W  <i>DFO(6310946-21)</i>
Add	depth of 2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576114	47°31'05.2"N 052°58'35.8"W  <i>DFO(6310946-22)</i>
<b>4851 - Bull Arm - New Edition - 30-SEP-2016 - World Geodetic System 1984</b>		
24-NOV-2023		LNMD. 15-SEP-2023
Add	obstruction with known depth of 8.8 metres (See Chart 1, K41) This notice affects Electronic Navigational Chart: CA576486	47°48'28.1"N 053°52'58.3"W  <i>DFO(6310944-01)</i>
Add	note Entry Prohibited (See Chart 1, A14) This notice affects Electronic Navigational Chart: CA576486	47°48'34.9"N 053°52'08.8"W  <i>DFO(6310944-05)</i>
<b>4851 - Trinity Bay: Southern Portion / Partie Sud - New Edition - 30-SEP-2016 - World Geodetic System 1984</b>		
24-NOV-2023		LNMD. 15-SEP-2023
Delete	note See/Voir note CONSTRUCTION (See Chart 1, A14)	47°48'15.1"N 053°51'09.8"W  <i>DFO(6310944-02)</i>



Delete	note CONSTRUCTION This area is temporarily established as a construction zone. Mariners may enter the area only in the event of an emergency.  CONSTRUCTION Cette zone a été provisoirement désignée comme zone de construction. Les navigateurs ne peuvent y pénétrer sauf en cas d'urgence. (See Chart 1, A14)	47°47'10.0"N 053°55'21.4"W   <i>DFO(6310944-03)</i>
Add	note Entry Prohibited (See Chart 1, A14)	47°48'15.1"N 053°51'09.8"W  <i>DFO(6310944-04)</i>
<b>4857 - Indian Bay to / à Wadham Islands - New Chart - 29-OCT-1999 - NAD 1983</b>		
17-NOV-2023		LNM/D. 06-OCT-2023
Amend	Fl 3s 31m 6M to read Fl 5s30m5M against light (See Chart 1, P16) This notice affects Electronic Navigational Chart: CA276092, CA476279	49°35'36.2"N 053°45'46.1"W  <i>(N2023140) LL(396) DFO(6310892-01)</i>
<b>4862 - Carmanville to / à Bacalhoa Island and / et Fogo - New Chart - 26-DEC-2003 - NAD 1983</b>		
10-NOV-2023		LNM/D. 28-APR-2023
Add	marine farm (See Chart 1, K48.2) This notice affects Electronic Navigational Chart: CA476813	49°34'46.8"N 054°15'39.0"W  <i>DFO(6310942-01)</i>
<b>4911 - Entrée à / Entrance to Miramichi River - New Edition - 27-JAN-2006 - NAD 1983</b>		
03-NOV-2023		LNM/D. 22-SEP-2023
Add	depth of 10 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°08'41.2"N 065°01'01.6"W  <i>DFO(6310882-01)</i>
Add	depth of 4.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°08'18.4"N 065°00'05.4"W  <i>DFO(6310882-02)</i>
Replace	depth of 6.8 metres with depth of 6.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°08'13.8"N 064°59'42.5"W  <i>DFO(6310882-03)</i>
Replace	depth of 8.3 metres with depth of 7.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'44.6"N 064°59'20.7"W  <i>DFO(6310882-04)</i>
Replace	depth of 4.4 metres with depth of 3.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'42.2"N 064°59'15.7"W  <i>DFO(6310882-05)</i>

Delete	depth of 6.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'33.5"N 064°59'08.6"W  <i>DFO(6310882-06)</i>
Add	depth of 3.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'30.1"N 064°59'04.0"W  <i>DFO(6310882-07)</i>
Add	depth of 1.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA276286, CA476133	47°07'24.4"N 064°58'58.8"W  <i>DFO(6310882-08)</i>
Add	depth of 2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'18.8"N 064°58'52.1"W  <i>DFO(6310882-09)</i>
Add	depth of 2.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'16.9"N 064°58'50.1"W  <i>DFO(6310882-10)</i>
Replace	depth of 8.2 metres with depth of 7.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°07'14.9"N 064°58'50.4"W  <i>DFO(6310882-11)</i>
Delete	depth of 6.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'35.0"N 064°58'30.7"W  <i>DFO(6310882-12)</i>
Add	depth of 6.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'32.5"N 064°58'29.9"W  <i>DFO(6310882-13)</i>
Replace	depth of 4.9 metres with depth of 4.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'30.9"N 064°58'05.0"W  <i>DFO(6310882-14)</i>
Add	depth of 4.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'30.7"N 064°58'01.4"W  <i>DFO(6310882-15)</i>
Replace	depth of 5.7 metres with depth of 5.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'30.0"N 064°57'56.9"W  <i>DFO(6310882-16)</i>
Delete	depth of 6.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'25.5"N 064°58'05.7"W  <i>DFO(6310882-17)</i>

Add	depth of 4.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'25.8"N 064°58'08.5"W  <i>DFO(6310882-18)</i>
Add	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'20.1"N 064°57'59.0"W  <i>DFO(6310882-19)</i>
Add	depth of 5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'16.6"N 064°58'01.8"W  <i>DFO(6310882-20)</i>
Replace	depth of 6.6 metres with depth of 6.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'18.1"N 064°57'32.7"W  <i>DFO(6310882-21)</i>
Delete	depth of 7.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°05'58.8"N 064°57'00.5"W  <i>DFO(6310882-22)</i>
Add	depth of 6.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476133	47°06'01.0"N 064°57'00.3"W  <i>DFO(6310882-23)</i>
17-NOV-2023		LN/D. 03-NOV-2023
Delete	red starboard hand lighted spar buoy Q R, marked MH6 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476133	47°10'38.6"N 065°01'48.4"W  <i>(G2023023) LL(1236.3) DFO(6310691-01)</i>
Add	red starboard hand lighted conical buoy Q R, marked MH6 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476133	47°09'59.0"N 065°01'55.0"W  <i>(G2023023) LL(1236.3) DFO(6310691-02)</i>
Reposition	green port hand lighted pillar buoy FI G, marked MH11 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA476133	from 47°11'36.4"N 065°02'15.1"W to 47°11'32.9"N 065°02'15.2"W  <i>(G2023066) LL(1236) DFO(6310715-01)</i>
<b>4911 - Continuation A - New Edition - 27-JAN-2006 - NAD 1983</b>		
17-NOV-2023		LN/D. 03-NOV-2023
Delete	red starboard hand lighted spar buoy Q R, marked MH6 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476133	47°10'38.6"N 065°01'48.4"W  <i>(G2023023) LL(1236.3) DFO(6310691-01)</i>
Reposition	green port hand lighted pillar buoy FI G, marked MH11 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA476133	from 47°11'36.3"N 065°02'15.0"W to 47°11'32.9"N 065°02'15.2"W  <i>(G2023066) LL(1236) DFO(6310715-01)</i>

**4912 - Miramichi - New Edition - 27-JAN-2006 - NAD 1983**

03-NOV-2023

LNMD. 23-SEP-2022

Replace depth of 6.9 metres with depth of 6.6 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476125

47°08'11.4"N 065°12'08.2"W

*DFO(6310883-01)*

Replace depth of 5.6 metres with depth of 5.3 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476125

47°08'07.2"N 065°11'35.9"W

*DFO(6310883-02)*

Replace depth of 6 metres with depth of 5.7 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476125

47°07'51.0"N 065°09'49.8"W

*DFO(6310883-03)*

**4920 - Shippegan Harbour - New Edition - 14-DEC-2018 - NAD 1983**

24-NOV-2023

LNMD. 25-AUG-2023

Replace depth of 0.4 metres with depth of 0.2 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°44'19.9"N 064°41'01.0"W

*DFO(6310712-01)*

Add depth of 1.6 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°44'12.3"N 064°40'54.1"W

*DFO(6310712-02)*

Delete depth of 2.3 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°44'09.2"N 064°40'50.0"W

*DFO(6310712-03)*

Add depth of 1.8 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°44'10.0"N 064°40'49.6"W

*DFO(6310712-04)*

Add depth of 2 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°43'01.9"N 064°39'50.4"W

*DFO(6310712-05)*

Add depth of 1.9 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°42'59.8"N 064°40'01.1"W

*DFO(6310712-06)*

Add depth of 1.9 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°42'57.2"N 064°39'47.2"W

*DFO(6310712-07)*

Add depth of 1.6 metres  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA576269

47°42'46.5"N 064°39'43.4"W

*DFO(6310712-08)*

**4967 - La Tabatière à/to Île du Petit Mécatina - New Chart - 09-APR-2021 - NAD 1983**

03-NOV-2023

LN/D. 06-OCT-2023

Add overhead cable with vertical clearance of 11 metres  
(See Chart 1, D22, D27)

joining 50°46'22.4"N 059°01'54.1"W  
50°46'20.8"N 059°01'53.0"W  
and 50°46'19.6"N 059°01'48.6"W  
*DFO(6410943-01)*

**7573 - M'Clintock Channel, Larsen Sound and/et Franklin Strait - New Chart - 25-FEB-2000 - NAD 1983**

17-NOV-2023

LN/D. 06-SEP-2019

Add obstruction with known depth of 8.9 metres  
(See Chart 1, K41)  
This notice affects Electronic Navigational Chart: CA273329

70°36'14.0"N 096°06'34.9"W

*DFO(6605164-01)*

**8046 - Button Islands to / à Cod Island - New Edition - 23-MAY-2003 - Unknown**

03-NOV-2023

LN/D. 17-DEC-2021

Delete subsurface Ocean Data Acquisition System ODAS/SADO with known  
depth of 234 metres  
(See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA176290

59°22'29.5"N 060°18'33.5"W

*DFO(6310884-01)*

### **Section 3: Radio Aids to Marine Navigation Corrections**

---

No corrections for this section.

## Section 4: Canadian Sailing Directions Corrections

---

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
<b>Atlantic Coast</b>	
<b>ATL106</b>	Gulf of Maine and Bay of Fundy
<b>ATL108</b>	Gulf of St. Lawrence (Southwest Portion)
<b>ATL111</b>	St. Lawrence River, Île Verte to Québec and Fjord du Saguenay
<b>ATL112</b>	St. Lawrence River, Cap-Rouge to Montréal and Rivière Richelieu
<b>Central Canada</b>	
<b>CEN301</b>	St. Lawrence River, Montréal to Kingston

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

## Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NEWFOUNDLAND AND LABRADOR COAST

#### PLACENTIA BAY (LL 14.4 – 79)

37.45	Tim Barrett Rock light buoy EL2	Long Harbour. 47 24 29.9 053 52 35.6	Fl R 4s	.....	.....	Red, marked "EL2".	Operates 24 h. Year round.  Chart:4617 Edn 11/23 (N23-220)
-------	------------------------------------	--	---------	-------	-------	--------------------	--

#### SOUTHWEST COAST (LL 121 – 172)

139 H0266	Harbour Island Light	E. side of island. 47 23 00.6 056 58 39.1	Fl W 10s	21.9	17	Square skeleton tower, red and white rectangular daymark with white horizontal stripe. 5.8	Flash 0.2 s; eclipse 9.8 s. Operates 24 h. Year round.  Chart:4826 Edn 11/23 (N23-218)
--------------	-------------------------	---	----------	------	----	--	---

#### STRAIT OF BELLE ISLE (LL 211 – 234)

217.1	New Ferolle Outer light buoy XFG2	51 02 05.1 057 03 08.9	Q R 1s	.....	.....	Red spar, marked "XFG2".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-200)
217.11	New Ferolle Inner light buoy XFG4	51 01 38.3 057 03 09.6	Fl R 4s	.....	.....	Red spar, marked "XFG4".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-199)
217.13	Reefs Harbour light buoy XFG6	51 00 43.0 057 00 14.5	Fl R 4s	.....	.....	Red spar, marked "XFG6".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-201)
226.5 H0117	L'Anse au Clair Wharf Light	Harbour. 51 25 24.0 057 04 01.0	Fl G 5s	4.9	4	Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4020 Edn 11/23 (N23-205)
228 H0116	Forteau Wharf Light	Forteau Harbour. 51 28 09.9 056 57 11.9	Fl Y 4s	5.0	4	Mast. 2.6	Seasonal.  Chart:4670 Edn 11/23 (N23-206)

#### NEWFOUNDLAND AND LABRADOR COAST (LL 269.99 – 325.23)

270 H0108	Chateau Point Light (Chateau Point)	Henley Harbour entrance. 51 58 19.9 055 51 11.3	Fl W 6s	20.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:5030 Edn 11/23 (N23-213)
--------------	---	--	---------	------	---	--	---



Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
276.1	Port Hope Simpson Wharf Light	52 32 14.6 056 16 47.1	Fl G <b>5s</b>	.....	2	Pipe tower.  4.5	Flash 1 s; eclipse <b>4</b> s. Operates 24 h. Seasonal.  <b>Chart:5031</b> <b>Edn 11/23 (N23-182)</b>
276.85 <i>H0091</i>	Killick Island Light	Entrance to Battle Harbour. 52 16 40.0 055 35 33.0	Fl G <b>5s</b>	6.3	2	Square skeleton tower, green and white rectangular daymark. 4.5	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5031</b> <b>Edn 11/23 (N23-215)</b>
276.87 <i>H0089.8</i>	Green Island Light	St. Lewis Sound. 52 17 38.0 055 41 02.0	Fl W <b>5s</b>	13.7	5	Square skeleton tower, red and white rectangular daymark. 4.5	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5031</b> <b>Edn 11/23 (N23-217)</b>
276.89 <i>H0091.5</i>	Tilcey Point Light	52 16 42.0 055 35 58.0	Fl R <b>5s</b>	11.3	2	Pipe tower. 2.4	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5031</b> <b>Edn 11/23 (N23-216)</b>
277.5 <i>H0093</i>	Wall Island Point Light	52 13 10.2 055 36 48.4	Fl G <b>5s</b>	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5030</b> <b>Edn 11/23 (N23-214)</b>
279.3 <i>H0086.7</i>	Twin Islands Light	N. of Ship Harbour Head. 52 40 18.0 055 44 50.0	Fl W <b>5s</b>	30.8	4	<b>Pipe tower</b> , red and white cylindrical daymark. 3.0	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:4701</b> <b>Edn 11/23 (N23-197)</b>
279.31 <i>H0086.65</i>	Pigeon Island Light	St. Michaels Bay. 52 43 01.7 055 51 25.1	Fl G <b>5s</b>	11.5	4	Square skeleton tower, green and white rectangular daymark. <b>5.9</b>	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-196)</b>
279.4 <i>H0086.4</i>	Deepwater Island Light	St. Michaels Bay. 52 43 34.0 055 53 50.9	Fl W <b>5s</b>	7.6	<b>5</b>	Square skeleton tower, red and white rectangular daymark. 4.6	Flash 1 s; eclipse <b>4</b> s. Visible 180°. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-195)</b>
279.66	Charlottetown Breakwater Light	52 46 25.6 056 07 16.5	Fl R <b>5s</b>	.....	2	Pipe tower.	Flash 1 s; eclipse <b>4</b> s. Operates 24 h. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-181)</b>
279.7 <i>H0086.6</i>	Goose Island Light	Charlottetown Harbour entrance. 52 47 36.0 056 06 09.0	Fl W <b>5s</b>	7.6	<b>5</b>	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-194)</b>
279.74 <i>H0086.5</i>	Bar Tickle Light	52 46 45.0 055 54 20.0	Fl R <b>5s</b>	15.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-193)</b>

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
279.8 <i>H0086.2</i>	Cape Bluff Light	N. of St. Michaels Bay. 52 50 13.2 055 48 24.0	Fl W <b>5s</b>	54.7	4	<b>Pipe tower</b> , red and white daymark.  4.3	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5032</b> <b>Edn 11/23 (N23-192)</b>
280	Red Island Light	SW. side of island. 53 00 37.6 055 45 36.7	Fl W <b>5s</b>	28.0	4	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5033</b> <b>Edn 11/23 (N23-191)</b>
284 <i>H0080</i>	Cape North Light	53 47 10.4 056 28 35.3	Fl W <b>5s</b>	72.5	7	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse <b>4</b> s. <b>Visible 180°.</b> Seasonal.  <b>Chart:5133</b> <b>Edn 11/23 (N23-177)</b>
284.35 <i>H0079.7</i>	Leading Mark Island Light	53 45 31.2 057 03 56.4	Fl G <b>5s</b>	8.9	2	Square skeleton tower, green and white rectangular daymark.  4.5	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5134</b> <b>Edn 11/23 (N23-180)</b>
284.96 <i>H0079</i>	Snack Cove Light	53 47 39.2 056 48 11.4	Fl W <b>5s</b>	23.6	5	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse <b>4</b> s. Operates 24 h. Seasonal.  <b>Chart:5134</b> <b>Edn 11/23 (N23-178)</b>
285 <i>H0078</i>	Packs Harbour Light	53 51 31.2 056 59 25.4	Fl W <b>5s</b>	32.3	<b>5</b>	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse <b>4</b> s. <b>Visible 180°.</b> Seasonal.  <b>Chart:5134</b> <b>Edn 11/23 (N23-179)</b>
290.3 <i>H0075.55</i>	Hart Head Light	Hamilton Inlet. 54 11 40.1 058 24 36.4	Fl R <b>5s</b>	7.1	4	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse <b>4</b> s. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 11/23 (N23-183)</b>
290.5 <i>H0075.65</i>	Rigolet Cove Wharf Light	54 10 53.0 058 25 34.5	Fl Y <b>5s</b>	4.8	3	Pipe tower.  2.4	Flash 1 s; eclipse <b>4</b> s. Seasonal.  <b>Chart:5163</b> <b>Edn 11/23 (N23-184)</b>
291 <i>H0075.6</i>	Rigolet Light	S. of Rigolet Point. 54 10 39.6 058 25 35.9	Fl W <b>5s</b>	12.3	5	Square skeleton tower.  8.8	Flash 1 s; eclipse <b>4</b> s. Visible 180°. Seasonal.  <b>Chart:5163</b> <b>Edn 11/23 (N23-185)</b>
292 <i>H0075.7</i>	Snooks Cove Light	54 04 38.3 058 34 08.1	Fl W <b>6s</b>	5.3	<b>5</b>	Square skeleton tower, red rectangular daymark <b>with</b> white horizontal band.  4.0	Flash 0.5 s; eclipse 5.5 s. Visible 180°. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 11/23 (N23-186)</b>

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
293 H0075.8	Henrietta Island Light	54 04 12.2 058 33 36.6	Fl W 5s	5.5	1	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Visible 180°. Operates 24 h. Seasonal.  Chart:5163 Edn 11/23 (N23-187)
296 H0076	Green Island Light	Lake Melville. 53 55 37.3 058 59 36.6	Fl W 5s	18.9	3	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:5163 Edn 11/23 (N23-189)
296.1 H0076.2	Long Point Light	Lake Melville. 53 41 45.7 059 19 06.1	Fl W 5s	53.4	5	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:5143 Edn 11/23 (N23-188)
298.1 H0077.6	Montagnais Islands Light	53 33 30.0 060 04 01.9	Fl W 5s	3.8	2	Mast.  2.6	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:4728 Edn 11/23 (N23-198)
321.8 H0068.42	Umiaginak Island Light	55 28 48.2 060 12 37.5	Q R 1s	15.8	4	Square skeleton tower, red and white rectangular daymark.  2.1	Flash 0.3 s; eclipse 0.7 s. Seasonal.  Chart:5047 Edn 11/23 (N23-208)
321.9 H0068.4	Achvitoaksoak Island Light	55 29 34.8 060 13 42.6	Fl W 4s	48.6	5	Square skeleton tower, three red and white rectangular daymarks, white band.  4.7	Seasonal.  Chart:5047 Edn 11/23 (N23-207)
322 H0068	Manuel Island Light (Napakataktalik)	NW. side of island. 55 33 06.6 060 14 54.0	Fl W 4s	35.2	5	Square skeleton tower, red and white rectangular daymark.  4.6	Seasonal.  Chart:5047 Edn 11/23 (N23-212)
322.03 H0065	Gourley Island Light	N. of Hopedale. 55 43 26.6 060 20 31.8	Fl W 4s	11.5	5	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  Chart:5047 Edn 11/23 (N23-211)
323 H0064	Cape Harrigan Light  Racon -- (K) X & S Bands	On cape. 55 50 34.0 060 18 56.8	Fl W 6s	44.0	5	Square skeleton tower, red rectangular daymark with white horizontal band.  4.3	Flash 0.5 s; eclipse 5.5 s. Visible 180°. Seasonal.  Chart:5048 Edn 11/23 (N23-210)
323.32 H0062.7	Entry Island Light	55 51 25.7 060 43 18.7	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  Chart:5048 Edn 11/23 (N23-209)
325.23 H0059.5	The Turnpikes Light	Nain. 56 36 04.3 061 38 09.9	Fl W 5s	17.2	4	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5052 Edn 11/23 (N23-203)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**ATLANTIC COAST**

**BAY OF FUNDY, N.B. – WEST (LL 5 – 114)**

101	Partridge Island light and bell buoy J1	W. side of outer entrance to dredged channel. 45 14 12.0 066 02 41.3	Q G 1s	.....	.....	Green, marked "J1".	Year round.  Chart:4117 Edn 11/23 (F23-030)
101.3	Partridge Island light buoy J3	W. side of dredged channel. 45 14 19.9 066 02 46.9	Fl G 4s	.....	.....	Green, marked "J3".	Year round.  Chart:4117 Edn 11/23 (F23-029)
101.35	Partridge Island light buoy J5	Saint John Harbour, main channel. 45 14 28.0 066 02 52.6	Fl G 4s	.....	.....	Green, marked "J5".	Year round.  Chart:4117 Edn 11/23 (F23-034)
101.4	Partridge Island light buoy J7	W. side of dredged channel. 45 14 35.8 066 02 58.0	Fl G 4s	.....	.....	Green, marked "J7".	Year round.  Chart:4117 Edn 11/23 (F23-028)
102	Partridge Island Bar light buoy J9	On W. side of dredged channel. 45 14 44.0 066 03 03.7	Fl G 4s	.....	.....	Green, marked "J9".	Year round.  Chart:4117 Edn 11/23 (F23-031)

**SAINT JOHN RIVER (LL 114.5 – 141.5)**

119.5	McColgan Point South Cardinal light buoy JN	45 19 41.4 066 06 27.0	VQ(6) W 10s +LFI	.....	.....	Yellow and black, marked "JN".	Seasonal (in place year round).  Chart:4141 Edn 11/23 (F23-026)
-------	---	---------------------------	---------------------	-------	-------	-----------------------------------	--

**NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)**

522.1 H3605	Herring Cove Breakwater						Delete from list.  Chart:4203 Edn 11/23 (F23-022)
633.02	Bull Rock light buoy TY5	Liscomb. 45 05 11.2 061 38 30.4	Q G 1s	.....	.....	Green spar, marked "TY5".	Seasonal (in place year round).  Chart:4234 Edn 11/23 (G23-161)

**CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)**

778.5	Sydney Northwest Bar light buoy SD2	46 12 27.0 060 14 04.4	Q R 1s	.....	.....	Red, marked "SD2".	Year round.  Chart:4266 Edn 11/23 (G23-162)
-------	--	---------------------------	--------	-------	-------	--------------------	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**GASPÉ – CHALEUR BAY (LL 1169.1 – 1426)**

1170.5 H1440	Fox Island South range	SE. end of island. 47 05 14.5 064 58 42.0	Iso	W	4s	8.7	11	Square skeleton tower, red daymark with white vertical stripe. 6.5	Visible in line of range. Operates 24 h. Year round.
1170.6 H1440.1		248°28' 214.6 m from front.	Iso	W	4s	13.6	12	Square skeleton tower, red daymark with white vertical stripe. 12.6	Visible in line of range. Operates 24 h. Year round.
1324 H1590	Pointe de Maisonnette	On N. extremity of Maisonnette point. 47 50 15.0 065 00 13.0	LF	W	6s	17.0	13	Square skeleton tower. 13.1	Flash 2 s; eclipse 4 s. Year round.
1326.1 H1592.05	Grande-Anse South Breakwater	On outer end of E. breakwater. 47 49 07.9 065 10 35.1	Fl	G	5s	7.4	8	Square skeleton tower, green and white rectangular daymark. 5.1	Flash 1 s; eclipse 4 s. Seasonal.
1327.1 H1592.06	Grande-Anse North Breakwater	On outer end of W. breakwater. 47 49 09.3 065 10 34.8	Fl	R	5s	6.8	8	Square skeleton tower, red and white rectangular daymark. 5.1	Flash 1 s; eclipse 4 s. Seasonal.
1339 H1606	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 065 42 27.2	Fl	R	6s	7.5	8	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 1 s; eclipse 5 s. Seasonal.
1339.2	Petit-Rocher Breakwater Light	On outer end of breakwater. 47 46 55.2 065 42 29.7	Fl	G	6s	.....	5	Pipe swing pole, green, white and black square daymark.	Flash 1 s; eclipse 5 s. Operates 24 h. Seasonal.

Chart:4911  
Edn 11/23 (G23-163 to 166)

Chart:4913  
Edn 11/23 (G23-156)

Chart:4486  
Edn 11/23 (G23-157)

Chart:4486  
Edn 11/23 (G23-158)

Chart:4920  
Edn 11/23 (G23-167)

Chart:4920  
Edn 11/23 (G23-168)

**INLAND WATERS**

**LAKE ONTARIO (LL 403.4 – 551)**

505	Whitby West Breakwater	On S. end of W. breakwater. 43 50 56.2 078 55 41.9	Fl	G	4s	7.0	4	Mast, green and white and black rectangular daymark. 4.0	Visible 360°. Seasonal.
505.4	Whitby Inner Harbour	On breakwater extension. 43 51 09.5 078 56 00.0	Fl	G	4s	6.3	3	Mast, green and white rectangular daymark. 3.7	Seasonal.

Chart:2049  
Edn 11/23 (B23-034)

Chart:2049  
Edn 11/23 (B23-033)

**LAKE NIPISSING (LL 1420 – 1441.4)**

1423	Callander								Delete from list.
------	-----------	--	--	--	--	--	--	--	-------------------

Chart:6035  
Edn 11/23 (D23-033)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**RED RIVER (LL 1558.8 – 1561.9)**

1558.8	St. Andrews Lock Upper light buoy X53	SE. of canal entrance. 50 04 48.1 096 56 24.6	Q	G	1s	.....	.....	Green spar, marked "X53". Seasonal.
--------	---	--	---	---	----	-------	-------	-------------------------------------

Chart:6242  
Edn 11/23 (P23-094)