



Pictograph legend

\bigcirc	Anchorage		Current	Ø	Radio calling-in point
	Wharf		Caution		Lifesaving station
	Marina	•	Light		Pilotage

Report discrepancies between real-world observations and descriptions in the publication

Users of this publication are requested to forward information regarding newly discovered dangers, changes in aids to navigation, the existence of new shoals or channels, or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of nautical charts and publications affecting Canadian waters to: charts or other information that would be useful for the correction of the charts and the charts are charts are charts are charts are charts and the charts are charts are

IMPORTANT NOTICE

The Canadian Hydrographic Service no longer produces hard copies of its publications.

Updates are published in Notices to Mariners at <u>notmar.gc.ca</u> and on the Canadian Hydrographic Service website at <u>charts.gc.ca</u>

REPRODUCTION FOR PERSONAL USE

This digital publication - as published in charts.gc.ca - may be printed or reproduced in any format, without charge or further permission, provided that it is for non-commercial purposes, i.e. not for sale or any profit whatsoever.

To be used for navigation, the reproduction must be an unaltered, true copy of the publication found in charts.gc.ca, and kept up-to-date at all times.

REPRODUCTION FOR COMMERCIAL PURPOSES

This publication shall not be printed or otherwise reproduced in whole or in part for commercial purposes (i.e. in the purpose of sale or any profit whatsoever, as opposed to personal use), without prior written permission from the Canadian Hydrographic Service.

For more information, contact:

Canadian Hydrographic Service
Fisheries and Oceans Canada
200 Kent Street, Ottawa, Ontario, Canada, K1A 0E6
charts.gc.ca
chsinfo@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada, as represented by the Minister of the Department of Fisheries and Oceans, 2022 Catalogue No. Fs74-55E-PDF ISSN 2816-4857 Ottawa

Record of Changes

As the CHS acquires new information, relevant changes are applied to Sailing Directions volumes in order to maintain safety of navigation. It is the responsibility of the mariner to maintain their digital Sailing Directions file by ensuring that the latest version is always downloaded. Visit charts.gc.ca to download the most recent version of this volume, with all current changes already incorporated.

The table below lists the changes that have been applied to this volume of Sailing Directions. This record of changes will be maintained for the current calendar year only


Date	Chapter / Paragraph	Description of Change
April 2022	C1/P17	Deleted buoy
	C1/P31	Added buoy
	C1/P77	Added buoy
	C1/P80	Added buoy
	C1/P85	Updated depth
	C1/P86	Updated depths
	C1/P110	Deleted buoy
	C1/P110	Added shoal and buoy
	C1/P127	Deleted buoy
	C1/P127	Added buoy
	C1/P152	Replaced buoy
	C2/P45	Added buoy
	C2/P68	Added buoy
	C4/P161	Added buoys
	C5/P25	Added shoal and buoy
	C5/P157	Updated depth
	C5/P157	Added depth
	C6/P52	Deleted buoy

Record of Changes

Date	Chapter / Paragraph	Description of Change
August 2022	C4/P182	Added port hand light buoys
	C6/P53	Added west cardinal light buoy
December 2022	C1/P41	Updated photograph
	C1/P139	Added light
	C2/P63	Added light
	C4/P180	Added light

IV Table of Contents

Preface			.VI
Explanatory Notes			.VI
References to Other Publications			VII
Abbreviations			VIII





Chapter 1

Battle Harbour

Camp Islands to Williams Harbour

General						. 1-1
Camp Islands to Battle Harbour .						. 1-1
Battle Harbour to Fox Harbour						. 1-5
Fox Harbour to Williams Harbour						1-12



Chapter 7.

Charlottetown

Williams Harbour to Stony Island


Williams Harbour to Cape Bluff							. 2-1
Cape Bluff to Stony Island							2-14



Chapter

3

Batteau (Bateau) Harbour



4

Domino Harbour

Domino Point to Pottles Cove Head

Domino Point to South Wolf Island.							. 4-1
South Wolf Island to Cape North							. 4-5
Cape North to Cape Porcupine							. 4-8
Outer Approaches to Cartwright							4-10
Inner Approaches to Cartwright							4-14
Sandwich Bay							4-17
Cape Porcupine to Pottles Cove Hea	ac	١.					4-20



Chapter

5

Rigolet Public Wharf

Groswater Bay to Lake Melville

Hamilton Inlet	5-1
Approaches to Groswater Bay	5-2
Groswater Bay — South Side and Islands	5-11
Groswater Bay — North Side	5-12
Groswater Bay to Rigolet	5-13
Rigolet to Lake Melville	5-15



Chapter

6

North West River

Lake Melville and Goose Bay

Lake Melville		. 6-1
Approaches to North West River and Goose Bay		. 6-4
Approaches to Goose Bay Narrows and		
Terrington Basin		. 6-6

Appendices

Sail Plan	.A-1
Table of Wharf Load Limits and Gross Vehicle Weights	.A-3
Meteorological Tables	.A-4
Distance Table	.A-5
Customs Information for Pleasure Craft	.A-6
Bird Concentrations and Poloar Bear Activity	.A-7

Diagrams

Index	
Salmon Bight – Settlement of Black Tickle 3-1	8
Charlottetown (Labrador)	11
Gilbert Bay Marine Protected Area 1-1	19

VI Preface

The Second Edition of Sailing Directions, ATL 120 — Labrador, Camp Islands to Hamilton Inlet (including Lake Melville), 2020, has been compiled from Canadian Government and other information sources. All hydrographic terms used in this booklet are in accordance with the meanings given in the Hydrographic Dictionary (Special Publication No. 32), published by the International Hydrographic Organization.

General information for the Atlantic Coast is grouped within one booklet, *Sailing Directions*, *ATL 100 — General Information*, *Atlantic Coast*, 2007. It contains navigational information and a brief description of the main port facilities as well as geographic, oceanographic and atmospheric characteristics.

The detailed description of the geographical areas is given in a series of booklets. Their limits are printed on the back cover of the booklets. The appropriate descriptive booklet(s) should be consulted in conjunction with the ATL 100 — General Information booklet.

The photographs are by the *Canadian Hydrographic Service and Small Craft Harbours*, *Fisheries and Oceans Canada*, St. John's, Newfoundland and Labrador.

Explanatory Notes

Canadian *Sailing Directions* expand charted details and provide important information of interest to navigation which may not necessarily be found on charts or in other marine publications. They are intended to be read in conjunction with the charts quoted in the text.

Remarks

Buoys are described in detail only where they have special navigational significance, or where the scale of the chart is too small to clearly show all the details.

Chart references, in *italics*, refer to the largest scale Canadian chart. Occasionally a smaller scale chart may be quoted where its use is more appropriate.

Tidal information relating to the vertical movements of the water is not given and the *Canadian Tide and Current Tables* should be consulted. However, abnormal changes in water level are noted.

Names have been obtained from the Geonames database administered by *Natural Resources Canada (NRCan)*. Where an obsolete name still appears on the chart or is of local usage, it is given in brackets following the official name.

Wreck information is included where drying or submerged wrecks are relatively permanent features and are of navigation or anchoring significance.

Units and terminology used in this booklet

Latitude and **longitude** given in brackets are approximate and are intended to facilitate reference to the chart quoted.

Bearings and **directions** refer to True North (geographic) and are given in degrees from 000° clockwise to 359°. The bearings of conspicuous objects, ranges and light sectors are given from seaward. **Courses** always refer to the course to be made good.

Tidal streams and **currents** are described by the direction towards which they flow. The **ebb** stream is caused by a falling tide and the **flood** stream is caused by a rising tide. **Winds** are described by the direction from which they blow.

Distances, unless otherwise stated, are expressed in nautical miles. For practical purposes, a nautical mile is considered to be the length of one minute of arc, measured along the meridian, in the latitude of the position. The international nautical mile, which has now been adopted by most maritime nations, is equal to 1852 m (6076 ft).

Speeds are expressed in knots, which means 1 nautical mile per hour.

Depths, unless otherwise stated, are referred to chart datum. As depths are liable to change, particularly those in dredged channels and alongside wharves, it is strongly recommended these be confirmed by the appropriate local authority.

Elevations and **vertical clearances** are given above Higher High Water, Large Tide. In non-tidal waters they are referred to chart datum.

Heights of objects, distinct from elevations, refer to the heights of the structures above the ground.

The List of Lights, Buoys and Fog Signals number is shown in brackets after the navigational aid (light, leading lights, buoy). The expression "seasonal" indicates that it is operational for a certain period during the year; mariners should consult the List of Lights, Buoys and Fog Signals to determine the period of operation. The expression "private" means that the navigational aid is privately maintained; it will not necessarily be mentioned in the List of Lights, Buoys and Fog Signals and its characteristics may change without issuance of a Notice to Shipping.

Time, unless otherwise stated, is expressed in local standard or daylight time. For the waters described in this booklet, local time is Newfoundland Standard Time (NST) from Camp Islands to Normans Bay (Norman Bay) and Atlantic Standard Time (AST) from Black Tickle to Happy Valley - Goose Bay.

Deadweight tonnage and **masses** are expressed in metric tonnes of 1000 kilograms (2204.6 pounds). The kilogram is used to describe relatively small masses.

Public wharf is a wharf that is available for public use, though certain fees may be charged by local authorities. It may be shown as "Government Wharf" or "Govt Whf" on older charts.

Conspicuous objects, natural or artificial, are those which stand out clearly from the background and are easily identifiable from a few miles offshore in normal visibility.

The expression "**small craft**" refers to pleasure craft and small vessels with shallow draught.

Diagrams are large scale cartographic representations of harbours, wharves, anchorages, or marinas.

Pictographs are symbols shown at the beginning of the paragraphs to allow quick reference to information or to emphasize details. The Pictograph Legend is shown on the inside front and back covers of this booklet.

References to other publications

Canadian Hydrographic Service (www.charts.gc.ca)

- Catalogue of Nautical Charts and Publications (Atlantic Coast)
- Canadian Tide and Current Tables

Canadian Coast Guard (www.ccg-gcc.gc.ca)

- List of Lights, Buoys and Fog Signals (Newfoundland and Labrador Coast)
- Radio Aids to Marine Navigation (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)
- Annual Edition of Notices to Mariners

Abbreviations

Units

°C degree Celsius centimetre cm fm fathom ft foot h hour ha hectare HP horsepower kHz kilohertz km kilometre kn knot kPa kilopascal metre m million, mega \mathbf{M} millibar mbmin minute megahertz MHz mm millimetre NMnautical mile metric tonne degree (plane angle) minute (plane angle)

Directions

north NNE north northeast NE northeast ENE east northeast east **ESE** east southeast SE southeast SSE south southeast south SSW south southwest SWsouthwest**WSW** west southwest W west WNW west northwest NWnorthwest NNW north northwest

Various

A.P.A. Atlantic Pilotage Authority CCG Canadian Coast Guard CHS Canadian Hydrographic Service DFO Fisheries and Oceans Canada DWT deadweight tonnage **ETA** estimated time of arrival ETD estimated time of departure HF high frequency

HW high water
LW low water

MCTS Marine Communications and Traffic Services


NAD North American Datum

No. number

SAR Search and Rescue
U.S.A. United States of America
VHF very high frequency
VTS Vessel Traffic Services

Chapter 1

Camp Islands to Williams Harbour



General

Chart 4731

1 Between Camp Islands and Williams Harbour (52°33'N, 55°46'W), about 24 miles north, the coast consists of bare, rugged granite hills rising steeply from 152 to 183 m (500 to 600 ft).

2 The coast is indented by numerous bays and inlets, with steep-sided shores and deep water. No off-lying islands or dangers exist more than 3 miles offshore and navigation is relatively straightforward. Fog, easterly swells and the potential danger of icebergs, however, require **caution** and constant vigilance.

Camp Islands to Battle Harbour

Charts 5030, 4701

Niger Sound, 5.5 miles long and fairly deep with few dangers, is entered between Camp Islands (52°10′N, 55°39′W) and Cape St. Charles, about 2.4 miles NNE.

4 A **light** (279) is shown at an elevation of 41.3 m (135 ft) from a red and white tower located on the east side of the Camp Islands.

5 Niger Sound provides a good harbour of refuge with excellent shelter and a choice of several anchorages. There is no habitation on the shores of the sound, however, good **anchorage** is obtainable in **Horn Bay** and **Islet Bay** in 37 to 50 m (20 to 27 fathoms). **Big Duck Island**, with an elevation of 103 m (338 ft), and **Little Duck Island** lie in the central part of Niger Sound.

The Soldier, with an elevation of 202 m (663 ft), situated to the north of Niger Sound near its north entrance point, is a round **conspicuous** peak and the most prominent landmark in this vicinity.

Charts 5030, 5031, 4701

7 **St. Charles Gull Island**, with an elevation of 52 m (171 ft), lies 1.2 miles east of Cape St. Charles. **Western Bank**, with a least depth of 4 m (13 ft), is located 0.25 mile SW of the island. **St. Charles Gull Rocks** lie close off the SW side of the island. **Fish**

Rock, with a rock **awash** located 0.1 mile west of its SW side, lies a further 0.6 mile east.

8 **St. Charles Channel**, lying between the Battle Islands and the peninsula on which Cape St. Charles is situated, is entered between Wall Island, on the south, and **White Point (Whale Point)**, the SE point of Great Caribou Island, 1.3 miles NNE. The channel extends west for a distance of 6 miles to the mouth of the **St. Charles River**.

9 A **light** (277.5) is shown at an elevation of 30.6 m (100 ft) from a skeleton tower having a green and white daymark located on the east extremity of Wall Island.

of St. Charles Gull Island. **Wall Shoal**, the easternmost, has a least depth of 3.7 m (12 ft); **Middle Shoal**, the central reef, has a least depth of 7.3 m (24 ft). **Inner Shoal**, with a least depth of 4 m (13 ft) and marked by starboard hand light **buoy** NUC2 (277.6), lies 0.3 mile east of Wall Island. **Caution** is advised in this area.


On the south side of St. Charles Channel near its entrance are the **Seal Islands**, consisting of **Wall Island**, **Tilcey Island** and **Fox Island**. Between these islands and the mainland to the south is **St. Charles Harbour** (52°13′N, 55°38′W). The small seasonal settlement of **Cape Charles** is situated on the south shore.

12 A Public **wharf** 15 m (49 ft) long with a depth of 2.6 m (9 ft) alongside a 12 m (39 ft) long outer end is located on the west shore near the entrance to the settlement. Several buildings are located at the inner end of the wharf.

13 The main entrance to the harbour, with a depth of 14.3 m (8 fathoms), leads between Wall Island and Tilcey Island. Care should be exercised to avoid a group of above and below water rocks lying about 0.1 mile west of Wall Island. **Anchorage** for vessels under 69 m (225 ft) in 13 m (7 fathoms), mud, is available in the central part of St. Charles Harbour. It is

CAPE CHARLES — SEASONAL SETTLEMENT (LOOKING NNE) (2012)





- 14 **White Bear Bay**, affording no safe anchorage, lies about 3 miles west of the entrance to St. Charles Channel, on its south side. It is entered between **White Bear Point** (52°15′N, 55°42′W) and a position on the mainland 0.4 mile south. Depths in the outer half of the bay vary from 20 to 60 m (11 to 33 fathoms) while the inner half is shoal and encumbered by rocks.
- The Narrows is a channel lying between White Bear Point and Hare Island to the north, and leads from St. Charles Channel into a body of water known as The Lodge. **Dumpling Island**, with a shoal area and two rocks, drying 0.6 and 1.2 m (2 and 4 ft) off its SE end, constricts The Narrows to a width of about 0.1 mile.
- The Lodge is an inlet 2.5 miles long and about 0.7 mile wide, with depths of 27 to 55 m (15 to 30 fathoms). It can be entered from the east through The Narrows or from the north by **Nimrod Tickle**, a narrow channel lying between Assizes Island and the mainland. The Lodge provides good sheltered **anchorage** from most winds in 27 to 37 m (15 to 20 fathoms), mud.
- 17 Nimrod Tickle provides a safe and deeper channel for navigation into The Lodge by ships.

 Nimrod Shoal, with a least depth of 8.8 m (29 ft) lies centrally in the tickle. The Rags, a group of drying rocks and islets, the highest of which is 0.3 m (1 ft) in elevation, lie close off the north side of Assizes Island in the NE entrance to Nimrod Tickle.

- The settlement of **Lodge Bay** with a population of 65 in 2016 and connected by road, is situated on the south side of the St. Charles River, about 2.8 miles SW of **Salt Brook Point**.
- The north side of St. Charles Channel is comprised of **Battle Islands**, a number of islands, islets and rocks which lie in a general east-west direction and also form part of the southern limit of St. Lewis Sound.
- Great Caribou Island, 82 m (270 ft) in elevation and the largest of the Battle Islands group, is deeply indented on its SE side by Cartwright Bight (Cartridge Bight). White Point (Whale Point) (52°14′N, 55°36′W), the SE point of Great Caribou Island and also the south entrance point of False Harbour, is 25 m (82 ft) in elevation, with shoal patches extending SE from it.
- False Harbour, affording little protection from the east, is entered between White Point (Whale Point) and Loran Point, the east extremity of the peninsula 0.4 mile north. An area of foul ground including Smiths Rock, King Rocks (Kings Rock) and Indian Rocks extends NE, east and SE of Loran Point. Black Island 9 m (30 ft) in elevation, is the outermost feature of the foul ground.
- 22 Cartwright Bight (Cartridge Bight), entered between Gunning Point and an unnamed point 0.9 mile SW, almost divides Great Caribou Island in two. Two small shallow coves, Foxburrow Cove and Benjy's Cove, separated by Foxburrow Point, indent the north shore of Cartwright Bight (Cartridge Bight). The bight is unsuitable

NIMROD TICKLE NE APPROACH (LOOKING SW) (2000)



Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)



BATTLE HARBOUR NORTH APPROACH (2012)



capital and home to one of the oldest wooden Anglican churches in the province. Battle Harbour also contains the last complete set of traditional merchant salt fish premises in Newfoundland and Labrador. Fresh water, provisions in limited quantities, electricity (110 V), washrooms and laundry facilities are available at Battle Harbour. Accommodations and meals are available for 33 people at The National Historic District of Battle Harbour, which is open for business from early June to early September. A craft store and conference centre is also available on the site.

A prominent church with a spire is situated at Battle Harbour and also two large unlit steel **towers** are **conspicuous** from seaward.

38 The charted Public wharf in ruins extending from the eastern shore near the central part of Battle Harbour and as shown in the 2012 photograph was reported removed in 2018. A **foul** area was charted on the NE side of the former Public wharf and depths at the site of the wharf removal have yet to be confirmed; **caution** is advised. An L-shaped Public **wharf** was constructed in 2018 and extends from a position close south of the former Public wharf. It is reported to extend 24 m (79 ft) to an outer face 18 m (61 ft) long. Several small **piers** and a 9 m (30 ft) wide slipway lie close south

of the previously described L-shaped Public wharf. When approaching from the north, local people report slightly favouring the west side of the channel until abeam of the Public wharf.

The waters of Battle Harbour begin to freeze, on the average, during the last half of December. In the spring, the ice has normally melted by the first week of June. During exceptionally cold winters, freeze-up begins during the early days of December and the ice can persist until the second week of July. Conversely, during mild winters, freeze-up has been delayed until near the middle of January and the ice has melted in early May.

Battle Harbour to Fox Harbour

Charts 5031, 5030, 4701

40 **South and west sides of Great Caribou Island.** — The south side of Great Caribou Island on St. Charles Channel is indented by **Hauling Cove** and **South Pommelly Cove**, which are separated by **Shoal Point** (52°14′N, 55°37′W). **Black Head**, the SW extremity

BATTLE HARBOUR (2020)



INDIAN COVE (CARIBOU RUN) — SEASONAL SETTLEMENT (LOOKING SSE) (2012)



of Great Caribou Island, rises steeply from the sea to an elevation of 60 m (198 ft). The west side of Great Caribou Island has three small coves, which have only sufficient water for small craft.

Indian Island, flat and covered with turf, lies close off the west side of Great Caribou Island and is separated from it by **Shoal Tickle**, the SE end of which is not navigable. The seasonal settlement of **Indian Cove** (**Caribou Run**) was situated on the shores of Shoal Tickle.

42 On the east shore of Indian Island there is a **wharf** 22 m (72 ft) long with a depth of 1.8 m (6 ft) alongside. A large white building stands adjacent to the inner end of the wharf. Access to the wharf is available from the NW end of Shoal Tickle.

43 **Mouse Island** is situated 0.5 mile north of Indian Island and it is separated from Great Caribou Island by **Mouse Island Tickle** which is shoal. **Paddy Bonds Island**, situated at the south entrance of Indian Cove (Caribou Run), is pyramid-shaped and partly covered with turf. Shallow water borders the entire island.

Hare Island lies NW of Paddy Bonds Island and is separated from it by a channel about 0.1 mile wide. The island rises to a flat-topped hill with an elevation of 49 m (161 ft) situated close to its NW side. Shoal water, with many above-and below-water rocks, separates it from Assizes Island to which it is almost joined at its NW part.

45 Assizes Island rises in its central part to a flat summit with an elevation of 75 m (246 ft). It is partially covered with turf and small trees and is separated from the mainland to the NW by Nimrod Tickle. Assizes Harbour, shallow, is situated at the SE side of Assizes Island. There is an anchorage with limited swinging room in the entrance in about 12.8 m (7 fathoms), mud.

46 **Copper Island** (52°16′N, 55°40′W), with an elevation of 41 m (135 ft) near its west end and an islet lying close off its SE extremity, is situated at the NW entrance to Caribou Run. Its north side rises steeply and is cliffy in places. **Dark Tickle** is the passage which leads between Copper Island and Assizes Island, and to the sheltered anchorage near Assizes Harbour.

47 A **light** (277) is shown at an elevation of 9.1 m (30 ft) from a tower with red and white bands, situated near the south end of Copper Island.

48 **Caribou Run** is a sheltered channel which connects St. Charles Channel with St. Lewis Sound. It leads between Paddy Bonds Island and Great Caribou Island, and then between Copper Island and Indian Island.

49 There are three **dangerous** areas in Caribou Run. A rocky shoal area with a least depth of 0.3 m (1 ft) lies close off the NE side of Paddy Bonds Island. There is a narrow passage marked by port and starboard hand light **buoys** NU1 and NU2 (277.3, 277.2),

with a least depth of 8.2 m (27 ft) between this shoal and a 1.8 m (6 ft) shoal bank extending off the NE extremity of Paddy Bonds Island. **Assizes Rock**, with a least depth of 1.2 m (4 ft) and marked by starboard hand light **buoy** NU4 (277.4), lies 0.1 mile off the west side of Indian Island. **Mid Rock**, with a depth of 2.4 m (8 ft) and marked by starboard hand light **buoy** NU6 (277.56), lies 0.2 mile NNW of the north tip of Indian Island.

Charts 5031, 4701

with several islands and shoal areas. It extends inland for approximately 6 miles where it narrows considerably to form the entrance of St. Lewis Inlet. The sound is entered between Great Island at the south and Cape St. Lewis (52°22′N, 55°38′W) at the north. This body of water is exposed to east and NE winds, and occasionally a heavy swell is generated as far inland as the entrance to St. Lewis Inlet. This swell is often felt even in the absence of any wind and it breaks heavily over islets 9.1 m (30 ft) in elevation, preventing any landing. The sea also breaks on shoals of 7.3 m (4 fathoms) and less. Great **caution** must be exercised at such times as the sea breaks only occasionally on some of the shoals.

51 Off-lying dangers. — Blake Ground, Northern Bank and Eskimo Bank lie in the entrance to St. Lewis Sound. The sea is reported to break in depths of 26 m (14 fathoms) during winter gales and these banks should be avoided in heavy weather.

- 52 **South side of St. Lewis Sound**. Battle Islands and the points and coves of the mainland to the west comprise the south side of St. Lewis Sound.
- 53 The north side of Great Caribou Island is indented by numerous small coves. **Matthews Cove**, where there is a summer settlement, is entered close west of **Tilcey Point**. Several fishing stages are situated along the east shore of the cove.

54 A **light** (276.89) is shown at an elevation of 11.3 m (37 ft) from a mast on the outer end of Tilcey Point.

Caribou Point (52°17′N, 55°39′W), with a black and white striped appearance and a conical hill rising to an elevation of 40 m (131 ft) a short distance inland, is the NW point of Great Caribou Island. **Island Point**, lying almost 2 miles west of Caribou Point, and **Kyer Cove Point**, 1 mile farther NW, mark the extremities of a peninsula separating Nimrod Tickle from Kyer Cove.

A group of four small islands surrounded by shoal water and underwater rocks lies 1 mile NE of Island Point. **Green Island** (52°18′N, 55°41′W) is grass covered and 16 m (53 ft) in elevation. **Middle Rocks**, lie close SE of Green Island. The two western Middle Rocks have

CARIBOU RUN NORTH END (LOOKING SSE) (2012)



CARIBOU RUN SOUTH END (LOOKING NNW) (2000)



extends 0.2 mile south of the SW extremity of Duck Island.

Another shoal with a least depth of 4.6 m (15 ft) and



69 m (226 ft) in elevation and marked by red lights is

located about 0.6 mile west of Burnt Point.

MARY'S HARBOUR (2015)



MARY'S HARBOUR PUBLIC WHARF (2015)



in 2016, is spread around the shores of the harbour and

the main part is situated along the north side of Fishermen

Point peninsula where a **conspicuous** oil tank is situated.



and number towards the head where the climate is milder

the coast. Mosquitoes and black flies abound.

and frequently inconveniently warm when it is freezing on

Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

FOX HARBOUR APPROACH (2012)



An additional group of oil storage tanks are located about 0.4 mile NNE of Fishermen Point. The town is connected by road and has a scheduled air service with St. Anthony and Happy Valley - Goose Bay. Gasoline, diesel fuel and provisions in limited quantities are available. There is also a **medical clinic** at the town.

85 A Public **wharf** is situated on the east side of Fox Harbour, about 0.5 mile NE of Fishermen Point. The wharf is L-shaped and extends 40 m (131 ft) from the shore to a least depth of 4.5 m (15 ft) alongside a 37 m (121 ft) outer end. A **Ro-Ro ramp** 15 m (49 ft) wide with a depth of 3.2 m (10 ft) alongside is situated adjacent to the south side of the wharf. A building is located adjacent to the inner end of the wharf (*see Appendix*).

86 Another Public **wharf** extends 121 m (397 ft) north from the inner end of the north side of the previous Public wharf. There are depths of 2.3 to 2.7 m (8 to 9 ft) alongside. There is a fish plant adjacent to the wharf. Fresh water is available.

87 **Tides and tidal streams**. — The ranges of mean tide and large tide are 1 and 1.4 m (3.3 and 4.6 ft), respectively. The tidal streams follow the axis of the harbour at a rate of 1.8 knots; with heavy seas outside, the rate is reported to increase.

Fox Harbour to Williams Harbour

Results Cape St. Lewis (52°22′N, 55°38′W), the north entrance point of St. Lewis Sound, forms part of a headland with several summits, the highest of which rises to an elevation of about 122 m (400 ft). Formations of dark red granite occur in the vicinity of Cape St. Lewis.

89 A **light** (276.81) is shown at an elevation of 40.7 m (134 ft) from a skeleton tower having a red and white daymark situated on Cape St. Lewis.

90 **St. Lewis Rock**, 1.2 m (4 ft) high with black colouration, lies 0.3 mile south of Cape St. Lewis.

Petty Harbour, the next major indentation in the coast, is entered between **Southern Head**, 118 m (387 ft) in elevation and steep-to, and **Northern Head**, elevation 105 m (344 ft) situated 1.5 miles north, and recognizable by the white stripes on its north side.

92 Vessels can be **anchored** in Petty Harbour, however, local knowledge is essential. The narrow entrance to the protected harbour has a least depth of 1.8 m (6 ft). The seasonal settlement of **Petty Harbour** is situated on the north shore of the harbour just inside the entrance.

93 **Salmon Bight** is situated about 1 mile north of Northern Head. It has general depths of 20 to 30 m (13 to 18 fathoms), but affords little protection.

94 **Spear Harbour** is entered close south of **Spear Point** (52°27′N, 55°38′W); local knowledge is essential. The outer harbour is exposed to the east, but the inner harbour is sheltered by two islets.

95 A **light** (276.2) is shown at an elevation of 39.1 m (128 ft) from a mast having a red and white daymark situated on Spear Point.

96 **Ice.** — The entrance to Spear Harbour is sometimes blocked by icebergs. West winds normally clear the harbour entrance.

97 Between Spear Point and Fishing Ship Harbour (*local name*), 11 miles NNW, the coast is indented by numerous coves and bays. Two large inlets, Alexis Bay and Gilbert Bay, penetrate the coast for a distance of 16 miles.

ST. LEWIS PUBLIC WHARF (2012)



98 **Tinker Bank**, with a depth of 7.3 m (24 ft), lies 0.5 mile NNW of Spear Point. The summit of Jack Fling Island, bearing 288° and open north of **American Island**, leads north of Tinker Bank.

99 **Offer Bank** and **Greenfield Shoal**, with depths of 18 m (59 ft), lie 0.45 mile SSE and 0.55 mile ENE, respectively, of Spear Point.

Charts 5031, 4701, 5179

From Spear Harbour to **Crowby Head**, a distance of 4 miles, there are several harbours and off-lying islands. **Fish Island**, **Herringnet Island** and **High Island** lie off the entrance to **Sealing Bight** (52°27′N, 55°40′W); **Jack Fling Island** lies close eastward.

Fling Bank, with a depth of 11.4 m (37 ft), lies 0.2 mile NNE of the west tip of Jack Fling Island. **Mad** Moll Rock, with a depth of 1.8 m (6 ft), lies about 0.2 mile west of the same point.

Bight at Murray Harbour, 0.8 mile WNW of Sealing Bight, there is a wharf extending 12 m (39 ft) to a depth of 2.2 m (7 ft) alongside a 6 m (20 ft) wide outer end. A white building stands behind the wharf. The harbour is entered east of Harbour Island 26 m (85 ft) in elevation. Caution is advised as a shoal with a least depth of 0.3 m (1 ft), extends about 0.08 mile SSE of the south end of the island.

Charts 5179, 4701

103 Between **Salt Pond Head**, situated 1 mile WNW of Seal Bight, and **Rock Point**, 1.2 miles NW, there is a common entrance to four harbours: **Sophia Harbour**, **Mosquito Cove**, **Port Charlotte** and **Mecklenburg Harbour**.

There is good anchorage for small craft in Salt Pond, an extension of Sophia Harbour; local knowledge is required. Sophia Harbour is reported insufficient for anchoring larger vessels. Mosquito Cove is open to the east and affords little protection as an anchorage. Port Charlotte provides good anchorage in 11 to 15 fathoms (20 to 27 m) with local knowledge considered necessary to navigate the narrow entrance channel. Good anchorage is also reported in 18 fathoms (33 m) in the approach to Mecklenburg Harbour, 0.8 mile WSW of Rock Point.

Approach to Alexis Bay. — Caution is required related to the several off-lying islands, shoals and reefs when approaching Alexis Bay from the SE.

Double Islands (52°29′N, 55°41′W) are two small bare grey islets, which are steep-to, lying

two small bare grey islets, which are steep-to, lying 1.3 miles NE of Salt Pond Head. The south islet is 65 feet (20 m) in elevation. A rock, with less than 6 feet (1.8 m) of water over it, is situated 0.1 mile east of the north islet.

Double Islands Bank (local name), with a depth of 51 feet (15.5 m) and which is reported to break during storms, lies 0.4 mile NW of the Double Islands.

108 **The Skerries** (52°30′N, 55°42′W), another shoal bank with a depth of 49 feet (14.9 m), is situated 1 mile NW of Double Islands Bank.

109 **Flat Island**, a black rock with an elevation of 20 feet (6.1 m), with **foul ground** extending off all its sides, is located 1 mile NE of Crowby Head.

110 An extensive shoal area with depths less than 6 fathoms (11 m) is situated 1.5 miles north of Crowby Head. **Mad Moll Rocks**, which dry lie at the south extremity of this shoal area. An isolated shoal with a least depth of 32 feet (9.8 m) and marked by port hand light

Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

MURRAY HARBOUR (2012)



buoy NA 1/1 (270.45) is located about 0.5 mile NNE of Mad Moll Rocks. Two other shoals exist 0.3 mile SSE and 0.45 mile SE of Mad Moll Rocks, with depths of 14 and 13 feet (4.3 and 4 m), respectively.

The mainland coast NW of Crowby Head is indented by a large unnamed bight in which the depths are relatively unknown. Off the north entrance point of this bight, three small islands, which at low water are almost interconnected with the mainland, extend NE. **Swirlers Point** (52°30′N, 55°45′W), the east extremity of the outer island, is also the south entrance point of

112 Alexis Bay, entered between Swirlers Point

and

Red Point, situated 1 mile NNW, penetrates the mainland for a distance of 16 miles at which point the Alexis River discharges into it. The bay is encumbered with numerous islands, the largest of which are Denbigh Island and Cartwright Island, creating many interconnecting channels.

113 Denbigh Island, with its highest point of 419 feet (128 m) close to the centre of the island, occupies a large

proportion of the outer part of Alexis Bay. The south side of Denbigh Island is indented by two bights and a shallow inlet about 1.2 miles long. **Williams Harbour Run**, with a least width of 0.15 mile separates Denbigh Island from Granby Island and Leg Island to the north.





114 **Main Tickle** (*unnamed on charts 5179 and 4701*) separates Denbigh

Island from the large island to the NW. A reef with a depth of 14 feet (4.3 m) and marked by port hand light **buoy** NW7 (270.25) extends from the east shore of the NE side of Main Tickle. **Tidal streams** are reported to be moderate in the tickle. The tickle provides access for small vessels from Alexis Bay to Williams Harbour Run, the latter separating Denbigh Island from Leg Island close NE.

Bobbs (Bobs) Island (52°31′N, 55°46′W), which lies 0.4 mile SW of Red Point, is about 50 feet (15 m) in elevation and rocky. Good **anchorage** is reported in about 29 fathoms (53 m), 0.65 mile south of Bobbs (Bobs) Island.



116 A **light** (270.5) is shown at an elevation of 65 feet (19.8 m) from a skeleton tower having

a red and white daymark, situated on the south side of Bobbs (Bobs) Island.

Bold Island and Otter Island are two small conspicuous islands lying near the south side of the channel about 2 miles west of Swirlers Point. Saddle Island, with an elevation of 50 feet (15.2 m), another small feature with steep sides and a grass-covered summit, is situated 0.8 mile NW of Bold Island. A low rocky barren islet and connected by a shoal bank lies close west of Saddle Island. A shoal with a depth of 4 feet (1.2 m) extends 0.1 mile NW of the islet.

ship Harbour is situated 3 miles inside the entrance to Alexis Bay, on the south side; it has depths of 6 to 20 fathoms (11 to 37 m). A reef with a least depth of 9 feet (2.7 m) is situated about 1 mile SW of Saddle Island in the entrance to Ship Harbour; caution is advised.

119 **Sandy Hook**, situated on the south side of Denbigh Island, is a small summer settlement at the head of the bay lying NE of Saddle Island. The approach channel to the settlement leads between two islands close offshore, with the deeper water close to the western island; local knowledge is necessary.

A Public **wharf** 23 feet (7 m) long with a depth of 8 feet (2.3 m), alongside a 20 foot (6 m) wide outer end and suitable only for small craft is located at Sandy Hook. A white building 59 feet (18 m) long and 30 feet (9 m) wide is located at the inner end of the wharf.

Gull Rock (52°32'N, 55°53'W), 50 feet (15.2 m) in elevation and situated 2.5 miles WNW of Saddle Island, has a sparse cover of grass. A small low-lying bare rock lies close off its NE side. Two small islets with a shoal extending from the north islet are located 0.7 mile ESE of Gull Rock. Port hand light buoy NA1 (270.7) marks the shoal.

Ballast Island, lying 0.4 mile west of Gull Rock, is rocky with patches of grass on it, and rises to an elevation of 239 feet (73 m) near its north end. A shoal with a depth of 36 feet (11 m) lies near mid-channel about 1 mile WSW of the south end of Ballast Island.

Three islands lie in an east-west line south of Ballast Island. The central and largest island is prominent and has an elevation of 61 feet (18.6 m). It has steep, dark cliffs on its north side, which contrast with the sand-coloured shore to the southward.

124 **Cartwright Island** is a large island lying centrally in Alexis Bay. **Barns Cove Water** (unnamed on the charts) separates Cartwright Island from the large island to the north. **Northern Ships Run**, on the SW side of Cartwright Island, is the main navigation channel. A small unnamed island, with an elevation of 81 feet (24.7 m) and covered with patches of grass and shrubs, lies off the SE side of Cartwright Island.

125 **Lazyman Island**, with an elevation of 198 feet (60 m), forms the south side of Northern Ships Run. It is mainly rocky, with sparsely scattered trees

SANDY HOOK (2012)



Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

and shrubs. A small bare rock, marked by port hand light **buoy** NA3 (270.9), lies 0.2 mile NE of Lazyman Island, near its west end.

Mungo Run is the channel lying between Lazyman Island and the mainland. A shallow spit with a depth of 17 feet (5.2 m) extends 0.15 mile into the channel from the south side of Mungo Run.

Little Coopers Island is situated almost 2.5 miles west of the west tip of Cartwright Island. Nevile Island is situated about 1 mile from the Alexis River entrance. It is steep, rocky and densely wooded near its west end; the east end is lower, bare and rocky. A shallow spit containing a rock drying 1 foot (0.3 m) and a least depth of 14 feet (4.3 m) at its outer end extends 0.3 mile into the channel from a point 0.7 mile SE of Little Coopers Island. Port hand light buoy NA5 (270.92) is moored close NNW of the drying rock. A shoal area with a least depth of 10 feet (3 m) and extending 0.3 mile from the south shore is located about 0.8 mile WSW of the south tip of Little Coopers Island.

The shipping channel leads north of Little Coopers Island and Nevile Island.

Juniper Island (52°33′N, 56°08′W) is situated 0.5 mile west of Nevile Island, at the entrance to the Alexis River. It is low and densely wooded. The channel between the island and the mainland to the south is **foul**. A shoal at a depth of 35 feet (10.7 m) is located about 0.2 mile NW of Juniper Island.

The **Alexis River** is entered through a narrow channel 16 miles from the entrance to Alexis Bay. The river can be navigated by ships for 7 miles as far as the town of Port Hope Simpson.

Grove Island, almost joined to the mainland at its west end, lies 1.6 miles SW of Juniper Island. The narrow passage on its north side is known as **Dark Tickle**, while the passage on its south side named Light Tickle is the main channel to Port Hope Simpson.

Light Tickle is the narrowest part of the passage from the entrance to Alexis Bay as far west as Port Hope Simpson. It has a mud and rock bottom and its navigable width is greatly reduced by the shoal water bordering the shores.

133 Starboard and port hand light **buoys**NA8, NA10 (271, 271.5) and NA7, NA9, NA11
(270.93, 272, 272.5) mark **dangers** in the channel on the east, south and SW sides of Grove Island, through
Light Tickle.

134 The north-south leading **lights** (275, 276), in line bearing 216°, lead through the downstream or east section of Light Tickle (52°32′N, 56°10′W). Both lights are shown from a skeleton tower having a white daymark with a red stripe.

135 The east-west leading **lights** (273, 274), in line bearing 286½°, as a back range lead through the upstream section of Light Tickle. Both lights are shown

LIGHT TICKLE NE END (LOOKING SW) (2012)



LIGHT TICKLE WEST END (LOOKING SE) (2012)



from a skeleton tower having a white daymark with a red stripe.

136 **Seal Rocks** are a group of low bare rocks extending 0.2 mile north of the south shore of Alexis River, about 0.7 mile west of Grove Island. A shoal with a least depth of 18 feet (5.5 m) is charted 0.25 mile ENE of the SE end of Seal Rocks.

137 **Port Hope Simpson** (52°33′N, 56°18′W), with a population of 412 in 2016, is a town situated on the south shore of the Alexis River, 4 miles west of Grove Island. The navigation season is from June to December with fishing and logging being the principal industries. The town is connected by road and has a scheduled air service with St. Anthony and Happy Valley - Goose Bay. Gasoline, diesel fuel and provisions are available in limited

PORT HOPE SIMPSON PUBLIC WHARF (2015)



Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

quantities. There is also a hotel and a **medical clinic** in the town.

 $\mathring{\downarrow}$

Good **anchorage** in 8 fathoms (14.6 m), mud, lies 0.8 mile east of Port Hope Simpson.

 \searrow

139 A T-shaped Public **wharf**, 282 feet (86 m) long across the outer face and 40 feet

(12 m) wide and joined to the shore by a **causeway**, is situated about 0.8 mile SE of the town. There is a depth of 24 feet (7.3 m) alongside the outer face; the deck elevation is about 3 feet (0.9 m) (see Appendix). A wooden warehouse is situated adjacent to the structure. An oil storage tank is located close to the shore near the inner end of the above-described Public wharf. A **light** (276.1) is shown from a pipe tower on the east side of the Public wharf.

140 Close NW of Port Hope Simpson, the Alexis River becomes narrow and shallow. Because of rapids the river is unnavigable at this point except for small craft. Upstream from the rapids the river deepens. Close west of Mill Cove, situated 1.1 miles NW of the Public wharf, a **causeway** containing a **bridge** with an elevation of 19 feet (5.8 m) extends across the Alexis River. When entering Alexis Bay the route usually followed for Port Hope Simpson is reported to steer to pass south of Red Point (52°31'N, 55°45'W), the SE extremity of Denbigh Island. A course is then set to pass north of Bold Island until directly south of Saddle Island. At this point the route leads NNW to pass midway between the rocky point forming the north end of the peninsula which projects from the west shore of Ship Harbour, and Denbigh Island. On reaching the centre of the narrows between the rocky point and Denbigh Island, the route follows westward to pass north of the small bare rock lying 0.7 mile ESE of Gull Rock.

once past this small bare rock, the route passes midway between it and Gull Rock, then in mid-channel between Ballast Island and the small islands situated 0.5 mile to the SE. This route will lead into the entrance to Northern Ships Run. **Caution** should be exercised to avoid the reef, 36 feet (11 m) deep, situated in mid-channel, 1 mile SW of Ballast Island. The only **danger** in Northern Ships Run is the small bare rock, previously mentioned charted 0.2 mile NE of Lazyman Island, near its west end.

The route usually followed after leaving Northern Ships Run, leads north of Little Coopers Island and Nevile Island to the entrance to Light Tickle. Care should be taken to avoid the 35 foot (10.7 m) shoal lying 0.2 mile NW of Juniper Island. Light Tickle, situated south of Grove Island is well marked with navigational aids. When Seal Rocks are passed, the channel to Port Hope Simpson presents no problem.

144 **Gilbert Bay and River.** — **Gilbert Bay** (52°35′N, 55°51′W), situated close north of Alexis Bay, extends inland for about 16 miles where it joins the **Gilbert River**. The bay is entered between Red Point and **Shoal Point**, the SE end of Granby Island. Gilbert Bay can also be entered through a small channel at the north end of Granby Island and through Main Tickle (*unnamed on charts 5179 and 4701*), the channel joining Alexis Bay and Gilbert Bay situated at the NW end of Denbigh Island.

145 Vessels drawing as much as 20 feet (6.1 m) can navigate for 12 miles into Gilbert Bay, almost to its west limit. Numerous shoals border both sides of the bay and a mid-channel course is preferable; **caution** is advised. An arm with its entrance located 5 miles NW of Leg Island and extending SW in Gilbert Bay is reported to contain numerous shoals and local knowledge is essential.

The **Gilbert Bay Marine Protected Area** (**MPA**) is comprised an area of 60.1 square kilometers (see Diagram). The boundaries include the waters of Gilbert Bay contained within the lines drawn across the three entrances of the bay at Winnard Tickle (52°36.3′N, 55°49.8′W) (unnamed on the charts), Williams Harbour Run, and Main Tickle (unnamed on charts 5179 and 4701), and extend to the coastal low water mark. The MPA consists of three management zones described below:


Zone 3: Outer waters of Gilbert Bay that are inside the three entrances to the bay, and marked by the following rhumb lines connecting points at:

(i) 52°36'16"N, 55°52'19"W and 52°35'38"N, 55°52'20"W, (ii) 52°36'17"N, 55°48'59"W and 52°36'09"N, 55°48'59"W, (iii) 52°33'17"N, 55°46'27"W and 52°32'59"N, 55°46'58"W (iv) 52°33'25"N, 55°54'19"W and 52°33'01"N, 55°53'31"W.

Zone 2, is the main arm of Gilbert Bay consisting of waters between Zone 3 and Zone 1.

Zone 1 includes two shallow areas (1a, 1b) in the upper reaches of Gilbert Bay. Area 1a consisting of waters lying generally west of rhumb lines connecting points at: (i) 52°38'56"N, 55°59'28"W and 52°37'43"N, 55°59'36"W. Area 1b consists of the waters lying generally southwest of rhumb lines connecting points at:(ii) 52°37'00"N, 55°58'07"W and 52°36'49"N, 55°57'45"W.

This MPA was officially designated under the *Oceans Act* on October 11, 2005. In general, MPA regulations stipulate that no activity shall disturb, damage, destroy or remove any living marine organism or any part of its habitat. The discharge or dumping of any substance that may cause harm is also prohibited in the MPA. Permission may be granted for scientific and educational activities that have the potential to cause harm. An activity plan must be submitted to DFO for review 60 days prior to the proposed commencement of the activity. Boa-



WILLIAMS HARBOUR — SEASONAL SETTLEMENT PUBLIC WHARF (2015)



ters are permitted to sail through the MPA but are asked to exercise due diligence while operating a vessel in these waters. Commercial fishing for cod is prohibited in all zones of the MPA, but angling, sealing and the aboriginal food fishery are permitted. Other commercial and recreational fisheries may be permitted in zones 2 and 3. For information on the Gilbert Bay MPA please visit: http://www.dfo-mpo.gc.ca/oceans/mpa-zpm/gilbert-eng.html.




The east side of Denbigh Island is indented by two bays. **Blackguard Bight (Blackguard**


Bay) is quite shoal even for small craft. **Merchantman Harbour**, the north bay, is entered from south or west of **Shinney Island** (**Skinny Island**) affords good **anchorage** in 8 fathoms (14.6 m) in the central part of the harbour. Both entrances are narrow; the north entrance has a least depth of 18 feet (5.5 m).


above-and below-water rocks situated close off the NNW entrance point of Blackguard Bight (Blackguard Bay). **Red Point Bank**, a reef with a least depth of 17 feet (5.2 m) and marked by east cardinal light **buoy**


WILLIAMS HARBOUR APPROACH (2012)

















at a depth of 15 feet (4.6 m) and marked by port hand light **buoy** NW5 (270.2) extends about 500 feet (152 m) SE from the west entrance point. Shelving rock extends from the shoal to the rock which dries 2 feet (0.6 m), located close NW. An approach slightly favouring the eastern side of the harbour entrance is preferable when entering Williams Harbour. The harbour is well protected from all winds, but the swinging room is limited and it is probably too deep for a secure anchorage.

The seasonal settlement of **Williams Harbour** is located around the west and NE sides of the harbour.


An L-shaped Public **wharf**, constructed of wooden **cribs** with rock ballast and having a concrete top, is located on the north side of the harbour. The outer end is 62 feet (19 m) long with a depth of 16 feet (4.8 m) alongside. The wharf is no longer maintained by the *Government of Newfoundland and Labrador* and users are at their own risk. **Ruins** of a wharf, 203 feet (62 m) long, extend west from the inner end of the Public wharf.

Shinney Island (Skinny Island) and Williams
Harbour, provides access into Gilbert Bay, **Red Bay** and **Tobys Harbour**. A shoal with a least depth of 20 feet
(6.1 m) is located about 0.38 mile west of the west entrance point to Williams Harbour.

162 **Captain Jacks Tickle**, entered 1 mile west of Williams Harbour, is **foul**. Starboard hand light **buoy** NW6 (270.23) marks the channel off the west extremity of Leg Island. Tobys Harbour is entered through a narrow channel having a depth of 27 feet (8.2 m) between the NE extremity of Leg Island and **Long Point**, the tip of a narrow peninsula containing a gravel airstrip separating Tobys Harbour from Red Bay.

Chapter 2

Williams Harbour to Stony Island



Williams Harbour to Cape Bluff

Charts 4701, 5179

The east side of Granby Island, 1 mile north of Shoal Point, is indented by **St. Francis Harbour**, where there is a small summer fishing settlement. **Pigeon Island** lies in the approaches to St. Francis Harbour. Depths of 12 to 27 feet (3.7 to 8.2 m) occur in St. Francis Harbour, which can be entered on each side of Pigeon Island. In **Round Harbour**, the south arm of St. Francis Harbour, good **anchorage** is available in 27 feet (8.2 m), sand and gravel.

2 **Cape St. Francis** (52°34′N, 55°42′W) is the east extremity of a flat-topped rocky island lying close off the NE side of Granby Island.

3 A **light** (270.1) is shown at an elevation of 129 feet (39.4 m) from a red and white mast situated on Cape St. Francis.

4 **Abnormal magnetic variations** of up to 20° have been observed in the area from Cape St. Francis to Fishing Islands, the principal area lying within 1 mile seaward of a line drawn between Cape St. Francis and the NE extremity of Hare Island; **caution** is advised.

5 Three small bays are situated on the north side of Granby Island, namely, **Indian Bight**, **St. Francis Harbour Bight** and **Georges Cove**. **Burke Island** lies close north of the peninsula separating Indian Bight from St. Francis Harbour Bight. Small summer fishing stations are located in St. Francis Harbour Bight and Georges Cove. There is **anchorage** with shelter from all winds in St. Francis Harbour Bight.

Georges Cove, connected to Williams
Harbour by road, has a small wharf on its north shore
extending 82 feet (25 m) to a depth of 9 feet (2.7 m)
alongside a 20 foot (6 m) wide outer end. A white building,
59 feet (18 m) long and 39 feet (12 m) wide, is situated at
the inner end of the wharf. Caution is advised in the
approach to the wharf at Georges Cove as shallow water
extends into the centre of the cove from the south shore.

Long Island (52°35′N 55°44′W) lies off the

7 **Long Island** (52°35′N, 55°44′W) lies off the entrance to St. Francis Harbour Bight and is separated from Hare Island to the NE by **Pipers Tickle** (*unnamed on the*

Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

GEORGES COVE (2012)



charts). Hare Island is dark and flat-topped, rising to an elevation of 378 feet (115 m) in its central part.

Red Island lies about 0.3 mile east of Hare Island. A shallow spit terminating in a drying rock at its outer end extends 0.1 mile south of the island, and **Red Island Shoal**, a further 0.2 mile SE of the island, has a depth of 31 feet (9.4 m) over it.

Chart 4701

Fishing Islands $(52^{\circ}36'N, 55^{\circ}45'W)$, three in number, form the east and south sides of Fishing Ship Harbour (local name). These islands are named Bull (East) Island, Middle Island and Killey (West) Island.

The Bull (local name), a submerged rock, lies close off Black Point, which forms the SE extremity of Bull (East) Island. The Cow is a submerged rock situated in the entrance to a narrow cove, which indents the north side of Bull (East) Island. The Chimney is a shoal spot with a depth of 6 fathoms (11 m) situated about midway between the north side of the west part of Bull (East) Island and Sloop Cove Head. A shoal dangerous to navigation is located near mid-channel, 0.1 mile SW of the NW tip of Bull (East) Island.

The seasonal fishing settlement of **Fishing Ships Harbour** (*settlement unnamed on the chart*) is situated on the west side of the harbour, on the mainland. Private wharves at the settlement are only suitable for small craft. The reported entrance to the harbour is between the

west end of Bull (East) Island and the mainland, taking care to avoid the shoal near mid-channel previously mentioned.



Anchorage in 7 to 14 fathoms (12.8 to 25.6 m) is available in Northwest

Arm (unnamed on the chart), which is entered between Killey (West) Island and the mainland; local knowledge is essential.

Between Bull (East) Island and Southern Point, situated about 1.6 miles north, the coast is penetrated by Caplin Bay and an indentation known as Southwest Bight, which is situated immediately south of Ship Harbour.

Pigeon Island, the north entrance point to Caplin Bay, is separated from the mainland by a channel, 20 feet (6.1 m) deep, in which isolated above and underwater rocks exist. There is shelter for small craft in 9 feet (2.7 m) in a basin with a narrow entrance situated on the SW side of Caplin Bay. A rock, dangerous to navigation in the entrance to the basin may be avoided by keeping close to the north side of the channel.

Ship Harbour Head (52°39′N, 55°45′W), steep-to and faced by steep bluffs with red patches and situated 3 miles north of Fishing Islands, is the extremity of a rugged promontory rising to an elevation of 487 feet (148 m).

Ship Harbour, with Southern Point its south entrance point, penetrates the coast for a distance of almost 1.5 miles. Depths in the central part of the harbour range from 4 to 24 fathoms (7.3 to 44 m). There is, however, a ledge extending from the south shore

SHIP HARBOUR (LOOKING EAST) (2012)



to a depth of 2 fathoms (3.7 m) situated in the harbour entrance. Though **Russell Cove** is **foul**, there is good **anchorage** off it in 16 fathoms (29 m), mud.

17 A wharf with a depth of 10 feet (3 m) alongside an outer face 31 feet (9.4 m) long extends from the north shore of Ship Harbour, about 0.9 mile within the entrance.

Charts 5032, 4701

18 Ship Harbour Head to Cape St. Michaels. — A depth of 9.6 m (31 ft) lies 0.5 mile NNE of Ship Harbour Head. A reef with a depth of 10.7 m (35 ft) is situated in the NE approach channel to Occasional Harbour, about midway between Twin Islands and Northern Head.

are situated approximately 1 mile NNW of Ship Harbour Head. The larger and east island rises in the form of two grass-covered mounds to an elevation of almost 37 m (120 ft). The west island is a narrow black rock. These features should be approached with **caution**; shoal ground extends off most of the points on these islands.

20 A **light** (279.3) is shown at an elevation of 30.8 m (101 ft) from a mast having a red daymark with a white horizontal band located near the SE end of the east Twin Islands.

White Point is situated 1.5 miles NW of Ship Harbour Head and forms the south entrance point of Occasional Harbour; Northern Head, about 0.8 mile NNE, forms the north entrance point.


Occasional Harbour, with numerous coves and shoal water extending from much of its shores, penetrates the mainland for a distance of 5 miles. Depths vary from 10.7 to 73 m (35 to 240 ft) and the sides of the harbour rise precipitously to over 152 m (500 ft). The channel leading to the inner basin passes north of **Mercer Island** (52°38.4′N, 55°51.4′W) (unnamed on the charts) and is suitable only for small craft with local knowledge.

23 It is reported that no swell reaches the inner part of Occasional Harbour, even during heavy weather. Within the west reach there are several places which afford good shelter. **Anchorage** can be obtained off the entrance to **French Cove** in about 30 m (98 ft), mud. **Delaney Cove** offers **anchorage** in 10 to 11 m (33 to 36 ft). **Anchorage** can also be obtained south of the point separating French Cove and **Trout Cove** in 23 to 24.4 m (75 to 80 ft). **Arch Cove** affords secure **anchorage** in about 7.5 to 22 m (25 to 72 ft). Fresh water is available from a waterfall situated south of Mercer Island near the head of Occasional Harbour.

Charts 4702, 5032, 5033

Cape St. Michaels to Stony Island. — Between Cape St. Michaels and Stony Island, a distance of 17 miles, the coast of Labrador is deeply indented by several large inlets, St. Michaels Bay being the largest. Along this stretch, the **dangers** are normally close to the shore.

OCCASIONAL HARBOUR APPROACH (2000)



Charts 5032, 4702

25 **Cape St. Michaels** (52°41′N, 55°47′W), bold, rising to an elevation of 171 m (562 ft) and providing a good landfall mark, is the NE end of a rugged promontory separating Occasional Harbour from St. Michaels Bay.

Hole in the Wall $(52^{\circ}41.3'N, 55^{\circ}46.2'W)$ (unnamed on the charts), a remarkable ridge with a hole in it, lies nearly 0.5 mile NNW of Northern Head, the east extremity of Cape St. Michaels. Hole in the Wall Cove indents the shore south of the ridge.

Main Cape, 0.7 mile NNW of Northern Head, is a low peninsula forming the south entrance point of St. Michaels Bay.

Three shoal banks lie in the approaches to the south channel of St. Michaels Bay. **Main Cape Bank**, with a depth of 10.1 m (33 ft), is situated 0.5 mile NE of Main Cape. **Hampton Bank**, with a depth of 12.8 m (42 ft), lies 1.5 miles NNW of Main Cape Bank. **Mad Moll**, a rock with a depth of 2.7 m (9 ft) and marked by

starboard hand light **buoy** NM2 (279.29), lies about 1 mile WSW of Hampton Bank.

St. Michaels Bay is entered between Main Cape and Cape Bluff, situated 8.8 miles north. Many islands encumber the bay, which indents the coast for 7 miles, at which point it narrows to form White Bear Arm, which extends a further 8 miles NW. **Square Island**, which divides the entrance to St. Michaels Bay into two channels, rises to an elevation of 155 m (508 ft) as a double summit near its west side.

30 **South entrance to St. Michaels Bay.** — The south or main entrance to St. Michaels Bay contains the navigation channel for ships bound for White Bear Arm and Charlottetown.

East Island (52°44′N, 55°49′W) has an elevation of 73 m (238 ft) at its north end. Its south end has a rocky hummock, with an elevation of 15 m (50 ft), which is connected to the island by a strip of low land. The channel between East Island and Square Island

forms the north approach channel to Square Island Harbour. Mariners are **cautioned** that icebergs frequently drift through this channel during the summer months.

The Ribs, two rocky patches with a least depth of 4.5 m (15 ft), lie about 1 mile east of the north end of East Island.

West Island, lying immediately south of East Island, rises in a steep bluff at its south side. The channel between East Island and West Island and the coast of Square Island has a least depth in mid-channel of 36 m (118 ft) and forms the south approach channel to Square Island Harbour.

34 **Motion Island**, 16 m (52 ft) high and cliffy, lies on the west side of the south entrance to the approach channel. A shoal area borders the east shore on the south side of the south channel. The east approach channel, situated between East Island and West Island, is free of dangers.


35 **The Sisters** are three islets lying 0.1 mile south of West Island. The water is **foul** off the east and west ends of these islets and they should not be approached closer than 0.2 mile. A shoal with a least depth of 7.6 m (25 ft) is located 0.1 mile WNW of the west islet. Another shoal with a depth of 10.5 m (34 ft) lies about 0.2 mile SW of the west islet. Starboard hand light **buoy** NM4 (279.83) marking the previously described dangers is moored 0.15 mile SW of the west islet.

Square Island Harbour $(52^{\circ}44'N, 55^{\circ}50'W)$ is situated at the SE end of Square Island. It is entered

between **Harbour Point** and the unnamed NE entrance point. A rock lies close off Harbour Point. An islet with an elevation of 3.4 m (11 ft) and locally known as **Harbour Rock**, lies off the NE entrance point, and a reef with 10 m (30 ft) of water over it lies about 0.05 mile east of Harbour Rock.


Anchorage is obtainable in Square Island Harbour in 22 m (72 ft), sand and mud. There is limited swinging room but it is reported possible for a vessel of 38 m (125 ft) in length to anchor at short stay in the centre of the harbour, allowing a swinging room of 0.1 mile. Vessels should leave the anchorage promptly at the approach of an east gale. Sheltered anchorage can be found in the north end of the central entrance channel, in 27 m (89 ft). On the south side of Square Island Harbour, there is a small church with a white cross. This structure can be used as a daytime anchorage reference mark.

The seasonal fishing settlement of **Square Islands** is situated at the head of the harbour of the same name.




long with a depth of 3.7 m (12 ft) alongside the north 6.1 m (20 ft) section of the face. The remainder of the outer face has depths of 0.7 to 1.9 m (2 to 6 ft) alongside. The north face of this wharf is **foul**. On the west side of the harbour there is a private fish plant and wharf which was in **ruins** in 2012.

SQUARE ISLAND HARBOUR SOUTH APPROACH (2012)



SQUARE ISLAND HARBOUR NORTH APPROACH (2000)



SQUARE ISLAND HARBOUR (2015)



- 40 **South side of St. Michaels Bay.** The south side of St. Michaels Bay is indented with numerous coves and bays and dotted with islands many of which are unnamed on the chart.
- 41 **First Point** (52°42′N 55°49′W), the north extremity of Cape St. Michaels, with a depth of 10.9 m (36 ft) close offshore, is situated 1.5 miles WNW of Main Cape; between these points are several deep coves. Close

west of First Point is **Scrammy Bay**, a shoal bay with **Pinsent Island** forming its west side. A shoal known locally as **Lazy Bank**, with a depth of 10.1 m (33 ft), lies off the entrance to Scrammy Bay.

42 **Pensons Rock**, a small island with an elevation of 1 m (3 ft) is located about 0.15 mile NW of Pinsent Island. Port hand light **buoy** NMP1 (279.283) marking the approach to Pinsent Arm is

moored about 91.4 m (300 ft) NNW of Pensons Rock. Starboard hand light buoy NMP2 (279.282) marking the shallow water extending about 91.4 m (300 ft) SE of Long Island is moored about 0.6 mile west of Pensons Rock.

George Cove, with a rock drying 0.8 m (3 ft) near its head, provides good

anchorage for small craft. A rock drying 0.5 m (2 ft) lies about 0.1 mile off the eastern shore, about 0.35 mile SW of Pinsent Island.

Pinsent Arm, entered 0.5 mile west of George 44 Cove, has a settlement known as **Pensons Arm**, with a population of 61 in 2016, situated in the vicinity of the narrows. The settlement is connected by road and there is a general store with limited quantities of supplies available.

Depths of 5.6 to 10.9 m (18 to 36 ft) lie in mid-channel in the narrows. Two shoal banks with depths of 0.4 to 1 m (1 to 3 ft) lie 110 m (361 ft) off the south shore. Beyond the narrows, the arm is shoal. Port and starboard hand light **buoys** NMP3 (279.286) and NMP4, NMP6 (279.285, 279.287) mark the channel leading into

Pinsent Arm.

46 Anchorage in 9.1 to 12.8 m (30 to 42 ft) is available inside the narrows in Pinsent Arm; local knowledge is essential.

At the settlement of Pensons Arm, there is a wharf with an outer face 31 m (102 ft) long with a depth of 2.6 m (9 ft) alongside. A fish plant is located

adjacent to the wharf; fresh water is available. Several private wharves lie close NE of the previous wharf.

On the west side of Man O'War Head, a peninsula forming the west side of Pinsent Arm, there is a large unnamed bay. An islet with an elevation of 1 m (3 ft) is situated near the centre of the bay. A rock awash and dangerous to navigation is located on a bank extending 0.1 mile ENE from the islet. A shoal with a least depth of 1.3 m (4 ft) and a rock drying 1 m (3 ft) are located 0.2 and 0.26 mile SE, respectively, of the islet. Another shoal with a least depth of 3.5 m (11 ft) is located 0.3 mile WSW of the islet.

Wild Bight is located on the south shore of the unnamed bay and is entered between the west side of Man O'War Head and Wild Bight Point, 1.8 miles west. A shoal with a least depth of 4.1 m (13 ft) is located 0.4 mile SE of the NE tip of **Wild Bight Island**. Another shoal with a depth of 6.9 m (23 ft) is located 0.6 mile SSE of the same point. Anchorage is available in 46 m (151 ft), 0.95 mile ESE of the NE tip of Wild Bight Island.

Long Island $(52^{\circ}42'N, 55^{\circ}52'W)$ is the east island of the chain situated in the south part of St. Michaels Bay. The island appears cone-shaped from the SE. Bloody Bag **Island** lies close off the west shore of Long Island. A shoal with a depth of 9.4 m (31 ft) lies 0.2 mile WSW of the west end of Bloody Bag Island.





An interrupted chain of above-and below-water rocks and shoals extends NW

from an islet off the north side of Long Island and nearly

PINSENT ARM APPROACH (2012)



PENSONS ARM PUBLIC WHARF (2015)



joins the shoals and above-and below-water rocks which extend 0.3 mile SE of Deepwater Island. A rock drying 0.6 m (2 ft) lies 0.12 mile NW of the islet previously mentioned. Passage is available between Long Island and the chain of islets extending SE of Deepwater Island, avoiding the shoals in mid-channel with depths of 1.2 and 2.4 m (4 and 8 ft) lying 0.3 and 0.45 mile north of the west tip of Bloody Bag Island, respectively. Another shoal with a least

depth of 6.3 m (21 ft) lies 0.1 mile ENE of the previous
2.4 m (8 ft) shoal. There is **anchorage** in about 15 to 20 m
(49 to 66 ft) over coral and rock bottom about 0.2 mile off
the cove on the south side of Long Island.

NAVIGABLE CHANNEL SOUTHSIDE OF WHITEFISH ISLAND AND NARROWS ISLAND (LOOKING NW FROM DEEPWATER ISLAND) (2012)



NAVIGABLE CHANNEL SOUTHSIDE OF NARROWS ISLAND (LOOKING NW) (2012)



52 **Pigeon Island**, with an elevation of 6 m (20 ft), is situated in mid-channel, 0.5 mile north of Long Island. A reef with a depth of 1.8 m (6 ft) is situated about 0.2 mile ESE of Pigeon Island. Another reef with a depth of 4 m (13 ft) lies 0.3 mile west of the same island.

53 A **light** (279.31) is shown at an elevation of 11.5 m (38 ft) from a skeleton tower having a green and white daymark, located on Pigeon Island.

Burnt Island is connected to the south side of Square Island by a drying flat. West of Burnt Island are situated Whitefish Island and Narrows Island; south of these islands is the channel leading to White Bear Arm. Deepwater Island is situated 0.3 mile SW of Whitefish Island.

of 7.6 m (25 ft) from a skeleton tower having a red and white daymark, situated on the north side of Deepwater Island.

The shipping channel in St. Michaels Bay leads between Pigeon Island and Burnt Island; the channel leading through the narrows south of Whitefish Island and Narrows Island.

Port hand light **buoy** NM5 (279.45) is moored 0.75 mile NW of Deepwater Island. Port and starboard hand light **buoys** NM7, NM9 (279.6, 279.58) and NM6, NM8 (279.5, 279.59) mark the channel at the SW end of Narrows Island. Past the narrows there is a channel leading through the west part of St. Michaels Bay and along White

Bear Arm. Coastal vessels with draughts of up to 5.2 m (17 ft) navigate these waters.

58 A rocky reef with a least depth of 2.5 m (8 ft) and marked by starboard hand light **buoy** NM10 (279.62) is situated on the north side of the channel just past the westernmost narrows, about 0.2 mile WNW of westernmost end of Narrows Island.

59 **White Bear Arm**, entered about 3 miles WNW of Narrows Island, is comparatively deep throughout with few dangers.

Goose Island, with an elevation of 15 m (49 ft), is situated near the middle of White Bear Arm about 4 miles from its head. A rock drying 0.3 m (1 ft) is situated 0.4 mile ENE of Goose Island. Shoals at depths of 7.9 and 8.5 m (26 and 28 ft) lie 0.15 and 0.2 mile north and NNW of the east tip of Goose Island. Another shoal with a depth of 8.6 m (28 ft) lies 0.7 mile WNW of the NW end of Goose Island.

61 A **light** (279.7) is shown at an elevation of 7.6 m (25 ft) from a skeleton tower having a red and white daymark, located on the east end of Goose Island.

62 **Burnt Point** (*unnamed on the charts*) forms the NW extremity of a peninsula situated 1.4 miles ENE of Charlottetown.

63 **Charlottetown** (52°46′N, 56°07′W), a fishing and lumbering town with a population of 290 in 2016, is situated on the south shore of an unnamed bay 1.3 miles south of Goose Island. The town is connected by road and there is scheduled air service with

CHARLOTTETOWN (2015)



Happy Valley - Goose Bay and St. Anthony. There is a hotel and a **medical clinic** at the town. Gasoline, diesel fuel and provisions in limited quantities are also available. There is a fish plant adjacent to the main Public **wharf** on the south shore of the bay (*see Charlottetown diagram*). Fresh water is available (*see Appendix*). Starboard hand light **buoy** NM12 (279.65) is moored about 225 m (738 ft) north of the outer end of the L-shaped Public wharf. A **light** (279.66) is shown from a pipe tower on the outer end of the breakwater located about 0.2 mile west of the L-shaped Public wharf alongside the fish plant.

64 **Anchorage** may be obtained in the charted berth. Coastal vessels have anchored in the bay about 0.9 mile south of Goose Island.

65 **North side of Square Island.** — **Gull Island** (52°46′N, 55°48′W) lies close north of the NE extremity of Square Island; an islet with an elevation of 2.1 m (7 ft) is situated close north of it. **Sugarloaf**, situated at the NE end of Square Island, rises to a truncated conical point, 67 m (221 ft) in elevation.


There is deep water between West Island and Square Island in **Dead Islands Bay** situated off the north shore of Square Island. Reefs, however, exist in the vicinity of **Duck Island** and in the narrow channels situated off the NW end of Square Island; these channels should not be navigated without local knowledge. A rock drying 1 m (3 ft) and several adjacent underwater rocks **dangerous** to navigation lie about 90 m (295 ft) SW of an islet off the west side of Duck Island.

Shoal Tickle, located off the NW end of Square Island, has a shoal with a depth of 0.3 m (1 ft) lying in mid-channel. A shallow ledge with a least depth of 1.4 m (5 ft) extends 0.1 mile ESE from the east side of an island lying 0.22 mile WNW of the NW end of Square Island. Two small islets lie off the south end of the island. The east side of Shoal Tickle has a least depth of 3.7 m (12 ft); local knowledge is essential. A shoal with a least depth of 8.4 m (28 ft) extends 0.1 mile south of the two small islets.

Another channel with a least depth of 12 m (39 ft) lies 0.3 mile west of Shoal Tickle. This channel provides an alternate route for small vessels into Charlottetown. Port hand light **buoy** NMN1 (279.9) marking the north entrance to the channel is moored about 0.5 mile WNW of the NW end of Square Island.

69 A **light** (279.74) is shown at an elevation of 15.3 m (50 ft) from a skeleton tower having a red and white daymark, located on the north end of an unnamed island on the west side of the previously described channel.

A shoal with a least depth of 7.3 m (24 ft) lies about 150 m (492 ft) SE of the south end of the unnamed island. A rock, drying 0.2 m (1 ft) and marked by west cardinal light **buoy** NM (279.72), lies on the NW end of an extensive shoal 0.13 mile SSE of the south end of the unnamed island. Three other shoals with depths of 9.9, 8.1 and 1.7 m (32, 27 and 6 ft) lie 0.27, 0.32 and 0.38 mile SSE, SSE and south of the south end of the unnamed island, respectively. South cardinal light



Sources: Surveyed by PWGSC in 2011 and CHS in 1995 Sources: Levés effectués par SPAC en 2011 et le SHC en 1995

NAVIGABLE CHANNEL 0.3 MILE WEST OF SHOAL TICKLE (LOOKING SOUTH) (2012)



NAVIGABLE CHANNEL 0.3 MILE WEST OF SHOAL TICKLE (LOOKING NORTH) (2000)



buoy NMS (279.73) marks the 1.7 m (6 ft) shoal previously mentioned.

- 71 **Dead Islands**, which consist of a group of large and small islands, lie close offshore between the north side of St. Michaels Bay and Square Island.
- Gull Island, conical, dark and conspicuous, the north island of the Dead Islands group, is situated about 1 mile SW of Cape Bluff. Flats Island lies about 0.1 mile SE of Gull Island.
- North Island, situated 0.3 mile south of Gull Island, attains an elevation of over 61 m (200 ft). **Eastern Island**, small and with an elevation of 37 m (121 ft), is situated close off the east extremity of North Island.
- 74 **West Island** $(52^{\circ}48'N, 55^{\circ}51'W)$, the largest of the Dead Islands, is cliffy and steep-to on its south side. **Bull Island** and **Butler Island** are small islands lying close

east of West Island. Bull Island has a **conspicuous** vein of quartz on its seaward side.

75 West and SSW of the Dead Islands are several large and small unnamed islands. Local knowledge is essential for navigating or anchoring in this general area of St. Michaels Bay.

Cape Bluff $(52^{\circ}50'N, 55^{\circ}48'W)$, the north entrance point of St. Michaels Bay, is a prominent headland rising to a double-peaked hill about 0.5 mile NW; a cairn is situated on this hill. The south extremity of Cape Bluff is a small rocky peninsula 33 m (110 ft) in elevation.

77 A **light** (279.8) is shown at an elevation of 54.7 m (179 ft) from a mast having red and white bands, situated on Cape Bluff.

78 The north side of St. Michaels Bay is indented by three inlets. These inlets which are surveyed or partially surveyed include **Cape**

TRIANGLE HARBOUR (LOOKING SE) (2012)



Bluff Harbour, Hambrook Cove and Fortune Arm.
New York Bay, a large unsurveyed bay is located about 2.5 miles NW of the NW end of Square Island. Close west of Cape Bluff, Cape Bluff Harbour, with Pigeon Island its west entrance point, penetrates the mainland in a NW direction for 2 miles. The south arm at the head of the harbour provides anchorage for small vessels in 16.5 to 22 m (54 to 72 ft); local knowledge is essential. Anchorage is also possible NW of Harbour Islets (local name), which lie in the central part of the harbour. The reported approach

79 **Triangle Harbour**, situated 1.5 miles west of Cape Bluff, is entered NE of **Triangle Island** (52°50.1′N, 55°50.8′W) (local name) through a passage about 43 m (140 ft) wide. There is an **anchorage** for small craft in the NW cove of Triangle Harbour in 11.9 m (39 ft), mud. Local knowledge is required to manoeuvre inside the harbour. The shores are steep-to except for a rock off the SE entrance point of the shallow NE cove. The entrance to Triangle Harbour is sometimes blocked by icebergs.

to this anchorage is the channel leading NE of the islets.

80 A **wharf** with depths of 0.9 to 3.3 m (3 to 11 ft) alongside an outer face 6.1 m (20 ft) long extends from the north side of Triangle Harbour.

Cape Bluff to Stony Island

Charts 5033, 4702

The coast from Cape Bluff to **Southern Head**, 3 miles north, has no prominent bays or coves.

82 **Matthews Bank**, with a depth of 6.4 m (21 ft), lies 1.4 miles NE of Cape Bluff and about 1 mile off the coast. **Gull Rock**, with a depth of 3.8 m (12 ft) lies 0.5 mile NNW of Matthews Bank. Matthews Bank and Gull Rock are marked by west cardinal light **buoy** NGM (279.809).

83 **Gull Island**, a **conspicuous** feature with a rock **dangerous** to navigation with a depth of 2 m (6 ft) or less lying close off its SE side, is situated 1.5 miles north of Cape Bluff and 0.2 mile offshore. **The Skelligs** comprise the NW part of a shoal bank, which lies 1.2 miles SE of Southern Head.


A large unnamed bight indents the coast between Southern Head and **Murray Point** (52°54′N, 55°50′W) situated 1 mile NW, which is also the east entrance point of Snug Harbour.

85 Snug Harbour has a constricted entrance about 0.1 mile wide but expands into a well sheltered basin. A shoal with a least depth of 1.3 m (4 ft) and a rock drying 1.1 m (4 ft) lie on the west shore of the harbour 0.55 mile WSW and 0.65 mile SW of Murray Point. Icebergs frequently drift into the harbour.

Anchorage with indifferent holding may be obtained in the middle of Snug Harbour in 37 to 44 m (121 to 144 ft). It is used by coastal vessels. The west side of the basin is foul and unsuitable as an anchorage.

SNUG HARBOUR (LOOKING NE) (2012)





87 A Public **wharf**, in **ruins** in 2012, with a depth of 2.4 m (8 ft) alongside a 6.1 m (20 ft) wide outer end, extends from the west shore at the head of **Southwest Arm**, at the SE end of Snug Harbour.

Lord Arm is a bight situated almost 1 mile north of Snug Harbour. Depths of 4.6 to 24 m (15 to 79 ft) are found in this bight.

89 **Dark Tickle Island** is located in the entrance to Lord Arm. **Banger Island** (52°55′N, 55°50′W) is a small island lying off the SE side of Dark Tickle Island; **foul ground** extends about 0.1 mile south from it. A rock drying 1 m (3 ft) lies about 137 m (450 ft) off the eastern shore of Dark Tickle Island about 0.23 mile SSE of its northern tip. An unnamed island, 17 m (55 ft) in elevation with a shoal at a depth of 1.6 m (5 ft) extending about 0.1 mile west of its south end, is located about 0.2 mile NNW of Dark Tickle Island. A shoal bank, with least depth of 2.1 m (7 ft) at its outer end, is located 0.1 mile WSW of the previous shoal; **caution** is advised in this area.

90 **Cooper Island** lies 0.3 mile east of Dark Tickle Island. **Delaney Cove** indents the east side of Cooper Island but offers little protection from the east. **Greys Rock**, with an elevation of 1 m (3 ft), is located 0.15 mile north of Cooper Island. A **danger**, known locally

as **Greys Rock Shoal**, with a depth of 5.8 m (19 ft) over it, extends 0.2 mile north of Cooper Island. Another shoal with a least depth of 5.1 m (17 ft) is located 0.2 mile NNE of Greys Rock. **Caution** is advised to vessels on passage between Snug Harbour and Venison Tickle via the inner route.

91 Between Cooper Island and Cooper Head, the south end of Stony Island, there is a passage with deep water leading NW to Martin Bay, Otter Bay and Hawke Bay. A rock drying 0.5 m (2 ft) lies about 0.1 mile south of Cooper Head. The main islands are Macy Island, Carnabhus Island, Deepwater Island, Flat Island and Goose Island.

92 Macy Island has a shoal extending 0.1 mile north of its NE end to a depth of 2.9 m (10 ft). Another shoal with a depth of 7.9 m (26 ft) is located about 0.17 mile NNW of its northern tip.

93 Carnabhus Island has a rock drying 0.2 m (1 ft) lying 0.13 mile NNW and a shoal at a depth of 2.8 m (9 ft) lying 0.2 mile NNE of its west end; **caution** is advised. A shoal with a least depth of 1.6 m (5 ft) extends 0.1 mile NE from the NE end of Carnabhus Island.

94 Deepwater Island, 27 m (89 ft) in elevation, lies 0.6 mile NW of Carnabhus Island. A rock drying 1 m (3 ft) and marked by port hand light **buoy** NE1 (279.84) lies about 0.3 mile NNW of the NW tip of Deepwater Island.

95 A small islet located 1.1 miles west of the south tip of Deepwater Island has a rock drying

LADYS ARM APPROACH (LOOKING SW) (2012)



NORMANS (NORMAN) BAY FERRY WHARF (2012)



0.6 m (2 ft) lying about 0.1 mile ENE of it and a shoal with a least depth of 5.2 m (17 ft) 0.16 mile west of its southern tip. Another shoal with a least depth of 8.7 m (29 ft) lies about 0.25 mile WNW of the northern tip of the islet. Two small islands located about 0.5 mile west of the previously mentioned islet have **foul ground** both between them and extending about 152 m (500 ft) west of the western island. Normans Bay is reported to be approached north or south of the two previously mentioned islands and islet.

96 Goose Island, on the north side of the entrance to **Martin Bay** and Ladys Arm, rises to an elevation of about 80 m (262 ft) near its south side. A channel suitable for small craft exists on its west side which connects Martin Bay with the south entrance to Otter Bay. The channel is entered from south between **Clifty Island** and **Seal Island**, 0.3 and 0.5 mile SW, respectively, of Goose Island. A shoal with a least depth of 0.6 m (2 ft) is located 0.2 mile SW of the west tip of Goose Island.

97 The settlement of **Normans Bay (Norman Bay)**, with a population of 25 in 2016, is situated on the shores of **Ladys Arm**. A ferry connects Normans Bay with Charlottetown and Port Hope Simpson during the navigation season.

98 On the west shore of the arm, there is a ferry **wharf** 12 m (39 ft) wide at its outer face with a reported depth of 4 m (13 ft) alongside (*see Appendix*).

99 Entrance to Ladys Arm is provided through a narrow channel south of Martin Bay. A shoal with a least depth of 3.9 m (13 ft) and marked by starboard hand

light **buoy** NG2 (279.81) lies about 0.1 mile SSE of the north entrance point to Ladys Arm. Passage is available south of the shoal in 9.6 m (31 ft).

100 **Stony Island** (52°59′N, 55°49′W) is situated at the entrance to Hawke Bay. Its east and west sides are much indented by coves, with numerous off-lying islands and shoals.

submerged and drying rocks existing in the entrance, is situated on the SW side of the island and affords sheltered **anchorage** for small vessels; local knowledge is essential. A small islet 1 m (3 ft) in elevation and lying 0.1 mile off its entrance has an extensive shoal area with depths of 1 to 2.3 m (3 to 8 ft) extending 0.3 mile WNW of it; **caution** is advised.

102 Between Tub Harbour and Wild Bight, 1 mile NNW, a number of shoals with depths less than 8.8 m (29 ft) exist within 0.1 mile off Stony Island. Wild Bight, unsurveyed, has a rock drying 0.7 m (2 ft) in its entrance. Two shoals at depths of 3.1 and 5.6 m (10 and 18 ft) lie 0.15 mile SSW and 0.25 mile SW of the drying rock; caution is advised.

of Tub Harbour, has not been surveyed; **caution** is advised. **Gull Rock**, 1 m (3 ft) in elevation and located close off the entrance to Duck Harbour, has a rock drying 0.7 m (2 ft) located 0.15 mile east of it.

104 **Otter Bay** is entered between Stony Island and Cooper Island. A passage known as

The Wavers, between the west side of Stony Island and a peninsula bordering the north side of Otter Bay, leads into Hawke Bay and north through Squasho Run into Caplin Bay. A small islet with a shoal having a least depth of 3.7 m (12 ft) extending about 0.1 mile SSE of it is located close off the NW end of Stony Island, about 0.6 mile NNW of **Sloops Head**. A shoal with a least depth of 5.2 m (17 ft) is located about 0.2 mile SSE of the previously described islet.

close south of the passage, **Double Island** with an elevation of 30 m (98 ft) has a shoal with a least depth of 1.6 m (5 ft) extending 0.1 mile off its NW corner. Three small islands and an islet extending 0.3 mile east and SE of Double Island are surrounded by shoal water and drying rocks; **caution** is advised. Another island 7 m (23 ft) in elevation with an islet having an elevation of 3 m (10 ft) located 0.2 mile SE of it is located 0.3 mile SW of Double Island. Two drying rocks, located within 0.1 mile NW, and one rock drying 1.4 m (5 ft) lie 0.05 mile SE of the islet.

Tinker Island, 1.9 miles WNW of Double Island, is 18 m (59 ft) in elevation. The area of Otter Bay NW of Tinker Island has not been surveyed; local knowledge is required. Islets, 1 and 2 m (3 and 7 ft) in elevation, are located 0.2 mile SSW and 0.4 mile SW, respectively, of the south tip of Tinker Island. Shoals at depths of 3.4 and 3.2 m (11 and 10 ft) lie 0.05 and 0.15 mile east and ENE, respectively, of the islet 1 m (3 ft) in elevation. A rock drying 0.5 m (2 ft) is located in mid-channel in the approach to **Old Cove**, 0.23 mile SW of the islet 1 m (3 ft) in elevation.

There is a shoal area on the east side of Stony Island close NE of Cooper Head. **Black**Rock, 0.6 m (2 ft) in elevation, lies at the SE limit of the shoal area. A shoal with a depth of 2.9 m (10 ft) is located 0.18 mile north of Black Rock.

Several shallow reefs are situated near White Islands.

Cod Rock, with a depth of 1.7 m (6 ft), lies in the southern approaches to Venison Tickle, 0.3 mile north of White Islands.

109 **Venison Island** (52°58′N, 55°46′W), separated from Stony Island by Venison Tickle, rises to a summit with an elevation of 61 m (201 ft). The seasonal fishing settlement of **Venison Islands** is situated on the west side of Venison Island.

sheltered channel with depths in the north part of 3.4 to 6.7 m (11 to 22 ft). The south entrance has a least depth of 2.1 m (7 ft); it is only suitable for small craft and with local knowledge. A rock, drying 0.5 m (2 ft) extends off the SW entrance point of Venison Tickle; caution is advised. A shoal with a least depth of 1.8 m (6 ft) extends 0.1 mile NE of the NW entrance point to Venison Tickle. The small craft anchorage in Venison Tickle is restricted to a width of about 91 m (300 ft), but it is sheltered from all winds. Anchorage in 29 to 36 m (95 to 118 ft) is available about 0.2 mile NNE of the north end of Venison Island.



Pigeon Island and Fox Island, lying about 0.1 mile off the NE and east sides of Venison Island,

VENISON TICKLE NORTH APPROACH (2012)



VENISON TICKLE SOUTH APPROACH (2012)



are joined by a shoal bank. **Foul ground** also lies off the north end of Pigeon Island.

Gun Rocks (52°58′N, 55°46′W) consist of two low and black steep-to islets lying south of Fox Island. A shallow ledge, with a depth of 2.1 m (7 ft) near its outer end (*Chart 4702*), extends 0.2 mile south of the east islet of the Gun Rocks. The sea breaks over this ledge in moderate weather.

Island, has **foul ground** extending off its north and south extremities. This island is reddish grey in colour and covered with grass; it is steep-to on its east and west sides. **The Rib**, a reef drying 1.1 m (4 ft), is located 0.1 mile north of Sculpin Island.

114 Three islets, **White Shot Island**, **Eddystone Island**, which appears from seaward as a round, black lump, and **Hen and Chickens**, are the

farthest off-lying **dangers** in this vicinity. Many above-and below-water rocks lie in close proximity to the above-mentioned islands. The area from Gun Rocks to Hen and Chickens, 1 mile NNE, has not been surveyed; **caution** is advised. A rock drying 1.2 m (4 ft) is located 0.05 mile NE of the larger Hen and Chickens island.

115 **The Skerries** (53°00'N, 55°44'W) is an isolated shoal bank with a least depth of 6.1 m (20 ft) lying 1.2 miles ENE of **White Point**, the easternmost limit of Stony Island.

Tickle. At one time there was a small settlement at its head. **Foul ground** extends 0.6 mile NE from its south entrance point, and terminates in **Deepwater Island** (52°59′N, 55°46′W), which has an elevation of 9.1 m (30 ft). **The Flats**, a shoal with a least depth of 1.7 m (6 ft), extends 0.1 mile south from the headland 0.2 mile south of White Point.

Island for a distance of 0.7 mile, and is situated about 1 mile north of Cox Cove. Heavy seas roll into this bight with an east gale. A shoal with a depth of 5.2 m (17 ft) lies close off the north entrance point to Wild Bight.

Red Island is situated about 0.3 mile east of the NE end of Stony Island; it has a double summit.

A light (280) is shown at an elevation of

119 A **light** (280) is shown at an elevation of 28 m (92 ft) from a skeleton tower having a red and white daymark, situated near the west end of Red Island.

Chapter 3

Stony Island to Domino Point



General

Charts 4731, 4732

- 1 **Coastal aspect**. Between Stony Island and Hamilton Inlet, a distance of approximately 100 miles, the coast is indented with many bays, inlets and arms, and there are innumerable islands. Off-lying **dangers** lie as much as 20 miles offshore.
- 2 Coastal elevations range from 300 to 500 feet (91 to 152 m) as far north as Sandwich Bay, north of which the hills rise as high as 1000 feet (305 m). Inland the elevations range from 1600 to 1800 feet (488 to 549 m). The coast from Stony Island to Domino Run has a north-south orientation, after which it swings WNW, then NW towards Hamilton Inlet.

Stony Island to Corbet Island

Charts 5033, 4702

3 Stony Island is located on the south side of the approach to Hawke Bay as described previously. **Hawke Island** (53°04′N, 55°49′W), lying close north of Stony Island, has several dark, craggy hills, the highest of which rises to 175 m (574 ft). Deep wooded valleys containing many ponds lie between the hills.

4 Dangers in the approaches to Hawke Bay. — In the east approaches to Hawke Bay there are several dangers extending 0.5 mile south and about 0.8 mile east from the shore off the SE extremity of Hawke Island.

5 **Transport Island**, with two small islets lying 0.2 mile south of it, lies close off the SE end of Hawke Island. The west islet has rocks drying 1.3 and 1.6 m (4 and 5 ft) close NNW and SSE of it, respectively. A shoal with a least depth of 1.4 m (5 ft) lies 0.25 mile south of the western islet. Another shoal with a least depth of 7 m (23 ft) lies 0.35 mile SSE of the east islet.

6 **Ambush Rock**, drying 0.7 m (2 ft), is located on a shoal bank, with depths of 3.5 to 5.5 m (11 to 18 ft) extending 0.3 mile south of the SE end of Hawke Island. The shoal bank extends 0.6 mile south of

SQUASHO RUN SOUTH APPROACH (LOOKING NNW FROM THE NW END OF STONY ISLAND) (2012)



Ambush Rock and has a least depth of 11.4 m (37 ft) near mid-channel, about 0.25 mile SSE of Ambush Rock. A shoal, least depth 4.4 m (14 ft), extends 0.1 mile east of Ambush Rock.

7 Hawke Island — South Side. — Hawke Harbour, situated on the south side of Hawke Island, is entered 0.7 mile west of Ambush Rock. It penetrates NW for 1.4 miles to its head where the sites of the abandoned settlement of Hawke Harbour and of a whaling station are situated. Anchorage can be obtained anywhere in the harbour with good holding ground in a mud bottom. This is considered to be an excellent harbour with easy access.

8 Mid-channel depths of 15.7 to 50 m (52 to 164 ft) occur in the outer part of Hawke Harbour, and there are depths of 5 to 16.3 m (16 to 53 ft) in the inner harbour. The outer and inner parts of the harbour are separated by a shallow bar on which there are three rocks, the westernmost of which is underwater at high


water. Although narrower and shallower than the one to the eastward, the channel leading west of the rocks is the most direct and provides the easiest approach. The west channel has depths of 3.1 to 6.2 m (10 to 20 ft); the east channel has depths of 2.7 to 7.2 m (9 to 24 ft). In 1950, a 7000 tonne tanker drawing 6.4 m (21 ft), with the assistance of a tug, entered Hawke Harbour stern first through the channel lying east of the rocks and moored stern first to a pier in the NW part of the harbour. Several **wrecks** lie in the cove 0.3 mile WNW of the west channel.

Fagle Cove (53°01'N, 55°50'W) is situated 1.7 miles west of Hawke Harbour. It provides good **anchorage** in the inner part beyond the bar, which has a depth of 13.2 m (43 ft). The holding ground is mud. The east shore of Eagle Cove is shoal and underwater rocks lie close offshore. A reef with a depth of 2.3 m (8 ft) is located 0.8 mile SW of the west point to Eagle Cove. A brook in the inner part of Eagle Cove provides a good watering place with deep water close to shore.

HAWKE HARBOUR (2012)



SQUASHO RUN SOUTH END (LOOKING NNE) (2012)



The west side of Hawke Island — West side. —
The west side of Hawke Island is separated from the mainland by **Squasho Run**, a narrow channel connecting Caplin Bay with Hawke Bay. **Anchorage** is available in the cove on the west side close inside the north entrance of Squasho Run in about 20 m (66 ft), mud. The west side of the north entrance should be favoured when


proceeding to the anchorage in order to avoid the shoal extending from the east side.

11 A rock drying 0.2 m (1 ft) and marked by north cardinal light **buoy** NE (280.012) is located in the north approach to Squasho Run, 0.1 mile off an unnamed island off the NW corner of Hawke Island. The island is connected by a shoal bank with Hawke Island. A

northward. The area west of Ledge Island and Deepwater

Island has not been surveyed; caution is advised.

Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)



in elevation separated by a deep ravine. The NE side of

the island is composed of dark cliffs. Fish Point, with



SQUASHO RUN NORTH END (LOOKING SSW FROM CAPLIN BAY) (2012)



Mad Moll, 0.9 m (3 ft) in elevation and surrounded with **foul ground**, is located 0.7 mile NE of Cox Head. An isolated shoal with a least depth of 2.9 m (10 ft) is located 0.2 mile SSW of Mad Moll. A drying rock with a shoal bank extending 0.2 mile east of it is located 0.4 mile west of Mad Moll. Connors Rocks with a least depth of 2.8 m (9 ft) are located 0.6 mile SSW of Mad Moll.

Chart 4702

South Bantam, situated 0.5 mile NE of Mad Moll, has a depth of 10.7 m (35 ft). Black Rock, 0.5 mile NW of South Bantam, has an elevation of about 4.9 m (16 ft). Other dangers include Bobby Rocks, two round islets 4.6 m (15 ft) in elevation, lying 0.6 mile NW of Black Rock, and some flat rocks. After east gales this whole area appears as a mass of breakers.

Comfort Bight is entered between Comfort Head and Partridge Head, 1.5 miles north. Entrance to this bight should only be attempted by mariners with

local knowledge because of the numerous islets and reefs which lie in its approaches. Rocky Bay lies at the west end of Comfort Bight.

41 Clearing line. — The summit of Hawke Island, bearing about 203° and seen just over the channel between Bear Island and Stag Island, leads east of the dangers lying off Comfort Head.




Owl Head, 60 m (197 ft) in

elevation and situated about 0.6 mile NW of Comfort Head, rises gradually on the west side; the other sides of the promontory are faced with steep cliffs. Saunders Island (local name), 13 m (43 ft) in elevation, lies close offshore, 0.3 mile NW of Owl Head. A shoal bank with a depth of 4.9 m (16 ft) over it extends about 0.1 mile east of Saunders Island, and drying rocks lie close off its north and west sides. Penny Harbour, with anchorage in its entrance with local knowledge, is situated close south of Owl Head.

- 43 **Partridge Head** (53°10′N, 55°45′W), the north entrance point of Comfort Bight, rises steeply to a remarkable table-topped hill. The east extremity of Partridge Head is a sharp conical hill with an elevation of 124 m (406 ft); between these hills there is a deep valley which is **conspicuous** from a SE approach.
- 44 **The Sugar Loaf**, 50 m (164 ft) in elevation, is a dark conical island lying 0.2 mile SE of the south extremity of Partridge Head. An extensive shoal bank containing a drying rock lies 0.4 mile off its west shore from NW through SW sides of The Sugar Loaf. **South Three Islands** (53°09.7N, 55°45.8′W), with a shoal with a depth of 2.7 m (9 ft) extending 0.1 mile south of the southern island, are located 0.5 mile SW of Partridge Head.
- 45 Anchorage in Comfort Bight, sheltered from all but east winds, can be obtained about 0.3 mile NW of Saunders Island in 26 m (85 ft) mud. Small craft can obtain anchorage in 16.5 m (54 ft) in the western cove at the head of Rocky Bay; local knowledge is necessary.
- 46 When approaching Comfort Bight in heavy weather, vessels can steer with the summit of Hawke Island bearing about 209° and open SE of Bear Island until Bobby Rocks are in line with the summit of The Sugar Loaf bearing 295°. The course can then be set to pass north of Bobby Rocks and 0.1 mile south of The Sugar Loaf, passing north of **Jersey Bank** (local name), a 11.3 m (37 ft) spot lying 0.25 mile west of Bobby Rocks. A course can then be set for Owl Head and an anchorage. In moderate weather and with local knowledge, a vessel may be steered to pass 0.1 mile south of Black Rock, steering for Owl Head. The Planter, situated on the north side of the track, and an uncharted reef with 2.7 m (9 ft) over it and above water rocks lying 0.3 mile NNE of Comfort Head, must be avoided.
- The coast from Partridge Head to Shoal Bay, 5 miles north, is very irregular, with several bays and numerous inlets and islands.
- 48 **Partridge Bay**, situated about 1.5 miles NW of Partridge Head, opens out to form a basin 1 mile long with depths of 11 to 25.3 m (36 to 83 ft). An island lies 0.5 mile west of the entrance. An arm of the bay, encumbered by several islets and **dangers**, extends NW from the north part of the bay. Partridge Bay is connected to the inside channel named Frenchmans Run, described later. It has been reported that Partridge Bay is subject to numerous squalls. Several islands, surrounded by **foul ground**, lie in the approaches to Partridge Bay. **Anchorage** is reported in 16.8 m (55 ft), 0.3 mile SW of the island, west of the entrance.
- 49 **American Cove** (53°11′N, 55°46′W) (unnamed on the chart), situated 0.4 mile SE of the

- south entrance point of Partridge Bay, is only suitable for small craft. An underwater rock, **dangerous** to navigation, lies about 0.1 mile off the entrance to American Cove.
- Duck Islands, a group of small islands surrounded by shoal water, lie 1 mile east of Partridge Head. Local knowledge is essential for navigating between these islands.
- Duck Island (53°10′N, 55°43′W) is the largest of the Duck Islands group. Little Duck Island, 16 m (52 ft) in elevation and situated 0.3 mile NE of Duck Island, can be distinguished from the other islands of the group by its dark colour. A shoal area with Black Rock (local name and unnamed on the chart), 3 m (10 ft) high, situated at its south extremity, extends 0.3 mile south of Little Duck Island. A depth of 0.9 m (3 ft) lies 0.2 mile SE of Little Duck Island.
- 52 **Flat Island**, 21 m (69 ft) in elevation and situated 0.5 mile NW of Duck Island is surrounded by shoal water. **Flat Island Rock**, with a depth of 1.5 m (5 ft), lies on the west side of the channel situated between Duck Island and Flat Island.
- Red Island, 17 m (56 ft) in elevation and steep-to on its south and west sides, lies midway between Flat Island and the mainland. The two islets situated close east of Red Island, between 2.4 and 3 m (8 and 10 ft) in elevation, are composed of reddish rock covered with grass. The channel between the islets is reported to be suitable for small craft.
- 54 A group of islands known as **Hiscock Islands** having shoal water and islets extending
 0.5 mile east of them are situated almost 1 mile north of
 Duck Island. **Fling Islands** (53°11′N, 55°43′W) are the
 farthest west of the group. **The Pippies**, with a least depth
 of 8.8 m (29 ft) and marked by south cardinal light **buoy**NLP (280.04), is a shoal bank situated 1 mile ENE of
 Hiscock Islands.
- 55 A chain of islands extends north for 4.5 miles from the Hiscock Islands to Corbet Island, situated off the entrance to Shoal Bay.
- Hare Island, situated 0.2 mile NW of the north island of Fling Islands, rises to an elevation of 64 m (210 ft); Little Hare Island (local name and unnamed on the chart) lies close NW.
- South Gulnare Island (53°12'N, 55°46'W) (unnamed on the chart), situated 0.5 mile west of Hare Island, is 33 m (108 ft) in elevation and is separated from the mainland by a channel 152 m (499 ft) wide which is reported to be clear of dangers. A white-coloured islet lies close off the SSW end of Hare Island. An islet, 3.7 m (12 ft) in elevation, lies midway between South Gulnare Island and Hare Island. A rock with a depth of 0.6 m (2 ft)



with a least depth of 0.4 m (1 ft) near mid-channel. The

route usually followed lies between Pig Island and Seal

Pollo Rock, lying 0.3 mile east of Long

Island, is round and black and 3 m (10 ft) in

SEAL ISLANDS HARBOUR (2012)



Island close east. A shoal bank extending to a least depth of 1.5 m (5 ft) extends from the SE end of Frenchmans Island, described later, and lies near mid-channel between Frenchmans Island and Seine Island; **caution** is advised.

- 75 **Seal Island**, composed of dark hills, the highest of which is 41 m (135 ft) in elevation, is situated 0.3 mile NW of Long Island.
- 76 A bight which indents the SE part of Seal Island, and **Hills Harbour**, in the NE part, are suitable for small craft, but local knowledge is necessary. The SE entrance channel of Hills Harbour is **foul**, but the north one is reported clear of dangers. The channel between Seal Island and American Island, close south, has two drying rocks near mid-channel, described previously; **caution** is advised.
- 77 At the seasonal settlement of **Seal Islands Harbour** there is a small wharf with a pier which was in **ruins** in 2012. A white building stands at the inner end of the former wharf and pier. Submerged **ruins** of the

pier extend 11 m (36 ft) seaward of the white building; **caution** is advised.

- 78 **The Brandies**, pinnacle rocks with depths of 2.1 to 4.3 m (7 to 14 ft) over them, lie at the east limit of shoal water extending east, almost 0.4 mile from Seal Island.
- 79 **Fox Islands** (53°14′N, 55°41′W), flat and faced with whitish cliffs and separated from each other by a channel 91 m (300 ft) wide which is reported free of dangers, lie at the NE extremity of the shoal area extending NE of Seal Island. **Caution** is advised as the area is unsurveyed. The north island has a red vein near its NE extremity, and a brown spur near its SE extremity.
- NW of the north extremity of the south Fox Island. The area between Fox Islands and Seal Island has not been surveyed; **caution** is advised.
- Flat Island (unnamed on the charts), almost in two parts and 10 to 15 m (33 to 49 ft) in elevation, lies

0.2 mile west of the south Fox Island. **Pigeon Island** (*local name and unnamed on the chart*), about 0.1 mile farther west, is 18 m (59 ft) in elevation and composed of reddish rock. **Pig Island** (*local name and unnamed on the charts*), close NE of the north extremity of Seal Island, is 15 m (49 ft) in elevation and composed of reddish rock covered with grass.

82 **Sculpin Rocks** (local name and unnamed on the charts), which dry 0.9 m (3 ft) and on which the sea nearly always breaks, are at the terminus of a chain of rocks which extends about 0.3 mile south of Flat Island.

B3 **Dog Island**, 0.3 mile NNW of Seal Island, has a flat summit and its north point is a low hillock. On its west side, a shoal bank with above-and below-water rocks extends for 0.2 mile.

Big Pig Island, almost joined to Dog Island by foul ground, is conical in shape. It has

cliffs at its NW side and is fairly steep-to on its SE and NE sides. An extensive shoal with a least depth of 1.6 m (5 ft) extends 0.2 mile NW of Big Pig Island and terminates at **Harbour Rock** (*local name and unnamed on the charts*), an islet 1 m (3 ft) in elevation.

85 **East Bradbury Island** (53°16′N, 55°42′W) (local name and unnamed on the charts), with an elevation of 27 m (89 ft) and situated 0.5 mile NE of Big Pig Island, is dark and streaked with white bands on its seaward face. Shoal water with above-water rocks extends north and east of the island. **Black Rock**, steep-to and 18 m (59 ft) in elevation, lies 0.3 mile east of East Bradbury Island. Shoal water with a depth of 4.6 m (15 ft) extends south for 0.3 mile from Black Rock.

86 **Bradbury Island**, situated close west of East Bradbury Island, is separated from it by a narrow channel with a depth of 4.3 m (14 ft); **caution** is

FRENCHMANS (FRENCHMAN) RUN (LOOKING NORTH FROM BETWEEN FISH ISLAND AND DEEPWATER ISLAND) (2000)



advised. South cardinal light **buoy** NL (280.1) is moored about 0.5 mile south of Black Rock.

Bryan Island is situated 0.1 mile west of Bradbury Island, with **foul ground** between it and Corbet Island close north. A shoal bank with a least depth of 7.1 m (23 ft) at its outer end extends 0.2 mile south of Bryan Island.

88 **Frenchmans Run** is an inshore passage which leads from Partridge Bay to the approaches to Shoal Bay, situated about 5 miles north. It is a tortuous passage 6.5 miles in length, but it is well sheltered and is reported to have a depth of 10.9 m (36 ft) in the fairway. It has the added advantage of avoiding the ice east of the offshore islands in early summer. There are several useful **anchorages** in Frenchmans Run, but also some narrow areas with a minimum width of 137 m (449 ft).

The south entrance of Frenchmans Run is between Hare Island and South Gulnare Island. Additionally, Frenchmans Run can be entered east of Fish Island. From the east, Frenchmans Run is entered between the shoal water extending south of Black Rock and Big Pig Island. The north entrance to Frenchmans Run lies between Corbet Island and the mainland.

Charts 4702, 5080

90 **South part of Frenchmans Run**. — From the south entrance of Frenchmans Run, between Hare Island and South Gulnare Island, the track trends north to pass between Shoal Tickle Island and the west end


of Copper Island. The track then leads ENE for 0.7 mile between Copper Island and the mainland, then NNE for 0.5 mile between Frenchmans Island and the mainland. Past the narrows formed by Frenchmans Island, Sullivan Island (*local name and unnamed on the charts*) and the mainland, the channel leads WNW towards Sloop Harbour. Several dangers lie near the channel.

Chart 5080

91 To enter Frenchmans Run east of Fish Island, a mid-channel course is the route usually followed which leads between Fish Island and **Deepwater Island**, 14 m (46 ft) in elevation, 0.3 mile east. A mid-channel course is followed between Pig Island and Seal Island. The passage west of Pig Island has a **dangerous** shoal near mid-channel and should be avoided. The track then leads NW passing between the two islands 7 and 12 m (23 and 39 ft) in elevation, 0.1 mile west of Seal Island and Sullivan Island, 30 m (98 ft) in elevation, 0.2 mile farther west. It then leads NNW through the channel west of the islets and shoals west of Dog Island and the mainland 0.15 mile west.

When proceeding to Sloop Harbour and other Frenchmans Run **anchorages** west of Seal Island, small craft with local knowledge may be navigated to pass between Sculpin Rocks and The Brandies. Then by keeping close to Seal Island, pass in mid-channel between Seal Island and Pig Island with an elevation of 15 m (49 ft), taking care to avoid the 8.5 m (28 ft) shoal situated north of Seal Island.

FRENCHMANS (FRENCHMAN) RUN (LOOKING SOUTH FROM NEAR PUNCHBOWL) (2012)



Charts 4702, 4703, 5080

93 **Frenchmans (Frenchman) Harbour** (53°13′N, 55°46′W) is entered close NNE of Shoal Tickle Island. The harbour is clear of dangers in mid-channel and provides good **anchorage** for small vessels in 7.6 m (25 ft); local knowledge is essential.

94 A mid-channel course through the narrows between Copper Island and the mainland leads in a least depth of 4.3 m (14 ft). About 0.6 mile east of Frenchmans (Frenchman) Harbour the track turns north. At this point, a shoal with less than 0.9 m (3 ft) over it lies in mid-channel. **Anchorage** is afforded between Copper Island and the mainland in 26 m (85 ft).

Frenchmans (Frenchman) Island (53°14′N, 55°44′W), with a round grey-coloured hill at its northern end, is situated close north of Copper Island. Sullivan Island (local name and unnamed on the charts) with an elevation of 30 m (98 ft) is separated from the NE end of Frenchmans (Frenchman) Island by a shallow channel.

96 The summer fishing station of **Frenchmans Island** is situated on the north side of a small harbour on the east side of the island of the same name.

There are no berthing facilities for large vessels. It is reported that private wharves at the station are in **ruins**.

97 **Sloop Harbour** (53°14′N, 55°45′W) opens from the west side of Frenchmans (Frenchman) Run and is entered about 0.5 mile north of Sullivan Island, with an elevation of 30 m (98 ft). A low islet lies close within the harbour entrance, near the south side. A rock, with a depth over it of 2.1 m (7 ft), lies about 100 m (328 ft) NW of the south entrance point. Another rock, which dries, lies close off the north entrance point restricting the entrance width to about 0.1 mile. Another drying rock is located 0.35 mile WSW of the north entrance point.

98 **Anchorage** in Sloop Harbour may be obtained in 12.5 m (41 ft) east of a low point projecting from the north shore, about 0.3 mile within the entrance. Small craft can be **anchored** off the cove

PUNCHBOWL APPROACH (2012)



in the south side of Sloop Harbour, south of a small, grass-covered island, 9 m (30 ft) in elevation, which lies in the middle of the harbour.

Charts 5080, 4702, 4703

99 North part of Frenchmans (Frenchman)

Run. — From the north entrance point of Sloop Harbour, Frenchmans (Frenchman) Run trends generally NNW for 2.5 miles to its north entrance. The north entrance to Frenchmans (Frenchman) Run lies between Corbet Island and the mainland.

100 Mid-channel depths of up to 38 m (125 ft) occur in the part of Frenchmans (Frenchman) Run north of Sloop Harbour. A least depth of 12.5 m (41 ft) is located in the 0.1 mile wide narrows between the mainland and the shoal area extending off the west side of Dog Island. A shoal with a least depth of 9.1 m (30 ft) is located 0.2 mile east of the north entrance point into

Punchbowl. Another shoal with a least depth of 7.3 m (24 ft) is located about 0.1 mile north of the same point.

Rogers Island, with an elevation of 11 m (36 ft), is the northern of two islets which are connected to the NW end of Dog Island by **foul ground**.

102 **Punchbowl** (53°15′N, 55°45′W) is an inlet on the west side of Frenchmans (Frenchman) Run, entered WSW of Rogers Island through a channel about 46 m (150 ft) wide. Port hand light **buoy** NL5 (280.4) marks a shoal near the SW end of the south entrance point of the channel that leads into Punchbowl. The inlet was once used as a base of operations for numerous fishing vessels and associated support craft.

An L-shaped **wharf** extends 36 m (118 ft) from the east shore close south of the south entrance point. There are depths of 4.5 to 5.9 m (15 to 19 ft) alongside a 31 m (102 ft) long outer end. About 31 m (102 ft) NE of the outer end of the L-shaped wharf, a pier extends 32 m (105 ft) from the shore. Depths of 2 to 4.7 m (7 to 15 ft) are located alongside both sides of its outer

PUNCHBOWL PUBLIC WHARVES (2012)



21 m (69 ft) length. The charted buildings have been removed. Punchbowl affords excellent Ť anchorage in soft mud, for small craft drawing up to 2.1 m (7 ft), off the west shore. The bottom is rocky near the east side of the inlet. Larger vessels may anchor in 6.6 to 9.3 m (22 to 31 ft) eastward of a line bearing 323° from a small point of land situated 0.1 mile SSW of the previous wharf. Depths shoal abruptly farther inside the inlet. Local knowledge is essential for anchoring in Punchbowl. Turner Head, situated close NNW of Punchbowl, 105 rises to an elevation of 84 m (275 ft) SW of its east face. Charts 4702, 4703

Shoal Bay (53°16′N, 55°48′W), with depths of 11.9 to 33 m (39 to 108 ft) existing in its central part, indents the mainland for a distance of 2.5 miles in a SSW direction. Anchorage is reported in Shoal Bay in about 29 m (95 ft) 1.2 miles WSW of the east entrance point to the bay. Anchorage is also reported in about 22 m (72 ft), 2.3 miles SSW, and in about 18.6 m (61 ft), 2.4 miles SW of the same point.

Corbet Island to Batteau (Bateau) Harbour

107 **Corbet Island** (53°16′N, 55°44′W) forms the east side of the north entrance to Frenchmans (Frenchman) Run. This island is nearly divided into two parts except for a narrow neck of land 37 m (121 ft) wide.

Independent of Corbet Island is indented by three inlets. Herring Cove (local name and unnamed on the charts), the eastern inlet of Corbet Island is open. Orleans Arm (local name and unnamed on the charts), the middle inlet, is seldom used as a heavy sea sets in with NE winds. Webber Harbour, the westernmost inlet, is separated from Orleans Arm by a darkly coloured peninsula. Lea Island (local name and unnamed on the charts), cliffy and steep-to, is situated close off its north extremity. Webber Harbour affords indifferent anchorage, in about 9.1 m (30 ft), opposite the opening between Lea Island and the peninsula, or farther in, in 2.1 m (7 ft); local knowledge is essential. Numerous islands, rocks and shoals extend north for 2.5 miles from Corbet Island and east for a distance of 1.5 miles.

White Rock, with an elevation of 9 m (30 ft), lies 1.7 miles east of the NE extremity of Corbet Island. **Red Island**, 20 m (66 ft) in elevation with an islet close west, is situated 0.7 mile west of White Rock. Above-and below-water rocks and shoals exist in the intervening area between Red Island and Corbet Island. Local knowledge is essential for navigating in this area.

Chart 4703

Island. — An isolated shoal situated 4.2 miles NE of Corbet Island has a depth of 29 feet (8.8 m).

Charts 4702, 4703

rugged, is situated 0.3 mile north of the middle part of Corbet Island. **South Black Rock** with an elevation of 2 m (7 ft) lies a little more than 0.3 mile north of the NE end of Corbet Island. A rock which dries lies close south of South Black Rock. A shoal with a least depth of 3.4 m (11 ft) is charted about 0.2 mile SW of South Black Rock.

North Three Islands, wedge-shaped, reddish in colour and grass covered, lie close NW of Flat Island. A channel with a depth of less than 10 m (33 ft) separates North Three Islands from Flat Island.

Deepwater Island, 31 m (102 ft) in elevation, is situated almost 0.3 mile NW of North Three Islands; this island and the island situated close east are bluff. **Gurney Island**, situated 0.2 mile south of Deepwater Island, rises to an elevation of 6.4 m (21 ft). A depth of 3.4 m (11 ft) lies 0.2 mile NW of Gurney Island.

Chart 4703

114 **American Rock**, 3 feet (0.9 m) in elevation, and a small rock that dries 1 foot (0.3 m) close NE are situated 0.5 mile NE of Deepwater Island. **Caleb Shoal, awash**, is situated 1 mile east of American Rock.


Walker Island and Green Island with an elevation of 45 feet (14 m) are two small islands situated 0.5 mile north of American Rock. Walker Island has a dark seam on its north side. Shoal water, with above-and below-water rocks, surround these islands.

Walker Rock (local name and unnamed on the chart), 2 feet (0.6 m) in elevation and marked by west cardinal light **buoy** NLW (280.13), lies 0.2 mile NW of Walker Island. A 33-foot (10-m) patch lies 0.4 mile NNW and a 29-foot (8.8-m) patch lies 0.5 mile NW of Walker Island.

117 **Middle Ground**, a reef with a depth of 17 feet (5.2 m), and **North Black Rock**, 4 feet (1.2 m) in elevation, lie about 0.8 mile ENE of Green Island. **Eastern Rock** (53°19′N, 55°43′W), with a depth of 18 feet (5.5 m), lies 0.5 mile NE of Middle Ground and is the **danger** farthest north in this sector.

NW of the NW tip of Corbet Island near the west entrance point of Shoal Bay. **Foul ground** extends for some distance from the east and west sides of Shoal Bay Island,

Stony Island to Domino Point



BATTEAU (BATEAU) HARBOUR (2012)



134 Off the west side of Island of Ponds, a channel connects Porcupine Bay and Rocky Bay. The partially surveyed channel has a least charted depth of 7 feet (2.1 m) and contains a rock drying 3 feet (0.9 m) near its south end. Several underwater rocks of unknown depth and **dangerous** to surface navigation are located in and near the channel; local knowledge is essential for navigating through it.

Island of Ponds. — The east side of Island of Ponds is deeply indented by two bays, the south of which is named **Sandy Bay**. It is entered close north of American Point and trends NW for 3 miles. Only a few soundings are shown in the bay. **Herring Bank** lies in mid-channel at the entrance to Sandy Bay; it has a depth of 27 feet (8.2 m). Additional reconnaissance soundings in 1981 suggest that while soundings within the bay are considerably less than shown on the chart, a depth of about 6 fathoms (11 m) can be carried to the charted **anchorage** which is reported to experience some swell with onshore gales.

Batteau (Bateau) Harbour to Domino Point

Charts 4745, 4744

136 **Batteau (Bateau) Harbour** (53°24'N, 55°46'W) is entered between the NE entrance point of Sandy Bay and an unnamed point situated 0.4 mile NE.

137 **Queer Island**, which rises to a remarkable hummock, 133 feet (41 m) in elevation, is situated close off the Batteau (Bateau) Harbour entrance. **Toole Rock**, with a depth of 6 feet (1.8 m) and marked by starboard hand light **buoy** NB2 (280.16), lies 0.3 mile ESE of the NE end of Queer Island.

(Bateau) is situated near the head of Batteau (Bateau) Harbour. Until about 1968, it was a year-round settlement. At the NW end of Batteau (Bateau) Harbour there is a small **wharf** with a pier extending 39 feet (12 m) to a depth of 10 feet (3 m) alongside a 20-foot (6-m) wide outer end. A large building stands alongside the inner end of the wharf.

139 Reconnaissance survey depths of 24 feet (7.3 m) are shown on the chart in the entrance and central part of Batteau (Bateau) Harbour and decrease gradually to 18 feet (5.5 m) at the head. There is good **anchorage** for vessels at the head of the harbour and larger vessels are reported to anchor in the outer part of the harbour; local knowledge is essential.

140 The safest passage reported into Batteau (Bateau) Harbour is that leading between Queer Island and Toole Rock, with the summit of Fish Island slightly open to the east side of Bombproof Island bearing about 016°. When the black rock situated off the south extremity of Paynes (Green) Island is in line with Hat Island bearing about 100°, course should be altered to bring these marks astern to steer for the harbour.

Charts 4744, 4703

141 **Approaches to Batteau (Bateau) Harbour.** — **Mark Islands**, situated 1.5 miles ESE of Batteau (Bateau) Harbour, consist of one large and several small islands. **Cosgrave Rocks**, 8 feet (2.4 m) in elevation, are the three islets lying 0.4 mile east of the south end of Mark Islands. **Hat Island** is the northernmost of the Mark Islands.

lies about 0.4 mile west of Mark Islands. Paynes (Green) Island, lying about 0.7 mile NW of Mark Islands, is surrounded by shoal water except on its east side. High Hat (Rat) Rock, with a depth of 12 feet (3.7 m), lies 0.3 mile east of the south tip of Paynes (Green) Island; Shag Rocks lie 0.3 mile NE of the north tip of the same island.

143 **Bombproof Island**, situated NNW of Paynes (Green) Island, is conical and **conspicuous**. A shoal area, which comprises **Timber Rocks**, extends about 0.2 mile northward.

144 **Off-lying islands.** — **Roundhill Island** (53°26′N, 55°37′W) lies about 5.5 miles ENE of Batteau (Bateau) Harbour; it is hummocky with deep indentations.

145 A **light** (280.8) is shown at an elevation of 218 feet (66.5 m) from a skeleton tower, with a red and white daymark, located at the north end of Roundhill Island.

Saddle Islands, situated 2 miles SW of Roundhill Island, consist of six islands in two groups. The highest of the east group appears saddle-shaped from southward.

The west Saddle Islands, consisting of two black-coloured islets, are situated close together at the centre of a shallow area named **Saddle Banks** (*unnamed on the charts*), which extends 0.3 mile NNW and SSE of them.

O'Neale Rock, with a depth of 12 feet (3.7 m) over it, lies about 0.7 mile SE of the east Saddle Islands. Two reefs with less than 6 feet (1.8 m) of water over them lie 0.4 mile ENE and 0.6 mile NNE of the east Saddle Islands, respectively. An isolated reef with a depth of 24 feet (7.3 m) and marked by south cardinal light buoy NBT (280.85) lies 1.3 miles WNW of the west Saddle Islands.

Charts 4745, 4744, 4703

148 Between the NE entrance point of Batteau (Bateau) Harbour and Domino Point, 3.5 miles NNE, the east side of Island of Ponds is deeply indented by a large bight. A low islet surrounded by shoal water lies in its north part and a detached shoal with 31 feet (9.4 m) over it lies 0.3 mile ENE of it. The islands extending across the entrance to the bight should not be approached without local knowledge because of the shoals and above-and below-water rocks in their vicinity. However, on the west side of the islands lying to the NNE of Tinkershare (Murr Island), depths of 11 fathoms (20 m) or more lie 0.2 mile offshore, except in the approach to Black Tickle.


The named islands extending across the entrance to the above-mentioned bight are

Tinkershare (Murr Island), Cod Bag Islets, Fish Island

SALMON BIGHT – SETTLEMENT OF BLACK TICKLE (2015)




SALMON BIGHT — SETTLEMENT OF BLACK TICKLE Scale 1:4 000 Échelle




Sources: Surveyed by CHS in 1997 and PSPC in 2004.

Sources: Levés effectués par le SHC en 1997 et par SPAC en 2004.

CHAPTER 3 Stony Island to Domino Point



Domino Point to Pottles Cove Head



Domino Point to South Wolf Island

Charts 4745, 4703

1 **Domino Run** (53°29′N, 55°45′W) is the passage separating the north side of Island of Ponds from Spotted Island. It is entered from the east between Domino Point and Southeast Point, the SE extremity of Spotted Island. The NW entrance lies between Duck Island and the west side of Spotted Island.

2 Domino Run has depths of 4 to 20 fathoms (7.3 to 37 m) in mid-channel, with lesser depths on the south side of the bar which extends across the channel midway in the passage. In the east entrance of Domino Run there are several **dangers**; the route usually followed leads in mid-channel between Domino Point and Green Island. The NW entrance is fairly clear of dangers and should be entered from the north in order to avoid the island and shoals lying to the west of Duck Island.

Charts 4745, 4744, 4703


3 **Spotted Island** (53°30′N, 55°47′W), with an elevation of about 300 feet (91 m), forms the north boundary of Domino Run. **Southeast Point**, rising in a conical hill, is situated at the SE end of Spotted Island and forms the north entrance point of Domino Run. **Black Rocks**, situated 0.6 mile SW of Southeast Point, are two rocks with elevations of 2 and 4 feet (0.6 and 1.2 m), which form part of a shoal area. **Shoal Point**, situated 0.7 mile WSW of Southeast Point, has shoal water extending about 0.2 mile south of it.

4 **Green Island**, cone-shaped with an elevation of 64 feet (19.5 m) and surrounded by shoal water with numerous above-and below-water rocks, is situated in the east entrance of Domino Run.

5 Between Shoal Point and **South Black Head**, the north side of Domino Run is indented by a bight in which there are several small bays and inlets.

Charts 4744, 4745, 4703, 5133

Red Point, which has a maximum elevation of 15 feet (4.6 m), is the east entrance point of an unnamed inlet, the west entrance point of which is **Whaling Point**.



DOMINO RUN EAST ENTRANCE (LOOKING WNW) (2012)



and **Withecombe Point**. This inlet, which has an island with an elevation of 15 feet (4.6 m) and numerous islets in the NW part, affords little or no shelter. Since it is open to the sea, any wind will cause choppy seas and vessels anchoring in this harbour should be prepared to get underway at short notice. An underwater rock lies in Spotted Island Harbour about 500 feet (152 m) west of Whaling Point. Starboard hand light **buoy** NSP2 (280.79) is moored about 500 feet (152 m) west of Red Point.

- 8 The site of the seasonal settlement of **Spotted Island**, situated at the head of the harbour of the same name, is occupied only in the summer. Fresh water is available but difficult to obtain as it has to be transported from a lake situated about 1.5 miles from the beach.
- 9 An L-shaped wharf at the settlement was in **ruins** in 2012; **caution** is advised. A large white building lies adjacent to the wharf.
- 10 Anchorage is obtainable in about 15 fathoms (27 m), sand and rock, in a position about 0.3 mile SSW of South Black Head, 0.3 mile ESE of the charted berth. Another anchorage, used previously by tankers, is situated about 300 feet (91 m) WSW of Whaling Point, in 24 feet (7.3 m) of water, sand and rock. Although the holding ground is considered to be good, anchors may drag in high winds and extreme caution should be exercised when anchoring in this area. Anchorage is reported to be available near the west end of Domino Run in 11 fathoms (20 m), 2 miles WNW of South Black Head.


- or from the wind in either Spotted Island Harbour or in Domino Run between Shoal Point and South Black Head. Some shelter may be found between South Black Head and Rocky Point, as well as in Domino Harbour west of Mistaken Point, although **caution** should be exercised as the depths are shallow.
- 12 **Spotted Island East and north sides**. Along its east side, Spotted Island shows alternate black and white cliffs. **Castle Dermot** (53°30′N, 55°44′W), a cliffy feature on **Castle Dermot Island** (*local name*) is situated 0.5 mile north of Southeast Point.
- Ready Rocks, the highest of which has an elevation of 45 feet (14 m), lie at the outer end of a shoal area situated 0.7 mile north of Castle Dermot. An underwater rock lies about 0.1 mile east of Ready Rocks.
- Gull Battery Rock and Northeast Rock, two islets with dangerous underwater rocks lying close west of each are situated close off the NE end of Spotted Island. Dooley Ledge and Farmer Ledge are two dangerous reefs situated 0.7 mile NE and 0.4 mile NNW of Northeast Rock. A shoal with a least depth of 47 feet (14.3 m) is charted 0.3 mile east of Dooley Ledge.
- 15 **Farmer Cove** is situated on the north side of Spotted Island. **Harbour Island** lies off the entrance to Farmer Cove. **Wedge Island** (53°33′N, 55°46′W), situated 1.1 miles NNW of Harbour Island, has dark cliffs and a green summit. Shoal water with depths

SPOTTED ISLAND HARBOUR (2012)



of 2 to 4 fathoms (3.7 to 7.3 m) lies up to 0.1 mile SE and 0.3 mile NE of it respectively; **caution** is advised.

Charts 4745, 5133, 4703



- Back Cove Point forms the NW extremity of Spotted Island. Morris Shoal (53°33′N, 55°50′W), a reef with a depth of 7 fathoms (13 m), lies in the approaches to Domino Run, 1.2 miles NNW of Back Cove Point. New Foundout, a bank, is situated 0.5 mile WNW of Morris Shoal.
- South shore of Spotted Island. Between South Black Head and Rocky Point, situated 0.7 mile NW, the north side of Domino Run is fronted by ledges from which a shoal area extends across the channel.
- 19 **Clearing line**. Green Island, bearing 111° and open south of South Black Head, leads close south of the shallow water extending off Rocky Point.
- North Black Head (53°30′N, 55°50′W), a feature which rises steeply from the water, is situated at the SW end of Spotted Island.
- Domino Run South side. Domino Harbour, which has no anchorage, is situated on the south side of Domino Run, near its east entrance. It is entered between Mistaken Point and Perrys (Tatters)

 Point. There are depths of 18 to 24 feet (5.5 to 7.3 m) in

mid-channel in the harbour for a distance of about 0.1 mile from the entrance; beyond this position the depths shoal gradually to 7.5 feet (2.2 m). A shoal patch with a least depth of 9 feet (2.7 m) is situated in the approaches to Domino Harbour, about 0.1 mile north of Perrys (Tatters) Point.

22 An L-shaped fish plant **wharf** extends from the east shore of Domino Harbour. The wharf was in **ruins** in 2012; **caution** is advised.

23 **Penny Hook Cove** is a shoal bight situated about 0.4 mile west of Domino Harbour.

Wild Bight, with Gunning Point its east entrance point, is situated at the west end of Domino Run; it is shoal and foul and the sea breaks across it in NW gales.

Entry Island (53°30′N, 55°51′W), flat-topped and **conspicuous**, with a maximum elevation of 205 feet (63 m) lies off the entrance to Wild Bight. An islet lies close off the east extremity of Entry Island and two rocks **awash**, known locally as the **Duck Rocks**, are situated close east of the islet.

- Duck Island, 0.7 mile NNW of Entry Island, has three flat summits each about 120 feet (37 m) high. A hill faced by cliffs forms the island's SE extremity. The north and east sides of the island are composed of dark cliffs, and the SW side is mostly shingle beach.
- 26 **Trusty Rock**, a reef with a depth of 16 feet (4.9 m), lies 0.5 mile west of the SE tip of Duck Island. **Grog Island**, rising to an elevation of 111 feet (33.8 m) in the shape of a cone, lies 0.5 mile SW of Duck

DOMINO HARBOUR (2000)



Island. Shoals with depths of 1 foot (0.3 m) extend 0.1 mile east and WSW of the south end of Grog Island. **Fawn Rock** with a least depth of 6 feet (1.8 m) lies about 0.37 mile NW of the north end of Grog Island. **Centipede Rock**, with 6 feet (1.8 m) or less over it and situated on a shoal bank, lies 0.25 mile north of Fawn Rock.

27 **Grappling Island (The Cubs)**, 18 feet (5.5 m) in elevation, black and bare, lies close NE of Duck Island. A shoal bank with a rock drying 1 foot (0.3 m), lying at its outer end, extends 0.1 mile south of Grappling Island; **caution** is advised.

28 Three other islands, White Island, Little Duck Island and Pigeon Island, lie within 1 mile NW of Duck Island. White Island lies in the NW approaches to Domino Run. It is dark and its two parts connected by a narrow neck of land are separated by a cove which has enough water for small craft; at one time several houses stood at the head of the cove. Shallow water extends 0.4 mile off the south shore of White Island and up to 0.3 mile SE, east and NE of Pigeon Island.

Charts 4744, 4745, 5133, 4703

29 The route usually followed by vessels entering Domino Run from the eastward is the channel SE of Green Island or north of Black Rocks. Vessels entering from the NW may pass between Grappling Island and the west side of Spotted Island, taking care to avoid the drying rock situated south of Grappling Island. This passage is otherwise clear.

Charts 4745, 5133, 4703

Rocky Bay (53°30′N, 55°58′W) forms the passage which separates the NW side of Island of Ponds from Musgrave Land to the NW. Its NW entrance point is named Salmon Point from which dangers extend ESE for 0.4 mile. Depths in Rocky Bay vary from 20 fathoms (37 m) at its entrance to 12 fathoms (22 m) near its head. The Chair, a conspicuous black rock, stands on the east side of Rocky Bay, 0.1 mile inland about 2.7 miles SSW of Salmon Point. The route usually followed for entering Rocky Bay is shown on *chart 4745*.

31 Anchorage has been obtained in about 16 fathoms (29 m) in mid-channel, 1.8 miles inside the entrance of Rocky Bay. The anchorage is reported to have good holding but has little shelter, receiving swell with onshore winds. Anchorage may also be obtained in 6 to 10 fathoms (11 to 18.3 m) at the head of the bay in a position close north of Eagle Island and east of the chain of islands extending from it.

There is also **anchorage** for several ships in 10 to 18 fathoms (18.3 to 33 m), mud bottom, at the west side of Rocky Bay. This anchorage provides shelter from the swell, but the low-lying shores offer little protection from the wind.

33 **Eagle Island** lies at the head of Rocky Bay. Between **Level Point**, the SE extremity of Musgrave Land, and Eagle Island are the entrances to **Stoney Arm** and to **Narrow Harbour**, which leads into **Narrow Arm** (*local name*). The entrances are

shoal and local knowledge is required for navigating through them. **Anchorage** between 9 and 10 fathoms (16.5 and 18.3 m), mud, has been obtained 0.8 mile inside the entrance to Narrow Harbour.

34 **Deer Island** (53°34′N, 55°54′W), with an elevation of 130 feet (39.6 m), lies on the west side of the approaches to Rocky Bay, about 2.4 miles NNE of Salmon Point. It is composed of rugged red rocks covered with grass. **Lynch Island**, with an elevation of 155 feet (47.2 m) and situated midway between Deer Island and Salmon Point, is dark and conical and has shallow water containing **dangerous** underwater rocks extending 0.4 mile SW of it. **Fish Rock**, situated midway between Deer Island and Lynch Island, is a **danger** which is **awash**.

Charts 5133, 4703

Musgrave Land is a broad peninsula connected to the mainland by a narrow isthmus. It extends SE for about 11 miles parallel to the mainland.

36 Off-lying islands and dangers. — North Wolf Rock, 38 feet (11.6 m) in elevation and bare, dark and steep-to on all sides, is the outermost danger north of Musgrave Land, lying 11.8 miles NNW of Spotted Island. A shoal with a depth of 25 feet (7.6 m) lies 0.5 mile NW.

situated 9 miles NNW of Spotted Island, rises to a flat ridge on the summit of which is a conical boulder. Shallow reefs extend 0.4 mile north of the island situated close north of South Wolf Island. A depth of 21 feet (6.4 m) is reported in the narrow channel separating the main island and the island close north of it.

38 A **light** (283) is shown at an elevation of 289 feet (88.1 m) from a skeleton tower, situated on the NE end of the South Wolf Island.

39 A cove at the south end of South Wolf Island has good shelter for small craft, although local knowledge is necessary. The best approach to this cove is reported SE of a 27 foot (8.2 m) in elevation islet that lies about 0.4 mile south of the entrance. Rocks with a depth of 9 feet (2.7 m) over them lie on the SW side of the cove, but there is a clear channel to its head. After passing the islet, 27 feet (8.2 m) in elevation, steer close aboard the east shore.

South Wolf Island to Cape North

40 **South Wolf Rock** lies close south of South Wolf Island. **Little Wolf Island** lies 1.1 miles west of the north end of South Wolf Island. **North Wolf Island**, with an elevation of 222 feet (67.7 m) and flat-topped, is situated 1 mile west of the SW side of South Wolf Island;

several small islands and above-and below-water rocks surround it. The east-lying island, 142 feet (43 m) in elevation, is dome-shaped.

41 A good small craft harbour is formed in the passage between North Wolf Island and the islets lying close east of it. The **anchorage** may be entered from either end of the 142 foot (43 m) in elevation island but care must be taken to avoid a rock with a depth of 3 feet (0.9 m) over it situated in the middle of the NE end of the harbour. The most sheltered **anchorage** is at the SW end of this passage, in the cove, which indents the east side of North Wolf Island.

Round Wolf Island with an elevation of 230 feet (70.1 m) lies 1.1 miles SW of North Wolf Island. Offer Red Island, with an elevation of 173 feet (52.7 m), situated 1.8 miles west of Round Wolf Island, is flat-topped with red cliffs on its northern side. Black Rocks are two islets lying 2.2 miles south of Offer Red Island; the higher islet has an elevation of 37 feet (11 m). South Black Rock, with an elevation of 20 feet (6.1 m), lies 0.8 mile farther SSE. Old King is a reef with a depth of 7 feet (2.1 m) situated 0.2 mile west of South Black Rock.

43 **Ferret Islands** are situated 3.5 miles south of South Wolf Island. Numerous above-and below-water rocks lie near these islands.

Charts 4745, 5133, 4703

44 **Indian Island** (53°34′N, 55°58′W) is **conspicuous** and rises steeply to a double summit. It lies parallel to the coast of Musgrave Land and is separated from it by Indian Tickle.

between **Fox Head**, the east extremity of Musgrave Land, and the SE extremity of Indian Island. The NW entrance lies between **White Point**, on Musgrave Land, and **Indian Head**, the bluff and steep-to NW extremity of Indian Island. White Point should not be rounded too close because of the shoal water extending 0.2 mile from it.

46 A **light** (282) is shown at an elevation of 69 feet (20.9 m) from a skeleton tower, with a red and white daymark situated on White Point.

47 Depths of 10 fathoms (18.3 m) occur in the entrances to Indian Tickle, and there are charted fairway depths of 21 to 30 feet (6.4 to 9.1 m) in its middle part, where the navigable channel is restricted by shoal water to a width of less than 300 feet (91 m).

48 Starboard hand light **buoys** N12 (281.7) and N14 (281.8) mark Indian Tickle. Port hand light **buoy** N15 (281.9) marks a shoal about 0.4 mile WSW of **Terra Nova Point**, the SW extremity of Indian Island, which is low-lying.


INDIAN TICKLE SE APPROACH (2012)



INDIAN TICKLE NW APPROACH (2012)



49 **Stag Island**, with an elevation of 120 feet (37 m), lies 0.3 mile off the SE end of Indian Island. It is surrounded by **foul ground**, which extends west for 0.3 mile to **Fawn Rocks**. **St. Mary Island**, **St. Mary Rock**, an islet, and **Rover Island** are situated in Indian Tickle.




The summer fishing station of **Indian Tickle** is located opposite Terra Nova Point on the west side of the tickle. Fresh water can be obtained in the anchorage cove referred to above.

52 Warren Cove is situated on the NW side of Indian Island. It has foul ground off its west entrance point but affords well sheltered anchorage for vessels; local knowledge is necessary.

53 The NE side of Indian Island is indented by **American Cove** in its middle part. **Crab Rock**, a shallow reef with a depth of 9 feet (2.7 m), lies 0.3 mile NE of American Cove.



its shores.



A wide **foul** bight lies between Red Island and Cape Greep. Breakers occur across the shoal in the entrance.

56 **Cape Greep** (53°36′N, 56°11′W) is a dark conical mound forming the east entrance point of Sand Hill Cove. Breakers are usually seen in its vicinity.

57 Sand Hill Cove has foul ground off its entrance points. Depths of 6 to 7 fathoms (11 to 12.8 m) exist centrally in its entrance. This cove is used as a summer anchorage for fishing vessels, although local knowledge is required; the cove is considered unsafe for larger vessels due to the extensive shoal water off

Off-lying islands. — Several islands lie in the entrance and approaches to Table Bay. **Halfway Island** (53°42′N, 56°11′W), with an elevation of 277 feet (84.4 m) and appearing as a flat-topped cone when first sighted, lies 6.8 miles NE of South Head, the SE entrance point of Table Bay.

59 **Bird Islands** are situated 2.5 miles NW of Halfway Island. A rock with less than 6 feet (1.8 m) of water over it lies midway between Bird Islands. The west island has an elevation of 180 feet (54.9 m).

of Halfway Island. A chain of small islands and underwater rocks extends about 0.8 mile north. The island is conical and its east side has steep bluffs. Passage should not be attempted between the main island and the chain of small islands north of it.

61 **Devils Lookout Island**, with an elevation of 384 feet (117 m), lies 1 mile south of Collingham Island. Shoal water, with several above-and below-water rocks, surrounds it except on its NE side.

Quakers Hat, an island with an elevation of 70 feet (21.3 m) and situated about 0.7 mile SW of Devils Lookout Island, is surrounded by shoal water. The channel separating Quakers Hat from Devils Lookout Island is nearly 0.5 mile wide and has a least charted depth of 30 feet (9.1 m) near mid-channel.

Charts 4712, 5133

Table Bay $(53^{\circ}41'N, 56^{\circ}26'W)$ is entered between **South Head**, the SE entrance point which

rises in a conical hill, and **Table Bay Point**, a low flat feature at the east extremity of **North Head**. The bay is 5 miles wide at its entrance and indents the mainland for a distance of 7.5 miles, where it is constricted and forms Table Harbour. Depths in Table Bay vary from 19 fathoms (35 m) at the entrance to 6 fathoms (11 m) within 1 mile of its head. There are, however, several shoals, reefs and shoal spots, the positions of which are shown on the chart.

64 **Entry Island**, with an elevation of 43 feet (13.1 m) lying in the entrance to Table Bay, 1.7 miles SSE of Table Bay Point, is low and flat. It should be given a wide berth as shallow water and reefs extend 0.2 to 0.5 mile off the island. **Lookout Rocks**, two flat islets lying about 2 miles south of Entry Island, should not be approached within 0.5 mile as shoal water extends for some distance from them.

Ledge Island is situated near the head of Table Bay and is separated from the south mainland by South Road. Star Island lies 1.2 miles north of Ledge Island and rises to an elevation of about 115 feet (35 m) at its western end.

Anchorages in Table Bay. — Anchorage is reported good in about 10 to 15 fathoms (18 to 27 m) south of the shore from close SW of Table Bay Point to east of Star Island. North Harbour, entered between the SW part of Star Island and a point of land 1.2 miles SW, affords good anchorage in 30 to 42 feet (9.1 to 12.8 m) of water, mud bottom. Anchorage is also available in 12 fathoms (22 m) in the broad bight west of Table Bay Point, in a position about 2 miles north of the NE end of Ledge Island. South Road, entered between the south extremity of Ledge Island and Hackets Head, about 1 mile SW, affords anchorage in 8 fathoms (14.6 m). **Table Harbour**, entered between **Suglo Point** (53°40′N, 56°36'W) and an unnamed point 0.8 mile SSW, has an anchorage in 7 to 11 fathoms (12.8 to 20 m), about 0.7 mile west of Suglo Point.

are poor. Neither the harbour nor its approaches have been completely surveyed. With extreme **caution**, small craft may be taken into this harbour from South Road in a depth of 21 feet (6.4 m). Particular care should be taken to avoid the **dangerous** rocks lying in the entrance to Table Harbour.

Charts 5133, 5134

68 Between Table Bay Point and Cape North, 5 miles NW, the coast for the most part, except for Mullins Cove, has not been surveyed close to shore. There are some rocks close offshore near the north entrance point of Mullins Cove. This area is backed by a range of flat-topped hills with a gradual slope to seaward. The coast

west of Cape North is much indented by coves and bays as far as the entrance to Sandwich Bay. Off-lying **dangers** in this general area extend as far as 15 to 20 miles from the mainland.

69 **Mullins Cove** (53°44′N, 56°26′W) is situated on the north side of North Head. Depths in the cove decrease gradually from 11 fathoms (20 m) to 3 fathoms (5.5 m) near its head where there is an **anchorage** that is suitable for fishing vessels.

Chart 5134

70 **Cape St. Nicolas**, 1.5 miles north of Mullins Cove, is a low point with above-and below-water rocks close seaward of it. **White Point**, the south entrance point of **Back Cove** (**Shoal Cove**), is situated midway between Cape St. Nicolas and Cape North. 71 **Cape North** (53°47′N, 56°29′W) rises to an isolated hill with a double summit. A small islet, lies close off Cape North; from most approaches this islet appears to form part of the cape. Two cairns are located on the summit of Cape North.

72 A **light** (284) is shown at an elevation of 238 feet (72.5 m) from a skeleton tower having a red and white daymark with located on the NE side of Cape North.

Cape North to Cape Porcupine

73 **Off-lying islands and dangers.** — **Flat Islands** surrounded by **foul ground** consist of two groups of islets and above-and below-water rocks about 1 mile apart, situated 3 miles ENE of the entrance to Mullins Cove.

Black Island, almost white in colour, lies about 1 mile NW of the northern group of islets of Flat Islands, and shows up as a flat-topped ridge with a sharp peak at each end. A small island with an elevation of 97 feet (29.6 m) lies close off its north side and is separated from it by a very shallow channel.

75 **Black Island Harbour** is a narrow cove on the NW side of Black Island and provides good shelter for vessels, although local knowledge is necessary. It is entered by keeping the south side of the cove close aboard.

76 **Johnny Paul Rock** with a depth of 18 feet (5.5 m) is the outermost **danger** off this sector of the coast. It lies 2.2 miles ENE of the east side of Black Island.

77 A group of small islands, above-and below-water rocks and shoals lie up to 1 mile NE of Black Island. They include **The Wolves**, a group of three

islets, **Offer Wolf Island**, which has steep cliffs on its NE side, and **Halfway Rock**, 15 feet (4.6 m) in elevation. **Hare Island** is situated close off the NE side of Grady Island; the channel between these islands is **foul**.

78 **Clearing lines.** — The summit of Offer Wolf Island, bearing 282° and open northward of the 66-foot (20-m) in elevation islet in The Wolves, leads north, or bearing about 302° and open south of the southern end of the same islet, leads south of Johnny Paul Rock.

79 **Grady Island** (53°49'N, 56°25'W) with an elevation of 281 feet (85.6 m) and **Little Grady Island**, 88 feet (27 m) in elevation, situated close west, are situated about 1.5 miles ENE of Cape North. The buildings of a former fishing establishment are situated on the Grady Harbour side of the island.

80 The channel separating Grady Island and Little Grady Island is less than 0.1 mile wide; it is reported a draught of 18 feet (5.5 m) may be carried through it by keeping close to the west side of Grady Island. A rock, which dries 5 feet (1.5 m), lies near the north entrance of the channel. Small icebergs sometimes ground in the channel between Grady Island and Little Grady Island.

81 It was reported by the local inhabitants that the **tidal current** sets southward at all times in the channel between Grady Island and Little Grady Island.

situated at the SW side of Grady Island, is sheltered by Little Grady Island, Stunk Island and Cross Island. Watering Cove, once the site of a whaling station, indents the SW side of Grady Island at the head of Grady Harbour. Abandoned tanks are visible at the site. Mad Moll, situated 0.2 mile south of Stunk Island, is a rock which dries 1 foot (0.3 m).

83 Local fishing vessels **anchor** in 18 to 24 feet (5.5 to 7.3 m) in the south end of the passage between Little Grady Island and Grady Island but there is limited swinging room. **Anchorage** for larger vessels is reported in Grady Harbour about midway between Cross Island and the south end of Little Grady Island.

The summer fishing station of **Grady Harbour** consists of a few houses scattered along both sides of the channel between Grady Island and Little Grady Island. Fresh water is available from a pond situated close NE of the head of Watering Cove.

Rock (54°01′N, 56°41′W), with a depth of about 6 feet (1.8 m) over it on which the sea breaks in moderate weather, lies about 16 miles NNW of Cape North. Deep water exists around Boulton Rock with the exception of a 46 foot (14 m) spot close south of it. A shoal with a least depth of 25 feet (7.6 m) is charted 0.4 mile north of

Boulton Rock. Another charted danger, the existence of which is doubtful, was reported to lie 1.5 miles NNE of Boulton Rock. A shoal with a depth of 14 feet (4.3 m) is charted 5.3 miles NNW of Boulton Rock. Other submerged rocks with doubts about their existence were reported to lie 4.8 and 6.4 miles NNW and NW of Boulton Rock, respectively. A reef over which the sea breaks was reported to lie about 3.3 miles NNW of Boulton Rock; a breaking reef lies 2.8 miles NW from it.

86 **Outer Gannet Island** (54°00′N, 56°32′W), with a submerged rock lying close off its west side, is situated 3.5 miles north of Gannet Islands. It is a flat islet with its sides smoothed by ice action and is part of the *Gannet Islands Ecological Reserve* as described in the following paragraph. Shoals are reported to exist up to 0.7 mile north of Outer Gannet Island.

Gannet Islands are a group of two larger and five small islands, which lie about 9 miles north from the mainland at Cape North. The west and largest island is steep on its NE side and slopes gently to the water on its SW side, off which there is **foul ground**. The east group are smaller rocky islets with numerous submerged rocks close off them. Vessels must not attempt to pass between these islets. A reef lies almost midway between the largest island and the east group.

Gannet Islands, including the Outer Gannet Island, have been designated as a Ecological *Reserve* and protects the largest seabird colony in Labrador. Due to the sensitive nature of the site, only scientific researchers with a valid permit are permitted to land on these islands. Vessels and small craft are requested to maintain a minimum distance of 1641 feet (500 m) from these islands. Helicopters carried onboard vessels are requested to maintain a minimum altitude of 1000 feet (305 m) when flying over the reserve between April 1 and September 1; helicopter landings are prohibited. For further information contact the Government of Newfoundland and Labrador, Department of Fisheries and Land Resources, Land Management Division at 709-637-2081, email: naturalareas@gov.nl.ca or visit the website at www.flr.gov.nl.ca/natural areas.

89 **East Gannet Rock** with an elevation of 55 feet (16.8 m) lies 2.3 miles ESE of Gannet Islands. A rock over which the sea breaks in moderate weather is situated 0.2 mile NE. **Meade Shoal**, a **danger** with a depth of 19 feet (5.8 m), lies 2.5 miles SSE of East Gannet Rock.

90 West Gannet Rock, lying in a shoal area 1.3 miles SW of the largest Gannet Island, has an elevation of 12 feet (3.7 m). A reef with 28 feet (8.5 m) over it was reported to exist 2.5 miles SW of West Gannet

Rock, and three reefs with depths of 19, 23 and 31 feet (5.8, 7 and 9.4 m) are located 1.3 miles farther SW.

91 A strong **current** setting outwards has been experienced during the spring season between Grady Island and White Bear Islands. The last-named islands, described later are situated in the approaches to Hamilton Inlet.

Charts 5134, 5133

92 **Cape North Cove** (53°47′N, 56°30′W) is the shallow bight entered close south of the west part of Cape North. The former settlement of **North Cove** stood at the head of the cove. An islet is located in the central part of Cape North Cove. Small craft can be taken into Cape North Cove by keeping the north shore close aboard. There is an **anchorage** in 5 fathoms (9.1 m) west of the 2 foot (0.6 m) high rock situated 0.1 mile west of the islet mentioned above.

93 The coast between Cape North Cove and Curlew Head, indented by **Muddy Cove** (*local name*), is bare and **foul** and should not be approached closer than 0.3 mile.

94 Off-lying islands and dangers. — The Sisters are two islets situated 1 mile NW of Cape North. Pudding Bank lies close west of The Sisters and High-rat (Highrat) Bank lies almost 1 mile NNW of Stunk Island. 95 Curlew Head, about 80 feet (24 m) in elevation, with Curlew Island (local name), 20 feet (6.1 m) in elevation, close west, is the east entrance point of Curlew Harbour. The bottom of Curlew Harbour is

composed of mud and its shores are barren.

There is **anchorage** in 12 fathoms (22 m) in Curlew Harbour, with the north extremity of Long Island in line with the SW end of Curlew Island bearing about 330°. Good **anchorage** is also reported in 14 fathoms (26 m) 0.4 mile south of Curlew Island. Small craft can be anchored, with local knowledge, in 6 to 9 fathoms (11 to 16.5 m) about 0.1 mile off a steep bluff on the southern shore of the harbour situated about 0.9 mile SE of Curlew Head. The bluff has a long deep valley on each side of it.

Chart 5134

97 The coast between Curlew Head and **Toomie Point** (53°45′N, 56°37′W) (local name), bordered by **foul ground**, is known as **The Goat Shore**.

98 **Isthmus Bay** is entered between Toomie

Point and the NE end of Cartwright Island. The foul ground, which extends off the entrance points of Isthmus Bay, constricts the width of the entrance channel to 0.2 mile. An islet, with an elevation of 15 feet (4.6 m) situated 2 miles south of Hanrahan Point marks the outer



Domino Point to Pottles Cove Head



PACKS HARBOUR SOUTH APPROACH (2000)



red and white daymark, situated near the south end of the above-described unnamed island which parallels the NW side of Big Packs Harbour Island (Hamilton Island).


Packs Harbour is entered through the SW entrance, which is marked by starboard and port hand light **buoys** NX2 and NX1 (284.351, 284.352). The NE entrance is encumbered with underwater rocks. A rock with 3 feet (0.9 m) of water over it lies close off the SW end of Big Packs Harbour Island (Hamilton Island), and another rock with the same depth over it lies in mid-channel off the south entrance to the harbour. A spit with a depth of 4 feet (1.2 m) over it extends for 180 feet (55 m) from the west entrance point of the south entrance. Depths of between 18 and 24 feet (5.5 and 7.3 m) exist in the SW part of Packs Harbour; towards the NE part the depths decrease gradually to 12 feet (3.7 m). The NW side of the harbour, where the water is shallower, has a few underwater rocks close to shore.

The best **anchorage** in Packs Harbour is in the SW part, in 18 to 24 feet (5.5 to 7.3 m).

Pig Island (Tinker Island), with an elevation of 135 feet (41.1 m) and situated 0.4 mile NW of Big Packs Harbour Island (Hamilton Island), is cliffy and cone-shaped. Graplin Island (Grappling Island), with an elevation of 128 feet (39 m) and situated close NE of Big Packs Harbour Island (Hamilton Island), is wedge-shaped and it has a steep fall on its east side. Piccos Island (Pickens Island), lying close south of the south entrance to Packs Harbour, is grass covered.

133 **Prisoners Island (Newfoundland Island)** lies about 0.8 mile SE of Packs Harbour. A bold bluff, 286 feet (87 m) in elevation, is situated at the SE end of the island. **Pigeon Island**, cone-shaped, lies close off the NW end of Prisoners Island (Newfoundland Island).

134 A harbour suitable for fishing vessels is formed between Pigeon Island and Prisoners Island (Newfoundland Island). The general depths in the harbour are from 4 to 15 fathoms (7.3 to 27 m) and the bottom is



between Prisoners Island (Newfoundland

Seal Island, lies about 1.5 miles east of

Independent Island; it is surrounded by above-and

Island) and Independent Island; the best entrance is

from SE. The harbour affords anchorage in sand but

local knowledge is essential. Depths of 21 to 48 feet

(6.4 to 14.6 m) occur in the harbour. When approaching

Independent Harbour, vessels report keeping midway

avoid the shoal water extending NE from it.

between Flat Island and Independent Island and anchor

below-water rocks and reefs. Shoals with depths of 7 to

9 feet (2.1 to 2.7 m) extend 0.4 mile NE and WNW of Seal Island; caution is advised. A rock of unknown depth and

dangerous to navigation is located about 0.2 mile west of

Seal Island. Seal Rock, which dries, lies about 0.7 mile SE of Seal Island. The passage between Seal Island and

north of Greenlands Island (Farrels Island), taking care to

Huntingdon Island $(53^{\circ}47'N, 56^{\circ}55'W)$, lying 146 in the inner approaches to Cartwright and Sandwich Bay, is largely covered with stunted spruce trees. The approach channel to Cartwright leads south of this island.

Channel west of Huntingdon Island. — This partially surveyed channel is entered on the north between Northwest Point and North River Point, the east entrance point of North River. The entrance to Sandwich Tickle is nearly closed and reported to be difficult to use even for small boats. **Table Hill** with an elevation of 515 feet (157 m) is a prominent landmark situated 4 miles SW of North River Point.

148 Entry Island (Entrance Island), about 20 feet (6.1 m) in elevation, lies 0.7 mile WSW of Northwest Point. Leading Mark Island is situated at the SW extremity of Huntingdon Flats.

149 A **light** (284.35) is shown at an elevation of 29 feet (8.9 m) from a skeleton tower with a green and white daymark located on Leading Mark Island.

shoal reported close east of it, is located 2.1 miles NNE of Leading Mark Island. A **dangerous** rock with a least depth of 1 foot (0.2 m) is located about 1.7 miles NNE of Leading Mark Island in position 53°47′06.8″N, 57°02′49.2″W. It was reported that fishermen crossed Huntingdon Flats in a channel with a least depth of 7 feet (2.1 m); **caution** is advised. There is a channel about 0.4 mile wide, through which a depth of 7 feet (2.1 m) can be carried between the south limits of Huntingdon Flats and Diver Island.

situated between Diver Island and Earl Island.

It was reported that a 7 foot (2.1 m) draught could be carried through this passage. Starboard hand light **buoy**NCD2 (284.45) marks the channel for small boats near the SW end of Diver Island.

Inner Approaches to Cartwright

The channel leading to Cartwright is entered between **Cape Horn**, the east extremity of Huntingdon Island, and Pinchgut Island.

153 A **light** (284.96) is shown at an elevation of 77 feet (23.6 m) from a skeleton tower with a red and white daymark located on the east end of a small island close east of Cape Horn.

Pompey Island, round-topped and bare with an elevation of 160 feet (48.8 m), is situated 2 miles east of Cape Horn. A cairn stands on the highest part of the island. Pompey Rock, situated north of Pompey Island, has been mentioned earlier.

remarkably flat and **Red Island**, with an elevation of 39 feet (11.9 m), composed of grass-covered reddish rock, are two small islands lying 1 mile west and 1.5 miles SW of Pompey Island. The sea breaks on the shoal ground surrounding these two islands.

156 **Venison Head** is the NW extremity of a peninsula 153 foot (47 m) in elevation which projects from the mainland about 1.5 miles SW of Pinchgut Island.

157 **Hare Harbour**, with **Hare Islands** lying in its entrance and entered close SW of Venison Head, is divided into two bays by a peninsula. This harbour, although partly open to the west, offers a sheltered **anchorage** for large vessels. A **conspicuous** cairn is situated on the highest point of East Hare Island.





158 **Anchorage** is obtainable in the east bay of Hare Harbour in 27 feet (8.2 m), mud,

with the NE extremity of **East Hare Island** bearing 323°, and just open to the north shore of the bay. There is also an **anchorage** about 0.4 mile NE of the west entrance point of the harbour in 6 to 10 fathoms (11 to 18.3 m), mud, about 0.3 mile south of the middle of **West Hare Island**, which is high and prominent. A rock with 6 feet (1.8 m) of water over it is situated in mid-channel south of the south tip of East Hare Island.

Chart 5138

Shoal water extends 0.4 mile off the west end of West Hare Island. **Hare Rock**, on which the sea sometimes breaks and marked by port hand light **buoy** NC1 (284.3), lies 0.5 mile north of West Hare Island.

Deadmans Island with an elevation of 129 feet (39.3 m), and Fillbelly Island, with an elevation of 84 feet (25.6 m) both connected to the mainland at low tide, lie in the entrance to Goose Cove, which is foul.

Egg Harbour, which is shallow, indents the SE side of Huntingdon Island. Man of War Island (Egg Island), 24 feet (7.3 m) in elevation and rocky with shoal water extending NE and SW of it, lies off the entrance to Egg Harbour. A rock, with 19 feet (5.8 m) over it and marked by starboard hand light buoy NC2 (284.4), situated 1 mile SW of Man of War Island (Egg Island), lies on the south edge of a shoal bank which extends up to 0.4 mile offshore, 0.9 mile SW of Egg Harbour. Several shoal spots with depths between 29 and 36 feet (8.8 and 11 m) lie near mid-channel between Egg Harbour and Huntingdon Harbour. Port and starboard hand light buoys NC3 (284.41) and NC 2/2 (284.42) mark the channel between Egg Island and Huntingdon Harbour.

Lower Crab Head (Little Crab Head), 51 feet (15.5 m) in elevation, with Crab Head, 99 feet (30 m) in elevation, lie 1.7 and 2.2 miles SW of Man of War Island (Egg Island), respectively. Crab Island lies inside the 3 fathom (5.5 m) line, midway between these two points.

Huntingdon Harbour, a foul bight, is entered between Crab Head and Shoal Point, the SW extremity of Huntingdon Island.

Black Head, a steep wooded bluff, is situated on the mainland, across the channel from Crab Head. There are **conspicuous** radio masts and large microwave antennae on the height of land SSW of Black Head.

Earl Island is a large island which separates the approaches to Sandwich Bay into two channels. The east channel, **Favorite Tickle** (53°43′N, 57°02′W) is the only usable passage leading into Sandwich Bay. It is entered between **Flagstaff Point** (**Curlew Point**) and **Shelmucks Point** (**Shermoks Point**). Starboard hand light **buoy** NC4 (284.6) is moored at the edge of the shoal water extending NE of Shelmucks Point (Shermoks Point).

Domino Point to Pottles Cove Head

Mid-channel depths in the north half of Favorite Tickle vary between 7 and 20 fathoms (12.8 and 37 m), but fairway depths between 3 and 5 fathoms (5.5 and 9.1 m) occur north of The Narrows in the channels separated by Woody Island and Green Island.

167 **Cartwright Harbour** $(53^{\circ}42'N, 57^{\circ}01'W)$ is entered between **Merlin Point** and an unnamed point 0.7 mile SSE. Its shores are backed by hills covered with small spruce trees. General depths in the central part of the harbour range from 12 to 36 feet (3.7 to 11 m).

Port hand light **buoy** NC5 (284.5) indicates the limit of shoal water off Merlin Point. Starboard hand light **buoy** NC6 (284.71) is moored 0.4 mile SE of Merlin Point.

Big Hill, situated about 1.5 miles east of Merlin Point, is **conspicuous**, and **Scout Hill**, lying 0.9 mile south

of Big Hill, is prominent. There are also **conspicuous** objects at the town of Cartwright.

There is a well sheltered **anchorage** in

5 fathoms (9.1 m), mud, in a position 330°, 0.25 mile from the wharf in **ruins** charted 0.4 mile SSE of the Public wharf. This anchorage is suitable for small and moderate-sized vessels; large vessels generally anchor

outside the 5 fathom (9.1 m) contour line, north of **Curlew Hill**.

171 A vessel anchored 025°, 1.1 miles from the summit of Curlew Hill in 13 fathoms (24 m), mud; in the same year, another vessel anchored in 20 fathoms (37 m) on a bottom of fine clay studded with rock.

In the north entrance to Favorite Tickle, from abreast of Flagstaff

Point (Curlew Point) to Cartwright Harbour entrance, at large tides the SW-going **tidal stream** attains a rate of about 2.5 knots; the rate of the NE-going **tidal stream** is 3.5 knots. The NE-going tidal stream produces a strong west-going eddy close south of Merlin Point, and at the same time a SW-going eddy occurs close west of the same feature. In Cartwright Harbour the **tidal streams** are weak and irregular.

173 Extreme **caution** is necessary when navigating in the Cartwright area, as sand banks are formed suddenly in unexpected places, and the water is quite turbid.

The town of **Cartwright**, population of 427 in 2016, is situated for the most part on the north side of

CARTWRIGHT (2015)



CARTWRIGHT PUBLIC WHARF (2015)



Cartwright Harbour. The town is connected by road and has a ferry service to Happy Valley - Goose Bay and other north Labrador coastal ports during the navigation season. The nursing station, which is large, white and **conspicuous**, and associated buildings are located on the south side of the harbour. There is a motel and a *Royal Canadian Mounted Police (RCMP)* detachment in the town. Gasoline, diesel fuel and provisions are available in limited quantities in the town. Fresh water is available.

shorefast ice in Cartwright Harbour is 90 cm (35 in) with a record maximum thickness of 145 cm (57 in) measured in 1984. Break-up normally begins during the second week of May with the harbour clear of ice by the end of the month. Freeze-up usually occurs during the first week of December with a complete ice cover by the middle of the month. Two to four weeks variation in the timing of break-up and freeze-up can occur.

Merlin Point extends 700 feet (213 m) from the shore. The Public **wharf** face at the south end of the causeway is 102 feet (31 m) wide and has a charted depth of 18 feet (5.5 m) alongside (*see Appendix*). The wharf deck has an elevation of about 3 feet (0.9 m). A Ro-Ro ramp is situated on the west side of the wharf, and there is a breasting dolphin about 177 feet (54 m) to the WSW of the outer end of the wharf. The west face of the Public wharf adjacent to the **Ro-Ro ramp** is 49 feet (15 m) long with a depth of 10 feet (2.9 m) alongside. There is a freight shed on the causeway and a 10 inch (25.4 cm) pipeline is laid for discharging bulk oil. The wharf is lighted for night work. A **light** (284.72) is shown from a mast on the outer end of the wharf.

There is a fish-processing plant, with a wharf adjacent to it, on the west side of the causeway. The **wharf** is 161 feet (49 m) long with depths of 6 to 8 feet (1.9 to 2.5 m) alongside its southern 79 foot

Domino Point to Pottles Cove Head

(24 m) length. About 0.1 mile NNE, there is a small **wharf** used by local boats.

178 A outfall pipeline, ballasted with boulders, extends about 800 feet (244 m) from the shore close east of the above-described causeway and Public wharf structure.

A former marine service centre, consisting of a service and storage area and a haulout, 21 feet (6.4 m) wide and 79 feet (24 m) long, is located at the end of a **causeway** extending south from Merlin Point. There is a depth of 13 feet (4 m) alongside the outer end of the haulout.

180 Close SW of the former marine service centre there is a **wharf** with an outer face 259 feet (79 m) long with a least depth of 17 feet (5.1 m) alongside. **Caution** is advised as a sunken **wreck** with a depth of 15 feet (4.6 m) is situated alongside the SE end of the wharf. A **light** (284.51) is shown from a pipe tower on the SW end of the wharf.

Sandwich Bay

Chart 5138

Favorite Tickle continues SW from Cartwright Harbour and leads into Sandwich Bay. The shores of the tickle are fronted by a **foul area** that extends from 0.1 to 0.2 mile offshore; most of this foul ground is covered at high water. About 1 mile SW of Merlin Point, a spit with depths of less than 3 fathoms (5.5 m) over it extends about 0.2 mile from the shore. 182 Woody Island $(53^{\circ}41'N, 57^{\circ}04'W)$, the larger of two islands in the approaches to The Narrows, is densely wooded. Woody Island Rock, which dries 6 feet (1.8 m), lies at the outer end of a boulder spit, which extends NE of Woody Island. Green Island is rocky and is separated from Woody Island by a narrow channel with a least depth of 19 feet (5.8 m). Another channel, about 300 feet (91 m) wide and with a least depth of 19 feet (5.8 m), leads between Green Island and the mainland. Port hand light **buoys** NCH 1 and NCH3 (284.73, 284.74) mark the west channel off the NW corner of Woody Island.

The best approach to The Narrows is reported through the channel, with a width of 0.1 mile and a least depth of 20 feet (6.1 m), situated between the west side of Woody Island and Earl Island.

FAVORITE TICKLE NORTH END (LOOKING SOUTH) (2012)



FAVORITE TICKLE SOUTH END (LOOKING NORTH) (2000)



184 **The Narrows**, formed by **Solomons Point** (**Salomes Point**) on Earl Island and **Narrows Point** on the mainland, has a navigable width of about 900 feet (274 m) and a least charted depth of 16 fathoms (29 m) in mid-channel.

Hatten Shoal, with a least depth of 18 feet (5.5 m) and marked by starboard hand light buoy NCH2 (284.8), lies on the west side of Favorite Tickle, 0.5 mile south of The Narrows.

186 In The Narrows, the **flood stream** sets in a 230° direction until abeam of Narrows Point where it turns southward and sets 185°, and attains a rate of 2 knots at large tides. The **ebb stream** sets 010° until abeam of Narrows Point where it turns NE through the channels separated by Woody Island and Green Island; it attains a rate of 3.5 knots at large tides off Narrows Point.

187 Strong eddies occur in the foregoing inter-island channels during both ebb and flood streams. Strong eddies and **tide rips** also occur east of Hatten Shoal.

Winters Point and Georges Head, a low point, has an abandoned settlement and ruins of a pier on its north side. The east side of Favorite Tickle is relatively steep-to between The Narrows and Muddy Bay. Anchorage in 10 to 11 fathoms (18.3 to 20 m), mud, may be obtained in the middle of Muddy Bay.

189 **Crooked House Point**, situated on the west side of the tickle 1.4 miles west of Georges Head, is low-lying. Shallow water extends to 0.2 mile SW of the point.

190 **Sandwich Bay** (53°35′N, 57°15′W) is entered at the south end of Favorite Tickle between **Longstretch Point** and **Waterloo Point**.

191 Soundings shown on the chart in the north and west parts of Sandwich Bay are of a reconnaissance nature, therefore **caution** must be exercised when navigating in these waters. The few soundings shown could indicate the existence of deep water, however, because the soundings are so widely spaced, the possibilities of uncharted **dangers** are great.

Domino Point to Pottles Cove Head

Depths in the east and south parts of the bay are as charted, with no dangers, from the south end of Favorite Tickle to close above the Paradise River entrance.

193 Sandwich Bay — West side. — Sandwich Tickle, the channel separating Diver Island and Earl Island from the mainland and entered between Main Tickle Point and Diver Island, is virtually closed at its north end. However, it may be possible, with local knowledge, to enter Sandwich Bay with small craft through Diver Tickle, which has been described earlier. Fowlows Point (Deep Water Point) and Burn Point (local name) are the only named features on the west side of Sandwich Tickle.

Bay at its SW end between **Dove Point** and **Separation Point**. The entrance channel had at one time depths of 18 feet (5.5 m) and the river was navigable with small craft for about 4 miles. There is a waterfall, 80 feet (24 m) high, about 0.3 mile above the head of navigation. Two shoals are reported to exist 4.9 miles ENE and NE of Separation Point.

195 **Eagle River**, with its source about 75 miles SW, enters Sandwich Bay between Separation Point and an unnamed point 2.5 miles ESE. The river is reported

navigable with small craft for about 3.5 miles, above which there are rapids.

196 **Swallow Bank**, with a depth of 6 feet (1.8 m) and situated 2.2 miles ENE of Separation Point, is the only named **danger** in Sandwich Bay. Because of the probability of shoal water, mariners are **cautioned** not to pass SSW of a line joining this bank and **Lumpy Island**, 2 miles SSE.

Southeast Arm (East Arm), foul at its head, is situated 4 miles south of Longstretch Point. Its north part has depths of about 10 fathoms (18 m) while the south part comprises a rocky shelf with a least depth of 10 feet (3 m), which extends 3 miles SW from the head of the bay. Duck Island with an elevation of 62 feet (18.9 m) is located 4 miles SSW of Southeast Arm (East Arm). There is an anchorage in the north part of Southeast Arm (East Arm) about 0.3 mile off the north shore and about 1 mile from its head.

198 **Paradise Arm** is a small bay extending SW from the head of Sandwich Bay. A group of low islets on a drying bank, surrounded by shoals, obstructs the central part of the arm; the west part is **foul**.

PARADISE RIVER APPROACH (2000)



Paradise River, is situated in the east part of Paradise Arm in 16 fathoms (29 m), about 0.4 mile NW of the islet situated near the SE entrance point of the arm.

Paradise River enters the head of Sandwich Bay at Paradise Arm. The river is navigable, with local knowledge, for several miles upstream. A winding, narrow channel with a least charted depth of 16 feet (4.9 m) leads to the settlement of the same name. A shoal with a depth of 3 feet (0.9 m) is located 0.5 mile SE of the west entrance point to Paradise River.

The settlement of **Paradise River** (53°26′N, 57°17′W) with a population of 10 in 2016 is situated about 1 mile from the mouth of the river on the north side. Fish stages, which line the bank, dry at low water. The settlement is connected by road with the *Trans-Labrador* Highway.

202 At the settlement of Paradise River, wharf ruins extend 135 feet (41 m) from the shore; caution is advised.

Cape Porcupine to Pottles Cove Head

Charts 5134, 5135

Nunatsiavut, an area of self-governance by the Labrador Inuit provides special rights related to land use within designated areas of Labrador. Though still a part of the province of Newfoundland and Labrador, the Nunatsiavut Government has jurisdiction over health, education and justice and the authority to make laws relating to culture and language within the land claims area. For further information see http://www.nunatsiavut.com/.

Vessels operating in coastal areas under the jurisdiction of the Nunatsiavut Government and planning shore excursions should be aware of the cultural and historical significance of these areas.

Cruise ships visiting known archaeological sites on Labrador Inuit Lands (LIL), or at places on LIL where, in the opinion of the NG Archaeologist the presence of archaeological sites is likely, are required to have an archaeologist onboard working under a permit issued by the *Nunatsiavut Government*. Operators should make contact with the Nunatsiavut Archaeology Office a minimum of 30 days prior to the cruising of Labrador Inuit Lands or the Inuit Communities.

In the event that archaeological material is accidentally discovered it must under no circumstances be disturbed in any way or be moved from the location of the discovery. Photographs should be taken of the site/material, the location should be accurately recorded and the

Torngâsok Cultural Centre must be contacted immediately for further direction 709-922-2942, ext. 240. 207 The *Historic Resources Act*, under the authority of the *Government of Newfoundland and Labrador* (*Department of Business, Tourism, Culture and Rural Development*), which protects archaeological sites and materials states:

10. (1) A person who discovers an archaeological object shall report the discovery immediately to the minister stating the nature of the object, the location where it was discovered and the date of discovery.

10. (2) A person, other than one to whom a permit has been issued under this Act, who discovers an archaeological object shall not move, destroy, damage, deface, obliterate, alter, add to, mark or interfere with or remove that object from the province.

The *Labrador Inuit Land Claims Agreement* states:

15.11.2 The title to all Archaeological Material found in Labrador Inuit Lands after the Effective Date is vested in the *Nunatsiavut Government*.

For additional information please contact the *Nunatsiavut Government* Archaeologist at 709-922-2942, ext. 240, or via email at jamie brake@nunatsiavut.com.

210 From Cape Porcupine, the coast, which is low and fronted for the most part by a sand beach known as **North Strand**, trends NW towards Fish Cove Point, near the south entrance point of Groswater Bay. Several islands lie between 4 and 8 miles from the coast in this sector, but rock patches occur from close offshore to more than 20 miles to seaward.

Chart 5134

211 Off-lying dangers. — Schmitt Shoal, with a depth of 10 feet (3 m), and Mid Channel Rock with a depth of 2 feet (0.6 m) are two dangers situated 3 and 6.5 miles ENE of Cape Porcupine, respectively. Another shoal with a depth of 5 feet (1.5 m) lies 0.7 mile SSE of Mid Channel Rock. Black Rock, another named danger, lies about 5.7 miles NNE of Cape Porcupine.

212 **South Stag Island** (54°01′N, 57°08′W), situated about 5 miles north of Cape Porcupine, is grass covered and mostly flat-topped. A shoal with a depth of 14 feet (4.3 m) is located 0.3 mile south of its SE end. Another shoal with a depth of 16 feet (4.9 m) lies 2.5 miles WSW of South Stag Island.

213 **North Stag Islands**, with an elevation of about 120 feet (37 m), are situated 3.5 miles NNW of South Stag Island. They are mostly grass covered and have gently sloping almost level profiles, the south island having slightly steeper slopes.

Domino Point to Pottles Cove Head

The channel between the islands is encumbered with islets and above-and below-water rocks and has a depth of 6 feet (1.8 m). **Anchorage** can be obtained west of the channel in 7 to 14 fathoms (12.8 to 26 m).

Charts 5134, 5135

Tumbledown Dick Island, situated 4 miles NNE of the North Stag Islands, is conspicuous and has a round hillock at its summit. Mariners are cautioned that the reef, which lies 0.1 mile off the NW side, and the above-and below-water rocks, which border this island, are all steep-to. Little Tumbledown Dick Island is 70 feet (21 m) in elevation. The channel between the islands is clear of dangers in the fairway and has a least depth of 33 feet (10.1 m).

Fish Cove Point (54°08'N, 57°22'W), situated 15 miles NNW of Cape Porcupine, is low and flat. The charted beacon was not visible in 1996.

West Bay has its entrance between Fish Cove Point and Pottles Cove Head. Depths between 20 and 40 feet (6.1 and 12.2 m) occur in the outer part of the bay.

217 **Old Man Island**, which had fish sheds reported on its south side, is situated close SSE of Pottles Cove Head. Both sides of the channel between them are fringed with above-and below-water rocks. A shoal with a depth of 13 feet (4 m) and marked by east cardinal light **buoy** HM (285.2) is located about 0.6 mile east of Old Man Island. **Pottles Cove Head**, which is low, grass covered and fringed with light-coloured rock, should be passed at a distance of not less than 300 feet (91 m).

Pottles Cove is situated close SW of Pottles Cove Head. It is partly sheltered by Old Man Island. In the outer part, there are depths between 24 and 36 feet (7.3 and 11 m); depths of 12 feet (3.7 m) exist close to the

north side. A reef extends for about 0.1 mile from the west side of the cove.






Anchorage may be obtained in 33 feet (10 m) off the entrance to Pottles

Cove. Mariners with local knowledge may obtain sheltered anchorage for small craft in 14 feet (4.3 m) in **Upper Fish Cove** (**Fish Cove**), situated close SW.

A coastal route used by local vessels which is 220 especially useful in spring to avoid offshore ice leads west from Cape Horn, previously described. The route extends from a position close north of Cape Horn and The Washer, WNW to a position close west of Prisoners Island (Newfoundland Island). It then leads north to pass mid-channel between Horse Chops Island and Big Packs Harbour Island (Hamilton Island) and Piccos Island (Pickens Island), 0.5 mile east and SE. When about 0.5 mile NE of **Horse Chops**, the NE point of Horse Chops Island, course can then be altered to the NW passing between Cape Porcupine and Schmitt Shoal. The route leads west of South Stag Island and North Stag Islands. Southeast of Fish Cove Point the route leads north toward George Island avoiding the shoals charted east and NE of Old Man Island. When about 1 mile south of the SE end of George Island course can be altered NW to lead through the channel between South Duck Islands and Black Rocks, 1 mile NNE, described in Chapter 5.

Chapter 5


Groswater Bay to Lake Melville



Hamilton Inlet

Chart 4730

- 1 **Hamilton Inlet** $(54^{\circ}20'N, 57^{\circ}20'W)$ is an inland waterway, located about 200 miles north of the Strait of Belle Isle, which extends in a general SW direction for a distance of 140 miles from the coast. It is the largest inlet on the Labrador coast and provides access for seagoing vessels to the port of Goose Bay, the major port of Labrador.
- The inlet is composed mainly of three fairly large bodies of water interconnected by narrow channels: Groswater Bay, Lake Melville and Goose Bay.
- Groswater Bay extends west for a distance of 35 miles, at which point it becomes constricted by The Narrows, a channel which is about 14 miles in length and between 0.3 and 1.5 miles wide. The Narrows connect Groswater Bay with Lake Melville, which is 65 to 70 miles in length. At the western end, Goose Bay Narrows leads into Goose Bay, into which flows the Churchill (Hamilton) River. Terrington Narrows connect Goose Bay with Terrington Basin, where the port of Goose Bay is located.
- In the vicinity of Hamilton Inlet, the transition from the lichens, moss, Arctic willow and dwarf birch of the barren outer islands to the forested interior is very well marked. The climate a few miles inland is likewise totally different from that on the coast. High hills and mountains surround the shores of the inlet, and the islands are mostly bold and rocky.
- 5 Rigolet, North West River and Sheshatshiu are the only settlements along the length of the inlet; the town of Happy Valley Goose Bay is situated on the south side of Terrington Basin.
- Along the usually followed track in the approaches to, as well as throughout Groswater Bay, the water area, for a width of approximately 2 miles, has been wire-swept to a depth of 41 feet (12.5 m) as indicated on the appropriate charts. The least depth in The Narrows is 44 feet (13.4 m), after which there is a deep water channel through Lake Melville to Goose Bay Narrows. A least charted depth of 28 feet (8.5 m) exists through Goose Bay Narrows and masters of vessels are advised to contact the harbour-master



NE side of Brig Harbour Island, from which it is separated

by Sloop Harbour.



Tub Island (54°11′N, 57°24′W) lies 2 miles NW

of Pottles Cove Head and close off the mainland. It has




EMILY HARBOUR (LOOKING NORTH) (2012)



EMILY HARBOUR (LOOKING SOUTH) (2012)





(157 ft) in elevation, at the NE end lies 0.6 mile WNW of Bunk House Island. It is barren and rugged and rises to two flat hills. An isolated reef with a least depth of 6.7 m (22 ft) lies 0.3 mile east of the NE end of Middle Island. **South Island** and an unnamed island situated close east form the south side of White Bear Harbour.

by the sear Harbour provides partially sheltered anchorage for small vessels in 20 m (66 ft), sand and gravel. To avoid the reef with 1.5 m (5 ft) over it, lying in the SE entrance, keep the island east of South Island close aboard. Local knowledge is essential.

Gull Island, 16 m (52 ft) in elevation, is an islet situated 0.2 mile south of the SW extremity of South Island; shoal water extends east of it. **North Island**, the farthest north of the White Bear Islands group, has a sharp-peaked summit rising to an elevation of 81 m (266 ft) near its NE part.

57 **The Cubs**, two bare islets lying 0.5 mile SW of North Island, are both about 12 m (40 ft) in elevation, with a steep-to rock between them. **Jigger Island**, 0.6 mile west of The Cubs, is a dark rock covered with grass. Two rocks drying 0.9 and 1.2 m (3 and 4 ft) lie about 0.2 mile west.

58 **Five Islands** (54°29′N, 57°02′W), situated 2 miles west of North Island, consist of three islands and two islets. The east island 26 m (85 ft) in elevation has a summit with the appearance of a knob. The larger islet lying between the east and south islands is 7 m (23 ft) in elevation. The sea generally breaks on the drying reef situated 0.5 mile west of the south end of the south island. A rock drying 0.6 m (2 ft) is located 0.1 mile north of the east end of the east island.

59 A small harbour, contained between the three main islands in the Five Islands group, is entered from the west through a channel with a least depth of 3 m (10 ft). Mariners entering this channel should keep in mid-channel in order to avoid the shallow water on the north side. When entering from the SSE, keep the SE side of the south island close aboard in order to avoid the reef extending west from the east island.

Anchorage is obtainable, with local knowledge, 16 m (53 ft).

60 **Lewis Rock**, a reef drying 0.9 m (3 ft), is situated 1.3 miles SW of the Five Islands group in the south approaches to Cut Throat Tickle. Shoals extend to

depths of 0.6 and 7.6 m (2 and 25 ft), 0.1 and 0.3 mile SSW and west, respectively, of Lewis Rock.

Entry Island, on the east side of Cut Throat Tickle, rises in several hummocks. On its east side is a sharp peak with an elevation of about 70 m (230 ft). Little Entry Island lies close off the SW side of Entry Island. A shoal with a least depth of 1.5 m (5 ft) lies 0.2 mile south of Little Entry Island. Jigger Rock lies about 0.1 mile off the SE side of Entry Island; it has an elevation of 23 m (75 ft). Two rocks drying 1.5 m (5 ft) lie about 0.2 mile SSW and 0.5 mile WSW, respectively, of the SW end of Jigger Rock.

62 **Cut Throat Island** is one of the larger islands in this area. Near its NE end, it rises to a flat summit with an elevation of 130 m (427 ft).

63 A **light** (318) is shown at an elevation of 28 m (92 ft) from a skeleton tower, with red and white daymark, on **Cut Throat Point**.

64 **Cut Throat Harbour** is a small indentation on the south side of Cut Throat Island. **Anchorage** is available for small craft in Cut Throat Harbour. The bottom is composed of rocks with patches of grey-white sand; the holding ground is only fair. Some swell can be expected to accompany winds from south and SW; such winds are prevalent during the summer months. Cut Throat Harbour offers better protection than East Harbour.

over a bottom of rock with patches of grey-white sand with only fair holding. SE winds cause a heavy swell to enter East Harbour, making it untenable when they blow strongly. It is reported that a **current** with a rate of about 2 knots exists in the harbour under such conditions. The beaching of landing craft in this harbour is not recommended.

Foxy Islands (54°28′N, 57°07′W), lying south of the SE extremity of Cut Throat Island, have conical summits of reddish rock with patches of grass. A rock with 0.3 m (1 ft) over it lies 0.2 mile SW of the northern Foxy Island. A drying rock lies close east of the north island. An islet with an elevation of 2 m (7 ft) is charted 0.5 mile ESE of the east end of the north Foxy Island.

67 **Arthy Reef**, 2 miles WSW of the northern Foxy Island, is a group of above-and below-water rocks. A shoal with a depth of 2.7 m (9 ft) lies 0.5 mile NE of Arthy Reef.


East Big Island, situated 1 mile SE of the south Foxy Island, is dark and rises in the form of a pyramid.

69 A **light** (317.8) is shown at an elevation of 48.1 m (158 ft) from a skeleton tower with a red and white daymark, located near the east end of East Big Island.

- 70 **Bacalhao Island**, situated 1 mile south of Arthy Reef, is a steep-to ridge composed of basalt. This island may be passed on either side. Shoals with least depths of 3.4, 4 and 4.6 m (11, 13 and 15 ft) lie on an extensive reef between Bacalhao Island and East Big Island; **caution** is advised.
- 71 **Tommy Rocks**, a group of islands and above-and below-water rocks, lie 2.5 miles south of East Big Island. The two east islets of the group are connected by **foul ground**. **Bulldog Rock**, with an elevation of 2.4 m (8 ft), lies 0.5 mile west of Tommy Rocks.
- 72 **North Duck Islands** (54°25′N, 57°10′W) are situated 2 miles WNW of Tommy Rocks; they are grey in appearance with grass cover. Reefs with depths of 6.1 and 8.8 m (20 and 29 ft) lie 1.1 and 0.9 miles south, respectively, of the west North Duck Island. Shoals at depths of 7.6 and 10.1 m (25 and 33 ft) lie 0.4 and 0.9 mile NW and west, respectively, of the west tip of the west North Duck Island.

- 73 **Double Islands**, 2 miles west of North Duck Islands, are joined by drying rocks at low water. Drying rocks lie 0.2 mile south of the south Double Island.
- 74 **Tinker Island**, with an elevation of 20 m (66 ft) and situated 1 mile WNW of Double Islands, is a bare, reddish steep-to rock.
- Mundy Island $(54^{\circ}28'N, 57^{\circ}14'W)$ has a peninsula which terminates in **Smokey Head**, projecting east from its NE side. **Shakespeare Hill**, with an elevation of 91 m (300 ft), is situated in the middle of the peninsula. Buildings of the former fishing settlement of **Smokey** are located close west of Smokey Head.
- 76 A pier, 54 m (177 ft) long with a depth of 2.9 m (10 ft) alongside an 8 m (26 ft) wide outer end, extends from the south side of a small island with drying rocks on its north side located about 1.1 mile WNW of Smokey Head. The east side of the pier has depths of 2 to 3.9 m (7 to 13 ft) alongside its outer 30 m (98 ft) length.

SMOKEY (LOOKING EAST) (2015)




SMOKEY PIER (2015)



EDWARDS HARBOUR (2012)





79 **Edwards Harbour**, which affords shelter for small craft, has a narrow entrance with depths of 2.1 m (7 ft); depths of 3 m (10 ft) exist in the central part of the harbour. A submerged rock, together with one that dries 0.9 m (3 ft), lie just inside the harbour entrance;

Indian Island, which terminates in **Lawrenceson Point** at its SW extremity, lies 0.2 mile off the SE part of
Mundy Island; it attains an elevation of about 70 m (230 ft)
at its NE end. **Ponsonby Island**, situated off the east side of
Indian Island, is connected to it at low water.


Indian Head is the south extremity of a pyramid-shaped island, which is connected to Mundy Island at low water. An island, known locally as **Pomeroy Island**, is situated about 0.3 mile NE of Indian Head.

by **Pigeon Island**. The entrances to Indian Harbour, from the east between Indian Island and Pigeon Island, from the north between Pigeon Island and Mundy Island, and from the SW between Indian Head and Pomeroy Island, should not be attempted without local knowledge.

83 A considerable swell enters Indian Harbour with SE gales. The **anchorage** between Mundy Island and Indian Island is only about 0.1 mile wide but affords a good anchorage for several small craft in 2.4 to 5.2 m (8 to 17 ft), sand. For larger vessels the best **anchorage**, particularly when there is ice off the coast, is NW of Pigeon Island in 9.1 m (30 ft), where fair shelter can be found. Temporary **anchorage** in 15 m (50 ft) of water may be obtained off the entrance

INDIAN HARBOUR (LOOKING NE) (1996)

caution is advised.



to the cove formed between Ponsonby Island and Indian Island (see chart 5135).

The former summer fishing station of **Indian Harbour** is situated along the north side of Indian Island.

Some buildings remain at the station.

Marks Island ($54^{\circ}29'N$, $57^{\circ}13'W$), close north of Mundy Island, rises in several hills to an elevation of 50 m (164 ft). **Green Islet**, a small grass-covered rock, lies close north.

86 **Smokey Tickle**, which is the channel between Marks Island and Cut Throat Island, can be entered from the south by small vessels and from the north by larger ones. A shoal with a least depth of 4 m (13 ft) is located 0.4 mile WSW of **Long Point**, the NW extremity of Cut Throat Island. Another shoal with a least depth of 2.9 m (10 ft) is located 1.2 miles SSW of Long Point.

87 The **anchorages** indicated on the chart, 0.8 mile SW of Long Point and 0.3 mile NW of **Hullet Island**, provide shelter from all but east and SE winds. These anchorages have been used on many occasions by a vessel drawing 4 m (13 ft) of water.

88 **Ice Tickle** (54°28′N, 57°15′W) is the channel between the west end of Mundy Island and **Ice Tickle Island**. The south entrance lies between the peninsula, which terminates in Mann Point, and **Palmer Point**; the north entrance lies between **Leith Point** and the NW extremity of Mundy Island. **Boxer Island** is situated almost 0.2 mile south of Leith Point. A reef with a least depth of 2.7 m (9 ft) lies close to the east side of Boxer Island.

The SW approach to Ice Tickle is clear of dangers with the exception of **Black Rocks**, with an elevation of 4 m (13 ft), situated 1.2 miles SW of Palmer Point. A shoal with a least depth of 4.9 m (16 ft) lies 0.1 mile SW of Black Rocks. The west approach is encumbered by several **dangers**, the positions of which can be seen on the chart.


The Ice Tickle north entrance channel has a least known mid-channel depth of 5.8 m (19 ft) and a least width of about 91 m (300 ft) between the shoal water bordering the entrance points.

Ice remains in Ice Tickle longer than in the other channels in the vicinity.

RUN BY GUESS SOUTH ENTRANCE (1998)



Groswater Bay to Lake Melville



Run By Guess, the channel between Ice Tickle Island and Run By Guess Island, 0.6 mile west, has a fairway depth of 24 m (79 ft). **Pinchgut Islet (Pinchgut Island)** forms the NE entrance point of the channel.

Run By Guess Island has a conspicuous peak in its east part and a prominent flat-topped hill near its west extremity. A small unnamed island, 51 m (167 ft) in elevation, lies 0.3 mile off the SE end of Run By Guess Island.

95 A **light** (317.9) is shown at an elevation of 17.5 m (57 ft) from a skeleton tower with a red and white daymark located on the NE end of the unnamed island.

96 Temporary **anchorage** is available in 18 m (60 ft) off the cove near the NE extremity of Run By Guess Island. The channel north of Run By Guess Island and Ice Tickle Island is frequently used by vessels for shelter from rough weather.

97 A large area of **foul ground**, with a number of islands, islets and above-and below-water rocks, lies close off the SW side of Run By Guess Island. The channel between the largest island and the islands west of it forms **Little Harbour**, which is suitable only for small craft, with local knowledge, to moor to the rocks.

98 Alliuk Bight (54°32'N, 57°22'W) is situated 1 mile NNW of Run By Guess Island. A bar situated just inside the entrance reduces the depths to 5 and 10 m (16 to 33 ft) in the very narrow channel. Local knowledge is essential. A watering place is reported to exist at the mouth of a stream, which reaches tidewater 1.7 miles east of Alliuk Bight.

Chart 5135

99 **Pottles Bay**, situated close west of the entrance to Alliuk Bight, partly surveyed, penetrates the mainland for nearly 11 miles. The south entrance channel is clear of dangers and has a least known depth of 38 feet (11.6 m). A shoal with a depth of 33 feet (10.1 m) is charted 2.9 miles west of the west tip of Run By Guess Island. The bay has general depths of 5 to 10 fathoms (9.1 to 18.3 m) for a distance of 4.5 miles inside the entrance; depths of 3 to 11 fathoms (5.5 to 20 m) are known to occur for a farther 2 miles. The **dangers** in the entrance to Pottles Bay can be seen on the chart.

Anchorage in 11 fathoms (20 m), mud, can be obtained 0.8 mile inside the entrance of Pottles Bay.





101 A large bay with **Rattlers Bight** (54°26.5′N, 57°31.3′W) (unnamed on the

chart), its western arm is situated south of Pottles Bay. Good shelter from north winds is reported in the north arm of the bight. Mariners are **cautioned** about the shoal spit which extends from the south entrance point of Rattlers Bight. Steep-to reefs are situated at the outer end of the shoal area extending from the land between the north side of Rattlers Bight and the west entrance to the north arm of the previously described large bay.

Charts 5135, 5042

with an elevation of 346 feet (105 m), is flat-topped and **conspicuous**. There are a few trees on this island although there are none on the islands to the NE. East Pompey Island should not be approached to less than 10 fathoms (18.3 m) as there are a number of reefs inside the 10 fathom (18.3 m) line. **Winter Island**, 74 feet (22.6 m) in elevation, is situated near the mainland 1 mile west of East Pompey Island.

North Green Island, flat and about 80 feet (24 m) in elevation, is situated 3 miles SE of East Pompey Island. Shoal patches under 5 fathoms (9.1 m) lie about 0.5 mile south and 0.7 mile SW, respectively, of the island. **Puffin Island**, with an elevation of 141 feet (43 m), lies 1.7 miles south of East Pompey Island.

Groswater Bay — South Side and Islands

Chart 5162





104 **South side**. — **South Green Island** (54°14′N, 57°29′W), a gently sloping grassy

island almost surrounded by foul ground and drying ledges, lies about 6 miles NW of Pottles Cove Head, the south entrance point of Groswater Bay. The beacon charted near the west end of the unnamed island lying 2 miles west of South Green Island was not visible in 1978. The unnamed island is generally low with a prominent bluff. A shoal with a least depth of 5.1 m (17 ft) is located 2.1 miles NW of the west end of the unnamed island. Three shoals with least depths of 8, 8.6 and 11 m (26, 28 and 36 ft) are charted 1.9, 2.2 and 2.4 miles NNW, respectively of the NW end of South Green Island. Good anchorage is reported in about 24 m (13 fathoms) 1 mile SSE of the south end of South Green Island. Good anchorage is also reported in 11 m (6 fathoms), 2 miles WSW of the north tip of the previously mentioned unnamed island 2 miles west of South Green Island.



from the drying ledge. A shoal area with drying rocks in its middle lies in the east entrance to the channel between West Pompey Island and Big Island.

The mainland NW of West Pompey Island is deeply indented by a large unnamed bay with **Long Point** as its SE entrance point.

Groswater Bay to Rigolet

Chart 5162

Ticoralak (Ticorolak) Bight (54°16′N, 58°13′W) is entered between Ticoralak (Ticorolak) Head and an unnamed point 2.5 miles NE. Ticoralak (Ticorolak) Head is dark and conspicuous, rising steeply on its southern side to an elevation of almost 152 m (499 ft). Ticoralak Island lies in the entrance to Ticoralak (Ticorolak) Bight. An extensive shoal with a least depth of 1.2 m (4 ft) is situated 0.5 mile NE of the east tip of Ticoralak Island.

Channels — Ticoralak (Ticorolak) Bight.
— Drying ledges, which fringe the SW side of
Ticoralak Island and the mainland shore opposite, reduce
the width of the intervening channel to 0.3 mile. This
channel has a least charted mid-channel depth of 3.7 m
(12 ft). The channel lying between the shoal area NE of
Ticoralak Island and the mainland has a least mid-channel
depth of 12.2 m (40 ft).

128 **Snooks Rocks**, situated close SE of Ticoralak Island, are about 3 m (10 ft) in elevation. **Mullins Cove**, 2 miles south of Snooks Rocks, and with **Mullins Head** its west entrance point, is shallow and its shores are fringed with drying reefs.

Charts 5163, 5162

129 **Broomfield (Bloomfield) Island**, 3 m (10 ft) in elevation and bare, lies 1.3 miles WSW from Mullins Head. **Jordans Point**, low, level and treeless, lies close SW of Broomfield (Bloomfield) Island.

of Jordans Point. Within the entrance, the depths decrease gradually, the greater depths being on the north side. Good **anchorage** may be obtained in the berth charted 1 mile west of Collinghams Cove in about 30 m (98 ft). There is a charted depth of 13 m (43 ft) close west of the anchorage.

Chart 5163

131 **Grassy Point** lies 2.5 miles WSW of Collinghams Cove. Drying boulders and shoals fringe this section of coast.

- Smith Island, grass covered, lies about 0.7 mile NE of Grassy Point. There is deep water close off the north side of Smith Island and the islet close east of it, but a shoal area with least depths of 2.4 to 4.5 m (8 to 15 ft) extends about 0.6 mile west from the islets. The land behind the south coast is sparsely wooded and attains an elevation of over 326 m (1070 ft) at Horse Chops Hill, situated 2 miles south of Grassy Point; the summits of the hills are quite bare.
- 133 **Jewel Point** is situated 2.3 miles NW of Grassy Point. Between Jewel Point and Palliser Point, the shore is fringed with drying boulders. **Double Mer Point** is a prominent headland with treed slopes rising to bare rock summits.

let entered between **Palliser Point** and Double Mer Point, is reported to be deep; it extends west for 45 miles between steep wooded shores. **Mad Dog Cove (Goudies Cove)** and **Ploctors Cove** are two small indentations on the north shore of Double Mer, close inside the entrance. **Ely Cove**, 0.7 mile west of Double Mer Point, is a small indentation, which at one time had a few houses on its shores.

135 **Man of War Rock** (54°13′N, 58°20′W), an underwater rock of unknown depth, dangerous to surface navigation, surrounded by shoal banks and marked by port hand light **buoy** H1 (290), lies 0.7 mile from the south shore of the north entrance to The Narrows, described later in this section. Depths under 11.5 m (38 ft) exist between Man of War Rock and Lester Point.

136 The pilot boarding station for vessels requiring **pilotage** and entering Lake Melville is located 0.8 mile NW of Man of War Rock.

Charts 5135, 5163, 5162

and The Narrows. — When approaching Hamilton Inlet, mariners have their choice of two tracks usually followed which join in a position NNE of George Island (see chart 5135).

138 It has been reported that the north and east approaches to Hamilton Inlet are invariably closed by ice in the early part of the season. Under such conditions an approach from SE though reported not entirely clear of ice, has the advantage of being free of ice under pressure.

followed, the route into Groswater Bay passes about 2.5 miles north of George Island and about 0.5 mile south of Black Island. Care should be taken to keep north of the 36-foot (11-m) depth situated 3.6 miles SSW of the southern Twin Island. From a position south of Black Island, vessels have been reported to head in a general

WSW direction to pass midway between Big Island and East Sister Island, and then midway between Ticoralak (Ticorolak) Head and Mullins Head. When Ticoralak (Ticorolak) Head is abeam, a course was reported set for Double Mer Point, favouring the north shore, until Strathcona Point comes to bear less than 220° and is open from the east shore of The Narrows. At this point a course set for Rigolet will then pass well west of Man of War Rock.

In the summer of 1949, an inward bound vessel encountered heavy pack ice which extended from a position about 10 miles ESE of East Rock (54°27'N, 56°51'W) as far west as Herring Islands. While in the ice the vessel was set considerably towards the south. For this reason, under similar conditions, the ice should be entered north of the track usually followed in order to allow for this set to the south. The master of the same vessel reported that the only radar target easily distinguishable from icebergs was a wedge-shaped formation in the White Bear Islands.

141 An alternative, shorter route to enter Groswater Bay from the north is used by coastal traffic. This route leads between White Cockade Island and Brig Harbour Island and down the east side of Northern Group, then westward through the passage running north of Cut Throat Island, Marks Island and Ice Tickle Island, then southward through Run By Guess to join the charted track usually followed.

An additional route used by local mariners when waters offshore are ice-infested is described in chapter 4.

Chart 5163

The Narrows is the passage connecting Groswater Bay with Lake Melville. It is entered from the NE between **Lester Point** (54°12′N, 58°21′W), which has reefs and shoal water extending up to 0.4 mile north of it, and Double Mer Point. The Narrows extends SSW for 6 miles, then divides into two channels at Henrietta Island.

Cul-de-Sac, the channel west of Henrietta Island, is the one normally used. This west channel is further divided by Eskimo Island, situated at the entrance to Lake Melville. The passage east of Eskimo Island is the one generally used.

Pike (Back) Run, the channel east of Henrietta Island, leads SE into an arm of Lake Melville known as The Backway. The least charted depth in the channels connecting Groswater Bay and Lake Melville is 13.2 m (43 ft), found in mid-channel abreast of Rigolet. The west shore of the connecting passage between Groswater Bay and Lake Melville is thickly wooded but the hilltops are bare. The east side is sparsely wooded.





Tidal streams in The Narrows attain rates of about 5 knots during the ebb and about 4 knots during the flood, at large tides. During mean tides, the flood and ebb streams attain rates of about 3 knots.

147 Ice. — The Narrows channel rarely freezes over, as the fast flowing water keeps the channel open.







Anchorages. — While 148 awaiting a pilot or suitable

conditions of tide or daylight for passage to Lake Melville, vessels usually anchor off the entrance to Collinghams Cove. Anchorage is also obtainable in Rigolet Cove in 12.8 m (7 fathoms), mud. This berth is out of the current but the holding ground is not good. Large vessels anchor farther offshore in the current. A vessel drawing 8.8 m (29 ft) once anchored off Rigolet for 4 hours in a strong current and found the holding ground adequate. Good anchorage for small craft is reported in Rigolet Cove.

Juniper Point is situated on the west shore of The Narrows about 1 mile SW of Double Mer Point. The 271-m (889-foot) summit situated close west is surmounted by a cairn.

150 **Burned Wood Cove (Burntwood Cove)** is a small indentation situated between Juniper Point and Hart **Head**. It is the site of a former trading post.

A **light** (290.3) is shown at an elevation of 7.1 m (23 ft) from a skeleton tower having a red and white daymark located on Hart Head.

Rigolet Point, the south entrance point of Rigolet Cove, is situated on the west side of The Narrows, about 3 miles SW of Double Mer Point.

A **light** (291) is shown at an elevation of 12.3 m (40 ft) from a skeleton tower situated close south of Rigolet Point.

Gunnan Point is situated across The Narrows 154 from Rigolet Point. Radio towers near Rigolet Point are conspicuous. A tower with an elevation of 45 m (148 ft) and marked with red lights is located about 0.5 mile WSW of Rigolet Point. Another tower marked with red lights is located about 0.25 mile SW of Rigolet Point.

The town of **Rigolet**, population 305 in 2016, is situated on the south side of Rigolet Cove. It has scheduled air service from a gravel airstrip at the town with Happy Valley - Goose Bay. Weekly passenger and freight service is supplied to the town during the navigation season. There is a medical clinic and a hotel at the town. Provisions in limited quantities are available at one general store and one convenience store. Gasoline and diesel fuel are available in limited quantities.





An L-shaped Public wharf is located close NW of Rigolet Point (see Appendix). The inner section of the west side of the wharf is 36 m (118 ft) long and has a least depth of 4 m (13 ft) alongside. There are depths of 6 to 7 m (20 to 23 ft)

RIGOLET PUBLIC WHARF (2015)



alongside the SW and NE ends, respectively, of the west side of the outer wharf section, 37 m (121 ft) long. A 16-m (52-foot) wide **Ro-Ro ramp** with a least depth of 4 m (13 ft) is located at the inner end of the west side of the wharf. A floating wharf is moored 24 m (79 ft) west of the Ro-Ro ramp. The outer section of the east side of the wharf, 36 m (118 ft) long has depths of 5.6 to 6.4 m (18 to 21 ft) alongside. A **light** (290.5) is shown from a mast on the outer end of the wharf.

157 A rock with a least depth of 1 m (3 ft) is located about 53 m (174 ft) SE of the outer end of the Public wharf at Rigolet. Port hand light **buoy**HR1 (290.31) is moored about 120 m (394 ft) east of the outer end of the L-shaped Public wharf. A depth of 0.9 m (3 ft) is charted about 30 m (98 ft) NE of the inner end of the east side of the Public wharf. Shallow water with a depth of 2 m (7 ft) and charted in a direction parallel to the wharf is located about 80 m (262 ft) west of the outer section of the west side of the wharf; **caution** is advised.

Rigolet to Lake Melville

158 **Strathcona Point**, situated about 2 miles SSW of Rigolet Point, forms the south entrance point of a shallow bight. The 10-m (33-ft) contour line lies almost 0.3 mile off Strathcona Point.

159 **Holme Point**, situated on the east side of The Narrows, 1.6 miles SE of Strathcona Point, is bold and nearly steep-to. About 0.5 mile inland, the rocky ridges rise

to an elevation of 107 m (351 ft). **Summer Cove** is a small indentation 0.7 mile NNE of Holme Point.

Molioch (Moliak) Cove, 3.4 miles SW of Strathcona Point, is a shallow cove entered between Alexander Point and Molioch (Moliak) Point. There are fish sheds on Molioch (Moliak) Point. A conspicuous summit 357 m (1171 ft) in elevation, on which there is a microwave radio tower with an elevation of 436 m (1430 ft), rises about 2 miles NW of Alexander Point. The Scow, a flat-topped hill with an elevation of 88 m (289 ft) and conspicuous from NE, is situated 0.6 mile west of Molioch (Moliak) Point.

161 **Cul-de-Sac**, which separates Henrietta Island from the west mainland, is the main shipping channel for traffic entering and leaving Lake Melville.

Ů ■

162 **Coopers Cove** is a slight indentation in the west shore of Cul-de-Sac. **Snooks**

Cove, where small craft can find **anchorage**, is situated 2 miles SW. This stretch of coast is clear of dangers except for a shoal area extending almost 0.2 mile from the shore at Coopers Cove.

163 A **light** (292) is shown at an elevation of 5.3 m (17 ft) from a skeleton tower, with a red and white daymark located on a point close north of Snooks Cove.


164 A **light** (293) is shown at an elevation of 5.5 m (18 ft) from a skeleton tower, with a red and white daymark situated at the west end of Henrietta Island 0.8 mile NNE of the north end of Eskimo Island.

CUL-DE-SAC (LOOKING SOUTH TOWARD ESKIMO ISLAND) (1996)



165 **Caravalla Point**, situated 1.2 miles south of Snooks Cove, is the south entrance point of **Caravalla Cove**, and the SW entrance point of Cul-de-Sac.

166 **Eskimo Island**, covered by scrubby bushes, lies in mid-channel at the south entrance to Cul-de-Sac. The passage east of the island is the shipping channel. There is a depth of 6.7 m (22 ft) at the junction of the east and west channels, close north of the north extremity of Eskimo Island. A shoal with a depth of 1.9 m (6 ft) is located 0.2 mile NW of the north extremity of Eskimo Island.



168 A **light** (294) is shown at an elevation of 5.5 m (18 ft) from a skeleton tower, with red and white daymarks located at the SE extremity of Eskimo Island.

169 **Henrietta Island** is situated between Cul-de-Sac and Pike (Back) Run. The island is sparsely wooded, the trees growing rather more thickly on the protected SE slopes of the rocky ridges of which it is formed.

170 **Long Harbour** is situated on the east side of Henrietta Island. The entrance is obstructed by a

bar with a least depth of 1.8 m (6 ft) over it, but the harbour deepens in the inner part.

Anchorage off Henrietta Island has been obtained in about 27 m (15 fathoms) about 0.7 mile SW of the west entrance point of Long Harbour.

172 **Pike (Back) Run** is entered at the NW end between Holme Point and **Peters Point**, 1 mile SW. East of Peters Point, shoal water extends about 0.4 mile offshore. **Little Harbour**, a shallow bight, is situated 1 mile SE of Peters Point.


Run is not recommended for navigation except at neap tides. During spring tides there are strong tide rips and eddies in this channel, making it difficult and dangerous for navigation.

174 **The Backway**, an arm of Lake Melville, extends east for about 18 miles; it is reported to be deep but has only been surveyed to 5 miles east of Pike (Back) Run.

175 Good shelter during NE gales will be found in the V-shaped cove at the east end of Pike (Back) Run between the group of islands and the coast to the eastward. **Anchorage** in depths of 14.6 to 18.3 m (8 to 10 fathoms) with good holding ground are found in the cove.

Chapter 6

Lake Melville and Goose Bay



Lake Melville

Charts 4725, 5143, 4728, 4722, 5163, 5162

- 1 **General. Lake Melville**, which is tidal, extends for about 80 miles from the south end of The Narrows to Terrington Basin. It has a greatest width of 20 miles. The shores of the lake are in general bounded by high land, except in the vicinity of the head where there are sections of flat, densely wooded and swampy land. The south side is the boldest, the hills attaining elevations of 1000 to 2000 feet (305 to 610 m) and backed by the **Mealy Mountains**, about 7 miles inland, which attain an elevation of 3870 feet (1170 m).
- In general, the waters of Lake Melville are deep and comparatively free of shoals and reefs until the west part of the main section is reached. A deep-water channel extends from The Narrows through the lake as far as the entrance to Goose Bay.
- Salinity. Water samples taken in the entrances to the principal rivers of Lake Melville proved to be quite fresh under normal conditions, but it is quite possible that salt water may be forced some distance up the rivers under abnormal conditions as a result of heavy gales from the eastward. It was noticed that the lower layer of water, below 50 fathoms (91 m), though showing greater salinity than the surface, was at an extremely low temperature, rather below freezing. It is questionable whether fish could live under such conditions, and this may be the reason why cod have never been found inside The Narrows.
- 4 Weather. During the summer months air-mass thunderstorms often develop around Lake Melville. These storms form over the warm land and tend to weaken as they move over the colder waters of the lake. Line or frontal thunderstorms, which can also occur in the area, rarely weaken over Lake Melville. These storms often form a continuous line of active weather, offering little opportunity to avoid them. Sea breezes along various parts of the shore can converge, resulting in more thunderstorm activity. Lightning, heavy rain and strong gusty winds accompany these storms which can become more severe near the shoreline; caution is advised.

Charts 5163, 4725

5 **East part of Lake Melville.**— From the south entrance point of The Backway (54°04′N, 58°20′W), the south coast of Lake Melville, abreast of Henrietta Island, has a bold appearance, with its rocky ridges rising in places to an elevation of 244 m (801 ft) a short distance inland. There is deep water close to the main points of land, but the bays are generally **foul**. **Peter Lewis** (**Carrington**) **Island**, with an elevation of 25 m (82 ft) and located 3 miles SSW of Eskimo Island, is covered with dark green moss.

Charts 5163, 4725

6 East part of Lake Melville — South Side.

- The south coast is bold from abreast of Peter Lewis (Carrington) Island to Trout Point.
- 7 **Trout Point** (53°57′N, 58°50′W) is the east extremity of a high, prominent headland, the west extremity of which is named **Reed Point**.
- 8 **Port Disappointment** consists of a small bay surrounded by steep, rocky cliffs; it has deep water in its middle part. There is shelter for small craft behind **Trout Island**. A **conspicuous** summit with an elevation of 292 m (958 ft) lying 1.3 miles ESE of Trout Island can be seen for many miles up the lake.
- 9 **Barrel Cove** is a small indentation close south of Reed Point. **Rocky Islands**, a group of steep-to rocks, are situated close offshore, 1 mile SSW of Reed Point.

Chart 4725

south of Reed Point. Its north entrance point is bold and rocky; the south shore is sandy, swampy and low. The entrance is obstructed by a shallow sand bar, but there is a good small craft **anchorage** inside the bar. The river is obstructed by shallow rapids about 0.5 mile from its mouth.

11 **Frenchman Point** is located 1.6 miles WSW of the English River entrance. It is nearly steep-to with the exception of a drying rock close west of the point. A **conspicuous** hill with an elevation of about 690 feet (210 m) is situated 0.9 mile east of Frenchman Point.

Outer Barred (Acadia) Islands are a group of bare islets and drying rocks lying 3 miles SW of Frenchman Point. Mariners are cautioned to avoid the area in the vicinity of the islands as the transition from deep water to foul ground is abrupt.

Etagaulet Point (53°47′N, 59°04′W) is situated 4.5 miles SW of Outer Barred (Acadia) Islands. The point

rises gently and is comparatively low, but about 1.5 miles NE, the land rises abruptly, forming a **conspicuous** bluff.

Charts 5163, 4725

14 **East Part of Lake Melville** — **North Side**. — Between Caravalla Point (54°03′N, 58°35′W) and Valley Bay, 12 miles west, the north coast of Lake Melville is mostly rocky and bold. **Little Pot Cove** and **Big Pot Cove** are two indentations situated 1.7 and about 3 miles, respectively, SW of Caravalla Point.

between two rocky ridges, has a shallow bar across its entrance which blocks entry except for a narrow channel, with a least depth of 1.8 m (6 ft) suitable for small craft, near the south entrance point.

Burnt Head (54°00′N, 58°56′W), with foul ground north and south of it, lies about 1 mile south of the south entrance point of Valley Bay. Charley Point lies 5.5 miles SW of Burnt Head. Immediately behind Charley Point the land is comparatively low, but about 3 miles NW, a rocky ridge rises to 388 m (1273 ft). Charley Cove, a shallow open bight, lies 1.5 miles WNW of Charley Point.

17 **Lake Melville** — **Mid-Channel Islands** and Shoals. — **Gull Island** (54°00′N, 58°43′W), rocky and mostly bare with an elevation of 18 m (59 ft) lies on the north side of the main shipping track 5.6 miles SW of Caravalla Point. **Lareto Shoal**, with a least depth of 5.5 m (18 ft) and marked by starboard hand light **buoy** H2 (295), is a shallow **danger** composed of mud and shells lying 2.4 miles SW of Gull Island.

18 **Neveisik Island** lies 1.5 miles north of Trout Point. The island is mostly bare rock with some trees and moss and is bold and steep-to on its south side. Shoal water extends off its NE side, terminating in **Blue Seal Shoal**, an underwater rock of unknown depth and dangerous to surface navigation. The harbour situated on the SW side of Neveisik Island provides good shelter for small craft.

19 **Pelter Cove** is a small indentation in the south side of Neveisik Island; it has bluff, rocky shores and deep water in its central part. There is a small inner cove, which affords good landing for small craft. **Anchorage** may be found off the entrance to Pelter Cove in 29 m (16 fathoms), over mud bottom.

Bear Island, wooded, is separated from the NW side of Neveisik Island by Little Shoal (Shoal)

Tickle. Indian Island, also wooded, lies close NW of Bear Island. Handy (Andy) Island, 20 m (66 ft) in elevation and bare, is situated 1.2 miles WSW of Indian Island. A rock drying 0.6 m (2 ft) lies 0.2 mile SSW of the west end of Handy (Andy) Island.

- 21 **Stag Island**, with an elevation of 29 m (95 ft) and situated 1.4 miles NE of the NW end of Neveisik Island, is bare. **Shag Island**, bare and bold and 54 m (177 ft) in elevation, lies close east of Stag Island. The south side of Shag Island is mostly steep-to and consists of an almost perpendicular cliff. A good **anchorage** is available about 0.5 mile north of Shag Island, in about 11 m (36 ft), mud bottom.
- 22 **St. John Island**, whose bold north extremity lies nearly 2 miles west of Reed Point (53°57'N, 58°51'W), is formed by rocky ridges, thickly wooded in some of the hollows; the summits are bare, the easternmost being knob-shaped and **conspicuous**. The shores of the island are bold, especially on the east side; the south extremity is marked by noticeable white streaks in the rock.
- Haines Island, 46 m (150 ft) in elevation and sparsely wooded, is separated from St. John Island by a narrow shallow channel. **Green Island** with an elevation of 15 m (48 ft) is situated 1.8 miles west of St. John Island; it is covered with low, scrubby bushes.

24 A **light** (296) is shown at an elevation of 18.9 m (62 ft) from a skeleton tower, having a red and white daymark situated on Green Island.

The traditional shipping channel leads between Green Island and the north mainland. The local ferry track is charted between Green Island and St. John Island.

Chart 5143

- Middle part of Lake Melville North Side. Lowland Point (53°52′N, 59°22′W) is abrupt but affords a good landing place for small craft. There are drying boulders in the small bay situated close north of Lowland Point.
- The Highlands, a rocky ridge, rising to elevations of over 400 m (1310 ft), parallels the coast close inland in the vicinity of Lowland Point. The slopes of this ridge are densely wooded but the summits are generally bare. A prominent summit in The Highlands rises to an elevation of 479 m (1571 ft) about 2 miles NNE of Lowland Point. A magnetic disturbance has been reported between Charley Point and Lowland Point, caution is advised.
- Julia Point, situated 4.4 miles SW of Lowland Point, is low and fronted by large boulders. The stretch of coast between Julia Point and the head of Mulligan Bay is fringed with large boulders which become more numerous in the west part. **Chevrier Island**, an islet close offshore, is the only charted named feature between Julia Point and **Black Point**, situated 9 miles west.
- 29 **Mulligan Bay** (53°50′N, 59°50′W) is sheltered to the south by **Nebavik Point**, which is sparsely wooded and swampy. The bay is deep to

within a short distance of its head. **Mulligan Rock**, with a least depth of 1.5 m (5 ft) and the only isolated **danger** in Mulligan Bay, is situated in the entrance to the bay 0.8 mile SSE of **Pearl Island**, which lies off the mouth of the **Pearl River**.

 $|\mathring{\downarrow}|$

30 **Mulligan River**, which flows into the head of Mulligan Bay through a gap in

the **Mulligan Hills**, is obstructed at its entrance by a shallow bar. **Anchorage** may be found near the head of Mulligan Bay, about 0.3 mile off the south shore.

Off-lying dangers. — Nebavik Shoals, least depth 4 m (13 ft), and Mulligan Shoal, least depth 3 m (10 ft), are shallow reefs situated 3 and 5.6 miles ESE, respectively, of Nebavik Point.

Mokami Hill (53°49′N, 60°08′W), a coned-shaped hill with a bare summit rising to an elevation of about 457 m (1500 ft), shows up very prominently owing to the comparatively lower terrain in the vicinity, and is **conspicuous** from seaward.

33 Clearing lines. — The prominent summit, 479 m (1570 ft) in elevation, in The Highlands, bearing 050° inside Julia Point, leads south of Mulligan Shoal and Nebavik Shoals. Mokami Hill, in line with a smaller hill east of it, bearing about 273°, leads north of these shoals. Nebavik Point, open 0.5 mile north of Mokami Hill, bearing about 280°, leads south of the shoals.

Middle part of Lake Melville — South Side. — Etagaulet Bay (53°45′N, 59°05′W) is entered between Etagaulet Point, previously described, and Long Point. Swallow Harbour, entered between Cabot Point and the unnamed point 1.8 miles SSE of Etagaulet Point, lies in the east part of Etagaulet Bay. A small cove with a sandy beach indents the head of Swallow Harbour; Etagaulet River enters the cove and Etagaulet Falls, which is prominent, is situated about 1 mile from the mouth of the river.

Cabot Island, wooded and 9 m (30 ft) in elevation, and appearing from the north to be a double island, lies almost in the centre of Etagaulet Bay. Place Point, which is wooded, lies 3 miles WSW of Cabot Island. A waterfall situated 2.5 miles WSW of Place Point is prominent from NE.


 $\mathring{\bot}$

A berth, charted in the north part of Swallow Harbour is open to NW winds.

A good **anchorage** in 24 to 27 m (13 to 15 fathoms), sheltered from all but NW winds, is located about 0.3 mile south of the north entrance point of the cove lying 1.5 miles east of Cabot Point. Westerly winds raise a choppy sea and violent squalls blow down from the Mealy Mountains during easterly gales.

37 **Long Point**, the SW entrance point of Etagaulet Bay, is bare and of an irregular rocky formation. It rises to an elevation of about 122 m (400 ft) about 1 mile inland,

Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)



38 A **light** (296.1) is shown at an elevation of 53.4 m (175 ft) from a skeleton tower having a red and white daymark situated on Long Point.

Eskimo Paps, situated on a point 3 miles SW of Long Point, are two bare, cone-shaped hills, the higher of which is 108 m (354 ft) in elevation. From the west they appear as two lumps on the surface of the lake.

There is a shallow bay with a sand beach, fronted by boulders on its inner part, between Eskimo Paps and Long Point. **Anchorage**, providing good shelter from SE winds, is obtainable in line with the entrance points of the bay in 11 m (36 ft), mud.

For about 1 mile SW of Eskimo Paps, the shore consists of a sand beach fronted by shoal water; farther SW, the coast is bold and rocky for 4 miles and gradually declines to a sand beach 1 mile beyond **Rabbit Point**.

42 West side of Lake Melville. — Sebaskachu Bay lies north of Paddon Point (53°43′N, 60°01′W), which is densely wooded and comparatively low. A deep channel leads through the centre of the bay almost to its head. Handy Islands and Ambrose Island, separated by a deep channel, lie in the south part of the bay. An uncharted rock is reported to exist close east of Ambrose Island. Infilling and shifting sandbars are reported to exist within 5 miles of the shoreline between Sebaskachu Bay and Montagnais Point, 11 miles SSW; local knowledge

and caution is advised.

A cadia Anchorage is situated on the north side of Sebaskachu Bay between the mainland and the islands extending west of Long Island. A reef, partly awash, extends about 0.5 mile north of the middle of the north side of Long Island, which together with shoal water extending from the mainland shore restricts the navigable width of the anchorage to 0.5 mile. The islets immediately NW and west of Long Island are reported to provide good navigational marks. Acadia Anchorage 0.2 mile NW of the first island north of Long Island is sheltered from all winds and has a depth of 9.1 m (30 ft), mud.

44 **Long Island Shoals**, consisting of several shallow reefs with a least depth of 1.5 m (5 ft), are situated 1 mile NE of Long Island. Another shoal patch containing an underwater rock of unknown depth, **dangerous** to surface navigation is located 0.2 mile NE of the NE tip of Long Island.

45 **Anchorage** is also available, for small craft with local knowledge, NW of Handy Islands and near the head of Sebaskachu Bay.

46 **Sebaskachu River** enters the head of the bay of the same name. The river entrance is almost closed by a bar through which a shallow channel runs. Close upstream of the bar, a basin with a depth of 9.1 m (30 ft) opens up. The water in the basin is reported to be fresh. Beyond the head of the basin, the river becomes very shallow with barely 0.6 m (2 ft) of water as far as the rapids about 2.5 miles upstream, and 0.5 mile below a waterfall.

47 **Micmac Hill**, with an elevation of about 305 m (1000 ft), is situated close west of the basin at the mouth of the Sebaskachu River. The east face of the hill has an almost perpendicular bare cliff immediately below its highest part.

48 The west side of Lake Melville, between Sebaskachu Bay and Montagnais Point, 11 miles SSW, is fronted by shoal water with numerous charted **dangers**, islets and islands. In the north portion, comparatively deep, narrow channels lead towards the shore. This area should not be entered without local knowledge. The coast is composed of fairly low terrain, densely wooded for about 4 miles inland.

49 **Sebaskachu Island** (53°43'N, 60°04'W) is situated on the SW side of the peninsula terminating in Paddon Point. **Sebaskachu Cove**, formed by the SW side of the island and the mainland, is suitable for small craft.

50 **Michelin Shoal**, with a least depth of 2.4 m (8 ft) near its NE end, is situated 3 miles NE of Montagnais Point. A rock with a depth of 4.9 m (16 ft) lies 1 mile ENE.

Approaches to North West River and Goose Bay

Charts 4728, 5143

	1 111	
	- 111	

51 **Off-lying dangers.** — **Cartier Shoal** (53°36′N, 59°51′W), marked by starboard

hand light **buoy** H4 (297), consists of two shallow patches, least depth 24 feet (7.3 m). It is the outermost **danger** in the approaches to North West River and Goose Bay. A 29-foot (8.8-m) depth lies 0.7 mile SW of the shoal. A strong **tidal stream** has been observed flowing towards Cartier Shoal at about slack water.

52 **Blake Shoal**, with a least depth of 9 feet (2.7 m) is a shallow reef situated 3.5 miles SW of Cartier Shoal.

53 **Montagnais Shoal**, a large shoal area on which there are drying reefs, lies 1.5 miles WSW of Blake Shoal. Montagnais Shoal is marked by west cardinal light **buoy** HN (298.2).

Clearing lines. — A conspicuous gap in the Mealy Mountains, seen over Epinette Point (53°31′N, 59°55′W) bearing 180°, leads almost 1 mile east of Blake Shoal. The buildings south of the entrance to North West River, bearing 254°, lead south of Cartier Shoal, Blake Shoal and Montagnais Shoal.

is low and wooded. **Foul ground** extends about 2 miles north of this point and the terrain behind the point is comparatively low and flat for about 6 miles inland. **Gillards Bight** indents the shore between Kinriakak Point and **Adams Point**, which is thickly wooded.

Epinette Point is the west extremity of Epinette Peninsula. Epinette Island lies close NW of the point. There are several buildings on the island. Shoal water with a drying shoal on it extends up to 1.7 miles west and SW of Epinette Point. Port hand light buoy H7 (297.5) marks the edge of the shoal area

extending west of Epinette Point. Port hand light **buoy** HC1 (297.51) is moored about 1.8 miles SSW of Epinette Point.

Montagnais Point (53°34′N, 60°05′W), on the west side of Lake Melville, is low and wooded. John Bull Island, 50 feet (15 m) in elevation and wooded, Butter Island and Montagnais Islands are small islands situated in the vicinity of Montagnais Point.

59 A **light** (298.1) is shown at an elevation of 12 feet (3.8 m) from a mast on the eastern Montagnais Island.

60 **North West Point** is situated 4 miles south of Montagnais Point. Wharf **ruins** exist in a small cove on the west side of the point. A rock, **dangerous** to navigation is reported to lie 0.1 mile north of the NW extremity of the point. A shoal with a depth of 3 feet (0.9 m) is located 0.1 mile north of the NE extremity of the point. Sandbars are also reported to exist in this area; **caution** is advised.

61 Between Montagnais Islands and North West Point there is a wide, deep indentation named **The Bight**, at the head of which is the sandy, shallow estuary of North West River. **Bottle Point** is situated on the

NORTH WEST RIVER (2012)



Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)





Labrador — Camp Islands to Hamilton Inlet (including Lake Melville)

and joining the existing route about 3.8 miles WSW of the west tip of Rabbit Island.

Chart 4722

94 **Terrington Basin** (53°21′N, 60°23′W), the west extension of Goose Bay, contains the port facilities for the town of Happy Valley - Goose Bay. **Otter Creek** empties into the west side of Terrington Basin about 2.3 miles within the entrance, and several channels of the Goose River discharge through the delta, which forms its north side. A base for float equipped aircraft (seaplane base) is located on the west shore of Terrington Basin at Otter Creek. Terrington Basin is used as a seaplane landing area; **caution** is advised.

95 **Terrington Narrows**, through which there is a channel marked by starboard and port hand light **buoys** H30 and H32 (314, 316) and H27, H29 and H33 (313.6, 315, 317), connects Goose Bay with Terrington Basin. The channel had a least depth of 8 m (25 ft) in 2012 but it is subject to **silting**. There are least depths of 6.1 to 7.4 m (20 to 24 ft) located in the northern part of the

channel's east end; **caution** is advised. Because of silting, the buoys in Terrington Narrows may be moved to mark the best channel. The harbour master at Happy Valley - Goose Bay harbour should be consulted concerning current depths.

96 A sector **light** (317.5) leads though Terrington Narrows. It is shown at an elevation of 10.5 m (34 ft) from a skeleton tower, having a red and white daymark located near the NW end of the main public wharf.

97 While there is no significant current within Terrington Basin, there is a considerable **tidal stream** in Terrington Narrows. Under normal conditions the flood tide attains a rate of 1.5 to 2.2 knots; the ebb tide has a rate of 3.2 to 5 knots. During the spring freshet, however, there is a continuous outward flow, which may last until early July.

The water in Terrington Basin is fresh; this is caused mainly by the outflow of the Goose River into the basin.

PORT OF GOOSE BAY MAIN PUBLIC WHARF — TOWN OF HAPPY VALLEY - GOOSE BAY (2012)



99 When a tanker is seen to be leaving its berth in Terrington Basin or is in or approaching Terrington Narrows, she shall be granted the right of way, and other vessels must not be navigated into the narrows until the tanker is well clear of the channel.

100 The **Port of Goose Bay** is a public port administered by *Transport Canada*. It is entered west of a line joining Epinette Point and North West Point (see chart 4728).

101 Entry into the Port of Goose Bay is entirely dependent upon ice conditions at the seaward end of Hamilton Inlet, described at the beginning of chapter 5. The average thickness attained by fast ice in Terrington Basin is 86 cm (34 in), with a record maximum thickness of 122 cm (48 in) measured in 1978 and again in 1979. Break-up normally begins by the second week of May with the basin clear of ice during the final week of the same month. Freeze-up usually occurs during the first week of November, with a complete ice cover forming by mid month. Two to four weeks variation in break-up and freeze-up can occur.

102 Good **anchorage**, with excellent holding ground in 11 m (36 ft), mud, can be obtained in the central part of Terrington Basin. Ships carrying dangerous cargoes must use the designated explosives anchorage situated 2 miles NE of Groves Point (see chart 4728).

The main Public **wharf** is situated 1.5 miles WSW of Terrington Narrows; it has a berthing length of 247 m (810 ft). There is a least depth of 9 m (30 ft) alongside the SE end and 9.5 m (31 ft) alongside the NW end of the wharf (see Appendix). A least depth of 7.2 m (24 ft) is charted about 170 m (558 ft) ENE of the NW end of the main Public wharf. A crib in ruins is charted 230 m (755 ft) ESE of the SE end of the wharf. Private mooring buoys are located close NE of the wharf face. Mariners are **cautioned** that **silting** takes place, and up-to-date depth information should be obtained from the harbour master. There is a large steel shed and two smaller wooden sheds alongside the wharf. The office of the harbour master, telephone 709-896-0265, fax 709-896-8455 is in a building on the road leading from the main wharf area. Gasoline and diesel fuel is available by truck in the town. Fresh water is available at the wharf.

104 A second Public wharf closed and barricaded in 2014 is situated 0.4 mile NW of the main one.

A local stevedoring company can provide labour for handling cargo. There are no fixed cranes on the wharves, but mobile cranes can be hired locally.

A landing beach is situated close SE of the main Public wharf. The landing beach is composed of rock, gravel and sand; the approach area is mud and sand. A floating wharf is moored adjacent to the landing beach.

The town of **Happy Valley - Goose Bay**, with a population of 8109 in 2016, includes the communities of Spruce Park, Hamilton Heights and Happy Valley, which is the main shopping and administrative area. There is a **hospital** in the town. The town is connected by road to Baie-Comeau and Blanc-Sablon, Quebec. There are five hotels and a *Royal Canadian Mounted Police (RCMP)* detachment in the town. Happy Valley - Goose Bay has scheduled air service to St. John's, and Halifax, Nova Scotia and also provides passenger and freight air services to coastal Labrador. A ferry connects Happy Valley - Goose Bay with Rigolet, Cartwright, Black Tickle, Makkovik, Postville, Hopedale, Natuashish and Nain during the navigation season. Provisions are available in the town through various major store outlets.

The Labrador Marine Communications and Traffic Services Centre (MCTS) is located in Happy Valley - Goose Bay. The centre is operational 24 hours per day; see The Annual Edition of Radio Aids to Marine Navigation.

Pilotage is available but not compulsory. Masters of vessels requiring a pilot should report their ETA via any coastal radio station to Pilots Goose Bay at least 24 hours prior to arrival at the pilot boarding station which is located about 1 mile east of Double Mer Point (54°13'30"N, 58°21'06"W). For additional information, see The Annual Edition of Notices to Mariners.

There is a *Canada Border Services Agency* office in Happy Valley - Goose Bay which can be contacted by telephone 709-896-6907 or fax 709-896-6909.

Sail Plan

Adapted from Transport Canada Publication TP 511E.

Fill out a sail plan for every boating trip you take and file it with a responsible person. Upon arrival at your destination, be sure to close (or deactivate) the sail plan. Forgetting to do so can result in an unwarranted search for you.

Sail Plan	l			
Owner Inforn	nation			
Name:				
Telephone Numb	oer:	Emergency Contact Nu	mber:	
Boat Informa	tion			
Boat Name:		Licence or		
		Registration Nur		
Sail:		Length:		
Colour		Deck:		
Engine Type:		Distinguishing Features	:	
Communicat Radio Channels		HF:	VHF:	MF:
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip	Monitored: Mobile Service Identity lar Telephone Number ment on Board	y) Number: ::		
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclu	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number):	y) Number:		
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclu	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number):	y) Number: ::	Boat	
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclui Liferafts: Flares (include n	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number):	y) Number: :: Dinghy or Small	Boat	
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclui Liferafts: Flares (include n Other Safety Equi	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number):	y) Number: :: Dinghy or Small (include colour):	Boat	
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclui Liferafts: Flares (include n Other Safety Equip	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number): umber and type): uipment: Update These D	y) Number: :: Dinghy or Small (include colour):	Boat	
Radio Channels MMSI (Maritime Satellite or Cellui Safety Equip Lifejackets (inclui Liferafts: Flares (include n Other Safety Equip Trip Details —	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number): uumber and type): uipment: Update These D	y) Number: Dinghy or Small (include colour): Details Every Trip Time of Departu	Boat	
Radio Channels MMSI (Maritime Satellite or Cellul Safety Equip Lifejackets (incluid Liferafts: Flares (include n Other Safety Equip Trip Details — Date of Departur Leaving From:	Monitored: Mobile Service Identity lar Telephone Number ment on Board ude number): uumber and type): uipment: Update These D	y) Number: Dinghy or Small (include colour): Details Every Trip Time of Departu Heading To:	Boat re:	
Radio Channels MMSI (Maritime Satellite or Cellul Safety Equip Lifejackets (incluid Liferafts: Flares (include n Other Safety Equip Trip Details — Date of Departur Leaving From:	Monitored: Mobile Service Identity lar Telephone Number ment on Board ide number): umber and type): uipment: Update These Description	y) Number: Dinghy or Small (include colour): Details Every Trip Time of Departu Heading To:	Boat	

A-2 Appendices

The responsible person should contact the nearest Joint Rescue Coordination Centre (JRCC) or Maritime Rescue Sub-Centre (MRSC) if the vessel becomes overdue.

Act smart and call early in case of emergency. The sooner you call, the sooner help will arrive.

JRCC Victoria (British Columbia and Yukon) 1-800-567-5111

+1-250-413-8933 (Satellite, Local or out of area)

727 (Cellular)

+1-250-413-8932 (fax)

jrccvictoria@sarnet.dnd.ca (Email)

JRCC Trenton (In Canada) 1-800-267-7270

+1-613-965-3870 (Satellite, Local or Out of Area)

+1-613-965-7279 (fax)

jrcctrenton@sarnet.dnd.ca (Email)

MRSC Québec (Quebec Region) 1-800-463-4393

+1-418-648-3599 (Satellite, Local or out of area)

+1-418-648-3614 (fax)

mrscqbc@dfo-mpo.gc.ca (Email)

JRCC Halifax (Maritimes Region) 1-800-565-1582

1-800-563-2444 (Newfoundland & Labrador Region)

+1-902-427-8200 (Satellite, Local or out of area)

+1-902-427-2114 (fax)

jrcchalifax@sarnet.dnd.ca (Email)

MCTS Sail Plan Service

Marine Communications and Traffic Services Centres provide a sail plan processing and alerting service. Mariners are encouraged to file Sail Plans with a responsible person. In circumstances where this is not possible, Sail Plans may be filed with any MCTS Centre by telephone or marine radio only. Should a vessel on a Sail Plan fail to arrive at its destination as expected, procedures will be initiated which may escalate to a full search and rescue effort. Participation in this program is voluntary.

See Canadian Radio Aids to Marine Navigation.



Table of Wharf Load Limits and Gross Vehicle Weights

			Load Limit		Load Limit		Gross V Wei		
Location	Chart	Position	kg/m ²	lbs/ft²	kg/axle	lbs/axle	Remarks		
Town of St. Lewis (Fox Harbour)	5031	52°21.9'N 55°40.9'W	2500	500	20,390	44,850			
Port Hope Simpson	5179	52°32.2'N 56°16.9'W	1000	200	12,250	27,000			
Charlottetown	5032	52°46.4'N 56°07.0'W	2500	500	20,390	44,850			
Settlement of Normans Bay (Norman Bay)	5033	52°56.1'N 55°54.4'W	2500	500	20,390	44,850	Loading ramp		
Settlement of Black Tickle	4745	53°27.4'N 55°45.9'W	2500	500	20,390	44,850			
Cartwright	5138	53°42.2'N 57°01.3'W	2500	500	20,390	44,850			
Rigolet	5163	54°10.8'N 58°25.6'W	2500	500	20,390	44,850			
Happy Valley - Goose Bay Main Public Wharf	4722	53°20.6'N 60°24.0'W	2500	500	20,390	44,850			

Note: For additional information contact the Department of Transportation and Works at 709-729-3990.

A-4 Appendices

Meteorological Data for

CARTWRIGHT, NEWFOUNDLAND AND LABRADOR — 53°42'30"N, 57°02'06"W (1981 – 2010)														
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
Temperature														
Daily Maximum Temperature	°C	-9.5	-8.5	-3.6	2.4	7.7	13.8	17.8	18.0	13.3	6.8	1.0	-5.0	4.5
Daily Minimum Temperature	°C	-18.9	-18.5	-13.8	-6.1	-1.1	3.4	6.8	7.4	4.6	0.5	-4.9	-12.6	-4.4
Daily Average Temperature	°C	-14.3	-13.5	-8.7	-1.8	3.3	8.6	12.3	12.7	9.0	3.7	-2.0	-8.8	0.0
Extreme Maximum Temperature	°C	11.8	11.7	16.4	18.2	30.0	35.3	36.1	33.0	30.0	23.3	19.7	13.3	
Extreme Minimum Temperature	°C	-37.8	-34.5	-32.2	-25.6	-15.0	-5.6	-1.7	-0.6	-5.0	-11.7	-21.1	-33.9	
Precipitation														
Rainfall	mm	5.3	9.8	10.5	21.1	47.9	95.0	100.8	94.1	88.8	88.6	37.6	17.6	616.8
Snowfall	cm	83.7	82.2	80.7	54.4	20.5	3.0	0.0	0.0	0.8	12.7	48.0	76.0	462.0
Total Precipitation	mm	86.4	90.7	92.1	75.1	68.2	98.7	100.8	94.1	89.4	101.5	84.7	92.0	1073.5
Greatest Rainfall in 24 hours	mm	20.6	29.2	19.2	34.5	31.8	59.4	56.6	58.2	66.8	82.5	62.7	25.1	
Greatest Snowfall in 24 hours	cm	61.0	70.8	86.1	53.1	32.0	13.7	0.0	0.0	14.8	33.8	38.1	88.9	
Greatest Precipitation in 24 hours	mm	55.6	74.8	86.1	53.1	32.0	59.4	56.6	58.2	66.8	82.5	62.7	88.9	
Days with														
Rain	>=0.2 mm	2.2	2.4	4.0	6.2	12.5	17.5	19.0	17.5	17.2	16.0	8.1	4.5	126.9
Snow	>=0.2 cm	15.8	13.7	14.9	11.1	6.8	1.2	0.0	0.0	0.30	4.6	11.2	15.1	94.7
Precipitation	>=0.2 mm	16.1	14.5	16.2	14.2	16.3	17.7	19.0	17.5	17.2	18.0	15.9	17.0	199.7
Wind														
Maximum gust speed	km/h	141	128	133	119	108	111	93	96	115	138	130	130	
Direction of maximum wind gust		NW	NW	NW	NW	W	NW	W	NW	W	NW	NW	WW	
Maximum Hourly Speed	km/h	117	103	105	100	83	97	68	74	95	108	97	103	
Direction of maximum hourly speed		NW	W	NW	NW	NW	N	W	NW	W	NW	SW	NW	

Meteorological Data for

GOOSE BAY, NEWFOUNDLAND AND LABRADOR — 53°19'00"N, 60°25'00"W (1981 – 2010)														
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
Temperature														
Daily Maximum Temperature	°C	-12.7	-10.1	-3.6	3.9	11.0	17.1	20.9	20.4	14.9	7.0	-0.3	-8.2	5.0
Daily Minimum Temperature	°C	-22.5	-21.3	-15.4	-6.1	0.0	5.6	10.0	9.7	5.1	-0.6	-7.6	-16.8	-5.0
Daily Average Temperature	°C	-17.6	-15.7	-9.5	-1.1	5.6	11.4	15.5	15.1	10.0	3.2	-4.0	-12.5	0.0
Extreme Maximum Temperature	°C	11.2	10.6	16.4	21.2	32.1	36.2	37.8	35.3	33.6	22.8	17.4	11.7	
Extreme Minimum Temperature	°C	-38.9	-39.4	-35.6	-29.7	-15.0	-4.2	0.1	0.0	-6.7	-17.0	-26.1	-36.7	
Precipitation														
Rainfall	mm	1.5	4.3	5.1	20.6	51.0	90.0	121.3	99.3	90.6	63.3	22.7	6.6	576.3
Snowfall	cm	78.6	63.2	71.8	48.3	19.1	1.4	0.0	0.0	0.3	19.3	55.6	70.6	428.3
Total Precipitation	mm	64.6	56.8	65.3	63.6	69.3	91.4	121.3	99.3	91.0	81.2	72.2	64.4	940.4
Greatest Rainfall in 24 hours	mm	7.2	26.2	24.4	30.2	30.2	69.6	66.8	79.2	68.0	44.7	36.8	26.2	
Greatest Snowfall in 24 hours	cm	71.0	39.6	40.8	36.3	33.8	24.1	0.4	0.0	19.0	27.7	40.6	35.6	
Greatest Precipitation in 24 hours	mm	64.5	39.6	52.3	42.9	33.8	80.1	66.8	79.2	68.0	45.7	41.2	32.5	
Days with														
Rain	>=0.2 mm	1.4	1.8	2.3	5.8	12.5	17.1	19.0	17.6	17.1	13.5	6.0	2.5	116.6
Snow	>=0.2 cm	16.1	12.6	13.2	9.8	4.9	1.0	0.03	0.0	0.33	5.3	11.1	15.2	89.7
Precipitation	>=0.2 mm	15.9	12.7	14.0	13.0	14.9	17.2	19.0	17.6	17.1	16.3	14.4	15.6	187.8
Wind														
Maximum gust speed	km/h	143	129	106	98	103	122	101	101	122	111	133	111	
Direction of maximum wind gust		N	S	NE	W	W	W	W	SE	W	W	SW	NW	
Maximum Hourly Speed	km/h	84	77	77	65	77	58	64	69	87	80	81	81	
Direction of maximum hourly speed		SW	SW	W	N	W	NE	W	SW	SW	SW	SW	NW	

 $Source: Environment \ and \ Climate \ Change \ Canada \ | \ http://climate.weather.gc.ca/climate_normals/index_e.html$

Distance Table

Departing	Destination	Distance (Nautical Miles)	Comments
Battle Harbour (settlement)	Mary's Harbour (town)	9	
Battle Harbour (settlement)	St. Lewis	7	
Mary's Harbour (town)	St. Lewis	7	
St. Lewis	Williams Harbour (seasonal settlement)	19	
St. Lewis	Port Hope Simpson	38	
St. Lewis	Charlottetown	40	
Port Hope Simpson	Williams Harbour (seasonal settlement)	25	Via the South Side of Denbigh Island
Williams Harbour (seasonal settlement)	Pensons Arm (settlement)	19	
Williams Harbour (seasonal settlement)	Charlottetown	28	Via the channel south of Narrows Island
Pensons Arm (settlement)	Charlottetown	14	Via the channel south of Narrows Island
Charlottetown	Settlement of Normans Bay (Norman Bay)	28	Via the channel south of Narrows Island
Settlement of Normans Bay (Norman Bay)	Black Tickle (settlement)	38	
Black Tickle (settlement)	Cartwright	63	Via Domino Run and Grady Run (53°46.8'N, 56°26.8'W)
Cartwright	Rigolet	88	
Cartwright	Quaker Hat (54°44′N, 57°20′W)	75	
Rigolet	North West River (town)	75	
Rigolet	Happy Valley - Goose Bay	94	
North West River (town)	Happy Valley - Goose Bay	25	

A-6 Appendices

Customs Information for Pleasure Craft

CANPASS — Pleasure craft entering Canada must report to the *Canada Border Services Agency* (*CBSA*) by telephone at designated reporting stations.

For private pleasure craft entering Canada from the United States the telephone service is toll free at **1-888-CANPASS** (1-888-226-7277) and is operated 24 hours a day. If the trip originates outside the United States, the boat owner/operator must report directly to the telephone reporting centre at 1-905-679-2073 (long distance charges may apply). *Canada Border Services Agency* will issue instructions following a telephone interview, and on-site inspections may be carried out to ensure compliance with the law.

Further information is available from the *Border Information Service* toll free at 1-800-461-9999 from anywhere in Canada or *www.cbsa-asfc.gc.ca*.

From outside Canada information is available by contacting 204-983-3500 or 506-636-5064 (long distance charges may apply).

Information and service in Labrador is available from the *Canada Border Services Agency* at Happy Valley - Goose Bay by contacting 709-896-6907 (tel.) or 709-896-6909 (fax).

Bird Concentrations

Many offshore islands along the north and south Labrador coasts are home to hundreds of thousands of pairs of nesting seabirds. From June to August, islands off the coast of Nain, along the north coast of Groswater Bay, the Gannet Islands Ecological Reserve, and Table Bay (Bird Islands) have large concentrations of nesting Murres, Atlantic Puffins, Razorbills, Gulls, Terns, Black Guillemots and Common Eider ducks. Earlier in Spring and later in Fall, nesting seabirds and sea ducks gather near the colonies and migrate along the coast often concentrating on shallow banks, protected embayments and near coastal headlands. Concentrations of moulting (flightless) waterfowl occur at The Backway, Lake Melville and near St. Peter's Bay to name a few sites. These abundant marine birds, as well as other bird species of interest and whose populations are either sensitive or designated as Species at Risk, such as Harlequin Ducks, Ivory Gulls, and Peregrine Falcons, are sensitive to disturbance from human activities. Vessels operating near these areas should avoid disturbing birds. Generally, maintaining a distance of at least 100 m (328 ft) from concentrations of birds will minimize vessel-related disturbance at these sites. Helicopters carried onboard vessels are requested to maintain a minimum altitude of 305 m (1000 ft) above occupied colonies and at least 500 m (1641 ft) to the side of colonies. Mariners navigating near or through drift and shore fast ice during late Fall and Spring/early Summer may encounter large numbers of marine birds that are particularly vulnerable at this time.

For further information contact:

Canadian Wildlife Service

6 Bruce St. Mount Pearl, NL A1N 4T3

Tel: 709-772-5585 Email: nature@ec.gc.ca

Polar Bear Activity

Within the limits of this booklet, polar bears, black bears, foxes and wolves may be encountered. Polar Bears are an extreme hazard and may be encountered anywhere along the Labrador coast. They generally hunt seals on the sea ice in spring and are driven ashore when the ice recedes. In recent years, Inuit report increased sighting along the Labrador coastal regions, inland and at high elevations. Mariners are advised to be cautious when exploring coastal waters, especially if landing ashore or travel by small boat is planned. Polar bears present a low profile when swimming and are sometimes difficult to detect. A pamphlet entitled Safety in Polar Bear Country can be viewed by entering "Polar Bear Safety" in the Park's Canada search engine at www.pc.gc.ca.

C = Chapter/P = Paragraph

Index 1-1

Acadia Anchorage, C6/P43 Acadia Islands, C6/P12 Adams Point, C6/P56 Alexander Point, C5/P160 Alexis Bay, C1/P112 Alexis River, C1/P130 Alliuk Bight, C5/P98 Ambrose Island, C6/P42 Ambush Rock, C3/P6

American Cove (Indian Tickle), C4/P53 American Cove (Partridge Bay), C3/P49 American Island (Frenchmans Run), C3/P69 American Island (Spear Point), C1/P98

American Point, C3/P131 American Rock, C3/P114 American Tickle, C3/P70 Andy Island, C6/P20 Anthony Islands, C1/P70 Arch Cove, C2/P23 Arthy Reef, C5/P67 Assizes Harbour, C1/P45 Assizes Island, C1/P45

Assizes Rock, C1/P49

Bacalhao Island, C5/P70 Back Cove, C4/P70 Back Cove Point, C4/P17 Backway, The, C5/P174 Bakers Ledge, C5/P30 Ballast Island, C1/P122 Banger Island, C2/P89 Barns Cove Water, C1/P124 Barrel Cove, C6/P9 Batteau (Bateau)

(Summer Fishing Station), C3/P138 Batteau (Bateau) Harbour, C3/P136

Battle Harbour, C1/P34

Battle Harbour (Settlement), C1/P36

Battle Island, C1/P26 Battle Islands, C1/P19 Bay Point, C1/P77

Bear Island (Hawke Island), C3/P26 Bear Island (Lake Melville), C6/P20

Bear Islands, C3/P71 Bed Head, C3/P122 Benjy's Cove, C1/P22 Big Duck Island, C1/P5 Big Hill, C4/P169 Bight, The, C6/P61

Big Island (Groswater Bay), C5/P116 Big Island (Hawke Island), C3/P28 Big Packs Harbour Island, C4/P127

Big Pig Island, C3/P84 Big Pot Cove, C6/P14 Birch Island, C6/P86 Bird Island, C3/P19 Bird Islands, C4/P59 Bird Rocks, C4/P116 Black Bear Bay, C3/P121 Black Bear River, C3/P121 Black Duck Cove, C4/P126 Black Fly Island, C1/P75

Blackguard Bay (Gilbert Bay), C1/P151 Blackguard Bay (Huntingdon Island), C4/P111

Blackguard Bight, C1/P151

Black Head (Cartwright Harbour), C4/P164 Black Head (St. Charles Channel), C1/P40 Black Island (Grady Island), C4/P74 Black Island (Great Caribou Island), C1/P21 Black Island (Groswater Bay), C5/P120 Black Island (Hawke Island), C3/P30 Black Island Harbour, C4/P75

Black Point (Fishing Islands), C2/P10 Black Point (Lake Melville), C6/P28

Black Rock (Cape Porcupine), C4/P211 Black Rock (Comfort Bight), C3/P39 Black Rock (Corbet Island), C3/P85 Black Rock (Groswater Bay), C5/P27 Black Rock (Isthmus Bay), C4/P108 Black Rock (Partridge Bay), C3/P51 Black Rock (Stony Island), C2/P107 Black Rocks (Cape Porcupine), C4/P116 Black Rocks (Domino Run), C4/P3 Black Rocks (Groswater Bay), C5/P25 Black Rocks (Ice Tickle), C5/P89 Black Rocks (Indian Tickle), C4/P42 Black Tickle, C3/P152

Black Tickle (Settlement), C3/P155

Blake Ground, C1/P51 Blake Shoal, C6/P52 Blind Tickle, C1/P157 Bloody Bag Island, C2/P50 Bloomfield Island, C5/P129 Blue Seal Shoal, C6/P18 Bluff, Cape, C2/P76 Bluff Head Cove, C5/P118 Boaz Island, C5/P43 Bobbs (Bobs) Island, C1/P115 Bobby Rocks, C3/P39

Bold Island, C1/P117 Bombproof Island, C3/P143 Bottle Point, C6/P61 Boulter Rock, C3/P28 Boulton Rock, C4/P85 Boxer Island, C5/P88 Bradbury Island, C3/P86 Brandies, The, C3/P78 Brig Harbour, C5/P39 Brig Harbour Island, C5/P35 Brig Harbour Shoal, C5/P40 Broomfield Island, C5/P129 Brule Point, C6/P74 Bryan Island, C3/P87 Budget Bank, C4/P105 Budget Rock, C4/P105 Bulldog Rock, C5/P71 Bull (East) Island, C2/P9 Bull Gut, C4/P103 Bull Island, C2/P74

Bull, The (Fishing Islands), C2/P10 Bull, The (Great Caribou Island), C1/P25 Bunk House Island, C5/P53

Burke Island, C2/P5 Burned Wood Cove, C5/P150 Burn Point, C4/P193 Burnt Head, C6/P16 Burnt Island, C2/P54

Burnt Point (Mary's Harbour), C1/P61 Burnt Point (White Bear Arm), C2/P62

Burntwood Cove, C5/P150 Butler Island, C2/P74 Butter Island, C6/P58 Butt Island, C5/P41

Cabot Island, C6/P35 Cabot Point, C6/P34 Caleb Shoal, C3/P114 Camel Island, C5/P41 Camp Islands, C1/P3 Cannon Rock, C1/P31 Cape Bluff, C2/P76 Cape Bluff Harbour, C2/P78 Cape Charles (Settlement), C1/P11

Cape Greep, C4/P56 Cape Horn, C4/P152 Cape North, C4/P71 Cape North Cove, C4/P92 Cape Porcupine, C4/P122

Cape St. Charles, C1/P3 Cape St. Francis, C2/P2 Cape St. Lewis, C1/P88 Cape St. Michaels, C2/P25 Cape St. Nicolas, C4/P70

Caplin Bay (Fishing Ship Harbour), C2/P13 Caplin Bay (Hawke Island), C3/P35 Captain Jack's Island, C1/P67 Captain Jacks Tickle, C1/P162 Caravalla Cove, C5/P165 Caravalla Point, C5/P165

Caribou Point, C1/P55 Caribou Run, C1/P48

Caribou Run (Seasonal Settlement), C1/P41

Carnabhus Island, C2/P91 Carrington Island, C6/P5 Carrol Island, C3/P149 Carter Basin, C6/P71 Cartier Shoal, C6/P51 Cartridge Bight, C1/P22 Cartwright (Town), C4/P174 Cartwright Bight, C1/P22 Cartwright Harbour, C4/P167

Cartwright Island (Alexis Bay), C1/P124 Cartwright Island (Isthmus Bay), C4/P98

Castle Dermot, C4/P12 Castle Dermot Island, C4/P12 Catos Island, C5/P123 Centipede Rock, C4/P26 Chair, The, C4/P30 Chapel Island, C5/P53 Charles Point, C6/P87 Charley Cove, C6/P16 Charley Point, C6/P16 Charlotte, Port, C1/P103 Charlottetown (Town), C2/P63 Chevrier Island, C6/P28 Chimmo Rock, C5/P16 Chimney, The, C2/P10 Churchill Falls, C6/P89 Churchill River, C6/P88 Clifty Island, C2/P96

Cobbler, The (Cox Head), C3/P37 Cobbler, The (Round Island), C4/P109

Cod Bag Islets, C3/P149 Cod Rock, C2/P108 Coffee Island, C5/P46 Collingham Island, C4/P60 Collinghams Cove, C5/P130 Comfort Bight, C3/P40 Comfort Head, C3/P37 Connock Cove, C5/P112 Connors Rocks, C3/P38 Cooper Head, C2/P91 Cooper Island, C2/P90

Coopers Cove, C5/P162

Copper Island (Caribou Run), C1/P46 Copper Island (Frenchmans Run), C3/P62 Copper Island (Gilbert Bay), C1/P155

Corbet Island, C3/P107 Cosgrave Rocks, C3/P141 Cow, The, C2/P10 Cox Cove, C2/P116 Cox Head, C3/P37 Cox Island, C3/P37 Crab Head, C4/P162 Crab Island, C4/P162 Crab Rock, C4/P53 Cranford Head, C5/P112 Crooked House Point, C4/P189 Cross Island, C4/P82 Crowby Head, C1/P100

Crow Island, C3/P64 Crow Island (Battle Harbour), C1/P26



Crow Rock Tickle, C1/P26
Cubs, The, C5/P57
Cuff Harbour, C5/P33
Cuff Islands, C5/P33
Cul-de-Sac, C5/P161
Curlew Harbour, C4/P95
Curlew Head, C4/P95
Curlew Hill, C4/P170
Curlew Island, C4/P95
Curlew Point, C4/P165
Cut Throat Harbour, C5/P64
Cut Throat Island, C5/P62
Cut Throat Point, C5/P63

Cut Throat Tickle, C5/P61

Dark Tickle (Alexis River), C1/P131 Dark Tickle (Assizes Harbour), C1/P46 Dark Tickle Harbour, C5/P42 Dark Tickle Island, C2/P89 Dead Islands, C2/P71 Dead Islands Bay, C2/P66 Deadman Island, C5/P44 Deadmans Island, C4/P160 Deep Bay, C4/P141 Deepwater Island (Corbet Island), C3/P113 Deepwater Island (Frenchmans Run), C3/P91 Deepwater Island (Hawke Island), C3/P18 Deepwater Island (St. Michaels Bay), C2/P54 Deepwater Island (Stony Island East Side), C2/P116 Deepwater Island (Stony Island SW Side), C2/P91 Deep Water Point, C4/P193 Deer Island, C4/P34 Deer Point, C1/P78 Delaney Cove (Cooper Island), C2/P90 Delaney Cove (Occasional Harbour), C2/P23 Denbigh Island, C1/P113 Devils Lookout Island, C4/P61 Dickies Rocks, C1/P152 Disappointment, Port, C6/P8 Diver Island, C4/P193 Diver Tickle, C4/P151 Dog Island, C3/P83

Double Island (Great Caribou Island), C1/P23 Double Island (Groswater Bay), C5/P41 Double Island (Otter Bay), C2/P105 Double Islands (Alexis Bay), C1/P106 Double Islands (Groswater Bay), C5/P73 Double Islands (Trunmore Bay), C4/P119 Double Islands Bank, C1/P107 Double Island Tickle, C1/P23 Double Mer, C5/P134 Double Mer Point, C5/P133 Dove Point, C4/P194 Drakes Island, C5/P30 Duck Cove, C4/P126 Duck Harbour, C2/P103 Duck Island (Dead Islands Bay), C2/P66 Duck Island (Domino Run), C4/P25

Duck Island (Domino Ruh), C4/P25 Duck Island (Isthmus Bay), C4/P108 Duck Island (Partridge Bay), C3/P51 Duck Island (St. Lewis Sound), C1/P67 Duck Island (Sandwich Bay), C4/P197 Duck Islands, C3/P50

Duck Islands, C3/P50 Duck Point, C4/P123 Duck Rocks, C4/P24 Dumpling Harbour, C4/P135

Dog Islands, C4/P143

Domino Run, C4/P1

Domino Harbour, C4/P21

Domino Point, C3/P157

Dooley Ledge, C4/P14

Dumpling Island (Dumpling Harbour), C4/P135

C = Chapter/P = Paragraph

Dumpling Island (St. Charles Channel), C1/P15

Eagle Cove, C3/P9 Eagle Island, C4/P33 Eagle River, C4/P195 Earl Island, C4/P165 East Arm, C4/P197 East Bank, C3/P127 East Big Island, C5/P68 East Bradbury Island, C3/P85 Eastern Island, C2/P73 Eastern Rock, C3/P117 East Gannet Rock, C4/P89 East Harbour, C5/P65 East Hare Island, C4/P158 East Island, C2/P31 East Pompey Island, C5/P102 East Rock, C5/P50 East Sister Island, C5/P115 Eddystone Island, C2/P114 Edwards Harbour, C5/P79 Effingham Harbour, C1/P75 Egg Harbour, C4/P161 Egg Island, C4/P161 Ely Cove, C5/P134 Emily Harbour, C5/P45

Emily Harbour (Former Settlement), C5/P45

English Point, C6/P87 English River, C6/P10 Entrance Island, C4/P148 Entry Island (Domino Run), C4/P24 Entry Island (Groswater Bay), C5/P6

Entry Island (Groswater Bay), C5/P61 Entry Island (Hawke Island), C3/P32 Entry Island (Huntingdon Island), C4/P148

Entry Island (Table Bay), C4/P64 Epinette Island, C6/P57

Epinette Peninsula, C6/P57 Epinette Point, C6/P57 Eskimo Bank, C1/P51 Eskimo Island, C5/P166 Eskimo Paps, C6/P39 Etagaulet Bay, C6/P34 Etagaulet Falls, C6/P34 Etagaulet Point, C6/P13 Etagaulet River, C6/P34

Fairy Island, C5/P47 False Harbour, C1/P21 Farmer Cove, C4/P15

Farmer Ledge (Cape Porcupine), C4/P114 Farmer Ledge (Spotted Island), C4/P14

Farnel Ledge (spotted ish Farrels Island, C4/P138 Favorite Tickle, C4/P165 Fawn Rock, C4/P26 Fawn Rocks, C4/P49 Feather Bed, The, C3/P30 Ferret Islands, C4/P43 Fillbelly Island, C4/P160 First Point, C2/P41 Fish Cove, C4/P219 Fish Cove Point, C4/P215 Fishermen Point, C1/P80 Fishing Islands, C2/P9

Fishing Ship Harbour (Granby Island), C2/P9 Fishing Ships Harbour

(Seasonal Fishing Settlement), C2/P11 Fish Island (Black Tickle), C3/P149 Fish Island (Frenchmans Run), C3/P67 Fish Island (Murray Harbour), C1/P100

Fish Point, C3/P25

Fish Rock (Cape St. Charles), C1/P7 Fish Rock (Gilbert Bay), C1/P154 Fish Rock (Rocky Bay), C4/P34 Five Islands, C5/P58 Flagstaff Point, C4/P165

Flat Island (Alexis Bay), C1/P109 Flat Island (Corbet Island), C3/P111 Flat Island (Frenchmans Run), C3/P81

Flat Island (Hawke Island), C3/P29 Flat Island (Huntingdon Island), C4/P155

Flat Island (Independent Harbour), C4/P138 Flat Island (Partridge Bay), C3/P52

Flat Island (Stony Island), C2/P91 Flat Island Rock, C3/P52 Flat Islands, C4/P73 Flat Rock Island, C4/P155

Flats Island, C2/P72

Flats, The (Black Tickle), C3/P151 Flats, The (St. Lewis Sound), C1/P31 Flats, The (Stony Island), C2/P116

Flemming Rock, C4/P119 Fling Bank, C1/P101 Fling Islands, C3/P54 Fortune Arm, C2/P78 Fowlows Point, C4/P193 Foxburrow Cove, C1/P22 Foxburrow Point, C1/P22 Fox Harbour, C1/P80 Fox Head, C4/P45

Fox Island (St. Charles Channel), C1/P11

Fox Island (Stony Island), C2/P111

Fox Islands, C3/P79
Foxy Islands, C5/P66
French Cove, C2/P23
Frenchman Point, C6/P11
Frenchmans (Frenchman)

Frenchmans (Frenchman) Harbour, C3/P93 Frenchmans (Frenchman) Island, C3/P95

Frenchmans Island

(Summer Fishing Station), C3/P96 Frenchmans Run, C3/P88

Gannet Islands, C4/P87 George Cove, C2/P43 George Island, C5/P22 George Island Cove, C5/P22 Georges Cove, C2/P5

Georges Cove (Seasonal Settlement), C2/P6

Georges Head, C4/P188 Geyts Point, C6/P87 Gibeon Point, C6/P76 Gilbert Bay, C1/P144 Gilbert Bay Marine Prot

Gilbert Bay Marine Protected Area, C1/P146

Gilbert River, C1/P144
Gillards Bight, C6/P56
Gimblet Shoal, C4/P111
Goat Shore, The, C4/P97
Goose Bay, C6/P84
Goose Bay Narrows, C6/P78
Goose Bay, Port of, C6/P100
Goose Cove, C4/P160
Goose Island (Otter Bay), C2/P91

Goose Island (Otter Bay), C2/P91 Goose Island (St. Lewis Sound), C1/P67 Goose Island (White Bear Arm), C2/P60

Goose River, C6/P92 Gosling Brook, C6/P92 Gosling Lake, C6/P92 Goss Island, C3/P120 Goudies Cove, C5/P134 Grady Harbour, C4/P82 Grady Harbour

(Summer Fishing Station), C4/P84

Grady Island, C4/P79 Granby Island, C1/P154 Grand Lake, C6/P67 Graplin Island, C4/P132

Grappling Island (Groswater Bay), C5/P51 Grappling Island (Packs Harbour), C4/P132 Grappling Island (The Cubs), C4/P27

Grassy Point, C5/P131 Great Caribou Island, C1/P20 Great Island, C1/P30 Greenfield Shoal, C1/P99 Green Island (Batteau (Bateau) Harbour), C3/P142 Green Island (Black Bear Bay), C3/P115

Green Island (Cape Porcupine), C4/P115 Green Island (Domino Run), C4/P4 Green Island (Favorite Tickle), C4/P182 Green Island (Isthmus Bay), C4/P107

Green Island (Lake Melville), C6/P23 Green Island (St. Lewis Sound), C1/P56

Green Islands, C3/P59 Green Islet, C5/P85 Greenlands Island, C4/P138 Greens Island, C3/P22 Greep, Cape, C4/P56 Greys Rock, C2/P90 Greys Rock Shoal, C2/P90 Griffin Harbour, C4/P16 Grog Island, C4/P26 Groswater Bay, C5/P9

Grove Island, C1/P131 Groves Point, C6/P92 Gull Battery Rock, C4/P14 Gull Island (Cape Porcupine), C4/P122

Gull Island (Cooper Island), C2/P83 Gull Island (Dead Islands), C2/P72 Gull Island (Dead Islands Bay), C2/P65 Gull Island (Great Caribou Island), C1/P25 Gull Island (Groswater Bay), C5/P56

Gull Island (Lake Melville), C6/P17

Gull Island (Catos Island), C5/P122

Gull Island Tickle, C1/P26 Gull Islet, C5/P22

Gull Rock (Alexis Bay), C1/P121 Gull Rock (Cooper Island), C2/P82 Gull Rock (Stony Island), C2/P103

Gull Rocks, C1/P58 Gulnare Island, C3/P58 Gunnan Point, C5/P154 Gunning Island, C1/P27

Gunning Point (Domino Run), C4/P23 Gunning Point (Great Caribou Island), C1/P22

Gunning Rock, C1/P25 Gunning Tickle, C1/P29 Gun Rocks, C2/P112 Gun Rock Shoal, C1/P25 Gurney Island, C3/P113 Gushue Rock, C3/P127

Hackets Head, C4/P66 Haines Island, C6/P23 Halfway Island, C4/P58 Halfway Rock, C4/P77 Hambrook Cove, C2/P78 Hamilton Inlet, C5/P1 Hamilton Island, C4/P127 Hamilton River, C6/P88 Hampton Bank, C2/P28 Handy Harbour Islands, C4/P118 Handy Island, C6/P20 Handy Islands, C6/P42 Hanrahan Point, C4/P100 Happy Valley - Goose Bay (Town), C6/P107 Harbour Island, C4/P15 Harbour Island (Murray Harbour), C1/P102 Harbour Islets, C2/P78 Harbour Point, C2/P36 Harbour Rock (Cartwright Island), C4/P109 Harbour Rock (Frenchmans Run), C3/P84

Harbour Rock (Groswater Bay), C5/P45

Harbour Rock (Spotted Island), C4/P16

Harbour Rock (Square Island Harbour), C2/P36 Hare Harbour, C4/P157 Hare Island (Caribou Run), C1/P44 Hare Island (Grady Island), C4/P77 Hare Island (Partridge Bay), C3/P56 Hare Island (St. Francis Harbour Bight), C2/P7

Hare Islands, C4/P157 Hare Rock, C4/P159 Harper Island, C3/P24 Hart Head, C5/P150 Hat Island, C3/P141 Hatten Shoal, C4/P185 Hatters Cove, C1/P73 Hatters Point, C1/P74 Hauling Cove, C1/P40 Hawke Bay, C3/P12 Hawke Harbour, C3/P7 Hawke Harbour

(Abandoned Settlement), C3/P7 Hawke Island, C3/P3 Haypook Island, C4/P115 Hen and Chickens, C2/P114 Henrietta Island, C5/P169 Herring Bank, C3/P135 Herring Cove, C3/P108 Herring Islands, C5/P13 Herringnet Island, C1/P100 High Hat Rock, C3/P142 High Island, C1/P100 Highlands, The, C6/P27 High-rat (Highrat) Bank, C4/P94 High Rat Rock, C3/P142 Hill Harbour, C3/P33

Hiscock Islands, C3/P54 Hole in the Wall, C2/P26 Hole in the Wall Cove, C2/P26 Holloway Bight, C3/P16 Holme Point, C5/P159 Hoop-pole Cove, C1/P73 Horn Bay, C1/P5 Horn, Cape, C4/P152 Horse Chops, C4/P220 Horse Chops Hill, C5/P132 Horse Chops Island, C4/P126 Horse Harbour, C5/P43 Hullet Island, C5/P87 Humphrey Island, C1/P30

Hills Harbour, C3/P76

Hump, The, C3/P30 Huntingdon Flats, C4/P148 Huntingdon Harbour, C4/P163 Huntingdon Island, C4/P146 Hussey Shoal, C1/P31

ce Tickle, C5/P88 Ice Tickle Island, C5/P88 Independent Harbour, C4/P139 Independent Island, C4/P136 Indian Bight, C2/P5

Indian Cove (Seasonal Settlement), C1/P41 Indian Harbour

(Former Summer Fishing Station), C5/P84 Indian Harbour (Groswater Bay), C5/P82 Indian Head (Groswater Bay), C5/P81 Indian Head (Indian Tickle), C4/P45 Indian Head (Isthmus Bay), C4/P102 Indian Island (Caribou Run), C1/P41 Indian Island (Groswater Bay), C5/P80 Indian Island (Indian Tickle), C4/P44 Indian Island (Lake Melville), C6/P20

Indian Rocks, C1/P21 Indian Tickle, C4/P45

Indian Tickle (Summer Fishing Station), C4/P51 Inner Shoal, C1/P10

Island of Ponds, C3/P130 Island Point, C1/P55 Islet Bay, C1/P5 Isolated Rock, C5/P40 Isthmus Bay, C4/P98

Jack Fling Island, C1/P100 Jersev Bank, C3/P46 Jewel Point, C5/P133 Jigger Island, C5/P57 Jigger Rock, C5/P61 John Bull Island, C6/P58 Johnny Paul Rock, C4/P76 Jordans Point, C5/P129 Julia Point, C6/P28 Juniper Island, C1/P129 Juniper Point, C5/P149

Kellick Point, C5/P106 Kenamu River, C6/P73 Kenemich River, C6/P72 Kennedy Island, C3/P20 Killey (West) Island, C2/P9 Killick Island, C1/P27 King Rocks, C1/P21 Kings Rock, C1/P21 Kinriakak Point, C6/P55 Kyer Cove, C1/P59 Kyer Cove Point, C1/P55

Ladys Arm, C2/P97 Lake Melville, C6/P1 Lareto Shoal, C6/P17 Lark Island, C5/P43 Lawrenceson Point, C5/P80 Lazy Bank, C2/P41 Lazyman Island, C1/P125 Leading Mark Island, C4/P148 Lea Island, C3/P108 Ledge Island (Hawke Island), C3/P17 Ledge Island (Table Bay), C4/P65 Leeming Rock, C5/P19 Leith Point, C5/P88 Lester Point, C5/P143 Level Point, C4/P33 Lewis Rock, C5/P60 Light Tickle, C1/P132 Lion's Head, C1/P59 Little Black Island, C5/P109 Little Brig Island, C5/P39 Little Coopers Island, C1/P127 Little Copper Island, C1/P156 Little Crab Head, C4/P162 Little Duck Island (Domino Run), C4/P28 Little Duck Island (Niger Sound), C1/P5 Little Duck Island (Partridge Bay), C3/P51 Little Entry Island, C5/P61 Little Grady Island, C4/P79 Little Harbour (Groswater Bay), C5/P97 Little Harbour (Henrietta Island), C5/P172 Little Hare Island, C3/P56 Little Lake, C6/P67 Little Pigeon Island, C5/P47 Little Pot Cove, C6/P14 Little Shoal Tickle, C6/P20 Little Tumbledown Dick Island, C4/P214 Little Wolf Island, C4/P40

Locks Rock, C3/P32 Lodge Bay (Settlement), C1/P18 Lodge, The, C1/P16 Long Harbour (Lake Melville), C5/P170 Long Harbour (St. Lewis Sound), C1/P77 Long Island (Frenchmans Run), C3/P63

Long Island (Handy Harbour Islands), C4/P123

Long Island (Isthmus Bay), C4/P108

C = Chapter/P = Paragraph

Long Island (Lake Melville), C6/P43 Long Island (St. Francis Harbour Bight), C2/P7 Long Island (St. Michaels Bay), C2/P50 Long Island (Trunmore Bay), C4/P119 Long Island Shoals, C6/P44 Long Point (Cartwright Island), C4/P111 Long Point (Gilbert Bay), C1/P162 Long Point (Groswater Bay), C5/P125 Long Point (Lake Melville), C6/P37 Long Point (Smokey Tickle), C5/P86 Longstretch Point, C4/P190 Lookout Rocks, C4/P64 Loran Point, C1/P21 Lord Arm, C2/P88 Lower Crab Head, C4/P162 Lower Island, C6/P86 Lowland Point, C6/P26 Luff Point, C4/P142 Lumpy Island, C4/P196 Lynch Island, C4/P34

Macy Island, C2/P91 Mad Dog Cove, C5/P134 Mad Moll (Cartwright Island), C4/P111 Mad Moll (Comfort Bight), C3/P38 Mad Moll (Grady Harbour), C4/P82 Mad Moll (Great Caribou Island), C1/P25 Mad Moll (Groswater Bay), C5/P30 Mad Moll (St. Michaels Bay), C2/P28 Mad Moll Rock, C1/P101 Mad Moll Rocks, C1/P110 Main Cape, C2/P27 Main Cape Bank, C2/P28 Main Tickle, C1/P114 Main Tickle Point, C4/P193 Mann Point, C5/P78 Man of War Island, C4/P161 Man of War Point, C5/P34 Man of War Rock, C5/P135 Man O'War Head, C2/P48 Mark Islands, C3/P141 Marks Island, C5/P85 Marley Point, C1/P59 Marley Rocks, C1/P60 Marnham Island, C1/P78 Marnham, Port, C1/P78 Martin Bank, C1/P32 Martin Bay, C2/P96 Mary's Harbour, C1/P61 Mary's Harbour (Town), C1/P62 Mary's Harbour Head, C1/P71 Matthews Bank, C2/P82 Matthews Cove, C1/P53 McLean Point, C6/P71 Meade Shoal, C4/P89 Mealy Mountains, C6/P1 Mecklenburg Harbour, C1/P103 Melville, Lake, C6/P1 Mercer Island, C2/P22

Merchantman Harbour, C1/P151
Merlin Point, C4/P167
Michelin Shoal, C6/P50
Micmac Hill, C6/P47
Mid Channel Rock, C4/P211
Middle Ground, C3/P117
Middle Island (Fishing Ship Harbour), C2/P9
Middle Island (Grosswater Bay), C5/P54

Middle Island (Groswater Bay), C5/P54 Middle Rib, C1/P32

Middle Rib, C1/P32 Middle Rocks, C1/P56 Middle Shoal, C1/P10 Mid Rock, C1/P49 Mill Cove, C1/P140 Mistaken Point, C4/P21 Mokami Hill, C6/P32 Moliak Cove, C5/P160 Moliak Point, C5/P160 Molioch Cove, C5/P160 Molioch Point, C5/P160 Montagnais Islands, C6/P58 Montagnais Point, C6/P58 Montagnais Shoal, C6/P53 Morris Shoal, C4/P17 Mosquito Cove, C1/P103 Motion Island (Battle Harbo)

Motion Island (Battle Harbour), C1/P27 Motion Island (St. Michaels Bay), C2/P34 Mountain Cat Islands, C1/P73 Mouse Island, C1/P43

Mouse Island Tickle, C1/P43 Muddy Bay, C4/P188 Muddy Cove, C4/P93 Mud Lake, C6/P90

Mud Lake (Settlement), C6/P91 Muldoon Point, C6/P75 Mulligan Bay, C6/P29 Mulligan Hills, C6/P30 Mulligan River, C6/P30 Mulligan Rock, C6/P29 Mulligan Shoal, C6/P31

Mullins Cove (Groswater Bay), C5/P128 Mullins Cove (Table Bay), C4/P69

Mullins Head, C5/P128 Mundy Island, C5/P75 Mungo Run, C1/P126 Murray Harbour, C1/P102 Murray Point, C2/P84 Murr Island, C3/P149 Musgrave Land, C4/P35

Narrow Arm, C4/P33 Narrow Harbour, C4/P33 Narrows Island, C2/P54 Narrows Point, C4/P184

Narrows, The (Favorite Tickle), C4/P184 Narrows, The (Hamilton Inlet), C5/P143 Narrows, The (St. Charles Channel), C1/P15 Nats Discovery Point, C5/P113

Nebavik Point, C6/P29 Nebavik Shoals, C6/P31 Neveisik Island, C6/P18 Nevile Island, C1/P127 Newfoundland Island, C4/P133 New Foundout, C4/P17

New Harbour, C5/P31 New York Bay, C2/P78 Niger Sound, C1/P3 Nimrod Shoal, C1/P17 Nimrod Tickle, C1/P16 No-mans-land, C3/P66 Norman Reef, C5/P20 Normans Bay (Norman Bay) (Settlement), C2/P97 North Black Head, C4/P20 North Black Rock, C3/P117

North, Cape, C4/P71 North Cove (Former Settlement), C4/P92

North Duck Islands, C5/P72 Northeast Rock (Sandy Island), C3/P127

Northeast Rock (Spotted Island), C4/P14 Northern Bank, C1/P51

Northern Group, C5/P34

Northern Head (Cape St. Lewis), C1/P91 Northern Head (Occasional Harbour), C2/P21

Northern Ships Run, C1/P124 North Green Island, C5/P103 North Harbour, C4/P66 North Head, C4/P63

North Island (Dead Islands), C2/P73

North Island (Groswater Bay), C5/P56

North Rib, C1/P32 North River, C4/P147 North River Point, C4/P123 North Shoal Bay, C4/P54 North Stag Islands, C4/P213 North Strand, C4/P210 North Three Islands, C3/P112 Northwest Arm, C2/P12 Northwest Point, C4/P142 North West Point, C6/P60 North West River, C6/P62 North West River (Town), C6/P70 North Wolf Island, C4/P40 North Wolf Rock, C4/P36 Nunatsiavut, C4/P203 Nunatsiavut Government, C4/P203

Occasional Harbour, C2/P22 Offer Bank, C1/P99 Offer Red Island, C4/P42 Offer Wolf Island, C4/P77 Old Cove, C2/P106 Old Jeff Island, C3/P28 Old King (Comfort Bight), C3/P37 Old King (Indian Tickle), C4/P42 Old Man Island, C4/P217 O'Neale Rock, C3/P147 Open Bay, C3/P129 Orleans Arm, C3/P108 Otter Bay, C2/P104 Otter Creek, C6/P94 Otter Island, C1/P117 Outer Barred Islands, C6/P12 Outer Gannet Island, C4/P86

Packs Harbour, C4/P128 Paddon Point, C6/P42 Paddy Bonds Island, C1/P43 Paine Island, C3/P142 Palliser Point, C5/P134 Palmer Point, C5/P88 Paradise Arm, C4/P198 Paradise River, C4/P200

Owl Head, C3/P42

Paradise River (Settlement), C4/P201 Partridge Bay, C3/P48 Partridge Harbour, C4/P125 Partridge Harbour Islands, C4/P125

Partridge Head, C3/P43
Partridge Island, C4/P125
Paynes Island, C3/P142
Pearl Island, C6/P29
Pearl River, C6/P29
Pelter Cove, C6/P19
Penguin Harbour, C3/P22
Penny Harbour, C3/P42
Penny Hook Cove, C4/P23
Pensons Arm (Settlement), C2/P44

Pensons Arm (Settlement), C2/P4-Pensons Rock, C2/P42 Perrys Point, C4/P21

Peter Lewis Island, C6/P5 Peters Point, C5/P172 Petty Harbour, C1/P91

Petty Harbour (Seasonal Settlement), C1/P92

Piccos Island, C4/P132 Pickens Island, C4/P132

Pigeon Island (Cape Bluff Harbour), C2/P78 Pigeon Island (Caplin Bay), C2/P14 Pigeon Island (Domino Run), C4/P28 Pigeon Island (Frenchmans Run), C3/P81 Pigeon Island (Groswater Bay), C5/P47 Pigeon Island (Hawke Bay), C3/P12 Pigeon Island (Isthmus Bay), C4/P107 Pigeon Island (Mundy Island), C5/P82 Pigeon Island (Packs Harbour), C4/P133 Pigeon Island (St. Francis Harbour), C2/P1 Pigeon Island (St. Michaels Bay), C2/P52 Pigeon Island (Stony Island), C2/P111 Pigeon Island (Trunmore Bay), C4/P123 Pig Island (Frenchmans Run, Seal Island NE end), C3/P81

Pig Island (Frenchmans Run, Seal Island SW end), C3/P72 Pig Island (Trunmore Bay), C4/P132

Pike (Back) Run, C5/P172 Pinchgut Bank, C4/P111

Pinchgut Island (Cartwright Island), C4/P111

Pinchgut Island (Groswater Bay), C5/P93 Pinchgut Islet, C5/P93 Pinsent Arm, C2/P44 Pinsent Island, C2/P41 Pipers Tickle, C2/P7 Pippies, The, C3/P54 Place Point, C6/P35 Planter, The, C3/P46 Ploctors Cove, C5/P134 Pollo Rock, C3/P65

Ploctors Cove, C5/P134 Pollo Rock, C3/P65 Pollo Sunkers, C3/P65 Pomeroy Island, C5/P81 Pompey Island, C4/P154 Pompey Rock, C4/P144 Ponds, Island of, C3/P130 Ponsonby Island, C5/P80 Porcupine Bay, C3/P131 Porcupine, Cape, C4/P122

Porcupine Harbour, C3/P133 Porcupine Island, C3/P132 Porcupine Strand, C4/P123 Port Charlotte, C1/P103 Port Disappointment, C6/P8

Port Hope Simpson (Town), C1/P137

Port Marnham, C1/P78
Port of Goose Bay, C6/P100
Pottles Bay, C5/P99
Pottles Cove, C4/P218
Pottles Cove Head, C4/P217
Prisoners Island, C4/P133
Pudding Bank, C4/P94
Puffin Island, C5/P103
Punchbowl, C3/P102

Quakers Hat, C4/P62 Quebecer Shoal, C4/P150 Queer Island, C3/P137

Rabbit Island, C6/P86 Rabbit Point, C6/P41 Raft, The, C4/P143 Ragged Rocks, C4/P119 Rags, The, C1/P17 Rapids, The, C6/P67 Rattlers Bight, C5/P101 Ravens, The, C3/P66 Ready Rocks, C4/P13 Red Bay, C1/P161

Red Island (Corbet Island), C3/P109 Red Island (Granby Island), C2/P8 Red Island (Hawke Island), C3/P30 Red Island (Huntingdon Island), C4/P155 Red Island (Indian Tickle), C4/P54

Red Island (Partridge Bay), C3/P53 Red Island (St. Lewis Sound), C1/P29 Red Island (Stony Island), C2/P118

Red Island Rock, C1/P31 Red Island Shoal, C2/P8 Red Island Tickle, C1/P30 Red Point (Alexis Bay), C1/P112 Red Point (Spotted Island), C4/P6 Red Point Bank, C1/P152

Reed Point, C6/P7 Ribs, The, C2/P32 Rib, The, C2/P113 Rigolet (Town), C5/P155 Rigolet Cove, C5/P152

Rigolet Point, C5/P152 Rill Point, C5/P41 River Islands, C1/P67 Rock Point, C1/P103

Rocky Bay, C4/P30

Rocky Bay (Comfort Bight), C3/P40

Rocky Cove, C5/P122 Rocky Islands, C6/P9

Rocky Point (North Strand), C4/P123

Rocky Point (Spotted Island), C4/P18 Rogers Island, C3/P101

Rogers Island, C3/P101 Round Harbour, C2/P1 Round Head Island, C5/P22 Roundhill Island, C3/P144 Round Island, C4/P109

Round Island (Abandoned Fishing

Settlement), C4/P109
Round Wolf Island, C4/P42
Rover Island, C4/P49
Run By Guess, C5/P93
Run By Guess Island, C5/P94
Run Island, C3/P126
Russell Cove, C2/P16

Saddle Banks, C3/P146

Saddle Island (Alexis Bay), C1/P117 Saddle Island (Groswater Bay), C5/P107

Saddle Islands, C3/P146
St. Charles, Cape, C1/P3
St. Charles Channel, C1/P8
St. Charles Gull Island, C1/P7
St. Charles Gull Rocks, C1/P7
St. Charles Harbour, C1/P11
St. Charles River, C1/P8
St. Francis, Cape, C2/P2
St. Francis Harbour, C2/P1

St. Francis Harbour, C2/P5
St. John Island, C6/P22
St. Lewis (Town), C1/P84
St. Lewis, Cape, C1/P88

St. Lewis Inlet, C1/P71 St. Lewis River, C1/P71 St. Lewis Rock, C1/P90 St. Lewis Sound, C1/P50 St. Mary Island, C4/P49 St. Mary Rock, C4/P49 St. Michaels Bay, C2/P29 St. Michaels, Cape, C2/P25

St. Nicolas, Cape, C4/P70

Salmon Bight (Black Tickle), C3/P153 Salmon Bight (Spear Harbour), C1/P93 Salmon Point (Cartwright Island), C4/P109

Salmon Point (Rocky Bay), C4/P30 Salomes Point, C4/P184

Salomes Point, C4/P184
Salt Brook Point, C1/P18
Salter Island, C3/P126
Salt Pond, C1/P104
Salt Pond Head, C1/P103
Sand Hill Cove, C4/P57
Sandwich Bay, C4/P190
Sandwich Tickle, C4/P193
Sandy Bay, C3/P135
Sandy Hook, C1/P119
Sandy Island, C3/P123
Sandy Island

(Summer Fishing Station), C3/P125 Sandy Islands Harbour, C3/P124 Sandy Point (Goose Bay Narrows), C6/P76 Sandy Point (Trunmore Bay), C4/P123

Saunders Island, C3/P42 Schmitt Shoal, C4/P211 Scout Hill, C4/P169 Scow, The, C5/P160 Scrammy Bay, C2/P41 Scrape Cove, C3/P21 Sculpin Island, C2/P113

Sculpin Rocks, C3/P82 Seal Bight (Seasonal Settlement), C1/P102

Sealing Bight, C1/P100

Seal Island (Frenchmans Run), C3/P75 Seal Island (Independent Harbour), C4/P140

Seal Island (Martin Bay), C2/P96

Seal Islands, C1/P11 Seal Islands Harbour

(Seasonal Settlement), C3/P77

Seal Rock, C4/P140 Seal Rocks, C1/P136 Sebaskachu Bay, C6/P42 Sebaskachu Cove, C6/P49 Sebaskachu Island, C6/P49 Sebaskachu River, C6/P46 Seine Island, C3/P72 Separation Point, C4/P194

Shag Island (Cape Porcupine), C4/P117 Shag Island (Lake Melville), C6/P21 Shag Rocks (Batteau (Bateau)

Harbour), C3/P142

Shag Rocks (Groswater Bay), C5/P108 Shag Rocks (St. Lewis Sound), C1/P77

Shakespeare Hill, C5/P75
Shelmucks Point, C4/P165
Shermoks Point, C4/P165
Sheshatshiu (Settlement), C6/P70
Shinney Island, C1/P151
Shinney Rock, C1/P156

Ship Harbour (Alexis Bay), C1/P118 Ship Harbour (Ship Harbour Head), C2/P16

Ship Harbour Head, C2/P15 Shoal Bay, C3/P106 Shoal Bay Island, C3/P118 Shoal Cove (Cape North), C4/P70 Shoal Cove (St. Lewis Sound), C1/P60 Shoal Point (Domino Run), C4/P3 Shoal Point (Gilbert Bay), C1/P144 Shoal Point (Goose Bay Narrows), C6/P

Shoal Point (Goose Bay Narrows), C6/P75 Shoal Point (Huntingdon Harbour), C4/P163 Shoal Point (St. Charles Channel), C1/P40 Shoal Tickle (Caribou Run), C1/P41 Shoal Tickle (Dead Islands Bay), C2/P67

Shoal Tickle Island, C3/P60 Sinker, The, C1/P155

Sisters, The (Grady Harbour), C4/P94 Sisters, The (St. Michaels Bay), C2/P35

Skelligs, The, C2/P83

Skerries, The (Alexis Bay), C1/P108 Skerries, The (Stony Island), C2/P115

Skinner Ledge, C1/P25 Skinny Island, C1/P151 Sleepy Island, C3/P80 Sloop Cove Head, C2/P10

Sloop Harbour (Frenchmans Run), C3/P97 Sloop Harbour (Groswater Bay), C5/P38

Sloop Harbour Point, C5/P36 Sloop Island, C5/P37 Sloops Head, C2/P104 Smith Island, C5/P132 Smiths Rock, C1/P21

Smokey (Former Fishing Settlement), C5/P75

Smokey Head, C5/P75 Smokey Tickle, C5/P86 Snake Island, C6/P89



C = Chapter/P = Paragraph

Snook Cove, C5/P105 Snook Point, C5/P105 Snooks Cove, C5/P162 Snooks Rocks, C5/P128 Snug Harbour, C2/P85

Snug Harbour (Seasonal Settlement), C2/P86

Soldier Island, C1/P80 Soldier, The, C1/P6 Solomons Point, C4/P184 Sophia Harbour, C1/P103 South Bantam, C3/P39 South Black Head, C4/P5

South Black Rock (Corbet Island), C3/P111 South Black Rock (Indian Tickle), C4/P42

South Duck Islands, C5/P26 Southeast Arm, C4/P197 Southeast Cove, C4/P100 Southeast Point, C4/P3 Southeast Rocks, C5/P15 Southern Backwater, C3/P12 Southern Bank, C1/P32 Southern Group, C5/P49

Southern Head (Cape St. Lewis), C1/P91

Southern Head (Cooper Island), C2/P81

Southern Island, C1/P25 Southern Island Rock, C1/P25 Southern Point, C2/P13 South Green Island, C5/P104 South Gulnare Island, C3/P57 South Head, C4/P63 South Island, C5/P54

South Pommelly Cove, C1/P40 South Rib, C1/P32 South Road, C4/P66 South Stag Island, C4/P212 South Three Islands, C3/P44 Southwest Arm, C2/P87 Southwest Bight, C2/P13 South Wolf Island, C4/P37 South Wolf Rock, C4/P40 Sparrowbill Island, C4/P107 Spear Harbour, C1/P94

Spear Point, C1/P94 Spotted Island, C4/P3

Spotted Island (Seasonal Settlement), C4/P8

Spotted Island Harbour, C4/P7 Square Hill, C4/P122 Square Island, C2/P29 Square Island Harbour, C2/P36

Square Islands (Seasonal Settlement), C2/P38

Squasho Run, C3/P10

Stag Island (Hawke Island), C3/P25 Stag Island (Indian Tickle), C4/P49 Stag Island (Lake Melville), C6/P21

Star Island, C4/P65 Stoney Arm, C4/P33 Stony Island, C2/P100 Strathcona Point, C5/P158 Stunk Island, C4/P82 Styles Harbour, C3/P15 Sugarloaf, C2/P65 Sugar Loaf, The, C3/P44 Suglo Point, C4/P66 Sullivan Island, C3/P95 Summer Cove, C5/P159 Swallow Bank, C4/P196 Swallow Harbour, C6/P34 Swirlers Point, C1/P111

Table Bay, C4/P63 Table Bay Point, C4/P63 Table Harbour, C4/P66 Table Hill, C4/P147 Tarfers Point, C1/P73

Tatters Point, C4/P21 Taylor Tickle, C1/P157 Teapot Cove, C5/P37 Teapot Head, C5/P37 Teapot Island, C5/P46 Terra Nova Point, C4/P48 Terrington Basin, C6/P94 Terrington Narrows, C6/P95 The Backway, C5/P174 The Bight, C6/P61 The Brandies, C3/P78

The Bull (Fishing Islands), C2/P10 The Bull (Great Caribou Island), C1/P25

The Chair, C4/P30 The Chimney, C2/P10

The Cobbler (Cox Head), C3/P37 The Cobbler (Round Island), C4/P109

The Cow, C2/P10

The Cubs, C5/P57 The Feather Bed, C3/P30

The Flats (Black Tickle), C3/P151 The Flats (St. Lewis Sound), C1/P31 The Flats (Stony Island), C2/P116

The Goat Shore, C4/P97 The Highlands, C6/P27 The Hump, C3/P30 The Lodge, C1/P16

The Narrows (Favorite Tickle), C4/P184 The Narrows (Hamilton Inlet), C5/P143

The Narrows (St. Charles Channel), C1/P15

The Pippies, C3/P54 The Planter, C3/P46 The Raft, C4/P143 The Rags, C1/P17 The Rapids, C6/P67 The Ravens, C3/P66 The Rib, C2/P113 The Ribs, C2/P32 The Scow, C5/P160 The Sinker, C1/P155

The Sisters (Grady Harbour), C4/P94 The Sisters (St. Michaels Bay), C2/P35

The Skelligs, C2/P83

The Skerries (Alexis Bay), C1/P108 The Skerries (Stony Island), C2/P115

The Soldier, C1/P6 The Sugar Loaf, C3/P44 The Washer, C4/P144 The Wavers, C2/P104 The Wolves, C4/P77 Thomey Island, C5/P41

Thunder and Lightning Island, C4/P125

Ticoralak Bight, C5/P126 Ticoralak Head, C5/P126 Ticoralak Island, C5/P126 Ticorolak Bight, C5/P126 Ticorolak Head, C5/P126 Tilcey Island, C1/P11 Tilcey Point, C1/P53 Timber Rocks, C3/P143 Tinker Bank, C1/P98 Tinker Harbour, C5/P106

Tinker Island (Groswater Bay), C5/P74 Tinker Island (Isthmus Bay), C4/P106 Tinker Island (Otter Bay), C2/P106 Tinker Island (Trunmore Bay), C4/P132

Tinker Rock, C4/P106 Tinkershare, C3/P149 Tobys Harbour, C1/P161 Tom Cod Rocks, C5/P18 Tommy Rocks, C5/P71 Toole Rock, C3/P137 Toomie Point, C4/P97 Transport Island, C3/P5

Triangle Harbour, C2/P79 Triangle Island, C2/P79 Trout Cove, C2/P23 Trout Island, C6/P8 Trout Point, C6/P7 Trunmore Bay, C4/P123 Trusty Rock, C4/P26

Tub Harbour (Fox Harbour), C1/P82 Tub Harbour (Groswater Bay), C5/P29 Tub Harbour (Stony Island), C2/P101

Tub Island, C5/P28

Tumbledown Dick Island, C4/P214

Turner Head, C3/P105 Turner's Bight, C5/P113 Turner's Head, C5/P114 Turr Rocks, C3/P20

Twin Islands (Groswater Bay), C5/P119 Twin Islands (Occasional Harbour), C2/P19

Upper Fish Cove, C4/P219

Valley Bay, C6/P15 Venison Head, C4/P156 Venison Island, C2/P109 Venison Islands (Seasonal Fishing Settlement), C2/P109

Venison Tickle, C2/P110

Walker Island, C3/P115 Walker Rock, C3/P116 Wall Island, C1/P11 Wall Shoal, C1/P10 Warren Cove, C4/P52 Washer, The, C4/P144 Watch and Chain, C5/P111 Watering Cove, C4/P82 Waterloo Point, C4/P190 Wavers, The, C2/P104 Webber Harbour, C3/P108 Wedge Island, C4/P15 West Bay, C4/P216 Western Bank, C1/P7 West Gannet Rock, C4/P90

West Hare Island, C4/P158

West Island (Dead Islands), C2/P74 West Island (St. Michaels Bay), C2/P33

West Pompey Island, C5/P124 West Sister Island, C5/P115 Whale Point, C1/P8 Whaling Point, C4/P6 White Bear Arm, C2/P59 White Bear Bay, C1/P14 White Bear Harbour, C5/P55 White Bear Islands, C5/P49 White Bear Point, C1/P14 White Bear River, C4/P194 White Cockade Island, C5/P34 Whitefish Island, C2/P54 White Island, C4/P28 White Islands, C2/P108 White Point (Grady Island), C4/P70

White Point (Great Caribou Island), C1/P8 White Point (Indian Tickle), C4/P45 White Point (Occasional Harbour), C2/P21 White Point (Stony Island), C2/P115

White Rock, C3/P109 White Shot Island, C2/P114 Wild Bight (NE coast of Stony Island), C2/P117 Wild Bight (SW coast of Stony Island), C2/P102 Wild Bight (Domino Run), C4/P23

Wild Bight (St. Michaels Bay), C2/P49 Wild Bight Island, C2/P49

C = Chapter/P = Paragraph



Wild Bight Point, C2/P49 Williams Harbour, C1/P157 Williams Harbour (Seasonal Settlement), C1/P159 Williams Harbour Run, C1/P113 Winter Island, C5/P102 Winters Point, C4/P188 Withecombe Point, C4/P7 Wolves, The, C4/P77 Wood Island, C1/P72 Woody Island, C4/P182

Woody Island Rock, C4/P182 **Y**ellow Rock, C4/P120