

**CANADIAN PLUMBING CODE
1985**

SECOND REVISIONS

Issued by the
Associate Committee on the National Building Code
National Research Council of Canada
Ottawa

January 1987

Revisions to the Canadian Plumbing Code 1985

The following revisions to the Canadian Plumbing Code 1985 have been approved by the Associate Committee on the National Building Code for immediate implementation.

In accordance with the ACNBC Policies and Procedures, the documents referenced in Subsection 1.9 and Table 1.9.A. are updated annually. The First Revisions dated January 1986 included updating of the referenced documents to 30 June 1985. The revisions contained herein include additional updates to 30 June 1986.

Page	Reference	Revision
8	1.9.2.	Change the last line to read "1986"
8	Table 1.9.A.	Delete entry for ANSI/AWWA C106/A21.6-80, "Gray-Iron Pipe Centrifugally Cast in Metal Molds, for Water or Other Liquids"
9	Table 1.9.A.	Delete entry for CGSB 77-GP-1M-1977, "Caulking Compound, Cementitious Type, Cold Applied, for Pipe Joints"

Page	Reference	Revision
8-11	Table 1.9.A. follows:	Revise entries in Columns 2 and 3 where applicable as follows:

Existing Document Number	Revised Document Number	Revised Document Title
ANSI B16.3-1977	ANSI B16.3-1985	Malleable-Iron Threaded Fittings
ANSI B16.4-1977	ANSI B16.4-1985	
ANSI B16.15-1978	ANSI B16.15-1985	
ANSI/AWWA C104/21.4-80	ANSI/AWWA C104/A21.4-1985	Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water
ANSI/AWWA C111/A21.11.80	ANSI/AWWA C111/A21.11-1985	Rubber Gasket Joints for Ductile-Iron and Grey-Iron Pressure Pipe and Fittings
ASTM B42-84a (1)	ASTM B42-86	
ASTM B43-84a (1)	ASTM B43-86a	
ASTM B88-83a	ASTM B88-86	
ASTM B306-83a (1)	ASTM B306-86	
ASTM D3261-84	ASTM D3261-85	
CSA B70-M1978	CAN3-B70-M86	
CSA B125-1975	CAN3-B125-M85	
CSA B137.3-M1981	CAN3-B137.3-M86	
CSA B137.8-M1977	CAN3-B137.8-M86	Polybutylene (PB) Piping for Pressure Applications
CSA B181.1-1973	CAN3-B181.1-M85	ABS Drain, Waste and Vent Pipe and Pipe Fittings

(1) Previously updated in First Revisions dated January 1986

16	2.6.4.(1)	Delete and substitute: 2.6.4.(1) Cast iron water pipes shall conform to ANSI/AWWA C151/A21.51, "Ductile-Iron Pipe, Centrifugally Cast in Metal Molds or Sand-Lined Molds, for Water or Other Liquids".
18	2.8.2.	Delete