

Sackville, New Brunswick - Summary of Christmas Bird Counts

Year	Day covered	Observer field observers		foot	Mile car(ski-doo)	Hou foot		Snow cover	Temp. ⁰ F.	Wind(mph)	Ice conditions
1960	Dec. 24	3 in 3 parties	2	27	67	10	6	l" new	11-22	5-10	3 2 5 5 4
	Dec. 26	11 in 4-5 part.	2	33	104	16	7	12" crust	20-24	15-20	
1962	Dec. 20	9 in 4 parties	9	24	122	12	10	10"	25-5	25 gust - 45	fw frozen;
1963	Dec. 20	3 in 2 parties	1	6	28	312	112	6-15" drifts	10-20	5-15	fw frozen;sw open
1964	Dec. 30	5 in 3 parties	7	24	55	1412	5 ¹ 2	3-6" wet	31-34	0-5	
1965	Dec. 28	8 in 4 parties	10	22	116	1312	10 ¹ 2	8"	-2-+14	0-2	fw pt open;
1966	Dec. 27	6 in 4 parties	3	24	121	12 3,	/4 13 3/4	4 2-4"fresh	1- 1	10-15	fw frozen;sw open
1967	Dec. 27	8 in 6 parties	8	46	146	294	8 3/4	4-8"crusty	1 - 1	5-10	fw frozen;sw open
1968	Dec. 23	6 in 4-5 part.	7	32	98	2312	11	bare	28-30	0-5	fw frozen;sw open
1969	Dec. 21	7 in 6 parties	8	26 ¹ 2	122(10 ¹ ₂)	31 to	otal	8-10"	15-22	10-15	fw frozen;sw open
1970	Dec. 22	6 in 5 parties	9 、	812	188(5)	19 to	otal	30-35"	8-11	15-20 gusty	fw frozen;sw frozen
1971	Dec. 18	8 in 6-7 part.	9	28 ¹ / ₂	226	23 ¹ / ₂	1812	3-6" crusty	. 9-17	10-15 NW	fw frozen;sw open
1972	Dec. 19	10 in 7-8 part.	8	4112	242 ¹ / ₂	24	24 ¹ / ₂	6-8"	0-20	light	fw frozen; sw ice flows
1973	Dec. 21	14 in 7-11 part.	7	62	271	56	18	Bare	38-45	10-15 SW gust-25	fw pt froz;sw open
1974	Dec. 18	12 in 7-10 part.	6	37	256	274	254	Bare	38-cooling	8-10 NW	fw pt froz;sw open
1975	Dec. 23	11 in 6-9 part.	0	40 ¹ / ₂	167	32	19	4-6 crusted	30-32	15-20 N to 5-10 SE	fw frozen;sw ice flows
1976	Dec. 20	10 in 5-8 part.	0	3312	226 (15½)	234	20 3/4	(3) 8-10 new	18-25	none	fw frozen;sw ice flows
1977	Dec. 19	11 in 6-9 part.	0	371/2	239.6(15 ¹ ₂)	21.8	26 (2.	5) 10-12 cr.	30-32	8-10 NW	fw frozen;sw open
1978	Dec. 18	10 in 6-8 part.	0	39	276	30	27 ¹ / ₂	0-3 crust	32-27	3-6 inc.influrries	fw frozen;sw ice clog
1979	Dec. 20	17 in 6-11 part.	. 1	73	209 ¹ 2	48 ¹ / ₄	28	0	2-23	0-2 N	fw frozen;sw open
1980	Dec. 22	15 in 6-10 part.	0	28.8	276.3	26	34 3/4	12" powdery	-12-+6	NW9-12 to W-SW 3-6	Ifw frozen; swaice clogged

Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Great Cormorant																			*		+	
Great blue heron	-	-	-	-	-	-	-	-	-	1	-	-	-	с.р.	-	1.	-	1.	-	-	-	
Canada goose	-	-	-	-	-	-	-	-	-	1	-	351	-	-	57	113	2	1		5	55	
Mallard ·	-	-	-	-	2	1	-	-	-	2	-	1	-	17	4	6	12	1	4	26	34	
Black duck	-	-	-	-	31	33	40	17	64	134	7	132	16	270	203	18	3	2	6	6	4	
Pintail	-	-	-	-	-	-	-	-	-	-	-	-	-	. 1	-	-	-	-	-	-	-	
Wood duck	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		1	-	
Am. green-w. teal	-	-		-	-	-	-	1	1	1	· -	-	-	1	-	-	-	-	-	-	-	
Canvasback	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Common goldeneye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	
Oldsquaw	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	
Common merganser	-	-	-	-	3	2	-	8	-	35	1	36	3	53	8	3	21	26	1	15	20	
Hooded merganser	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-					1	2	
Red-b. merganser	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	4	-	-	-	17	-	
Goshawk	-	1	• -	-	-	1	1	-	1	-	2	1	-	-	-	-	-	2	1	1/	3	
Sharp-shinned hawk	-	-	-	-	c.p.	c.p.	c.p.	c.p.	1	1	2	2	1	2	2	1	1	1	c.p.	1	2	
Red-tailed hawk	-	-		-	-	c.p.	1	1	1	_	-	2	i	1	_	-	-	-	1	1	-	
Rough-legged hawk	3	2	3	12	5	2	5	34	4	33	1	52	25	49	6	17	18	7	9	-	Q	
Peregrine Falcon	Ŭ	-	Ū			-		01		00		02	20	15	U	.,	10			6	Ĩ	
Bald eagle	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Marsh hawk	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	-	-	-	
Merlin	c.p.	-	-	-	-	-		-	c.p.	-	-	-	-	c.p.		-	-	-	-	-	-	
Kestrel	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Spruce grouse	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	_	-	
Gyrfalcon	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	_	-	_	-	1	-	
Ruffed grouse	1	-	-	-	-	-	2	. 1	4	1	-	2	-	6	3	4	5	2	5	10	6	
Ring-n. pheasant	2	13	2	-	7	10	15	10	2	28	17	33	38	-	8	11	29	76	36	66	134	
Glaucous gull	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	00	2	
Iceland gull	-	-	-	-	-	1	-	-	-	-	-	-		1	. 1	i	-	1	-	-	-	
Gt. black-backed gull	9	76	12	8	57	21	22	47	42	19	25	36	61	96	103	101	51	146	128	41	154	
Herring gull	105	257	136	100	159	145	107	161	147	237	37	132	252	321	308	253	148	370	414	63	100	
Ring-billed gull		251	150	100	155			101	14/	231				16	300	255	140	370	6	05	169	
	22	20	21	5	26	106	c.p.	85	-	70	-	21	120				205	78	233	.404	-	
Rock dove	22	20	21	S	36 2	100	69		82	72	45	31	129	87	112	60	305	10	200	404	259	
Snowy owl	-	-	-	-	2	1	-	4	-	1	-	5	-	c.p.	1	2	-	-	2		-	
Short-eared owl	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-			-	
Mourning dove	-	-	-	-	-	-	-	-	-	-	-	-	-	c.p.	-	-	-	-	-	-	-	
Barred Owl	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_		ī	1	-	
Common Flicker	-	-	-		-	-					_	-	_	_	-	-	-	- '	1	-	-	
Red-headed woodpecker	-	-	-	-	-	-	-		-										1	-	-	

•

Service and

Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Pileated woodpecker	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
Yellow-b. sapsucker	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		-	-	-	-	-	
Hairy woodpecker	-	I	2	-	-	3	-	3 6	10	4	-	3 2	6 5	4	8 10	2	3 5	2	4	10	9	
Downy woodpecker Black-b. 3-toed woodp.	-	-	2	-	1	۷	-	0	2	0	1	2	Э	3	4	2	C I	-	3	2	10	
woodpecker sp.		-	-	-	-	-		1	2						4	1		-		2	/	
Northern 3-toed woodp.	-	-	_	_	_	-	-	-	-	-	-	1	-	-	_	-	-	_	-	-	-	
Horned lark	1	-	-	~	-	-	7	14	-	7	8	4	23	1	4	14	50	20	2	14	17	
Grey jay	-	1	c.p.	1	6	5	11	3	8	2	3	7	11	12	13	-	6	2	3	4	3	
Blue jay	1	6	16	10	1	57	4	43	30	55	37	75	113	76	89	44	65	77	63	216	150	
Common raven	18	18	11	12	24	29	57	101	33	111	74	110	218	120	89	74	118	107	87	91	128	
Common crow	10	3	20	10	5	19	33	23	16	42	22	22	56	81	81	41	113	110	104	108	118	
Black-capped chickadee	4	9	11	4	9	69	12	88	68	37	47	107	153	66	237	65	71	64	66	110	251	
Boreal chickadee	37	9	5		14	29	12	62	37	10	20	21	8	23	61	23	27	17	27	37	36	
White-breasted nuthatch	-	c.p.	-	1	-	2	-	3	3	5	-	3	1	-	1	-	-	-	-	1	1	
Red-breasted nuthatch	1	c.p.	-	-	. 1	2	c.p.	1	2	-	-	-	-	-	28	-	-	-	1	-	-	
Brown creeper	-	-	-	-	. 1	-	-	-	-	-	c.p.	1	-	1	-	2	-	2	-	2	-	
Mocking bird	-	-	-	-	-	-	-	c.p.	-	-	-	-	-	-	-	-	-	c.p.	-	1	-	
Robin	-	c.p.	c.p.	1	1	c.p.		2	1	2	-	1	2	6	1	1	8	-	7	1	3	
Hermit thrush	-	-	-	-	-	-	-	-	-	-	-		-	-		-	1	-	-	-	-	
Golden-crowned kinglet	10	1	3	-	22	38	4	1	8	1	-	10	2	39	158	9	12	18	21	46	18	
Ruby-crowned kinglet	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
Bohemian waxwing	-	-	-	2	-	-	-	-	9	-	-	-	12	-	-	с.р.	-	-	1	-		
Cedar waxwing	-	-	-	-	-	-	-	-	1	-	-	-		-	-	-	-	-	-	-	-	
Northern shrike	-	1	-	-	-	-	-	. 1	-	-	-	-	2	-	. 2	3].	1	5	2	-	
Loggerhead shrike	+	-		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Starling	115	229	346	110	170	277	375	315	249	252	314	160	216	264	563	378	406	1146	335	730	422	
Pine warbler	-	-	-	-	-	-	-	-	-	-		-	-	-	1	-	-	-	-	-	-	
Palm warbler	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-		-	· -	- 1	
House sparrow	168	270	504	95	259	430	314.	602	489	547	437	309	963	708	809	569	808	904	970	752	659	
Eastern meadowlark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			-	
Yellowthroat	-	-	-	-	-	-	-	-	-	-	-	-	-	c.p.	-	-	-	-	-	-	-	

.

.

Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	198
Red-winged blackbird	_	_						c.p.	1	1		1		1	2		3	1	· _	1	2	
Baltimore oriole	_	-	1	-	_	_	_		-	-	-	-	-	-	-	-	-	-	-	-	-	
Rusty blackbird	-	-	-		-	2	_	-	-	-	_	3	2	1	-	c.p.	2	·_	-	-	-	
Common grackle	1	-	c.p.	-	c.p.	ī	_	3	4	12	5	21	28	16	c.p.	2	15	2	1	7	4	
Brown-headed cowbird	-	5	-	-	1	3	-	. 2	c.p.	. 3	-	19	13	50	83	2	6	7	2	8	17	
Cardinal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Evening grosbeak	4	6	12	-	4	c.p.	25	11	53	15	8	18	46	71	-	14	104	6	97	30	59	1
Purple finch	-	-	-	-	73	-	-	3	2	-	-	-	-	-	-	-	3	-	3	-	-	
Pine grosbeak	-	69	-	-	2	161	12	2	104	20	1	4	35	-	-	4.	8	20	9	13	43	
Common redpoll	-	24	-	-	21	. 231	-	-	328	160	-	152		-	-	369	21	12	-	-	171	
Pine siskin	-	-	-	-	13	-	-	-	-	-	-	6	-	-	8	-	1	-	24	-	-	
American goldfinch	-	-		-	-	-	30	-	-	-	-	-	-	21	8	-	8	-	-	9	-	
Red crossbill	-	-	-	-	4	-	10	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
White-winged crossbill	-	-	-	-	29	2	-	-	-	41	-	5	-	-	-	24	-	-	-	-	-	
Rufus-sided towhee finch sp.	-	-	-	-		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	20	
Savannah sparrow	-		-	-	-	-	-	-	-	-	-	-	-	2	. 1	-	1	-	-	-	-	
Dark-eyed junco	c.p.	98	8	-	12	35	11	6	21	16	4	12	3	3	12	32	16	1	4	40	58	
Tree sparrow	с.р.	-	-	-	6	15	. 19	4	24	13	9	3	11	24	18	37	87	7	6	46	36	
Chipping sparrow	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
White-throated sparrow Field sparrow	-	-	-	-	-	1	-	3	-	1	1	1	3	1	2	1	15	-	-	-	16 1	
Fox sparrow	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1	-	-	-	2	
Swamp sparrow	-	-	c.p.	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3		
Song sparrow	-	-	с.р.	1	2	-	·	1	-	-	-	-	-	2	3	2	13	2	-	4	1	
Lapland longspur	-	1	-	3	-	2	1	. 1	-	2	-	-	11	5	-	1	87	14	c.p.	7	9	
Snow bunting	60	153	153	-	125	75	874	344	41	40	11	69	224	80	45	671	2886	48	1332	1184	61	
sparrow sp.																					1	
Unidentified waterfowl	-	5	4	-	-	-	50	-	-	-	-	40	-	-	-	-	1	-	-	-		
Unidentified - other	3	. 5	8	-	59	1	11	-	-	83	7	30	16	9	1	14	12	14	-			
Total species	19	24	21	17	36	38	27	39	38	43	29	48	35	46	46	46	52	42	43	47	47	
Total individuals	575	1283	1278	376	1168	1816	2134	2018	1896	2057	1149	2041	2709	2621	3166	3010	5595	3322	4028	4153	3191	

.

.

1029

SACKVILLE, N.B. - Christmas Bird Count Summary

Species	# times reported 1960-79	Maximum number reported	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
Common Loon Gt. Cormorant Gt. Blue Heron Canada Goose Mallard Black Duck	- 3 7 11 16	- 1 351 17 270	1 - 55 34 4	1 - 43 21 255	- - - 14 11							
Pintail Am. Green-w. Teal Wood Duck Canvasback Com. Goldeneye Ring-necked Duck Barrow's Goldeneye Oldsquaw Hooded Merganser Common Merganser Red-b. Merganser	1 4 1 2 - 3 1 14 4	1 1 3 - 1 53 17	- - 2 1 - 2 20 -	- 1 - 1 - 21 10	- - - 1 - - - 3 2							
Goshawk Sharp-sh. Hawk Red-tailed Hawk Rough-legged Hawk Bald Eagle	9 11 7 20 2	2 2 52 1	3 2 - 9 -	- 2 - 3 -	1 1 5 32 1							
Marsh Hawk Gyrfalcon Peregrine Falcon Merlin Kestrel	2 1 - 1	4 1 - 1			1							
Spruce Grouse Ruffed Grouse Ring-n. Pheasant Glaucous Gull Iceland Gull	1 13 18 3 5	1 10 76 1 1	- 6 134 2 -	12 18 - 1	- 4 101 2 1							
Gt.Bl-backed Gull Herring Gull Ring-billed Gull Rock Dove Mourning Dove	20 20 6 20 -	146 414 16 404	154 169 - 259 -	114 312 214 1	217 293 - 244 1							
Gt. Horned Owl Snowy Owl Barred Owl Short-eared Owl Common Flicker	- 8 1 1 1	- 4 1 4 1			- - -							

SACKVILLE, N.B. - Christmas Bird Count Summary


Species	<pre># times reported 1960-79</pre>	Maximum number reported	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
Pileated Woodpecker Red-headed Woodp. Y-b. Sapsucker Hairy Woodpecker Downy Woodpecker	4 1 1 14 15	1 1 10 10	- - 9 10	1 - 6 4	- - 1 1							
Bl-back.3-toed Wood N. 3-toed Woodpecke Woodpecker sp. Horned Lark Grey Jay		4 1 50 13	7 - 17 3	1 - 19 3	1 - 39 -							
Blue Jay Common Raven Common Crow Blcap.Chickadee Boreal Chickadee	20 20 20 20 19	216 218 113 237 62	150 128 118 251 36	99 125 87 246 22	69 111 135 9 12							
Wh-br. Nuthatch Red-br. Nuthatch Brown Creeper Mocking Bird Am. Robin Brown Thrasher Hermit Thrush Gold-cr. Kinglet Ruby-cr. Kinglet Bohemian Waxwing Cedar Waxwing	9 7 6 1 13 1 3 4 1	5 28 2 1 8 1 158 1 158 1 12 1	1 - - 3 - 18 - - -	2 1 31 -								
Northern Shrike Loggerhead Shrike Starling Pine Warbler Palm Warbler Yellow-rumped Warb. Com. Yellowthroat House Sparrow Eastern Meadowlark Red-w. Blackbird Baltimore Oriole	9 1 20 1 2 - 20 1 8 1	5 1 1146 1 2 970 1 3 1	- 422 - - 659 - 2	1 1043 - - 795 1 -	3 1019 - 2 777 2 -							
Rusty Blackbird Common Grackle Br-headed Cowbird Cardinal Evening Grosbeak	5 14 14 1 1 17	3 28 83 1 104	- 4 17 - 59	- 6 - 125	4 57 131							

SACKVILLE, N.B. - Christmas Bird Count Summary

<pre># times reported 1960-79</pre>	Maximum number reported	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
5 15 9 5 5	73 161 369 24 30	- 43 171 - -	- 361 4 -								
3 5 1 3	10 41 1 2	- - 20 -	3 25 - 3 -								
18 16 1 5 - 4 9 12 19 2	98 87 1 15 1 - 3 13 87 2886	58 36 - 16 2 1 - 1 9 61 1	64 45 - - 1 6 614	21 26 - - - 5 284							
1 <u>976</u> .											
5 in 197	76.										
		47 3191	47 3191	43 3661							
	5 15 9 5 5 3 5 1 3 18 16 1 10 5 - 4 9 12 19 2 19 2 19 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	$ \begin{array}{r} 5 & 73 \\ 15 & 161 \\ 9 & 369 \\ 5 & 24 \\ 5 & 30 \\ 3 & 10 \\ 5 & 41 \\ 1 & 1 \\ 3 & 2 \\ 18 & 98 \\ 16 & 87 \\ 1 & 1 \\ 10 & 15 \\ 5 & 1 \\ - & - \\ 4 & 3 \\ 9 & 13 \\ 12 & 87 \\ 19 & 2886 \\ \end{array} $ $ \begin{array}{r} 1 & 1 \\ 7 & - \\ 7 & - \\ 4 & 3 \\ 9 & 13 \\ 12 & 87 \\ 19 & 2886 \\ \end{array} $ $ \begin{array}{r} 1 & 1 \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7 & - \\ 7$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{r} 5 & 73 & - & - & - \\ 15 & 161 & 43 & - & - \\ 9 & 369 & 171 & 361 & - \\ 5 & 24 & - & 4 & - \\ 5 & 30 & - & - & - \\ 3 & 10 & - & 3 & - \\ 5 & 41 & - & 25 & - \\ 1 & 1 & - & 25 & - \\ 1 & 1 & - & - & - \\ 3 & 2 & - & - & - \\ 18 & 98 & 58 & 64 & 21 \\ 16 & 87 & 36 & 45 & 26 \\ 1 & 1 & - & - & - \\ 18 & 98 & 58 & 64 & 526 \\ 1 & 1 & - & - & - \\ 18 & 98 & 58 & 64 & 526 \\ 1 & 1 & - & - & - \\ 10 & 15 & 166 & - & 1 \\ 5 & 1 & 2 & - & - \\ - & - & 1 & - & - \\ 4 & 3 & - & - & - \\ 9 & 13 & 1 & 1 & 5 \\ 12 & 87 & 9 & 6 & - \\ 19 & 2886 & 61 & 614 & 284 \\ 1 & - & - & - \\ 19 & 2886 & 61 & 614 & 284 \\ 1 & - & - & - \\ fotal Species & 47 & 47 & 43 \end{array} $	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Sackville, New Brunswick - Summary of Christmas Bird Counts

		01			M:1.						
lear	Day covered	Observer field observers	feeders	foot	Mile car(ski-doo)		urs car	Snow cover	Temp. ^O F.	Wind(mph)	Ice conditions
960	Dec. 24	3 in 3 parties	2	27	67	10	6	1" new	11-22	5-10	
1961	Dec. 26	11 in 4-5 part.	2	33	104	16	7	12" crust	20-24	15-20	
1962	Dec. 20	9 in 4 parties	9	24	122	12	10	10"	25-5	25 gust - 45	fw frozen;
963	Dec. 20	3 in 2 parties	1	6	28	31/2	11/2	6-15" drifts	10-20	5-15	fw frozen;sw open
964	Dec. 30	5 in 3 parties	7	24	55	1412	5 ¹ 2	3-6" wet	31-34	0-5	
965	Dec. 28	8 in 4 parties	10	22	116	13 ¹ / ₂	1012	8"	-2-+14	0-2	fw pt open;
966	Dec. 27	6 in 4 parties	3.	24	121	12 3	/4 13 3/	4 2-4"fresh	-	10-15	fw frozen;sw open
967	Dec. 27	8 in 6 parties	8	46	146	29 ¹ / ₄	8 3/4	4-8"crusty	-	5-10	fw frozen;sw open
968	Dec. 23	6 in 4-5 part.	7	32	98	23 ¹ / ₂	11	bare	28-30	0-5	fw frozen;sw open
969	Dec. 21	7 in 6 parties	8	26 ¹ / ₂	$122(10\frac{1}{2})$	31 t	otal	8-10"	15-22	10-15	fw frozen;sw open
970	Dec. 22	6 in 5 parties	9	812	188(5)	19 t	otal	30-35"	8-11	15-20 gusty	fw frozen;sw frozen
971	Dec. 18	8 in 6-7 part.	9	28 ¹ / ₂	226	23 ¹ / ₂	18 ¹ / ₂	3-6" crusty	9-17	10-15 NW	fw frozen;sw open
972	Dec. 19	10 in 7-8 part.	8	411/2	242 ¹ / ₂	24	24 ¹ / ₂	6-8"	0-20	light	fw frozen;sw ice flows
973	Dec. 21	14 in 7-11 part.	7	62	271	56	18	Bare	38-45	10-15 SW gust-25	fw pt froz;sw open
974	Dec. 18	12 in 7-10 part.	6	37	256	27 ¹ / ₄	25 ¹ / ₄	Bare	38-cooling	8-10 NW	fw pt froz;sw open
975	Dec. 23	11 in 6-9 part.	0	4012	167	32	19	4-6 crusted	30-32	15-20 N to 5-10 SE	fw frozen;sw ice flows
976	Dec. 20	10 in 5-8 part.	0	33 ¹ / ₂	226 (15½)	23 ¹ / ₄	20 3/4	(3) 8-10 new	18-25	none	fw frozen;sw ice flows
977	Dec. 19	11 in 6-9 part.	0	371/2	$239.6(15\frac{1}{2})$	21.8	26 (2.	5) 10-12 cr.	30-32	8-10 NW	fw frozen;sw open
978	Dec. 18	10 in 6-8 part.	0	39	276	30	271/2	0-3 crust	32-27	3-6 inc.influrries	fw frozen;sw ice clog
979	Dec. 20	17 in 6-11 part.	1	73	209 ¹ 2	48 ¹ / ₄	28	0	2-23	0-2 N	fw frozen;sw open
980	Dec. 22	15 in 6-10 part.	0	28.8	276.3	26	34 3/4	12" powdery	-12-+6	NW9-12 to W-SW 3-6	fw frozen;swaice clogge
981 982	Dec. 21 Dec. 20	18 in 7-13 part. 15 in 6-13 part.	0 0	79 54.1	231 222.7	46 ¹ ₂ 36 ¹ ₄		3-4"powdery 4-6"fr.wet	10-28 30-36	0 - 5	fw frozen;sw open fw frozen; sw open



CHRISTMAS BIRD COUNT Sackville, N.B. - 1965 - to date Summary 1960-64 incl.

Jap	e Tormentine									
		<u>1977</u>	1978	1979	1980	1981	1982	1983	54 A	verage
#1	Murray Corner (Tingley)	-	30	26	31	23	23	38	38	28
	Rayworth Beach (Bogaard, Harries)	-	23	26	26	27	18	22	23	24
#3	Cape Spear (Erskine)	-	22	21	27	19	13	24	16	20
#4	Cape Jourimain (Smith)	28	33	39	38	40	27	43	28	34
#5	Timber River (Hicklin)	-	15	33	21	19	26	20	25	23
Sac	kville	1977	1978	1979	1980	1981	1982	1983	15 // A	• •
Sac	<u>kville</u>									•
1		<u>1977</u>	1978	<u>1979</u>	1980	1981	1982			• verage
¥1	Town of Sackville (Erskine)	<u>1977</u>	14	9	20	20	17	16	13	16
#1 #2	Town of Sackville	<u>1977</u> - -							13	
#1 #2 #3	Town of Sackville (Erskine) Westcock	<u>1977</u> - - -	14	9	20	20	17	16	13	16 23
#1 #2 #3	Town of Sackville (Erskine) Westcock (Harries) Middle Sackville	<u>1977</u> - - -	14 17	9 24	20 27	20 29	17 18	16 21	13	16 23 25
#1 #2 #3 #4	Town of Sackville (Erskine) Westcock (Harries) Middle Sackville (Bogaard) Midgic	<u>1977</u> - - - 23	14 17 33	9 24 24	20 27 23	20 29 24	17 18 22	16 21 14	13 19 15 23	16 23 25

Xmas Counts - Yearly Species Tally by Sectors

Sackville Christmas Bird Count Zone

45°53' - 64°22' - All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac; Elevation 0 -550'; Established 1960.



Sackville, New Brunswick - Summary of Christmas Bird Counts

to date

								The sports subject to be subject to the state of the		a part of the second states a second states of the	
Year	Day covered	Observer field observers	rs feeders	foot	Mile car(ski-doo)	Hou foot		Snow cover	Temp. ⁰ F.	Wind(mph)	Ice conditions
960	Dec. 24	3 in 3 parties	2	27	67	10	6	l" new	11-22	5-10	
961	Dec. 26	11 in 4-5 part.	2	33	104	16	7	12" crust	20-24	15-20	and the second second second
962	Dec. 20	9 in 4 parties	9	24	122	12	10	10"	25-5	25 gust - 45	fw frozen;
963	Dec. 20	3 in 2 parties	1	6	28	312	11/2	6-15" drifts	10-20	5-15	fw frozen;sw open
964	Dec. 30	5 in 3 parties	7	24	55	1412	512	3-6" wet	31-34	0-5	
965	Dec. 28	8 in 4 parties	10	22	116	1312	1012	8"	-2-+14	0-2	fw pt open;
966	Dec. 27	6 in 4 parties	3	24	121	12 3/	4 13 3/	4 2-4"fresh	-	10-15	fw frozen;sw open
967	Dec. 27	8 in 6 parties	8	46	146	294	8 3/4	4-8"crusty	-	5-10	fw frozen;sw open
968	Dec. 23	6 in 4-5 part.	7	32	98	23 ¹ / ₂	11	bare	28-30	0-5	fw frozen;sw open
969	Dec. 21	7 in 6 parties	8 、	26 ¹ / ₂	122(1012)	31 to	otal	8-10"	15-22	10-15	fw frozen;sw open
970	Dec. 22	6 in 5 parties	9	812	188(5)	19 to	otal	30-35"	. 8-11	15-20 gusty	fw frozen;sw frozen
971	Dec. 18	8 in 6-7 part.	9	28 ¹ / ₂	226	23 ¹ / ₂	1812	3-6" crusty	9-17	10-15 NW	fw frozen;sw open
972	Dec. 19	10 in 7-8 part.	8	411/2	242 ¹ / ₂	24	24 ¹ / ₂	6-8"	0-20	light	fw frozen;sw ice flows
973	Dec. 21	14 in 7-11 part.	7	62	271	56	18	Bare	38-45	10-15 SW gust-25	fw pt froz; sw open
974	Dec. 18	12 in 7-10 part.	6	37	256	274	251/4	Bare	38-cooling	8-10 NW	fw pt froz;sw open
975	Dec. 23	11 in 6-9 part.	0	40 ¹ 2	167	32	19	4-6 crusted	30-32	15-20 N to 5-10 SE	fw frozen; sw ice flows
976	Dec. 20	10 in 5-8 part.	0	3312	226 (1512)	234	20 3/4	(3) 8-10 new	18-25	none	fw frozen; sw ice flows
977	Dec. 19	11 in 6-9 part.	0	371/2	239.6(15 ¹ ₂)	21.8	26 (2.	5) 10-12 cr.	30-32	8-10 NW	fw frozen;sw open
978	Dec. 18	10 in 6-8 part.	0	39	276	30	27½	0-3 crust	32-27	3-6 inc.influrries	fw frozen;sw ice clog
1979	Dec. 20	17 in 6-11 part.	1	73	209 ¹ 2	481/4	28	0	2-23	0-2 N	fw frozen;sw open
980	Dec. 22	15 in 6-10 part.	0	28.8	276.3	26	34 3/4	12" powdery	-12-+6	NW9-12 to W-SW 3-6	1fw frozen; swaice clogged

ALE DO ANDERS

Ver

Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Great Cormorant																			*		t	
Great blue heron	-	-	-	-	-	-	-		• •	1	-	-	-	c.p.	-	1.	-	1.	-	-		
Canada goose	-	-	-	-	-	-	-	-	-	1	-	351	-	-	57	113	2	1		5	55	
Mallard ·	-	-	-	-	2	1	-	-	-	2	-	1	-	17	4	6	12	1	4	26	34	
Black duck	-	-	-	-	31	33	40	17	64	134	7	132	16	270	203	18	3	۷.	6	6	4	
Pintail	-	-	-	-	-	-	-		-	-	-	-	-	1	-	-	-	-	-	-	-	
Wood duck	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		1	-	
Am. green-w. teal	-	-	-	-	-	-	-	1	1.	1	-	-	-	. 1	-	-	-	-	-	-	-	
Canvasback	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Common goldeneye	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	3	Į	-	-	2	
Oldsquaw	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	
Common merganser	-	-	-	-	3	. 2	-	8	-	35	1	36	3	53	8	3	21	26	1	15	20	
Hooded merganser	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
Red-b. merganser	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	4	-	-	-	17	-	
Goshawk	-	1	• -	-	-	1	1	-	1	-	2	1	-	-	-	-	-	2	1	1	3	
Sharp-shinned hawk	-	-	-	-	c.p.	c.p.	c.p.	c.p.	1	1	2	2	1	2	2	1	1	1	c.p.	i	2	
Red-tailed hawk	-	-	-	-	-	c.p.	1	1	1	-	-	2	1	1	-	-	-	-	1	-	-	
Rough-legged hawk Peregrine Falcon	3	2	3	12	. 5	2	5	34	4	33	1	52	25	49	6	17	18	7	9	6	9	
Bald eagle	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		1	
Marsh hawk	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	-		-	
Merlin	с.р.	-	-	-	-	-	-	-	c.p.	-	-	-	-	с.р.	-	-	-	-	-		-	
Kestrel	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		-	
Sprucé grouse Gyrfalcon	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	1	-	-	-	-	
Ruffed grouse	7		1		1.1.1		2	1	1	1	-	2	-	6		-	5	2	5	1	ć	
Ruffed grouse	2	13	2	-	7	10	15	10	2	28	17	33	38	0	0	11	29	. 76	36	10	6	
Ring-n. pheasant Glaucous gull	2	15	2		/	10	15	10	2	20	17	55	30	-	0	1	29	1	1	66	134 2	
Iceland gull	-	-	-	-		1	-	-	-	-	-	-		-	-	.1	-	i	-	-	2	
	-	76	12	8	57	21	22		42	19	25	36	61	00	102	101		146	128	-	-	
Gt. black-backed gull	9	76	12	8	57	21	22	47	42	19	25	30	61	96	103	101	51	140	120	41	154	
Herring gull	105	257	136	100	159	145	107	161	147	237	37	132	252	321	308	253	148	370	414	63	169	
Ring-billed gull	-	-	-	-	-	-	c.p.	-	-	-	-	-	-	16	3	5	1	1	6	-	-	
Rock dove	22	20	21	5	36	106	69	85	82	72	45	31	129	87	112	60	305	78	233	.404	259	
Snowy owl	-	-	-	-	2	1	-	4	-	1	-	5	-	c.p.	1	2	-	-	2	-	-	
Short-eared owl	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-			-	
Mourning dove	-		-	-	-	-	-	-	-	-	-	-	-	c.p.	-	-	-	-	-	-	cp.	
Barred Owl	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Common Flicker	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-,	1	-'	-	
Red-headed woodpecker	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	

- test

and a second second

a.

	* **	. 7								
SACKVI	Ξ,	New	Brunswick	-	Christmas	Bird	Count	-	Summary	

Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981
Pileated woodpecker	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
Yellow-b. sapsucker	-	-	-	-	-	-	-	-	-	-	1.	-	-	-	-	-	-	-		-	-	
Hairy woodpecker	-	1	-	-	-	3	-	3	1	4	-	3	6	4	8	7.	3	2	4	10	9	
Downy woodpecker	-	-	2	-	1	2	-	6	10	6	1	2	5	3	10	2	5	-	3	7	10	
Black-b. 3-toed woodp.	-	-	-	-	-	-	-		2		-	-	-	-	4	. 1	1	- '	1	2	7	
woodpecker sp.				`								,								2	-	
Northern 3-toed woodp. Horned lark	1	-		-		-	7	14		7	8	4	23	1	- A	14	50	20	- 2	14	17	
Grey jay		1	c.p.	1	6	5	11	3	8	2	3	7	11	12	13	-	6	20 2	3	4	17	
Blue jay	1	6	16	10	1	57	4	43	30	55	37	75	113	76	89	44	65	77	63	216	150	
Common raven	18	18	11	12	24	29	57	101	33	111	74	110	218	120	89	74	118	107	87	91	128	
common raven	10	10			- /				00				210	120	00			107	07	5.	120	
Common crow	10	3	20	10	5	19	33	23	16	42	22	22	56	81	81	41	113	110	104	108	118	
Black-capped chickadee	4	9	.11	4	9	69	12	88	68	37	47	107	153	66	237	65	71	64	66	110	251	
Boreal chickadee	37	9	5	- '	14	29	12	62	37	10	20	21	8	23	61	23	27	17	27	37	36	
White-breasted nuthatch	-	c.p.	-	1	-	2	-	3	3	5	-	3	1	-	1	-	-	-	-	1	1	
Red-breasted nuthatch	1	c.p.	-	-	. 1	2	c.p.	1	2	-	-	-	-	-	28	-	-	-	1	-	-	
												-				-						
Brown creeper	-	-	-		- 1	-	-	-	-	-	c.p.	1	-	1	-	2	-	2	-	2	-	
Mocking bird	-	-	-	-	-	-	-	с.р.	-	-	-	-	-	-		-	-	c.p.	-	1	-	
Robin	-	c.p.	c.p.	1	1	c.p.		2	1	2	-	1	2	6	I	1	8	-	/	1	3	
Hermit thrush	10	-	-3	-	22	38	-4	-	- 8	-	-	10	2	39	158	9	12	-	21	46	10	
Golden-crowned kinglet	10	1	3	-	22	30	4	1	0		-	10	2	39	100	9	12	18	21	40	18	
Ruby-crowned kinglet	-	-	-	-	-	-	-	-		-	-	-	-	1	1	1	-	-	-	-	-	
Bohemian waxwing	-	-	-	2	-	-	-	-	9	-	-	-	12	-	-	c.p.	-	-	1	-		
Cedar waxwing	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Northern shrike	-	1	-	-	-	-	-	. 1	-	-	-	-	2	-	. 2	3	1	1	5	2	-	
Loggerhead shrike	-	-	• -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Starling	115	229	346	. 110	170	277	375	315	249	252	314	160	216	264	563	378	406	1146	335	730	422	
Pine warbler	-	-	-				-	-	-	-	-	-		-	1	-	-	1140	-	-	-	
Palm warbler	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-		-	• -		
House sparrow	168	270	504	95	259	430	314.	602	489	547	437	309	963	708	809	569	808	904	970	752	659	
Eastern meadowlark	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			-	
Yellowthroat	-	-	-	-	-	-	-	-	-	-	-	-	-	с.р.	-	-	-	-	-	-	-	

Contraction of the second second second

1

5

SI

and the state of the state

ACKY LL, NEW DIVISITOR																		1				
Species	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1
Red-winged blackbird	-	-	-	-	-	-	-	c.p.	1	1	-	1	-	1	2	-	3	1	· -	1	2	
Baltimore oriole	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rusty blackbird	-	-	-		-	2	-	-	-	-	-	3	2	1	-	с.р.	2	'-	-	-	-	
Common grackle	1	-	c.p.	-	c.p.	1	-	3	4	12	5	21	28	16	c.p.	2	15	2	1	7	4	
Brown-headed cowbird	-	5	-	-	ì	3		. 2	c.p.		-	19	13	50	83	2	6	7	2	8	17	
Cardinal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Evening grosbeak	4	6	12	-	4	c.p.	25	11	53	15	8	18	46	71	-	14	104	6	97	30	59	•
Purple finch	-	-	-	-	73	-	-	3	2	-	-	-	-	-	-	-	3	-	3	-	-	
Pine grosbeak	-	69	-	-	2	161	12	2	104	20	1	4	35	-	-	4	8	20	9	13	43	
Common redpoll	-	24	-	-	21	. 231	-	-	328	160	-	152	-	-	-	369	21	12	-	-	171	
Pine siskin	-	-	-	-	13	-	-	• -	-	-	-	6	-	-	8	-	1	-	24	-	-	
American goldfinch	-	-		-	-	-	30	-	-	-	-	-	-	21	8	-	8	-	-	9	-	
Red crossbill	-	-	-	-	4	-	10	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
White-winged crossbill	-	-	-	-	29	2	-	-	-	41	-	5	-	-	-	24	-	-	-	-	-	
Rufus-sided towhee	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	20	
Savannah sparrow	_	_	-	-	-	-	-	-	_	_	-	-	-	2	. 1	-	1	-	-	-	-	
Dark-eyed junco	c.p.	98	8	-	12	35	11	6	21	16	4	12	3	3	12	32	16	1	4	40	58	
Tree sparrow	c.p.	-	-	-	6	15		4	24	13	9	3	11	24	18	37	87	7	6	46	36	
Chipping sparrow	c.p.			_	-	15	- 15	-	64	15	-	-		-	1	57	-	-	-	-	-	
White-throated sparrow	-	-	-	-	-	٦	-	3	-	1	1	1	3	1	2	1	15	-	-	-	16 1	
Fox sparrow						1		1		1	1					-	1			-	2	
Swamp sparrow			c.p.	1	1	-	-	-	-	-	-	-	-			2		-	-	3		
Song sparrow	-	-	c.p.	i	2	-		1	-	-	-	-	-	2	3	2	13	2	-	4	1	
Lapland longspur		1	c.p.	3	-	2	1	. 1	-	2	-	_	i	5	-	1	87	14	c.p.	7	9	
Snow bunting	60	153	153	-	125	75	874	344	41	40	11	69	224	80	45	671	2886	48	1332	1184	61	
sparrow sp.	00	155	155		125	15	0/4	544	-+1	40		05	224	00	40	0/1	2000	40			1	
Unidentified waterfowl		5	4				50					40	4 A.M.				1	_		-		
Unidentified - other	3	5	8		59	1	11	-		83	7.	30	-	9	1	14	12	14	-	-		
onidentified - other	3	. 5	0	-	59	1	11	-	-	03	/	30	16	9	1	14	12	14	-	•		
Total species	19	24	21	17	36	38	27	39	38	43	29	48	35	46	46	46	52	42	43		47	
Total individuals	575	1283	1278	376	1168	1816	2134	2018	3896	2057	1149	2041	2709	2621	3166	3010	5595	3322	4028	4153	3191	

2724

and the set of the set of the set of the set of the

-

SACKV LE, New Brunswick - Christmas Bird Count - Summa

86th Audubon Christmas Count

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1985

- Area: Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.
- Coverage: December 21, 1985; 0745 1645 hours; 14 observers in 6-13 parties. Total party hours 61; 38½ on foot and 22½ hours by car. Total party miles 282 (470 km); 42 miles (70 km) on foot, and 240 miles (400 km) by car. Habitat coverage: second growth mixed woods 31%, towns and villages 25%, farms and open fields 24%, marshland 18%, sea coast 2%.
- Conditions: Cloudy, -16°C (3°F) at 0730 warming to -11°C (12°F) by noon, wind NE 5-8 kph (3-5 mph), ground covered with 25 cm (10") of new snow, drifted in open areas, freshwater frozen, salt water over 80% slush ice and flows.
- Wild Food Crop: Fair virtually no cones and few berries, weed and grass seeds available especially in wind-swept areas.

Observers: Peter Barkhouse Paul Bogaard Brian Dalzell Tony Erskine George & Pat Finney Gary Greer Hinrich Harries Randy Hicks Ron Hounsell Kathy Popma Al Smith (Compiler) Stu Tingley Rob Walker Box 212, Sackville, N.B. R.R.#1, Sackville, N.B. 87 Allison Dr, Moncton, NB ElE 2T7 Box 1327, Sackville, N.B. Lansdowne St., Sackville, N.B. Box 1927, Sackville, N.B. Box 1182, Sackville, N.B. Box 1483, Sackville, N.B. Box 1391, Sackville, N.B. 56 Weldon St., Sackville, N.B. Box 1465, Sackville, N.B. Box 1185, Sackville, N.B. Box 35, Alma, N.B. EOA 1B0 Count: Underlined species indicates that it is new to the count zone; underlined number indicates the highest ever recorded; a wavy line under the species name indicates that it is unusual.

- l <u>Great Blue Heron</u> 13 American Black Duck 22 Mallard
- 4 Common Goldeneye
- 22 Common Merganser
- 1 Sharp-shinned Hawk
- 3 Northern Goshawk
- 2 Red-tailed Hawk
- 23 Rough-legged Hawk 1 Merlin
- 203 Ring-necked Pheasant
- 11 Ruffed Grouse
- 92 Herring Gull
- 4 Iceland Gull
- 61 Great Black-backed Gull
- 256 Rock Dove
- 7 Mourning Dove
- 15 Downy Woodpecker
- 19 Hairy Woodpecker
- 2 Black-backed Woodpecker
- 3 Pileated Woodpecker
- 16 Horned Lark
- 3 Gray Jay
- 85 Blue Jay
- 183 American Crow
- 103 Common Raven
- 201 Black-capped Chickadee
- 30 Boreal Chickadee
- 2 White-breasted Nuthatch

- <u>3</u> Brown Creeper
- 41 Golden-crowned Kinglet
- 3 American Robin
- 6 Northern Shrike
- 462 European Starling
- 367 American Tree Sparrow 5 Song Sparrow
- 8 White-throated Sparrow 108 Dark-eyed Junco
- 100 bark-eyed build
- 13 Lapland Longspur
- 3060 Snow Bunting
 - 1 Red-winged Blackbird
 - 13 Rusty Blackbird
 - 26 Common Grackle
 - 22 Brown-headced Cowbird
 - 59 Pine Grosbeak
- 281 Common Redpoll
- 4 American Goldfinch 130 Evening Grosbeak
- 875 House Sparrow
- .
 - 6 Unidentified Finches
 - 1 Unidentified Gull
 - 4 Unidentified Sparrows
- 1 Unidentified Blackbird
- 2 Unidentified Hawks

Total: 49 species, 6889 individuals (42% Buntings)

Count-period Observations: (December 18 - January 5 - N.B. Naturalist count period) 1 Red-breasted Nuthatch, December 23 (K. Popma), Great Horned Owl, December 28 (R. Hounsell)

2.

Comments - Sackville Count - 1985

- Weather conditions were excellent on count day and coverage of the zone was generally good. Snow cover prevented thorough coverage of the dykes and coverage on foot (total mileage) was below average.
- (2) One species, <u>Merlin</u>, was new to the count bringing the cumulative species total of 95. The Merlin, an adult male, was observed by P. Bogaard and G. Finney at a distance of 30 m just off the Ogden Mill Road. There are count period records for Merlin in 1960, 1968, and 1973.
- (3) The single Great Blue Heron was observed just below the dam at Silver Lake. This is the fourth time a heron has been recorded on the Sackville count over its 26-year history.

Species	<u>1985 Total</u>	Previous High	(<u>Year</u>)
Common Goldeneye	4	3	(1976)
Ring-necked Pheasant	203	165	(1983)
Mourning Dove	7	1	-
Downy Woodpecker	15	10	(1980)
Hairy Woodpecker	19	10	(1979)
Pileated Woodpecker	3	1	-
American Crow	183	135	(1982)
Brown Creeper	3	2	(1984)
Northern Shrike	6	5	(1978)
American Tree Sparrow	367	87	(1976)
Dark-eyed Junco	108	98	(1,961)
Snow Bunting	3060	2886	(1976)
Rusty Blackbird	13	3	(1971)

(4) Thirteen species were recorded in record high numbers:

Pheasants and Tree Sparrows were observed in all sectors, whereas Snow Buntings were located principally on the open dyked marshlands. George and Pat Finney discovered a major "gathering" of woodpeckers just beyond Silver Lake off the Walker Road. Within a 50 m radius they discovered 6 Downy's, 6 Hairy's, 1 Black-backed, and 1 Pileated incredible.

(5) The number of species (49) recorded is above average for the Sackville count, just 3 below the record of 52 set in 1976. However, total individuals (6889) far surpasses the old record of 5595 also set in 1976. (6) Mammals observed on count day were: red squirrel - 6, red fox - 1, porcupine - 1, white-tailed deer - 1, snowshoe hare - 1 (plus lots of tracks), meadowvale - 1, coyote tracks in several locations.

With thanks to all participants and a special note of appreciation to Paul and Mary Bogaard for hosting the tally-up.

AQ

Al Smith Compiler

n . . .

4.

85th Audubon Christmas Count

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1984

- <u>Area:</u> <u>Sackville, New Brunswick</u> (45°53' 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.
- <u>Coverage</u>: December 17, 1984, 0735 1700 hours; 16 observers in 6-11 parties. Total party hours 63 3/4; 38 1/2 hours on foot and 25 1/4 hours by car. Total party miles 322 (581 km); 43 miles (69 km) on foot, 279 miles (449 km) by car. Habitat coverage: second growth mixed woods 34%, farms and open fields 26%, marshland 18%, towns and villages 14% and seacoast 8%.
- <u>Conditions</u>: Overcast with periods of fog and mist (between 8 AM 1 PM) reducing visibility, specially along the coast; temperature +6°C (43°F) at 0730 warming to 10°C (50°F) by noon then cooling toward dusk; wind <u>strong</u> SW 30-50 kph (20-30 mph) in the morning diminishing to SW 15-30 kph (10-20 mph) by 1 PM further diminishing to light by dusk; ground bare and only partially frozen, fresh-water mostly frozen except streams and runs, salt water open.
- <u>Wild Food Crop</u>: Good a general abundance of seeds and berries, heavy cone crop on <u>some</u> white spruce and larch, no evidence of field voles and obviously the population is at a very low level.

Observers:	Peter Barkhouse	RR #1, Oxford Jct. Cumb. Co. N.S. BOM 1R0
	Felix Baerlocker	Biology Dept, Mt. Allison Univ. Sackville, N.B.
	Paul Bogaard	RR #1, Sackville, N.B. EOA 3CO
	Tony Erskine	Box 1327, Sackville, N.B. EOA 3CO
	Jocelyne Gauvin	Grand Digue, West Co. N.B.
	Eugene Goodrich	Box 1443, Sackville, N.B. EOA 3CO
	Hinrich Harries	Box 1182, Sackville, N.B. EOA 3CO
	Alan Hanson	Box 1512, Sackville, N.B. EOA 3CO
•	Randy Hicks	Box 1483, Sackville, N.B. EOA 3CO
	Ron Hounsell	Box 1391, Sackville, N.B. EOA 3CO
	David Kean	Box 1739, Sackville, N.B. EOA 3CO
	Colin & Nancy McKinnon	Box 152, Sackville, N.B. EOA 3CO
	Kathy Popma	Box 658, Sackville, N.B. EOA 3CO
	Al Smith (Compiler)	Box 1465, Sackville, N.B. EOA 3CO
	Stu Tingley	Box 1185, Sackville, N.B. EOA 3CO

Cou	nt: Underlined species indicates numbers indicates highest species name indicates an	ever rec	orded; a wavy line under the
1	Green-winged Teal	25	Boreal Chickadee
113	American Black Duck	3	Red-breasted Nuthatch
5	Mallard	2	Brown Creeper
13	Common Merganser	36	Golden-crowned Kinglet
3	Rough-legged Hawk	1	Northern Shrike
1	falcon, sp.	579	European Starling
20	Ring necked Pheasant	1	Northern Cardinal
8	Ruffed Grouse	31	American Tree Sparrow
113	Herring Gull	2	Song Sparrow
7	Iceland Gull	17	Dark-eyed Junco
93	Great Black-backed Gull	3	Lapland Longspur
• 1	alcid, sp.	490	Snow Bunting
270	Rock Dove	1	Common Grackle
1	Snowy Owl	24	White-winged Crossbill
1	Downy Woodpecker	40	Common Redpoll
15	Horned Lark	1	American Goldfinch
21	Blue Jay	97	Evening Grosbeak
111	American Crow	550	House Sparrow
89	Common Raven	2	unidentified sparrow
90	Black-capped Chickadee	1	unidentified raptor

1 unidentified songbird

Total: 38 species, 2883 individuals

Count-period Observations: Species recorded during count period but not on count day were; 45 Canada Goose (Dec. 15th), 1 Sharp-shinned Hawk (Dec. 18th), 1 Dickcissel (Dec. 20th). Comments - Sackville Count 1984

- (1) 25 YEARS With the completion of the 1984 Sackville Xmas Count the zone has been continuously counted for a quarter-century. Began in 1960 when three observers spent 16 hours on Dec. 24th, recording 19 species and 575 individual birds, the count has grown in popularity with annuarly from 15-17 observers recording on average 40+ species. One of the original participants, and founder of the count Tony Erskine continues to actively participate in the annual event.
- (2) For the third year in a row the Sackville count has been cursed with miserable weather, strong to storm force winds, combined with periods of poor visibility on count day 1984 certainly accounted for low number of species and individuals recorded. Road conditions were poor with some marsh roads being too muddy and slippery for vehicle passage. Coverage was average in terms of party hours, but mileage was down considerably.
- (3) One species was new to the count zone bringing the cumulative species total for the zone to 94. - alcid sp. - a large alcid was briefly observed by Smith, Hanson and Kean, a close range (< 100 yds) flying inland up the Aulac River. The bird was observed (via binoculars) for less than 20 seconds as it flew past the observers. The characteristic (large alcid) flight and color features were noted and the bird had a "large bill" appearance which prompted Smith to tentatively identify it as a Razorbill. However, due to the poor visibility (fog and steady mist) it was decided to record the bird as alcid sp. as it could have been a Thick-billed Murre.
- (4) Species unusual to the count were: - falcon, sp. - a large dark falcon was observed by Smith, Kean and Hanson flying across the mouth of the Tantramar River toward Westcock at 10:15 AM. The bird was too far away to positively identify, but it was probably a dark phase Gryfalcon. A dark phase Gry had been observed by Paul Bogaard at Westcock on two occassions during the previous two weeks. - Northern Cardinal - a male observed at Harries' feeder on Squire Street. The bird had been present in the Weldon-Squire Street area for several weeks and is the third record of a Cardinal on the Sackville Count. The previous two records were birds observed at the Calkins feeder in 1973 and 1983. - Green-winged Teal - a single bird observed in the open run from Fillmores' Hole in the Tintamarre National Wildlife Area. This is the fifth record of a Green-winged Teal on the Sackville count.

(5) The number of species (38) and individuals (2883) are well below average.

Mammals observed on count day were; Snowshoe Hare - 2, Muskrat - 1. (6) red squirrel - 2, short-tailed weasel - 1, Racoon - fresh tracks, skunk (smell).

With sincere thanks to all participates and good birding in 1985.

Al Smith Compiler

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1983

Area: Sackville, New Brunswick (45°53' - 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.

- Coverage: December 19, 1983, 0745 1630 hours; 17 observers in 7-11 parties. Total party hours 58¼; 38¾ hours on foot and 19½ hours by car. Total party miles 338 (564 km); 66 miles (110 km) on foot, 272 miles (454 km) by car. Habitat coverage: second growth mixed woods 36%, dyke and marshland 21%, towns and villages 20%, farms and open upland fields 18%, sea coast 5%.
- <u>Conditions</u>: Overcast with near continuous light snow from 0800 to 1300 hours reducing visibility to <1 mile at times, cloudy in the PM. Temperature -10°C (14°F) at 0800 moderating to -6°C (21°F) by noon then cooling to -12°C (10°F) by 1630 hours; wind E 5-10 kph (3-6 mph) in the AM changing NE 10-15 kph (6-9 mph) by late afternoon; ground covered with 5-10 cm (2-4") of fresh snow, freshwater frozen except running streams, salt water open.
- <u>Wild Food Crop</u>: Fair abundance of fleshy fruits especially rose hips, no cones at all on fir and spruce, abundant meadowvole population.

<u>Observers</u> :	Peter Barkhouse Brian Dalzell Steve Daniel Tony Erskine Gay Hansen Alan Hanson Hinrich Harries Peter Hicklin Randy Hicks Ron Hounsell Etta Hudgins Reid McManus Bruce McWhirter Harold Popma Al Smith (Compiler) Stu Tingley Susan Williams	Box 212, Sackville, N.B. 87 Allison Dr., Moncton, N.B. General Delivery, Wolfville, N.S. Box 1327, Sackville, N.B. Box 1453, Sackville, N.B. Box M38, Mt. Allison Univ., Sackville, N.B. Box 1182, Sackville, N.B. Box 1782, Sackville, N.B. Squire Street, Sackville, N.B. Box 1391, Sackville, N.B. Box 776, Sackville, N.B. Memramcook, N.B. Box M807, Mt. Allison Univ., Sackville, N.B. 56 Weldon St., Sackville, N.B. Box 1465, Sackville, N.B. Box 1185, Sackville, N.B. Box 1355, Sackville, N.B.
	Susan with falls,	DUX 1555, SACKVIITE, N.D.

- Count: Underlined species indicates new to the count zone; underlined numbers indicates highest ever recorded; a wavy line under the species name indicates an unusual species.
- 27 Canada Goose
- 88 American Black Duck
- 6 Mallard
- 11 Common Merganser
- 20 Red-breasted Merganser
- 12 Northern Harrier
- 1 Northern Goshawk
- 4 Red-tailed Hawk
- 38 Rough-legged Hawk
- 1 Gyrfalcon
- 165 Ring-necked Pheasant
 - 4 Ruffed Grouse
 - 66 Herring Gull
 - 47 Great Black-backed Gull
- 291 Rock Dove
 - 1 Downy Woodpecker
 - 4 Hairy Woodpecker
 - 1 Black-backed Woodpecker
 - 3 Horned Lark
 - 4 Gray Jay
- 50 Blue Jay
- 130 American Crow
 - 64 Common Raven

Total: 40 species, 2999 individuals

<u>Count-period Observations</u>: Species recorded during count week (December 16 -December 22) but not on count day were: Snowy Owl, Sharp-shinned Hawk, Mockingbird, and Bohemian Waxwing.

- 69 Black-capped Chickadee
- 19 Boreal Chickadee
 - 1 Red-breasted Nuthatch
- 13 Golden-crowned Kinglet
- 4 American Robin
- 1 Northern Shrike
- 681 European Starling
 - 1 Northern Cardinal
 - 84 American Tree Saprrow
 - 1 White-throated Sparrow *
 - 21 Dark-eyed Junco
 - 31 Snow Bunting
 - 3 Common Grackle
 - 29 Common Redpoll
 - 5 American Goldfinch
- 114 Evening Grosbeak
- 873 House Sparrow
 - 1 Unidentified Sparrow
 - 8 Unidentified Songbirds
 - 2 Unidentified Woodpeckers

Comments - Sackville Count - 1983

- Weather conditions on count day were poor and undoubtedly account for the low species and individual tallies. Visibility was poor throughout the morning due to near continuous light snow. However, travel throughout the count zone was good and both party hours and miles were average for the count.
- (2) No species was new to the count, however, three species Red-breasted Merganser, Northern Harrier, and Ring-necked Pheasant - were recorded in record high numbers.
- (3) Species unusual to the count were:

- <u>Gyrfalcon</u> - reported by Harries and Hounsell in the same location (Westcock Marsh) as the 1979 Gyrfalcon was observed. The bird was "uniformly dull dark brown" and was observed pursuing a "robin-sized" songbird and "exploring" a flock of swimming Black Ducks. A large falcon was also briefly observed by Smith and McWhirter under very poor observational conditions, but at close range flying along the dyke below Fort Beausejour. That bird appeared to have a light, but heavily-streaked breast and uniformly dull on its back. It was tentatively identified as a Peregrine Falcon, but it is likely the same bird that Hounsell and Harries observed about three hours later and about two miles distant from this earlier observation.

- Northern Cardinal - an immature observed by Erskine and Daniel at Lee Calkins' feeder on Maple Avenue. The bird had been present for several weeks. The only other cardinal record was in 1973.

- (4) The numbers of gulls recorded were record low and correlates directly with the closure of the Sackville Town Dump on 1 November 1983.
- (5) The number of species (40) and total individuals (2999) are below average and is likely partly due to the poor weather conditions on count day.
- (6) Mammals observed on count day were: red fox 1 plus tracks, meadowvoles very abundant.

With thanks to all participants.

Al Smith, Compiler

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1982

- Area: Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.
- Coverage: December 20, 1982, 0745 1630 hours; 15 observers in 6-13 parties. Total party hours 65; 36¹/₄ hours on foot and 28³/₄ hours by car. Total party miles 276.8 (461.3 km); 54.1 miles (90.2 km) on foot, 222.7 miles (371.1 km) by car. Habitat coverage: second growth mixed woods 19¹/₂ hours (30%), farms and open fields 18¹/₂ hours (28%), towns and villages 12³/₄ hours (20%), dyked marshland 9³/₄ hours (15%), seacoast 4¹/₂ hours (7%).
- Conditions: Overcast, continuous snow to 0900 changing to flurries, changing to intermittant light rain by noon, visibility poor throughout the day, temperature -1°C (30°F) at 0800 warming to +2°C (36°F) by noon, wind NE 15-20 kph (10-12 mph) in the AM decreasing to 10-15 kph (6-10 mph) in the PM; ground covered with 4-6" (10-12 cm) of fresh, wet snow; freshwater frozen except for running streams, salt water open.
- <u>Wild Food Crop</u>: Good, abundant berries, especially wild rose, plenty of weed and grass seeds available, cone crop poor except for white spruce in edge situations.
- Observers: Peter Barkhouse, Paul Bogaard, Brian Dalzell, Tony Erskine, Jocelyne Gauvin, Gay Hansen, Hinrich Harries, Peter Hicklin, Randy Hicks, Etta Hudgins, Don Kimball, Bill Prescott, Al Smith (Compiler, P.O. Box 1465, Sackville, New Brunswick, EOA 3CO), Stuart Tingley, Ian Walker.

- <u>Count</u>: Underlined species indicates new to the count zone; underlined numbers indicates highest ever recorded, a wavy line under the species name indicates an unusual species.
- 14 Mallard
- 11 Black Duck
- 1 Common Goldeneye
- 3 Common Merganser
- 2 Red-breasted Merganser
- 1 Goshawk
- 1 Sharp-shinned Hawk
- 5 Red-tailed Hawk
- 32 Rough-legged Hawk
- 1 Bald Eagle
- 1 Marsh Hawk
- 4 Ruffed Grouse
- 101 Ring-necked Pheasant
 - 2 Glaucous Gull
 - 1 Iceland Gull
- 217 Great Black-backed Gull
- 293 Herring Gull
- 244 Rock Dove
 - 1 Mourning Dove
 - 1 Snowy Owl
 - 1 Hairy Woodpecker
 - 1 Downy Woodpecker
 - 1 Black-backed Three-toed Woodpecker
- 39 Horned Lark
- 69 Blue Jay

Total: 43 species, 3661 individuals

<u>Count-period Observations</u>: Species observed during count period (December 17-23) were: American Robin 1, Mockingbird 1.

- 111 Common Raven
- 135 Common Crow
 - 9 Black-capped Chickadee
- 12 Boreal Chickadee
- 15 Golden-crowned Kinglet
- 3 Northern Shrike
- 1019 Starling
 - 2 Yellow-rumped Warbler
 - 777 House Sparrow
 - 2 Red-winged Blackbird
 - 4 Common Grackle
 - 57 Brown-headed Cowbird
 - 131 Evening Grosbeak
 - 21 Dark-eyed Junco
 - 26 Tree Sparrow
 - 1 White-throated Sparrow
 - 5 Song Sparrow
 - 284 Snow Bunting

Comments - Sackville Count - 1982

- (1) Conditions were not favourable with slippery roads and poor visibility. However, coverage of the count zone was generally good with party hours down only slightly and party miles equivalent to the average for the last five years.
- (2) One species, Yellow-rumped Warbler, was new to the Sackville Count Zone, bringing the cumulative species tally for the zone to 93.
 - <u>Yellow-rumped Warbler</u> two observed by Harries and Hicks, close observation for several minutes in shrubby old field vegetation at the Woodpoint quarry.
- (3) Species unusual to the count were:
 - <u>Bald Eagle</u> a 3¹/₂ year old bird (white tail, white flecks in head, underwing still largely brown) observed by Barkhouse and Smith flying along Cumberland Basin then over land below Fort Beausejour.
 - Mourning Dove a single bird observed in Middle Sackville by Bogaard, Hansen, and Dalzell. This is the second year in a row that a single Mourning Dove has been recorded on the count.
- (4) Species occurring in record high numbers were Red-tailed Hawk (5), Black-backed Gull (217), Crow (135), and Evening Grosbeak (131).
- (5) The number of species recorded (43) was below average for the count and is probably partly due to the poor weather conditions on count day. As with the Cape Tormentine count, there were virtually no winter finches.
- (6) Mammals observed on count day were: red squirrel 8, snowshoe hare (tracks), red fox (tracks), coyote (?).
- (7) The Sackville Xmas Count has been run continuously since 1960 (23 years). The originator of the count (Tony Erskine) continues to be an active participant although he was absent from the count for the nine year period 1968 to 1976 while residing in Ottawa. Hinrich Harries started participating in the Sackville Count in 1963 and Al Smith began a year later, followed by McManus (1966), Hounsell (1967), and Tingley (1972). We have been most fortunate to keep a steady core of field observers over the years as it allows for more thorough and consistent coverage of the count zone.

Regular observers with over five years participation on the Sackville Count are:

Al Smith	19 years	(continuous since 1964)
Hinrich Harries	18 years	(since 1963, missed 1973 and 1978)
Ron Hounsell	14 years	(since 1967, missed 1969 and 1982)
Tony Erskine	13 years	(1960-67 and 1978 to present)
Stuart Tingley	ll years	(continuous since 1972)
Paul Bogaard	10 years	(since 1971, missed 1975 and 1976)
Bill Prescott	10 years	(since 1974 and 1962)
Peter Barkhouse	8 years	(continuous since 1975)
Reid McManus	8 years	(intermittently since 1966)
Peter Hicklin	6 years	(continuous since 1977)

With sincere thanks to all participants and good birding in 1983.

Al Smik

A. D. Smith, Compiler

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1981

- <u>Area:</u> <u>Sackville, New Brunswick</u> (45⁰53' 64⁰22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.
- Coverage: December 21, 1981, 0640 1710 hours; 18 observers in 7-13 parties. Total party hours 72½ plus one hour owling; 46½ hours on foot and 26 hours by car. Total party miles 278.4 (464 km); 47.4 miles (79 km) on foot, 231 miles (385 km) by car. Habitat coverage: second growth mixed woods 31 hours (43%), farms and open fields 13 hours (18%), dyked marshland 11½ hours (16%), towns and villages 10½ hours (14%), and sea coast 6½ hours (9%).
- <u>Conditions</u>: Sunny, temperature -14°C (10°F) at 0730 moderating to -4°C (28°F) by 1400 hours; wind 0-8 kph (0-5 mph) all day; ground covered with 7-10 cm (3-4") of light powdery snow, most freshwater frozen, salt water open.
- <u>Wild Food Crop</u>: Fair, virtually no cones at all on conifer species, weed and grass seeds available to ground foragers, but generally very few berries and very few apples on wild apple trees. Very little sign of meadow mice.
- Observers: Peter Barkhouse, Greg Belyea, Paul Bogaard, Tony Erskine, Gay Hansen, Hinrich Harries, Carrie and Peter Hicklin, Randy Hicks, Ron Hounsell, Etta Hudgins, Bob Lamberton, Lance Laviolette, Colin MacKinnon, Reid McManus, Chris Prescott, Al Smith (Compiler, P.O. Box 1465, Sackville, New Brunswick EOA 3CO), Stuart Tingley.

- <u>Count</u>: Underlined species indicates new to the count zone; underlined number indicates highest ever recorded; a wavy line under the species name indicates an unusual species; and the word 'low' after the number indicates an unusually low number.
 - 1 Common Loon
 - 43 Canada Goose
 - 21 Mallard
 - 255 Black Duck
 - 1 Wood Duck
 - 1 Ring-necked Duck
 - 21 Common Merganser
 - 10 Red-breasted Merganser
 - 2 Sharp-shinned Hawk
 - 3 (low) Rough-legged Hawk
 - 12 Ruffed Grouse
 - 18 (low) Ring-necked Pheasant
 - 1 Iceland Gull
 - 114 Great Black-backed Gull
 - 312 Herring Gull
 - 214 Rock Dove
 - 1 Mourning Dove
 - 1 Ow1 sp.
 - 1 Pileated Woodpecker
 - 6 Hairy Woodpecker
 - 4 Downy Woodpecker
 - 1 Black-backed Three-toed Woodpecker
 - 19 Horned Lark
 - 3 Grey Jay
 - 99 Blue Jay
 - 125 Common Raven

Total: 49 species, 4785 individuals.

- 87 Common Crow
- 246 Black-capped Chickadee
- 22 Boreal Chickadee
 - 2 White-breasted Nuthatch
 - 1 Brown Creeper
- 1 Mockingbird
- 1 Brown Thrasher
- 31 Golden-crowned Kinglet
- 1 Northern Shrike
- 1043 Starling
- 795 House Sparrow
 - 1 Red-winged Blackbird
 - 6 Common Grackle
- 125 Evening Grosbeak
- 361 Common Redpoll
 - 4 Pine Siskin
 - 3 Red Crossbill
- 25 White-winged Crossbill
- 64 Dark-eyed Junco
- 45 Tree Sparrow
- 1 Song Sparrow
- 6 Lapland Longspur
- 614 Snow Bunting
 - 3 Unidentified Finch
 - 8 Unidentified Gulls

Seen during count period (December 18 - December 25), but not on count day were Short-eared Owl (December 20), Bohemian Waxwing (December 20 and January 1, 1982), and additional records for the New Brunswick Naturalist count period were Cowbird (December 31), Yellowthroat (January 3, 1982).

Comments - Sackville Count - 1981

- Conditions on count day were excellent and coverage of the count zone was good.
- (2) Three species were reported new to the count zone:
- <u>Common Loon</u> a severely weakened bird observed by Smith sitting on the ice edge near the junction of the Aulac and LeCoup Rivers. The bird was approached to within 15 feet and it did not move from its resting place. It was undoubtedly an injured bird and was very close to death when observed on count day.
- <u>Mourning Dove</u> observed at Middle Sackville by Peter Hicklin. It is amazing that that species has never been reported on count day before as it has been an annual late fall visitor to the Sackville area for the past 5-6 years and was recorded in count period during 1979 and 1980.
- Brown Thrasher observed by Harries and Hounsell at the Harries' feeder on Squire Street. The bird was in daily attendance at the feeder through the period Dec. 15-31, feeding on seeds and suet. It was closely observed by both persons "with long narrowly fan-shaped tail; strong but slender and slightly curved beak; with thrush colour pattern, reddish-brown above, whitish underneath with strong dark streaking".
- (3) Other notable species were:
- <u>Wood Duck</u> a male observed by Peter Barkhouse near Hog Lake. The species was recorded only once previously (1979).
- <u>Ring-necked Duck</u> a single bird recorded for the second year in a row on this count. It was observed at Fillmores Hole by Smith.
- <u>Mockingbird</u> observed by Laviolette and Erskine on Charles Street in Sackville. The bird has been in the area throughout the fall.
- (4) The number of species observed (49) is above average for the Sackville Count and the number of individuals (4785) is the second highest ever recorded. Almost 22% of the total birds tallied were Starlings.
- (5) With the addition of the three new species the cumulative species tally for the Sackville Count now stands at 92.
- (6) As with the Cape Tormentine Count, very few hawks were observed with the lowest number of Rough-legged Hawks for the past 10 years.
- (7) Mammals observed on count day were: 4 red squirrel, 2 muskrat, l skunk, plus numerous tracks of deer, porcupine, snowshoe hare, weasel, a mink, several meadow vole and a cat species.

With sincere thanks to all participants.

A. D. Smith Compiler 3.

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1980

- <u>Area</u>: Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac. Elevation 0-550'. Established 1960.
- Coverage: December 22, 1980, 0745 1700 hours; 15 observers in 6-10 parties. Total party hours 60 3/4 (26 hours on foot, 34 3/4 hours by car). Total party miles 305.1 (508.5 km); 28.8 miles (48.0 km) on foot, 276.3 miles (460.5 km) by car. Habitat coverage: second growth mixed woods 16 3/4 hours (27.6%), farms and open fields 12 hours (19.8%), dyked marshland 7 1/2 hours (12.3%), sea coast 2 hours (3.3%), towns and villages 22 1/2 hours (37%).
- Conditions: Sunny and extremely cold, temperature -25°C (-12°F) at 0730 warming slightly to -14°C (+6°F) by 1430 hours, wind NW 15-20 kph (9-12 mph) in early morning diminishing and shifting to W-SW 5-10 kph (3-6 mph) by early afternoon, ground covered by approximately 30 cm (12 inches) of light powdery snow, fresh water frozen except outlet of Morice Lake and Front Lake (Jolicure), salt water heavily clogged with ice flows.
- <u>Wild Food Crop</u>: Fair, very few cones except on some white spruces at the edge of settlement areas, weed and grass seed available in areas that were windswept, abundant apples in old orchards and on wild apple trees.
- Observers: Peter Barkhouse, Paul Bogaard, Ian Cameron, Tony Erskine, Mike Ferguson, Hinrich Harries, Peter Hicklin, Randy Hicks, Ron Hounsell, Bob Lamberton, Colin MacKinnon, Bill Prescott, Al Smith (compiler, P.O. Box 1465, Sackville, New Brunswick, EOA 3CO), Ralph Stopps, Stuart Tingley.

2.

- Count: Underlined species indicates new to the count zone; underlined number indicates highest ever recorded.
 - 1 Great Cormorant
 - 55 Canada Goose
 - 34 Mallard
 - 4 Black Duck
 - 1 Ring-necked Duck
 - 2 Common Goldeneye
 - 20 Common Merganser
 - 2 Hooded Merganser
 - 3 Goshawk
 - 2 Sharp-shinned Hawk
 - 9 Rough-legged Hawk
 - 1 Peregrine Falcon
 - 6 Ruffed Grouse

134 Ring-necked Pheasant

- 2 Glaucous Gull
- 154 Great Black-backed Gull
- 169 Herring Gull
- 259 Rock Dove
 - 9 Hairy Woodpecker
- 10 Downy Woodpecker
- 7 Black-backed 3-toed Woodpecker
- 17 Horned Lark
 - 3 Grey Jay
- 150 Blue Jay
- 128 Common Raven .
- 118 Common Crow

Total: 47 species, 3191 individuals

Seen during count period (December 19 - 25, 1980) but not on count day were Mourning Dove (4), Short-eared Owl (2), American Kestrel (1), Bohemian Waxwing, and Brown Creeper.

- 251 Black-capped Chickadee
- 36 Boreal Chickadee
- 1 White-breasted Nuthatch
- 3 American Robin
- 18 Golden-crowned Kinglet
- 422 Starling
- 659 House Sparrow
 - 2 Red-winged Blackbird
 - 4 Common Grackle
 - 17 Brown-headed Cowbird
 - 59 Evening Grosbeak
- 43 Pine Grosbeak
- 171 Common Redpoll
- 20 Finch sp.
- 58 Dark-eyed Junco
- 36 Tree Sparrow
- 1 Field Sparrow
- 2 Fox Sparrow
- 16 White-throated Sparrow
- 1 Song Sparrow
- 1 Sparrow sp.
- 9 Lapland Longspur
- 61 Snow Bunting

Comments - 1980:

(1) Coverage of the count zone was good despite the severely cold conditions. Overall party hours was down by 20% over the high in 1979, and foot mileage was significantly less than in other recent years.

(2) Four species were reported new to the count zone:

- Great Cormorant observed by Tingley, MacKinnon, and Ferguson sitting on the ice edge next to a small patch of open water on the Missaquash Marsh.
- <u>Ring-necked Duck</u> a single bird (probably injured) observed in the same open water on the Missaquash Marsh.
- Peregrine Falcon observed intermittently by Harries, Hicks, and Hounsell for an hour between 12:00 noon and 1:00 PM at the base of Westcock Hill and adjacent areas of the Westcock Marsh. Observation from as close as 60 meters - "considerably smaller than a simultaneously observed Rough-legged Hawk, with narrow wings and tail, upright posture when sitting, upper side evenly dull dark brown, lower side whitish, with light brown streaks on breast, side of head with clearly observed mustache".
- <u>Field Sparrow</u> well observed by Hicklin and Prescott at Bill Johnstone's feeder in Upper Sackville. Observed with binoculars for 5-8 minutes sitting on a branch - "slightly larger than Tree Sparrow, rusty cap, white eye ring, brownish back, two fuzzy wing bars, whitish-grey breast, and greyish flanks - no barring or spotting".

(3) Other species notable due to numbers or their presence were:

- Ring-necked Pheasant a record high of 134 individuals observed and undoubtedly accounts for the presence of the Peregrine Falcon and probably the number (3) of Goshawks that were reported.
- Glaucous Gull an adult and immature were present at the Town Dump in Sackville.
- Black-backed Three-toed Woodpecker a record high of 7 recorded probably due to the large number of budworm killed fir and spruce.
- Fox Sparrow a single bird reported by Hicklin at Johnstone's feeder in Upper Sackvile, and a single bird observed by Tingley in Point de Bute.
- White-throated Sparrow a record high of 16 reported, many observed at feeders.

(4) The number of species reported (47) was the same as in 1979 and is slightly above average for this count.

(5) With the addition of the four new species in 1980, the Sackville count has recorded 89 species of birds over its 21 year history.

(6) Mammals observed on count day were: red squirrel 4, snowshoe hare 1 plus numerous tracks, white-tailed deer 1, red fox 2.

With sincere thanks to all participants.

Al Smith

Al Smith, Compiler.

P.S. Also observed during count period for the New Brunswick Naturalist (December 20 - January 4) was an immature Bald Eagle at Westcock on December 27 and 29.

CHRISTMAS BIRD COUNT

SACKVILLE, NEW BRUNSWICK

1979

- Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile Area: diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac; Elevation 0-550'. Established 1960.
- Coverage: December 20, 1979, 0728 to 1645 hours; 17 field observers in 6-11 parties and one feeder watcher. Total party hours 774 (484 hours on foot, 28 hours by car and 1 hour at feeders). Total party miles $282\frac{1}{2}$ (452 km); 73 miles (118 km) on foot, $209\frac{1}{2}$ miles (335 km) by car. Habitat coverage: second growth mixed woods 26 hours (34%), farms and open fields $14\frac{1}{4}$ hours (18%), dyked marshland 2114 hours (27%), sea coast 414 hours (6%), towns and villages 11½ hours (15%).
- Conditions: Clear and sunny all day, temperature -17°C (2°F) at 0715 warming to -5°C (23°F) by noon; wind very light northerly (0-2 mph); negligible snow cover; fresh water mostly frozen, salt water open with numerous small ice flows.
- Wild Food Crop: Poor virtually no cone crop at all and few weeds and grasses had any amount of seeds. Wild fruits and berries were nonexistent. Only rosehips were available in abundance. The poor wild food crop reflects the miserable growing season experienced during the summer and fall of 1979 due to excessive rainfall.
- Observers: Peter Barkhouse, Myrtle Bateman, Paul Bogaard, Ian Cameron, Tony Erskine, Hinrich Harries, Frank Hennessey, Bob Lamberton, Colin MacKinnon, Edith Miller (feeder watcher), Michael Miller, Dale Morton, Bill Prescott, Al Smith (compiler: P.O. Box 1465, Sackville, N.B., EOA 3CO), Francis Spalding, Stuart Tingley, Ian Walker, Ron Hounsell.
- Count: Underlined species indicates new to the count zone; underlined number indicates highest ever recorded.
 - 5 Canada Goose
 - 26 Mallard
 - 6 Black Duck
 - 1 Wood Duck
 - 1 Hooded Merganser
 - 15 Common Merganser
 - 17 Red-breasted Merganser
 - 1 Goshawk
 - 1 Sharp-shinned Hawk
 - 6 Rough-legged Hawk
 - 1 Gyrfalcon
 - 10 Ruffed Grouse
 - 66 Ring-necked Pheasant
 - 41 Great Black-backed Gull
 - 63 Herring Gull
 - 404 Rock Dove
 - 1 Barred Owl
 - 10 Hairy Woodpecker
 - 7 Downy Woodpecker
 - 2 Black-backed 3-toed Woodpecker 46 Tree Sparrow
 - 2 Woodpecker sp.
 - 14 Horned Lark
 - 4 Grey Jay
 - 216 Blue Jay

Total: 47 species, 4153 individuals.

- 91 Common Raven
- 108 Common Crow
- 110 Black-capped Chickadee
- 37 Boreal Chickadee
- 1 White-breasted Nuthatch
- 2 Brown Creeper
- 1 Mockingbird
- 1 American Robin
- 46 Golden-crowned Kinglet 2 Northern Shrike
- 730 Starling
- 752 House Sparrow
- 1 Red-winged Blackbird 7 Common Grackle
 - 8 Brown-headed Cowbird
 - 30 Evening Grosbeak
 - 13 Pine Grosbeak
 - 9 American Goldfinch
 - 40 Dark-eyed Junco

 - 3 Swamp Sparrow
 - 4 Song Sparrow
 - 7 Lapland Longspur
 - 1184 Snow Bunting

Comments:

- Conditions were perfect and coverage of the count zone was excellent with the largest number of observers ever, as well as highest number of party miles and hours for the Sackville Count zone.
- (2) Five species were new to the count zone:
 - <u>Wood Duck</u> a male in full plumage flushed at close range (<u>/</u>10 meters) by Peter Barkhouse near the outlet of Front Lake on the Tintamarre National Wildlife Area. The bird was observed by both Barkhouse and Smith for up to two minutes as it circled the area.
 - <u>Hooded Merganser</u> (female) observed by Peter Barkhouse at Morice Creek at distances of <u>/</u>20 meters with binoculars, and flushed twice. The bird was first observed in the same area on December 14 by Barkhouse and Smith and was still in that location on December 24.
 - <u>Gyrfalcon</u> a dark phase Gyr was observed by two field parties on the dyked marshland near the mouth of the Tantramar River. Harries and Hounsell first observed the bird at about 1230 sitting on a barn on the Westcock Marsh. The bird was viewed from a distance of about 20 meters for 5 minutes "a buteo-sized bird, monotonously earth-brown without any color pattern, was strikingly tame allowing close approach then flew, in a northerly direction toward the Ram Pasture, showing narrow pointed wings and narrow tail, wing beat relatively slow".

Barkhouse, Morton, and Smith observed a Gyrfalcon, which was undoubtedly the same bird, at 1430 sitting on the top of the dyke near the mouth of the Aulac River some 1.8 miles from where Hounsell and Harries observed the bird two hours earlier. The bird was approximately ½ km from the observers and sitting on the dyke. It was first thought to be a dark phase Rough-legged Hawk. However, the bird flushed and flew diagonally in front of the observers toward the CBC station and "typical falcon characteristics were noted - pointed wings and a long tapering tail, the flight was slow but direct and low over the ground, the bird appeared uniformly dark in coloration with no conspicuous pattern".

- Barred Owl observed by Tony Erskine in the woods at the Sackville Quarry. A Barred Owl had been observed in the same area two weeks earlier.
- Mockingbird observed by Edith Miller at her feeder on Milner Avenue. The bird had been attending the feeder for several days previous to count day. A Mockingbird was observed by Gordon Burns on Pringle Street in early December and one was reported in early January Anear the Sackville Medical Centre. Mockingbirds have been recorded during count period in two previous years, 1967 (in Westcock at Stallworthy's feeder) and in 1977 at McCormack's feeder on Charles Street.
- (3) There was an unusually large number of Mallards reported (26) mostly at Morice Creek and the numbers of Blue Jays (216) exceeded the previous high of 113 in 1972 by a wide margin.
- (4) The number of species reported (47) is slightly above average (45 species) since 1970. Record high for the Sackville count was 52 species in 1976. The number of individuals (4153) was well above average but well below the record number of 5595 recorded in 1976.

Comments - continued

- (5) With the addition of the five new species the Sackville Christmas Count celebrates its twentieth anniversary by having recorded 85 species of birds.
- (6) <u>Mammals</u> observed on count day were: Red Squirrel 11, Snowshoe Hare 1 and numerous tracks, Red Fox 1 and tracks, and Meadow Vole 1.

With sincere thanks to all participants and good birding in 1980.

Al Smith

Al Smith Compiler

P.S. Birds seen during count period for New Brunswick Naturalist (December 15, 1979 through January 1, 1980): Purple Finch at Jim Inder's feeder on December 28 and Short-eared Owl observed by Stuart Tingley on the Aulac Marsh on New Years' day.

Christmas Bird Count

Sackville, New Brunswick

1978

- <u>Area:</u> <u>Sackville, New Brunswick</u> (45°53' 64°22'). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac; Elevation 0 - 550'; Established 1960.
- <u>Coverage</u>: December 18, 1978, 0725 to 1640 hours, 10 observers in 6-8 parties. Total party hours 58 (30 hours by foot, 27.5 by car, and 0.5 at feeders). Total party miles 315 (504 km); 276 miles (441.6 km) by car, 39.0 miles (62.4 km) on foot. Habitat Coverage - second growth mixed woods 18 hours (31%), farms and open fields 16 1/4 hours (28%), dyked marshland 10 1/2 hours (18%), sea coast 3 1/2 hours (6%), towns and villages 9 3/4 hours (17%).
- <u>Conditions</u>: Mostly cloudy in the morning with intermittent snow flurries in the early morning becoming mostly clear by noon, temperature 0°C (32°F) at 0730 cooling to -3°C (27°F) by noon, wind light S.W. 5-10 kph (3-6 mph) increasing slightly during snow flurries, freshwater mostly frozen, salt water open and heavily ice clogged. Snow cover 0-3 inches, crusted and very icy.
- <u>Wild Food Crop</u>: Good fruits and berries abundant but few cones. Weed and grass seeds abundant and easily accessible to ground foraging species.
- <u>Count</u>: Underlined species indicates new to the count, underlined numbers indicates highest ever recorded.
 - 4 Mallard

1.5

- 6 Black Duck
- 1 Oldsquaw
- 1 Common Merganser
- 1 Goshawk
- 1 Red-tailed Hawk
- 9 Rough-legged Hawk
- 5 Ruffed Grouse
- 36 Ring-necked Pheasant 1 Glaucous Gull
- 128 Great black-backed Gull
- 414 Herring Gull
 - 6 Ring-billed Gull
- 233 Rock Dove
- 2 Snowy Owl
 - 1 Common Flicker
 - 1 Red-headed Woodpecker
 - 4 Hairy Woodpecker
 - 3 Downy Woodpecker

- 63 Blue Jay
- 87 Common Raven
- 104 Common Crow
- 66 Black-capped Chickadee
- 27 Boreal Chickadee
- 1 Red-breasted Nuthatch
- 7 American Robin
- 21 Golden-crowned Kinglet
- 1 Bohemian Waxwing
- 5 Northern Shrike
- 335 Starling
- 970 House Sparrow
- 1 Common Grackle
- 2 Brown-headed Cowbird
- 97 Evening Grosbeak
- 3 Purple Finch
- 9 Pine Grosbeak
- 24 Pine Siskin
- 4 Dark-eyed Junco

1 Black-backed Three-toed Woodpecker 6 Tree Sparrow

2 Horned Lark 3 Grey Jay

1332 Snow Bunting

Total: 43 species, 4028 individuals

Seen during count period (15 Decmeber to **2**1 December) two Sharp-shinned Hawk, also 23 Lapland Longspur were observed by Tingley at the town dump on 31 December which is within the count period for the New Brunswick Naturalist.

Observers: Peter Barkhouse, Myrtle Bateman, Paul Bogaard, Sandy Burnett, Tony Erskine, Peter Hicklin, Ron Hounsell, Bill Prescott, Al Smith (compiler, P.O. Box 1465, Sackville, N.B. EOA 3CO), Stu Tingley.

Comments:

1. Weather conditions were generally favourable and coverage of the count zone was good. Habitat coverage (percentage of observer time) was nearly identical in last year's count and has been remarkably consistant since 1972.

2. Two species observed were new to the count zone - both woodpeckers and both reported by Bogaard and Hounsell. Details as follows:

- Common Flicker observed at Bogaard's feeder at Westcock. The bird had been present at the feeder since early December.
- Red-headed Woodpecker an immature bird well observed by both Bogaard and Hounsell for several minutes at a distance of 15 yards (approximately 13 meters) in a low branch of a mature white birch tree at the intersection of the West Sackville and British Settlement Roads. Bogaard's notes as follows "woodpecker size, stance, tail and feet; mottled brown all over head and forming a clear V on its breast, also saw large white patches on wing breaking into smaller slashes. . . bird clearly flew woodpecker-like as it crossed the road in front of the observers."

3. Other species that were reported that are unusual to the count are:

- Oldsquaw single birds reported in 1971 and 1976 in the same location as the 1978 bird - along Cumberland Basin off Westcock.
- Bohemian Waxwing a single bird at Bogaard's feeder.

 Chipping Sparrow - also observed by Bogaard and Hounsell feeding under Bogaard's feeder at a distance of 10 yards -"sparrow size, cap, eye stripe, clear breast . . . all easily seen." (Subsequent observation indicate uncertainty of identification - probably a tree sparrow)

Remove

4. A record number of Northern Shrike were observed as was the case for the Amherst and Cape Tormentine counts.

5. Numbers of Evening Grosbeaks and Ring-necked Pheasants reported are almost certainly low as judged by the frequency of reports from people operating feeders during the Christmas season.

6. Feeder reports were not solicited but field observers checked feeders in their sectors.

7. The total species reported (44) is average for the Sackville count since 1970 while the total individuals (4025) is slightly above average for the seven year period since 1971.

8. With the addition of the two new woodpecker species in 1978, a total of <u>80 species</u> of birds has been reported during the 19 year history of the Sackville count.

A Smith

A. D. Smith Compiler

Mammals Observed on Count Day: Red Squirrel - 6, Red Fox - 1, Snowshoe Hare - 8, Muskrat - 4, Meadow Vole - 1.

Christmas Bird Count

Sackville, New Brunswick

1977

- Sackville, New Brunswick (45°53' 64°22'). All points within a 15 Area: mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac; Elevation 0 - 550'; Established 1960.
- December 19, 1977, 0735 to 1630 hours, 11 observers in 6-9 parties. Coverage: Total party hours 50.3 - (26.0 hours by car, 21.8 on foot and 2.5 by snowmobile). Total party miles (km) 292.6 (471.5 km); 239.6 miles (386 km) by car, 37.5 miles (60.5 km) by foot and 15.5 miles (25 km) on snowmobile. Habitat Coverage - second growth mixed woods 15.7 hours (31%), farms and open fields 12.5 hours (25%), dyked marshland 10 hours (20%), sea coast 3 hours (6%), towns and villages 9.1 hours (18%).
- Conditions: Cloudy, light snow squalls in early A.M. and light mist periodically throughout the forenoon, temperature -1°C (30°F) at 0730 warming slightly to 0°C (32°F) by noon, wind NW 8-10 M.P.H., ground covered with 10-12" of lightly crusted snow, fresh water mostly frozen, salt water open with scattered ice floes.
- Wild Food Crop: Poor general total absence of spruce cones and few weed seeds or grass seeds appeared available even though weed stalks were exposed in wind swept areas.
- Count: Underlined species indicates new to the count, underlined number indicates highest ever recorded.
 - 1 Great Blue Heron
 - 1 Canada Goose
 - 1 Mallard
 - 2 Black Duck
 - 1 Common Goldeneye
 - 26 Common Merganser
 - 2 Goshawk
 - 1 Sharp-shinned Hawk
 - 7 Rough-legged Hawk
 - 2 Ruffed Grouse
 - 76 Ring-necked Pheasant
 - 1 Glaucous Gull
 - 1 Iceland Gull
 - 146 Great Black-backed Gull
 - 370 Herring Gull
 - 1 Ring-billed Gull
 - 78 Rock Dove
 - 1 Pileated Woodpecker
 - 2 Hairy Woodpecker
 - 20 Horned Lark
 - 2 Grey Jay
 - 77 Blue Jay

- 107 Common Raven
- 110 Common Crow
- 64 Black-capped Chickadee
- 17 Boreal Chickadee
 - 2 Brown Creeper
- 18 Golden-crowned Kinglet
- 1 Northern Shrike
- 1146 Starling
- 904 House Sparrow
 - 1 Red-winged Blackbird
 - 2 Common Grackle
 - 7 Brown-headed Cowbird
 - 6 Evening Grosbeak
 - 20 Pine Grosbeak
 - 12 Common Redpoll
 - 1 Dark-eyed Junco
 - 7 Tree Sparrow
 - 2 Song Sparrow
 - 14 Lapland Longspur
 - 48 Snow Bunting
 - 14 Unidentified Songbirds

Totals: 42 species, 3322 individuals

Count Period: Seen during count period (3 days before and after count day)

but not on count day. 1 Rusty Blackbird (16 December), 1 Mockingbird (21 December), 2 Downy Woodpecker (21 December), 4 American Goldfinch

(21 December).

Observers: Peter Barkhouse, Paul Bogaard, Tony Erskine, Hinrich Harries, Peter Hicklin, Ron Hounsell, Bob Lamberton, Tony Lock, Susan Rotroff, Al Smith (compiler), Stu Tingley.

Comments:

1. Conditions on count day were fair and coverage of the count zone was generally good especially in terms of total party hours and miles.

2. No new species were reported and the count was somewhat uneventful. A very poor wild food crop and the general absence of meadow voles on the marshes is reflected in the low species count and low individual totals for many species. Winter finches were virtually absent in the zone and even ground feeding species such as Snow Bunting that were so abundant last year (2884) were extremely scarce this year.

3. The single Great Blue Heron was observed at the outlet of Front Lake and appeared in good health. Herons were also observed on the count in 1969 and 1975. A Great Blue Heron observed by Paul Bogaard on December 16 near British Settlement was possibly the same bird observed on the Amherst Count (December 26) at Lower Macaan. The bird at Front Lake (Jolicure) was still present on December 28.

4. Record high numbers were reported for two species; Ring-necked Pheasant - 78 (previous high of 38 in 1972) and Starling - 1146 (previous high of 563 in 1974).

5. The number of species recorded (42) is average for the count but well below the record 52 species reported in 1976. The individual total of 3322 is average for the Sackville count.

6. For the second year in a row the Sackville Count has had a higher species tally than Cape Tormentine.

A. D. Smith 6 January 1978

Mammals Observed on Count Day: Red Squirrel - 14, Red Fox - 1, no meadow voles or sign which probably accounts for the scarcity of hawks. Red Squirrels were observed (Barkhouse) eating and storing rose hips at one location near the Sunken Island Bog.

Name and Address of Observers

Peter Barkhouse	P.O. Box 212, Sackville, New Brunswick
Paul Bogaard	P.O. Box 1382, Sackville, New Brunswick
Tony Erskine	P.O. Box 1327, Sackville, New Brunswick
Hinrich Harries	P.O. Box 1182, Sackville, New Brunswick
Peter Hicklin	General Delivery, Sackville, New Brunswick
Ron Hounsell	P.O. Box 1391, Sackville, New Brunswick
Bob Lamberton	c/o Mount Allison University, Sackville, New Brunswick
Tony Lock	Middle Sackville, New Brunswick
Susan Rotroff	Mount Allison University, Sackville, New Brunswick
Al Smith (Compiler)	P.O. Box 1465, Sackville, New Brunswick
Stuart Tingley	P.O. Box 1629, Sackville, New Brunswick

Christmas Bird Count

Sackville, New Brunswick

1976

- Sackville, New Brunswick (45°53' 64°22'). All points within a 15 Area: mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.
- December 20, 1976, 0730 1645 hours, 10 observers in 5-8 parties. Coverage: No feeder reports. Total party hours 47 (23.25 hours on foot, 20.75 hours by car, 3 hours on snowmobile). Total party miles 275 (33.5 miles on foot, 226 miles by car, 15.5 miles on snowmobile). Habitat Coverage - second growth mixed woods 11 hours (23.4%), farms and open fields 11 hours (23.4%), marshland 15.5 hours (33%), sea coast 4 hours (8.5%), towns and villages 5.5 hours (11.7%).
- Conditions: Clear and partly sunny in the early A.M., cloudy for the remainder of the day, temperature -8°C at 0730 hours warming to -4°C by mid-day, no wind, ground covered with 8 to 10 inches of new snow, heavily drifted in places and blown clear in exposed areas, fresh water mostly frozen, salt water filled with ice flows.
- Wild Food Crop: Good abundant weed and grass seeds available in fields and exposed dyke faces, cone crop is fair.
- Underlined species indicates new to the count zone, underlined Count: number indicates highest ever reported.
 - 2 Canada Goose
 - 12 Mallard
 - 3 Black Duck
 - 3 Common Goldeneye
 - 1 Oldsquaw
 - 21 Common Merganser
 - 1 Sharp-shinned Hawk
 - 18 Rough-legged Hawk
 - 4 Marsh Hawk
 - 5 Ruffed Grouse
 - 1 Spruce Grouse
 - 29 Ring-necked Pheasant
 - 51 Great Black-backed Gull
 - 148 Herring Gull
 - 1 Ring-billed Gull
 - 305 Rock Dove
 - 4 Short-eared Owl
 - 3 Hairy Woodpecker
 - 5 Downy Woodpecker
 - 1 Black-backed Three-toed Woodpecker
 - 50 Horned Lark
 - 6 Grey Jay
 - 65 Blue Jay
 - 118 Common Raven
 - 113 Common Crow
 - 71 Black-capped Chickadee
 - 27 Boreal Chickadee
 - 8 American Robin

- 1 Hermit Thrush
- 12 Golden-crowned Kinglet
- 1 Northern Shrike
- 406 Starling

Elevation

0-550

- 808 House Sparrow
 - 1 Eastern Meadowlark
 - 3 Red-winged Blackbird
 - 2 Rusty Blackbird
 - 15 Common Grackle
 - 6 Brown-headed Cowbird
- 104 Evening Grosbeak
 - **3** Purple Finch
 - 8 Pine Grosbeak
 - 21 Common Redpoll
 - 1 Pine Siskin
 - 8 American Goldfinch
- 16 Dark-eyed Junco
- 87 Tree Sparrow
- 15 White-throated Sparrow
- 1 Fox Sparrow
- 13 Song Sparrow
- 1 Savannah Sparrow
- 87 Lapland Longspur
- 2886 Snow Bunting
 - 12 Unidentified Song Birds
 - 1 Unidentified Duck

Total: 52 species, 5595 individuals

Observers: Peter Barkhouse, Gordon Burns, Trevor Goward, Hinrich Harries, Ron Hounsell, Bob Lamberton, Tony Lock, Al Smith (compiler), Ralph Stopps, Stuart Tingley.

Comments:

1. Conditions during count day were excellent and coverage of the zone was good.

2. Five species were new to the count;

<u>Common Goldeneye</u> - 3 observed by Smith at Fillamore's Hole, Tintamarre National Wildlife Area with a flock of 18 Common Merganser.

<u>Spruce Grouse</u> - a female observed by Harries, close observation for up to 5 minutes, the bird was eating buds of a fir tree. <u>Short-eared Owl</u> - 1 observed by Harries and Hounsell at Westcock Marsh, and three (3) reported by Barkhouse and Smith (1 near mouth of Aulac River, 1 near Tongues Island, 1 near the White-birch Road). The Tongues Island bird was observed at close range, 30 - 40 yards, for several minutes.

Hermit Thrush - 1 observed at A. Smith's residence feeding in a hawthorne tree. The bird was observed daily during the period December 16 to December 24, 1976.

Eastern Meadowlark - observed by Harries and Hounsell on the salt marsh, outside the dyke at Westcock. Close observation for several minutes.

3. Several species were reported in record high numbers - 309 Rock Dove (129 in 1972), 50 Horned Lark (23 in 1972), 113 Common Crow (81 in 1973 and 1974), 8 American Robin (6 in 1973), 3 Red-winged Blackbird (2 in 1974), 104 Evening Grosbeak (71 in 1973), 87 Tree Sparrow (37 in 1975), 15 White-throated Sparrow (3 in 1972), 13 Song Sparrow (3 in 1974), 87 Lapland Longspur (11 in 1972) - Peter Barkhouse observed single flocks of 26 and 55 birds feeding on the dykes at Dixon Island Marsh, 2886 Snow Bunting (874 in 1966) - Bunting were observed everywhere throughout the open marshland.

4. Marsh Hawks (4) were observed for the second time on the count (1 - Harries and Hounsell, 3 -Smith and Barkhouse). The previous record for Marsh Hawks was in 1973 when 4 were also reported. Four of the 18 Rough-legged Hawks observed were dark phase birds.

5. Exceptionally large numbers of ground feeding song birds were reported similar to the Cape Tormentine count of December 19. The season's first heavy snowfall December 17 may partially account for that.

6. A record number of species (52) was recorded in 1975, the previous high being 48 species in 1971. Total individual count of 5595 birds was substantially higher than the high of 3166 in 1974.

7. With the addition of the five new species reported on the Sackville count in 1976, a total of 82 species of birds have been reported over the 17 year history of the count.

A. D. Smith January 5, 1977

Mammals Observed on Count Day: Red Fox - 4, Red Squirrel - 15, Muskrat - 1

Christmas Bird Count

Sackville, New Brunswick

1975

- Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile Area: diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point. Fairfield, Mount View, Midgic, Jolicure and Aulac.
- Coverage: December 23, 1975,0745-1615 hours, 11 observers in 6-9 parties. No feeder reports. Total party hours 51 (32 hours on foot, 19 hours by car). Total party miles 207 1/2 (40 1/2 on foot, 167 by car). Habitat coverage - second growth mixed woods 14 1/4 hours (28%), farms and open fields 14 3/4 hours (29%), marshland 11 1/2 hours (22.5%), salt marshes and shore of Cumberland Basin 5 hours (10%), towns and villages 5 1/2 hours (10.5%).
- Conditions: Miserable periods of light snow and ice pellets in early morning, tapering to snow flurries by 10:00 a.m. and continuing until 1:00 p.m., cloudy remainder of the day, temperature $-2^{\circ}C$ to $0^{\circ}C$ (30-32°F) remaining fairly steady all day, winds North 15-20 MPH in early morning, shifting to SE 5-10 MPH by mid-day, ground covered with 4-6 inches of crusted snow, fresh water mostly frozen, salt water filled with ice flows.
- Wild Food Crop: Fair light snow cover made available weed and grass seeds to groundforaging species, however spruce cones were generally absent or covered with ice.
- Count: Underlined species indicates new to the count zone, underlined number indicates highest ever recorded.
 - I Great Blue Heron
 - 113 Canada Goose
 - 6 Mallard
 - 18 Black Duck

 - 3 Common Merganser
 3 Northern

 4 Red-breasted Merganser
 378 Starling

 1 Sharp-shinned Hawk
 569 House Space

 - 17 Rough-legged Hawk
 - 4 Ruffed Grouse
 - II Ring-necked Pheasant | Iceland Gull
 - 101 Great Black-backed Gull
 - 253 Herring Gull
 - 5 Ring-billed Gull
 - I Glaucous Gull ~
 - 60 Rock Dove
 - 2 Snowy Owl
 - 7 Hairy Woodpecker
 - 2 Downy Woodpecker
 - I Black-backed 3-toed Woodpecker 671 Snow Bunting
 - 14 Horned Lark
 - 44 Blue Jay
 - 74 Common Raven
 - 41 Common Crow
 - 65 Black-capped Chickadee
 - 23 Boreal Chickadee

- 2 Brown Creeper
- T American Robin
- 9 Golden-crowned Kinglet
- I Ruby-crowned Kinglet -
- 3 Northern Shrike
- 569 House Sparrow
 - 2 Common Grackle
 - 2 Brown-headed Cowbird
- 14 Evening Grosbeak
 - 4 Pine Grosbeak
- 369 Common Redpoll
- 24 White-winged Crossbill
- 32 Dark-eyed Junco
- 37 Tree Sparrow
- I White-throated Sparrow
- 2 Swamp Sparrow
- 2 Song Sparrow
- I Lapland Longspur

4 Unidentified Song Birds

- 10 Unidentified Gulls
- Total: 46 species, 3,010 individuals. Seen during count period 5 Bohemian Waxwings Dec. 25 (A. Smith) and 35 on Dec. 29 (T.Goward and S.Tingley), I Rusty Blackbird seen in Sackville on Dec. 21 (R. Lamberton).
- Observers: Peter Barkhouse, Gordon Burns, Ian Cameron, Brian Dalzell, Trevor Goward, Hinrich Harries, Ron Hounsell, Barry Hughson, Bill Prescott, Al Smith (compiler), Stuart Tingley.

Comments:

- Conditions during count day were very poor, with low visibility in the morning and high noise level in forested area due to ice covered branches, crusted snow cover made walking and vehicle passage difficult. Coverage of many sections of the count zone was poor.
- Only one species was new to the Sackville count Glaucous Gull an immature (2nd winter) bird observed sitting on the ice with Black-backed and Herring Gulls at the Sackville Sewage Lagoon (Barkhouse and Smith).
- 3. Feeder reports were not collected this year; however, Gordon Burns checked most sections of the town where feeders were operating.
- 4. Species unusual for the Sackville count but reported in other years were: Iceland Gull - an immature at the Sackville Town Dump (Smith and Barkhouse), <u>Ring-billed</u> Gull - one at Sackville Town Dump, 4 at Dorchester Dump (Harries); <u>Ruby-crowned</u> <u>Kinglet</u> - one observed by Cameron and Dalzell at the Sackville Reservoir; <u>Swamp</u> <u>Sparrow</u> - two reported (both immature), one in a ditch along the high marsh road (Barkhouse and Smith) and one near Allen Creek (Harries and Hounsell) - first records of Swamp Sparrows in the Sackville Count Zone since 1964.
- 5. Due to low visibility the numbers of Snowy Owl and Rough-legged Hawks are undoubtedly low. Recent reports indicate that there may be as many as five Snowy Owls on the marshes this year.
- 6. Counts for forested areas are likely very low as well due to adverse weather conditions experienced on count day. Nuthatches went from record high numbers in 1974 on both Sackville and Cape Tormentine zones to zero for both counts in 1975. Golden-crowned Kinglets were also very scarce on both counts this year.
- 7. The number of species recorded (46) is the same as the last two years and two less than the record 48 in 1971. Total individual count of 3,010 is only slightly less than the previous high of 3,166 in 1974.
- With the addition of Glaucous Gull in 1975 a total of <u>77 species</u> of birds have been reported during count days over the 16 year history of the Sackville Christmas Count. Two additional species have been recorded during count period.

A. D. Smith January 8, 1976

Mammals Observed on Count Day: Red Fox - 3, Red Squirrel - 13, Snowshoe Hare - 2. Note - 4 Red Squirrels were reported from rather unusual locations well out on the dyked marshland.

Christmas Bird Count

Sackville, New Brunswick

1974

- Sackville, New Brunswick (45°53' 64°22'). All points within a 15 mile Area: diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.
- Coverage: December 18, 1974, 0730 1630 hours, 12 field observers in 7 10 parties plus 6 feeder reports. Total party hours 551/2 (271/2 hours on foot, 251/2 hours by car, 3 hours at feeders). Total party miles 293 (37 on foot, 256 by car). Habitat coverage - second growth mixed woods 221/2 hours (40%), farms and open fields 10% hours (19%), marshland 9 hours (16%), sea coast 4% hours (8%), towns and villages 91/2 hours (17%).
- Conditions: Intermittent light rain in early A.M. partially clearing with sunny intervals by 9 A.M., completely overcast by 10 A.M. with light snow flurries between 2 and 3 P.M., temperature 38°F at 0730 and remaining fairly constant all day cooling appreciably after 3 P.M., winds NW 8-10 mph, ground bare and mostly frozen in open exposed areas, fresh water partially frozen, salt water open.
- Wild Food Crop: Excellent an extremely heavy spruce cone crop and an abundance of seeds available due to lack of snow cover.
- Underlined species indicates new to count zone, underlined number indicates Count: highest ever recorded.
 - 57 Canada Goose
 - 4 Mallard
 - 203 Black Duck
 - 8 Common Merganser
 - 2 Sharp-shinned Hawk
 - 6 Rough-legced Hawk(light)
 - 3 Ruffed Grouse
 - 8 Ring-necked Pheasant
 - | Iceland Gull (immature)
 - 103 Great Black-backed Gull
 - 308 Herring Gull
 - 3 Ring-billed Gull
 - 112 Rock Dove
 - I Snowy Owl
 - 8 Hairy Woodpecker
 - 10 Downy Woodpecker
 - 4 Black-backed 3-toed Woodpecker
 - 4 Horned Lark
 - 13 Grey Jay
 - 89 Blue Jay
 - 89 Common Raven
 - 81 Common Crow
 - 237 Black-capped Chickadee
 - 61 Boreal Chickadee

- I White-breasted Nuthatch
- 28 Red-breasted Nuthatch
- I American Robin
- 158 Golden-crowned Kinglet
 - I Ruby-crowned Kinglet
 - I Loggerhead Shrike
 - 2 Northern Shrike
- 563 Starling
 - I Pine Warbler
 - 2 Palm Warbler
- 809 House Sparrow
 - 2 Red-winged Blackbird
- 83 Cowbird
- 8 Pine Siskin
- 8 American Goldfinch
- 12 Dark-eyed Junco
- 18 Tree Sparrow
- 2 White-throated Sparrow
- 3 Song Sparrow
- T Savannah Sparrow
- I Chipping Sparrow
- 45 Snow Bunting
- I Unidentified Sparrow

Total:

46 species, 3,166 individuals. Seen during count period (Dec. 20) - 2 Common Grackle (Hounsell and Barrow).

Observers: Bill Barrow, Paul Bogaard, Gordon Burns, Ian Cameron, Hinrich Harries, Ronald Hounsell, Barry Hughson, Don McLenran, Reid McManus, Bill Prescott, Al Smith (compiler), Stuart Tingley.

Feeders Reporting: Mrs. N.A. Weldon, Mrs. John Clark, Mr. & Mrs. Bill Black, Dr. & Mrs. W. Godfrey, Mr. Lindsay Smith, Mrs. Roger Calkins.

Comments:

- 1. Weather conditions, although highly variable, were generally good during count day. Coverage of the count zone was good due to favourable driving conditions. Both total party hours and miles were down considerably from last year; foot milage down significantly to 36% miles from 62 miles last year.
- 2. Mild weather conditions prevailed throughout the month of December, which undoubtedly accounts for the high number of birds (species and individuals) observed.
- 3. Three species were new to the Sackville count:

Loggerhead Shrike - I adult reported by Prescott and McLennan along the Fairfield Road near Keillor Brook, close observation (100 yds.) for 5 minutes using a 20-45x scope, the black face bar extending acrosss the forehead and no breast barring was reported.

Pine Warbler - I observed by Gordon Burns in the woodlot behind Tantramar Regional High School, close observation (40 ft.).

Chipping Sparrow - I (immature) observed by S. Tingley in a small apple tree in Aulac, observed closely for up to 45 seconds, seemed to be associating with two Song Sparrows.

- 4. Few birds were reported by feeder observers (9 sp. 150 individuals) and no species that were not observed in the field. The very open, mild conditions probably accounts for that.
- 5. Species unusual for the count but reported in previous years were: Iceland Gull an immature at the Sackville dump (Bogaard and Smith), Ring-billed Gull - 3 at the Sackville dump (Bogaard and Smith), Black-backed 3-toed Woodpecker - 3 near Aulac (Tingley and Cameron) and I near Breau Creek (R. McManus), Ruby-crowned Kinglet - I in the woodlot behind the High School (Burns), Palm Warbler - I at the Mt. Allison Quarry, I behind woodlot at the High School (Burns), Pine Siskin -8 observed near the fire tower road (Prescott and McLennan), American Goldfinch -8 reported by Burns.
 - The lone Snowy Owl was observed by Smith and Bogaard at Tongues Island. The number of Rough-legged Hawks (6) was the lowest since 1970 (1970 - 1, 1971 - 52, 1973 - 49).
 - 7. With the exception of unusually high numbers of Kinglets, Chickadees and Redbreasted Nuthatches, bird populations in forested areas are very low. The virtual absence of finches in the count zone is most unusual, especially in a year of an abundance of cones.
 - 8. The number of species reported (46) is the same as in 1973 and two less than the record 48 in 1971. Total individual count of 3,166 is a new high exceeding by over 400 the previous high of 2709 in 1972.

A. D. Smith December 27, 1974

Mammals observed on count day: Red Squirrel - 30, Snowshoe Hare - 3, Muskrat - 1.

Christmas Bird Count Sackville, New Brunswick

1973

Sackville, New Brunswick (45°53' - 64°22') Area:

- Habitat: Mixed woods 42%, dyked marshland 21%, farms and open fields 19%, sea coast 9% (shore of Cumberland Basin), towns and villages 9%. (Percentages represent the proportion of observer time spent in each habitat type.)
- December 21, 1973, 0730 1700 hours, 14 observers in 7 11 Coverage: parties plus 7 feeder reports. Total party hours 74 (56 on foot, 18 by car). Total party miles 333 (62 on foot, 271 by car).
- Cloudy all day, temperature 38°F at 0730 rising to 42-45°F Conditions: by mid day, strong south-west winds 10-15 gusting to 25 throughout the day. Ground bar - frozen in early a.m. but thawed by noon, fresh water partially frozen, salt water open.
- Wild Food Crop: Fair: good foraging for ground feeding species due to lack of snow cover, virtually no spruce cone crop.
- Count: Underlined species indicates new to count zone, underlined number indicates highest ever recorded.
 - 17 Mallard
 - 270. Black duck
 - 1 Pintail
 - 1 Am. Green-winged teal 1 Canvasback
 - 53 Common merganser 2 Sharp-shinned hawk
 - 1 Red-tailed hawk

 - 49 Rough-legged hawk 4 Marsh hawk
 - 6 Ruffed grouse
 - I Iceland gull
 - 96 Great black-backed gull 50 Brown-headed cowbird
 - 321 Herring gull
 - 16 Ring-billed gull
 - 87 Rock dove
 - 4 Hairy woodpecker
 - 3 Downy woodpecker
 - 1 Horned lark
 - 12 Grey jay
 - 76 Blue jay
 - 120 Common raven
 - 81 Common crow

- 66 Black-capped chickadee
- 23 Boreal chickadee
- 1 Brown creeper
- 6 Robin
- 39 Golden-crowned kinglet
- 1 Ruby-crowned kinglet
- 264 Starling
- 108 House sparrow
- 1 Red-winged blackbird 1 Rusty blackbird
- 16 Common Grackle
- 1 Cardinal
- 71 Evening grosbeak
- 21 American goldfinch
 - 3 Red Crossbill
 - 3 Slate-coloured junco
 - 24 Tree sparrow
 - 1 White-throated sparrow
 - 2 Savannah sparrow
 - 2 Song sparrow
 - 5 Lapland longspur
 - 80 Snow bunting
 - 9 Unidentified song birds
- 46 species, 2621 individuals. Total: Seen during count period (Dec. 15-Jan.1) but not on count day: Snowy owl (Dec.25), Great blue heron (Dec.17), Yellowthroat (Dec.20 and a second bird Dec.29), Merlin (Dec.23), Mourning Dove (Dec.30).
- Observers: Peter Barkhouse, Bill Barrow, Richard Blacquiere, Paul Bogaard, Gordon Burns, Winnifred Cairns, Ian Cameron, Hinrich Harries, Ron Hounsell, Barry Hughson, Reid McManus, Ted Pulford, Al Smith (Compiler), Stuart Tingley.
- Feeders reporting: Mr. Bill Black, Mrs. Roger Calkins, Mrs. Wm. Godfrey, Mrs. L.P. Harris, Mrs. Don McPhail, Mrs. David Paul, Mrs.N.A.Weldon.

- 1. The number of field observers was the highest ever and coverage of the count zone was generally good. Muddy road conditions resulted in rather sparse coverage of some marshland and forested sections. The high wind that prevailed during count day made observation difficult.
- 2. An exceptionally warm December with several record breaking high temperatures no doubt accounts for several species that are not normally observed on the Sackville count.
- 3. Seven species reported were new to the Sackville count.

V LE Conderne

Pintail, female, observed by Barkhouse and Smith with a flock of blacks near the mouth of the Tantramar River. A male Pintail was observed on Dec. 20 by Smith in the same general area.

Canvasback, male, observed by Barkhouse and Smith with a flock of Blacks at the mouth of the Tantramar River. First observed on Dec. 20 by Smith and has since been seen by Tingley.

Marsh hawk - two observed by Smith and Barkhouse near the high marsh road and 2 observed by Tingley and Cameron.

<u>Ring-billed gull</u> - 7 sitting on the ice edge with large flock of Herring gulls at the Tantramar River Causeway (Smith and Barkhouse), and 9 observed by Harries, Hounsell & Cairns near Westcock.

Ruby-crowned kinglet - near Dave MacAulay's in Middle Sackville - observed by Bogaard and Pulford.

Cardinal, female - seen on count day by Gordon Burns near Quarry Lane, Sackville, first observed on Dec. 20 by Lee Calkins at her feeder on West Main Street

Savannah sparrow - one near the dykes at Fort Beausejour (Smith and Barkhouse) and one on the Westcock marsh (Harries, Hounsell, Cairns)

- 4. Species unusual to the count but reported before are American green-winged teal (Smith and Barkhouse), Iceland Gull (Bogaard and Pulford), American goldfinch (Burns, Barrow, Hughson) and Red crossbill (Blacquiere).
- 5. Feeders reported four species not observed in the field. A Brown creeper was at Godfrey's feeder on Squire Street; Robins at Calkins', Weldon's and Black's; a Red-winged blackbird at Paul's feeder and a Rusty blackbird at Calkins'.
- 6. Bird populations in forested areas were extremely low. For example Reid McManus spent 7½ hours on foot covering approximately 12 miles in the mixed forest (predominantly spruce-fir) along Breau Creek in the Northern Sector of the count zone. His total count for that period was: 4 Grey jay, 1 Raven, 2 Black-capped chickadee, 4 Golden-crowned kinglet and 1 Snow bunting.
- 7. The number of species reported (46) is high for the Sackville count (record 48 in 1971) and total number of individuals (2621) approached the record high of 2709 last year.
- 8. Count period records are interesting; a Snowy Owl near the CBC Radio Station on Dec. 25 (Pulford), a Great blue heron observed trying to land at Edgar Dixon's Pond in Sackville on Dec.17, two Yellowthroat reports, one near Ft. Beausejour (Tingley) on Dec. 20 and one near the T.C.H. at Mt. View on Dec.29 (Smith). A Merlin observed by Smith at Queens Rd., Sackville Dec.23, and finally Peter Barkhouse reports 4 Mourning Doves on Dec.30 near the junction of the Midgic and White Birch Roads.

A.D. Smith January 5, 1974

CHRISTMAS BIRD COUNT

Sackville, New Brunswick - 1972

- Area: Sackville, New Brunswick (45°53 : 64°22:). All points within a 15 mile diameter circle centered on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.
- Mixed woods, 47%; farm and open fields, 30%; dyked marshland, 11%; Habitat: shore of Cumberland Basin, 12%; (percentages represent the proportion of time spent in each habitat type).
- Coverage: December 19, 1972, 0720 1620 hours, 10 observers in 7 8 parties, plus 8 feeder reports. Total party hours 522 (24 on foot, 242 in car, 2 by ski-doo), total party miles 306 (2422 by car, 412 on foot, 12 by ski-doo).
- Conditions: Light overcast, sunny intervals by mid-day, 0°F at 7:30 a.m. moderating to 20°F by 2:00 p.m., wind light N.W. in a.m., calm in the afternoon, 6 - 8 inches snow cover (crusted), most fresh water frozen, salt water clogged with ice flows.
- 16 Black Duck Count:
 - 3 Common Merganser
 - 1 Sharp-shinned Hawk
 - 1 Red-tailed Hawk
 - 25 Rough-legged Hawk
 - 38 Ring-necked Pheasant
 - 61 Great Black-backed Gull
 - 252 Herring Gull
 - 129 Rock Dove
 - 6 Hairy Woodpecker
 - 5 Downy Woodpecker
 - 23 Horned Lark 11 Gray Jay
 - 113 Blue Jay

Total:

- 218 Common Raven
- 56 Common Crow
- 153 Black-capped Chickadee
 - 8 Boreal Chickadee
 - 1 White-breasted Nuthatch

- 2 Robin
- 2 Golden-crowned Kinglet
- 12 Bohemian Waxwing
- 2 Northern Shrike
- 216 Starling
- 963 House Sparrow
- 2 Rusty Blackbird
- 28 Common Grackle
- 13 Brown-headed Cowbird
- 46 Evening Grosbeak
- 35 Pine Grosbeak
 - 3 Slate-coloured Junco
 - 11 Tree Sparrow
 - 3 White-throated Sparrow
- 11 Lapland Longspur
- 224 Snow Bunting
- 4 Unidentified Woodpecker
- 12 Unidentified Song Birds

Seen during count period but not on count day: Snowy Owl, Great Blue Heron, and Purple Finch.

Observers: Bill Barrow, Paul Bogaard, Gordon Burns, Ian Cameron, Ron Hounsell, Barry Hughson, Reid McManns, Ted Pulford, Al Smith (Compiler), Stuart Tingley.

Feeders Reporting: Mrs. H. Burke, Mrs. Roger Calkins, Mrs. John Clark, Mrs. J. G. Greenslade, Mrs. Don McPhail, Mrs. A. J. Smith, Mr. H. L. Smith, Mrs. N. A. Weldon.

35 species, 2709 individuals.

Comments:

- 1. No species new to the Sackville Count were reported. However, several species showed a significant numerical increase - Horned Lark, Blue Jay, Common Raven, Black-capped Chickadee, House Sparrow, Common Grackle and Lapland Longspur. A single flock of 131 Ravens was observed by Bogaard and Smith emerging from the area of the Sunken Island Bog flying west over the Trans-Canada Highway toward Westcock.
- Ted Pulford observed the 12 Bohemian Waxwings near Silver Lake. That is the third time that Bohemian Waxwings have been reported on the Sackville Count, however small numbers of this species have been reported in the Sackville - Amherst area during most recent winters.
- 3. Feeders did not report any species not observed in the field, however accounted for 26 of the Ring-necked Pheasants observed, 18 Grackles, 12 Cowbirds, 31 Evening Grosbeak and 2 of the White-throated Sparrows.
- 4. The number of species reported (35) is average for the Sackville Count. Below average temperatures for much of November and December no doubt accounts for the absence of unusual or "half-hardy" species at feeding stations. The number of individuals (2709) was the highest ever, considerably higher than the previous high of 2057 in 1969.
- 5. Snowy Owls (at least two) were observed on several occasions near the high marsh road in early December; however, none appeared on count day. A Snowy was observed near the junction of the C.B.C and high marsh roads by Smith on December 27. Pulford observed two Snowy Owls in the same general area on December 30. Keith McAloney observed an American Coot and a Great Blue Heron at Fillmore's Hole (Tintamarre NNA) on December 13; however, no birds were observed at Fillmore's Hole on count day. Ted Pulford observed a Great Blue Heron on December 25 in a small stream along the highway between Sackville and Dorchester, and a second Great Blue Heron (probably not the same bird) at Beach Pond (Tintamarre NNA) on December 30 and 31.

A. D. Smith January 3, 1973 CHRISTMAS BIRD COUNT - Sackville, New Brunswick - 1972

Observers

Mr. Bill Barrow, P. O. Box 1475, Sackville, New Brunswick
Mr. Paul Bogaard, P. O. Box 1382, Sackville, New Brunswick
Mr. Gordon Burns, P. O. Box 132, Sackville, New Brunswick
Mr. Ian Cameron, P. O. Box 308, Sackville, New Brunswick
Mr. Ron Hounsell, P. O. Box 1391, Sackville, New Brunswick
Mr. Barry Hughson, P. O. Box 623, Sackville, New Brunswick
Mr. Reid McManus, Memramcook, New Brunswick
Mr. Ted Pulford, P.O. Box 476, Sackville, New Brunswick
Mr. Al Smith (Compiler), P. O. Box 1465, Sackville, New Brunswick

Feeders Reporting

Mrs. H. Burke, Box 1345, Sackville, New Brunswick
Mrs. Roger Calkins, Box 172, Sackville, New Brunswick
Mrs. John Clark, Box 183, Sackville, New Brunswick
Mrs. J. G. Greenslade, Box 853, Sackville, New Brunswick
Mrs. Don McPhail, Box 285, Sackville, New Brunswick
Mrs. A. J. Smith, Box 1251, Sackville, New Brunswick
Mr. H. L. Smith, Middle Sackville, New Brunswick
Mrs. N. A. Weldon, Box 1030, Sackville, New Brunswick

CHRISTMAS BIRD COUNT - Sackville, N.B. - 1971

- <u>Area</u>: Sackville, N.B. (45°53' 64°22'). All points within a 15 mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.
- Habitat: Mixed woods, 45%; farm and open fields, 25%; dyked marshland, 13%; salt marshes and shore of Cumberland Basin, 17%; (percentages represent the proportion of time spent in each habitat type).
- Coverage: December 18, 1971, 0730-1550 hours, 8 observers in 6-7 parties, plus 9 feeder reports. Total party hours 42 (18¹/₂ in car, 23¹/₂ on foot), total party miles 254¹/₂ (226 by car, 28¹/₂ on foot).
- <u>Conditions</u>: Cloudy, snow flurries, clearing by 10:00 a.m., wind light increasing to NW 10-15 mph by 1:00 p.m., temperature 9-17°F., 3-6" snow cover (crusted), most fresh water frozen, salt water open (ice flows).

Count:

- 351 Canada Geese
- 1 Mallard
- 132 Black Duck
- 1 Oldsquaw
- 36 Common Merganser
- 1 Red-breasted Merganser
- 1 Goshawk
- 2 Sharp-shinned Hawk
- 2 Red-tailed Hawk
- 52 Rough-legged Hawk
- 2 Ruffed Grouse
- 33 Ring-necked Pheasant
- 36 Great-Black-backed Gull
- 132 Herring Gull
- 31 Rock Dove
- 5 Snowy Owl
- 1 Pileated Woodpecker
- 3 Hairy Woodpecker
- 2 Downy Woodpecker
- 1 Northern 3-toed Woodpecker
- 4 Horned Lark
- 7 Grey Jay
- 75 Blue Jay
- 110 Common Raven
- 22 Common Crow
- 107 Black-capped Chickadee
- 21 Boreal Chickadee

- 3 White-breasted Nuthatch
- 1 Brown Creeper
- 1 Robin
- 10 Golden-crowned Kinglet
- 160 Starling
- 1 Palm Warbler
- 309 House Sparrow
 - 1 Red-winged Blackbird
 - 3 Rusty Blackbird
- 21 Grackle
- 19 Cowbird
- 18 Evening Grosbeak
- 4 Pine Grosbeak 152 Redpoll
- L) & neupoli
 - 6 Pine Siskin
 - 5 White-winged Crossbill
- 1 Rufus-sided Towhee
- 12 Junco
- 3 Tree Sparrow
- 1 White-throated Sparrow
- 69 Snow Bunting
- 29 Unidentified Song Birds
- 40 Unidentified Ducks
- 1 Unidentified Owl sp.
- Total: <u>48 species</u>, 2041 individuals.

Observers: Paul Bogaard, Gordon Burns, Ross Hall, Hinrich Harries, Ron Hounsell, Reid McManus, Ted Pulford, Al Smith (compiler).

Feeders reporting: Mr. & Mrs. J.W. Black, Mrs. H. Burke, Mrs. John Clark, Mrs. J.E. Greenslade, Mrs. L.P. Harris, Mr. & Mrs. D. McPhail, Mrs. A.J. Smith, Mr. H.L. Smith, Mrs. N.A. Weldon.

Comments:

- 1. Weather conditions were generally favourable and coverage of the count zone was good.
- 2. Four species reported were new to the Sackville count <u>Oldsquaw</u>, <u>Northern Three-toed Woodpecker</u>, <u>Palm Warbler</u>, and <u>Rufus-sided Towhee</u>. The oldsquaw was observed by Harries and Hounsell in Cumberland Basin off Westcock. Hounsell observed the Northern three-toed woodpecker in a forested area near Dorchester. The Palm Warbler was observed at a feeder (Black) as was the Towhee (Harris).
- 3. The number of species reported (49) was the highest ever for the Sackville count, and the number of individuals (2041) was only exceeded by the 1966 total of 2134. Feeders reported seven species not observed in the field, Hairy Woodpecker, White-breasted Nuthatch, Common Grackle, Rufus-sided Towhee, Red-winged Blackbird and Palm Warbler.
- 4. The mild weather of early December probably accounts for the abundance of unusual or half-hardy species reported. Common Grackle were reported at 7 of the 9 feeders. The Rufus-sided Towhee has been visiting the Harris' feeder almost daily throughout the month of December. A Palm Warbler was observed by Pulford at this home on Charlotte Street in early December and the one reported on caunt day has been visiting the Black's feeder daily for the past two weeks. The bird was observed on December 23 apparently in a weakened condition but surviving the extremely cold nights of December 19 and 22.
- 5. As was expected, Rough-legged Hawks and Snowy Owls appeared in high numbers, and is undoubtedly correlated with a peak lemming year in the Arctic. Rough-legged Hawks appeared everywhere throughout the open farmland and dyked marshland of the count zone. The total of 52 Roughlegs (8 dark phase) is considered a conservative one. Four of the five Snowy Owls were observed by Smith and Bogaard on the marsh above the High Marsh Road. Hall observed a Snowy Owl on the marsh near Midgic.
- 6. The total absence of spruce cones this year probably contributed to the general scarcity of winter finches.

A. D. Smith December 24, 1971

CHRISTMAS BIRD COUNT

Sackville, N.B. - 1970

- Area: Sackville, N.B. (45°53' 64°22'). All points within a 15 mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.
- Habitat: Mixed woods, 55%; farm and diked marshland, 18%; shore of Cumberland Basin, 15%; Town of Sackville, 12%.
- Coverage: 22 December, 1970, 0730 1645 hours, 5 observers in 5 parties plus 9 feeder reports. Total party hours, 19. Total party miles 201.5 (188 by car, 8.5 on foot, 5 by ski-doo).
- Conditions: Sunny, extremely cold temperature 8-11°F.; wind N.W. 15-20 gusting to 30 mph; 30-35" snow cover, most fresh and salt water frozen.

Count:

- 7 Black Duck
- 1 American Merganser
- 2 Goshawk
- 2 Sharp-shinned Hawk
- 1 Rough-legged Hawk
- 1 Bald Eagle
- 17 Ring-necked Pheasant
- 25 Great Black-backed Gull
- 37 Herring Gull
- 45 Rock Dove
- 1 Yellow-bellied Sapsucker
- 1 Downy Woodpecker
- d Hannal Tamla
- 8 Horned Lark
- 3 Grey Jay
- 37 Blue Jay

74 Common Raven 22 Common Crow 47 Black-capped Chickadee 20 Boreal Chickadee 314 Starling 437 House sparrow 5 Common Grackle 8 Evening Grosbeak 1 Pine Grosbeak 4 Slate-colored Junco 9 Tree Sparrow 1 White-throated Sparrow 1 Fox Sparrow 1 Snow Bunting

7 Unidentified Fringillidae

Total - 29 species, 1199 individuals

Seen during count period but not on count day - Brown Creeper (Calkins)

Observers: Gordon Burns, Hinrich Harries, Ronald Hounsell, Reid McManus, Ted Pulford, Al Smith (compiler).

Feeders reporting - Mrs. H. Burke, Mrs. Roger Calkins, Mrs. John Clark, Mrs. N. Cormier, Mrs. J.E. Greenslade, Mrs. L.P. Harris, Mrs. D. McPhail, Mrs. A. J. Smith, Mrs. N.A. Weldon.

Comments:

- 1. Extremely poor weather conditions prevailed during count day and probably accounts in part for the low species and individual counts. Coverage of the count zone was poor (outside forest areas) as drifting snow blocked most marsh roads.
- 2. The number of species reported was the lowest (29) since 1966. That is no doubt attributed to the prolonged cold period in early December along with the depth of snow cover. The number of individuals (1149) was the lowest since 1963 when coverage of the count zone was not nearly as extensive as it was in 1970.
- 3. One species, <u>Yellow-bellied Sapsucker</u> reported at a feeder (Harris) was new to the Sackville count. Numbers of most of the regular species observed on the Sackville count were down in 1970 i.e. Black Duck, Common Merganser, Rough-legged Hawk, Herring Gull, Snow Bunting.
- 4. Feeders reported four species not observed in the field; Ring-necked Pheasant (Smith, 16; Weldon, 1), Common Grackle (Calkins), Yellowbellied Sapsucker and Downy Woodpecker (Harris).

A.D. Smith Wildlife Biologist

December 24, 1970

CHRISTMAS BIRD COUNT - Sackville, N.B. - 1969

Sackville, N.B.

Area: Sackville, N. B. (45°53' - 64°22'). All points within a 15 mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure and Aulac.

Habitat: Mixed woods, 60%; farm and diked marshland, 22%; shore of Cumberland Basin, 14%; Town of Sackville, 5%.

Coverage: 21 December, 1969, 0730 - 1630 hours; 7 observers in 6 parties, plus 8 feeder reports. Total party hours 31. Total party miles 159 (122 by car, 102 by ski-doo, 262 on foot).

Conditions: Sunny, temperature 15°- 22°F; wind in a.m. N.W. 10 - 15 m.p.h., decreasing to 0 - 5 m.p.h. in p.m.; 8" - 10" snow cover, most fresh water frozen, salt water open.

Count:

- 1 Great Blue Heron
- 1 Canada Goose
- 2 Mallard
- 134 Black duck
 - 1 Green-winged teal
 - 35 Common merganser
 - 1 Sharp-shinned hawk
 - 33 Rough-legged hawk 1 Bald eagle
 - 1 Sparrow hawk
 - 1 Ruffed grouse
- 19 Great black-backed gull 20 Pine grosbeak
- 237 Herring gull
 - 72 Rock dove
 - 1 Snowy owl
 - 4 Hairy woodpecker
 - 6 Downy woodpecker
 - 7 Horned lark
 - 2 Gray jay 55 Blue jay
- 111 Common raven

- 42 Common crow
- 37 Black-capped chickadee
 - 10 Boreal chickadee
 - 5 White-breasted nuthatch 2 Robin
 - 1 Golden-crowned kinglet
- 252 Starling
- 547 House sparrow
 - 1 Red-winged blackbird

 - 12 Common grackle 3 Brown-headed cowbird
- 28 Ring-necked pheasant 15 Evening grosbeak

 - 160 Common redpoll
 - 41 White-winged crossbill
 - 16 Slate-coloured junco
 - 13 Tree sparrow
 - 1 White-throated sparrow

 - 1 Fox sparrow 2 Lapland longspur
 - 40 Snow bunting
 - 82 Unidentified song birds
 - 1 Unidentified Hawk species

Total - 43 Species, 2057 Individuals

<u>Observers</u>: Gordon Burns, Paul Dean, Hinrich Harries, Reid McManus, Ted Pulford, Al Smith (compiler), Jon VanZoost.

Feeders reporting - Bill Black, Mrs. H. Burke, Gordon Burns, Mrs. Roger Calkins, John Clark, Mrs. L. P. Harris, Mrs. D. McPhail, Mrs. A. J. Smith.

Comments:

- 1. A greater percentage of time (60%) was spent in wooded areas in 1969, yet few forest birds (both species and numbers) were observed. A general absence of cones may account in part for the lack of birds in forested areas this fall.
- 2. The number of species reported (43) was the highest for a Sackville count. Previous highs were as follows: 39 (1967), 38 (1968) and 37 (1965). Four species (Great blue heron, Canada goose, Bald eagle and Sparrow hawk) were new to the Sackville count.
- 3. The <u>Great blue heron</u> was observed by Smith and VanZoost at Fillmores Hole, a small open section of fresh water at the outlet of Jolicure Large Lake. The bird did not appear to be injured as it took flight when approached to approximately 20 yards. As in 1968, a <u>Green-winged teal</u> was observed at Fillmores Hole. The <u>Bald eagle</u> (adult) was observed by Smith and VanZoost flying along the shores of Cumberland Basin below Fort Beausejour. An adult Bald eagle was also observed by Smith on the Amherst count on December 23. The <u>Sparrow hawk</u> was observed on two different occasions (assumed to be the same bird) by Burns at the Sackville Quarry and Cemetery.
- 4. The lone <u>Canada goose</u> was observed by Smith and Van Zoost in the Tantramar River off the Ram Pasture Salt Marsh. Most of the ducks were observed at the mouth of the Aulac, Tantramar and Missaquash Rivers.
- 5. As in 1967 Rough-legged hawks were numerous on the marshes, 33 in 1969 and 34 in 1967. The general abundance of meadow mice along with an absence of snow cover through late fall probably accounts for the high number. Only one <u>Snowy owl</u> was observed, (Smith and VanZoost), along the Aulac River near the Sunken Island Bog.

- 6. <u>Ravens</u> were abundant this year (111). McManus reported 48 in a single flock near Beau Creek.
- 7. Feeders reported four species not observed in the field; Red-winged black bird (Calkins), Cowbird (Calkins and Black), White-throated sparrow (Burke), Fox sparrow (Burns). Eight of the 12 Grackles were reported at a feeder (Calkins). Pulford observed one Evening grosbeak in the field, the remainder were at feeders (Calkins 10, Black 4).
- 8. Coverage of the count zone was good and weather conditions were generally favourable throughout the day.

December 24, 1969

A. D. Smith Wildlife Biologist CHRISTMAS BIRD COUNT - Sackville, N.B. - 1968

Sackville, N.B. (45°53' - 64°22')

All points within a 15-mile diameter circle, centre on Area: Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac.

Habitat: Mixed woods, mostly conifer, 39%; farm and diked marshland, 27%; shore of Cumberland Basin, 14%, Town of Sackville, 20%.

Coverage: 23 December, 1968, 0745-1630 hours; 6 observers in 4-5 parties, plus 7 feeder reports. Total party hours 342 (232 on foot, 11 by car). Total party miles 130 (32 on foot, 98 by car).

Conditions: Cloudy; temperature 28-30°F; wind W.O-5 m.p.h.; no snow cover, most fresh water frozen, salt water open.

- Count: 64 Black duck
 - 54 Black duck 1 Green-winged Teal 2 Red-breasted Merganser
 - 1 Goshawk
 - 1 Sharp-shinned Hawk
 - 1 Red-tailed Hawk

 - 147 Herring Gull
 - 82 Rock Dove
 - 1 Hairy Woodpecker 10 Downy Woodpecker

 - 10 Downy Woodpecker 2 Black-backed 3-toed Woodpecker 8 Gray Jay
 - 8 Gray Jay
 - 30 Blue Jay
 - 33 Common Raven
 - 16 Common Crow
 - 68 Black-capped Chickadee 38 Species

- 37 Boreal Chickadee
- 3 White-br.Nuthatch
- 2 Red-breasted Nuthatch 1 Robin
- & Golden Crowned Kinglet 9 Bohemian Waxwing 1 Cedar Waxwing

- 1Red-ballod1Cedar Waxwing4Ruffed Grouse249Starling2Ring-necked Pheasant489House Sparrow42Great Black-backed Gull1Red-winged Blackbird 4 Common Grackle
 - 53 Evening Grosbeak
 - 21 Slate-colored Junco
 - 24 Tree Sparrow
 - 41 Snowbunting
 - 1896 Total individuals

Seen in area in count period, but not on count day:

Pigeon Hawk Cowbird.

Observers: Paul Dean, Hinrich Harries, Ron Hounsell, Reid McManus, Al Smith (compiler), Bill Whitman.

Feeders reporting - Bill Black, Jean Burke, Gordon Burns, Lee Calkins, John Clark, L.P. Harris, W.B.Stallworthy.

Seen in December but not in count period: Snowy Owl Song Sparrow.

<u>Comments</u>: 1. Habitat percentages represent the proportion of time spent in each habitat type. A greater percentage of time was spent in and about the Town of Sackville, than in former years.

2. Above average fall temperatures along with the general absence of snow probably account for the occurrence of several half-hardy species.

3. Feeders reported six species not observed in the field: Robin, Common Grackle, Red-winged Blackbird, Purple Finch, Cedar Waxwing, and Hairy Woodpecker, along with 7 of the Downy Woodpeckers.

4. As in 1965, Pine Grosbeak and Common Redpoll were quite numerous. All but 15 of the Evening Grosbeaks were reported at feeders.

5. The two Black-backed 3-toed Woodpeckers were observed by McManus in woods near the Trans-Canada Highway.

6. Bohemian Waxwings have been observed in the Sackville area throughout December. On count day, six were reported by Lee Calkins, and three were observed feeding in an apple tree near the road at Midgic, by Smith.

7. Nearly all the ducks were reported by Harries and Dean in the tidal portions of the Tantramar and Aulac rivers. The lone Green-winged Teal was observed by Smith at the outlet of Jolicure Large Lake.

8. Coverage of the Count zone was good; however, not quite as extensive as in 1967.

Sackville, N.B. January 2, 1969 A. D. Smith Wildlife Biologist.

CHRISTMAS BIRD COUNT - SACKVILLE, N. B. - 1967

Area: All points within a 15-mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac.

Habitat: Mixed woods, mostly conifer, 41%; farms and dyked grassland, 50%; Shore of Cumberland Basin, 5%; town dump, 1%; town of Sackville, 3%.

Coverage: 27 December, 1967; 0735-1700 hrs.; 8 observers in 6 parties, plus 8 feeder reports. Total party-hours 38 (29th on foot, 8th by car). Total party-miles 192 (46 on foot, 146 by car).

Conditions: Clear, wind W. 5-10 mph.; 4-8 inches partly crusted snow; most fresh water frozen, salt water open.

Count:

- 17 Black Duck 1 Green-w. Teal (crippled) 8 Common Merganser 1 Red-tailed Hawk 34 Rough-legged Hawk 1 Ruffed Grouse 10 Pheasant 47 Great Black-b. Gull 161 Herring Gull 85 Rock Dove 4 Snowy Owl 3 Hairy Woodpecker 6 Douny Woodpecker 14 Horned Lark 3 Canada Jay 43 Blue Jay 101 Raven 23 Crow 88 Black-capped Chickadee 62 Boreal Chickadee
- 3 White-br. Nuthatch
- 1 Red-br. Nuthatch
- 2 Robin
- l Golden-cr. Kinglet l Northern Shrike 315 Starling 602 House Sparrow

 - 3 Grackle 2 Cowbird
 - 11 Evening Grosbeak 3 Purple Finch 2 Pine Grosbeak 6 Junco 4 Tree Sparrow

 - 3 White-thr. Sparrow 1 Fox Sparrow

 - 1 Song Sparrow
 - 1 Lapland Longspur
 - 344 Snow Bunting

2.018 Total

3550

Seen in area in count period but not on count day: Sharp-shinned Hawk

Mockingbird Red-wing Blackbird

Observers: Tony Erskine (compiler), Janet Erskine, Hinrich Harries, Ron Hounsell, Reid McManus, Al. Smith, W.B. Stallworthy, Wm. Whitman.

Feeders reporting: Bill Black, Jean Burke, Gordon Burns, Lee Calkins, John Clark, Mr. & Mrs. Don McPhail, Dr. & Mrs. W. F. Munro, Ted Pulford.

Seen in December but not in count period: Brown Creeper.

Comments on Sackville Count, 1967

- 1. Habitat percentages, as in 1966, represent the proportion of time spent in each habitat, rather than the proportion present within the count area.
- 2. Mean temperatures this fall at Moneton airport (20 miles northwest) have been generally above normal, although much less so than in 1966. This, coupled with the general scarcity of snow until 23 December, may have been partly responsible for the abundance of "half-hardy" species reported at feeders in 1967. Feeders reported seven species, White-breasted Muthatch, Coubird, Evening Grosbeak, Purple Finch, White-throated, Fox, and Song Sparrows, not found elsewhere, as well as all the woodpeckors except two.
- 3. The abundance of voles (meadow mice) on the open fields was in part responsible for the number of Rough-legged Hawks seen, nearly three times the highest previous count. The abundance of Havens may also be correlated with the high density of voles. Conversely, the searcity of spruce cones is well correlated with the virtual absence of the winter finches (grosbeaks, crossbills).
- 4. Blue Jays were again numerous in 1967, after being virtually absent in the winter of 1966-67, abundant in 1965-66, and almost absent in 1964-65. Their fluctuations in abundance have not been correlated with other factors as yet. GoldenGeroumed Kinglets were very scarce in 1967, whereas both chickadee species were common, again for no apparent reason.
- 5. The number of species reported was the highest ever, exceeding by one the count in 1965 (when winter finches were numerous). The variety of stragglers at feeders was largely responsible for this. The number of individuals seen was second to that in 1966, when very large flocks of Snow Buntings swelled the total.
- 6. Coverage was probably better than ever before. Although the number of parties and feeders reporting has been relatively uniform, except in 1960, 1963, and 1964, weather was very poor in 1961 and 1962, and few experienced observers were available in those years. The area has not changed appreciably as a wintering area for birds since the present series of counts was begun in 1960, although improvement of roads and of snow-plough service has made travel around the area much easier. Increased familiarity with localities favoured by birds also permits improved coverage. We still need to improve coverage of the wooded western part of the count area.

Sackville, N.B. January 2, 1968 A. J. Erskine

CHRISTMAS BIRD COUNT - SACKVILLE, N.B. - 1966

Area: All points within a 15-mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Mount View, Midgic, Jolicure, and Aulac.

Habitat: Mixed woods, mostly conifer, 37%; farms and dyked grassland, 53%; shore of Cumberland Basin, 3%; town dump, 1%; town of Sackville, 6%.

Coverage: 27 December, 1966; 0740-1630 hours; 6 observers in 4 parties, plus 3 feeder reports. Total party-hours 26 1/2 (12 3/4 on foot, 13 3/4 by car). Total party-miles 145 (24 on foot, 121 by car).

Conditions: Overcast, snow showers in a.m., wind NW 10-15 m.p.h. 2-4 inches fresh snow over 6-8 in. hard crusted snow; most fresh water frozen, most salt water open.

	0 Black Duck 0 Duck (sp.?) 1 Goshawk 1 Red-tailed Hawk 5 Rough-legged Hawk 2 Ruffed Grouse 5 Pheasant 2 Gt. Black-backed Gull 7 Herring Gull 9 Rock Dove 7 Horned Lark 1 Canada Jay 4 Blue Jay 7 Raven 3 Crow	12 3754 3774 3774 3774 30 10 4 12 30 10 4 19 19 19 19 19	Black-cap. Chickadee Boreal Chickadee Golden-crowned Kinglet Starling House Sparrow Evening Grosbeak Pine Grosbeak Goldfinch Red Crossbill Grossbill (sp.?) Junco Tree Sparrow Lapland Longspur Snow Bunting Total
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Seen in area in count period but not on count day: Sharp-shinned Hawk

Ring-billod Gull Red-breasted Nuthatch

Observers: Tony Erskine (compiler), Janet Erskine, Richard Fyfe. Hinrich Harries, Reid McManus, Al Smith.

Feeders reporting: Frank Crossman, George Johnstone, Ted Pulford.

2750

Comments on Sackville Count - 1966

- 1. Habitat percentages in this report show the proportions of time spent in each habitat. Those in previous reports showed the proportions present in the area, as estimated from topographic maps. The proportion of time spent in each habitat has been fairly constant from year to year. Time on foot is largely in woods, while time in cars is mostly in more open country.
- 2. There has been no prolonged spell of cold weather so far this winter. However, there was no more open water in 1966 than in most recent years.

Species present in greater than normal numbers included Cormon Crow, American Goldfinch, Tree Sparrow, and Snow Bunting. The increased numbers of the first three of these may perhaps be attributable to the mild weather.

3. Blue Jays and Evening Grosbeaks have been much less common than usual this winter, although Blue Jays were comparably scarce in 1964. Poor weather probably reduced numbers of small birds seen on the 1966 count.

Sackville, N. B. January 3, 1967 A. J. Erskine Wildlife Biologist

CHRISTMAS BIRD COUNT - SACKVILLE, N.B. - 1965

<u>Area:</u> All points within a 15-mile diameter circle, centre on Trans-Canada Highway at Squire Street Extension, to include Wood Point, Fairfield, Aboushagan Road, Midgic, Jolicure, Aulac. Habitat largely second-growth conifer forest, farms, and open dyked grassland.

<u>Coverage</u>: 28 December 1965; 7:35 a.m. to 4:20 p.m.; 8 observers in 4 parties, plus 10 feeder reports. Total party hours 23 3/4 (13t on foot, 10g by car). Total party-miles 138 (22 on foot, 116 by car).

<u>Conditions</u>: This overcast; -2° to $+14^{\circ}$; wind 0 - 2 mph; ground covered with 8 inches of snow.

COUNT:

- 1 Mallard 33 Black Duck 2 Common Merganser 1 Goshawk
- 2 Rough-legged Hawk 1 Grouse [sp.?)
- 10 Ring-necked Pheasant
- 1 Iceland Gull 21 Great Black-backed Gull
- 145 Herring Gull
- 106 Rock Dove
 - 1 Snowy Owl
 - 1 Pileated Woodpecker
 - 3 Hairy Woodpecker 2 Downy Woodpecker 5 Gray Jay
- 57 Blue Jay
- 29 Common Raven 19 Common Crow

69 Black-capped Chickadee 29 Boreal Chickadee 2 White-breasted Nuthatch 2 Red-breasted Nuthatch 38 Golden-crowned Kinglet 277 Starling 430 House Sparrow 2 Rusty Blackbird 1 Common Grackle 3 Brown-headed Cowbird 161 Pine Grosbeak 231 Common Redpoll 2 White-winged Crossbill 35 Slate-coloured Junco 15 Tree Sparrow 1 White-throated Sparrow 1 Fox Sparrow 2 Lapland Longspur

37500

75 Snow Bunting

Remarks: Additional species seen in area during count period but not on count day were Sharp-shinned Hawk, Red-tailed Hawk, Robin, and Evening Grosbeak.

All the ducks were on Morice Brook below Middle Sackville, the only open fresh water in the area (Harries and Smith).

The calm on count day apparently restricted activity by hawks, as a second Goshawk, two Sharp-shinned Hawks, a Red-tailed Hawk and probably four or five Rough-legged Hawks had been seen in the area during December.

The Iceland Gull, at the town dump, is the first seen there in the past six winters (A.J.Erskine).

Some duplication almost certainly occurred between reports from different feeding stations and between feeding stations and field parties. Birds eliminated as probable duplicates included 24 Blue Jays, 20 Black-capped Chickadees, 3 White-breasted Nuthatches, 76 Starlings, 30 House Sparrows, 1 Rusty Blackbird, 1 Cowbird, and 50 Pine Grosbeaks.

An immature Rusty Blackbird was independently identified at both the Calkins and Clark Feeders, and an adult male was at a form near Pt.-de-Bute (Harries and Smith). These are the first winter records of the species in or near Sackville.

Pine Grosbeaks appear more numerous than in any recent winter. The vast majority are in female-like plumage (which probably includes first-year males), and adult males make up not more than 10 per cent of the total.

The Fox Sparrow has attended the Calkins' feeder since early November and the White-throated Sparrow was at the Black's feeder.

Observers: In Field - A.J. Erskine (compiler), Janet Erskine, H. Harries, L. Fyfe, Lorraine Fyfe, G. Johnstone, A. Smith, G. Watson.

Feeders reporting - Mr. & Mrs. W. Black, G. Burns, Mr. & Mrs. R. Calkins, Mr. & Mrs. J. Clark, Dr. & Mrs. W. S. Godfrey, Mrs. L. Harris, Dr. & Mrs. W. F. Munro, Mr. and Mrs. E. Pulford, Mr. & Mrs. L. Smith, Dr. & Mrs. W. B. Stallworthy.

Seen in December but not in count period: Song Sparrow - 17 December.

A CONTRACTOR

To Bank Star

Five-Year Summary of Christmas Bird Counts, Sackville, N.B.

1

Area centred on T-C Hwy at Squire St.Extn., including Wood Pt., Fairfield, Aboushagan Rd., Midgic, Jolicure, Aulac (not N.S. part of 15-mile diameter circle). <u>Habitat</u> largely 2nd-growth conifer forest, farms, and dyked grassland.

h m sno tom	1960 24/12 bs.3 in 3 2 f. r.10f,6c i27f,67c w 1",new p.11-220 d 5-10	2 f 16f,70	5 9 in 4 9 f 121,100 241,1220 t 10" 25-50	1963 22/12 3 in 2 1 f 3gf,12c 6f,28c 6f,28c 6-15" drift 10-20 5-15	1964 30/12 5 in 3 7 f 14 f 550 24f 550 3-6", Wet 31-34 0-5
Birds seen					
Mallard Elack Duck Common Merganser Mrm Merganser (sp.?) duck (sp.?) Goshawk Sharp-shinned Hawk Rough-legged Hawk Pigeon Hawk hawk (sp.?) Ruffed Grouse Pheasant Gt.Black-backed Gull Herring Gull Rock Dove Snowy Owl Pileated Woodpecker Hairy Woodpecker Hairy Woodpecker Horned Lark Canada Jay Blue Jay Raven Crow Elack-cap.Chickadee Boreal Chickadee White-br.Nuthatch Red-br.Nuthatch Brown Creeper Robin Golden-cr.Kinglet Bohemian Waxwing Northern Shrike Starling House Sparrow Baltimore Oriole Grackle Cowbird Evening Grosbeak Furple Finch Fine Crosbeak Redpoll Pine Siskin Red Grosbill	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	-	2 31 3 - c.p. 5 - 7 7 7 7 7 7 7 7 7 7 7 7 7

	1960	1961	1962		1963	1.964
White-winged Crossbi crossbill (sp.?) Junco Tree Sparrow Swamp Sparrow Song Sparrow Lapland Longspur Snow Bunting Fringillid (sp.?)	e.p. e.p.	98 - 153 5	- 8 - .p. - 153 6			29 54 12 6 1 2 125 4
Total species	19 (&2 in count per	24 (&3 in riod)	21 (&5 in c.p.)	RT .	17	36 (&2 in c.p.)

.

+ C.+ C.

. . . .

CHRISTMAS BIRD COURT - BACEVILLE, N.B., 1963.

Area: all points within 15-mile diameter circle, centre on Trans-Canada Highway at Equire St. Ext'n, to include Aulac, Jolicure, Midgic, Fairfield, Wood Point; areas in Nova Scotla within circle not covered.

Dec.22,1963. 8:45am to 10:15am, 1:40pm to 4:10pm, and a few minutes between those periods. Clear, temp. 10° to 20°, wind W 5-15mph; 6-15" snow on ground, drifted in places, all water except sea frozen.

Four observers in 2 parties and one feeder. Total party-hours 5(32 on foot, 12 by car); total party-miles # 54(6 on foot, 28 by car).

Rough-legged Hawk 12; Great Black-backed Cull 8; Herring Cull 100; Rock Dove 5; Gray Jay 1; Blue Jay 10; Raven 12; Crow 10; Black-capped Chickadee 4; White-breasted Nuthatch 1; Robin 1; Bohemia n Maxwing 2; Starling 110; House Sparrow 95; Swamp Sparrow 1; Song Sparrow 1; Lapland Longspur 3.

Total species identified 17: total individuals 376.

Observers: A.J.Erskins (compiler), H.Harries, Mr. & Mrs.D.McPhail.

Remarks: 1) December 1965 was unusually cold, with minimum temperatures below 10° on seven successive nights immediately before this count. A severe blizzard Dec.19-20 blocked most roads, and many secondary roads were still blocked on this count day.

2) The estimate of Rough-legged Hawks is probably minimal. Six was the most in sight at one time. The birds were counted from parallel roads crossing the marsh about three miles apart, and most birds were sitting on barns when observed.

3) The White-breasted Nuthatch was seen on Weldon Street, where one of that species has been seen intermittently since October 17.

4) The waxwings were reported on count day by Mrs.McPhail, as Cedar Maxwings. She is a careful observer, but has no experience with the other species, and probably never looked for the distinguishing marks. They were found in the same place by Harries Dec.25, and by Frsking Dec.26, and were positively identified as Bohemians, on the basis of size (markedly larger than House Sparrows), colour (much greyer below than Cedar Waxwings, more nearly the colour of House Sparrow underparts), white in wings, and reddish-brown under-tailcoverts.

5) The Robin was at Dr. MacFarlane's captive waterfowl area.

6) The Swamp Sparrow and Song Sparrow were in a cattail marsh. Two of the latter species were identified, and one of the former suspected, on Dec.12.

(over)

Other species noted in the Backville area during December are:

Sharp-shinned Hawk - one around Bill Black's feeder in Middle Sackville early in the month.

Marsh Hawk - two east of Upper Sackville Dec.1(Erskine); one east of Sackville Dec.7(NoPhail).

Hairy Moodpecker - one in Sackville Dec.9(Brokine), and a few days laber in same block (Merhails).

. Grackle - four in Sackville Dec. 10 (Brskine), and two about same time several blocks away (McPhails).

Evening Groebeak - seven in Backville Dec. 2(Brekine); very scarce in Sackville so far this winter.

Obdervirge S. J. Brathas (acadites). S. Noveles, Wr. & Fra. B. Storball.

marks. They were found in the case place by Marvies Dec.25. and by

and the are has bettered against anges thereit the and to put the

. Devessio near entral me malifile entry abald

Tree Sparrow - one at HoPhail's feeder Des. 20, after blizzard.

Backville, N.B., January 1, 1964. A.J.Erskine

THERE TRAFFICE IS NOTE TRAFFICE IS TANKED TO TANKED TO

0.03707706

forest as .Bodoeceun desire?

Christmas Bird Count - New Brunswick - 1962

Area(within 15 mi. diameter circle): <u>Sackville</u>, N.B. (including Wood Point, Fairfield, Midgic, Jolicure, Aulac).

Date: <u>Dec. 20;</u> Start: <u>7:35 am;</u> End: <u>4:20 PM;</u> Weather: <u>Clearing, windy</u>. Temp.: <u>25⁰-5⁰</u>; Wind: <u>NW 25,gusts to 45;</u> Ground: <u>10" snow, fresh water frozen</u>. <u>Eighteen</u> observers, <u>9</u> in <u>4</u> parties, <u>9</u> at feeders. Total Party-hours: <u>22</u> (<u>12</u> on foot, <u>10</u> by car); total party-miles <u>146</u> (<u>24</u> on foot, <u>122</u> by car). No. species: <u>21</u> (<u>3</u> not positively identified); No. birds: <u>1278</u>.

Duck (sp.?) 4 Starling 346 Hawk (Sp.?) House Sparrow 504 2 Rough-legged Hawk Baltimore Oriole 3 1 2 Ring-necked Pheasant Evening Grosbeak . . . 12 Great Black-backed Gull . . . 12 Herring Gull 136 Slate-coloured Junco . . 8 Snow Bunting 153 Fringillids(sp.?)(footnote) 6 Downy Woodpecker Blue Jay 16 Seen in area during count period, but not on count day: Crow 20 Black-capped Chickadee 11 Gray Jay Boreal Chickadee 5 Robin Golden-crowned Kinglet . . . 3 Common Grackle Swamp Sparrow Song Sparrow

Footnotes

- 1) One of the unidentified hawks might have been a Rough-legged Hawk, but the other was a much smaller species, probably a Sharp-shinned Hawk.
- 2) 5 of the unidentified Fringillids were certainly finches, probably either Redpolls or White-winged Crossbills (definitely not any of the Fringillid species identified).
- 3) The Baltimore Oriole was seen daily at Bill Black's feeder from mid-November until Dec. 26; it was apparently either an adult female or an immature male, as the throat was bright orange with no trace of black. It fed chiefly on corn-cobs. Orioles are rare here at any season.
- 4) The Swamp Sparrow flew into St. Paul's (Anglican) Church hall on the morning of Dec. 23, following a blizzard the previous night. It was caught and fed, but died that afternoon; it was extremely thin, and would probably have died very shortly. The Robin, Grackle, and Song Sparrow are species that regularly attempt to winter here, though few survive the whole winter.
- Observers: Mrs. Lloyd Black, Mr.& Mrs. William Black, Mr.& Mrs. John Clark, L. Carbyn, Dr.E.J.Dimelow, Dr.& Mrs. A.J.Erskine (compiler) Albert Flemming, John Kelsall, Miss Jane Matheson, Mr.& Mrs. Donald McPhail, Rev. W. F. Munro, W. Prescott, A.E.Pulford, A. Rebuck, Ralph Sharpe, Dr.W.B.Stallworthy, Lindsay Smith.