

CANADA Centre for Inland Waters
UNPUBLISHED

GLOOSCHENKO, W
1976

Glooschenko




Environment
Canada

Canada
Centre
For Inland
Waters

Environnement
Canada

Centre
Canadien
Des Eaux
Intérieures



Ecology of
SALT MARSH VEGETATION

Selected References

Walter A. Glooschenko
Canada Centre for Inland Waters

UNPUBLISHED REPORT
RAPPORT NON PUBLIE

TD
7
G56
1976a

Locator # WQMS76-002
Contribution # 76-002

Ecology of
SALT MARSH VEGETATION

Selected References

Walter A. Gloschenko
Canada Centre for Inland Waters

INTRODUCTION

The following report is a listing of references pertinent to the ecology of salt marsh vegetation. Also included are references to eelgrass (Zostera marina) which is an important component of ecosystems offshore of many northern salt marshes. Algae are only included when they are an important component of salt marsh studies; no references per se on benthic algae are included.

Geographically, both European and North American references are included, however emphasis is upon more northerly salt marshes. No attempt has been made to include Asian, African, or South American salt marshes. The reader should refer to the book by Chapman (listing no. 12) for older references. In the present bibliography, only more recent papers are documented with a few exceptions.

I would appreciate suggestions as to additions to be included in further up-dates of this bibliography.

Dr. Walter Glooschenko,
Geology Section,
Process Research Division,
Canada Centre for Inland Waters,
867 Lakeshore Road,
Burlington, Ontario

April, 1976

KEY TO REFERENCES

CANADA

34*, 35*, 56*, 68*, 69*, 71*

UNITED STATES

Southeastern U.S. 1, 2, 8, 10, 15, 17, 23, 27, 28, 29, 36, 37,
39, 45, 51, 52, 54, 57, 58, 59, 62, 67, 70,
72, 74, 75, 76, 91, 92

Northeastern U.S. 5, 11, 21, 22, 33, 44, 47, 48, 64, 65, 66,
85

West Coast U.S. and
Alaska 26

EUROPE

3, 4, 6, 7, 16, 19, 24, 25, 30, 31, 38, 43,
49, 55, 60, 63, 73, 78, 79, 80, 81, 82, 83,
84, 86, 87, 88, 89, 90

GENERAL MONOGRAPHS and
REVIEW PAPERS

12, 13, 14, 18, 20, 32, 45, 50, 61, 77

EELGRASS
(Zostera marina)

9, 18, 40, 41, 42, 46, 53, 63

* Hudson/James Bay paper.

1. Adams, D.A. 1963. Factors influencing vascular plant zonation in North Carolina salt marshes. *Ecology* 44: 445-456.
2. Adams, S.M. and J.W. Angelovic. 1970. Assimilation of detritus and its associated bacteria by three species of estuarine animals. *Chesapeake Sci.* 11: 249-254.
3. Ball, P.W. and T.G. Tutin. 1959. Notes on annual species of Salicornia in Britain. *Watsonia* 4: 193-205.
4. Beeftink, W.G. 1975. The ecological significance of embankment and drainage with respect to the vegetation of the south-west Netherlands. *J. Ecol.* 63: 423-458.
5. Blum, J.L. 1968. Salt marsh spartinas and associated algae. *Ecol. Monogr.* 38: 199-221.
6. Boorman, L.A. 1971. Studies in salt marsh ecology with special reference to the genus Limonium. *J. Ecol.* 59: 103-120.
7. Brereton, A.J. 1971. The structure of the species populations in the initial stages of salt-marsh succession. *J. Ecol.* 59: 321-338.
8. Burkholder, P.R. 1956. Studies on the nutritive value of Spartina grass growing in the marsh areas of coastal Georgia. *Bull. Torrey Bot. Club* 83: 327-334.
9. Burkholder, P.R. and T.E. Doheny. 1968. The biology of eelgrass. Contrib. No. 1227, Lamont Geological Observatory, Palisades, N.Y. 120 pp. mimeo.
10. Chabreck, R.H. 1972. Vegetation, water and soil characteristics of the Louisiana coastal region. Bull. No. 664, Louisiana State Univ. Ag. Expt. Sta. 72 pp.
11. Chapman, V.J. 1940. Succession on the New England salt marshes. *Ecology* 21: 229-282.
12. Chapman, V.J. 1960.. Salt marshes and salt deserts of the world. Interscience Publishers, N.Y. 392 pp.
13. Chapman, V.J. 1962. The algae. McMillan and Co., London (Chap. 13, pp 346-357, ecology of salt marshes).
14. Cooper, A.W. 1969. Salt marshes. pp. 567-611. In H.T. Odum, B.J. Copeland and E.A. McMahan (eds.). *Coastal ecological systems of the United States*. Vol. I. Inst. of Marine Sci., Univ. of North Carolina, Chapel Hill, mimeo.

15. Coulter, C.L. and E.R. Gross. Distribution and properties of some tidal marsh soils of Apalachee Bay, Florida. *Soil Sci. Soc. Am. Proc.* 39: 914-919.
16. Dahl, E. and E. Hadac. 1941. Strandgesellschaften der Insel Ostöy in Oslofjord. *Nytt. Mag Naturvidensk.* 82: 251-312.
17. De la Cruz, A.A. and B.C. Gabriel. 1974. Caloric, elemental and nutritive changes in decomposing Juncus roemerianus leaves. *Ecology* 55: 882-886.
18. Den Hartog, C. 1970. The sea-grasses of the world. North-Holland Publishing Co., Amsterdam.
19. Dobbs, C.G. 1939. The vegetation of Cape Napier, Spitsbergen. *J. Ecol.* 27: 126-148.
20. Epstein, E. 1968. Mineral metabolism of halophytes. pp. 345-355 In I.H. Rarison (ed.) *Ecological aspects of the mineral nutrition of plants*. Blackwell Sci. Publ., Oxford.
21. Gallagher, J.L. and F.C. Daiber. 1973. Diel rhythms in edaphic community metabolism in a Delaware salt marsh. *Ecol.* 54: 1160-1163.
22. Good, R.E. 1965. Salt marsh vegetation, Cape May, New Jersey. *Bull. New Jersey Acad. Sci.* 10: 1-11.
23. Gosselink, J.G., E.P. Odum, and R.M. Pope. 1973. The value of the tidal marsh. Work paper No. 3, Urban and Regional Development Center, Univ. Florida, Gainesville. 25 pp.
24. Gray, A.J. 1972. The ecology of Morecambe Bay. V. The salt marshes of Morecambe Bay. *J. Appl. Ecol.* 9: 207-220.
25. Gray, A.J. and R.G.H. Bunce. 1972. The ecology of Morecambe Bay VI. Soils and vegetation of the salt marshes: a multivariate approach. *J. appl. ecol.* 9: 221-234.
26. Hanson, H.C. 1951. Characteristics of some grassland, marsh and other plant communities in western Alaska. *Ecol. Monogr.* 21: 317-375.
27. Hinde, H.P. 1954. The vertical distribution of salt marsh phanerogams in relation to tide levels. *Ecol. Monogr.* 24: 209-225.
28. Jackson, C.H. 1951. Topographic, edaphic, and climatic factors affecting plant zonation in a tidal marsh. Unpublished M.S. Thesis, Florida State University, Tallahassee. 46 pp.

29. Jackson, C.R. 1952. Some topographic and edaphic factors affecting distribution in a tidal marsh. Quart. J. Fla. Acad. Sci. 15: 137-146.
30. Jones, K. 1974. Nitrogen fixation in a salt marsh. J. Ecol. 62: 553-565.
31. Kalela, A. 1939. Über Wiesen und Wiesenartige Pflanzengesellschaften auf der Fischer halbinsel in Petsamo Lappland. Acta For. Fenn. 48: 2-23.
32. Keefe, C. 1972. Marsh production: a summary of the literature. Cont. Marine Sci. Univ. Texas 16: 165-181.
33. Keller, M. and S.W. Harriss. 1966. The growth of eelgrass in relation to tidal depth. J. Wildlife Man. 30: 280-285.
34. Kershaw, K.A. 1974. Studies on lichen-dominated systems. X. The sedge meadows of the coastal raised beaches. Can. J. Bot. 52: 1947-1972.
35. Kershaw, K.A. 1976. The vegetational zonation of the East Pen Island salt marshes, Hudson Bay. Can. J. Bot. 54: 5-13.
36. Kuenzler, E.J. 1961. Structure of energy flow of a mussel population in a Georgia salt marsh. Limnol. Oceanogr. 6: 191-204.
37. Kurtz, H. and K. Wagner. 1957. Tidal marshes of the Gulf and Atlantic coasts of northern Florida and Charleston, South Carolina. Florida State Univ. Studies No. 24. Tallahassee, Fl.
38. Marker, E. 1967. The Dee estuary: its progressive silting and salt marsh development. Trans. Inst. Br. Geogr. 41: 65-71.
39. Marples, T.G. 1966. A radionuclide tracer study of arthropod food chains in a Spartina salt marsh ecosystem. Ecology 47: 270-277.
40. McRoy, C.P. 1968. The distribution and biogeography of Zostera marina (eelgrass) in Alaska. Pac. Sci. 22: 504-513.
41. McRoy, C.P. 1970. Standing stocks and other features of eelgrass (Zostera marina) populations on the coast of Alaska. J. Fish. Res. Bd. Canada 27: 1811-1821.
42. McRoy, C.P. and R.C. Phillips. 1968. Supplementary bibliography on eelgrass Zostera marina. U.S. Fish Wildlife Serv. Spec. Sci. Rept. Wildlife 114: 14 p.

43. Mikkelsen, V.M. 1949. Ecological studies of the salt marsh vegetation in Isefjord. *Dansk Bot. Arkiv* 13: 1-48.
44. Miller, W.R. and F.E. Egler. 1950. Vegetation of the Wequetequock - Pawcatuck tidal marshes. *Ecol. Monogr.* 20: 143-172.
45. Newsom, J.D. 1968. Proceedings of the marsh and estuary management symposium, Louisiana State University, Baton Rouge, July 19-20, 1967. LS Division of Continuing Education, 250 pp.
46. Nixon, S.W. and C.A. Oviatt. 1972. Preliminary measurements of mid-summer metabolism in beds of eelgrass, Zostera marina. *Ecology* 53: 150-153.
47. Nixon, S.W. and C.A. Oviatt. 1973. Ecology of a New England salt marsh. *Ecol. Monogr.* 43: 463-498.
48. Nixon, S.W. and C.A. Oviatt. 1973. Analysis of local variation in the standing crop of Spartina alterniflora. *Bot marina* 16: 103-109.
49. Nordhagen, R. 1954. Studies on the vegetation of salt and brackish marshes in Finmark (Norway). *Vegetatio* 5: 381-394.
50. Odum, E.P. 1962. The role of tidal marshes in estuarine production. *IUCN Publ. New Ser. No. 3, part 1/A*, pp. 70-79.
51. Odum, E.P. and A.A. de la Cruz. 1967. Particulate organic detritus in a Georgia Salt marsh - estuarine ecosystem. pp 383-388. In G.H. Lauff (ed.) *Estuaries*. AAAS, Wash. D.C.
52. Odum, E.P. and A.E. Smalley. 1959. Comparison of population energy flow of a herbivorous and a deposit-feeding invertebrate in a Salt marsh ecosystem. *Proc. Nat. Acad. Sci.* 45: 617.
53. Phillips, R.C. 1964. Comprehensive bibliography of Zostera marina. U.S. Fish Wildlife Serv. Spec. Sci. Rep. Wildlife 79: 35 p.
54. Phleger, C.F. 1971. Effect of salinity on growth of a salt marsh grass. *Ecology* 52: 908-911.
55. Pigott, C.D. 1968. Influence of mineral nutrition on the zonation of flowering plants in coastal salt-marshes. pp. 25-35. In I.H. Rorison (ed.) *Ecological aspects of the mineral nutrition of plants*. Blackwell Sci. Publ., Oxford.
56. Polunin, N. 1948. Botany of the Canadian Eastern Arctic. III Vegetation and ecology. *Bull. Nat. Mus. Can.* 104: 1-304.
57. Pomeroy, L.R. 1959. Algal productivity in salt marshes of Georgia. *Limnol. Oceanogr.* 4: 386-397.

58. Pomeroy, L.R., R.E. Johannes, E.P. Odum, and B. Roffman. 1969. The phosphorous and zinc cycles and productivity of a salt marsh. pp. 412-419. In D.J. Nelson and F.C. Evans (eds.) Proc. Second Nat. Symp. Radioecology.
59. Purer, E.A. 1942. Plant ecology of the coastal salt marshlands. Ecol. Monogr. 12: 83-111.
60. Ranwell, D.S. 1964. Spartina salt marshes in southern England. III. rates of establishment, succession, and nutrient supply at Bridgewater Bay, Somerset. J. Ecol. 52: 95-105.
61. Ranwell, D.S. 1972. Ecology of salt marshes and sand dunes. Chapman and Hall, London.
62. Reed, J.F. 1947. The relation of the Spartinetum glabrae near Beaufort North Carolina, to certain edaphic factors. Am. Mid. Nat. 38: 605-614.
63. Reineck, H.-E. 1970. Das Watt: ablagerungs und Lebensraum. Verlag von Waldemar Kramer, Frankfurt am Main. 142 pp.
64. Redfield, A.C. 1965. Ontogeny of a salt marsh estuary. Science 147: 50-55.
65. Redfield, A.C. 1972. Development of a New England salt marsh. Ecol. Monogr. 42: 201-237.
66. Redfield, A.C. and M. Rubin. 1962. The age of salt marsh peat and its relation to recent changes in sea level at Barnstable, Massachusetts. Proc. Nat. Acad. Sci. 48: 1728-1735.
67. Reimold, R.J. and R.A. Linthurst. 1974. Remote sensing-wetlands. Meeting Preprint 2143, ASCE Nat. Meet. Water Resources Engineering, 1974.
68. Riley, J. and C. Moore. 1973. Preliminary vegetation survey of Shipsands Island Waterfowl Sanctuary. Ont. Min. Nat. Resources Forest Research Br. File Rep. 44 p.
69. Ritchie, J.C. 1957. The vegetation of Northern Manitoba. II. A prairie on the Hudson Bay lowlands. Ecology 38: 429-435.
70. Schelske, C.L. and E.P. Odum. 1961. Mechanisms maintaining high productivity in Georgia estuaries. Proc. 14th Gulf. Carribb. Fish. Inst.: 75-80.
71. Schofield, W.E. 1958. The salt marsh vegetation of Churchill, Manitoba. Nat. Mus. Canada Bull. No. 140, Bio. Ser. 42.
72. Schultz, D.M. and J.G. Quinn. 1973. Fatty acid composition of organic detritus from Spartina alterniflora. Est. Coast. Mar. Sci. 1: 177-190.

73. Steindorsson, S. 1954. The coastline vegetation at Gasar in Eyjafjoudur, in the north of Iceland. *Nytt. Mag. Bot.* 3: 203-212.
74. Swanson, V.E., A.H. Love, and I.C. Frost. 1972. Geochemistry and diagenesis of tidal-marsh sediment northeastern Gulf of Mexico. *Geol. Survey Bull.* p. 1360.
75. Teal, J.M. 1962. Energy flow in the salt marsh ecosystem of Georgia. *Ecology* 43: 614-624.
76. Teal, J.M. and J.W. Kanwisher. 1970. Total energy balance in salt marsh grasses. *Ecology* 51: 690-695.
77. Teal, J. and M. Teal. 1969. Life and death of the salt marsh. Little, Brown and Co., Boston. 278 pp.
78. Thalen, D.C.P. 1971. Variation in some salt marsh and dune vegetations in the Netherlands with special reference to gradient situations. *Acta Bot. Neerl.* 20: 327-342.
79. Tyler, G. 1967. On the effect of phosphorus and nitrogen supplied to Baltic shore-meadow vegetation. *Bot. Notiser* 120: 433-447.
80. Tyler, G. 1968. Studies in the ecology of Baltic shore-meadow vegetation. I. Some chemical properties of Baltic shore-meadow clays. *Bot. Notiser* 121: 89-113.
81. Tyler, G. 1969. Studies in the ecology of Baltic sea-shore meadows. II. Flora and vegetation. *Opera Bot.* 25: 1-101.
82. Tyler, G. 1969. Regional aspects of Baltic shore-meadow vegetation. *Vegetatio* 19: 60-86.
83. Tyler, G. 1971. Distribution and turnover of organic matter and minerals in a shore-meadow ecosystem. Studies in the ecology of Baltic Sea - shore meadows. IV. *Oikos* 22: 265-291.
84. Tyler, G. 1971. Hydrology and salinity of Baltic sea-shore meadows. II. Studies in the ecology of Baltic sea-shore meadows. *Oikos* 22: 1-20.
85. Udell, H.F., J. Zarudsky, T.E. Doheny and P.R. Burkholder. 1969. Productivity and nutrient values of plants growing in the salt marshes of the town of Hempstead, Long Island. *Bull. Torrey Bot. Club* 96: 42-51.
86. Wallentinus, H.-G. 1973. On the description of sea-shore meadow communities with special reference to a Juncetum gerardi. *Svensk Bot. Tidskr.* 67:

87. Wallentinus, H.-G. 1973. Above-ground primary production of a Juncetum gerardi on a Baltic sea-shore meadow. *Oikos* 24: 200-219.
88. Wallentinus, H.G. and L. Jonson. 1972. Mapping vegetation of a Baltic sea-shore meadow by colour infra-red photography. The sea-shore meadows of the Tullgarnsnäset II. *Svensk Bot. Tidskr.* 66: 314-325.
89. Walton, J. 1922. A Spitsbergen salt marsh: with observations on the geological phenomena attendant on the emergence of land from the sea. *J. Ecol.* 10: 109-121.
90. Wiehe, P.O. 1935. Quantitative study of the influence of tide on populations of Salicornia europaea L. *J. Ecol.* 23: 323-333.
91. Williams, R.B. and M.B. Murdoch. 1969. The potential importance of Spartina alterniflora in conveying zinc, manganese and iron into estuarine food chains. pp. 431-439. In D.J. Nelson and F.C. Evans (eds.) *Proc. Second Nat. Symp. Radioecology*. AEG.
92. Williams, R.B. and M.B. Murdoch. 1972. Compartmental analysis of the production of Juncus roemerianus in a North Carolina salt marsh. *Chesapeake Sci.* 13: 69-79.

10053

ENVIRONMENT CANADA LIBRARY, BURLINGTON



3 9055 1016 7419 9