

Environment and

# **RELEASES OF** HARMFUL **SUBSTANCES TO** WATER **CANADIAN ENVIRONMENTAL**

SUSTAINABILITY INDICATORS



**Suggested citation for this document:** Environment and Climate Change Canada (2024) Canadian Environmental Sustainability Indicators: Releases of harmful substances to water. Consulted on *Month day, year*. Available at: <a href="http://www.canada.ca/en/environment-climate-change/services/environmental-indicators/releases-harmful-substances-water.html">www.canada.ca/en/environment-climate-change/services/environmental-indicators/releases-harmful-substances-water.html</a>.

Cat. No.: En4-144/81-2024E-PDF ISBN: 978-0-660-72646-5 Project code: EC24019

Unless otherwise specified, you may not reproduce materials in this publication, in whole or in part, for the purposes of commercial redistribution without prior written permission from Environment and Climate Change Canada's copyright administrator. To obtain permission to reproduce Government of Canada materials for commercial purposes, apply for Crown Copyright Clearance by contacting:

Environment and Climate Change Canada Public Inquiries Centre Place Vincent Massey Building 351 Saint-Joseph Boulevard Gatineau QC K1A 0H3 Toll Free: 1-800-668-6767 Email: <u>enviroinfo@ec.gc.ca</u>

Photos: © Environment and Climate Change Canada

© His Majesty the King in Right of Canada, represented by the Minister of Environment and Climate Change, 2024

Aussi disponible en français

# CANADIAN ENVIRONMENTAL SUSTAINABILITY INDICATORS RELEASES OF HARMFUL SUBSTANCES TO WATER

# August 2024

# **Table of contents**

Releases of harmful substances to water	5
Key results	5
Releases of mercury to water	6
National mercury releases to water by source	6
Releases of mercury to water by province and territory	7
Releases of mercury to water from facilities	9
Releases of lead to water	10
National lead releases to water by source	10
Releases of lead to water by province and territory	11
Releases of lead to water from facilities	12
Other sources of lead releases to the environment	13
Releases of cadmium to water	14
National cadmium releases to water by source	14
Releases of cadmium to water by province and territory	15
Releases of cadmium to water from facilities	16
About the indicators	
What the indicators measure	
Why these indicators are important	
Related initiatives	
Related indicators	
Data sources and methods	

Data sources	
Methods	19
Recent changes	21
Caveats and limitations	
Resources	
References	
Related information	22
Annex	23
Annex A. Data tables for the figures presented in this document	23

### List of Figures

Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 20225
Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 20227
Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2012 and 20228
Figure 4. Releases of mercury to water by facility, Canada, 20229
Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 202210
Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2012 and 202211
Figure 7. Releases of lead to water by facility, Canada, 202213
Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 202215
Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2012 and 2022 16
Figure 10. Releases of cadmium to water by facility, Canada, 202217

### List of Tables

Table 1. Alignment of sources reported in the Cal	adian Environmenta	I Sustainability Indi	icators and sources in
the National Pollutant Release Inventory			20

Table A.1. Data for Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2022
Table A.2. Data for Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 202224
Table A.3. Data for Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003,2012 and 2022
Table A.4. Data for Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 202225
Table A.5. Data for Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2012 and 2022
Table A.6. Data for Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 202227
Table A.7. Data for Figure 9. Facility-based cadmium releases to water by province and territory, Canada,2003, 2012 and 2022

# Releases of harmful substances to water


The release of some substances to the environment can harm human health, wildlife and biological diversity. Toxic metals released to water can enter the food web and accumulate in the tissues of living organisms. Exposure to these substances, even in small amounts, can be hazardous to both humans and wildlife. Mercury and its compounds, lead and inorganic cadmium compounds are listed as toxic<sup>1</sup> under the *Canadian Environmental Protection Act, 1999.* The Releases of harmful substances to water indicator reports facility-based releases of these substances to water.<sup>2</sup>

### **Key results**

- Facility-based releases of mercury, lead and cadmium to water were 79%, 71% and 56% lower in 2022 than in 2003, respectively
- In 2014, a significant spill<sup>3</sup> accounted for 92%, 92% and 59% of total releases of mercury, lead and cadmium, respectively
- 2022 represented the lowest year on record for releases to water of mercury and cadmium, and the second lowest for lead

### Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003 to 2022

Percentage change from 2003 level



#### Data for Figure 1

**Note:** The indicator reports facility-based releases only. This chart accounts only for the releases to water reported in the National Pollutant Release Inventory based on the inventory reporting criteria for releases of mercury, lead and cadmium and their compounds. The amounts presented in this indicator should not be interpreted as comprehensive totals of releases to water of these pollutants in Canada. In 2014, a significant spill at the Mount Polley mine in central British Columbia accounted for large releases of mercury, lead and cadmium to water. **Source:** Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

<sup>&</sup>lt;sup>1</sup> Section 64 of the *Canadian Environmental Protection Act, 1999* defines a substance as toxic if it is "entering or may enter the environment in a quantity or concentration or under conditions that (a) have or may have an immediate or long-term harmful effect on the environment or its biological diversity; (b) constitute or may constitute a danger to the environment on which life depends; or (c) constitute or may constitute a danger in Canada to human life or health."

<sup>&</sup>lt;sup>2</sup> The indicators only track releases from facilities reporting to the National Pollutant Release Inventory.

<sup>&</sup>lt;sup>3</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

Mercury, lead and cadmium are naturally occurring elements. Most releases of mercury, lead and cadmium to water are contained in effluent from wastewater treatment facilities. Wastewater treatment facilities do not themselves generate these 3 contaminants. Mercury, lead and cadmium found in wastewater effluents usually comes from industrial discharges to sewers.

In 2022, releases from wastewater treatment facilities accounted for 59%, 54% and 54% of total releases of mercury, lead and cadmium, respectively. From 2003 to 2022, releases of mercury, lead and cadmium from wastewater treatment facilities declined by 84%, 76% and 63%, respectively.

### Releases of mercury to water

Mercury is a naturally occurring metal that can be emitted by natural processes (like melting permafrost, volcanic activity and soil and rock erosion). Industrial activities such as pulp and paper production, mining operations and metal processing release mercury, both directly to water in the environment and indirectly through wastewater treatment facilities. Improper disposal of <u>mercury-containing products</u> (such as fluorescent lamps, thermometers and waste dental amalgams) can also be a source of releases to water.<sup>4</sup>

Mercury can have significant negative impacts on <u>human health and the environment</u>. It persists in the environment and accumulates in food chains over time, posing a particular risk to populations, like the northern and Indigenous communities, who rely heavily on the consumption of predatory fish, such as freshwater trout or Arctic char, and other traditional food items, including marine mammals.


### National mercury releases to water by source

### **Key results**

- Between 2003 and 2022, mercury releases to water have declined by 79% or 300 kilograms (kg)
- In 2022, national releases totalled 82 kg
  - the largest source was wastewater treatment facilities, representing 59% (49 kg) of the total
- A significant spill<sup>5</sup> in 2014 accounted for 92% (2 143 kg) of the 2 322 kg of mercury released in that year

<sup>&</sup>lt;sup>4</sup> The *Products Containing Mercury Regulations*, which came into force in November 2015, prohibit the manufacture and import of mercury or any of its compounds, with some exemptions for essential products that have no technically or economically viable alternatives (such as certain medical and research applications and dental amalgam).

<sup>&</sup>lt;sup>5</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.



### Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2022

### Data for Figure 2

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.


In 2022, 4 sectors contributed 97.1% (79.6 kg) of total national releases of mercury to water: wastewater treatment, the pulp and paper industry, non-ferrous smelting and refining and mining and rock quarrying.

The largest reduction in releases of mercury to water between 2003 and 2022 was in wastewater treatment, with a reduction of 258 kg (-84%). This decline contributed to 86% of the total decline in mercury releases to water.

### Releases of mercury to water by province and territory

### Key results

- In 2022, Quebec, Ontario and British Columbia made up 93% (76 kg) of national mercury releases to water
- Between 2003 and 2022
  - the largest reduction in releases of mercury to water was from Ontario, which reduced its releases by 107 kg (-78%)
  - o slight increases were reported for Newfoundland and Labrador and New Brunswick



### Figure 3. Facility-based mercury releases to water by province and territory, Canada, 2003, 2012 and 2022

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Newfoundland and Labrador, Nova Scotia, Manitoba, Saskatchewan, the Northwest Territories and Nunavut are too small to see in the figure. To access individual provincial data for all years, please refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

In 2022, mercury releases to water were highest in Ontario, accounting for 37% (30 kg) of the national total. Wastewater treatment facilities were the primary source of releases in the province. Ontario, Quebec and British Columbia accounted for 93% of national mercury releases of mercury to water.

Ontario had the largest decline in mercury releases between 2003 and 2022, while Quebec had the second largest. The declines in these provinces were mostly due to large mercury reductions in releases from wastewater treatment facilities as a result of reduced industrial and residential discharges to wastewater systems.

In 2022, the largest source of mercury releases to water by province and territory was:

- wastewater treatment in Nova Scotia, Ontario, Manitoba, Alberta and British Columbia
- the pulp and paper industry in New Brunswick and Quebec
- mining and rock quarrying in Newfoundland and Labrador, the Northwest Territories and Nunavut.

Between 2003 and 2022, reported mercury releases decreased in Nova Scotia, Quebec, Ontario, Saskatchewan, Alberta and British Columbia. However, Quebec had a 31% (6.3 kg) increase in mercury releases between 2012 and 2022.

Between 2003 and 2022, reported mercury releases increased in Newfoundland and Labrador, New Brunswick, Manitoba, the Northwest Territories and Nunavut. However, these provinces and territories made up only 3.5% of national releases of mercury in 2022.

Prince Edward Island and Yukon have never reported releases to the National Pollutant Release Inventory of mercury to water. Manitoba had no reported releases in 2003, the Northwest Territories had no reported releases from 2003 to 2012, and Saskatchewan did not report any releases of mercury to water in 2022.

### Releases of mercury to water from facilities


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore <u>releases of mercury to water</u> from individual facilities.

### Key results

- In 2022, 89 facilities across Canada reported mercury releases. Of these facilities:
  - 26 facilities reported releases under 0.01 kilograms (kg)
  - 59 facilities reported releases between 0.01 and 5 kg
  - 4 facilities reported releases between 5 and 9.36 kg, which were located in Quebec (2), Ontario (1) and British Columbia (1), accounting for 36% of total mercury releases to water

### Figure 4. Releases of mercury to water by facility, Canada, 2022



Navigate data using the interactive map

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

## Releases of lead to water

Lead is a naturally occurring metal found in the Earth's crust and can be released during natural processes, such as rock and soil erosion. Lead is also released directly to the environment from sources such as the pulp and paper industry, metal processing, mining and rock quarrying, and indirectly through wastewater treatment facilities. Lead found in wastewater effluents usually comes from industrial discharges to sewers and the use of lead pipes. Lead emitted to air can be deposited on land or water surfaces and then build up in soils, sediments, humans and wildlife.


Lead is a highly toxic metal. Exposure to lead, even in small amounts, can be <u>hazardous to both humans and</u> <u>wildlife</u>. In humans, chronic exposure to relatively low levels may affect the central and peripheral nervous systems, blood pressure and renal function and may result in reproductive problems and developmental neurotoxicity.

### National lead releases to water by source

### Key results

- Between 2003 and 2022, lead releases to water have decreased by 71% or 17 387 kilograms (kg)
  - In 2022, national releases totalled 6 952 kg
    - the largest source was wastewater treatment facilities, representing 54% (3 783 kg) of the total
- A significant spill<sup>6</sup> in 2014 generated 92% (134 235 kg) of the 145 709 kg of lead released in that year

### Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2022



Data for Figure 5

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

<sup>&</sup>lt;sup>6</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.

In 2022, 80% (5 542 kg) of national releases of lead to water came from wastewater treatment facilities, the pulp and paper industry, non-ferrous smelting and refining and mining and rock quarrying.

Wastewater treatment contributed to 67% (11 705 kg) of the total reduction in lead releases to water since 2003. This was largely due to decreases in upstream discharges to wastewater effluent. Mining and rock quarrying, the pulp and paper industry and non-ferrous smelting and refining contributed a further 11% (1 975 kg), 9% (1 589 kg) and 9% (1 626 kg), respectively, to the decrease in releases.


### Releases of lead to water by province and territory

### Key results

- In 2022, Quebec, Ontario and British Columbia made up 87% (6 022 kg) of national lead releases to water
- Between 2003 and 2022
  - the largest reduction in releases of lead to water was from Ontario, which reduced its releases by 5 736 kg (-69%)
  - the largest increase in releases of lead to water was from Nova Scotia, which increases its releases by 133 kg (3426%)

### Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2012 and 2022

Releases to water in kilograms



### Data for Figure 6

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Prince Edward Island, Nova Scotia, Saskatchewan, the Northwest Territories and Nunavut are too small to see in the figure. To access individual provincial data for all years please, refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>. **Source:** Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

In 2022, lead releases to water were highest in Ontario, accounting for 37% (2 585 kg) of the national total. Ontario, Quebec and British Columbia accounted for 87% of national lead releases. However, these three provinces all had significantly lower lead releases in 2022 compared to 2003.

Ontario had the largest decline in lead releases between 2003 and 2022. This decline was mostly due to reductions in releases from wastewater treatment facilities. Nova Scotia had the largest increase in releases over

### **Canadian Environmental Sustainability Indicators**

this period, although releases in 2022 represented 2% of the national total. The results in Nova Scotia were mostly due to releases from a single wastewater treatment facility.

In 2022, the largest source of lead releases to water by province and territory was:

- wastewater treatment in Nova Scotia, Prince Edward Island, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia
- the pulp and paper industry in Newfoundland and Labrador and New Brunswick
- mining and rock quarrying in the Northwest Territories and Nunavut
- other sources in Quebec

Between 2003 and 2022, reported releases of lead decreased in all provinces and territories, except Nova Scotia, Prince Edward island and the Northwest Territories, the latter two of which had no reported releases of lead in 2003. However, New Brunswick had higher lead releases in 2012 compared to 2003. Following that increase, reported releases between 2012 and 2022 declined by 84%.

In 2003, there were no reported releases to the National Pollutant Release Inventory of lead in Prince Edward Island, Yukon nor the Northwest Territories. In 2012 and 2022, all provinces and territories reported releases, except for Yukon.


### Releases of lead to water from facilities


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore <u>releases of lead to water</u> from individual facilities.

### Key results

- In 2022, 190 facilities across Canada reported lead releases. Of these facilities:
  - o 54 facilities reported releases under 0.5 kilograms (kg)
  - 122 facilities reported releases between 0.5 and 100 kg
  - 14 facilities reported releases between 100 and 699 kg, which were located in Nova Scotia (1), Quebec (3), Ontario (7), Alberta (1) and British Columbia (2), accounting for 64% of total lead releases to water





Navigate data using the interactive map

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

### Other sources of lead releases to the environment

Other sources of lead releases correspond to non-industrial releases that are not included in the National Pollutant Release Inventory. Releases from these sources are therefore not considered in the analysis of the indicators (for example, fishing tackle and ammunition).

Fishing tackle containing lead can pose a serious threat to birds if ingested. Ingestion can lead to blindness, muscle paralysis, reduced reproductive ability, seizures and death. A single sinker or jig containing several grams of lead is enough to kill a bird. It is estimated every year approximately 460 tonnes of lead sinkers and jigs are lost into Canada's lakes and waterways.<sup>7</sup> This represents the most significant annual source of lead releases to water in Canada.

In Canada, the largest source of lead releases onto land is ammunition. Lead ammunition releases can eventually end up in water through leaching into soils and groundwater and by hunting over or near water bodies. Annually, ammunition used for recreational shooting, hunting and enforcement releases an estimated 5 200 tonnes of lead

<sup>&</sup>lt;sup>7</sup> Environment and Climate Change Canada (2018) <u>Moving towards using lead-free fishing tackle</u>. Retrieved on June 20, 2024.

into the environment.<sup>8</sup> Migratory bird hunters are required by law to use non-toxic shot. However, recreational shooting and other game hunting remain a significant source of lead releases.

### Releases of cadmium to water

Cadmium is a naturally occurring metal found in the Earth's crust and can be released during natural processes, such as rock and soil erosion. It can also be released directly to the environment from human activities such as non-ferrous smelting and refining and fuel consumption for electricity or heating, and indirectly through wastewater treatment facilities. Cadmium found in wastewater effluents usually comes from industrial discharges to sewers. Cadmium is used in batteries and in electroplating to protect other metals from corrosion.

Exposure to cadmium can be <u>hazardous to both humans and wildlife</u> since it accumulates in the food chain over time. The Government of Canada concluded cadmium compounds may be harmful to the environment and may constitute a danger based on their carcinogenic potential. Exposure to cadmium has been associated with gastrointestinal irritation and harmful effects to the kidneys and bones.


### National cadmium releases to water by source

### **Key results**

- Between 2003 and 2022, cadmium releases to water have declined by 56% or 2 756 kilograms (kg)
- In 2022, national releases totalled 2 188 kg
  - the largest source was wastewater treatment facilities, representing about 54% (1 190 kg) of national releases
- A significant spill in 2014 accounted for 59% (3 768 kg) of the 6 339 kg of cadmium released<sup>9</sup> that year

<sup>&</sup>lt;sup>8</sup> Environment and Climate Change Canada (2018) Moving towards using more lead-free ammunition. Retrieved on June 18, 2024.

<sup>&</sup>lt;sup>9</sup> On August 4, 2014, a dam securing a tailings pond at the Mount Polley mine in central British Columbia was breached, spilling mining waste into Polley Lake and surrounding waters.



### Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2022

Data for Figure 8

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

In 2022, 84% (1 830 kg) of cadmium released to water came from wastewater treatment facilities and the pulp and paper industry.


Wastewater treatment contributed to 73% (2 005 kg) of the total reduction in cadmium releases to water since 2003. This was largely due to decreases in upstream discharges to wastewater effluent. The pulp and paper and non-ferrous smelting and refining industries together contributed an additional 21% (372 kg and 198 kg, respectively) to the total reduction in cadmium releases from 2003 to 2022.

The increase in releases of cadmium to water between 2015 and 2019 was mainly due to reported increases from wastewater treatment facilities and ore and mineral industries (except non-ferrous smelting and refining).

### Releases of cadmium to water by province and territory

### **Key results**

- In 2022, Ontario, Quebec and British Columbia made up 86% (1 883 kg) of national cadmium releases to water
- Between 2003 and 2022,
  - the largest reduction in releases of cadmium to water was from Quebec, which reduced its releases by 2 097 kg (-82%)
  - the largest increase in cadmium releases to water was from Ontario, which had a 186 kg (22%) increase in releases



# Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2012 and 2022

### Data for Figure 9

**Note:** The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. Some reported releases from Newfoundland and Labrador, Prince Edward Island, Nova Scotia, Saskatchewan, the Northwest Territories and Nunavut are too small to see in the figure. To access individual provincial data for all years please refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

In 2022, cadmium releases to water were highest in Ontario, accounting for 47% (1 030 kg) of the national total. Wastewater treatment was the main source of these releases.

Quebec had the largest decline in cadmium releases between 2003 and 2022 (-82%). This decline was mostly due to reductions in releases from wastewater treatment facilities. Ontario had the largest increase in releases over this period (22%).

In 2022, the largest source of cadmium releases to water by province and territory was:

- wastewater treatment in Prince Edward Island, Ontario and Saskatchewan
- the pulp and paper industry in Newfoundland and Labrador, New Brunswick, Quebec, Alberta and British Columbia
- mining and rock quarrying in Manitoba, the Northwest Territories and Nunavut.
- other sources in Nova Scotia

Between 2003 and 2022, reported cadmium releases decreased in all provinces and territories, except Prince Edward Island, the Northwest Territories, Newfoundland and Labrador and Ontario. The former two had no reported releases in 2003, and the latter two reported increases of 18% and 22%, respectively. Nova Scotia, Alberta and British Columbia had higher cadmium releases in 2012 compared to 2003. Following that increase, reported releases between 2012 and 2022 declined by 97%, 52% and 62%, respectively.

Yukon has never reported releases to the National Pollutant Release Inventory of cadmium to water. There were no reported releases of cadmium to water in Prince Edward Island or the Northwest Territories in 2003.

### Releases of cadmium to water from facilities


The National Pollutant Release Inventory provides detailed information on emissions and releases from industrial and commercial facilities that meet its reporting criteria.

The Canadian Environmental Sustainability Indicators provide access to this information through an interactive map. The map allows you to explore <u>releases of cadmium to water</u> from individual facilities.

### Key results

- In 2022, 170 facilities across Canada reported cadmium releases. Of these facilities:
  - 78 facilities reported releases under 0.5 kilograms (kg)
  - 80 facilities reported releases between 0.5 to 40 kg
  - 12 facilities reported releases over 40 kg, which were located in Quebec (3), Ontario (5), Alberta (1) and British Columbia (3), accounting for 62% of total cadmium releases to water

### Figure 10. Releases of cadmium to water by facility, Canada, 2022



Navigate data using the interactive map

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

# About the indicators

### What the indicators measure

These indicators track facility-based releases to water of 3 substances that are defined as toxic under the *Canadian Environmental Protection Act, 1999*: mercury, lead and cadmium and their compounds. For each substance, data are provided at the national, regional (provincial and territorial) and facility level, as well as by source.

### Why these indicators are important

Mercury and its compounds, lead and inorganic cadmium compounds are on the <u>Toxic substances list</u> under Schedule 1 of the *Canadian Environmental Protection Act, 1999*. This means that these substances are "entering or may enter the environment in a quantity or concentration or under conditions that (a) have or may have an immediate or long-term harmful effect on the environment or its biological diversity; (b) constitute or may constitute a danger to the environment on which life depends; or (c) constitute or may constitute a danger in Canada to human life or health."

The indicators inform Canadians about releases to water of these 3 substances from facilities in Canada. The Releases of harmful substances to water indicators also help the government to identify priorities and develop or revise strategies to inform further risk management and to track progress on policies put in place to reduce or control these 3 substances and water pollution in general.

### **Related initiatives**

The indicators contribute to the <u>Sustainable Development Goals of the 2030 Agenda for Sustainable</u> <u>Development</u>. They are linked to the 2030 Agenda's Goal 12, Responsible consumption and production and Target 12.4, "By 2030, achieve the environmentally sound management of chemicals and all wastes throughout their life cycle, in accordance with agreed international frameworks, and significantly reduce their release to air, water and soil in order to minimize their adverse impacts on human health and the environment."

### **Related indicators**

The <u>Emissions of harmful substances to air</u> indicators track human-related emissions to air of 3 toxic substances, namely mercury, lead and cadmium, and their compounds. For each substance, data are provided at the national, provincial/territorial and facility level and by source. Global emissions to air are also provided for mercury.

The <u>Human exposure to harmful substances</u> indicators track the concentrations of 4 substances (mercury, lead, cadmium and bisphenol A) in Canadians.

### Data sources and methods

### Data sources

Data for the indicators and the interactive maps are taken from the <u>National Pollutant Release Inventory</u> (the inventory). These indicators include the amount of elemental mercury, lead and cadmium in any compound, alloy or mixture released to water as reported to the inventory based on its reporting criteria as listed in section 5.3 of the <u>2022-2024 Guide for Reporting to the National Pollutant Release Inventory</u> (PDF; 3.35 MB).

### More information

The <u>inventory</u> is compiled by Environment and Climate Change Canada (the department), and includes releases reported by industrial, commercial and institutional facilities. It is Canada's legislated, publicly accessible inventory of pollutant releases (to air, water and land), disposals and transfers for recycling. It consists of information reported by facilities to the department under the *Canadian Environmental Protection Act, 1999* (the act). Under the act, owners or operators of facilities that manufacture, process or otherwise use or release one or more of the substances tracked by the inventory and that meet <u>reporting thresholds</u> and other requirements must report their pollutant releases annually. For mercury, lead and cadmium, the reporting thresholds are 5 kg, 50 kg and 5 kg, respectively.

### Estimation of releases to water

Releases to water are estimated or measured through one of the following methods:

- continuous emission monitoring systems
- predictive emission monitoring
- source testing
- mass balance
- site-specific emission factors
- published emission factors
- engineering estimates

These measurement methods and estimation techniques are used by the facilities to report their releases (point sources) to the inventory. The <u>Report to the National Pollutant Release Inventory program</u> web page provides information to owners or operators of facilities required to report to the inventory, as well as details on the program's calculation methods.

### Data completeness

Because the indicators are derived solely from the inventory's database, they reflect only releases from facilities that met the reporting criteria. As a result, the indicators do not include all releases in Canada. They are limited to the main point sources for each selected toxic substance.

### **Data timeliness**

The data are current up to 2022. The indicators are reported approximately 1.5 years after data collection because of the time required for data validation, analysis and interpretation.

### **Methods**

The indicators are produced by grouping data from the inventory to report on the key sources that contribute to the majority of mercury, lead and cadmium releases to water.

### More information

### Indicator coverage

Historical data are provided at the national level and by source for the period from 2003 to 2022. The year 2003 was selected as the first year for releases to water because it was the year the inventory updated its reporting criteria for mercury, lead and cadmium. For the provincial/territorial charts, releases to water are provided for 2003, 2012 and 2022, with 2022 being the most recent year with available data and 2012 serving as a 10 year comparison. Releases of mercury, lead and cadmium to water by facility are displayed on the Canadian Environmental Sustainability Indicators' interactive maps.

### Source classification

Source descriptions for the indicators were taken from Statistics Canada's <u>North American Industry</u> <u>Classification System</u>. The 4-digit code of the classification system, as reported by the facilities, was used for source classification for the data reported by the inventory. These sources were then classified into the following sources for reporting in the indicators:

- electric utilities
- manufacturing (except pulp and paper)
- mining and rock quarrying
- miscellaneous
- non-ferrous smelting and refining
- oil and gas industry
- ore and mineral industries (except non-ferrous smelting and refining)
- pulp and paper industry
- solid waste management
- transportation (road, rail, air and marine)
- wastewater treatment

### **Canadian Environmental Sustainability Indicators**

Table 1 shows the allocation of sources of harmful substances reported in the indicators compared with sources reported by the inventory.

# Table 1. Alignment of sources reported in the Canadian Environmental Sustainability Indicators and sources in the National Pollutant Release Inventory

Sources in the Canadian Environmental Sustainability Indicators	Sources in the National Pollutant Release Inventory (based on the North American Industry Classification System)
Electric utilities	Electric power generation, transmission and distribution
Manufacturing (except pulp and paper)	Aerospace product and parts manufacturing
Manufacturing (except pulp and paper)	Basic chemical manufacturing
Manufacturing (except pulp and paper)	Cement and concrete product manufacturing
Manufacturing (except pulp and paper)	Coating, engraving, cold and heat treating and allied activities
Manufacturing (except pulp and paper)	Electrical equipment manufacturing
Manufacturing (except pulp and paper)	Electric lighting equipment manufacturing
Manufacturing (except pulp and paper)	Engine, turbine and power transmission equipment manufacturing
Manufacturing (except pulp and paper)	Forging and stamping
Manufacturing (except pulp and paper)	Fruit and vegetable preserving and speciality food manufacturing
Manufacturing (except pulp and paper)	Motor vehicle manufacturing
Manufacturing (except pulp and paper)	Motor vehicle parts manufacturing
Manufacturing (except pulp and paper)	Other chemical product manufacturing
Manufacturing (except pulp and paper)	Other electrical equipment and component manufacturing
Manufacturing (except pulp and paper)	Other fabricated metal product manufacturing
Manufacturing (except pulp and paper)	Other food manufacturing
Manufacturing (except pulp and paper)	Other miscellaneous manufacturing
Manufacturing (except pulp and paper)	Paint, coating and adhesive manufacturing
Manufacturing (except pulp and paper)	Pesticide, fertilizer and other agricultural chemical manufacturing
Manufacturing (except pulp and paper)	Petroleum and coal product manufacturing
Manufacturing (except pulp and paper)	Pharmaceutical and medicine manufacturing
Manufacturing (except pulp and paper)	Rubber product manufacturing
Manufacturing (except pulp and paper)	Semiconductor and other electronic component manufacturing
Manufacturing (except pulp and paper)	Ship and boat building
Manufacturing (except pulp and paper)	Spring and wire product manufacturing
Manufacturing (except pulp and paper)	Veneer, plywood and engineered wood product manufacturing
Mining and rock quarrying	Coal mining

Sources in the Canadian Environmental Sustainability Indicators	Sources in the National Pollutant Release Inventory (based on the North American Industry Classification System)
Mining and rock quarrying	Metal ore mining
Mining and rock quarrying	Non-metallic mineral mining and quarrying
Miscellaneous	Defence service
Miscellaneous	Support activities for water transportation
Miscellaneous	General medical and surgical hospitals
Miscellaneous	Other professional, scientific and technical services
Miscellaneous	Recyclable material merchant wholesalers
Non-ferrous smelting and refining	Non-ferrous metal (except aluminum) production and processing
Oil and gas industry	Oil and gas extraction
Oil and gas industry	Support activities for mining, and oil and gas extraction
Ore and mineral industries (except non-ferrous smelting and refining)	Alumina and aluminum production and processing
Ore and mineral industries (except non-ferrous smelting and refining)	Foundries
Ore and mineral industries (except non-ferrous smelting and refining)	Iron and steel mills and ferro-alloy manufacturing
Ore and mineral industries (except non-ferrous smelting and refining)	Steel product manufacturing from purchased steel
Pulp and paper industry	Converted paper product manufacturing
Pulp and paper industry	Pulp, paper and paperboard mills
Solid waste management	Remediation and other waste management services
Solid waste management	Waste collection
Solid waste management	Waste treatment and disposal
Transportation (road, rail, air and marine)	Rail transportation
Wastewater treatment	Water, sewage and other systems

For display purposes, sources with smaller releases are sometimes grouped together under the category "Other sources" in the figures and corresponding data tables of releases by source. The grouped sources may differ by substance and are listed in the notes of each figure and data table.

### **Recent changes**

The wastewater and waste management source in the Canadian Environmental Sustainability Indicators was split into 2 separate sources: wastewater treatment and solid waste management. These sources are listed under 2 different North American Industry Classification System codes.

The provincial/territorial comparison of releases to water was expanded to include 2003, the first year data was available. Also included is 2022, the latest year data was available, and a 10-year comparison to 2012.

### **Caveats and limitations**

The indicators reflect only facility-based releases to water as reported to the inventory. They do not include estimates of releases from other sources, such as runoff from cities, transboundary pollution or consumer products in Canada. Releases of fishing tackle make up most of the releases of lead to water in Canada, but are not included in the indicator.

Occasional updates and data quality checking can be done after initial release of the inventory.

The number and composition of facilities that report releases to water to the inventory vary each year. This variation is due to the fact that only facilities that meet or exceed the <u>reporting threshold</u> are required to report. An analysis of how this might affect the apparent trends has not been undertaken.

Facilities reporting to the inventory may use different methods to calculate releases. These methods vary depending on the substance and/or facility, and may also change from year to year.

The years 2020 and 2021 were marked by the COVID-19 pandemic which had an impact on a wide range of economic sectors, especially the energy and transport sectors. The emissions change must be interpreted with caution as the impact of the pandemic on the emissions is not discussed in detail.

### Resources

### References

Environment and Climate Change Canada (2018) <u>Moving towards using more lead-free ammunition</u>. Retrieved on June 20, 2024.

Environment and Climate Change Canada (2018) <u>Moving toward using lead-free fishing tackle</u>. Retrieved on June 18, 2024.

Environment and Climate Change Canada (2023) <u>Using and interpreting data from the National Pollutant Release</u> <u>Inventory</u>. Retrieved on June 18, 2024.

Environment and Climate Change Canada (2024) <u>Bulk data files for all years – releases, disposals, transfers and facility locations</u>. Retrieved on June 18, 2024.

### **Related information**

NPRI sector overview: Aluminium

NPRI sector overview: Electricity

NPRI sector overview: Metal ore mining

NPRI sector overview: Oil sands extraction

NPRI sector overview: Wastewater

# Annex

# Annex A. Data tables for the figures presented in this document

 Table A.1. Data for Figure 1. Facility-based releases of mercury, lead and cadmium to water, Canada, 2003

 to 2022

Year	Mercury (percentage change from 2003 level)	Lead (percentage change from 2003 level)	Cadmium (percentage change from 2003 level)
2003	0	0	0
2004	-11	-14	-6
2005	40	-13	-31
2006	-11	-21	-24
2007	-33	-41	-24
2008	-44	-14	-49
2009	-10	-32	-35
2010	-32	-22	-45
2011	-7	-29	-45
2012	-54	-42	-45
2013	-45	-47	-44
2014	508	499	28
2015	-71	-61	-55
2016	-63	-64	-50
2017	-68	-62	-45
2018	-71	-56	-45
2019	-72	-61	-41
2020	-76	-69	-53
2021	-74	-73	-55
2022	-79	-71	-56

**Note:** The indicator reports facility-based releases only. This table accounts only for the releases to water reported in the National Pollutant Release Inventory based on the inventory reporting criteria for releases of mercury, lead and cadmium and their compounds. These amounts should not be interpreted as comprehensive totals of releases to water of these pollutants in Canada. In 2014, a significant spill at the Mount Polley mine in central British Columbia accounted for large releases of mercury, lead and cadmium to water. **Source:** Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

Year	Wastewater treatment (releases to water in kilograms)	Mining and rock quarrying (releases to water in kilograms)	Non-ferrous smelting and refining (releases to water in kilograms)	Pulp and paper industry (releases to water in kilograms)	Other sources (releases to water in kilograms)	Total (releases to water in kilograms)
2003	306.7	1.5	14.1	24.1	35.3	381.6
2004	272.7	8.2	13.3	17.5	26.1	337.8
2005	435.2	1.0	53.4	14.0	29.1	532.6
2006	226.9	3.5	61.6	26.3	20.8	339.1
2007	169.4	4.1	31.2	25.6	24.0	254.3
2008	149.7	3.9	10.7	22.8	25.3	212.4
2009	167.5	17.7	9.4	83.6	66.6	344.9
2010	137.9	6.4	23.4	71.0	21.9	260.5
2011	173.6	90.2	9.3	68.2	13.5	354.8
2012	100.1	17.0	5.9	43.4	9.4	175.7
2013	123.5	38.6	8.5	34.3	6.5	211.4
2014	87.4	2 174.4	10.4	47.8	1.7	2 321.7
2015	77.9	5.0	5.5	21.0	1.6	111.1
2016	83.2	3.4	30.7	21.0	4.4	142.7
2017	81.4	6.9	12.0	19.3	0.7	120.3
2018	80.8	2.6	14.3	11.1	1.8	110.7
2019	59.8	18.4	14.7	11.6	0.8	105.4
2020	65.9	5.4	8.9	11.1	1.4	92.7
2021	55.4	12.9	12.9	15.5	1.2	97.8
2022	48.6	6.0	10.4	14.5	2.4	81.9

### Table A.2. Data for Figure 2. Facility-based mercury releases to water by source, Canada, 2003 to 2022

**Note:** Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. "Other sources" include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>. **Source:** Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

Table A.3. Data for Figure 3. Facility-based mercury releases to water by province and territory, Canada,	
2003, 2012 and 2022	

Province or territory	2003 (releases to water in kilograms)	2012 (releases to water in kilograms)	2022 (releases to water in kilograms)
Newfoundland and Labrador	< 0.1	13.2	< 0.1
Prince Edward Island	n/a	n/a	n/a
Nova Scotia	0.6	0.6	0.2
New Brunswick	2.0	12.0	2.5
Quebec	122.2	20.3	26.6
Ontario	137.2	42.7	30.1
Manitoba	n/a	0.4	0.4
Saskatchewan	0.9	0.3	n/a
Alberta	69.7	58.1	2.4
British Columbia	48.9	28.0	19.7
Yukon	n/a	n/a	n/a
Northwest Territories	n/a	n/a	< 0.1
Nunavut	n/a	n/a	< 0.1
Canada	381.6	175.7	81.9

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental mercury and mercury in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported mercury releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of mercury releases by province and territory. To access all available years data please refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

### Table A.4. Data for Figure 5. Facility-based lead releases to water by source, Canada, 2003 to 2022

Year	Wastewater treatment (releases to water in kilograms)	Pulp and paper industry (releases to water in kilograms)	Other sources (releases to water in kilograms)	Non-ferrous smelting and refining (releases to water in kilograms)	Mining and rock quarrying (releases to water in kilograms)	Total (releases to water in kilograms)
2003	15 487.1	2 583.0	1 901.8	2 253.9	2 112.9	24 338.7
2004	11 526.4	2 886.4	1 631.8	2 881.5	1 925.5	20 851.7
2005	9 472.5	3 340.5	1 964.5	2 778.4	3 713.5	21 269.4
2006	9 899.8	2 365.9	1 569.5	1 874.6	3 429.6	19 139.3
2007	6 417.4	2 370.8	1 396.1	1 819.4	2 252.4	14 256.2
2008	11 582.8	2 424.6	1 493.6	2 194.1	3 274.9	20 970.0
2009	8 475.9	2 252.7	1 971.6	2 148.8	1 611.5	16 460.4
2010	11 973.3	2 117.4	1 938.8	1 526.6	1 341.9	18 898.0
2011	8 990.8	2 888.1	1 886.3	1 518.9	1 876.0	17 160.1
2012	4 698.6	2 864.8	1 642.4	1 773.6	3 074.4	14 053.8
2013	4 660.3	2 423.3	1 905.9	1 483.6	2 388.7	12 861.9
2014	5 114.7	1 848.3	1 417.6	1 768.1	135 559.6	145 708.3

Year	Wastewater treatment (releases to water in kilograms)	Pulp and paper industry (releases to water in kilograms)	Other sources (releases to water in kilograms)	Non-ferrous smelting and refining (releases to water in kilograms)	Mining and rock quarrying (releases to water in kilograms)	Total (releases to water in kilograms)
2015	4 395.9	1 459.9	1 196.2	1 338.7	991.3	9 382.0
2016	3 880.0	1 576.9	855.7	1 527.6	1 042.0	8 882.2
2017	4 375.8	1 444.0	1 131.3	1 111.4	1 078.4	9 140.9
2018	4 596.9	3 013.2	1 387.7	1 117.8	620.5	10 736.1
2019	4 707.7	2 134.7	1 329.3	1 136.9	266.3	9 574.9
2020	4 191.6	1 122.5	1 004.1	1 085.7	240.3	7 644.2
2021	3 482.6	972.1	1 081.9	790.3	304.6	6 631.5
2022	3 782.6	993.9	1 410.2	627.9	137.4	6 952.0

Note: Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. "Other sources" include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>. Source: Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

# Table A.5. Data for Figure 6. Facility-based lead releases to water by province and territory, Canada, 2003, 2012 and 2022

Province or territory	2003 (releases to water in kilograms)	2012 (releases to water in kilograms)	2022 (releases to water in kilograms)
Newfoundland and Labrador	1 670.0	522.2	73.5
Prince Edward Island	n/a	3.3	7.8
Nova Scotia	3.9	36.5	137.1
New Brunswick	724.9	1 400.9	218.0
Quebec	6 296.2	4 988.9	2 097.0
Ontario	8 321.2	3 230.4	2 585.0
Manitoba	1 385.0	162.9	124.3
Saskatchewan	217.1	17.3	46.6
Alberta	1 141.5	704.9	321.2
British Columbia	4 563.9	2 979.4	1 340.0
Yukon	n/a	n/a	n/a
Northwest Territories	n/a	1.6	0.1
Nunavut	15.0	5.5	1.5
Canada	24 338.7	14 053.8	6 952.0

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental lead and lead in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported lead releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of lead releases by province and territory, to access all available years data please refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

Year	Wastewater treatment (releases to water in kilograms)	Pulp and paper industry (releases to water in kilograms)	Non-ferrous smelting and refining (releases to water in kilograms)	Other sources (releases to water in kilograms)	Mining and rock quarrying (releases to water in kilograms)	Total (releases to water in kilograms)
2003	3 195.1	1 012.2	426.4	129.7	181.2	4 944.6
2004	2 258.8	957.7	867.8	136.5	423.8	4 644.6
2005	1 391.2	931.6	454.0	229.4	402.1	3 408.3
2006	1 452.3	1 076.4	435.3	267.6	514.9	3 746.5
2007	1 115.0	1 104.2	877.7	264.2	396.6	3 757.7
2008	979.1	766.1	394.8	348.1	54.2	2 542.2
2009	1 260.1	710.4	365.4	511.6	368.9	3 216.4
2010	1 212.8	704.5	289.0	345.6	189.0	2 741.0
2011	1 356.3	723.7	321.5	201.8	134.5	2 737.7
2012	1 232.3	809.4	327.0	200.9	158.9	2 728.4
2013	902.2	1 089.0	352.2	145.9	268.0	2 757.2
2014	968.0	941.5	319.5	107.9	4 001.7	6 338.6
2015	976.7	783.0	287.3	83.8	114.6	2 245.4
2016	1 117.7	838.6	314.1	103.5	110.5	2 484.5
2017	1 234.6	866.5	282.2	116.5	237.7	2 737.4
2018	1 199.3	814.3	229.6	153.2	301.6	2 698.1
2019	1 644.7	796.5	311.9	54.0	128.6	2 935.8
2020	1 194.5	704.7	281.4	31.4	131.8	2 343.9
2021	1 059.1	647.8	210.4	211.0	105.2	2 233.4
2022	1 190.4	640.0	228.9	37.9	91.2	2 188.3

Table A.6. Data for Figure 8. Facility-based cadmium releases to water by source, Canada, 2003 to 2022

**Note:** Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water account for only a portion of the releases of this toxic pollutant to water in Canada. Other sources include electric utilities, manufacturing (except the pulp and paper industry), the oil and gas industry, ore and mineral industries (except non-ferrous smelting and refining), solid waste management, transportation (road, rail, air and marine) and other miscellaneous sources. For more details on sources, please consult the <u>Data sources and methods</u>. **Source:** Environment and Climate Change Canada (2024) <u>National Pollutant Release Inventory</u>.

# Table A.7. Data for Figure 9. Facility-based cadmium releases to water by province and territory, Canada, 2003, 2012 and 2022

Province or territory	2003 (releases to water in kilograms)	2012 (releases to water in kilograms)	2022 (releases to water in kilograms)
Newfoundland and Labrador	8.4	2.5	9.9
Prince Edward Island	n/a	0.3	3.2
Nova Scotia	12.1	60.0	1.6
New Brunswick	184.8	122.9	106.2
Quebec	2 544.8	436.3	447.4
Ontario	843.6	669.2	1 030.0

Province or territory	2003 (releases to water in kilograms)	2012 (releases to water in kilograms)	2022 (releases to water in kilograms)
Manitoba	360.3	21.6	13.5
Saskatchewan	31.8	0.9	0.9
Alberta	258.3	351.6	170.0
British Columbia	700.3	1 062.8	405.5
Yukon	n/a	n/a	n/a
Northwest Territories	n/a	0.2	< 0.1
Nunavut	0.2	0.2	0.1
Canada	4 944.6	2 728.4	2 188.3

**Note:** n/a = not available, it indicates that the province or territory has no reported releases. Totals may not add up due to rounding. The indicator reports facility-based releases only. The indicator includes the amount of elemental cadmium and cadmium in any compound, alloy or mixture reported in the National Pollutant Release Inventory based on the inventory reporting criteria. As a result, the reported cadmium releases to water represent only a portion of the releases of this toxic pollutant to water in Canada. The data table provides a snapshot of cadmium releases by province and territory, to access all available years data please refer to the indicator's <u>interactive figures</u> or, for the full dataset, to the <u>National Pollutant Release Inventory</u>.

Source: Environment and Climate Change Canada (2024) National Pollutant Release Inventory.

Additional information can be obtained at:

Environment and Climate Change Canada Public Inquiries Centre Place Vincent Massey Building 351 Saint-Joseph Boulevard Gatineau QC K1A 0H3 Toll Free: 1-800-668-6767 Email: <u>enviroinfo@ec.gc.ca</u>