



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 12/2023
December 29, 2023



Safety First, Service Always

Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition
Edition No. 12/2023

Aussi disponible en français :
Avis aux navigateurs – Édition mensuelle de l'Est
Édition n° 12/2023

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Minister of Fisheries, Oceans
and the Canadian Coast Guard, 2023.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)
ISSN 2817-0083

A web version is available here:

<https://www.notmar.gc.ca/monthly> (English)

<https://www.notmar.gc.ca/mensuel> (French)

Explanatory Notes – Notices to Mariners (NOTMAR)

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Distances may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email chsinfo@dfo-mpo.gc.ca.

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- *16 on a cellphone (where available)

NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


Explanatory Notes – Canadian Hydrographic Service (CHS)

Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2023*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: <https://www.charts.gc.ca/charts-cartes/paper-papier/papertable-tablepapier-eng.asp>.

Explanatory Notes – Marine Communications and Traffic Services (MCTS)

Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the CCG Navigational Warnings website at <http://nis.ccg-gcc.gc.ca>.

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p>Atlantic Region (North) *Port aux Basques MCTS Centre</p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784</p> <p>Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca</p>	<p>Central Region *Prescott MCTS Centre</p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666 Facsimile: 613-925-4519</p> <p>Email: NAVWARN.MCTSPrescott@innav.gc.ca</p>
<p>Atlantic Region (South) *Sydney MCTS Centre</p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662</p> <p>Email: NAVWARN.MCTSSydney@innav.gc.ca</p>	<p>Arctic Region *Iqaluit MCTS Centre</p> <p><i>Operational from approximately mid-May until late December.</i></p> <p>“A” Series NAVWARN</p> <p>Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0</p> <p>Telephone: 867-979-5269 Facsimile: 867-979-4264</p> <p>Email: NAVWARN.MCTSIqaluit@innav.gc.ca</p>

*Service available in English and in French.

¹ The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

Table of Contents

Section 1: General and Safety Information	1
*1207/22 Canadian Coast Guard – Waterway information.....	1
*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations.....	1
*1201/23 Canadian Hydrographic Service – Nautical Charts.....	1
*1202/23 Canadian Hydrographic Service – Electronic Navigational Charts.....	2
*1203/23 Transport Canada - Ship Safety Bulletin #25/2023.....	4
*1204/23 Canadian Coast Guard Publication – Radio Aids to Marine Navigation 2024 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific) Publication.....	4
*1205/23 Canadian Coast Guard – Montreal Ice Office	5
*1206/23 Canadian Hydrographic Service – Modifications to the Canadian Tide and Current Tables – Table 3.....	5
*1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process.....	5
*1208/23 Mahone Bay – Unlit Buoy Permanently Established.....	6
*1209/23 Black Island to / à Little Denier Island – Unlit Buoy Aid Number Modified	6
*1210/23 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Unlit Buoy Permanently Established	6
Section 1A: Temporary and Preliminary Notices	7
Reminder – Comment Period for Active Preliminary Notices	7
*1211(P)/23 Cape St Francis to / à Baccalieu Island and / et Heart's Content – Light Buoy to be Discontinued.....	7
*1212(P)/23 St. Marys Bay – Aid to Navigation to be Discontinued	8
*1213(P)/23 Halifax Harbour: Black Point to / à Point Pleasant – Notice of Proposed Changes.....	9
*1214/23 Canal de la Rive Sud – Waterway Information : Inspection Completed	10
*1215/23 Canal de la Rive Sud – Bridge Demolition Completed	10
*1216/23 Canal de la Rive Sud – Federal Wharf Permanently Closed to Navigation.....	10
Section 2: Chart Corrections	11
Section 3: Radio Aids to Marine Navigation Corrections	21
No corrections for this section.	21
Section 4: Canadian Sailing Directions Corrections	22
Section 5: List of Lights, Buoys and Fog Signals Corrections	23

Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1310	11	4702	16		
1313	26	4703	16		
1316	26	4744	16, 23		
1317	26	4745	24		
1429	10	4832	16, 17, 23		
1509	11, 12	4844	7		
1550	27	4849	24		
1551	27	4850	7		
2224	27	4853	24		
2242	12	4856	17, 24		
2301	12, 13	4864	6		
2326	13, 14	4881	23		
4001	14	4912	26		
4006	14	4935	25		
4022	15	5033	17, 18		
4118	8	5138	24		
4203	9	5179	23		
4233	7	5455	18		
4244	25	5533	19		
4277	25	6035	6, 19, 27		
4308	25	6249	19, 27		
4381	6, 15, 25	7065	19		
4425	25	7066	20		
4426	26	7404	20		
4449	25	7481	20		
4452	1	7482	20		
4459	15, 16	14853 (U.S.)	1		
4467	25	14882 (U.S.)	1		
4491	16	14883 (U.S.)	1		
4498	25	14884 (U.S.)	1		
4523	7				
4617	16				
4639	23				
4680	23				

Section 1: General and Safety Information

*1207/22 Canadian Coast Guard – Waterway information

(Recurrent publication of notice *1207/22, originally published in the *Notices to Mariners – Monthly Eastern Edition 12/2022* publication.)

Reference chart: 14853 (U.S.), 14882 (U.S.), 14883 (U.S.), 14884 (U.S.)

Updated shoaling conditions for the navigational channels in the Great Lakes are available on the Canadian Coast Guard websites:

[CCG e-Nav - Shoals in the Detroit River \(canada.ca\)](#)

[CCG e-Nav - Shoals in the St. Clair River \(canada.ca\)](#)

[CCG e-Nav - Shoals in the St. Mary's River \(canada.ca\)](#)

Great Lakes Waterways Channel Bottom Conditions and Active Shoals are available at the website:

[GCC - e-Nav Portal - Central - Great Lakes Waterways - Channel Bottom Conditions \(canada.ca\)](#)

Areas		
Detroit River	North Channel	St. Clair River
Great Lakes	Lake Huron	St. Marys River
Lake Erie	Lake St. Clair	Whitefish Bay

(NW-C-2130-22)

*505/23 Canadian Hydrographic Service – Magnetic Declination Calculations

(Recurrent publication of notice *505/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 05/2023* publication.)

Mariners are advised that CHS has adopted the harmonized World Magnetic Model (WMM), as found on the NCEI/NOAA website. Old compass rose declination information on CHS navigational products can be updated using this website: <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>. While the differences in the model declinations are small each year, they can become more significant over a large period of time.

*1201/23 Canadian Hydrographic Service – Nautical Charts

Charts	Main Title	Scale	Edition Date	Published	Cat#	Price
New Editions						
4452	Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore	1:48 000	2023-11-20	2023-12-22	1	\$20.00

***1202/23 Canadian Hydrographic Service – Electronic Navigational Charts**

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
New Charts			
CA217P1A (Edn 1.000)	CA217P1A	1:750 000	2023-12-15
CA217Q8A (Edn 1.000)	CA217Q8A	1:750 000	2023-12-15
CA217RFA (Edn 1.000)	CA217RFA	1:1 750 000	2023-12-15
CA217SNA (Edn 1.000)	CA217SNA	1:1 750 000	2023-12-15
CA217TVA (Edn 1.000)	CA217TVA	1:1 750 000	2023-12-15
CA217V3A (Edn 1.000)	CA217V3A	1:1 750 000	2023-12-15
CA217WAA (Edn 1.000)	CA217WAA	1:1 750 000	2023-12-15
CA22EMTA (Edn 1.000)	CA22EMTA	1:175 000	2023-12-15
CA22EP1A (Edn 1.000)	CA22EP1A	1:175 000	2023-12-15
CA22EQ8A (Edn 1.000)	CA22EQ8A	1:750 000	2023-12-15
CA22ERFA (Edn 1.000)	CA22ERFA	1:350 000	2023-12-15
CA22ESNA (Edn 1.000)	CA22ESNA	1:1 750 000	2023-12-15
CA22ETVA (Edn 1.000)	CA22ETVA	1:1 750 000	2023-12-15
CA22EV3A (Edn 1.000)	CA22EV3A	1:1 750 000	2023-12-15
CA22EWAA (Edn 1.000)	CA22EWAA	1:1 750 000	2023-12-15
CA23MMTA (Edn 1.000)	CA23MMTA	1:175 000	2023-12-08
CA23MP1B (Edn 1.000)	CA23MP1B	1:175 000	2023-12-08
CA23MQ8B (Edn 1.000)	CA23MQ8B	1:175 000	2023-12-08
CA23MRFA (Edn 1.000)	CA23MRFA	1:175 000	2023-12-08
CA23MSNA (Edn 1.000)	CA23MSNA	1:350 000	2023-12-08
CA23MTVA (Edn 1.000)	CA23MTVA	1:350 000	2023-12-08
CA23MV3A (Edn 1.000)	CA23MV3A	1:1 750 000	2023-12-08
CA23MWAA (Edn 1.000)	CA23MWAA	1:1 750 000	2023-12-08
CA24UQ8B (Edn 1.000)	CA24UQ8B	1:175 000	2023-12-08
CA24URFB (Edn 1.000)	CA24URFB	1:175 000	2023-12-08
CA24USNA (Edn 1.000)	CA24USNA	1:1 750 000	2023-12-08
CA24UTVA (Edn 1.000)	CA24UTVA	1:1 750 000	2023-12-08
CA24UV3A (Edn 1.000)	CA24UV3A	1:1 750 000	2023-12-08
CA24UWAA (Edn 1.000)	CA24UWAA	1:1 750 000	2023-12-08
CA24UXHA (Edn 1.000)	CA24UXHA	1:1 750 000	2023-12-08
CA24UYQA (Edn 1.000)	CA24UYQA	1:1 750 000	2023-12-08
CA262Q8A (Edn 1.000)	CA262Q8A	1:1 750 000	2023-12-08
CA262RFA (Edn 1.000)	CA262RFA	1:350 000	2023-12-08
CA262SNA (Edn 1.000)	CA262SNA	1:350 000	2023-12-08
CA262TVA (Edn 1.000)	CA262TVA	1:1 750 000	2023-12-08
CA262V3A (Edn 1.000)	CA262V3A	1:1 750 000	2023-12-08
CA262WAA (Edn 1.000)	CA262WAA	1:1 750 000	2023-12-08

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA262XHA (Edn 1.000)	CA262XHA	1:1 750 000	2023-12-08
CA262YQA (Edn 1.000)	CA262YQA	1:1 750 000	2023-12-08
CA279Q8A (Edn 1.000)	CA279Q8A	1:1 750 000	2023-12-08
CA279Q8B (Edn 1.000)	CA279Q8B	1:175 000	2023-12-08
CA279RFA (Edn 1.000)	CA279RFA	1:1 750 000	2023-12-08
CA279SNA (Edn 1.000)	CA279SNA	1:1 750 000	2023-12-08
CA279TVA (Edn 1.000)	CA279TVA	1:1 750 000	2023-12-08
CA279V3A (Edn 1.000)	CA279V3A	1:1 750 000	2023-12-08
CA279WAA (Edn 1.000)	CA279WAA	1:1 750 000	2023-12-08
CA279XHA (Edn 1.000)	CA279XHA	1:1 750 000	2023-12-08
CA279YQA (Edn 1.000)	CA279YQA	1:1 750 000	2023-12-08
CA55ESLA (Edn 1.000)	CA55ESLA	1:11 000	2023-12-01
CA55VSTA (Edn 1.000)	CA55VSTA	1:11 000	2023-12-08
New Editions			
CA176290 (Edn 11.000)	Labrador Sea/Mer du Labrador	1:1 750 000	2023-12-15
CA276821 (Edn 3.000)	Murphy Head to Button Islands	1:100 000	2023-12-15
CA376336 (Edn 3.000)	Bonavista Bay, Western Portion/Partie ouest	1:30 000	2023-12-22
CA476079 (Edn 8.000)	Head of/Fond de Placentia Bay	1:20 000	2023-12-08
CA476300 (Edn 8.000)	Red Island to Pinchgut Point	1:20 000	2023-12-01
CA55WSTA (Edn 2.000)	Port5150N05550W	1:11 000	2023-12-01
Charts Permanently Withdrawn			
CA176030	Gulf of Maine to/à Strait of Belle Isle including/y compris Gulf of St.Lawrence/Golfe Saint-Laurent		
CA176140	Cape Breton to/à Cape Cod		
CA276090	Sable Island Bank/Banc de l'Île de Sable to/au St. Pierre Bank/Banc de Saint Pierre		
CA276091	St. Pierre Bank/Banc de Saint-Pierre to/au Whale Bank/Banc de la Baleine		
CA276092	Cape Race to Cape Freels		
CA276101	Grand Bank, Northern Portion/Grand Banc, Partie Nord to/à la Flemish Pass		
CA276113	Cape Harrison to/à St. Michael Bay		
CA276138	Pointe Amour a/to Cape Whittle et/and Cape St. George	Cancelled by CA24URFB	
CA276204	Halifax to/à Sydney		
CA276206	Approaches to/à Bay of Fundy		
CA276241	Bay of Fundy (Inner Portion)		
CA276271	Cabot Strait and Approaches, Scatarie Island to Anticosti Island		
CA276274	Saint-Pierre to St. John's		

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA276284	Sydney to Saint-Pierre		
CA276286	Northumberland Strait		
CA276311	Petitcodiac River		
CA276312	Cobequid Bay - Continuation A		
CA276322	Cape Harrison to/à Nunaksaluk Island		
CA276367	Georges Bank/Banc de Georges - Eastern Portion/Partie Est		
CA276514	Grand Bank/Grand Banc Southern Portion/Partie Sud,Atlantic Ocean/Ocean Atlantique		
CA276515	Grand Bank,Northern Portion/Grand Banc,Partie Nord		
CA276652	Nanaksaluk Island to/à Cape Kiglapait		
CA276800	Yarmouth to/à Halifax		
CA276801	Yarmouth to/à Halifax		

***1203/23 Transport Canada - Ship Safety Bulletin #25/2023**

A new **Ship Safety Bulletin** has recently been posted on the [Transport Canada website](#).

To view or download this bulletin, please click on the link below:

[SSB#25/2023](#) – Medical examination process for a seafarer to obtain or maintain a pilotage licence or a pilotage certificate
RDIMS# 19964351

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free).

***1204/23 Canadian Coast Guard Publication – Radio Aids to Marine Navigation 2024 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific) Publication**

The 2024 edition of the *Radio Aids to Marine Navigation (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)* publication will be available online at the beginning of January 2024, free of charge, at: <https://www.ccg-gcc.gc.ca/publications/mcts-sctm/ramn-armm/index-eng.html>.

Amendments to this publication, if any, will be advertised in Section 3 of the monthly edition of *Notices to Mariners* (<https://www.notmar.gc.ca/monthly>). The 2024 edition has been revised up to December 31, 2023 and supersedes the 2023 edition. The paper version of this publication is no longer sold.

***1205/23 Canadian Coast Guard – Montreal Ice Office**

Please take note that the Montreal Ice Office is in operation 24 hours a day since December 6th, 2023.

Areas of responsibility:

Gulf of St-Lawrence from Cabot and Belle-Isle straits (Blanc-Sablon) to Lake St-Francis (Canadian sector), including Saguenay Fjord, Magdalen Islands and the Lower North Shore.

For inquiries about:

Icebreakers information :

- Phone number: 1-(514) 283-1746
- Email: DFO.CCGCentralIceOpsStLawrence-StLaurentOpsglacesCentreGCC.MPO@dfo-mpo.gc.ca

Ice conditions :

- Phone number : 1-(514) 283-1752
- Email: ssgstlaurent-issstlawrence@ec.gc.ca

Ice and Weather briefings:

- Website: <https://e-navigation.canada.ca/topics/ice/daily-briefings>

***1206/23 Canadian Hydrographic Service – Modifications to the Canadian Tide and Current Tables – Table 3**

Please note that Atlantic region has applied several corrections to Higher High Water and Lower Low Water time differences for secondary stations in Table 3. The following pages have been updated:

- Volume 1 - Atlantic Coast and Bay of Fundy, 2023. Pages 73-77
- Volume 1 - Atlantic Coast and Bay of Fundy, 2024. Pages 71-75
- Volume 2 – Gulf of St. Lawrence, 2023. Pages 73-74
- Volume 2 – Gulf of St. Lawrence, 2024. Pages 71-72

Please visit [Canadian Tide and Current Tables](#) to download the most recent versions.

***1207/23 Canadian Hydrographic Service – Inappropriate Geographical Names Review Process**

Reference: Notice *807/23 is cancelled.

The records of the Canadian Hydrographic Service could contain geographical names that may be considered inappropriate, offensive and derogatory. Geographical naming authorities are in the process of addressing many offensive place names, the review process is underway. For more information, about inappropriate geographical names, please see the [following announcement](#).

***1208/23 Mahone Bay – Unlit Buoy Permanently Established**

Reference chart: 4381

The following unlit buoy has been permanently established at the following coordinates:

Aid Name	LL #	Position
Deep Cove buoy MY52	5459.018	44° 32' 09.1"N 064° 06' 57.1"W

(F2023-023)

***1209/23 Black Island to / à Little Denier Island – Unlit Buoy Aid Number Modified**

Reference chart: 4864

The following unlit buoy's aid number has been changed from LL 361.065 to LL 4361.065:

Aid Name	LL #	Position
Mussell Bed Shoal Buoy DBT5	4361.065	49° 32' 01.5"N 054° 58' 25.8"W

(N2023-238)

***1210/23 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Unlit Buoy Permanently Established**

Reference chart: 6035

The following unlit buoy has been permanently established at the following coordinates:

Aid Name	LL #	Position
Buoy J14	9321.2	46° 13' 10.9"N 079° 22' 08.0"W

(D2023-035)

Section 1A: Temporary and Preliminary Notices

Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
Newfoundland and Labrador Coast			
1014(P)/23	4523	336.28	Aid to Navigation to be Discontinued
1111(P)/23	4844	5.5	Bell to be Discontinued
Atlantic Coast			
1113(P)/23	4233	654	Fog Horn to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

Newfoundland and Labrador Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca

*1211(P)/23 Cape St Francis to / à Baccalieu Island and / et Heart's Content – Light Buoy to be Discontinued

Reference chart: 4850

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL #	Position
Karl's Gateway light buoy CV3	474.1	48° 05' 03.3"N 052° 54' 06.6"W

Initial publication date: Friday, December 29, 2023

[Comment submission deadline](#): Thursday, March 28, 2024

(N2023-228)

Atlantic Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLaidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

***1212(P)/23 St. Marys Bay – Aid to Navigation to be Discontinued**

Reference chart: 4118

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL #	Position
Whale Cove Wharf	215	44° 26' 08.1"N 066° 10' 30.6"W

Initial publication date: Friday, December 29, 2023

[Comment submission deadline](#): Thursday, March 28, 2024

(F2023-035)

***1213(P)/23 Halifax Harbour: Black Point to / à Point Pleasant – Notice of Proposed Changes**

Reference chart: 4203

The Canadian Coast Guard proposes to permanently change the following aids to navigation:

Aid Name	LL #	Position	Proposed Changes
Fixed Aids			
Herring Cove	522	44° 34' 00.6"N 063° 33' 19.8"W	Change daymark from red and white to green and white.
Lawlor Island Sector	547	44° 36' 21.8"N 063° 29' 45.4"W	Discontinue aid to navigation.
Lawlor Island Light	547.1	44° 36' 22.9"N 063° 29' 43.6"W	Establish a mast equipped with a green lantern with flash characteristics FI 1 s, Ec 4 s and a black, white and green square daymark.
Floating Aids			
Neverfail Shoal light and bell buoy H8	518	44° 33' 15.5"N 063° 31' 27.6"W	Increase lantern intensity. Discontinue the bell.
Thrumcap light and bell buoy HN6	520	44° 33' 49.3"N 063° 30' 11.6"W	Discontinue the bell.
Herring Cove light and bell buoy HM1	521	44° 33' 52.2"N 063° 32' 54.7"W	Increase lantern intensity.
Lighthouse Bank light and bell buoy H12	524	44° 35' 36.3"N 063° 31' 59.5"W	Discontinue the bell.
Hens and Chickens light buoy HQ2	531	44° 36' 50.0"N 063° 33' 44.0"W	Increase lantern intensity.
Purcells Cove light buoy HQ1	532	44° 36' 41.9"N 063° 33' 56.9"W	Increase lantern intensity.
McCormak's Beach light buoy HP6	546.6	44° 36' 18.0"N 063° 29' 35.0"W	Establish starboard hand buoy equipped with a red lantern with flash characteristics: FI 0.5 s; Ec 3.5 s.
Lawlor Island light buoy HP11	547.2	44° 36' 31.8"N 063° 29' 58.4"W	Reposition buoy to the following position: 44° 36' 31.1" N 063° 29' 58.9" W.
Wellesley Rock light buoy H46	562	44° 42' 37.3"N 063° 39' 26.1"W	Decrease lantern intensity.
Head Rock Shoal buoy HPC	5515.01	44° 32' 35.4"N 063° 29' 07.0"W	Add white lantern with flash characteristics: 6(FI 0.3 s; Ec 0.7 s) + FI 2.0s; Ec 7.0 s.
Eastern Passage buoy HP9	5542.01	44° 36' 28.4"N 063° 29' 53.7"W	Reposition buoy to the following position: 44° 36' 27.2" N 063° 29' 52.9" W.
Eastern Passage buoy HP10	5543.02	44° 36' 31.2"N 063° 29' 56.4"W	Add red lantern with flash characteristics: FI 0.3 s; Ec 0.7 s.

Initial publication date: Friday, December 29, 2023

[Comment submission deadline](#): Thursday, March 28, 2024

(F2023-027)

Inland Waters

Temporary Notices

***1214/23 Canal de la Rive Sud – Waterway Information : Inspection Completed**

Reference: Notice 107(T)/22 is cancelled (Chart 1429).

Inspection work taking place under the Champlain Bridge is now completed.

***1215/23 Canal de la Rive Sud – Bridge Demolition Completed**

Reference: Notice 615(T)/22 is cancelled (Chart 1429).

Demolition work on the old Champlain Bridge is now completed.

***1216/23 Canal de la Rive Sud – Federal Wharf Permanently Closed to Navigation**

Reference: Notice 616(T)/22 is cancelled (Chart 1429).

The Lachine Port de Plaisance Marina is permanently closed to navigation. Information regarding this closure can be found in the booklet CEN 301 of the [Canadian Sailing Directions](#).

Preliminary Notices

No notices applicable for this edition.

Section 2: Chart Corrections

1310 - Section A-B - New Edition - 07-JUN-2019 - NAD 1983

22-DEC-2023

LNMD. 17-NOV-2023

Add	depth of 1,2 metres (See Chart 1, I10)	45°42'11.1"N 073°29'00.0"W <i>DFO(6410956-01)</i>
Add	depth of 2,1 metres (See Chart 1, I10)	45°42'12.1"N 073°29'01.8"W <i>DFO(6410956-02)</i>
Add	depth of 1,6 metres (See Chart 1, I10)	45°42'17.1"N 073°29'00.5"W <i>DFO(6410956-05)</i>

1310 - Section B-C - New Edition - 07-JUN-2019 - NAD 1983

22-DEC-2023

LNMD. 17-NOV-2023

Replace	red starboard hand conical buoy, marked MT60, with a red starboard hand lighted conical buoy, FI R, marked MT60 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA579080	45°34'59.1"N 073°28'33.6"W <i>(Q2023040) LL(2365.75) DFO(6410841-02)</i>
Replace	green port hand can buoy, marked MT59 with a green port hand lighted can buoy, FI G, marked MT59 (See Chart 1, Qc)	45°34'57.6"N 073°28'30.5"W <i>(Q2023041) LL(2365.73) DFO(6410842-01)</i>
Delete	depth of 8 metres 7 decimetres (See Chart 1, I10)	45°31'56.8"N 073°32'03.0"W <i>DFO(6410940-01)</i>
Add	depth of 8 metres 4 decimetres (See Chart 1, I10)	45°31'56.8"N 073°32'03.0"W <i>DFO(6410940-02)</i>

1509 - Pont-Viau à/to Île Bourdon E-F - Sheet/Feuille 2 - New Edition - 15-NOV-2019 - NAD 1983

22-DEC-2023

LNMD. 20-OCT-2023

Add	depth of 1,2 metres (See Chart 1, I10)	45°42'11.1"N 073°29'00.0"W <i>DFO(6410956-01)</i>
Add	depth of 2,1 metres (See Chart 1, I10)	45°42'12.1"N 073°29'01.8"W <i>DFO(6410956-02)</i>
Delete	depth of 2,9 metres (See Chart 1, I10)	45°42'43.2"N 073°28'43.2"W <i>DFO(6410956-03)</i>
Add	depth of 1,9 metres (See Chart 1, I10)	45°42'43.4"N 073°28'43.7"W <i>DFO(6410956-04)</i>
Add	depth of 1,6 metres (See Chart 1, I10)	45°42'17.1"N 073°29'00.5"W <i>DFO(6410956-05)</i>

1509 - Île Haynes - Sheet/Feuille 2 - New Edition - 15-NOV-2019 - NAD 1983

22-DEC-2023

LNMD. 20-OCT-2023

Add	depth of 1,2 metres (See Chart 1, I10)	45°42'11.1"N 073°29'00.0"W <i>DFO(6410956-01)</i>
Add	depth of 2,1 metres (See Chart 1, I10)	45°42'12.1"N 073°29'01.8"W <i>DFO(6410956-02)</i>
Add	depth of 1,6 metres (See Chart 1, I10)	45°42'17.1"N 073°29'00.5"W <i>DFO(6410956-05)</i>

2242 - Giants Tomb Island to/à Franklin Island - New Chart - 07-JAN-2005 - NAD 1983

22-DEC-2023

LNMD. 28-JUL-2023

Delete	microwave tower with elevation of 50 metres, RLts (See Chart 1, Ec) This notice affects Electronic Navigational Chart: CA373311	45°10'17.0"N 080°08'10.0"W <i>DFO(6605166-01)</i>
Delete	microwave tower, RLts (See Chart 1, Ec) This notice affects Electronic Navigational Chart: CA373311	45°10'01.0"N 080°08'09.0"W <i>DFO(6605166-02)</i>
Add	microwave tower with elevation of 55 metres, RLts (See Chart 1, Ec) This notice affects Electronic Navigational Chart: CA373311	45°10'14.7"N 080°08'10.7"W <i>DFO(6605166-03)</i>

2301 - Passage Island to/à Thunder Bay - New Edition - 22-FEB-1991 - US Standard Datum

22-DEC-2023

LNMD. 17-NOV-2023

Add	depth of 3¼ fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°09'54.5"N 089°13'40.4"W <i>DFO(6605175-01)</i>
Add	depth of 4¼ fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°12'31.9"N 089°10'59.3"W <i>DFO(6605175-02)</i>
Delete	sounding of 5 fathoms Rep (2013) (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°11'23.8"N 089°07'11.7"W <i>DFO(6605175-03)</i>
Add	depth of 4¼ fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°11'23.3"N 089°06'50.4"W <i>DFO(6605175-04)</i>
Delete	depth of 8 fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°12'44.1"N 089°12'26.2"W <i>DFO(6605175-05)</i>

Add	depth of 6 fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°12'42.0"N 089°12'25.5"W <i>DFO(6605175-06)</i>
Delete	depth of 2 fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'01.8"N 089°14'41.5"W <i>DFO(6605175-07)</i>
Add	depth of 1¼ fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'04.2"N 089°14'39.5"W <i>DFO(6605175-08)</i>
Delete	depth of 5 fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'00.8"N 089°14'56.2"W <i>DFO(6605175-09)</i>
Add	depth of 4½ fathoms (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'02.6"N 089°14'53.4"W <i>DFO(6605175-10)</i>
2326 - Middlebrun Bay to à Washington Island - New Chart - 24-JUL-2020 - NAD 1983		
22-DEC-2023		LNM/D. 25-AUG-2023
Add	depth of 47 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°03'55.8"N 089°22'52.3"W <i>DFO(6605173-01)</i>
Add	depth of 58 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°03'40.0"N 089°23'38.8"W <i>DFO(6605173-02)</i>
Delete	depth of 104 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°03'07.8"N 089°24'07.2"W <i>DFO(6605173-03)</i>
Add	depth of 68 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°03'02.9"N 089°24'08.6"W <i>DFO(6605173-04)</i>
Delete	depth of 3.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'03.4"N 089°14'40.2"W <i>DFO(6605173-05)</i>
Add	depth of 3.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'03.4"N 089°14'40.2"W <i>DFO(6605173-06)</i>
Delete	depth of 7.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°09'53.9"N 089°13'41.0"W <i>DFO(6605173-07)</i>

Add	depth of 6.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°09'53.7"N 089°13'41.1"W <i>DFO(6605173-08)</i>
Delete	depth of 9.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'02.2"N 089°14'51.5"W <i>DFO(6605173-09)</i>
Add	depth of 8.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°08'01.8"N 089°14'54.1"W <i>DFO(6605173-10)</i>
Delete	depth of 9.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°05'32.8"N 089°20'51.6"W <i>DFO(6605173-11)</i>
Add	depth of 8.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°05'32.7"N 089°20'51.5"W <i>DFO(6605173-12)</i>
Delete	depth of 13.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°05'14.1"N 089°20'48.8"W <i>DFO(6605173-13)</i>
Add	depth of 10.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°05'11.8"N 089°20'46.5"W <i>DFO(6605173-14)</i>
Delete	depth of 9.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°11'22.6"N 089°06'51.1"W <i>DFO(6605173-15)</i>
Add	depth of 8.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA373486	48°11'22.5"N 089°06'51.0"W <i>DFO(6605173-16)</i>

4001 - Gulf of Maine to Strait of Belle Isle / au Detroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983

01-DEC-2023

LNM/D. 25-AUG-2023

Add	yellow ODAS/SADO lighted super-buoy FI(5) Y, marked IML-15 (See Chart 1, Q58)	48°05'00.0"N 061°55'54.0"W <i>DFO(6310949-01)</i>
-----	--	--

4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983

01-DEC-2023

LNM/D. 25-AUG-2023

Add	yellow ODAS/SADO lighted super-buoy FI(5) Y, marked IML-15 (See Chart 1, Q58)	48°05'00.0"N 061°55'54.0"W <i>DFO(6310949-01)</i>
-----	--	--

4022 - Cabot Strait and approaches / Déroit de Cabot et les approches - New Edition - 17-JAN-2003 - NAD 1983

01-DEC-2023

LNM/D. 30-JUN-2023

Add wreck, least depth unknown, with legend Rep (2023) 48°23'12.0"N 061°15'13.2"W
(See Chart 1, K29, I3.2)
This notice affects Electronic Navigational Chart: CA276271
DFO(6310952-01)

4381 - Mahone Bay - New Edition - 28-APR-2023 - World Geodetic System 1984

01-DEC-2023

Add submarine power cable joining 44°23'57.3"N 064°15'38.1"W
(See Chart 1, L30.1) 44°23'56.6"N 064°15'39.3"W
44°23'55.9"N 064°15'39.7"W
44°23'54.7"N 064°15'39.5"W
44°23'47.9"N 064°15'31.4"W
44°23'42.5"N 064°15'28.6"W
44°23'30.1"N 064°15'21.5"W
and 44°23'25.2"N 064°15'15.5"W

This notice affects Electronic Navigational Chart: CA476199
DFO(6310951-01)

4459 - Summerside Harbour - New Edition - 29-MAY-2020 - NAD 1983

01-DEC-2023

LNM/D. 16-SEP-2022

Delete depth of 7 metres 46°23'11.0"N 063°47'47.0"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-01)

Add depth of 6.2 metres 46°23'11.4"N 063°47'47.2"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-02)

Replace depth of 6.7 metres with depth of 6.6 metres 46°23'11.8"N 063°47'36.5"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-03)

Add depth of 6.6 metres 46°23'14.2"N 063°47'28.1"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-04)

Replace depth of 6.7 metres with depth of 6.6 metres 46°23'13.1"N 063°47'27.8"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-05)

Add depth of 6.4 metres 46°23'14.2"N 063°47'26.1"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-06)

Replace depth of 6.7 metres with depth of 6.5 metres 46°23'12.7"N 063°47'18.6"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-07)

Replace depth of 6.8 metres with depth of 6.6 metres 46°23'16.2"N 063°47'17.5"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576182
DFO(6310950-08)

4491 - Malpeque Bay - New Edition - 13-DEC-2002 - NAD 1983
22-DEC-2023

LNMD. 16-SEP-2022

Reposition red and white fairway lighted spar buoy Mo(A), marked JS from 46°39'15.1"N 063°51'09.2"W
(See Chart 1, Qd) to 46°39'15.4"N 063°51'18.1"W
(G2023146) LL(1071.35) *DFO(6310904-01)*

4617 - Red Island to / à Pinchgut Point - New Edition - 30-APR-2010 - NAD 1983
08-DEC-2023

LNMD. 31-MAR-2023

Amend FI 4s 16m5M to read FI 5s16m5M against light 47°23'58.2"N 054°08'43.8"W
(See Chart 1, P16)
This notice affects Electronic Navigational Chart: CA276274, CA476300
(N2023120) LL(49) *DFO(6310866-01)*

4702 - Corbett Island to / à Ship Harbour Head - New Edition - 28-MAY-2004 - NAD 1983
22-DEC-2023

LNMD. 02-DEC-2022

Add yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s, marked 53°01'17.0"N 055°45'37.4"W
ND
(See Chart 1, Q130.3)
This notice affects Electronic Navigational Chart: CA476630
(N2023153) LL(280.009) *DFO(6310916-01)*

4703 - White Point to / à Corbet Island - New Edition - 04-APR-2003 - NAD 1983
29-DEC-2023

LNMD. 02-DEC-2022

Add black, red and black isolated danger lighted pillar buoy FI(2)5s, marked 53°20'17.8"N 055°38'50.6"W
NLL
(See Chart 1, Q130.4)
(N2023152) LL(280.17) *DFO(6310915-01)*

4744 - Approaches to / approches à Spotted Island Harbour - New Edition - 20-DEC-2002 - NAD 1983
29-DEC-2023

LNMD. 24-MAR-2023

Add black, red and black isolated danger lighted pillar buoy FI(2)5s, marked 53°20'17.8"N 055°38'50.6"W
NLL
(See Chart 1, Q130.4)
(N2023152) LL(280.17) *DFO(6310915-01)*

4832 - Fortune Harbour - New Chart - 02-OCT-1987 - NAD 1983
15-DEC-2023

LNMD. 16-SEP-2022

Replace depth of 7.1 metres with depth of 6.8 metres 47°04'40.0"N 055°49'42.0"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576235
DFO(6310945-01)

Replace depth of 6.4 metres with depth of 6.1 metres 47°04'37.3"N 055°49'32.9"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576235
DFO(6310945-02)

Add depth of 4.8 metres 47°04'36.8"N 055°49'42.8"W
(See Chart 1, I10)
This notice affects Electronic Navigational Chart: CA576235
DFO(6310945-03)

Add	depth of 4.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'36.2"N 055°49'42.1"W <i>DFO(6310945-04)</i>
Add	depth of 1.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'35.1"N 055°49'42.2"W <i>DFO(6310945-05)</i>
Add	depth of 3.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'31.6"N 055°49'46.5"W <i>DFO(6310945-06)</i>
Add	depth of 4.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'27.3"N 055°49'51.0"W <i>DFO(6310945-07)</i>
Replace	depth of 6 metres with depth of 5.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'25.9"N 055°49'50.3"W <i>DFO(6310945-08)</i>
Replace	depth of 4.1 metres with depth of 3.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'25.9"N 055°49'51.9"W <i>DFO(6310945-09)</i>
Add	depth of 0.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA576235	47°04'22.9"N 055°49'52.4"W <i>DFO(6310945-10)</i>
4856 - Bonavista Bay: Western Portion / Partie ouest - New Chart - 13-OCT-2000 - NAD 1983		
15-DEC-2023		LNm/D. 11-NOV-2022
Delete	depth of 29.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°55'47.6"N 053°40'01.3"W <i>DFO(6311020-01)</i>
Add	depth of 19.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°55'47.2"N 053°40'05.6"W <i>DFO(6311020-02)</i>
Add	obstruction, depth unknown with legend Rep (2023) (See Chart 1, I3.2, K40) This notice affects Electronic Navigational Chart: CA376336	48°55'47.0"N 053°39'57.4"W <i>DFO(6311020-03)</i>
5033 - Hawke Bay and / et Squasho Run - New Chart - 09-MAY-2003 - NAD 1983		
22-DEC-2023		LNm/D. 19-AUG-2022
Add	green port hand lighted spar buoy FI G, marked NE5 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA476630	53°02'58.2"N 055°53'40.1"W <i>(N2023149) LL(280.09) DFO(6310912-01)</i>

Add	black and yellow North cardinal lighted pillar buoy VQ, marked NEE (See Chart 1, Q130.3) This notice affects Electronic Navigational Chart: CA476630, CA576632 <i>(N2023150) LL(280.013) DFO(6310913-01)</i>	53°05'38.0"N 055°50'51.0"W
Add	yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s, marked ND (See Chart 1, Q130.3) This notice affects Electronic Navigational Chart: CA476630 <i>(N2023153) LL(280.009) DFO(6310916-01)</i>	53°01'17.0"N 055°45'37.4"W
5033 - Northern Entrance to / à Caplin Bay - New Chart - 09-MAY-2003 - NAD 1983		
22-DEC-2023		LNMD. 19-AUG-2022
Add	red starboard hand lighted pillar buoy FI R, marked NK2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476630, CA576633 <i>(N2023151) LL(280.015) DFO(6310914-01)</i>	53°07'01.6"N 055°46'33.8"W
5033 - Northern Entrance to / à Squasho Run - New Chart - 09-MAY-2003 - NAD 1983		
22-DEC-2023		LNMD. 19-AUG-2022
Add	black and yellow North cardinal lighted pillar buoy VQ, marked NEE (See Chart 1, Q130.3) This notice affects Electronic Navigational Chart: CA476630, CA576632 <i>(N2023150) LL(280.013) DFO(6310913-01)</i>	53°05'38.0"N 055°50'51.0"W
5455 - Kimmirut and Approaches/et les Approches - New Edition - 13-JUN-2003 - NAD 1983		
29-DEC-2023		LNMD. 28-NOV-2008
Delete	depth of 10 fathoms 5 feet (See Chart 1, I10) <i>DFO(6605184-01)</i>	62°43'39.7"N 069°41'51.2"W
Add	depth of 7 fathoms 5 feet (See Chart 1, I10) <i>DFO(6605184-02)</i>	62°43'40.9"N 069°41'49.7"W
Delete	depth of 10 fathoms 3 feet (See Chart 1, I10) <i>DFO(6605184-03)</i>	62°41'46.6"N 069°40'12.4"W
Add	depth of 6 fathoms 3 feet (See Chart 1, I10) <i>DFO(6605184-04)</i>	62°41'46.0"N 069°40'14.9"W
Delete	depth of 9 fathoms 5 feet (See Chart 1, I10) <i>DFO(6605184-05)</i>	62°43'46.2"N 069°41'48.9"W
Add	depth of 5 fathoms 3 feet (See Chart 1, I10) <i>DFO(6605184-06)</i>	62°43'46.7"N 069°41'52.7"W
Add	depth of 8 fathoms 2 feet (See Chart 1, I10) <i>DFO(6605184-07)</i>	62°41'43.7"N 069°40'12.7"W
Add	depth of 8 fathoms 2 pieds (See Chart 1, I10) <i>DFO(6605184-08)</i>	62°44'16.0"N 069°42'08.2"W

5533 - Roes Welcome Sound (Chesterfield Inlet to à Cape Munn) - New Edition - 27-MAY-2005 - Unknown

01-DEC-2023 LNM/D. 14-JUL-2006
Add depth of 3 fathoms 4 feet, Rep (2023) 65°04'41.3"N 086°44'24.0"W
(See Chart 1, I10) DFO(6605172-03)

6035 - Callander Bay - New Edition - 28-DEC-2001 - NAD 1983

15-DEC-2023 LNM/D. 02-DEC-2022
Delete light Iso G 4s 46°13'13.1"N 079°22'07.9"W
(See Chart 1, P1) LL(1423) DFO(6605176-01)

29-DEC-2023 LNM/D. 15-DEC-2023
Add red starboard hand spar buoy, marked J14 46°13'11.0"N 079°22'07.9"W
(See Chart 1, Qb) (D2023035) DFO(6605185-01)

Add green port hand lighted spar buoy, marked J15 46°13'12.4"N 079°22'08.0"W
(See Chart 1, Qc) (D2023036) LL(1423.15) DFO(6605186-01)

6035 - Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) - New Edition - 28-DEC-2001 - NAD 1983

15-DEC-2023 LNM/D. 02-DEC-2022
Delete light Iso G 4s 46°13'13.1"N 079°22'07.9"W
(See Chart 1, P1) LL(1423) DFO(6605176-01)

Delete green port hand spar buoy, marked J13 46°12'54.5"N 079°21'50.4"W
(See Chart 1, Qc) LL(9324) DFO(6605177-01)

6249 - Gull Harbour to à Riverton - Sheet/Feuille 1 - New Edition - 26-NOV-2004 - Unknown

29-DEC-2023 LNM/D. 28-JUL-2023
Delete front range/leading light F 24 ft 51°00'26.0"N 096°45'08.0"W
(See Chart 1, P20.2) LL(1578) DFO(6605188-01)

Delete rear range/leading light F 50 ft with leading line and bearings 181° / 001° 51°00'34.0"N 096°45'08.0"W
(See Chart 1, P20.2, Pa) LL(1579) DFO(6605189-01)

7065 - Mill Island to à Winter Island - New Edition - 29-MAY-2015 - Aerial Photography (uncontrolled)

01-DEC-2023
Delete depth of 3 fathoms 66°14'56.9"N 082°50'02.8"W
(See Chart 1, I10) DFO(6605172-01)

Add rock which covers and uncovers with drying height of 14 feet 66°14'48.4"N 082°50'08.9"W
(See Chart 1, K11) DFO(6605172-02)

Add depth of 3 fathoms 4 feet, Rep (2023) 65°04'41.3"N 086°44'24.0"W
(See Chart 1, I10) DFO(6605172-03)

Section 3: Radio Aids to Marine Navigation Corrections

No corrections for this section.

Section 4: Canadian Sailing Directions Corrections

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
Atlantic Coast	
ATL108	Gulf of St. Lawrence (Southwest Portion)
ATL109	Gulf of St. Lawrence (Northeast Portion)
ATL110	St. Lawrence River, Cap Whittle / Cap Gaspé to Les Escoumins and Anticosti Island
ATL111	St. Lawrence River, Île Verte to Québec and Fjord du Saguenay
Central Canada	
CEN306	Georgian Bay

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND AND LABRADOR COAST

FORTUNE BAY (LL 100 – 120.1)

106 H0322	Grand Bank Wharf Light	On E. pier. 47 06 04.7 055 44 57.8	Q G 1s	8.2	5	White octagonal tower with red upper portion. 7.1	Year round. Chart:4832 Edn 12/23
---------------------	---------------------------	---	--------	-----	---	---	--

SOUTHWEST COAST (LL 121 – 172)

149.3	Calapoose Rocks light buoy QT8	Harbour Le Cou. 47 37 24.2 058 40 29.3	Fl R 4s	Red spar, marked "QT8".	Seasonal. Chart:4639 Edn 12/23 (N23-231)
-------	-----------------------------------	--	---------	-------	-------	-------------------------	--

150 H0242.1	Rose Blanche East Wharf Light	47 36 35.0 058 41 37.2	Fl R 3s	3.2	4	Cylindrical Mast. 2.6	Flash every 3 s. Seasonal. Chart:4639 Edn 12/23 (N23-230)
-----------------------	----------------------------------	---------------------------	---------	-----	---	--------------------------	--

151.2	Rose Blanche light buoy QR6	47 36 33.3 058 41 38.5	Fl R 4s	Red spar, marked "QR6".	Seasonal. Chart:4639 Edn 12/23 (N23-229)
-------	--------------------------------	---------------------------	---------	-------	-------	-------------------------	--

WEST COAST (LL 173 – 208.2)

199 H0175	Trout River Light	49 28 58.7 058 07 58.4	Fl W 5s	24.3	6	Square skeleton tower, white and red rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Year round. Chart:4881 Edn 12/23 (N23-223)
---------------------	-------------------	---------------------------	---------	------	---	--	---

STRAIT OF BELLE ISLE (LL 211 – 234)

221.32 H0151	Castor River North Wharf Light	50 55 54.0 056 56 36.0	Fl G 4s	4.0	2	Mast. 2.3	Seasonal. Chart:4680 Edn 12/23
------------------------	-----------------------------------	---------------------------	---------	-----	---	--------------	--

NEWFOUNDLAND AND LABRADOR COAST (LL 269.99 – 325.23)

270.1 H0086.8	Cape St. Francis Light	E. of Granby Island. 52 33 51.0 055 42 13.8	Fl W 5s	39.4	4	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal. Chart:5179 Edn 12/23 (N23-237)
-------------------------	---------------------------	---	---------	------	---	---	---

270.5 H0087	Bobs Island Light	Alexis Bay. 52 30 47.0 055 45 54.0	Fl R 5s	19.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Seasonal. Chart:5179 Edn 12/23 (N23-236)
-----------------------	-------------------	--	---------	------	---	--	---

280.8	Roundhill Island Light	N. point of island. 53 26 07.4 055 36 41.0	Fl W 3s	66.5	5	Trapezoidal skeleton tower, red daymark with white horizontal band. 7.4	Flash 0.5 s; eclipse 2.5 s. Seasonal. Chart:4744 Edn 12/23 (N23-233)
-------	---------------------------	--	---------	------	---	--	---

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
281 H0084	Domino Point Light Racon -- (Y) X & S Bands	53 27 42.4 055 44 31.0	Fl W 5s	38.7	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Seasonal. Chart:4745 Edn 12/23 (N23-232)
284.51	Cartwright Fishermans Wharf Light	53 42 07.3 057 01 41.1	Fl G 5s	3	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal. Chart:5138 Edn 12/23 (N23-235)
284.72 H0079.5	Cartwright Wharf Light	53 42 11.0 057 01 16.5	Fl Y 5s	3.4	3	Pipe tower.	Flash 1 s; eclipse 4 s. Seasonal. Chart:5138 Edn 12/23 (N23-234)
<u>BONAVISTA BAY (LL 396 – 449.5)</u>							
431.5 H0554.6	Wareham Fishermen's Wharf Light	On seaward end of wharf. 49 01 05.8 053 52 41.6	Fl Y 5s	3.1	4	Cylindrical Mast. 2.4	Flash 1 s; eclipse 4 s. Seasonal. Chart:4856 Edn 12/23 (N23-224)
<u>CONCEPTION BAY (LL 471.7 – 498.5)</u>							
472 H0498	Baccalieu Island Light (Northeast End)	48 08 59.7 052 47 53.3	Fl W 6s	176.0	7	Square skeleton tower, red and white rectangular daymark. 19.2	Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear. Year round. Chart:4853 Edn 12/23 (N23-239)
482.71	Long Beach Breakwater						Delete from list. Chart:4849 Edn 12/23 (N23-221)
482.72 H0486.3	Long Beach North Breakwater Light	Harbour Grace. 47 40 24.2 053 14 22.2	Fl G 5s	3.4	2	Mast. 2.4	Flash 1 s; eclipse 4 s. Seasonal. Chart:4849 Edn 12/23 (N23-225)
482.73 H0485	Harbour Grace Small Boat Basin South Wharf Light	47 40 23.7 053 14 21.0	Fl R 5s	3.3	2	Mast. 2.2	Flash 1 s; eclipse 4 s. Year round. Chart:4849 Edn 12/23 (N23-226)
482.74	Harbour Grace Small Boat Basin North Wharf						Delete from list. Chart:4849 Edn 12/23 (N23-222)
482.789 H0485.6	Harbour Grace Marina	47 40 24.5 053 14 27.6	Fl R 5s	3.7	2	Mast. 2.6	Flash 1 s; eclipse 4 s. Year round. Chart:4849 Edn 12/23 (N23-227)

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC COAST

NOVA SCOTIA, SOUTHWEST COAST (LL 271 – 300.5)

274.14	Little River Harbour light buoy NS17/1	Chebogue. 43 42 10.3 066 02 21.5	Q G 1s	Green, marked "NS17/1".	Year round.
							Chart:4244 Edn 12/23

NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)

449.25	Hobsons Island North Cardinal light buoy ME	44 25 19.0 064 13 38.6	Q W 1s	Black and yellow, marked "ME".	Year round.
							Chart:4381 Edn 12/23

CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)

731 H3384	Ouetique Island	On S. point. 45 36 35.2 060 57 26.3	Fl R 4s	23.4	5	Square skeleton tower, red and white rectangular daymark. 8.6	Flash 1 s; eclipse 3 s. Seasonal.
							Chart:4308 Edn 12/23

797	Carey Beach light and bell buoy Q1	W. of Table Rock. 46 19 06.7 060 23 13.1	Fl G 4s	Green, marked "Q1".	Seasonal.
							Chart:4277 Edn 12/23

866.3	Chéticamp Inner light buoy VD10	46 38 25.8 061 00 36.5	Fl R 4s	Red spar, marked "VD10".	Seasonal.
							Chart:4449 Edn 12/23

NORTHUMBERLAND STRAIT – EAST (LL 883.2 – 940.3)

939 H1291		On point. 45 51 41.9 063 42 30.9	Iso Y 1s	12.0	18	Square skeleton tower, white daymark with red vertical stripe. 5.0	Visible in line of range. Operates 24 h. Seasonal.
940 H1291.1	Bergmans Point range	205°13' 169.3 m from front.	Iso Y 4s	16.7	16	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.
							Chart:4498 Edn 12/23

PRINCE EDWARD ISLAND (LL 942 – 1084.7)

961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 062 27 08.2	Mo(A) W 6s	Red and white vertical stripes spar, marked "NM".	Seasonal.
							Chart:4935 Edn 12/23

1049.28	Grand Tracadie light buoy JH30	46 24 08.1 063 01 42.4	Q R 1s	Red spar, marked "JH30".	Buoy may be repositioned due to shifting channel. Seasonal.
							Chart:4425 Edn 12/23

1056 H1141	North Rustico Harbour	46 27 19.1 063 17 31.7	Fl W 5s	12.4	13	White pyramid tower with red top. 10.4	Flash 1 s; eclipse 4 s. Visible in line of range. Year round.
							Chart:4467 Edn 12/23 (G23-174)

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST (LL 1085 – 1165.9)

1125.21	Buctouche Harbour light buoy XV19	46 28 05.7 064 39 24.4	Fl G 4s	Green, marked "XV19".	Buoy may be repositioned due to shifting channel. Seasonal.
---------	---	---------------------------	----------------	-------	-------	-----------------------	--

Chart:N/A
Edn 12/23

GASPÉ – CHALEUR BAY (LL 1169.1 – 1426)

1196 H1472	Grand Dune Flats range	Near shore on mainland. 47 08 25.4 065 13 38.3	F W	14.8	13	Triangular skeleton tower, red daymark with black vertical stripe. 14.1	Visible in line of range. Operates 24 h. Year round.
---------------	---------------------------	---	-----------	------	-----------	--	--

1197 H1472.1		282°04' 1211.3 m from front.	F W	26.4	14	Triangular skeleton tower, red daymark with black vertical stripe. 20.9	Visible in line of range. Operates 24 h. Year round.
-----------------	--	---------------------------------	-----------	------	-----------	--	--

Chart:4912
Edn 12/23 (N23-172, 173)

1343 H1616	Inch Arran Point range	On the point. 48 03 39.4 066 21 03.5	Iso W 6s	13.7	14	White square tower with red upper portion and red vertical stripe. 10.9	Operates 24 h. Year round.
---------------	---------------------------	--	----------	------	----	--	-------------------------------

1343.1 H1616.1		286°45' 364.5 m from front.	Iso W 6s	24.0	15	Square skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
-------------------	--	--------------------------------	----------	------	-----------	--	--

Chart:4426
Edn 12/23 (G23-171)

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL (LL 1823.8 – 2185.1)

1948	Pont de l'Île- d'Orléans light buoy V31	Chenal de l'Île d'Orléans, downstream of bridge, NE side. 46 53 12.1 071 07 35.3	Fl G 4s	Green, marked "V31".	Seasonal.
------	---	---	---------	-------	-------	----------------------	-----------

Chart:1317
Edn 12/23 (Q23-141)

1950.4	Pont de l'Île- d'Orléans light buoy V34	Chenal de l'Île d'Orléans, upstream of bridge, NE side. 46 52 32.5 071 08 27.3	Fl R 4s	Red, marked "V34".	Seasonal.
--------	---	--	---------	-------	-------	--------------------	-----------

Chart:1316
Edn 12/23 (Q23-142)

1950.5	Pont de l'Île- d'Orléans light buoy V35	Chenal de l'Île d'Orléans, upstream of bridge, SE side. 46 52 24.7 071 08 03.4	Fl G 4s	Green, marked "V35".	Seasonal.
--------	---	--	---------	-------	-------	----------------------	-----------

Chart:1316
Edn 12/23 (Q23-138, 144)

1951	Pont de l'Île- d'Orléans light buoy V36	Chenal de l'Île d'Orléans, upstream of bridge, N side. 46 52 00.1 071 08 32.3	Fl R 4s	Red, marked "V36".	Seasonal.
------	---	---	---------	-------	-------	--------------------	-----------

Chart:1316
Edn 12/23 (Q23-143)

2083.8 H2389	Île La Poterie	On outer end of wharf. 46 21 23.5 072 30 24.5	Fl R 6s	12.8	6	Mast. 10.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
-----------------	----------------	--	---------	-------------	---	----------------------	---

Chart:1313
Edn 12/23 (Q23-145)

Notices to Mariners – Monthly Eastern Edition
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

INLAND WATERS

GEORGIAN BAY (LL 814 – 982)

925	Alves Point	On SE. extremity of point. 45 23 25.4 080 09 39.5	Fl W 4s	10.4	4	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round). Chart:2224 Edn 12/23 (D23-037)
-----	-------------	--	---------	------	---	--	--

OTTAWA RIVER (LL 1255 – 1322)

1301.3	Île Allen	On island. 45 29 21.3 076 01 14.1	Fl R 4s	6.3	4	Mast, red and white rectangular daymarks. 4.9	Seasonal. Chart:1550 Edn 12/23 (B23-036)
--------	-----------	---	---------	-----	---	---	--

1304	Amprior Island	On islet. 45 27 20.6 076 21 09.7	Fl W 4s	8.1	3	Mast, red and white rectangular daymarks. 4.9	Seasonal. Chart:1551 Edn 12/23 (B23-035)
------	----------------	--	---------	-----	---	---	--

LAKE NIPISSING (LL 1420 – 1441.4)

1423.15	Callander Bay light buoy J15	46 13 12.4 079 22 08.0	Fl G 4s	Green spar, marked "J15".	Seasonal (in place year round). Chart:6035 Edn 12/23 (D23-036)
---------	---------------------------------	---------------------------	---------	-------	-------	---------------------------	--

LAKE WINNIPEG (LL 1563.1 – 1625)

1578	Hecla Island range						Delete from list.
1579							Delete from list. Chart:6249 Edn 12/23 (P23-117, 118)