

DREV TN-1990/71
PROJ: N/A

NON CLASSIFIÉ
UNCLASSIFIED

A CO₂ LASER BIBLIOGRAPHY, 1970

A.M. Robinson



CENTRE DE RECHERCHES POUR LA DEFENSE

DEFENCE RESEARCH ESTABLISHMENT

VALCARTIER

DEFENCE RESEARCH BOARD

CONSEIL DE RECHERCHES POUR LA DÉFENSE

Québec, Canada

October/octobre 1971

RESUME

Cette Note technique présente une bibliographie pour l'année 1970 sur le laser au bioxyde de carbone. Elle inclut un index des auteurs cités et un des sujets traités.

ABSTRACT

A carbon dioxide laser bibliography for the year 1970 has been prepared, including an author and a subject index.

INTRODUCTION

This bibliography is a continuation of a previous one which covered the period up to the end of 1969 (197). The fact that the present bibliography contains 263 references pertaining to the CO₂ laser indicates the increasing industrial and scientific activities being done on and with this laser and also indicates the continuing need for a bibliography such as this.

The publications in this bibliography were selected from the "open literature" journals. Abstracts, reports, and articles appearing in books are not included, but conference proceedings are. For completeness, the first 31 references listed here appeared prior to 1970 and are papers that were inadvertently not included in the previous bibliography.

LIST OF PUBLICATIONS

- (1) F. Legay and P. Barchewitz, "Infrared fluorescence of CO₂ and N₂O gas excited by active nitrogen" (in French), Mémoires Soc. R. Sc. Liège, Sér. 5, vol. 9, pp. 74-78, 1964.
- (2) C. Rossetti and P. Barchewitz, "Molecular spectroscopy with a laser source. Determination of the vibrational transition moment and the vibrational-rotational line widths of the $\nu_3 \rightarrow \nu_1$ transition" (in French), Compt. Rend. Acad. Sci. (Paris), vol. 262B pp. 1199-1202, May 2, 1966.
- (3) T.E. Walsh, "gallium-arsenide electro-optic modulators," RCA Rev. vol. 27, pp. 323-335, September 1966.
- (4) Y. Arata and I Miyamoto, "Generation and applications of CW high power CO₂ gas laser," Osaka University Tech. Rept., vol. 17, pp. 285-290, October 1967.
- (5) T.A. Osial, "Industrial laser applications," Instr. Control Systems, vol. 40, pp. 101-104, October 1967.
- (6) T.J. Bridges, "Pulsed CO₂ lasers," IEEE NEREM Rec., vol. 9, pp. 32-33, November, 1967.
- (7) T.E. Walsh, "10.6 micron electro-optic modulation using GaAs," IEEE NEREM Rec., vol. 10, pp. 162-163, November 1968.
- (8) M. Hillier, "Development and potentialities of gas lasers," Proc. Inst. Mech. Engrs., vol. 183, Pt.3D, pp.47-55, 1968-1969.
- (9) V. K. Konyukhov, V.V. Korogod, and V.I. Tikhonov, "The phase method of measuring the time of vibratory relaxation of a CO₂ molecule" (in Russian), Zh. Priklad. Spektrosk., vol 10, pp. 252-255, February 1969.
- (10) T.E. Walsh, "Infrared modulation techniques," Electro-Tech., vol. 83, pp. 29-33, February, 1969.
- (11) P.W. Wyman, "Laser radar eye hazard considerations," Appl. Opt., vol. 8, pp. 383-392, February 1969.
- (12) C.R. Munnerlyn, "A simple laser interferometer", Appl. Opt., vol. 8, pp. 827-829, April 1969.
- (13) C.B. Moore, "Laser studies of vibrational energy transfer," Accounts Chem. Res., vol. 2, pp. 103-109, April 1969.
- (14) S. Miura and R. Hayashi, "The characteristics of Ge:Cu detector and its application to the measurement of mode pattern of CO₂ laser" (In Japanese), Radio Research Laboratories, Rev., vol. 15, pp. 435-438, July 1969.

- (15) H. Inaba and A. Sugiyama, "Simultaneous laser emission of CO₂ and N₂O molecules at 10 μ m band in a CO₂-N₂ gas laser system," Sci. Rept. Res. Inst., Tohoku Univ., Ser. B., vol. 21, No. 2, pp. 67-70, 1969.
- (16) V. Daneu, "Use of a low order Fabry-Perot resonator for infrared laser line selection, Appl. Opt., vol. 8, pp. 1745-1746, August 1969.
- (17) N. Karube and E. Yamaka, "Nonlinear phenomena in a sealed carbon dioxide laser. I. Gas heating" (in Japanese), Natl. Tech. Rept., vol. 15, pp. 463-474, August 1969.
- (18) A.F. Krupnov and L.A. Sinogubko, "Visual observation of 10- μ m laser-radiation field pattern" (in Russian), Priib. Tekhn. Eksp., No. 5, pp. 149-150, September-October, 1969; English transl. in Inst. Optl. Tech., No. 5, p. 1258, September-October 1969.
- (19) Y. Arata and I. Miyamoto, "Gain characteristics of CO₂ laser amplifier", Osaka University, Tech. Rept., vol. 19, pp. 371-377, October 1969.
- (20) Y. Arata and I. Miyamoto, "Some fundamental properties of high power CW laser beam as a heat source", Osaka University, Tech. Rept., vol. 19, pp. 379-400, October 1969.
- (21) N. Karube and E. Yamaka, "Nonlinear phenomena in sealed CO₂ laser. II. Dissociation of CO₂ molecules" (In Japanese), Natl. Tech. Rept., vol. 15, pp 577-584, October 1969.
- (22) S.S. Penner, "Selected applications of laser interactions in applied science," Astronaut. Acta, vol. 15, pp. 1-15, November 1969.
- (23) V.P. Kabashnikov, "Competition of rotational transitions in a CO₂ laser" (In Russian), Zh. Prikl. Spektrosk., vol. 11, pp. 805-811, November 1969.
- (24) D.J.E. Knight, "Harmonic coincidences between c.w. gas laser lines for extending frequency measurements to the 10 μ m wavelength region," Opto-Electronics, vol. 1, pp. 161-164, November 1969.
- (25) K. Eickhoff and K. Gurs, "Crucible free zone-melting of ruby crystals by heating the melt zone with a laser" (In German), J. Crystal Growth, vol. 6, pp. 21-25, November-December 1969.
- (26) C.K.N. Patel, "Infrared lasers," SPIE Seminar Proc., vol. 20, pp. 49-59, 1969.
- (27) R.A. Crane, "Parameter measurements on small CO₂ lasers," SPIE Seminar Proc., vol. 20, pp. 81-86, 1969.

- (28) E. Quel, X. de Hemptinne, A. Foyt, and M. de Hemptinne, "A simple method for measuring the energy of a 100 W CO₂ laser" (in French), Ann. Soc. Sci. Bruxelles, Ser.1, vol. 83, pp. 388-390, December 28, 1969.
- (29) V. Stefanov and M. Petrova, "Experimental investigation of the resonator power distribution of a carbon dioxide laser with an external and an internal mirror" (in Russian), Izv. Fiz. Inst. ANEB, Bulg. Akad. Nauk, vol. 19, pp. 233-239, 1969.
- (30) K.M. Baird, "Laser stabilization at N.R.C. (Canada)," Electron Technology, vol. 2, nos. 2-3, pp. 85-88, 1969.
- (31) M.C. Teich, "Statistical nature of the infrared heterodyne signal," Electron Technology, vol. 2, nos. 2-3, pp. 139-147, 1969.
- (32) H. Hieslmair, C.J. Bickart, and J.N. Fulton, "Small-signal gain of a CO₂ laser amplifier utilizing a White optical reflector design," IEEE J. Quantum Electronics, vol. QE-6 pp. 86-87, January 1970.
- (33) W.H. Green and W.T. Whitney, "Competition effects in a ¹²C¹⁶O₂/¹³C¹⁶O₂ laser," J. Appl. Phys., vol. 41, pp 437-438, January 1970.
- (34) D. Kelsall, "Absolute specular reflectance measurements of highly reflecting optical coatings at 10.6μ," Appl. Opt., vol. 9, pp. 85-90, January 1970.
- (35) B. Schurin and R.E. Ellis, "Total intensity measurements for the CO₂ bands in the 961-cm⁻¹ and 1061-cm⁻¹ regions," Appl. Opt., vol. 9, pp. 223-224, January 1970.
- (36) D.J. Monson, "Measured time variations of reflectance for CO₂ laser beam splitters," Appl. Opt., vol. 9, pp. 224-225, January 1970.
- (37) L.C. Lee, M. Gundersen, and W.L. Faust, "Use of a tunable, Q-switched, pulsed-discharge CO₂ laser to study individual rotational components," Optics Commun., vol.1, pp. 291-295, January 1970.
- (38) Y. Ohtsuka and T. Yoshimura, "Nonlinear infrared transmission in gaseous SF₆ induced by Q-switched CO₂ laser radiation at 10.6μm," Japan. J. Appl. Phys., vol. 9, pp. 115-119, January 1970.
- (39) M.J. Adams, "Introduction to gas jet laser cutting," Metal Constr. Brit. Weld. J., vol. 2, pp. 1-8, January 1970.
- (40) N.G. Basov, A.N. Oraevskii, and V.A. Shcheglov, "Production of population inversion of the molecules of a working gas in a mixture with thermally excited auxiliary gas" (in Russian), Zh Tekh. Fiz. vol. 40, pp. 173-180, January 1970; English transl. in Sov. Phys.-Tech. Phys., vol. 15, pp. 126-130, July 1970.

- (41) M. Katayama, "Carbon dioxide laser" (in Japanese), *Oyo Butsuri*, vol. 39, pp. 77-81, January 1970.
- (42) K. Toyoda, T. Akimoto, and S. Namba, "Q-switching of CO₂ laser using saturable absorber together with rotating mirror" (in Japanese), *Oyo Butsuri*, vol. 39, pp. 82-85, January 1970.
- (43) L.P. Kruglikova and V.E. Terentyev, "Study of the diffraction of 10.6 μ m radiation by a standing ultrasonic wave in a solid" (in Russian), *Opt. Spektrosk.*, vol. 28, pp. 199-201, January 1970; English transl. in *Opt. Spectry.*, vol. 28, pp. 107-108, January 1970.
- (44) G.A. Tsongas, W.H. Christiansen, D.A. Russell, R. Decher and R.L. Leonard, "Studies of population inversions created in non-equilibrium flows," *Trend. Eng. Univ. Wash.*, vol. 22, pp. 15-22, January 1970.
- (45) S. Marcus and J.H. McCoy, "Self-mode locking and saturation-pulse sharpening in a rotating-mirror Q-switched CO₂ laser," *Appl. Phys. Letters*, vol. 16, pp. 11-12, January 1, 1970.
- (46) D.M. Kuehn and D.J. Monson, "Experiments with a CO₂ gas-dynamic laser," *Appl. Phys. Letters*, vol. 16, pp. 48-50, January 1, 1970.
- (47) T.A. Cool and R.R. Stephens, "Efficient purely chemical cw laser operation," *Appl. Phys. Letters*, vol. 16, pp. 55-58, January 15, 1970.
- (48) W.B. Gandrud, G.D. Boyd, J.H. McFee, and F.H. Wehmeier, "Nonlinear optical properties of Ag₃SbS₃," *Appl. Phys. Letters*, vol. 16, pp. 59-61, January 15, 1970.
- (49) D.F. Helier and C.B. Moore, "Relaxation of the asymmetric stretching vibration of CO₂ by collisions with H₂O, D₂O, and HDO," *J. Chem. Phys.*, vol. 52, pp. 1005-1006, January 15, 1970.
- (50) P.K. Cheo and C.H. Wang, "Propagation of a cavity-dumped carbon dioxide laser pulse through SF₆," *Phys. Rev. A*, vol. 1, pp. 225-230, February, 1970.
- (51) V.V. Losev, V.F. Populevskii, and T.A. Fedina, "Q-switching of a molecular gas laser by means of saturable filters" (in Russian), *Opt. Spektrosk.*, vol. 28, pp. 420-421, February 1970; English transl. in *Opt. Spectry.*, vol. 28, pp. 226-227, February 1970.
- (52) W.W. Roepke, "Infrared-visible window composite for ultrahigh vacuum," *Rev. Sci. Instr.*, vol. 41, pp. 243-244, February 1970.

- (53) F. Keilmann, "Two dimensional interferograms at 10.6 μ for plasma diagnostics," Rev. Sci. Instr., vol. 41, p. 278, February 1970.
- (54) R.G. Buser and J.J. Sullivan, "Initial processes in CO₂ glow discharges," J. Appl. Phys., vol. 41, pp. 472-479, February 1970.
- (55) R.J. Freiberg and P.G. Clark, "CO₂ transverse-discharge lasers," IEEE J. Quantum Electronics, vol. QE-6, pp. 105-113, February 1970.
- (56) M.L. Skolnick, "Use of plasma tube impedance variations to frequency stabilize a CO₂ laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 139-140, February 1970.
- (57) G. Schiffner, "A scanning spherical mirror interferometer for the analysis of CO₂ laser radiation," Appl. Opt., vol. 9, pp. 375-379, February 1970.
- (58) G. Hillman, J. Tulip, and H. Seguin, "Pulse repetition rate control and stabilization in a passively Q-switched CO₂ laser," Appl. Opt., vol. 9, pp. 515-516, February 1970.
- (59) G.J. Dezenberg, E.L. Roy, and J.A. Merritt, "Properties of a 15-cm i.d. multipath CO₂ laser amplifier and oscillator," Appl. Opt., vol. 9, pp 516-517, February 1970.
- (60) A.J. Regan, "Sealed carbon dioxide-nitrogen-helium laser," J. Phys. E, vol. 3, pp. 95-97, February 1970.
- (61) T.R. Schein, "Diffraction grating tuning of a high-gain flowing gas carbon dioxide laser," Laser J., vol. 2, p. 24, January-February 1970.
- (62) D.B. Gasson and B. Cockayne, "Oxide crystal growth using gas lasers," J. Material Science, vol. 5, pp. 100-104, February, 1970.
- (63) L.S. Nelson, S.R. Skaggs, and N.L. Richardson, "Spheroidization of refractory oxides with a carbon dioxide laser," J. Am. Ceramic Soc., vol. 53, pp. 115-116, February 1970.
- (64) A.V. Eletsii and B.M. Smimov, "A pulsed carbon dioxide laser" (in Russian), Dokl. Akad. Nauk SSSR, vol. 190, pp. 809-812, February 1970; English transl. in Sov. Phys. Dckl., vol. 15, pp. 109-11, August 1970.
- (65) L.J. Schoen and A.M. Ronn, "Simultaneous oscillation on two isotopic lines in CO₂ and N₂O lasers," Appl. Phys. Letters, vol. 16, pp. 119-120, February 1, 1970.

- (66) N.V. Karlov, Yu. N. Petrov, A.M. Prokhorov, and O.M. Stel'makh, "Dissociation of boron trichloride molecules by CO₂ laser radiation" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 11 pp. 220-222, February 20, 1970; English transl. in JETP Letters, vol. 11, pp. 135-137, February 20, 1970.
- (67) V.S. Arakelyan, N.V. Karlov, G.P. Kuz'min, Yu. N. Petrov, and O.M. Stel'makh, "Clearing and dissociation of boron trichloride gas by CO₂ laser radiation" (in Russian), Radiotekhn. Elektron., vol. 15, pp. 634-635, March 1970; English transl. in Radio Engrg. Electron. Phys. (USSR), vol. 15, pp. 547-549, March 1970.
- (68) V.N. Ivanov and L.F. Erybashava, "A study of the spectra of molecular-laser gas mixtures" (in Russian), Opt. Spektrosk., vol. 28, pp.555-559, March 1970; English transl. in Opt. Spectry, vol. 28, pp. 287-289, March 1970.
- (69) R.L. Gayer and H.J. Seguin, "High quality sputtered multilayer coatings for infrared laser applications", Rev. Sci. Instr., vol. 41, pp. 427-429, March 1970.
- (70) R.M. Huffaker, A.V. Jolalian, and J.A.L. Thomson, "Laser-Doppler system for detection of aircraft trailing vortices," Proc. IEEF, vol. 58, pp. 322-326, March 1970.
- (71) M.A. Mainster, T.J. White, and J.H. Tjips, "Corneal thermal response to the CO₂ laser," Appl. Opt., vol.9, pp. 665-667, March 1970.
- (72) W.T. Cathey, C.L. Hayes, W.C. Davis, and V.F. Pizzurro, "Compensation for atmospheric phase effects at 10.6 μ ," Appl. Opt., vol. 9, pp. 701-707, March 1970.
- (73) J. Polman and W.J. Witteman, "Electron-radiation temperature measurements in a sealed-off CO₂ laser system," IEEE J. Quantum Electronics, vol. QE-6, pp.154-157, March 1970.
- (74) D.L. Franzen and R.J. Collins, "High-gain small-bore cooled CO₂ amplifier," IEEE J. Quantum Electronics (correspondence), vol. QE-6, pp. 163-164, March 1970.
- (75) R.H. Katyl, L.K. Karstadt, and W.F. Gilmore, "Organic liquid CO₂ laser beam finder," IEEE J. Quantum Electronics (notes and lines), vol. QE-6, pp. 164-165, March 1970.
- (76) A.V. Elets'kii, G.R. Levinson, and A.N. Sviridov, "Thermal regime of a pulsed CO₂ laser," (in Russian), Zh. Prikl. Spektrosk, vol. 12, pp. 543-546, March 1970.
- (77) N. Mandani and K.G. Nichols, "Laser-evaporated films of Al₂O₃ on Si," J. Phys. D, vol. 3, pp. L7-L9, March 1970.

- (78) M. Brunné, G. Malaczynski, J. Milewski, and J. Stanco, "Some effects of interaction of monochromatic radiation with a flowing optically active medium. I. Gasdynamic quantum amplifier," Bull. Acad. Pol. Sci. Ser. Sci. Tech., vol. 18, pp. 243-250, March 1970.
- (79) M. Brunné, G. Malaczynski, J. Milewski, and J. Stanco, "Some effects of monochromatic radiation with a flowing optically active medium. II. C & A gas dynamic quantum generator," Bull. Acad. Pol. Sci. Ser. Sci. Tech., vol. 18, pp. 251-258, March 1970.
- (80) W. Ulmer and W.S. Tandler, "The carbon dioxide infrared laser as a tool" (in German), Laser, vol. 2, pp. 17-22, March 1970.
- (81) I. Agarbiceanu, I.M. Popescu, Al. Nitoi, Al. Ciura, and P. Cristea, "Q-switched CO₂ laser" (in French), Rev. Roum. Phys., vol. 15, pp. 395-396, No. 3, 1970.
- (82) E.N. Lotkova, V.N. Ochkin, and N.N. Sobolev, "Role of the dissociation of carbon dioxide in the formation of inverse population in carbon dioxide lasers" (in Russian), Kratk. Soobshch. Fiz., No. 3, pp. 25-32, 1970.
- (83) P.L. Hanst, "Infrared spectroscopy and infrared lasers in air pollution research and monitoring," Appl. Spectry., vol. 24, pp. 161-174, March-April 1970.
- (84) J.C. Stephenson and C.B. Moore, "Near-resonant vibration→ vibration energy transfer: CO₂ (v₃=1) + M → CO₂ (v₁=1) + M* + ΔE," J. Chem. Phys., vol. 52, pp. 2333-2340, March 1, 1970.
- (85) B.R. Bronfin, L.R. Boedeker, and J.P. Cheyer, "Thermal laser excitation by mixing in a highly connective flow," Appl. Phys. Letters, vol. 16, pp. 214-217, March 1, 1970.
- (86) C.K. Jung, A.M. Ronn, and J.T. La Tourrette, "Passive Q-switching of a CO₂-N₂-He laser with CH₃ Br gas," Chem. Phys. Letters, vol. 5, pp. 67-70, March 1, 1970.
- (87) C.K.N. Patel and E.D. Shaw, "Tunable stimulated Raman scattering from conduction electrons in InSb, Phys. Rev. Letters, vol. 24, pp. 451-455, March 2, 1970.
- (88) D.J. Booth and W.E.K. Gibbs, "Carbon-dioxide dissociation in a pulsed CO₂-N₂ laser mixture," Phys. Letters, vol. 31A, pp. 241-242, March 9, 1970.
- (89) W.J. Wiegand, M.C. Fowler, and J.A. Benda, "Carbon monoxide formation in CO₂ lasers," Appl. Phys. Letters, vol. 16, pp. 237-239, March 15, 1970.

- (90) K.M. Evenson, J.S. Wells, and L.M. Matarrese, "Absolute frequency measurements of the CO₂ cw laser at 28 THz (10.6μm)," Appl. Phys. Letters, vol. 16, pp. 251-253, March 15, 1970.
- (91) T.A. Cool and R.R. Stephens, "HBr-CO₂ continuous-wave chemical laser," J. Chem. Phys., vol. 52, pp. 3304-3305, March 15, 1970.
- (92) C.K.N. Patel, "Investigations of pulse delay in self-induced transparency," Phys. Rev. A, vol. 1, pp. 979-982, April 1970.
- (93) J. Tulip, "Gain saturation of the carbon dioxide laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 206-211, April 1970; erratum, QE-7, p. 181, April 1971.
- (94) D.A. Jennings and E.D. West, "A laser power meter for large beams," Rev. Sci. Instr., vol. 41, pp. 565-567, April 1970.
- (95) N. Karube and E. Yamaka, "Mass-spectrometric studies of a sealed CO₂ laser," J. Appl. Phys., vol. 41, pp. 2031-2042, April 1970.
- (96) A.M. Ronn and L.J. Schoen, "Effect of substituting ¹⁵N₂ for ¹⁴N₂ in the CO₂-N₂ and N₂O-N₂ laser systems," J. Appl. Phys., vol. 41, pp. 2246-2247, April 1970.
- (97) V.S. Arakelyan, N.V. Karlov, and A.M. Prokhorov, "Fine structure of a giant pulse in a CO₂ laser with transverse modes" (in Russian), Radiotekh. Elektron., vol. 15, pp. 849-851, April 1970; English transl. in Radio Engrg. Electron. Phys. (USSR), vol. 15, pp. 725-726, April 1970.
- (98) G.G. Dolgov-Savel'ev, V.V. Kuznetsov, Iu. L. Koz'minykh, and A. M. Orishich, "Possibility of producing a CO₂ laser with electron beam pumping" (in Russian), Zh. Prikl. Spektrosk., vol. 12, pp. 737-739, April 1970.
- (99) W. Wolinski, "Progress in domestic research on high-power gas lasers" (in Polish), Elektronika, vol. 11, pp. 143-148, April 1970.
- (100) F. Shimizu, "Stark spectroscopy of NH₃ v₂ band by 10-μ CO₂ and N₂O lasers," J. Chem. Phys., vol. 52, pp. 3572-3576, April 1, 1970.
- (101) D.C. Smith and F.G. Gebhardt, "Saturation of the self-induced thermal distortion of laser radiation in a wind," Appl. Phys. Letters, vol. 16, pp. 275-278, April 1, 1970.
- (102) N.A. Generalov, V.P. Zimakov, G.I. Kozlov, V.A. Masyukov, and Yu. P. Raizer, "Gas breakdown under the influence of long-wave infrared radiation of a CO₂ laser" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 11, pp. 343-346, April 5, 1970, English transl. in JETP Letters, vol. 11, pp. 228-231, April 5, 1970.

- (103) Y. Sato and S. Tsuchiya, "Inter- and intra-molecular vibrational energy transfer in a CO₂-N₂ system, Chem. Phys. Letters, vol. 5, pp. 293-295, April 15, 1970.
- (104) V. J. Corcoran, R.E. Cupp, J.J. Gallagher, and W.T. Smith, "Nonlinear optical effects using a CO₂ laser and a klystron," Appl. Phys. Letters, vol. 16, pp. 316-318, April 15, 1970.
- (105) C.J. Buczek, R.J. Wayne, P. Chenausky, and R.J. Freiberg, "Magnetically stabilized cross-field CO₂ laser," Appl. Phys. Letters, vol. 16, pp. 321-323, April 15, 1970.
- (106) F. Gervais, B. Pirou, F. Cabannes, "Infrared reflection spectrum of corundum with an abnormal phonon distribution" (in French), Compt. Rend. Acad. Sci. (Paris) , vol. 270B, pp. 1042-1045, April 20, 1970.
- (107) V.A. Botanov, F.V. Bunkin, A.M. Prokhorov, and V. B. Fedorov, "A gasdynamic molecular laser with optical pumping", (in Russian), Dokl. Akad. Nauk.SSSR, vol. 191, pp. 1267-1269, April 21, 1970; English transl. in Sov. Phys.-Dokl, vol. 15, pp. 408-409, October 1970.
- (108) R.W. Nicholls, "Energy resonances between molecular species in CO₂ gas lasers," Nature, vol. 226, pp. 353-354, April 25, 1970.
- (109) R. Ely and T.K. McCubbin, Jr., "The temperature dependence of the self-broadened half-width of the P-20 line in the 001-100 band of CO₂," Appl. Opt., vol. 9, pp. 1230-1231, May, 1970.
- (110) H.W. Brinkschulte, "Observation of CO₂ laser induced acoustical waves in CO₂," J. Appl. Phys., vol. 41, pp. 2298-2302, May 1970.
- (111) J. Freudenthal, "Collision processes in a CO₂ laser plasma," J. Appl. Phys., vol. 41, pp. 2447-2453, May 1970.
- (112) B.S. Vinevich, "Divergence of the beam from a laser resonator with a coupling hole" (in Russian), Opt. Spektrosk., vol. 28, pp. 853-855, May 1970; English transl. in Opt. Spectry., vol.28, pp. 463-464, May 1970.
- (113) T. Ya. Pozova and S.G. Rautian, "Influence of collisions and level degeneracy on the saturation effect in gas systems" (in Russian), Opt. Spektrosk, vol. 28, pp. 869-876, May 1970; English transl. in Opt. Spectry., vol. 28, pp. 471-475, May 1970.
- (114) J.H. McElroy, N. McAvoy, and H.L. Richard, "Carbon dioxide laser intersatellite communication systems," Laser J., vol. 2, pp. 21-23,34, May-June 1970.

- (115) J. Tulip and H. Seguin, "Gain saturation measurements in the carbon dioxide laser using a Fresnel loss-plate technique," *Can. J. Phys.*, vol. 48, pp. 1086-1090, May 1, 1970.
- (116) F. Shimizu, "Q-switching of N_2O and CO_2 lasers by Stark effect of ammonia," *Appl. Phys. Letters*, vol. 16, pp. 368-370, May 1, 1970.
- (117) N.A. Generalov, V.P. Zimakov, G.I. Kozlov, V.A. Masyukov and Yu. P. Raizer, "Continuous optical discharge" (in Russian), *Zh. Eksp. Teor. Fiz. Pis'ma*, vol. 11, pp. 447-449, May 5, 1970; English transl. in *JETP Letters*, vol. 11, pp. 302-304, May 5, 1970.
- (118) J.I. Steinfeld, I. Burak, D.G. Sutton, and A.V. Nowak, "Infrared double resonance in sulfur hexafluoride," *J. Chem. Phys.*, vol. 52, pp. 5421-5434, May 15, 1970; erratum, vol. 53, p. 3390, October 15, 1970.
- (119) E. Quel and X. de Hemptinne, "Influence of the beam intensity and of the addition of noble gases on the reactions in ethylene during irradiation with ir laser light," *Ann. Soc. Sci. Bruxelles*, Ser. 1, vol. 84, pp. 128-132, May 25, 1970.
- (120) F. Keilmann, "Infrared interferometry with a CO_2 laser source and liquid crystal detection," *Appl. Opt.*, vol. 9, pp. 1319-1322, June 1970.
- (121) W.I. Dobrov and E.R. Washwell, " CO_2 laser pumping by a dc-Tesla coil combination," *Appl. Opt.*, vol. 9, pp. 1485-1486, June 1970.
- (122) G.A. Condas and D.W. Brown, "Variable sensitivity visual displayer for infrared laser beams," *Rev. Sci. Inst.*, vol. 41, pp. 888-889, June 1970.
- (123) L. Sica and E.A. McLean, "Thermal defocussing in air doped with SF_6 ," *J. Appl. Phys.*, vol. 41, pp. 3177-3178, June 1970.
- (124) M.Z. Novgorodov, V.N. Ochkin, and N.N. Sobolev, "Measurements of vibrational temperatures in carbon dioxide lasers" (in Russian), *Zh. Tekhn. Fiz.*, vol. 40, pp. 1268-1275, June 1970; English trans. in *Sov. Phys.-Tech. Phys.*, vol. 15, pp. 977-982, December 1970.
- (125) T. Yamaoka, H. Sei, Y. Komatsu, and Y. Ueda, "Two step photo-conductive decay of p-InSb by CO_2 laser light," *Jap. J. Appl. Phys.*, vol. 9, pp. 724-725, June 1970.

- (126) Yu. P. Raizer, "Subsonic propagation of a lightspark and threshold conditions for the maintenance of plasma by radiation" (in Russian), Zh. Eksp. Teor. Fiz., vol. 58, pp. 2127-2138, June 1970; English transl. in Sov. Phys.-JETP, vol. 31, pp. 1148-1154, December 1970.
- (127) G.K. Born, "Laser weapons" (in German), Laser, vol. 2, pp. 37-38, June 1970.
- (128) K. Büchl, "The TEA laser" (in German), Laser, vol. 2, pp. 45-48, June 1970.
- (129) M. Brunné, G. Malaczynski, J. Milewski, and J. Stanco, "Some effects of interaction of monochromatic radiation with a flowing optically active medium. III. Modified gas dynamic quantum amplifier," Bull. Acad. Pol. Sci. Ser. Sci. Tech., vol. 18, pp. 487-495, June 1970.
- (130) M. Brunné, G. Malaczynski, J. Milewski, and J. Stanco, "Some effects of interaction of monochromatic radiation with a flowing optically active medium. IV. Modified CW gasdynamic quantum generator," Bull. Acad. Pol. Sci. Ser. Sci. Tech., vol. 18, pp. 497-502, June 1970.
- (131) V.S. Arakelyan and N.V. Karlov, "Synchronization of the modes of a carbon dioxide laser by a rotating mirror" (in Russian), Kratk. Soobshch. Fiz., No. 6, pp. 21-25, 1970.
- (132) N.V. Karlov, Yu. B. Konev, G.P. Kuz'min, V.A. Mishin, and R.P. Petrov, "Rotation competition in a carbon dioxide laser during double modulation" (in Russian), Kratk. Soobshch. Fiz., No. 6, pp. 45-51, 1970.
- (133) A.E. Hill, "Role of thermal effects and fast flow power scaling techniques in CO₂-N₂-He lasers," Appl. Phys. Letters, vol. 16, pp. 423-426, June 1, 1970.
- (134) R.A. Chodzko and S-C Lin, "Transition from laminar to turbulent flow in a laser-induced convection column," Appl. Phys. Letters, vol. 16, pp. 434-436, June 1, 1970.
- (135) A.P. Dronov, A.S. D'yakov, E.M. Kudryavtsev and N.N. Sobolev, "Gasdynamic CO₂ laser with escape of the shock-tube heated working mixture through a slit" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 11, pp. 516-519, June 5, 1970; English transl. in JETP Letters, vol. 11, pp. 553-556, June 5, 1970.

- (136) J. Benoit, "CO₂ laser modulation by hole injection in n-type InSb, Appl. Phys. Letters, vol. 16, pp. 482-484, June 15 1970.
- (137) A.J. Beaulieu, "Transversely excited atmospheric pressure CO₂ lasers," Appl. Phys. Letters, vol. 16, pp. 504-505, June 15, 1970.
- (138) O.R. Wood and S.E. Schwarz, "Study of fluorescent lifetime of the ν_2 vibrational mode in SF₆," Appl. Phys. Letters, vol. 16, pp. 518-520, June 15, 1970.
- (139) C.J.S.M. Simpson and T.R.D. Chandler, "A shock tube study of vibrational relaxation in pure CO₂ and mixtures of CO₂ with the inert gases, nitrogen, deuterium and hydrogen," Proc. Roy. Soc. Lond, A., vol. 317, pp. 265-277, June 16, 1970.
- (140) W.M. Doyle, "Pyroelectric detectors," Laser Focus, vol.6, pp. 54-57, July 1970.
- (141) C.B. Wheeler and A.E. Dangor, "Measurement of plasma electron density by the laser self-heterodyne," J. Phys. D, vol. 3, pp. 1122-1129, July 1970.
- (142) C. Sun and T.E. Walsh, "Performance of broad-band microwave-biased extrinsic photoconductive detectors at 10.6 μ ," IEEE J. Quantum Electronics, vol. QE-6, pp. 450-457, July 1970.
- (143) M.B. White, W.D. Gerber, and W.M. Doyle, "Intracavity polarization modulation of a nearly isotropic CO₂ laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 457-462, July 1970.
- (144) W.J. Witteman and R.J. Carbone, "Rotational transition competition in a single-mode CO₂ laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 462-466, July 1970.
- (145) A. Landman, "Efficient CO₂ laser modulation internal to the cavity by methyl chloride gas," IEEE J. Quantum Electronics, vol. QE-6, pp. 472-473, July 1970.
- (146) R.E. Jensen and M.S. Tobin, "Passive Q-switching of the CO₂ laser by C₂H₄ gas and CH₃ OH vapor", IEEE J. Quantum Electronics, vol. QE-6, pp. 477-478, July 1970.
- (147) D.B. Rensch and R.K. Long, "Comparative studies of extinction and backscattering by aerosols, fog, and rain at 10.6 μ and 0.63 μ ," Appl. Opt., vol. 9, pp. 1563-1573, July 1970.
- (148) E.N. Lotkova, V.N. Ochkin, and N.N. Sobolev, "Plasma composition and population inversion in a CO₂ laser" (in Russian), Zh. Tekhn. Fiz., vol. 40, pp. 1402-1409, July 1970; English transl. in Sov. Phys.- Tech. Phys., vol. 15, pp. 1085-1090, January 1971.

- (149) T.Y. Chang, "Accurate frequencies and wavelengths of CO₂ laser lines," Opt. Commun., vol. 2, pp. 77-80, July 1970.
- (150) P. Cristea and I.M. Popescu, "Infrared photovoltaic radiation detector with thin anisotropic tellurium film," Opt. Commun., vol. 2, pp. 81-85, July 1970.
- (151) L.S. Vasilenko, V.P. Chebotaev, and G.I. Shershneva, "Sharp resonances in case of absorption saturation of CO₂" (in Russian), Opt. Spektrosk., vol. 29, pp. 204-206, July 1970; English transl. in Opt. Spectry - vol. 29, pp. 107-108, July 1970.
- (152) L.N. Peckham, M.O. Hagler, M. Kristiansen, "Industrial applications of lasers," ISA Trans., vol. 9, no. 3, pp. 216-221, 1970.
- (153) R.W. Kobylnyk, "Will lasers replace insecticides?," Opt. Spectra, vol. 4, pp. 57-61, July-August 1970.
- (154) C.K.N. Patel, E.D. Shaw, and R.J. Kerl, "Tunable spin-flip laser and infrared spectroscopy," Phys. Rev. Letters, vol. 25, pp. 8-11, July 6, 1970.
- (155) C. Freed and A. Javan, "Standing-wave saturation resonances in the CO₂ 10.6 μ transitions observed in a low-pressure room-temperature absorber gas," App. Phys. Letters, vol. 17, pp. 53-56, July 15, 1970; erratum, vol. 17, p. 541, December 15, 1970.
- (156) J.H. McFee, G.D. Boyd, and P.H. Schmidt, "Redetermination of the nonlinear optical coefficients of Te and GaAs by comparison with Ag₃SbS₃," Appl. Phys. Letters, vol. 17, pp. 57-59, July 15, 1970.
- (157) A.F. Gibson, M.F. Kimmitt, and A.C. Walker, "Photon drag in germanium," Appl. Phys. Letters, vol. 17, pp. 75-77, July 15, 1970.
- (158) V.A. Aleshkevich and A.P. Sukhorukov, "Deflection of powerful light beams under the influence of wind in absorbing media" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 12, pp. 112-115, July 20, 1970; English transl. in JETP Letters, vol. 12, pp. 77-79, July 20, 1970.
- (159) J. Frendenthal, "Deposits in a sealed-off CO₂ laser-type discharge," IEEE J. Quantum Electronics, vol. QE-6, pp. 507-509, August 1970.
- (160) K.A. Laurie and M.M. Hale, "Folded-path atmospheric-pressure CO₂ laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 530-532, August 1970.
- (161) T.M. Hard, "Laser wavelength selection and output coupling by a grating," Appl. Opt., vol. 9, pp. 1825-1830, August 1970.

- (162) W.B. Gandrud, "Calorimetric measurement of infrared absorption in crystals of unknown specific heat," Appl. Opt., vol. 9, pp. 1936-1937, August 1970.
- (163) A.A. Offenberger and D.J. Rose, "Roles of helium and nitrogen in CO₂ laser excitation," J. Appl. Phys., vol. 41, pp. 3908-3909, August 1970.
- (164) M.L. Skolnick, "CO₂ laser stabilized without detectors," Laser Focus, vol. 6, pp. 42-43, August 1970.
- (165) Yu. N. Gromov, M.P. Kolomeev, and N. Sh Khaikin, "Determining the degree of parallelism of the surfaces of a plate transparent in the IR region using a CO₂ laser" (in Russian), Opt. Spektrosk., vol. 29, pp. 381-383, August 1970; English transl. in Opt. Spectry., vol. 29, pp. 202-204, August 1970.
- (166) V.K. Konyukhov, "Similar gas discharges for CO₂ lasers" (in Russian), Zh. Tekhn. Fiz., vol. 40, pp. 1649-1655, August 1970; English transl. in Sov. Phys.-Tech. Phys., vol. 15, pp. 1283-1287, February 1971.
- (167) N.V. Karlov and Yu. B. Konev, "Dependence of the parameters of CO₂ lasers on the pulse repetition rate during continuous pumping" (in Russian), Radiotekhn. Elektron., vol. 15, pp. 1678-1681, August 1970.
- (168) L.C. Lee and W.L. Faust, "CO₂ laser operation on an exceptional number of lines, including high J values," Opt., Commun. vol. 2, pp. 111-112, August 1970.
- (169) N.G. Basov, O.N. Kompanets, V.S. Letokhov, and V.V. Nikitin, "Narrow resonances within the Doppler line of rotational-vibrational transitions of the sulfur hexafluoride molecule during absorption saturation" (in Russian), Zh. Eksp. Teor. Fiz., vol. 59, pp. 394-403, August 1970.
- (170) N.G. Basov, V.T. Galochkin, L.V. Kulakov, E.P. Markin, A.I. Nikitin, and A.M. Oraevskii, "D₂ + F₂ + CO₂ Chemical laser" (in Russian), Kratk. Soobshch. Fiz., no. 8, pp. 10-14, 1970.
- (171) F. Shimizu, "Stark spectroscopy of ¹⁵NH₃ v₂ band by 10-μ lasers," J. Chem. Phys., vol. 53, pp. 1149-1151, August 1, 1970.
- (172) C. Bordé, "Saturated absorption spectroscopy of different molecules by means of carbon dioxide and nitrous oxide gas lasers" (in French), Compt. Rend. Acad. Sci. (Paris), vol. 271B, pp. 371-374, August 10, 1970.

- (173) R.L. Abrams and W.B. Gandrud, "Heterodyne detection of 10.6- μ radiation by metal-to-metal point contact diodes," Appl. Phys. Letters, vol. 17, pp. 150-152, August 15, 1970.
- (174) A.K. McQuillan and A.I. Carswell, "Spatially resolved gain measurements in a flowing CO₂ amplifier," Appl. Phys. Letters, vol. 17, pp. 158-160, August 15, 1970.
- (175) C.K. Jung, A.M. Ronn, and J.T. LaTourrette, "Passive Q-switching and mode locking of a CO₂ laser with CH₃ Br, PF₅, or SF₆ and self-mode locking using electrical pulse excitation," J. Appl. Phys., vol. 41, pp. 4240-4242, September 1970.
- (176) G.W. Day, O.L. Gaddy, and K.C. Jungling, "Electrooptic Q-switching of the CO₂ laser," IEEE J. Quantum Electronics, vol. QE-6, pp. 553-556, September 1970.
- (177) C.S. Willett and G.M. Janney, "Amplification at 10.6 μ in the negative glow of a hollow-cathode discharge in a CO₂-He mixture, IEEE J. Quantum Electronics, vol. QE-6, pp. 568-570, September 1970.
- (178) D.C. Tyte, "A compact 20 W c.w. CO₂ laser," J. Phys. E, vol. 3, pp. 734-735, September 1970.
- (179) P. Avivi and F. Dothan-Deutsch, "A metal-tube gas laser," J. Phys. E, vol. 3, p. 750, September 1970.
- (180) T. Sueta, T. Matsushima, T. Nishimoto, and T. Makimoto, "Modulation of 10.6- micron laser radiation by CuCl," Proc. IEEE (Letters), vol. 58, pp. 1378-1379, September 1970.
- (181) J. Tulip, "The influence of diffusion upon the amplification of a Gaussian laser beam in a CO₂ laser amplifier," Proc. IEEE (Letters), vol. 58, pp. 1381-1382, September 1970.
- (182) R.I. Soloukhin and Yu. A. Yakobi, "Infrared laser-interferometer with phase Q-switching" (in Russian), Opt. Spektrosk., vol. 29, pp. 573-580, September 1970; English transl. in Opt. Spectry., vol. 29, pp. 306-310, September 1970.
- (183) V.N. Ochkin, E.N. Lotkova and N.N. Sobolev, "Carbon dioxide dissociation in sealed discharge tubes of carbon dioxide lasers" (in Russian), Khim. Vys. Energ., vol. 4, pp. 453-454, September-October, 1970.
- (184) Iu. N. Gromov, V.P. Tychinskii, and N. Sh. Khaikin, "Study of a CO₂ laser with germanium Brewster windows" (in Russian), Prib. Tekhn. Eksp. No. 5, pp. 182-183, September-October 1970.

- (185) A.M. Robinson, "Afterglow gain measurements in CO₂-He-N₂ mixtures at pressures up to 1 atmosphere, Can. J. Phys. vol. 48, pp. 1996-2001, September 1, 1970.
- (186) J. Benoit, "Optical probing of localized electron-hole plasmas in n-type InSb," Appl. Phys. Letters, vol. 17, pp. 202-204, September 1, 1970.
- (187) J.R. Kenemuth, C.B. Hogge, and P.V. Avizonis, "Thermal blooming of a 10.6 μ laser beam in CO₂," Appl. Phys. Letters, vol. 17, pp. 220-223, September 1, 1970; erratum, vol. 18, p. 208, March 1, 1971.
- (188) D. Bailly, C. Meyer, and C. Rossetti, "Coefficient of amplification of CO₂ excited by an electric discharge in the $\nu_3-\nu_1$ laser transition" (in French), Compt. Rend. Acad. Sci. (Paris) vol. 271B, pp. 511-514, September 7, 1970.
- (189) A.V. Elets'kii, L. Ia Efremenkova, and B.M. Smirnov, "Carbon dioxide laser with optical pumping" (in Russian), Dokl. Akad. Nauk. SSR, vol. 194, pp. 298-301, September 11, 1970; English transl. in Sov. Phys.-Dokl., vol. 15, pp. 843-845, March 1971.
- (190) T.Y. Chang, T.J. Bridges, and E.G. Burkhardt, "cw submillimeter laser action in optically pumped methyl fluoride, methyl alcohol, and vinyl chloride gases," Appl. Phys. Letters, vol. 17, pp. 249-251, September 15, 1970.
- (191) D.R. Sokoloff, A. Sanchez, R.M. Osgood, and A. Javan, "Extension of laser harmonic-frequency mixing into the 5- μ regions," Appl. Phys. Letters, vol. 17, pp. 257-259, September 15, 1970.
- (192) J.H. Waszink, "Measurements of the gas temperature in CO₂-N₂-He discharges," Gas discharges, Institution of Electrical Engineers, International Conference, London, England, September 15-18, 1970, IEEE Conference Publication No. 70, pp. 212-216.
- (193) M. Margottin-Maclou, I. Arditì, H. Guenguen, and L. Doyennette, "Determination of the coefficients of diffusion and wall attachment of CO₂ molecules excited to the (00^c1) vibrational level" (in French), Compt. Rend. Acad. Sci. (Paris), vol. 271B, pp. 563-566, September 21, 1970.
- (194) C.J. Bickart, "A multipath CO₂ amplifier," Laser Focus, vol. 6, pp. 28-29, October 1970.

- (195) H.W. Mocker and H.A. Gustafson, "'New' contender for space communications," Laser Focus, vol. 6, pp. 30-33, October 1970.
- (196) J. Longfellow, "Production of an extensible matrix by laser drilling," Rev. Sci. Instr., vol. 41, pp. 1485-1486, October 1970.
- (197) A.M. Robinson and D.C. Johnson, "A carbon dioxide laser bibliography, 1964-1969," IEEE J. Quantum Electronics, vol. QE-6, pp. 590-605, October 1970.
- (198) G.J. Dezenberg, W.B. McKnight, L.N. McClusky, and E.L. Roy, "Properties of high-energy electrically pulsed CO₂ lasers," IEEE J. Quantum Electronics (correspondence), vol. QE-6, pp. 652-653, October 1970.
- (199) D.C. Smith, "Gas breakdown with 10.6- μ wavelength CO₂ laser radiation," J. Appl. Phys., vol. 41, pp. 4501-4505, October 1970.
- (200) M. Silver, T.S. Hartwick, and M.J. Posakony, "Gain measurements in CO₂ isotope lasers," J. Appl. Phys., vol. 41, pp. 4566-4568, October 1970.
- (201) J.E. Geusic, W.B. Bridges, and J.I. Pankove, "Coherent optical sources for communications", Proc. IEEE, vol. 58, pp. 1419-1439, October 1970.
- (202) H. Melchior, M.B. Fisher, and F.R. Arams, "Photodectors for optical communication systems," Proc. IEEE, vol. 58, pp. 1466-1486, October 1970.
- (203) J.R. Kerr, P.J. Titterton, A.R. Kraemer, and C.R. Cooke, "Atmospheric optical communications systems," Proc. IEEE, vol. 58, pp. 1691-1709, October 1970.
- (204) C. Sun and T.E. Walsh, "A packaged system of a solid-state microwave-biased photoconductive detector for 10.6 μ m," Proc. IEEE, vol. 58, pp. 1732-1736, October 1970.
- (205) F.E. Goodwin, "A review of operational laser communication systems," Proc. IEEE, vol. 58, pp. 1746-1752, October 1970.
- (206) B. Peyton, E. Sard, R. Lange, and F.R. Arams, "Infrared 10.6- μ m photodiode heterodyne detection," Proc. IEEE (Letters), vol. 58, pp. 1769-1770, October 1970.
- (207) T.S. Lewis and H.S. Hutchins, "A synthetic aperture at 10.6 microns," Proc. IEEE (Letters), vol. 58, pp. 1781-1782, October 1970.

- (208) G.W. Sutton, "Fog dispersal by high-power lasers," AIAA Journal, vol. 8, pp. 1907-1910, October 1970.
- (209) M.C. Teich, R.L. Abrams, and W.B. Gandrud, "Photon-correlation enhancement of SHG at 10.6 μ m," Opt. Commun., vol. 2, pp. 206-208, October 1970.
- (210) D.M. Henderson and R.L. Abrams, "A comparison of acousto-optic and electro-optic modulators at 10.6 microns," Opt. Commun., vol. 2, pp. 223-226, October 1970.
- (211) T. Aoki, C. Yamada, and M. Katayama, "Acoustic waves excited by Q-switched CO₂ laser," Jap. J. Appl. Phys., vol. 9, pp. 1249-1254, October 1970.
- (212) V.V. Kuznetsov and A.M. Orishich, "Pulsed laser action in CO₂ at high pressure" (in Russian), Zh. Prikl. Spektrosk., vol. 13, pp. 599-601, October 1970.
- (213) B. Cockayne, D.B. Gasson, and N. Forbes, "Further developments in oxide crystal growth using gas lasers," J. Material Science, vol. 5, pp. 837-838, October 1970.
- (214) R.V. Damle, "Construction of cw CO₂ laser," Indian J. Technol., vol. 8, pp. 387-388, October 1970.
- (215) D.J. Eckstrom and D. Bershader, "Vibrational relaxation studies of the 10⁰0 and 02⁰0 states of shock-heated CO₂," J. Chem. Phys., vol. 53, pp. 2978-2979, October 1, 1970.
- (216) M.J. Kelly, R.E. Francke, and M.S. Feld, "Rotational-vibrational spectroscopy of NH₂D using high-resolution laser techniques," J. Chem. Phys., vol. 53, pp. 2979-2980, October 1, 1970.
- (217) T.A. Cool, J.A. Shirley, and R.R. Stephens, "Operating characteristics of a transverse-flow DF-CO₂ purely chemical laser," Appl. Phys. Letters, vol. 17, pp. 278-281, October 1, 1970.
- (218) W.B. Gandrud and R.L. Abrams, "Reduction in SHG efficiency in tellurium by photoinduced carriers," Appl. Phys. Letters, vol. 17, pp. 302-305, October 1, 1970.
- (219) L. Abouaf-Marguin, H. Dubost, and F. Legay, "Infrared spectra of matrix isolated ammonia at liquid helium temperature. Behaviour during irradiation with a CO₂ laser beam," Chem. Phys. Letters, vol. 7, pp. 61-64, October 1, 1970.

- (220) N.V. Karlov, G.P. Kuz'min, and A.M. Prokhorov, "Thermal self-focussing and breakdown induced in NaCl, KBr, and CsI crystals by CO₂-laser radiation" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 12, pp. 363-366, October 5, 1970; English transl. in JETP Letters, vol. 12, pp. 248-251, October 5, 1970.
- (221) R. Capiiaux, "Laser action in the flow of a gas mix (CO₂-N₂ and H₂O)" (in French), Compt. Rend. Acad. Sci. (Paris), vol. 271A, pp. 733-736, October 12, 1970.
- (222) C. Raffo, B. Lavarini, and M. Michon, "Influence of decomposition of the gas mix on the emission at 10.6 μ from a CO₂-N₂-He amplifier" (in French), Compt. Rend. Acad. Sci. (Paris), vol. 271B, pp. 788-791, October 12, 1970.
- (223) M.W. Goldberg and R. Yusek, "High-resolution inverted Lamb-dip spectroscopy on SF₆," Appl. Phys. Letters, vol. 17, pp. 349-351, October 15, 1970.
- (224) M. Blander, K. Keil, L.S. Nelson, and S.R. Skaggs, "Heating of basalts with a carbon dioxide laser," Science, vol. 170, pp. 435-438, October 23, 1970.
- (225) A.A. Offenberger, "Analysis of a thermocouple laser power meter," Appl. Opt., vol. 9, pp. 2594-2597, November 1970.
- (226) E.T. Gerry, "Gasdynamic lasers," IEEE Spectrum, vol. 7, pp. 51-58, November 1970.
- (227) D.B. Chang, J.E. Drummond, and R.B. Hall, "High-power laser radiation interaction with quartz," J. Appl. Phys., vol. 41, pp. 4851-4855, November 1970.
- (228) A.K. Laflamme, "Double discharge excitation for atmospheric pressure CO₂ lasers," Rev. Sci. Inst., vol. 41, pp. 1578-1581, November 1970.
- (229) K.C. Jungling, R.J. Turnbull, O.L. Gaddy, and G.W. Day, "Reduction of CO₂-laser-induced thermal lensing in CS₂ with DC electric field," IEEE J. Quantum Electronics, vol. QE-6, pp. 669-672, November 1970.
- (230) H. Brunet, "Saturation of infrared absorption in SF₆," IEEE J. Quantum Electronics, vol. QE-6, pp. 678-684, November 1970.
- (231) H.H. Kim and H. Marantz, "Continuous self-mode locking of infrared gas lasers," IEEE J. Quantum Electronics (correspondence), vol. QE-6, pp. 749-750, November 1970.

- (232) A.L. Pardue, Jr. and O.P. McDuff, "Reactive Q-switching in a CO₂ multimode-multipass laser oscillator," IEEE J. Quantum Electronics (correspondence), vol. QE-6, pp. 753-754, November 1970.
- (233) C. Wittig, J.C. Hassler, and P.D. Coleman, "Collisionally induced lasing in CO₂ and N₂O using vibrationally excited CO," IEEE J. Quantum Electronics (correspondence), vol. QE-6, pp. 754-756, November 1970.
- (234) F.E. Goodwin, T.A. Nussmeier, and F.C. Trimble, "One-year operation of sealed-off CO₂ laser," IEEE J. Quantum Electronics (Notes and Lines), vol. QE-6, pp. 756-757, November 1970.
- (235) T. Aoki, "Polarity of an acoustic wave produced by Q-switched CO₂ laser," Jap. J. Appl. Phys., vol. 9, pp. 1426-1427, November 1970.
- (236) R.L. Allwood, S.D. Devine, R.G. Mellish, S.D. Smith, and R.A. Wood, "Tunable stimulated spin-flip magneto-Raman scattering with dielectric coated cavities," J. Phys. C, vol. 3, pp. L186-L190, November 1970.
- (237) M. Sirieix, "Large modulation of an infrared laser beam at 10.6 microns at high frequency" (in French), L'Onde Electrique, vol. 50, pp. 864-868, November 1970.
- (238) S.S. Alimpiev, N.V. Karlov, Iu. B. Konev, G.P. Kuz'min, and R.P. Petrov, "Influence of dissociation on inversion in a pulsed CO₂ laser" (in Russian), Radiotekhn. Elektron., vol. 15, pp. 2361-2367, November 1970.
- (239) A.S. Buriukov, R.I. Serikov, and E.S. Trekhov, "Measurement of the vibrational relaxation time of the 00⁰₁ level of the CO₂ molecule" (in Russian), Zh. Eksp. Teor. Fiz., vol. 59, pp. 1513-1517, November 1970.
- (240) W.L. Nighan, "Electron energy distributions and collision rates in electrically excited N₂, CO, and CO₂," Phys. Rev. A, vol. 2, pp. 1989-2000, November 1970.
- (241) R.D. Bates, Jr., G.W. Flynn, J.T. Knudtson, and A.M. Ronn, "Laser induced 16-μ fluorescence in SF₆: acoustic effects," J. Chem. Phys. vol. 53, pp. 3621-3631, November 1, 1970.
- (242) I. Burak, P. Houston, D.G. Sutton, and J.I. Steinfeld, "Observation of laser-induced acoustic waves in SF₆," J. Chem. Phys., vol. 53, pp. 3632-3634, November 1, 1970.

- (243) O.R. Wood, R.L. Abrams, and T.J. Bridges, "Mode-locking of a transversely excited atmospheric pressure CO₂ laser," Appl. Phys. Letters, vol. 17, pp. 376-378, November 1, 1970.
- (244) C.O. Brown, "High-power CO₂ electrical discharge mixing laser," Appl. Phys. Letters, vol. 17, pp. 388-391, November 1, 1970.
- (245) M.M. Mann, R.G. Eguchi, W.B. Lacina, M.L. Bhaumik, and W.H. Steier "Mode-locking of the CO₂ laser by intracavity phase modulation," Appl. Phys. Letters, vol. 17, pp. 393-395, November 1, 1970.
- (246) W.E.K. Gibbs and D.J. Booth, "Gain measurements at 10.6 μ m on pulsed high-voltage discharges in CO₂-N₂-He mixtures," Phys. Letters, vol. 33A, pp. 261-262, November 2, 1970.
- (247) S.M. Lee, L.A. Gamss, and A. M. Ronn, "Passive Q-switching of a CO₂-N₂-He laser with ethylene," Chem. Phys. Letters, vol. 7, pp. 463-464, November 15, 1970.
- (248) B. Contreras and O.L. Gaddy, "Nanosecond response time room-temperature infrared detection with thin-film bolometers," Appl. Phys. Letters, vol. 17, pp. 450-453, November 15, 1970.
- (249) V.K. Konyukhov, I.V. Matrosov, A.M. Prokhorov, D.T. Shalunov, and N.N. Shirokov, "Gasdynamic cw laser using a mixture of carbon dioxide, nitrogen, and water" (in Russian), Zh. Eksp. Teor. Fiz. Pis'ma, vol. 12, pp. 461-464, November 20, 1970; English transl. in JETP Letters, vol. 12, pp. 321-323, November 20, 1970.
- (250) H.K.V. Lotsch and W.C. Davis, "The lensing effect of CO₂ laser plasma," Appl. Opt., vol. 9, pp. 2725-2728, December 1970.
- (251) G. Sedgwick and H. Seguin, "Low voltage CO₂ laser excitation," Appl. Opt., vol. 9, pp. 2737-2741, December 1970.
- (252) F.J. Demma, J.H. Michels, and W.E. Wolf, "Doppler halfwidth of a rotating and translating cylinder using unfocussed 10.6- μ radiation," Appl. Opt., vol. 9, pp. 2788-2790, December 1970.
- (253) G.W. Day and P.M. Gruzensky, "Some optical properties of cesium cupric chloride," Appl. Opt., vol. 9, pp. 2794-2795, December 1970.
- (254) R.L. Byer and R.L. Herbst, "Constant dispersion rotating grating Q-switch for a CO₂ laser," Appl. Opt., vol. 9, p. 2808, December 1970.

- (255) D.C. Smith and A.J. DeMaria, "Parametric behaviour of the atmospheric pressure pulsed CO₂ laser," J. Appl. Phys., vol. 41, pp. 5212-5214, December 1970.
- (256) K.C. Jungling and O.L. Gaddy, "Intensity-dependent infrared absorption in CS₂ near 10 μ m," J. Appl. Phys., vol. 41, pp. 5352-5354, December 1970.
- (257) J. Wallace and M. Camac, "Effects of absorption at 10.6 μ on laser-beam transmission," J. Opt. Soc. Am., vol. 60, pp. 1587-1594, December 1970.
- (258) E.T. Gerry, "The gas dynamic laser," Laser Focus, vol. 6, pp. 27-31, December 1970.
- (259) V.J. Stefanov, "Use of current changes for detection of laser action and mirror alignment in a gas laser," J. Phys. E, vol. 3, pp. 1027-1028, December 1970.
- (260) M.Z. Novgorodov, A.G. Sviridov, and N.N. Sobolev, "The electron energy distribution in discharges used for CO₂ lasers" (in Russian), Zh. Prikl. Spektrosk., vol.13, pp. 992-995, December 1970.
- (261) D.L. Lyon, E.V. George, and H.A. Haus, "Observation of spontaneous mode-locking in a high-pressure CO₂ laser," Appl. Phys. Letters, vol. 17, pp. 474-476, December 1, 1970.
- (262) R.G. Brewer, "Precision determination of CH₃F dipole moment by nonlinear infrared spectroscopy," Phys. Rev. Letters, vol. 25, pp. 1639-1641, December 14, 1970.
- (263) H. Brunet, B. Lavarini, and F. Voignier, "Gas cooling processes in a fast flow CO₂ laser," Phys. Letters, vol. 33A, pp. 497-498, December 28, 1970.

AUTHOR INDEX

Abouaf-Marguin, I.: 219
Abrams, R.L.: 173,209,210,218,243
Adams, M.J.: 59
Agarbiceanu, I.: 81
Akimoto, T.: 42
Aleshkevich, V.A.: 158
Alimpiev, S.S.: 238
Allwood, R.L.: 236
Aoki, T.: 211,235
Arakelyan, V.S.: 67, 97,131
Arams, F.R.: 202, 206
Arata, Y.: 4,19,20
Arditi, I.: 193
Avivi, P.: 179
Avizonis, P.V.: 187
Bailly, D.: 188
Baird, K.M.: 30
Barchewitz, P.: 1,2
Basov, N.G.: 40,169,170
Batanov, V.A.: 107
Bates, Jr., R.D.: 241
Beaulieu, A.J.: 137
Benda, J.A.: 89
Benoit, J.: 136,186
Bershader, D.B.: 215
Bhaumik, M.L.: 245
Bickart, C.J.: 32,194
Blander, M.: 224
Boedeker, L.R.: 85
Booth, D.J.: 88,246
Bordé, C.: 172
Born, G.K.: 127
Boyd, G.D.: 48,156
Brewer, R.G.: 262

Bridges, T.J.: 6,190,243
Bridges, W.B.: 201
Brinkschulte, H.W.: 110
Bronfin, B.R.: 85
Brown, C.G.: 244
Brown, D.W.: 122
Brunet, H.: 230,263
Brunné, M.: 78,79,129,130
Büchl, K.: 128
Buczek, C.J.: 105
Bunkin, F.V.: 107
Burak, I.: 118,242
Buriukov, A.S.: 239
Burkhardt, E.G.: 190
Buser, R.G.: 54
Byer, R.L.: 254
Cabannes, F.: 106
Camac M.: 257
Carbone, R.J.: 144
Carswell, A.I.: 174
Cathey, W.T.: 72
Chandler, T.R.D.: 139
Chang, D.B.: 227
Chang, T.Y.: 149,190
Chebotaev, V.P.: 151
Chenausky, P.: 105
Cheo, P.K.: 50
Cheyer, J.P.: 85
Chodzko, R.A.: 134
Christiansen, W.H.: 44
Ciura, Al.: 81
Clark, P.O.: 55
Cockayne, B.: 62,213
Coleman, P.D.: 233
Collins, R.J.: 74

Condas, G.A.: 122
Contreras, B.: 248
Cooke, C.R.: 203
Cool, T.A.: 47,91,217
Corcoran, V.J.: 104
Crane, R.A.: 27
Cristea, P.: 81,150
Cupp, R.E.,: 104
Damle, R.V.: 214
Daneu, V.: 16
Dangor, A.E.: 141
Davis, W.C.: 72,250
Day, G.W.: 176,229,253
Decher, R.: 44
DeMaria, A.J.: 255
Demma, F.J.: 252
Devine, S.D.: 236
Dezenberg, G.J.: 59,198
Dobrov, W.I.: 121
Dolgov-Savel'ev, G.G.: 98
Dothan-Deutsch, F.: 179
Doyennette, L.: 193
Doyle, W.M.: 140,143
Dronov, A.P.: 135
Drummond, J.E.: 227
Dubost, H.: 219
D'yakov, A.S.: 135
Eckstrom, D.J.: 215
Efremenkova, L.Ia.: 189
Eguchi, R.G.E.: 245
Eickhoff, K.: 25
Eletskii, A.V.: 64,76,189
Ellis, R.E.: 35
Ely, R.: 109
Erybasheva, L.F.: 68

Evenson, K.M.: 90
Faust, W.L.: 37,168
Fayt, A.: 28
Fedina, T.A.: 51
Fedorov, V.B.: 107
Feld, M.S.: 216
Fisher, M.B.: 202
Flynn, G.W.: 241
Forbes, N.: 213
Fowler, M.C.: 89
Francke, R.E.: 216
Franzen, D.L.: 74
Freed, C.: 155
Freiberg, R.J. 55, 105
Freudenthal, J.: 111,159
Fulton, J.N.: 52
Gaddy, O.L.: 176,229,248,256
Gallagher, J.J.: 104
Galochkin, V.T.: 170
Gamss, L.A.: 247
Gandrud, W.B.: 48,162,173,209,218
Gasson, D.B.: 62,213
Gaver, R.L.: 69
Gebhardt, F.G.: 101
Generalov, N.A.: 102,117
George, E.V.: 261
Gerber, W.D.: 143
Gerry, E.T.: 226,258
Gervais, F.: 106
Geusic, J.E.: 201
Gibbs, W.E.K.: 88,246
Gibson, A.F.: 157
Gilmore, W.F.: 75
Goldberg, M.W.: 223

Goodwin, F.E.: 205,234
Green, W.H.: 33
Gromov, Yu.N.: 165,184
Gruzensky, P.M.: 253
Guenguen, H.: 193
Gundersen, M.: 37
Gürs, K.: 25
Gustafson, H.A.: 195
Hagler, M.O.: 152
Hale, M.M.: 160
Hall, R.B.: 227
Hanst, P.L.: 83
Hard, T.M.: 161
Hartwick, T.S.: 200
Hassler, J.C.: 233
Haus, H.A.: 26i
Hayashi, R.: 14
Hayes, C.L.: 72
Heller, D.F.: 49
de Hemptinne, M.: 28
de Hemptinne, X.: 28,119
Henderson, D.M.: 210
Herbst, R.L.: 254
Hieslmair, H.: 32
Hill, A.E.: 133
Hillier, M.: 8
Hillman, G.: 58
Hogge, C.B.: 187
Houston, P.: 242
Huffaker, R.M.: 70
Hutchins, H.S.: 207
Inaba, H.: 15

Ivanov, V.N.: 68
Janney, G.M.: 177
Javan, A.: 155,191
Jelalian, A.V.: 70
Jennings, D.A.: 94
Jensen, R.E.: 146
Johnson, D.C.: 197
Jung, C.K.: 86,175
Jungling, K.C.: 176,229,256
Kabashnikov, V.P.: 23
Karlov, N.V.: 66,67,97,131,132,167,220,238
Karstadt, L.K.: 75
Karube, N.: 17,21,95
katayama, M.: 41,211
Katyl, R.H.: 75
Keil, K.: 224
Keilmann, F.: 53,120
Kelly, M.J.: 216
Kelsali, D.: 54
Kenemuth, J.R.: 187
Kerl, R.J.: 154
Kerr, J.R.: 205
Khaikin, N.Sh.: 165,184
Kim, H.H.: 231
Kimmitt, M.F.: 157
Knight, D.J.E.: 24
Knudtson, J.T.: 241
Kobylnyk, R.W.: 153
Kolomeev, M.P.: 165
Komatsu, Y.: 125
Kompanets, O.N.: 169
Konev, Yu. B.: 132,167,238
Konyukhov, V.K.: 9,166,249

Korogod, V.V.: 9
Kozlov, G.I.: 102,117
Koz'minykh, Iu.L.: 98
Kraemer, A.R.: 203
Kristiansen, M.: 152
Kruglikova, L.P.: 43
Krupnov, A.F.: 18
Kudryavtsev, E.M.: 135
Kuehn, D.M.: 46
Kulakov, L.V.: 170
Kuz'min, G.P.: 67,132,220,238
Kuznetsov, V.V.: 98,212
Lacina, W.B.: 245
Laflamme, A.K.: 228
Landman, A.: 145
Lange, R.: 206
LaTourette, J.T.: 86,175
Laurie, K.A.: 160
Lavarini, B.: 222,263
Lee, L.C.: 37,168
Lee, S.M.: 247
Legay, F.: 1,219
Leonard, R.L.: 44
Letokhov, V.S.: 169
Levinson, G.R.: 76
Lewis, T.S.: 207
Lin, S.C.: 134
Long, R.K.: 147
Longfellow, J.: 196
Losev, V.V.: 51
Lotkova, E.N.: 82,148,183
Lotsch, H.K.V.: 250
Lyon, D.L.: 261
McAvoy, N.: 114
McClusky, L.N. 198

McCoy, J.H.: 45
McCubbin, Jr., T.K.: 109
McDuff, O.P.: 232
McElroy, J.H.: 114
McFee, J.H.: 48,156
McKnight, W.B.: 198
McLean, E.A.: 123
McQuillan, A.K.: 174
Mainster, M.A.: 71
Makimoto, T.: 180
Malaczynski, G.: 78,79,129,130
Mandani, N.: 77
Mann, M.M.: 245
Marantz, H.: 231
Marcus, S.: 45
Margottin-Maclou, M.: 195
Markin, E.P.: 170
Masyukov, V.A.: 102,117
Matarrese, L.M.: 90
Matrosov, I.V.: 249
Matsushima, T.: 180
Melchoir, H.: 202
Mellish, R.G.: 236
Merritt, J.A.: 59
Meyer, C.: 188
Michels, J.H.: 252
Michon, M.: 222
Milewski, J.: 78,79,129,130
Mishin, V.A.: 132
Miura, S.: 14
Miyamoto, I.: 4,19,20
Mocker, H.W.: 195
Monson, D.J.: 36,46
Moore, C.B.: 13,49,84
Munnerlyn, C.R.: 12

Namba, S.: 42
Nelson, L.S.: 63, 224
Nicholls, R.W.: 108
Nichols, K.G.: 77
Nighan, W.L.: 240
Nikitin, A.V.: 170
Nikitin, V.V.: 169
Nishimoto, T.: 180
Nitoi, A.I.: 81
Novgorodov, M.Z.: 124,260
Nowak, A.V.: 118
Nussmeier, T.A.: 234
Ochkin, V.N.: 82,124,148,183
Offenberger, A.A.: 163,225
Ohtsuka, Y.: 38
Oraevskii, A.N.: 40,170
Orishich, A.M.: 98,212
Osgood, R.M.: 191
Osial, T.A.: 5
Pankove, J.I.: 201
Papulovskii, V.F.: 51
Pardue, Jr., A.L.: 232
Patel, C.K.N.: 26,87,92,154
Peckham, L.N.: 152
Penner, S.S.: 22
Petrov, R.P.: 132
Petrov, Yu.N.: 66,67,238
Petrova, M.: 29
Peyton, B.: 206
Piriou, B.: 106
Pizzurro, V.F.: 72
Polman, J.: 73
Popescu, I.M.: 81,150
Popova, T.Ya.: 113
Posakony, M.J.: 200

Prokhorov, A.M.: 66,97,107,220,249
Quel, E.: 28,119
Raffo, C.: 222
Raizer, Yu.P.: 102,117,126
Rautian, S.G.: 113
Regan, A.J.: 60
Rensch, D.B.: 147
Richard, H.L.: 114
Richardson, N.L.: 63
Robinson, A.M.: 185,197
Roepke, W.W.: 52
Ronn, A.M.: 65,86,96,175,241,247
Rose, D.J.: 163
Rossetti, C.: 2,188
Roy, E.L.: 59,198
Russell, D.A.: 44
Sanchez, A.: 191
Sard, E.: 206
Sato, Y.: 103
Schein, T.R.: 61
Schiffner, G.: 57
Schmidt, P.H.: 156
Schoen, L.J.: 65,96
Schurin, B.: 35
Schwarz, S.E.: 138
Sedgwick, G.: 251
Seguin, H.: 58,69,115,251
Sei, H.: 125
Serikov, R.I.: 239
Shalunov, D.T.: 249
Shaw, E.D.: 87,154
Shcheglov, V.A.: 40

Shershneva, G.I.: 151
Shimizu, F.: 100,116,171
Shirley, J.A.: 217
Shirokov, N.N.: 249
Sica, L.: 123
Silver, M.: 200
Simpson, C.J.S.M.: 139
Sinegubko, L.A.: 18
Sirieix, M.: 237
Skaggs, S.R.: 63,224
Skolnick, M.L.: 56,164
Smirnov, B.M.: 64,189
Smith, D.C.: 101,199,255
Smith, S.D.: 236
Smith, W.T.: 104
Sobolev, N.N.: 82,124,135,148,183,260
Sokoloff, D.R.: 191
Soloukin, R.I.: 182
Stanco, J.: 78,79,129,130
Stefanov, V.: 29
Stefanov, V.J.: 259
Steier, W.H.: 245
Steinfeld, J.I.: 118,242
Stel'makh, O.M.: 66,67
Stephens, R.R.: 47,91,217
Stephenson, J.C.: 84
Sueta, T.: 180
Sugiyama, A.: 15
Sukhorukov, A.P.: 158
Sullivan, J.J.: 54
Sun, C.: 142,204
Sutton, D.G.: 118,242
Sutton, G.W.: 208
Sviridov, A.G.: 260
Sviridov, A.N.: 76

Tandler, W.S.: 80
Teich, M.C.: 31,209
Terentyev, V.E.: 43
Thomson, J.A.L.: 70
Tikhonov, V.I.: 9
Tips, J.H.: 71
Titterton, P.J.: 203
Tobin, M.S.: 146
Toyoda, K.: 42
Trekhov, E.S.: 239
Trimble, F.C.: 234
Tsongas, G.A.: 44
Tsuchiya, S.: 103
Tulip, J.: 58,93,115,181
Turnbull, R.J.: 229
Tychinskii, V.P.: 184
Tyte, D.C.: 178
Ueda, T.: 125
Ulmer, W.: 80
Vasilenko, L.S.: 151
Vinevich, B.S.: 112
Voignier, F.: 263
Walker, A.C.: 157
Wallace, J.: 257
Walsh, T.E.: 3,7,10,142,204
Wang, C.H.: 50
Washwell, E.R.: 121
Waszink, J.H.: 192
Wayne, R.J.: 105
Wehmeier, F.H.: 48
Wells, J.S.: 90
West, E.D.: 94
Wheeler, C.B.: 141

White, M.B.: 143
White, T.J.: 71
Whitney, W.T.: 33
Wiegand, W.J.: 89
Willett, C.S.: 177
Witteman, W.J.: 73,144
Wittig, C.: 233
Wolf, W.E.: 252
Wolinski, W.: 99
Wood, R.A.: 236
Wood, O.R.: 138,243
Wyman, P.W.: 11
Yakobi, Yu. A.: 182
Yamada, C.: 211
Yamaka, E.: 17,21,95
Yamaoka, T.: 125
Yoskimura, T.: 38
Yusek, R.: 223
Zimakov, V.P.: 102,117

SUBJECT INDEX

- Absorption coefficient, integrated: 35
- Absorption coefficient of crystals: 48,162
- Absorption in CO₂: 2,22,109,110,134,151,155,187,200
- Absorption, nonlinear: 38,50,67,92,118,151,169,172,230,256,257
- Acoustic waves (optic acoustic effect): 110,138,211,235,241,242
- Additives:
- Argon: 98
 - Carbon monoxide (CO): 95,148
 - Deuterium (D₂): 139
 - Helium: 4,54,73,95,98,133,139,163,192,238
 - Hydrogen (H₂): 54,139
 - Neon: 98,139
 - Nitrogen (N₂): 54,73,95,98,139,148,163
 - Water vapour (H₂O): 95,111,249
 - Xenon: 27,98
- Air: 123
- Ammonia (NH₃): 100,116,154,171,219
- Ammonia-d₁ (NH₂D): 216
- Amplifier (amplification): 19,20,32,59,74,194
- Applications: 128
- Air pollution detection: 83
 - Communications: 114,195,201,203,205
 - Crystal growing: 25,62,213
 - Deposition: 77,152
 - Fog removal: 22,208
 - Insect control: 153
 - Machining and metal working: 4,5,8,20,39,80,152,196,224
 - Optical pumping: 190
 - Optical quality control: 165
 - Radar: 207
 - Spectroscopy: 41,100,118,154,171,172,216,223,230,262
 - Spheroidization: 63
 - Turbulence detection: 70
 - Velocimeter: 70,252
 - Weapons: 127

Argon: 98,102,199

Atmospheric transmission:

Absorption: 147,257

Backscattering: 70,147

Phase distortion: 72

Propagation: 257

Beam parameters:

Deflection: 101,158,257

Distortion: 72,101,158,187,257

Divergence: 112

Focal volume: 20

Profile: 14,29,101,187

Beamsplitter: 12,36

Benzene (C_6H_6): 38

Bibliography: 197

Boron trichloride (BCl_3): 66,67,84,97,241

Breakdown induced in:

Gases: 102,117,199

Solids: 220

Cadmium telluride (CdTe): 210

Calcium iodide (CaI): 220

Carbon disulphide (CS_2): 229,256

Carbon monoxide (CO): 21,54,68,88,89,95,148,222,233,240

Cavity insertion loss: 27

Cesium cupric chloride ($CsCuCl_3$): 253

Chemical laser: 47,91,170,217

Collisional coupling: 113

Competition of rotational transitions: 132,144,151

Corundum: 106

Cross-sections:

Collision broadening: 155

Deactivation: 84

Energy transfer: 84

Cuprous chloride (CuCl): 180

Current: 4,17,27,55,82,93,95,115,124,188,238,251

Damage: 220

Decomposition of CO_2 : 15,17,21,33,44,54,82,88,89,95,111,148,159,183,
222,238

Detectors (detection):

Acoustic: 75

Heterodyne: 31,72,173,195,203,205,206

Homodyne: 70,141,252

Liquid crystal: 53,120

Photon drag: 157

Point contact diode: 173

Pyroelectric: 140

Review: 202,203,205

Semiconductor: 14,125,142,150,195,204,206

Semiconductor-microwave bias: 142,204

Thermographic: 18,120,122

Thin film: 150,248

Deuterium (D_2): 139

Deuterium fluoride (DF): 47,217

Deuterium hydroxide (DOH): 49

Deuterium oxide (D_2O): 49

Dichlorodifluoromethane (CF_2Cl_2): 172

Diffusion: 181,193

Discharge:

Hollow cathode: 177

Transverse: 55,128,137,185,228,243,251,255,261

Discharge parameters, effect of:

Current: 4,17,27,55,82,93,95,115,124,188,238,251

Diameter: 27,166

Flow rate: 47,89,91,133,148,174,222

Gas mix: 46,60,178,238

Length: 27

Pressure: 27,60,82,124,185,188,255

Voltage: 198,255

Doppler measurements: 252

Edge echo: 50

Efficiency: 27,244

Electrical discharge mixing laser: 235,244
Electrode interaction with gases: 68
Electron density: 141
Electron energy: 73,163,240,260
Energy transfer, vibrational: 108
 $\text{CO}_2\text{-BCl}_3$: 84
 $\text{CO}_2\text{-CH}_4$: 84
 $\text{CO}_2\text{-C}_2\text{H}_4$: 84
 $\text{CO}_2\text{-CH}_3\text{Br}$: 84
 $\text{CO}_2\text{-CH}_3\text{Cl}$: 84
 $\text{CO}_2\text{-CH}_3\text{F}$: 84
 $\text{CO}_2\text{-CH}_3\text{I}$: 84
 $\text{CO}_2\text{-CO}$: 233
 $\text{CO}_2\text{-CO}_2$: 58,84,103
 $\text{CO}_2\text{-DF}$: 47,217
 $\text{CO}_2\text{-D}_2\text{O}$: 49
 $\text{CO}_2\text{-HBr}$: 91
 $\text{CO}_2\text{-HDO}$: 49
 $\text{CO}_2\text{-HF}$: 47
 $\text{CO}_2\text{-H}_2\text{O}$: 49,221
 $\text{CO}_2\text{-N}_2$: 1,13,40,96,103,163,221,244
 $\text{CO}_2\text{-SF}_6$: 84
Ethylene (C_2H_4): 28,51,84,119,146,247
Ethylene- d_4 (C_2D_4): 28
Excitation processes: 163,212,240
Flow rates: 47,89,91,133,148,174,222
Fluorescence, induced: 13,49,84,138
Free induction decay: 50
Frequency measurements: 90,191
Gain:
 Saturated: 32,93,115,181,217
 Spatially resolved: 55,174,188,251
 Unsaturated: 32,44,55,59,74,85,93,115,135,174,177,185,188,
 194,200,217,244,246,249,251,255
Gallium arsenide (GaAs): 3,7,104,156,176,210,237,245
Gas cooling: 263

Gas dynamic laser (gas transport laser): 46,78,79,85,105,107,129,130,
135,221,226,249,258

Gas mix: 46,60,178,238

Germanium: 43,157,184,210,243

Helium: 4,54,73,95,98,102,133,139,163,175,192,238

High power laser systems:

- ac: 12
- Continuous: 19,20,99,105,244
- Pulsed: 128,133,137,160,198,228,243,255,261

High pressure systems: 128,133,137,160,178,185,212,228,243,255,261

Holeburning: 155

Holography: 72

Hydrogen (H_2): 54,139,175

Hydrogen bromide (HBr): 91

Hydrogen fluoride (HF): 47

Indium antimonide (InSb): 87,125,136,154,186,236

Interaction, radiation-laser discharge: 259

Interference pattern: 165,182

Isotopes: 33,65,96,200

Lamb dip: 113

Laser design: 214

- Cavity configuration: 55,58,59,120,144,161,232
- Compact size: 27,178
- Discharge stabilization: 105
- Electrodes: 55,137,160,174,177,183,185,228,251
- Excitation: 121,177,198,228,244,251,255
- Gas flow: 105,217
- Laser tube: 179
- Mirror mount: 254
- Multiple pass: 194
- Resonator structure: 164

Laser emission, simultaneous: 15,65

Laser interferometer: 12,53,182

Laser beam interaction with:

- Gas: 28,38,50,66,67,101,102,110,117,118,119,123,126,134,
151,158,172,187,199,216,223,230,235,241,242

Liquids: 229,256
Plasma: 126,211
Solid: 20,106,125,218,219,220,227

Lensing effect: 250

Lifetime:
 Lower level: 139,163,215
 Temperature dependence: 49,84,139,215
 Upper level: 9,49,76,84,139,193,239

Linewidth,spectral: 2,109

Methane (CH₄): 84

Methanol (CH₃OH): 146

Methyl alcohol (CH₃OH): 190

Methyl bromide (CH₃Br): 84,86,175

Methyl choloxide (CH₃Cl): 84,145

Methyl fluoride (CH₃F): 84,190,262

Methyl iodide (CH₃I): 84

Mirrors: 34,69

Mode locking:
 Acousto-optic: 243
 Electro-optic: 245
 Spontaneous: 45,131,175,231,261

Modes:
 Beating: 97
 Transverse: 14,57,97

Modulator (modulation):
 Acousto-optic: 10,43,210,243
 Electro-optic: 3,7,10,176,180,195,210,237,253
 Free carrier: 10,136,186
 Intra-cavity polarization: 143
 Stark: 145

Neon: 98,102,139

Nitrogen(N₂): 54,73,95,96,98,139,148,163,240

Nitrous oxide (N₂O): 15

Nitrous oxide (N₂O) laser: 15,65,85

Noise: 32,195

Nonlinear optics:

Harmonic generation: 48,156,209,218

Optical coefficients: 48,156

Optical mixing: 24,90,104,191

Parametric processes: 236

Stimulated Raman emission: 87

Nozzle expansion: 44,221

Output coupling: 27,46,112,115,144,161

Oxygen(O_2): 21,54,88,95Phosphorous pentafluoride(PF_5): 172,175

Photon echo: 41

Physiological effects: 11,71,153

 π - pulses: 41,50

Plasmatron, optical: 117,126

Population density: 40,93,124,148,167,188

Potassium bromide (KBr): 220

Power meter: 4,20,28,94,225

Pressure: 27,60,82,124,185,188,255

Pulsed systems: 6,26,37,46,64,76,88,98,128,132,133,135,137,160,175,
185,198,212,228,238,243,246,255,261

Pulse repetition rate: 133,238

Pulse sharpening: 45

Pumping:

Electron beam: 98

Optical: 107,189,190

Thermal and adiabatic cooling: 40,44,85,221

Pyrargyrite (Ag_3SbS_3): 48,156

Q-switching: 26,41

Chopper: 42,81

Electro-optic: 176

Rotating grating: 37,254

Rotating mirror: 42

Rotating plate: 182

Saturable absorber: 42,51,58,86,97,146,175,247

Stark effect: 116

Translating mirror: 232

Quartz(SiO_2): 227

Radiative trapping: 193

Reflectivity:

- Metals: 20
- Mirrors: 34

Refractive index:

- Atmosphere: 257
- Laser discharge: 192,250

Review paper: 6,8,13,26,83,152,201,202,203,205,226

Rock salt(NaCl): 43,220

Rotational relaxation rate: 176

Safety hazards: 11,71

Saturable absorber: 42,51,58,86,97,146,175,247

Sealed systems: 21,60,68,73,95,111,159,164,183,195,234

Self-induced transparency: 50,92

Similarity transformation of discharge: 166

Spectroscopic apparatus:

- Mach-Zehnder interferometer: 120
- Scanning interferometer: 57,144
- Thermographic spectrometer: 120

Spectroscopy of discharge:

- Infrared: 174
- Visible: 68,89,124,174

Spin-flip Raman laser: 87,154,236

Stability (stabilization): 30,56,120,155,164,169

Sulphur hexafluoride (SF_6): 38,42,50,58,84,92,118,123,138,169,172,175,
223,230,241,242

Tellurium: 150,156,209,218

Temperature:

- Electron: 163
- Gas: 95,133,148,188,192,263
- Radiative: 73
- Rotational: 188
- Vibrational: 93,124,240

Theoretical description of laser processes:

- Chemical composition: 148
- Electron energy distribution: 240
- Emission spectrum: 23
- Laser output: 167
- Lifetime: 76
- Population density: 40,93,148,167
- Positive column: 166
- Rate equations: 163,176,221
- Similarity transformation: 166
- Thermodynamic model: 40,93,133
- Vibrational excitation rates: 240

Thermal defocussing: 101,123,158,187,229

Thermal relaxation: 76,110,133

Thermal self-focussing: 220

Transition moment, vibrational: 2

Transition probability: 193

Trichlorethylene (CHClCCl_2): 75

Turbulence: 134

Ultrasonic diffraction: 43

Vinyl alcohol ($\text{C}_2\text{H}_5\text{OH}$): 38

Vinyl chloride (CH_2CHCl): 190

Voltage: 198,255

Wall attachment: 193

Wall temperature: 27,74

Water vapor (H_2O): 21,49,95,111,221,249

Wavefunctions, CO_2 : 200

Wavelength selection:

- Fabry-Perot resonator: 16
- Gaseous absorber: 38
- Grating: 37,61,161,168,254
- Prism: 164
- Variable cavity length: 120

UNCLASSIFIED

46

Wavelength tabulation: 61,149

Windows: 52,69,184

Xenon: 27,98,102,117

DREV, TN-1990/71 (UNCLASSIFIED)

DREV, P.O. Box 880, Courcellette, Que. - Defence Research Board
of Canada

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

A carbon dioxide laser bibliography for the year 1970
has been prepared, including an author and a subject index.

DREV, TN-1990/71 (UNCLASSIFIED)

DREV, P.O. Box 880, Courcellette, Que. - Defence Research Board
of Canada

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

A carbon dioxide laser bibliography for the year 1970
has been prepared, including an author and a subject index.

DREV, TN-1990/71 (UNCLASSIFIED)

DREV, P.O. Box 880, Courcellette, Que. - Defence Research Board
of Canada

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

A carbon dioxide laser bibliography for the year 1970
has been prepared, including an author and a subject index.

DREV, TN-1990/71 (UNCLASSIFIED)

DREV, P.O. Box 880, Courcellette, Que. - Defence Research Board
of Canada

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

A carbon dioxide laser bibliography for the year 1970
has been prepared, including an author and a subject index.

DREV TN-1990/71 (UNCLASSIFIED)

CRDV, C.P. 880, Courcellette, Que. - Conseil de recherches pour
la défense

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

Cette Note technique présente une bibliographie pour
l'année 1970 sur le laser au bioxyde de carbone. Elle inclut
un index des auteurs cités et un des sujets traités.

DREV TN-1990/71 (UNCLASSIFIED)

CRDV, C.P. 880, Courcellette, Que. - Conseil de recherches pour
la défense

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

Cette Note technique présente une bibliographie pour
l'année 1970 sur le laser au bioxyde de carbone. Elle inclut
un index des auteurs cités et un des sujets traités.

DREV TN-1990/71 (UNCLASSIFIED)

CRDV, C.P. 880, Courcellette, Que. - Conseil de recherches pour
la défense

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

Cette Note technique présente une bibliographie pour
l'année 1970 sur le laser au bioxyde de carbone. Elle inclut
un index des auteurs cités et un des sujets traités.

DREV TN-1990/71 (UNCLASSIFIED)

CRDV, C.P. 880, Courcellette, Que. - Conseil de recherches pour
la défense

"A CO₂ Laser Bibliography, 1970" by A.M. Robinson

Cette Note technique présente une bibliographie pour
l'année 1970 sur le laser au bioxyde de carbone. Elle inclut
un index des auteurs cités et un des sujets traités.

REPORT NO: DREV TN 1990/71

PROJECT NO: N/A

TITLE: A CO₂ Laser Bibliography, 1970

AUTHOR: A.M. Robinson

DATED: October 1971

SECURITY GRADING: UNCLASSIFIED INITIAL DISTRIBUTION: November 1971

REPORT NO: QUEEN'S UNIVERSITY RESEARCH REPORT 71-3

TITLE: Design of Optimal Radar Signals
Subject to a Fixed Amplitude Constraint

AUTHOR: Mohammed Farooque Mesiya

SECURITY GRADING: UNCLASSIFIED INITIAL DISTRIBUTION: November 1971

2 - DSIS

PLUS DISTRIBUTION:

1 - DRD Dept. (Belmont St.)
1 - Res. Section (Belmont St.)

1 - DND
1 - ORC
1 - DND
1 - DND
1 - DND
1 - DND
1 - DND
1 - DND

1 - DREV - Dr. Brown

1 - DCIEM

4 - DG/DRM

1 - DG/DRM

1 - D/Electronics Wing

1 - D/Aerophysics Wing

2 - CDRS(London)

1 - CDLS

1 - DRAM

CFRC

1 - CA/CS
2 - DC/TS/1
1 - DNCS
1 - DACS
1 - DAMM
1 - DCSF
1 - DCSF
1 - DSW
1 - CA/VTN
1 - DEMA
1 - DEMA

OTHER CANADIAN

1 - ADC/ORB

1 - NRC/Aero

3 - NRC/1's Library, Mr. Wolchuk

1 - NRC/National Science Library

4 - Advisory Comm. on Physics Research

1 - Research Technological Institute

1 - School of Technology (Algonquin College)

BRITISH

MINISTRY OF DEFENCE

Defence Research Information Centre (DRIC)
2 - DRIC

Plus suggested distribution

- 3 - Royal Aircraft Establishment
 - 1 - Space Dept. - Weapon - Radio
- 2 - Royal Radar Establishment
 - 1 - Dir. Elect R&D (Ground) Castlewood Hse
 - 1 - Dir. Elect R&D (Air) Castlewood Hse
 - 1 - A/Dir. Elect R&D (Tele) Castlewood Hse
- 1 - Signals R&D Estab.
- 11 - Ministry of Defence Army - Serial 17
 - 1 - Supt. Adv. Ser. Elec. Res. Lab.
 - 1 - Capt. Supt. Adv. Surface Weapons Est.

Ministry of Defence (RAF)

- 1 - C&A Division, RAF Libran.
- 1 - RAF Technical College

UNITED STATES

20 - SENIOR STANDARDIZATION INST. US ARMY

PLUS SUGGESTED DISTRIBUTION

- 5 - Army Electronics Lab
Fort Monmouth, NJ 08031
Mountain View, NJ 08053
- 1 - Topdown Army
Head MIL Command, Springfield
Washington, DC 20315
- 1 - Army Materiel
Redstone Arsenal, AF 35894
- 2 - Chief Communications - Elect. (32)
- 1 - Chief R&D Comm. Elect Div. (21)
- 1 - Defense Agency (11)
- 1 - ARSMA Defense (11)
- 1 - ARPA, The Pentagon, Washington, D.C.

OTHER SOURCES included:

2 - DEFENSE DOCUMENTATION CENTER

Plus suggested distribution

- 1 - Rome Air Development Center
- 1 - Aeronautical Systems Division
- 1 - Electronics Div. Dir R&D HQ, USAF
- 1 - Air Force Systems Command
- 1 - Air Force Ballistic Missile Div.
- 1 - Air University, Maxwell AFB
- 1 - MITEL Corp. Document Control Office
- 1 - Air Force Cambridge Research Lab.
- 1 - Harvard Univ. Tech. Reports Coll.
- 1 - Massachusetts Institute of Technology
Engineering Library
- 1 - Lincoln Labs.,
Massachusetts Institute of Technology
- 1 - RAND Corp
- 1 - Stanford University,
Stanford Electronics Lab. Doc. Lib.
- 1 - National Bureau of Standards
- 1 - National Center for Atmospheric
Research, Boulder, Colorado
- 1 - Naval Research Laboratory
Washington, D.C.
- 1 - Navy Electronics Lab. San Diego
- 1 - Naval Ordnance Test Station
- 1 - Naval Ordnance Laboratory
Pensacola, Florida
- 1 - Bureau of Ships

DIRECT

- 13 - NASA
- 1 - Library of Congress