Road Network File, Reference Guide, 2024



Release date: June 26, 2024



Statistics Canada Statistique Canada



How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website, www.statcan.gc.ca.

You can also contact us by

Email at infostats@statcan.gc.ca

Telephone, from Monday to Friday, 8:30 a.m. to 4:30 p.m., at the following numbers:

Statistical Information Service
 National telecommunications device for the hearing impaired
 1-800-263-1136
 1-800-363-7629

• Fax line 1-514-283-9350

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed standards of service that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on www.statcan.gc.ca under "Contact us" > "Standards of service to the public."

Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued co-operation and goodwill.

Published by authority of the Minister responsible for Statistics Canada

© His Majesty the King in Right of Canada, as represented by the Minister of Industry, 2024

Use of this publication is governed by the Statistics Canada Open Licence Agreement.

An HTML version is also available.

Cette publication est aussi disponible en français.

Table of contents

W	Vhat's new?4				
1.	About this guide	5			
2.	Overview	6			
3.	About this product	7			
	Purpose of the product	7			
	Definitions and concepts	7			
	Content	7			
	General methodology	7			
	Limitations	8			
	Comparison to other products or versions	8			
	Use with other products	8			
	Reference date	8			
4.	Technical specifications	9			
	Record layout and data descriptions	9			
	Attribute domain values	9			
	File specifications	12			
	Software formats	12			
	File extension and accented character information	12			
	Metadata	12			
	Geographic representation	12			
	File naming convention	13			
5.	Data quality	14			
	Lineage	14			
	Positional accuracy	14			
	Attribute accuracy	14			
	Logical consistency	14			
	Completeness	15			
Aı	opendices	16			

Road Network File, Reference Guide, 2024

This reference guide is intended for users of the 2024 Road Network File. The guide provides an overview of the file, the general methodology used to create it, and important technical information.

What's new?

- The 2024 Road Network File includes updates that are made on a continuous basis using various administrative sources and validated using provincial and municipal sources in partnership with Elections Canada.
- The reference date for the 2024 Road Network File is January 1, 2024.

1. About this guide

This reference guide does not provide details on specific software packages that are available for use with the 2024 Road Network File. Users are advised to contact the appropriate software vendor for information.

This data product is provided 'as-is', and Statistics Canada makes no warranty, express or implied, including but not limited to, warranties of merchantability or fitness for a particular purpose. In no event will Statistics Canada be liable for any direct, special, indirect, consequential or other damages, however caused.

2. Overview

The 2024 Road Network File depicts the digital road line coverage for Canada. It contains information such as street arc unique identifier (UID), name, type, direction and address range, as well as class. It also includes province or territory (PR) and census subdivision (CSD) information for each side of a street arc (where applicable).

The 2024 Road Network File is portrayed in Lambert conformal conic projection (North American Datum of 1983 [NAD83]) and is available as a national file.

3. About this product

Purpose of the product

The purpose of the 2024 Road Network File is to provide a framework for mapping and spatial analysis, and to support Geographic Information System (GIS) applications used for land use and demographic studies, as well as social, economic and market research.

The 2024 Road Network File is positionally consistent with the 2024 Census Subdivision Boundary File, which provides additional reference for mapping.

Note: It is recommended that the "2021 Census Subdivision Boundary File" and the 2021 Road Network File be used as a basis for the retrieval of 2021 Census data for user-defined areas. Users can define their custom areas based on the roads in the 2021 Road Network File. Roads within the 2021 Road Network File correspond to the 2021 geographic frame and therefore do not require additional boundary reconciliation work, which facilitates the geocoding process. For information on custom area creation and geocoding services, please contact us at 1-800-263-1136 or infostats@statcan.gc.ca.

Definitions and concepts

The 2024 Road Network File contains streets, street names, types, directions, classes, and address ranges. Address ranges are dwelling-based.

Geographic terms and concepts are briefly defined in the *Dictionary, Census of Population, 2021*.

Content

The 2024 Road Network File contains street arcs depicting the national road network and includes attribute information such as street arc UID, name, type, direction, address range, and class. It also includes the UID, name and type for each side of a street arc (where applicable) for the following geographic levels:

- Province or territory (PR)
- Census subdivision (CSD)

General methodology

The National Geographic Database (NGD) is a joint Statistics Canada-Elections Canada initiative to develop and maintain a spatial database that serves the needs of both organizations. The main objective of the NGD is the continual improvement of quality and currency of spatial coverage using updates from provinces, territories and local sources. The source files used for the creation of the *2024 Road Network File* reside on Statistics Canada's Spatial Data Infrastructure (SDI), which was derived directly from data stored in the NGD.

Creation of the 2024 Road Network File

The 2024 Road Network File was created from a source file consisting of all streets, highways and other road segments as well as street attributes (name, type, direction, address range, and class) maintained in the NGD. A copy of the source file in its original format was created to facilitate geoprocessing (e.g., joins, modifications and verification operations).

Additional attribute information (i.e., PR and CSD attributes) was then joined to the spatial component at the road segment level (see <u>Table 4.1</u>). The resulting file, containing both the spatial content and the attribute content, was verified against the source file stored in the SDI.

The file was verified for spatial and attribute content, translated into French and English, and appropriately named according to the <u>file naming convention</u>. Final data processing consisted of the conversion from the SDE feature dataset feature class format, using FME® (Safe Software), into the following file formats supported by Geographic Information System (GIS) software: Shapefile (.shp), Geography Markup Language (.gml) and File Geodatabase (.gdb).

The Esri® REST service and Web Map Service (WMS) were created and published using ArcGIS® Enterprise.

The Shapefile, Geography Markup Language and File Geodatabase files were compressed into WinZip® files (file extension .zip) and made available for download from the Statistics Canada website.

Limitations

Statistics Canada maintains *Road Network File* information to support the census and other Statistics Canada activities. The relative position of road network features is important in maps created for reference purposes; therefore, relative positional accuracy takes precedence over absolute positional accuracy. The *2024 Road Network File* does not contain street information required for route optimization such as one-way streets, dead ends and other street obstacles. Consequently, this file is not recommended for emergency dispatching services.

The 2024 Road Network File contains road arcs with address ranges sourced from field observation or administrative data sources, road arcs with imputed address ranges as well as road arcs without address ranges.

The positional accuracy of the file does not support cadastral, legal, surveying, digitizing or engineering applications.

Comparison to other products or versions

Differences between the 2024 Road Network File and previous versions of the Road Network File include the following:

- The 2024 Road Network File contains more up to date roads, street names, address ranges and road classes.
- The 2024 Road Network File is compatible with the 2024 edition of the Census Subdivision Boundary File as well as the 2024 edition of the Interim List of Change to Municipal Boundaries, Status and Names.
- The 2024 Road Network File does not necessarily follow the boundary files made available as a part of the 2021 Census geographic product line.

Use with other products

When considering using the 2024 Road Network File, users should be aware of the compatibility of this file with those that are available from other sources. They may not be consistent with Statistics Canada files.

Reference date

The geographic reference date is a date determined by Statistics Canada to finalize the geographic framework for which statistical data are collected, tabulated and reported. The geographic reference date for the 2024 Road Network File is January 1, 2024.

4. Technical specifications

Record layout and data descriptions

The following table identifies and briefly describes the selected attributes comprising the content of the 2024 Road Network File.

Table 4.1 Record layout – 2024 Road Network File

Attribute name	Data type	Description
NGD_UID	Character (10)	Unique identifier of the arc.
NAME	Character (50)	Street name associated with the arc.
TYPE	Character (6)	Street type associated with the arc.
DIR	Character (2)	Street direction associated with the arc.
AFL_VAL	Character (9)	Civic address found on the left-hand side of the arc at the FROM node.
ATL_VAL	Character (9)	Civic address found on the left-hand side of the arc at the TO node.
AFR_VAL	Character (9)	Civic address found on the right-hand side of the arc at the FROM node.
ATR_VAL	Character (9)	Civic address found on the right-hand side of the arc at the TO node.
CSDUID_L	Character (7)	Uniquely identifies the census subdivision (composed of the 2-digit province or territory unique identifier followed by the 2-digit census division code and the 3-digit census subdivision code), left-hand side of arc.
CSDNAME_L	Character (100)	Census subdivision name, left-hand side of arc.
CSDTYPE_L	Character (3)	Census subdivision type, according to designations adopted by provincial/territorial or federal authorities, left-hand side of arc.
CSDUID_R	Character (7)	Uniquely identifies a census subdivision (composed of the 2-digit province or territory unique identifier followed by the 2-digit census division code and the 3-digit census subdivision code), right-hand side of arc.
CSDNAME_R	Character (100)	Census subdivision name, right-hand side of arc.
CSDTYPE_R	Character (3)	Census subdivision type, according to designations adopted by provincial/territorial or federal authorities, right-hand side of arc.
PRUID_L	Character (2)	Uniquely identifies a province or territory, left-hand side of arc.
PRNAME_L	Character (100)	Province or territory name, left-hand side of arc.
PRUID_R	Character (2)	Uniquely identifies a province or territory, right-hand side of arc.
PRNAME_R	Character (100)	Province or territory name, right-hand side of arc.
CLASS	Character (2)	Street class associated with the arc.

Attribute domain values

Representation of unknown or no value

The null value (empty string) is used to represent missing or non-existent values for a street's name, type, direction and address range.

The null value is also used for geographic area UIDs, names and types to indicate that a geographic area is outside Canada.

Street type (TYPE)

This value indicates the street type associated with the arc.

For information on street types refer to the "Street type (TYPE), 2021 Census" table.

Street direction (DIR)

Street direction can be used in conjunction with street name and type to identify common street elements (e.g., Elm ST S, versus Elm ST W or Elm ST). Street direction has no relation to the direction in which the street arc was digitized.

For information on street directions refer to the "Street direction (DIR), 2021 Census" table.

Left and right census subdivision type (CSDTYPE_L and CSDTYPE_R)

CSDs are classified according to designations adopted by provincial, territorial or federal authorities.

The following is a list of the types of CSDs.

Table 4.2 Census subdivision type

ochous subdivision type							
CSDTYPE	Description						
<u>C</u>	City / Cité						
CC	Chartered community						
CG	Community government						
СТ	Canton (municipalité de)						
CU	Cantons unis (municipalité de)						
CV	City / Ville						
СУ	City						
DM	District municipality						
FD	Fire district						
GR	Gouvernement régional						
HAM	Hamlet						
ID	Improvement district						
IGD	Indian government district						
IM	Island municipality						
IRI	Indian reserve / Réserve indienne						
LGD	Local government district						
M	Municipality / Municipalité						
MD	Municipal district						
MÉ	Municipalité						
MRM	Regional municipality / Municipalité régionale						
MU	Municipality						
NH	Northern hamlet						
NL	Nisga'a land						
NO	Unorganized / Non organisé						
NV	Northern village						
PE	Paroisse (municipalité de)						

Table 4.2 Census subdivision type

CONTYPE		
CSDTYPE	Description	
RCR	Rural community / Communauté rurale	
RDA	Regional district electoral area	
RDR	Rural district / District rural	
RGM	Regional municipality	
RM	Rural municipality	
RMU	Resort municipality	
RV	Resort village	
SA	Special area	
SC	Subdivision of county municipality / Subdivision municipalité de comté	
SÉ	Settlement / Établissement	
S-É	Indian settlement / Établissement indien	
SET	Settlement	
SG	Self-government / Autonomie gouvernementale	
SM	Specialized municipality	
SNO	Subdivision of unorganized / Subdivision non organisée	
SV	Summer village	
Т	Town	
TAL	Tla'amin Lands	
TC	Terres réservées aux Cris	
TI	Terre inuite	
TK	Terres réservées aux Naskapis	
TL	Teslin land	
TP	Township	
TV	Town / Ville	
TWL	Tsawwassen Lands	
V	Ville	
VC	Village cri	
VK	Village naskapi	
VL	Village	
VN	Village nordique	

Left and right province or territory unique identifier (PRUID_L and PRUID_R)

These values uniquely identify a province or territory.

For information on province or territory unique identifiers, refer to the "Province or territory" definition from the *Dictionary, Census of Population, 2021* and the "Provinces and territories (PRUID), 2021 Census" table.

Street class (CLASS)

The street class code identifies the different types of street features within the 2024 Road Network File.

For information on street classes refer to the "Street class (CLASS), 2021 Census" table.

File specifications

Not applicable

Software formats

The 2024 Road Network File is available for download from the Statistics Canada website in the following formats:

Shapefile

File extension: .shp

Geography Markup Language (GML) 3.1.1

File extension: .gml

File Geodatabase
 File extension: .gdb

The 2024 Road Network File is also available as map services from the Statistics Canada website in the following formats:

- Esri® REST service
- Web Map Service (WMS)

This reference guide does not provide details on specific software packages available for use with the 2024 Road Network File. Users should contact the appropriate software vendor for such information.

File extension and accented character information

The Shapefile, Geography Markup Language and File Geodatabase files are compressed into WinZip® files (file extension .zip).

The 2024 Road Network File contains attributes with accented characters. They were successfully tested in ArcGIS® desktop applications version 10.8.1, ArcGIS® Pro 3.1.2 and FME Data Inspector 2019.1®.

Metadata

The downloadable compressed packages (.zip) include a metadata file (.xml) that describes and validates the structure and content of the 2024 Road Network File.

The same metadata are applied to the Esri® REST service and Web Map Service (WMS).

Geographic representation

The 2024 Road Network File is available from the Statistics Canada website in the following geographic representation:

- Projection: Lambert conformal conic
- False easting: 6200000.000000
- False northing: 3000000.000000
- Central meridian: -91.866667
- Standard parallel 1: 49.000000
- Standard parallel 2: 77.000000
- Latitude of origin: 63.390675
- Linear unit: metre (1.000000)
- Datum: North American 1983 (NAD83)
- · Prime meridian: Greenwich

· Angular unit: degree

Spheroid: GRS 1980

The North American Datum of 1983 (NAD83) is an adjustment of the 1927 datum (NAD27) that reflects the higher accuracy of geodetic surveying.

Users of the 2024 Road Network File can transform the file into the representation that best satisfies their needs, knowing of the effects these representations have on angles, areas, distances and direction. Users have the option to choose the best projection in concert with display objectives.

File naming convention

Spatial product file names follow a file naming convention. The file projection, geographic level, geographic coverage, file type, geographic reference date, file format and language are embedded within the file name. Standardizing file names facilitates storage of compressed files, which will all have the .zip extension.

Each file name has 13 characters. All alphabetic characters are lowercase to maintain consistency.

First character: projection of file

• I - projection in Lambert conformal conic

Next three characters: primary geographic level of file

rnf - Road Network File

Next three numbers: geographic code of coverage

000 - Canada

Next character: file type

• r - Road Network File

Next two numbers: geographic reference date

The geographic reference date is a date determined by Statistics Canada for the purpose of finalizing the geographic framework for which census data will be collected, tabulated and reported. The reference date for the 2024 Road Network File is January 1, 2024.

24 - geographic reference date is 2024

Next character: file format

- a Shapefile (.shp)
- f File Geodatabase (.gdb)
- g Geography Markup Language (.gml)
- s Services (Esri® REST and Web Map Service [WMS])

Final two characters: language

- _e English
- f French

5. Data quality

Spatial data quality elements provide information on the fitness for use of a spatial database by describing why, when and how the data are created, and how accurate the data are. The elements include an overview describing the purpose and usage, as well as specific quality elements reporting on lineage, positional accuracy, attribute accuracy, logical consistency and completeness. This information is provided to users for all spatial data products disseminated for the census.

Lineage

Lineage describes the history of the spatial data, including descriptions of the source material from which the data were derived, and the methods of derivation. It also contains the dates of the source material, and all transformations involved in producing the final digital files or map products.

Road information was incorporated from a variety of sources, including provincially sourced data, municipal maps and field observation. The timeliness of the National Geographic Database (NGD) varies from region to region depending on the source data.

For more 2024 Road Network File lineage information, please refer to the General methodology section.

Positional accuracy

Positional accuracy refers to the absolute and relative accuracy of the positions of geographic features. Absolute accuracy is the closeness of the coordinate values in a dataset to true values or values accepted as true. 'Relative accuracy' is the closeness of the relative positions of features to their respective relative positions accepted as or being true. Descriptions of positional accuracy include the quality of the final file or product after all transformations.

Absolute positional accuracy

The information present in the NGD road layer was developed for the purposes of statistical analysis and census operations. The absolute position of roads in the NGD varies with the source files and documents used to build and maintain the database. Therefore, the road layer is not suitable for high-precision measurement applications such as engineering or property transfers, nor for other uses that might require highly accurate measurements of the Earth's surface.

Absolute positional accuracy is not a requirement for census processes.

Relative positional accuracy

For the NGD, relative positional accuracy is important. A road must appear in its proper position relative to other roads and physical features.

Attribute accuracy

Attribute accuracy refers to the accuracy of the quantitative and qualitative information attached to each feature (such as population for a population centre, a street name, or a census subdivision name and code).

No explicit testing for attribute accuracy is done; however, results from internal operations suggest a high degree of accuracy.

Data entry during maintenance operations includes a data control process to ensure that attributes are properly associated to a specific geometric feature. This includes the association, as well as its accuracy.

Logical consistency

Logical consistency describes the dependability of relationships encoded in the data structure of the digital spatial data.

The 2024 Road Network File was verified against data in the SDI and found to be logically consistent.

Consistency with other products

The position of the arcs in the 2024 Road Network File is not necessarily consistent with previous editions of boundary files or road network files as a result of updates made using provincially, territorially and locally sourced data.

Topology checks were performed with the 2024 Road Network File and the 2024 Census Subdivision Boundary File to measure the degree of integration amongst these products. The results indicated that the degree of integration was within the default tolerance parameters, as defined below.

Tolerance: 0.00001 metresResolution: 0.000005 metres

Completeness

Completeness refers to the degree to which geographic features, their attributes and their relationships are included or omitted in a dataset. It also includes information on selection criteria, definitions used and other relevant mapping rules.

New road features have been added to the NGD to create a more complete road layer and are present in this edition of the 2024 Road Network File.

Table 5.1
Number of road features in the 2024 Road Network File

National level	Number of arcs	Arc length (kilometres)
With street name	1,960,779	846,387
Without street name	299,662	326,906
Named street with full address range on at least one side	1,391,090	553,897
Canada	2,260,441	1,173,293

Note: Arc length was calculated in Lambert conformal conic projection.

Appendices

See the 2024 Road Network File.

See the 2024 Census Subdivision Boundary File.

See the 2021 Road Network File.

See the 2021 Boundary Files.

See Figure 1.1, "Hierarchy of standard geographic areas for dissemination, 2021 Census," from the *Dictionary, Census of Population, 2021.*