
 *
 * DECOMPLEXED AGRICULTURE *
 * CLASSES BY WATERFOWL *
 * CLASSIFICATION *
 *
 * P.E.I./N.S./N.B. *
 *
 * R002100 *
 *


Atlantic Regional Library
 Environment Canada
 DEC 3 1999
 Bibliothèque de la région
 de l'Atlantique
 Environnement Canada

ENVIRONMENT CANADA LIBRARY
 15th Floor, Queen Square
 4th Line Drive
 Dartmouth, N.S. B2Y 2N6
 CANADA

April 1978

Copies of this and other handbooks in this series are available from:

Canada Land Data Systems Division
 Land Data and Evaluation Branch
 Lands Directorate
 Environment Canada
 Ottawa, Ontario
 K1A 0E7



Environment Canada - Environnement Canada
 S
 494.5 Agriculture classes by waterfowl
 .R4 P.E.I./N.S./N.B.
 C36 DIRECTORATE
 [no.]
 R002100 1978 3413405F
 PEI-NB
 c. 1

THE AGRICULTURAL LAND CLASSIFICATION SYSTEM¹

In the CLI classification system of land capability for agriculture, mineral soils are grouped into seven classes according to their potential and limitations for agricultural use. The most highly rated soils, those having no significant limitations for cropping, are designated Class 1. Soils with no agricultural potential are designated Class 7. Soils designated Classes 2 to 6 indicate, in declining order, capability for agriculture. A series of subclasses designate the specific nature of limitations inherent in each soil class. For organic soils, a separate category (0) was established. Summary descriptions of each agricultural capability class and subclass follow:

CLASSES

- 1 SOILS IN THIS CLASS HAVE NO SIGNIFICANT LIMITATIONS IN USE FOR CROPS. The soils are deep, are well to imperfectly drained, hold moisture well, and in the virgin state are well supplied with plant nutrients. They can be managed and cropped without difficulty. Under good management they are moderately high to high in productivity for a wide range of field crops.
- 2 SOILS IN THIS CLASS HAVE MODERATE LIMITATIONS THAT RESTRICT THE RANGE OF CROPS OR REQUIRE MODERATE CONSERVATION PRACTICES. The soils are deep and hold moisture well. The limitations are moderate and the soils can be managed and cropped with little difficulty. Under good management they are moderately high to high in productivity for a fairly wide range of crops.
- 3 SOILS IN THIS CLASS HAVE MODERATELY SEVERE LIMITATIONS THAT RESTRICT THE RANGE OF CROPS OR REQUIRE SPECIAL CONSERVATION PRACTICES. The limitations are more severe than for Class 2 soils. They affect one or more of the following practices: timing and ease of tillage; planting and harvesting; choice of crops; and methods of conservation. Under good management they are fair to moderately high in productivity for a fair range of crops.
- 4 SOILS IN THIS CLASS HAVE SEVERE LIMITATIONS THAT RESTRICT THE RANGE OF CROPS OR REQUIRE SPECIAL CONSERVATION PRACTICES, OR BOTH. The limitations seriously affect one or more of the following practices: timing and ease of tillage; planting and harvesting; choice of crops; and methods of conservation. The soils are low to fair in productivity for a fair range of crops but may have high productivity for a specially adapted crop.
- 5 SOILS IN THIS CLASS HAVE VERY SEVERE LIMITATIONS THAT RESTRICT THEIR CAPABILITY TO PRODUCING PERENNIAL FORAGE CROPS, AND IMPROVEMENT PRACTICES ARE FEASIBLE. The limitations are so severe that the soils are not capable of use for sustained production of annual field crops. The soils are capable of producing native or tame species of perennial forage plants, and may be improved by use of farm machinery.

1 Abstracted from CLI Report No.2 - "Soil Capability Classification for Agriculture" 1972 Lands Directorate, Environment Canada

- 6 SOILS IN THIS CLASS ARE CAPABLE ONLY OF PRODUCING PERENNIAL FORAGE CROPS, AND IMPROVEMENT PRACTICES ARE NOT FEASIBLE.
The soils provide some sustained grazing for farm animals, but the limitations are so severe that improvement by use of farm machinery is impractical. The terrain may be unsuitable for use of farm machinery, or the soils may not respond to improvement, or the grazing season may be very short.
- 7 SOILS IN THIS CLASS HAVE NO CAPABILITY FOR ARABLE CULTURE OR PERMANENT PASTURE.
This class also includes rockland, other non-soil areas, and bodies of water too small to show on the maps.
- 0 ORGANIC SOILS.
These soils are not placed in capability classes.

SUBCLASSES

Subclasses are used to describe the types of limitations which restrict the potential of the soils. The nine subclasses used in the soil capability classification for agriculture are:

- C: Adverse climate - The main limitation is low temperature or low or poor distribution of rainfall during the cropping season, or a combination of these.
- E: Erosion damage - Past damage from erosion limits agricultural use of the land.
- I: Inundation - Flooding by streams or lakes limits agricultural uses of the land.
- P: Stoniness - Stones interfere with tillage, planting, and harvesting.
- R: Shallowness to solid bedrock - Solid bedrock is less than three feet from the surface.
- S: Adverse soil characteristics - Adverse characteristics include one or more of the following: undesirable structure, low permeability, a restricted rooting zone because of soil characteristics, low natural fertility, low moisture-holding capacity, salinity.
- T: Adverse topography - Either steepness or the pattern of slopes limits agricultural use.
- W: Excess water - Excess water other than from flooding limits use for agriculture. The excess water may be due to poor drainage a high water table, seepage or runoff from surrounding areas.
- X: Soils having a moderate limitation caused by the cumulative effect of two or more adverse characteristics which singly are not serious enough to affect the class rating.

LAND CAPABILITY CLASSIFICATION FOR WATERFOWL¹

In general, the needs of all waterfowl are similar; the individual of each species requires sufficient amounts of the proper food, protective cover, and space to survive, grow, and reproduce. The land's ability to meet these needs is determined by the individual requirements of the species, or group under consideration, the physical characteristics of the land, and other factors that influence the plant and animal communities.

The land is divided into units on the basis of physiographic characteristics important to waterfowl populations. The degree of limitation associated with each unit determines its capability class. The subclass denotes the primary factor that causes the limitation.

This classification system is based on two important considerations:

- Capability ratings are established on the basis of the optimum vegetational stage (successional stage) that can be maintained when good wildlife management is practiced.
- Capability ratings assigned do not reflect present land use (except in extreme cases such as heavily populated urban areas), ownership, lack of access, distance from cities, or amount of hunting pressure.

CLASSES

- 1 - LANDS IN THIS CLASS HAVE NO SIGNIFICANT LIMITATIONS TO THE PRODUCTION OF WATERFOWL
Capability on these lands is high. They provide a wide variety and abundance of important habitat elements. Rolling topography is well-suited to the formation of wetlands. Predominant water areas on these lands include shallow and deep permanent marshes, and deep, open water areas with well-developed marsh edges.
- 1S - Water areas in this special class are Class 1 areas also serving as important migration stops.
- 2 - LANDS IN THIS CLASS HAVE VERY SLIGHT LIMITATIONS TO THE PRODUCTION OF WATERFOWL
Capability on these lands is high but less than Class 1. Slight limitations are due to climate, fertility, or soil permeability. Topography tends to be more undulating than rolling; a higher proportion of the water areas than in Class 1 are small temporary ponds or deep, open water areas with poorly developed marsh edges.
- 2S - Water areas in this special class are Class 2 areas also serving as important migration stops.
- 3 - LANDS IN THIS CLASS HAVE SLIGHT LIMITATIONS TO THE PRODUCTION OF WATERFOWL
Capability on these lands is moderately high, but productivity may be reduced in some years because of occasional drought. Slight limitations are due to climate or to characteristics of the land that affect the quality and quantity of habitat. These lands have a high proportion of both temporary and semi-permanent shallow marshes poorly interspersed with deep marshes and bodies of open water.
- 3S - Water areas in this special class are Class 3 areas also serving as important migration stops.

- 3M - Lands in this special class may not be useful for waterfowl production, but are important as migration or wintering areas. This class has no subclasses.
- 4 - LANDS IN THIS CLASS HAVE MODERATE LIMITATIONS TO THE PRODUCTION OF WATERFOWL
 Capability on these lands is moderate. Limitations are similar to those in Class 3, but the degree is greater. Water areas are mainly temporary ponds, or deep, open waters with poorly developed marsh edges, or both.
- 5 - LAND IN THIS CLASS HAVE MODERATELY SEVERE LIMITATIONS TO THE PRODUCTION OF WATERFOWL
 Capability on these lands is moderately low. Limitations are usually a combination of two or more of the following factors: climate, soil moisture, permeability, fertility, topography, salinity, flooding, and poor interspersion of water areas.
- 6 - LAND IN THIS CLASS HAVE SEVERE LIMITATIONS TO THE PRODUCTION OF WATERFOWL
 Capability on these lands is very low. Limitations are easily identified. They may include aridity, salinity, very flat topography, steep-sided lakes, extremely porous soils, and soils containing few available minerals.
- 7 - LANDS IN THIS CLASS HAVE SUCH SEVERE LIMITATIONS THAT ALMOST NO WATERFOWL ARE PRODUCED
 Capability on these lands is negligible or nonexistent. Limitations are so severe that waterfowl production is nearly or completely precluded.

SUBCLASSES

With the exception of Class 1, and special Class 3M, classes are divided into subclasses according to the nature of the limitations that determine the class. The following subclasses are used to denote significant limiting factors that may affect either the waterfowl or the ability of the land to produce suitable habitat conditions.

- A - aridity - The limitation is an arid condition of the land, or the susceptibility of the land to periodic droughts resulting in low pond water levels or premature drying of marshes during the breeding season.
- B - free-flowing water - The limitation is usually due to fast or excess water flow, which inhibits development of marsh habitat along stream edges. It may also be due to a lack of flow through low-lying land, which results in poor quality habitat.
- C - climate - A combination of adverse climatic factors may act to reduce favourable habitat, and thus the production and survival of waterfowl.
- F - fertility - The limitation indicates insufficient nutrients in the soil and water for optimum plant growth.
- G - landform - Poor distribution or interspersion of marshes or basins may be a limiting factor of the land and may prevent the development of an optimum waterfowl habitat.
- I - inundation - The limiting factor is excessive water level fluctuation, or tidal action, adversely affecting the habitat or the nesting success of waterfowl.
- J - reduced marsh edge - The limitations are topographic features adversely affecting development of optimum marsh conditions along the edge of water areas.

- M - soil moisture - Poor water holding capacity of soils, adversely affecting the formation and permanency of water areas.
- N - adverse soil and water characteristics - Excessive salinity, alkalinity, acidity, lack of essential trace elements, or abundance of toxic elements may limit the development of plant and animal communities essential for water fowl production.
- R - soil depth - Restriction of the rooting zone by bedrock or other impervious layers may limit development of suitable plant communities.
- T - adverse topography - Steepness or flatness of the land may limit the development or permanency of wetlands.
- Z - water depth - Excessively deep or shallow waters may limit the development of optimum waterfowl habitat.

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF PRINCE EDWARD ISLAND

PAGE: 1

L A N D C A P A B I L I T Y F O R A G R I C U L T U R E
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
PRIMARY 1	0	877	28	0	241	0	54	0	6	1206
PRIMARY 1S	0	1256	218	278	837	0	363	0	307	3259
PRIMARY 2	0	274	93	0	292	0	11	0	0	670
PRIMARY 2S	0	355	0	0	783	0	112	0	607	1857
PRIMARY 3M	0	19069	7809	1850	1821	0	2973	0	287	33809
PRIMARY 3S	0	0	91	0	20	0	0	0	81	192
PRIMARY 4	0	0	27	0	13	0	10	0	0	50
PRIMARY 6	0	99	157	0	96	0	57	0	557	966
PRIMARY 7	0	237241	131210	47399	71839	0	21431	181	4778	514079
PRIMARY 8	0	2391	1880	249	122	0	2704	0	64	7414
1	0	300	28	0	171	0	29	0	6	534
1 6 3 4J	0	101	0	0	0	0	25	0	0	126
1 6 6 4BJ	0	245	0	0	0	0	0	0	0	245
1 8 3 2G	0	0	0	0	70	0	0	0	0	70
1 8 3 2J	0	231	0	0	0	0	0	0	0	231
1S	0	1108	218	87	718	0	264	0	307	2702
1S5 2 5G	0	42	0	0	66	0	27	0	0	135
1S7 2S3B	0	20	0	0	0	0	33	0	0	53
LAND MANAGEMENT INFORMATION SYSTEMS										
		LANDS DIRECTORATE			ENVIRONMENT CANADA					
							DATA SOURCE : C.L.I. MAPS			

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF PRINCE EDWARD ISLAND

PAGE: 2

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
1S8 3 2J	0	7	0	0	0	0	8	0	0	15
1S8 5 2BM	0	55	0	0	2	0	5	0	0	62
1S9 2S1M	0	24	0	191	51	0	26	0	0	292
2 G	0	186	25	0	292	0	0	0	0	503
2 J	0	38	0	0	0	0	7	0	0	45
2 6J 3M4	0	50	68	0	0	0	4	0	0	122
2S B	0	355	0	0	783	0	112	0	607	1857
3M	0	18764	7679	1793	1760	0	2577	0	287	32860
3M6 7 4TM	0	60	0	0	0	0	263	0	0	323
3M7 1S3	0	114	30	0	0	0	18	0	0	162
3M8 1S2	0	82	4	57	59	0	115	0	0	317
3M9 3 1B	0	49	96	0	2	0	0	0	0	147
3S B	0	0	91	0	20	0	0	0	81	192
4 7J 5 3I	0	0	27	0	13	0	10	0	0	50
6 BF	0	91	70	0	0	0	38	0	312	511
6 BN	0	8	0	0	96	0	0	0	31	135
6 BT	0	0	58	0	0	0	2	0	193	253
6 GF	0	0	29	0	0	0	17	0	21	67

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR, 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 5190019801

PROVINCE OF PRINCE EDWARD ISLAND

PAGE: 3

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 T	0	237006	131082	47233	71839	0	20679	181	4778	512798
7 TM	0	0	0	119	0	0	731	0	0	850
7 BT 2 2J	0	235	128	47	0	0	21	0	0	431
8 B	0	141	0	0	0	0	0	0	0	141
8 Z	0	2250	1884	249	122	0	2704	0	64	7273
TOTAL	0	261562	141517	49776	76064	0	27715	181	6687	563502

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 1

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
PRIMARY 1	0	0	0	14	10	0	10	0	0	34
PRIMARY 2	0	378	478	1369	475	919	544	218	226	4607
PRIMARY 2S	0	3911	3206	2988	3010	1396	1792	156	9	16468
PRIMARY 3	0	2372	2874	5124	3927	2551	5404	375	1021	23648
PRIMARY 3M	0	3210	13471	14400	10412	2559	13343	436	4520	62351
PRIMARY 3S	0	1314	314	618	681	40	1323	24	119	4433
PRIMARY 4	0	520	7877	16583	8823	34	17163	149	1194	52343
PRIMARY 5	0	4849	44630	71191	58032	211	69166	328	7919	256326
PRIMARY 6	0	2868	31848	61324	47173	207	49233	14	8566	201233
PRIMARY 7	0	141090	1045449	1857199	1567120	3580	1673611	112590	109168	6509807
PRIMARY 8	0	14	1000	1278	592	47	7043	1018	29	11021
1	0	0	0	14	10	0	10	0	0	34
2 A	0	0	0	27	0	0	0	0	0	27
2 B	0	5	49	91	26	0	29	0	28	228
2 F	0	39	25	188	168	919	73	0	0	1412
2 FB	0	0	22	47	39	0	54	0	75	237
2 J	0	8	43	233	32	0	75	0	3	394
2 5B 4 3J 5 2J	0	40	27	0	0	0	0	0	0	67

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
2 5F 3 4FT6 1T	0	268	301	689	76	0	97	218	0	1649
2 5F 3 5F	0	18	11	94	36	0	35	0	0	194
2 7F 4 3T	0	0	0	0	98	0	181	0	120	399
2S	0	190	0	0	0	0	164	0	0	354
2S F	0	0	39	73	45	0	6	0	0	163
2S I	0	0	10	22	8	0	0	0	0	40
2S4I 4 3IG5 3TF	0	3569	2465	2331	1435	14	1323	0	0	11137
2S5F 3 5T	0	0	15	22	9	0	18	0	9	73
2S5I 383IF5 2T	0	20	612	463	1513	1382	146	156	0	4292
2S5I 383IG3M2	0	132	65	77	0	0	135	0	0	409
3 B	0	0	101	152	83	0	81	0	0	417
3 HF	0	2	38	150	0	0	41	0	0	231
3 BG	0	0	1	0	0	0	74	0	111	186
3 HT	0	21	42	42	0	0	0	0	0	105
3 F	0	4	234	765	165	75	853	0	208	2304
3 FG	0	0	0	0	5	0	38	0	38	81
3 FJ	0	0	249	226	74	0	25	0	20	594
3 FT	0	0	72	58	109	0	0	0	0	239

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 3190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 3

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
3 I	0	0	35	36	0	0	0	0	0	71
3 IF	0	0	41	75	232	39	0	0	8	395
3 J	0	65	12	290	467	0	109	0	44	987
3 JF	0	1	61	0	7	0	0	0	0	69
3 T	0	0	623	269	206	0	242	0	0	1340
3 TF	0	0	119	72	51	0	48	0	1	291
3 Z	0	0	10	10	0	0	0	0	0	20
3 4F 5 3F76 3Z	0	0	0	0	102	0	98	0	0	200
3 4TI 5 4TM4 2I	0	1472	40	1621	775	382	793	0	12	5095
3 5H 4 5B	0	0	92	52	31	0	0	0	0	175
3 5B 4 5J	0	0	80	65	16	0	20	0	0	181
3 5F 4 5F	0	0	26	109	360	0	7	0	0	502
3 5F 5 5J	0	0	187	172	86	0	47	0	0	492
3 5FH 4 5FH	0	0	0	51	0	0	420	0	236	707
3 6H 5 4TJ	0	0	0	100	166	0	0	0	0	266
3 6F 4 4BJ	0	0	332	389	0	0	0	0	7	728
3 6F 4 4J	0	0	41	239	0	0	478	0	44	802
3 6F 5 3F76 1TF	0	210	184	6	50	0	84	375	0	909

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR, 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PAGE: 4

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
3 6I 4 3I 2 1IF	0	597	8	103	286	2055	1078	0	0	4127
3 7J 5 2TF4 1F	0	0	0	0	409	0	50	0	0	459
3 8F 4 1F15 11J	0	0	25	13	198	0	47	0	279	562
3 8F 4 2F	0	0	12	12	0	0	666	0	13	703
3 8IF 6 1GF7 1T	0	0	209	47	49	0	105	0	0	410
3M	0	533	7784	10845	6730	2397	9224	125	4224	41862
3M5 2S4T14 1T	0	77	100	361	438	0	1354	69	0	2394
3M5 3 3FM2 2F	0	807	190	261	600	162	44	0	0	2064
3M5 7 4T 3S1T	0	0	0	0	98	0	0	0	0	98
3M6 2 3IF4 1F1	0	1603	117	282	308	0	1	242	0	2553
3M6 7 4T	0	0	0	177	174	0	153	0	273	777
3M7 2 22 4 1F	0	117	345	288	312	0	109	0	0	1171
3M7 3S3T	0	0	0	0	74	0	0	0	0	74
3M7 4 2T13S1I	0	24	249	563	454	0	14	0	0	1304
3M7 4 2T23S1I	0	0	3	114	114	0	0	0	0	231
3M7 6 3I	0	0	2709	84	123	0	49	0	0	2965
3M8 3S2I	0	36	36	0	0	0	13	0	0	85
3M8 4 1F 6 1TF	0	0	0	163	27	0	95	0	0	285

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 5

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

		CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
3M8	4 11 3 1T	0	13	1625	121	118	0	548	0	0	2425
3M8	4 2F	0	0	0	20	0	0	81	0	0	101
3M8	6 11 7 1I	0	0	0	0	0	0	35	0	0	35
3M8	6 11 7 1T	0	0	28	189	212	0	632	0	0	1061
3M9	3S1	0	0	0	227	0	0	91	0	0	318
3M9	5 1F	0	0	0	24	53	0	53	0	0	130
3M9	6 1I	0	0	272	319	274	0	134	0	0	999
3M9	6 1IF	0	0	13	351	254	0	350	0	23	991
3M9	7 1T	0	0	0	11	49	0	363	0	0	423
3S		0	0	77	166	10	0	180	24	0	457
3S F		0	0	0	98	15	40	225	0	0	378
3S I		0	725	112	150	238	0	254	0	0	1479
3S IF		0	0	0	9	10	0	0	0	35	54
3S6F	6 4TF	0	0	10	16	0	0	95	0	84	205
3S7FZ	3M2 4 1T	0	589	115	179	408	0	569	0	0	1860
4 A		0	0	2	2	0	6	0	0	0	10
4 AJ		0	27	16	24	45	0	45	0	0	157
4 B		0	0	743	2877	5	0	1669	0	56	5150

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
4 HF	0	0	382	680	113	0	752	0	23	1950
4 BJ	0	0	145	398	38	0	20	0	0	601
4 F	0	57	726	2681	1922	0	4081	33	311	9811
4 FB	0	0	59	203	306	0	473	0	61	1102
4 FG	0	0	23	463	44	0	164	0	0	694
4 FI	0	0	2	94	20	0	0	0	0	116
4 FJ	0	0	0	4	119	0	243	0	0	366
4 FT	0	0	0	0	5	0	183	0	0	188
4 FZ	0	0	31	44	61	0	1	0	0	137
4 I	0	0	52	2	0	0	0	0	0	54
4 IT	0	182	1148	702	57	0	81	0	0	2170
4 J	0	42	2095	2286	939	0	728	0	224	6314
4 JF	0	172	67	241	44	0	148	0	11	683
4 JT	0	0	93	49	45	0	0	0	0	187
4 JZ	0	0	3	31	0	0	0	0	0	34
4 T	0	0	324	302	325	0	354	0	0	1305
4 TF	0	5	8	144	237	0	406	0	0	800
4 Z	0	0	3	12	22	0	0	0	0	37

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

 LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
4 4BJ 5 4JG3 2B	0	0	64	733	1	0	210	0	0	1008
4 4F 5 3J 6 3J	0	26	45	176	525	0	243	0	0	1015
4 4F 5 4F 6 2J	0	0	40	243	250	0	90	0	0	623
4 4FB 5 3F 6 3JF	0	0	0	0	40	0	157	0	0	197
4 5R 5 5BJ	0	0	130	71	3	0	0	0	0	204
4 5HG 5 5BF	0	0	0	22	9	0	226	0	154	411
4 5F 5 5F	0	4	96	236	123	0	126	0	0	585
4 5FG 5 3FG7 2T	0	0	0	209	1	0	0	0	0	210
4 5FG 5 5FT	0	0	0	0	4	0	332	0	0	336
4 5J 5 5FJ	0	0	0	0	0	0	92	0	0	92
4 5JB 5 5JG	0	0	106	101	37	0	37	0	0	281
4 5JT 5 5TJ	0	0	18	1098	1452	0	506	0	220	3294
4 6F 3 4F	0	0	0	116	9	0	513	0	7	645
4 6F 3 4Z	0	0	115	269	153	0	2	0	0	539
4 6F 5 4F	0	9	0	7	12	0	302	0	0	321
4 6F 5 4FJ	0	0	36	77	38	0	21	0	0	172
4 6FG 3 4F	0	0	0	0	0	0	88	0	0	88
4 6FT 3 3F 5 1F	0	0	0	0	334	0	1684	0	0	2018

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
4 6J 3 4J	0	0	9	87	65	0	33	0	0	194
4 6JF 3 4JF	0	0	2	130	66	0	13	0	0	211
4 6T 5 3TF 1T	0	0	0	217	611	0	331	0	0	1159
4 7F 5 3F	0	0	0	22	28	0	6	0	0	56
4 7J 5 3J	0	0	337	761	484	0	58	0	0	1640
4 8F 3 2F	0	0	0	76	0	0	231	0	2	309
4 8F 5 2J	0	0	0	12	91	0	255	0	0	358
4 8JB 3 2F	0	0	48	321	0	0	426	0	30	825
4 8JF 3 2F	0	0	0	61	0	0	525	0	80	666
4 8YF 6 2T	0	0	244	436	50	28	895	116	0	1769
4 9J 3 1H	0	0	664	63	83	0	386	0	15	1211
4 9JF 5 1FJ	0	5	1	0	7	0	27	0	0	40
5 B	0	0	147	181	37	0	44	0	18	427
5 BF	0	0	99	220	58	0	20	0	1	398
5 BG	0	0	12	259	171	0	102	0	0	544
5 BJ	0	0	86	485	0	0	379	0	16	966
5 F	0	59	1536	3776	3782	132	4182	0	504	13971
5 FB	0	0	7	32	152	0	58	0	0	249

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 FG	0	0	0	214	508	0	150	0	0	872
5 FI	0	398	226	631	200	0	0	0	541	1996
5 FJ	0	145	655	1686	2702	0	3471	0	160	8819
5 FT	0	0	37	164	191	0	526	0	0	918
5 FZ	0	0	30	61	267	0	93	0	0	451
5 G	0	26	50	155	130	0	0	0	0	361
5 I	0	0	6	46	0	0	0	0	0	52
5 IF	0	0	0	8	154	0	267	0	0	429
5 J	0	0	911	1022	191	0	117	0	18	2259
5 JB	0	0	65	241	109	0	0	0	0	415
5 JF	0	306	1327	1722	775	0	32	0	8	4170
5 JT	0	0	6	11	66	0	0	0	0	83
5 JZ	0	0	13	2	12	0	5	0	0	32
5 T	0	279	2771	2319	1791	0	864	0	0	8024
5 TB	0	0	0	625	687	0	392	0	0	1704
5 TF	0	1084	1411	3374	2800	0	4196	0	206	13071
5 TI	0	0	193	60	19	0	0	0	0	272
5 TJ	0	0	33	108	1148	0	615	0	0	1904

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
S Z	0	0	5	22	13	0	0	0	8	48
S 4F 4 3F 6 3FJ	0	0	0	0	27	0	261	0	0	288
S 4F 6 3F 6 3T	0	55	398	364	842	0	349	0	0	2008
S 4F 6 3J77 3T	0	0	0	0	518	0	887	0	13	1418
S 4FJ 3 3H 4 3J	0	0	100	131	207	34	105	0	0	577
S 4FJ 6 3J 4 3F	0	0	8	77	48	0	0	0	0	133
S 4FZ 6 4FT7 2T	0	0	0	276	397	0	811	0	0	1484
S 4JF 3 3F 4 3JF	0	0	956	884	667	0	38	0	9	2554
S 4TF 4 3TF7 3T	0	0	0	0	0	0	0	306	0	306
S 5HG 6 5J	0	0	91	305	0	0	205	0	6	607
S 5HJ 6 5J	0	0	6095	8269	118	0	3042	0	186	17710
S 5F 6 5F	0	0	187	281	764	0	510	0	5	1747
S 5F 6 5FZ	0	0	0	0	515	0	85	0	0	600
S 5F 7 5T	0	0	0	140	46	0	0	0	60	246
S 5FJ 6 5HJ	0	0	1009	3688	7019	0	8545	22	387	20670
S 5FJ 6 5FB	0	0	0	7	2064	0	4553	0	98	6722
S 5FJ 6 5FJ	0	0	0	0	76	0	1061	0	145	1282
S 5FJ 6 5GR	0	0	0	271	69	0	176	0	187	703

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 5FJ 6 5JG	0	0	0	518	283	0	187	0	0	988
5 5FJ 6 5JT	0	0	330	658	313	0	37	0	633	1971
5 5FT 6 5JT	0	0	688	293	75	0	0	0	0	1056
5 5FZ 6 4F74 1F	0	0	0	0	39	0	137	0	47	223
5 5GJ 6 5IJ	0	0	73	119	192	22	91	0	0	497
5 5IF 6 3TF4 2TI	0	0	528	868	423	0	3042	0	0	4861
5 5IG 3 4IF2 1F	0	0	6256	566	1735	0	1109	0	206	9872
5 5IT 5 5IF	0	0	4	509	432	0	812	0	0	1757
5 5J 3 5F	0	0	0	42	29	0	0	0	0	71
5 5J 4 4J 3 1F	0	0	61	145	115	0	0	0	0	321
5 5J 6 5B	0	0	23	309	0	0	65	0	0	397
5 5J 6 5BJ	0	0	1424	2276	741	0	377	0	115	4933
5 5J 6 5GJ	0	0	1033	1411	106	0	89	0	131	2770
5 5J 6 5J	0	0	858	974	33	0	93	0	3	1961
5 5J 6 5JB	0	0	262	93	44	0	2	0	0	401
5 5J 6 5JG	0	0	603	874	78	0	319	0	0	1874
5 5JF 5 5IB	0	651	719	2739	2956	0	2681	0	0	9746
5 5JF 6 5BJ	0	0	0	892	153	0	125	0	0	1170

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
S 5JF 6 5TF	0	137	299	2672	638	0	231	0	0	3977
S 5T 6 5TB	0	0	0	154	290	0	247	0	0	691
S 5TF 6 5TF	0	1421	2652	3002	3151	0	2608	0	415	13249
S 5TF 7 4T 6 1TF	0	0	0	44	198	0	691	0	0	933
S 5TF 7 5T	0	0	2	382	669	0	245	0	0	1298
S 5TJ 6 5J	0	1	167	300	243	0	0	0	0	711
S 6BF 4 4BF	0	0	122	499	39	0	236	0	4	900
S 6BG 6 4BG	0	0	756	991	508	0	192	0	135	2582
S 6F 4 4F	0	0	0	23	20	0	26	0	113	182
S 6F 7 4T	0	0	0	45	30	0	0	0	0	75
S 6FJ 4 3JF6 1JG	0	0	641	980	152	0	440	0	3	2216
S 6FJ 6 4BJ	0	0	308	1039	1271	0	262	0	0	2880
S 6FJ 7 4T	0	0	71	135	35	0	9	0	0	250
S 6FT 4 4FT	0	0	0	0	79	0	162	0	0	241
S 6J 5 4F	0	0	0	17	275	0	251	0	19	562
S 6J 6 4BG	0	0	23	326	339	0	0	0	0	688
S 6J 6 4J	0	0	81	71	128	0	0	0	0	280
S 6J 6 4JG	0	0	815	1595	312	0	286	0	137	3145

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 6J 6 4JZ	0	0	671	852	216	0	23	0	0	1762
5 6J 6 4TJ	0	0	2299	4988	335	0	1712	0	180	9514
5 6JF 4 4HJ	0	0	954	229	112	0	103	0	0	1398
5 6I 5 4B	0	0	51	85	0	0	33	0	0	169
5 6TF 4 2TF6 2FG	0	0	52	161	1113	0	584	0	489	2599
5 6TF 4 4TF	0	0	133	151	162	0	67	0	0	513
5 6TF 7 4T	0	0	83	221	37	0	0	0	0	341
5 6TZ 7 3I 6 ITF	0	0	5	125	260	0	1	0	0	391
5 7R 2 3F	0	0	0	9	64	0	41	0	0	114
5 7F 4 3F	0	0	0	0	11	0	223	0	0	234
5 7FZ 7 3T	0	0	0	0	9	0	228	0	0	237
5 7G 4 3F	0	0	236	229	269	0	0	0	15	749
5 7GR 5 3TJ	0	0	0	41	56	0	0	0	163	260
5 7J 6 3J	0	0	378	1029	789	23	226	0	3	2448
5 7JF 4 3F	0	0	0	0	96	0	170	0	0	266
5 7I 7 3T	0	0	0	0	4	0	271	0	0	275
5 7TF 392F 7 1T	0	0	34	109	101	0	395	0	89	728
5 7TF 4 2F 6 1T	0	0	17	65	201	0	766	0	99	1148

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 7TF 7 2T 4 1IF	0	0	93	29	91	0	102	0	0	315
5 8HJ 6 2J	0	0	0	58	59	0	78	0	0	195
5 8F 6 2HG	0	0	9	187	82	0	155	0	162	595
5 8F 6 2J	0	0	400	1000	461	0	1313	0	157	3331
5 8FJ 4 2FJ	0	0	0	6	36	0	41	0	0	83
5 8FJ 6 2FJ	0	23	81	1073	2547	0	1291	0	549	5964
5 8FZ 4 2F	0	0	0	0	0	0	757	0	0	757
5 8IJ 3 2FA	0	0	7	14	14	0	0	0	0	35
5 8JF 6 2J	0	0	0	95	492	0	426	0	76	1089
5 8T 5 2F	0	0	33	189	227	0	111	0	0	560
5 8TF 4 2F	0	0	0	0	87	0	412	0	116	615
5 8TF 4 2FT	0	0	0	64	468	0	455	0	211	1198
5 8TF 5 2FJ	0	214	1320	1150	1422	0	2896	0	0	7002
5 8TF 7 2T	0	0	0	0	73	0	472	0	0	545
5 9F 6 1FJ	0	0	0	0	194	0	807	0	0	1001
5 9FG 3 1F	0	50	355	217	1688	0	1667	0	440	4417
5 9FG 6 1F	0	0	18	112	112	0	0	0	0	242
5 9FT 6 1F	0	0	0	0	381	0	754	0	0	1135

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 9IF 6 1IF	0	0	2	232	102	0	1111	0	40	1487
5 9JF 6 1IF	0	0	0	0	117	0	272	0	0	389
5 9TF 3 1F	0	0	130	393	80	0	10	0	593	1206
6 B	0	6	99	225	313	0	373	0	157	1173
6 BF	0	0	305	651	46	0	390	0	2252	3644
6 BG	0	0	88	325	9	0	324	0	303	1049
6 BJ	0	0	778	1577	2142	0	1514	0	236	6247
6 F	0	0	201	449	170	90	508	0	589	2007
6 FH	0	0	17	155	67	0	159	0	871	1269
6 FI	0	0	0	495	57	0	0	0	0	552
6 FJ	0	0	0	0	67	0	172	0	0	239
6 FZ	0	22	159	448	437	0	5405	0	0	6471
6 G	0	0	51	86	34	0	34	0	441	646
6 GH	0	0	0	220	33	0	70	0	3	326
6 I	0	37	2261	607	393	0	495	0	2	3795
6 IJ	0	54	767	586	88	0	0	0	0	1495
6 IZ	0	0	7	512	9	0	0	0	0	528
6 J	0	191	1343	2664	1315	0	1138	0	57	6708

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 16

LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS U	TOTAL
6 JH	0	0	312	602	201	0	2126	0	0	3241
6 JF	0	0	16	81	0	0	15	0	0	112
6 JG	0	0	1637	1948	839	0	437	0	97	4958
6 JI	0	0	119	737	55	0	0	0	0	911
6 JT	0	0	353	408	511	0	318	9	4	1603
6 JZ	0	0	60	213	322	0	153	0	0	748
6 T	0	150	1783	1870	1446	0	1373	0	9	6631
6 TH	0	0	151	192	577	0	467	0	0	1387
6 TF	0	0	0	65	49	0	0	0	152	266
6 TJ	0	0	303	846	732	0	498	0	0	2379
6 TR	0	6	4	54	159	0	884	0	0	1107
6 TZ	0	66	25	290	410	0	124	0	9	924
6 Z	0	342	592	946	753	0	176	1	0	2770
6 ZH	0	230	185	399	284	0	0	4	0	1102
6 ZI	0	0	483	874	351	0	147	0	0	1857
6 ZJ	0	0	1621	1224	239	27	102	0	28	3241
6 ZR	0	0	0	0	41	0	31	0	3	75
6 5FG 4 4FJ5 1FG	0	0	0	18	113	0	490	0	296	917

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 5190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 17.

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
6 5FJ 5 4FJ4 1FJ	0	0	140	107	50	0	95	0	10	402
6 5FZ 6 5F	0	0	0	26	26	0	79	0	0	131
6 5FZ 7 5T	0	0	14	27	27	0	0	0	0	68
6 5JT 5 5F	0	0	215	411	344	0	190	0	0	1160
6 5JZ 5 4J 7 1T	0	0	0	0	634	0	1897	0	122	2653
6 5T 5 5F	0	0	102	119	6	0	0	0	0	227
6 5TH 7 5T	0	0	0	4	67	0	711	0	0	782
6 5ZF 5 4F 7 1T	0	0	0	59	225	0	199	0	0	483
6 6RJ 5 4FJ	0	0	0	243	981	0	1014	0	0	2238
6 6BJ 5 4JR	0	0	791	889	790	56	80	0	12	2418
6 6FZ 5 3FR4 1TF	0	0	0	37	94	0	468	0	0	594
6 6FZ 5 4FG	0	0	151	371	352	0	315	0	0	1189
6 6FZ 5 4TF	0	0	0	2	92	0	204	0	0	298
6 6FZ 7 4T	0	0	0	0	95	0	95	0	0	190
6 6JB 5 4BJ	0	64	432	1095	300	0	19	0	20	1930
6 6JB 5 4F	0	0	223	1029	387	0	522	0	121	2282
6 6JB 5 4FJ	0	0	564	2905	6026	0	4436	0	17	13948
6 6JF 5 4BF	0	0	826	3821	206	0	181	0	147	5181

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 6JF 5 4FJ	0	0	285	912	234	0	0	0	214	1645
6 6JG 5 4J	0	0	5398	10896	5631	0	3719	0	284	25928
6 6JG 5 4JR	0	0	824	200	79	0	0	0	0	1103
6 6JT 5 4FJ	0	0	1014	1686	1978	0	1279	0	8	5965
6 6JT 5 4JR	0	0	1566	2203	0	0	724	0	5	4498
6 6TF 6 3FZ5 1TF	0	0	45	45	0	0	104	0	0	194
6 6TJ 4 4J	0	0	23	114	158	0	0	0	0	295
6 6ZJ 5 4BJ	0	0	23	312	5	0	81	0	0	421
6 7BJ 5 3JG	0	346	134	388	252	0	94	0	0	1214
6 7FJ 5 3F	0	0	0	0	19	0	29	0	0	48
6 7FZ 5 2TF4 1FG	0	0	6	214	55	0	154	0	66	495
6 7J 4 3JF	0	0	72	176	102	0	0	0	0	350
6 7JT 5 3FJ	0	0	418	1347	2522	0	2443	0	2	6732
6 7T 3 3F	0	0	286	179	28	0	21	0	0	514
6 7TJ 5 3F	0	0	383	1080	1767	0	1279	0	52	4561
6 7Z 3S31	0	0	132	82	64	0	0	0	0	278
6 7Z 5 2F 7 1T	0	0	21	83	28	0	28	0	0	160
6 8BF 7 2BT	0	0	112	250	113	0	218	0	1321	1994

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 19

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 8BG 5 2F	0	0	2	16	16	0	171	0	373	578
6 8BJ 5 2J	0	4	80	66	62	0	2	0	19	233
6 8BT 5 2F	0	13	0	868	222	0	348	0	0	1451
6 8I 2 2J	0	0	33	50	6	0	0	0	0	89
6 8I 3M2	0	0	3	1	3	0	0	0	0	7
6 8J 5 2F	0	0	0	0	118	0	183	0	0	301
6 8J 5 2J	0	56	142	279	296	0	179	0	0	952
6 8JB 5 2FJ	0	0	101	1024	3299	0	4977	0	117	9518
6 8JG 5 2JG	0	0	60	372	87	0	202	0	28	749
6 8tJ 5 2tF	0	0	4	73	487	0	1	0	0	565
6 8ZF 4 1tFS 1tF	0	0	151	161	333	0	1945	0	0	2590
6 8ZJ 5 2Fi	0	0	239	457	533	0	230	0	0	1459
6 9BJ 5 1J	0	0	812	183	42	0	11	0	0	1048
6 9FZ 5 1FG	0	0	57	112	167	34	579	0	0	949
6 9FZ 5 1tF	0	0	75	101	180	0	67	0	82	505
6 9J 5 1J	0	0	598	358	153	0	1	0	0	1110
6 9JB 5 1J	0	0	326	637	791	0	357	0	15	2124
6 9JB 5 1JF	0	1281	1056	5248	3912	0	1312	0	24	12833

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NEW BRUNSWICK

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 9JZ 5 1F	0	0	227	459	467	0	67	0	0	1220
7 B	0	0	782	1732	1156	10	1467	0	7845	12992
7 BT	0	161	3691	6946	138	0	3612	0	860	15408
7 FB	0	23	0	0	0	0	0	0	12	35
7 N	0	0	0	70	0	0	18	0	0	88
7 T	0	140645	1009206	1762902	1497561	3063	1492820	104997	58212	6069406
7 TR	0	0	647	5698	7076	55	5015	0	2336	20827
7 4T 6 3FH7 3B	0	0	586	7647	5349	32	12458	0	17699	43771
7 5T 4 4JF5 1F	0	0	0	13	117	0	154	0	0	284
7 5T 5 4FT4 1F	0	0	0	0	0	0	0	170	0	170
7 5T 5 4JZ4 1F	0	0	0	70	215	0	215	0	0	500
7 5T 5 4TF6 1FZ	0	0	104	78	78	0	483	0	0	743
7 5T 6 3Z 5 2F	0	0	0	0	386	0	640	0	0	1026
7 5T 6 4Z 5 1F	0	0	0	0	275	0	0	0	0	275
7 6H 6 4JF	0	0	32	41	6	0	66	0	70	215
7 6T 4 2F 5 2F	0	0	0	0	1008	0	4567	0	0	5575
7 6T 4 2TF5 2FZ	0	0	21	601	153	0	427	0	0	1202
7 6T 5 3F66 1FZ	0	0	59	2680	2110	0	6080	0	79	11008

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 6T 5 4TF	0	0	0	453	467	0	157	0	55	1132
7 6T 6 4TF	0	0	0	90	193	0	24	0	0	307
7 6TB 6 4FR	0	0	894	1385	938	0	545	0	1025	4787
7 7T 4 2F 5 1F	0	260	318	415	1174	0	1466	0	67	3700
7 7T 4 2F 6 1FJ	0	0	0	19	452	0	433	0	0	904
7 7T 4 2F75 1ZF	0	0	0	0	828	0	755	371	0	1954
7 7T 4 2F6 1FZ	0	0	135	84	391	0	4495	0	0	5105
7 7T 5 2F 6 1F	0	0	0	278	325	0	924	0	96	1623
7 7T 5 2F 6 1FZ	0	0	0	112	382	0	2721	0	322	3537
7 7T 5 3TF	0	0	0	0	0	0	443	0	0	443
7 7T 6 3FZ	0	0	0	89	223	0	109	0	0	421
7 7TB 6 2BF5 1IJ	0	0	1950	4626	2286	166	1352	13	3365	13758
7 7TB 6 3IJ	0	0	0	134	1004	0	1138	0	0	2276
7 8BT 6 2BG	0	0	198	1132	1459	0	558	0	732	4079
7 8T 3 1I 4 1J	0	0	0	40	30	0	30	0	0	100
7 8T 3 2F	0	0	0	64	68	0	11	0	0	143
7 8T 4 1F 5 1TF	0	0	0	0	0	0	0	3153	0	3153
7 8T 4 1FJ5 1FG	0	0	0	0	1090	0	696	0	0	1786

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 15/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NEW BRUNSWICK

PAGE: 22

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 8T 4 1J 5 1J	0	0	0	17	12	0	12	0	0	41
7 8T 4 1TF6 1FZ	0	0	0	0	134	0	134	3882	0	4150
7 8T 5 1F 6 1FZ	0	1	0	4989	2233	0	14953	0	16	22192
7 8T 5 1F16 1FG	0	0	8442	624	5157	0	706	0	0	14929
7 8T 5 11F6 1FZ	0	0	1224	8128	16524	0	98568	4	1186	125634
7 8T 5 2FZ	0	0	0	0	63	0	320	0	0	383
7 8T 5 2I	0	0	44	302	458	0	0	0	0	804
7 8T 5 2FJ	0	0	0	0	197	0	54	0	63	314
7 9BT 6 1FR	0	0	1141	1364	673	254	382	0	2271	6085
7 9T 5 1F	0	0	722	5646	4306	0	3143	0	26	13843
7 9T 5 1TF	0	0	618	14	332	0	221	0	0	1185
7 9TB 4 1FI	0	0	0	1019	1214	0	1214	0	267	3714
7 9TB 6 1BF	0	0	11113	30057	4331	0	6592	0	9461	61554
7 9TB 6 1FB	0	0	3522	7640	4548	0	3433	0	3103	22246
8 B	0	5	67	815	177	0	6658	1003	0	8725
8 Z	0	9	933	463	415	47	385	15	29	2296
TOTAL	0	160526	1151147	2032088	1700255	11544	1838632	115308	132771	7142271

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NOVA SCOTIA

PAGE: 1

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
PRIMARY 1	0	0	43	5	0	0	46	0	0	94
PRIMARY 1S	0	14	103	17	0	0	189	0	0	323
PRIMARY 2	0	0	51	0	0	0	36	0	0	87
PRIMARY 3	0	696	4429	1660	1328	20	4838	0	970	13941
PRIMARY 3M	0	9229	29455	7056	1920	6104	27861	190	2089	83904
PRIMARY 3S	0	468	1085	101	62	104	208	0	70	2098
PRIMARY 4	0	3512	13487	4264	1844	858	6208	0	1637	31810
PRIMARY 5	0	3392	13997	6682	2254	158	20098	0	3005	49586
PRIMARY 6	0	1197	14241	9510	1143	103	59623	0	3189	89006
PRIMARY 7	0	147369	899383	393404	73163	6854	3388436	517	105229	5014355
PRIMARY 8	0	439	6604	1708	504	124	8499	155	107	18140
1	0	0	43	5	0	0	46	0	0	94
1S	0	14	103	17	0	0	189	0	0	323
2 F	0	0	51	0	0	0	36	0	0	87
3 B	0	0	176	0	0	0	0	0	0	176
3 BF	0	0	1	21	0	0	0	0	2	24
3 BJ	0	10	102	10	0	0	10	0	0	132
3 F	0	115	109	87	38	0	253	0	0	602

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
3 IF	0	5	11	0	0	0	0	0	0	16
3 IT	0	0	22	0	0	0	0	0	0	22
3 J	0	0	0	27	0	0	0	0	0	27
3 JF	0	0	0	0	0	0	79	0	0	79
3 JJ	0	0	0	30	0	0	0	0	0	30
3 4F 6 4Z 5 2ZF	0	0	1184	236	200	20	42	0	155	1837
3 4FG 4 3FJ5 3FJ	0	122	1059	0	514	0	15	0	0	1710
3 5GT 4 3TG7 2T	0	0	76	0	0	0	0	0	0	76
3 5JF 2 3B 4 2B	0	34	550	33	68	0	0	0	0	685
3 7FJ 5 3GF	0	0	64	0	44	0	0	0	167	275
3 7TF 7 3T	0	0	0	0	0	0	159	0	0	159
3 8BG 2 1B 1 1	0	113	376	0	462	0	345	0	230	1526
3 8IF 6 1GF7 1T	0	297	699	1216	2	0	3935	0	416	6565
3M	0	3861	14897	2856	494	1940	19131	190	543	43912
3M4 4 3FT7 3T	0	5	567	131	0	0	81	0	48	832
3M5 5 4T 6 1T	0	788	618	301	0	0	34	0	0	1741
3M5 6 4Z 4 1TF	0	0	473	84	292	0	567	0	85	1501
3M5 6 5T	0	101	338	0	0	2	0	0	0	441

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

		CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
3M5	6 5Z	0	0	5	801	0	0	0	0	55	861
3M5	7 4I 5 1I	0	0	0	0	0	0	184	0	36	220
3M5	7 5T	0	0	0	0	0	0	62	0	0	62
3M6	5 4F	0	0	0	0	0	0	396	0	74	470
3M6	5 4FT	0	0	0	0	0	0	461	0	106	567
3M6	5 4TF	0	0	10	34	44	0	323	0	6	417
3M6	6 2IR7 2I	0	0	2	0	0	0	481	0	74	557
3M6	6 3I 4 1F	0	0	0	0	0	0	257	0	64	321
3M6	7 4T	0	0	73	0	0	0	472	0	0	545
3M7	5 2IF7 1IR	0	0	0	0	0	116	531	0	86	733
3M7	6 3TF	0	0	0	0	0	0	85	0	23	108
3M8	4 1IJ5 1IJ	0	63	1917	302	95	0	117	0	87	2581
3M8	4 1IT5 1IG	0	1722	6238	2114	166	1061	223	0	331	11855
3M8	6 1FT7 1T	0	0	0	0	0	0	765	0	63	828
3M8	6 2F	0	0	0	0	0	0	378	0	94	472
3M8	6 2FT	0	0	0	0	0	0	207	0	123	330
3M8	6 2IR	0	0	0	0	0	0	190	0	35	225
3M8	7 2T	0	0	1551	327	809	1064	1229	0	54	5034

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR, 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NOVA SCOTIA

PAGE: 4

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

		CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
3M9	3811	0	559	415	38	0	518	0	0	0	1530
3M9	5 1F	0	0	0	0	0	0	143	0	19	162
3M9	5 1FG	0	974	604	50	0	0	25	0	0	1653
3M9	5 1T	0	1044	984	18	13	105	82	0	0	2246
3M9	5 1TF	0	0	0	0	0	0	377	0	83	460
3M9	6 11	0	112	119	0	0	0	0	0	0	231
3M9	6 12	0	0	0	0	0	0	461	0	0	461
3M9	7 1T	0	0	604	0	7	1298	599	0	0	2548
3S F		0	0	0	0	0	0	64	0	0	64
3S I		0	193	752	55	12	42	144	0	70	1268
3S71	4 3T	0	275	192	46	0	39	0	0	0	552
3S81	5 2FG	0	0	141	0	50	23	0	0	0	214
4 BJ		0	0	0	0	0	0	50	0	0	50
4 F		0	0	18	33	36	0	193	0	30	310
4 FG		0	10	151	0	136	0	69	0	0	366
4 FJ		0	0	31	62	3	0	31	0	29	156
4 FT		0	164	1326	89	0	156	13	0	0	1748
4 FZ		0	0	100	0	0	0	0	0	0	100

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 5

LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
4 I	0	0	5	11	0	0	104	0	0	120
4 IF	0	0	20	23	0	0	30	0	2	75
4 J	0	0	44	12	0	0	56	0	0	112
4 JF	0	0	554	0	0	0	49	0	0	603
4 T	0	0	71	342	42	0	0	0	0	455
4 TF	0	0	0	0	0	0	19	0	0	19
4 4F 5 4FJ7 2T	0	0	212	0	0	0	21	0	0	233
4 4I 383I 5 3T	0	1072	1021	403	135	158	973	0	0	3762
4 4IT 5 4IT6 2IT	0	83	2539	246	477	37	0	0	42	3424
4 4JF 6 4FZ7 2TB	0	0	1	110	1	0	122	0	0	234
4 4TF 5 3T 7 3T	0	0	0	111	0	0	534	0	5	650
4 4TF 7 4T 6 2IZ	0	0	0	6	0	0	189	0	0	195
4 5B 6 3HG2 2B	0	0	592	29	72	0	790	0	0	1483
4 5F 5 5F	0	0	0	49	0	0	9	0	1	59
4 5F 6 4FG7 1T	0	102	297	191	103	0	0	0	439	1132
4 5FG 2 3I 3 2I	0	0	346	140	0	0	0	0	0	486
4 5FG 5 5FT	0	0	0	128	0	0	413	0	239	780
4 5I 5 4IJ7 1T	0	0	840	273	0	0	0	0	0	1113

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
4 5IF 6 5I	0	0	51	0	0	0	89	0	0	140
4 5IF 7 4TF5 1I	0	0	80	209	29	0	36	0	0	354
4 5IG 7 5T	0	12	215	0	0	0	0	0	26	253
4 5JF 7 4T 5 1FJ	0	0	0	0	0	0	197	0	40	237
4 5JF 7 4T 5 1IJ	0	0	0	0	0	0	841	0	341	1182
4 6I 5 2IJ7 2T	0	81	62	0	0	0	0	0	0	143
4 6IF 6 4FR	0	0	83	92	0	0	80	0	0	255
4 6IF 6 4I	0	0	337	0	0	0	0	0	0	337
4 6IG 5 3IT3 1IF	0	1306	2634	572	577	478	222	0	119	5908
4 7F 5 3FZ	0	0	140	527	151	0	27	0	39	884
4 7F 7 3T	0	0	0	0	0	0	185	0	0	185
4 7IT 5 2TF381Z	0	386	311	95	1	29	56	0	0	878
4 8B 5 1BJ6 1BJ	0	296	1406	511	81	0	342	0	0	2636
4 8F 5 1FJ7 1T	0	0	0	0	0	0	468	0	285	753
5 8	0	0	153	0	0	0	8	0	0	161
5 8G	0	0	14	14	0	0	0	0	0	28
5 8J	0	0	44	186	7	0	23	0	0	260
5 F	0	85	126	29	0	0	189	0	8	437

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 FG	0	0	0	0	0	0	35	0	0	35
5 FI	0	0	52	22	0	0	0	0	0	74
5 FJ	0	16	367	743	0	0	684	0	12	1822
5 FR	0	0	146	0	0	0	22	0	0	168
5 FT	0	0	0	0	0	0	91	0	10	101
5 FZ	0	0	110	127	1	0	271	0	126	635
5 GF	0	0	43	0	0	0	0	0	84	127
5 I	0	0	171	171	0	0	153	0	0	495
5 IB	0	0	0	0	0	0	144	0	1	145
5 IF	0	0	6	0	0	0	334	0	9	349
5 IJ	0	0	175	0	0	0	0	0	0	175
5 IT	0	226	0	0	0	0	0	0	0	226
5 IZ	0	0	127	57	60	0	0	0	0	244
5 J	0	5	440	11	0	0	17	0	0	475
5 JF	0	30	112	37	120	0	104	0	0	403
5 TG	0	474	711	0	0	48	0	0	0	1233
5 ZF	0	0	17	0	0	0	45	0	0	62
5 4F 4 3F 7 3T	0	0	0	0	0	0	142	0	1	143

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. #5190019801

PROVINCE OF NOVA SCOTIA

PAGE: 8

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 4F 6 3F27 3T	0	0	206	6	4	0	0	0	4	220
5 4FG 393I 6 3FZ	0	0	818	958	139	0	846	0	66	2827
5 4FT 3M3 6 3FG	0	0	0	0	0	0	1167	0	302	1469
5 4T 3M3 7 3T	0	0	932	37	23	0	19	0	236	1247
5 4TF 7 4T 6 2FZ	0	0	0	90	0	0	712	0	0	802
5 5BF 6 5BG	0	0	0	57	0	0	643	0	0	700
5 5BJ 6 5BJ	0	0	648	0	169	0	608	0	0	1425
5 5F 6 3F 7 2T	0	0	0	0	0	0	53	0	0	53
5 5F 6 4IF4 1F	0	0	0	0	0	0	2379	0	327	2706
5 5F 6 5F	0	0	0	0	0	0	210	0	28	238
5 5FG 6 3FH7 2T	0	16	138	237	0	0	0	0	26	417
5 5FG 6 5IF	0	0	102	122	0	0	438	0	13	675
5 5FI 4 4F17 1T	0	0	89	89	0	0	0	0	0	178
5 5FJ 6 3F27 2T	0	0	61	3	14	0	523	0	0	601
5 5FZ 7 4J 3M1	0	0	747	2	175	0	175	0	0	1099
5 5G 6 4BG4 1G	0	0	620	44	70	0	107	0	0	841
5 5IF 3 3F24 2IT	0	860	1447	220	742	0	3	0	132	3404
5 5J 7 4TR2 1F	0	47	140	32	142	32	0	0	0	395

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 5JF 7 3T 3M2	0	0	66	0	0	0	177	0	0	243
5 5T 6 4I12 1I	0	15	507	254	0	78	193	0	0	1047
5 5TF 6 5TF	0	288	543	567	132	0	396	0	0	1926
5 5TF 7 5T	0	0	0	0	0	0	362	0	29	391
5 6F 7 3T 6 1F	0	0	0	0	0	0	331	0	0	331
5 6F 7 4T	0	0	0	0	0	0	212	0	0	212
5 6FG 4 4FG	0	0	126	0	0	0	385	0	31	542
5 6FJ 6 4BJ	0	0	30	30	0	0	1784	0	106	1950
5 6G 4 4G	0	0	194	116	0	0	0	0	0	310
5 6IF 6 2FG4 2F	0	0	166	0	0	0	47	0	71	284
5 6IF 6 2ZF7 2F	0	0	0	0	0	0	547	0	90	637
5 6IF 6 3TF7 1T	0	200	86	349	8	0	686	0	0	1329
5 6ZF 6 3TF6 1Z	0	0	0	0	0	0	1416	0	205	1621
5 7FI 3M2 6 1FG	0	0	0	0	0	0	165	0	18	183
5 7FZ 6 3FT	0	0	0	0	0	0	982	0	189	1171
5 7J 7 3T	0	0	111	0	0	0	0	0	0	111
5 7TR 7 2T 3 1T	0	464	37	0	89	0	0	0	39	629
5 8BJ 6 28G	0	41	530	39	0	0	227	0	0	837

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
5 8F 4 1F17 1T	0	0	0	0	0	0	227	0	0	227
5 8F 4 2F	0	364	913	180	286	0	123	0	337	2203
5 8F 7 2T	0	0	120	26	0	0	20	0	0	166
5 8FJ 6 1FZ7 1T	0	0	939	571	26	0	826	0	94	2456
5 8FT 3M2	0	0	0	0	0	0	296	0	98	394
5 8GT 3 1T 7 1T	0	16	29	290	0	0	0	0	32	367
5 8I 4 1I 6 1IT	0	245	64	21	0	0	67	0	0	397
5 8IF 6 1IF7 1T	0	0	0	0	0	0	191	0	0	191
5 8JF 4 2JF	0	0	0	0	0	0	78	0	37	115
5 9F 7 1T	0	0	7	128	0	0	27	0	0	162
5 9FJ 7 1TR	0	0	269	8	1	0	0	0	135	413
5 9FR 7 1T	0	0	0	227	0	0	0	0	0	227
5 9FZ 3 1F	0	0	51	182	0	0	101	0	0	334
5 9TF 7 1T	0	0	447	400	46	0	87	0	109	1089
6 BF	0	0	0	0	0	0	34	0	0	34
6 BG	0	0	270	392	21	0	291	0	0	974
6 F	0	0	0	0	0	0	68	0	0	68
6 FR	0	0	10	0	0	0	347	0	0	357

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR, 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 11

 LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS U	TOTAL
6 FG	0	0	0	0	143	0	0	0	0	143
6 FR	0	0	150	0	69	0	93	0	0	322
6 FT	0	0	98	0	0	0	0	0	0	98
6 FZ	0	0	39	0	0	0	174	0	0	213
6 G	0	0	69	11	0	0	0	0	0	80
6 I	0	627	408	740	44	103	1342	0	1	3265
6 IF	0	0	386	8	0	0	149	0	36	579
6 IJ	0	0	637	17	45	0	1305	0	2	2006
6 IR	0	0	0	0	0	0	2851	0	241	3092
6 J	0	0	120	53	0	0	252	0	0	425
6 JR	0	0	6	54	0	0	0	0	0	60
6 JF	0	0	0	0	0	0	468	0	0	468
6 JZ	0	29	114	207	0	0	675	0	12	1037
6 T	0	0	0	0	0	0	1246	0	225	1471
6 TB	0	101	548	124	0	0	0	0	41	814
6 TRF	0	0	0	0	0	0	117	0	0	117
6 TF	0	0	311	0	0	0	918	0	300	1529
6 Z	0	4	346	438	134	0	573	0	65	1560

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 2F	0	0	242	28	86	0	67	0	0	423
6 2J	0	0	6	32	0	0	124	0	0	162
6 4BF 5 3JF7 3TB	0	0	0	0	0	0	3594	0	157	3751
6 4F 3M3 3 3TF	0	0	0	0	0	0	286	0	23	309
6 4FZ 5 3FG7 3T	0	0	461	0	12	0	1244	0	70	1787
6 4T 4 3F 5 3F	0	0	35	0	0	0	31	0	0	66
6 5F 4 3F 7 2T	0	0	0	0	0	0	165	0	0	165
6 5F 5 3JF3 2F	0	165	810	215	1	0	293	0	0	1484
6 5FJ 7 5T	0	0	0	0	0	0	682	0	161	843
6 5FZ 5 3FG7 2T	0	0	0	0	0	0	200	0	0	200
6 5I 7 5I	0	0	0	0	0	0	119	0	51	170
6 5I 7 5T	0	0	0	51	0	0	1699	0	2	1752
6 5IF 5 3F 7 2T	0	0	170	73	0	0	30	0	0	273
6 5IF 7 5T	0	0	1330	0	0	0	0	0	0	1330
6 5JH 5 4FJ4 1FJ	0	0	1353	1	22	0	7082	0	257	8715
6 5TB 7 5TB	0	0	0	0	0	0	215	0	0	215
6 5TF 7 4T 5 1FZ	0	0	0	53	0	0	221	0	0	274
6 5Z 3M4 5 1Z	0	0	0	429	90	0	295	0	0	814

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PAGE: 13

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 5ZJ 7 3T 4 2J	0	0	149	226	0	0	0	0	2	377
6 6BG 5 3FJ4 1F	0	0	0	0	0	0	1557	0	0	1557
6 6BJ 5 4FJ	0	0	102	161	0	0	3445	0	81	3789
6 6F 4 2I 7 2T	0	0	126	1	0	0	0	0	0	127
6 6F 7 4TR	0	0	0	0	0	0	474	0	0	474
6 6FZ 4 3F 5 1FZ	0	0	233	1925	56	0	3373	0	74	5661
6 6I 7 2I 6 2F	0	0	0	0	0	0	715	0	51	766
6 6I 7 4T	0	0	143	0	0	0	118	0	0	261
6 6IF 5 4FG	0	0	506	0	4	0	780	0	43	1333
6 6JR 5 4F	0	0	0	0	0	0	1936	0	140	2076
6 6Z 5 2IF4 2FT	0	262	395	493	62	0	56	0	0	1268
6 6Z 5 2IF7 2T	0	0	123	28	15	0	6	0	0	172
6 6Z 5 4TF	0	0	0	0	0	0	743	0	52	795
6 6ZF 3M4	0	0	0	0	0	0	121	0	13	134
6 6ZJ 5 2JF4 2J	0	0	102	0	0	0	0	0	0	102
6 7FB 6 3F	0	0	0	0	0	0	294	0	68	362
6 7FT 4 3FT	0	0	0	0	0	0	1028	0	96	1124
6 7IB 4 2F 5 1F	0	0	1134	347	0	0	2488	0	155	4124

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 7Z 7 2T 5 1ZF	0	0	0	0	0	0	459	0	18	477
6 8F 5 2FT	0	0	0	0	0	0	476	0	64	540
6 8FJ 5 2FI	0	0	815	78	0	0	0	0	78	971
6 8FZ 3M2	0	0	0	0	0	0	1115	0	101	1216
6 8I 7 2T	0	0	0	103	0	0	1081	0	32	1216
6 8IF 7 2T	0	0	82	29	0	0	0	0	0	111
6 8IJ 5 2JF	0	0	130	77	83	0	3712	0	62	4064
6 8IJ 7 2T	0	0	258	0	39	0	112	0	0	409
6 8IT 7 1T 4 1I	0	0	608	0	113	0	149	0	12	882
6 8TF 3 1TF5 1TF	0	0	0	0	0	0	822	0	165	987
6 8TF 6 2FJ	0	0	35	0	0	0	248	0	71	354
6 8Z 3M1 5 1FT	0	0	0	0	0	0	2429	0	19	2448
6 8Z 7 2T	0	0	0	0	0	0	324	0	0	324
6 8ZF 5 2FT	0	0	0	0	0	0	261	0	86	347
6 9I 5 1I	0	4	177	109	104	0	205	0	6	605
6 9I 7 1T	0	0	0	0	0	0	52	0	6	58
6 9IF 7 1T	0	0	0	106	0	0	183	0	0	289
6 9TJ 5 1TJ	0	5	1194	2901	0	0	1886	0	48	6034

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 9Z 5 1TF	0	0	0	0	0	0	1074	0	0	1074
6 9Z 7 1T	0	0	0	0	0	0	651	0	2	653
7 B	0	0	71	0	47	0	1	0	72	191
7 BF	0	0	0	0	0	0	174	0	175	349
7 FB	0	0	0	0	0	0	85	0	57	142
7 FG	0	0	215	0	0	0	135	0	135	485
7 IT	0	0	0	0	0	0	43	0	0	43
7 T	0	136198	640145	335179	48992	5033	1202306	104	36890	2404847
7 TB	0	0	390	92	0	0	4027	0	125	4634
7 TF	0	683	10074	3833	2317	116	232868	0	861	250752
7 TR	0	0	0	0	0	0	393	0	0	393
7 4T 4 3F65 3FT	0	118	455	0	195	0	68	0	55	891
7 4T 4 3TF5 3G	0	0	31	46	0	0	296	0	0	373
7 4T 5 3I 6 3I	0	1	75	22	11	0	164	0	0	273
7 4T 5 3IF6 3IF	0	0	0	0	0	0	99	0	0	99
7 4T 5 3TF6 3TZ	0	0	0	116	0	0	707	0	0	823
7 4T 7 3I 6 3I	0	0	45	25	0	0	914	0	19	1003
7 5T 3H3 4 2T	0	638	485	421	55	0	78	0	0	1677

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 5T 5 3F 6 2F	0	0	0	0	0	0	591	0	62	653
7 5T 5 3F 6 2Z	0	0	0	0	0	0	233	0	0	233
7 5T 5 3F6 2ZF	0	0	0	6	0	0	656	0	10	672
7 5T 5 3F6 2F	0	90	15	0	0	0	0	0	0	109
7 5T 5 3F6 2FT	0	0	0	0	0	0	665	0	29	694
7 5T 5 3F6 2T	0	6	250	59	17	0	0	0	0	332
7 5T 5 4F 4 1T1	0	0	3733	649	0	0	2865	0	0	7247
7 5T 5 5BF	0	0	0	0	0	0	806	0	0	806
7 5T 6 3F15 2FJ	0	0	0	0	0	0	4323	0	213	4536
7 5T 6 3I 6 2F	0	0	0	34	0	0	191	0	0	225
7 5T 6 3Z 5 2F	0	0	1091	170	155	0	28	0	0	1444
7 5T 6 4J 5 1F1	0	0	0	0	0	0	2478	0	73	2551
7 5T 6 4J 5 1J	0	0	56	0	0	0	470	0	0	526
7 5T 6 4T 5 1J	0	0	0	1	0	0	166	0	0	167
7 5T 6 4TF5 1TF	0	0	147	1738	0	0	0	0	1267	3152
7 5T 6 5BF	0	0	0	0	0	0	795	0	0	795
7 6T 4 2F6 2FB	0	79	1558	1464	241	254	0	0	340	3936
7 6T 5 2F6 2FZ	0	0	121	0	0	0	2063	0	128	2312

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 5190019801

PROVINCE OF NOVA SCOTIA

PAGE: 17

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 6T 5 2FJ6 2J	0	0	12385	552	307	0	24194	0	827	58265
7 6T 5 2J 4 2BJ	0	0	87	0	0	0	0	0	0	87
7 6T 5 2TR6 2T	0	0	0	0	0	0	1021	0	0	1021
7 6T 5 3F 6 1F	0	0	0	0	0	0	65	0	23	88
7 6T 5 3IF6 1IF	0	0	0	0	0	0	88	0	0	88
7 6T 5 4IF	0	0	0	0	0	0	433	0	181	614
7 6T 5 4J	0	0	0	0	0	0	274	0	0	274
7 6T 6 2FZ4 2F	0	354	2525	1336	32	0	3737	0	176	8160
7 6T 6 2ZR6 2JF	0	0	20340	179	1456	0	222423	0	6002	250400
7 6T 6 3FY5 1T	0	0	0	0	0	0	549	0	0	549
7 6T 6 3TF4 1TF	0	0	42	0	0	0	424	0	0	466
7 6T 6 3ZF5 1FZ	0	0	33	49	0	0	570	0	0	652
7 6T 6 4FJ	0	0	0	0	0	0	282	0	0	282
7 6T 6 4JF	0	0	0	0	0	0	309	0	0	309
7 6T 6 4TF	0	0	0	0	0	0	102	0	0	102
7 6T 7 4IR	0	0	148	0	0	0	0	0	0	148
7 6TR 6 4FJ	0	0	0	0	0	0	41656	0	8903	50559
7 7T 3M3	0	0	0	0	0	0	45	0	0	45

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 7T 4 2J 3 1J	0	0	0	0	0	0	208	0	0	208
7 7T 4 2F3 1F	0	0	1370	0	163	84	0	0	0	1617
7 7T 5 2H3 1JF	0	45	1013	766	88	0	159	0	0	2071
7 7T 5 2F1 1F	0	0	0	0	0	0	2202	0	245	2447
7 7T 6 2F2 1FZ	0	0	0	0	0	0	1889	0	0	1889
7 7T 6 2I 6 1F	0	0	0	0	0	0	232	0	0	232
7 7T 6 2J 5 1F	0	0	0	0	0	0	824	0	0	824
7 7T 6 2J5 1FJ	0	639	8707	1835	442	228	291837	0	12156	315934
7 7T 6 2L 5 1TF	0	0	0	0	0	0	852	0	0	852
7 7T 6 2ZJ5 1FJ	0	1817	20243	1220	2331	965	239478	0	3000	269054
7 7T 6 3BF	0	0	0	0	0	0	10790	0	1363	12153
7 7T 6 3I	0	0	0	0	0	0	134	0	0	134
7 7T 6 3IF	0	0	0	384	0	0	43	0	0	427
7 7T 6 3I2	0	0	0	0	0	0	177	0	34	211
7 7T 6 3Z	0	576	23155	1326	973	144	173603	0	2673	202450
7 7TB 5 2BF6 1FB	0	0	0	0	0	0	982	0	0	982
7 7TB 6 2J85 1JF	0	0	2767	0	4359	0	4255	0	1326	12707
7 7TB 6 2JF5 1JF	0	0	19681	1863	3925	0	12240	0	1401	39110

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 8I 7 2T	0	0	0	0	0	0	115	0	28	143
7 8T 3 1F 4 1F	0	0	0	0	0	0	1315	0	0	1315
7 8T 3 2FT	0	0	307	78	0	3	0	0	0	388
7 8T 3S11 4 1J1	0	0	423	0	115	0	0	0	0	538
7 8T 4 1F 3 1F	0	0	141	90	0	0	0	0	0	231
7 8T 4 1I 6 1F1	0	0	30	0	0	0	0	0	0	30
7 8T 4 1TF5 1TF	0	384	4643	625	0	0	9262	0	256	15170
7 8T 4 2TF	0	20	4262	15	0	0	33	0	66	4396
7 8T 5 1BF6 1FZ	0	0	131	0	81	0	2034	0	339	2585
7 8T 5 1BF6 1JF	0	0	0	0	0	0	859	0	0	859
7 8T 5 1FG4 1J	0	0	56	0	486	0	111	0	72	725
7 8T 5 1FZ6 1FZ	0	0	0	0	0	0	1425	0	0	1425
7 8T 5 1IF6 1IF	0	0	0	0	0	0	338	0	0	338
7 8T 5 1TF6 1TF	0	0	0	0	0	0	777	0	0	777
7 8T 5 2F	0	0	0	0	0	0	106	0	63	169
7 8T 5 2JF	0	0	2852	580	153	0	29621	0	2121	35327
7 8T 6 1FZ5 1TF	0	0	5656	2145	64	0	189666	0	8508	206039
7 8T 6 1I 5 1IF	0	0	0	0	0	0	33	0	0	33

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 8T 6 1J 4 1JF	0	31	732	267	0	0	27	0	0	1057
7 8T 6 1J 5 1B	0	0	0	375	0	0	33	0	0	408
7 8T 6 1J 5 1F	0	0	139	0	0	0	131	0	0	270
7 8T 6 1J 5 1J	0	0	240	0	0	0	276	0	0	516
7 8T 6 1J 5 1JF	0	86	3794	436	0	0	14443	0	117	18876
7 8T 6 1Z 5 1F	0	0	8916	2021	0	0	68529	0	1036	80502
7 8T 6 2F	0	0	97	591	6	0	37782	0	2119	40595
7 8T 6 2I	0	0	4	7	0	0	583	0	0	594
7 8T 6 2IF	0	0	0	0	0	0	227	0	0	227
7 8T 6 2J	0	0	445	375	0	0	7727	0	479	9026
7 8T 6 2JF	0	0	0	0	0	0	1473	0	0	1473
7 8T 6 2Z	0	0	209	551	0	0	108525	0	675	109960
7 8T 6 2ZF	0	500	26604	7752	1098	0	144687	0	2336	182977
7 8T 6 2ZJ	0	0	45	44	0	0	31711	0	750	32550
7 8T 7 1T 5 1FG	0	0	4261	8422	165	0	5057	0	238	18143
7 8T 7 21R	0	0	7391	294	1196	27	4448	0	477	13835
7 8T 6 1FJ 5 1FJ	0	0	0	0	0	0	70916	0	1727	72643
7 8T 6 2RF	0	0	0	0	0	0	513	0	168	681

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. 13190019801

PROVINCE OF NOVA SCOTIA

PAGE: 21

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 9T 3M1	0	0	0	0	0	0	330	0	0	330
7 9T 4 1TF	0	0	116	342	0	0	11398	0	31	11887
7 9T 5 1FG	0	176	3377	384	1016	0	12565	0	63	17581
7 9T 5 1FJ	0	472	7486	4657	188	0	56263	0	2362	71428
7 9T 5 1IR	0	0	0	0	0	0	413	0	0	413
7 9T 5 1JF	0	0	2454	441	0	0	398	0	0	3293
7 9T 5 1JT	0	0	0	0	0	0	926	0	0	926
7 9T 5 1TF	0	2814	5152	2055	70	0	1710	0	56	11861
7 9T 5 1TG	0	0	0	0	0	0	6621	0	184	6805
7 9T 5 1TR	0	0	0	0	0	0	0	108	0	108
7 9T 6 1F	0	0	0	0	0	0	0	305	0	305
7 9T 6 1FJ	0	0	0	0	0	0	912	0	101	1013
7 9T 6 1I	0	0	0	0	0	0	170	0	0	170
7 9T 6 1J	0	0	0	0	0	0	505	0	0	505
7 9T 6 1JF	0	0	39	0	19	0	1932	0	0	1990
7 9T 6 1Z	0	1634	37493	7260	2264	0	52253	0	856	101760
7 9T 7 1FR	0	0	0	0	0	0	2722	0	286	3008
7 9T 7 1TR	0	0	317	0	136	0	114	0	28	595

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 3190019801

PAGE: 22

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 9TR 5 1F	0	0	0	232	0	0	1089	0	83	1404
7 9TR 6 1JR	0	0	28	0	0	0	10191	0	711	10930
7 9TF 6 1FT	0	0	0	0	0	0	376	0	72	448
8	0	42	139	29	6	0	359	0	0	575
8 B	0	252	4068	1177	263	0	2772	0	22	8554
8 2	0	145	2197	502	235	124	5368	155	85	9011
TOTAL	0	166316	982878	424407	82218	14325	3516042	862	116296	5303344

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
5 5JF 7 3T 3M2	0	0	66	0	0	0	177	0	0	243
5 5I 6 4I12 1I	0	15	507	254	0	78	193	0	0	1047
5 5TF 6 5TF	0	288	543	567	132	0	396	0	0	1926
5 5TF 7 5T	0	0	0	0	0	0	362	0	29	391
5 6F 7 3T 6 1F	0	0	0	0	0	0	331	0	0	331
5 6F 7 4T	0	0	0	0	0	0	212	0	0	212
5 6FG 4 4FG	0	0	126	0	0	0	385	0	31	542
5 6FJ 6 4BJ	0	0	30	30	0	0	1784	0	106	1950
5 6G 4 4G	0	0	194	116	0	0	0	0	0	310
5 6IF 6 2FG4 2F	0	0	166	0	0	0	47	0	71	284
5 6IF 6 2ZF7 2T	0	0	0	0	0	0	547	0	90	637
5 6TF 6 3TF7 1T	0	200	86	349	8	0	686	0	0	1329
5 6ZF 6 3TF6 1Z	0	0	0	0	0	0	1416	0	205	1621
5 7FI 3M2 6 1FG	0	0	0	0	0	0	165	0	18	183
5 7FZ 6 3FT	0	0	0	0	0	0	982	0	189	1171
5 7J 7 3T	0	0	111	0	0	0	0	0	0	111
5 7TR 7 2T 3 1T	0	464	37	0	89	0	0	0	39	629
5 8BJ 6 2BG	0	41	530	39	0	0	227	0	0	837

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
5 BF 4 1F17 1T	0	0	0	0	0	0	227	0	0	227
5 BF 4 2F	0	364	913	180	286	0	123	0	337	2203
5 BF 7 2I	0	0	120	26	0	0	20	0	0	166
5 BFJ 6 1FZ7 1T	0	0	939	571	26	0	826	0	94	2456
5 BFT 3M2	0	0	0	0	0	0	296	0	98	394
5 BGT 3 1T 7 1T	0	16	29	290	0	0	0	0	32	367
5 BI 4 1I 6 1IT	0	245	64	21	0	0	67	0	0	397
5 BIF 6 1IF7 1T	0	0	0	0	0	0	191	0	0	191
5 BJF 4 2JF	0	0	0	0	0	0	78	0	37	115
5 BF 7 1T	0	0	7	128	0	0	27	0	0	162
5 BFJ 7 1IB	0	0	269	8	1	0	0	0	135	413
5 BFR 7 1T	0	0	0	227	0	0	0	0	0	227
5 BFZ 3 1F	0	0	51	182	0	0	101	0	0	334
5 BTF 7 1T	0	0	447	400	46	0	87	0	109	1089
6 BF	0	0	0	0	0	0	34	0	0	34
6 BG	0	0	270	392	21	0	291	0	0	974
6 F	0	0	0	0	0	0	68	0	0	68
6 FR	0	0	10	0	0	0	347	0	0	357

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. :3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 11

 LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS U	TOTAL
6 FG	0	0	0	0	143	0	0	0	0	143
6 FR	0	0	160	0	69	0	93	0	0	322
6 FT	0	0	98	0	0	0	0	0	0	98
6 FZ	0	0	39	0	0	0	174	0	0	213
6 G	0	0	69	11	0	0	0	0	0	80
6 I	0	627	408	740	44	103	1342	0	1	3265
6 IF	0	0	386	8	0	0	149	0	36	579
6 IJ	0	0	637	17	45	0	1305	0	2	2006
6 IR	0	0	0	0	0	0	2851	0	241	3092
6 J	0	0	120	53	0	0	252	0	0	425
6 JR	0	0	6	54	0	0	0	0	0	60
6 JF	0	0	0	0	0	0	468	0	0	468
6 JZ	0	29	114	207	0	0	675	0	12	1037
6 T	0	0	0	0	0	0	1246	0	225	1471
6 TB	0	101	548	124	0	0	0	0	41	814
6 TRF	0	0	0	0	0	0	117	0	0	117
6 TF	0	0	311	0	0	0	918	0	300	1529
6 Z	0	4	346	438	134	0	573	0	65	1560

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 2F	0	0	242	28	86	0	67	0	0	423
6 2J	0	0	6	32	0	0	124	0	0	162
6 4BF 5 3JF7 3TH	0	0	0	0	0	0	3594	0	157	3751
6 4F 3M3 3 3TF	0	0	0	0	0	0	286	0	23	309
6 4FZ 5 3FG7 3T	0	0	461	0	12	0	1244	0	70	1787
6 4T 4 3F 5 3F	0	0	35	0	0	0	31	0	0	66
6 5F 4 3F 7 2T	0	0	0	0	0	0	165	0	0	165
6 5F 5 3JF3 2F	0	165	810	215	1	0	293	0	0	1484
6 5FJ 7 5T	0	0	0	0	0	0	682	0	161	843
6 5FZ 5 3FG7 2T	0	0	0	0	0	0	200	0	0	200
6 5I 7 5I	0	0	0	0	0	0	119	0	51	170
6 5I 7 5T	0	0	0	51	0	0	1699	0	2	1752
6 5IF 5 3F 7 2T	0	0	170	73	0	0	30	0	0	273
6 5IF 7 5T	0	0	1330	0	0	0	0	0	0	1330
6 5JH 5 4FJ4 1FJ	0	0	1353	1	22	0	7082	0	257	8715
6 5TB 7 5TB	0	0	0	0	0	0	215	0	0	215
6 5TF 7 4T 5 1FZ	0	0	0	53	0	0	221	0	0	274
6 5Z 3M4 5 1Z	0	0	0	429	90	0	295	0	0	814

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 13

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 5ZJ 7 3T 4 2J	0	0	149	226	0	0	0	0	2	377
6 6BG 5 3FJ4 1F	0	0	0	0	0	0	1557	0	0	1557
6 6BJ 5 4FJ	0	0	102	161	0	0	3445	0	81	3789
6 6F 4 2I 7 2T	0	0	126	1	0	0	0	0	0	127
6 6F 7 4TR	0	0	0	0	0	0	474	0	0	474
6 6FZ 4 3F 5 1FZ	0	0	233	1925	56	0	3373	0	74	5661
6 6I 7 2I 6 2F	0	0	0	0	0	0	715	0	51	766
6 6I 7 4T	0	0	143	0	0	0	118	0	0	261
6 6IF 5 4FG	0	0	506	0	4	0	780	0	43	1335
6 6JR 5 4F	0	0	0	0	0	0	1936	0	140	2076
6 6Z 5 2IF4 2FT	0	262	395	493	62	0	56	0	0	1268
6 6Z 5 2IF7 2T	0	0	123	28	15	0	6	0	0	172
6 6Z 5 4TF	0	0	0	0	0	0	743	0	52	795
6 6ZF 3M4	0	0	0	0	0	0	121	0	13	134
6 6ZJ 5 2JF4 2J	0	0	102	0	0	0	0	0	0	102
6 7FB 6 3F	0	0	0	0	0	0	294	0	68	362
6 7FT 4 3FT	0	0	0	0	0	0	1028	0	96	1124
6 7IB 4 2F 5 1F	0	0	1134	347	0	0	2488	0	155	4124

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR, 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. : 3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 14

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 7Z 7 2T 5 1ZF	0	0	0	0	0	0	459	0	18	477
6 8F 5 2F1	0	0	0	0	0	0	476	0	64	540
6 8FJ 5 2F1	0	0	815	78	0	0	0	0	78	971
6 8FZ 3M2	0	0	0	0	0	0	1115	0	101	1216
6 8I 7 2T	0	0	0	103	0	0	1081	0	32	1216
6 8IF 7 2T	0	0	82	29	0	0	0	0	0	111
6 8IJ 5 2JF	0	0	130	77	83	0	3712	0	62	4064
6 8IJ 7 2T	0	0	258	0	39	0	112	0	0	409
6 8IT 7 1T 4 1I	0	0	608	0	113	0	149	0	12	882
6 8IF 3 1TF 5 1TF	0	0	0	0	0	0	822	0	165	987
6 8TF 6 2FJ	0	0	35	0	0	0	248	0	71	354
6 8Z 3M1 5 1FT	0	0	0	0	0	0	2429	0	19	2448
6 8Z 7 2T	0	0	0	0	0	0	324	0	0	324
6 8ZF 5 2FT	0	0	0	0	0	0	261	0	86	347
6 9I 5 1I	0	4	177	109	104	0	205	0	6	605
6 9I 7 1T	0	0	0	0	0	0	52	0	6	58
6 9IF 7 1T	0	0	0	106	0	0	183	0	0	289
6 9IJ 5 1TJ	0	5	1194	2901	0	0	1886	0	48	6034

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
6 9Z 5 1TF	0	0	0	0	0	0	1074	0	0	1074
6 9Z 7 1T	0	0	0	0	0	0	651	0	2	653
7 B	0	0	71	0	47	0	1	0	72	191
7 BF	0	0	0	0	0	0	174	0	175	349
7 FB	0	0	0	0	0	0	85	0	57	142
7 FG	0	0	215	0	0	0	135	0	135	485
7 IT	0	0	0	0	0	0	43	0	0	43
7 T	0	136198	640145	335179	48992	5033	1202306	104	36890	2404847
7 TB	0	0	390	92	0	0	4027	0	125	4634
7 TF	0	683	10074	3833	2317	116	252868	0	861	250752
7 TR	0	0	0	0	0	0	393	0	0	393
7 4T 4 3FG5 3FT	0	118	455	0	195	0	68	0	55	891
7 4T 4 3TF5 3G	0	0	31	46	0	0	296	0	0	373
7 4T 5 3I 6 3I	0	1	75	22	11	0	164	0	0	273
7 4T 5 3IF6 3IF	0	0	0	0	0	0	99	0	0	99
7 4T 5 3TF6 3TZ	0	0	0	116	0	0	707	0	0	823
7 4T 7 3I 6 3I	0	0	45	25	0	0	914	0	19	1003
7 5T 3M3 4 2T	0	638	485	421	55	0	78	0	0	1677

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS U	TOTAL
7 5T 5 3F 6 2F	0	0	0	0	0	0	591	0	62	653
7 5T 5 3F 6 2Z	0	0	0	0	0	0	233	0	0	233
7 5T 5 3F16 2ZF	0	0	0	6	0	0	656	0	10	672
7 5T 5 3IF6 2F	0	94	15	0	0	0	0	0	0	109
7 5T 5 3IF6 2FT	0	0	0	0	0	0	665	0	29	694
7 5T 5 3IF6 2T	0	6	250	59	17	0	0	0	0	332
7 5T 5 4F 4 1TI	0	0	3733	649	0	0	2865	0	0	7247
7 5T 5 58F	0	0	0	0	0	0	806	0	0	806
7 5T 6 3FJ5 2FJ	0	0	0	0	0	0	4323	0	213	4536
7 5T 6 3I 6 2F	0	0	0	34	0	0	191	0	0	225
7 5T 6 3Z 5 2F	0	0	1091	170	155	0	28	0	0	1444
7 5T 6 4J 5 1FT	0	0	0	0	0	0	2478	0	73	2551
7 5T 6 4J 5 1J	0	0	56	0	0	0	470	0	0	526
7 5T 6 4T 5 1J	0	0	0	1	0	0	166	0	0	167
7 5T 6 4TF5 1TF	0	0	147	1738	0	0	0	0	1267	3152
7 5T 6 5HF	0	0	0	0	0	0	795	0	0	795
7 6T 4 2TF6 2FH	0	79	1558	1464	241	254	0	0	340	3936
7 6T 5 2F16 2FZ	0	0	121	0	0	0	2063	0	128	2312

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 6T 5 2FJ6 2J	0	0	12385	552	307	0	24194	0	827	38265
7 6T 5 2J 4 2BJ	0	0	87	0	0	0	0	0	0	87
7 6T 5 2TR6 2T	0	0	0	0	0	0	1021	0	0	1021
7 6T 5 3F 6 1F	0	0	0	0	0	0	65	0	23	88
7 6T 5 3IF6 1IF	0	0	0	0	0	0	88	0	0	88
7 6T 5 4IF	0	0	0	0	0	0	433	0	181	614
7 6T 5 4J	0	0	0	0	0	0	274	0	0	274
7 6T 6 2FZ4 2F	0	354	2525	1336	32	0	3737	0	176	8160
7 6T 6 2ZR6 2JF	0	0	20340	179	1456	0	222423	0	6002	250400
7 6T 6 3FT5 1T	0	0	0	0	0	0	549	0	0	549
7 6T 6 3TF4 1TF	0	0	42	0	0	0	424	0	0	466
7 6T 6 3ZF5 1FZ	0	0	33	49	0	0	570	0	0	652
7 6T 6 4FJ	0	0	0	0	0	0	282	0	0	282
7 6T 6 4JF	0	0	0	0	0	0	309	0	0	309
7 6T 6 4TF	0	0	0	0	0	0	102	0	0	102
7 6T 7 4IR	0	0	148	0	0	0	0	0	0	148
7 6TB 6 4FJ	0	0	0	0	0	0	41656	0	8903	50559
7 7T 3M3	0	0	0	0	0	0	45	0	0	45

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
 BY DECOMPLEXED CLT CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
7 7T 4 2J 3 1J	0	0	0	0	0	0	208	0	0	208
7 7T 4 2TF3 1FT	0	0	1370	0	163	84	0	0	0	1617
7 7T 5 2HJ3 1JF	0	45	1013	766	88	0	159	0	0	2071
7 7T 5 2FT6 1F	0	0	0	0	0	0	2202	0	245	2447
7 7T 6 2FZ5 1FZ	0	0	0	0	0	0	1889	0	0	1889
7 7T 6 2I 6 1F	0	0	0	0	0	0	232	0	0	232
7 7T 6 2J 5 1F	0	0	0	0	0	0	824	0	0	824
7 7T 6 2JF5 1FJ	0	639	8797	1835	442	228	291837	0	12156	315934
7 7T 6 2Z 5 1TF	0	0	0	0	0	0	852	0	0	852
7 7T 6 2ZJ5 1FJ	0	1817	20243	1220	2331	965	239478	0	3000	269054
7 7T 6 3HF	0	0	0	0	0	0	10790	0	1563	12153
7 7T 6 3I	0	0	0	0	0	0	134	0	0	134
7 7T 6 3IF	0	0	0	384	0	0	43	0	0	427
7 7T 6 3T7	0	0	0	0	0	0	177	0	34	211
7 7T 6 3Z	0	576	23155	1326	973	144	173603	0	2673	202450
7 7TR 5 2BF6 1FB	0	0	0	0	0	0	982	0	0	982
7 7TB 6 2JRS 1JF	0	0	2767	0	4359	0	4255	0	1526	12707
7 7TB 6 2JF5 1JF	0	0	19681	1863	3925	0	12240	0	1401	39110

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 8I 7 2T	0	0	0	0	0	0	115	0	28	143
7 8T 3 1F 4 1F	0	0	0	0	0	0	1315	0	0	1315
7 8T 3 2FT	0	0	307	78	0	3	0	0	0	388
7 8T 3S1I 4 (JI	0	0	423	0	115	0	0	0	0	538
7 8T 4 1F 3 1F	0	0	141	90	0	0	0	0	0	231
7 8T 4 1I 6 1F1	0	0	30	0	0	0	0	0	0	30
7 8T 4 1TF5 1TF	0	384	4643	625	0	0	9262	0	256	15170
7 8T 4 2TF	0	20	4262	15	0	0	33	0	66	4396
7 8T 5 1BF6 1FZ	0	0	131	0	81	0	2034	0	339	2585
7 8T 5 1BF6 1JF	0	0	0	0	0	0	859	0	0	859
7 8T 5 1FG4 1J	0	0	56	0	486	0	111	0	72	725
7 8T 5 1FZ6 1FZ	0	0	0	0	0	0	1425	0	0	1425
7 8T 5 1IF6 1IF	0	0	0	0	0	0	338	0	0	338
7 8T 5 1TF6 1TF	0	0	0	0	0	0	777	0	0	777
7 8T 5 2F	0	0	0	0	0	0	106	0	63	169
7 8T 5 2JF	0	0	2852	580	153	0	29621	0	2121	35327
7 8T 6 1FZ5 1TF	0	0	5656	2145	64	0	189666	0	8508	206039
7 8T 6 1I 5 1IF	0	0	0	0	0	0	33	0	0	33

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 9	TOTAL
7 8T 6 1J 4 1JF	0	31	732	267	0	0	27	0	0	1057
7 8T 6 1J 5 1B	0	0	0	375	0	0	33	0	0	408
7 8T 6 1J 5 1F	0	0	139	0	0	0	131	0	0	270
7 8T 6 1J 5 1J	0	0	240	0	0	0	276	0	0	516
7 8T 6 1JRS 1JF	0	86	3794	436	0	0	14443	0	117	18876
7 8T 6 1Z 5 1F	0	0	8916	2021	0	0	68529	0	1036	80502
7 8T 6 2F	0	0	97	591	6	0	37782	0	2119	40595
7 8T 6 2I	0	0	4	7	0	0	583	0	0	594
7 8T 6 2IF	0	0	0	0	0	0	227	0	0	227
7 8T 6 2J	0	0	445	375	0	0	7727	0	479	9026
7 8T 6 2JF	0	0	0	0	0	0	1473	0	0	1473
7 8T 6 2Z	0	0	209	551	0	0	108525	0	675	109960
7 8T 6 2ZF	0	500	26604	7752	1098	0	144687	0	2336	182977
7 8T 6 2ZJ	0	0	45	44	0	0	31711	0	750	32550
7 8T 7 1TRS 1FG	0	0	4261	8422	165	0	5057	0	238	18143
7 8T 7 2TR	0	0	7391	294	1196	27	4448	0	477	13833
7 8TH 6 1FJ5 1FJ	0	0	0	0	0	0	70916	0	1727	72643
7 8TH 6 2BF	0	0	0	0	0	0	513	0	168	681

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

PROVINCE OF NOVA SCOTIA

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 9T 3M1	0	0	0	0	0	0	330	0	0	330
7 9T 4 1TF	0	0	116	342	0	0	11398	0	31	11887
7 9T 5 1FG	0	176	3377	384	1016	0	12565	0	63	17581
7 9T 5 1FJ	0	472	7486	4657	188	0	56263	0	2362	71428
7 9T 5 1IR	0	0	0	0	0	0	413	0	0	413
7 9T 5 1JF	0	0	2454	441	0	0	398	0	0	3293
7 9T 5 1JT	0	0	0	0	0	0	926	0	0	926
7 9T 5 1TF	0	2818	5152	2055	70	0	1710	0	56	11861
7 9T 5 1TG	0	0	0	0	0	0	6621	0	184	6805
7 9T 5 1TR	0	0	0	0	0	0	0	108	0	108
7 9T 6 1F	0	0	0	0	0	0	0	305	0	305
7 9T 6 1FJ	0	0	0	0	0	0	912	0	101	1013
7 9T 6 1I	0	0	0	0	0	0	170	0	0	170
7 9T 6 1J	0	0	0	0	0	0	505	0	0	505
7 9T 6 1JF	0	0	39	0	19	0	1932	0	0	1990
7 9T 6 1Z	0	1634	37493	7260	2264	0	52253	0	856	101760
7 9T 7 1FB	0	0	0	0	0	0	2722	0	286	3008
7 9T 7 1TB	0	0	317	0	136	0	114	0	28	595

LAND MANAGEMENT INFORMATION SYSTEMS

LANDS DIRECTORATE

ENVIRONMENT CANADA

DATA SOURCE : C.L.I. MAPS

DATE: MAR. 14/78

AGRICULTURE-WATERFOWL CROSS-TABULATIONS

REF. #3190019801

PROVINCE OF NOVA SCOTIA

PAGE: 22

LAND CAPABILITY FOR AGRICULTURE
BY DECOMPLEXED CLI CLASSIFICATION AND BY WATERFOWL CLASSIFICATION

IN HECTARES

	CLASS 1	CLASS 2	CLASS 3	CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8	CLASS 0	TOTAL
7 9TA 5 1F	0	0	0	232	0	0	1089	0	83	1404
7 9TA 6 1JR	0	0	28	0	0	0	10191	0	711	10930
7 9TF 6 1FT	0	0	0	0	0	0	376	0	72	448
8	0	42	139	29	6	0	359	0	0	575
8 B	0	252	4068	1177	263	0	2772	0	22	8554
8 2	0	145	2397	502	235	124	5368	155	85	9011
TOTAL	0	166316	982878	424407	82218	14325	3516042	862	116296	5303344

