

Environment Canada Imaging Cover Page

Report N.:



* C D S - 0 2 - 6 5 *

SKP Box Number: 672572447

COPY #1

CDS #2-65

DEPT. OF ENERGY, MINES & RESOURCES
INLAND WATERS BRANCH
GREAT LAKES DIVISION
519 PARKDALE AVENUE, NORTH
HAMILTON, ONTARIO.


TEMPERATURE NORMALS FOR MANITOBA

Monthly and annual normals of mean daily maximum, mean daily minimum, and mean daily temperature are shown on these Data Sheets for all stations with an appreciable length of record in the province over the period 1931 to 1960. In addition to the temperature data, each station carries a code number which refers to the way in which the normals have been calculated. An attached sheet gives the key to this code.

Users of these data are urged to advise Meteorological Branch Headquarters of any errors or omissions noted in the data. It is planned to publish a booklet on the new normals and extremes of temperature in Canada at a later date, and this preliminary listing provides an opportunity to apply any needed editorial corrections.

Similar Climatic Data Sheets are being issued containing new temperature normals for the other provinces. It is hoped that these will be issued within the next few months.

The temperatures are expressed in degrees Fahrenheit.



January 14, 1965

Climatology Division,
Meteorological Branch,
315 Bloor Street West,
Toronto 5, Ontario.

TYPE OF NORMAL

<u>CODE</u>	<u>DESCRIPTION</u>
1	Normals were computed directly from a period of record of 25 to 30 years within the period 1931 - 1960. In most cases the record existed over the full 30 years.
2	Same as Code 1, but not as much confidence has been placed in the data. These data were considered suspect, but the over all values are mapable.
3	The data for these normals were from the full ten-year period 1951 - 1960 adjusted to the standard normal period 1931 - 1960.
4	These averages are based on the complete ten years of record from 1951 to 1960. No adjustment factor was used.
5	These averages were obtained by taking a ten-year period of record, ending in the early 1960's. No adjustment factor was used.
6	These averages are based on the period of record of 10 to 24 years during the period 1931 to 1960. No adjustment factor has been used.
7	At several locations the observing station was moved from the town or city to an airport during the 1930's. At many of these locations the records were kept separate, but at those locations indicated by Code 7, the airport and town data were considered homogeneous. The resulting normals are based on the full 30-year period, from 1931 - 1960.
8	These data are based on the period of record of less than ten years.
9	These data are based on a period of record of less than ten years, but adjustments have been made when an unusually warm or cold month unduly influenced the average values.

3

Monthly and Annual Averages of Temperature (°F)

STATION	TYPE OF NORMAL	MONTHS												YEAR	ELEMENT	
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.			
MANITOBA																
ALTONA	3	*	*	*	39.2	54.0	63.1	68.8	66.0	55.0	43.6	*	*	*	MT	
	3	*	*	*	49.0	66.1	74.3	80.9	78.4	67.0	54.4	*	*	*	MX	
	3	*	*	*	29.4	41.9	51.9	56.7	53.6	43.0	32.8	*	*	*	MN	
BERENS RIVER	6	-4.7	-0.6	12.2	29.9	47.7	59.3	66.6	62.5	51.1	38.5	19.7	4.0	32.2	MT	
	6	5.0	10.2	24.6	38.4	58.9	69.9	76.9	72.5	59.6	46.1	26.7	12.0	41.7	MX	
	6	-14.3	-11.4	-0.2	21.4	36.5	48.7	56.2	52.5	42.5	30.8	12.6	-4.0	22.6	MN	
BIRTLE	1	-0.9	3.7	16.2	36.2	50.7	58.4	65.0	62.7	52.0	40.5	20.9	6.8	34.4	MT	
	1	7.1	13.3	26.2	46.5	63.0	70.0	77.4	75.3	64.0	51.5	28.3	14.4	44.8	MX	
	1	-8.8	-5.9	6.1	25.7	38.3	46.8	52.6	49.9	39.9	29.5	13.3	-0.9	23.9	MN	
BISSETT	6	-3.6	0.2	15.8	35.0	51.2	60.8	68.6	65.2	53.6	41.9	21.2	5.0	34.6	MT	
	6	7.6	13.7	29.7	46.2	62.1	70.3	75.7	73.3	63.3	50.5	28.0	13.7	49.1	MX	
	6	-14.7	-13.4	1.8	23.7	40.2	50.3	57.7	54.6	43.8	33.2	14.4	-3.8	24.0	MN	
BOISSEVAIN	1	*	*	*	37.6	51.3	59.7	67.2	64.3	53.6	43.3	*	*	*	MT	
	1	*	*	*	47.2	62.3	70.2	78.4	75.8	64.6	53.6	*	*	*	MX	
	1	*	*	*	27.9	40.3	49.2	55.8	52.8	42.5	32.9	*	*	*	MN	
BOISSEVAIN 2	3	3.4	7.5	19.6	38.6	52.5	60.5	67.3	64.7	54.4	43.4	24.6	12.1	37.4	MT	
	3	12.1	15.8	28.3	49.0	64.6	71.6	79.5	76.8	65.8	53.7	32.1	20.2	47.5	MX	
	3	-5.3	-0.8	10.9	28.2	40.4	49.4	55.1	52.6	43.0	33.1	17.1	4.0	27.3	MN	
BRANDON CDA	1	0.3	4.2	17.8	38.0	52.2	60.8	67.3	64.5	53.7	41.7	22.4	7.7	35.9	MT	
	1	9.5	14.8	27.9	49.2	65.0	72.6	80.5	77.7	66.5	53.6	30.7	16.9	47.1	MX	
	1	-8.9	-6.5	7.6	26.8	39.3	49.0	54.0	51.2	40.8	29.8	14.1	-1.4	24.7	MN	
BRANDON A	3	-0.6	3.5	17.4	37.1	51.3	59.9	66.8	64.1	53.3	40.9	22.0	7.2	35.2	MT	
	3	8.5	14.0	27.7	48.2	64.3	71.3	79.9	76.7	65.1	52.3	30.6	16.6	46.3	MX	
	3	-9.7	-7.0	7.1	26.0	38.3	48.5	53.7	51.5	41.5	29.5	13.4	-2.2	24.1	MN	
BROCHET	6	-20.1	-11.1	2.4	21.6	37.6	50.5	59.5	57.3	45.3	31.6	9.7	-9.4	22.9	MT	
	6	-11.1	-0.5	13.9	32.6	47.1	59.7	68.1	65.2	51.1	37.2	16.6	-0.9	31.6	MX	
	6	-29.0	-21.7	-9.1	10.6	28.1	41.3	50.9	49.3	39.4	25.9	2.8	-17.8	14.2	MN	
CAMP SHILO	8	0.5	3.5	17.5	38.4	52.1	61.3	67.6	65.2	53.1	42.0	22.3	9.9	36.1	MT	
	8	8.7	13.0	27.2	48.9	64.6	72.9	79.7	77.4	64.0	52.5	29.7	18.1	46.4	MX	
	8	-7.8	-6.1	7.7	27.8	39.6	49.6	55.6	53.0	42.1	31.5	14.8	1.6	25.8	MN	
CHURCHILL	6	-16.3	-15.3	-4.3	12.6	30.2	41.9	54.7	53.3	43.0	28.1	6.4	-9.1	18.8	MT	
	6	-9.5	-8.1	3.2	20.6	37.2	49.5	63.6	60.3	48.4	32.8	12.5	-2.6	23.7	MX	
	6	-23.0	-22.4	-11.8	4.5	23.0	34.3	45.7	46.2	37.5	23.4	0.2	-15.5	11.8	MN	
CHURCHILL A	6	-17.5	-15.6	-3.7	12.7	27.8	42.5	53.6	52.9	42.3	30.1	11.0	-7.5	19.1	MT	
	6	-10.6	-8.0	4.6	20.6	33.8	50.2	62.7	60.2	47.5	35.1	17.4	-0.1	26.1	MX	
	6	-24.4	-23.1	-11.9	4.7	21.8	34.7	44.5	45.6	37.0	25.1	4.5	-14.8	12.0	MN	
CYPRESS RIVER	3	1.9	4.6	18.0	38.3	52.2	61.3	68.0	65.7	54.2	41.9	23.1	10.1	36.6	MT	
	3	11.2	14.9	28.1	49.1	64.5	72.3	79.9	77.5	65.0	52.7	31.2	18.8	47.2	MX	
	3	-7.4	-5.7	7.9	27.5	39.9	50.3	56.1	53.9	42.8	31.1	15.0	1.4	26.0	MN	
DAUPHIN A	7	1.0	5.2	17.4	37.1	51.4	60.2	67.1	64.2	53.8	42.8	22.7	8.7	36.0	MT	
	7	9.4	14.9	27.1	47.3	63.5	71.5	79.0	76.2	64.8	52.8	30.1	17.0	46.1	MX	
	7	-7.4	-4.5	7.7	26.9	39.3	48.9	55.2	52.2	42.8	32.7	15.3	0.4	25.8	MN	
EMERSON	3	1.2	5.5	19.4	38.3	52.8	62.6	68.6	66.6	55.6	43.8	24.3	9.2	37.3	MT	
	3	9.3	14.6	28.8	49.2	66.4	74.5	81.1	78.7	67.1	54.5	31.8	17.0	47.7	MX	
	3	-6.9	-3.6	9.9	27.5	39.2	50.7	56.0	54.4	44.1	33.2	16.8	1.4	26.9	MN	
FLIN FLON	1	-6.9	-0.2	12.7	32.2	47.2	57.6	65.4	61.8	50.1	38.3	15.9	0.3	31.2	MT	
	1	0.8	8.9	23.1	42.0	57.8	66.9	74.7	70.5	57.8	45.7	21.7	6.7	39.7	MX	
	1	-14.5	-9.2	2.3	22.4	36.5	48.2	56.0	53.0	42.4	30.9	10.0	-6.1	22.7	MN	
GILLAM	6	-15.4	-10.3	3.3	20.9	36.6	49.7	58.7	56.0	44.5	32.6	11.1	-7.1	23.4	MT	
	6	-6.6	0.8	15.7	32.0	46.7	61.3	70.7	66.9	53.0	39.7	18.2	1.3	33.3	MX	
	6	-24.1	-21.4	-9.2	9.8	26.5	38.0	46.7	45.0	36.0	25.4	3.9	-15.4	13.4	MN	
GIMLI A	3	-1.1	3.4	16.2	36.3	50.3	60.3	67.0	64.1	53.8	42.2	23.0	7.2	35.2	MT	
	3	7.3	12.7	25.9	45.2	60.9	70.1	77.3	74.0	62.6	50.4	29.5	15.1	44.2	MX	
	3	-9.5	-5.9	6.5	27.4	39.7	50.5	56.7	54.2	45.0	34.0	16.5	-0.7	26.2	MN	
GODS LAKE	8	-11.8	-6.7	5.2	25.0	42.8	53.0	64.2	59.3	48.4	34.0	12.0	-3.0	26.8	MT	
	8	-3.7	2.8	15.9	35.4	52.7	61.7	72.9	66.9	55.2	39.3	17.6	4.4	35.1	MX	
	8	-19.9	-16.2	-5.4	14.7	32.8	44.2	55.4	51.7	41.7	28.6	6.5	-10.4	18.6	MN	

Monthly and Annual Averages of Temperature (°F)

STATION	TYPE OF NORMAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR	ELEMENT
GRAYSVILLE	2	1.0	6.2	19.3	38.3	52.4	61.8	68.4	65.4	54.6	42.5	24.0	9.6	37.0	MT
	2	8.7	14.6	27.7	48.5	65.3	74.1	81.3	77.8	66.8	52.7	30.9	16.5	47.1	MX
	2	-6.7	-2.3	10.9	28.1	39.4	49.5	55.4	59.0	42.4	32.3	17.0	2.6	26.8	NN
GREAT FALLS	1	-1.0	3.1	16.4	35.9	51.3	61.5	68.2	65.7	54.3	42.6	23.2	7.1	35.7	MT
	1	10.1	15.9	28.7	46.3	62.2	71.4	78.7	75.4	63.2	50.9	30.0	16.2	45.8	MX
	1	-12.0	-9.7	4.1	25.5	40.3	51.5	57.6	55.9	45.3	34.2	16.4	-2.0	25.6	NN
GREYNA	9	1.8	5.3	20.6	37.9	52.7	63.5	68.3	66.7	55.1	44.0	25.3	8.9	37.5	MT
	9	10.6	14.9	30.0	47.3	64.9	74.9	79.7	78.8	66.4	54.4	32.8	17.2	47.7	MX
	9	-7.1	-4.3	11.2	28.4	40.5	52.1	56.8	54.6	43.7	33.5	17.7	0.5	27.3	NN
HAMIOTA	1	-0.8	3.6	16.8	37.0	50.9	59.7	66.6	63.5	52.7	40.8	21.2	6.7	34.9	MT
	1	8.0	13.9	27.1	47.6	63.2	71.7	79.6	76.4	65.0	51.8	28.9	14.7	45.7	MX
	1	-9.6	-6.8	6.5	26.3	38.6	47.7	53.5	50.5	40.3	29.8	13.4	-1.3	24.1	NN
INDIAN BAY	1	-0.6	3.6	16.6	35.8	50.3	60.6	66.9	64.4	53.7	42.4	23.2	7.3	35.4	MT
	1	11.6	17.5	30.0	46.7	61.6	71.2	77.9	75.0	63.3	51.6	30.7	16.9	46.2	MX
	1	-12.7	-10.3	3.2	24.9	38.9	49.9	55.8	53.8	43.9	33.1	15.6	-2.3	24.5	NN
LYNN LAKE	8	-16.4	-6.3	4.1	24.7	42.0	53.6	60.2	56.8	44.4	33.4	10.8	-5.2	25.2	MT
	8	-7.7	3.8	16.4	36.1	53.1	64.3	70.9	66.7	52.0	40.7	18.3	3.6	34.9	MX
	8	-25.0	-16.3	-8.2	13.2	30.8	42.8	49.4	46.9	36.8	26.0	3.3	-13.9	15.5	NN
MACDONALD A	8	-0.1	7.7	18.3	38.2	50.9	61.2	67.0	64.6	53.3	43.9	25.4	10.0	36.7	MT
	8	8.6	17.3	27.5	48.0	62.4	71.7	78.0	76.0	63.9	54.3	32.9	18.0	46.6	MX
	8	-8.7	-1.9	9.0	28.4	39.4	50.6	55.9	53.1	42.6	33.5	17.9	1.9	26.8	NN
MELITA	6	2.0	3.2	17.9	38.6	51.7	59.9	66.7	64.7	54.1	43.3	23.4	10.7	36.5	MT
	6	12.6	16.3	28.4	50.9	65.6	72.7	80.3	78.4	67.7	56.4	33.0	20.8	48.6	MX
	6	-8.7	-6.0	7.3	26.3	37.8	47.1	53.0	51.0	40.4	30.2	13.8	0.6	24.4	NN
MINNEBOSA	6	1.6	4.2	17.2	37.7	50.6	58.6	65.8	62.6	52.2	40.6	22.0	8.4	35.1	MT
	6	11.3	14.4	27.1	47.6	63.3	70.2	78.3	75.4	64.5	51.6	30.1	17.6	46.0	MX
	6	-8.2	-6.0	7.3	27.7	37.8	47.0	53.3	49.7	39.8	29.5	13.8	-0.9	24.2	NN
MOOSEHORN	6	-3.3	1.5	13.6	34.6	50.3	59.1	66.0	63.8	53.0	41.5	21.1	5.9	33.9	MT
	6	6.5	12.2	24.7	44.7	62.1	69.7	77.0	74.7	63.3	50.9	28.9	14.6	44.1	MX
	6	-13.1	-9.2	2.4	24.4	38.5	48.4	55.0	52.8	42.6	32.1	13.3	-2.9	23.7	NN
MORDEN	3	3.0	7.8	20.9	39.3	53.7	63.3	70.1	67.3	56.6	44.3	25.2	11.2	36.6	MT
	3	12.2	17.2	30.3	49.8	65.6	74.2	81.7	78.8	67.6	49.6	33.2	20.4	48.8	MX
	3	-6.2	-1.6	11.5	28.8	41.8	52.4	58.5	55.8	45.6	39.0	17.2	2.6	28.4	NN
MORDEN CDA	1	2.9	7.7	20.6	39.0	53.3	62.8	69.5	66.9	56.4	44.3	24.8	10.9	38.3	MT
	1	11.1	16.5	29.4	49.3	65.7	74.3	81.9	79.2	67.8	54.5	31.9	18.6	48.4	MX
	1	-5.3	-1.2	11.7	28.7	40.9	51.2	57.1	54.6	44.9	34.1	17.6	3.2	28.1	NN
MORRIS	1	2.2	4.4	19.0	38.7	53.8	63.0	69.5	67.2	56.1	43.5	24.2	10.1	37.6	MT
	1	13.1	13.5	29.8	49.4	66.8	74.7	81.2	79.6	68.5	55.3	33.6	21.0	49.0	MX
	1	-8.7	-6.7	8.3	27.9	40.7	51.2	57.7	54.8	43.6	31.6	14.8	-0.9	26.2	NN
NEEPAWA A	3	0.2	4.3	17.2	36.8	50.9	60.4	66.3	64.1	53.6	41.8	22.6	8.7	35.6	MT
	3	8.9	14.0	26.5	46.7	62.7	71.0	77.8	75.4	64.1	51.8	30.4	17.1	45.6	MX
	3	-8.5	-5.4	7.9	26.9	39.1	49.8	54.8	52.8	43.1	31.8	14.8	0.3	25.6	NN
NINETTE	1	1.8	6.9	19.6	37.9	52.3	60.4	67.2	65.0	54.1	42.9	23.9	10.8	36.9	MT
	1	11.1	17.3	30.0	49.2	65.0	72.0	79.4	77.7	66.1	53.8	31.9	19.3	47.7	MX
	1	-7.5	-3.5	9.1	26.6	39.5	48.8	54.9	52.3	42.1	32.0	13.8	2.3	26.0	NN
NORWAY HOUSE	6	-9.7	-3.6	8.4	30.1	46.2	56.8	65.1	61.7	49.1	37.3	14.0	-0.3	29.6	MT
	6	0.2	8.3	21.0	41.4	57.8	68.0	76.0	72.5	58.7	45.5	21.5	8.9	40.0	MX
	6	-19.5	-15.5	-4.3	18.8	34.5	45.6	54.1	50.8	39.4	29.1	6.4	-9.0	19.2	NN
PIERSON	2	-0.1	4.1	17.9	38.5	52.6	60.6	67.4	64.8	54.3	41.6	22.2	9.2	36.1	MT
	2	9.9	14.5	28.0	50.1	65.9	72.9	81.0	78.5	68.2	54.2	31.7	18.5	47.8	MX
	2	-9.8	-6.4	7.7	26.9	39.3	48.2	53.7	51.1	40.4	28.9	12.7	-0.2	24.4	NN
PILOT MOUND PO	8	2.5	5.8	19.6	38.0	51.0	61.4	66.0	65.1	53.4	43.9	24.3	8.9	36.7	MT
	8	11.3	15.1	28.6	48.0	62.9	73.2	78.0	77.9	65.3	54.7	32.8	17.5	47.1	MX
	8	-6.3	-3.6	10.5	28.0	39.1	49.6	53.9	52.3	41.4	33.0	13.8	0.3	26.2	NN
PORTAGE LA PRAIRIE	2	2.3	7.5	18.9	38.1	53.1	62.5	69.2	66.3	55.0	43.5	24.4	9.3	37.5	MT
	2	10.9	17.1	28.5	48.1	64.9	73.4	80.7	78.0	65.5	53.2	30.8	16.9	47.3	MX
	2	-6.3	-2.1	9.2	28.0	41.3	51.5	57.6	54.5	44.5	33.8	18.0	1.7	27.7	NN
PORTAGE LA PRAIRIE A	6	3.3	7.7	18.9	37.9	51.0	61.1	67.9	65.7	53.8	44.9	25.2	12.1	37.5	MT
	6	11.2	16.9	28.0	47.1	61.8	71.3	78.8	76.7	63.8	54.5	31.6	20.1	46.8	MX
	6	-4.7	-1.5	9.7	28.7	40.1	50.9	57.0	54.6	43.8	35.2	18.8	4.1	28.1	NN

Monthly and Annual Averages of Temperature (°F)

STATION	TYPE OF NORMAL	MONTHS												YEAR	ELEMENT
		JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.		
RIVERS A	3	0.3	3.9	17.6	37.5	51.6	60.1	66.9	64.4	53.7	41.5	22.0	8.0	35.6	MT
	3	8.7	13.1	26.7	47.1	62.9	70.3	78.1	75.4	64.0	51.2	29.3	16.1	45.2	MX
	3	-8.1	-5.3	8.5	27.9	40.3	49.9	55.7	53.4	43.4	31.8	14.7	-0.1	26.0	MN
RUSSELL	2	-2.4	2.3	14.2	35.5	50.2	58.5	65.0	62.1	51.2	39.9	20.5	6.8	39.7	MT
	2	6.6	12.1	24.4	46.2	62.8	70.1	77.4	74.6	62.9	51.1	28.3	15.7	44.4	MX
	2	-11.5	-7.5	4.0	24.7	37.5	46.9	52.6	49.6	39.4	28.7	12.7	-2.1	22.9	MN
SEVEN SISTERS FALLS	3	0.0	4.3	17.0	36.4	50.6	60.9	67.8	65.0	54.3	42.8	23.5	7.9	35.9	MT
	3	10.1	15.6	29.0	46.4	62.2	71.2	78.6	75.9	64.0	51.9	31.0	16.2	46.0	MX
	3	-10.1	-7.0	5.0	26.4	39.0	50.6	57.0	54.1	44.6	33.7	16.0	-0.4	25.8	MN
SOURIS	1	2.9	6.6	19.2	38.4	52.6	61.2	67.6	64.4	53.3	41.5	23.0	9.3	36.7	MT
	1	11.9	17.5	30.1	49.8	65.9	73.5	80.7	77.3	65.6	52.8	31.5	18.4	47.9	MX
	1	-6.1	-4.4	8.3	26.9	39.3	48.8	54.4	51.4	41.0	30.2	14.5	0.2	25.4	MN
SPRAGUE	1	0.1	4.4	17.3	37.3	50.7	60.0	65.8	63.0	52.9	41.7	22.9	7.7	35.3	MT
	1	11.0	16.2	29.4	48.6	63.8	72.5	79.3	76.5	65.1	52.9	31.2	17.2	47.0	MX
	1	-10.8	-7.5	5.2	26.0	37.6	47.5	52.2	49.5	40.6	30.5	14.6	-1.9	23.6	MN
SWAN RIVER	3	*	*	*	35.9	51.3	59.4	65.6	63.3	52.0	40.2	*	*	*	MT
	3	*	*	*	46.5	63.7	71.5	78.1	75.3	63.1	50.7	*	*	*	MX
	3	*	*	*	25.3	38.9	47.3	53.1	51.3	40.9	29.7	*	*	*	MN
THE PAS	1	-7.0	-0.6	12.6	32.7	48.6	58.2	65.3	62.0	50.7	38.2	17.0	1.1	31.6	MT
	1	2.1	9.8	24.0	43.5	59.9	68.9	76.1	72.5	60.4	46.8	23.9	9.3	41.4	MX
	1	-16.0	-11.0	1.2	21.9	37.2	47.4	54.5	51.5	41.0	29.6	10.1	-7.2	21.7	MN
THE PAS A	3	-7.0	-0.8	11.5	31.5	47.6	57.0	64.8	62.0	50.6	38.0	17.8	1.8	31.2	MT
	3	1.6	9.6	23.1	41.6	58.2	67.2	75.0	71.8	59.3	46.1	23.7	9.8	40.6	MX
	3	-15.6	-11.2	-0.1	21.4	37.0	46.8	54.6	52.2	41.9	29.9	11.9	-6.2	21.8	MN
VIRDEN	1	*	*	*	38.2	52.3	60.7	67.8	64.8	53.5	40.1	*	*	*	MT
	1	*	*	*	49.5	65.0	72.4	80.6	77.6	66.1	53.0	*	*	*	MX
	1	*	*	*	26.8	39.6	48.9	54.9	52.0	40.9	27.2	*	*	*	MN
WABOWDEN	6	-10.5	-4.0	10.0	28.1	43.3	54.2	62.2	59.0	47.9	36.4	14.8	-3.1	28.2	MT
	6	-2.2	6.2	22.0	39.3	54.4	64.9	73.1	69.1	56.4	43.9	21.2	4.9	37.8	MX
	6	-18.8	-14.1	-2.1	16.9	32.2	43.4	51.3	48.8	39.3	28.9	8.3	-11.0	18.6	MN
WASKADA	6	2.7	6.4	19.5	39.8	52.9	60.6	68.0	65.4	55.0	42.8	23.7	9.9	37.2	MT
	6	13.2	17.6	29.9	50.9	66.5	73.3	82.1	79.8	69.3	55.7	33.3	19.9	49.3	MX
	6	-7.8	-4.9	9.1	28.7	39.2	47.8	53.8	51.0	40.6	29.9	14.0	-0.2	25.1	MN
WINNIPEG A	7	0.1	4.1	17.7	38.0	52.4	61.7	68.3	66.0	55.1	43.2	23.3	8.7	36.5	MT
	7	8.8	13.5	26.7	47.5	64.1	72.6	79.7	77.5	65.6	52.6	30.3	16.1	46.2	MX
	7	-8.6	-5.3	8.6	28.5	40.6	50.8	56.8	54.5	44.6	33.7	16.3	1.2	26.8	MN