



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

Notices to Mariners

Edition No. 08-2025
August 29, 2025



Safety First, Service Always

Monthly Summary of Temporary and Preliminary Notices

Canada 

Notices to Mariners – Monthly Summary of Temporary and Preliminary Notices
Edition No. 08-2025

Aussi disponible en français :

Avis aux navigateurs – Sommaire mensuel des avis temporaires et préliminaires
Édition n° 08-2025

Published under the Authority of:

Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, QC H2Y 2E7

For more information, contact DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca.

© His Majesty the King in Right of Canada,
as represented by the Minister of Fisheries, Oceans
and the Canadian Coast Guard, 2025.

Cat. No. Fs151-19E-PDF (Electronic PDF, English)
ISSN 2561-5106

Cat. No. Fs151-19F-PDF (Electronic PDF, French)
ISSN 2561-5114

A web version is available here:

<https://www.notmar.gc.ca/temp-pre-monthly> (English)

<https://www.notmar.gc.ca/temp-pre-mensuel> (French)

Explanatory Notes

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Explanation of Temporary and Preliminary Notices to Mariners

Certain Notices to Mariners appearing in the monthly editions have a (T) or (P) appended to the regular number. These letters indicate that the information contained in the notice is of a temporary or preliminary nature, respectively.

Temporary (T) Notices

If a temporary change in conditions affecting navigation exists and if the change will be effective for a period of over three months, a temporary (T) notice will be published. Temporary changes which are effective for periods of less than three months will not normally be published (unless it is of exceptional interest). Otherwise, information will be promulgated as a Navigational Warning (NAVWARN) by the Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre(s) in the affected area. (T) notices will be cancelled as necessary.

Please note that (T) notices with an end date will be automatically cancelled once the end date has passed. In the event of a change to these notices, a new Notice to Mariners will be issued.

Preliminary (P) Notices

- a. When important changes affecting navigation are to take place in the near future, a Notice to Mariners describing the change will be published, so that mariners will have advance information on the change. Such notices will be designated (P).
- b. When a change in conditions affecting navigation has taken place but full information is not available, a preliminary (P) notice giving available information will be published. This notice will be followed by a regular notice when complete information becomes available. The regular notice will cancel the (P) notice.
- c. When a change has taken place which is too complex to describe in a written notice, a (P) notice giving general information will be published. This notice will explain that follow up action will be taken to update charts by publishing patch corrections, new editions or new charts.

Please note that following the expiry of the 90-day comment or objection period, (P) notices describing proposed changes or intention to discontinue will be automatically cancelled. In the event of a change to these notices, a new Notice to Mariners will be issued.

Action Required on Receipt Of (T) & (P) Notices

It is not customary to make permanent corrections to charts and publications from (T) & (P) notices. On receipt of such notices, the information they contain should be noted in pencil on the affected charts and/or publications.

Caution

Mariners are reminded that charts and publications are not corrected from (T) & (P) notices when purchased from suppliers. For the list of charts affected by (T) & (P) notices, please refer to the index on page ii of this publication.

Table of Contents

Newfoundland and Labrador Coast 1

Temporary Notices

*306(T)/24	Larkin Point to / à Cape Anguille – Marine Works: Wharf Construction.....	1
*611(T)/24	Great St. Lawrence Harbour and / et Lamaline Harbour – Aid to Navigation Temporarily Discontinued	1
*719(T)/24	Burin Peninsula to / à Saint-Pierre – Waterway information	1
*1208(T)/24	Lark Harbour and / et York Harbour – Marine Works: Wharf Construction	2

Preliminary Notices

*606(P)/25	Hawkes Bay, Port Saunders, Back Arm – Aid to Navigation to be Discontinued	2
------------	--	---

Atlantic Coast 3

Temporary Notices

*207(T)/22	Port de Québec – Obstruction	3
*411(T)/22	Lac Saint-Pierre – Obstruction: Floating and Falling Debris	3
*809(T)/22	Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance	3
*1214(T)/22	Cap des Rosiers à/to Chandler – Obstruction: Sunken Barge and Excavator	3
*317(T)/23	Baie des Chaleurs / Chaleur Bay – Caution Concerning Aquaculture Sites	4
*509(T)/23	St. Marys Bay – Obstruction : Wreck.....	4
*710(T)/23	Port de Montréal – Waterway information – Mooring prohibited	4
*711(T)/23	Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings.....	5
*214(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported	5
*310(T)/24	Mouillages et Installations Portuaires/Anchors and Harbour Installations - Haute Côte-Nord – Marine Works: Wharf Construction.....	6
*1021(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth.....	6
*1118(T)/24	Port de Montréal – Shallow Depth Reported.....	7
*1119(T)/24	Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations.....	7
*1120(T)/24	Îles de la Madeleine – Obstruction :Submerged Object	7
*1121(T)/24	Îles de la Madeleine – Obstruction :Wreck.....	7
*1209(T)/24	Pointe des Monts aux/to Escoumins – Obstruction: Subsurface Moorings.....	7
*1210(T)/24	Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued	8
*410(T)/25	Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed.....	8
*512(T)/25	Baie des Sept-Îles – Marine Works: Wharf Construction.....	8
*513(T)/25	Port de Québec – Marine Works: Wharf Construction	8
*808(T)/25	Sorel-Tracy à/to Otterburn-Park – Obstruction : Repair Work	9

Preliminary Notices

*708(P)/25	St. Marys Bay – Fog Signal to be Discontinued.....	9
*709(P)/25	Sault-au-Cochon à/to Québec – Aid to Navigation to be Abandoned.....	10
*809(P)/25	Tadoussac à/to Cap Éternité – Aids to Navigation to be Abandoned	10
*810(P)/25	Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Aids to Navigation to be Abandoned.....	11

Inland Waters **12**

Temporary Notices

*814(T)/16	Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges....	12
*1219(T)/16	Toronto to/à Hamilton – Construction Operations	12
*309(T)/17	Pelee Passage to/à la Detroit River – Low Water Levels Reported	12
*709(T)/18	Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring	12
*1210(T)/20	Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established	13
*810(T)/21	Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation Temporarily Discontinued	13
*907(T)/21	Lac des Deux Montagnes – Missing Unlit Buoy	13
*108(T)/22	Lower Gap to/à Adolphus Reach – Construction Operations Frontenac II Ferry Dock.....	13
*413(T)/22	Detroit River – Waterway Information: Bridge Construction	14
*614(T)/22	Canal de la Rive Sud – Bridge Repair Work	14
*617(T)/22	Lac Saint-Louis – Aids to Navigation Temporarily Established	14
*109(T)/23	Port Hope Harbour – Dredging Operations	14
*917(T)/23	Hamilton Harbour – Waterway information - Procedure Changes	15
*216(T)/24	Canadian Coast Guard – Obstruction : Scientific Moorings.....	15
*313(T)/24	Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore – Waterway Information: Reduction of Capacity at Mooring Bollards	15
*728(T)/24	Toronto Harbour – Marine Works - Overhead Construction	15
*814(T)/24	Hamilton Harbour – Waterway Information – Shallow Depth Reported.....	15
*815(T)/24	Port of Thunder Bay – Obstruction – Lost Anchor	16
*910(T)/24	Kingston Harbour and Approaches/et les approches – Construction Operations	16
*1124(T)/24	Port of Thunder Bay – Waterway Information: Survey Results	16
*1212(T)/24	Nipigon Bay and Approaches/et les approches – Waterway Information: Shallow Depths Reported.....	17
*210(T)/25	Toronto Harbour – Construction Operations	17
*418(T)/25	Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings	18
*419(T)/25	Paallavik to/à Kangiqtuqaapik – Obstruction – Scientific Mooring.....	18
*420(T)/25	Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring	18
*421(T)/25	Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring.....	18
*422(T)/25	Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring.	18
*423(T)/25	Approaches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus	19
*515(T)/25	Croil Islands to/à Cardinal – Obstruction: Submerged Object	19
*516(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works: Pipeline Installation	19
*608(T)/25	Cobourg to/à Oshawa – Waterway Information: Shoal	19
*609(T)/25	Toronto Harbour – Marine Works: Underwater Construction	19
*610(T)/25	Georgian Bay / Baie Georgienne – Aids to Navigation Temporarily Established	20
*710(T)/25	Hamilton Harbour – Waterway Information: Shallow Depth Reported.....	20
*711(T)/25	Port of Thunder Bay – Obstruction: Submerged Object.....	21

*712(T)/25	Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported	21
*713(T)/25	Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported	21
*811(T)/25	Lac Saint-Louis – Marine works: Construction and Drilling Operations	21
*812(T)/25	Carleton Island to/au Charity Shoal – Obstruction: Submerged Object.....	22
*813(T)/25	Ottawa to/à Smiths Falls – Marine Works: Bridge Construction.....	22
*814(T)/25	Whitby Harbour – Marine Works: Dredging Operations.....	22
*815(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works.....	22

Preliminary Notices

*816(P)/25	Bay of Quinte – Buoys to be Discontinued.....	23
------------	---	----

Pacific Coast 24

Temporary Notices

No notices applicable for this edition.	24
--	----

Preliminary Notices

No notices applicable for this edition.	24
--	----

Other (T) & (P) Notices 25

Temporary Notices

*1105(T)/15	Canada – Safety of Offshore Exploration and Exploitation Vessels	25
*217(T)/24	Canadian Coast Guard – Obstruction : Scientific Mooring	25
*1027(T)/24	Canadian Coast Guard – Automatic Identification System (AIS)	25
*1215(T)/24	Canadian Coast Guard – Automatic Identification System Application Specific Messages (AIS ASM) Trial	26

Preliminary Notices

No notices applicable for this edition.	26
--	----

List of Charts Affected by (T) & (P) Notices

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1203	10	2020	23	4642	1
1220	8	2049	22	4654	2
1226	6	2053	14	4679	2
1236	7	2058	19	4682	1
1310	3, 4, 7	2060	12	4921	11
1312	3	2067	15, 20	4950	7
1313	5, 6, 7	2077	19, 22	4954	8
1316	3, 8	2085	15, 17, 19	6108	13
1317	10	2086	12	6274	21
1350	9	2123	12	6505	21
1429	14	2201	20	7000	18
1430	14, 21	2261	20	7053	18
1434	19	2291	20	7565	18
1439	22	2312	17	7661	13
1510	13	2314	16, 21	7665	18
1512	22	4118	4, 9	7668	18
2011	23	4244	8	7750	19
2016	23	4452	15	14853 (U.S.)	14
2017	12, 16	4485	3, 5		
2018	13	4486	4		
2019	23	4625	1		

Newfoundland and Labrador Coast

Temporary Notices

***306(T)/24 Larkin Point to / à Cape Anguille – Marine Works: Wharf Construction**

Reference chart: 4682

Wharf demolition and breakwater reconstruction operations underway in Codroy, NL at the following coordinates:

47° 52' 50.0"N 59° 23' 49.0"W

47° 52' 46.0"N 59° 23' 52.0"W

47° 52' 53.0"N 59° 24' 11.0"W

Caution.

(NW-N-0161-24)

***611(T)/24 Great St. Lawrence Harbour and / et Lamaline Harbour – Aid to Navigation Temporarily Discontinued**

Reference chart: 4642

The following aid to navigation is temporarily discontinued:

Aid Name	LL #	Position
St. Lawrence Wharf	73.1	46° 54' 59.1"N 55° 23' 20.8"W

(N2024-093T)

***719(T)/24 Burin Peninsula to / à Saint-Pierre – Waterway information**

Reference chart: 4625

The Canadian Armed Forces has confirmed the presence of high explosive containing aerial bombs of varying sizes at the sites of the shipwrecks of the USS Truxtun, near Lawn Point, and the USS Pollux, near Chambers Cove.

Positions: 46° 52' 42.1"N 055° 26' 26.2"W and 46° 52' 49.2"N 055° 29' 24.7"W

At this time the Canadian Armed Forces have determined that the health and safety risks associated with removal of these munitions are too great and in place detonation is not advisable.

Mariners are advised to keep a safe distance from these shipwrecks.

Caution.

(NW-N-0665-24)

***1208(T)/24 Lark Harbour and / et York Harbour – Marine Works: Wharf Construction**

Reference chart: 4654

Wharf reconstruction underway in Lark Harbour in the vicinity of 49° 06.069'N 058° 21.866'W.

Caution.

(NW-N-1171-24)

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: [DFO.CCGATLAidstoNavDiscont-
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLAidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

***606(P)/25 Hawkes Bay, Port Saunders, Back Arm – Aid to Navigation to be Discontinued**

Reference chart: 4679

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL #	Position
Back Arm North Wharf Light	211.81	50° 42' 27.7"N 057° 20' 55.2"W

Initial publication date: Friday, June 27, 2025

[Comment submission deadline](#): Thursday, September 25, 2025

(N2024-258)

Atlantic Coast

Temporary Notices

***207(T)/22 Port de Québec – Obstruction**

Reference chart: 1316

Power boat 6 metres in length reported sunk at 46° 43.830'N 071° 20.000'W.

(NW-Q-1348-21)

***411(T)/22 Lac Saint-Pierre – Obstruction: Floating and Falling Debris**

Reference chart: 1312

Floating and falling debris reported beneath the bridge located at 46° 04.783'N 073° 09.205'W. The bridge is marked with yellow buoys suspended at mid-height between the deck and the water level. Warning signs installed above.

(NW-Q-1266-19)

***809(T)/22 Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance**

Reference chart: 1310

Canadian Coast Guard Marine Communications and Traffic Services has been using all Canadian Hydrographic Service water-level stations for the calculation of passage authorizations in the Sorel–Montreal sector of the navigational waterway, namely Sorel, Contrecoeur, Varennes, Montreal-Frontenac and Montreal-Jetty No. 1.

In light of the particular features of the navigational waterway in the portion between buoys M84 (downstream of the municipality of Verchères) and M157 (opposite to the Port of Montreal, section 109) as well as the No. 1 Anchorage Pointe-aux-Tremble, it was agreed to adjust upward the available water column by 10 cm in this portion.

The minimum water column in this portion of the navigational waterway as per the Varennes hydrographic station, obtained after adjustment, will be used for the calculation of under-keel clearance.

(NW-Q-0776-22)

***1214(T)/22 Cap des Rosiers à/to Chandler – Obstruction: Sunken Barge and Excavator**

Reference chart: 4485

Sunken barge and excavator reported at 48° 35.1'N 064° 08.1'W. Barge is 18 metres by 7 metres.

(NW-Q-1709-22)

***317(T)/23 Baie des Chaleurs / Chaleur Bay – Caution Concerning Aquaculture Sites**

Reference chart: 4486

Vicinity	Positions	Description
Cascapedia Bay	48° 07' 10.7"N 066° 01' 18.2"W 48° 07' 31.1"N 066° 00' 30.8"W 48° 07' 00.8"N 065° 59' 59.9"W 48° 06' 39.7"N 066° 00' 47.0"W	Aquaculture site with non-compliant buoyage with surface and submerged equipment.
Cascapedia Bay	48° 07' 22.0"N 065° 55' 12.0"W 48° 07' 22.0"N 065° 53' 14.0"W 48° 06' 33.0"N 065° 53' 14.0"W 48° 06' 33.0"N 065° 55' 12.0"W	Aquaculture site with non-compliant buoyage with submerged equipment.
Cascapedia Bay	48° 05' 24.2"N 066° 01' 42.8"W 48° 06' 11.2"N 066° 00' 07.8"W 48° 05' 36.2"N 065° 59' 29.8"W 48° 04' 49.2"N 066° 01' 04.8"W	Aquaculture site marked with non-compliant buoyage with surface and submerged equipment.
Tracadigache Bay	48° 05' 12.0"N 066° 12' 02.6"W 48° 05' 12.0"N 066° 11' 00.0"W 48° 04' 30.0"N 066° 11' 00.0"W 48° 04' 30.0"N 066° 12' 02.6"W	Aquaculture site with temporarily non-compliant buoyage.

(NW-Q-0769-16, NW-Q-0770-16, NW-Q-0783-16, NW-Q-0789-16)

***509(T)/23 St. Marys Bay – Obstruction : Wreck**

Reference chart: 4118

Sunken 30 by 90 feet barge with 500 feet of tow line still attached at the following position:
44° 16' 24.9"N 066° 28' 44.9"W Caution.

(NW-M-0529-23)

***710(T)/23 Port de Montréal – Waterway information – Mooring prohibited**

Reference chart: 1310

Mooring indefinitely prohibited at section 31 of the Port of Montreal.

(NW-Q-0476-23)

***711(T)/23 Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings**

Reference chart: 4485

Six sub-surface scientific moorings established at:

48 37.390N 064 07.734W

48 43.925N 064 08.099W

48 41.868N 064 04.632W

48 39.987N 064 00.959W

48 38.023N 063 57.919W

48 36.274N 063 54.923W

Top float 24 metres below the surface.

(NW-Q-0662-23)

***214(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported**

Reference: Notice 313(T)/23 is cancelled (Chart 1313).

Reference chart: 1313

A shallower depth of 10.4 metres is located at the following positions:

46° 19.997' N 072° 32.698' W

46° 19.993' N 072° 32.675' W

46° 19.983' N 072° 32.682' W

46° 19.980' N 072° 32.703' W

46° 19.985' N 072° 32.718' W

A shallower depth of 10.6 metres is located at the following positions:

46° 19.978' N 072° 32.731' W

46° 19.979' N 072° 32.701' W

46° 19.970' N 072° 32.703' W

46° 19.971' N 072° 32.732' W

A shallower depth of 10.4 metres is located at the following positions:

46° 19.983' N 072° 32.785' W

46° 19.982' N 072° 32.747' W

46° 19.973' N 072° 32.752' W

46° 19.972' N 072° 32.768' W

46° 19.971' N 072° 32.792' W

(NW-Q-1338-23)

***310(T)/24 Mouillages et Installations Portuaires/Anchorages and Harbour Installations -
Haute Côte-Nord – Marine Works: Wharf Construction**

Reference chart: 1226

Wharf repair works are taking place daily between 1100 UTC and 2100 UTC at wharves 1, 2 and 3 of the Port-Cartier Harbour.

Barge and safety boat on site.

(NW-C-0316-24)

***1021(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth**

Reference chart: 1313

Shallow depths reported in the port of Trois-Rivières at the following coordinates:

Shallow depth of 10.4 metres located at Section 13:

- 46° 20.027'N 072° 32.614'W
- 46° 20.025'N 072° 32.608'W
- 46° 20.034'N 072° 32.597'W
- 46° 20.037'N 072° 32.603'W

Shallow depth of 10.0 metres located at Section 14 and a portion of Section 15:

- 46° 19.990'N 072° 32.795'W
- 46° 19.990'N 072° 32.738'W
- 46° 20.004'N 072° 32.672'W
- 46° 20.013'N 072° 32.648'W
- 46° 20.017'N 072° 32.765'W

Shallow depth of 10.3 metres located at Section 16:

- 46° 19.964'N 072° 32.795'W
- 46° 19.976'N 072° 32.785'W
- 46° 19.987'N 072° 32.738'W
- 46° 19.973'N 072° 32.740'W

Shallow depth of 10.2 metres located at Section 16:

- 46° 19.997'N 072° 32.789'W
- 46° 19.996'N 072° 32.766'W
- 46° 19.964'N 072° 32.795'W
- 46° 19.965'N 072° 32.821'W

Shallow depth of 10.5 metres located at Section 16:

- 46° 19.968'N 072° 32.704'W
- 46° 19.970'N 072° 32.745'W
- 46° 19.976'N 072° 32.741'W
- 46° 19.978'N 072° 32.695'W

Shallow depth of 10.2 metres located at Section 16:

- 46° 19.985'N 072° 32.706'W
- 46° 19.979'N 072° 32.699'W
- 46° 19.979'N 072° 32.677'W
- 46° 19.993'N 072° 32.660'W
- 46° 20.000'N 072° 32.688'W

Shallow depth of 10.2 metres located at Section 17:

- 46° 19.852'N 072° 32.772'W
- 46° 19.851'N 072° 32.768'W
- 46° 19.845'N 072° 32.774'W
- 46° 19.846'N 072° 32.775'W

Shallow depth of 10.5 metres located at Section 19:

- 46° 19.830'N 072° 32.785'W
- 46° 19.831'N 072° 32.787'W
- 46° 19.840'N 072° 32.780'W
- 46° 19.839'N 072° 32.778'W

Shallow depth of 10.6 metres located at Section 19:

- 46° 19.786'N 072° 32.824'W
- 46° 19.801'N 072° 32.813'W
- 46° 19.798'N 072° 32.809'W
- 46° 19.782'N 072° 32.819'W

Shallow depth of 10.5 metres located at Section 20:

- 46° 19.728'N 072° 32.874'W
- 46° 19.727'N 072° 32.870'W
- 46° 19.738'N 072° 32.859'W
- 46° 19.739'N 072° 32.864'W

(NW-C-1191, 1342, 1871, 1872-24)

***1118(T)/24 Port de Montréal – Shallow Depth Reported**

Reference chart: 1310

Shallower depth of 10,4 metres located at the following coordinates: 45° 30' 18.9"N 073° 32' 48.3"W.

(NW-C-1866-24)

***1119(T)/24 Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations**

Reference chart: 1313

Diving operations taking place in Port of Trois-Rivières Monday to Friday from 1100 UTC to 2100 UTC at wharf 17.

(NW-C-2820-24)

***1120(T)/24 Îles de la Madeleine – Obstruction :Submerged Object**

Reference chart: 4950

Rocks and dolosses have been located 7 metres from the pierhead of the southern breakwall at a depth of 2 metres at the following coordinates:

47° 23.304'N 061° 47.513'W

47° 23.301'N 061° 47.507'W

47° 23.308'N 061° 47.517'W

47° 23.299'N 061° 47.500'W

47° 23.298'N 061° 47.493'W

(NW-C-1877-24)

***1121(T)/24 Îles de la Madeleine – Obstruction :Wreck**

Reference chart: 4950

The vessel SS Corfu Island has been assessed as a hazard to public safety by Canadian Coast Guard under the *Wrecked, Abandoned or Hazardous Vessels Act*. The bow of the wreck is located on the beach at position 47° 20.813'N 061° 57.014'W and the wreck extends seaward in a southwesterly direction over 137.5 metres in length and 17.5 metres in width.

It is forbidden to access or climb it for any reason. Mariners are requested to keep a wide berth from the wreckage.

(NW-C-1861-24)

***1209(T)/24 Pointe des Monts aux/to Escoumins – Obstruction: Subsurface Moorings**

Reference chart: 1236

Subsurface scientific moorings temporarily established at the following coordinates:

Moorings E1: 48° 53.322'N 068° 06.180'W (depth of 319 metres)

Moorings W1: 48° 48.033'N 068° 23.991'W (depth of 355 metres)

(NW-C-1823-24)

***1210(T)/24 Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued**

Reference chart: 4244

The following aid to navigation is temporarily discontinued:

Aid Name	LL #	Position
Pinkneys Point Fog Signal	278.2	43° 42' 11.6"N 066° 03' 12.1"W

(F2024-060T)

***410(T)/25 Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed**

Reference chart: 4954

Wharf 406 of Grande-Entrée is closed. Pollution containment booms in place.

Stay clear. Minimum wake.

(NW-C-2172-24)

***512(T)/25 Baie des Sept-Îles – Marine Works: Wharf Construction**

Reference chart: 1220

Construction operations taking place daily on the Mgr-Blanche Dock. Barges, cranes and work boats on site.

Minimum wake and wide berth of 300 metres requested.

(NW-C-0623-25)

***513(T)/25 Port de Québec – Marine Works: Wharf Construction**

Reference chart: 1316

Wharf construction operations taking place in the vicinity of 46° 49.872'N 071° 09.994'W.

Minimum wake requested.

(NW-C-1155-25)

***808(T)/25 Sorel-Tracy à/to Otterburn-Park – Obstruction : Repair Work**

Reference chart: 1350

Repair work taking place during daylight hours Monday to Friday at the Turcotte Bridge since August 6, 2025. Barge and tug Jacques Arsenault are on scene. Navigation channel reduced to 25 metres and is marked and lit. Air draft reduced to 12 metres. Any vessels requiring the barge be moved to make passage under the bridge are required to give a 72 hours notice by e-mailing to m.poirier@pomerleau.ca or fanny.hebert@pomerleau.ca, and provide them with:

- Date and time of requested passage;
- vessel name and type;
- estimated speed of passage;
- length, beam, and draft of the vessel;
- their contact information.

All vessels transiting the area are requested to remain 3 metres away from the barge.

Minimum wake requested.

(NW-C-2410-25)

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,
Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region
P.O. Box 1000
50 Discovery Drive
Dartmouth, NS B2Y 3Z8
Telephone: (506) 636-4708
Email: DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca

***708(P)/25 St. Marys Bay – Fog Signal to be Discontinued**

Reference chart: 4118

The Canadian Coast Guard proposes to permanently discontinue the fog signal from the following aid to navigation:

Aid Name	LL #	Position
Cape St. Marys	241	44° 05' 09.2"N 066° 12' 39.6"W

The light and structure are to remain.

Initial publication date: Friday, July 25, 2025

[Comment submission deadline](#): Thursday, October 30, 2025

(F2025-010)

Central Region: St. Lawrence Sector

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent
Aids to Navigation & Waterways
Canadian Coast Guard, Central Region
1550 D'Estimauville Avenue
Québec, QC G1J 5E9
Telephone: (418) 648-7450
Emails:
St. Lawrence Region: DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca
Great Lakes Region:
DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca

***709(P)/25 Sault-au-Cochon à/to Québec – Aid to Navigation to be Abandoned**

Reference chart: 1317

The Canadian Coast Guard proposes to permanently abandon the following aid to navigation:

Aid Name	LL #	Position
Saint-François	1913	46° 59' 47.6"N 070° 48' 29.5"W

Initial publication date: Friday, July 25, 2025

[Comment submission deadline](#): Thursday, October 30, 2025

(Q2025-053)

***809(P)/25 Tadoussac à/to Cap Éternité – Aids to Navigation to be Abandoned**

Reference chart: 1203

The Canadian Coast Guard proposes to permanently abandon the following aids to navigation:

Aid Name	LL #	Position
Anse à l'Eau	1784	48° 08' 19.1"N 069° 43' 38.9"W
Anse du Portage	1784.5	48° 07' 36.6"N 069° 43' 49.6"W

Initial publication date: Friday, August 29, 2025

[Comment submission deadline](#): Thursday, November 27, 2025

(Q2025-063, 064)

***810(P)/25 Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Aids to Navigation to be Abandoned**

Reference chart: 4921

The Canadian Coast Guard proposes to permanently abandon the following aids to navigation:

Aid Name	LL #	Position
Chandler East	1392.7	48° 20' 28.1"N 064° 39' 29.5"W
Chandler front range	1395	48° 20' 49.5"N 064° 40' 24.6"W
Chandler rear range	1396	48° 20' 54.5"N 064° 40' 30.6"W

Initial publication date: Friday, August 29, 2025

[Comment submission deadline](#): Thursday, November 27, 2025

(Q2025-065 to 067)

Inland Waters

Temporary Notices

***814(T)/16 Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges**

Reference chart: 2060

There are 3 partially submerged fixed steel barges in North end of West Lake (43° 57' 02.3"N 077° 20' 12.8"W), which have been reported just below the water line.

Barges are marked with cautionary buoys.

(NOTSHIP C1641/14)

***1219(T)/16 Toronto to/à Hamilton – Construction Operations**

Reference chart: 2086

Construction operations taking place from November 14, 2016 until approximately 2026 at Lakeview Water Treatment Plant between Marie Curtis Park and Serson Creek. A variety of equipment will be used to expand the land mass along the shoreline. Landfill and 3 islands will be lit and marked.

(NOTSHIP C2533/16)

***309(T)/17 Pelee Passage to/à la Detroit River – Low Water Levels Reported**

Reference chart: 2123

Low water levels have been reported from the south end of the entrance to Sturgeon Creek Harbour northward.

Annette Winter
Project and Divestiture Officer
Small Craft Harbours
Fisheries and Oceans Canada

Canada Centre for Inland Waters (CCIW)
867 Lakeshore Road
Burlington, ON L7S 1A1
Telephone: (905) 315-5286
Email: annette.winter@dfo-mpo.gc.ca

(NOTSHIP C58/13)

***709(T)/18 Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring**

Reference: Notice 309(T)/14 is cancelled.

Reference chart: 2017

All mooring or anchoring within the public port of Kingston is prohibited outside of designated marina areas until further notice without authorization from the port official.

Inquiries are to be directed to Transport Canada at (416) 952-0475.

***1210(T)/20 Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established**

Reference: Notice 616(T)/07 is cancelled.

Reference chart: 7661

The unmanned mobile offshore drilling unit “SDC” continues to be temporarily established at 69° 24.71'N 138° 53.76'W. The structure is 202.4 metres long and 53 metres wide.

For information, contact Captain Connelly at 1-250-598-4513 or 1-250-744-9818 or e-mail at doncon@islandnet.com or dcmarine@shaw.ca.

***810(T)/21 Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation Temporarily Discontinued**

Reference chart: 6108

The following aids to navigation are temporarily discontinued:

Aid Name	LL #	Position
Noden Causeway East	1465	48° 39' 08.5"N 093° 18' 47.6"W
Noden Causeway West	1466	48° 39' 08.5"N 093° 18' 49.1"W

(D2021-026T, 027T)

***907(T)/21 Lac des Deux Montagnes – Missing Unlit Buoy**

Reference chart: 1510

The following unlit buoy is currently missing and will not be replaced before the 2022 navigation season:

Aid Name	LL #	Position
Chenal Saint-Placide buoy HJ17	6251.68	45° 31' 20.7"N 074° 12' 25.1"W

(NW-Q-1526-20)

***108(T)/22 Lower Gap to/à Adolphus Reach – Construction Operations Frontenac II Ferry Dock**

Reference chart: 2018

Construction operations are taking place daily during daylight hours at the Millhaven and Stella ferry docks. Temporary docks will be installed in the vicinity of the ferry docks. Docks will be marked with buoys and lit with amber lights.

(NW-C-2916-17)

***413(T)/22 Detroit River – Waterway Information: Bridge Construction**

Reference chart: 14853 (U.S.)

Bridge construction operations taking place in an area bounded by:

42° 17.200'N 083° 05.633'W

42° 17.183'N 083° 05.600'W

42° 17.067'N 083° 05.667'W

42° 17.000'N 083° 05.717'W

42° 17.017'N 083° 05.750'W

42° 17.100'N 083° 05.667'W

Unauthorized entry prohibited.

(NW-C-0151-22)

***614(T)/22 Canal de la Rive Sud – Bridge Repair Work**

Reference chart: 1429

Repair work in progress at the Honoré-Mercier Bridge (upstream) between Lasalle and Kahnawake. Bridge deck installed under the bridge span.

(NW-Q-1810-19)

***617(T)/22 Lac Saint-Louis – Aids to Navigation Temporarily Established**

Reference chart: 1430

Six yellow lighted buoys marking a 400 metres breakwater awash temporarily established at the following coordinates:

45° 20' 44.5"N 073° 50' 32.9"W	45° 21' 00.3"N 073° 50' 11.6"W
45° 20' 47.7"N 073° 50' 29.4"W	45° 21' 05.4"N 073° 50' 07.6"W
45° 20' 50.0"N 073° 50' 24.1"W	45° 21' 11.8"N 073° 50' 04.6"W

(NW-Q-0579-22)

***109(T)/23 Port Hope Harbour – Dredging Operations**

Reference: Notice 809(T)/18 is cancelled.

Reference chart: 2053

Dredging and wall repair operations in Port Hope Harbour. Entrance to the western basin is blocked. Caution.

***917(T)/23 Hamilton Harbour – Waterway information - Procedure Changes**

Reference: Notice *713(T)/23 is cancelled.

Reference chart: 2067

Since July 1st 2023, commercial vessels exiting the Hamilton Harbour are to provide advanced notice. Public Service and Procurement Canada is requesting four calls to the Bridge Master on VHF Channel 16:

A call 2 hours in advance of departure;

A call 1 hour in advance of departure;

A call when departing the pier;

A call when lining up in the canal.

(NW-C-1600-23)

***216(T)/24 Canadian Coast Guard – Obstruction : Scientific Moorings**

Scientific moorings established at position 71° 58' 01.2"N 095° 03' 52.8"W. Least depth 122.8 metres.

(NAVAREA XVIII 32/2011)

***313(T)/24 Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore –
Waterway Information: Reduction of Capacity at Mooring Bollards**

Reference chart: 4452

Capacity reduced to 10 metric tons for bollards B01, B10, B12, B14 and B17 and 20 metric tons for bollards B03 to B09, B11, B13, B15, B16 and B18 at Natashquan public wharf. Bollard B02 is still out of order.

(NW-C-0292-24)

***728(T)/24 Toronto Harbour – Marine Works - Overhead Construction**

Reference: Notice 415(T)/23 is cancelled (Chart 2085).

Position : 43° 37' 44.3"N 079° 25' 04.3"W

Overhead construction taking place in the North Marina of Ontario Place between West Island and East Island. Waterway closed to marine traffic.

***814(T)/24 Hamilton Harbour – Waterway Information – Shallow Depth Reported**

Reference chart: 2067

The southern section of the Pier 10 slip south of 43° 16' 26.1"N 079° 51' 01.9"W does not have the minimum seaway draft.

Mariners are to contact the Hamilton Harbour Master's office at 1 (905) 525-3412 to obtain soundings.

(NW-C-2395-23)

***815(T)/24 Port of Thunder Bay – Obstruction – Lost Anchor**

Reference chart: 2314

Anchor and chain lost at the following coordinates:

48° 19' 24.0"N 089° 09' 30.0"W

(NW-C-1623-24)

***910(T)/24 Kingston Harbour and Approaches/et les approches – Construction Operations**

Reference: Notice 1012(T)/20 is cancelled (Chart 2017).

Reference chart: 2017

Wharf construction is taking place daily from 1100 UTC to 2300 UTC at the Kingston-Wolfe Island ferry terminal. The ferry remains operational. Vessels are not permitted to dock on the south side. The construction area is marked by yellow buoys equipped with yellow flashing lights.

***1124(T)/24 Port of Thunder Bay – Waterway Information: Survey Results**

Reference chart: 2314

Post dredging survey reports depths in the navigable channel of the Mission River have been dredged to a minimum depth of 8.25 metres. The area is delimited by the following coordinates:

Pt 1: 48° 21.924'N 089° 13.938'W	Pt 15: 48° 21.852'N 089° 13.968'W
Pt 2: 48° 21.864'N 089° 13.920'W	Pt 16: 48° 21.864'N 089° 13.944'W
Pt 3: 48° 21.834'N 089° 13.908'W	Pt 17: 48° 21.888'N 089° 13.950'W
Pt 4: 48° 21.804'N 089° 13.902'W	Pt 18: 48° 21.948'N 089° 13.974'W
Pt 5: 48° 21.732'N 089° 13.860'W	Pt 19: 48° 21.984'N 089° 13.998'W
Pt 6: 48° 21.678'N 089° 13.812'W	Pt 20: 48° 22.044'N 089° 14.058'W
Pt 7: 48° 21.636'N 089° 13.758'W	Pt 21: 48° 22.068'N 089° 14.100'W
Pt 8: 48° 21.570'N 089° 13.656'W	Pt 22: 48° 22.092'N 089° 14.070'W
Pt 9: 48° 21.558'N 089° 13.674'W	Pt 23: 48° 22.062'N 089° 14.034'W
Pt 10: 48° 21.624'N 089° 13.776'W	Pt 24: 48° 22.008'N 089° 13.986'W
Pt 11: 48° 21.642'N 089° 13.800'W	Pt 25: 48° 21.972'N 089° 13.968'W
Pt 12: 48° 21.672'N 089° 13.836'W	Pt 26: 48° 21.966'N 089° 13.950'W
Pt 13: 48° 21.702'N 089° 13.884'W	Pt 27: 48° 21.930'N 089° 13.932'W
Pt 14: 48° 21.720'N 089° 13.920'W	

(NW-C-3060-24)

***1212(T)/24 Nipigon Bay and Approaches/et les approches – Waterway Information:
Shallow Depths Reported**

Reference chart: 2312

Shallow depths reported at the following coordinates:

48° 55.084'N 088° 12.705'W : 34.41 metres
48° 50.163'N 088° 07.517'W : 47.39 metres
48° 47.846'N 088° 05.353'W : 40.96 metres
48° 46.635'N 088° 05.030'W : 33.89 metres
48° 45.630'N 088° 05.071'W : 8.72 metres
48° 44.243'N 088° 05.666'W : 20.05 metres


(NW-C-1969-24)

***210(T)/25 Toronto Harbour – Construction Operations**

Reference chart: 2085

Reference: Notice 512(T)/23 is cancelled (Chart 2085).

Construction is taking place at Ashbridge's Bay and consists of the construction of two breakwaters and of a landform. A variety of equipment are being used, including tug boats and barges. Temporary aids to navigation are on site during construction. The operations are scheduled to take at the following positions:.



Breakwater construction operations

43° 39' 20.7"N 079° 18' 48.1"W

Phase 1: Completed

Phase 2: 2021-04-01 through 2025-05-31

Phase 3: 2021-04-01 through 2025-05-31

Landform construction operations

43° 39' 01.4"N 079° 19' 01.9"W

Implementation of the shoreline infill area is expected to take approximately five years.

Mariners are requested to keep out of the construction zone.

***418(T)/25 Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings**

Reference chart: 7000

Scientific subsurface moorings at the following coordinates:

Moorings A:	71° 37.87' N 157° 19.58'W	Top float 65 metres.
Moorings B:	71° 25.33'N 152° 44.10'W	Top float 77 metres.
Moorings C:	70° 50.09'N 146° 23.56'W	Top float 58 metres.
Moorings BGOS-A	75° 00.01'N 150° 00.00'W	Top float 30 metres. Depth of 3826 metres.
Moorings BGOS-D	73° 59.64'N 139° 58.95'W	Top float 30 metres. Depth of 3504 metres.
Moorings BGOS-B	77° 59.99'N 150° 00.00'W	Top float 30 metres. Depth of 3824 metres.

(NAVAREA XVII 77/2016, 4/2022)

***419(T)/25 Paallavvik to/à Kangiqtugaapik – Obstruction – Scientific Mooring**

Reference chart: 7053

Scientific subsurface mooring at position 69° 54.66' N 066° 48.42'W. Top float 221 metres.

(NAVAREA XVIII 56/2021)

***420(T)/25 Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring**

Reference chart: 7565

Scientific subsurface mooring at position 71° 08.07' N 070° 49.51'W. Top float 248 metres.

(NAVAREA XVIII 113/2022)

***421(T)/25 Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring**

Reference chart: 7665

Scientific subsurface mooring at position 70° 02.434' N 126° 18.404'W. Top float 223 metres.

(NAVAREA XVII 92/2019)

***422(T)/25 Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring**

Reference chart: 7668

Subsurface mooring at position 70° 42.59' N 117° 51.21'W. Top float 37 metres.

(NAVAREA XVIII 112/2021)

***423(T)/25 Approaches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus**

Reference chart: 7750

Oceanographic observatory installed. Cable on the sea floor at 69° 06.83' N 105° 03.58' W extends at a depth of 8 metres to an instrument platform at 69° 06.79' N 105° 03.86' W, then to a secondary hydrophone platform at 69° 06.75' N 105° 03.88' W, at a depth of 13 metres. The cable extends at a depth of 8 metres from the primary instrument platform to a secondary instrument tripod at 69° 06.78' N 105° 03.83' W. A rope with floats and weights extends approximately 42 metres southeast of the secondary hydrophone platform to an end point at 69° 06.73' N 105° 03.86' W.

(NAVAREA XVIII 127/2021, NW-A-0202-21)

***515(T)/25 Croil Islands to/à Cardinal – Obstruction: Submerged Object**

Reference chart: 1434

Lost anchor reported in the vicinity of 44° 56.391'N 075° 02.670'W.

(NW-C-0892-25)

***516(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works: Pipeline Installation**

Reference chart: 2077

Pipeline installation taking place daily until November 2025 during daylight hours south of RC Harris Water Treatment Plant. Barges and workboats on scene marked and lit at night.

(NW-C-0721-25)

***608(T)/25 Cobourg to/à Oshawa – Waterway Information: Shoal**

Reference chart: 2058

Increased silting reported in the area. Mariners are to call the Harbour Masters Office at 1 (905) 525-3412 to obtain up-to-date soundings of navigational channel.

(NW-C-3326-24)

***609(T)/25 Toronto Harbour – Marine Works: Underwater Construction**

Reference chart: 2085

Underwater construction operations taking place in the vicinity of Ashbridge Bay. Barges on site.

(NW-C-1628-25)

***610(T)/25 Georgian Bay / Baie Georgienne – Aids to Navigation Temporarily Established**

Reference: Notice 1024(T)/24 is cancelled.

Reference chart: 2201, 2261, 2291

Sixteen surface moorings and seventeen subsurface moorings temporarily established along the shoreline near Bruce Power at the following coordinates:

Surface Moorings		Subsurface Moorings	
(1)	44° 26.074'N 081° 30.777'W	(1)	44° 25.853'N 081° 31.208'W
(7)	44° 22.902'N 081° 34.027'W	(8)	44° 22.071'N 081° 34.958'W
(9)	44° 22.834'N 081° 32.405'W	(9)	44° 22.827'N 081° 32.396'W
(12)	44° 21.697'N 081° 34.525'W	(12)	44° 21.706'N 081° 34.456'W
(29)	44° 15.766'N 081° 37.561'W	(29)	44° 15.895'N 081° 37.454'W
(30)	44° 15.833'N 081° 36.704'W	(30)	44° 15.800'N 081° 36.698'W
(39)	44° 25.621'N 081° 30.117'W	(39)	44° 25.572'N 081° 30.102'W
(41)	44° 15.259'N 081° 37.026'W	(40)	44° 21.367'N 081° 34.154'W
(43)	44° 19.782'N 081° 36.669'W	(41)	44° 15.853'N 081° 37.019'W
(45)	44° 25.219'N 081° 29.427'W	(45)	44° 25.255'N 081° 29.432'W
(B)	44° 13.928'N 081° 37.388'W	(46)	44° 20.833'N 081° 33.944'W
(E)	44° 33.390'N 081° 19.969'W	(47)	44° 20.568'N 081° 34.039'W
(Spotter 1)	44° 17.618'N 081° 37.196'W	(ol1)	44° 45.389'N 081° 18.517'W
(Spotter 2)	44° 13.977'N 081° 38.237'W	(ol2)	44° 45.389'N 081° 18.510'W
(Spotter 3)	44° 26.459'N 081° 30.404'W	(ol3)	44° 45.321'N 081° 18.556'W
(Spotter 4)	44° 23.618'N 081° 32.166'W	(lyal1)	44° 57.377'N 081° 23.298'W
		(lyal2)	44° 56.731'N 081° 23.670'W

(NW-C-1671-25)

***710(T)/25 Hamilton Harbour – Waterway Information: Shallow Depth Reported**

Reference chart: 2067

Vessels transiting the East end of Hamilton Harbour are to use caution as the following area is not seaway draft.

43° 16.315'N 079° 47.353'W
43° 16.323'N 079° 47.324'W
43° 16.297'N 079° 47.263'W
43° 16.278'N 079° 47.336'W

Mariners are to call the harbour masters office at 1 (905) 525-3412 for the most recent soundings.

(NW-C-3449-24)

***711(T)/25 Port of Thunder Bay – Obstruction: Submerged Object**

Reference chart: 2314

Lost anchor reported in the vicinity of 48° 25.817'N 089° 09.633'W.

(NW-C-0603-25)

***712(T)/25 Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported**

Reference chart: 6274

Shallower depth of 90 centimetres located at 52° 58.444'N 100° 58.654'W.

(NW-C-1757-23)

***713(T)/25 Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported**

Reference chart: 6505

Shallower depth of 78 centimetres located at 50° 41.927'N 098° 42.258'W.

(NW-C-1756-23)

***811(T)/25 Lac Saint-Louis – Marine works: Construction and Drilling Operations**

Reference: Notice 413(T)/24 is cancelled (Chart 1430).

Reference chart: 1430

Ongoing construction and drilling operations are taking place in the vicinity of the Île-aux-Tourtes bridge. Barges and boats are on site.

Yellow cautionary buoys temporarily established under the bridge. The areas are delimited by the following coordinates:

Area 1:		Area 2:	
Pt 1:	45° 25.215'N 73° 59.337'W	Pt 1:	45° 25.258'N 73° 58.831'W
Pt 2:	45° 25.236'N 73° 59.094'W	Pt 2:	45° 25.266'N 73° 58.750'W
Pt 3:	45° 25.187'N 73° 59.081'W	Pt 3:	45° 25.216'N 73° 58.733'W
Pt 4:	45° 25.160'N 73° 59.426'W	Pt 4:	45° 25.211'N 73° 58.820'W

Lit steel pile installed at 45° 25' 15.4"N 73° 58' 58.0"W showing 2 metres above the surface.

Suspended platform installed at 45° 25' 14.0"N 73° 58' 44.0"W, reducing bridge clearance by 4 metres.

Minimum wake.

(NW-C-0336-24, 3106-24)

***812(T)/25 Carleton Island to/au Charity Shoal – Obstruction: Submerged Object**

Reference chart: 1439

Anchor fluke reported lost at 44° 05.110'N 076° 23.880'W.

(NW-C-2383-25)

***813(T)/25 Ottawa to/à Smiths Falls – Marine Works: Bridge Construction**

Reference chart: 1512

Construction operations taking place daily, 24 hours a day at the Patterson Creek Bridge. Buoys temporarily established between Pretoria Avenue Bridge and Bank Street Bridge.

(NW-C-1827-25)

***814(T)/25 Whitby Harbour – Marine Works: Dredging Operations**

Reference chart: 2049

Dredging operations taking place from Monday to Friday during daylight hours in Whitby Harbour. Barges and tugs on site monitoring channel 16. Equipment is marked and lit.

(NW-C-2247-25)

***815(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works**

Reference chart: 2077

Construction operations taking place daily 24 hours a day from August 15, 2025 until September 30, 2025 at the Toronto Hunt course. Dredges, barges, tug boats, construction equipment and sedimentation control structures will be on scene.

(NW-C-2550-25)

Preliminary Notices

Central Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent
Aids to Navigation & Waterways
Canadian Coast Guard, Central Region
1550 D'Estimauville Avenue
Québec, QC G1J 5E9
Telephone: (418) 648-7450
Emails:
St. Lawrence Region: DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca
Great Lakes Region:
DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca

***816(P)/25 Bay of Quinte – Buoys to be Discontinued**

Reference chart: 2011, 2016, 2019, 2020

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL #	Position
Trumpour Point light buoy Q	444	44° 04' 00.0"N 077° 05' 30.0"W
Belleville Harbour light buoy Q54	469	44° 08' 57.9"N 077° 22' 22.0"W
Bay of Quinte buoy Q18	7214	44° 10' 52.2"N 077° 04' 15.0"W
Bay of Quinte buoy Q29	7218	44° 09' 52.5"N 077° 06' 54.0"W
Bay of Quinte buoy Q30	7219	44° 09' 54.8"N 077° 06' 55.0"W
Bay of Quinte buoy Q56/2	7229.5	44° 08' 55.5"N 077° 22' 56.0"W
Bay of Quinte buoy QT1	7265	44° 05' 38.7"N 077° 34' 07.6"W
Bay of Quinte buoy QT2	7266	44° 05' 38.2"N 077° 34' 05.1"W
Bay of Quinte buoy QT3	7267	44° 05' 26.8"N 077° 34' 13.5"W
Bay of Quinte buoy QT4	7268	44° 05' 26.8"N 077° 34' 10.0"W
Bay of Quinte buoy QT8	7271	44° 05' 07.2"N 077° 34' 16.6"W
Bay of Quinte buoy QT9	7271.5	44° 04' 54.7"N 077° 34' 17.0"W
Bay of Quinte buoy QT10	7272	44° 04' 54.7"N 077° 34' 12.5"W
Bay of Quinte buoy QY1	7304	44° 06' 15.2"N 077° 31' 19.1"W
Bay of Quinte buoy QY2	7305	44° 06' 17.2"N 077° 31' 18.6"W
Bay of Quinte buoy QY4	7307	44° 06' 18.2"N 077° 31' 25.1"W

Initial publication date: Friday, August 29, 2025

[Comment submission deadline](#): Thursday, November 27, 2025

(B2025-028)

Pacific Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

Western Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

A/Superintendent, Marc Jourdenais
Aids to Navigation & Waterways
Canadian Coast Guard, Western Region
25 Huron Street
Victoria, BC V8V 4V9
Telephone: (250) 480-2602
Fax: (250) 480-2702
Email: marc.jourdenais@dfo-mpo.gc.ca

No notices applicable for this edition.

Other (T) & (P) Notices

Temporary Notices

***1105(T)/15 Canada – Safety of Offshore Exploration and Exploitation Vessels**

Reference: Notice 410(T)/2007 is cancelled.

2015 Annual Edition of Notices to Mariners, Notice No. 20, pages A20-1 to A20-4.

Mariners are advised that offshore exploration and exploitation vessels may be conducting drilling operations in the following areas:

Gulf of St. Lawrence

NIL

Mainland NWT

NIL

Mackenzie Delta NWT/Beaufort Sea

NIL

Arctic Islands of the NWT/Arctic Islands of Nunavut

NIL

Eastern Arctic Offshore

NIL

Davis Strait

NIL

NOTE: Mariners are advised to obtain up-to-date position reports on drilling vessels and production installations before entering an area of exploration and exploitation. This information is available by contacting, as appropriate, ECAREG CANADA, NORDREG CANADA or CVTS OFFSHORE via any Marine Communications and Traffic Services Centre (MCTS).

(NOTSHIP M2215/15) (NEB)

***217(T)/24 Canadian Coast Guard – Obstruction : Scientific Mooring**

Scientific mooring established at position 75° 06' 01.1"N 168° 00' 02.5"W. Top float 42 metres.

(NAVAREA XVII 30/2011)

***1027(T)/24 Canadian Coast Guard – Automatic Identification System (AIS)**

Reference: Notice *111(T)/23 is cancelled.

Mariners are advised that the Canadian Coast Guard (CCG) has brought AIS aids to navigation (AIS AtoN) to full operational capability.

Some AIS AtoN that were deployed in a testing capacity may either be maintained or discontinued at the discretion of CCG Regions, while those deployed outside established CCG levels of service may continue to be maintained in an experimental capacity. Changes to CCG aids to navigation are communicated via Notices to Mariners.

General information on AIS and AIS AtoN is available on the [CCG e-Navigation Maritime Information Portal](#) and in the [Canadian Aids to Navigation System](#). Specific information on deployed AIS AtoN is available on the [e-Navigation](#) website.

***1215(T)/24 Canadian Coast Guard – Automatic Identification System Application
Specific Messages (AIS ASM) Trial**

The Canadian Coast Guard (CCG) is testing Automatic Identification System Application Specific Messages (AIS ASM) nationwide. These broadcasts provide mariners on vessels with properly configured shipborne equipment with dynamic information such as water levels, weather, air gap, and a specific area or line displayed as a digitalized signal. A detailed listing of currently broadcasted Coast Guard AIS ASM is contained in the [interactive map](#) on the Canadian e-Navigation Portal. Additional information on AIS ASM may be found in IMO SN.1 Circ 289 [Guidance on the Use of AIS Application-Specific-Messages](#).

Please contact the manufacturer of your specific equipment for instructions on how to receive AIS ASM. Any questions or concerns related to the broadcast may be directed to the Coast Guard [e-Navigation Team](#) or any Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre.

Preliminary Notices

No notices applicable for this edition.