



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne



ATLANTIC COAST

List of Lights, Buoys and Fog Signals

2009

CANADIAN COAST GUARD
Maritime Services



Canada



LIGHTS, BUOYS AND FOG SIGNALS

ATLANTIC COAST

INCLUDING

THE GULF AND RIVER ST. LAWRENCE TO MONTRÉAL

2009

Canadian Coast Guard

MARITIME SERVICES

CORRECTED UP TO NOTICES TO MARINERS MONTHLY EDITION NO. 05 OF 2009

Cette publication est aussi disponible en français.



This publication is available from authorized Canadian Hydrographic Service (CHS) Chart Dealers. To obtain information on ordering, please contact:

Canadian Hydrographic Service
Client Services
615 Booth Street, Room 322
Ottawa, ON
Canada
K1A 0E6
Telephone: (613) 998-4931; 998-4932; 998-4933
Facsimile: (613) 998-1217
E-mail: chs_sales@dfo-mpo.gc.ca

or visit the CHS web site at:
<http://www.charts.gc.ca>
for dealer location and related information

This publication can also be downloaded from the Notices to Mariners Web site at <http://www.notmar.gc.ca>

© Minister of Fisheries and Oceans Canada 2007
Catalogue No. Fs151-9/2009E
ISBN No. 978-0-660-19879-8
Ottawa, Canada

(Aussi disponible en français)

**RECORD OF CHANGES TO THE LIST OF LIGHTS,
BUOYS AND FOG SIGNALS FROM MONTHLY EDITION
NOTICES TO MARINERS**

2009

6	9	12	
7	10		
8	11		

2010

1	4	7	10
2	5	8	11
3	6	9	12

2011

1	4	7	10
2	5	8	11
3	6	9	12

ATLANTIC COAST

INCLUDING

THE GULF AND RIVER ST. LAWRENCE TO MONTRÉAL

Regional Information

Maritimes Region

The lights in the Bay of Fundy and along the Southwestern and Eastern Coast of Nova Scotia, the Coast of Cape Breton Island, including the Bras d'Or Lakes, the Coast of Prince Edward Island, and along the Northumberland Strait, and Chaleur Bay to the Quebec Border, are exhibited the year round.

Exceptions to the aforementioned lights are:

- (a) Cape Enragé and Apple River, which show winter lights from January 10 to April 1.
- (b) Those lights listed as seasonal in the "Remarks" column of the List of Lights.

All other lights under the control of the Canadian Coast Guard are maintained in operation whenever navigation in the vicinity is open. In any case, where there is reasonable doubt whether the light is required, it is kept in operation.

Range lights on the north shore of Prince Edward Island and the east shore of New Brunswick are liable to be moved without notice to mark shifting channels.

All light buoys in the lower part of the Bay of Fundy west of a line drawn through Tufts Point on the New Brunswick shore east of Quaco Head, and Port Lorne light on the Nova Scotia shore; and on the south coast of Nova Scotia west of Liscomb, are maintained the year round.

Due to difficulties in maintaining buoys through the winter months as a result of freezing spray and drift ice and the buoys being displaced or set adrift, the lifting of buoys in the upper part of the Bay of Fundy and along the Nova Scotia Coast east of Liscomb, and Cape Breton Island including the Bras d'Or Lakes and in the Gulf of St. Lawrence and Northumberland Strait to the Quebec Border will commence by December 15 annually. Some of the buoys in Mahone Bay and the Bedford Basin are lifted beginning November 15 annually. A certain number of summer buoys are replaced by winter spar buoys. (Those buoys are indicated in the "Remarks" column of the List of Lights, Buoys and Fog Signals). Details on changes made to fixed and floating aids for the winter season are published every fall in a Notice to Shipping by the Maritimes Region and disseminated by means of a radio broadcast when changes occur.

Buoys marking the deep water channel to the Strait of Canso will remain on position unless otherwise advised by Notices to Shipping.

Some summer buoys are replaced by winter spar buoys.

Québec Region

The fixed lighted aids and fog signals are exhibited year round. Exceptions to the aforementioned lights are listed as "Seasonal" in the "Remarks" column of the List of Lights. Seasonal lights are maintained from April 1st to December 20th, except in Hudson Strait and Hudson Bay which are maintained from June 1st to December 1st.

All other lights under the control of the Canadian Coast Guard are maintained in operation whenever navigation in the vicinity is open.

Many fixed lighted aids whose main light remains permanently lighted are equipped with emergency lights that turn on automatically at night if the main light is not working. These emergency lights have a standard characteristic of group flashing (6)15s. Usually, they are visible up to five nautical miles (in dark nights, during favourable weather conditions). The List of Lights, Buoys and Fog Signals indicates which fixed lighted aids are equipped with these emergency lights.

Some range lights in restricted channels are equipped with a secondary light. This is a third light, which is neither the main light visible in line of range nor the emergency light: white (6) 15s, with a typical range of five nautical miles. The characteristics of this light are different from those of the main or emergency light. This secondary light (for reference or position) is often visible

over 360 degrees or for a given sector. Any Information concerning this light is available in the List of Lights, Buoys and Fog Signals.

Floating aids are seasonal. In the Fall, some summer buoys are replaced by winter spars. These buoys are listed as "Winter spar/Year round" or "Winter spar/Seasonal" in the "Remarks" column of the List of Lights.

In the small craft channels, some buoys are lifted, others remain in position. Being unwatched, these buoys may not necessarily be in their advertised position or display their normal characteristics. The following spring, a Notice to Shipping will broadcast the return of their normal operation.

Details on changes made to the aids to navigation are published in a *Notice to Shipping* broadcasted by the region and available on the Quebec Region Internet site (<http://www.marinfo.gc.ca>).

Cautions in the Use of Aids to Navigation

Most aids to navigation are not under continuous observation and mariners should be aware that, with the many thousands of aids in Canada, failures and displacements do occur. The Coast Guard does not guarantee that all aids to navigation will operate as advertised and be in the positions advertised at all times. Mariners observing lights out of operation, buoys, markers, etc., off charted position, damaged or missing are responsible for reporting such problems to the nearest Marine Communications and Traffic Services Centre or Coast Guard office.

Aids to navigation are subject to damage, failure or dislocation by ice or storms, to being struck by vessels or tows, and to power failures. Ice and storm damage may be widespread and require considerable time to repair. Isolated damage may exist for a long time without being discovered and reported. Floating aids and pier lights in or near the water which are exposed to particularly rigorous strain during ice movement are at the greatest risk of damage and therefore, added caution is recommended in such situations.

Mariners are cautioned that buoys may fail to exhibit their advertised characteristics. Lights may be extinguished or sound signals may not function due to ice, collisions, mechanical failure and, in the case of bell and whistle buoys, calm water. The shape of a buoy may be altered by ice formation or damage. The colour of a buoy may be altered by freezing spray, marine growth or fouling by birds.

Mariners are cautioned not to rely solely on buoys for navigation purposes. Navigation should be by bearings or angles from fixed shore aids or other charted landmarks and by soundings or through use of satellite or radionavigation systems whenever possible.

It is necessary to note that the buoy positions shown on government charts are to be considered only as approximate positions. There are a number of limiting factors in accurately positioning buoys and their anchors, such as prevailing atmospheric and sea conditions, tidal and current conditions, seabed conditions and the fact that buoys are moored to anchors by varying lengths of chain and water depth and may drift about their charted positions within the scope of their moorings.

Since moving ice is liable to move buoys from their advertised positions, mariners should exercise extreme caution under these circumstances.

Mariners are reminded that because of differences in horizontal datum (i.e. NAD 27, NAD 83) grids of charts of an area may vary from one chart to another. When plotting the positions of aids by the latitude and longitude method, the results should be checked against other available information.

In some instances where it is necessary to establish a buoy in close proximity to or on a navigational hazard, (i.e., shoal, reef or ledge, etc.) the buoy symbol may be off-set slightly on the chart in the direction of the preferred navigable water so that the existing hazard depicted on the chart will not be overprinted by the buoy symbol. Such off-sets will be indicated on the chart by means of an arrow.

Mariners are cautioned not to navigate too closely to a buoy and risk collision with it, its mooring or with the underwater obstruction which it marks.

Many lights are equipped with sun switches that turn the lights off in daylight. These lights, both on shore and on most buoys are unlit between sunrise and sunset. Mariners unable to see these lights during the daylight hours should not assume that the equipment is functioning abnormally.

At some lightstations, winter lights equipped with sun switches are operated when the main lights are decommissioned for the winter months. A winter light does not necessarily exhibit the same characteristics as the main light and has reduced intensity. The characteristics of a particular winter light and its season of operation are noted in the "Remarks" column of the *List of Lights, Buoys and Fog Signals*.

Atmospheric conditions can have a considerable effect on light transmission and the visibility of lights. For example:

- (a) The distance of an observer from a light cannot be reliably estimated from its apparent brightness.
- (b) At night it is difficult to distinguish between a white light and a yellow or blue light seen alone, except at a short distance.
- (c) Under some atmospheric conditions white lights may take on a reddish hue.
- (d) The detection of each alternating lights with phases of different luminous intensity may change their apparent characteristics at different distances because some phases may not be visible from a distance. The respective colour of a sector light could be detectable at different distance of the light. The nominal range of the light is of the colour showing the lowest range.
- (e) Weak lights are more easily obscured by conditions of low visibility than more powerful lights. Coloured lights are often of lower intensity than white lights and are more quickly lost under unfavourable circumstances.
- (f) During cold weather, and more particularly with rapid changes of weather, ice, frost or moisture may form on the windows of lantern houses, thereby greatly reducing their visibility and possibly causing coloured lights to appear white.
- (g) A light exhibiting a very short flash may not be visible at as great a range as a light exhibiting a longer flash.

The mariner should not rely solely on colour when using a sector light, but should verify the vessels line of position by taking a bearing on the light. On either side of the line of demarcation, between white and red and also between white and green there is always a small arc of uncertain colour.

When the arc of visibility of a light is cut off by sloping land, the bearing at which it disappears or appears will vary with the observer's distance and height of eye.

The sighting of a light may be adversely affected by a strongly illuminated background.

In view of the varying distances at which a fog signal can be heard at sea, and the frequent occurrence of fog near, but not observable from, a fog signal station, mariners are cautioned that:

- (a) While every endeavour will be made to start fog signals as soon as possible after signs of fog have been detected, they should not, when approaching the land in a fog, rely implicitly upon these fog signals, but should always take soundings, which, in nearly all cases, will give sufficient warning of danger.
- (b) They must not judge their distance from a fog signal by the power of the sound. Under certain atmospheric conditions the sound may be lost at a very short distance from the station, and these conditions may vary within very short intervals of time. Mariners should not assume that a fog signal is not in operation because they do not hear it even when in close proximity to it.

The visual aids to navigation (e.g. lights) provided by the Coast Guard are for the purpose of assisting marine navigation. Hunters, snowmobilers and ice fishermen are cautioned that aids to navigation installed for marine navigation purposes cannot be relied upon after the close of the marine navigation season. Such aids may stop operating without warning and will not be recommissioned by the Coast Guard until the next opening of marine navigation season.

ABBREVIATIONS AND EXPLANATIONS

POSITION AND DESCRIPTION OF AIDS

The positions of all aids listed in this volume refer to the largest scale Canadian Hydrographic Service chart.

Information on position, characteristic, colour, visible range, bearings, and arcs of visibility is intended for practical use in navigation. It should not be used as a basis for surveys or other work requiring a high order of precision.

The geographical positions of the lights are approximate. The bearings are true and are given from seaward, except for fog signals, in degrees from 000° (North) to 359°, measured clockwise (unless otherwise indicated).

Emergency changes are covered by *Notices to Shipping* and the operation of the aid restored to normal as soon as possible.

PRIVATE AIDS

Aids which are identified by the words "Privately Maintained" are not operated by Federal or Provincial government or agency. Since their quality of operation may not be maintained to Canadian Coast Guard standards, the user should satisfy himself that the service provided by these aids is adequate for his intended purposes.

LIGHT CHARACTERISTICS

A light's characteristic is composed of:

1. RHYTHM - the sequence of intervals of light and darkness
2. COLOUR the colour exhibited by the light
3. PERIOD - the time taken to complete one rhythm cycle (not applicable to fixed lights) e.g. a South Cardinal buoy light may display a characteristic of (Q(6) + LFI) W 15s - its rhythm, (Q(6) + LFI), is a group of 6 quick flashes followed by a single long flash its colour, W, is white the period of time this cycle is repeated 4 times per minute (every 15 seconds)

DAYMARKS

The Description column of the List of Lights describes the shape of daymarks for all lights. Should no shape of daymark be mentioned for range lights, it can be assumed that the daymarks are trapezoidal.

RADAR REFLECTORS

All lighted buoys reflect radar and thus radar reflectors on buoys are not mentioned in the "Remarks" column. Some shore lights have added radar reflectors to enhance their radar reflection and these are noted in the "Remarks" column.

THE CANADIAN AIDS TO NAVIGATION SYSTEM

The Canadian Aids to Navigation System is a combined Lateral-Cardinal system and conforms to the IALA (International Association of Lighthouse Authorities) Maritime Buoyage System, Region "B". Details of the Canadian aids to navigation system can be found in the publication "*The Canadian Aids to Navigation System*", available from any Coast Guard Regional office or CHS chart dealers.

RADAR BEACONS (RACONS)

Radar beacons (Racons) may be established at lighthouses, on buoys or at other specific charted locations ashore or afloat, to enhance identification and detection range of these features by radar. Some Racons operate only the X band 9320-9500 MHz, while others are dual bands X/S, "X" band plus "S" band of 2920-3100 MHz. It should also be noted that the slow sweep (SS) type of Racon will give a response every 72-120 seconds, while the frequency agile Racon (FAR) will respond more frequently. The Racon signal appears on the radar display as a line commencing at the approximate range of the Racon and extending outwards along its line of bearing from the ship toward the limit of the display. The signal displayed may be a solid line or it may be broken into a code consisting of a series of dots and dashes as shown in relevant publications.

Radiobeacons and Radar beacons (Racons) shown in this volume are indicated at the nearest light. Complete information may be obtained from the appropriate volume of the publication "*Radio Aids to Marine Navigation*".

DESCRIPTION OF COLUMNS

- Column 1 - Indicates light list number of each aid
- Column 2 - Name of aid
- Column 3 - Location
- Column 4 - Characteristic of light
- * Column 5 - Focal height in metres above water
- Column 6 - Nominal range
- Column 7 - Description, height in metres
- Column 8 - General remarks, fog signals and CHS No. of the largest scale chart of the area

NOTA

* Elevations are expressed in metres above Higher High Water Large Tides except in the St. Lawrence River west of Trois-Rivières, in the St. Lawrence Seaway, in the Great Lakes and in other Inland waters where they are expressed in metres above chart datum.

ABBREVIATIONS AND EXPLANATIONS

NOMINAL RANGE

The nominal range of a light used as an aid to marine navigation is its luminous range in a homogeneous atmosphere in which the meteorological visibility is 10 nautical miles.

INTERNATIONAL NUMBERS

An international reference number is shown in *italics* under the regular List of Lights number against certain lights considered to be of international significance. The purpose of these numbers is to provide an easy method of identifying the lights when reporting by wireless, defects or changes in their advertised characteristics.

When reporting on lights, which do not have an international reference number, mariners are requested to identify them by List of Lights number and the name of the volume.

Canadian "*Notices to Mariners*" published monthly contain information which should be used to correct *Lists of Lights, Buoys and Fog Signals, Radio Aids to Marine Navigation, Sailing Directions* and Canadian charts. These notices may be obtained free on request to:

Leader, Notices to Mariners
Aids to Navigation
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

OR

<http://www.notmar.gc.ca>

ERRORS

Any error or omission which is detected herein should be immediately communicated to:

Leader, Notices to Mariners
Aids to Navigation
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

FAILURE OF AIDS TO NAVIGATION

Mariners are requested to immediately report any failure of a marine aid to navigation to the nearest Marine Communications and Traffic Services Centre or Coast Guard office (see the following pages) or to:

Leader, Notices to Mariners
Aids to Navigation
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

ABBREVIATIONS AND EXPLANATIONS

CAUTION

New nomenclature and abbreviations for light flash characters have been introduced below. New abbreviations only are shown in the main body of this publication. Since changes in the abbreviations on hydrographic charts can only be accomplished over a number of years, mariners should refer to this table when relating light character information on the charts to that contained herein.

LIGHTS

	INTERNATIONAL	OLDER FORM	DESCRIPTION	
A	FIXED	F	F	A light which appears continuous.
B	DIRECTION			A light illuminating a sector of very narrow angle and intended to mark a direction to be followed.
C	RANGE LIGHTS			Two or more lights associated to form one or more leading lines (or ranges). A leading line defined by two such leading lights is called the axis of the lights.
D	SECTOR			A light presenting different characters (usually different colours) over various parts of the horizon of interest to marine navigation.
E	RHYTHMIC			A light showing intermittently with a regular periodicity.
	Flashing	Fl	Fl.	A light in which the flash is clearly shorter than the duration of darkness (eclipse) and in which the flashes of light are all of equal duration.
	Group-Flashing	Fl(3)12s	Gp.Fl.	Flashing light in which the flashes are combined in groups, each group including the same number of flashes, and in which the groups are repeated at regular intervals. The eclipses separating the flashes within each group are of equal duration and this duration is clearly shorter than the duration of the eclipse between two successive groups.
	Composite Group-Flashing	Fl(2+1)		A light similar to a group-flashing light except that successive groups in a period have different numbers of flashes.
	Equal-Interval (Isophase)	Iso	E.Int.	A light in which the alternations of light and darkness are of equal length.
	Occulting	Oc	Occ.	A light in which the flash is clearly longer than the duration of darkness (eclipse) and in which the intervals of darkness are all of equal duration.
	Group-Occulting	Oc (2) 20 s	Gp.Occ.	Occulting light in which the occultations are combined in groups, each group including the same number of occultations, and in which the groups are repeated at regular intervals. The intervals of light separating the occultations within each group are of equal duration and this duration is clearly shorter than the duration of the interval of light between two successive groups.
	Quick-Flashing	Q	Qk.Fl.	A light exhibiting rapid regular alternations of light and darkness.
	Very Quick	VQ		A light exhibiting very rapid regular alternations of light and darkness.
	Interrupted Quick-Flashing	IQ	Int.Qk.Fl.	Quick-flashing light in which the rapid alternations are interrupted at regular intervals by eclipses of long duration.
	Morse Code	Mo(A)	(Mo.A.)	A light in which flashes of different duration are grouped in such a manner as to reproduce a Morse character.
	Long Flash	LFl		A light exhibiting a flash of an extended period repeated at regular intervals.
F	ALTERNATING	Al	Alt.	A rhythmic light showing light of alternating colours.

ABBREVIATIONS AND EXPLANATIONS

ABBREVIATIONS

N	North	W	white
S	South	R	Red
E	East	G	Green
W	West	Y	yellow
m	Metre(s)	Bu	Blue
S	Second(s)	(U.S.)	United States
		(Fr.)	France

COMMON LIGHT FLASH CHARACTERS

In Canada, many fixed aids and all lighted buoys are equipped with lights that exhibit the following common flash characters. The publication "The Canadian Aids to Navigation System" gives detailed descriptions of all the characteristics of Aids to Navigation used in Canada.

Name	Description	Light Flash Characteristics
Flashing	A light in which a 0.5 second flash is regularly repeated at a rate of 15 flashes per minute (one flash every 4 seconds) .5 sec. flash, 3.5 sec. eclipse	Fl 4s
Quick Flashing	A light in which a 0.3 second flash is regularly repeated at a rate of 60 flashes per minute (one flash every second) .3 sec. flash, .7 sec. eclipse	Q 1s
Very Quick Flashing	A light in which a flash is regularly repeated at a rate of 120 flashes per minute (a flash every 1/2 second) .2 sec. flash, .3 sec. eclipse	VQ .5s
Morse "A"	A light in which a 0.3 second flash is followed by a 0.6 second eclipse then one second long flash repeated at a rate of 10 times per minute (every 6 seconds) 0.3 sec. flash; 0.6 sec. eclipse 1.0 sec. flash; 4.1 sec. eclipse	Mo (A) 6s
Long Flash	A light in which a flash of 2 seconds duration is repeated at a rate of 6 flashes per minute (one flash every 10 seconds) 2.0 sec. flash; 8.0 sec. eclipse	LFI 10s
Group Flashing(2)	A light in which a group of 2 flashes is regularly repeated 12 times per minute (every 5 seconds) 0.4 sec. flash; 0.6 sec. eclipse 0.4 sec. flash; 3.6 sec. eclipse	Fl (2) 5s
	A light in which a group of 2 flashes is regularly repeated 6 times per minute (every 10 seconds) 1.0 sec. flash; 1.0 sec. eclipse 1.0 sec. flash; 7.0 sec. eclipse	Fl(2) 10s
Composite Group Flashing	A light in which a group of 2 flashes is followed by a single flash, the whole sequence being regularly repeated 10 times per minute (every 6 seconds) 0.3 sec. flash; 0.4 sec. eclipse 0.3 sec. flash; 1.2 sec. eclipse 0.3 sec. flash; 3.5 sec. eclipse	Fl(2 +1) 6s

Name	Description	Light Flash Characteristics
Composite Group Flashing	A light in which a group of 2 flashes is followed by a single flash, the whole sequence being regularly repeated 6 times per minute (every 10 seconds)	FI(2 + 1) 10s
	0.5 sec. flash; 0.7 sec. eclipse	
	0.5 sec. flash; 2.1 sec. eclipse	
	0.5 sec. flash; 5.7 sec. eclipse	
Group Quick Flashing(3)	A quick flashing light in which a group of 3 flashes is regularly repeated 6 times per minute (every 10 seconds)	Q(3) 10s
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 7.7 sec. eclipse	
Group Very Quick Flashing(3)	A very quick flashing light in which a group of 3 flashes is regularly repeated 12 times per minute (every 5 seconds)	VQ(3) 5s
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 3.8 sec. eclipse	
Group Quick Flashing(6) plus Long Flash	A light in which a group of 6 quick flashes is followed by a single long flash; the whole sequence being regularly repeated 4 times per minute (every 15 seconds)	(Q(6) + LFI) 15s
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	2.0 sec. flash; 7.0 sec. eclipse	
Group Very Quick Flashing(6) plus Long Flash	A light in which a group of 6 very quick flashes is followed by a single long flash, the whole sequence being regularly repeated 6 times per minute (every 10 seconds)	(VQ(6) + LFI) 10s
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	2.0 sec. flash; 5.0 sec. eclipse	
Group Quick Flashing(9)	A quick flashing light in which a group of 9 flashes is regularly repeated 4 times per minute (every 15 seconds)	Q(9) 15s
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 0.7 sec. eclipse	
	0.3 sec. flash; 6.7 sec. eclipse	
Group Very Quick Flashing(9)	A very quick flashing light in which a group of 9 flashes is regularly repeated 6 times per minute (every 10 seconds)	VQ(9) 10s
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 0.3 sec. eclipse	
	0.2 sec. flash; 5.8 sec. eclipse	

Name	Description	Light Flash Characteristics
Group Flashing(5)	<p>A light in which a group of 5 flashes is regularly repeated 3 times per minute (every 20 seconds)</p> <p>0.5 sec. flash; 1.5 sec. eclipse 0.5 sec. flash; 1.5 sec. eclipse 0.5 sec. flash; 1.5 sec. eclipse 0.5 sec. flash; 1.5 sec. eclipse 0.5 sec. flash; 11.5 sec. eclipse</p>	Fl(5) 20s
Isophase	<p>A light in which the alterations of light and darkness are of equal length</p> <p>1.0 sec. flash; 1.0 sec. eclipse</p>	Iso 2s
Isophase	<p>A light in which the alterations of light and darkness are of equal length</p> <p>2.0 sec. flash; 2.0 sec. eclipse</p>	Iso 4s
Isophase	<p>A light in which the alterations of light and darkness are of equal length</p> <p>3.0 sec. flash; 3.0 sec. eclipse</p>	Iso 6s

TABLE OF DISTANCES

Table of Distances at which objects can be seen at sea, according to their respective elevations and the elevation of the eye of the observer.

CONVERSION TABLE FOR HEIGHTS AND DISTANCES

In metres to feet

Height in Metres	Distances in Nautical Miles	Height in Metres	Distances in Nautical Miles
2	2.9	40	13.1
3	3.6	45	13.9
4	4.2	50	14.7
5	4.6	55	15.4
6	5.1	60	16.1
7	5.5	70	17.4
8	5.9	80	18.6
9	6.2	90	19.7
10	6.6	100	20.8
12	7.2	120	22.8
14	7.8	140	24.6
16	8.3	160	26.3
18	8.8	180	27.6
20	9.3	200	29.4
25	10.4	250	32.9
30	11.4	300	36.0
35	12.3	350	38.9
		400	41.6

Metres	Feet
1	3.2
2	6.5
3	9.8
4	13.1
5	16.4
6	19.6
7	22.9
8	26.2
9	29.5
10	32.8
20	65.6
30	98.4
40	131.2
50	164.0
100	328.0
200	656.1
300	984.2
400	1,312.3
500	1,640.4
1,000	3,280.8
2,000	6,591.6

Example:

An observer whose eye is 12 metres above the water can see a light having an elevation of 40 metres above the water at a distance:
 $7.2 + 13.1 = 20.3$ nautical miles.


1 NAUTICAL MILE = 1852 metres

Note:

The following conversion factors may also be of assistance:

- a) multiply feet by 0.3048 to obtain metres
- b) divide metres by 0.3048 to obtain feet

NOMINAL RANGE DIAGRAM




The light list in column 7 gives the nominal range of each lightstation optic where there is sufficient light to be seen 2 nautical miles or more when the meteorological visibility is 10 nautical miles.

When the mariner obtains the meteorological visibility from the weather report he can find the distance the light can be seen at night from the nominal range diagram.

Example: The light list gives the nominal range 16 nautical miles. The weather report gives the meteorological visibility 2 nautical miles. The point on the bottom of the diagram marked 16 is followed upwards until it intersects the curve marked 2 nautical miles. Follow that height horizontally to the left margin to find that the visibility of the light is 5 nautical miles.

Caution: The nominal range diagram is correct when the meteorological visibility is the same in the whole of the distance between the ship and the lighthouse. Conditions occur when this may not be true.

NOMOGRAM



By using the above Nomogram a geographical range can be determined by placing a straightedge against the height of the respective light and the height of the observer above water level.

CANADA

AIDS TO NAVIGATION PROTECTION REGULATIONS

- 1 These Regulations may be cited as *the Aids to Navigation Protection Regulations*.
- 2 In these Regulations *aid to navigation* means a buoy, beacon, lighthouse, lightship or any other structure or device installed, built or maintained for the purpose of assisting the navigation of vessels.
- 3(1) The person in charge of a vessel or tow that runs down, moves, damages or destroys an aid to navigation shall report the fact as soon as is practicable to the nearest Regional Director General or Superintendent, Aids to Navigation of the Canadian Coast Guard, Department of Fisheries and Oceans.
- (2) Every person who fails to comply with subsection (1) is liable to a fine of \$200.


Criminal Code

- 4 Section 439 of the *Criminal Code of Canada* provides:
 - * 439.(1) Everyone who makes fast a vessel or boat to a signal, buoy or other seamark that is used for purposes of navigation is guilty of an offence punishable on summary conviction.

The penalty is a fine of not more than \$2,000.00 or six months imprisonment or both.
 - (2) Everyone who wilfully alters, removes or conceals a signal, buoy or other seamark that is used for purposes of navigation is guilty of an indictable offence and liable for imprisonment for a term not exceeding ten years.

(Order in Council P.C. 1990 - 2285 dated October 25, 1990)

LIMITS OF LIGHT LISTS



CANADIAN COAST GUARD AIDS TO NAVIGATION OFFICES

ADDRESS

JURISDICTIONS

NEWFOUNDLAND AND LABRADOR REGION:

ST. JOHN'S, NL SUPERINTENDENT Province of Newfoundland and Labrador
AIDS TO NAVIGATION
P.O. BOX 5667
St. John's, NL A1C 5X1

Tel.: 1 (709) 772-5195 or 1 (709) 772-2800 (E)
Traffic Centre 1 (709) 772-2083 or 1 (709) 772-2084 (H/N)

MARITIMES REGION:

REGIONAL OPERATIONS CENTRE: Tel.: 1 (902) 426-6030 (B)(N/H)

DARTMOUTH, NS REGIONAL DIRECTOR
P.O. Box 1000
Dartmouth, NS B2Y 3Z8
Tel.: 1 (902) 426-3907 (B)

CHARLOTTETOWN, PE SUPERVISOR, PE, East Coast of NB to Québec Border, on
AIDS TO NAVIGATION OPERATIONS Southeastern shore of Nova Scotia from Liscomb
P.O. Box 1236 East, Cape Breton and North shore of Nova Scotia
Charlottetown, PE C1A 7M8 in Northumberland Strait
Tel.: 1 (902) 566-7936 (B)

NOTSHIPS: 1-800-686-8676 (B) (TF)

DARTMOUTH, NS SUPERINTENDENT From Cape Sable, NS to Cape St. Lawrence, Bras
AIDS TO NAVIGATION D'Or Lake, Strait of Canso, North of Causeway,
P.O. Box 1000 St. Paul and Sable Island, NS
Dartmouth, NS B2Y 3Z8
Tel.: 1 (902) 426-3151 (E)
1-800-565-1633 (B) (TF)

SAINT JOHN, NB SUPERVISOR Coastal Waters of the Bay of Fundy from the
AIDS TO NAVIGATION International Maine Boundary to Cape Sable, NS,
P.O. Box 700 Saint John River System
Saint John, NB E2L 4B3
Tel.: 1 (506) 636-4703 (E)
NOTSHIPS: 1-800-565-1633 (B) (TF)

(B) Service is available in French and English
(E) Service is available in English only
(TF) Toll Free
(N/H) Nights and Holidays

CANADIAN COAST GUARD AIDS TO NAVIGATION OFFICES

ADDRESS

JURISDICTIONS

QUEBEC REGION:

QUÉBEC, QC

SUPERINTENDENT
AIDS TO NAVIGATION
101, boul. Champlain
Québec, QC G1K 7Y7
Tel.: 1 (418) 648-3574 (B)

Gulf and River St. Lawrence on the North and South shores from Grondines to Labrador Border and from, Pointe Langlois to New Brunswick Border, Inland Waters that drain into River and Gulf, Hudson Bay and Strait

St. Lawrence River from Beauharnois to Grondines, Richelieu River to US Border, Ottawa River to Ottawa, Inland Waters that drain into St. Lawrence, Ottawa and Richelieu Rivers.

AIDS TO NAVIGATION SECTOR

Fax: 1 (418) 649-6690
E-mail: aidesnavquebec@dfo-mpo.gc.ca

ALERT NETWORK

Tel.: 1 (418) 648-4366 (B) (N/H)
1-800-363-4735 (B) (N/H) (T/F)

CENTRAL AND ARCTIC REGION:

SARNIA, ON

ASSISTANT COMMISSIONER
520 Exmouth Street
Sarnia, ON N7T 8B1
Tel.: 1 (519) 383-1800 (E)
Operations Centre 1 (519) 383-1841 (N/H)

Regional Superintendent
Aids to Navigation
Tel.: 1 (519) 383-1859 (E)

Notices to Shipping
Tel.: 1 (519) 337-6360 (E)

PRESCOTT, ON

SUPERVISOR
AIDS TO NAVIGATION
P.O. Box 1000
Prescott, ON K0E 1T0
Tel.: 1 (613) 925-2865 (E)

(B) Service is available in French and English

(E) Service is available in English only

(TF) Toll Free

(N/H) Nights and Holidays

CANADIAN COAST GUARD AIDS TO NAVIGATION OFFICES

ADDRESS

JURISDICTIONS

CENTRAL AND ARCTIC REGION (cont'd):

PARRY SOUND, ON
SUPERVISOR
AIDS TO NAVIGATION
28 Waubeek Street
Parry Sound, ON P2A 1B9
Tel.: 1 (705) 746-2196 (E)

HAY RIVER, NT
SUPERVISOR
AIDS TO NAVIGATION
42037 Mackenzie Highway
Hay River, NT X0E 0R9
Tel.: 1 (867) 874-5500 (E)

PACIFIC REGION:

VANCOUVER, BC
DIRECTOR
MARINE PROGRAMS
200 – 401 BARRARD STREET
Vancouver, BC V6C 3S4
Tel.: 1 (604) 775-8800(E)
1 (604) 666-6012 (B) (N/H)

From the North International Boundary to the South
International Boundary, including Inland Waters of
British Columbia and the Yukon

VICTORIA, BC
SUPERINTENDENT
AIDS TO NAVIGATION
25 Huron Street
Victoria, BC V8V 4V9
Tel.: 1 (250) 480-2600 (E)

From the North International Boundary to the South
International Boundary, including Inland Waters of
British Columbia and the Yukon

-
- (B) Service is available in French and English
 - (E) Service is available in English only
 - (TF) Toll Free
 - (N/H) Nights and Holidays

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

5 H4164	Little River (U.S.)	At mouth of river. 44 39 00 67 11 30	Fl W	6s	17.1	13	Skeleton tower, white and red diamond daymark. 12.5	Flash every 6 s. Year round. Horn - Blast 1 s; sil. 9 s.	Chart:4011
5.6	North Shoal light and bell buoy X2	44 32 05.6 67 06 41.1	Fl R	4s	Red, marked "X2".	Year round.	Chart:4340
6 H4192	Machias Seal Island	On summit of island. 44 30 06.6 67 06 04.1	Fl W	3s	25.0	17	White octagonal tower, red upper portion. 18.3	Flash every 3 s. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 065°.	Chart:4340
7	Bull Rock light and whistle buoy XA1	E. side of rock. 44 30 14.8 66 56 18.2	Fl G	4s	Green, marked "XA1".	Year round.	Chart:4340
7.5	Wallace Ledge light and bell buoy XA2	44 32 09.6 66 52 57.1	Fl R	4s	Red, marked "XA2".	Year round.	Chart:4340
7.7	Buck Rock light and bell buoy XA3	44 36 10 66 52 19.9	Fl G	4s	Green, marked "XA3".	Year round.	Chart:4124
8 H4188	Gannet Rock Racon - -. (G) X & S Band	S. of Grand Manan. 44 30 37.1 66 46 52.9	Fl W	5s	28.2	19	White octagonal tower, black and white vertical stripes. 22.9	Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Omnidirectional.	Chart:4340
9	Old Proprietor light and whistle buoy X1	44 32 44.6 66 38 57.1	Fl G	4s	Green, marked "X1".	Year round.	Chart:4340
9.5	Old Proprietor Shoal East Cardinal light and bell buoy XK	44 33 45.6 66 39 39.1	Q(3) W	10s	Black, yellow and black, marked "XK".	Year round.	Chart:4340
10	Tinker Shoal light and bell buoy XK3	N. of shoal. 44 35 49.6 66 42 38.6	Fl G	4s	Green, marked "XK3".	Year round.	Chart:4340
10.4	White Head South light and bell buoy XK4	44 36 59.8 66 44 29.1	Q R	1s	Red, marked "XK4".	Year round.	Chart:4340

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

BAY OF FUNDY, N.B.

Grand Manan

11 H4186	Southwest Head	On edge of cliff S. extremity of head. 44 36 02.9 66 54 19.8	FI W	10s	47.5	16	White rectangular tower, red upper portion. 9.9	Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 240°.	Chart:4124
15 H4181.5	White Horse Islet	44 36 09.7 66 48 25.6	FI G	12 s	13.4	4	Triangular skeleton tower. 6.6	Flash 2 s; eclipse 10 s. Radar reflector. Year round.	Chart:4124
16	Constable Ledge light and bell buoy XJ2	NW. of ledge. 44 35 47.6 66 46 52.1	FI R	4s	Red, marked "XJ2".	Year round.	Chart:4340
16.8 H4184	Seal Cove Outer Breakwater	On outer end of breakwater. 44 38 51.5 66 50 19.6	FI G	6s	7.6	4	Triangular skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4124
17.5	Red Head light buoy XA7	44 38 30.8 66 49 01.6	FI G	4s	Green, marked "XA7".	Year round.	Chart:4124
18.2	Joe's Point light buoy XA8	44 38 24.2 66 48 47.4	FI R	4s	Red, marked "XA8".	Year round.	Chart:4124
19	Ox Head Ledges light buoy XK7	44 38 18.2 66 45 53.5	Q G	1s	Green, marked "XK7."	Year round.	Chart:4342
19.3	Grand Harbour Middle light buoy XK11	44 39 27.8 66 45 10.9	FI G	4s	Green, marked "XK11".	Year round.	Chart:4342
20	Sand Bar Ledge light buoy XN2	Off N. end of ledge. 44 38 00.2 66 44 33.3	FI R	4s	Red, marked "XN2".	Year round.	Chart:4342
21	White Head Ledge light buoy XM3	W. of White Head. 44 37 44.6 66 43 59.1	FI G	4s	Green, marked "XM3".	Year round.	Chart:4340
22 H4180	Ingalls Head Breakwater	On outer end of breakwater. 44 39 41.8 66 45 16.8	Q G	1s	8.1	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4342
22.5	Sam's Islet	44 38 51 66 44 43.8	FI W	4s	2	Cylindrical mast. 4.2	Year round.	Chart:4342

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

23 <i>H4172</i>	Half Tide Rock (Cheney Passage)	On rock, in middle of passage. 44 39 19.4 66 43 42.1	Fl	G	5s	3.9	4	Square skeleton tower, two black and white rectangular daymarks on both sides facing traffic. 3.5	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Horn - Blast 1 s; sil. 14 s.	Chart:4342
24	Whitehead Harbour	44 37 49.4 66 43 39.4	Fl	R	4s	4.7	4	Skeleton tower on 3-pile dolphin. 2.5	Operates at night only. Year round.	Chart:4340
25 <i>H4178</i>	Long Point	Near S. extremity of Whitehead Island. 44 36 49.2 66 42 34.7	Iso	W	12s	15.6	12	White rectangular tower, red upper portion. 11.4	Year round. Horn - Blast 2 s; sil. 18 s. Horn points 180°.	Chart:4340
26	<i>Brazil Shoal light and bell buoy XKA</i>	44 35 06.6 66 40 45.1	<i>Mo(A)</i>	<i>W</i>	6s	<i>Red and white vertical stripes, marked "XKA".</i>	<i>Year round.</i>	Chart:4340
28	<i>Prangle Point light and bell buoy XP3</i>	<i>E. of the point. 44 38 31.6 66 40 40.1</i>	<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "XP3".</i>	<i>Year round.</i>	Chart:4340
28.6	<i>Great Duck Ledge light and whistle buoy XP4</i>	44 39 24.6 66 40 43.1	<i>Fl</i>	<i>R</i>	4s	<i>Red, marked "XP4".</i>	<i>Year round.</i>	Chart:4340
29 <i>H4174</i>	Great Duck Island	S. end of island. 44 41 03.5 66 41 34.3	Fl	W	10s	15.3	18	White rectangular tower, red upper portion. 8.9	Flash 1 s; eclipse 9 s. Operates at night only. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 120°	Chart:4340
30 <i>H4171</i>	Gull Islet	On Gull Islet Ledge. 44 41 11.6 66 43 41.7	Fl	G	6s	3.4	4	Green square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4340
30.5 <i>H4170.4</i>	Farmer Ledge	44 43 23.7 66 43 34.5	Fl	G	4s	4.1	4	Green square skeleton tower. 4.1	Operates at night only. Year round.	Chart:4342
30.8 <i>H4170</i>	North Head	On Fisherman's Wharf. 44 45 45 66 45 04.2	Fl	R	6s	4.4	4	Cylindrical mast. 3.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4342
32	<i>Net Rock Ledges light and bell buoy XV6</i>	<i>S. of Net Rocks. 44 45 18.3 66 44 23.9</i>	<i>Fl</i>	<i>R</i>	4s	<i>Red, marked "XV6".</i>	<i>Year round.</i>	Chart:4342

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

33 H4168	Swallowtail	Near edge of high cliff, NE. part of island. 44 45 51.1 66 43 57.5	Oc W	6s	37.1	12	White octagonal tower, red upper portion. 16.2	Flash 4 s; eclipse 2 s. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 100°.	Chart:4342
33.5 H4175	Edmunds Rock	E. of Ross Island. 44 40 24.8 66 43 11.4	Fl G	4s	3.0	4	Green cylindrical mast. 6.6	Operates at night only. Year round.	Chart:4340
34 H4166	Long Eddy Point	N. end of island. 44 47 57.4 66 47 06.8	Fl R	8s	38.3	14	White rectangular tower, red upper portion. 9.3	Flash every 8 s. Operates at night only. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 335°.	Chart:4340
36 H4110	Southwest Wolf Island	On SE. point of island. 44 56 11.8 66 43 59.5	Fl W	10s	38.1	7	White cylindrical tower. 11.4	Flash 1 s; eclipse 9 s. Operates at night only. Year round.	Chart:4340
38 H4162	West Quoddy Head (U.S.)	On E. end of head. 44 48 54.4 66 57 01.4	Fl(2) W	15s	25.3	18	Tower, red and white horizontal bands. 14.9	Distance Finding Station. Year round. Horn - Blast 2 s; sil. 2 s; blast 2 s; sil. 24 s.	Chart:4114
39 H4157.4	Malloch Beach Wharf	On outer end of wharf. 44 54 58.7 66 56 27.9	F G	6.9	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4114
41 H4152	Cherry Island	On SE. point of island. 44 55 07.2 66 58 00	Fl W	5s	9.8	17	Cylindrical tower, red and white horizontal bands. 7.5	Flash 0.5 s; eclipse 4.5 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 18 s.	Chart:4114
43 H4156	Wilson's Beach Wharf	44 55 54.6 66 56 26.2	F G	7.8	7	Triangular skeleton tower. 6.1	Operates at night only. Year round.	Chart:4114
43.5	Green Island Shoal light buoy UH2	44 56 48 66 56 11.5	Fl R	4s	Red, marked "UH2".	Year round.	Chart:4114
44 H4154	Head Harbour	On the outermost rock of East Quoddy Head. 44 57 28.6 66 54 00.2	F R	17.6	13	Octagonal tower, red and white horizontal bands. 15.1	Year round. Horn - Blast 4 s; sil. 56 s. Horn points 116°.	Chart:4114

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

44.5	Head Harbour Inner	44 56 55.1 66 54 46.3	LFI W	12s	12.3	7	Triangular skeleton tower. 6.8	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4114
45	Leonardville Harbour Entrance light buoy UT2	Leonardville Harbour entrance. 44 58 06 66 57 10	FI R	4s	Red spar, marked "UT2".	Year round.	Chart:4114
46 H4146	Leonardville	On cliff, at entrance to harbour. 44 58 05.6 66 57 18.4	F W	20.0	10	White square tower, red upper portion. 8.5	Operates at night only. Year round.	Chart:4114
47 H4146.4	Leonardville Wharf	Near outer end of wharf. 44 58 17.3 66 57 09.4	F R	7.9	7	Triangular skeleton tower. 6.7	Operates at night only. Year round.	Chart:4114
48 H4148	Fairhaven	On outer end of wharf. 44 57 49.8 67 00 30	F R	6.1	7	Cylindrical mast. 5.2	Operates at night only. Year round.	Chart:4114
49 H4147	Deer Point	On extremity of point. 44 55 31.4 66 59 05.4	LFI R	12s	9.6	7	White cylindrical tower. 6.1	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4114
49.2 H4150	Dog Island Sector (U.S.)	NE. side of island. 44 55 06.8 66 59 20.9	FI R W	6s	10.7	8 10	Skeleton tower, square green daymark.	Flash 1 s; eclipse 5 s. Red from 306° through N to 036°. Year round. Horn - Blast 3 s; sil. 27 s.	Chart:4114
51 H4145	Pompey Ledge	On ledge, off E. side of Deer Island. 44 58 46.6 66 56 42.8	FI W	4s	3.4	3	Green cylindrical mast. 6.6	Operates at night only. Year round.	Chart:4114
51.1	Richardsonville	44 59 36.4 66 56 40.6	Iso G	4s	Cylindrical mast 6.5	Year round.	Chart:4114
51.5	Hospital Island Ledge light buoy UP2	44 58 53 66 54 57.3	FI R	4s	Red, marked "UP2".	Year round.	Chart:4114
52.25	Richardson Wharf light buoy UP7	44 59 43 66 56 35	FI G	4s	Green spar, marked "UP7".	Year round.	Chart:4124
52.55	North Rock light buoy SA	44 59 56 66 52 44	FI(2) W	5s	Black, red horizontal band, marked "SA".	Year round.	Chart:4124
53.5	Lords Cove	45 00 11.7 66 56 47	FI G	4s	3.6	4	Green cylindrical mast. 9.7	Operates at night only. Year round.	Chart:4124

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

54	Bag Ledge	45 00 01.4 66 56 27	FI Y	4s	2	Cylindrical mast. Operates at night only. Year round.	Chart:4124
55	Simpson Head light buoy SH10	45 00 06.8 66 56 22	FI R	4s	Red spar, marked "SH10". Year round.	Chart:4124
56 H4140	Stuart Town Breakwater	45 01 11.8 66 56 06.5	FI W	4s	5.6	6	Triangular skeleton tower. 6.1 Operates at night only. Year round.	Chart:4124
57.2 H4139	Two Hour Rock	In Irish Channel. 45 01 44.1 66 56 06	FI R	4s	2.5	4	Red square skeleton tower. 6.7 Radar reflector. Operates at night only. Year round.	Chart:4124
57.25	Jameson Island West	W. end of Jameson Island. 45 01 55.2 66 55 57.8	FI G	4s	1.4	2	Green cylindrical mast. 6.8 Operates at night only. Year round.	Chart:4124
57.3 H4138.6	Little Letete Passage	N. end of Jameson Island Jameson. 45 02 08.2 66 55 33.5	FI G	4s	3.5	4	Green square skeleton tower. 6.3 Radar reflector. Operates at night only. Year round.	Chart:4124
St. Croix River								
57.8	Joe's Point light and bell buoy S10	45 04 40.3 67 05 32.5	FI R	4s	Red, marked "S10". Year round.	Chart:4115
57.9	Lower Bayside light buoy S12	45 07 25.2 67 07 08.9	FI R	4s	Red, marked "S12". Year round.	Chart:4115
58 H4134	St. Croix Island (U.S.)	On island. 45 07 44 67 08 04	FI W	2.5s	30.8	7	White skeleton tower surmounted by platform. Flash 0.5 s; eclipse 2 s. Year round.	Chart:4331
58.5	Sand Point light buoy S14	45 08 29.1 67 08 18.3	FI R	4s	Red, marked "S14". Year round.	Chart:4115
58.6	Oak Point light buoy S16	45 09 51 67 09 38	FI R	4s	Red spar, marked "S16". Year round.	Chart:4115
58.7	Spruce Point light buoy S18	45 10 00 67 11 30	FI R	4s	Red spar, marked "S18". Year round.	Chart:4115
61 H4138	Whitlocks Mill (U.S.)	On S. bank of river at The Narrows. 45 09 45 67 13 39	Iso G	6s	9.8	5	White conical tower. Maintained during navigation season. Year round.	Chart:4331

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

Passamaquoddy Bay

62 H4130	St. Andrews West Channel	N. side of channel. 45 04 15.2 67 04 03.8	Fl G	4s 3.1	4	Green cylindrical mast. 7.5	Operates at night only. Year round.	Chart:4115
62.5	St. Andrews Biological Station, wharf	45 04 58.1 67 05 06.5	Fl Y	4s	2	Privately maintained. Year round.	Chart:4115
63	Niger Reef light buoy SY4	N. of reef. 45 04 13.8 67 04 24	Fl R	4s	Red spar, marked "SY4".	Year round.	Chart:4115
64 H4127	St. Andrews (North Point)	45 04 02.6 67 02 50.3	Fl R	4s 7.0	4	Red square skeleton tower. 12.0	Operates at night only. Year round.	Chart:4115
66	Navy Bar light and bell buoy SX3	NE. of S. point of Navy Island. 45 03 30.3 67 01 42	Fl G	4s	Green, marked "SX3".	Year round.	Chart:4115
67 H4126	Tongue Shoal	On reef at E. entrance. 45 03 44.8 67 00 46.2	Fl W	4s 6.8	7	Red square skeleton tower. 10.1	Operates at night only. Year round.	Chart:4115
68	Macs Island light and bell buoy S9	North of island. 45 03 23.3 66 55 47.9	Fl G	4s	Green, marked "S9".	Year round.	Chart:4124
70	Letete light buoy SQ	45 02 53 66 54 07.1	Mo(A) W	6s	Red and white vertical stripes, marked "SQ".	Year round.	Chart:4124
70.15	Letete Outer light buoy SQ2	45 02 48.3 66 54 00.4	Fl R	4s	Red, marked "SQ2".	Year round.	Chart:4124
70.25	Letete Inner light buoy SQ3	45 03 00 66 53 57.4	Fl G	4s	Green spar, marked "SQ3".	Year round.	Chart:4124
70.5	Mohawk Ledge North Cardinal light buoy SAA	45 02 31.7 66 54 08	Q W	1s	Black and yellow, marked "SAA".	Year round.	Chart:4124
70.6	Mohawk Island East light buoy S5	45 02 18.3 66 53 55.9	Fl G	4s	Green, marked "S5".	Year round.	Chart:4124
71 H4120	Letete Passage Fog signal	On W. extremity of Greens Point. 45 02 19.6 66 53 30.6	Horn - Blast 3 s; sil. 27 s. Horn points 180°. Year round.	Chart:4124

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

72 H4119	Back Bay	On outer end of breakwater. 45 03 14.2 66 51 40.3	FI G	4s	4.3	4	Skeleton tower. 4.1	Operates at night only. Year round.	Chart:4124
72.1	Leavitts light buoy SE8	E. entrance to Letete Passage. 45 03 18.3 66 51 43.9	FI R	4s	Red spar, marked "SE8".	Year round.	Chart:4124
72.5	Cailliff Rock light buoy SE2	45 01 52.8 66 52 21.9	FI R	4s	Red, marked "SE2".	Year round.	Chart:4124
73 H4120.4	Morgan Ledge	SW. of Greens Point. 45 02 14 66 53 36.3	FI R	6s	5.0	4	Red square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4124
73.25	Parker Island light buoy SJ1	45 02 10.7 66 54 54.4	FI G	4s	Green, marked "SJ1".	Year round.	Chart:4124
73.5	Parker Island light buoy SJA	45 02 09.9 66 55 07.3	FI(2) W	10s	Black, red and black spar, marked "SJA".	Year round.	Chart:4124
73.75	Jameson Island light buoy SJB	45 02 10 66 55 18.5	FI(2) W	10s	Black, red and black spar, marked "SJB".	Year round.	Chart:4124
74.2	Macks Ledge light buoy SJ2	45 02 11.8 66 55 24.2	FI R	4s	Red, marked "SJ2".	Year round.	Chart:4124
74.35	Pomeroy Ledge	45 02 17.8 66 54 41.8	FI R	4s	4.9	4	Red cylindrical skeleton tower. 4.9	Radar reflector. Operates at night only. Year round.	Chart:4124
75	Adam Island light and bell buoy S3	Off N. end of island. 45 01 14.3 66 53 51.9	FI G	4s	Green, marked "S3".	Year round.	Chart:4124
75.32	Little Letete Passage light buoy SQ4	45 02 57.8 66 53 53.2	FI R	4s	Red spar, marked "SQ4".	Year round.	Chart:4124
75.43	New Ireland Ledge light buoy SJ4	45 02 03.4 66 56 00.5	FI R	4s	Red, marked "SJ4".	Year round.	Chart:4124
77 H4118	Bliss Island	On S.W. point of island, S. of W. entrance to Bliss Harbour. 45 01 06.2 66 51 01.2	FI R	4s	15.4	5	White rectangular tower, red upper portion. 11.6	Operates at night only. Year round.	Chart:4124

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

77.5	<i>Bliss Island Fairway light and bell buoy S</i>	45 00 24.6 66 51 15.6	Mo(A) W	6s	Red and white vertical stripes, marked "S".	Year round.	Chart:4124
78	<i>Eastern Chops light and bell buoy KA2</i>	SW. of Pea Point. 45 02 11.3 66 48 38.9	Fl R	4s	Red, marked "KA2".	Year round.	Chart:4124
79 H4115	Roaring Bull	On W. side of ledge. 45 02 22.7 66 48 46.1	Fl R	4s	5.3	4	Red cylindrical skeleton mast. 7.6	Operates at night only. Year round.	Chart:4124
79.8 H4122	Letete Harbour	On ledge. 45 03 06.6 66 53 47.6	Fl G	4s	2.2	4	Green cylindrical skeleton mast. 7.2	Operates at night only. Year round.	Chart:4124
80 H4123	Matthews Ledge	45 03 03.7 66 53 47.7	Fl R	4s	4.5	4	Red cylindrical mast. 9.4	Operates at night only. Year round.	Chart:4124
81 H4114	Pea Point	E. side of entrance to Letang Harbour. 45 02 20.4 66 48 28.2	F W	17.2	12	White rectangular tower, red upper portion. 10.6	Visible from 251° through N. and E. to 161°. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 180°.	Chart:4124
81.1 H4116	Blacks Harbour Entrance	On NW. corner of wharf. 45 02 52.3 66 48 28.6	F R	7.2	7	Triangular skeleton tower. 6.3	Operates at night only. Year round.	Chart:4124
81.12 H4116.4	Blacks Harbour Wharf	On NW. corner of wharf. 45 03 18.8 66 47 41	Fl R	6s	7.1	7	Triangular skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4124
81.2	<i>Blacks Harbour light and bell buoy KA</i>	SW. of Pea Point. 45 01 09.3 66 48 28.9	Mo(A) W	6s	Red and white vertical stripes, marked "KA".	Year round.	Chart:4124
82	<i>Beaver Harbour light and bell buoy KEA</i>	S. of East Head. 45 03 12.3 66 43 30.9	Mo(A) W	6s	Red and white vertical stripes, marked "KEA".	Year round.	Chart:4116
83 H4112	Lighthouse Point	On S. side of Beaver Harbour. 45 03 46.7 66 43 59	Fl W	15s	14.2	12	White cylindrical tower, red upper portion. 8.6	Flash 7 s; eclipse 8 s. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 159°.	Chart:4116
84 H4113	Beaver Harbour	On outer end of breakwater. 45 04 09.5 66 44 19.6	Fl R	4s	4.8	4	Triangular skeleton tower. 3.5	Operates at night only. Year round.	Chart:4116

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

BAY OF FUNDY, N.B.

86	Seely Head light and bell buoy K1	S. of head. 45 04 08.3 66 38 30.9	Fl G	4s	Green, marked "K1".	Year round.	Chart:4116
87	Maces Bay light and bell buoy KJ1	S. of Barnaby Head. 45 06 42.3 66 31 21.9	Fl G	4s	Green, marked "KJ1".	Year round.	Chart:4116
88	Lepreau Ledges light and bell buoy K3	S. end of ledges. 45 04 37.3 66 29 57.9	Fl G	4s	Green, marked "K3".	Year round.	Chart:4116
90 H4108	Point Lepreau	On point. 45 03 31.7 66 27 31.3	Fl W	5s	25.5	14	Octagonal tower, red and white horizontal bands. 17.6	Flash 1 s; eclipse 4 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 190°.	Chart:4116
91	Dipper Harbour light and bell buoy KN	S. of Fishing Point. 45 05 00.3 66 24 09.9	Mo(A) W	6s	Red and white vertical stripes, marked "KN".	Year round.	Chart:4116
92 H4104	Dipper Harbour Breakwater	Point Lepreau. 45 05 40.5 66 24 56.7	Fl G	4s	10.5	4	Triangular skeleton tower. 6.1	Operates at night only. Year round.	Chart:4116
93 H4100	Chance Harbour	On Reef Point, W. side of harbour entrance. 45 07 06.8 66 20 51.5	Fl W	12s	12.4	7	Cylindrical tower, red and white horizontal bands. 7.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4116
94	Chance Harbour light and bell buoy KS	Off harbour. 45 06 52.8 66 19 52.5	Mo(A) W	6s	Red and white vertical stripes, marked "KS".	Year round.	Chart:4116
96	Western Head light and bell buoy KT1	Off Musquash Harbour entrance. 45 08 34.3 66 14 51.9	Fl G	4s	Green, marked "KT1".	Year round.	Chart:4116
97 H4096	Musquash Head	At Musquash Head, E. side of entrance. 45 08 37.1 66 14 14.2	Fl W	3s	35.1	20	White hexagonal tower, red horizontal band. 13.9	Flash 1 s; eclipse 2 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 180°.	Chart:4116
97.5 H4098	Five Fathom Hole	SE. corner of wharf. 45 11 11.3 66 15 26	F R	7.6	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4116
98	Negro Head light and bell buoy JA1	Off head. 45 11 12.8 66 08 18	Fl G	4s	Green, marked "JA1".	Year round.	Chart:4117
99 H4092	Lorneville	On outer portion of breakwater. 45 11 35.3 66 08 53.3	Fl W	4s	7.0	6	Cylindrical mast. 6.6	Operates at night only. Year round.	Chart:4117

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.B.

Saint John Harbour

100 H4082	Partridge Island	Highest point of island. 45 14 21 66 03 13.8	Fl W	7.5s	35.3	19	Hexagonal tower, red and white vertical stripes. 13.6	Flash every 7.5 s. Year round.	Chart:4117
100.2	Lower Cove Cautionary light buoy JD	45 15 43.4 66 03 26.6	Fl Y	4s	Yellow, marked "JD".	Year round.	Chart:4117
100.5 H4089	Saint John Harbour range	45 16 22.7 66 04 07.9	F G	20.8	19	Triangular skeleton tower, red daymark, black vertical stripe. 18.0	Year round.	
100.6 H4089.1		333°40' 431.3m from front.	F G	33.6	19	Triangular skeleton tower, red daymark, black vertical stripe. 10.0	Year round.	Chart:4117
101	Partridge Island light and bell buoy J1	W. side of outer entrance to dredged channel. 45 14 12.1 66 02 40.5	Q G	1s	Green, marked "J1".	Year round.	Chart:4117
101.3	Partridge Island light buoy J3	W. side of dredged channel. 45 14 24.1 66 02 48.9	Fl G	4s	Green, marked "J3".	Year round.	Chart:4117
101.4	Partridge Island light buoy J7	W. side of dredged channel. 45 14 34.7 66 02 56.3	Fl G	4s	Green, marked "J7".	Year round.	Chart:4117
102	Partridge Island Bar light buoy J9	On W. side of dredged channel. 45 14 44.1 66 03 02.9	Fl G	4s	Green, marked "J9".	Year round.	Chart:4117
102.18	Hillyards Reef light buoy J18	45 16 13.3 66 04 17.9	Fl R	4s	Red, marked "J18".	Year round.	Chart:4117
102.19	Navy Island light buoy J19	45 16 08.8 66 04 23	Fl G	4s	Green, marked "J19".	Year round.	Chart:4117
102.3	Saint John Harbour light buoy J12	E. side of channel. 45 15 06.1 66 03 10.4	Fl R	4s	Red, marked "J12".	Year round.	Chart:4117
103	Courtenay Bay light buoy JC4	E. side of channel. 45 15 11 66 02 50.2	Fl R	4s	Red, marked "JC4".	Year round.	Chart:4117
104 H4083	Courtenay Bay Breakwater	Near outer end of breakwater. 45 15 26.4 66 02 42.2	Fl R	4s	13.0	5	White hexagonal tower. 9.9	Operates at night only. Year round.	Chart:4117
105	Courtenay Bay Turn light buoy JC5	On W. side of turn in channel. 45 15 15.4 66 03 00	Fl G	4s	Green, marked "JC5".	Year round.	Chart:4117

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

BAY OF FUNDY, N.B.

106	Courtenay Bay light buoy JC9	W. side of channel. 45 15 29.5 66 02 54		Fl	G	4s	Green, marked "JC9".	Year round.	Chart:4117
106.1	Courtenay Bay light buoy JC10	45 15 33.4 66 02 43.8		Fl	R	4s	Red spar, marked "JC10".	Year round.	Chart:4117
108	Courtenay Bay light buoy JC15	45 15 51.3 66 02 40.8		Q	G	1s	Green, marked "JC15".	Year round.	Chart:4117
108.16	Courtenay Bay light buoy JC16	45 15 52.6 66 02 32.6		Fl	R	4s	Red spar, marked "JC16".	Year round.	Chart:4117
110	Courtenay Basin light buoy JC20	E. side of channel. 45 16 11.2 66 02 23.5		Q	R	1s	Red, marked "JC20".	Year round.	Chart:4117
110.2	Courtenay Bay Dock 1	45 16 22.8 66 02 21.7		F	R	1.4	5	On 10-pile dolphin.	Privately operated. Year round.	Chart:4117
110.3 H4083.4	Courtenay Bay Inner range	45 16 25.1 66 02 19		F	G	6.3	15	Square skeleton tower, red daymark, black vertical stripe. 6.0	Year round.	Chart:4117
110.4 H4083.41		021°10' 86.2m from front.		F	G	10.2	16	Triangular skeleton tower, red daymark, black vertical stripe. 9.0	Year round.	
110.8 H4083.6	Courtenay Bay Outer Channel Sector	45 15 57.2 66 02 50.4		F Al RW Al GW	R W G	8.0	12	Square skeleton tower, orange and white rectangular daymark. 6.6	Red from 001°30' to 002°30'; Al RW from 002°30' to 003°; white from 003° to 005°; Al GW from 005° to 005°30'; green from 005°30' to 006°30'. White sector indicates preferred channel. Year round.	Chart:4117
111	Courtenay Bay light buoy JC	Junction of Courtenay Bay Channel and Main Channel. 45 14 55 66 03 02.7		Fl (2+1)	R	6s	Red, green and red, marked "JC".	Year round.	Chart:4117
112	America Rock light and bell buoy J14	On E. side of channel. 45 15 16.7 66 03 17.8		Fl	R	4s	Red, marked "J14".	Year round.	Chart:4117
113.3 H4085.5	Pier 12	On E. corner of pier. 45 15 37.9 66 03 41.4		Iso	G	2s	2.7	Skeleton tower. 2.1	Privately operated. Operates at night only. Year round.	Chart:4117
114 H4089.4	Pier 1	On extreme NW. end of pier. 45 16 04 66 04 15.4		F	G	3.9	6	Skeleton tower. 3.2	Privately operated. Year round.	Chart:4117

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

SAINT JOHN RIVER

114.5	Rowans Point light buoy JE2	45 16 15.4 66 05 18.9	Fl R	4s	Red, marked "JE2".	Year round.	Chart:4141	
116	Swift Point	W. of point. 45 16 56.7 66 07 16.8	Fl G	12s	28.1	4	White square tower, red upper portion. 13.9	Flash 2 s; eclipse 10 s. Seasonal.	Chart:4141
116.3	Ketepec light buoy JK1	45 16 55.8 66 09 17.4	Fl G	4s	Green spar, marked "JK1".	Year round.	Chart:4141	
116.5	Brothers Cove light buoy AM2	45 18 22.3 66 06 36.9	Fl R	4s	Red, marked "AM2".	Year round.	Chart:4141	
118	Red Rock light buoy AM3	W. of rock. 45 18 30.3 66 06 16.9	Fl G	4s	Green spar, marked "AM3".	Operates at night only. Year round.	Chart:4141	
118.3	Rothesay light buoy AP1	45 23 40.3 66 00 17.8	Fl G	4s	Green, marked "AP1".	Year round.	Chart:4141	
119	McColgan Point	N. of point. 45 19 56 66 06 34.4	Fl W	12s	11.3	6	White square tower, red upper portion. 8.2	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal.	Chart:4141
120.5	Brandy Point light buoy J25	Off point. 45 19 55.3 66 11 12.9	Fl G	4s	Green spar, marked "J25".	Year round.	Chart:4141	
121	Sand Point	E. side of river. 45 20 33.4 66 11 55.8	F R	22.7	7	White skeleton tower, red enclosed upper portion. 17.7	Operates at night only. Seasonal.	Chart:4141
122	Belyeas Point	On W. side of river. 45 22 41.4 66 12 57.8	Fl G	5s	13.6	5	White square tower, red upper portion. 11.3	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.	Chart:4141
122.1	Purdys Point light buoy J38	Off point. 45 22 37.8 66 12 37.9	Fl R	4s	Red spar, marked "J38".	Year round.	Chart:4141	
122.4	Victoria Beach light buoy J41	45 25 45.7 66 10 03.9	Fl G	4s	Green spar, marked "J41".	Year round.	Chart:4141	
123	Catons Island light buoy JP	Off S. side of island. 45 27 55.3 66 06 38.9	Fl (2+1) G	6s	Green, red and green spar, marked "JP".	Year round.	Chart:4141	
124.5	Isle of Pines light buoy J48	45 29 05.2 66 05 02.8	Fl R	4s	Red spar, marked "J48".	Year round.	Chart:4141	

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

SAINT JOHN RIVER

125	Oak Point	On E. extremity of point, W. side of river. 45 30 26.7 66 04 49.1	LFI	G	10s	15.7	8	White square tower, red upper portion. 14.6	Flash 2 s; eclipse 8 s. Operates at night only. Seasonal.
-----	-----------	-------------------------------------------------------------------------	-----	---	-----	------	---	------------------------------------------------	-----------------------------------------------------------

Chart:4141

126	Oak Point Wharf	On S. side of wharf, W. side of river. 45 31 09.8 66 04 35.8	FI	G	4s	10.2	Triangular skeleton tower. 4.9	Operates at night only. Seasonal.
-----	-----------------	--------------------------------------------------------------------	----	---	----	------	-------	-----------------------------------	-----------------------------------

Chart:4141

Belleisle Bay

128	<i>Long Point Bar light buoy C12</i>	<i>Outer end of spit.</i> 45 36 39 65 54 30	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C12".</i>	<i>Seasonal.</i>
-----	--------------------------------------	---------------------------------------------------	-----------	----------	-----------	--------------	--------------	---------------------------	------------------

Chart:4141

131.5	Gorhams Bluff	On the bluff. 45 32 28.8 66 02 05	FI	R	4s	7.8	4	Triangular skeleton tower. 3.5	Operates at night only. Seasonal.
-------	---------------	-----------------------------------------	----	---	----	-----	---	-----------------------------------	-----------------------------------

Chart:4141

135	Gagetown	W. side of river. 45 46 06.9 66 08 25.2	F	G	11.9	8	White square tower, red upper portion. 9.7	Operates at night only. Seasonal.
-----	----------	-----------------------------------------------	---	---	-------	------	---	-----------------------------------------------	-----------------------------------

Chart:4142

136	Lower Jemseg	On Huestis Island. 45 46 52 66 06 21.5	FI	R	4s	8.7	4	Square skeleton tower, 3 red and white rectangular daymarks. 6.5	Operates at night only. Seasonal.
-----	--------------	----------------------------------------------	----	---	----	-----	---	---------------------------------------------------------------------	-----------------------------------

Chart:4142

Grand Lake

137	Robertson Point	45 52 20.1 66 06 10.8	FI	R	4s	12.3	7	White cylindrical tower. 7.5	Operates at night only. Seasonal.
-----	-----------------	--------------------------	----	---	----	------	---	---------------------------------	-----------------------------------

Chart:4142

137.7	<i>Channel Entrance light buoy EA</i>	<i>45 52 18.3 66 08 13.9</i>	<i>Mo(A)</i>	<i>W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white spar, marked "EA".</i>	<i>Year round.</i>
-------	---------------------------------------	----------------------------------	--------------	----------	-----------	--------------	--------------	-----------------------------------------	--------------------

Chart:4142

138	<i>Douglas Harbour light buoy EN1</i>	<i>W. side of channel entrance.</i> 45 54 30.2 66 05 47.9	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "EN1".</i>	<i>Year round.</i>
-----	---------------------------------------	-----------------------------------------------------------------	-----------	----------	-----------	--------------	--------------	-----------------------------	--------------------

Chart:4142

139	<i>Grand Point Bar South Cardinal light buoy EAB</i>	<i>At outer end of bar.</i> 45 54 12.2 66 04 04.9	<i>Q(6) +LFI</i>	<i>W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow and black spar, marked "EAB".</i>	<i>Year round.</i>
-----	------------------------------------------------------	---------------------------------------------------------	----------------------	----------	------------	--------------	--------------	---------------------------------------------	--------------------

Chart:4142

139.75	<i>Goat Island light buoy E75</i>	<i>46 00 42.2 66 00 31</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "E75".</i>	<i>Year round.</i>
--------	-----------------------------------	--------------------------------	-----------	----------	-----------	--------------	--------------	----------------------------------	--------------------

Chart:4142

140	Fanjoys Point	45 54 27.9 66 01 22.1	Iso	R	4s	12.2	Cylindrical tower, red and white horizontal bands. 7.4	Operates at night only. Seasonal.
-----	---------------	--------------------------	-----	---	----	------	------	-----------------------------------------------------------	-----------------------------------

Chart:4142

141	Cox Point	On point. 46 01 02.8 65 59 43.7	FI	R	4s	9.4	4	Triangular skeleton tower, red and white rectangular slatwork daymark. 3.5	Operates at night only. Seasonal.
-----	-----------	---------------------------------------	----	---	----	-----	---	-------------------------------------------------------------------------------	-----------------------------------

Chart:4142

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

SAINT JOHN RIVER

141.3	Barton Island light buoy E86	46 03 56.2 65 56 17.4	Fl R	4s	Red, marked "E86".	Year round.
							Chart:4142
141.4	Newcastle Creek	On seaward end of breakwater. 46 03 22 66 00 07.6	Fl R	4s	3.2	Mast. 3.2	Privately operated. Operates at night only. Seasonal.
							Chart:4142
141.5	Hawkes Point	W. side of point. 46 04 47.8 65 55 08.8	Iso W	10s	11.2 7	Cylindrical tower, red and white horizontal bands. 7.3	Operates at night only. Seasonal.
							Chart:4142

BAY OF FUNDY, N.B.

145	Saint John Harbour light and whistle buoy J	S. of Partridge Island. 45 12 55.3 66 02 36.9	Mo(A) W	6s	Red and white vertical stripes, marked "J".	Year round.
	Racon -. (N) X Band						Chart:4117
145.3 H4080	Black Point	S. tip of point. 45 12 59.8 66 00 27.9	Fl R	4s	11.1 7	Red and white cylindrical tower. 8.1	Operates at night only. Year round.
							Chart:4117
145.4	Black Point light and bell spoil ground buoy JB	SW. of point. 45 12 27.3 66 01 00.9	Fl Y	4s	Yellow, marked "JB".	Year round.
							Chart:4117
145.6 H4079	Irving Canaport Floating Terminal	S. of Mispec Point. 45 11 48.3 65 59 19.9	Mo(U) W	16s	Yellow, orange and amber, marked "SPM Irving".	Flash 0.5 s; eclipse 0.5 s; flash 0.5 s; eclipse 0.5 s; flash 2.5 s; eclipse 11.5 s. Privately maintained. Year round.
							Bell - Blast 0.75 s; sil. 1 s; blast 0.75 s; sil. 1 s; blast 2.5 s; sil. 24 s.
							Chart:4117
146 H4078	Cape Spencer	Pitch of cape. 45 11 42.5 65 54 35.5	Fl W	11s	61.6 14	Cylindrical tower, red and white horizontal bands. 8.6	Flash 1 s; eclipse 10 s. Year round.
							Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 165°
							Chart:4116
147 H4077	Black River	On SW. point entrance to river. 45 15 24.3 65 48 39.8	Fl W	4s	14.2 6	Triangular skeleton tower. 6.6	Operates at night only. Year round.
							Chart:4010
148	The Sisters South Cardinal light and bell buoy KB	On S. side of rocks. 45 14 30.3 65 46 55.8	Q(6) +LFl	W	15s	Yellow and black, marked "KB".
							Year round.
							Chart:4010

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

BAY OF FUNDY, N.B.

149	Quaco Ledge North Cardinal light and bell buoy KW	NW. of ledge. 45 14 42.3 65 22 09.8	Q	W	1s	Black and yellow, marked "KW".	Year round. Chart:4010
150 H4076	Quaco	On Quaco Head. 45 19 25.3 65 32 08.8	Fl	W	10s	26.0	21	White rectangular tower, red upper portion. 11.6	Flash 0.3 s; eclipse 9.7 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 130°. Chart:4010
151	Quaco light and bell buoy K15	SE. of Quaco Head Reef. 45 19 16.3 65 31 15.8	Fl	G	4s	Green, marked "K15".	Seasonal. Chart:4010
152 H4074	St. Martins	On outer end of E. breakwater pier. 45 21 18.8 65 31 55.1	LFl	R	12s	7.2	5	Triangular skeleton tower. 5.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4010
155 H4064	Alma	On outer end of public wharf. 45 36 00 64 56 41	Iso	R	4s	7.9	4	Cylindrical mast. 6.0	Operates at night only. Year round. Chart:4337
155.5	Alma light and bell buoy KX	45 35 32.3 64 55 59.8	Mo(A)	W	6s	Red and white vertical stripes, marked "KX".	Winter spar. Year round. Chart:4337
156	Cape Enragé light and bell buoy K19	Off reef extending S. from cape. 45 35 08.8 64 47 16.3	Fl	G	4s	Green, marked "K19".	Seasonal. Chart:4337
157 H4060	Cape Enragé	Pitch of cape. 45 35 38.1 64 46 47.7	Fl	G	6s	40.7	10	White square tower, red upper portion. 9.2	Flash 1 s; eclipse 5 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 220°. Chart:4337

BAY OF FUNDY, N.S.

162	Ragged Reef Point light and bell buoy KR	W. of point. 45 40 15.3 64 30 47.7	Mo(A)	W	6s	Red and white vertical stripes, marked "KR".	Seasonal. Chart:4130
162.5 H4034	Ragged Point	On wharf. 45 39 37.9 64 29 17.5	Fl	G	4s	6.7	4	Skeleton tower. 6.6	Operates at night only. Year round. Chart:4010
163 H4032	Apple River	On Cape Capstan, N. entrance. 45 28 24 64 51 22.9	LFl	W	12s	20.8	9	White square tower. 11.2	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4010

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

BAY OF FUNDY, N.S.

164 H3928	Île Haute	On highest point. 45 15 03.3 65 00 19.8	Fl W	4s	112.0	6	Square skeleton tower. 13.0	Visibility of light may be obscured when the navigator is less than 2.5 nautical miles from light. Operates at night only. Year round.	Chart:4010
165	Advocate Harbour light and bell buoy MM	At entrance to harbour. 45 19 10.3 64 48 00.8	Mo(A) W	6s	Red and white vertical stripes, marked "MM".	Seasonal.	Chart:4010
166 H3934	Advocate Harbour	On S. side of entrance. 45 19 07.1 64 46 59.9	Fl W	4s	7.2	6	Square skeleton tower, orange daymark. 7.2	Operates at night only. Year round.	Chart:4010
167 H3938	Cape d'Or	On extreme point. 45 17 27 64 46 27.5	Fl W	9s	20.3	13	White square tower, red upper portion. 10.7	Flash 1 s; eclipse 8 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s ; sil. 3 s; blast 2 s; sil. 48 s. Horn points 240°.	Chart:4010
Minas Basin									
171 H3950	Cape Sharp	On S. extremity of cape. 45 21 52.2 64 23 31.5	Oc W	10s	17.4	12	White square tower, red upper portion. 11.7	Flash 7 s; eclipse 3 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 250°.	Chart:4399
172 H3952	Parrsboro	At entrance to harbour. 45 23 12.8 64 18 59.5	F G	8.4	10	White square tower. 6.4	Year round. Horn - Blast 3 s; sil. 27 s. Horn points 170°.	Chart:4399
173 H3954	Parrsboro Wharf	SE. corner of wharf. 45 23 24.1 64 19 06.9	F R	6.8	7	Triangular skeleton tower. 6.2	Operates at night only. Year round.	Chart:4399
183 H3970	Summerville	45 05 35.6 64 10 22.9	F G	7.4	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4140
188 H3968	Horton Bluff range	45 06 31 64 13 29	F G	26.8	16	White rectangular tower, red upper portion, red vertical stripe. 8.7	Locator light - Flash 3 s; eclipse 5 s. Year round.	
189 H3968.1		169° 19' 538.7m from front.	F G	45.9	16	Triangular skeleton tower, white daymark, red vertical stripe. 7.3	Year round.	Chart:4140
189.5 H3957	Upper Pereaue	45 12 04.5 64 22 41.3	Fl R	4s	4.1	4	Triangular skeleton tower. 4.1	Radar reflector. Operates at night only. Seasonal.	Chart:4140

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

BAY OF FUNDY, N.S.

191 H3956	Minas Basin	On outer SW. corner of wharf at Delhaven. 45 12 07.6 64 22 47.7		F	R	7.1	7	Triangular skeleton tower. 7.1	Operates at night only. Year round.		Chart:4140
192 H3942	Halls Harbour	On end of wharf. 45 12 06.6 64 37 11.8		Fl	R	4s	5.2	7	Skeleton tower. 4.7	Operates at night only. Year round.		Chart:4010
193 H3932	Black Rock	S. shore Minas channel. 45 10 13.2 64 45 42.6		Fl(2)	W	12s	15.9	12	White cylindrical tower, red horizontal bands. 10.4	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 8 s. Operates at night only. Year round.		Chart:4010
194 H3930	Harbourville	Near outer end of W. pier. 45 09 09.3 64 48 42.2		Fl	R	4s	9.8	4	Triangular skeleton tower. 6.6	Operates at night only. Year round.		Chart:4010
195 H3926	Margaretsville	On extremity of point, S. of breakwater. 45 03 00.3 65 03 57.8		Oc(2)	W	20s	11.2	10	Square tower, white and black horizontal bands. 9.7	Flash 10 s; eclipse 3 s; flash 4 s; eclipse 3 s Visible from 095° through S. to 236°. Operates at night only. Year round.		Chart:4010
197 H3920	Port Lorne	S. shore. 44 56 53.3 65 15 53.8		F	W	16.2	13	Triangular skeleton tower, red square daymark. 7.6	Operates at night only. Year round.		Chart:4010
198 H3918	Hampton	E. of W. breakwater at Chute Cove. 44 54 20 65 21 10		F	W	21.0	11	White tower. 10.1	Privately operated. Operates at night only. Year round.		Chart:4010
199 H3916	Parkers Cove	On end of E. breakwater. 44 48 51.1 65 32 18.1		LFl	G	12s	8.0	2	Cylindrical mast. 8.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round.		Chart:4010
199.5	Delap Cove Wharf	E. of Digby Gut. 44 46 11.8 65 38 11.7		Fl	W	4s	6.0	3	Mast. 6.8	Operates at night only. Seasonal.		Chart:4010
201 H3890	Prim Point	Digby Gut, W. point of entrance to Annapolis Basin. 44 41 28 65 47 10.8		Iso	W	6s	24.8	12	White rectangular tower, red vertical stripes. 13.9	Year round. Horn - Blast 3 s; sil. 27 s. Horn points 318°.		Chart:4396
202 H3892	Digby Gut	E. side of entrance to Digby Gut. 44 41 17.1 65 45 34.6		F	W	15.3	10	Triangular skeleton tower. 6.8	Emergency light. Operates at night only. Year round. Horn - Blast 1 s; sil. 14 s.		Chart:4396

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.S.

203 H3894	Victoria Beach	On E. side of Digby Gut. 44 40 33.6 65 45 12.5	Oc G	10s	16.4	7	White square tower. 8.0	Flash 6 s; eclipse 4 s. Operates at night only. Year round.	Chart:4396
204	Bear Island light buoy V1	E. of Fannan Ledge. 44 38 57.9 65 44 48.8	FI G	4s	Green spar, marked "V1".	Year round.	Chart:4396
205	The Raquette light buoy V2	44 37 55.4 65 45 05.8	FI R	4s	Red spar, marked "V2".	Year round.	Chart:4396
206	Digby Pier light buoy V6	44 37 35.7 65 45 03.2	FI R	4s	Red spar, marked "V6".	Year round.	Chart:4396
209 H3896	Port Wade	On shore at head of Government wharf. 44 40 33.9 65 42 41.1	F R	6.9	7	Triangular skeleton tower. 4.9	Operates at night only. Year round.	Chart:4396
209.3	Black Point light buoy VE3	44 40 57.4 65 39 07.8	FI G	4s	Green, marked "VE3".	Year round.	Chart:4396
209.8	Goat Island light buoy VE4	NW. of island. 44 42 18.9 65 37 16.8	FI R	4s	Red, marked "VE4".	Year round.	Chart:4396
Annapolis River									
210 H3906	Schafner Point	On N. side of Annapolis River. 44 42 35.5 65 37 08.6	F W	13.2	10	White square tower, red upper portion. 11.1	Indicates Goat Island Shoals. Operates at night only. Year round.	Chart:4396
210.3	Marsh Point light buoy VE5	Off point. 44 42 47.6 65 34 42.5	FI G	4s	Green, marked "VE5".	Year round.	Chart:4396
211 H3908	Annapolis	NE. of pier. 44 44 39.6 65 31 11.8	F R	9.1	8	White square tower, red upper portion. 8.5	Operates at night only. Year round.	Chart:4396
212 H3889	Broad Cove Wharf	On inner end of wharf. 44 39 55.7 65 49 56.9	F G	5.2	7	Square skeleton tower. 3.5	Operates at night only. Year round.	Chart:4396
213	Centreville light buoy MA	Trout Cove entrance. 44 33 20 66 02 40	Mo(A) W	6s	Red and white vertical stripes, marked "MA".	Year round.	Chart:4011
214 H3888	Centreville	On W. side of cove. 44 33 02.6 66 02 09.5	FI W	12s	13.6	8	Triangular skeleton tower. 6.6	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4011
215 H3887	Whale Cove Wharf	On outer end of wharf. 44 26 08 66 10 30	FI G	4s	4.6	4	Triangular skeleton tower. 4.4	Operates at night only. Year round.	Chart:4118

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

BAY OF FUNDY, N.S.

216 H3884	Boars Head	On W. side of N. entrance to Petit Passage. 44 24 14.5 66 12 55	FI W	5s	28.0	16	White square tower, red upper portion. 11.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 315°.	Chart:4118
217 H3885	Tiverton	Near outer end of breakwater. 44 23 47 66 12 45	FI Y	4s	5.0	5	Triangular skeleton tower. 3.5	Operates at night only. Year round.	Chart:4118
220	<i>Northwest Ledge light buoy M4</i>	<i>Off Beatson Rocks.</i> 44 18 17 66 25 55	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M4".</i>	<i>Year round.</i>	Chart:4118
221 H3874	Grand Passage	N. point of Brier Island. 44 17 13 66 20 31.2	FI W	10s	14.3	21	White rectangular tower, red upper portion. 8.6	Flash 0.3 s; eclipse 9.7 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 333°.	Chart:4118
222	<i>Cow Ledge Shoal light buoy HA4</i>	<i>E. of North Point.</i> 44 17 11 66 20 03	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HA4".</i>	<i>Year round.</i>	Chart:4118
223 H3872	Brier Island	On W. point of island. 44 14 55 66 23 32	FI(3) W	18s	22.2	14	White octagonal tower, 3 red horizontal bands. 16.7	Flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 11.8 s. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 270° and 315°. Horns sound in unison.	Chart:4118
224	<i>Gull Rock light buoy HA1</i>	<i>S. of rock.</i> 44 12 08 66 23 11	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HA1".</i>	<i>Year round.</i>	Chart:4118
225	<i>Southwest Ledge (Brier Island) light and bell buoy M2</i>	<i>Off W. end of ledge.</i> 44 10 09 66 27 12	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M2".</i>	<i>Year round.</i>	Chart:4118
226	<i>Dartmouth Point light buoy HA2</i>	<i>Grand Passage.</i> 44 14 45 66 19 57	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HA2".</i>	<i>Year round.</i>	Chart:4118
227 H3878	Peter Island	S. entrance to Grand Passage. 44 15 26.4 66 20 15.3	FI Y	5s	17.8	14	White rectangular tower, red upper portion. 12.4	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 18 s.	Chart:4118
228 H3880	Westport	On outer end of public wharf. 44 15 53.2 66 20 51.9	FI G	4s	8.3	2	Cylindrical skeleton mast. 6.6	Operates at night only. Year round.	Chart:4118

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

BAY OF FUNDY, N.S.

228.5 H3875	Freeport South Breakwater	On breakwater. 44 16 00.4 66 19 44.5	FI	W	4s	4.4	6	Triangular skeleton tower. 3.5	Operates at night only. Year round.	Chart:4118
229 H3876	Freeport	On outer end of public wharf. 44 16 27.8 66 20 08.7	F	R	9.2	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4118
St. Marys Bay										
230 H3864	Little River	On outer end of wharf. 44 26 37 66 07 45	F	G	7.0	7	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4118
230.2 H3864.5	East Sandy Cove	On outer end of wharf. 44 29 10.8 66 05 04.3	FI	R	4s	6.2	4	Triangular skeleton tower. 6.1	Operates at night only. Year round.	Chart:4118
230.5 H3865	St. Marys Bay	NE. end of bay. 44 34 45.3 65 56 10.9	FI	W	4s	6.6	6	Square skeleton tower. 5.1	Operates at night only. Year round. Horn - Blast 2 s; sil. 28 s. Horn points 217°. Operated by local fishermen when required.	Chart:4118
232.1	Sissiboo Outer light buoy HJ1	44 26 54.6 66 01 15.9	FI	G	4s	Green spar, marked "HJ1".	Year round.	Chart:4118
234	Belliveau Cove	44 23 20.3 66 03 49.1	Iso	W	5s	6.1	Red square tower. 6.4	Privately operated. Operates at night only. Year round.	Chart:4118
234.3	East Sandy Cove light buoy HK3	44 28 48.5 66 04 39	FI	G	4s	Green spar, marked "HK3".	Year round.	Chart:4118
236.5 H3858	Comeauville Wharf	On wharf. 44 17 31.2 66 07 56.3	FI	R	4s	5.4	4	Triangular skeleton tower. 3.5	Operates at night only. Year round.	Chart:4118
237	Saulnierville light buoy HE	Approach to Saulnierville wharf. 44 16 00 66 09 24	Mo(A)	W	6s	Red and white vertical stripes, marked "HE".	Year round.	Chart:4118
237.5	Saulnierville Breakwater	Near end of breakwater. 44 15 50.5 66 08 19.7	FI	R	12s	8.5	5	Skeleton tower. 5.1	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4118
238 H3852	Meteghan River	At inner end of breakwater. 44 13 11.8 66 08 37.2	FI	W	4s	7.5	6	Triangular skeleton tower. 5.6	Operates at night only. Year round.	Chart:4118

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

BAY OF FUNDY, N.S.

239	Meteghan light buoy HC2	NW. of Meteghan breakwater. 44 11 43 66 12 00	Fl R	4s	Red, marked "HC2".	Year round.	Chart:4118
239.3	Meteghan Outer light buoy HC3	44 11 51 66 10 54	Fl G	4s	Green spar, marked "HC3".	Year round.	Chart:4118
239.4	Meteghan Inner light buoy HC4	44 11 50 66 10 12	Fl R	4s	Red spar, marked "HC4".	Year round.	Chart:4118
239.5 H3851	Meteghan Breakwater	On outer end of breakwater. 44 11 44.1 66 10 00.1	Fl R	6s	7.1	6	Square skeleton tower. 4.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4118
241 H3848	Cape St. Marys	E. side of bay. 44 05 09.2 66 12 39.6	Fl W	5s	31.8	13	White rectangular tower, red upper portion. 8.7	Flash 0.5 s; eclipse 4.5 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 251°30'.	Chart:4118
242	Cape St. Marys light buoy NV	S. of cape. 44 04 10.3 66 12 35	Mo(A) W	6s	Red and white vertical stripes, marked "NV".	Year round.	Chart:4243
243 H3846	Cape St. Marys Breakwater	On rubble breakwater. 44 05 03.1 66 12 20.7	Fl G	4s	6.9	4	Cylindrical mast. 6.9	Operates at night only. Year round.	Chart:4118
245	Trinity Ledge bifurcation light buoy NP	S. of ledge. 43 58 47.3 66 18 26	Fl (2+1) R	6s	Red, green and red, marked "NP".	Year round.	Chart:4243
246	Port Maitland light buoy NU	N. of Port Maitland breakwater. 43 59 36.3 66 10 18	Mo(A) W	6s	Red and white vertically striped spar, marked "NU".	Year round.	Chart:4243
247 H3840	Port Maitland Breakwater	43 59 09.5 66 09 32.9	Fl G	4s	8.2	5	Square skeleton tower. 6.8	Radar reflector. Operates at night only. Year round.	Chart:4243
250.01	Port Maitland light buoy NU2	43 59 12.1 66 09 40.4	Fl R	4s	Red spar, marked "NU2".	Year round.	Chart:4243
251	Lurcher Shoal bifurcation light buoy NM Racon -- (K) X Band	W. of Southwest Shoal. 43 49 00.3 66 29 58	Fl (2+1) R	6s	Red, green and red, marked "NM".	Year round.	Chart:4243
251.5	Lurcher Northeast Shoal light buoy N9	43 53 00.3 66 26 10	Fl G	4s	Green, marked "N9".	Year round.	Chart:4243

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

BAY OF FUNDY, N.S.

252	Sandford light buoy NT2	Off Sandford. 43 55 50.8 66 10 53	Fl R	4s	Red, marked "NT2".	Year round.	Chart:4243	
253 H3838	Sandford Sector	43 55 07.7 66 09 14.6	Iso R W G	2s	8.4	12 Square skeleton tower. 7.0	Red from 090°57' to 134°57'; white from 134°57' to 136°57'; green from 136°57' to 180°57'. White sector indicates preferred channel. Year round.	Chart:4243	
255.7 H3837	Chegoggin Point Breakwater	On end of breakwater. 43 51 09.5 66 09 40.2	Fl G	3s	9.7	4 Square skeleton tower. 6.7	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4243	
256	Chegoggin Point light buoy NQ1	Off SW. extreme of Chegoggin Point. 43 50 35.2 66 10 38.5	Fl G	4s	Green, marked "NQ1".	Year round.	Chart:4245	
Yarmouth Harbour and Approaches									
257 H3834	Yarmouth Bar Breakwater	On northerly side of bridge. 43 48 56.3 66 09 09	F G	6.5	7 Cylindrical mast. 3.1	Operates at night only. Year round.	Chart:4245	
259	Cat Rock light buoy Y3	S. of Cape Forchu. 43 46 57.3 66 09 29.5	Fl G	4s	Green, marked "Y3".	Year round.	Chart:4245	
260 H3820	Cape Forchu Racon -... (B) X Band	E. Cape, S. point, Yarmouth Sound. 43 47 38.8 66 09 19.3	Fl W	12s	34.6	12 Hexagonal tower, red and white vertical stripes. 23.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4245	
260.5	Johns Cove light buoy Y5	43 47 50.3 66 08 44.9	Fl G	4s	Green spar, marked "Y5".	Year round.	Chart:4245	
261 H3822	Ships Stern	On N. end of Ships Stern. 43 48 31.7 66 08 45.9	Fl W	4s	9.4	6 Triangular skeleton tower. 3.5	Operates at night only. Year round.	Chart:4245	
262	Privateer Rock light buoy Y12	E. of Ships Stern. 43 48 34 66 08 38.8	Fl R	4s	Red spar, marked "Y12".	Year round.	Chart:4245	
263 H3826	Bunker Island	SW. point of island. 43 48 44.6 66 08 36.2	F R	9.8	10 White square tower, red vertical stripe. 9.1	Emergency light. Year round.	Chart:4245	
264	Sollows Rock light buoy Y17	SE. of rock. 43 48 50.2 66 08 40.1	Q G	1s	Green, marked "Y17".	Year round.	Chart:4245	
265	Yarmouth Main Channel light buoy Y24	S. of Elders Head. 43 49 33.7 66 07 54.2	Fl R	4s	Red spar, marked "Y24".	Year round.	Chart:4245	
266	Yarmouth South Channel light buoy Y26	43 49 51.6 66 07 38.8	Fl R	4s	Red spar, marked "Y26".	Year round.	Chart:4245	

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

BAY OF FUNDY, N.S.

267	Hen and Chickens light buoy Y4	On W. side of shoal. 43 47 41.5 66 08 36.4		Fl	R	4s	Red, marked "Y4".	Year round.	Chart:4245
268	Roaring Bull light buoy Y2	43 45 10.3 66 09 41		Fl	R	4s	Red, marked "Y2".	Year round.	Chart:4245

NOVA SCOTIA, SOUTHWEST COAST

271	Chebogue Point South Cardinal light buoy E	W. of extremity of point. 43 43 46.6 66 07 06.8		Q(6) +LFl	W	15s	Yellow and black, marked "E".	Year round.	Chart:4243
271.3	Chebogue River Inner light buoy E3	43 44 54.3 66 06 04		Fl	G	4s	Green spar, marked "E3".	Year round.	Chart:4243
271.8	Chebogue River light buoy E8	43 45 05.3 66 05 17		Fl	R	4s	Red spar, marked "E8".	Year round.	Chart:4243
271.9	Chebogue River Inner light buoy E9	43 45 11.3 66 05 08		Fl	G	4s	Green spar, marked "E9".	Year round.	Chart:4243
272 H3818	Green Island	Centre of Island. 43 41 23.1 66 08 38.3		Fl	W	5s	25.1	19	White tower. 9.2	Flash 0.5 s; eclipse 4.5 s. Emergency light. Operates at night only. Year round.	Horn - Blast 2 s; sil. 18 s. Chart:4243
272.11	Chebogue River light buoy E11	43 45 18.3 66 05 08.5		Fl	G	4s	Green spar, marked "E11".	Year round.	Chart:4243
272.135	Chebogue River Inner light buoy E13/5	43 45 41.5 66 05 28.3		Fl	G	4s	Green spar, marked "E13/5".	Year round.	Chart:4243
272.18	Chebogue River Inner light buoy E18	43 46 09.3 66 05 40		Fl	R	4s	Red spar, marked "E18".	Year round.	Chart:4243
272.23	Chebogue Ledge light buoy EA1	43 43 09.3 66 07 34.5		Fl	G	4s	Green, marked "EA1".	Year round.	Chart:4243
273	Gannet Dry Ledge light buoy N6	W. of ledge. 43 36 38.3 66 12 45		Fl	R	4s	Red, marked "N6".	Year round.	Chart:4243
274.2	Soldiers Ledge South Cardinal light buoy NSA	43 30 45.3 66 02 31		Q(6) +LFl	W	15s	Yellow and black, marked "NSA".	Year round.	Chart:4242
274.22	Schooner Rock light buoy NSE	43 39 24 66 02 28.5		Fl(2)	W	5s	Black, red and black, marked "NSE".	Year round.	Chart:4244
274.4	Soldiers Ledge North Cardinal light buoy NSB	43 33 23.5 66 03 00		Q	W	1s	Black and yellow, marked "NSB".	Year round.	Chart:4242

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHWEST COAST

274.8	Haymaker Ledge light buoy NS8	43 38 21.3 66 01 36.8	Fl R	4s	Red, marked "NS8".	Year round.	Chart:4244
275	Murder Island light buoy NSH	W. of island. 43 40 04.2 66 03 39	Mo(A) W	6s	Red and white vertical stripes, marked "NSH".	Year round.	Chart:4244
276	Schooner Passage light buoy NS11	N. of Owls Head. 43 39 39.6 66 02 58	Fl G	4s	Green, marked "NS11".	Year round.	Chart:4244
277	Pinkneys Point light buoy NS17	S. of point. 43 41 52.3 66 03 16	Fl G	4s	Green spar, marked "NS17".	Year round.	Chart:4244
278 H3819	Pinkneys Point	On outer end of rubble breakwater extension. 43 42 12.7 66 03 10.5	Fl W	4s	5.0	6	Square skeleton tower. 3.5	Operates at night only. Year round.	Chart:4244
278.2	Pinkneys Point Fog Signal	43 42 11.6 66 03 12.1	Square skeleton tower. 4.1	Horn - Blast 3 s; sil. 3 s; blast 3 s; sil 51 s. Horn points 177°. Year round.	Chart:4244
278.5 H3817.6	Ram Island	On S. end of ledge. 43 42 10.3 66 02 29.4	Fl G	4s	4.0	4	Green square skeleton tower. 6.9	Radar reflector. Operates at night only. Year round.	Chart:4244
279 H3817.4	Little River Harbour	S. extremity of Big Cook Island. 43 42 36.4 66 02 02.2	Fl W	4s	6.9	6	Triangular skeleton tower. 3.1	Operates at night only. Year round.	Chart:4244
279.5 H3817.5	Little River Harbour East	On outer end of breakwater. 43 42 41.7 66 01 53.7	Fl R	4s	9.5	4	Triangular skeleton tower. 3.1	Operates at night only. Year round.	Chart:4244
280 H3814	Candlebox Island	N. entrance, Schooner Passage. 43 39 44.6 66 02 43.3	F R	14.1	10	White rectangular tower, red upper portion. 11.6	Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 343°.	Chart:4244
281 H3815	The Sluice West	W. side of rock. 43 40 13.1 66 00 53.2	Fl W	4s	4.7	6	Yellow cylindrical mast. 3.1	Operates at night only. Year round.	Chart:4244
282 H3816	The Sluice East	E. side of rock. 43 40 12.1 66 00 48.2	Fl W	4s	4.2	6	Triangular skeleton tower. 3.1	Operates at night only. Year round.	Chart:4244
282.5	Pearl Rock	43 38 13.6 66 01 22.9	Fl R	4s	5.0	3	Red cylindrical mast. 8.2	Operates at night only. Year round.	Chart:4244

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHWEST COAST

283 H3806	Peases Island	On S. point of one of the Tusket Islands. 43 37 42.6 66 01 34.9		Fl W	6s	16.0	9	White cylindrical tower, red upper portion. 11.5	Flash 0.5 s; eclipse 5.5 s. Visible from all points of approach from southward; also through Schooner and Ellenwood Passages. Emergency light. Operates at night only. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.	Chart:4244
283.2	Peases Island Ledge light buoy NS4	S. of ledge. 43 37 29.8 66 01 15.8		Fl R	4s	Red, marked "NS4".	Year round.	Chart:4244
284 H3817	Frenchman Point	On rock, SW. of point. 43 38 07.2 66 00 59.4		Fl R	6s	6.7	4	Red square skeleton tower. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4244
285	Frenchman Point light buoy T3	S. of the point. 43 38 05.8 65 59 59.3		Fl G	4s	Green, marked "T3".	Year round.	Chart:4244
285.2	Gull Ledge light buoy NE2	43 37 08.6 65 54 51.4		Fl R	4s	Red, marked "NE2".	Year round.	Chart:4244
285.5	Old Woman South Cardinal light buoy TT	43 37 46.3 65 58 47.9		Q(6) +LFI	W	15s	Yellow and black, marked "TT".	Year round.	Chart:4244
286	Lobster Rock light buoy T9	E. of Lobster Island. 43 39 29.3 65 59 11.9		Fl G	4s	Green spar, marked "T9".	Year round.	Chart:4244
286.5	Sylvin Ledge light buoy T7	Off S. end of ledge. 43 38 49.3 65 59 13.9		Fl G	4s	Green spar, marked "T7".	Year round.	Chart:4244
287.5	Old Man light buoy T1	43 36 35.3 65 59 57.9		Fl G	4s	Green, marked "T1".	Year round.	Chart:4244
288	Spectacle Shoal light buoy NSC	SW. of Spectacle Ledge. 43 35 59.6 66 03 47.6		Mo(A) W	6s	Red and white vertical stripes, marked "NSC".	Year round.	Chart:4244
289 H3812	Seal Island Radiobeacon	S. point of island. 43 23 40 66 00 51		Fl W	10s	33.4	19	White octagonal tower, two red bands. 21.3	Flash 1 s; eclipse 9 s. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 183°.	Chart:4242
290.2	Blond Rock East Cardinal light buoy NK	43 20 26.9 65 58 43.4		Q(3) W	10s	Black, yellow and black, marked "NK".	Year round.	Chart:4242
291	Lower Wedgeport light buoy TC3	E. of Black Ledges. 43 41 33.1 65 59 27.7		Fl G	4s	Green spar, marked "TC3".	Year round.	Chart:4244

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHWEST COAST

292 H3805.5	Lower Wedgeport	43 42 38.6 65 59 22.4	Fl R	4s 3.1	4	Skeleton tower on 5-pile dolphin. 2.0	Radar reflector. Operates at night only. Year round.	Chart:4244
293 H3805.4	Goose Bay	43 42 13.6 65 59 20	Fl R	4s 3.2	4	Skeleton tower on 5-pile dolphin. 2.1	Radar reflector. Operates at night only. Year round.	Chart:4244
293.2	Snipe Reef	43 40 27.5 65 59 08.3	Fl R	4s 4.1	4	Red cylindrical mast. 4.1	Operates at night only. Year round.	Chart:4244
293.55	Snipe Reef bifurcation light buoy TA	43 39 27.3 65 58 20.9	Fl G (2+1)	6s	Green, red and green, marked "TA".	Year round.	Chart:4244
293.6	Western Bar Island South light buoy TA3	43 40 12.4 65 57 38.1	Fl G	4s	Green spar, marked "TA3".	Year round.	Chart:4244
293.7	Fish Ledge West light buoy TA5	43 41 25.3 65 57 51.9	Fl G	4s	Green spar, marked "TA5".	Year round.	Chart:4244
294 H3804	Tusket River	Big Fish Island, SW. point. 43 42 12.6 65 57 05.9	Fl W	10s 18.6	16	White square tower, red upper portion. 11.2	Flash 1 s; eclipse 9 s. Operates at night only. Year round.	Chart:4244
294.3 H3805	Tusket Wedge	43 42 47.7 65 56 38.2	Fl G	4s 8.3	4	Cylindrical mast. 6.2	Operates at night only. Year round.	Chart:4244
294.55	Indian Sluice Point Wharf	At the end of wharf. 43 46 21.2 65 57 02.4	Fl R	4s	6 Cylindrical mast.	Operates at night only. Year round.	Chart:4244
294.551	Indian Sluice Bay light buoy TE2	43 44 04.6 65 56 41.6	Fl R	4s	Red spar, marked "TE2".	Year round.	Chart:4244
294.56	Mikes Island Ledge light buoy TE10	43 45 07.8 65 56 39.3	Fl R	4s	Red spar, marked "TE10".	Year round.	Chart:4244
294.6 H3803	Surrette's Island Breakwater	43 43 12.3 65 54 19.5	Fl G	4s 4.3	4	Triangular skeleton tower. 3.6	Operates at night only. Year round.	Chart:4244
294.7	East Money Outer South cardinal light buoy ND	43 40 48.3 65 53 57.9	Q(6) +LFI W	15s	Yellow and black spar, marked "ND".	Year round.	Chart:4244
294.8 H3803.4	Bar Island	S. of island. 43 42 01.7 65 54 12.1	Fl G	4s 4.0	4	Green cylindrical mast. 8.6	Operates at night only. Year round.	Chart:4244

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		----- Latitude N. Longitude W.				----- Height in meters above ground	

NOVA SCOTIA, SOUTHWEST COAST

295 H3800	Whitehead Island	On S. point of island. 43 39 45.8 65 52 02.6	Fl W	15s	30.0	13	White rectangular tower, red upper portion. 11.9	Emergency light. Year round. Horn - Blast 3 s; sil. 27 s.	Chart:4244
295.5	Lower Argyle Breakwater	43 43 24 65 50 31.8	Fl R	4s	9.6	4	Triangular skeleton tower. 6.6	Operates at night only. Year round.	Chart:4244
295.9 H3801	Gull Island	43 39 37.6 65 54 55.3	Fl W	4s	8.6	6	Triangular skeleton tower. 5.8	Operates at night only. Year round.	Chart:4244
296.2	Abbotts Harbour light buoy AC1	S. of Abbotts Harbour Island. 43 39 25.1 65 49 29	Q G	1s	Green, marked "AC1".	Year round.	Chart:4244
296.3	Ledge Harbour light buoy AA3	Off S. end of island. 43 38 47.8 65 49 12.4	Fl G	4s	Green, marked "AA3".	Year round.	Chart:4244
297.6	Pumpkin Ledge light buoy A6	Lobster bay, south approach lower argyle. 43 40 33.3 65 51 25.3	Fl R	4s	Red, marked "A6".	Year round.	Chart:4244
299	Pubnico Harbour	43 35 53.4 65 46 55.6	Fl R	3s	7	Red and white cylindrical tower. 11.4	Flash 1 s; eclipse 2 s. Year round.	Chart:4210
300	Pubnico Ledges light buoy P5	E. side of ledges. 43 36 16.3 65 46 53.9	Fl G	4s	Green, marked "P5".	Year round.	Chart:4210
300.5 H3798.4	Lower East Pubnico	On wharf. 43 36 21.3 65 46 41.9	Fl R	6s	7.5	4	Triangular skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4210

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

301.5	Dennis Point Shoal light buoy PB	43 37 03 65 47 02	Fl (2+1) G	6s	Green, red and green, marked "PB".	Year round.	Chart:4210
302.5	Pubnico light buoy P1	43 35 10.3 65 48 13.9	Fl G	4s	Green spar, marked "P1".	Year round.	Chart:4210
303	Johns Island Ledge light buoy ND4	W. of ledge. 43 30 30.3 65 49 10.4	Fl R	4s	Red, marked "ND4".	Year round.	Chart:4210
304	Cockerwit Passage light buoy D	Off W. entrance to passage. 43 29 09.3 65 46 28.9	Mo(A) W	6s	Red and white vertical stripes, marked "D".	Year round.	Chart:4210

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.	Height in meters above ground	Fog Signals					

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

304.1	Robinson Ball light buoy D1	43 29 29.8 65 45 58.5	Fl	G	4s	Green, marked "D1".	Year round.	Chart:4210
305	Outer Island North light buoy D2	Off N. end of shoal N. of Outer Island. 43 29 35.3 65 45 39.9	Q	R	1s	Red, marked "D2".	Year round.	Chart:4210
305.5	Ball Ledge light buoy D3	43 30 00.1 65 45 18	Q	G	1s	Green spar, marked "D3".	Year round.	Chart:4210
306	Outer Island South light buoy C	S. of Outer Island. 43 26 23.3 65 44 43.9	Mo(A)	W	6s	Red and white vertical stripes, marked "C".	Year round.	Chart:4210
306.002	Inner Island Southwest Shoal West Cardinal light buoy NF	43 28 50.1 65 43 24.4	Q(9)	W	15s	Yellow, black and yellow spar, marked "NF".	Year round.	Chart:4210
306.003	Shag Harbour Entrance	Entrance to Harbour. 43 29 20.3 65 43 04.4	Fl	G	4s	6	Cylindrical mast.	Year round.	Chart:4210
306.016	Shag Harbour West Turn light buoy NF16	43 29 25.7 65 42 40.7	Q	R	1s	Red, marked "NF16".	Year round.	Chart:4210
306.023	Shag Harbour East Turn light buoy NF23	43 29 24.7 65 42 17.7	Fl	G	4s	Green, marked "NF23".	Year round.	Chart:4210
307 H3790	Outer Island	On S. point. 43 27 23.2 65 44 36.2	Fl	W	10s	13.7	10	White square tower, red upper portion. 11.6	Flash 1 s; eclipse 9 s. Year round.	Chart:4210
307.02	Cornwall Rock light buoy N2	43 22 51 65 41 49.5	Fl	R	4s	Red, marked "N2".	Year round.	Chart:4210
308.5	Shag Harbour Ledges	43 29 22.7 65 42 53.5	Fl	R	4s	7.6	4	Red cylindrical mast. 7.8	Year round.	Chart:4210
309 H3793.6	Shag Harbour Wharf	On outer NE. end of wharf. 43 29 32.9 65 42 18	Fl	R	4s	7.2	4	Cylindrical mast.	Operates at night only. Year round.	Chart:4210
311 H3793	Prospect Point Wharf	On outer end of wharf. 43 29 23.9 65 43 08.2	Fl	Y	4s	7.8	5	Cylindrical mast. 6.6	Operates at night only. Year round.	Chart:4210
311.5	Solomans Island light buoy D5	S. end of Cockerwit Passage. 43 30 30 65 45 07	Fl	G	4s	Green, marked "D5".	Year round.	Chart:4210
311.6	Chetwyn Reef light buoy D6	43 30 32.6 65 45 00.1	Fl	R	4s	Red, marked "D6".	Year round.	Chart:4210

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground		Fog Signals	

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

312 H3794	Woods Harbour	On Big Ledge. 43 31 10.5 65 44 43.1		Fl	W	6s	6.3	9	White square tower, red upper portion. 6.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s.	Chart:4210
313 H3795	Lower Woods Harbour	On outer end of new breakwater. 43 31 21.9 65 44 15.2		Fl	R	6s	6.8	4	Skeleton tower. 3.2	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4210
315 H3796	Falls Point Wharf	On wharf extension. 43 31 46 65 44 23.7		Fl	G	5s	8.9	5	Triangular skeleton tower. 6.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4210
315.2 H3796.2	The Falls	NW. end of ledge. 43 32 04.7 65 44 36.8		Fl	R	4s	5.0	4	Red cylindrical mast. 6.9	Radar reflector. Operates at night only. Year round.	Chart:4210
315.3	Angels Island	43 32 11.8 65 44 36.4		Fl	W	4s	4.0	6	Yellow cylindrical mast. 4.9	Operates at night only. Year round.	Chart:4210
315.5 H3797	Northern End Ledge	N. side of ledge. 43 32 09.4 65 46 08.8		Fl	G	4s	4.9	4	Green cylindrical mast. 6.9	Radar reflector. Operates at night only. Year round.	Chart:4210
316 H3788	Bear Point Wharf	S. end of wharf. 43 29 10.1 65 39 19.6		Fl	R	4s	7.1	4	Triangular tower. 6.1	Operates at night only. Year round.	Chart:4210
317	Bear Point Ledge light buoy C9	Off ledge. 43 28 38.3 65 38 38.9		Fl	G	4s	Green spar, marked "C9".	Year round.	Chart:4210
318.01	Salt Rock light buoy C10	43 28 26.9 65 38 16.9		Fl	R	4s	Red spar, marked "C10".	Year round.	Chart:4210
318.5 H3787.2	Newellton Breakwater	NE. corner, new pier extension. 43 28 24.7 65 38 01.6		Fl	R	12s	10.2	4	Square skeleton tower. 6.6	Operates at night only. Year round.	Chart:4210
319	Newellton Reef light buoy C8	Near NW. end of reef. 43 28 04.3 65 38 54.9		Fl	R	4s	Red spar, marked "C8".	Year round.	Chart:4210
319.3	Apple Rock light buoy C5	43 27 43.3 65 39 43.9		Fl	G	4s	Green spar, marked "C5".	Year round.	Chart:4210
319.5 H3786.2	West Head Breakwater	On breakwater extension. 43 27 38.7 65 39 14.2		Fl	R	4s	9.8	4	Square skeleton tower. 6.1	Operates at night only. Year round.	Chart:4210

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

320 H3786	West Head, Cape Sable Island	On the head. 43 27 23.8 65 39 16.9	F	R	15.6	7	Red and white cylindrical tower. 6.1	Operates at night only. Year round.	Horn - Blast 2.5 s; sil. 3 s; blast 2.5 s; sil. 52 s. Horn points 254°.	Chart:4210
320.01	Ryders Reef light buoy C1	43 27 22.5 65 41 05	Q	G	1s	Green spar, marked "C1".	Year round.		Chart:4210
321	Hospital Reef light buoy C2	N. of reef. 43 26 46.3 65 40 19.9	Fl	R	4s	Red, marked "C2".	Year round.		Chart:4210
322	Hospital Ledge light buoy CA2	Off N. end of Reef. 43 26 36.3 65 39 45.9	Q	R	1s	Red, marked "CA2".	Year round.		Chart:4210
322.07	Eleazer Island light buoy CC3	43 26 05 65 38 29	Fl	G	4s	Green, marked "CC3".	Year round.		Chart:4210
322.1	Hospital Reef light buoy CA1	43 26 42 65 39 40	Fl	G	4s	Green spar, marked "CA1".	Year round.		Chart:4210
323 H3785	Clark's Harbour	Near end of public wharf. 43 26 33.5 65 38 08.7	Fl	G	4s	7.3	4	Skeleton tower. 6.1	Operates at night only. Year round.		Chart:4210
323.07	Clark's Harbour light buoy CA5	43 26 28 65 38 34	Fl	G	4s	Green spar, marked "CA5".	Year round.		Chart:4210
323.5 H3785.4	Swims Point	Outer end of wharf. 43 25 56.9 65 37 54.9	LFl	R	12s	8.1	4	Triangular skeleton tower. 6.6	Flash 2 s; eclipse 10 s. Operates at night only. Year round.		Chart:4210
323.7 H3785.6	Fish Island	W. of N. end of island. 43 25 40.5 65 39 15.8	Fl	R	4s	7.0	4	Red cylindrical mast. 6.9	Operates at night only. Year round.		Chart:4210
323.91	Pork Ledge	43 25 25.8 65 39 25.6	Fl	G	4s	5	Green cylindrical mast.	Year round.		Chart:4210
324	Doctors Channel - West Cardinal light buoy NAC	SW. of S. end of Fish Island. 43 24 59.3 65 39 18.9	Q(9)	W	15s	Yellow, black and yellow, marked "NAC".	Year round.		Chart:4210
325	Cape Sable light buoy N	S. of SW. ledge. 43 20 12.3 65 40 45.9	Mo(A)	W	6s	Red and white vertical stripes, marked "N".	Year round.		Chart:4210
326	Ox Eye Rock light buoy NA2	S. of rock. 43 23 30.3 65 38 42.9	Fl	R	4s	Red marked "NA2".	Year round.		Chart:4210

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

326.02 <i>H3784</i>	<i>Black Head Ledge light buoy NA4</i>	43 23 46.5 65 39 13	Q R	1s	Red spar, marked "NA4".	Year round.	Chart:4210
326.5	<i>La Have Bank ODAS light buoy 44142</i>	42 30 00 64 02 00	Fl(5) Y	20s	Yellow, marked "44142".	Year round.	Chart:8006

NOVA SCOTIA, SOUTHEAST COAST

327 <i>H3784</i>	Cape Sable Racon --. (C) X Band	On cape. 43 23 24 65 37 16.9	Fl W	5s	29.7	18	White octagonal tower, red upper portion. 30.0	Flash 1 s; eclipse 4 s. Emergency light. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 150°.	Chart:4210
328	<i>Hawk Channel light buoy JS53</i>	<i>E. entrance of channel.</i> 43 23 58 65 35 20	Fl G	4s	Green, marked "JS53".	Year round.	Chart:4241
329	<i>White Knoll Ledge light buoy JS55</i>	<i>SE. of ledge.</i> 43 25 13 65 34 17.5	Fl G	4s	Green, marked "JS55".	Year round.	Chart:4241
329.5 <i>H3784.4</i>	Daniels Head	End of rubble breakwater. 43 26 54.6 65 35 09.6	Fl G	4s	8.5	4	Square skeleton tower. 6.3	Operates at night only. Year round.	Chart:4241
329.6	<i>Daniels Head light buoy JU50</i>	43 26 57 65 34 55	Fl R	4s	Red spar, marked "JU50".	Year round.	Chart:4241
330	<i>Stoney Island light buoy JQ</i>	<i>N. of Stoney Island Shoal.</i> 43 27 24.5 65 32 44.5	Mo(A) W	6s	Red and white vertical stripes, marked "JQ".	Year round.	Chart:4241
331	<i>Congress Shoal light buoy JS59</i>	<i>E. of shoal.</i> 43 27 58 65 32 48	Fl G	4s	Green spar, marked "JS59".	Year round.	Chart:4241
331.2 <i>H3787.4</i>	Stoney Island Outer Breakwater	On outer end of breakwater. 43 28 06.4 65 33 56.1	Fl G	3s	10.0	5	Square skeleton tower. 6.6	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4241
331.44	<i>Stoney Island light buoy JQ52</i>	43 27 57.5 65 33 40.3	Fl R	4s	Red, marked "JQ52".	Year round.	Chart:4241
331.5	Cripple Creek Breakwater	43 29 22.5 65 33 35.3	Iso G	4s	2	Mast.	Operates at night only. Year round.	Chart:4241
331.6	<i>Cripple Creek light buoy JS61</i>	43 29 21 65 33 18	Fl G	4s	Green spar, marked "JS61".	Year round.	Chart:4241

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

NOVA SCOTIA, SOUTHEAST COAST

333.5	Wesses Ledge light buoy JS70	43 31 02.5 65 34 58		Q R 1s		Red spar, marked "JS70".	Year round.	Chart:4241
334	Barrington Passage Channel light buoy JS76	Entrance to channel. 43 31 26 65 35 51		Fl R 4s		Red spar, marked "JS76".	Year round.	Chart:4241
336 H3782	Baccaro Point	E. side of entrance to Barrington Bay. 43 26 59 65 28 15		Mo(D) W 10s	15.0	15		White square tower, red upper portion. 14.0	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible from 207° through W., N. and E. to 127°. Operates at night only. Year round.	Horn - Blast 2 s; sil. 18 s. Horn points 200°. Chart:4241
337	Bantam Rocks light buoy JS56	W. of the rocks. 43 25 42 65 29 16		Fl R 4s		Red, marked "JS56".	Year round.	Chart:4241
338	Brazil Rock South Cardinal light buoy J	S. of rock. 43 21 00 65 26 44		Q(6) W 15s		Yellow and black, marked "J".	Year round.	Chart:4241
339	Cuckold Rock light buoy JJ51	SE. of rock, entrance to Port La Tour. 43 27 06 65 27 18		Fl G 4s		Green, marked "JJ51".	Year round.	Chart:4241
340	Port La Tour light buoy JN	43 29 27 65 26 42		Mo(A) W 6s		Red and white vertical stripes, marked "JN".	Year round.	Chart:4241
340.01	Outer Rock South Cardinal light buoy JJ	43 26 00 65 26 35		Q(6) W 15s		Yellow and black spar, marked "JJ".	Year round.	Chart:4241
340.03	Port La Tour light buoy JJ56	43 27 51.7 65 26 59.2		Fl R 4s		Red spar, marked "JJ56".	Year round.	Chart:4241
340.04	Port La Tour light buoy JJ57	43 28 33 65 27 08.5		Fl G 4s		Green spar, marked "JJ57".	Year round.	Chart:4241
342	Port La Tour Inner light buoy JN53	Off Mohawk Ledge. 43 30 20.8 65 27 08.2		Fl G 4s		Green spar, marked "JN53".	Year round.	Chart:4241
343 H3781	Upper Port La Tour	Outer end of E. breakwater. 43 30 19.6 65 28 11		F R	7.3	8	Triangular skeleton mast. 6.8	Operates at night only. Year round.	Chart:4241
344 H3780	Port La Tour	On outer end of breakwater. 43 29 58 65 28 14.1		F G	6.3	8	Triangular skeleton mast. 3.8	Operates at night only. Year round.	Chart:4241
345 H3779	Port La Tour Harbour	On Whale Back Rock. 43 29 34 65 26 58.8		Fl G 4s	5.5	2		Cylindrical mast. 3.2	Operates at night only. Year round.	Chart:4241
346	Barrel Rock light buoy JA56	SW. of rock. 43 29 44 65 27 06		Q R 1s		Red spar, marked "JA56".	Year round.	Chart:4241

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

346.01	Port La Tour light buoy JN51	43 29 55.5 65 26 39.4	Q G	1s	Green spar, marked "JN51".	Year round.	Chart:4241
347	Port La Tour light buoy JA	S. of Blanche Island. 43 26 33 65 24 09	Mo(A) W	6s	Red and white vertical stripes, marked "JA".	Year round.	Chart:4241
348 H3778	The Salvages	SE. end of island. 43 28 08.1 65 22 44	LFI W	12s	15.6	10	White rectangular tower, red upper portion. 12.0	Flash 2 s; eclipse 10 s. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.	Chart:4241
349 H3774	Cape Negro Island	On SE. end of island. 43 30 26.2 65 20 44.2	FI(2) W	15s	28.3	10	White octagonal tower, red upper portion. 11.9	Visible from 187° through W., N. and E. to 106°30'. Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s.	Chart:4241
350	Budget Rock light and bell buoy SN51	At entrance to Negro Harbour. 43 31 35 65 20 41.5	FI G	4s	Green, marked "SN51".	Year round.	Chart:4241
350.02	Negro Harbour light buoy SN52	43 31 48.9 65 20 53	FI R	4s	Red spar, marked "SN52".	Year round.	Chart:4241
350.5	The Nubble North Cardinal light buoy SNC	43 32 00 65 23 30	Q W	1s	Black and yellow, marked "SNC".	Year round.	Chart:4241
351	Grog Rock light buoy SP54	SW. of rock. 43 32 20.6 65 21 51.5	FI R	4s	Red, marked "SP54".	Year round.	Chart:4241
351.02	Negro Harbour light buoy SP56	43 32 36.4 65 21 51.5	FI R	4s	Red spar, marked "SP56".	Year round.	Chart:4241
351.04	Negro Harbour light buoy SP59	43 33 08 65 22 04	FI G	4s	Green spar, marked "SP59".	Year round.	Chart:4241
352 H3776	Ingomar Wharf	On outer end of wharf. 43 33 45.7 65 21 46.8	F R	5.5	8	Triangular skeleton mast. 3.8	Operates at night only. Year round.	Chart:4241
352.5	Shingle Point light buoy SN60	Off point. 43 32 49 65 24 15	FI R	4s	Red, marked "SN60".	Year round.	Chart:4241
353	Negro Harbour light and whistle buoy SN	At East Entrance to harbour. 43 31 01.5 65 18 50	Mo(A) W	6s	Red and white vertical stripes, marked "SN".	Year round.	Chart:4241
354	Jig Rock light buoy S51	Off rock. 43 35 58.3 65 15 51.4	FI G	4s	Green, marked "S51".	Year round.	Chart:4241

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

355 H3762	Cape Roseway	Near SE. point of McNutt Island. 43 37 21.4 65 15 50	Fl W 10s	33.1	10	White octagonal tower, red upper portion. 17.3	Flash 1 s; eclipse 9 s. Visible from 187° through W. and N. to 055°. Emergency light. Operates at night only. Year round.	Chart:4209	
357	Shelburne light buoy S	Off entrance to Shelburne Harbour. 43 37 36 65 13 51	Mo(A) W 6s	Red and white vertical stripes, marked "S".	Year round.	Chart:4241	
357.5	Old Cow Reef bifurcation light buoy SAC	43 38 18 65 13 12	Fl R (2+1)	6s	Red, green and red, marked "SAC".	Year round.	Chart:4241	
357.8	Strap Tub South Cardinal light buoy KSA	43 39 00 65 14 07.8	Q(6) +LFl	W 15s	Yellow and black spar, marked "KSA".	Year round.	Chart:4241	
359 H3763	Lower Sandy Point	On outer end of wharf. 43 40 48.7 65 18 10.8	Fl W 4s	4.2	5	Triangular skeleton mast. 3.7	Operates at night only. Year round.	Chart:4209	
360.01	Gunning Cove light buoy SA51	43 41 01.5 65 20 18	Fl G 4s	Green, marked "SA51".	Year round.	Chart:4209	
360.02	Sandy Point Inner light buoy S56	43 42 22.8 65 19 38.4	Fl R 4s	Red, marked "S56".	Year round.	Chart:4209	
360.1	Middle Rock light buoy S52	43 40 34.8 65 18 50.4	Fl R 4s	Red, marked "S52".	Year round.	Chart:4209	
360.11	Irving Oil Wharf Ruins light buoy SD52	43 45 23.3 65 19 26.9	Fl R 4s	Red spar, marked "SD52".	Year round.	Chart:4209	
361 H3765	Gunning Cove (Shelburne Harbour)	On large rock, N. end of shoal. 43 40 53.3 65 20 06.9	Fl W 4s	4.3	6	Triangular skeleton tower. 3.8	Maintained by Harbour Authority of Gunning Cove. Operates at night only. Year round.	Chart:4209	
362.8	Sandy Point light buoy S54	SE. Coast, Shelburne Harbour. 43 41 25.3 65 19 39.9	Q R 1s	Red, marked "S54".	Year round.	Chart:4209	
363	Sandy Point	E. side of entrance to Shelburne Harbour. 43 41 29.3 65 19 31.5	F R	14.3	6	White square tower. 13.4	Visible from 310° through N., E. and S. to 188°. Privately maintained. Year round.	Chart:4209
366.01	Lower Jordan Bay Outer light buoy KS57	43 40 45.2 65 13 59.6	Fl G 4s	Green, marked "KS57".	Year round.	Chart:4241	
366.02	Lower Jordan Bay Outer light buoy KS56	43 40 46.2 65 13 58.8	Fl R 4s	Red, marked "KS56".	Year round.	Chart:4241	

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

NOVA SCOTIA, SOUTHEAST COAST

366.03	Lower Jordan Bay Inner light buoy KS59	43 40 49.7 65 14 08.9	FI G 4s	Green, marked "KS59".	Year round.	Chart:4241	
366.04	Lower Jordan Bay Inner light buoy KS58	43 40 50.1 65 14 08.5	FI R 4s	Red, marked "KS58".	Year round.	Chart:4241	
366.05	Lower Jordan Bay light buoy KS54	43 40 43.4 65 13 52.1	FI R 4s	Red, marked "KS54".	Year round.	Chart:4241	
366.06	Lower Jordan Bay light buoy KS55	43 40 41.6 65 13 53.6	FI G 4s	Green, marked "KS55".	Year round.	Chart:4241	
366.1	Lower Jordan Bay Fairway light buoy KS	43 39 44.7 65 13 05	Mo(A) W 6s	Red and white vertical stripes, marked "KS".	Year round.	Chart:4241	
366.35	Lower Jordan Bay light buoy KS53	43 40 37 65 13 45.5	Q G 1s	Green spar, marked "KS53".	Year round.	Chart:4241	
366.8	Lower Jordan Bay light buoy KS61	43 40 56.3 65 14 14.9	FI G 4s	Green, marked "KS61".	Year round.	Chart:4241	
367 H3759.4	Lower Jordan Bay Wharf	On most northerly end of wharf. 43 40 52 65 14 23	FI W 4s	4.5	5	Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Year round.	Chart:4241	
367.7	Green Harbour light buoy KPA	NE. of Jenkins Island. 43 43 14 65 09 37.5	Mo(A) W 6s	Spar, red and white vertical stripes, marked "KPA".	Year round.	Chart:4241	
368	Green Harbour light and bell buoy KP	43 40 14.6 65 09 33	Mo(A) W 6s	Red and white vertical stripes, marked "KP".	Year round.	Chart:4241	
368.02	West Green Harbour Outer light buoy KP56	43 43 14.8 65 09 48.2	FI R 4s	Red spar, marked "KP56".	Year round.	Chart:4241	
369	Bull Rock light buoy KK51	SW. of rock 43 37 32 65 08 11.5	FI G 4s	Green, marked "KK51".	Year round.	Chart:4209	
369.04	Southwest Rock light buoy KK57	43 40 00.3 65 06 13.9	Q G 1s	Green spar, marked "KK57".	Year round.	Chart:4209	
Lockeport									
370 H3750	Lockeport	On Gull Rock, entrance to harbour. 43 39 18.3 65 05 55.9	LFI W 15s	16.7	12	White rectangular tower, red upper portion. 12.1	Flash 4 s; eclipse 11 s. Emergency light. Operates at night only. Year round.	Horn - Blast 3 s; sil. 27 s. Year round. Chart:4209	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

371	Laurier Rock light buoy KK61	SW. of rock. 43 41 01.8 65 05 45.9	FI G 4s	Green spar, marked "KK61".	Year round. Chart:4209
371.02	Laurier Rock light buoy KK64	43 41 16.3 65 05 47.9	FI R 4s	Red spar, marked "KK64".	Year round. Chart:4209
372	Carter Island light buoy KK69	S. of island. 43 42 08.3 65 05 58.9	Q G 1s	Green spar, marked "KK69".	Year round. Chart:4209
372.03	Lockeport Inner Harbour light buoy KK72	43 42 06.8 65 06 33.9	FI R 4s	Red spar, marked "KK72".	Year round. Chart:4209
373.5 H3758	Osborne Harbour	On outer end of wharf. 43 42 52.6 65 06 33.6	F G	4.6 7	Triangular skeleton tower. 3.8	Operates at night only. Year round. Chart:4209
374 H3753	Carter Island	On S. end of island. 43 42 19.3 65 06 04	FI W 6s	16.4	7	White cylindrical tower, two red horizontal bands. 11.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4209
375 H3754	Lockeport Breakwater	Near outer end of S. breakwater. 43 42 05.6 65 06 25.8	FI G 5s	5.3	7	Triangular skeleton tower. 3.7	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4209
380 H3755	Lockeport North	On outer end of N. breakwater. 43 42 09 65 06 25.9	Q R 1s	5.5	2	Triangular skeleton tower. 3.7	Operates at night only. Year round. Chart:4209
382.01	Outer Farm Ledge light buoy KE52	43 38 27 65 02 15	FI R 4s	Red, marked "KE52".	Year round. Chart:4209
383.1	Black Point Fairway light buoy KE	E. of Kelp Shoals. 43 39 31.3 65 04 18.9	Mo(A) W 6s	Red and white vertical stripes, marked "KE".	Year round. Chart:4209
383.5	Lockeport West Cardinal light buoy KEA	43 40 14.3 65 04 57.9	Q(9) W 15s	Yellow, black and yellow, marked "KEA".	Year round. Chart:4209
384 H3748	Little Harbour Wharf	On outer end of wharf. 43 42 57.5 65 01 48.1	FI W 5s	7.2	8	Rectangular skeleton tower. 6.0	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4209
384.5	Little Harbour light buoy KC53	43 42 54 65 00 51	Q G 1s	Green, marked "KC53".	Year round. Chart:4240
386	Little Harbour light buoy KC52	43 42 07.5 65 00 00	FI R 4s	Red, marked "KC52".	Year round. Chart:4240
386.01	Bantam Rock light buoy KA51	43 43 12 64 58 00	FI G 4s	Green, marked "KA51".	Year round. Chart:4240

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

387	Port Hebert light buoy UX	SW. of Thrum Point. 43 46 19 64 54 47	Mo(A) W	6s	Red and white vertical stripes, marked "UX". Year round.	Chart:4240	
387.01	Shingle Point light buoy UX53	43 48 30 64 55 24	Fl	G	4s	Green spar, marked "UX53". Year round.	Chart:4240
387.04	Port Hebert light buoy UX56	43 48 49 64 55 42	Fl	R	4s	Red, marked "UX56". Year round.	Chart:4240
387.5	Shingle Point light buoy UX55	43 48 42.5 64 55 33	Q	G	1s	Green, marked "UX55". Year round.	Chart:4240
388 H3746	Port Hebert	On Shingle Point, E. side of harbour. 43 48 45.7 64 55 30	Fl	R	5s	8.5	4	Skeleton mast, enclosed lower portion. 6.8 Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4240
391	Little Hope Shoal light buoy UV52	S. of shoal. 43 47 15 64 49 53	Fl	R	4s	Red, marked "UV52". Year round.	Chart:4240
394.01	Little Hope Island East Cardinal light buoy UEF	43 48 12.6 64 46 27.2	Q(3)	W	10s	Black, yellow and black, marked "UEF". Year round.	Chart:4240
394.5	Mouton Head light buoy US51	43 51 45 64 46 16.8	Fl	G	4s	Green, marked "US51". Year round.	Chart:4240
395	Port Mouton light buoy UN	E. of Mouton Island. 43 53 31 64 42 30	Mo(A) W	6s	Red and white vertical stripes, marked "UN". Year round.	Chart:4240
396 H3742	Port Mouton	NE. point, Spectacle Island. 43 55 05.6 64 48 14.4	Fl	W	12s	16.8	6	White square tower, red upper portion. 7.5 Flash 2 s; eclipse 10 s. Visible from 069°30' through E., S. and W. to 291°30'. Operates at night only. Year round.	Chart:4240
396.1	Willow Cove Entrance light buoy UT52	43 54 59.8 64 50 11.7	Fl	R	4s	Red spar, marked "UT52". Year round.	Chart:4240
396.2	Willow Cove Entrance light buoy UT53	43 54 58.2 64 50 10.9	Fl	G	4s	Green spar, marked "UT53". Year round.	Chart:4240
396.3	Willow Cove Entrance light buoy UT54	43 54 56.8 64 50 11.8	Q	R	1s	Red spar, marked "UT54". Year round.	Chart:4240
396.4 H3742.04	Spectacle Islands West	Off W. side of islands. 43 54 32 64 48 42.4	Fl	R	4s	4.7	3	Triangular skeleton mast. 3.0 Operates at night only. Year round.	Chart:4240
396.5	Wobamkek Beach light buoy US57	Port Mouton. 43 54 20 64 48 14	Fl	G	4s	Green, marked "US57". Year round.	Chart:4240
397.5	Middle Rock East Cardinal light buoy US	43 53 37.5 64 47 03	Q(3)	W	10s	Black, yellow and black, marked "US". Year round.	Chart:4240

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

398	Willow Cove light buoy UT	N. of cove. 43 55 07.2 64 50 09.8	Mo(A) W 6s	Spar, red and white vertical stripes, marked "UT".	Year round. Chart:4240
399.5 H3742.5	Port Mouton Inner	On fish plant wharf. 43 55 10 64 50 49.8	F R	4.3 5	Cylindrical mast. 3.5	Operates at night only. Year round. Chart:4240
400	Charley Island light buoy UN59	43 55 22.5 64 50 10.4	Fl G 4s	Green spar, marked "UN59".	Year round. Chart:4240
400.5	Port Mouton Channel light buoy UN66	43 55 29.2 64 50 25.3	Fl R 4s	Red, marked "UN66".	Year round. Chart:4240
400.7	Port Mouton light buoy UN74	43 55 17 64 50 34.8	Q R 1s	Red, marked "UN74".	Year round. Chart:4240
401	Port Mouton light buoy UN80	43 55 12.9 64 50 43.6	Fl R 4s	Red, marked "UN80".	Year round. Chart:4240
401.5	Port Mouton Breakwater	43 55 16 64 50 33	Fl G 4s	2	Cylindrical mast.	Year round. Chart:4240
402	Spectacle Ledge light buoy UN55	N. of ledge. 43 56 09 64 47 28.5	Fl G 4s	Green, marked "UN55".	Year round. Chart:4240
403 H3742.6	Hunts Landing	On outer end of breakwater. 43 57 05.3 64 46 07.4	Iso R 4s	6.9	4	Skeleton mast. 3.8	Operates at night only. Year round. Chart:4240
403.4	Brazil Rocks light buoy UN54	43 54 54.5 64 44 42	Q R 1s	Red, marked "UN54".	Year round. Chart:4240
404	White Point Rock light buoy UQ52	S. of rock. 43 55 36.5 64 43 02	Fl R 4s	Red, marked "UQ52".	Year round. Chart:4240
405 H3740	Western Head	W. side of entrance to Liverpool Bay. 43 59 20.8 64 39 44.5	Fl W 15s	16.8	14	White octagonal tower, red upper portion. 13.8	Flash 0.5 s; eclipse 14.5 s. Visible from 180° through W. and N. to 062°. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 104°. Chart:4240
407	Coffin Island	44 02 01.1 64 37 41.8	Fl W 4s	18.5	7	White octagonal tower, red upper portion. 15.8	Operates at night only. Year round. Chart:4379
408.1	Moose Harbour light buoy UB1	44 01 17.8 64 39 35.8	Fl G 4s	Green spar, marked "UB1".	Year round. Chart:4379
408.2 H3736	Moose Point	Outer end of breakwater. 44 01 10.2 64 39 45.5	Q G 1s	7.1	Cylindrical mast. 3.7	Radar reflector. Operates at night only. Year round. Chart:4379

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

408.5	Brooklyn Pier light buoy UM52	44 02 38.4 64 41 32.3	FI R 4s	Red, marked "UM52".	Year round.	Chart:4379
409 H3730	Brooklyn Pier	Near outer end of breakwater. 44 02 40.4 64 41 30.3	LFI W 12s	9.1	3	Cylindrical mast. 5.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4379
410	Fort Point Shoal light buoy UM53	44 02 46.3 64 42 03.9	Q G 1s	Green, marked "UM53".	Year round.	Chart:4379
410.5	Liverpool Harbour light buoy UM58	44 02 47.5 64 42 26.4	FI R 4s	Red spar, marked "UM58".	Year round.	Chart:4379
411	Liverpool Harbour light buoy UM59	44 02 43.7 64 42 30.5	FI G 4s	Green spar, marked "UM59".	Year round.	Chart:4379
411.5	Liverpool Harbour light buoy UM60	44 02 43.8 64 42 36	FI R 4s	Red spar, marked "UM60".	Year round.	Chart:4379
412	Liverpool Harbour light buoy UM61	Entrance to Mersey River. 44 02 41.9 64 42 36.5	FI G 4s	Green, marked "UM61".	Year round.	Chart:4379
412.2	West Berlin light buoy UJ	44 03 40.3 64 35 18.8	Mo(A) W 6s	Spar, red and white vertical stripes, marked "UJ".	Year round.	Chart:4211
412.3	Liverpool Harbour light buoy UM64	44 02 33.3 64 42 49.3	FI R 4s	Red spar, marked "UM64".	Year round.	Chart:4379
412.5	Blueberry Bay light buoy UJ52	44 04 01.3 64 35 10.8	FI R 4s	Red spar, marked "UJ52".	Year round.	Chart:4211
413	Port Medway light buoy UA51	44 03 23.3 64 31 28.8	FI G 4s	Green, marked "UA51".	Year round.	Chart:4211
414	Medway South Cardinal light and whistle buoy UA	SW. of Southwest Breaker. 44 04 58.3 64 31 24.8	Q(6) +LFI W 15s	Yellow and black, marked "UA".	Year round.	Chart:4211
414.5	Long Cove East Cardinal light and bell buoy UC	44 05 12 64 32 14	Q(3) W 10s	Black, yellow and black, marked "UC".	Year round.	Chart:4211
415 H3722	Medway Head	W. side of entrance. 44 06 10.6 64 32 23.3	FI W 12s	24.2	11	White square tower, red upper portion. 8.7	Flash 4 s; eclipse 8 s. Year round.	Chart:4211
415.3	Fosters Islets light buoy UA64	44 08 02.3 64 34 25.8	FI R 4s	Red, marked "UA64".	Year round.	Chart:4211
415.5	Frying Pan Island	44 06 04.2 64 31 23.8	FI R 12s	10.5	4	Triangular skeleton tower, red and white rectangular daymark. 5.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4211

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

416.3	Great Island bifurcation light buoy UAA	Off island. 44 07 48.3 64 32 28.8	FI (2+1)	R	6s	Red, green and red, marked "UAA".	Year round. Chart:4211
416.4	Medway Harbour light buoy UE51	44 08 33.3 64 32 28.8	FI	G	4s	Green spar, marked "UE51".	Year round. Chart:4211
416.5 H3725	Voglers Cove West Direction	On outer end of breakwater. 44 09 09.7 64 32 43.4	FI	R	3s	4.5	4	Cylindrical mast. 3.6	Flash 1 s; eclipse 2 s. Increased intensity on a bearing of 350°. Operates at night only. Year round. Chart:4211
416.51	Medway Harbour (West Berlin) light buoy UJ54	44 04 02.7 64 35 05.6	FI	R	4s	Red spar, marked "UJ54".	Year round. Chart:4211
416.515	Medway Harbour (West Berlin) light buoy UJ55	44 04 02 64 35 06.2	FI	G	4s	Green, marked "UJ55".	Year round. Chart:4211
416.53	Medway Harbour (West Berlin) light buoy UJ58	44 04 06.7 64 35 05.2	FI	R	4s	Red spar, marked "UJ58".	Year round. Chart:N/A
416.54	Medway Harbour (West Berlin) light buoy UJ59	44 04 07.6 64 35 02.7	FI	G	4s	Green spar, marked "UJ59".	Year round. Chart:N/A
416.55	Medway Harbour (West Berlin) light buoy UJ61	44 04 10.3 64 35 00.8	FI	G	4s	Green spar, marked "UJ61".	Year round. Chart:4211
417.5 H3718	Cherry Cove	On point of land between Little Harbour and Back Cove. 44 09 29.8 64 28 53.3	F	G	6.4	7	Skeleton mast. 3.8	Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 055°46'. Seasonal. Chart:4211
417.81	Little Harbour Cherry Cove light buoy TU53	44 09 36.8 64 28 40.3	FI	G	4s	Green spar, marked "TU53".	Year round. Chart:4211
418	Little Harbour Cherry Cove light buoy TU	44 09 36.3 64 28 17.8	Mo(A)	W	6s	Red and white vertical stripes, marked "TU".	Year round. Chart:4384
419	Little Harbour Cherry Cove light buoy TU54	44 09 37.7 64 28 48.2	FI	R	4s	Red spar, marked "TU54".	Year round. Chart:4211
419.5	Seal Point light and bell buoy TS52	S. of point. 44 10 23.3 64 23 51.8	FI	R	4s	Red, marked "TS52".	Year round. Chart:4211
420	Indian Island light and whistle buoy TS51	SE. of island. 44 09 18.3 64 22 13.8	FI	G	4s	Green marked "TS51".	Year round. Chart:4211
420.5	Black Rock East Cardinal light and whistle buoy T	44 09 38.7 64 18 43.7	Q(3)	W	10s	Black, yellow and black, marked "T".	Year round. Chart:4384

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

422	False La Have light and bell buoy T51	E. of Cape La Have Island. 44 12 36.3 64 19 03.7	Fl G	4s	Green, marked "T51".	Year round. Chart:4384
423 H3710	Mosher Island	On island, W. side of entrance to La Have River. 44 14 14.6 64 18 59.1	F W	23.3	13 White cylindrical tower. 11.4	Visible from 106° through S. and W. to 351°. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 18 s. Chart:4394
423.6	Crooked Channel light buoy TN51	44 14 03.9 64 22 08.3	Fl G	4s	Green, marked "TN51".	Year round. Chart:4394
425	La Have light and bell buoy TA	Entrance to La Have River. 44 14 57.4 64 18 39.3	Mo(A) W	6s	Red and white vertical stripes, marked "TA".	Year round. Chart:4394
426.25	Cockawee Shoal bifurcation light and bell buoy TD	N. of East Spectacle Island. 44 15 30.4 64 20 15.7	Fl (2+1)	R 6s	Red, green, red, marked "TD".	Year round. Chart:4394
426.5	Cockawee Shoal light buoy T54/2	44 15 41.8 64 21 26.3	Fl R	4s	Red spar, marked "T54/2".	Year round. Chart:4395
427	Cockawee Shoal West light buoy T56	W. of shoal. 44 15 50.6 64 21 32.8	Fl R	4s	Red, marked "T56".	Year round. Chart:4394
428 H3711	Dublin Shore	On wharf. 44 16 01.2 64 21 50.2	Fl W	4s	8.4	5 Cylindrical mast. 6.5	Operates at night only. Year round. Chart:4394
429	Dublin Shore light buoy T59	44 16 15.4 64 21 19.8	Fl G	4s	Green, marked "T59".	Year round. Chart:4394
430	Bull Rock light buoy T63	Entrance to La Have River. 44 16 22.4 64 20 54.8	Q G	1s	Green, marked "T63".	Year round. Chart:4394
431.5 H3710.5	Krout Point	44 17 24.9 64 20 47.1	Fl R	5s	5.0	5 Square skeleton tower.	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4395
432 H3708	West Ironbound Island	On S. side of island, entrance to La Have River. 44 13 43.7 64 16 28	Fl W	12s	24.3	8 Cylindrical tower, red and white horizontal bands. 10.5.	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4394
432.2	West Ironbound light and bell buoy T52	SW. of Ironbound breaker. 44 13 24.9 64 17 12.8	Fl R	4s	Red, marked "T52".	Year round. Chart:4394

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

NOVA SCOTIA, SOUTHEAST COAST

433	Pollock Shoal light and bell buoy TC52	S. of shoal. 44 14 38.3 64 14 28.7	Fl R 4s	Red, marked "TC52".	Year round.	Chart:4384
434	Cross Island light and whistle buoy E50	44 17 28.9 64 11 01.3	Fl R 4s	Red, marked "Cross Island E50".	Year round.	Chart:4328
435 H3700	Feltzen South	At end of breakwater. 44 19 47.6 64 16 49.2	Fl G 6s	6.4	4	Triangular skeleton mast, enclosed lower portion. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4328
435.5	Lunenburg Bay Isolated Danger light buoy EF	44 19 56.5 64 13 22.6	Fl(2) W 5s	Black, red, black, spar marked "EF".	Year round.	Chart:4328
436	Sculpin Shoal light and bell buoy E52	SW. of shoal. 44 20 08.3 64 15 13.3	Fl R 4s	Red, marked "E52".	Year round.	Chart:4328
437	Long Shoal light buoy E57	E. of shoal. 44 21 13.7 64 17 18.1	Fl G 4s	Green, marked "Long Shoal E57".	Year round.	Chart:4328
437.5	Lower South Cove Entrance light buoy EM55	44 20 43.1 64 18 50.3	Fl G 4s	Green spar, marked "EM55".	Year round.	Chart:4328
438 H3702	Battery Point Breakwater	Near outer end of breakwater. 44 21 37 64 17 46.7	F R	7.5	9 White square tower, red upper portion. 8.0	Emergency light. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 130°.	Chart:4328
439	Lunenburg Harbour Outer light buoy E64	44 21 54.6 64 18 02.1	Fl R 4s	Red, marked "E64".	Year round.	Chart:4328
439.3 H3704	Lunenburg Sea Products South	Outer end of wharf. 44 22 04.5 64 17 53	F R	6.1 S. side of building. 4.3	Privately operated. Year round.	Chart:4328
439.5 H3704.2	Lunenburg Sea Products North	Outer end of wharf. 44 22 05 64 17 53	F G	6.1 N. side of building. 4.3	Privately operated. Year round.	Chart:4328
439.8	Lunenburg Harbour Marine Railway light buoy E66	SW. of marine railway wharf. 44 22 19.3 64 18 16.5	Q R 1s	Red spar, marked "E66".	Year round.	Chart:4328
441	Lunenburg Harbour light buoy E77	44 22 28 64 18 37.6	Fl G 4s	Green spar, marked "E77".	Year round.	Chart:4328
442	Lunenburg bifurcation light and bell buoy EDA	N. entrance to Lunenburg Bay. 44 20 21.7 64 11 10.9	Fl (2+1) G 6s	Green, red and green, marked "Lunenburg EDA".	Year round.	Chart:4328
443 H3698	Cross Island	E. point of island. 44 18 43.7 64 10 06.4	Fl W 10s	24.9	10	White cylindrical tower, red upper portion. 8.7	Flash 1 s; eclipse 9 s. Operates at night only. Year round.	Chart:4328

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

444 H3699	East Point Island	44 20 59.2 64 12 15	F G	9.6	7	Triangular skeleton mast. 6.9	Operates at night only. Year round.	Chart:4328
Mahone Bay									
445	Tanner Pass light and whistle buoy EA51	Tanner Pass entrance. 44 22 01.9 64 11 32.6	FI G	4s	Green, marked "Tanner Pass EA51".	Year round.	Chart:4328
446 H3694	Gunning Point Island (Tanner Island)	On E. end of island. 44 22 01.5 64 12 04.3	FI W	4s	10.9	6	White cylindrical tower, red band. 7.7	Operates at night only. Year round.	Chart:4328
447	Middle Ledge light and whistle buoy M52	W. of ledge. 44 22 31.2 64 07 52.8	FI R	4s	Red, marked "M52".	Year round.	Chart:4328
448	Bull Rock light and bell buoy M54	S. of rock. 44 24 30.4 64 09 23.7	FI R	4s	Red, marked "M54".	Year round.	Chart:4381
448.5	Chockie Cap light and bell buoy M55	44 24 36.4 64 12 39.7	FI G	4s	Green, marked "M55".	Year round.	Chart:4381
449.5	Southwest Ledge light buoy M60	S. of ledge. 44 25 47.4 64 16 18.7	FI R	4s	Red spar, marked "M60".	Year round.	Chart:4381
450	Covey Ledge light buoy M61	NE. of ledge. 44 25 48.4 64 17 30.7	FI G	4s	Green spar, marked "M61".	Year round.	Chart:4381
450.8	Westhaver Island light buoy M67	SE. of island. 44 26 18.4 64 20 33.7	Q G	1s	Green spar, marked "M67".	Year round.	Chart:4381
451 H3688	Westhaver Island	Mahone Harbour entrance. 44 26 09.8 64 20 15.3	FI W	4s	9.6	7	White cylindrical tower, red horizontal band at top. 7.6	Operates at night only. Year round.	Chart:4381
452 H3687	Mahone Harbour	44 26 45.8 64 21 59.2	FI R	4s	4.2	4	Skeleton mast, red and white rectangular daymark, red triangle in centre. 3.7	Operates at night only. Year round.	Chart:4381
452.7	East Shoal light and bell buoy MC55	44 27 12.4 64 12 36.7	FI G	4s	Green, marked "MC55".	Year round.	Chart:4381
453 H3682	Kaulbach Island range	N. end of island. 44 28 11.3 64 16 53.3	F W	10.2	9	White structure, red vertical stripe. 6.1	Visible in line of range. Year round.	
454 H3682.1		268°03' 113.1m from front.	F W	19.8	9	White structure, red vertical stripe. 6.1	Visible in line of range. Operates at night only. Year round.	Chart:4381
454.3 H3682.2	Beacon Shoal	On a crib. 44 28 48.8 64 17 48.1	IQ G	12s	4.3	4	Skeleton mast. 3.0	8 flashes every 12 s. Operates at night only. Year round.	Chart:4381

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

NOVA SCOTIA, SOUTHEAST COAST

454.5 H3683	Western Shore Breakwater	On seaward end of breakwater. 44 31 21.5 64 18 16.1		F	G	3.9	7	Skeleton mast. 3.6	Operates at night only. Year round.	
Chart:4381											
454.51 H3683.2	Western Shore Inner	44 31 20.9 64 18 18		F	R	5.2	7	Skeleton mast, enclosed lower portion. 3.6	Operates at night only. Year round.	
Chart:4381											
454.55	Little Fish Island light buoy MC70	N. of island. 44 32 12.9 64 15 02.7		Fl	R	4s	Red spar, marked "MC70".	Year round.	
Chart:4381											
454.6	Dauphinee Point light buoy MC66	S. of point. 44 32 09.4 64 15 39.7		Fl	R	4s	Red spar, marked "MC66".	Year round.	
Chart:4381											
454.62	Gold Ledges light buoy MU57	44 32 26.4 64 18 28.7		Fl	G	4s	Green, marked "MU57".	Year round.	
Chart:4381											
454.63	Middle Rock light buoy MU53	44 32 09.4 64 17 25.7		Q	G	1s	Green spar, marked "MU53".	Year round.	
Chart:4381											
454.65	South Gooseberry Shoal bifurcation light buoy MCA	Off S. end of shoal. 44 31 16.9 64 15 58.7		Fl (2+1)	R	6s	Red, green and red, marked "MCA".	Year round.	
Chart:4381											
454.7	Sheep Ledge light and bell buoy MC59	44 30 06.4 64 15 51.7		Fl	G	4s	Green, marked "MC59".	Year round.	
Chart:4381											
455	Lynch Shoal light and bell buoy MA57	SE. of Quaker Island. 44 30 30.4 64 12 48.7		Fl	G	4s	Green, marked "MA57".	Year round.	
Chart:4381											
456 H3680	Quaker Island	Off Chester Harbour. 44 30 53.7 64 13 57.2		Fl	R	4s	30.8	3	White cylindrical tower, red horizontal band at top. 6.2	Operates at night only. Year round.	
Chart:4381											
457	Coachman Ledge light and whistle buoy MA55	N. of ledge. 44 30 01.4 64 10 36.7		Fl	G	4s	Green, marked "MA55".	Year round.	
Chart:4381											
457.2	Shoal Cove light buoy MK53	44 29 51.9 64 07 21.2		Fl	G	4s	Green, marked "MK53".	Year round.	
Chart:4381											
457.4	Blandford light buoy MK58	44 29 44.4 64 06 43.7		Fl	R	4s	Red spar, marked "MK58".	Year round.	
Chart:4381											
459	Blandford light and bell buoy MK52	NW. of Blandford Shoal. 44 29 43.4 64 08 14.7		Fl	R	4s	Red, marked "MK52".	Year round.	
Chart:4381											
460	Big Tancook Island light and bell buoy MNS1	N. of island. 44 28 19.4 64 10 45.7		Fl	G	4s	Green, marked "MNS1".	Year round.	
Chart:4381											
461 H3677	Little Tancook Island Wharf Outer	On outer end of wharf. 44 28 18.2 64 08 30.8		F	W	9.4	12	Triangular skeleton mast, enclosed lower portion. 6.8	Operates at night only. Year round.	
Chart:4381											

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

463 H3676	Big Tancook Island NW. Cove	On outer end of wharf. 44 27 52.3 64 10 17.9	FI G 6s	3.8	3	Cylindrical mast. 2.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4381
464	Reef Point light and whistle buoy MD55	E. of point. 44 27 25.4 64 08 36.7	FI G 4s	Green, marked "MD55".	Year round.	Chart:4381
466	New Harbour light and bell buoy MA	W. of New Harbour Point. 44 28 14.4 64 06 48.7	Mo(A) W 6s	Red and white vertical stripes, marked "MA".	Year round.	Chart:4381
467 H3674	New Harbour	On S. side of entrance. 44 28 21.3 64 05 32.2	FI R 5s	7.8	4	Triangular skeleton mast. 6.8	Operates at night only. Year round.	Chart:4381
468	West Head light and bell buoy MD53	N. of East Ironbound Island. 44 26 44.4 64 06 27.7	FI G 4s	Green, marked "MD53".	Year round.	Chart:4381
469 H3672	East Ironbound Island	Near centre of island. 44 26 22.4 64 04 59.7	Iso W 6s	44.5	13	White rectangular tower, red upper portion. 13.9	Emergency light. Operates at night only. Year round.	Chart:4381
470	East Ironbound South light and bell buoy MC52	S. of island. 44 25 37.4 64 05 08.7	FI R 4s	Red, marked "MC52".	Year round.	Chart:4381
471 H3670	Pearl Island	Off St. Margaret's and Mahone Bays. 44 22 57.2 64 02 54	FI W 10s	19.0	8	White square tower. 11.6	Flash 0.5 s; eclipse 9.5 s. Operates at night only. Year round.	Chart:4381
473	Northeast Shoal light and bell buoy DA51	E. of shoal. 44 24 59.4 64 01 19.7	FI G 4s	Green, marked "DA51".	Year round.	Chart:4381
474	Horseshoe Ledge light and whistle buoy DA53	Off S. end of ledge. 44 28 15.3 63 58 21.7	FI G 4s	Green, marked "DA53".	Year round.	Chart:4386
475	Seal Ledge light and whistle buoy MA54	E. of East Ironbound Island. 44 27 19.4 64 02 36.7	FI R 4s	Red, marked "MA54".	Year round.	Chart:4381
476	Aspotogan light and bell buoy DF	SE. approach to Aspotogan Harbour. 44 29 27.3 64 00 13.8	Mo(A) W 6s	Red and white vertical stripes, marked "DF".	Year round.	Chart:4381
St. Margaret's Bay								
477.2	Horse Island light buoy DP51	St. Margaret's Bay. 44 32 05.3 64 00 38.7	FI G 4s	Green, marked "DP51".	Year round.	Chart:4386
477.4	Northwest Cove light buoy DP54	E. of wharf. 44 32 02.3 64 01 16.7	FI R 4s	Red spar, marked "DP54".	Year round.	Chart:4386

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

478 H3665	Hubbards Cove	On Green Point, W. side of entrance. 44 37 16.1 64 03 14.6	F R	11.9	8	Skeleton mast, enclosed lower portion, red and white rectangular daymark. 6.9	Operates at night only. Year round. Chart:4386
479	Slaughenwhite Ledge light and bell buoy DY52	SW. of ledge. 44 36 43.3 64 02 35.7	Fl R	4s	Red, marked "DY52".	Year round. Chart:4386
480 H3664	Croucher Island	In St. Margaret's Bay. 44 38 23.3 63 57 29.7	Fl W	12s	27.4	6	Triangular skeleton mast, red and white rectangular daymark. 10.7	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4386
480.1	Redmond Cove light buoy DV52	44 36 02.3 63 56 11.7	Fl R	4s	Red spar, marked "DV52".	Year round. Chart:4386
480.2	Ringdove Shoal light and bell buoy DA58	W. of shoal. 44 35 45.3 63 58 03.7	Fl R	4s	Red, marked "DA58".	Year round. Chart:4386
481 H3667	Northwest Cove Wharf	On outer end of wharf. 44 32 01.3 64 01 25.7	F R	4.7	8	Triangular skeleton mast, enclosed lower portion. 3.8	Operates at night only. Year round. Chart:4386
482 H3663	Indian Harbour	On SE. extremity of Paddy Head Island. 44 31 20.3 63 56 45.7	F W	11.0	9	White square tower, red upper portion. 9.4	Operates at night only. Year round. Chart:4386
484	Crawford Ledge light and bell buoy DA56	W. extremity of shoal. 44 30 46.3 63 57 25.7	Fl R	4s	Red, marked "DA56".	Year round. Chart:4386
486 H3661	Peggy's Cove Wharf	On outer end of wharf. 44 29 36.4 63 54 59.6	F G	4.2	7	Triangular skeleton mast. 4.3	Operates at night only. Year round. Chart:4386
487 H3660	Peggy's Point	E. side of entrance to St. Margaret's Bay. 44 29 30.4 63 55 07.2	Fl R	5s	22.0	10	White octagonal tower, red upper portion. 13.2	Flash 1.5 s; eclipse 3.5 s. Visible from 290° through N. and E. to 136°. Year round. Chart:4386
487.5 H3659	Dover West	On wharf. 44 29 34.7 63 52 05.4	F G	4.8	7	Skeleton mast. 3.8	Operates at night only. Year round. Chart:4386
488 H3658	Dover	On S. end of Callaghan Island. 44 29 24.3 63 51 40.7	Fl G	4s	15.2	4	Triangular skeleton mast, red and white rectangular daymark. 7.6	Operates at night only. Year round. Chart:4386
488.5	Flemming Ledge light buoy AT60	44 29 09.2 63 51 15.9	Fl R	4s	Red spar, marked "AT60".	Year round. Chart:4386
489 H3657	East Dover Wharf	On outer end of wharf. 44 29 44.5 63 50 41.8	F R	4.2	6	Skeleton mast. 3.5	Operates at night only. Year round. Chart:4386

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ---- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

NOVA SCOTIA, SOUTHEAST COAST

489.5	White Island light buoy AY53	Off island. 44 29 16.8 63 49 58.8	FI G 4s	Green, marked "AY53".	Year round.	Chart:4386
490	Dover Castle light and whistle buoy AT	S. of Taylor Island. 44 26 42.5 63 53 33.5	Mo(A) W 6s	Red and white vertical stripes, marked "AT".	Year round.	Chart:4386
491	Shag Bay Breakers light and bell buoy AT50	Off SW. extremity of shoal. 44 28 03.3 63 50 10.7	FI R 4s	Red, marked "AT50".	Year round.	Chart:4386
492 H3655	Prospect Wharf	On outer end of public wharf. 44 28 07.9 63 47 03.3	F G	4.4 7	Skeleton mast. 3.7	Operates at night only. Year round.	Chart:4385
494	Prospect light and bell buoy AM62	SE. of Saul Point. 44 27 53.3 63 46 33.7	FI R 4s	Red, marked "AM62".	Year round.	Chart:4385
494.01	Saul Island light buoy AM64	44 28 03.3 63 46 49.8	FI R 4s	Red spar, marked "AM64".	Year round.	Chart:4385
495 H3652	Betty Island	On Brig Point. 44 26 19.7 63 46 00.4	LFI W 15s	19.2	13	White structure, red upper portion. 9.0	Flash 4 s; eclipse 11 s. Visible from all points of marine approach from the S. Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s.	Chart:4385
496	Grampus Rock light and bell buoy AM52	Off the rock. 44 25 31.4 63 43 39.1	FI R 4s	Red, marked "AM52".	Year round.	Chart:4385
496.5 H3651.4	Lower Prospect	On wharf. 44 27 03.4 63 43 32.1	F W	6.0 9	Skeleton tower, enclosed lower portion. 5.3	Operates at night only. Year round.	Chart:4385
497	Terence Bay light and bell buoy AD	44 26 53.5 63 40 36.8	Mo(A) W 6s	Red and white vertical stripes, marked "AD".	Year round.	Chart:4385
498 H3650	Terence Bay	On Tennant Point. 44 27 36.6 63 42 20.4	F R	14.6 8	White square tower. 7.3	Operates at night only. Year round.	Chart:4385
498.2	Tennant Point light buoy AD56	E. of Terence Rock. 44 27 23.2 63 41 19.3	FI R 4s	Red, marked "AD56".	Year round.	Chart:4385

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

499 H3651	Terence Bay Wharf	On outer end of wharf. 44 28 04.4 63 42 52.2		F	W	4.5	11	Skeleton mast, enclosed lower portion. 3.8	Operates at night only. Year round.	Chart:4385	
Halifax Harbour and Approaches												
499.9	Stapleton Rock West Cardinal light buoy AAB	43 27 32.9 63 39 33.7		Q(9)	W	15s	Yellow, black and yellow, marked "AAB".	Year round.	Chart:4385
501 H3646	Pennant Harbour	N. side of entrance to Pennant Cove. 44 28 15.5 63 38 03.5		F	G	10.2	7	White cylindrical tower. 8.1	Operates at night only. Year round.	Chart:4237	
501.1	Fawson Rock light buoy AA57	44 28 01.9 63 38 15.1		Fl	G	4s	Green, marked "AA57".	Year round.	Chart:4385
501.2	Pennant Harbour light buoy AA55	44 27 48.3 63 38 28.2		Fl	G	4s	Green, marked "AA55".	Year round.	Chart:4385
501.3	Pennant Harbour light buoy AA54	44 27 38 63 38 30.8		Fl	R	4s	Red, marked "AA54".	Year round.	Chart:4385
501.4	Pennant Harbour bifurcation light buoy AAA	44 27 09.9 63 38 55.9		Fl (2+1)	G	6s	Green, red and green spar, marked "AAA".	Year round.	Chart:4385
501.5	Pennant Harbour light buoy AA53	44 26 48.2 63 39 23.6		Fl	G	4s	Green spar, marked "AA53".	Year round.	Chart:4385
501.6	Pennant Harbour light buoy AA51	44 26 32.6 63 39 48		Fl	G	4s	Green spar, marked "AA51".	Year round.	Chart:4385
501.7	Pennant Harbour light buoy AA52	44 26 10.3 63 39 36.6		Fl	R	4s	Red spar, marked "AA52".	Year round.	Chart:4385
502	Pennant Point light and bell buoy AA50	SW. of point. 44 25 33.3 63 39 07		Fl	R	4s	Red, marked "AA50".	Year round.	Chart:4385
503	Smithson Rock light and bell buoy HE2	SW. of the rock. 44 24 15 63 36 29		Fl	R	4s	Red, marked "HE2".	Year round.	Chart:4237
503.1	Nick Shoal light buoy HE16	44 27 33 63 32 42		Fl	R	4s	Red spar, marked "HE16".	Year round.	Chart:4237
503.11	Morris Point light buoy HE17	44 28 02 63 32 47		Fl	G	4s	Green spar, marked "HE17".	Year round.	Chart:4237
503.5	Thrumcap Rock light buoy HE3	44 25 28 63 37 03		Fl	G	4s	Green, marked "HE3".	Year round.	Chart:4237
504	Inner Sambro light and bell buoy HS6	SW. of W. end of Inner Sambro Island. 44 27 05 63 35 48		Q	R	1s	Red, marked "HS6".	Year round.	Chart:4237

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

504.01	Inner Sambro Island light buoy HA2	44 27 22 63 35 09	FI R	4s	Red spar, marked "HA2".	Year round.	Chart:4237
504.02	Cowley Rock bifurcation light buoy HSA	44 27 32 63 35 46.5	FI R (2+1)	6s	Green, red and green spar, marked "HSA".	Year round.	Chart:4237
504.5	Cronie Reef light buoy HS12	44 28 21.4 63 35 35.3	FI R	4s	Red spar, marked "HS12".	Year round.	Chart:4237
504.7	Bull Point light buoy HS13	44 28 19 63 35 42.8	FI G	4s	Green, marked "HS13".	Year round.	Chart:4237
505 H3644	Sambro Harbour	On extremity of Bull Point. 44 28 30 63 35 45.5	F G	10.5	7	White square tower. 8.4	Operates at night only. Year round.	Chart:4237
505.1	Big Island light buoy HR2	44 28 41.3 63 35 22.1	Q R	1s	Red, marked "HR2".	Year round.	Chart:4237
505.2	Big Island light buoy HR4	44 28 47.8 63 35 13.4	FI R	4s	Red, marked "HR4".	Year round.	Chart:4237
505.3	Big Island light buoy HR5	44 28 51.2 63 35 10.7	FI G	4s	Green, marked "HR5".	Year round.	Chart:4237
505.8	Sambro light buoy HS19	44 28 37 63 35 50.3	FI G	4s	Green, marked "HS19".	Year round.	Chart:4237
506.6	Lobster Claw light buoy HE13	S. of Lobster Claw. 44 27 18 63 34 06.5	FI G	4s	Green, marked "HE13".	Year round.	Chart:4237
507 H3632	Sambro	Centre of island. 44 26 12 63 33 48	FI W	6s	42.7	23	White octagonal tower, red bands. 20.7	Flash 1 s; eclipse 5 s. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn point 360°.	Chart:4237
508	Sambro Harbour light and whistle buoy HS	S. of Southwest Breaker. 44 24 30 63 33 36.5	Mo(A) W	6s	Red and white vertical stripes, marked "HS".	Year round.	Chart:4237
509	Sisters light and bell buoy HD3	S. of The Sisters. 44 26 14 63 31 26	FI G	4s	Green, marked "HD3".	Year round.	Chart:4237
509.5	Halifax Bravo light buoy HB	44 26 37 63 27 33	Mo(A) W	6s	Red and white vertical stripes, marked "HB".	Year round.	Chart:4237
510	Halifax Alpha light and whistle buoy HA	44 21 45 63 24 15	Mo(A) W	6s	Red and white vertical stripes, marked "HA".	Year round.	Chart:4237

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

511	Ketch Harbour light buoy HE19	Ketch Harbour entrance. 44 28 19.6 63 32 16	FI G	4s	Green, marked "HE19".	Year round. Chart:4237
512	Bell Rock light buoy HD5	E. of Ketch Head. 44 29 00 63 31 03	FI G	4s	Green, marked "HD5".	Year round. Chart:4237
512.5	Duncan Reef light buoy H1	44 29 36 63 30 34	Q G	1s	Green, marked "H1".	Year round. Chart:4237
513 H3600	Chebucto Head Racon - -. (Z) X Band	On summit. 44 30 26.6 63 31 21.8	FI W	20s	47.8	13 White tower, red upper portion. 12.9	Flash 0.5 s; eclipse 19.5 s. Visible from 155° through S. and W. to 000°. Connected by telephone with Halifax. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 113°. Chart:4385
514	Halifax Charlie light and bell buoy HC	44 30 36 63 30 16	Mo(A) W	6s	Red and white vertical stripes, marked "HC".	Year round. Chart:4237
515	Navy West Cautionary light and whistle buoy HNWC	44 32 41 63 25 15	FI Y	4s	Yellow, marked "HNWC".	Year round. Chart:4237
516	Inner Automatic light buoy H4	NE. of Chebucto Head. 44 31 39.5 63 30 03.6	FI R	4s	Red, marked "H4".	Year round. Chart:4203
517	Bear Cove light and bell buoy H6 Racon - (N) X Band	NE. of cove. 44 32 36.3 63 31 19.6	Q R	1s	Red, marked "H6".	Year round. Chart:4203
517.5	Bear Cove bifurcation light buoy HK	NW. of shoal. 44 32 41.2 63 32 00.6	FI G (2+1)	6s	Green, red and green, marked "HK".	Year round. Chart:4203
518	Neverfail Shoal light and bell buoy H8	44 33 15.5 63 31 27.6	FI R	4s	Red, marked "H8".	Year round. Chart:4203
519	Lichfield Shoal light and whistle buoy H7	E. end of shoal. 44 33 22.5 63 31 59.5	FI G	4s	Green, marked "H7".	Year round. Chart:4203
519.5	Neverfail Shoal North light buoy HN7	44 33 30.8 63 31 03.8	FI G	4s	Green, marked "HN7".	Year round. Chart:4203
520	Thrumcap light and bell buoy HN6	S. of Thrumcap Shoal. 44 33 49.3 63 30 11.6	FI R	4s	Red, marked "HN6".	Year round. Chart:4203
521	Herring Cove light and bell buoy HM1	SE. of Tribune Head. 44 33 52.2 63 32 54.7	FI G	4s	Green, marked "HM1".	Year round. Chart:4203

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

522 H3604	Herring Cove	Tribune Head. 44 34 00.6 63 33 19.8		F	G	19.5	6	Triangular skeleton tower, red and white rectangular daymark. 10.3	Operates at night only. Year round.	Chart:4203
522.1 H3605	Herring Cove Breakwater	SE. corner of breakwater. 44 34 09.6 63 33 25.4		FI	R	5s	4.6	10	Skeleton tower. 4.2	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4203
523	Mars Rock light and whistle buoy H9	Off SE. side of rock. 44 34 28.4 63 32 07.5		FI	G	4s	Green, marked "H9".	Year round.	Chart:4203
523.4 H3602	Sandwich Point range	Halifax Harbour approach. 44 34 56.6 63 32 56.7		F	G	38.4	12	Triangular skeleton tower, white daymark, red vertical stripe. 6.1	Year round.	
523.5 H3602.1		336°29' 498.5m from front.		F	G	50.8	12	Triangular skeleton tower, white daymark, red vertical stripe. 14.6	Year round.	Chart:4203
524	Lighthouse Bank light and bell buoy H12	W. of bank. 44 35 36.3 63 31 59.5		FI	R	4s	Red, marked "H12".	Year round.	Chart:4203
524.2	West Outer Middle Ground light buoy HK4	44 35 50.3 63 32 33.6		FI	R	4s	Red, marked "HK4".	Year round.	Chart:4203
525	Outer Middle Ground bifurcation light buoy HAC	N. of Lighthouse bank. 44 35 54.8 63 32 24		FI (2+1)	G	6s	Green, red and green, marked "HAC".	Year round.	Chart:4203
525.2	Southeast Middle Ground light buoy HK5	44 36 11.3 63 32 33.6		FI	G	4s	Green, marked "HK5".	Year round.	Chart:4203
526	Maugher Beach light buoy H14	SW. of beach. 44 35 58.3 63 32 12.6		Q	R	1s	Red, marked "H14".	Year round.	Chart:4203
527 H3607	Maugher Beach	Near W. end of beach. 44 36 08.2 63 32 00.9		FI	W	30s	17.4	15	White octagonal tower, red upper portion. 17.8	Flash 1 s; eclipse 29 s. Emergency light. Operates at night only. Year round.	Chart:4203
528 H3606	Halifax Harbour Middle range	NW. end of McNabs Island. 44 36 50.5 63 32 11		F	R	18.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 4.3	Year round.	
528.1 H3606.1		356°13' 322m from front.		F	R	29.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 21.9	Year round.	Chart:4203
529	Pleasant Shoal light and bell buoy H19	Off E. extremity of shoal. 44 36 58.2 63 33 08.8		FI	G	4s	Green, marked "H19".	Year round.	Chart:4203
530	Middle Ground North Cardinal light buoy HAD	N. of Maugher Beach. 44 36 39.8 63 32 49.9		Q	W	1s	Black and yellow, marked "HAD".	Year round.	Chart:4203

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

531	Hens and Chickens light buoy HQ2	SE. of Hens and Chickens. 44 36 50 63 33 44	Fl R	4s	Red, marked "HQ2".	Year round. Chart:4202	
532	Purcells Cove light buoy HQ1	E. of cove. 44 36 41.9 63 33 56.9	Fl G	4s	Green spar, marked "HQ1".	Year round. Chart:4203	
533	Imperial Oil Wharf No. 1 light buoy HP22	44 38 02.3 63 31 56.6	Fl R	4s	Red, marked "HP22".	Year round. Chart:4202	
534	Indian Point light buoy HP21	44 37 46.5 63 31 56.8	Q G	1s	Green spar, marked "HP21".	Year round. Chart:4202	
535	Ives Knoll light and bell buoy H22	W. of Knoll. 44 37 39.4 63 32 54	Fl R	4s	Red, marked "H22".	Year round. Chart:4202	
536	Ives Knoll light buoy HT2	N. of the Knoll. 44 37 50.2 63 32 44.7	Q R	1s	Red, marked "HT2".	Year round. Chart:4202	
538 H3618	Halifax Harbour Inner range	On W. side of Georges Island. 44 38 26.2 63 33 37.2	F W	17.7	15	White octagonal tower, red vertical stripe, red upper portion. 16.4	White 290° through N., E. and S. to 181°. Increased intensity on line of range. Emergency light. Year round.
539 H3618.1		339°08' 3153.7m from front.	Fl W	10s	37.7	13	Triangular skeleton tower, white daymark, red vertical stripe. 17.4	Flash 1 s; eclipse 9 s. Year round. Chart:4202
540.1	Dartmouth Cove West Entrance light buoy HU1	44 39 40.4 63 33 40.6	Fl G	4s	Green, marked "HU1".	Year round. Chart:4202	
543 H3621.4	Angus L. Macdonald Bridge	On E. tower. 44 39 52.2 63 35 02.1	F 2R F 3R F 3R Q R Q R F 2R 1s 1s 94.0 94.0	(3 fixed vertical lights) Privately operated. East tower floodlit. Year round. Horn - Sounds 3 times a minute. Privately operated.	
544	Barrie Beach light and bell buoy HP2	NW. of Devils Island. 44 35 11 63 28 36	Fl R	4s	Red, marked "HP2".	Year round. Chart:4237	
544.5	Devils Island light buoy HG1	44 35 11.5 63 27 37	Q G	1s	Green, marked "HG1".	Year round. Chart:4237	
545 H3596	Devils Island	SE. end of island. 44 34 51.7 63 27 28.1	Fl W	10s	17.8	7	White tower. 13.9	Flash 1 s; eclipse 9 s. Operates at night only. Year round. Chart:4237
546	Eastern Passage light and whistle buoy HP	SW. of Devils Island. 44 34 05 63 27 23	Mo(A) W	6s	Red and white vertical stripes, marked "HP".	Year round. Chart:4237	

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

546.5	Lawlor Island light buoy HP3	E. of island. 44 35 56.1 63 29 08	FI	G	4s	Green, marked "HP3".	Year round. Chart:4203
547 H3609	Lawlor Island Sector	On E. side of island. 44 36 21.8 63 29 45.4	F	R W G	4.8	10	Triangular skeleton mast. 3.8	Green from 133° to 140°30'; white from 140°30' to 142°30'; red from 142°30' to 155°. White sector indicates preferred channel. Year round. Chart:4203
547.2	Lawlor Island light buoy HP11	NE. of island. 44 36 31.8 63 29 58.4	FI	G	4s	Green, marked "HP11".	Year round. Chart:4203
549	Eastern Passage light buoy HP13	44 36 40.4 63 30 20.9	Q	G	1s	Green spar, marked "HP13".	Year round. Chart:4203
550	Eastern Passage light buoy HP15	Opposite Texaco Co. wharf. 44 36 45.3 63 30 35.6	FI	G	4s	Green, marked "HP15".	Year round. Chart:4203
551	Eastern Passage light buoy HP16	44 37 03 63 30 32.8	FI	R	4s	Red, marked "HP16".	Year round. Chart:4203
552	Eastern Passage light buoy HP17	44 37 05.8 63 30 50.6	FI	G	4s	Green, marked "HP17".	Year round. Chart:4203
554 H3628.3	A. Murray Mackay Bridge	44 40 44.3 63 36 39.2	F	2R	94.0	Bell - 2 strokes every 5 s. Privately maintained. Year round. Chart:4201
			Q	R	1s		
			Q	R	1s		
			F	2R		
			F	2R		
			F	2R	94.0		
			F	2G		
			F	2G		
									Chart:4201
556 H3630	Oceanographic Wharf	On outer end of wharf. 44 40 51.8 63 36 50	FI	G	2s	7.3	Yellow tower.	Flash every 2 s. Operated by Bedford Institute of Oceanography. Year round. Chart:4201
557	Seaview Point light buoy H39	44 40 37.6 63 37 14	FI	G	4s	Green, marked "H39".	Year round. Chart:4201
559	Wrights Point light buoy H42	44 41 19.8 63 37 22.6	Q	R	1s	Red spar, marked "H42".	Year round. Chart:4201
560	Dartmouth Yacht Club light buoy HY6	44 41 59 63 36 48	FI	R	4s	Red, marked "HY6".	Privately maintained by Dartmouth Yacht Club. Seasonal. Chart:4201

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

NOVA SCOTIA, SOUTHEAST COAST

560.5 H3631	Dartmouth Yacht Club	On breakwater. 44 42 01.3 63 36 49.1		Fl	G	4s	5.2	4	Square tower. 3.0	Privately maintained by Dartmouth Yacht Club. Operates at night only. Year round.	Chart:4201
561	Wrights Cove light buoy HY2	NW. of Navy Island. 44 42 00.3 63 37 23.6		Fl	R	4s	Red, marked "HY2".	Year round.	Chart:4201
561.5	Bedford Basin light buoy H45	44 42 25.3 63 39 07.6		Q	G	1s	Green spar, marked "H45".	Year round.	Chart:4201
562	Wellesley Rock light buoy H46	S. of the rock. 44 42 37.3 63 39 26.1		Fl	R	4s	Red, marked "H46".	Year round.	Chart:4201
562.3	Spruce Island light buoy H48	W. of island. 44 43 00.3 63 39 54.6		Fl	R	4s	Red spar, marked "H48".	Year round.	Chart:4201
563	Shut-in Island light and bell buoy HX	SE. of island. 44 36 39.8 63 16 01.2		Mo(A)	W	6s	Red and white vertical stripes, marked "HX".	Year round.	Chart:4236
563.05	Three Fathom Harbour light buoy HX8	44 38 16.1 63 16 38		Fl	R	4s	Red spar, marked "HX8".	Seasonal.	Chart: 4236
563.2	Bull Rock light buoy HX2	44 37 20 63 16 14		Fl	R	4s	Red spar, marked "HX2".	Year round.	Chart:4236
564	Chezzetcook Harbour light and bell buoy HJ2	Off Story Head. 44 39 42.6 63 13 40.5		Fl	R	4s	Red, marked "HJ2".	Year round.	Chart:4236
565	Codray Shoal light and bell buoy HH2	SW. of shoal. 44 40 24.5 63 10 38.6		Fl	R	4s	Red, marked "HH2".	Year round.	Chart:4236
566.5	Musquodoboit Ledge light and bell buoy YV3	W. side of ledge. 44 39 36 63 04 16		Fl	G	4s	Green, marked "YV3".	Year round.	Chart:4236
568 H3578	Musquodoboit Harbour	On pier on Shag Ledge. 44 41 41.7 63 04 41.6		Q	W	1s	5.5	6	White square tower, white daymark, red horizontal stripe. 3.6	Operates at night only. Year round.	Chart:4236
569 H3579	French Point	44 42 21 63 04 33.3		F	R	14.2	8	White square tower. 9.4	Visible 278° through N. and E. to 098°. Operates at night only. Year round.	Chart:4236
570 H3570	Jeddore Rock	On summit of rock. 44 39 46.8 63 00 39.6		LFl	W	12s	29.3	8	Skeleton tower. 15.8	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4236
570.5	Arnold Rock light and bell buoy YT3	S. of rock. 44 39 04.2 63 00 29.5		Fl	G	4s	Green, marked "YT3".	Year round.	Chart:4236

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

572	Thorn Shoal light and bell buoy YT5	On alignment of Jeddore Harbour range. 44 41 24 63 00 10	Fl G	4s	Green, marked "YT5".	Year round. Chart:4236
572.3	Jeddore Harbour lighted spar YT7	44 42 18.6 63 00 46.8	Q G	1s	Green spar, marked "YT7".	Year round. Chart:4236
572.6	Jeddore Harbour light buoy YT9	44 43 10.7 63 00 16.9	Fl G	4s	Green, marked "YT9".	Year round. Chart:4236
573	Marsh Point light buoy YT11	44 43 23.6 63 00 11.7	Q G	1s	Green, marked "YT11".	Year round. Chart:4236
576	Bar Shoal light buoy YT8	44 42 31.3 63 00 36.8	Fl R	4s	Red spar, marked "YT8".	Year round. Chart:4236
577	Brig Rock light and bell buoy YT2	W. of rock. 44 37 08.4 62 56 18.7	Fl R	4s	Red, marked "YT2".	Year round. Chart:4236
578	Porter Island West light and bell buoy YS6	44 41 29 62 51 46.1	Fl R	4s	Red, marked "YS6".	Year round. Chart:4236
579	Little Harbour Head light buoy YS9	N. of head. 44 42 22.3 62 50 29.9	Fl G	4s	Green boat type, marked "YS9".	Year round. Chart:4236
580 H3568	Egg Island	Centre of island. 44 39 53.1 62 51 48.3	Fl W	15s	25.6	9 Square skeleton tower. 14.6	Flash 1 s; eclipse 14 s. Operates at night only. Year round. Chart:4236
580.3	Psyche Rock East Cardinal light and bell buoy YS	44 39 50.3 62 50 30.6	Q(3) W	10s	Black, yellow and black, marked "YS".	Year round. Chart:4236
582	Owls Head Harbour light and bell buoy YP2	SE. of head. 44 41 20 62 45 01.4	Fl R	4s	Red marked "YP2".	Year round. Chart:4236
583 H3566	Owls Head Direction	On extremity of head. 44 43 14.7 62 47 59.4	Fl W	4s	25.8	6 Skeleton tower, red and white rectangular daymarks. 9.1	Operates at night only. Year round. Chart:4236
584	Ship Harbour light and whistle buoy YM1	SE. of Little Rock. 44 41 06.3 62 42 07.1	Fl G	4s	Green, marked "YM1".	Year round. Chart:4236
585 H3564	Ship Harbour	On Wolfes Point. 44 44 55.6 62 45 24.2	LFI G	6s	22.9	4 Triangular skeleton mast, red and white rectangular daymark on two sides. 6.1	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4236
586	Bull Rock bifurcation light and bell buoy YM	S. of rock. 44 44 05.6 62 41 29.6	Fl (2+1) R	6s	Red, green and red, marked "YM".	Year round. Chart:4236
587	Tangier Harbour light and whistle buoy YJ	SE. of Mooseback Point. 44 44 06.2 62 37 38.3	Mo(A) W	6s	Red and white vertical stripes, marked "YJ".	Year round. Chart:4236

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

NOVA SCOTIA, SOUTHEAST COAST

588	Popes Harbour light and bell buoy YE2	W. of Popes Head. 44 46 23.9 62 36 47.8		FI R	4s	Red, marked "YE2".	Year round.	Chart:4236
589 H3560	Popes Harbour	On W. point of Harbour Island. 44 47 41 62 39 00.7		LFI R	12s	7.6	5	Triangular skeleton tower, red and white rectangular daymark. 6.1	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal.	Chart:4236
590	Spry Bay light and bell buoy YA2	Off entrance. 44 45 37.2 62 33 28.6		FI R	4s	Red, marked "YA2".	Year round.	Chart:4236
591 H3557	Spry Bay Sector	44 49 21.5 62 35 54.3		F R W G	23.4	10	White square tower, red upper portion. 7.5	Red from 317° to 336°15'; white from 336°15' to 338°15'; green from 338°15' through N. to 010°. White sector indicates preferred channel. Operates at night only. Year round.	Chart:4236
593	Geddes Shoal light and whistle buoy X26	SW. of shoal. 44 44 28 62 28 09		FI R	4s	Red, marked "X26".	Year round.	Chart:4235
593.6	MacDonald Shoals light buoy XU4	44 48 54 62 28 41		FI R	4s	Red, marked "XU4".	Year round.	Chart:4235
594 H3541	Sheet Rock	Entrance to harbour. 44 49 50 62 29 34		FI W	4s	23.5	7	White cylindrical structure. 9.1	Operates at night only. Year round.	Chart:4235
595	White Rock light buoy XU10	44 51 00.5 62 29 38		Q R	1s	Red spar, marked "XU10".	Year round.	Chart:4235
596	Watt Point light buoy XU14	44 53 49.5 62 29 16		FI R	4s	Red spar, marked "XU14".	Year round.	Chart:4235
596.01	Northeast Arm light buoy XX1	44 55 06 62 30 56		FI G	4s	Green, marked "XX1".	Year round.	Chart:4235
597	Sheet Harbour Passage light and bell buoy XP7	S. of Hardwood Island. 44 49 06 62 25 54		FI G	4s	Green, marked "XP7".	Year round.	Chart:4235
598 H3542	Sheet Harbour Passage range	E. of Kirby River. 44 51 30 62 26 56		F W	15.8	18	White square tower, red vertical stripe. 5.5	Visible in line of range. Operates at night only. Year round.	Chart:4235
599 H3542.1		343°28' 278.3m from front.		F W	19.8	7	White square tower, red vertical stripe. 8.9	Visible in line of range. Operates at night only. Year round.	
600	Beaver Harbour light and whistle buoy XK1	Off harbour. 44 47 55 62 17 03		FI G	4s	Green, marked "XK1".	Year round.	Chart:4235
601	Beaver Island light and bell buoy XK3	E. of island. 44 49 33 62 19 28		FI G	4s	Green, marked "XK3".	Year round.	Chart:4235

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

602 H3534	Beaver Island	Eastern end of island. 44 49 29.2 62 20 16		Fl W	7s	19.9	14	White cylindrical tower. 8.5	Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 144°.	Chart:4235
605	Bassoon Reefs light and bell buoy XH1	S. extremity of the SE. portion of reefs. 44 50 41 62 13 34		Fl G	4s	Green, marked "XH1".	Year round.	Chart:4235
606.3	Tuffin Island light buoy XA6	N. of island. 44 54 53.5 62 10 45.5		Q R	1s	Red, marked "XA6".	Year round.	Chart:4235
606.5	Tuffin Island light and bell buoy XA4	SW. of island. 44 54 12 62 10 50.5		Fl R	4s	Red, marked "XA4".	Year round.	Chart:4235
606.7	Halibut Island light and bell buoy XA3	44 53 06 62 10 55		Fl G	4s	Green, marked "XA3".	Year round.	Chart:4235
607	Bowen Ledge light and bell buoy XA2	SW. of ledge. 44 51 59 62 10 15		Fl R	4s	Red, marked "XA2".	Year round.	Chart:4235
608	White Island light and bell buoy VV1	Off E. extremity of White Island breaker. 44 53 02 62 06 27		Fl G	4s	Green, marked "VV1".	Year round.	Chart:4235
609	Lockwood Rock light and whistle buoy V24	S. of rock. 44 51 39 62 04 21		Fl R	4s	Red, marked "V24".	Year round.	Chart:4235
610	Necum Point light buoy VV12	44 57 16 62 08 59		Fl R	4s	Red spar, marked "VV12".	Year round.	Chart:4235
610.5	Frenchman Rock light buoy VV8	44 55 56.5 62 07 03.5		Fl R	4s	Red spar, marked "VV8".	Year round.	Chart:4235
611	Seal Ledge light and bell buoy VT5	NE. of ledge. 44 57 28 61 59 31		Fl G	4s	Green, marked "VT5".	Year round.	Chart:4234
612 H3530	Marie Joseph (Thrumcap Island)	On Thrumcap Islet. 44 57 25.6 62 02 25.7		Fl R	4s	12.2	4	Triangular skeleton mast, red and white rectangular daymark. 9.1	Radar reflector. Operates at night only. Year round.	Chart:4234
613	Liscomb light and whistle buoy VP	E. of Hawbolt Rock. 44 55 00 61 53 33		Mo(A) W	6s	Red and white vertical stripes, marked "VP".	Year round.	Chart:4234
614	Liscomb Shoal light and bell buoy VP5	SE. of shoal. 44 58 31 61 57 50		Fl G	4s	Green, marked "VP5".	Year round.	Chart:4234

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

615 H3526	Liscomb	On island near Cranberry Point. 44 59 15.8 61 57 58.4	Fl W	10s	21.9	14	White octagonal tower, red upper portion. 13.7	Flash 1 s; eclipse 9 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s.	Chart:4234
619	Little Liscomb light and bell buoy VM3	SE. of Crook Point. 44 59 10 61 53 27	Fl G	4s	Green, marked "VM3".	Seasonal.	Chart:4234
621	St. Marys River light and bell buoy VK	S. of Wedge Island. 44 59 36 61 49 41.5	Mo(A) W	6s	Red and white vertical stripes, marked "VK".	Seasonal.	Chart:4234
621.5	Barachois Point light and bell buoy VK3	Off point. 45 01 16.5 61 51 45	Fl G	4s	Green, marked "VK3".	Seasonal.	Chart:4234
622	Horse Shoal light buoy VK11	45 03 05.6 61 53 43.8	Q G	1s	Green, marked "VK11".	Seasonal.	Chart:4234
623.5	Rude Shoal light and bell buoy VH5	Off shoal. 45 04 12.5 61 48 26.5	Q G	1s	Green, marked "VH5".	Seasonal.	Chart:4234
625	Nixonmate Shoal light and whistle buoy VH2	SW. of shoal. 45 01 47.5 61 45 15.5	Fl R	4s	Red, marked "VH2".	Seasonal.	Chart:4234
626.1	Mouton Harbour Outer Channel light buoy VC1	45 05 34.3 61 42 53.7	Q G	1s	Green spar, marked "VC1".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.2	Mouton Harbour Outer Channel light buoy VC2	45 05 34.5 61 42 56	Fl R	4s	Red spar, marked "VC2".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.3	Mouton Harbour Outer Channel light buoy VC3	45 05 33.6 61 43 00.4	Fl G	4s	Green spar, marked "VC3".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.4	Mouton Harbour Inner Channel light buoy VC4	45 05 34.7 61 43 14.2	Q R	1s	Red spar, marked "VC4".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.6	Mouton Harbour Inner Channel light buoy VC5	45 05 34.4 61 43 15.8	Fl G	4s	Green spar, marked "VC5".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.7	Mouton Harbour Inner Channel light buoy VC7	45 05 37.9 61 43 26	Fl G	4s	Green spar, marked "VC7".	Winter spar Seasonal. (In place Year round.)	Chart:4234
626.9	Bickerton Island light buoy V1	45 05 02 61 42 04	Fl G	4s	Green spar, marked "V1".	Seasonal. (In place Year round.)	Chart:4234

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

627.1	Bickerton East Bifurcation light buoy VCC	45 05 36.2 61 42 33	Fl (2+1)	G	6s	Green, red and green spar, marked "VCC".	Winter spar. Seasonal. (In place Year round.)	Chart:4234
627.5	Bickerton East Outer light buoy V3	45 05 42.7 61 42 38.3	Fl	G	4s	Green spar, marked "V3".	Winter spar. Seasonal. (In place Year round.)	Chart:4234
628.1	Bickerton East Middle light buoy V4	45 05 55.9 61 43 03.9	Fl	R	4s	Red spar, marked "V4".	Winter spar. Seasonal. (In place Year round.)	Chart:4234
628.5	Bickerton East Inner light buoy V6	45 06 12.2 61 43 22.1	Q	R	1s	Red spar, marked "V6".	Winter spar. Seasonal. (In place Year round.)	Chart:4234
629 H3514	Port Bickerton	Near W. extremity of Barachois Head. 45 05 24 61 42 01.7	Iso	W	8s	20.6	12	White rectangular tower, red upper portion. 9.2	Visible from 280° through N. and E. to 136°. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 156°. Horns sound in unison.	Chart:4234
629.5 H3516	Mouton Harbour Outer range	45 05 29.9 61 43 49.6	F	W	4.0	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. Year round.	
629.6 H3516.1		263°42' 141.6m from front.	F	W	7.1	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.2	Visible in line of range. Operates at night only. Year round.	Chart:4234
629.8 H3516.3	Mouton Harbour	On crib. 45 05 41.1 61 43 28	Iso	R	1s	4.4	4	Triangular skeleton tower, red and white rectangular daymark, red triangle in centre. 3.6	Operates at night only. Year round.	Chart:4234
630 H3516.4	Mouton Harbour Inner	On outer end of breakwater. 45 05 41.8 61 43 35	F	G	4.7	5	Cylindrical mast, white daymark, red vertical stripe. 3.6	Operates at night only. Year round.	Chart:4234

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

631 H3515	Port Bickerton East	On outer end of wharf. 45 06 19.1 61 43 22.7	F R	4.5	5	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.5	Visible in line of range. Operates at night only. Year round.	Chart:4234	
632	Port Bickerton light and bell buoy V	SW. of Taylor Shoal. 45 01 13 61 39 09	Mo(A) W	6s	Red and white vertical stripes, marked "V".	Winter spar. Seasonal.	Chart:4234	
633.01	Rose Shoal South Cardinal light buoy TY	45 04 33 61 37 20	Q(6) +LFI	W	15s	Yellow and black, marked "TY".	Seasonal.	Chart:4234	
633.02	Bull Rock light buoy TY5	45 05 11 61 38 32.5	Q	G	1s	Green spar, marked "TY5".	Winter spar. Year round.	Chart:4234	
634 H3512	Fishermans Harbour	W. extremity of Shingle beach on S. side of harbour. 45 06 42 61 40 41.1	Fl	G	4s	7.1	5	White square tower, red upper portion. 7.9	Operates at night only. Seasonal.	Chart:4234
634.4	South Easter South Cardinal light buoy TU	SW. of South Easter. 45 02 45 61 35 12	Q(6) +LFI	W	15s	Yellow and black, marked "TU".	Seasonal.	Chart:4234
635	Isaac's Harbour light and whistle buoy TT	E. of Jarvis Bank. 45 02 15 61 32 35	Mo(A) W	6s	Red and white vertical stripes, marked "TT".	Winter spar. Seasonal.	Chart:4233	
635.5	Tom Cod light and bell buoy TT2	45 04 28 61 33 04	Fl	R	4s	Red, marked "TT2".	Seasonal.	Chart:4233
636	Goose Island light and bell buoy TT4	S. extremity of island. 45 06 24 61 35 05	Fl	R	4s	Red, marked "TT4".	Seasonal.	Chart:4233
636.04	Isaac's Harbour light buoy TT7	45 09 34 61 39 20	Q	G	1s	Green spar, marked "TT7".	Seasonal.	Chart:4234
636.1	Avondale Reef light buoy TT10	45 09 43 61 39 02	Fl	R	4s	Red, marked "TT10".	Seasonal.	Chart:4234
636.2	Middle Ground light buoy TX1	Off Saladin Point. 45 07 32 61 35 21	Fl	G	4s	Green spar, marked "TX1".	Seasonal.	Chart:4234
638 H3508	Drum Head	On outer end of breakwater. 45 08 43.2 61 36 09.5	F	R	5.8	8	Cylindrical mast. 5.3	Operates at night only. Seasonal.	Chart:4234
639 H3504	Country Island	S. side of island. 45 05 59.8 61 32 31.9	Fl	W	20s	16.5	10	White octagonal tower, red upper portion. 13.7	Flash 2 s; eclipse 18 s. Emergency light. Operates at night only. Year round.	Chart:4233

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

NOVA SCOTIA, SOUTHEAST COAST

639.5	Split Rock light and whistle buoy TS2	SW. of rock. 45 07 08 61 29 45.4	Q R	1s	Red, marked "TS2".	Seasonal.	Chart:4233
639.7	Brandy Ledge light and bell buoy TQ2	S. of ledge. 45 06 54.5 61 26 56.5	FI	R	4s	Red, marked "TQ2".	Seasonal.	Chart:4233
640	Coddles Harbour light and bell buoy TS6	Off S. extremity of Coddles Island. 45 08 33.8 61 30 48	FI	R	4s	Red, marked "TS6".	Seasonal.	Chart:4233
641 H3502	Coddles Harbour	On Thrumcap Island, entrance to harbour. 45 09 21.3 61 31 01	FI	W	4s	9.8	6 Triangular skeleton tower, red and white rectangular daymark. 6.5	Operates at night only. Seasonal.	Chart:4233
642	Shoal Point light and bell buoy TP1	S. of Eastern Head. 45 09 02 61 25 27.8	FI	G	4s	Green, marked "TP1".	Seasonal.	Chart:4233
643	Eastern Head light buoy TP2	NE. of point. 45 10 00.8 61 26 14.4	FI	R	4s	Red spar, marked "TP2".	Seasonal.	Chart:4233
644 H3500	New Harbour Cove	On outer end of breakwater. 45 10 12.2 61 27 00.2	FI(2)	G	6s	8.5	5 Skeleton tower, enclosed lower portion. 3.6	Flash 1s; eclipse 1 s; flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4233
645	Torbay light and whistle buoy TE2	45 10 48.7 61 16 24.1	FI	R	4s	Red, marked "TE2".	Seasonal.	Chart:4233
645.5	Berry Head light buoy TE5	45 11 38.3 61 17 45.3	FI	G	4s	Green, marked "TE5".	Seasonal.	Chart:4233
646 H3484	Berry Head	On E. point of Berry Head, W. side of entrance to bay. 45 11 28.8 61 18 39.9	F	W	12.5	12 White rectangular tower, red upper portion. 6.2	Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 155°.	Chart:4233
646.5	Larry's River light buoy TH10	At river mouth. 45 12 54.6 61 22 02.7	FI	R	4s	Red spar, marked "TH10".	Seasonal.	Chart:4233
647.2 H3497	Larry's River Northeast Breakwater	On outer end of breakwater. 45 12 58.1 61 22 06.3	F	R	3.9	12 Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Year round.	Chart:4233
648	Charlos Harbour light and bell buoy TN1	On alignment of Charlos Harbour range. 45 14 22.5 61 18 45.5	FI	G	4s	Green, marked "TN1".	Seasonal.	Chart:4233

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

654 H3478	Hog Island	E. end of island. 45 13 43.6 61 13 11	Fl W	4s	10.6	7	White cylindrical tower, red horizontal bands. 9.9	Visible from 196° through W. and N. to 062°. Operates at night only. Seasonal. Horn - Blast 2 s; sil. 18 s.	Chart:4233
655	Flying Point Shoals light and whistle buoy TA4	W. of shoals. 45 11 59.5 61 13 09.4	Fl R	4s	Red, marked "TA4".	Seasonal.	Chart:4233
656	Port Felix light and bell buoy TA7	S. of Hog Island. 45 13 16.2 61 13 11.2	Fl G	4s	Green, marked "TA7".	Seasonal.	Chart:4233
656.6	Whitehaven Harbour light buoy PU15	S. of Kelp Shoal. 45 14 04.3 61 10 41.5	Fl G	4s	Green spar, marked "PU15".	Year round.	Chart:4233
657 H3476	Three Top Island	SE. point of island, entrance to Whitehaven. 45 12 28.9 61 09 31.6	LFl W	12s	14.6	7	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 9.1	Flash 2 s; eclipse 10 s. Obscured W. of 034°30'. Operates at night only. Year round.	Chart:4233
657.5	Gammon Islands light buoy PU5	Southern Passage. 45 12 08 61 08 35.8	Q G	1s	Green spar, marked "PU5".	Year round.	Chart:4233
658	Southwest Bull light and bell buoy PU1	SE. of Southwest Bull. 45 11 08.8 61 08 20.9	Fl G	4s	Green, marked "PU1".	Winter spar. Seasonal.	Chart:4233
659 H3474	White Head Island	SW. side of island. 45 11 49.1 61 08 10.8	Fl W	5s	18.2	12	White block, red upper portion. 10.6	Flash 0.5 s; eclipse 4.5 s. Emergency light. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 190°.	Chart:4233
660	White Head light and whistle buoy PU	45 09 21.4 61 07 28.4	Mo(A) W	6s	Red and white vertical stripes, marked "PU".	Seasonal.	Chart:4233
661	White Point Ledges light and whistle buoy P20	SE. of Dover Bay. 45 13 27.4 60 58 32.9	Fl R	4s	Red, marked "P20".	Seasonal.	Chart:4233
662	Horne Shoal light and bell buoy PQ4	S. of shoal. 45 15 16.1 61 00 53.9	Fl R	4s	Red, marked "PQ4".	Seasonal.	Chart:4233
662.5 H3473	Walsh Point Fog Signal	45 16 17.2 61 01 27	Triangular skeleton mast. 3.0	Horn - Blast 2 s; sil. 18 s. Seasonal.	Chart:4233
662.7	Dover Harbour light buoy PQ9	45 16 33 61 01 14.6	Fl G	4s	Green spar, marked "PQ9".	Winter spar. Year round.	Chart:4233

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

663 H3472	Little Dover Harbour	On small island. 45 16 41.5 61 01 12.4		FI	W	4s	8.1	7	Triangular skeleton tower, red and white rectangular daymark. 6.6	Operates at night only. Seasonal. Chart:4233
663.2 H3471	Rock Island	45 16 58.1 61 01 42.6		FI	R	12s	3.7	5	Skeleton tower, enclosed lower portion. 3.6	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal. Chart:4233
663.4 H3472.5	Dover Bay	On Gulf Rock. 45 16 48.8 61 00 47.6		IQ	W	12s	3.8	5	Cylindrical mast. 3.6	8 flashes every 12 s. Operates at night only. Seasonal. Chart:4233
663.6 H3472.3	Little Dover Run	On Bear Island. 45 16 40.2 61 00 15.1		FI	R	4s	5.1	4	Triangular skeleton tower. 3.6	Operates at night only. Seasonal. Chart:4233
664	Little Dover Harbour light and bell buoy PP1	E. of Thrumcap Island. 45 15 48.2 60 57 35.7		FI	G	4s	Green, marked "PP1".	Seasonal. Chart:4233
664.5	Banquereau ODAS light buoy 44139	44 14 03 57 05 44.4		FI(5)	Y	20s	Yellow, marked "44139".	Year round. Chart:4045
664.6	Laurentian Fan ODAS light buoy 44141	43 00 00 57 59 57.2		FI(5)	Y	20s	Yellow, marked "44141".	Year round. Chart:4001
664.7	East Scotia Slope ODAS light buoy 44137	42 16 22.3 61 59 37.2		FI(5)	Y	20s	Yellow, marked "44137".	Year round. Chart:4003
664.8	Southwest Grand Banks ODAS light buoy 44138	44 13 00 53 36 00		FI(5)	Y	20s	Yellow, marked "44138".	Year round. Chart:4006

SABLE ISLAND, N.S.

666 H3584	Sable Island East End	SW. of extremity of NE. dry spit. 43 57 35.9 59 47 26.4		FI	W	10s	36.0	18	White square tower, red vertical stripes on each of the four sides. 18.1	Flash every 10 s. Emergency light. Operates at night only. Year round. Chart:4098
--------------	-----------------------	---------------------------------------------------------------	--	----	---	-----	------	----	-----------------------------------------------------------------------------	------------------------------------------------------------------------------------------

NOVA SCOTIA, SOUTHEAST COAST

666.8	Andrew Island East Cardinal light and whistle buoy PK	45 17 36 60 52 58		Q(3)	W	10s	Black, yellow and black, marked "PK".	Seasonal. Chart:4281
-------	-------------------------------------------------------	----------------------	--	------	---	-----	-------	-------	---------------------------------------	-----------------------------

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA, SOUTHEAST COAST

668 H3458	Cranberry Islands Racon --- (B) X Band	S. part of island, off Cape Canso. 45 19 29.6 60 55 38.2	Fl W	15s	16.9	21 14.6	White square tower, red upper portion. Flash 1 s; eclipse 14 s. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 066° and 141°. Horns sound in unison.
							Chart:4281
669	<i>Grime Shoal light and whistle buoy CV1</i>	<i>E. of Grime Rock. 45 21 05.3 60 50 44.6</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "CV1". Winter spar. Seasonal.</i>
							Chart:4281
669.5	<i>Bass Rock light and bell buoy PJ2</i>	<i>S. of rock. 45 20 38.4 60 52 54.7</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "PJ2". Winter spar. Seasonal.</i>
							Chart:4281
669.8	<i>Frying Pan Shoal light and bell buoy PJ3</i>	<i>E. of shoal. 45 19 58.2 60 55 41.1</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "PJ3". Winter spar. Seasonal.</i>
							Chart:4281
670	<i>Man of War Rock light and bell buoy PK7</i>	<i>E. of rock. 45 19 41.3 60 56 56.7</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "PK7". Winter spar. Seasonal.</i>
							Chart:4281
670.5	<i>Pas Reef light buoy PJ6</i>	<i>45 20 02.7 60 56 56.5</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "PJ6". Seasonal.</i>
							Chart:4281
671	<i>Grassy Island light buoy PJ12</i>	<i>S. of island. 45 19 58.3 60 58 10.7</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "PJ12". Winter spar. Year round.</i>
							Chart:4281
672 H3460		S. of Lanigan Beach, near S. entrance to harbour. 45 19 56.2 60 58 45.6	F R	12.3	13 8.2	White square tower, red upper portion, red vertical stripe. Visible in line of range. Operates at night only. Year round.
	Canso range						
673 H3460.1		266°28' 384.3m from front.	F R	28.7	13 13.3	White square tower, red upper portion, red vertical stripe. Visible in line of range. Operates at night only. Year round.
							Chart:4281
674 H3462		On N. end of breakwater. 45 20 14.3 60 59 03.8	F G	4.5	6 3.0	Triangular skeleton tower, white daymark, red vertical stripe. Operates at night only. Year round.
	Canso Harbour range						
674.2 H3462.1		164°28' 62m from front.	F G	6.6	6 5.1	Triangular skeleton tower, white daymark, red vertical stripe. Operates at night only. Year round.
							Chart:4281
675	<i>Canso Harbour Breakwater bifurcation light buoy PCA</i>	<i>NW. of outer end of breakwater. 45 20 19.5 60 59 09.8</i>	<i>Fl (2+1) R</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red spar, marked "PCA". Winter spar. Seasonal.</i>
							Chart:4281
677 H3464.5	Starling Rock	45 20 23.6 60 59 04.6	Q G	1s	6.3	4 3.6	White cylindrical tower, red horizontal band. Operates at night only. Year round.
							Chart:4281

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NOVA SCOTIA, SOUTHEAST COAST

678 H3464	Piscatiqui Island	W. shore of island. 45 20 33.6 60 59 09.1		LFI W	5s	5.1	7	Triangular skeleton tower. 3.6	Flash 2 s; eclipse 3 s. Operates at night only. Year round.	Chart:4281
679 H3465	Hart Island range	45 20 37.6 60 59 25.3		F R	8.4	6	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.6	Increased intensity in line of range. Operates at night only. Year round.	
679.1 H3465.1		169°47' 116.2m from front.		F R	11.5	16	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 10.2	Visible in line of range. Operates at night only. Year round.	Chart:4281
679.5 H3468		Harbour Shoal	On crib. 45 20 20.4 60 59 38.6		FI G	4s	6.4	4	White cylindrical tower, red horizontal band. 3.6	Operates at night only. Year round.
680.2	Hart Island light buoy PC6	NW. of island. 45 20 45.7 60 59 28.2		Q R	1s	Red spar, marked "PC6".	Winter spar. Seasonal.	Chart:4281
680.5	Piscatiqui Island light buoy PC5	NW. of island. 45 20 53.8 60 59 27.8		FI G	4s	Green spar, marked "PC5".	Winter spar. Year round.	Chart:4281
681	Bald Rock light and bell buoy PC2	N. entrance to Canso Harbour. 45 21 10.8 60 59 36.2		FI R	4s	Red, marked "PC2".	Winter spar. Seasonal.	Chart:4281
682	Canso Harbour light and whistle buoy PC	N. entrance to harbour. 45 22 14.1 60 59 50.2		Mo(A) W	6s	Red and white vertical stripes, marked "PC".	Winter spar. Seasonal.	Chart:4281
682.8	Half Island Cove light buoy CT1	45 21 12.3 61 11 45.6		FI G	4s	Green, marked "CT1".	Seasonal.	Chart:4307
683 H3456	Queensport	On Rock Island, Chedabucto Bay. 45 20 52.6 61 16 18.9		FI W	4s	16.5	7	White block, red upper portion. 10.6	Operates at night only. Year round.	Chart:4307
683.1	Guysborough Harbour light buoy CQ2	45 22 33.2 61 29 13.3		FI R	4s	Red, marked "CQ2".	Seasonal.	Chart:4335
684.02	Guysborough Harbour light buoy CQ5	45 22 55.3 61 29 20.3		FI G	4s	Green, marked "CQ5".	Seasonal.	Chart:4335

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

Chedabucto Bay

686.5	Chedabucto Bay light buoy CF	45 23 54.3 61 03 00.6	Mo(A) W	6s	Red and white vertical stripes, marked "CF".	Seasonal.	Chart:4307
686.7	Chedabucto Bay light buoy C2	45 25 38.1 61 06 17.3	Q R	1s	Red, marked "C2".	Winter spar. Seasonal.	Chart:4308
686.8	Chedabucto Bay light buoy CGB	45 28 24.3 61 10 23.7	Mo(A) W	6s	Red and white vertical stripes, marked "CGB".	Seasonal.	Chart:4307

Strait of Canso

687.1	Argos Shoal light buoy CS1	45 29 11.3 61 12 16.6	Q G	1s	Green, marked "CS1".	Winter spar. Seasonal.	Chart:4307
687.2	Chedabucto Bay light and bell buoy C7	45 28 07.2 61 10 49.8	Fl G	4s	Green, marked "C7".	Seasonal.	Chart:4307
687.3	Chedabucto Bay light and bell buoy C8	45 28 42.3 61 09 55.6	Fl R	4s	Red, marked "C8".	Winter spar. Seasonal.	Chart:4307
687.4	Chedabucto Bay light buoy C10	45 30 40.3 61 12 18.6	Fl R	4s	Red, marked "C10".	Seasonal.	Chart:4306
687.5	Chedabucto Bay light and bell buoy C11	45 31 48.3 61 14 17.6	Fl G	4s	Green, marked "C11".	Seasonal.	Chart:4306
687.7	Chedabucto Bay light buoy C13	45 32 17.8 61 15 28.6	Q G	1s	Green, marked "C13".	Winter spar. Seasonal.	Chart:4306
687.8	Chedabucto Bay light buoy C14	45 32 37.3 61 15 45.6	Fl R	4s	Red, marked "C14".	Seasonal.	Chart:4306
688	Chedabucto Bay light buoy C16	45 32 31.3 61 17 30.6	Q R	1s	Red, marked "C16".	Winter spar. Seasonal.	Chart:4306
688.1	Chedabucto Bay light buoy C17	45 32 39.3 61 18 27.6	Fl G	4s	Green, marked "C17".	Winter spar. Seasonal.	Chart:4306
688.2	Chedabucto Bay light buoy C18	45 33 29.3 61 19 17.6	Fl R	4s	Red, marked "C18".	Seasonal.	Chart:4306
688.4	Chedabucto Bay light buoy C20	45 33 44.3 61 19 57.6	Q R	1s	Red, marked "C20".	Winter spar. Seasonal.	Chart:4306
688.5	Chedabucto Bay light buoy C21	45 34 58.8 61 22 01.6	Fl G	4s	Green, marked "C21".	Seasonal.	Chart:4306

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Height in meters above ground	Remarks	
		Latitude N.	Longitude W.								Fog Signals

NOVA SCOTIA AND CAPE BRETON ISLAND

689.1 H3421	Eddy Point Cautionary light buoy CY	45 31 27.7 61 14 37.5	FI Y 4s	Yellow spar, marked "CY".	Winter spar. Year round.	Chart:4306
689.3 H3421	Eddy Point range	SE. entrance, Strait of Canso.	Oc Y 11s	11.9	15	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Year round.					
689.4 H3421.1		45 31 12.2 61 15 07.4	FI W 4s	12.3					
689.7 H3419	Port Malcolm range	124°51' 361m from front.	F Y	26.1	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				Chart:4306
689.8 H3419.1		319°50' 790.7m from front.	FI W 4s	26.7	19.0					
689.7 H3419	Port Malcolm range	Seacoal Bay Entrance.	F W	19.7	16	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				
689.8 H3419.1		45 34 32.7 61 17 16.9	FI W 4s	20.3	9.6					
690 H3422	Bear Head Direction	SE. end. 45 32 53.8 61 17 17.6	FI W 4s	14.6	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark.	Increased intensity on a bearing of 297°. Operates at night only. Year round.					Chart:4306
690.3 H3425	Middle Melford range	45 32 21.7 61 18 53.2	F Y	13.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				
690.4 H3425.1		268°05' 92.4m from front.	FI W 4s	14.2	7.8					
692 H3426	Park Point range	268°05' 92.4m from front.	F Y	20.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				Chart:4306
693 H3426.1		146°18' 316.9m from front.	FI W 4s	21.2	13.8					
694.4 H3427	Cahil Rock range	On point, W. side of Strait.	F Y	12.3	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				
694.5 H3427.1		45 32 35.8 61 19 16	FI W 4s	13.2	11.0					
694.4 H3427	Cahil Rock range	146°18' 316.9m from front.	F Y	25.1	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				Chart:4306
694.5 H3427.1		45 32 35.8 61 19 16	FI W 4s	25.6	19.3					
694.4 H3427	Cahil Rock range	S. of rock. 45 34 13.2 61 21 17.5	F Y	12.9	18	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.				
694.5 H3427.1		304°46' 176.1m from front.	FI W 4s	13.5	12.7					
694.5 H3427.1	Cahil Rock range	304°46' 176.1m from front.	Oc Y 11s	27.5	18	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Year round.					Chart:4306
695 H3427.1		45 34 13.2 61 21 17.5	FI W 4s	28.1	12.3					
695 H3427.1	Point Tupper light buoy C26	45 36 20.8 61 22 33.1	FI R 4s	Red, marked "C26".	Winter spar. Seasonal.	Chart:4306

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

696 H3430	Point Tupper	On small shed on Gypsum loading pier. 45 36 27.4 61 22 27	F	R	29.6	Mast on small shed.	Privately operated. Operates at night only. Year round.	Chart:4306
696.5	Premier Shoal light buoy CL4	45 36 47.3 61 22 10.6	Fl	R	4s	Red spar, marked "CL4".	Seasonal.	Chart:4306
697 H3434	Cape Porcupine range	S. side of Canso Causeway. 45 38 41.9 61 25 05.8	F	G	9.9	18	Triangular skeleton tower, white daymark, red vertical stripe. 6.1	Visible in line of range. Operates at night only. Seasonal.	
698 H3434.1		144°06' 1583.3m from front.	F	G	21.8	16	Triangular skeleton tower, white daymark, red vertical stripe. 13.8	Visible in line of range. Operates at night only. Seasonal.	Chart:4306
699	Dixon Rock light buoy C28	45 38 31.3 61 24 11.6	Fl	R	4s	Red, marked "C28".	Winter spar. Seasonal.	Chart:4306
700 H3432	Canso Canal SE. mooring dock	45 38 46.6 61 24 32	Fl	Y	4s	4.8	Mast.	Privately operated. Operates at night only. Year round.	Chart:4306
700.5	Canso Causeway	On swing bridge. 45 38 50.8 61 24 45.6	Fl F F	R R W	4s	16.2	Preparing to open bridge. FR - Bridge completely closed. FW - Bridge completely open. Year round.	Chart:4306
701 H3436	Balache Point range	N. end of Canso Lock. 45 38 57.8 61 24 59.6	Oc	Y	11s	9.2	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.1	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.	
702 H3436.1		131°31' 219.4m from front.	Oc	Y	11s	13.5	16	Square tower, red upper portion, white daymark, red vertical stripe. 4.9	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.	Chart:4306
703 H3433	Canso Canal NE. mooring berth	At outer end of NW. mooring dock. 45 39 11.3 61 25 12.6	Fl	Y	4s	5.5	Mast.	Privately operated. Operates at night only. Year round.	Chart:4306
704 H3423	Janvrin Island range	At Thomas Head. 45 32 31.3 61 12 01.6	F Fl	Y W 4s	12.5 13.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.	
704.1 H3423.1		088°10' 300.2m from front.	F Fl	Y W 4s	25.0 25.5	15	Triangular skeleton tower, white daymark, red vertical stripe. 15.1	Visible in line of range. Operates at night only. Year round.	Chart:4306

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

CAPE BRETON ISLAND, N.S.

Isle Madame

704.8 H3409	Arichat Head	SW. tip of Crichton Island. 45 30 21.4 61 06 04.1	FI	W	12s	13.9	8	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Flash 2 s; eclipse 10 s. Operates at night only. Year round.		Chart:4307
704.9	Crichton Island light buoy CN2	45 30 03.3 61 07 21.6	FI	R	4s	Red spar, marked "CN2".	Winter spar. Year round.		Chart:4306
705 H3410	Crichton Head	On N. extremity of Crichton Island. 45 30 41.9 61 06 12.7	F	G	11.4	10	Skeleton tower, enclosed lower portion, red and white rectangular slatwork daymark. 7.9	Operates at night only. Seasonal.		Chart:4307
706 H3416	West Arichat Wharf	On outer end of wharf. 45 30 50.7 61 04 59.2	F	W	3.1	11	Skeleton mast, enclosed lower portion. 2.5	Operates at night only. Seasonal.		Chart:4307
707 H3406	Jerseyman Island	On Beach Point, Arichat Harbour. 45 30 13.3 61 03 19.9	FI	R	4s	7.6	5	White square tower, red upper portion. 7.8	Operates at night only. Seasonal.		Chart:4307
708 H3404	Marache Point	Marache Point, S. entrance to Arichat Harbour. 45 28 50.3 61 02 04.6	F	W	10.2	13	White square tower, red upper portion. 7.9	Visible from 338° through N., E. and S. to 224°. Operates at night only. Year round.		Chart:4307
709	Cerberus Rock light and whistle buoy CH4	S. of rock. 45 27 37 61 06 15	FI	R	4s	Red, marked "CH4".	Winter spar. Seasonal.		Chart:4308
709.5 H3403	Cape Hogan	45 28 02.3 61 00 36.6	F	W	45.4	12	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.1	Visible from 255° through W., N. and E. to 095° approx. Operates at night only. Year round.		Chart:4307
710	Petit-de-Grat light and whistle buoy CJ	45 28 18.3 60 58 15.6	Mo(A)	W	6s	Red and white vertical stripes, marked "CJ".	Seasonal.		Chart:4308
711	Petit-de-Grat light and bell buoy CJ1	45 28 59.4 60 58 26.9	FI	G	4s	Green, marked "CJ1".	Winter spar. Seasonal.		Chart:4308
712	Arrow Point light buoy CJ2	SW. of Big Arrow Rock. 45 29 05.2 60 58 15.9	FI	R	4s	Red, marked "CJ2".	Winter spar. Year round.		Chart:4308

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

713 H3398	Petit-de-Grat Outer range	W. of Petit-de-Grat Inlet. 45 29 47.2 60 58 23.7	F W	8.3	19	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Year round.
714 H3398.1		356°01' 59.9m from front.	F W	14.8	19	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 9.5	Visible in line of range. Operates at night only. Year round.
716	Mouse Island light buoy CJ5	45 29 46.4 60 57 49.8	Q G	1s	Green spar, marked "CJ5".	Winter spar. Seasonal.
716.1	Mouse Island light buoy CJ6	45 29 46.3 60 57 46.6	Q R	1s	Red spar, marked "CJ6".	Winter spar. Seasonal.
717	Petit-de-Grat Harbour light buoy CJ9	45 29 55.2 60 57 40.5	FI G	4s	Green spar, marked "CJ9".	Winter spar. Seasonal.
718 H3399	Petit-de-Grat Inner range	E. side of island. 45 30 03.6 60 57 31.5	F G	12.0	15	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.7	Visible in line of range. Operates at night only. Year round.
719 H3399.1		033°56' 64.1m from front.	F G	15.4	15	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Year round.
719.1 H3401	Cowley Point Breakwater	W. side of inlet, on end of breakwater. 45 30 06.3 60 57 47.5	F G	4.9	7	Square skeleton mast. 3.8	Operates at night only. Year round.
720	Marchant Ledge light buoy CJ18	W. side of inlet, on end of breakwater. 45 30 11.6 60 57 42.2	FI R	4s	Red spar, marked "CJ18".	Winter spar. Seasonal.
721 H3396	Petit-de-Grat Breakwater	On outer end of breakwater at N. entrance to Petit-de- Grat Inlet. 45 31 04.5 60 57 02.9	FI G	6s	5.4	3	Triangular skeleton tower. 3.8	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.
722 H3376	Green Island	Summit of island. 45 28 41.3 60 53 57.6	FI(2) W	20s	34.1	10	White cylindrical tower, red upper portion. 11.5	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 14 s. Emergency light. Operates at night only. Year round.
723	Orpheus Rock light and bell buoy NQ1	E. side of Orpheus Rock. 45 28 41.3 60 51 00.6	FI G	4s	Green, marked "NQ1".	Winter spar. Seasonal.
724	Petite Anse light and bell buoy NS1	45 29 39.3 60 54 55.3	FI G	4s	Green, marked "NS1".	Seasonal.

Chart:4307

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

Chart:4308

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

725 H3377	Petite Anse range	45 29 43 60 56 02.3	F R	4.5	6	Triangular skeleton tower, white daymark, red vertical stripe. 3.8	Visible in line of range. Operates at night only. Seasonal.	
726 H3377.1		271°35' 207.6m from front.	F R	4.9	6	Triangular skeleton tower, white daymark, red vertical stripe. 2.8	Visible in line of range. Operates at night only. Seasonal.	Chart:4308
Lennox Passage									
727	Beak Point Shoal (Petit Nez) light and whistle buoy NQ3	Off E. side of shoal. 45 33 08.9 60 50 59.6	Fl G	4s	Green, marked "NQ3".	Seasonal.	Chart:4308
728.5	Cape Ronde light buoy NT1	45 34 46.1 60 52 57.8	Fl G	4s	Green spar, marked "NT1".	Year round.	Chart:4275
729 H3392	Grandique Point	On beach. 45 35 38.2 61 01 19.8	F G	8.6	7	White square tower, red upper portion. 8.8	Operates at night only. Seasonal.	Chart:4308
730 H3388	Hawk Island	Entrance to Poulamon Bay. 45 35 40.3 60 59 42.3	Fl G	4s	12.9	4	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 9.7	Visible from 240°30' to 265°30'. Operates at night only. Seasonal.	Chart:4308
730.5	Goillon Reef light buoy NT12	45 36 03.3 60 59 00.6	Fl R	4s	Red spar, marked "NT12".	Seasonal.	Chart:4308
731 H3384	Ouetique Island	On S. point. 45 36 35.2 60 57 26.3	Fl R	4s	23.3	5	Triangular skeleton tower, red and white rectangular daymark. 8.6	Operates at night only. Seasonal.	Chart:4308
732 H3386	River Bourgeois	On point, E. side of entrance. 45 37 32.8 60 56 51.1	F R	7.1	8	Square tower, red and white rectangular daymark. 7.7	Privately maintained. Operates at night only. Seasonal.	Chart:4308
733	Saint Peters Bay light buoy NQ12	W. side of channel at S. entrance to bay. 45 37 07.2 60 53 18.4	Fl R	4s	Red spar, marked "NQ12".	Winter spar. Year round.	Chart:4275
734 H3380	Jerome Point	Near canal entrance. 45 38 53.9 60 52 21.8	F R	15.5	10	White square tower, red upper portion. 10.9	Operates at night only. Seasonal.	Chart:4275
735	Haddock Rock light and bell buoy NP2	W. of rock. 45 35 50.2 60 49 37.4	Fl R	4s	Red, marked "NP2".	Seasonal.	Chart:4275
736	Lower L'Ardoise light and whistle buoy NM	N. of Red Point. 45 34 49.2 60 45 52.4	Mo(A) W	6s	Red and white vertical stripes, marked "NM".	Seasonal.	Chart:4275

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

CAPE BRETON ISLAND, N.S.

737 H3372	Little Harbour Wharf	45 34 59.3 60 44 27.5	F R	4.9	8	Cylindrical mast. 4.4	Operates at night only. Seasonal.	Chart:4275
737.05	Lower L'Ardoise light buoy NN5	45 35 51.2 60 46 15.4	FI G	4s	Green spar, marked "NN5".	Seasonal.	Chart:4275
738	Michaud Ledges light and whistle buoy N18	45 32 48.9 60 44 03.8	FI R	4s	Red, marked "N18".	Seasonal.	Chart:4335
739	Black Breaker Rock South Cardinal light buoy NHA	45 35 24.9 60 34 48.2	Q(6) +LFI	W	15s	Yellow and black spar, marked "NHA".	Year round.	Chart:4374
741.01	L'Archevêque light buoy NH3	45 37 12.1 60 34 21.4	FI G	4s	Green spar, marked "NH3".	Year round.	Chart:4374
741.03	L'Archevêque light buoy NH6	45 37 15.5 60 34 24.8	FI R	4s	Red spar, marked "NH6".	Year round.	Chart:4374
741.05	L'Archevêque light buoy NH10	45 37 27.6 60 34 32.2	Q R	1s	Red spar, marked "NH10".	Year round.	Chart:4374
742	St. Esprit light buoy N16	SE. of Bad Neighbour Shoal. 45 35 12.2 60 30 25.6	FI R	4s	Red, marked "N16".	Seasonal.	Chart:4374
743 H3368	St. Esprit Island	E. end of island. 45 37 19.2 60 29 17.6	LFI W	12s	23.8	8	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 9.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4374
745	Fourchu light and whistle buoy N14	S. of Fourchu Head. 45 42 00.2 60 12 45.6	FI R	4s	Red, marked "N14".	Winter spar. Seasonal.	Chart:4374
746	Fourchu light and bell buoy NC2	W. entrance to Fourchu Harbour. 45 42 57.2 60 13 07.6	Q R	1s	Red, marked "NC2".	Seasonal.	Chart:4374
747 H3362	Fourchu Head	Near E. extremity of head. 45 43 02.8 60 13 46.4	F W	18.9	13	White cylindrical tower, two red horizontal bands. 10.7	Visible from 096° through S., W. and N. to 065°. Emergency light. Year round.	Chart:4374
								Horns(2) - Blast 3 s; sil. 27 s. Horns point 065° and 170°. Horns sound in unison.	
747.3	North Fourchu light buoy NC24	45 43 12 60 14 21	FI R	4s	Red, marked "NC24".	Seasonal.	Chart:N/A

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

748 H3364	Fourchu Harbour range	On pier, NE. of Butter Island. 45 43 09.6 60 14 42	F Y	3.0	18	Triangular skeleton tower, white daymark, red vertical stripe. 2.8	Visible in line of range. Operates at night only. Seasonal.
749 H3364.1		On pier, 255°10' 225.7m from front.	F Y	8.3	18	Triangular skeleton mast, white daymark, red vertical stripe. 7.4	Visible in line of range. Operates at night only. Seasonal.
750 H3360	Guyon Island	On island. 45 45 57.3 60 06 45.7	FI W	20s	16.2	17	White octagonal tower, red upper portion. 12.8	Flash 1 s; eclipse 19 s. Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 147°. Seasonal.
751	<i>Guyon Island light and whistle buoy J12</i>	<i>E. of island. 45 46 03.2 60 02 41.6</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "J12".</i>	<i>Seasonal.</i>
752	<i>Green Rock light and bell buoy JX3</i>	<i>NE. of rock. 45 49 23.3 60 03 11.7</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JX3".</i>	<i>Seasonal.</i>
752.6 H3359	Rouse Point	45 50 35 60 07 56.8	F Y	9.0	9	White block. 3.8	Operates at night only. Seasonal. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 112°.
752.7	<i>Gabarus light buoy JX10</i>	<i>45 50 32.3 60 08 15.7</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JX10".</i>	<i>Seasonal.</i>
753 H3358	Gabarus	On Harbour Point, S. shore of bay. 45 50 35.2 60 08 50.3	F R	16.5	8	White hexagonal tower, red upper portion. 9.5	Operates at night only. Seasonal.
Louisbourg Harbour								
754	<i>Louisbourg light and whistle buoy JT</i>	<i>Off entrance to Louisbourg. 45 52 33.3 59 54 05.7</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JT".</i>	<i>Seasonal.</i>
755	<i>Louisbourg light and bell buoy JT1</i>	<i>E. of Harbour Shoal. 45 53 56.4 59 56 51.2</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JT1".</i>	<i>Winter spar. Seasonal.</i>
756 H3344	Louisbourg	On Lighthouse Point, N. side of entrance to harbour. 45 54 24 59 57 30.5	FI W	10s	31.9	16	White octagonal tower, red upper portion. 15.4	Flash 1 s; eclipse 9 s. Visible from 250° through W., N. and E. to 100°. Emergency light. Operates at night only. Year round. Horns(2) - Blast 2 s; sil. 18 s. Horns point 138°.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

756.5	<i>Nag Rock bifurcation light buoy JTA</i>	45 54 11.4 59 58 19.2	FI R (2+1)	6s	Red, green and red spar, marked "JTA".	Winter spar. Year round.	Chart:4376	
757 H3348	Louisbourg range	On W. side of harbour. 45 54 05.8 59 59 23.1	F Y	7.0	18	Triangular skeleton tower, white daymark, red vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	
758 H3348.1		267°56' 165.8m from front.	F Y	12.7	18	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	Chart:4376
759	<i>Russell Point West Cardinal light buoy JTB</i>	45 54 24.3 59 58 14.6	Q(9) W	15s	Yellow, black and yellow, marked "JTB".	Winter spar. Seasonal.	Chart:4376	
760	<i>Battery Shoal light buoy JT11</i>	45 54 30.4 59 58 21.7	FI G	4s	Green spar, marked "JT11".	Winter spar. Seasonal.	Chart:4376	
761 H3342	Little Lorraine (Lorembec)	Extremity of W. headland at entrance to harbour. 45 56 56.5 59 51 34.2	F G	10.7	7	White cylindrical tower, red upper portion. 4.6	Operates at night only. Seasonal. Horn - Blast 2 s; sil. 18 s.	Chart:4375
762	<i>Baleine Cove light and bell buoy JM2</i>	S. of East Head. 45 56 20.3 59 50 45.7	FI R	4s	Red, marked "JM2".	Seasonal.	Chart:4375	
763	<i>Portnova light and whistle buoy J10</i>	SE. of Portnova Island. 45 55 38.2 59 46 10.5	FI R	4s	Red, marked "J10".	Seasonal.	Chart:4377	
764	<i>Bar Reef light and bell buoy JJ3</i>	E. of Helen Rock. 45 58 59.9 59 46 56.8	FI G	4s	Green, marked "JJ3".	Seasonal.	Chart:4377	
764.5	<i>Black Rock light buoy JJ11</i>	45 59 46.9 59 50 01.9	FI G	4s	Green, marked "JJ11".	Seasonal.	Chart:4377	
765	<i>Mad Dick Rock light and bell buoy JJ6</i>	Off S. side of rock. 45 59 59.1 59 49 21.5	FI R	4s	Red, marked "JJ6".	Seasonal.	Chart:4377	
765.1 H745.6	Main-à-Dieu Harbour	46 00 13.7 59 50 22.2	FI R	4s	6.2	4	Skeleton tower, enclosed lower portion. 3.6	Operates at night only. Year round.	Chart:4377
765.3 H745.4	Battery Point (Main-à-Dieu)	46 00 17.3 59 50 25.4	LFI G	12s	4.0	2	Cylindrical mast. 2.2	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4377

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

CAPE BRETON ISLAND, N.S.

765.4 H745	Moque Head	46 00 25.4 59 49 21.7	F	W	12.1	12	Skeleton tower, enclosed lower portion. 6.8	Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 070°.	Chart:4377
Scatarie Island										
765.7	Howe Point light and whistle buoy JJ2	45 59 14.3 59 41 57.7	FI	R	4s	Red, marked "JJ2".	Seasonal.	Chart:4375
766 H744	Main-à-Dieu	On West Point of Scatarie Island. 46 00 13.6 59 47 41	FI	W	4s	24.7	7	White cylindrical tower, two red horizontal bands. 9.9	Operates at night only. Year round.	Chart:4377
767 H742	Scatarie	NE. point of Scatarie Island. 46 02 04.3 59 40 33.7	FI	W	30s	19.5	18	White square tower, red upper portion. 13.9	Flash 1 s; eclipse 29 s. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 105°.	Chart:4375
767.6 H745.8	Mira Gut Swing Bridge	N. side of bridge. 46 02 09.7 59 58 06.4	F	G R	9.2	Cylindrical mast. 4.0	Green - bridge open; Red - bridge closed. Privately operated. Operates at night only. Year round.	Chart:4375
768 H746	Port Morien	On SW. end of breakwater. 46 07 50.8 59 52 13.2	F	R	5.4	10	Cylindrical mast. 4.3	Operated by Fishermen as required. Operates at night only. Year round.	Chart:4375
768.5	Port Morien light buoy JA6	46 07 41.3 59 52 03.7	FI	R	4s	Red spar, marked "JA6".	Seasonal.	Chart:4375
769	Cow Reef light and bell buoy JA2	46 09 42.3 59 48 46.7	FI	R	4s	Red, marked "JA2".	Seasonal.	Chart:4375
770 H750	Flint Island	Off Cape Percé. 46 10 51 59 46 13.2	FI(2)	W	25s	22.6	9	White hexagonal tower. 17.8	Flash 1 s; eclipse 1s; flash 1 s; eclipse 22 s Emergency light. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s.	Chart:4367
771	Glace Bay light and bell buoy KV	NE. of Glace Bay. 46 13 38.2 59 55 29.6	Mo(A)	W	6s	Red and white vertical stripes, marked "KV".	Seasonal.	Chart:4367
771.5	Glace Bay Outer light buoy KV1	46 12 30 59 56 21	FI	G	4s	Green spar, marked "KV1".	Seasonal.	Chart:4170

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

772 H752	Glace Bay range	On S. side of entrance to Glace Cove. 46 11 47.6 59 56 56.9	F R	8.4	16	Triangular skeleton tower, white daymark, red vertical stripe. 5.5	Visible in line of range. Year round.
773 H752.1		208°17' 101.7m from front.	F R	13.0	16	Triangular skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Year round. Chart:4367
774 H756	Glace Bay North Breakwater	On outer end of N. breakwater. 46 11 56.7 59 56 51.8	F G	9.0	10	White cylindrical tower, red horizontal band. 5.3	Seasonal. Horn - Blast 2 s; sil. 18 s. Chart:4367
774.4	Lingan Harbour light buoy KQ2	46 13 45 60 02 02.4	Fl R	4s	Red, marked "KQ2".	Seasonal. Chart:4367
774.5	Lingan Harbour light buoy KQ7	46 13 43.2 60 02 28.2	Fl G	4s	Green, marked "KQ7".	Seasonal. Chart:4367
774.6 H757.5	Lingan range	46 13 44.5 60 02 43.5	F G	4.8	7	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.8	Visible in line of range. Operates at night only. Seasonal.
774.7 H757.51		270° 30.6m from front.	F G	7.4	7	Triangular skeleton mast, enclosed lower portion, white daymark, red vertical stripe. 5.2	Operates at night only. Seasonal. Chart:4367
Sydney Harbour								
775 H758	Low Point	E. side of entrance to Sydney Harbour. 46 16 01.5 60 07 32.9	Fl W	5s	25.8	18	White octagonal tower, red upper portion. 20.8	Flash 0.5 s; eclipse 4.5 s. Year round. Chart:4266
776	Sydney Harbour light buoy SA	N. of Low Point. 46 18 24.2 60 07 50.6	Mo(A) W	6s	Red and white vertical stripes, marked "SA".	On the alignment of Sydney range. Seasonal. Chart:4367
777	Sydney Harbour inner light buoy SC	46 14 37.5 60 11 21	Mo(A) W	6s	Red and white vertical stripes, marked "SC".	Seasonal. Chart:4266
778 H760	Sydney Bar	On pier, W. extremity of Southeast Bar. 46 12 20.7 60 13 07.1	Fl G	5s	8.9	3	Skeleton mast on N.E. corner of white building. 2.0	Flash 1 s; eclipse 4 s. Year round. Chart:4266
778.2	Sydney Southeast Bar light buoy S7	W. of bar. 46 12 14.2 60 13 21.2	Q G	1s	Green, marked "S7".	Seasonal. Chart:4266
779	Sydney Northwest Bar light buoy S6	On SE. edge of bar. 46 12 28.5 60 14 01.3	Fl R	4s	Red, marked "S6".	Seasonal. Chart:4266

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.					Height in meters above ground		

CAPE BRETON ISLAND, N.S.

779.4	Northwest Bar light buoy SD2	46 12 32.8 60 14 10.3	Q	R	1s	Red spar, marked "SD2".	Seasonal.	Chart:4266
780 H762.6	Ballast Grounds (N. Sydney)	46 12 21.2 60 14 52.2	Fl(2)	R	6s	7.7	3	Cylindrical mast. 6.7	Flash 1 s; eclipse 1 s; flash 1s; eclipse 3s. Operates at night only. Year round.	Chart:4266
781	Point Edward light buoy S8	Off point. 46 11 29 60 13 31	Fl	R	4s	Red, marked "S8".	Seasonal.	Chart:4266
782 H761	Sydney range	On point, S. side of W. arm of Sydney Harbour. 46 10 48.6 60 15 00.7	Iso	Y	4s	18.3	14	White octagonal tower, red upper portion, red vertical stripe. 17.7	Visible in line of range. Operates at night only. Year round.	
783 H761.1		213°34' 766.3m from front.	Iso	Y	4s	38.1	14	White square tower, red upper portion, red vertical stripe. 12.2	Visible in line of range. Operates at night only. Year round.	Chart:4266
784 H764	Sydney South Arm range	Near N. extremity of point. 46 09 26.8 60 12 12.4	F	G	8.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Year round.	
785 H764.1		162°32' 151.1m from front.	F	G	16.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 13.1	Visible in line of range. Year round.	Chart:4266
785.5	Barachois light buoy S14	At entrance to creek. 46 09 32.8 60 12 53	Fl	R	4s	Red spar, marked "S14".	Seasonal.	Chart:4266
785.7 H767	Point Edward Main Jetty North	46 09 22 60 13 02.6	F	R	7.0	6	Mast. 4.6	Privately operated. Year round.	Chart:4266
			F	R	7.0			
785.8 H766.2	Point Edward Main Jetty South	46 09 13.9 60 13 02.9	F	R	7.3	Skeleton tower. 3.6	Visible from all points of marine approach. Privately operated. Year round.	Chart:4266
			F	R	7.8			
785.84 H768	Crawleys Creek range	46 09 00.9 60 13 21	F	W	4.1	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately operated. Year round.	
785.85 H768.1		235°21' 174.5m from front.	F	W	9.3	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately operated. Year round.	Chart:4266
786	Battery Point light buoy S15	Off point. 46 08 53.5 60 12 26.5	Fl	G	4s	Green spar, marked "S15".	Winter spar. Year round.	Chart:4266

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

787	Shingle Point light buoy S18	On edge of shoal. 46 08 27.7 60 12 13.7	Fl R	4s	Red spar, marked "S18".	Winter spar. Seasonal.	Chart:4266		
787.2	South Bar Ruins light buoy SS1	46 11 58.1 60 12 17.2	Fl G	4s	Green spar, marked "SS1".	Seasonal. (In place Year round.)	Chart:4266		
788	Sydney Harbour South Arm light buoy S21	46 07 49 60 12 11.5	Fl G	4s	Green spar, marked "S21".	Seasonal.	Chart:4266		
789	Cran Rock light buoy S2	46 16 26 60 11 29	Fl R	4s	Red, marked "S2".	Seasonal.	Chart:4266		
790	Little Bras d'Or Entrance light and bell buoy U1	46 19 27.2 60 16 33.6	Fl G	4s	Green, marked "U1".	Seasonal.	Chart:4367		
791	Alder Point light buoy U4	Entrance to Little Bras d'Or, W. of point. 46 18 56.2 60 17 05.2	Q R	1s	Red, marked "U4".	Seasonal.	Chart:4276		
791.5	Little Bras d'Or Entrance light buoy U9	46 18 46.2 60 17 05.2	Fl G	4s	Green, marked "U9".	Seasonal.	Chart:4276		
Sydney Harbour										
792 H772		On N. side of entrance. 46 18 43.7 60 17 13.8	F R	8.8	6	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. Year round.		
793 H772.1	Little Bras d'Or range	211°46' 354 m from front.	F R	12.7	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round.	Chart:4276	
794.2	McCreadyville light buoy U12	46 18 38.7 60 17 07.4	Fl R	4s	Red, marked "U12".	Seasonal.	Chart:4276		
794.4	Little Bras d'Or Sector	46 17 53.8 60 17 09.8	F AI RW AI GW	R W G	4.1	15	Skeleton tower, enclosed lower portion. 3.4	Red from 180°15' to 182°05'; AI RW 182°05' to 182°30'; white from 182°30' to 183°; AI GW 183° to 183°25'; green from 183°25' to 185°15'. Operates at night only. Year round	Chart:4276
795	Point Aconi light and whistle buoy K6	46 21 28.2 60 14 49.1	Fl R	4s	Red, marked "K6".	Seasonal.	Chart:4367		

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

CAPE BRETON ISLAND, N.S.

796 H770	Point Aconi	On point. 46 20 09.7 60 17 32.7	F	W	25.6	13	White cylindrical tower, red upper portion. 11.5	Visible from all points of marine approach. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 015°.	Chart:4367
797	Carey Beach light and bell buoy Q1	W. of Table Rock. 46 19 06.6 60 23 13.1	Fl	G	4s	Green, marked "Q1".	Seasonal.	Chart:4277
797.5	Carey Beach light and bell buoy Q2	46 19 05.6 60 23 18.9	Fl	R	4s	Red, marked "Q2".	Seasonal.	Chart:4277
798	Black Rock Point light buoy Q3	N. of Black Rock Shoal. 46 18 52.4 60 23 26.2	Q	G	1s	Green, marked "Q3".	Seasonal.	Chart:4277
799 H778	Black Rock Point	S. side of entrance to Great Bras d'Or. 46 18 18.8 60 23 29.8	LFl	W	6s	25.8	12	White square tower. 12.4	Flash 2 s; eclipse 4 s. Visible from 047° through E., and S. to 227°. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 353°.	Chart:4277
800 H779	Black Rock Point Sector	On point near shore. 46 18 18.7 60 23 32.1	F Al GW Al RW	R W G	16.4	19	Triangular skeleton tower, enclosed lower portion. 3.5	Green from 045°15' to 048°15'; Al GW from 048°15' to 048°30'; white from 048°30' to 049°30'. Al RW 049°30' to 049°45'; red from 049°45' to 053°45'. White sector indicates preferred channel. Seasonal.	Chart:4277
801	Great Bras d'Or Entrance Outer light buoy Q4	W. of Black Rock Point light. 46 18 39.8 60 23 42.7	Fl	R	4s	Red, marked "Q4".	Seasonal.	Chart:4277
801.5	Little Shoal light buoy Q5	46 18 17.4 60 23 58.8	Fl	G	4s	Green, marked "Q5".	Seasonal.	Chart:4277
802	Great Bras d'Or Inner light buoy Q6	Off The Bar. 46 17 56.8 60 24 20.1	Fl	R	4s	Red boat type, marked "Q6".	Seasonal.	Chart:4277
802.1	Gooseberry Beach light buoy Q7	46 17 54 60 24 18.4	Fl	G	4s	Green, marked "Q7".	Seasonal.	Chart:4277
802.2	Carey Point light buoy Q8	46 17 43 60 24 33.9	Q	R	1s	Red boat type, marked "Q8".	Seasonal.	Chart:4277

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

Great Bras d'Or

803 H782	Great Bras d'Or range	On Noire Point. 46 17 25.5 60 24 48.3	F G	15.7	6	White square tower, red upper portion, red vertical stripe. 9.9	Visible in line of range. Seasonal.	
804 H782.1		212°25' 514.6m from front.	F G	19.1	6	White square tower, red vertical stripe. 16.4	Visible in line of range. Seasonal.	Chart:4277
804.5 H784	Duffus Point	On wharf. 46 16 51.6 60 25 30.1	Fl W	4s	7.4	4	Pipe swing pole. 6.8	Operates at night only. Seasonal.	Chart:4277
804.6 H786	Kellys Cove Wharf	S. corner of wharf. 46 17 19.3 60 26 13.5	F W	5.0	12	Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Seasonal.	Chart:4277
804.8	Great Bras D'Or Inner light buoy Q10	46 16 26.8 60 26 46.5	Fl R	4s	Red, marked "Q10".	Seasonal.	Chart:4277
805	Chain Point Shoal light buoy Q11	46 15 40 60 27 29.8	Fl G	4s	Green, marked "Q11".	Seasonal.	Chart:4277
805.8	Seal Reefs light buoy Q12	E. of reefs. 46 14 04.2 60 29 20.2	Q R	1s	Red boat type, marked "Q12".	Seasonal.	Chart:4277
806	Seal Reefs light buoy Q14	46 13 50.2 60 29 34.7	Fl R	4s	Red, marked "Q14".	Seasonal.	Chart:4277
807	Lime Rock light buoy Q15	SW. of McLean Point. 46 13 27.2 60 29 57.3	Fl G	4s	Green, marked "Q15".	Seasonal.	Chart:4277
808 H790	Otter Harbour Sector	46 13 07.4 60 31 47.5	F R W G	5.3	5	Square mast on white shed. 5.2	Red from 260° through W. to 281°41'; white from 281°41' to 283°29'; green from 283°29' to 314°. White sector indicates preferred channel. Operates at night only. Seasonal.	Chart:4277
809.7 H792	Man of War Point range	46 11 31.7 60 32 39.5	F Y	18.1	10	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.	
809.8 H792.1		223°03' 768.8m from front.	F Y	28.5	16	Triangular skeleton tower, white daymark, red vertical stripe. 20.2	Visible in line of range. Seasonal.	Chart:4277

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

810.7 H796	MacFarlane Point range	46 07 34.1 60 36 15.1	F Y	18.0	17	Skeleton tower, white daymark, red vertical stripe. 9.7	Visible in line of range. Seasonal.	
810.8 H796.1		065°15' 277.2m from front.	F Y	31.0	17	Skeleton tower, white daymark, red vertical stripe. 10.2	Visible in line of range. Seasonal. Chart:4277	
811 H798	MacKenzie Point	W. of MacDonald Point. 46 06 59.4 60 38 56	Fl R	4s	21.3	4	Skeleton tower, red and white rectangular daymarks. 6.7	Operates at night only. Seasonal. Chart:4277	
811.1	MacRae Point light buoy Q20	46 06 32.2 60 39 56.2	Fl R	4s	Red, marked "Q20".	Seasonal. Chart:4278	
811.2	Fraser Point light buoy Q21	46 06 19.2 60 39 56.2	Fl G	4s	Green, marked "Q21".	Seasonal. Chart:4278	
812	MacRae Point Shoal bifurcation light buoy QA	46 06 02 60 40 31.1	Fl (2+1)	G 6s	Green, red and green, marked "QA".	Seasonal. Chart:4278	
St. Andrew Channel									
813 H810	Point Clear	On point, S. side of Boularderie Island. 46 05 29.3 60 35 53.6	Fl W	4s	7.0	6	Skeleton tower, red and white rectangular daymark. 6.7	Operates at night only. Seasonal. Chart:4277	
St. Patricks Channel									
813.5	Bone Shoal light buoy A2	46 05 19.5 60 44 27.5	Fl R	4s	Red spar, marked "A2".	Seasonal. Chart:4278	
814	Bone Island light buoy A3	At N. edge of shoal off Bone Island. 46 05 03.6 60 44 52.5	Fl G	4s	Green spar, marked "A3".	Seasonal. Chart:4278	
815 H800	Kidston Island	On NE. point, entrance to Baddeck Harbour. 46 05 53.3 60 44 31.3	LFl G	12s	13.3	6	White square tower, red upper portion. 14.3	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal. Chart:4278	
815.1 H801	Kidston Island West End	46 05 33.2 60 45 00.7	Fl R	6s	13.5	4	White cylindrical tower, two red horizontal bands. 10.6	Operates at night only. Seasonal. Chart:4278	
815.3	Stony Shoal light buoy A4	46 04 54.5 60 46 18.4	Fl R	4s	Red spar, marked "A4".	Seasonal. Chart:4278	
816	Brian Point light buoy A9	Off point. 46 03 38.2 60 51 56.3	Fl G	4s	Green spar, marked "A9".	Seasonal. Chart:4278	
817	MacIvers Point light buoy A11	N. of point. 46 02 27.2 60 55 33.3	Q G	1s	Green spar, marked "A11".	Seasonal. Chart:4278	
818	MacIvers Point West light buoy A13	W. of point. 46 02 12.2 60 55 40	Fl G	4s	Green spar, marked "A13".	Seasonal. Chart:4278	

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

CAPE BRETON ISLAND, N.S.

818.5	Maclvers Point light buoy A14	46 02 05.4 60 55 47.7	Q	R	1s	Red spar, marked "A14".	Seasonal.	Chart:4278
819	Maclvers Point light buoy A16	46 01 58.7 60 55 58.3	Q	R	1s	Red spar, marked "A16".	Seasonal.	Chart:4278
820 H802	Maclvers Point range	On shore. 46 02 05.7 60 55 27.8	F	W	3.6	19	Triangular skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Seasonal.	
821 H802.1		066°23' 33m from front.	F	W	8.0	19	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. Seasonal.	Chart:4278
822	Maclvers Bank East light buoy A17	46 01 48.7 60 56 18.3	FI	G	4s	Green spar, marked "A17".	Seasonal.	Chart:4278
823	Maclvers Bank light buoy A19	46 01 35.4 60 56 54.3	Q	G	1s	Green spar, marked "A19".	Seasonal.	Chart:4278
823.1	Little Narrows Gypsum light buoy LN3	46 01 29 60 55 42.1	Q	G	1s	Green, marked "LN3".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.2	Little Narrows Gypsum light buoy LN4	46 01 54.5 60 55 42.9	FI	R	4s	Red, marked "LN4".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.3	Little Narrows Gypsum light buoy LN5	46 01 47.9 60 55 29.6	FI	G	4s	Green, marked "LN5".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.4	Little Narrows Gypsum light buoy LN6	46 01 37 60 55 31.3	Q	R	1s	Red, marked "LN6".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.5	Little Narrows Gypsum light buoy LN7	46 01 28.2 60 55 32.7	FI	G	4s	Green, marked "LN7".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.6	Little Narrows Gypsum light buoy LN8	46 01 29 60 55 42.3	FI	R	4s	Red, marked "LN8".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278
823.7	Little Narrows Gypsum light buoy LN9	46 01 23.5 60 55 52.6	FI	G	4s	Green, marked "LN9".	Privately maintained by Little Narrows Gypsum. Seasonal.	Chart:4278

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

CAPE BRETON ISLAND, N.S.

825 H803	Morrisons Cove range	On shore. 46 00 40.9 60 56 18	F	Y	3.3	18	Triangular skeleton tower, white daymark, red vertical stripe. 2.7	Visible in line of range. Operates at night only. Seasonal.	
826 H803.1		195°33' 639.6m from front.	F	Y	6.8	18	Triangular skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. Seasonal.	Chart:4278
828	<i>Donald Williams Point light buoy A22</i>	<i>NE. of point. 46 00 39.1 60 57 34.1</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "A22".</i>	<i>Seasonal.</i>	Chart:4278
829	<i>Eel Shoal light buoy A25</i>	<i>W. end of shoal. 46 00 20.3 60 57 43</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "A25".</i>	<i>Seasonal.</i>	Chart:4278
829.5 H804.4	Little Narrows range	SW. of Gypsum Plant. 45 59 49.2 60 58 08.2	F	Y	4.7	17	Triangular skeleton tower, white daymark, red vertical stripe. 3.5	Visible in line of range. Operates at night only. Seasonal.	
829.6 H804.41		206°44' 127.6m from front.	F	Y	10.2	17	Triangular skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Seasonal.	Chart:4278
830 H804	Little Narrows	At E. entrance. 45 59 45.8 60 58 50.4	F	W	10.5	12	White cylindrical tower, two red horizontal bands. 9.8	Operates at night only. Year round.	Chart:4278
831 H806	Whycocomagh	On Lovett Point, N. side of channel. 45 57 40.6 61 04 40.5	F	W	7.0	11	Skeleton tower, enclosed lower portion. 6.8	Operates at night only. Seasonal.	Chart:4278
832 H812	Gillis Point	S. side of entrance to Maskells Harbour. 46 01 22.7 60 46 36	Fl	W	4s	22.6	6	White square tower, red upper portion. 11.3	Operates at night only. Seasonal.	Chart:4278
Barra Strait										
834 H818	Grand Narrows Bridge	On centre of swing bridge between Kelly and Uniacke Points. 45 57 31.9 60 47 49.5	F	R G W	16.7	Cylindrical mast. 2.1	Lights show red up and down channel when swing bridge is closed, green when open. White light is always visible. Maintained by railway. Year round.	Chart:4278
835 H822	Derby Point	On point. 45 56 22.3 60 48 03.5	Fl	R	4s	15.7	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Operates at night only. Seasonal.	Chart:4278
835.5	<i>Bras d'Or Lake ODAS light buoy 44131</i>	<i>45 50 52.4 60 48 56.4</i>	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "44131".</i>	<i>Year round.</i>	Chart:4279
835.8	<i>McPhee Island light buoy E3</i>	<i>45 56 28.8 60 32 12.4</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "E3".</i>	<i>Seasonal.</i>	Chart:4279

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

CAPE BRETON ISLAND, N.S.

Bras d'Or Lake

836	MacRae Island light buoy D11	45 42 24.5 61 05 29.8	Fl G	4s	Green, marked "D11".	Seasonal.	Chart:4279
836.01	Ballams Point light buoy D12	45 42 09.5 61 05 14.4	Fl R	4s	Red, marked "D12".	Seasonal.	Char:4279
836.02	Dundee Marina light buoy D13	45 41 57 61 05 25	Fl G	4s	Green, marked "D13".	Privately maintained. Seasonal.	Chart:4279
836.03	Dundee Marina light buoy D14	45 41 58 61 05 24	Fl R	4s	Red, marked "D14".	Privately maintained. Seasonal.	Chart:4279
836.1	Poor Point light buoy D1	45 46 40.5 60 56 29	Fl G	4s	Green spar, marked "D1".	Seasonal.	Chart:4279
837	Paddle Shoal light buoy DA2	45 48 17.4 60 57 49.4	Fl R	4s	Red spar, marked "DA2".	Seasonal.	Chart:4279
838 H832	Cameron Island	On NE. end of island. 45 48 51 61 00 25.3	Fl G	4s	9.3	5 White square tower. 8.4	Operates at night only. Seasonal.	Chart:4279
838.4 H833	Clarke Cove Wharf	On wharf. 45 49 12.4 61 02 20.6	F R	4.5	9 Triangular skeleton mast. 3.7	Maintained by Marble Mountain Preservation Society. Operates at night only. Seasonal.	Chart:4279

St. Peters Inlet

839	Kelly Shoals light buoy Q35	On W. side of shoals. 45 46 10.6 60 49 25.7	Fl G	4s	Green spar, marked "Q35".	Seasonal.	Chart:4279
840 H838	Cape George	S. side of lake, W. side of entrance to St. Peters Inlet. 45 44 05.2 60 48 38.1	Fl W	4s	12.4	6 White square tower, red upper portion. 8.2	Visible from 126° through S. and W. to 317°. Operates at night only. Seasonal.	Chart:4275
841 H839	Gregory Island	On island. 45 42 38.5 60 48 01.3	Fl G	4s	11.0	4 White cylindrical tower, two red horizontal bands. 10.3	Operates at night only. Seasonal.	Chart:4275
841.5	Scotts Island light buoy Q43	W. of island. 45 41 32.2 60 48 30.9	Fl G	4s	Green spar, marked "Q43".	Seasonal.	Chart:4275
842 H842	Beaver Island	On SE. point of island. 45 40 29.5 60 50 01.4	Fl W	4s	9.9	6 White cylindrical tower, red horizontal bands. 9.7	Operates at night only. Seasonal.	Chart:4275

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

CAPE BRETON ISLAND, N.S.

843 H843	Helens Island	W. from Sandys Point. 45 39 58.2 60 51 21.1		Fl R 4s	7.5	4	Triangular skeleton tower. 6.6	Operates at night only. Seasonal.	Chart:4275	
844 H856	Ciboux Island	Northern end of island. 46 23 06.4 60 22 25.8		Fl R 12s	27.2	6	White cylindrical tower, two red horizontal bands. 9.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4367	
845 H857	Beach Point (Englishtown)	46 17 24.7 60 32 31.1		F W	7.0	10	Triangular skeleton mast. 6.8	Operates at night only. Year round.	Chart:4277
845.1	Great Bras D'Or (St. Ann's Bay) light buoy KP2	46 18 02.2 60 31 47.3		Fl R 4s	Red, marked "KP2".	Seasonal.	Chart:4277	
845.5	Briton Cove light and bell buoy KN	46 26 27.2 60 26 48.6		Mo(A) W 6s	Red and white vertical stripes, marked "KN".	Seasonal.	Chart:4367	
845.7 H857.5	Briton Cove range	46 26 41.2 60 27 38.8		F Y	7.1	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.1	Visible in line of range. Operates at night only. Seasonal.	
845.8 H857.51		290°58' 79.7m from front.		F Y	9.8	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.	Chart:4367
846	Cape Smokey light and whistle buoy K4	46 38 21.2 60 19 39		Fl R 4s	Red, marked "K4".	Seasonal.	Chart:4365	
847 H858	Ingonish Harbour	On beach, S. side of harbour entrance. 46 37 56.4 60 23 17.5		F G	8.3	7	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Operates at night only. Seasonal.	Chart:4365
847.3	Ingonish Harbour light buoy KM6	46 37 58.2 60 23 23		Fl R 4s	Red spar, marked "KM6".	Seasonal.	Chart:4365	
848	South Bay Ingonish light buoy KM	46 38 02.2 60 22 48.5		Mo(A) W 6s	Red and white vertical stripes, marked "KM".	Seasonal.	Chart:4365	
848.5	Ingonish East Cardinal light buoy KF	46 41 13.2 60 19 23.5		Q(3) W 10s	Black, yellow and black, marked "KF".	Seasonal.	Chart:4365	
849.3	Ingonish Harbour North light buoy KH2	46 41 22.2 60 21 39		Fl R 4s	Red spar, marked "KH2".	Seasonal.	Chart:4365	
849.4	The Point Breakwater	Outer end of wharf. 46 41 14.9 60 21 33.2		Q R 1s	4.2	2	Cylindrical mast. 3.5	Operates at night only. Seasonal.	Chart:4365	
850	Neil Harbour light and bell buoy KD	46 47 43.1 60 18 09.5		Mo(A) W 6s	Red and white vertical stripes, marked "KD".	Seasonal.	Chart:4363	

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

CAPE BRETON ISLAND, N.S.

850.6	Neil Harbour Breakwater	Outer end of breakwater. 46 48 24 60 19 16.9	Fl R	4s	10.0	3	Cylindrical mast. 2.7	Operates at night only. Seasonal.	Chart:4363
851 H866	Neil Harbour	On headland, on E. side of entrance. 46 48 23.3 60 19 11	F W	17.9	13	White square tower, red upper portion. 10.0	Operates at night only. Seasonal.	Chart:4363
851.3	New Haven Breakwater light buoy KC1	Off end of breakwater. 46 49 17.4 60 19 06.3	Fl G	4s	Green spar, marked "KC1".	Seasonal.	Chart:4363
852	New Haven light and whistle buoy KC	46 49 17.1 60 18 21.5	Mo(A) W	6s	Red and white vertical stripes, marked "KC".	Seasonal.	Chart:4363
852.6	White Point light and whistle buoy KB1	46 53 32.1 60 21 15.5	Q G	1s	Green, marked "KB1".	Seasonal.	Chart:4363
853.1	White Point Breakwater	Outer end of breakwater. 46 52 32.2 60 21 15.3	Fl G	4s	6.0	3	Cylindrical mast. 2.8	Operates at night only. Seasonal.	Chart:4363
854 H872	Cape North	On square building. 47 01 44 60 23 30.1	LFl W	6s	33.7	15	White square tower, red upper portion, red horizontal bands. 14.5	Flash 2 s; eclipse 4 s. Year round.	Chart:4363
855 H870	Dingwall Harbour North Breakwater	On outer end of breakwater. 46 54 15.7 60 27 07.1	Fl R	4s	8.2	3	Cylindrical mast. 4.9	Operates at night only. Seasonal.	Chart:4365
856	Dingwall light and bell buoy KA	46 54 14.1 60 25 51.5	Mo(A) W	6s	Red and white vertical stripes, marked "KA".	Seasonal.	Chart:4363
857 H870.4	Dingwall Harbour South Breakwater	On outer end of breakwater. 46 54 13.3 60 27 07.5	Fl G	4s	8.0	4	Cylindrical mast. 5.0	Operates at night only. Seasonal.	Chart:4365
857.2	Dingwall Harbour North light buoy KA6	46 54 14.1 60 27 15.5	Fl R	4s	Red, marked "KA6".	Seasonal.	Chart:4365
857.3	Dingwall Harbour South light buoy KA9	46 54 12.3 60 27 22.3	Fl G	4s	Green, marked "KA9".	Seasonal.	Chart:4365
858 H873	St. Lawrence Bay	Near outer end of breakwater. 47 00 12.7 60 28 04	Fl G	3s	5.2	3	Cylindrical mast. 4.2	Operates at night only. Seasonal.	Chart:4363
858.3 H873.2	St. Lawrence Bay Southwest Breakwater	47 00 12.6 60 28 05.5	Fl R	4s	5.1	3	Cylindrical mast. 3.3	Operates at night only. Seasonal.	Chart:4363
859	St. Lawrence Bay light and whistle buoy VV	47 01 02.1 60 28 23.5	Mo(A) W	6s	Red and white vertical stripes, marked "VV".	Seasonal.	Chart:4363

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

CAPE BRETON ISLAND, N.S.

860 H874	Cape St. Lawrence	On the cape. 47 02 28.7 60 35 52.7	LFI	W	12s	26.8	7	Square skeleton tower, red and white rectangular daymark. 6.6	Flash 2 s; eclipse 10 s. Visible from 050° through E. and S. to 261°. Operates at night only. Year round.		Chart:4363
860.5	Pleasant Bay light and bell buoy VC	Off harbour entrance. 46 50 30.1 60 48 17.6	Mo(A)	W	6s	Red and white vertical stripes, marked "VC".	Seasonal.		Chart:4464
860.6 H1176.4	Pleasant Bay Breakwater	NE. of breakwater. 46 49 57.2 60 47 51.1	FI	G	4s	7.2	2	Cylindrical mast. 3.6	Operates at night only. Seasonal.		Chart:4464
860.9 H1176.5	Pleasant Bay Southwest Breakwater	46 49 59.1 60 47 50.6	Q	R	1s	6.8	4	Cylindrical mast. 3.8	Operates at night only. Seasonal.		Chart:4464
861 H1177	Pleasant Bay range	46 49 43 60 47 38.1	F	R	20.0	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.		
861.1 H1177.1		143°17' 71.7m from front.	F	R	24.9	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.		Chart:4464
862 H1182	Caveau Point range	Extremity of point. 46 38 56.8 61 00 01.6	F	R	15.7	14	Triangular skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.		
863 H1182.1		107°56' 223m from front.	F	R	29.7	14	White square tower, red upper portion, red vertical stripe. 8.5	Visible in line of range. Operates at night only. Year round.		Chart:4449
863.1	Chéticamp Harbour light buoy VD2	46 38 58.5 61 00 28.3	Q	R	1s	Red spar, marked "VD2".	Seasonal.		Chart:4449
864	Chéticamp Harbour light buoy VD4	Off Gros Cap entrance. 46 38 45.5 61 00 31.5	FI	R	4s	Red spar, marked "VD4".	Seasonal.		Chart:4449
866.1	Chéticamp Harbour light buoy VD8	46 38 32.4 61 00 34.8	FI	R	4s	Red, marked "VD8".	Seasonal.		Chart:4449
866.2	Chéticamp Harbour light buoy VD9	46 38 32.2 61 00 32.8	FI	G	4s	Green, marked "VD9".	Seasonal.		Chart:4449
866.5	Chéticamp Inner light buoy VD13	46 38 12.6 61 00 38.3	FI	G	4s	Green boat type, marked "VD13".	Seasonal.		Chart:4449
866.6	Chéticamp Inner light buoy VD14	46 38 12.6 61 00 40.2	FI	R	4s	Red boat type, marked "VD14".	Seasonal.		Chart:4449

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

CAPE BRETON ISLAND, N.S.

866.7	Chéticamp Harbour light buoy VD19	46 37 49.2 61 00 49.3	FI	G	4s	Green, marked "VD19".	Seasonal.	Chart:4449
866.75	Chéticamp Inner Harbour Sector	46 37 47.4 61 00 46.2	F Al RW Al GW	R W G	10.3	White cylindrical tower, red horizontal band. 7.5	Red from 187°57' to 189°53'; Al RW from 189°53' to 190°03'; white from 190°03' to 190°51'; Al GW from 190°51' to 191°01'; green from 191°01' to 192°57'. Operates at night only. Year round.	Chart:4449
866.8	Chéticamp Inner light buoy VD20	46 37 28.5 61 01 16.1	FI	R	4s	Red, marked "VD20".	Seasonal.	Chart:4449
866.9	Chéticamp Inner light buoy VD21	46 37 02.3 61 01 27.3	FI	G	4s	Green, marked "VD21".	Seasonal.	Chart:4449
866.95	Chéticamp Harbour light buoy VD22	46 36 18.3 61 01 48.3	FI	R	4s	Red, marked "VD22".	Seasonal.	Chart:4449
867 H1188	Enragée Point	On NW. point of Chéticamp Island. 46 38 58.4 61 01 35.2	FI(3)	W	24s	22.5	18	White octagonal tower, red upper portion. 13.3	Flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 15.7 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 300°.	Chart:4449
868	La Pointe (Chéticamp Island)	On outer end of wharf. 46 36 10.5 61 03 11.3	FI	R	5s	4.2	2	Skeleton tower, enclosed lower portion. 3.4	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.	Chart:4449
868.5	Grand Étang Northeast Breakwater	46 33 03.9 61 02 46.5	Q	G	1s	8.5	3	Cylindrical mast. 5.1	Operates at night only. Seasonal.	Chart:4449
868.6	Grand Étang Southwest Breakwater	On outer end of SW. breakwater. 46 33 03.3 61 02 49.2	Q	R	1s	8.1	2	Cylindrical mast. 3.5	Operates at night only. Seasonal.	Chart:4449
869	Grand Étang range	On E. bank of harbour. 46 32 54.1 61 02 31.4	FI	Y	10s	9.9	16	Square skeleton tower, white daymark, red vertical stripe. 8.3	Flash 9 s; eclipse 1 s. Visible in line of range. Operates at night only. Seasonal.	
870		130°29' 197.7m from front.	FI	Y	10s	17.5	16	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 7.4	Flash 9 s; eclipse 1 s. Visible in line of range. Operates at night only. Seasonal.	Chart:4449

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

CAPE BRETON ISLAND, N.S.

872	Margaree Harbour range	On W. side of river entrance.		F	Y	15.2	7	White square tower, red upper portion, red vertical stripe.	Visible from 102° through S. to 192°.
		46 26 22.6 61 06 45.1							6.8	Operates at night only. Seasonal.
873		166°45' 64.6m from front.		F	Y	21.3	8	White square tower, red upper portion, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
									10.1	Chart:4449
873.1	Margaree Harbour light buoy VH8	46 26 29.3 61 06 47.3		Fl	R	4s	Red, marked "VH8".	Seasonal.
										Chart:4449
873.2	Margaree Harbour East Breakwater	46 26 34.4 61 06 47.1		Fl	G	4s	5.3	2	Cylindrical mast. 2.1	Operates at night only. Seasonal.
										Chart:4449
873.21	Margaree Harbour West Breakwater	46 26 35.1 61 06 50.7		Fl	R	4s	5.9	2	Cylindrical mast. 2.1	Operates at night only. Seasonal.
										Chart:4449
873.22	Margaree Harbour light buoy VH9	46 26 28.4 61 06 39.8		Q	G	1s	Green, marked "VH9".	Seasonal.
										Chart:4449
873.23	Margaree Harbour light buoy VH11	46 26 31.3 61 06 32.3		Q	G	1s	Green, marked "VH11".	Seasonal.
										Chart:4449
873.3	Margaree Harbour Inner light buoy VH12	Inside harbour. 46 26 30.5 61 06 31.8		Q	R	1s	Red, marked "VH12".	Seasonal.
										Chart:4449
874 H1208	Margaree Island (Sea Wolf Island)	Middle of Sea Wolf Island. 46 21 27.2 61 15 49.6		Fl	W	4s	90.8	9	White hexagonal tower, red upper portion. 8.2	Flash 1 s; eclipse 3 s. Operates at night only. Year round.
										Chart:4463
874.1	Inverness Breakwater	46 13 45.6 61 19 30		Fl	G	4s	8.1	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.
										Chart:4463
874.12	Inverness South Breakwater	46 13 44.7 61 19 33.2		Fl	R	4s	7.1	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.
										Chart:4463
874.2	Inverness Harbour range	46 13 35.1 61 19 11		F	G	7.1	13	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
									3.5	
874.3		123°49' 24.2m from front.		F	G	8.8	13	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
									3.5	Chart:4463
874.51	Mabou Harbour light buoy VJ	NW. of Harbour. 46 05 29.1 61 29 28		Mo(A)	W	6s	Red and white vertical stripes, marked "VJ".	Seasonal.
										Chart:4448
874.52	Mabou Harbour light buoy VJ1	46 05 25 61 28 53.7		Fl	G	4s	Green, marked "VJ1".	Seasonal.
										Chart:4448

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

CAPE BRETON ISLAND, N.S.

874.53	Mabou Harbour light buoy VJ2	46 05 23 61 28 55.3	FI R	4s	Red, marked "VJ2".	Seasonal.	Chart:4448
874.55	Mabou Harbour light buoy VJ3	46 05 19.1 61 28 35	FI G	4s	Green spar, marked "VJ3".	Seasonal.	Chart:4448
874.6	Mabou Harbour light buoy VJ4	46 05 17.6 61 28 38	FI R	4s	Red spar, marked "VJ4".	Seasonal.	Chart:4448
874.61	Mabou Harbour light buoy VJ8	46 05 14.5 61 28 12.8	FI R	4s	Red, marked "VJ8".	Seasonal.	Chart:4448
874.62	Mabou Harbour light buoy VJ9	46 05 15.7 61 28 12.2	FI G	4s	Green, marked "VJ9".	Seasonal.	Chart:4448
876	Mabou Harbour	46 05 09.2 61 27 55.2	F G	13.9	6	White square tower, red upper portion. 13.6	Operates at night only. Seasonal.	Chart:4448
876.3	Murphy Pond light buoy VX1	46 01 27.7 61 32 38.5	Q G	1s	Green spar, marked "VX1".	Seasonal.	Chart:4448
876.8	Murphy Pond	Outer end of W. breakwater. 46 01 33.3 61 32 39.7	FI G	4s	6.2	2	Cylindrical tower. 3.3	Operates at night only. Seasonal.	Chart:4448
876.9	Murphy Pond Breakwater	Outer end of E. breakwater. 46 01 35.7 61 32 38	FI R	4s	5.6	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.	Chart:4448
877	Port Hood Island	On Smith Point. 46 00 51.4 61 33 23.8	FI R	4s	4.5	5	Skeleton mast, red and white rectangular daymark. 3.6	Privately maintained. Operates at night only. Seasonal.	Chart:4448
878.1	Port Hood Wharf	Southern most corner. 46 01 01.7 61 32 25.2	FI G	4s	4.8	2	Cylindrical mast.. 3.5	Operates at night only. Seasonal.	Chart:4448
879.5	Portsmouth Point light buoy VK7	S. of point. 45 59 06.2 61 33 19.6	FI G	4s	Green, marked "VK7".	Seasonal.	Chart:4448
880	Spithead light buoy VK9	E. of Spithead. 45 59 43.2 61 32 50.6	FI G	4s	Green spar, marked "VK9".	Winter spar. Year round.	Chart:4448
880.1	Dean Shoal light buoy VK12	Port Hood Harbour. 45 59 58.2 61 32 32.6	FI R	4s	Red spar, marked "VK12".	Winter spar. Year round.	Chart:4448
881 H1222	Henry Island	W. side of island. 45 58 37.6 61 35 59.4	FI W	4s	61.0	9	Octagonal tower, red upper portion, red and white vertical stripes. 11.6	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4448

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

CAPE BRETON ISLAND, N.S.

881.1	Little Judique Harbour Breakwater	45 57 31.7 61 31 42.3	F	G	5.3	7	Cylindrical mast. 3.8	Operates at night only. Year round.	Chart:4448
881.3	Little Judique Harbour Wharf Sector	Near outer end of W. breakwater. 45 57 28.9 61 31 37.2	F	R W G	8.2	7	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.9	Red from 077° to 121°; white from 121° to 123°; green from 123° to 161°. White sector indicates preferred channel. Operates at night only. Seasonal.	Chart:4448
882	Judique South Wharf	On outer end, SW. corner of wharf. 45 51 27.5 61 30 13.1	F	R	7.3	10	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Operates at night only. Seasonal.	Chart:4462
882.1	Henry Point light buoy VM3	Off Henry Island. 45 59 39.7 61 35 09.6	Fl	G	4s	Green spar, marked "VM3".	Seasonal.	Chart:4448
882.2	Henry Point light buoy VM4	Off Henry Island. 45 59 27.5 61 35 34.7	Fl	R	4s	Red spar, marked "VM4".	Seasonal.	Chart:4448
882.5	Judique Shoals light buoy VN2	W. of shoals. 45 50 16.3 61 33 09.8	Fl	R	4s	Red spar, marked "VN2".	Seasonal.	Chart:4462

GULF OF ST. LAWRENCE

883	North Canso	W. side of N. entrance to Strait of Canso. 45 41 29.8 61 29 18.1	Fl	W	3s	36.7	13	White cylindrical tower, two red horizontal bands. 10.6	Flash 1 s; eclipse 2 s. Obscured S. of 120°. Operates at night only. Year round.	Chart:4306
883.2	Aulds Cove light buoy VT2	45 38 59.3 61 26 03.6	Fl	R	4s	Red, marked "VT2".	Seasonal.	Chart:4306
883.5	Havre Boucher light buoy VQ4	45 41 34.1 61 31 24.8	Fl	R	4s	Red, marked "VQ4".	Seasonal.	Chart:4448
884	Havre Boucher range	On SW. shore of harbour. 45 40 55.2 61 31 37.6	F	G	8.9	5	White square tower, red upper portion, red vertical stripe. 8.9	Visible in line of range. Operates at night only. Seasonal.	
885		194°31' 435.7m from front.	F	G	33.3	5	White square tower, red upper portion, red vertical stripe. 8.8	Visible in line of range. Operates at night only. Seasonal.	Chart:4448
886	Jack Shoal light and bell buoy VU4	Off shoal. 45 43 21.2 61 32 59.3	Fl	R	4s	Red, marked "VU4".	Seasonal.	Chart:4447

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

887	Barrios Beach Breakwater	On shore, approach to breakwater. 45 38 44.9 61 37 32.3	F W	16.1	13	Skeleton tower, enclosed lower portion, red and white rectangular slatwork daymark. 6.8	Operates at night only. Seasonal.	Chart:4447
887.2	Barrios Beach light buoy VP2	45 39 05.7 61 37 45.8	FI R	4s	Red, marked "VP2".	Seasonal.	Chart:4447
887.5	Barrios Beach light buoy VP5	45 38 38.3 61 37 30.7	FI G	4s	Green, marked "VP5".	Seasonal.	Chart:4447
887.7	Barrios Beach light buoy VP7	45 38 17.2 61 37 51.4	Q G	1s	Green, marked "VP7".	Seasonal.	Chart:4447
887.8	Bayfield light buoy VR4	45 38 52.3 61 44 47.4	FI R	4s	Red, marked "VR4".	Seasonal.	Chart:4447
887.82	Bayfield light buoy VR8	45 38 38.8 61 45 09.6	Q R	1s	Red, marked "VR8".	Seasonal.	Chart:4447
888	Pomquet Island	NE. end of island. 45 39 27.5 61 44 50.6	FI W	4s	13.7	6	White square tower. 8.2	Operates at night only. Seasonal.	Chart:4447
889.5	Antigonish Harbour light buoy VS	Harbour entrance. 45 41 49.3 61 52 37.3	Mo(A) W	6s	Red and white vertical stripes, marked "VS".	Seasonal.	Chart:4446
890	Cribbean Head Wharf	On outer end of wharf. 45 45 18.9 61 53 47	FI R	6s	6.1	4	Skeleton tower, enclosed lower portion. 3.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4462
890.2	Cribbean Head Main	45 45 25.3 61 53 43.8	F W	20.5	13	Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Year round.	Chart:4462
891	Ballantynes Cove Wharf	On S. side of wharf. 45 51 27 61 55 07.3	LFI R	12s	6.7	6	Triangular skeleton mast. 3.8	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal.	Chart:4404
891.5	Cape George light and bell buoy VU2	Off cape. 45 52 34.3 61 53 13.8	FI R	4s	Red, marked "VU2".	Seasonal.	Chart:4462
892	Cape George	On cape. 45 52 26.8 61 54 01.8	FI(3) W	12s	121.3	15	White octagonal tower, red upper portion. 13.8	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4462
892.5	Livingstone Cove	45 52 05 61 58 55.6	FI G	4s	6.3	4	Cylindrical mast. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4404

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

GULF OF ST. LAWRENCE

893	Arisaig Harbour range	45 45 36.2 62 10 09.7	F R	10.4	5	Square skeleton tower, white daymark, red vertical stripe. 5.2	Visible in line of range. Operates at night only. Seasonal.
894		089°53' 95.8m from front.	F R	17.1	5	Square skeleton tower, white daymark, red vertical stripe. 6.8	Visible in line of range. Operates at night only. Seasonal.
								Chart:4404
895	Baillie Brook	On shore near wharf. 45 42 23.5 62 16 12.9	LFI W	6s	16.8	15	Square skeleton tower, red and white rectangular daymark. 8.4	Flash 2 s; eclipse 4 s. Seasonal.
								Chart:4404
896	Baillie Brook East Breakwater	On SW. corner of E. breakwater. 45 42 28 62 16 27.4	FI G	4s	5.5	4	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
								Chart:4404
896.1	Baillie Brook West Breakwater	45 42 26.2 62 16 26.5	FI R	4s	5.8	3	Cylindrical mast. 3.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
								Chart:4404
896.5	<i>Merigomish Harbour Approach light buoy SA2</i>	45 40 00.2 62 28 33.7	FI R	4s	Red spar, marked "SA2".	Seasonal.
								Chart:4445
896.6	<i>Kings Head light buoy SA6</i>	45 39 10.2 62 28 24.7	FI R	4s	Red spar, marked "SA6".	Seasonal.
								Chart:4445
896.8	<i>Savage Point light buoy SA14</i>	45 38 33.7 62 27 07.7	Q R	1s	Red spar, marked "SA14".	Seasonal.
								Chart:4445
897 H1244	Pictou Island (West End)	On West Point of island. 45 48 14.7 62 36 08	FI W	4s	14.0	9	Square skeleton tower, red and white rectangular daymark on three sides. 6.9	Operates at night only. Year round.
								Chart:4483
898	Pictou Island Breakwater	On SE. corner of W. breakwater. 45 48 09.5 62 35 08.4	FI G	4s	4.9	4	Square skeleton tower. 4.0	Operates at night only. Seasonal.
								Chart:4483
899	Pictou Island South	On SW. coast of island. 45 48 14.2 62 35 11.7	Iso W	4s	10.8	8	White square tower, red upper portion. 8.1	Operates at night only. Seasonal.
								Chart:4483
899.5 H1238	Pictou island (East End)	SE. point. 45 48 54.4 62 30 49.7	FI W	4s	17.7	9	Square skeleton tower, red and white rectangular daymark on two sides. 9.9	Flash 1 s; eclipse 3 s. Operates at night only. Year round.
								Chart:4404
900 H1238.5	Pictou Island East End Breakwater	SW. of Seal Point. 45 49 20.7 62 30 34.2	FI R	4s	4.4	5	Cylindrical mast. 3.3	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
								Chart:4404

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

900.2	Pictou Island East East Cardinal light buoy SP	45 49 36.2 62 29 48.7	Q(3) W	10s	Black, yellow and black spar, marked "SP".	Seasonal.	Chart:4404
900.5	Pictou light buoy SJ	On line of range. 45 42 10 62 36 45	Mo(A) W	6s	Red and white vertically striped, marked "SJ".	Seasonal.	Chart:4437
901	Pictou Harbour light buoy SJ4	S. of Cole Point. 45 41 33 62 38 37	VQ(3) R	5s	Red, marked "SJ4".	Seasonal.	Chart:4437
901.5	Pictou Bar light buoy SJ7	Off bar. 45 41 23.3 62 39 37.7	Q G	1s	Green spar, marked "SJ7".	Seasonal.	Chart:4437
901.6	Murdock Shoal light buoy SJ6	45 41 27.3 62 39 30.7	FI R	4s	Red spar, marked "SJ6".	Seasonal.	Chart:4437
903 H1256	Pictou Harbour range	On North side of entrance to Harbour. 45 41 18.3 62 40 43	F W	7.0	11	White square tower, red upper portion, red vertical stripe. 6.7	Visible in line of range. Year round.	
904 H1256.1		261°55' 141.7m from front.	F W	16.7	11	White square tower, red upper portion, red vertical stripe. 11.1	Visible in line of range. Year round.	Chart:4437
905	Pictou Landing light buoy SJ11	S. of Grave Point. 45 40 52.3 62 40 43.7	FI G	4s	Green spar, marked "SJ11".	Seasonal.	Chart:4437
905.2	Pictou Harbour light buoy SJ12	45 40 51.5 62 41 30.5	FI R	4s	Red spar, marked "SJ12".	Seasonal.	Chart:4437
905.3	Pictou Harbour light buoy SJ15	45 40 38.7 62 41 04.7	FI G	4s	Green spar, marked "SJ15".	Seasonal.	Chart:4437
906 H1248.1	Pictou	45 40 37.6 62 42 08.8	Iso R	4s	28.7	16	Square skeleton tower. 12.7	Operates at night only. Year round.	Chart:4437
906.4	Pictou Bar	S. side of entrance to harbour. 45 41 14.1 62 39 48.2	FI W	4s	8.9	6	Square skeleton tower, red and white rectangular daymark. 7.2	Operates at night only. Year round.	Chart:4437
906.6	Pictou Marina	End of the floating dock. 45 40 27.9 62 42 39.4	Q G	1s	2.0	Pier. 1.8	Maintained by Pictou Development Corporation. Seasonal.	Chart:4437

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

GULF OF ST. LAWRENCE

907 H1262	Norway Point range	On point.	F	R	10.2	16	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Seasonal.	
		45 40 15.6 62 43 21								
908 H1262.1		323°59' 626m from front.	F	R	30.7	14	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Seasonal.	Chart:4437
908.3	Abercrombie Point light buoy SJ20	45 39 48 62 42 52.9	Q	R	1s	Red spar, marked "SJ20".	Seasonal.	Chart:4437
909	East River light buoy SJ25	S. of Indian Cross Point. 45 38 28.3 62 41 26.7	Q	G	1s	Green spar, marked "SJ25".	Seasonal.	Chart:4437
909.3	Dunbar Point light buoy SJ32	45 37 57.7 62 40 12.4	Fl	R	4s	Red spar, marked "SJ32".	Seasonal.	Chart:4443
909.5	Stonehouse Point light buoy SJ38	45 37 32.2 62 39 07.7	Q	R	1s	Red spar, marked "SJ38".	Seasonal.	Chart:4443
910	Trenton (East River) range	S. of Greens Point. 45 37 25.7 62 38 51.2	F	R	7.7	10	Red and white square tower, white daymark, red vertical stripe. 4.4	Visible in line of range. Seasonal.	
911		119°43' 890.9m from front.	F	R	20.1	10	Square skeleton tower, white daymark, red vertical stripe in centre. 9.9	Visible in line of range. Seasonal.	Chart:4443
911.5	MacDonald Reef light buoy SP6	E. of reef. 45 42 44.2 62 37 25.7	Fl	R	4s	Red spar, marked "SP6".	Seasonal.	Chart:4404
912.5	Caribou light buoy SQ2	45 44 40.3 62 38 32.5	Q	R	1s	Red spar, marked "SQ2".	Seasonal.	Chart:4483
913	Caribou Harbour light and bell buoy SS1	S. side of channel. 45 45 08 62 39 44	Fl	G	4s	Green, marked "SS1".	Seasonal.	Chart:4483
	Racon - -. (G) X & S Band									
913.2	Caribou Harbour Entrance light buoy SS2	N. side of channel. 45 45 10 62 39 54.7	Q	R	1s	Red spar, marked "SS2".	Winter spar. Year round.	Chart:4483
913.4	Caribou Harbour light buoy SS3	S. side of channel. 45 45 03.2 62 40 10.2	Fl	G	4s	Green spar, marked "SS3".	Winter spar. Year round.	Chart:4483
913.6	Caribou Harbour light buoy SS6	N. side of channel. 45 45 05.4 62 40 16.8	Fl	R	4s	Red spar, marked "SS6".	Winter spar. Year round.	Chart:4483

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

914	Caribou Harbour light buoy SS7	S. side of channel. 45 44 58.7 62 40 35.2		Q G	1s	Green spar, marked "SS7".	Winter spar. Year round.	Chart:4483
915	Caribou Harbour light buoy SS8	45 45 01.7 62 40 36.9		Q R	1s	Red spar, marked "SS8".	Winter spar. Year round.	Chart:4483
915.4	Caribou Harbour light buoy SS10	45 44 56.6 62 40 46.2		FI R	4s	Red spar, marked "SS10".	Winter spar. Year round.	Chart:4483
916	Caribou Harbour Inner light buoy SS11	Off NW. point of Doctor Island. 45 44 49.5 62 40 52.3		Q G	1s	Green spar, marked "SS11".	Winter spar. Year round.	Chart:4483
916.2	Caribou Harbour light buoy SS12	45 44 51.5 62 40 55.5		Q R	1s	Red spar, marked "SS12".	Winter spar. Year round.	Chart:4483
916.3 H1270	Caribou Harbour Inner range	45 44 23 62 41 15.8		Iso G	1s	6.5	4	Skeleton tower, white daymark, red vertical stripe. 3.1	Visible in line of range. Operates at night only. Seasonal.	
916.35 H1270.1		209°31' 82.7m from front.		Iso G	4s	9.5	4	Skeleton tower, white daymark, red vertical stripe. 6.2	Visible in line of range. Operates at night only. Seasonal.	Chart:4483
916.4	Caribou Harbour light buoy SS16	NW. side of channel. 45 44 36.8 62 41 09.7		FI R	4s	Red spar, marked "SS16".	Winter spar. Year round.	Chart:4483
917	Caribou Harbour light buoy SS15	45 44 35.6 62 41 03.7		FI G	4s	Green spar, marked "SS15".	Winter spar. Year round.	Chart:4483
918 H1272	Caribou	On Caribou Point, NE. end of Gull Island. 45 45 52.2 62 40 50.4		FI(3) W	20s	12.7	9	White square tower, red upper portion. 12.6	Flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 15 s. Emergency light. Year round.	Chart:4483
919	Gull Rock light and bell buoy SP2	NE. of Caribou Reef. 45 46 28.7 62 40 24.7		FI R	4s	Red, marked "Gull Rock SP2".	Seasonal.	Chart:4483
919.6	Toney River light buoy SU1	45 46 42.2 62 53 19.7		FI G	4s	Green spar, marked "SU1".	Seasonal.	Chart:4405
919.7	Toney River Wharf	Outer end of breakwater. 45 46 25.8 62 53 23.4		FI R	4s	4.1	4	Cylindrical mast. 3.2	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4405

No.	Name	Position	Light		Focal Height in m. above water	Nomi- nal Range	Description	Remarks
		Latitude N. Longitude W.	Characteristics				Height in meters above ground	

GULF OF ST. LAWRENCE

920	Skinner Cove Sector	On NE. corner of W. breakwater. 45 47 40.2 63 02 40.6	F	R W G	6.5	5	Square skeleton tower, orange and white rectangular daymark. 5.3	Red from 127° to 187°; white from 187° to 189°; green from 189° to 240°. White sector indicates preferred channel. Operates at night only. Seasonal.	Chart:4405
920.5	Eastern Passage light buoy UA2	NE. of Cape John. 45 49 13.4 63 07 42.7	Fl	R	4s	Red spar, marked "UA2".	Seasonal.	Chart:4497
920.6	Jollimore Reef light buoy UD3	45 46 15.9 63 12 59.5	Q	G	1s	Green spar, marked "UD3".	Seasonal.	Chart:4497
920.7	Chamber Point light buoy UD4	45 45 06.4 63 14 21.7	Q	R	1s	Red spar, marked "UD4".	Seasonal.	Chart:4497
920.8	Barachois Harbour light buoy UD4/2	45 44 32.8 63 15 14.2	Fl	R	4s	Red spar, marked "UD4/2".	Seasonal.	Chart:4497
920.9	Malagash Point light buoy UE6	SW. of point. 45 47 45.4 63 13 04.7	Fl	R	4s	Red spar, marked "UE6".	Seasonal.	Chart:4497
921 H1276	Amet Island	Centre of island. 45 50 05.4 63 10 39.7	Fl	W	4s	11.9	8	Square skeleton tower. 6.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4497
921.1	Malagash Wharf	On SE. end of wharf. 45 46 29 63 17 43.9	Iso	G	2s	5.7	5	Red square skeleton tower. 5.4	Operates at night only. Seasonal.	Chart:4497
921.3	Wallace Harbour light buoy UH	E. of Oak Island Bar. 45 48 56.7 63 20 59	Mo(A)	W	6s	Spar, red and white vertical stripes, marked "Wallace Harbour UH".	Seasonal.	Chart:4402
921.4	Oak Island Bar light buoy UH2	45 48 26.3 63 22 00.7	Q	R	1s	Red spar, marked "UH2".	Seasonal.	Chart:4402
921.5	Horton Bank light buoy UH3	45 48 59.9 63 23 04.8	Q	G	1s	Green spar, marked "UH3".	Seasonal.	Chart:4402
921.6	Horton Bank light buoy UH5	N. of bank. 45 49 16.9 63 24 03.9	Q	G	1s	Green spar, marked "UH5".	Seasonal.	Chart:4402
923.3	Palmer Point light buoy UH12	Off point. 45 49 07.3 63 25 50.6	Fl	R	4s	Red spar, marked "UH12".	Seasonal.	Chart:4402

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

923.5	Wallace Harbour light buoy UH16	NE. of Macfarlane Point. 45 48 55.5 63 27 03.9	Q R	1s	Red spar, marked "UH16".	Seasonal.	Chart:4402
923.7	Macfarlane Point light buoy UH17	N. of point. 45 48 56.6 63 27 45.4	Q G	1s	Green spar, marked "UH17".	Seasonal.	Chart:4402
924 H1283	Wallace Harbour Sector	45 48 47 63 27 43.5	F Al RW Al GW	R W G	12.4 21 White square tower, red horizontal band. 8.0	Red from 254° to 256°; Al RW from 256° to 257°; white from 257° to 258°; Al GW from 258° to 259°; green from 259° to 261°. White sector indicates preferred channel. Year round.	Chart:4402
925.1	Wallace Wharf	On outer end of wharf. 45 48 55.9 63 28 25.1	Fl R	3s	6.3	5 Red square skeleton tower. 5.4	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4402
Pugwash Harbour								
925.12	Pugwash Harbour light and bell buoy UK	45 57 30.2 63 38 13.7	Mo(A) W	6s	Red and white vertical stripes, marked "UK".	Seasonal.	Chart:4406
925.2	Pugwash Harbour light buoy UK2	NW. of Pugwash Point. 45 54 06.3 63 41 18.8	Fl R	4s	Red spar, marked "UK2".	Winter spar. Year round.	Chart:4498
925.4	Pugwash Harbour Entrance light buoy UK3	N. of Pugwash Road. 45 52 54.2 63 41 40	Q G	1s	Green spar, marked "UK3".	Winter spar. Year round.	Chart:4498
926 H1290	Pugwash	On Fishing Point. 45 52 16 63 40 43	Iso R	6s	17.4	15 Skeleton tower, enclosed lower portion. 15.5	Emergency light. Seasonal.	Chart:4498
927 H1292	Biglow Point range	On the point, eastward of point. 45 51 16 63 40 56	F G	15.2	16 Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.	
928 H1292.1		160°32' 479m from front.	F G	25.0	16 Square skeleton tower, white daymark, red vertical stripe. 8.1	Visible in line of range. Operates at night only. Seasonal.	Chart:4498
929	Pugwash Road light buoy UK7	45 51 57.1 63 41 14.5	Fl G	4s	Green spar, marked "UK7".	Winter spar. Year round.	Chart:4498
929.3	Pugwash Road Turning light buoy UK9	45 51 51.2 63 41 01.8	Q G	1s	Green spar, marked "UK9".	Winter spar. Year round.	Chart:4498

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ---- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

929.5	Pugwash Bar North light buoy UK11	45 51 51.6 63 40 52.3	Fl G	4s	Green spar, marked "UK11".	Winter spar. Year round.	Chart:4498
930	Pugwash Channel light buoy UK13	45 51 52 63 40 30.7	Q G	1s	Green spar, marked "UK13".	Winter spar. Year round.	Chart:4498
931 H1296	Steven Point range	On shore, N. of point. 45 51 52.3 63 40 03.5	Iso R	1s	9.7	5	Square skeleton tower, white daymark, orange vertical stripe. 5.5	Visible in line of range. Operates at night only. Seasonal.	
932 H1296.1		086°22' 470.2m from front.	Iso R	4s	27.1	5	Square skeleton tower, white daymark, orange vertical stripe. 6.5	Visible in line of range. Operates at night only. Seasonal.	Chart:4498
933	Pugwash Channel 1 st Turn light buoy UK16	45 51 49.8 63 40 30.3	Q R	1s	Red spar, marked "UK16".	Winter spar. Year round.	Chart:4498
934	Pugwash Channel light buoy UK18	45 51 44.8 63 40 22.7	Q R	1s	Red spar, marked "UK18".	Winter spar. Year round.	Chart:4498
935 H1300	Fishing Point range	On point. 45 52 10.6 63 40 27.2	F G	8.3	16	Square skeleton tower, white daymark, red vertical stripe. 4.1	Visible in line of range. Operates at night only. Seasonal.	
936 H1300.1		350°30' 258.3m from front.	F G	12.3	16	Square skeleton tower, white daymark, red vertical stripe. 8.1	Visible in line of range. Operates at night only. Seasonal.	Chart:4498
937	Pugwash Channel light buoy UK19	45 51 39.7 63 40 17.9	Fl G	4s	Green spar, marked "UK19".	Winter spar. Year round.	Chart:4498
937.5	Pugwash Channel light buoy UK25	W. of Pineo Point. 45 51 11.3 63 40 11	Q G	1s	Green spar, marked "UK25".	Winter spar. Year round.	Chart:4498
937.8	Pugwash Harbour light buoy UK28	45 51 09.6 63 40 14.8	Fl R	4s	Red spar, marked "UK28".	Winter spar. Year round.	Chart:4498
938	Page Point North light buoy UK30	N. of point. 45 51 03.9 63 40 02	Fl R	4s	Red spar, marked "UK30".	Winter spar. Year round.	Chart:4498
938.5	Page Point East light buoy UK32	NE. of point. 45 51 00.3 63 39 56.4	Q R	1s	Red boat type, marked "UK32".	Winter spar. Seasonal.	Chart:4498

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

939 H1291	Bergeman Point range	On point. 45 51 42.2 63 42 30.8	F	W	11.8	17	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Seasonal.	
940 H1291.1		205°12' 168.6m from front.	F	W	16.6	17	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.	Chart:4498
940.5	<i>Northport light buoy UP2</i>	45 56 24.2 63 50 54.7	Fl	R	4s	Red, marked "UP2".	Seasonal.	Chart:4406
941 H1302	Coldspring Head	On N. side of head. 45 57 44.8 63 51 54.5	Fl	W	5s	18.2	15	White square tower. 10.6	Flash 0.2 s; eclipse 4.8 s. Emergency light. Seasonal.	Chart:4406

PRINCE EDWARD ISLAND

942	<i>East Point Reef East Cardinal light and whistle buoy NDN</i>	<i>Off East reef. 46 28 04.2 61 56 14.6</i>	Q(3)	W	10s	Black, yellow and black, marked "NDN".	Seasonal.	Chart:4023
943 H920	East Point	Near S. shore of point. 46 27 07.2 61 58 17.7	Fl	W	5s	30.5	11	White octagonal tower, red upper portion. 19.5	Flash 2 s; eclipse 3 s. Year round.	Chart:4403
946	<i>Souris Harbour light and whistle buoy NA</i>	<i>Entrance to Colville Bay. 46 19 46.1 62 15 23.7</i>	Mo(A)	W	6s	Red and white vertical stripes, marked "NA- Souris Harbour".	Seasonal.	Chart:4419
947 H922	Souris East	On Knight Point, SE. of breakwater. 46 20 45.1 62 14 50.9	Iso	W	4s	27.2	13	White square tower, red upper portion. 14.4	Operates at night only. Year round.	Chart:4419
948 H924	Souris East Breakwater	On outer end of breakwater. 46 20 51 62 15 17.4	Fl	R	4s	10.5	8	Square skeleton tower. 9.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4419
948.05	<i>Rollo Bay light buoy NC1</i>	46 19 24.2 62 19 27.7	Q	G	1s	Green, marked "NC1".	Seasonal.	Chart:4403
948.1	<i>Fortune Bay Entrance light buoy NC6</i>	46 19 42 62 20 24	Fl	R	4s	Red spar, marked "NC6".	Seasonal.	Chart:4403
948.2	<i>Fortune Bay Entrance light buoy NC8</i>	46 19 42 62 20 42	Q	R	1s	Red spar, marked "NC8".	Seasonal.	Chart:N/A

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

PRINCE EDWARD ISLAND

948.3	Fortune Bay North Sector	SW. corner of N. wharf. 46 19 44 62 21 00.9	F R W G	6.9	9	Square skeleton tower, red and white rectangular daymark. 5.4	Red from 265° through W. to 280°; white from 280° to 282°; green from 282° to 291°. White sector indicates preferred channel. Operates at night only. Seasonal.	Chart:4403
948.5	Annandale light buoy NE	In Boughton Bay. 46 14 31.2 62 23 00.8	Mo(A) W	6s	Red and white vertical stripes, marked "NE".	Seasonal.	Chart:4421
948.6	Grand River East light buoy NE6	46 14 57.2 62 24 00.8	Fl R	4s	Red, marked "NE6".	Seasonal.	Chart:4421
949	Annandale range	On Banks Point. 46 15 32.9 62 25 19.9	Iso W	1s	9.6	15	White square tower, red vertical stripe. 5.2	Visible in line of range. Operates at night only. Seasonal.	
950		On Juniper Point, 303°50' 1376m from front.	Iso W	4s	23.2	18	White square tower, red vertical stripe. 20.0	Visible in line of range. Operates at night only. Seasonal.	Chart:4421
950.1	Annandale light buoy NE11	Boughton Bay. 46 15 16.2 62 24 48.8	Fl G	4s	Green, marked "NE11".	Seasonal.	Chart:4421
950.2	Banks Point light buoy NE12	SE. of Annandale wharf. 46 15 25.2 62 25 16.8	Fl R	4s	Red, marked "NE12".	Seasonal.	Chart:4421
951	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.9 62 24 35.5	Fl R	3s	6.0	4	Square skeleton tower. 5.0	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4421
951.2	Launching Pond South Breakwater	46 13 13.6 62 24 35.8	Fl G	4s	4.5	4	Square skeleton tower. 3.1	Operates at night only. Seasonal.	Chart:4421
951.5	Launching Pond light buoy NY2	46 13 06.2 62 24 05.8	Fl R	4s	Red spar, marked "NY2".	Seasonal.	Chart:4421
951.6	Cardigan River light buoy NJ2	46 12 03.2 62 29 51.2	Fl R	4s	Red, marked "NJ2".	Seasonal.	Chart:4422
951.7	Upper Cardigan (MacPhee Shoal) light buoy NJ3	46 12 02.7 62 30 20.6	Fl G	4s	Green spar, marked "NJ3".	Seasonal.	Chart:4422
952.5	Georgetown light buoy NH	In Cardigan Bay. 46 09 15.2 62 27 01.7	Mo(A) W	6s	Red and white vertical stripes, marked "NH".	Seasonal.	Chart:4422
953 H932	Panmure Head	SE. extremity of Cardigan Bay. 46 08 39.2 62 27 59.7	Fl W	4s	25.0	17	White octagonal tower, red upper portion. 18.6	Year round.	Chart:4422

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

953.5	Wheeler Bar light buoy NH3	E. of bar. 46 09 30.2 62 29 41.7	FI G	4s	Green spar, marked "NH3".	Winter spar. Year round.	Chart:4422	
953.6	Wheeler Bar light buoy NH5	46 09 29.2 62 30 29.6	Q G	1s	Green spar, marked "NH5".	Winter spar. Year round.	Chart:4422	
954	St. Andrews Point light buoy NH10	46 09 55.2 62 31 13.7	Q R	1s	Red spar, marked "NH10".	Winter spar. Year round.	Chart:4422	
955 H936	Georgetown range	On St. Andrew Point, SW. side of entrance. 46 09 50.6 62 31 44.5	F W	11.3	11	Cylindrical tower, white and red bands. 7.1	Year round.	
956 H936.1		280°03' 617.6m from front.	F W	17.5	11	White square tower, red upper portion, red vertical stripe. 13.4	Visible in line of range. Year round.	Chart:4422
956.15	Gaudin Point light buoy NH14	46 10 32.2 62 32 26.6	FI R	4s	Red spar, marked "NH14".	Seasonal.	Chart:4422	
956.2	Thrumcap Spit light buoy NH12	Off Spit. 46 10 08.7 62 31 33.7	FI R	4s	Red boat type, marked "NH12".	Seasonal.	Chart:4422	
956.3	Aitken Point light buoy NH15	Montague River entrance. 46 10 34.2 62 33 03.7	Q G	1s	Green, marked "NH15".	Seasonal.	Chart:4422	
956.4	Brudenell Point light buoy NH18	46 10 34.2 62 33 36.7	Q R	1s	Red spar, marked "NH18".	Seasonal.	Chart:4422	
957	Lower Montague Wharf	NE. corner of wharf. 46 10 14.2 62 33 46.5	FI G	4s	6.0	5	Cylindrical mast. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4422
957.3	Montague River light buoy NH22	46 10 30.2 62 35 58.7	FI R	4s	Red, marked "NH22".	Seasonal.	Chart:4422	
957.4	Montague River light buoy NH23	46 10 30.2 62 36 21.7	Q G	1s	Green, marked "NH23".	Seasonal.	Chart:4422	
957.41	Montague River light buoy NH27	46 10 16.2 62 36 57.6	FI G	4s	Green spar, marked "NH27".	Seasonal.	Chart:4422	
957.5	Montague River light buoy NH30	46 10 06.2 62 37 13.7	Q R	1s	Red, marked "NH30".	Seasonal	Chart:4422	
957.7	Montague River light buoy NH38	46 10 00.7 62 37 57.7	FI R	4s	Red, marked "NH38".	Seasonal.	Chart:4422	
957.8	Montague River light buoy NH43	46 10 01.2 62 38 19.7	Q G	1s	Green, marked "NH43".	Seasonal.	Chart:4422	

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

PRINCE EDWARD ISLAND

958.5	Graham Ledge light buoy NP	46 05 45.2 62 25 57.7	Mo(A) W	6s	Red and white vertical stripes, marked "NP".	Seasonal. Chart:4403
959	Graham Pond	On outer end of N. breakwater. 46 05 46.7 62 27 04.5	Iso R	4s	6.0	5	Square skeleton tower. 5.1	Operates at night only. Seasonal. Chart:4403
960	Graham Pond South Breakwater	46 05 46.1 62 27 06.2	Fl G	6s	4.3	3	Square skeleton tower. 3.6	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4403
960.1	Graham Pond West Breakwater	46 05 47.7 62 27 03.4	Fl Y	4s	3.6	2	Cylindrical mast. 2.6	Operates at night only. Privately maintained. Seasonal. Chart:4403
960.2	Graham Pond East Breakwater	46 05 46.8 62 27 01.6	Fl R	4s	3.2	2	Cylindrical mast. 2.6	Flash 1 s; eclipse 3 s. Operates at night only. Privately maintained. Seasonal. Chart:4403
961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 62 27 08.2	Mo(A) W	6s	Red and white vertical stripes spar, marked "NM".	Seasonal. Chart:4420
963	Murray Harbour Entrance light buoy NM3	E. of Oldstore Point. 46 01 32.7 62 28 03.7	Fl G	4s	Green spar, marked "NM3".	Seasonal. Chart:4420
963.5	Murray Harbour light buoy NM6	Off Oldstore Point. 46 01 25.7 62 28 27.2	Fl R	4s	Red, marked "NM6".	Seasonal. Chart:4420
964	Murray Harbour range	On Oldstore Point, S. side of harbour. 46 01 17.5 62 28 41.7	F R	6.3	10	White square tower, red upper portion, red vertical stripe. 7.2	Visible in line of range. Seasonal.
965		234°04' 1360.9m from front.	F R	17.8	10	White square tower, red upper portion, red vertical stripe. 13.6	Visible in line of range. Seasonal. Chart:4420
966	Sable Point light buoy NM8	Off Sable Point. 46 01 12.7 62 28 59.5	Fl R	4s	Red boat type, marked "NM8".	Seasonal. Chart:4420
966.5	Beach Point light buoy NM11	46 01 07.2 62 29 13.6	Q G	1s	Green, marked "NM11".	Seasonal. Chart:4420
967	Beach Point Breakwater	On outer end, E. breakwater. 46 01 00.3 62 29 12.9	Fl G	4s	4.7	4	Square skeleton tower. 3.7	Operates at night only. Seasonal. Chart:4420
968	Penny Point light buoy NM13	On S. side of dredged cut. 46 01 04.2 62 29 41.7	Fl G	4s	Green boat type, marked "NM13".	Seasonal. Chart:4420

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

968.5	Machons Point range	NW. of point. 46 01 08.3 62 30 42.6	F Y	6.8	18	Square skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range from 272°20'. Operates at night only. Seasonal.	
968.6		273°04' 132.1m from front.	F Y	10.8	18	Square skeleton tower, white daymark, red vertical stripe. 5.1	Visible in line of range from 272°20'. Operates at night only. Seasonal.	Chart:4420
969	<i>Machons Point light buoy NM15</i>	SE. of point. 46 01 05.2 62 30 03.9	Q G	1s	Green boat type, marked "NM15".	Seasonal.	Chart:4420
969.5	Murray Harbour Village range	On shore line. 46 00 23.6 62 31 25.6	F R	6.1	16	Square skeleton tower, white daymark, red vertical stripe. 6.0	Visible in line of range. Operates at night only. Seasonal.	
969.6		233°44' 100.9m from front.	Iso R	4s	9.0	14	Square skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Operates at night only. Seasonal.	Chart:4420
969.7	<i>Sharams Point light buoy NM24</i>	N. of point. 46 01 30.7 62 31 12.6	Q R	1s	Red boat type, marked "NM24".	Seasonal.	Chart:4420
969.8	<i>Reynolds Island light buoy NM30</i>	W. of island. 46 02 04.2 62 31 44.7	Q R	1s	Red boat type, marked "NM30".	Seasonal.	Chart:4420
969.9	<i>Fairchild Point light buoy NM33</i>	NE. of point. 46 02 34.7 62 31 46.7	Q G	1s	Green boat type, marked "NM33".	Seasonal.	Chart:4420
970.5	<i>Bear Reef light buoy NN2</i>	46 00 44.2 62 26 17.2	Q R	1s	Red spar, marked "NN2".	Seasonal.	Chart:4420
971 H950	Cape Bear	On the headland. 46 00 10.8 62 27 36.4	LFI Y	6s	22.6	13	White square tower, red upper portion. 12.2	Flash 2 s; eclipse 4 s. Year round.	Chart:4420
972.5	<i>Wood Islands Harbour Entrance light buoy NS2</i>	45 56 46.4 62 44 59.4	Q R	1s	Red spar, marked "NS2".	Seasonal.	Chart:4405
975	Wood Islands Harbour West Breakwater	On W. breakwater. 45 56 54 62 45 08.1	FI G	3s	6.0	5	Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.	Chart:4483
975.1	Wood Islands Harbour East Breakwater	On E. breakwater. 45 56 54.2 62 45 04.8	FI R	3s	6.0	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.	Chart:4483
976 H962	Wood Islands	On S. side of E. portion. 45 56 59.2 62 44 44.7	Iso W	10s	21.8	12	White square tower, red upper portion. 16.0	Year round.	Chart:4405
977	<i>Indian Rocks light and whistle buoy N8</i>	SW. of rocks. 45 54 54.2 62 49 11.7	FI R	4s	Red, marked "Indian Rocks "N8".	Seasonal.	Chart:4405

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

PRINCE EDWARD ISLAND

979	Pinette River Outer range	On SW. extremity of Pond Point. 46 03 16.6 62 57 19.5	F W	10.2	11	Square skeleton tower, white daymark, red vertical stripe. 6.8	Visible in line of range. Seasonal.
980		017°56' 302.4m from front.	F W	14.0	11	Square skeleton tower, white daymark, red vertical stripe. 9.8	Seasonal. Chart:4466
980.5	Pinette Harbour light buoy NV4	46 02 44.2 62 57 07.7	Q R	1s	Red spar, marked "NV4".	Seasonal. Chart:4466
983 H982	Prim Point	SE. extremity of Hillsborough Bay, near point. 46 03 01.2 63 02 20.7	Fl W	5s	20.7	20	White cylindrical tower, red upper portion. 18.3	Flash 0.2 s; eclipse 4.8 s. Year round. Chart:4466
983.4	St. Peters Island light buoy C1	46 05 00.2 63 13 45.7	Fl G	4s	Green, marked "C1".	Seasonal. Chart:4466
984	Prim Reefs light and whistle buoy C2	Off Western extremity of reefs. 46 02 40.2 63 06 47.7	Q R	1s	Red, marked "Prim Reefs C2".	Seasonal. Chart:4466
Hillsborough Bay								
989	Fitzroy Rock light and bell buoy C4	SW. of rock. 46 07 05.7 63 06 39.7	Fl R	4s	Red, marked "Fitzroy Rock C4".	Winter spar. Seasonal. Chart:4466
990	Spithead light buoy C5	E. of Governors Island. 46 08 54.2 63 06 01.7	Q G	1s	Green, marked "C5".	Seasonal. Chart:4466
991 H1006	Haszard Point range	E. side of entrance to Charlottetown Harbour. 46 11 39.7 63 04 25.2	F Y	18.3	13	Red square tower, black vertical stripe. 17.3	Visible in line of range. Year round.
992 H1006.1		019°19' 650.1m from front.	F Y	46.3	13	Red square tower, black vertical stripe. 14.0	Visible in line of range. Year round, Chart:4466
Charlottetown Harbour								
993 H1008	Blockhouse Point	W. side of entrance to harbour. 46 11 26.1 63 07 45.7	Oc W	4s	18.3	12	White square tower, red upper portion. 12.6	Flash 3 s; eclipse 1 s. Year round. Chart:4460
993.5	Blockhouse Point light buoy C7	46 11 36.2 63 07 33.7	Fl G	4s	Green, marked "C7".	Seasonal. Chart:4460
994 H1012	Brighton Beach range	On crib on E. side of Yorke River. 46 13 50.5 63 08 51.2	F Y	11.0	13	White square tower, red upper portion, red vertical stripe. 12.4	Visible in line of range. Year round.
995 H1012.1		336°56' 398m from front.	F Y	26.3	13	White hexagonal tower, red vertical stripe. 18.4	Visible in line of range. Year round. Chart:4460

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

995.1	Peakes Quay Marina	Entrance to Peakes Quay Marina. 46 13 51.4 63 07 15.4		Q G	1s	3	Cylindrical mast. 2.2	Flash 0.3 s; eclipse 0.7 s. Privately maintained. Operates at night only. Seasonal.	Chart:4460
996 H1016	Warren Cove range	W. side of harbour, N. of Blockhouse Point. 46 11 56.4 63 08 17.6		F Y	17.3	12	White square tower, red upper portion, red vertical stripe. 11.2	Year round.	
997 H1016.1		197°39' 327.4m from front.		F Y	21.4	12	White square tower, red upper portion, red vertical stripe. 7.7	Year round.	Chart:4460
998	Battery Point light buoy C8	W. of point. 46 12 14.7 63 07 51.7		Fl R	4s	Red, marked "Battery Point C8".	Winter spar. Seasonal.	Chart:4460
998.5	Canceaux Spit light buoy C9	E. of spit. 46 12 37.7 63 08 06.7		Fl G	4s	Green, marked "C9".	Seasonal.	Chart:4460
999	Rosebank Point Outer light buoy C12	46 12 54.2 63 07 48.7		Fl R	4s	Red, marked "C12".	Winter spar. Seasonal.	Chart:4460
999.2	Old Battery Point light buoy C13	SE. of point. 46 13 17.2 63 07 51.7		Fl G	4s	Green, marked "C13".	Seasonal.	Chart:4460
999.5	Rosebank Point Centre light buoy C14	NW. of point. 46 13 28.2 63 07 23.2		Fl R	4s	Red, marked "C14".	Seasonal.	Chart:4460
1001	Charlottetown Harbour light buoy C15	Off outer S. corner of marine wharf. 46 13 40.2 63 07 30.2		Q G	1s	Green, marked "C15".	Seasonal.	Chart:4460
1003	Charlottetown Railway Wharf Turning light buoy C18	Off S. corner of railway wharf. 46 13 46.7 63 06 44.7		Q R	1s	Red, marked "Turning C18".	Winter spar. Seasonal.	Chart:4460
1006	Nine Mile Creek Wharf	On outer S. corner of wharf. 46 08 53 63 13 03.7		Fl R	4s	5.4	5	Square skeleton tower. 5.0	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4466
1007 H996	St. Peters Island	On SE. side of island. 46 07 01.1 63 10 49.5		Fl W	4s	20.6	10	White square tower, red upper portion. 9.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4466

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks — Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

Victoria Harbour

1008		W. end of bridge at head of harbour. 46 12 50.9 63 29 19.7		F	G	11.3	16	White square tower, red upper portion, white daymark, red vertical stripe. 10.7	Visible 338°30' true from seaward. Operates at night only. Seasonal.
	Leards range									
1009		338°26' 851.8m from front.		F	G	30.8	16	White square tower, red upper portion, white daymark, red vertical stripe. 13.7	Visible 338°30' true from seaward. Operates at night only. Seasonal. Chart:4405
1009.1	Victoria Harbour light buoy NX2	46 10 35.2 63 28 00.7		Fl	R	4s	Red spar, marked "NX2".	Seasonal. Chart:4405
1009.15	Victoria Harbour light buoy NX7	46 11 43.7 63 28 39.7		Fl	G	4s	Green, marked "NX7".	Seasonal. Chart:4405
1009.2	Victoria Harbour light buoy NX10	46 12 08.2 63 29 19.2		Q	R	1s	Red spar, marked "NX10".	Seasonal. Chart:4405
1010		On S. side of Pauls Bluff. 46 12 16 63 29 48.4		Iso	R	1s	7.2	12	White square tower, red vertical stripe. 3.7	Visible in line of range. Operates at night only. Seasonal.
	Wrights range									
1011		295°32' 694.8m from front.		Iso	R	4s	13.9	12	White square tower, red vertical stripe. 9.8	Visible in line of range. Operates at night only. Seasonal. Chart:4405
1011.1	Victoria Harbour light buoy NX11	46 11 56.2 63 28 47.7		Q	G	1s	Green spar, marked "NX11".	Seasonal. Chart:4405
1011.15	Victoria Harbour light buoy NX18	46 12 28.5 63 29 19.1		Fl	R	4s	Red, marked "NX18".	Seasonal. Chart:4405
1012		On flats. 46 12 47 63 29 19.9		Iso	R	1s	5.9	4	Square skeleton tower, white daymark, red vertical stripe. 5.2	Operates at night only. Seasonal.
	Palmers range									
1013		001°46' 120.7m from front.		F	R	11.9	16	White square tower, red upper portion, white daymark, red vertical stripe. 10.8	On same structure as Leards front range light tower. Operates at night only. Seasonal. Chart:4405
1014	Tryon Shoals light and bell buoy N14	Off S. extremity of shoal. 46 09 39.2 63 31 42.7		Fl	R	4s	Red spar, marked "N14".	Seasonal. Chart:4405
1015 H1044	Port Borden Breakwater	SW. end of breakwater. 46 14 38.9 63 41 50.3		Fl	R	4s	4.5	3	Cylindrical mast 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4905

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

1017.5 <i>H1039</i>	Port Borden Pier	On outer end of Ferry Pier. 46 14 42.5 63 41 58	Iso G	4s	10.0	5	White square tower, red upper portion. 8.5	Operates at night only. Seasonal.	Chart:4905
1017.69	Confederation Bridge	Mid span on each side of navigation span. 46 12 35.9 63 45 07.8	Iso 2W	6s	50.5	13	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.7	<i>Strait Crossing light and whistle buoy XF</i>	46 17 00.3 63 52 15.7	<i>Mo(A) W</i>	6s	<i>Red and white vertical stripes, marked "XF".</i>	<i>Seasonal.</i>	Chart:4406
1017.71	<i>Strait Crossing light buoy XB2</i>	46 11 03.3 63 42 27.7	<i>Fl R</i>	4s	<i>Red, marked "XB2".</i>	<i>Seasonal.</i>	Chart:4406
1017.72	<i>Strait Crossing light buoy XB3</i>	46 11 00.2 63 42 36.7	<i>Fl G</i>	4s	<i>Green, marked "XB3".</i>	<i>Seasonal.</i>	Chart:4406
1017.73	<i>Strait Crossing light buoy XB4</i>	46 14 24.2 63 47 54.7	<i>Fl R</i>	4s	<i>Red, marked "XB4".</i>	<i>Seasonal.</i>	Chart:4406
1017.74	<i>Strait Crossing light buoy XB5</i>	46 14 18.2 63 48 00.7	<i>Fl G</i>	4s	<i>Green, marked "XB5".</i>	<i>Seasonal.</i>	Chart:4406
1017.75	<i>Strait Crossing light and whistle buoy XB</i>	46 09 24.2 63 39 51.7	<i>Mo(A) W</i>	6s	<i>Red and white vertical stripes, marked "XB".</i>	<i>Seasonal.</i>	Chart:4406
1017.76	Confederation Bridge S.E.	46 12 35.8 63 45 07.7	F	R W G	64.0	On bridge. Red from 308°39' to 310°39'; white from 310°39' to 311°39'; green from 311°39' to 313°39'. White sector indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.77	Confederation Bridge N.W.	46 12 36 63 45 08	F	R W G	64.0	On bridge. Green from 129°08' to 131°08'; white from 131°08' to 132°08'; red from 132°08' to 134°08'. White R indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.78	Confederation Bridge Racon --- (B) X & S Band	On either side of pier 22. 46 12 33.8 63 45 13.1	F	G	16.5	11	On bridge. Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.781	Confederation Bridge	On either side of pier 22. 46 12 32 63 45 10.1	F	G	16.5	11	On bridge. Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

PRINCE EDWARD ISLAND

1017.79	Confederaton Bridge Racon – (T) X & S Band	On each side of pier 21. 46 12 39.9 63 45 05.5	F	R	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.791	Confederaton Bridge	On each side of pier 21. 46 12 38.1 63 45 02.5	F	R	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round.	Chart:4406
1017.8	Seacow Head Information light buoy DC	46 18 21.2 63 49 57.7	Fl	Y	4s	Orange and white, marked "DC".	Winter spar. Seasonal.	Chart:4406
1017.9	Seacow Head Information light buoy DD	46 18 45.2 63 49 25.7	Fl	Y	4s	Orange and white, marked "DD".	Winter spar. Seasonal.	Chart:4406
1018 H1046	Seacow Head	On outer end of point. 46 18 57.7 63 48 35.9	Fl(2)	W	12s	26.8	12	White octagonal tower, red upper portion. 18.3	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round.	Chart:4406
1018.1	Summerside Outer range	W. side of Summerside River. 46 23 43.1 63 48 35	F	R	9.3	18	White square tower, white daymark, red vertical stripe. 9.0	Visible in line of range. Year round.	
1018.2		028°57' 430.3m from front.	F	R	14.8	18	White square tower, white daymark, red vertical stripe. 10.1	Visible in line of range. Year round.	Chart:4459
1018.5	Summerside Harbour light buoy DE3	46 21 58.2 63 50 01.7	Fl	G	4s	Green, marked "DE3".	Seasonal.	Chart:4459
1018.6	Summerside Harbour light buoy DE4	46 22 20.2 63 49 39.2	Fl	R	4s	Red, marked "DE4".	Seasonal.	Chart:4459
1019	Indian Point light buoy DE6	46 22 42.2 63 49 21.7	Q	R	1s	Red, marked "DE6".	Winter spar. Seasonal.	Chart:4459
1019.1	Summerside Harbour light buoy DE7	46 22 49.2 63 49 20.2	Q	G	1s	Green, marked "DE7".	Seasonal.	Chart:4459
1020 H1048	Indian Head	On outer end of breakwater. 46 22 47 63 49 01.1	Iso	W	10s	14.0	12	White octagonal tower, red upper portion. 12.9	Year round.	Chart:4459
1020.1	Summerside Harbour light buoy DE8	46 22 49.2 63 49 08.7	Fl	R	4s	Red spar, marked "DE8".	Seasonal.	Chart:4459
1020.2	Summerside Harbour light buoy DE10	46 22 56.2 63 48 36.7	Fl	R	4s	Red spar, marked "DE10".	Winter spar. Seasonal.	Chart:4459

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

PRINCE EDWARD ISLAND

1020.3	Summerside Harbour light buoy DE11	46 23 03.7 63 48 15.7	Fl G	4s	Green boat type, marked "DE11".	Winter spar. Seasonal.	Chart:4459	
1020.4	Summerside Harbour light buoy DE14	46 23 08.2 63 47 43.7	Q R	1s	Red boat type, marked "DE14".	Winter spar. Seasonal.	Chart:4459	
1021 H1050	Summerside range	Near outer end of wharf. 46 23 14.4 63 47 21.2	F G	10.8	18	Square skeleton tower, white daymark, red vertical stripe. 9.4	Visible in line of range. Year round	
1022 H1050.1		072°04' 1436.3m from front.	F G	24.8	18	White square tower, red upper portion, red vertical stripe. 20.1	Visible in line of range. Year round.	Chart:4459
1022.5	Summerside Marina	On outer end of breakwater. 46 23 18.2 63 47 14.6	Fl R	4s	5.3	7	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 3.5	Visible from 269° through W. and N. to 029°. Operates at night only. Seasonal.	Chart:4459
1023	Miscouche Shoal light and bell buoy DE	W. of Graham Head 46 19 50.2 63 51 18.7	Mo(A) W	6s	Red and white, vertical stripes, marked "DE".	Seasonal.	Chart:4459	
1023.1	Egmont Bay light buoy DH2	46 27 08.8 64 07 44	Fl R	4s	Red spar, marked "DH2".	Seasonal.	Chart:4905	
1023.6	Egmont Bay light buoy DH8	46 26 48.6 64 06 56.4	Fl R	4s	Red spar, marked "DH8".	Seasonal.	Chart:4905	
1024 H1056	Cape Egmont	On point. 46 24 06.6 64 08 02.4	Fl W	5s	19.8	12	White square tower, red upper portion. 12.4	Flash 2 s; eclipse 3 s. Year round.	Chart:4406
1024.5	Fishing Cove light buoy DG2	46 24 06.2 64 08 30.7	Q R	1s	Red, marked "DG2".	Seasonal.	Chart:4406	
1025	Fishing Cove	On outer end of breakwater. 46 24 26.2 64 08 04.9	Fl R	3s	7.5	5	Pipe swing pole. 6.9	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4905
1025.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 64 08 06.7	Fl G	4s	3.2	4	Cylindrical mast. 2.8	Operates at night only. Seasonal.	Chart:4905
1026	Canoe Gully Outer range	N. of Cape Egmont. 46 26 53.5 64 06 20.5	F Y	5.7	13	Square skeleton tower, white daymark, red vertical stripe. 5.2	Visible in line of range. Seasonal.	
1027		105°49' 175.6m from front.	F Y	9.9	13	Square skeleton tower, white daymark, red vertical stripe. 8.3	Visible in line of range. Seasonal.	Chart:4905

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

PRINCE EDWARD ISLAND

1027.1	Canoe Gully Inner range	N. of Cape Egmont.		F	R	4.6	5	Square skeleton tower, white daymark, red vertical stripe.	Operates at night only. Seasonal.
		46 26 27.9 64 06 35.2							3.7	
1027.2		144°08' 186.7m from front.		F	R	8.3	5	Square skeleton tower, white daymark, red vertical stripe.	Operates at night only. Seasonal.
									4.3	Chart:4905
1027.3	Egmont Bay Wharf Sector	SW. corner of wharf ell.		F	R W G	4.1	7	Cylindrical mast.	Red from 154° to 164°; white from 164° to 166°; green from 166° through S. to 187°. White sector indicates preferred channel. Operates at night only. Seasonal.
		46 26 25.9 64 06 48.4							3.6	Chart:4905
1027.41	Egmont Bay North light buoy DJ7	46 33 28 64 05 42		Fl	G	4s	Green, marked "DJ7".	Seasonal.
										Chart:4905
1027.42	Egmont Bay North light buoy DJ12	46 33 28 64 05 18		Q	R	1s	Red, marked "DJ12".	Seasonal.
										Chart:4905
1027.43	Egmont Bay North light buoy DJ20	46 33 16.8 64 05 10.2		Fl	R	4s	Red, marked "DJ20".	Seasonal.
										Chart:4905
1027.45	Egmont Bay light buoy DJ	46 33 21 64 07 28		Mo(A)	W	6s	Red and white vertical stripes, marked "DJ".	Seasonal.
										Chart:4905
1027.6	Howards Cove light buoy DN2	46 44 28 64 23 26		Q	R	1s	Red spar, marked "DN2".	Seasonal.
										Chart:4906
1027.7	West Point light buoy DM1	46 36 30 64 22 50		Fl	G	4s	Green spar, marked "DM1".	Seasonal.
										Chart:4905
1027.8	West Point light buoy DM2	46 36 30 64 22 15		Fl	R	4s	Red spar, marked "DM2".	Seasonal.
										Chart:4905
1028.2	West Point Wharf	End of wharf.		LFI	G	8s	6.6	7	Square skeleton tower.	Flash 3 s; eclipse 5 s. Operates at night only. Seasonal.
		46 37 05.6 64 22 17.7							5.3	Chart:4905
1029 H1062	West Point	On Sand Beach.		Iso	W	12s	20.1	12	White square tower, red upper portion, black horizontal bands.	Privately maintained by West Point Development Corp. Year round.
		46 37 13.1 64 23 12.3							20.7	Chart:4905
1030	West Point light and whistle buoy D8	N. of point.		Fl	R	4s	Red, marked "D8".	Seasonal.
		46 40 06 64 30 01								Chart:4905
1031	Seal Point (Howards Cove) Wharf	On wharf.		Iso	R	2s	8.3	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre.	Operates at night only. Year round.
		46 44 22.9 64 22 46.3							6.4	Chart:4906

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

1031.5	Howards Cove Breakwater	On the outermost extremity of the port hand breakwater. 46 44 25.5 64 22 46	Q G	1s	5.9	2	Cylindrical mast. 2.6	Operates at night only. Seasonal.	Chart:4906
1032	Howards Cove	Near Seal Point. 46 44 25.1 64 22 36.5	LFI W	6s	14.2	12	White square tower, red upper portion. 5.8	Flash 2 s; eclipse 4 s. Seasonal.	Chart:4906
1032.05	Miminegash light buoy DP	NE. of reef. 46 54 03 64 14 20	W	Mo(A) 6s	Red and white vertical stripes, marked "DP".	Seasonal.	Chart:4906
1033	Miminegash range	On extreme outer end of N. breakwater. 46 52 48.7 64 14 07.2	F R	5.7	Square skeleton tower, white daymark, red vertical stripe. 3.8	Seasonal.	
1034		173°11' 494m from front.	F R	13.5	Square skeleton tower, white daymark, red vertical stripe. 12.9	Seasonal.	Chart:4906
1035	Skinnners Pond	N. end of S. breakwater. 46 57 58 64 07 33.5	FI R	4s	4.4	10	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4906
1035.5	Skinnners Pond North Breakwater	On outer end of N. breakwater. 46 57 59.2 64 07 33.1	FI G	4s	4.2	4	Cylindrical mast. 3.2	Operates at night only. Seasonal.	Chart:4906
1036 H1076	North Cape	On cape. 47 03 27.7 63 59 48.8	FI Y	5s	23.7	18	White octagonal tower, red upper portion. 19.5	Flash 1 s; eclipse 4 s. Year round.	Chart:4906
1037	North Cape Reef North Cardinal light and whistle buoy DS	N. of North Cape. 47 05 00 64 00 03	Q W	1s	Black and yellow, marked "DS".	Seasonal.	Chart:4906
1037.5	ODAS light buoy IML-5	47 24 12 63 23 31.8	FI(5) Y	20s	Yellow, marked "IML-5".	Seasonal.	Chart:4024
1037.6	ODAS light buoy IML-6	E. of Shippegan Island. 47 47 00 64 02 00	FI(5) Y	20s	Yellow, marked "IML-6".	Seasonal.	Chart:4024
1038.5	North Lake Harbour Fairway light buoy JA	N. of harbour. 46 28 56.2 62 03 27.6	Mo(A) W	6s	Red and white vertical stripes, marked "JA".	Seasonal.	Chart:4023
1039	North Lake Harbour range	On outer end of E. breakwater. 46 28 06.9 62 04 05.1	Iso G	1s	7.5	11	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.	
1039.1		204°34' 328.5m from front.	Iso G	4s	14.5	15	Square skeleton tower, white daymark, red vertical stripe. 11.0	Visible in line of range. Operates at night only. Seasonal.	Chart:4023

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

PRINCE EDWARD ISLAND

1039.5	North Lake Harbour West	On outer end of W. breakwater. 46 28 09 62 04 05		Iso	R	2s	7.2	5	Square skeleton tower. 5.1	Operates at night only. Seasonal.	Chart:4023
1040.05	Naufrage Harbour Fairway light buoy JC	N. of Shipwreck Point. 46 29 00.2 62 24 40.6		Mo(A)	W	6s	Red and white vertical stripes, marked "JC".	Seasonal.	Chart:4023
1040.2	Naufrage Harbour East Breakwater	On outer end of E. breakwater. 46 28 08.2 62 25 00.3		Fl	G	4s	5.0	4	Square skeleton tower. 3.6	Operates at night only. Seasonal.	Chart:4023
1040.5	Naufrage West Breakwater	Outer end of W. breakwater. 46 28 11.3 62 24 59.7		Fl	R	4s	5.1	4	Square skeleton tower. 3.6	Operates at night only. Seasonal.	Chart:4023
1041.1	Naufrage Harbour Bridge	On the bridge. 46 28 04 62 25 02.5		F	W	6.0	6	On bridge. 6.0	Operates at night only. Seasonal.	Chart:4023
1042 H1168	Shipwreck Point	On the point. 46 28 07.2 62 25 22.6		Oc	W	5s	25.6	12	White octagonal tower, red upper portion. 13.4	Flash 3 s; eclipse 2 s. Year round.	Chart:4023
1043.1	St. Peters Harbour Fairway light buoy JD	46 27 09.2 62 44 21.6		Mo(A)	W	6s	Red and white vertical stripes, marked "JD".	Seasonal.	Chart:4023
1044.1	St. Peters Harbour light buoy JD5	46 27 00.2 62 44 10.6		Fl	G	4s	Green, marked "JD5".	Seasonal.	Chart:4425
1044.2	St. Peters Harbour light buoy JD6	46 26 58.2 62 44 24.6		Fl	R	4s	Red, marked "JD6".	Seasonal.	Chart:4425
1044.3	St. Peters Harbour light buoy JD8	46 26 51.7 62 44 18.6		Fl	R	4s	Red, marked "JD8".	Seasonal.	Chart:4425
1044.4	St. Peters Harbour light buoy JD9	46 26 48.2 62 44 17.6		Fl	G	4s	Green spar, marked "JD9".	Seasonal.	Chart:4425
1044.5	St. Peters Harbour light buoy JD10	46 26 45.2 62 44 18.6		Fl	R	4s	Red spar, marked "JD10".	Seasonal.	Chart:4425
1046.04	St. Peters Harbour light buoy JD9.5	46 26 42.2 62 44 14.6		Fl	G	4s	Green, marked "JD9.5".	Seasonal.	Chart:4425
1046.05	St. Peters Harbour light buoy JD11	At harbour entrance. 46 26 39.2 62 44 12.1		Q	G	1s	Green, marked "JD11".	Seasonal.	Chart:4425
1046.1	St. Peters Bay light buoy JD13	46 26 35.2 62 43 52.6		Q	G	1s	Green, marked "JD13".	Seasonal.	Chart:4425
1046.15	St. Peters Harbour light buoy JD16	46 26 31.2 62 43 29.6		Q	R	1s	Red, marked "JD16".	Seasonal.	Chart:4425

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

1046.2	St. Peters Bay light buoy JD18	46 26 26.7 62 43 17.6		Q R	1s	Red, marked "JD18".	Seasonal.	Chart:4425
1046.3	St. Peters Bay light buoy JD21	46 26 07.2 62 42 50.6		FI G	4s	Green, marked "JD21".	Seasonal.	Chart:4425
1046.5	Red Head Wharf	46 25 59.7 62 42 46.5		Q G	1s	3.5	2	Cylindrical mast. 2.6	Operates at night only. Seasonal.	Chart:4425
1046.81	Savage Harbour Fairway light buoy JE	Off harbour. 46 26 46.2 62 49 29.6		Mo(A) W	6s	Red and white vertical stripes, marked "JE".	Seasonal.	Chart:4425
1047	Savage Harbour	46 26 00.9 62 49 56.1		FI W	4s	4.9	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.	Chart:4425
1047.01	Savage Harbour light buoy JE6	46 26 10.2 62 49 53.6		FI R	4s	Red spar, marked "JE6".	Seasonal.	Chart:4425
1047.02	Savage Harbour light buoy JE8	46 25 58.4 62 49 58.9		FI R	4s	Red, marked "JE8".	Seasonal.	Chart:4425
1047.021	Savage Harbour light buoy JE8/2	46 25 47.4 62 50 01.4		Q R	1s	Red, marked "JE8/2".	Seasonal.	Chart:4425
1047.03	Savage Harbour Entrance light buoy JE10	46 25 46.1 62 50 03.3		Q R	1s	Red, marked "JE10".	Seasonal.	Chart:4425
1047.04	Savage Harbour light buoy JE12	46 25 49.7 62 50 12.5		FI R	4s	Red spar, marked "JE12".	Seasonal.	Chart:4425
1047.051	Savage Harbour light buoy JE14	46 25 50 62 50 04.4		FI R	4s	Red, marked "JE14".	Seasonal.	Chart:4425
1047.06	Savage Harbour light buoy JE17	46 25 45.2 62 50 13.4		FI G	4s	Green spar, marked "JE17".	Seasonal.	Chart:4425
1047.1	Savage Harbour light buoy JE15	46 25 49.2 62 50 08.6		Q G	1s	Green, marked "JE15".	Seasonal.	Chart:4425
1047.2	Savage Harbour light buoy JE16	46 25 39.2 62 50 15.6		Q R	1s	Red, marked "JE16".	Seasonal.	Chart:4425
1047.51	North Tracadie Fairway light buoy JH	N. of harbour entrance. 46 26 03.2 63 02 01.6		Mo(A) W	6s	Red and white vertical stripes, marked "JH".	Seasonal.	Chart:4425

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

PRINCE EDWARD ISLAND

1048	Tracadie Inner range	On beach, W. side of entrance. 46 24 37.3 63 02 29		Iso	R	1s	6.0	5	Square skeleton tower, white daymark, red vertical stripe. 5.1	Visible in line of range. Operates at night only. Seasonal.	
1049		189°16' 84.4m from front.		Iso	R	4s	10.6	5	Square skeleton tower, white daymark, red vertical stripe. 9.7	Visible in line of range. Operates at night only. Seasonal.	Chart:4425
1049.1	Grand Tracadie light buoy JH6	46 25 16.2 63 02 26.6		FI	R	4s	Red spar, marked "JH6".	Seasonal.	Chart:4425
1049.12	Grand Tracadie light buoy JH7/5	46 24 54 63 02 23.4		FI	G	4s	Green spar, marked "JH7/5".	Seasonal.	Chart:4425
1049.2	Grand Tracadie Outer light buoy JH9	46 24 51.2 63 02 25.6		FI	G	4s	Green, marked "JH9".	Seasonal.	Chart:4425
1049.21	Grand Tracadie light buoy JH10	46 24 56.4 63 02 25.8		FI	R	4s	Red spar, marked "JH10".	Seasonal.	Chart:4425
1049.4	Grand Tracadie Harbour Entrance light buoy JH16	46 24 36.2 63 02 14.6		FI	R	4s	Red, marked "JH16".	Seasonal.	Chart:4425
1049.5	Grand Tracadie Harbour East light buoy JH18	46 24 38.2 63 01 49.6		Q	R	1s	Red, marked "JH18".	Seasonal.	Chart:4425
1049.6	Grand Tracadie Harbour South light buoy JH21	46 24 22.7 63 01 39.6		FI	G	4s	Green, marked "JH21".	Seasonal.	Chart:4425
1049.8	Grand Tracadie Wharf	N. corner of wharf. 46 24 12.3 63 01 43.9		FI	R	4s	4.6	5	Square skeleton tower. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4425
1050.05	Covehead Fairway light buoy JJ	N. of Cape Stanhope. 46 26 54.2 63 08 18.7		Mo(A)	W	6s	Red and white vertical stripes, marked "JJ".	Seasonal.	Chart:4425
1050.1	Covehead Harbour light buoy JJ3	46 26 07.2 63 08 07.6		Q	G	1s	Green, marked "JJ3".	Seasonal.	Chart:4425
1050.3	Covehead Harbour light buoy JJ7	46 25 50.2 63 08 44.1		FI	G	4s	Green, marked "JJ7".	Seasonal.	Chart:4425
1050.5	Covehead Harbour Approach light buoy JJ10	46 25 46.2 63 08 47.7		FI	R	4s	Red, marked "JJ10".	Seasonal.	Chart:4425

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

1051	Covehead Harbour	On Cape Stanhope. 46 25 48.2 63 08 35.3	Fl	W	5s	11.0	11	White square tower, red upper portion. 8.2	Flash 0.5 s; eclipse 4.5 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 005°. Privately maintained by Local Harbour Authority.	Chart:4425
1052	Covehead range	On point, E. side of harbour entrance. 46 25 28.5 63 08 53.4	Iso	G	1s	17.5	15	Square skeleton tower, white daymark, red vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal.	
1053		194°08' 62.5m from front.	Iso	G	4s	21.9	15	Square skeleton tower, white daymark, red vertical stripe. 8.0	Visible in line of range. Operates at night only. Seasonal.	Chart:4425
1053.5	Covehead Bridge	46 25 46.1 63 08 47	Fl	W	4s	8.5	5	Cylindrical mast. 2.4	Operates at night only. Seasonal.	Chart:4425
1054	North Rustico Fairway light buoy JK	NE. entrance to harbour. 46 27 54 63 16 30	Mo(A)	W	6s	Red and white vertical stripes, marked "JK".	Seasonal.	Chart:4467
1054.3	Rustico Harbour light buoy JK7	46 27 25 63 17 18	Fl	G	4s	Green, marked "JK7".	Seasonal.	Chart:N/A
1054.4	Rustico light buoy JK9	46 27 24.2 63 17 11.8	Fl	G	4s	Green, marked "JK9".	Seasonal.	Chart:4467
1054.6	Rustico light buoy JK12	46 27 17.2 63 17 26.1	Q	R	1s	Red, marked "JK12".	Seasonal.	Chart:4467
1054.9	Rustico Harbour light buoy JK13	46 27 20.2 63 17 54.8	Fl	G	4s	Green, marked "JK13".	Seasonal.	Chart:4467
1055	Rustico Harbour Northern Breakwater	On outer end of N. breakwater. 46 27 25.2 63 17 16.9	Fl	R	3s	2.7	2	Cylindrical mast. 1.8	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4467
1056 H1141	North Rustico Harbour	46 27 19.1 63 17 31.7	Iso	Y	10s	12.4	13	White square tower, red upper portion. 10.4	Year round.	Chart:4467
1057	North Rustico Inner Breakwater	On SE. corner of inner breakwater. 46 27 14 63 17 29.1	Iso	R	4s	7.5	2	Cylindrical mast. 6.8	Seasonal.	Chart:4467
1057.5	North Rustico Landing Wharf	On outer end of wharf. 46 27 22.3 63 18 27.9	Iso	R	4s	6.0	3	Square skeleton tower. 5.3	Operates at night only. Seasonal.	Chart:4467
1058	New London Fairway light buoy JM	N. of entrance to New London Bay. 46 31 41.1 63 28 18	Mo(A)	W	6s	Red and white vertical stripes, marked "JM".	Seasonal.	Chart:4467

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

1060.01	New London	46 30 37.4 63 29 13.9		Iso W	4s	13.2	7.7	White square tower, red upper portion. 13.3	Operates at night only. Seasonal.	Chart:4467
1060.1	Southwest River Outer light buoy JM7	46 30 59.2 63 28 54.8		Fl G	4s	Green, marked "JM7".	Seasonal.	Chart:4467
1060.2	Southwest River light buoy JN	46 30 42.1 63 28 57.9		Fl (2+1) G	6s	Green, red and green, marked "JN".	Seasonal.	Chart:4467
1060.3	Southwest River light buoy JMA	46 30 23 63 29 24.8		Fl (2+1) R	6s	Red, green and red, marked "JMA".	Seasonal.	Chart:4467
1060.4	Southwest River light buoy JM20	46 29 50.7 63 29 25.5		Fl R	4s	Red boat type, marked "JM20".	Seasonal.	Chart:4467
1060.45	New London Harbour light buoy JM6	46 30 59.7 63 28 55.8		Fl R	4s	Red, marked "JM6".	Seasonal.	Chart:4467
1060.5	Southwest River light buoy JM25	46 29 03.2 63 29 52.8		Fl G	4s	Green boat type, marked "JM25".	Seasonal.	Chart:4467
1060.55	Southwest River light buoy JN1	46 30 36.7 63 28 58.6		Fl G	4s	Green, marked "JN1".	Seasonal.	Chart:4467
1060.6	Southwest River light buoy JN4	46 30 20.2 63 28 16.3		Q R	1s	Red spar, marked "JN4".	Seasonal.	Chart:4467
1060.8	Stanley Bridge Channel light buoy JN7	46 29 50.7 63 27 46.8		Q G	1s	Green boat type, marked "JN7".	Seasonal.	Chart:4467
1060.9	Stanley Bridge Channel light buoy JN15	46 28 55.7 63 27 29.8		Fl G	4s	Green boat type, marked "JN15".	Seasonal.	Chart:4467
1061 H1129	Cape Tryon	On extremity of cape. 46 32 02.3 63 30 21.9		LFI W	6s	33.4	8	White square tower, red upper portion. 12.4	Flash 2 s; eclipse 4 s. Year round.	Chart:4467
1062	Malpeque Outer range	Near shore line. 46 33 50.5 63 39 05.1		F R	12.6	16	White square tower, red upper portion, red vertical stripe. 7.8	Visible in line of range. Seasonal.	
1063		233° 515.3m from front.		F R	21.0	16	White square tower, red upper portion, red vertical stripe. 7.7	Visible in line of range. Seasonal.	Chart:4491
1065.05	Malpeque Harbour Fairway light buoy JP	N.E. of McKay Point. 46 35 00.2 63 37 07.7		Mo(A) W	6s	Red and white vertical stripe, marked "JP".	Seasonal.	Chart:4491
1065.5	Malpeque West Entrance light buoy JP6	46 34 30.7 63 39 09.6		Fl R	4s	Red spar, marked "JP6".	Seasonal.	Chart:4491
1065.6	Royalty Point light buoy JP9	46 33 48.2 63 43 00.7		Fl G	4s	Green spar, marked "JP9".	Seasonal.	Chart:4491

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

PRINCE EDWARD ISLAND

1066	Malpeque Harbour Approach range	On Billhook Island. 46 34 38.3 63 42 51.6	F W	9.8	18	Square skeleton tower, white daymark, red vertical stripe. 8.1	Visible in line of range. Operates at night only. Seasonal.	
1067		279°48' 450.8m from front.	Iso W	2s	16.8	9	White square skeleton tower, enclosed upper portion, red vertical stripe. 15.2	Visible in line of range. Operates at night only. Seasonal.	Chart:4491
1069.5	Darnley Basin Outer light buoy JU3	Basin entrance. 46 33 43.2 63 41 29.7	Q G	1s	Green spar, marked "JU3".	Seasonal.	Chart:4491
1069.65	Darnley Basin light buoy JU5	46 33 28.2 63 40 57.7	Q G	1s	Green, marked "JU5".	Seasonal.	Chart:4491
1069.7	Darnley Basin light buoy JU7	46 33 20.2 63 41 16.7	FI G	4s	Green, marked "JU7".	Seasonal.	Chart:4491
1069.8	Darnley Basin light buoy JU8	46 33 19.2 63 41 42.7	Q R	1s	Red, marked "JU8".	Seasonal.	Chart:4491
1069.9	Darnley Basin light buoy JU9	46 33 21.2 63 41 57.7	Q G	1s	Green, marked "JU9".	Seasonal.	Chart:4491
1071.1	Darnley Basin light buoy JT4	46 32 18.2 63 40 12.7	FI R	4s	Red spar, marked "JT4".	Seasonal.	Chart:4491
1071.2	Darnley Basin North	On bridge. 46 32 02.9 63 40 17.6	F W	4.5	8	Centre span of bridge.	Operates at night only. Seasonal.	Chart:4491
1071.3	Darnley Basin South	On bridge. 46 32 02.7 63 40 17.2	F W	4.5	8	Centre span of bridge.	Operates at night only. Seasonal.	Chart:4491
1071.35	Conway Inlet Fairway light buoy JS	E. of inlet. 46 39 48.2 63 51 09.7	Mo(A) W	6s	Red and white vertical stripe, marked "JS".	Seasonal.	Chart:4491
1071.41	Conway Inlet light buoy JS3	46 39 18.8 63 51 27.9	FI G	4s	Green spar, marked "JS3".	Seasonal.	Chart:4491
1071.44	Conway Inlet light buoy JS6	46 39 12.8 63 51 37.2	FI R	4s	Red spar, marked "JS6".	Seasonal.	Chart:4491
1071.5	Conway Inlet light buoy JS7	46 39 06.2 63 51 57.8	FI G	4s	Green spar, marked "JS7".	Seasonal.	Chart:4491
1071.51	Conway Inlet light buoy JS8	46 39 05.3 63 52 16.3	Q R	1s	Red spar, marked "JS8".	Seasonal.	Chart:4491
1071.6	Conway Inlet light buoy JS9	Inside harbour entrance. 46 39 16.2 63 52 35.2	Q G	1s	Green spar, marked "JS9".	Seasonal.	Chart:4491

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

1071.8	Conway Inlet light buoy JS11	46 39 30.2 63 52 52.9	FI G 4s	Green spar, marked "JS11".	Seasonal.	Chart:4491
1071.9	Conway Inlet light buoy JS13	46 39 43.1 63 53 05.5	Q G 1s	Green spar, marked "JS13".	Seasonal.	Chart:4491
1071.95	Conway Inlet light buoy JS14	46 39 38.7 63 53 25	FI R 4s	Red, marked "JS14".	Seasonal.	Chart:4491
1074	Port Hill Wharf	On SE. corner of wharf. 46 35 36.6 63 51 58.8	FI W 4s	4.5	2	Square skeleton tower. 4.3	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4491
1075.05	Cascumpeque Harbour Fairway light buoy JV	E. of harbour entrance. 46 47 44.3 63 59 38.2	Mo(A) W 6s	Red and white vertical stripes, marked "JV".	Seasonal.	Chart:4492
1075.2	Cascumpeque light buoy JV4	46 48 12.4 64 00 47	FI R 4s	Red spar, marked "JV4".	Seasonal.	Chart:4492
1075.3	Cascumpeque light buoy JV5	46 48 07.6 64 00 51.6	FI G 4s	Green, marked "JV5".	Seasonal.	Chart:4492
1075.32	Cascumpeque light buoy JV8	46 48 15.7 64 01 20.7	FI R 4s	Red spar, marked "JV8".	Seasonal.	Chart:4492
1075.33	Cascumpeque light buoy JV6	46 48 13.2 64 01 05.7	Q R 1s	Red spar, marked "JV6".	Seasonal.	Chart:4492
1075.34	Cascumpeque light buoy JV7	46 48 07.8 64 01 08.2	Q G 1s	Green spar, marked "JV7".	Seasonal.	Chart:4492
1075.4	Cascumpeque light buoy JV9	46 48 08.5 64 01 37.6	FI G 4s	Green spar, marked "JV9".	Seasonal.	Chart:4492
1075.5	Alberton Harbour light buoy JV10	46 48 12.9 64 01 55.4	Q R 1s	Red spar, marked "JV10".	Seasonal.	Chart:4492
1075.6	Alberton Harbour light buoy JV15	46 48 00.6 64 02 31.8	FI G 4s	Green spar, marked "JV15".	Seasonal.	Chart:4492
1075.7	Alberton Harbour light buoy JV12	46 47 47.2 64 03 17.8	Q R 1s	Red, marked "JV12".	Seasonal.	Chart:4492
1081	Northport range	Near outer end of railway wharf. 46 47 42.2 64 03 32.5	Iso G 1s	9.2	Square skeleton tower, white daymark, red vertical stripe. 8.2	Visible in line of range. Operates at night only. Seasonal.	
1082		244°54' 277.3m from front.	Iso G 4s	12.8	15	White square tower, red vertical stripe. 11.8	Visible in line of range. Operates at night only. Seasonal.	Chart:4492

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		

PRINCE EDWARD ISLAND

1083 <i>H1081.4</i>	Big Tignish Breakwater	46 57 01.9 63 59 28.9	Iso	R	1s	7.0	5	Cylindrical mast. 5.4	Operates at night only. Seasonal.	Chart:4023
1083.5	Big Tignish South Breakwater	46 57 01.8 63 59 33.9	Iso	G	1s	3.1	2	Cylindrical mast. 2.6	Operates at night only. Seasonal.	Chart:4023
1084.52	Tignish Inner light buoy JX5	46 57 09.3 63 59 55.1	Fl	G	4s	Green, marked "JX5".	Seasonal.	Chart:4023
1084.53	Tignish Inner light buoy JX7	46 57 12.6 63 59 58.3	Fl	G	4s	Green, marked "JX7".	Seasonal.	Chart:4023
1084.54	Tignish Inner light buoy JX9	46 57 12 64 00 09.2	Fl	G	4s	Green, marked "JX9".	Seasonal.	Chart:4023
1084.7	North Point East	On outer end of S. breakwater. 47 01 45.6 63 59 22	Fl	G	3s	6.5	4	Square skeleton tower. 5.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4023

NORTHUMBERLAND STRAIT

1085	Tidnish River Entrance light buoy XA2	Off Tidnish Head. 46 00 54.2 64 02 17.5	Fl	R	4s	Red, marked "XA2".	Seasonal.	Chart:4406
1086	Fort Monckton Point	Gaspereau River. 46 02 35.5 64 04 13.9	Fl	W	3s	9.6	7	Cylindrical tower, red and white horizontal bands, red upper portion. 7.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4406
1089	Tormentine Reefs light and bell buoy X5	E. of Indian Point. 46 06 34 63 41 04	Fl	G	4s	Green, marked "X5".	Seasonal.	Chart:4905
1090 <i>H1308</i>	Cape Tormentine Outer Wharf	On outer end of pier. 46 08 05.4 63 46 20	Iso	R	2s	12.0	5	White square tower, white daymark, red vertical stripe. 10.1	Operates at night only. Seasonal.	Chart:4905
1091.5 <i>H1316</i>	Cape Tormentine Breakwater	At NE. end of breakwater. 46 08 02.7 63 46 11.8	Fl	G	3s	5.4	Square skeleton tower. 6.7	Flash 1 s; eclipse 2 s. Radar reflector. Operates at night only. Seasonal.	Chart:4905
1094	Cape Tormentine Inner Wharf	46 08 00.5 63 46 27.7	Fl	R	3s	6.3	6	Cylindrical mast. 3.8	Operates at night only. Seasonal.	Chart:4905
1094.6	Cape Tormentine Fisherman's Wharf	On outer end of breakwater. 46 08 00.8 63 46 37.9	Fl	G	4s	4.5	4	Square skeleton tower. 3.5	Operates at night only. Seasonal.	Chart:4905
1095.1	Cape Tormentine light buoy XD4	46 08 09 63 46 11.6	Fl	R	4s	Red spar, marked "XD4".	Seasonal.	Chart: 4905

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

NORTHUMBERLAND STRAIT

1096	Cape Tormentine light buoy XD5	46 07 58 63 46 25.5	Q G	1s	Green spar, marked "XD5".	Seasonal.			Chart: 4905
1097	Botsford Breakwater	On SE. corner of breakwater. 46 10 07.2 63 56 01.1	Iso R	2s	6.0	10	Square skeleton tower. 5.3	Operates at night only. Year round.			Chart: 4406
1097.2	Little Shemogue Wharf	Outer NW. corner. 46 09 56.3 64 04 06.6	Fl W	4s	7.0	7	Square skeleton tower, red and white rectangular daymark. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.			Chart: 4406
1097.4	Little Shemogue light buoy XE2	At harbour entrance. 46 10 36.2 64 03 35.7	Q R	1s	Red, marked "XE2".	Seasonal.			Chart: 4406
1097.8	Little Shemogue light buoy XE	N. of Little Shemogue Harbour. 46 11 18.2 64 03 26.7	Mo(A) W	6s	Spar, red and white vertical stripes, marked "R-Little Shemogue XE".	Seasonal.			Chart: 4406
1099.5	Little Cape Outer Breakwater	46 11 55.3 64 09 42.7	Fl R	4s	7.2	4	Square skeleton tower. 3.7	Operates at night only. Seasonal.			Chart: 4905
1100	Little Cape Breakwater	On SE. corner of breakwater. 46 11 56.9 64 09 45.3	Fl R	5s	10.6	10	Square skeleton tower. 10.0	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.			Chart: 4905
1100.5	Bas-Cap-Pelé Wharf	On end of wharf. 46 14 09 64 15 39	Fl R	3s	6.1	4	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.			Chart: 4905
1101	Bas-Cap-Pelé Approach	S. of breakwater, on shore. 46 14 04.3 64 15 49.6	Fl Y	5s	12.6	15	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 0.2 s; eclipse 4.8 s. Seasonal.			Chart: 4905
1102	Cape Bald	NW. corner of E. breakwater. 46 13 53.6 64 17 55.7	Fl G	3s	9.5	13	Square skeleton tower. 8.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round.			Chart: 4905
1102.3	Robichaud light buoy XK2	46 13 45 64 22 36	Fl R	4s	Red spar, marked "XK2".	Seasonal.			Chart: 4905
1102.5	Robichaud light buoy XK6	N. of Robichaud wharf. 46 13 45 64 22 46	Q R	1s	Red, marked "XK6".	Seasonal.			Chart: 4905
1103 H1326	Robichaud Wharf	On N.W. corner of wharf. 46 13 29.6 64 23 02.8	Fl W	3s	6.0	6	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.			Chart: 4905
1105	Shediac light and bell buoy XN	On E. side of channel. 46 16 54 64 30 05.5	Mo(A) W	6s	Red and white vertical stripes, marked "XN".	Seasonal.			Chart: 4909

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NORTHUMBERLAND STRAIT

1106	Shediac light buoy XN12	46 15 29 64 30 29	Q R	1s	Red spar, marked "XN12".	Seasonal.	Chart:4909
1107 H1328	Pointe-du-Chêne range	On northernmost part of point. 46 14 26.6 64 30 42.1	F R	7.9	11	White square tower, red upper portion, red vertical stripe. 8.2	Visible in line of range. Seasonal.	
1108 H1328.1		189°45' 148.4m from front.	F R	13.6	11	White square tower, red upper portion, red vertical stripe. 11.9	Seasonal.	Chart:4909
1109	Shediac light buoy XN18	On N. side of turn in channel. 46 15 23.5 64 31 27	Q R	1s	Red spar, marked "XN18".	Seasonal.	Chart:4909
1109.2	Shediac Harbour light buoy XN19	46 15 17 64 31 28.5	Q G	1s	Green spar, marked "XN19".	Seasonal.	Chart:4909
1109.4	Shediac Harbour light buoy XN20	46 15 10.5 64 31 41.5	Fl R	4s	Red spar, marked "XN20".	Seasonal.	Chart:4909
1109.6	Shediac Harbour light buoy XN21	46 15 03.5 64 31 32	Fl G	4s	Green spar, marked "XN21".	Seasonal.	Chart:4909
1109.8	Shediac Harbour light buoy XN22	46 14 54.5 64 31 42	Fl R	4s	Red spar, marked "XN22".	Seasonal.	Chart:4909
1110 H1332	Shediac Harbour range	On W. end of pier, NW. of Pointe du Chêne. 46 14 30 64 31 48.4	Iso Y	1s	6.1	21	Square skeleton tower, white daymark, red vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal.	
1111 H1332.1		194°40' 125.1m from front.	Iso Y	4s	12.4	22	White square tower, red upper portion, red vertical stripe. 14.4	Visible in line of range. Operates at night only. Seasonal.	Chart:4909
1111.1	Pointe-du-Chêne	On outer end of breakwater. 46 14 29.2 64 31 40.4	Fl R	4s	6.0	4	Square skeleton tower. 3.5	Operates at night only. Seasonal.	Chart:4909
1111.2	Shediac Bay light buoy XN34	46 14 21.5 64 32 24	Fl R	4s	Red spar, marked "XN34".	Seasonal.	Chart:4909
1111.41	Shediac Bay light buoy XN37	46 14 03 64 32 41.5	Fl G	4s	Green spar, marked "XN37".	Seasonal.	Chart:4909
1111.45	Shediac Bay light buoy XN41	46 13 50 64 32 44.5	Fl G	4s	Green spar, marked "XN41".	Seasonal.	Chart:4909
1111.46	Shediac Bay light buoy XN42	46 13 51 64 32 46	Fl R	4s	Red spar, marked "XN42".	Seasonal.	Chart:4909
1111.48	Shediac Bay light buoy XN46	46 13 41.6 64 32 53.6	Q R	1s	Red spar, marked "XN46".	Seasonal.	Chart:4909

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

NORTHUMBERLAND STRAIT

1111.5	Shediac Bay Yacht Club Breakwater	46 13 41.2 64 32 49.5	FI G	4s 5.3	4	Square skeleton tower. 3.7	Operates at night only. Year round.	Chart:4909
1112	Cap-de-Caissie Breakwater	On outer end of N. breakwater. 46 18 46 64 30 34.8	FI R	4s 5.9	4	Square skeleton tower. 4.9	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4909
1113 H1350	Caissie Point	On point. 46 19 11.4 64 30 45.5	FI(2) Y	12s 13.9	11	White square tower, red upper portion. 13.6	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round.	Chart:4909
1114	Cap-de-Cocagne Wharf	On SW. corner of wharf extension. 46 21 16.6 64 34 31.9	FI W	3s 6.1	6	Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4909
1114.2	Cocagne light buoy XT4	46 22 24.5 64 34 10	FI R	4s	Red, marked "XT4".	Seasonal.	Chart:4909
1114.5	Cocagne Bay light buoy XT18	46 20 23 64 36 42	FI R	4s	Red, marked "XT18".	Seasonal.	Chart:4909
1114.8	Cocagne light buoy XT22	46 19 52.3 64 37 17	Q R	1s	Red spar, marked "XT22".	Seasonal.	Chart:4909
1115	Cook Point (Pacquet Point) light buoy XT2	Off point. 46 23 30.5 64 33 09	FI R	4s	Red, marked "XT2".	Seasonal.	Chart:4909
1116	Cocagne range	On S. side of Cocagne River mouth. 46 20 06.8 64 36 53.7	F Y	7.8	13 White square tower, red upper portion, red vertical stripe. 7.7	Visible in line of range. Seasonal.	
1117		219°37' 245m from front.	F Y	17.7	13 Square skeleton tower, white daymark, red vertical stripe. 13.0	Visible in line of range. Seasonal.	Chart:4909
1118.5	Cocagne Bar	On SE. corner of wharf. 46 24 28.3 64 36 55.3	FI R	3s 5.7	4	Square skeleton tower. 5.1	Flash 1 s; eclipse 2s. Operates at night only. Seasonal.	Chart:4909
1119	The Bluff light buoy XU2	46 25 06 64 34 58	Q R	1s	Red, marked "XU2".	Seasonal.	Chart:4909
1119.5	St. Thomas-de-Kent	On NW. corner of wharf. 46 26 51.5 64 38 12.5	FI G	4s 5.1	5	Square skeleton tower. 3.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4909
1119.55	Buctouche Harbour light buoy XV2	46 27 03 64 35 45	FI R	4s	Red, marked "XV2".	Seasonal.	Chart:4909

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

NORTHUMBERLAND STRAIT

1119.7	Buctouche Harbour light buoy XV9	46 27 21.2 64 38 11.8	Q G	1s	Green, marked "XV9".	Seasonal.	Chart:4909
1120	Dixon Point	46 27 23.5 64 39 02.6	Fl W	5s	10.4	White square tower, red upper portion. 8.3	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4909
1122 H1362	Buctouche Bar	On S. extremity of bar. 46 27 40.1 64 36 46.2	Fl W	4s	11.0	7	White square tower. 11.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4909
1124	Pointe à Jérôme range	W. of point, Buctouche Harbour. 46 29 11.7 64 40 45.5	F W	5.8	White square tower, red upper portion, red vertical stripe. 6.3	Visible in line of range. Seasonal.	
1125		317°41' 381.8m from front.	F W	17.7	White skeleton tower, enclosed upper portion, red vertical stripe. 13.6	Visible in line of range. Seasonal.	Chart:4909
1125.5	Buctouche Bar light and bell buoy X17	NE. of shoal area. 46 31 36 64 32 54	Fl G	4s	Green, marked "X17".	Seasonal.	Chart:4905
1126	Saint-Edouard-de-Kent	On SW. corner of pierhead. 46 32 25.6 64 41 53.2	Fl R	5s	5.3	15	Cylindrical mast. 4.5	Flash 0.2 s; eclipse 4.8 s. Seasonal.	Chart:4905
1127	Chockpish Breakwater	On N. breakwater. 46 34 59 64 43 07.4	Fl R	4s	5.7	4	Cylindrical mast. 3.2	Operates at night only. Seasonal.	Chart:4905
1127.5	Chockpish range	On shoreline. 46 34 58.7 64 43 21.5	F Y	5.0	13	Square skeleton tower. 3.6	Seasonal.	
1127.6		271°02' 109.5m from front.	F Y	6.6	13	Square skeleton tower. 6.7	Visible in line of range. Seasonal.	Chart:4905
1128 H1376	Richibucto Head	On headland. 46 40 11.3 64 42 42	Fl W	5s	18.1	14	White square tower, red upper portion. 10.5	Flash 0.5 s; eclipse 4.5 s. Year round.	Chart:4909
1129	Richibucto Cape Breakwater	46 40 23.9 64 42 38.1	Fl R	4s	4.3	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4909
1131	Richibucto light and bell buoy Q	E. of Richibucto Beach. 46 43 30.2 64 44 27.7	Mo(A) W	6s	Red and white vertical stripes, marked "Q".	Seasonal.	Chart:4906
1132	Richibucto Gully Entrance light buoy Q3	46 42 31.1 64 44 40.5	Q G	1s	Green, marked "Q3".	Seasonal.	Chart:4909
1133.5	Richibucto Gully Outer light buoy Q7	46 42 27.5 64 45 10.5	Q G	1s	Green, marked "Q7".	Seasonal.	Chart:4909

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NORTHUMBERLAND STRAIT

1133.6	<i>Richibucto Gully Outer light buoy Q10</i>	<i>N. side of channel.</i> 46 42 31 64 45 29.5		Q R	1s	<i>Red, marked "Q10".</i>	<i>Seasonal.</i>	Chart:4909
1134	<i>Richibucto Gully Inner light buoy Q11</i>	46 42 34 64 45 47		Q G	1s	<i>Green, marked "Q11".</i>	<i>Seasonal.</i>	Chart:4909
1135	<i>Richibucto Gully Channel light buoy Q18</i>	46 42 47.5 64 46 37		Fl R	4s	<i>Red, marked "Q18".</i>	<i>Seasonal.</i>	Chart:4909
1136	<i>North Richibucto Beach Breakwater light buoy Q22</i>	46 42 45 64 47 13		Q R	1s	<i>Red, marked "Q22".</i>	<i>Seasonal.</i>	Chart:4909
Richibucto Harbour										
1142	<i>North Richibucto Beach Inner range</i>	On shore behind breakwater. 46 42 57 64 47 59		Iso W	1s	8.1	6	Square skeleton tower, white daymark, red vertical stripe. 6.7	Operates at night only. <i>Seasonal.</i>	
1143		045°48' 238.6 m from front.		Iso W	4s	13.7	6	Square skeleton tower, white daymark, red vertical stripe. 9.9	Operates at night only. <i>Seasonal.</i>	Chart:4909
1144	<i>North Richibucto Beach light buoy Q25</i>	<i>S. of S. end of North Richibucto Beach.</i> 46 42 51 64 47 46		Q G	1s	<i>Green, marked "Q25".</i>	<i>Seasonal.</i>	Chart:4909
1144.5	<i>Richibucto Harbour light buoy Q28</i>	46 42 33 64 48 41.5		Fl R	4s	<i>Red, marked "Q28".</i>	<i>Seasonal.</i>	Chart:4909
1145	<i>South Richibucto Beach Inner range</i>	On W. end of South Richibucto Beach. 46 42 29.5 64 48 02		Iso R	1s	7.7	12	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. <i>Seasonal.</i>	
1146		065°44' 296.2 m from front.		Iso R	4s	11.3	15	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. <i>Seasonal.</i>	Chart:4909
1147	<i>Richibucto Harbour Outer light buoy Q32</i>	46 42 11.5 64 49 14		Q R	1s	<i>Red, marked "Q32".</i>	<i>Seasonal.</i>	Chart:4909
1148	<i>Richibucto Harbour light buoy QA2</i>	<i>N. of Pagan Point.</i> 46 41 52.5 64 50 16		Q R	1s	<i>Red spar, marked "QA2".</i>	<i>Seasonal.</i>	Chart:4909
1148.4	<i>Richibucto Harbour Northwest Branch light buoy QA6</i>	<i>N. of McGuires Point.</i> 46 42 05 64 51 03		Q R	1s	<i>Red spar, marked "QA6".</i>	<i>Seasonal.</i>	Chart:4909
1148.5	<i>Richibucto Harbour Northwest Branch light buoy QA7</i>	46 42 18 64 51 19		Q G	1s	<i>Green spar, marked "QA7".</i>	<i>Seasonal.</i>	Chart:4909
1149	<i>Richibucto Northwest Branch light buoy QA8</i>	46 42 20 64 51 38		Q R	1s	<i>Red, marked "QA8".</i>	<i>Seasonal.</i>	Chart:4909

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NORTHUMBERLAND STRAIT

1149.3	Pointe Lec light buoy QA11	46 43 04 64 51 58	Q G	1s	Green spar, marked "QA11".	Seasonal.	Chart:4909
1149.6	Richibucto Northwest Branch light buoy QA13	46 42 50.5 64 52 22	Q G	1s	Green spar, marked "QA13".	Seasonal.	Chart:4909
1150	Pagan Point light buoy Q38	46 41 33 64 50 37	Fl R	4s	Red, marked "Q38".	Seasonal.	Chart:4909
1151	Richibucto Town range	On E. side of Main Street, Richibucto. 46 40 48.5 64 51 45.2	F Y	15.3	13	Square skeleton tower, white daymark, red vertical stripe. 12.8	Visible in line of range. Seasonal.	
1152		227°27' 285.1m from front.	F Y	22.7	11	Square skeleton tower, white daymark, red vertical stripe. 18.9	Visible in line of range. Seasonal.	Chart:4909
1152.8	Blacklands Gully light buoy XX	46 46 24.2 64 50 15.7	Mo(A) W	6s	Spar, red and white vertical stripes, marked "XX".	Seasonal.	Chart:4906
1154	Light buoy XX4	46 46 08.9 64 50 55.5	Fl R	4s	Red, marked "XX4".	Seasonal.	Chart:N/A
1154.1	Light buoy XX13	46 47 10 64 52 30	Fl G	4s	Green, marked "XX13".	Seasonal.	Chart:N/A
1154.2	Light buoy XX19	46 47 10 64 52 35	Q G	1s	Green, marked "XX19".	Seasonal.	Chart:N/A
1154.4	Light buoy XX24	46 47 15 64 52 40	Q R	1s	Red, marked "XX24".	Seasonal.	Chart:N/A
1154.45	St. Louis River light buoy XX35	46 46 03.1 64 52 02.5	Fl G	4s	Green, marked "XX35".	Seasonal.	Chart:4906
1154.5	Light buoy XX36	46 47 15 64 52 40	Q R	1s	Red, marked "XX36".	Seasonal.	Chart:N/A
1154.6	St. Louis River light buoy XX37	46 47 15.2 64 52 37.7	Q G	1s	Green, marked "XX37".	Seasonal.	Chart:N/A
1154.8	Light buoy XX39	46 47 15 64 52 40	Q G	1s	Green, marked "XX39".	Seasonal.	Chart:N/A
1154.85	St. Louis River light buoy XX41	46 46 05.2 64 52 03.4	Fl G	4s	Green, marked "XX41".	Seasonal.	Chart:4906
1154.9	Light buoy XX42	46 47 15 64 52 40	Q R	1s	Red boat type, marked "XX42".	Seasonal.	Chart:N/A
1154.95	St. Louis River light buoy XX43	46 46 01.3 64 52 07.3	Fl G	4s	Green, marked "XX43".	Seasonal.	Chart:4906

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

NORTHUMBERLAND STRAIT

1157	<i>Kouchibouguac Gully light buoy XY2</i>	46 50 40 64 54 20	FI R	4s	Red, marked "XY2".	Seasonal.	Chart:N/A
1158.5	<i>Kouchibouguac Gully light buoy XY9</i>	46 50 00 64 54 15	FI G	4s	Green, marked "XY9".	Seasonal.	Chart:N/A
1158.6	<i>Kouchibouguac Gully light buoy XY17</i>	46 50 19 64 54 45	FI G	4s	Green, marked "XY17".	Seasonal.	Chart:N/A
1159	<i>Kouchibouguac Gully Inner light buoy XY21</i>	46 50 35 64 55 00	Q G	1s	Green boat type, marked "XY21".	Seasonal.	Chart:N/A
1159.5	Pointe-Sapin Outer Breakwater	SW. end of breakwater. 46 57 37.8 64 49 47.1	FI R	4s	7.6	4	Square skeleton tower. 6.7	Operates at night only. Seasonal.	Chart:4906
1160	Pointe-Sapin range	Near inner end of E. breakwater. 46 57 47.2 64 49 49.9	F Y	6.7	Square skeleton tower, white daymark, red vertical stripe. 5.3	Visible in line of range. Seasonal.	
1161		003°37' 70.1m from front.	F Y	11.4	12	White square tower, red upper portion, red vertical stripe. 7.3	Seasonal.	Chart:4906
1161.2	Pointe-Sapin	On end of E. breakwater. 46 57 40.6 64 49 50.1	FI R	3s	7.6	4	Square skeleton tower. 6.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4906
1161.5	<i>Sapin Ledge light buoy X25</i>	Off Sapin Ledge. 46 58 24 64 44 38	FI G	4s	Green spar, marked "X25".	Seasonal.	Chart:4906
1162	<i>Point Escuminac light and bell buoy X31</i>	NE. of Point Escuminac. 47 07 09 64 47 06	FI G	4s	Green, marked "X31".	Seasonal.	Chart:4911
1163 H1424	Point Escuminac	On point. 47 04 22.5 64 47 52.3	FI(3) W	20s	22.0	13	White hexagonal tower, red upper portion. 22.4	Flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 15 s. Obscured from 110° to 120°. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.	Chart:4911
1165.8	Escuminac Breakwater	On outer end of middle breakwater. 47 04 57.3 64 53 14.6	FI W	2.4s	8.2	13	Square skeleton tower. 6.9	Flash 0.4 s; eclipse 2 s. Year round.	Chart:4911

GULF OF ST. LAWRENCE

Miramichi Bay and River

1169.1	<i>Huckleberry Gully light buoy MN25</i>	Off McLeans Cove. 47 04 17 64 57 07	Q G	1s	Green boat type, marked "MN25".	Seasonal.	Chart:N/A
--------	------------------------------------------	-------------------------------------------	-----	----	-------	-------	---------------------------------	-----------	-----------

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1169.2	Huckleberry Gully light buoy MN28	Off McLeans Cove. 47 04 06 64 57 12	Q R	1s	Red, marked "MN28".	Seasonal.	Chart:4911
1170	Miramichi Bar light buoy M2	S. end of outer bar. 47 05 51.9 64 56 30	Q R	1s	Red spar, marked "M2".	Winter spar. Year round.	Chart:4911
1170.5 H1440	Fox Island South range	SE. end of island. 47 05 14.5 64 58 42	Iso W	1s	8.7	15	Square skeleton tower, red daymark, black vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round.	
1170.6 H1440.1		248°28' 214.6m from front.	Iso W	4s	13.6	15	Square skeleton tower, red daymark, black vertical stripe. 12.6	Visible in line of range. Operates at night only. Year round.	Chart:4911
1171	Miramichi Outer Bar light buoy M4	47 05 55 64 56 54	Q R	1s	Red spar, marked "M4".	Winter spar. Year round.	Chart:4911
1172	The Lump light buoy M5	47 06 23.2 64 57 52.8	Fl G	4s	Green spar, marked "M5".	Winter spar. Year round.	Chart:4911
1172.2	The Lump light buoy M5/5	47 06 28.7 64 58 06.4	Fl G	4s	Green spar, marked "M5/5".	Winter spar. Year round.	Chart:4911
1172.5	The Lump light buoy M6	47 06 30.9 64 58 13.4	Fl R	4s	Red spar, marked "M6".	Winter spar. Year round.	Chart:4911
1172.53	The Lump light buoy M9	47 06 36.3 64 58 26.1	Fl G	4s	Green spar, marked "M9".	Winter spar. Year round.	Chart:4911
1173	The Swashway light buoy M10	47 06 40.3 64 58 24.3	Q R	1s	Red spar, marked "M10".	Winter spar. Year round.	Chart:4911
1173.01	Swashway light buoy M12	47 06 47.9 64 58 32.2	Fl R	4s	Red spar, marked "M12".	Winter spar. Year round.	Chart:4911
1173.15 H1442	Preston Beach West range	47 04 01 64 56 31.5	Iso Y	1s	10.7	13	Triangular skeleton tower, red daymark, white vertical stripe. 9.9	Visible in line of range. Operates at night only. Year round.	
1173.16 H1442.1		153°44' 2067m from front.	Iso Y	4s	27.4	17	Triangular skeleton tower, red daymark, white vertical stripe. 12.6	Visible in line of range. Operates at night only. Year round.	Chart:4911
1173.3	Ship Channel light buoy M13	47 07 46 64 59 23.3	Q G	1s	Green spar, marked "M13".	Winter spar. Year round.	Chart:4911

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

GULF OF ST. LAWRENCE

1173.5	Miramichi Bar light buoy M14	47 07 52.1 64 59 20.8	Q R	1s	Red spar, marked "M14".	Seasonal. (In place Year round.)	Chart:4911
1173.6 H1444	Portage Island range	47 09 28.8 65 02 00	Iso W	1s	13.1	14	Square skeleton tower, red daymark, black vertical stripe. 14.5	Visible in line of range. Operates at night only. Year round.	
1173.7 H1444.1		311°46' 459m from front.	Iso W	4s	22.3	18	Triangular skeleton tower, red daymark, black vertical stripe. 20.7	Visible in line of range. Operates at night only. Year round.	Chart:4911
1173.8	Split Shoal light buoy M15	47 08 28.7 65 00 18.2	Q G	1s	Green spar, marked "M15".	Winter spar. Year round.	Chart:4911
1174	Portage Channel light buoy ME4	E. edge, Miramichi Bar. 47 09 17 64 58 14	Fl R	4s	Red spar, marked "ME4".	Seasonal.	Chart:4911
1175	Portage Channel light buoy ME8	W. edge, Miramichi Bar. 47 08 35.7 65 00 04.2	Q R	1s	Red spar, marked "ME8".	Seasonal.	Chart:4911
1176 H1446	Portage Island Channel range	N. end of Fox Island. 47 07 47.5 65 02 16.5	F W	11.6	18	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.	
1176.1 H1446.1		Racon - -. (G) X Band	242°36' 348.6m from front.	F W	19.1	18	Skeleton tower, white daymark, red vertical stripe. 19.9	Visible in line of range. The racon is operational year round. Radar reflector. Operates at night only. Year round.
1179	Miramichi Bar light buoy M17	47 08 40.9 65 01 02	Q G	1s	Green spar, marked "M17".	Winter spar. Year round.	Chart:4911
1180.5	Miramichi Bar light buoy M19	47 08 37.5 65 02 51	Q G	1s	Green spar, marked "M19".	Winter spar. Year round.	Chart:4911
1180.6 H1449	Horse Shoe Bar range	47 09 12.1 65 02 24.5	Iso Y	1s	7.0	14	Triangular skeleton tower, red daymark, white vertical stripe. 6.8	Visible in line of range. Operates at night only. Year round.	
1180.7 H1449.1		044°27' 722.2m from front.	Iso Y	4s	15.1	16	Square skeleton tower, red daymark, white vertical stripe. 14.6	Visible in line of range. Operates at night only. Year round.	Chart:4911
1181	Horse Shoe Bar light buoy M21	47 08 32 65 03 19	Fl G	4s	Green spar, marked "M21".	Winter spar. Year round.	Chart:4911

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1182	Horse Shoe Bar light buoy M22	47 08 29.1 65 03 28.9	FI	R	4s	Red spar, marked "M22".	Winter spar. Year round.	Chart:4911
1184.5	Horse Shoe Bar light buoy M24	47 07 39 65 04 42.5	Q	R	1s	Red spar, marked "M24".	Winter spar. Year round.	Chart:4911
1186	Horse Shoe Bar light buoy M26	47 07 19.8 65 05 37	Q	R	1s	Red spar, marked "M26".	Winter spar. Year round.	Chart:4911
1187 H1452	Grand Dune Outer range	47 06 48.3 65 02 35.6	Iso	W	1s	8.5	14	Pier, red daymark, black vertical stripe. 8.0	Visible in line of range. Operates at night only. Year round.	
1187.1 H1452.1		102°11' 3499.8m from front.	Iso	W	4s	32.5	17	Triangular skeleton tower, red daymark, black vertical stripe. 29.9	Visible in line of range. Operates at night only. Year round.	Chart:4911
1188	Grand Dune Flats light buoy M28	47 07 18.8 65 05 52.8	Q	R	1s	Red spar, marked "M28".	Winter spar. Year round.	Chart:4911
1189.2	Grand Dune Channel Middle light buoy M30	47 07 44.9 65 08 54.7	FI	R	4s	Red spar, marked "M30".	Winter spar. Year round.	Chart:4912
1190	French River Point light buoy MP22	47 05 20 65 01 22.6	FI	R	4s	Red, marked "MP22".	Seasonal.	Chart:4911
1191	Bay du Vin Island Sector	On S. side of island opposite Point Gardiner. 47 05 20.7 65 06 06.8	F	R W G	9.5	5	Triangular skeleton tower, red and white rectangular daymark. 6.8	Red from 284° 30' through N. to 042°; white from 042° to 044°; green from 0441° to 049°. White sector indicates preferred channel. Operates at night only. Seasonal.	Chart:4912
1192	Bay du Vin Outer light buoy MS1	47 02 57.7 65 09 09	FI	G	4s	Green, marked "MS1".	Seasonal.	Chart:4912
1193	Bay du Vin Inner light buoy MS9	47 02 52.5 65 08 33	Q	G	1s	Green, marked "MS9".	Seasonal.	Chart:4912
1194	Bay du Vin Wharf light buoy MQ2	47 03 27 65 08 19	FI	R	4s	Red, marked "MQ2".	Seasonal.	Chart:4912
1195	Grand Dune range turning light buoy M31	47 08 08.9 65 11 53	Q	G	1s	Green spar, marked "M31".	Winter spar. Year round.	Chart:4912
1195.5	Grand Dune range turning light buoy M33	47 08 03.7 65 12 19.2	Q	G	1s	Green spar, marked "M33".	Winter spar. Year round.	Chart:4912

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1196 H1472	Grand Dune Flats range	Near shore on mainland. 47 08 25.4 65 13 38.3	F	W	14.8	12	Triangular skeleton tower, red daymark, black vertical stripe. 14.1	Visible in line of range. Year round.	
1197 H1472.1		282°04' 1211.3m from front.	F	W	26.4	11	Triangular skeleton tower, red daymark, black vertical stripe. 20.9	Visible in line of range. Year round.	Chart:4912
1198	Grand Dune Flats North light buoy M34	47 07 47 65 12 48	Fl	R	4s	Red spar, marked "M34".	Winter spar. Year round.	Chart:4912
1198.3	Grand Dune Flats South light buoy M35	47 07 17.4 65 13 29	Fl	G	4s	Green spar, marked "M35".	Winter spar. Year round.	Chart:4912
1198.6	Robichaud Spit light buoy M36	47 06 52.9 65 14 12.9	Q	R	1s	Red spar, marked "M36".	Winter spar. Year round.	Chart:4912
1198.8 H1477	Moody Point range	47 06 02.1 65 19 28.5	Iso	Y	1s	10.3	14	Triangular skeleton tower, red daymark, black vertical stripe. 8.9	Visible in line of range. Operates at night only. Year round.	
1198.9 H1477.1		257°24' 1810.4m from front.	Iso	Y	4s	18.6	17	Triangular skeleton tower, red daymark, black vertical stripe. 13.9	Visible in line of range. Operates at night only. Year round.	Chart:4912
1199	The Willows light buoy M37	47 06 31 65 16 04.8	Q	G	1s	Green spar, marked "M37".	Winter spar. Year round.	Chart:4912
1200 H1478	Oak Channel range	47 04 19.9 65 19 10.5	Iso	Y	2s	8.9	14	Triangular skeleton tower, red daymark, white vertical stripe. 6.9	Visible in line of range Operates at night only. Year round.	
1201 H1478.1		223°13' 1200m from front.	Fl	Y	3s	21.1	18	Triangular skeleton tower, red daymark, white vertical stripe. 16.9	Flash 1 s; eclipse 2 s. Visible in line of range. Operates at night only. Year round.	Chart:4912
1202	Oak Channel light buoy M39	47 05 45.6 65 17 09.3	Q	G	1s	Green spar, marked "M39".	Winter spar. Year round.	Chart:4912
1202.5 H1479	Oak Point range	47 06 48.9 65 16 30	Iso	W	1s	8.5	Triangular skeleton tower, red daymark, black vertical stripe. 5.5	Visible in line of range. Operates at night only. Year round.	
1202.6 H1479.1		024°08' 1324.7m from front.	Iso	W	4s	17.1	17	Triangular skeleton tower, red daymark, black vertical stripe. 7.4	Visible in line of range. Operates at night only. Year round.	Chart:4912

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1203	Oak Channel South light buoy M40	47 05 03.1 65 17 45.5	Q R	1s	Red spar, marked "M40".	Winter spar. Year round.	Chart:4912	
1203.1	Oak Channel light buoy M44	47 04 56.7 65 18 01.2	FI R	4s	Red spar, marked "M44".	Winter spar. Year round.	Chart:4912	
1206	Sheldrake Channel East light buoy M46	47 04 44.8 65 18 51	Q R	1s	Red spar, marked "M46".	Winter spar. Year round.	Chart:4912	
1207 H1491	Grants Beach range	47 05 02.9 65 22 29.4	Iso R	1s	21.0	12	Triangular skeleton tower, red daymark, black vertical stripe. 12.9	Visible in line of range. Operates at night only. Year round.	
1208 H1491.1		278°03' 875.6m from front.	Iso R	4s	40.8	16	Triangular skeleton tower, red daymark, black vertical stripe. 23.9	Visible in line of range. Operates at night only. Year round.	Chart:4912
1208.8 H1493	St. Andrews Bank range	47 04 14.6 65 25 08	Iso Y	2s	9.2	13	Triangular skeleton tower, red daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.	
1208.9 H1493.1		247°53' 294.2m from front.	FI Y	3s	13.8	13	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Flash 1 s; eclipse 2 s. Visible in line of range. Operates at night only. Year round.	Chart:4912
1208.91	Sheldrake Channel light buoy M47	47 04 55.8 65 21 20.7	Q G	1s	Green spar, marked "M47".	Winter spar. Year round.	Chart:4912	
1209	Sheldrake Channel West light buoy M51	47 04 57.8 65 21 48	Q G	1s	Green spar, marked "M51".	Winter spar. Year round.	Chart:4912	
1209.5 H1492	Lower Newcastle range	47 04 31 65 24 35.5	Iso W	1s	12.8	14	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Operates at night only. Year round.	
1209.6 H1492.1		256°15' 467m from front.	Iso W	4s	21.9	14	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Operates at night only. Year round.	Chart:4912
1209.7 H1494	Leggett Shoal range	On N. shore of river. 47 04 42.3 65 23 56.7	Iso R	1s	14.0	Triangular skeleton tower, red daymark, black vertical stripe. 5.7	Visible in line of range. Operates at night only. Year round.	
1209.8 H1494.1		043°27' 308.8m from front.	Iso R	4s	21.4	16	Triangular skeleton tower, red daymark, black vertical stripe. 5.4	Visible in line of range. Operates at night only. Year round.	Chart:4912

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

GULF OF ST. LAWRENCE

1210	Gordon Point light buoy M53	47 04 41.4 65 23 27.6	Q G	1s	Green spar, marked "M53".	Winter spar. Year round.	Chart:4912	
1211	Leggett Shoal light buoy M55	47 04 28.1 65 24 13.2	Q G	1s	Green spar, marked "M55".	Winter spar. Year round.	Chart:4912	
1212	Leggett Shoal West light buoy M56	47 03 56.2 65 25 04.5	Q R	1s	Red spar, marked "M56".	Winter spar. Year round.	Chart:4912	
1212.5 H1496	Millbank range	47 03 21.8 65 27 34	Iso R	1s	16.1	11	Triangular skeleton tower, red daymark, black vertical stripe. 6.0	Visible in line of range. Operates at night only. Year round.	
1212.6 H1496.1		252°26' 305.6m from front.	Iso R	4s	31.1	16	Triangular skeleton tower, red daymark, black vertical stripe. 12.0	Visible in line of range. Operates at night only. Year round.	Chart:4912
1213	Millbank light buoy M57	47 03 27.4 65 27 03	Q G	1s	Green spar, marked "M57".	Winter spar. Year round.	Chart:4912	
1214	Millbank Channel West light buoy M59	47 03 16.9 65 27 27.4	Q G	1s	Green spar, marked "M59".	Winter spar. Year round.	Chart:4912	
1215	Middle Island light buoy M61	47 02 59.9 65 27 48	Q G	1s	Green spar, marked "M61".	Winter spar. Year round.	Chart:4912	
1215.2	Chatham light buoy M62	47 02 13.3 65 28 07	Q R	1s	Red spar, marked "M62".	Winter spar. Year round.	Chart:4912	
1215.5 H1505	Chatham Bridge Pier North	On bridge pier, N. side of channel. 47 01 39.5 65 28 46.5	Iso R	2s	7.9	4	Square skeleton tower. 5.2	Operates at night only. Year round.	Chart:4912
1215.6 H1505.2	Chatham Bridge Pier South	On bridge pier, S. side of channel. 47 01 35.4 65 28 41.6	Iso G	2s	7.8	4	Square skeleton tower. 5.2	Operates at night only. Year round.	Chart:4912
1216	Wright Bank light buoy M64	47 01 11.5 65 29 31.5	Q R	1s	Red spar, marked "M64".	Winter spar. Year round.	Chart:4912	
1216.5	Wright Bank light buoy M66	47 00 58 65 30 56.5	Fl R	4s	Red spar, marked "M66".	Winter spar. Year round.	Chart:4912	
1217	Wright Bank light buoy M68	47 00 53.6 65 31 46.7	Q R	1s	Red spar, marked "M68".	Winter spar. Year round.	Chart:4912	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1218 <i>H1507</i>	Newcastle range	47 00 58 65 32 46	Iso	Y	1s	12.9	13	Triangular skeleton tower, red daymark, black vertical stripe. 4.3	Visible in line of range. Operates at night only. Year round.	
1219 <i>H1507.1</i>		278°33' 49m from front.	Iso	Y	4s	16.2	13	Triangular skeleton tower, red daymark, black vertical stripe. 6.9	Visible in line of range. Operates at night only. Year round.	Chart:4912
1220	<i>Wright Bank West light buoy M69</i>	47 00 53.4 65 32 33.8	Q	G	1s	<i>Green spar, marked "M69".</i>	<i>Winter spar. Year round.</i>	Chart:4912
1222	<i>Newcastle North light buoy M71</i>	47 00 29.8 65 33 33.3	Q	G	1s	<i>Green spar, marked "M71".</i>	<i>Winter spar. Year round.</i>	Chart:4912
1223	<i>Newcastle North light buoy M73</i>	47 00 16.1 65 33 39.5	Q	G	1s	<i>Green spar, marked "M73".</i>	<i>Winter spar. Year round.</i>	Chart:4912
1224	<i>Newcastle Wharf light buoy M75</i>	47 00 03.2 65 33 28.7	Q	G	1s	<i>Green spar, marked "M75".</i>	<i>Winter spar. Year round.</i>	Chart:4912
1228	Burnt Church Wharf	On E. side of wharf. 47 11 24.9 65 08 07.3	FI	R	4s	7.0	4	Square skeleton tower. 6.6	Flash 1s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4912
1229	Neguac Wharf	Outer end of breakwater extension. 47 14 24.3 65 04 23.2	FI	R	4s	6.3	4	Cylindrical mast. 3.3	Operates at night only. Seasonal.	Chart:4911
1230.1	Lower Neguac Wharf	W. end of wharf. 47 15 22.8 65 03 15.5	FI	R	4s	5.7	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.1	Flash 1s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4911
1232	<i>Hay Island light buoy MH31</i>	<i>E. of island. 47 14 04.6 65 03 26.4</i>	Q	G	1s	<i>Green spar, marked "MH31".</i>	<i>Seasonal.</i>	Chart:4911
1233	<i>Gammon Point West Cardinal light buoy MK</i>	<i>Off point. 47 11 38.2 65 04 20</i>	Q(9)	W	15s	<i>Yellow, black and yellow spar, marked "MK".</i>	<i>Seasonal.</i>	Chart:4911
1234	<i>Lower Portage Island light buoy MJ6</i>	47 13 24 65 02 46.7	FI	R	4s	<i>Red spar, marked "MJ6".</i>	<i>Seasonal.</i>	Chart:4911
1234.4	<i>Portage Gully light buoy MJ2</i>	47 13 07.4 65 02 31.9	Q	R	1s	<i>Red spar, marked "MJ2".</i>	<i>Seasonal.</i>	Chart:4911
1235	<i>Portage Gully, North Side Channel Entrance bifurcation light buoy MJ</i>	On N. side of gully. 47 12 29.3 65 02 20.9	FI (2+1)	G	6s	<i>Green, red and green, marked "MJ".</i>	<i>Seasonal.</i>	Chart:4911

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Height in meters above ground	Remarks	
		Latitude N.	Longitude W.						Fog Signals	

GULF OF ST. LAWRENCE

1235.9	Portage Gully light buoy MH26	47 12 46.9 65 03 58.7	FI	R	4s	Red spar, marked "MH26".	Seasonal.		Chart:4911
1236	Portage Gully light buoy MH11	E. of N. point, Portage Island. 47 11 30.2 65 01 56.5	FI	G	4s	Green, marked "MH11".	Seasonal.		Chart:4911
1236.3	Portage Gully light buoy MH6	47 10 38.6 65 01 48.4	Q	R	1s	Red spar, marked "MH6".	Seasonal.		Chart:4911
1236.5	Portage Gully light buoy MH3	47 10 27.1 65 01 22.7	FI	G	4s	Green spar, marked "MH3".	Seasonal.		Chart:4911
1236.6	Portage Gully light buoy MH2	47 10 38.8 65 00 19.7	Q	R	1s	Red spar, marked "MH2".	Seasonal.		Chart:4911
1238	Tabusintac Gully light and bell buoy TA2	47 17 22 64 55 13	FI	R	4s	Red, marked "TA2".	Seasonal.		Chart:4906
1238.1	Tabusintac South Gully Approach light buoy TA4	47 17 11.8 64 56 40	FI	R	4s	Red, marked "TA4".	Seasonal.		Chart:4906
1238.2	Tabusintac South Gully Approach light buoy TA12	47 17 49.1 64 56 41.6	FI	R	4s	Red spar, marked "TA12".	Seasonal.		Chart:4906
1238.3	Tabusintac South Gully light buoy TA22	47 17 48 64 56 44	Q	R	1s	Red, marked "TA22".	Seasonal.		Chart:N/A
1238.31	Tabusintac light buoy TA22/2	47 18 28.8 64 56 35.2	FI	R	4s	Red spar, marked "TA22/2".	Seasonal.		Chart:4906
1238.32	Tabusintac light buoy TA22/4	47 18 35.1 64 56 31.7	FI	R	4s	Red spar, marked "TA22/4".	Seasonal.		Chart:4906
1238.4	Tabusintac Gully light buoy TA23	47 20 24.1 64 57 19.3	FI	G	4s	Green spar, marked "TA23".	Seasonal.		Chart:4906
1238.45	Tabusintac light buoy TA26/2	47 19 22.1 64 56 07.5	Q	R	1s	Red spar, marked "TA26/2".	Seasonal.		Chart:4906
1238.5	Tabusintac Bay light buoy TA34	47 19 48.3 64 56 04.1	FI	R	4s	Red spar, marked "TA34".	Seasonal.		Chart:4906
1238.6	Tabusintac Bay light buoy TA37	47 20 17.3 64 56 51.1	Q	G	1s	Green spar, marked "TA37".	Seasonal.		Chart:4906
1238.65	Tabusintac Bay light buoy TA39	47 20 02 64 56 17.8	FI	G	4s	Green spar, marked "TA39".	Seasonal.		Chart:4906
1238.66	Tabusintac Bay light buoy TA41	47 19 51.3 64 56 09.2	FI	G	4s	Green spar, marked "TA41".	Seasonal.		Chart:4906

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1238.67	Tabusintac Bay light buoy TA43	47 19 05.8 64 56 13.8		Q G	1s	Green spar, marked "TA43".	Seasonal.	Chart:4906
1238.7	McEacherns Point Wharf	On SE. corner of wharf. 47 20 30.2 64 58 07.7		Iso R	2s	5.5	5	Square skeleton tower. 5.3	Operates at night only. Seasonal.	Chart:4024
1238.8	South Tracadie light buoy TC	47 28 40 64 50 58		Mo(A) W	6s	Spar, red and white vertical stripes, marked "TC".	Seasonal.	Chart:4906
1238.9	South Tracadie Entrance light buoy TC6	47 28 49.5 64 51 38.2		Q R	1s	Red, marked "TC6".	Seasonal.	Chart:4906
1239	South Tracadie	On the end of South breakwater. 47 28 47.4 64 52 15.8		FI G	4s	5.8	5	Cylindrical mast. 3.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4906
1239.1	South Tracadie Entrance light buoy TC12	47 28 44.6 64 52 29.4 (approx.)		Q R	1s	Red, marked "TC12".	Seasonal.	Chart:4906
1239.2	South Tracadie light buoy TC14	47 28 40.3 64 52 31.6 (approx.)		Q R	1s	Red, marked "TC14".	Seasonal.	Chart:4906
1239.3	South Tracadie light buoy TC19	47 28 30.7 64 52 32.4		Q G	1s	Green, marked "TC19".	Seasonal.	Chart:4906
1239.4	South Tracadie light buoy TC22	47 28 20.7 64 52 35.2		Q R	1s	Red, marked "TC22".	Seasonal.	Chart:4906
1239.5	South Tracadie bifurcation light buoy TD	47 28 30 64 55 00 (approx.)		FI (2+1) R	6s	Red, green and red, marked "TD".	Seasonal.	Chart:N/A
1239.6	South Tracadie light buoy TD4	47 28 05.7 64 54 20.7		Q R	1s	Red, marked "TD4".	Seasonal.	Chart:4906
1239.65	South Tracadie light buoy TD5	47 28 10.1 64 53 39		Q G	1s	Green, marked "TD5".	Seasonal.	Chart:4906
1239.7	South Tracadie light buoy TD8	47 28 17.4 64 53 26.3		FI R	4s	Red, marked "TD8".	Seasonal.	Chart:4906
1239.8	Val Comeau Wharf	On outer end of Wharf. 47 27 55.6 64 52 57.1		FI R	4s	5.8	5	Square skeleton tower. 5.2	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4906
1240	North Tracadie Approach light buoy TE2	Approach to North Tracadie Harbour. 47 30 12 64 50 54		FI R	4s	Red spar, marked "TE2".	Seasonal.	Chart:4906
1240.5	North Tracadie Approach light buoy TE4	47 28 51.8 64 52 33.7		FI R	4s	Red, marked "TE4".	Seasonal.	Chart:4906

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1241	Tracadie North Harbour Entrance light buoy TE12	47 29 08.7 64 52 50.3	FI	R	4s	Red, marked "TE12".	Seasonal. Chart:4906
1241.2	Tracadie North Harbour light buoy TE15	47 29 25.1 64 53 02.5	Q	G	1s	Green, marked "TE15".	Seasonal. Chart:4906
1241.4	Tracadie North light buoy TE25	47 30 04.1 64 52 45.4	Q	G	1s	Green, marked "TE25".	Seasonal. Chart:4906
1241.6	Tracadie light buoy TE34	47 30 38 64 53 02.3	Q	R	1s	Red, marked "TE34".	Seasonal. Chart:4906
1241.8	Tracadie North Gully light buoy TE38	47 30 36 64 53 33.2	Q	R	1s	Red, marked "TE38".	Seasonal. Chart:4906
1242	North Harbour Gully light buoy TE46	47 30 46.8 64 54 13	Q	R	1s	Red, marked "TE46".	Seasonal. Chart:4906
1242.2	North Harbour Gully light buoy TE48	47 30 58.1 64 54 19.6	Q	R	1s	Red, marked "TE48".	Seasonal. Chart:4906
1242.4	Tracadie Gully light buoy TE49	47 31 09.5 64 54 16.5	Q	G	1s	Green, marked "TE49".	Seasonal. Chart:4906
1244.9	North Tracadie Wharf	SE. corner of wharf. 47 31 27.2 64 54 30.3	FI	G	4s	5.9	5	Square skeleton tower. 5.3	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4024
1246.5	Pokemouche Gully light buoy TH2	47 38 57.2 64 46 09.7	FI	R	4s	Red, marked "TH2".	Seasonal. Chart:4486
1246.71	Pokemouche Gully light buoy TH10	47 39 36.2 64 46 45.7	Q	R	1s	Red, marked "TH10".	Seasonal. Chart:4486
1246.72	Pokemouche Gully light buoy TH11	47 39 36.2 64 46 57.7	Q	G	1s	Green, marked "TH11".	Seasonal. Chart:4486
1246.75	Pokemouche Gully light buoy TH12	47 39 42.2 64 47 09.7	Q	R	1s	Red, marked "TH12".	Seasonal. Chart:4486
1246.76	Pokemouche Gully light buoy TH13	47 39 48.2 64 47 39.7	Q	G	1s	Green, marked "TH13".	Seasonal. Chart:4486
1246.77	Pokemouche Gully light buoy TH15	47 40 00.2 64 47 51.7	Q	G	1s	Green, marked "TH15".	Seasonal. Chart:4486
1246.8	Pokemouche Gully Wharf	On SW. corner. 47 40 14 64 48 40	FI	R	4s	5.7	4	Square skeleton tower. 4.7	Operates at night only. Seasonal. Chart:N/A
1248	Shippegan light and bell buoy TJ2	S. entrance to Shippegan Gully. 47 42 04 64 39 05	FI	R	4s	Red, marked "TJ2".	Seasonal. Chart:4913

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1248.13	Shippegan South Gully light buoy TJ6	47 42 37.4 64 39 54.3	Q	R	1s	Red, marked "TJ6".	Seasonal.		Chart:4913
1248.7	Shippegan South Gully light buoy TJ10	47 42 50.7 64 39 53.6	FI	R	4s	Red, marked "TJ10".	Seasonal.		Chart:4913
1250.5	Shippegan Gully Breakwater	Outer end of W. breakwater. 47 43 03.9 64 39 57.9	FI	W	4s	4.5	6	Cylindrical mast. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.		Chart:4920
1250.6	Shippegan Gully Inner Breakwater	47 43 22.8 64 40 06	Iso	G	2s	2.6	Cylindrical mast. 1.8	Operates at night only. Seasonal.		Chart:4913
1253.4	Shippegan Harbour light buoy TJ24	47 43 14.4 64 40 03.4	Q	R	1s	Red spar, marked "TJ24".	Winter spar. Year round.		Chart:4920
1254 H1530	Big Shippegan	On sand bar, E. side of S. entrance to Shippegan Gully. 47 43 19.7 64 39 38.2	FI	Y	5s	15.6	15	White octagonal tower, red upper portion, 16.1	Flash 0.2 s; eclipse 4.8 s. Year round.		Chart:4920
1257.5	Shippegan South Gully light buoy TJ27	47 43 23.3 64 40 02	Q	G	1s	Green boat type, marked "TJ27".	Winter spar. Seasonal.		Chart:4920
1257.6	Shippegan South Gully light buoy TJ28	47 43 25.3 64 39 58	FI	R	4s	Red, marked "TJ28".	Seasonal.		Chart:4920
1257.8	Shippegan Harbour light buoy TJ30	47 43 32.7 64 40 00	Q	R	1s	Red boat type, marked "TJ30".	Winter spar. Seasonal.		Chart:4920
1260	Shippegan Harbour light buoy TJ38	47 43 52.6 64 40 09.1	Q	R	1s	Red boat type, marked "TJ38".	Winter spar. Seasonal.		Chart:4920
1261	Shippegan Harbour light buoy TJ42	47 44 03.2 64 40 30.1	FI	R	4s	Red spar, marked "TJ42".	Winter spar. Year round.		Chart:4920
1261.5	Shippegan Harbour light buoy TJ47	47 44 09.3 64 40 56.6	FI	G	4s	Green spar, marked "TJ47".	Winter spar. Year round.		Chart:4920
1261.55	Shippegan Harbour light buoy TJ55	47 44 20.4 64 41 07.6	FI	G	4s	Green spar, marked "TJ55".	Winter spar. Year round.		Chart:4920
1261.6	Shippegan Harbour light buoy TJ60	47 44 35.1 64 41 18.5	Q	R	1s	Red spar, marked "TJ60".	Winter spar. Year round.		Chart:4920

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1262	Ste-Marie-sur-Mer Breakwater	On outer end of breakwater. 47 46 47.3 64 33 49	Fl	R	4s	7.0	4	Square skeleton tower. 3.5	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4913
1262.3	Ste-Marie-sur-Mer	47 46 52.1 64 34 05.2	LFl	W	6s	15.5	13	Square skeleton tower. 13.0	Flash 2 s; eclipse 4 s. Operates at night only. Year round.	Chart:4913
1262.5	Fox Dens Gully light buoy TK2	Off NE. tip of Shippegan Island. 47 53 12.7 64 29 30.6	Fl	R	4s	Red spar, marked "TK2".	Seasonal.	Chart:4913
1262.6	Fox Dens Gully light buoy TK3	At Gully entrance. 47 53 08.2 64 30 09.6	Fl	G	4s	Green, marked "TK3".	Seasonal.	Chart:4913
1262.7	Fox Dens Gully light buoy TK5	Inside gully entrance. 47 53 07.2 64 30 15.6	Q	G	1s	Green, marked "TK5".	Seasonal.	Chart:4913
1262.8	Fox Dens Gully	47 53 12.1 64 30 15.2	Fl	R	4s	4.5	4	Square skeleton tower. 3.1	Operates at night only. Seasonal.	Chart:4913
1262.9	Pigeon Hill Wharf	47 52 43.7 64 30 26.1	Iso	R	2s	4.0	5	Square skeleton tower. 3.6	Operates at night only. Seasonal.	Chart:4913
1263.2	Fox Dens Gully light buoy EA21	47 53 07.2 64 33 19.6	Fl	G	4s	Green, marked "EA21".	Seasonal.	Chart:4913
1264	Fox Dens Gully light buoy EA24	47 53 12.2 64 32 48.6	Fl	R	4s	Red, marked "EA24".	Seasonal.	Chart:4913
1264.1	Fox Dens Gully light buoy EA30	47 52 52 64 31 48	Fl	R	4s	Red, marked "EA30".	Seasonal.	Chart:NA
1264.2	Miscou Island Bridge Pier light buoy	47 53 17 64 34 42	Fl	G	4s	Green.	Privately maintained. Seasonal.	Chart:4913
1264.3	Miscou Island Bridge Pier light buoy	47 53 17 64 34 39.5	Fl	G	4s	Green.	Privately maintained. Seasonal.	Chart:4913
1264.4	Miscou Island Bridge Pier light buoy	47 53 11.9 64 34 41.5	Fl	R	4s	Red.	Privately maintained. Seasonal.	Chart:4913
1264.5	Miscou Island Bridge Pier light buoy	47 53 11.9 64 34 39	Fl	R	4s	Red.	Privately maintained. Seasonal.	Chart:4913

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1264.7 H1552	Miscou Island Racon -- (K) X & S Band	On Birch point. 48 00 33.7 64 29 34.7	Oc W	5s	24.5	10	White octagonal tower. 25.3	Flash 4 s; eclipse 1 s. Year round.		Chart:4486
1265	Miscou Island West Cardinal light and whistle buoy EB	N. of island. 48 01 50.2 64 32 45.7	Q(9) W	15s	Yellow, black and yellow, marked "EB".	Winter spar. Seasonal.		Chart:4486
Chaleur Bay (Baie des Chaleurs)										
1266	Miscou Flat light and bell buoy E3	NW. of Goose Lake. 47 56 54.2 64 38 21.6	FI G	4s	Green, marked "E3".	Winter spar. Seasonal.		Chart:4913
1267	Miscou Channel Entrance light buoy EA	47 55 10.2 64 40 27.6	Mo(A) W	6s	Red and white vertical stripes, marked "EA".	Seasonal.		Chart:4913
1268	Miscou Harbour range	On sandspit off Little Shippegan. 47 52 55.1 64 34 58.9	F Y	7.6	13	Square skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Seasonal.		
1269		120°09' 463.3m from front.	F Y	13.2	13	Square skeleton tower, white daymark, red vertical stripe. 12.8	Visible in line of range. Seasonal.		Chart:4913
1270	Miscou Channel light buoy EA7	N. side of channel. 47 54 20.2 64 37 48.6	FI G	4s	Green spar, marked "EA7".	Seasonal.		Chart:4913
1271	Miscou Channel light buoy EA9	N. side of channel. 47 53 45.2 64 36 57.6	FI G	4s	Green spar, marked "EA9".	Seasonal.		Chart:4913
1272	Miscou Channel light buoy EA16	47 53 15.2 64 35 46.6	Q R	1s	Red spar, marked "EA16".	Seasonal.		Chart:4913
1273	Miscou Channel light buoy EA20	47 53 12.2 64 34 21.6	Q R	1s	Red spar, marked "EA20".	Seasonal.		Chart:4913
1273.2	Harper Point Ferry Cable	47 53 24.7 64 34 37.5	F R G	11.6	Cylindrical mast.	Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round.		Chart:4913
1273.3	Little Shippegan Ferry Cable	47 53 06.3 64 34 41.8	F R G	12.4	Cylindrical mast.	Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round.		Chart:4913
1273.5 H1564.2	Shippegan Island West Wharf	On NW. corner of wharf. 47 53 00.2 64 34 32	Iso G	2s	4.2	5	Square skeleton tower. 3.7	Operates at night only. Seasonal.		Chart:4913
1274	Shippegan Island Wharf	Outer end, ferry wharf. 47 52 59.2 64 34 29.1	Iso R	2s	6.4	5	Square skeleton tower. 4.9	Operates at night only. Seasonal.		Chart:4913

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.					

GULF OF ST. LAWRENCE

1274.1 H1559	Harper Point	W. side of Miscou Harbour entrance. 47 53 38.6 64 34 39.7	Fl G	4s	3.7	4	Square skeleton tower. 3.6	Operates at night only. Seasonal.	Chart:4913
1274.2	Miscou Wharf	On outer end of wharf. 47 53 40.1 64 34 37.5	Iso R	2s	4.9	4	Square skeleton tower. 3.7	Operates at night only. Seasonal.	Chart:4913
1275 H1556	Black Point	47 53 03.8 64 37 25	Oc(2) Y	10s	17.6	12	Skeleton tower, enclosed central portion, red and white rectangular daymark. 17.7	Flash 4 s; eclipse 2 s; flash 2 s; eclipse 2 s. Year round.	Chart:4913
1276.2	Shippegan North Channel light and whistle buoy EE <i>Racon - - (G) X Band</i>	47 53 14.2 64 45 47.6	Mo(A) W	6s	Red and white vertical stripes, marked "EE".	Winter spar. Seasonal.	Chart:4913
Chaleur Bay (Baie des Chaleurs)									
1277	Pointe de Petite-Lamèque range	N. of point. 47 48 56.4 64 42 16.8	F W	8.8	12	Square skeleton tower, white daymark, red vertical stripe. 8.1	Visible in line of range. Seasonal.	
1278		151°15' 281.3m from front.	F W	16.5	12	Square skeleton tower, white daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal.	Chart:4913
1282	Shippegan Channel light buoy EG5	E. side of channel. 47 51 11.2 64 43 57.6	Fl G	4s	Green spar, marked "EG5".	Winter spar. Year round.	Chart:4913
1282.5	Shippegan Channel light buoy EG8	47 50 40.2 64 43 43.6	Q R	1s	Red spar, marked "EG8".	Winter spar. Year round.	Chart:4913
1283 H1568	Pointe à Marcelle range	On point. 47 47 11 64 44 58.2	F W	7.2	11	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible from line of range. Seasonal.	
1283.1 H1568.1		194°14' 339.1m from front.	F W	17.9	Square skeleton tower, white daymark, red vertical stripe. 17.0	Visible from line of range. Seasonal.	Chart:4913
1284	Shippegan Channel light buoy EG11	47 49 54.2 64 43 50.6	Q G	1s	Green spar, marked "EG11".	Winter spar. Year round.	Chart:4913
1285 H1573	Paint Point (Pointe à Peinture) range	On tip of land N. of point. 47 45 45.8 64 41 38.6	F Y	7.0	13	Square skeleton tower, white daymark, red vertical stripe. 6.5	Increased intensity on a bearing 158°50'. Seasonal.	
1285.1 H1573.1		158°50' 457.6m from front.	F Y	18.8	13	Square skeleton tower, white daymark, red vertical stripe. 18.3	Visible in line of range. Seasonal.	Chart:4913

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1286	Shippegan Channel light buoy EG14	47 48 53.2 64 43 27.6	Fl R	4s	Red spar, marked "EG14".	Winter spar. Year round.	Chart:4913	
1286.3 H1567.3	Pointe à Bemache range	47 45 27.9 64 43 17	F R	7.0	14	Square skeleton tower, black daymark, red vertical stripe. 6.6	Seasonal.	
1286.4 H1567.31		179°25' 170.2m from front.	F R	16.2	14	Square skeleton tower, black daymark, red vertical stripe. 15.8	Seasonal.	Chart:4913
1286.6	Shippegan Channel light buoy EG17	47 47 03.2 64 43 17.6	Fl G	4s	Green spar, marked "EG17".	Winter spar. Year round.	Chart:4913	
1286.8	Shippegan Channel light buoy EG18	47 46 48.2 64 43 36.6	Q R	1s	Red spar, marked "EG18".	Winter spar. Year round.	Chart:4913	
1287 H1567.36	Shippegan Harbour West Entrance range	On outer end of wharf. 47 44 50.2 64 42 08.3	F R	10.9	10	Square skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Seasonal.	
1288 H1567.37		154°24' 452.6m from front.	F R	16.9	10	Square skeleton tower, white daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal.	Chart:4920
1289	Shippegan Channel light buoy EG21	47 46 07.2 64 42 59.6	Fl G	4s	Green spar, marked "EG21".	Winter spar. Year round.	Chart:4913	
1290	Shippegan Channel light buoy EG24	47 45 34.2 64 42 43.6	Fl R	4s	Red spar, marked "EG24".	Winter spar. Year round.	Chart:4913	
1291	Shippegan Channel light buoy EG25	47 45 02 64 42 15.7	Fl G	4s	Green spar, marked "EG25".	Winter spar. Year round.	Chart:4920	
1291.5	Shippegan Wharf	Outer end of wharf extension. 47 44 52.2 64 42 08.1	Iso R	1s	6.4	5	Square skeleton tower. 5.1	Operates at night only, Seasonal.	Chart:4920
1292	Savoy Landing	Outer end of wharf. 47 44 56.9 64 41 29.3	Fl W	3s	5.6	7	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only, Seasonal.	Chart:4920
1293	Shippegan Sound light buoy EJ3	Off Pointe Alexandre. 47 46 44.2 64 42 16.6	Q G	1s	Green spar, marked "EJ3".	Winter spar. Year round.	Chart:4913	

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

GULF OF ST. LAWRENCE

1294	Baie de Lamèque South range	On shore, S. side of bay. 47 46 46.6 64 39 09	Iso	Y	1s	5.1	14	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.	
1295		074°14' 820.4m from front.	Iso	Y	4s	11.1	16	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. Seasonal.	
									Chart:4913	
1295.3	<i>Baie de Lamèque light buoy EJ5</i>	<i>At entrance to bay. 47 46 24.2 64 41 21.6</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "EJ5".</i>	<i>Winter spar. Year round.</i>	
									Chart:4913	
1295.4	<i>Baie de Lamèque light buoy EJ7</i>	<i>N. side of channel leading to wharf. 47 46 32.2 64 40 45.6</i>	<i>Q</i>	<i>G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "EJ7".</i>	<i>Winter spar. Year round.</i>	
									Chart:4913	
Chaleur Bay (Baie des Chaleurs)										
1296	Lamèque range	On end of wharf extension. 47 47 26 64 39 31.9	Iso	R	1s	9.4	6	Square skeleton tower, white daymark, red vertical stripe. 8.2	Visible in line of range. Operates at night only. Seasonal.	
1297		041°43' 118.6m from front.	Iso	R	4s	12.5	7	Square skeleton tower, white daymark, red vertical stripe. 11.3	Visible in line of range. Operates at night only. Seasonal.	
									Chart:4920	
1298	<i>Baie de Lamèque light buoy EJ10</i>	<i>S. side of channel leading to wharf. 47 46 43.2 64 40 20.6</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "EJ10".</i>	<i>Winter spar. Year round.</i>	
									Chart:4913	
1299	<i>Baie de Lamèque light buoy EJ11</i>	<i>N. side of channel leading to wharf. 47 47 00.2 64 40 08.6</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "EJ11".</i>	<i>Winter spar. Year round.</i>	
									Chart:4913	
1300	<i>Baie de Lamèque light buoy EJ14</i>	<i>S. side of channel leading to wharf. 47 47 15.5 64 39 44.4</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "EJ14".</i>	<i>Winter spar. Year round.</i>	
									Chart:4920	
1301	Lamèque Wharf	On SE. corner of wharf. 47 47 25.7 64 39 35.7	Iso	G	2s	7.3	4	Square skeleton tower. 5.2	Operates at night only. Seasonal.	
									Chart:4920	
1306 H1566	Pointe de Pokesudie	NE. point of island. 47 49 10.3 64 45 16	Iso	W	4s	12.5	10	Square skeleton tower, red and white rectangular daymark. 12.9	Operates at night only. Seasonal.	
									Chart:4913	
1306.2	<i>Caraquet Channel light buoy EM4</i>	<i>47 51 10.2 64 46 16.6</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "EM4".</i>	<i>Winter spar. Seasonal.</i>	
									Chart:4913	
1306.3	<i>Caraquet Channel light buoy EM2</i>	<i>47 52 03 64 45 12</i>	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "EM2".</i>	<i>Winter spar. Seasonal.</i>	
									Chart:4913	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1307	<i>Caraquet Channel light buoy EM7</i>	47 50 16.5 64 47 37.4	Fl G	4s	Green spar, marked "EM7".	Winter spar. Seasonal.	Chart:4913
Chaleur Bay (Baie des Chaleurs)									
1308	<i>Caraquet Channel light buoy EM8</i>	NW. side of channel. 47 49 56.6 64 48 08	Fl R	4s	Red spar, marked "EM8".	Winter spar. Seasonal.	Chart:4913
1308.5	<i>Caraquet Channel light buoy EM10</i>	47 49 37 64 49 00	Q R	1s	Red spar, marked "EM10".	Winter spar. Seasonal.	Chart:4913
1310 H1580	Caraquet range	NE. of Stoke Point. 47 48 30 64 50 27.8	F Y	8.1	13	White square tower, red vertical stripe. 8.2	Seasonal.	
1311 H1580.1		226°47' 1091.4m from front.	F Y	20.3	13	Square skeleton tower, white daymark, red vertical stripe. 11.3	Seasonal.	Chart:4913
1312	<i>Caraquet Harbour light buoy EM18</i>	47 48 28.4 64 52 14.3	Fl R	4s	Red spar, marked "EM18".	Winter spar. Seasonal.	Chart:4920
1313	<i>Caraquet Harbour East light buoy EM20</i>	NE. of Middle Caraquet. 47 48 25.1 64 52 39.6	Fl R	4s	Red spar, marked "EM20".	Winter spar. Seasonal.	Chart:4913
1313.2 H1581.5	Middle Caraquet range	47 48 09.7 64 53 09	F R	8.6	Square skeleton tower, red daymark, white vertical stripe. 5.1	Seasonal.	
1313.3 H1581.51		244°07' 355m from front.	F R	19.6	Square skeleton tower, red daymark, white vertical stripe. 14.2	Seasonal.	Chart:4913
1314 H1582	Middle Caraquet Wharf	On outer end of E. section of wharf. 47 48 13.4 64 52 22.4	Fl W	3s	7.3	9	Square skeleton tower. 6.7	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.	Chart:4920
1314.1 H1582.4	Middle Caraquet East Wharf	47 48 14.4 64 52 22.6	Fl G	4s	4.3	4	Square skeleton tower. 3.7	Operates at night only. Seasonal.	Chart:4920
1314.2 H1581.7	Stoke Point range	47 48 21.4 64 51 34.2	F R	8.1	14	Square skeleton tower, red daymark, white vertical stripe. 3.6	Visible in line of range. Seasonal.	
1314.3 H1581.71		093°46' 124.2m from front.	F R	12.8	14	Square skeleton tower, red daymark, white vertical stripe. 8.2	Visible in line of range. Seasonal.	Chart:4920
1317	<i>Caraquet Harbour West light buoy EM23</i>	S. of Caraquet Island. 47 48 24.7 64 53 34.6	Fl G	4s	Green spar, marked "EM23".	Winter spar. Seasonal.	Chart:4913

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1318	Caraquet Harbour light buoy EM28	SW. of Caraquet Island. 47 48 22 64 54 17	Q R	1s	Red spar, marked "EM28".	Winter spar. Seasonal.	Chart:4913
1318.2	Caraquet Harbour light buoy EM31	47 47 53.5 64 55 23.3	Q G	1s	Green boat type, marked "EM31".	Seasonal.	Chart:4920
1319	Young Wharf	On SE. corner of wharf. 47 47 48.9 64 55 31.3	Fl R	5s	7.5	15	Square skeleton tower. 7.1	Flash 0.2 s; eclipse 4.8 s. Operates at night only. Seasonal.	Chart:4920
1319.1	Young Wharf West	On NW. corner of wharf. 47 47 51.3 64 55 46.7	Iso G	2s	5.4	5	Square skeleton tower. 4.9	Operates at night only. Seasonal.	Chart:4920
1319.2	Pointe à Brideau range	47 47 46.8 64 56 13	F W	7.5	19	Square skeleton tower, white daymark, red vertical stripe. 3.6	Seasonal.	
1319.3		248°04' 374.8m from front.	F W	13.5	19	White square tower, red vertical stripe. 12.8	Seasonal.	Chart:4913
1320	Baie de Caraquet light buoy EM42	47 48 03.2 64 57 27.6	Fl R	4s	Red, marked "EM42".	Winter spar. Seasonal.	Chart:4913
1320.5	Caraquet Island light buoy EN5	47 49 27 64 55 00	Fl G	4s	Green spar, marked "EN5".	Winter spar. Seasonal.	Chart:4913
1321.5	Caraquet Harbour light buoy EN9	47 48 48 64 54 11	Q G	1s	Green spar, marked "EN9".	Winter spar. Seasonal.	Chart:4913
1322 H1588	Caraquet Island	On W. side of island. 47 49 21.2 64 54 16	Fl W	4s	22.3	9	Rectangular skeleton tower, white rectangular daymark. 20.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4913
1322.5	Maisonnette Ledge light buoy EN	E. of ledge. 47 50 42.2 64 55 15.6	Mo(A) W	6s	Red and white vertically striped spar, marked "EN".	Winter spar. Seasonal.	Chart:4913
1324 H1590	Maisonnette	On N. extremity of Maisonnette Point. 47 50 15 65 00 13	Fl W	2.4s	17.0	14	Square skeleton tower. 13.1	Flash 0.4 s; eclipse 2 s. Year round.	Chart:4913
1325	Blue Cove (Anse- Bleue) range	On outer end of wharf. 47 49 55.5 65 04 47.8	F R	6.4	10	Square skeleton tower, white daymark, red vertical stripe. 5.3	Visible in line of range. Year round.	
1325.1		195°04' 338.6m from front.	F R	13.0	10	Square skeleton tower, white daymark, red vertical stripe. 9.9	Visible in line of range. Year round.	Chart:4486

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1325.4	Blue Cove (Anse-Bleue) Breakwater	On outer end of breakwater. 47 49 55.8 65 04 50.8	FI R	4s 7.8	4	Square skeleton tower. 3.7	Operates at night only. Year round. Chart:4486
1325.5	Blue Cove (Anse-Bleue) Wharf	On end of wharf extension. 47 49 53.7 65 04 48.8	FI G	4s 6.3	3	Square skeleton tower. 5.2	Operates at night only. Seasonal. Chart:4486
1326.1	Grande-Anse East Breakwater	On outer end of E. breakwater. 47 49 07.9 65 10 35.1	FI G	4s 7.4	10	Square skeleton tower. 5.1	Seasonal Chart:4486
1327.1	Grande-Anse West Breakwater	On outer end of W. breakwater. 47 49 09.3 65 10 34.8	Q R	1s 6.8	3	Square skeleton tower, white rectangular daymark, red bands at top and bottom, red triangle in centre. 5.1	Seasonal Chart:4486
1328 H1596	Stonehaven	On hill overlooking wharf. 47 45 12.3 65 21 42.3	FI W	5s 21.4	10	Square skeleton tower. 8.5	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4486
1328.5	Stonehaven Breakwater	47 45 17.6 65 21 49.1	FI G	4s 7.0	4	Square skeleton tower. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4486
1328.8 H1597	Salmon Beach	W. of beach. 47 40 04.2 65 33 19.7	FI W	6s 16.8	14	Square skeleton tower, red and white rectangular daymark. 13.1	Flash 0.2 s; eclipse 5.8 s. Year round. Chart:4486
1330.4	Bathurst Entrance light buoy EP10	47 40 27.1 65 36 21.1	FI R	4s	Red, marked "EP10".	Seasonal. Chart:4920
1330.6	Bathurst Entrance light buoy EP25	47 39 53 65 36 44.4	FI G	4s	Green, marked "EP25".	Seasonal. Chart:4920
1330.7	Bathurst Entrance light buoy EP28	47 39 30.7 65 37 05.5	Q R	1s	Red, marked "EP28".	Seasonal. Chart:4920
1330.8	Bathurst Entrance light buoy EP29	47 39 17 65 37 12.8	Q G	1s	Green boat type, marked "EP29".	Seasonal. Chart:4920
1331 H1600	Carron Point range	On NW. extremity of point. 47 39 06.5 65 37 23.4	Iso R	1s 7.5	8	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
1332 H1600.1		208°22' 527.5m from front.	Iso R	4s 17.9	16	Square skeleton tower, white daymark, red vertical stripe. 15.8	Visible in line of range. Operates at night only. Year round. Chart:4920
1332.6	Bathurst Harbour light buoy EP38	47 38 52 65 37 59.9	Q R	1s	Red spar, marked "EP38".	Seasonal. Chart:4920

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1334.5	Bathurst Harbour bifurcation light buoy EP	47 38 01.9 65 39 06.9	Fl R (2+1)	6s	Red, green and red, marked "EP".	Seasonal.	Chart:4920
1336.8	Bathurst Harbour light buoy EP65	47 36 56 65 38 30.6	Q G	1s	Green spar, marked "EP65".	Seasonal.	Chart:4920
1339	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 65 42 27.1	Fl Y	5s	7.5	15	Square skeleton tower. 6.9	Flash 0.2 s; eclipse 4.8 s. Seasonal.	Chart:4920
1339.5	Petit-Rocher light buoy ES2	47 46 55.2 65 42 08.7	Fl R	4s	Red, marked "ES2".	Seasonal.	Chart:4920
1339.8	Pointe-Verte Breakwater	On outer end of breakwater. 47 51 43.2 65 45 39.4	Fl R	4s	7.1	4	Square skeleton tower. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4486
1340	Pointe-Verte	On NW. corner of wharf. 47 51 40.8 65 45 43.1	F R	7.4	10	Square skeleton tower. 6.9	Year round.	Chart:4486
1340.05	Pointe-Verte light buoy ET2	47 51 46.5 65 45 25	Fl R	4s	Red, marked "ET2".	Seasonal.	Chart:4486
1340.1 H1609	Belledune Point	47 54 27.1 65 49 55	Oc G	3s	11.1	10	Square skeleton tower, white rectangular daymarks. 9.9	Flash 2 s; eclipse 1 s. Year round.	Chart:4920
1340.2 H1610	Belledune Wharf	On extreme outer end of breakwater. 47 54 47 65 50 18.7	Oc R	3s	12.2	10	Square skeleton tower, red and white rectangular daymark. 8.3	Flash 2 s; eclipse 1 s. Year round.	Chart:4920
1340.3	Jacquet River Outer light buoy EU2	Off river mouth. 47 55 48.2 66 01 45.7	Fl R	4s	Red, marked "EU2".	Seasonal.	Chart:4486
1340.4	Jacquet River light buoy EU5	River entrance. 47 55 36.2 66 01 43.7	Q G	1s	Green, marked "EU5".	Seasonal.	Chart:4486
1340.5	Jacquet River Inner light buoy EU9	At harbour entrance. 47 55 26 66 01 51	Q G	1s	Green, marked "EU9".	Seasonal.	Chart:N/A
1340.6	Jacquet River Entrance	47 55 25.3 66 01 56.3	Iso R	2s	7.9	9	Square skeleton tower. 3.1	Operates at night only. Year round.	Chart:4486
1340.8	New Mills West	Outer end of wharf. 47 58 28.2 66 11 19.8	Fl G	4s	6.1	Square skeleton tower. 5.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4486
1342 H1614	Heron Island	NE. side of island. 47 59 48.9 66 08 14.5	Fl W	4s	23.6	9	Square skeleton tower. 12.8	Flash 1 s; eclipse 3 s. Radar reflector. Operates at night only. Year round.	Chart:4486

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1343 H1616	Inch Arran Point range	On the point. 48 03 39.4 66 21 03.4	Iso	W	6s	13.7	White square tower, red upper portion, red vertical stripe. 10.9	Year round.	
1343.1 H1616.1		286°45' 364.5m from front.	F	W	24.0	Square skeleton tower, white daymark, red vertical stripe. 9.9	Visible in line of range. Year round.	Chart:4426
1343.2	Dalhousie Harbour light buoy EX2	NE. of Dalhousie Island. 48 04 25.3 66 21 25.8	Q	R	1s	Red spar, marked "EX2".	Winter spar. Seasonal.	Chart:4426
1343.3	Dalhousie Harbour light buoy EX4	48 04 25.4 66 21 44.9	Fl	R	4s	Red spar, marked "EX4".	Winter spar. Year round.	Chart:4426
1343.4	Dalhousie Harbour light buoy EX6	48 04 25.5 66 21 55.9	Fl	R	4s	Red spar, marked "EX6".	Winter spar. Seasonal.	Chart:4426
1343.6 H1618	Dalhousie Wharf	Outer end of wharf. 48 04 17.8 66 21 37	Fl	G	4s	9.0	7	Square skeleton tower, red and white rectangular daymark. 6.8	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4426
1343.7 H1619	Dalhousie Harbour East range	48 04 15.2 66 21 57.3	Iso	G	1s	14.5	16	Square skeleton tower, white daymark, red vertical stripe. 12.7	Visible in line of range. Year round.	
1343.8 H1619.1		268°10' 49.4m from front.	Iso	G	4s	17.8	16	Square skeleton tower, white daymark, red vertical stripe. 15.8	Visible in line of range. Year round.	Chart:4426
1344 H1620	Dalhousie (Douglas) Island	On N. point of island. 48 04 20.2 66 21 51.5	Fl	W	5s	21.0	15	Square skeleton tower, red and white rectangular daymark, green square in centre. 19.2	Flash 0.2 s; eclipse 4.8 s. Year round.	Chart:4426
1345.4 H1620.4	Dalhousie Harbour range	On International Paper Co. wharf. 48 04 20.6 66 22 10.4	Iso	R	1s	7.1	5	Square skeleton tower, white daymark, red vertical stripe. 6.8	Visible in line of range. Operates at night only. Year round.	
1345.5 H1620.41		264°24' 614.4m from front.	Iso	R	4s	9.0	Square skeleton tower, white daymark, red vertical stripe. 8.2	Visible in line of range. Operates at night only. Year round.	Chart:4426
1345.6	Dalhousie Harbour light buoy EX7	48 04 16.2 66 23 14.9	Q	G	1s	Green spar, marked "EX7".	Seasonal.	Chart:4426

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

GULF OF ST. LAWRENCE

1351	Campbellton range	On pier beside railway wharf. 48 00 41.8 66 40 03.4	F	Y	7.2	11	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Seasonal.
1352		240°51' 373.4m from front.	F	Y	17.2	11	White octagonal tower, red vertical stripe. 16.5	Visible in line of range. Seasonal.
1352.2	Campbellton Wharf	On outer end of wharf. 48 00 47.8 66 39 53.8	Fl	G	4s	5.4	4	Square skeleton tower. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
1354	Pointe au Chêne range	On extremity of point. 48 02 25.3 66 36 35.3	F	W	17.4	Square skeleton tower, orange rectangular daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1355		045°17' 672m from front.	F	W	52.4	19	Rectangular skeleton tower, orange daymark, black vertical stripe. 22.6	Visible in line of range. Operates at night only. Year round.
Chaleur Bay (Baie des Chaleurs)									
1362	Banc Miguasha light buoy EV2	At S. extremity of spit. 48 03 24.2 66 18 57.9	Q	R	1s	Red spar, marked "EV2".	Winter spar. Year round..
1362.1	Rivière Restigouche light buoy EY1	48 04 12.2 66 21 21.9	Fl	G	4s	Green spar, marked "EY1".	Winter spar. Year round.
1364 H1640	Carleton Wharf	48 06 00.8 66 07 51.7	Iso	Y	2s	11.7	8	Square skeleton tower. 9.6	Operates at night only. Year round.
1365 H1638	Carleton	On Pointe Tracadigache. 48 05 13 66 07 29.6	Fl	R	5s	9.2	15	Red and white tower. 8.6	Flash 1 s; eclipse 4 s. Operates at night only. Privately maintained by Carleton City. Seasonal.
1366	Black Cape	On outer end of wharf. 48 08 13.4 65 50 12.7	Fl	G	4s	10.9	Square skeleton tower. 7.6	Flash 1 s; eclipse 3 s. Operates at night only. Privately maintained. Year round.
1369 H1655	Bonaventure range	Havre de Beaubassin. 48 02 09.3 65 28 56.8	Iso	R	2s	6.3	13	Square skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Year round.
1369.1 H1655.1		009°52' 141.7m from front.	Iso	R	2s	8.9	13	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Year round.

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1370	Pointe de Beaubassin light buoy AB1	48 01 52.7 65 29 02.2	FI G	4s	Green marked "AB1".	Seasonal.	Chart:4486
1373	Paspébiac light and bell buoy AP2	Off sand banks. 48 00 15.2 65 15 30.7	FI R	4s	Red, marked "AP2".	Seasonal.	Chart:4921
1373.3 H1665	Paspébiac Breakwater	On outer end of breakwater. 48 01 06.1 65 15 34.3	FI Y	6s	10.7	7	Square skeleton tower. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4921
1374 H1666	Paspébiac West	On outer end of wharf. 48 01 07.9 65 15 29.3	FI G	6s	9.9	6	Square mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4921
1376 H1674	St. Godefroi	On outer end of wharf. 48 04 23.2 65 06 52.4	FI R	6s	7.9	6	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4486
1377	St. Godefroi light buoy AG1	48 04 21.9 65 06 57.4	FI G	4s	Green, marked "AG1".	Seasonal.	Chart:4486
1378	St. Godefroi light buoy AG2	48 04 21.4 65 06 56.8	FI R	4s	Red, marked "AG2".	Seasonal.	Chart:4486
1379 H1680	Port Daniel West	On Pointe Ouest. 48 09 04.8 64 56 59.1	FI W	5s	23.1	20	White octagonal tower. 7.8	Flash 1 s; eclipse 4 s. Year round.	Chart:4921
1380	Port Daniel light buoy AD4	48 10 43.9 64 57 34	FI R	4s	Red, marked "AD4".	Seasonal.	Chart:4921
1381	Port Daniel light buoy AD2	48 10 35.2 64 57 11	FI R	4s	Red, marked "AD2".	Seasonal.	Chart:4921
1382 H1687	Anse aux Gascons range	48 11 28.6 64 51 46.7	F R	9.3	16	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Year round.	Chart:4486
1382.1 H1687.1		319°26' 70.3m from front.	F R	13.5	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Year round.	
1383 H1686	Reddish Point Breakwater	On outer end of breakwater. 48 11 23.8 64 51 38.6	FI G	6s	4.9	3	Cylindrical mast. 1.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4486
1388	Newport light and bell buoy	S. of Newport Point. 48 16 38 64 43 01.1	Mo(A) W	6s	Red and white vertical stripes, marked "Newpo".	Seasonal.	Chart:4921
1388.2	Newport-Point light buoy AN1	48 16 53.3 64 43 10.8	Q G	1s	Green, marked "AN1".	Winter spar. Year round.	Chart:4921

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1388.4	Newport light buoy AN3	48 16 58.3 64 43 13.2	Q	G	1s	Green, marked "AN3".	Winter spar. Year round.	Chart:4921
1388.5	Newport light buoy AN4	48 16 58.3 64 43 08.7	Fl	R	4s	Red, marked "AN4".	Seasonal.	Chart:4921
1389 H1700	Newport-Point	On island off extremity of point. 48 17 02.7 64 43 05.6	Fl	Y	6s	13.2	6	Square skeleton tower. 9.4	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:4921
1390 H1701	Newport-Point range	On outer end of wharf. 48 17 05.5 64 43 14.5	F	R	7.2	16	Square skeleton tower, white daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Year round.	
1391 H1701.1		341°50' 235.4m from front.	F	R	17.2	16	Square skeleton tower, white daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	Chart:4921
1392.7 H1703	Chandler East	Outer end of wharf. 48 20 28.1 64 39 29.5	Fl	W	5s	14.1	20	Square skeleton tower. 9.7	Flash 1 s; eclipse 4 s. Year round.	Chart:4921
1393 H1706	Île Dupuis	On islet. 48 20 23.7 64 40 09.6	Fl	R	6s	12.6	6	Square skeleton tower. 9.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4921
1394	Anse à l'Îlot	48 20 37.9 64 40 09	Fl	Y	4s	7.0	4	Mast. 5.0	Flash 0.4 s; eclipse 3.6 s. Operates at night only. Privately maintained by the Municipality of Chandler. Year round.	Chart:4921
1395 H1704	Chandler range	On shore. 48 20 49.5 64 40 24.6	F	W	10.2	17	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Emergency light. Year round.	
1396 H1704.1		321°08' 198.2m from front.	F	W	18.8	17	Square skeleton tower, orange daymark, black vertical stripe. 12.2	Visible in line of range. Emergency light. Year round.	Chart:4921
1397 H1710	Grande-Rivière range	On shore. 48 23 51.1 64 30 11.9	F	R	10.1	6	Square skeleton tower, orange rectangular daymark, black vertical stripe. 9.5	Visible 360°. Operates at night only. Year round.	
1398 H1710.1		319°09' 59.1m from front.	F	R	12.6	16	Square skeleton tower, orange rectangular daymark, black vertical stripe. 3.6	Visible in line of range. Operates at night only. Year round.	Chart:4921
1399	Grande-Rivière North Breakwater	48 23 34.5 64 29 40.1	Iso	G	2s	1.2	3	Seasonal.	Chart:4921

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1400	<i>Grande-Rivière light and bell buoy</i>	48 23 20.1 64 29 31.7	Mo(A) W	6s	Red and white vertical stripes, marked "Grande- Rivière".	Seasonal. Chart:4921
1401.5	Ste-Thérèse de Gaspé	On outer end of breakwater. 48 24 50.7 64 23 31.7	Iso G	2s	3	Mast.	Operates at night only. Seasonal. Chart:4921
1403 H1718	Cap d'Espoir	Near extremity. 48 25 09.3 64 19 01.7	Fl(4) W	30s	27.4	17	White octagonal tower. 11.3	Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Year round. Chart:4485
1404	<i>Anse à Beaufile light buoy AF-1</i>	48 28 14.2 64 18 04.5	Fl G	4s	Green, marked "AF-1".	Seasonal. Chart:4485
1408	<i>Récif de Percé light buoy AA1</i>	Off E. Limit of Percé Reef. 48 30 56.6 64 12 09.8	Fl G	4s	Green, marked "AA1".	Seasonal. Chart:4485
1409 H1727	Percé	On outer end of wharf. 48 31 13.5 64 12 39	Fl R	6s	8.0	6	Black square mast. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4485
1410	Mal-Bay	On the wharf. 48 37 12.1 64 12 00	Fl G	6s	9.4	5	Square mast. 7.6	Flash 1 s; eclipse 5 s. Year round. Chart:4921
1412 H1738	Île Plate	On small islet off Pointe St-Pierre. 48 37 37.2 64 09 22.7	Fl W	6s	20.6	9	Square skeleton tower, two rectangular orange daymarks. 12.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4485
1413.1	<i>L'Anse-à-Brillant light buoy BR2</i>	48 43 39.8 64 17 10.6	Q R	1s	Red, marked "BR2".	Seasonal. Chart:4485
1414 H1740	L'Anse-à-Brillant range	48 43 13.7 64 17 24.4	F G	7.9	16	Square skeleton tower, orange daymark, black vertical stripe. 5.1	Visible in line of range. Operates at night only. Year round.
1415 H1740.1		205°10' 31m from front.	F G	9.7	16	Square skeleton tower, orange daymark, black vertical stripe. 8.2	Visible in line of range. Operates at night only. Year round. Chart:4485
Gaspé Basin								
1417.4 H1752.2	Marina de Gaspé Breakwater	On N. breakwater. 48 49 40.5 64 28 26.5	Iso Y	2s	7.0	5	Red and white square skeleton tower. 4.9	Operates at night only. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal. Chart:4416

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks — Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1417.5 H1752.4	Marina de Gaspé entrance	On S. breakwater. 48 49 39.3 64 28 28.7	Fl	G	6s	7.0	5	Red and white square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal.	Chart:4416
1417.8	Gaspé Bridge	48 49 43.7 64 28 48.8	F F F	2W 2R 2G	6.7 6.1 5.7	Privately maintained by Transports Québec. Year round.	Chart:4416
1419.6 H1754	Presqu'île de Penouille range	48 51 07.3 64 25 27.4	F	W	7.1	17	Square skeleton tower, orange daymark, black vertical stripe. 5.3	Visible in line of range. Emergency light. Year round.	
1419.7 H1754.1		Racon --. (G) X & S Band	307°25' 229.3m from front.	F	W	17.9	17	Square skeleton tower, orange daymark, black vertical stripe. 16.0	Visible in line of range. Emergency light. Year round.
1419.8	Bassin de Gaspé light buoy HD9	48 50 37.6 64 24 45.1	Fl	G	4s	Green, marked "HD9".	Winter spar. Year round.	Chart:4416
1420	Penouille light buoy HD8	N. side of channel. 48 50 46.2 64 24 26.1	Fl	R	4s	Red, marked "HD8".	Seasonal.	Chart:4416
1420.5 H1756	Gros Cap aux Os	48 49 29.9 64 18 58.9	Fl	R	5s	27.2	18	Square skeleton tower. 15.2	Flash 1 s; eclipse 4 s. Year round.	Chart:4485
1421	Grande-Grève	48 47 33.3 64 13 36.4	Iso	R	2s	8.0	4	Square mast. 6.3	Operates at night only. Year round.	Chart:4485
1426 H1762	Cap Gaspé	Close to S. face. 48 45 04 64 09 45.5	Fl	W	5s	106.9	12	White octagonal tower. 12.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4485

SAINT-PIERRE AND MIQUELON

Nfld Light 80 H332	Tête de Galantry (Fr.)	46 45 56 56 09 17	Fl(2)	W	10s	48.3	22	White triangular tower, red upper portion. 18.0	Flash 0.1 s; eclipse 2.4 s; flash 0.1 s; eclipse 7.4 s. Year round.	Chart:4643
Nfld Light 83 H345	Le Barchois - Terre-Plein Sud - North End (Fr.)	46 46 44 56 10 09	Fl(3)	G	12s	8.4	6	White tower, green upper portion. 6.4	Year round.	Chart:4643

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

SAINT-PIERRE AND MIQUELON

Nfld Light 85	Port de Saint-Pierre light buoy 3 SPM (Fr.)	Off Pointe aux Canons. 46 46 51 56 09 57.5	Q	R	1s	Red, marked "3 SPM".	Year round.		Chart:4643
Nfld Light 85.2 H341.2	South Pier Head of Offshore Dike (Fr.)	On S. end of breakwater. 46 46 54.5 56 09 49	Fl	G	4s	6.0	5	White cylindrical tower, green upper portion. 6.1	Flash 1 s; eclipse 3 s. Visible 038° 30' through E. and S. to 190°. Year round.		Chart:4643
Nfld Light 85.4 H341	North Pier Head of Offshore Dike (Fr.)	On N. end of breakwater. 46 47 07 56 09 47	Oc(2)	G	4s	7.2	6	White cylindrical tower, green upper portion. 6.1	Year round.		Chart:4643
Nfld Light 85.5	Île au Massacre light buoy 2 SPM (Fr.)	46 47 09 56 09 43.5	Q	G	1s	Green, marked "2 SPM".	Year round.		Chart:4643
Nfld Light 86 H342	Feu du Commerce Anse à Rodrigue Breakwater (Fr.)	S. side of breakwater. 46 47 10.5 56 09 50	Oc	R	4s	7.4	6	White tower, red upper portion. 6.1	Flash 3 s; eclipse 1 s. Year round.		Chart:4643
Nfld Light 87 H338	Rocher Petit Saint-Pierre Sector (Fr.)	46 47 55 56 08 57	Fl	W	2s	10.1	9	White tower, red horizontal band. 11.8	Flash 0.4 s; eclipse 1.6 s. White from 189° through W. and N. to 059°; red from 059° through E. and S. to 189°. Year round.		Chart:4643
Nfld Light 88	Basse de Savoyard - SPM West Cardinal light and whistle buoy (Fr.)	46 45 26.5 56 15 18	Q(9)	W	15s	Yellow, black and yellow, marked "Savoyard-SPM".	Year round.		Chart:4643
Nfld Light 89	Basse de la Marne - SPM South Cardinal light and whistle buoy (Fr.)	46 43 53 56 13 24	Q(6) +LFI	W	15s	Yellow and black, marked "La Marne-SPM".	Year round.		Chart:4643
Nfld Light 90 H330	Pointe Plate Sector (Fr.)	46 49 21 56 24 09	Fl	W	4s	48.0	12	White tower, red upper portion.	White from 163° to 155°; red from 155° to 163° over Veaux Marins. Year round.		Chart:4626
Nfld Light 93 H328	Cap Blanc Sector (Fr.)	47 06 18 56 23 57	Fl(3)	W	15s	32.0	22	White cylindrical tower, red upper portion. 19.1	Flash 0.6 s; eclipse 2.4 s; flash 0.6 s; eclipse 2.4 s; flash 0.6 s; eclipse 8.4 s. Red from 036° to 055° over Veaux Marins; white elsewhere except when not obscured by land. Year round.		Chart:4626
Nfld Light 94 H329	Miquelon Wharf Sector (Fr.)	On wharf extension. 47 06 12 56 22 36	Fl	R	2.5s	10.0	9	White tower	Flash every 2.5 s. Visible over an arc of 240° except where obscured by land; green from 345° to 225°; white from 225° to 251°; red from 251° to 283° and obscured from 283° to 345°. Year round.		Chart:4626

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

SAINT-PIERRE AND MIQUELON

Nfld Light 96	Rochers de l'Est - SPM East Cardinal light and whistle buoy (Fr.)	47 03 21 56 11 42	Q(3)	W	10s	Black, yellow and black, marked "Les Rochers - SPM".	Year round. Chart:4625
Nfld Light 98	Passe du Nord-Est - SPM light and whistle buoy (Fr.)	46 48 20 56 07 40.5	Iso	W	1s	Red and white vertical stripes, marked "Nord-Est - SPM".	Year round. Chart:4643
Nfld Light 99	Grande Basse - SPM East Cardinal light and whistle buoy (Fr.)	46 47 13 56 06 10	Q(3)	W	10s	Black, yellow and black, marked "Grande Basse - SPM".	Year round. Chart:4643

NEWFOUNDLAND

Strait of Belle Isle

Nfld Light 232 H96	Belle Isle, North End	On Northeast Point. 52 00 49.1 55 16 49.3	FI	W	10s	39.1	17	White cylindrical tower, red upper portion. 17.4	Flash 0.2 s; eclipse 9.8 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 061°. Chart:4020
Nfld Light 233 H102	Belle Isle, South End (Upper)	Summit of extreme S. point of island. 51 52 48.1 55 22 54.4	FI	W	20s	137.1	18	White cylindrical tower, red upper portion. 18.7	Flash 1 s; eclipse 19 s. Visible from 240° through W., N. and E. to 110°30'. Seasonal. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 165°. Chart:4020
Nfld Light 234 H104	Belle Isle, South End (Lower)	SW. from main light. 51 52 38 55 23 03	FI	W	20s	49.7	18	Red cylindrical structure. 7.0	Flash 1 s; eclipse 19 s. Seasonal. Chart:4020
Nfld Light 225 H132	Cape Bauld	N. point of Quirpon Island. 51 38 24 55 25 40	FI	W	15s	53.9	17	Red hexagonal tower. 14.6	Flash 0.5 s; eclipse 14.5 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 009°. Chart:4512
Nfld Light 223 H140	Cape Norman	On the cliff, W. of cape. 51 38 04 55 54 37.5	FI(3)	W	30s	38.7	21	White octagonal tower. 15.2	Flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 17.5 s. Year round. Horns(2) - Blast 3 s; sil. 27 s. Horns point 325° to 045°. Chart:4509
Nfld Light 227 H114	Amour Point	SE. side of Forteau Bay. 51 27 37.7 56 51 29.3	Oc	W	20s	46.3	24	White cylindrical tower, black horizontal band. 33.3	Flash 16 s; eclipse 4 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 156°. Chart:4670

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NEWFOUNDLAND

Nfld Light 222 H142	Nameless Point	NW. coast. 51 18 44.5 56 44 30	Fl W	10s	15.9	15 Skeleton tower. 12.2	Flash 1 s; eclipse 9 s. Seasonal. Chart:4667
Nfld Light 220 H148	New Férolle Peninsula	NE., of Férolle Point. 51 01 22.1 57 05 44.5	Fl(4) W	7.5s	27.7	20 White octagonal tower, red upper portion. 19.2	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 4.25 s. Seasonal. Horn - Blast 4 s; sil. 56 s. Horn points 314°30'. Chart:4665
Nfld Light 211 H154	Pointe Riche	On W. coast. 50 41 54.6 57 24 36.8	Fl W	5s	29.3	15 Red and white octagonal tower. 19.8	Flash 0.5 s; eclipse 4.5 s. Seasonal. Chart:4679
Nfld Light 196 H194	Little Port Head	N. end of head. 49 06 31 58 25 44	Fl W	6s	67.4	5 Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 5 s. Seasonal. Chart:4653
Nfld Light 184 H202	Red Island	Off Cape St. George. 48 33 52 59 13 45	Fl W	3s	65.0	7 Skeleton tower, white daymark. 6.6	Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4021
Nfld Light 175 H218	Cape Anguille	N. of Shoal Point. 47 54 02 59 24 40.5	Fl W	5s	24.7	15 Red and white octagonal tower. 17.8	Flash 0.1 s; eclipse 4.9 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 289°. Chart:4682
Nfld Light 173 H220	Cape Ray	On W. side of cape. 47 37 16 59 18 14.1	Fl W	15s	36.0	17 White octagonal tower, red daymark, white horizontal band. 17.7	Flash 1 s; eclipse 14 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 224°. Chart:4823
Nfld Light 160 H222	Channel Head Racon --, (C) X & S Band	On island, W. side of entrance to Port aux Basques. 47 33 57 59 07 24.6	Fl W	10s	29.0	17 White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 178°. Chart:4641
Nfld Light 144	Boar Island	E. extremity of Burgeo Islands. 47 36 25.2 57 35 12.2	Fl W	5s	63.1	15 Skeleton tower. 10.0	Flash 0.2 s; eclipse 4.8 s. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 140°12'. Chart:4625
Nfld Light 141	Northwest Head	On Northwest Island. 47 30 44.9 57 24 31.5	Fl W	3s	38.1	14 White cylindrical tower, white and red spiral bands. 7.3	Flash 0.06 s; eclipse 2.94 s Year round. Horn - Blast 3 s; sil. 27 s. Horn points 237°06'. Chart:4825

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

NEWFOUNDLAND

Nfld Light 68 H368	Dodding Head	On Burin Island, NW. of the head. 47 00 14.7 55 09 05.2	FI W	6s	97.5	6	Square skeleton tower, red and white rectangular daymark. 3.9	Flash 1 s; eclipse 5 s. Year round. Chart:4616
Nfld Light 14 H432	Cape St. Mary's	46 49 23 54 11 45.6	FI W	5s	118.9	21	White octagonal tower. 12.0	Flash every 5 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 220°. Chart:4842
Nfld Light 6 H440	Cape Pine	On the cape. 46 37 01.1 53 31 53.1	FI W	5s	95.7	16	Cylindrical tower, red and white horizontal bands. 18.4	Flash 0.5 s; eclipse 4.5 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 159°. Chart:4842
Nfld Light 1 H444	Cape Race	On the cape. 46 39 30.9 53 04 25	FI W	7.5s	51.8	27	White cylindrical tower, red upper portion. 12.2	Flash 0.25 s; eclipse 7.25 s. Year round. Horn - Blast 3 s; sil. 3 s; blast 3s; sil. 51 s. Horn points 135°. Chart:4844
Nfld Light 509	Ferryland Head	On eastern end of head. 47 01 00.4 52 51 26.7	FI W	10s	57.9	15	Red and white cylindrical tower. 10.3	Flash 0.2 s; eclipse 9.8 s. Year round. Chart:4845
Nfld Light 507 H454	Cape Spear	E. side of cape. 47 31 16.2 52 37 20.3	FI(3) W	15s	71.0	20	White hexagonal tower. 13.7	Flash 0.4 s; eclipse 2.6 s; flash 0.4 s; eclipse 2.6 s; flash 0.4 s; eclipse 8.6 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 109°. Chart:4846
Nfld Light 499 H468	Cape St. Francis	On cape. 47 48 31.4 52 47 11.7	FI W	5s	29.0	15	Structure. 3.3	Flash every 5 s. Visible from 084° through E., S. and W. to 316°. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 066°. Chart:4847
Nfld Light 472 H498	Baccalieu Island (Northeast End)	48 08 59.7 52 47 53.3	FI W	6s	176.0	7	Square skeleton tower, red and white rectangular daymark. 19.2	Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear. Year round. Chart:4853
Nfld Light 449 H536	Cape Bonavista	E. side of cape. 48 42 05.8 53 05 07.4	FI W	10s	50.3	17	Skeleton tower, red and white rectangular daymark. 12.7	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn point 355°. Chart:4854

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

NEWFOUNDLAND

Nfld Light 406 <i>H576</i>	Cabot Islands (Bonavista Bay)	On largest island. 49 10 28.1 53 22 03.3	Fl W	10s	22.6	17	Octagonal tower, red and white horizontal bands. 15.5	Flash 0.2s; eclipse 9.8 s. Seasonal. Horns(2) - Blast 4 s; sil. 56 s. Horns point 191° and 341°. Chart:4857
Nfld Light 395 <i>H586</i>	Peckford Island	SE. point of island. 49 31 49.6 53 51 04.8	Fl W	10s	15.5	17	Building, black and white vertical stripes. 6.6	Flash 0.2s; eclipse 9.8s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 112°54'. Chart:4530
Nfld Light 396	Offer Wadham Island	NE. end of island. 49 35 36.3 53 45 46.1	Fl W	3s	30.5	5	Square skeleton tower, red and white rectangular daymark. 7.1	Flash every 3 s. Seasonal. Chart:4530
Nfld Light 364	Little Fogo Islands	On N. extremity of largest island. 49 49 12.2 54 05 37.1	Fl W	4s	48.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Chart:4820
Nfld Light 363 <i>H636</i>	Bacalhao Island	S. side of island. 49 41 12.8 54 33 24.6	Fl W	10s	106.1	17	Cylindrical tower, red and white spiral bands. 10.7	Flash 0.2 s; eclipse 9.8 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 331°48'. Chart:4862
Nfld Light 326	Gull Island (Cape St. John)	On apex of island. 49 59 48.3 55 21 54.4	Fl W	10s	160.0	17	Red and white cylindrical tower, red daymark, white vertical stripes. 5.2	Flash 0.2 s; eclipse 9.8 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Omnidirectional. Chart:4821
Nfld Light 240 <i>H730</i>	Fox Point (Fishing Point)	Entrance to St. Anthony Bight. 51 21 22 55 33 18.3	Fl W	10s	26.8	17	White square tower, red horizontal bands. 9.3	Flash 0.3 s; eclipse 9.7 s. Seasonal. Horn - Blast 4 s; sil. 56 s. Horn points 115°18'. Chart:4514

GULF OF ST. LAWRENCE

1476 <i>H878</i>	St. Paul Island North Point	On rock off point. 47 13 35.1 60 08 23.5	Fl W	12s	39.8	12	White octagonal tower. 13.2	Flash 2 s; eclipse 10 s. Obscured from 351° through N. to 041°. Emergency light. Operates at night only. Year round. Chart:4450
1477 <i>H876</i>	St. Paul Island South Point	On point. 47 11 02.1 60 09 41.5	Fl W	4s	46.7	7	White cylindrical tower, red upper portion. 7.4	Obscured from 132° through S. to 250°. Operates at night only. Year round. Chart:4450

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

Magdalen Islands (Îles-de-la-Madeleine)

1478 H882	Rocher aux Oiseaux	On summit of Rocher aux Oiseaux. 47 50 18.8 61 08 40.7	LFI W	8s	49.0	9	Square skeleton tower. 10.7	Flash 2 s; eclipse 6 s. Operates at night only. Year round.	Chart:4950
1479 H886	Île Brion	Near extreme W. point of island. 47 46 54.3 61 30 30.7	FI W	3s	40.0	9	White octagonal tower. 13.6	Flash 1 s; eclipse 2 s. Visible 360°. Operates at night only. Year round.	Chart:4950
1480	Pointe de l'Est East Cardinal light buoy YY	SE. of point. 47 36 45.2 61 19 39.4	Q(3) W	10s	Black, yellow and black, marked "YY".	Seasonal.	Chart:4950
	Racon - - (G) X & Y Band								Chart:4950
1480.5	Old Harry Ledge light buoy YA2	SE. of Old Harry Head. 47 33 42.2 61 27 27.4	Q R	1s	Red, marked "YA2".	Seasonal.	Chart:4950
1481	Old Harry Head light buoy Y8	S. of Old Harry Head. 47 31 06.2 61 26 45.4	FI R	4s	Red, marked "Old Harry Head Y8".	Seasonal.	Chart:4950
1481.5	Grosse Île	47 37 41.4 61 30 47.7	FI R	4s	7.2	4	Mast. 1.5	Operates at night only. Seasonal.	Chart:4950
1481.6	Grosse Île South Breakwater	47 37 39.7 61 30 48.9	FI G	4s	3	Mast.	Operates at night only. Seasonal.	Chart:4950
1482.1	Havre de la Grande Entrée light buoy YC4	47 32 11.4 61 34 32.5	Q R	1s	Red, marked "YC4".	Winter spar. Seasonal.	Chart:4954
1482.2	Havre de la Grande Entrée light buoy YC5	47 32 12.8 61 34 36.6	FI G	4s	Green, marked "YC5".	Winter spar. Year round.	Chart:4954
1482.3	Havre de la Grande Entrée light buoy YC9	47 32 44.8 61 34 14	FI G	4s	Green, marked "YC9".	Winter spar. Year round.	Chart:4954
1482.4	Havre de la Grande Entrée light buoy YC10	47 32 43.8 61 34 09.5	FI R	4s	Red, marked "YC10".	Winter spar. Year round.	Chart:4954
1482.5	Havre de la Grande Entrée light buoy YC11	47 33 06.8 61 34 03.7	FI G	4s	Green, marked "YC11".	Winter spar. Year round.	Chart:4954
1482.55	Havre de la Grande Entrée light buoy YC12	47 33 11.6 61 33 57	FI R	4s	Red, marked "YC12".	Winter spar. Year round.	Chart:4954

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1482.6	Havre de la Grande Entrée light buoy YC14	47 33 24.8 61 33 49.8	Fl R	4s	Red, marked "YC14".	Winter spar. Year round.	Chart:4954
1482.7	Havre de la Grande Entrée light buoy YC15	47 33 26.2 61 33 40.8	Q G	1s	Green, marked "YC15".	Seasonal.	Chart:4954
1483 H888	Grande Entrée range	On E. side of entrance. 47 33 22.9 61 33 44.4	F R	6.3	15 Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.	
1484 H888.1		025°57' 62.6m from front.	F R	9.8	15 Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.	Chart:4954
1485	Grande Entrée Sector	47 36 29.9 61 32 22.9	F Al RW Al GW	R W G	12.7 Square skeleton tower. 9.2	Red from 015°30' to 017°32'; Al RW from 017° 32' to 017° 50'; white from 017° 50' to 018° 10'; Al GW from 018° 10' to 018° 28'; green from 018°28' to 020°30'. Privately maintained by Les Mines Seleine. Year round.	Chart:4954
1485.5	Grosse Île Sector	47 36 53.6 61 30 29.7	F Al RW Al GW	R W G	46.0 Cylindrical skeleton tower, orange rectangular daymark, black vertical stripe. 6.0	Red from 030°14' to 033°44'; Al RW from 033° 44' to 033° 59'; white from 033° 59' to 034° 09'; Al GW from 034° 09' to 034° 24'; green from 034°24' to 035°14'. Privately operated. Year round.	Chart:4954
1485.51	Havre de la Grande Entrée light buoy CB7	47 33 37.2 61 33 48.6	Fl G	4s	Green, marked "CB7".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1485.52	Havre de la Grande Entrée light buoy CB8	47 33 45.3 61 33 34.8	Fl R	4s	Red, marked "CB8".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1485.53	Havre de la Grande Entrée light buoy CB9	47 33 47.1 61 33 38.8	Fl G	4s	Green, marked "CB9".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1485.54	Havre de la Grande Entrée light buoy CB10	47 34 12.8 61 33 07.4	Fl R	4s	Red, marked "CB10".	Privately maintained by Les Mines Seleine. Seasonal.	Chart:4954

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				-----	Height in meters above ground	

GULF OF ST. LAWRENCE

1485.55	Havre de la Grande Entrée light buoy CB11	47 34 14.6 61 33 11.4	FI	G	4s	Green, marked "CB11".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.56	Havre de la Grande Entrée light buoy CB12	47 34 37.4 61 32 42.9	FI	R	4s	Red, marked "CB12".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.57	Havre de la Grande Entrée light buoy CB13	47 34 39.2 61 32 46.9	FI	G	4s	Green, marked "CB13".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.58	Havre de la Grande Entrée light buoy CB14	47 35 01.9 61 32 18.4	FI	R	4s	Red, marked "CB14".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.59	Havre de la Grande Entrée light buoy CB15	47 35 03.7 61 32 22.4	FI	G	4s	Green, marked "CB15".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.6	Havre de la Grande Entrée light buoy CB16	47 35 25.4 61 31 55	Q	R	1s	Red, marked "CB16".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.61	Havre de la Grande Entrée light buoy CB17	47 35 26.3 61 31 59.7	Q	G	1s	Green, marked "CB17".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.62	Havre de la Grande Entrée light buoy CB18	47 35 38.5 61 31 48.1	Q	R	1s	Red, marked "CB18".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.63	Havre de la Grande Entrée light buoy CB19	47 35 37.1 61 31 56.2	Q	G	1s	Green, marked "CB19".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.64	Havre de la Grande Entrée light buoy CB20	47 35 51.1 61 31 51	Q	R	1s	Red, marked "CB20".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1485.65	Havre de la Grande Entrée light buoy CB21	47 35 47.9 61 31 58.6		Q G	1s	Green, marked "CB21".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1485.66	Havre de la Grande Entrée light buoy CB22	47 36 01.4 61 32 01.8		Q R	1s	Red, marked "CB22".	Privately maintained by Les Mines Seleine. Seasonal.	Chart:4954
1485.67	Havre de la Grande Entrée light buoy CB23	47 35 57.4 61 32 06.8		Q G	1s	Green, marked "CB23".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486	Mine Seleine range	47 36 29.5 61 34 12		F G	12.2	White cylindrical mast.	Visible in line of range. Privately maintained. Year round.	
1486.1		287°13' 201m from front.		F G	16.0	White cylindrical mast.	Visible in line of range. Privately maintained. Year round.	Chart:4954
1486.51	Havre de la Grande Entrée light buoy CB24	47 36 07.1 61 32 16.7		Q R	1s	Red, marked "CB24".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.52	Havre de la Grande Entrée light buoy CB25	47 36 04.3 61 32 19.4		Q G	1s	Green, marked "CB25".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.53	Havre de la Grande Entrée light buoy CB26	47 36 12.4 61 32 42.2		FI R	4s	Red, marked "CB26".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.54	Havre de la Grande Entrée light buoy CB27	47 36 12.8 61 33 00.1		FI G	4s	Green, marked "CB27".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.55	Havre de la Grande Entrée light buoy CB28	47 36 20.1 61 33 03.5		FI R	4s	Red, marked "CB28".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.56	Havre de la Grande Entrée light buoy CB29	47 36 24.2 61 33 17.5		FI G	4s	Green, marked "CB29".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1486.57	Havre de la Grande Entrée light buoy CB30	47 36 25.8 61 33 12.1	FI R	4s	Red, marked "CB30".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.58	Havre de la Grande Entrée light buoy CB31	47 36 26.7 61 33 28.9	FI G	4s	Green, marked "CB31".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.59	Havre de la Grande Entrée light buoy CB32	47 36 33.6 61 33 11.5	FI R	4s	Red, marked "CB32".	Privately maintained by Les Mines Seleine. Winter spar. Year round.	Chart:4954
1486.6	Havre de la Grande Entrée light buoy CB34	47 36 38.9 61 33 20.4	FI R	4s	Red, marked "CB34".	Privately maintained by Les Mines Seleine. Seasonal.	Chart:4954
1487	Récif Alright light buoy Y12	SE. of reef. 47 23 32 61 40 00	FI R	4s	Red, marked "Y12".	Seasonal.	Chart:4950
1488 H912	Cap-aux-Meules	On Hérissée Point. 47 23 05.1 61 57 33.2	FI W	6s	28.8	19	White cylindrical tower. 11.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4950
1489.1	Étang du Nord light buoy YS3	47 22 08.4 61 58 12.5	FI G	4s	Green, marked "YS3".	Seasonal.	Chart:4950
1489.2	Étang du Nord light buoy YS4	47 22 04.9 61 58 07.7	FI R	4s	Red, marked "YS4".	Seasonal.	Chart:4950
1489.3	Étang du Nord light buoy YS5	47 22 09.2 61 58 02.7	FI G	4s	Green, marked "YS5".	Seasonal.	Chart:4950
1489.5	Étang du Nord light buoy YS9	47 22 10.6 61 57 57.2	FI G	4s	Green, marked "YS9".	Seasonal.	Chart:4950
1489.6	Étang du Nord light buoy YS10	47 22 07.9 61 57 56.4	FI R	4s	Red, marked "YS10".	Seasonal.	Chart:4950
1491.1	Étang du Nord North Breakwater	On outer end. 47 22 12.3 61 57 42.1	FI G	3s	8.9	4	Square mast. 6.4	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4950
1491.2 H913.5	Étang du Nord South Breakwater	On outer end. 47 22 10.1 61 57 41.5	FI R	3s	5.7	5	Square skeleton tower. 3.5	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4950
1494	Havre-aux-Maisons Entrance light buoy YE2	Entrance to channel. 47 23 09.1 61 50 27.5	FI R	4s	Red, marked "YE2".	Seasonal.	Chart:4950

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

GULF OF ST. LAWRENCE

1494.2	Havre-aux-Maisons light buoy YE4	47 23 26.8 61 50 26.1	FI	R	4s	Red, marked "YE4".	Seasonal.		Chart:4955
1494.4	Havre-aux-Maisons light buoy YE6	47 23 37.9 61 50 17.4	FI	R	4s	Red, marked "YE6".	Seasonal.		Chart:4955
1494.6	Havre-aux-Maisons light buoy YE9	47 23 50.3 61 50 20.4	FI	G	4s	Green, marked "YE9".	Seasonal.		Chart:4955
1494.7	Havre-aux-Maisons light buoy YE8	47 23 50.3 61 50 16.1	FI	R	4s	Red, marked "YE8".	Seasonal.		Chart:4955
1494.8	Havre-aux-Maisons (porthand)	47 24 21.3 61 50 28	Iso	G	2s	5.0	5	On bridge beam.	Operates at night only. Year round.		Chart:4955
1494.81	Havre-aux-Maisons light buoy YE10	47 23 59.7 61 50 20.7	FI	R	4s	Red, marked "YE10".	Seasonal.		Chart:4955
1494.85	Havre-aux-Maisons (starboard)	47 24 21.8 61 50 26.7	Iso	R	2s	5.0	5	On bridge beam.	Operates at night only. Year round.		Chart:4955
1494.9	Havre-aux-Maisons light buoy YE11	47 23 06.5 61 50 25.3	FI	G	4s	Green, marked "YE11".	Seasonal.		Chart:4955
1494.91	Havre-aux-Maisons light buoy YE12	47 24 06.5 61 50 22.7	FI	R	4s	Red, marked "YE12".	Seasonal.		Chart:4955
1494.92	Havre-aux-Maisons light buoy YE14	47 24 14 61 50 24.3	FI	R	4s	Red, marked "YE14".	Seasonal.		Chart:4955
1495	Pointe Basse	On end of breakwater extension. 47 23 20.9 61 47 24.6	Iso	R	2s	8.0	5	Square skeleton tower. 5.2	Operates at night only. Year round.		Chart:4950
1496 H900	Cap Alright	On extremity of low point, E. of cape. 47 23 27.2 61 46 24.6	FI	W	6s	24.1	19	Red and white square tower. 8.3	Flash 1 s; eclipse 5 s. Year round.		Chart:4950
1496.4	Cap-aux-Meules light buoy YD4	47 22 35.8 61 51 06.4	FI	R	4s	Red, marked "YD4".	Seasonal.		Chart:4956
1496.5 H915	Cap-aux-Meules Breakwater	Outer end of breakwater. 47 22 32.4 61 51 06.7	FI	R	6s	10.6	5	Square mast. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.		Chart:4956

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1497 H914	Cap-aux-Meules Wharf range	Outer end of wharf. 47 22 36.8 61 51 13.2		Iso	G	1s	6.8	14	Red skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Year round.
1498 H914.1		330°13' 133.2m from front.		Iso	G	1s	12.0	14	Red square skeleton tower, orange daymark, black vertical stripe. 9.2	Visible in line of range. Operates at night only. Year round.
1498.5 H915.4	Cap-aux-Meules West Breakwater	47 22 35.1 61 51 25.3		Iso	R	2s	7.4	4	Square skeleton tower. 4.9	Operates at night only. Year round.
1499.3	Millerand Breakwater	47 12 56.4 61 59 02.8		Iso	R	1s	11.1	4	Square mast. 6.4	Operates at night only. Year round.
1499.35	Millerand West Breakwater	On outer end of W. breakwater. 47 12 59.3 61 59 04.3		Fl	G	4s	4.2	4	Mast. 1.5	Operates at night only. Seasonal.
1500 H906	Île du Havre- Aubert	S. point of island. 47 12 44.8 61 58 18.9		Fl(3)	W	20s	31.1	22	White octagonal tower. 17.1	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 2 s; flash 2 s; eclipse 10 s Visible from 262° through W., N. and E. to 100°. Year round.
1501	Havre-Aubert light buoy YK1	47 16 50.4 61 46 40.2		Fl	G	4s	Green, marked "YK1".	Seasonal.
1502.2	Cap Gridley light buoy YK5	Cape Gridley. 47 14 15.3 61 49 27.1		Q	G	1s	Green, marked "YK5".	Winter spar. Seasonal.
1503	Light buoy YK12	Cape Gridley. 47 14 11 61 49 33		Fl	R	4s	Red, marked "YK12".	Winter spar. Year round.
1504	Havre-Aubert light buoy YK22	47 13 57.5 61 49 50.1		Q	R	1s	Red, marked "YK22".	Privately maintained. Seasonal.
1505 H909	Havre-Aubert range	On shore, S. side of harbour. 47 13 43.1 61 49 59.6		Iso	G	1s	5.0	16	Red square skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Year round.
1506 H909.1		213°31' 540.6m from front.		Iso	G	4s	13.2	16	Red square skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Year round.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1506.5 H910	Havre-Aubert Sector	On outer end of wharf. 47 14 08.4 61 50 02.7	Iso R W G	2s 4.3	5	White square tower. 3.1	Red from 305° to 322°50'; white from 322°50' to 325°50'; green from 325°50' to 007° through N. White sector indicates preferred channel. Operates at night only. Privately maintained. Seasonal.	Chart:4957
1507	Sandy Hook Channel South light buoy YM1	S. entrance to channel. 47 15 16.6 61 42 55.4	FI G	4s	Green, marked "YM1".	Seasonal.	Chart:4950
1507.5	Sandy Hook Channel light buoy YM7	E. of Sandy Hook. 47 16 06.3 61 43 32.4	FI G	4s	Green, marked "YM7".	Seasonal.	Chart:4950
1507.6	Sandy Hook light buoy YM4	47 15 43.2 61 43 00	FI R	4s	Red, marked "YM4".	Seasonal.	Chart:4950
1507.7	Sandy Hook Channel light buoy YM9	47 16 30.7 61 44 00.2	FI G	4s	Green, marked "YM9".	Seasonal.	Chart:4950
1508	Sandy Hook Channel light buoy YM12	N. entrance to channel. 47 16 42.2 61 43 57.4	FI R	4s	Red, marked "YM12".	Winter spar. Seasonal.	Chart:4950
1508.5	Sandy Hook Channel light buoy YM11	NE. of Sandy Hook. 47 17 02.3 61 44 32.5	Q G	1s	Green, marked "YM11".	Seasonal.	Chart:4950
1509 H894	Île d'Entrée	On S. side of island. 47 16 03.5 61 42 18.1	FI W	2.5s 30.9	20	White octagonal tower. 14.5	Flash 0.1 s; eclipse 2.4 s. Year round.	Chart:4950
1510.3	Île d'Entrée North Breakwater	On outer end of N. breakwater. 47 16 40 61 43 09.7	Iso G	2s 4.4	3	Mast. 1.2	Operates at night only. Seasonal.	Chart:4950
1510.6	Île d'Entrée South Breakwater	On outer end of S. breakwater. 47 16 38.2 61 43 08.9	Iso R	2s 4	3	Mast. 1.2	Operates at night only. Seasonal.	Chart:4950
1511	Île d'Entrée North side	On top of cliff, NE. end of island. 47 17 17 61 41 22.1	FI W	3s 71.5	8	Square skeleton tower. 4.6	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4950
1512	La Perte light buoy Y16	Off S. side of reef. 47 19 28.2 61 34 18.4	FI R	4s	Red, marked "Y16".	Seasonal.	Chart:4950
Anticosti (South Side)								
1514 H1864	Escarpe ment Bagot	NW. of island. 49 03 57.5 62 15 35.2	FI W	6s 17.2	7	Square skeleton tower. 15.7	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4025

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1515 H1866	Pointe du Sud-Ouest	On extremity. 49 23 28.9 63 35 43.4		Fl W	6s	20.7	8	Square skeleton tower. 15.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4430
1516	Port Menier light and bell buoy	49 46 13.5 64 20 37.3		Mo(A) W	6s	Red and white vertical stripes, marked "MENIER".	Seasonal.	Chart:4430
1517	Baie Ellis light buoy PM9	W. side of channel. 49 47 16.5 64 21 24.2		Fl G	4s	Green, marked "PM9".	Seasonal.	Chart:4430
1518	Port Menier light buoy PM11	W. side of dredged channel. 49 48 30 64 22 06		Fl G	4s	Green, marked "PM11".	Seasonal.	Chart:4430
1519 H1870	Baie Ellis Main range	NW. corner of bay. 49 49 30.2 64 22 33.6		F G	12.1	20	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.	
1520 H1870.1		339°26' 1041.5m from front.		F G	26.7	20	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.	Chart:4430
1523 H1878	Pointe de l'Ouest	On W. extremity of island. 49 51 50.4 64 31 26.1		Fl W	5s	27.5	12	Skeleton tower. 19.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4430
1524 H122	Blanc-Sablon range	Midway between Blanc-Sablon village and Pointe St. Charles. 51 25 12.8 57 07 06.2		F W	35.5	19	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	
1525 H122.1		063°16' 230.6m from front.		F W	56.8	19	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	Chart:4980
1526 H123	Blanc-Sablon Wharf	Outer end of wharf. 51 24 54.1 57 08 58.7		Fl R	6s	10.4	9	Mast. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4980
1528.5	Lourdes-de-Blanc-Sablon light and bell buoy	51 23 58.3 57 11 38.8		Mo(A) W	6s	Red and white vertical stripes, marked "SABLO".	Seasonal.	Chart:4470
1528.6	Lourdes-de-Blanc-Sablon light buoy CY9	51 24 25.6 57 11 42.7		Fl G	4s	Green, marked "CY9".	Seasonal.	Chart:4470
1528.7	Light buoy CY10	51 24 23.2 57 11 40.8		Fl R	4s	Red, marked "CY10".	Seasonal.	Chart:4470
1528.8	Brador light and bell buoy BRA	51 25 32.4 57 15 34.3		Mo(A) W	6s	Red and white vertical stripes, marked "BRA".	Seasonal.	Chart:4470

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1528.9	Île Greenly	On SW part of island. 51 22 29.4 57 11 26.7	Fl W	15s	34.7	15	Skeleton tower, orange rectangular daymark. 22.3	Flash 0.5 s; eclipse 14.5 s. Operates at night only. Seasonal. The light of Île Greenly is obscured by Île au Bois through an arc of 015°, from 064° to 079°.	Chart:4470
1529	Baie de Brador light buoy CB-2	51 27 03.8 57 15 19.4	Fl R	4s	Red, marked "CB-2".	Seasonal.	Chart:4470
1530 H124	Baie de Brador range	On the bluff in Brador Bay. 51 29 28.3 57 15 01.9	Iso R	2s	20.0	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	
1531 H124.1		005°06' 95.9m from front.	Iso R	2s	31.0	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4470
1531.3 H128	Middle-Bay range	51 27 53.7 57 29 29.3	F R	21.4	14	Square skeleton tower, orange daymark, black vertical stripe. 11.0	Visible in line of range. Operates at night only. Year round.	
1531.4 H128.1		358°42' 248.8m from front.	F R	38.7	14	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.	Chart:4470
1531.5	Charlie Knob light buoy C10	Off Bonne Espérance Bay. 51 22 30 57 37 55	Fl R	4s	Red, marked "C10".	Seasonal.	Chart:4471
1531.7	Baie Bonne Espérance light buoy C12	51 25 02.9 57 39 17.7	Fl R	4s	Red, marked "C12".	Seasonal.	Chart:4471
1532 H1887	Baie au Saumon range	51 25 45.5 57 39 13.6	Iso G	2s	20.2	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	
1533 H1887.1		348°52' 249 m from front.	Iso G	2s	29.6	12	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.	Chart:4471
1538 H1889.5	Rivière Saint-Paul	E. side of Passage Champlain approach. 51 25 10.6 57 41 59.7	Fl R	6s	5.5	6	Red and white square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4471
1539 H1890	Île à la Baleine	On summit of island. 51 21 21.7 57 41 37	Fl W	6s	28.1	7	Skeleton tower, orange rectangular daymarks. 10.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4471

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

GULF OF ST. LAWRENCE

1539.1 H1889.7	Chenal du Vieux Fort range	On small island SW. of Thomas Channel. 51 23 51.7 57 48 16.4	F R	19.7	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.
1539.12 H1889.71		011°01' 336.4m from front.	F R	29.8	14	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1539.123 H1889.8	Baie du Vieux Fort Wharf	Baie du Vieux Fort. 51 25 18.6 57 48 55.3	Fl Y	6s	9.7	7	Square mast. 6.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1539.13 H1890.1	Île Mermettes Racon - - (M) X & S Band	Centre of island. 51 19 20.5 57 50 34.6	Iso W	2s	11.8	6	Square skeleton tower, 2 orange rectangular daymarks on SE. and SW. sides. 6.5	Operates at night only. Year round.
1539.15		Saint-Augustin light buoy 51 10 32.5 58 18 06	Mo(A) W	6s	Red and white vertical stripes, marked "STAUG".	Seasonal.
1539.16 H1890.44	Pointe du Nord-Est range	On small island E. of Outer Island. 51 10 31.5 58 25 24.6	F R	9.8	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1539.17 H1890.45		269°37' 273.9m from front.	F R	19.3	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1539.2 H1890.42	Pointe du Nord-Est Racon -. (N) X & S Band	On NE. point of Outer Island. 51 10 37.4 58 25 42.7	Fl W	6s	17.8	7	Square skeleton tower, two orange rectangular daymarks. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1539.4 H1890.5		Île Paul-Nadeau On SE. extremity of island. 51 10 45.5 58 27 39.9	Fl W	6s	12.8	7	Square skeleton tower, two orange rectangular daymarks. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1539.41 H1890.55	Île Paul-Nadeau range	51 11 02.5 58 28 50.3	Iso G	2s	18.5	4	Square skeleton tower, orange daymark, black vertical stripe. 8.0	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.42 H1890.56		044°43' 538.9m from front.	Iso G	2s	43.6	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.
1539.45 H1890.57	Île Bursey range	N. end of island. 51 10 37.5 58 28 37.3	Iso Y	2s	13.0	5	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.46 H1890.58		266°31' 483.1m from front.	Iso Y	2s	18.9	15	Square skeleton tower, orange daymark, black vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round.

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

GULF OF ST. LAWRENCE

1539.48	<i>Rocher Clinch light buoy CU2</i>	51 10 52.2 58 29 00.8	FI	R	4s	Red, marked "CU2".	Seasonal.	Chart:4473
1539.5 H1890.2	Île Mistanoque	SSE. extremity of island. 51 15 20 58 12 39.6	Iso	W	2s	41.8	6	Square skeleton tower. 6.5	Operates at night only. Year round.	Chart:4472
1539.6 H1890.6	Île Tickle range	SE. end of island. 51 10 22.1 58 31 24.8	Iso	G	2s	10.6	5	Square skeleton tower, orange daymark, black vertical stripe. 3.4	Visible 360°. Operates at night only. Year round.	
1539.7 H1890.61		271°32' 624.1m from front.	F	G	37.3	14	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	Chart:4473
1539.9	<i>Île Driscoll light buoy CU27</i>	51 10 26.2 58 33 49.8	FI	G	4s	Green, marked "CU27".	Seasonal.	Chart:4473
1539.95	Passage Saint-Augustin	On new wharf of Pointe à la Truite. 51 10 53 58 34 04.5	FI	Y	6s	9.2	7	Mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4473
1540	<i>Rivière Saint-Augustin light buoy CUS2</i>	51 12 27 58 35 36.9	FI	R	4s	Red, marked "CUS2".	Seasonal.	Chart:4473
1541	<i>Rivière Saint-Augustin light buoy CUS3</i>	51 12 30 58 35 54.3	FI	G	4s	Green, marked "CUS3".	Seasonal.	Chart:4473
1542	<i>Rivière Saint-Augustin light buoy CUS4</i>	51 12 33.5 58 36 06.7	FI	R	4s	Red, marked "CUS4".	Seasonal.	Chart:4473
1542.01 H1890.77	Saint-Augustin	Near rivière Saint-Augustin mouth. 51 13 21.2 58 38 39.2	FI	Y	6s	23.5	7	Square skeleton tower. 4.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4473
1542.05	<i>Rivière Saint-Augustin light buoy CUS5</i>	51 12 41.4 58 36 12.5	FI	G	4s	Green, marked "CUS5".	Seasonal.	Chart:4473
1542.051	<i>Rivière Saint-Augustin light buoy CUS7</i>	51 12 46.5 58 36 13.2	FI	G	4s	Green, marked "CUS7".	Seasonal.	Chart:4473
1542.052	<i>Rivière Saint-Augustin light buoy CUS9</i>	51 13 02.3 58 36 35.3	FI	G	4s	Green, marked "CUS9".	Seasonal.	Chart:4473
1542.053	<i>Rivière Saint-Augustin light buoy CUS10</i>	51 13 02.2 58 36 53.1	Q	R	1s	Red, marked "CUS10".	Seasonal.	Chart:4473
1542.054	<i>Rivière Saint-Augustin light buoy CUS11</i>	51 12 53.4 58 37 04.6	Q	G	1s	Green, marked "CUS11".	Seasonal.	Chart:4473
1542.055	<i>Rivière Saint-Augustin light buoy CUS13</i>	51 12 44.2 58 37 07.3	Q	G	1s	Green, marked "CUS13".	Seasonal.	Chart:4473

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1542.056	Rivière Saint-Augustin light buoy CUS14	51 12 39 58 37 25.3	Fl R	4s	Red, marked "CUS14".	Seasonal.	Chart:4473
1542.057	Rivière Saint-Augustin light buoy CUS15	51 12 52.6 58 37 46.1	Fl G	4s	Green, marked "CUS15".	Seasonal.	Chart:4473
1542.058	Rivière Saint-Augustin light buoy CUS17	51 13 10.5 58 37 54.2	Fl G	4s	Green, marked "CUS17".	Seasonal.	Chart:4473
1542.059	Rivière Saint-Augustin light buoy CUS19	51 13 12.2 58 38 19.5	Fl G	4s	Green, marked "CUS19".	Seasonal.	Chart:4473
1542.1 H1890.7	Île Robin range	S. side of island. 51 08 59 58 33 18.4	Iso R	2s	9.6	12	Square skeleton tower, orange daymark, black vertical stripe. 7.8	Visible in line of range. Operates at night only. Year round.	
1542.2 H1890.71		021°10' 86.2m from front.	Iso R	2s	17.5	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4473
1542.3 H1890.74	Île Inner range	SE. side of island. 51 08 45.9 58 33 38	F W	7.7	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	
1542.4 H1890.75		242°10' 155.3m from front.	F W	22.8	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.	Chart:4473
1542.45 H1890.65	Île Robin East range	51 09 09.8 58 32 57.3	Iso R	2s	16.8	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	
1542.46 H1890.66		269°38' 99m from front.	Iso R	2s	20.4	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4473
1542.48	Grand Rigolet light buoy CU35	51 03 43.1 58 40 36.6	Fl G	4s	Green, marked "CU35".	Seasonal.	Chart:4473
1542.5 H1890.8	Île du Guet	W. extremity of island. 50 55 48.7 58 52 44.7	Iso W	2s	32.0	6	Square skeleton tower. 4.9	Operates at night only. Year round.	Chart:4474
1543 H1894	Île Plate	On S. summit of island. 50 45 12.4 58 45 20.9	Fl W	15s	22.6	13	Cylindrical mast. 7.6	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal.	Chart:4474
1544 H1892	Île de la Boule	On summit. 50 50 10.5 58 52 31.2	Fl W	6s	73.9	8	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4474

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1545 <i>H1891</i>	Île Cormandière	On highest point of island. 50 51 31.7 58 55 52.5	Fl R	6s 15.4	6	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4474
1545.5	Baie de Tabatière Outer light buoy CT7	50 51 12.2 58 57 00.8	Fl G	4s	Green, marked "CT7".	Seasonal.	Chart:4474
1546 <i>H1891.2</i>	Baie de Tabatière Outer range	On shore line. 50 50 36.1 58 58 28.7	F G	43.8	14 Skeleton tower, orange daymark, black vertical stripe. 31.2	Visible in line of range. Operates at night only. Year round.	
1547 <i>H1891.3</i>		234°46' 143.5 m from front.	F G	51.6	15 Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4474
1547.5	Baie de Tabatière Inner light buoy CT11	50 50 42.2 58 58 08.9	Fl G	4s	Green, marked "CT11".	Seasonal.	Chart:4474
1548 <i>H1891.5</i>	Baie de Tabatière Inner range	Near shore line. 50 50 10.6 58 58 22.7	F R	17.3	14 Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	
1549 <i>H1891.6</i>		193°31' 75.6 m from front.	F R	23.9	14 Square skeleton tower, orange daymark, black vertical stripe. 4.7	Visible in line of range. Operates at night only. Year round.	Chart:4474
1550 <i>H1898</i>	Île Entrance	On summit of island. 50 44 03.9 59 00 24.3	Fl W	6s 18.0	8	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4474
1551 <i>H1896</i>	Baie des Moutons range	On W. side of entrance. 50 46 10.6 59 01 59.6	F G	13.3	16 Square skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Operates at night only. Year round.	
1552 <i>H1896.1</i>		322°31' 338.2m from front.	F G	22.8	16 Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.	Chart:4474
1553 <i>H1899.4</i>	Tête-à-la-Baleine Inner range	On S. end of Île du Grand Rigolet. 50 40 45.9 59 14 35.5	F G	8.4	13 Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	
1554 <i>H1899.5</i>		330°04' 96.4m from front.	F G	20.1	13 Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.	Chart:4469
1554.3 <i>H1899.9</i>	Tête-à-la-Baleine Wharf	On seaward end of wharf. 50 40 47 59 14 24	Fl Y	3s 8.2	6	Square skeleton tower. 6.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round.	Chart:4469

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1555 H1899.7	Tête-à-la-Baleine Centre range	On small island, W. of île Beaulieu. 50 39 43.5 59 14 09.1	F	R	4.5	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1556 H1899.8		293°34' 422m from front.	F	R	11.8	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1557 H1899	Tête-à-la-Baleine range	NW end of Vatcher Island. 50 39 38.6 59 12 01.8	F	W	8.7	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1558 H1899.1		001°09' 110.4m from front.	F	W	14.2	15	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.
1558.7 H1901	Cap Airey	S. end of île du Cap. 50 28 13.5 59 27 29.2	Fl	G	6s	17.6	6	Square skeleton tower, orange rectangular daymark. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1559 H1900	Falaise de l'Entrée	S. side of Île de l'Entrée, N. side of channel, Havre de Harrington entrance. 50 29 19.3 59 27 43.7	Fl	W	6s	41.7	8	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1559.2 H1900.4	Île de l'Entrée	NW. point of island. 50 29 33.4 59 28 12.2	Fl	G	6s	7.8	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1559.5	Harrington Harbour	50 29 46.4 59 28 35.1	Fl	Y	6s	8.9	8	Square mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1560 H1902	Harrington Harbour range	On N. side of small island SW. of Île Hospital. 50 29 34.1 59 29 03.8	F	R	10.2	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1561 H1902.1		288°44' 188.9m from front.	F	R	15.4	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1561.5 H1903	Rivière Nétagamiou	50 28 21 59 36 23.1	Fl	R	6s	8.8	5	Square mast. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.
1561.7	Rivière Nétagamiou Entrance light buoy CS2	50 27 08.7 59 36 42.8	Fl	R	4s	Red, marked "CS2".	Seasonal.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1561.71	Light buoy CHE	At river entrance. 50 27 13.1 59 37 26.4	Mo(A) W	6s	Red and white vertical stripes, marked "CHE".	Seasonal.	Chart:4468
1561.72	Light buoy CS3	At river entrance. 50 27 26.5 59 37 20.7	Fl G	4s	Green, marked "CS3".	Seasonal.	Chart:4468
1562 H1904	Île Sainte-Marie	On the summit of the W. Île Sainte-Marie. 50 18 15 59 39 23.4	Fl W	2.5s	44.4	12	Square skeleton tower. 16.4	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Seasonal.	Chart:4468
1563 H1906	Rochers au Cormoran	On Rochers au Cormoran. 50 09 45.4 60 03 38.7	Fl W	15s	24.1	15	Square skeleton tower. 15.4	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal.	Chart:4440
1563.2	Rochers au Cormoran ODAS light buoy IML-2	49 30 04.4 60 04 01.9	Fl(5) Y	20s	Yellow, marked "IML-2".	Seasonal.	Chart:4025
1563.5	Rocher Cairntorr light buoy C64	Off rock. 50 07 18.1 60 18 37.8	Fl R	4s	Red, marked "C64".	Seasonal.	Chart:4452
1563.7 H1907	Pointe Milne range	Baie Coacoachou. 50 13 21.3 60 18 56	F R	16.8	13	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Year round.	
1563.8 H1907.1		004°40' 294.9m from front.	F R	30.8	13	Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.	Chart:4452
1564 H1908	Îles Triples	On S. side of island. 50 10 05.8 60 41 52.1	Fl W	6s	18.9	7	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4453
1565 H1909.7	Pointe Mackenzie range	On point. 50 12 49.4 60 41 52.5	F Y	9.5	15	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.	
1566 H1909.71		325°44' 105.7m from front.	F Y	12.6	15	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	Chart:4452
1567 H1909.8	Pointe du Petit Lac range	Near wharf. 50 12 49.3 60 41 24.4	F G	12.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.	
1568 H1909.81		013°11' 75.1m from front.	F G	13.8	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.	Chart:4452

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

GULF OF ST. LAWRENCE

1568.5	Havre Gethsémani Entrance light buoy CJ5	Harbour entrance. 50 12 20.5 60 41 25.6		Fl	G	4s	Green, marked "CJ5".	Seasonal.	Chart:4452
1569 H1909	Havre Gethsémani range	W. side of Dos-de-Cheval Island. 50 12 28.3 60 41 15.4		F	R	10.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	
1570 H1909.1		357°22' 80.4m from front.		F	R	12.9	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4452
1572 H1910	Kégashka range	N. side of bay. 50 11 46.1 61 15 36.4		F	W	13.6	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	
1573 H1910.1		359°17' 90.3m from front.		F	W	18.2	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	Chart:4452
1573.3 H1910.4	Kégashka Wharf	On inner SE. corner of wharf. 50 11 04 61 15 51		Fl	R	6s	8.6	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4452
1574 H1911	Pointe de Kégashka	On point. 50 10 31.9 61 16 00.1		Fl	W	6s	13.7	8	Square skeleton tower, orange rectangular daymarks on 3 seaward faces. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4452
1574.3	Pointe de Kégashka light and bell buoy CK1	Off point. 50 10 09 61 15 40		Fl	G	4s	Green, marked "CK1".	Seasonal.	Chart:4452
1575.8	Rocher South Sphinx light buoy CN2	50 10 40.1 61 50 50.9		Fl	R	4s	Red, marked "CN2".	Seasonal.	Chart:4428
1576 H1914	Île Joncas	On W. extremity of island. 50 10 56.7 61 50 41.6		Iso	G	2s	13.5	6	Square skeleton tower. 9.5	Operates at night only. Radar reflector. Year round.	Chart:4428
1576.2	Havre de Natashquan light buoy CN8	50 11 12 61 50 43		Fl	R	4s	Red, marked "CN8".	Seasonal.	Chart:4428
1578 H1918	Petite Natashquan range	N. of wharf. 50 11 35.6 61 50 38.1		F	W	10.1	13	Square skeleton tower, orange daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Year round.	
1579 H1918.1		009°56' 92.7m from front.		F	W	17.1	13	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.	Chart:4428

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

GULF OF ST. LAWRENCE

1580 H1922	Aguanish range	E. side of entrance to rivière Aguanus. 50 13 05.5 62 05 03.1	F	G	10.9	16	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.	
1581 H1922.1		330°29' 478.7m from front.	F	G	18.1	16	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Year round.	Chart:4455
1582	Baies Piashti Approach light buoy C80	50 15 42.3 62 49 33.4	Fl	R	4s	Red, marked "C80".	Seasonal.	Chart:4456
1582.1	Baie Johan-Beetz light buoy C81	50 16 48 62 48 24.5	Fl	G	4s	Green, marked "C81".	Seasonal.	Chart:4452
1582.5 H1930	Baie Johan-Beetz Inner range	On outer end of wharf. 50 17 02.3 62 48 39.4	Iso	R	2s	7.5	4	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible 360°. Increased intensity on line of range. Operates at night only. Year round.	
1582.6 H1930.1		319°02' 125.7m from front.	Iso	R	2s	12.9	16	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	Chart:4452
1583 H1928	Baie Johan-Beetz range	N. shore of bay. 50 17 00.7 62 47 53.8	F	Y	12.2	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.	
1584 H1928.1		043°04' 162.3m from front.	F	Y	21.1	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.	Chart:4452

ST. LAWRENCE RIVER

1584.5	Haut-fond Collins light buoy C84	Off shoal. 50 10 00.3 63 04 05.3	Fl	R	4s	Red, marked "C84".	Seasonal.	Chart:4456
1584.8	La Grande Pointe	50 12 14 63 26 52.5	Fl	Y	6s	11.0	7	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4432
1585 H1934	Petite Ile au Marteau	On S. end of island. 50 12 14.6 63 33 30.5	Fl	W	2.5s	28.9	12	Skeleton tower. 25.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Seasonal.	Chart:4429
1586	Havre St-Pierre light buoy CM5	Off NE. side of Eskimo Island. 50 13 44.8 63 35 35.5	Fl	G	4s	Green, marked "CM5".	Seasonal.	Chart:4429

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

ST. LAWRENCE RIVER

1587 H1936	Havre St-Pierre range	E. of wharf.	F	R	13.6	16	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Year round.
		50 14 25 63 35 42							11.0
1588 H1936.1		338°29' 174.7m from front.	F	R	24.4	16	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Year round.
								18.6	Chart:4429
1588.5	Havre Saint-Pierre Sector	50 14 13.4 63 36 09.4	F	R W G	6.0	Mast.	Red from 249° to 039°; white from 039° to 043°30'; green from 043°30' to 083°30'. White sector indicates preferred channel. Maintained by Parks Canada. Seasonal.
								4.3	Chart:4429
1590 H1940	Pointe aux Esquimaux range	Near W. extremity of Pointe Eskimo.	F	R	14.1	16	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round.
		50 14 17.7 63 36 45.6							12.5
1591 H1940.1		096°19' 238.2m from front.	F	R	23.1	16	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round.
								18.5	Chart:4429
1592 H1943	Île du Fantôme Entrance range	50 15 26.8 63 39 18.1	F	G	9.7	13	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round.
									7.9
1593 H1943.1		010°02' 295.7m from front.	F	G	19.3	13	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round.
								18.5	Chart:4429
1594	Île du Fantôme Entrance Channel Outer light buoy CM10	50 11 58.3 63 39 53.5	Fl	R	4s	Red, marked "CM10".	Seasonal.
									Chart:4429
1595	Île du Havre (Eskimo) Shoal light buoy CM12	50 12 40.3 63 39 52.5	Fl	R	4s	Red, marked "CM12".	Seasonal.
									Chart:4429
1596 H1944	Île à Firmin	At S. end of island. 50 12 14.5 63 41 13.3	Fl	W	6s	10.9	7	Skeleton tower, orange rectangular daymarks.	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								8.0	Chart:4429
1598	Pointe aux Morts light buoy CM17	50 14 33.8 63 41 18.5	Fl	G	4s	Green, marked "CM17".	Seasonal.
									Chart:4429
1598.5	Pointe aux Morts light and bell buoy CM16	50 14 46.3 63 41 18.5	Fl	R	4s	Red, marked "CM16".	Seasonal.
									Chart:4429

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1599.5	Mingan ODAS light buoy IML-1	50 06 30.3 63 38 27.5	Fl(5) Y	20s	Yellow, marked "IML-1".	Privately maintained. Seasonal.	Chart:4432
Anticosti (North Side)									
1600 H1886	Cap de la Table	On head. 49 21 04.3 61 53 44.4	Fl R	6s	34.1	5	Red and white octagonal tower. 12.2	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4025
1601 H1884	Pointe Carleton	On the point. 49 43 53.3 62 56 36	Fl G	6s	38.4	5	White octagonal tower. 12.2	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4430
1602 H1882	Cap de Rabast	On the point. 49 57 05.8 64 08 57.4	Fl(3) W	30 s	23.8	17	White octagonal tower. 22.0	Flash; eclipse 5 s; flash; eclipse 5 s; flash; eclipse 20 s. Operates at night only. Seasonal.	Chart:4026
1603	Mingan East Entrance light buoy CM28	N. side of channel. 50 17 03.2 63 59 28.6	Fl R	4s	Red, marked "CM28".	Seasonal.	Chart:4432
1604 H1946	Havre de Mingan Eastern Entrance range	Near water's edge. 50 17 22.3 64 01 18.1	F G	14.1	16	Skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Year round.	
1605 H1946.1		287°50' 189m from front.	F G	22.1	16	Skeleton tower, orange daymark, black vertical stripe. 20.1	Visible in line of range. Year round.	Chart:4432
1606 H1950	Havre de Mingan Western Entrance range	On shore. 50 17 25.2 64 00 39.7	F G	7.0	16	Skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Year round.	
1607 H1950.1		065°47' 420.7m from front.	F G	21.2	16	Square skeleton tower, two orange daymarks, black vertical stripe. 15.5	Visible in line of range. Year round.	Chart:4432
1607.3	Baie Mingan West Cardinal light and bell buoy	50 16 39.2 64 02 39.6	Q(9) W	15s	Yellow, black and yellow, marked "BMING".	Seasonal.	Chart:4432
1608 H1958	Îles aux Perroquets	On NW. island of the group. 50 13 14.1 64 12 24.1	Fl W	5s	24.0	12	Red octagonal tower. 12.3	Flash 1 s; eclipse 4 s. Obscured by île Mingan between 260° and 292°. Operates at night only. Seasonal.	Chart:4432
1614.5 H1975	Rivière-au- Tonnerre	50 16 25.3 64 46 50.7	F R	10.0	6	Square skeleton tower, 2 orange and black rectangular daymarks. 6.5	Operates at night only. Year round.	Chart:4026
1614.7	Rivière-au- Tonnerre light and bell buoy RAT	50 15 49.6 64 46 47.5	Mo(A) W	6s	Red and white vertical stripes, marked "RAT".	Seasonal.	Chart:4026

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1615 H1974	Rivière-au-Tonnerre range	50 16 38.2 64 46 47.6	F G	19.0	16	Skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.
1616 H1974.1		359°50' 119.1m from front.	F G	25.7	16	Skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Year round. Chart:4026
1617 H1978	Sheldrake	E. of Rivière Sheldrake. 50 15 49.1 64 54 29.1	Fl R	6s	16.4	5	Square skeleton tower, orange rectangular daymark. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4026
1620 H1770	Cap-des-Rosiers- Est Wharf	On outer end of N. jetty. 48 50 18.8 64 12 46.3	Iso R	2s	7.6	4	Pipe swing pole. 6.3	Operates at night only. Seasonal. Chart:4485
1621 H1768	Cap-des-Rosiers	On cape. 48 51 22.5 64 12 03.8	Oc W	20s	41.5	24	White cylindrical tower. 34.1	Flash 15 s; eclipse 5 s. Year round. Chart:4485
1625 H1776	Anse-au-Griffon range	On shore. 48 56 12.7 64 18 19.3	Iso R	2s	6.5	5	Skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal.
1626 H1776.1		243°43' 216.3m from front.	Iso R	2s	10.4	13	Skeleton tower, orange daymark, black vertical stripe. 9.5	Visible in line of range. Operates at night only. Seasonal. Chart:N/A
1629 H1782	Rivière-au- Renard Wharf	On outer end of wharf. 48 59 52.3 64 22 59.9	Fl G	5s	19	Skeleton tower. 5.0	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:1230
1637	Anse-à-Valleau light and bell buoy VALLEA	49 04 54.2 64 31 59.6	Mo(A) W	6s	Red and white vertical stripes, marked "VALLEA".	Seasonal. Chart:4026
1639 H1798	Anse-à-Valleau East	49 04 49.9 64 32 42.2	Iso R	2s	16.9	6	Skeleton tower, orange rectangular daymark, black vertical stripe. 6.6	Operates at night only. Year round. Chart:4026
1640 H1800	Anse-à-Valleau	49 05 15.4 64 33 34.4	Fl W	10s	95.1	20	Skeleton tower. 33.2	Flash 1 s; eclipse 9 s. Year round. Chart:4026
1641	Baie-de- Clordorme light buoy CLORI	Off the wharf. 49 11 15.2 64 50 40	Mo(A) W	6s	Red and white vertical stripes, marked "CLORI".	Seasonal. Chart:4026
1642 H1808	Clordorme range	Close to cliff edge. 49 10 50.5 64 50 51.1	F R	10.1	16	Skeleton tower, orange rectangular daymark, black vertical stripe. 5.0	Visible in line of range. Operates at night only. Year round.
1643 H1808.1		196°24' 74.2m from front.	F R	21.4	16	Skeleton tower, orange rectangular daymark, black vertical stripe. 8.1	Visible in line of range. Operates at night only. Year round. Chart:4026

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.					Height in meters above ground		

ST. LAWRENCE RIVER

1643.5 <i>H1810</i>	Pointe de Cloridorme range	49 11 09.2	F Y	6.2	18	Skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
		64 51 02.6						
1643.6 <i>H1810.1</i>		292°04' 51.6m from front.	F Y	8.3	18	Skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
								Chart:4026
1644 <i>H1811</i>	Cloridorme Wharf	On outer end of wharf. 49 11 09.1 64 50 51.5	Fl G	6s	8.8	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								Chart:4026
1647 <i>H1822</i>	Grande-Vallée range	On shore. 49 13 29.7 65 07 53.5	F R	7.8	16	Skeleton tower, orange rectangular daymark, black vertical stripe. 5.2	Visible in line of range. Operates at night only. Year round.
			189°58' 89.7m from front.	F R	9.7		
1648 <i>H1822.1</i>							Skeleton tower, orange rectangular daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
								Chart:1229
1649 <i>H1826</i>	Grande-Vallée Wharf	On outer end of wharf. 49 13 47.2 65 08 00	Fl G	6s	10.0	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
								Chart:1229
1650	<i>Rivière Madeleine light buoy RM1</i>	<i>Rivière Madeleine Harbour.</i> 49 14 37.5 65 17 20.8	Q G	1s	Green, marked "RM1".	Seasonal.
								Chart:4026
1651 <i>H1828</i>	Cap de la Madeleine	On cape. 49 15 03.5 65 19 32.3	Fl(3) W	27s	44.5	20	White cylindrical tower. 16.8	Flash 0.18 s; eclipse 4.32 s; flash 0.18 s; eclipse 4.32 s; flash 0.18 s; eclipse 17.82 s Privately maintained by l'Association Touristique Madeleine. Year round.
								Chart:4026
1652 <i>H1830</i>	Mont-Louis range	On shore. 49 13 44.9 65 43 56.7	Iso R	2s	9.0	16	Skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Year round.
			176°04' 116.7m from front.	Iso R	2s	13.6		
1653 <i>H1830.1</i>							Skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.
								Chart:1230
1654	<i>Mont Louis ODAS light buoy 45138</i>	49 32 35.9 65 45 35	Fl(5) Y	20s	Yellow, marked "45138".	Seasonal.
								Chart:4026
1656	<i>ODAS light buoy IML-7</i>	49 14 30 66 12 00	Fl(5) Y	20s	Yellow, marked "IML-7".	Privately maintained. Seasonal.
								Chart:4026

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1657 H1842	Ste- Martre-de-Gaspé	On S. shore. 49 12 22.1 66 10 17.1	FI(4)	W	30s	39.6	17	Octagonal tower. 19.2	Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Night emergency light. Privately maintained. Year round.	Chart:4026
1657.5	ODAS light buoy IML-8	49 43 00 66 15 00	FI(5)	Y	20s	Yellow, marked "IML-8".	Privately maintained. Seasonal.	Chart:4026
Sept-Îles Harbour										
1658 H1990	Île du Corossol	On island. 50 05 20.2 66 22 36.9	FI	W	2.5s	12	Skeleton tower. 18.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Year round.	Chart:1220
1659 H1993	Île Grande-Basque	On W. extremity of island. 50 09 10.4 66 22 38.6	FI	W	6s	12.1	8	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1220
1660 H1992.5	Pointe au Corbeau	On point. 50 09 03 66 25 29.3	FI	G	6s	17.2	6	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1220
1661	Pointe à la Marmite light buoy D11	N. of point. 50 10 17.2 66 25 45.9	FI	G	4s	Green, marked "D11".	Seasonal.	Chart:1220
1662	Basques Est light buoy BASQE	50 10 55.3 66 21 43.7	FI (2+1)	G	6s	Green, red and green, marked "BASQE".	Winter spar. Year round.	Chart:1220
1662.3	Pointe aux Basques light buoy D4	50 11 02.4 66 21 50.3	FI	R	4s	Red, marked "D4".	Seasonal.	Chart:1220
1662.5	Récif du Basque North light buoy D7	50 11 00.7 66 22 15.2	FI	G	4s	Green marked "D7".	Winter spar. Year round.	Chart:1220
1663	Récif du Basque light and bell buoy D6	Off W. limit of reef. 50 10 52.2 66 21 57.9	FI	R	4s	Red, marked "D6".	Seasonal.	Chart:1220
1663.5	Basque Ouest light buoy BASQO	50 10 47.9 66 22 36.3	FI (2+1)	R	6s	Red, green and red, marked "BASQO".	Winter spar. Year round.	Chart:1220

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1663.7 <i>H1994.6</i>	Sept-Îles, Iron Ore No. 2 range	50 11 20.3	Iso	Y	2s	11.0	Mast.	10.2	Visible in line of range. Privately maintained by Société Minière Iron Ore - Sept-Îles. Operates at night only. Year round.			
66 22 14.8													
1663.71 <i>H1994.61</i>		122°44' 49S.8m from front.	Iso	Y	2s	23.7	Between 2 piles on a cylindrical mast, orange diamond slatwork daymark.	21.8	Visible in line of range. Privately maintained by Société Minière Iron Ore - Sept-Îles. Operates at night only. Year round.			
										Chart:1220			
1663.9	Pte-aux-Basques West Breakwater	On outer end of W. breakwater. 50 11 06.3 66 21 52.9	F	Bu	Mast.		Privately maintained. Operates at night only. Year round.			
										Chart:1220			
1663.95	Pte-aux-Basques East entrance	50 11 06.4 66 21 50	F	Bu	Mast.		Privately maintained. Operates at night only. Year round.			
										Chart:1220			
1664 <i>H1994</i>	Sept-Îles, Iron Ore range	50 11 41.8	Iso	G	2s	16.5	Cylindrical mast, white diamond slatwork daymark.	21.0	Visible in line of range. Privately maintained by Société Minière Iron Ore - Sept-Îles. Year round.			
66 22 35.3													
1665 <i>H1994.1</i>		098°29' 280.2m from front.	Iso	G	2s	36.0	Cylindrical mast, white diamond slatwork daymark.	24.0	Visible in line of range. Privately maintained by Société Minière Iron Ore - Sept-Îles. Year round.			
										Chart:1220			
1666 <i>H1994.4</i>	Sept-Îles	At seaward end of wharf.	Iso	W	6s	10.9	9	Cylindrical mast, orange rectangular daymark facing E.	8.1	Flash alternately. Operates at night only. Privately maintained by Administration Portuaire de Sept-Îles. Year round.			
50 11 47.4		R									2s	8.5
66 22 55.4		R									2s	7.9
										Chart:1220			
1666.03	Monseigneur Blanche Wharf	50 11 52.6 66 23 00.8	Iso	R	2s	2	Mast.		Operates at night only. Privately maintained by Administration Portuaire de Sept-Îles. Year round.			
										Chart:1220			
1666.1	Havre de pêche Sept-Îles	On end of breakwater. 50 11 56.1 66 23 00.4	Iso	G	2s	3.7	3	Mast.		Operates at night only. Year round.			
										Chart:1220			
1666.3 <i>H1994.3</i>	Marina Sept-Îles Entrance, West Breakwater	On end of breakwater. 50 12 04.6 66 23 10.1	Iso	Bu	2s	4.8	Pyramid tower.	1.6	Privately operated by Club nautique de Sept-Îles Inc.. Operates at night only. Year round.			
										Chart:1220			
1666.5 <i>H1994.34</i>	Marina Sept-Îles West Breakwater	50 12 11.7 66 23 17.4	F	W	4.8	Pyramid tower.	1.8	Privately operated by Club nautique de Sept-Îles Inc.. Operates at night only. Year round.			
										Chart:1220			

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1667 H1994.2	Sept-Îles Wharf	On wharf extension. 50 12 21.6 66 23 32.7	Iso G	2s	13.2	6	Skeleton tower. 12.5	Operates at night only. Year round.	Chart:1220
1670	Pointe Noire Ore Terminal East light buoy D17	NE. of wharf. 50 10 03.2 66 28 22.9	Fl G	4s	Green, marked "D17".	Winter spar. Year round.	Chart:1220
1670.4	Pointe Noire light buoy D15	50 09 47.2 66 27 23	Q G	1s	Green, marked "D15".	Winter spar. Year round.	Chart:1220
1671 H1997	Pointe Noire Ore Terminal East range	E. end of wharf. 50 09 55.4 66 28 45.5	Fl G	4s	5.2	6	Black cylindrical mast. 2.7	The light is also used to mark the E. end of wharf. Privately maintained by Wabush Mines. Year round	
1671.1 H1997.1		247°51' 213.5m from front.	Iso G	2s	16.6	6	On building.	Visible in line of range. Privately maintained by Wabush Mines. Year round.	Chart:1220
1671.2 H1997.4		50 09 55.3 66 28 55.5	Iso Y	2s	18.6	On building. 15.6	Visible in line of range. Privately maintained by Wabush Mines. Year round.	
1671.3 H1997.41	Pointe Noire Wharf range	179°59' 173.3m from front.	Iso Y	2s	26.6	On building.	Visible in line of range. Privately maintained by Wabush Mines. Year round.	Chart:1220
1672 H1997.6	Pointe Noire Ore Terminal West	W. end of Minière Wabush wharf. 50 09 55.4 66 29 10.1	Fl R	4s	5.2	6	Black cylindrical mast. 2.7	Privately maintained by Wabush Mines. Year round.	Chart:1220
1672.1	Pointe-Noire Sector, Anse-du- Portage Ste- Marguerite	50 09 47.1 66 29 12.3	F AI RW AI GW	R W G	Skeleton tower.	Red from 202° 41'47" to 206° 56'47"; AI RW from 206° 56'47" to 210° 56'47"; white from 210° 56'47" to 216° 56'47"; AI GW from 216°56'47" to 220°56'47"; green from 220°56'47" to 225°11'47". White sector indicates preferred channel. Year round.	Chart:1220
1672.3	La Relance, Duc D'albe de Sept- Îles	NE. end of dolphin. 50 09 39 66 27 24.2	Iso Bu	2s	Privately maintained by l'Administration Portuaire de Sept- Îles. Year round.	Chart:1220

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

ST. LAWRENCE RIVER

1672.4	Quai de Pointe Noire La Relance range	50 09 33.9	Iso	R	2s	Cylindrical mast, red daymark, white vertical stripe.	Visible on line of range. Privately maintained by Port de Sept-Iles. Year round.
		66 27 37.4							
1672.5		192°42' 272m from front.	Iso	R	2s	On silo, red daymark, white vertical stripe.	Visible on line of range. Privately maintained by Port de Sept-Iles. Year round.
									Chart:1220
1673	Pointe Noire Ore Terminal West light buoy D20	NW. of wharf. 50 10 06.2 66 29 27.9	Fl	R	4s	Red, marked "D20".	Winter spar. Year round.
									Chart:1220
1674 H1991	West Rocks Dequen	At West Rocks. 50 07 16.3 66 25 58.1	Fl	R	6s	12.4	6	Square skeleton tower. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
									Chart:1220
1675 H1992	Pointe à la Chasse	On point. 50 07 38.9 66 27 07.9	Fl	W	6s	12.2	8	Square skeleton tower. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
									Chart:1220
1676 H1999	Québec Rayonier range	50 01 05.4 66 48 56.9	F	W	9.6	19	Triangular skeleton tower, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Privately maintained by the Municipality of Port Cartier. Year round.
1676.1 H1999.1			005°25' 368.3m from front.	F	W	19.2	19	Triangular skeleton tower, orange slatwork daymark, black vertical stripe. 10.3
									Chart:1226
1677.4	Québec Rayonier light buoy KA13	50 00 48.7 66 49 02.5	Fl	G	4s	Green, marked "KA13".	Winter spar. Year round.
									Chart:1226
1677.6	Québec Rayonier light buoy KA12	50 00 48.8 66 48 56.1	Fl	R	4s	Red, marked "KA12".	Winter spar. Year round.
									Chart:1226
1678 H2002	Port-Cartier range	50 02 09.2 66 46 49.9	F	G	50.7	Skeleton tower, yellow diamond daymark, black cross.	Visible in line of range. Privately maintained by Compagnie Minière Québec Cartier. Year round.
1679 H2002.1			016°34' 513.2m from front.	F	G	88.4	Skeleton tower, orange rectangular daymark, black vertical stripe. 23.2
									Chart:1226
1680	Port-Cartier Entrance light and bell buoy PTCAR	50 00 12.3 66 47 44.1	Mo(A)	W	6s	Red and white vertical stripes, marked "PTCAR".	Privately maintained. Winter spar. Year round.
									Chart:1226

No.	Name	Position			Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

ST. LAWRENCE RIVER

1681 H2000	Port-Cartier Entrance East	50 01 43.6 66 46 56.1	FI	R	3s	12.5	6	Cylindrical mast. 4.9	Flash 0.5 s; eclipse 2.5 s. Operates at night only. Privately maintained by Compagnie Minière Québec Cartier. Year round. Whistle - Blast 3 s; sil. 27 s.
Chart:1226									
1682 H2001	Port-Cartier Entrance West	50 01 42.5 66 47 07.2	FI	G	3s	12.2	6	Cylindrical mast. 4.6	Flash 0.5 s; eclipse 2.5 s. Operates at night only. Privately maintained by Compagnie Minière Québec Cartier. Year round.
Chart:1226									
1682.6 H1846	Petite-Tourelle range	49 10 02.3 66 22 24.6	F	G	15.5	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Year round.
1682.7 H1846.1		204°55' 90.6m from front.	F	G	25.8	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.
Chart:4026									
1683 H1852	Ste-Anne-des- Monts	On outer end of wharf. 49 08 06.1 66 29 04.9	F	R	9.8	6	Square skeleton tower. 7.9	Year round.
Chart:1230									
1683.1	Havre de Ste- Anne-des-Monts, North Breakwater	North breakwater. 49 08 05.2 66 29 17	FI	R	6s	3.8	3	Structure on breakwater.	Operates at night only. Seasonal.
Chart:1230									
1683.2	Havre de Ste- Anne-des-Monts, South Breakwater	South breakwater. 49 08 01.6 66 29 17.2	FI	G	6s	3.4	3	Structure on breakwater.	Operates at night only. Seasonal.
Chart:1230									
1685.1	Cap-Chat light buoy HA-1	49 05 58.7 66 41 28.2	FI	G	4s	Green spar, marked "HA-1".	Seasonal.
Chart:1230									
1685.2	Cap-Chat light buoy HA-2	49 05 57.9 66 41 31.3	FI	R	4s	Red spar, marked "HA-2".	Seasonal.
Chart:1230									
1685.3	Cap-Chat Breakwater	On NE corner of breakwater. 49 06 01.7 66 41 15.7	FI	Y	6s	18.0	8	Square tower. 15.7	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:1230									
1686 H2010	Île du Grand Caouis	Near S. point of island. 49 49 35.3 67 00 21.4	FI	W	6s	45.1	8	White octagonal tower, red upper portion. 14.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:1226									
1692	Godbout light buoy K14	Off Godbout. 49 17 45.2 67 36 08	FI	R	4s	Red, marked "K14".	Seasonal.
Chart:1236									

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

ST. LAWRENCE RIVER

1692.5 H2027	Godbout Wharf	On ferry wharf. 49 19 21.2 67 35 28		Iso R	2s	11.3	4	Square skeleton tower. 7.6	Operates at night only. Privately maintained by the Société des Traversiers du Québec. Year round.	Chart:1236
1697 H2031	Les Méchins East	49 00 16.4 66 58 24.4		Fl R	6s	7.9	6	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1230
1698	Les Gros Méchins Wharf	49 00 26.5 66 58 28		Fl Y	4s	8.0	5	Square skeleton tower. 6.6	Operates at night only. Privately maintained by Verreault Navigation Inc. Seasonal.	Chart:1230
1702	Matane lightl buoy MATAN	48 51 35.2 67 32 17.8		Mo(A) W	6s	Red and white vertical stripes, marked "MATAN".	Privately maintained by Club de Yacht de Matane Inc. Seasonal.	Chart:1236
1703	Rivière Matane - West Breakwater	48 51 21.4 67 32 07.9		Fl R	5s	5.7	Mast.	Flash 1 s; eclipse 4 s. Privately maintained by the City of Matane. Operates at night only. Seasonal.	Chart:1236
1703.5	Matane Sector	48 51 07 67 31 52.8		Oc R W G	4s	6.2	On bridge.	Flash 3 s; eclipse 1 s. Red from 128°12' to 148°12'; white from 148° 12' to 152°12'; green from 152°12' to 172°12'. White sector indicates preferred channel. Privately maintained by the City of Matane. Operates at night only. Seasonal.	Chart:1236
1704	Rivière Matane - East Breakwater	48 51 22.8 67 32 04.1		Fl G	5s	5.7	Mast.	Flash 1 s; eclipse 4 s. Privately maintained by the City of Matane. Operates at night only. Seasonal.	Chart:1236
1705.4 H2043	Matane East Breakwater	On outer end of E. breakwater. 48 50 49.7 67 34 33.1		Fl G	6s	10.2	16	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Year round.	Chart:1236
1705.5 H2044	Matane Railway Wharf	48 50 37.9 67 34 25.2		F R	7.2	7	Square skeleton tower. 3.1	Privately maintained by Société des traversiers du Québec. Year round.	Chart:1236
1705.6 H2042	Matane West Breakwater	On outer end of W. breakwater. 48 50 56.5 67 34 39.6		Fl R	6s	10.9	6	Square tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1236

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Height in meters above ground	Remarks	
		Latitude N.	Longitude W.						Fog Signals	

ST. LAWRENCE RIVER

1707 H2048	Pointe Mitis (Petit Mitis)	On point. 48 40 49.2 68 02 02.5	FI(3)	W	7.5s	21.0	Hexagonal tower. 24.9	Flash 0.25 s; eclipse 1 s; flash 0.25 s; eclipse 1 s; flash 0.25 s; eclipse 4.75 s. Night emergency light. Privately maintained by the Municipality of Mitis-sur-Mer. Year round.	Chart:1236
1707.1	Mont-Joli ODAS light buoy IML-3	48 39 36 68 09 23.4	FI(5)	Y	20s	Yellow, marked "IML-3".	Seasonal.	Chart:1236
1707.5	Sainte-Luce light buoy EIRE	48 37 15.7 68 24 27.4	FI	Y	4s	Yellow, marked "EIRE".	Seasonal.	Chart:1236 Édn 05/09 (Q09-032)
1707.9	Rimouski ODAS light buoy IML-4	48 40 00 68 35 00	FI(5)	Y	20s	Yellow, marked "IML-4".	Seasonal.	Chart:1236
1709 H2050	Pointe St. Pancrace	On extremity of point. 49 15 14.2 68 04 41	FI	W	6s	25.3	8	Square skeleton tower, orange rectangular daymarks on two faces. 11.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1226
1710 H2050.5	Baie des Anglais range	On point, N. extremity Baie des Anglais. 49 16 08 68 07 44.6	F	G	27.1	Skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Privately maintained by Cargill Grain Co. Ltd. Year round.	
1711 H2050.6		312°19' 220.1m from front.	F	G	38.3	Skeleton tower, orange daymark, black vertical stripe. 3.0	Visible in line of range. Privately maintained by Cargill Grain Co. Ltd. Year round.	Chart:1226
1712 H2051	Anse du Moulin range	E. of silos. 49 15 16.3 68 08 03.7	F	R	36.3	Mast, white daymark, red vertical stripe.	Visible in line of range. Privately maintained by Cargill Grain Co. Ltd. Operates at night only. Year round.	
1713 H2051.1		237°18' 229.4m from front.	F	R	67.4	Square skeleton tower, white daymark, red vertical stripe. 4.4	Visible in line of range. Privately maintained by Cargill Grain Co. Ltd. Operates at night only. Year round.	Chart:1226
1713.5	Anse du Moulin light buoy KD6	49 15 06.2 68 07 51.3	FI	R	4s	Red, marked "KD6".	Winter spar. Year round.	Chart:1226

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1714 H2052	Anse du Moulin Entrance range	Near W. end of berthing basin. 49 14 51.3 68 08 17.2	Fl	R	4s	34.1	On tank, orange square daymark, white vertical stripe.	Privately maintained by Alcoa Canada. Operates at night only. Year round.	
1715 H2052.1		239°17' 182.2m from front.	Iso	R	6s	59.6	On concrete base, orange square daymark, white vertical stripe.	Visible in line of range. Privately maintained by Alcoa Canada. Operates at night only. Year round.	Chart:1226
1715.5	Baie des Anglais light buoy KD7	49 14 54.7 68 07 49.1	Fl	G	4s	Green, marked "KD7".	Seasonal.	Chart:1226
1715.7 H2055	Baie-Comeau Ferry	49 14 03.3 68 07 56.5	F	R	5.2	7	Square tower. 3.0	Privately maintained by La Société des traversiers du Québec. Operates at night only. Year round.	Chart:1226
1716 H2054	Baie-Comeau	On outer end of wharf. 49 14 09.1 68 07 43.3	Fl	R	6s	12.4	17	Skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round.	Chart:1226
1717	Rivière Manicouagan light and bell buoy KD14	Off river mouth. 49 12 04.2 68 03 21.1	Fl	R	4s	Red, marked "KD14".	Winter spar. Year round.	Chart:1226
1718	Battures de Manicouagan light and bell buoy K30	SE. of Pointe de Manicouagan. 49 03 45.2 68 08 18.1	Fl	R	4s	Red, marked "K30".	Seasonal.	Chart:1236
1719 H2056	Pointe de Manicouagan Racon --- (X) X & S Band	On point. 49 06 04.4 68 11 37.8	Fl	W	6s	36.1	20	Skeleton tower. 30.5	Flash 1 s; eclipse 5 s. Radar reflector. Year round.	Chart:1236
1726	Pointe à Michel light buoy K32	Off the point. 48 53 30.1 68 37 58.2	Fl	R	4s	Red, marked "K32".	Seasonal.	Chart:1236
1729 H2063	Cap Colombier	On cape. 48 49 14.3 68 52 33.3	Fl	W	6s	24.1	8	Skeleton tower. 9.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1236
1731	Rade de Rimouski light and bell buoy H41	On line of E. side of dredged cut. 48 30 28.1 68 31 04.1	Fl	G	4s	Green, marked "H41".	Seasonal.	Chart:1236
1732	Rimouski light buoy HT2	Rimouski approach wharf. 48 29 31.2 68 31 11.2	Fl	R	4s	Red, marked "HT2".	Seasonal.	Chart:1236
1732.2	Rimouski light buoy HT3	Rimouski wharf approach. 48 29 25.3 68 31 07.4	Fl	G	4s	Green, marked "HT3".	Seasonal.	Chart:1236

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1732.3	Rimouski light buoy HT11	48 28 56.6 68 31 07.2	Q G	1s	Green, marked "HT11".	Seasonal.	Chart:1236
1732.4	Rimouski light buoy HT10	48 28 49.6 68 31 10.5	Q R	1s	Red, marked "HT10".	Seasonal.	Chart:1236
1733 H2072	Rimouski	On outer end of wharf. 48 28 52 68 31 02.1	Iso G	2s	14.4	6	Square skeleton tower. 12.6	Operates at night only. Year round.	Chart:1236
1734 H2074	Port de Rimouski range	S. of wharf. 48 28 06 68 31 06.1	Iso R	1s	11.2	14	Square skeleton tower, orange daymark, black vertical stripe. 11.2	Visible in line of range. Emergency light. Year round.	
1735 H2074.1	Racon -. (N) X & S Band	178°23' 701.7m from front.	Iso R	1s	20.6	14	Square skeleton tower, orange daymark, black vertical stripe. 18.9	Visible in line of range. Emergency light. Year round.	Chart:1236
1736	Forestville light and bell buoy K38	Off entrance to Baie Laval. 48 44 30.1 68 58 28.2	Fl R	4s	Red, marked "K38".	Seasonal.	Chart:1236
1736.5	Baie Verte Entrance light buoy KE3	48 44 15.1 69 02 33.9	Fl G	4s	Green, marked "KE3".	Seasonal.	Chart:1236
1736.6	Baie Verte Entrance light buoy KE4	48 44 18.3 69 02 34.6	Fl R	4s	Red, marked "KE4".	Seasonal.	Chart:1236
1736.8	Baie Verte light buoy KE2	48 44 21.8 69 01 58.2	Fl R	4s	Red, marked "KE2".	Seasonal.	Chart:1236
1738 H2064	Pointe Rocheuse	On hill, E. of harbour. 48 44 21.5 69 02 53.3	Fl W	6s	20.0	20	Skeleton tower. 15.7	Flash 1 s; eclipse 5 s. Year round.	Chart:1236
1739 H2066	Forestville range	On shore. 48 44 09.7 69 03 45	F G	17.9	16	Square skeleton tower, orange rectangular daymark, black vertical stripe. 6.3	Visible in line of range. Year round.	
1740 H2066.1		261°34' 241.4m from front.	F G	31.9	16	Red and white square skeleton tower, orange rectangular daymark, black vertical stripe. 4.7	Visible in line of range. Year round.	Chart:1236
1747	Pointe au Boisvert light buoy K48	Off the point. 48 33 00.1 69 07 18.2	Fl R	4s	Red, marked "K48".	Seasonal.	Chart:1235
1748 H2084	Île Bicquette Sector	NW. side of centre of island. 48 24 55.6 68 53 34	Fl W Fl R	2s 6s	34.1 34.1	12 5	White cylindrical tower.	White light visible from 011° through E., S. and W. to 295°. Red light visible from 192° through W., N. and E. to 116°. Red and white night light only. Seasonal.	Chart:1223

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

1749	Récif du Nord-Ouest light and bell buoy H47	Off reef. 48 24 27.1 68 56 05.1	Fl G	4s	Green, marked "H47".	Seasonal.	Chart:1223
1750 H2086	Île du Bic (West end)	On SW. point of island. 48 23 11.4 68 53 20.5	Fl W	6s	11.1	8	Red and white square skeleton tower, orange rectangular daymarks on 3 faces. 9.2	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1223
1751	Rocher Alcide North Cardinal light buoy ROALC	Off N. side of rock. 48 20 15.5 68 55 58.4	Q W	1s	Black and yellow, marked "ROALC".	Seasonal.	Chart:1223
1752	Cap à la Carre North Cardinal light buoy CALR	Off shoal. 48 19 57.1 69 00 55.1	Q W	1s	Black and yellow, marked "CALR".	Seasonal.	Chart:1236
1753 H2088	Les Escoumins Wharf	On outer end of wharf. 48 20 45.2 69 23 22.6	Fl G	6s	12.2	6	On superstructure. 10.4	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Year round.	Chart:1235
1754 H2089	Anse aux Basques Racon -- (K) X & S Band	On shore, E. side. 48 19 07.5 69 24 46.5	Fl Y	6s	17.8	19	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round.	Chart:1235
1754.2 H2090	Anse aux Basques range	On outer end of wharf. 48 19 05.3 69 24 51	F R	6.8	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 5.4	Visible in line of range. Year round.	
1754.3 H2090.1		301°48' 69m from front.	F R	12.2	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Year round.	Chart:1235
1755	Bon Désir	48 16 19.5 69 28 07.2	Fl W	6s	46.4	18	White octagonal tower, red upper portion. 14.3	Flash 1s; eclipse 5 s. Year round.	Chart:1235
1756 H2098	Trois-Pistoles range	On outer end of wharf. 48 08 05.1 69 11 12.5	F R	8.8	6	Square skeleton tower, orange daymark, black vertical stripe. 6.9	Visible in line of range. Operates at night only. Year round.	
1756.1 H2098.1		136°56' 240.9m from front.	F R	17.0	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.	Chart:1235
1756.14	Trois-Pistoles light buoy HR3	48 08 26.4 69 11 40.5	Q G	1s	Green, marked "HR3".	Seasonal.	Chart:1235
1756.2	Trois-Pistoles light buoy HR2	48 08 18.3 69 11 32.5	Q R	1s	Red, marked "HR2".	Seasonal.	Chart:1235

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.					

ST. LAWRENCE RIVER

1756.4 H2096	Île aux Basques	E. end of island. 48 08 57.1 69 14 18.4	Fl Y 6s	13.1	7	Square skeleton tower. 9.4	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Seasonal.	Chart:1235	
1757	Grandes-Bergeronnes light buoy KJ2	Grandes-Bergeronnes entrance. 48 13 18.1 69 33 11.2	Fl R 4s	Red, marked "KJ2".	Privately maintained by Marina de Bergeronne. Seasonal.	Chart:1235	
1757.1	Grandes-Bergeronnes light buoy KJ4	Grandes-Bergeronnes entrance. 48 13 37.7 69 33 20.3	Fl R 4s	Red, marked "KJ4-Marina Bergeronnes".	Privately maintained. Seasonal.	Chart:1235	
1761 H2146	Île Verte	On NW. point of island. 48 03 03.9 69 25 27.3	Fl W 5s	16.5	19	White cylindrical tower. 16.8	Flash 1 s; eclipse 4 s. Year round.	Chart:1235	
1762 H2148	Île Verte (East Wharf)	On S. corner of wharf. 48 02 22.4 69 24 22.7	F G	5.6	7	Square skeleton tower. 5.0	Operates at night only. Seasonal.	Chart:1235
1766.8	Bancs de l'Île Rouge light buoy K51	NE. extremity of bank. 48 06 53.1 69 31 03.2	Q G 1s	Green, marked "K51".	Seasonal.	Chart:1235	
1768	Bancs de l'Île Rouge light buoy K55	NW. extremity of bank. 48 05 37.8 69 33 58.9	Fl G 4s	Green, marked "K55".	Seasonal.	Chart:1203	
1769	Bancs de l'Île Rouge light buoy H52	On NE. end of bank. 48 04 31.1 69 31 39.2	Fl R 4s	Red, marked "H52".	Seasonal.	Chart:1235	
1770 H2104	Île Rouge	On centre of islet. 48 04 10 69 33 16.9	Fl W 10s	20.1	16	Cylindrical tower. 20.1	Flash 0.3 s; eclipse 9.7 s. Operates at night only. Year round.	Chart:1203	
1771	Batture aux Alouettes light and bell buoy K58	On SE. extremity of reef. 48 03 30.1 69 38 36.2	Q R 1s	Red, marked "K58".	Winter spar. Year round.	Chart:1203	
1772	Batture aux Alouettes light buoy K56	48 04 54.1 69 37 22.2	Fl R 4s	Red, marked "K56".	Seasonal.	Chart:1203	

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

SAGUENAY RIVER

1773 H2106	Haut-fond Prince	On shoal. 48 06 29.6 69 36 51.7	FI	W	2.5s	24.6	18	Cylindrical tower. 25.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Year round. Horns(3) - Blast 2 s; sil. 18 s. Horns point 045°, 180° and 288°. <p>The operation of the fog signal will be made remotely on channel 69 (156.475 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 69. The signal will be in operation for 60 minutes. After this delay, the same operation must be repeated. The fog signal can be deactivated by pressing the button of the VHF radio 7 times.</p> Horns sound alternately.	Chart:1203
1774	Haut-fond Prince light and bell buoy SAGUE	NE. of shoal. 48 07 08.8 69 36 05.5	Mo(A)	W	6s	Red and white vertical stripes, marked "SAGUE".	Seasonal.	Chart:1203
1774.3	Rochers du Saguenay light buoy K54	S. of rocks. 48 07 48.6 69 35 56.9	FI	R	4s	Red, marked "K54".	Seasonal.	Chart:1203
1774.5	Saguenay River Entrance light buoy S3	At river entrance. 48 06 47.1 69 37 50.2	FI	G	4s	Green, marked "S3".	Seasonal.	Chart:1203
1775	Batture aux Vaches light and bell buoy S4	On S. side of shoal. 48 07 24.1 69 37 58.2	FI	R	4s	Red, marked "S4".	Winter spar. Year round.	Chart:1203
1776	Récif Bar light and bell buoy S5	On N. side of reef. 48 06 59.9 69 39 15.8	FI	G	4s	Green, marked "S5".	Seasonal.	Chart:1203
1777	Batture de la Pointe aux Vaches light buoy S8	48 07 30.1 69 40 17.2	FI	R	4s	Red, marked "S8".	Seasonal.	Chart:1203
1778	Îlet aux Alouettes light buoy S7	48 07 11.1 69 40 30.2	FI	G	4s	Green, marked "S7".	Seasonal.	Chart:1203
1779 H2112	Pointe Noire range	On E. extremity of point. 48 07 23.9 69 43 00.4	F	W	27.9	22	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	
		F	G	6	11.6		Visible from 077° through E. and S. to 257°.	
1780 H2112.1		273°05' 427.4m from front.	F	W	42.5	22	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	Chart:1203
								10.4		

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

SAGUENAY RIVER

1781 H2108	Baie Sainte-Catherine	West side of the landing of Baie Sainte-Catherine ferry. 48 06 56.8 69 43 14	Fl G 6s	9.3	6	Red rectangular tower. 1.3	Flash 1 s; eclipse 5 s. Operates at night only Year round. Chart:1203	
1783 H2115	Pte de l'Islet	At point. 48 08 07.3 69 42 59.4	Fl W 6s	12.0	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1784 H2118	Anse à l'Eau	On outer end of wharf. 48 08 19.1 69 43 38.9	F G	10.8	6	Skeleton tower. 6.5	Operates at night only. Radar reflector. Year round. Chart:1203
1784.5 H2113	Anse du Portage	On outer end of wharf. 48 07 36.6 69 43 49.6	F Y	9.9	8	Skeleton tower. 6.9	Operates at night only. Year round. Chart:1203
1785 H2122	Cap de la Boule	On S. side of point. 48 08 52.7 69 48 13.1	Fl W 6s	18.0	8	Skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1786 H2124	Anse de Sable	48 09 05.6 69 51 18.8	Fl W 6s	6.8	8	Skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1787 H2130	Anse à Pierrot	NW. of Anse à Pierrot. 48 14 01.7 69 53 41.8	Fl W 6s	13.1	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1788 H2126	Pointe aux Crêpes	On point. 48 13 01.2 69 53 41.4	Fl G 6s	12.9	6	Skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1789 H2128	Anse-de-Roche	On wharf on N. shore. 48 13 05.7 69 52 30.6	Iso R 2s	6.6	7	Skeleton tower. 6.4	Operates at night only. Privately maintained by Municipalité de Sacré-Coeur. Seasonal. Chart:1203	
1790 H2131	Île St-Louis	On N. side of island. 48 15 03.3 70 01 08.6	Fl W 6s	39.6	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1791 H2133	Pointe Claveau	On point. 48 15 37.7 70 06 52.4	Fl W 6s	15.3	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	
1793 H2136	Anse de Tabatière	48 16 19.5 70 12 08.1	Fl W 6s	15.0	8	Skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1203	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

SAGUENAY RIVER

1794 H2138	Baie Trinité	On point opposite La Niche. 48 21 13.5 70 20 40.5	Fl W	6s	16.3	8	Skeleton tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1202
1795 H2140	Cap Rouge	48 22 28.2 70 32 06.7	Fl W	6s	14.8	8	Skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1202
1798 H2142	Cap de l'Est	On S. extremity of cape. 48 22 33.2 70 42 20.4	Fl W	6s	17.0	8	Octagonal tower. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1202
Baie des Ha! Ha! Harbour									
1799	Baie des Ha! Ha! light buoy SH9	NE. of Pte. du Fort. 48 21 24.1 70 45 42.3	Fl G	4s	Green, marked "SH9".	Seasonal.	Chart:1202
1799.2 H2142.3	Port-Alfred range	48 20 04.2 70 52 27	F G	15.0	Mast on a shed. 9.4	Visible in line of range. Emergency light. Privately maintained by Aluminum du Canada Ltée. Year round.	
1799.3 H2142.31		261°46' 122.4m from front.	F G	26.1	Mast on a shed. 21.0	Visible in line of range. Emergency light. Privately maintained by Aluminum du Canada Ltée. Year round.	Chart:1202
1799.4 H2142.2	Bagotville Wharf	48 20 41.2 70 52 41.9	Iso R	2s	9.2	6	Square mast. 8.1	Operates at night only. Year round.	Chart:1202
Chicoutimi Harbour									
1799.5 H2142.8	Pointe aux Pins	W. side of the point. 48 25 08.2 70 49 52.8	Fl Y	6s	10.9	7	Skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1202
1800.5	Light buoy S30	48 25 20.6 70 52 50.7	Fl R	4s	Red, marked "S30".	Seasonal.	Chart:1209
1801 H2143	Poste-Saint- Martin range	48 26 36.5 70 59 02.3	F W	24.0	15	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Year round.	
1802 H2143.1		287°18' 3322.3m from front.	F W	54.1	15	Skeleton tower, orange daymark, black vertical stripe. 18.9	Visible in line of range. Year round.	Chart:1209
1802.4	Light buoy S32	48 25 29.6 70 53 33.9	Fl R	4s	Red, marked "S32".	Seasonal.	Chart:1209
1802.6	Light buoy S34	48 25 38.7 70 54 17.4	Fl R	4s	Red, marked "S34".	Seasonal.	Chart:1209

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

SAGUENAY RIVER

1803	Light buoy S36	Off Poste-Saint-Martin. 48 25 47.7 70 55 00.9	FI R	4s	Red, marked "S36".	Seasonal.	Chart:1209
1803.5	Light buoy S37	48 25 54.8 70 55 47.3	FI G	4s	Green, marked "S37".	Seasonal.	Chart:1209
1804	Light buoy S38	On N. side of dredged channel. 48 26 04.1 70 56 19.5	Q R	1s	Red, marked "S38".	Seasonal.	Chart:1209
1804.3	Light buoy S39	48 26 04.9 70 56 35.7	FI G	4s	Green, marked "S39".	Seasonal.	Chart:1209
1804.5	Light buoy S40	48 26 14 70 56 44.5	Q R	1s	Red, marked "S40".	Seasonal.	Chart:1209
1804.7	Light buoy S42	48 26 30.6 70 57 10.3	FI R	4s	Red, marked "S42".	Seasonal.	Chart:1209
1805 H2143.3	Rivière Valin range	E. of river mouth. 48 27 36.6 70 58 55.4	F W	27.4	15	Skeleton tower, two orange daymarks, black vertical stripe. 25.2	Visible in line of range. Year round.	
1806 H2143.31		314°01' 1027.4 m from front.	F W	47.3	15	Skeleton tower, orange daymark, black vertical stripe. 8.0	Visible in line of range. Year round.	Chart:1209
1806.5	Light buoy S44	48 26 45 70 57 32.7	FI R	4s	Red, marked "S44".	Seasonal.	Chart:1209
1808 H2143.4	Rivière du Caribou range	On N. side of Rivière Saguenay. 48 27 23.1 71 00 37.2	F W	13.2	15	Skeleton tower, orange daymark, black vertical stripe. 12.6	Visible in line of range. Year round.	
1809 H2143.5		283°34' 229m from front.	F W	19.2	15	Skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Year round.	Chart:1209
1810	Light buoy S46	48 26 57.8 70 57 52.5	FI R	4s	Red, marked "S46".	Seasonal.	Chart:1209
1811 H2143.6	Simard range	On N. side of Rivière Saguenay. 48 26 59 71 01 18.4	F G	8.8	6	Skeleton tower, orange daymark, black vertical stripe. 8.0	Visible in line of range. Year round.	
1812 H2143.7		256°15' 212.9m from front.	F G	13.9	16	Skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Year round.	Chart:1209
1813	Courbe de Caribou light buoy S47	48 26 57.8 70 58 07.7	Q G	1s	Green, marked "S47".	Seasonal.	Chart:1209
1813.8	Light buoy S50	48 27 06.6 70 58 47	FI R	4s	Red, marked "S50".	Seasonal.	Chart:1209

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

SAGUENAY RIVER

1814 H2143.9	Rivière-du-Moulin Lower range	N. of river. 48 26 07.4 71 01 32.7	F	G	10.6	16	Skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Year round.	
1815 H2143.91		214°46' 197.1m from front.	F	G	17.6	16	Skeleton tower, two orange daymarks, black vertical stripe. 7.9	Visible in line of range. Year round.	Chart:1209
1817 H2144	Rivière-du-Moulin Upper range	E. of river mouth. 48 26 01.5 71 01 44.5	F	G	9.6	16	Skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Year round.	
1818 H2144.1		081°38' 132.1m from front.	F	G	17.6	16	Skeleton tower, two orange daymarks, black vertical stripe. 7.9	Visible in line of range. Year round.	Chart:1209
1820	Quai Maltais light buoy S53	48 27 08.4 70 59 13.4	Q	G	1s	Green, marked "S53".	Seasonal.	Chart:1209
1820.2	Light buoy S56	48 27 16 70 59 44.9	Fl	R	4s	Red, marked "S56".	Seasonal.	Chart:1209
1820.5	Alignement Simard light buoy S59	48 27 07.6 71 00 14.6	Q	G	1s	Green, marked "S59".	Seasonal.	Chart:1209
1820.6	Light buoy S60	48 27 08.4 71 00 30	Fl	R	4s	Red, marked "S60".	Seasonal.	Chart:1209
1820.7	Light buoy S61	48 26 54.8 71 00 40.9	Q	G	1s	Green, marked "S61".	Seasonal.	Chart:1209
1820.9	Light buoy S63	48 26 29.1 71 01 07.8	Fl	G	4s	Green, marked "S63".	Seasonal.	Chart:1209
1821.1	Light buoy S65	48 26 13 71 01 38.9	Fl	G	4s	Green, marked "S65".	Seasonal.	Chart:1209
1821.3	Light buoy S67	48 25 57 71 02 10	Fl	G	4s	Green, marked "S67".	Seasonal.	Chart:1209
1822	Monument Price Sector	48 25 45.8 71 02 36.5	F Al RW Al GW	R W G	13.0	13	Rectangular skeleton tower.	Visible over an arc of 005°. Red from 229°30' to 231°30'; Al RW from 231°30' to 231°50'; white from 231°50' to 232°10'; Al GW from 232°10' to 232° 30'; green from 232°30' to 234°30'. Year round.	Chart:1209
1823.3	Light buoy S71	48 25 52.8 71 02 58.4	Fl	G	4s	Green, marked "S71".	Seasonal.	Chart:1209

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

LAC SAINT-JEAN

1823.55	Grosse Île Verte	On NW. end of island. 48 32 59.9 71 49 01.2	Iso	R	2s	9.4	4	Skeleton tower. 4.9	Privately maintained. Operates at night only. Year round.	Chart:6100
1823.58	Métabetchouan	48 25 53 71 52 42.3	Fl	R	4s	7.0	Flash 1 s; eclipse 3 s. Privately maintained. Year round.	Chart:6100
1823.61	Roberval Breakwater	Off outer end of breakwater. 48 31 33.3 72 13 01.9	Fl	R	6s	7.0	5	Square tower, orange rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Emergency light. Privately maintained. Year round.	Chart:6100
1823.611	Roberval	48 31 03.5 72 13 01.9	Fl	R	6s	7.3	Cylindrical mast.	Privately maintained. Year round.	Chart:6100
1823.612	Roberval	48 31 04.4 72 13 03.6	Fl	G	6s	Cylindrical mast.	Privately maintained. Year round.	Chart:6100
1823.63	Saint-Prime	48 36 03.9 72 19 20.2	F	R	7.0	Mast.	Privately maintained. Operates at night only. Seasonal.	Chart:6100
1823.68	Quartier-de-la-Chapelle range	48 44 47.9 72 08 16.8	F	R	13.7	Skeleton tower, orange rectangular daymark. 4.8	Visible in line of range. Privately maintained. Year round.	Chart:6100
1823.69		340°55' 68.4m from front.	F	R	21.9	Red and white square skeleton tower, orange rectangular daymark. 10.7	Visible in line of range. Privately maintained. Year round.	
1823.76	Petite Île Beemer	N. point of island. 48 37 09 71 47 46.8	Fl	Y	6s	8.0	7	Skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Privately maintained. Operates at night only. Seasonal.	Chart:6100
1823.77	Île Ronde	N. end of island. 48 36 20 71 49 11	Iso	W	2s	21.0	6	Skeleton tower. 15.6	Privately maintained. Operates at night only. Seasonal.	Chart:6100

ST. LAWRENCE RIVER

1823.8	Île Blanche Reef light and bell buoy K59	N. extremity of reef. 47 59 06.1 69 37 52.2	Fl	G	4s	Green, marked "K59".	Seasonal.	Chart:1235
--------	------------------------------------------	---------------------------------------------------	----	---	----	-------	-------	----------------------	-----------	------------

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1824.1 H2160	Cacouna Harbour range	47 55 55.4 69 29 35.7	F R	29.6	16	Cylindrical tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.
1824.2 H2160.1		081°10' 349.2 m from front.	F R	40.0	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.
1824.23	Light buoy HC1	47 55 56.5 69 30 51.6	Fl G	4s	Green, marked "HC1".	Seasonal.
1824.24	Light buoy HC3	47 55 49.3 69 30 44.7	Fl G	4s	Green, marked "HC3".	Seasonal.
1824.3 H2160.5	Cacouna Harbour North	47 55 50.4 69 31 13.4	Fl Y	6s	8.0	6	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1824.33	Light buoy HC2	47 55 39.6 69 30 57.9	Fl R	4s	Red, marked "HC2".	Winter spar. Year round.
1824.4 H2160.6	Cacouna Harbour South	47 55 41.6 69 31 13	Iso W	2s	8.0	6	Square skeleton tower. 4.9	Operates at night only. Year round.
1825	Barrett Ledges light and bell buoy H56	On E. side of ledge. 47 52 54.1 69 37 11.2	Fl R	4s	Red, marked "H56".	Seasonal.
1825.5	Rocher Demers light buoy H58	Off S. side of rock. 47 51 22.1 69 38 55.2	Fl R	4s	Red, marked "H58".	Seasonal.
1826 H2162	Pointe de la Rivière du Loup	On end of wharf. 47 50 52.2 69 34 13.4	Iso G	2s	10.6	7	Square skeleton tower. 9.5	Operates at night only. Year round.
1827 H2164	Île du Pot à l'Eau- de-Vie	E. end of islet. 47 52 20.5 69 40 52.7	Iso Y	2s	36.3	8	Square skeleton tower. 12.6	Operates at night only. Year round.
1829 H2167	Île aux Lièvres	On small island, SW. end of île aux Lièvres. 47 47 55.3 69 46 29.2	Fl G	6s	9.4	6	Square skeleton tower, orange and white rectangular daymark, orange triangle in centre on the NW. and NE. faces. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Seasonal.
1830	Île aux Lièvres light and bell buoy ILIEV	W. side of entrance to île aux Lièvres Pass. 47 47 14.2 69 47 10.3	Mo(A) W	6s	Red and white vertical stripes, marked "ILIEV".	Winter spar. Year round.
1831	Battures des Pèlerins light and bell buoy H63	Off W. side of shoal. 47 45 46.1 69 43 48.2	Fl G	4s	Green, marked "H63".	Seasonal.

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		Latitude N. Longitude W.				Height in meters above ground	

ST. LAWRENCE RIVER

1832 H2172	Le Long Pèlerin	Centre of Long Pèlerin Island. 47 42 58.8 69 44 51.8	Fl W	6s	44.0	8	Square skeleton tower. 13.9	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1234
1834 H2166	Cap de la Tête au Chien	On the cape. 47 54 41.5 69 48 23.7	Fl(2) W	5s	63.1	13	White octagonal tower. 11.6	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 3.75 s. Year round.	Chart:1234
1834.5	Saint-Siméon light buoy K60	47 50 40 69 52 11.6	Fl R	4s	Red, marked "K60".	Seasonal.	Chart:1234
1835 H2168	Saint-Siméon	On outer end of wharf. 47 50 23.7 69 52 23	Iso R	2s	8.5	7	Square skeleton tower. 8.2	Operates at night only. Year round.	Chart:1234
1836 H2182	Cap au Saumon	On Pte des Rochers. 47 46 13.8 69 54 21.4	Fl(3) W	15s	25.0	20	White octagonal tower, red upper portion. 14.0	Flash; eclipse 2.5 s; flash; eclipse 2.5 s; flash; eclipse 10 s. Locally known as Pointe des Rochers. Year round.	Chart:1234
1838 H2174	Grande île Kamouraska	Near NE. end of island. 47 37 20.4 69 51 44.3	Fl W	6s	35.0	8	Square skeleton tower. 12.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1234
1839 H2187	Cap à l'Aigle Marina Breakwater	47 39 45.9 70 05 46	Fl Y	6s	6.4	7	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s Operates at night only. Privately maintained by Port de Refuge de Cap à l'Aigle. Seasonal.	Chart:1234
1839.5 H2187.2	Marina Cap à l'Aigle	47 39 44.6 70 05 48.7	Iso R	6s	4.8	Red and white skeleton tower. 3.4	Operates at night only. Privately maintained by Port de Refuge de Cap à l'Aigle. Seasonal.	Chart:1234
1840 H2186	Cap à l'Aigle	Outer E. end of pier. 47 39 42.4 70 05 47.7	Iso R	2s	6.1	6	Square skeleton tower. 4.9	Operates at night only. Year round.	Chart:1234
1841	Haut-fond Morin light and bell buoy HFMOR	At SW. end of shoal. 47 36 08.1 70 02 16.2	Fl (2+1) G	6s	Green, red and green, marked "HFMOR".	Winter spar. Year round.	Chart:1234
1843	La Malbaie light and bell buoy K64	E. of Pte au Pic wharf. 47 37 22 70 08 03.3	Fl R	4s	Red, marked "K64".	Seasonal.	Chart:1234
1843.5	Pointe-au-Pic South Cardinal light buoy KPP	47 37 22.9 70 08 18.8	Q(6) +LFI W	15s	Yellow and black, marked "KPP".	Seasonal.	Chart:1234

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1843.7	Pointe-au-Pic Breakwater	47 37 24.9 70 08 19.6	F Y	7.2	Mast.	Privately operated. Seasonal.	Chart:1234
1844 H2194	Pointe-au-Pic	On inner side of wharf. 47 37 21.1 70 08 24.2	Fl R	6s	19.5	17	Square skeleton tower. 18.4	Flash 1 s; eclipse 5 s. Year round.	Chart:1234
1849 H2202	Cap-aux-Oies	On cape. 47 29 17.6 70 13 53.2	Fl W	6s	15.9	20	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Year round.	Chart:1233
1849.5 H2204	Cap Saint-Joseph	On outer end of wharf. 47 26 54.1 70 21 53	Iso Y	2s	17.7	7	Square skeleton tower. 15.5	Radar reflector. Year round.	Chart:1233
1850 H2206	Île aux Coudres Wharf	On outer end of wharf. 47 25 14.9 70 23 33.4	F G	13.7	7	On landing stage of superstructure.	Year round.	Chart:1233
1851 H2208	Pte de la Prairie	On Grande Batture, W of Pte. De la Prairie. 47 24 33.8 70 25 51.2	Fl W	2.5s	15.6	16	Pile.	Flash 0.5 s; eclipse 2 s. Year round.	Chart:1233
1852 H2218	Cap-aux- Corbeaux range	E. of Cap-aux- Corbeaux wharf. 47 26 06.7 70 25 40.6	F W	32.9	17	Skeleton tower, orange daymark, black vertical stripe.	Emergency light. Year round.	
1853 H2218.1		024°13' 374.6m from front.	F W	52.0	17	Square skeleton tower, orange daymark. 7.7	Emergency light. Year round.	Chart:1233
			F W	52.0	8		2nd light - Visible from eastward.	
1857	Pte. de la Prairie light buoy K65	Off Prairie Shoal, NW. end of island. 47 24 40.1 70 26 04.3	Q G	1s	Green, marked "K65".	Seasonal.	Chart:1233
1857.2 H2212	Marina Baie St- Paul range	47 25 53.9 70 29 31	F R	12.3	Orange, black and white tripod skeleton tower, orange daymark, black vertical stripe. 2.9	Visible in line of range. Privately maintained. Emergency light. Seasonal.	
1857.21 H2212.1		308°59' 27.9m from front.	F R	5.9	Orange, black and white tripod skeleton tower, orange daymark, black vertical stripe. 5.4	Visible in line of range. Privately maintained. Emergency light. Seasonal.	Chart:1233
1867	Light and bell buoy H68	47 25 02.1 70 13 00.2	Fl R	4s	Red, marked "H68".	Seasonal.	Chart:1233
1869	Light buoy H72	On W. side of St. Roch Traverse at N. entrance. 47 22 45.8 70 14 31.5	Fl R	4s	Red, marked "H72".	Seasonal.	Chart:1233

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1870	Lower Traverse light and bell buoy H79	On E. side of lower end of St. Roch Traverse. 47 21 18.1 70 15 19.3	FI	G	4s	Green, marked "H79".	Seasonal.	Chart:1233
1871	Light buoy H83	47 19 05.1 70 16 51.3	FI	G	4s	Green, marked "H83".	Seasonal.	Chart:1233
1873	St-Roch Shoals light buoy H89	SW. of shoals. 47 16 47.1 70 18 03.3	FI	G	4s	Green, marked "H89".	Seasonal.	Chart:1233
1874	Light buoy H93	47 14 19.1 70 19 09.8	FI	G	4s	Green, marked "H93".	Seasonal.	Chart:1233
1875 H2226	Saint-Jean-Port-Joli Wharf	On outer end of wharf. 47 12 58 70 16 28.6	FI	G	6s	6.2	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1233
1875.1	Marina Saint-Jean-Port-Joli light buoy	47 13 02.4 70 16 34.8	FI	G	4s	Green.	Privately maintained Seasonal.	Chart:1233
1876 H2228	Pilier de Pierre	S. side of islet. 47 12 20.7 70 21 34.4	FI	W	6s	25.3	10	Cylindrical tower. 12.7	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.	Chart:1233
1878.3	Roche à Veillon light buoy H98	47 12 02.4 70 21 07	FI	R	4s	Red, marked "H98".	Seasonal.	Chart:1233
1879.5	Beaujeu North Cardinal light buoy BEAUJ	47 05 00.1 70 29 22.3	Q	W	1s	Black and yellow, marked "BEAUJ".	Seasonal.	Chart:1317
1884 H2244	Rocher de l'Hôpital range	On rock, île aux Oies. 47 07 59.3 70 27 51.4	F	W	9.4	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Seasonal.	
1885 H2244.1		025°24' 1667.7m from front.	F	W	27.4	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 18.5	Visible in line of range. Operates at night only. Seasonal.	Chart:1317
1886.5	Chenal de Beaujeu South Cardinal light buoy CBJ	47 04 08.2 70 30 52.9	Q(6) +LFI	W	15s	Yellow and black spar, marked "CBJ"	Seasonal.	Chart:1317
1887 H2238.2	Île aux Grues	47 03 18.3 70 31 53.6	FI	G	6s	11.1	10	On wharf structure. 9.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:1317

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1888 H2250	Montmagny range	Outer end of S. wharf. 46 59 11.1 70 33 06.5	F R	7.9	12	Square skeleton tower, orange rectangular daymark, black vertical stripe. 6.3	Visible in line of range. Year round.
1889 H2250.1		169°22' 91.7m from front.	F R	14.4	12	Square skeleton tower, orange rectangular daymark, black vertical stripe. 7.9	Visible in line of range. Year round. Chart:1317
1890.44	Light buoy HM10	46 59 33.3 70 33 14.7	FI R	4s	Red spar, marked "HM10".	Seasonal. Chart:1317
1890.46	Light buoy HM6	46 59 53 70 33 21.6	FI R	4s	Red spar, marked "HM6".	Seasonal. Chart:1317
1890.5	Montmagny light buoy HM2	47 00 09.6 70 33 23.8	FI R	4s	Red, marked "HM2".	Seasonal. Chart:1317
1890.6	Montmagny information light buoy MTGNY	47 01 34.3 70 33 43.2	FI Y	4s	White and orange, marked "MTGNY".	Seasonal. Chart:1317
1891.2 H2246	Pointe aux Pins	W. end of île aux Grues. 47 02 24.7 70 34 30.6	FI G	6s	10.9	6	Square skeleton tower, orange daymark facing W. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1317
1891.25	Rocher de la Baleine North Cardinal light buoy BAL	47 08 39.7 70 30 46.6	Q W	1s	Black and yellow, marked "BAL".	Seasonal. Chart:1317
1891.4	Barre de la Grosse île light buoy HP8	47 00 09.1 70 41 40.3	FI R	4s	Red, marked "HP8".	Seasonal. Chart:1317
1891.6	Rocher Wye light buoy H121	NW. of rock. 46 59 33.1 70 37 57.3	FI G	4s	Green, marked "H121".	Seasonal. Chart:1317
1892.1	Light buoy K82	47 15 15.1 70 34 16.3	FI R	4s	Red, marked "K82".	Seasonal. Chart:1233
1892.2	Light buoy K83	47 14 33.1 70 32 34.3	Q G	1s	Green, marked "K83".	Seasonal. Chart:1233
1892.6	Light buoy K87	47 11 00.1 70 36 36.3	FI G	4s	Green, marked "K87".	Seasonal. Chart:1233
1893 H2254	Sault-au-Cochon	47 11 49.5 70 38 15.6	FI W	6s	16.2	4	Square skeleton tower, orange rectangular daymark. 8.1	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Year round. Chart:1233
1893.5	Light buoy K91	47 09 16.2 70 39 36.5	Q G	1s	Green, marked "K91".	Seasonal. Chart:1317

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

1893.6	Light buoy K92	47 09 35.4 70 39 40.5	Q	R	1s	Red, marked "K92".	Seasonal.	Chart:1317
1894	Récifs de Longue Pointe light buoy K96	S. of ledge. 47 08 39.8 70 40 31.1	Fl	R	4s	Red, marked "K96".	Winter spar. Seasonal.	Chart:1317
1895	Light buoy K95	E. of Longue Pointe Ledge. 47 08 04.8 70 40 46.1	Fl	G	4s	Green, marked "K95".	Seasonal.	Chart:1317
1895.2 H2255	Cap Gribane range	47 08 27.2 70 41 08.8	F	W	13.2	17	Square skeleton tower, orange rectangular daymark, black vertical stripe. 7.9	Visible in line of range. Year round.	
1895.3 H2255.1		023°52' 445.4m from front.	F	W	27.2	17	Square skeleton tower, orange rectangular daymark, black vertical stripe. 11.0	Visible in line of range. Year round.	Chart:1317
1895.6 H2256	Cap Rouge range	47 07 30 70 42 06	F	Y	28.7	17	Square skeleton tower, orange daymark, black vertical stripe. 11.0	Visible in line of range. Year round.	
1895.7 H2256.1		221°12' 1025.3m from front.	F	Y	55.7	17	Square skeleton tower, orange daymark, black vertical stripe. 8.3	Visible in line of range. Year round.	Chart:1317
1895.8	Light buoy K99	47 06 53.4 70 41 55.7	Fl	G	4s	Green, marked "K99".	Seasonal.	Chart:1317
1895.9	Banc du Cap Brûlé light buoy K100	47 06 44.2 70 42 23.8	Q	R	1s	Red, marked "K100".	Seasonal.	Chart:1317
1895.91	Light buoy K101	47 06 15.9 70 42 26.3	Fl	G	4s	Green, marked "K101".	Seasonal.	Chart:1317
1896	Light buoy K103	47 05 10.9 70 43 08.3	Fl	G	4s	Green, marked "K103".	Seasonal.	Chart:1317
1897	Light buoy K104	47 05 14.9 70 43 21.5	Fl	R	4s	Red, marked "K104".	Seasonal.	Chart:1317
1898 H2261	Banc du Cap Brûlé Downstream range	Cap Brûlé Bank. 47 05 50.1 70 42 12.5	F	W	8.8	18	On downstream pile, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Year round.	
1899 H2261.1		Racon -- (K) X & S Band	213°23' 1012.3m from front.	F	W	23.1	18	On upstream pile, white cylindrical tower, orange upper portion. 18.4	Visible in line of range. Year round.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1900 H2262	Banc du Cap Brûlé Upstream range	Cap Brûlé Bank. 47 05 22.5 70 42 38.9	F	W	8.7	18	On upstream pile, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Year round.	
1901 H2262.1		033°23' 1014.4m from front.	F	W	29.4	18	On downstream pile, white cylindrical tower, orange horizontal band. 19.8	Visible in line of range. Year round.	Chart:1317
1902 H2259	Cap Brûlé	On S. extremity of cape. 47 06 30.5 70 42 59.6	Iso	W	2s	41.3	6	Skeleton tower, orange rectangular daymark on 3 seaward faces. 5.0	Operates at night only. Year round.	Chart:1317
1904	Cap Tourmente light buoy K107	E. side of narrows. 47 03 46.2 70 44 03.1	Q	G	1s	Green, marked "K107".	Seasonal.	Chart:1317
1905	Cap Tourmente light and bell buoy K108	N. entrance to North Traverse. 47 03 50.9 70 44 15.8	Q	R	1s	Red, marked "K108".	Winter spar. Year round.	Chart:1317
1906	Traverse Nord light buoy K111	E. side of channel. 47 02 31.8 70 45 14.7	Fl	G	4s	Green, marked "K111".	Seasonal.	Chart:1317
1908	Traverse Nord light buoy K112	N. edge of channel. 47 02 37.3 70 45 26.8	Fl	R	4s	Red, marked "K112".	Winter spar. Year round.	Chart:1317
1909	Traverse Nord light buoy K115	E. side of channel. 47 01 18.2 70 46 25.6	Fl	G	4s	Green, marked "K115".	Seasonal.	Chart:1317
1910	Traverse Nord light buoy K116	W. side of channel. 47 01 23.6 70 46 37.7	Fl	R	4s	Red, marked "K116".	Winter spar. Year round.	Chart:1317
1910.5 H2267	Pointe Argentenaye range	SW. of point. 47 00 27.9 70 48 18.5	F	W	25.2	20	Skeleton tower. 4.8	Visible in line of range. Emergency light. Year round.	
1910.6 H2267.1		213°30' 2768.3m from front.	F	W	64.3	20	Skeleton tower. 35.5	Visible in line of range. Emergency light. Year round.	Chart:1317
1911	Light buoy K119	E. side of channel. 47 00 04.6 70 47 36.5	Fl	G	4s	Green, marked "K119".	Seasonal.	Chart:1317
1912	Light buoy K120	47 00 10 70 47 48.5	Fl	R	4s	Red, marked "K120".	Winter spar. Year round.	Chart:1317
1912.5	Light buoy K124	Off Pointe Bellefine. 46 58 56.3 70 48 59.3	Fl	R	4s	Red, marked "K124".	Seasonal.	Chart:1317
1913 H2278	Saint-François Wharf	At outer end of wharf, E. side. 46 59 47.6 70 48 29.5	Fl	W	5s	10.6	20	Square skeleton tower. 9.7	Flash 1 s, eclipse 4 s. Year round.	Chart:1317

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1913.4	Light buoy K123	Off St-François. 46 58 50.9 70 48 47.2	Fl G	4s	Green, marked "K123".	Seasonal. Chart:1317	
1914	Light buoy K127	E. side of channel. 46 57 37.2 70 49 58	Fl G	4s	Green, marked "K127".	Seasonal. Chart:1317	
1915	Light buoy K128	W. side of channel. 46 57 42.7 70 50 10	Fl R	4s	Red, marked "K128".	Winter spar. Year round. Chart:1317	
1916	Light buoy K131	S. entrance Traverse du Nord. 46 56 41.7 70 50 51.2	Fl G	4s	Green, marked "K131".	Seasonal. Chart:1317	
1917	Light buoy K132	W. side of channel. 46 56 45.5 70 51 04.9	Fl R	4s	Red, marked "K132".	Winter spar. Year round. Chart:1317	
1917.2	Light buoy K136	46 55 31.8 70 52 15.5	Q R	1s	Red, marked "K136".	Winter spar. Year round. Chart:1317	
1917.3	Light buoy K135	46 55 53.6 70 51 37.3	Fl G	4s	Green, marked "K135".	Seasonal. Chart:1317	
1918 H2274	Saint-Michel range	W. of Saint-Michel Point. 46 52 31 70 54 59.8	F W	29.7	23	Skeleton tower, orange daymark, black vertical stripe. 24.4	Visible in line of range. Emergency light. Year round. Chart:1317
1919 H2274.1		213°14' 1737.9m from front.	F W	56.6	20	Tripod skeleton tower, orange daymark, black vertical stripe. 25.2	Visible in line of range. Emergency light. Year round. An increase power of the range lights is available from a distance on channel 69 (156,475 MHz). All mariners wanting to operate at the increase power will have to push the transmitter of his VHF radio five (5) times with an interval of 1 second. The additional power of the lights will be in function for 45 minutes. After this delay, the mariner will have to repeat the same operation. This additionnal power of lights can be turned off by pushing seven (7) times the transmitter of his VHF radio. Chart:1317
1920 H2272	Île de Bellechasse	On summit of island. 46 55 53.5 70 46 02.6	Fl Y	6s	13.1	6	Red and white square skeleton tower. 7.9	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1317
1922	Récif de l'île Madame South Cardinal light buoy DAME	W. end of reef. 46 55 53.1 70 50 30.3	Q(6) +LFI	W	15s	Yellow and black, marked "DAME".	Seasonal. Chart:1317

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.						Height in meters above ground		

ST. LAWRENCE RIVER

1922.5	Pointe Samson light buoy H131	NE. of point. 46 54 22.1 70 51 58.3		Fl	G	4s	Green, marked "H131".	Seasonal.	Chart:1317
1923 H2282	Saint-Jean- d'Orléans Racon -- (G) X & S Band	Near outer end of wharf. 46 54 56.5 70 53 47		Fl	R	5s	10.9	12	Square skeleton tower, orange rectangular slatwork daymarks on 3 sides. 9.4	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:1317
1923.2	Light buoy K140	46 53 16.5 70 55 39.5		Fl	R	4s	Red, marked "K140".	Seasonal.	Chart:1317
1923.3	Light buoy K141	46 53 14.5 70 54 51.8		Fl	G	4s	Green, marked "K141".	Seasonal.	Chart:1317
1923.4	Light buoy K143	46 52 14.2 70 56 57.4		Fl	G	4s	Green, marked "K143".	Seasonal.	Chart:1317
1923.7	Light buoy K145	46 51 26 70 58 40.1		Q	G	1s	Green, marked "K145".	Seasonal.	Chart:1317
1924 H2284	Saint-Laurent d'Orléans	Near outer end of wharf. 46 51 30.2 71 00 11.4		Fl	G	5s	8.7	12	Mast. 7.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:1317
1925	Battures de Beaumont light buoy K147	Off reefs. 46 50 55.1 70 59 58.3		Fl	G	4s	Green, marked "K147".	Seasonal.	Chart:1317
1925.2 H2285	Cap au Diable range	At Beaumont. 46 49 57.5 71 01 54.5		F	W	53.3	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 19.8	Visible in line of range. Emergency light. Year round.	
1925.3 H2285.1		233°38' 1622.6m from front.		F	W	88.7	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 22.9	Visible in line of range. Emergency light. Year round.	Chart:1317
1925.4	Light buoy K149	46 50 30.7 71 02 10.3		Fl	G	4s	Green, marked "K149".	Seasonal.	Chart:1317
1925.52	Light buoy K154	46 50 32.1 71 05 08.3		Q	R	1s	Red, marked "K154".	Seasonal.	Chart:1317
1925.6 H2286	Pointe de la Martinière range	46 49 43.7 71 06 59		F	W	45.9	20	Skeleton tower. 19.9	Visible in line of range. Emergency light. Year round.	
1925.7 H2286.1		252°02' 655.3m from front.		F	W	66.0	20	Skeleton tower. 34.0	Visible in line of range. Emergency light. Year round.	Chart:1317
1925.8	Light buoy K155	46 50 05.6 71 06 20		Fl	G	4s	Green, marked "K155".	Seasonal.	Chart:1317

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1926	<i>Rochers Maranda light buoy K156</i>	<i>Off SE. extremity of rocks. 46 50 34.1 71 06 51.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K156".</i>	<i>Seasonal.</i>	Chart:1317
------	--------------------------------------------	----------------------------------------------------------------------	-------------	-----------	--------------	--------------	----------------------------	------------------	-------------------

1927 H2288	Sainte-Pétronille (Beaulieu)	<i>On wharf. 46 50 41.9 71 07 54.6</i>	<i>Fl Y</i>	<i>5s</i>	<i>15.3</i>	19	<i>Square skeleton tower. 14.5</i>	<i>Flash 1 s; eclipse 4 s. Year round.</i>	Chart:1316
---------------	-----------------------------------------	------------------------------------------------	-------------	-----------	-------------	-----------	----------------------------------------	------------------------------------------------	-------------------

Québec Harbour

1928	<i>Cale sèche Champlain light buoy K159</i>	<i>Off dock. 46 50 20.9 71 08 53.2</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K159".</i>	<i>Seasonal.</i>	Chart:1316
------	-----------------------------------------------------	------------------------------------------------	-------------	-----------	--------------	--------------	------------------------------	------------------	-------------------

1929	<i>Light buoy K160</i>	<i>46 50 39.2 71 08 51.5</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K160".</i>	<i>Seasonal.</i>	Chart:1316
------	------------------------	----------------------------------	------------	-----------	--------------	--------------	----------------------------	------------------	-------------------

1929.1	<i>Anchorage light buoy LIMITE F</i>	<i>46 50 54.5 71 09 01.4</i>	<i>Fl Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "LIMF".</i>	<i>Seasonal.</i>	Chart:1316
--------	------------------------------------------	----------------------------------	-------------	-----------	--------------	--------------	-------------------------------	------------------	-------------------

1929.2	<i>Anchorage light buoy LIMITE D</i>	<i>46 51 02.6 71 09 23.3</i>	<i>Fl Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "LIMD".</i>	<i>Seasonal.</i>	Chart:1316
--------	------------------------------------------	----------------------------------	-------------	-----------	--------------	--------------	-------------------------------	------------------	-------------------

1929.3	<i>Light buoy K164</i>	<i>46 50 39.1 71 10 16.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K164".</i>	<i>Seasonal.</i>	Chart:1316
--------	------------------------	----------------------------------	-------------	-----------	--------------	--------------	----------------------------	------------------	-------------------

1930	<i>Cale Sèche Lorne light buoy K163</i>	<i>W. of dry dock. 46 49 55.6 71 10 18.2</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K163".</i>	<i>Seasonal.</i>	Chart:1316
------	---------------------------------------------	------------------------------------------------------	-------------	-----------	--------------	--------------	------------------------------	------------------	-------------------

1931.5	<i>Pointe de Lévy light buoy K165</i>	<i>46 49 18.1 71 11 05.3</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K165".</i>	<i>Seasonal.</i>	Chart:1316
--------	-------------------------------------------	----------------------------------	-------------	-----------	--------------	--------------	------------------------------	------------------	-------------------

Orléans Island Channel (Chenal de l'île d'Orléans)

1932 H2290	île d'Orléans range	<i>N. end of island. 47 01 06.2 70 49 40.3</i>	<i>F W</i>	<i>.....</i>	<i>11.3</i>	19	<i>Red and white square skeleton tower, orange daymark, black vertical stripe. 9.6</i>	<i>Visible in line of range. Year round.</i>	
---------------	--------------------------------	--------------------------------------------------------	------------	--------------	-------------	-----------	--------------------------------------------------------------------------------------------------------	--------------------------------------------------	--

1933 H2290.1		<i>226°14' 787.8m from front.</i>	<i>F W</i>	<i>.....</i>	<i>37.3</i>	19	<i>Red and white square skeleton tower, orange daymark, black vertical stripe. 9.6</i>	<i>Visible in line of range. Year round.</i>	Chart:1317
-----------------	--	---------------------------------------	------------	--------------	-------------	-----------	--------------------------------------------------------------------------------------------------------	--------------------------------------------------	-------------------

1934	<i>Séminaire Spit light buoy V6</i>	<i>S. edge of spit. 47 02 59.1 70 46 59.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "V6".</i>	<i>Seasonal.</i>	Chart:1317
------	-----------------------------------------	-------------------------------------------------------	-------------	-----------	--------------	--------------	--------------------------	------------------	-------------------

1935	<i>Light buoy V8</i>	<i>SE. of Beaupré. 47 02 06.8 70 51 52.2</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "V8".</i>	<i>Seasonal.</i>	Chart:1317
------	----------------------	------------------------------------------------------	-------------	-----------	--------------	--------------	--------------------------	------------------	-------------------

1936	<i>Light buoy V13</i>	<i>SW. of Beaupré. 47 01 39.1 70 53 21.3</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "V13".</i>	<i>Seasonal.</i>	Chart:1317
------	-----------------------	------------------------------------------------------	-------------	-----------	--------------	--------------	-----------------------------	------------------	-------------------

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1936.1	Sainte-Anne de Beaupré Sector	On pier, E. side of wharf. 47 01 15 70 55 40	Iso Al RW Al GW	R W G	3s	11.4	19	Skeleton tower; orange daymark, black vertical stripe. 9.1	Red from 251°30' to 253°30'; Al RW from 253°30' to 253°50'; white from 253°50' to 254°10'; Al GW from 254°10' to 254°30'; green from 254°30' to 256°30'. Year round.	Chart:1317
1941 H2294	Ste-Famille range	Near stone mill, S. side of channel. 46 57 51.7 70 58 34.3	F	G	18.6	18	Square skeleton tower, orange daymark, black vertical stripe. 18.5	Visible in line of range. Year round.	
1942 H2294.1		052°36' 608.8m from front.	F	G	76.0	18	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.	Chart:1317
1944	Light buoy V19	46 57 12.1 71 00 27.3	Fl	G	4s	Green, marked "V19".	Seasonal.	Chart:1317
1945	Light buoy V22	46 56 35.1 71 01 24.3	Fl	R	4s	Red, marked "V22".	Seasonal.	Chart:1317
1946 H2300	Pointe Saint- Pierre range	On beach on S. side of channel. 46 55 35.3 71 02 26.8	F	G	6.5	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Year round.	
1947 H2300.1		218°36' 166.7m from front.	F	G	13.0	16	Square skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Year round.	Chart:1317
1948	Light buoy V31	46 53 12.1 71 07 35.3	Fl	G	4s	Green, marked "V31".	Seasonal.	Chart:1317
1949 H2310	Ange-Gardien range	On point between Montmorency and l'Ange-Gardien Village. 46 53 55.9 71 07 14.1	F	G	14.3	16	Skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Year round.	
1950 H2310.1		023°45' 415.7m from front.	F	G	24.4	16	Skeleton tower, orange daymark, black vertical stripe. 13.9	Visible in line of range. Year round.	Chart:1317
1950.4	Light buoy V34	46 52 32.5 71 08 27.3	Fl	R	4s	Red, marked "V34".	Seasonal.	Chart:1316
1950.5	Light buoy V35	46 52 29.1 71 08 03.3	Fl	G	4s	Green, marked "V35".	Seasonal.	Chart:1316
1951	Light buoy V36	46 52 00.1 71 08 32.3	Fl	R	4s	Red, marked "V36".	Seasonal.	Chart:1316

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks — Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

Québec Harbour

1953	Rivière Saint-Charles light buoy K168	E. of river mouth. 46 50 02.1 71 11 13.8	Fl	R	4s	Red, marked "K168".	Seasonal. Chart:1317
1953.5	Rivière Saint-Charles light buoy KP2	46 49 31.1 71 12 17.3	Fl	R	4s	Red, marked "KP2".	Seasonal. Chart:1317
1954	Québec bifurcation light buoy QUEB	At river mouth. 46 49 24.3 71 12 21.9	Fl (2+1)	R	6s	Red, green and red, marked "QUEB".	Seasonal. Chart:1316
1958 H2321	North Limit Anchorage	46 48 34.2 71 12 10.5	Iso	R	2s	20.1	6	On building.	Visible 360° Increased intensity on a bearing of 280°. Year round. Chart:1316
1959	Anse au Foulon (Wolfe) light buoy Q4	Off Brown Corporation wharf. 46 47 50.1 71 12 44.3	Fl	R	4s	Red, marked "Q4".	Seasonal. Chart:1316
1959.5	Parc nautique Lévy Floating Breakwater	On floating breakwater. 46 47 25.8 71 11 55.2	Fl	G	4s	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.6	Parc nautique Lévy North	46 47 27.3 71 11 54.7	Fl	Y	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.7	Parc nautique Lévy South Breakwater	46 47 24.8 71 11 56	F	R	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.8	Parc nautique Lévy Information light buoy	46 47 30 71 12 00	Fl	Y	4s	White and orange.	Privately maintained. Seasonal. Chart:1316
1960	Anse au Foulon (Wolfe) light buoy Q6	On SW. limit of dredging. 46 47 12.1 71 13 27.3	Fl	R	4s	Red, marked "Q6".	Seasonal. Chart:1316
1960.3 H2323.3	Quebec Yacht Club East	On outer end of E. breakwater. 46 46 58.5 71 14 01.8	F	Y	5.0	8	Red and white square skeleton tower. 3.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal. Chart:1316

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1960.4 H2323	Québec Yacht Club range	46 47 02.1 71 14 14	F R	4.9	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 3.3	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal.
1960.5 H2323.1		298°57' 19.6m from front.	F R	8.3	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 6.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal.
1960.6 H2323.4	Québec Yacht Club West	On outer end of W. breakwater. 46 46 57.1 71 14 04	Iso W	2s	4.4	8	Red and white square skeleton tower. 3.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal.
1960.8	Québec Yacht Club light buoy	46 46 56.1 71 13 52.3	Fl Y	4s	White and orange, marked "Yacht Club de Québec".	Privately maintained. Seasonal.
1961	Anse Fréchette light buoy Q7	W. of cove. 46 46 40.1 71 12 58.3	Fl G	4s	Green, marked "Q7".	Seasonal.
1961.2	Saint-Romuald d'Etchemin light buoy Q11	46 45 52.1 71 14 26.3	Fl G	4s	Green, marked "Q11".	Seasonal.
1962 H2324	Pointe à Puisseaux (Sillery)	W. of wharf. 46 46 19.4 71 14 35.9	Fl R	5s	8.1	16	Red and white square skeleton tower. 5.1	Flash 1 s; eclipse 4 s. Year round.
1962.3	Marina Chaudière Entrance light buoy QC2	46 44 41.3 71 16 41.6	Q R	1s	Red, marked "QC2".	Privately maintained. Seasonal.
1962.5	Marina Chaudière Entrance light buoy QC3	46 44 41.3 71 16 38.9	Q G	1s	Green, marked "QC3".	Privately maintained. Seasonal.
1962.7	Marina Chaudière Entrance light buoy QC4	46 44 35.8 71 16 42.6	Fl R	4s	Red, marked "QC4".	Privately maintained. Seasonal.
1963 H2326	Québec Bridge (Pont de Québec)	At "Le Sault" above the Rivière Chaudière. 46 44 44.2 71 17 16.2	F 2W F 2R Iso G Iso G 2s 2s	45.7 26.8 54.1 50.3 15 7	On bridge.	3rd light - Visible eastward. 4th light - Visible westward. Year round.
1963.5 H2328	Pierre Laporte Bridge	W. of Québec bridge. 46 44 43.3 71 17 27	F 4W F 4R F 2G	49.0 48.0 49.0	On bridge.	Privately maintained. Year round.

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	-----------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

1964 H2330	Pointe à Basile range	E. from extremity of point. 46 43 48.1 71 19 45.1	F W	59.8	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 38.2	FW lights visible in line of range. Emergency light. Year round.
			Iso R	2s	59.1	16		Iso R light is visible downstream from Québec Harbour Bridge on a bearing of 241°17'. Operates at night only.
1965 H2330.1		077°39' 1240.9m from front.	F W	88.5	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 35.1	FW lights visible in line of range. Emergency light. Year round.
Chart:1315								
1966 H2332	Pointe Saint- Nicolas	On point. 46 42 07.1 71 26 45.4	F G	81.2	6	Red and white square skeleton tower, orange rectangular slatwork daymark. 14.0	Operates at night only. Year round.
Chart:1315								
1966.5	Haut-fond Saint-Augustin light buoy Q16	46 43 08.8 71 24 33	Fl R	4s	Red, marked "Q16".	Winter spar. Year round.
Chart:1315								
1967	Pointe St Nicolas light buoy Q19	Off the point. 46 42 41.2 71 26 41.8	Fl G	4s	Green, marked "Q19".	Winter spar. Year round.
Chart:1315								
1968	Haut-fond Saint-Augustin light buoy Q20	46 42 43 71 27 23.4	Fl R	4s	Red, marked "Q20".	Winter spar. Year round.
Chart:1315								
1969	Haut-fond Saint-Augustin light buoy Q22	On N. side of channel at W. end. 46 42 30 71 28 48.6	Fl R	4s	Red, marked "Q22".	Winter spar. Year round.
Chart:1315								
1970	Haut-fond Saint-Augustin light buoy Q23	On S. side of channel at W. end. 46 42 22.3 71 28 46.3	Fl G	4s	Green, marked "Q23".	Winter spar. Year round.
Chart:1315								
1970.5	Pointe Aubin light buoy Q27	Off point. 46 42 00.1 71 30 15.8	Fl G	4s	Green, marked "Q27".	Winter spar. Year round.
Chart:1315								
1972	Banc de St- Antoine light buoy Q31	W. of Banc de St- Antoine. 46 41 10.7 71 32 45.8	Fl G	4s	Green, marked "Q31".	Winter spar. Year round.
Chart:1315								
1973	Pointe aux Trembles light buoy Q32	Off SE. extremity of Pointe aux Trembles. 46 41 11.6 71 33 10	Fl R	4s	Red, marked "Q32".	Winter spar. Year round.
Chart:1315								
1973.5	Marina Vauquelin light buoy VAUQU	Off Pointe aux Trembles (Neuville) wharf. 46 41 15 71 33 49.7	Fl Y	4s	Orange and white, boat type, marked "VAUQU".	Privately maintained. Seasonal.
Chart:1315								

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

1973.6	Club Nautique Vauquelin range	46 41 50 71 34 29.6	F G	4.0	Black cylindrical mast. 2.0	Visible in line of range. Privately maintained by Club Nautique Vauquelin Inc. Seasonal.
1973.7		321°22' 46m from front.	F G	6.4	Side of boat house.	Visible in line of range. Privately maintained by Club Nautique Vauquelin Inc. Seasonal.
								Chart:1315
1973.8	Club Nautique Vauquelin	On outer end of breakwater. 46 41 46.2 71 34 24.4	Fl R	4s	Mast.	Privately maintained by Club Nautique Vauquelin Inc. Operates at night only. Seasonal.
								Chart:1315
1974 H2334	Pointe aux Trembles (Neuville) Racon - -. (G) X & S Band	On breakwater, E. side. 46 41 47.4 71 34 22.5	Fl W	5s	9.9	20	Skeleton tower. 7.6	Flash 1 s; eclipse 4 s. Year round.
								Chart:1315
1974.5	<i>Pointe aux Trembles light buoy Q34</i>	<i>Off SW. of Pointe aux Trembles. 46 40 42.6 71 34 32.4</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Q34".</i>	<i>Winter spar. Year round.</i>
								Chart:1315
1975 H2336.1	Course de Saint-Antoine range	On W. side of Pte. du Chalet des Phares. 46 39 57.9 71 35 02.3	F G	10.1	17	White tower, orange daymark, black vertical stripe. 7.6	Visible in line of range. Emergency light. Year round.
1976 H2335.9		071°56' 250.1m from front.	F G	16.8	17	Skeleton tower, white upper portion, orange daymark, black vertical stripe. 15.8	Visible in line of range. Emergency light. Year round.
								Chart:1315
1976.1 H2335.9	Traverse de Saint-Antoine range	On W. side of Pte. du Chalet des Phares. 46 40 00.4 71 34 51.1	F G	17.0	15	White square skeleton tower, orange slatwork daymarks, black vertical stripe. 15.8	Visible in line of range. Emergency light. Year round.
1977 H2336		227°37' 321m from front.	F G	57.3	15	Skeleton tower, orange slatwork daymark, black vertical stripe. 17.2	Visible in line of range. Emergency light. Year round.
								Chart:1315
1978	<i>Pointe du Chalet des Phares light buoy Q37</i>	46 39 53.1 71 36 28.3	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "Q37".</i>	<i>Seasonal.</i>
								Chart:1315
1979	<i>Pointe du Chalet des Phares light buoy Q38</i>	<i>Off Pte. du Chalet des Phares. 46 40 05.1 71 36 52.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Q38".</i>	<i>Winter spar. Year round.</i>
								Chart:1315
1980	<i>Light buoy Q40</i>	<i>Off E. side of wreck. 46 39 19.4 71 38 39.6</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Q40".</i>	<i>Winter spar. Year round.</i>
								Chart:1315

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

1981 H2338	Sainte-Croix-Est	On S. shore of river. 46 38 25.5 71 38 10	F G	11.2	6	Skeleton tower, orange rectangular slatwork daymark on N., E., and W. faces. 9.5	Operates at night only. Year round.	Chart:1315
1982	Sainte-Croix-Est light buoy Q41	46 38 47.1 71 39 43.3	Fl G	4s	Green, marked "Q41".	Seasonal.	Chart:1315
1983	Banc Des Écureuils light buoy Q46	S. of Des Écureuils. 46 38 39.1 71 41 12.3	Fl R	4s	Red, marked "Q46".	Winter spar. Year round.	Chart:1315
1984	Sainte-Croix light buoy Q48	46 38 26.5 71 42 48.4	Fl R	4s	Red, marked "Q48".	Winter spar. Year round.	Chart:1315
1985 H2340	Sainte-Croix range	E. of Sainte-Croix wharf. 46 37 40.6 71 41 58.5	F W	60.0	20	Skeleton tower, orange rectangular daymark, black vertical stripe. 7.6	Visible in line of range. Emergency light. Year round.	
1986 H2340.1		117°02' 483.9m from front.	F W	75.0	20	Skeleton tower, orange rectangular daymark, black vertical stripe. 15.6	Visible in line of range. Emergency light. Year round.	
			F G	74.1	6		2nd light - Visible eastward of 137°. Operates at night only.	Chart:1315
1987	Barre Sainte-Croix light buoy Q50	Off W. extremity of Banc Paget. 46 38 28.5 71 43 56.8	Q R	1s	Red, marked "Q50".	Winter spar. Year round.	Chart:1315
1988 H2342	Sainte-Croix	On shore. 46 37 40.8 71 43 53.8	Iso Y	2s	14.6	7	Skeleton tower, orange rectangular slatwork daymark. 12.6	Visible from 189° to 262°. Emergency light. Operates at night only. Year round.	Chart:1314
1989	Barre Sainte-Croix light buoy Q51	W. end of Barre Sainte-Croix. 46 38 41.2 71 45 03.8	Fl G	4s	Green, marked "Q51".	Winter spar. Year round.	Chart:1314
1990	Traverse Cap-Santé light buoy Q54	46 39 15.9 71 46 17.1	Fl R	4s	Red, marked "Q54".	Winter spar. Year round.	Chart:1314
1990.6	Traverse Cap-Santé light buoy Q55	46 39 36.3 71 47 40.9	Fl G	4s	Green, marked "Q55".	Winter spar. Year round.	Chart:1314
1992	Traverse Cap-Santé light buoy Q57	N. side of shoal. 46 40 03.9 71 48 59.4	Fl G	4s	Green, marked "Q57".	Winter spar. Year round.	Chart:1314
1993	Pointe-au-Platon light buoy Q61	N. of point. 46 40 40.1 71 51 05.4	Q G	1s	Green, marked "Q61".	Winter spar. Year round.	Chart:1314

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

ST. LAWRENCE RIVER

1993.7 H2343	Pointe-au-Platon	On point. 46 40 12.4 71 50 48.4	Iso	Y	2s	9.6	7	Skeleton tower, orange rectangular slatwork daymarks. 8.0	Visible from 087°45' through E., S. and W. to 272°. Emergency light. Radar reflector. Year round.		Chart:1314
1994	Rocher à l'Oiseau light buoy Q63	46 40 32.4 71 52 27.1	Fl	G	4s	Green, marked "Q63".	Winter spar. Year round.		Chart:1314
1995 H2344	Traverse Cap-Santé range	E. of Rivière Portneuf mouth. 46 41 23.8 71 52 35.2	F	G	11.4	17	White cylindrical mast, orange slatwork daymark, black vertical stripe. 10.8	Visible in line of range. Emergency light. Year round.		
1996 H2344.1		296°56' 599.6m from front.	F	G	22.6	17	Rectangular skeleton tower, orange slatwork daymark, black vertical stripe. 15.3	Visible in line of range. Emergency light. Year round.		Chart:1314
1997 H2346	Portneuf range	On N. shore E. of Rivière Portneuf. 46 41 22.7 71 52 12.9	F	G	20.0	17	Square skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Emergency light. Year round.		
1998 H2346.1		028°29' 600.4m from front.	F	G	40.7	17	Square skeleton tower, orange daymark, black vertical stripe. 14.4	Visible in line of range. Emergency light. Year round.		Chart:1314
1998.51	Portneuf marina, Breakwater	On outer end of breakwater. 46 40 54.5 71 52 36	Fl	W	4s	On a monument. 7.6	Privately operated. Operates at night only. Seasonal.		Chart:1314
1999 H2347	Portneuf Wharf	On outer end of wharf, E. side. 46 40 51.9 71 52 37.1	Iso	R	2s	9.3	6	Square skeleton tower. 8.1	Operates at night only. Year round.		Chart:1314
1999.5	Portneuf light buoy Q65	46 40 07.9 71 53 02.1	Q	G	1s	Green, marked "Q65".	Seasonal.		Chart:1314
2000	Portneuf light buoy Q66	E. of Deschambault. 46 39 46.8 71 53 43.2	Fl	R	4s	Red, marked "Q66".	Winter spar. Year round.		Chart:1314
2001	Light buoy Q67	NE. of île Richelieu. 46 39 30.5 71 53 34	Fl	G	4s	Green, marked "Q67".	Winter spar. Year round.		Chart:1314
2001.1	Rapides Richelieu light buoy Q68	46 39 10.1 71 54 13.1	Fl	R	4s	Red, marked "Q68".	Winter spar. Year round.		Chart:1314

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2001.8 H2349	Île Richelieu Racon - - (M) X & S Band	N. side of island. 46 38 33.5 71 54 35.2	F	Y	5.7	16	Orange pile. 12.0	Visible on a bearing of 054°. Not to be used as a direction light. Year round.	
			F	G	5.7	6		Visible on a bearing of 160° through S. to 250°. Increased intensity on a bearing of 211°. Operates at night only. Year round.	Chart:1314
2002 H2350	Barre à Boulard range	On edge of cliff. 46 39 33.8 71 52 34.6	F	W	51.7	20	Square skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Emergency light. Year round.	
2003 H2350.1		054°03' 1042.8m from front.	F	W	71.3	20	Skeleton tower, orange daymark, black vertical stripe. 19.8	Visible in line of range. Emergency light. Year round.	Chart:1314
2004	Light buoy Q70	At Rapides Richelieu. 46 38 28.5 71 55 08.1	Fl	R	4s	Red, marked "Q70".	Seasonal.	Chart:1314
2004.5	Light buoy Q73	46 38 03.8 71 55 24.7	Q	G	1s	Green, marked "Q73".	Winter spar. Year round.	Chart:1314
2005	Light buoy Q74	Off Deschambault. 46 38 03.3 71 55 45.4	Fl	R	4s	Red, marked "Q74".	Winter spar. Year round.	Chart:1314
2006 H2348	Lotbinière range	On S. shore, of Vieille-Église. 46 36 40.1 71 57 21.5	F	W	15.5	20	Square skeleton tower, orange daymark, black vertical stripe. 12.6	Visible in line of range. Emergency light. Year round.	
2007 H2348.1		221°57' 867.8m from front.	F	W	41.3	20	Skeleton tower, white enclosed upper portion, orange daymark, black vertical stripe. 17.4	Visible in line of range. Emergency light. Year round.	Chart:1314
2008	Barre à Boulard light buoy Q77	N. of Lotbinière. 46 37 25 71 56 42.4	Fl	G	4s	Green, marked "Q77".	Winter spar. Year round.	Chart:1314
2008.1	Barre à Boulard light buoy Q76	46 37 35.2 71 56 41.5	Fl	R	4s	Red, marked "Q76".	Winter spar. Year round.	Chart:1314
2012	Îlet Mayrand light buoy Q83	S. of Îlet Mayrand. 46 36 28.3 71 58 30.6	Fl	G	4s	Green, marked "Q83".	Winter spar. Year round.	Chart:1314
2012.1	Grondines-Est light buoy Q84	46 36 20.1 71 59 19.2	Fl	R	4s	Red, marked "Q84".	Winter spar. Year round.	Chart:1314

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2013 H2354	Pointe Langlois	On S. shore E. of point. 46 35 02 71 59 25	Iso G	2s	21.8	6	Skeleton tower, 3 orange rectangular daymarks on E., N. and W. faces. 11.1	Emergency light. Radar reflector. Year round.	Chart:1314
2014	Batture Simon light buoy D4	46 35 30.2 72 00 25.7	Fl R	4s	Red, marked "D4".	Winter spar. Seasonal.	Chart:1314
2015 H2358	Leclercville (St. Emmélie) range	On S. shore. 46 33 44.6 72 00 49	F G	37.9	17	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	Chart:1314
2016 H2358.1		092°42' 1041.8m from front.	F G	56.7	17	White square skeleton tower, orange daymark, black vertical stripe. 11.9	Visible in line of range. Emergency light. Year round.	
			F G	56.7	6		Visible 360°.	Chart:1314
2017	Battures du Chêne light buoy D9	46 34 47.8 72 01 37.2	Fl G	4s	Green, marked "D9".	Winter spar. Year round.	Chart:1314
2017.5	Barre du Dos de Cheval light buoy D12	46 34 39.6 72 02 18.6	Fl R	4s	Red, marked "D12".	Winter spar. Year round.	Chart:1314
2018	Battures à Cadieux light buoy D15	46 34 06 72 03 16	Fl G	4s	Green, marked "D15".	Winter spar. Year round.	Chart:1314
2018.5	Pointe des Grondines light buoy D18	S. of point. 46 34 09.7 72 03 29.3	Q R	1s	Red, marked "D18".	Winter spar. Year round.	Chart:1314
2019 H2356	Calvaire range	W. of Cap Charles. 46 33 22 72 05 10.9	F G	39.8	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 9.1	Visible in line of range. Emergency light. Year round.	Chart:1314
2020 H2356.1		238°29' 615.8m from front.	F G	54.2	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 20.5	Visible in line of range. Emergency light. Year round.	
2020.5	Cap Charles light buoy D23	46 33 50.5 72 04 02.8	Q G	1s	Green, marked "D23".	Winter spar. Year round.	Chart:1314
2021	Course Cap Charles light buoy D22	N. of Cap Charles. 46 34 01.3 72 04 06.9	Q R	1s	Red, marked "D22".	Winter spar. Year round.	Chart:1314
2022	Batture Grande Pointe light buoy D24	NW. of Cap Charles. 46 33 56.1 72 04 45.6	Q R	1s	Red, marked "D24".	Winter spar. Year round.	Chart:1314

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2022.5	<i>Poulier du Calvaire light buoy D25</i>	46 33 48.2 72 04 46.1	Fl G	4s	Green, marked "D25".	Winter spar. Year round.	Chart:1314	
2023 H2362	Pointe des Grondines range	On point. 46 34 43.5 72 04 11.8	F G	14.6	15	Square skeleton tower, orange daymark, black vertical stripe. 8.8	Visible in line of range. Year round.	
2024 H2362.1		066°37' 2441 m from front.	F G	38.6	15	Skeleton tower, orange slatwork daymark, black vertical stripe. 31.4	Visible in line of range. Year round.	Chart:1314
2025 H2364	Pointe des Grondines Upper range	On river bank. 46 35 06.4 72 05 52	F G	9.0	15	Skeleton tower, orange daymark, black vertical stripe. 8.0	Visible in line of range. Year round.	
2026 H2364.1		047°18' 1997.5m from front.	F G	29.4	19	Skeleton tower, orange slatwork daymark, black vertical stripe. 14.3	Visible in line of range. Year round.	Chart:1314
2027 H2360	La Pérade range	46 34 02.9 72 10 23.8	F G	14.8	17	Yellow skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	
2028 H2360.1		272°35' 1210.6m from front.	F G	26.7	17	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	Chart:1314
2028.5 H2361	Deschailions-sur-Saint-Laurent	NW. corner of Deschailions wharf. 46 33 39.8 72 06 22.2	Fl G	4s	11.6	6	White cylindrical mast. 9.7	Flash 1 s; eclipse 3 s. Radar reflector. Operates at night only. Year round.	Chart:1314
2029	<i>Cap à la Roche Curve light buoy D29</i>	Lower end of curve. 46 33 50.9 72 06 11.2	Fl G	4s	Green, marked "D29".	Winter spar. Year round.	Chart:1314	
2029.5	<i>Cap à la Roche Curve light buoy D30</i>	46 33 58.9 72 06 10.7	Fl R	4s	Red, marked "D30".	Winter spar. Year round.	Chart:1314	
2030	<i>Cap à la Roche Curve light buoy D31</i>	46 33 48.4 72 06 47.6	Q G	1s	Green, marked "D31".	Winter spar. Year round.	Chart:1314	
2031	<i>Cap à la Roche Curve light buoy D32</i>	46 33 57.8 72 06 50	Q R	1s	Red spar, marked "D32".	Winter spar. Year round.	Chart:1314	
2032	<i>Cap à la Roche Course light buoy D35</i>	46 33 42 72 07 22.9	Fl G	4s	Green, marked "D35".	Winter spar. Year round.	Chart:1314	
2033	<i>Cap à la Roche light buoy D36</i>	46 33 49.3 72 07 27.4	Fl R	4s	Red, marked "D36".	Winter spar. Year round.	Chart:1314	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2034	Cap à la Roche light buoy D37	S. side of channel. 46 33 33.5 72 07 51.8	Q G	1s	Green, marked "D37".	Winter spar. Year round.	Chart:1314	
2035	Cap à la Roche light buoy D38	N. side of channel. 46 33 40.8 72 07 56.3	Q R	1s	Red, marked "D38".	Winter spar. Year round.	Chart:1314	
2036	Cap à la Roche Course light buoy D40	N. side of channel. 46 33 29.2 72 08 28.5	Q R	1s	Red, marked "D40".	Winter spar. Year round.	Chart:1314	
2037	Cap Lévrard light buoy D41	46 33 07.9 72 08 49.3	Q G	1s	Green, marked "D41".	Winter spar. Year round.	Chart:1314	
2037.5	Cap Lévrard Channel light buoy D42	46 33 13.7 72 08 57.1	Fl R	4s	Red, marked "D42".	Winter spar. Year round.	Chart:1314	
2038	Cap Lévrard light buoy D49	46 32 25 72 09 56.4	Fl G	4s	Green, marked "D49".	Winter spar. Year round.	Chart:1314	
2038.4	Cap Lévrard Curve light buoy D52	46 32 19.8 72 10 21.5	Q R	1s	Red, marked "D52".	Winter spar. Year round.	Chart:1314	
2038.6	Traverse de Batiscan Curve light buoy D53	46 31 56.9 72 10 40.4	Q G	1s	Green, marked "D53".	Winter spar. Year round.	Chart:1314	
2039	Traverse de Batiscan Curve light buoy D54	46 32 04.9 72 10 48.9	Q R	1s	Red, marked "D54".	Winter spar. Year round.	Chart:1314	
2039.5	Traverse de Batiscan Curve light buoy D56	46 31 51.3 72 11 17.7	Q R	1s	Red, marked "D56".	Winter spar. Year round.	Chart:1314	
2040	Light buoy D59	NE. of Les Becquets. 46 31 22.5 72 12 07.7	Fl G	4s	Green, marked "D59".	Winter spar. Year round.	Chart:1314	
2040.5	Light buoy D60	46 31 28.9 72 12 14.6	Fl R	4s	Red, marked "D60".	Winter spar. Year round.	Chart:1314	
2041 H2368	Les Becquets	On inner end of wharf. 46 30 26.9 72 12 21.5	F G	7.9	7	White cylindrical mast. 6.7	Operates at night only. Year round.	Chart:1314

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

2042 H2366	Batiscan range	On shoreline, on pier. 46 30 33.6 72 14 22.9	F G	13.5	17	Platform on 2 white cylindrical masts; orange slatwork daymark, black vertical stripe. 6.5	Visible in line of range. Emergency light. Year round.
			F G	13.1	6		Visible 360°.
2043 H2366.1		240°14' 440.4m from front.	F G	21.4	17	White skeleton tower, enclosed upper portion, orange slatwork daymark, black vertical stripe. 17.9	Visible in line of range. Emergency light. Year round.
			F G	21.0	6		Visible 360°.
								Chart:1313
2043.6	Light buoy D62	46 31 09.7 72 12 56.4	Q R	1s	Red, marked "D62".	Winter spar. Year round.
								Chart:1314
2044	Battures Saint-Pierre light buoy D63	N. of Les Becquets. 46 31 01 72 12 47.6	Q G	1s	Green, marked "D63".	Winter spar. Year round.
								Chart:1314
2045	Battures Saint-Pierre light buoy D67	46 30 31.7 72 13 22	Q G	1s	Green, marked "D67".	Winter spar. Year round.
								Chart:1314
2046	Mouillage Batiscan light buoy D68	46 30 43.3 72 13 28.7	Fl R	4s	Red, marked "D68".	Winter spar. Year round.
								Chart:1314
2047	Battures Saint-Pierre light buoy D71	46 30 00.3 72 13 44	Fl G	4s	Green, marked "D71".	Winter spar. Year round.
								Chart:1313
2047.2 H2366.4	Batiscan Wharf	Southerly corner of building. 46 30 01 72 14 45.9	Q Y	1s	12.8	5	White cylindrical mast. 9.6	Radar reflector. Operates at night only. Year round.
								Chart:1314
2047.5	Batiscan Anchorage light buoy D74	46 29 21.2 72 14 14.2	Q R	1s	Red, marked "D74".	Winter spar. Year round.
								Chart:1313
2048	Battures Perron light buoy D82	On E. edge of reef. 46 28 21.3 72 14 42	Fl R	4s	Red, marked "D82".	Winter spar. Year round.
								Chart:1313
2049.4	Gentilly light buoy D83	46 28 07.2 72 14 36.4	Fl G	4s	Green, marked "D83".	Winter spar. Year round.
								Chart:1313
2050 H2370	Gentilly range	On pier, Battures de Gentilly. 46 25 48 72 15 46.9	F G	11.9	14	White tower, orange daymark, black vertical stripe. 3.7	Visible in line of range. Operates at night only. Year round.
2051 H2370.1	Racon -- (K) X & S Band	197°44' 2596.1m from front.	F G	31.1	14	Square skeleton tower, orange slatwork daymark, black vertical stripe. 24.3	Visible in line of range. Operates at night only. Year round.
								Chart:1313

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground	Fog Signals	

ST. LAWRENCE RIVER

2052	Pointe à la Citrouille light buoy D87	46 26 59.9 72 15 27.4	FI G	4s	Green, marked "D87".	Winter spar. Year round.	Chart:1313
2052.5	Pointe à la Citrouille light buoy D88	Off point. 46 27 17.3 72 15 31.1	FI R	4s	Red, marked "D88".	Winter spar. Year round.	Chart:1313
2053 H2372	Pointe à la Citrouille	46 27 06.5 72 16 02.6	F G	17.5	7	Skeleton tower, rectangular orange daymarks. 15.7	Operates at night only. Year round.	Chart:1313
2053.5	Pointe à la Citrouille light buoy D90	46 26 47.4 72 16 04.6	Q R	1s	Red, marked "D90".	Winter spar. Year round.	Chart:1313
2054	Pointe à la Citrouille light buoy C2	46 26 36.5 72 16 29	Q R	1s	Red, marked "C2".	Winter spar. Year round.	Chart:1313
2054.1	Poulier Grandmont light buoy C3	46 26 24.2 72 16 19.9	Q G	1s	Green, marked "C3".	Seasonal.	Chart:1313
2055	Traverse de Champlain light buoy C4	N. side of channel. 46 26 29.1 72 17 02.3	FI R	4s	Red, marked "C4".	Winter spar. Year round.	Chart:1313
2056	Traverse de Champlain light buoy C7	S. side of channel. 46 26 16.3 72 18 10.3	FI G	4s	Green, marked "C7".	Winter spar. Year round.	Chart:1313
2057	Traverse de Champlain light buoy C13	S. side of channel. 46 26 08.4 72 20 00.7	FI G	4s	Green, marked "C13".	Winter spar. Year round.	Chart:1313
2057.5	Champlain light buoy C14	46 26 16.3 72 20 01.9	FI R	4s	Red, marked "C14".	Winter spar. Year round.	Chart:1313
2058	Poulier Carpentier light buoy C15	Lower end of Champlain Curve. 46 26 02.6 72 20 32.9	Q G	1s	Green, marked "C15".	Winter spar. Year round.	Chart:1313
2059	Poulier Dubord light buoy C17	At upper end of Champlain Curve. 46 25 52.5 72 21 02	Q G	1s	Green, marked "C17".	Winter spar. Year round.	Chart:1313
2060	Light buoy C18	46 26 01.7 72 21 10.7	Q R	1s	Red, marked "C18".	Winter spar. Year round.	Chart:1313
2061	Light buoy C19	46 25 38.2 72 21 28	FI G	4s	Green, marked "C19".	Winter spar. Year round.	Chart:1313

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

ST. LAWRENCE RIVER

2062 H2382	Champlain	W. of village.	F	G	15.3	16	White skeleton tower, orange daymark. 14.6	Visible over an arc 015°, centered on a bearing of 038°. Operates at night only. Year round.
		46 26 22.6 72 20 41.5		FI	R	5s	16.0	6	Flash 1 s; eclipse 4 s. Visible 360°. Operates at night only. Year round.
									Chart:1313
2063 H2380	Champlain Upper range	W. of Champlain Village.	F	G	14.1	17	Cylindrical mast, orange rectangular daymark, black vertical stripe. 8.1	Visible in line of range. Emergency light. Year round.
		46 26 06.2 72 21 26		F	G	13.5	6	Visible 360°.
2064 H2380.1		264°03' 454.5m from front.	F	G	27.2	17	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.
			F	G	27.2	6		Visible 360°.
									Chart:1313
2065	<i>Pointe à Bigot light buoy C20</i>	<i>Off point.</i> 46 25 04.2 72 22 29.4	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>Red, marked "C20".</i>	<i>Winter spar.</i> <i>Year round.</i>
									Chart:1313
2066	<i>Light buoy C21</i>	46 24 56.8 72 22 24.4	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>Green, marked "C21".</i>	<i>Winter spar.</i> <i>Year round.</i>
									Chart:1313
2066.3 H2387	Pointe à Bigot	46 24 55.1 72 23 00.6	FI	R	6s	15.2	4	White skeleton tower, orange rectangular slatwork daymark. 13.1	Flash 1 s; eclipse 5 s. Operates at night only. Radar reflector. Year round.
									Chart:1313
2067 H2390	Cap-de-la-Madeleine Lower range	On N. shore.	F	G	18.6	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 9.1	Emergency light. Visible in line of range. Year round.
		46 23 36.1 72 27 44.5		F	G	33.0	17	Skeleton tower, orange slatwork daymark, black vertical stripe. 23.1
2068 H2390.1		037°31' 975.2m from front.	Iso	G	2s	33.1	6		Visible 360°. Emergency light.
									Chart:1313
2068.3	Port de Bécancour	46 23 57.3 72 22 28	F	Y	7.2	Black and yellow structure, black vertical stripes.	Privately maintained by Port de Bécancour. Visible in line 167°44' to 347°44'. Year round.
									Chart:1313
2069	<i>Bécancour Course light buoy C23</i>	46 24 16.6 72 23 34.2	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>Green, marked "C23".</i>	<i>Winter spar.</i> <i>Year round.</i>
									Chart:1313

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2069.7	Bécancour Course light buoy C27	E. of Batture Provencher. 46 23 09.1 72 25 31.3	Fl G	4s	Green, marked "C27".	Winter spar. Year round.	Chart:1313	
2069.8	Light buoy C28	46 23 15.2 72 25 38.6	Q R	1s	Red, marked "C28".	Winter spar. Year round.	Chart:1313	
2070	Bécancour Bend light buoy C30	N. side of turn in channel. 46 23 02.9 72 26 07.2	Q R	1s	Red, marked "C30".	Winter spar. Year round.	Chart:1313	
Trois-Rivières Harbour									
2071	Traverse de Bécancour light buoy C33	On S. side of Traverse de Bécancour. 46 22 44 72 26 49.1	Fl G	4s	Green, marked "C33".	Winter spar. Seasonal.	Chart:1313	
2072	Traverse de Bécancour light buoy C34	On N. side of Traverse de Bécancour. 46 22 54.1 72 26 38.4	Q R	1s	Red, marked "C34".	Winter spar. Year round.	Chart:1313	
2073 H2384	Bécancour range	W. bank of Rivière Bécancour. 46 22 24.1 72 26 58.4	F G	4.2	17	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.	
			F G	5.2	6	1.7	Visible 360°.	
2074 H2384.1		230°10' 1798.5m from front.	F G	22.5	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 16.9	Visible in line of range. Emergency light. Year round.	Chart:1313
2075 H2386	Traverse de Bécancour Upstream range	On S. shore. 46 23 20.8 72 23 42.8	F G	11.5	17	Cylindrical tower, orange slatwork daymark, black vertical stripe. 7.0	Visible in line of range. Emergency light. Year round.	
2076 H2386.1			075°50' 669.4m from front.	F G	19.2	17	Rectangular skeleton tower, orange slatwork daymark, black vertical stripe. 15.9	Visible in line of range. Emergency light. Year round.
2076.8	Traverse de Bécancour light buoy C36	46 22 43.2 72 27 40.4	Fl R	4s	Red, marked "C36".	Winter spar. Year round.	Chart:1313	
2077	Traverse de Bécancour light buoy C39	At turn in channel. 46 22 35.5 72 27 37.6	Fl G	4s	Green, marked "C39".	Winter spar. Year round.	Chart:1313	
2078	Cap-de-la- Madeleine light buoy C41	At turn in channel. 46 22 24 72 28 21.4	Fl G	4s	Green, marked "C41".	Winter spar. Year round.	Chart:1313	
2079	Cap-de-la- Madeleine light buoy C43	At turn in channel. 46 22 13.5 72 28 50.7	Fl G	4s	Green, marked "C43".	Winter spar. Year round.	Chart:1313	

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2080 H2388	Cap-de-la-Madeleine Wharf range	On SW. corner of wharf. 46 21 56.4 72 29 50.9	F G	10.3	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 7.6	Visible in line of range. Emergency light. Year round.
2081 H2388.1		242°37' 146.9m from front.	F G	19.8	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 12.7	Visible in line of range. Emergency light. Year round.
2081.5	Cap-de-la-Madeleine light buoy C46	46 22 11.7 72 29 20.5	Q R	1s	Red, marked "C46".	Seasonal.
2082	Light buoy C45	At turn in channel. 46 22 00 72 29 18.1	Q G	1s	Green, marked "C45".	Winter spar. Year round.
2083	Light buoy C47	At turn in channel. 46 21 43.7 72 29 42.1	Fl G	4s	Green, marked "C47".	Winter spar. Year round.
2083.8 H2389	Île la Poterie	On outer end of Île la Poterie wharf. 46 21 23.5 72 30 24.4	Fl W	6s	13.7	6	Cylindrical mast. 10.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
2084.7	Light buoy C48	46 21 06.2 72 30 46.3	Fl R	4s	Red, marked "C48".	Seasonal.
2085	Light buoy C49	46 21 06.5 72 30 23.3	Fl G	4s	Green, marked "C49".	Winter spar. Year round.
2092 H2392	Sainte-Angèle-de-Laval range	On N. shore. 46 18 48.3 72 33 59.9	F G	7.7	17	Cylindrical tower, orange rectangular slatwork daymark, black vertical stripe. 8.1	Visible in line of range. Emergency light. Year round.
2093 H2392.1		228°47' 222 m from front.	F G	15.3	17	Cylindrical tower, orange rectangular slatwork daymark, black vertical stripe. 12.5	Visible in line of range. Emergency light. Year round.
2093.3	Light buoy C52	Port of Trois-Rivières. 46 20 42.7 72 31 36.6	Fl R	4s	Red, marked "C52".	Seasonal.
2094	Light buoy C53	46 20 29.4 72 31 04.5	Fl G	4s	Green, marked "C53".	Winter spar. Year round.
2099	Light buoy C61	46 19 45.2 72 32 17.4	Fl G	4s	Green, marked "C61".	Winter spar. Year round.
2104.2	Light buoy C63	46 19 22.1 72 32 44.6	Fl G	4s	Green, marked "C63".	Winter spar. Year round.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2104.6	Light buoy C65	46 18 48.7 72 33 08.3	Q G	1s	Green, marked "C65".	Winter spar. Year round.	Chart:1313
2105.72	Pont Laviolette North	On bridge. 46 18 29.1 72 33 45.9	On bridge.	Year round.	Chart:1313
	Racon - (T) X & S Band								
2105.73	Pont Laviolette South	On bridge. 46 18 24.4 72 33 37.7	On bridge.	Year round.	Chart:1313
	Racon (H) X & S Band								
2106	Light buoy C67	S. side of channel. 46 18 15.8 72 33 48.3	Q G	1s	Green, marked "C67".	Winter spar. Year round.	Chart:1313
2108	Pointe des Ormes light buoy C70	46 18 05.4 72 34 36.1	Fl R	4s	Red spar, marked "C70".	Year round.	Chart:1313
2109	Light buoy C71	S. side of channel. 46 17 25.9 72 34 59.5	Fl G	4s	Green, marked "C71".	Seasonal.	Chart:1313
2109.1	Light buoy C72	46 17 38.6 72 35 25.5	Fl R	4s	Red, marked "C72".	Winter spar. Year round.	Chart:1313
2109.6	Trois-Rivières light buoy C77	46 16 42.7 72 36 35.6	Fl G	4s	Green, marked "C77".	Winter spar. Year round.	Chart:1313
2110	Light buoy S2	46 16 30 72 37 22.4	Q R	1s	Red, marked "S2".	Seasonal.	Chart:1312
2111 H2398.4	Port Saint- François Wharf	On wharf. 46 16 21 72 37 09.6	Fl Y	5s	8.7	Cylindrical mast. 5.0	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:1312
2112 H2398	Port Saint- François range	On pier, SW. of wharf. 46 16 16.5 72 37 10.9	F G	10.8	15	White square tower, orange daymark, black vertical stripe. 1.4	Visible in line of range. Night emergency light. Radar reflector. Year round.	
2113 H2398.1		068°12' 1372.1m from front.	F G	18.8	15	Skeleton tower, orange daymark, black vertical stripe. 14.3	Visible in line of range. Night emergency light. Year round.	Chart:1312
2114	Batture Laforce light buoy S4	46 16 06.7 72 38 05.3	Fl R	4s	Red, marked "S4".	Winter spar. Year round.	Chart:1312
2114.5	Light buoy S3	46 15 58.1 72 37 58.2	Fl G	4s	Green, marked "S3".	Winter spar. Year round.	Chart:1312

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

Lake St. Peter (Lac Saint-Pierre)

2117 H2401	Traverse de Nicolet range	On shore at Port Saint-François. 46 15 34.9 72 37 48.4	F	G	8.0	15	White cylindrical tower, orange daymark, black vertical stripe. 4.7	Visible in line of range. Emergency light. Year round.	
2118 H2401.1		096°45' 583.4m from front.	F	G	28.2	15	Skeleton tower, orange slatwork daymark, black vertical stripe. 22.3	Visible in line of range. Emergency light. Year round.	Chart:1312
2118.5	Light buoy S6	46 15 56.5 72 38 42	Q	R	1s	Red, marked "S6".	Winter spar. Year round.	Chart:1312
2119	Light buoy S8	46 15 50.8 72 39 16.7	Q	R	1s	Red, marked "S8".	Winter spar. Year round.	Chart:1312
2119.5 H2400	Nicolet Sector Racon -- (G) X & S Band	On pier. 46 15 27.1 72 39 03.5	Iso	G W	2s	8.5	5	Square tower. 6.1	White from 353° through N. and E. to 173°; green from 173° through S. and W. to 353°. Radar reflector. Operates at night only. Year round.	Chart:1312
2120.5	Light buoy S10	46 15 50 72 39 52.4	Q	R	1s	Red, marked "S10".	Winter spar. Year round.	Chart:1312
2121	Light buoy S12	46 15 53.9 72 40 40.1	Fl	R	4s	Red, marked "S12".	Winter spar. Year round.	Chart:1312
2122	Light buoy S13	N. of Banc des Anglais. 46 15 43.5 72 40 34.4	Q	G	1s	Green, marked "S13".	Winter spar. Year round.	Chart:1312
2122.8	Light buoy S16	46 15 57.8 72 41 27.9	Q	R	1s	Red, marked "S16".	Winter spar. Year round.	Chart:1312
2123	Light buoy S17	46 15 44.9 72 41 10	Q	G	1s	Green, marked "S17".	Winter spar. Year round.	Chart:1312
2123.5	Lac Cautionary light buoy	46 16 03.1 72 41 43.4	Fl	Y	4s	Yellow spar, marked "LAC".	Seasonal.	Chart:1312
2124	Light buoy S21	46 15 42.6 72 41 49.1	Q	G	1s	Green, marked "S21".	Winter spar. Year round.	Chart:1312

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2125 H2402	Pointe-du-Lac range	46 16 05.5 72 41 43.2	F G	12.1	12	Cylindrical tower, orange base and daymark, black vertical stripe. 5.4	Visible in line of range. Radar reflector. Operates at night only. Year round.
			Iso Y 2s	12.3	5		Visible 360°.	
2126 H2402.1		056°08' 2263.6m from front.	F G	49.1	12	White skeleton tower, orange slatwork daymark, black vertical stripe. 33.9	Visible in line of range. Operates at night only. Year round.
								Chart:1312
2127	Light buoy S22	At Curve No. 3. 46 15 54.6 72 42 02.8	Q R	1s	Red, marked "S22".	Winter spar. Year round.
								Chart:1312
2128	Light buoy S25	46 15 35.5 72 42 27.2	Q G	1s	Green, marked "S25".	Winter spar. Year round.
								Chart:1312
2129	Light buoy S26	46 15 40.6 72 42 46.9	Q R	1s	Red, marked "S26".	Winter spar. Year round.
								Chart:1312
2129.3	Light buoy S27	46 15 25 72 42 59.9	Q G	1s	Green, marked "S27".	Winter spar. Year round.
								Chart:1312
2129.6	Light buoy S31	46 14 36.9 72 44 43.1	Fl G	4s	Green, marked "S31".	Winter spar. Year round.
								Chart:1312
2130	Light buoy S32	46 14 43.5 72 44 49.5	Fl R	4s	Red, marked "S32".	Winter spar. Year round.
								Chart:1312
2131.7	Light buoy S43	46 13 48.7 72 46 26.2	Fl G	4s	Green, marked "S43".	Winter spar. Year round.
								Chart:1312
2132	Light buoy S44	46 13 55.3 72 46 32.6	Fl R	4s	Red, marked "S44".	Winter spar. Year round.
								Chart:1312
2133	Light buoy S51	46 12 55.6 72 48 19.9	Q G	1s	Green, marked "S51".	Winter spar. Year round.
								Chart:1312
2134	Light buoy S54	46 13 07.2 72 48 15.7	Q R	1s	Red, marked "S54".	Winter spar. Year round.
								Chart:1312
2134.8 H2404	Yamachiche Bend	On experimental island. 46 12 53 72 49 10	Iso R	2s	10.1	5	On side of mast. 30.0	Visibility 360°. Operates at night only. Year round.
								Chart:1312
2136	Light buoy S62	46 12 30.3 72 50 00.1	Q R	1s	Red, marked "S62".	Winter spar. Year round.
								Chart:1312

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks — Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

2137	Light buoy S63	46 12 25.8 72 49 44.2	Q	G	1s	Green, marked "S63".	Winter spar. Year round.	Chart:1312	
2137.2 H2405	Yamachiche Curve West range	46 12 18.7 72 49 49.1	F	G	10.2	14	Cylindrical tower, orange rectangular daymark, black vertical stripe. 2.6	Visible in line of range. Operates at night only. Year round.		
				Fl	G	6s	9.2	4		Flash 1 s; eclipse 5 s. Visible 360°. Operates at night only.	
2137.3 H2405.1	Racon -- (M) X & S Band	236°01' 761.8m from front.	F	G	25.5	14	White tower, orange daymark, black vertical stripe. 17.3	Visible in line of range. Operates at night only. Year round.	Chart:1312	
2138	Light buoy S67	46 12 01.4 72 51 20.7	Fl	G	4s	Green, marked "S67".	Winter spar. Year round.	Chart:1312	
2138.2	Light buoy S68	46 12 08.9 72 51 24.5	Fl	R	4s	Red, marked "S68".	Winter spar. Year round.	Chart:1312	
2139.5	Light buoy S77	46 11 35.8 72 53 01.8	Q	G	1s	Green, marked "S77".	Winter spar. Year round.	Chart:1312	
2141	Light buoy S80	46 11 36.8 72 53 31.1	Q	R	1s	Red, marked "S80".	Winter spar. Year round.	Chart:1312	
2142	Light buoy S81	Curve No. 2. 46 11 13.2 72 54 01.7	Fl	G	4s	Green, marked "S81".	Winter spar. Year round.	Chart:1312	
2142.2	Light buoy S82	N. side of channel. 46 11 22 72 54 09.9	Fl	R	4s	Red, marked "S82".	Winter spar. Year round.	Chart:1312	
2143 H2408	Lac St-Pierre Upstream (Curve Louiseville) range	On pier in water. 46 11 10.6 72 54 58.2	F	G	10.5	14	Cylindrical tower, orange daymark, black vertical stripe. 5.0	Visible in line of range. Radar reflector. Operates at night only. Year round.		
				Iso	G	2s	11.0	4		Visible 360°. Operates at night only.	
2143.5 H2408.1		Racon -, (N) X & S Band	249°57' 913.9m from front.	F	G	22.6	14	Square tower, orange daymark, black vertical stripe. 16.7	Visible in line of range. Radar reflector. Operates at night only. Year round.	
			Iso	R	2s	23.8	5		Visible 360°. Operates at night only.	Chart:1312	

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

ST. LAWRENCE RIVER

2144 H2409	Lac St-Pierre Downstream (Curve Louiseville) range	On pier in water.		F	G	11.6	12	Orange rectangular tower, orange rectangular daymark, black vertical stripe.	Visible in line of range. Radar reflector. Operates at night only. Year round.
		46 11 41.5 72 53 43.9								15.0
2145 H2409.1		044°04' 609.8m from front.		F	G	21.0	12	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round.
				Iso	G	2s	21.6	4		Visible 360°. Operates at night only.
Chart:1312										
2146	Light buoy S87	S. side of channel.		Q	G	1s	Green, marked "S87".	Winter spar. Year round.
		46 10 44.4 72 54 55.8								
Chart:1312										
2147	Lac St-Pierre light buoy S86	N. side of channel.		Q	R	1s	Red, marked "S86".	Winter spar. Year round.
		46 11 03.4 72 54 45.2								
Chart:1312										
2147.2	Louiseville Entrance Channel light buoy SH1	46 11 45.6 72 54 27.1		Fl	G	4s	Green, marked "SH1".	Privately maintained by the Municipality of Louiseville. Seasonal.
Chart:1312										
2147.4	Louiseville Entrance Channel light buoy SH9	46 12 11.3 72 54 44.8		Fl	G	4s	Green, marked "SH9".	Privately maintained by the Municipality of Louiseville. Seasonal.
Chart:1312										
2147.6	Louiseville Entrance Channel light buoy SH20	46 12 48 72 55 07		Fl	R	4s	Red spar, marked "SH20".	Privately maintained by the Municipality of Louiseville. Seasonal.
Chart:1312										
2148	Louiseville	On W. shore of Petite Rivière du Loup.		F	G	8.0	White cylindrical tower. 5.6	Visible on a bearing of 334°30'. Privately maintained by the Municipality of Louiseville. Year round.
		46 13 17.5 72 55 29.5								
Chart:1312										
2151	Light buoy S97	Curve No. 1.		Q	G	1s	Green, marked "S97".	Winter spar. Year round.
		46 10 00.7 72 55 56.4								
Chart:1312										
2151.5	Light buoy S98	46 09 48.5 72 56 29.3		Q	R	1s	Red, marked "S98".	Winter spar. Year round.
Chart:1312										
2152	Light buoy S100	Curve No. 1.		Q	R	1s	Red, marked "S100".	Winter spar. Year round.
		46 09 31.2 72 56 46.8								
Chart:1312										

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		

ST. LAWRENCE RIVER

2153.3 H2411	Maskinongé Curve	S. side. 46 09 24.4 72 56 28.6	Iso	Y	2s	13.9	6	Cylindrical tower, red and white horizontal bands. 5.5	Visible 360°. Radar reflector. Operates at night only. Year round.		Chart:1312
2153.5	Light buoy S102	W. side of channel. 46 09 05.5 72 57 01.6	Q	R	1s	Red, marked "S102".	Winter spar. Year round.		Chart:1312
2154	Light buoy S103	Curve No. 1. 46 08 51.2 72 56 51.8	Q	G	1s	Green, marked "S103".	Winter spar. Year round.		Chart:1312
2154.2	Light buoy S107	E. side of channel. 46 07 59.4 72 57 09	Fl	G	4s	Green, marked "S107".	Winter spar. Year round.		Chart:1312
2155	Îlets light buoy	E. of Îlets. 46 07 30.9 72 55 40.4	Fl (2+1)	R	6s	Red, green and red, marked "Îlets".	Privately maintained. Seasonal.		Chart:1312
2156	Rivière Saint-François Channel Entrance light buoy SJ2	At river mouth. 46 07 48.1 72 55 58.4	Fl	R	4s	Red, marked "SJ2".	Privately maintained. Seasonal.		Chart:1312
2163	Île aux Raisins light buoy S110	46 07 36.7 72 57 31.1	Q	R	1s	Red, marked "S110".	Winter spar. Year round.		Chart:1312
2164	Light buoy S111	N. of Îlets Percés. 46 07 07.6 72 57 26.2	Q	G	1s	Green, marked "S111".	Seasonal.		Chart:1312
2164.1	Île des Barques Course light buoy S113	46 06 43.3 72 57 54	Fl	G	4s	Green, marked "S113".	Winter spar. Year round.		Chart:1312
2165	Île aux Raisins Curve light buoy S114	46 06 48.2 72 58 02.9	Q	R	1s	Red, marked "S114".	Seasonal.		Chart:1312
2166 H2414	Île aux Raisins range	46 06 10.7 72 57 52.4	F	G	9.7	11	White cylindrical tower, orange daymark, black vertical stripe. 7.0	Visible in line of range. Operates at night only. Year round.		
2167 H2414.1	Racon -- (K) X Band	193° 573.9m from front.	F	G	26.9	11	Square tower, orange slatwork daymark, black vertical stripe. 38.9	Visible in line of range. Operates at night only. Year round.		
			Iso	W	2s	26.9	6		Visible 360°. Operates at night only.		Chart:1312
2167.1	Île Lapierre light buoy S116	46 06 18.7 72 58 36.7	Fl	R	4s	Red, marked "S116".	Seasonal.		Chart:1312

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2168 H2416	Île des Barques range	On E. end of island. 46 05 15.3 72 59 41.8	F G	11.4	13	Square tower, orange daymark, black vertical stripe. 4.0	Visible in line of range. Operates at night only. Year round.
2169 H2416.1		218°26' 480m from front.	F G	25.2	13	Cylindrical tower, orange daymark, black vertical stripe. 19.7	Visible in line of range. Operates at night only. Year round.
2170	Île aux Raisins light buoy S117	On SE. side of channel. 46 05 57.9 72 58 45.8	Q G	1s	Green, marked "S117".	Winter spar. Year round.
2171	Chenal du Moine North light buoy SN2	At Chenal du Moine entrance. 46 06 09.1 72 58 21.4	FI R	4s	Red, marked "SN2".	Seasonal.
2172	Île Lapierre light buoy S120	Off E. end of island. 46 05 51.7 72 59 15.7	FI R	4s	Red, marked "S120".	Seasonal.
2173	Île des Barques experimental light buoy S123	46 04 57 73 00 37.5	FI G	4s	Green spar, marked "S123".	Experimental spar. Year round.
2174	Île Lapierre light buoy S126	46 04 54.7 73 01 00.2	FI R	4s	Red, marked "S126".	Seasonal.
2174.3	Chenal du Moine light buoy SN12	W. entrance. 46 03 54.7 73 01 37.4	FI R	4s	Red, marked "SN12".	Seasonal.
2174.4	Chenal du Moine South light buoy SN11	W. entrance. 46 03 53.9 73 01 37.9	FI G	4s	Green, marked "SN11".	Seasonal.
2174.7	Île de Grâce light buoy S129	S. of island. 46 04 08.2 73 02 06.8	FI G	4s	Green, marked "S129".	Winter spar. Year round.
2174.8	Île de Grâce light buoy S130	S. of island. 46 04 14.4 73 02 13.8	FI R	4s	Red, marked "S130".	Seasonal.
2175 H2426	Île de Grâce range	On pier, N. of Île des Barques. 46 04 08.4 73 02 59.8	F G	12.8	15	White square tower, orange daymark, black vertical stripe. 8.2	Visible in line of range. Operates at night only. Year round.
2176 H2426.1		073°16' 598.4m from front.	F G	22.1	15	Square tower, enclosed upper portion, orange slatwork daymark, black vertical stripe. 17.8	Visible in line of range. Operates at night only. Year round.
			Iso G	2s	22.1	5		Visible from 275° to 018° approx. Operates at night only.

Chart:1312

No.	Name	Position Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

2177 H2422	Sainte-Anne-de-Sorel range	On S. shore. 46 03 32.4 73 03 21.6	F	G	13.1	15	White square tower, orange daymark, black vertical stripe. 8.1	Visible in line of range. Emergency light. Year round.
2178 H2422.1		231°51' 771.1m from front.	F	G	14.2	6		Visible 360°.
2179	Île de Grace light buoy S136	46 03 59.8 73 02 52.3	Q	R	1s	Red, marked "S136".	Seasonal.
2180 H2424	Île du Moine range	On a pier located on shore, S. of island. 46 03 58.3 73 01 29.7	F	G	13.1	14	White square tower, orange daymark, black vertical stripe. 10.0	Visible in line of range. Operates at night only. Year round.
2181 H2424.1		082°33' 488.2m from front.	F	G	27.4	14	Skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Operates at night only. Year round.
2181.1	Ste-Anne-de-Sorel light buoy S139	46 03 45.9 73 03 01.6	Q	G	1s	Green, marked "S139".	Winter spar. Year round.
2181.15	Ste-Anne-de-Sorel light buoy S140	46 03 50.9 73 03 34.3	Fl	R	4s	Red, marked "S140".	Seasonal.
2181.2	Ste-Anne-de-Sorel light buoy S141	46 03 35.1 73 04 59.5	Fl	G	4s	Green, marked "S141".	Seasonal.
2182	Haut-fond Nepigon light buoy S146	46 03 39.7 73 05 36.6	Fl	R	4s	Red, marked "S146".	Winter spar. Year round.
2182.2 H2427	Sorel Marina Downstream range	46 03 03.5 73 05 31.8	F	G	6.7	White cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
2182.3 H2426.9		095°03' 160.9m from front.	F	G	8.1	Yellow cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
2182.4	Port de Sorel East light buoy SN22	S. shore. 46 03 14.1 73 05 24	Fl	R	4s	Red, marked "SN22".	Seasonal.
2182.5	Port de Sorel light buoy SN26	S. shore. 46 03 06 73 05 55.3	Fl	R	4s	Red, marked "SN26".	Seasonal.
2182.52	Port de Sorel light buoy PNF	46 03 01.9 73 05 59.5	Fl (2+1)	G	6s	Green, red and green, marked "PNF".	Seasonal.

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

Chart:1312

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

2182.6	Port de Sorel Middle light buoy SN24	S. shore. 46 03 09 73 05 36.2	Fl R	4s	Red, marked "SN24".	Seasonal. Chart:1312
2182.8	Port de Sorel light buoy SN28	46 03 06.9 73 06 13.6	Q R	1s	Red, marked "SN28".	Seasonal. Chart:1312
2183.3 H2427	Sorel Marina Upstream range	46 03 03.5 73 05 31.8	F G	6.7	Cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
2183.4 H2427.1		229°10' 138.3m from front.	F G	8.1	Yellow cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal. Chart:1312
2185.1	Sorel Basin Cautionary light buoy SOREL	46 03 30.1 73 07 02	Fl Y	4s	Yellow, marked "Sorel".	Seasonal. Chart:1312
2185.2	Saint-Joseph-de- Sorel Cautionary light buoy TRACY	46 03 19.6 73 07 38	Fl Y	4s	Yellow, marked "Tracy".	Seasonal. Chart:1312
2185.3	Light buoy MP1	46 02 54.6 73 09 50.8	Fl G	4s	Green, marked "MP1".	Seasonal. Chart:1312
2185.4	Courbe de Sorel light buoy S150	46 02 56.9 73 09 06.1	Q R	1s	Red, marked "S150".	Seasonal. Chart:1312
2185.5	Île-aux-Foins light buoy S-154	46 02 28.5 73 09 53.8	Q R	1s	Red, marked "S-154".	Seasonal. Chart:1312
2185.7	Île-aux-Foins light buoy S-158	46 01 58 73 10 17	Fl R	4s	Red, marked "S-158".	Seasonal. Chart:1311

RICHELIEU RIVER

2187	CN Cautionary light buoy	46 02 19.1 73 06 58.5	Fl Y	4s	Yellow, marked "CN".	Seasonal. Chart:1350
2197	Light buoy E45	45 55 32.2 73 09 23.2	Fl G	4s	Green, marked "E45".	Seasonal. Chart:1350
2204.59	St-Ours Lock Cautionary light buoy DAN-Y	45 51 40 73 08 50	Fl Y	4s	Yellow, marked "DAN-Y".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.6	St-Ours Lock Cautionary light buoy DAN-X	45 51 38.7 73 08 52.5	Fl Y	4s	Yellow, marked "DAN-X".	Privately maintained by Parks Canada. Seasonal. Chart:1350

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

RICHELIEU RIVER

2204.61	St-Ours Lock Cautionary light buoy DANAM	45 51 37.5 73 08 54.5	Fl Y	4s	Yellow, marked "DANAM".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.62	St-Ours Lock Cautionary light buoy DAN-C	45 51 55.6 73 08 57.9	Fl Y	4s	Yellow, marked "DAN-C".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.63	St-Ours Lock Cautionary light buoy DAN-E	45 51 55.8 73 08 55.6	Fl Y	4s	Yellow, marked "DAN-E".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.64	St-Ours Lock Cautionary light buoy DAN-W	45 51 55.4 73 09 00.2	Fl Y	4s	Yellow, marked "DAN-W".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2207	Light buoy E88	S. of island. 45 51 40.9 73 08 46.7	Fl R	4s	Red, marked "E88".	Seasonal. Chart:1350
2208	Light buoy E87	S. of island. 45 51 40.7 73 08 44.6	Fl G	4s	Green, marked "E87".	Seasonal. Chart:1350
2243	Light buoy E223	45 32 54.1 73 12 40.8	Fl G	4s	Green, marked "E223".	Seasonal. Chart:1350
2244	Beloil - Station	On wharf, W. side of river. 45 32 50 73 12 46.6	Fl R	4s	7.6	4 Cylindrical mast. 4.9	Visible 360°. Operates at night only. Seasonal. Chart:1350
2245	Beloil, bridge	On the most southerly of the 4 piers South of the drawbridge pier. 45 32 50.7 73 12 42.1	Fl G	4s	3.8	3 White tower. 1.9	Visible upstream only. Operates at night only. Seasonal. Chart:1350
2246	Light buoy E225	45 32 47.1 73 12 45.5	Fl G	4s	Green, marked "E225".	Seasonal. Chart:1350
2255.5	Light buoy E259	45 26 59.7 73 17 02.6	Fl G	4s	Green, marked "E259".	Seasonal. Chart:1351
2255.8	Saint-Jean Upper	W. side of channel. 45 18 09 73 14 57.3	Fl R	4s	5.3 Skeleton tower. 3.6	Operates at night only. Seasonal. Chart:1351
2257.3	Light buoy E433	45 11 55 73 15 12.5	Fl G	4s	Green, marked "E433".	Seasonal. Chart:1351
2258.1	Pointe Cartier light buoy E443	45 10 52.2 73 15 17.5	Fl G	4s	Green, marked "E443".	Seasonal. Chart:1351

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

RICHELIEU RIVER

2258.2	St. Blaise light buoy E429	45 12 40.6 73 15 08.8	Fl G	4s	Green, marked "E429".	Seasonal. Chart:1351
2258.31	Pointe Cartier light buoy E440	45 11 08.8 73 15 18.2	Fl R	4s	Red, marked "E440".	Seasonal. Chart:1351
2258.35	Pointe Cartier light buoy E445	45 10 33.8 73 15 17.5	Fl G	4s	Green, marked "E445".	Seasonal. Chart:1351
2258.4	Pointe Cartier light buoy E448	45 10 23.1 73 15 20.5	Fl R	4s	Red, marked "E448".	Seasonal. Chart:1351
2258.72	Noix bifurcation light buoy NOIX	45 09 00 73 15 25	Fl G (2+1)	6s	Green, red and green, marked "Noix".	Seasonal. Chart:1351
Île-aux-Noix Secondary Channel							
2258.91	Light buoy EA17	45 07 57.1 73 15 56.4	Fl G	4s	Green, marked "EA17".	Seasonal. Chart:1351
2258.92	Light buoy EA19	45 07 39 73 16 04.1	Fl G	4s	Green, marked "EA19".	Seasonal. Chart:1351
2258.93	Light buoy EA22	45 07 33.5 73 16 05.1	Fl R	4s	Red, marked "EA22".	Seasonal. Chart:1351
2258.934	Fort Lennox light buoy	45 07 29.4 73 16 08.2	Fl R	4s	Red.	Privately maintained by Parks Canada. Seasonal. Chart:1351
2258.935	Fort Lennox light buoy	45 07 27.6 73 16 07.2	Fl G	4s	Green.	Privately maintained by Parks Canada. Seasonal. Chart:1351
2258.94	Light buoy EA23	45 07 16.1 73 16 21.1	Fl G	4s	Green, marked "EA23".	Seasonal. Chart:1351
2261.6	Fort South Cardinal light buoy FORT	SW. of Île Ronde. 45 06 52.1 73 16 28.6	Q(6) +LFI	W	15s	Yellow and black, marked "Fort". Seasonal. Chart:1351
2263	Information light buoy E514	45 06 15.1 73 17 21.3	Fl W	4s	White and orange spar, marked "Marina E514".	Privately maintained. Seasonal. Chart:1351
2268	Lacolle Railway Bridge	On swing-bridge. 45 03 41 73 19 56	F G F R	On swing-bridge. Shows green when draw bridge is open, red when closed. West guide pier shows one white light and central guide pier shows four white lights. Privately maintained by C.N. Railway. Year round. Chart:1351

No.	Name	Position		Light Characteristics				Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.							Height in meters above ground		

RICHELIEU RIVER

2270.2	Light buoy E544	45 02 47.9 73 20 06.3	FI	R	4s	Red, marked "E544".	Seasonal.	Chart:1351
2270.5	Light buoy E549	45 02 15.2 73 20 10.2	FI	G	4s	Green, marked "E549".	Seasonal.	Chart:1351
2272.31	Cantic	On roof of the building. 45 01 28 73 20 57	Iso	R	2s	7.2	2	Mast on Customs Office building. 4.0	Operates at night only. Privately maintained by the Canadian Border Services Agency. Seasonal.	Chart:1351
2272.6	Douanes Information light buoy DOUAN	NE. of Fort Montgomery. 45 00 38.5 73 20 45.3	FI	Y	4s	White and orange, marked "DOUAN".	Winter spar. Seasonal.	Chart:1351
2272.7	Light buoy E558	45 01 14 73 20 39.8	FI	R	4s	Red, marked "E558".	Seasonal.	Chart:1351

Missisquoi Bay

2272.8	Philipsburg light buoy	Marks intake pipe. 45 02 19 73 04 53	FI	R	4s	Red and black horizontally banded spar.	Privately maintained. Year round.	Chart:U.S. 14781
2272.9	Information light buoy DOUANE1	45 00 47 73 12 09.5	FI	Y	4s	White and orange, marked "DOUA1".	Seasonal.	Chart:U.S. 14781
2272.91	Information light buoy DOUANE2	45 00 49 73 10 50	FI	Y	4s	White and orange, marked "DOUA2".	Seasonal.	Chart:U.S. 14781
2272.92	Information light buoy DOUANE3	45 00 52.5 73 06 44	FI	Y	4s	White and orange, marked "DOUA3".	Seasonal.	Chart:U.S. 14781

ST. LAWRENCE RIVER

2273	Light buoy M1	Upstream of Sorel Curve. 46 02 08.7 73 09 50.4	Q	G	1s	Green, marked "M1".	Winter spar. Seasonal.	Chart:1311
2273.5	Lanoraie light buoy M2	46 01 17 73 10 20.5	FI	R	4s	Red, marked "M2".	Winter spar. Year round.	Chart:1311
2273.6	Lanoraie light buoy M3	46 01 36.9 73 10 02.7	FI	G	4s	Green, marked "M3".	Seasonal.	Chart:1311
2273.7	Lanoraie light buoy M4	46 00 32 73 10 37	FI	R	4s	Red, marked "M4".	Winter spar. Seasonal.	Chart:1311

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2274 H2450	Course Île Dupas range	On shore, E. side of Île aux Cochons 46 03 27.9 73 09 23	F G	13.9	12	White square tower, orange daymark, black vertical stripe. 3.9	Visible in line of range. Operates at night only. Year round.
2275 H2450.1		015°07' 623.3m from front.	F G	25.4	12	Skeleton tower, orange slatwork daymark, black vertical stripe. 20.4	Visible in line of range. Operates at night only. Year round.
Chart:1311								
Montréal Harbour								
2277	Lano B Anchorage light buoy	W. side of channel. 45 59 09 73 11 21.3	Fl Y	4s	Yellow, marked "Lano B".	Seasonal.
Chart:1311								
2278.5 H2451		45 57 51.4 73 12 40.9	F G	10.8	17	Cylindrical tower, orange daymark, black vertical stripe. 5.9	Emergency light. Visible in line of range. Year round.
2278.6 H2451.1	Course Île Saint- Ours Lower range	002°24' 713.8m from front.	F G	33.7	17	Rectangular tower, orange daymark, black vertical stripe. 22.3	Emergency light. Visible in line of range. Year round.
Chart:1311								
2278.7	Lanoraie light buoy M8	45 57 33.3 73 12 23.3	Fl R	4s	Red, marked "M8".	Seasonal.
Chart:1311								
2279	Course Île Saint- Ours light buoy M9	At lower end of course. 45 56 54.6 73 12 33.5	Q G	1s	Green, marked "M9".	Winter spar. Year round.
Chart:1311								
2280	Île Saint-Ours light buoy ISO	S. of Lanoraie. 45 56 45.5 73 12 50.7	Fl (2+1)	R	6s	Red, green and red, marked "ISO".	Winter spar. Year round.
Chart:1311								
2280.5	Course Île Saint- Ours light buoy M11	45 56 32.9 73 12 40.1	Fl G	4s	Green, marked "M11".	Winter spar. Seasonal.
Chart:1311								
2281	Course Île Saint- Ours light buoy M16	At upper end of course. 45 54 59.4 73 12 56.9	Fl R	4s	Red, marked "M16".	Winter spar. Year round.
Chart:1311								
2281.5	Course Île Saint- Ours light buoy M17	45 54 40.7 73 12 46.6	Fl G	4s	Green, marked "M17".	Seasonal.
Chart:1311								
2282 H2452	Route Île Saint- Ours range	Off shore. 45 53 05.4 73 12 57.9	F G	17.1	13	Square tower, orange slatwork daymark, black vertical stripe. 13.2	Night emergency light. Visible in line of range. Year round.
2283 H2452.1		182°22' 670.3m from front.	F G	33.0	13	Square tower, orange slatwork daymark, black vertical stripe. 18.6	Night emergency light. Visible in line of range. Visible from 066°20' through E. to 112°23'. Year round.
Chart:1311								

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.					Height in meters above ground		

ST. LAWRENCE RIVER

2284	<i>Courbe Bellmouth light buoy M19</i>	45 54 23.3 73 12 51.7	FI	G	4s	Green, marked "M19".	Seasonal.	Chart:1311
2285	<i>Courbe Bellmouth light buoy M20</i>	45 54 29.5 73 13 05	Q	R	1s	Red, marked "M20".	Winter spar. Year round.	Chart:1311
2286 H2456	<i>Courbe de Bellmouth</i>	45 55 12.9 73 12 31.1	F	R	22.1	15	Skeleton tower, orange and white rectangular daymark. 12.2	Reference light is visible on a bearing of 024°46' with Course Contrecoeur rear range light. Emergency light. Year round.	Chart:1311
2286.5	<i>Courbe Bellmouth light buoy M23</i>	45 54 09 73 13 06.9	FI	G	4s	Green, marked "M23".	Seasonal.	Chart:1311
2286.7 H2453	<i>Île Saint-Ours South</i>	45 54 20.5 73 13 31.5	Iso	Y	2s	15.1	5	Square skeleton tower. 6.5	Operates at night only. Year round.	Chart:1311
	Racon - - (M) X & S Band									Chart:1311
2287	<i>Courbe Bellmouth light buoy M26</i>	45 54 01.8 73 13 33.7	FI	R	4s	Red, marked "M26".	Winter spar. Year round.	Chart:1311
2288 H2454	<i>Petite Traverse range</i>	On E. bank. 45 54 40.1 73 12 29.1	F	G	16.8	14	Cylindrical tower, orange slatwork daymark, black vertical stripe. 7.0	Visible in line of range. Night emergency light. Visible from 045°30' through E. to 164°30'. Year round.	
2289 H2454.1		045°43' 517.2m from front.	F	G	31.9	14	Square skeleton tower, orange slatwork daymark, black vertical stripe. 20.5	Visible in line of range. Night emergency light. Visible from 360°. Year round.	Chart:1311
2290 H2458	<i>Route de Contrecoeur range</i>	On E. bank. 45 55 19.5 73 12 32.4	F	Y	26.2	19	Square tower, orange slatwork daymark, black vertical stripe. 17.4	Emergency light. Visible in line of range. Year round.	
2291 H2458.1		033°10' 772.5m from front.	F	Y	42.3	19	Tripod tower, orange slatwork daymark, black vertical stripe. 25.2	Emergency light. Visible in line of range. Year round.	Chart:1311
2292 H2460	<i>Lavaltrie range</i>	On shore, E. side of Lavaltrie Island. 45 52 59.1 73 15 50.1	F	G	7.9	16	White square tower, orange daymark, black vertical stripe. 3.8	Visible in line of range. Year round.	
2293 H2460.1		On pier, 208°34' 560.8m from front.	F	G	19.9	16	Skeleton tower, orange slatwork daymark, black vertical stripe. 16.4	Visible in line of range. Year round.	Chart:1311
2293.5	<i>Contrecoeur light buoy M29</i>	45 53 34.4 73 13 57.7	FI	G	4s	Green, marked "M29".	Winter spar. Year round.	Chart:1311

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

2294.2	<i>Courbe de Contrecoeur light buoy M32</i>	45 53 27.4 73 14 24.3	FI	R	4s	Red, marked "M32".	Seasonal.	Chart:1311
2294.4	<i>Contrecoeur light buoy M33</i>	45 53 07.8 73 14 29.1	FI	G	4s	Green, marked "M33".	Winter spar. Year round.	Chart:1311
2294.6	<i>Contrecoeur light buoy M38</i>	45 52 35.9 73 15 12.5	FI	R	4s	Red, marked "M38".	Winter spar. Year round.	Chart:1311
2294.8	<i>Contrecoeur light buoy M41</i>	45 51 55.3 73 15 36.8	FI	G	4s	Green, marked "M41".	Seasonal.	Chart:1311
2295	<i>Contrecoeur light buoy M45</i>	45 51 34.1 73 15 53.3	FI	G	4s	Green, marked "M45".	Winter spar. Year round.	Chart:1311
2295.2	<i>Contrecoeur light buoy M46</i>	45 51 38.6 73 16 06	FI	R	4s	Red, marked "M46".	Seasonal.	Chart:1311
Small Craft Channel										
Lavallrie Channel										
2296.2	<i>Light buoy MS9</i>	45 53 37.3 73 15 17.9	Q	G	1s	Green, marked "MS9".	Seasonal.	Chart:1311
Contrecoeur Traverse										
2297	<i>Light buoy MS20</i>	45 52 17.1 73 15 51.8	FI	R	4s	Red, marked "MS20".	Seasonal.	Chart:1311
Mousseau Course										
2298	<i>Light buoy MS29</i>	45 51 02.2 73 17 15.6	Q	G	1s	Green, marked "MS29".	Seasonal.	Chart: 1311
Bouchard Peninsula Course										
2299.6	<i>Light buoy MS39</i>	45 49 25.7 73 20 01.4	Q	G	1s	Green, marked "MS39".	Seasonal.	Chart:1311
Saint-Sulpice Traverse										
2301.6	<i>Light buoy MS43</i>	45 48 49 73 21 37.3	Q	G	1s	Green, marked "MS43".	Seasonal.	Chart:1311
Repentigny Curve										
2308.4	<i>Lebel bifurcation light buoy</i>	45 44 08.7 73 26 14.6	FI (2+1)	R	6s	Red, green and red, marked "Lebel".	Seasonal.	Chart:1311
2309	<i>Île à la Pierre light buoy MV6</i>	45 43 49.1 73 26 42.1	FI	R	4s	Red spar, marked "MV6".	Seasonal.	Chart:1310

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

ST. LAWRENCE RIVER

2311	Aiglon light buoy	W. of island. 45 42 26.4 73 28 25.2	Fl (2+1)	R	6s	Red, green and red, marked "AIGLO".	Seasonal.	Chart:1310
2311.2	Bout-de-l'île light buoy MV28	45 42 05.4 73 28 33.6	Fl	R	4s	Red spar, marked "MV28".	Seasonal.	Chart:1310
2311.51	Light buoy MC4	At the mouth of Rivière des Milles îles. 45 42 01.7 73 31 14.8	Q	R	1s	Red spar, marked "MC4".	Privately maintained. Seasonal.	Chart:1509
Montréal Harbour									
2312 H2470	Traverse Contrecoeur range	45 49 55.5 73 16 54.2	F	G	16.3	15	White cylindrical tower, orange daymark, black vertical stripe. 11.5	Visible in line of range. Emergency light. Year round.
2313 H2470.1		200°10' 400.4m from front.	F	G	28.0	15	Square tower, orange daymark, black vertical stripe. 22.4	Visible in line of range. Emergency light. Year round.
2313.05	Light buoy M49	45 51 12.2 73 16 07.8	Fl	G	4s	Green, marked "M49".	Seasonal.	Chart:1311
2313.1	Light buoy M51	45 50 48.3 73 16 20.4	Q	G	1s	Green, marked "M51".	Seasonal.	Chart:1311
2313.4	Light buoy MQ32	45 50 55.6 73 16 00.9	Fl	R	4s	Red, marked "MQ32".	Seasonal.	Chart:1311
2313.5	Light buoy MQ27	45 51 10.4 73 14 56.9	Fl	G	4s	Green, marked "MQ27".	Seasonal.	Chart:1311
2314	Light buoy M52	On N. side of turn in channel. 45 50 53.3 73 16 32.7	Q	R	1s	Red, marked "M52".	Winter spar. Year round.	Chart:1311
2315 H2472	Contrecoeur- Verchères range	On pier, Contrecoeur Islands. 45 51 54.9 73 15 06.7	F	G	9.4	14	Square tower, orange slatwork daymark, black vertical stripe. 4.1	Visible in line of range. Operates at night only. Year round.
2316 H2472.1		040°24' 1273.6m from front.	F	G	20.2	14	Square skeleton tower, orange slatwork daymark, black vertical stripe. 15.2	Visible in line of range. Operates at night only. Year round.
			Iso	G	2s	20.4	4		Visible from 360°. Operates at night only.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2317 H2478	Traverse Verchères range	On S. shore. 45 47 46.2 73 19 38.6	F	G	15.8	16	White cylindrical tower, orange rectangular daymark, black vertical stripe.	Emergency light. Visible in line of range. Year round.
2318 H2478.1		056°03' 494.5m from front.	F	G	25.8	16	Square skeleton tower, orange rectangular daymark, black vertical stripe.	Emergency light. Visible in line of range. Year round.
2319 H2476	Verchères Village range	On NE. end of wharf. 45 46 46 73 21 22.4	F	G	10.0	17	Red and white square tower, orange daymark, black vertical stripe. 6.0	Emergency light. Visible in line of range. Year round.
2320 H2476.1		220°21' 633.8m from front.	F	G	24.1	17	White square tower, orange daymark, black vertical stripe. 17.6	Emergency light. Visible in line of range. Year round.
2320.5	Light buoy M54	45 50 33.9 73 16 52.8	Fl	R	4s	Red, marked "M54".	Seasonal.
2321	Light buoy M57	45 50 29.3 73 16 43.4	Fl	G	4s	Green, marked "M57".	Seasonal.
2322	Light buoy M76	45 49 48.2 73 17 48.4	Fl	R	4s	Red, marked "M76".	Winter spar. Year round.
2323	Light buoy M77	45 49 48.9 73 17 32.6	Fl	G	4s	Green, marked "M77".	Seasonal.
2323.5	Light buoy M78	45 48 49.6 73 18 59.7	Fl	R	4s	Red, marked "M78".	Seasonal.
2324	Île aux Boeufs light buoy M79	S. of island. 45 48 12.2 73 19 30.1	Fl	G	4s	Green, marked "M79".	Winter spar. Year round.
2325	Île aux Prunes light buoy M82	Off end of island. 45 47 26.3 73 20 40.8	Q	R	1s	Red, marked "M82".	Winter spar. Year round.
2325.2	Light buoy M84	45 47 07.5 73 21 10.9	Fl	R	4s	Red, marked "M84".	Winter spar. Year round.
2326 H2480	Île Bouchard range	On island. 45 47 56.4 73 20 40.5	F	G	13.3	14	Cylindrical mast, orange rectangular daymark, black vertical stripe. 9.1	Visible in line of range. Year round.
2327 H2480.1		037°37' 934.4m from front.	F	G	22.1	14	Square tower, orange daymark, black vertical stripe. 17.6	Visible in line of range. Year round.

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

Chart:1311

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				-----	Height in meters above ground	

ST. LAWRENCE RIVER

2327.4	Light buoy M87	45 46 40 73 21 49	Q G	1s	Green, marked "M87".	Seasonal.	Chart:1311
2327.5	Light buoy M88	N. side of channel. 45 46 37.6 73 22 14.4	Q R	1s	Red, marked "M88".	Seasonal.	Chart:1311
2328	Course Verchères light buoy M89	45 46 20 73 22 19.4	Q G	1s	Green, marked "M89".	Winter spar. Year round.	Chart:1311
2329	Light buoy M103	NE. of Île Hertel. 45 44 56.1 73 23 51.7	FI G	4s	Green, marked "M103".	Winter spar. Year round.	Chart:1311
2329.2	Light buoy M104	45 45 00.9 73 24 00.7	FI R	4s	Red, marked "M104".	Seasonal.	Chart:1311
2330 H2482	Île Deslauriers range	E. side of island. 45 42 44.8 73 26 22.8	Iso G	1s	10.7	14	Skeleton tower, orange daymark, black vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.	
2331 H2482.1			Iso G	1s	31.9	14	Triangular skeleton tower, orange daymark, black vertical stripe. 26.0	Visible in line of range. Operates at night only. Year round.	
			Iso G	2s	32.5	4		Visible 360°. Operates at night only.	Chart:1310
2331.5	Île Bellegarde light buoy M116	45 44 05.2 73 25 01.8	FI R	4s	Red, marked "M116".	Seasonal.	Chart:1311
2332	Cap St-Michel light buoy M117	45 43 13.8 73 25 43.9	FI G	4s	Green, marked "M117".	Winter spar. Year round.	Chart:1310
2333	Île Deslauriers light buoy M118	45 43 09.6 73 26 02.9	FI R	4s	Red, marked "M118".	Seasonal.	Chart:1310
2333.2	Cap St-Michel light buoy	45 42 52.5 73 25 59.3	FI Y	4s	Yellow, marked "Kronos Priv".	Privately maintained. Winter spar. Seasonal.	Chart:1310
2333.3	Cap St-Michel light buoy M119	45 42 55.9 73 25 58.4	Q G	1s	Green, marked "M119".	Seasonal.	Chart:1310
2333.4	Île Deslauriers light buoy M122	45 42 32.1 73 26 24.2	FI R	4s	Red, marked "M122".	Winter spar. Year round.	Chart:1310
2333.5	Light buoy M123	45 42 18.7 73 26 19.6	FI G	4s	Green, marked "M123".	Seasonal.	Chart:1310

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2334	Île Deslauriers light buoy M124	45 42 13.6 73 26 37.9	Fl	R	4s	Red, marked "M124".	Winter spar. Year round.	Chart:1310
2335 H2484	Île Ste-Thérèse Lower range	E. side of island. 45 41 06.8 73 27 32.7	F	G	11.3	8	Cylindrical tower, orange slatwork daymark, black vertical stripe. 4.1	Visible 360°. Increased intensity in line of range. Operates at night only. Year round.	
2336 H2484.1		212°58' 152.7m from front.	F	G	16.1	14	Cylindrical tower, orange slatwork daymark, black vertical stripe. 9.7	Visible in line of range. Operates at night only. Year round.	Chart:1310
2337	Varenes Curve light buoy M129	Lower end of curve. 45 41 45.6 73 26 50.2	Fl	G	4s	Green, marked "M129".	Winter spar. Year round.	Chart:1310
2337.3	Varenes Curve light buoy M130	45 41 43.2 73 27 05.9	Q	R	1s	Red, marked "M130".	Seasonal.	Chart:1310
2337.7	Varenes Curve light buoy M132	45 41 22.7 73 27 17	Fl	R	4s	Red, marked "M132".	Seasonal.	Chart:1310
2338	Varenes Curve light buoy M133	45 41 15 73 27 06.8	Q	G	1s	Green, marked "M133".	Winter spar. Year round.	Chart:1310
2338.5	Light buoy M138	45 40 51.6 73 27 21.8	Fl	R	4s	Red, marked "M138".	Seasonal.	Chart:1310
2339.2	Light buoy M139	45 40 39.5 73 27 12.3	Fl	G	4s	Green, marked "M139".	Winter spar. Year round.	Chart:1310
2339.4	Light buoy M140	45 40 34.5 73 27 27.3	Q	R	1s	Red, marked "M140".	Seasonal.	Chart:1310
2340 H2486	Îles de Varenes range	N. end of Grande Île. 45 40 03.2 73 27 23.5	F	G	9.4	7	Cylindrical tower, orange slatwork daymark, black vertical stripe. 5.5	Visible in line of range. Operates at night only. Year round.	
2341 H2486.1		186°05' 122.4m from front.	F	G	15.7	7	Cylindrical tower, orange slatwork daymark, black vertical stripe. 11.9	Visible in line of range. Operates at night only. Year round.	Chart:1310
2343	Light buoy M143	45 39 53.1 73 27 38.7	Fl	G	4s	Green, marked "M143".	Winter spar. Year round.	Chart:1310
2343.2	Light buoy M144	45 39 56.7 73 27 48.8	Fl	R	4s	Red, marked "M144".	Seasonal.	Chart:1310

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

2344 H2487	Varennes (Traverse de l'île aux Vaches) range	S. shore. 45 41 12.8 73 26 32.9	F	G	12.2	14	White cylindrical tower, orange slatwork daymark, black vertical stripe. 9.4	Visible in line of range. Emergency light. Year round.
2345 H2487.1		032°35' 325.8m from front.	F	G	22.7	14	Square skeleton tower, orange slatwork daymark, black vertical stripe. 18.8	Visible in line of range. Emergency light. Year round.
			F	G	22.6	6		Visible 360°.
									Chart:1310
2346 H2490	Île Ste-Thérèse Upper range	On E. shore of Île aux Vaches. 45 39 52.8 73 27 58.3	F	G	11.4	8	Cylindrical tower, orange rectangular daymark. 4.0	Visible 360°. Increased intensity in line of range. Operates at night only. Year round.
2347 H2490.1		024°50' 1,262.1m from front.	F	G	26.3	8	Cylindrical tower, orange daymark, black vertical stripe. 19.7	Visible 360°. Increased intensity in line of range. Operates at night only. Year round.
									Chart:1310
2348.1	Île St-Patrice South Cardinal light buoy PAT	W. of island at channel entrance. 45 39 03.7 73 28 36.9	Q(6) +LFI	W	15s	Yellow and black, marked "PAT".	Seasonal.
									Chart:1310
2349	Pointe-aux- Trembles Channel light buoy M151	45 38 48 73 28 34.8	FI	G	4s	Green, marked "M151".	Winter spar. Year round.
									Chart:1310
2349.1	Pointe-aux- Trembles Anchorage light buoy PATB	45 38 38.4 73 28 29.6	FI	Y	4s	Yellow, marked "PATB".	Winter spar. Year round.
									Chart:1310
2349.3	Pointe-aux- Trembles Anchorage light buoy PATD	45 38 14.9 73 28 45	FI	Y	4s	Yellow, marked "PATD".	Winter spar. Year round.
									Chart:1310
2349.5	Pointe-aux- Trembles light buoy M156	45 38 00.3 73 29 18.7	FI	R	4s	Red, marked "M156".	Winter spar. Year round.
									Chart:1310
2350.5	Pointe-aux- Trembles Anchorage light buoy PATG	45 37 51.4 73 29 00.5	FI	Y	4s	Yellow, marked "PATG".	Winter spar. Year round.
									Chart:1310
2352	Pointe-aux- Trembles light buoy M157	45 37 46.9 73 29 15.1	FI	G	4s	Green, marked "M157".	Winter spar. Year round.
									Chart:1310
2354	Light buoy M161	45 37 01.4 73 29 45	FI	G	4s	Green, marked "M161".	Winter spar. Year round.
									Chart:1310
2354.5	Montréal East Anchorage light buoy MEB	45 36 38.8 73 29 50.7	FI	Y	4s	Yellow, marked "MEB".	Seasonal.
									Chart:1310

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER

2355	Light buoy M163	45 36 35.9 73 30 01.8	Q G	1s	Green, marked "M163".	Winter spar. Year round.	Chart:1310	
2355.5	Light buoy M165	45 36 18.1 73 30 07.2	Fl G	4s	Green, marked "M165".	Seasonal.	Chart:1310	
2356	Light buoy M166	45 36 24.7 73 30 24	Fl R	4s	Red, marked "M166".	Seasonal.	Chart:1310	
2358	Traverse Longue- Pointe light buoy M167	45 35 53.9 73 30 09.2	Q G	1s	Green, marked "M167".	Winter spar. Year round.	Chart:1310	
2359 H2496	Tétreauville range	N. of Longue-Pointe. 45 35 50.6 73 30 37.9	F G	14.6	17	White cylindrical tower, orange daymark, black vertical stripe. 7.4	Visible in line of range. Emergency light. Year round.	
2360 H2496.1		204°50' 629.8m from front.	F G	30.2	17	Cylindrical tower, orange daymark, black vertical stripe. 21.9	Emergency light. Visible in line of range. Year round.	Chart:1310
2361 H2497	Traverse Longue- Pointe range	45 33 42.5 73 29 41.3	Iso W	2s	14.0	17	Cylindrical tower, orange slatwork daymark, black vertical stripe. 8.9	Visible in line of range. Year round.	
2362 H2497.1		169°48' 190m from front.	Iso W	2s	20.6	17	Cylindrical tower, orange slatwork daymark, black vertical stripe. 13.3	Visible in line of range. Emergency light. Year round.	Chart:1310
2363 H2499	Course Longue- Pointe range	S. end of Grandes Battures Tailhandier. 45 35 42.3 73 29 34.2	Iso W	2s	8.4	15	White cylindrical tower, orange rectangular daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.	
2364 H2499.1		022°38' 476.6m from front.	Iso W	2s	17.2	15	White cylindrical tower, orange rectangular daymark, black vertical stripe. 14.4	Visible in line of range. Operates at night only. Year round.	Chart:1310
2365	Longue-Pointe light buoy M171	E. of Longue-Pointe. 45 35 09.3 73 29 57.8	Q G	1s	Green, marked "M171".	Seasonal.	Chart:1310	
Boucherville Small Craft Channel									
2365.51	Light buoy MT1	45 41 22.1 73 26 52.5	Fl G	4s	Green, marked "MT1".	Seasonal.	Chart:1310	
2365.65	Light buoy MT31	45 38 25.8 73 27 01.5	Q G	1s	Green, marked "MT31".	Seasonal.	Chart:1310	
2365.69	Light buoy MT40	45 37 09.1 73 27 36.5	Q R	1s	Red, marked "MT40".	Seasonal.	Chart:1310	

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE RIVER

2365.8	Light buoy MT66	45 34 32.1 73 29 22.5	FI R	4s	Red, marked "MT66".	Seasonal.	Chart:1310
2365.82	Light buoy MT68	45 34 29.8 73 29 36.5	FI R	4s	Red, marked "MT68".	Seasonal.	Chart:1310
2365.83	Light buoy MT69	45 34 13.9 73 30 04.3	FI G	4s	Green, marked "MT69".	Seasonal.	Chart:1310
2365.91	Light buoy MT79	45 32 40.4 73 31 20.1	FI G	4s	Green, marked "MT79".	Seasonal.	Chart:1310
2365.93	Light buoy MT81	45 32 28 73 31 26	FI G	4s	Green, marked "MT81".	Seasonal.	Chart:1310
2365.95	Light buoy MT85	45 32 18.1 73 31 21.8	FI G	4s	Green, marked "MT85".	Seasonal.	Chart:1310

ST. LAWRENCE SEAWAY

Montréal Upper Harbour

2369	Light buoy M175	45 34 35.7 73 30 07.7	FI G	4s	Green, marked "M175".	Seasonal.	Chart:1310
2372	Poulier à Gagnon light buoy M177	45 33 56.9 73 30 33	FI G	4s	Green, marked "M177".	Winter spar. Year round.	Chart:1310
2374	Longueuil B Anchorage light buoy	45 33 07.2 73 30 53.3	FI Y	4s	Yellow, marked "LGL-B".	Winter spar. Year round.	Chart:1310
2376	Light buoy M187	45 32 52.1 73 31 15.6	Q G	1s	Green, marked "M187".	Winter spar. Year round.	Chart:1310
2377	Light buoy M189	45 32 16.2 73 31 36.5	FI G	4s	Green, marked "M189".	Seasonal.	Chart:1310
2378	Light buoy M191	45 32 05.4 73 31 39.8	FI G	4s	Green, marked "M191".	Seasonal.	Chart:1310
2379	Light buoy M192	45 31 43.8 73 31 42.7	FI R	4s	Red, marked "M192".	Seasonal.	Chart:1310

Montréal Upper Harbour

2379.3 H2506	Pont Jacques-Cartier Bridge South	S. side of bridge. 45 31 18.9 73 32 35.1	F G	54.4	On bridge.	Maintained by Les Ponts Jacques-Cartier et Champlain Inc. Operates at night only. Year round.	Chart:1310
-----------------	-----------------------------------	------------------------------------------------	-----	-------	------	-------	------------	-----------------------------------------------------------------------------------------------------	------------

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

ST. LAWRENCE SEAWAY

2379.4 <i>H2506.2</i>	Pont Jacques-Cartier Bridge North	N. side of bridge. 45 31 19.6 73 32 34.8		F G	54.4	On bridge.	Maintained by Les Ponts Jacques-Cartier et Champlain Inc. Operates at night only. Year round.	Chart:1310
2379.6	Pont Jacques-Cartier Bridge East	E. side of bridge. 45 31 17.4 73 31 32.9		F G	43.3	On bridge.	Omnidirectional. Year round.	Chart:1310
2379.7	<i>Light buoy PSH</i>	45 31 53.2 73 31 46.9		<i>Fl (2+1)</i>	<i>R</i>	6s	<i>Red, green and red, marked "PSH".</i>	<i>Seasonal.</i>	Chart:1310
2380	<i>Île Sainte-Hélène North Cardinal light buoy ISH</i>	<i>Off N. end of island. 45 32 08.5 73 31 53.7</i>		<i>VQ</i>	<i>W</i>	0.5s	<i>Black and yellow, marked "ISH".</i>	<i>Winter spar. Year round.</i>	Chart:1310
2381	<i>Light buoy M195</i>	<i>E. side of channel. 45 31 31.4 73 32 26.2</i>		<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "M195".</i>	<i>Seasonal.</i>	Chart:1310
2383	<i>Light buoy M199</i>	<i>E. side of channel, S. of bridge. 45 30 58.5 73 32 32.3</i>		<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "M199".</i>	<i>Seasonal.</i>	Chart:1310
2384	<i>Light buoy M201</i>	45 30 43.3 73 32 34.9		<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "M201".</i>	<i>Winter spar. Seasonal.</i>	Chart:1310

MEMPHRÉMAGOG LAKE

2389	Haut-fond Old Witch	45 15 58.2 72 10 05.3		Q	R	1s	1.6	Mast. 2.1	Operates at night only. Seasonal.	Chart:1361
2390	<i>Rivière Magog light buoy K20</i>	<i>River entrance. 45 15 45.2 72 09 42.7</i>		<i>Fl</i>	<i>R</i>	4s	<i>Red spar, marked "K20".</i>	<i>Seasonal.</i>	Chart:1361
2390.4	<i>Îles Les Trois Soeurs light buoy K29</i>	45 14 54.6 72 10 38.3		<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "K29".</i>	<i>Seasonal.</i>	Chart:1361
2390.5	<i>Îles Les Trois Soeurs West light buoy K33</i>	45 14 31.8 72 10 59.2		<i>Fl</i>	<i>G</i>	4s	<i>Green, marked "K33".</i>	<i>Seasonal.</i>	Chart:1361
2392	Bryant Landing	On W. side of lake. 45 11 13.6 72 14 01.4		Fl	W	4s	4.1	2	Cylindrical mast. 3.2	Operates at night only. Seasonal.	Chart:1361
2397.2	<i>Information light buoy DOUA1</i>	45 00 18 72 14 56		<i>Fl</i>	<i>Y</i>	4s	<i>White and orange, marked "DOUA1".</i>	<i>Seasonal.</i>	Chart:1361
2397.4	<i>Information light buoy DOUA2</i>	45 00 19.1 72 14 21.5		<i>Fl</i>	<i>Y</i>	4s	<i>White and orange, marked "DOUA2".</i>	<i>Seasonal.</i>	Chart:1361

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

MEMPHRÉMAGOG LAKE

2397.7	Information light buoy DOUA3	45 01 02 72 13 32	FI Y	4s	White and orange, marked "DOUA3".	Seasonal.	Chart:1361
2398	Maxfield Pt. (U.S.)	On bluff at point. 44 59 23 72 14 35	FI W	4s	13.7	7	Red skeleton tower.	Seasonal.	Chart:1361
2399	Whipple Pt. (U.S.)	E. of point. 44 57 45 72 13 53	FI W	4s	7.6	6	White square skeleton tower.	Seasonal.	Chart:1361
2400	Newport Wharf (U.S.)	On shore. 44 56 16 72 12 29	F R	11.3	Red skeleton tower.	Year round.	Chart:1361

MACKENZIE RIVER - MACKENZIE BAY - ARCTIC OCEAN

Inland LL 2503	Pullen Island Racon - - (G) X & S Band	On island, Kugmallit Bay. 69 46 27.4 134 24 19.6	FI W	6s	47.4	7	Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Flash 0.5 s; eclipse 5.5 s. Radar reflector. Seasonal.	Chart:7663
Inland LL 2506	Tuktoyaktuk Approach light buoy TC	In Kugmallit Bay. 69 31 23 133 08 09	Mo(A) W	6s	Red and white vertical stripes, marked "TC".	Seasonal.	Chart:7663
Inland LL 2507	Tuktoyaktuk Island range	On E. end of island. 69 27 24.4 132 59 54.9	F G	15.8	16	Tripod skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Seasonal.	
Inland LL 2508	Racon - - (C) X & S Band	144°30' 114.3m from front.	F G	22.0	16	Tripod skeleton tower, red daymark, white vertical stripe. 12.2	Visible in line of range. Seasonal.	Chart:7685
Inland LL 2509	Tuktoyaktuk Turning light buoy T15	In Kugmallit Bay. 69 28 02 133 00 50	FI G	4s	Green, marked "T15".	Seasonal.	Chart:7685
Inland LL 2510	Tuktoyaktuk Peninsula range 2	At Eastern entrance. 69 27 54.5 132 59 10.5	F W	11.6	15	Tripod skeleton tower, red daymark, white vertical stripe. 9.1	Visible in line of range. Seasonal.	
Inland LL 2511		099°19' 274.3m from front.	F W	17.7	15	Tripod skeleton tower, red daymark, white vertical stripe. 13.7	Visible in line of range. Seasonal.	Chart:7685
Inland LL 2512	Tuktoyaktuk Inner Harbour range 4	69 27 40.8 132 58 49.7	F W	4.9	15	Tripod skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Seasonal.	
Inland LL 2513		357°06' 121.9m from front.	F W	12.9	15	Tripod skeleton tower, red daymark, white vertical stripe.	Visible in line of range. Seasonal.	Chart:7685

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

MACKENZIE RIVER - MACKENZIE BAY - ARCTIC OCEAN

Inland LL 2514	Tuktoyaktuk Eastern Entrance range 3	At Eastern entrance. 69 27 17.7 132 58 19.8	F	W	14.6	13	Tripod skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Seasonal.	
Inland LL 2515		134°08' 124.6m from front.	F	W	22.9	13	Tripod skeleton tower, red daymark, white vertical stripe. 9.1	Visible in line of range. Seasonal.	Chart:7685
Inland LL 2517	Tuft Point	On point. 69 44 26.5 132 28 58.6	Fl	W	4s	21.5	5	Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Radar reflector. Seasonal.	Chart:7663
Inland LL 2518	Atkinson Point Racon --- (Y) X & S Band	On point. 69 56 46.7 131 26 59.3	Fl	W	4s	22.6	7	Tripod skeleton tower, red rectangular daymark. 18.3	Radar reflector. Seasonal.	Chart:7663
Cambridge Bay										
Inland LL 2520 <i>H13.8</i>	Cambridge Bay range 1	69 02 23.5 104 54 58.9	F	Y	13.9	16	Tripod skeleton tower, red daymark, white vertical stripe. 9.1	Visible in line of range. Radar reflector. Seasonal.	
Inland LL 2521 <i>H13.81</i>		095°22' 1312.5m from front.	F	Y	19.0	16	Tripod skeleton tower, red daymark, white vertical stripe. 9.7	Visible in line of range. Radar reflector. Seasonal.	Chart:7750
Inland LL 2522 <i>H13.84</i>	Cambridge Bay range 2	69 05 14.8 104 57 03.1	F	Y	10.1	16	Square skeleton mast, red daymark, white vertical stripe. 4.6	Visible in line of range. Seasonal.	
Inland LL 2523 <i>H13.85</i>		015°16' 482.4m from front.	F	Y	12.8	16	Tripod skeleton tower, red daymark, white vertical stripe. 6.1	Visible in line of range. Seasonal.	Chart:7750
Inland LL 2524 <i>H13.87</i>	Cambridge Bay range 3	69 02 53.7 104 54 42	F	Y	5.0	16	Square skeleton tower, red daymark, white vertical stripe. 4.3	Visible in line of range. Seasonal.	
Inland LL 2525 <i>H13.88</i>		137° 1493.5m from front.	F	Y	18.0	16	Tripod skeleton tower, red daymark, white vertical stripe. 9.1	Visible in line of range. Radar reflector. Seasonal.	Chart:7750
Resolute Bay										
Inland LL 2530 <i>H14.5</i>	Resolute Bay range 4	74 41 08.6 94 48 01.3	Iso	W	2s	47.0	15	Square skeleton tower. 13.6	Visible in line of range. Seasonal.	
Inland LL 2531 <i>H14.51</i>		023°14' 303.8m from front.	Iso	W	2s	66.0	15	Skeleton tower, orange daymark, black vertical stripe. 8.6	Visible in line of range. Seasonal.	Chart:7511

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks — Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

MACKENZIE RIVER - MACKENZIE BAY - ARCTIC OCEAN

Inland LL 2535	Simik Island range	68 32 46 89 52 11	F R	13.3	Skeleton tower.	Seasonal.	
Inland LL 2536		092°55' 107.7 m from front	F R	23.8	Skeleton tower.	Seasonal.	Chart:7578
Inland LL 2537	Desgroseillers range	68 32 24 89 51 05	F G	6.8	Skeleton tower.	Seasonal.	
Inland LL 2538		357°57' 49.9m from front	F G	16.7	Skeleton tower.	Seasonal.	Chart:7578
Inland LL 2539	Pelly Bay range	68 31 31 89 49 59	F G	10.6	9	Skeleton tower.	Seasonal.	
Inland LL 2540		140°17' 266.7m from front	F G	30.7	Skeleton tower.	Seasonal.	Chart:7578

HUDSON STRAIT AND BAY

Inland LL 2545 H34	Bear Island	On E. side of entrance to Coral Harbour. 64 00 30 83 13 01	Fl W	5s	20.1	Square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	Chart:5410
Inland LL 2546 H35	Munn Bay	W. of Coral Harbour, Southampton Island. 64 07 33 83 15 13	Fl W	5s	21.0	Square tower, orange rectangular daymark. 11.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	Chart:5410
Inland LL 2547 H33.4	Walrus Island (Fisher Strait)	Centre of island. 63 13 30 83 39 00	Fl W	6s	54.9	Skeleton tower, orange rectangular daymark, black vertical stripe. 9.8	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5449
Inland LL 2548 H33	Cape Pembroke	NE. end of Coats Island. 62 54 30 81 53 30	Fl W	5s	16.5	Square tower, orange daymark. 10.9	Flash 1 s; eclipse 4 s. Seasonal.	Chart:5449
Inland LL 2549 H32	Coats Island Racon - - - (C) X & S Band	On Carys Swan Nest, SE. point of island. 62 10 20 83 08 00	Fl W	6s	12.5	Red and white skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal.	Chart:5449
Inland LL 2550 H36	Mansel Island Racon - - - (K) X & S Band	N. extremity of island. 62 25 00 79 36 30	Fl W	5s	18.6	Square tower, orange rectangular daymark, black vertical stripe. 15.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	Chart:5449
Inland LL 2551 H36.1	Cape Acadia (Mansel Island)	S. extremity of island. 61 35 00 79 48 30	Fl W	5s	23.5	Square tower, orange daymark. 19.2	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.	Chart:5449

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

HUDSON STRAIT AND BAY

Inland LL 2552 H36.4	Broomfield Island Racon -. (N) X & S Band	55 40 24 79 14 18	Fl R	6s	43.9 Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5707
Inland LL 2553 H38	Digges Islet	On NW. islet of the Digges Islands. 62 35 14 78 06 36.8	Fl W	6s	27.7 Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5412
Inland LL 2554 H40	Nottingham Island Racon -. (N) X & S Band	On S. extremity of island. 63 05 10 77 57 00	Fl W	6s	27.7	10 Square tower, orange rectangular daymark, black vertical stripe. 12.4	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5449
Inland LL 2554.4	Salluit Breakwater (Starboard)	62 12 34.8 75 39 04.6	Fl R	4s	2 Black cylindrical mast. 1.4.	Privately maintained. Seasonal.	Chart:5458
Inland LL 2554.6	Salluit Breakwater (Porthand)	62 12 34.4 75 38 58.7	Fl G	4s	2 Black cylindrical mast. 1.3	Privately maintained. Seasonal.	Chart:5458
Inland LL 2555 H41	Arctic Island	On centre of island. 62 14 28 74 45 44	Fl W	6s	29.6 Square tower, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5457
Inland LL 2556 H42	Charles Island West End	62 42 30 74 40 00	Fl W	6s	20.7	10 Square tower, orange rectangular daymark. 16.1	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5450
Inland LL 2558 H48	Wales Island	E. extremity of island. 61 51 38 71 58 00	Fl W	6s	83.2	10 Square mast, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5390
Inland LL 2560 H52	Cape Hopes Advance	61 04 41.8 69 33 28.3	Fl W	6s	82.3	8 Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.	Chart:5452
Iqaluit (Frobisher Bay)								
Inland LL 2566 H53.4	Cape Poillon range	63 07 55.9 67 52 14.8	Iso W	2s	84.0 Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.	
Inland LL 2567 H53.41		149°28' 3427.9m from front.	Iso W	2s	203.5 Square tower, orange daymark.	Visible in line of range. Seasonal.	Chart:7125
Inland LL 2568 H53.5	Cape Poillon West	Pike Resor Channel, Frobisher Bay. 63 08 49.8 67 55 00.8	Fl Y	6s	38.9 Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.	Chart:7125
Inland LL 2569 H54	Basset Point	On Pike Island. 63 12 43.5 67 57 47.2	Fl R	5s	18.3 Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.	Chart:7125

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

HUDSON STRAIT AND BAY

Inland LL 2570 H54.2	Pike Island range 1	Pike Resor Channel. 63 13 47.4 67 59 54.3	Iso	W	2s	28.0	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2571 H54.21		329°28' 385.4m from front.	Iso	W	2s	44.4	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2572 H54.3	Pike Island No. 2 range	63 15 04.1 68 01 46.8	Iso	W	2s	20.9	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2573 H54.31		146°04' 2463.2m from front.	Iso	W	2s	52.0	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
Inland LL 2574 H54.4	Quadrifid Island	63 18 13.8 68 07 47.2	Fl	G	5s	33.6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.
Inland LL 2575 H54.6	Lapointe Rock	63 21 35.9 68 14 23.5	Fl	W	6s	14.0	10	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
Inland LL 2576 H56.4	Monument Island	On summit of island. 63 41 54.3 68 30 11.4	Fl	R	6s	41.4	Square tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Seasonal.
Inland LL 2577	White Top Ledge light buoy N22	SW. of ledge. 63 42 50.2 68 30 07.7	Fl	R	4s	Red, marked "N22".	Seasonal.
Inland LL 2578	Inuit light buoy N23	E. of reef. 63 43 01.2 68 30 42.5	Fl	G	4s	Green, marked "N23".	Seasonal.
Inland LL 2579	Polaris Reef light buoy N26	S. of reef. 63 43 19.3 68 30 46.4	Fl	R	4s	Red, marked "N26".	Seasonal.
Inland LL 2580 H55	Long Island	Koojesse Inlet. 63 43 31.1 68 30 05.1	Fl	W	6s	14.2	Square tower, orange rectangular daymark. 5.4	Flash 1 s; eclipse 5 s. Seasonal.
Inland LL 2581	Black Ledge light buoy N30	W. of ledge. 63 43 40.1 68 31 08.3	Fl	R	4s	Red, marked "N30".	Seasonal.
Inland LL 2582 H55.5	Frobisher Bay (Iqaluit) range	W. of the bay. 63 43 39.1 68 31 50.5	Iso	R	2s	18.6	Square tower, orange daymark, black vertical stripe. 16.6	Visible in line of range. Seasonal.
Inland LL 2583 H55.51		229°58' 576.1m from front.	Iso	R	2s	55.8	Square tower, orange daymark, black vertical stripe. 8.3	Visible in line of range. Seasonal.

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks ----- Fog Signals
		Latitude N.	Longitude W.				Height in meters above ground		

HUDSON STRAIT AND BAY

Inland LL 2584 H56	Frobisher Landing	Koojesse Inlet. 63 44 16.3 68 31 34.8		Fl Y	6s	5.0	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.	Chart:7127
Inland LL 2585 H56.2	Koojesse Inlet range	63 44 43.9 68 31 24.4		F G	13.1	Square tower, orange daymark. 13.2	Visible in line of range. Year round.	
Inland LL 2586 H56.21		344°01' 419.5m from front.		F G	30.3	Square tower, orange daymark. 16.4	Visible in line of range. Year round.	Chart:7127
Inland LL 2591 H58	Koksoak River range	58 27 37.2 68 12 26.9		F G	18.0	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.	
Inland LL 2592 H58.1		197°38' 613.6m from front.		F G	39.6	Triangular tower, orange daymark, black vertical stripe. 24.7	Visible in line of range. Operates at night only. Seasonal.	Chart:5338
Inland LL 2593 H58.4	Koksoak River East range	58 29 42 68 10 20.2		Iso W	2s	19.7	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.	
Inland LL 2594 H58.41		189°36' 651.4m from front.		Iso W	2s	35.0	Square tower, orange daymark, black vertical stripe. 20.1	Visible in line of range. Operates at night only. Seasonal.	Chart:5338
Inland LL 2595 H59	Beacon Point (Inukshuktuyuk) range	58 33 04.2 68 11 32.6		F W	17.4	Square tower, orange daymark. 7.9	Visible in line of range. Operates at night only. Seasonal.	
Inland LL 2596 H59.1		219°49' 1025.2m from front.		F W	44.0	Square tower, orange daymark. 7.9	Visible in line of range. Operates at night only. Seasonal.	Chart:5338
Inland LL 2600 H35.4	Mission Lake	Chesterfield Inlet. 63 20 36.8 90 41 14		Fl W	6s	30.0	Square mast, orange rectangular daymark. 9.7	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5620
Inland LL 2601 H24	Dunne Foxe Island	On Easternmost Island. 62 15 42 91 59 20		Fl W	6s	21.7	Square skeleton mast. 10.0	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5630
Inland LL 2602 H25	Walrus Island	Mistake Bay. 61 57 59.4 92 28 41.1		Fl W	6s	28.5	Square skeleton mast, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5642
Inland LL 2603 H25.5	Sentry Island	61 09 35.6 93 52 14.6		Fl W	6s	35.4	Square skeleton mast. 18.4	Flash 1 s; eclipse 5 s. Seasonal.	Chart:5641

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	-----------------------------------------	--------------------------	--------------------------------------------	-----------------------	-------------------------------------------------	------------------------

HUDSON STRAIT AND BAY

Churchill Harbour

Inland LL 2605	Churchill Harbour light buoy C	58 49 40.3 94 06 16.5	Mo(A) W	6s	Red and white vertical stripes, marked "C".	Seasonal.	Chart:5640
Inland LL 2605.01	Hudson Bay Southwest ODAS light buoy 45158	59 00 00 94 00 00	Fl(5) Y	20s	Yellow, marked "45158".	Maintained by Environment Canada. Seasonal.	Chart:5400
Inland LL 2606	Merry Rock light buoy C1	NW. of rock. 58 47 31.5 94 12 23	Q G	1s	Green, marked "C1".	Seasonal.	Chart:5640
Inland LL 2607	Merry Rock light buoy C2	58 47 40.8 94 12 23.5	Q R	1s	Red, marked "C2".	Seasonal.	Chart:5640
Inland LL 2608 H28	Fort Prince of Wales range	58 47 39 94 12 56	F W	7.9	Skeleton tower, orange daymark, black vertical stripe.	Seasonal.	
Inland LL 2609 H28.1		343°50' 403.9m from front.	F W	10.9	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.	Chart:5596
Inland LL 2610 H29	Ship Point range	58 47 28.5 94 13 23	F W	12.1	Square skeleton mast, orange daymark, black vertical stripe.	Seasonal.	
Inland LL 2611 H29.1		317°35' 196.4m from front.	F W	13.3	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.	Chart:5596
Inland LL 2612 H27	Churchill range	58 47 00.9 94 13 59.2	F W	23.0	Tripod skeleton tower, orange daymark.	Seasonal.	
Inland LL 2613 H27.1	Racon -- (G) X & S Band	236°25' 1632.8m from front.	F W	47.1	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.	Chart:5640
Inland LL 2614	Merry Rock light buoy C4	58 47 22.8 94 12 57	Fl R	4s	Red, marked "C4".	Seasonal.	Chart:5640
Inland LL 2615	Cape Merry light buoy C3	58 47 16.4 94 12 34.7	Fl G	4s	Green, marked "C3".	Seasonal.	Chart:5640
Inland LL 2616	Cape Merry light buoy C5	58 47 09.8 94 12 33	Fl G	4s	Green, marked "C5".	Seasonal.	Chart:5640
Inland LL 2617	Cape Merry light buoy C6	58 47 01.3 94 12 43	Fl R	4s	Red, marked "C6".	Seasonal.	Chart:5640
Inland LL 2618	Churchill Wharf Approach light buoy C7	58 46 50.8 94 12 12.9	Fl G	4s	Green, marked "C7".	Seasonal.	Chart:5640
Inland LL 2620	Churchill Wharf light buoy C8	58 46 44.6 94 12 15.2	Fl R	4s	Red, marked "C8".	Seasonal.	Chart:5640

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

HUDSON STRAIT AND BAY

Inland LL 2621	<i>Churchill Wharf light buoy C10</i>	<i>S. end of wharf. 58 46 16.8 94 11 40</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C10".</i>	<i>Seasonal.</i>
-------------------	-------------------------------------------	-----------------------------------------------------	-----------	----------	-----------	--------------	--------------	---------------------------	------------------

Chart:5640

Buoys are placed by local knowledge to mark changing channel and may not be in the position shown.

Inland LL 2626	<i>Moose River Approach light buoy M2</i>	<i>51 25 05 80 18 19</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "M2".</i>	<i>Seasonal.</i>
-------------------	---------------------------------------------------	------------------------------	-----------	----------	-----------	--------------	--------------	-------------------------------	------------------

Chart:5860

Inland LL 2629	<i>Moosonee light buoy M14</i>	<i>51 16 39 80 37 27</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "M14".</i>	<i>Seasonal.</i>
-------------------	------------------------------------	------------------------------	-----------	----------	-----------	--------------	--------------	--------------------------------	------------------

Chart:5861

Inland LL 2630	<i>Charles Island light buoy M16</i>	<i>N. of island. 51 16 01 80 37 48</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "M16".</i>	<i>Seasonal.</i>
-------------------	------------------------------------------	------------------------------------------------	-----------	----------	-----------	--------------	--------------	--------------------------------	------------------

Chart:5861

Inland LL 2631	<i>Charles Island light buoy M17</i>	<i>51 16 01 80 37 44</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "M17".</i>	<i>Seasonal.</i>
-------------------	------------------------------------------	------------------------------	-----------	----------	-----------	--------------	--------------	--------------------------------------	------------------

Chart:5861

Inland LL 2632 H36.8	<i>Charles Island</i>	<i>NE. corner of island. 51 15 30 80 38 09</i>	<i>Fl</i>	<i>W</i>	<i>4s</i>	<i>9.1</i>	<i>.....</i>	<i>Skeleton tower.</i>	<i>Seasonal.</i>
----------------------------	-----------------------	--------------------------------------------------------	-----------	----------	-----------	------------	--------------	------------------------	------------------

Chart:5861

INDEX

A	NO.
A. Murray Mackay Bridge	554
Abbotts Harbour light buoy AC1	296.2
Abercrombie Point light buoy SJ20	908.3
Adam Island light and bell buoy S3	75
Advocate Harbour	166
Advocate Harbour light and bell buoy MM	165
Aguanish range	1580,1581
Aiglon light buoy	2311
Aitken Point light buoy NH15	956.3
Alberton Harbour light buoy JV10	1075.5
Alberton Harbour light buoy JV12	1075.7
Alberton Harbour light buoy JV15	1075.6
Alder Point light buoy U4	791
Alignement Simard light buoy S59	1820.5
Alma	155
Alma light and bell buoy KX	155.5
America Rock light and bell buoy J14	112
Amet Island	921
Andrew Island East Cardinal light and whistle buoy PK	666.8
Angels Island	315.3
Angus L. Macdonald Bridge	543
Annandale light buoy NE	948.5
Annandale light buoy NE11	950.1
Annandale range	949,950
Annapolis	211
Anse à Beauflis light buoy AF-1	1404
Anse à l'Eau	1784
Anse à L'Îlot	1394
Anse à Pierrot	1787
Anse-à-Valleau	1640
Anse-à-Valleau East	1639
Anse-à-Valleau light and bell buoy VALLEA	1637
Anse au Foulon (Wolfe) light buoy Q4	1959
Anse au Foulon (Wolfe) light buoy Q6	1960
Anse-au-Griffon range	1625,1626
Anse aux Basques	1754
Anse aux Basques range	1754.2,1754.3
Anse aux Gascons range	1382,1382.1
Anse-de-Roche	1789
Anse de Sable	1786
Anse de Tabatière	1793
Anse du Moulin Entrance range	1714,1715
Anse du Moulin light buoy KD6	1713.5
Anse du Moulin range	1712,1713
Anse du Portage	1784.5
Anse Fréchette light buoy Q7	1961
Antigonish Harbour light buoy VS	889.5
Apple River	163
Apple Rock light buoy C5	319.3
Argos Shoal light buoy CS1	687.1
Arichat Head	704.8
Arisaig Harbour range	893,894
Arnold Rock light and bell buoy YT3	570.5
Arrow Point light buoy CJ2	712
Aspotogan light and bell buoy DF	476
Aulds Cove light buoy VT2	883.2
Avondale Reef light buoy TT10	636.1

B	NO.
Baccaro Point	336
Back Bay	72
Bag Ledge	54
Bagotville Wharf	1799.4
Baie au Saumon range	1532,1533
Baie Bonne Espérance light buoy C12	1531.7
Baie de Brador light buoy CB-2	1529
Baie de Brador range	1530,1531
Baie de Caraquet light buoy EM42	1320
Baie de Lamèque light buoy EJ5	1295.3
Baie de Lamèque light buoy EJ7	1295.4
Baie de Lamèque light buoy EJ10	1298
Baie de Lamèque light buoy EJ11	1299
Baie de Lamèque light buoy EJ14	1300
Baie de Lamèque South range	1294,1295
Baie de Tabatière Inner light buoy CT11	1547.5
Baie de Tabatière Inner range	1548,1549
Baie de Tabatière Outer light buoy CT7	1545.5
Baie de Tabatière Outer range	1546,1547
Baie des Anglais light buoy KD7	1715.5
Baie des Anglais range	1710,1711
Baie des Ha!Ha! light buoy SH9	1799
Baie des Moutons range	1551,1552
Baie du Vieux Fort Wharf	1539,123
Baie Ellis light buoy PM9	1517
Baie Ellis Main range	1519,1520
Baie Johan-Beetz Inner range	1582.5,1582.6
Baie Johan-Beetz light buoy C81	1582.1
Baie Johan-Beetz range	1583,1584
Baie Mingan West Cardinal light and bell buoy	1607.3
Baie Sainte-Catherine	1781
Baie Trinité	1794
Baie Verte Entrance light buoy KE3	1736.5
Baie Verte Entrance light buoy KE4	1736.6
Baie Verte light buoy KE2	1736.8
Baie-Comeau	1716
Baie-Comeau Ferry	1715.7
Baie-de-Clonidorme light buoy CLORI	1641
Baies Piashti Approach light buoy C80	1582
Baillie Brook	895
Baillie Brook East Breakwater	896
Baillie Brook West Breakwater	896.1
Balache Point range	701,702
Bald Rock light and bell buoy PC2	681
Baleine Cove light and bell buoy JM2	762
Ballams Point light buoy D12	836.01
Ballantynes Cove Wharf	891
Ballast Grounds (N. Sydney)	780
Ball Ledge light buoy D3	305.5
Banc de St-Antoine light buoy Q31	1972
Banc du Cap Brûlé Downstream range	1898,1899
Banc du Cap Brûlé light buoy K100	1895.9
Banc du Cap Brûlé Upstream range	1900,1901
Banc Des Écureuils light buoy Q46	1983
Banc Miguasha light buoy EV2	1362
Bancs de l'île Rouge light buoy H52	1769
Bancs de l'île Rouge light buoy K51	1766.8
Bancs de l'île Rouge light buoy K55	1768
Banks Point light buoy NE12	950.2

INDEX

B	NO.
Banquereau ODAS light buoy 44139	664.5
Bantam Rocks light buoy JS56	337
Bantam Rock light buoy KA51	386.01
Bar Island	294.8
Bar Reef light and bell buoy JJ3	764
Bar Shoal light buoy YT8	576
Barchois Harbour light buoy UD4/2	920.8
Barchois light buoy S14	785.5
Barchois Point light and bell buoy VK3	621.5
Barre à Boulard light buoy Q76	2008.1
Barre à Boulard light buoy Q77	2008
Barre à Boulard range	2002,2003
Barre de la Grosse Île light buoy HP8	1891.4
Barre du Dos de Cheval light buoy D12	2017.5
Barre Sainte-Croix light buoy Q50	1987
Barre Sainte-Croix light buoy Q51	1989
Barrel Rock light buoy JA56	346
Barrett Ledges light and bell buoy H56	1825
Barrie Beach light and bell buoy HP2	544
Barrington Passage Channel light buoy JS76	334
Barrios Beach Breakwater	887
Barrios Beach light buoy VP2	887.2
Barrios Beach light buoy VP5	887.5
Barrios Beach light buoy VP7	887.7
Barton Island light buoy E86	141.3
Bas-Cap-Pelé Approach	1101
Bas-Cap-Pelé Wharf	1100.5
Basque Est light buoy BASQ-E	1662
Basque Ouest light buoy BASQ-O	1663.5
Bass Rock light and bell buoy PJ2	669.5
Bassin de Gaspé light buoy HD9	1419.8
Bassoon Reefs light and bell buoy XH1	605
Bathurst Entrance light buoy EP10	1330.4
Bathurst Entrance light buoy EP25	1330.6
Bathurst Entrance light buoy EP28	1330.7
Bathurst Entrance light buoy EP29	1330.8
Bathurst Harbour bifurcation light buoy EP	1334.5
Bathurst Harbour light buoy EP38	1332.6
Bathurst Harbour light buoy EP65	1336.8
Batiscan Anchorage light buoy D74	2047.5
Batiscan range	2042,2043
Batiscan Wharf	2047.2
Battery Point (Main-à-Dieu)	765.3
Battery Point Breakwater	438
Battery Point light buoy C8	998
Battery Point light buoy S15	786
Battery Shoal light buoy JT11	760
Batture aux Alouettes light and bell buoy K58	1771
Batture aux Alouettes light buoy K56	1772
Batture aux Vaches light and bell buoy S4	1775
Batture de la Pointe aux Vaches light buoy S8	1777
Batture Grande Pointe light buoy D24	2022
Batture Laforce light buoy S4	2114
Batture Simon light buoy D4	2014
Battures à Cadieux light buoy D15	2018
Battures de Beaumont light buoy K147	1925
Battures de Manicouagan light and bell buoy K30	1718
Battures des Pèlerins light and bell buoy H63	1831
Battures du Chêne light buoy D9	2017

B	NO.
Battures Perron light buoy D82	2048
Battures Saint-Pierre light buoy D63	2044
Battures Saint-Pierre light buoy D67	2045
Battures Saint-Pierre light buoy D71	2047
Bay du Vin Inner light buoy MS9	1193
Bay du Vin Island Sector	1191
Bay du Vin Outer light buoy MS1	1192
Bay du Vin Wharf light buoy MQ2	1194
Bayfield light buoy VR4	887.8
Bayfield light buoy VR8	887.82
Beach Point (Englishtown)	845
Beach Point Breakwater	967
Beach Point light buoy NM11	966.5
Beacon Shoal	454.3
Beak Point Shoal (Petit Nez) light and whistle buoy NQ3	727
Bear Cove bifurcation light buoy HK	517.5
Bear Cove light and bell buoy H6	517
Bear Head Direction	690
Bear Island light buoy V1	204
Bear Point Ledge light buoy C9	317
Bear Point Wharf	316
Bear Reef light buoy NN2	970.5
Beaujeu North Cardinal light buoy BEAUJ	1879.5
Beaver Harbour	84
Beaver Harbour light and bell buoy KEA	82
Beaver Harbour light and whistle buoy XK1	600
Beaver Island	602
Beaver Island	842
Beaver Island light and bell buoy XK3	601
Bécancour Bend light buoy C30	2070
Bécancour Course light buoy C23	2069
Bécancour Course light buoy C27	2069.7
Bécancour range	2073,2074
Bedford Basin light buoy H45	561.5
Bell Rock light buoy HD5	512
Belledune Point	1340.1
Belledune Wharf	1340.2
Belliveau Cove	234
Beloeil, bridge	2245
Beloeil - Station	2244
Belyeas Point	122
Bergeman Point range	939,940
Berry Head	646
Berry Head light buoy TE5	645.5
Betty Island	495
Bickerton East Bifurcation light buoy VCC	627.1
Bickerton East Inner light buoy V6	628.5
Bickerton East Middle light buoy V4	628.1
Bickerton East Outer light buoy V3	627.5
Bickerton Island light buoy V1	626.9
Big Island light buoy HR2	505.1
Big Island light buoy HR4	505.2
Big Island light buoy HR5	505.3
Big Shippegan	1254
Big Tancook Island light and bell buoy MN51	460
Big Tancook Island NW. Cove	463
Big Tignish Breakwater	1083
Big Tignish South Breakwater	1083.5

INDEX

B	NO.
Biglow Point range	927,928
Black Breaker Rock South Cardinal light buoy NHA	739
Black Cape	1366
Black Head Ledge light buoy NA4	326.02
Black Point	145.3
Black Point	1275
Black Point Fairway light buoy KE	383.1
Black Point light buoy VE3	209.3
Black Point light and bell spoil ground buoy JB	145.4
Black River	147
Black Rock	193
Black Rock East Cardinal light and whistle buoy T	420.5
Black Rock light buoy JJ11	764.5
Black Rock Point	799
Black Rock Point light buoy Q3	798
Black Rock Point Sector	800
Blacklands Gully light buoy XX	1152.8
Blacks Harbour Entrance	81.1
Blacks Harbour light and bell buoy KA	81.2
Blacks Harbour Wharf	81.12
Blanc-Sablon range	1524,1525
Blanc-Sablon Wharf	1526
Blandford light and bell buoy MK52	459
Blandford light buoy MK58	457.4
Bliss Island	77
Bliss Island Fairway light and bell buoy S	77.5
Blockhouse Point	993
Blockhouse Point light buoy C7	993.5
Blond Rock East Cardinal light buoy NK	290.2
Blue Cove (Anse-Bleue) Breakwater	1325.4
Blue Cove (Anse-Bleue) range	1325,1325.1
Blue Cove (Anse-Bleue) Wharf	1325.5
Blueberry Bay light buoy UJ52	412.5
Boars Head	216
Bonaventure range	1369,1369.1
Bon Désir	1755
Bone Island light buoy A3	814
Bone Shoal light buoy A2	813.5
Botsford Breakwater	1097
Bout-de-l'île light buoy MV28	2311.2
Bowen Ledge light and bell buoy XA2	607
Brador light and bell buoy BRA	1528.8
Brandy Ledge light and bell buoy TQ2	639.7
Brandy Point light buoy J25	120.5
Bras d'Or Lake ODAS light buoy 44131	835.5
Brazil Rock South Cardinal light buoy J	338
Brazil Rocks light buoy UN54	403.4
Brazil Shoal light and bell buoy XKA	26
Brian Point light buoy A9	816
Brier Island	223
Brig Rock light and bell buoy YT2	577
Brighton Beach range	994,995
Briton Cove light and bell buoy KN	845.5
Briton Cove range	845.7,845.8
Broad Cove Wharf	212
Brooklyn Pier	409
Brooklyn Pier light buoy UM52	408.5
Brothers Cove light buoy AM2	116.5
Brudenell Point light buoy NH18	956.4

B	NO.
Bryant Landing	2392
Buck Rock light and bell buoy XA3	7.7
Buctouche Bar	1122
Buctouche Bar light and bell buoy X17	1125.5
Buctouche Harbour light buoy XV2	1119.55
Buctouche Harbour light buoy XV9	1119.7
Budget Rock light and bell buoy SN51	350
Bull Point light buoy HS13	504.7
Bull Rock bifurcation light and bell buoy YM	586
Bull Rock light buoy KK51	369
Bull Rock light buoy TY5	633.02
Bull Rock light and bell buoy M54	448
Bull Rock light buoy T63	430
Bull Rock light and whistle buoy XA1	7
Bull Rock light buoy HX2	563.2
Bunker Island	263
Burnt Church Wharf	1228

C	NO.
Cacouna Harbour North	1824.3
Cacouna Harbour range	1824.1,1824.2
Cacouna Harbour South	1824.4
Cahil Rock range	694.4,694.5
Cailiff Rock light buoy SE2	72.5
Caissie Point	1113
Cale Sèche Champlain light buoy K159	1928
Cale Sèche Lorne light buoy K163	1930
Calvaire range	2019,2020
Cameron Island	838
Campbellton range	1351,1352
Campbellton Wharf	1352.2
Canceaux Spit light buoy C9	998.5
Candlebox Island	280
Canoe Gully Inner range	1027.1,1027.2
Canoe Gully Outer range	1026,1027
Canso Canal NE. mooring berth	703
Canso Canal SE. mooring dock	700
Canso Causeway	700.5
Canso Harbour Breakwater bifurcation light buoy PCA	675
Canso Harbour light and whistle buoy PC	682
Canso Harbour range	674,674.2
Canso range	672,673
Cantic	2272.31
Cap à l'Aigle	1840
Cap à l'Aigle Marina Breakwater	1839
Cap à la Carre North Cardinal light buoy CALR	1752
Cap à la Roche Course light buoy D35	2032
Cap à la Roche Course light buoy D40	2036
Cap à la Roche Curve light buoy D29	2029
Cap à la Roche Curve light buoy D30	2029.5
Cap à la Roche Curve light buoy D31	2030
Cap à la Roche Curve light buoy D32	2031
Cap à la Roche light buoy D36	2033
Cap à la Roche light buoy D37	2034
Cap à la Roche light buoy D38	2035
Cap Airey	1558.7
Cap Alright	1496
Cap au Diable range	1925.2,1925.3

INDEX

C	NO.
Cap au Saumon	1836
Cap-aux-Corbeaux range	1852,1853
Cap-aux-Meules	1488
Cap-aux-Meules Breakwater	1496.5
Cap-aux-Meules light buoy YD4	1496.4
Cap-aux-Meules West Breakwater	1498.5
Cap-aux-Meules Wharf range	1497,1498
Cap-aux-Oies	1849
Cap Brûlé	1902
Cap Charles light buoy D23	2020.5
Cap-Chat Breakwater	1685.3
Cap-Chat light buoy HA-1	1685.1
Cap-Chat light buoy HA-2	1685.2
Cap Colombier	1729
Cap-de-Cocagne Wharf	1114
Cap-de-Caissie Breakwater	1112
Cap de la Boule	1785
Cap de la Madeleine	1651
Cap-de-la-Madeleine light buoy C41	2078
Cap-de-la-Madeleine light buoy C43	2079
Cap-de-la-Madeleine light buoy C46	2081.5
Cap-de-la-Madeleine Lower range	2067,2068
Cap-de-la-Madeleine Wharf range	2080,2081
Cap de la Table	1600
Cap de la Tête au Chien	1834
Cap de l'Est	1798
Cap de Rabast	1602
Cap d'Espoir	1403
Cap-des-Rosiers	1621
Cap-des-Rosiers-Est Wharf	1620
Cap Gaspé	1426
Cap Gribane range	1895.2,1895.3
Cap Gridley light buoy YK5	1502.2
Cap Lévrard light buoy D41	2037
Cap Lévrard light buoy D49	2038
Cap Lévrard Channel light buoy D42	2037.5
Cap Lévrard Curve light buoy D52	2038.4
Cap Rouge	1795
Cap Rouge range	1895.6,1895.7
Cap Saint-Joseph	1849.5
Cap St-Michel light buoy	2333.2
Cap St-Michel light buoy M117	2332
Cap St-Michel light buoy M119	2333.3
Cap Tourmente light buoy K107	1904
Cap Tourmente light and bell buoy K108	1905
Cape Bald	1102
Cape Bear	971
Cape D'Or	167
Cape Egmont	1024
Cape Enragé	157
Cape Enragé light and bell buoy K19	156
Cape Forchu	260
Cape George	840
Cape George	892
Cape George light and bell buoy VU2	891.5
Cape Hogan	709.5
Cape Negro Island	349
Cape North	854
Cape Porcupine range	697,698

C	NO.
Cape Ronde light buoy NT1	728.5
Cape Roseway	355
Cape Sable	327
Cape Sable light buoy N	325
Cape Sharp	171
Cape Smokey light and whistle buoy K4	846
Cape Spencer	146
Cape St. Lawrence	860
Cape St. Marys	241
Cape St. Marys Breakwater	243
Cape St. Marys light buoy NV	242
Cape Tormentine Breakwater	1091.5
Cape Tormentine Fisherman's Wharf	1094.6
Cape Tormentine Inner Wharf	1094
Cape Tormentine light buoy XD4	1095.1
Cape Tormentine light buoy XD5	1096
Cape Tormentine Outer Wharf	1090
Cape Tryon	1061
Caraquet Channel light buoy EM2	1306.3
Caraquet Channel light buoy EM4	1306.2
Caraquet Channel light buoy EM7	1307
Caraquet Channel light buoy EM8	1308
Caraquet Channel light buoy EM10	1308.5
Caraquet Harbour East light buoy EM20	1313
Caraquet Harbour light buoy EM18	1312
Caraquet Harbour light buoy EM28	1318
Caraquet Harbour light buoy EM31	1318.2
Caraquet Harbour light buoy EN9	1321.5
Caraquet Harbour West light buoy EM23	1317
Caraquet Island	1322
Caraquet Island light buoy EN5	1320.5
Caraquet range	1310,1311
Cardigan River light buoy NJ2	951.6
Carey Beach light and bell buoy Q1	797
Carey Beach light and bell buoy Q2	797.5
Carey Point light buoy Q8	802.2
Caribou	918
Caribou Harbour Entrance light buoy SS2	913.2
Caribou Harbour Inner light buoy SS11	916
Caribou Harbour Inner range	916.3,916.35
Caribou Harbour light and bell buoy SS1	913
Caribou Harbour light buoy SS3	913.4
Caribou Harbour light buoy SS6	913.6
Caribou Harbour light buoy SS7	914
Caribou Harbour light buoy SS8	915
Caribou Harbour light buoy SS10	915.4
Caribou Harbour light buoy SS12	916.2
Caribou Harbour light buoy SS15	917
Caribou Harbour light buoy SS16	916.4
Caribou light buoy SQ2	912.5
Carleton	1365
Carleton Wharf	1364
Carron Point range	1331,1332
Carter Island	374
Carter Island light buoy KK69	372
Cascumpeque Harbour Fairway light buoy JV	1075.05
Cascumpeque light buoy JV4	1075.2
Cascumpeque light buoy JV5	1075.3
Cascumpeque light buoy JV6	1075.33

INDEX

C	NO.
Cascumpeque light buoy JV7	1075.34
Cascumpeque light buoy JV8	1075.32
Cascumpeque light buoy JV9	1075.4
Cat Rock light buoy Y3	259
Catons Island light buoy JP	123
Caveau Point range	862,863
Centreville	214
Centreville light buoy MA	213
Cerberus Rock light and whistle buoy CH4	709
Chain Point Shoal light buoy Q11	805
Chamber Point light buoy UD4	920.7
Champlain	2062
Champlain light buoy C14	2057.5
Champlain Upper range	2063,2064
Chance Harbour	93
Chance Harbour light and bell buoy KS	94
Chandler East	1392.7
Chandler range	1395,1396
Channel Entrance light buoy EA	137.7
Charley Island light buoy UN59	400
Charlie Knob light buoy C10	1531.5
Charles Harbour light and bell buoy TN1	648
Charlottetown Harbour light buoy C15	1001
Charlottetown Railway Wharf Turning light buoy C18	1003
Chatham Bridge Pier North	1215.5
Chatham Bridge Pier South	1215.6
Chatham light buoy M62	1215.2
Chebogue Ledge light buoy EA1	272.23
Chebogue Point South Cardinal light buoy E	271
Chebogue River Inner light buoy E3	271.3
Chebogue River Inner light buoy E9	271.9
Chebogue River Inner light buoy E13/5	272.135
Chebogue River Inner light buoy E18	272.18
Chebogue River light buoy E8	271.8
Chebogue River light buoy E11	272.11
Chebucto Head	513
Chedabucto Bay light and bell buoy C7	687.2
Chedabucto Bay light buoy C2	686.7
Chedabucto Bay light and bell buoy C8	687.3
Chedabucto Bay light buoy C10	687.4
Chedabucto Bay light and bell buoy C11	687.5
Chedabucto Bay light buoy C13	687.7
Chedabucto Bay light buoy C14	687.8
Chedabucto Bay light buoy C16	688
Chedabucto Bay light buoy C17	688.1
Chedabucto Bay light buoy C18	688.2
Chedabucto Bay light buoy C20	688.4
Chedabucto Bay light buoy C21	688.5
Chedabucto Bay light buoy CF	686.5
Chedabucto Bay light buoy CGB	686.8
Cheggogin Point Breakwater	255.7
Cheggogin Point light buoy NQ1	256
Chenal de Beaujeu South Cardinal light buoy CBJ	1886.5
Chenal du Moine light buoy SN12	2174.3
Chenal du Moine North light buoy SN2	2171
Chenal du Moine South light buoy SN11	2174.4
Chenal du Vieux Fort range	1539.1,1539.12
Cherry Cove	417.5
Cherry Island	41

C	NO.
Chéticamp Harbour light buoy VD2	863.1
Chéticamp Harbour light buoy VD4	864
Chéticamp Harbour light buoy VD8	866.1
Chéticamp Harbour light buoy VD9	866.2
Chéticamp Harbour light buoy VD19	866.7
Chéticamp Harbour light buoy VD22	866.95
Chéticamp Inner Harbour Sector	866.75
Chéticamp Inner light buoy VD13	866.5
Chéticamp Inner light buoy VD14	866.6
Chéticamp Inner light buoy VD20	866.8
Chéticamp Inner light buoy VD21	866.9
Chetwyn Reef light buoy D6	311.6
Chezzetcook Harbour light and bell buoy HJ2	564
Chockle Cap light and bell buoy M55	448.5
Chockpish Breakwater	1127
Chockpish range	1127.5,1127.6
Ciboux Island	844
Clark's Harbour	323
Clark's Harbour light buoy CA5	323.07
Clarke Cove Wharf	838.4
Cloridorme range	1642,1643
Cloridorme Wharf	1644
Club Nautique Vauquelin	1973.8
Club Nautique Vauquelin range	1973.6,1973.7
Coachman Ledge light and whistle buoy MA55	457
Cocagne Bar	1118.5
Cocagne Bay light buoy XT18	1114.5
Cocagne light buoy XT4	1114.2
Cocagne light buoy XT22	1114.8
Cocagne range	1116,1117
Cockawee Shoal bifurcation light and bell buoy TD	426.25
Cockawee Shoal light buoy T54/2	426.5
Cockawee Shoal West light buoy T56	427
Cockerwit Passage light buoy D	304
Coddles Harbour	641
Coddles Harbour light and bell buoy TS6	640
Codray Shoal light and bell buoy HH2	565
Coffin Island	407
Coldspring Head	941
Comeauville Wharf	236.5
Confederation Bridge	1017.69
Confederation Bridge	1017.78
Confederation Bridge	1017.781
Confederation Bridge	1017.79
Confederation Bridge	1017.791
Confederation Bridge N.W.	1017.77
Confederation Bridge S.E.	1017.76
Congress Shoal light buoy JS59	331
Constable Ledge light and bell buoy XJ2	16
Contrecoeur light buoy M29	2293.5
Contrecoeur light buoy M33	2294.4
Contrecoeur light buoy M38	2294.6
Contrecoeur light buoy M41	2294.8
Contrecoeur light buoy M45	2295
Contrecoeur light buoy M46	2295.2
Contrecoeur-Verchères range	2315,2316
Conway Inlet Fairway light buoy JS	1071.35
Conway Inlet light buoy JS3	1071.41
Conway Inlet light buoy JS6	1071.44

INDEX

C	NO.
Conway Inlet light buoy JS7	1071.5
Conway Inlet light buoy JS8	1071.51
Conway Inlet light buoy JS9	1071.6
Conway Inlet light buoy JS11	1071.8
Conway Inlet light buoy JS13	1071.9
Conway Inlet light buoy JS14	1071.95
Cook Point (Pacquet Point) light buoy XT2	1115
Cornwall Rock light buoy N2	307.02
Country Island	639
Courbe de Bellmouth	2286
Courbe Bellmouth light buoy M19	2284
Courbe Bellmouth light buoy M20	2285
Courbe Bellmouth light buoy M23	2286.5
Courbe Bellmouth light buoy M26	2287
Courbe de Caribou light buoy S47	1813
Courbe de Contrecoeur light buoy M32	2294.2
Courbe de Sorel light buoy S150	2185.4
Course Cap Charles light buoy D22	2021
Course de Saint-Antoine range	1975,1976
Course Île Dupas range	2274,2275
Course Île Saint-Ours light buoy M9	2279
Course Île Saint-Ours light buoy M11	2280.5
Course Île Saint-Ours light buoy M16	2281
Course Île Saint-Ours light buoy M17	2281.5
Course Île Saint-Ours Lower range	2278.5,2278.6
Course Longue-Pointe range	2363,2364
Course Verchères light buoy M89	2328
Courtenay Basin light buoy JC20	110
Courtenay Bay Breakwater	104
Courtenay Bay Dock 1	110.2
Courtenay Bay Inner range	110.3,110.4
Courtenay Bay light buoy JC	111
Courtenay Bay light buoy JC4	103
Courtenay Bay light buoy JC9	106
Courtenay Bay light buoy JC10	106.1
Courtenay Bay light buoy JC15	108
Courtenay Bay light buoy JC16	108.16
Courtenay Bay Outer Channel Sector	110.8
Courtenay Bay Turn light buoy JC5	105
Covehead Bridge	1053.5
Covehead Fairway light buoy JJ	1050.05
Covehead Harbour	1051
Covehead Harbour Approach light buoy JJ10	1050.5
Covehead Harbour light buoy JJ3	1050.1
Covehead Harbour light buoy JJ7	1050.3
Covehead range	1052,1053
Covey Ledge light buoy M61	450
Cow Ledge Shoal light buoy HA4	222
Cow Reef light and bell buoy JA2	769
Cowley Point Breakwater	719.1
Cowley Rock bifurcation light buoy HSA	504.02
Cox Point	141
Cran Rock light buoy S2	789
Cranberry Islands	668
Crawford Ledge light and bell buoy DA56	484
Crawleys Creek range	785.84,785.85
Cribbean Head Main	890.2
Cribbean Head Wharf	890
Crichton Head	705

C	NO.
Crichton Island light buoy CN2	704.9
Cripple Creek Breakwater	331.5
Cripple Creek light buoy JS61	331.6
Cronie Reef light buoy HS12	504.5
Crooked Channel light buoy TN51	423.6
Cross Island	443
Cross Island light and whistle buoy E50	434
Croucher Island	480
Cuckold Rock light buoy JJ51	339

D	NO.
Dalhousie (Douglas) Island	1344
Dalhousie Harbour East range	1343.7,1343.8
Dalhousie Harbour light buoy EX2	1343.2
Dalhousie Harbour light buoy EX4	1343.3
Dalhousie Harbour light buoy EX6	1343.4
Dalhousie Harbour light buoy EX7	1345.6
Dalhousie Harbour range	1345.4,1345.5
Dalhousie Wharf	1343.6
Daniels Head	329.5
Daniels Head light buoy JU50	329.6
Damley Basin light buoy JT4	1071.1
Damley Basin light buoy JU5	1069.65
Damley Basin light buoy JU7	1069.7
Damley Basin light buoy JU8	1069.8
Damley Basin light buoy JU9	1069.9
Damley Basin North	1071.2
Damley Basin Outer light buoy JU3	1069.5
Damley Basin South	1071.3
Dartmouth Cove West Entrance light buoy HU1	540.1
Dartmouth Point light buoy HA2	226
Dartmouth Yacht Club	560.5
Dartmouth Yacht Club light buoy HY6	560
Dauphinee Point light buoy MC66	454.6
Dean Shoal light buoy VK12	880.1
Deer Point	49
Delap Cove Wharf	199.5
Dennis Point Shoal light buoy PB	301.5
Derby Point	835
Deschailions-sur-Saint-Laurent	2028.5
Desgroseillers range	2357, 2358
Devils Island	545
Devils Island light buoy HG1	544.5
Digby Gut	202
Digby Pier light buoy V6	206
Dingwall Harbour North Breakwater	855
Dingwall Harbour North light buoy KA6	857.2
Dingwall Harbour South Breakwater	857
Dingwall Harbour South light buoy KA9	857.3
Dingwall light and bell buoy KA	856
Dipper Harbour Breakwater	92
Dipper Harbour light and bell buoy KN	91
Dixon Point	1120
Dixon Rock light buoy C28	699
Doctors Channel West Cardinal light buoy NAC	324
Dog Island Sector (U.S.)	49.2
Donald Williams Point light buoy A22	828
Douanes Information light buoy DOUAN	2272.6

INDEX

D	NO.
Douglas Harbour light buoy EN1	138
Dover	488
Dover Bay	663.4
Dover Castle light and whistle buoy AT	490
Dover Harbour light buoy PQ9	662.7
Dover West	487.5
Drum Head	638
Dublin Shore	428
Dublin Shore light buoy T59	429
Duffus Point	804.5
Dunbar Point light buoy SJ32	909.3
Duncan Reef light buoy H1	512.5
Dundee Marina light buoy D13	836.02
Dundee Marina light buoy D14	836.03

E	NO.
East Dover Wharf	489
East Ironbound Island	489
East Ironbound South light and bell buoy MC52	470
East Money Outer South Cardinal light buoy ND	294.7
East Point	943
East Point Island	444
East Point Reef East Cardinal light and whistle buoy NDN	942
East River light buoy SJ25	909
East Sandy Cove	230.2
East Sandy Cove light buoy HK3	234.3
East Scotia Slope ODAS light buoy 44137	664.7
East Shoal light and bell buoy MC55	452.7
Eastern Chops light and bell buoy KA2	78
Eastern Head light buoy TP2	643
Eastern Passage light and whistle buoy HP	546
Eastern Passage light buoy HP13	549
Eastern Passage light buoy HP15	550
Eastern Passage light buoy HP16	551
Eastern Passage light buoy HP17	552
Eastern Passage light buoy UA2	920.5
Eddy Point cautionary light buoy CY	689.1
Eddy Point range	689.3,689.4
Edmunds Rock	33.5
Eel Shoal light buoy A25	829
Egg Island	580
Egmont Bay light buoy DH2	1023.1
Egmont Bay light buoy DH8	1023.6
Egmont Bay light buoy DJ	1027.45
Egmont Bay North light buoy DJ7	1027.41
Egmont Bay North light buoy DJ12	1027.42
Egmont Bay North light buoy DJ20	1027.43
Egmont Bay Wharf Sector	1027.3
Eleazer Island light buoy CC3	322.07
Enragée Point	867
Escarpement Bagot	1514
Escuminac Breakwater	1165.8
Étang du Nord light buoy YS3	1489.1
Étang du Nord light buoy YS4	1489.2
Étang du Nord light buoy YS5	1489.3
Étang du Nord light buoy YS9	1489.5
Étang du Nord light buoy YS10	1489.6
Étang du Nord North Breakwater	1491.1

E	NO.
Étang du Nord South Breakwater	1491.2

F	NO.
Fairchild Point light buoy NM33	969.9
Fairhaven	48
Falaise de l'Entrée	1559
Falls Point Wharf	315
False La Have light and bell buoy T51	422
Fanjoys Point	140
Farmer Ledge	30.5
Fawson Rock light buoy AA57	501.1
Feltzen South	435
Fish Island	323.7
Fish Ledge West light buoy TA5	293.7
Fishermans Harbour	634
Fishing Cove	1025
Fishing Cove light buoy DG2	1024.5
Fishing Cove West Breakwater	1025.5
Fishing Point range	935,936
Fitzroy Rock light and bell buoy C4	989
Five Fathom Hole	97.5
Flemming Ledge light buoy AT60	488.5
Flint Island	770
Flying Point Shoals light and whistle buoy TA4	655
Forestville light and bell buoy K38	1736
Forestville range	1739,1740
Fort Lennox light buoy	2258.934
Fort Lennox light buoy	2258.935
Fort Monckton Point	1086
Fort Point Shoal light buoy UM53	410
Fort South Cardinal light buoy FORT	2261.6
Fortune Bay Entrance light buoy NC6	948.1
Fortune Bay Entrance light buoy NC8	948.2
Fortune Bay North Sector	948.3
Fosters Islets light buoy UA64	415.3
Fourchu Harbour range	748,749
Fourchu Head	747
Fourchu light and bell buoy NC2	746
Fourchu light and whistle buoy N14	745
Fox Dens Gully	1262.8
Fox Dens Gully light buoy EA21	1263.2
Fox Dens Gully light buoy EA24	1264
Fox Dens Gully light buoy EA30	1264.1
Fox Dens Gully light buoy TK2	1262.5
Fox Dens Gully light buoy TK3	1262.6
Fox Dens Gully light buoy TK5	1262.7
Fox Island South range	1170.5,1170.6
Fraser Point light buoy Q21	811.2
Freeport	229
Freeport South Breakwater	228.5
Frenchman Point	284
Frenchman Point light buoy T3	285
Frenchman Rock light buoy VV8	610.5
French Point	569
French River Point light buoy MP22	1190
Frying Pan Shoal light and bell buoy PJ3	669.8
Frying Pan Island	415.5

INDEX

G	NO.
Gabarus	753
Gabarus light buoy JX10	752.7
Gagetown	135
Gammon Islands light buoy PU5	657.5
Gammon Point West Cardinal light buoy MK	1233
Gannet Dry Ledge light buoy N6	273
Gannet Rock	8
Gaspé Bridge	1417.8
Gaudin Point light buoy NH14	956.15
Geddes Shoal light and whistle buoy X26	593
Gentilly light buoy D83	2049.4
Gentilly range	2050,2051
Georgetown light buoy NH	952.5
Georgetown range	955,956
Gillis Point	832
Glace Bay light and bell buoy KV	771
Glace Bay North Breakwater	774
Glace Bay Outer light buoy KV1	771.5
Glace Bay range	772,773
Goat Island light buoy E75	139.75
Goat Island light buoy VE4	209.8
Godbout light buoy K14	1692
Godbout Wharf	1692.5
Goillon Reef light buoy NT12	730.5
Gold Ledges light buoy MU57	454.62
Goose Bay	293
Gooseberry Beach light buoy Q7	802.1
Goose Island light and bell buoy TT4	636
Gordon Point light buoy M53	1210
Gorhams Bluff	131.5
Graham Ledge light buoy NP	958.5
Graham Pond	959
Graham Pond East Breakwater	960.2
Graham Pond South Breakwater	960
Graham Pond West Breakwater	960.1
Grampus Rock light and bell buoy AM52	496
Grand Dune Channel Middle light buoy M30	1189.2
Grand Dune Flats light buoy M28	1188
Grand Dune Flats North light buoy M34	1198
Grand Dune Flats range	1196,1197
Grand Dune Flats South light buoy M35	1198.3
Grand Dune Outer range	1187,1187.1
Grand Dune range turning light buoy M31	1195
Grand Dune range turning light buoy M33	1195.5
Grand Étang Northeast Breakwater	868.5
Grand Étang range	869,870
Grand Étang Southwest Breakwater	868.6
Grand Harbour Middle light buoy XK11	19.3
Grand Narrows Bridge	834
Grand Passage	221
Grand Point Bar South Cardinal light buoy EAB	139
Grand Rigolet light buoy CU35	1542.48
Grand River East light buoy NE6	948.6
Grand Tracadie Harbour East light buoy JH18	1049.5
Grand Tracadie Harbour Entrance light buoy JH16	1049.4
Grand Tracadie Harbour South light buoy JH21	1049.6
Grand Tracadie light buoy JH6	1049.1
Grand Tracadie light buoy JH7/5	1049.12
Grand Tracadie light buoy JH10	1049.21

G	NO.
Grand Tracadie Outer light buoy JH9	1049.2
Grand Tracadie Wharf	1049.8
Grande-Anse East Breakwater	1326.1
Grande-Anse West Breakwater	1327.1
Grande Entrée range	1483,1484
Grande Entrée Sector	1485
Grande-Grève	1421
Grande Île Kamouraska	1838
Grande-Rivière light and bell buoy	1400
Grande-Rivière North Breakwater	1399
Grande-Rivière range	1397,1398
Grande-Vallée range	1647,1648
Grande-Vallée Wharf	1649
Grandes-Bergeronnes light buoy KJ2	1757
Grandes-Bergeronnes light buoy KJ4	1757.1
Grandique Point	729
Grants Beach range	1207,1208
Grassy Island light buoy PJ12	671
Great Bras d'Or Entrance Outer light buoy Q4	801
Great Bras d'Or Inner light buoy Q6	802
Great Bras d'Or Inner light buoy Q10	804.8
Great Bras d'Or range	803,804
Great Bras d'Or (St. Ann's Bay) light buoy KP2	845.1
Great Duck Island	29
Great Duck Ledge light and whistle buoy XP4	28.6
Great Island bifurcation light buoy UAA	416.3
Green Harbour light and bell buoy KP	368
Green Harbour light buoy KPA	367.7
Green Island	272
Green Island	722
Green Island Shoal light buoy UH2	43.5
Green Rock light and bell buoy JX3	752
Gregory Island	841
Grime Shoal light and whistle buoy CV1	669
Grog Rock light buoy SP54	351
Grondines-Est light buoy Q84	2012.1
Gros Cap aux Os	1420.5
Grosse Île	1481.5
Grosse Île Sector	1485.5
Grosse Île South Breakwater	1481.6
Grosse Île Verte	1823.55
Gull Island	295.9
Gull Islet	30
Gull Ledge light buoy NE2	285.2
Gull Rock light buoy HA1	224
Gull Rock light and bell buoy SP2	919
Gunning Cove (Shelburne Harbour)	361
Gunning Cove light buoy SA51	360.01
Gunning Point Island (Tanner Island)	446
Guyon Island	750
Guyon Island light and whistle buoy J12	751
Guysborough Harbour light buoy CQ2	683.1
Guysborough Harbour light buoy CQ5	684.02

H	NO.
Haddock Rock light and bell buoy NP2	735
Half Island Cove light buoy CT1	682.8
Half Tide Rock (Cheney Passage)	23

INDEX

H	NO.
Halibut Island light and bell buoy XA3	606.7
Halifax Alpha light and whistle buoy HA	510
Halifax Bravo light buoy HB	509.5
Halifax Charlie light and bell buoy HC	514
Halifax Harbour Inner range	538,539
Halifax Harbour Middle range	528,528.1
Halls Harbour	192
Hampton	198
Harbour Shoal	679.5
Harbourville	194
Harper Point	1274.1
Harper Point Ferry Cable	1273.2
Harrington Harbour	1559.5
Harrington Harbour range	1560,1561
Hart Island light buoy PC6	680.2
Hart Island range	679,679.1
Haszard Point range	991,992
Haut-fond Collins light buoy C84	1584.5
Haut-fond Morin light and bell buoy	1841
Haut-fond Nepigon light buoy S146	2182
Haut-fond Old Witch	2389
Haut-fond Prince	1773
Haut-fond Prince light and bell buoy SAGUE	1774
Haut-fond Saint-Augustin light buoy Q16	1966.5
Haut-fond Saint-Augustin light buoy Q20	1968
Haut-fond Saint-Augustin light buoy Q22	1969
Haut-fond Saint-Augustin light buoy Q23	1970
Havre Boucher light buoy VQ4	883.5
Havre Boucher range	884,885
Havre de la Grande Entrée light buoys CB7-CB23	1485.51-1485.67
Havre de la Grande Entrée light buoys CB24-CB34	1486.51-1486.6
Havre de la Grande Entrée light buoy YC4	1482.1
Havre de la Grande Entrée light buoy YC5	1482.2
Havre de la Grande Entrée light buoy YC9	1482.3
Havre de la Grande Entrée light buoy YC10	1482.4
Havre de la Grande Entrée light buoy YC11	1482.5
Havre de la Grande Entrée light buoy YC12	1482.55
Havre de la Grande Entrée light buoy YC14	1482.6
Havre de la Grande Entrée light buoy YC15	1482.7
Havre de Mingan Eastern Entrance range	1604,1605
Havre de Mingan Western Entrance range	1606,1607
Havre de Natashquan light buoy CN8	1576.2
Havre de pêche Sept-Îles	1666.1
Havre de Ste-Anne-des-Monts, North Breakwater	1683.1
Havre de Ste-Anne-des-Monts, South Breakwater	1683.2
Havre Gethsémani Entrance light buoy CJ5	1568.5
Havre Gethsémani range	1569,1570
Havre Saint-Pierre Sector	1588.5
Havre St-Pierre light buoy CM5	1586
Havre St-Pierre range	1587,1588
Havre-Aubert light buoy YK1	1501
Havre-Aubert light buoy YK22	1504
Havre-Aubert range	1505,1506
Havre-Aubert Sector	1506.5
Havre-aux-Maisons (porthand)	1494.8
Havre-aux-Maisons (starboard)	1494.85
Havre-aux-Maisons Entrance light buoy YE2	1494
Havre-aux-Maisons light buoy YE4	1494.2
Havre-aux-Maisons light buoy YE6	1494.4

H	NO.
Havre-aux-Maisons light buoy YE8	1494.7
Havre-aux-Maisons light buoy YE9	1494.6
Havre-aux-Maisons light buoy YE10	1494.81
Havre-aux-Maisons light buoy YE11	1494.9
Havre-aux-Maisons light buoy YE12	1494.91
Havre-aux-Maisons light buoy YE14	1494.92
Hawk Channel light buoy JS53	328
Hawk Island	730
Hawkes Point	141.5
Hay Island light buoy MH31	1232
Haymaker Ledge light buoy NS8	274.8
Head Harbour	44
Head Harbour Inner	44.5
Helens Island	843
Hen and Chickens light buoy Y4	267
Hens and Chickens light buoy HQ2	531
Henry Island	881
Henry Point light buoy VM3	882.1
Henry Point light buoy VM4	882.2
Heron Island	1342
Herring Cove	522
Herring Cove Breakwater	522.1
Herring Cove light and bell buoy HM1	521
Hilyards Reef light buoy J18	102.18
Hog Island	654
Horne Shoal light and bell buoy PQ4	662
Horse Island light buoy DP51	477.2
Horse Shoal light buoy VK11	622
Horse Shoe Bar light buoy M21	1181
Horse Shoe Bar light buoy M22	1182
Horse Shoe Bar light buoy M24	1184.5
Horse Shoe Bar light buoy M26	1186
Horse Shoe Bar range	1180.6,1180.7
Horseshoe Ledge light and whistle buoy DA53	474
Horton Bank light buoy UH3	921.5
Horton Bank light buoy UH5	921.6
Horton Bluff range	188,189
Hospital Island Ledge light buoy UP2	51.5
Hospital Ledge light buoy CA2	322
Hospital Reef light buoy CA1	322.1
Hospital Reef light buoy C2	321
Howards Cove	1032
Howards Cove Breakwater	1031.5
Howards Cove light buoy DN2	1027.6
Howe Point light and whistle buoy JJ2	765.7
Hubbards Cove	478
Huckleberry Gully light buoy MN25	1169.1
Huckleberry Gully light buoy MN28	1169.2
Hunts Landing	403

I	NO.
Île à Firmin	1596
Île à la Baleine	1539
Île à la Pierre light buoy MV6	2309
Île aux Basques	1756.4
Île aux Boeufs light buoy M79	2324
Île aux Coudres Wharf	1850
Île-aux-Foins light buoy S-154	2185.5

INDEX

I	NO.
Île-aux-Foins light buoy S-158	2185.7
Île aux Grues	1887
Île aux Lièvres	1829
Île aux Lièvres light and bell buoy ILIEV	1830
Île aux Prunes light buoy M82	2325
Île aux Raisins Curve light buoy S114	2165
Île aux Raisins light buoy S110	2163
Île aux Raisins light buoy S117	2170
Île aux Raisins range	2166,2167
Île Bellegarde light buoy M116	2331.5
Île Bicquette Sector	1748
Île Blanche Reef light and bell buoy K59	1823.8
Île Bouchard range	2326,2327
Île Brion	1479
Île Bursey range	1539.45,1539.46
Île Cormandière	1545
Île d'Entrée	1509
Île d'Entrée North Breakwater	1510.3
Île d'Entrée North side	1511
Île d'Entrée South Breakwater	1510.6
Île d'Orléans range	1932,1933
Île de Bellechasse	1920
Île de Grâce light buoy S129	2174.7
Île de Grâce light buoy S130	2174.8
Île de Grâce light buoy S136	2179
Île de Grâce range	2175,2176
Île de l'Entrée	1559.2
Île de la Boule	1544
Île la Poterie	2083.8
Île des Barques Course light buoy S113	2164.1
Île des Barques experimental light buoy S123	2173
Île des Barques range	2168,2169
Île Deslauriers light buoy M118	2333
Île Deslauriers light buoy M122	2333.4
Île Deslauriers light buoy M124	2334
Île Deslauriers range	2330,2331
Île Driscoll light buoy CU27	1539.9
Île du Bic (West end)	1750
Île du Corossol	1658
Île du Fantôme Entrance Channel Outer light buoy CM10	1594
Île du Fantôme Entrance range	1592,1593
Île du Grand Caouis	1686
Île du Guet	1542.5
Île du Havre (Eskimo) Shoal light buoy CM12	1595
Île du Havre-Aubert	1500
Île du Moine range	2180,2181
Île du Pot à l'Eau-de-Vie	1827
Île Dupuis	1393
Île Entrance	1550
Île Grande-Basque	1659
Île Greenly	1528.9
Île Haute	164
Île Inner range	1542.3,1542.4
Île Joncas	1576
Île Lapierre light buoy S116	2167.1
Île Lapierre light buoy S120	2172
Île Lapierre light buoy S126	2174
Île Mermettes	1539.13

I	NO.
Île Mistanoque	1539.5
Île Paul-Nadeau	1539.4
Île Paul-Nadeau range	1539.41,1539.42
Île Plate	1412
Île Plate	1543
Île Richelieu	2001.8
Île Robin East range	1542.45,1542.46
Île Robin range	1542.1,1542.2
Île Ronde	1823.77
Île Rouge	1770
Île Saint-Ours light buoy ISO	2280
Île Saint-Ours South	2286.7
Île Sainte-Hélène North Cardinal light buoy ISH	2380
Île Sainte-Marie	1562
Île St-Louis	1790
Île St-Patrice South Cardinal light buoy PAT	2348.1
Île Ste-Thérèse Lower range	2335,2336
Île Ste-Thérèse Upper range	2346,2347
Île Tickle range	1539.6,1539.7
Île Verte	1761
Île Verte (East Wharf)	1762
Îles aux Perroquets	1608
Îles de Varennes range	2340,2341
Îles Les Trois Soeurs light buoy K29	2390.4
Îles Les Trois Soeurs West light buoy K33	2390.5
Îles Triples	1564
Îlet aux Alouettes light buoy S7	1778
Îlet Mayrand light buoy Q83	2012
Îlets light buoy	2155
Imperial Oil Wharf No. 1 light buoy HP22	533
Inch Arran Point range	1343,1343.1
Indian Harbour	482
Indian Head	1020
Indian Island light and whistle buoy TS51	420
Indian Point light buoy DE6	1019
Indian Point light buoy HP21	534
Indian Rocks light and whistle buoy N8	977
Indian Sluice Bay light buoy TE2	294.551
Indian Sluice Point Wharf	294.55
Ingalls Head Breakwater	22
Ingomar Wharf	352
Ingonish East Cardinal light buoy KF	848.5
Ingonish Harbour	847
Ingonish Harbour light buoy KM6	847.3
Ingonish Harbour North light buoy KH2	849.3
Inland Waters	Pages 248-255
Inner Automatic light buoy H4	516
Inner Island Southwest Shoal West Cardinal light buoy NF	306.002
Inner Sambro Island light buoy HA2	504.01
Inner Sambro light and bell buoy HS6	504
Inverness Breakwater	874.1
Inverness Harbour range	874.2,874.3
Inverness South Breakwater	874.12
Irving Canaport Floating Terminal	145.6
Irving Oil Wharf Ruins light buoy SD52	360.11
Isaac's Harbour light and whistle buoy TT	635
Isaac's Harbour light buoy TT7	636.04
Isle of Pines light buoy J48	124.5

INDEX

I	NO.
Ives Knoll light and bell buoy H22	535
Ives Knoll light buoy HT2	536

J	NO.
Jack Shoal light and bell buoy VU4	886
Jacquet River Entrance	1340.6
Jacquet River Inner light buoy EU9	1340.5
Jacquet River light buoy EU5	1340.4
Jacquet River Outer light buoy EU2	1340.3
Jameson Island light buoy SJB	73.75
Jameson Island West	57.25
Janvrin Island range	704,704.1
Jeddore Harbour light buoy YT9	572.6
Jeddore Harbour lighted spar YT7	572.3
Jeddore Rock	570
Jerome Point	734
Jerseyman Island	707
Jig Rock light buoy S51	354
Joe's Point light buoy XA8	18.2
Joe's Point light and bell buoy S10	57.8
Johns Cove light buoy Y5	260.5
Johns Island Ledge light buoy ND4	303
Jolimore Reef light buoy UD3	920.6
Judique Shoals light buoy VN2	882.5
Judique South Wharf	882

K	NO.
Kaulbach Island range	453,454
Kégashka range	1572,1573
Kégashka Wharf	1573.3
Kelly Shoals light buoy Q35	839
Kellys Cove Wharf	804.6
Ketch Harbour light buoy HE19	511
Ketepec light buoy JK1	116.3
Kidston Island	815
Kidston Island West End	815.1
Kings Head light buoy SA6	896.6
Kouchibouguac Gully Inner light buoy XY21	1159
Kouchibouguac Gully light buoy XY2	1157
Kouchibouguac Gully light buoy XY9	1158.5
Kouchibouguac Gully light buoy XY17	1158.6
Krout Point	431.5

L	NO.
L'Ange-Gardien range	1949,1950
L'Anse-à-Brillant light buoy BR2	1413.1
L'Anse-à-Brillant range	1414,1415
L'Archevêque light buoy NH6	741.03
L'Archevêque light buoy NH10	741.05
La Grande Pointe	1584.8
La Have Bank ODAS light buoy 44142	326.5
La Have light and bell buoy TA	425
La Malbaie light and bell buoy K64	1843
La Pérade range	2027,2028
La Perle light buoy Y16	1512
La Pointe (Chéticamp Island)	868
La Roche à Veillon light buoy H98	1878.3

L	NO.
Lac Cautionary light buoy	2123.5
Lac St-Pierre Downstream (Curve Louiseville) range	2144,2145
Lac St-Pierre light buoy S86	2147
Lac St-Pierre Upstream (Curve Louiseville) range	2143,2143.5
Lacolle Railway Bridge	2268
Lamèque range	1296,1297
Lamèque Wharf	1301
Lano B Anchorage light buoy	2277
Lanoraie light buoy M2	2273.5
Lanoraie light buoy M3	2273.6
Lanoraie light buoy M4	2273.7
Lanoraie light buoy M8	2278.7
L'Archevêque light buoy NH3	741.01
La Relance, Duc D'Albe de Sept-Iles	1672.3
Larry's River light buoy TH10	646.5
Larry's River Northeast Breakwater	647.2
Launching Pond Breakwater	951
Launching Pond light buoy NY2	951.5
Launching Pond South Breakwater	951.2
Laurentian Fan ODAS light buoy 44141	664.6
Laurier Rock light buoy KK61	371
Laurier Rock light buoy KK64	371.02
Lavaltrie range	2292,2293
Lawlor Island light buoy HP11	547.2
Lawlor Island light buoy HP3	546.5
Lawlor Island Sector	547
Le Long Pèlerin	1832
Leards range	1008,1009
Leavitts light buoy SE8	72.1
Lebel bifurcation light buoy	2308.4
Leclercville (St. Emmélie) range	2015,2016
Ledge Harbour light buoy AA3	296.3
Leggett Shoal light buoy M55	1211
Leggett Shoal range	1209.7,1209.8
Leggett Shoal West light buoy M56	1212
Leonardville	46
Leonardville Harbour Entrance light buoy UT2	45
Leonardville Wharf	47
Lepreau Ledges light and bell buoy K3	88
Les Becquets	2041
Les Escoumins Wharf	1753
Les Gros Méchins Wharf	1698
Les Méchins East	1697
Letete Harbour	79.8
Letete Inner light buoy SQ3	70.25
Letete light buoy SQ	70
Letete Outer light buoy SQ2	70.15
Letete Passage Fog signal	71
Lichfield Shoal light and whistle buoy H7	519
Lighthouse Bank light and bell buoy H12	524
Lighthouse Point	83
Lime Rock light buoy Q15	807
Lingan Harbour light buoy KQ2	774.4
Lingan Harbour light buoy KQ7	774.5
Lingan range	774.6,774.7
Liscomb	615
Liscomb light and whistle buoy VP	613
Liscomb Shoal light and bell buoy VP5	614
Little Bras d'Or Sector	794.4

INDEX

L	NO.
Little Bras d'Or Entrance light and bell buoy U1	790
Little Bras d'Or Entrance light buoy U9	791.5
Little Bras d'Or range	792,793
Little Cape Breakwater	1100
Little Cape Outer Breakwater	1099.5
Little Dover Harbour	663
Little Dover Harbour light and bell buoy PP1	664
Little Dover Run	663.6
Little Fish Island light buoy MC70	454.55
Little Harbour Cherry Cove light buoy TU	418
Little Harbour Cherry Cove light buoy TU53	417.81
Little Harbour Cherry Cove light buoy TU54	419
Little Harbour Head light buoy YS9	579
Little Harbour light buoy KC52	386
Little Harbour light buoy KC53	384.5
Little Harbour Wharf	384
Little Harbour Wharf	737
Little Hope Island East Cardinal light buoy UEF	394.01
Little Hope Shoal light buoy UV52	391
Little Judique Harbour Breakwater	881.1
Little Judique Harbour Wharf Sector	881.3
Little Letete Passage	57.3
Little Letete Passage light buoy SQ4	75.32
Little Liscomb light and bell buoy VM3	619
Little Lorraine (Lorembec)	761
Little Narrows	830
Little Narrows Gypsum light buoy LN3	823.1
Little Narrows Gypsum light buoy LN4	823.2
Little Narrows Gypsum light buoy LN5	823.3
Little Narrows Gypsum light buoy LN6	823.4
Little Narrows Gypsum light buoy LN7	823.5
Little Narrows Gypsum light buoy LN8	823.6
Little Narrows Gypsum light buoy LN9	823.7
Little Narrows range	829.5,829.6
Little River	230
Little River (U.S.)	5
Little River Harbour	279
Little River Harbour East	279.5
Little Shemogue light buoy XE	1097.8
Little Shemogue light buoy XE2	1097.4
Little Shemogue Wharf	1097.2
Little Shippegan Ferry Cable	1273.3
Little Shoal light buoy Q5	801.5
Little Tancook Island Wharf Outer	461
Liverpool Harbour light buoy UM58	410.5
Liverpool Harbour light buoy UM59	411
Liverpool Harbour light buoy UM60	411.5
Liverpool Harbour light buoy UM61	412
Liverpool Harbour light buoy UM64	412.3
Livingstone Cove	892.5
Lobster Claw light buoy HE13	506.6
Lobster Rock light buoy T9	286
Lockeport	370
Lockeport Inner Harbour light buoy KK72	372.03
Lockeport North	380
Lockeport West Cardinal light buoy KEA	383.5
Lockeport Breakwater	375
Lockwood Rock light and whistle buoy V24	609
Long Cove East Cardinal light and bell buoy UC	414.5

L	NO.
Long Eddy Point	34
Long Point	25
Long Point Bar light buoy C12	128
Long Shoal light buoy E57	437
Longue-Pointe light buoy M171	2365
Longueuil B Anchorage light buoy	2374
Lords Cove	53.5
Lorneville	99
Lotbinière range	2006,2007
Louisbourg	756
Louisbourg light and bell buoy JT1	755
Louisbourg light and whistle buoy JT	754
Louisbourg range	757,758
Louiseville Entrance Channel light buoy SH1	2147.2
Louiseville Entrance Channel light buoy SH9	2147.4
Louiseville Entrance Channel light buoy SH20	2147.6
Louiseville	2148
Lourdes-de-Blanc-Sablon light and bell buoy	1528.5
Lourdes-de-Blanc-Sablon light buoy CY9	1528.6
Low Point	775
Lower Argyle Breakwater	295.5
Lower Bayside light buoy S12	57.9
Lower East Pubnico	300.5
Lower Cove Cautionary light buoy JD	100.2
Lower Jemseg	136
Lower Jordan Bay light buoy KS53	366.35
Lower Jordan Bay light buoy KS54	366.05
Lower Jordan Bay light buoy KS55	366.06
Lower Jordan Bay light buoy KS61	366.8
Lower Jordan Bay Fairway light buoy KS	366.1
Lower Jordan Bay Inner light buoy KS58	366.04
Lower Jordan Bay Inner light buoy KS59	366.03
Lower Jordan Bay Outer light buoy KS56	366.02
Lower Jordan Bay Outer light buoy KS57	366.01
Lower Jordan Bay Wharf	367
Lower L'Ardoise light buoy NN5	737.05
Lower L'Ardoise light and whistle buoy NM	736
Lower Montague Wharf	957
Lower Neguac Wharf	1230.1
Lower Newcastle range	1209.5,1209.6
Lower Portage Island light buoy MJ6	1234
Lower Prospect	496.5
Lower Sandy Point	359
Lower South Cove Entrance light buoy EM55	437.5
Lower Traverse light and bell buoy H79	1870
Lower Wedgeport	292
Lower Wedgeport light buoy TC3	291
Lower Woods Harbour	313
Lunenburg Bay Isolated Danger light buoy EF	435.5
Lunenburg bifurcation light and bell buoy EDA	442
Lunenburg Harbour light buoy E77	441
Lunenburg Harbour Marine Railway light buoy E66	439.8
Lunenburg Harbour Outer light buoy E64	439
Lunenburg Sea Products North	439.5
Lunenburg Sea Products South	439.3
Lurcher Northeast Shoal light buoy N9	251.5
Lurcher Shoal bifurcation light buoy NM	251
Lynch Shoal light and bell buoy MA57	455

INDEX

M	NO.
Mabou Harbour	876
Mabou Harbour light buoy VJ	874.51
Mabou Harbour light buoy VJ1	874.52
Mabou Harbour light buoy VJ2	874.53
Mabou Harbour light buoy VJ3	874.55
Mabou Harbour light buoy VJ4	874.6
Mabou Harbour light buoy VJ8	874.61
Mabou Harbour light buoy VJ9	874.62
Macdonald Reef light buoy SP6	911.5
MacDonald Shoals light buoy XU4	593.6
Maces Bay light and bell buoy KJ1	87
Macfarlane Point light buoy UH17	923.7
MacFarlane Point range	810.7,810.8
Machias Seal Island	6
Machons Point light buoy NM15	969
Machons Point range	968.5,968.6
Maclvers Bank East light buoy A17	822
Maclvers Bank light buoy A19	823
Maclvers Point light buoy A11	817
Maclvers Point light buoy A14	818.5
Maclvers Point light buoy A16	819
Maclvers Point range	820,821
Maclvers Point West light buoy A13	818
MacKenzie Point	811
Macks Ledge light buoy SJ2	74.2
MacRae Island light buoy D11	836
MacRae Point light buoy Q20	811.1
MacRae Point Shoal bifurcation light buoy QA	812
Macs Island light and bell buoy S9	68
Mad Dick Rock light and bell buoy JJ6	765
Mahone Harbour	452
Main-à-Dieu	766
Main-à-Dieu Harbour	765.1
Maisonnette	1324
Maisonnette Ledge light buoy EN	1322.5
Malagash Point light buoy UE6	920.9
Malagash Wharf	921.1
Mal-Bay	1410
Malloch Beach Wharf	39
Malpeque Harbour Approach range	1066,1067
Malpeque Harbour Fairway light buoy JP	1065.05
Malpeque Outer range	1062,1063
Malpeque West Entrance light buoy JP6	1065.5
Man of War Point range	809.7,809.8
Man of War Rock light and bell buoy PK7	670
Marache Point	708
Marchant Ledge light buoy CJ18	720
Margaree Harbour East Breakwater	873.2
Margaree Harbour Inner light buoy VH12	873.3
Margaree Harbour light buoy VH8	873.1
Margaree Harbour light buoy VH9	873.22
Margaree Harbour light buoy VH11	873.23
Margaree Harbour range	872,873
Margaree Harbour West Breakwater	873.21
Margaree Island (Sea Wolf Island)	874
Margaretsville	195
Marie Joseph (Thrumcap Island)	612
Marina Baie St-Paul range	1857.2,1857.21
Marina Cap à l'Aigle	1839.5

M	NO.
Marina Chaudière Entrance light buoy QC2	1962.3
Marina Chaudière Entrance light buoy QC3	1962.5
Marina Chaudière Entrance light buoy QC4	1962.7
Marina de Gaspé Breakwater	1417.4
Marina de Gaspé entrance	1417.5
Marina Saint-Jean-Port-Joli light buoy	1875.1
Marina Sept-Îles West Breakwater	1666.5
Marina Sept-Îles entrance, West Breakwater	1666.3
Marina Vauquelin light buoy VAUQU	1973.5
Mars Rock light and whistle buoy H9	523
Marsh Point light buoy VE5	210.3
Marsh Point light buoy YT11	573
Maskinongé Curve	2153.3
Matane East Breakwater	1705.4
Matane light buoy MATAN	1702
Matane Railway Wharf	1705.5
Matane Sector	1703.5
Matane West Breakwater	1705.6
Matthews Ledge	80
Maugher Beach	527
Maugher Beach light buoy H14	526
Maxfield Pt. (U.S.)	2398
McColgan Point	119
McCreadyville light buoy U12	794.2
McEacherns Point Wharf	1238.7
McPhee Island light buoy E3	835.8
Medway Harbour light buoy UE51	416.4
Medway Harbour (West Berlin) light buoy UJ54	416.51
Medway Harbour (West Berlin) light buoy UJ55	416.515
Medway Harbour (West Berlin) light buoy UJ58	416.53
Medway Harbour (West Berlin) light buoy UJ59	416.54
Medway Harbour (West Berlin) light buoy UJ61	416.55
Medway Head	415
Medway South Cardinal light and whistle buoy UA	414
Merigomish Harbour Approach light buoy SA2	896.5
Métabetchouan	1823.58
Meteghan Breakwater	239.5
Meteghan Inner light buoy HC4	239.4
Meteghan light buoy HC2	239
Meteghan Outer light buoy HC3	239.3
Meteghan River	238
Michaud Ledges light and whistle buoy N18	738
Middle Caraquet East Wharf	1314.1
Middle Caraquet range	1313.2,1313.3
Middle Caraquet Wharf	1314
Middle Ground light buoy TX1	636.2
Middle Ground North Cardinal light buoy HAD	530
Middle Island light buoy M61	1215
Middle Ledge light and whistle buoy M52	447
Middle Melford range	690.3,690.4
Middle Rock East Cardinal light buoy US	397.5
Middle Rock light buoy MU53	454.63
Middle Rock light buoy S52	360.1
Middle-Bay range	1531.3,1531.4
Mikes Island Ledge light buoy TE10	294.56
Millbank Channel West light buoy M59	1214
Millbank light buoy M57	1213
Millbank range	1212.5,1212.6
Millerand Breakwater	1499.3

INDEX

M	NO.
Millerand West Breakwater	1499.35
Miminegash light buoy DP	1032.05
Miminegash range	1033,1034
Minas Basin	191
Mine Seleine range	1486, 1486.1
Mingan East Entrance light buoy CM28	1603
Mingan ODAS light buoy IML-1	1599.5
Mira Gut Swing Bridge	767.6
Miramichi Bar light buoy M2	1170
Miramichi Bar light buoy M14	1173.5
Miramichi Bar light buoy M17	1179
Miramichi Bar light buoy M19	1180.5
Miramichi Outer Bar light buoy M4	1171
Miscou Channel Entrance light buoy EA	1267
Miscou Channel light buoy EA7	1270
Miscou Channel light buoy EA9	1271
Miscou Channel light buoy EA16	1272
Miscou Channel light buoy EA20	1273
Miscou Flat light and bell buoy E3	1266
Miscou Harbour range	1268,1269
Miscou Island	1264.7
Miscou Island Bridge Pier Light buoy	1264.2
Miscou Island Bridge Pier Light buoy	1264.3
Miscou Island Bridge Pier Light buoy	1264.4
Miscou Island Bridge Pier Light buoy	1264.5
Miscou Island West Cardinal light and whistle buoy EB	1265
Miscou Wharf	1274.2
Miscouche Shoal light and bell buoy DE	1023
Mohawk Island East light buoy S5	70.6
Mohawk Ledge North Cardinal light buoy SAA	70.5
Monseigneur Blanche Wharf	1666.03
Mont-Joli ODAS light buoy IML-3	1707.1
Mont Louis ODAS light buoy 45138	1654
Mont-Louis range	1652,1653
Montague River light buoy NH22	957.3
Montague River light buoy NH23	957.4
Montague River light buoy NH27	957.41
Montague River light buoy NH30	957.5
Montague River light buoy NH38	957.7
Montague River light buoy NH43	957.8
Montmagny information light buoy MTGNY	1890.6
Montmagny light buoy HM2	1890.5
Montmagny range	1888,1889
Montréal East Anchorage light buoy MEB	2354.5
Monument Price Sector	1822
Moody Point range	1198.8,1198.9
Moose Harbour light buoy UB1	408.1
Moose Point	408.2
Moque Head	765.4
Morgan Ledge	73
Morris Point light buoy HE17	503.11
Morrison's Cove range	825,826
Mosher Island	423
Mouillage Batiscan light buoy D68	2046
Mouse Island light buoy CJ5	716
Mouse Island light buoy CJ6	716.1
Mouton Harbour	629.8
Mouton Harbour Inner	630
Mouton Harbour Outer range	629.5,629.6

M	NO.
Mouton Harbour Inner Channel light buoy VC4	626.4
Mouton Harbour Inner Channel light buoy VC5	626.6
Mouton Harbour Inner Channel light buoy VC7	626.7
Mouton Harbour Outer Channel light buoy VC1	626.1
Mouton Harbour Outer Channel light buoy VC2	626.2
Mouton Harbour Outer Channel light buoy VC3	626.3
Mouton Head light buoy US51	394.5
Murder Island light buoy NSH	275
Murdock Shoal light buoy SJ6	901.6
Murphy Pond	876.8
Murphy Pond Breakwater	876.9
Murphy Pond light buoy VX1	876.3
Murray Harbour Entrance light buoy NM3	963
Murray Harbour light buoy NM	961
Murray Harbour light buoy NM6	963.5
Murray Harbour range	964,965
Murray Harbour Village range	969.5,969.6
Musquash Head	97
Musquodoboit Harbour	568
Musquodoboit Ledge light and bell buoy YV3	566.5

N	NO.
Nag Rock bifurcation light buoy JTA	756.5
Naufrage Harbour Bridge	1041.1
Naufrage Harbour East Breakwater	1040.2
Naufrage Harbour Fairway light buoy JC	1040.05
Naufrage West Breakwater	1040.5
Navy Bar light and bell buoy SX3	66
Navy Island light buoy J19	102.19
Navy West Cautionary light and whistle buoy HNWC	515
Necum Point light buoy VV12	610
Negro Harbour light and whistle buoy SN	353
Negro Harbour light buoy SN52	350.02
Negro Harbour light buoy SP56	351.02
Negro Harbour light buoy SP59	351.04
Negro Head light and bell buoy JA1	98
Neguac Wharf	1229
Neil Harbour Breakwater	850.6
Neil Harbour light and bell buoy KD	850
Neil Harbour	851
Net Rock Ledges light and bell buoy XV6	32
Neverfail Shoal light and bell buoy H8	518
Neverfail Shoal North light buoy HN7	519.5
New Harbour	467
New Harbour Cove	644
New Harbour light and bell buoy MA	466
New Haven Breakwater light buoy KC1	851.3
New Haven light and whistle buoy KC	852
New Ireland Ledge light buoy SJ4	75.43
New London	1060.01
New London Fairway light buoy JM	1058
New London Harbour light buoy JM6	1060.45
New Mills West	1340.8
Newcastle Creek	141.4
Newcastle North light buoy M71	1222
Newcastle North light buoy M73	1223
Newcastle range	1218,1219
Newcastle Wharf light buoy M75	1224

INDEX

N	NO.
Newellton Breakwater	318.5
Newellton Reef light buoy C8	319
Newfoundland	Pages 154-159
Newport light and bell buoy	1388
Newport light buoy AN3	1388.4
Newport light buoy AN4	1388.5
Newport Wharf (U.S.)	2400
Newport-Point	1389
Newport-Point light buoy AN1	1388.2
Newport-Point range	1390,1391
Nick Shoal light buoy HE16	503.1
Nicolet Sector	2119.5
Niger Reef light buoy SY4	63
Nine Mile Creek Wharf	1006
Nixonmate Shoal light and whistle buoy VH2	625
Noix bifurcation light buoy NOIX	2258.72
North Canso	883
North Cape	1036
North Cape Reef North Cardinal light and whistle buoy DS	1037
Northeast Arm light buoy XX1	596.01
North Fourchu light buoy NC24	747.3
North Harbour Gully light buoy TE46	1242
North Harbour Gully light buoy TE48	1242.2
North Head	30.8
North Lake Harbour Fairway light buoy JA	1038.5
North Lake Harbour range	1039,1039.1
North Lake Harbour West	1039.5
North Limit Anchorage	1958
North Point East	1084.7
North Richibucto Beach Breakwater light buoy Q22	1136
North Richibucto Beach Inner range	1142,1143
North Richibucto Beach light buoy Q25	1144
North Rock light buoy SA	52.55
North Rustico Harbour	1056
North Rustico Inner Breakwater	1057
North Rustico Landing Wharf	1057.5
North Rustico Fairway light buoy JK	1054
North Shoal light and bell buoy X2	5.6
North Tracadie Approach light buoy TE2	1240
North Tracadie Approach light buoy TE4	1240.5
North Tracadie Fairway light buoy JH	1047.51
North Tracadie Wharf	1244.9
Northeast Shoal light and bell buoy DA51	473
Northern End Ledge	315.5
Northport light buoy UP2	940.5
Northport range	1081,1082
Northwest Bar light buoy SD2	779.4
Northwest Cove light buoy DP54	477.4
Northwest Cove Wharf	481
Northwest Ledge light buoy M4	220
Norway Point range	907,908

O	NO.
Oak Channel light buoy M39	1202
Oak Channel light buoy M44	1203.1
Oak Channel range	1200,1201
Oak Channel South light buoy M40	1203
Oak Island Bar light buoy UH2	921.4

O	NO.
Oak Point	125
Oak Point light buoy S16	58.6
Oak Point range	1202.5,1202.6
Oak Point Wharf	126
Oceanographic Wharf	556
Old Battery Point light buoy C13	999.2
Old Cow Reef bifurcation light buoy SAC	357.5
Old Harry Head light buoy Y8	1481
Old Harry Ledge light buoy YA2	1480.5
Old Man light buoy T1	287.5
Old Proprietor light and whistle buoy X1	9
Old Proprietor Shoal East Cardinal light and bell buoy XK	9.5
Old Woman South Cardinal light buoy TT	285.5
Orpheus Rock light and bell buoy NQ1	723
Osborne Harbour	373.5
Otter Harbour Sector	808
Ouetique Island	731
Outer Farm Ledge light buoy KE52	382.01
Outer Island	307
Outer Island North light buoy D2	305
Outer Island South light buoy C	306
Outer Middle Ground bifurcation light buoy HAC	525
Outer Rock South Cardinal light buoy JJ	340.01
Ows Head Direction	583
Ows Head Harbour light and bell buoy YP2	582
Ox Eye Rock light buoy NA2	326
Ox Head Ledges light buoy XK7	19

P	NO.
Paddle Shoal light buoy DA2	837
Pagan Point light buoy Q38	1150
Page Point East light buoy UK32	938.5
Page Point North light buoy UK30	938
Paint Point (Pointe à Peinture) range	1285,1285.1
Palmer Point light buoy UH12	923.3
Palmers range	1012,1013
Panmure Head	953
Parc nautique Lévy Information light buoy	1959.8
Parc nautique Lévy, Floating Breakwater	1959.5
Parc nautique Lévy North	1959.6
Parc nautique Lévy, South Breakwater	1959.7
Park Point range	692,693
Parker Island light buoy SJA	73.5
Parker Island light buoy SJ1	73.25
Parkers Cove	199
Parrsboro	172
Parrsboro Wharf	173
Partridge Island	100
Partridge Island Bar light buoy J9	102
Partridge Island light and bell buoy J1	101
Partridge Island light buoy J3	101.3
Partridge Island light buoy J7	101.4
Pas Reef light buoy PJ6	670.5
Paspébiac Breakwater	1373.3
Paspébiac light and bell buoy AP2	1373
Paspébiac West	1374
Passage Saint-Augustin	1539.95
Pea Point	81

INDEX

P	NO.
Peakes Quay Marina	995.1
Pearl Island	471
Pearl Rock	282.5
Peases Island	283
Peases Island Ledge light buoy NS4	283.2
Peggy's Cove Wharf	486
Peggy's Point	487
Pennant Harbour	501
Pennant Harbour bifurcation light buoy AAA	501.4
Pennant Harbour light buoy AA51	501.6
Pennant Harbour light buoy AA52	501.7
Pennant Harbour light buoy AA53	501.5
Pennant Harbour light buoy AA54	501.3
Pennant Harbour light buoy AA55	501.2
Pennant Point light and bell buoy AA50	502
Penny Point light buoy NM13	968
Penouille light buoy HD8	1420
Percé	1409
Peter Island	227
Petit-de-Grat Breakwater	721
Petit-de-Grat Harbour light buoy CJ9	717
Petit-de-Grat Inner range	718,719
Petit-de-Grat light and bell buoy CJ1	711
Petit-de-Grat light and whistle buoy CJ	710
Petit-de-Grat Outer range	713,714
Petit-Rocher	1339
Petit-Rocher light buoy ES2	1339.5
Petite Anse light and bell buoy NS1	724
Petite Anse range	725,726
Petite île au Marteau	1585
Petite île Beemer	1823.76
Petite Natashquan range	1578,1579
Petite Traverse range	2288,2289
Petite-Tourelle range	1682.6,1682.7
Philipsburg light buoy	2272.8
Pictou	906
Pictou Bar light buoy SJ7	901.5
Pictou Bar	906.4
Pictou Harbour light buoy SJ4	901
Pictou Harbour light buoy SJ12	905.2
Pictou Harbour light buoy SJ15	905.3
Pictou Harbour range	903,904
Pictou Island (East End)	899.5
Pictou Island (West End)	897
Pictou Island Breakwater	898
Pictou Island East East Cardinal light buoy SP	900.2
Pictou Island East End Breakwater	900
Pictou Island South	899
Pictou Landing light buoy SJ11	905
Pictou light buoy SJ	900.5
Pictou Marina	906.6
Pier 1	114
Pier 12	113.3
Pierre Laporte Bridge	1963.5
Pigeon Hill Wharf	1262.9
Pilier de Pierre	1876
Pinette Harbour light buoy NV4	980.5
Pinette River Outer range	979,980
Pinkneys Point	278

P	NO.
Pinkneys Point Fog Signal	278.2
Pinkneys Point light buoy NS17	277
Piscatiqui Island	678
Piscatiqui Island light buoy PC5	680.5
Pleasant Bay Breakwater	860.6
Pleasant Bay light and bell buoy VC	860.5
Pleasant Bay range	861,861.1
Pleasant Bay Southwest Breakwater	860.9
Pleasant Shoal light and bell buoy H19	529
Point Aconi	796
Point Aconi light and whistle buoy K6	795
Point Clear	813
Point Edward light buoy S8	781
Point Edward Main Jetty North	785.7
Point Edward Main Jetty South	785.8
Point Escuminac	1163
Point Escuminac light and bell buoy X31	1162
Point Lepreau	90
Point Tupper	696
Point Tupper light buoy C26	695
Pointe à Basile range	1964,1965
Pointe à Bernache range	1286.3,1286.4
Pointe à Bigot	2066.3
Pointe à Bigot light buoy C20	2065
Pointe à Brideau range	1319.2,1319.3
Pointe à Jérôme range	1124,1125
Pointe à la Chasse	1675
Pointe à la Citrouille	2053
Pointe à la Citrouille light buoy C2	2054
Pointe à la Citrouille light buoy D87	2052
Pointe à la Citrouille light buoy D88	2052.5
Pointe à la Citrouille light buoy D90	2053.5
Pointe à la Marmite light buoy D11	1661
Pointe à Marcelle range	1283,1283.1
Pointe à Michel light buoy K32	1726
Pointe à Puiseaux (Sillery)	1962
Pointe Argentenaye range	1910.5,1910.6
Pointe au Boisvert light buoy K48	1747
Pointe au Chêne range	1354,1355
Pointe au Corbeau	1660
Pointe-au-Pic	1844
Pointe-au-Pic Breakwater	1843.7
Pointe-au-Pic South Cardinal light buoy KPP	1843.5
Pointe-au-Platon	1993.7
Pointe-au-Platon light buoy Q61	1993
Pointe Aubin light buoy Q27	1970.5
Pointe aux Basques light buoy D4	1662.3
Pointe aux Crêpes	1788
Pointe aux Esquimaux range	1590,1591
Pointe aux Morts light and bell buoy CM16	1598.5
Pointe aux Morts light buoy CM17	1598
Pointe aux Pins	1799.5
Pointe aux Pins	1891.2
Pointe aux Trembles (Neuville)	1974
Pointe-aux-Trembles Anchorage light buoy B	2349.1
Pointe-aux-Trembles Anchorage light buoy PATD	2349.3
Pointe-aux-Trembles Anchorage light buoy PATG	2350.5
Pointe-aux-Trembles Channel light buoy M151	2349
Pointe-aux-Trembles light buoy M156	2349.5

INDEX

P	NO.
Pointe-aux-Trembles light buoy M157	2352
Pointe aux Trembles light buoy Q32	1973
Pointe aux Trembles light buoy Q34	1974.5
Pointe Basse	1495
Pointe Carleton	1601
Pointe Cartier light buoy E440	2258.31
Pointe Cartier light buoy E443	2258.1
Pointe Cartier light buoy E445	2258.35
Pointe Cartier light buoy E448	2258.4
Pointe Claveau	1791
Pointe de Beaubassin light buoy AB1	1370
Pointe de Cloridorme range	1643.5,1643.6
Pointe de Kégashka	1574
Pointe de Kégashka light and bell buoy CK1	1574.3
Pointe de l'Est East Cardinal light buoy YY	1480
Pointe de l'Ouest	1523
Pointe de la Martinière range	1925.6,1925.7
Pointe de la Rivière du Loup	1826
Pointe de Lévy light buoy K165	1931.5
Pointe de Manicouagan	1719
Pointe de Petite-Lamèque range	1277,1278
Pointe de Pokesudie	1306
Pointe des Grondines light buoy D18	2018.5
Pointe des Grondines range	2023,2024
Pointe des Grondines Upper range	2025,2026
Pointe des Ormes light buoy C70	2108
Pointe du Chalet des Phares light buoy Q37	1978
Pointe du Chalet des Phares light buoy Q38	1979
Pointe du Nord-Est	1539.2
Pointe du Nord-Est range	1539.16,1539.17
Pointe du Petit Lac range	1567,1568
Pointe du Sud-Ouest	1515
Pointe Langlois	2013
Pointe Lec light buoy QA11	1149.3
Pointe Mackenzie range	1565,1566
Pointe Milne range	1563.7,1563.8
Pointe Mitis (Petit Mitis)	1707
Pointe Noire light buoy D15	1670.4
Pointe Noire Ore Terminal East light buoy D17	1670
Pointe Noire Ore Terminal East range	1671,1671.1
Pointe Noire Ore Terminal West	1672
Pointe Noire Ore Terminal West light buoy D20	1673
Pointe Noire range	1779,1780
Pointe Noire Sector - Anse du Portage Ste-Marguerite	1672.1
Pointe Noire Wharf range	1671.2,1671.3
Pointe Rocheuse	1738
Pointe Saint-Nicolas	1966
Pointe Saint-Pierre range	1946,1947
Pointe Samson light buoy H131	1922.5
Pointe St Nicolas light buoy Q19	1967
Pointe St. Pancrace	1709
Pointe-du-Chêne	1111.1
Pointe-du-Chêne range	1107,1108
Pointe-du-Lac range	2125,2126
Pointe-Sapin	1161.2
Pointe-Sapin Outer Breakwater	1159.5
Pointe-Sapin range	1160,1161
Pointe-Verte	1340
Pointe-Verte Breakwater	1339.8

P	NO.
Pointe-Verte light buoy ET2	1340.05
Pokemouche Gully light buoy TH2	1246.5
Pokemouche Gully light buoy TH10	1246.71
Pokemouche Gully light buoy TH11	1246.72
Pokemouche Gully light buoy TH12	1246.75
Pokemouche Gully light buoy TH13	1246.76
Pokemouche Gully light buoy TH15	1246.77
Pokemouche Gully Wharf	1246.8
Pollock Shoal light and bell buoy TC52	433
Pomeroy Ledge	74.35
Pompey Ledge	51
Pomquet Island	888
Pont Jacques-Cartier Bridge East	2379.6
Pont Jacques-Cartier Bridge North	2379.4
Pont Jacques-Cartier Bridge South	2379.3
Pont Laviolette North	2105.72
Pont Laviolette South	2105.73
Poor Point light buoy D1	836.1
Popes Harbour	589
Popes Harbour light and bell buoy YE2	588
Pork Ledge	323.91
Port Bickerton	629
Port Bickerton East	631
Port Bickerton light and bell buoy V	632
Port Borden Breakwater	1015
Port Borden Pier	1017.5
Port Daniel light buoy AD2	1381
Port Daniel light buoy AD4	1380
Port Daniel West	1379
Port de Bécancour	2068.3
Port de Rimouski range	1734,1735
Port de Sorel East light buoy SN22	2182.4
Port de Sorel light buoy PNF	2182.52
Port de Sorel light buoy SN26	2182.5
Port de Sorel light buoy SN28	2182.8
Port de Sorel Middle light buoy SN24	2182.6
Port Felix light and bell buoy TA7	656
Port Hebert	388
Port Hebert light buoy UX	387
Port Hebert light buoy UX56	387.04
Port Hill Wharf	1074
Port Hood Island	877
Port Hood Wharf	878.1
Port La Tour	344
Port La Tour Harbour	345
Port La Tour Inner light buoy JN53	342
Port La Tour light buoy JA	347
Port La Tour light buoy JJ56	340.03
Port La Tour light buoy JJ57	340.04
Port La Tour light buoy JN	340
Port La Tour light buoy JN51	346.01
Port Lorne	197
Port Maitland Breakwater	247
Port Maitland light buoy NU	246
Port Maitland light buoy NU2	250.01
Port Malcolm range	689.7,689.8
Port Medway light buoy UA51	413
Port Menier light and bell buoy	1516
Port Menier light buoy PM11	1518

INDEX

P	NO.
Port Morien	768
Port Morien light buoy JA6	768.5
Port Mouton	396
Port Mouton Breakwater	401.5
Port Mouton Channel light buoy UN66	400.5
Port Mouton Inner	399.5
Port Mouton light buoy UN	395
Port Mouton light buoy UN74	400.7
Port Mouton light buoy UN80	401
Port Saint-François range	2112,2113
Port Saint-François Wharf	2111
Port Wade	209
Port-Alfred range	1799.2,1799.3
Port-Cartier Entrance East	1681
Port-Cartier Entrance light and bell buoy PTCAR	1680
Port-Cartier Entrance West	1682
Port-Cartier range	1678,1679
Portage Channel light buoy ME4	1174
Portage Channel light buoy ME8	1175
Portage Gully light buoy MH11	1236
Portage Gully light buoy MH2	1236.6
Portage Gully light buoy MH3	1236.5
Portage Gully light buoy MH26	1235.9
Portage Gully light buoy MH6	1236.3
Portage Gully light buoy MJ2	1234.4
Portage Gully, North Side Channel Entrance bifurcation light buoy MJ	1235
Portage Island Channel range	1176,1176.1
Portage Island range	1173.6,1173.7
Porter Island West light and bell buoy YS6	578
Portneuf light buoy Q65	1999.5
Portneuf light buoy Q66	2000
Portneuf marina Breakwater	1998.51
Portneuf range	1997,1998
Portneuf Wharf	1999
Portnova light and whistle buoy J10	763
Portsmouth Point light buoy VK7	879.5
Poste-Saint-Martin range	1801,1802
Poulier à Gagnon light buoy M177	2372
Poulier Carpentier light buoy C15	2058
Poulier du Calvaire light buoy D25	2022.5
Poulier Dubord light buoy C17	2059
Poulier Grandmont light buoy C3	2054.1
Prangle Point light and bell buoy XP3	28
Premier Shoal light buoy CL4	696.5
Presqu'île de Penouille range	1419.6,1419.7
Preston Beach West range	1173.15,1173.16
Prim Point	201
Prim Point	983
Prim Reefs light and whistle buoy C2	984
Privateer Rock light buoy Y12	262
Prospect light and bell buoy AM62	494
Prospect Point Wharf	311
Prospect Wharf	492
Psyche Rock East Cardinal light and bell buoy YS	580.3
Pte-aux-Basques East entrance	1663.95
Pte-aux-Basques West Breakwater	1663.9
Pte de l'Islet	1783
Pte de la Prairie	1851

P	NO.
Pte de la Prairie light buoy K65	1857
Pubnico Harbour	299
Pubnico light buoy P1	302.5
Pubnico Ledges light buoy P5	300
Pugwash	926
Pugwash Bar North light buoy UK11	929.5
Pugwash Channel 1st Turn light buoy UK16	933
Pugwash Channel light buoy UK13	930
Pugwash Channel light buoy UK18	934
Pugwash Channel light buoy UK19	937
Pugwash Channel light buoy UK25	937.5
Pugwash Harbour Entrance light buoy UK3	925.4
Pugwash Harbour light and bell buoy UK	925.12
Pugwash Harbour light buoy UK2	925.2
Pugwash Harbour light buoy UK28	937.8
Pugwash Road light buoy UK7	929
Pugwash Road Turning light buoy UK9	929.3
Pumpkin Ledge light buoy A6	297.6
Purcells Cove light buoy HQ1	532
Purdys Point light buoy J38	122.1

Q	NO.
Quaco	150
Quaco Ledge North Cardinal light and bell buoy KW	149
Quaco light and bell buoy K15	151
Quai de Pointe Noire La Relance range	1672.4, 1672.5
Quai Maltais light buoy S53	1820
Quaker Island	456
Quartier-de-la-Chapelle range	1823.68,1823.69
Québec bifurcation light buoy	1954
Québec Bridge (Pont de Québec)	1963
Québec Rayonier light buoy KA12	1677.6
Québec Rayonier light buoy KA13	1677.4
Québec Rayonier range	1676,1676.1
Québec Yacht Club East	1960.3
Québec Yacht Club light buoy	1960.8
Québec Yacht Club range	1960.4,1960.5
Québec Yacht Club West	1960.6
Queensport	683

R	NO.
Rade de Rimouski light and bell buoy H41	1731
Ragged Point	162.5
Ragged Reef Point light and bell buoy KR	162
Ram Island	278.5
Rapides Richelieu light buoy Q68	2001.1
Récif Alright light buoy Y12	1487
Récif Bar light and bell buoy S5	1776
Récif de l'île Madame South Cardinal light buoy DAME	1922
Récif de Percé light buoy AA1	1408
Récif du Basque light and bell buoy D6	1663
Récif du Basque North light buoy D7	1662.5
Récif du Nord-Ouest light and bell buoy H47	1749
Récifs de Longue Pointe light buoy K96	1894
Reddish Point, Breakwater	1383
Red Head light buoy XA7	17.5
Red Head Wharf	1046.5
Red Rock light buoy AM3	118

INDEX

R	NO.
Redmond Cove light buoy DV52	480.1
Reef Point light and whistle buoy MD55	464
Reynolds Island light buoy NM30	969.8
Richardson Wharf light buoy UP7	52.25
Richardsonville	51.1
Richibucto Cape Breakwater	1129
Richibucto Gully Channel light buoy Q18	1135
Richibucto Gully Entrance light buoy Q3	1132
Richibucto Gully Inner light buoy Q11	1134
Richibucto Gully Outer light buoy Q10	1133.6
Richibucto Gully Outer light buoy Q7	1133.5
Richibucto Harbour light buoy Q28	1144.5
Richibucto Harbour light buoy QA2	1148
Richibucto Harbour Northwest Branch light buoy QA6	1148.4
Richibucto Harbour Northwest Branch light buoy QA7	1148.5
Richibucto Harbour Outer light buoy Q32	1147
Richibucto Head	1128
Richibucto light and bell buoy Q	1131
Richibucto Northwest Branch light buoy QA13	1149.6
Richibucto Northwest Branch light buoy QA8	1149
Richibucto Town range	1151,1152
Rimouski	1733
Rimouski light buoy HT2	1732
Rimouski light buoy HT3	1732.2
Rimouski light buoy HT10	1732.4
Rimouski ODAS light buoy IML-4	1707.9
Rimouski light buoy HT11	1732.3
Ringdove Shoal light and bell buoy DA58	480.2
River Bourgeois	732
Rivière du Caribou range	1808,1809
Rivière Madeleine light buoy RM1	1650
Rivière Magog light buoy K20	2390
Rivière Manicouagan light and bell buoy KD14	1717
Rivière Matane - East Breakwater	1704
Rivière Matane - West Breakwater	1703
Rivière Nétagamioi	1561.5
Rivière Nétagamioi Entrance light buoy CS2	1561.7
Rivière Restigouche light buoy EY1	1362.1
Rivière Saint-Augustin light buoy CUS2	1540
Rivière Saint-Augustin light buoy CUS3	1541
Rivière Saint-Augustin light buoy CUS4	1542
Rivière Saint-Augustin light buoy CUS5	1542.05
Rivière Saint-Augustin light buoy CUS7	1542.051
Rivière Saint-Augustin light buoy CUS9	1542.052
Rivière Saint-Augustin light buoy CUS10	1542.053
Rivière Saint-Augustin light buoy CUS11	1542.054
Rivière Saint-Augustin light buoy CUS13	1542.055
Rivière Saint-Augustin light buoy CUS14	1542.056
Rivière Saint-Augustin light buoy CUS15	1542.057
Rivière Saint-Augustin light buoy CUS17	1542.058
Rivière Saint-Augustin light buoy CUS19	1542.059
Rivière Saint-Charles light buoy K168	1953
Rivière Saint-Charles light buoy KP2	1953.5
Rivière Saint-François Channel Entrance light buoy SJ2	2156
Rivière Saint-Paul	1538
Rivière Valin range	1805,1806
Rivière-au-Renard Wharf	1629
Rivière-au-Tonnerre	1614.5

R	NO.
Rivière-au-Tonnerre light and bell buoy RAT	1614.7
Rivière-au-Tonnerre range	1615,1616
Rivière-du-Moulin Lower range	1814,1815
Rivière-du-Moulin Upper range	1817,1818
Roaring Bull	79
Roaring Bull light buoy Y2	268
Robertson Point	137
Roberval	1823.611
Roberval	1823.612
Roberval Breakwater	1823.61
Robichaud light buoy XK2	1102.3
Robichaud light buoy XK6	1102.5
Robichaud Spit light buoy M36	1198.6
Robichaud Wharf	1103
Robinson Ball light buoy D1	304.1
Rocher à l'Oiseau light buoy Q63	1994
Rocher Alcide North Cardinal light buoy ROALC	1751
Rocher aux Oiseaux	1478
Rocher Cairntorr light buoy C64	1563.5
Rocher Clinch light buoy CU2	1539.48
Rocher de l'Hôpital range	1884,1885
Rocher de la Baleine North Cardinal light buoy BAL	1891.25
Rocher Demers light buoy H58	1825.5
Rocher South Sphinx light buoy CN2	1575.8
Rocher Wye light buoy H121	1891.6
Rochers au Cormoran	1563
Rochers au Cormoran ODAS light buoy IML-2	1563.2
Rochers du Saguenay light buoy K54	1774.3
Rochers Maranda light buoy K156	1926
Rock Island	663.2
Rollo Bay light buoy NC1	948.05
Rose Shoal South Cardinal light buoy TY	633.01
Rosebank Point Centre light buoy C14	999.5
Rosebank Point Outer light buoy C12	999
Rouse Point	752.6
Rothsay light buoy AP1	118.3
Route de Contrecoeur range	2290,2291
Route Île Saint-Ours range	2282,2283
Rowans Point light buoy JE2	114.5
Royalty Point light buoy JP9	1065.6
Rude Shoal light and bell buoy VH5	623.5
Russell Point West Cardinal light buoy JTB	759
Rustico light buoy JK9	1054.4
Rustico light buoy JK12	1054.6
Rustico Harbour light buoy JK7	1054.3
Rustico Harbour light buoy JK13	1054.9
Rustico Harbour Northern Breakwater	1055
Ryders Reef light buoy C1	320.01

S	NO.
Sable Island East End	666
Sable Point light buoy NM8	966
Saguenay River Entrance light buoy S3	1774.5
Saint John Harbour light and whistle buoy J	145
Saint John Harbour light buoy J12	102.3
Saint John Harbour range	100.5,100.6
Saint-Augustin	1542.01
Saint-Augustin light buoy	1539.15

INDEX

S	NO.
Saint-Edouard-de-Kent	1126
Saint-François Wharf	1913
Saint-Jean Upper	2255.8
Saint-Jean-d'Orléans	1923
Saint-Jean-Port-Joli Wharf	1875
Saint-Joseph-de-Sorel Cautionary light buoy TRACY	2185.2
Saint-Laurent d'Orléans	1924
Saint-Michel range	1918,1919
Saint Peters Bay light buoy NQ12	733
Saint-Prime	1823.63
Saint-Romuald d'Etchemin light buoy Q11	1961.2
Saint-Siméon	1835
Saint-Siméon light buoy K60	1834.5
Sainte-Angèle-de-Laval range	2092,2093
Sainte-Anne de Beaupré Sector	1936.1
Sainte-Anne-de-Sorel range	2177,2178
Sainte-Croix	1988
Sainte-Croix light buoy Q48	1984
Sainte-Croix range	1985,1986
Sainte-Croix-Est	1981
Sainte-Croix-Est light buoy Q41	1982
Sainte-Luce light buoy EIRE	1707.5
Sainte-Pétronille (Beaulieu)	1927
Salmon Beach	1328.8
Salt Rock light buoy C10	318.01
Sambro	507
Sambro Harbour	505
Sambro Harbour light and whistle buoy HS	508
Sambro light buoy HS19	505.8
Sam's Islet	22.5
Sand Bar Ledge light buoy XN2	20
Sand Point	121
Sand Point light buoy S14	58.5
Sandford light buoy NT2	252
Sandford Sector	253
Sandwich Point range	523.4,523.5
Sandy Hook Channel light buoy YM12	1508
Sandy Hook Channel light buoy YM7	1507.5
Sandy Hook Channel light buoy YM9	1507.7
Sandy Hook Channel light buoy YM11	1508.5
Sandy Hook Channel South light buoy YM1	1507
Sandy Hook light buoy YM4	1507.6
Sandy Point	363
Sandy Point light buoy S54	362.8
Sandy Point Inner light buoy S56	360.02
Sapin Ledge light buoy X25	1161.5
Saul Island light buoy AM64	494.01
Saulnierville Breakwater	237.5
Saulnierville light buoy HE	237
Sault-au-Cochon	1893
Savage Harbour	1047
Savage Harbour light buoy JE6	1047.01
Savage Harbour light buoy JE8	1047.02
Savage Harbour light buoy JE8/2	1047.021
Savage Harbour light buoy JE12	1047.04
Savage Harbour light buoy JE14	1047.051
Savage Harbour light buoy JE15	1047.1
Savage Harbour light buoy JE16	1047.2
Savage Harbour light buoy JE17	1047.06

S	NO.
Savage Harbour Entrance light buoy JE10	1047.03
Savage Harbour Fairway light buoy JE	1046.81
Savage Point light buoy SA14	896.8
Savoy Landing	1292
Scatarie	767
Schafner Point	210
Schooner Passage light buoy NS11	276
Schooner Rock light buoy NSE	274.22
Scotts Island light buoy Q43	841.5
Sculpin Shoal light and bell buoy E52	436
Seacow Head	1018
Seacow Head Information light buoy DC	1017.8
Seacow Head Information light buoy DD	1017.9
Seal Cove Outer Breakwater	16.8
Seal Island	289
Seal Ledge light and whistle buoy MA54	475
Seal Ledge light and bell buoy VT5	611
Seal Point (Howards Cove) Wharf	1031
Seal Point light and bell buoy TS52	419.5
Seal Reefs light buoy Q12	805.8
Seal Reefs light buoy Q14	806
Seaview Point light buoy H39	557
Seely Head light and bell buoy K1	86
Séminaire Spit light buoy V6	1934
Sept-Îles	1666
Sept-Îles, Iron Ore range	1664,1665
Sept-Îles, Iron Ore No. 2 range	1663.7,1663.71
Sept-Îles Wharf	1667
Shag Bay Breakers light and bell buoy AT50	491
Shag Harbour East Turn light buoy NF23	306.023
Shag Harbour Entrance	306.003
Shag Harbour Ledges	308.5
Shag Harbour West Turn light buoy NF16	306.016
Shag Harbour Wharf	309
Sharams Point light buoy NM24	969.7
Shediac Bay light buoy XN34	1111.2
Shediac Bay light buoy XN37	1111.41
Shediac Bay light buoy XN41	1111.45
Shediac Bay light buoy XN42	1111.46
Shediac Bay light buoy XN46	1111.48
Shediac Bay Yacht Club Breakwater	1111.5
Shediac Harbour light buoy XN19	1109.2
Shediac Harbour light buoy XN20	1109.4
Shediac Harbour light buoy XN21	1109.6
Shediac Harbour light buoy XN22	1109.8
Shediac Harbour range	1110,1111
Shediac light and bell buoy XN	1105
Shediac light buoy XN12	1106
Shediac light buoy XN18	1109
Sheep Ledge light and bell buoy MC59	454.7
Sheet Harbour Passage light and bell buoy XP7	597
Sheet Harbour Passage range	598,599
Sheet Rock	594
Shelburne light buoy S	357
Sheldrake	1617
Sheldrake Channel East light buoy M46	1206
Sheldrake Channel light buoy M47	1208.91
Sheldrake Channel West light buoy M51	1209
Shingle Point light buoy S18	787

INDEX

S	NO.
Shingle Point light buoy SN60	352.5
Shingle Point light buoy UX53	387.01
Shingle Point light buoy UX55	387.5
Ship Channel light buoy M13	1173.3
Ship Harbour	585
Ship Harbour light and whistle buoy YM1	584
Shippegan Channel light buoy EG5	1282
Shippegan Channel light buoy EG8	1282.5
Shippegan Channel light buoy EG11	1284
Shippegan Channel light buoy EG14	1286
Shippegan Channel light buoy EG17	1286.6
Shippegan Channel light buoy EG18	1286.8
Shippegan Channel light buoy EG21	1289
Shippegan Channel light buoy EG24	1290
Shippegan Channel light buoy EG25	1291
Shippegan Gully Breakwater	1250.5
Shippegan Gully Inner Breakwater	1250.6
Shippegan Harbour light buoy TJ24	1253.4
Shippegan Harbour light buoy TJ30	1257.8
Shippegan Harbour light buoy TJ38	1260
Shippegan Harbour light buoy TJ42	1261
Shippegan Harbour light buoy TJ47	1261.5
Shippegan Harbour light buoy TJ55	1261.55
Shippegan Harbour light buoy TJ60	1261.6
Shippegan Harbour West Entrance range	1287,1288
Shippegan Island West Wharf	1273.5
Shippegan Island Wharf	1274
Shippegan light and bell buoy TJ2	1248
Shippegan North Channel light and whistle buoy EE	1276.2
Shippegan Sound light buoy EJ3	1293
Shippegan South Gully light buoy TJ6	1248.13
Shippegan South Gully light buoy TJ10	1248.7
Shippegan South Gully light buoy TJ27	1257.5
Shippegan South Gully light buoy TJ28	1257.6
Shippegan Wharf	1291.5
Ships Stern	261
Shipwreck Point	1042
Shoal Cove light buoy MK53	457.2
Shoal Point light and bell buoy TP1	642
Shut-in Island light and bell buoy HX	563
Simard range	1811,1812
Simpson Head light buoy SH10	55
Sissiboo Outer light buoy HJ1	232.1
Sisters light and bell buoy HD3	509
Skinner Cove Sector	920
Skinnners Pond	1035
Skinnners Pond North Breakwater	1035.5
Slaughenwhite Ledge light and bell buoy DY52	479
Smithson Rock light and bell buoy HE2	503
Snipe Reef	293.2
Snipe Reef bifurcation light buoy TA	293.55
Soldiers Ledge North Cardinal light buoy NSB	274.4
Soldiers Ledge South Cardinal light buoy NSA	274.2
Sollows Rock light buoy Y17	264
Solomans Island light buoy D5	311.5
Sorel Basin Cautionary light buoy SOREL	2185.1
Sorel Marina Downstream range	2182.2,2182.3
Sorel Marina Upstream range	2183.3,2183.4
Souris East	947

S	NO.
Souris East Breakwater	948
Souris Harbour light and whistle buoy NA	946
South Bar Ruins light buoy SS1	787.2
South Bay Ingonish light buoy KM	848
South Easter South Cardinal light buoy TU	634.4
South Gooseberry Shoal bifurcation light buoy MCA	454.65
South Richibucto Beach Inner range	1145,1146
South Tracadie	1239
South Tracadie bifurcation light buoy TD	1239.5
South Tracadie Entrance light buoy TC6	1238.9
South Tracadie Entrance light buoy TC12	1239.1
South Tracadie light buoy TC	1238.8
South Tracadie light buoy TC14	1239.2
South Tracadie light buoy TC19	1239.3
South Tracadie light buoy TC22	1239.4
South Tracadie light buoy TD4	1239.6
South Tracadie light buoy TD5	1239.65
South Tracadie light buoy TD8	1239.7
Southeast Middle Ground light buoy HK5	525.2
Southwest Bull light and bell buoy PU1	658
Southwest Grand Banks ODAS light buoy 44138	664.8
Southwest Head	11
Southwest Ledge (Brier Island) light and bell buoy M2	225
Southwest Ledge light buoy M60	449.5
Southwest River light buoy JMA	1060.3
Southwest River light buoy JM20	1060.4
Southwest River light buoy JM25	1060.5
Southwest River light buoy JN4	1060.6
Southwest River light buoy JN	1060.2
Southwest River light buoy JN1	1060.55
Southwest River Outer light buoy JM7	1060.1
Southwest Rock light buoy KK57	369.04
Southwest Wolf Island	36
Spectacle Islands West	396.4
Spectacle Ledge light buoy UN55	402
Spectacle Shoal light buoy NSC	288
Spithead light buoy C5	990
Split Rock light and whistle buoy TS2	639.5
Split Shoal light buoy M15	1173.8
Spithead light buoy VK9	880
Spruce Island light buoy H48	562.3
Spruce Point light buoy S18	58.7
Spry Bay light and bell buoy YA2	590
Spry Bay Sector	591
St-Roch Shoals light buoy H89	1873
St. Andrews Bank range	1208.8,1208.9
St. Andrews Biological Station, wharf	62.5
St. Andrews (North Point)	64
St. Andrews Point light buoy NH10	954
St. Andrews West Channel	62
St. Blaise light buoy E429	2258.2
St. Croix Island (U.S.)	58
St. Esprit Island	743
St. Esprit light buoy N16	742
St. Godefroi	1376
St. Godefroi light buoy AG1	1377
St. Godefroi light buoy AG2	1378
St. Lawrence Bay	858
St. Lawrence Bay light and whistle buoy VV	859

INDEX

S	NO.
St. Lawrence Bay Southwest Breakwater	858.3
St. Louis River light buoy XX35	1154.45
St. Louis River light buoy XX37	1154.6
St. Louis River light buoy XX41	1154.85
St. Louis River light buoy XX43	1154.95
St. Martins	152
St. Marys Bay	230.5
St. Marys River light and bell buoy VK	621
St-Ours Lock Cautionary light buoy DANAM	2204.61
St-Ours Lock Cautionary light buoy DAN-C	2204.62
St-Ours Lock Cautionary light buoy DAN-E	2204.63
St-Ours Lock Cautionary light buoy DAN-W	2204.64
St-Ours Lock Cautionary light buoy DAN-X	2204.6
St-Ours Lock Cautionary light buoy DAN-Y	2204.59
St. Paul Island North Point	1476
St. Paul Island South Point	1477
St. Peters Bay light buoy JD13	1046.1
St. Peters Bay light buoy JD18	1046.2
St. Peters Bay light buoy JD21	1046.3
St. Peters Harbour Fairway light buoy JD	1043.1
St. Peters Harbour light buoy JD5	1044.1
St. Peters Harbour light buoy JD6	1044.2
St. Peters Harbour light buoy JD8	1044.3
St. Peters Harbour light buoy JD9	1044.4
St. Peters Harbour light buoy JD9.5	1046.04
St. Peters Harbour light buoy JD10	1044.5
St. Peters Harbour light buoy JD11	1046.05
St. Peters Harbour light buoy JD16	1046.15
St. Peters Island	1007
St. Peters Island light buoy C1	983.4
St. Thomas-de-Kent	1119.5
Stanley Bridge Channel light buoy JN7	1060.8
Stanley Bridge Channel light buoy JN15	1060.9
Stapleton Rock West Cardinal light buoy AAB	499.9
Starling Rock	677
Ste-Anne-de-Sorel light buoy S139	2181.1
Ste-Anne-de-Sorel light buoy S140	2181.15
Ste-Anne-de-Sorel light buoy S141	2181.2
Ste-Anne-des-Monts	1683
Ste-Famille range	1941,1942
Ste-Marie-sur-Mer	1262.3
Ste-Marie-sur-Mer Breakwater	1262
Ste-Martre-de-Gaspé	1657
Ste-Thérèse de Gaspé	1401.5
Steven Point range	931,932
Stoke Point range	1314.2,1314.3
Stonehaven	1328
Stonehaven Breakwater	1328.5
Stonehouse Point light buoy SJ38	909.5
Stoney Island light buoy JQ	330
Stoney Island light buoy JQ52	331.44
Stoney Island Outer Breakwater	331.2
Stony Shoal light buoy A4	815.3
Strait Crossing light and whistle buoy XB	1017.75
Strait Crossing light and whistle buoy XF	1017.7
Strait Crossing light buoy XB2	1017.71
Strait Crossing light buoy XB3	1017.72
Strait Crossing light buoy XB4	1017.73
Strait Crossing light buoy XB5	1017.74

S	NO.
Strap Tub South Cardinal light buoy KSA	357.8
Stuart Town Breakwater	56
Summerside Harbour light buoy DE3	1018.5
Summerside Harbour light buoy DE4	1018.6
Summerside Harbour light buoy DE7	1019.1
Summerside Harbour light buoy DE8	1020.1
Summerside Harbour light buoy DE10	1020.2
Summerside Harbour light buoy DE11	1020.3
Summerside Harbour light buoy DE14	1020.4
Summerside Marina	1022.5
Summerside Outer range	1018.1,1018.2
Summerside range	1021,1022
Summerville	183
Surette's Island Breakwater	294.6
Swallowtail	33
Swashway light buoy M12	1173.01
Swift Point	116
Swims Point	323.5
Sydney Bar	778
Sydney Harbour Inner light buoy SC	777
Sydney Harbour South Arm light buoy S21	788
Sydney Harbour light buoy SA	776
Sydney Northwest Bar light buoy S6	779
Sydney range	782,783
Sydney South Arm range	784,785
Sydney Southeast Bar light buoy S7	778.2
Sylvin Ledge light buoy T7	286.5

T	NO.
Tabusintac Bay light buoy TA34	1238.5
Tabusintac Bay light buoy TA37	1238.6
Tabusintac Bay light buoy TA39	1238.65
Tabusintac Bay light buoy TA41	1238.66
Tabusintac Bay light buoy TA43	1238.67
Tabusintac Gully light and bell buoy TA2	1238
Tabusintac Gully light buoy TA23	1238.4
Tabusintac light buoy TA22/2	1238.31
Tabusintac light buoy TA22/4	1238.32
Tabusintac light buoy TA26/2	1238.45
Tabusintac South Gully Approach light buoy TA4	1238.1
Tabusintac South Gully Approach light buoy TA12	1238.2
Tabusintac South Gully light buoy TA22	1238.3
Tangier Harbour light and whistle buoy YJ	587
Tanner Pass light and whistle buoy EA51	445
Tennant Point light buoy AD56	498.2
Terence Bay	498
Terence Bay light and bell buoy AD	497
Terence Bay Wharf	499
Tête-à-la-Baleine Centre range	1555,1556
Tête-à-la-Baleine Inner range	1553,1554
Tête-à-la-Baleine range	1557,1558
Tête-à-la-Baleine Wharf	1554.3
Tétreaucille range	2359,2360
The Bluff light buoy XU2	1119
The Falls	315.2
The Lump light buoy M5/5	1172.2
The Lump light buoy M5	1172
The Lump light buoy M6	1172.5

INDEX

T	NO.
The Lump light buoy M9	1172.53
The Nubble North Cardinal light buoy SNC	350.5
The Point Breakwater	849.4
The Raquette light buoy V2	205
The Salvages	348
The Sisters South Cardinal light and bell buoy KB	148
The Sluice East	282
The Sluice West	281
The Swashway light buoy M10	1173
The Willows light buoy M37	1199
Thorn Shoal light and bell buoy YT5	572
Three Fathom Harbour light buoy HX8	563.05
Three Top Island	657
Thrumcap light and bell buoy HN6	520
Thrumcap Rock light buoy HE3	503.5
Thrumcap Spit light buoy NH12	956.2
Tignish Inner light buoy JX5	1084.52
Tignish Inner light buoy JX7	1084.53
Tignish Inner light buoy JX9	1084.54
Tidnish River Entrance light buoy XA2	1085
Tinker Shoal light and bell buoy XK3	10
Tiverton	217
Tom Cod light and bell buoy TT2	635.5
Toney River light buoy SU1	919.6
Toney River Wharf	919.7
Tongue Shoal	67
Torbay light and whistle buoy TE2	645
Tormentine Reefs light and bell buoy X5	1089
Tracadie Gully light buoy TE49	1242.4
Tracadie Inner range	1048,1049
Tracadie light buoy TE34	1241.6
Tracadie North Gully light buoy TE38	1241.8
Tracadie North Harbour Entrance light buoy TE12	1241
Tracadie North Harbour light buoy TE15	1241.2
Tracadie North light buoy TE25	1241.4
Traverse Cap-Santé light buoy Q54	1990
Traverse Cap-Santé light buoy Q55	1990.6
Traverse Cap-Santé light buoy Q57	1992
Traverse Cap-Santé range	1995,1996
Traverse Contrecoeur range	2312,2313
Traverse de Batiscan Curve light buoy D53	2038.6
Traverse de Batiscan Curve light buoy D54	2039
Traverse de Batiscan Curve light buoy D56	2039.5
Traverse de Bécancour light buoy C33	2071
Traverse de Bécancour light buoy C34	2072
Traverse de Bécancour light buoy C36	2076.8
Traverse de Bécancour light buoy C39	2077
Traverse de Bécancour Upstream range	2075,2076
Traverse de Champlain light buoy C4	2055
Traverse de Champlain light buoy C7	2056
Traverse de Champlain light buoy C13	2057
Traverse de Nicolet range	2117,2118
Traverse de Saint-Antoine range	1976.1,1977
Traverse Longue-Pointe light buoy M167	2358
Traverse Longue-Pointe range	2361,2362
Traverse Nord light buoy K111	1906
Traverse Nord light buoy K112	1908
Traverse Nord light buoy K115	1909
Traverse Nord light buoy K116	1910

T	NO.
Traverse Verchères range	2317,2318
Trenton (East River) range	910,911
Trinity Ledge bifurcation light buoy NP	245
Trois-Pistoles light buoy HR2	1756.2
Trois-Pistoles light buoy HR3	1756.14
Trois-Pistoles range	1756,1756.1
Trois-Rivières light buoy C77	2109.6
Tryon Shoals light and bell buoy N14	1014
Tuffin Island light and bell buoy XA4	606.5
Tuffin Island light buoy XA6	606.3
Tusket River	294
Tusket Wedge	294.3
Two Hour Rock	57.2

U	NO.
Upper Cardigan (MacPhee Shoal) light buoy NJ3	951.7
Upper Pereaue	189.5
Upper Port La Tour	343

V	NO.
Val Comeau Wharf	1239.8
Varenes (Traverse de Île aux Vaches) range	2344,2345
Varenes Curve light buoy M129	2337
Varenes Curve light buoy M130	2337.3
Varenes Curve light buoy M132	2337.7
Varenes Curve light buoy M133	2338
Verchères Village range	2319,2320
Victoria Beach	203
Victoria Beach light buoy J41	122.4
Victoria Harbour light buoy NX2	1009.1
Victoria Harbour light buoy NX7	1009.15
Victoria Harbour light buoy NX10	1009.2
Victoria Harbour light buoy NX11	1011.1
Victoria Harbour light buoy NX18	1011.15
Voglers Cove West Direction	416.5

W	NO.
Wallace Harbour light buoy UH	921.3
Wallace Harbour light buoy UH16	923.5
Wallace Harbour Sector	924
Wallace Ledge light and bell buoy XA2	7.5
Wallace Wharf	925.1
Walsh Point Fog Signal	662.5
Warren Cove range	996,997
Watt Point light buoy XU14	596
Wellesley Rock light buoy H46	562
Wesses Ledge light buoy JS70	333.5
West Arichat Wharf	706
West Berlin light buoy UJ	412.2
West Green Harbour Outer light buoy KP56	368.02
West Head Breakwater	319.5
West Head light and bell buoy MD53	468
West Head, Cape Sable Island	320
West Ironbound Island	432
West Ironbound light and bell buoy T52	432.2
West Outer Middle Ground light buoy HK4	524.2

INDEX

W	NO.
West Point	1029
West Point light and whistle buoy D8	1030
West Point light buoy DM1	1027.7
West Point light buoy DM2	1027.8
West Point Wharf	1028.2
West Quoddy Head (U.S.)	38
West Rocks Dequen	1674
Western Bar Island South light buoy TA3	293.6
Western Head	405
Western Head light and bell buoy KT1	96
Western Shore Breakwater	454.5
Western Shore Inner	454.51
Westhaver Island	451
Westhaver Island light buoy M67	450.8
Westport	228
Whale Cove Wharf	215
Wheeler Bar light buoy NH3	953.5
Wheeler Bar light buoy NH5	953.6
Whipple Pt. (U.S.)	2399
White Head Island	659
White Head Ledge light buoy XM3	21
White Head light and whistle buoy PU	660
White Head South light and bell buoy XK4	10.4
White Horse Islet	15
White Island light and bell buoy VV1	608
White Island light buoy AY53	489.5
White Knoll Ledge light buoy JS55	329
White Point Breakwater	853.1
White Point Ledges light and whistle buoy P20	661
White Point light and whistle buoy KB1	852.6
White Point Rock light buoy UQ52	404
White Rock light buoy XU10	595
Whitehaven Harbour light buoy PU15	656.6

W	NO.
Whitehead Harbour	24
Whitehead Island	295
Whitlocks Mill (U.S.)	61
Whycocomagh	831
Willow Cove Entrance light buoy UT52	396.1
Willow Cove Entrance light buoy UT53	396.2
Willow Cove Entrance light buoy UT54	396.3
Willow Cove light buoy UT	398
Wilson's Beach Wharf	43
Wobamkek Beach light buoy US57	396.5
Wood Islands	976
Wood Islands Harbour Entrance light buoy NS2	972.5
Wood Islands Harbour East Breakwater	975.1
Wood Islands Harbour West Breakwater	975
Woods Harbour	312
Wright Bank light buoy M66	1216.5
Wright Bank light buoy M64	1216
Wright Bank light buoy M68	1217
Wright Bank West light buoy M69	1220
Wrights Cove light buoy HY2	561
Wrights Point light buoy H42	559
Wrights range	1010,1011

Y	NO.
Yamachiche Bend	2134.8
Yamachiche Curve West range	2137.2,2137.3
Yarmouth Bar Breakwater	257
Yarmouth Main Channel light buoy Y24	265
Yarmouth South Channel light buoy Y26	266
Young Wharf	1319
Young Wharf West	1319.1

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

A	NO.
A2	813.5
A3	814
A4	815.3
A6	297.6
A9	816
A11	817
A13	818
A14	818.5
A16	819
A17	822
A19	823
A22	828
A25	829
AA3	296.3
AA1	1408
AA51	501.6
AA50	502
AA52	501.7
AA53	501.5
AA54	501.3
AA55	501.2
AA57	501.1
AAA	501.4
AAB	499.9
AB1	1370
AC1	296.2
AD	497
AD2	1381
AD4	1380
AD56	498.2
AF-1	1404
AG1	1377
AG2	1378
AIGLO	2311
AM2	116.5
AM3	118
AM52	496
AM62	494
AM64	494.01
AN1	1388.2
AN3	1388.4
AN4	1388.5
AP1	118.3
AP2	1373
AT	490
AT50	491
AT60	488.5
AY53	489.5

B	NO.
B	2349.1
BAL	1891.25
BASQ-E	1662
BASQ-O	1663.5
BEAUJ	1879.5
BRA	1528.8
BR2	1413.1

C	NO.
C	306
C1	320.01
C1	983.4
C2	321
C2	686.7
C2	984
C2	2054
C3	2054.1
C4	989
C4	2055
C5	319.3
C5	990
C7	687.2
C7	993.5
C7	2056
C8	319
C8	687.3
C8	998
C9	317
C9	998.5
C10	318.01
C10	687.4
C10	1531.5
C11	687.5
C12	128
C12	999
C12	1531.7
C13	687.7
C13	999.2
C13	2057
C14	687.8
C14	999.5
C14	2057.5
C15	1001
C15	2058
C16	688
C17	688.1
C17	2059
C18	688.2
C18	1003
C18	2060
C19	2061
C20	688.4
C20	2065
C21	688.5
C21	2066
C23	2069
C26	695
C27	2069.7
C28	699
C28	2069.8
C30	2070
C33	2071
C34	2072
C36	2076.8
C39	2077
C41	2078
C43	2079

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

C	NO.
C45	2082
C46	2081.5
C47	2083
C48	2084.7
C49	2085
C52	2093.3
C53	2094
C61	2099
C63	2104.2
C64	1563.5
C65	2104.6
C67	2106
C70	2108
C71	2109
C72	2109.1
C77	2109.6
C80	1582
C81	1582.1
C84	1584.5
CA1	322.1
CA2	322
CA5	323.07
CALR	1752
CB-2	1529
CB7	1485.51
CB8	1485.52
CB9	1485.53
CB10	1485.54
CB11	1485.55
CB12	1485.56
CB13	1485.57
CB14	1485.58
CB15	1485.59
CB16	1485.60
CB17	1485.61
CB18	1485.62
CB19	1485.63
CB20	1485.64
CB21	1485.65
CB22	1485.66
CB23	1485.67
CB24	1486.51
CB25	1486.52
CB26	1486.53
CB27	1486.54
CB28	1486.55
CB29	1486.56
CB30	1486.57
CB31	1486.58
CB32	1486.59
CB34	1486.6
CBJ	1886.5
CC3	322.07
CF	686.5
CGB	686.8
CHE	1561.71
CH4	709
CJ	710
CJ1	711

C	NO.
CJ2	712
CJ5	716
CJ5	1568.5
CJ6	716.1
CJ9	717
CJ18	720
CK1	1574.3
CL4	696.5
CLORI	1641
CM5	1586
CM10	1594
CM12	1595
CM16	1598.5
CM17	1598
CM28	1603
CN	2187
CN2	704.9
CN2	1575.8
CN8	1576.2
CQ2	683.1
CQ5	684.02
CS1	687.1
CS2	1561.7
CS3	1561.72
CT1	682.8
CT7	1545.5
CT11	1547.5
CU2	1539.48
CU27	1539.9
CU35	1542.48
CUS2	1540
CUS3	1541
CUS4	1542
CUS5	1542.05
CUS7	1542.051
CUS9	1542.052
CUS10	1542.053
CUS11	1542.054
CUS13	1542.055
CUS14	1542.056
CUS15	1542.057
CUS17	1542.058
CUS19	1542.059
CV1	669
CY	689.1
CY10	1528.7
CY9	1528.6

D	NO.
D	304
D1	304.1
D1	836.1
D2	305
D3	305.5
D4	1662.3
D4	2014
D5	311.5
D6	311.6

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

D	NO.
D6	1663
D7	1662.5
D8	1030
D9	2017
D11	836
D11	1661
D12	836.01
D12	2017.5
D13	836.02
D14	836.03
D15	1670.4
D15	2018
D17	1670
D18	2018.5
D20	1673
D22	2021
D23	2020.5
D24	2022
D25	2022.5
D29	2029
D30	2029.5
D31	2030
D32	2031
D35	2032
D36	2033
D37	2034
D38	2035
D40	2036
D41	2037
D42	2037.5
D49	2038
D52	2038.5
D56	2039.5
D53	2038.6
D54	2039
D59	2040
D60	2040.5
D62	2043.6
D63	2044
D67	2045
D68	2046
D71	2047
D74	2047.5
D82	2048
D83	2049.4
D87	2052
D88	2052.5
D90	2053.5
DA2	837
DA51	473
DA53	474
DA56	484
DA58	480.2
DANAM	2204.61
DAME	1922
DAN-C	2204.62
DAN-E	2204.63
DAN-W	2204.64
DAN-X	2204.6

D	NO.
DAN-Y	2204.59
DC	1017.8
DD	1017.9
DE	1023
DE3	1018.5
DE4	1018.6
DE6	1019
DE7	1019.1
DE8	1020.1
DE10	1020.2
DE11	1020.3
DE14	1020.4
DF	476
DG2	1024.5
DH2	1023.1
DH8	1023.6
DJ	1027.45
DJ7	1027.41
DJ12	1027.42
DJ20	1027.43
DM1	1027.7
DM2	1027.8
DN2	1027.6
DP	1032.05
DP51	477.2
DP54	477.4
DS	1037
DOUANE1	2272.9
DOUANE2	2272.91
DOUANE3	2272.92
DOUAN	2272.6
DOUA1	2397.2
DOUA2	2397.4
DOUA3	2397.7
DV52	480.1
DY52	479

E	NO.
E	271
E3	271.3
E3	835.8
E3	1266
E8	271.8
E9	271.9
E11	272.11
E13/5	272.135
E18	272.18
E45	2197
E50	434
E52	436
E57	437
E64	439
E66	439.8
E75	139.75
E77	441
E86	141.3
E87	2208
E88	2207

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

E	NO.
E223	2243
E225	2246
E259	2255.5
E429	2258.2
E433	2257.3
E440	2258.31
E443	2258.1
E445	2258.35
E448	2258.4
E514	2263
E544	2270.2
E549	2270.5
E558	2272.7
EA	137.7
EA	1267
EA1	272.23
EA7	1270
EA9	1271
EA16	1272
EA17	2258.91
EA19	2258.92
EA20	1273
EA21	1263.2
EA22	2258.93
EA23	2258.94
EA24	1264
EA30	1264.1
EA51	445
EAB	139
EB	1265
EDA	442
EE	1276.2
EF	435.5
EG5	1282
EG8	1282.5
EG11	1284
EG14	1286
EG17	1286.6
EG18	1286.8
EG21	1289
EG24	1290
EG25	1291
EIRE	1707.5
EJ3	1293
EJ5	1295.3
EJ7	1295.4
EJ10	1298
EJ11	1299
EJ14	1300
EM2	1306.3
EM4	1306.2
EM7	1307
EM8	1308
EM10	1308.5
EM18	1312
EM20	1313
EM23	1317
EM28	1318
EM31	1318.2

E	NO.
EM42	1320
EM55	437.5
EN	1322.5
EN1	138
EN5	1320.5
EN9	1321.5
EP	1334.5
EP10	1330.4
EP25	1330.6
EP28	1330.7
EP29	1330.8
EP38	1332.6
EP65	1336.8
ES2	1339.5
ET2	1340.05
EU2	1340.3
EU5	1340.4
EU9	1340.5
EV2	1362
EX2	1343.2
EX4	1343.3
EX6	1343.4
EX7	1345.6
EY1	1362.1

F	NO.
FORT	2261.6

H	NO.
H1	512.5
H4	516
H6	517
H7	519
H8	518
H9	523
H12	524
H14	526
H19	529
H22	535
H39	557
H41	1731
H42	559
H45	561.5
H46	562
H47	1749
H48	562.3
H52	1769
H56	1825
H58	1825.5
H63	1831
H68	1867
H93	1874
H72	1869
H79	1870
H83	1871
H89	1873
H93	1874
H98	1878.3

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

H	NO.
H121	1891.6
H131	1922.5
HA	510
HA-1	1685.1
HA-2	1685.2
HA1	224
HA2	226
HA2	504.01
HA4	222
HAC	525
HAD	530
HB	509.5
HC	514
HC1	1824.23
HC2	239
HC2	1824.33
HC3	239.3
HC3	1824.24
HC4	239.4
HD3	509
HD5	512
HD8	1420
HD9	1419.8
HE	237
HE2	503
HE3	503.5
HE13	506.6
HE16	503.1
HE17	503.11
HE19	511
HFMOR	1841
HG1	544.5
HH2	565
HJ1	232.1
HJ2	564
HK	517.5
HK3	234.3
HK4	524.2
HK5	525.2
HM1	521
HM2	1890.5
HM6	1890.46
HM10	1890.44
HN6	520
HN7	519.5
HNWC	515
HP	546
HP2	544
HP3	546.5
HP8	1891.4
HP11	547.2
HP13	549
HP15	550
HP16	551
HP17	552
HP21	534
HP22	533
HQ1	532
HQ2	531

H	NO.
HR2	505.1
HR2	1756.2
HR3	1756.14
HR4	505.2
HR5	505.3
HSA	504.02
HS	508
HS6	504
HS12	504.5
HS13	504.7
HS19	505.8
HT2	536
HT2	1732
HT3	1732.2
HT10	1732.4
HT11	1732.3
HU1	540.1
HX	563
HX2	563.2
HX8	563.05
HY2	561
HY6	560

I	NO.
ILIEV	1830
IML-1	1599.5
IML-2	1563.2
IML-3	1707.1
IML-4	1707.9
IML-5	1037.5
IML-6	1037.6
IML-7	1656
IML-8	1657.5
ISH	2380
ISO	2280

J	NO.
J	145
J	338
J1	101
J3	101.3
J7	101.4
J9	102
J10	763
J12	102.3
J12	751
J14	112
J18	102.18
J19	102.19
J25	120.5
J38	122.1
J41	122.4
J48	124.5
JA	347
JA	1038.5
JA1	98
JA2	769
JA6	768.5

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

J	NO.
JA56	346
JB	145.4
JC	111
JC	1040.05
JC4	103
JC5	105
JC9	106
JC10	106.1
JC15	108
JC16	108.16
JC20	110
JD	100.2
JD	1043.1
JD5	1044.1
JD6	1044.2
JD8	1044.3
JD9	1044.4
JD9.5	1046.04
JD10	1044.5
JD11	1046.05
JD13	1046.1
JD16	1046.15
JD18	1046.2
JD21	1046.3
JE	1046.81
JE2	114.5
JE6	1047.01
JE8	1047.02
JE8/2	1047.021
JE10	1047.03
JE12	1047.04
JE14	1047.051
JE15	1047.1
JE16	1047.2
JE17	1047.06
JH	1047.51
JH6	1049.1
JH7/5	1049.12
JH9	1049.2
JH10	1049.21
JH16	1049.4
JH18	1049.5
JH21	1049.6
JJ	340.01
JJ	1050.05
JJ2	765.7
JJ3	764
JJ3	1050.1
JJ6	765
JJ7	1050.3
JJ10	1050.5
JJ11	764.5
JJ51	339
JJ56	340.03
JJ57	340.04
JK	1054
JK1	116.3
JK7	1054.3
JK9	1054.4

J	NO.
JK12	1054.6
JK13	1054.9
JM	1058
JM2	762
JM6	1060.45
JM7	1060.1
JN	1060.2
JMA	1060.3
JM20	1060.4
JM25	1060.5
JN	340
JN1	1060.55
JN4	1060.6
JN7	1060.8
JN15	1060.9
JN51	346.01
JN53	342
JP	123
JP	1065.05
JP6	1065.5
JP9	1065.6
JQ	330
JQ52	331.44
JS	1071.35
JS3	1071.41
JS6	1071.44
JS7	1071.5
JS8	1071.51
JS9	1071.6
JS11	1071.8
JS13	1071.9
JS14	1071.95
JS53	328
JS55	329
JS56	337
JS59	331
JS61	331.6
JS70	333.5
JS76	334
JT	754
JT1	755
JT4	1071.1
JT11	760
JTA	756.5
JTB	759
JU3	1069.5
JU5	1069.65
JU7	1069.7
JU8	1069.8
JU9	1069.9
JU50	329.6
JV	1075.05
JV4	1075.2
JV5	1075.3
JV6	1075.33
JV7	1075.34
JV8	1075.32
JV9	1075.4
JV10	1075.5

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

J	NO.
JV12	1075.7
JV15	1075.6
JX5	1084.52
JX7	1084.53
JX9	1084.54
JX10	752.7
JX3	752

K	NO.
K1	86
K3	88
K4	846
K6	795
K14	1692
K15	151
K19	156
K20	2390
K29	2390.4
K30	1718
K32	1726
K33	2390.5
K38	1736
K48	1747
K51	1766.8
K54	1774.3
K55	1768
K56	1772
K58	1771
K59	1823.8
K60	1834.5
K64	1843
K65	1857
K82	1892.1
K83	1892.2
K87	1892.6
K91	1893.5
K92	1893.6
K95	1895
K96	1894
K99	1895.8
K100	1895.9
K101	1895.91
K103	1896
K104	1897
K107	1904
K108	1905
K111	1906
K112	1908
K115	1909
K116	1910
K119	1911
K120	1912
K123	1913.4
K124	1912.5
K127	1914
K128	1915
K131	1916
K132	1917

K	NO.
K135	1917.3
K136	1917.2
K140	1923.2
K141	1923.3
K143	1923.4
K145	1923.7
K147	1925
K149	1925.4
K154	1925.52
K155	1925.8
K156	1926
K159	1928
K160	1929
K163	1930
K164	1929.3
K165	1931.5
K168	1953
KA	81.2
KA	856
KA2	78
KA6	857.2
KA9	857.3
KA12	1677.6
KA13	1677.4
KA51	386.01
KB	148
KB1	852.6
KC	852
KC1	851.3
KC52	386
KC53	384.5
KD	850
KD6	1713.5
KD7	1715.5
KD14	1717
KE	383.1
KEA	383.5
KE2	1736.8
KE3	1736.5
KE4	1736.6
KE52	382.01
KEA	82
KF	848.5
KH2	849.3
KJ1	87
KJ2	1757
KJ4	1757.1
KK51	369
KK57	369.04
KK61	371
KK64	371.02
KK69	372
KK72	372.03
KM	848
KM6	847.3
KN	91
KN	845.5
KP	368
KP2	845.1

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

K	NO.
KP2	1953.5
KP56	368.02
KPA	367.7
KPP	1843.5
KQ2	774.4
KQ7	774.5
KR	162
KS	94
KS	366.1
KSA	357.8
KS53	366.35
KS54	366.05
KS55	366.06
KS56	366.02
KS57	366.01
KS58	366.04
KS59	366.03
KS61	366.8
KT1	96
KV	771
KV1	771.5
KW	149
KX	155.5

L	NO.
LN3	823.1
LN4	823.2
LN5	823.3
LN6	823.4
LN7	823.5
LN8	823.6
LN9	823.7
LANO B	2277
LEBEL	2308.4
LGL-B	2374
LIMITED	1929.2
LIMITEF	1929.1

M	NO.
M1	2273
M2	225
M2	1170
M2	2273.5
M3	2273.6
M4	220
M4	1171
M4	2273.7
M5	1172
M6	1172.5
M8	2278.7
M9	1172.53
M9	2279
M10	1173
M11	2280.5
M12	1173.01
M13	1173.3
M14	1173.5
M15	1173.8

M	NO.
M16	2281
M17	1179
M17	2281.5
M19	1180.5
M19	2284
M20	2285
M21	1181
M23	2286.5
M22	1182
M24	1184.5
M26	1186
M26	2287
M28	1188
M29	2293.5
M30	1189.2
M31	1195
M32	2294.2
M33	1195.5
M33	2294.4
M34	1198
M35	1198.3
M36	1198.6
M37	1199
M38	2294.6
M39	1202
M40	1203
M41	2294.8
M44	1203.1
M45	2295
M46	1206
M46	2295.2
M47	1208.91
M49	2313.05
M5/5	1172.2
M51	1209
M51	2313.1
M52	447
M52	2314
M53	1210
M54	448
M54	2320.5
M55	448.5
M55	1211
M56	1212
M57	1213
M57	2321
M59	1214
M60	449.5
M61	450
M61	1215
M62	1215.2
M64	1216
M66	1216.5
M67	450.8
M68	1217
M69	1220
M71	1222
M73	1223
M75	1224

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

M	NO.
M76	2322
M77	2323
M78	2323.5
M79	2324
M82	2325
M84	2325.2
M87	2327.4
M88	2327.5
M89	2328
M103	2329
M104	2329.2
M116	2331.5
M117	2332
M118	2333
M119	2333.3
M122	2333.4
M123	2333.5
M124	2334
M129	2337
M130	2337.3
M132	2337.7
M133	2338
M138	2338.5
M139	2339.2
M140	2339.4
M143	2343
M144	2343.2
M151	2349
M156	2349.5
M157	2352
M161	2354
M163	2355
M165	2355.5
M166	2356
M167	2358
M171	2365
M175	2369
M177	2372
M187	2376
M189	2377
M191	2378
M192	2379
M195	2381
M199	2383
M201	2384
MA	213
MA	466
MA54	475
MA55	457
MA57	455
MATAN	1702
MC4	2311.51
MC52	470
MC55	452.7
MC59	454.7
MC66	454.6
MC70	454.55
MCA	454.65
MD53	468

M	NO.
MD55	464
ME4	1174
ME8	1175
MEB	2354.5
MH2	1236.6
MH3	1236.5
MH6	1236.3
MH26	1235.9
MH11	1236
MH31	1232
MJ	1235
MJ2	1234.4
MJ6	1234
MK	1233
MK52	459
MK53	457.2
MK58	457.4
MM	165
MN25	1169.1
MN28	1169.2
MN51	460
MP1	2185.3
MP22	1190
MQ2	1194
MQ27	2313.5
MQ32	2313.4
MS1	1192
MS9	1193
MS9	2296.2
MS20	2297
MS29	2298
MS39	2299.6
MS43	2301.6
MT1	2365.51
MT31	2365.65
MT40	2365.69
MT66	2365.8
MT68	2365.82
MT69	2365.83
MT79	2365.91
MT81	2365.93
MT85	2365.95
MTGNY	1890.6
MU53	454.63
MU57	454.62
MV6	2309
MV28	2311.2

N	NO.
N2	307.02
N	325
N6	273
N8	977
N9	251.5
N14	745
N14	1014
N16	742
N18	738

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

N	NO.
NA2	326
NA	946
NA4	326.02
NAC	324
NC1	948.05
NC2	746
NC6	948.1
NC8	948.2
NC24	747.3
ND	294.7
ND4	303
NDN	942
NE	948.5
NE2	285.2
NE6	948.6
NE11	950.1
NE12	950.2
NF	306.002
NF16	306.016
NF23	306.023
NH	952.5
NHA	739
NH3	741.01
NH3	953.5
NH5	953.6
NH6	741.03
NH10	741.05
NH10	954
NH12	956.2
NH14	956.15
NH15	956.3
NH18	956.4
NH22	957.3
NH23	957.4
NH27	957.41
NH30	957.5
NH38	957.7
NH43	957.8
NJ2	951.6
NJ3	951.7
NK	290.2
NM	251
NM	736
NM	961
NM3	963
NM6	963.5
NM8	966
NM11	966.5
NM13	968
NM15	969
NM24	969.7
NM30	969.8
NM33	969.9
NN2	970.5
NN5	737.05
NOIX	2258.72
NP	245
NP	958.5
NP2	735

N	NO.
NQ1	256
NQ1	723
NQ3	727
NQ12	733
NSA	274.2
NSB	274.4
NS1	724
NS2	972.5
NS4	283.2
NS8	274.8
NS11	276
NS17	277
NSC	288
NSE	274.22
NSH	275
NT1	728.5
NT2	252
NT12	730.5
NU	246
NU2	250.01
NV	242
NV4	980.5
NX2	1009.1
NX7	1009.15
NX10	1009.2
NX11	1011.1
NX18	1011.15
NY2	951.5

P	NO.
P1	302.5
P5	300
P20	661
PAT	2348.1
PATD	2349.3
PATG	2350.5
PB	301.5
PC	682
PC2	681
PC5	680.5
PC6	680.2
PCA	675
PJ2	669.5
PJ3	669.8
PJ6	670.5
PJ12	671
PK	666.8
PK7	670
PM11	1518
PM9	1517
PNF	2182.52
PP1	664
PQ4	662
PQ9	662.7
PSH	2379.7
PTCAR	1680
PU	660
PU1	658

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

P	NO.
PU5	657.5
PU15	656.6

Q	NO.
Q	1131
Q1	797
Q2	797.5
Q3	798
Q3	1132
Q4	801
Q4	1959
Q5	801.5
Q6	802
Q6	1960
Q7	802.1
Q7	1133.5
Q7	1961
Q8	802.2
Q11	805
Q10	804.8
Q10	1133.6
Q11	1134
Q11	1961.2
Q12	805.8
Q14	806
Q15	807
Q16	1966.5
Q18	1135
Q19	1967
Q20	811.1
Q20	1968
Q21	811.2
Q22	1136
Q22	1969
Q23	1970
Q25	1144
Q27	1970.5
Q28	1144.5
Q31	1972
Q32	1147
Q32	1973
Q34	1974.5
Q35	839
Q37	1978
Q38	1150
Q38	1979
Q40	1980
Q41	1982
Q43	841.5
Q46	1983
Q48	1984
Q50	1987
Q51	1989
Q54	1990
Q55	1990.6
Q57	1992
Q61	1993
Q63	1994

Q	NO.
Q65	1999.5
Q66	2000
Q67	2001
Q68	2001.1
Q70	2004
Q73	2004.5
Q74	2005
Q76	2008.1
Q77	2008
Q83	2012
Q84	2012.1
QA	812
QA2	1148
QA6	1148.4
QA7	1148.5
QA8	1149
QA11	1149.3
QA13	1149.6
QC2	1962.3
QC3	1962.5
QC4	1962.7
QUEB	1954

R	NO.
RAT	1614.7
RM1	1650
ROALC	1751

S	NO.
S	77.5
S	357
S2	789
S2	2110
S3	75
S3	1774.5
S3	2114.5
S4	1775
S4	2114
S5	70.6
S5	1776
S6	779
S6	2118.5
S7	778.2
S7	1778
S8	781
S8	1777
S8	2119
S9	68
S10	57.8
S10	2120.5
S12	57.9
S12	2121
S13	2122
S14	58.5
S14	785.5
S15	786
S16	58.6
S16	2122.8

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

S	
S17	2123
S18	58.7
S18	787
S21	788
S21	2124
S22	2127
S25	2128
S26	2129
S27	2129.3
S30	1800.5
S31	2129.6
S32	1802.4
S32	2130
S34	1802.6
S36	1803
S37	1803.5
S38	1804
S39	1804.3
S40	1804.5
S42	1804.7
S43	2131.7
S44	1806.5
S44	2132
S46	1810
S47	1813
S50	1813.8
S51	354
S51	2133
S52	360.1
S53	1820
S54	362.8
S54	2134
S56	360.02
S56	1820.2
S59	1820.5
S60	1820.6
S61	1820.7
S62	2136
S63	1820.9
S63	2137
S65	1821.1
S67	1821.3
S67	2138
S68	2138.2
S71	1823.3
S77	2139.5
S80	2141
S81	2142
S82	2142.2
S86	2147
S87	2146
S97	2151
S98	2151.5
S100	2152
S102	2153.5
S103	2154
S107	2154.2
S110	2163
S111	2164

S	
S113	2164.1
S114	2165
S116	2167.1
S117	2170
S120	2172
S123	2173
S126	2174
S129	2174.7
S130	2174.8
S136	2179
S139	2181.1
S140	2181.15
S141	2181.2
S146	2182
S150	2185.4
S-154	2185.5
S-158	2185.7
SA	52.55
SA	776
SAA	70.5
SAC	357.5
SAGUE	1774
SA2	896.5
SA6	896.6
SA14	896.8
SA51	360.01
SC	777
SD2	779.4
SD52	360.11
SE2	72.5
SE8	72.1
SH1	2147.2
SH9	1799
SH9	2147.4
SH10	55
SH20	2147.6
SJ	900.5
SJA	73.5
SJB	73.75
SJ1	73.25
SJ2	74.2
SJ2	2156
SJ4	75.43
SJ4	901
SJ6	901.6
SJ7	901.5
SJ11	905
SJ12	905.2
SJ15	905.3
SJ20	908.3
SJ25	909
SJ32	909.3
SJ38	909.5
SN	353
SNC	350.5
SN2	2171
SN11	2174.4
SN12	2174.3
SN22	2182.4

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

S	
SN24	2182.6
SN26	2182.5
SN28	2182.8
SN51	350
SN52	350.02
SP54	351
SN60	352.5
SOREL	2185.1
SP	900.2
SP2	919
SP56	351.02
SP59	351.04
SP6	911.5
SQ	70
SQ2	70.15
SQ2	912.5
SQ3	70.25
SQ4	75.32
SS1	787.2
SS1	913
SS2	913.2
SS3	913.4
SS6	913.6
SS7	914
SS8	915
SS10	915.4
SS11	916
SS12	916.2
SS15	917
SS16	916.4
SU1	919.6
SX3	66
SY4	63

T	NO.
T	420.5
T1	287.5
T3	285
T7	286.5
T9	286
T51	422
T52	432.2
T54/2	426.5
T56	427
T59	429
T63	430
TA	293.55
TA	425
TA2	1238
TA3	293.6
TA4	655
TA4	1238.1
TA5	293.7
TA7	656
TA12	1238.2
TA22	1238.3
TA22/2	1238.31
TA22/4	1238.32

T	NO.
TA23	1238.4
TA26/2	1238.45
TA34	1238.5
TA37	1238.6
TA39	1238.65
TA41	1238.66
TA43	1238.67
TC	1238.8
TC3	291
TC6	1238.9
TC12	1239.1
TC14	1239.2
TC19	1239.3
TC22	1239.4
TC52	433
TD	426.25
TD	1239.5
TD4	1239.6
TD5	1239.65
TD8	1239.7
TE2	294.551
TE2	645
TE2	1240
TE4	1240.5
TE5	645.5
TE10	294.56
TE12	1241
TE15	1241.2
TE25	1241.4
TE34	1241.6
TE38	1241.8
TE46	1242
TE48	1242.2
TE49	1242.4
TH2	1246.5
TH10	646.5
TH10	1246.71
TH11	1246.72
TH12	1246.75
TH13	1246.76
TH15	1246.77
TJ2	1248
TJ6	1248.13
TJ10	1248.7
TJ24	1253.4
TJ27	1257.5
TJ28	1257.6
TJ30	1257.8
TJ38	1260
TJ42	1261
TJ47	1261.5
TJ55	1261.55
TJ60	1261.6
TK2	1262.5
TK3	1262.6
TK5	1262.7
TN1	648
TN51	423.6
TP1	642

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

T	NO.
TP2	643
TQ2	639.7
TRACY	2185.2
TS2	639.5
TS6	640
TS51	420
TS52	419.5
TT	285.5
TT	635
TT2	635.5
TT4	636
TT7	636.04
TT10	636.1
TU	418
TU	634.4
TU53	417.81
TU54	419
TX1	636.2
TY	633.01
TY5	633.02

U	NO.
U1	790
U4	791
U9	791.5
U12	794.2
UA	414
UA2	920.5
UA51	413
UA64	415.3
UAA	416.3
UB1	408.1
UC	414.5
UD3	920.6
UD4	920.7
UD4/2	920.8
UE6	920.6
UE51	416.4
UEF	394.01
UH	921.3
UH2	43.5
UH2	921.4
UH3	921.5
UH5	921.6
UH12	923.3
UH16	923.5
UH17	923.7
UJ	412.2
UJ52	412.5
UJ55	416.515
UJ58	416.53
UJ59	416.54
UJ61	416.55
UK	925.12
UK2	925.2
UK3	925.4
UK7	929
UK9	929.3

U	NO.
UK11	929.5
UK13	930
UK16	933
UK18	934
UK19	937
UK25	937.5
UK28	937.8
UK30	938
UK32	938.5
UM52	408.5
UM53	410
UM58	410.5
UM59	411
UM60	411.5
UM61	412
UM64	412.3
UN	395
UN54	403.4
UN55	402
UN59	400
UN66	400.5
UN74	400.7
UN80	401
UP2	51.5
UP2	940.5
UP7	52.25
UQ52	404
US	397.5
US51	394.5
US57	396.5
UT	398
UT2	45
UT52	396.1
UT53	396.2
UT54	396.3
UV52	391
UX	387
UX53	387.01
UX55	387.5
UX56	387.04

V	NO.
V	632
V1	204
V1	626.9
V2	205
V3	627.5
V4	628.1
V6	206
V6	628.5
V6	1934
V8	1935
V13	1936
V19	1944
V22	1945
V24	609
V31	1948
V34	1950.4

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

V	NO.
V35	1950.5
V36	1951
VALLEA	1637
VAUQU	1973.5
VC	860.5
VCC	627.1
VC1	626.1
VC2	626.2
VC3	626.3
VC4	626.4
VC5	626.6
VC7	626.7
VD2	863.1
VD4	864
VD8	866.1
VD9	866.2
VD13	866.5
VD14	866.6
VD19	866.7
VD20	866.8
VD21	866.9
VD22	866.95
VE3	209.3
VE4	209.8
VE5	210.3
VH2	625
VH5	623.5
VH8	873.1
VH9	873.22
VH11	873.23
VH12	873.3
VJ	874.51
VJ1	874.52
VJ2	874.53
VJ3	874.55
VJ4	874.6
VJ8	874.61
VJ9	874.62
VK	621
VK3	621.5
VK7	879.5
VK9	880
VK11	622
VK12	880.1
VM3	619
VM3	882.1
VM4	882.2
VN2	882.5
VP	613
VP2	887.2
VP5	614
VP5	887.5
VP7	887.7
VQ4	883.5
VR4	887.8
VR8	887.82
VS	889.5
VT2	883.2
VT5	611

V	NO.
VU2	891.5
VU4	886
VV	859
VV1	608
VV8	610.5
VV12	610
VX1	876.3

X	NO.
X1	9
X2	5.6
X5	1089
X17	1125.5
X25	1161.5
X26	593
X31	1162
XA1	7
XA2	7.5
XA2	607
XA2	1085
XA3	7.7
XA3	606.7
XA4	606.5
XA6	606.3
XA7	17.5
XA8	18.2
XB	1017.75
XB2	1017.71
XB3	1017.72
XB4	1017.73
XB5	1017.74
XD4	1095.1
XD5	1096
XE	1097.8
XE2	1097.4
XF	1017.7
XH1	605
XJ2	16
XK	9.5
XKA	26
XK1	600
XK2	1102.3
XK3	601
XK3	10
XK4	10.4
XK6	1102.5
XK7	19
XK11	19.3
XM3	21
XN	1105
XN2	20
XN12	1106
XN18	1109
XN19	1109.2
XN20	1109.4
XN21	1109.6
XN22	1109.8
XN34	1111.2

INDEX

INDEX OF LIGHT BUOYS BY DESIGNATORS

X	NO.
XN37	1111.41
XN41	1111.45
XN42	1111.46
XN46	1111.48
XP3	28
XP4	28.6
XP7	597
XT2	1115
XT4	1114.2
XT18	1114.5
XT22	1114.8
XU2	1119
XU4	593.6
XU10	595
XU14	596
XV2	1119.55
XV6	32
XV9	1119.7
XX	1152.8
XX1	596.01
XX4	1154
XX13	1154.1
XX19	1154.2
XX24	1154.4
XX35	1154.45
XX36	1154.5
XX37	1154.6
XX39	1154.8
XX41	1154.85
XX42	1154.9
XX43	1154.95
XY2	1157
XY9	1158.5
XY17	1158.6
XY21	1159

Y	NO.
Y2	268
Y3	259
Y4	267
Y5	260.5
Y8	1481
Y12	262
Y12	1487
Y16	1512
Y17	264
Y2 4	265
Y26	266
YA2	590
YA2	1480.5
YC4	1482.1
YC5	1482.2
YC9	1482.3
YC10	1482.4
YC11	1482.5
YC12	1482.55

Y	NO.
YC14	1482.6
YC15	1482.7
YD4	1496.4
YE2	588
YE2	1494
YE4	1494.2
YE6	1494.4
YE8	1494.7
YE9	1494.6
YE10	1494.81
YE11	1494.9
YE12	1494.91
YE14	1494.92
YJ	587
YK1	1501
YK5	1502.2
YK12	1503
YK22	1504
YM	586
YM1	584
YM1	1507
YM4	1507.6
YM7	1507.5
YM9	1507.7
YM11	1508.5
YM12	1508
YP2	582
YS	580.3
YS3	1489.1
YS4	1489.2
YS5	1489.3
YS6	578
YS9	579
YS9	1489.5
YS10	1489.6
YT2	577
YT3	570.5
YT5	572
YT7	572.3
YT8	576
YT9	572.6
YT11	573
YV3	566.5
YY	1480

44131	835.5
44137	664.7
44138	664.8
44139	664.5
44141	664.6
44142	326.5
45138	1654

Prix / Price

Quantités DSP / DSP Quantities
100

**Avis à la section
de la documentation**

**Notice to the
Documentation Section**

Objet: No de catalogue / Re : Catalogue No.
FS151-9/2009E

- Ouvrage vendu par ÉSD Item sold by PDS
- Distribué par le ministère auteur Distributed by author department
- Aucun exemplaire pour les bibliothèques de dépôt – Librairie électronique seulement No depository distribution – E-Bookstore only
- Un exemplaire gratuit aux dépositaires One free copy to depositories
- Maintien d'une liste d'envois aux dépositaires Mailing list maintained for depositories
- Publication affichée à titre de référence seulement For information only
- Pour les bibliothèques de dépôt universel seulement For Full Depository Libraries only
- Réimpression Reprint
- Nouvelle liste d'envoi New Mailing List

SHIPPED JAN 07 2010